

LORP Synopsis for October 2024

Compliance Comments

Flows were above the minimum flow for the month.

Maintenance

Activities for the month on the Lower Owens River included the following:

- Current metering continues the development of discharge curves at all in-river flow monitoring sites and are used to develop velocity indexing tables.
- Some in-river station measurements have fluctuated as a result of shifting and increased sedimentation in the river, requiring additional indexing to increase the accuracy of measurements.

Operations

Below are flow changes that occurred during the month:

- LORP Intake from 70 cfs to 55 cfs on October 8, 2024.
- LORPS Langemann from 11 cfs to 8 cfs on October 16, 2024.

Waterfowl Area Monthly Report

Synopsis (for Runoff Year 2024-2025)

Implementation of the Interim Management and Monitoring Plan continued, which includes the seasonal flooding regime and a fixed waterfowl acreage goal of 500 acres.

On March 1, 2024 (RY 2023-24) flows to all units were set to 0 cfs.

On September 15, 2024, flows for the Fall season were set as follow: Thibaut Unit – 7.5 cfs, Winterton Unit – 2.5 cfs, and Waggoner Unit – 7.5 cfs.

Flow Rates and Wetted Acreage Summary (for Runoff Year 2024-25)

	Inflow (cfs)	Date Set	Wetted Acreage	Date of Survey
Drew Unit	off	4/16/2021		
Waggoner Unit	off	3/1/2024		
	7.5	9/15/2024		
Winterton Unit	off	3/1/2024		
	2.5	9/15/2024		
Thibaut Unit	off	3/1/2024		
	7.5	9/15/2024		

OCTOBER 2024 IN-RIVER STATION CURRENT METERING SUMMARY

Station	Date	Metered Flow	Station Begin Flow	Station End Flow	Shift Applied	Notes	
LORP Intake	10/1/2024	70.50	69.20	70.30	0	gage height	4.18
At Mazourka Canyon Road	10/1/2024	66.00	68.70	71.10	-4	gage height	3.63
At Reinhackle Springs	10/1/2024	64.15	67.22	68.96	-4	gage height	4.14
LORP Intake	10/29/2024	52.00	54.60	54.60	0	gage height	3.50
At Mazourka Canyon Road	10/29/2024	60.50	55.00	55.00	6	gage height	3.40
At Reinhackle Springs	10/29/2024	59.00	57.00	57.00	2	gage height	3.95

Lower Owens River Project Flow Report for 10/01/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			70	70	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			67	73	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			65	65	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	48	15
Pump Station			38	37	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			63	64	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 09/25/2024)
Lower Twin Lake Gage Read	2.43 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/02/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			70	70	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			67	73	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			66	65	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	48	15
Pump Station			38	37	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			63	64	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 09/25/2024)
Lower Twin Lake Gage Read	2.43 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/03/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			70	70	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			67	72	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			66	65	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	49	15
Pump Station			38	38	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			63	64	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 09/25/2024)
Lower Twin Lake Gage Read	2.43 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/04/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			70	70	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			68	72	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			66	66	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			50	49	15
Pump Station			39	38	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			64	64	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 09/25/2024)
Lower Twin Lake Gage Read	2.43 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/05/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			70	70	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			68	71	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			67	66	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			51	49	15
Pump Station			40	38	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			64	64	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 09/25/2024)
Lower Twin Lake Gage Read	2.43 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/06/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			70	70	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.5	1			
Mazourka Canyon Road			68	71	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			67	66	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			52	49	15
Pump Station			41	38	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			64	64	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 09/25/2024)
Lower Twin Lake Gage Read	2.43 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/07/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			70	70	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.5	1			
Mazourka Canyon Road			68	71	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			68	66	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			52	49	15
Pump Station			41	38	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			64	64	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 09/25/2024)
Lower Twin Lake Gage Read	2.43 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/08/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			64	70	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			68	70	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			68	66	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			54	50	15
Pump Station			43	39	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			64	64	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 09/25/2024)
Lower Twin Lake Gage Read	2.43 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/09/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	69	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			66	70	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			68	66	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			54	50	15
Pump Station			43	39	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			61	64	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/10/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	68	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			58	69	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			68	66	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			50	50	15
Pump Station			39	39	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			58	63	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/11/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	67	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			56	68	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			65	66	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			54	51	15
Pump Station			43	40	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			58	63	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/12/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	66	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			54	66	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			58	66	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			54	51	15
Pump Station			43	40	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			56	62	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/13/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	65	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.8	1			
Mazourka Canyon Road			53	65	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			55	65	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			55	51	15
Pump Station			44	40	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			55	62	

Pump Station Month-to-Date Average Flow 41 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/14/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	64	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.9	1			
Mazourka Canyon Road			53	64	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			54	64	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			54	52	15
Pump Station			43	41	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			54	61	

Pump Station Month-to-Date Average Flow 41 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/15/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	63	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			53	62	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			53	64	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			51	52	15
Pump Station			40	41	
Langemann Gate to Delta			11	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			53	60	

Pump Station Month-to-Date Average Flow 41 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/16/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	62	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			52	61	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			53	63	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	52	15
Pump Station			38	41	
Langemann Gate to Delta			9	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			52	59	

Pump Station Month-to-Date Average Flow 41 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/17/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	61	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.9	1			
Mazourka Canyon Road			51	60	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			53	62	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	52	15
Pump Station			39	41	
Langemann Gate to Delta			8	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			52	59	

Pump Station Month-to-Date Average Flow 41 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/18/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	60	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			50	59	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			51	61	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			45	51	15
Pump Station			37	41	
Langemann Gate to Delta			8	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	58	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/19/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	59	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			50	58	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			51	60	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			43	51	15
Pump Station			35	41	
Langemann Gate to Delta			8	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	57	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/20/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	58	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			50	57	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			50	59	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			43	50	15
Pump Station			35	40	
Langemann Gate to Delta			8	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	56	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/21/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	57	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			49	55	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	58	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			42	50	15
Pump Station			34	40	
Langemann Gate to Delta			8	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	55	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/22/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	57	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.8	1			
Mazourka Canyon Road			51	54	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			50	57	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			42	49	15
Pump Station			34	39	
Langemann Gate to Delta			8	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	54	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/23/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.9	1			
Mazourka Canyon Road			52	53	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			50	55	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			43	48	15
Pump Station			35	39	
Langemann Gate to Delta			8	9	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	53	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/24/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			53	52	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	54	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			44	48	15
Pump Station			36	38	
Langemann Gate to Delta			8	9	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			51	53	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.68 ft	(Last Collected: 10/09/2024)
Lower Twin Lake Gage Read	2.45 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/25/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			53	52	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			53	53	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			44	47	15
Pump Station			36	38	
Langemann Gate to Delta			8	9	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			52	52	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.71 ft	(Last Collected: 10/28/24)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/26/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			52	52	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			53	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			44	47	15
Pump Station			36	38	
Langemann Gate to Delta			8	9	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			51	52	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.71 ft	(Last Collected: 10/28/2024)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/27/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			53	52	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			55	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			44	46	15
Pump Station			36	37	
Langemann Gate to Delta			8	9	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			52	51	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.71 ft	(Last Collected: 10/28/2024)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/28/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			52	52	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			54	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			46	45	15
Pump Station			38	37	
Langemann Gate to Delta			8	8	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			52	51	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.71 ft	(Last Collected: 10/28/2024)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/29/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.5	1			
Mazourka Canyon Road			62	52	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			59	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	45	15
Pump Station			39	37	
Langemann Gate to Delta			8	8	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			56	51	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.71 ft	(Last Collected: 10/28/2024)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/30/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	56	15
Blackrock Ditch Return (augmentation)	2	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			62	53	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			57	53	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	45	15
Pump Station			39	36	
Langemann Gate to Delta			8	8	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			56	52	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.71 ft	(Last Collected: 10/28/2024)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 10/31/2024

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			63	54	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			59	53	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	45	15
Pump Station			40	37	
Langemann Gate to Delta			8	8	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			56	52	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	663 Acres	02/25/2024	7.5 cfs	09/15/2024
Winterton	288 Acres	02/25/2024	2.5 cfs	09/15/2024
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	311 Acres	02/25/2024	7.5 cfs	09/15/2024
Total Flooded Area	1262 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.71 ft	(Last Collected: 10/28/2024)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 02/25/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Ian Keller

DATE: October 7, 2024 Tony

REQUESTED BY: Tillemans x32259

FLOW CHANGE LOCATION **LORP Intake**

START DATE: Tuesday, October 8, 2024 TIME: morning

CHANGE FLOW: From: 70 cfs To: 55 cfs

To maintain required flows to the LORP, monitor and make adjustments to the Aqueduct Intake gates for at least one day following this flow change.

C: Adam Perez
Eric Tillemans
Forest Mathieu
Ryan Yeager
Joe Bowling

Ben Butler
Jason Olin
Bruce Peterson
Gary Reiser
Chad Lamacchia

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Zack Boardman/Jason Olin

DATE: October 15, 2024

REQUESTED BY: Tony Tillemans x32259

FLOW CHANGE LOCATION **Langemann Gate at Pumpstation**

START DATE: Wednesday, October 16, 2024

CHANGE FLOW: FROM: 11 cfs TO: 8 cfs at LORPS Langemann

C: Adam Perez
Eric Tillemans
Chad Lamacchia
Ben Arcularius

Ben Butler
Jason Olin
Gary Reiser
Bruce Peterson

Quality Assurance and Calibration Procedures

The Los Angeles Department of Water and Power has a set standard to assure quality of all hydrological data collected. Procedures used to QA data vary based on the type of data collected and the device used to measure flow.

Data collected from sites utilizing area velocity flow meters are electronically monitored continuously. Sites are physically visited most days of the week to assure debris or vandalism hasn't affected the reading. Errors in the data collected may arise from several sources:

1. The transducers which detect the stage height and velocities have a tendency to drift.
2. Power outages occur occasionally thereby preventing the recording of data to the data loggers.
3. Occasionally the data loggers themselves malfunction.
4. Data can be lost or corrupted when it is transferred from the data loggers to the laptop.

Errors in discharge can originate from the instability of the relationship between velocity and stage height. This relationship varies temporally. It is affected by changes in the streambed that results from the flow of water over the bed, such as scour and fill, aquatic growth, ice, debris, or bed roughness.

To compensate for changes in the constantly shifting conditions multiple current meter measurements at each location per USGS standards are conducted per month. The current meter shots are taken at 2 foot intervals horizontally across the lined sections or 1 foot intervals at the sites where the measurements are taken in culverts. In each vertical section two separate measurements are taken (0.2 and 0.8) of the depth to achieve the best velocity average in the vertical. These vertical discharges are then added together to obtain a total flow in the section. The current meter data is logged in an on-board computer tracking the measurements as taken. That data is then extracted from the on-board computer to a PC using the FlowPack software that allows analysis of the data for erroneous measurements and is then converted to an Excel spreadsheet for ease of storage and printing. See Examples 1 – 3 for printout of software used to validate the current meter data.

Current meter data is used to develop velocity index tables. The tables require a minimum of 6 meter shots. After a table has been developed it is then downloaded into the on-site SonTek software which takes into account any variables within the meter section and applies any shifts to the discharge.

Data is collected and logged every 10 minutes utilizing SonTek area velocity flow meters. The data is downloaded from the meters once per month utilizing software provided by SonTek. The software "ViewArgonaut" gives us the ability to check items relevant to the performance of the meter. Battery voltage, beam strength, noise ratios, depth, and cell distance. (See Example 4) The software provides a trend of the data collected and displays it for quick comparisons, flagging discrepancies, one day at a time. Utilizing the ViewArgonaut software monthly reports are generated and the data is

reviewed. Using the current meter data collected during the month shifts are applied to the discharge to assure accuracy.


Augmentation Flows

Flows at several of the augmentation points are measured using weirs and flumes at sites that were pre-existing. Billy Lake has a one foot Parshall flume, Locust and Georges Returns have three foot weirs installed. All have stilling wells with dataloggers installed. The water surface elevation in the stillwell is measured each time the site is visited and verified it matches the staff gage for correct water depth through the measuring device. The still wells are flushed once every two months to assure the communication line is open and free of debris. The gage height data is logged on a module every 15 minutes. The modules are changed and processed every two weeks. Software used to process the data gives an hourly average gage and converts it to flow. It also gives the maximum and minimum flows for each day and time stamps it. The data is reviewed for any discrepancies which can be caused as a result of debris plugging the measuring device, a plugged stillwell, low batteries, etc.

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

-  [Open a FlowTracker file](#)
-  [Open many FlowTracker files/folders](#)

The current export settings are:

- Show Discharge Summary Report
- Export ASCII Discharge file (DIS)
- Export ASCII Control file (CTL)
- Export ASCII Summary file (SUM)
- Export ASCII Data file (DAT)
- Export FlowPack file (FPX)
- Put Headers on ASCII files

 [Connect to a FlowTracker](#)

To download data and run diagnostics

070706.ORABR.LOR.WAD

Discharge Measurement Summary

Date Generated: Thu Sep 27 2007





File Information		Site Details	
File Name	070706.ORABR.LOR.WAD	Site Name	ORABR
Start Date and Time	2007/07/06 07:48:17	Operator(s)	DJT

System Information		Units	(English Units)
Sensor Type	FlowTracker	Distance	ft
Serial #	P1685	Velocity	ft/s
CPU Firmware Version	3.2	Area	ft^2
Software Ver	2.11	Discharge	cfs

Discharge Uncertainty		
Category	ISO	Stats
Accuracy	1.0%	1.0%
Depth	0.1%	0.5%
Velocity	0.3%	1.4%
Width	0.1%	0.1%
Method	0.8%	-
# Stations	1.6%	-
Overall	2.1%	1.8%

Summary			
Averaging Int.	40	# Stations	32
Start Edge	REW	Total Width	48.100
Mean SNR	18.7 dB	Total Area	69.016
Mean Temp	73.68 °F	Mean Depth	1.435
Disch. Equation	Mid-Section	Mean Velocity	0.6419
		Total Discharge	44.3025

Measurement Results												
St	Clock	Loc	Method	Depth	%Dep	MeasD	Vel	CorrFact	MeanV	Area	Flow	%Q
0	07:48	23.60	None	0.000	0.0	0.0	0.0000	1.00	0.0000	0.000	0.0000	0.0
1	07:48	24.60	0.6	0.360	0.6	0.144	0.2762	1.00	0.2762	0.360	0.0994	0.2
2	07:50	25.60	0.6	0.640	0.6	0.256	0.5102	1.00	0.5102	0.640	0.3266	0.7
3	07:51	26.60	0.6	0.880	0.6	0.352	0.5938	1.00	0.5938	0.880	0.5225	1.2
4	07:52	27.60	0.6	1.180	0.6	0.472	0.6257	1.00	0.6257	1.180	0.7383	1.7
5	07:54	28.60	0.6	1.390	0.6	0.556	0.6302	1.00	0.6302	1.390	0.8761	2.0
6	07:55	29.60	0.2/0.8	1.520	0.2	1.216	0.8130	1.00	0.7078	1.520	1.0759	2.4
6	07:56	29.60	0.2/0.8	1.520	0.8	0.304	0.6027					
7	07:58	30.60	0.8/0.2	1.690	0.2	1.352	0.8468	1.00	0.7664	1.690	1.2952	2.9
7	07:57	30.60	0.8/0.2	1.690	0.8	0.338	0.6860					
8	07:59	31.60	0.2/0.8	1.700	0.2	1.360	0.8146	1.00	0.7037	2.040	1.4357	3.2
8	08:00	31.60	0.2/0.8	1.700	0.8	0.340	0.5928					
9	08:03	33.00	0.8/0.2	1.680	0.2	1.344	0.8383	1.00	0.7408	2.016	1.4935	3.4
9	08:01	33.00	0.8/0.2	1.680	0.8	0.336	0.6434					
10	08:05	34.00	0.2/0.8	1.600	0.2	1.280	0.8724	1.00	0.7398	2.400	1.7757	4.0
10	08:06	34.00	0.2/0.8	1.600	0.8	0.320	0.6073					
11	08:08	36.00	0.8/0.2	1.520	0.2	1.216	0.8186	1.00	0.6995	3.040	2.1264	4.8
11	08:07	36.00	0.8/0.2	1.520	0.8	0.304	0.5804					
12	08:09	38.00	0.2/0.8	1.500	0.2	1.200	0.8957	1.00	0.7461	3.000	2.2382	5.1
12	08:11	38.00	0.2/0.8	1.500	0.8	0.300	0.5965					
13	08:12	40.00	0.2/0.8	1.490	0.2	1.192	0.8245	1.00	0.6321	2.980	1.8837	4.3
13	08:13	40.00	0.2/0.8	1.490	0.8	0.298	0.4396					
14	08:15	42.00	0.2/0.8	1.510	0.2	1.208	0.8514	1.00	0.7548	3.020	2.2791	5.1
14	08:16	42.00	0.2/0.8	1.510	0.8	0.302	0.6581					
15	08:18	44.00	0.8/0.2	1.600	0.2	1.280	0.8278	1.00	0.7026	3.200	2.2484	5.1
15	08:17	44.00	0.8/0.2	1.600	0.8	0.320	0.5774					
16	08:19	46.00	0.2/0.8	1.620	0.2	1.296	0.8018	1.00	0.6916	3.240	2.2409	5.1
16	08:20	46.00	0.2/0.8	1.620	0.8	0.324	0.5814					
17	08:22	48.00	0.8/0.2	1.700	0.2	1.360	0.8396	1.00	0.7756	3.400	2.6372	6.0
17	08:21	48.00	0.8/0.2	1.700	0.8	0.340	0.7116					
18	08:23	50.00	0.2/0.8	1.800	0.2	1.440	0.9016	1.00	0.8251	3.600	2.9703	6.7
18	08:24	50.00	0.2/0.8	1.800	0.8	0.360	0.7487					
19	08:26	52.00	0.8/0.2	1.680	0.2	1.344	0.8271	1.00	0.7269	3.360	2.4425	5.5
19	08:25	52.00	0.8/0.2	1.680	0.8	0.336	0.6266					
20	08:27	54.00	0.2/0.8	1.780	0.2	1.424	0.7795	1.00	0.6763	3.560	2.4076	5.4
20	08:28	54.00	0.2/0.8	1.780	0.8	0.356	0.5732					
21	08:30	56.00	0.8/0.2	1.820	0.2	1.456	0.7329	1.00	0.6097	3.640	2.2193	5.0
21	08:29	56.00	0.8/0.2	1.820	0.8	0.364	0.4865					
22	08:32	58.00	0.2/0.8	1.820	0.2	1.456	0.7123	1.00	0.5540	3.640	2.0163	4.6
22	08:34	58.00	0.2/0.8	1.820	0.8	0.364	0.3957					
23	08:36	60.00	0.8/0.2	1.800	0.2	1.440	0.6949	1.00	0.6017	3.600	2.1660	4.9
23	08:35	60.00	0.8/0.2	1.800	0.8	0.360	0.5085					

-  [Program Settings](#)
- [Quality Control Settings](#)
-  [Show User's Manual](#)
-  [Show Technical Manual](#)
-  [Show Quick Start](#)
-  [About FlowTracker](#)



 English

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:




-  [Open a FlowTracker file](#)
-  [Open many FlowTracker files/folders](#)

The current export settings are:

- Show Discharge Summary Report
- Export ASCII Discharge file (DIS)
- Export ASCII Control file (CTL)
- Export ASCII Summary file (SUM)
- Export ASCII Data file (DAT)
- Export FlowPack file (FPX)
- Put Headers on ASCII files

-  [Connect to a FlowTracker](#)
To download data and run diagnostics


070706.0RABR.LOR.WAD








Quality Control

St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

Automatic Quality Control Test (BeamCheck)



-  [Program Settings](#)
- [Quality Control Settings](#)
-  [Show User's Manual](#)
-  [Show Technical Manual](#)
-  [Show Quick Start](#)
-  [About FlowTracker](#)

 English
 

 A YSI Environmental Company

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:






-  [Open a FlowTracker file](#)
-  [Open many FlowTracker files/folders](#)

The current export settings are:

- Show Discharge Summary Report
- Export ASCII Discharge file (DIS)
- Export ASCII Control file (CTL)
- Export ASCII Summary file (SUM)
- Export ASCII Data file (DAT)
- Export FlowPack file (FPX)
- Put Headers on ASCII files

 [Connect to a FlowTracker](#)




To download data and run diagnostics

-  [Program Settings](#)
- [Quality Control Settings](#)
-  [Show User's Manual](#)
-  [Show Technical Manual](#)
-  [Show Quick Start](#)
-  [About FlowTracker](#)



 English


070706.0RABR.LOR.WAD



Quality Control

St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

Automatic Quality Control Test (BeamCheck)



FileName: BROR_070801_a.arg (Argonaut- SW 3000 kHz)



System	Argonaut-SW
Frequency	3000 kHz

File	BROR_070801_a
File Size	65.18 kB

Sample No	1
Sample Date	02/07/2007
Sample Time	13:28:38
Time Interval	180

Velocity Data:	
V1/X/E(cm/s)	27.8
V2/Y/N(cm/s)	2.4
V3/Z/U(cm/s)	--
Speed (cm/s)	27.9
Direction(deg)	85.1

Discharge Summary:	
V Beam (m)	0.426
Stage (m)	1.304 V
VMean (cm/s)	22.7
Flow (cfs)	50.21
Area (m2)	6.26
Vol (acre-ft)	0.7

Diagnostic Data:	
SNR1 (dB)	61
SNR2 (dB)	61
SNR3 (dB)	--
StErr1 (cm/s)	0.9
StErr2 (cm/s)	0.8
StErr3 (cm/s)	--
Mean StDev	0.9
Battery (V)	12.4

Party: BLP / BJA	Width: 29.7 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 149 ft ²	Mean Velocity: 0.474 ft/s
Gage Height: 5.68 ft	G.H.Change: 0.000 ft	Discharge: 70.6 ft ³ /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft ²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:	ADCP:
BT 3-Beam Solution: YES	Type/Freq.: StreamPro / 2000 kHz
WT 3-Beam Solution: YES	Serial #: 2370 Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Bin Size: 17 cm Blank: 3 cm
WT Error Vel.: 0.98 ft/s	BT Mode: 10 BT Pings: 2
BT Up Vel.: 1.00 ft/s	WT Mode: 12 WT Pings: 6
WT Up Vel.: 1.64 ft/s	
Use Weighted Mean Depth: YES	
Max. Vel.: 1.73 ft/s	
Max. Depth: 6.08 ft	
Mean Depth: 5.03 ft	
% Meas.: 62.17	
Water Temp.: None	
ADCP Temp.: 72.4 °F	

Performed Diag. Test: YES
 Performed Moving Bed Test: NO
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE

Project Name: 241001 LOR @ INTAKE_0.mmm
 Software: 2.26.00.04

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	38	9.50	46.0	11.4	2.58	3.53	73.0	30	152	12:09	12:09	0.63	0.48	5	0
001	R	2	2	49	8.33	40.1	9.99	2.75	3.85	65.0	29	145	12:10	12:11	0.51	0.45	22	0
002	L	2	2	43	9.36	44.2	11.4	2.72	3.78	71.5	29	145	12:11	12:11	0.56	0.49	0	0
003	R	2	2	42	9.22	45.5	11.1	2.97	3.85	72.6	32	162	12:12	12:12	0.64	0.45	14	0
004	L	2	2	42	9.25	43.6	11.5	2.65	3.74	70.8	29	143	12:13	12:14	0.56	0.50	0	0
Mean		2	2	42	9.13	43.9	11.1	2.73	3.75	70.6	30	149	Total	00:05	0.58	0.47	8	0
SDev		0	0	4	0.459	2.31	0.635	0.147	0.131	3.22	1.3	7.8			0.06	0.02		
SD/M		0.0%	0.0%	9.7%	5.0%	5.3%	5.7%	5.4%	3.5%	4.6%	4.5%	5.3%			9.5%	4.8%		

Remarks:

Discharge for transects in *italics* have a total Q more than 5% from the mean

Party: BRP BLP	Width: 28.8 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 132 ft ²	Mean Velocity: 0.395 ft/s
Gage Height: 4.73 ft	G.H.Change: 0.000 ft	Discharge: 52.1 ft ³ /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft ²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:	ADCP:
BT 3-Beam Solution: YES	Type/Freq.: StreamPro / 2000 kHz
WT 3-Beam Solution: YES	Serial #: 2370 Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Bin Size: 5 cm Blank: 3 cm
WT Error Vel.: 1.25 ft/s	BT Mode: 10 BT Pings: 2
BT Up Vel.: 1.00 ft/s	WT Mode: 12 WT Pings: 6
WT Up Vel.: 1.64 ft/s	
Use Weighted Mean Depth: YES	
Max. Vel.: 3.06 ft/s	
Max. Depth: 5.12 ft	
Mean Depth: 4.60 ft	
% Meas.: 59.51	
Water Temp.: None	
ADCP Temp.: 62.6 °F	

Performed Diag. Test: YES
 Performed Moving Bed Test: NO
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE
 Project Name: 241029 intk_0.mmt
 Software: 2.26.00.04

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	53	<i>4.77</i>	<i>32.3</i>	<i>5.65</i>	<i>8.37</i>	<i>3.92</i>	<i>55.0</i>	29	131	10:12	10:13	0.50	0.42	0	1
001	R	2	2	37	<i>4.45</i>	<i>31.5</i>	<i>4.45</i>	<i>6.67</i>	<i>4.66</i>	<i>51.7</i>	28	132	10:13	10:14	0.59	0.39	0	1
002	L	2	2	38	<i>4.03</i>	<i>27.8</i>	<i>4.34</i>	<i>9.11</i>	<i>4.52</i>	<i>49.8</i>	29	133	10:14	10:15	0.62	0.38	0	2
003	R	2	2	34	<i>4.77</i>	<i>32.3</i>	<i>5.23</i>	<i>5.79</i>	<i>3.64</i>	<i>51.8</i>	29	133	10:15	10:16	0.67	0.39	0	1
Mean		2	2	40	4.50	31.0	4.92	7.49	4.18	52.1	29	132	Total	00:04	0.60	0.39	0	2
SDev		0	0	9	0.351	2.15	0.627	1.52	0.486	2.15	0.3	1.0			0.07	0.02		
SD/M		0.0%	0.0%	21.3%	7.8%	6.9%	12.8%	20.3%	11.6%	4.1%	1.2%	0.7%			11.9%	4.6%		

Remarks:

Discharge for transects in *italics* have a total Q more than 5% from the mean

Blackrock Return Ditch
Station 0208

Date	Flow (cfs)
10/1/2024	1.11
10/2/2024	1.32
10/3/2024	1.35
10/4/2024	1.29
10/5/2024	1.12
10/6/2024	1.08
10/7/2024	1.07
10/8/2024	1.08
10/9/2024	1.06
10/10/2024	1.07
10/11/2024	1.12
10/12/2024	1.14
10/13/2024	1.07
10/14/2024	1.05
10/15/2024	1.08
10/16/2024	1.03
10/17/2024	1.02
10/18/2024	1.04
10/19/2024	1.12
10/20/2024	1.12
10/21/2024	1.16
10/22/2024	1.21
10/23/2024	1.26
10/24/2024	1.35
10/25/2024	1.34
10/26/2024	1.27
10/27/2024	1.16
10/28/2024	1.06
10/29/2024	1.25
10/30/2024	1.67
10/31/2024	1.78

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/1/2024	12:00:00 AM	0.47
10/1/2024	12:15:00 AM	0.48
10/1/2024	12:30:00 AM	0.48
10/1/2024	12:45:00 AM	0.48
10/1/2024	1:00:00 AM	0.48
10/1/2024	1:15:00 AM	0.48
10/1/2024	1:30:00 AM	0.48
10/1/2024	1:45:00 AM	0.48
10/1/2024	2:00:00 AM	0.48
10/1/2024	2:15:00 AM	0.48
10/1/2024	2:30:00 AM	0.48
10/1/2024	2:45:00 AM	0.48
10/1/2024	3:00:00 AM	0.48
10/1/2024	3:15:00 AM	0.48
10/1/2024	3:30:00 AM	0.48
10/1/2024	3:45:00 AM	0.48
10/1/2024	4:00:00 AM	0.48
10/1/2024	4:15:00 AM	0.48
10/1/2024	4:30:00 AM	0.48
10/1/2024	4:45:00 AM	0.48
10/1/2024	5:00:00 AM	0.48
10/1/2024	5:15:00 AM	0.48
10/1/2024	5:30:00 AM	0.48
10/1/2024	5:45:00 AM	0.48
10/1/2024	6:00:00 AM	0.48
10/1/2024	6:15:00 AM	0.48
10/1/2024	6:30:00 AM	0.48
10/1/2024	6:45:00 AM	0.48
10/1/2024	7:00:00 AM	0.48
10/1/2024	7:15:00 AM	0.48
10/1/2024	7:30:00 AM	0.48
10/1/2024	7:45:00 AM	0.48
10/1/2024	8:00:00 AM	0.48
10/1/2024	8:15:00 AM	0.48
10/1/2024	8:30:00 AM	0.48
10/1/2024	8:45:00 AM	0.48
10/1/2024	9:00:00 AM	0.47
10/1/2024	9:15:00 AM	0.47
10/1/2024	9:30:00 AM	0.47
10/1/2024	9:45:00 AM	0.47
10/1/2024	10:00:00 AM	0.47
10/1/2024	10:15:00 AM	0.47
10/1/2024	10:30:00 AM	0.47
10/1/2024	10:45:00 AM	0.47
10/1/2024	11:00:00 AM	0.46
10/1/2024	11:15:00 AM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/1/2024	11:30:00 AM	0.46
10/1/2024	11:45:00 AM	0.46
10/1/2024	12:00:00 PM	0.46
10/1/2024	12:15:00 PM	0.46
10/1/2024	12:30:00 PM	0.46
10/1/2024	12:45:00 PM	0.46
10/1/2024	1:00:00 PM	0.46
10/1/2024	1:15:00 PM	0.45
10/1/2024	1:30:00 PM	0.45
10/1/2024	1:45:00 PM	0.45
10/1/2024	2:00:00 PM	0.45
10/1/2024	2:15:00 PM	0.45
10/1/2024	2:30:00 PM	0.45
10/1/2024	2:45:00 PM	0.45
10/1/2024	3:00:00 PM	0.45
10/1/2024	3:15:00 PM	0.45
10/1/2024	3:30:00 PM	0.45
10/1/2024	3:45:00 PM	0.45
10/1/2024	4:00:00 PM	0.45
10/1/2024	4:15:00 PM	0.45
10/1/2024	4:30:00 PM	0.46
10/1/2024	4:45:00 PM	0.46
10/1/2024	5:00:00 PM	0.46
10/1/2024	5:15:00 PM	0.46
10/1/2024	5:30:00 PM	0.46
10/1/2024	5:45:00 PM	0.46
10/1/2024	6:00:00 PM	0.47
10/1/2024	6:15:00 PM	0.47
10/1/2024	6:30:00 PM	0.48
10/1/2024	6:45:00 PM	0.48
10/1/2024	7:00:00 PM	0.48
10/1/2024	7:15:00 PM	0.48
10/1/2024	7:30:00 PM	0.49
10/1/2024	7:45:00 PM	0.49
10/1/2024	8:00:00 PM	0.49
10/1/2024	8:15:00 PM	0.49
10/1/2024	8:30:00 PM	0.49
10/1/2024	8:45:00 PM	0.5
10/1/2024	9:00:00 PM	0.5
10/1/2024	9:15:00 PM	0.5
10/1/2024	9:30:00 PM	0.5
10/1/2024	9:45:00 PM	0.51
10/1/2024	10:00:00 PM	0.51
10/1/2024	10:15:00 PM	0.51
10/1/2024	10:30:00 PM	0.51
10/1/2024	10:45:00 PM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/1/2024	11:00:00 PM	0.51
10/1/2024	11:15:00 PM	0.51
10/1/2024	11:30:00 PM	0.52
10/1/2024	11:45:00 PM	0.52
10/2/2024	12:00:00 AM	0.52
10/2/2024	12:15:00 AM	0.52
10/2/2024	12:30:00 AM	0.52
10/2/2024	12:45:00 AM	0.52
10/2/2024	1:00:00 AM	0.52
10/2/2024	1:15:00 AM	0.52
10/2/2024	1:30:00 AM	0.52
10/2/2024	1:45:00 AM	0.52
10/2/2024	2:00:00 AM	0.53
10/2/2024	2:15:00 AM	0.53
10/2/2024	2:30:00 AM	0.53
10/2/2024	2:45:00 AM	0.53
10/2/2024	3:00:00 AM	0.53
10/2/2024	3:15:00 AM	0.53
10/2/2024	3:30:00 AM	0.53
10/2/2024	3:45:00 AM	0.53
10/2/2024	4:00:00 AM	0.53
10/2/2024	4:15:00 AM	0.53
10/2/2024	4:30:00 AM	0.54
10/2/2024	4:45:00 AM	0.54
10/2/2024	5:00:00 AM	0.54
10/2/2024	5:15:00 AM	0.54
10/2/2024	5:30:00 AM	0.54
10/2/2024	5:45:00 AM	0.54
10/2/2024	6:00:00 AM	0.54
10/2/2024	6:15:00 AM	0.54
10/2/2024	6:30:00 AM	0.54
10/2/2024	6:45:00 AM	0.54
10/2/2024	7:00:00 AM	0.54
10/2/2024	7:15:00 AM	0.54
10/2/2024	7:30:00 AM	0.54
10/2/2024	7:45:00 AM	0.54
10/2/2024	8:00:00 AM	0.54
10/2/2024	8:15:00 AM	0.54
10/2/2024	8:30:00 AM	0.54
10/2/2024	8:45:00 AM	0.54
10/2/2024	9:00:00 AM	0.54
10/2/2024	9:15:00 AM	0.54
10/2/2024	9:30:00 AM	0.54
10/2/2024	9:45:00 AM	0.54
10/2/2024	10:00:00 AM	0.54
10/2/2024	10:15:00 AM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/2/2024	10:30:00 AM	0.54
10/2/2024	10:45:00 AM	0.54
10/2/2024	11:00:00 AM	0.54
10/2/2024	11:15:00 AM	0.54
10/2/2024	11:30:00 AM	0.54
10/2/2024	11:45:00 AM	0.54
10/2/2024	12:00:00 PM	0.54
10/2/2024	12:15:00 PM	0.54
10/2/2024	12:30:00 PM	0.54
10/2/2024	12:45:00 PM	0.54
10/2/2024	1:00:00 PM	0.54
10/2/2024	1:15:00 PM	0.54
10/2/2024	1:30:00 PM	0.54
10/2/2024	1:45:00 PM	0.54
10/2/2024	2:00:00 PM	0.54
10/2/2024	2:15:00 PM	0.53
10/2/2024	2:30:00 PM	0.53
10/2/2024	2:45:00 PM	0.53
10/2/2024	3:00:00 PM	0.53
10/2/2024	3:15:00 PM	0.53
10/2/2024	3:30:00 PM	0.53
10/2/2024	3:45:00 PM	0.53
10/2/2024	4:00:00 PM	0.53
10/2/2024	4:15:00 PM	0.53
10/2/2024	4:30:00 PM	0.53
10/2/2024	4:45:00 PM	0.53
10/2/2024	5:00:00 PM	0.53
10/2/2024	5:15:00 PM	0.53
10/2/2024	5:30:00 PM	0.53
10/2/2024	5:45:00 PM	0.54
10/2/2024	6:00:00 PM	0.54
10/2/2024	6:15:00 PM	0.54
10/2/2024	6:30:00 PM	0.54
10/2/2024	6:45:00 PM	0.54
10/2/2024	7:00:00 PM	0.54
10/2/2024	7:15:00 PM	0.54
10/2/2024	7:30:00 PM	0.54
10/2/2024	7:45:00 PM	0.54
10/2/2024	8:00:00 PM	0.54
10/2/2024	8:15:00 PM	0.54
10/2/2024	8:30:00 PM	0.54
10/2/2024	8:45:00 PM	0.54
10/2/2024	9:00:00 PM	0.54
10/2/2024	9:15:00 PM	0.54
10/2/2024	9:30:00 PM	0.54
10/2/2024	9:45:00 PM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/2/2024	10:00:00 PM	0.54
10/2/2024	10:15:00 PM	0.54
10/2/2024	10:30:00 PM	0.54
10/2/2024	10:45:00 PM	0.55
10/2/2024	11:00:00 PM	0.55
10/2/2024	11:15:00 PM	0.55
10/2/2024	11:30:00 PM	0.55
10/2/2024	11:45:00 PM	0.55
10/3/2024	12:00:00 AM	0.55
10/3/2024	12:15:00 AM	0.55
10/3/2024	12:30:00 AM	0.55
10/3/2024	12:45:00 AM	0.55
10/3/2024	1:00:00 AM	0.55
10/3/2024	1:15:00 AM	0.55
10/3/2024	1:30:00 AM	0.55
10/3/2024	1:45:00 AM	0.55
10/3/2024	2:00:00 AM	0.55
10/3/2024	2:15:00 AM	0.55
10/3/2024	2:30:00 AM	0.55
10/3/2024	2:45:00 AM	0.55
10/3/2024	3:00:00 AM	0.55
10/3/2024	3:15:00 AM	0.55
10/3/2024	3:30:00 AM	0.55
10/3/2024	3:45:00 AM	0.55
10/3/2024	4:00:00 AM	0.55
10/3/2024	4:15:00 AM	0.55
10/3/2024	4:30:00 AM	0.55
10/3/2024	4:45:00 AM	0.55
10/3/2024	5:00:00 AM	0.55
10/3/2024	5:15:00 AM	0.55
10/3/2024	5:30:00 AM	0.55
10/3/2024	5:45:00 AM	0.55
10/3/2024	6:00:00 AM	0.55
10/3/2024	6:15:00 AM	0.55
10/3/2024	6:30:00 AM	0.55
10/3/2024	6:45:00 AM	0.55
10/3/2024	7:00:00 AM	0.55
10/3/2024	7:15:00 AM	0.55
10/3/2024	7:30:00 AM	0.55
10/3/2024	7:45:00 AM	0.55
10/3/2024	8:00:00 AM	0.55
10/3/2024	8:15:00 AM	0.55
10/3/2024	8:30:00 AM	0.55
10/3/2024	8:45:00 AM	0.55
10/3/2024	9:00:00 AM	0.55
10/3/2024	9:15:00 AM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/3/2024	9:30:00 AM	0.55
10/3/2024	9:45:00 AM	0.55
10/3/2024	10:00:00 AM	0.55
10/3/2024	10:15:00 AM	0.55
10/3/2024	10:30:00 AM	0.55
10/3/2024	10:45:00 AM	0.55
10/3/2024	11:00:00 AM	0.55
10/3/2024	11:15:00 AM	0.55
10/3/2024	11:30:00 AM	0.55
10/3/2024	11:45:00 AM	0.55
10/3/2024	12:00:00 PM	0.55
10/3/2024	12:15:00 PM	0.55
10/3/2024	12:30:00 PM	0.54
10/3/2024	12:45:00 PM	0.54
10/3/2024	1:00:00 PM	0.54
10/3/2024	1:15:00 PM	0.54
10/3/2024	1:30:00 PM	0.54
10/3/2024	1:45:00 PM	0.54
10/3/2024	2:00:00 PM	0.54
10/3/2024	2:15:00 PM	0.54
10/3/2024	2:30:00 PM	0.54
10/3/2024	2:45:00 PM	0.54
10/3/2024	3:00:00 PM	0.54
10/3/2024	3:15:00 PM	0.54
10/3/2024	3:30:00 PM	0.54
10/3/2024	3:45:00 PM	0.53
10/3/2024	4:00:00 PM	0.53
10/3/2024	4:15:00 PM	0.53
10/3/2024	4:30:00 PM	0.53
10/3/2024	4:45:00 PM	0.53
10/3/2024	5:00:00 PM	0.53
10/3/2024	5:15:00 PM	0.53
10/3/2024	5:30:00 PM	0.53
10/3/2024	5:45:00 PM	0.53
10/3/2024	6:00:00 PM	0.53
10/3/2024	6:15:00 PM	0.53
10/3/2024	6:30:00 PM	0.53
10/3/2024	6:45:00 PM	0.53
10/3/2024	7:00:00 PM	0.53
10/3/2024	7:15:00 PM	0.53
10/3/2024	7:30:00 PM	0.53
10/3/2024	7:45:00 PM	0.53
10/3/2024	8:00:00 PM	0.53
10/3/2024	8:15:00 PM	0.53
10/3/2024	8:30:00 PM	0.53
10/3/2024	8:45:00 PM	0.53

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/3/2024	9:00:00 PM	0.53
10/3/2024	9:15:00 PM	0.53
10/3/2024	9:30:00 PM	0.53
10/3/2024	9:45:00 PM	0.53
10/3/2024	10:00:00 PM	0.54
10/3/2024	10:15:00 PM	0.54
10/3/2024	10:30:00 PM	0.54
10/3/2024	10:45:00 PM	0.54
10/3/2024	11:00:00 PM	0.54
10/3/2024	11:15:00 PM	0.54
10/3/2024	11:30:00 PM	0.54
10/3/2024	11:45:00 PM	0.54
10/4/2024	12:00:00 AM	0.54
10/4/2024	12:15:00 AM	0.54
10/4/2024	12:30:00 AM	0.54
10/4/2024	12:45:00 AM	0.54
10/4/2024	1:00:00 AM	0.54
10/4/2024	1:15:00 AM	0.54
10/4/2024	1:30:00 AM	0.54
10/4/2024	1:45:00 AM	0.54
10/4/2024	2:00:00 AM	0.54
10/4/2024	2:15:00 AM	0.54
10/4/2024	2:30:00 AM	0.54
10/4/2024	2:45:00 AM	0.54
10/4/2024	3:00:00 AM	0.54
10/4/2024	3:15:00 AM	0.54
10/4/2024	3:30:00 AM	0.55
10/4/2024	3:45:00 AM	0.54
10/4/2024	4:00:00 AM	0.55
10/4/2024	4:15:00 AM	0.55
10/4/2024	4:30:00 AM	0.54
10/4/2024	4:45:00 AM	0.55
10/4/2024	5:00:00 AM	0.55
10/4/2024	5:15:00 AM	0.55
10/4/2024	5:30:00 AM	0.55
10/4/2024	5:45:00 AM	0.55
10/4/2024	6:00:00 AM	0.55
10/4/2024	6:15:00 AM	0.55
10/4/2024	6:30:00 AM	0.55
10/4/2024	6:45:00 AM	0.55
10/4/2024	7:00:00 AM	0.55
10/4/2024	7:15:00 AM	0.55
10/4/2024	7:30:00 AM	0.55
10/4/2024	7:45:00 AM	0.55
10/4/2024	8:00:00 AM	0.55
10/4/2024	8:15:00 AM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/4/2024	8:30:00 AM	0.55
10/4/2024	8:45:00 AM	0.55
10/4/2024	9:00:00 AM	0.55
10/4/2024	9:15:00 AM	0.55
10/4/2024	9:30:00 AM	0.55
10/4/2024	9:45:00 AM	0.55
10/4/2024	10:00:00 AM	0.55
10/4/2024	10:15:00 AM	0.55
10/4/2024	10:30:00 AM	0.54
10/4/2024	10:45:00 AM	0.54
10/4/2024	11:00:00 AM	0.54
10/4/2024	11:15:00 AM	0.54
10/4/2024	11:30:00 AM	0.54
10/4/2024	11:45:00 AM	0.54
10/4/2024	12:00:00 PM	0.54
10/4/2024	12:15:00 PM	0.54
10/4/2024	12:30:00 PM	0.53
10/4/2024	12:45:00 PM	0.53
10/4/2024	1:00:00 PM	0.53
10/4/2024	1:15:00 PM	0.53
10/4/2024	1:30:00 PM	0.53
10/4/2024	1:45:00 PM	0.52
10/4/2024	2:00:00 PM	0.52
10/4/2024	2:15:00 PM	0.52
10/4/2024	2:30:00 PM	0.52
10/4/2024	2:45:00 PM	0.52
10/4/2024	3:00:00 PM	0.51
10/4/2024	3:15:00 PM	0.51
10/4/2024	3:30:00 PM	0.51
10/4/2024	3:45:00 PM	0.51
10/4/2024	4:00:00 PM	0.51
10/4/2024	4:15:00 PM	0.51
10/4/2024	4:30:00 PM	0.51
10/4/2024	4:45:00 PM	0.51
10/4/2024	5:00:00 PM	0.51
10/4/2024	5:15:00 PM	0.51
10/4/2024	5:30:00 PM	0.51
10/4/2024	5:45:00 PM	0.51
10/4/2024	6:00:00 PM	0.51
10/4/2024	6:15:00 PM	0.5
10/4/2024	6:30:00 PM	0.5
10/4/2024	6:45:00 PM	0.5
10/4/2024	7:00:00 PM	0.5
10/4/2024	7:15:00 PM	0.5
10/4/2024	7:30:00 PM	0.5
10/4/2024	7:45:00 PM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/4/2024	8:00:00 PM	0.5
10/4/2024	8:15:00 PM	0.5
10/4/2024	8:30:00 PM	0.5
10/4/2024	8:45:00 PM	0.5
10/4/2024	9:00:00 PM	0.5
10/4/2024	9:15:00 PM	0.5
10/4/2024	9:30:00 PM	0.5
10/4/2024	9:45:00 PM	0.5
10/4/2024	10:00:00 PM	0.5
10/4/2024	10:15:00 PM	0.5
10/4/2024	10:30:00 PM	0.5
10/4/2024	10:45:00 PM	0.5
10/4/2024	11:00:00 PM	0.5
10/4/2024	11:15:00 PM	0.5
10/4/2024	11:30:00 PM	0.5
10/4/2024	11:45:00 PM	0.5
10/5/2024	12:00:00 AM	0.5
10/5/2024	12:15:00 AM	0.5
10/5/2024	12:30:00 AM	0.5
10/5/2024	12:45:00 AM	0.5
10/5/2024	1:00:00 AM	0.5
10/5/2024	1:15:00 AM	0.5
10/5/2024	1:30:00 AM	0.5
10/5/2024	1:45:00 AM	0.5
10/5/2024	2:00:00 AM	0.5
10/5/2024	2:15:00 AM	0.5
10/5/2024	2:30:00 AM	0.5
10/5/2024	2:45:00 AM	0.5
10/5/2024	3:00:00 AM	0.5
10/5/2024	3:15:00 AM	0.5
10/5/2024	3:30:00 AM	0.5
10/5/2024	3:45:00 AM	0.5
10/5/2024	4:00:00 AM	0.5
10/5/2024	4:15:00 AM	0.5
10/5/2024	4:30:00 AM	0.5
10/5/2024	4:45:00 AM	0.5
10/5/2024	5:00:00 AM	0.49
10/5/2024	5:15:00 AM	0.5
10/5/2024	5:30:00 AM	0.49
10/5/2024	5:45:00 AM	0.49
10/5/2024	6:00:00 AM	0.49
10/5/2024	6:15:00 AM	0.49
10/5/2024	6:30:00 AM	0.49
10/5/2024	6:45:00 AM	0.49
10/5/2024	7:00:00 AM	0.49
10/5/2024	7:15:00 AM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/5/2024	7:30:00 AM	0.49
10/5/2024	7:45:00 AM	0.49
10/5/2024	8:00:00 AM	0.49
10/5/2024	8:15:00 AM	0.49
10/5/2024	8:30:00 AM	0.49
10/5/2024	8:45:00 AM	0.49
10/5/2024	9:00:00 AM	0.49
10/5/2024	9:15:00 AM	0.49
10/5/2024	9:30:00 AM	0.49
10/5/2024	9:45:00 AM	0.49
10/5/2024	10:00:00 AM	0.49
10/5/2024	10:15:00 AM	0.49
10/5/2024	10:30:00 AM	0.48
10/5/2024	10:45:00 AM	0.48
10/5/2024	11:00:00 AM	0.48
10/5/2024	11:15:00 AM	0.48
10/5/2024	11:30:00 AM	0.48
10/5/2024	11:45:00 AM	0.48
10/5/2024	12:00:00 PM	0.48
10/5/2024	12:15:00 PM	0.48
10/5/2024	12:30:00 PM	0.48
10/5/2024	12:45:00 PM	0.47
10/5/2024	1:00:00 PM	0.47
10/5/2024	1:15:00 PM	0.47
10/5/2024	1:30:00 PM	0.47
10/5/2024	1:45:00 PM	0.47
10/5/2024	2:00:00 PM	0.47
10/5/2024	2:15:00 PM	0.47
10/5/2024	2:30:00 PM	0.47
10/5/2024	2:45:00 PM	0.47
10/5/2024	3:00:00 PM	0.47
10/5/2024	3:15:00 PM	0.47
10/5/2024	3:30:00 PM	0.46
10/5/2024	3:45:00 PM	0.47
10/5/2024	4:00:00 PM	0.47
10/5/2024	4:15:00 PM	0.46
10/5/2024	4:30:00 PM	0.46
10/5/2024	4:45:00 PM	0.46
10/5/2024	5:00:00 PM	0.46
10/5/2024	5:15:00 PM	0.46
10/5/2024	5:30:00 PM	0.46
10/5/2024	5:45:00 PM	0.46
10/5/2024	6:00:00 PM	0.46
10/5/2024	6:15:00 PM	0.46
10/5/2024	6:30:00 PM	0.46
10/5/2024	6:45:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/5/2024	7:00:00 PM	0.46
10/5/2024	7:15:00 PM	0.46
10/5/2024	7:30:00 PM	0.47
10/5/2024	7:45:00 PM	0.47
10/5/2024	8:00:00 PM	0.47
10/5/2024	8:15:00 PM	0.47
10/5/2024	8:30:00 PM	0.47
10/5/2024	8:45:00 PM	0.47
10/5/2024	9:00:00 PM	0.47
10/5/2024	9:15:00 PM	0.47
10/5/2024	9:30:00 PM	0.47
10/5/2024	9:45:00 PM	0.47
10/5/2024	10:00:00 PM	0.47
10/5/2024	10:15:00 PM	0.47
10/5/2024	10:30:00 PM	0.47
10/5/2024	10:45:00 PM	0.47
10/5/2024	11:00:00 PM	0.47
10/5/2024	11:15:00 PM	0.47
10/5/2024	11:30:00 PM	0.47
10/5/2024	11:45:00 PM	0.47
10/6/2024	12:00:00 AM	0.47
10/6/2024	12:15:00 AM	0.47
10/6/2024	12:30:00 AM	0.47
10/6/2024	12:45:00 AM	0.47
10/6/2024	1:00:00 AM	0.47
10/6/2024	1:15:00 AM	0.47
10/6/2024	1:30:00 AM	0.47
10/6/2024	1:45:00 AM	0.47
10/6/2024	2:00:00 AM	0.47
10/6/2024	2:15:00 AM	0.47
10/6/2024	2:30:00 AM	0.47
10/6/2024	2:45:00 AM	0.47
10/6/2024	3:00:00 AM	0.47
10/6/2024	3:15:00 AM	0.47
10/6/2024	3:30:00 AM	0.47
10/6/2024	3:45:00 AM	0.47
10/6/2024	4:00:00 AM	0.47
10/6/2024	4:15:00 AM	0.47
10/6/2024	4:30:00 AM	0.47
10/6/2024	4:45:00 AM	0.47
10/6/2024	5:00:00 AM	0.47
10/6/2024	5:15:00 AM	0.47
10/6/2024	5:30:00 AM	0.47
10/6/2024	5:45:00 AM	0.47
10/6/2024	6:00:00 AM	0.47
10/6/2024	6:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/6/2024	6:30:00 AM	0.47
10/6/2024	6:45:00 AM	0.48
10/6/2024	7:00:00 AM	0.48
10/6/2024	7:15:00 AM	0.48
10/6/2024	7:30:00 AM	0.48
10/6/2024	7:45:00 AM	0.48
10/6/2024	8:00:00 AM	0.48
10/6/2024	8:15:00 AM	0.48
10/6/2024	8:30:00 AM	0.48
10/6/2024	8:45:00 AM	0.48
10/6/2024	9:00:00 AM	0.48
10/6/2024	9:15:00 AM	0.48
10/6/2024	9:30:00 AM	0.48
10/6/2024	9:45:00 AM	0.48
10/6/2024	10:00:00 AM	0.48
10/6/2024	10:15:00 AM	0.47
10/6/2024	10:30:00 AM	0.47
10/6/2024	10:45:00 AM	0.47
10/6/2024	11:00:00 AM	0.47
10/6/2024	11:15:00 AM	0.47
10/6/2024	11:30:00 AM	0.47
10/6/2024	11:45:00 AM	0.47
10/6/2024	12:00:00 PM	0.47
10/6/2024	12:15:00 PM	0.47
10/6/2024	12:30:00 PM	0.47
10/6/2024	12:45:00 PM	0.46
10/6/2024	1:00:00 PM	0.46
10/6/2024	1:15:00 PM	0.46
10/6/2024	1:30:00 PM	0.46
10/6/2024	1:45:00 PM	0.46
10/6/2024	2:00:00 PM	0.46
10/6/2024	2:15:00 PM	0.46
10/6/2024	2:30:00 PM	0.46
10/6/2024	2:45:00 PM	0.46
10/6/2024	3:00:00 PM	0.46
10/6/2024	3:15:00 PM	0.46
10/6/2024	3:30:00 PM	0.46
10/6/2024	3:45:00 PM	0.46
10/6/2024	4:00:00 PM	0.46
10/6/2024	4:15:00 PM	0.46
10/6/2024	4:30:00 PM	0.46
10/6/2024	4:45:00 PM	0.46
10/6/2024	5:00:00 PM	0.46
10/6/2024	5:15:00 PM	0.46
10/6/2024	5:30:00 PM	0.46
10/6/2024	5:45:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/6/2024	6:00:00 PM	0.46
10/6/2024	6:15:00 PM	0.46
10/6/2024	6:30:00 PM	0.46
10/6/2024	6:45:00 PM	0.46
10/6/2024	7:00:00 PM	0.46
10/6/2024	7:15:00 PM	0.46
10/6/2024	7:30:00 PM	0.46
10/6/2024	7:45:00 PM	0.46
10/6/2024	8:00:00 PM	0.46
10/6/2024	8:15:00 PM	0.46
10/6/2024	8:30:00 PM	0.46
10/6/2024	8:45:00 PM	0.46
10/6/2024	9:00:00 PM	0.47
10/6/2024	9:15:00 PM	0.47
10/6/2024	9:30:00 PM	0.47
10/6/2024	9:45:00 PM	0.47
10/6/2024	10:00:00 PM	0.47
10/6/2024	10:15:00 PM	0.47
10/6/2024	10:30:00 PM	0.47
10/6/2024	10:45:00 PM	0.47
10/6/2024	11:00:00 PM	0.47
10/6/2024	11:15:00 PM	0.47
10/6/2024	11:30:00 PM	0.47
10/6/2024	11:45:00 PM	0.47
10/7/2024	12:00:00 AM	0.47
10/7/2024	12:15:00 AM	0.47
10/7/2024	12:30:00 AM	0.47
10/7/2024	12:45:00 AM	0.47
10/7/2024	1:00:00 AM	0.47
10/7/2024	1:15:00 AM	0.47
10/7/2024	1:30:00 AM	0.47
10/7/2024	1:45:00 AM	0.47
10/7/2024	2:00:00 AM	0.47
10/7/2024	2:15:00 AM	0.47
10/7/2024	2:30:00 AM	0.47
10/7/2024	2:45:00 AM	0.47
10/7/2024	3:00:00 AM	0.47
10/7/2024	3:15:00 AM	0.47
10/7/2024	3:30:00 AM	0.47
10/7/2024	3:45:00 AM	0.47
10/7/2024	4:00:00 AM	0.47
10/7/2024	4:15:00 AM	0.47
10/7/2024	4:30:00 AM	0.47
10/7/2024	4:45:00 AM	0.47
10/7/2024	5:00:00 AM	0.47
10/7/2024	5:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/7/2024	5:30:00 AM	0.47
10/7/2024	5:45:00 AM	0.47
10/7/2024	6:00:00 AM	0.47
10/7/2024	6:15:00 AM	0.47
10/7/2024	6:30:00 AM	0.47
10/7/2024	6:45:00 AM	0.47
10/7/2024	7:00:00 AM	0.47
10/7/2024	7:15:00 AM	0.47
10/7/2024	7:30:00 AM	0.47
10/7/2024	7:45:00 AM	0.48
10/7/2024	8:00:00 AM	0.48
10/7/2024	8:15:00 AM	0.48
10/7/2024	8:30:00 AM	0.48
10/7/2024	8:45:00 AM	0.47
10/7/2024	9:00:00 AM	0.48
10/7/2024	9:15:00 AM	0.47
10/7/2024	9:30:00 AM	0.47
10/7/2024	9:45:00 AM	0.47
10/7/2024	10:00:00 AM	0.47
10/7/2024	10:15:00 AM	0.47
10/7/2024	10:30:00 AM	0.47
10/7/2024	10:45:00 AM	0.47
10/7/2024	11:00:00 AM	0.47
10/7/2024	11:15:00 AM	0.47
10/7/2024	11:30:00 AM	0.47
10/7/2024	11:45:00 AM	0.47
10/7/2024	12:00:00 PM	0.47
10/7/2024	12:15:00 PM	0.47
10/7/2024	12:30:00 PM	0.47
10/7/2024	12:45:00 PM	0.47
10/7/2024	1:00:00 PM	0.47
10/7/2024	1:15:00 PM	0.46
10/7/2024	1:30:00 PM	0.46
10/7/2024	1:45:00 PM	0.46
10/7/2024	2:00:00 PM	0.46
10/7/2024	2:15:00 PM	0.46
10/7/2024	2:30:00 PM	0.46
10/7/2024	2:45:00 PM	0.46
10/7/2024	3:00:00 PM	0.46
10/7/2024	3:15:00 PM	0.46
10/7/2024	3:30:00 PM	0.46
10/7/2024	3:45:00 PM	0.46
10/7/2024	4:00:00 PM	0.46
10/7/2024	4:15:00 PM	0.46
10/7/2024	4:30:00 PM	0.46
10/7/2024	4:45:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/7/2024	5:00:00 PM	0.46
10/7/2024	5:15:00 PM	0.46
10/7/2024	5:30:00 PM	0.46
10/7/2024	5:45:00 PM	0.46
10/7/2024	6:00:00 PM	0.46
10/7/2024	6:15:00 PM	0.46
10/7/2024	6:30:00 PM	0.46
10/7/2024	6:45:00 PM	0.46
10/7/2024	7:00:00 PM	0.46
10/7/2024	7:15:00 PM	0.46
10/7/2024	7:30:00 PM	0.46
10/7/2024	7:45:00 PM	0.46
10/7/2024	8:00:00 PM	0.46
10/7/2024	8:15:00 PM	0.46
10/7/2024	8:30:00 PM	0.46
10/7/2024	8:45:00 PM	0.46
10/7/2024	9:00:00 PM	0.46
10/7/2024	9:15:00 PM	0.46
10/7/2024	9:30:00 PM	0.46
10/7/2024	9:45:00 PM	0.46
10/7/2024	10:00:00 PM	0.47
10/7/2024	10:15:00 PM	0.47
10/7/2024	10:30:00 PM	0.47
10/7/2024	10:45:00 PM	0.47
10/7/2024	11:00:00 PM	0.47
10/7/2024	11:15:00 PM	0.47
10/7/2024	11:30:00 PM	0.47
10/7/2024	11:45:00 PM	0.47
10/8/2024	12:00:00 AM	0.47
10/8/2024	12:15:00 AM	0.47
10/8/2024	12:30:00 AM	0.47
10/8/2024	12:45:00 AM	0.47
10/8/2024	1:00:00 AM	0.47
10/8/2024	1:15:00 AM	0.47
10/8/2024	1:30:00 AM	0.47
10/8/2024	1:45:00 AM	0.47
10/8/2024	2:00:00 AM	0.47
10/8/2024	2:15:00 AM	0.47
10/8/2024	2:30:00 AM	0.47
10/8/2024	2:45:00 AM	0.47
10/8/2024	3:00:00 AM	0.47
10/8/2024	3:15:00 AM	0.47
10/8/2024	3:30:00 AM	0.47
10/8/2024	3:45:00 AM	0.47
10/8/2024	4:00:00 AM	0.47
10/8/2024	4:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/8/2024	4:30:00 AM	0.47
10/8/2024	4:45:00 AM	0.47
10/8/2024	5:00:00 AM	0.47
10/8/2024	5:15:00 AM	0.47
10/8/2024	5:30:00 AM	0.47
10/8/2024	5:45:00 AM	0.47
10/8/2024	6:00:00 AM	0.48
10/8/2024	6:15:00 AM	0.47
10/8/2024	6:30:00 AM	0.48
10/8/2024	6:45:00 AM	0.48
10/8/2024	7:00:00 AM	0.48
10/8/2024	7:15:00 AM	0.48
10/8/2024	7:30:00 AM	0.48
10/8/2024	7:45:00 AM	0.48
10/8/2024	8:00:00 AM	0.48
10/8/2024	8:15:00 AM	0.48
10/8/2024	8:30:00 AM	0.48
10/8/2024	8:45:00 AM	0.48
10/8/2024	9:00:00 AM	0.48
10/8/2024	9:15:00 AM	0.48
10/8/2024	9:30:00 AM	0.48
10/8/2024	9:45:00 AM	0.48
10/8/2024	10:00:00 AM	0.48
10/8/2024	10:15:00 AM	0.48
10/8/2024	10:30:00 AM	0.48
10/8/2024	10:45:00 AM	0.48
10/8/2024	11:00:00 AM	0.48
10/8/2024	11:15:00 AM	0.47
10/8/2024	11:30:00 AM	0.47
10/8/2024	11:45:00 AM	0.47
10/8/2024	12:00:00 PM	0.47
10/8/2024	12:15:00 PM	0.47
10/8/2024	12:30:00 PM	0.47
10/8/2024	12:45:00 PM	0.47
10/8/2024	1:00:00 PM	0.47
10/8/2024	1:15:00 PM	0.46
10/8/2024	1:30:00 PM	0.46
10/8/2024	1:45:00 PM	0.46
10/8/2024	2:00:00 PM	0.46
10/8/2024	2:15:00 PM	0.46
10/8/2024	2:30:00 PM	0.46
10/8/2024	2:45:00 PM	0.46
10/8/2024	3:00:00 PM	0.46
10/8/2024	3:15:00 PM	0.46
10/8/2024	3:30:00 PM	0.46
10/8/2024	3:45:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/8/2024	4:00:00 PM	0.46
10/8/2024	4:15:00 PM	0.46
10/8/2024	4:30:00 PM	0.46
10/8/2024	4:45:00 PM	0.46
10/8/2024	5:00:00 PM	0.46
10/8/2024	5:15:00 PM	0.46
10/8/2024	5:30:00 PM	0.46
10/8/2024	5:45:00 PM	0.46
10/8/2024	6:00:00 PM	0.46
10/8/2024	6:15:00 PM	0.46
10/8/2024	6:30:00 PM	0.46
10/8/2024	6:45:00 PM	0.46
10/8/2024	7:00:00 PM	0.46
10/8/2024	7:15:00 PM	0.46
10/8/2024	7:30:00 PM	0.46
10/8/2024	7:45:00 PM	0.47
10/8/2024	8:00:00 PM	0.47
10/8/2024	8:15:00 PM	0.47
10/8/2024	8:30:00 PM	0.47
10/8/2024	8:45:00 PM	0.47
10/8/2024	9:00:00 PM	0.47
10/8/2024	9:15:00 PM	0.47
10/8/2024	9:30:00 PM	0.47
10/8/2024	9:45:00 PM	0.47
10/8/2024	10:00:00 PM	0.47
10/8/2024	10:15:00 PM	0.47
10/8/2024	10:30:00 PM	0.47
10/8/2024	10:45:00 PM	0.47
10/8/2024	11:00:00 PM	0.47
10/8/2024	11:15:00 PM	0.47
10/8/2024	11:30:00 PM	0.47
10/8/2024	11:45:00 PM	0.47
10/9/2024	12:00:00 AM	0.47
10/9/2024	12:15:00 AM	0.47
10/9/2024	12:30:00 AM	0.47
10/9/2024	12:45:00 AM	0.47
10/9/2024	1:00:00 AM	0.47
10/9/2024	1:15:00 AM	0.47
10/9/2024	1:30:00 AM	0.47
10/9/2024	1:45:00 AM	0.47
10/9/2024	2:00:00 AM	0.47
10/9/2024	2:15:00 AM	0.47
10/9/2024	2:30:00 AM	0.47
10/9/2024	2:45:00 AM	0.47
10/9/2024	3:00:00 AM	0.47
10/9/2024	3:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/9/2024	3:30:00 AM	0.47
10/9/2024	3:45:00 AM	0.47
10/9/2024	4:00:00 AM	0.47
10/9/2024	4:15:00 AM	0.47
10/9/2024	4:30:00 AM	0.47
10/9/2024	4:45:00 AM	0.47
10/9/2024	5:00:00 AM	0.47
10/9/2024	5:15:00 AM	0.47
10/9/2024	5:30:00 AM	0.47
10/9/2024	5:45:00 AM	0.47
10/9/2024	6:00:00 AM	0.47
10/9/2024	6:15:00 AM	0.47
10/9/2024	6:30:00 AM	0.47
10/9/2024	6:45:00 AM	0.47
10/9/2024	7:00:00 AM	0.47
10/9/2024	7:15:00 AM	0.47
10/9/2024	7:30:00 AM	0.47
10/9/2024	7:45:00 AM	0.47
10/9/2024	8:00:00 AM	0.47
10/9/2024	8:15:00 AM	0.47
10/9/2024	8:30:00 AM	0.47
10/9/2024	8:45:00 AM	0.47
10/9/2024	9:00:00 AM	0.47
10/9/2024	9:15:00 AM	0.47
10/9/2024	9:30:00 AM	0.47
10/9/2024	9:45:00 AM	0.47
10/9/2024	10:00:00 AM	0.46
10/9/2024	10:15:00 AM	0.46
10/9/2024	10:30:00 AM	0.46
10/9/2024	10:45:00 AM	0.46
10/9/2024	11:00:00 AM	0.46
10/9/2024	11:15:00 AM	0.46
10/9/2024	11:30:00 AM	0.46
10/9/2024	11:45:00 AM	0.46
10/9/2024	12:00:00 PM	0.46
10/9/2024	12:15:00 PM	0.46
10/9/2024	12:30:00 PM	0.46
10/9/2024	12:45:00 PM	0.46
10/9/2024	1:00:00 PM	0.46
10/9/2024	1:15:00 PM	0.46
10/9/2024	1:30:00 PM	0.46
10/9/2024	1:45:00 PM	0.46
10/9/2024	2:00:00 PM	0.46
10/9/2024	2:15:00 PM	0.46
10/9/2024	2:30:00 PM	0.45
10/9/2024	2:45:00 PM	0.45

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/9/2024	3:00:00 PM	0.45
10/9/2024	3:15:00 PM	0.45
10/9/2024	3:30:00 PM	0.45
10/9/2024	3:45:00 PM	0.45
10/9/2024	4:00:00 PM	0.45
10/9/2024	4:15:00 PM	0.45
10/9/2024	4:30:00 PM	0.45
10/9/2024	4:45:00 PM	0.45
10/9/2024	5:00:00 PM	0.45
10/9/2024	5:15:00 PM	0.45
10/9/2024	5:30:00 PM	0.45
10/9/2024	5:45:00 PM	0.45
10/9/2024	6:00:00 PM	0.45
10/9/2024	6:15:00 PM	0.45
10/9/2024	6:30:00 PM	0.46
10/9/2024	6:45:00 PM	0.46
10/9/2024	7:00:00 PM	0.46
10/9/2024	7:15:00 PM	0.46
10/9/2024	7:30:00 PM	0.46
10/9/2024	7:45:00 PM	0.46
10/9/2024	8:00:00 PM	0.46
10/9/2024	8:15:00 PM	0.46
10/9/2024	8:30:00 PM	0.46
10/9/2024	8:45:00 PM	0.46
10/9/2024	9:00:00 PM	0.46
10/9/2024	9:15:00 PM	0.46
10/9/2024	9:30:00 PM	0.46
10/9/2024	9:45:00 PM	0.46
10/9/2024	10:00:00 PM	0.46
10/9/2024	10:15:00 PM	0.46
10/9/2024	10:30:00 PM	0.46
10/9/2024	10:45:00 PM	0.46
10/9/2024	11:00:00 PM	0.46
10/9/2024	11:15:00 PM	0.46
10/9/2024	11:30:00 PM	0.46
10/9/2024	11:45:00 PM	0.46
10/10/2024	12:00:00 AM	0.46
10/10/2024	12:15:00 AM	0.46
10/10/2024	12:30:00 AM	0.46
10/10/2024	12:45:00 AM	0.46
10/10/2024	1:00:00 AM	0.46
10/10/2024	1:15:00 AM	0.46
10/10/2024	1:30:00 AM	0.46
10/10/2024	1:45:00 AM	0.46
10/10/2024	2:00:00 AM	0.46
10/10/2024	2:15:00 AM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/10/2024	2:30:00 AM	0.46
10/10/2024	2:45:00 AM	0.47
10/10/2024	3:00:00 AM	0.47
10/10/2024	3:15:00 AM	0.47
10/10/2024	3:30:00 AM	0.47
10/10/2024	3:45:00 AM	0.47
10/10/2024	4:00:00 AM	0.47
10/10/2024	4:15:00 AM	0.47
10/10/2024	4:30:00 AM	0.47
10/10/2024	4:45:00 AM	0.47
10/10/2024	5:00:00 AM	0.47
10/10/2024	5:15:00 AM	0.47
10/10/2024	5:30:00 AM	0.47
10/10/2024	5:45:00 AM	0.47
10/10/2024	6:00:00 AM	0.47
10/10/2024	6:15:00 AM	0.47
10/10/2024	6:30:00 AM	0.47
10/10/2024	6:45:00 AM	0.47
10/10/2024	7:00:00 AM	0.47
10/10/2024	7:15:00 AM	0.47
10/10/2024	7:30:00 AM	0.47
10/10/2024	7:45:00 AM	0.47
10/10/2024	8:00:00 AM	0.47
10/10/2024	8:15:00 AM	0.47
10/10/2024	8:30:00 AM	0.47
10/10/2024	8:45:00 AM	0.47
10/10/2024	9:00:00 AM	0.47
10/10/2024	9:15:00 AM	0.47
10/10/2024	9:30:00 AM	0.47
10/10/2024	9:45:00 AM	0.47
10/10/2024	10:00:00 AM	0.47
10/10/2024	10:15:00 AM	0.47
10/10/2024	10:30:00 AM	0.47
10/10/2024	10:45:00 AM	0.47
10/10/2024	11:00:00 AM	0.47
10/10/2024	11:15:00 AM	0.47
10/10/2024	11:30:00 AM	0.47
10/10/2024	11:45:00 AM	0.47
10/10/2024	12:00:00 PM	0.47
10/10/2024	12:15:00 PM	0.46
10/10/2024	12:30:00 PM	0.46
10/10/2024	12:45:00 PM	0.46
10/10/2024	1:00:00 PM	0.46
10/10/2024	1:15:00 PM	0.46
10/10/2024	1:30:00 PM	0.46
10/10/2024	1:45:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/10/2024	2:00:00 PM	0.46
10/10/2024	2:15:00 PM	0.46
10/10/2024	2:30:00 PM	0.46
10/10/2024	2:45:00 PM	0.46
10/10/2024	3:00:00 PM	0.46
10/10/2024	3:15:00 PM	0.46
10/10/2024	3:30:00 PM	0.46
10/10/2024	3:45:00 PM	0.46
10/10/2024	4:00:00 PM	0.46
10/10/2024	4:15:00 PM	0.46
10/10/2024	4:30:00 PM	0.46
10/10/2024	4:45:00 PM	0.46
10/10/2024	5:00:00 PM	0.46
10/10/2024	5:15:00 PM	0.46
10/10/2024	5:30:00 PM	0.46
10/10/2024	5:45:00 PM	0.46
10/10/2024	6:00:00 PM	0.46
10/10/2024	6:15:00 PM	0.46
10/10/2024	6:30:00 PM	0.46
10/10/2024	6:45:00 PM	0.46
10/10/2024	7:00:00 PM	0.46
10/10/2024	7:15:00 PM	0.46
10/10/2024	7:30:00 PM	0.46
10/10/2024	7:45:00 PM	0.46
10/10/2024	8:00:00 PM	0.46
10/10/2024	8:15:00 PM	0.46
10/10/2024	8:30:00 PM	0.46
10/10/2024	8:45:00 PM	0.46
10/10/2024	9:00:00 PM	0.47
10/10/2024	9:15:00 PM	0.47
10/10/2024	9:30:00 PM	0.47
10/10/2024	9:45:00 PM	0.47
10/10/2024	10:00:00 PM	0.47
10/10/2024	10:15:00 PM	0.47
10/10/2024	10:30:00 PM	0.47
10/10/2024	10:45:00 PM	0.47
10/10/2024	11:00:00 PM	0.47
10/10/2024	11:15:00 PM	0.47
10/10/2024	11:30:00 PM	0.47
10/10/2024	11:45:00 PM	0.47
10/11/2024	12:00:00 AM	0.47
10/11/2024	12:15:00 AM	0.47
10/11/2024	12:30:00 AM	0.47
10/11/2024	12:45:00 AM	0.47
10/11/2024	1:00:00 AM	0.48
10/11/2024	1:15:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/11/2024	1:30:00 AM	0.48
10/11/2024	1:45:00 AM	0.48
10/11/2024	2:00:00 AM	0.48
10/11/2024	2:15:00 AM	0.48
10/11/2024	2:30:00 AM	0.48
10/11/2024	2:45:00 AM	0.48
10/11/2024	3:00:00 AM	0.48
10/11/2024	3:15:00 AM	0.48
10/11/2024	3:30:00 AM	0.48
10/11/2024	3:45:00 AM	0.48
10/11/2024	4:00:00 AM	0.48
10/11/2024	4:15:00 AM	0.48
10/11/2024	4:30:00 AM	0.48
10/11/2024	4:45:00 AM	0.48
10/11/2024	5:00:00 AM	0.48
10/11/2024	5:15:00 AM	0.48
10/11/2024	5:30:00 AM	0.48
10/11/2024	5:45:00 AM	0.48
10/11/2024	6:00:00 AM	0.48
10/11/2024	6:15:00 AM	0.48
10/11/2024	6:30:00 AM	0.48
10/11/2024	6:45:00 AM	0.48
10/11/2024	7:00:00 AM	0.48
10/11/2024	7:15:00 AM	0.48
10/11/2024	7:30:00 AM	0.48
10/11/2024	7:45:00 AM	0.49
10/11/2024	8:00:00 AM	0.48
10/11/2024	8:15:00 AM	0.49
10/11/2024	8:30:00 AM	0.49
10/11/2024	8:45:00 AM	0.49
10/11/2024	9:00:00 AM	0.49
10/11/2024	9:15:00 AM	0.49
10/11/2024	9:30:00 AM	0.49
10/11/2024	9:45:00 AM	0.49
10/11/2024	10:00:00 AM	0.49
10/11/2024	10:15:00 AM	0.49
10/11/2024	10:30:00 AM	0.49
10/11/2024	10:45:00 AM	0.49
10/11/2024	11:00:00 AM	0.49
10/11/2024	11:15:00 AM	0.49
10/11/2024	11:30:00 AM	0.48
10/11/2024	11:45:00 AM	0.48
10/11/2024	12:00:00 PM	0.48
10/11/2024	12:15:00 PM	0.48
10/11/2024	12:30:00 PM	0.48
10/11/2024	12:45:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/11/2024	1:00:00 PM	0.48
10/11/2024	1:15:00 PM	0.48
10/11/2024	1:30:00 PM	0.48
10/11/2024	1:45:00 PM	0.48
10/11/2024	2:00:00 PM	0.48
10/11/2024	2:15:00 PM	0.48
10/11/2024	2:30:00 PM	0.48
10/11/2024	2:45:00 PM	0.48
10/11/2024	3:00:00 PM	0.48
10/11/2024	3:15:00 PM	0.48
10/11/2024	3:30:00 PM	0.47
10/11/2024	3:45:00 PM	0.47
10/11/2024	4:00:00 PM	0.47
10/11/2024	4:15:00 PM	0.47
10/11/2024	4:30:00 PM	0.47
10/11/2024	4:45:00 PM	0.47
10/11/2024	5:00:00 PM	0.47
10/11/2024	5:15:00 PM	0.47
10/11/2024	5:30:00 PM	0.47
10/11/2024	5:45:00 PM	0.47
10/11/2024	6:00:00 PM	0.48
10/11/2024	6:15:00 PM	0.48
10/11/2024	6:30:00 PM	0.48
10/11/2024	6:45:00 PM	0.48
10/11/2024	7:00:00 PM	0.48
10/11/2024	7:15:00 PM	0.48
10/11/2024	7:30:00 PM	0.48
10/11/2024	7:45:00 PM	0.48
10/11/2024	8:00:00 PM	0.48
10/11/2024	8:15:00 PM	0.48
10/11/2024	8:30:00 PM	0.48
10/11/2024	8:45:00 PM	0.48
10/11/2024	9:00:00 PM	0.48
10/11/2024	9:15:00 PM	0.48
10/11/2024	9:30:00 PM	0.48
10/11/2024	9:45:00 PM	0.48
10/11/2024	10:00:00 PM	0.48
10/11/2024	10:15:00 PM	0.48
10/11/2024	10:30:00 PM	0.48
10/11/2024	10:45:00 PM	0.48
10/11/2024	11:00:00 PM	0.48
10/11/2024	11:15:00 PM	0.48
10/11/2024	11:30:00 PM	0.48
10/11/2024	11:45:00 PM	0.48
10/12/2024	12:00:00 AM	0.48
10/12/2024	12:15:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/12/2024	12:30:00 AM	0.48
10/12/2024	12:45:00 AM	0.48
10/12/2024	1:00:00 AM	0.48
10/12/2024	1:15:00 AM	0.48
10/12/2024	1:30:00 AM	0.48
10/12/2024	1:45:00 AM	0.48
10/12/2024	2:00:00 AM	0.49
10/12/2024	2:15:00 AM	0.49
10/12/2024	2:30:00 AM	0.49
10/12/2024	2:45:00 AM	0.49
10/12/2024	3:00:00 AM	0.49
10/12/2024	3:15:00 AM	0.49
10/12/2024	3:30:00 AM	0.49
10/12/2024	3:45:00 AM	0.49
10/12/2024	4:00:00 AM	0.49
10/12/2024	4:15:00 AM	0.49
10/12/2024	4:30:00 AM	0.49
10/12/2024	4:45:00 AM	0.49
10/12/2024	5:00:00 AM	0.49
10/12/2024	5:15:00 AM	0.49
10/12/2024	5:30:00 AM	0.49
10/12/2024	5:45:00 AM	0.49
10/12/2024	6:00:00 AM	0.49
10/12/2024	6:15:00 AM	0.49
10/12/2024	6:30:00 AM	0.49
10/12/2024	6:45:00 AM	0.49
10/12/2024	7:00:00 AM	0.49
10/12/2024	7:15:00 AM	0.49
10/12/2024	7:30:00 AM	0.49
10/12/2024	7:45:00 AM	0.49
10/12/2024	8:00:00 AM	0.49
10/12/2024	8:15:00 AM	0.49
10/12/2024	8:30:00 AM	0.49
10/12/2024	8:45:00 AM	0.49
10/12/2024	9:00:00 AM	0.49
10/12/2024	9:15:00 AM	0.49
10/12/2024	9:30:00 AM	0.49
10/12/2024	9:45:00 AM	0.49
10/12/2024	10:00:00 AM	0.49
10/12/2024	10:15:00 AM	0.49
10/12/2024	10:30:00 AM	0.49
10/12/2024	10:45:00 AM	0.49
10/12/2024	11:00:00 AM	0.49
10/12/2024	11:15:00 AM	0.49
10/12/2024	11:30:00 AM	0.49
10/12/2024	11:45:00 AM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/12/2024	12:00:00 PM	0.49
10/12/2024	12:15:00 PM	0.49
10/12/2024	12:30:00 PM	0.48
10/12/2024	12:45:00 PM	0.48
10/12/2024	1:00:00 PM	0.48
10/12/2024	1:15:00 PM	0.48
10/12/2024	1:30:00 PM	0.48
10/12/2024	1:45:00 PM	0.48
10/12/2024	2:00:00 PM	0.48
10/12/2024	2:15:00 PM	0.48
10/12/2024	2:30:00 PM	0.48
10/12/2024	2:45:00 PM	0.48
10/12/2024	3:00:00 PM	0.48
10/12/2024	3:15:00 PM	0.48
10/12/2024	3:30:00 PM	0.48
10/12/2024	3:45:00 PM	0.48
10/12/2024	4:00:00 PM	0.48
10/12/2024	4:15:00 PM	0.48
10/12/2024	4:30:00 PM	0.48
10/12/2024	4:45:00 PM	0.48
10/12/2024	5:00:00 PM	0.48
10/12/2024	5:15:00 PM	0.48
10/12/2024	5:30:00 PM	0.48
10/12/2024	5:45:00 PM	0.48
10/12/2024	6:00:00 PM	0.48
10/12/2024	6:15:00 PM	0.48
10/12/2024	6:30:00 PM	0.48
10/12/2024	6:45:00 PM	0.48
10/12/2024	7:00:00 PM	0.48
10/12/2024	7:15:00 PM	0.48
10/12/2024	7:30:00 PM	0.48
10/12/2024	7:45:00 PM	0.48
10/12/2024	8:00:00 PM	0.48
10/12/2024	8:15:00 PM	0.48
10/12/2024	8:30:00 PM	0.48
10/12/2024	8:45:00 PM	0.48
10/12/2024	9:00:00 PM	0.48
10/12/2024	9:15:00 PM	0.48
10/12/2024	9:30:00 PM	0.48
10/12/2024	9:45:00 PM	0.48
10/12/2024	10:00:00 PM	0.48
10/12/2024	10:15:00 PM	0.48
10/12/2024	10:30:00 PM	0.48
10/12/2024	10:45:00 PM	0.48
10/12/2024	11:00:00 PM	0.48
10/12/2024	11:15:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/12/2024	11:30:00 PM	0.48
10/12/2024	11:45:00 PM	0.48
10/13/2024	12:00:00 AM	0.48
10/13/2024	12:15:00 AM	0.48
10/13/2024	12:30:00 AM	0.48
10/13/2024	12:45:00 AM	0.48
10/13/2024	1:00:00 AM	0.48
10/13/2024	1:15:00 AM	0.48
10/13/2024	1:30:00 AM	0.48
10/13/2024	1:45:00 AM	0.48
10/13/2024	2:00:00 AM	0.48
10/13/2024	2:15:00 AM	0.48
10/13/2024	2:30:00 AM	0.48
10/13/2024	2:45:00 AM	0.48
10/13/2024	3:00:00 AM	0.48
10/13/2024	3:15:00 AM	0.48
10/13/2024	3:30:00 AM	0.48
10/13/2024	3:45:00 AM	0.48
10/13/2024	4:00:00 AM	0.48
10/13/2024	4:15:00 AM	0.48
10/13/2024	4:30:00 AM	0.48
10/13/2024	4:45:00 AM	0.48
10/13/2024	5:00:00 AM	0.48
10/13/2024	5:15:00 AM	0.48
10/13/2024	5:30:00 AM	0.48
10/13/2024	5:45:00 AM	0.48
10/13/2024	6:00:00 AM	0.48
10/13/2024	6:15:00 AM	0.48
10/13/2024	6:30:00 AM	0.48
10/13/2024	6:45:00 AM	0.48
10/13/2024	7:00:00 AM	0.48
10/13/2024	7:15:00 AM	0.48
10/13/2024	7:30:00 AM	0.48
10/13/2024	7:45:00 AM	0.48
10/13/2024	8:00:00 AM	0.48
10/13/2024	8:15:00 AM	0.48
10/13/2024	8:30:00 AM	0.48
10/13/2024	8:45:00 AM	0.48
10/13/2024	9:00:00 AM	0.48
10/13/2024	9:15:00 AM	0.48
10/13/2024	9:30:00 AM	0.48
10/13/2024	9:45:00 AM	0.48
10/13/2024	10:00:00 AM	0.47
10/13/2024	10:15:00 AM	0.47
10/13/2024	10:30:00 AM	0.47
10/13/2024	10:45:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/13/2024	11:00:00 AM	0.47
10/13/2024	11:15:00 AM	0.47
10/13/2024	11:30:00 AM	0.47
10/13/2024	11:45:00 AM	0.47
10/13/2024	12:00:00 PM	0.46
10/13/2024	12:15:00 PM	0.46
10/13/2024	12:30:00 PM	0.46
10/13/2024	12:45:00 PM	0.46
10/13/2024	1:00:00 PM	0.46
10/13/2024	1:15:00 PM	0.46
10/13/2024	1:30:00 PM	0.46
10/13/2024	1:45:00 PM	0.46
10/13/2024	2:00:00 PM	0.46
10/13/2024	2:15:00 PM	0.46
10/13/2024	2:30:00 PM	0.46
10/13/2024	2:45:00 PM	0.45
10/13/2024	3:00:00 PM	0.45
10/13/2024	3:15:00 PM	0.45
10/13/2024	3:30:00 PM	0.45
10/13/2024	3:45:00 PM	0.45
10/13/2024	4:00:00 PM	0.45
10/13/2024	4:15:00 PM	0.45
10/13/2024	4:30:00 PM	0.45
10/13/2024	4:45:00 PM	0.45
10/13/2024	5:00:00 PM	0.45
10/13/2024	5:15:00 PM	0.45
10/13/2024	5:30:00 PM	0.45
10/13/2024	5:45:00 PM	0.45
10/13/2024	6:00:00 PM	0.45
10/13/2024	6:15:00 PM	0.45
10/13/2024	6:30:00 PM	0.45
10/13/2024	6:45:00 PM	0.45
10/13/2024	7:00:00 PM	0.45
10/13/2024	7:15:00 PM	0.45
10/13/2024	7:30:00 PM	0.45
10/13/2024	7:45:00 PM	0.45
10/13/2024	8:00:00 PM	0.45
10/13/2024	8:15:00 PM	0.45
10/13/2024	8:30:00 PM	0.45
10/13/2024	8:45:00 PM	0.45
10/13/2024	9:00:00 PM	0.45
10/13/2024	9:15:00 PM	0.45
10/13/2024	9:30:00 PM	0.45
10/13/2024	9:45:00 PM	0.45
10/13/2024	10:00:00 PM	0.45
10/13/2024	10:15:00 PM	0.45

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/13/2024	10:30:00 PM	0.45
10/13/2024	10:45:00 PM	0.45
10/13/2024	11:00:00 PM	0.45
10/13/2024	11:15:00 PM	0.45
10/13/2024	11:30:00 PM	0.45
10/13/2024	11:45:00 PM	0.45
10/14/2024	12:00:00 AM	0.46
10/14/2024	12:15:00 AM	0.46
10/14/2024	12:30:00 AM	0.46
10/14/2024	12:45:00 AM	0.46
10/14/2024	1:00:00 AM	0.46
10/14/2024	1:15:00 AM	0.46
10/14/2024	1:30:00 AM	0.46
10/14/2024	1:45:00 AM	0.46
10/14/2024	2:00:00 AM	0.46
10/14/2024	2:15:00 AM	0.46
10/14/2024	2:30:00 AM	0.46
10/14/2024	2:45:00 AM	0.46
10/14/2024	3:00:00 AM	0.46
10/14/2024	3:15:00 AM	0.46
10/14/2024	3:30:00 AM	0.46
10/14/2024	3:45:00 AM	0.46
10/14/2024	4:00:00 AM	0.46
10/14/2024	4:15:00 AM	0.46
10/14/2024	4:30:00 AM	0.46
10/14/2024	4:45:00 AM	0.46
10/14/2024	5:00:00 AM	0.46
10/14/2024	5:15:00 AM	0.46
10/14/2024	5:30:00 AM	0.46
10/14/2024	5:45:00 AM	0.46
10/14/2024	6:00:00 AM	0.46
10/14/2024	6:15:00 AM	0.46
10/14/2024	6:30:00 AM	0.46
10/14/2024	6:45:00 AM	0.46
10/14/2024	7:00:00 AM	0.46
10/14/2024	7:15:00 AM	0.46
10/14/2024	7:30:00 AM	0.46
10/14/2024	7:45:00 AM	0.46
10/14/2024	8:00:00 AM	0.46
10/14/2024	8:15:00 AM	0.46
10/14/2024	8:30:00 AM	0.46
10/14/2024	8:45:00 AM	0.46
10/14/2024	9:00:00 AM	0.46
10/14/2024	9:15:00 AM	0.46
10/14/2024	9:30:00 AM	0.46
10/14/2024	9:45:00 AM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/14/2024	10:00:00 AM	0.46
10/14/2024	10:15:00 AM	0.46
10/14/2024	10:30:00 AM	0.46
10/14/2024	10:45:00 AM	0.46
10/14/2024	11:00:00 AM	0.46
10/14/2024	11:15:00 AM	0.46
10/14/2024	11:30:00 AM	0.46
10/14/2024	11:45:00 AM	0.46
10/14/2024	12:00:00 PM	0.46
10/14/2024	12:15:00 PM	0.46
10/14/2024	12:30:00 PM	0.45
10/14/2024	12:45:00 PM	0.45
10/14/2024	1:00:00 PM	0.45
10/14/2024	1:15:00 PM	0.45
10/14/2024	1:30:00 PM	0.45
10/14/2024	1:45:00 PM	0.45
10/14/2024	2:00:00 PM	0.45
10/14/2024	2:15:00 PM	0.45
10/14/2024	2:30:00 PM	0.45
10/14/2024	2:45:00 PM	0.45
10/14/2024	3:00:00 PM	0.45
10/14/2024	3:15:00 PM	0.45
10/14/2024	3:30:00 PM	0.45
10/14/2024	3:45:00 PM	0.45
10/14/2024	4:00:00 PM	0.45
10/14/2024	4:15:00 PM	0.45
10/14/2024	4:30:00 PM	0.46
10/14/2024	4:45:00 PM	0.46
10/14/2024	5:00:00 PM	0.46
10/14/2024	5:15:00 PM	0.46
10/14/2024	5:30:00 PM	0.46
10/14/2024	5:45:00 PM	0.46
10/14/2024	6:00:00 PM	0.46
10/14/2024	6:15:00 PM	0.46
10/14/2024	6:30:00 PM	0.46
10/14/2024	6:45:00 PM	0.46
10/14/2024	7:00:00 PM	0.46
10/14/2024	7:15:00 PM	0.46
10/14/2024	7:30:00 PM	0.46
10/14/2024	7:45:00 PM	0.46
10/14/2024	8:00:00 PM	0.46
10/14/2024	8:15:00 PM	0.46
10/14/2024	8:30:00 PM	0.46
10/14/2024	8:45:00 PM	0.46
10/14/2024	9:00:00 PM	0.46
10/14/2024	9:15:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/14/2024	9:30:00 PM	0.47
10/14/2024	9:45:00 PM	0.47
10/14/2024	10:00:00 PM	0.47
10/14/2024	10:15:00 PM	0.47
10/14/2024	10:30:00 PM	0.47
10/14/2024	10:45:00 PM	0.47
10/14/2024	11:00:00 PM	0.47
10/14/2024	11:15:00 PM	0.47
10/14/2024	11:30:00 PM	0.47
10/14/2024	11:45:00 PM	0.47
10/15/2024	12:00:00 AM	0.47
10/15/2024	12:15:00 AM	0.47
10/15/2024	12:30:00 AM	0.47
10/15/2024	12:45:00 AM	0.47
10/15/2024	1:00:00 AM	0.47
10/15/2024	1:15:00 AM	0.47
10/15/2024	1:30:00 AM	0.47
10/15/2024	1:45:00 AM	0.47
10/15/2024	2:00:00 AM	0.47
10/15/2024	2:15:00 AM	0.47
10/15/2024	2:30:00 AM	0.47
10/15/2024	2:45:00 AM	0.47
10/15/2024	3:00:00 AM	0.47
10/15/2024	3:15:00 AM	0.47
10/15/2024	3:30:00 AM	0.47
10/15/2024	3:45:00 AM	0.48
10/15/2024	4:00:00 AM	0.48
10/15/2024	4:15:00 AM	0.48
10/15/2024	4:30:00 AM	0.48
10/15/2024	4:45:00 AM	0.48
10/15/2024	5:00:00 AM	0.48
10/15/2024	5:15:00 AM	0.48
10/15/2024	5:30:00 AM	0.48
10/15/2024	5:45:00 AM	0.48
10/15/2024	6:00:00 AM	0.48
10/15/2024	6:15:00 AM	0.48
10/15/2024	6:30:00 AM	0.48
10/15/2024	6:45:00 AM	0.48
10/15/2024	7:00:00 AM	0.48
10/15/2024	7:15:00 AM	0.48
10/15/2024	7:30:00 AM	0.48
10/15/2024	7:45:00 AM	0.48
10/15/2024	8:00:00 AM	0.48
10/15/2024	8:15:00 AM	0.48
10/15/2024	8:30:00 AM	0.48
10/15/2024	8:45:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/15/2024	9:00:00 AM	0.48
10/15/2024	9:15:00 AM	0.48
10/15/2024	9:30:00 AM	0.48
10/15/2024	9:45:00 AM	0.48
10/15/2024	10:00:00 AM	0.47
10/15/2024	10:15:00 AM	0.47
10/15/2024	10:30:00 AM	0.47
10/15/2024	10:45:00 AM	0.47
10/15/2024	11:00:00 AM	0.47
10/15/2024	11:15:00 AM	0.47
10/15/2024	11:30:00 AM	0.47
10/15/2024	11:45:00 AM	0.47
10/15/2024	12:00:00 PM	0.47
10/15/2024	12:15:00 PM	0.47
10/15/2024	12:30:00 PM	0.47
10/15/2024	12:45:00 PM	0.47
10/15/2024	1:00:00 PM	0.46
10/15/2024	1:15:00 PM	0.46
10/15/2024	1:30:00 PM	0.46
10/15/2024	1:45:00 PM	0.46
10/15/2024	2:00:00 PM	0.46
10/15/2024	2:15:00 PM	0.46
10/15/2024	2:30:00 PM	0.46
10/15/2024	2:45:00 PM	0.46
10/15/2024	3:00:00 PM	0.46
10/15/2024	3:15:00 PM	0.46
10/15/2024	3:30:00 PM	0.46
10/15/2024	3:45:00 PM	0.46
10/15/2024	4:00:00 PM	0.46
10/15/2024	4:15:00 PM	0.46
10/15/2024	4:30:00 PM	0.46
10/15/2024	4:45:00 PM	0.46
10/15/2024	5:00:00 PM	0.46
10/15/2024	5:15:00 PM	0.46
10/15/2024	5:30:00 PM	0.46
10/15/2024	5:45:00 PM	0.46
10/15/2024	6:00:00 PM	0.46
10/15/2024	6:15:00 PM	0.46
10/15/2024	6:30:00 PM	0.46
10/15/2024	6:45:00 PM	0.46
10/15/2024	7:00:00 PM	0.46
10/15/2024	7:15:00 PM	0.46
10/15/2024	7:30:00 PM	0.46
10/15/2024	7:45:00 PM	0.46
10/15/2024	8:00:00 PM	0.46
10/15/2024	8:15:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/15/2024	8:30:00 PM	0.46
10/15/2024	8:45:00 PM	0.46
10/15/2024	9:00:00 PM	0.46
10/15/2024	9:15:00 PM	0.46
10/15/2024	9:30:00 PM	0.46
10/15/2024	9:45:00 PM	0.46
10/15/2024	10:00:00 PM	0.46
10/15/2024	10:15:00 PM	0.45
10/15/2024	10:30:00 PM	0.45
10/15/2024	10:45:00 PM	0.45
10/15/2024	11:00:00 PM	0.45
10/15/2024	11:15:00 PM	0.45
10/15/2024	11:30:00 PM	0.45
10/15/2024	11:45:00 PM	0.45
10/16/2024	12:00:00 AM	0.45
10/16/2024	12:15:00 AM	0.45
10/16/2024	12:30:00 AM	0.45
10/16/2024	12:45:00 AM	0.45
10/16/2024	1:00:00 AM	0.45
10/16/2024	1:15:00 AM	0.45
10/16/2024	1:30:00 AM	0.45
10/16/2024	1:45:00 AM	0.45
10/16/2024	2:00:00 AM	0.45
10/16/2024	2:15:00 AM	0.45
10/16/2024	2:30:00 AM	0.45
10/16/2024	2:45:00 AM	0.45
10/16/2024	3:00:00 AM	0.45
10/16/2024	3:15:00 AM	0.46
10/16/2024	3:30:00 AM	0.45
10/16/2024	3:45:00 AM	0.45
10/16/2024	4:00:00 AM	0.45
10/16/2024	4:15:00 AM	0.46
10/16/2024	4:30:00 AM	0.46
10/16/2024	4:45:00 AM	0.46
10/16/2024	5:00:00 AM	0.46
10/16/2024	5:15:00 AM	0.46
10/16/2024	5:30:00 AM	0.46
10/16/2024	5:45:00 AM	0.46
10/16/2024	6:00:00 AM	0.46
10/16/2024	6:15:00 AM	0.46
10/16/2024	6:30:00 AM	0.46
10/16/2024	6:45:00 AM	0.46
10/16/2024	7:00:00 AM	0.46
10/16/2024	7:15:00 AM	0.46
10/16/2024	7:30:00 AM	0.46
10/16/2024	7:45:00 AM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/16/2024	8:00:00 AM	0.46
10/16/2024	8:15:00 AM	0.46
10/16/2024	8:30:00 AM	0.46
10/16/2024	8:45:00 AM	0.46
10/16/2024	9:00:00 AM	0.46
10/16/2024	9:15:00 AM	0.46
10/16/2024	9:30:00 AM	0.46
10/16/2024	9:45:00 AM	0.46
10/16/2024	10:00:00 AM	0.46
10/16/2024	10:15:00 AM	0.46
10/16/2024	10:30:00 AM	0.46
10/16/2024	10:45:00 AM	0.46
10/16/2024	11:00:00 AM	0.46
10/16/2024	11:15:00 AM	0.45
10/16/2024	11:30:00 AM	0.45
10/16/2024	11:45:00 AM	0.45
10/16/2024	12:00:00 PM	0.45
10/16/2024	12:15:00 PM	0.45
10/16/2024	12:30:00 PM	0.45
10/16/2024	12:45:00 PM	0.45
10/16/2024	1:00:00 PM	0.45
10/16/2024	1:15:00 PM	0.45
10/16/2024	1:30:00 PM	0.45
10/16/2024	1:45:00 PM	0.45
10/16/2024	2:00:00 PM	0.45
10/16/2024	2:15:00 PM	0.45
10/16/2024	2:30:00 PM	0.45
10/16/2024	2:45:00 PM	0.45
10/16/2024	3:00:00 PM	0.45
10/16/2024	3:15:00 PM	0.45
10/16/2024	3:30:00 PM	0.45
10/16/2024	3:45:00 PM	0.45
10/16/2024	4:00:00 PM	0.45
10/16/2024	4:15:00 PM	0.45
10/16/2024	4:30:00 PM	0.44
10/16/2024	4:45:00 PM	0.44
10/16/2024	5:00:00 PM	0.44
10/16/2024	5:15:00 PM	0.44
10/16/2024	5:30:00 PM	0.44
10/16/2024	5:45:00 PM	0.44
10/16/2024	6:00:00 PM	0.45
10/16/2024	6:15:00 PM	0.45
10/16/2024	6:30:00 PM	0.45
10/16/2024	6:45:00 PM	0.45
10/16/2024	7:00:00 PM	0.45
10/16/2024	7:15:00 PM	0.45

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/16/2024	7:30:00 PM	0.45
10/16/2024	7:45:00 PM	0.45
10/16/2024	8:00:00 PM	0.45
10/16/2024	8:15:00 PM	0.45
10/16/2024	8:30:00 PM	0.45
10/16/2024	8:45:00 PM	0.45
10/16/2024	9:00:00 PM	0.45
10/16/2024	9:15:00 PM	0.45
10/16/2024	9:30:00 PM	0.45
10/16/2024	9:45:00 PM	0.45
10/16/2024	10:00:00 PM	0.45
10/16/2024	10:15:00 PM	0.45
10/16/2024	10:30:00 PM	0.45
10/16/2024	10:45:00 PM	0.45
10/16/2024	11:00:00 PM	0.45
10/16/2024	11:15:00 PM	0.45
10/16/2024	11:30:00 PM	0.45
10/16/2024	11:45:00 PM	0.45
10/17/2024	12:00:00 AM	0.45
10/17/2024	12:15:00 AM	0.45
10/17/2024	12:30:00 AM	0.45
10/17/2024	12:45:00 AM	0.45
10/17/2024	1:00:00 AM	0.45
10/17/2024	1:15:00 AM	0.45
10/17/2024	1:30:00 AM	0.45
10/17/2024	1:45:00 AM	0.45
10/17/2024	2:00:00 AM	0.45
10/17/2024	2:15:00 AM	0.45
10/17/2024	2:30:00 AM	0.45
10/17/2024	2:45:00 AM	0.45
10/17/2024	3:00:00 AM	0.45
10/17/2024	3:15:00 AM	0.45
10/17/2024	3:30:00 AM	0.45
10/17/2024	3:45:00 AM	0.45
10/17/2024	4:00:00 AM	0.45
10/17/2024	4:15:00 AM	0.45
10/17/2024	4:30:00 AM	0.46
10/17/2024	4:45:00 AM	0.46
10/17/2024	5:00:00 AM	0.46
10/17/2024	5:15:00 AM	0.46
10/17/2024	5:30:00 AM	0.46
10/17/2024	5:45:00 AM	0.45
10/17/2024	6:00:00 AM	0.46
10/17/2024	6:15:00 AM	0.46
10/17/2024	6:30:00 AM	0.46
10/17/2024	6:45:00 AM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/17/2024	7:00:00 AM	0.46
10/17/2024	7:15:00 AM	0.45
10/17/2024	7:30:00 AM	0.46
10/17/2024	7:45:00 AM	0.46
10/17/2024	8:00:00 AM	0.46
10/17/2024	8:15:00 AM	0.46
10/17/2024	8:30:00 AM	0.46
10/17/2024	8:45:00 AM	0.46
10/17/2024	9:00:00 AM	0.45
10/17/2024	9:15:00 AM	0.46
10/17/2024	9:30:00 AM	0.45
10/17/2024	9:45:00 AM	0.45
10/17/2024	10:00:00 AM	0.45
10/17/2024	10:15:00 AM	0.45
10/17/2024	10:30:00 AM	0.45
10/17/2024	10:45:00 AM	0.45
10/17/2024	11:00:00 AM	0.45
10/17/2024	11:15:00 AM	0.45
10/17/2024	11:30:00 AM	0.45
10/17/2024	11:45:00 AM	0.45
10/17/2024	12:00:00 PM	0.45
10/17/2024	12:15:00 PM	0.45
10/17/2024	12:30:00 PM	0.45
10/17/2024	12:45:00 PM	0.45
10/17/2024	1:00:00 PM	0.45
10/17/2024	1:15:00 PM	0.45
10/17/2024	1:30:00 PM	0.45
10/17/2024	1:45:00 PM	0.45
10/17/2024	2:00:00 PM	0.45
10/17/2024	2:15:00 PM	0.45
10/17/2024	2:30:00 PM	0.45
10/17/2024	2:45:00 PM	0.45
10/17/2024	3:00:00 PM	0.45
10/17/2024	3:15:00 PM	0.45
10/17/2024	3:30:00 PM	0.45
10/17/2024	3:45:00 PM	0.45
10/17/2024	4:00:00 PM	0.45
10/17/2024	4:15:00 PM	0.46
10/17/2024	4:30:00 PM	0.45
10/17/2024	4:45:00 PM	0.45
10/17/2024	5:00:00 PM	0.45
10/17/2024	5:15:00 PM	0.45
10/17/2024	5:30:00 PM	0.45
10/17/2024	5:45:00 PM	0.46
10/17/2024	6:00:00 PM	0.46
10/17/2024	6:15:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/17/2024	6:30:00 PM	0.46
10/17/2024	6:45:00 PM	0.46
10/17/2024	7:00:00 PM	0.46
10/17/2024	7:15:00 PM	0.46
10/17/2024	7:30:00 PM	0.46
10/17/2024	7:45:00 PM	0.45
10/17/2024	8:00:00 PM	0.45
10/17/2024	8:15:00 PM	0.45
10/17/2024	8:30:00 PM	0.45
10/17/2024	8:45:00 PM	0.45
10/17/2024	9:00:00 PM	0.45
10/17/2024	9:15:00 PM	0.44
10/17/2024	9:30:00 PM	0.44
10/17/2024	9:45:00 PM	0.44
10/17/2024	10:00:00 PM	0.44
10/17/2024	10:15:00 PM	0.44
10/17/2024	10:30:00 PM	0.45
10/17/2024	10:45:00 PM	0.45
10/17/2024	11:00:00 PM	0.45
10/17/2024	11:15:00 PM	0.44
10/17/2024	11:30:00 PM	0.44
10/17/2024	11:45:00 PM	0.44
10/18/2024	12:00:00 AM	0.44
10/18/2024	12:15:00 AM	0.44
10/18/2024	12:30:00 AM	0.44
10/18/2024	12:45:00 AM	0.45
10/18/2024	1:00:00 AM	0.45
10/18/2024	1:15:00 AM	0.45
10/18/2024	1:30:00 AM	0.45
10/18/2024	1:45:00 AM	0.44
10/18/2024	2:00:00 AM	0.44
10/18/2024	2:15:00 AM	0.45
10/18/2024	2:30:00 AM	0.45
10/18/2024	2:45:00 AM	0.45
10/18/2024	3:00:00 AM	0.45
10/18/2024	3:15:00 AM	0.45
10/18/2024	3:30:00 AM	0.45
10/18/2024	3:45:00 AM	0.45
10/18/2024	4:00:00 AM	0.45
10/18/2024	4:15:00 AM	0.46
10/18/2024	4:30:00 AM	0.46
10/18/2024	4:45:00 AM	0.46
10/18/2024	5:00:00 AM	0.46
10/18/2024	5:15:00 AM	0.46
10/18/2024	5:30:00 AM	0.46
10/18/2024	5:45:00 AM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/18/2024	6:00:00 AM	0.46
10/18/2024	6:15:00 AM	0.47
10/18/2024	6:30:00 AM	0.47
10/18/2024	6:45:00 AM	0.47
10/18/2024	7:00:00 AM	0.47
10/18/2024	7:15:00 AM	0.47
10/18/2024	7:30:00 AM	0.46
10/18/2024	7:45:00 AM	0.46
10/18/2024	8:00:00 AM	0.46
10/18/2024	8:15:00 AM	0.46
10/18/2024	8:30:00 AM	0.46
10/18/2024	8:45:00 AM	0.46
10/18/2024	9:00:00 AM	0.46
10/18/2024	9:15:00 AM	0.46
10/18/2024	9:30:00 AM	0.45
10/18/2024	9:45:00 AM	0.45
10/18/2024	10:00:00 AM	0.45
10/18/2024	10:15:00 AM	0.45
10/18/2024	10:30:00 AM	0.45
10/18/2024	10:45:00 AM	0.45
10/18/2024	11:00:00 AM	0.45
10/18/2024	11:15:00 AM	0.45
10/18/2024	11:30:00 AM	0.45
10/18/2024	11:45:00 AM	0.45
10/18/2024	12:00:00 PM	0.45
10/18/2024	12:15:00 PM	0.45
10/18/2024	12:30:00 PM	0.45
10/18/2024	12:45:00 PM	0.45
10/18/2024	1:00:00 PM	0.45
10/18/2024	1:15:00 PM	0.45
10/18/2024	1:30:00 PM	0.45
10/18/2024	1:45:00 PM	0.45
10/18/2024	2:00:00 PM	0.44
10/18/2024	2:15:00 PM	0.44
10/18/2024	2:30:00 PM	0.44
10/18/2024	2:45:00 PM	0.44
10/18/2024	3:00:00 PM	0.44
10/18/2024	3:15:00 PM	0.44
10/18/2024	3:30:00 PM	0.44
10/18/2024	3:45:00 PM	0.44
10/18/2024	4:00:00 PM	0.44
10/18/2024	4:15:00 PM	0.44
10/18/2024	4:30:00 PM	0.44
10/18/2024	4:45:00 PM	0.45
10/18/2024	5:00:00 PM	0.45
10/18/2024	5:15:00 PM	0.45

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/18/2024	5:30:00 PM	0.45
10/18/2024	5:45:00 PM	0.45
10/18/2024	6:00:00 PM	0.45
10/18/2024	6:15:00 PM	0.45
10/18/2024	6:30:00 PM	0.45
10/18/2024	6:45:00 PM	0.45
10/18/2024	7:00:00 PM	0.46
10/18/2024	7:15:00 PM	0.46
10/18/2024	7:30:00 PM	0.46
10/18/2024	7:45:00 PM	0.46
10/18/2024	8:00:00 PM	0.47
10/18/2024	8:15:00 PM	0.47
10/18/2024	8:30:00 PM	0.47
10/18/2024	8:45:00 PM	0.47
10/18/2024	9:00:00 PM	0.47
10/18/2024	9:15:00 PM	0.47
10/18/2024	9:30:00 PM	0.47
10/18/2024	9:45:00 PM	0.48
10/18/2024	10:00:00 PM	0.48
10/18/2024	10:15:00 PM	0.48
10/18/2024	10:30:00 PM	0.48
10/18/2024	10:45:00 PM	0.48
10/18/2024	11:00:00 PM	0.48
10/18/2024	11:15:00 PM	0.48
10/18/2024	11:30:00 PM	0.48
10/18/2024	11:45:00 PM	0.48
10/19/2024	12:00:00 AM	0.48
10/19/2024	12:15:00 AM	0.48
10/19/2024	12:30:00 AM	0.48
10/19/2024	12:45:00 AM	0.48
10/19/2024	1:00:00 AM	0.48
10/19/2024	1:15:00 AM	0.48
10/19/2024	1:30:00 AM	0.48
10/19/2024	1:45:00 AM	0.48
10/19/2024	2:00:00 AM	0.48
10/19/2024	2:15:00 AM	0.48
10/19/2024	2:30:00 AM	0.48
10/19/2024	2:45:00 AM	0.48
10/19/2024	3:00:00 AM	0.48
10/19/2024	3:15:00 AM	0.48
10/19/2024	3:30:00 AM	0.48
10/19/2024	3:45:00 AM	0.48
10/19/2024	4:00:00 AM	0.48
10/19/2024	4:15:00 AM	0.48
10/19/2024	4:30:00 AM	0.48
10/19/2024	4:45:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/19/2024	5:00:00 AM	0.48
10/19/2024	5:15:00 AM	0.48
10/19/2024	5:30:00 AM	0.48
10/19/2024	5:45:00 AM	0.48
10/19/2024	6:00:00 AM	0.48
10/19/2024	6:15:00 AM	0.48
10/19/2024	6:30:00 AM	0.48
10/19/2024	6:45:00 AM	0.48
10/19/2024	7:00:00 AM	0.48
10/19/2024	7:15:00 AM	0.48
10/19/2024	7:30:00 AM	0.48
10/19/2024	7:45:00 AM	0.48
10/19/2024	8:00:00 AM	0.48
10/19/2024	8:15:00 AM	0.48
10/19/2024	8:30:00 AM	0.48
10/19/2024	8:45:00 AM	0.48
10/19/2024	9:00:00 AM	0.48
10/19/2024	9:15:00 AM	0.48
10/19/2024	9:30:00 AM	0.48
10/19/2024	9:45:00 AM	0.48
10/19/2024	10:00:00 AM	0.48
10/19/2024	10:15:00 AM	0.48
10/19/2024	10:30:00 AM	0.48
10/19/2024	10:45:00 AM	0.48
10/19/2024	11:00:00 AM	0.48
10/19/2024	11:15:00 AM	0.48
10/19/2024	11:30:00 AM	0.48
10/19/2024	11:45:00 AM	0.48
10/19/2024	12:00:00 PM	0.48
10/19/2024	12:15:00 PM	0.48
10/19/2024	12:30:00 PM	0.48
10/19/2024	12:45:00 PM	0.48
10/19/2024	1:00:00 PM	0.48
10/19/2024	1:15:00 PM	0.48
10/19/2024	1:30:00 PM	0.48
10/19/2024	1:45:00 PM	0.48
10/19/2024	2:00:00 PM	0.48
10/19/2024	2:15:00 PM	0.48
10/19/2024	2:30:00 PM	0.48
10/19/2024	2:45:00 PM	0.48
10/19/2024	3:00:00 PM	0.48
10/19/2024	3:15:00 PM	0.48
10/19/2024	3:30:00 PM	0.48
10/19/2024	3:45:00 PM	0.48
10/19/2024	4:00:00 PM	0.47
10/19/2024	4:15:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/19/2024	4:30:00 PM	0.48
10/19/2024	4:45:00 PM	0.48
10/19/2024	5:00:00 PM	0.48
10/19/2024	5:15:00 PM	0.48
10/19/2024	5:30:00 PM	0.48
10/19/2024	5:45:00 PM	0.48
10/19/2024	6:00:00 PM	0.48
10/19/2024	6:15:00 PM	0.48
10/19/2024	6:30:00 PM	0.48
10/19/2024	6:45:00 PM	0.48
10/19/2024	7:00:00 PM	0.48
10/19/2024	7:15:00 PM	0.48
10/19/2024	7:30:00 PM	0.48
10/19/2024	7:45:00 PM	0.48
10/19/2024	8:00:00 PM	0.48
10/19/2024	8:15:00 PM	0.48
10/19/2024	8:30:00 PM	0.48
10/19/2024	8:45:00 PM	0.48
10/19/2024	9:00:00 PM	0.48
10/19/2024	9:15:00 PM	0.48
10/19/2024	9:30:00 PM	0.48
10/19/2024	9:45:00 PM	0.48
10/19/2024	10:00:00 PM	0.48
10/19/2024	10:15:00 PM	0.48
10/19/2024	10:30:00 PM	0.48
10/19/2024	10:45:00 PM	0.48
10/19/2024	11:00:00 PM	0.48
10/19/2024	11:15:00 PM	0.48
10/19/2024	11:30:00 PM	0.48
10/19/2024	11:45:00 PM	0.48
10/20/2024	12:00:00 AM	0.48
10/20/2024	12:15:00 AM	0.48
10/20/2024	12:30:00 AM	0.48
10/20/2024	12:45:00 AM	0.48
10/20/2024	1:00:00 AM	0.48
10/20/2024	1:15:00 AM	0.48
10/20/2024	1:30:00 AM	0.48
10/20/2024	1:45:00 AM	0.48
10/20/2024	2:00:00 AM	0.48
10/20/2024	2:15:00 AM	0.48
10/20/2024	2:30:00 AM	0.48
10/20/2024	2:45:00 AM	0.48
10/20/2024	3:00:00 AM	0.48
10/20/2024	3:15:00 AM	0.48
10/20/2024	3:30:00 AM	0.48
10/20/2024	3:45:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/20/2024	4:00:00 AM	0.48
10/20/2024	4:15:00 AM	0.48
10/20/2024	4:30:00 AM	0.48
10/20/2024	4:45:00 AM	0.48
10/20/2024	5:00:00 AM	0.48
10/20/2024	5:15:00 AM	0.48
10/20/2024	5:30:00 AM	0.48
10/20/2024	5:45:00 AM	0.48
10/20/2024	6:00:00 AM	0.48
10/20/2024	6:15:00 AM	0.48
10/20/2024	6:30:00 AM	0.48
10/20/2024	6:45:00 AM	0.48
10/20/2024	7:00:00 AM	0.48
10/20/2024	7:15:00 AM	0.48
10/20/2024	7:30:00 AM	0.48
10/20/2024	7:45:00 AM	0.48
10/20/2024	8:00:00 AM	0.48
10/20/2024	8:15:00 AM	0.48
10/20/2024	8:30:00 AM	0.48
10/20/2024	8:45:00 AM	0.48
10/20/2024	9:00:00 AM	0.48
10/20/2024	9:15:00 AM	0.48
10/20/2024	9:30:00 AM	0.48
10/20/2024	9:45:00 AM	0.48
10/20/2024	10:00:00 AM	0.48
10/20/2024	10:15:00 AM	0.48
10/20/2024	10:30:00 AM	0.48
10/20/2024	10:45:00 AM	0.48
10/20/2024	11:00:00 AM	0.48
10/20/2024	11:15:00 AM	0.48
10/20/2024	11:30:00 AM	0.48
10/20/2024	11:45:00 AM	0.48
10/20/2024	12:00:00 PM	0.48
10/20/2024	12:15:00 PM	0.48
10/20/2024	12:30:00 PM	0.48
10/20/2024	12:45:00 PM	0.48
10/20/2024	1:00:00 PM	0.48
10/20/2024	1:15:00 PM	0.48
10/20/2024	1:30:00 PM	0.48
10/20/2024	1:45:00 PM	0.48
10/20/2024	2:00:00 PM	0.48
10/20/2024	2:15:00 PM	0.48
10/20/2024	2:30:00 PM	0.48
10/20/2024	2:45:00 PM	0.48
10/20/2024	3:00:00 PM	0.48
10/20/2024	3:15:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/20/2024	3:30:00 PM	0.48
10/20/2024	3:45:00 PM	0.48
10/20/2024	4:00:00 PM	0.48
10/20/2024	4:15:00 PM	0.48
10/20/2024	4:30:00 PM	0.48
10/20/2024	4:45:00 PM	0.48
10/20/2024	5:00:00 PM	0.48
10/20/2024	5:15:00 PM	0.48
10/20/2024	5:30:00 PM	0.48
10/20/2024	5:45:00 PM	0.48
10/20/2024	6:00:00 PM	0.48
10/20/2024	6:15:00 PM	0.48
10/20/2024	6:30:00 PM	0.48
10/20/2024	6:45:00 PM	0.48
10/20/2024	7:00:00 PM	0.48
10/20/2024	7:15:00 PM	0.48
10/20/2024	7:30:00 PM	0.48
10/20/2024	7:45:00 PM	0.48
10/20/2024	8:00:00 PM	0.48
10/20/2024	8:15:00 PM	0.48
10/20/2024	8:30:00 PM	0.48
10/20/2024	8:45:00 PM	0.48
10/20/2024	9:00:00 PM	0.48
10/20/2024	9:15:00 PM	0.48
10/20/2024	9:30:00 PM	0.49
10/20/2024	9:45:00 PM	0.49
10/20/2024	10:00:00 PM	0.49
10/20/2024	10:15:00 PM	0.49
10/20/2024	10:30:00 PM	0.49
10/20/2024	10:45:00 PM	0.49
10/20/2024	11:00:00 PM	0.49
10/20/2024	11:15:00 PM	0.49
10/20/2024	11:30:00 PM	0.49
10/20/2024	11:45:00 PM	0.49
10/21/2024	12:00:00 AM	0.49
10/21/2024	12:15:00 AM	0.49
10/21/2024	12:30:00 AM	0.49
10/21/2024	12:45:00 AM	0.49
10/21/2024	1:00:00 AM	0.49
10/21/2024	1:15:00 AM	0.49
10/21/2024	1:30:00 AM	0.49
10/21/2024	1:45:00 AM	0.49
10/21/2024	2:00:00 AM	0.49
10/21/2024	2:15:00 AM	0.49
10/21/2024	2:30:00 AM	0.49
10/21/2024	2:45:00 AM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/21/2024	3:00:00 AM	0.49
10/21/2024	3:15:00 AM	0.49
10/21/2024	3:30:00 AM	0.49
10/21/2024	3:45:00 AM	0.49
10/21/2024	4:00:00 AM	0.49
10/21/2024	4:15:00 AM	0.49
10/21/2024	4:30:00 AM	0.49
10/21/2024	4:45:00 AM	0.49
10/21/2024	5:00:00 AM	0.49
10/21/2024	5:15:00 AM	0.49
10/21/2024	5:30:00 AM	0.49
10/21/2024	5:45:00 AM	0.49
10/21/2024	6:00:00 AM	0.49
10/21/2024	6:15:00 AM	0.49
10/21/2024	6:30:00 AM	0.49
10/21/2024	6:45:00 AM	0.49
10/21/2024	7:00:00 AM	0.49
10/21/2024	7:15:00 AM	0.49
10/21/2024	7:30:00 AM	0.49
10/21/2024	7:45:00 AM	0.49
10/21/2024	8:00:00 AM	0.49
10/21/2024	8:15:00 AM	0.49
10/21/2024	8:30:00 AM	0.49
10/21/2024	8:45:00 AM	0.49
10/21/2024	9:00:00 AM	0.49
10/21/2024	9:15:00 AM	0.49
10/21/2024	9:30:00 AM	0.49
10/21/2024	9:45:00 AM	0.49
10/21/2024	10:00:00 AM	0.49
10/21/2024	10:15:00 AM	0.49
10/21/2024	10:30:00 AM	0.49
10/21/2024	10:45:00 AM	0.49
10/21/2024	11:00:00 AM	0.49
10/21/2024	11:15:00 AM	0.49
10/21/2024	11:30:00 AM	0.49
10/21/2024	11:45:00 AM	0.49
10/21/2024	12:00:00 PM	0.49
10/21/2024	12:15:00 PM	0.49
10/21/2024	12:30:00 PM	0.49
10/21/2024	12:45:00 PM	0.49
10/21/2024	1:00:00 PM	0.49
10/21/2024	1:15:00 PM	0.49
10/21/2024	1:30:00 PM	0.49
10/21/2024	1:45:00 PM	0.49
10/21/2024	2:00:00 PM	0.49
10/21/2024	2:15:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/21/2024	2:30:00 PM	0.49
10/21/2024	2:45:00 PM	0.49
10/21/2024	3:00:00 PM	0.49
10/21/2024	3:15:00 PM	0.49
10/21/2024	3:30:00 PM	0.49
10/21/2024	3:45:00 PM	0.49
10/21/2024	4:00:00 PM	0.49
10/21/2024	4:15:00 PM	0.49
10/21/2024	4:30:00 PM	0.49
10/21/2024	4:45:00 PM	0.49
10/21/2024	5:00:00 PM	0.49
10/21/2024	5:15:00 PM	0.49
10/21/2024	5:30:00 PM	0.49
10/21/2024	5:45:00 PM	0.49
10/21/2024	6:00:00 PM	0.49
10/21/2024	6:15:00 PM	0.49
10/21/2024	6:30:00 PM	0.49
10/21/2024	6:45:00 PM	0.49
10/21/2024	7:00:00 PM	0.49
10/21/2024	7:15:00 PM	0.49
10/21/2024	7:30:00 PM	0.49
10/21/2024	7:45:00 PM	0.49
10/21/2024	8:00:00 PM	0.49
10/21/2024	8:15:00 PM	0.49
10/21/2024	8:30:00 PM	0.49
10/21/2024	8:45:00 PM	0.49
10/21/2024	9:00:00 PM	0.49
10/21/2024	9:15:00 PM	0.5
10/21/2024	9:30:00 PM	0.5
10/21/2024	9:45:00 PM	0.5
10/21/2024	10:00:00 PM	0.5
10/21/2024	10:15:00 PM	0.5
10/21/2024	10:30:00 PM	0.5
10/21/2024	10:45:00 PM	0.5
10/21/2024	11:00:00 PM	0.5
10/21/2024	11:15:00 PM	0.5
10/21/2024	11:30:00 PM	0.5
10/21/2024	11:45:00 PM	0.5
10/22/2024	12:00:00 AM	0.5
10/22/2024	12:15:00 AM	0.5
10/22/2024	12:30:00 AM	0.5
10/22/2024	12:45:00 AM	0.5
10/22/2024	1:00:00 AM	0.5
10/22/2024	1:15:00 AM	0.5
10/22/2024	1:30:00 AM	0.5
10/22/2024	1:45:00 AM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/22/2024	2:00:00 AM	0.5
10/22/2024	2:15:00 AM	0.5
10/22/2024	2:30:00 AM	0.5
10/22/2024	2:45:00 AM	0.5
10/22/2024	3:00:00 AM	0.5
10/22/2024	3:15:00 AM	0.5
10/22/2024	3:30:00 AM	0.5
10/22/2024	3:45:00 AM	0.5
10/22/2024	4:00:00 AM	0.5
10/22/2024	4:15:00 AM	0.5
10/22/2024	4:30:00 AM	0.5
10/22/2024	4:45:00 AM	0.5
10/22/2024	5:00:00 AM	0.5
10/22/2024	5:15:00 AM	0.5
10/22/2024	5:30:00 AM	0.5
10/22/2024	5:45:00 AM	0.5
10/22/2024	6:00:00 AM	0.5
10/22/2024	6:15:00 AM	0.5
10/22/2024	6:30:00 AM	0.5
10/22/2024	6:45:00 AM	0.5
10/22/2024	7:00:00 AM	0.5
10/22/2024	7:15:00 AM	0.5
10/22/2024	7:30:00 AM	0.5
10/22/2024	7:45:00 AM	0.5
10/22/2024	8:00:00 AM	0.5
10/22/2024	8:15:00 AM	0.5
10/22/2024	8:30:00 AM	0.5
10/22/2024	8:45:00 AM	0.51
10/22/2024	9:00:00 AM	0.51
10/22/2024	9:15:00 AM	0.5
10/22/2024	9:30:00 AM	0.51
10/22/2024	9:45:00 AM	0.51
10/22/2024	10:00:00 AM	0.51
10/22/2024	10:15:00 AM	0.51
10/22/2024	10:30:00 AM	0.51
10/22/2024	10:45:00 AM	0.51
10/22/2024	11:00:00 AM	0.5
10/22/2024	11:15:00 AM	0.5
10/22/2024	11:30:00 AM	0.51
10/22/2024	11:45:00 AM	0.51
10/22/2024	12:00:00 PM	0.5
10/22/2024	12:15:00 PM	0.51
10/22/2024	12:30:00 PM	0.51
10/22/2024	12:45:00 PM	0.51
10/22/2024	1:00:00 PM	0.51
10/22/2024	1:15:00 PM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/22/2024	1:30:00 PM	0.51
10/22/2024	1:45:00 PM	0.51
10/22/2024	2:00:00 PM	0.51
10/22/2024	2:15:00 PM	0.51
10/22/2024	2:30:00 PM	0.51
10/22/2024	2:45:00 PM	0.51
10/22/2024	3:00:00 PM	0.51
10/22/2024	3:15:00 PM	0.51
10/22/2024	3:30:00 PM	0.51
10/22/2024	3:45:00 PM	0.51
10/22/2024	4:00:00 PM	0.51
10/22/2024	4:15:00 PM	0.51
10/22/2024	4:30:00 PM	0.51
10/22/2024	4:45:00 PM	0.51
10/22/2024	5:00:00 PM	0.51
10/22/2024	5:15:00 PM	0.51
10/22/2024	5:30:00 PM	0.51
10/22/2024	5:45:00 PM	0.51
10/22/2024	6:00:00 PM	0.51
10/22/2024	6:15:00 PM	0.51
10/22/2024	6:30:00 PM	0.51
10/22/2024	6:45:00 PM	0.51
10/22/2024	7:00:00 PM	0.51
10/22/2024	7:15:00 PM	0.51
10/22/2024	7:30:00 PM	0.51
10/22/2024	7:45:00 PM	0.51
10/22/2024	8:00:00 PM	0.51
10/22/2024	8:15:00 PM	0.51
10/22/2024	8:30:00 PM	0.51
10/22/2024	8:45:00 PM	0.51
10/22/2024	9:00:00 PM	0.51
10/22/2024	9:15:00 PM	0.51
10/22/2024	9:30:00 PM	0.51
10/22/2024	9:45:00 PM	0.51
10/22/2024	10:00:00 PM	0.51
10/22/2024	10:15:00 PM	0.51
10/22/2024	10:30:00 PM	0.51
10/22/2024	10:45:00 PM	0.51
10/22/2024	11:00:00 PM	0.51
10/22/2024	11:15:00 PM	0.51
10/22/2024	11:30:00 PM	0.51
10/22/2024	11:45:00 PM	0.51
10/23/2024	12:00:00 AM	0.51
10/23/2024	12:15:00 AM	0.51
10/23/2024	12:30:00 AM	0.51
10/23/2024	12:45:00 AM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/23/2024	1:00:00 AM	0.51
10/23/2024	1:15:00 AM	0.51
10/23/2024	1:30:00 AM	0.52
10/23/2024	1:45:00 AM	0.52
10/23/2024	2:00:00 AM	0.52
10/23/2024	2:15:00 AM	0.52
10/23/2024	2:30:00 AM	0.52
10/23/2024	2:45:00 AM	0.52
10/23/2024	3:00:00 AM	0.52
10/23/2024	3:15:00 AM	0.52
10/23/2024	3:30:00 AM	0.52
10/23/2024	3:45:00 AM	0.52
10/23/2024	4:00:00 AM	0.52
10/23/2024	4:15:00 AM	0.52
10/23/2024	4:30:00 AM	0.52
10/23/2024	4:45:00 AM	0.52
10/23/2024	5:00:00 AM	0.52
10/23/2024	5:15:00 AM	0.52
10/23/2024	5:30:00 AM	0.52
10/23/2024	5:45:00 AM	0.52
10/23/2024	6:00:00 AM	0.52
10/23/2024	6:15:00 AM	0.52
10/23/2024	6:30:00 AM	0.52
10/23/2024	6:45:00 AM	0.52
10/23/2024	7:00:00 AM	0.52
10/23/2024	7:15:00 AM	0.52
10/23/2024	7:30:00 AM	0.52
10/23/2024	7:45:00 AM	0.52
10/23/2024	8:00:00 AM	0.52
10/23/2024	8:15:00 AM	0.52
10/23/2024	8:30:00 AM	0.52
10/23/2024	8:45:00 AM	0.52
10/23/2024	9:00:00 AM	0.52
10/23/2024	9:15:00 AM	0.52
10/23/2024	9:30:00 AM	0.52
10/23/2024	9:45:00 AM	0.52
10/23/2024	10:00:00 AM	0.52
10/23/2024	10:15:00 AM	0.52
10/23/2024	10:30:00 AM	0.52
10/23/2024	10:45:00 AM	0.52
10/23/2024	11:00:00 AM	0.52
10/23/2024	11:15:00 AM	0.52
10/23/2024	11:30:00 AM	0.52
10/23/2024	11:45:00 AM	0.52
10/23/2024	12:00:00 PM	0.52
10/23/2024	12:15:00 PM	0.52

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/23/2024	12:30:00 PM	0.52
10/23/2024	12:45:00 PM	0.52
10/23/2024	1:00:00 PM	0.52
10/23/2024	1:15:00 PM	0.52
10/23/2024	1:30:00 PM	0.52
10/23/2024	1:45:00 PM	0.52
10/23/2024	2:00:00 PM	0.52
10/23/2024	2:15:00 PM	0.52
10/23/2024	2:30:00 PM	0.52
10/23/2024	2:45:00 PM	0.52
10/23/2024	3:00:00 PM	0.52
10/23/2024	3:15:00 PM	0.51
10/23/2024	3:30:00 PM	0.51
10/23/2024	3:45:00 PM	0.51
10/23/2024	4:00:00 PM	0.51
10/23/2024	4:15:00 PM	0.51
10/23/2024	4:30:00 PM	0.51
10/23/2024	4:45:00 PM	0.52
10/23/2024	5:00:00 PM	0.52
10/23/2024	5:15:00 PM	0.52
10/23/2024	5:30:00 PM	0.52
10/23/2024	5:45:00 PM	0.52
10/23/2024	6:00:00 PM	0.52
10/23/2024	6:15:00 PM	0.52
10/23/2024	6:30:00 PM	0.52
10/23/2024	6:45:00 PM	0.52
10/23/2024	7:00:00 PM	0.52
10/23/2024	7:15:00 PM	0.52
10/23/2024	7:30:00 PM	0.52
10/23/2024	7:45:00 PM	0.52
10/23/2024	8:00:00 PM	0.52
10/23/2024	8:15:00 PM	0.52
10/23/2024	8:30:00 PM	0.52
10/23/2024	8:45:00 PM	0.52
10/23/2024	9:00:00 PM	0.52
10/23/2024	9:15:00 PM	0.52
10/23/2024	9:30:00 PM	0.52
10/23/2024	9:45:00 PM	0.52
10/23/2024	10:00:00 PM	0.52
10/23/2024	10:15:00 PM	0.52
10/23/2024	10:30:00 PM	0.52
10/23/2024	10:45:00 PM	0.52
10/23/2024	11:00:00 PM	0.52
10/23/2024	11:15:00 PM	0.52
10/23/2024	11:30:00 PM	0.53
10/23/2024	11:45:00 PM	0.53

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/24/2024	12:00:00 AM	0.53
10/24/2024	12:15:00 AM	0.53
10/24/2024	12:30:00 AM	0.53
10/24/2024	12:45:00 AM	0.53
10/24/2024	1:00:00 AM	0.53
10/24/2024	1:15:00 AM	0.53
10/24/2024	1:30:00 AM	0.53
10/24/2024	1:45:00 AM	0.53
10/24/2024	2:00:00 AM	0.53
10/24/2024	2:15:00 AM	0.53
10/24/2024	2:30:00 AM	0.53
10/24/2024	2:45:00 AM	0.53
10/24/2024	3:00:00 AM	0.53
10/24/2024	3:15:00 AM	0.53
10/24/2024	3:30:00 AM	0.53
10/24/2024	3:45:00 AM	0.53
10/24/2024	4:00:00 AM	0.53
10/24/2024	4:15:00 AM	0.53
10/24/2024	4:30:00 AM	0.53
10/24/2024	4:45:00 AM	0.54
10/24/2024	5:00:00 AM	0.54
10/24/2024	5:15:00 AM	0.54
10/24/2024	5:30:00 AM	0.54
10/24/2024	5:45:00 AM	0.54
10/24/2024	6:00:00 AM	0.54
10/24/2024	6:15:00 AM	0.54
10/24/2024	6:30:00 AM	0.54
10/24/2024	6:45:00 AM	0.54
10/24/2024	7:00:00 AM	0.54
10/24/2024	7:15:00 AM	0.54
10/24/2024	7:30:00 AM	0.54
10/24/2024	7:45:00 AM	0.54
10/24/2024	8:00:00 AM	0.54
10/24/2024	8:15:00 AM	0.54
10/24/2024	8:30:00 AM	0.54
10/24/2024	8:45:00 AM	0.54
10/24/2024	9:00:00 AM	0.54
10/24/2024	9:15:00 AM	0.54
10/24/2024	9:30:00 AM	0.54
10/24/2024	9:45:00 AM	0.54
10/24/2024	10:00:00 AM	0.55
10/24/2024	10:15:00 AM	0.55
10/24/2024	10:30:00 AM	0.55
10/24/2024	10:45:00 AM	0.55
10/24/2024	11:00:00 AM	0.55
10/24/2024	11:15:00 AM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/24/2024	11:30:00 AM	0.55
10/24/2024	11:45:00 AM	0.55
10/24/2024	12:00:00 PM	0.55
10/24/2024	12:15:00 PM	0.55
10/24/2024	12:30:00 PM	0.55
10/24/2024	12:45:00 PM	0.55
10/24/2024	1:00:00 PM	0.55
10/24/2024	1:15:00 PM	0.55
10/24/2024	1:30:00 PM	0.55
10/24/2024	1:45:00 PM	0.55
10/24/2024	2:00:00 PM	0.55
10/24/2024	2:15:00 PM	0.54
10/24/2024	2:30:00 PM	0.55
10/24/2024	2:45:00 PM	0.55
10/24/2024	3:00:00 PM	0.55
10/24/2024	3:15:00 PM	0.55
10/24/2024	3:30:00 PM	0.55
10/24/2024	3:45:00 PM	0.55
10/24/2024	4:00:00 PM	0.55
10/24/2024	4:15:00 PM	0.55
10/24/2024	4:30:00 PM	0.55
10/24/2024	4:45:00 PM	0.55
10/24/2024	5:00:00 PM	0.55
10/24/2024	5:15:00 PM	0.55
10/24/2024	5:30:00 PM	0.55
10/24/2024	5:45:00 PM	0.55
10/24/2024	6:00:00 PM	0.55
10/24/2024	6:15:00 PM	0.55
10/24/2024	6:30:00 PM	0.55
10/24/2024	6:45:00 PM	0.55
10/24/2024	7:00:00 PM	0.55
10/24/2024	7:15:00 PM	0.55
10/24/2024	7:30:00 PM	0.55
10/24/2024	7:45:00 PM	0.55
10/24/2024	8:00:00 PM	0.55
10/24/2024	8:15:00 PM	0.55
10/24/2024	8:30:00 PM	0.55
10/24/2024	8:45:00 PM	0.55
10/24/2024	9:00:00 PM	0.55
10/24/2024	9:15:00 PM	0.55
10/24/2024	9:30:00 PM	0.55
10/24/2024	9:45:00 PM	0.55
10/24/2024	10:00:00 PM	0.55
10/24/2024	10:15:00 PM	0.55
10/24/2024	10:30:00 PM	0.55
10/24/2024	10:45:00 PM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/24/2024	11:00:00 PM	0.55
10/24/2024	11:15:00 PM	0.55
10/24/2024	11:30:00 PM	0.55
10/24/2024	11:45:00 PM	0.55
10/25/2024	12:00:00 AM	0.55
10/25/2024	12:15:00 AM	0.55
10/25/2024	12:30:00 AM	0.55
10/25/2024	12:45:00 AM	0.55
10/25/2024	1:00:00 AM	0.55
10/25/2024	1:15:00 AM	0.55
10/25/2024	1:30:00 AM	0.55
10/25/2024	1:45:00 AM	0.55
10/25/2024	2:00:00 AM	0.55
10/25/2024	2:15:00 AM	0.55
10/25/2024	2:30:00 AM	0.55
10/25/2024	2:45:00 AM	0.55
10/25/2024	3:00:00 AM	0.55
10/25/2024	3:15:00 AM	0.55
10/25/2024	3:30:00 AM	0.55
10/25/2024	3:45:00 AM	0.55
10/25/2024	4:00:00 AM	0.55
10/25/2024	4:15:00 AM	0.55
10/25/2024	4:30:00 AM	0.55
10/25/2024	4:45:00 AM	0.55
10/25/2024	5:00:00 AM	0.55
10/25/2024	5:15:00 AM	0.55
10/25/2024	5:30:00 AM	0.55
10/25/2024	5:45:00 AM	0.55
10/25/2024	6:00:00 AM	0.55
10/25/2024	6:15:00 AM	0.55
10/25/2024	6:30:00 AM	0.55
10/25/2024	6:45:00 AM	0.55
10/25/2024	7:00:00 AM	0.55
10/25/2024	7:15:00 AM	0.55
10/25/2024	7:30:00 AM	0.55
10/25/2024	7:45:00 AM	0.55
10/25/2024	8:00:00 AM	0.55
10/25/2024	8:15:00 AM	0.55
10/25/2024	8:30:00 AM	0.55
10/25/2024	8:45:00 AM	0.55
10/25/2024	9:00:00 AM	0.55
10/25/2024	9:15:00 AM	0.55
10/25/2024	9:30:00 AM	0.55
10/25/2024	9:45:00 AM	0.55
10/25/2024	10:00:00 AM	0.55
10/25/2024	10:15:00 AM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/25/2024	10:30:00 AM	0.55
10/25/2024	10:45:00 AM	0.55
10/25/2024	11:00:00 AM	0.55
10/25/2024	11:15:00 AM	0.55
10/25/2024	11:30:00 AM	0.55
10/25/2024	11:45:00 AM	0.54
10/25/2024	12:00:00 PM	0.54
10/25/2024	12:15:00 PM	0.54
10/25/2024	12:30:00 PM	0.54
10/25/2024	12:45:00 PM	0.54
10/25/2024	1:00:00 PM	0.54
10/25/2024	1:15:00 PM	0.54
10/25/2024	1:30:00 PM	0.54
10/25/2024	1:45:00 PM	0.54
10/25/2024	2:00:00 PM	0.54
10/25/2024	2:15:00 PM	0.54
10/25/2024	2:30:00 PM	0.54
10/25/2024	2:45:00 PM	0.54
10/25/2024	3:00:00 PM	0.53
10/25/2024	3:15:00 PM	0.53
10/25/2024	3:30:00 PM	0.53
10/25/2024	3:45:00 PM	0.53
10/25/2024	4:00:00 PM	0.53
10/25/2024	4:15:00 PM	0.53
10/25/2024	4:30:00 PM	0.53
10/25/2024	4:45:00 PM	0.53
10/25/2024	5:00:00 PM	0.53
10/25/2024	5:15:00 PM	0.53
10/25/2024	5:30:00 PM	0.53
10/25/2024	5:45:00 PM	0.53
10/25/2024	6:00:00 PM	0.53
10/25/2024	6:15:00 PM	0.53
10/25/2024	6:30:00 PM	0.53
10/25/2024	6:45:00 PM	0.53
10/25/2024	7:00:00 PM	0.53
10/25/2024	7:15:00 PM	0.53
10/25/2024	7:30:00 PM	0.53
10/25/2024	7:45:00 PM	0.53
10/25/2024	8:00:00 PM	0.53
10/25/2024	8:15:00 PM	0.53
10/25/2024	8:30:00 PM	0.53
10/25/2024	8:45:00 PM	0.53
10/25/2024	9:00:00 PM	0.53
10/25/2024	9:15:00 PM	0.53
10/25/2024	9:30:00 PM	0.53
10/25/2024	9:45:00 PM	0.53

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/25/2024	10:00:00 PM	0.53
10/25/2024	10:15:00 PM	0.53
10/25/2024	10:30:00 PM	0.53
10/25/2024	10:45:00 PM	0.53
10/25/2024	11:00:00 PM	0.53
10/25/2024	11:15:00 PM	0.53
10/25/2024	11:30:00 PM	0.53
10/25/2024	11:45:00 PM	0.53
10/26/2024	12:00:00 AM	0.53
10/26/2024	12:15:00 AM	0.53
10/26/2024	12:30:00 AM	0.53
10/26/2024	12:45:00 AM	0.53
10/26/2024	1:00:00 AM	0.53
10/26/2024	1:15:00 AM	0.53
10/26/2024	1:30:00 AM	0.53
10/26/2024	1:45:00 AM	0.53
10/26/2024	2:00:00 AM	0.53
10/26/2024	2:15:00 AM	0.53
10/26/2024	2:30:00 AM	0.53
10/26/2024	2:45:00 AM	0.53
10/26/2024	3:00:00 AM	0.53
10/26/2024	3:15:00 AM	0.53
10/26/2024	3:30:00 AM	0.53
10/26/2024	3:45:00 AM	0.53
10/26/2024	4:00:00 AM	0.53
10/26/2024	4:15:00 AM	0.53
10/26/2024	4:30:00 AM	0.53
10/26/2024	4:45:00 AM	0.53
10/26/2024	5:00:00 AM	0.53
10/26/2024	5:15:00 AM	0.53
10/26/2024	5:30:00 AM	0.53
10/26/2024	5:45:00 AM	0.53
10/26/2024	6:00:00 AM	0.53
10/26/2024	6:15:00 AM	0.53
10/26/2024	6:30:00 AM	0.53
10/26/2024	6:45:00 AM	0.53
10/26/2024	7:00:00 AM	0.53
10/26/2024	7:15:00 AM	0.53
10/26/2024	7:30:00 AM	0.53
10/26/2024	7:45:00 AM	0.53
10/26/2024	8:00:00 AM	0.53
10/26/2024	8:15:00 AM	0.53
10/26/2024	8:30:00 AM	0.52
10/26/2024	8:45:00 AM	0.53
10/26/2024	9:00:00 AM	0.53
10/26/2024	9:15:00 AM	0.52

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/26/2024	9:30:00 AM	0.52
10/26/2024	9:45:00 AM	0.52
10/26/2024	10:00:00 AM	0.52
10/26/2024	10:15:00 AM	0.52
10/26/2024	10:30:00 AM	0.52
10/26/2024	10:45:00 AM	0.52
10/26/2024	11:00:00 AM	0.52
10/26/2024	11:15:00 AM	0.52
10/26/2024	11:30:00 AM	0.52
10/26/2024	11:45:00 AM	0.52
10/26/2024	12:00:00 PM	0.52
10/26/2024	12:15:00 PM	0.52
10/26/2024	12:30:00 PM	0.52
10/26/2024	12:45:00 PM	0.52
10/26/2024	1:00:00 PM	0.52
10/26/2024	1:15:00 PM	0.52
10/26/2024	1:30:00 PM	0.52
10/26/2024	1:45:00 PM	0.52
10/26/2024	2:00:00 PM	0.52
10/26/2024	2:15:00 PM	0.52
10/26/2024	2:30:00 PM	0.52
10/26/2024	2:45:00 PM	0.52
10/26/2024	3:00:00 PM	0.52
10/26/2024	3:15:00 PM	0.52
10/26/2024	3:30:00 PM	0.52
10/26/2024	3:45:00 PM	0.52
10/26/2024	4:00:00 PM	0.52
10/26/2024	4:15:00 PM	0.52
10/26/2024	4:30:00 PM	0.52
10/26/2024	4:45:00 PM	0.52
10/26/2024	5:00:00 PM	0.52
10/26/2024	5:15:00 PM	0.52
10/26/2024	5:30:00 PM	0.52
10/26/2024	5:45:00 PM	0.52
10/26/2024	6:00:00 PM	0.52
10/26/2024	6:15:00 PM	0.52
10/26/2024	6:30:00 PM	0.52
10/26/2024	6:45:00 PM	0.52
10/26/2024	7:00:00 PM	0.52
10/26/2024	7:15:00 PM	0.52
10/26/2024	7:30:00 PM	0.51
10/26/2024	7:45:00 PM	0.51
10/26/2024	8:00:00 PM	0.51
10/26/2024	8:15:00 PM	0.51
10/26/2024	8:30:00 PM	0.51
10/26/2024	8:45:00 PM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/26/2024	9:00:00 PM	0.51
10/26/2024	9:15:00 PM	0.51
10/26/2024	9:30:00 PM	0.51
10/26/2024	9:45:00 PM	0.51
10/26/2024	10:00:00 PM	0.51
10/26/2024	10:15:00 PM	0.51
10/26/2024	10:30:00 PM	0.51
10/26/2024	10:45:00 PM	0.51
10/26/2024	11:00:00 PM	0.51
10/26/2024	11:15:00 PM	0.51
10/26/2024	11:30:00 PM	0.51
10/26/2024	11:45:00 PM	0.51
10/27/2024	12:00:00 AM	0.51
10/27/2024	12:15:00 AM	0.51
10/27/2024	12:30:00 AM	0.51
10/27/2024	12:45:00 AM	0.51
10/27/2024	1:00:00 AM	0.51
10/27/2024	1:15:00 AM	0.51
10/27/2024	1:30:00 AM	0.51
10/27/2024	1:45:00 AM	0.51
10/27/2024	2:00:00 AM	0.51
10/27/2024	2:15:00 AM	0.51
10/27/2024	2:30:00 AM	0.51
10/27/2024	2:45:00 AM	0.51
10/27/2024	3:00:00 AM	0.51
10/27/2024	3:15:00 AM	0.5
10/27/2024	3:30:00 AM	0.5
10/27/2024	3:45:00 AM	0.5
10/27/2024	4:00:00 AM	0.5
10/27/2024	4:15:00 AM	0.5
10/27/2024	4:30:00 AM	0.5
10/27/2024	4:45:00 AM	0.5
10/27/2024	5:00:00 AM	0.5
10/27/2024	5:15:00 AM	0.5
10/27/2024	5:30:00 AM	0.5
10/27/2024	5:45:00 AM	0.5
10/27/2024	6:00:00 AM	0.5
10/27/2024	6:15:00 AM	0.5
10/27/2024	6:30:00 AM	0.5
10/27/2024	6:45:00 AM	0.5
10/27/2024	7:00:00 AM	0.5
10/27/2024	7:15:00 AM	0.5
10/27/2024	7:30:00 AM	0.5
10/27/2024	7:45:00 AM	0.5
10/27/2024	8:00:00 AM	0.5
10/27/2024	8:15:00 AM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/27/2024	8:30:00 AM	0.49
10/27/2024	8:45:00 AM	0.49
10/27/2024	9:00:00 AM	0.49
10/27/2024	9:15:00 AM	0.49
10/27/2024	9:30:00 AM	0.49
10/27/2024	9:45:00 AM	0.49
10/27/2024	10:00:00 AM	0.49
10/27/2024	10:15:00 AM	0.49
10/27/2024	10:30:00 AM	0.49
10/27/2024	10:45:00 AM	0.49
10/27/2024	11:00:00 AM	0.49
10/27/2024	11:15:00 AM	0.49
10/27/2024	11:30:00 AM	0.49
10/27/2024	11:45:00 AM	0.49
10/27/2024	12:00:00 PM	0.49
10/27/2024	12:15:00 PM	0.49
10/27/2024	12:30:00 PM	0.49
10/27/2024	12:45:00 PM	0.49
10/27/2024	1:00:00 PM	0.49
10/27/2024	1:15:00 PM	0.49
10/27/2024	1:30:00 PM	0.49
10/27/2024	1:45:00 PM	0.49
10/27/2024	2:00:00 PM	0.49
10/27/2024	2:15:00 PM	0.49
10/27/2024	2:30:00 PM	0.49
10/27/2024	2:45:00 PM	0.49
10/27/2024	3:00:00 PM	0.49
10/27/2024	3:15:00 PM	0.49
10/27/2024	3:30:00 PM	0.48
10/27/2024	3:45:00 PM	0.49
10/27/2024	4:00:00 PM	0.48
10/27/2024	4:15:00 PM	0.48
10/27/2024	4:30:00 PM	0.48
10/27/2024	4:45:00 PM	0.48
10/27/2024	5:00:00 PM	0.48
10/27/2024	5:15:00 PM	0.48
10/27/2024	5:30:00 PM	0.48
10/27/2024	5:45:00 PM	0.48
10/27/2024	6:00:00 PM	0.48
10/27/2024	6:15:00 PM	0.48
10/27/2024	6:30:00 PM	0.48
10/27/2024	6:45:00 PM	0.48
10/27/2024	7:00:00 PM	0.48
10/27/2024	7:15:00 PM	0.48
10/27/2024	7:30:00 PM	0.48
10/27/2024	7:45:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/27/2024	8:00:00 PM	0.48
10/27/2024	8:15:00 PM	0.48
10/27/2024	8:30:00 PM	0.48
10/27/2024	8:45:00 PM	0.48
10/27/2024	9:00:00 PM	0.48
10/27/2024	9:15:00 PM	0.48
10/27/2024	9:30:00 PM	0.48
10/27/2024	9:45:00 PM	0.48
10/27/2024	10:00:00 PM	0.48
10/27/2024	10:15:00 PM	0.48
10/27/2024	10:30:00 PM	0.48
10/27/2024	10:45:00 PM	0.48
10/27/2024	11:00:00 PM	0.48
10/27/2024	11:15:00 PM	0.48
10/27/2024	11:30:00 PM	0.48
10/27/2024	11:45:00 PM	0.48
10/28/2024	12:00:00 AM	0.48
10/28/2024	12:15:00 AM	0.47
10/28/2024	12:30:00 AM	0.48
10/28/2024	12:45:00 AM	0.48
10/28/2024	1:00:00 AM	0.48
10/28/2024	1:15:00 AM	0.48
10/28/2024	1:30:00 AM	0.47
10/28/2024	1:45:00 AM	0.47
10/28/2024	2:00:00 AM	0.47
10/28/2024	2:15:00 AM	0.47
10/28/2024	2:30:00 AM	0.47
10/28/2024	2:45:00 AM	0.47
10/28/2024	3:00:00 AM	0.47
10/28/2024	3:15:00 AM	0.47
10/28/2024	3:30:00 AM	0.47
10/28/2024	3:45:00 AM	0.47
10/28/2024	4:00:00 AM	0.47
10/28/2024	4:15:00 AM	0.47
10/28/2024	4:30:00 AM	0.47
10/28/2024	4:45:00 AM	0.46
10/28/2024	5:00:00 AM	0.47
10/28/2024	5:15:00 AM	0.47
10/28/2024	5:30:00 AM	0.47
10/28/2024	5:45:00 AM	0.46
10/28/2024	6:00:00 AM	0.47
10/28/2024	6:15:00 AM	0.47
10/28/2024	6:30:00 AM	0.46
10/28/2024	6:45:00 AM	0.46
10/28/2024	7:00:00 AM	0.46
10/28/2024	7:15:00 AM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/28/2024	7:30:00 AM	0.46
10/28/2024	7:45:00 AM	0.46
10/28/2024	8:00:00 AM	0.46
10/28/2024	8:15:00 AM	0.46
10/28/2024	8:30:00 AM	0.46
10/28/2024	8:45:00 AM	0.46
10/28/2024	9:00:00 AM	0.46
10/28/2024	9:15:00 AM	0.46
10/28/2024	9:30:00 AM	0.46
10/28/2024	9:45:00 AM	0.46
10/28/2024	10:00:00 AM	0.46
10/28/2024	10:15:00 AM	0.46
10/28/2024	10:30:00 AM	0.46
10/28/2024	10:45:00 AM	0.46
10/28/2024	11:00:00 AM	0.46
10/28/2024	11:15:00 AM	0.46
10/28/2024	11:30:00 AM	0.46
10/28/2024	11:45:00 AM	0.46
10/28/2024	12:00:00 PM	0.46
10/28/2024	12:15:00 PM	0.46
10/28/2024	12:30:00 PM	0.45
10/28/2024	12:45:00 PM	0.45
10/28/2024	1:00:00 PM	0.45
10/28/2024	1:15:00 PM	0.45
10/28/2024	1:30:00 PM	0.45
10/28/2024	1:45:00 PM	0.45
10/28/2024	2:00:00 PM	0.45
10/28/2024	2:15:00 PM	0.46
10/28/2024	2:30:00 PM	0.46
10/28/2024	2:45:00 PM	0.46
10/28/2024	3:00:00 PM	0.46
10/28/2024	3:15:00 PM	0.46
10/28/2024	3:30:00 PM	0.46
10/28/2024	3:45:00 PM	0.47
10/28/2024	4:00:00 PM	0.46
10/28/2024	4:15:00 PM	0.46
10/28/2024	4:30:00 PM	0.46
10/28/2024	4:45:00 PM	0.46
10/28/2024	5:00:00 PM	0.46
10/28/2024	5:15:00 PM	0.46
10/28/2024	5:30:00 PM	0.46
10/28/2024	5:45:00 PM	0.46
10/28/2024	6:00:00 PM	0.46
10/28/2024	6:15:00 PM	0.46
10/28/2024	6:30:00 PM	0.46
10/28/2024	6:45:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/28/2024	7:00:00 PM	0.46
10/28/2024	7:15:00 PM	0.46
10/28/2024	7:30:00 PM	0.46
10/28/2024	7:45:00 PM	0.46
10/28/2024	8:00:00 PM	0.46
10/28/2024	8:15:00 PM	0.46
10/28/2024	8:30:00 PM	0.46
10/28/2024	8:45:00 PM	0.46
10/28/2024	9:00:00 PM	0.46
10/28/2024	9:15:00 PM	0.46
10/28/2024	9:30:00 PM	0.46
10/28/2024	9:45:00 PM	0.46
10/28/2024	10:00:00 PM	0.46
10/28/2024	10:15:00 PM	0.46
10/28/2024	10:30:00 PM	0.46
10/28/2024	10:45:00 PM	0.46
10/28/2024	11:00:00 PM	0.46
10/28/2024	11:15:00 PM	0.46
10/28/2024	11:30:00 PM	0.46
10/28/2024	11:45:00 PM	0.46
10/29/2024	12:00:00 AM	0.46
10/29/2024	12:15:00 AM	0.46
10/29/2024	12:30:00 AM	0.46
10/29/2024	12:45:00 AM	0.46
10/29/2024	1:00:00 AM	0.46
10/29/2024	1:15:00 AM	0.46
10/29/2024	1:30:00 AM	0.46
10/29/2024	1:45:00 AM	0.46
10/29/2024	2:00:00 AM	0.46
10/29/2024	2:15:00 AM	0.46
10/29/2024	2:30:00 AM	0.46
10/29/2024	2:45:00 AM	0.46
10/29/2024	3:00:00 AM	0.46
10/29/2024	3:15:00 AM	0.46
10/29/2024	3:30:00 AM	0.46
10/29/2024	3:45:00 AM	0.46
10/29/2024	4:00:00 AM	0.46
10/29/2024	4:15:00 AM	0.45
10/29/2024	4:30:00 AM	0.45
10/29/2024	4:45:00 AM	0.45
10/29/2024	5:00:00 AM	0.45
10/29/2024	5:15:00 AM	0.45
10/29/2024	5:30:00 AM	0.45
10/29/2024	5:45:00 AM	0.45
10/29/2024	6:00:00 AM	0.45
10/29/2024	6:15:00 AM	0.45

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/29/2024	6:30:00 AM	0.45
10/29/2024	6:45:00 AM	0.45
10/29/2024	7:00:00 AM	0.45
10/29/2024	7:15:00 AM	0.45
10/29/2024	7:30:00 AM	0.45
10/29/2024	7:45:00 AM	0.45
10/29/2024	8:00:00 AM	0.45
10/29/2024	8:15:00 AM	0.45
10/29/2024	8:30:00 AM	0.45
10/29/2024	8:45:00 AM	0.45
10/29/2024	9:00:00 AM	0.45
10/29/2024	9:15:00 AM	0.45
10/29/2024	9:30:00 AM	0.45
10/29/2024	9:45:00 AM	0.45
10/29/2024	10:00:00 AM	0.45
10/29/2024	10:15:00 AM	0.45
10/29/2024	10:30:00 AM	0.45
10/29/2024	10:45:00 AM	0.44
10/29/2024	11:00:00 AM	0.44
10/29/2024	11:15:00 AM	0.44
10/29/2024	11:30:00 AM	0.44
10/29/2024	11:45:00 AM	0.44
10/29/2024	12:00:00 PM	0.44
10/29/2024	12:15:00 PM	0.45
10/29/2024	12:30:00 PM	0.45
10/29/2024	12:45:00 PM	0.45
10/29/2024	1:00:00 PM	0.46
10/29/2024	1:15:00 PM	0.46
10/29/2024	1:30:00 PM	0.47
10/29/2024	1:45:00 PM	0.48
10/29/2024	2:00:00 PM	0.48
10/29/2024	2:15:00 PM	0.49
10/29/2024	2:30:00 PM	0.5
10/29/2024	2:45:00 PM	0.5
10/29/2024	3:00:00 PM	0.51
10/29/2024	3:15:00 PM	0.52
10/29/2024	3:30:00 PM	0.52
10/29/2024	3:45:00 PM	0.53
10/29/2024	4:00:00 PM	0.54
10/29/2024	4:15:00 PM	0.55
10/29/2024	4:30:00 PM	0.55
10/29/2024	4:45:00 PM	0.56
10/29/2024	5:00:00 PM	0.57
10/29/2024	5:15:00 PM	0.58
10/29/2024	5:30:00 PM	0.58
10/29/2024	5:45:00 PM	0.59

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/29/2024	6:00:00 PM	0.59
10/29/2024	6:15:00 PM	0.6
10/29/2024	6:30:00 PM	0.6
10/29/2024	6:45:00 PM	0.61
10/29/2024	7:00:00 PM	0.61
10/29/2024	7:15:00 PM	0.62
10/29/2024	7:30:00 PM	0.62
10/29/2024	7:45:00 PM	0.63
10/29/2024	8:00:00 PM	0.63
10/29/2024	8:15:00 PM	0.63
10/29/2024	8:30:00 PM	0.64
10/29/2024	8:45:00 PM	0.64
10/29/2024	9:00:00 PM	0.64
10/29/2024	9:15:00 PM	0.64
10/29/2024	9:30:00 PM	0.65
10/29/2024	9:45:00 PM	0.65
10/29/2024	10:00:00 PM	0.65
10/29/2024	10:15:00 PM	0.65
10/29/2024	10:30:00 PM	0.65
10/29/2024	10:45:00 PM	0.65
10/29/2024	11:00:00 PM	0.65
10/29/2024	11:15:00 PM	0.65
10/29/2024	11:30:00 PM	0.66
10/29/2024	11:45:00 PM	0.66
10/30/2024	12:00:00 AM	0.66
10/30/2024	12:15:00 AM	0.66
10/30/2024	12:30:00 AM	0.66
10/30/2024	12:45:00 AM	0.66
10/30/2024	1:00:00 AM	0.66
10/30/2024	1:15:00 AM	0.66
10/30/2024	1:30:00 AM	0.66
10/30/2024	1:45:00 AM	0.66
10/30/2024	2:00:00 AM	0.66
10/30/2024	2:15:00 AM	0.66
10/30/2024	2:30:00 AM	0.66
10/30/2024	2:45:00 AM	0.66
10/30/2024	3:00:00 AM	0.66
10/30/2024	3:15:00 AM	0.66
10/30/2024	3:30:00 AM	0.66
10/30/2024	3:45:00 AM	0.66
10/30/2024	4:00:00 AM	0.66
10/30/2024	4:15:00 AM	0.65
10/30/2024	4:30:00 AM	0.65
10/30/2024	4:45:00 AM	0.65
10/30/2024	5:00:00 AM	0.65
10/30/2024	5:15:00 AM	0.65

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/30/2024	5:30:00 AM	0.65
10/30/2024	5:45:00 AM	0.65
10/30/2024	6:00:00 AM	0.65
10/30/2024	6:15:00 AM	0.65
10/30/2024	6:30:00 AM	0.65
10/30/2024	6:45:00 AM	0.65
10/30/2024	7:00:00 AM	0.65
10/30/2024	7:15:00 AM	0.65
10/30/2024	7:30:00 AM	0.65
10/30/2024	7:45:00 AM	0.65
10/30/2024	8:00:00 AM	0.65
10/30/2024	8:15:00 AM	0.65
10/30/2024	8:30:00 AM	0.65
10/30/2024	8:45:00 AM	0.65
10/30/2024	9:00:00 AM	0.65
10/30/2024	9:15:00 AM	0.65
10/30/2024	9:30:00 AM	0.65
10/30/2024	9:45:00 AM	0.64
10/30/2024	10:00:00 AM	0.64
10/30/2024	10:15:00 AM	0.64
10/30/2024	10:30:00 AM	0.64
10/30/2024	10:45:00 AM	0.64
10/30/2024	11:00:00 AM	0.64
10/30/2024	11:15:00 AM	0.64
10/30/2024	11:30:00 AM	0.64
10/30/2024	11:45:00 AM	0.63
10/30/2024	12:00:00 PM	0.63
10/30/2024	12:15:00 PM	0.63
10/30/2024	12:30:00 PM	0.63
10/30/2024	12:45:00 PM	0.63
10/30/2024	1:00:00 PM	0.62
10/30/2024	1:15:00 PM	0.62
10/30/2024	1:30:00 PM	0.62
10/30/2024	1:45:00 PM	0.62
10/30/2024	2:00:00 PM	0.62
10/30/2024	2:15:00 PM	0.62
10/30/2024	2:30:00 PM	0.62
10/30/2024	2:45:00 PM	0.62
10/30/2024	3:00:00 PM	0.62
10/30/2024	3:15:00 PM	0.62
10/30/2024	3:30:00 PM	0.62
10/30/2024	3:45:00 PM	0.61
10/30/2024	4:00:00 PM	0.61
10/30/2024	4:15:00 PM	0.61
10/30/2024	4:30:00 PM	0.61
10/30/2024	4:45:00 PM	0.61

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/30/2024	5:00:00 PM	0.61
10/30/2024	5:15:00 PM	0.61
10/30/2024	5:30:00 PM	0.61
10/30/2024	5:45:00 PM	0.61
10/30/2024	6:00:00 PM	0.6
10/30/2024	6:15:00 PM	0.6
10/30/2024	6:30:00 PM	0.6
10/30/2024	6:45:00 PM	0.6
10/30/2024	7:00:00 PM	0.6
10/30/2024	7:15:00 PM	0.6
10/30/2024	7:30:00 PM	0.6
10/30/2024	7:45:00 PM	0.59
10/30/2024	8:00:00 PM	0.59
10/30/2024	8:15:00 PM	0.59
10/30/2024	8:30:00 PM	0.59
10/30/2024	8:45:00 PM	0.59
10/30/2024	9:00:00 PM	0.59
10/30/2024	9:15:00 PM	0.58
10/30/2024	9:30:00 PM	0.58
10/30/2024	9:45:00 PM	0.58
10/30/2024	10:00:00 PM	0.58
10/30/2024	10:15:00 PM	0.58
10/30/2024	10:30:00 PM	0.58
10/30/2024	10:45:00 PM	0.58
10/30/2024	11:00:00 PM	0.58
10/30/2024	11:15:00 PM	0.58
10/30/2024	11:30:00 PM	0.58
10/30/2024	11:45:00 PM	0.57
10/31/2024	12:00:00 AM	0.57
10/31/2024	12:15:00 AM	0.57
10/31/2024	12:30:00 AM	0.57
10/31/2024	12:45:00 AM	0.57
10/31/2024	1:00:00 AM	0.57
10/31/2024	1:15:00 AM	0.57
10/31/2024	1:30:00 AM	0.57
10/31/2024	1:45:00 AM	0.57
10/31/2024	2:00:00 AM	0.57
10/31/2024	2:15:00 AM	0.56
10/31/2024	2:30:00 AM	0.56
10/31/2024	2:45:00 AM	0.56
10/31/2024	3:00:00 AM	0.56
10/31/2024	3:15:00 AM	0.56
10/31/2024	3:30:00 AM	0.56
10/31/2024	3:45:00 AM	0.56
10/31/2024	4:00:00 AM	0.56
10/31/2024	4:15:00 AM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/31/2024	4:30:00 AM	0.55
10/31/2024	4:45:00 AM	0.55
10/31/2024	5:00:00 AM	0.55
10/31/2024	5:15:00 AM	0.55
10/31/2024	5:30:00 AM	0.55
10/31/2024	5:45:00 AM	0.55
10/31/2024	6:00:00 AM	0.55
10/31/2024	6:15:00 AM	0.55
10/31/2024	6:30:00 AM	0.55
10/31/2024	6:45:00 AM	0.55
10/31/2024	7:00:00 AM	0.55
10/31/2024	7:15:00 AM	0.55
10/31/2024	7:30:00 AM	0.55
10/31/2024	7:45:00 AM	0.54
10/31/2024	8:00:00 AM	0.54
10/31/2024	8:15:00 AM	0.54
10/31/2024	8:30:00 AM	0.54
10/31/2024	8:45:00 AM	0.54
10/31/2024	9:00:00 AM	0.54
10/31/2024	9:15:00 AM	0.54
10/31/2024	9:30:00 AM	0.54
10/31/2024	9:45:00 AM	0.65
10/31/2024	10:00:00 AM	0.78
10/31/2024	10:15:00 AM	0.83
10/31/2024	10:30:00 AM	0.83
10/31/2024	10:45:00 AM	0.83
10/31/2024	11:00:00 AM	0.82
10/31/2024	11:15:00 AM	0.81
10/31/2024	11:30:00 AM	0.8
10/31/2024	11:45:00 AM	0.8
10/31/2024	12:00:00 PM	0.79
10/31/2024	12:15:00 PM	0.78
10/31/2024	12:30:00 PM	0.77
10/31/2024	12:45:00 PM	0.77
10/31/2024	1:00:00 PM	0.76
10/31/2024	1:15:00 PM	0.76
10/31/2024	1:30:00 PM	0.75
10/31/2024	1:45:00 PM	0.75
10/31/2024	2:00:00 PM	0.74
10/31/2024	2:15:00 PM	0.74
10/31/2024	2:30:00 PM	0.74
10/31/2024	2:45:00 PM	0.73
10/31/2024	3:00:00 PM	0.73
10/31/2024	3:15:00 PM	0.73
10/31/2024	3:30:00 PM	0.72
10/31/2024	3:45:00 PM	0.72

Blackrock Return Ditch Gage

DATE	TIME	GAGE
10/31/2024	4:00:00 PM	0.72
10/31/2024	4:15:00 PM	0.71
10/31/2024	4:30:00 PM	0.71
10/31/2024	4:45:00 PM	0.71
10/31/2024	5:00:00 PM	0.7
10/31/2024	5:15:00 PM	0.7
10/31/2024	5:30:00 PM	0.7
10/31/2024	5:45:00 PM	0.7
10/31/2024	6:00:00 PM	0.69
10/31/2024	6:15:00 PM	0.69
10/31/2024	6:30:00 PM	0.69
10/31/2024	6:45:00 PM	0.69
10/31/2024	7:00:00 PM	0.68
10/31/2024	7:15:00 PM	0.68
10/31/2024	7:30:00 PM	0.68
10/31/2024	7:45:00 PM	0.68
10/31/2024	8:00:00 PM	0.68
10/31/2024	8:15:00 PM	0.67
10/31/2024	8:30:00 PM	0.67
10/31/2024	8:45:00 PM	0.67
10/31/2024	9:00:00 PM	0.67
10/31/2024	9:15:00 PM	0.66
10/31/2024	9:30:00 PM	0.66
10/31/2024	9:45:00 PM	0.66
10/31/2024	10:00:00 PM	0.66
10/31/2024	10:15:00 PM	0.66
10/31/2024	10:30:00 PM	0.65
10/31/2024	10:45:00 PM	0.65
10/31/2024	11:00:00 PM	0.65
10/31/2024	11:15:00 PM	0.65
10/31/2024	11:30:00 PM	0.65
10/31/2024	11:45:00 PM	0.64

Billy Lake Return
Station 0213

Date	Flow (cfs)
10/1/2024	1.22
10/2/2024	1.25
10/3/2024	1.33
10/4/2024	1.37
10/5/2024	1.41
10/6/2024	1.44
10/7/2024	1.50
10/8/2024	1.18
10/9/2024	1.34
10/10/2024	1.37
10/11/2024	1.25
10/12/2024	1.01
10/13/2024	0.80
10/14/2024	0.86
10/15/2024	1.03
10/16/2024	0.93
10/17/2024	0.82
10/18/2024	1.05
10/19/2024	1.22
10/20/2024	1.16
10/21/2024	1.11
10/22/2024	0.75
10/23/2024	0.88
10/24/2024	1.29
10/25/2024	1.29
10/26/2024	0.98
10/27/2024	1.26
10/28/2024	1.00
10/29/2024	1.46
10/30/2024	1.26
10/31/2024	1.15

Billy Lake Return Gage

DATE	TIME	GAGE
10/1/2024	12:00:00 AM	0.3
10/1/2024	12:15:00 AM	0.3
10/1/2024	12:30:00 AM	0.3
10/1/2024	12:45:00 AM	0.3
10/1/2024	1:00:00 AM	0.3
10/1/2024	1:15:00 AM	0.3
10/1/2024	1:30:00 AM	0.3
10/1/2024	1:45:00 AM	0.3
10/1/2024	2:00:00 AM	0.3
10/1/2024	2:15:00 AM	0.3
10/1/2024	2:30:00 AM	0.3
10/1/2024	2:45:00 AM	0.3
10/1/2024	3:00:00 AM	0.3
10/1/2024	3:15:00 AM	0.3
10/1/2024	3:30:00 AM	0.3
10/1/2024	3:45:00 AM	0.3
10/1/2024	4:00:00 AM	0.3
10/1/2024	4:15:00 AM	0.3
10/1/2024	4:30:00 AM	0.3
10/1/2024	4:45:00 AM	0.3
10/1/2024	5:00:00 AM	0.3
10/1/2024	5:15:00 AM	0.3
10/1/2024	5:30:00 AM	0.3
10/1/2024	5:45:00 AM	0.3
10/1/2024	6:00:00 AM	0.3
10/1/2024	6:15:00 AM	0.3
10/1/2024	6:30:00 AM	0.3
10/1/2024	6:45:00 AM	0.3
10/1/2024	7:00:00 AM	0.3
10/1/2024	7:15:00 AM	0.3
10/1/2024	7:30:00 AM	0.3
10/1/2024	7:45:00 AM	0.3
10/1/2024	8:00:00 AM	0.3
10/1/2024	8:15:00 AM	0.3
10/1/2024	8:30:00 AM	0.3
10/1/2024	8:45:00 AM	0.3
10/1/2024	9:00:00 AM	0.3
10/1/2024	9:15:00 AM	0.3
10/1/2024	9:30:00 AM	0.3
10/1/2024	9:45:00 AM	0.3
10/1/2024	10:00:00 AM	0.3
10/1/2024	10:15:00 AM	0.3
10/1/2024	10:30:00 AM	0.3
10/1/2024	10:45:00 AM	0.3
10/1/2024	11:00:00 AM	0.3
10/1/2024	11:15:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
10/1/2024	11:30:00 AM	0.3
10/1/2024	11:45:00 AM	0.29
10/1/2024	12:00:00 PM	0.29
10/1/2024	12:15:00 PM	0.29
10/1/2024	12:30:00 PM	0.29
10/1/2024	12:45:00 PM	0.29
10/1/2024	1:00:00 PM	0.29
10/1/2024	1:15:00 PM	0.29
10/1/2024	1:30:00 PM	0.29
10/1/2024	1:45:00 PM	0.29
10/1/2024	2:00:00 PM	0.29
10/1/2024	2:15:00 PM	0.29
10/1/2024	2:30:00 PM	0.29
10/1/2024	2:45:00 PM	0.29
10/1/2024	3:00:00 PM	0.29
10/1/2024	3:15:00 PM	0.29
10/1/2024	3:30:00 PM	0.29
10/1/2024	3:45:00 PM	0.29
10/1/2024	4:00:00 PM	0.29
10/1/2024	4:15:00 PM	0.29
10/1/2024	4:30:00 PM	0.29
10/1/2024	4:45:00 PM	0.29
10/1/2024	5:00:00 PM	0.29
10/1/2024	5:15:00 PM	0.29
10/1/2024	5:30:00 PM	0.29
10/1/2024	5:45:00 PM	0.29
10/1/2024	6:00:00 PM	0.29
10/1/2024	6:15:00 PM	0.29
10/1/2024	6:30:00 PM	0.29
10/1/2024	6:45:00 PM	0.29
10/1/2024	7:00:00 PM	0.29
10/1/2024	7:15:00 PM	0.29
10/1/2024	7:30:00 PM	0.29
10/1/2024	7:45:00 PM	0.3
10/1/2024	8:00:00 PM	0.3
10/1/2024	8:15:00 PM	0.3
10/1/2024	8:30:00 PM	0.3
10/1/2024	8:45:00 PM	0.3
10/1/2024	9:00:00 PM	0.3
10/1/2024	9:15:00 PM	0.3
10/1/2024	9:30:00 PM	0.3
10/1/2024	9:45:00 PM	0.3
10/1/2024	10:00:00 PM	0.3
10/1/2024	10:15:00 PM	0.3
10/1/2024	10:30:00 PM	0.3
10/1/2024	10:45:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
10/1/2024	11:00:00 PM	0.3
10/1/2024	11:15:00 PM	0.3
10/1/2024	11:30:00 PM	0.3
10/1/2024	11:45:00 PM	0.3
10/2/2024	12:00:00 AM	0.3
10/2/2024	12:15:00 AM	0.3
10/2/2024	12:30:00 AM	0.3
10/2/2024	12:45:00 AM	0.3
10/2/2024	1:00:00 AM	0.3
10/2/2024	1:15:00 AM	0.3
10/2/2024	1:30:00 AM	0.3
10/2/2024	1:45:00 AM	0.3
10/2/2024	2:00:00 AM	0.3
10/2/2024	2:15:00 AM	0.3
10/2/2024	2:30:00 AM	0.3
10/2/2024	2:45:00 AM	0.3
10/2/2024	3:00:00 AM	0.3
10/2/2024	3:15:00 AM	0.3
10/2/2024	3:30:00 AM	0.3
10/2/2024	3:45:00 AM	0.3
10/2/2024	4:00:00 AM	0.3
10/2/2024	4:15:00 AM	0.3
10/2/2024	4:30:00 AM	0.3
10/2/2024	4:45:00 AM	0.3
10/2/2024	5:00:00 AM	0.3
10/2/2024	5:15:00 AM	0.3
10/2/2024	5:30:00 AM	0.3
10/2/2024	5:45:00 AM	0.3
10/2/2024	6:00:00 AM	0.3
10/2/2024	6:15:00 AM	0.3
10/2/2024	6:30:00 AM	0.3
10/2/2024	6:45:00 AM	0.3
10/2/2024	7:00:00 AM	0.3
10/2/2024	7:15:00 AM	0.3
10/2/2024	7:30:00 AM	0.3
10/2/2024	7:45:00 AM	0.3
10/2/2024	8:00:00 AM	0.3
10/2/2024	8:15:00 AM	0.3
10/2/2024	8:30:00 AM	0.3
10/2/2024	8:45:00 AM	0.3
10/2/2024	9:00:00 AM	0.3
10/2/2024	9:15:00 AM	0.3
10/2/2024	9:30:00 AM	0.3
10/2/2024	9:45:00 AM	0.3
10/2/2024	10:00:00 AM	0.3
10/2/2024	10:15:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
10/2/2024	10:30:00 AM	0.3
10/2/2024	10:45:00 AM	0.3
10/2/2024	11:00:00 AM	0.3
10/2/2024	11:15:00 AM	0.3
10/2/2024	11:30:00 AM	0.3
10/2/2024	11:45:00 AM	0.3
10/2/2024	12:00:00 PM	0.3
10/2/2024	12:15:00 PM	0.3
10/2/2024	12:30:00 PM	0.3
10/2/2024	12:45:00 PM	0.3
10/2/2024	1:00:00 PM	0.3
10/2/2024	1:15:00 PM	0.3
10/2/2024	1:30:00 PM	0.3
10/2/2024	1:45:00 PM	0.3
10/2/2024	2:00:00 PM	0.3
10/2/2024	2:15:00 PM	0.3
10/2/2024	2:30:00 PM	0.3
10/2/2024	2:45:00 PM	0.3
10/2/2024	3:00:00 PM	0.3
10/2/2024	3:15:00 PM	0.3
10/2/2024	3:30:00 PM	0.3
10/2/2024	3:45:00 PM	0.3
10/2/2024	4:00:00 PM	0.3
10/2/2024	4:15:00 PM	0.3
10/2/2024	4:30:00 PM	0.3
10/2/2024	4:45:00 PM	0.3
10/2/2024	5:00:00 PM	0.3
10/2/2024	5:15:00 PM	0.3
10/2/2024	5:30:00 PM	0.3
10/2/2024	5:45:00 PM	0.3
10/2/2024	6:00:00 PM	0.3
10/2/2024	6:15:00 PM	0.3
10/2/2024	6:30:00 PM	0.3
10/2/2024	6:45:00 PM	0.3
10/2/2024	7:00:00 PM	0.31
10/2/2024	7:15:00 PM	0.31
10/2/2024	7:30:00 PM	0.31
10/2/2024	7:45:00 PM	0.31
10/2/2024	8:00:00 PM	0.31
10/2/2024	8:15:00 PM	0.31
10/2/2024	8:30:00 PM	0.31
10/2/2024	8:45:00 PM	0.31
10/2/2024	9:00:00 PM	0.31
10/2/2024	9:15:00 PM	0.31
10/2/2024	9:30:00 PM	0.31
10/2/2024	9:45:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
10/2/2024	10:00:00 PM	0.31
10/2/2024	10:15:00 PM	0.31
10/2/2024	10:30:00 PM	0.31
10/2/2024	10:45:00 PM	0.31
10/2/2024	11:00:00 PM	0.31
10/2/2024	11:15:00 PM	0.31
10/2/2024	11:30:00 PM	0.31
10/2/2024	11:45:00 PM	0.31
10/3/2024	12:00:00 AM	0.31
10/3/2024	12:15:00 AM	0.31
10/3/2024	12:30:00 AM	0.31
10/3/2024	12:45:00 AM	0.31
10/3/2024	1:00:00 AM	0.31
10/3/2024	1:15:00 AM	0.31
10/3/2024	1:30:00 AM	0.31
10/3/2024	1:45:00 AM	0.31
10/3/2024	2:00:00 AM	0.31
10/3/2024	2:15:00 AM	0.31
10/3/2024	2:30:00 AM	0.31
10/3/2024	2:45:00 AM	0.31
10/3/2024	3:00:00 AM	0.31
10/3/2024	3:15:00 AM	0.31
10/3/2024	3:30:00 AM	0.31
10/3/2024	3:45:00 AM	0.31
10/3/2024	4:00:00 AM	0.31
10/3/2024	4:15:00 AM	0.31
10/3/2024	4:30:00 AM	0.31
10/3/2024	4:45:00 AM	0.31
10/3/2024	5:00:00 AM	0.31
10/3/2024	5:15:00 AM	0.31
10/3/2024	5:30:00 AM	0.31
10/3/2024	5:45:00 AM	0.31
10/3/2024	6:00:00 AM	0.31
10/3/2024	6:15:00 AM	0.31
10/3/2024	6:30:00 AM	0.31
10/3/2024	6:45:00 AM	0.31
10/3/2024	7:00:00 AM	0.31
10/3/2024	7:15:00 AM	0.31
10/3/2024	7:30:00 AM	0.31
10/3/2024	7:45:00 AM	0.31
10/3/2024	8:00:00 AM	0.31
10/3/2024	8:15:00 AM	0.31
10/3/2024	8:30:00 AM	0.31
10/3/2024	8:45:00 AM	0.31
10/3/2024	9:00:00 AM	0.31
10/3/2024	9:15:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
10/3/2024	9:30:00 AM	0.31
10/3/2024	9:45:00 AM	0.31
10/3/2024	10:00:00 AM	0.31
10/3/2024	10:15:00 AM	0.31
10/3/2024	10:30:00 AM	0.31
10/3/2024	10:45:00 AM	0.32
10/3/2024	11:00:00 AM	0.32
10/3/2024	11:15:00 AM	0.31
10/3/2024	11:30:00 AM	0.31
10/3/2024	11:45:00 AM	0.32
10/3/2024	12:00:00 PM	0.31
10/3/2024	12:15:00 PM	0.31
10/3/2024	12:30:00 PM	0.31
10/3/2024	12:45:00 PM	0.32
10/3/2024	1:00:00 PM	0.32
10/3/2024	1:15:00 PM	0.32
10/3/2024	1:30:00 PM	0.31
10/3/2024	1:45:00 PM	0.32
10/3/2024	2:00:00 PM	0.32
10/3/2024	2:15:00 PM	0.32
10/3/2024	2:30:00 PM	0.32
10/3/2024	2:45:00 PM	0.32
10/3/2024	3:00:00 PM	0.32
10/3/2024	3:15:00 PM	0.31
10/3/2024	3:30:00 PM	0.32
10/3/2024	3:45:00 PM	0.32
10/3/2024	4:00:00 PM	0.32
10/3/2024	4:15:00 PM	0.32
10/3/2024	4:30:00 PM	0.32
10/3/2024	4:45:00 PM	0.32
10/3/2024	5:00:00 PM	0.32
10/3/2024	5:15:00 PM	0.32
10/3/2024	5:30:00 PM	0.32
10/3/2024	5:45:00 PM	0.32
10/3/2024	6:00:00 PM	0.32
10/3/2024	6:15:00 PM	0.32
10/3/2024	6:30:00 PM	0.32
10/3/2024	6:45:00 PM	0.32
10/3/2024	7:00:00 PM	0.32
10/3/2024	7:15:00 PM	0.32
10/3/2024	7:30:00 PM	0.32
10/3/2024	7:45:00 PM	0.32
10/3/2024	8:00:00 PM	0.32
10/3/2024	8:15:00 PM	0.32
10/3/2024	8:30:00 PM	0.32
10/3/2024	8:45:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
10/3/2024	9:00:00 PM	0.32
10/3/2024	9:15:00 PM	0.32
10/3/2024	9:30:00 PM	0.32
10/3/2024	9:45:00 PM	0.32
10/3/2024	10:00:00 PM	0.32
10/3/2024	10:15:00 PM	0.32
10/3/2024	10:30:00 PM	0.32
10/3/2024	10:45:00 PM	0.32
10/3/2024	11:00:00 PM	0.32
10/3/2024	11:15:00 PM	0.32
10/3/2024	11:30:00 PM	0.32
10/3/2024	11:45:00 PM	0.32
10/4/2024	12:00:00 AM	0.32
10/4/2024	12:15:00 AM	0.32
10/4/2024	12:30:00 AM	0.32
10/4/2024	12:45:00 AM	0.32
10/4/2024	1:00:00 AM	0.32
10/4/2024	1:15:00 AM	0.32
10/4/2024	1:30:00 AM	0.32
10/4/2024	1:45:00 AM	0.32
10/4/2024	2:00:00 AM	0.32
10/4/2024	2:15:00 AM	0.32
10/4/2024	2:30:00 AM	0.32
10/4/2024	2:45:00 AM	0.32
10/4/2024	3:00:00 AM	0.32
10/4/2024	3:15:00 AM	0.32
10/4/2024	3:30:00 AM	0.32
10/4/2024	3:45:00 AM	0.32
10/4/2024	4:00:00 AM	0.32
10/4/2024	4:15:00 AM	0.32
10/4/2024	4:30:00 AM	0.32
10/4/2024	4:45:00 AM	0.32
10/4/2024	5:00:00 AM	0.32
10/4/2024	5:15:00 AM	0.32
10/4/2024	5:30:00 AM	0.32
10/4/2024	5:45:00 AM	0.32
10/4/2024	6:00:00 AM	0.32
10/4/2024	6:15:00 AM	0.32
10/4/2024	6:30:00 AM	0.32
10/4/2024	6:45:00 AM	0.32
10/4/2024	7:00:00 AM	0.32
10/4/2024	7:15:00 AM	0.32
10/4/2024	7:30:00 AM	0.32
10/4/2024	7:45:00 AM	0.32
10/4/2024	8:00:00 AM	0.32
10/4/2024	8:15:00 AM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
10/4/2024	8:30:00 AM	0.32
10/4/2024	8:45:00 AM	0.33
10/4/2024	9:00:00 AM	0.32
10/4/2024	9:15:00 AM	0.32
10/4/2024	9:30:00 AM	0.32
10/4/2024	9:45:00 AM	0.32
10/4/2024	10:00:00 AM	0.32
10/4/2024	10:15:00 AM	0.32
10/4/2024	10:30:00 AM	0.32
10/4/2024	10:45:00 AM	0.32
10/4/2024	11:00:00 AM	0.32
10/4/2024	11:15:00 AM	0.33
10/4/2024	11:30:00 AM	0.32
10/4/2024	11:45:00 AM	0.33
10/4/2024	12:00:00 PM	0.32
10/4/2024	12:15:00 PM	0.32
10/4/2024	12:30:00 PM	0.32
10/4/2024	12:45:00 PM	0.32
10/4/2024	1:00:00 PM	0.32
10/4/2024	1:15:00 PM	0.32
10/4/2024	1:30:00 PM	0.32
10/4/2024	1:45:00 PM	0.32
10/4/2024	2:00:00 PM	0.32
10/4/2024	2:15:00 PM	0.33
10/4/2024	2:30:00 PM	0.33
10/4/2024	2:45:00 PM	0.32
10/4/2024	3:00:00 PM	0.32
10/4/2024	3:15:00 PM	0.32
10/4/2024	3:30:00 PM	0.32
10/4/2024	3:45:00 PM	0.32
10/4/2024	4:00:00 PM	0.32
10/4/2024	4:15:00 PM	0.32
10/4/2024	4:30:00 PM	0.32
10/4/2024	4:45:00 PM	0.32
10/4/2024	5:00:00 PM	0.32
10/4/2024	5:15:00 PM	0.32
10/4/2024	5:30:00 PM	0.31
10/4/2024	5:45:00 PM	0.31
10/4/2024	6:00:00 PM	0.31
10/4/2024	6:15:00 PM	0.32
10/4/2024	6:30:00 PM	0.32
10/4/2024	6:45:00 PM	0.31
10/4/2024	7:00:00 PM	0.31
10/4/2024	7:15:00 PM	0.31
10/4/2024	7:30:00 PM	0.32
10/4/2024	7:45:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
10/4/2024	8:00:00 PM	0.32
10/4/2024	8:15:00 PM	0.32
10/4/2024	8:30:00 PM	0.32
10/4/2024	8:45:00 PM	0.32
10/4/2024	9:00:00 PM	0.32
10/4/2024	9:15:00 PM	0.32
10/4/2024	9:30:00 PM	0.32
10/4/2024	9:45:00 PM	0.32
10/4/2024	10:00:00 PM	0.32
10/4/2024	10:15:00 PM	0.32
10/4/2024	10:30:00 PM	0.32
10/4/2024	10:45:00 PM	0.32
10/4/2024	11:00:00 PM	0.32
10/4/2024	11:15:00 PM	0.32
10/4/2024	11:30:00 PM	0.32
10/4/2024	11:45:00 PM	0.32
10/5/2024	12:00:00 AM	0.32
10/5/2024	12:15:00 AM	0.32
10/5/2024	12:30:00 AM	0.32
10/5/2024	12:45:00 AM	0.32
10/5/2024	1:00:00 AM	0.32
10/5/2024	1:15:00 AM	0.32
10/5/2024	1:30:00 AM	0.32
10/5/2024	1:45:00 AM	0.32
10/5/2024	2:00:00 AM	0.32
10/5/2024	2:15:00 AM	0.32
10/5/2024	2:30:00 AM	0.32
10/5/2024	2:45:00 AM	0.32
10/5/2024	3:00:00 AM	0.32
10/5/2024	3:15:00 AM	0.32
10/5/2024	3:30:00 AM	0.32
10/5/2024	3:45:00 AM	0.32
10/5/2024	4:00:00 AM	0.32
10/5/2024	4:15:00 AM	0.32
10/5/2024	4:30:00 AM	0.32
10/5/2024	4:45:00 AM	0.32
10/5/2024	5:00:00 AM	0.32
10/5/2024	5:15:00 AM	0.32
10/5/2024	5:30:00 AM	0.32
10/5/2024	5:45:00 AM	0.32
10/5/2024	6:00:00 AM	0.32
10/5/2024	6:15:00 AM	0.32
10/5/2024	6:30:00 AM	0.32
10/5/2024	6:45:00 AM	0.32
10/5/2024	7:00:00 AM	0.32
10/5/2024	7:15:00 AM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
10/5/2024	7:30:00 AM	0.33
10/5/2024	7:45:00 AM	0.33
10/5/2024	8:00:00 AM	0.33
10/5/2024	8:15:00 AM	0.33
10/5/2024	8:30:00 AM	0.33
10/5/2024	8:45:00 AM	0.33
10/5/2024	9:00:00 AM	0.33
10/5/2024	9:15:00 AM	0.33
10/5/2024	9:30:00 AM	0.33
10/5/2024	9:45:00 AM	0.33
10/5/2024	10:00:00 AM	0.33
10/5/2024	10:15:00 AM	0.33
10/5/2024	10:30:00 AM	0.33
10/5/2024	10:45:00 AM	0.33
10/5/2024	11:00:00 AM	0.33
10/5/2024	11:15:00 AM	0.33
10/5/2024	11:30:00 AM	0.33
10/5/2024	11:45:00 AM	0.33
10/5/2024	12:00:00 PM	0.33
10/5/2024	12:15:00 PM	0.33
10/5/2024	12:30:00 PM	0.33
10/5/2024	12:45:00 PM	0.33
10/5/2024	1:00:00 PM	0.33
10/5/2024	1:15:00 PM	0.33
10/5/2024	1:30:00 PM	0.33
10/5/2024	1:45:00 PM	0.33
10/5/2024	2:00:00 PM	0.33
10/5/2024	2:15:00 PM	0.33
10/5/2024	2:30:00 PM	0.33
10/5/2024	2:45:00 PM	0.33
10/5/2024	3:00:00 PM	0.33
10/5/2024	3:15:00 PM	0.33
10/5/2024	3:30:00 PM	0.33
10/5/2024	3:45:00 PM	0.33
10/5/2024	4:00:00 PM	0.33
10/5/2024	4:15:00 PM	0.33
10/5/2024	4:30:00 PM	0.33
10/5/2024	4:45:00 PM	0.33
10/5/2024	5:00:00 PM	0.33
10/5/2024	5:15:00 PM	0.33
10/5/2024	5:30:00 PM	0.33
10/5/2024	5:45:00 PM	0.33
10/5/2024	6:00:00 PM	0.33
10/5/2024	6:15:00 PM	0.33
10/5/2024	6:30:00 PM	0.33
10/5/2024	6:45:00 PM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
10/5/2024	7:00:00 PM	0.33
10/5/2024	7:15:00 PM	0.33
10/5/2024	7:30:00 PM	0.33
10/5/2024	7:45:00 PM	0.33
10/5/2024	8:00:00 PM	0.33
10/5/2024	8:15:00 PM	0.33
10/5/2024	8:30:00 PM	0.33
10/5/2024	8:45:00 PM	0.33
10/5/2024	9:00:00 PM	0.33
10/5/2024	9:15:00 PM	0.33
10/5/2024	9:30:00 PM	0.33
10/5/2024	9:45:00 PM	0.33
10/5/2024	10:00:00 PM	0.33
10/5/2024	10:15:00 PM	0.33
10/5/2024	10:30:00 PM	0.33
10/5/2024	10:45:00 PM	0.33
10/5/2024	11:00:00 PM	0.33
10/5/2024	11:15:00 PM	0.33
10/5/2024	11:30:00 PM	0.33
10/5/2024	11:45:00 PM	0.33
10/6/2024	12:00:00 AM	0.33
10/6/2024	12:15:00 AM	0.33
10/6/2024	12:30:00 AM	0.33
10/6/2024	12:45:00 AM	0.33
10/6/2024	1:00:00 AM	0.33
10/6/2024	1:15:00 AM	0.33
10/6/2024	1:30:00 AM	0.33
10/6/2024	1:45:00 AM	0.33
10/6/2024	2:00:00 AM	0.33
10/6/2024	2:15:00 AM	0.33
10/6/2024	2:30:00 AM	0.33
10/6/2024	2:45:00 AM	0.33
10/6/2024	3:00:00 AM	0.33
10/6/2024	3:15:00 AM	0.33
10/6/2024	3:30:00 AM	0.33
10/6/2024	3:45:00 AM	0.33
10/6/2024	4:00:00 AM	0.33
10/6/2024	4:15:00 AM	0.33
10/6/2024	4:30:00 AM	0.33
10/6/2024	4:45:00 AM	0.33
10/6/2024	5:00:00 AM	0.33
10/6/2024	5:15:00 AM	0.33
10/6/2024	5:30:00 AM	0.33
10/6/2024	5:45:00 AM	0.33
10/6/2024	6:00:00 AM	0.33
10/6/2024	6:15:00 AM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
10/6/2024	6:30:00 AM	0.33
10/6/2024	6:45:00 AM	0.33
10/6/2024	7:00:00 AM	0.33
10/6/2024	7:15:00 AM	0.33
10/6/2024	7:30:00 AM	0.33
10/6/2024	7:45:00 AM	0.33
10/6/2024	8:00:00 AM	0.33
10/6/2024	8:15:00 AM	0.33
10/6/2024	8:30:00 AM	0.33
10/6/2024	8:45:00 AM	0.33
10/6/2024	9:00:00 AM	0.33
10/6/2024	9:15:00 AM	0.33
10/6/2024	9:30:00 AM	0.33
10/6/2024	9:45:00 AM	0.33
10/6/2024	10:00:00 AM	0.33
10/6/2024	10:15:00 AM	0.33
10/6/2024	10:30:00 AM	0.33
10/6/2024	10:45:00 AM	0.33
10/6/2024	11:00:00 AM	0.33
10/6/2024	11:15:00 AM	0.33
10/6/2024	11:30:00 AM	0.33
10/6/2024	11:45:00 AM	0.33
10/6/2024	12:00:00 PM	0.33
10/6/2024	12:15:00 PM	0.33
10/6/2024	12:30:00 PM	0.33
10/6/2024	12:45:00 PM	0.33
10/6/2024	1:00:00 PM	0.33
10/6/2024	1:15:00 PM	0.33
10/6/2024	1:30:00 PM	0.33
10/6/2024	1:45:00 PM	0.33
10/6/2024	2:00:00 PM	0.33
10/6/2024	2:15:00 PM	0.33
10/6/2024	2:30:00 PM	0.33
10/6/2024	2:45:00 PM	0.33
10/6/2024	3:00:00 PM	0.33
10/6/2024	3:15:00 PM	0.33
10/6/2024	3:30:00 PM	0.33
10/6/2024	3:45:00 PM	0.33
10/6/2024	4:00:00 PM	0.33
10/6/2024	4:15:00 PM	0.33
10/6/2024	4:30:00 PM	0.33
10/6/2024	4:45:00 PM	0.33
10/6/2024	5:00:00 PM	0.33
10/6/2024	5:15:00 PM	0.33
10/6/2024	5:30:00 PM	0.33
10/6/2024	5:45:00 PM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
10/6/2024	6:00:00 PM	0.33
10/6/2024	6:15:00 PM	0.33
10/6/2024	6:30:00 PM	0.33
10/6/2024	6:45:00 PM	0.33
10/6/2024	7:00:00 PM	0.33
10/6/2024	7:15:00 PM	0.33
10/6/2024	7:30:00 PM	0.33
10/6/2024	7:45:00 PM	0.33
10/6/2024	8:00:00 PM	0.33
10/6/2024	8:15:00 PM	0.33
10/6/2024	8:30:00 PM	0.33
10/6/2024	8:45:00 PM	0.33
10/6/2024	9:00:00 PM	0.33
10/6/2024	9:15:00 PM	0.33
10/6/2024	9:30:00 PM	0.33
10/6/2024	9:45:00 PM	0.33
10/6/2024	10:00:00 PM	0.33
10/6/2024	10:15:00 PM	0.33
10/6/2024	10:30:00 PM	0.33
10/6/2024	10:45:00 PM	0.33
10/6/2024	11:00:00 PM	0.33
10/6/2024	11:15:00 PM	0.33
10/6/2024	11:30:00 PM	0.33
10/6/2024	11:45:00 PM	0.33
10/7/2024	12:00:00 AM	0.33
10/7/2024	12:15:00 AM	0.33
10/7/2024	12:30:00 AM	0.33
10/7/2024	12:45:00 AM	0.33
10/7/2024	1:00:00 AM	0.33
10/7/2024	1:15:00 AM	0.33
10/7/2024	1:30:00 AM	0.33
10/7/2024	1:45:00 AM	0.33
10/7/2024	2:00:00 AM	0.33
10/7/2024	2:15:00 AM	0.33
10/7/2024	2:30:00 AM	0.33
10/7/2024	2:45:00 AM	0.33
10/7/2024	3:00:00 AM	0.33
10/7/2024	3:15:00 AM	0.33
10/7/2024	3:30:00 AM	0.33
10/7/2024	3:45:00 AM	0.33
10/7/2024	4:00:00 AM	0.33
10/7/2024	4:15:00 AM	0.33
10/7/2024	4:30:00 AM	0.33
10/7/2024	4:45:00 AM	0.33
10/7/2024	5:00:00 AM	0.33
10/7/2024	5:15:00 AM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
10/7/2024	5:30:00 AM	0.33
10/7/2024	5:45:00 AM	0.33
10/7/2024	6:00:00 AM	0.33
10/7/2024	6:15:00 AM	0.33
10/7/2024	6:30:00 AM	0.33
10/7/2024	6:45:00 AM	0.33
10/7/2024	7:00:00 AM	0.33
10/7/2024	7:15:00 AM	0.33
10/7/2024	7:30:00 AM	0.33
10/7/2024	7:45:00 AM	0.33
10/7/2024	8:00:00 AM	0.33
10/7/2024	8:15:00 AM	0.33
10/7/2024	8:30:00 AM	0.33
10/7/2024	8:45:00 AM	0.33
10/7/2024	9:00:00 AM	0.33
10/7/2024	9:15:00 AM	0.33
10/7/2024	9:30:00 AM	0.33
10/7/2024	9:45:00 AM	0.33
10/7/2024	10:00:00 AM	0.33
10/7/2024	10:15:00 AM	0.33
10/7/2024	10:30:00 AM	0.33
10/7/2024	10:45:00 AM	0.33
10/7/2024	11:00:00 AM	0.33
10/7/2024	11:15:00 AM	0.33
10/7/2024	11:30:00 AM	0.33
10/7/2024	11:45:00 AM	0.33
10/7/2024	12:00:00 PM	0.33
10/7/2024	12:15:00 PM	0.33
10/7/2024	12:30:00 PM	0.33
10/7/2024	12:45:00 PM	0.33
10/7/2024	1:00:00 PM	0.33
10/7/2024	1:15:00 PM	0.33
10/7/2024	1:30:00 PM	0.33
10/7/2024	1:45:00 PM	0.33
10/7/2024	2:00:00 PM	0.33
10/7/2024	2:15:00 PM	0.33
10/7/2024	2:30:00 PM	0.33
10/7/2024	2:45:00 PM	0.33
10/7/2024	3:00:00 PM	0.33
10/7/2024	3:15:00 PM	0.33
10/7/2024	3:30:00 PM	0.33
10/7/2024	3:45:00 PM	0.33
10/7/2024	4:00:00 PM	0.33
10/7/2024	4:15:00 PM	0.33
10/7/2024	4:30:00 PM	0.33
10/7/2024	4:45:00 PM	0.34

Billy Lake Return Gage

DATE	TIME	GAGE
10/7/2024	5:00:00 PM	0.34
10/7/2024	5:15:00 PM	0.34
10/7/2024	5:30:00 PM	0.34
10/7/2024	5:45:00 PM	0.34
10/7/2024	6:00:00 PM	0.35
10/7/2024	6:15:00 PM	0.35
10/7/2024	6:30:00 PM	0.35
10/7/2024	6:45:00 PM	0.35
10/7/2024	7:00:00 PM	0.35
10/7/2024	7:15:00 PM	0.36
10/7/2024	7:30:00 PM	0.36
10/7/2024	7:45:00 PM	0.36
10/7/2024	8:00:00 PM	0.36
10/7/2024	8:15:00 PM	0.36
10/7/2024	8:30:00 PM	0.36
10/7/2024	8:45:00 PM	0.36
10/7/2024	9:00:00 PM	0.36
10/7/2024	9:15:00 PM	0.36
10/7/2024	9:30:00 PM	0.37
10/7/2024	9:45:00 PM	0.37
10/7/2024	10:00:00 PM	0.37
10/7/2024	10:15:00 PM	0.37
10/7/2024	10:30:00 PM	0.37
10/7/2024	10:45:00 PM	0.37
10/7/2024	11:00:00 PM	0.37
10/7/2024	11:15:00 PM	0.37
10/7/2024	11:30:00 PM	0.37
10/7/2024	11:45:00 PM	0.37
10/8/2024	12:00:00 AM	0.37
10/8/2024	12:15:00 AM	0.37
10/8/2024	12:30:00 AM	0.37
10/8/2024	12:45:00 AM	0.37
10/8/2024	1:00:00 AM	0.37
10/8/2024	1:15:00 AM	0.37
10/8/2024	1:30:00 AM	0.37
10/8/2024	1:45:00 AM	0.37
10/8/2024	2:00:00 AM	0.37
10/8/2024	2:15:00 AM	0.37
10/8/2024	2:30:00 AM	0.37
10/8/2024	2:45:00 AM	0.36
10/8/2024	3:00:00 AM	0.36
10/8/2024	3:15:00 AM	0.35
10/8/2024	3:30:00 AM	0.34
10/8/2024	3:45:00 AM	0.34
10/8/2024	4:00:00 AM	0.33
10/8/2024	4:15:00 AM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
10/8/2024	4:30:00 AM	0.32
10/8/2024	4:45:00 AM	0.31
10/8/2024	5:00:00 AM	0.31
10/8/2024	5:15:00 AM	0.3
10/8/2024	5:30:00 AM	0.3
10/8/2024	5:45:00 AM	0.29
10/8/2024	6:00:00 AM	0.29
10/8/2024	6:15:00 AM	0.28
10/8/2024	6:30:00 AM	0.28
10/8/2024	6:45:00 AM	0.27
10/8/2024	7:00:00 AM	0.27
10/8/2024	7:15:00 AM	0.27
10/8/2024	7:30:00 AM	0.26
10/8/2024	7:45:00 AM	0.26
10/8/2024	8:00:00 AM	0.26
10/8/2024	8:15:00 AM	0.26
10/8/2024	8:30:00 AM	0.25
10/8/2024	8:45:00 AM	0.25
10/8/2024	9:00:00 AM	0.25
10/8/2024	9:15:00 AM	0.24
10/8/2024	9:30:00 AM	0.24
10/8/2024	9:45:00 AM	0.24
10/8/2024	10:00:00 AM	0.24
10/8/2024	10:15:00 AM	0.24
10/8/2024	10:30:00 AM	0.24
10/8/2024	10:45:00 AM	0.25
10/8/2024	11:00:00 AM	0.25
10/8/2024	11:15:00 AM	0.26
10/8/2024	11:30:00 AM	0.26
10/8/2024	11:45:00 AM	0.26
10/8/2024	12:00:00 PM	0.27
10/8/2024	12:15:00 PM	0.27
10/8/2024	12:30:00 PM	0.27
10/8/2024	12:45:00 PM	0.27
10/8/2024	1:00:00 PM	0.27
10/8/2024	1:15:00 PM	0.28
10/8/2024	1:30:00 PM	0.28
10/8/2024	1:45:00 PM	0.28
10/8/2024	2:00:00 PM	0.28
10/8/2024	2:15:00 PM	0.28
10/8/2024	2:30:00 PM	0.28
10/8/2024	2:45:00 PM	0.28
10/8/2024	3:00:00 PM	0.28
10/8/2024	3:15:00 PM	0.28
10/8/2024	3:30:00 PM	0.28
10/8/2024	3:45:00 PM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
10/8/2024	4:00:00 PM	0.28
10/8/2024	4:15:00 PM	0.28
10/8/2024	4:30:00 PM	0.28
10/8/2024	4:45:00 PM	0.28
10/8/2024	5:00:00 PM	0.28
10/8/2024	5:15:00 PM	0.28
10/8/2024	5:30:00 PM	0.28
10/8/2024	5:45:00 PM	0.28
10/8/2024	6:00:00 PM	0.28
10/8/2024	6:15:00 PM	0.28
10/8/2024	6:30:00 PM	0.28
10/8/2024	6:45:00 PM	0.28
10/8/2024	7:00:00 PM	0.28
10/8/2024	7:15:00 PM	0.28
10/8/2024	7:30:00 PM	0.28
10/8/2024	7:45:00 PM	0.28
10/8/2024	8:00:00 PM	0.28
10/8/2024	8:15:00 PM	0.28
10/8/2024	8:30:00 PM	0.28
10/8/2024	8:45:00 PM	0.28
10/8/2024	9:00:00 PM	0.28
10/8/2024	9:15:00 PM	0.28
10/8/2024	9:30:00 PM	0.28
10/8/2024	9:45:00 PM	0.28
10/8/2024	10:00:00 PM	0.28
10/8/2024	10:15:00 PM	0.28
10/8/2024	10:30:00 PM	0.28
10/8/2024	10:45:00 PM	0.28
10/8/2024	11:00:00 PM	0.28
10/8/2024	11:15:00 PM	0.28
10/8/2024	11:30:00 PM	0.28
10/8/2024	11:45:00 PM	0.28
10/9/2024	12:00:00 AM	0.28
10/9/2024	12:15:00 AM	0.28
10/9/2024	12:30:00 AM	0.28
10/9/2024	12:45:00 AM	0.28
10/9/2024	1:00:00 AM	0.28
10/9/2024	1:15:00 AM	0.28
10/9/2024	1:30:00 AM	0.28
10/9/2024	1:45:00 AM	0.28
10/9/2024	2:00:00 AM	0.28
10/9/2024	2:15:00 AM	0.28
10/9/2024	2:30:00 AM	0.28
10/9/2024	2:45:00 AM	0.28
10/9/2024	3:00:00 AM	0.28
10/9/2024	3:15:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
10/9/2024	3:30:00 AM	0.28
10/9/2024	3:45:00 AM	0.28
10/9/2024	4:00:00 AM	0.28
10/9/2024	4:15:00 AM	0.27
10/9/2024	4:30:00 AM	0.27
10/9/2024	4:45:00 AM	0.27
10/9/2024	5:00:00 AM	0.27
10/9/2024	5:15:00 AM	0.27
10/9/2024	5:30:00 AM	0.27
10/9/2024	5:45:00 AM	0.27
10/9/2024	6:00:00 AM	0.27
10/9/2024	6:15:00 AM	0.27
10/9/2024	6:30:00 AM	0.27
10/9/2024	6:45:00 AM	0.27
10/9/2024	7:00:00 AM	0.27
10/9/2024	7:15:00 AM	0.27
10/9/2024	7:30:00 AM	0.28
10/9/2024	7:45:00 AM	0.28
10/9/2024	8:00:00 AM	0.29
10/9/2024	8:15:00 AM	0.29
10/9/2024	8:30:00 AM	0.3
10/9/2024	8:45:00 AM	0.3
10/9/2024	9:00:00 AM	0.31
10/9/2024	9:15:00 AM	0.32
10/9/2024	9:30:00 AM	0.33
10/9/2024	9:45:00 AM	0.33
10/9/2024	10:00:00 AM	0.33
10/9/2024	10:15:00 AM	0.33
10/9/2024	10:30:00 AM	0.34
10/9/2024	10:45:00 AM	0.34
10/9/2024	11:00:00 AM	0.34
10/9/2024	11:15:00 AM	0.34
10/9/2024	11:30:00 AM	0.34
10/9/2024	11:45:00 AM	0.35
10/9/2024	12:00:00 PM	0.35
10/9/2024	12:15:00 PM	0.35
10/9/2024	12:30:00 PM	0.35
10/9/2024	12:45:00 PM	0.35
10/9/2024	1:00:00 PM	0.35
10/9/2024	1:15:00 PM	0.35
10/9/2024	1:30:00 PM	0.35
10/9/2024	1:45:00 PM	0.35
10/9/2024	2:00:00 PM	0.35
10/9/2024	2:15:00 PM	0.34
10/9/2024	2:30:00 PM	0.34
10/9/2024	2:45:00 PM	0.34

Billy Lake Return Gage

DATE	TIME	GAGE
10/9/2024	3:00:00 PM	0.34
10/9/2024	3:15:00 PM	0.34
10/9/2024	3:30:00 PM	0.34
10/9/2024	3:45:00 PM	0.34
10/9/2024	4:00:00 PM	0.34
10/9/2024	4:15:00 PM	0.34
10/9/2024	4:30:00 PM	0.34
10/9/2024	4:45:00 PM	0.34
10/9/2024	5:00:00 PM	0.34
10/9/2024	5:15:00 PM	0.33
10/9/2024	5:30:00 PM	0.33
10/9/2024	5:45:00 PM	0.33
10/9/2024	6:00:00 PM	0.33
10/9/2024	6:15:00 PM	0.33
10/9/2024	6:30:00 PM	0.33
10/9/2024	6:45:00 PM	0.33
10/9/2024	7:00:00 PM	0.33
10/9/2024	7:15:00 PM	0.33
10/9/2024	7:30:00 PM	0.33
10/9/2024	7:45:00 PM	0.33
10/9/2024	8:00:00 PM	0.33
10/9/2024	8:15:00 PM	0.33
10/9/2024	8:30:00 PM	0.33
10/9/2024	8:45:00 PM	0.33
10/9/2024	9:00:00 PM	0.33
10/9/2024	9:15:00 PM	0.33
10/9/2024	9:30:00 PM	0.33
10/9/2024	9:45:00 PM	0.33
10/9/2024	10:00:00 PM	0.33
10/9/2024	10:15:00 PM	0.33
10/9/2024	10:30:00 PM	0.33
10/9/2024	10:45:00 PM	0.33
10/9/2024	11:00:00 PM	0.33
10/9/2024	11:15:00 PM	0.33
10/9/2024	11:30:00 PM	0.33
10/9/2024	11:45:00 PM	0.33
10/10/2024	12:00:00 AM	0.33
10/10/2024	12:15:00 AM	0.33
10/10/2024	12:30:00 AM	0.33
10/10/2024	12:45:00 AM	0.33
10/10/2024	1:00:00 AM	0.33
10/10/2024	1:15:00 AM	0.33
10/10/2024	1:30:00 AM	0.33
10/10/2024	1:45:00 AM	0.33
10/10/2024	2:00:00 AM	0.33
10/10/2024	2:15:00 AM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
10/10/2024	2:30:00 AM	0.33
10/10/2024	2:45:00 AM	0.33
10/10/2024	3:00:00 AM	0.33
10/10/2024	3:15:00 AM	0.32
10/10/2024	3:30:00 AM	0.32
10/10/2024	3:45:00 AM	0.32
10/10/2024	4:00:00 AM	0.32
10/10/2024	4:15:00 AM	0.32
10/10/2024	4:30:00 AM	0.32
10/10/2024	4:45:00 AM	0.31
10/10/2024	5:00:00 AM	0.31
10/10/2024	5:15:00 AM	0.31
10/10/2024	5:30:00 AM	0.31
10/10/2024	5:45:00 AM	0.31
10/10/2024	6:00:00 AM	0.31
10/10/2024	6:15:00 AM	0.31
10/10/2024	6:30:00 AM	0.31
10/10/2024	6:45:00 AM	0.31
10/10/2024	7:00:00 AM	0.31
10/10/2024	7:15:00 AM	0.31
10/10/2024	7:30:00 AM	0.31
10/10/2024	7:45:00 AM	0.31
10/10/2024	8:00:00 AM	0.31
10/10/2024	8:15:00 AM	0.31
10/10/2024	8:30:00 AM	0.32
10/10/2024	8:45:00 AM	0.32
10/10/2024	9:00:00 AM	0.32
10/10/2024	9:15:00 AM	0.32
10/10/2024	9:30:00 AM	0.32
10/10/2024	9:45:00 AM	0.32
10/10/2024	10:00:00 AM	0.32
10/10/2024	10:15:00 AM	0.32
10/10/2024	10:30:00 AM	0.32
10/10/2024	10:45:00 AM	0.32
10/10/2024	11:00:00 AM	0.32
10/10/2024	11:15:00 AM	0.32
10/10/2024	11:30:00 AM	0.32
10/10/2024	11:45:00 AM	0.32
10/10/2024	12:00:00 PM	0.32
10/10/2024	12:15:00 PM	0.32
10/10/2024	12:30:00 PM	0.32
10/10/2024	12:45:00 PM	0.32
10/10/2024	1:00:00 PM	0.32
10/10/2024	1:15:00 PM	0.32
10/10/2024	1:30:00 PM	0.32
10/10/2024	1:45:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
10/10/2024	2:00:00 PM	0.32
10/10/2024	2:15:00 PM	0.32
10/10/2024	2:30:00 PM	0.32
10/10/2024	2:45:00 PM	0.32
10/10/2024	3:00:00 PM	0.32
10/10/2024	3:15:00 PM	0.32
10/10/2024	3:30:00 PM	0.32
10/10/2024	3:45:00 PM	0.32
10/10/2024	4:00:00 PM	0.32
10/10/2024	4:15:00 PM	0.32
10/10/2024	4:30:00 PM	0.32
10/10/2024	4:45:00 PM	0.32
10/10/2024	5:00:00 PM	0.32
10/10/2024	5:15:00 PM	0.32
10/10/2024	5:30:00 PM	0.32
10/10/2024	5:45:00 PM	0.32
10/10/2024	6:00:00 PM	0.32
10/10/2024	6:15:00 PM	0.32
10/10/2024	6:30:00 PM	0.32
10/10/2024	6:45:00 PM	0.32
10/10/2024	7:00:00 PM	0.32
10/10/2024	7:15:00 PM	0.32
10/10/2024	7:30:00 PM	0.32
10/10/2024	7:45:00 PM	0.32
10/10/2024	8:00:00 PM	0.32
10/10/2024	8:15:00 PM	0.32
10/10/2024	8:30:00 PM	0.32
10/10/2024	8:45:00 PM	0.32
10/10/2024	9:00:00 PM	0.32
10/10/2024	9:15:00 PM	0.32
10/10/2024	9:30:00 PM	0.32
10/10/2024	9:45:00 PM	0.32
10/10/2024	10:00:00 PM	0.32
10/10/2024	10:15:00 PM	0.32
10/10/2024	10:30:00 PM	0.32
10/10/2024	10:45:00 PM	0.32
10/10/2024	11:00:00 PM	0.32
10/10/2024	11:15:00 PM	0.32
10/10/2024	11:30:00 PM	0.32
10/10/2024	11:45:00 PM	0.32
10/11/2024	12:00:00 AM	0.32
10/11/2024	12:15:00 AM	0.32
10/11/2024	12:30:00 AM	0.32
10/11/2024	12:45:00 AM	0.32
10/11/2024	1:00:00 AM	0.32
10/11/2024	1:15:00 AM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
10/11/2024	1:30:00 AM	0.32
10/11/2024	1:45:00 AM	0.32
10/11/2024	2:00:00 AM	0.32
10/11/2024	2:15:00 AM	0.32
10/11/2024	2:30:00 AM	0.31
10/11/2024	2:45:00 AM	0.31
10/11/2024	3:00:00 AM	0.31
10/11/2024	3:15:00 AM	0.31
10/11/2024	3:30:00 AM	0.31
10/11/2024	3:45:00 AM	0.31
10/11/2024	4:00:00 AM	0.31
10/11/2024	4:15:00 AM	0.31
10/11/2024	4:30:00 AM	0.3
10/11/2024	4:45:00 AM	0.3
10/11/2024	5:00:00 AM	0.3
10/11/2024	5:15:00 AM	0.3
10/11/2024	5:30:00 AM	0.3
10/11/2024	5:45:00 AM	0.29
10/11/2024	6:00:00 AM	0.3
10/11/2024	6:15:00 AM	0.3
10/11/2024	6:30:00 AM	0.3
10/11/2024	6:45:00 AM	0.3
10/11/2024	7:00:00 AM	0.3
10/11/2024	7:15:00 AM	0.3
10/11/2024	7:30:00 AM	0.3
10/11/2024	7:45:00 AM	0.3
10/11/2024	8:00:00 AM	0.3
10/11/2024	8:15:00 AM	0.3
10/11/2024	8:30:00 AM	0.3
10/11/2024	8:45:00 AM	0.3
10/11/2024	9:00:00 AM	0.3
10/11/2024	9:15:00 AM	0.3
10/11/2024	9:30:00 AM	0.3
10/11/2024	9:45:00 AM	0.3
10/11/2024	10:00:00 AM	0.3
10/11/2024	10:15:00 AM	0.3
10/11/2024	10:30:00 AM	0.3
10/11/2024	10:45:00 AM	0.3
10/11/2024	11:00:00 AM	0.3
10/11/2024	11:15:00 AM	0.3
10/11/2024	11:30:00 AM	0.3
10/11/2024	11:45:00 AM	0.3
10/11/2024	12:00:00 PM	0.3
10/11/2024	12:15:00 PM	0.3
10/11/2024	12:30:00 PM	0.3
10/11/2024	12:45:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
10/11/2024	1:00:00 PM	0.3
10/11/2024	1:15:00 PM	0.3
10/11/2024	1:30:00 PM	0.3
10/11/2024	1:45:00 PM	0.3
10/11/2024	2:00:00 PM	0.3
10/11/2024	2:15:00 PM	0.3
10/11/2024	2:30:00 PM	0.3
10/11/2024	2:45:00 PM	0.3
10/11/2024	3:00:00 PM	0.3
10/11/2024	3:15:00 PM	0.3
10/11/2024	3:30:00 PM	0.3
10/11/2024	3:45:00 PM	0.3
10/11/2024	4:00:00 PM	0.3
10/11/2024	4:15:00 PM	0.3
10/11/2024	4:30:00 PM	0.3
10/11/2024	4:45:00 PM	0.3
10/11/2024	5:00:00 PM	0.3
10/11/2024	5:15:00 PM	0.3
10/11/2024	5:30:00 PM	0.3
10/11/2024	5:45:00 PM	0.3
10/11/2024	6:00:00 PM	0.3
10/11/2024	6:15:00 PM	0.3
10/11/2024	6:30:00 PM	0.3
10/11/2024	6:45:00 PM	0.3
10/11/2024	7:00:00 PM	0.3
10/11/2024	7:15:00 PM	0.3
10/11/2024	7:30:00 PM	0.3
10/11/2024	7:45:00 PM	0.3
10/11/2024	8:00:00 PM	0.3
10/11/2024	8:15:00 PM	0.3
10/11/2024	8:30:00 PM	0.3
10/11/2024	8:45:00 PM	0.3
10/11/2024	9:00:00 PM	0.3
10/11/2024	9:15:00 PM	0.3
10/11/2024	9:30:00 PM	0.29
10/11/2024	9:45:00 PM	0.29
10/11/2024	10:00:00 PM	0.29
10/11/2024	10:15:00 PM	0.29
10/11/2024	10:30:00 PM	0.29
10/11/2024	10:45:00 PM	0.29
10/11/2024	11:00:00 PM	0.29
10/11/2024	11:15:00 PM	0.29
10/11/2024	11:30:00 PM	0.29
10/11/2024	11:45:00 PM	0.29
10/12/2024	12:00:00 AM	0.29
10/12/2024	12:15:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
10/12/2024	12:30:00 AM	0.29
10/12/2024	12:45:00 AM	0.29
10/12/2024	1:00:00 AM	0.29
10/12/2024	1:15:00 AM	0.28
10/12/2024	1:30:00 AM	0.28
10/12/2024	1:45:00 AM	0.28
10/12/2024	2:00:00 AM	0.28
10/12/2024	2:15:00 AM	0.28
10/12/2024	2:30:00 AM	0.28
10/12/2024	2:45:00 AM	0.28
10/12/2024	3:00:00 AM	0.28
10/12/2024	3:15:00 AM	0.27
10/12/2024	3:30:00 AM	0.27
10/12/2024	3:45:00 AM	0.26
10/12/2024	4:00:00 AM	0.26
10/12/2024	4:15:00 AM	0.25
10/12/2024	4:30:00 AM	0.24
10/12/2024	4:45:00 AM	0.24
10/12/2024	5:00:00 AM	0.23
10/12/2024	5:15:00 AM	0.22
10/12/2024	5:30:00 AM	0.22
10/12/2024	5:45:00 AM	0.21
10/12/2024	6:00:00 AM	0.21
10/12/2024	6:15:00 AM	0.2
10/12/2024	6:30:00 AM	0.2
10/12/2024	6:45:00 AM	0.19
10/12/2024	7:00:00 AM	0.19
10/12/2024	7:15:00 AM	0.2
10/12/2024	7:30:00 AM	0.2
10/12/2024	7:45:00 AM	0.21
10/12/2024	8:00:00 AM	0.21
10/12/2024	8:15:00 AM	0.22
10/12/2024	8:30:00 AM	0.22
10/12/2024	8:45:00 AM	0.23
10/12/2024	9:00:00 AM	0.23
10/12/2024	9:15:00 AM	0.23
10/12/2024	9:30:00 AM	0.24
10/12/2024	9:45:00 AM	0.24
10/12/2024	10:00:00 AM	0.25
10/12/2024	10:15:00 AM	0.25
10/12/2024	10:30:00 AM	0.25
10/12/2024	10:45:00 AM	0.26
10/12/2024	11:00:00 AM	0.26
10/12/2024	11:15:00 AM	0.26
10/12/2024	11:30:00 AM	0.26
10/12/2024	11:45:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
10/12/2024	12:00:00 PM	0.27
10/12/2024	12:15:00 PM	0.27
10/12/2024	12:30:00 PM	0.27
10/12/2024	12:45:00 PM	0.27
10/12/2024	1:00:00 PM	0.27
10/12/2024	1:15:00 PM	0.27
10/12/2024	1:30:00 PM	0.27
10/12/2024	1:45:00 PM	0.27
10/12/2024	2:00:00 PM	0.27
10/12/2024	2:15:00 PM	0.27
10/12/2024	2:30:00 PM	0.28
10/12/2024	2:45:00 PM	0.28
10/12/2024	3:00:00 PM	0.28
10/12/2024	3:15:00 PM	0.28
10/12/2024	3:30:00 PM	0.28
10/12/2024	3:45:00 PM	0.28
10/12/2024	4:00:00 PM	0.28
10/12/2024	4:15:00 PM	0.28
10/12/2024	4:30:00 PM	0.28
10/12/2024	4:45:00 PM	0.28
10/12/2024	5:00:00 PM	0.28
10/12/2024	5:15:00 PM	0.28
10/12/2024	5:30:00 PM	0.28
10/12/2024	5:45:00 PM	0.28
10/12/2024	6:00:00 PM	0.28
10/12/2024	6:15:00 PM	0.28
10/12/2024	6:30:00 PM	0.28
10/12/2024	6:45:00 PM	0.28
10/12/2024	7:00:00 PM	0.28
10/12/2024	7:15:00 PM	0.28
10/12/2024	7:30:00 PM	0.28
10/12/2024	7:45:00 PM	0.28
10/12/2024	8:00:00 PM	0.28
10/12/2024	8:15:00 PM	0.28
10/12/2024	8:30:00 PM	0.28
10/12/2024	8:45:00 PM	0.28
10/12/2024	9:00:00 PM	0.28
10/12/2024	9:15:00 PM	0.28
10/12/2024	9:30:00 PM	0.28
10/12/2024	9:45:00 PM	0.28
10/12/2024	10:00:00 PM	0.28
10/12/2024	10:15:00 PM	0.28
10/12/2024	10:30:00 PM	0.28
10/12/2024	10:45:00 PM	0.28
10/12/2024	11:00:00 PM	0.28
10/12/2024	11:15:00 PM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
10/12/2024	11:30:00 PM	0.28
10/12/2024	11:45:00 PM	0.27
10/13/2024	12:00:00 AM	0.27
10/13/2024	12:15:00 AM	0.27
10/13/2024	12:30:00 AM	0.27
10/13/2024	12:45:00 AM	0.27
10/13/2024	1:00:00 AM	0.27
10/13/2024	1:15:00 AM	0.27
10/13/2024	1:30:00 AM	0.26
10/13/2024	1:45:00 AM	0.26
10/13/2024	2:00:00 AM	0.25
10/13/2024	2:15:00 AM	0.25
10/13/2024	2:30:00 AM	0.24
10/13/2024	2:45:00 AM	0.24
10/13/2024	3:00:00 AM	0.23
10/13/2024	3:15:00 AM	0.23
10/13/2024	3:30:00 AM	0.22
10/13/2024	3:45:00 AM	0.22
10/13/2024	4:00:00 AM	0.21
10/13/2024	4:15:00 AM	0.21
10/13/2024	4:30:00 AM	0.21
10/13/2024	4:45:00 AM	0.2
10/13/2024	5:00:00 AM	0.2
10/13/2024	5:15:00 AM	0.19
10/13/2024	5:30:00 AM	0.19
10/13/2024	5:45:00 AM	0.19
10/13/2024	6:00:00 AM	0.19
10/13/2024	6:15:00 AM	0.19
10/13/2024	6:30:00 AM	0.2
10/13/2024	6:45:00 AM	0.2
10/13/2024	7:00:00 AM	0.2
10/13/2024	7:15:00 AM	0.2
10/13/2024	7:30:00 AM	0.2
10/13/2024	7:45:00 AM	0.2
10/13/2024	8:00:00 AM	0.2
10/13/2024	8:15:00 AM	0.21
10/13/2024	8:30:00 AM	0.21
10/13/2024	8:45:00 AM	0.21
10/13/2024	9:00:00 AM	0.21
10/13/2024	9:15:00 AM	0.21
10/13/2024	9:30:00 AM	0.21
10/13/2024	9:45:00 AM	0.21
10/13/2024	10:00:00 AM	0.22
10/13/2024	10:15:00 AM	0.22
10/13/2024	10:30:00 AM	0.22
10/13/2024	10:45:00 AM	0.22

Billy Lake Return Gage

DATE	TIME	GAGE
10/13/2024	11:00:00 AM	0.22
10/13/2024	11:15:00 AM	0.22
10/13/2024	11:30:00 AM	0.22
10/13/2024	11:45:00 AM	0.22
10/13/2024	12:00:00 PM	0.22
10/13/2024	12:15:00 PM	0.22
10/13/2024	12:30:00 PM	0.22
10/13/2024	12:45:00 PM	0.23
10/13/2024	1:00:00 PM	0.23
10/13/2024	1:15:00 PM	0.23
10/13/2024	1:30:00 PM	0.23
10/13/2024	1:45:00 PM	0.23
10/13/2024	2:00:00 PM	0.23
10/13/2024	2:15:00 PM	0.23
10/13/2024	2:30:00 PM	0.23
10/13/2024	2:45:00 PM	0.23
10/13/2024	3:00:00 PM	0.23
10/13/2024	3:15:00 PM	0.23
10/13/2024	3:30:00 PM	0.23
10/13/2024	3:45:00 PM	0.23
10/13/2024	4:00:00 PM	0.23
10/13/2024	4:15:00 PM	0.23
10/13/2024	4:30:00 PM	0.23
10/13/2024	4:45:00 PM	0.23
10/13/2024	5:00:00 PM	0.23
10/13/2024	5:15:00 PM	0.23
10/13/2024	5:30:00 PM	0.23
10/13/2024	5:45:00 PM	0.23
10/13/2024	6:00:00 PM	0.23
10/13/2024	6:15:00 PM	0.23
10/13/2024	6:30:00 PM	0.23
10/13/2024	6:45:00 PM	0.23
10/13/2024	7:00:00 PM	0.23
10/13/2024	7:15:00 PM	0.23
10/13/2024	7:30:00 PM	0.23
10/13/2024	7:45:00 PM	0.23
10/13/2024	8:00:00 PM	0.23
10/13/2024	8:15:00 PM	0.23
10/13/2024	8:30:00 PM	0.23
10/13/2024	8:45:00 PM	0.23
10/13/2024	9:00:00 PM	0.23
10/13/2024	9:15:00 PM	0.23
10/13/2024	9:30:00 PM	0.23
10/13/2024	9:45:00 PM	0.23
10/13/2024	10:00:00 PM	0.23
10/13/2024	10:15:00 PM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
10/13/2024	10:30:00 PM	0.23
10/13/2024	10:45:00 PM	0.23
10/13/2024	11:00:00 PM	0.23
10/13/2024	11:15:00 PM	0.23
10/13/2024	11:30:00 PM	0.24
10/13/2024	11:45:00 PM	0.23
10/14/2024	12:00:00 AM	0.23
10/14/2024	12:15:00 AM	0.23
10/14/2024	12:30:00 AM	0.23
10/14/2024	12:45:00 AM	0.23
10/14/2024	1:00:00 AM	0.23
10/14/2024	1:15:00 AM	0.23
10/14/2024	1:30:00 AM	0.23
10/14/2024	1:45:00 AM	0.23
10/14/2024	2:00:00 AM	0.23
10/14/2024	2:15:00 AM	0.23
10/14/2024	2:30:00 AM	0.23
10/14/2024	2:45:00 AM	0.22
10/14/2024	3:00:00 AM	0.22
10/14/2024	3:15:00 AM	0.22
10/14/2024	3:30:00 AM	0.21
10/14/2024	3:45:00 AM	0.21
10/14/2024	4:00:00 AM	0.2
10/14/2024	4:15:00 AM	0.2
10/14/2024	4:30:00 AM	0.19
10/14/2024	4:45:00 AM	0.19
10/14/2024	5:00:00 AM	0.18
10/14/2024	5:15:00 AM	0.18
10/14/2024	5:30:00 AM	0.18
10/14/2024	5:45:00 AM	0.17
10/14/2024	6:00:00 AM	0.17
10/14/2024	6:15:00 AM	0.17
10/14/2024	6:30:00 AM	0.16
10/14/2024	6:45:00 AM	0.17
10/14/2024	7:00:00 AM	0.17
10/14/2024	7:15:00 AM	0.18
10/14/2024	7:30:00 AM	0.18
10/14/2024	7:45:00 AM	0.19
10/14/2024	8:00:00 AM	0.19
10/14/2024	8:15:00 AM	0.2
10/14/2024	8:30:00 AM	0.2
10/14/2024	8:45:00 AM	0.2
10/14/2024	9:00:00 AM	0.21
10/14/2024	9:15:00 AM	0.21
10/14/2024	9:30:00 AM	0.21
10/14/2024	9:45:00 AM	0.22

Billy Lake Return Gage

DATE	TIME	GAGE
10/14/2024	10:00:00 AM	0.22
10/14/2024	10:15:00 AM	0.22
10/14/2024	10:30:00 AM	0.22
10/14/2024	10:45:00 AM	0.23
10/14/2024	11:00:00 AM	0.23
10/14/2024	11:15:00 AM	0.23
10/14/2024	11:30:00 AM	0.23
10/14/2024	11:45:00 AM	0.24
10/14/2024	12:00:00 PM	0.24
10/14/2024	12:15:00 PM	0.24
10/14/2024	12:30:00 PM	0.24
10/14/2024	12:45:00 PM	0.25
10/14/2024	1:00:00 PM	0.25
10/14/2024	1:15:00 PM	0.25
10/14/2024	1:30:00 PM	0.25
10/14/2024	1:45:00 PM	0.25
10/14/2024	2:00:00 PM	0.25
10/14/2024	2:15:00 PM	0.25
10/14/2024	2:30:00 PM	0.26
10/14/2024	2:45:00 PM	0.26
10/14/2024	3:00:00 PM	0.26
10/14/2024	3:15:00 PM	0.26
10/14/2024	3:30:00 PM	0.26
10/14/2024	3:45:00 PM	0.26
10/14/2024	4:00:00 PM	0.26
10/14/2024	4:15:00 PM	0.26
10/14/2024	4:30:00 PM	0.26
10/14/2024	4:45:00 PM	0.26
10/14/2024	5:00:00 PM	0.26
10/14/2024	5:15:00 PM	0.26
10/14/2024	5:30:00 PM	0.27
10/14/2024	5:45:00 PM	0.27
10/14/2024	6:00:00 PM	0.27
10/14/2024	6:15:00 PM	0.27
10/14/2024	6:30:00 PM	0.27
10/14/2024	6:45:00 PM	0.27
10/14/2024	7:00:00 PM	0.27
10/14/2024	7:15:00 PM	0.27
10/14/2024	7:30:00 PM	0.27
10/14/2024	7:45:00 PM	0.27
10/14/2024	8:00:00 PM	0.27
10/14/2024	8:15:00 PM	0.27
10/14/2024	8:30:00 PM	0.27
10/14/2024	8:45:00 PM	0.27
10/14/2024	9:00:00 PM	0.27
10/14/2024	9:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
10/14/2024	9:30:00 PM	0.27
10/14/2024	9:45:00 PM	0.27
10/14/2024	10:00:00 PM	0.27
10/14/2024	10:15:00 PM	0.27
10/14/2024	10:30:00 PM	0.27
10/14/2024	10:45:00 PM	0.27
10/14/2024	11:00:00 PM	0.27
10/14/2024	11:15:00 PM	0.27
10/14/2024	11:30:00 PM	0.27
10/14/2024	11:45:00 PM	0.28
10/15/2024	12:00:00 AM	0.27
10/15/2024	12:15:00 AM	0.27
10/15/2024	12:30:00 AM	0.27
10/15/2024	12:45:00 AM	0.27
10/15/2024	1:00:00 AM	0.27
10/15/2024	1:15:00 AM	0.27
10/15/2024	1:30:00 AM	0.27
10/15/2024	1:45:00 AM	0.27
10/15/2024	2:00:00 AM	0.27
10/15/2024	2:15:00 AM	0.27
10/15/2024	2:30:00 AM	0.27
10/15/2024	2:45:00 AM	0.27
10/15/2024	3:00:00 AM	0.27
10/15/2024	3:15:00 AM	0.27
10/15/2024	3:30:00 AM	0.27
10/15/2024	3:45:00 AM	0.27
10/15/2024	4:00:00 AM	0.27
10/15/2024	4:15:00 AM	0.26
10/15/2024	4:30:00 AM	0.26
10/15/2024	4:45:00 AM	0.26
10/15/2024	5:00:00 AM	0.26
10/15/2024	5:15:00 AM	0.25
10/15/2024	5:30:00 AM	0.25
10/15/2024	5:45:00 AM	0.25
10/15/2024	6:00:00 AM	0.25
10/15/2024	6:15:00 AM	0.25
10/15/2024	6:30:00 AM	0.25
10/15/2024	6:45:00 AM	0.25
10/15/2024	7:00:00 AM	0.25
10/15/2024	7:15:00 AM	0.25
10/15/2024	7:30:00 AM	0.26
10/15/2024	7:45:00 AM	0.26
10/15/2024	8:00:00 AM	0.26
10/15/2024	8:15:00 AM	0.26
10/15/2024	8:30:00 AM	0.26
10/15/2024	8:45:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
10/15/2024	9:00:00 AM	0.26
10/15/2024	9:15:00 AM	0.26
10/15/2024	9:30:00 AM	0.26
10/15/2024	9:45:00 AM	0.26
10/15/2024	10:00:00 AM	0.26
10/15/2024	10:15:00 AM	0.26
10/15/2024	10:30:00 AM	0.26
10/15/2024	10:45:00 AM	0.26
10/15/2024	11:00:00 AM	0.26
10/15/2024	11:15:00 AM	0.26
10/15/2024	11:30:00 AM	0.26
10/15/2024	11:45:00 AM	0.27
10/15/2024	12:00:00 PM	0.27
10/15/2024	12:15:00 PM	0.26
10/15/2024	12:30:00 PM	0.27
10/15/2024	12:45:00 PM	0.27
10/15/2024	1:00:00 PM	0.27
10/15/2024	1:15:00 PM	0.27
10/15/2024	1:30:00 PM	0.27
10/15/2024	1:45:00 PM	0.27
10/15/2024	2:00:00 PM	0.27
10/15/2024	2:15:00 PM	0.27
10/15/2024	2:30:00 PM	0.27
10/15/2024	2:45:00 PM	0.27
10/15/2024	3:00:00 PM	0.27
10/15/2024	3:15:00 PM	0.27
10/15/2024	3:30:00 PM	0.27
10/15/2024	3:45:00 PM	0.27
10/15/2024	4:00:00 PM	0.27
10/15/2024	4:15:00 PM	0.27
10/15/2024	4:30:00 PM	0.27
10/15/2024	4:45:00 PM	0.27
10/15/2024	5:00:00 PM	0.27
10/15/2024	5:15:00 PM	0.27
10/15/2024	5:30:00 PM	0.27
10/15/2024	5:45:00 PM	0.27
10/15/2024	6:00:00 PM	0.27
10/15/2024	6:15:00 PM	0.27
10/15/2024	6:30:00 PM	0.27
10/15/2024	6:45:00 PM	0.27
10/15/2024	7:00:00 PM	0.27
10/15/2024	7:15:00 PM	0.27
10/15/2024	7:30:00 PM	0.27
10/15/2024	7:45:00 PM	0.27
10/15/2024	8:00:00 PM	0.27
10/15/2024	8:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
10/15/2024	8:30:00 PM	0.27
10/15/2024	8:45:00 PM	0.27
10/15/2024	9:00:00 PM	0.27
10/15/2024	9:15:00 PM	0.27
10/15/2024	9:30:00 PM	0.27
10/15/2024	9:45:00 PM	0.27
10/15/2024	10:00:00 PM	0.27
10/15/2024	10:15:00 PM	0.27
10/15/2024	10:30:00 PM	0.27
10/15/2024	10:45:00 PM	0.27
10/15/2024	11:00:00 PM	0.27
10/15/2024	11:15:00 PM	0.27
10/15/2024	11:30:00 PM	0.27
10/15/2024	11:45:00 PM	0.27
10/16/2024	12:00:00 AM	0.27
10/16/2024	12:15:00 AM	0.27
10/16/2024	12:30:00 AM	0.27
10/16/2024	12:45:00 AM	0.27
10/16/2024	1:00:00 AM	0.27
10/16/2024	1:15:00 AM	0.27
10/16/2024	1:30:00 AM	0.27
10/16/2024	1:45:00 AM	0.27
10/16/2024	2:00:00 AM	0.27
10/16/2024	2:15:00 AM	0.27
10/16/2024	2:30:00 AM	0.27
10/16/2024	2:45:00 AM	0.27
10/16/2024	3:00:00 AM	0.27
10/16/2024	3:15:00 AM	0.27
10/16/2024	3:30:00 AM	0.27
10/16/2024	3:45:00 AM	0.27
10/16/2024	4:00:00 AM	0.27
10/16/2024	4:15:00 AM	0.27
10/16/2024	4:30:00 AM	0.27
10/16/2024	4:45:00 AM	0.27
10/16/2024	5:00:00 AM	0.27
10/16/2024	5:15:00 AM	0.27
10/16/2024	5:30:00 AM	0.27
10/16/2024	5:45:00 AM	0.27
10/16/2024	6:00:00 AM	0.26
10/16/2024	6:15:00 AM	0.26
10/16/2024	6:30:00 AM	0.26
10/16/2024	6:45:00 AM	0.26
10/16/2024	7:00:00 AM	0.26
10/16/2024	7:15:00 AM	0.26
10/16/2024	7:30:00 AM	0.26
10/16/2024	7:45:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
10/16/2024	8:00:00 AM	0.26
10/16/2024	8:15:00 AM	0.26
10/16/2024	8:30:00 AM	0.25
10/16/2024	8:45:00 AM	0.25
10/16/2024	9:00:00 AM	0.25
10/16/2024	9:15:00 AM	0.25
10/16/2024	9:30:00 AM	0.25
10/16/2024	9:45:00 AM	0.25
10/16/2024	10:00:00 AM	0.25
10/16/2024	10:15:00 AM	0.25
10/16/2024	10:30:00 AM	0.25
10/16/2024	10:45:00 AM	0.25
10/16/2024	11:00:00 AM	0.25
10/16/2024	11:15:00 AM	0.25
10/16/2024	11:30:00 AM	0.25
10/16/2024	11:45:00 AM	0.25
10/16/2024	12:00:00 PM	0.25
10/16/2024	12:15:00 PM	0.25
10/16/2024	12:30:00 PM	0.24
10/16/2024	12:45:00 PM	0.24
10/16/2024	1:00:00 PM	0.24
10/16/2024	1:15:00 PM	0.24
10/16/2024	1:30:00 PM	0.24
10/16/2024	1:45:00 PM	0.24
10/16/2024	2:00:00 PM	0.24
10/16/2024	2:15:00 PM	0.24
10/16/2024	2:30:00 PM	0.24
10/16/2024	2:45:00 PM	0.24
10/16/2024	3:00:00 PM	0.24
10/16/2024	3:15:00 PM	0.24
10/16/2024	3:30:00 PM	0.24
10/16/2024	3:45:00 PM	0.24
10/16/2024	4:00:00 PM	0.24
10/16/2024	4:15:00 PM	0.24
10/16/2024	4:30:00 PM	0.24
10/16/2024	4:45:00 PM	0.24
10/16/2024	5:00:00 PM	0.24
10/16/2024	5:15:00 PM	0.24
10/16/2024	5:30:00 PM	0.24
10/16/2024	5:45:00 PM	0.24
10/16/2024	6:00:00 PM	0.24
10/16/2024	6:15:00 PM	0.24
10/16/2024	6:30:00 PM	0.24
10/16/2024	6:45:00 PM	0.24
10/16/2024	7:00:00 PM	0.24
10/16/2024	7:15:00 PM	0.24

Billy Lake Return Gage

DATE	TIME	GAGE
10/16/2024	7:30:00 PM	0.24
10/16/2024	7:45:00 PM	0.24
10/16/2024	8:00:00 PM	0.24
10/16/2024	8:15:00 PM	0.24
10/16/2024	8:30:00 PM	0.24
10/16/2024	8:45:00 PM	0.23
10/16/2024	9:00:00 PM	0.24
10/16/2024	9:15:00 PM	0.23
10/16/2024	9:30:00 PM	0.23
10/16/2024	9:45:00 PM	0.23
10/16/2024	10:00:00 PM	0.23
10/16/2024	10:15:00 PM	0.23
10/16/2024	10:30:00 PM	0.23
10/16/2024	10:45:00 PM	0.23
10/16/2024	11:00:00 PM	0.23
10/16/2024	11:15:00 PM	0.23
10/16/2024	11:30:00 PM	0.23
10/16/2024	11:45:00 PM	0.23
10/17/2024	12:00:00 AM	0.23
10/17/2024	12:15:00 AM	0.23
10/17/2024	12:30:00 AM	0.23
10/17/2024	12:45:00 AM	0.23
10/17/2024	1:00:00 AM	0.23
10/17/2024	1:15:00 AM	0.23
10/17/2024	1:30:00 AM	0.23
10/17/2024	1:45:00 AM	0.23
10/17/2024	2:00:00 AM	0.23
10/17/2024	2:15:00 AM	0.23
10/17/2024	2:30:00 AM	0.23
10/17/2024	2:45:00 AM	0.23
10/17/2024	3:00:00 AM	0.23
10/17/2024	3:15:00 AM	0.23
10/17/2024	3:30:00 AM	0.23
10/17/2024	3:45:00 AM	0.23
10/17/2024	4:00:00 AM	0.23
10/17/2024	4:15:00 AM	0.23
10/17/2024	4:30:00 AM	0.23
10/17/2024	4:45:00 AM	0.23
10/17/2024	5:00:00 AM	0.23
10/17/2024	5:15:00 AM	0.23
10/17/2024	5:30:00 AM	0.23
10/17/2024	5:45:00 AM	0.23
10/17/2024	6:00:00 AM	0.23
10/17/2024	6:15:00 AM	0.23
10/17/2024	6:30:00 AM	0.23
10/17/2024	6:45:00 AM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
10/17/2024	7:00:00 AM	0.23
10/17/2024	7:15:00 AM	0.23
10/17/2024	7:30:00 AM	0.23
10/17/2024	7:45:00 AM	0.23
10/17/2024	8:00:00 AM	0.23
10/17/2024	8:15:00 AM	0.23
10/17/2024	8:30:00 AM	0.23
10/17/2024	8:45:00 AM	0.23
10/17/2024	9:00:00 AM	0.23
10/17/2024	9:15:00 AM	0.23
10/17/2024	9:30:00 AM	0.23
10/17/2024	9:45:00 AM	0.23
10/17/2024	10:00:00 AM	0.23
10/17/2024	10:15:00 AM	0.23
10/17/2024	10:30:00 AM	0.23
10/17/2024	10:45:00 AM	0.23
10/17/2024	11:00:00 AM	0.23
10/17/2024	11:15:00 AM	0.23
10/17/2024	11:30:00 AM	0.23
10/17/2024	11:45:00 AM	0.23
10/17/2024	12:00:00 PM	0.23
10/17/2024	12:15:00 PM	0.23
10/17/2024	12:30:00 PM	0.23
10/17/2024	12:45:00 PM	0.23
10/17/2024	1:00:00 PM	0.22
10/17/2024	1:15:00 PM	0.23
10/17/2024	1:30:00 PM	0.23
10/17/2024	1:45:00 PM	0.23
10/17/2024	2:00:00 PM	0.23
10/17/2024	2:15:00 PM	0.23
10/17/2024	2:30:00 PM	0.23
10/17/2024	2:45:00 PM	0.23
10/17/2024	3:00:00 PM	0.23
10/17/2024	3:15:00 PM	0.23
10/17/2024	3:30:00 PM	0.23
10/17/2024	3:45:00 PM	0.23
10/17/2024	4:00:00 PM	0.23
10/17/2024	4:15:00 PM	0.23
10/17/2024	4:30:00 PM	0.23
10/17/2024	4:45:00 PM	0.23
10/17/2024	5:00:00 PM	0.23
10/17/2024	5:15:00 PM	0.23
10/17/2024	5:30:00 PM	0.23
10/17/2024	5:45:00 PM	0.23
10/17/2024	6:00:00 PM	0.23
10/17/2024	6:15:00 PM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
10/17/2024	6:30:00 PM	0.23
10/17/2024	6:45:00 PM	0.23
10/17/2024	7:00:00 PM	0.23
10/17/2024	7:15:00 PM	0.23
10/17/2024	7:30:00 PM	0.23
10/17/2024	7:45:00 PM	0.23
10/17/2024	8:00:00 PM	0.23
10/17/2024	8:15:00 PM	0.23
10/17/2024	8:30:00 PM	0.23
10/17/2024	8:45:00 PM	0.23
10/17/2024	9:00:00 PM	0.23
10/17/2024	9:15:00 PM	0.23
10/17/2024	9:30:00 PM	0.23
10/17/2024	9:45:00 PM	0.23
10/17/2024	10:00:00 PM	0.23
10/17/2024	10:15:00 PM	0.23
10/17/2024	10:30:00 PM	0.23
10/17/2024	10:45:00 PM	0.23
10/17/2024	11:00:00 PM	0.23
10/17/2024	11:15:00 PM	0.23
10/17/2024	11:30:00 PM	0.23
10/17/2024	11:45:00 PM	0.23
10/18/2024	12:00:00 AM	0.23
10/18/2024	12:15:00 AM	0.23
10/18/2024	12:30:00 AM	0.23
10/18/2024	12:45:00 AM	0.23
10/18/2024	1:00:00 AM	0.23
10/18/2024	1:15:00 AM	0.23
10/18/2024	1:30:00 AM	0.23
10/18/2024	1:45:00 AM	0.23
10/18/2024	2:00:00 AM	0.23
10/18/2024	2:15:00 AM	0.23
10/18/2024	2:30:00 AM	0.23
10/18/2024	2:45:00 AM	0.23
10/18/2024	3:00:00 AM	0.23
10/18/2024	3:15:00 AM	0.23
10/18/2024	3:30:00 AM	0.23
10/18/2024	3:45:00 AM	0.23
10/18/2024	4:00:00 AM	0.23
10/18/2024	4:15:00 AM	0.23
10/18/2024	4:30:00 AM	0.23
10/18/2024	4:45:00 AM	0.23
10/18/2024	5:00:00 AM	0.23
10/18/2024	5:15:00 AM	0.23
10/18/2024	5:30:00 AM	0.23
10/18/2024	5:45:00 AM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
10/18/2024	6:00:00 AM	0.23
10/18/2024	6:15:00 AM	0.23
10/18/2024	6:30:00 AM	0.23
10/18/2024	6:45:00 AM	0.23
10/18/2024	7:00:00 AM	0.23
10/18/2024	7:15:00 AM	0.23
10/18/2024	7:30:00 AM	0.23
10/18/2024	7:45:00 AM	0.23
10/18/2024	8:00:00 AM	0.23
10/18/2024	8:15:00 AM	0.23
10/18/2024	8:30:00 AM	0.23
10/18/2024	8:45:00 AM	0.23
10/18/2024	9:00:00 AM	0.23
10/18/2024	9:15:00 AM	0.23
10/18/2024	9:30:00 AM	0.23
10/18/2024	9:45:00 AM	0.23
10/18/2024	10:00:00 AM	0.23
10/18/2024	10:15:00 AM	0.23
10/18/2024	10:30:00 AM	0.23
10/18/2024	10:45:00 AM	0.23
10/18/2024	11:00:00 AM	0.23
10/18/2024	11:15:00 AM	0.23
10/18/2024	11:30:00 AM	0.23
10/18/2024	11:45:00 AM	0.23
10/18/2024	12:00:00 PM	0.23
10/18/2024	12:15:00 PM	0.23
10/18/2024	12:30:00 PM	0.24
10/18/2024	12:45:00 PM	0.25
10/18/2024	1:00:00 PM	0.25
10/18/2024	1:15:00 PM	0.26
10/18/2024	1:30:00 PM	0.26
10/18/2024	1:45:00 PM	0.27
10/18/2024	2:00:00 PM	0.27
10/18/2024	2:15:00 PM	0.28
10/18/2024	2:30:00 PM	0.28
10/18/2024	2:45:00 PM	0.28
10/18/2024	3:00:00 PM	0.29
10/18/2024	3:15:00 PM	0.29
10/18/2024	3:30:00 PM	0.29
10/18/2024	3:45:00 PM	0.3
10/18/2024	4:00:00 PM	0.3
10/18/2024	4:15:00 PM	0.31
10/18/2024	4:30:00 PM	0.31
10/18/2024	4:45:00 PM	0.31
10/18/2024	5:00:00 PM	0.31
10/18/2024	5:15:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
10/18/2024	5:30:00 PM	0.32
10/18/2024	5:45:00 PM	0.32
10/18/2024	6:00:00 PM	0.32
10/18/2024	6:15:00 PM	0.32
10/18/2024	6:30:00 PM	0.32
10/18/2024	6:45:00 PM	0.32
10/18/2024	7:00:00 PM	0.33
10/18/2024	7:15:00 PM	0.33
10/18/2024	7:30:00 PM	0.33
10/18/2024	7:45:00 PM	0.33
10/18/2024	8:00:00 PM	0.33
10/18/2024	8:15:00 PM	0.33
10/18/2024	8:30:00 PM	0.33
10/18/2024	8:45:00 PM	0.33
10/18/2024	9:00:00 PM	0.34
10/18/2024	9:15:00 PM	0.34
10/18/2024	9:30:00 PM	0.34
10/18/2024	9:45:00 PM	0.34
10/18/2024	10:00:00 PM	0.34
10/18/2024	10:15:00 PM	0.33
10/18/2024	10:30:00 PM	0.33
10/18/2024	10:45:00 PM	0.33
10/18/2024	11:00:00 PM	0.33
10/18/2024	11:15:00 PM	0.33
10/18/2024	11:30:00 PM	0.33
10/18/2024	11:45:00 PM	0.32
10/19/2024	12:00:00 AM	0.32
10/19/2024	12:15:00 AM	0.32
10/19/2024	12:30:00 AM	0.32
10/19/2024	12:45:00 AM	0.32
10/19/2024	1:00:00 AM	0.32
10/19/2024	1:15:00 AM	0.32
10/19/2024	1:30:00 AM	0.32
10/19/2024	1:45:00 AM	0.32
10/19/2024	2:00:00 AM	0.32
10/19/2024	2:15:00 AM	0.32
10/19/2024	2:30:00 AM	0.31
10/19/2024	2:45:00 AM	0.31
10/19/2024	3:00:00 AM	0.31
10/19/2024	3:15:00 AM	0.31
10/19/2024	3:30:00 AM	0.31
10/19/2024	3:45:00 AM	0.31
10/19/2024	4:00:00 AM	0.31
10/19/2024	4:15:00 AM	0.31
10/19/2024	4:30:00 AM	0.31
10/19/2024	4:45:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
10/19/2024	5:00:00 AM	0.31
10/19/2024	5:15:00 AM	0.31
10/19/2024	5:30:00 AM	0.31
10/19/2024	5:45:00 AM	0.31
10/19/2024	6:00:00 AM	0.31
10/19/2024	6:15:00 AM	0.31
10/19/2024	6:30:00 AM	0.31
10/19/2024	6:45:00 AM	0.31
10/19/2024	7:00:00 AM	0.31
10/19/2024	7:15:00 AM	0.3
10/19/2024	7:30:00 AM	0.3
10/19/2024	7:45:00 AM	0.3
10/19/2024	8:00:00 AM	0.3
10/19/2024	8:15:00 AM	0.3
10/19/2024	8:30:00 AM	0.3
10/19/2024	8:45:00 AM	0.3
10/19/2024	9:00:00 AM	0.3
10/19/2024	9:15:00 AM	0.29
10/19/2024	9:30:00 AM	0.29
10/19/2024	9:45:00 AM	0.29
10/19/2024	10:00:00 AM	0.29
10/19/2024	10:15:00 AM	0.29
10/19/2024	10:30:00 AM	0.29
10/19/2024	10:45:00 AM	0.29
10/19/2024	11:00:00 AM	0.29
10/19/2024	11:15:00 AM	0.29
10/19/2024	11:30:00 AM	0.29
10/19/2024	11:45:00 AM	0.29
10/19/2024	12:00:00 PM	0.29
10/19/2024	12:15:00 PM	0.29
10/19/2024	12:30:00 PM	0.29
10/19/2024	12:45:00 PM	0.29
10/19/2024	1:00:00 PM	0.29
10/19/2024	1:15:00 PM	0.29
10/19/2024	1:30:00 PM	0.29
10/19/2024	1:45:00 PM	0.29
10/19/2024	2:00:00 PM	0.29
10/19/2024	2:15:00 PM	0.29
10/19/2024	2:30:00 PM	0.29
10/19/2024	2:45:00 PM	0.29
10/19/2024	3:00:00 PM	0.29
10/19/2024	3:15:00 PM	0.29
10/19/2024	3:30:00 PM	0.29
10/19/2024	3:45:00 PM	0.29
10/19/2024	4:00:00 PM	0.29
10/19/2024	4:15:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
10/19/2024	4:30:00 PM	0.29
10/19/2024	4:45:00 PM	0.29
10/19/2024	5:00:00 PM	0.29
10/19/2024	5:15:00 PM	0.29
10/19/2024	5:30:00 PM	0.29
10/19/2024	5:45:00 PM	0.29
10/19/2024	6:00:00 PM	0.29
10/19/2024	6:15:00 PM	0.29
10/19/2024	6:30:00 PM	0.29
10/19/2024	6:45:00 PM	0.29
10/19/2024	7:00:00 PM	0.29
10/19/2024	7:15:00 PM	0.29
10/19/2024	7:30:00 PM	0.29
10/19/2024	7:45:00 PM	0.29
10/19/2024	8:00:00 PM	0.29
10/19/2024	8:15:00 PM	0.29
10/19/2024	8:30:00 PM	0.29
10/19/2024	8:45:00 PM	0.29
10/19/2024	9:00:00 PM	0.29
10/19/2024	9:15:00 PM	0.29
10/19/2024	9:30:00 PM	0.29
10/19/2024	9:45:00 PM	0.29
10/19/2024	10:00:00 PM	0.29
10/19/2024	10:15:00 PM	0.29
10/19/2024	10:30:00 PM	0.29
10/19/2024	10:45:00 PM	0.29
10/19/2024	11:00:00 PM	0.29
10/19/2024	11:15:00 PM	0.29
10/19/2024	11:30:00 PM	0.29
10/19/2024	11:45:00 PM	0.29
10/20/2024	12:00:00 AM	0.29
10/20/2024	12:15:00 AM	0.29
10/20/2024	12:30:00 AM	0.29
10/20/2024	12:45:00 AM	0.29
10/20/2024	1:00:00 AM	0.29
10/20/2024	1:15:00 AM	0.29
10/20/2024	1:30:00 AM	0.29
10/20/2024	1:45:00 AM	0.29
10/20/2024	2:00:00 AM	0.29
10/20/2024	2:15:00 AM	0.29
10/20/2024	2:30:00 AM	0.29
10/20/2024	2:45:00 AM	0.29
10/20/2024	3:00:00 AM	0.29
10/20/2024	3:15:00 AM	0.29
10/20/2024	3:30:00 AM	0.29
10/20/2024	3:45:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
10/20/2024	4:00:00 AM	0.29
10/20/2024	4:15:00 AM	0.29
10/20/2024	4:30:00 AM	0.29
10/20/2024	4:45:00 AM	0.29
10/20/2024	5:00:00 AM	0.29
10/20/2024	5:15:00 AM	0.29
10/20/2024	5:30:00 AM	0.29
10/20/2024	5:45:00 AM	0.29
10/20/2024	6:00:00 AM	0.29
10/20/2024	6:15:00 AM	0.29
10/20/2024	6:30:00 AM	0.29
10/20/2024	6:45:00 AM	0.29
10/20/2024	7:00:00 AM	0.29
10/20/2024	7:15:00 AM	0.29
10/20/2024	7:30:00 AM	0.29
10/20/2024	7:45:00 AM	0.29
10/20/2024	8:00:00 AM	0.29
10/20/2024	8:15:00 AM	0.29
10/20/2024	8:30:00 AM	0.29
10/20/2024	8:45:00 AM	0.29
10/20/2024	9:00:00 AM	0.29
10/20/2024	9:15:00 AM	0.29
10/20/2024	9:30:00 AM	0.29
10/20/2024	9:45:00 AM	0.29
10/20/2024	10:00:00 AM	0.29
10/20/2024	10:15:00 AM	0.29
10/20/2024	10:30:00 AM	0.29
10/20/2024	10:45:00 AM	0.29
10/20/2024	11:00:00 AM	0.29
10/20/2024	11:15:00 AM	0.29
10/20/2024	11:30:00 AM	0.29
10/20/2024	11:45:00 AM	0.29
10/20/2024	12:00:00 PM	0.29
10/20/2024	12:15:00 PM	0.29
10/20/2024	12:30:00 PM	0.29
10/20/2024	12:45:00 PM	0.29
10/20/2024	1:00:00 PM	0.29
10/20/2024	1:15:00 PM	0.29
10/20/2024	1:30:00 PM	0.29
10/20/2024	1:45:00 PM	0.29
10/20/2024	2:00:00 PM	0.29
10/20/2024	2:15:00 PM	0.29
10/20/2024	2:30:00 PM	0.29
10/20/2024	2:45:00 PM	0.29
10/20/2024	3:00:00 PM	0.29
10/20/2024	3:15:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
10/20/2024	3:30:00 PM	0.29
10/20/2024	3:45:00 PM	0.29
10/20/2024	4:00:00 PM	0.29
10/20/2024	4:15:00 PM	0.29
10/20/2024	4:30:00 PM	0.29
10/20/2024	4:45:00 PM	0.29
10/20/2024	5:00:00 PM	0.29
10/20/2024	5:15:00 PM	0.29
10/20/2024	5:30:00 PM	0.29
10/20/2024	5:45:00 PM	0.29
10/20/2024	6:00:00 PM	0.29
10/20/2024	6:15:00 PM	0.29
10/20/2024	6:30:00 PM	0.29
10/20/2024	6:45:00 PM	0.29
10/20/2024	7:00:00 PM	0.29
10/20/2024	7:15:00 PM	0.28
10/20/2024	7:30:00 PM	0.28
10/20/2024	7:45:00 PM	0.28
10/20/2024	8:00:00 PM	0.28
10/20/2024	8:15:00 PM	0.29
10/20/2024	8:30:00 PM	0.28
10/20/2024	8:45:00 PM	0.28
10/20/2024	9:00:00 PM	0.28
10/20/2024	9:15:00 PM	0.28
10/20/2024	9:30:00 PM	0.28
10/20/2024	9:45:00 PM	0.28
10/20/2024	10:00:00 PM	0.28
10/20/2024	10:15:00 PM	0.28
10/20/2024	10:30:00 PM	0.28
10/20/2024	10:45:00 PM	0.28
10/20/2024	11:00:00 PM	0.28
10/20/2024	11:15:00 PM	0.28
10/20/2024	11:30:00 PM	0.28
10/20/2024	11:45:00 PM	0.28
10/21/2024	12:00:00 AM	0.28
10/21/2024	12:15:00 AM	0.28
10/21/2024	12:30:00 AM	0.28
10/21/2024	12:45:00 AM	0.28
10/21/2024	1:00:00 AM	0.28
10/21/2024	1:15:00 AM	0.28
10/21/2024	1:30:00 AM	0.28
10/21/2024	1:45:00 AM	0.28
10/21/2024	2:00:00 AM	0.27
10/21/2024	2:15:00 AM	0.27
10/21/2024	2:30:00 AM	0.27
10/21/2024	2:45:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
10/21/2024	3:00:00 AM	0.26
10/21/2024	3:15:00 AM	0.26
10/21/2024	3:30:00 AM	0.26
10/21/2024	3:45:00 AM	0.27
10/21/2024	4:00:00 AM	0.27
10/21/2024	4:15:00 AM	0.27
10/21/2024	4:30:00 AM	0.27
10/21/2024	4:45:00 AM	0.27
10/21/2024	5:00:00 AM	0.27
10/21/2024	5:15:00 AM	0.27
10/21/2024	5:30:00 AM	0.27
10/21/2024	5:45:00 AM	0.27
10/21/2024	6:00:00 AM	0.27
10/21/2024	6:15:00 AM	0.28
10/21/2024	6:30:00 AM	0.28
10/21/2024	6:45:00 AM	0.28
10/21/2024	7:00:00 AM	0.28
10/21/2024	7:15:00 AM	0.28
10/21/2024	7:30:00 AM	0.28
10/21/2024	7:45:00 AM	0.28
10/21/2024	8:00:00 AM	0.28
10/21/2024	8:15:00 AM	0.28
10/21/2024	8:30:00 AM	0.28
10/21/2024	8:45:00 AM	0.28
10/21/2024	9:00:00 AM	0.28
10/21/2024	9:15:00 AM	0.28
10/21/2024	9:30:00 AM	0.28
10/21/2024	9:45:00 AM	0.28
10/21/2024	10:00:00 AM	0.28
10/21/2024	10:15:00 AM	0.28
10/21/2024	10:30:00 AM	0.28
10/21/2024	10:45:00 AM	0.28
10/21/2024	11:00:00 AM	0.28
10/21/2024	11:15:00 AM	0.28
10/21/2024	11:30:00 AM	0.28
10/21/2024	11:45:00 AM	0.28
10/21/2024	12:00:00 PM	0.29
10/21/2024	12:15:00 PM	0.29
10/21/2024	12:30:00 PM	0.29
10/21/2024	12:45:00 PM	0.29
10/21/2024	1:00:00 PM	0.29
10/21/2024	1:15:00 PM	0.29
10/21/2024	1:30:00 PM	0.29
10/21/2024	1:45:00 PM	0.29
10/21/2024	2:00:00 PM	0.29
10/21/2024	2:15:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
10/21/2024	2:30:00 PM	0.29
10/21/2024	2:45:00 PM	0.29
10/21/2024	3:00:00 PM	0.29
10/21/2024	3:15:00 PM	0.29
10/21/2024	3:30:00 PM	0.29
10/21/2024	3:45:00 PM	0.29
10/21/2024	4:00:00 PM	0.29
10/21/2024	4:15:00 PM	0.29
10/21/2024	4:30:00 PM	0.29
10/21/2024	4:45:00 PM	0.29
10/21/2024	5:00:00 PM	0.29
10/21/2024	5:15:00 PM	0.29
10/21/2024	5:30:00 PM	0.29
10/21/2024	5:45:00 PM	0.29
10/21/2024	6:00:00 PM	0.29
10/21/2024	6:15:00 PM	0.29
10/21/2024	6:30:00 PM	0.29
10/21/2024	6:45:00 PM	0.29
10/21/2024	7:00:00 PM	0.29
10/21/2024	7:15:00 PM	0.29
10/21/2024	7:30:00 PM	0.29
10/21/2024	7:45:00 PM	0.29
10/21/2024	8:00:00 PM	0.29
10/21/2024	8:15:00 PM	0.29
10/21/2024	8:30:00 PM	0.29
10/21/2024	8:45:00 PM	0.29
10/21/2024	9:00:00 PM	0.28
10/21/2024	9:15:00 PM	0.28
10/21/2024	9:30:00 PM	0.28
10/21/2024	9:45:00 PM	0.27
10/21/2024	10:00:00 PM	0.27
10/21/2024	10:15:00 PM	0.26
10/21/2024	10:30:00 PM	0.26
10/21/2024	10:45:00 PM	0.25
10/21/2024	11:00:00 PM	0.25
10/21/2024	11:15:00 PM	0.25
10/21/2024	11:30:00 PM	0.24
10/21/2024	11:45:00 PM	0.24
10/22/2024	12:00:00 AM	0.23
10/22/2024	12:15:00 AM	0.23
10/22/2024	12:30:00 AM	0.23
10/22/2024	12:45:00 AM	0.22
10/22/2024	1:00:00 AM	0.22
10/22/2024	1:15:00 AM	0.22
10/22/2024	1:30:00 AM	0.21
10/22/2024	1:45:00 AM	0.21

Billy Lake Return Gage

DATE	TIME	GAGE
10/22/2024	2:00:00 AM	0.21
10/22/2024	2:15:00 AM	0.21
10/22/2024	2:30:00 AM	0.2
10/22/2024	2:45:00 AM	0.2
10/22/2024	3:00:00 AM	0.2
10/22/2024	3:15:00 AM	0.2
10/22/2024	3:30:00 AM	0.19
10/22/2024	3:45:00 AM	0.19
10/22/2024	4:00:00 AM	0.19
10/22/2024	4:15:00 AM	0.19
10/22/2024	4:30:00 AM	0.18
10/22/2024	4:45:00 AM	0.18
10/22/2024	5:00:00 AM	0.18
10/22/2024	5:15:00 AM	0.18
10/22/2024	5:30:00 AM	0.17
10/22/2024	5:45:00 AM	0.17
10/22/2024	6:00:00 AM	0.17
10/22/2024	6:15:00 AM	0.17
10/22/2024	6:30:00 AM	0.17
10/22/2024	6:45:00 AM	0.17
10/22/2024	7:00:00 AM	0.17
10/22/2024	7:15:00 AM	0.17
10/22/2024	7:30:00 AM	0.17
10/22/2024	7:45:00 AM	0.17
10/22/2024	8:00:00 AM	0.17
10/22/2024	8:15:00 AM	0.17
10/22/2024	8:30:00 AM	0.17
10/22/2024	8:45:00 AM	0.17
10/22/2024	9:00:00 AM	0.17
10/22/2024	9:15:00 AM	0.17
10/22/2024	9:30:00 AM	0.17
10/22/2024	9:45:00 AM	0.17
10/22/2024	10:00:00 AM	0.17
10/22/2024	10:15:00 AM	0.17
10/22/2024	10:30:00 AM	0.17
10/22/2024	10:45:00 AM	0.17
10/22/2024	11:00:00 AM	0.17
10/22/2024	11:15:00 AM	0.17
10/22/2024	11:30:00 AM	0.17
10/22/2024	11:45:00 AM	0.17
10/22/2024	12:00:00 PM	0.17
10/22/2024	12:15:00 PM	0.17
10/22/2024	12:30:00 PM	0.17
10/22/2024	12:45:00 PM	0.17
10/22/2024	1:00:00 PM	0.17
10/22/2024	1:15:00 PM	0.18

Billy Lake Return Gage

DATE	TIME	GAGE
10/22/2024	1:30:00 PM	0.18
10/22/2024	1:45:00 PM	0.19
10/22/2024	2:00:00 PM	0.19
10/22/2024	2:15:00 PM	0.2
10/22/2024	2:30:00 PM	0.2
10/22/2024	2:45:00 PM	0.21
10/22/2024	3:00:00 PM	0.21
10/22/2024	3:15:00 PM	0.22
10/22/2024	3:30:00 PM	0.22
10/22/2024	3:45:00 PM	0.23
10/22/2024	4:00:00 PM	0.23
10/22/2024	4:15:00 PM	0.23
10/22/2024	4:30:00 PM	0.24
10/22/2024	4:45:00 PM	0.24
10/22/2024	5:00:00 PM	0.25
10/22/2024	5:15:00 PM	0.25
10/22/2024	5:30:00 PM	0.25
10/22/2024	5:45:00 PM	0.26
10/22/2024	6:00:00 PM	0.26
10/22/2024	6:15:00 PM	0.26
10/22/2024	6:30:00 PM	0.26
10/22/2024	6:45:00 PM	0.27
10/22/2024	7:00:00 PM	0.27
10/22/2024	7:15:00 PM	0.27
10/22/2024	7:30:00 PM	0.27
10/22/2024	7:45:00 PM	0.27
10/22/2024	8:00:00 PM	0.28
10/22/2024	8:15:00 PM	0.28
10/22/2024	8:30:00 PM	0.28
10/22/2024	8:45:00 PM	0.28
10/22/2024	9:00:00 PM	0.28
10/22/2024	9:15:00 PM	0.28
10/22/2024	9:30:00 PM	0.28
10/22/2024	9:45:00 PM	0.29
10/22/2024	10:00:00 PM	0.29
10/22/2024	10:15:00 PM	0.29
10/22/2024	10:30:00 PM	0.29
10/22/2024	10:45:00 PM	0.29
10/22/2024	11:00:00 PM	0.29
10/22/2024	11:15:00 PM	0.29
10/22/2024	11:30:00 PM	0.29
10/22/2024	11:45:00 PM	0.29
10/23/2024	12:00:00 AM	0.29
10/23/2024	12:15:00 AM	0.28
10/23/2024	12:30:00 AM	0.28
10/23/2024	12:45:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
10/23/2024	1:00:00 AM	0.28
10/23/2024	1:15:00 AM	0.28
10/23/2024	1:30:00 AM	0.28
10/23/2024	1:45:00 AM	0.28
10/23/2024	2:00:00 AM	0.28
10/23/2024	2:15:00 AM	0.28
10/23/2024	2:30:00 AM	0.28
10/23/2024	2:45:00 AM	0.27
10/23/2024	3:00:00 AM	0.27
10/23/2024	3:15:00 AM	0.27
10/23/2024	3:30:00 AM	0.26
10/23/2024	3:45:00 AM	0.25
10/23/2024	4:00:00 AM	0.25
10/23/2024	4:15:00 AM	0.24
10/23/2024	4:30:00 AM	0.24
10/23/2024	4:45:00 AM	0.23
10/23/2024	5:00:00 AM	0.22
10/23/2024	5:15:00 AM	0.22
10/23/2024	5:30:00 AM	0.21
10/23/2024	5:45:00 AM	0.21
10/23/2024	6:00:00 AM	0.2
10/23/2024	6:15:00 AM	0.2
10/23/2024	6:30:00 AM	0.19
10/23/2024	6:45:00 AM	0.19
10/23/2024	7:00:00 AM	0.18
10/23/2024	7:15:00 AM	0.18
10/23/2024	7:30:00 AM	0.18
10/23/2024	7:45:00 AM	0.17
10/23/2024	8:00:00 AM	0.17
10/23/2024	8:15:00 AM	0.17
10/23/2024	8:30:00 AM	0.16
10/23/2024	8:45:00 AM	0.16
10/23/2024	9:00:00 AM	0.16
10/23/2024	9:15:00 AM	0.15
10/23/2024	9:30:00 AM	0.15
10/23/2024	9:45:00 AM	0.15
10/23/2024	10:00:00 AM	0.14
10/23/2024	10:15:00 AM	0.14
10/23/2024	10:30:00 AM	0.14
10/23/2024	10:45:00 AM	0.14
10/23/2024	11:00:00 AM	0.14
10/23/2024	11:15:00 AM	0.15
10/23/2024	11:30:00 AM	0.16
10/23/2024	11:45:00 AM	0.16
10/23/2024	12:00:00 PM	0.17
10/23/2024	12:15:00 PM	0.18

Billy Lake Return Gage

DATE	TIME	GAGE
10/23/2024	12:30:00 PM	0.18
10/23/2024	12:45:00 PM	0.19
10/23/2024	1:00:00 PM	0.2
10/23/2024	1:15:00 PM	0.2
10/23/2024	1:30:00 PM	0.21
10/23/2024	1:45:00 PM	0.21
10/23/2024	2:00:00 PM	0.22
10/23/2024	2:15:00 PM	0.22
10/23/2024	2:30:00 PM	0.23
10/23/2024	2:45:00 PM	0.23
10/23/2024	3:00:00 PM	0.24
10/23/2024	3:15:00 PM	0.24
10/23/2024	3:30:00 PM	0.25
10/23/2024	3:45:00 PM	0.25
10/23/2024	4:00:00 PM	0.25
10/23/2024	4:15:00 PM	0.26
10/23/2024	4:30:00 PM	0.26
10/23/2024	4:45:00 PM	0.26
10/23/2024	5:00:00 PM	0.27
10/23/2024	5:15:00 PM	0.27
10/23/2024	5:30:00 PM	0.27
10/23/2024	5:45:00 PM	0.27
10/23/2024	6:00:00 PM	0.28
10/23/2024	6:15:00 PM	0.28
10/23/2024	6:30:00 PM	0.28
10/23/2024	6:45:00 PM	0.28
10/23/2024	7:00:00 PM	0.28
10/23/2024	7:15:00 PM	0.29
10/23/2024	7:30:00 PM	0.29
10/23/2024	7:45:00 PM	0.29
10/23/2024	8:00:00 PM	0.29
10/23/2024	8:15:00 PM	0.29
10/23/2024	8:30:00 PM	0.29
10/23/2024	8:45:00 PM	0.29
10/23/2024	9:00:00 PM	0.29
10/23/2024	9:15:00 PM	0.3
10/23/2024	9:30:00 PM	0.3
10/23/2024	9:45:00 PM	0.3
10/23/2024	10:00:00 PM	0.3
10/23/2024	10:15:00 PM	0.3
10/23/2024	10:30:00 PM	0.3
10/23/2024	10:45:00 PM	0.3
10/23/2024	11:00:00 PM	0.3
10/23/2024	11:15:00 PM	0.3
10/23/2024	11:30:00 PM	0.3
10/23/2024	11:45:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
10/24/2024	12:00:00 AM	0.3
10/24/2024	12:15:00 AM	0.31
10/24/2024	12:30:00 AM	0.31
10/24/2024	12:45:00 AM	0.31
10/24/2024	1:00:00 AM	0.31
10/24/2024	1:15:00 AM	0.31
10/24/2024	1:30:00 AM	0.31
10/24/2024	1:45:00 AM	0.31
10/24/2024	2:00:00 AM	0.31
10/24/2024	2:15:00 AM	0.31
10/24/2024	2:30:00 AM	0.31
10/24/2024	2:45:00 AM	0.31
10/24/2024	3:00:00 AM	0.31
10/24/2024	3:15:00 AM	0.31
10/24/2024	3:30:00 AM	0.31
10/24/2024	3:45:00 AM	0.31
10/24/2024	4:00:00 AM	0.31
10/24/2024	4:15:00 AM	0.31
10/24/2024	4:30:00 AM	0.3
10/24/2024	4:45:00 AM	0.3
10/24/2024	5:00:00 AM	0.3
10/24/2024	5:15:00 AM	0.3
10/24/2024	5:30:00 AM	0.3
10/24/2024	5:45:00 AM	0.3
10/24/2024	6:00:00 AM	0.3
10/24/2024	6:15:00 AM	0.3
10/24/2024	6:30:00 AM	0.3
10/24/2024	6:45:00 AM	0.3
10/24/2024	7:00:00 AM	0.3
10/24/2024	7:15:00 AM	0.3
10/24/2024	7:30:00 AM	0.3
10/24/2024	7:45:00 AM	0.3
10/24/2024	8:00:00 AM	0.3
10/24/2024	8:15:00 AM	0.31
10/24/2024	8:30:00 AM	0.3
10/24/2024	8:45:00 AM	0.3
10/24/2024	9:00:00 AM	0.31
10/24/2024	9:15:00 AM	0.31
10/24/2024	9:30:00 AM	0.31
10/24/2024	9:45:00 AM	0.31
10/24/2024	10:00:00 AM	0.31
10/24/2024	10:15:00 AM	0.31
10/24/2024	10:30:00 AM	0.31
10/24/2024	10:45:00 AM	0.31
10/24/2024	11:00:00 AM	0.31
10/24/2024	11:15:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
10/24/2024	11:30:00 AM	0.31
10/24/2024	11:45:00 AM	0.31
10/24/2024	12:00:00 PM	0.31
10/24/2024	12:15:00 PM	0.31
10/24/2024	12:30:00 PM	0.31
10/24/2024	12:45:00 PM	0.31
10/24/2024	1:00:00 PM	0.31
10/24/2024	1:15:00 PM	0.31
10/24/2024	1:30:00 PM	0.31
10/24/2024	1:45:00 PM	0.31
10/24/2024	2:00:00 PM	0.31
10/24/2024	2:15:00 PM	0.31
10/24/2024	2:30:00 PM	0.31
10/24/2024	2:45:00 PM	0.31
10/24/2024	3:00:00 PM	0.31
10/24/2024	3:15:00 PM	0.31
10/24/2024	3:30:00 PM	0.31
10/24/2024	3:45:00 PM	0.31
10/24/2024	4:00:00 PM	0.31
10/24/2024	4:15:00 PM	0.31
10/24/2024	4:30:00 PM	0.31
10/24/2024	4:45:00 PM	0.31
10/24/2024	5:00:00 PM	0.31
10/24/2024	5:15:00 PM	0.31
10/24/2024	5:30:00 PM	0.31
10/24/2024	5:45:00 PM	0.31
10/24/2024	6:00:00 PM	0.31
10/24/2024	6:15:00 PM	0.31
10/24/2024	6:30:00 PM	0.31
10/24/2024	6:45:00 PM	0.31
10/24/2024	7:00:00 PM	0.31
10/24/2024	7:15:00 PM	0.31
10/24/2024	7:30:00 PM	0.31
10/24/2024	7:45:00 PM	0.31
10/24/2024	8:00:00 PM	0.31
10/24/2024	8:15:00 PM	0.31
10/24/2024	8:30:00 PM	0.31
10/24/2024	8:45:00 PM	0.31
10/24/2024	9:00:00 PM	0.31
10/24/2024	9:15:00 PM	0.31
10/24/2024	9:30:00 PM	0.31
10/24/2024	9:45:00 PM	0.31
10/24/2024	10:00:00 PM	0.31
10/24/2024	10:15:00 PM	0.31
10/24/2024	10:30:00 PM	0.31
10/24/2024	10:45:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
10/24/2024	11:00:00 PM	0.31
10/24/2024	11:15:00 PM	0.31
10/24/2024	11:30:00 PM	0.31
10/24/2024	11:45:00 PM	0.31
10/25/2024	12:00:00 AM	0.31
10/25/2024	12:15:00 AM	0.31
10/25/2024	12:30:00 AM	0.31
10/25/2024	12:45:00 AM	0.31
10/25/2024	1:00:00 AM	0.31
10/25/2024	1:15:00 AM	0.31
10/25/2024	1:30:00 AM	0.31
10/25/2024	1:45:00 AM	0.31
10/25/2024	2:00:00 AM	0.31
10/25/2024	2:15:00 AM	0.31
10/25/2024	2:30:00 AM	0.31
10/25/2024	2:45:00 AM	0.31
10/25/2024	3:00:00 AM	0.31
10/25/2024	3:15:00 AM	0.31
10/25/2024	3:30:00 AM	0.31
10/25/2024	3:45:00 AM	0.31
10/25/2024	4:00:00 AM	0.31
10/25/2024	4:15:00 AM	0.31
10/25/2024	4:30:00 AM	0.31
10/25/2024	4:45:00 AM	0.31
10/25/2024	5:00:00 AM	0.31
10/25/2024	5:15:00 AM	0.31
10/25/2024	5:30:00 AM	0.31
10/25/2024	5:45:00 AM	0.31
10/25/2024	6:00:00 AM	0.31
10/25/2024	6:15:00 AM	0.31
10/25/2024	6:30:00 AM	0.31
10/25/2024	6:45:00 AM	0.31
10/25/2024	7:00:00 AM	0.31
10/25/2024	7:15:00 AM	0.31
10/25/2024	7:30:00 AM	0.31
10/25/2024	7:45:00 AM	0.31
10/25/2024	8:00:00 AM	0.31
10/25/2024	8:15:00 AM	0.31
10/25/2024	8:30:00 AM	0.31
10/25/2024	8:45:00 AM	0.32
10/25/2024	9:00:00 AM	0.32
10/25/2024	9:15:00 AM	0.31
10/25/2024	9:30:00 AM	0.31
10/25/2024	9:45:00 AM	0.31
10/25/2024	10:00:00 AM	0.31
10/25/2024	10:15:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
10/25/2024	10:30:00 AM	0.31
10/25/2024	10:45:00 AM	0.31
10/25/2024	11:00:00 AM	0.31
10/25/2024	11:15:00 AM	0.31
10/25/2024	11:30:00 AM	0.31
10/25/2024	11:45:00 AM	0.31
10/25/2024	12:00:00 PM	0.32
10/25/2024	12:15:00 PM	0.31
10/25/2024	12:30:00 PM	0.32
10/25/2024	12:45:00 PM	0.31
10/25/2024	1:00:00 PM	0.31
10/25/2024	1:15:00 PM	0.31
10/25/2024	1:30:00 PM	0.31
10/25/2024	1:45:00 PM	0.31
10/25/2024	2:00:00 PM	0.32
10/25/2024	2:15:00 PM	0.31
10/25/2024	2:30:00 PM	0.31
10/25/2024	2:45:00 PM	0.31
10/25/2024	3:00:00 PM	0.31
10/25/2024	3:15:00 PM	0.31
10/25/2024	3:30:00 PM	0.31
10/25/2024	3:45:00 PM	0.31
10/25/2024	4:00:00 PM	0.32
10/25/2024	4:15:00 PM	0.32
10/25/2024	4:30:00 PM	0.32
10/25/2024	4:45:00 PM	0.31
10/25/2024	5:00:00 PM	0.32
10/25/2024	5:15:00 PM	0.31
10/25/2024	5:30:00 PM	0.32
10/25/2024	5:45:00 PM	0.31
10/25/2024	6:00:00 PM	0.32
10/25/2024	6:15:00 PM	0.31
10/25/2024	6:30:00 PM	0.31
10/25/2024	6:45:00 PM	0.31
10/25/2024	7:00:00 PM	0.31
10/25/2024	7:15:00 PM	0.31
10/25/2024	7:30:00 PM	0.31
10/25/2024	7:45:00 PM	0.32
10/25/2024	8:00:00 PM	0.32
10/25/2024	8:15:00 PM	0.31
10/25/2024	8:30:00 PM	0.31
10/25/2024	8:45:00 PM	0.31
10/25/2024	9:00:00 PM	0.3
10/25/2024	9:15:00 PM	0.3
10/25/2024	9:30:00 PM	0.3
10/25/2024	9:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
10/25/2024	10:00:00 PM	0.29
10/25/2024	10:15:00 PM	0.29
10/25/2024	10:30:00 PM	0.28
10/25/2024	10:45:00 PM	0.28
10/25/2024	11:00:00 PM	0.28
10/25/2024	11:15:00 PM	0.28
10/25/2024	11:30:00 PM	0.27
10/25/2024	11:45:00 PM	0.27
10/26/2024	12:00:00 AM	0.27
10/26/2024	12:15:00 AM	0.27
10/26/2024	12:30:00 AM	0.27
10/26/2024	12:45:00 AM	0.26
10/26/2024	1:00:00 AM	0.26
10/26/2024	1:15:00 AM	0.26
10/26/2024	1:30:00 AM	0.26
10/26/2024	1:45:00 AM	0.26
10/26/2024	2:00:00 AM	0.25
10/26/2024	2:15:00 AM	0.25
10/26/2024	2:30:00 AM	0.25
10/26/2024	2:45:00 AM	0.24
10/26/2024	3:00:00 AM	0.24
10/26/2024	3:15:00 AM	0.23
10/26/2024	3:30:00 AM	0.23
10/26/2024	3:45:00 AM	0.23
10/26/2024	4:00:00 AM	0.22
10/26/2024	4:15:00 AM	0.22
10/26/2024	4:30:00 AM	0.21
10/26/2024	4:45:00 AM	0.21
10/26/2024	5:00:00 AM	0.21
10/26/2024	5:15:00 AM	0.2
10/26/2024	5:30:00 AM	0.2
10/26/2024	5:45:00 AM	0.2
10/26/2024	6:00:00 AM	0.19
10/26/2024	6:15:00 AM	0.19
10/26/2024	6:30:00 AM	0.19
10/26/2024	6:45:00 AM	0.18
10/26/2024	7:00:00 AM	0.18
10/26/2024	7:15:00 AM	0.18
10/26/2024	7:30:00 AM	0.18
10/26/2024	7:45:00 AM	0.17
10/26/2024	8:00:00 AM	0.17
10/26/2024	8:15:00 AM	0.17
10/26/2024	8:30:00 AM	0.17
10/26/2024	8:45:00 AM	0.17
10/26/2024	9:00:00 AM	0.16
10/26/2024	9:15:00 AM	0.16

Billy Lake Return Gage

DATE	TIME	GAGE
10/26/2024	9:30:00 AM	0.16
10/26/2024	9:45:00 AM	0.16
10/26/2024	10:00:00 AM	0.16
10/26/2024	10:15:00 AM	0.16
10/26/2024	10:30:00 AM	0.16
10/26/2024	10:45:00 AM	0.15
10/26/2024	11:00:00 AM	0.15
10/26/2024	11:15:00 AM	0.16
10/26/2024	11:30:00 AM	0.16
10/26/2024	11:45:00 AM	0.17
10/26/2024	12:00:00 PM	0.18
10/26/2024	12:15:00 PM	0.19
10/26/2024	12:30:00 PM	0.2
10/26/2024	12:45:00 PM	0.21
10/26/2024	1:00:00 PM	0.22
10/26/2024	1:15:00 PM	0.23
10/26/2024	1:30:00 PM	0.24
10/26/2024	1:45:00 PM	0.25
10/26/2024	2:00:00 PM	0.25
10/26/2024	2:15:00 PM	0.26
10/26/2024	2:30:00 PM	0.26
10/26/2024	2:45:00 PM	0.27
10/26/2024	3:00:00 PM	0.28
10/26/2024	3:15:00 PM	0.28
10/26/2024	3:30:00 PM	0.29
10/26/2024	3:45:00 PM	0.29
10/26/2024	4:00:00 PM	0.29
10/26/2024	4:15:00 PM	0.3
10/26/2024	4:30:00 PM	0.3
10/26/2024	4:45:00 PM	0.31
10/26/2024	5:00:00 PM	0.31
10/26/2024	5:15:00 PM	0.31
10/26/2024	5:30:00 PM	0.32
10/26/2024	5:45:00 PM	0.32
10/26/2024	6:00:00 PM	0.32
10/26/2024	6:15:00 PM	0.33
10/26/2024	6:30:00 PM	0.33
10/26/2024	6:45:00 PM	0.33
10/26/2024	7:00:00 PM	0.33
10/26/2024	7:15:00 PM	0.33
10/26/2024	7:30:00 PM	0.34
10/26/2024	7:45:00 PM	0.34
10/26/2024	8:00:00 PM	0.34
10/26/2024	8:15:00 PM	0.34
10/26/2024	8:30:00 PM	0.34
10/26/2024	8:45:00 PM	0.34

Billy Lake Return Gage

DATE	TIME	GAGE
10/26/2024	9:00:00 PM	0.34
10/26/2024	9:15:00 PM	0.35
10/26/2024	9:30:00 PM	0.35
10/26/2024	9:45:00 PM	0.35
10/26/2024	10:00:00 PM	0.35
10/26/2024	10:15:00 PM	0.35
10/26/2024	10:30:00 PM	0.35
10/26/2024	10:45:00 PM	0.35
10/26/2024	11:00:00 PM	0.35
10/26/2024	11:15:00 PM	0.35
10/26/2024	11:30:00 PM	0.35
10/26/2024	11:45:00 PM	0.35
10/27/2024	12:00:00 AM	0.35
10/27/2024	12:15:00 AM	0.35
10/27/2024	12:30:00 AM	0.35
10/27/2024	12:45:00 AM	0.35
10/27/2024	1:00:00 AM	0.35
10/27/2024	1:15:00 AM	0.35
10/27/2024	1:30:00 AM	0.35
10/27/2024	1:45:00 AM	0.35
10/27/2024	2:00:00 AM	0.35
10/27/2024	2:15:00 AM	0.35
10/27/2024	2:30:00 AM	0.34
10/27/2024	2:45:00 AM	0.34
10/27/2024	3:00:00 AM	0.34
10/27/2024	3:15:00 AM	0.33
10/27/2024	3:30:00 AM	0.33
10/27/2024	3:45:00 AM	0.32
10/27/2024	4:00:00 AM	0.32
10/27/2024	4:15:00 AM	0.31
10/27/2024	4:30:00 AM	0.31
10/27/2024	4:45:00 AM	0.31
10/27/2024	5:00:00 AM	0.3
10/27/2024	5:15:00 AM	0.3
10/27/2024	5:30:00 AM	0.29
10/27/2024	5:45:00 AM	0.29
10/27/2024	6:00:00 AM	0.29
10/27/2024	6:15:00 AM	0.29
10/27/2024	6:30:00 AM	0.28
10/27/2024	6:45:00 AM	0.28
10/27/2024	7:00:00 AM	0.28
10/27/2024	7:15:00 AM	0.28
10/27/2024	7:30:00 AM	0.27
10/27/2024	7:45:00 AM	0.27
10/27/2024	8:00:00 AM	0.27
10/27/2024	8:15:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
10/27/2024	8:30:00 AM	0.27
10/27/2024	8:45:00 AM	0.27
10/27/2024	9:00:00 AM	0.26
10/27/2024	9:15:00 AM	0.26
10/27/2024	9:30:00 AM	0.26
10/27/2024	9:45:00 AM	0.26
10/27/2024	10:00:00 AM	0.26
10/27/2024	10:15:00 AM	0.26
10/27/2024	10:30:00 AM	0.26
10/27/2024	10:45:00 AM	0.26
10/27/2024	11:00:00 AM	0.26
10/27/2024	11:15:00 AM	0.27
10/27/2024	11:30:00 AM	0.27
10/27/2024	11:45:00 AM	0.27
10/27/2024	12:00:00 PM	0.28
10/27/2024	12:15:00 PM	0.28
10/27/2024	12:30:00 PM	0.28
10/27/2024	12:45:00 PM	0.29
10/27/2024	1:00:00 PM	0.29
10/27/2024	1:15:00 PM	0.29
10/27/2024	1:30:00 PM	0.29
10/27/2024	1:45:00 PM	0.3
10/27/2024	2:00:00 PM	0.3
10/27/2024	2:15:00 PM	0.3
10/27/2024	2:30:00 PM	0.3
10/27/2024	2:45:00 PM	0.3
10/27/2024	3:00:00 PM	0.3
10/27/2024	3:15:00 PM	0.31
10/27/2024	3:30:00 PM	0.31
10/27/2024	3:45:00 PM	0.31
10/27/2024	4:00:00 PM	0.31
10/27/2024	4:15:00 PM	0.31
10/27/2024	4:30:00 PM	0.31
10/27/2024	4:45:00 PM	0.31
10/27/2024	5:00:00 PM	0.31
10/27/2024	5:15:00 PM	0.31
10/27/2024	5:30:00 PM	0.31
10/27/2024	5:45:00 PM	0.31
10/27/2024	6:00:00 PM	0.31
10/27/2024	6:15:00 PM	0.31
10/27/2024	6:30:00 PM	0.31
10/27/2024	6:45:00 PM	0.31
10/27/2024	7:00:00 PM	0.31
10/27/2024	7:15:00 PM	0.31
10/27/2024	7:30:00 PM	0.31
10/27/2024	7:45:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
10/27/2024	8:00:00 PM	0.31
10/27/2024	8:15:00 PM	0.31
10/27/2024	8:30:00 PM	0.31
10/27/2024	8:45:00 PM	0.31
10/27/2024	9:00:00 PM	0.31
10/27/2024	9:15:00 PM	0.31
10/27/2024	9:30:00 PM	0.31
10/27/2024	9:45:00 PM	0.31
10/27/2024	10:00:00 PM	0.31
10/27/2024	10:15:00 PM	0.31
10/27/2024	10:30:00 PM	0.31
10/27/2024	10:45:00 PM	0.31
10/27/2024	11:00:00 PM	0.31
10/27/2024	11:15:00 PM	0.31
10/27/2024	11:30:00 PM	0.3
10/27/2024	11:45:00 PM	0.3
10/28/2024	12:00:00 AM	0.29
10/28/2024	12:15:00 AM	0.29
10/28/2024	12:30:00 AM	0.29
10/28/2024	12:45:00 AM	0.28
10/28/2024	1:00:00 AM	0.28
10/28/2024	1:15:00 AM	0.28
10/28/2024	1:30:00 AM	0.27
10/28/2024	1:45:00 AM	0.27
10/28/2024	2:00:00 AM	0.26
10/28/2024	2:15:00 AM	0.26
10/28/2024	2:30:00 AM	0.26
10/28/2024	2:45:00 AM	0.25
10/28/2024	3:00:00 AM	0.25
10/28/2024	3:15:00 AM	0.24
10/28/2024	3:30:00 AM	0.24
10/28/2024	3:45:00 AM	0.24
10/28/2024	4:00:00 AM	0.23
10/28/2024	4:15:00 AM	0.23
10/28/2024	4:30:00 AM	0.23
10/28/2024	4:45:00 AM	0.22
10/28/2024	5:00:00 AM	0.22
10/28/2024	5:15:00 AM	0.22
10/28/2024	5:30:00 AM	0.22
10/28/2024	5:45:00 AM	0.21
10/28/2024	6:00:00 AM	0.21
10/28/2024	6:15:00 AM	0.21
10/28/2024	6:30:00 AM	0.2
10/28/2024	6:45:00 AM	0.2
10/28/2024	7:00:00 AM	0.2
10/28/2024	7:15:00 AM	0.2

Billy Lake Return Gage

DATE	TIME	GAGE
10/28/2024	7:30:00 AM	0.19
10/28/2024	7:45:00 AM	0.19
10/28/2024	8:00:00 AM	0.19
10/28/2024	8:15:00 AM	0.19
10/28/2024	8:30:00 AM	0.18
10/28/2024	8:45:00 AM	0.18
10/28/2024	9:00:00 AM	0.18
10/28/2024	9:15:00 AM	0.18
10/28/2024	9:30:00 AM	0.18
10/28/2024	9:45:00 AM	0.17
10/28/2024	10:00:00 AM	0.17
10/28/2024	10:15:00 AM	0.17
10/28/2024	10:30:00 AM	0.17
10/28/2024	10:45:00 AM	0.17
10/28/2024	11:00:00 AM	0.17
10/28/2024	11:15:00 AM	0.17
10/28/2024	11:30:00 AM	0.18
10/28/2024	11:45:00 AM	0.2
10/28/2024	12:00:00 PM	0.2
10/28/2024	12:15:00 PM	0.21
10/28/2024	12:30:00 PM	0.22
10/28/2024	12:45:00 PM	0.22
10/28/2024	1:00:00 PM	0.23
10/28/2024	1:15:00 PM	0.24
10/28/2024	1:30:00 PM	0.24
10/28/2024	1:45:00 PM	0.25
10/28/2024	2:00:00 PM	0.26
10/28/2024	2:15:00 PM	0.26
10/28/2024	2:30:00 PM	0.26
10/28/2024	2:45:00 PM	0.27
10/28/2024	3:00:00 PM	0.27
10/28/2024	3:15:00 PM	0.28
10/28/2024	3:30:00 PM	0.28
10/28/2024	3:45:00 PM	0.28
10/28/2024	4:00:00 PM	0.29
10/28/2024	4:15:00 PM	0.29
10/28/2024	4:30:00 PM	0.29
10/28/2024	4:45:00 PM	0.3
10/28/2024	5:00:00 PM	0.3
10/28/2024	5:15:00 PM	0.31
10/28/2024	5:30:00 PM	0.31
10/28/2024	5:45:00 PM	0.31
10/28/2024	6:00:00 PM	0.31
10/28/2024	6:15:00 PM	0.31
10/28/2024	6:30:00 PM	0.32
10/28/2024	6:45:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
10/28/2024	7:00:00 PM	0.32
10/28/2024	7:15:00 PM	0.32
10/28/2024	7:30:00 PM	0.32
10/28/2024	7:45:00 PM	0.32
10/28/2024	8:00:00 PM	0.32
10/28/2024	8:15:00 PM	0.33
10/28/2024	8:30:00 PM	0.33
10/28/2024	8:45:00 PM	0.33
10/28/2024	9:00:00 PM	0.33
10/28/2024	9:15:00 PM	0.33
10/28/2024	9:30:00 PM	0.33
10/28/2024	9:45:00 PM	0.33
10/28/2024	10:00:00 PM	0.33
10/28/2024	10:15:00 PM	0.33
10/28/2024	10:30:00 PM	0.33
10/28/2024	10:45:00 PM	0.34
10/28/2024	11:00:00 PM	0.34
10/28/2024	11:15:00 PM	0.34
10/28/2024	11:30:00 PM	0.34
10/28/2024	11:45:00 PM	0.34
10/29/2024	12:00:00 AM	0.34
10/29/2024	12:15:00 AM	0.34
10/29/2024	12:30:00 AM	0.34
10/29/2024	12:45:00 AM	0.34
10/29/2024	1:00:00 AM	0.34
10/29/2024	1:15:00 AM	0.34
10/29/2024	1:30:00 AM	0.34
10/29/2024	1:45:00 AM	0.34
10/29/2024	2:00:00 AM	0.34
10/29/2024	2:15:00 AM	0.34
10/29/2024	2:30:00 AM	0.34
10/29/2024	2:45:00 AM	0.34
10/29/2024	3:00:00 AM	0.34
10/29/2024	3:15:00 AM	0.34
10/29/2024	3:30:00 AM	0.34
10/29/2024	3:45:00 AM	0.34
10/29/2024	4:00:00 AM	0.34
10/29/2024	4:15:00 AM	0.35
10/29/2024	4:30:00 AM	0.35
10/29/2024	4:45:00 AM	0.34
10/29/2024	5:00:00 AM	0.35
10/29/2024	5:15:00 AM	0.35
10/29/2024	5:30:00 AM	0.35
10/29/2024	5:45:00 AM	0.35
10/29/2024	6:00:00 AM	0.35
10/29/2024	6:15:00 AM	0.35

Billy Lake Return Gage

DATE	TIME	GAGE
10/29/2024	6:30:00 AM	0.35
10/29/2024	6:45:00 AM	0.35
10/29/2024	7:00:00 AM	0.35
10/29/2024	7:15:00 AM	0.35
10/29/2024	7:30:00 AM	0.35
10/29/2024	7:45:00 AM	0.35
10/29/2024	8:00:00 AM	0.35
10/29/2024	8:15:00 AM	0.35
10/29/2024	8:30:00 AM	0.35
10/29/2024	8:45:00 AM	0.35
10/29/2024	9:00:00 AM	0.35
10/29/2024	9:15:00 AM	0.35
10/29/2024	9:30:00 AM	0.35
10/29/2024	9:45:00 AM	0.35
10/29/2024	10:00:00 AM	0.35
10/29/2024	10:15:00 AM	0.35
10/29/2024	10:30:00 AM	0.35
10/29/2024	10:45:00 AM	0.35
10/29/2024	11:00:00 AM	0.35
10/29/2024	11:15:00 AM	0.35
10/29/2024	11:30:00 AM	0.35
10/29/2024	11:45:00 AM	0.35
10/29/2024	12:00:00 PM	0.35
10/29/2024	12:15:00 PM	0.35
10/29/2024	12:30:00 PM	0.35
10/29/2024	12:45:00 PM	0.35
10/29/2024	1:00:00 PM	0.32
10/29/2024	1:15:00 PM	0.32
10/29/2024	1:30:00 PM	0.32
10/29/2024	1:45:00 PM	0.32
10/29/2024	2:00:00 PM	0.32
10/29/2024	2:15:00 PM	0.32
10/29/2024	2:30:00 PM	0.32
10/29/2024	2:45:00 PM	0.32
10/29/2024	3:00:00 PM	0.32
10/29/2024	3:15:00 PM	0.32
10/29/2024	3:30:00 PM	0.32
10/29/2024	3:45:00 PM	0.32
10/29/2024	4:00:00 PM	0.32
10/29/2024	4:15:00 PM	0.32
10/29/2024	4:30:00 PM	0.32
10/29/2024	4:45:00 PM	0.32
10/29/2024	5:00:00 PM	0.32
10/29/2024	5:15:00 PM	0.32
10/29/2024	5:30:00 PM	0.32
10/29/2024	5:45:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
10/29/2024	6:00:00 PM	0.32
10/29/2024	6:15:00 PM	0.32
10/29/2024	6:30:00 PM	0.32
10/29/2024	6:45:00 PM	0.32
10/29/2024	7:00:00 PM	0.32
10/29/2024	7:15:00 PM	0.32
10/29/2024	7:30:00 PM	0.32
10/29/2024	7:45:00 PM	0.32
10/29/2024	8:00:00 PM	0.32
10/29/2024	8:15:00 PM	0.32
10/29/2024	8:30:00 PM	0.31
10/29/2024	8:45:00 PM	0.32
10/29/2024	9:00:00 PM	0.31
10/29/2024	9:15:00 PM	0.31
10/29/2024	9:30:00 PM	0.31
10/29/2024	9:45:00 PM	0.32
10/29/2024	10:00:00 PM	0.31
10/29/2024	10:15:00 PM	0.31
10/29/2024	10:30:00 PM	0.31
10/29/2024	10:45:00 PM	0.31
10/29/2024	11:00:00 PM	0.31
10/29/2024	11:15:00 PM	0.31
10/29/2024	11:30:00 PM	0.31
10/29/2024	11:45:00 PM	0.31
10/30/2024	12:00:00 AM	0.31
10/30/2024	12:15:00 AM	0.31
10/30/2024	12:30:00 AM	0.31
10/30/2024	12:45:00 AM	0.31
10/30/2024	1:00:00 AM	0.31
10/30/2024	1:15:00 AM	0.31
10/30/2024	1:30:00 AM	0.31
10/30/2024	1:45:00 AM	0.31
10/30/2024	2:00:00 AM	0.31
10/30/2024	2:15:00 AM	0.31
10/30/2024	2:30:00 AM	0.31
10/30/2024	2:45:00 AM	0.31
10/30/2024	3:00:00 AM	0.31
10/30/2024	3:15:00 AM	0.31
10/30/2024	3:30:00 AM	0.3
10/30/2024	3:45:00 AM	0.3
10/30/2024	4:00:00 AM	0.29
10/30/2024	4:15:00 AM	0.29
10/30/2024	4:30:00 AM	0.29
10/30/2024	4:45:00 AM	0.28
10/30/2024	5:00:00 AM	0.28
10/30/2024	5:15:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
10/30/2024	5:30:00 AM	0.27
10/30/2024	5:45:00 AM	0.27
10/30/2024	6:00:00 AM	0.26
10/30/2024	6:15:00 AM	0.26
10/30/2024	6:30:00 AM	0.26
10/30/2024	6:45:00 AM	0.26
10/30/2024	7:00:00 AM	0.25
10/30/2024	7:15:00 AM	0.25
10/30/2024	7:30:00 AM	0.25
10/30/2024	7:45:00 AM	0.25
10/30/2024	8:00:00 AM	0.25
10/30/2024	8:15:00 AM	0.25
10/30/2024	8:30:00 AM	0.25
10/30/2024	8:45:00 AM	0.25
10/30/2024	9:00:00 AM	0.25
10/30/2024	9:15:00 AM	0.25
10/30/2024	9:30:00 AM	0.25
10/30/2024	9:45:00 AM	0.25
10/30/2024	10:00:00 AM	0.25
10/30/2024	10:15:00 AM	0.29
10/30/2024	10:30:00 AM	0.29
10/30/2024	10:45:00 AM	0.29
10/30/2024	11:00:00 AM	0.29
10/30/2024	11:15:00 AM	0.3
10/30/2024	11:30:00 AM	0.3
10/30/2024	11:45:00 AM	0.3
10/30/2024	12:00:00 PM	0.3
10/30/2024	12:15:00 PM	0.3
10/30/2024	12:30:00 PM	0.31
10/30/2024	12:45:00 PM	0.31
10/30/2024	1:00:00 PM	0.31
10/30/2024	1:15:00 PM	0.31
10/30/2024	1:30:00 PM	0.31
10/30/2024	1:45:00 PM	0.31
10/30/2024	2:00:00 PM	0.31
10/30/2024	2:15:00 PM	0.32
10/30/2024	2:30:00 PM	0.32
10/30/2024	2:45:00 PM	0.32
10/30/2024	3:00:00 PM	0.32
10/30/2024	3:15:00 PM	0.32
10/30/2024	3:30:00 PM	0.32
10/30/2024	3:45:00 PM	0.32
10/30/2024	4:00:00 PM	0.32
10/30/2024	4:15:00 PM	0.32
10/30/2024	4:30:00 PM	0.32
10/30/2024	4:45:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
10/30/2024	5:00:00 PM	0.32
10/30/2024	5:15:00 PM	0.32
10/30/2024	5:30:00 PM	0.32
10/30/2024	5:45:00 PM	0.32
10/30/2024	6:00:00 PM	0.33
10/30/2024	6:15:00 PM	0.33
10/30/2024	6:30:00 PM	0.33
10/30/2024	6:45:00 PM	0.33
10/30/2024	7:00:00 PM	0.33
10/30/2024	7:15:00 PM	0.33
10/30/2024	7:30:00 PM	0.33
10/30/2024	7:45:00 PM	0.33
10/30/2024	8:00:00 PM	0.33
10/30/2024	8:15:00 PM	0.33
10/30/2024	8:30:00 PM	0.33
10/30/2024	8:45:00 PM	0.33
10/30/2024	9:00:00 PM	0.33
10/30/2024	9:15:00 PM	0.33
10/30/2024	9:30:00 PM	0.33
10/30/2024	9:45:00 PM	0.33
10/30/2024	10:00:00 PM	0.33
10/30/2024	10:15:00 PM	0.33
10/30/2024	10:30:00 PM	0.33
10/30/2024	10:45:00 PM	0.33
10/30/2024	11:00:00 PM	0.33
10/30/2024	11:15:00 PM	0.33
10/30/2024	11:30:00 PM	0.33
10/30/2024	11:45:00 PM	0.33
10/31/2024	12:00:00 AM	0.32
10/31/2024	12:15:00 AM	0.33
10/31/2024	12:30:00 AM	0.33
10/31/2024	12:45:00 AM	0.33
10/31/2024	1:00:00 AM	0.33
10/31/2024	1:15:00 AM	0.33
10/31/2024	1:30:00 AM	0.33
10/31/2024	1:45:00 AM	0.33
10/31/2024	2:00:00 AM	0.33
10/31/2024	2:15:00 AM	0.33
10/31/2024	2:30:00 AM	0.33
10/31/2024	2:45:00 AM	0.32
10/31/2024	3:00:00 AM	0.32
10/31/2024	3:15:00 AM	0.32
10/31/2024	3:30:00 AM	0.31
10/31/2024	3:45:00 AM	0.31
10/31/2024	4:00:00 AM	0.3
10/31/2024	4:15:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
10/31/2024	4:30:00 AM	0.29
10/31/2024	4:45:00 AM	0.29
10/31/2024	5:00:00 AM	0.28
10/31/2024	5:15:00 AM	0.28
10/31/2024	5:30:00 AM	0.28
10/31/2024	5:45:00 AM	0.27
10/31/2024	6:00:00 AM	0.27
10/31/2024	6:15:00 AM	0.27
10/31/2024	6:30:00 AM	0.27
10/31/2024	6:45:00 AM	0.26
10/31/2024	7:00:00 AM	0.26
10/31/2024	7:15:00 AM	0.26
10/31/2024	7:30:00 AM	0.26
10/31/2024	7:45:00 AM	0.25
10/31/2024	8:00:00 AM	0.25
10/31/2024	8:15:00 AM	0.25
10/31/2024	8:30:00 AM	0.25
10/31/2024	8:45:00 AM	0.24
10/31/2024	9:00:00 AM	0.24
10/31/2024	9:15:00 AM	0.24
10/31/2024	9:30:00 AM	0.24
10/31/2024	9:45:00 AM	0.24
10/31/2024	10:00:00 AM	0.23
10/31/2024	10:15:00 AM	0.23
10/31/2024	10:30:00 AM	0.23
10/31/2024	10:45:00 AM	0.23
10/31/2024	11:00:00 AM	0.23
10/31/2024	11:15:00 AM	0.23
10/31/2024	11:30:00 AM	0.23
10/31/2024	11:45:00 AM	0.23
10/31/2024	12:00:00 PM	0.22
10/31/2024	12:15:00 PM	0.22
10/31/2024	12:30:00 PM	0.22
10/31/2024	12:45:00 PM	0.22
10/31/2024	1:00:00 PM	0.22
10/31/2024	1:15:00 PM	0.22
10/31/2024	1:30:00 PM	0.22
10/31/2024	1:45:00 PM	0.22
10/31/2024	2:00:00 PM	0.23
10/31/2024	2:15:00 PM	0.24
10/31/2024	2:30:00 PM	0.24
10/31/2024	2:45:00 PM	0.25
10/31/2024	3:00:00 PM	0.26
10/31/2024	3:15:00 PM	0.26
10/31/2024	3:30:00 PM	0.27
10/31/2024	3:45:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
10/31/2024	4:00:00 PM	0.28
10/31/2024	4:15:00 PM	0.28
10/31/2024	4:30:00 PM	0.28
10/31/2024	4:45:00 PM	0.29
10/31/2024	5:00:00 PM	0.29
10/31/2024	5:15:00 PM	0.3
10/31/2024	5:30:00 PM	0.3
10/31/2024	5:45:00 PM	0.3
10/31/2024	6:00:00 PM	0.31
10/31/2024	6:15:00 PM	0.31
10/31/2024	6:30:00 PM	0.31
10/31/2024	6:45:00 PM	0.31
10/31/2024	7:00:00 PM	0.32
10/31/2024	7:15:00 PM	0.32
10/31/2024	7:30:00 PM	0.32
10/31/2024	7:45:00 PM	0.32
10/31/2024	8:00:00 PM	0.32
10/31/2024	8:15:00 PM	0.33
10/31/2024	8:30:00 PM	0.33
10/31/2024	8:45:00 PM	0.33
10/31/2024	9:00:00 PM	0.33
10/31/2024	9:15:00 PM	0.33
10/31/2024	9:30:00 PM	0.33
10/31/2024	9:45:00 PM	0.33
10/31/2024	10:00:00 PM	0.34
10/31/2024	10:15:00 PM	0.34
10/31/2024	10:30:00 PM	0.34
10/31/2024	10:45:00 PM	0.34
10/31/2024	11:00:00 PM	0.34
10/31/2024	11:15:00 PM	0.34
10/31/2024	11:30:00 PM	0.34
10/31/2024	11:45:00 PM	0.34

Party: BLP / BJA	Width: 21.1 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 70.5 ft ²	Mean Velocity: 0.943 ft/s
Gage Height: 3.63 ft	G.H.Change: 0.000 ft	Discharge: 66.6 ft ³ /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft ²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:		ADCP:
BT 3-Beam Solution: YES	Max. Vel.: 1.51 ft/s	Type/Freq.: StreamPro / 2000 kHz
WT 3-Beam Solution: YES	Max. Depth: 3.79 ft	Serial #: 2370 Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Mean Depth: 3.34 ft	Bin Size: 17 cm Blank: 3 cm
WT Error Vel.: 0.98 ft/s	% Meas.: 58.07	BT Mode: 10 BT Pings: 2
BT Up Vel.: 1.00 ft/s	Water Temp.: None	WT Mode: 12 WT Pings: 6
WT Up Vel.: 1.64 ft/s	ADCP Temp.: 72.7 °F	
Use Weighted Mean Depth: YES		

Performed Diag. Test: YES
 Performed Moving Bed Test: NO
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE

Project Name: 241001 LOR @ MAZOURKA_0
 Software: 2.26.00.04

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	32	13.1	39.2	10.9	2.40	2.58	68.1	21	71	11:31	11:31	0.50	0.96	0	0
001	R	2	2	31	13.2	39.4	10.2	2.44	2.30	67.5	21	71	11:31	11:32	0.53	0.95	0	0
002	L	2	2	30	13.0	39.0	10.2	2.65	2.33	67.2	21	71	11:32	11:33	0.55	0.94	0	0
003	R	2	2	31	12.4	37.1	9.32	2.30	2.33	63.5	21	69	11:33	11:34	0.50	0.92	0	0
Mean		2	2	31	12.9	38.7	10.2	2.45	2.38	66.6	21	71	Total	00:03	0.52	0.94	0	0
SDev		0	0	1	0.335	1.05	0.639	0.148	0.131	2.09	0.2	0.9			0.03	0.02		
SD/M		0.0%	0.0%	2.6%	2.6%	2.7%	6.3%	6.1%	5.5%	3.1%	1.0%	1.3%			4.8%	2.1%		

Remarks:

Party: BLP BRP	Width: 21.3 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 74.0 ft ²	Mean Velocity: 0.818 ft/s
Gage Height: 3.40 ft	G.H.Change: 0.000 ft	Discharge: 60.5 ft ³ /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft ²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:	ADCP:
BT 3-Beam Solution: YES	Type/Freq.: StreamPro / 2000 kHz
WT 3-Beam Solution: YES	Serial #: 2370 Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Bin Size: 4 cm Blank: 3 cm
WT Error Vel.: 1.41 ft/s	BT Mode: 10 BT Pings: 2
BT Up Vel.: 1.00 ft/s	WT Mode: 12 WT Pings: 6
WT Up Vel.: 1.64 ft/s	
Use Weighted Mean Depth: YES	
Max. Vel.: 2.71 ft/s	
Max. Depth: 3.58 ft	
Mean Depth: 3.47 ft	
% Meas.: 61.35	
Water Temp.: None	
ADCP Temp.: 69.5 °F	

Performed Diag. Test: YES Project Name: 241029 MOUK_0.mmt
 Performed Moving Bed Test: NO Software: 2.26.00.04
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	34	8.30	40.1	5.93	5.30	5.09	64.7	22	75	12:27	12:27	0.52	0.86	0	1
001	R	2	2	33	7.35	35.5	5.23	5.23	5.01	58.2	21	73	12:28	12:28	0.51	0.79	0	0
002	L	2	2	33	7.63	36.9	5.54	4.66	5.23	60.0	21	74	12:28	12:29	0.51	0.81	0	0
003	R	2	2	30	7.45	36.0	5.09	5.26	5.26	59.1	21	73	12:29	12:30	0.59	0.80	0	0
Mean		2	2	32	7.68	37.1	5.45	5.11	5.15	60.5	21	74	Total	00:03	0.53	0.82	0	0
SDev		0	0	2	0.428	2.09	0.376	0.302	0.117	2.90	0.2	0.9			0.04	0.03		
SD/M		0.0%	0.0%	5.7%	5.6%	5.6%	6.9%	5.9%	2.3%	4.8%	1.0%	1.2%			7.3%	3.5%		

Remarks:

Discharge for transects in *italics* have a total Q more than 5% from the mean

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	1	0	0	8	31.9	-1.8	1.016	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	1	0	10	8	31.6	-1.1	1.016	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	0	20	8	33.1	-0.6	1.016	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	1	0	30	8	31.8	-0.6	1.016	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	0	40	8	31.6	-1.4	1.017	0.5	0.5	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	0	50	8	31.6	-1.3	1.017	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	1	0	8	31.9	-0.9	1.017	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	1	10	8	31.6	-1.4	1.017	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	1	1	20	8	31.5	-0.4	1.017	0.4	0.3	0	56.3	56.3	0	158	158	0	27	27
2024	10	1	1	30	8	31.7	-1.8	1.018	0.5	0.4	0	56.3	56.3	0	158	158	0	27	27
2024	10	1	1	40	8	32.4	-0.3	1.018	0.4	0.3	0	56.8	56.3	0	158	158	0	26	27
2024	10	1	1	50	8	32.6	-1.3	1.018	0.4	0.3	0	56.3	56.3	0	158	158	0	27	27
2024	10	1	2	0	8	31.9	-1.1	1.018	0.5	0.5	0	56.8	56.3	0	158	158	0	26	27
2024	10	1	2	10	8	31.8	-0.7	1.019	0.5	0.5	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	2	20	8	31.5	-0.4	1.019	0.5	0.5	0	56.8	56.3	0	158	158	0	26	27
2024	10	1	2	30	8	32.9	-1.7	1.019	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	2	40	8	32	-1.3	1.019	0.5	0.4	0	56.3	56.3	0	158	158	0	27	27
2024	10	1	2	50	8	31.2	-0.5	1.019	0.4	0.3	0	56.8	56.3	0	158	158	0	26	27
2024	10	1	3	0	8	31.6	-2.6	1.019	0.5	0.5	0	55.9	56.8	0	157	158	0	27	26
2024	10	1	3	10	8	32.1	-2.2	1.019	0.3	0.2	0	56.3	56.3	0	157	158	0	26	27
2024	10	1	3	20	8	31.8	-1.8	1.019	0.5	0.4	0	55.9	55.9	0	157	157	0	27	27
2024	10	1	3	30	8	31.4	-0.6	1.019	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	1	3	40	8	31.4	-1.4	1.019	0.4	0.3	0	56.3	55.9	0	158	158	0	27	28
2024	10	1	3	50	8	32.4	-0.9	1.019	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	4	0	8	33.3	-2	1.019	0.4	0.3	0	55.9	55.9	0	157	157	0	27	27
2024	10	1	4	10	8	31.2	-1.9	1.019	0.5	0.4	0	56.3	56.3	0	157	157	0	26	26
2024	10	1	4	20	8	32	-0.8	1.019	0.5	0.5	0	56.3	55.9	0	157	157	0	26	27
2024	10	1	4	30	8	32.4	-0.9	1.019	0.6	0.5	0	55.9	55.9	0	157	157	0	27	27
2024	10	1	4	40	8	30.8	-2.2	1.019	0.5	0.5	0	56.3	55.9	0	157	157	0	26	27
2024	10	1	4	50	8	31.1	-1.7	1.019	0.5	0.5	0	55.9	55	0	157	156	0	27	28
2024	10	1	5	0	8	31.5	-2	1.019	0.5	0.4	0	55.9	55.9	0	157	157	0	27	27
2024	10	1	5	10	8	32.1	-2.2	1.019	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	5	20	8	32.6	-1.5	1.019	0.5	0.4	0	55.9	55.9	0	157	158	0	27	28
2024	10	1	5	30	8	32.1	-1.3	1.019	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	5	40	8	33.1	-1.7	1.019	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	5	50	8	31.9	-0.4	1.019	0.4	0.3	0	56.3	56.3	0	158	158	0	27	27
2024	10	1	6	0	8	31	0.7	1.02	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	1	6	10	8	32.7	-1.3	1.02	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	1	6	20	8	31.5	-0.9	1.019	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	1	6	30	8	32.8	-1.1	1.02	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	1	6	40	8	31.5	-0.8	1.02	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	1	6	50	8	32.8	-1.9	1.02	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	1	7	0	8	31.9	0.1	1.02	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	1	7	10	8	32.7	-2	1.02	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	1	7	20	8	31	-0.6	1.02	0.5	0.5	0	56.8	56.3	0	158	159	0	26	28
2024	10	1	7	30	8	32.3	-0.9	1.02	0.6	0.5	0	56.3	56.3	0	158	159	0	27	28
2024	10	1	7	40	8	31.2	-1.3	1.02	0.5	0.5	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	7	50	8	31.2	-1.7	1.02	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	1	8	0	8	31.8	-1.1	1.02	0.6	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	1	8	10	8	32.3	-0.8	1.02	0.4	0.3	0	56.3	57.2	0	158	159	0	27	26
2024	10	1	8	20	8	31.4	-0.5	1.02	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	1	8	30	8	31.1	-1.3	1.02	0.5	0.5	0	56.8	56.3	0	158	159	0	26	28
2024	10	1	8	40	8	32.2	-1.9	1.02	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	1	8	50	8	31.3	-1.2	1.02	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	1	9	0	8	31.9	-0.5	1.02	0.4	0.3	0	55.5	56.8	0	157	159	0	28	27
2024	10	1	9	10	8	32.5	-1.3	1.02	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	9	20	8	31.8	-1.4	1.02	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	1	9	30	8	32	-1.3	1.02	0.5	0.4	0	55.5	55.9	0	157	158	0	28	28
2024	10	1	9	40	8	32.2	-1.4	1.02	0.3	0.2	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	9	50	8	31.8	-1.3	1.02	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	10	0	8	31.4	-1.3	1.02	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	10	10	8	30.6	-1.3	1.02	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	1	10	20	8	31.8	-0.8	1.02	0.5	0.4	0	55.9	55	0	156	155	0	26	27
2024	10	1	10	30	8	33.1	-1.5	1.02	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	1	10	40	8	31.5	-2.6	1.02	0.5	0.4	0	55.5	56.3	0	157	158	0	28	27
2024	10	1	10	50	8	31.5	-1.2	1.021	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	11	0	8	30.7	-0.5	1.021	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	11	10	8	30.8	-1	1.021	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	1	11	20	8	31.8	-1.2	1.021	0.4	0.3	0	55.9	56.3	0	156	158	0	26	27
2024	10	1	11	30	8	32.1	-1	1.021	0.5	0.5	0	55.5	55.5	0	156	157	0	27	28
2024	10	1	11	40	8	31.3	-2.3	1.021	0.4	0.3	0	55.5	55.9	0	156	157	0	27	27
2024	10	1	11	50	8	31.3	0	1.021	0.4	0.3	0	55.5	55.9	0	156	157	0	27	27
2024	10	1	12	0	8	33	-2.1	1.021	0.6	0.5	0	55	56.3	0	155	157	0	27	26
2024	10	1	12	10	8	31.4	-1.2	1.021	0.5	0.5	0	55.9	55.5	0	156	157	0	26	28
2024	10	1	12	20	8	32.3	-2	1.02	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	1	12	30	8	33	-1.5	1.02	0.5	0.4	0	55.5	55.9	0	155	157	0	26	27
2024	10	1	12	40	8	32.5	-1.5	1.02	0.5	0.5	0	55.5	55.9	0	155	157	0	26	27
2024	10	1	12	50	8	32.9	-1.6	1.02	0.5	0.4	0	55.5	55.9	0	155	157	0	26	27
2024	10	1	13	0	8	32.1	-0.9	1.02	0.4	0.3	0	55.9	55.9	0	156	157	0	26	27
2024	10	1	13	10	8	31.6	-0.9	1.02	0.4	0.3	0	55	55.9	0	155	157	0	27	27
2024	10	1	13	20	8	31.7	-2.3	1.019	0.5	0.4	0	55.5	55.5	0	155	156	0	26	27
2024	10	1	13	30	8	32.1	-1.3	1.019	0.3	0.2	0	55.5	55.5	0	155	156	0	26	27
2024	10	1	13	40	8	31.8	-1	1.018	0.4	0.3	0	55.9	55.5	0	156	156	0	26	27
2024	10	1	13	50	8	31.5	-1.1	1.018	0.5	0.4	0	55.5	55.9	0	156	157	0	27	27
2024	10	1	14	0	8	31.4	-1.6	1.018	0.5	0.4	0	55.9	55.9	0	156	157	0	26	27
2024	10	1	14	10	8	32.5	-2.4	1.018	0.4	0.3	0	55.5	56.3	0	156	157	0	27	26
2024	10	1	14	20	8	32.4	-1.2	1.017	0.4	0.3	0	55.5	56.3	0	155	157	0	26	26
2024	10	1	14	30	8	32.8	-0.7	1.017	0.5	0.4	0	55.9	55.9	0	156	157	0	26	27
2024	10	1	14	40	8	33.1	-1.8	1.018	0.4	0.3	0	55.5	55.9	0	155	157	0	26	27
2024	10	1	14	50	8	32.4	-1.3	1.018	0.5	0.4	0	55.5	55.9	0	156	157	0	27	27
2024	10	1	15	0	8	31.9	-0.1	1.017	0.4	0.3	0	55.9	56.3	0	156	157	0	26	26
2024	10	1	15	10	8	32.7	-0.6	1.017	0.5	0.5	0	55.9	56.8	0	156	158	0	26	26
2024	10	1	15	20	8	32.5	-1.3	1.018	0.4	0.3	0	55.9	56.3	0	156	157	0	26	26
2024	10	1	15	30	8	31.7	-0.1	1.018	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	1	15	40	8	31.3	-1.2	1.018	0.5	0.4	0	55.9	55.9	0	156	157	0	26	27
2024	10	1	15	50	8	31.7	-0.8	1.018	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	1	16	0	8	31.6	-0.9	1.018	0.4	0.3	0	55.5	56.8	0	156	158	0	27	26
2024	10	1	16	10	8	31.8	-0.9	1.018	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	1	16	20	8	31.8	-1.5	1.018	0.4	0.3	0	55.9	55.9	0	156	157	0	26	27
2024	10	1	16	30	8	31.4	-0.9	1.018	0.4	0.3	0	55.9	56.8	0	156	158	0	26	26
2024	10	1	16	40	8	32.1	-1.1	1.018	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	1	16	50	8	31.8	-0.7	1.018	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26
2024	10	1	17	0	8	31.7	-0.4	1.018	0.5	0.5	0	55.9	56.8	0	156	158	0	26	26
2024	10	1	17	10	8	31.6	-0.6	1.018	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	1	17	20	8	32.6	-0.9	1.018	0.4	0.3	0	55.9	56.8	0	156	158	0	26	26
2024	10	1	17	30	8	31.8	-0.9	1.018	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	1	17	40	8	32	-1.3	1.018	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	1	17	50	8	32	-0.7	1.018	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	1	18	0	8	30.5	-0.2	1.018	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	1	18	10	8	32.1	-1.4	1.018	0.4	0.3	0	55.9	56.8	0	156	158	0	26	26
2024	10	1	18	20	8	31.3	0.1	1.018	0.3	0.2	0	55.9	56.3	0	156	158	0	26	27
2024	10	1	18	30	8	32.6	-0.8	1.018	0.5	0.5	0	55.9	55.9	0	156	157	0	26	27
2024	10	1	18	40	8	31.4	-1.3	1.018	0.5	0.5	0	55.5	56.8	0	156	158	0	27	26
2024	10	1	18	50	8	31.6	-1.1	1.018	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26
2024	10	1	19	0	8	31.1	-1.4	1.018	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	1	19	10	8	31.6	-0.6	1.018	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	1	19	20	8	31.1	-1.9	1.018	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	1	19	30	8	31.9	-0.6	1.018	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	1	19	40	8	32.4	-0.1	1.018	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	1	19	50	8	31.7	-0.7	1.018	0.5	0.5	0	55.5	56.3	0	156	158	0	27	27
2024	10	1	20	0	8	31.3	0	1.018	0.3	0.2	0	56.3	56.8	0	157	158	0	26	26
2024	10	1	20	10	8	31.1	0	1.018	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	20	20	8	31.9	-0.3	1.018	0.5	0.4	0	55.5	56.8	0	156	158	0	27	26
2024	10	1	20	30	8	31.8	-0.9	1.018	0.5	0.5	0	56.8	56.8	0	157	158	0	25	26
2024	10	1	20	40	8	31.7	-0.9	1.018	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	1	20	50	8	31	-0.4	1.017	0.3	0.2	0	55.9	57.2	0	157	159	0	27	26
2024	10	1	21	0	8	33.5	-1.6	1.017	0.4	0.3	0	56.3	56.8	0	157	159	0	26	27
2024	10	1	21	10	8	32.1	-0.4	1.018	0.4	0.3	0	56.8	56.8	0	157	159	0	25	27
2024	10	1	21	20	8	30.8	-1.3	1.018	0.5	0.4	0	56.3	57.2	0	157	159	0	26	26
2024	10	1	21	30	8	31.7	-0.4	1.018	0.4	0.3	0	56.3	56.8	0	157	159	0	26	27
2024	10	1	21	40	8	31.7	-0.9	1.018	0.5	0.4	0	55	56.8	0	154	159	0	26	27
2024	10	1	21	50	8	32.2	-1.3	1.017	0.5	0.4	0	56.8	57.2	0	159	159	0	27	26
2024	10	1	22	0	8	31.9	-1.1	1.018	0.4	0.3	0	57.2	57.2	0	159	159	0	26	26
2024	10	1	22	10	8	33.4	-1.3	1.017	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	1	22	20	8	31.7	-0.9	1.017	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	1	22	30	8	31.9	-1.3	1.017	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	1	22	40	8	32.2	-1.1	1.017	0.5	0.4	0	57.2	56.8	0	159	158	0	26	26
2024	10	1	22	50	8	32.6	-0.5	1.017	0.5	0.5	0	56.8	57.2	0	159	159	0	27	26
2024	10	1	23	0	8	31.4	-1	1.017	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	1	23	10	8	31.8	-1.8	1.017	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	1	23	20	8	31.9	-0.6	1.017	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	1	23	30	8	31.8	-1.8	1.017	0.5	0.5	0	56.8	57.2	0	159	159	0	27	26
2024	10	1	23	40	8	31.9	-0.7	1.017	0.4	0.3	0	56.8	57.2	0	159	159	0	27	26
2024	10	1	23	50	8	32.2	-1.8	1.017	0.5	0.4	0	56.3	56.3	0	158	158	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	2	0	0	8	31.8	-0.9	1.017	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	0	10	8	32.2	0	1.017	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	0	20	8	31.5	-1.1	1.017	0.5	0.5	0	56.3	57.2	0	158	159	0	27	26
2024	10	2	0	30	8	31.2	-0.8	1.017	0.4	0.3	0	56.3	56.3	0	158	158	0	27	27
2024	10	2	0	40	8	31.2	-0.4	1.017	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	0	50	8	32.2	-1.3	1.017	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	2	1	0	8	32.1	-1.3	1.018	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	1	10	8	31.8	-1.3	1.018	0.5	0.4	0	56.3	56.3	0	158	158	0	27	27
2024	10	2	1	20	8	31.1	-0.4	1.018	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	1	30	8	31.4	-1.3	1.019	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	1	40	8	31.5	-1.3	1.019	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	1	50	8	31	-0.4	1.019	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	2	0	8	31.2	-0.9	1.02	0.4	0.3	0	56.3	56.8	0	158	158	0	27	26
2024	10	2	2	10	8	33.1	-1.6	1.02	0.4	0.3	0	56.8	56.8	0	158	158	0	26	26
2024	10	2	2	20	8	32.7	-0.7	1.02	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	2	30	8	31.1	-0.6	1.02	0.5	0.5	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	2	40	8	31.5	-2	1.02	0.5	0.4	0	56.3	56.3	0	158	158	0	27	27
2024	10	2	2	50	8	32.1	-0.6	1.02	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	3	0	8	31.9	-1.2	1.02	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	2	3	10	8	31.4	-0.4	1.02	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	2	3	20	8	32.2	-1	1.02	0.4	0.3	0	56.3	56.3	0	158	158	0	27	27
2024	10	2	3	30	8	32.8	-1.5	1.02	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	3	40	8	32.3	-0.9	1.02	0.3	0.2	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	3	50	8	31.3	-0.9	1.02	0.4	0.3	0	56.8	56.3	0	158	158	0	26	27
2024	10	2	4	0	8	31.7	-0.9	1.02	0.5	0.4	0	56.3	56.3	0	158	158	0	27	27
2024	10	2	4	10	8	31.7	0	1.021	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	4	20	8	32.3	-1	1.021	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	4	30	8	31.8	-0.9	1.021	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	2	4	40	8	32.6	-2.3	1.02	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	4	50	8	31.6	-1.1	1.02	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	5	0	8	31.3	-1.5	1.021	0.4	0.3	0	56.3	56.3	0	158	158	0	27	27
2024	10	2	5	10	8	32.1	-0.4	1.021	0.5	0.4	0	55.9	55.9	0	157	158	0	27	28
2024	10	2	5	20	8	31.9	-2.2	1.021	0.5	0.4	0	55.9	56.8	0	157	158	0	27	26
2024	10	2	5	30	8	31.3	-1.5	1.021	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	5	40	8	31.4	-1.1	1.021	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	5	50	8	33.4	-1.3	1.021	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	2	6	0	8	32.4	-0.4	1.021	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	6	10	8	31.6	-1	1.021	0.4	0.3	0	56.3	56.3	0	158	158	0	27	27
2024	10	2	6	20	8	31.9	-0.6	1.021	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	6	30	8	32.3	-1.5	1.021	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	6	40	8	31.6	-1.3	1.021	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	6	50	8	31.1	-1.4	1.021	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	2	7	0	8	31.4	-0.8	1.021	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	2	7	10	8	32.1	-0.7	1.021	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	7	20	8	31.4	-0.9	1.021	0.5	0.5	0	56.8	56.8	0	159	159	0	27	27
2024	10	2	7	30	8	31.5	-2.2	1.021	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	2	7	40	8	31.6	-0.4	1.021	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	2	7	50	8	31.9	-0.3	1.021	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	2	8	0	8	32.8	-1.5	1.021	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	2	8	10	8	31.6	-2.5	1.021	0.4	0.3	0	57.2	56.8	0	159	160	0	26	28
2024	10	2	8	20	8	32.6	-0.2	1.021	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	2	8	30	8	31.8	-1.5	1.021	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	2	8	40	8	32.2	-1.6	1.021	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	8	50	8	32.4	-1.7	1.021	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	2	9	0	8	30.6	-0.6	1.021	0.4	0.3	0	56.8	57.6	0	159	160	0	27	26
2024	10	2	9	10	8	31.6	-2	1.021	0.4	0.3	0	57.2	57.2	0	160	160	0	27	27
2024	10	2	9	20	8	31.4	-1.3	1.021	0.5	0.4	0	57.2	58	0	160	161	0	27	26
2024	10	2	9	30	8	31.6	-0.7	1.021	0.5	0.4	0	57.2	57.2	0	160	161	0	27	28
2024	10	2	9	40	8	32	-2.1	1.021	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	2	9	50	8	31.2	-1.6	1.021	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	2	10	0	8	32.1	-1.2	1.021	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	2	10	10	8	32.5	-0.7	1.021	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	2	10	20	8	32.4	-1.7	1.021	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	2	10	30	8	31.7	0	1.021	0.4	0.3	0	57.2	57.2	0	160	161	0	27	28
2024	10	2	10	40	8	31.3	-0.9	1.021	0.5	0.4	0	57.2	56.8	0	159	160	0	26	28
2024	10	2	10	50	8	32.2	-0.9	1.021	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	2	11	0	8	31.8	-0.3	1.021	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	2	11	10	8	32.6	-1.9	1.021	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	2	11	20	8	31.2	-0.2	1.021	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	2	11	30	8	31.2	-0.7	1.021	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	2	11	40	8	32.5	-0.9	1.021	0.3	0.2	0	56.8	57.2	0	159	160	0	27	27
2024	10	2	11	50	8	31.1	0.5	1.021	0.5	0.4	0	57.2	56.8	0	159	160	0	26	28
2024	10	2	12	0	8	32	-0.7	1.021	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	12	10	8	31.8	-0.9	1.02	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	2	12	20	8	31.4	-1	1.02	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	12	30	8	32.1	-0.5	1.019	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	12	40	8	31.6	-1.8	1.019	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	12	50	8	31.2	-1.1	1.019	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	13	0	8	33.6	-1.7	1.018	0.4	0.3	0	55.9	56.8	0	157	158	0	27	26
2024	10	2	13	10	8	30.7	-0.9	1.018	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	2	13	20	8	32.5	-1.4	1.017	0.4	0.3	0	55.9	57.2	0	157	159	0	27	26
2024	10	2	13	30	8	31.5	-1.3	1.018	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	13	40	8	31.7	-0.3	1.017	0.5	0.4	0	57.2	57.2	0	159	159	0	26	26
2024	10	2	13	50	8	31.9	-1.4	1.018	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	14	0	8	32.3	-1.5	1.017	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	2	14	10	8	31.2	-0.8	1.017	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	2	14	20	8	32.8	0.4	1.018	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	14	30	8	32.1	-0.1	1.018	0.4	0.3	0	56.8	56.3	0	158	158	0	26	27
2024	10	2	14	40	8	31.8	-1.8	1.017	0.5	0.5	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	14	50	8	32.1	-1.3	1.018	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	15	0	8	32.1	-0.8	1.018	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	15	10	8	31.8	-1.3	1.018	0.5	0.4	0	56.8	56.8	0	157	158	0	25	26
2024	10	2	15	20	8	32.2	-1.6	1.018	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	2	15	30	8	32.1	-0.6	1.018	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	15	40	8	31.8	-0.9	1.018	0.4	0.3	0	56.3	56.8	0	157	158	0	26	26
2024	10	2	15	50	8	32.1	-0.3	1.018	0.3	0.2	0	56.3	56.3	0	157	158	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	2	16	0	8	31	-0.2	1.018	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	2	16	10	8	31.9	0.2	1.018	0.5	0.4	0	55.5	56.8	0	156	158	0	27	26
2024	10	2	16	20	8	32.2	-0.9	1.018	0.4	0.3	0	55.9	56.3	0	156	157	0	26	26
2024	10	2	16	30	8	31.3	-0.6	1.018	0.5	0.4	0	55.9	55.9	0	156	157	0	26	27
2024	10	2	16	40	8	32.4	-1.8	1.018	0.3	0.2	0	55.5	56.3	0	155	157	0	26	26
2024	10	2	16	50	8	31.4	-1.3	1.018	0.5	0.4	0	55.5	55.9	0	155	157	0	26	27
2024	10	2	17	0	8	31.6	-0.3	1.018	0.5	0.5	0	55.9	55.9	0	156	157	0	26	27
2024	10	2	17	10	8	32.4	-0.3	1.018	0.4	0.3	0	55.9	56.3	0	156	157	0	26	26
2024	10	2	17	20	8	31.1	-1.6	1.018	0.5	0.5	0	55.9	56.3	0	156	157	0	26	26
2024	10	2	17	30	8	31.1	-0.6	1.018	0.4	0.3	0	55.9	55.9	0	156	157	0	26	27
2024	10	2	17	40	8	31.8	-0.1	1.018	0.5	0.5	0	55.9	56.3	0	156	157	0	26	26
2024	10	2	17	50	8	32	-0.8	1.018	0.4	0.3	0	55.9	55.9	0	156	157	0	26	27
2024	10	2	18	0	8	31.9	1	1.018	0.4	0.3	0	55.5	55.9	0	155	157	0	26	27
2024	10	2	18	10	8	32.7	-0.9	1.018	0.5	0.4	0	55.5	55.9	0	155	156	0	26	26
2024	10	2	18	20	8	32	-1.8	1.018	0.4	0.3	0	55.5	56.3	0	155	157	0	26	26
2024	10	2	18	30	8	31.5	0	1.018	0.4	0.3	0	55.5	55.9	0	155	157	0	26	27
2024	10	2	18	40	8	31.5	-0.1	1.018	0.5	0.5	0	55.9	56.8	0	156	158	0	26	26
2024	10	2	18	50	8	32.4	-1.2	1.018	0.5	0.4	0	55	56.3	0	155	157	0	27	26
2024	10	2	19	0	8	31.1	-1.4	1.018	0.4	0.3	0	56.3	56.8	0	156	158	0	25	26
2024	10	2	19	10	8	32	-0.9	1.018	0.5	0.4	0	55.5	56.8	0	156	158	0	27	26
2024	10	2	19	20	8	32.2	-1.4	1.018	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	2	19	30	8	33.3	-0.7	1.018	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	2	19	40	8	31.5	-0.2	1.018	0.5	0.4	0	55.9	56.8	0	157	158	0	27	26
2024	10	2	19	50	8	31.9	-0.7	1.018	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	2	20	0	8	30.5	-1.8	1.018	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	20	10	8	32.3	-0.3	1.018	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	20	20	8	31.7	-0.7	1.018	0.4	0.3	0	56.3	57.2	0	157	159	0	26	26
2024	10	2	20	30	8	33.3	-1.4	1.018	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26
2024	10	2	20	40	8	31.4	-0.2	1.018	0.5	0.5	0	55.9	56.8	0	156	158	0	26	26
2024	10	2	20	50	8	32.2	-0.4	1.018	0.5	0.4	0	55.9	56.8	0	157	158	0	27	26
2024	10	2	21	0	8	31.4	-1.4	1.018	0.4	0.3	0	55.9	57.2	0	157	159	0	27	26
2024	10	2	21	10	8	31.4	-0.4	1.018	0.4	0.3	0	55.9	56.8	0	156	158	0	26	26
2024	10	2	21	20	8	31.9	-1.3	1.018	0.4	0.3	0	55.9	56.3	0	156	158	0	26	27
2024	10	2	21	30	8	31.6	-0.8	1.018	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	21	40	8	31.4	-0.8	1.018	0.5	0.5	0	56.3	56.8	0	157	159	0	26	27
2024	10	2	21	50	8	32.6	-0.7	1.017	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	2	22	0	8	31.7	-1.3	1.017	0.6	0.5	0	56.8	57.2	0	158	159	0	26	26
2024	10	2	22	10	8	32.8	-1.2	1.017	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	2	22	20	8	31.6	-1.4	1.017	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	2	22	30	8	32.7	0.3	1.017	0.5	0.5	0	56.8	57.2	0	158	159	0	26	26
2024	10	2	22	40	8	32.9	-1.1	1.017	0.4	0.3	0	57.2	56.3	0	159	158	0	26	27
2024	10	2	22	50	8	32.1	-1.1	1.017	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	2	23	0	8	32.3	-1.5	1.017	0.4	0.3	0	57.2	56.8	0	159	158	0	26	26
2024	10	2	23	10	8	32.1	-1.1	1.017	0.5	0.4	0	57.2	57.2	0	159	159	0	26	26
2024	10	2	23	20	8	31.9	-0.8	1.017	0.3	0.2	0	57.2	56.8	0	159	159	0	26	27
2024	10	2	23	30	8	32.8	-2.1	1.017	0.5	0.5	0	56.8	56.3	0	158	158	0	26	27
2024	10	2	23	40	8	32	-0.4	1.017	0.5	0.5	0	57.2	56.8	0	159	158	0	26	26
2024	10	2	23	50	8	31.4	-0.8	1.017	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	3	0	0	8	32.1	-0.9	1.017	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	3	0	10	8	31.5	-0.7	1.017	0.5	0.5	0	57.2	56.3	0	159	158	0	26	27
2024	10	3	0	20	8	31	-1.1	1.016	0.5	0.4	0	57.2	57.2	0	159	159	0	26	26
2024	10	3	0	30	8	31.1	0.2	1.017	0.5	0.4	0	57.2	57.2	0	159	159	0	26	26
2024	10	3	0	40	8	31.9	-1	1.016	0.4	0.3	0	56.8	56.8	0	159	158	0	27	26
2024	10	3	0	50	8	32.7	-0.7	1.017	0.5	0.4	0	56.8	56.8	0	159	158	0	27	26
2024	10	3	1	0	8	31.3	0	1.016	0.5	0.5	0	56.8	56.3	0	159	158	0	27	27
2024	10	3	1	10	8	31.4	0.2	1.016	0.4	0.3	0	56.8	57.2	0	159	159	0	27	26
2024	10	3	1	20	8	31.6	-0.7	1.016	0.5	0.4	0	56.8	56.3	0	159	158	0	27	27
2024	10	3	1	30	8	31.8	-0.9	1.016	0.5	0.4	0	56.8	57.2	0	159	159	0	27	26
2024	10	3	1	40	8	32	-0.6	1.016	0.5	0.4	0	56.3	56.3	0	158	158	0	27	27
2024	10	3	1	50	8	32.9	-1	1.016	0.4	0.3	0	56.8	56.8	0	159	158	0	27	26
2024	10	3	2	0	8	32.3	-0.1	1.016	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	3	2	10	8	31.7	-0.9	1.016	0.4	0.3	0	57.2	56.3	0	159	158	0	26	27
2024	10	3	2	20	8	32.8	-0.8	1.016	0.5	0.5	0	56.3	56.3	0	158	158	0	27	27
2024	10	3	2	30	8	32.5	-0.9	1.016	0.5	0.4	0	57.2	56.3	0	159	158	0	26	27
2024	10	3	2	40	8	32	-2.1	1.016	0.5	0.5	0	56.3	56.8	0	158	158	0	27	26
2024	10	3	2	50	8	32.5	-1.6	1.016	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	3	3	0	8	32.4	-0.2	1.016	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	3	3	10	8	31.6	-1.8	1.017	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	3	3	20	8	31.4	-0.2	1.017	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	3	3	30	8	32.9	-0.4	1.017	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	3	40	8	31.3	-0.6	1.017	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	3	3	50	8	30.9	-0.2	1.018	0.5	0.5	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	4	0	8	31.9	-1.7	1.017	0.5	0.5	0	56.8	56.8	0	159	159	0	27	27
2024	10	3	4	10	8	31.8	-1.8	1.018	0.5	0.4	0	56.8	56.3	0	158	159	0	26	28
2024	10	3	4	20	8	31.9	-0.7	1.018	0.3	0.2	0	56.8	55.9	0	158	158	0	26	28
2024	10	3	4	30	8	32	-1.2	1.019	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	3	4	40	8	31.6	-1.3	1.019	0.5	0.5	0	56.8	56.3	0	158	158	0	26	27
2024	10	3	4	50	8	32	-0.9	1.019	0.4	0.3	0	56.8	57.2	0	159	159	0	27	26
2024	10	3	5	0	8	32	-0.8	1.02	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	3	5	10	8	31.7	-0.5	1.02	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	3	5	20	8	31.1	-1.6	1.02	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	3	5	30	8	30.6	-0.9	1.02	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	5	40	8	32.6	-0.1	1.02	0.3	0.2	0	56.3	56.8	0	158	159	0	27	27
2024	10	3	5	50	8	31.4	-0.7	1.02	0.4	0.3	0	56.3	56.3	0	158	158	0	27	27
2024	10	3	6	0	8	31	-1.3	1.021	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	3	6	10	8	32	-1.2	1.021	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	3	6	20	8	31.4	-0.9	1.021	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	3	6	30	8	31.3	-0.9	1.021	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	3	6	40	8	32.2	-0.7	1.021	0.4	0.3	0	56.8	56.8	0	159	160	0	27	28
2024	10	3	6	50	8	32.5	-0.5	1.021	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	3	7	0	8	31.5	-0.4	1.021	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	3	7	10	8	31.4	-1.7	1.021	0.5	0.5	0	57.2	57.2	0	159	160	0	26	27
2024	10	3	7	20	8	32.4	-0.6	1.021	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	3	7	30	8	31.9	-0.3	1.021	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	3	7	40	8	32	0	1.021	0.5	0.4	0	57.2	56.8	0	159	160	0	26	28
2024	10	3	7	50	8	30.9	-1.2	1.021	0.5	0.4	0	57.2	57.2	0	160	160	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	3	8	0	8	32.5	-1.5	1.021	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	3	8	10	8	32.2	-2.6	1.021	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	3	8	20	8	31.3	0	1.021	0.5	0.4	0	57.2	57.2	0	160	160	0	27	27
2024	10	3	8	30	8	31.5	-1.7	1.021	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	3	8	40	8	31.4	-0.5	1.021	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	3	8	50	8	32.4	-1.4	1.021	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	3	9	0	8	32.3	-1.2	1.021	0.4	0.3	0	56.8	57.6	0	159	160	0	27	26
2024	10	3	9	10	8	32.3	-0.6	1.022	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	3	9	20	8	32.2	-0.9	1.021	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	3	9	30	8	32.3	-1.3	1.021	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	3	9	40	8	32.4	-0.6	1.021	0.5	0.4	0	57.2	57.6	0	160	161	0	27	27
2024	10	3	9	50	8	32.1	-1.1	1.021	0.5	0.5	0	57.2	57.6	0	160	161	0	27	27
2024	10	3	10	0	8	31.6	-1.3	1.021	0.6	0.5	0	57.2	57.6	0	160	161	0	27	27
2024	10	3	10	10	8	32	-2.3	1.022	0.4	0.3	0	57.2	57.2	0	160	160	0	27	27
2024	10	3	10	20	8	31.2	-1.7	1.022	0.4	0.3	0	57.2	57.2	0	160	161	0	27	28
2024	10	3	10	30	8	32.5	-1.8	1.022	0.5	0.5	0	57.2	57.2	0	160	160	0	27	27
2024	10	3	10	40	8	32.1	-1.1	1.022	0.5	0.4	0	57.2	58	0	160	161	0	27	26
2024	10	3	10	50	8	32.1	-1.4	1.022	0.4	0.3	0	57.2	57.2	0	160	160	0	27	27
2024	10	3	11	0	8	32.1	-0.4	1.022	0.4	0.3	0	57.6	57.6	0	160	161	0	26	27
2024	10	3	11	10	8	31.6	-1.6	1.021	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	3	11	20	8	31.9	-1.8	1.021	0.3	0.2	0	56.8	56.8	0	159	160	0	27	28
2024	10	3	11	30	8	31.9	-2.2	1.021	0.5	0.4	0	56.8	58	0	159	161	0	27	26
2024	10	3	11	40	8	31.7	-0.8	1.021	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	3	11	50	8	30.5	-0.5	1.021	0.5	0.4	0	57.6	57.6	0	160	161	0	26	27
2024	10	3	12	0	8	32.1	-0.7	1.02	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	3	12	10	8	32.2	0	1.02	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	3	12	20	8	32.5	-1.6	1.02	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	3	12	30	8	32.9	-0.9	1.019	0.4	0.3	0	56.8	57.6	0	159	160	0	27	26
2024	10	3	12	40	8	32	-1	1.019	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	3	12	50	8	32.8	-1.3	1.019	0.4	0.3	0	56.8	57.6	0	159	160	0	27	26
2024	10	3	13	0	8	31.9	-0.6	1.019	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	3	13	10	8	32	-1	1.019	0.4	0.3	0	56.8	57.2	0	159	159	0	27	26
2024	10	3	13	20	8	31.8	-0.4	1.019	0.5	0.4	0	56.8	57.2	0	159	159	0	27	26
2024	10	3	13	30	8	32.1	0	1.019	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	3	13	40	8	32.2	-1	1.019	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	3	13	50	8	31.1	0	1.019	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	14	0	8	32.5	-1.3	1.019	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	3	14	10	8	32.2	-1.4	1.019	0.4	0.3	0	55.5	56.3	0	156	157	0	27	26
2024	10	3	14	20	8	32.6	-1.3	1.019	0.4	0.3	0	55.9	56.3	0	156	158	0	26	27
2024	10	3	14	30	8	31.6	-0.6	1.018	0.5	0.5	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	14	40	8	32.5	-1.4	1.018	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	14	50	8	31.5	-2.3	1.019	0.5	0.5	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	15	0	8	33	-1.5	1.018	0.4	0.3	0	56.3	56.3	0	157	157	0	26	26
2024	10	3	15	10	8	32.5	-2	1.018	0.5	0.4	0	56.3	56.3	0	157	157	0	26	26
2024	10	3	15	20	8	32.6	-1.1	1.019	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	3	15	30	8	31.7	-1	1.018	0.5	0.5	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	15	40	8	32.3	-0.4	1.018	0.5	0.5	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	15	50	8	31.5	-0.9	1.018	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	3	16	0	8	31.9	-1	1.018	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	3	16	10	8	31.7	-0.5	1.018	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	16	20	8	31.7	-1.2	1.018	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	3	16	30	8	31.4	-1.4	1.018	0.5	0.4	0	55.9	56.3	0	156	157	0	26	26
2024	10	3	16	40	8	32.1	-0.1	1.018	0.5	0.5	0	56.3	56.3	0	157	158	0	26	27
2024	10	3	16	50	8	32.3	0	1.018	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	3	17	0	8	32.3	-1.1	1.018	0.4	0.3	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	17	10	8	31.9	-1.5	1.019	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	3	17	20	8	33	-1.6	1.019	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	3	17	30	8	32.7	-0.2	1.019	0.3	0.2	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	17	40	8	32.1	0	1.019	0.4	0.3	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	17	50	8	32.2	-1	1.019	0.3	0.2	0	55.9	55.9	0	156	157	0	26	27
2024	10	3	18	0	8	33.3	-0.1	1.019	0.4	0.3	0	55.9	55.9	0	156	157	0	26	27
2024	10	3	18	10	8	32.7	-0.4	1.019	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	18	20	8	31	-0.4	1.019	0.5	0.4	0	56.8	56.8	0	157	158	0	25	26
2024	10	3	18	30	8	30.7	-0.7	1.019	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	3	18	40	8	31.9	-0.4	1.019	0.5	0.5	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	18	50	8	31.7	-1	1.019	0.5	0.4	0	55.9	56.3	0	156	157	0	26	26
2024	10	3	19	0	8	31.8	-0.1	1.019	0.4	0.3	0	56.3	57.2	0	157	158	0	26	25
2024	10	3	19	10	8	32.6	-0.4	1.019	0.3	0.2	0	56.8	56.8	0	157	158	0	25	26
2024	10	3	19	20	8	31.6	0	1.019	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	19	30	8	32.7	-1.4	1.018	0.5	0.4	0	55.9	56.8	0	157	158	0	27	26
2024	10	3	19	40	8	31.5	-1.4	1.019	0.5	0.4	0	56.3	57.2	0	158	159	0	27	26
2024	10	3	19	50	8	31.7	-0.5	1.018	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	3	20	0	8	32.3	-0.8	1.018	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	3	20	10	8	32.1	-0.8	1.018	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	3	20	20	8	31	-1.7	1.018	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	3	20	30	8	32.5	-1.5	1.018	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	20	40	8	32.4	-0.1	1.018	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	3	20	50	8	31.4	-1.3	1.018	0.5	0.4	0	56.3	57.2	0	158	159	0	27	26
2024	10	3	21	0	8	31.4	0	1.018	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	21	10	8	32.4	-1.6	1.018	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	3	21	20	8	32.3	-0.4	1.018	0.3	0.2	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	21	30	8	31.1	-0.9	1.018	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	21	40	8	31.9	-0.1	1.018	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	21	50	8	31.8	-0.1	1.018	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	3	22	0	8	31.1	-1.1	1.018	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	3	22	10	8	31.4	0	1.018	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	3	22	20	8	32.6	-1.3	1.018	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	22	30	8	32.1	-0.4	1.018	0.4	0.3	0	56.3	57.2	0	157	159	0	26	26
2024	10	3	22	40	8	33.2	-1.1	1.018	0.4	0.3	0	56.3	57.2	0	157	159	0	26	26
2024	10	3	22	50	8	33.1	0	1.018	0.3	0.2	0	56.8	57.2	0	157	159	0	25	26
2024	10	3	23	0	8	32	-0.4	1.018	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	3	23	10	8	32	-0.7	1.018	0.5	0.5	0	56.8	57.2	0	158	159	0	26	26
2024	10	3	23	20	8	31.2	-1.3	1.018	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	3	23	30	8	31.6	-2.5	1.018	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	3	23	40	8	32.6	-0.3	1.018	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	3	23	50	8	32.5	-1.3	1.018	0.5	0.4	0	56.3	57.2	0	157	159	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	4	0	0	8	31.8	-1.2	1.018	0.5	0.5	0	56.3	57.2	0	157	159	0	26	26
2024	10	4	0	10	8	32.1	-1.7	1.018	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	4	0	20	8	32.6	-1.7	1.018	0.5	0.5	0	56.3	56.3	0	157	158	0	26	27
2024	10	4	0	30	8	31.9	-0.9	1.018	0.4	0.3	0	56.3	56.8	0	157	159	0	26	27
2024	10	4	0	40	8	32.4	-1.7	1.018	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	4	0	50	8	32.6	0	1.018	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	4	1	0	8	32.7	-1.3	1.018	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	4	1	10	8	31.8	-0.5	1.018	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	4	1	20	8	32.8	-0.9	1.018	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	4	1	30	8	31.5	-0.8	1.019	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	4	1	40	8	31.8	-1.6	1.019	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	4	1	50	8	32	-0.4	1.019	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	4	2	0	8	32.4	-1.2	1.02	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	4	2	10	8	31.8	-0.5	1.02	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	4	2	20	8	32	-1.6	1.021	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	4	2	30	8	31.4	-1	1.021	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	4	2	40	8	32.4	-0.5	1.021	0.4	0.3	0	56.8	56.8	0	158	158	0	26	26
2024	10	4	2	50	8	32.2	-0.9	1.021	0.4	0.3	0	55.9	56.8	0	157	159	0	27	27
2024	10	4	3	0	8	32.8	-0.6	1.022	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	4	3	10	8	32.6	-1.3	1.022	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	4	3	20	8	31.8	0.1	1.022	0.5	0.5	0	56.3	56.8	0	157	159	0	26	27
2024	10	4	3	30	8	31.1	-1.2	1.022	0.5	0.5	0	56.3	57.2	0	157	159	0	26	26
2024	10	4	3	40	8	32.8	-1.1	1.022	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	4	3	50	8	31.7	-0.4	1.022	0.5	0.4	0	56.3	57.2	0	157	159	0	26	26
2024	10	4	4	0	8	31.3	-0.4	1.022	0.5	0.5	0	57.2	57.2	0	159	159	0	26	26
2024	10	4	4	10	8	31.5	-0.8	1.022	0.6	0.5	0	56.8	56.8	0	158	159	0	26	27
2024	10	4	4	20	8	32.4	-0.2	1.022	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	4	4	30	8	32.7	-0.5	1.022	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	4	4	40	8	32.7	-1	1.023	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	4	4	50	8	31.5	-1.7	1.023	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	4	5	0	8	31.9	-1.6	1.023	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	4	5	10	8	32.6	-1.4	1.023	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	4	5	20	8	31.5	-1.6	1.023	0.5	0.4	0	57.2	55	0	159	155	0	26	27
2024	10	4	5	30	8	32.3	-1.6	1.023	0.4	0.3	0	56.3	54.2	0	158	154	0	27	28
2024	10	4	5	40	8	31.3	-1.3	1.023	0.4	0.3	0	56.8	55.5	0	158	155	0	26	26
2024	10	4	5	50	8	31.7	-0.5	1.023	0.5	0.4	0	56.8	55.5	0	159	155	0	27	26
2024	10	4	6	0	8	32.6	-0.9	1.023	0.4	0.3	0	56.8	55	0	159	155	0	27	27
2024	10	4	6	10	8	33.1	-1.6	1.023	0.4	0.3	0	56.8	55.5	0	158	155	0	26	26
2024	10	4	6	20	8	33	-1	1.023	0.5	0.5	0	56.8	55	0	158	155	0	26	27
2024	10	4	6	30	8	31.9	-0.7	1.023	0.5	0.4	0	56.8	55.5	0	159	156	0	27	27
2024	10	4	6	40	8	32.4	-0.7	1.023	0.6	0.5	0	57.2	55	0	159	155	0	26	27
2024	10	4	6	50	8	33.1	-1.4	1.023	0.4	0.3	0	57.2	55.5	0	159	156	0	26	27
2024	10	4	7	0	8	32.1	-0.9	1.023	0.4	0.3	0	56.8	55	0	159	155	0	27	27
2024	10	4	7	10	8	32.5	-2.3	1.023	0.5	0.4	0	56.3	55	0	158	155	0	27	27
2024	10	4	7	20	8	33.1	-2.3	1.023	0.5	0.5	0	56.8	55	0	159	155	0	27	27
2024	10	4	7	30	8	31.8	-0.6	1.023	0.4	0.3	0	56.8	55	0	159	156	0	27	28
2024	10	4	7	40	8	30.9	-0.5	1.023	0.4	0.3	0	56.8	55.5	0	159	156	0	27	27
2024	10	4	7	50	8	33	-1.2	1.023	0.4	0.3	0	57.2	55.5	0	159	156	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	4	8	0	8	33	-1	1.023	0.4	0.3	0	56.8	55.5	0	159	156	0	27	27
2024	10	4	8	10	8	32.2	-1.8	1.023	0.6	0.5	0	56.8	55.5	0	159	156	0	27	27
2024	10	4	8	20	8	32.2	0	1.023	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	4	8	30	8	32.1	-1.4	1.023	0.5	0.5	0	56.8	57.2	0	159	161	0	27	28
2024	10	4	8	40	8	32.7	-0.6	1.023	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	4	8	50	8	32.3	-0.5	1.023	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	4	9	0	8	32.1	-1.4	1.023	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	4	9	10	8	32.4	-1.5	1.023	0.5	0.4	0	56.3	57.2	0	159	160	0	28	27
2024	10	4	9	20	8	32.1	-1.1	1.023	0.3	0.2	0	56.8	57.2	0	159	160	0	27	27
2024	10	4	9	30	8	32.4	-1.2	1.023	0.3	0.2	0	57.2	57.2	0	159	159	0	26	26
2024	10	4	9	40	8	32.9	-1.3	1.024	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	4	9	50	8	32.9	-1.3	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	4	10	0	8	32.9	-1.9	1.024	0.3	0.2	0	56.8	57.2	0	158	159	0	26	26
2024	10	4	10	10	8	33	-1.8	1.024	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	4	10	20	8	32.5	-1.7	1.024	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	4	10	30	8	32.1	-2.1	1.024	0.4	0.3	0	56.8	57.2	0	159	161	0	27	28
2024	10	4	10	40	8	32.1	-1.3	1.024	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2024	10	4	10	50	8	31.6	-1.6	1.024	0.5	0.4	0	57.2	57.6	0	160	161	0	27	27
2024	10	4	11	0	8	32.5	-0.9	1.024	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	4	11	10	8	32.6	-1	1.024	0.3	0.2	0	56.3	56.3	0	157	158	0	26	27
2024	10	4	11	20	8	32.9	0	1.024	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	4	11	30	8	33.5	-1.3	1.024	0.4	0.3	0	55.9	56.8	0	157	158	0	27	26
2024	10	4	11	40	8	32.6	-1.7	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	4	11	50	8	32.1	-0.5	1.024	0.4	0.3	0	56.3	57.2	0	158	159	0	27	26
2024	10	4	12	0	8	31.8	-1.7	1.024	0.3	0.2	0	55.9	56.8	0	157	159	0	27	27
2024	10	4	12	10	8	32.7	-0.2	1.024	0.5	0.5	0	56.8	56.3	0	157	158	0	25	27
2024	10	4	12	20	8	32.2	-1.1	1.024	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	4	12	30	8	33.7	-1	1.024	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	4	12	40	8	32	-0.3	1.024	0.4	0.3	0	55.5	55.9	0	156	157	0	27	27
2024	10	4	12	50	8	31.6	-0.5	1.024	0.5	0.4	0	55.9	56.8	0	157	158	0	27	26
2024	10	4	13	0	8	32.4	-0.5	1.024	0.5	0.4	0	55.9	56.8	0	157	158	0	27	26
2024	10	4	13	10	8	32.6	-0.7	1.024	0.4	0.3	0	55.5	56.3	0	156	157	0	27	26
2024	10	4	13	20	8	32.1	-0.7	1.024	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	4	13	30	8	32	-1.1	1.024	0.5	0.5	0	56.3	55.9	0	157	157	0	26	27
2024	10	4	13	40	8	32	-0.2	1.024	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	4	13	50	8	32.2	-1.3	1.024	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	4	14	0	8	32	-1.1	1.024	0.5	0.4	0	56.3	55.9	0	157	157	0	26	27
2024	10	4	14	10	8	32.9	-0.4	1.023	0.5	0.5	0	55.9	55.9	0	156	157	0	26	27
2024	10	4	14	20	8	32	-0.6	1.023	0.3	0.2	0	55.9	56.3	0	156	158	0	26	27
2024	10	4	14	30	8	32.2	-0.6	1.023	0.3	0.2	0	55.9	56.3	0	157	158	0	27	27
2024	10	4	14	40	8	32	-0.9	1.023	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	4	14	50	8	31.5	-0.4	1.023	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	4	15	0	8	32	-1.3	1.024	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	4	15	10	8	33.1	-0.9	1.023	0.4	0.3	0	55.9	55.9	0	156	157	0	26	27
2024	10	4	15	20	8	31.9	-0.3	1.022	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	4	15	30	8	32	-0.9	1.023	0.4	0.3	0	56.3	56.8	0	157	158	0	26	26
2024	10	4	15	40	8	30.6	-0.8	1.023	0.5	0.4	0	55.9	56.3	0	156	157	0	26	26
2024	10	4	15	50	8	31.7	-0.3	1.023	0.4	0.3	0	55.9	55.9	0	156	157	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	4	16	0	8	33	-0.4	1.022	0.3	0.2	0	55.9	55.9	0	156	157	0	26	27
2024	10	4	16	10	8	32.3	-0.9	1.023	0.5	0.4	0	55.9	56.3	0	156	157	0	26	26
2024	10	4	16	20	8	32.6	-0.4	1.022	0.3	0.2	0	55.9	55.9	0	156	157	0	26	27
2024	10	4	16	30	8	32.6	-2.3	1.022	0.5	0.4	0	55.9	55.9	0	156	157	0	26	27
2024	10	4	16	40	8	31.6	-1.4	1.022	0.5	0.4	0	55.5	55.5	0	155	156	0	26	27
2024	10	4	16	50	8	31.6	-0.4	1.022	0.5	0.4	0	55.9	55.9	0	156	157	0	26	27
2024	10	4	17	0	8	32.7	-1.3	1.022	0.5	0.5	0	55.5	55.5	0	155	156	0	26	27
2024	10	4	17	10	8	33.1	-0.5	1.022	0.3	0.2	0	55.5	55.9	0	155	156	0	26	26
2024	10	4	17	20	8	32.6	-1.1	1.022	0.5	0.5	0	55.5	55.5	0	155	156	0	26	27
2024	10	4	17	30	8	32	-1.3	1.021	0.4	0.3	0	55.9	55.9	0	156	156	0	26	26
2024	10	4	17	40	8	31.9	-0.6	1.021	0.4	0.3	0	55.9	55.5	0	156	156	0	26	27
2024	10	4	17	50	8	32.9	-1.4	1.021	0.3	0.2	0	55.5	55.5	0	155	156	0	26	27
2024	10	4	18	0	8	32.7	0.4	1.022	0.5	0.5	0	55.9	55.9	0	156	156	0	26	26
2024	10	4	18	10	8	31.4	-0.9	1.021	0.5	0.4	0	55.5	55.9	0	155	156	0	26	26
2024	10	4	18	20	8	32.7	-1.6	1.021	0.4	0.3	0	55.5	55.5	0	155	156	0	26	27
2024	10	4	18	30	8	32.5	-0.9	1.021	0.3	0.2	0	55.5	55.5	0	155	156	0	26	27
2024	10	4	18	40	8	31.6	-0.2	1.022	0.5	0.4	0	55.5	55.5	0	155	156	0	26	27
2024	10	4	18	50	8	32.1	-1	1.022	0.5	0.4	0	55.5	55.5	0	156	156	0	27	27
2024	10	4	19	0	8	32.1	-0.7	1.022	0.5	0.4	0	55.9	56.3	0	156	157	0	26	26
2024	10	4	19	10	8	32.4	-1.9	1.022	0.3	0.2	0	55.9	56.3	0	156	157	0	26	26
2024	10	4	19	20	8	32.2	-0.9	1.022	0.4	0.3	0	55.9	56.3	0	157	157	0	27	26
2024	10	4	19	30	8	32	-0.6	1.022	0.5	0.4	0	55.9	56.3	0	156	157	0	26	26
2024	10	4	19	40	8	32.1	-1.2	1.022	0.4	0.3	0	56.3	55.9	0	157	157	0	26	27
2024	10	4	19	50	8	32	0	1.022	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	4	20	0	8	32.5	-1.6	1.022	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	4	20	10	8	31.7	-0.4	1.023	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	4	20	20	8	32	-1.4	1.023	0.5	0.5	0	56.3	56.8	0	157	158	0	26	26
2024	10	4	20	30	8	31.8	-0.7	1.023	0.4	0.3	0	55.9	56.8	0	157	158	0	27	26
2024	10	4	20	40	8	31.4	-0.9	1.023	0.4	0.3	0	56.3	55.9	0	157	157	0	26	27
2024	10	4	20	50	8	32.6	-2	1.023	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	4	21	0	8	32.2	-0.8	1.023	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	4	21	10	8	32.7	-2.9	1.023	0.5	0.5	0	56.3	55.9	0	157	157	0	26	27
2024	10	4	21	20	8	32.3	-0.4	1.023	0.4	0.3	0	56.8	56.8	0	158	158	0	26	26
2024	10	4	21	30	8	32.9	-0.7	1.023	0.5	0.5	0	56.3	56.3	0	158	158	0	27	27
2024	10	4	21	40	8	32.3	-0.7	1.023	0.5	0.5	0	56.8	56.8	0	158	158	0	26	26
2024	10	4	21	50	8	32.4	-1.3	1.023	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	4	22	0	8	32.4	-1	1.023	0.5	0.4	0	56.3	56.3	0	158	158	0	27	27
2024	10	4	22	10	8	31.6	-0.7	1.023	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	4	22	20	8	31.4	0	1.023	0.5	0.4	0	56.8	56.3	0	159	158	0	27	27
2024	10	4	22	30	8	32.2	-0.9	1.023	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	4	22	40	8	32.1	-0.7	1.023	0.5	0.4	0	56.3	56.8	0	158	158	0	27	26
2024	10	4	22	50	8	33.7	-1.5	1.023	0.5	0.4	0	56.8	56.8	0	158	158	0	26	26
2024	10	4	23	0	8	32.2	0.1	1.023	0.4	0.3	0	56.8	56.3	0	158	158	0	26	27
2024	10	4	23	10	8	32.4	-1	1.023	0.5	0.5	0	56.8	56.3	0	158	158	0	26	27
2024	10	4	23	20	8	32.3	-1.4	1.023	0.5	0.4	0	56.3	56.3	0	158	158	0	27	27
2024	10	4	23	30	8	31.8	-1.6	1.023	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	4	23	40	8	31.9	-1.3	1.023	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	4	23	50	8	32	0.1	1.023	0.5	0.5	0	57.2	56.8	0	159	159	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	5	0	0	8	32	-1.9	1.023	0.5	0.5	0	56.8	56.3	0	158	158	0	26	27
2024	10	5	0	10	8	31.4	-1.2	1.023	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	5	0	20	8	31.6	-0.5	1.023	0.4	0.3	0	56.3	56.3	0	158	158	0	27	27
2024	10	5	0	30	8	31.7	-0.4	1.023	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	0	40	8	32.7	-0.9	1.023	0.5	0.4	0	57.2	57.2	0	159	159	0	26	26
2024	10	5	0	50	8	31.2	-0.9	1.023	0.4	0.3	0	57.2	56.3	0	159	159	0	26	28
2024	10	5	1	0	8	32.6	-0.3	1.023	0.5	0.4	0	56.8	57.2	0	159	159	0	27	26
2024	10	5	1	10	8	32	-0.1	1.023	0.5	0.5	0	56.8	56.3	0	159	159	0	27	28
2024	10	5	1	20	8	32.2	-0.2	1.023	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	5	1	30	8	32.4	-0.7	1.023	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	5	1	40	8	32.9	-1.9	1.023	0.5	0.5	0	56.3	56.3	0	158	158	0	27	27
2024	10	5	1	50	8	32.5	-1.5	1.023	0.3	0.2	0	56.3	56.8	0	158	159	0	27	27
2024	10	5	2	0	8	31.7	-0.4	1.023	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	2	10	8	31.7	0.2	1.023	0.4	0.3	0	56.8	56.3	0	158	158	0	26	27
2024	10	5	2	20	8	32.6	-1.4	1.023	0.5	0.4	0	56.3	56.8	0	158	158	0	27	26
2024	10	5	2	30	8	31.7	-1	1.023	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	5	2	40	8	32.4	-1.3	1.023	0.5	0.4	0	57.2	57.2	0	159	159	0	26	26
2024	10	5	2	50	8	32.7	-1.2	1.023	0.5	0.4	0	56.3	56.8	0	158	158	0	27	26
2024	10	5	3	0	8	32.4	-0.8	1.023	0.4	0.3	0	56.3	56.3	0	158	158	0	27	27
2024	10	5	3	10	8	32.9	-1.1	1.023	0.3	0.2	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	3	20	8	32.6	-0.6	1.023	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	3	30	8	32.7	-1.9	1.023	0.5	0.4	0	55.9	56.3	0	158	158	0	28	27
2024	10	5	3	40	8	32	-1.7	1.023	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	5	3	50	8	32.2	-1.3	1.023	0.5	0.5	0	56.8	56.3	0	158	158	0	26	27
2024	10	5	4	0	8	32.3	-1.5	1.023	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	4	10	8	32.5	-0.7	1.023	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	4	20	8	32.2	-1.5	1.023	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	4	30	8	31.4	-0.1	1.023	0.5	0.5	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	4	40	8	31	0.2	1.023	0.3	0.2	0	56.8	57.2	0	159	159	0	27	26
2024	10	5	4	50	8	32.3	-2.5	1.023	0.3	0.2	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	5	0	8	31.3	-0.9	1.023	0.6	0.5	0	56.8	56.3	0	158	158	0	26	27
2024	10	5	5	10	8	32.6	-0.9	1.023	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	5	5	20	8	32	-1.5	1.023	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	5	30	8	31.2	-1.2	1.023	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	5	40	8	32	0	1.023	0.4	0.3	0	56.8	56.3	0	159	159	0	27	28
2024	10	5	5	50	8	33	-1.1	1.023	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	6	0	8	31.6	-1.4	1.023	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	5	6	10	8	32.5	-0.5	1.023	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	6	20	8	32.9	-2.1	1.023	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	6	30	8	31.7	-1.5	1.023	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	5	6	40	8	31.8	-0.9	1.023	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	5	6	50	8	32.6	-0.4	1.023	0.3	0.2	0	57.6	57.2	0	160	160	0	26	27
2024	10	5	7	0	8	33.2	-1.1	1.023	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	5	7	10	8	32.9	-0.9	1.023	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	5	7	20	8	33.3	-1.8	1.023	0.5	0.4	0	56.8	57.6	0	159	160	0	27	26
2024	10	5	7	30	8	31.7	-0.4	1.023	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	5	7	40	8	32.6	-0.7	1.023	0.5	0.4	0	57.2	57.2	0	160	160	0	27	27
2024	10	5	7	50	8	31.7	-0.4	1.023	0.4	0.3	0	56.8	56.8	0	159	160	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	5	8	0	8	32.4	-1.6	1.023	0.6	0.5	0	57.6	57.6	0	160	160	0	26	26
2024	10	5	8	10	8	31.9	-0.6	1.023	0.5	0.4	0	57.6	57.6	0	160	161	0	26	27
2024	10	5	8	20	8	31.5	-1.3	1.023	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	5	8	30	8	33	-1.6	1.023	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	5	8	40	8	32.4	-1.4	1.023	0.5	0.4	0	56.8	57.6	0	159	160	0	27	26
2024	10	5	8	50	8	33	-2.1	1.024	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	5	9	0	8	32.4	-0.8	1.023	0.4	0.3	0	57.2	57.2	0	160	160	0	27	27
2024	10	5	9	10	8	32.5	-1.1	1.023	0.3	0.2	0	56.8	57.2	0	159	160	0	27	27
2024	10	5	9	20	8	33.3	-1.3	1.023	0.5	0.4	0	56.8	56.3	0	159	159	0	27	28
2024	10	5	9	30	8	32.1	-1.1	1.023	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	5	9	40	8	32.2	-1.3	1.024	0.5	0.5	0	56.8	56.8	0	159	160	0	27	28
2024	10	5	9	50	8	32.3	-0.9	1.024	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	10	0	8	32	-0.5	1.024	0.7	0.6	0	57.6	58	0	160	161	0	26	26
2024	10	5	10	10	8	31	-0.2	1.024	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	5	10	20	8	32.6	-1.2	1.024	0.3	0.2	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	10	30	8	31.9	-0.8	1.024	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	5	10	40	8	31.2	0.5	1.024	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	5	10	50	8	31.5	-0.2	1.024	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	5	11	0	8	32.7	-0.9	1.024	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	11	10	8	32.4	-0.8	1.024	0.5	0.5	0	56.8	57.6	0	158	160	0	26	26
2024	10	5	11	20	8	31.9	-2.1	1.024	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	11	30	8	32.8	-0.8	1.024	0.3	0.2	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	11	40	8	32.2	-1.3	1.024	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	11	50	8	32.3	-1.1	1.024	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	12	0	8	32.4	-2.2	1.024	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	12	10	8	32.9	-1.5	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	12	20	8	32.6	-0.9	1.024	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	5	12	30	8	32.6	-0.9	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	5	12	40	8	33	-1.1	1.024	0.4	0.3	0	55.9	56.8	0	157	158	0	27	26
2024	10	5	12	50	8	31.6	-0.9	1.024	0.5	0.5	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	13	0	8	32.6	-2.3	1.024	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	5	13	10	8	31.9	0	1.024	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	5	13	20	8	31.9	-1	1.024	0.4	0.3	0	56.8	56.3	0	158	158	0	26	27
2024	10	5	13	30	8	31.8	-1.7	1.024	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	5	13	40	8	31.7	-0.9	1.024	0.3	0.2	0	56.8	56.8	0	158	158	0	26	26
2024	10	5	13	50	8	32.6	-0.7	1.025	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	5	14	0	8	31.6	0	1.024	0.3	0.2	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	14	10	8	32.2	-1.9	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	14	20	8	32.5	-0.7	1.024	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	5	14	30	8	32	-1.8	1.024	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	5	14	40	8	32	-1.8	1.024	0.5	0.5	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	14	50	8	31.8	-1.3	1.024	0.5	0.5	0	56.3	56.3	0	158	158	0	27	27
2024	10	5	15	0	8	32.1	-1.5	1.024	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	5	15	10	8	33.2	-1.4	1.024	0.5	0.5	0	56.3	56.3	0	157	158	0	26	27
2024	10	5	15	20	8	32.1	-0.4	1.024	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	5	15	30	8	31.6	-0.4	1.025	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	5	15	40	8	33.4	-1.3	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	5	15	50	8	33.2	-0.3	1.024	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	5	16	0	8	31.7	-0.8	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	16	10	8	31.5	0	1.024	0.5	0.4	0	56.8	56.8	0	158	158	0	26	26
2024	10	5	16	20	8	32.5	-0.7	1.024	0.3	0.2	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	16	30	8	32.7	-0.2	1.024	0.3	0.2	0	55.9	56.3	0	157	158	0	27	27
2024	10	5	16	40	8	31	-1	1.024	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	5	16	50	8	32.1	-1.3	1.024	0.3	0.2	0	57.2	57.2	0	158	159	0	25	26
2024	10	5	17	0	8	31.9	0.4	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	17	10	8	32.8	-0.5	1.023	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	17	20	8	32.8	-0.7	1.023	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	5	17	30	8	33.2	-1.1	1.023	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	5	17	40	8	32.3	-0.6	1.023	0.4	0.3	0	56.3	56.8	0	157	158	0	26	26
2024	10	5	17	50	8	31.8	-0.3	1.022	0.4	0.3	0	55.9	56.3	0	156	158	0	26	27
2024	10	5	18	0	8	32.8	-1.4	1.021	0.4	0.3	0	56.3	56.8	0	157	158	0	26	26
2024	10	5	18	10	8	31.6	-0.4	1.021	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	5	18	20	8	31.4	0.7	1.022	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	5	18	30	8	32.6	-1.1	1.022	0.4	0.3	0	56.3	56.8	0	157	158	0	26	26
2024	10	5	18	40	8	32.8	-1.7	1.022	0.5	0.4	0	55.9	56.8	0	157	158	0	27	26
2024	10	5	18	50	8	31.3	-0.3	1.022	0.6	0.5	0	56.8	57.2	0	158	159	0	26	26
2024	10	5	19	0	8	32.5	-0.9	1.021	0.4	0.3	0	56.3	56.8	0	157	158	0	26	26
2024	10	5	19	10	8	32.5	-1	1.021	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	5	19	20	8	31.9	-1.4	1.021	0.3	0.2	0	56.8	57.2	0	158	159	0	26	26
2024	10	5	19	30	8	31.4	-0.4	1.021	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	19	40	8	31.9	-0.7	1.021	0.4	0.3	0	57.2	57.2	0	159	159	0	26	26
2024	10	5	19	50	8	32	-0.5	1.021	0.5	0.4	0	56.8	57.6	0	159	160	0	27	26
2024	10	5	20	0	8	32.1	-2.6	1.021	0.5	0.4	0	56.3	57.2	0	158	159	0	27	26
2024	10	5	20	10	8	31.9	-0.7	1.021	0.4	0.3	0	57.2	57.2	0	159	159	0	26	26
2024	10	5	20	20	8	32.1	-0.8	1.021	0.5	0.4	0	57.2	57.2	0	159	159	0	26	26
2024	10	5	20	30	8	32.6	-2.1	1.021	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	20	40	8	31	-0.4	1.021	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	20	50	8	31.7	0.5	1.022	0.4	0.3	0	56.8	57.6	0	159	160	0	27	26
2024	10	5	21	0	8	32.3	-0.9	1.021	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	5	21	10	8	32.8	0.4	1.022	0.5	0.5	0	57.2	57.2	0	159	160	0	26	27
2024	10	5	21	20	8	31.4	-0.9	1.021	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	5	21	30	8	33.4	-1.6	1.021	0.5	0.5	0	56.8	57.2	0	158	159	0	26	26
2024	10	5	21	40	8	32.6	-1.3	1.022	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	21	50	8	32.2	-0.6	1.022	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	22	0	8	32.2	-0.3	1.022	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	5	22	10	8	31.8	-1.3	1.023	0.3	0.2	0	56.8	56.8	0	158	159	0	26	27
2024	10	5	22	20	8	32.2	-0.8	1.023	0.3	0.2	0	57.2	57.2	0	159	159	0	26	26
2024	10	5	22	30	8	32.2	-1.3	1.022	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	22	40	8	32.9	-1.7	1.022	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	22	50	8	32	-0.9	1.023	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	23	0	8	32.3	-0.4	1.023	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	23	10	8	33.2	-0.3	1.023	0.5	0.5	0	57.2	56.8	0	159	159	0	26	27
2024	10	5	23	20	8	32.4	-1	1.023	0.6	0.5	0	57.2	57.2	0	159	159	0	26	26
2024	10	5	23	30	8	32.6	-0.9	1.023	0.5	0.5	0	57.2	57.2	0	159	159	0	26	26
2024	10	5	23	40	8	32.4	-1.1	1.023	0.5	0.5	0	56.8	57.2	0	159	159	0	27	26
2024	10	5	23	50	8	31.9	-1.3	1.023	0.5	0.5	0	57.2	56.8	0	159	159	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	6	0	0	8	33.4	-1.3	1.023	0.4	0.3	0	57.2	57.6	0	159	160	0	26	26
2024	10	6	0	10	8	32.1	-1.2	1.023	0.5	0.4	0	57.2	57.2	0	159	159	0	26	26
2024	10	6	0	20	8	32.8	0	1.023	0.3	0.2	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	0	30	8	32.8	-0.6	1.023	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	6	0	40	8	32.6	-0.4	1.023	0.4	0.3	0	57.2	57.2	0	159	159	0	26	26
2024	10	6	0	50	8	32	-0.6	1.023	0.5	0.4	0	57.2	57.2	0	159	159	0	26	26
2024	10	6	1	0	8	31.4	-0.2	1.023	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	6	1	10	8	31.8	-1.1	1.023	0.5	0.5	0	56.8	56.8	0	159	159	0	27	27
2024	10	6	1	20	8	31.4	-0.4	1.023	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	1	30	8	33.2	-1	1.023	0.5	0.4	0	57.2	57.2	0	159	159	0	26	26
2024	10	6	1	40	8	31.7	-1.7	1.023	0.5	0.5	0	56.8	56.8	0	159	159	0	27	27
2024	10	6	1	50	8	32.8	-0.6	1.023	0.5	0.5	0	56.8	57.2	0	159	159	0	27	26
2024	10	6	2	0	8	31.6	-0.4	1.023	0.5	0.5	0	57.6	57.6	0	160	160	0	26	26
2024	10	6	2	10	8	32	-1.6	1.023	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	2	20	8	32.1	-0.6	1.023	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	6	2	30	8	33	-0.8	1.023	0.5	0.5	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	2	40	8	31.1	-1	1.023	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	2	50	8	32.1	-0.8	1.023	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	3	0	8	32.2	-1.2	1.023	0.4	0.3	0	57.2	56.3	0	159	158	0	26	27
2024	10	6	3	10	8	32.5	0	1.023	0.4	0.3	0	56.8	57.2	0	159	159	0	27	26
2024	10	6	3	20	8	32.2	-0.9	1.023	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	3	30	8	33.2	-0.7	1.023	0.5	0.4	0	56.8	57.2	0	159	159	0	27	26
2024	10	6	3	40	8	31.7	-2	1.023	0.4	0.3	0	57.6	56.8	0	160	159	0	26	27
2024	10	6	3	50	8	32.6	-0.4	1.023	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	4	0	8	32	-0.9	1.023	0.4	0.3	0	57.2	57.2	0	159	159	0	26	26
2024	10	6	4	10	8	32.1	-0.3	1.023	0.4	0.3	0	56.8	56.3	0	159	159	0	27	28
2024	10	6	4	20	8	33.3	-0.4	1.023	0.5	0.4	0	56.8	56.3	0	159	159	0	27	28
2024	10	6	4	30	8	31.7	-2.6	1.023	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	4	40	8	32.8	-0.9	1.023	0.3	0.2	0	56.8	56.3	0	159	159	0	27	28
2024	10	6	4	50	8	31.6	-1.9	1.023	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	6	5	0	8	32.1	-0.8	1.023	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	5	10	8	32.4	-0.8	1.023	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	5	20	8	32.5	-0.7	1.023	0.3	0.2	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	5	30	8	31	-0.4	1.023	0.4	0.3	0	57.2	57.2	0	160	160	0	27	27
2024	10	6	5	40	8	32.2	0	1.023	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	5	50	8	32.6	-0.6	1.023	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	6	0	8	32.7	-0.6	1.023	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	6	10	8	32.4	-1.1	1.023	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	6	6	20	8	32.4	-1.1	1.023	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	6	6	30	8	33	-0.7	1.023	0.4	0.3	0	57.2	57.6	0	159	160	0	26	26
2024	10	6	6	40	8	32.8	-0.9	1.023	0.5	0.4	0	57.2	56.8	0	160	160	0	27	28
2024	10	6	6	50	8	31.3	-0.6	1.023	0.5	0.5	0	57.6	57.6	0	160	161	0	26	27
2024	10	6	7	0	8	31.9	-0.8	1.023	0.5	0.4	0	57.2	57.2	0	160	160	0	27	27
2024	10	6	7	10	8	33.2	-1.4	1.023	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	6	7	20	8	33.5	-1.8	1.023	0.4	0.3	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	7	30	8	32.4	-1.7	1.023	0.5	0.5	0	57.2	57.2	0	160	160	0	27	27
2024	10	6	7	40	8	30.9	-1.3	1.023	0.5	0.4	0	57.2	57.2	0	160	160	0	27	27
2024	10	6	7	50	8	31.9	-1.4	1.023	0.3	0.2	0	57.6	57.2	0	160	160	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	6	8	0	8	31.2	-0.2	1.023	0.5	0.5	0	57.2	57.6	0	160	161	0	27	27
2024	10	6	8	10	8	32.4	-0.8	1.023	0.5	0.5	0	57.2	57.6	0	160	160	0	27	26
2024	10	6	8	20	8	32.3	-1	1.023	0.5	0.4	0	57.2	57.6	0	160	161	0	27	27
2024	10	6	8	30	8	33.7	-1.6	1.023	0.3	0.2	0	56.8	57.2	0	159	160	0	27	27
2024	10	6	8	40	8	32.6	-0.4	1.023	0.4	0.3	0	57.2	57.2	0	160	160	0	27	27
2024	10	6	8	50	8	32.7	-1.9	1.023	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	6	9	0	8	32.2	-0.7	1.023	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	6	9	10	8	32.2	-1.3	1.023	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	9	20	8	32.6	-2.7	1.023	0.5	0.4	0	56.8	57.6	0	159	160	0	27	26
2024	10	6	9	30	8	32.1	-1.6	1.023	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	6	9	40	8	32.2	-1.2	1.023	0.5	0.5	0	56.8	56.8	0	159	159	0	27	27
2024	10	6	9	50	8	32.7	-1.5	1.023	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	6	10	0	8	33.1	-0.9	1.023	0.4	0.3	0	56.3	55.9	0	158	158	0	27	28
2024	10	6	10	10	8	32.3	-1.3	1.023	0.5	0.4	0	56.8	55.9	0	158	158	0	26	28
2024	10	6	10	20	8	32	-1.3	1.023	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	6	10	30	8	33.2	0.4	1.023	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	6	10	40	8	31.8	-0.9	1.024	0.4	0.3	0	56.8	56.3	0	158	158	0	26	27
2024	10	6	10	50	8	32.4	-0.7	1.024	0.5	0.5	0	56.8	56.8	0	158	159	0	26	27
2024	10	6	11	0	8	32.1	-2.1	1.024	0.5	0.4	0	56.3	56.3	0	158	158	0	27	27
2024	10	6	11	10	8	32.9	-0.2	1.024	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	6	11	20	8	32.3	-0.6	1.024	0.5	0.4	0	56.3	56.8	0	158	158	0	27	26
2024	10	6	11	30	8	32.9	-0.7	1.024	0.5	0.4	0	56.3	56.8	0	158	158	0	27	26
2024	10	6	11	40	8	32	-2	1.024	0.5	0.4	0	56.3	55.5	0	157	157	0	26	28
2024	10	6	11	50	8	32.6	-1.3	1.024	0.4	0.3	0	56.3	55.9	0	157	158	0	26	28
2024	10	6	12	0	8	31.6	-0.2	1.024	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	6	12	10	8	32.5	-0.8	1.024	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	6	12	20	8	32.6	-1.3	1.024	0.3	0.2	0	56.3	56.3	0	157	158	0	26	27
2024	10	6	12	30	8	33.6	-0.6	1.024	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	6	12	40	8	32.5	-1.4	1.024	0.4	0.3	0	56.3	57.2	0	158	159	0	27	26
2024	10	6	12	50	8	32.3	-2.1	1.024	0.3	0.2	0	57.2	56.8	0	159	159	0	26	27
2024	10	6	13	0	8	31.7	-1.1	1.024	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	6	13	10	8	32.8	-0.5	1.024	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	6	13	20	8	32.7	-2.1	1.024	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	6	13	30	8	32.7	0	1.024	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	6	13	40	8	32.8	0.3	1.024	0.5	0.4	0	55.9	56.3	0	157	157	0	27	26
2024	10	6	13	50	8	32.6	-0.7	1.024	0.4	0.3	0	55.9	56.3	0	156	157	0	26	26
2024	10	6	14	0	8	31.7	-1.4	1.024	0.5	0.4	0	55.9	55.9	0	156	156	0	26	26
2024	10	6	14	10	8	31.3	0	1.024	0.3	0.2	0	55.9	56.3	0	157	158	0	27	27
2024	10	6	14	20	8	31.8	0	1.024	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	6	14	30	8	32.4	-0.8	1.025	0.4	0.3	0	56.3	55.9	0	157	157	0	26	27
2024	10	6	14	40	8	31.7	-1.4	1.024	0.5	0.4	0	56.3	55.9	0	157	157	0	26	27
2024	10	6	14	50	8	32.6	-0.6	1.025	0.5	0.4	0	55.9	56.3	0	156	157	0	26	26
2024	10	6	15	0	8	32.7	-1.7	1.024	0.5	0.4	0	55.5	55.9	0	156	157	0	27	27
2024	10	6	15	10	8	33.3	-1.3	1.023	0.5	0.4	0	55.5	55.5	0	156	156	0	27	27
2024	10	6	15	20	8	32.4	-1.4	1.023	0.5	0.4	0	55.5	55.9	0	155	156	0	26	26
2024	10	6	15	30	8	33.4	-2.2	1.023	0.5	0.4	0	55.5	55.9	0	156	156	0	27	26
2024	10	6	15	40	8	32.8	-2.3	1.023	0.5	0.4	0	55.9	56.3	0	156	157	0	26	26
2024	10	6	15	50	8	33	-0.9	1.024	0.5	0.4	0	56.3	55.9	0	157	157	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	6	16	0	8	33.1	-1.6	1.023	0.5	0.5	0	55.9	55.9	0	156	157	0	26	27
2024	10	6	16	10	8	32.6	-1.6	1.023	0.5	0.4	0	55.9	56.3	0	157	157	0	27	26
2024	10	6	16	20	8	31.8	-1.4	1.023	0.4	0.3	0	56.3	56.3	0	157	157	0	26	26
2024	10	6	16	30	8	33.1	-1.5	1.023	0.5	0.5	0	55.9	56.3	0	156	157	0	26	26
2024	10	6	16	40	8	32.4	-0.8	1.023	0.4	0.3	0	55.5	55.5	0	155	156	0	26	27
2024	10	6	16	50	8	32.1	-0.9	1.023	0.4	0.3	0	55.5	55.5	0	155	155	0	26	26
2024	10	6	17	0	8	32.4	-0.6	1.023	0.5	0.4	0	55	55.5	0	155	155	0	27	26
2024	10	6	17	10	8	32.6	-1.6	1.022	0.4	0.3	0	55.5	55.9	0	155	156	0	26	26
2024	10	6	17	20	8	32	-1.5	1.022	0.5	0.4	0	55.5	55.5	0	155	156	0	26	27
2024	10	6	17	30	8	31.7	-0.4	1.023	0.4	0.3	0	55.5	55.5	0	155	156	0	26	27
2024	10	6	17	40	8	33.3	-1.3	1.023	0.5	0.4	0	55.5	55.5	0	155	156	0	26	27
2024	10	6	17	50	8	31.8	0.5	1.022	0.5	0.5	0	55.5	55.9	0	155	156	0	26	26
2024	10	6	18	0	8	31.8	-0.7	1.022	0.4	0.3	0	55.5	55.5	0	155	156	0	26	27
2024	10	6	18	10	8	31.7	-0.7	1.022	0.5	0.4	0	55.5	55.5	0	155	156	0	26	27
2024	10	6	18	20	8	32.8	-1.3	1.023	0.4	0.3	0	55.9	55.5	0	156	156	0	26	27
2024	10	6	18	30	8	31.3	0	1.023	0.4	0.3	0	56.3	55.9	0	157	157	0	26	27
2024	10	6	18	40	8	32.4	-0.4	1.023	0.4	0.3	0	55.9	55.9	0	156	156	0	26	26
2024	10	6	18	50	8	32.2	-1.3	1.022	0.4	0.3	0	55.9	55.5	0	156	156	0	26	27
2024	10	6	19	0	8	32.3	-1.3	1.023	0.3	0.2	0	55.9	55.9	0	156	157	0	26	27
2024	10	6	19	10	8	31.8	-0.3	1.022	0.5	0.4	0	55.9	55.9	0	157	157	0	27	27
2024	10	6	19	20	8	30.9	0.2	1.022	0.3	0.2	0	56.8	56.3	0	158	158	0	26	27
2024	10	6	19	30	8	33	-2	1.022	0.4	0.3	0	56.3	56.3	0	157	157	0	26	26
2024	10	6	19	40	8	30.9	-1.2	1.022	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	6	19	50	8	31.8	-1.1	1.022	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	6	20	0	8	31.5	0	1.022	0.4	0.3	0	56.8	56.3	0	158	158	0	26	27
2024	10	6	20	10	8	32.1	-0.8	1.022	0.5	0.4	0	56.8	55.9	0	158	157	0	26	27
2024	10	6	20	20	8	32.5	-1.3	1.022	0.5	0.5	0	56.3	56.3	0	157	158	0	26	27
2024	10	6	20	30	8	31.3	-0.7	1.023	0.3	0.2	0	56.3	57.2	0	158	159	0	27	26
2024	10	6	20	40	8	32.2	-1	1.023	0.5	0.4	0	56.3	56.8	0	158	158	0	27	26
2024	10	6	20	50	8	33.1	-1.3	1.023	0.3	0.2	0	56.3	56.3	0	158	158	0	27	27
2024	10	6	21	0	8	32.2	-1	1.024	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	6	21	10	8	31.3	0	1.024	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	6	21	20	8	32.4	-0.6	1.024	0.5	0.4	0	57.2	56.8	0	158	159	0	25	27
2024	10	6	21	30	8	32.3	-0.4	1.024	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	6	21	40	8	32.7	-0.9	1.024	0.5	0.4	0	55.9	56.8	0	157	158	0	27	26
2024	10	6	21	50	8	31.9	-0.3	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	6	22	0	8	32.8	-0.7	1.024	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	6	22	10	8	32.7	-0.8	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	6	22	20	8	32.3	-0.5	1.024	0.5	0.4	0	56.3	57.2	0	158	159	0	27	26
2024	10	6	22	30	8	33.8	-1.2	1.024	0.5	0.4	0	56.3	57.2	0	158	159	0	27	26
2024	10	6	22	40	8	32.2	-1.3	1.024	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	6	22	50	8	32.4	-0.9	1.024	0.3	0.2	0	56.8	56.8	0	158	159	0	26	27
2024	10	6	23	0	8	33	-0.8	1.024	0.3	0.2	0	56.8	56.8	0	158	159	0	26	27
2024	10	6	23	10	8	31.8	-0.2	1.024	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	6	23	20	8	33.3	-1.3	1.024	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	6	23	30	8	32	-1.3	1.024	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	6	23	40	8	31.3	-0.5	1.024	0.5	0.4	0	56.3	56.3	0	158	158	0	27	27
2024	10	6	23	50	8	31.8	-0.2	1.024	0.3	0.2	0	56.3	56.8	0	158	159	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	7	0	0	8	32.3	-0.4	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	0	10	8	32	-0.4	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	0	20	8	32.2	-1.3	1.024	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	7	0	30	8	31.4	-0.5	1.024	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	7	0	40	8	32.9	-1	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	0	50	8	32.4	-1	1.024	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	1	0	8	31.9	-0.7	1.024	0.5	0.5	0	56.8	56.3	0	159	159	0	27	28
2024	10	7	1	10	8	33.3	0.1	1.024	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	7	1	20	8	31.3	-0.6	1.024	0.3	0.2	0	56.8	56.3	0	159	159	0	27	28
2024	10	7	1	30	8	32.2	-1.9	1.024	0.5	0.4	0	56.3	57.2	0	158	159	0	27	26
2024	10	7	1	40	8	32.1	-2.3	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	1	50	8	31.7	-0.7	1.024	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	2	0	8	32.3	-0.4	1.024	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	2	10	8	32.7	-1.2	1.024	0.4	0.3	0	57.2	57.2	0	158	159	0	25	26
2024	10	7	2	20	8	31.3	-0.8	1.024	0.5	0.5	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	2	30	8	32.6	-1.3	1.024	0.5	0.4	0	56.3	57.2	0	158	159	0	27	26
2024	10	7	2	40	8	32.7	-0.9	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	2	50	8	32.3	-0.9	1.024	0.6	0.5	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	3	0	8	32	-0.4	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	3	10	8	33.1	-1.9	1.024	0.3	0.2	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	3	20	8	32.2	0.3	1.024	0.4	0.3	0	56.8	57.2	0	158	159	0	26	26
2024	10	7	3	30	8	32.7	-0.9	1.024	0.5	0.5	0	56.8	57.2	0	158	159	0	26	26
2024	10	7	3	40	8	31.6	-1.1	1.024	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	3	50	8	32.4	-0.9	1.024	0.3	0.2	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	4	0	8	32.3	-1	1.024	0.5	0.4	0	56.8	56.3	0	158	159	0	26	28
2024	10	7	4	10	8	32.5	-1	1.024	0.5	0.4	0	57.2	56.8	0	159	159	0	26	27
2024	10	7	4	20	8	32.2	-0.2	1.024	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	4	30	8	32.5	-1.5	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	4	40	8	31.9	-0.7	1.024	0.5	0.4	0	56.3	57.2	0	158	159	0	27	26
2024	10	7	4	50	8	33.2	-2.9	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	5	0	8	32.7	-1.7	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	5	10	8	31.8	-0.6	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	5	20	8	31.5	-0.4	1.024	0.3	0.2	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	5	30	8	32.5	-0.7	1.024	0.3	0.2	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	5	40	8	31.9	-0.1	1.024	0.5	0.5	0	56.8	56.8	0	159	159	0	27	27
2024	10	7	5	50	8	32.6	-2.1	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	6	0	8	30.9	0.3	1.024	0.5	0.4	0	56.8	57.2	0	159	159	0	27	26
2024	10	7	6	10	8	32.5	-2	1.024	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	7	6	20	8	32.5	-0.5	1.023	0.4	0.3	0	56.8	57.6	0	159	160	0	27	26
2024	10	7	6	30	8	32.2	-1	1.024	0.5	0.5	0	56.8	57.6	0	159	160	0	27	26
2024	10	7	6	40	8	32.8	-1.7	1.024	0.3	0.2	0	56.8	57.2	0	159	160	0	27	27
2024	10	7	6	50	8	32.3	-2	1.024	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	7	7	0	8	32.1	-0.9	1.024	0.5	0.4	0	57.6	57.6	0	160	161	0	26	27
2024	10	7	7	10	8	33.4	0	1.024	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	7	7	20	8	31.8	-0.5	1.024	0.5	0.4	0	56.8	57.2	0	158	161	0	26	28
2024	10	7	7	30	8	32.5	-0.5	1.024	0.3	0.2	0	56.8	57.6	0	159	161	0	27	27
2024	10	7	7	40	8	31.4	-0.3	1.024	0.4	0.3	0	57.2	57.6	0	160	161	0	27	27
2024	10	7	7	50	8	31.2	-1.4	1.024	0.5	0.4	0	57.6	57.6	0	160	161	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	7	8	0	8	32.2	-0.4	1.024	0.4	0.3	0	57.6	57.6	0	160	161	0	26	27
2024	10	7	8	10	8	31.7	-0.4	1.024	0.5	0.4	0	57.2	57.6	0	160	161	0	27	27
2024	10	7	8	20	8	32.3	-1.8	1.024	0.4	0.3	0	57.2	57.6	0	159	161	0	26	27
2024	10	7	8	30	8	31.4	-0.6	1.024	0.5	0.4	0	56.8	57.6	0	160	161	0	28	27
2024	10	7	8	40	8	32.5	-0.5	1.024	0.3	0.2	0	56.8	57.6	0	159	161	0	27	27
2024	10	7	8	50	8	32	-1.5	1.024	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	7	9	0	8	32.6	-1.5	1.024	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	7	9	10	8	32.6	-1.2	1.024	0.3	0.2	0	56.8	57.6	0	159	161	0	27	27
2024	10	7	9	20	8	33.5	-0.8	1.024	0.6	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	7	9	30	8	31.9	-1.6	1.024	0.5	0.4	0	57.2	56.8	0	159	160	0	26	28
2024	10	7	9	40	8	31.9	-1.3	1.024	0.4	0.3	0	56.8	57.2	0	159	161	0	27	28
2024	10	7	9	50	8	31.9	-1.8	1.024	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	7	10	0	8	33.4	-1.3	1.024	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	7	10	10	8	32.4	-0.8	1.024	0.3	0.2	0	56.8	57.6	0	158	160	0	26	26
2024	10	7	10	20	8	32.9	-0.6	1.024	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	10	30	8	32.4	-1.3	1.024	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	7	10	40	8	32.3	0	1.024	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	7	10	50	8	32.3	-2	1.024	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	7	11	0	8	32.2	-1.5	1.024	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	11	10	8	32.1	-0.3	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	11	20	8	32.4	-1.1	1.024	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	11	30	8	31.3	-0.9	1.024	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	11	40	8	31.5	-0.5	1.024	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	7	11	50	8	32.9	-1.9	1.024	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	7	12	0	8	32.5	-0.5	1.024	0.4	0.3	0	56.3	56.8	0	158	160	0	27	28
2024	10	7	12	10	8	32.2	-0.5	1.024	0.4	0.3	0	56.3	56.8	0	157	159	0	26	27
2024	10	7	12	20	8	32.5	-0.9	1.024	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	12	30	8	31.6	-0.4	1.024	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	7	12	40	8	31.7	-0.9	1.024	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	7	12	50	8	33.7	-0.7	1.024	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	7	13	0	8	32.2	0	1.024	0.4	0.3	0	57.2	57.2	0	159	161	0	26	28
2024	10	7	13	10	8	32.9	-1.5	1.024	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	13	20	8	32.8	-1.4	1.024	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	13	30	8	32	-1.1	1.024	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	7	13	40	8	32.4	-2.5	1.025	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	7	13	50	8	31.5	-1.1	1.024	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	7	14	0	8	32.4	-0.7	1.025	0.4	0.3	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	14	10	8	32.5	-1.1	1.025	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	7	14	20	8	32.2	-0.3	1.025	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	7	14	30	8	33	-1.7	1.025	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	7	14	40	8	32.8	-0.7	1.025	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	7	14	50	8	32.8	-0.3	1.025	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	7	15	0	8	31.9	-0.7	1.025	0.3	0.2	0	55.9	56.3	0	157	158	0	27	27
2024	10	7	15	10	8	33.1	-1	1.025	0.4	0.3	0	55.5	56.8	0	156	158	0	27	26
2024	10	7	15	20	8	33.2	-1.6	1.024	0.5	0.4	0	55.9	55.9	0	156	157	0	26	27
2024	10	7	15	30	8	32.5	-0.8	1.023	0.5	0.5	0	55.9	56.3	0	156	157	0	26	26
2024	10	7	15	40	8	32.3	-0.5	1.023	0.4	0.3	0	55.5	56.3	0	157	158	0	28	27
2024	10	7	15	50	8	31.9	-0.9	1.023	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	7	16	0	8	31.5	-0.7	1.023	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	7	16	10	8	32.4	-1.1	1.023	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	7	16	20	8	32	-0.7	1.024	0.4	0.3	0	56.3	56.8	0	157	159	0	26	27
2024	10	7	16	30	8	32.4	-0.7	1.024	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26
2024	10	7	16	40	8	31.3	-0.7	1.024	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	7	16	50	8	32.2	-0.9	1.024	0.5	0.4	0	55.9	56.8	0	157	158	0	27	26
2024	10	7	17	0	8	31.7	-0.3	1.024	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	7	17	10	8	33.3	-0.6	1.024	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	7	17	20	8	32.5	-0.8	1.024	0.5	0.5	0	56.3	56.8	0	157	158	0	26	26
2024	10	7	17	30	8	33.3	-2	1.024	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	7	17	40	8	32.4	-1	1.024	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	7	17	50	8	32.2	-1.4	1.023	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	7	18	0	8	32.5	-1.3	1.023	0.5	0.4	0	56.3	56.8	0	157	158	0	26	26
2024	10	7	18	10	8	32.4	-0.4	1.024	0.3	0.2	0	56.3	56.3	0	157	158	0	26	27
2024	10	7	18	20	8	32.2	-1.1	1.024	0.4	0.3	0	56.3	56.8	0	157	158	0	26	26
2024	10	7	18	30	8	32.8	-0.4	1.024	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	7	18	40	8	32.7	-0.4	1.024	0.3	0.2	0	55.9	56.8	0	157	159	0	27	27
2024	10	7	18	50	8	32.7	-1.3	1.024	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	7	19	0	8	32.3	-0.7	1.024	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	7	19	10	8	33.9	-1.5	1.024	0.5	0.5	0	56.8	57.6	0	158	160	0	26	26
2024	10	7	19	20	8	33.3	-0.5	1.024	0.4	0.3	0	57.2	57.6	0	159	160	0	26	26
2024	10	7	19	30	8	32.3	-0.6	1.024	0.5	0.5	0	57.2	57.2	0	159	160	0	26	27
2024	10	7	19	40	8	33.2	-0.5	1.024	0.4	0.3	0	56.3	57.6	0	158	160	0	27	26
2024	10	7	19	50	8	32.1	0	1.024	0.4	0.3	0	56.8	57.6	0	159	160	0	27	26
2024	10	7	20	0	8	32.6	0	1.024	0.5	0.5	0	56.8	57.6	0	159	160	0	27	26
2024	10	7	20	10	8	31.9	-0.4	1.024	0.5	0.5	0	56.8	57.6	0	159	160	0	27	26
2024	10	7	20	20	8	32.7	-0.4	1.024	0.5	0.4	0	56.8	58	0	159	161	0	27	26
2024	10	7	20	30	8	31.9	0.3	1.024	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	7	20	40	8	32.8	-0.6	1.024	0.4	0.3	0	57.2	57.6	0	159	161	0	26	27
2024	10	7	20	50	8	32.4	-2.2	1.024	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	7	21	0	8	32.7	-1.3	1.025	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	7	21	10	8	32.5	-2.1	1.025	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	7	21	20	8	31.5	-2.1	1.025	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	7	21	30	8	31.7	-1.9	1.025	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2024	10	7	21	40	8	32.4	-1.7	1.025	0.5	0.5	0	56.8	57.6	0	158	160	0	26	26
2024	10	7	21	50	8	32.1	-1	1.025	0.3	0.2	0	57.2	57.2	0	159	160	0	26	27
2024	10	7	22	0	8	32.3	-0.9	1.025	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	7	22	10	8	33.1	-1.5	1.025	0.5	0.4	0	57.2	57.6	0	159	160	0	26	26
2024	10	7	22	20	8	32.4	-1.3	1.025	0.3	0.2	0	57.2	57.6	0	159	161	0	26	27
2024	10	7	22	30	8	31.1	-1.5	1.025	0.4	0.3	0	56.8	57.6	0	159	161	0	27	27
2024	10	7	22	40	8	32.2	-0.9	1.025	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	7	22	50	8	33	-1.2	1.025	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	7	23	0	8	33.3	-1.4	1.025	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	7	23	10	8	32.1	-1.5	1.025	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	7	23	20	8	32.1	0	1.024	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	7	23	30	8	32	-1.1	1.024	0.4	0.3	0	56.8	57.6	0	158	160	0	26	26
2024	10	7	23	40	8	32.9	-0.5	1.025	0.5	0.4	0	56.8	57.6	0	159	160	0	27	26
2024	10	7	23	50	8	32.1	-1.4	1.025	0.3	0.2	0	56.3	57.6	0	158	160	0	27	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	8	0	0	8	31.6	0.1	1.025	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	0	10	8	31.4	-1.2	1.025	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	0	20	8	31.2	-1.2	1.025	0.4	0.3	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	0	30	8	32.5	-0.6	1.025	0.4	0.3	0	56.3	57.6	0	158	160	0	27	26
2024	10	8	0	40	8	32.4	-1.3	1.024	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	0	50	8	32.6	-0.6	1.024	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	1	0	8	32.2	-0.9	1.024	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2024	10	8	1	10	8	32.7	0	1.024	0.4	0.3	0	56.8	57.6	0	158	160	0	26	26
2024	10	8	1	20	8	32	-0.4	1.025	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	8	1	30	8	32.5	-1	1.024	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	1	40	8	32.5	-0.9	1.024	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	1	50	8	32.4	-0.6	1.024	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	2	0	8	31.9	-0.9	1.024	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	2	10	8	33.3	-0.7	1.024	0.4	0.3	0	56.8	57.6	0	158	160	0	26	26
2024	10	8	2	20	8	32.7	-0.7	1.024	0.5	0.4	0	56.3	57.6	0	158	160	0	27	26
2024	10	8	2	30	8	31.8	0.3	1.024	0.5	0.5	0	57.2	57.2	0	159	160	0	26	27
2024	10	8	2	40	8	31.7	0	1.025	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	2	50	8	32.4	-0.3	1.025	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	8	3	0	8	32.7	-0.8	1.025	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2024	10	8	3	10	8	33.1	-1.2	1.025	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	3	20	8	32.1	-0.4	1.025	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2024	10	8	3	30	8	31.7	0.4	1.025	0.5	0.4	0	56.8	58	0	159	161	0	27	26
2024	10	8	3	40	8	33.4	-0.8	1.025	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	3	50	8	32.8	-1	1.025	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	4	0	8	31.7	-0.9	1.025	0.3	0.2	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	4	10	8	32.5	0	1.025	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	4	20	8	31.7	-0.2	1.025	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2024	10	8	4	30	8	32.7	-0.8	1.025	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2024	10	8	4	40	8	32.4	-0.6	1.025	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	4	50	8	32.5	-2	1.025	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	5	0	8	33.5	-1.6	1.026	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	5	10	8	32.3	-0.8	1.025	0.5	0.4	0	56.8	56.8	0	158	160	0	26	28
2024	10	8	5	20	8	33.3	-1.5	1.026	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	5	30	8	32	-0.4	1.026	0.3	0.2	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	5	40	8	32.8	-0.8	1.026	0.3	0.2	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	5	50	8	31.8	-1	1.026	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	6	0	8	31.9	-1.5	1.027	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	6	10	8	32.8	-1.1	1.026	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	6	20	8	32.6	-0.7	1.026	0.3	0.2	0	56.8	57.6	0	158	161	0	26	27
2024	10	8	6	30	8	32	-1	1.027	0.5	0.4	0	56.8	57.2	0	159	161	0	27	28
2024	10	8	6	40	8	32.4	-0.3	1.027	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2024	10	8	6	50	8	32	-1.1	1.027	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2024	10	8	7	0	8	32.5	-0.4	1.028	0.4	0.3	0	57.6	57.6	0	160	161	0	26	27
2024	10	8	7	10	8	33.3	-1.6	1.028	0.4	0.3	0	57.2	57.6	0	159	161	0	26	27
2024	10	8	7	20	8	32.2	-0.6	1.028	0.4	0.3	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	7	30	8	32.2	-0.6	1.028	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	7	40	8	32.8	-0.8	1.028	0.5	0.4	0	56.8	57.2	0	159	161	0	27	28
2024	10	8	7	50	8	32.4	-0.5	1.028	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	8	8	0	8	33.2	-2	1.028	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	8	10	8	31.6	-1.3	1.028	0.5	0.5	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	8	20	8	31.5	-1	1.028	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	8	30	8	33.3	-1.7	1.027	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2024	10	8	8	40	8	32.8	-1.3	1.027	0.3	0.2	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	8	50	8	33.2	-1.4	1.026	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2024	10	8	9	0	8	32.7	-0.9	1.026	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	8	9	10	8	32.5	-1.4	1.026	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2024	10	8	9	20	8	31	-1.5	1.026	0.4	0.3	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	9	30	8	31.5	-0.9	1.025	0.5	0.5	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	9	40	8	32.2	0.1	1.025	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	9	50	8	32.3	-0.7	1.025	0.5	0.4	0	57.2	58	0	159	161	0	26	26
2024	10	8	10	0	8	32	-0.8	1.025	0.5	0.4	0	56.8	57.2	0	159	161	0	27	28
2024	10	8	10	10	8	33.5	-1.4	1.025	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	10	20	8	32.9	-1.4	1.025	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2024	10	8	10	30	8	31.9	-0.3	1.025	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	10	40	8	33.8	0	1.025	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	10	50	8	32.4	-0.9	1.025	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2024	10	8	11	0	8	32.5	-0.4	1.024	0.5	0.5	0	57.2	57.6	0	159	161	0	26	27
2024	10	8	11	10	8	32.8	-1.2	1.024	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	11	20	8	33.1	-1.2	1.024	0.4	0.3	0	56.3	57.6	0	158	160	0	27	26
2024	10	8	11	30	8	31.8	-1.2	1.025	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	8	11	40	8	31.3	-0.9	1.024	0.4	0.3	0	56.3	57.6	0	158	160	0	27	26
2024	10	8	11	50	8	32.2	-1.3	1.025	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	12	0	8	32.2	-0.9	1.025	0.3	0.2	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	12	10	8	32.7	-1	1.024	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	12	20	8	32.6	-0.8	1.024	0.4	0.3	0	57.2	57.6	0	159	161	0	26	27
2024	10	8	12	30	8	31.9	-1.5	1.024	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	12	40	8	32.6	-0.1	1.025	0.5	0.5	0	56.8	57.6	0	158	160	0	26	26
2024	10	8	12	50	8	31.9	-1.7	1.025	0.3	0.2	0	56.3	56.8	0	158	160	0	27	28
2024	10	8	13	0	8	31.3	-0.4	1.025	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	13	10	8	32.5	-0.9	1.025	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	13	20	8	31.7	-0.4	1.025	0.4	0.3	0	55.9	56.8	0	157	159	0	27	27
2024	10	8	13	30	8	33.2	-1.3	1.025	0.3	0.2	0	56.3	56.8	0	157	159	0	26	27
2024	10	8	13	40	8	32.2	-0.9	1.025	0.5	0.4	0	55.9	56.8	0	156	159	0	26	27
2024	10	8	13	50	8	32.8	-0.8	1.025	0.4	0.3	0	55.9	56.8	0	157	159	0	27	27
2024	10	8	14	0	8	32.4	-1	1.025	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	14	10	8	32.2	-0.3	1.024	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	14	20	8	32.8	-0.6	1.025	0.4	0.3	0	56.3	57.6	0	158	160	0	27	26
2024	10	8	14	30	8	31.8	-0.9	1.024	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	14	40	8	31.7	-1.3	1.024	0.3	0.2	0	57.6	58	0	160	162	0	26	27
2024	10	8	14	50	8	31.9	-1.2	1.025	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2024	10	8	15	0	8	32.7	-1.6	1.024	0.5	0.4	0	57.2	57.6	0	159	162	0	26	28
2024	10	8	15	10	8	31.8	-0.9	1.024	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	15	20	8	32.3	-0.4	1.024	0.4	0.3	0	56.3	57.6	0	158	160	0	27	26
2024	10	8	15	30	8	31.5	-0.1	1.024	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	15	40	8	32.6	-0.2	1.024	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	15	50	8	31.7	-1.9	1.025	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	8	16	0	8	32.3	-0.9	1.025	0.5	0.5	0	56.8	57.6	0	158	160	0	26	26
2024	10	8	16	10	8	32.9	-1.5	1.025	0.5	0.4	0	56.3	57.6	0	158	160	0	27	26
2024	10	8	16	20	8	32.6	0	1.025	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	8	16	30	8	32.1	0	1.025	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	8	16	40	8	31.9	0.2	1.025	0.5	0.4	0	56.3	57.2	0	157	159	0	26	26
2024	10	8	16	50	8	32.3	-1.6	1.025	0.5	0.5	0	56.3	56.8	0	157	159	0	26	27
2024	10	8	17	0	8	31.2	-0.1	1.025	0.4	0.3	0	56.3	56.8	0	157	159	0	26	27
2024	10	8	17	10	8	31.1	-0.9	1.025	0.4	0.3	0	55.9	56.8	0	156	159	0	26	27
2024	10	8	17	20	8	30.5	0	1.025	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	8	17	30	8	32.1	-1	1.025	0.4	0.3	0	55.9	56.8	0	156	158	0	26	26
2024	10	8	17	40	8	32.8	-1.5	1.025	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	8	17	50	8	32.3	0.4	1.025	0.4	0.3	0	55.5	56.8	0	156	158	0	27	26
2024	10	8	18	0	8	32.4	-1.7	1.025	0.5	0.4	0	55.5	55.9	0	155	157	0	26	27
2024	10	8	18	10	8	33.5	-1.4	1.025	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	8	18	20	8	31.5	-0.3	1.025	0.4	0.3	0	55.9	56.8	0	156	159	0	26	27
2024	10	8	18	30	8	31.8	-2.3	1.025	0.3	0.2	0	55.9	56.8	0	156	158	0	26	26
2024	10	8	18	40	8	31.9	-1	1.025	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	8	18	50	8	32.7	-2.3	1.025	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	8	19	0	8	32	-1.3	1.025	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	8	19	10	8	33	-1.3	1.025	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	19	20	8	32.7	-0.1	1.025	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	8	19	30	8	32.7	-0.9	1.025	0.4	0.3	0	56.3	57.2	0	158	159	0	27	26
2024	10	8	19	40	8	32.8	-0.4	1.025	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	19	50	8	32.7	-0.6	1.025	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	8	20	0	8	32.3	-1	1.025	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2024	10	8	20	10	8	32.4	-0.7	1.025	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	8	20	20	8	31.8	-0.9	1.025	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	20	30	8	32.4	-1.5	1.025	0.5	0.4	0	57.2	57.2	0	158	160	0	25	27
2024	10	8	20	40	8	32.2	-0.7	1.025	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	20	50	8	32.6	-0.7	1.025	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	21	0	8	31.4	-0.6	1.025	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	21	10	8	31.4	0.3	1.025	0.5	0.4	0	56.8	57.6	0	158	160	0	26	26
2024	10	8	21	20	8	32.5	-0.4	1.025	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	21	30	8	31.8	-0.9	1.025	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	21	40	8	31.9	-1	1.025	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	21	50	8	32.3	-1.4	1.025	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	22	0	8	32.7	-0.7	1.025	0.5	0.4	0	56.8	57.6	0	158	160	0	26	26
2024	10	8	22	10	8	32.7	-0.4	1.025	0.6	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	8	22	20	8	32.6	-1	1.025	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	22	30	8	32	-1.4	1.025	0.5	0.5	0	56.8	57.6	0	159	160	0	27	26
2024	10	8	22	40	8	31.6	-1.3	1.025	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	22	50	8	32.2	-1.7	1.025	0.5	0.5	0	57.2	57.6	0	158	160	0	25	26
2024	10	8	23	0	8	32	-1.1	1.025	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	8	23	10	8	32.5	-0.9	1.025	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	23	20	8	32.5	-1.7	1.025	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	8	23	30	8	32.7	-0.7	1.025	0.4	0.3	0	56.3	57.6	0	158	160	0	27	26
2024	10	8	23	40	8	32.2	0	1.025	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	8	23	50	8	32	-0.5	1.025	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	9	0	0	8	32.9	-1	1.025	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	0	10	8	32.4	0	1.025	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	0	20	8	31.9	-0.4	1.025	0.3	0.2	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	0	30	8	32.9	-0.9	1.025	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	0	40	8	31.4	0.2	1.024	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	0	50	8	32.3	0	1.025	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2024	10	9	1	0	8	31.9	-0.5	1.025	0.4	0.3	0	57.2	57.6	0	159	160	0	26	26
2024	10	9	1	10	8	33	-1.2	1.025	0.5	0.4	0	56.8	56.8	0	158	160	0	26	28
2024	10	9	1	20	8	33.1	-0.9	1.024	0.4	0.3	0	56.8	57.6	0	158	160	0	26	26
2024	10	9	1	30	8	32.6	-1.1	1.025	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	1	40	8	33.4	-0.4	1.024	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	1	50	8	32.5	-1.5	1.024	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	9	2	0	8	32.9	-1.6	1.025	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	2	10	8	32.2	0	1.025	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	2	20	8	32.5	-1.2	1.025	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	2	30	8	33.8	-1.2	1.024	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	2	40	8	31.4	-1.3	1.025	0.4	0.3	0	56.3	56.8	0	158	160	0	27	28
2024	10	9	2	50	8	33.7	-0.1	1.024	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	3	0	8	31.7	-1.1	1.025	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	3	10	8	32	-1.8	1.025	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	3	20	8	32.3	-1.3	1.025	0.5	0.4	0	56.8	57.6	0	158	160	0	26	26
2024	10	9	3	30	8	32.9	-0.4	1.025	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	3	40	8	33.3	-1.6	1.025	0.5	0.5	0	55.9	57.2	0	157	160	0	27	27
2024	10	9	3	50	8	33.3	-0.8	1.025	0.3	0.2	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	4	0	8	32.5	-1.4	1.025	0.5	0.5	0	55.9	57.2	0	157	160	0	27	27
2024	10	9	4	10	8	31.9	-0.8	1.025	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	4	20	8	31.9	-0.9	1.025	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	4	30	8	31.5	-0.4	1.025	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	4	40	8	32.4	0.6	1.025	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	4	50	8	32.2	-0.4	1.025	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	5	0	8	32.2	-1.3	1.025	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	5	10	8	32.4	-1.4	1.025	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	5	20	8	31.8	-1.5	1.025	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	5	30	8	32.2	-0.6	1.025	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	9	5	40	8	31.5	-0.8	1.025	0.4	0.3	0	56.3	56.8	0	158	160	0	27	28
2024	10	9	5	50	8	32.4	-0.4	1.026	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	6	0	8	32.7	-1.6	1.026	0.5	0.4	0	55.9	56.8	0	158	159	0	28	27
2024	10	9	6	10	8	32	-1.6	1.026	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	9	6	20	8	32.7	0.6	1.026	0.5	0.5	0	56.3	57.6	0	158	160	0	27	26
2024	10	9	6	30	8	32.6	-1.4	1.026	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	6	40	8	32.4	-0.8	1.026	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2024	10	9	6	50	8	33.3	-1.1	1.026	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2024	10	9	7	0	8	31.8	-1.4	1.026	0.6	0.5	0	56.3	57.6	0	159	161	0	28	27
2024	10	9	7	10	8	32.2	-0.8	1.026	0.3	0.2	0	57.2	57.6	0	159	161	0	26	27
2024	10	9	7	20	8	33.1	-1.2	1.025	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	9	7	30	8	31.8	-1.3	1.026	0.4	0.3	0	56.8	57.2	0	159	161	0	27	28
2024	10	9	7	40	8	32	-1.9	1.025	0.4	0.3	0	56.3	57.6	0	158	161	0	27	27
2024	10	9	7	50	8	32.5	-1.1	1.025	0.3	0.2	0	55.9	57.2	0	158	161	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	9	8	0	8	33.4	-1.8	1.025	0.3	0.2	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	8	10	8	31.1	-1.2	1.025	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	9	8	20	8	32.1	-1.9	1.024	0.5	0.4	0	56.8	57.2	0	159	161	0	27	28
2024	10	9	8	30	8	32.1	-2.4	1.024	0.4	0.3	0	56.8	58	0	159	161	0	27	26
2024	10	9	8	40	8	31.5	-0.1	1.023	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2024	10	9	8	50	8	32.5	-2	1.023	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	9	0	8	31.7	-0.8	1.023	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	9	10	8	31.9	0	1.023	0.3	0.2	0	56.3	57.6	0	158	161	0	27	27
2024	10	9	9	20	8	32.1	-1.7	1.023	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	9	30	8	32.3	-1.3	1.022	0.5	0.4	0	55.9	56.8	0	158	160	0	28	28
2024	10	9	9	40	8	31.6	-1.6	1.022	0.4	0.3	0	57.2	58	0	159	161	0	26	26
2024	10	9	9	50	8	33.5	-1.2	1.022	0.3	0.2	0	56.8	57.2	0	159	160	0	27	27
2024	10	9	10	0	8	31.9	-1.3	1.022	0.5	0.5	0	57.2	57.2	0	159	160	0	26	27
2024	10	9	10	10	8	31.9	-0.5	1.021	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	10	20	8	31.8	-1.3	1.021	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	9	10	30	8	32	-0.8	1.021	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2024	10	9	10	40	8	31.3	-0.4	1.021	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	9	10	50	8	32.3	-1.2	1.021	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	9	11	0	8	31	0	1.021	0.3	0.2	0	56.3	56.8	0	158	160	0	27	28
2024	10	9	11	10	8	30.9	-1.1	1.021	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	11	20	8	31.5	-1.5	1.021	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	11	30	8	32	-1.4	1.02	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	9	11	40	8	32.4	-0.7	1.02	0.4	0.3	0	56.8	56.8	0	158	160	0	26	28
2024	10	9	11	50	8	31.6	-1.8	1.02	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	12	0	8	32.5	-0.4	1.02	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	9	12	10	8	32.4	-0.6	1.019	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	9	12	20	8	32.1	-0.4	1.019	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	9	12	30	8	31.7	-0.4	1.018	0.4	0.3	0	55.9	56.8	0	157	159	0	27	27
2024	10	9	12	40	8	33.2	-1.6	1.016	0.4	0.3	0	55.9	56.8	0	157	159	0	27	27
2024	10	9	12	50	8	31.5	-0.5	1.014	0.5	0.5	0	56.3	56.8	0	157	159	0	26	27
2024	10	9	13	0	8	32.5	-1	1.014	0.4	0.3	0	55.5	56.8	0	156	159	0	27	27
2024	10	9	13	10	8	31.4	-0.7	1.014	0.4	0.3	0	55.5	56.3	0	156	158	0	27	27
2024	10	9	13	20	8	32.3	-0.2	1.013	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	9	13	30	8	32.2	-1.2	1.013	0.4	0.3	0	55.9	56.3	0	156	158	0	26	27
2024	10	9	13	40	8	31.5	-0.4	1.013	0.4	0.3	0	55.5	55.9	0	156	158	0	27	28
2024	10	9	13	50	8	30.6	-0.9	1.013	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	9	14	0	8	31.8	-1.1	1.012	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	9	14	10	8	32.5	-1.7	1.012	0.4	0.3	0	55	55.9	0	155	157	0	27	27
2024	10	9	14	20	8	31.1	-1.8	1.012	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26
2024	10	9	14	30	8	31.4	-0.7	1.012	0.5	0.4	0	55.9	55.9	0	156	158	0	26	28
2024	10	9	14	40	8	31.4	-0.4	1.011	0.3	0.2	0	55	56.3	0	155	158	0	27	27
2024	10	9	14	50	8	32.3	-0.3	1.01	0.5	0.4	0	55.5	56.3	0	155	158	0	26	27
2024	10	9	15	0	8	32.1	-2.3	1.01	0.3	0.2	0	55.5	55.9	0	155	157	0	26	27
2024	10	9	15	10	8	30.8	-0.7	1.01	0.4	0.3	0	55.5	56.8	0	156	158	0	27	26
2024	10	9	15	20	8	31.3	-1.7	1.008	0.4	0.3	0	55	56.8	0	155	158	0	27	26
2024	10	9	15	30	8	31.3	-1.1	1.007	0.4	0.3	0	55.5	56.3	0	155	158	0	26	27
2024	10	9	15	40	8	30.9	-1.3	1.006	0.5	0.5	0	55.9	56.3	0	156	158	0	26	27
2024	10	9	15	50	8	30.9	-0.6	1.005	0.4	0.3	0	55.5	55.9	0	155	157	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	9	16	0	8	31.4	-0.8	1.005	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	9	16	10	8	31.5	-1.9	1.005	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26
2024	10	9	16	20	8	31.6	-1.5	1.004	0.5	0.4	0	56.3	57.2	0	157	159	0	26	26
2024	10	9	16	30	8	30.4	-1.6	1.003	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	9	16	40	8	31.7	-1.1	1.003	0.4	0.3	0	56.3	56.8	0	157	159	0	26	27
2024	10	9	16	50	8	30.5	-1.5	1.003	0.4	0.3	0	56.3	56.8	0	157	159	0	26	27
2024	10	9	17	0	8	30.6	-0.5	1.003	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	9	17	10	8	31.8	-0.5	1.002	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	9	17	20	8	31.7	-0.6	1.002	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	9	17	30	8	31	-0.9	1.002	0.5	0.4	0	55.5	56.8	0	156	159	0	27	27
2024	10	9	17	40	8	31.4	-0.9	1.002	0.5	0.4	0	55.9	56.8	0	156	159	0	26	27
2024	10	9	17	50	8	30.6	-0.3	1.001	0.4	0.3	0	55.9	56.8	0	156	159	0	26	27
2024	10	9	18	0	8	30.9	-0.9	1.001	0.5	0.5	0	55.5	56.8	0	156	159	0	27	27
2024	10	9	18	10	8	30.4	-0.4	1	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	9	18	20	8	31.3	-1.2	1	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	9	18	30	8	31.6	-0.4	1	0.4	0.3	0	55.9	56.8	0	157	159	0	27	27
2024	10	9	18	40	8	30.1	-0.6	0.999	0.4	0.3	0	55.9	56.8	0	156	159	0	26	27
2024	10	9	18	50	8	30.3	-1	0.998	0.5	0.5	0	56.3	57.2	0	157	159	0	26	26
2024	10	9	19	0	8	30.8	-0.2	0.996	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	9	19	10	8	30.7	0.1	0.995	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	19	20	8	31.9	-1.3	0.994	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2024	10	9	19	30	8	31.2	-0.3	0.994	0.4	0.3	0	56.8	57.6	0	158	160	0	26	26
2024	10	9	19	40	8	30.3	-0.5	0.993	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	9	19	50	8	30.5	-0.8	0.993	0.5	0.4	0	57.2	57.6	0	159	160	0	26	26
2024	10	9	20	0	8	30	-0.4	0.992	0.5	0.5	0	57.2	57.6	0	159	161	0	26	27
2024	10	9	20	10	8	30	-0.4	0.992	0.5	0.4	0	57.2	57.6	0	159	160	0	26	26
2024	10	9	20	20	8	30.7	-0.5	0.992	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	20	30	8	29.8	-0.9	0.991	0.4	0.3	0	57.2	57.6	0	159	161	0	26	27
2024	10	9	20	40	8	30.4	-1.2	0.991	0.4	0.3	0	56.8	57.6	0	159	161	0	27	27
2024	10	9	20	50	8	30.4	-1.6	0.991	0.4	0.3	0	56.8	58	0	159	161	0	27	26
2024	10	9	21	0	8	30.9	-0.7	0.991	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	9	21	10	8	29.9	-1.1	0.99	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	9	21	20	8	30.2	-0.3	0.99	0.5	0.5	0	57.2	57.6	0	159	161	0	26	27
2024	10	9	21	30	8	29.9	-1.2	0.99	0.5	0.4	0	56.8	57.6	0	159	160	0	27	26
2024	10	9	21	40	8	29.8	-0.7	0.989	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2024	10	9	21	50	8	30.3	-2.4	0.989	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	9	22	0	8	30.1	-1.3	0.989	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	9	22	10	8	30.2	0.1	0.988	0.6	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	9	22	20	8	30.5	-1.4	0.988	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	9	22	30	8	30.8	-1.6	0.988	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	9	22	40	8	30.2	-2.2	0.987	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	9	22	50	8	30.9	-1.8	0.987	0.5	0.4	0	57.2	57.6	0	159	160	0	26	26
2024	10	9	23	0	8	30.2	-1.3	0.986	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	9	23	10	8	29.8	-0.9	0.986	0.3	0.2	0	57.2	57.6	0	159	161	0	26	27
2024	10	9	23	20	8	28.8	-1.7	0.986	0.5	0.5	0	56.8	57.6	0	159	161	0	27	27
2024	10	9	23	30	8	31	-1.1	0.985	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	9	23	40	8	29.5	-0.4	0.984	0.4	0.3	0	56.8	57.6	0	159	161	0	27	27
2024	10	9	23	50	8	29.3	-0.7	0.984	0.5	0.4	0	57.2	58	0	159	161	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	10	0	0	8	29.1	-0.4	0.982	0.5	0.4	0	56.8	58	0	159	161	0	27	26
2024	10	10	0	10	8	29.1	-0.9	0.981	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	10	0	20	8	30.3	-1.9	0.98	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	10	0	30	8	30.4	-1.3	0.98	0.5	0.4	0	56.3	57.6	0	158	160	0	27	26
2024	10	10	0	40	8	29.7	-1.3	0.98	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	10	0	50	8	29.1	-1.3	0.979	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	10	1	0	8	28.5	-0.6	0.979	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	10	1	10	8	29.9	-0.7	0.979	0.5	0.5	0	56.8	57.6	0	159	161	0	27	27
2024	10	10	1	20	8	29.4	-1.8	0.978	0.4	0.3	0	56.8	57.6	0	158	160	0	26	26
2024	10	10	1	30	8	30	-2.5	0.978	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	10	1	40	8	30.5	-0.2	0.978	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	1	50	8	29.8	-1.8	0.977	0.4	0.3	0	56.8	56.8	0	159	160	0	27	28
2024	10	10	2	0	8	30.8	-1.8	0.977	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	10	2	10	8	29.4	0	0.977	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	10	2	20	8	29	-0.9	0.977	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	10	2	30	8	29.9	-1.9	0.977	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	2	40	8	30.5	0	0.976	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	2	50	8	30.3	-2.6	0.976	0.3	0.2	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	3	0	8	29	-1.5	0.976	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	3	10	8	29.5	-1.6	0.976	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	3	20	8	30.1	-1.3	0.975	0.5	0.5	0	57.2	57.6	0	159	160	0	26	26
2024	10	10	3	30	8	29.4	-1.3	0.975	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	10	3	40	8	29.4	-1.1	0.975	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	3	50	8	30.3	-0.6	0.975	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	4	0	8	29.5	0.5	0.975	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	4	10	8	27.1	-1.8	0.975	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	4	20	8	29.5	-1.3	0.974	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	4	30	8	29.7	-0.9	0.974	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	10	4	40	8	29.7	-1	0.974	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	4	50	8	29.4	-1.9	0.974	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	10	5	0	8	30.2	-0.9	0.974	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	5	10	8	29.7	-0.5	0.974	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	5	20	8	29.6	-0.6	0.974	0.5	0.4	0	56.3	57.2	0	159	160	0	28	27
2024	10	10	5	30	8	30.2	0.3	0.973	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	5	40	8	30.4	-0.9	0.973	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	5	50	8	29.4	-1.3	0.973	0.4	0.3	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	6	0	8	29.4	-0.8	0.973	0.6	0.5	0	56.8	56.8	0	159	160	0	27	28
2024	10	10	6	10	8	29.2	0	0.973	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	6	20	8	29.8	-1.8	0.973	0.4	0.3	0	56.3	56.8	0	158	160	0	27	28
2024	10	10	6	30	8	30	-1.8	0.972	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	10	6	40	8	29.1	-1.1	0.972	0.4	0.3	0	57.2	56.8	0	159	160	0	26	28
2024	10	10	6	50	8	29.8	-0.7	0.972	0.5	0.4	0	56.8	57.2	0	159	161	0	27	28
2024	10	10	7	0	8	29.1	-1.3	0.972	0.4	0.3	0	56.8	57.6	0	159	161	0	27	27
2024	10	10	7	10	8	28.4	-1.4	0.971	0.4	0.3	0	57.2	57.6	0	160	161	0	27	27
2024	10	10	7	20	8	28.8	-0.9	0.971	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	10	7	30	8	29.1	-0.6	0.971	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2024	10	10	7	40	8	30	-1.5	0.971	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2024	10	10	7	50	8	29.2	-0.5	0.971	0.5	0.5	0	56.8	57.2	0	159	161	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	10	8	0	8	30	-1	0.971	0.5	0.4	0	56.8	57.2	0	159	161	0	27	28
2024	10	10	8	10	8	29	-1.8	0.97	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	10	8	20	8	29.7	-1.1	0.97	0.4	0.3	0	56.8	57.6	0	159	161	0	27	27
2024	10	10	8	30	8	28.7	-1.6	0.97	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	10	8	40	8	28.2	-1.1	0.97	0.5	0.5	0	57.6	58	0	160	162	0	26	27
2024	10	10	8	50	8	29.2	-0.8	0.969	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	10	9	0	8	29.6	-2	0.969	0.5	0.5	0	56.8	56.8	0	159	160	0	27	28
2024	10	10	9	10	8	30	-1.3	0.969	0.5	0.5	0	56.8	57.6	0	159	161	0	27	27
2024	10	10	9	20	8	28.9	-2.1	0.968	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	10	9	30	8	28.9	-1.9	0.967	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	10	9	40	8	29.6	-2.2	0.966	0.4	0.3	0	56.3	56.8	0	158	160	0	27	28
2024	10	10	9	50	8	28.8	-0.6	0.966	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	10	10	0	8	30.1	-1.7	0.965	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	10	10	10	8	28.4	-0.4	0.965	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	10	20	8	30.3	-1.2	0.965	0.4	0.3	0	56.3	56.3	0	158	159	0	27	28
2024	10	10	10	30	8	28.8	-1	0.965	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	10	40	8	30.4	-0.8	0.965	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	10	50	8	29	-1.7	0.964	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	11	0	8	28.8	-0.9	0.964	0.3	0.2	0	56.8	57.2	0	158	160	0	26	27
2024	10	10	11	10	8	30.4	-1.1	0.964	0.4	0.3	0	56.8	56.8	0	158	160	0	26	28
2024	10	10	11	20	8	29.8	-2.2	0.964	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	10	11	30	8	28.5	0.2	0.964	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	11	40	8	29.1	-2.1	0.964	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	10	11	50	8	28.5	-1.8	0.964	0.4	0.3	0	55.9	56.8	0	157	159	0	27	27
2024	10	10	12	0	8	28.3	-0.6	0.964	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	10	12	10	8	29.5	-1.7	0.963	0.5	0.4	0	56.3	57.2	0	158	159	0	27	26
2024	10	10	12	20	8	28.8	-0.5	0.963	0.3	0.2	0	55.9	56.3	0	157	159	0	27	28
2024	10	10	12	30	8	29.3	-0.8	0.963	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	10	12	40	8	27.9	-1	0.962	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	10	12	50	8	28.5	-1.1	0.963	0.5	0.4	0	56.8	56.3	0	158	159	0	26	28
2024	10	10	13	0	8	28.6	-1.8	0.963	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	10	13	10	8	28.9	-1.5	0.963	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	13	20	8	29.3	-1.8	0.963	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	10	13	30	8	28.9	-1.8	0.961	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	10	13	40	8	29.1	-0.9	0.962	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	13	50	8	27.9	-0.9	0.962	0.5	0.4	0	56.3	56.3	0	157	159	0	26	28
2024	10	10	14	0	8	29.4	-1.2	0.962	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	10	14	10	8	30.4	-0.7	0.962	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	10	14	20	8	28.8	-2.2	0.961	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	10	14	30	8	29.1	-1.8	0.962	0.5	0.4	0	55.9	57.2	0	157	159	0	27	26
2024	10	10	14	40	8	29.8	-0.9	0.96	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	10	14	50	8	29.4	-1.9	0.961	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	10	15	0	8	29.8	-0.2	0.961	0.4	0.3	0	56.3	56.8	0	157	159	0	26	27
2024	10	10	15	10	8	29.2	-1.3	0.961	0.5	0.5	0	55.9	55.9	0	156	158	0	26	28
2024	10	10	15	20	8	28.9	-1.3	0.96	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	10	15	30	8	28.5	0	0.961	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	10	15	40	8	29.7	0	0.96	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	10	15	50	8	29.4	-1.3	0.96	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	10	16	0	8	28.9	-2.3	0.96	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	10	16	10	8	29.4	-0.6	0.959	0.6	0.5	0	55.9	56.3	0	157	158	0	27	27
2024	10	10	16	20	8	28.9	-1.3	0.96	0.5	0.4	0	55.9	56.8	0	157	158	0	27	26
2024	10	10	16	30	8	29.6	-0.5	0.96	0.5	0.4	0	55.5	56.8	0	156	158	0	27	26
2024	10	10	16	40	8	29.1	-1.7	0.96	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	10	16	50	8	29.2	-2.9	0.96	0.6	0.5	0	55.9	56.3	0	156	158	0	26	27
2024	10	10	17	0	8	28.9	-0.8	0.959	0.4	0.3	0	55	56.3	0	155	157	0	27	26
2024	10	10	17	10	8	29.3	-1.3	0.96	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	10	17	20	8	29.4	-2	0.959	0.5	0.4	0	55.9	56.3	0	156	157	0	26	26
2024	10	10	17	30	8	28.9	-2.4	0.959	0.4	0.3	0	55.5	55.9	0	155	157	0	26	27
2024	10	10	17	40	8	29.4	-1.6	0.959	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	10	17	50	8	28.9	-1.1	0.958	0.5	0.4	0	55.5	56.8	0	156	158	0	27	26
2024	10	10	18	0	8	28.7	-0.9	0.958	0.5	0.5	0	55.9	56.8	0	156	158	0	26	26
2024	10	10	18	10	8	29.3	-2.2	0.958	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26
2024	10	10	18	20	8	29	-1.1	0.958	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26
2024	10	10	18	30	8	28	-0.9	0.958	0.4	0.3	0	56.3	56.3	0	157	158	0	26	27
2024	10	10	18	40	8	29	-1	0.959	0.5	0.4	0	55	56.3	0	156	158	0	28	27
2024	10	10	18	50	8	27.7	-1.1	0.958	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	10	19	0	8	28.4	-0.4	0.958	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	10	19	10	8	29.3	-1.5	0.958	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	10	19	20	8	29.2	-0.9	0.959	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	10	19	30	8	28	-0.9	0.958	0.5	0.4	0	56.3	57.2	0	158	159	0	27	26
2024	10	10	19	40	8	28.5	-0.7	0.958	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	10	19	50	8	28.7	-0.3	0.959	0.5	0.5	0	56.8	56.8	0	158	159	0	26	27
2024	10	10	20	0	8	28.6	-0.9	0.959	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	20	10	8	28.7	-1.1	0.959	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	10	20	20	8	28.4	-1.4	0.959	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	10	20	30	8	29.4	-1.2	0.959	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	10	20	40	8	29.3	0	0.959	0.4	0.3	0	56.8	57.6	0	158	160	0	26	26
2024	10	10	20	50	8	29.4	-0.7	0.96	0.5	0.5	0	57.2	57.2	0	159	160	0	26	27
2024	10	10	21	0	8	28.8	-1.7	0.96	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	21	10	8	28.6	-1.5	0.96	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	10	21	20	8	29.1	-1.2	0.96	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	10	21	30	8	28.5	-0.6	0.96	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	10	21	40	8	28.8	-1.7	0.96	0.5	0.5	0	57.2	57.2	0	159	160	0	26	27
2024	10	10	21	50	8	28.1	-1.2	0.961	0.6	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	10	22	0	8	28.1	-0.7	0.96	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	22	10	8	28.8	-1.8	0.96	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	10	22	20	8	29.3	0.1	0.961	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	10	22	30	8	27.6	-0.5	0.96	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	10	22	40	8	28.1	-0.7	0.961	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	10	22	50	8	28.3	-1.6	0.961	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	10	23	0	8	28.2	-1.5	0.961	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	10	23	10	8	29	-1.4	0.961	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	10	23	20	8	28.5	-1.4	0.961	0.3	0.2	0	56.8	56.8	0	158	160	0	26	28
2024	10	10	23	30	8	27.7	-2.6	0.961	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	10	23	40	8	28.8	-1.1	0.961	0.3	0.2	0	56.8	56.8	0	158	160	0	26	28
2024	10	10	23	50	8	28.2	-0.2	0.961	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	11	0	0	8	27.9	-0.5	0.96	0.6	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	0	10	8	29.4	-1.5	0.961	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	11	0	20	8	28.3	-1.4	0.961	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	11	0	30	8	29	-1.5	0.96	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	0	40	8	28.9	-2	0.961	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	11	0	50	8	28.4	-0.9	0.961	0.5	0.5	0	56.8	56.8	0	158	159	0	26	27
2024	10	11	1	0	8	29.8	-1.6	0.96	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	1	10	8	29.5	-1.5	0.961	0.5	0.4	0	56.8	57.2	0	158	159	0	26	26
2024	10	11	1	20	8	28.8	-2.3	0.96	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	11	1	30	8	28.9	-1.7	0.961	0.5	0.4	0	56.8	56.8	0	158	160	0	26	28
2024	10	11	1	40	8	28.7	-0.7	0.961	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	11	1	50	8	28.6	-1.4	0.96	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	2	0	8	29.3	-0.7	0.961	0.5	0.4	0	55.9	57.2	0	157	159	0	27	26
2024	10	11	2	10	8	29	-0.4	0.961	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	2	20	8	28.3	-0.4	0.961	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	2	30	8	28.8	-0.2	0.961	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	11	2	40	8	28.3	-1.2	0.961	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2024	10	11	2	50	8	28.9	-2.1	0.961	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	3	0	8	29.4	-0.8	0.961	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	11	3	10	8	28.6	-0.8	0.96	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	3	20	8	29.1	-0.9	0.961	0.4	0.3	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	3	30	8	28.3	-1.3	0.96	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	11	3	40	8	28.6	-2.2	0.96	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	11	3	50	8	28.8	-1.5	0.96	0.4	0.3	0	55.9	56.3	0	157	159	0	27	28
2024	10	11	4	0	8	29	-1.3	0.96	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	4	10	8	28.2	-1.3	0.96	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	4	20	8	27.9	-1.4	0.96	0.5	0.5	0	56.3	57.2	0	157	160	0	26	27
2024	10	11	4	30	8	28.1	-2	0.96	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	4	40	8	29	-0.4	0.96	0.4	0.3	0	55.9	56.3	0	157	159	0	27	28
2024	10	11	4	50	8	28.5	-1.4	0.96	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	5	0	8	28.9	-1.5	0.96	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	5	10	8	28.5	-1	0.96	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	11	5	20	8	27.6	-0.2	0.96	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	11	5	30	8	28.5	-0.4	0.96	0.4	0.3	0	56.3	56.3	0	157	159	0	26	28
2024	10	11	5	40	8	28.8	-1.2	0.96	0.4	0.3	0	56.3	56.3	0	158	159	0	27	28
2024	10	11	5	50	8	28.7	-1.1	0.96	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	11	6	0	8	28.7	-1.6	0.96	0.4	0.3	0	55.9	56.3	0	157	159	0	27	28
2024	10	11	6	10	8	27.9	-0.9	0.96	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	11	6	20	8	27.9	-0.7	0.96	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	11	6	30	8	28.4	-1.1	0.96	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	6	40	8	27.8	-1.2	0.959	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	11	6	50	8	28	-0.4	0.959	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	7	0	8	28.8	-2.1	0.959	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	11	7	10	8	28.3	-0.9	0.959	0.5	0.5	0	56.8	56.8	0	158	160	0	26	28
2024	10	11	7	20	8	28.8	-0.7	0.959	0.6	0.5	0	56.3	56.8	0	158	160	0	27	28
2024	10	11	7	30	8	28.3	-1.3	0.959	0.5	0.5	0	55.9	57.2	0	158	160	0	28	27
2024	10	11	7	40	8	28	-1.9	0.959	0.5	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	11	7	50	8	29.6	-1.5	0.959	0.5	0.5	0	55.9	56.3	0	157	159	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	11	8	0	8	28.3	-0.3	0.959	0.4	0.3	0	56.3	56.8	0	158	159	0	27	27
2024	10	11	8	10	8	27.9	-0.9	0.959	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	8	20	8	27.8	-0.5	0.959	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	8	30	8	27.2	-0.9	0.959	0.5	0.5	0	56.3	56.8	0	158	160	0	27	28
2024	10	11	8	40	8	28.3	-1.9	0.959	0.5	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	11	8	50	8	28.7	-1.1	0.959	0.4	0.3	0	56.3	56.3	0	158	159	0	27	28
2024	10	11	9	0	8	28.4	-1.3	0.959	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	11	9	10	8	27.7	-0.9	0.959	0.4	0.3	0	55.9	56.3	0	157	159	0	27	28
2024	10	11	9	20	8	28.1	0	0.959	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	9	30	8	28.5	-1.1	0.958	0.3	0.2	0	55.9	56.3	0	157	159	0	27	28
2024	10	11	9	40	8	28.2	-1.9	0.959	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	11	9	50	8	27.3	0	0.959	0.5	0.5	0	55.5	55.9	0	156	158	0	27	28
2024	10	11	10	0	8	28.7	-1.3	0.958	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2024	10	11	10	10	8	29.2	-1.1	0.959	0.4	0.3	0	55.5	55.9	0	156	158	0	27	28
2024	10	11	10	20	8	28.8	-0.5	0.958	0.5	0.4	0	55.5	55.9	0	156	157	0	27	27
2024	10	11	10	30	8	28.3	-1.8	0.958	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	11	10	40	8	28.3	-1.4	0.958	0.4	0.3	0	55.5	55.9	0	156	158	0	27	28
2024	10	11	10	50	8	27.8	-2.2	0.958	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	11	11	0	8	28.4	-1.8	0.958	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2024	10	11	11	10	8	29.3	-2.2	0.958	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	11	11	20	8	28.3	-1.3	0.958	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	11	11	30	8	28.9	-1.4	0.958	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	11	11	40	8	28.8	-1.8	0.958	0.5	0.4	0	55.5	55.9	0	155	157	0	26	27
2024	10	11	11	50	8	27.9	-0.6	0.958	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	11	12	0	8	29.5	-2.1	0.958	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	11	12	10	8	27.4	-1.1	0.958	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	11	12	20	8	29.2	-0.9	0.958	0.4	0.3	0	55	55.5	0	155	157	0	27	28
2024	10	11	12	30	8	28.6	-1	0.958	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	11	12	40	8	29.1	-1.5	0.958	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	11	12	50	8	27.1	-1.1	0.957	0.4	0.3	0	54.6	54.6	0	154	156	0	27	29
2024	10	11	13	0	8	28.1	-1.1	0.957	0.5	0.4	0	55	55.5	0	154	157	0	26	28
2024	10	11	13	10	8	27.7	-0.7	0.957	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	11	13	20	8	27.2	0.2	0.956	0.5	0.5	0	54.6	55.5	0	154	156	0	27	27
2024	10	11	13	30	8	27.8	-0.5	0.955	0.4	0.3	0	54.6	55	0	154	156	0	27	28
2024	10	11	13	40	8	28.9	-1.3	0.955	0.5	0.5	0	54.6	54.6	0	154	155	0	27	28
2024	10	11	13	50	8	29.3	-1	0.955	0.5	0.4	0	54.2	55.5	0	153	156	0	27	27
2024	10	11	14	0	8	29.3	-0.4	0.954	0.5	0.5	0	54.6	55.5	0	154	156	0	27	27
2024	10	11	14	10	8	29	-1.2	0.954	0.5	0.5	0	54.6	55.5	0	154	156	0	27	27
2024	10	11	14	20	8	28.6	-1.6	0.954	0.4	0.3	0	54.6	55.5	0	154	156	0	27	27
2024	10	11	14	30	8	28.6	-0.3	0.954	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	11	14	40	8	28.2	-1.5	0.954	0.5	0.4	0	54.6	55.9	0	154	157	0	27	27
2024	10	11	14	50	8	29	-1.7	0.954	0.5	0.5	0	54.6	55	0	154	156	0	27	28
2024	10	11	15	0	8	28.9	-0.5	0.954	0.5	0.5	0	55	55.5	0	154	156	0	26	27
2024	10	11	15	10	8	28.3	-1.3	0.954	0.5	0.5	0	54.6	55	0	154	156	0	27	28
2024	10	11	15	20	8	27.3	-0.9	0.954	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	11	15	30	8	29.5	-1.3	0.954	0.5	0.5	0	54.6	55.5	0	154	156	0	27	27
2024	10	11	15	40	8	29	-2	0.955	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	11	15	50	8	29.1	-1.8	0.954	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	11	16	0	8	29.4	-2.1	0.954	0.4	0.3	0	54.6	55	0	154	156	0	27	28
2024	10	11	16	10	8	29.1	-1.1	0.953	0.5	0.5	0	54.6	55.9	0	154	157	0	27	27
2024	10	11	16	20	8	28.7	-1.7	0.953	0.5	0.5	0	54.6	55.9	0	154	157	0	27	27
2024	10	11	16	30	8	27.9	-1.7	0.953	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	11	16	40	8	28.1	-0.9	0.953	0.4	0.3	0	55	55.9	0	155	157	0	27	27
2024	10	11	16	50	8	28.4	-1.8	0.953	0.5	0.4	0	54.6	55.5	0	154	157	0	27	28
2024	10	11	17	0	8	29.1	-1.6	0.953	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	11	17	10	8	27.3	-1.4	0.953	0.5	0.4	0	55.5	56.3	0	155	158	0	26	27
2024	10	11	17	20	8	28.8	-1.1	0.953	0.4	0.3	0	55	55.5	0	155	157	0	27	28
2024	10	11	17	30	8	29.1	-1.8	0.953	0.5	0.5	0	54.6	55.9	0	154	157	0	27	27
2024	10	11	17	40	8	28.1	-0.5	0.953	0.5	0.5	0	55.5	55.9	0	155	157	0	26	27
2024	10	11	17	50	8	27.8	-1.1	0.953	0.5	0.4	0	55	55.9	0	154	157	0	26	27
2024	10	11	18	0	8	28.1	-0.5	0.953	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	11	18	10	8	28.6	-1.7	0.953	0.5	0.5	0	55.5	55.9	0	155	157	0	26	27
2024	10	11	18	20	8	27.2	-0.6	0.953	0.5	0.5	0	55.9	56.3	0	156	158	0	26	27
2024	10	11	18	30	8	29	-0.5	0.953	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	11	18	40	8	28.3	-0.6	0.953	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	11	18	50	8	29.3	-1.4	0.953	0.3	0.2	0	55	56.3	0	155	158	0	27	27
2024	10	11	19	0	8	28.5	-1.1	0.953	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	11	19	10	8	28.6	-1.3	0.953	0.5	0.5	0	55.9	56.3	0	156	158	0	26	27
2024	10	11	19	20	8	28.1	-1	0.953	0.5	0.5	0	55.9	56.3	0	156	159	0	26	28
2024	10	11	19	30	8	29.1	-0.8	0.953	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	11	19	40	8	28.6	-0.5	0.953	0.6	0.5	0	55.5	56.8	0	156	159	0	27	27
2024	10	11	19	50	8	27.6	-0.5	0.953	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	20	0	8	29.4	-1.2	0.953	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	11	20	10	8	28.1	-0.9	0.953	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	20	20	8	29.7	-1.7	0.952	0.4	0.3	0	55.9	56.8	0	156	159	0	26	27
2024	10	11	20	30	8	27.5	-1.1	0.952	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	20	40	8	28.6	-0.4	0.952	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	11	20	50	8	27.4	-0.2	0.952	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2024	10	11	21	0	8	28.8	-2.1	0.952	0.3	0.2	0	55.9	56.3	0	157	159	0	27	28
2024	10	11	21	10	8	27.5	-1.8	0.952	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2024	10	11	21	20	8	28.2	-1.5	0.952	0.5	0.5	0	55.9	57.2	0	157	160	0	27	27
2024	10	11	21	30	8	28	-0.4	0.952	0.5	0.4	0	56.3	57.2	0	157	160	0	26	27
2024	10	11	21	40	8	28.9	-0.7	0.952	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2024	10	11	21	50	8	28.4	-1.2	0.952	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2024	10	11	22	0	8	28.5	-0.2	0.952	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2024	10	11	22	10	8	28.3	-0.4	0.952	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2024	10	11	22	20	8	28.2	-0.9	0.952	0.5	0.5	0	55.9	57.2	0	157	160	0	27	27
2024	10	11	22	30	8	27.2	-1	0.952	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	11	22	40	8	28	-0.7	0.952	0.5	0.5	0	56.3	57.2	0	157	160	0	26	27
2024	10	11	22	50	8	28.2	-1.5	0.952	0.5	0.5	0	55.9	56.8	0	157	160	0	27	28
2024	10	11	23	0	8	27.6	-1.4	0.952	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	23	10	8	28.2	-1.5	0.952	0.4	0.3	0	55.5	56.8	0	156	159	0	27	27
2024	10	11	23	20	8	27.4	-1.4	0.951	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2024	10	11	23	30	8	29.5	-1.2	0.951	0.5	0.5	0	55.5	56.8	0	156	159	0	27	27
2024	10	11	23	40	8	28.6	-0.4	0.951	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	11	23	50	8	28.6	-0.9	0.951	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	12	0	0	8	28.1	0	0.951	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	12	0	10	8	28.3	-1	0.951	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	12	0	20	8	29	-1	0.951	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	12	0	30	8	28.9	-2.2	0.951	0.5	0.4	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	0	40	8	29	-0.5	0.951	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	0	50	8	28.8	-1.2	0.951	0.5	0.4	0	55.9	56.8	0	156	159	0	26	27
2024	10	12	1	0	8	28.4	-0.8	0.951	0.4	0.3	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	1	10	8	28.7	-0.5	0.951	0.3	0.2	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	1	20	8	28.8	-1	0.951	0.5	0.5	0	55.9	56.8	0	156	159	0	26	27
2024	10	12	1	30	8	28.7	-1.8	0.951	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	1	40	8	28.6	-1.8	0.951	0.5	0.5	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	1	50	8	28.5	-1.3	0.951	0.5	0.4	0	55	56.3	0	156	158	0	28	27
2024	10	12	2	0	8	28.5	-0.1	0.951	0.5	0.4	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	2	10	8	28.4	0	0.951	0.5	0.5	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	2	20	8	28.1	-1.5	0.951	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	2	30	8	28.9	-1.3	0.951	0.4	0.3	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	2	40	8	28.7	-1.1	0.951	0.5	0.5	0	55.9	56.8	0	156	159	0	26	27
2024	10	12	2	50	8	28.6	-1.5	0.951	0.4	0.3	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	3	0	8	28.3	-0.7	0.951	0.5	0.4	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	3	10	8	27.5	-0.8	0.951	0.5	0.4	0	55	56.3	0	156	159	0	28	28
2024	10	12	3	20	8	27.4	-0.2	0.951	0.5	0.5	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	3	30	8	28.7	-1.6	0.951	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	3	40	8	28.2	-1.9	0.951	0.5	0.4	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	3	50	8	28.9	-1	0.951	0.5	0.4	0	54.6	56.3	0	155	159	0	28	28
2024	10	12	4	0	8	27.4	-0.7	0.952	0.6	0.5	0	55	56.8	0	156	159	0	28	27
2024	10	12	4	10	8	28.5	-1.6	0.952	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2024	10	12	4	20	8	28.1	-1.4	0.953	0.5	0.5	0	54.6	55.9	0	155	158	0	28	28
2024	10	12	4	30	8	27.3	-2	0.953	0.5	0.4	0	55	56.3	0	155	159	0	27	28
2024	10	12	4	40	8	28.6	-0.4	0.953	0.4	0.3	0	55	56.3	0	155	158	0	27	27
2024	10	12	4	50	8	29.4	-2.1	0.953	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2024	10	12	5	0	8	28.2	-1.3	0.954	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2024	10	12	5	10	8	27.1	-0.5	0.954	0.4	0.3	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	5	20	8	28.5	-1.6	0.954	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2024	10	12	5	30	8	28.6	-1.4	0.954	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	12	5	40	8	29.4	-1.5	0.954	0.5	0.5	0	55	56.3	0	155	158	0	27	27
2024	10	12	5	50	8	28	-1.7	0.954	0.4	0.3	0	54.6	55.9	0	155	158	0	28	28
2024	10	12	6	0	8	28.5	-1.2	0.954	0.4	0.3	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	6	10	8	29.5	-1	0.954	0.5	0.5	0	55	55.9	0	155	158	0	27	28
2024	10	12	6	20	8	28.7	-0.7	0.954	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2024	10	12	6	30	8	27.4	-1	0.954	0.4	0.3	0	55	56.3	0	156	159	0	28	28
2024	10	12	6	40	8	27.9	-1.8	0.954	0.6	0.5	0	55	56.3	0	156	159	0	28	28
2024	10	12	6	50	8	27.9	-1.5	0.954	0.4	0.3	0	55	56.3	0	156	159	0	28	28
2024	10	12	7	0	8	28.6	-0.8	0.954	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	12	7	10	8	27.9	-0.7	0.954	0.6	0.5	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	7	20	8	29	-1.3	0.954	0.5	0.5	0	54.6	55.9	0	155	158	0	28	28
2024	10	12	7	30	8	28.2	-1.2	0.954	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2024	10	12	7	40	8	28.3	-0.3	0.954	0.4	0.3	0	55	56.3	0	156	159	0	28	28
2024	10	12	7	50	8	29.2	-0.9	0.954	0.4	0.3	0	55.9	56.8	0	156	159	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	12	8	0	8	29.1	-1.2	0.954	0.4	0.3	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	8	10	8	27	-1.3	0.954	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	8	20	8	27.8	-1.5	0.954	0.4	0.3	0	55	56.3	0	156	159	0	28	28
2024	10	12	8	30	8	27.5	-1.5	0.954	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	8	40	8	28.3	0	0.954	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	8	50	8	28	-1	0.953	0.5	0.5	0	55	55.9	0	156	159	0	28	29
2024	10	12	9	0	8	28.4	-1.6	0.953	0.5	0.5	0	54.6	55.9	0	155	158	0	28	28
2024	10	12	9	10	8	28	-0.9	0.953	0.5	0.4	0	54.2	55.5	0	154	157	0	28	28
2024	10	12	9	20	8	27.5	-1.7	0.953	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	12	9	30	8	27.9	-0.8	0.953	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	12	9	40	8	28	-0.4	0.953	0.5	0.4	0	54.6	55.9	0	154	158	0	27	28
2024	10	12	9	50	8	28.4	-0.5	0.952	0.4	0.3	0	54.6	55.5	0	154	157	0	27	28
2024	10	12	10	0	8	28.8	-1.3	0.952	0.6	0.5	0	54.2	55	0	153	156	0	27	28
2024	10	12	10	10	8	27.9	-1.6	0.95	0.5	0.4	0	54.2	55.9	0	154	157	0	28	27
2024	10	12	10	20	8	28	-0.9	0.95	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	12	10	30	8	29.3	-0.4	0.949	0.3	0.2	0	54.2	55.5	0	153	156	0	27	27
2024	10	12	10	40	8	28.5	-1.5	0.949	0.6	0.5	0	53.8	55	0	153	155	0	28	27
2024	10	12	10	50	8	28.5	-1.8	0.949	0.5	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	12	11	0	8	27.4	-0.5	0.949	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	12	11	10	8	28.1	-1.9	0.948	0.5	0.5	0	53.8	54.6	0	152	155	0	27	28
2024	10	12	11	20	8	27.3	-1.9	0.949	0.5	0.4	0	53.8	54.6	0	152	155	0	27	28
2024	10	12	11	30	8	27.7	-2.2	0.949	0.4	0.3	0	53.8	54.6	0	152	155	0	27	28
2024	10	12	11	40	8	28	-0.9	0.948	0.5	0.4	0	53.3	54.6	0	152	155	0	28	28
2024	10	12	11	50	8	27.6	-1.7	0.948	0.5	0.4	0	53.8	54.6	0	152	155	0	27	28
2024	10	12	12	0	8	27.8	-1	0.948	0.4	0.3	0	53.3	54.6	0	151	155	0	27	28
2024	10	12	12	10	8	28	-1.4	0.948	0.5	0.4	0	53.8	54.6	0	152	155	0	27	28
2024	10	12	12	20	8	29.2	-0.7	0.948	0.5	0.5	0	53.8	54.6	0	152	155	0	27	28
2024	10	12	12	30	8	28.6	-2	0.948	0.5	0.4	0	53.8	54.6	0	152	155	0	27	28
2024	10	12	12	40	8	28.3	-1.7	0.948	0.5	0.4	0	53.3	54.6	0	152	155	0	28	28
2024	10	12	12	50	8	27.7	-1.4	0.948	0.4	0.3	0	53.3	54.6	0	152	155	0	28	28
2024	10	12	13	0	8	28.6	-0.9	0.948	0.5	0.4	0	53.8	54.6	0	152	155	0	27	28
2024	10	12	13	10	8	27.1	-0.2	0.948	0.5	0.4	0	54.2	55	0	153	155	0	27	27
2024	10	12	13	20	8	27.5	-1	0.948	0.5	0.4	0	53.8	55.5	0	152	156	0	27	27
2024	10	12	13	30	8	28.5	-1	0.948	0.5	0.4	0	54.2	55	0	153	156	0	27	28
2024	10	12	13	40	8	29	-0.6	0.948	0.5	0.5	0	54.2	55.5	0	153	156	0	27	27
2024	10	12	13	50	8	27.9	-1.6	0.948	0.4	0.3	0	54.6	55	0	153	156	0	26	28
2024	10	12	14	0	8	28.4	-0.4	0.948	0.5	0.4	0	53.8	55	0	152	155	0	27	27
2024	10	12	14	10	8	27.6	-1.8	0.948	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	12	14	20	8	28.5	-0.9	0.948	0.5	0.4	0	54.2	55.5	0	153	156	0	27	27
2024	10	12	14	30	8	27.4	-1.5	0.947	0.6	0.5	0	54.2	55.5	0	153	156	0	27	27
2024	10	12	14	40	8	28.3	-1.5	0.947	0.4	0.3	0	54.2	55	0	153	156	0	27	28
2024	10	12	14	50	8	27.9	-1.2	0.947	0.4	0.3	0	54.6	55.9	0	154	157	0	27	27
2024	10	12	15	0	8	28.5	-1	0.947	0.5	0.4	0	54.6	55.9	0	154	157	0	27	27
2024	10	12	15	10	8	28.9	-1.8	0.946	0.5	0.5	0	54.6	55.5	0	154	157	0	27	28
2024	10	12	15	20	8	27.8	-1.9	0.947	0.5	0.5	0	55	55.9	0	154	157	0	26	27
2024	10	12	15	30	8	27.5	-1.8	0.947	0.4	0.3	0	54.6	55.9	0	154	157	0	27	27
2024	10	12	15	40	8	27.6	-1.6	0.948	0.4	0.3	0	54.6	55.9	0	154	157	0	27	27
2024	10	12	15	50	8	28.3	-1.8	0.946	0.5	0.5	0	54.6	55.9	0	154	157	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	12	16	0	8	28.9	-1.4	0.946	0.5	0.4	0	54.6	55.9	0	154	157	0	27	27
2024	10	12	16	10	8	28.5	-0.6	0.947	0.5	0.5	0	55	55.9	0	154	157	0	26	27
2024	10	12	16	20	8	28.3	-1.1	0.947	0.5	0.4	0	54.6	56.3	0	154	158	0	27	27
2024	10	12	16	30	8	29.4	-0.9	0.946	0.4	0.3	0	54.6	55.9	0	154	157	0	27	27
2024	10	12	16	40	8	27.2	-0.5	0.946	0.4	0.3	0	55	55.9	0	154	157	0	26	27
2024	10	12	16	50	8	28.1	-1.1	0.947	0.5	0.4	0	55.5	56.8	0	155	159	0	26	27
2024	10	12	17	0	8	27.7	-1	0.947	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	12	17	10	8	29	-0.9	0.947	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	12	17	20	8	28.8	-1.1	0.947	0.4	0.3	0	55	56.8	0	155	159	0	27	27
2024	10	12	17	30	8	28.3	-1.1	0.948	0.6	0.5	0	55.5	56.3	0	155	158	0	26	27
2024	10	12	17	40	8	28.6	-1.6	0.948	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	12	17	50	8	29	0.4	0.948	0.5	0.5	0	55.5	56.3	0	155	158	0	26	27
2024	10	12	18	0	8	28.7	-1.8	0.948	0.5	0.5	0	55.5	56.3	0	155	158	0	26	27
2024	10	12	18	10	8	27.5	-1.4	0.948	0.5	0.5	0	55	55.9	0	155	158	0	27	28
2024	10	12	18	20	8	27.9	-1.4	0.948	0.5	0.4	0	55	56.3	0	155	159	0	27	28
2024	10	12	18	30	8	28.3	-0.8	0.948	0.5	0.4	0	55	56.8	0	155	159	0	27	27
2024	10	12	18	40	8	27.5	-2.3	0.948	0.5	0.4	0	55	56.8	0	155	159	0	27	27
2024	10	12	18	50	8	28.4	-1.5	0.948	0.4	0.3	0	55	56.8	0	155	159	0	27	27
2024	10	12	19	0	8	27.5	-1.4	0.948	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2024	10	12	19	10	8	28.9	-1.5	0.947	0.5	0.4	0	55.5	56.8	0	156	159	0	27	27
2024	10	12	19	20	8	27.5	-1.9	0.948	0.5	0.5	0	55.5	56.8	0	156	160	0	27	28
2024	10	12	19	30	8	27.1	-1.8	0.948	0.5	0.4	0	56.3	56.8	0	157	160	0	26	28
2024	10	12	19	40	8	27.9	0	0.948	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2024	10	12	19	50	8	28.5	-0.4	0.948	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2024	10	12	20	0	8	27.2	0.1	0.947	0.5	0.4	0	56.3	57.2	0	157	160	0	26	27
2024	10	12	20	10	8	27.6	-1	0.947	0.5	0.4	0	55.5	57.2	0	156	160	0	27	27
2024	10	12	20	20	8	28.1	-0.9	0.947	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	12	20	30	8	27.2	-1.4	0.947	0.5	0.5	0	57.2	57.2	0	159	160	0	26	27
2024	10	12	20	40	8	28.5	-0.4	0.947	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	12	20	50	8	28.4	-1.6	0.947	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	12	21	0	8	28	-1.5	0.947	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	12	21	10	8	28.1	-1.4	0.947	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	12	21	20	8	28.6	-1.4	0.947	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	12	21	30	8	27.9	-1.7	0.947	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2024	10	12	21	40	8	28.3	-1.3	0.947	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	12	21	50	8	28.3	-0.9	0.947	0.6	0.5	0	56.8	57.6	0	159	161	0	27	27
2024	10	12	22	0	8	27.7	-0.9	0.947	0.4	0.3	0	57.2	57.6	0	160	161	0	27	27
2024	10	12	22	10	8	27	-0.5	0.947	0.4	0.3	0	57.2	57.2	0	159	160	0	26	27
2024	10	12	22	20	8	27.7	-2	0.947	0.5	0.5	0	57.2	56.8	0	159	160	0	26	28
2024	10	12	22	30	8	28.3	-1.5	0.947	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	12	22	40	8	27	-1	0.947	0.5	0.4	0	56.8	57.2	0	159	161	0	27	28
2024	10	12	22	50	8	27.9	-1.3	0.947	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	12	23	0	8	27.2	-0.4	0.947	0.5	0.4	0	56.8	57.2	0	159	161	0	27	28
2024	10	12	23	10	8	27.7	-0.9	0.947	0.5	0.4	0	55.9	57.2	0	158	160	0	28	27
2024	10	12	23	20	8	27.4	-0.9	0.947	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	12	23	30	8	27.3	-1.2	0.946	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	12	23	40	8	28.4	-0.9	0.947	0.4	0.3	0	55.9	56.8	0	157	159	0	27	27
2024	10	12	23	50	8	27.5	-0.5	0.946	0.4	0.3	0	56.8	56.8	0	159	160	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	13	0	0	8	26.9	-0.8	0.946	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	13	0	10	8	27.2	-1.6	0.946	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	13	0	20	8	28.5	-1.5	0.946	0.5	0.4	0	56.8	56.8	0	158	159	0	26	27
2024	10	13	0	30	8	27.3	-1	0.946	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	13	0	40	8	28.8	-0.7	0.946	0.4	0.3	0	56.8	57.2	0	158	160	0	26	27
2024	10	13	0	50	8	26.8	-1.7	0.946	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	13	1	0	8	26.7	-1	0.946	0.4	0.3	0	56.3	56.8	0	158	160	0	27	28
2024	10	13	1	10	8	27.5	-1.5	0.946	0.5	0.4	0	55.9	56.8	0	158	159	0	28	27
2024	10	13	1	20	8	28.7	-1.9	0.946	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	13	1	30	8	27.5	-2.2	0.946	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	1	40	8	27.6	-1.5	0.946	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	1	50	8	28.2	-2.6	0.946	0.6	0.5	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	2	0	8	27.6	-0.5	0.946	0.6	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	2	10	8	26.5	0	0.946	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	13	2	20	8	27.4	-1.6	0.946	0.4	0.3	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	2	30	8	28	-1.1	0.946	0.4	0.3	0	55.5	56.3	0	157	159	0	28	28
2024	10	13	2	40	8	27.7	-2	0.946	0.5	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	13	2	50	8	26.8	-1	0.946	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	3	0	8	28.1	-1.3	0.946	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	3	10	8	27.3	-1.3	0.946	0.5	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	13	3	20	8	27.9	-1.3	0.946	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	3	30	8	27.7	-1.7	0.946	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	3	40	8	28.2	-1.3	0.945	0.5	0.5	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	3	50	8	27.7	-0.9	0.945	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	4	0	8	27.9	-1.2	0.945	0.5	0.5	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	4	10	8	28.2	-1	0.945	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	13	4	20	8	28.3	-0.6	0.945	0.3	0.2	0	55.5	55.9	0	156	158	0	27	28
2024	10	13	4	30	8	28.5	-2.5	0.945	0.4	0.3	0	55.5	55.9	0	156	158	0	27	28
2024	10	13	4	40	8	27.8	-0.9	0.945	0.4	0.3	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	4	50	8	28.1	-2.3	0.945	0.5	0.4	0	55.5	55.9	0	157	158	0	28	28
2024	10	13	5	0	8	27.6	-0.4	0.945	0.5	0.4	0	55.9	55.9	0	157	158	0	27	28
2024	10	13	5	10	8	27.3	-0.4	0.945	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	5	20	8	27.6	-1.2	0.945	0.5	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	13	5	30	8	26.3	-1.6	0.945	0.5	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	13	5	40	8	28.1	-1.8	0.945	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	13	5	50	8	26.8	-0.6	0.945	0.4	0.3	0	55.5	55.9	0	156	158	0	27	28
2024	10	13	6	0	8	27.6	-2.2	0.945	0.6	0.5	0	55.5	55.9	0	156	158	0	27	28
2024	10	13	6	10	8	27.3	-1.3	0.945	0.5	0.4	0	55.5	56.8	0	157	159	0	28	27
2024	10	13	6	20	8	27	-1	0.945	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	6	30	8	27.1	-1.4	0.945	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	6	40	8	28.4	-1.5	0.945	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	13	6	50	8	28.4	-0.9	0.945	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	13	7	0	8	26.8	-1.4	0.945	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	7	10	8	27.7	-1.5	0.945	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	13	7	20	8	27.4	-0.9	0.944	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	7	30	8	28.3	-1.4	0.944	0.5	0.4	0	55	55.9	0	156	158	0	28	28
2024	10	13	7	40	8	27.9	-0.9	0.944	0.5	0.4	0	55	55.9	0	156	158	0	28	28
2024	10	13	7	50	8	28.3	-1.8	0.944	0.5	0.4	0	55	55.9	0	156	158	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	13	8	0	8	28.2	-1.8	0.944	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	8	10	8	27.5	-1.8	0.944	0.5	0.4	0	55.9	55.9	0	157	158	0	27	28
2024	10	13	8	20	8	28.3	-1.2	0.944	0.5	0.4	0	55.9	55.9	0	157	159	0	27	29
2024	10	13	8	30	8	27.2	-0.2	0.944	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	13	8	40	8	27.6	-2.4	0.944	0.5	0.5	0	55.5	55.5	0	156	158	0	27	29
2024	10	13	8	50	8	27.1	-0.3	0.944	0.5	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	13	9	0	8	27	-0.8	0.944	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	13	9	10	8	27.6	-1.7	0.944	0.5	0.4	0	55	55.9	0	156	158	0	28	28
2024	10	13	9	20	8	27.8	-1.4	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	13	9	30	8	27.5	-0.5	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	13	9	40	8	27.1	-1.3	0.944	0.5	0.4	0	54.6	55.5	0	154	157	0	27	28
2024	10	13	9	50	8	28	-1.7	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	13	10	0	8	27.4	-1.5	0.944	0.4	0.3	0	54.6	55.5	0	155	157	0	28	28
2024	10	13	10	10	8	28.6	-1.8	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	13	10	20	8	27.7	-1	0.944	0.5	0.4	0	54.2	55	0	154	156	0	28	28
2024	10	13	10	30	8	26.1	-1.3	0.943	0.5	0.4	0	54.2	55	0	154	156	0	28	28
2024	10	13	10	40	8	27.6	-0.9	0.943	0.5	0.4	0	54.2	55	0	154	156	0	28	28
2024	10	13	10	50	8	27.6	-0.9	0.943	0.5	0.4	0	54.2	55.5	0	154	156	0	28	27
2024	10	13	11	0	8	28.2	-1.2	0.943	0.4	0.3	0	54.6	55.9	0	154	157	0	27	27
2024	10	13	11	10	8	26.8	-1.4	0.943	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	13	11	20	8	27.8	-1.8	0.943	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	13	11	30	8	26.6	-0.5	0.943	0.4	0.3	0	54.6	55	0	154	156	0	27	28
2024	10	13	11	40	8	27.2	-1.4	0.943	0.3	0.2	0	54.6	55	0	154	156	0	27	28
2024	10	13	11	50	8	27.9	-1.3	0.943	0.5	0.5	0	54.2	55	0	153	156	0	27	28
2024	10	13	12	0	8	27.8	-1.4	0.942	0.5	0.5	0	54.6	55	0	154	156	0	27	28
2024	10	13	12	10	8	27.6	-1.5	0.941	0.5	0.5	0	54.2	55	0	153	156	0	27	28
2024	10	13	12	20	8	27.5	-0.6	0.941	0.5	0.5	0	53.8	55	0	153	156	0	28	28
2024	10	13	12	30	8	27.4	-1.4	0.941	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	13	12	40	8	28.2	-0.9	0.94	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	13	12	50	8	27.6	-1.8	0.94	0.4	0.3	0	54.2	55	0	153	156	0	27	28
2024	10	13	13	0	8	27.7	-0.3	0.94	0.5	0.4	0	54.2	55	0	153	155	0	27	27
2024	10	13	13	10	8	27.4	-1.8	0.94	0.5	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	13	13	20	8	28.4	-0.4	0.94	0.5	0.5	0	54.2	54.6	0	153	155	0	27	28
2024	10	13	13	30	8	28.3	-1.2	0.94	0.5	0.5	0	54.2	54.2	0	153	155	0	27	29
2024	10	13	13	40	8	27.7	-1.8	0.94	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	13	13	50	8	28	-1.2	0.94	0.5	0.4	0	54.2	55	0	153	155	0	27	27
2024	10	13	14	0	8	27.1	-0.8	0.94	0.4	0.3	0	54.2	55	0	153	155	0	27	27
2024	10	13	14	10	8	27.5	-1.5	0.94	0.5	0.4	0	54.2	55.5	0	154	156	0	28	27
2024	10	13	14	20	8	28.4	-2.6	0.941	0.5	0.5	0	54.6	55.5	0	154	156	0	27	27
2024	10	13	14	30	8	27.6	-1.8	0.94	0.5	0.5	0	53.8	55.5	0	153	156	0	28	27
2024	10	13	14	40	8	29.2	-1.2	0.941	0.4	0.3	0	53.8	55.5	0	153	156	0	28	27
2024	10	13	14	50	8	27.7	-2	0.941	0.5	0.4	0	54.2	55.5	0	153	156	0	27	27
2024	10	13	15	0	8	27.4	-1.7	0.94	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	13	15	10	8	28	-1.2	0.94	0.5	0.5	0	54.6	55.5	0	154	156	0	27	27
2024	10	13	15	20	8	28.6	-2.1	0.941	0.5	0.5	0	55	55.5	0	154	156	0	26	27
2024	10	13	15	30	8	28.1	-1.1	0.94	0.4	0.3	0	54.6	55.5	0	154	157	0	27	28
2024	10	13	15	40	8	27.3	-1.9	0.941	0.5	0.4	0	54.6	55.9	0	154	157	0	27	27
2024	10	13	15	50	8	28.2	-1.7	0.941	0.3	0.2	0	55	55.9	0	155	157	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	13	16	0	8	27.6	-0.6	0.941	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	13	16	10	8	27.7	-1.2	0.941	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	13	16	20	8	29.1	0.4	0.941	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	13	16	30	8	27.9	-1.8	0.942	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	13	16	40	8	27.4	-0.5	0.941	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	13	16	50	8	27.4	-1.7	0.941	0.5	0.4	0	55.5	56.3	0	155	158	0	26	27
2024	10	13	17	0	8	27.2	0.1	0.941	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	13	17	10	8	26.8	-0.6	0.941	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	13	17	20	8	27.2	-0.1	0.942	0.4	0.3	0	55	56.3	0	155	158	0	27	27
2024	10	13	17	30	8	27.7	-0.6	0.942	0.5	0.4	0	55.5	56.3	0	155	158	0	26	27
2024	10	13	17	40	8	27.7	-0.4	0.942	0.4	0.3	0	55	55.9	0	154	157	0	26	27
2024	10	13	17	50	8	28.1	-1.8	0.942	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	13	18	0	8	29.3	-1.4	0.942	0.4	0.3	0	55	55.9	0	155	158	0	27	28
2024	10	13	18	10	8	27.1	-1.4	0.942	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	13	18	20	8	27.7	-0.9	0.942	0.5	0.5	0	55	56.3	0	155	158	0	27	27
2024	10	13	18	30	8	27.6	-1.7	0.943	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	13	18	40	8	27.1	-1.1	0.943	0.5	0.5	0	55.5	56.8	0	156	159	0	27	27
2024	10	13	18	50	8	26.8	-0.5	0.943	0.5	0.5	0	55.5	56.8	0	156	158	0	27	26
2024	10	13	19	0	8	27.1	-1.2	0.943	0.5	0.4	0	55.5	56.8	0	157	159	0	28	27
2024	10	13	19	10	8	28	-1.4	0.943	0.3	0.2	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	19	20	8	27.9	-2.2	0.943	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	19	30	8	27.3	-0.5	0.943	0.5	0.4	0	55.5	56.8	0	156	159	0	27	27
2024	10	13	19	40	8	29	-1.6	0.943	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	19	50	8	27.6	-1.6	0.943	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	20	0	8	27.6	-1.9	0.943	0.4	0.3	0	55.9	57.2	0	157	160	0	27	27
2024	10	13	20	10	8	28.3	-1.3	0.943	0.6	0.5	0	55.9	57.2	0	157	160	0	27	27
2024	10	13	20	20	8	28	-1.4	0.944	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	13	20	30	8	27.1	-1.8	0.944	0.5	0.5	0	56.8	56.8	0	158	160	0	26	28
2024	10	13	20	40	8	27.1	-1.7	0.944	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	13	20	50	8	27.2	-0.5	0.945	0.5	0.5	0	56.3	56.8	0	158	160	0	27	28
2024	10	13	21	0	8	28.4	-2.3	0.945	0.5	0.5	0	56.3	56.3	0	158	159	0	27	28
2024	10	13	21	10	8	28.2	-1.4	0.946	0.4	0.3	0	56.3	56.3	0	158	159	0	27	28
2024	10	13	21	20	8	27	-1	0.946	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	13	21	30	8	27.7	-0.9	0.947	0.5	0.5	0	56.3	56.8	0	158	160	0	27	28
2024	10	13	21	40	8	27.7	-0.7	0.947	0.5	0.4	0	55.9	57.2	0	158	160	0	28	27
2024	10	13	21	50	8	26.7	-2	0.947	0.4	0.3	0	56.3	57.2	0	158	160	0	27	27
2024	10	13	22	0	8	28.1	-0.8	0.947	0.5	0.4	0	56.8	56.8	0	158	160	0	26	28
2024	10	13	22	10	8	28.3	-0.7	0.947	0.5	0.5	0	56.3	56.3	0	158	159	0	27	28
2024	10	13	22	20	8	27.8	-0.9	0.947	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2024	10	13	22	30	8	28.3	-1.7	0.947	0.5	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	13	22	40	8	27.3	-0.9	0.947	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	22	50	8	26.8	-0.8	0.947	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	23	0	8	26.9	-0.8	0.947	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	23	10	8	28.2	-1.2	0.947	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	13	23	20	8	26.6	-1.1	0.947	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	23	30	8	28.1	-2.6	0.947	0.5	0.5	0	55.5	56.8	0	156	159	0	27	27
2024	10	13	23	40	8	27.5	-0.9	0.947	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	13	23	50	8	27	-1	0.947	0.5	0.5	0	55.9	56.3	0	157	159	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	14	0	0	8	28.1	-2	0.947	0.5	0.5	0	56.3	56.3	0	157	159	0	26	28
2024	10	14	0	10	8	28.5	-0.1	0.947	0.6	0.5	0	55.9	56.3	0	157	159	0	27	28
2024	10	14	0	20	8	28.4	-0.6	0.947	0.5	0.4	0	56.3	56.3	0	157	159	0	26	28
2024	10	14	0	30	8	27.8	-2.2	0.947	0.6	0.5	0	55.5	56.8	0	156	159	0	27	27
2024	10	14	0	40	8	27.3	-1.2	0.947	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	14	0	50	8	27.3	-1.7	0.947	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	14	1	0	8	27.9	-0.9	0.947	0.4	0.3	0	55.5	56.8	0	156	159	0	27	27
2024	10	14	1	10	8	26.6	-1.6	0.947	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	14	1	20	8	28.8	-2.1	0.947	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	14	1	30	8	28	-1.8	0.947	0.5	0.5	0	55.9	55.9	0	156	158	0	26	28
2024	10	14	1	40	8	27.7	-1.4	0.947	0.4	0.3	0	55.5	55.9	0	156	158	0	27	28
2024	10	14	1	50	8	28.1	-0.9	0.947	0.5	0.5	0	55.5	56.3	0	156	159	0	27	28
2024	10	14	2	0	8	27.1	-0.7	0.947	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	14	2	10	8	27.5	-0.5	0.947	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	14	2	20	8	28.3	-1.3	0.947	0.5	0.5	0	55	56.3	0	156	158	0	28	27
2024	10	14	2	30	8	27.4	-0.5	0.947	0.5	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	14	2	40	8	27.4	-1.7	0.947	0.5	0.4	0	55	55.9	0	156	158	0	28	28
2024	10	14	2	50	8	27.7	-1.6	0.947	0.5	0.5	0	55.5	55.9	0	156	158	0	27	28
2024	10	14	3	0	8	27.8	-1.6	0.947	0.4	0.3	0	55.5	56.3	0	156	158	0	27	27
2024	10	14	3	10	8	27.3	-0.4	0.947	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	14	3	20	8	27.8	-0.8	0.947	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2024	10	14	3	30	8	26.6	-0.7	0.947	0.5	0.4	0	54.6	56.3	0	155	158	0	28	27
2024	10	14	3	40	8	28.6	-0.8	0.947	0.5	0.5	0	54.6	56.3	0	155	158	0	28	27
2024	10	14	3	50	8	28.2	-0.5	0.947	0.5	0.5	0	55	55.9	0	155	158	0	27	28
2024	10	14	4	0	8	28.1	-1.4	0.947	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	14	4	10	8	27.1	-1.8	0.947	0.4	0.3	0	55	55.9	0	155	158	0	27	28
2024	10	14	4	20	8	28.5	-1.3	0.946	0.5	0.5	0	55	55.9	0	155	158	0	27	28
2024	10	14	4	30	8	27.4	-1	0.947	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	14	4	40	8	28	-2.3	0.946	0.4	0.3	0	54.6	55.5	0	155	157	0	28	28
2024	10	14	4	50	8	28.5	-2.3	0.947	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	14	5	0	8	27.7	-1.2	0.946	0.5	0.4	0	54.6	55.9	0	155	157	0	28	27
2024	10	14	5	10	8	28.3	-1.1	0.946	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	14	5	20	8	27.6	-0.4	0.947	0.5	0.5	0	55	55.9	0	155	158	0	27	28
2024	10	14	5	30	8	27.4	-0.9	0.947	0.5	0.4	0	54.6	55	0	155	157	0	28	29
2024	10	14	5	40	8	28.8	-1.7	0.946	0.5	0.4	0	54.2	55.5	0	154	157	0	28	28
2024	10	14	5	50	8	27.6	-0.9	0.946	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	14	6	0	8	28.5	-0.9	0.946	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	14	6	10	8	28.4	-0.8	0.946	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	14	6	20	8	28.2	-2.2	0.946	0.4	0.3	0	55	56.3	0	155	158	0	27	27
2024	10	14	6	30	8	27.9	-0.8	0.946	0.5	0.4	0	54.6	55	0	155	157	0	28	29
2024	10	14	6	40	8	28.3	-1.6	0.946	0.4	0.3	0	55	55.9	0	156	158	0	28	28
2024	10	14	6	50	8	27.7	-1.3	0.946	0.5	0.4	0	55	55.9	0	156	158	0	28	28
2024	10	14	7	0	8	28.6	-1.9	0.946	0.5	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	14	7	10	8	28	-1.7	0.946	0.5	0.4	0	55.5	55.5	0	156	158	0	27	29
2024	10	14	7	20	8	28.2	-1.3	0.946	0.4	0.3	0	54.6	55	0	155	157	0	28	29
2024	10	14	7	30	8	26.9	-1.4	0.946	0.4	0.3	0	55	55.9	0	155	157	0	27	27
2024	10	14	7	40	8	27.8	-1.1	0.946	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	14	7	50	8	27.2	-1.2	0.946	0.4	0.3	0	54.6	55.9	0	155	157	0	28	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	14	8	0	8	27.5	-0.9	0.946	0.5	0.4	0	54.6	56.3	0	155	158	0	28	27
2024	10	14	8	10	8	27.4	-1.4	0.946	0.4	0.3	0	55	55.9	0	155	158	0	27	28
2024	10	14	8	20	8	27.8	-0.9	0.946	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	14	8	30	8	26.9	-2.5	0.946	0.5	0.4	0	54.6	55	0	155	157	0	28	29
2024	10	14	8	40	8	27.8	-1.1	0.946	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	14	8	50	8	27.7	-0.5	0.946	0.4	0.3	0	54.6	55.5	0	154	157	0	27	28
2024	10	14	9	0	8	27.6	-0.9	0.946	0.5	0.5	0	54.2	54.6	0	154	156	0	28	29
2024	10	14	9	10	8	27.7	-1	0.946	0.5	0.4	0	54.2	55.5	0	154	157	0	28	28
2024	10	14	9	20	8	27.1	-0.4	0.946	0.4	0.3	0	54.2	55	0	154	157	0	28	29
2024	10	14	9	30	8	28.1	-0.6	0.946	0.3	0.2	0	54.6	55	0	154	156	0	27	28
2024	10	14	9	40	8	28.4	-1.3	0.946	0.5	0.5	0	53.8	54.2	0	153	155	0	28	29
2024	10	14	9	50	8	28.1	-1.3	0.946	0.5	0.4	0	53.8	55	0	153	156	0	28	28
2024	10	14	10	0	8	28.6	-0.3	0.946	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	14	10	10	8	27.1	-1.9	0.946	0.5	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	14	10	20	8	27.6	-1.6	0.946	0.5	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	14	10	30	8	28.9	-1.3	0.946	0.5	0.4	0	54.2	55	0	153	155	0	27	27
2024	10	14	10	40	8	28	-1.6	0.946	0.5	0.4	0	53.3	54.6	0	152	155	0	28	28
2024	10	14	10	50	8	27.4	-1.2	0.945	0.5	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	14	11	0	8	27.1	-1	0.946	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	14	11	10	8	27.8	-0.6	0.946	0.4	0.3	0	54.2	54.6	0	153	155	0	27	28
2024	10	14	11	20	8	28.7	-2	0.946	0.5	0.5	0	53.8	54.2	0	152	154	0	27	28
2024	10	14	11	30	8	27.6	-1.2	0.946	0.5	0.4	0	53.8	54.2	0	152	154	0	27	28
2024	10	14	11	40	8	28.2	-2.2	0.945	0.5	0.4	0	53.3	54.2	0	152	154	0	28	28
2024	10	14	11	50	8	28.5	-0.8	0.945	0.5	0.5	0	53.3	54.2	0	152	154	0	28	28
2024	10	14	12	0	8	28.6	-1.2	0.945	0.4	0.3	0	53.8	54.2	0	152	154	0	27	28
2024	10	14	12	10	8	27.8	-1.7	0.945	0.5	0.4	0	53.8	54.2	0	151	154	0	26	28
2024	10	14	12	20	8	27.5	-2.4	0.945	0.5	0.4	0	53.8	54.6	0	152	154	0	27	27
2024	10	14	12	30	8	27.1	-0.2	0.945	0.5	0.4	0	53.8	55	0	152	155	0	27	27
2024	10	14	12	40	8	28	-1.8	0.945	0.5	0.4	0	53.8	54.2	0	152	154	0	27	28
2024	10	14	12	50	8	27.5	-0.5	0.945	0.4	0.3	0	53.3	54.6	0	152	155	0	28	28
2024	10	14	13	0	8	27.6	-0.5	0.945	0.3	0.2	0	53.8	55	0	152	155	0	27	27
2024	10	14	13	10	8	26.6	-0.8	0.944	0.4	0.3	0	54.2	55	0	153	155	0	27	27
2024	10	14	13	20	8	28.1	-1.2	0.943	0.5	0.4	0	53.3	54.2	0	152	154	0	28	28
2024	10	14	13	30	8	28.6	-1.3	0.943	0.4	0.3	0	53.8	54.2	0	152	154	0	27	28
2024	10	14	13	40	8	27.9	-1.3	0.942	0.5	0.4	0	53.3	54.6	0	152	155	0	28	28
2024	10	14	13	50	8	27.9	-1.8	0.942	0.5	0.4	0	53.8	54.6	0	152	155	0	27	28
2024	10	14	14	0	8	27.7	-1.8	0.942	0.3	0.2	0	53.8	55	0	152	155	0	27	27
2024	10	14	14	10	8	27.8	-0.5	0.941	0.5	0.4	0	53.8	54.6	0	152	154	0	27	27
2024	10	14	14	20	8	27.8	-3.7	0.941	0.5	0.4	0	53.8	55	0	152	155	0	27	27
2024	10	14	14	30	8	27.3	-1.1	0.941	0.4	0.3	0	54.2	55	0	153	155	0	27	27
2024	10	14	14	40	8	27.2	-0.9	0.942	0.5	0.4	0	54.2	55	0	152	155	0	26	27
2024	10	14	14	50	8	27.9	-1.8	0.941	0.5	0.4	0	53.8	55	0	152	155	0	27	27
2024	10	14	15	0	8	28.2	-0.9	0.941	0.5	0.5	0	54.2	55	0	153	155	0	27	27
2024	10	14	15	10	8	28.8	-1.5	0.941	0.3	0.2	0	53.8	55	0	152	155	0	27	27
2024	10	14	15	20	8	27.5	-0.1	0.941	0.5	0.5	0	54.2	55.5	0	153	156	0	27	27
2024	10	14	15	30	8	27.8	-2.4	0.942	0.5	0.5	0	54.2	55	0	153	155	0	27	27
2024	10	14	15	40	8	26.6	0.4	0.941	0.4	0.3	0	54.6	55.5	0	154	156	0	27	27
2024	10	14	15	50	8	27.5	0.1	0.941	0.5	0.5	0	54.6	55.5	0	153	156	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	14	16	0	8	28.2	-1.4	0.941	0.5	0.4	0	54.6	54.6	0	153	155	0	26	28
2024	10	14	16	10	8	27.1	-1.3	0.941	0.7	0.6	0	54.6	55.5	0	154	156	0	27	27
2024	10	14	16	20	8	27.8	-0.8	0.942	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	14	16	30	8	27.5	-1.6	0.941	0.5	0.5	0	54.2	55.5	0	153	156	0	27	27
2024	10	14	16	40	8	28.5	-1.6	0.942	0.6	0.5	0	54.6	55.5	0	154	156	0	27	27
2024	10	14	16	50	8	26.7	-1.7	0.941	0.4	0.3	0	54.6	55.5	0	154	156	0	27	27
2024	10	14	17	0	8	28	-0.4	0.941	0.5	0.5	0	54.6	55.5	0	154	157	0	27	28
2024	10	14	17	10	8	27.1	-0.5	0.941	0.5	0.4	0	55	55.9	0	154	157	0	26	27
2024	10	14	17	20	8	27.9	-0.9	0.941	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	14	17	30	8	28.2	-1.8	0.941	0.5	0.4	0	54.6	55.5	0	153	156	0	26	27
2024	10	14	17	40	8	28.1	-0.8	0.941	0.4	0.3	0	55	55.5	0	154	156	0	26	27
2024	10	14	17	50	8	28.4	-1.5	0.941	0.4	0.3	0	54.2	55	0	153	156	0	27	28
2024	10	14	18	0	8	27.6	-1.2	0.941	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	14	18	10	8	27	-0.3	0.942	0.5	0.4	0	55	55.9	0	154	157	0	26	27
2024	10	14	18	20	8	27.4	-0.2	0.941	0.5	0.4	0	54.6	55.5	0	154	157	0	27	28
2024	10	14	18	30	8	27.2	-1.6	0.941	0.5	0.5	0	54.6	55.5	0	154	157	0	27	28
2024	10	14	18	40	8	26.9	-1.2	0.941	0.4	0.3	0	55	55.9	0	155	157	0	27	27
2024	10	14	18	50	8	28	-0.9	0.942	0.5	0.4	0	54.6	56.3	0	155	158	0	28	27
2024	10	14	19	0	8	26.7	-0.8	0.941	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	14	19	10	8	27.6	-1.4	0.941	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	14	19	20	8	27.5	-1.1	0.941	0.5	0.5	0	56.3	56.3	0	157	158	0	26	27
2024	10	14	19	30	8	26.7	-0.7	0.941	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	14	19	40	8	26.2	-0.9	0.941	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	14	19	50	8	27.8	-1.6	0.941	0.5	0.5	0	55.9	55.9	0	157	158	0	27	28
2024	10	14	20	0	8	28.2	-0.2	0.941	0.5	0.5	0	55.9	55.9	0	157	158	0	27	28
2024	10	14	20	10	8	28.2	-2	0.941	0.5	0.4	0	56.8	56.3	0	158	158	0	26	27
2024	10	14	20	20	8	26.7	-1	0.941	0.6	0.5	0	55.9	56.3	0	157	158	0	27	27
2024	10	14	20	30	8	28.2	-0.5	0.941	0.5	0.5	0	55.5	56.8	0	157	159	0	28	27
2024	10	14	20	40	8	27.7	-1.4	0.941	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	14	20	50	8	26.8	-1.1	0.941	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	14	21	0	8	28	-0.1	0.941	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	14	21	10	8	27.5	-1.2	0.941	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	14	21	20	8	28.1	-0.4	0.941	0.6	0.5	0	56.3	56.3	0	158	159	0	27	28
2024	10	14	21	30	8	27.4	-1.5	0.941	0.4	0.3	0	56.3	56.3	0	158	158	0	27	27
2024	10	14	21	40	8	27.2	-1.8	0.941	0.5	0.5	0	56.3	56.3	0	158	158	0	27	27
2024	10	14	21	50	8	27.5	-0.5	0.941	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	14	22	0	8	27.9	-1.6	0.941	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	14	22	10	8	27.1	-1.1	0.941	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	14	22	20	8	28.1	-2.1	0.941	0.5	0.5	0	55.9	56.3	0	158	158	0	28	27
2024	10	14	22	30	8	27.4	0.1	0.941	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	14	22	40	8	27.5	-2	0.94	0.7	0.6	0	55.9	55.9	0	157	158	0	27	28
2024	10	14	22	50	8	28.7	-1	0.941	0.5	0.4	0	55.9	55.9	0	157	158	0	27	28
2024	10	14	23	0	8	27.2	-1.3	0.941	0.5	0.5	0	55.9	55.9	0	157	158	0	27	28
2024	10	14	23	10	8	27.7	-1.1	0.94	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	14	23	20	8	27.7	-1.1	0.94	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	14	23	30	8	28.3	-0.5	0.941	0.5	0.4	0	56.3	55.9	0	157	158	0	26	28
2024	10	14	23	40	8	27.7	-1.1	0.94	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	14	23	50	8	28.3	-2	0.941	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	15	0	0	8	27.6	-1.7	0.94	0.4	0.3	0	56.3	55.9	0	157	158	0	26	28
2024	10	15	0	10	8	27.6	-1.5	0.94	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	15	0	20	8	26.9	-0.5	0.941	0.5	0.4	0	55.9	56.3	0	157	158	0	27	27
2024	10	15	0	30	8	26.8	-1	0.94	0.5	0.4	0	56.3	56.3	0	157	158	0	26	27
2024	10	15	0	40	8	27.6	-0.4	0.941	0.5	0.4	0	55.5	55.9	0	156	157	0	27	27
2024	10	15	0	50	8	26.8	-0.5	0.941	0.5	0.5	0	55.5	55.9	0	156	158	0	27	28
2024	10	15	1	0	8	27.3	-2.3	0.942	0.4	0.3	0	55.5	55.9	0	156	157	0	27	27
2024	10	15	1	10	8	26.9	-0.3	0.943	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	15	1	20	8	28.1	-2	0.943	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	15	1	30	8	27.3	-1.5	0.943	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	15	1	40	8	26.9	-1.1	0.943	0.6	0.5	0	55.9	56.3	0	157	158	0	27	27
2024	10	15	1	50	8	28.9	-1.7	0.944	0.4	0.3	0	55.5	55.9	0	156	158	0	27	28
2024	10	15	2	0	8	28.6	-0.7	0.943	0.5	0.4	0	55.5	55.5	0	156	157	0	27	28
2024	10	15	2	10	8	27.7	-0.9	0.944	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	15	2	20	8	28.2	-2	0.944	0.5	0.4	0	55.9	55.9	0	156	158	0	26	28
2024	10	15	2	30	8	27.6	-1.3	0.944	0.4	0.3	0	55	55.5	0	156	157	0	28	28
2024	10	15	2	40	8	27.3	-1	0.944	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	15	2	50	8	28	-0.9	0.944	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	15	3	0	8	27.5	-1.4	0.944	0.5	0.4	0	55.5	55.5	0	156	157	0	27	28
2024	10	15	3	10	8	27.8	-1.4	0.944	0.5	0.5	0	55.5	55.5	0	156	157	0	27	28
2024	10	15	3	20	8	27.7	-2	0.944	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	15	3	30	8	26.8	-1.1	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	3	40	8	27.3	-2.1	0.944	0.5	0.5	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	3	50	8	27.7	-1.3	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	4	0	8	26.3	-0.8	0.944	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	15	4	10	8	28.3	-1.9	0.944	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	15	4	20	8	27.5	-1.3	0.944	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	15	4	30	8	28.2	0	0.944	0.5	0.5	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	4	40	8	27.1	-0.2	0.945	0.4	0.3	0	55	55.5	0	155	157	0	27	28
2024	10	15	4	50	8	27.5	-1.3	0.944	0.4	0.3	0	55	55	0	155	156	0	27	28
2024	10	15	5	0	8	28.2	-0.7	0.945	0.4	0.3	0	54.6	55.5	0	155	156	0	28	27
2024	10	15	5	10	8	26.6	-1.3	0.944	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	15	5	20	8	28.4	-1.3	0.944	0.5	0.4	0	55	55	0	155	156	0	27	28
2024	10	15	5	30	8	28.3	-2.2	0.944	0.5	0.5	0	54.6	55	0	154	156	0	27	28
2024	10	15	5	40	8	27.7	-1.8	0.944	0.5	0.4	0	55	55	0	155	157	0	27	29
2024	10	15	5	50	8	28.6	-0.9	0.944	0.4	0.3	0	55	55.5	0	155	157	0	27	28
2024	10	15	6	0	8	27.9	-0.8	0.944	0.5	0.4	0	54.2	55.5	0	154	156	0	28	27
2024	10	15	6	10	8	26.4	-0.9	0.944	0.4	0.3	0	55	55.5	0	155	157	0	27	28
2024	10	15	6	20	8	27.7	-0.7	0.944	0.4	0.3	0	55	55	0	155	156	0	27	28
2024	10	15	6	30	8	27.2	-2.2	0.944	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	15	6	40	8	28.5	-2	0.944	0.5	0.5	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	6	50	8	26.5	-2.5	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	7	0	8	27.3	-0.9	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	7	10	8	27.6	-1.1	0.944	0.5	0.5	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	7	20	8	27.8	-0.2	0.944	0.4	0.3	0	55	55.5	0	155	157	0	27	28
2024	10	15	7	30	8	27.2	-0.7	0.944	0.5	0.4	0	54.2	55.9	0	154	157	0	28	27
2024	10	15	7	40	8	26	-1.7	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	7	50	8	27.4	-0.4	0.944	0.5	0.5	0	55	55.5	0	155	156	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	15	8	0	8	27.5	-1.5	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	8	10	8	27.5	-1.3	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	8	20	8	28.9	-0.6	0.944	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	15	8	30	8	27.8	-0.8	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	15	8	40	8	28.4	-2.4	0.944	0.5	0.4	0	54.6	55	0	155	156	0	28	28
2024	10	15	8	50	8	26.9	-1.6	0.944	0.5	0.5	0	54.6	55	0	155	156	0	28	28
2024	10	15	9	0	8	27.3	-1.9	0.944	0.4	0.3	0	54.6	55	0	154	156	0	27	28
2024	10	15	9	10	8	26.9	-1.7	0.944	0.5	0.4	0	54.2	55.5	0	154	156	0	28	27
2024	10	15	9	20	8	27.1	-0.4	0.944	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	15	9	30	8	28	-1.8	0.944	0.5	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	15	9	40	8	28.5	-0.4	0.944	0.5	0.5	0	54.2	55	0	153	155	0	27	27
2024	10	15	9	50	8	27.9	-1.7	0.944	0.5	0.4	0	54.6	54.6	0	154	155	0	27	28
2024	10	15	10	0	8	28.4	-1.2	0.944	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	15	10	10	8	27.9	-0.7	0.944	0.5	0.4	0	54.2	55	0	153	155	0	27	27
2024	10	15	10	20	8	27	0	0.944	0.5	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	15	10	30	8	27.1	-1.9	0.944	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	15	10	40	8	27.9	-1.3	0.944	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	15	10	50	8	26.1	-0.9	0.944	0.5	0.5	0	54.2	54.6	0	153	155	0	27	28
2024	10	15	11	0	8	27.2	-1.8	0.944	0.5	0.5	0	53.8	54.6	0	152	155	0	27	28
2024	10	15	11	10	8	27.7	-0.5	0.944	0.5	0.4	0	53.8	54.2	0	153	155	0	28	29
2024	10	15	11	20	8	28	-1.8	0.944	0.5	0.4	0	53.8	53.8	0	152	154	0	27	29
2024	10	15	11	30	8	27.2	-1.3	0.944	0.4	0.3	0	53.3	54.6	0	152	155	0	28	28
2024	10	15	11	40	8	27.7	-0.3	0.944	0.5	0.5	0	53.3	54.2	0	152	154	0	28	28
2024	10	15	11	50	8	28.4	-2.2	0.944	0.5	0.4	0	53.8	54.2	0	152	154	0	27	28
2024	10	15	12	0	8	27.1	-1.3	0.944	0.5	0.4	0	53.3	54.2	0	152	154	0	28	28
2024	10	15	12	10	8	27.3	-1.8	0.944	0.3	0.2	0	53.8	54.2	0	152	154	0	27	28
2024	10	15	12	20	8	26.8	-1.7	0.944	0.5	0.4	0	53.8	54.2	0	152	154	0	27	28
2024	10	15	12	30	8	27.4	-1.7	0.944	0.4	0.3	0	54.2	54.6	0	153	155	0	27	28
2024	10	15	12	40	8	27.9	-0.6	0.944	0.5	0.4	0	53.8	55	0	153	155	0	28	27
2024	10	15	12	50	8	27.6	-1.5	0.944	0.5	0.5	0	54.2	54.6	0	153	155	0	27	28
2024	10	15	13	0	8	26.9	-0.3	0.944	0.5	0.4	0	53.8	54.2	0	152	154	0	27	28
2024	10	15	13	10	8	27.6	-1.3	0.943	0.5	0.4	0	53.8	55	0	153	155	0	28	27
2024	10	15	13	20	8	27.4	-1.8	0.942	0.5	0.4	0	53.8	54.6	0	152	154	0	27	27
2024	10	15	13	30	8	27.9	-1.3	0.942	0.5	0.4	0	53.8	54.6	0	152	154	0	27	27
2024	10	15	13	40	8	27.8	-1.7	0.941	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	15	13	50	8	28	-1	0.941	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	15	14	0	8	27.6	-0.6	0.941	0.4	0.3	0	54.6	55	0	154	155	0	27	27
2024	10	15	14	10	8	27.5	-0.7	0.941	0.5	0.5	0	54.2	54.6	0	153	155	0	27	28
2024	10	15	14	20	8	28.1	-1.6	0.941	0.4	0.3	0	54.2	54.6	0	153	154	0	27	27
2024	10	15	14	30	8	28	-0.7	0.941	0.5	0.4	0	54.2	55	0	153	155	0	27	27
2024	10	15	14	40	8	27.5	-1.2	0.941	0.5	0.4	0	54.2	55	0	153	156	0	27	28
2024	10	15	14	50	8	27.9	0.1	0.942	0.6	0.5	0	54.6	55.5	0	154	156	0	27	27
2024	10	15	15	0	8	26.9	-1.4	0.941	0.6	0.5	0	55	55.9	0	155	157	0	27	27
2024	10	15	15	10	8	27.8	-1.6	0.94	0.5	0.5	0	54.6	55.9	0	154	157	0	27	27
2024	10	15	15	20	8	26.5	-1.1	0.94	0.4	0.3	0	55	55.5	0	155	157	0	27	28
2024	10	15	15	30	8	27	-1.2	0.941	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	15	15	40	8	27.5	-0.9	0.941	0.5	0.5	0	54.2	55.5	0	153	156	0	27	27
2024	10	15	15	50	8	27.7	-1.5	0.94	0.5	0.4	0	53.8	55.5	0	153	156	0	28	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	15	16	0	8	26.7	-2	0.94	0.6	0.5	0	54.6	55.5	0	154	157	0	27	28
2024	10	15	16	10	8	28	-1.2	0.941	0.3	0.2	0	54.6	55.5	0	154	156	0	27	27
2024	10	15	16	20	8	28.4	-1	0.941	0.5	0.5	0	54.6	55.5	0	154	156	0	27	27
2024	10	15	16	30	8	27.3	-0.5	0.941	0.5	0.4	0	54.6	55.5	0	154	157	0	27	28
2024	10	15	16	40	8	27.1	-1.1	0.941	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	15	16	50	8	27.4	-1	0.94	0.5	0.5	0	54.6	55.5	0	154	156	0	27	27
2024	10	15	17	0	8	28.1	-2.4	0.94	0.5	0.5	0	54.6	55	0	154	156	0	27	28
2024	10	15	17	10	8	27.7	-0.9	0.94	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	15	17	20	8	27.7	-1.5	0.941	0.5	0.4	0	54.6	55.9	0	154	157	0	27	27
2024	10	15	17	30	8	26.7	-1.9	0.94	0.5	0.4	0	55	55	0	154	156	0	26	28
2024	10	15	17	40	8	28	-1.2	0.941	0.5	0.5	0	54.2	55.5	0	153	156	0	27	27
2024	10	15	17	50	8	27.9	-1.4	0.941	0.5	0.4	0	54.6	55.5	0	153	156	0	26	27
2024	10	15	18	0	8	27.9	-0.2	0.941	0.5	0.5	0	55	55.9	0	155	157	0	27	27
2024	10	15	18	10	8	27.1	-1.3	0.941	0.6	0.5	0	54.6	55.9	0	154	157	0	27	27
2024	10	15	18	20	8	27.4	-1.8	0.941	0.5	0.4	0	54.6	55.5	0	154	157	0	27	28
2024	10	15	18	30	8	27.7	-1	0.941	0.4	0.3	0	55	55.9	0	155	157	0	27	27
2024	10	15	18	40	8	26.8	-0.3	0.941	0.4	0.3	0	55	56.8	0	155	158	0	27	26
2024	10	15	18	50	8	27.6	-0.5	0.94	0.4	0.3	0	55.5	55.9	0	156	158	0	27	28
2024	10	15	19	0	8	27.7	-1.5	0.94	0.5	0.5	0	55.5	56.3	0	155	158	0	26	27
2024	10	15	19	10	8	28.3	-0.9	0.941	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	15	19	20	8	26.7	-0.8	0.94	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	15	19	30	8	27.9	-1.5	0.94	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	15	19	40	8	26.6	-0.7	0.94	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	15	19	50	8	27.4	-1.2	0.94	0.4	0.3	0	55.5	56.3	0	156	158	0	27	27
2024	10	15	20	0	8	26.1	-0.9	0.94	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	15	20	10	8	26.4	-1.2	0.94	0.5	0.4	0	55.9	55.9	0	157	158	0	27	28
2024	10	15	20	20	8	28	-1.4	0.94	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	15	20	30	8	27	-0.4	0.94	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	15	20	40	8	27.8	-1.1	0.94	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	15	20	50	8	29.1	-1.9	0.94	0.5	0.5	0	56.3	56.8	0	157	159	0	26	27
2024	10	15	21	0	8	27.2	-0.7	0.94	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	15	21	10	8	28	-1	0.94	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	15	21	20	8	27.1	-0.3	0.94	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	15	21	30	8	27	-1.8	0.94	0.4	0.3	0	56.3	56.8	0	157	159	0	26	27
2024	10	15	21	40	8	27	-0.9	0.94	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	15	21	50	8	27	-1	0.94	0.3	0.2	0	55.9	56.8	0	157	159	0	27	27
2024	10	15	22	0	8	28	0	0.94	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	15	22	10	8	26.6	-0.5	0.94	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2024	10	15	22	20	8	27.9	-1.1	0.939	0.5	0.5	0	55.9	55.9	0	157	158	0	27	28
2024	10	15	22	30	8	27.5	-1.2	0.939	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	15	22	40	8	27.7	-1	0.939	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	15	22	50	8	27.6	-1.3	0.939	0.5	0.5	0	55.5	56.3	0	156	158	0	27	27
2024	10	15	23	0	8	27	-2	0.939	0.5	0.5	0	55.9	56.3	0	157	158	0	27	27
2024	10	15	23	10	8	27.1	-1.4	0.939	0.4	0.3	0	55.9	56.3	0	157	158	0	27	27
2024	10	15	23	20	8	26.8	-0.8	0.939	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	15	23	30	8	27.4	-1.3	0.939	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	15	23	40	8	26.9	-1.4	0.939	0.5	0.4	0	56.3	55.9	0	157	158	0	26	28
2024	10	15	23	50	8	28	-0.9	0.939	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	16	0	0	8	27	-1.3	0.939	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	16	0	10	8	27.6	-1.5	0.939	0.5	0.5	0	55.9	56.3	0	157	158	0	27	27
2024	10	16	0	20	8	27.1	-1	0.939	0.5	0.5	0	55.5	56.3	0	156	158	0	27	27
2024	10	16	0	30	8	28.1	-1.5	0.939	0.5	0.5	0	55.5	56.3	0	156	158	0	27	27
2024	10	16	0	40	8	27.7	-0.9	0.939	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	16	0	50	8	27.4	-0.1	0.939	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	16	1	0	8	27.8	-0.2	0.939	0.4	0.3	0	55.5	56.3	0	156	158	0	27	27
2024	10	16	1	10	8	27.6	-0.9	0.939	0.5	0.5	0	55.9	55.9	0	156	158	0	26	28
2024	10	16	1	20	8	26.8	-0.5	0.939	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	16	1	30	8	27.3	0	0.939	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	16	1	40	8	26.5	-0.9	0.939	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	16	1	50	8	26.4	-0.9	0.939	0.5	0.5	0	55.5	55.9	0	156	158	0	27	28
2024	10	16	2	0	8	26.7	-0.5	0.939	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	16	2	10	8	27.6	0	0.939	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	16	2	20	8	26.9	-0.4	0.94	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	16	2	30	8	26.8	-1.2	0.94	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2024	10	16	2	40	8	27.2	-1.3	0.941	0.4	0.3	0	55	55.5	0	155	157	0	27	28
2024	10	16	2	50	8	27.1	-1	0.942	0.6	0.5	0	55	55.9	0	155	158	0	27	28
2024	10	16	3	0	8	28.1	-0.3	0.942	0.4	0.3	0	55	55.9	0	155	158	0	27	28
2024	10	16	3	10	8	28.4	-1.5	0.942	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	16	3	20	8	26.4	-1	0.942	0.5	0.5	0	54.6	55.9	0	155	157	0	28	27
2024	10	16	3	30	8	27.4	-1.7	0.943	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	16	3	40	8	28.1	-1.5	0.942	0.4	0.3	0	55	55.5	0	155	157	0	27	28
2024	10	16	3	50	8	27.3	-1.1	0.943	0.4	0.3	0	54.6	55.5	0	155	157	0	28	28
2024	10	16	4	0	8	28.2	-1.2	0.943	0.5	0.5	0	54.6	55.5	0	154	157	0	27	28
2024	10	16	4	10	8	28.4	-1.5	0.943	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	16	4	20	8	27.6	-1	0.943	0.5	0.4	0	54.6	56.3	0	155	158	0	28	27
2024	10	16	4	30	8	26	-0.6	0.943	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	16	4	40	8	27.7	-0.4	0.943	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	16	4	50	8	27.1	-2.2	0.943	0.4	0.3	0	54.6	55.5	0	154	157	0	27	28
2024	10	16	5	0	8	26.7	-1.2	0.943	0.4	0.3	0	54.6	55.9	0	155	157	0	28	27
2024	10	16	5	10	8	27.1	-1.3	0.943	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	16	5	20	8	27.3	-0.9	0.943	0.5	0.4	0	55	55	0	155	157	0	27	29
2024	10	16	5	30	8	27.6	-2.1	0.943	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	16	5	40	8	27.5	-1.8	0.943	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	16	5	50	8	27.5	-1.5	0.943	0.4	0.3	0	54.6	55.5	0	155	157	0	28	28
2024	10	16	6	0	8	27.9	-1.7	0.943	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	16	6	10	8	27.4	-0.9	0.943	0.5	0.4	0	55.5	55.5	0	156	157	0	27	28
2024	10	16	6	20	8	27.6	-1.1	0.943	0.6	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	16	6	30	8	27.4	-0.9	0.943	0.4	0.3	0	55	55.9	0	156	157	0	28	27
2024	10	16	6	40	8	28.4	-0.8	0.943	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	16	6	50	8	27.2	-1.7	0.943	0.5	0.5	0	55.9	55.5	0	157	157	0	27	28
2024	10	16	7	0	8	28	-0.9	0.943	0.5	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	16	7	10	8	27.4	-1.4	0.943	0.5	0.4	0	55.5	55.5	0	156	157	0	27	28
2024	10	16	7	20	8	26.4	-0.7	0.943	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	16	7	30	8	28.2	-1.6	0.943	0.4	0.3	0	55.5	56.3	0	156	158	0	27	27
2024	10	16	7	40	8	27.7	-1.3	0.943	0.6	0.5	0	55.5	55.5	0	156	157	0	27	28
2024	10	16	7	50	8	26.4	-0.9	0.943	0.5	0.4	0	55	55.5	0	156	157	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	16	8	0	8	27.3	-0.6	0.944	0.5	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	16	8	10	8	27.1	-1.1	0.944	0.4	0.3	0	55.5	55.5	0	156	157	0	27	28
2024	10	16	8	20	8	28.6	-1.2	0.944	0.5	0.5	0	55	55.5	0	156	157	0	28	28
2024	10	16	8	30	8	27.6	-0.1	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	16	8	40	8	27.4	-0.9	0.944	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	16	8	50	8	28.1	-1.4	0.944	0.3	0.2	0	54.6	55.5	0	155	157	0	28	28
2024	10	16	9	0	8	26.9	-1.1	0.944	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	16	9	10	8	27.8	-1.3	0.944	0.5	0.4	0	54.6	54.6	0	155	156	0	28	29
2024	10	16	9	20	8	26.1	-1.4	0.944	0.5	0.5	0	54.6	54.6	0	155	156	0	28	29
2024	10	16	9	30	8	26.1	-1	0.944	0.5	0.5	0	54.6	55	0	154	156	0	27	28
2024	10	16	9	40	8	28.1	-0.9	0.944	0.5	0.5	0	55	55	0	155	156	0	27	28
2024	10	16	9	50	8	27	-0.4	0.944	0.5	0.5	0	54.6	55.5	0	155	157	0	28	28
2024	10	16	10	0	8	25.9	-1.8	0.944	0.5	0.4	0	54.2	55	0	154	156	0	28	28
2024	10	16	10	10	8	27.4	-1.7	0.943	0.5	0.5	0	54.2	55	0	154	156	0	28	28
2024	10	16	10	20	8	27.8	-0.4	0.944	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	16	10	30	8	27.2	-1.2	0.943	0.4	0.3	0	54.2	55	0	154	155	0	28	27
2024	10	16	10	40	8	28	-1.7	0.943	0.5	0.5	0	54.2	54.6	0	153	155	0	27	28
2024	10	16	10	50	8	27.3	-0.8	0.943	0.5	0.5	0	54.2	55	0	154	156	0	28	28
2024	10	16	11	0	8	26.5	-1.4	0.943	0.5	0.4	0	54.6	54.6	0	154	155	0	27	28
2024	10	16	11	10	8	27.2	-1.4	0.943	0.4	0.3	0	54.6	55.5	0	154	156	0	27	27
2024	10	16	11	20	8	26.8	-0.2	0.943	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	16	11	30	8	27.7	-1.4	0.943	0.5	0.4	0	54.2	55	0	153	155	0	27	27
2024	10	16	11	40	8	28	-1.3	0.943	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	16	11	50	8	27.8	-0.9	0.942	0.5	0.5	0	53.8	54.2	0	152	154	0	27	28
2024	10	16	12	0	8	27.4	-1.2	0.942	0.4	0.3	0	54.2	54.6	0	153	155	0	27	28
2024	10	16	12	10	8	27.2	-1.1	0.941	0.5	0.5	0	54.2	55	0	153	155	0	27	27
2024	10	16	12	20	8	27.9	-1	0.94	0.3	0.2	0	53.8	55	0	153	155	0	28	27
2024	10	16	12	30	8	27.7	-1.1	0.94	0.4	0.3	0	54.2	54.6	0	153	155	0	27	28
2024	10	16	12	40	8	27.7	-2.1	0.94	0.5	0.5	0	54.2	54.6	0	153	155	0	27	28
2024	10	16	12	50	8	27.9	-1.1	0.939	0.4	0.3	0	53.8	54.6	0	153	155	0	28	28
2024	10	16	13	0	8	26.8	-1.2	0.939	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	16	13	10	8	27.5	-1.3	0.939	0.5	0.4	0	54.2	55	0	153	155	0	27	27
2024	10	16	13	20	8	27.2	-2.6	0.94	0.5	0.4	0	54.6	55	0	153	155	0	26	27
2024	10	16	13	30	8	28.3	-1.3	0.939	0.4	0.3	0	54.2	54.6	0	153	155	0	27	28
2024	10	16	13	40	8	27.5	-0.9	0.939	0.5	0.5	0	54.6	54.6	0	154	155	0	27	28
2024	10	16	13	50	8	27.9	-1.4	0.939	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	16	14	0	8	27.3	-1	0.939	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	16	14	10	8	26.8	-1.9	0.939	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	16	14	20	8	26.9	-0.9	0.939	0.5	0.5	0	54.2	54.6	0	153	155	0	27	28
2024	10	16	14	30	8	27.7	-1.5	0.939	0.5	0.4	0	54.2	55.5	0	153	156	0	27	27
2024	10	16	14	40	8	27.9	-1.1	0.939	0.3	0.2	0	54.6	55.5	0	154	156	0	27	27
2024	10	16	14	50	8	27	-1.2	0.939	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	16	15	0	8	27.6	-1.4	0.939	0.4	0.3	0	53.8	55.5	0	153	155	0	28	26
2024	10	16	15	10	8	28.2	-0.2	0.939	0.5	0.5	0	54.6	55	0	154	156	0	27	28
2024	10	16	15	20	8	26.9	-1.3	0.939	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	16	15	30	8	26.9	-1.8	0.939	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	16	15	40	8	27.5	-0.5	0.939	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	16	15	50	8	27.4	-0.5	0.939	0.5	0.4	0	54.6	55	0	154	156	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	16	16	0	8	27	-0.9	0.939	0.4	0.3	0	54.6	55.9	0	154	157	0	27	27
2024	10	16	16	10	8	27.8	-0.8	0.939	0.5	0.5	0	54.2	55.5	0	153	156	0	27	27
2024	10	16	16	20	8	27.9	-0.5	0.939	0.5	0.5	0	55	55.9	0	155	157	0	27	27
2024	10	16	16	30	8	28	-0.4	0.939	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	16	16	40	8	27.5	-1.6	0.939	0.4	0.3	0	54.6	55.5	0	154	156	0	27	27
2024	10	16	16	50	8	28.4	-2	0.938	0.6	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	16	17	0	8	27.8	-1.1	0.938	0.5	0.5	0	55.5	56.3	0	156	158	0	27	27
2024	10	16	17	10	8	27.9	-1.5	0.938	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2024	10	16	17	20	8	27.2	-0.5	0.938	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	16	17	30	8	27	-0.6	0.938	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	16	17	40	8	28.4	-0.4	0.938	0.5	0.5	0	54.6	55.5	0	154	156	0	27	27
2024	10	16	17	50	8	26.7	-0.5	0.938	0.5	0.5	0	54.6	55.9	0	154	157	0	27	27
2024	10	16	18	0	8	26.6	-1	0.938	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	16	18	10	8	28.6	-0.9	0.937	0.4	0.3	0	55.5	56.3	0	155	158	0	26	27
2024	10	16	18	20	8	27.5	-0.6	0.937	0.5	0.4	0	55.5	56.8	0	156	158	0	27	26
2024	10	16	18	30	8	26.9	-0.9	0.937	0.4	0.3	0	55.5	56.3	0	156	158	0	27	27
2024	10	16	18	40	8	28.1	-0.8	0.937	0.4	0.3	0	55.5	56.8	0	156	159	0	27	27
2024	10	16	18	50	8	26.5	-1.4	0.937	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	16	19	0	8	26.4	-1	0.937	0.5	0.5	0	56.3	56.8	0	157	159	0	26	27
2024	10	16	19	10	8	27.4	-1.8	0.937	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	16	19	20	8	27.3	-1.1	0.937	0.4	0.3	0	55.9	56.3	0	157	159	0	27	28
2024	10	16	19	30	8	28.5	-1.7	0.937	0.5	0.5	0	55.9	56.3	0	157	159	0	27	28
2024	10	16	19	40	8	27.3	-0.9	0.937	0.5	0.5	0	55.5	56.8	0	156	159	0	27	27
2024	10	16	19	50	8	27.3	-2.1	0.937	0.5	0.5	0	55.9	56.3	0	157	159	0	27	28
2024	10	16	20	0	8	27	-0.4	0.936	0.5	0.5	0	55.9	56.8	0	157	160	0	27	28
2024	10	16	20	10	8	26.1	-0.6	0.936	0.4	0.3	0	56.3	56.8	0	158	160	0	27	28
2024	10	16	20	20	8	27	-0.5	0.936	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2024	10	16	20	30	8	26.9	-1.7	0.936	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2024	10	16	20	40	8	25.5	-0.5	0.936	0.5	0.4	0	56.8	57.2	0	158	160	0	26	27
2024	10	16	20	50	8	25.9	-0.9	0.935	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2024	10	16	21	0	8	28.7	-2.3	0.935	0.6	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	16	21	10	8	27.6	0	0.936	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	16	21	20	8	27.7	-1.2	0.936	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	16	21	30	8	27.4	-1.1	0.936	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	16	21	40	8	27.6	-0.3	0.935	0.5	0.5	0	56.3	57.2	0	158	160	0	27	27
2024	10	16	21	50	8	27	-0.2	0.935	0.5	0.4	0	56.8	57.2	0	159	160	0	27	27
2024	10	16	22	0	8	26.4	-0.8	0.935	0.5	0.4	0	55.9	57.2	0	158	160	0	28	27
2024	10	16	22	10	8	27.4	-0.6	0.935	0.6	0.5	0	55.9	56.8	0	158	159	0	28	27
2024	10	16	22	20	8	27.5	-0.5	0.935	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	16	22	30	8	25.9	-0.9	0.935	0.5	0.4	0	56.8	56.8	0	159	159	0	27	27
2024	10	16	22	40	8	27	-1	0.934	0.5	0.4	0	57.2	57.6	0	160	161	0	27	27
2024	10	16	22	50	8	27.1	-0.9	0.934	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	16	23	0	8	27.7	-0.9	0.935	0.4	0.3	0	56.8	56.3	0	159	159	0	27	28
2024	10	16	23	10	8	26.5	-1.5	0.934	0.5	0.4	0	57.2	57.2	0	160	161	0	27	28
2024	10	16	23	20	8	27.6	-1.3	0.934	0.5	0.5	0	56.8	56.8	0	159	160	0	27	28
2024	10	16	23	30	8	26.1	-1.3	0.934	0.5	0.4	0	57.2	57.2	0	160	161	0	27	28
2024	10	16	23	40	8	27.4	-1.6	0.934	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	16	23	50	8	26.2	-1	0.935	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	17	0	0	8	27.4	-0.1	0.935	0.5	0.5	0	56.3	56.8	0	158	160	0	27	28
2024	10	17	0	10	8	26.9	-2.4	0.935	0.5	0.5	0	55.9	56.8	0	157	159	0	27	27
2024	10	17	0	20	8	26.4	-1.3	0.934	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	17	0	30	8	27	-1.4	0.934	0.5	0.4	0	56.3	57.2	0	159	160	0	28	27
2024	10	17	0	40	8	26.2	-1.6	0.935	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	17	0	50	8	26.5	-1	0.935	0.4	0.3	0	56.3	56.3	0	158	159	0	27	28
2024	10	17	1	0	8	27.4	-2.4	0.935	0.5	0.5	0	55.9	56.3	0	157	158	0	27	27
2024	10	17	1	10	8	28.2	-0.9	0.934	0.4	0.3	0	56.3	56.3	0	158	159	0	27	28
2024	10	17	1	20	8	26	-1.5	0.934	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	17	1	30	8	27	-1.3	0.935	0.3	0.2	0	55.9	56.3	0	157	158	0	27	27
2024	10	17	1	40	8	26.8	-1	0.935	0.6	0.5	0	55.9	55.9	0	157	158	0	27	28
2024	10	17	1	50	8	27.6	-2	0.935	0.5	0.5	0	55.9	56.3	0	157	158	0	27	27
2024	10	17	2	0	8	27.2	-2.2	0.935	0.5	0.4	0	55.9	55.9	0	157	158	0	27	28
2024	10	17	2	10	8	27.6	-0.7	0.934	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	17	2	20	8	27.9	-1.5	0.934	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	17	2	30	8	27.5	-0.5	0.935	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2024	10	17	2	40	8	27	-1.3	0.934	0.5	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	17	2	50	8	27.4	-1.2	0.934	0.4	0.3	0	55.9	56.3	0	157	159	0	27	28
2024	10	17	3	0	8	26.8	-1.6	0.934	0.5	0.4	0	55.5	55.9	0	157	158	0	28	28
2024	10	17	3	10	8	26.8	-1.3	0.934	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	17	3	20	8	27.4	-2.2	0.934	0.5	0.4	0	55.5	55.9	0	157	158	0	28	28
2024	10	17	3	30	8	28	-0.3	0.934	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	17	3	40	8	26.6	-1.5	0.934	0.5	0.5	0	55.9	56.3	0	157	158	0	27	27
2024	10	17	3	50	8	26.7	-1.3	0.934	0.5	0.4	0	55.5	56.3	0	156	158	0	27	27
2024	10	17	4	0	8	26.4	-1.5	0.934	0.5	0.4	0	55.9	55.5	0	157	158	0	27	29
2024	10	17	4	10	8	26.5	-1.3	0.934	0.4	0.3	0	55.9	56.3	0	157	159	0	27	28
2024	10	17	4	20	8	27.4	-1.2	0.934	0.5	0.5	0	55.9	55.9	0	157	158	0	27	28
2024	10	17	4	30	8	26.1	-2	0.934	0.6	0.5	0	55.9	55.9	0	157	158	0	27	28
2024	10	17	4	40	8	27.2	-1.2	0.934	0.3	0.2	0	55.5	55.9	0	156	158	0	27	28
2024	10	17	4	50	8	26.9	-1.2	0.934	0.5	0.5	0	55.5	55.9	0	156	158	0	27	28
2024	10	17	5	0	8	27	-1.5	0.934	0.4	0.3	0	55	55.9	0	156	158	0	28	28
2024	10	17	5	10	8	28.3	-2.2	0.934	0.6	0.5	0	55.5	55.9	0	156	158	0	27	28
2024	10	17	5	20	8	27.5	-0.9	0.935	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	17	5	30	8	26.9	-1.3	0.935	0.5	0.5	0	54.6	55.5	0	155	157	0	28	28
2024	10	17	5	40	8	27.5	-1.5	0.935	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	17	5	50	8	27.3	-1.6	0.935	0.6	0.5	0	55	55.9	0	155	157	0	27	27
2024	10	17	6	0	8	27.3	-0.8	0.935	0.5	0.4	0	54.6	55.9	0	155	157	0	28	27
2024	10	17	6	10	8	27.3	-1.4	0.934	0.4	0.3	0	55	55.5	0	155	157	0	27	28
2024	10	17	6	20	8	27.5	-2.3	0.935	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	17	6	30	8	26.6	-0.8	0.935	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	17	6	40	8	27.6	-1.7	0.935	0.5	0.5	0	54.6	55.5	0	155	157	0	28	28
2024	10	17	6	50	8	26.4	0	0.935	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	17	7	0	8	27.1	-1.1	0.934	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	17	7	10	8	26.8	-0.4	0.935	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	17	7	20	8	26.9	-1.5	0.935	0.5	0.5	0	55.5	55.5	0	156	157	0	27	28
2024	10	17	7	30	8	27.3	-2	0.935	0.4	0.3	0	55.5	55.5	0	156	157	0	27	28
2024	10	17	7	40	8	27.9	-1.4	0.935	0.4	0.3	0	55	55.5	0	155	157	0	27	28
2024	10	17	7	50	8	28.6	-2.2	0.935	0.5	0.5	0	55	55.5	0	155	157	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	17	8	0	8	27.8	-1	0.935	0.5	0.5	0	55	55.5	0	156	157	0	28	28
2024	10	17	8	10	8	27.3	-1.6	0.935	0.5	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	17	8	20	8	27.3	-0.9	0.935	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	17	8	30	8	27.9	-1.9	0.935	0.5	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	17	8	40	8	25.7	-0.7	0.935	0.4	0.3	0	54.6	55.9	0	155	157	0	28	27
2024	10	17	8	50	8	26.9	-1.7	0.935	0.4	0.3	0	54.6	55.5	0	155	157	0	28	28
2024	10	17	9	0	8	28	-2	0.935	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	17	9	10	8	26.6	-1.4	0.935	0.6	0.5	0	54.6	55	0	155	156	0	28	28
2024	10	17	9	20	8	27.3	-1.3	0.935	0.5	0.4	0	54.6	55	0	155	156	0	28	28
2024	10	17	9	30	8	26.8	-1.7	0.935	0.5	0.4	0	54.6	55	0	155	156	0	28	28
2024	10	17	9	40	8	26.9	-0.9	0.935	0.4	0.3	0	54.2	55	0	154	156	0	28	28
2024	10	17	9	50	8	26.9	-1	0.935	0.5	0.5	0	54.2	55	0	154	156	0	28	28
2024	10	17	10	0	8	27.8	-0.9	0.935	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	17	10	10	8	26.9	-1	0.935	0.5	0.5	0	54.6	54.6	0	154	155	0	27	28
2024	10	17	10	20	8	27	-2	0.935	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	17	10	30	8	26.5	-1.5	0.935	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	17	10	40	8	25.8	-0.9	0.935	0.5	0.4	0	54.2	55	0	153	155	0	27	27
2024	10	17	10	50	8	26.6	-1.7	0.936	0.5	0.4	0	53.8	54.2	0	153	155	0	28	29
2024	10	17	11	0	8	26.8	-0.4	0.936	0.5	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	17	11	10	8	27.8	-1.1	0.936	0.5	0.5	0	54.2	54.2	0	153	154	0	27	28
2024	10	17	11	20	8	27.7	-1.7	0.936	0.5	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	17	11	30	8	27.8	-1.4	0.935	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	17	11	40	8	25.8	-1.3	0.936	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	17	11	50	8	26.8	-2.1	0.936	0.5	0.5	0	54.2	54.6	0	153	155	0	27	28
2024	10	17	12	0	8	26.8	-0.5	0.936	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	17	12	10	8	26.5	-0.6	0.936	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	17	12	20	8	26.7	-1.8	0.936	0.5	0.5	0	54.6	54.6	0	154	156	0	27	29
2024	10	17	12	30	8	26.8	-2	0.936	0.4	0.3	0	54.2	54.6	0	153	155	0	27	28
2024	10	17	12	40	8	27.8	-0.6	0.936	0.5	0.5	0	54.2	54.6	0	153	155	0	27	28
2024	10	17	12	50	8	26.8	-0.9	0.936	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	17	13	0	8	28.3	-1.7	0.936	0.4	0.3	0	54.2	54.6	0	153	155	0	27	28
2024	10	17	13	10	8	28	-0.8	0.936	0.4	0.3	0	53.8	54.6	0	153	155	0	28	28
2024	10	17	13	20	8	27.7	-1.3	0.936	0.5	0.4	0	54.2	55	0	153	155	0	27	27
2024	10	17	13	30	8	28.6	-1.7	0.936	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	17	13	40	8	26.2	-0.7	0.936	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	17	13	50	8	26.8	-1.3	0.936	0.5	0.5	0	54.6	55	0	154	156	0	27	28
2024	10	17	14	0	8	28	-1.6	0.936	0.4	0.3	0	53.8	54.6	0	153	155	0	28	28
2024	10	17	14	10	8	27.2	-2	0.936	0.5	0.4	0	54.2	55	0	153	156	0	27	28
2024	10	17	14	20	8	28.1	-0.9	0.936	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	17	14	30	8	27.6	-1.9	0.936	0.5	0.4	0	54.6	55.5	0	154	156	0	27	27
2024	10	17	14	40	8	27.2	-1	0.936	0.4	0.3	0	54.2	55.5	0	154	156	0	28	27
2024	10	17	14	50	8	27.7	-0.9	0.937	0.5	0.5	0	54.6	55	0	154	156	0	27	28
2024	10	17	15	0	8	27.4	-0.9	0.936	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	17	15	10	8	27	-0.9	0.936	0.5	0.4	0	54.6	55	0	154	156	0	27	28
2024	10	17	15	20	8	26	-1.2	0.936	0.4	0.3	0	55	55.9	0	155	157	0	27	27
2024	10	17	15	30	8	26.5	-1.4	0.935	0.5	0.4	0	55	55.9	0	155	157	0	27	27
2024	10	17	15	40	8	26.4	-1	0.935	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	17	15	50	8	27.5	-0.4	0.934	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	17	16	0	8	27.5	-1.4	0.935	0.5	0.5	0	56.3	56.8	0	158	160	0	27	28
2024	10	17	16	10	8	27.1	-1.3	0.934	0.5	0.5	0	57.2	57.6	0	160	162	0	27	28
2024	10	17	16	20	8	27.2	-2.7	0.934	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2024	10	17	16	30	8	25.8	-1.3	0.934	0.5	0.4	0	57.2	57.6	0	160	161	0	27	27
2024	10	17	16	40	8	25.7	-0.2	0.934	0.5	0.4	0	56.8	57.2	0	159	161	0	27	28
2024	10	17	16	50	8	26.9	-1.2	0.934	0.4	0.3	0	57.2	57.6	0	160	161	0	27	27
2024	10	17	17	0	8	27.8	0	0.935	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	17	17	10	8	27.5	0	0.934	0.5	0.4	0	57.2	57.2	0	160	161	0	27	28
2024	10	17	17	20	8	27.1	-0.6	0.935	0.5	0.4	0	55.9	56.8	0	158	159	0	28	27
2024	10	17	17	30	8	26.8	-0.5	0.935	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	17	17	40	8	26.9	-1.8	0.935	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	17	17	50	8	26.3	-0.6	0.934	0.5	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	17	18	0	8	26.8	-1	0.934	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	17	18	10	8	26.8	-0.9	0.934	0.5	0.5	0	56.3	56.8	0	158	159	0	27	27
2024	10	17	18	20	8	26.4	-2.1	0.933	0.6	0.5	0	56.3	56.3	0	158	159	0	27	28
2024	10	17	18	30	8	27.1	-0.9	0.934	0.6	0.5	0	56.3	56.3	0	158	159	0	27	28
2024	10	17	18	40	8	26.7	-0.9	0.933	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	17	18	50	8	26.7	-1.5	0.933	0.4	0.3	0	55.9	56.8	0	158	159	0	28	27
2024	10	17	19	0	8	27.3	-1.2	0.933	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	17	19	10	8	26.3	-1.2	0.933	0.5	0.4	0	56.8	56.8	0	159	160	0	27	28
2024	10	17	19	20	8	27.3	-0.5	0.933	0.5	0.4	0	56.3	56.8	0	158	159	0	27	27
2024	10	17	19	30	8	27.2	0	0.933	0.6	0.5	0	56.8	57.2	0	159	160	0	27	27
2024	10	17	19	40	8	27.3	-1.3	0.934	0.4	0.3	0	56.8	56.8	0	159	159	0	27	27
2024	10	17	19	50	8	27.9	-0.8	0.933	0.5	0.4	0	56.3	56.8	0	159	160	0	28	28
2024	10	17	20	0	8	27.8	-0.5	0.933	0.5	0.4	0	57.2	57.2	0	159	160	0	26	27
2024	10	17	20	10	8	26.7	-0.9	0.932	0.5	0.4	0	56.3	56.8	0	159	160	0	28	28
2024	10	17	20	20	8	25.5	-1.7	0.932	0.5	0.5	0	57.2	57.6	0	160	161	0	27	27
2024	10	17	20	30	8	25.6	-2.1	0.931	0.5	0.4	0	57.6	57.6	0	161	162	0	27	28
2024	10	17	20	40	8	27.1	-2.2	0.932	0.5	0.4	0	57.6	57.6	0	161	162	0	27	28
2024	10	17	20	50	8	26.4	0.3	0.932	0.5	0.5	0	57.2	57.6	0	161	162	0	28	28
2024	10	17	21	0	8	27.9	-1.2	0.932	0.5	0.4	0	57.2	57.6	0	161	162	0	28	28
2024	10	17	21	10	8	27.2	-1.8	0.932	0.5	0.5	0	57.6	57.6	0	161	162	0	27	28
2024	10	17	21	20	8	26.2	-0.3	0.933	0.4	0.3	0	57.6	57.6	0	161	162	0	27	28
2024	10	17	21	30	8	26.1	-0.7	0.932	0.5	0.5	0	57.6	58.5	0	162	163	0	28	27
2024	10	17	21	40	8	26.8	-1	0.932	0.5	0.4	0	58	58	0	162	163	0	27	28
2024	10	17	21	50	8	27.8	-0.6	0.932	0.5	0.5	0	57.6	58.5	0	162	164	0	28	28
2024	10	17	22	0	8	26.2	-1.6	0.931	0.6	0.5	0	58	58.5	0	163	164	0	28	28
2024	10	17	22	10	8	25.7	-1.3	0.93	0.5	0.4	0	58.9	58.9	0	164	165	0	27	28
2024	10	17	22	20	8	27.5	-0.9	0.931	0.5	0.4	0	58.5	58.9	0	163	165	0	27	28
2024	10	17	22	30	8	27	-1.1	0.932	0.5	0.4	0	58.5	58.5	0	163	164	0	27	28
2024	10	17	22	40	8	26.8	-1.1	0.931	0.5	0.5	0	58.5	58.5	0	163	164	0	27	28
2024	10	17	22	50	8	26.6	-0.7	0.929	0.5	0.4	0	58.5	58.9	0	163	164	0	27	27
2024	10	17	23	0	8	27	-1.6	0.929	0.5	0.4	0	58	58.5	0	162	164	0	27	28
2024	10	17	23	10	8	27.9	-1.8	0.931	0.6	0.5	0	58	58	0	162	163	0	27	28
2024	10	17	23	20	8	26.4	-0.7	0.931	0.4	0.3	0	58	58.5	0	162	163	0	27	27
2024	10	17	23	30	8	25.8	-1.3	0.931	0.4	0.3	0	58	58	0	162	163	0	27	28
2024	10	17	23	40	8	26.3	-1.6	0.931	0.5	0.5	0	57.6	57.6	0	161	162	0	27	28
2024	10	17	23	50	8	26.3	-1.1	0.931	0.5	0.4	0	56.8	57.2	0	159	161	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	18	0	0	8	26	-0.4	0.931	0.5	0.5	0	56.8	57.2	0	160	161	0	28	28
2024	10	18	0	10	8	26.7	-1	0.931	0.5	0.4	0	56.3	56.8	0	159	160	0	28	28
2024	10	18	0	20	8	27.3	-1.4	0.931	0.5	0.4	0	56.3	56.8	0	158	160	0	27	28
2024	10	18	0	30	8	26.7	-0.9	0.93	0.5	0.4	0	55.5	56.8	0	158	160	0	29	28
2024	10	18	0	40	8	26	-1.9	0.931	0.5	0.4	0	55.9	56.8	0	158	160	0	28	28
2024	10	18	0	50	8	26.4	-1.3	0.931	0.5	0.5	0	56.3	56.8	0	158	160	0	27	28
2024	10	18	1	0	8	26.4	-1.6	0.93	0.5	0.4	0	55.9	55.9	0	158	159	0	28	29
2024	10	18	1	10	8	26.1	-1.3	0.931	0.3	0.2	0	56.3	56.8	0	158	159	0	27	27
2024	10	18	1	20	8	26.6	-0.8	0.93	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	18	1	30	8	26.1	-0.8	0.93	0.5	0.5	0	55.9	56.3	0	157	159	0	27	28
2024	10	18	1	40	8	26.9	-1.9	0.93	0.5	0.4	0	55.9	56.8	0	157	159	0	27	27
2024	10	18	1	50	8	26.2	-1.3	0.931	0.5	0.5	0	55.9	56.3	0	157	159	0	27	28
2024	10	18	2	0	8	26.1	-1.6	0.93	0.5	0.4	0	55.5	55.9	0	157	158	0	28	28
2024	10	18	2	10	8	26.5	-1	0.93	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	18	2	20	8	26.9	-1	0.93	0.4	0.3	0	55.5	55.9	0	157	158	0	28	28
2024	10	18	2	30	8	25.5	-2	0.93	0.4	0.3	0	55.5	55.9	0	156	158	0	27	28
2024	10	18	2	40	8	26.6	-1	0.93	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	18	2	50	8	25.5	-1.3	0.93	0.5	0.4	0	55	55.9	0	156	158	0	28	28
2024	10	18	3	0	8	26.9	-0.9	0.93	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	18	3	10	8	26.4	-0.9	0.93	0.5	0.4	0	55.5	55	0	156	157	0	27	29
2024	10	18	3	20	8	25.3	-0.9	0.93	0.4	0.3	0	55.5	55.9	0	157	158	0	28	28
2024	10	18	3	30	8	26.7	-1.1	0.93	0.5	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	18	3	40	8	27.2	-2.1	0.93	0.5	0.5	0	55	55.5	0	155	157	0	27	28
2024	10	18	3	50	8	27	-0.4	0.93	0.4	0.3	0	54.6	55.5	0	155	157	0	28	28
2024	10	18	4	0	8	25.8	-1.8	0.929	0.4	0.3	0	54.2	55	0	155	157	0	29	29
2024	10	18	4	10	8	27	-0.9	0.929	0.4	0.3	0	54.6	55	0	155	156	0	28	28
2024	10	18	4	20	8	27.7	-1.8	0.93	0.5	0.5	0	54.2	54.6	0	154	156	0	28	29
2024	10	18	4	30	8	27.6	-1.6	0.93	0.4	0.3	0	54.6	55	0	155	157	0	28	29
2024	10	18	4	40	8	27.1	-1.3	0.93	0.4	0.3	0	54.6	54.6	0	155	156	0	28	29
2024	10	18	4	50	8	26.6	-0.4	0.93	0.5	0.5	0	54.6	55	0	155	156	0	28	28
2024	10	18	5	0	8	26.9	-1	0.93	0.3	0.2	0	54.6	54.6	0	155	156	0	28	29
2024	10	18	5	10	8	26.8	-2.2	0.93	0.5	0.4	0	54.2	54.6	0	154	156	0	28	29
2024	10	18	5	20	8	25.9	-1.3	0.93	0.3	0.2	0	54.6	55	0	154	156	0	27	28
2024	10	18	5	30	8	27.1	-2.2	0.93	0.5	0.5	0	54.2	54.2	0	154	155	0	28	29
2024	10	18	5	40	8	26.4	-1.7	0.93	0.4	0.3	0	54.2	54.2	0	154	155	0	28	29
2024	10	18	5	50	8	26.4	-0.5	0.93	0.4	0.3	0	53.8	55	0	154	156	0	29	28
2024	10	18	6	0	8	26.3	-0.9	0.93	0.5	0.4	0	54.2	54.2	0	154	155	0	28	29
2024	10	18	6	10	8	27.2	-1.3	0.93	0.4	0.3	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	6	20	8	26.8	-1.1	0.93	0.4	0.3	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	6	30	8	27.7	-0.3	0.93	0.5	0.5	0	53.8	54.2	0	153	155	0	28	29
2024	10	18	6	40	8	26.9	-0.4	0.93	0.3	0.2	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	6	50	8	26.7	-0.5	0.93	0.5	0.5	0	53.8	54.2	0	153	155	0	28	29
2024	10	18	7	0	8	26.8	-0.1	0.931	0.4	0.3	0	54.2	54.2	0	153	155	0	27	29
2024	10	18	7	10	8	26	-2.1	0.931	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	7	20	8	27	-1.8	0.931	0.5	0.4	0	53.8	53.8	0	152	154	0	27	29
2024	10	18	7	30	8	26.8	-2	0.932	0.5	0.4	0	53.3	54.2	0	152	154	0	28	28
2024	10	18	7	40	8	26.5	-0.5	0.933	0.5	0.5	0	53.3	53.8	0	152	154	0	28	29
2024	10	18	7	50	8	26	-1.3	0.933	0.3	0.2	0	53.3	54.2	0	152	154	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	18	8	0	8	27.6	-0.4	0.934	0.4	0.3	0	53.3	54.2	0	152	154	0	28	28
2024	10	18	8	10	8	26.3	-1.9	0.933	0.5	0.4	0	53.3	54.2	0	152	154	0	28	28
2024	10	18	8	20	8	27.6	-1.6	0.933	0.5	0.4	0	53.3	54.2	0	152	154	0	28	28
2024	10	18	8	30	8	28.1	-2.8	0.933	0.5	0.4	0	52.9	53.8	0	151	153	0	28	28
2024	10	18	8	40	8	27.2	-2.3	0.933	0.5	0.4	0	52.9	53.3	0	151	153	0	28	29
2024	10	18	8	50	8	26.9	-2.1	0.933	0.5	0.4	0	52.5	53.8	0	150	153	0	28	28
2024	10	18	9	0	8	26.9	-1.7	0.933	0.5	0.4	0	52.9	53.8	0	151	153	0	28	28
2024	10	18	9	10	8	25.9	-1.9	0.933	0.5	0.5	0	52.5	53.3	0	151	153	0	29	29
2024	10	18	9	20	8	26	-1.4	0.933	0.5	0.5	0	52.5	52.9	0	150	152	0	28	29
2024	10	18	9	30	8	26.7	-1.4	0.933	0.4	0.3	0	52.5	53.3	0	150	152	0	28	28
2024	10	18	9	40	8	27.1	-1.3	0.933	0.5	0.4	0	52	53.8	0	150	153	0	29	28
2024	10	18	9	50	8	26.4	-1.5	0.933	0.5	0.5	0	52.5	53.3	0	150	153	0	28	29
2024	10	18	10	0	8	27.2	-1.4	0.933	0.4	0.3	0	52.5	53.8	0	150	153	0	28	28
2024	10	18	10	10	8	26	-1.4	0.933	0.4	0.3	0	52	52.9	0	149	152	0	28	29
2024	10	18	10	20	8	26.9	-1.3	0.934	0.5	0.4	0	51.6	53.3	0	149	152	0	29	28
2024	10	18	10	30	8	26.9	-1.4	0.933	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	18	10	40	8	26.8	-1.5	0.933	0.5	0.4	0	51.6	52.5	0	148	151	0	28	29
2024	10	18	10	50	8	25.8	-0.6	0.933	0.5	0.5	0	52	52.9	0	149	152	0	28	29
2024	10	18	11	0	8	26.4	-1.5	0.933	0.4	0.3	0	52	53.3	0	149	152	0	28	28
2024	10	18	11	10	8	26.2	-1.8	0.933	0.5	0.4	0	51.6	53.3	0	149	152	0	29	28
2024	10	18	11	20	8	27.7	-1	0.933	0.4	0.3	0	52	52.9	0	149	152	0	28	29
2024	10	18	11	30	8	25.7	-0.8	0.933	0.5	0.4	0	52.5	52.9	0	150	152	0	28	29
2024	10	18	11	40	8	26.5	-0.2	0.933	0.5	0.5	0	52.5	52.9	0	150	152	0	28	29
2024	10	18	11	50	8	27.5	-0.4	0.933	0.4	0.3	0	52	52.9	0	149	152	0	28	29
2024	10	18	12	0	8	26.1	-1.3	0.932	0.4	0.3	0	51.6	52.9	0	149	152	0	29	29
2024	10	18	12	10	8	26.3	-1.4	0.933	0.3	0.2	0	52	53.3	0	149	152	0	28	28
2024	10	18	12	20	8	26	-1.1	0.932	0.3	0.2	0	52.5	53.3	0	150	152	0	28	28
2024	10	18	12	30	8	27.1	-2.4	0.933	0.3	0.2	0	52	52.9	0	149	152	0	28	29
2024	10	18	12	40	8	27.8	-0.4	0.932	0.5	0.4	0	52	52.9	0	149	152	0	28	29
2024	10	18	12	50	8	26.2	-1.7	0.932	0.5	0.4	0	51.6	53.3	0	149	152	0	29	28
2024	10	18	13	0	8	27.2	-2	0.933	0.5	0.4	0	52.9	53.3	0	150	152	0	27	28
2024	10	18	13	10	8	26.6	-2.6	0.932	0.3	0.2	0	52	52.9	0	149	152	0	28	29
2024	10	18	13	20	8	26.9	-1.3	0.933	0.5	0.4	0	52.5	53.8	0	150	153	0	28	28
2024	10	18	13	30	8	27.1	-1.8	0.932	0.5	0.4	0	52.5	53.8	0	151	153	0	29	28
2024	10	18	13	40	8	28.4	-1.5	0.932	0.5	0.4	0	52	53.3	0	150	153	0	29	29
2024	10	18	13	50	8	26.6	-1.3	0.933	0.5	0.4	0	52.9	52.9	0	150	152	0	27	29
2024	10	18	14	0	8	27.2	-2.3	0.932	0.4	0.3	0	52.5	53.3	0	150	153	0	28	29
2024	10	18	14	10	8	26.4	-1.8	0.932	0.4	0.3	0	53.3	54.6	0	152	155	0	28	28
2024	10	18	14	20	8	25.5	-1.7	0.932	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	18	14	30	8	27.2	-0.8	0.932	0.4	0.3	0	53.3	54.6	0	152	155	0	28	28
2024	10	18	14	40	8	25.8	0	0.932	0.5	0.4	0	54.2	54.2	0	153	155	0	27	29
2024	10	18	14	50	8	27.2	-1.1	0.932	0.4	0.3	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	15	0	8	27.2	-1.7	0.932	0.5	0.4	0	53.3	54.6	0	152	155	0	28	28
2024	10	18	15	10	8	26.4	-1.4	0.933	0.4	0.3	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	15	20	8	25.6	-1.5	0.932	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	15	30	8	27.6	-2.1	0.932	0.4	0.3	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	15	40	8	25.6	-1.2	0.932	0.4	0.3	0	53.8	55	0	153	156	0	28	28
2024	10	18	15	50	8	26.6	-1.2	0.932	0.4	0.3	0	53.3	54.6	0	152	155	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	18	16	0	8	25.6	-1.5	0.932	0.4	0.3	0	53.8	54.2	0	153	155	0	28	29
2024	10	18	16	10	8	26.9	-0.7	0.932	0.5	0.4	0	53.3	54.2	0	151	154	0	27	28
2024	10	18	16	20	8	27.4	-2.8	0.932	0.5	0.5	0	53.3	54.2	0	152	154	0	28	28
2024	10	18	16	30	8	26.8	-1.2	0.931	0.5	0.4	0	52.9	54.6	0	152	155	0	29	28
2024	10	18	16	40	8	27	-1.4	0.931	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	16	50	8	27.3	-1.3	0.932	0.5	0.4	0	53.8	54.2	0	153	155	0	28	29
2024	10	18	17	0	8	26.4	-1.6	0.932	0.5	0.4	0	53.3	54.6	0	152	155	0	28	28
2024	10	18	17	10	8	27.2	-0.8	0.932	0.5	0.4	0	53.3	54.6	0	152	155	0	28	28
2024	10	18	17	20	8	26.8	-0.5	0.932	0.5	0.5	0	53.3	54.6	0	152	155	0	28	28
2024	10	18	17	30	8	26	-1.5	0.932	0.5	0.4	0	52.9	53.8	0	151	153	0	28	28
2024	10	18	17	40	8	27.7	-1.3	0.931	0.5	0.4	0	52.9	53.3	0	151	153	0	28	29
2024	10	18	17	50	8	26.8	-2.1	0.932	0.4	0.3	0	52.9	54.2	0	151	154	0	28	28
2024	10	18	18	0	8	27.3	-0.4	0.932	0.5	0.4	0	52.9	54.2	0	151	154	0	28	28
2024	10	18	18	10	8	26.7	-0.4	0.932	0.5	0.4	0	53.3	53.3	0	151	153	0	27	29
2024	10	18	18	20	8	26	-1.6	0.932	0.5	0.4	0	53.3	53.8	0	152	154	0	28	29
2024	10	18	18	30	8	27.2	-2.1	0.932	0.5	0.4	0	53.3	53.8	0	151	153	0	27	28
2024	10	18	18	40	8	25.8	-2.1	0.932	0.5	0.5	0	53.3	53.8	0	152	154	0	28	29
2024	10	18	18	50	8	26.3	-0.9	0.932	0.5	0.5	0	53.3	54.2	0	152	154	0	28	28
2024	10	18	19	0	8	27.5	-0.6	0.932	0.5	0.5	0	54.2	54.2	0	153	155	0	27	29
2024	10	18	19	10	8	27.6	-2.4	0.932	0.5	0.4	0	53.8	54.2	0	153	155	0	28	29
2024	10	18	19	20	8	26.6	-1.3	0.932	0.3	0.2	0	54.2	54.2	0	153	155	0	27	29
2024	10	18	19	30	8	27.3	-2.2	0.932	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	19	40	8	27.6	-1.4	0.932	0.6	0.5	0	53.3	54.2	0	152	154	0	28	28
2024	10	18	19	50	8	25.6	-0.9	0.932	0.5	0.4	0	53.8	54.2	0	153	155	0	28	29
2024	10	18	20	0	8	25.7	-1.6	0.932	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	20	10	8	26.6	-0.6	0.932	0.5	0.4	0	53.3	54.2	0	152	155	0	28	29
2024	10	18	20	20	8	27	-0.9	0.932	0.5	0.5	0	53.8	54.2	0	153	155	0	28	29
2024	10	18	20	30	8	26.7	-1.5	0.933	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	20	40	8	25.7	-1.4	0.933	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	20	50	8	26	-0.4	0.933	0.5	0.4	0	53.8	54.6	0	153	156	0	28	29
2024	10	18	21	0	8	25.9	-1	0.933	0.5	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	21	10	8	25.7	-1.2	0.934	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	21	20	8	26.1	-1	0.934	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	18	21	30	8	26	-1.3	0.934	0.4	0.3	0	53.8	54.2	0	153	155	0	28	29
2024	10	18	21	40	8	26.5	-1.8	0.934	0.5	0.4	0	53.3	54.2	0	152	155	0	28	29
2024	10	18	21	50	8	27.7	-2.1	0.934	0.5	0.4	0	52.9	54.6	0	152	154	0	29	27
2024	10	18	22	0	8	27	-2.1	0.934	0.5	0.5	0	53.8	54.2	0	153	155	0	28	29
2024	10	18	22	10	8	26	-0.8	0.934	0.5	0.5	0	53.3	54.2	0	152	154	0	28	28
2024	10	18	22	20	8	27.1	-2.5	0.935	0.4	0.3	0	53.3	54.6	0	152	155	0	28	28
2024	10	18	22	30	8	28.5	-0.9	0.935	0.7	0.6	0	53.3	53.8	0	152	154	0	28	29
2024	10	18	22	40	8	26.1	-1.9	0.935	0.4	0.3	0	53.3	53.8	0	152	154	0	28	29
2024	10	18	22	50	8	26.8	-1.5	0.935	0.5	0.5	0	52.9	53.8	0	152	154	0	29	29
2024	10	18	23	0	8	27	-2.1	0.935	0.4	0.3	0	52.9	54.2	0	151	154	0	28	28
2024	10	18	23	10	8	27	-1	0.935	0.5	0.4	0	52.9	53.3	0	151	153	0	28	29
2024	10	18	23	20	8	27.8	-1.2	0.935	0.5	0.4	0	52.5	53.3	0	150	153	0	28	29
2024	10	18	23	30	8	27.3	-2.5	0.935	0.4	0.3	0	52.5	53.3	0	150	153	0	28	29
2024	10	18	23	40	8	25.9	-1.6	0.935	0.5	0.4	0	52.5	53.8	0	150	153	0	28	28
2024	10	18	23	50	8	29.1	-2.6	0.935	0.6	0.5	0	52	52.9	0	149	152	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	19	0	0	8	27.5	-2.7	0.936	0.5	0.5	0	52	52.9	0	149	152	0	28	29
2024	10	19	0	10	8	26.7	-1.4	0.935	0.5	0.5	0	52.5	53.3	0	150	152	0	28	28
2024	10	19	0	20	8	28.3	-1.2	0.935	0.5	0.5	0	52	52.5	0	149	152	0	28	30
2024	10	19	0	30	8	26.8	-1.2	0.935	0.5	0.4	0	52	52.9	0	149	152	0	28	29
2024	10	19	0	40	8	27.6	-1.7	0.935	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	19	0	50	8	26.7	-1.2	0.935	0.5	0.5	0	52	52.5	0	149	151	0	28	29
2024	10	19	1	0	8	26	-1.3	0.935	0.5	0.5	0	52	52.9	0	149	152	0	28	29
2024	10	19	1	10	8	26.3	-1	0.935	0.4	0.3	0	52	52.5	0	149	151	0	28	29
2024	10	19	1	20	8	27.3	-1.8	0.935	0.5	0.5	0	51.6	52.9	0	148	151	0	28	28
2024	10	19	1	30	8	27.3	-1.3	0.935	0.3	0.2	0	50.7	52	0	147	150	0	29	29
2024	10	19	1	40	8	25.9	-1.6	0.935	0.5	0.5	0	51.6	52.5	0	148	151	0	28	29
2024	10	19	1	50	8	26.8	-1.9	0.935	0.5	0.4	0	50.7	52	0	147	150	0	29	29
2024	10	19	2	0	8	26.4	-2.4	0.935	0.5	0.4	0	51.2	52	0	147	150	0	28	29
2024	10	19	2	10	8	25.9	-2.3	0.935	0.5	0.5	0	51.2	51.6	0	147	149	0	28	29
2024	10	19	2	20	8	26.9	-2	0.935	0.5	0.4	0	50.7	51.6	0	147	149	0	29	29
2024	10	19	2	30	8	26.8	-3	0.935	0.4	0.3	0	50.7	52.5	0	147	150	0	29	28
2024	10	19	2	40	8	27.3	-1.7	0.935	0.4	0.3	0	50.7	51.6	0	146	149	0	28	29
2024	10	19	2	50	8	27.5	-2.9	0.935	0.5	0.5	0	50.7	51.6	0	146	149	0	28	29
2024	10	19	3	0	8	25.8	-1.6	0.935	0.5	0.4	0	50.3	51.6	0	146	149	0	29	29
2024	10	19	3	10	8	26.7	-1.6	0.936	0.5	0.4	0	50.7	52.5	0	147	150	0	29	28
2024	10	19	3	20	8	26.3	-2	0.935	0.4	0.3	0	51.2	51.6	0	148	150	0	29	30
2024	10	19	3	30	8	26.5	-2	0.934	0.5	0.4	0	50.7	51.6	0	147	150	0	29	30
2024	10	19	3	40	8	27.4	-1.3	0.935	0.5	0.4	0	51.2	51.6	0	147	149	0	28	29
2024	10	19	3	50	8	26.8	-1.9	0.935	0.5	0.4	0	50.3	51.6	0	146	149	0	29	29
2024	10	19	4	0	8	27.1	-1.7	0.935	0.5	0.4	0	50.7	51.6	0	147	149	0	29	29
2024	10	19	4	10	8	26.7	-2	0.935	0.4	0.3	0	50.3	51.6	0	146	149	0	29	29
2024	10	19	4	20	8	27.4	-2.7	0.935	0.5	0.4	0	50.3	51.6	0	146	149	0	29	29
2024	10	19	4	30	8	26.8	-1.7	0.934	0.5	0.4	0	50.7	51.2	0	146	148	0	28	29
2024	10	19	4	40	8	27.6	-0.9	0.935	0.4	0.3	0	51.2	51.6	0	147	149	0	28	29
2024	10	19	4	50	8	26.5	-1.4	0.934	0.5	0.4	0	50.3	51.6	0	146	149	0	29	29
2024	10	19	5	0	8	26.5	-0.6	0.934	0.5	0.5	0	50.7	51.6	0	146	149	0	28	29
2024	10	19	5	10	8	25.7	-1.7	0.934	0.5	0.4	0	50.7	51.2	0	146	148	0	28	29
2024	10	19	5	20	8	27.9	-1.7	0.934	0.5	0.5	0	49.9	51.2	0	145	148	0	29	29
2024	10	19	5	30	8	26.4	-2	0.934	0.5	0.4	0	49.9	51.2	0	145	148	0	29	29
2024	10	19	5	40	8	26.5	-1.4	0.934	0.5	0.4	0	50.3	50.7	0	145	147	0	28	29
2024	10	19	5	50	8	26.1	-1	0.934	0.5	0.4	0	49.9	50.7	0	145	147	0	29	29
2024	10	19	6	0	8	26.4	-1	0.934	0.5	0.5	0	49.9	51.2	0	145	148	0	29	29
2024	10	19	6	10	8	26.8	-1.7	0.934	0.5	0.4	0	50.3	51.6	0	145	148	0	28	28
2024	10	19	6	20	8	25.9	-1.2	0.934	0.5	0.4	0	49.9	50.7	0	145	147	0	29	29
2024	10	19	6	30	8	26.5	-1.8	0.933	0.3	0.2	0	50.3	50.7	0	145	147	0	28	29
2024	10	19	6	40	8	27.3	-1.5	0.933	0.5	0.5	0	49.5	50.7	0	144	147	0	29	29
2024	10	19	6	50	8	26.4	-1.7	0.933	0.5	0.5	0	49.5	50.3	0	143	146	0	28	29
2024	10	19	7	0	8	26.6	-2.2	0.933	0.4	0.3	0	49.5	50.3	0	143	145	0	28	28
2024	10	19	7	10	8	26.7	-2.4	0.933	0.5	0.4	0	49.5	49.9	0	143	145	0	28	29
2024	10	19	7	20	8	27	-2.1	0.933	0.5	0.4	0	49	50.3	0	143	146	0	29	29
2024	10	19	7	30	8	26.8	-2	0.933	0.5	0.4	0	49	49.5	0	143	145	0	29	30
2024	10	19	7	40	8	27.4	-1.2	0.933	0.5	0.4	0	49	49.5	0	143	145	0	29	30
2024	10	19	7	50	8	26	-1.3	0.933	0.5	0.4	0	48.6	49.5	0	142	144	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	19	8	0	8	26.6	-1.4	0.933	0.3	0.2	0	48.6	49.9	0	142	145	0	29	29
2024	10	19	8	10	8	26.6	-1.4	0.933	0.4	0.3	0	49	49.5	0	143	145	0	29	30
2024	10	19	8	20	8	24.6	-1	0.933	0.5	0.5	0	48.6	49	0	142	144	0	29	30
2024	10	19	8	30	8	26.2	-1.5	0.933	0.4	0.3	0	48.2	49	0	141	143	0	29	29
2024	10	19	8	40	8	26.3	-0.2	0.933	0.4	0.3	0	47.7	48.6	0	140	142	0	29	29
2024	10	19	8	50	8	27.3	-2.3	0.933	0.4	0.3	0	47.7	48.6	0	140	142	0	29	29
2024	10	19	9	0	8	26.7	-1.8	0.933	0.5	0.4	0	47.7	48.6	0	140	142	0	29	29
2024	10	19	9	10	8	26.5	-2.1	0.933	0.5	0.5	0	47.3	48.6	0	139	142	0	29	29
2024	10	19	9	20	8	26.5	-1.3	0.934	0.5	0.4	0	47.3	48.2	0	139	141	0	29	29
2024	10	19	9	30	8	26.1	-1.4	0.933	0.5	0.4	0	47.3	48.2	0	139	141	0	29	29
2024	10	19	9	40	8	26.3	-1.6	0.933	0.4	0.3	0	48.2	49	0	140	143	0	28	29
2024	10	19	9	50	8	28.4	-2.6	0.933	0.5	0.4	0	47.3	48.2	0	139	141	0	29	29
2024	10	19	10	0	8	25.4	-1.8	0.932	0.5	0.4	0	47.3	48.6	0	139	142	0	29	29
2024	10	19	10	10	8	26.4	-1.9	0.933	0.3	0.2	0	47.7	48.2	0	139	141	0	28	29
2024	10	19	10	20	8	26.9	-1.4	0.933	0.4	0.3	0	47.3	48.2	0	138	140	0	28	28
2024	10	19	10	30	8	26.1	-1.6	0.933	0.5	0.5	0	46.9	48.2	0	138	141	0	29	29
2024	10	19	10	40	8	27.9	-1.4	0.933	0.5	0.4	0	46.9	47.3	0	137	140	0	28	30
2024	10	19	10	50	8	26.6	-1.7	0.933	0.4	0.3	0	46.9	47.7	0	138	140	0	29	29
2024	10	19	11	0	8	27.4	-0.8	0.933	0.5	0.4	0	46.9	47.7	0	137	140	0	28	29
2024	10	19	11	10	8	27.8	-0.3	0.933	0.5	0.4	0	46.4	47.3	0	137	139	0	29	29
2024	10	19	11	20	8	26.1	-1.2	0.933	0.5	0.4	0	46.4	47.7	0	137	140	0	29	29
2024	10	19	11	30	8	25.9	-1.3	0.933	0.5	0.5	0	46.4	47.7	0	137	139	0	29	28
2024	10	19	11	40	8	26.7	-2.1	0.933	0.4	0.3	0	46.9	47.3	0	137	139	0	28	29
2024	10	19	11	50	8	27.1	-1.4	0.933	0.5	0.4	0	46.9	47.7	0	137	140	0	28	29
2024	10	19	12	0	8	26.1	-1.8	0.933	0.5	0.4	0	46.9	47.7	0	137	140	0	28	29
2024	10	19	12	10	8	27	-0.8	0.933	0.4	0.3	0	46.4	47.7	0	137	140	0	29	29
2024	10	19	12	20	8	26.6	-2.3	0.933	0.5	0.4	0	46.9	47.7	0	137	140	0	28	29
2024	10	19	12	30	8	26.6	-2.3	0.933	0.4	0.3	0	46.9	47.7	0	137	139	0	28	28
2024	10	19	12	40	8	27.5	-0.9	0.933	0.4	0.3	0	46.9	47.7	0	138	140	0	29	29
2024	10	19	12	50	8	26.3	-1.2	0.933	0.3	0.2	0	46.4	47.3	0	137	139	0	29	29
2024	10	19	13	0	8	26.6	-1.5	0.932	0.5	0.4	0	46.4	47.7	0	137	140	0	29	29
2024	10	19	13	10	8	27.4	-1	0.933	0.5	0.4	0	47.3	48.2	0	138	140	0	28	28
2024	10	19	13	20	8	27.5	-1.1	0.932	0.4	0.3	0	46.9	48.2	0	137	140	0	28	28
2024	10	19	13	30	8	26.5	-0.7	0.932	0.4	0.3	0	47.3	47.7	0	138	140	0	28	29
2024	10	19	13	40	8	26.5	-1.3	0.932	0.5	0.4	0	47.7	48.2	0	139	141	0	28	29
2024	10	19	13	50	8	26.7	-1.7	0.932	0.5	0.4	0	47.7	48.6	0	139	141	0	28	28
2024	10	19	14	0	8	26.5	-1.5	0.932	0.5	0.4	0	48.6	49	0	141	143	0	28	29
2024	10	19	14	10	8	26.8	-1.3	0.932	0.5	0.5	0	48.2	48.6	0	141	142	0	29	29
2024	10	19	14	20	8	27.1	-1.4	0.932	0.4	0.3	0	48.2	49	0	140	143	0	28	29
2024	10	19	14	30	8	26.7	-1	0.931	0.4	0.3	0	48.6	49	0	141	143	0	28	29
2024	10	19	14	40	8	25.8	-2.4	0.931	0.5	0.4	0	48.6	49.5	0	141	143	0	28	28
2024	10	19	14	50	8	27.5	-2.8	0.931	0.3	0.2	0	48.6	49.5	0	142	144	0	29	29
2024	10	19	15	0	8	26.4	-2.4	0.931	0.4	0.3	0	48.6	49.5	0	141	144	0	28	29
2024	10	19	15	10	8	28	-0.4	0.931	0.5	0.4	0	49	49.9	0	142	144	0	28	28
2024	10	19	15	20	8	27	-1.5	0.931	0.5	0.5	0	49	50.3	0	143	146	0	29	29
2024	10	19	15	30	8	26	-1.3	0.931	0.3	0.2	0	49.9	50.3	0	144	146	0	28	29
2024	10	19	15	40	8	25.5	-1.4	0.931	0.5	0.4	0	49.9	50.3	0	144	146	0	28	29
2024	10	19	15	50	8	26.1	-1.7	0.931	0.4	0.3	0	49.9	50.3	0	144	146	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	19	16	0	8	27.3	-0.9	0.931	0.5	0.4	0	49.9	50.3	0	144	146	0	28	29
2024	10	19	16	10	8	26.8	-3	0.931	0.5	0.4	0	49.9	50.7	0	144	147	0	28	29
2024	10	19	16	20	8	26.4	-0.7	0.931	0.5	0.4	0	50.3	51.2	0	145	148	0	28	29
2024	10	19	16	30	8	26.7	-2.6	0.931	0.5	0.4	0	50.3	51.6	0	145	148	0	28	28
2024	10	19	16	40	8	28	-1.8	0.931	0.4	0.3	0	50.3	51.2	0	145	148	0	28	29
2024	10	19	16	50	8	27	-1.7	0.93	0.5	0.4	0	50.7	51.6	0	146	148	0	28	28
2024	10	19	17	0	8	26.7	-0.7	0.93	0.5	0.4	0	50.3	52	0	146	149	0	29	28
2024	10	19	17	10	8	26.2	-0.9	0.931	0.5	0.5	0	51.2	52	0	147	149	0	28	28
2024	10	19	17	20	8	26.5	-1.7	0.931	0.5	0.5	0	51.2	51.6	0	147	149	0	28	29
2024	10	19	17	30	8	26.1	-1.8	0.931	0.5	0.4	0	51.2	51.6	0	146	149	0	27	29
2024	10	19	17	40	8	27	-2.5	0.931	0.5	0.4	0	50.7	51.6	0	146	149	0	28	29
2024	10	19	17	50	8	27.3	-1.9	0.931	0.4	0.3	0	51.2	52	0	147	149	0	28	28
2024	10	19	18	0	8	27.7	-2	0.932	0.5	0.4	0	51.6	52	0	149	149	0	29	28
2024	10	19	18	10	8	26.5	-1.3	0.932	0.4	0.3	0	52.5	52	0	150	150	0	28	29
2024	10	19	18	20	8	26.6	-1.7	0.932	0.4	0.3	0	52.9	52.5	0	151	151	0	28	29
2024	10	19	18	30	8	26.9	-1.6	0.932	0.5	0.4	0	52.5	52	0	150	150	0	28	29
2024	10	19	18	40	8	25.7	-1.4	0.932	0.5	0.4	0	53.3	52.5	0	152	151	0	28	29
2024	10	19	18	50	8	26.5	-0.6	0.933	0.4	0.3	0	53.3	52.9	0	152	152	0	28	29
2024	10	19	19	0	8	27	-2.5	0.934	0.5	0.4	0	52.9	52.9	0	151	152	0	28	29
2024	10	19	19	10	8	26.8	-2.1	0.935	0.5	0.4	0	53.3	52.9	0	152	152	0	28	29
2024	10	19	19	20	8	27.4	-1.7	0.935	0.5	0.4	0	53.3	53.3	0	152	152	0	28	28
2024	10	19	19	30	8	25.6	-0.4	0.935	0.5	0.4	0	53.8	53.8	0	153	153	0	28	28
2024	10	19	19	40	8	27.1	-2.2	0.936	0.5	0.4	0	52.9	53.3	0	152	152	0	29	28
2024	10	19	19	50	8	26.9	-2.1	0.935	0.4	0.3	0	52.9	53.8	0	152	153	0	29	28
2024	10	19	20	0	8	26.9	-1.6	0.935	0.5	0.4	0	53.8	53.3	0	153	153	0	28	29
2024	10	19	20	10	8	26.5	-1.1	0.935	0.5	0.5	0	53.8	53.3	0	153	153	0	28	29
2024	10	19	20	20	8	26.8	-1.3	0.936	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	19	20	30	8	26.9	-2.1	0.936	0.5	0.4	0	53.8	54.2	0	154	154	0	29	28
2024	10	19	20	40	8	27.1	-1.4	0.936	0.5	0.4	0	54.2	54.2	0	154	154	0	28	28
2024	10	19	20	50	8	27	-1.2	0.936	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	19	21	0	8	27.3	-1.9	0.936	0.5	0.4	0	54.2	54.2	0	154	154	0	28	28
2024	10	19	21	10	8	26.5	-0.6	0.935	0.5	0.4	0	54.2	54.2	0	154	155	0	28	29
2024	10	19	21	20	8	26.3	-1.7	0.935	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	19	21	30	8	25.8	-0.6	0.936	0.5	0.4	0	53.8	54.6	0	154	155	0	29	28
2024	10	19	21	40	8	26.9	-1.7	0.936	0.5	0.4	0	53.8	53.3	0	153	154	0	28	30
2024	10	19	21	50	8	26.2	-1.3	0.936	0.5	0.5	0	54.2	54.2	0	154	154	0	28	28
2024	10	19	22	0	8	25.5	-0.8	0.936	0.6	0.5	0	54.2	54.2	0	154	155	0	28	29
2024	10	19	22	10	8	26.7	-1.2	0.936	0.4	0.3	0	53.8	54.2	0	154	155	0	29	29
2024	10	19	22	20	8	26.6	-1.3	0.936	0.5	0.5	0	54.2	53.8	0	153	154	0	27	29
2024	10	19	22	30	8	26.4	-1.2	0.936	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	19	22	40	8	27.3	-1.5	0.936	0.5	0.4	0	53.8	53.3	0	153	153	0	28	29
2024	10	19	22	50	8	26.2	-1.7	0.936	0.4	0.3	0	54.2	53.8	0	154	154	0	28	29
2024	10	19	23	0	8	25.9	-1.6	0.936	0.4	0.3	0	53.8	54.2	0	154	154	0	29	28
2024	10	19	23	10	8	27.2	-1.3	0.936	0.5	0.5	0	53.8	53.8	0	153	154	0	28	29
2024	10	19	23	20	8	27.1	-1.1	0.936	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	19	23	30	8	27.5	-2.4	0.936	0.5	0.5	0	54.2	53.3	0	154	153	0	28	29
2024	10	19	23	40	8	26.4	-3	0.936	0.4	0.3	0	54.2	53.3	0	154	153	0	28	29
2024	10	19	23	50	8	26.6	-1.2	0.936	0.3	0.2	0	54.2	53.8	0	154	154	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	20	0	0	8	26.6	-0.6	0.936	0.4	0.3	0	54.2	53.8	0	154	153	0	28	28
2024	10	20	0	10	8	26.8	-1.5	0.936	0.5	0.5	0	54.2	53.3	0	154	153	0	28	29
2024	10	20	0	20	8	26.6	-2.1	0.936	0.5	0.5	0	53.3	53.3	0	153	153	0	29	29
2024	10	20	0	30	8	26.2	-0.9	0.936	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	20	0	40	8	26.9	-2.7	0.936	0.3	0.2	0	53.3	53.3	0	152	152	0	28	28
2024	10	20	0	50	8	27.2	-0.9	0.936	0.4	0.3	0	53.8	52.9	0	153	152	0	28	29
2024	10	20	1	0	8	25.7	-2.1	0.936	0.5	0.5	0	53.8	52.9	0	153	152	0	28	29
2024	10	20	1	10	8	27.2	-2.2	0.936	0.4	0.3	0	53.3	53.8	0	153	153	0	29	28
2024	10	20	1	20	8	26.7	-0.6	0.936	0.5	0.5	0	53.8	53.3	0	153	153	0	28	29
2024	10	20	1	30	8	26.3	-2.5	0.936	0.4	0.3	0	53.8	53.3	0	153	153	0	28	29
2024	10	20	1	40	8	25.9	-1.1	0.936	0.6	0.5	0	53.8	53.3	0	153	153	0	28	29
2024	10	20	1	50	8	26.9	0	0.936	0.3	0.2	0	53.3	52.9	0	152	152	0	28	29
2024	10	20	2	0	8	26.5	-0.9	0.936	0.4	0.3	0	52.9	52.9	0	152	152	0	29	29
2024	10	20	2	10	8	27	-0.6	0.936	0.5	0.5	0	53.3	53.3	0	152	152	0	28	28
2024	10	20	2	20	8	26.5	-1.9	0.936	0.5	0.4	0	52.9	52.9	0	152	152	0	29	29
2024	10	20	2	30	8	27.8	-1.9	0.936	0.5	0.4	0	52.9	52.5	0	151	151	0	28	29
2024	10	20	2	40	8	26.6	-1.7	0.936	0.5	0.5	0	52.9	52.5	0	152	151	0	29	29
2024	10	20	2	50	8	26.5	-1.9	0.936	0.5	0.4	0	52.9	52.5	0	151	151	0	28	29
2024	10	20	3	0	8	27.1	-0.8	0.936	0.6	0.5	0	52.9	52.5	0	151	151	0	28	29
2024	10	20	3	10	8	26.2	-1.4	0.936	0.5	0.5	0	52.5	52.5	0	151	151	0	29	29
2024	10	20	3	20	8	27.4	-1.5	0.936	0.5	0.4	0	52.9	52.5	0	151	151	0	28	29
2024	10	20	3	30	8	26.4	-1.7	0.936	0.5	0.4	0	52.5	52.5	0	151	151	0	29	29
2024	10	20	3	40	8	27	-0.6	0.936	0.5	0.4	0	52.5	52	0	151	150	0	29	29
2024	10	20	3	50	8	26.1	-1.8	0.936	0.4	0.3	0	52.5	52.5	0	151	151	0	29	29
2024	10	20	4	0	8	26.2	-1.6	0.936	0.4	0.3	0	52.9	52.9	0	151	151	0	28	28
2024	10	20	4	10	8	26.7	-1.5	0.936	0.5	0.4	0	52.5	52.5	0	151	150	0	29	28
2024	10	20	4	20	8	26.9	-2	0.936	0.5	0.4	0	52.5	52	0	150	150	0	28	29
2024	10	20	4	30	8	26.3	-1.3	0.936	0.5	0.4	0	52.5	52	0	150	150	0	28	29
2024	10	20	4	40	8	27.1	-2.2	0.936	0.5	0.5	0	52.5	52	0	150	150	0	28	29
2024	10	20	4	50	8	26.6	-1.8	0.936	0.4	0.3	0	52.9	52	0	151	150	0	28	29
2024	10	20	5	0	8	27.7	-1.5	0.936	0.4	0.3	0	52.5	51.6	0	150	150	0	28	30
2024	10	20	5	10	8	26.3	-0.3	0.936	0.5	0.4	0	52	52	0	150	150	0	29	29
2024	10	20	5	20	8	25.9	-2.1	0.936	0.4	0.3	0	52.5	52.5	0	151	150	0	29	28
2024	10	20	5	30	8	27.9	-1.8	0.936	0.5	0.4	0	52.5	51.6	0	150	149	0	28	29
2024	10	20	5	40	8	26.7	-1.6	0.936	0.5	0.4	0	52	52	0	149	149	0	28	28
2024	10	20	5	50	8	26.3	-1.1	0.936	0.4	0.3	0	51.6	51.6	0	149	149	0	29	29
2024	10	20	6	0	8	26	-0.6	0.936	0.5	0.4	0	51.6	51.6	0	149	149	0	29	29
2024	10	20	6	10	8	27.1	-1.7	0.936	0.5	0.5	0	51.6	51.6	0	149	149	0	29	29
2024	10	20	6	20	8	27.1	-1.6	0.936	0.5	0.5	0	52	51.6	0	149	149	0	28	29
2024	10	20	6	30	8	26.3	-1.7	0.936	0.5	0.4	0	52	51.6	0	150	149	0	29	29
2024	10	20	6	40	8	27.2	-2.3	0.936	0.3	0.2	0	52	51.2	0	149	148	0	28	29
2024	10	20	6	50	8	26.6	-2	0.936	0.3	0.2	0	51.6	52	0	149	149	0	29	28
2024	10	20	7	0	8	26.1	-0.7	0.936	0.5	0.4	0	51.6	51.6	0	149	149	0	29	29
2024	10	20	7	10	8	27	-3	0.936	0.4	0.3	0	52	51.2	0	149	148	0	28	29
2024	10	20	7	20	8	26.9	-2.1	0.936	0.5	0.4	0	51.2	50.7	0	148	148	0	29	30
2024	10	20	7	30	8	26.5	-1.2	0.936	0.5	0.4	0	51.6	51.2	0	149	148	0	29	29
2024	10	20	7	40	8	26.4	-2.1	0.936	0.5	0.4	0	51.2	50.7	0	148	147	0	29	29
2024	10	20	7	50	8	26.3	-1.7	0.936	0.5	0.5	0	51.2	50.7	0	148	147	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	20	8	0	8	27.6	-2	0.936	0.6	0.5	0	51.2	50.3	0	148	147	0	29	30
2024	10	20	8	10	8	27.8	-2.3	0.936	0.5	0.4	0	51.2	50.7	0	148	147	0	29	29
2024	10	20	8	20	8	27.2	-1	0.936	0.4	0.3	0	51.2	50.3	0	148	147	0	29	30
2024	10	20	8	30	8	26.4	-1.3	0.936	0.4	0.3	0	51.2	50.7	0	148	147	0	29	29
2024	10	20	8	40	8	26	-1.1	0.936	0.5	0.4	0	51.2	50.7	0	147	147	0	28	29
2024	10	20	8	50	8	25.4	-1.2	0.936	0.5	0.4	0	50.7	50.3	0	147	146	0	29	29
2024	10	20	9	0	8	27.1	-1.6	0.936	0.5	0.5	0	50.3	50.3	0	145	145	0	28	28
2024	10	20	9	10	8	25.8	-1.4	0.936	0.4	0.3	0	50.3	49.9	0	146	145	0	29	29
2024	10	20	9	20	8	27.5	-1.8	0.936	0.4	0.3	0	50.7	49.9	0	145	145	0	27	29
2024	10	20	9	30	8	26.2	-1.7	0.936	0.5	0.4	0	49.9	49.5	0	145	144	0	29	29
2024	10	20	9	40	8	26.7	-1.5	0.936	0.5	0.4	0	49.5	49	0	144	143	0	29	29
2024	10	20	9	50	8	26.2	-1.2	0.936	0.4	0.3	0	49.9	49	0	144	143	0	28	29
2024	10	20	10	0	8	27	-1.7	0.936	0.4	0.3	0	49.9	49	0	144	143	0	28	29
2024	10	20	10	10	8	26	-1.7	0.936	0.3	0.2	0	49.5	49.5	0	144	144	0	29	29
2024	10	20	10	20	8	27.3	-2.2	0.936	0.3	0.2	0	49.9	48.6	0	144	143	0	28	30
2024	10	20	10	30	8	27.1	-1.4	0.936	0.5	0.4	0	49.9	49	0	144	143	0	28	29
2024	10	20	10	40	8	26.8	-1.7	0.936	0.4	0.3	0	49.9	49.5	0	145	145	0	29	30
2024	10	20	10	50	8	27.6	-1.1	0.936	0.5	0.5	0	49.9	49	0	144	143	0	28	29
2024	10	20	11	0	8	26.4	-2.1	0.936	0.4	0.3	0	49.9	49.5	0	144	143	0	28	28
2024	10	20	11	10	8	28.4	-2.8	0.936	0.5	0.4	0	49.5	49	0	144	143	0	29	29
2024	10	20	11	20	8	26.7	-2.2	0.936	0.5	0.4	0	49.5	49	0	144	143	0	29	29
2024	10	20	11	30	8	26.5	-2.6	0.936	0.5	0.4	0	49	48.6	0	143	142	0	29	29
2024	10	20	11	40	8	26	-2	0.936	0.4	0.3	0	49	49.5	0	143	143	0	29	28
2024	10	20	11	50	8	25.8	-1.7	0.936	0.5	0.4	0	49.5	49.5	0	144	143	0	29	28
2024	10	20	12	0	8	27.4	-2.4	0.936	0.6	0.5	0	49	49	0	143	143	0	29	29
2024	10	20	12	10	8	26.8	-2	0.936	0.4	0.3	0	49.9	49.5	0	144	144	0	28	29
2024	10	20	12	20	8	27.2	-1.7	0.936	0.5	0.4	0	49.9	49.5	0	144	143	0	28	28
2024	10	20	12	30	8	26.9	-1.1	0.936	0.5	0.4	0	49.9	49.9	0	144	144	0	28	28
2024	10	20	12	40	8	26.4	-1.7	0.935	0.5	0.4	0	49.9	49.5	0	144	144	0	28	29
2024	10	20	12	50	8	27.6	-1.7	0.935	0.4	0.3	0	50.3	49.5	0	145	144	0	28	29
2024	10	20	13	0	8	26.4	-1.7	0.935	0.4	0.3	0	49.9	49.9	0	144	144	0	28	28
2024	10	20	13	10	8	26	-1.3	0.935	0.5	0.4	0	50.3	49.5	0	145	144	0	28	29
2024	10	20	13	20	8	26.8	-1.8	0.934	0.4	0.3	0	49.9	49.5	0	145	144	0	29	29
2024	10	20	13	30	8	26.4	-1	0.934	0.5	0.4	0	50.7	49.9	0	146	145	0	28	29
2024	10	20	13	40	8	26.6	-1.4	0.933	0.4	0.3	0	50.7	49.9	0	146	145	0	28	29
2024	10	20	13	50	8	26.1	-1.6	0.933	0.4	0.3	0	50.7	50.3	0	146	146	0	28	29
2024	10	20	14	0	8	26.1	-1	0.933	0.4	0.3	0	50.7	50.3	0	146	146	0	28	29
2024	10	20	14	10	8	26.1	-1.5	0.932	0.5	0.4	0	51.2	50.7	0	147	147	0	28	29
2024	10	20	14	20	8	27.3	-0.8	0.932	0.4	0.3	0	51.2	50.7	0	147	147	0	28	29
2024	10	20	14	30	8	26.9	-1.3	0.931	0.5	0.4	0	51.2	50.7	0	148	147	0	29	29
2024	10	20	14	40	8	26.4	-2	0.931	0.4	0.3	0	51.6	51.2	0	148	148	0	28	29
2024	10	20	14	50	8	25.8	-0.7	0.931	0.5	0.4	0	52	51.6	0	149	149	0	28	29
2024	10	20	15	0	8	25.8	-2.5	0.931	0.4	0.3	0	52	51.2	0	148	148	0	27	29
2024	10	20	15	10	8	26.7	-1.9	0.93	0.5	0.5	0	52	51.6	0	149	149	0	28	29
2024	10	20	15	20	8	25.8	-1.8	0.93	0.4	0.3	0	52.5	52	0	150	149	0	28	28
2024	10	20	15	30	8	26.3	-1.7	0.931	0.5	0.4	0	52.5	52	0	150	150	0	28	29
2024	10	20	15	40	8	26.5	-1.4	0.93	0.4	0.3	0	52.9	52.5	0	151	150	0	28	28
2024	10	20	15	50	8	26.4	-1	0.93	0.5	0.4	0	52.9	52.9	0	151	151	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	20	16	0	8	26.6	-1.8	0.93	0.5	0.4	0	52.9	52	0	151	150	0	28	29
2024	10	20	16	10	8	24.6	-2.6	0.93	0.5	0.4	0	52.9	52.5	0	151	150	0	28	28
2024	10	20	16	20	8	26.7	-0.8	0.93	0.5	0.5	0	52.9	52.9	0	151	151	0	28	28
2024	10	20	16	30	8	26.8	-1.7	0.929	0.5	0.4	0	53.3	53.3	0	152	152	0	28	28
2024	10	20	16	40	8	25.8	-2.5	0.93	0.6	0.5	0	53.3	52.9	0	152	151	0	28	28
2024	10	20	16	50	8	26.4	-1.9	0.929	0.5	0.4	0	53.3	53.3	0	152	152	0	28	28
2024	10	20	17	0	8	26.5	-2.2	0.929	0.5	0.4	0	53.3	53.8	0	153	153	0	29	28
2024	10	20	17	10	8	24.8	-2.3	0.929	0.5	0.4	0	53.3	53.3	0	153	152	0	29	28
2024	10	20	17	20	8	27.5	-1.7	0.929	0.5	0.5	0	53.8	52.9	0	153	152	0	28	29
2024	10	20	17	30	8	26.4	-1.9	0.929	0.4	0.3	0	53.3	52.5	0	152	151	0	28	29
2024	10	20	17	40	8	26	-2.2	0.929	0.5	0.4	0	53.8	52.9	0	153	152	0	28	29
2024	10	20	17	50	8	26.2	-1.3	0.929	0.4	0.3	0	53.3	52.9	0	152	152	0	28	29
2024	10	20	18	0	8	25.3	-1.3	0.929	0.5	0.4	0	53.8	53.3	0	153	153	0	28	29
2024	10	20	18	10	8	28.4	-1.5	0.929	0.5	0.4	0	53.3	53.3	0	152	152	0	28	28
2024	10	20	18	20	8	26.3	-1.7	0.929	0.5	0.4	0	53.3	52.9	0	152	152	0	28	29
2024	10	20	18	30	8	25.6	-0.5	0.929	0.5	0.4	0	53.8	53.8	0	153	153	0	28	28
2024	10	20	18	40	8	26.4	-2.4	0.929	0.5	0.5	0	53.8	53.3	0	153	153	0	28	29
2024	10	20	18	50	8	26.6	-2.1	0.928	0.5	0.5	0	53.3	53.3	0	153	153	0	29	29
2024	10	20	19	0	8	26.7	-1.9	0.928	0.5	0.5	0	54.2	53.8	0	154	154	0	28	29
2024	10	20	19	10	8	26.4	-0.6	0.928	0.5	0.4	0	54.6	53.8	0	154	154	0	27	29
2024	10	20	19	20	8	26.4	-1.5	0.928	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	20	19	30	8	26.4	-0.9	0.928	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	20	19	40	8	26	-1.6	0.928	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	20	19	50	8	26	-1.9	0.928	0.5	0.5	0	54.6	54.6	0	155	155	0	28	28
2024	10	20	20	0	8	25.2	-0.8	0.928	0.5	0.4	0	54.6	54.2	0	155	155	0	28	29
2024	10	20	20	10	8	27.3	-1.4	0.927	0.5	0.4	0	54.6	54.2	0	155	155	0	28	29
2024	10	20	20	20	8	25.9	-0.4	0.927	0.5	0.5	0	55.5	54.6	0	156	155	0	27	28
2024	10	20	20	30	8	25.8	-2.5	0.927	0.5	0.4	0	54.6	54.6	0	156	155	0	29	28
2024	10	20	20	40	8	26.3	-1.3	0.927	0.4	0.3	0	55	54.2	0	156	155	0	28	29
2024	10	20	20	50	8	25.9	-0.9	0.927	0.5	0.5	0	54.6	54.6	0	156	155	0	29	28
2024	10	20	21	0	8	26	-1.9	0.927	0.4	0.3	0	55	54.6	0	156	155	0	28	28
2024	10	20	21	10	8	26.1	-1.5	0.927	0.5	0.4	0	55	54.6	0	156	155	0	28	28
2024	10	20	21	20	8	26.6	0	0.927	0.4	0.3	0	55.5	54.6	0	156	156	0	27	29
2024	10	20	21	30	8	27.2	-2	0.927	0.5	0.5	0	54.6	54.2	0	155	155	0	28	29
2024	10	20	21	40	8	26.2	-1.8	0.927	0.5	0.5	0	55	54.6	0	156	155	0	28	28
2024	10	20	21	50	8	26.1	-0.5	0.926	0.4	0.3	0	55	54.6	0	156	155	0	28	28
2024	10	20	22	0	8	26.3	-1.4	0.926	0.5	0.4	0	55	54.6	0	156	155	0	28	28
2024	10	20	22	10	8	26.9	-1	0.926	0.4	0.3	0	54.6	54.6	0	155	155	0	28	28
2024	10	20	22	20	8	24.9	-0.6	0.926	0.5	0.4	0	55	55	0	155	156	0	27	28
2024	10	20	22	30	8	25.5	-0.9	0.926	0.4	0.3	0	55.5	54.6	0	156	155	0	27	28
2024	10	20	22	40	8	26.1	-1.2	0.926	0.5	0.4	0	54.6	54.2	0	155	155	0	28	29
2024	10	20	22	50	8	26.1	-1.4	0.926	0.5	0.4	0	54.2	54.6	0	155	155	0	29	28
2024	10	20	23	0	8	25.7	-2.2	0.926	0.6	0.5	0	54.6	54.6	0	155	155	0	28	28
2024	10	20	23	10	8	26.1	-2.6	0.925	0.4	0.3	0	54.6	54.2	0	155	155	0	28	29
2024	10	20	23	20	8	26.5	-1.9	0.925	0.3	0.2	0	54.6	54.2	0	155	155	0	28	29
2024	10	20	23	30	8	25.7	-1.7	0.925	0.3	0.2	0	54.6	54.6	0	155	155	0	28	28
2024	10	20	23	40	8	25.6	-1.8	0.925	0.4	0.3	0	54.6	54.2	0	155	155	0	28	29
2024	10	20	23	50	8	25.4	-1.8	0.925	0.4	0.3	0	54.6	54.6	0	155	155	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	21	0	0	8	24.4	-1.8	0.925	0.5	0.4	0	54.6	54.2	0	155	155	0	28	29
2024	10	21	0	10	8	26.5	-0.8	0.925	0.5	0.5	0	54.2	53.8	0	155	154	0	29	29
2024	10	21	0	20	8	26.2	-2.3	0.925	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	21	0	30	8	26	-1.7	0.924	0.5	0.4	0	54.6	54.2	0	155	155	0	28	29
2024	10	21	0	40	8	26.5	-1.3	0.924	0.5	0.5	0	54.6	54.6	0	155	155	0	28	28
2024	10	21	0	50	8	25.6	-0.4	0.924	0.5	0.4	0	54.6	54.6	0	155	155	0	28	28
2024	10	21	1	0	8	25.1	-0.1	0.924	0.4	0.3	0	54.2	54.2	0	155	155	0	29	29
2024	10	21	1	10	8	26.5	-1.5	0.924	0.5	0.4	0	54.6	54.2	0	155	155	0	28	29
2024	10	21	1	20	8	26.1	-1.6	0.924	0.5	0.5	0	54.6	54.2	0	155	155	0	28	29
2024	10	21	1	30	8	27	-0.8	0.924	0.5	0.5	0	54.2	53.8	0	154	154	0	28	29
2024	10	21	1	40	8	25.5	-1.2	0.924	0.5	0.4	0	54.6	53.8	0	155	154	0	28	29
2024	10	21	1	50	8	24.9	-1.3	0.924	0.5	0.5	0	53.8	54.6	0	154	155	0	29	28
2024	10	21	2	0	8	25.3	-1.1	0.924	0.4	0.3	0	53.8	53.8	0	154	154	0	29	29
2024	10	21	2	10	8	27	-1.5	0.924	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	21	2	20	8	26.5	-2	0.924	0.4	0.3	0	53.8	53.8	0	153	154	0	28	29
2024	10	21	2	30	8	25.9	-0.6	0.923	0.5	0.5	0	53.8	53.8	0	154	154	0	29	29
2024	10	21	2	40	8	25.6	-1.7	0.923	0.5	0.4	0	54.2	54.2	0	154	154	0	28	28
2024	10	21	2	50	8	26.2	-1.9	0.923	0.6	0.5	0	53.3	53.8	0	153	153	0	29	28
2024	10	21	3	0	8	25.4	-1.4	0.923	0.5	0.4	0	53.8	53.3	0	153	153	0	28	29
2024	10	21	3	10	8	26.8	-1	0.923	0.5	0.5	0	53.8	53.8	0	153	153	0	28	28
2024	10	21	3	20	8	25.5	-1.2	0.923	0.4	0.3	0	53.3	53.3	0	153	153	0	29	29
2024	10	21	3	30	8	26	-2.3	0.923	0.6	0.5	0	53.3	53.3	0	153	153	0	29	29
2024	10	21	3	40	8	26.5	-2.5	0.923	0.5	0.4	0	52.9	53.3	0	152	153	0	29	29
2024	10	21	3	50	8	26.2	-0.4	0.923	0.5	0.4	0	53.3	52.9	0	152	152	0	28	29
2024	10	21	4	0	8	26.1	-1.2	0.923	0.4	0.3	0	53.8	53.3	0	153	153	0	28	29
2024	10	21	4	10	8	26.2	-2.7	0.923	0.5	0.4	0	53.3	53.8	0	153	153	0	29	28
2024	10	21	4	20	8	27.1	-1.8	0.923	0.5	0.4	0	52.9	53.3	0	152	153	0	29	29
2024	10	21	4	30	8	25.2	0	0.923	0.5	0.4	0	53.3	53.8	0	152	153	0	28	28
2024	10	21	4	40	8	25.5	-0.7	0.923	0.5	0.4	0	53.3	53.3	0	152	153	0	28	29
2024	10	21	4	50	8	25.6	-1.6	0.923	0.5	0.4	0	53.3	53.3	0	152	152	0	28	28
2024	10	21	5	0	8	25.5	-1.2	0.923	0.5	0.5	0	53.3	52.9	0	152	152	0	28	29
2024	10	21	5	10	8	27	-1.9	0.923	0.5	0.4	0	53.3	52.9	0	152	152	0	28	29
2024	10	21	5	20	8	26.9	-0.6	0.923	0.4	0.3	0	52.9	52.9	0	152	152	0	29	29
2024	10	21	5	30	8	24.9	-0.4	0.923	0.5	0.4	0	53.3	53.3	0	152	153	0	28	29
2024	10	21	5	40	8	25.9	-0.4	0.923	0.5	0.5	0	52.9	52.9	0	152	152	0	29	29
2024	10	21	5	50	8	25.6	-0.5	0.923	0.5	0.4	0	52.5	52.9	0	151	152	0	29	29
2024	10	21	6	0	8	26	-0.8	0.923	0.4	0.3	0	52.5	53.3	0	151	152	0	29	28
2024	10	21	6	10	8	26	-0.8	0.923	0.5	0.5	0	52.9	52.9	0	151	151	0	28	28
2024	10	21	6	20	8	26	-1.7	0.923	0.5	0.4	0	52.5	52.5	0	151	151	0	29	29
2024	10	21	6	30	8	25.9	-2.1	0.922	0.5	0.4	0	52.5	52.5	0	151	151	0	29	29
2024	10	21	6	40	8	25.6	-0.8	0.923	0.5	0.5	0	52.9	52.5	0	151	151	0	28	29
2024	10	21	6	50	8	26.2	-2.4	0.923	0.3	0.2	0	52.5	52.5	0	151	151	0	29	29
2024	10	21	7	0	8	24.9	-1.4	0.923	0.5	0.5	0	52.9	52.5	0	151	151	0	28	29
2024	10	21	7	10	8	26.2	-2.2	0.923	0.4	0.3	0	52.5	52.9	0	150	151	0	28	28
2024	10	21	7	20	8	27.6	-1.9	0.922	0.5	0.5	0	52.9	52.5	0	151	151	0	28	29
2024	10	21	7	30	8	25.8	-1.3	0.923	0.5	0.4	0	52	52.5	0	150	151	0	29	29
2024	10	21	7	40	8	26.2	-1.9	0.923	0.5	0.5	0	52.5	52	0	150	150	0	28	29
2024	10	21	7	50	8	25.4	-1.2	0.922	0.6	0.5	0	52.5	52.5	0	150	151	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	21	8	0	8	25	-0.2	0.923	0.5	0.5	0	52	52	0	150	150	0	29	29
2024	10	21	8	10	8	27	-2.2	0.922	0.5	0.5	0	52	52	0	150	150	0	29	29
2024	10	21	8	20	8	25.9	-1.6	0.922	0.4	0.3	0	52.5	52	0	150	150	0	28	29
2024	10	21	8	30	8	25.4	-1.6	0.923	0.5	0.4	0	51.6	51.6	0	149	149	0	29	29
2024	10	21	8	40	8	26.6	-1	0.923	0.4	0.3	0	51.2	51.6	0	148	149	0	29	29
2024	10	21	8	50	8	24.3	-1.2	0.923	0.5	0.4	0	51.2	51.6	0	148	149	0	29	29
2024	10	21	9	0	8	27.1	-1.9	0.923	0.5	0.5	0	51.2	51.2	0	147	148	0	28	29
2024	10	21	9	10	8	25.7	-1.1	0.923	0.5	0.4	0	50.7	51.2	0	147	148	0	29	29
2024	10	21	9	20	8	26.1	-1.5	0.923	0.4	0.3	0	50.3	50.7	0	146	147	0	29	29
2024	10	21	9	30	8	25.5	-2.4	0.923	0.5	0.5	0	50.7	50.3	0	146	146	0	28	29
2024	10	21	9	40	8	25.7	-2.2	0.923	0.5	0.5	0	49.9	50.3	0	145	146	0	29	29
2024	10	21	9	50	8	25.5	-2.1	0.923	0.5	0.4	0	49.9	50.3	0	145	146	0	29	29
2024	10	21	10	0	8	26	-1.2	0.923	0.5	0.5	0	49.9	50.3	0	145	146	0	29	29
2024	10	21	10	10	8	25.1	-1.7	0.923	0.5	0.4	0	49.9	50.3	0	144	146	0	28	29
2024	10	21	10	20	8	26.3	-2.1	0.924	0.5	0.4	0	49.9	50.7	0	145	146	0	29	28
2024	10	21	10	30	8	25.5	-2.1	0.924	0.5	0.5	0	50.3	50.3	0	146	146	0	29	29
2024	10	21	10	40	8	26.2	-2.1	0.924	0.5	0.5	0	50.3	50.3	0	145	146	0	28	29
2024	10	21	10	50	8	25.8	-1.8	0.924	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	21	11	0	8	26.2	-0.8	0.924	0.5	0.4	0	50.3	50.7	0	146	147	0	29	29
2024	10	21	11	10	8	26.5	-1.5	0.924	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	21	11	20	8	26.5	-1	0.925	0.5	0.5	0	49.5	49.9	0	144	145	0	29	29
2024	10	21	11	30	8	26.9	-2.7	0.925	0.4	0.3	0	49.9	49.9	0	144	145	0	28	29
2024	10	21	11	40	8	25.6	-2.1	0.925	0.5	0.4	0	49.5	49.9	0	144	145	0	29	29
2024	10	21	11	50	8	25.9	-1	0.925	0.4	0.3	0	49.9	50.3	0	145	146	0	29	29
2024	10	21	12	0	8	27.2	-1.9	0.925	0.4	0.3	0	49.9	50.3	0	145	146	0	29	29
2024	10	21	12	10	8	25.4	-2.1	0.925	0.3	0.2	0	50.7	50.3	0	146	146	0	28	29
2024	10	21	12	20	8	26.5	-2.1	0.925	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	21	12	30	8	25.8	-2.1	0.925	0.5	0.5	0	50.7	51.2	0	146	147	0	28	28
2024	10	21	12	40	8	27	-2	0.925	0.3	0.2	0	50.7	50.7	0	146	147	0	28	29
2024	10	21	12	50	8	26.3	-2.1	0.926	0.3	0.2	0	50.7	50.7	0	146	147	0	28	29
2024	10	21	13	0	8	26.2	-2.5	0.926	0.5	0.4	0	50.7	50.3	0	146	146	0	28	29
2024	10	21	13	10	8	26.4	-2.1	0.926	0.5	0.5	0	50.3	50.3	0	145	146	0	28	29
2024	10	21	13	20	8	26.2	-2	0.926	0.4	0.3	0	50.7	50.3	0	146	146	0	28	29
2024	10	21	13	30	8	25.8	-1.9	0.926	0.6	0.5	0	50.3	51.2	0	146	147	0	29	28
2024	10	21	13	40	8	26.8	-1.6	0.927	0.3	0.2	0	50.7	50.7	0	146	147	0	28	29
2024	10	21	13	50	8	26.4	-1.5	0.927	0.5	0.4	0	51.2	50.7	0	147	147	0	28	29
2024	10	21	14	0	8	25.8	-1	0.927	0.6	0.5	0	51.2	50.7	0	147	147	0	28	29
2024	10	21	14	10	8	26.2	-1.4	0.927	0.4	0.3	0	51.2	51.6	0	147	148	0	28	28
2024	10	21	14	20	8	26.1	-1.7	0.927	0.4	0.3	0	50.7	51.6	0	147	148	0	29	28
2024	10	21	14	30	8	26.9	-1.5	0.927	0.4	0.3	0	51.2	51.2	0	147	148	0	28	29
2024	10	21	14	40	8	27.3	-2.5	0.928	0.5	0.4	0	51.6	51.2	0	147	148	0	27	29
2024	10	21	14	50	8	26.1	-2	0.928	0.5	0.5	0	51.6	52	0	148	149	0	28	28
2024	10	21	15	0	8	25	-1.4	0.928	0.5	0.4	0	51.6	51.6	0	148	149	0	28	29
2024	10	21	15	10	8	26	-2.4	0.928	0.5	0.4	0	51.6	51.6	0	149	149	0	29	29
2024	10	21	15	20	8	26.4	-0.9	0.928	0.4	0.3	0	52.5	52.9	0	150	151	0	28	28
2024	10	21	15	30	8	26.9	-1.5	0.928	0.5	0.4	0	52.5	52.5	0	150	151	0	28	29
2024	10	21	15	40	8	27.5	-0.8	0.928	0.4	0.3	0	53.8	52.9	0	152	152	0	27	29
2024	10	21	15	50	8	26.5	-1.2	0.928	0.4	0.3	0	53.3	53.3	0	152	152	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	21	16	0	8	26.5	-1.3	0.929	0.5	0.5	0	54.2	53.8	0	153	153	0	27	28
2024	10	21	16	10	8	26.3	-2	0.929	0.4	0.3	0	53.8	53.3	0	153	153	0	28	29
2024	10	21	16	20	8	26.5	-2.4	0.929	0.5	0.5	0	54.2	53.3	0	153	153	0	27	29
2024	10	21	16	30	8	25.4	-1.6	0.929	0.4	0.3	0	53.8	53.3	0	153	152	0	28	28
2024	10	21	16	40	8	26.4	-2.1	0.929	0.5	0.4	0	53.8	53.8	0	153	153	0	28	28
2024	10	21	16	50	8	26.8	-2.1	0.929	0.5	0.4	0	53.8	53.8	0	153	153	0	28	28
2024	10	21	17	0	8	26.6	-3	0.929	0.5	0.5	0	54.2	53.8	0	154	153	0	28	28
2024	10	21	17	10	8	26.9	-1.5	0.929	0.5	0.5	0	54.2	53.3	0	154	153	0	28	29
2024	10	21	17	20	8	26.4	-1.3	0.929	0.4	0.3	0	53.8	54.2	0	153	154	0	28	28
2024	10	21	17	30	8	27.4	-2.3	0.93	0.5	0.4	0	53.3	52.9	0	152	152	0	28	29
2024	10	21	17	40	8	26.2	-2.1	0.93	0.5	0.4	0	54.2	53.8	0	153	153	0	27	28
2024	10	21	17	50	8	27.8	-2.3	0.93	0.5	0.4	0	53.8	53.8	0	153	153	0	28	28
2024	10	21	18	0	8	26.1	-1.4	0.93	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	21	18	10	8	25.7	-1.3	0.93	0.4	0.3	0	54.2	53.8	0	154	154	0	28	29
2024	10	21	18	20	8	26.5	-2.7	0.93	0.5	0.4	0	54.2	53.3	0	154	153	0	28	29
2024	10	21	18	30	8	26.9	-0.8	0.93	0.5	0.4	0	54.6	54.2	0	155	155	0	28	29
2024	10	21	18	40	8	25.8	-1.7	0.93	0.4	0.3	0	54.6	53.8	0	155	154	0	28	29
2024	10	21	18	50	8	26	-0.9	0.931	0.5	0.5	0	54.6	54.6	0	155	155	0	28	28
2024	10	21	19	0	8	26	-1.3	0.931	0.5	0.4	0	54.6	54.6	0	155	155	0	28	28
2024	10	21	19	10	8	27.4	-0.9	0.931	0.5	0.4	0	55	54.6	0	155	155	0	27	28
2024	10	21	19	20	8	26.5	-1.6	0.931	0.6	0.5	0	55	54.6	0	156	155	0	28	28
2024	10	21	19	30	8	26	-1.2	0.931	0.4	0.3	0	55	54.2	0	156	155	0	28	29
2024	10	21	19	40	8	27.1	-1.2	0.931	0.5	0.4	0	55	55	0	156	155	0	28	27
2024	10	21	19	50	8	26.3	-2.5	0.931	0.5	0.5	0	55	54.2	0	156	155	0	28	29
2024	10	21	20	0	8	26.7	-1.4	0.931	0.5	0.4	0	55.5	54.6	0	156	156	0	27	29
2024	10	21	20	10	8	25.6	-2.2	0.931	0.4	0.3	0	55	55	0	156	156	0	28	28
2024	10	21	20	20	8	25.2	-1.3	0.931	0.5	0.4	0	55.5	55	0	157	156	0	28	28
2024	10	21	20	30	8	25.7	-1.6	0.931	0.5	0.4	0	55.5	54.6	0	157	156	0	28	29
2024	10	21	20	40	8	26	-1.3	0.931	0.5	0.4	0	55.5	54.6	0	157	156	0	28	29
2024	10	21	20	50	8	26.4	-2.1	0.931	0.5	0.4	0	55.9	54.6	0	157	156	0	27	29
2024	10	21	21	0	8	26.2	-2.4	0.931	0.5	0.4	0	55.5	55	0	157	157	0	28	29
2024	10	21	21	10	8	26.2	-1.4	0.931	0.4	0.3	0	55.9	55.5	0	157	157	0	27	28
2024	10	21	21	20	8	27.2	-2.1	0.932	0.5	0.5	0	55.9	54.6	0	157	156	0	27	29
2024	10	21	21	30	8	27.8	-0.9	0.932	0.5	0.5	0	55.5	55	0	157	157	0	28	29
2024	10	21	21	40	8	26	-1.1	0.932	0.4	0.3	0	55.9	55	0	157	157	0	27	29
2024	10	21	21	50	8	26.8	-1.5	0.932	0.5	0.5	0	55.5	55	0	157	156	0	28	28
2024	10	21	22	0	8	26.7	-2.1	0.932	0.5	0.4	0	55	54.6	0	157	156	0	29	29
2024	10	21	22	10	8	27.1	-1	0.932	0.5	0.4	0	55.9	55	0	157	157	0	27	29
2024	10	21	22	20	8	26.3	-1	0.932	0.5	0.4	0	55.5	55	0	157	157	0	28	29
2024	10	21	22	30	8	27.3	-1.4	0.933	0.5	0.4	0	55.5	55	0	157	156	0	28	28
2024	10	21	22	40	8	25.2	-1.4	0.933	0.5	0.4	0	55.5	55.5	0	157	157	0	28	28
2024	10	21	22	50	8	25.9	0	0.933	0.5	0.5	0	55	55	0	157	156	0	29	28
2024	10	21	23	0	8	27.5	-0.4	0.934	0.5	0.4	0	55.5	54.6	0	157	156	0	28	29
2024	10	21	23	10	8	26.1	-1.5	0.935	0.4	0.3	0	55.5	55	0	157	156	0	28	28
2024	10	21	23	20	8	26.9	-0.7	0.935	0.5	0.5	0	55.5	55.5	0	157	157	0	28	28
2024	10	21	23	30	8	27.1	-2.1	0.936	0.5	0.5	0	55	54.6	0	156	156	0	28	29
2024	10	21	23	40	8	26.1	-2	0.936	0.5	0.4	0	55.5	55.5	0	157	157	0	28	28
2024	10	21	23	50	8	26.7	-0.8	0.936	0.5	0.4	0	55.5	54.6	0	156	156	0	27	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	22	0	0	8	26.1	-1.9	0.936	0.4	0.3	0	54.6	55	0	156	156	0	29	28
2024	10	22	0	10	8	26.6	-1.4	0.936	0.5	0.4	0	55	55	0	156	156	0	28	28
2024	10	22	0	20	8	26.8	-1.6	0.936	0.3	0.2	0	54.6	54.6	0	156	156	0	29	29
2024	10	22	0	30	8	27.6	-2.2	0.936	0.5	0.5	0	55	54.6	0	156	156	0	28	29
2024	10	22	0	40	8	26.4	-1.2	0.936	0.5	0.5	0	55.5	54.6	0	157	156	0	28	29
2024	10	22	0	50	8	25.4	-1.2	0.936	0.6	0.5	0	55	55	0	156	156	0	28	28
2024	10	22	1	0	8	26.9	-1.7	0.936	0.4	0.3	0	55	54.2	0	156	155	0	28	29
2024	10	22	1	10	8	26.7	-0.8	0.936	0.5	0.4	0	55	54.6	0	156	156	0	28	29
2024	10	22	1	20	8	26.4	-1.7	0.937	0.5	0.5	0	55	54.6	0	156	156	0	28	29
2024	10	22	1	30	8	27.6	-0.4	0.937	0.4	0.3	0	54.6	54.6	0	155	156	0	28	29
2024	10	22	1	40	8	27.1	-1.3	0.937	0.5	0.4	0	55	54.2	0	156	155	0	28	29
2024	10	22	1	50	8	26.9	-1.7	0.937	0.5	0.5	0	54.6	54.2	0	155	155	0	28	29
2024	10	22	2	0	8	27.1	-0.9	0.937	0.4	0.3	0	54.6	54.2	0	155	155	0	28	29
2024	10	22	2	10	8	26.8	-2.4	0.937	0.5	0.4	0	54.6	54.2	0	155	154	0	28	28
2024	10	22	2	20	8	26.1	-1.7	0.937	0.5	0.5	0	54.6	53.8	0	155	154	0	28	29
2024	10	22	2	30	8	26.8	-1.3	0.937	0.5	0.4	0	54.6	53.8	0	155	154	0	28	29
2024	10	22	2	40	8	27.9	-2.2	0.937	0.4	0.3	0	54.2	53.8	0	154	154	0	28	29
2024	10	22	2	50	8	27	-2	0.937	0.5	0.4	0	53.8	53.8	0	154	154	0	29	29
2024	10	22	3	0	8	27.6	-2	0.937	0.5	0.4	0	54.2	53.3	0	154	153	0	28	29
2024	10	22	3	10	8	27.1	-1.7	0.936	0.5	0.4	0	54.2	54.2	0	154	154	0	28	28
2024	10	22	3	20	8	25.8	-2	0.936	0.5	0.4	0	53.8	53.8	0	154	154	0	29	29
2024	10	22	3	30	8	27	-0.8	0.936	0.5	0.4	0	54.2	53.3	0	154	153	0	28	29
2024	10	22	3	40	8	26.1	-1.7	0.936	0.5	0.5	0	53.8	53.3	0	154	153	0	29	29
2024	10	22	3	50	8	26	-1.3	0.937	0.5	0.4	0	54.2	53.3	0	154	153	0	28	29
2024	10	22	4	0	8	27.6	-1.2	0.936	0.4	0.3	0	53.8	53.3	0	154	153	0	29	29
2024	10	22	4	10	8	27	-0.9	0.936	0.5	0.4	0	54.2	53.3	0	154	153	0	28	29
2024	10	22	4	20	8	25.7	-2.4	0.936	0.5	0.4	0	54.2	53.3	0	154	153	0	28	29
2024	10	22	4	30	8	26.6	-1.7	0.936	0.4	0.3	0	53.8	52.9	0	153	153	0	28	30
2024	10	22	4	40	8	27	-1.2	0.936	0.4	0.3	0	53.3	53.3	0	153	153	0	29	29
2024	10	22	4	50	8	27.3	-2.5	0.936	0.5	0.4	0	53.8	52.9	0	153	152	0	28	29
2024	10	22	5	0	8	26.9	-1.4	0.936	0.5	0.4	0	53.8	52.9	0	153	152	0	28	29
2024	10	22	5	10	8	26.1	-1.1	0.936	0.5	0.5	0	53.8	53.3	0	154	153	0	29	29
2024	10	22	5	20	8	26.1	-2.7	0.936	0.4	0.3	0	53.8	53.3	0	153	152	0	28	28
2024	10	22	5	30	8	26.7	-1.4	0.936	0.5	0.4	0	52.9	52.9	0	152	152	0	29	29
2024	10	22	5	40	8	27.6	-1.2	0.936	0.5	0.5	0	53.8	52.9	0	153	152	0	28	29
2024	10	22	5	50	8	27.5	-1.1	0.936	0.5	0.4	0	53.3	52.9	0	152	152	0	28	29
2024	10	22	6	0	8	27.3	-1.2	0.936	0.4	0.3	0	53.8	53.3	0	153	152	0	28	28
2024	10	22	6	10	8	25.7	-0.7	0.936	0.5	0.5	0	53.8	52.9	0	153	152	0	28	29
2024	10	22	6	20	8	26.2	-1.9	0.936	0.4	0.3	0	53.3	52.9	0	152	152	0	28	29
2024	10	22	6	30	8	26.2	-2.5	0.936	0.5	0.4	0	53.3	52.5	0	152	151	0	28	29
2024	10	22	6	40	8	26.7	-2.2	0.936	0.5	0.4	0	53.3	52.9	0	152	152	0	28	29
2024	10	22	6	50	8	27.2	-0.6	0.936	0.5	0.4	0	52.9	52.5	0	152	151	0	29	29
2024	10	22	7	0	8	26.7	-1.2	0.936	0.4	0.3	0	52.9	52.9	0	152	152	0	29	29
2024	10	22	7	10	8	26.7	-1.7	0.936	0.4	0.3	0	53.3	52.5	0	152	151	0	28	29
2024	10	22	7	20	8	26.2	-1.7	0.936	0.4	0.3	0	52.9	52.5	0	152	151	0	29	29
2024	10	22	7	30	8	25.8	-0.7	0.936	0.5	0.5	0	52.5	52	0	151	151	0	29	30
2024	10	22	7	40	8	27.5	-1.7	0.936	0.5	0.4	0	52.9	52.5	0	151	151	0	28	29
2024	10	22	7	50	8	26.8	-1.9	0.936	0.4	0.3	0	52.5	51.6	0	150	150	0	28	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	22	8	0	8	25.5	-1.7	0.936	0.5	0.5	0	52.5	52.5	0	151	151	0	29	29
2024	10	22	8	10	8	27.5	-1.1	0.936	0.5	0.4	0	52.5	52	0	151	151	0	29	30
2024	10	22	8	20	8	26.8	-2.1	0.936	0.5	0.4	0	52.5	52	0	150	150	0	28	29
2024	10	22	8	30	8	25.1	-1.5	0.936	0.5	0.4	0	52.9	52.5	0	151	150	0	28	28
2024	10	22	8	40	8	27.6	-1.8	0.936	0.5	0.4	0	52.5	51.6	0	150	149	0	28	29
2024	10	22	8	50	8	26.8	-2	0.936	0.4	0.3	0	52	51.6	0	149	149	0	28	29
2024	10	22	9	0	8	25.6	-0.4	0.936	0.5	0.4	0	51.6	51.6	0	149	149	0	29	29
2024	10	22	9	10	8	27.4	-2.1	0.936	0.5	0.4	0	51.2	51.2	0	148	148	0	29	29
2024	10	22	9	20	8	26.3	-1.3	0.936	0.5	0.4	0	51.2	51.2	0	148	148	0	29	29
2024	10	22	9	30	8	26.8	-1.5	0.936	0.4	0.3	0	51.2	51.2	0	147	148	0	28	29
2024	10	22	9	40	8	26.3	-1.3	0.936	0.5	0.4	0	51.2	50.7	0	147	147	0	28	29
2024	10	22	9	50	8	26.9	-1.9	0.936	0.4	0.3	0	51.2	50.7	0	148	147	0	29	29
2024	10	22	10	0	8	26.2	-1.4	0.936	0.5	0.5	0	51.2	50.7	0	147	147	0	28	29
2024	10	22	10	10	8	27.5	-1.1	0.936	0.5	0.5	0	51.2	50.7	0	147	147	0	28	29
2024	10	22	10	20	8	25.7	-0.7	0.937	0.5	0.5	0	52	51.2	0	149	148	0	28	29
2024	10	22	10	30	8	26	-0.2	0.937	0.4	0.3	0	51.2	50.7	0	147	147	0	28	29
2024	10	22	10	40	8	27	-1.3	0.937	0.4	0.3	0	51.2	50.7	0	147	147	0	28	29
2024	10	22	10	50	8	27.2	-1.7	0.937	0.5	0.4	0	51.2	50.3	0	147	146	0	28	29
2024	10	22	11	0	8	27	-1.7	0.937	0.5	0.4	0	51.2	50.3	0	146	146	0	27	29
2024	10	22	11	10	8	26.3	-1.8	0.937	0.4	0.3	0	50.7	50.3	0	146	146	0	28	29
2024	10	22	11	20	8	27.3	-1.7	0.937	0.5	0.4	0	50.7	50.3	0	146	146	0	28	29
2024	10	22	11	30	8	27.1	-0.9	0.938	0.5	0.5	0	51.2	50.3	0	147	146	0	28	29
2024	10	22	11	40	8	27.2	-1.5	0.938	0.4	0.3	0	50.7	50.3	0	147	146	0	29	29
2024	10	22	11	50	8	26.5	-1.3	0.938	0.5	0.5	0	51.2	50.7	0	147	147	0	28	29
2024	10	22	12	0	8	26.9	-1.3	0.938	0.5	0.5	0	50.7	50.7	0	147	147	0	29	29
2024	10	22	12	10	8	26.1	-1.6	0.938	0.5	0.4	0	51.2	51.2	0	147	147	0	28	28
2024	10	22	12	20	8	27.5	-1.3	0.938	0.4	0.3	0	51.6	51.2	0	148	148	0	28	29
2024	10	22	12	30	8	27.3	-0.8	0.938	0.5	0.4	0	50.7	50.3	0	147	146	0	29	29
2024	10	22	12	40	8	27.5	-1.1	0.938	0.5	0.5	0	52	50.7	0	148	147	0	27	29
2024	10	22	12	50	8	25.8	-2.9	0.938	0.5	0.5	0	52	51.2	0	149	148	0	28	29
2024	10	22	13	0	8	25.8	-1.3	0.938	0.5	0.4	0	52	51.2	0	149	148	0	28	29
2024	10	22	13	10	8	27	-2.4	0.938	0.5	0.5	0	52	52	0	149	149	0	28	28
2024	10	22	13	20	8	26.7	-0.4	0.938	0.5	0.5	0	52	51.6	0	149	149	0	28	29
2024	10	22	13	30	8	26.7	-2.1	0.937	0.5	0.4	0	52	51.6	0	149	148	0	28	28
2024	10	22	13	40	8	26.9	-0.8	0.937	0.4	0.3	0	52.5	51.6	0	149	149	0	27	29
2024	10	22	13	50	8	26.9	-1.7	0.937	0.6	0.5	0	52.5	52.5	0	150	150	0	28	28
2024	10	22	14	0	8	26.5	-1.3	0.937	0.4	0.3	0	52.5	52	0	150	150	0	28	29
2024	10	22	14	10	8	26.4	-0.4	0.937	0.5	0.4	0	52.5	52	0	150	150	0	28	29
2024	10	22	14	20	8	27.5	-2.1	0.937	0.5	0.5	0	52.5	52	0	150	150	0	28	29
2024	10	22	14	30	8	27	-0.7	0.937	0.5	0.4	0	52.9	52.5	0	151	151	0	28	29
2024	10	22	14	40	8	26.5	-1	0.936	0.4	0.3	0	53.3	52.5	0	151	151	0	27	29
2024	10	22	14	50	8	26.9	-1.9	0.936	0.5	0.4	0	52.9	52.5	0	151	151	0	28	29
2024	10	22	15	0	8	26.2	-2.4	0.936	0.5	0.5	0	53.8	52.9	0	152	152	0	27	29
2024	10	22	15	10	8	27.8	-2	0.936	0.4	0.3	0	53.3	52.9	0	152	151	0	28	28
2024	10	22	15	20	8	27.1	-2	0.936	0.5	0.4	0	53.3	52.9	0	152	152	0	28	29
2024	10	22	15	30	8	27.1	-2.6	0.936	0.5	0.5	0	52.9	52.9	0	151	151	0	28	28
2024	10	22	15	40	8	26.5	-2.3	0.936	0.5	0.5	0	53.8	53.3	0	152	152	0	27	28
2024	10	22	15	50	8	26.5	-1	0.936	0.5	0.4	0	53.8	53.3	0	153	152	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	22	16	0	8	26.6	-2.4	0.936	0.5	0.4	0	53.8	52.9	0	153	152	0	28	29
2024	10	22	16	10	8	26.2	-1.7	0.936	0.4	0.3	0	53.8	53.8	0	153	153	0	28	28
2024	10	22	16	20	8	27.7	-1.1	0.936	0.5	0.4	0	53.8	53.8	0	153	153	0	28	28
2024	10	22	16	30	8	27.2	-0.7	0.936	0.5	0.4	0	53.8	53.8	0	153	153	0	28	28
2024	10	22	16	40	8	27.5	-1.5	0.936	0.4	0.3	0	54.2	54.2	0	154	154	0	28	28
2024	10	22	16	50	8	26.6	-2.1	0.936	0.5	0.4	0	54.6	53.8	0	154	153	0	27	28
2024	10	22	17	0	8	27.7	-1.3	0.936	0.5	0.4	0	55	54.6	0	155	155	0	27	28
2024	10	22	17	10	8	26.3	-1.5	0.936	0.5	0.4	0	54.6	54.2	0	154	154	0	27	28
2024	10	22	17	20	8	27.5	-1.8	0.936	0.5	0.5	0	54.2	54.2	0	154	154	0	28	28
2024	10	22	17	30	8	27	-0.7	0.936	0.4	0.3	0	53.8	53.3	0	153	153	0	28	29
2024	10	22	17	40	8	28.2	-0.6	0.936	0.5	0.4	0	53.3	53.8	0	153	153	0	29	28
2024	10	22	17	50	8	27.2	-0.5	0.936	0.5	0.5	0	54.2	54.2	0	154	154	0	28	28
2024	10	22	18	0	8	27.9	-1.6	0.937	0.5	0.4	0	53.8	53.8	0	154	154	0	29	29
2024	10	22	18	10	8	27	-1.5	0.937	0.5	0.4	0	55	54.6	0	155	155	0	27	28
2024	10	22	18	20	8	27.7	-1.2	0.937	0.4	0.3	0	54.6	54.2	0	155	155	0	28	29
2024	10	22	18	30	8	28	-2.5	0.937	0.5	0.5	0	55	54.6	0	155	155	0	27	28
2024	10	22	18	40	8	25.9	-0.9	0.938	0.5	0.4	0	55.5	55	0	156	156	0	27	28
2024	10	22	18	50	8	27.1	-1.1	0.938	0.5	0.5	0	55.5	55	0	156	156	0	27	28
2024	10	22	19	0	8	26.5	-1.7	0.938	0.5	0.5	0	55	55	0	156	156	0	28	28
2024	10	22	19	10	8	26.7	-1.3	0.939	0.5	0.4	0	55.5	55.5	0	156	157	0	27	28
2024	10	22	19	20	8	27	-1.8	0.939	0.5	0.4	0	55	55	0	156	157	0	28	29
2024	10	22	19	30	8	26.7	-2.2	0.939	0.4	0.3	0	55	55.5	0	156	157	0	28	28
2024	10	22	19	40	8	28	-2	0.939	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	22	19	50	8	27.8	-0.2	0.94	0.5	0.4	0	55	54.6	0	156	156	0	28	29
2024	10	22	20	0	8	26.7	-0.9	0.94	0.5	0.4	0	55.9	55	0	157	157	0	27	29
2024	10	22	20	10	8	26.5	-2	0.94	0.5	0.4	0	55.5	55.5	0	157	157	0	28	28
2024	10	22	20	20	8	26.9	-0.8	0.94	0.5	0.4	0	55.5	55	0	157	157	0	28	29
2024	10	22	20	30	8	26.7	-0.9	0.94	0.6	0.5	0	55.9	55	0	157	157	0	27	29
2024	10	22	20	40	8	25.8	-1.5	0.94	0.4	0.3	0	55.9	55.5	0	157	158	0	27	29
2024	10	22	20	50	8	26.4	-1.9	0.94	0.4	0.3	0	55.5	55.5	0	157	157	0	28	28
2024	10	22	21	0	8	27.2	-1.4	0.94	0.4	0.3	0	55.5	55.5	0	157	157	0	28	28
2024	10	22	21	10	8	27.3	-0.9	0.941	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	22	21	20	8	26.5	-0.9	0.941	0.5	0.4	0	55.5	55	0	157	157	0	28	29
2024	10	22	21	30	8	26.5	-2.3	0.941	0.6	0.5	0	55.5	55.9	0	157	158	0	28	28
2024	10	22	21	40	8	26.1	-3.1	0.941	0.4	0.3	0	55.5	55.5	0	157	157	0	28	28
2024	10	22	21	50	8	27.2	-1.7	0.941	0.5	0.5	0	55.5	55.5	0	156	157	0	27	28
2024	10	22	22	0	8	27.3	-1.8	0.941	0.5	0.4	0	55	55	0	156	157	0	28	29
2024	10	22	22	10	8	26.9	-1.7	0.941	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	22	22	20	8	26.4	-1.1	0.941	0.5	0.4	0	55	55	0	156	157	0	28	29
2024	10	22	22	30	8	27.8	-0.7	0.941	0.4	0.3	0	55	55.5	0	156	157	0	28	28
2024	10	22	22	40	8	26.7	-1.1	0.941	0.6	0.5	0	55.5	55.5	0	157	157	0	28	28
2024	10	22	22	50	8	26.9	-1.7	0.941	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	22	23	0	8	27.3	-1.8	0.941	0.6	0.5	0	55	55	0	156	157	0	28	29
2024	10	22	23	10	8	27.8	-1.6	0.941	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	22	23	20	8	26.5	-1.9	0.941	0.5	0.5	0	55.5	55.5	0	156	157	0	27	28
2024	10	22	23	30	8	27.2	-1.9	0.941	0.5	0.4	0	55.5	55	0	156	157	0	27	29
2024	10	22	23	40	8	27.3	-1.1	0.941	0.5	0.4	0	55	55	0	156	157	0	28	29
2024	10	22	23	50	8	26.5	-1.4	0.941	0.5	0.4	0	55	55.5	0	156	157	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	23	0	0	8	26.8	-1.6	0.941	0.5	0.5	0	55	55.5	0	156	157	0	28	28
2024	10	23	0	10	8	26.8	-1.6	0.941	0.3	0.2	0	54.6	55.5	0	155	157	0	28	28
2024	10	23	0	20	8	27	-1.7	0.941	0.4	0.3	0	55	55.5	0	156	157	0	28	28
2024	10	23	0	30	8	27.4	-1.7	0.941	0.5	0.5	0	54.6	55	0	155	156	0	28	28
2024	10	23	0	40	8	28.2	-2	0.941	0.4	0.3	0	55	55	0	156	157	0	28	29
2024	10	23	0	50	8	26.7	-1.4	0.941	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	23	1	0	8	27.6	-1.3	0.941	0.5	0.5	0	54.6	55	0	155	156	0	28	28
2024	10	23	1	10	8	28.1	-2.2	0.941	0.4	0.3	0	54.6	54.6	0	155	156	0	28	29
2024	10	23	1	20	8	26.5	-0.4	0.94	0.5	0.5	0	54.6	55	0	155	156	0	28	28
2024	10	23	1	30	8	26.8	-0.9	0.941	0.5	0.4	0	54.6	55	0	155	156	0	28	28
2024	10	23	1	40	8	27.1	-0.9	0.941	0.4	0.3	0	54.6	55	0	155	156	0	28	28
2024	10	23	1	50	8	27.2	-1.7	0.94	0.5	0.5	0	54.2	54.6	0	154	156	0	28	29
2024	10	23	2	0	8	27.1	-2.5	0.94	0.4	0.3	0	54.2	54.6	0	154	156	0	28	29
2024	10	23	2	10	8	27.9	-1.4	0.941	0.6	0.5	0	54.2	54.2	0	154	155	0	28	29
2024	10	23	2	20	8	26.8	-2.1	0.941	0.5	0.4	0	53.8	54.2	0	154	155	0	29	29
2024	10	23	2	30	8	26	-1.4	0.941	0.5	0.4	0	54.2	54.2	0	154	155	0	28	29
2024	10	23	2	40	8	26.5	-1.6	0.941	0.5	0.4	0	54.2	54.2	0	154	155	0	28	29
2024	10	23	2	50	8	26.7	-1.5	0.941	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	3	0	8	26.9	-2.3	0.941	0.5	0.5	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	3	10	8	26.8	-3.5	0.941	0.5	0.5	0	53.8	53.8	0	153	155	0	28	30
2024	10	23	3	20	8	26.9	-0.8	0.941	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	23	3	30	8	28.4	-1.6	0.941	0.4	0.3	0	54.2	53.8	0	153	154	0	27	29
2024	10	23	3	40	8	26.8	-1.5	0.941	0.5	0.4	0	53.8	53.8	0	153	155	0	28	30
2024	10	23	3	50	8	27.1	-2.2	0.941	0.6	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	23	4	0	8	27.7	-1.9	0.941	0.4	0.3	0	53.8	53.8	0	153	154	0	28	29
2024	10	23	4	10	8	27.9	-2.1	0.941	0.3	0.2	0	53.3	54.2	0	152	154	0	28	28
2024	10	23	4	20	8	27.5	-1.7	0.941	0.4	0.3	0	53.8	53.3	0	153	154	0	28	30
2024	10	23	4	30	8	26.3	-1.3	0.941	0.5	0.4	0	53.8	54.2	0	153	154	0	28	28
2024	10	23	4	40	8	26.5	-1.7	0.941	0.5	0.5	0	53.3	54.2	0	152	154	0	28	28
2024	10	23	4	50	8	26.7	-1.7	0.942	0.5	0.4	0	53.3	53.8	0	152	154	0	28	29
2024	10	23	5	0	8	25.7	-0.5	0.941	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	23	5	10	8	28.2	-2.4	0.942	0.5	0.5	0	53.3	53.8	0	152	154	0	28	29
2024	10	23	5	20	8	27.2	-1.3	0.942	0.5	0.5	0	53.3	53.8	0	152	154	0	28	29
2024	10	23	5	30	8	28	-1.8	0.943	0.5	0.5	0	52.9	53.3	0	152	153	0	29	29
2024	10	23	5	40	8	25.8	-1.9	0.942	0.5	0.4	0	53.3	53.3	0	152	153	0	28	29
2024	10	23	5	50	8	27.1	-1.8	0.943	0.5	0.5	0	52.9	53.3	0	152	153	0	29	29
2024	10	23	6	0	8	26.8	-1.2	0.944	0.5	0.5	0	52.9	53.3	0	151	153	0	28	29
2024	10	23	6	10	8	26.7	-1.9	0.944	0.4	0.3	0	52.5	53.3	0	151	153	0	29	29
2024	10	23	6	20	8	27.7	-1.3	0.944	0.4	0.3	0	52.9	52.9	0	151	153	0	28	30
2024	10	23	6	30	8	27	-1	0.945	0.5	0.4	0	52.9	53.3	0	151	153	0	28	29
2024	10	23	6	40	8	27.5	-1.6	0.945	0.5	0.4	0	52.5	53.3	0	151	153	0	29	29
2024	10	23	6	50	8	27.1	-0.6	0.945	0.4	0.3	0	52.5	53.8	0	151	153	0	29	28
2024	10	23	7	0	8	27.3	-1.2	0.945	0.4	0.3	0	52.9	53.3	0	151	153	0	28	29
2024	10	23	7	10	8	28.2	-2.4	0.945	0.5	0.4	0	52.9	53.3	0	151	153	0	28	29
2024	10	23	7	20	8	27.3	-1.3	0.945	0.5	0.5	0	52.9	53.3	0	151	152	0	28	28
2024	10	23	7	30	8	26.6	-0.6	0.945	0.5	0.4	0	52.5	52.9	0	150	152	0	28	29
2024	10	23	7	40	8	27.4	-1.7	0.945	0.5	0.4	0	52	52.9	0	150	152	0	29	29
2024	10	23	7	50	8	27.4	-2.2	0.945	0.5	0.4	0	52.5	52.9	0	150	152	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	23	8	0	8	27.5	-0.3	0.945	0.5	0.5	0	52.9	52.9	0	150	152	0	27	29
2024	10	23	8	10	8	27.2	-1.2	0.945	0.5	0.4	0	52.5	52.9	0	150	151	0	28	28
2024	10	23	8	20	8	27.8	-2	0.945	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	23	8	30	8	26.8	-2.6	0.945	0.5	0.4	0	52	52	0	149	150	0	28	29
2024	10	23	8	40	8	26.9	-2.1	0.945	0.5	0.4	0	51.6	52	0	148	150	0	28	29
2024	10	23	8	50	8	27.4	-1.4	0.945	0.5	0.4	0	51.6	51.6	0	148	150	0	28	30
2024	10	23	9	0	8	27.8	-2.3	0.945	0.5	0.4	0	51.2	51.6	0	147	149	0	28	29
2024	10	23	9	10	8	27.2	-1.1	0.945	0.5	0.4	0	50.7	50.7	0	146	147	0	28	29
2024	10	23	9	20	8	26.4	-0.9	0.945	0.5	0.5	0	50.7	51.2	0	146	148	0	28	29
2024	10	23	9	30	8	26.6	-1.7	0.945	0.5	0.5	0	50.7	51.6	0	146	148	0	28	28
2024	10	23	9	40	8	27	-2.1	0.945	0.5	0.4	0	50.7	50.7	0	146	147	0	28	29
2024	10	23	9	50	8	27	0	0.945	0.5	0.4	0	50.3	51.2	0	146	148	0	29	29
2024	10	23	10	0	8	27.5	-2.5	0.944	0.4	0.3	0	50.3	50.7	0	145	147	0	28	29
2024	10	23	10	10	8	26.2	-2	0.944	0.5	0.4	0	50.7	51.2	0	146	148	0	28	29
2024	10	23	10	20	8	27.2	-2.2	0.943	0.4	0.3	0	50.7	51.2	0	146	148	0	28	29
2024	10	23	10	30	8	26.3	-1.7	0.942	0.5	0.5	0	51.2	50.7	0	146	148	0	27	30
2024	10	23	10	40	8	26.6	-1.9	0.942	0.5	0.4	0	50.7	51.2	0	146	148	0	28	29
2024	10	23	10	50	8	28	-2.3	0.942	0.5	0.4	0	50.3	50.7	0	145	147	0	28	29
2024	10	23	11	0	8	28.1	-2.3	0.942	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	23	11	10	8	26.9	-1.3	0.941	0.5	0.4	0	50.3	50.7	0	145	147	0	28	29
2024	10	23	11	20	8	25.7	-1.8	0.941	0.5	0.4	0	50.3	50.7	0	145	147	0	28	29
2024	10	23	11	30	8	28.2	-1.4	0.941	0.5	0.5	0	50.7	50.7	0	146	147	0	28	29
2024	10	23	11	40	8	26.2	-1.3	0.941	0.4	0.3	0	50.7	51.2	0	146	148	0	28	29
2024	10	23	11	50	8	27.5	-2.1	0.941	0.5	0.5	0	50.3	51.2	0	146	148	0	29	29
2024	10	23	12	0	8	26.8	-1.4	0.941	0.5	0.4	0	50.7	51.2	0	146	148	0	28	29
2024	10	23	12	10	8	27.9	-1	0.941	0.4	0.3	0	50.7	51.2	0	146	148	0	28	29
2024	10	23	12	20	8	26.2	-0.9	0.941	0.5	0.4	0	50.7	51.2	0	146	148	0	28	29
2024	10	23	12	30	8	26.3	-1.7	0.941	0.3	0.2	0	51.6	51.2	0	147	148	0	27	29
2024	10	23	12	40	8	27.6	-1.7	0.941	0.5	0.4	0	50.7	51.6	0	146	148	0	28	28
2024	10	23	12	50	8	25.7	-1.1	0.941	0.5	0.5	0	50.7	51.6	0	147	149	0	29	29
2024	10	23	13	0	8	27.4	-1.8	0.941	0.4	0.3	0	50.7	51.2	0	146	148	0	28	29
2024	10	23	13	10	8	27	-2.1	0.941	0.5	0.4	0	51.2	51.6	0	147	148	0	28	28
2024	10	23	13	20	8	27.9	-1.5	0.941	0.5	0.4	0	51.2	51.6	0	147	148	0	28	28
2024	10	23	13	30	8	27.4	-2.6	0.941	0.5	0.5	0	51.6	52	0	147	149	0	27	28
2024	10	23	13	40	8	27.8	-1.7	0.942	0.5	0.5	0	51.2	51.6	0	147	149	0	28	29
2024	10	23	13	50	8	27.8	-2.7	0.942	0.4	0.3	0	51.2	52	0	147	148	0	28	27
2024	10	23	14	0	8	26.3	-1.8	0.942	0.5	0.5	0	51.2	51.2	0	147	148	0	28	29
2024	10	23	14	10	8	27	-2.3	0.942	0.4	0.3	0	51.6	52	0	148	149	0	28	28
2024	10	23	14	20	8	26.5	-0.9	0.941	0.5	0.5	0	51.6	52	0	148	149	0	28	28
2024	10	23	14	30	8	27.4	-1.4	0.941	0.4	0.3	0	52	52.5	0	148	150	0	27	28
2024	10	23	14	40	8	27.8	-1.7	0.94	0.5	0.5	0	51.6	52	0	148	149	0	28	28
2024	10	23	14	50	8	26.3	-2	0.941	0.4	0.3	0	52	52.9	0	149	151	0	28	28
2024	10	23	15	0	8	26.8	-3	0.941	0.4	0.3	0	52	52.5	0	149	150	0	28	28
2024	10	23	15	10	8	27.2	-1.7	0.941	0.5	0.5	0	52	52.5	0	149	150	0	28	28
2024	10	23	15	20	8	28.4	-2.4	0.94	0.5	0.4	0	52.5	52.5	0	150	150	0	28	28
2024	10	23	15	30	8	27	-1.2	0.94	0.5	0.4	0	52.5	52.9	0	150	151	0	28	28
2024	10	23	15	40	8	26.4	-1.1	0.941	0.5	0.4	0	52.9	52.5	0	151	151	0	28	29
2024	10	23	15	50	8	26.8	-0.8	0.94	0.4	0.3	0	52.9	53.3	0	151	152	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	23	16	0	8	28.1	-0.8	0.94	0.5	0.4	0	52.9	52.9	0	151	152	0	28	29
2024	10	23	16	10	8	26.7	-1	0.941	0.5	0.4	0	53.3	53.3	0	151	152	0	27	28
2024	10	23	16	20	8	27.7	-1.4	0.94	0.5	0.4	0	52.9	53.3	0	151	152	0	28	28
2024	10	23	16	30	8	26.8	-2.7	0.941	0.5	0.4	0	52.9	53.3	0	151	152	0	28	28
2024	10	23	16	40	8	27.4	-1.6	0.94	0.4	0.3	0	53.3	53.3	0	152	152	0	28	28
2024	10	23	16	50	8	26.8	-2.4	0.94	0.5	0.4	0	53.3	53.8	0	152	153	0	28	28
2024	10	23	17	0	8	27.3	-2.7	0.941	0.5	0.4	0	53.3	53.8	0	152	153	0	28	28
2024	10	23	17	10	8	25.9	-0.7	0.941	0.3	0.2	0	54.2	53.8	0	153	153	0	27	28
2024	10	23	17	20	8	27.9	-1.6	0.942	0.5	0.4	0	52.5	52.9	0	150	151	0	28	28
2024	10	23	17	30	8	26.3	-1.7	0.942	0.5	0.5	0	53.3	53.3	0	151	152	0	27	28
2024	10	23	17	40	8	27.4	-1.3	0.942	0.6	0.5	0	53.3	53.3	0	151	152	0	27	28
2024	10	23	17	50	8	28.2	-1.4	0.942	0.5	0.4	0	53.3	53.3	0	151	152	0	27	28
2024	10	23	18	0	8	27.4	-1	0.942	0.5	0.4	0	53.3	53.3	0	152	153	0	28	29
2024	10	23	18	10	8	27.1	-1.1	0.942	0.5	0.4	0	53.3	54.2	0	152	154	0	28	28
2024	10	23	18	20	8	26.4	-0.7	0.942	0.5	0.5	0	53.8	54.2	0	153	154	0	28	28
2024	10	23	18	30	8	26.9	-1.7	0.942	0.4	0.3	0	53.8	53.8	0	153	154	0	28	29
2024	10	23	18	40	8	27.1	-1.9	0.942	0.5	0.5	0	54.2	53.8	0	153	153	0	27	28
2024	10	23	18	50	8	27.4	-1.3	0.943	0.4	0.3	0	53.8	54.2	0	153	154	0	28	28
2024	10	23	19	0	8	26.4	-1.2	0.942	0.5	0.5	0	54.6	53.8	0	154	154	0	27	29
2024	10	23	19	10	8	27	-2.6	0.943	0.4	0.3	0	53.8	54.2	0	153	155	0	28	29
2024	10	23	19	20	8	27.5	-1.5	0.943	0.5	0.4	0	54.6	54.6	0	154	155	0	27	28
2024	10	23	19	30	8	26.2	0	0.943	0.5	0.5	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	19	40	8	27.5	-1.2	0.943	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	19	50	8	26.7	-0.9	0.943	0.5	0.4	0	54.2	55	0	154	156	0	28	28
2024	10	23	20	0	8	27.2	-1.2	0.943	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	20	10	8	26.5	0	0.943	0.5	0.5	0	54.6	54.6	0	154	155	0	27	28
2024	10	23	20	20	8	27.7	-1.3	0.943	0.5	0.5	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	20	30	8	27.4	-1.3	0.943	0.5	0.4	0	54.2	54.2	0	154	155	0	28	29
2024	10	23	20	40	8	26.2	-2	0.943	0.4	0.3	0	55	54.6	0	155	155	0	27	28
2024	10	23	20	50	8	27.2	-1.2	0.943	0.5	0.5	0	54.6	54.6	0	154	155	0	27	28
2024	10	23	21	0	8	26.9	-2.4	0.943	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	21	10	8	26.4	-1.1	0.943	0.5	0.4	0	54.6	54.2	0	155	155	0	28	29
2024	10	23	21	20	8	26.8	-1.6	0.943	0.3	0.2	0	54.6	54.2	0	154	155	0	27	29
2024	10	23	21	30	8	27.3	-1.7	0.943	0.5	0.4	0	54.2	54.2	0	154	155	0	28	29
2024	10	23	21	40	8	26.3	-1.3	0.943	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	21	50	8	27.6	-1.5	0.943	0.5	0.5	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	22	0	8	27	-1.5	0.943	0.5	0.4	0	54.6	54.2	0	154	155	0	27	29
2024	10	23	22	10	8	27.1	-1.1	0.943	0.5	0.4	0	55	55	0	155	156	0	27	28
2024	10	23	22	20	8	26	0	0.943	0.5	0.4	0	54.6	54.6	0	155	155	0	28	28
2024	10	23	22	30	8	27.1	-1	0.943	0.4	0.3	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	22	40	8	27.7	-2.4	0.943	0.5	0.4	0	54.6	54.6	0	154	155	0	27	28
2024	10	23	22	50	8	28.1	-1.5	0.943	0.3	0.2	0	54.2	54.2	0	154	155	0	28	29
2024	10	23	23	0	8	27.4	-1.3	0.943	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	23	10	8	26.7	-1.3	0.944	0.5	0.4	0	54.2	55	0	154	156	0	28	28
2024	10	23	23	20	8	27.7	-1.4	0.944	0.5	0.5	0	54.6	54.6	0	154	155	0	27	28
2024	10	23	23	30	8	28.1	-1.3	0.944	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	23	40	8	27.9	-1.8	0.943	0.5	0.5	0	54.2	54.6	0	154	155	0	28	28
2024	10	23	23	50	8	28.9	-2.5	0.944	0.4	0.3	0	54.2	54.6	0	154	155	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	24	0	0	8	27.7	-2.1	0.943	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	24	0	10	8	26.4	-0.8	0.944	0.5	0.5	0	54.6	55	0	154	156	0	27	28
2024	10	24	0	20	8	27.5	-1.3	0.944	0.5	0.5	0	54.2	54.2	0	154	155	0	28	29
2024	10	24	0	30	8	26.9	-1.3	0.944	0.5	0.4	0	54.6	54.2	0	154	155	0	27	29
2024	10	24	0	40	8	27.7	-2.6	0.944	0.4	0.3	0	54.2	54.2	0	154	155	0	28	29
2024	10	24	0	50	8	26.9	-1.1	0.944	0.4	0.3	0	53.8	54.2	0	153	154	0	28	28
2024	10	24	1	0	8	26.5	-1.7	0.944	0.5	0.5	0	53.8	54.2	0	153	154	0	28	28
2024	10	24	1	10	8	28.2	-1.4	0.944	0.5	0.5	0	53.8	54.2	0	153	154	0	28	28
2024	10	24	1	20	8	26.8	-1.2	0.944	0.5	0.4	0	54.2	53.8	0	153	154	0	27	29
2024	10	24	1	30	8	28.4	-1.5	0.944	0.5	0.5	0	53.8	53.8	0	153	154	0	28	29
2024	10	24	1	40	8	28	-1.1	0.944	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	24	1	50	8	27.3	-1.7	0.944	0.5	0.5	0	53.8	54.2	0	153	154	0	28	28
2024	10	24	2	0	8	27.4	-1.8	0.944	0.5	0.5	0	53.8	54.2	0	153	154	0	28	28
2024	10	24	2	10	8	27.3	-1.5	0.944	0.4	0.3	0	53.8	53.8	0	153	154	0	28	29
2024	10	24	2	20	8	28.1	-2.5	0.944	0.5	0.4	0	53.8	54.2	0	153	154	0	28	28
2024	10	24	2	30	8	27.6	-1.6	0.945	0.4	0.3	0	53.8	53.8	0	153	154	0	28	29
2024	10	24	2	40	8	28	-1.5	0.945	0.4	0.3	0	53.8	54.2	0	153	154	0	28	28
2024	10	24	2	50	8	26.9	-1.5	0.945	0.4	0.3	0	53.3	53.8	0	152	154	0	28	29
2024	10	24	3	0	8	28	-0.9	0.946	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	24	3	10	8	28.3	-0.9	0.946	0.5	0.4	0	54.2	53.8	0	153	153	0	27	28
2024	10	24	3	20	8	27.7	-1.7	0.947	0.5	0.4	0	53.8	53.3	0	153	153	0	28	29
2024	10	24	3	30	8	28.4	-2.1	0.947	0.4	0.3	0	53.8	53.3	0	153	153	0	28	29
2024	10	24	3	40	8	27.2	-0.7	0.947	0.4	0.3	0	53.8	53.3	0	153	153	0	28	29
2024	10	24	3	50	8	27.6	-2.1	0.948	0.5	0.4	0	52.9	53.3	0	152	153	0	29	29
2024	10	24	4	0	8	27.1	-1	0.948	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	24	4	10	8	26.9	-0.5	0.948	0.5	0.4	0	53.8	54.2	0	153	154	0	28	28
2024	10	24	4	20	8	27.2	-2	0.948	0.5	0.4	0	53.8	52.9	0	153	152	0	28	29
2024	10	24	4	30	8	27.1	-1.6	0.948	0.4	0.3	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	4	40	8	26.9	-1.5	0.948	0.4	0.3	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	4	50	8	27.3	-1.9	0.948	0.4	0.3	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	5	0	8	27.1	-0.8	0.948	0.5	0.4	0	53.8	53.3	0	153	153	0	28	29
2024	10	24	5	10	8	28.4	-2.9	0.948	0.5	0.4	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	5	20	8	27.5	-1.7	0.948	0.5	0.5	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	5	30	8	28.2	-2.1	0.948	0.5	0.4	0	52.9	53.3	0	152	153	0	29	29
2024	10	24	5	40	8	26.9	-1.8	0.948	0.3	0.2	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	5	50	8	28.1	-2.4	0.948	0.5	0.4	0	52.9	53.3	0	152	153	0	29	29
2024	10	24	6	0	8	27.6	-1.6	0.948	0.5	0.4	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	6	10	8	27.4	-1.3	0.948	0.4	0.3	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	6	20	8	26.9	-1.4	0.948	0.5	0.4	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	6	30	8	26.4	-1.2	0.948	0.4	0.3	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	6	40	8	26.9	-1.1	0.948	0.3	0.2	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	6	50	8	27.3	-1.6	0.948	0.5	0.4	0	53.3	52.9	0	152	152	0	28	29
2024	10	24	7	0	8	27.6	-2.2	0.948	0.4	0.3	0	53.3	53.3	0	152	152	0	28	28
2024	10	24	7	10	8	26.5	-0.8	0.948	0.5	0.5	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	7	20	8	27.4	-1.1	0.948	0.5	0.4	0	53.3	52.9	0	151	152	0	27	29
2024	10	24	7	30	8	28.1	-1.9	0.948	0.5	0.4	0	52.9	53.3	0	151	152	0	28	28
2024	10	24	7	40	8	27.7	-1.7	0.949	0.5	0.4	0	52.9	52.9	0	151	152	0	28	29
2024	10	24	7	50	8	27.2	-1.5	0.948	0.5	0.4	0	52.9	52.9	0	151	151	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	24	8	0	8	27.3	-1.3	0.948	0.5	0.4	0	52.5	52.9	0	150	151	0	28	28
2024	10	24	8	10	8	26.7	-2	0.948	0.5	0.4	0	52	52	0	149	150	0	28	29
2024	10	24	8	20	8	27.7	-1.7	0.949	0.4	0.3	0	52	52	0	148	150	0	27	29
2024	10	24	8	30	8	27.3	-1.4	0.949	0.5	0.4	0	51.6	52	0	148	149	0	28	28
2024	10	24	8	40	8	27.8	-2.6	0.948	0.5	0.4	0	51.2	51.2	0	147	148	0	28	29
2024	10	24	8	50	8	26.9	-0.9	0.948	0.5	0.5	0	51.2	50.7	0	147	147	0	28	29
2024	10	24	9	0	8	26.9	-0.9	0.948	0.5	0.5	0	50.7	50.7	0	146	147	0	28	29
2024	10	24	9	10	8	27.7	-1.5	0.948	0.4	0.3	0	50.7	50.7	0	146	147	0	28	29
2024	10	24	9	20	8	27.7	-0.7	0.948	0.4	0.3	0	50.3	50.3	0	145	146	0	28	29
2024	10	24	9	30	8	27.5	-1.3	0.948	0.4	0.3	0	50.3	50.3	0	145	146	0	28	29
2024	10	24	9	40	8	27.1	-1.9	0.948	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	24	9	50	8	28	-2.5	0.948	0.6	0.5	0	49.5	49.9	0	144	145	0	29	29
2024	10	24	10	0	8	27.9	-1.6	0.948	0.4	0.3	0	50.3	50.3	0	145	146	0	28	29
2024	10	24	10	10	8	27.4	-1	0.948	0.4	0.3	0	49.9	50.7	0	145	146	0	29	28
2024	10	24	10	20	8	27.2	-1.2	0.948	0.4	0.3	0	49.9	50.3	0	145	146	0	29	29
2024	10	24	10	30	8	27.7	-1.7	0.948	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	24	10	40	8	26.9	-2	0.948	0.5	0.5	0	50.3	50.3	0	145	146	0	28	29
2024	10	24	10	50	8	27.4	-2.1	0.948	0.4	0.3	0	50.3	50.7	0	145	146	0	28	28
2024	10	24	11	1	20	26.5	-0.8	0.948	0.5	0.5	0	50.7	50.7	0	146	147	0	28	29
2024	10	24	11	11	20	27.7	-1.8	0.948	0.4	0.3	0	50.3	50.3	0	145	146	0	28	29
2024	10	24	11	21	20	27.1	-1.2	0.948	0.5	0.4	0	50.7	50.7	0	146	146	0	28	28
2024	10	24	11	31	20	28.2	-2.9	0.948	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	24	11	41	20	27.9	-0.9	0.948	0.5	0.4	0	49.9	49.9	0	144	145	0	28	29
2024	10	24	11	51	20	27.6	-1.9	0.948	0.4	0.3	0	50.3	50.3	0	145	146	0	28	29
2024	10	24	12	1	20	27.8	-1.3	0.948	0.4	0.3	0	49.9	49.9	0	144	145	0	28	29
2024	10	24	12	11	20	26.8	-2	0.948	0.5	0.5	0	50.7	50.7	0	146	147	0	28	29
2024	10	24	12	21	20	26.8	-2	0.947	0.4	0.3	0	50.3	50.7	0	145	146	0	28	28
2024	10	24	12	31	20	27	-1.7	0.947	0.5	0.4	0	50.3	50.7	0	145	146	0	28	28
2024	10	24	12	41	20	26.6	-1.8	0.946	0.5	0.5	0	50.7	50.7	0	146	146	0	28	28
2024	10	24	12	51	20	27	-2.4	0.945	0.4	0.3	0	50.7	51.2	0	146	147	0	28	28
2024	10	24	13	1	20	26.2	-1.3	0.945	0.5	0.4	0	51.2	51.2	0	146	147	0	27	28
2024	10	24	13	11	20	26.8	-1.5	0.945	0.4	0.3	0	50.7	51.2	0	146	147	0	28	28
2024	10	24	13	21	20	27.4	-1.6	0.945	0.4	0.3	0	51.2	51.6	0	147	148	0	28	28
2024	10	24	13	31	20	27.7	-1.4	0.945	0.4	0.3	0	50.7	50.7	0	146	147	0	28	29
2024	10	24	13	41	20	26.9	-0.3	0.945	0.5	0.4	0	50.7	50.7	0	146	147	0	28	29
2024	10	24	13	51	20	27	-0.4	0.945	0.5	0.5	0	50.7	51.2	0	146	147	0	28	28
2024	10	24	14	1	20	27.1	-1.7	0.945	0.5	0.4	0	51.2	51.6	0	147	148	0	28	28
2024	10	24	14	11	20	27	0	0.945	0.5	0.4	0	51.6	51.6	0	147	148	0	27	28
2024	10	24	14	21	20	27.7	-1.3	0.945	0.5	0.5	0	51.2	51.2	0	147	148	0	28	29
2024	10	24	14	31	20	26.8	-1.5	0.945	0.4	0.3	0	51.6	51.6	0	148	148	0	28	28
2024	10	24	14	41	20	27.6	-2.3	0.945	0.5	0.4	0	50.7	51.2	0	147	148	0	29	29
2024	10	24	14	51	20	26.7	-0.3	0.945	0.5	0.5	0	51.2	51.2	0	147	148	0	28	29
2024	10	24	15	1	20	27.1	-2.1	0.945	0.5	0.5	0	51.6	52	0	148	149	0	28	28
2024	10	24	15	11	20	27.3	-1.7	0.945	0.5	0.4	0	51.2	51.2	0	147	148	0	28	29
2024	10	24	15	21	20	26.8	-1	0.945	0.5	0.5	0	52	52	0	148	149	0	27	28
2024	10	24	15	31	20	28.6	-1.7	0.945	0.4	0.3	0	51.6	51.6	0	148	148	0	28	28
2024	10	24	15	41	20	27.1	-1.6	0.945	0.5	0.4	0	52	52	0	148	149	0	27	28
2024	10	24	15	51	20	26.8	-0.5	0.945	0.5	0.4	0	51.2	52	0	147	149	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	24	16	1	20	27.7	-1.7	0.945	0.4	0.3	0	51.2	52	0	147	149	0	28	28
2024	10	24	16	11	20	27.7	-1.6	0.945	0.5	0.4	0	52	52.5	0	149	149	0	28	27
2024	10	24	16	21	20	28.9	-1.4	0.945	0.5	0.5	0	52	52	0	149	149	0	28	28
2024	10	24	16	31	20	27.3	-0.8	0.945	0.4	0.3	0	51.6	52	0	148	149	0	28	28
2024	10	24	16	41	20	26.7	-1.3	0.945	0.5	0.4	0	51.6	51.6	0	148	149	0	28	29
2024	10	24	16	51	20	27.4	-1.3	0.946	0.5	0.4	0	51.6	52	0	148	149	0	28	28
2024	10	24	17	1	20	27.6	-1.6	0.946	0.5	0.4	0	52	52.5	0	149	150	0	28	28
2024	10	24	17	11	20	28.2	-1.8	0.946	0.4	0.3	0	51.6	51.6	0	148	149	0	28	29
2024	10	24	17	21	20	27.5	-2.5	0.946	0.5	0.4	0	52	52	0	148	149	0	27	28
2024	10	24	17	31	20	28.1	-1.4	0.946	0.5	0.4	0	52	52	0	148	149	0	27	28
2024	10	24	17	41	20	27.9	-0.9	0.946	0.5	0.5	0	52	52.5	0	149	150	0	28	28
2024	10	24	17	51	20	27.8	-2.3	0.946	0.5	0.4	0	52.5	52	0	149	150	0	27	29
2024	10	24	18	1	20	28.4	-1.4	0.946	0.4	0.3	0	52	52.5	0	149	150	0	28	28
2024	10	24	18	11	20	26.9	-0.6	0.946	0.3	0.2	0	52	52.5	0	149	150	0	28	28
2024	10	24	18	21	20	26.9	-1.7	0.946	0.3	0.2	0	52	52	0	149	150	0	28	29
2024	10	24	18	31	20	26.4	-0.1	0.946	0.5	0.4	0	52	52.9	0	149	151	0	28	28
2024	10	24	18	41	20	27.1	-1.6	0.946	0.5	0.5	0	52.9	52.9	0	150	151	0	27	28
2024	10	24	18	51	20	28.2	-1.3	0.946	0.5	0.4	0	52.5	52.5	0	150	151	0	28	29
2024	10	24	19	1	20	28	-1.3	0.946	0.4	0.3	0	52.9	52.9	0	150	151	0	27	28
2024	10	24	19	11	20	27.2	-0.9	0.946	0.4	0.3	0	52.9	53.3	0	151	152	0	28	28
2024	10	24	19	21	20	27	-1.8	0.946	0.4	0.3	0	52.9	52.9	0	151	152	0	28	29
2024	10	24	19	31	20	27.2	-1	0.945	0.5	0.5	0	53.3	53.3	0	151	152	0	27	28
2024	10	24	19	41	20	27.6	-2.1	0.946	0.5	0.4	0	52.9	53.3	0	151	152	0	28	28
2024	10	24	19	51	20	27.9	-1.9	0.946	0.5	0.4	0	52.9	53.3	0	151	152	0	28	28
2024	10	24	20	1	20	28.6	-1.2	0.946	0.4	0.3	0	52.9	52.9	0	151	152	0	28	29
2024	10	24	20	11	20	27.7	-1.7	0.946	0.5	0.4	0	52.9	53.3	0	151	152	0	28	28
2024	10	24	20	21	20	28.1	-0.5	0.946	0.5	0.4	0	53.3	53.8	0	151	153	0	27	28
2024	10	24	20	31	20	27.8	-2.2	0.946	0.4	0.3	0	52	53.3	0	149	152	0	28	28
2024	10	24	20	41	20	26	-1.3	0.946	0.4	0.3	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	20	51	20	27.6	-1.7	0.946	0.6	0.5	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	21	1	20	27.8	-0.5	0.946	0.5	0.5	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	21	11	20	27.7	-1.3	0.946	0.5	0.5	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	21	21	20	26.8	-1.7	0.946	0.5	0.4	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	21	31	20	27.5	-1.7	0.946	0.5	0.5	0	53.8	53.3	0	153	153	0	28	29
2024	10	24	21	41	20	27.3	-2	0.946	0.3	0.2	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	21	51	20	28.2	-1.4	0.946	0.5	0.5	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	22	1	20	27.9	-1.3	0.946	0.5	0.4	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	22	11	20	27.7	0.3	0.946	0.4	0.3	0	53.8	53.8	0	153	154	0	28	29
2024	10	24	22	21	20	28	-1.4	0.946	0.5	0.4	0	53.8	53.8	0	153	153	0	28	28
2024	10	24	22	31	20	26.7	-0.6	0.946	0.5	0.4	0	53.8	54.6	0	153	154	0	28	27
2024	10	24	22	41	20	26.4	-1.7	0.946	0.6	0.5	0	54.2	54.2	0	153	154	0	27	28
2024	10	24	22	51	20	27.4	-1.5	0.946	0.4	0.3	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	23	1	20	29.1	-1.7	0.947	0.5	0.5	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	23	11	20	27.7	-2	0.947	0.5	0.5	0	53.3	53.8	0	152	153	0	28	28
2024	10	24	23	21	20	27	-1.1	0.947	0.5	0.4	0	54.2	53.8	0	153	154	0	27	29
2024	10	24	23	31	20	27.7	-1.6	0.948	0.4	0.3	0	53.3	53.3	0	152	153	0	28	29
2024	10	24	23	41	20	27.2	-0.8	0.948	0.5	0.4	0	53.3	53.8	0	152	154	0	28	29
2024	10	24	23	51	20	27.5	-1.1	0.948	0.5	0.4	0	52.9	53.8	0	152	153	0	29	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	25	0	1	20	27.1	-1.8	0.949	0.5	0.5	0	52.9	54.2	0	152	154	0	29	28
2024	10	25	0	11	20	27.3	-1.4	0.949	0.5	0.4	0	53.3	53.8	0	152	154	0	28	29
2024	10	25	0	21	20	27.2	-1.4	0.949	0.5	0.4	0	53.3	53.8	0	152	153	0	28	28
2024	10	25	0	31	20	27	-0.3	0.949	0.5	0.4	0	53.3	53.8	0	152	154	0	28	29
2024	10	25	0	41	20	27.5	-2.5	0.949	0.5	0.4	0	53.3	53.3	0	152	153	0	28	29
2024	10	25	0	51	20	27.5	-1.6	0.949	0.5	0.4	0	53.3	53.3	0	152	153	0	28	29
2024	10	25	1	1	20	26.7	-1.6	0.949	0.5	0.4	0	53.3	53.8	0	152	153	0	28	28
2024	10	25	1	11	20	26.4	-2.3	0.949	0.5	0.4	0	53.8	53.3	0	152	153	0	27	29
2024	10	25	1	21	20	27.4	-1.5	0.949	0.5	0.4	0	53.3	53.8	0	151	153	0	27	28
2024	10	25	1	31	20	28.3	-1.9	0.949	0.5	0.5	0	52.9	53.3	0	151	153	0	28	29
2024	10	25	1	41	20	27.9	-1.4	0.949	0.5	0.5	0	53.3	53.3	0	152	153	0	28	29
2024	10	25	1	51	20	26.5	-1.3	0.949	0.5	0.4	0	52.9	53.3	0	151	153	0	28	29
2024	10	25	2	1	20	28.3	-2.1	0.949	0.3	0.2	0	53.3	52.9	0	152	152	0	28	29
2024	10	25	2	11	20	26.1	-1.2	0.949	0.5	0.4	0	53.3	53.3	0	151	153	0	27	29
2024	10	25	2	21	20	27.6	-1.4	0.949	0.5	0.4	0	52.9	53.3	0	151	152	0	28	28
2024	10	25	2	31	20	27.1	-1.3	0.949	0.5	0.4	0	52.5	52.9	0	151	152	0	29	29
2024	10	25	2	41	20	28	-2.1	0.949	0.5	0.5	0	52.5	53.3	0	151	152	0	29	28
2024	10	25	2	51	20	27.7	-1.7	0.949	0.5	0.4	0	52.5	52.9	0	151	152	0	29	29
2024	10	25	3	1	20	27.3	-1.6	0.949	0.5	0.5	0	52.5	52.9	0	150	152	0	28	29
2024	10	25	3	11	20	28.1	-2.4	0.949	0.4	0.3	0	52.5	52.5	0	150	151	0	28	29
2024	10	25	3	21	20	27.7	-0.4	0.949	0.5	0.4	0	52.5	52.9	0	150	152	0	28	29
2024	10	25	3	31	20	27.7	-2.5	0.949	0.5	0.4	0	52.5	52.9	0	150	152	0	28	29
2024	10	25	3	41	20	26.3	-1.4	0.949	0.5	0.5	0	52.5	52.5	0	150	151	0	28	29
2024	10	25	3	51	20	26.9	-1.9	0.949	0.5	0.4	0	52.5	53.3	0	150	152	0	28	28
2024	10	25	4	1	20	27.2	-1.6	0.949	0.5	0.5	0	52.5	52.5	0	150	151	0	28	29
2024	10	25	4	11	20	28	-1.9	0.949	0.6	0.5	0	52.5	52.5	0	150	151	0	28	29
2024	10	25	4	21	20	27.2	-2.1	0.949	0.5	0.4	0	52.9	52.9	0	151	152	0	28	29
2024	10	25	4	31	20	27.2	-2	0.949	0.5	0.4	0	52.5	52.5	0	150	151	0	28	29
2024	10	25	4	41	20	27.1	-0.8	0.949	0.5	0.4	0	52.5	52.9	0	150	151	0	28	28
2024	10	25	4	51	20	27.2	-1.9	0.949	0.5	0.4	0	52.5	52.9	0	150	151	0	28	28
2024	10	25	5	1	20	27.5	-1.5	0.949	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	25	5	11	20	27	-0.7	0.949	0.5	0.4	0	52	52	0	150	150	0	29	29
2024	10	25	5	21	20	27.4	-2.5	0.949	0.5	0.5	0	52	52.5	0	149	150	0	28	28
2024	10	25	5	31	20	28.5	-0.1	0.949	0.5	0.4	0	52	52.5	0	149	150	0	28	28
2024	10	25	5	41	20	27.7	-1.7	0.949	0.4	0.3	0	52	51.6	0	149	150	0	28	30
2024	10	25	5	51	20	27.5	-1.1	0.949	0.5	0.5	0	51.6	52	0	149	150	0	29	29
2024	10	25	6	1	20	27.9	-1.2	0.949	0.5	0.5	0	51.2	52	0	148	150	0	29	29
2024	10	25	6	11	20	27.8	-0.9	0.949	0.5	0.4	0	51.6	51.6	0	148	149	0	28	29
2024	10	25	6	21	20	28.3	-1.6	0.949	0.4	0.3	0	51.6	51.6	0	148	149	0	28	29
2024	10	25	6	31	20	27.4	-1.3	0.949	0.5	0.5	0	51.2	51.6	0	148	149	0	29	29
2024	10	25	6	41	20	27.2	-1.4	0.949	0.5	0.5	0	51.2	51.6	0	148	149	0	29	29
2024	10	25	6	51	20	27.1	-2	0.949	0.4	0.3	0	51.6	51.6	0	148	149	0	28	29
2024	10	25	7	1	20	28.4	-1.3	0.949	0.5	0.4	0	51.2	51.2	0	147	148	0	28	29
2024	10	25	7	11	20	28.2	-1.2	0.949	0.5	0.4	0	51.2	51.2	0	147	148	0	28	29
2024	10	25	7	21	20	27.5	-2.2	0.949	0.5	0.4	0	50.3	50.7	0	146	147	0	29	29
2024	10	25	7	31	20	27.6	-1.3	0.949	0.5	0.4	0	50.3	50.7	0	146	147	0	29	29
2024	10	25	7	41	20	27.3	-2.2	0.949	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	25	7	51	20	28.3	-1.4	0.949	0.5	0.4	0	49.9	49.9	0	144	145	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	25	8	1	20	27	-0.3	0.949	0.5	0.5	0	49.5	50.3	0	144	145	0	29	28
2024	10	25	8	11	20	27.9	-1.8	0.949	0.4	0.3	0	49.9	50.3	0	144	145	0	28	28
2024	10	25	8	21	20	28.5	-0.3	0.949	0.5	0.4	0	49	49.5	0	143	144	0	29	29
2024	10	25	8	31	20	28.1	-1	0.949	0.5	0.4	0	49	49	0	142	143	0	28	29
2024	10	25	8	41	20	27.8	-1.7	0.949	0.5	0.4	0	48.6	49	0	142	143	0	29	29
2024	10	25	8	51	20	27.5	-1.7	0.949	0.5	0.4	0	49	48.6	0	142	142	0	28	29
2024	10	25	9	1	20	27.6	-1.2	0.949	0.5	0.4	0	48.2	47.7	0	141	141	0	29	30
2024	10	25	9	11	20	27.2	-2.2	0.949	0.3	0.2	0	48.2	48.2	0	140	141	0	28	29
2024	10	25	9	21	20	27.3	-2.3	0.949	0.4	0.3	0	47.7	48.2	0	140	141	0	29	29
2024	10	25	9	31	20	28.5	-1.9	0.949	0.6	0.5	0	47.7	48.2	0	139	141	0	28	29
2024	10	25	9	41	20	27.9	-1.8	0.949	0.5	0.4	0	47.3	48.2	0	139	140	0	29	28
2024	10	25	9	51	20	26.9	-1.9	0.949	0.5	0.4	0	47.3	47.7	0	139	140	0	29	29
2024	10	25	10	1	20	26.9	-1.7	0.949	0.5	0.4	0	47.3	47.7	0	139	140	0	29	29
2024	10	25	10	11	20	28	-2.4	0.949	0.5	0.4	0	47.3	47.7	0	138	140	0	28	29
2024	10	25	10	21	20	27.6	-1.3	0.95	0.4	0.3	0	47.7	47.7	0	139	140	0	28	29
2024	10	25	10	31	20	27.2	-0.9	0.95	0.4	0.3	0	47.3	48.2	0	139	141	0	29	29
2024	10	25	10	41	20	28.3	-2.1	0.95	0.5	0.5	0	48.2	48.2	0	140	141	0	28	29
2024	10	25	10	51	20	26.5	-1.8	0.95	0.5	0.5	0	47.7	48.2	0	140	141	0	29	29
2024	10	25	11	1	20	28	-2.5	0.95	0.5	0.4	0	47.3	47.3	0	138	140	0	28	30
2024	10	25	11	11	20	28.1	-1.7	0.95	0.5	0.4	0	47.3	47.7	0	139	140	0	29	29
2024	10	25	11	21	20	26.4	-2.4	0.95	0.5	0.5	0	47.7	47.7	0	139	140	0	28	29
2024	10	25	11	31	20	28.1	-2.6	0.95	0.5	0.4	0	47.3	47.7	0	139	140	0	29	29
2024	10	25	11	41	20	26.9	-1.7	0.95	0.5	0.4	0	47.7	47.7	0	139	140	0	28	29
2024	10	25	11	51	20	26.7	-1.7	0.95	0.5	0.4	0	48.2	48.2	0	140	141	0	28	29
2024	10	25	12	1	20	25.9	0.5	0.95	0.4	0.3	0	47.7	47.7	0	139	140	0	28	29
2024	10	25	12	11	20	26.5	-1.3	0.95	0.5	0.4	0	48.2	48.2	0	140	141	0	28	29
2024	10	25	12	21	20	26.9	-1.8	0.951	0.4	0.3	0	48.2	48.2	0	141	141	0	29	29
2024	10	25	12	31	20	27.7	-0.7	0.951	0.5	0.4	0	48.2	48.2	0	141	141	0	29	29
2024	10	25	12	41	20	27.8	-0.4	0.951	0.5	0.4	0	48.6	48.6	0	141	141	0	28	28
2024	10	25	12	51	20	27.5	-2.8	0.951	0.5	0.5	0	48.2	48.2	0	140	141	0	28	29
2024	10	25	13	1	20	28.1	-1.6	0.951	0.4	0.3	0	48.2	48.6	0	140	141	0	28	28
2024	10	25	13	11	20	27.5	-2	0.951	0.5	0.5	0	48.2	48.2	0	141	141	0	29	29
2024	10	25	13	21	20	27.7	-1	0.951	0.3	0.2	0	49	48.6	0	142	142	0	28	29
2024	10	25	13	31	20	27.5	-1.4	0.951	0.5	0.5	0	49.9	49.9	0	144	144	0	28	28
2024	10	25	13	41	20	27.6	-1.4	0.951	0.5	0.4	0	49.5	49.9	0	143	144	0	28	28
2024	10	25	13	51	20	29.1	-2.2	0.951	0.5	0.5	0	49.5	49.5	0	143	144	0	28	29
2024	10	25	14	1	20	28.2	-2.8	0.951	0.4	0.3	0	49	49	0	142	143	0	28	29
2024	10	25	14	11	20	27.6	-2	0.95	0.4	0.3	0	49.9	50.3	0	144	145	0	28	28
2024	10	25	14	21	20	27.7	-1.7	0.95	0.5	0.4	0	50.3	49.9	0	145	145	0	28	29
2024	10	25	14	31	20	27.9	-2	0.95	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	25	14	41	20	27.1	-2	0.95	0.3	0.2	0	50.7	50.3	0	146	146	0	28	29
2024	10	25	14	51	20	28.2	-1.7	0.95	0.4	0.3	0	50.3	50.3	0	145	146	0	28	29
2024	10	25	15	1	20	27.3	-1.7	0.95	0.5	0.4	0	50.3	50.7	0	145	146	0	28	28
2024	10	25	15	11	20	27	-2.4	0.95	0.5	0.4	0	50.3	50.7	0	145	146	0	28	28
2024	10	25	15	21	20	28.2	-2.1	0.95	0.5	0.5	0	50.3	50.7	0	145	146	0	28	28
2024	10	25	15	31	20	28.4	-2.1	0.949	0.6	0.5	0	50.3	50.7	0	145	146	0	28	28
2024	10	25	15	41	20	28.9	-1.5	0.949	0.4	0.3	0	50.3	50.7	0	145	146	0	28	28
2024	10	25	15	51	20	27.7	-1.9	0.949	0.5	0.4	0	50.7	50.7	0	146	147	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	25	16	1	20	27.7	-2.2	0.949	0.5	0.4	0	50.7	51.2	0	146	147	0	28	28
2024	10	25	16	11	20	27.3	-1.3	0.949	0.5	0.4	0	51.6	51.6	0	147	148	0	27	28
2024	10	25	16	21	20	27.3	-2	0.949	0.6	0.5	0	51.6	51.2	0	147	148	0	27	29
2024	10	25	16	31	20	27.2	-1.9	0.949	0.4	0.3	0	52	52	0	148	149	0	27	28
2024	10	25	16	41	20	28.2	-2.1	0.949	0.5	0.5	0	52	51.6	0	148	148	0	27	28
2024	10	25	16	51	20	27	-1.7	0.949	0.4	0.3	0	51.6	52	0	148	149	0	28	28
2024	10	25	17	1	20	27.9	-0.6	0.95	0.4	0.3	0	52	51.6	0	149	149	0	28	29
2024	10	25	17	11	20	27.5	-0.7	0.949	0.4	0.3	0	52	52	0	149	150	0	28	29
2024	10	25	17	21	20	27.8	-2.3	0.95	0.5	0.5	0	52	52.5	0	149	150	0	28	28
2024	10	25	17	31	20	27.8	-1.7	0.949	0.5	0.4	0	52.5	52.5	0	149	150	0	27	28
2024	10	25	17	41	20	28	-1.7	0.949	0.4	0.3	0	51.6	52.5	0	149	150	0	29	28
2024	10	25	17	51	20	27.2	-1.2	0.949	0.4	0.3	0	52.5	52.9	0	150	151	0	28	28
2024	10	25	18	1	20	28.4	-0.6	0.949	0.5	0.4	0	52.5	52.9	0	150	151	0	28	28
2024	10	25	18	11	20	27.3	-0.9	0.949	0.4	0.3	0	52.9	52.9	0	150	151	0	27	28
2024	10	25	18	21	20	27.4	-1.1	0.949	0.5	0.4	0	52.9	52.9	0	151	152	0	28	29
2024	10	25	18	31	20	27.1	-2.2	0.949	0.4	0.3	0	52.5	53.8	0	150	153	0	28	28
2024	10	25	18	41	20	27	-1.2	0.948	0.5	0.4	0	53.3	53.8	0	152	153	0	28	28
2024	10	25	18	51	20	28	-1.5	0.95	0.5	0.5	0	53.8	53.3	0	153	153	0	28	29
2024	10	25	19	1	20	26.7	-2	0.95	0.5	0.4	0	53.8	53.3	0	153	153	0	28	29
2024	10	25	19	11	20	27.5	-2.1	0.95	0.5	0.5	0	53.8	53.3	0	153	153	0	28	29
2024	10	25	19	21	20	27.6	-2	0.95	0.5	0.4	0	53.8	54.2	0	153	154	0	28	28
2024	10	25	19	31	20	27.1	-0.5	0.95	0.4	0.3	0	53.8	53.3	0	153	153	0	28	29
2024	10	25	19	41	20	28.4	-1.6	0.949	0.5	0.4	0	54.2	54.2	0	153	154	0	27	28
2024	10	25	19	51	20	26.7	-1.1	0.95	0.4	0.3	0	53.8	53.8	0	153	154	0	28	29
2024	10	25	20	1	20	27.7	-1.4	0.95	0.5	0.4	0	54.2	54.2	0	153	154	0	27	28
2024	10	25	20	11	20	27.2	-1.1	0.95	0.5	0.4	0	54.2	54.2	0	154	154	0	28	28
2024	10	25	20	21	20	26.2	-1.7	0.95	0.5	0.5	0	54.2	55	0	154	156	0	28	28
2024	10	25	20	31	20	28.2	-1.1	0.95	0.5	0.4	0	54.6	54.6	0	154	155	0	27	28
2024	10	25	20	41	20	28.8	-1.4	0.95	0.5	0.5	0	54.2	54.6	0	154	155	0	28	28
2024	10	25	20	51	20	28.4	-1.2	0.95	0.5	0.4	0	54.6	54.2	0	154	155	0	27	29
2024	10	25	21	1	20	26.4	-0.4	0.95	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	25	21	11	20	27.2	-1.4	0.95	0.5	0.4	0	54.6	55	0	155	156	0	28	28
2024	10	25	21	21	20	28	-0.6	0.95	0.5	0.4	0	54.6	54.6	0	155	156	0	28	29
2024	10	25	21	31	20	26.3	-0.5	0.95	0.5	0.4	0	54.6	55	0	155	156	0	28	28
2024	10	25	21	41	20	28.7	-1.8	0.95	0.4	0.3	0	55	55	0	155	156	0	27	28
2024	10	25	21	51	20	27.7	-2	0.95	0.5	0.4	0	54.6	54.6	0	155	156	0	28	29
2024	10	25	22	1	20	28.2	-1.4	0.95	0.3	0.2	0	54.6	55	0	155	156	0	28	28
2024	10	25	22	11	20	27.8	-1.1	0.95	0.5	0.4	0	54.2	55	0	155	156	0	29	28
2024	10	25	22	21	20	27	-0.9	0.95	0.5	0.4	0	53.8	54.2	0	154	155	0	29	29
2024	10	25	22	31	20	27.2	-1.4	0.95	0.5	0.5	0	54.2	54.2	0	154	155	0	28	29
2024	10	25	22	41	20	27.7	-1.9	0.95	0.5	0.4	0	53.8	54.2	0	154	155	0	29	29
2024	10	25	22	51	20	27.1	-1.3	0.95	0.5	0.4	0	55	54.2	0	156	155	0	28	29
2024	10	25	23	1	20	28.1	-1.5	0.95	0.4	0.3	0	54.6	54.6	0	155	155	0	28	28
2024	10	25	23	11	20	26.9	-1.8	0.95	0.5	0.4	0	55	54.6	0	155	156	0	27	29
2024	10	25	23	21	20	27.9	-1.3	0.95	0.4	0.3	0	55	54.6	0	156	156	0	28	29
2024	10	25	23	31	20	26.4	-1	0.95	0.5	0.5	0	55	54.6	0	156	156	0	28	29
2024	10	25	23	41	20	26.4	-0.5	0.95	0.5	0.4	0	55	54.6	0	156	156	0	28	29
2024	10	25	23	51	20	27.5	-0.6	0.95	0.5	0.4	0	54.6	54.6	0	155	156	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	26	0	1	20	27.6	-1.6	0.949	0.4	0.3	0	55	55	0	155	156	0	27	28
2024	10	26	0	11	20	27.5	-2	0.949	0.4	0.3	0	55	54.6	0	155	155	0	27	28
2024	10	26	0	21	20	27.1	-1.1	0.949	0.5	0.4	0	54.6	54.6	0	155	156	0	28	29
2024	10	26	0	31	20	27.9	-2	0.949	0.5	0.4	0	54.6	54.2	0	155	155	0	28	29
2024	10	26	0	41	20	28	-1	0.949	0.4	0.3	0	54.6	54.6	0	155	155	0	28	28
2024	10	26	0	51	20	27.5	-1.6	0.949	0.5	0.4	0	54.6	54.6	0	155	156	0	28	29
2024	10	26	1	1	20	27.8	-1.9	0.949	0.4	0.3	0	54.2	54.2	0	154	155	0	28	29
2024	10	26	1	11	20	28.4	-2.2	0.949	0.5	0.5	0	54.2	54.6	0	154	155	0	28	28
2024	10	26	1	21	20	27.9	-1.6	0.949	0.5	0.5	0	54.2	54.6	0	154	155	0	28	28
2024	10	26	1	31	20	26.9	-2.1	0.949	0.4	0.3	0	54.2	54.2	0	155	155	0	29	29
2024	10	26	1	41	20	26.7	-1.5	0.949	0.4	0.3	0	54.2	54.2	0	154	155	0	28	29
2024	10	26	1	51	20	26.9	-1.2	0.949	0.5	0.5	0	54.2	54.2	0	154	155	0	28	29
2024	10	26	2	1	20	28.8	-1.7	0.949	0.5	0.5	0	54.2	54.2	0	154	155	0	28	29
2024	10	26	2	11	20	26.9	-1.2	0.949	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	26	2	21	20	26.1	-1.6	0.949	0.5	0.4	0	54.2	54.2	0	154	155	0	28	29
2024	10	26	2	31	20	26.6	-1.6	0.948	0.5	0.5	0	54.2	54.2	0	154	155	0	28	29
2024	10	26	2	41	20	27.8	-1.3	0.949	0.4	0.3	0	54.2	53.8	0	154	155	0	28	30
2024	10	26	2	51	20	27.5	-1.7	0.948	0.5	0.4	0	54.2	54.6	0	154	155	0	28	28
2024	10	26	3	1	20	26.8	-1.3	0.948	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	26	3	11	20	27.9	-1.7	0.948	0.6	0.5	0	53.8	53.8	0	153	154	0	28	29
2024	10	26	3	21	20	27.2	-1.2	0.948	0.5	0.4	0	53.8	54.6	0	154	155	0	29	28
2024	10	26	3	31	20	26.8	-1.8	0.948	0.4	0.3	0	53.8	53.8	0	153	154	0	28	29
2024	10	26	3	41	20	27.5	-1.7	0.948	0.5	0.5	0	53.8	54.2	0	153	154	0	28	28
2024	10	26	3	51	20	26.4	-1.7	0.948	0.4	0.3	0	54.2	53.8	0	154	154	0	28	29
2024	10	26	4	1	20	27.2	-0.7	0.948	0.5	0.5	0	53.8	54.2	0	153	154	0	28	28
2024	10	26	4	11	20	27.7	0	0.948	0.4	0.3	0	53.8	53.8	0	153	154	0	28	29
2024	10	26	4	21	20	27	-1	0.948	0.5	0.4	0	53.8	54.2	0	153	154	0	28	28
2024	10	26	4	31	20	26.9	-1.3	0.948	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	26	4	41	20	27.3	-2.3	0.948	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	26	4	51	20	26.7	-1.2	0.948	0.5	0.4	0	53.8	54.2	0	153	154	0	28	28
2024	10	26	5	1	20	27.5	-1.3	0.948	0.5	0.5	0	53.8	53.8	0	153	154	0	28	29
2024	10	26	5	11	20	27.2	-1.7	0.947	0.4	0.3	0	53.3	54.2	0	152	154	0	28	28
2024	10	26	5	21	20	26.6	-1.3	0.948	0.5	0.4	0	53.3	53.8	0	153	154	0	29	29
2024	10	26	5	31	20	27.2	-1.6	0.947	0.5	0.5	0	53.3	53.3	0	152	153	0	28	29
2024	10	26	5	41	20	26.4	-0.4	0.947	0.4	0.3	0	53.3	53.8	0	153	154	0	29	29
2024	10	26	5	51	20	27.7	-1.6	0.947	0.5	0.5	0	53.3	53.3	0	152	153	0	28	29
2024	10	26	6	1	20	27.9	-2.2	0.947	0.5	0.4	0	53.3	53.8	0	152	153	0	28	28
2024	10	26	6	11	20	27.1	-1.3	0.947	0.5	0.4	0	53.3	53.3	0	152	153	0	28	29
2024	10	26	6	21	20	27	-2.1	0.947	0.5	0.4	0	53.3	53.3	0	152	153	0	28	29
2024	10	26	6	31	20	27.9	-0.2	0.947	0.5	0.5	0	52.9	53.3	0	152	153	0	29	29
2024	10	26	6	41	20	27.8	-0.7	0.947	0.4	0.3	0	53.8	53.3	0	152	153	0	27	29
2024	10	26	6	51	20	25.6	-1.6	0.947	0.6	0.5	0	53.3	53.8	0	152	154	0	28	29
2024	10	26	7	1	20	27.2	-1.7	0.947	0.5	0.5	0	53.3	53.3	0	152	153	0	28	29
2024	10	26	7	11	20	26.4	-1.4	0.947	0.5	0.4	0	52.9	53.3	0	151	153	0	28	29
2024	10	26	7	21	20	27.4	-1.2	0.947	0.5	0.5	0	53.3	53.3	0	152	153	0	28	29
2024	10	26	7	31	20	27.2	0	0.947	0.4	0.3	0	52.9	52.9	0	151	152	0	28	29
2024	10	26	7	41	20	27.2	-1.7	0.947	0.4	0.3	0	52.5	52.9	0	150	151	0	28	28
2024	10	26	7	51	20	27.7	-1.4	0.947	0.5	0.4	0	52.5	52.9	0	150	151	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	26	8	1	20	27.8	-1	0.947	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	26	8	11	20	28.3	-1.6	0.947	0.5	0.4	0	52	52	0	149	150	0	28	29
2024	10	26	8	21	20	26.1	-0.8	0.946	0.4	0.3	0	52	51.6	0	149	150	0	28	30
2024	10	26	8	31	20	27	-2.5	0.946	0.4	0.3	0	51.6	51.6	0	148	149	0	28	29
2024	10	26	8	41	20	27.7	-2.1	0.946	0.5	0.5	0	51.2	51.6	0	147	149	0	28	29
2024	10	26	8	51	20	27.4	-1.6	0.946	0.4	0.3	0	51.2	51.6	0	147	148	0	28	28
2024	10	26	9	1	20	27.8	-2.2	0.946	0.5	0.4	0	50.7	50.7	0	146	147	0	28	29
2024	10	26	9	11	20	26.9	-0.9	0.946	0.4	0.3	0	49.9	50.3	0	145	146	0	29	29
2024	10	26	9	21	20	26.5	-1.2	0.946	0.5	0.4	0	50.7	51.2	0	146	147	0	28	28
2024	10	26	9	31	20	26.9	-1.1	0.946	0.5	0.4	0	50.7	50.7	0	146	147	0	28	29
2024	10	26	9	41	20	27.2	-1.4	0.946	0.5	0.4	0	50.3	50.7	0	145	147	0	28	29
2024	10	26	9	51	20	27.6	-1.3	0.946	0.4	0.3	0	49.5	50.3	0	144	146	0	29	29
2024	10	26	10	1	20	27.1	-1.7	0.946	0.4	0.3	0	50.3	50.3	0	146	147	0	29	30
2024	10	26	10	11	20	26.3	-1.7	0.946	0.4	0.3	0	51.2	51.6	0	147	149	0	28	29
2024	10	26	10	21	20	27.5	-2.2	0.946	0.5	0.5	0	52.5	52.5	0	150	151	0	28	29
2024	10	26	10	31	20	28.1	-2.1	0.946	0.5	0.4	0	50.7	51.6	0	147	149	0	29	29
2024	10	26	10	41	20	27.2	-1.6	0.946	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	26	10	51	20	27.4	-0.3	0.945	0.5	0.5	0	50.3	50.7	0	145	147	0	28	29
2024	10	26	11	1	20	28.3	-1.3	0.946	0.4	0.3	0	50.3	50.3	0	145	146	0	28	29
2024	10	26	11	11	20	26	-1.7	0.945	0.5	0.4	0	49.9	50.3	0	145	146	0	29	29
2024	10	26	11	21	20	26.7	-1.5	0.945	0.5	0.4	0	52	51.6	0	148	149	0	27	29
2024	10	26	11	31	20	27	-1.3	0.943	0.4	0.3	0	51.2	51.2	0	147	148	0	28	29
2024	10	26	11	41	20	28.2	-1.6	0.943	0.5	0.5	0	51.6	51.6	0	148	149	0	28	29
2024	10	26	11	51	20	27.7	-1.7	0.943	0.5	0.5	0	49.9	50.3	0	144	145	0	28	28
2024	10	26	12	1	20	26.8	-1.3	0.943	0.5	0.4	0	49.9	50.3	0	144	145	0	28	28
2024	10	26	12	11	20	27.6	-1.9	0.942	0.4	0.3	0	49.9	49.5	0	144	145	0	28	30
2024	10	26	12	21	20	27.5	-0.7	0.943	0.5	0.5	0	50.3	50.7	0	145	146	0	28	28
2024	10	26	12	31	20	27.4	-1.2	0.943	0.5	0.4	0	49.9	49.9	0	144	145	0	28	29
2024	10	26	12	41	20	27.1	-1	0.943	0.5	0.4	0	49.5	49.9	0	143	145	0	28	29
2024	10	26	12	51	20	26.9	-1.8	0.942	0.6	0.5	0	49.9	49.9	0	144	145	0	28	29
2024	10	26	13	1	20	26.7	-2.5	0.942	0.5	0.4	0	49.9	49.9	0	144	145	0	28	29
2024	10	26	13	11	20	26.8	-1.1	0.942	0.4	0.3	0	49.5	50.3	0	144	145	0	29	28
2024	10	26	13	21	20	27.4	-0.4	0.942	0.5	0.5	0	49.9	49.9	0	144	145	0	28	29
2024	10	26	13	31	20	26.2	-0.9	0.942	0.5	0.5	0	50.3	50.3	0	145	146	0	28	29
2024	10	26	13	41	20	26.6	-1.3	0.942	0.4	0.3	0	50.3	50.7	0	145	147	0	28	29
2024	10	26	13	51	20	27.7	-1.2	0.942	0.6	0.5	0	50.7	50.7	0	146	147	0	28	29
2024	10	26	14	1	20	27.5	-1.7	0.942	0.5	0.4	0	50.7	51.2	0	146	147	0	28	28
2024	10	26	14	11	20	27.6	-2.6	0.942	0.5	0.5	0	50.7	51.2	0	146	148	0	28	29
2024	10	26	14	21	20	27.3	-0.5	0.942	0.5	0.5	0	51.2	51.6	0	147	149	0	28	29
2024	10	26	14	31	20	26.6	-2.6	0.942	0.6	0.5	0	51.2	51.2	0	147	148	0	28	29
2024	10	26	14	41	20	26.6	-1.8	0.942	0.5	0.4	0	52	52	0	148	149	0	27	28
2024	10	26	14	51	20	28.3	-1.8	0.942	0.5	0.4	0	51.6	51.6	0	148	149	0	28	29
2024	10	26	15	1	20	27.6	-1.8	0.942	0.4	0.3	0	51.6	52.5	0	148	150	0	28	28
2024	10	26	15	11	20	26.4	-1.7	0.942	0.5	0.5	0	52	52.5	0	149	151	0	28	29
2024	10	26	15	21	20	27.1	-0.8	0.942	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	26	15	31	20	26.6	-1.7	0.942	0.5	0.4	0	52.5	52.9	0	150	151	0	28	28
2024	10	26	15	41	20	28	-1.7	0.942	0.5	0.4	0	52.5	53.3	0	150	152	0	28	28
2024	10	26	15	51	20	27.2	-1.4	0.942	0.5	0.4	0	52.5	52.9	0	150	152	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	26	16	1	20	27.4	-2.1	0.942	0.5	0.5	0	52.9	52.9	0	151	152	0	28	29
2024	10	26	16	11	20	27.2	-1.4	0.942	0.5	0.5	0	52.9	53.3	0	151	153	0	28	29
2024	10	26	16	21	20	26.9	-1.7	0.942	0.4	0.3	0	52.9	53.3	0	151	153	0	28	29
2024	10	26	16	31	20	27.6	-1.7	0.942	0.5	0.4	0	53.8	53.8	0	152	154	0	27	29
2024	10	26	16	41	20	26.8	-1	0.943	0.4	0.3	0	52.9	53.3	0	151	153	0	28	29
2024	10	26	16	51	20	28.6	-1.5	0.942	0.5	0.4	0	53.3	53.3	0	152	153	0	28	29
2024	10	26	17	1	20	27.9	-1.1	0.943	0.5	0.4	0	53.3	53.8	0	152	154	0	28	29
2024	10	26	17	11	20	28.1	-0.3	0.943	0.5	0.4	0	53.3	54.2	0	152	154	0	28	28
2024	10	26	17	21	20	27.2	-1.4	0.943	0.5	0.4	0	53.8	54.2	0	152	154	0	27	28
2024	10	26	17	31	20	27.1	-0.9	0.943	0.4	0.3	0	53.8	54.6	0	153	155	0	28	28
2024	10	26	17	41	20	27.1	-0.1	0.943	0.6	0.5	0	53.8	54.2	0	153	154	0	28	28
2024	10	26	17	51	20	26.6	-1.3	0.943	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	26	18	1	20	27.2	-2.1	0.943	0.6	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	26	18	11	20	26.9	-1.3	0.943	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	26	18	21	20	26.6	-2.1	0.943	0.4	0.3	0	54.2	54.6	0	154	155	0	28	28
2024	10	26	18	31	20	27.7	-2.2	0.943	0.5	0.4	0	54.2	54.6	0	153	155	0	27	28
2024	10	26	18	41	20	26.4	-1.4	0.943	0.5	0.5	0	54.6	55.5	0	154	157	0	27	28
2024	10	26	18	51	20	25.5	-1.8	0.943	0.3	0.2	0	55	55	0	155	157	0	27	29
2024	10	26	19	1	20	26.6	-1.1	0.944	0.6	0.5	0	54.6	54.6	0	155	156	0	28	29
2024	10	26	19	11	20	26.8	-1.2	0.943	0.5	0.4	0	53.8	55.5	0	153	157	0	28	28
2024	10	26	19	21	20	27.2	-1.4	0.944	0.5	0.5	0	55	55	0	156	157	0	28	29
2024	10	26	19	31	20	26.8	-1.3	0.944	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	26	19	41	20	26.9	-1.7	0.944	0.4	0.3	0	55	55	0	156	157	0	28	29
2024	10	26	19	51	20	27.9	-1.3	0.944	0.5	0.4	0	55.5	55.5	0	157	157	0	28	28
2024	10	26	20	1	20	28.3	-0.9	0.944	0.4	0.3	0	55.9	55.5	0	157	158	0	27	29
2024	10	26	20	11	20	27.6	-1.9	0.944	0.5	0.5	0	55.5	55.9	0	157	158	0	28	28
2024	10	26	20	21	20	27.5	-0.9	0.944	0.5	0.4	0	55.5	55.9	0	157	158	0	28	28
2024	10	26	20	31	20	27.5	-0.5	0.944	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	26	20	41	20	27.1	-1.8	0.944	0.5	0.5	0	55.5	55.9	0	157	158	0	28	28
2024	10	26	20	51	20	27.2	0	0.944	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	26	21	1	20	27.1	-1.1	0.944	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	26	21	11	20	27.8	-0.5	0.944	0.5	0.5	0	55.5	55.9	0	157	159	0	28	29
2024	10	26	21	21	20	27.8	-1.8	0.944	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	26	21	31	20	26.9	-1.7	0.944	0.5	0.4	0	55.9	56.3	0	158	159	0	28	28
2024	10	26	21	41	20	26.9	-1.9	0.944	0.5	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	26	21	51	20	27.3	0	0.944	0.3	0.2	0	55.5	55.9	0	157	159	0	28	29
2024	10	26	22	1	20	26.2	-0.9	0.944	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	26	22	11	20	27.3	-1.2	0.944	0.5	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	26	22	21	20	27.7	-1.4	0.945	0.4	0.3	0	55.9	55.9	0	157	158	0	27	28
2024	10	26	22	31	20	26.3	-1.5	0.945	0.5	0.4	0	55.9	55.9	0	158	159	0	28	29
2024	10	26	22	41	20	27.9	-2.3	0.945	0.4	0.3	0	55.5	56.3	0	157	159	0	28	28
2024	10	26	22	51	20	28.8	-0.8	0.945	0.5	0.4	0	55.5	55.9	0	157	159	0	28	29
2024	10	26	23	1	20	27.1	-2.5	0.945	0.5	0.5	0	55.5	55.5	0	157	158	0	28	29
2024	10	26	23	11	20	28.2	-1.6	0.945	0.6	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	26	23	21	20	27.6	-1.2	0.945	0.4	0.3	0	55.5	56.3	0	157	159	0	28	28
2024	10	26	23	31	20	25.1	-0.4	0.945	0.4	0.3	0	55.5	55.9	0	157	159	0	28	29
2024	10	26	23	41	20	27.5	-1.9	0.945	0.5	0.5	0	55	55.5	0	156	158	0	28	29
2024	10	26	23	51	20	26.4	-0.8	0.946	0.4	0.3	0	55.5	55.9	0	157	159	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	27	0	1	20	28.1	-1.4	0.946	0.4	0.3	0	55	55.5	0	156	158	0	28	29
2024	10	27	0	11	20	27.4	-0.7	0.946	0.4	0.3	0	55	55.9	0	156	158	0	28	28
2024	10	27	0	21	20	27.3	-1.7	0.947	0.5	0.4	0	55.5	55.5	0	157	158	0	28	29
2024	10	27	0	31	20	28	-1.1	0.947	0.3	0.2	0	55.5	55.9	0	157	159	0	28	29
2024	10	27	0	41	20	27.7	-1.7	0.948	0.5	0.4	0	55	55.5	0	156	158	0	28	29
2024	10	27	0	51	20	27.7	-2.8	0.948	0.4	0.3	0	55	55.9	0	156	158	0	28	28
2024	10	27	1	1	20	27.2	-1.7	0.948	0.5	0.4	0	55	55.5	0	156	158	0	28	29
2024	10	27	1	11	20	27.8	-0.9	0.948	0.5	0.4	0	55	55.5	0	156	158	0	28	29
2024	10	27	1	21	20	26.9	-1.2	0.948	0.4	0.3	0	55.5	56.3	0	157	159	0	28	28
2024	10	27	1	31	20	27.6	-1.5	0.948	0.4	0.3	0	55	55.9	0	156	158	0	28	28
2024	10	27	1	41	20	26.7	-2	0.949	0.5	0.5	0	55.5	55.9	0	156	158	0	27	28
2024	10	27	1	51	20	28	-2.1	0.949	0.5	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	27	2	1	20	26.9	-0.7	0.949	0.4	0.3	0	54.6	55.9	0	156	158	0	29	28
2024	10	27	2	11	20	27	-1.9	0.949	0.5	0.5	0	55.5	55.5	0	156	158	0	27	29
2024	10	27	2	21	20	27.2	-1.2	0.949	0.5	0.5	0	55	55	0	155	157	0	27	29
2024	10	27	2	31	20	27.9	-1.6	0.949	0.5	0.5	0	55	55.5	0	156	158	0	28	29
2024	10	27	2	41	20	27.3	-1.7	0.949	0.5	0.4	0	54.6	55	0	155	157	0	28	29
2024	10	27	2	51	20	27.8	-1.1	0.949	0.5	0.4	0	54.6	55	0	155	157	0	28	29
2024	10	27	3	1	20	27.3	-1.6	0.949	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	27	3	11	20	27	-1.9	0.949	0.5	0.4	0	54.6	55	0	155	157	0	28	29
2024	10	27	3	21	20	27.4	-1.4	0.949	0.3	0.2	0	54.6	55.5	0	155	157	0	28	28
2024	10	27	3	31	20	27.7	-1.9	0.949	0.5	0.4	0	54.6	54.6	0	154	156	0	27	29
2024	10	27	3	41	20	27.5	-1.5	0.949	0.4	0.3	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	3	51	20	27.4	-1.4	0.949	0.5	0.5	0	53.8	54.6	0	154	156	0	29	29
2024	10	27	4	1	20	27.3	-2.5	0.949	0.5	0.4	0	54.2	55	0	154	157	0	28	29
2024	10	27	4	11	20	26.7	-1.8	0.949	0.4	0.3	0	54.6	55	0	155	157	0	28	29
2024	10	27	4	21	20	28.1	-1.3	0.949	0.5	0.4	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	4	31	20	27.8	-1.2	0.949	0.5	0.4	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	4	41	20	27.8	-1.8	0.949	0.4	0.3	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	4	51	20	26.8	-2.1	0.949	0.5	0.4	0	54.2	55	0	154	156	0	28	28
2024	10	27	5	1	20	26.9	-2.1	0.949	0.4	0.3	0	54.6	54.6	0	154	156	0	27	29
2024	10	27	5	11	20	28.4	-0.9	0.949	0.4	0.3	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	5	21	20	26.1	-1.4	0.949	0.5	0.4	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	5	31	20	27.6	-1.4	0.949	0.4	0.3	0	53.8	55	0	153	156	0	28	28
2024	10	27	5	41	20	27.2	-1.3	0.949	0.5	0.4	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	5	51	20	26.5	-1.7	0.949	0.5	0.4	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	6	1	20	27	-2.3	0.949	0.5	0.5	0	53.8	54.2	0	153	155	0	28	29
2024	10	27	6	11	20	26.6	-1.4	0.949	0.4	0.3	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	6	21	20	28	-2.2	0.949	0.4	0.3	0	53.8	53.8	0	153	155	0	28	30
2024	10	27	6	31	20	27.5	-1.9	0.949	0.4	0.3	0	53.8	54.6	0	153	156	0	28	29
2024	10	27	6	41	20	26.7	-1.8	0.949	0.5	0.5	0	54.2	55	0	154	156	0	28	28
2024	10	27	6	51	20	27.4	-1.3	0.949	0.4	0.3	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	7	1	20	27.2	-1.2	0.949	0.4	0.3	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	7	11	20	27	-2	0.949	0.5	0.4	0	54.2	54.6	0	154	156	0	28	29
2024	10	27	7	21	20	27.6	-1.2	0.949	0.5	0.5	0	53.3	54.6	0	153	156	0	29	29
2024	10	27	7	31	20	27.6	-1.7	0.949	0.5	0.4	0	53.8	54.2	0	153	155	0	28	29
2024	10	27	7	41	20	27.1	-1.7	0.949	0.4	0.3	0	53.3	54.6	0	152	155	0	28	28
2024	10	27	7	51	20	27.4	-1.3	0.949	0.4	0.3	0	53.3	53.8	0	152	154	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	27	8	1	20	27.4	-1.9	0.949	0.5	0.4	0	53.3	53.8	0	152	154	0	28	29
2024	10	27	8	11	20	28.2	-1.6	0.949	0.5	0.4	0	52.5	53.3	0	151	153	0	29	29
2024	10	27	8	21	20	27.5	-1.9	0.949	0.5	0.5	0	52.9	53.8	0	151	153	0	28	28
2024	10	27	8	31	20	28.8	-2.6	0.949	0.5	0.4	0	52	52.9	0	149	152	0	28	29
2024	10	27	8	41	20	26.7	-2.2	0.949	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	27	8	51	20	27	-0.7	0.949	0.5	0.5	0	51.6	52.9	0	148	151	0	28	28
2024	10	27	9	1	20	27.3	-1.3	0.949	0.5	0.4	0	51.2	52	0	148	150	0	29	29
2024	10	27	9	11	20	26.8	-0.2	0.949	0.4	0.3	0	51.2	52	0	147	150	0	28	29
2024	10	27	9	21	20	27.6	-1.6	0.949	0.5	0.4	0	51.2	52	0	147	150	0	28	29
2024	10	27	9	31	20	27.4	-2.2	0.949	0.5	0.4	0	50.7	51.2	0	147	148	0	29	29
2024	10	27	9	41	20	28	-1.3	0.949	0.5	0.4	0	51.2	51.6	0	147	149	0	28	29
2024	10	27	9	51	20	28.6	-2.1	0.948	0.4	0.3	0	51.2	52	0	147	150	0	28	29
2024	10	27	10	1	20	27.6	-1.7	0.949	0.5	0.4	0	51.2	51.6	0	147	149	0	28	29
2024	10	27	10	11	20	26.9	-3.2	0.949	0.4	0.3	0	50.3	51.6	0	146	149	0	29	29
2024	10	27	10	21	20	27.1	-2.2	0.949	0.5	0.4	0	50.7	51.6	0	146	149	0	28	29
2024	10	27	10	31	20	28.5	-1.3	0.949	0.4	0.3	0	50.3	51.6	0	146	149	0	29	29
2024	10	27	10	41	20	27	-1.8	0.949	0.4	0.3	0	50.7	52	0	147	149	0	29	28
2024	10	27	10	51	20	27.2	-2.8	0.949	0.5	0.4	0	51.2	52	0	147	149	0	28	28
2024	10	27	11	1	20	27.8	-0.8	0.949	0.4	0.3	0	51.6	51.6	0	147	149	0	27	29
2024	10	27	11	11	20	28.1	-1.9	0.949	0.3	0.2	0	51.2	52	0	147	149	0	28	28
2024	10	27	11	21	20	25.9	-2.5	0.949	0.5	0.4	0	51.2	51.6	0	147	149	0	28	29
2024	10	27	11	31	20	27.8	-0.7	0.949	0.4	0.3	0	50.7	51.6	0	146	149	0	28	29
2024	10	27	11	41	20	28.5	-1	0.949	0.5	0.4	0	50.7	52	0	146	149	0	28	28
2024	10	27	11	51	20	27.5	-1.7	0.948	0.5	0.4	0	51.2	51.6	0	147	149	0	28	29
2024	10	27	12	1	20	27	-1.6	0.948	0.4	0.3	0	52	52	0	148	150	0	27	29
2024	10	27	12	11	20	26.4	-2.3	0.948	0.4	0.3	0	52	52.9	0	149	151	0	28	28
2024	10	27	12	21	20	26.3	-0.4	0.948	0.5	0.4	0	51.6	52.9	0	148	151	0	28	28
2024	10	27	12	31	20	27.6	-1.9	0.948	0.5	0.4	0	51.6	52	0	148	150	0	28	29
2024	10	27	12	41	20	28.5	-2.3	0.948	0.3	0.2	0	52	52.5	0	149	151	0	28	29
2024	10	27	12	51	20	28.1	-0.9	0.948	0.5	0.4	0	52	52.9	0	149	152	0	28	29
2024	10	27	13	1	20	28.2	-1.2	0.947	0.6	0.5	0	52.5	52.9	0	150	152	0	28	29
2024	10	27	13	11	20	26.3	-2.6	0.946	0.4	0.3	0	52.5	53.3	0	150	153	0	28	29
2024	10	27	13	21	20	27.4	-1.8	0.946	0.5	0.4	0	52	52.9	0	150	152	0	29	29
2024	10	27	13	31	20	27.6	-1.3	0.945	0.5	0.5	0	52.9	53.8	0	151	153	0	28	28
2024	10	27	13	41	20	27.5	-1.6	0.945	0.5	0.4	0	52.9	53.3	0	151	153	0	28	29
2024	10	27	13	51	20	27.4	-1.5	0.945	0.5	0.4	0	52.9	53.3	0	151	153	0	28	29
2024	10	27	14	1	20	27.6	-1.7	0.946	0.5	0.4	0	52.9	53.8	0	151	154	0	28	29
2024	10	27	14	11	20	28.2	-1.3	0.945	0.5	0.4	0	53.3	53.8	0	152	154	0	28	29
2024	10	27	14	21	20	27.5	-1.7	0.945	0.5	0.4	0	53.3	54.2	0	151	154	0	27	28
2024	10	27	14	31	20	26.9	-1.7	0.945	0.5	0.4	0	53.3	54.2	0	151	154	0	27	28
2024	10	27	14	41	20	27.3	-0.4	0.945	0.5	0.4	0	53.8	54.2	0	153	155	0	28	29
2024	10	27	14	51	20	27.5	-1.2	0.945	0.5	0.5	0	53.8	53.8	0	152	154	0	27	29
2024	10	27	15	1	20	27.3	-1.2	0.945	0.5	0.4	0	52.9	54.2	0	152	155	0	29	29
2024	10	27	15	11	20	28	-1.3	0.945	0.4	0.3	0	53.3	54.2	0	151	154	0	27	28
2024	10	27	15	21	20	27.4	-0.4	0.945	0.5	0.4	0	53.3	54.2	0	152	155	0	28	29
2024	10	27	15	31	20	27.3	-1.3	0.945	0.5	0.5	0	53.8	54.6	0	153	156	0	28	29
2024	10	27	15	41	20	28.6	-0.3	0.945	0.5	0.4	0	53.8	55	0	153	156	0	28	28
2024	10	27	15	51	20	27.7	-1.7	0.946	0.4	0.3	0	53.8	54.6	0	153	156	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	27	16	1	20	27.1	-0.9	0.946	0.5	0.4	0	53.8	54.6	0	153	156	0	28	29
2024	10	27	16	11	20	27.4	-0.8	0.946	0.5	0.4	0	53.8	55	0	153	157	0	28	29
2024	10	27	16	21	20	26.4	-1.2	0.946	0.5	0.4	0	54.6	55	0	154	157	0	27	29
2024	10	27	16	31	20	28.1	-1.4	0.946	0.5	0.5	0	53.3	55	0	153	156	0	29	28
2024	10	27	16	41	20	27.2	-1.3	0.946	0.5	0.5	0	54.6	55	0	154	157	0	27	29
2024	10	27	16	51	20	27.6	-1.6	0.946	0.5	0.5	0	54.6	55.5	0	154	157	0	27	28
2024	10	27	17	1	20	26.5	-1.9	0.946	0.4	0.3	0	54.2	55	0	154	157	0	28	29
2024	10	27	17	11	20	28.1	-1.1	0.946	0.5	0.4	0	54.2	55.9	0	154	157	0	28	27
2024	10	27	17	21	20	27	-2.4	0.947	0.5	0.4	0	54.2	55	0	154	156	0	28	28
2024	10	27	17	31	20	27	-0.4	0.947	0.5	0.4	0	55	55.5	0	155	157	0	27	28
2024	10	27	17	41	20	28.6	-1.2	0.946	0.5	0.5	0	54.2	55.5	0	154	157	0	28	28
2024	10	27	17	51	20	27.8	-1.7	0.947	0.6	0.5	0	54.2	55.5	0	154	157	0	28	28
2024	10	27	18	1	20	27.3	-1.3	0.947	0.5	0.4	0	54.6	55.9	0	155	158	0	28	28
2024	10	27	18	11	20	26.3	-1.7	0.947	0.4	0.3	0	54.6	55.9	0	155	158	0	28	28
2024	10	27	18	21	20	27.9	-1.2	0.947	0.5	0.5	0	54.6	55.9	0	155	158	0	28	28
2024	10	27	18	31	20	27.5	-1.7	0.947	0.5	0.5	0	55.5	56.3	0	156	159	0	27	28
2024	10	27	18	41	20	28.2	-2.3	0.947	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	27	18	51	20	27.9	-1.6	0.947	0.5	0.4	0	55	55.9	0	156	159	0	28	29
2024	10	27	19	1	20	27.6	-1.9	0.947	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2024	10	27	19	11	20	28.1	-1.4	0.947	0.4	0.3	0	55	56.3	0	156	159	0	28	28
2024	10	27	19	21	20	27.7	-1.5	0.947	0.3	0.2	0	55	55.9	0	156	159	0	28	29
2024	10	27	19	31	20	27.7	-1.3	0.947	0.5	0.5	0	55	56.3	0	156	159	0	28	28
2024	10	27	19	41	20	27	-0.7	0.947	0.5	0.4	0	55.5	55.9	0	156	159	0	27	29
2024	10	27	19	51	20	28.1	-1.1	0.947	0.5	0.5	0	55	56.3	0	156	159	0	28	28
2024	10	27	20	1	20	27.2	-2.3	0.947	0.5	0.5	0	55.9	56.3	0	157	159	0	27	28
2024	10	27	20	11	20	27.2	-2	0.947	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2024	10	27	20	21	20	27.6	-1.7	0.947	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	27	20	31	20	27.3	0	0.947	0.5	0.5	0	56.3	55.9	0	159	159	0	28	29
2024	10	27	20	41	20	28.4	-1.9	0.947	0.5	0.5	0	56.8	56.3	0	159	159	0	27	28
2024	10	27	20	51	20	28.5	-0.9	0.947	0.4	0.3	0	56.8	56.3	0	159	159	0	27	28
2024	10	27	21	1	20	27.7	-1	0.947	0.5	0.4	0	56.3	56.3	0	159	159	0	28	28
2024	10	27	21	11	20	27.4	-1.1	0.947	0.5	0.4	0	56.8	56.3	0	159	159	0	27	28
2024	10	27	21	21	20	27.3	-0.9	0.948	0.5	0.4	0	56.3	56.3	0	159	159	0	28	28
2024	10	27	21	31	20	27.7	-2.2	0.948	0.5	0.4	0	56.8	55.9	0	159	159	0	27	29
2024	10	27	21	41	20	28	-1.5	0.947	0.3	0.2	0	56.3	55.9	0	158	159	0	27	29
2024	10	27	21	51	20	27.9	-2.2	0.947	0.4	0.3	0	56.8	56.3	0	159	159	0	27	28
2024	10	27	22	1	20	27.5	-1.7	0.947	0.5	0.5	0	56.8	56.3	0	159	159	0	27	28
2024	10	27	22	11	20	27.1	-0.4	0.947	0.5	0.4	0	56.3	56.3	0	159	159	0	28	28
2024	10	27	22	21	20	26.7	-3	0.947	0.5	0.4	0	55.9	55.9	0	158	159	0	28	29
2024	10	27	22	31	20	28	-1.5	0.947	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	27	22	41	20	27.3	-1.2	0.947	0.5	0.5	0	55.9	56.3	0	158	159	0	28	28
2024	10	27	22	51	20	26.9	-2.6	0.947	0.5	0.5	0	55.9	55.9	0	158	158	0	28	28
2024	10	27	23	1	20	27.9	-0.9	0.947	0.5	0.5	0	56.3	56.3	0	158	159	0	27	28
2024	10	27	23	11	20	27.1	-1.3	0.947	0.5	0.4	0	55.9	55.9	0	157	159	0	27	29
2024	10	27	23	21	20	26.6	-1.4	0.947	0.5	0.4	0	55.9	55.9	0	158	159	0	28	29
2024	10	27	23	31	20	27.6	-0.4	0.947	0.5	0.4	0	56.3	56.3	0	158	159	0	27	28
2024	10	27	23	41	20	28	-1.5	0.947	0.4	0.3	0	55.9	56.3	0	158	159	0	28	28
2024	10	27	23	51	20	27.5	-1.3	0.947	0.5	0.5	0	55.9	56.3	0	158	159	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	28	0	1	20	27.1	-1.6	0.947	0.5	0.5	0	55.9	56.3	0	158	159	0	28	28
2024	10	28	0	11	20	27.5	-1	0.948	0.5	0.4	0	55.9	56.3	0	158	159	0	28	28
2024	10	28	0	21	20	26.4	-1.4	0.947	0.4	0.3	0	56.3	56.3	0	158	159	0	27	28
2024	10	28	0	31	20	27.8	0	0.947	0.5	0.4	0	55.5	55.5	0	157	158	0	28	29
2024	10	28	0	41	20	28.8	-0.8	0.948	0.5	0.4	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	0	51	20	27	-1.2	0.949	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	28	1	1	20	26.7	-2.6	0.948	0.5	0.5	0	56.3	56.3	0	158	159	0	27	28
2024	10	28	1	11	20	28.4	-2	0.949	0.4	0.3	0	55.5	55.5	0	157	158	0	28	29
2024	10	28	1	21	20	27.5	-1.8	0.949	0.5	0.5	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	1	31	20	26.4	-1.6	0.95	0.4	0.3	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	1	41	20	28	-1.7	0.949	0.4	0.3	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	1	51	20	27.4	-1.4	0.949	0.5	0.4	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	2	1	20	27.5	-1.9	0.95	0.5	0.5	0	55.9	55	0	157	157	0	27	29
2024	10	28	2	11	20	26.1	-1.4	0.95	0.4	0.3	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	2	21	20	27.5	-2.2	0.95	0.5	0.4	0	55.5	55.5	0	156	158	0	27	29
2024	10	28	2	31	20	28.2	-1.3	0.95	0.5	0.4	0	55	55.9	0	156	158	0	28	28
2024	10	28	2	41	20	27.4	-1.7	0.95	0.5	0.4	0	55.5	55.5	0	157	158	0	28	29
2024	10	28	2	51	20	27.4	-1.2	0.95	0.5	0.4	0	55	55	0	156	157	0	28	29
2024	10	28	3	1	20	27.4	-1.3	0.949	0.5	0.4	0	55.5	55.5	0	156	158	0	27	29
2024	10	28	3	11	20	27.4	-0.9	0.95	0.5	0.4	0	55	55.5	0	156	158	0	28	29
2024	10	28	3	21	20	27.7	-2.4	0.949	0.5	0.4	0	55	55	0	156	157	0	28	29
2024	10	28	3	31	20	26.9	-0.4	0.95	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	28	3	41	20	27.6	-1	0.95	0.5	0.5	0	55	55.5	0	156	157	0	28	28
2024	10	28	3	51	20	27.8	-0.9	0.95	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	28	4	1	20	27.2	-1.6	0.95	0.4	0.3	0	55.5	55.5	0	157	158	0	28	29
2024	10	28	4	11	20	26.7	-2.1	0.95	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	28	4	21	20	27.8	-1.1	0.95	0.5	0.4	0	55	55	0	156	157	0	28	29
2024	10	28	4	31	20	27.4	-1.7	0.95	0.5	0.4	0	55.5	55	0	157	157	0	28	29
2024	10	28	4	41	20	27.5	-1.7	0.949	0.5	0.4	0	55.9	55.5	0	157	157	0	27	28
2024	10	28	4	51	20	28.4	-2	0.949	0.5	0.5	0	55	55	0	156	157	0	28	29
2024	10	28	5	1	20	28.3	-1.2	0.948	0.4	0.3	0	55.9	55	0	157	157	0	27	29
2024	10	28	5	11	20	26.4	-1	0.949	0.5	0.4	0	55.5	55	0	157	157	0	28	29
2024	10	28	5	21	20	26	-0.3	0.948	0.5	0.4	0	55	55.5	0	157	158	0	29	29
2024	10	28	5	31	20	27.7	-1.7	0.947	0.5	0.5	0	55.5	55.5	0	157	158	0	28	29
2024	10	28	5	41	20	27.6	-2.1	0.948	0.5	0.5	0	55.5	55.5	0	157	158	0	28	29
2024	10	28	5	51	20	27.2	-0.9	0.946	0.5	0.4	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	6	1	20	27.6	-1.4	0.947	0.5	0.4	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	6	11	20	28.5	-0.9	0.947	0.5	0.4	0	55.5	55.5	0	157	157	0	28	28
2024	10	28	6	21	20	28.1	-2.3	0.947	0.5	0.5	0	55.5	55	0	156	157	0	27	29
2024	10	28	6	31	20	27.1	-1.3	0.946	0.4	0.3	0	55.5	55.5	0	157	158	0	28	29
2024	10	28	6	41	20	26.8	-2.1	0.946	0.5	0.4	0	55.5	55.5	0	157	158	0	28	29
2024	10	28	6	51	20	26.7	-1.6	0.946	0.5	0.4	0	55.9	55.9	0	158	159	0	28	29
2024	10	28	7	1	20	28	-2.9	0.945	0.5	0.4	0	55.5	55.5	0	157	158	0	28	29
2024	10	28	7	11	20	26.5	-2.4	0.945	0.5	0.4	0	55.9	56.3	0	158	159	0	28	28
2024	10	28	7	21	20	27.6	-1.3	0.945	0.5	0.4	0	55.9	55.5	0	157	158	0	27	29
2024	10	28	7	31	20	27.6	-2.1	0.945	0.6	0.5	0	55.5	55.5	0	157	158	0	28	29
2024	10	28	7	41	20	27	-0.6	0.944	0.5	0.5	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	7	51	20	26.2	-0.9	0.944	0.5	0.4	0	55.5	55.5	0	157	158	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	28	8	1	20	26.2	-1.7	0.944	0.5	0.4	0	54.6	55.5	0	155	158	0	28	29
2024	10	28	8	11	20	26.4	-1	0.944	0.5	0.5	0	55.5	55	0	157	157	0	28	29
2024	10	28	8	21	20	26.3	-2.2	0.944	0.5	0.4	0	55.5	55	0	157	157	0	28	29
2024	10	28	8	31	20	25.9	-1.3	0.943	0.4	0.3	0	55.5	54.6	0	156	156	0	27	29
2024	10	28	8	41	20	28.4	-1.1	0.944	0.5	0.4	0	55	54.6	0	156	156	0	28	29
2024	10	28	8	51	20	26.2	-1.3	0.944	0.4	0.3	0	55	55	0	156	156	0	28	28
2024	10	28	9	1	20	27.7	-2.3	0.943	0.4	0.3	0	55	54.6	0	156	156	0	28	29
2024	10	28	9	11	20	26.1	-2.6	0.943	0.5	0.4	0	54.6	54.6	0	155	156	0	28	29
2024	10	28	9	21	20	28.1	-3	0.943	0.5	0.5	0	54.6	54.6	0	155	155	0	28	28
2024	10	28	9	31	20	27.2	-1.5	0.943	0.5	0.4	0	54.6	54.2	0	155	155	0	28	29
2024	10	28	9	41	20	27.2	-1.1	0.943	0.5	0.5	0	54.2	54.6	0	154	155	0	28	28
2024	10	28	9	51	20	26.7	-0.8	0.943	0.5	0.4	0	54.6	55	0	155	156	0	28	28
2024	10	28	10	1	20	26.8	-1.5	0.943	0.5	0.5	0	54.2	53.8	0	154	154	0	28	29
2024	10	28	10	11	20	27	-2.1	0.942	0.5	0.4	0	54.6	54.2	0	154	155	0	27	29
2024	10	28	10	21	20	27.7	-2	0.943	0.4	0.3	0	54.2	54.6	0	154	155	0	28	28
2024	10	28	10	31	20	27.7	-1.7	0.943	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	28	10	41	20	28.8	-1.6	0.943	0.5	0.5	0	54.2	54.6	0	154	155	0	28	28
2024	10	28	10	51	20	27.1	-1.7	0.943	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	28	11	1	20	27.3	-2.6	0.943	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	28	11	11	20	26.5	-0.7	0.943	0.4	0.3	0	54.2	54.6	0	154	155	0	28	28
2024	10	28	11	21	20	27.1	-2.3	0.942	0.5	0.4	0	53.8	54.2	0	153	154	0	28	28
2024	10	28	11	31	20	27.1	-1.8	0.942	0.4	0.3	0	54.2	54.2	0	153	154	0	27	28
2024	10	28	11	41	20	26.6	-1.5	0.942	0.5	0.4	0	53.8	53.8	0	154	154	0	29	29
2024	10	28	11	51	20	27.5	-1.7	0.943	0.4	0.3	0	54.2	54.6	0	154	155	0	28	28
2024	10	28	12	1	20	26.9	-1.4	0.942	0.5	0.5	0	54.6	54.6	0	155	156	0	28	29
2024	10	28	12	11	20	28.4	-2.2	0.942	0.4	0.3	0	54.2	54.6	0	154	155	0	28	28
2024	10	28	12	21	20	28.6	-1.8	0.942	0.5	0.5	0	54.2	54.2	0	154	155	0	28	29
2024	10	28	12	31	20	26.7	-2.1	0.942	0.5	0.4	0	54.6	54.6	0	155	156	0	28	29
2024	10	28	12	41	20	26.3	-1.9	0.942	0.6	0.5	0	55.5	54.6	0	156	156	0	27	29
2024	10	28	12	51	20	26.5	-0.9	0.942	0.5	0.4	0	55	55	0	156	156	0	28	28
2024	10	28	13	1	20	27.2	-1.7	0.942	0.6	0.5	0	54.6	55	0	155	156	0	28	28
2024	10	28	13	11	20	26.5	-1.3	0.941	0.5	0.4	0	53.8	55.5	0	154	157	0	29	28
2024	10	28	13	21	20	26.4	-1.7	0.942	0.5	0.4	0	55	55	0	155	156	0	27	28
2024	10	28	13	31	20	26.4	-1.3	0.941	0.5	0.4	0	55	55	0	156	157	0	28	29
2024	10	28	13	41	20	26.2	-1.2	0.94	0.6	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	28	13	51	20	26.7	-1	0.941	0.4	0.3	0	55	55.5	0	156	157	0	28	28
2024	10	28	14	1	20	27.4	-1.7	0.941	0.4	0.3	0	54.6	55	0	155	156	0	28	28
2024	10	28	14	11	20	27	-1.3	0.94	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28
2024	10	28	14	21	20	26.7	-2.2	0.94	0.5	0.5	0	55.5	55.5	0	157	158	0	28	29
2024	10	28	14	31	20	27	-1.7	0.941	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	28	14	41	20	27.3	-1.7	0.941	0.4	0.3	0	55.9	56.3	0	157	159	0	27	28
2024	10	28	14	51	20	26.7	-1.5	0.941	0.5	0.4	0	55.9	55.9	0	157	158	0	27	28
2024	10	28	15	1	20	26.8	-2.1	0.94	0.5	0.4	0	55.9	55.9	0	157	158	0	27	28
2024	10	28	15	11	20	27.5	-0.9	0.94	0.5	0.5	0	55.5	55.9	0	156	158	0	27	28
2024	10	28	15	21	20	27.1	-1.6	0.94	0.5	0.5	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	15	31	20	26.6	-1	0.939	0.4	0.3	0	55.9	56.3	0	157	159	0	27	28
2024	10	28	15	41	20	28	-1.8	0.939	0.5	0.5	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	15	51	20	26.6	-2.2	0.939	0.5	0.4	0	55.5	55.9	0	156	158	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	28	16	1	20	26.5	-2.1	0.939	0.5	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	28	16	11	20	26.8	-0.9	0.939	0.5	0.4	0	55.5	55.9	0	157	159	0	28	29
2024	10	28	16	21	20	25.9	-1.7	0.939	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	28	16	31	20	27.3	-1.1	0.938	0.5	0.5	0	54.6	55.9	0	155	158	0	28	28
2024	10	28	16	41	20	26.8	-0.3	0.938	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2024	10	28	16	51	20	26.3	-2.6	0.939	0.5	0.5	0	55.9	55.5	0	157	158	0	27	29
2024	10	28	17	1	20	27	-2.4	0.939	0.4	0.3	0	55.5	55.9	0	157	159	0	28	29
2024	10	28	17	11	20	26.3	-1.1	0.939	0.5	0.4	0	55.5	55.9	0	157	158	0	28	28
2024	10	28	17	21	20	27.3	-1.4	0.938	0.4	0.3	0	55.9	55.9	0	157	159	0	27	29
2024	10	28	17	31	20	25.1	-1.2	0.939	0.5	0.5	0	55.9	56.8	0	158	160	0	28	28
2024	10	28	17	41	20	26.4	-1	0.938	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2024	10	28	17	51	20	26.6	-0.6	0.938	0.6	0.5	0	56.3	56.8	0	158	160	0	27	28
2024	10	28	18	1	20	26.7	-1.3	0.938	0.5	0.4	0	55.9	57.2	0	158	160	0	28	27
2024	10	28	18	11	20	26	-0.1	0.939	0.5	0.5	0	55.9	56.3	0	157	159	0	27	28
2024	10	28	18	21	20	27.4	-0.4	0.938	0.4	0.3	0	55.5	55.9	0	157	159	0	28	29
2024	10	28	18	31	20	26.8	-1.9	0.939	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	28	18	41	20	25.9	-2	0.938	0.4	0.3	0	55.9	56.3	0	157	159	0	27	28
2024	10	28	18	51	20	26.9	-1.7	0.939	0.5	0.4	0	55.5	55.9	0	157	159	0	28	29
2024	10	28	19	1	20	26.3	-1.1	0.938	0.4	0.3	0	55.9	56.8	0	158	160	0	28	28
2024	10	28	19	11	20	27.1	-0.1	0.939	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	28	19	21	20	26.5	-1.6	0.939	0.6	0.5	0	55.9	56.3	0	158	160	0	28	29
2024	10	28	19	31	20	27.6	-1.9	0.939	0.4	0.3	0	55.9	56.3	0	157	159	0	27	28
2024	10	28	19	41	20	26.4	-0.8	0.94	0.5	0.4	0	55.9	56.3	0	157	159	0	27	28
2024	10	28	19	51	20	26.6	-1.1	0.94	0.5	0.4	0	55.9	55.9	0	157	159	0	27	29
2024	10	28	20	1	20	26.4	-0.5	0.94	0.5	0.4	0	55.5	56.3	0	157	160	0	28	29
2024	10	28	20	11	20	26.8	-2	0.94	0.6	0.5	0	55.5	56.3	0	156	159	0	27	28
2024	10	28	20	21	20	27.7	-3	0.94	0.5	0.4	0	55.9	55.9	0	157	159	0	27	29
2024	10	28	20	31	20	26.4	-1.3	0.94	0.4	0.3	0	55.5	56.3	0	157	160	0	28	29
2024	10	28	20	41	20	25.5	-0.9	0.94	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	28	20	51	20	26.7	-0.9	0.94	0.5	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	28	21	1	20	27.2	-0.2	0.94	0.4	0.3	0	55.5	56.8	0	157	160	0	28	28
2024	10	28	21	11	20	26.2	-0.9	0.94	0.5	0.5	0	55.5	56.3	0	157	159	0	28	28
2024	10	28	21	21	20	25.9	-2.1	0.941	0.5	0.4	0	55.5	56.3	0	157	159	0	28	28
2024	10	28	21	31	20	26.5	-2.2	0.94	0.5	0.4	0	55.5	55.9	0	156	159	0	27	29
2024	10	28	21	41	20	27.5	-2.1	0.941	0.4	0.3	0	55	55.9	0	156	159	0	28	29
2024	10	28	21	51	20	27.8	-1.5	0.941	0.5	0.4	0	55	55.9	0	156	159	0	28	29
2024	10	28	22	1	20	27.1	-1.7	0.941	0.5	0.4	0	55	56.3	0	156	159	0	28	28
2024	10	28	22	11	20	27.6	-1.5	0.941	0.5	0.5	0	55	56.3	0	156	159	0	28	28
2024	10	28	22	21	20	25.7	-1	0.941	0.5	0.5	0	55.5	56.3	0	156	159	0	27	28
2024	10	28	22	31	20	27.9	-0.1	0.941	0.6	0.5	0	55	55.9	0	156	158	0	28	28
2024	10	28	22	41	20	26.3	-1.5	0.941	0.4	0.3	0	55.5	55.9	0	156	158	0	27	28
2024	10	28	22	51	20	26.1	-1.5	0.941	0.5	0.5	0	55	55.5	0	156	158	0	28	29
2024	10	28	23	1	20	27.4	-2.5	0.941	0.5	0.4	0	54.6	55.5	0	155	158	0	28	29
2024	10	28	23	11	20	27.9	-1.7	0.941	0.6	0.5	0	54.6	55.9	0	155	158	0	28	28
2024	10	28	23	21	20	26.2	-1.4	0.941	0.5	0.5	0	54.6	55.9	0	155	158	0	28	28
2024	10	28	23	31	20	26.9	-2.1	0.941	0.5	0.4	0	55	55.9	0	156	158	0	28	28
2024	10	28	23	41	20	27.3	-0.6	0.941	0.5	0.4	0	54.6	55.5	0	155	158	0	28	29
2024	10	28	23	51	20	27.4	-2.1	0.941	0.5	0.5	0	54.6	55.9	0	155	158	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	29	0	1	20	27.6	-0.5	0.942	0.4	0.3	0	55	55.9	0	156	158	0	28	28
2024	10	29	0	11	20	26.3	-1.7	0.941	0.5	0.4	0	54.6	55	0	155	157	0	28	29
2024	10	29	0	21	20	27.6	-2.2	0.941	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	29	0	31	20	25	-1.4	0.941	0.5	0.5	0	54.6	55.5	0	155	158	0	28	29
2024	10	29	0	41	20	27.2	-2.2	0.941	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2024	10	29	0	51	20	27.5	-1.7	0.941	0.4	0.3	0	54.2	55	0	154	157	0	28	29
2024	10	29	1	1	20	27.6	-1.3	0.941	0.5	0.4	0	54.2	55.5	0	154	157	0	28	28
2024	10	29	1	11	20	27.1	-0.5	0.941	0.5	0.4	0	55	55.5	0	156	157	0	28	28
2024	10	29	1	21	20	27.1	-1.3	0.941	0.4	0.3	0	54.6	55	0	155	157	0	28	29
2024	10	29	1	31	20	27.1	-1.5	0.941	0.5	0.4	0	54.6	55.5	0	155	157	0	28	28
2024	10	29	1	41	20	28	-0.9	0.941	0.5	0.4	0	54.2	54.2	0	154	156	0	28	30
2024	10	29	1	51	20	26.2	-0.6	0.941	0.5	0.5	0	55	55	0	155	157	0	27	29
2024	10	29	2	1	20	27	-1.4	0.941	0.5	0.5	0	54.2	55	0	154	157	0	28	29
2024	10	29	2	11	20	26.9	-0.9	0.941	0.5	0.4	0	54.6	55	0	155	157	0	28	29
2024	10	29	2	21	20	27.7	-1.2	0.941	0.5	0.5	0	54.2	54.6	0	154	156	0	28	29
2024	10	29	2	31	20	27	-0.2	0.941	0.5	0.5	0	54.2	54.6	0	154	156	0	28	29
2024	10	29	2	41	20	27	-0.7	0.941	0.4	0.3	0	54.6	55	0	155	157	0	28	29
2024	10	29	2	51	20	26.6	-1.4	0.941	0.5	0.5	0	54.6	55	0	155	157	0	28	29
2024	10	29	3	1	20	26.6	-0.8	0.941	0.5	0.4	0	54.6	54.6	0	154	156	0	27	29
2024	10	29	3	11	20	27.2	-0.4	0.941	0.4	0.3	0	54.2	54.6	0	154	156	0	28	29
2024	10	29	3	21	20	27.7	-1.7	0.941	0.4	0.3	0	54.2	55	0	154	156	0	28	28
2024	10	29	3	31	20	26.8	-2.2	0.942	0.3	0.2	0	53.8	54.2	0	153	155	0	28	29
2024	10	29	3	41	20	26.5	-1.2	0.942	0.5	0.4	0	54.2	54.6	0	154	156	0	28	29
2024	10	29	3	51	20	26.1	-1.7	0.942	0.4	0.3	0	54.2	55	0	154	156	0	28	28
2024	10	29	4	1	20	26.9	-2	0.942	0.5	0.4	0	54.2	54.6	0	154	156	0	28	29
2024	10	29	4	11	20	26.4	-1.3	0.942	0.5	0.5	0	54.2	54.6	0	154	156	0	28	29
2024	10	29	4	21	20	26.5	-0.8	0.943	0.5	0.5	0	54.6	54.2	0	155	156	0	28	30
2024	10	29	4	31	20	28	-2.3	0.943	0.5	0.4	0	54.2	54.2	0	154	155	0	28	29
2024	10	29	4	41	20	26.4	-1.6	0.943	0.4	0.3	0	54.2	54.2	0	154	155	0	28	29
2024	10	29	4	51	20	26.6	-0.6	0.943	0.5	0.4	0	54.2	54.2	0	154	155	0	28	29
2024	10	29	5	1	20	27.2	-1.7	0.943	0.6	0.5	0	54.2	55	0	154	156	0	28	28
2024	10	29	5	11	20	26.9	-1.1	0.944	0.5	0.5	0	54.2	54.2	0	154	155	0	28	29
2024	10	29	5	21	20	27.1	-1.4	0.943	0.5	0.5	0	53.8	54.6	0	153	155	0	28	28
2024	10	29	5	31	20	26.5	-1	0.944	0.3	0.2	0	54.2	54.2	0	154	155	0	28	29
2024	10	29	5	41	20	26.4	-1.9	0.944	0.5	0.4	0	54.2	54.2	0	153	155	0	27	29
2024	10	29	5	51	20	27.1	-2.1	0.944	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	29	6	1	20	27	-1	0.945	0.5	0.4	0	53.8	54.6	0	153	155	0	28	28
2024	10	29	6	11	20	26.2	-1.2	0.945	0.5	0.4	0	53.3	54.2	0	153	155	0	29	29
2024	10	29	6	21	20	26.1	-1.6	0.945	0.5	0.5	0	53.8	54.2	0	153	155	0	28	29
2024	10	29	6	31	20	26.6	-1.4	0.945	0.5	0.4	0	53.3	54.2	0	153	155	0	29	29
2024	10	29	6	41	20	26.4	-2.7	0.945	0.6	0.5	0	53.3	54.2	0	152	155	0	28	29
2024	10	29	6	51	20	27.4	-2.1	0.945	0.5	0.4	0	53.8	54.2	0	153	154	0	28	28
2024	10	29	7	1	20	26.5	-1	0.945	0.4	0.3	0	53.3	54.2	0	152	155	0	28	29
2024	10	29	7	11	20	26.7	-2.7	0.945	0.4	0.3	0	52.9	53.8	0	152	154	0	29	29
2024	10	29	7	21	20	27.4	-2.2	0.945	0.5	0.4	0	52.9	53.8	0	151	154	0	28	29
2024	10	29	7	31	20	27	-2.5	0.945	0.6	0.5	0	53.3	53.3	0	152	153	0	28	29
2024	10	29	7	41	20	27.4	-1.9	0.945	0.5	0.4	0	52.9	53.3	0	151	153	0	28	29
2024	10	29	7	51	20	26.5	-1.2	0.945	0.4	0.3	0	52.9	53.8	0	151	153	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	29	8	1	20	27.4	-1.1	0.945	0.4	0.3	0	52.5	53.3	0	150	153	0	28	29
2024	10	29	8	11	20	27.5	-0.9	0.945	0.5	0.5	0	52.5	52.9	0	150	152	0	28	29
2024	10	29	8	21	20	27	-0.9	0.945	0.5	0.4	0	52	52.9	0	150	152	0	29	29
2024	10	29	8	31	20	27.4	-1.9	0.945	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	29	8	41	20	26.5	-1.5	0.945	0.5	0.4	0	51.6	52.9	0	149	151	0	29	28
2024	10	29	8	51	20	27.6	-1.3	0.945	0.5	0.4	0	51.2	52	0	147	149	0	28	28
2024	10	29	9	1	20	27.4	-2.2	0.944	0.4	0.3	0	51.2	51.6	0	147	149	0	28	29
2024	10	29	9	11	20	28.2	-2.5	0.944	0.4	0.3	0	50.7	50.7	0	147	148	0	29	30
2024	10	29	9	21	20	26.8	-1.2	0.943	0.3	0.2	0	51.6	52	0	148	150	0	28	29
2024	10	29	9	31	20	26.6	-1.9	0.944	0.5	0.4	0	51.2	51.6	0	147	149	0	28	29
2024	10	29	9	41	20	26.2	-2.5	0.944	0.5	0.5	0	51.2	52	0	147	150	0	28	29
2024	10	29	9	51	20	26.4	-1.9	0.943	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	29	10	1	20	27.3	-0.5	0.943	0.5	0.4	0	51.2	52	0	148	150	0	29	29
2024	10	29	10	11	20	27.8	-1	0.944	0.4	0.3	0	52	52.5	0	149	151	0	28	29
2024	10	29	10	21	20	27.6	-0.8	0.944	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	29	10	31	20	26.6	-1.7	0.944	0.5	0.4	0	51.2	52	0	148	150	0	29	29
2024	10	29	10	41	20	26	-1.7	0.943	0.4	0.3	0	52	52.5	0	149	151	0	28	29
2024	10	29	10	51	20	26.1	-0.4	0.944	0.5	0.4	0	52.9	53.3	0	151	153	0	28	29
2024	10	29	11	1	20	27.4	-0.9	0.943	0.5	0.5	0	52.5	53.3	0	150	153	0	28	29
2024	10	29	11	11	20	25.6	-0.9	0.944	0.5	0.4	0	52.5	52.9	0	150	152	0	28	29
2024	10	29	11	21	20	27.2	-2.9	0.944	0.5	0.5	0	52	52.5	0	149	151	0	28	29
2024	10	29	11	31	20	26	-1.5	0.943	0.5	0.4	0	52.5	52.9	0	150	152	0	28	29
2024	10	29	11	41	20	27.4	-1.7	0.944	0.4	0.3	0	51.2	51.6	0	147	149	0	28	29
2024	10	29	11	51	20	26.9	-2.7	0.943	0.4	0.3	0	51.6	52	0	148	150	0	28	29
2024	10	29	12	1	20	26.2	-2.3	0.943	0.5	0.4	0	51.2	51.6	0	147	149	0	28	29
2024	10	29	12	11	20	26.5	-1.7	0.943	0.5	0.4	0	51.2	52	0	148	150	0	29	29
2024	10	29	12	21	20	27.3	-2.4	0.943	0.5	0.4	0	51.2	52	0	147	149	0	28	28
2024	10	29	12	31	20	27.1	-1.4	0.943	0.5	0.5	0	50.3	51.2	0	146	148	0	29	29
2024	10	29	12	41	20	27.5	-1.8	0.943	0.6	0.5	0	51.6	52	0	148	150	0	28	29
2024	10	29	12	51	20	27.8	-2	0.942	0.5	0.4	0	51.6	52	0	148	150	0	28	29
2024	10	29	13	1	20	26.7	-1.8	0.942	0.5	0.4	0	51.2	51.6	0	148	150	0	29	30
2024	10	29	13	11	20	26.7	-2.1	0.943	0.4	0.3	0	51.6	52.5	0	149	151	0	29	29
2024	10	29	13	21	20	26	-1.4	0.943	0.5	0.4	0	52	52	0	148	150	0	27	29
2024	10	29	13	31	20	26.9	-2.3	0.943	0.4	0.3	0	51.6	52	0	148	150	0	28	29
2024	10	29	13	41	20	27.4	-2.1	0.943	0.5	0.4	0	52.5	52.9	0	150	152	0	28	29
2024	10	29	13	51	20	28.3	-1.2	0.943	0.4	0.3	0	52	52.9	0	150	152	0	29	29
2024	10	29	14	1	20	28.6	-2.5	0.942	0.4	0.3	0	51.6	52.5	0	149	151	0	29	29
2024	10	29	14	11	20	27.4	-1.2	0.943	0.5	0.4	0	52.5	53.3	0	150	153	0	28	29
2024	10	29	14	21	20	27.9	-2.1	0.943	0.5	0.5	0	52.5	52.9	0	150	152	0	28	29
2024	10	29	14	31	20	26.7	-1.1	0.942	0.5	0.4	0	52.9	54.2	0	152	155	0	29	29
2024	10	29	14	41	20	26.7	-1.6	0.942	0.4	0.3	0	53.3	54.2	0	152	155	0	28	29
2024	10	29	14	51	20	26.8	-1.3	0.942	0.5	0.4	0	52.9	54.2	0	152	154	0	29	28
2024	10	29	15	1	20	26.6	-1	0.942	0.5	0.4	0	53.3	54.2	0	152	154	0	28	28
2024	10	29	15	11	20	28.3	-0.8	0.942	0.5	0.5	0	52.9	53.8	0	151	153	0	28	28
2024	10	29	15	21	20	27.4	-0.2	0.943	0.5	0.4	0	53.8	54.2	0	153	155	0	28	29
2024	10	29	15	31	20	26.7	-1.2	0.942	0.5	0.4	0	53.8	54.2	0	153	155	0	28	29
2024	10	29	15	41	20	26.7	-1.4	0.942	0.5	0.4	0	53.3	54.2	0	152	155	0	28	29
2024	10	29	15	51	20	28	-1.7	0.942	0.5	0.4	0	53.3	54.2	0	152	155	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	29	16	1	20	27.4	-1.7	0.942	0.5	0.5	0	52.9	53.8	0	151	155	0	28	30
2024	10	29	16	11	20	26.7	-1.3	0.942	0.5	0.4	0	53.3	54.2	0	152	155	0	28	29
2024	10	29	16	21	20	26.2	-1.7	0.942	0.5	0.4	0	53.3	54.2	0	152	155	0	28	29
2024	10	29	16	31	20	27.4	-2.3	0.942	0.5	0.4	0	52.9	54.2	0	151	154	0	28	28
2024	10	29	16	41	20	26	-1.4	0.942	0.5	0.4	0	53.3	54.2	0	152	154	0	28	28
2024	10	29	16	51	20	27.7	-1.7	0.942	0.5	0.4	0	53.3	54.2	0	152	155	0	28	29
2024	10	29	17	1	20	26.8	-1.1	0.942	0.5	0.5	0	52.5	53.3	0	150	153	0	28	29
2024	10	29	17	11	20	26.4	-1.7	0.942	0.5	0.5	0	52.9	53.8	0	151	154	0	28	29
2024	10	29	17	21	20	27	-2.1	0.942	0.5	0.5	0	52.5	53.3	0	150	153	0	28	29
2024	10	29	17	31	20	27.6	-2.5	0.942	0.5	0.5	0	52.5	53.3	0	150	153	0	28	29
2024	10	29	17	41	20	26.8	-1.4	0.942	0.5	0.4	0	52.5	53.3	0	150	153	0	28	29
2024	10	29	17	51	20	27.1	-1.9	0.942	0.5	0.5	0	52.5	53.3	0	150	153	0	28	29
2024	10	29	18	1	20	27.5	-1.8	0.942	0.5	0.5	0	52.9	53.8	0	151	154	0	28	29
2024	10	29	18	11	20	26.2	-1.7	0.942	0.5	0.5	0	53.3	53.8	0	151	154	0	27	29
2024	10	29	18	21	20	27	-0.3	0.942	0.4	0.3	0	52.5	53.8	0	150	153	0	28	28
2024	10	29	18	31	20	26.1	-1.3	0.942	0.5	0.5	0	52.9	53.8	0	151	154	0	28	29
2024	10	29	18	41	20	27	-1.7	0.942	0.5	0.5	0	54.2	53.8	0	154	154	0	28	29
2024	10	29	18	51	20	26.6	-0.7	0.942	0.4	0.3	0	54.6	54.2	0	155	154	0	28	28
2024	10	29	19	1	20	27.6	-1.6	0.942	0.5	0.5	0	54.2	54.6	0	154	155	0	28	28
2024	10	29	19	11	20	27.3	-2.2	0.943	0.5	0.4	0	54.2	54.2	0	154	154	0	28	28
2024	10	29	19	21	20	26.5	-1.7	0.942	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	29	19	31	20	26.5	-0.4	0.942	0.4	0.3	0	54.6	54.6	0	154	155	0	27	28
2024	10	29	19	41	20	25.7	-1.7	0.942	0.3	0.2	0	54.6	53.8	0	155	154	0	28	29
2024	10	29	19	51	20	27.7	-2.1	0.942	0.5	0.5	0	54.2	53.8	0	154	154	0	28	29
2024	10	29	20	1	20	27.7	-1.7	0.943	0.5	0.4	0	54.2	54.2	0	154	155	0	28	29
2024	10	29	20	11	20	27.1	-2.4	0.943	0.5	0.5	0	54.2	53.8	0	154	154	0	28	29
2024	10	29	20	21	20	27.8	-2.1	0.943	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	29	20	31	20	25.9	-0.8	0.943	0.5	0.5	0	54.2	54.2	0	154	155	0	28	29
2024	10	29	20	41	20	27.3	-2.3	0.943	0.5	0.5	0	54.2	53.8	0	154	154	0	28	29
2024	10	29	20	51	20	26.6	-1.6	0.944	0.5	0.5	0	54.2	54.2	0	154	154	0	28	28
2024	10	29	21	1	20	27.2	-1.3	0.945	0.5	0.4	0	54.2	53.8	0	154	154	0	28	29
2024	10	29	21	11	20	27.6	-1.8	0.945	0.4	0.3	0	53.3	53.8	0	153	154	0	29	29
2024	10	29	21	21	20	28.7	-1.9	0.945	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	29	21	31	20	28	-2	0.945	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	29	21	41	20	26.8	-1.3	0.946	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	29	21	51	20	28	-2.1	0.946	0.5	0.4	0	53.8	53.8	0	153	154	0	28	29
2024	10	29	22	1	20	26.7	-2.2	0.946	0.5	0.4	0	53.3	52.9	0	152	152	0	28	29
2024	10	29	22	11	20	27.1	-1.4	0.946	0.6	0.5	0	53.8	53.8	0	153	154	0	28	29
2024	10	29	22	21	20	27.1	-2.5	0.946	0.3	0.2	0	53.3	53.3	0	152	153	0	28	29
2024	10	29	22	31	20	26.2	-1.7	0.946	0.5	0.5	0	53.3	53.3	0	152	153	0	28	29
2024	10	29	22	41	20	27.4	-1.9	0.946	0.4	0.3	0	53.3	53.3	0	152	153	0	28	29
2024	10	29	22	51	20	26.4	-1.9	0.946	0.5	0.4	0	53.3	53.3	0	152	153	0	28	29
2024	10	29	23	1	20	27.1	-1.2	0.946	0.5	0.4	0	52.9	52.9	0	151	152	0	28	29
2024	10	29	23	11	20	27.4	-1.7	0.946	0.5	0.4	0	52.5	53.3	0	151	152	0	29	28
2024	10	29	23	21	20	26.5	-1.9	0.946	0.4	0.3	0	52.5	53.3	0	151	152	0	29	28
2024	10	29	23	31	20	27.3	-0.9	0.946	0.5	0.4	0	52.5	52.9	0	151	152	0	29	29
2024	10	29	23	41	20	27.3	-1.2	0.946	0.5	0.5	0	52.5	52.5	0	150	151	0	28	29
2024	10	29	23	51	20	26.3	-0.8	0.946	0.5	0.4	0	52.5	52.5	0	150	151	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	30	0	1	20	26.8	-2.7	0.946	0.5	0.4	0	52	52.5	0	150	151	0	29	29
2024	10	30	0	11	20	28.1	-2.2	0.946	0.5	0.4	0	52	51.6	0	149	150	0	28	30
2024	10	30	0	21	20	28.2	-1.8	0.946	0.5	0.4	0	51.6	52	0	149	150	0	29	29
2024	10	30	0	31	20	28.9	-1.7	0.946	0.5	0.4	0	52	52	0	149	150	0	28	29
2024	10	30	0	41	20	27.2	-2.7	0.946	0.5	0.4	0	51.6	52	0	149	150	0	29	29
2024	10	30	0	51	20	27	-1.2	0.946	0.5	0.4	0	52	52	0	149	150	0	28	29
2024	10	30	1	1	20	27	-1.4	0.946	0.5	0.4	0	51.6	51.6	0	148	149	0	28	29
2024	10	30	1	11	20	27.2	-2.6	0.946	0.4	0.3	0	51.2	51.2	0	147	148	0	28	29
2024	10	30	1	21	20	27.6	-1.9	0.946	0.5	0.4	0	51.2	51.2	0	147	149	0	28	30
2024	10	30	1	31	20	26.6	-1.2	0.946	0.5	0.5	0	51.6	51.6	0	148	149	0	28	29
2024	10	30	1	41	20	26.3	-2.3	0.946	0.4	0.3	0	51.2	52	0	147	149	0	28	28
2024	10	30	1	51	20	26.7	-2.2	0.946	0.5	0.5	0	50.7	51.2	0	147	148	0	29	29
2024	10	30	2	1	20	27	-2.4	0.946	0.5	0.4	0	50.7	50.3	0	146	147	0	28	30
2024	10	30	2	11	20	27.9	-3.1	0.946	0.5	0.5	0	50.7	50.7	0	146	147	0	28	29
2024	10	30	2	21	20	26.3	-1.3	0.946	0.4	0.3	0	50.7	50.7	0	146	147	0	28	29
2024	10	30	2	31	20	27.1	-1	0.946	0.4	0.3	0	51.2	51.2	0	147	148	0	28	29
2024	10	30	2	41	20	26.9	-1.6	0.946	0.5	0.4	0	50.3	50.7	0	146	147	0	29	29
2024	10	30	2	51	20	26.4	-1.2	0.945	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	30	3	1	20	28	-1.5	0.946	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	30	3	11	20	26.9	-1.5	0.946	0.4	0.3	0	50.3	50.7	0	146	147	0	29	29
2024	10	30	3	21	20	26.7	-1.8	0.945	0.4	0.3	0	49.9	50.3	0	145	146	0	29	29
2024	10	30	3	31	20	26.2	-1.8	0.945	0.6	0.5	0	49.9	49.9	0	145	146	0	29	30
2024	10	30	3	41	20	27	-2	0.945	0.5	0.4	0	49.9	49.5	0	144	145	0	28	30
2024	10	30	3	51	20	26.9	-0.4	0.945	0.5	0.4	0	49.9	49.5	0	144	145	0	28	30
2024	10	30	4	1	20	26.3	-1.7	0.945	0.5	0.4	0	49.5	50.3	0	144	146	0	29	29
2024	10	30	4	11	20	27.2	-2	0.945	0.6	0.5	0	49.9	50.3	0	145	146	0	29	29
2024	10	30	4	21	20	26.2	-1	0.945	0.4	0.3	0	50.3	50.3	0	145	146	0	28	29
2024	10	30	4	31	20	27.4	-2.4	0.945	0.5	0.4	0	49	49	0	143	144	0	29	30
2024	10	30	4	41	20	27	-1.2	0.945	0.4	0.3	0	49.9	49.5	0	144	145	0	28	30
2024	10	30	4	51	20	27.4	-1.9	0.945	0.5	0.4	0	49.9	49.5	0	144	144	0	28	29
2024	10	30	5	1	20	26.8	-2	0.945	0.5	0.4	0	49.5	49.9	0	144	145	0	29	29
2024	10	30	5	11	20	26.6	-1.4	0.945	0.4	0.3	0	49.5	49.5	0	144	145	0	29	30
2024	10	30	5	21	20	27.5	-2.9	0.945	0.5	0.5	0	49	49.5	0	143	144	0	29	29
2024	10	30	5	31	20	28.3	-1.5	0.945	0.5	0.4	0	48.6	48.6	0	142	143	0	29	30
2024	10	30	5	41	20	27.8	-1.5	0.945	0.4	0.3	0	49.5	49	0	143	144	0	28	30
2024	10	30	5	51	20	26.6	-1.1	0.945	0.5	0.5	0	49	49	0	142	143	0	28	29
2024	10	30	6	1	20	27.4	-1.6	0.945	0.5	0.4	0	48.6	49	0	142	143	0	29	29
2024	10	30	6	11	20	27.1	-1.4	0.945	0.4	0.3	0	49	49	0	142	144	0	28	30
2024	10	30	6	21	20	26.5	-1	0.945	0.5	0.4	0	49	48.6	0	143	143	0	29	30
2024	10	30	6	31	20	25.6	-1.6	0.945	0.5	0.5	0	49	48.6	0	142	143	0	28	30
2024	10	30	6	41	20	27.1	-1.8	0.945	0.6	0.5	0	49	49	0	142	143	0	28	29
2024	10	30	6	51	20	27.1	-1.7	0.945	0.4	0.3	0	48.2	49	0	141	143	0	29	29
2024	10	30	7	1	20	27.1	-2.3	0.945	0.5	0.4	0	48.6	48.6	0	142	143	0	29	30
2024	10	30	7	11	20	27.7	-3.5	0.945	0.5	0.4	0	48.2	49	0	141	143	0	29	29
2024	10	30	7	21	20	27.8	-2.1	0.945	0.5	0.4	0	48.2	48.2	0	141	142	0	29	30
2024	10	30	7	31	20	27.6	-1.6	0.945	0.5	0.4	0	47.7	48.2	0	140	141	0	29	29
2024	10	30	7	41	20	27.1	-2.1	0.945	0.4	0.3	0	47.7	48.2	0	140	141	0	29	29
2024	10	30	7	51	20	27.6	-2.4	0.945	0.5	0.5	0	47.3	48.2	0	139	141	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	30	8	1	20	27.9	-1.5	0.945	0.5	0.4	0	47.3	48.2	0	139	141	0	29	29
2024	10	30	8	11	20	27	-1.3	0.945	0.5	0.4	0	47.3	47.7	0	139	140	0	29	29
2024	10	30	8	21	20	27.8	-1	0.945	0.4	0.3	0	47.3	46.9	0	138	139	0	28	30
2024	10	30	8	31	20	27.1	-1.8	0.945	0.4	0.3	0	46.9	47.3	0	138	139	0	29	29
2024	10	30	8	41	20	27.4	-2	0.945	0.5	0.4	0	46.9	46.9	0	137	138	0	28	29
2024	10	30	8	51	20	25.9	-1.7	0.945	0.5	0.4	0	46.4	46.4	0	137	138	0	29	30
2024	10	30	9	1	20	27	-2.8	0.945	0.3	0.2	0	46	46.4	0	136	138	0	29	30
2024	10	30	9	11	20	27	-1.3	0.944	0.5	0.4	0	46.4	46	0	136	137	0	28	30
2024	10	30	9	21	20	26.6	-1.2	0.944	0.3	0.2	0	46	46.4	0	136	137	0	29	29
2024	10	30	9	31	20	27.1	-2.3	0.944	0.5	0.5	0	46	46	0	135	137	0	28	30
2024	10	30	9	41	20	28.2	-2.2	0.945	0.5	0.5	0	45.6	46.4	0	135	137	0	29	29
2024	10	30	9	51	20	27.3	-2	0.944	0.5	0.4	0	45.6	45.6	0	135	136	0	29	30
2024	10	30	10	1	20	28.4	-1.3	0.944	0.6	0.5	0	45.6	46	0	135	136	0	29	29
2024	10	30	10	11	20	27.6	-2.4	0.944	0.5	0.4	0	46	46.4	0	136	137	0	29	29
2024	10	30	10	21	20	27.5	-2.7	0.944	0.3	0.2	0	45.6	45.6	0	135	136	0	29	30
2024	10	30	10	31	20	26.9	-2.2	0.945	0.5	0.4	0	46	46	0	136	137	0	29	30
2024	10	30	10	41	20	26.4	-2.4	0.944	0.5	0.4	0	46	46	0	136	137	0	29	30
2024	10	30	10	51	20	25.2	-2	0.945	0.3	0.2	0	46	46.4	0	136	137	0	29	29
2024	10	30	11	1	20	27	-2	0.945	0.4	0.3	0	46.4	46.4	0	136	137	0	28	29
2024	10	30	11	11	20	27.9	-0.9	0.945	0.5	0.4	0	46.4	46	0	136	137	0	28	30
2024	10	30	11	21	20	26.7	-1	0.945	0.4	0.3	0	46.4	46	0	136	137	0	28	30
2024	10	30	11	31	20	27.2	-1.4	0.945	0.4	0.3	0	46.4	46.9	0	136	137	0	28	28
2024	10	30	11	41	20	26.2	-1.3	0.945	0.5	0.4	0	46	46.4	0	136	137	0	29	29
2024	10	30	11	51	20	28.7	-3.5	0.945	0.4	0.3	0	45.6	46	0	135	137	0	29	30
2024	10	30	12	1	20	27.7	-2.7	0.945	0.5	0.5	0	46.4	46.4	0	136	137	0	28	29
2024	10	30	12	11	20	26.5	-2.4	0.945	0.5	0.4	0	46	46.4	0	136	137	0	29	29
2024	10	30	12	21	20	28.2	-1.8	0.945	0.5	0.4	0	46	46	0	136	137	0	29	30
2024	10	30	12	31	20	27.7	-2.1	0.945	0.4	0.3	0	46.4	46.4	0	137	138	0	29	30
2024	10	30	12	41	20	26.9	-1.8	0.945	0.5	0.4	0	46.4	46.9	0	137	138	0	29	29
2024	10	30	12	51	20	27.3	-0.6	0.945	0.5	0.5	0	46.9	47.3	0	138	139	0	29	29
2024	10	30	13	1	20	27.5	-1.6	0.946	0.5	0.4	0	46.4	46.4	0	137	138	0	29	30
2024	10	30	13	11	20	27.1	-2.5	0.945	0.5	0.4	0	46.4	46.9	0	137	138	0	29	29
2024	10	30	13	21	20	26.1	-1.5	0.945	0.5	0.5	0	46.9	46.9	0	137	138	0	28	29
2024	10	30	13	31	20	26.7	-1.4	0.945	0.6	0.5	0	46.4	46.9	0	137	139	0	29	30
2024	10	30	13	41	20	26.3	-1.9	0.945	0.5	0.4	0	47.3	47.7	0	138	140	0	28	29
2024	10	30	13	51	20	27.3	-2.1	0.946	0.5	0.5	0	47.3	47.3	0	138	139	0	28	29
2024	10	30	14	1	20	26.3	-1.5	0.945	0.3	0.2	0	47.7	48.2	0	139	141	0	28	29
2024	10	30	14	11	20	26.8	-1.1	0.945	0.4	0.3	0	48.2	48.2	0	140	141	0	28	29
2024	10	30	14	21	20	26.7	-1.9	0.946	0.4	0.3	0	48.6	49	0	141	142	0	28	28
2024	10	30	14	31	20	27	-1.4	0.945	0.5	0.5	0	47.7	48.2	0	139	141	0	28	29
2024	10	30	14	41	20	26.9	-2	0.946	0.3	0.2	0	49	49	0	142	143	0	28	29
2024	10	30	14	51	20	27.2	-1.7	0.946	0.4	0.3	0	49	49	0	142	143	0	28	29
2024	10	30	15	1	20	27.7	-2.9	0.946	0.4	0.3	0	49.5	49.9	0	144	145	0	29	29
2024	10	30	15	11	20	27.3	-1.2	0.946	0.5	0.5	0	49.5	50.3	0	143	145	0	28	28
2024	10	30	15	21	20	27.8	-2.8	0.946	0.5	0.4	0	49.5	49.5	0	143	144	0	28	29
2024	10	30	15	31	20	26.6	-1.3	0.945	0.5	0.4	0	49.5	50.7	0	144	146	0	29	28
2024	10	30	15	41	20	27.2	-1.4	0.946	0.5	0.4	0	49.5	49.9	0	144	146	0	29	30
2024	10	30	15	51	20	27.4	-2.6	0.947	0.6	0.5	0	50.3	50.3	0	145	146	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	30	16	1	20	28.1	-1.2	0.947	0.5	0.5	0	50.3	50.3	0	145	146	0	28	29
2024	10	30	16	11	20	27.6	-2	0.947	0.5	0.4	0	49.9	50.7	0	145	147	0	29	29
2024	10	30	16	21	20	27.8	-2.5	0.947	0.5	0.5	0	50.3	50.7	0	145	147	0	28	29
2024	10	30	16	31	20	28	-2.5	0.947	0.5	0.5	0	50.3	50.7	0	145	147	0	28	29
2024	10	30	16	41	20	27.6	-2.5	0.947	0.5	0.4	0	50.7	50.7	0	146	147	0	28	29
2024	10	30	16	51	20	27.8	-1.7	0.947	0.4	0.3	0	49.9	50.7	0	145	147	0	29	29
2024	10	30	17	1	20	27.2	-2.2	0.948	0.5	0.5	0	50.7	51.2	0	146	148	0	28	29
2024	10	30	17	11	20	27.8	-1.7	0.948	0.5	0.4	0	49.9	50.3	0	145	146	0	29	29
2024	10	30	17	21	20	28.6	-2.1	0.948	0.4	0.3	0	50.7	50.7	0	146	147	0	28	29
2024	10	30	17	31	20	26	-2	0.948	0.5	0.4	0	50.3	50.3	0	146	147	0	29	30
2024	10	30	17	41	20	28.2	-2.7	0.948	0.4	0.3	0	51.2	51.2	0	147	148	0	28	29
2024	10	30	17	51	20	26.9	-0.3	0.948	0.5	0.5	0	51.2	51.6	0	147	149	0	28	29
2024	10	30	18	1	20	26.6	-1.7	0.948	0.5	0.5	0	50.3	51.2	0	146	148	0	29	29
2024	10	30	18	11	20	27.4	-1.5	0.949	0.5	0.4	0	50.3	51.2	0	146	148	0	29	29
2024	10	30	18	21	20	27.2	-2.2	0.949	0.5	0.5	0	50.7	51.2	0	146	148	0	28	29
2024	10	30	18	31	20	28.3	-1.6	0.949	0.5	0.4	0	50.7	51.2	0	147	148	0	29	29
2024	10	30	18	41	20	27.2	-1.4	0.949	0.5	0.4	0	51.2	51.6	0	147	149	0	28	29
2024	10	30	18	51	20	26.5	-1.7	0.949	0.4	0.3	0	51.2	51.6	0	147	149	0	28	29
2024	10	30	19	1	20	27.8	-2.1	0.949	0.4	0.3	0	50.7	51.6	0	147	149	0	29	29
2024	10	30	19	11	20	27.3	-1.9	0.949	0.5	0.4	0	51.2	52	0	148	150	0	29	29
2024	10	30	19	21	20	27	-2	0.949	0.5	0.4	0	51.6	52	0	148	150	0	28	29
2024	10	30	19	31	20	26.9	-0.9	0.949	0.5	0.4	0	51.6	52	0	148	150	0	28	29
2024	10	30	19	41	20	27.5	-0.9	0.949	0.5	0.5	0	52	52	0	149	150	0	28	29
2024	10	30	19	51	20	28.3	-1.1	0.949	0.5	0.4	0	52	52	0	149	151	0	28	30
2024	10	30	20	1	20	27.7	-1.9	0.949	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	30	20	11	20	27.6	-0.7	0.949	0.5	0.4	0	51.6	52.9	0	148	151	0	28	28
2024	10	30	20	21	20	27.2	-2.7	0.949	0.5	0.4	0	52.5	52.5	0	149	151	0	27	29
2024	10	30	20	31	20	26.5	-1.6	0.949	0.4	0.3	0	51.6	52.5	0	149	151	0	29	29
2024	10	30	20	41	20	27.4	-1.7	0.949	0.4	0.3	0	52	52.5	0	149	151	0	28	29
2024	10	30	20	51	20	27.6	-0.8	0.95	0.5	0.4	0	52	52.9	0	149	151	0	28	28
2024	10	30	21	1	20	26	-1.7	0.95	0.5	0.5	0	51.6	52.5	0	149	151	0	29	29
2024	10	30	21	11	20	27.7	-0.8	0.95	0.5	0.4	0	51.2	52	0	148	150	0	29	29
2024	10	30	21	21	20	27.2	-1.2	0.95	0.5	0.5	0	51.6	52	0	149	151	0	29	30
2024	10	30	21	31	20	27.3	-1.7	0.95	0.5	0.4	0	52	52.5	0	149	151	0	28	29
2024	10	30	21	41	20	27.1	-2	0.95	0.4	0.3	0	51.6	52.5	0	149	151	0	29	29
2024	10	30	21	51	20	26.7	-0.9	0.95	0.5	0.5	0	52	52.5	0	149	151	0	28	29
2024	10	30	22	1	20	27.6	-1.1	0.95	0.5	0.4	0	52	52	0	149	150	0	28	29
2024	10	30	22	11	20	27.4	-2	0.951	0.5	0.4	0	51.2	51.6	0	148	150	0	29	30
2024	10	30	22	21	20	27.8	-1.9	0.95	0.4	0.3	0	51.2	52	0	148	150	0	29	29
2024	10	30	22	31	20	27.9	-1.6	0.951	0.5	0.4	0	51.6	52	0	148	150	0	28	29
2024	10	30	22	41	20	27.8	-1.1	0.951	0.5	0.4	0	51.2	52	0	148	150	0	29	29
2024	10	30	22	51	20	26.3	-0.3	0.952	0.5	0.4	0	51.2	52.5	0	148	150	0	29	28
2024	10	30	23	1	20	29	-1.2	0.953	0.4	0.3	0	51.2	51.2	0	147	149	0	28	30
2024	10	30	23	11	20	26.6	-2.8	0.953	0.5	0.4	0	51.6	51.2	0	148	149	0	28	30
2024	10	30	23	21	20	27.7	-2.5	0.953	0.5	0.5	0	51.6	51.6	0	148	149	0	28	29
2024	10	30	23	31	20	27.1	-0.6	0.953	0.5	0.4	0	51.2	51.6	0	148	149	0	29	29
2024	10	30	23	41	20	26.9	-1.3	0.953	0.5	0.4	0	51.6	52	0	149	150	0	29	29
2024	10	30	23	51	20	26.6	-1.6	0.953	0.5	0.4	0	51.2	51.6	0	148	149	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	31	0	1	20	27.5	-0.7	0.953	0.4	0.3	0	51.2	50.7	0	147	148	0	28	30
2024	10	31	0	11	20	27	-2.4	0.953	0.5	0.4	0	50.7	51.2	0	147	148	0	29	29
2024	10	31	0	21	20	27.7	-1.2	0.953	0.5	0.4	0	50.7	51.2	0	147	148	0	29	29
2024	10	31	0	31	20	27	-0.8	0.953	0.4	0.3	0	50.7	51.2	0	147	148	0	29	29
2024	10	31	0	41	20	27.3	-1.5	0.953	0.5	0.4	0	50.3	51.2	0	147	148	0	30	29
2024	10	31	0	51	20	27	-1.6	0.953	0.5	0.4	0	51.2	50.7	0	147	148	0	28	30
2024	10	31	1	1	20	27	-0.5	0.953	0.5	0.4	0	50.7	50.3	0	146	147	0	28	30
2024	10	31	1	11	20	26.5	-1.8	0.953	0.4	0.3	0	50.3	50.7	0	146	147	0	29	29
2024	10	31	1	21	20	29.3	-1.4	0.953	0.4	0.3	0	49.9	50.3	0	145	146	0	29	29
2024	10	31	1	31	20	28.1	-0.7	0.953	0.4	0.3	0	50.3	49.9	0	145	146	0	28	30
2024	10	31	1	41	20	28.5	-1.7	0.954	0.4	0.3	0	50.3	50.3	0	145	146	0	28	29
2024	10	31	1	51	20	26.9	-1.7	0.953	0.4	0.3	0	50.3	49.9	0	145	146	0	28	30
2024	10	31	2	1	20	27.8	-1.6	0.953	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	31	2	11	20	25.9	-1.5	0.954	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	31	2	21	20	27.9	-3.3	0.953	0.4	0.3	0	49.5	49.9	0	144	145	0	29	29
2024	10	31	2	31	20	26.4	-1.2	0.953	0.4	0.3	0	49	49.5	0	143	144	0	29	29
2024	10	31	2	41	20	27.5	-2.9	0.954	0.4	0.3	0	49	49.5	0	143	145	0	29	30
2024	10	31	2	51	20	27.9	-1.4	0.953	0.4	0.3	0	49	49.5	0	143	144	0	29	29
2024	10	31	3	1	20	27.1	-2.2	0.953	0.5	0.4	0	49.5	49.9	0	144	145	0	29	29
2024	10	31	3	11	20	26.1	-2.7	0.953	0.3	0.2	0	49.5	49	0	143	144	0	28	30
2024	10	31	3	21	20	27.5	-1.9	0.953	0.5	0.4	0	49	49	0	143	144	0	29	30
2024	10	31	3	31	20	27.9	-2.4	0.953	0.5	0.4	0	48.6	49.5	0	142	144	0	29	29
2024	10	31	3	41	20	27.3	-2.1	0.953	0.5	0.4	0	48.6	49	0	142	143	0	29	29
2024	10	31	3	51	20	26.7	-2	0.953	0.4	0.3	0	49	49	0	143	144	0	29	30
2024	10	31	4	1	20	27.7	-1.4	0.953	0.4	0.3	0	48.2	48.6	0	141	142	0	29	29
2024	10	31	4	11	20	27.4	-2.4	0.953	0.5	0.4	0	49	49.5	0	143	144	0	29	29
2024	10	31	4	21	20	27.8	-2.4	0.953	0.5	0.4	0	48.6	49.5	0	142	144	0	29	29
2024	10	31	4	31	20	27.9	-1.8	0.953	0.4	0.3	0	49	49	0	143	144	0	29	30
2024	10	31	4	41	20	27.3	-1.6	0.953	0.5	0.4	0	48.6	48.6	0	142	143	0	29	30
2024	10	31	4	51	20	26.4	-0.9	0.953	0.4	0.3	0	49.5	49.5	0	143	144	0	28	29
2024	10	31	5	1	20	28.6	-1.6	0.953	0.4	0.3	0	48.2	48.2	0	141	143	0	29	31
2024	10	31	5	11	20	27.5	-2	0.953	0.5	0.4	0	48.2	48.6	0	141	142	0	29	29
2024	10	31	5	21	20	28	-2.4	0.953	0.5	0.4	0	48.2	48.6	0	141	142	0	29	29
2024	10	31	5	31	20	28	-1.7	0.953	0.4	0.3	0	48.2	48.6	0	141	142	0	29	29
2024	10	31	5	41	20	28.4	-1.5	0.953	0.5	0.4	0	48.2	48.6	0	141	143	0	29	30
2024	10	31	5	51	20	28	-1.6	0.953	0.5	0.4	0	47.7	48.2	0	140	141	0	29	29
2024	10	31	6	1	20	27.7	-2.4	0.953	0.5	0.4	0	48.2	48.6	0	140	142	0	28	29
2024	10	31	6	11	20	28.5	-2	0.953	0.4	0.3	0	47.3	47.7	0	139	140	0	29	29
2024	10	31	6	21	20	26.6	-1.8	0.953	0.4	0.3	0	47.7	48.2	0	140	141	0	29	29
2024	10	31	6	31	20	27.8	-2	0.953	0.5	0.5	0	47.3	47.7	0	140	141	0	30	30
2024	10	31	6	41	20	27.6	-2.4	0.953	0.4	0.3	0	47.7	47.7	0	140	141	0	29	30
2024	10	31	6	51	20	27.7	-1.8	0.953	0.5	0.5	0	47.3	47.7	0	139	141	0	29	30
2024	10	31	7	1	20	27.7	-1.6	0.953	0.4	0.3	0	47.3	47.7	0	139	140	0	29	29
2024	10	31	7	11	20	27.4	-2.3	0.953	0.5	0.5	0	46.9	47.7	0	138	140	0	29	29
2024	10	31	7	21	20	28.8	-2.5	0.953	0.4	0.3	0	46.9	47.3	0	138	140	0	29	30
2024	10	31	7	31	20	27.5	-1.7	0.953	0.5	0.4	0	47.3	47.7	0	139	140	0	29	29
2024	10	31	7	41	20	27.8	-1.7	0.953	0.5	0.4	0	46.9	47.3	0	138	139	0	29	29
2024	10	31	7	51	20	28.4	-2.2	0.953	0.5	0.4	0	46.4	46.9	0	137	138	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	31	8	1	20	26.9	-2.8	0.953	0.4	0.3	0	46	46.4	0	136	138	0	29	30
2024	10	31	8	11	20	27.2	-0.7	0.953	0.5	0.4	0	46	46	0	136	137	0	29	30
2024	10	31	8	21	20	27.9	-2.4	0.953	0.5	0.4	0	45.6	46	0	135	136	0	29	29
2024	10	31	8	31	20	27.6	-2	0.953	0.4	0.3	0	45.2	45.6	0	134	135	0	29	29
2024	10	31	8	41	20	27.2	-2.1	0.953	0.5	0.4	0	44.3	45.6	0	133	135	0	30	29
2024	10	31	8	51	20	27.1	-1.2	0.953	0.5	0.4	0	44.7	44.7	0	133	134	0	29	30
2024	10	31	9	1	20	27.3	-3	0.953	0.5	0.5	0	44.7	44.7	0	133	134	0	29	30
2024	10	31	9	11	20	27.7	-2.1	0.953	0.4	0.3	0	44.7	44.7	0	133	134	0	29	30
2024	10	31	9	21	20	26.9	-3.1	0.953	0.5	0.4	0	45.2	45.2	0	133	134	0	28	29
2024	10	31	9	31	20	26	-0.4	0.953	0.5	0.4	0	44.7	44.7	0	133	134	0	29	30
2024	10	31	9	41	20	28.6	-2.8	0.953	0.5	0.4	0	44.3	45.2	0	132	134	0	29	29
2024	10	31	9	51	20	26.9	-1.7	0.953	0.5	0.4	0	44.7	44.7	0	133	134	0	29	30
2024	10	31	10	1	20	28.5	-1.8	0.953	0.5	0.5	0	44.7	44.3	0	132	133	0	28	30
2024	10	31	10	11	20	27.7	-1.7	0.953	0.5	0.4	0	44.3	44.7	0	132	134	0	29	30
2024	10	31	10	21	20	27.7	-2.7	0.953	0.5	0.4	0	44.3	44.7	0	132	133	0	29	29
2024	10	31	10	31	20	28	-2.7	0.953	0.5	0.4	0	44.7	44.7	0	133	134	0	29	30
2024	10	31	10	41	20	27.3	-1.4	0.953	0.5	0.4	0	44.3	44.7	0	132	134	0	29	30
2024	10	31	10	51	20	28.5	-2.3	0.953	0.5	0.4	0	43.9	44.7	0	131	133	0	29	29
2024	10	31	11	1	20	28	-2.2	0.953	0.5	0.5	0	44.3	44.3	0	132	133	0	29	30
2024	10	31	11	11	20	27.4	-1.6	0.953	0.5	0.4	0	44.3	44.3	0	132	133	0	29	30
2024	10	31	11	21	20	26.8	-1.5	0.953	0.5	0.4	0	44.3	44.7	0	132	133	0	29	29
2024	10	31	11	31	20	27.1	-1	0.953	0.4	0.3	0	44.3	44.7	0	132	133	0	29	29
2024	10	31	11	41	20	26.8	-1.2	0.953	0.5	0.4	0	45.2	45.2	0	134	135	0	29	30
2024	10	31	11	51	20	29	-2.4	0.953	0.5	0.5	0	44.7	45.6	0	133	135	0	29	29
2024	10	31	12	1	20	27.1	-2.4	0.953	0.4	0.3	0	45.2	45.2	0	134	135	0	29	30
2024	10	31	12	11	20	28.1	-1.2	0.953	0.5	0.4	0	45.2	46	0	134	136	0	29	29
2024	10	31	12	21	20	28.3	-2.7	0.953	0.4	0.3	0	45.2	45.6	0	134	135	0	29	29
2024	10	31	12	31	20	28.2	-1.9	0.953	0.5	0.4	0	45.2	46	0	134	136	0	29	29
2024	10	31	12	41	20	27.2	-1.3	0.953	0.5	0.4	0	45.2	45.6	0	134	135	0	29	29
2024	10	31	12	51	20	28.2	-1.9	0.953	0.5	0.5	0	46.4	46.9	0	137	139	0	29	30
2024	10	31	13	1	20	27.9	-1.6	0.954	0.5	0.4	0	46.9	46.4	0	137	138	0	28	30
2024	10	31	13	11	20	27	-2.6	0.953	0.4	0.3	0	45.6	45.6	0	135	136	0	29	30
2024	10	31	13	21	20	27.2	-0.8	0.953	0.5	0.4	0	45.6	46	0	135	137	0	29	30
2024	10	31	13	31	20	27.4	-2.2	0.954	0.5	0.4	0	46	45.6	0	135	136	0	28	30
2024	10	31	13	41	20	27.1	-1.7	0.953	0.5	0.4	0	45.6	45.6	0	135	136	0	29	30
2024	10	31	13	51	20	27.4	-1	0.954	0.3	0.2	0	45.6	46.4	0	135	137	0	29	29
2024	10	31	14	1	20	27.5	-2.3	0.953	0.5	0.5	0	45.6	46	0	135	136	0	29	29
2024	10	31	14	11	20	28.3	-1.8	0.952	0.5	0.4	0	45.6	46	0	135	136	0	29	29
2024	10	31	14	21	20	27.2	-1.6	0.953	0.5	0.4	0	46	45.6	0	135	136	0	28	30
2024	10	31	14	31	20	27.7	-2.3	0.952	0.5	0.4	0	46	46.4	0	136	137	0	29	29
2024	10	31	14	41	20	28.2	-2.9	0.952	0.5	0.4	0	45.6	46.4	0	135	137	0	29	29
2024	10	31	14	51	20	28.6	-1.4	0.952	0.5	0.4	0	46	46.4	0	136	137	0	29	29
2024	10	31	15	1	20	27.9	-1.5	0.952	0.5	0.4	0	46.4	46.9	0	136	138	0	28	29
2024	10	31	15	11	20	28.7	-1.5	0.951	0.5	0.4	0	46	46.9	0	136	138	0	29	29
2024	10	31	15	21	20	26.8	-2.1	0.952	0.5	0.5	0	47.3	46.9	0	138	139	0	28	30
2024	10	31	15	31	20	26.6	-1.5	0.951	0.4	0.3	0	47.7	47.3	0	139	140	0	28	30
2024	10	31	15	41	20	26.5	-0.6	0.951	0.5	0.4	0	46.9	47.7	0	138	140	0	29	29
2024	10	31	15	51	20	27.3	-2.5	0.951	0.4	0.3	0	47.3	47.3	0	138	139	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2024	10	31	16	1	20	27.3	-2.1	0.951	0.4	0.3	0	46.4	47.3	0	137	139	0	29	29
2024	10	31	16	11	20	27.8	-2.5	0.951	0.4	0.3	0	47.3	47.3	0	138	139	0	28	29
2024	10	31	16	21	20	27.7	-1.2	0.951	0.5	0.4	0	47.3	47.3	0	138	139	0	28	29
2024	10	31	16	31	20	27.4	-1.6	0.951	0.5	0.4	0	46.9	47.3	0	138	139	0	29	29
2024	10	31	16	41	20	27.1	-1.6	0.951	0.4	0.3	0	47.3	47.7	0	139	140	0	29	29
2024	10	31	16	51	20	27.6	-1.7	0.951	0.5	0.4	0	47.7	48.2	0	139	141	0	28	29
2024	10	31	17	1	20	27.9	-1	0.951	0.4	0.3	0	47.7	47.7	0	139	140	0	28	29
2024	10	31	17	11	20	27.8	-2.4	0.951	0.5	0.4	0	47.3	47.7	0	139	140	0	29	29
2024	10	31	17	21	20	28	-1.2	0.951	0.5	0.4	0	47.3	48.2	0	139	141	0	29	29
2024	10	31	17	31	20	28.5	-1.7	0.951	0.5	0.4	0	47.7	48.2	0	139	141	0	28	29
2024	10	31	17	41	20	27.8	-1.7	0.951	0.5	0.4	0	48.2	48.2	0	140	141	0	28	29
2024	10	31	17	51	20	28.1	-1.2	0.951	0.5	0.4	0	48.6	49	0	141	143	0	28	29
2024	10	31	18	1	20	27.4	-0.2	0.951	0.5	0.4	0	49.5	49.9	0	143	145	0	28	29
2024	10	31	18	11	20	27.9	-1.5	0.951	0.5	0.4	0	49	49.5	0	142	144	0	28	29
2024	10	31	18	21	20	27.7	-1.2	0.951	0.5	0.5	0	49.5	49.5	0	143	144	0	28	29
2024	10	31	18	31	20	26.8	-2.1	0.951	0.5	0.4	0	50.3	50.3	0	145	146	0	28	29
2024	10	31	18	41	20	27.6	-1.2	0.951	0.5	0.4	0	49.9	49.9	0	145	146	0	29	30
2024	10	31	18	51	20	27.9	-1.8	0.951	0.5	0.5	0	49.9	50.3	0	145	146	0	29	29
2024	10	31	19	1	20	26.9	-2.1	0.951	0.3	0.2	0	50.3	50.7	0	146	148	0	29	30
2024	10	31	19	11	20	27.8	-0.9	0.951	0.5	0.4	0	50.3	51.2	0	146	148	0	29	29
2024	10	31	19	21	20	28.3	-2.5	0.951	0.5	0.4	0	50.3	51.2	0	146	147	0	29	28
2024	10	31	19	31	20	27.5	-1.6	0.952	0.5	0.4	0	50.7	51.2	0	146	148	0	28	29
2024	10	31	19	41	20	28.4	-1.2	0.952	0.5	0.4	0	50.7	50.7	0	146	148	0	28	30
2024	10	31	19	51	20	27.9	-1.2	0.953	0.4	0.3	0	50.7	51.2	0	146	148	0	28	29
2024	10	31	20	1	20	28.3	-1.9	0.953	0.5	0.5	0	50.3	51.2	0	146	148	0	29	29
2024	10	31	20	11	20	26.9	-2.5	0.953	0.5	0.5	0	50.7	50.7	0	146	148	0	28	30
2024	10	31	20	21	20	27.3	-0.4	0.953	0.4	0.3	0	51.2	51.6	0	147	149	0	28	29
2024	10	31	20	31	20	28.5	-1.3	0.954	0.4	0.3	0	51.2	51.2	0	147	148	0	28	29
2024	10	31	20	41	20	27.5	-1.9	0.954	0.5	0.4	0	51.2	51.2	0	147	149	0	28	30
2024	10	31	20	51	20	26.7	-0.8	0.954	0.5	0.4	0	50.7	51.6	0	147	149	0	29	29
2024	10	31	21	1	20	28.1	-0.9	0.954	0.5	0.5	0	50.7	51.2	0	147	148	0	29	29
2024	10	31	21	11	20	27.7	-2.3	0.954	0.5	0.4	0	51.2	51.2	0	147	148	0	28	29
2024	10	31	21	21	20	27.5	-1.5	0.954	0.5	0.4	0	50.7	50.7	0	146	148	0	28	30
2024	10	31	21	31	20	27.6	-1.6	0.954	0.5	0.4	0	51.2	51.6	0	147	149	0	28	29
2024	10	31	21	41	20	27.7	-1.3	0.954	0.5	0.4	0	50.7	51.2	0	147	148	0	29	29
2024	10	31	21	51	20	27.5	-1.3	0.954	0.5	0.4	0	50.7	52	0	147	150	0	29	29
2024	10	31	22	1	20	27.1	-1.4	0.954	0.4	0.3	0	50.7	51.6	0	147	149	0	29	29
2024	10	31	22	11	20	27.6	-1.9	0.954	0.5	0.4	0	50.7	51.6	0	147	149	0	29	29
2024	10	31	22	21	20	27.7	-1.5	0.954	0.5	0.5	0	50.7	51.6	0	147	149	0	29	29
2024	10	31	22	31	20	26.9	-1.3	0.954	0.4	0.3	0	50.3	51.2	0	147	148	0	30	29
2024	10	31	22	41	20	29	-2	0.954	0.5	0.4	0	50.7	50.7	0	146	148	0	28	30
2024	10	31	22	51	20	27	-1.3	0.954	0.5	0.5	0	50.3	51.2	0	146	148	0	29	29
2024	10	31	23	1	20	27.5	-1	0.955	0.4	0.3	0	50.3	50.7	0	145	147	0	28	29
2024	10	31	23	11	20	27.2	-0.7	0.955	0.3	0.2	0	49.9	50.3	0	145	147	0	29	30
2024	10	31	23	21	20	26.7	-2	0.955	0.5	0.4	0	50.3	50.3	0	145	147	0	28	30
2024	10	31	23	31	20	26.9	-2.1	0.955	0.3	0.2	0	49.5	50.3	0	144	146	0	29	29
2024	10	31	23	41	20	28.6	-2.1	0.955	0.5	0.5	0	50.3	50.7	0	145	147	0	28	29
2024	10	31	23	51	20	27.8	-2.6	0.955	0.3	0.2	0	49.5	49.9	0	143	146	0	28	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	1	0	0	8	26	0	0	0	0	0	0	0	17.47	0	0
2024	10	1	0	10	8	26	0	0	0	0	0	0	0	17.42	0	0
2024	10	1	0	20	8	26	0	0	0	0	0	0	0	17.36	0	0
2024	10	1	0	30	8	26	0	0	0	0	0	0	0	17.31	0	0
2024	10	1	0	40	8	26	0	0	0	0	0	0	0	17.24	0	0
2024	10	1	0	50	8	26	0	0	0	0	0	0	0	17.19	0	0
2024	10	1	1	0	8	26	0	0	0	0	0	0	0	17.14	0	0
2024	10	1	1	10	8	26	0	0	0	0	0	0	0	17.08	0	0
2024	10	1	1	20	8	26	0	0	0	0	0	0	0	17.02	0	0
2024	10	1	1	30	8	26	0	0	0	0	0	0	0	16.96	0	0
2024	10	1	1	40	8	26	0	0	0	0	0	0	0	16.91	0	0
2024	10	1	1	50	8	26	0	0	0	0	0	0	0	16.86	0	0
2024	10	1	2	0	8	26	0	0	0	0	0	0	0	16.81	0	0
2024	10	1	2	10	8	26	0	0	0	0	0	0	0	16.76	0	0
2024	10	1	2	20	8	26	0	0	0	0	0	0	0	16.71	0	0
2024	10	1	2	30	8	26	0	0	0	0	0	0	0	16.66	0	0
2024	10	1	2	40	8	26	0	0	0	0	0	0	0	16.61	0	0
2024	10	1	2	50	8	25	0	0	0	0	0	0	0	16.57	0	0
2024	10	1	3	0	8	27	0	0	0	0	0	0	0	16.52	0	0
2024	10	1	3	10	8	26	0	0	0	0	0	0	0	16.49	0	0
2024	10	1	3	20	8	26	0	0	0	0	0	0	0	16.44	0	0
2024	10	1	3	30	8	27	0	0	0	0	0	0	0	16.41	0	0
2024	10	1	3	40	8	26	0	0	0	0	0	0	0	16.37	0	0
2024	10	1	3	50	8	26	0	0	0	0	0	0	0	16.33	0	0
2024	10	1	4	0	8	26	0	0	0	0	0	0	0	16.28	0	0
2024	10	1	4	10	8	26	0	0	0	0	0	0	0	16.25	0	0
2024	10	1	4	20	8	26	0	0	0	0	0	0	0	16.21	0	0
2024	10	1	4	30	8	26	0	0	0	0	0	0	0	16.18	0	0
2024	10	1	4	40	8	26	0	0	0	0	0	0	0	16.15	0	0
2024	10	1	4	50	8	26	0	0	0	0	0	0	0	16.11	0	0
2024	10	1	5	0	8	27	0	0	0	0	0	0	0	16.09	0	0
2024	10	1	5	10	8	26	0	0	0	0	0	0	0	16.06	0	0
2024	10	1	5	20	8	26	0	0	0	0	0	0	0	16.04	0	0
2024	10	1	5	30	8	27	0	0	0	0	0	0	0	16.01	0	0
2024	10	1	5	40	8	27	0	0	0	0	0	0	0	15.98	0	0
2024	10	1	5	50	8	26	0	0	0	0	0	0	0	15.97	0	0
2024	10	1	6	0	8	26	0	0	0	0	0	0	0	15.94	0	0
2024	10	1	6	10	8	27	0	0	0	0	0	0	0	15.92	0	0
2024	10	1	6	20	8	26	0	0	0	0	0	0	0	15.9	0	0
2024	10	1	6	30	8	26	0	0	0	0	0	0	0	15.88	0	0
2024	10	1	6	40	8	26	0	0	0	0	0	0	0	15.86	0	0
2024	10	1	6	50	8	26	0	0	0	0	0	0	0	15.84	0	0
2024	10	1	7	0	8	26	0	0	0	0	0	0	0	15.82	0	0
2024	10	1	7	10	8	26	0	0	0	0	0	0	0	15.81	0	0
2024	10	1	7	20	8	27	0	0	0	0	0	0	0	15.79	0	0
2024	10	1	7	30	8	27	0	0	0	0	0	0	0	15.77	0	0
2024	10	1	7	40	8	26	0	0	0	0	0	0	0	15.76	0	0
2024	10	1	7	50	8	26	0	0	0	0	0	0	0	15.75	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	1	8	0	8	26	0	0	0	0	0	0	0	15.74	0	0
2024	10	1	8	10	8	26	0	0	0	0	0	0	0	15.74	0	0
2024	10	1	8	20	8	26	0	0	0	0	0	0	0	15.74	0	0
2024	10	1	8	30	8	26	0	0	0	0	0	0	0	15.75	0	0
2024	10	1	8	40	8	26	0	0	0	0	0	0	0	15.76	0	0
2024	10	1	8	50	8	26	0	0	0	0	0	0	0	15.78	0	0
2024	10	1	9	0	8	26	0	0	0	0	0	0	0	15.8	0	0
2024	10	1	9	10	8	27	0	0	0	0	0	0	0	15.82	0	0
2024	10	1	9	20	8	27	0	0	0	0	0	0	0	15.85	0	0
2024	10	1	9	30	8	27	0	0	0	0	0	0	0	15.89	0	0
2024	10	1	9	40	8	26	0	0	0	0	0	0	0	15.93	0	0
2024	10	1	9	50	8	26	0	0	0	0	0	0	0	15.97	0	0
2024	10	1	10	0	8	26	0	0	0	0	0	0	0	16.02	0	0
2024	10	1	10	10	8	26	0	0	0	0	0	0	0	16.08	0	0
2024	10	1	10	20	8	27	0	0	0	0	0	0	0	16.13	0	0
2024	10	1	10	30	8	27	0	0	0	0	0	0	0	16.2	0	0
2024	10	1	10	40	8	26	0	0	0	0	0	0	0	16.26	0	0
2024	10	1	10	50	8	26	0	0	0	0	0	0	0	16.33	0	0
2024	10	1	11	0	8	26	0	0	0	0	0	0	0	16.41	0	0
2024	10	1	11	10	8	26	0	0	0	0	0	0	0	16.49	0	0
2024	10	1	11	20	8	26	0	0	0	0	0	0	0	16.57	0	0
2024	10	1	11	30	8	26	0	0	0	0	0	0	0	16.65	0	0
2024	10	1	11	40	8	27	0	0	0	0	0	0	0	16.74	0	0
2024	10	1	11	50	8	26	0	0	0	0	0	0	0	16.83	0	0
2024	10	1	12	0	8	26	0	0	0	0	0	0	0	16.92	0	0
2024	10	1	12	10	8	26	0	0	0	0	0	0	0	17.02	0	0
2024	10	1	12	20	8	26	0	0	0	0	0	0	0	17.12	0	0
2024	10	1	12	30	8	26	0	0	0	0	0	0	0	17.2	0	0
2024	10	1	12	40	8	26	0	0	0	0	0	0	0	17.3	0	0
2024	10	1	12	50	8	26	0	0	0	0	0	0	0	17.4	0	0
2024	10	1	13	0	8	27	0	0	0	0	0	0	0	17.5	0	0
2024	10	1	13	10	8	26	0	0	0	0	0	0	0	17.59	0	0
2024	10	1	13	20	8	26	0	0	0	0	0	0	0	17.69	0	0
2024	10	1	13	30	8	27	0	0	0	0	0	0	0	17.79	0	0
2024	10	1	13	40	8	27	0	0	0	0	0	0	0	17.88	0	0
2024	10	1	13	50	8	26	0	0	0	0	0	0	0	17.98	0	0
2024	10	1	14	0	8	26	0	0	0	0	0	0	0	18.07	0	0
2024	10	1	14	10	8	26	0	0	0	0	0	0	0	18.17	0	0
2024	10	1	14	20	8	25	0	0	0	0	0	0	0	18.26	0	0
2024	10	1	14	30	8	26	0	0	0	0	0	0	0	18.35	0	0
2024	10	1	14	40	8	26	0	0	0	0	0	0	0	18.43	0	0
2024	10	1	14	50	8	26	0	0	0	0	0	0	0	18.51	0	0
2024	10	1	15	0	8	26	0	0	0	0	0	0	0	18.59	0	0
2024	10	1	15	10	8	26	0	0	0	0	0	0	0	18.66	0	0
2024	10	1	15	20	8	27	0	0	0	0	0	0	0	18.74	0	0
2024	10	1	15	30	8	26	0	0	0	0	0	0	0	18.8	0	0
2024	10	1	15	40	8	26	0	0	0	0	0	0	0	18.87	0	0
2024	10	1	15	50	8	26	0	0	0	0	0	0	0	18.93	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	1	16	0	8	26	0	0	0	0	0	0	0	18.99	0	0
2024	10	1	16	10	8	26	0	0	0	0	0	0	0	19.05	0	0
2024	10	1	16	20	8	25	0	0	0	0	0	0	0	19.1	0	0
2024	10	1	16	30	8	26	0	0	0	0	0	0	0	19.15	0	0
2024	10	1	16	40	8	26	0	0	0	0	0	0	0	19.19	0	0
2024	10	1	16	50	8	26	0	0	0	0	0	0	0	19.23	0	0
2024	10	1	17	0	8	26	0	0	0	0	0	0	0	19.26	0	0
2024	10	1	17	10	8	25	0	0	0	0	0	0	0	19.3	0	0
2024	10	1	17	20	8	26	0	0	0	0	0	0	0	19.32	0	0
2024	10	1	17	30	8	26	0	0	0	0	0	0	0	19.34	0	0
2024	10	1	17	40	8	25	0	0	0	0	0	0	0	19.36	0	0
2024	10	1	17	50	8	26	0	0	0	0	0	0	0	19.37	0	0
2024	10	1	18	0	8	26	0	0	0	0	0	0	0	19.38	0	0
2024	10	1	18	10	8	26	0	0	0	0	0	0	0	19.38	0	0
2024	10	1	18	20	8	26	0	0	0	0	0	0	0	19.37	0	0
2024	10	1	18	30	8	26	0	0	0	0	0	0	0	19.37	0	0
2024	10	1	18	40	8	25	0	0	0	0	0	0	0	19.36	0	0
2024	10	1	18	50	8	25	0	0	0	0	0	0	0	19.35	0	0
2024	10	1	19	0	8	25	0	0	0	0	0	0	0	19.32	0	0
2024	10	1	19	10	8	26	0	0	0	0	0	0	0	19.31	0	0
2024	10	1	19	20	8	26	0	0	0	0	0	0	0	19.28	0	0
2024	10	1	19	30	8	26	0	0	0	0	0	0	0	19.25	0	0
2024	10	1	19	40	8	26	0	0	0	0	0	0	0	19.22	0	0
2024	10	1	19	50	8	26	0	0	0	0	0	0	0	19.19	0	0
2024	10	1	20	0	8	26	0	0	0	0	0	0	0	19.15	0	0
2024	10	1	20	10	8	26	0	0	0	0	0	0	0	19.12	0	0
2024	10	1	20	20	8	25	0	0	0	0	0	0	0	19.08	0	0
2024	10	1	20	30	8	26	0	0	0	0	0	0	0	19.04	0	0
2024	10	1	20	40	8	26	0	0	0	0	0	0	0	18.99	0	0
2024	10	1	20	50	8	26	0	0	0	0	0	0	0	18.95	0	0
2024	10	1	21	0	8	25	0	0	0	0	0	0	0	18.9	0	0
2024	10	1	21	10	8	26	0	0	0	0	0	0	0	18.85	0	0
2024	10	1	21	20	8	25	0	0	0	0	0	0	0	18.8	0	0
2024	10	1	21	30	8	26	0	0	0	0	0	0	0	18.75	0	0
2024	10	1	21	40	8	26	0	0	0	0	0	0	0	18.7	0	0
2024	10	1	21	50	8	26	0	0	0	0	0	0	0	18.64	0	0
2024	10	1	22	0	8	26	0	0	0	0	0	0	0	18.58	0	0
2024	10	1	22	10	8	26	0	0	0	0	0	0	0	18.53	0	0
2024	10	1	22	20	8	26	0	0	0	0	0	0	0	18.48	0	0
2024	10	1	22	30	8	26	0	0	0	0	0	0	0	18.43	0	0
2024	10	1	22	40	8	26	0	0	0	0	0	0	0	18.38	0	0
2024	10	1	22	50	8	25	0	0	0	0	0	0	0	18.33	0	0
2024	10	1	23	0	8	26	0	0	0	0	0	0	0	18.27	0	0
2024	10	1	23	10	8	26	0	0	0	0	0	0	0	18.22	0	0
2024	10	1	23	20	8	26	0	0	0	0	0	0	0	18.16	0	0
2024	10	1	23	30	8	26	0	0	0	0	0	0	0	18.11	0	0
2024	10	1	23	40	8	26	0	0	0	0	0	0	0	18.06	0	0
2024	10	1	23	50	8	26	0	0	0	0	0	0	0	18	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	2	0	0	8	25	0	0	0	0	0	0	0	17.94	0	0
2024	10	2	0	10	8	26	0	0	0	0	0	0	0	17.88	0	0
2024	10	2	0	20	8	25	0	0	0	0	0	0	0	17.83	0	0
2024	10	2	0	30	8	26	0	0	0	0	0	0	0	17.77	0	0
2024	10	2	0	40	8	26	0	0	0	0	0	0	0	17.71	0	0
2024	10	2	0	50	8	26	0	0	0	0	0	0	0	17.66	0	0
2024	10	2	1	0	8	26	0	0	0	0	0	0	0	17.61	0	0
2024	10	2	1	10	8	26	0	0	0	0	0	0	0	17.55	0	0
2024	10	2	1	20	8	25	0	0	0	0	0	0	0	17.5	0	0
2024	10	2	1	30	8	26	0	0	0	0	0	0	0	17.45	0	0
2024	10	2	1	40	8	26	0	0	0	0	0	0	0	17.4	0	0
2024	10	2	1	50	8	26	0	0	0	0	0	0	0	17.35	0	0
2024	10	2	2	0	8	26	0	0	0	0	0	0	0	17.3	0	0
2024	10	2	2	10	8	27	0	0	0	0	0	0	0	17.25	0	0
2024	10	2	2	20	8	26	0	0	0	0	0	0	0	17.21	0	0
2024	10	2	2	30	8	27	0	0	0	0	0	0	0	17.16	0	0
2024	10	2	2	40	8	26	0	0	0	0	0	0	0	17.12	0	0
2024	10	2	2	50	8	26	0	0	0	0	0	0	0	17.07	0	0
2024	10	2	3	0	8	26	0	0	0	0	0	0	0	17.03	0	0
2024	10	2	3	10	8	26	0	0	0	0	0	0	0	16.98	0	0
2024	10	2	3	20	8	26	0	0	0	0	0	0	0	16.94	0	0
2024	10	2	3	30	8	26	0	0	0	0	0	0	0	16.9	0	0
2024	10	2	3	40	8	26	0	0	0	0	0	0	0	16.86	0	0
2024	10	2	3	50	8	26	0	0	0	0	0	0	0	16.82	0	0
2024	10	2	4	0	8	26	0	0	0	0	0	0	0	16.78	0	0
2024	10	2	4	10	8	26	0	0	0	0	0	0	0	16.74	0	0
2024	10	2	4	20	8	26	0	0	0	0	0	0	0	16.7	0	0
2024	10	2	4	30	8	26	0	0	0	0	0	0	0	16.66	0	0
2024	10	2	4	40	8	26	0	0	0	0	0	0	0	16.63	0	0
2024	10	2	4	50	8	26	0	0	0	0	0	0	0	16.59	0	0
2024	10	2	5	0	8	26	0	0	0	0	0	0	0	16.57	0	0
2024	10	2	5	10	8	26	0	0	0	0	0	0	0	16.53	0	0
2024	10	2	5	20	8	26	0	0	0	0	0	0	0	16.5	0	0
2024	10	2	5	30	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	2	5	40	8	26	0	0	0	0	0	0	0	16.44	0	0
2024	10	2	5	50	8	26	0	0	0	0	0	0	0	16.41	0	0
2024	10	2	6	0	8	26	0	0	0	0	0	0	0	16.39	0	0
2024	10	2	6	10	8	26	0	0	0	0	0	0	0	16.37	0	0
2024	10	2	6	20	8	27	0	0	0	0	0	0	0	16.35	0	0
2024	10	2	6	30	8	26	0	0	0	0	0	0	0	16.33	0	0
2024	10	2	6	40	8	27	0	0	0	0	0	0	0	16.31	0	0
2024	10	2	6	50	8	26	0	0	0	0	0	0	0	16.3	0	0
2024	10	2	7	0	8	26	0	0	0	0	0	0	0	16.28	0	0
2024	10	2	7	10	8	26	0	0	0	0	0	0	0	16.26	0	0
2024	10	2	7	20	8	27	0	0	0	0	0	0	0	16.25	0	0
2024	10	2	7	30	8	26	0	0	0	0	0	0	0	16.23	0	0
2024	10	2	7	40	8	26	0	0	0	0	0	0	0	16.21	0	0
2024	10	2	7	50	8	26	0	0	0	0	0	0	0	16.2	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	2	8	0	8	26	0	0	0	0	0	0	0	16.19	0	0
2024	10	2	8	10	8	26	0	0	0	0	0	0	0	16.19	0	0
2024	10	2	8	20	8	26	0	0	0	0	0	0	0	16.19	0	0
2024	10	2	8	30	8	27	0	0	0	0	0	0	0	16.19	0	0
2024	10	2	8	40	8	26	0	0	0	0	0	0	0	16.21	0	0
2024	10	2	8	50	8	26	0	0	0	0	0	0	0	16.22	0	0
2024	10	2	9	0	8	27	0	0	0	0	0	0	0	16.24	0	0
2024	10	2	9	10	8	26	0	0	0	0	0	0	0	16.26	0	0
2024	10	2	9	20	8	26	0	0	0	0	0	0	0	16.3	0	0
2024	10	2	9	30	8	26	0	0	0	0	0	0	0	16.33	0	0
2024	10	2	9	40	8	26	0	0	0	0	0	0	0	16.37	0	0
2024	10	2	9	50	8	26	0	0	0	0	0	0	0	16.42	0	0
2024	10	2	10	0	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	2	10	10	8	27	0	0	0	0	0	0	0	16.52	0	0
2024	10	2	10	20	8	26	0	0	0	0	0	0	0	16.59	0	0
2024	10	2	10	30	8	26	0	0	0	0	0	0	0	16.65	0	0
2024	10	2	10	40	8	26	0	0	0	0	0	0	0	16.72	0	0
2024	10	2	10	50	8	26	0	0	0	0	0	0	0	16.79	0	0
2024	10	2	11	0	8	26	0	0	0	0	0	0	0	16.87	0	0
2024	10	2	11	10	8	26	0	0	0	0	0	0	0	16.95	0	0
2024	10	2	11	20	8	26	0	0	0	0	0	0	0	17.02	0	0
2024	10	2	11	30	8	27	0	0	0	0	0	0	0	17.11	0	0
2024	10	2	11	40	8	27	0	0	0	0	0	0	0	17.19	0	0
2024	10	2	11	50	8	26	0	0	0	0	0	0	0	17.28	0	0
2024	10	2	12	0	8	26	0	0	0	0	0	0	0	17.37	0	0
2024	10	2	12	10	8	25	0	0	0	0	0	0	0	17.46	0	0
2024	10	2	12	20	8	26	0	0	0	0	0	0	0	17.55	0	0
2024	10	2	12	30	8	26	0	0	0	0	0	0	0	17.65	0	0
2024	10	2	12	40	8	26	0	0	0	0	0	0	0	17.74	0	0
2024	10	2	12	50	8	27	0	0	0	0	0	0	0	17.84	0	0
2024	10	2	13	0	8	26	0	0	0	0	0	0	0	17.94	0	0
2024	10	2	13	10	8	26	0	0	0	0	0	0	0	18.03	0	0
2024	10	2	13	20	8	26	0	0	0	0	0	0	0	18.13	0	0
2024	10	2	13	30	8	26	0	0	0	0	0	0	0	18.23	0	0
2024	10	2	13	40	8	26	0	0	0	0	0	0	0	18.31	0	0
2024	10	2	13	50	8	26	0	0	0	0	0	0	0	18.41	0	0
2024	10	2	14	0	8	26	0	0	0	0	0	0	0	18.5	0	0
2024	10	2	14	10	8	26	0	0	0	0	0	0	0	18.59	0	0
2024	10	2	14	20	8	26	0	0	0	0	0	0	0	18.68	0	0
2024	10	2	14	30	8	26	0	0	0	0	0	0	0	18.76	0	0
2024	10	2	14	40	8	26	0	0	0	0	0	0	0	18.84	0	0
2024	10	2	14	50	8	26	0	0	0	0	0	0	0	18.92	0	0
2024	10	2	15	0	8	25	0	0	0	0	0	0	0	19	0	0
2024	10	2	15	10	8	26	0	0	0	0	0	0	0	19.07	0	0
2024	10	2	15	20	8	26	0	0	0	0	0	0	0	19.14	0	0
2024	10	2	15	30	8	26	0	0	0	0	0	0	0	19.21	0	0
2024	10	2	15	40	8	26	0	0	0	0	0	0	0	19.27	0	0
2024	10	2	15	50	8	26	0	0	0	0	0	0	0	19.33	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	2	16	0	8	26	0	0	0	0	0	0	0	19.39	0	0
2024	10	2	16	10	8	26	0	0	0	0	0	0	0	19.44	0	0
2024	10	2	16	20	8	26	0	0	0	0	0	0	0	19.49	0	0
2024	10	2	16	30	8	26	0	0	0	0	0	0	0	19.54	0	0
2024	10	2	16	40	8	26	0	0	0	0	0	0	0	19.58	0	0
2024	10	2	16	50	8	26	0	0	0	0	0	0	0	19.61	0	0
2024	10	2	17	0	8	26	0	0	0	0	0	0	0	19.65	0	0
2024	10	2	17	10	8	26	0	0	0	0	0	0	0	19.67	0	0
2024	10	2	17	20	8	26	0	0	0	0	0	0	0	19.7	0	0
2024	10	2	17	30	8	26	0	0	0	0	0	0	0	19.71	0	0
2024	10	2	17	40	8	26	0	0	0	0	0	0	0	19.73	0	0
2024	10	2	17	50	8	25	0	0	0	0	0	0	0	19.74	0	0
2024	10	2	18	0	8	26	0	0	0	0	0	0	0	19.74	0	0
2024	10	2	18	10	8	26	0	0	0	0	0	0	0	19.74	0	0
2024	10	2	18	20	8	25	0	0	0	0	0	0	0	19.73	0	0
2024	10	2	18	30	8	26	0	0	0	0	0	0	0	19.72	0	0
2024	10	2	18	40	8	26	0	0	0	0	0	0	0	19.71	0	0
2024	10	2	18	50	8	25	0	0	0	0	0	0	0	19.69	0	0
2024	10	2	19	0	8	25	0	0	0	0	0	0	0	19.67	0	0
2024	10	2	19	10	8	26	0	0	0	0	0	0	0	19.65	0	0
2024	10	2	19	20	8	25	0	0	0	0	0	0	0	19.62	0	0
2024	10	2	19	30	8	26	0	0	0	0	0	0	0	19.59	0	0
2024	10	2	19	40	8	26	0	0	0	0	0	0	0	19.57	0	0
2024	10	2	19	50	8	25	0	0	0	0	0	0	0	19.53	0	0
2024	10	2	20	0	8	26	0	0	0	0	0	0	0	19.5	0	0
2024	10	2	20	10	8	26	0	0	0	0	0	0	0	19.46	0	0
2024	10	2	20	20	8	25	0	0	0	0	0	0	0	19.42	0	0
2024	10	2	20	30	8	25	0	0	0	0	0	0	0	19.38	0	0
2024	10	2	20	40	8	26	0	0	0	0	0	0	0	19.34	0	0
2024	10	2	20	50	8	26	0	0	0	0	0	0	0	19.3	0	0
2024	10	2	21	0	8	25	0	0	0	0	0	0	0	19.26	0	0
2024	10	2	21	10	8	25	0	0	0	0	0	0	0	19.22	0	0
2024	10	2	21	20	8	25	0	0	0	0	0	0	0	19.18	0	0
2024	10	2	21	30	8	26	0	0	0	0	0	0	0	19.14	0	0
2024	10	2	21	40	8	25	0	0	0	0	0	0	0	19.09	0	0
2024	10	2	21	50	8	25	0	0	0	0	0	0	0	19.05	0	0
2024	10	2	22	0	8	26	0	0	0	0	0	0	0	19	0	0
2024	10	2	22	10	8	26	0	0	0	0	0	0	0	18.95	0	0
2024	10	2	22	20	8	26	0	0	0	0	0	0	0	18.91	0	0
2024	10	2	22	30	8	26	0	0	0	0	0	0	0	18.86	0	0
2024	10	2	22	40	8	27	0	0	0	0	0	0	0	18.8	0	0
2024	10	2	22	50	8	26	0	0	0	0	0	0	0	18.76	0	0
2024	10	2	23	0	8	26	0	0	0	0	0	0	0	18.71	0	0
2024	10	2	23	10	8	26	0	0	0	0	0	0	0	18.65	0	0
2024	10	2	23	20	8	26	0	0	0	0	0	0	0	18.6	0	0
2024	10	2	23	30	8	26	0	0	0	0	0	0	0	18.54	0	0
2024	10	2	23	40	8	26	0	0	0	0	0	0	0	18.49	0	0
2024	10	2	23	50	8	26	0	0	0	0	0	0	0	18.43	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	3	0	0	8	25	0	0	0	0	0	0	0	18.39	0	0
2024	10	3	0	10	8	26	0	0	0	0	0	0	0	18.33	0	0
2024	10	3	0	20	8	26	0	0	0	0	0	0	0	18.28	0	0
2024	10	3	0	30	8	26	0	0	0	0	0	0	0	18.23	0	0
2024	10	3	0	40	8	26	0	0	0	0	0	0	0	18.18	0	0
2024	10	3	0	50	8	25	0	0	0	0	0	0	0	18.13	0	0
2024	10	3	1	0	8	26	0	0	0	0	0	0	0	18.07	0	0
2024	10	3	1	10	8	26	0	0	0	0	0	0	0	18.02	0	0
2024	10	3	1	20	8	26	0	0	0	0	0	0	0	17.97	0	0
2024	10	3	1	30	8	26	0	0	0	0	0	0	0	17.92	0	0
2024	10	3	1	40	8	26	0	0	0	0	0	0	0	17.88	0	0
2024	10	3	1	50	8	26	0	0	0	0	0	0	0	17.83	0	0
2024	10	3	2	0	8	26	0	0	0	0	0	0	0	17.79	0	0
2024	10	3	2	10	8	26	0	0	0	0	0	0	0	17.75	0	0
2024	10	3	2	20	8	26	0	0	0	0	0	0	0	17.71	0	0
2024	10	3	2	30	8	26	0	0	0	0	0	0	0	17.67	0	0
2024	10	3	2	40	8	26	0	0	0	0	0	0	0	17.64	0	0
2024	10	3	2	50	8	26	0	0	0	0	0	0	0	17.6	0	0
2024	10	3	3	0	8	26	0	0	0	0	0	0	0	17.57	0	0
2024	10	3	3	10	8	26	0	0	0	0	0	0	0	17.54	0	0
2024	10	3	3	20	8	26	0	0	0	0	0	0	0	17.5	0	0
2024	10	3	3	30	8	26	0	0	0	0	0	0	0	17.47	0	0
2024	10	3	3	40	8	26	0	0	0	0	0	0	0	17.44	0	0
2024	10	3	3	50	8	26	0	0	0	0	0	0	0	17.41	0	0
2024	10	3	4	0	8	26	0	0	0	0	0	0	0	17.38	0	0
2024	10	3	4	10	8	26	0	0	0	0	0	0	0	17.35	0	0
2024	10	3	4	20	8	26	0	0	0	0	0	0	0	17.31	0	0
2024	10	3	4	30	8	26	0	0	0	0	0	0	0	17.28	0	0
2024	10	3	4	40	8	26	0	0	0	0	0	0	0	17.26	0	0
2024	10	3	4	50	8	26	0	0	0	0	0	0	0	17.22	0	0
2024	10	3	5	0	8	26	0	0	0	0	0	0	0	17.19	0	0
2024	10	3	5	10	8	25	0	0	0	0	0	0	0	17.16	0	0
2024	10	3	5	20	8	26	0	0	0	0	0	0	0	17.14	0	0
2024	10	3	5	30	8	26	0	0	0	0	0	0	0	17.11	0	0
2024	10	3	5	40	8	26	0	0	0	0	0	0	0	17.08	0	0
2024	10	3	5	50	8	26	0	0	0	0	0	0	0	17.06	0	0
2024	10	3	6	0	8	26	0	0	0	0	0	0	0	17.03	0	0
2024	10	3	6	10	8	26	0	0	0	0	0	0	0	17.01	0	0
2024	10	3	6	20	8	27	0	0	0	0	0	0	0	16.98	0	0
2024	10	3	6	30	8	27	0	0	0	0	0	0	0	16.97	0	0
2024	10	3	6	40	8	26	0	0	0	0	0	0	0	16.95	0	0
2024	10	3	6	50	8	26	0	0	0	0	0	0	0	16.93	0	0
2024	10	3	7	0	8	26	0	0	0	0	0	0	0	16.92	0	0
2024	10	3	7	10	8	26	0	0	0	0	0	0	0	16.9	0	0
2024	10	3	7	20	8	25	0	0	0	0	0	0	0	16.89	0	0
2024	10	3	7	30	8	26	0	0	0	0	0	0	0	16.89	0	0
2024	10	3	7	40	8	26	0	0	0	0	0	0	0	16.87	0	0
2024	10	3	7	50	8	26	0	0	0	0	0	0	0	16.87	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	3	8	0	8	26	0	0	0	0	0	0	0	16.87	0	0
2024	10	3	8	10	8	26	0	0	0	0	0	0	0	16.87	0	0
2024	10	3	8	20	8	26	0	0	0	0	0	0	0	16.88	0	0
2024	10	3	8	30	8	26	0	0	0	0	0	0	0	16.89	0	0
2024	10	3	8	40	8	26	0	0	0	0	0	0	0	16.91	0	0
2024	10	3	8	50	8	26	0	0	0	0	0	0	0	16.93	0	0
2024	10	3	9	0	8	26	0	0	0	0	0	0	0	16.95	0	0
2024	10	3	9	10	8	26	0	0	0	0	0	0	0	16.98	0	0
2024	10	3	9	20	8	26	0	0	0	0	0	0	0	17.02	0	0
2024	10	3	9	30	8	26	0	0	0	0	0	0	0	17.05	0	0
2024	10	3	9	40	8	27	0	0	0	0	0	0	0	17.1	0	0
2024	10	3	9	50	8	27	0	0	0	0	0	0	0	17.15	0	0
2024	10	3	10	0	8	26	0	0	0	0	0	0	0	17.2	0	0
2024	10	3	10	10	8	26	0	0	0	0	0	0	0	17.26	0	0
2024	10	3	10	20	8	26	0	0	0	0	0	0	0	17.32	0	0
2024	10	3	10	30	8	26	0	0	0	0	0	0	0	17.38	0	0
2024	10	3	10	40	8	27	0	0	0	0	0	0	0	17.45	0	0
2024	10	3	10	50	8	26	0	0	0	0	0	0	0	17.52	0	0
2024	10	3	11	0	8	26	0	0	0	0	0	0	0	17.59	0	0
2024	10	3	11	10	8	26	0	0	0	0	0	0	0	17.67	0	0
2024	10	3	11	20	8	25	0	0	0	0	0	0	0	17.74	0	0
2024	10	3	11	30	8	26	0	0	0	0	0	0	0	17.81	0	0
2024	10	3	11	40	8	27	0	0	0	0	0	0	0	17.89	0	0
2024	10	3	11	50	8	26	0	0	0	0	0	0	0	17.97	0	0
2024	10	3	12	0	8	26	0	0	0	0	0	0	0	18.05	0	0
2024	10	3	12	10	8	26	0	0	0	0	0	0	0	18.14	0	0
2024	10	3	12	20	8	26	0	0	0	0	0	0	0	18.22	0	0
2024	10	3	12	30	8	26	0	0	0	0	0	0	0	18.3	0	0
2024	10	3	12	40	8	26	0	0	0	0	0	0	0	18.39	0	0
2024	10	3	12	50	8	26	0	0	0	0	0	0	0	18.48	0	0
2024	10	3	13	0	8	26	0	0	0	0	0	0	0	18.57	0	0
2024	10	3	13	10	8	27	0	0	0	0	0	0	0	18.65	0	0
2024	10	3	13	20	8	26	0	0	0	0	0	0	0	18.73	0	0
2024	10	3	13	30	8	26	0	0	0	0	0	0	0	18.82	0	0
2024	10	3	13	40	8	26	0	0	0	0	0	0	0	18.9	0	0
2024	10	3	13	50	8	25	0	0	0	0	0	0	0	18.98	0	0
2024	10	3	14	0	8	26	0	0	0	0	0	0	0	19.06	0	0
2024	10	3	14	10	8	26	0	0	0	0	0	0	0	19.14	0	0
2024	10	3	14	20	8	26	0	0	0	0	0	0	0	19.22	0	0
2024	10	3	14	30	8	26	0	0	0	0	0	0	0	19.29	0	0
2024	10	3	14	40	8	25	0	0	0	0	0	0	0	19.36	0	0
2024	10	3	14	50	8	26	0	0	0	0	0	0	0	19.43	0	0
2024	10	3	15	0	8	25	0	0	0	0	0	0	0	19.49	0	0
2024	10	3	15	10	8	26	0	0	0	0	0	0	0	19.55	0	0
2024	10	3	15	20	8	25	0	0	0	0	0	0	0	19.6	0	0
2024	10	3	15	30	8	25	0	0	0	0	0	0	0	19.65	0	0
2024	10	3	15	40	8	26	0	0	0	0	0	0	0	19.7	0	0
2024	10	3	15	50	8	26	0	0	0	0	0	0	0	19.74	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	3	16	0	8	26	0	0	0	0	0	0	0	19.77	0	0
2024	10	3	16	10	8	26	0	0	0	0	0	0	0	19.81	0	0
2024	10	3	16	20	8	26	0	0	0	0	0	0	0	19.85	0	0
2024	10	3	16	30	8	26	0	0	0	0	0	0	0	19.87	0	0
2024	10	3	16	40	8	26	0	0	0	0	0	0	0	19.89	0	0
2024	10	3	16	50	8	25	0	0	0	0	0	0	0	19.91	0	0
2024	10	3	17	0	8	26	0	0	0	0	0	0	0	19.92	0	0
2024	10	3	17	10	8	25	0	0	0	0	0	0	0	19.93	0	0
2024	10	3	17	20	8	26	0	0	0	0	0	0	0	19.93	0	0
2024	10	3	17	30	8	26	0	0	0	0	0	0	0	19.94	0	0
2024	10	3	17	40	8	26	0	0	0	0	0	0	0	19.95	0	0
2024	10	3	17	50	8	25	0	0	0	0	0	0	0	19.95	0	0
2024	10	3	18	0	8	25	0	0	0	0	0	0	0	19.94	0	0
2024	10	3	18	10	8	25	0	0	0	0	0	0	0	19.93	0	0
2024	10	3	18	20	8	26	0	0	0	0	0	0	0	19.92	0	0
2024	10	3	18	30	8	25	0	0	0	0	0	0	0	19.9	0	0
2024	10	3	18	40	8	25	0	0	0	0	0	0	0	19.88	0	0
2024	10	3	18	50	8	25	0	0	0	0	0	0	0	19.86	0	0
2024	10	3	19	0	8	26	0	0	0	0	0	0	0	19.84	0	0
2024	10	3	19	10	8	26	0	0	0	0	0	0	0	19.81	0	0
2024	10	3	19	20	8	26	0	0	0	0	0	0	0	19.78	0	0
2024	10	3	19	30	8	25	0	0	0	0	0	0	0	19.75	0	0
2024	10	3	19	40	8	26	0	0	0	0	0	0	0	19.72	0	0
2024	10	3	19	50	8	25	0	0	0	0	0	0	0	19.68	0	0
2024	10	3	20	0	8	26	0	0	0	0	0	0	0	19.65	0	0
2024	10	3	20	10	8	26	0	0	0	0	0	0	0	19.61	0	0
2024	10	3	20	20	8	26	0	0	0	0	0	0	0	19.58	0	0
2024	10	3	20	30	8	26	0	0	0	0	0	0	0	19.53	0	0
2024	10	3	20	40	8	25	0	0	0	0	0	0	0	19.5	0	0
2024	10	3	20	50	8	26	0	0	0	0	0	0	0	19.45	0	0
2024	10	3	21	0	8	26	0	0	0	0	0	0	0	19.41	0	0
2024	10	3	21	10	8	26	0	0	0	0	0	0	0	19.37	0	0
2024	10	3	21	20	8	26	0	0	0	0	0	0	0	19.32	0	0
2024	10	3	21	30	8	25	0	0	0	0	0	0	0	19.28	0	0
2024	10	3	21	40	8	26	0	0	0	0	0	0	0	19.24	0	0
2024	10	3	21	50	8	26	0	0	0	0	0	0	0	19.19	0	0
2024	10	3	22	0	8	26	0	0	0	0	0	0	0	19.14	0	0
2024	10	3	22	10	8	26	0	0	0	0	0	0	0	19.1	0	0
2024	10	3	22	20	8	26	0	0	0	0	0	0	0	19.05	0	0
2024	10	3	22	30	8	25	0	0	0	0	0	0	0	19	0	0
2024	10	3	22	40	8	26	0	0	0	0	0	0	0	18.96	0	0
2024	10	3	22	50	8	26	0	0	0	0	0	0	0	18.91	0	0
2024	10	3	23	0	8	26	0	0	0	0	0	0	0	18.86	0	0
2024	10	3	23	10	8	25	0	0	0	0	0	0	0	18.81	0	0
2024	10	3	23	20	8	26	0	0	0	0	0	0	0	18.76	0	0
2024	10	3	23	30	8	26	0	0	0	0	0	0	0	18.71	0	0
2024	10	3	23	40	8	26	0	0	0	0	0	0	0	18.66	0	0
2024	10	3	23	50	8	26	0	0	0	0	0	0	0	18.61	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	4	0	0	8	25	0	0	0	0	0	0	0	18.56	0	0
2024	10	4	0	10	8	26	0	0	0	0	0	0	0	18.51	0	0
2024	10	4	0	20	8	26	0	0	0	0	0	0	0	18.46	0	0
2024	10	4	0	30	8	25	0	0	0	0	0	0	0	18.41	0	0
2024	10	4	0	40	8	25	0	0	0	0	0	0	0	18.37	0	0
2024	10	4	0	50	8	25	0	0	0	0	0	0	0	18.31	0	0
2024	10	4	1	0	8	26	0	0	0	0	0	0	0	18.26	0	0
2024	10	4	1	10	8	25	0	0	0	0	0	0	0	18.22	0	0
2024	10	4	1	20	8	26	0	0	0	0	0	0	0	18.16	0	0
2024	10	4	1	30	8	26	0	0	0	0	0	0	0	18.12	0	0
2024	10	4	1	40	8	26	0	0	0	0	0	0	0	18.07	0	0
2024	10	4	1	50	8	26	0	0	0	0	0	0	0	18.03	0	0
2024	10	4	2	0	8	26	0	0	0	0	0	0	0	17.98	0	0
2024	10	4	2	10	8	26	0	0	0	0	0	0	0	17.94	0	0
2024	10	4	2	20	8	26	0	0	0	0	0	0	0	17.89	0	0
2024	10	4	2	30	8	26	0	0	0	0	0	0	0	17.85	0	0
2024	10	4	2	40	8	26	0	0	0	0	0	0	0	17.8	0	0
2024	10	4	2	50	8	26	0	0	0	0	0	0	0	17.76	0	0
2024	10	4	3	0	8	26	0	0	0	0	0	0	0	17.71	0	0
2024	10	4	3	10	8	27	0	0	0	0	0	0	0	17.67	0	0
2024	10	4	3	20	8	26	0	0	0	0	0	0	0	17.64	0	0
2024	10	4	3	30	8	26	0	0	0	0	0	0	0	17.59	0	0
2024	10	4	3	40	8	26	0	0	0	0	0	0	0	17.55	0	0
2024	10	4	3	50	8	26	0	0	0	0	0	0	0	17.51	0	0
2024	10	4	4	0	8	27	0	0	0	0	0	0	0	17.47	0	0
2024	10	4	4	10	8	26	0	0	0	0	0	0	0	17.44	0	0
2024	10	4	4	20	8	27	0	0	0	0	0	0	0	17.4	0	0
2024	10	4	4	30	8	26	0	0	0	0	0	0	0	17.37	0	0
2024	10	4	4	40	8	26	0	0	0	0	0	0	0	17.34	0	0
2024	10	4	4	50	8	26	0	0	0	0	0	0	0	17.31	0	0
2024	10	4	5	0	8	26	0	0	0	0	0	0	0	17.28	0	0
2024	10	4	5	10	8	26	0	0	0	0	0	0	0	17.25	0	0
2024	10	4	5	20	8	27	0	0	0	0	0	0	0	17.22	0	0
2024	10	4	5	30	8	26	0	0	0	0	0	0	0	17.2	0	0
2024	10	4	5	40	8	26	0	0	0	0	0	0	0	17.17	0	0
2024	10	4	5	50	8	26	0	0	0	0	0	0	0	17.15	0	0
2024	10	4	6	0	8	26	0	0	0	0	0	0	0	17.13	0	0
2024	10	4	6	10	8	26	0	0	0	0	0	0	0	17.1	0	0
2024	10	4	6	20	8	26	0	0	0	0	0	0	0	17.08	0	0
2024	10	4	6	30	8	26	0	0	0	0	0	0	0	17.06	0	0
2024	10	4	6	40	8	26	0	0	0	0	0	0	0	17.04	0	0
2024	10	4	6	50	8	26	0	0	0	0	0	0	0	17.02	0	0
2024	10	4	7	0	8	26	0	0	0	0	0	0	0	17.01	0	0
2024	10	4	7	10	8	26	0	0	0	0	0	0	0	16.99	0	0
2024	10	4	7	20	8	26	0	0	0	0	0	0	0	16.98	0	0
2024	10	4	7	30	8	26	0	0	0	0	0	0	0	16.97	0	0
2024	10	4	7	40	8	26	0	0	0	0	0	0	0	16.96	0	0
2024	10	4	7	50	8	26	0	0	0	0	0	0	0	16.96	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	4	8	0	8	26	0	0	0	0	0	0	0	16.96	0	0
2024	10	4	8	10	8	26	0	0	0	0	0	0	0	16.96	0	0
2024	10	4	8	20	8	26	0	0	0	0	0	0	0	16.96	0	0
2024	10	4	8	30	8	26	0	0	0	0	0	0	0	16.97	0	0
2024	10	4	8	40	8	27	0	0	0	0	0	0	0	16.99	0	0
2024	10	4	8	50	8	27	0	0	0	0	0	0	0	17.01	0	0
2024	10	4	9	0	8	26	0	0	0	0	0	0	0	17.03	0	0
2024	10	4	9	10	8	26	0	0	0	0	0	0	0	17.06	0	0
2024	10	4	9	20	8	26	0	0	0	0	0	0	0	17.09	0	0
2024	10	4	9	30	8	26	0	0	0	0	0	0	0	17.13	0	0
2024	10	4	9	40	8	26	0	0	0	0	0	0	0	17.18	0	0
2024	10	4	9	50	8	26	0	0	0	0	0	0	0	17.22	0	0
2024	10	4	10	0	8	26	0	0	0	0	0	0	0	17.27	0	0
2024	10	4	10	10	8	26	0	0	0	0	0	0	0	17.33	0	0
2024	10	4	10	20	8	26	0	0	0	0	0	0	0	17.39	0	0
2024	10	4	10	30	8	26	0	0	0	0	0	0	0	17.45	0	0
2024	10	4	10	40	8	27	0	0	0	0	0	0	0	17.52	0	0
2024	10	4	10	50	8	26	0	0	0	0	0	0	0	17.58	0	0
2024	10	4	11	0	8	26	0	0	0	0	0	0	0	17.65	0	0
2024	10	4	11	10	8	26	0	0	0	0	0	0	0	17.73	0	0
2024	10	4	11	20	8	26	0	0	0	0	0	0	0	17.8	0	0
2024	10	4	11	30	8	26	0	0	0	0	0	0	0	17.84	0	0
2024	10	4	11	40	8	26	0	0	0	0	0	0	0	17.89	0	0
2024	10	4	11	50	8	26	0	0	0	0	0	0	0	17.95	0	0
2024	10	4	12	0	8	26	0	0	0	0	0	0	0	18	0	0
2024	10	4	12	10	8	26	0	0	0	0	0	0	0	18.07	0	0
2024	10	4	12	20	8	26	0	0	0	0	0	0	0	18.14	0	0
2024	10	4	12	30	8	25	0	0	0	0	0	0	0	18.19	0	0
2024	10	4	12	40	8	26	0	0	0	0	0	0	0	18.23	0	0
2024	10	4	12	50	8	26	0	0	0	0	0	0	0	18.27	0	0
2024	10	4	13	0	8	26	0	0	0	0	0	0	0	18.3	0	0
2024	10	4	13	10	8	25	0	0	0	0	0	0	0	18.34	0	0
2024	10	4	13	20	8	26	0	0	0	0	0	0	0	18.38	0	0
2024	10	4	13	30	8	26	0	0	0	0	0	0	0	18.43	0	0
2024	10	4	13	40	8	26	0	0	0	0	0	0	0	18.48	0	0
2024	10	4	13	50	8	26	0	0	0	0	0	0	0	18.51	0	0
2024	10	4	14	0	8	26	0	0	0	0	0	0	0	18.54	0	0
2024	10	4	14	10	8	26	0	0	0	0	0	0	0	18.59	0	0
2024	10	4	14	20	8	26	0	0	0	0	0	0	0	18.61	0	0
2024	10	4	14	30	8	26	0	0	0	0	0	0	0	18.63	0	0
2024	10	4	14	40	8	26	0	0	0	0	0	0	0	18.65	0	0
2024	10	4	14	50	8	26	0	0	0	0	0	0	0	18.68	0	0
2024	10	4	15	0	8	26	0	0	0	0	0	0	0	18.71	0	0
2024	10	4	15	10	8	26	0	0	0	0	0	0	0	18.73	0	0
2024	10	4	15	20	8	26	0	0	0	0	0	0	0	18.78	0	0
2024	10	4	15	30	8	25	0	0	0	0	0	0	0	18.82	0	0
2024	10	4	15	40	8	26	0	0	0	0	0	0	0	18.84	0	0
2024	10	4	15	50	8	26	0	0	0	0	0	0	0	18.86	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	4	16	0	8	26	0	0	0	0	0	0	0	18.88	0	0
2024	10	4	16	10	8	26	0	0	0	0	0	0	0	18.88	0	0
2024	10	4	16	20	8	26	0	0	0	0	0	0	0	18.9	0	0
2024	10	4	16	30	8	26	0	0	0	0	0	0	0	18.91	0	0
2024	10	4	16	40	8	26	0	0	0	0	0	0	0	18.91	0	0
2024	10	4	16	50	8	26	0	0	0	0	0	0	0	18.91	0	0
2024	10	4	17	0	8	26	0	0	0	0	0	0	0	18.91	0	0
2024	10	4	17	10	8	26	0	0	0	0	0	0	0	18.91	0	0
2024	10	4	17	20	8	26	0	0	0	0	0	0	0	18.91	0	0
2024	10	4	17	30	8	26	0	0	0	0	0	0	0	18.9	0	0
2024	10	4	17	40	8	26	0	0	0	0	0	0	0	18.88	0	0
2024	10	4	17	50	8	26	0	0	0	0	0	0	0	18.87	0	0
2024	10	4	18	0	8	26	0	0	0	0	0	0	0	18.85	0	0
2024	10	4	18	10	8	26	0	0	0	0	0	0	0	18.84	0	0
2024	10	4	18	20	8	26	0	0	0	0	0	0	0	18.81	0	0
2024	10	4	18	30	8	27	0	0	0	0	0	0	0	18.79	0	0
2024	10	4	18	40	8	26	0	0	0	0	0	0	0	18.76	0	0
2024	10	4	18	50	8	26	0	0	0	0	0	0	0	18.73	0	0
2024	10	4	19	0	8	26	0	0	0	0	0	0	0	18.71	0	0
2024	10	4	19	10	8	26	0	0	0	0	0	0	0	18.68	0	0
2024	10	4	19	20	8	25	0	0	0	0	0	0	0	18.65	0	0
2024	10	4	19	30	8	26	0	0	0	0	0	0	0	18.62	0	0
2024	10	4	19	40	8	26	0	0	0	0	0	0	0	18.58	0	0
2024	10	4	19	50	8	26	0	0	0	0	0	0	0	18.55	0	0
2024	10	4	20	0	8	26	0	0	0	0	0	0	0	18.51	0	0
2024	10	4	20	10	8	26	0	0	0	0	0	0	0	18.48	0	0
2024	10	4	20	20	8	26	0	0	0	0	0	0	0	18.44	0	0
2024	10	4	20	30	8	26	0	0	0	0	0	0	0	18.41	0	0
2024	10	4	20	40	8	26	0	0	0	0	0	0	0	18.36	0	0
2024	10	4	20	50	8	26	0	0	0	0	0	0	0	18.33	0	0
2024	10	4	21	0	8	26	0	0	0	0	0	0	0	18.29	0	0
2024	10	4	21	10	8	26	0	0	0	0	0	0	0	18.25	0	0
2024	10	4	21	20	8	26	0	0	0	0	0	0	0	18.21	0	0
2024	10	4	21	30	8	26	0	0	0	0	0	0	0	18.18	0	0
2024	10	4	21	40	8	26	0	0	0	0	0	0	0	18.15	0	0
2024	10	4	21	50	8	26	0	0	0	0	0	0	0	18.12	0	0
2024	10	4	22	0	8	26	0	0	0	0	0	0	0	18.08	0	0
2024	10	4	22	10	8	26	0	0	0	0	0	0	0	18.05	0	0
2024	10	4	22	20	8	26	0	0	0	0	0	0	0	18.02	0	0
2024	10	4	22	30	8	26	0	0	0	0	0	0	0	17.99	0	0
2024	10	4	22	40	8	27	0	0	0	0	0	0	0	17.96	0	0
2024	10	4	22	50	8	26	0	0	0	0	0	0	0	17.93	0	0
2024	10	4	23	0	8	25	0	0	0	0	0	0	0	17.89	0	0
2024	10	4	23	10	8	26	0	0	0	0	0	0	0	17.86	0	0
2024	10	4	23	20	8	25	0	0	0	0	0	0	0	17.82	0	0
2024	10	4	23	30	8	26	0	0	0	0	0	0	0	17.79	0	0
2024	10	4	23	40	8	26	0	0	0	0	0	0	0	17.75	0	0
2024	10	4	23	50	8	26	0	0	0	0	0	0	0	17.71	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	5	0	0	8	26	0	0	0	0	0	0	0	17.67	0	0
2024	10	5	0	10	8	26	0	0	0	0	0	0	0	17.64	0	0
2024	10	5	0	20	8	26	0	0	0	0	0	0	0	17.6	0	0
2024	10	5	0	30	8	25	0	0	0	0	0	0	0	17.56	0	0
2024	10	5	0	40	8	26	0	0	0	0	0	0	0	17.52	0	0
2024	10	5	0	50	8	26	0	0	0	0	0	0	0	17.48	0	0
2024	10	5	1	0	8	26	0	0	0	0	0	0	0	17.43	0	0
2024	10	5	1	10	8	26	0	0	0	0	0	0	0	17.39	0	0
2024	10	5	1	20	8	26	0	0	0	0	0	0	0	17.35	0	0
2024	10	5	1	30	8	26	0	0	0	0	0	0	0	17.31	0	0
2024	10	5	1	40	8	26	0	0	0	0	0	0	0	17.27	0	0
2024	10	5	1	50	8	26	0	0	0	0	0	0	0	17.24	0	0
2024	10	5	2	0	8	26	0	0	0	0	0	0	0	17.2	0	0
2024	10	5	2	10	8	25	0	0	0	0	0	0	0	17.17	0	0
2024	10	5	2	20	8	26	0	0	0	0	0	0	0	17.15	0	0
2024	10	5	2	30	8	26	0	0	0	0	0	0	0	17.12	0	0
2024	10	5	2	40	8	25	0	0	0	0	0	0	0	17.1	0	0
2024	10	5	2	50	8	26	0	0	0	0	0	0	0	17.07	0	0
2024	10	5	3	0	8	26	0	0	0	0	0	0	0	17.05	0	0
2024	10	5	3	10	8	26	0	0	0	0	0	0	0	17.02	0	0
2024	10	5	3	20	8	27	0	0	0	0	0	0	0	16.99	0	0
2024	10	5	3	30	8	26	0	0	0	0	0	0	0	16.96	0	0
2024	10	5	3	40	8	27	0	0	0	0	0	0	0	16.94	0	0
2024	10	5	3	50	8	26	0	0	0	0	0	0	0	16.92	0	0
2024	10	5	4	0	8	26	0	0	0	0	0	0	0	16.9	0	0
2024	10	5	4	10	8	26	0	0	0	0	0	0	0	16.87	0	0
2024	10	5	4	20	8	26	0	0	0	0	0	0	0	16.85	0	0
2024	10	5	4	30	8	26	0	0	0	0	0	0	0	16.83	0	0
2024	10	5	4	40	8	26	0	0	0	0	0	0	0	16.8	0	0
2024	10	5	4	50	8	26	0	0	0	0	0	0	0	16.79	0	0
2024	10	5	5	0	8	26	0	0	0	0	0	0	0	16.77	0	0
2024	10	5	5	10	8	26	0	0	0	0	0	0	0	16.76	0	0
2024	10	5	5	20	8	26	0	0	0	0	0	0	0	16.74	0	0
2024	10	5	5	30	8	27	0	0	0	0	0	0	0	16.73	0	0
2024	10	5	5	40	8	26	0	0	0	0	0	0	0	16.7	0	0
2024	10	5	5	50	8	26	0	0	0	0	0	0	0	16.69	0	0
2024	10	5	6	0	8	26	0	0	0	0	0	0	0	16.67	0	0
2024	10	5	6	10	8	26	0	0	0	0	0	0	0	16.66	0	0
2024	10	5	6	20	8	26	0	0	0	0	0	0	0	16.64	0	0
2024	10	5	6	30	8	26	0	0	0	0	0	0	0	16.62	0	0
2024	10	5	6	40	8	26	0	0	0	0	0	0	0	16.61	0	0
2024	10	5	6	50	8	26	0	0	0	0	0	0	0	16.59	0	0
2024	10	5	7	0	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	5	7	10	8	26	0	0	0	0	0	0	0	16.56	0	0
2024	10	5	7	20	8	26	0	0	0	0	0	0	0	16.54	0	0
2024	10	5	7	30	8	26	0	0	0	0	0	0	0	16.52	0	0
2024	10	5	7	40	8	27	0	0	0	0	0	0	0	16.5	0	0
2024	10	5	7	50	8	26	0	0	0	0	0	0	0	16.49	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	5	8	0	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	5	8	10	8	26	0	0	0	0	0	0	0	16.46	0	0
2024	10	5	8	20	8	26	0	0	0	0	0	0	0	16.46	0	0
2024	10	5	8	30	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	5	8	40	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	5	8	50	8	27	0	0	0	0	0	0	0	16.48	0	0
2024	10	5	9	0	8	26	0	0	0	0	0	0	0	16.49	0	0
2024	10	5	9	10	8	26	0	0	0	0	0	0	0	16.51	0	0
2024	10	5	9	20	8	26	0	0	0	0	0	0	0	16.53	0	0
2024	10	5	9	30	8	26	0	0	0	0	0	0	0	16.57	0	0
2024	10	5	9	40	8	26	0	0	0	0	0	0	0	16.6	0	0
2024	10	5	9	50	8	26	0	0	0	0	0	0	0	16.65	0	0
2024	10	5	10	0	8	26	0	0	0	0	0	0	0	16.69	0	0
2024	10	5	10	10	8	26	0	0	0	0	0	0	0	16.74	0	0
2024	10	5	10	20	8	26	0	0	0	0	0	0	0	16.8	0	0
2024	10	5	10	30	8	26	0	0	0	0	0	0	0	16.86	0	0
2024	10	5	10	40	8	26	0	0	0	0	0	0	0	16.92	0	0
2024	10	5	10	50	8	25	0	0	0	0	0	0	0	16.99	0	0
2024	10	5	11	0	8	26	0	0	0	0	0	0	0	17.06	0	0
2024	10	5	11	10	8	26	0	0	0	0	0	0	0	17.13	0	0
2024	10	5	11	20	8	26	0	0	0	0	0	0	0	17.21	0	0
2024	10	5	11	30	8	26	0	0	0	0	0	0	0	17.29	0	0
2024	10	5	11	40	8	26	0	0	0	0	0	0	0	17.37	0	0
2024	10	5	11	50	8	27	0	0	0	0	0	0	0	17.46	0	0
2024	10	5	12	0	8	26	0	0	0	0	0	0	0	17.55	0	0
2024	10	5	12	10	8	26	0	0	0	0	0	0	0	17.64	0	0
2024	10	5	12	20	8	26	0	0	0	0	0	0	0	17.73	0	0
2024	10	5	12	30	8	26	0	0	0	0	0	0	0	17.82	0	0
2024	10	5	12	40	8	26	0	0	0	0	0	0	0	17.91	0	0
2024	10	5	12	50	8	27	0	0	0	0	0	0	0	18	0	0
2024	10	5	13	0	8	27	0	0	0	0	0	0	0	18.09	0	0
2024	10	5	13	10	8	27	0	0	0	0	0	0	0	18.16	0	0
2024	10	5	13	20	8	26	0	0	0	0	0	0	0	18.24	0	0
2024	10	5	13	30	8	26	0	0	0	0	0	0	0	18.31	0	0
2024	10	5	13	40	8	26	0	0	0	0	0	0	0	18.37	0	0
2024	10	5	13	50	8	27	0	0	0	0	0	0	0	18.43	0	0
2024	10	5	14	0	8	25	0	0	0	0	0	0	0	18.48	0	0
2024	10	5	14	10	8	26	0	0	0	0	0	0	0	18.51	0	0
2024	10	5	14	20	8	26	0	0	0	0	0	0	0	18.57	0	0
2024	10	5	14	30	8	26	0	0	0	0	0	0	0	18.62	0	0
2024	10	5	14	40	8	26	0	0	0	0	0	0	0	18.65	0	0
2024	10	5	14	50	8	26	0	0	0	0	0	0	0	18.68	0	0
2024	10	5	15	0	8	26	0	0	0	0	0	0	0	18.72	0	0
2024	10	5	15	10	8	25	0	0	0	0	0	0	0	18.76	0	0
2024	10	5	15	20	8	25	0	0	0	0	0	0	0	18.8	0	0
2024	10	5	15	30	8	26	0	0	0	0	0	0	0	18.85	0	0
2024	10	5	15	40	8	26	0	0	0	0	0	0	0	18.9	0	0
2024	10	5	15	50	8	26	0	0	0	0	0	0	0	18.96	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	5	16	0	8	26	0	0	0	0	0	0	0	19.01	0	0
2024	10	5	16	10	8	26	0	0	0	0	0	0	0	19.05	0	0
2024	10	5	16	20	8	25	0	0	0	0	0	0	0	19.09	0	0
2024	10	5	16	30	8	26	0	0	0	0	0	0	0	19.13	0	0
2024	10	5	16	40	8	26	0	0	0	0	0	0	0	19.16	0	0
2024	10	5	16	50	8	26	0	0	0	0	0	0	0	19.2	0	0
2024	10	5	17	0	8	26	0	0	0	0	0	0	0	19.24	0	0
2024	10	5	17	10	8	26	0	0	0	0	0	0	0	19.26	0	0
2024	10	5	17	20	8	26	0	0	0	0	0	0	0	19.29	0	0
2024	10	5	17	30	8	26	0	0	0	0	0	0	0	19.32	0	0
2024	10	5	17	40	8	25	0	0	0	0	0	0	0	19.35	0	0
2024	10	5	17	50	8	26	0	0	0	0	0	0	0	19.37	0	0
2024	10	5	18	0	8	25	0	0	0	0	0	0	0	19.39	0	0
2024	10	5	18	10	8	26	0	0	0	0	0	0	0	19.4	0	0
2024	10	5	18	20	8	26	0	0	0	0	0	0	0	19.41	0	0
2024	10	5	18	30	8	26	0	0	0	0	0	0	0	19.41	0	0
2024	10	5	18	40	8	26	0	0	0	0	0	0	0	19.41	0	0
2024	10	5	18	50	8	26	0	0	0	0	0	0	0	19.41	0	0
2024	10	5	19	0	8	25	0	0	0	0	0	0	0	19.4	0	0
2024	10	5	19	10	8	26	0	0	0	0	0	0	0	19.39	0	0
2024	10	5	19	20	8	26	0	0	0	0	0	0	0	19.37	0	0
2024	10	5	19	30	8	26	0	0	0	0	0	0	0	19.36	0	0
2024	10	5	19	40	8	26	0	0	0	0	0	0	0	19.34	0	0
2024	10	5	19	50	8	26	0	0	0	0	0	0	0	19.31	0	0
2024	10	5	20	0	8	26	0	0	0	0	0	0	0	19.29	0	0
2024	10	5	20	10	8	26	0	0	0	0	0	0	0	19.26	0	0
2024	10	5	20	20	8	26	0	0	0	0	0	0	0	19.23	0	0
2024	10	5	20	30	8	26	0	0	0	0	0	0	0	19.21	0	0
2024	10	5	20	40	8	26	0	0	0	0	0	0	0	19.17	0	0
2024	10	5	20	50	8	26	0	0	0	0	0	0	0	19.14	0	0
2024	10	5	21	0	8	26	0	0	0	0	0	0	0	19.1	0	0
2024	10	5	21	10	8	26	0	0	0	0	0	0	0	19.06	0	0
2024	10	5	21	20	8	26	0	0	0	0	0	0	0	19.02	0	0
2024	10	5	21	30	8	25	0	0	0	0	0	0	0	18.98	0	0
2024	10	5	21	40	8	25	0	0	0	0	0	0	0	18.93	0	0
2024	10	5	21	50	8	26	0	0	0	0	0	0	0	18.89	0	0
2024	10	5	22	0	8	26	0	0	0	0	0	0	0	18.84	0	0
2024	10	5	22	10	8	26	0	0	0	0	0	0	0	18.79	0	0
2024	10	5	22	20	8	26	0	0	0	0	0	0	0	18.75	0	0
2024	10	5	22	30	8	26	0	0	0	0	0	0	0	18.7	0	0
2024	10	5	22	40	8	26	0	0	0	0	0	0	0	18.66	0	0
2024	10	5	22	50	8	25	0	0	0	0	0	0	0	18.61	0	0
2024	10	5	23	0	8	26	0	0	0	0	0	0	0	18.57	0	0
2024	10	5	23	10	8	26	0	0	0	0	0	0	0	18.53	0	0
2024	10	5	23	20	8	26	0	0	0	0	0	0	0	18.48	0	0
2024	10	5	23	30	8	25	0	0	0	0	0	0	0	18.43	0	0
2024	10	5	23	40	8	26	0	0	0	0	0	0	0	18.38	0	0
2024	10	5	23	50	8	25	0	0	0	0	0	0	0	18.34	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	6	0	0	8	26	0	0	0	0	0	0	0	18.29	0	0
2024	10	6	0	10	8	27	0	0	0	0	0	0	0	18.24	0	0
2024	10	6	0	20	8	26	0	0	0	0	0	0	0	18.19	0	0
2024	10	6	0	30	8	27	0	0	0	0	0	0	0	18.15	0	0
2024	10	6	0	40	8	27	0	0	0	0	0	0	0	18.1	0	0
2024	10	6	0	50	8	26	0	0	0	0	0	0	0	18.04	0	0
2024	10	6	1	0	8	26	0	0	0	0	0	0	0	18	0	0
2024	10	6	1	10	8	26	0	0	0	0	0	0	0	17.95	0	0
2024	10	6	1	20	8	26	0	0	0	0	0	0	0	17.9	0	0
2024	10	6	1	30	8	26	0	0	0	0	0	0	0	17.85	0	0
2024	10	6	1	40	8	26	0	0	0	0	0	0	0	17.81	0	0
2024	10	6	1	50	8	26	0	0	0	0	0	0	0	17.77	0	0
2024	10	6	2	0	8	26	0	0	0	0	0	0	0	17.73	0	0
2024	10	6	2	10	8	26	0	0	0	0	0	0	0	17.69	0	0
2024	10	6	2	20	8	26	0	0	0	0	0	0	0	17.65	0	0
2024	10	6	2	30	8	26	0	0	0	0	0	0	0	17.61	0	0
2024	10	6	2	40	8	26	0	0	0	0	0	0	0	17.58	0	0
2024	10	6	2	50	8	27	0	0	0	0	0	0	0	17.54	0	0
2024	10	6	3	0	8	26	0	0	0	0	0	0	0	17.5	0	0
2024	10	6	3	10	8	26	0	0	0	0	0	0	0	17.47	0	0
2024	10	6	3	20	8	26	0	0	0	0	0	0	0	17.44	0	0
2024	10	6	3	30	8	27	0	0	0	0	0	0	0	17.4	0	0
2024	10	6	3	40	8	26	0	0	0	0	0	0	0	17.37	0	0
2024	10	6	3	50	8	26	0	0	0	0	0	0	0	17.34	0	0
2024	10	6	4	0	8	26	0	0	0	0	0	0	0	17.31	0	0
2024	10	6	4	10	8	26	0	0	0	0	0	0	0	17.28	0	0
2024	10	6	4	20	8	27	0	0	0	0	0	0	0	17.25	0	0
2024	10	6	4	30	8	27	0	0	0	0	0	0	0	17.22	0	0
2024	10	6	4	40	8	26	0	0	0	0	0	0	0	17.2	0	0
2024	10	6	4	50	8	26	0	0	0	0	0	0	0	17.17	0	0
2024	10	6	5	0	8	26	0	0	0	0	0	0	0	17.14	0	0
2024	10	6	5	10	8	26	0	0	0	0	0	0	0	17.12	0	0
2024	10	6	5	20	8	26	0	0	0	0	0	0	0	17.08	0	0
2024	10	6	5	30	8	26	0	0	0	0	0	0	0	17.05	0	0
2024	10	6	5	40	8	26	0	0	0	0	0	0	0	17.03	0	0
2024	10	6	5	50	8	26	0	0	0	0	0	0	0	17	0	0
2024	10	6	6	0	8	26	0	0	0	0	0	0	0	16.97	0	0
2024	10	6	6	10	8	26	0	0	0	0	0	0	0	16.94	0	0
2024	10	6	6	20	8	27	0	0	0	0	0	0	0	16.91	0	0
2024	10	6	6	30	8	26	0	0	0	0	0	0	0	16.88	0	0
2024	10	6	6	40	8	25	0	0	0	0	0	0	0	16.86	0	0
2024	10	6	6	50	8	26	0	0	0	0	0	0	0	16.83	0	0
2024	10	6	7	0	8	26	0	0	0	0	0	0	0	16.81	0	0
2024	10	6	7	10	8	26	0	0	0	0	0	0	0	16.78	0	0
2024	10	6	7	20	8	26	0	0	0	0	0	0	0	16.76	0	0
2024	10	6	7	30	8	27	0	0	0	0	0	0	0	16.74	0	0
2024	10	6	7	40	8	26	0	0	0	0	0	0	0	16.73	0	0
2024	10	6	7	50	8	27	0	0	0	0	0	0	0	16.71	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	6	8	0	8	27	0	0	0	0	0	0	0	16.7	0	0
2024	10	6	8	10	8	27	0	0	0	0	0	0	0	16.7	0	0
2024	10	6	8	20	8	26	0	0	0	0	0	0	0	16.7	0	0
2024	10	6	8	30	8	26	0	0	0	0	0	0	0	16.7	0	0
2024	10	6	8	40	8	27	0	0	0	0	0	0	0	16.72	0	0
2024	10	6	8	50	8	27	0	0	0	0	0	0	0	16.73	0	0
2024	10	6	9	0	8	26	0	0	0	0	0	0	0	16.75	0	0
2024	10	6	9	10	8	26	0	0	0	0	0	0	0	16.77	0	0
2024	10	6	9	20	8	26	0	0	0	0	0	0	0	16.8	0	0
2024	10	6	9	30	8	26	0	0	0	0	0	0	0	16.83	0	0
2024	10	6	9	40	8	27	0	0	0	0	0	0	0	16.87	0	0
2024	10	6	9	50	8	26	0	0	0	0	0	0	0	16.91	0	0
2024	10	6	10	0	8	26	0	0	0	0	0	0	0	16.96	0	0
2024	10	6	10	10	8	25	0	0	0	0	0	0	0	17.01	0	0
2024	10	6	10	20	8	26	0	0	0	0	0	0	0	17.06	0	0
2024	10	6	10	30	8	26	0	0	0	0	0	0	0	17.12	0	0
2024	10	6	10	40	8	27	0	0	0	0	0	0	0	17.19	0	0
2024	10	6	10	50	8	27	0	0	0	0	0	0	0	17.25	0	0
2024	10	6	11	0	8	26	0	0	0	0	0	0	0	17.31	0	0
2024	10	6	11	10	8	25	0	0	0	0	0	0	0	17.38	0	0
2024	10	6	11	20	8	26	0	0	0	0	0	0	0	17.45	0	0
2024	10	6	11	30	8	26	0	0	0	0	0	0	0	17.52	0	0
2024	10	6	11	40	8	26	0	0	0	0	0	0	0	17.6	0	0
2024	10	6	11	50	8	25	0	0	0	0	0	0	0	17.67	0	0
2024	10	6	12	0	8	26	0	0	0	0	0	0	0	17.75	0	0
2024	10	6	12	10	8	25	0	0	0	0	0	0	0	17.83	0	0
2024	10	6	12	20	8	26	0	0	0	0	0	0	0	17.9	0	0
2024	10	6	12	30	8	26	0	0	0	0	0	0	0	17.98	0	0
2024	10	6	12	40	8	26	0	0	0	0	0	0	0	18.06	0	0
2024	10	6	12	50	8	26	0	0	0	0	0	0	0	18.14	0	0
2024	10	6	13	0	8	27	0	0	0	0	0	0	0	18.21	0	0
2024	10	6	13	10	8	26	0	0	0	0	0	0	0	18.26	0	0
2024	10	6	13	20	8	26	0	0	0	0	0	0	0	18.34	0	0
2024	10	6	13	30	8	26	0	0	0	0	0	0	0	18.42	0	0
2024	10	6	13	40	8	26	0	0	0	0	0	0	0	18.47	0	0
2024	10	6	13	50	8	25	0	0	0	0	0	0	0	18.52	0	0
2024	10	6	14	0	8	26	0	0	0	0	0	0	0	18.57	0	0
2024	10	6	14	10	8	26	0	0	0	0	0	0	0	18.61	0	0
2024	10	6	14	20	8	26	0	0	0	0	0	0	0	18.65	0	0
2024	10	6	14	30	8	26	0	0	0	0	0	0	0	18.69	0	0
2024	10	6	14	40	8	26	0	0	0	0	0	0	0	18.73	0	0
2024	10	6	14	50	8	26	0	0	0	0	0	0	0	18.77	0	0
2024	10	6	15	0	8	26	0	0	0	0	0	0	0	18.8	0	0
2024	10	6	15	10	8	26	0	0	0	0	0	0	0	18.85	0	0
2024	10	6	15	20	8	26	0	0	0	0	0	0	0	18.89	0	0
2024	10	6	15	30	8	26	0	0	0	0	0	0	0	18.93	0	0
2024	10	6	15	40	8	26	0	0	0	0	0	0	0	18.97	0	0
2024	10	6	15	50	8	26	0	0	0	0	0	0	0	18.99	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	6	16	0	8	26	0	0	0	0	0	0	0	19.02	0	0
2024	10	6	16	10	8	26	0	0	0	0	0	0	0	19.05	0	0
2024	10	6	16	20	8	26	0	0	0	0	0	0	0	19.08	0	0
2024	10	6	16	30	8	26	0	0	0	0	0	0	0	19.11	0	0
2024	10	6	16	40	8	25	0	0	0	0	0	0	0	19.14	0	0
2024	10	6	16	50	8	25	0	0	0	0	0	0	0	19.16	0	0
2024	10	6	17	0	8	26	0	0	0	0	0	0	0	19.18	0	0
2024	10	6	17	10	8	26	0	0	0	0	0	0	0	19.19	0	0
2024	10	6	17	20	8	25	0	0	0	0	0	0	0	19.2	0	0
2024	10	6	17	30	8	26	0	0	0	0	0	0	0	19.21	0	0
2024	10	6	17	40	8	26	0	0	0	0	0	0	0	19.21	0	0
2024	10	6	17	50	8	26	0	0	0	0	0	0	0	19.22	0	0
2024	10	6	18	0	8	26	0	0	0	0	0	0	0	19.23	0	0
2024	10	6	18	10	8	26	0	0	0	0	0	0	0	19.22	0	0
2024	10	6	18	20	8	25	0	0	0	0	0	0	0	19.23	0	0
2024	10	6	18	30	8	26	0	0	0	0	0	0	0	19.23	0	0
2024	10	6	18	40	8	25	0	0	0	0	0	0	0	19.23	0	0
2024	10	6	18	50	8	25	0	0	0	0	0	0	0	19.23	0	0
2024	10	6	19	0	8	26	0	0	0	0	0	0	0	19.22	0	0
2024	10	6	19	10	8	25	0	0	0	0	0	0	0	19.21	0	0
2024	10	6	19	20	8	26	0	0	0	0	0	0	0	19.2	0	0
2024	10	6	19	30	8	26	0	0	0	0	0	0	0	19.18	0	0
2024	10	6	19	40	8	25	0	0	0	0	0	0	0	19.17	0	0
2024	10	6	19	50	8	26	0	0	0	0	0	0	0	19.15	0	0
2024	10	6	20	0	8	26	0	0	0	0	0	0	0	19.12	0	0
2024	10	6	20	10	8	26	0	0	0	0	0	0	0	19.1	0	0
2024	10	6	20	20	8	26	0	0	0	0	0	0	0	19.07	0	0
2024	10	6	20	30	8	26	0	0	0	0	0	0	0	19.04	0	0
2024	10	6	20	40	8	26	0	0	0	0	0	0	0	19.01	0	0
2024	10	6	20	50	8	26	0	0	0	0	0	0	0	18.99	0	0
2024	10	6	21	0	8	25	0	0	0	0	0	0	0	18.96	0	0
2024	10	6	21	10	8	25	0	0	0	0	0	0	0	18.93	0	0
2024	10	6	21	20	8	25	0	0	0	0	0	0	0	18.9	0	0
2024	10	6	21	30	8	26	0	0	0	0	0	0	0	18.86	0	0
2024	10	6	21	40	8	27	0	0	0	0	0	0	0	18.83	0	0
2024	10	6	21	50	8	26	0	0	0	0	0	0	0	18.8	0	0
2024	10	6	22	0	8	26	0	0	0	0	0	0	0	18.75	0	0
2024	10	6	22	10	8	25	0	0	0	0	0	0	0	18.72	0	0
2024	10	6	22	20	8	25	0	0	0	0	0	0	0	18.68	0	0
2024	10	6	22	30	8	26	0	0	0	0	0	0	0	18.65	0	0
2024	10	6	22	40	8	25	0	0	0	0	0	0	0	18.6	0	0
2024	10	6	22	50	8	26	0	0	0	0	0	0	0	18.56	0	0
2024	10	6	23	0	8	26	0	0	0	0	0	0	0	18.52	0	0
2024	10	6	23	10	8	25	0	0	0	0	0	0	0	18.47	0	0
2024	10	6	23	20	8	26	0	0	0	0	0	0	0	18.42	0	0
2024	10	6	23	30	8	26	0	0	0	0	0	0	0	18.38	0	0
2024	10	6	23	40	8	26	0	0	0	0	0	0	0	18.34	0	0
2024	10	6	23	50	8	26	0	0	0	0	0	0	0	18.29	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	7	0	0	8	26	0	0	0	0	0	0	0	18.24	0	0
2024	10	7	0	10	8	26	0	0	0	0	0	0	0	18.2	0	0
2024	10	7	0	20	8	26	0	0	0	0	0	0	0	18.16	0	0
2024	10	7	0	30	8	26	0	0	0	0	0	0	0	18.11	0	0
2024	10	7	0	40	8	26	0	0	0	0	0	0	0	18.06	0	0
2024	10	7	0	50	8	27	0	0	0	0	0	0	0	18.02	0	0
2024	10	7	1	0	8	26	0	0	0	0	0	0	0	17.97	0	0
2024	10	7	1	10	8	26	0	0	0	0	0	0	0	17.93	0	0
2024	10	7	1	20	8	26	0	0	0	0	0	0	0	17.88	0	0
2024	10	7	1	30	8	25	0	0	0	0	0	0	0	17.84	0	0
2024	10	7	1	40	8	26	0	0	0	0	0	0	0	17.79	0	0
2024	10	7	1	50	8	27	0	0	0	0	0	0	0	17.74	0	0
2024	10	7	2	0	8	26	0	0	0	0	0	0	0	17.7	0	0
2024	10	7	2	10	8	26	0	0	0	0	0	0	0	17.65	0	0
2024	10	7	2	20	8	26	0	0	0	0	0	0	0	17.6	0	0
2024	10	7	2	30	8	26	0	0	0	0	0	0	0	17.55	0	0
2024	10	7	2	40	8	26	0	0	0	0	0	0	0	17.51	0	0
2024	10	7	2	50	8	26	0	0	0	0	0	0	0	17.46	0	0
2024	10	7	3	0	8	26	0	0	0	0	0	0	0	17.41	0	0
2024	10	7	3	10	8	26	0	0	0	0	0	0	0	17.37	0	0
2024	10	7	3	20	8	26	0	0	0	0	0	0	0	17.32	0	0
2024	10	7	3	30	8	27	0	0	0	0	0	0	0	17.28	0	0
2024	10	7	3	40	8	26	0	0	0	0	0	0	0	17.24	0	0
2024	10	7	3	50	8	26	0	0	0	0	0	0	0	17.2	0	0
2024	10	7	4	0	8	26	0	0	0	0	0	0	0	17.16	0	0
2024	10	7	4	10	8	26	0	0	0	0	0	0	0	17.12	0	0
2024	10	7	4	20	8	26	0	0	0	0	0	0	0	17.08	0	0
2024	10	7	4	30	8	26	0	0	0	0	0	0	0	17.05	0	0
2024	10	7	4	40	8	26	0	0	0	0	0	0	0	17.01	0	0
2024	10	7	4	50	8	26	0	0	0	0	0	0	0	16.97	0	0
2024	10	7	5	0	8	26	0	0	0	0	0	0	0	16.94	0	0
2024	10	7	5	10	8	26	0	0	0	0	0	0	0	16.92	0	0
2024	10	7	5	20	8	27	0	0	0	0	0	0	0	16.89	0	0
2024	10	7	5	30	8	26	0	0	0	0	0	0	0	16.86	0	0
2024	10	7	5	40	8	26	0	0	0	0	0	0	0	16.83	0	0
2024	10	7	5	50	8	26	0	0	0	0	0	0	0	16.81	0	0
2024	10	7	6	0	8	26	0	0	0	0	0	0	0	16.79	0	0
2024	10	7	6	10	8	26	0	0	0	0	0	0	0	16.76	0	0
2024	10	7	6	20	8	26	0	0	0	0	0	0	0	16.74	0	0
2024	10	7	6	30	8	26	0	0	0	0	0	0	0	16.72	0	0
2024	10	7	6	40	8	26	0	0	0	0	0	0	0	16.69	0	0
2024	10	7	6	50	8	26	0	0	0	0	0	0	0	16.67	0	0
2024	10	7	7	0	8	26	0	0	0	0	0	0	0	16.65	0	0
2024	10	7	7	10	8	26	0	0	0	0	0	0	0	16.63	0	0
2024	10	7	7	20	8	26	0	0	0	0	0	0	0	16.61	0	0
2024	10	7	7	30	8	26	0	0	0	0	0	0	0	16.59	0	0
2024	10	7	7	40	8	26	0	0	0	0	0	0	0	16.57	0	0
2024	10	7	7	50	8	27	0	0	0	0	0	0	0	16.56	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	7	8	0	8	26	0	0	0	0	0	0	0	16.55	0	0
2024	10	7	8	10	8	26	0	0	0	0	0	0	0	16.54	0	0
2024	10	7	8	20	8	26	0	0	0	0	0	0	0	16.54	0	0
2024	10	7	8	30	8	26	0	0	0	0	0	0	0	16.54	0	0
2024	10	7	8	40	8	27	0	0	0	0	0	0	0	16.54	0	0
2024	10	7	8	50	8	26	0	0	0	0	0	0	0	16.55	0	0
2024	10	7	9	0	8	27	0	0	0	0	0	0	0	16.56	0	0
2024	10	7	9	10	8	26	0	0	0	0	0	0	0	16.57	0	0
2024	10	7	9	20	8	26	0	0	0	0	0	0	0	16.59	0	0
2024	10	7	9	30	8	27	0	0	0	0	0	0	0	16.62	0	0
2024	10	7	9	40	8	26	0	0	0	0	0	0	0	16.66	0	0
2024	10	7	9	50	8	27	0	0	0	0	0	0	0	16.69	0	0
2024	10	7	10	0	8	26	0	0	0	0	0	0	0	16.72	0	0
2024	10	7	10	10	8	26	0	0	0	0	0	0	0	16.75	0	0
2024	10	7	10	20	8	27	0	0	0	0	0	0	0	16.78	0	0
2024	10	7	10	30	8	26	0	0	0	0	0	0	0	16.81	0	0
2024	10	7	10	40	8	26	0	0	0	0	0	0	0	16.85	0	0
2024	10	7	10	50	8	26	0	0	0	0	0	0	0	16.92	0	0
2024	10	7	11	0	8	26	0	0	0	0	0	0	0	16.97	0	0
2024	10	7	11	10	8	26	0	0	0	0	0	0	0	16.99	0	0
2024	10	7	11	20	8	26	0	0	0	0	0	0	0	17.03	0	0
2024	10	7	11	30	8	25	0	0	0	0	0	0	0	17.07	0	0
2024	10	7	11	40	8	26	0	0	0	0	0	0	0	17.12	0	0
2024	10	7	11	50	8	26	0	0	0	0	0	0	0	17.2	0	0
2024	10	7	12	0	8	26	0	0	0	0	0	0	0	17.24	0	0
2024	10	7	12	10	8	26	0	0	0	0	0	0	0	17.28	0	0
2024	10	7	12	20	8	26	0	0	0	0	0	0	0	17.33	0	0
2024	10	7	12	30	8	26	0	0	0	0	0	0	0	17.39	0	0
2024	10	7	12	40	8	26	0	0	0	0	0	0	0	17.46	0	0
2024	10	7	12	50	8	26	0	0	0	0	0	0	0	17.54	0	0
2024	10	7	13	0	8	26	0	0	0	0	0	0	0	17.61	0	0
2024	10	7	13	10	8	26	0	0	0	0	0	0	0	17.69	0	0
2024	10	7	13	20	8	26	0	0	0	0	0	0	0	17.76	0	0
2024	10	7	13	30	8	27	0	0	0	0	0	0	0	17.84	0	0
2024	10	7	13	40	8	26	0	0	0	0	0	0	0	17.91	0	0
2024	10	7	13	50	8	25	0	0	0	0	0	0	0	17.95	0	0
2024	10	7	14	0	8	26	0	0	0	0	0	0	0	18.02	0	0
2024	10	7	14	10	8	26	0	0	0	0	0	0	0	18.09	0	0
2024	10	7	14	20	8	26	0	0	0	0	0	0	0	18.15	0	0
2024	10	7	14	30	8	25	0	0	0	0	0	0	0	18.2	0	0
2024	10	7	14	40	8	25	0	0	0	0	0	0	0	18.26	0	0
2024	10	7	14	50	8	26	0	0	0	0	0	0	0	18.31	0	0
2024	10	7	15	0	8	26	0	0	0	0	0	0	0	18.34	0	0
2024	10	7	15	10	8	26	0	0	0	0	0	0	0	18.36	0	0
2024	10	7	15	20	8	26	0	0	0	0	0	0	0	18.38	0	0
2024	10	7	15	30	8	26	0	0	0	0	0	0	0	18.39	0	0
2024	10	7	15	40	8	26	0	0	0	0	0	0	0	18.39	0	0
2024	10	7	15	50	8	26	0	0	0	0	0	0	0	18.39	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	7	16	0	8	26	0	0	0	0	0	0	0	18.39	0	0
2024	10	7	16	10	8	26	0	0	0	0	0	0	0	18.39	0	0
2024	10	7	16	20	8	26	0	0	0	0	0	0	0	18.39	0	0
2024	10	7	16	30	8	26	0	0	0	0	0	0	0	18.39	0	0
2024	10	7	16	40	8	26	0	0	0	0	0	0	0	18.4	0	0
2024	10	7	16	50	8	25	0	0	0	0	0	0	0	18.4	0	0
2024	10	7	17	0	8	26	0	0	0	0	0	0	0	18.39	0	0
2024	10	7	17	10	8	25	0	0	0	0	0	0	0	18.39	0	0
2024	10	7	17	20	8	26	0	0	0	0	0	0	0	18.39	0	0
2024	10	7	17	30	8	25	0	0	0	0	0	0	0	18.38	0	0
2024	10	7	17	40	8	26	0	0	0	0	0	0	0	18.38	0	0
2024	10	7	17	50	8	26	0	0	0	0	0	0	0	18.37	0	0
2024	10	7	18	0	8	26	0	0	0	0	0	0	0	18.36	0	0
2024	10	7	18	10	8	25	0	0	0	0	0	0	0	18.35	0	0
2024	10	7	18	20	8	26	0	0	0	0	0	0	0	18.35	0	0
2024	10	7	18	30	8	26	0	0	0	0	0	0	0	18.35	0	0
2024	10	7	18	40	8	26	0	0	0	0	0	0	0	18.34	0	0
2024	10	7	18	50	8	26	0	0	0	0	0	0	0	18.33	0	0
2024	10	7	19	0	8	26	0	0	0	0	0	0	0	18.32	0	0
2024	10	7	19	10	8	26	0	0	0	0	0	0	0	18.31	0	0
2024	10	7	19	20	8	26	0	0	0	0	0	0	0	18.3	0	0
2024	10	7	19	30	8	26	0	0	0	0	0	0	0	18.29	0	0
2024	10	7	19	40	8	26	0	0	0	0	0	0	0	18.27	0	0
2024	10	7	19	50	8	26	0	0	0	0	0	0	0	18.26	0	0
2024	10	7	20	0	8	26	0	0	0	0	0	0	0	18.24	0	0
2024	10	7	20	10	8	26	0	0	0	0	0	0	0	18.22	0	0
2024	10	7	20	20	8	26	0	0	0	0	0	0	0	18.2	0	0
2024	10	7	20	30	8	26	0	0	0	0	0	0	0	18.17	0	0
2024	10	7	20	40	8	26	0	0	0	0	0	0	0	18.15	0	0
2024	10	7	20	50	8	25	0	0	0	0	0	0	0	18.12	0	0
2024	10	7	21	0	8	26	0	0	0	0	0	0	0	18.1	0	0
2024	10	7	21	10	8	26	0	0	0	0	0	0	0	18.07	0	0
2024	10	7	21	20	8	26	0	0	0	0	0	0	0	18.04	0	0
2024	10	7	21	30	8	26	0	0	0	0	0	0	0	18	0	0
2024	10	7	21	40	8	26	0	0	0	0	0	0	0	17.98	0	0
2024	10	7	21	50	8	26	0	0	0	0	0	0	0	17.94	0	0
2024	10	7	22	0	8	26	0	0	0	0	0	0	0	17.91	0	0
2024	10	7	22	10	8	26	0	0	0	0	0	0	0	17.87	0	0
2024	10	7	22	20	8	26	0	0	0	0	0	0	0	17.83	0	0
2024	10	7	22	30	8	26	0	0	0	0	0	0	0	17.8	0	0
2024	10	7	22	40	8	26	0	0	0	0	0	0	0	17.76	0	0
2024	10	7	22	50	8	26	0	0	0	0	0	0	0	17.71	0	0
2024	10	7	23	0	8	25	0	0	0	0	0	0	0	17.67	0	0
2024	10	7	23	10	8	26	0	0	0	0	0	0	0	17.63	0	0
2024	10	7	23	20	8	26	0	0	0	0	0	0	0	17.59	0	0
2024	10	7	23	30	8	26	0	0	0	0	0	0	0	17.54	0	0
2024	10	7	23	40	8	26	0	0	0	0	0	0	0	17.5	0	0
2024	10	7	23	50	8	26	0	0	0	0	0	0	0	17.45	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	8	0	0	8	27	0	0	0	0	0	0	0	17.42	0	0
2024	10	8	0	10	8	26	0	0	0	0	0	0	0	17.38	0	0
2024	10	8	0	20	8	26	0	0	0	0	0	0	0	17.34	0	0
2024	10	8	0	30	8	25	0	0	0	0	0	0	0	17.3	0	0
2024	10	8	0	40	8	26	0	0	0	0	0	0	0	17.26	0	0
2024	10	8	0	50	8	26	0	0	0	0	0	0	0	17.22	0	0
2024	10	8	1	0	8	27	0	0	0	0	0	0	0	17.18	0	0
2024	10	8	1	10	8	26	0	0	0	0	0	0	0	17.15	0	0
2024	10	8	1	20	8	26	0	0	0	0	0	0	0	17.12	0	0
2024	10	8	1	30	8	26	0	0	0	0	0	0	0	17.09	0	0
2024	10	8	1	40	8	26	0	0	0	0	0	0	0	17.05	0	0
2024	10	8	1	50	8	26	0	0	0	0	0	0	0	17.02	0	0
2024	10	8	2	0	8	26	0	0	0	0	0	0	0	16.98	0	0
2024	10	8	2	10	8	26	0	0	0	0	0	0	0	16.95	0	0
2024	10	8	2	20	8	26	0	0	0	0	0	0	0	16.91	0	0
2024	10	8	2	30	8	26	0	0	0	0	0	0	0	16.87	0	0
2024	10	8	2	40	8	26	0	0	0	0	0	0	0	16.83	0	0
2024	10	8	2	50	8	26	0	0	0	0	0	0	0	16.79	0	0
2024	10	8	3	0	8	26	0	0	0	0	0	0	0	16.75	0	0
2024	10	8	3	10	8	27	0	0	0	0	0	0	0	16.71	0	0
2024	10	8	3	20	8	26	0	0	0	0	0	0	0	16.67	0	0
2024	10	8	3	30	8	26	0	0	0	0	0	0	0	16.63	0	0
2024	10	8	3	40	8	26	0	0	0	0	0	0	0	16.59	0	0
2024	10	8	3	50	8	26	0	0	0	0	0	0	0	16.55	0	0
2024	10	8	4	0	8	26	0	0	0	0	0	0	0	16.51	0	0
2024	10	8	4	10	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	8	4	20	8	26	0	0	0	0	0	0	0	16.43	0	0
2024	10	8	4	30	8	26	0	0	0	0	0	0	0	16.39	0	0
2024	10	8	4	40	8	26	0	0	0	0	0	0	0	16.36	0	0
2024	10	8	4	50	8	26	0	0	0	0	0	0	0	16.34	0	0
2024	10	8	5	0	8	26	0	0	0	0	0	0	0	16.31	0	0
2024	10	8	5	10	8	26	0	0	0	0	0	0	0	16.29	0	0
2024	10	8	5	20	8	26	0	0	0	0	0	0	0	16.26	0	0
2024	10	8	5	30	8	27	0	0	0	0	0	0	0	16.24	0	0
2024	10	8	5	40	8	26	0	0	0	0	0	0	0	16.22	0	0
2024	10	8	5	50	8	26	0	0	0	0	0	0	0	16.21	0	0
2024	10	8	6	0	8	26	0	0	0	0	0	0	0	16.19	0	0
2024	10	8	6	10	8	26	0	0	0	0	0	0	0	16.18	0	0
2024	10	8	6	20	8	27	0	0	0	0	0	0	0	16.16	0	0
2024	10	8	6	30	8	26	0	0	0	0	0	0	0	16.15	0	0
2024	10	8	6	40	8	26	0	0	0	0	0	0	0	16.13	0	0
2024	10	8	6	50	8	25	0	0	0	0	0	0	0	16.12	0	0
2024	10	8	7	0	8	27	0	0	0	0	0	0	0	16.1	0	0
2024	10	8	7	10	8	26	0	0	0	0	0	0	0	16.09	0	0
2024	10	8	7	20	8	26	0	0	0	0	0	0	0	16.08	0	0
2024	10	8	7	30	8	26	0	0	0	0	0	0	0	16.07	0	0
2024	10	8	7	40	8	26	0	0	0	0	0	0	0	16.06	0	0
2024	10	8	7	50	8	27	0	0	0	0	0	0	0	16.05	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	8	8	0	8	27	0	0	0	0	0	0	0	16.05	0	0
2024	10	8	8	10	8	26	0	0	0	0	0	0	0	16.05	0	0
2024	10	8	8	20	8	26	0	0	0	0	0	0	0	16.06	0	0
2024	10	8	8	30	8	26	0	0	0	0	0	0	0	16.07	0	0
2024	10	8	8	40	8	27	0	0	0	0	0	0	0	16.08	0	0
2024	10	8	8	50	8	26	0	0	0	0	0	0	0	16.09	0	0
2024	10	8	9	0	8	27	0	0	0	0	0	0	0	16.09	0	0
2024	10	8	9	10	8	26	0	0	0	0	0	0	0	16.11	0	0
2024	10	8	9	20	8	26	0	0	0	0	0	0	0	16.14	0	0
2024	10	8	9	30	8	26	0	0	0	0	0	0	0	16.17	0	0
2024	10	8	9	40	8	27	0	0	0	0	0	0	0	16.2	0	0
2024	10	8	9	50	8	26	0	0	0	0	0	0	0	16.23	0	0
2024	10	8	10	0	8	26	0	0	0	0	0	0	0	16.25	0	0
2024	10	8	10	10	8	26	0	0	0	0	0	0	0	16.3	0	0
2024	10	8	10	20	8	27	0	0	0	0	0	0	0	16.35	0	0
2024	10	8	10	30	8	26	0	0	0	0	0	0	0	16.4	0	0
2024	10	8	10	40	8	26	0	0	0	0	0	0	0	16.46	0	0
2024	10	8	10	50	8	27	0	0	0	0	0	0	0	16.52	0	0
2024	10	8	11	0	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	8	11	10	8	26	0	0	0	0	0	0	0	16.63	0	0
2024	10	8	11	20	8	26	0	0	0	0	0	0	0	16.7	0	0
2024	10	8	11	30	8	26	0	0	0	0	0	0	0	16.78	0	0
2024	10	8	11	40	8	26	0	0	0	0	0	0	0	16.86	0	0
2024	10	8	11	50	8	26	0	0	0	0	0	0	0	16.94	0	0
2024	10	8	12	0	8	26	0	0	0	0	0	0	0	17.02	0	0
2024	10	8	12	10	8	26	0	0	0	0	0	0	0	17.11	0	0
2024	10	8	12	20	8	26	0	0	0	0	0	0	0	17.2	0	0
2024	10	8	12	30	8	25	0	0	0	0	0	0	0	17.28	0	0
2024	10	8	12	40	8	26	0	0	0	0	0	0	0	17.37	0	0
2024	10	8	12	50	8	26	0	0	0	0	0	0	0	17.46	0	0
2024	10	8	13	0	8	26	0	0	0	0	0	0	0	17.55	0	0
2024	10	8	13	10	8	26	0	0	0	0	0	0	0	17.63	0	0
2024	10	8	13	20	8	26	0	0	0	0	0	0	0	17.7	0	0
2024	10	8	13	30	8	27	0	0	0	0	0	0	0	17.73	0	0
2024	10	8	13	40	8	26	0	0	0	0	0	0	0	17.77	0	0
2024	10	8	13	50	8	26	0	0	0	0	0	0	0	17.81	0	0
2024	10	8	14	0	8	26	0	0	0	0	0	0	0	17.85	0	0
2024	10	8	14	10	8	26	0	0	0	0	0	0	0	17.9	0	0
2024	10	8	14	20	8	26	0	0	0	0	0	0	0	17.96	0	0
2024	10	8	14	30	8	26	0	0	0	0	0	0	0	17.99	0	0
2024	10	8	14	40	8	26	0	0	0	0	0	0	0	18	0	0
2024	10	8	14	50	8	26	0	0	0	0	0	0	0	18.04	0	0
2024	10	8	15	0	8	26	0	0	0	0	0	0	0	18.07	0	0
2024	10	8	15	10	8	26	0	0	0	0	0	0	0	18.09	0	0
2024	10	8	15	20	8	26	0	0	0	0	0	0	0	18.13	0	0
2024	10	8	15	30	8	25	0	0	0	0	0	0	0	18.14	0	0
2024	10	8	15	40	8	26	0	0	0	0	0	0	0	18.16	0	0
2024	10	8	15	50	8	26	0	0	0	0	0	0	0	18.18	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	8	16	0	8	26	0	0	0	0	0	0	0	18.2	0	0
2024	10	8	16	10	8	26	0	0	0	0	0	0	0	18.22	0	0
2024	10	8	16	20	8	26	0	0	0	0	0	0	0	18.23	0	0
2024	10	8	16	30	8	27	0	0	0	0	0	0	0	18.24	0	0
2024	10	8	16	40	8	26	0	0	0	0	0	0	0	18.25	0	0
2024	10	8	16	50	8	26	0	0	0	0	0	0	0	18.27	0	0
2024	10	8	17	0	8	26	0	0	0	0	0	0	0	18.29	0	0
2024	10	8	17	10	8	26	0	0	0	0	0	0	0	18.3	0	0
2024	10	8	17	20	8	26	0	0	0	0	0	0	0	18.31	0	0
2024	10	8	17	30	8	27	0	0	0	0	0	0	0	18.32	0	0
2024	10	8	17	40	8	26	0	0	0	0	0	0	0	18.32	0	0
2024	10	8	17	50	8	26	0	0	0	0	0	0	0	18.33	0	0
2024	10	8	18	0	8	26	0	0	0	0	0	0	0	18.33	0	0
2024	10	8	18	10	8	26	0	0	0	0	0	0	0	18.33	0	0
2024	10	8	18	20	8	26	0	0	0	0	0	0	0	18.33	0	0
2024	10	8	18	30	8	26	0	0	0	0	0	0	0	18.33	0	0
2024	10	8	18	40	8	26	0	0	0	0	0	0	0	18.32	0	0
2024	10	8	18	50	8	26	0	0	0	0	0	0	0	18.31	0	0
2024	10	8	19	0	8	26	0	0	0	0	0	0	0	18.3	0	0
2024	10	8	19	10	8	26	0	0	0	0	0	0	0	18.29	0	0
2024	10	8	19	20	8	26	0	0	0	0	0	0	0	18.27	0	0
2024	10	8	19	30	8	26	0	0	0	0	0	0	0	18.26	0	0
2024	10	8	19	40	8	26	0	0	0	0	0	0	0	18.24	0	0
2024	10	8	19	50	8	26	0	0	0	0	0	0	0	18.21	0	0
2024	10	8	20	0	8	26	0	0	0	0	0	0	0	18.19	0	0
2024	10	8	20	10	8	26	0	0	0	0	0	0	0	18.16	0	0
2024	10	8	20	20	8	26	0	0	0	0	0	0	0	18.13	0	0
2024	10	8	20	30	8	26	0	0	0	0	0	0	0	18.1	0	0
2024	10	8	20	40	8	26	0	0	0	0	0	0	0	18.07	0	0
2024	10	8	20	50	8	26	0	0	0	0	0	0	0	18.04	0	0
2024	10	8	21	0	8	26	0	0	0	0	0	0	0	18	0	0
2024	10	8	21	10	8	26	0	0	0	0	0	0	0	17.97	0	0
2024	10	8	21	20	8	26	0	0	0	0	0	0	0	17.94	0	0
2024	10	8	21	30	8	26	0	0	0	0	0	0	0	17.91	0	0
2024	10	8	21	40	8	26	0	0	0	0	0	0	0	17.87	0	0
2024	10	8	21	50	8	26	0	0	0	0	0	0	0	17.84	0	0
2024	10	8	22	0	8	25	0	0	0	0	0	0	0	17.81	0	0
2024	10	8	22	10	8	26	0	0	0	0	0	0	0	17.78	0	0
2024	10	8	22	20	8	26	0	0	0	0	0	0	0	17.74	0	0
2024	10	8	22	30	8	26	0	0	0	0	0	0	0	17.7	0	0
2024	10	8	22	40	8	26	0	0	0	0	0	0	0	17.67	0	0
2024	10	8	22	50	8	26	0	0	0	0	0	0	0	17.64	0	0
2024	10	8	23	0	8	26	0	0	0	0	0	0	0	17.6	0	0
2024	10	8	23	10	8	26	0	0	0	0	0	0	0	17.57	0	0
2024	10	8	23	20	8	26	0	0	0	0	0	0	0	17.53	0	0
2024	10	8	23	30	8	26	0	0	0	0	0	0	0	17.49	0	0
2024	10	8	23	40	8	26	0	0	0	0	0	0	0	17.46	0	0
2024	10	8	23	50	8	26	0	0	0	0	0	0	0	17.42	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	9	0	0	8	26	0	0	0	0	0	0	0	17.38	0	0
2024	10	9	0	10	8	26	0	0	0	0	0	0	0	17.34	0	0
2024	10	9	0	20	8	25	0	0	0	0	0	0	0	17.3	0	0
2024	10	9	0	30	8	26	0	0	0	0	0	0	0	17.26	0	0
2024	10	9	0	40	8	26	0	0	0	0	0	0	0	17.21	0	0
2024	10	9	0	50	8	27	0	0	0	0	0	0	0	17.18	0	0
2024	10	9	1	0	8	26	0	0	0	0	0	0	0	17.14	0	0
2024	10	9	1	10	8	26	0	0	0	0	0	0	0	17.09	0	0
2024	10	9	1	20	8	25	0	0	0	0	0	0	0	17.05	0	0
2024	10	9	1	30	8	26	0	0	0	0	0	0	0	17	0	0
2024	10	9	1	40	8	26	0	0	0	0	0	0	0	16.95	0	0
2024	10	9	1	50	8	26	0	0	0	0	0	0	0	16.91	0	0
2024	10	9	2	0	8	26	0	0	0	0	0	0	0	16.85	0	0
2024	10	9	2	10	8	26	0	0	0	0	0	0	0	16.81	0	0
2024	10	9	2	20	8	26	0	0	0	0	0	0	0	16.76	0	0
2024	10	9	2	30	8	26	0	0	0	0	0	0	0	16.71	0	0
2024	10	9	2	40	8	26	0	0	0	0	0	0	0	16.66	0	0
2024	10	9	2	50	8	27	0	0	0	0	0	0	0	16.61	0	0
2024	10	9	3	0	8	27	0	0	0	0	0	0	0	16.56	0	0
2024	10	9	3	10	8	26	0	0	0	0	0	0	0	16.52	0	0
2024	10	9	3	20	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	9	3	30	8	27	0	0	0	0	0	0	0	16.43	0	0
2024	10	9	3	40	8	26	0	0	0	0	0	0	0	16.39	0	0
2024	10	9	3	50	8	25	0	0	0	0	0	0	0	16.35	0	0
2024	10	9	4	0	8	26	0	0	0	0	0	0	0	16.3	0	0
2024	10	9	4	10	8	26	0	0	0	0	0	0	0	16.26	0	0
2024	10	9	4	20	8	26	0	0	0	0	0	0	0	16.22	0	0
2024	10	9	4	30	8	26	0	0	0	0	0	0	0	16.19	0	0
2024	10	9	4	40	8	27	0	0	0	0	0	0	0	16.16	0	0
2024	10	9	4	50	8	26	0	0	0	0	0	0	0	16.13	0	0
2024	10	9	5	0	8	26	0	0	0	0	0	0	0	16.09	0	0
2024	10	9	5	10	8	27	0	0	0	0	0	0	0	16.06	0	0
2024	10	9	5	20	8	27	0	0	0	0	0	0	0	16.03	0	0
2024	10	9	5	30	8	26	0	0	0	0	0	0	0	16	0	0
2024	10	9	5	40	8	27	0	0	0	0	0	0	0	15.97	0	0
2024	10	9	5	50	8	26	0	0	0	0	0	0	0	15.93	0	0
2024	10	9	6	0	8	27	0	0	0	0	0	0	0	15.9	0	0
2024	10	9	6	10	8	26	0	0	0	0	0	0	0	15.87	0	0
2024	10	9	6	20	8	26	0	0	0	0	0	0	0	15.84	0	0
2024	10	9	6	30	8	26	0	0	0	0	0	0	0	15.81	0	0
2024	10	9	6	40	8	26	0	0	0	0	0	0	0	15.78	0	0
2024	10	9	6	50	8	27	0	0	0	0	0	0	0	15.75	0	0
2024	10	9	7	0	8	26	0	0	0	0	0	0	0	15.72	0	0
2024	10	9	7	10	8	27	0	0	0	0	0	0	0	15.68	0	0
2024	10	9	7	20	8	26	0	0	0	0	0	0	0	15.65	0	0
2024	10	9	7	30	8	26	0	0	0	0	0	0	0	15.62	0	0
2024	10	9	7	40	8	27	0	0	0	0	0	0	0	15.59	0	0
2024	10	9	7	50	8	26	0	0	0	0	0	0	0	15.56	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	9	8	0	8	26	0	0	0	0	0	0	0	15.53	0	0
2024	10	9	8	10	8	26	0	0	0	0	0	0	0	15.5	0	0
2024	10	9	8	20	8	26	0	0	0	0	0	0	0	15.48	0	0
2024	10	9	8	30	8	26	0	0	0	0	0	0	0	15.47	0	0
2024	10	9	8	40	8	26	0	0	0	0	0	0	0	15.46	0	0
2024	10	9	8	50	8	27	0	0	0	0	0	0	0	15.45	0	0
2024	10	9	9	0	8	27	0	0	0	0	0	0	0	15.45	0	0
2024	10	9	9	10	8	26	0	0	0	0	0	0	0	15.45	0	0
2024	10	9	9	20	8	26	0	0	0	0	0	0	0	15.46	0	0
2024	10	9	9	30	8	27	0	0	0	0	0	0	0	15.48	0	0
2024	10	9	9	40	8	26	0	0	0	0	0	0	0	15.5	0	0
2024	10	9	9	50	8	26	0	0	0	0	0	0	0	15.54	0	0
2024	10	9	10	0	8	26	0	0	0	0	0	0	0	15.57	0	0
2024	10	9	10	10	8	26	0	0	0	0	0	0	0	15.61	0	0
2024	10	9	10	20	8	27	0	0	0	0	0	0	0	15.65	0	0
2024	10	9	10	30	8	26	0	0	0	0	0	0	0	15.71	0	0
2024	10	9	10	40	8	26	0	0	0	0	0	0	0	15.75	0	0
2024	10	9	10	50	8	26	0	0	0	0	0	0	0	15.81	0	0
2024	10	9	11	0	8	26	0	0	0	0	0	0	0	15.88	0	0
2024	10	9	11	10	8	26	0	0	0	0	0	0	0	15.94	0	0
2024	10	9	11	20	8	27	0	0	0	0	0	0	0	16	0	0
2024	10	9	11	30	8	26	0	0	0	0	0	0	0	16.08	0	0
2024	10	9	11	40	8	27	0	0	0	0	0	0	0	16.15	0	0
2024	10	9	11	50	8	26	0	0	0	0	0	0	0	16.23	0	0
2024	10	9	12	0	8	27	0	0	0	0	0	0	0	16.3	0	0
2024	10	9	12	10	8	26	0	0	0	0	0	0	0	16.38	0	0
2024	10	9	12	20	8	27	0	0	0	0	0	0	0	16.46	0	0
2024	10	9	12	30	8	26	0	0	0	0	0	0	0	16.55	0	0
2024	10	9	12	40	8	26	0	0	0	0	0	0	0	16.63	0	0
2024	10	9	12	50	8	26	0	0	0	0	0	0	0	16.71	0	0
2024	10	9	13	0	8	27	0	0	0	0	0	0	0	16.79	0	0
2024	10	9	13	10	8	26	0	0	0	0	0	0	0	16.88	0	0
2024	10	9	13	20	8	26	0	0	0	0	0	0	0	16.96	0	0
2024	10	9	13	30	8	26	0	0	0	0	0	0	0	17.04	0	0
2024	10	9	13	40	8	26	0	0	0	0	0	0	0	17.12	0	0
2024	10	9	13	50	8	26	0	0	0	0	0	0	0	17.2	0	0
2024	10	9	14	0	8	26	0	0	0	0	0	0	0	17.29	0	0
2024	10	9	14	10	8	26	0	0	0	0	0	0	0	17.36	0	0
2024	10	9	14	20	8	26	0	0	0	0	0	0	0	17.44	0	0
2024	10	9	14	30	8	26	0	0	0	0	0	0	0	17.5	0	0
2024	10	9	14	40	8	26	0	0	0	0	0	0	0	17.58	0	0
2024	10	9	14	50	8	26	0	0	0	0	0	0	0	17.65	0	0
2024	10	9	15	0	8	26	0	0	0	0	0	0	0	17.71	0	0
2024	10	9	15	10	8	27	0	0	0	0	0	0	0	17.78	0	0
2024	10	9	15	20	8	26	0	0	0	0	0	0	0	17.83	0	0
2024	10	9	15	30	8	26	0	0	0	0	0	0	0	17.88	0	0
2024	10	9	15	40	8	26	0	0	0	0	0	0	0	17.94	0	0
2024	10	9	15	50	8	26	0	0	0	0	0	0	0	17.98	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	9	16	0	8	27	0	0	0	0	0	0	0	18.03	0	0
2024	10	9	16	10	8	25	0	0	0	0	0	0	0	18.07	0	0
2024	10	9	16	20	8	26	0	0	0	0	0	0	0	18.12	0	0
2024	10	9	16	30	8	25	0	0	0	0	0	0	0	18.15	0	0
2024	10	9	16	40	8	26	0	0	0	0	0	0	0	18.18	0	0
2024	10	9	16	50	8	25	0	0	0	0	0	0	0	18.21	0	0
2024	10	9	17	0	8	26	0	0	0	0	0	0	0	18.23	0	0
2024	10	9	17	10	8	26	0	0	0	0	0	0	0	18.25	0	0
2024	10	9	17	20	8	26	0	0	0	0	0	0	0	18.27	0	0
2024	10	9	17	30	8	27	0	0	0	0	0	0	0	18.28	0	0
2024	10	9	17	40	8	26	0	0	0	0	0	0	0	18.29	0	0
2024	10	9	17	50	8	26	0	0	0	0	0	0	0	18.3	0	0
2024	10	9	18	0	8	26	0	0	0	0	0	0	0	18.3	0	0
2024	10	9	18	10	8	26	0	0	0	0	0	0	0	18.3	0	0
2024	10	9	18	20	8	25	0	0	0	0	0	0	0	18.29	0	0
2024	10	9	18	30	8	26	0	0	0	0	0	0	0	18.29	0	0
2024	10	9	18	40	8	25	0	0	0	0	0	0	0	18.28	0	0
2024	10	9	18	50	8	26	0	0	0	0	0	0	0	18.27	0	0
2024	10	9	19	0	8	26	0	0	0	0	0	0	0	18.26	0	0
2024	10	9	19	10	8	26	0	0	0	0	0	0	0	18.24	0	0
2024	10	9	19	20	8	26	0	0	0	0	0	0	0	18.23	0	0
2024	10	9	19	30	8	26	0	0	0	0	0	0	0	18.21	0	0
2024	10	9	19	40	8	26	0	0	0	0	0	0	0	18.18	0	0
2024	10	9	19	50	8	26	0	0	0	0	0	0	0	18.16	0	0
2024	10	9	20	0	8	26	0	0	0	0	0	0	0	18.13	0	0
2024	10	9	20	10	8	26	0	0	0	0	0	0	0	18.1	0	0
2024	10	9	20	20	8	26	0	0	0	0	0	0	0	18.07	0	0
2024	10	9	20	30	8	26	0	0	0	0	0	0	0	18.04	0	0
2024	10	9	20	40	8	26	0	0	0	0	0	0	0	18	0	0
2024	10	9	20	50	8	26	0	0	0	0	0	0	0	17.97	0	0
2024	10	9	21	0	8	25	0	0	0	0	0	0	0	17.93	0	0
2024	10	9	21	10	8	26	0	0	0	0	0	0	0	17.9	0	0
2024	10	9	21	20	8	26	0	0	0	0	0	0	0	17.87	0	0
2024	10	9	21	30	8	27	0	0	0	0	0	0	0	17.83	0	0
2024	10	9	21	40	8	26	0	0	0	0	0	0	0	17.79	0	0
2024	10	9	21	50	8	26	0	0	0	0	0	0	0	17.76	0	0
2024	10	9	22	0	8	26	0	0	0	0	0	0	0	17.73	0	0
2024	10	9	22	10	8	26	0	0	0	0	0	0	0	17.7	0	0
2024	10	9	22	20	8	26	0	0	0	0	0	0	0	17.66	0	0
2024	10	9	22	30	8	26	0	0	0	0	0	0	0	17.63	0	0
2024	10	9	22	40	8	26	0	0	0	0	0	0	0	17.6	0	0
2024	10	9	22	50	8	26	0	0	0	0	0	0	0	17.56	0	0
2024	10	9	23	0	8	26	0	0	0	0	0	0	0	17.52	0	0
2024	10	9	23	10	8	26	0	0	0	0	0	0	0	17.49	0	0
2024	10	9	23	20	8	26	0	0	0	0	0	0	0	17.45	0	0
2024	10	9	23	30	8	26	0	0	0	0	0	0	0	17.41	0	0
2024	10	9	23	40	8	26	0	0	0	0	0	0	0	17.37	0	0
2024	10	9	23	50	8	26	0	0	0	0	0	0	0	17.33	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	10	0	0	8	25	0	0	0	0	0	0	0	17.28	0	0
2024	10	10	0	10	8	26	0	0	0	0	0	0	0	17.24	0	0
2024	10	10	0	20	8	26	0	0	0	0	0	0	0	17.19	0	0
2024	10	10	0	30	8	26	0	0	0	0	0	0	0	17.15	0	0
2024	10	10	0	40	8	26	0	0	0	0	0	0	0	17.1	0	0
2024	10	10	0	50	8	26	0	0	0	0	0	0	0	17.05	0	0
2024	10	10	1	0	8	27	0	0	0	0	0	0	0	17	0	0
2024	10	10	1	10	8	26	0	0	0	0	0	0	0	16.96	0	0
2024	10	10	1	20	8	26	0	0	0	0	0	0	0	16.91	0	0
2024	10	10	1	30	8	25	0	0	0	0	0	0	0	16.86	0	0
2024	10	10	1	40	8	26	0	0	0	0	0	0	0	16.82	0	0
2024	10	10	1	50	8	26	0	0	0	0	0	0	0	16.78	0	0
2024	10	10	2	0	8	26	0	0	0	0	0	0	0	16.73	0	0
2024	10	10	2	10	8	26	0	0	0	0	0	0	0	16.68	0	0
2024	10	10	2	20	8	26	0	0	0	0	0	0	0	16.64	0	0
2024	10	10	2	30	8	26	0	0	0	0	0	0	0	16.59	0	0
2024	10	10	2	40	8	26	0	0	0	0	0	0	0	16.55	0	0
2024	10	10	2	50	8	26	0	0	0	0	0	0	0	16.51	0	0
2024	10	10	3	0	8	27	0	0	0	0	0	0	0	16.48	0	0
2024	10	10	3	10	8	27	0	0	0	0	0	0	0	16.44	0	0
2024	10	10	3	20	8	26	0	0	0	0	0	0	0	16.4	0	0
2024	10	10	3	30	8	26	0	0	0	0	0	0	0	16.37	0	0
2024	10	10	3	40	8	26	0	0	0	0	0	0	0	16.33	0	0
2024	10	10	3	50	8	25	0	0	0	0	0	0	0	16.29	0	0
2024	10	10	4	0	8	26	0	0	0	0	0	0	0	16.26	0	0
2024	10	10	4	10	8	27	0	0	0	0	0	0	0	16.23	0	0
2024	10	10	4	20	8	26	0	0	0	0	0	0	0	16.19	0	0
2024	10	10	4	30	8	26	0	0	0	0	0	0	0	16.16	0	0
2024	10	10	4	40	8	26	0	0	0	0	0	0	0	16.12	0	0
2024	10	10	4	50	8	26	0	0	0	0	0	0	0	16.09	0	0
2024	10	10	5	0	8	26	0	0	0	0	0	0	0	16.06	0	0
2024	10	10	5	10	8	27	0	0	0	0	0	0	0	16.03	0	0
2024	10	10	5	20	8	26	0	0	0	0	0	0	0	15.99	0	0
2024	10	10	5	30	8	27	0	0	0	0	0	0	0	15.96	0	0
2024	10	10	5	40	8	26	0	0	0	0	0	0	0	15.93	0	0
2024	10	10	5	50	8	26	0	0	0	0	0	0	0	15.9	0	0
2024	10	10	6	0	8	26	0	0	0	0	0	0	0	15.87	0	0
2024	10	10	6	10	8	26	0	0	0	0	0	0	0	15.84	0	0
2024	10	10	6	20	8	26	0	0	0	0	0	0	0	15.81	0	0
2024	10	10	6	30	8	26	0	0	0	0	0	0	0	15.78	0	0
2024	10	10	6	40	8	27	0	0	0	0	0	0	0	15.75	0	0
2024	10	10	6	50	8	27	0	0	0	0	0	0	0	15.72	0	0
2024	10	10	7	0	8	27	0	0	0	0	0	0	0	15.7	0	0
2024	10	10	7	10	8	25	0	0	0	0	0	0	0	15.67	0	0
2024	10	10	7	20	8	26	0	0	0	0	0	0	0	15.65	0	0
2024	10	10	7	30	8	26	0	0	0	0	0	0	0	15.63	0	0
2024	10	10	7	40	8	27	0	0	0	0	0	0	0	15.61	0	0
2024	10	10	7	50	8	26	0	0	0	0	0	0	0	15.58	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	10	8	0	8	27	0	0	0	0	0	0	0	15.57	0	0
2024	10	10	8	10	8	26	0	0	0	0	0	0	0	15.55	0	0
2024	10	10	8	20	8	27	0	0	0	0	0	0	0	15.55	0	0
2024	10	10	8	30	8	27	0	0	0	0	0	0	0	15.54	0	0
2024	10	10	8	40	8	26	0	0	0	0	0	0	0	15.54	0	0
2024	10	10	8	50	8	26	0	0	0	0	0	0	0	15.55	0	0
2024	10	10	9	0	8	26	0	0	0	0	0	0	0	15.57	0	0
2024	10	10	9	10	8	27	0	0	0	0	0	0	0	15.59	0	0
2024	10	10	9	20	8	26	0	0	0	0	0	0	0	15.61	0	0
2024	10	10	9	30	8	26	0	0	0	0	0	0	0	15.65	0	0
2024	10	10	9	40	8	27	0	0	0	0	0	0	0	15.68	0	0
2024	10	10	9	50	8	26	0	0	0	0	0	0	0	15.72	0	0
2024	10	10	10	0	8	26	0	0	0	0	0	0	0	15.77	0	0
2024	10	10	10	10	8	26	0	0	0	0	0	0	0	15.82	0	0
2024	10	10	10	20	8	26	0	0	0	0	0	0	0	15.89	0	0
2024	10	10	10	30	8	26	0	0	0	0	0	0	0	15.95	0	0
2024	10	10	10	40	8	26	0	0	0	0	0	0	0	16.01	0	0
2024	10	10	10	50	8	27	0	0	0	0	0	0	0	16.08	0	0
2024	10	10	11	0	8	26	0	0	0	0	0	0	0	16.15	0	0
2024	10	10	11	10	8	26	0	0	0	0	0	0	0	16.22	0	0
2024	10	10	11	20	8	26	0	0	0	0	0	0	0	16.31	0	0
2024	10	10	11	30	8	26	0	0	0	0	0	0	0	16.39	0	0
2024	10	10	11	40	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	10	11	50	8	26	0	0	0	0	0	0	0	16.56	0	0
2024	10	10	12	0	8	26	0	0	0	0	0	0	0	16.65	0	0
2024	10	10	12	10	8	26	0	0	0	0	0	0	0	16.73	0	0
2024	10	10	12	20	8	26	0	0	0	0	0	0	0	16.81	0	0
2024	10	10	12	30	8	26	0	0	0	0	0	0	0	16.89	0	0
2024	10	10	12	40	8	26	0	0	0	0	0	0	0	16.98	0	0
2024	10	10	12	50	8	26	0	0	0	0	0	0	0	17.05	0	0
2024	10	10	13	0	8	26	0	0	0	0	0	0	0	17.13	0	0
2024	10	10	13	10	8	26	0	0	0	0	0	0	0	17.19	0	0
2024	10	10	13	20	8	26	0	0	0	0	0	0	0	17.25	0	0
2024	10	10	13	30	8	26	0	0	0	0	0	0	0	17.3	0	0
2024	10	10	13	40	8	26	0	0	0	0	0	0	0	17.35	0	0
2024	10	10	13	50	8	26	0	0	0	0	0	0	0	17.41	0	0
2024	10	10	14	0	8	26	0	0	0	0	0	0	0	17.45	0	0
2024	10	10	14	10	8	26	0	0	0	0	0	0	0	17.48	0	0
2024	10	10	14	20	8	27	0	0	0	0	0	0	0	17.51	0	0
2024	10	10	14	30	8	26	0	0	0	0	0	0	0	17.54	0	0
2024	10	10	14	40	8	26	0	0	0	0	0	0	0	17.57	0	0
2024	10	10	14	50	8	25	0	0	0	0	0	0	0	17.6	0	0
2024	10	10	15	0	8	26	0	0	0	0	0	0	0	17.61	0	0
2024	10	10	15	10	8	26	0	0	0	0	0	0	0	17.63	0	0
2024	10	10	15	20	8	26	0	0	0	0	0	0	0	17.65	0	0
2024	10	10	15	30	8	26	0	0	0	0	0	0	0	17.68	0	0
2024	10	10	15	40	8	26	0	0	0	0	0	0	0	17.69	0	0
2024	10	10	15	50	8	26	0	0	0	0	0	0	0	17.71	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	10	16	0	8	26	0	0	0	0	0	0	0	17.73	0	0
2024	10	10	16	10	8	26	0	0	0	0	0	0	0	17.75	0	0
2024	10	10	16	20	8	26	0	0	0	0	0	0	0	17.76	0	0
2024	10	10	16	30	8	27	0	0	0	0	0	0	0	17.77	0	0
2024	10	10	16	40	8	26	0	0	0	0	0	0	0	17.78	0	0
2024	10	10	16	50	8	26	0	0	0	0	0	0	0	17.79	0	0
2024	10	10	17	0	8	26	0	0	0	0	0	0	0	17.8	0	0
2024	10	10	17	10	8	26	0	0	0	0	0	0	0	17.8	0	0
2024	10	10	17	20	8	26	0	0	0	0	0	0	0	17.8	0	0
2024	10	10	17	30	8	26	0	0	0	0	0	0	0	17.8	0	0
2024	10	10	17	40	8	26	0	0	0	0	0	0	0	17.79	0	0
2024	10	10	17	50	8	26	0	0	0	0	0	0	0	17.79	0	0
2024	10	10	18	0	8	26	0	0	0	0	0	0	0	17.77	0	0
2024	10	10	18	10	8	26	0	0	0	0	0	0	0	17.76	0	0
2024	10	10	18	20	8	26	0	0	0	0	0	0	0	17.75	0	0
2024	10	10	18	30	8	26	0	0	0	0	0	0	0	17.74	0	0
2024	10	10	18	40	8	25	0	0	0	0	0	0	0	17.72	0	0
2024	10	10	18	50	8	26	0	0	0	0	0	0	0	17.7	0	0
2024	10	10	19	0	8	26	0	0	0	0	0	0	0	17.67	0	0
2024	10	10	19	10	8	26	0	0	0	0	0	0	0	17.65	0	0
2024	10	10	19	20	8	26	0	0	0	0	0	0	0	17.63	0	0
2024	10	10	19	30	8	26	0	0	0	0	0	0	0	17.61	0	0
2024	10	10	19	40	8	26	0	0	0	0	0	0	0	17.58	0	0
2024	10	10	19	50	8	26	0	0	0	0	0	0	0	17.55	0	0
2024	10	10	20	0	8	26	0	0	0	0	0	0	0	17.53	0	0
2024	10	10	20	10	8	26	0	0	0	0	0	0	0	17.51	0	0
2024	10	10	20	20	8	26	0	0	0	0	0	0	0	17.48	0	0
2024	10	10	20	30	8	26	0	0	0	0	0	0	0	17.44	0	0
2024	10	10	20	40	8	26	0	0	0	0	0	0	0	17.42	0	0
2024	10	10	20	50	8	26	0	0	0	0	0	0	0	17.39	0	0
2024	10	10	21	0	8	26	0	0	0	0	0	0	0	17.36	0	0
2024	10	10	21	10	8	26	0	0	0	0	0	0	0	17.33	0	0
2024	10	10	21	20	8	26	0	0	0	0	0	0	0	17.3	0	0
2024	10	10	21	30	8	26	0	0	0	0	0	0	0	17.26	0	0
2024	10	10	21	40	8	25	0	0	0	0	0	0	0	17.22	0	0
2024	10	10	21	50	8	26	0	0	0	0	0	0	0	17.19	0	0
2024	10	10	22	0	8	26	0	0	0	0	0	0	0	17.15	0	0
2024	10	10	22	10	8	26	0	0	0	0	0	0	0	17.11	0	0
2024	10	10	22	20	8	26	0	0	0	0	0	0	0	17.07	0	0
2024	10	10	22	30	8	26	0	0	0	0	0	0	0	17.03	0	0
2024	10	10	22	40	8	26	0	0	0	0	0	0	0	16.99	0	0
2024	10	10	22	50	8	26	0	0	0	0	0	0	0	16.95	0	0
2024	10	10	23	0	8	26	0	0	0	0	0	0	0	16.91	0	0
2024	10	10	23	10	8	26	0	0	0	0	0	0	0	16.86	0	0
2024	10	10	23	20	8	26	0	0	0	0	0	0	0	16.82	0	0
2024	10	10	23	30	8	25	0	0	0	0	0	0	0	16.77	0	0
2024	10	10	23	40	8	26	0	0	0	0	0	0	0	16.72	0	0
2024	10	10	23	50	8	26	0	0	0	0	0	0	0	16.68	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	11	0	0	8	26	0	0	0	0	0	0	0	16.63	0	0
2024	10	11	0	10	8	27	0	0	0	0	0	0	0	16.58	0	0
2024	10	11	0	20	8	26	0	0	0	0	0	0	0	16.53	0	0
2024	10	11	0	30	8	27	0	0	0	0	0	0	0	16.48	0	0
2024	10	11	0	40	8	26	0	0	0	0	0	0	0	16.42	0	0
2024	10	11	0	50	8	26	0	0	0	0	0	0	0	16.36	0	0
2024	10	11	1	0	8	26	0	0	0	0	0	0	0	16.31	0	0
2024	10	11	1	10	8	27	0	0	0	0	0	0	0	16.26	0	0
2024	10	11	1	20	8	26	0	0	0	0	0	0	0	16.2	0	0
2024	10	11	1	30	8	26	0	0	0	0	0	0	0	16.15	0	0
2024	10	11	1	40	8	26	0	0	0	0	0	0	0	16.09	0	0
2024	10	11	1	50	8	26	0	0	0	0	0	0	0	16.04	0	0
2024	10	11	2	0	8	26	0	0	0	0	0	0	0	15.98	0	0
2024	10	11	2	10	8	26	0	0	0	0	0	0	0	15.93	0	0
2024	10	11	2	20	8	26	0	0	0	0	0	0	0	15.88	0	0
2024	10	11	2	30	8	26	0	0	0	0	0	0	0	15.82	0	0
2024	10	11	2	40	8	26	0	0	0	0	0	0	0	15.77	0	0
2024	10	11	2	50	8	26	0	0	0	0	0	0	0	15.72	0	0
2024	10	11	3	0	8	26	0	0	0	0	0	0	0	15.67	0	0
2024	10	11	3	10	8	26	0	0	0	0	0	0	0	15.62	0	0
2024	10	11	3	20	8	26	0	0	0	0	0	0	0	15.57	0	0
2024	10	11	3	30	8	26	0	0	0	0	0	0	0	15.52	0	0
2024	10	11	3	40	8	26	0	0	0	0	0	0	0	15.47	0	0
2024	10	11	3	50	8	26	0	0	0	0	0	0	0	15.42	0	0
2024	10	11	4	0	8	27	0	0	0	0	0	0	0	15.39	0	0
2024	10	11	4	10	8	27	0	0	0	0	0	0	0	15.34	0	0
2024	10	11	4	20	8	26	0	0	0	0	0	0	0	15.3	0	0
2024	10	11	4	30	8	27	0	0	0	0	0	0	0	15.26	0	0
2024	10	11	4	40	8	26	0	0	0	0	0	0	0	15.22	0	0
2024	10	11	4	50	8	26	0	0	0	0	0	0	0	15.19	0	0
2024	10	11	5	0	8	26	0	0	0	0	0	0	0	15.15	0	0
2024	10	11	5	10	8	27	0	0	0	0	0	0	0	15.11	0	0
2024	10	11	5	20	8	26	0	0	0	0	0	0	0	15.07	0	0
2024	10	11	5	30	8	26	0	0	0	0	0	0	0	15.03	0	0
2024	10	11	5	40	8	26	0	0	0	0	0	0	0	14.99	0	0
2024	10	11	5	50	8	26	0	0	0	0	0	0	0	14.94	0	0
2024	10	11	6	0	8	27	0	0	0	0	0	0	0	14.91	0	0
2024	10	11	6	10	8	27	0	0	0	0	0	0	0	14.87	0	0
2024	10	11	6	20	8	27	0	0	0	0	0	0	0	14.83	0	0
2024	10	11	6	30	8	26	0	0	0	0	0	0	0	14.79	0	0
2024	10	11	6	40	8	26	0	0	0	0	0	0	0	14.75	0	0
2024	10	11	6	50	8	27	0	0	0	0	0	0	0	14.71	0	0
2024	10	11	7	0	8	27	0	0	0	0	0	0	0	14.68	0	0
2024	10	11	7	10	8	27	0	0	0	0	0	0	0	14.64	0	0
2024	10	11	7	20	8	27	0	0	0	0	0	0	0	14.6	0	0
2024	10	11	7	30	8	27	0	0	0	0	0	0	0	14.58	0	0
2024	10	11	7	40	8	26	0	0	0	0	0	0	0	14.55	0	0
2024	10	11	7	50	8	27	0	0	0	0	0	0	0	14.52	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	11	8	0	8	27	0	0	0	0	0	0	0	14.5	0	0
2024	10	11	8	10	8	26	0	0	0	0	0	0	0	14.48	0	0
2024	10	11	8	20	8	27	0	0	0	0	0	0	0	14.46	0	0
2024	10	11	8	30	8	27	0	0	0	0	0	0	0	14.46	0	0
2024	10	11	8	40	8	26	0	0	0	0	0	0	0	14.46	0	0
2024	10	11	8	50	8	27	0	0	0	0	0	0	0	14.46	0	0
2024	10	11	9	0	8	26	0	0	0	0	0	0	0	14.47	0	0
2024	10	11	9	10	8	26	0	0	0	0	0	0	0	14.48	0	0
2024	10	11	9	20	8	27	0	0	0	0	0	0	0	14.5	0	0
2024	10	11	9	30	8	27	0	0	0	0	0	0	0	14.52	0	0
2024	10	11	9	40	8	27	0	0	0	0	0	0	0	14.55	0	0
2024	10	11	9	50	8	27	0	0	0	0	0	0	0	14.58	0	0
2024	10	11	10	0	8	27	0	0	0	0	0	0	0	14.61	0	0
2024	10	11	10	10	8	27	0	0	0	0	0	0	0	14.65	0	0
2024	10	11	10	20	8	26	0	0	0	0	0	0	0	14.69	0	0
2024	10	11	10	30	8	27	0	0	0	0	0	0	0	14.73	0	0
2024	10	11	10	40	8	27	0	0	0	0	0	0	0	14.76	0	0
2024	10	11	10	50	8	26	0	0	0	0	0	0	0	14.82	0	0
2024	10	11	11	0	8	27	0	0	0	0	0	0	0	14.86	0	0
2024	10	11	11	10	8	26	0	0	0	0	0	0	0	14.91	0	0
2024	10	11	11	20	8	26	0	0	0	0	0	0	0	14.97	0	0
2024	10	11	11	30	8	26	0	0	0	0	0	0	0	15.02	0	0
2024	10	11	11	40	8	26	0	0	0	0	0	0	0	15.08	0	0
2024	10	11	11	50	8	27	0	0	0	0	0	0	0	15.13	0	0
2024	10	11	12	0	8	26	0	0	0	0	0	0	0	15.18	0	0
2024	10	11	12	10	8	26	0	0	0	0	0	0	0	15.24	0	0
2024	10	11	12	20	8	26	0	0	0	0	0	0	0	15.3	0	0
2024	10	11	12	30	8	27	0	0	0	0	0	0	0	15.38	0	0
2024	10	11	12	40	8	27	0	0	0	0	0	0	0	15.44	0	0
2024	10	11	12	50	8	26	0	0	0	0	0	0	0	15.5	0	0
2024	10	11	13	0	8	27	0	0	0	0	0	0	0	15.56	0	0
2024	10	11	13	10	8	27	0	0	0	0	0	0	0	15.63	0	0
2024	10	11	13	20	8	27	0	0	0	0	0	0	0	15.7	0	0
2024	10	11	13	30	8	27	0	0	0	0	0	0	0	15.75	0	0
2024	10	11	13	40	8	26	0	0	0	0	0	0	0	15.81	0	0
2024	10	11	13	50	8	26	0	0	0	0	0	0	0	15.87	0	0
2024	10	11	14	0	8	26	0	0	0	0	0	0	0	15.93	0	0
2024	10	11	14	10	8	26	0	0	0	0	0	0	0	15.98	0	0
2024	10	11	14	20	8	26	0	0	0	0	0	0	0	16.03	0	0
2024	10	11	14	30	8	26	0	0	0	0	0	0	0	16.08	0	0
2024	10	11	14	40	8	26	0	0	0	0	0	0	0	16.14	0	0
2024	10	11	14	50	8	26	0	0	0	0	0	0	0	16.18	0	0
2024	10	11	15	0	8	26	0	0	0	0	0	0	0	16.21	0	0
2024	10	11	15	10	8	27	0	0	0	0	0	0	0	16.24	0	0
2024	10	11	15	20	8	26	0	0	0	0	0	0	0	16.28	0	0
2024	10	11	15	30	8	26	0	0	0	0	0	0	0	16.33	0	0
2024	10	11	15	40	8	26	0	0	0	0	0	0	0	16.38	0	0
2024	10	11	15	50	8	27	0	0	0	0	0	0	0	16.41	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	11	16	0	8	26	0	0	0	0	0	0	0	16.44	0	0
2024	10	11	16	10	8	27	0	0	0	0	0	0	0	16.48	0	0
2024	10	11	16	20	8	26	0	0	0	0	0	0	0	16.5	0	0
2024	10	11	16	30	8	27	0	0	0	0	0	0	0	16.53	0	0
2024	10	11	16	40	8	26	0	0	0	0	0	0	0	16.56	0	0
2024	10	11	16	50	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	11	17	0	8	26	0	0	0	0	0	0	0	16.6	0	0
2024	10	11	17	10	8	26	0	0	0	0	0	0	0	16.62	0	0
2024	10	11	17	20	8	26	0	0	0	0	0	0	0	16.63	0	0
2024	10	11	17	30	8	26	0	0	0	0	0	0	0	16.64	0	0
2024	10	11	17	40	8	26	0	0	0	0	0	0	0	16.65	0	0
2024	10	11	17	50	8	25	0	0	0	0	0	0	0	16.66	0	0
2024	10	11	18	0	8	26	0	0	0	0	0	0	0	16.66	0	0
2024	10	11	18	10	8	27	0	0	0	0	0	0	0	16.66	0	0
2024	10	11	18	20	8	26	0	0	0	0	0	0	0	16.65	0	0
2024	10	11	18	30	8	27	0	0	0	0	0	0	0	16.64	0	0
2024	10	11	18	40	8	26	0	0	0	0	0	0	0	16.64	0	0
2024	10	11	18	50	8	26	0	0	0	0	0	0	0	16.62	0	0
2024	10	11	19	0	8	26	0	0	0	0	0	0	0	16.61	0	0
2024	10	11	19	10	8	26	0	0	0	0	0	0	0	16.6	0	0
2024	10	11	19	20	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	11	19	30	8	26	0	0	0	0	0	0	0	16.57	0	0
2024	10	11	19	40	8	27	0	0	0	0	0	0	0	16.55	0	0
2024	10	11	19	50	8	26	0	0	0	0	0	0	0	16.53	0	0
2024	10	11	20	0	8	26	0	0	0	0	0	0	0	16.5	0	0
2024	10	11	20	10	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	11	20	20	8	26	0	0	0	0	0	0	0	16.44	0	0
2024	10	11	20	30	8	26	0	0	0	0	0	0	0	16.4	0	0
2024	10	11	20	40	8	26	0	0	0	0	0	0	0	16.37	0	0
2024	10	11	20	50	8	27	0	0	0	0	0	0	0	16.34	0	0
2024	10	11	21	0	8	27	0	0	0	0	0	0	0	16.3	0	0
2024	10	11	21	10	8	27	0	0	0	0	0	0	0	16.26	0	0
2024	10	11	21	20	8	27	0	0	0	0	0	0	0	16.22	0	0
2024	10	11	21	30	8	25	0	0	0	0	0	0	0	16.18	0	0
2024	10	11	21	40	8	26	0	0	0	0	0	0	0	16.15	0	0
2024	10	11	21	50	8	27	0	0	0	0	0	0	0	16.1	0	0
2024	10	11	22	0	8	26	0	0	0	0	0	0	0	16.07	0	0
2024	10	11	22	10	8	26	0	0	0	0	0	0	0	16.03	0	0
2024	10	11	22	20	8	26	0	0	0	0	0	0	0	15.99	0	0
2024	10	11	22	30	8	26	0	0	0	0	0	0	0	15.95	0	0
2024	10	11	22	40	8	26	0	0	0	0	0	0	0	15.91	0	0
2024	10	11	22	50	8	26	0	0	0	0	0	0	0	15.87	0	0
2024	10	11	23	0	8	27	0	0	0	0	0	0	0	15.83	0	0
2024	10	11	23	10	8	26	0	0	0	0	0	0	0	15.79	0	0
2024	10	11	23	20	8	27	0	0	0	0	0	0	0	15.74	0	0
2024	10	11	23	30	8	27	0	0	0	0	0	0	0	15.7	0	0
2024	10	11	23	40	8	26	0	0	0	0	0	0	0	15.65	0	0
2024	10	11	23	50	8	26	0	0	0	0	0	0	0	15.61	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	12	0	0	8	27	0	0	0	0	0	0	0	15.56	0	0
2024	10	12	0	10	8	27	0	0	0	0	0	0	0	15.51	0	0
2024	10	12	0	20	8	26	0	0	0	0	0	0	0	15.46	0	0
2024	10	12	0	30	8	27	0	0	0	0	0	0	0	15.41	0	0
2024	10	12	0	40	8	26	0	0	0	0	0	0	0	15.37	0	0
2024	10	12	0	50	8	27	0	0	0	0	0	0	0	15.31	0	0
2024	10	12	1	0	8	26	0	0	0	0	0	0	0	15.26	0	0
2024	10	12	1	10	8	27	0	0	0	0	0	0	0	15.21	0	0
2024	10	12	1	20	8	26	0	0	0	0	0	0	0	15.16	0	0
2024	10	12	1	30	8	26	0	0	0	0	0	0	0	15.1	0	0
2024	10	12	1	40	8	27	0	0	0	0	0	0	0	15.04	0	0
2024	10	12	1	50	8	27	0	0	0	0	0	0	0	14.99	0	0
2024	10	12	2	0	8	26	0	0	0	0	0	0	0	14.94	0	0
2024	10	12	2	10	8	27	0	0	0	0	0	0	0	14.89	0	0
2024	10	12	2	20	8	27	0	0	0	0	0	0	0	14.83	0	0
2024	10	12	2	30	8	26	0	0	0	0	0	0	0	14.78	0	0
2024	10	12	2	40	8	26	0	0	0	0	0	0	0	14.73	0	0
2024	10	12	2	50	8	26	0	0	0	0	0	0	0	14.68	0	0
2024	10	12	3	0	8	27	0	0	0	0	0	0	0	14.63	0	0
2024	10	12	3	10	8	26	0	0	0	0	0	0	0	14.58	0	0
2024	10	12	3	20	8	26	0	0	0	0	0	0	0	14.53	0	0
2024	10	12	3	30	8	26	0	0	0	0	0	0	0	14.48	0	0
2024	10	12	3	40	8	27	0	0	0	0	0	0	0	14.44	0	0
2024	10	12	3	50	8	26	0	0	0	0	0	0	0	14.39	0	0
2024	10	12	4	0	8	26	0	0	0	0	0	0	0	14.35	0	0
2024	10	12	4	10	8	26	0	0	0	0	0	0	0	14.3	0	0
2024	10	12	4	20	8	27	0	0	0	0	0	0	0	14.26	0	0
2024	10	12	4	30	8	27	0	0	0	0	0	0	0	14.22	0	0
2024	10	12	4	40	8	26	0	0	0	0	0	0	0	14.18	0	0
2024	10	12	4	50	8	27	0	0	0	0	0	0	0	14.14	0	0
2024	10	12	5	0	8	27	0	0	0	0	0	0	0	14.1	0	0
2024	10	12	5	10	8	27	0	0	0	0	0	0	0	14.07	0	0
2024	10	12	5	20	8	27	0	0	0	0	0	0	0	14.03	0	0
2024	10	12	5	30	8	27	0	0	0	0	0	0	0	13.99	0	0
2024	10	12	5	40	8	27	0	0	0	0	0	0	0	13.96	0	0
2024	10	12	5	50	8	27	0	0	0	0	0	0	0	13.92	0	0
2024	10	12	6	0	8	27	0	0	0	0	0	0	0	13.88	0	0
2024	10	12	6	10	8	27	0	0	0	0	0	0	0	13.85	0	0
2024	10	12	6	20	8	26	0	0	0	0	0	0	0	13.81	0	0
2024	10	12	6	30	8	27	0	0	0	0	0	0	0	13.78	0	0
2024	10	12	6	40	8	26	0	0	0	0	0	0	0	13.74	0	0
2024	10	12	6	50	8	26	0	0	0	0	0	0	0	13.71	0	0
2024	10	12	7	0	8	27	0	0	0	0	0	0	0	13.67	0	0
2024	10	12	7	10	8	26	0	0	0	0	0	0	0	13.63	0	0
2024	10	12	7	20	8	27	0	0	0	0	0	0	0	13.6	0	0
2024	10	12	7	30	8	27	0	0	0	0	0	0	0	13.56	0	0
2024	10	12	7	40	8	26	0	0	0	0	0	0	0	13.52	0	0
2024	10	12	7	50	8	26	0	0	0	0	0	0	0	13.49	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	12	8	0	8	26	0	0	0	0	0	0	0	13.47	0	0
2024	10	12	8	10	8	27	0	0	0	0	0	0	0	13.44	0	0
2024	10	12	8	20	8	27	0	0	0	0	0	0	0	13.42	0	0
2024	10	12	8	30	8	27	0	0	0	0	0	0	0	13.41	0	0
2024	10	12	8	40	8	27	0	0	0	0	0	0	0	13.41	0	0
2024	10	12	8	50	8	27	0	0	0	0	0	0	0	13.41	0	0
2024	10	12	9	0	8	27	0	0	0	0	0	0	0	13.42	0	0
2024	10	12	9	10	8	27	0	0	0	0	0	0	0	13.43	0	0
2024	10	12	9	20	8	26	0	0	0	0	0	0	0	13.45	0	0
2024	10	12	9	30	8	26	0	0	0	0	0	0	0	13.48	0	0
2024	10	12	9	40	8	27	0	0	0	0	0	0	0	13.51	0	0
2024	10	12	9	50	8	27	0	0	0	0	0	0	0	13.54	0	0
2024	10	12	10	0	8	26	0	0	0	0	0	0	0	13.59	0	0
2024	10	12	10	10	8	26	0	0	0	0	0	0	0	13.64	0	0
2024	10	12	10	20	8	27	0	0	0	0	0	0	0	13.7	0	0
2024	10	12	10	30	8	27	0	0	0	0	0	0	0	13.76	0	0
2024	10	12	10	40	8	27	0	0	0	0	0	0	0	13.82	0	0
2024	10	12	10	50	8	27	0	0	0	0	0	0	0	13.89	0	0
2024	10	12	11	0	8	26	0	0	0	0	0	0	0	13.97	0	0
2024	10	12	11	10	8	27	0	0	0	0	0	0	0	14.05	0	0
2024	10	12	11	20	8	27	0	0	0	0	0	0	0	14.13	0	0
2024	10	12	11	30	8	26	0	0	0	0	0	0	0	14.21	0	0
2024	10	12	11	40	8	26	0	0	0	0	0	0	0	14.3	0	0
2024	10	12	11	50	8	28	0	0	0	0	0	0	0	14.39	0	0
2024	10	12	12	0	8	26	0	0	0	0	0	0	0	14.48	0	0
2024	10	12	12	10	8	26	0	0	0	0	0	0	0	14.57	0	0
2024	10	12	12	20	8	27	0	0	0	0	0	0	0	14.66	0	0
2024	10	12	12	30	8	26	0	0	0	0	0	0	0	14.75	0	0
2024	10	12	12	40	8	27	0	0	0	0	0	0	0	14.84	0	0
2024	10	12	12	50	8	27	0	0	0	0	0	0	0	14.93	0	0
2024	10	12	13	0	8	26	0	0	0	0	0	0	0	15.02	0	0
2024	10	12	13	10	8	27	0	0	0	0	0	0	0	15.12	0	0
2024	10	12	13	20	8	27	0	0	0	0	0	0	0	15.2	0	0
2024	10	12	13	30	8	26	0	0	0	0	0	0	0	15.29	0	0
2024	10	12	13	40	8	26	0	0	0	0	0	0	0	15.38	0	0
2024	10	12	13	50	8	27	0	0	0	0	0	0	0	15.47	0	0
2024	10	12	14	0	8	26	0	0	0	0	0	0	0	15.55	0	0
2024	10	12	14	10	8	27	0	0	0	0	0	0	0	15.63	0	0
2024	10	12	14	20	8	27	0	0	0	0	0	0	0	15.71	0	0
2024	10	12	14	30	8	26	0	0	0	0	0	0	0	15.79	0	0
2024	10	12	14	40	8	27	0	0	0	0	0	0	0	15.86	0	0
2024	10	12	14	50	8	26	0	0	0	0	0	0	0	15.93	0	0
2024	10	12	15	0	8	26	0	0	0	0	0	0	0	16	0	0
2024	10	12	15	10	8	26	0	0	0	0	0	0	0	16.06	0	0
2024	10	12	15	20	8	27	0	0	0	0	0	0	0	16.12	0	0
2024	10	12	15	30	8	27	0	0	0	0	0	0	0	16.17	0	0
2024	10	12	15	40	8	26	0	0	0	0	0	0	0	16.22	0	0
2024	10	12	15	50	8	27	0	0	0	0	0	0	0	16.27	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	12	16	0	8	27	0	0	0	0	0	0	0	16.31	0	0
2024	10	12	16	10	8	26	0	0	0	0	0	0	0	16.35	0	0
2024	10	12	16	20	8	27	0	0	0	0	0	0	0	16.38	0	0
2024	10	12	16	30	8	26	0	0	0	0	0	0	0	16.42	0	0
2024	10	12	16	40	8	26	0	0	0	0	0	0	0	16.44	0	0
2024	10	12	16	50	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	12	17	0	8	26	0	0	0	0	0	0	0	16.5	0	0
2024	10	12	17	10	8	26	0	0	0	0	0	0	0	16.52	0	0
2024	10	12	17	20	8	26	0	0	0	0	0	0	0	16.54	0	0
2024	10	12	17	30	8	26	0	0	0	0	0	0	0	16.55	0	0
2024	10	12	17	40	8	25	0	0	0	0	0	0	0	16.57	0	0
2024	10	12	17	50	8	25	0	0	0	0	0	0	0	16.58	0	0
2024	10	12	18	0	8	27	0	0	0	0	0	0	0	16.59	0	0
2024	10	12	18	10	8	26	0	0	0	0	0	0	0	16.6	0	0
2024	10	12	18	20	8	25	0	0	0	0	0	0	0	16.6	0	0
2024	10	12	18	30	8	27	0	0	0	0	0	0	0	16.59	0	0
2024	10	12	18	40	8	26	0	0	0	0	0	0	0	16.59	0	0
2024	10	12	18	50	8	26	0	0	0	0	0	0	0	16.59	0	0
2024	10	12	19	0	8	27	0	0	0	0	0	0	0	16.58	0	0
2024	10	12	19	10	8	26	0	0	0	0	0	0	0	16.57	0	0
2024	10	12	19	20	8	27	0	0	0	0	0	0	0	16.55	0	0
2024	10	12	19	30	8	27	0	0	0	0	0	0	0	16.54	0	0
2024	10	12	19	40	8	25	0	0	0	0	0	0	0	16.52	0	0
2024	10	12	19	50	8	26	0	0	0	0	0	0	0	16.49	0	0
2024	10	12	20	0	8	27	0	0	0	0	0	0	0	16.46	0	0
2024	10	12	20	10	8	26	0	0	0	0	0	0	0	16.43	0	0
2024	10	12	20	20	8	26	0	0	0	0	0	0	0	16.39	0	0
2024	10	12	20	30	8	26	0	0	0	0	0	0	0	16.36	0	0
2024	10	12	20	40	8	26	0	0	0	0	0	0	0	16.32	0	0
2024	10	12	20	50	8	26	0	0	0	0	0	0	0	16.28	0	0
2024	10	12	21	0	8	26	0	0	0	0	0	0	0	16.23	0	0
2024	10	12	21	10	8	27	0	0	0	0	0	0	0	16.18	0	0
2024	10	12	21	20	8	26	0	0	0	0	0	0	0	16.14	0	0
2024	10	12	21	30	8	26	0	0	0	0	0	0	0	16.09	0	0
2024	10	12	21	40	8	26	0	0	0	0	0	0	0	16.05	0	0
2024	10	12	21	50	8	26	0	0	0	0	0	0	0	15.99	0	0
2024	10	12	22	0	8	26	0	0	0	0	0	0	0	15.95	0	0
2024	10	12	22	10	8	26	0	0	0	0	0	0	0	15.9	0	0
2024	10	12	22	20	8	26	0	0	0	0	0	0	0	15.85	0	0
2024	10	12	22	30	8	27	0	0	0	0	0	0	0	15.8	0	0
2024	10	12	22	40	8	26	0	0	0	0	0	0	0	15.75	0	0
2024	10	12	22	50	8	27	0	0	0	0	0	0	0	15.7	0	0
2024	10	12	23	0	8	26	0	0	0	0	0	0	0	15.66	0	0
2024	10	12	23	10	8	26	0	0	0	0	0	0	0	15.6	0	0
2024	10	12	23	20	8	27	0	0	0	0	0	0	0	15.55	0	0
2024	10	12	23	30	8	26	0	0	0	0	0	0	0	15.5	0	0
2024	10	12	23	40	8	27	0	0	0	0	0	0	0	15.44	0	0
2024	10	12	23	50	8	27	0	0	0	0	0	0	0	15.39	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	13	0	0	8	26	0	0	0	0	0	0	0	15.34	0	0
2024	10	13	0	10	8	26	0	0	0	0	0	0	0	15.28	0	0
2024	10	13	0	20	8	27	0	0	0	0	0	0	0	15.22	0	0
2024	10	13	0	30	8	26	0	0	0	0	0	0	0	15.17	0	0
2024	10	13	0	40	8	27	0	0	0	0	0	0	0	15.12	0	0
2024	10	13	0	50	8	27	0	0	0	0	0	0	0	15.07	0	0
2024	10	13	1	0	8	26	0	0	0	0	0	0	0	15.01	0	0
2024	10	13	1	10	8	26	0	0	0	0	0	0	0	14.96	0	0
2024	10	13	1	20	8	26	0	0	0	0	0	0	0	14.91	0	0
2024	10	13	1	30	8	27	0	0	0	0	0	0	0	14.86	0	0
2024	10	13	1	40	8	26	0	0	0	0	0	0	0	14.81	0	0
2024	10	13	1	50	8	27	0	0	0	0	0	0	0	14.76	0	0
2024	10	13	2	0	8	26	0	0	0	0	0	0	0	14.72	0	0
2024	10	13	2	10	8	26	0	0	0	0	0	0	0	14.67	0	0
2024	10	13	2	20	8	26	0	0	0	0	0	0	0	14.63	0	0
2024	10	13	2	30	8	27	0	0	0	0	0	0	0	14.58	0	0
2024	10	13	2	40	8	26	0	0	0	0	0	0	0	14.54	0	0
2024	10	13	2	50	8	26	0	0	0	0	0	0	0	14.5	0	0
2024	10	13	3	0	8	26	0	0	0	0	0	0	0	14.46	0	0
2024	10	13	3	10	8	27	0	0	0	0	0	0	0	14.42	0	0
2024	10	13	3	20	8	27	0	0	0	0	0	0	0	14.37	0	0
2024	10	13	3	30	8	26	0	0	0	0	0	0	0	14.33	0	0
2024	10	13	3	40	8	27	0	0	0	0	0	0	0	14.3	0	0
2024	10	13	3	50	8	27	0	0	0	0	0	0	0	14.26	0	0
2024	10	13	4	0	8	25	0	0	0	0	0	0	0	14.22	0	0
2024	10	13	4	10	8	26	0	0	0	0	0	0	0	14.19	0	0
2024	10	13	4	20	8	27	0	0	0	0	0	0	0	14.15	0	0
2024	10	13	4	30	8	26	0	0	0	0	0	0	0	14.12	0	0
2024	10	13	4	40	8	27	0	0	0	0	0	0	0	14.08	0	0
2024	10	13	4	50	8	27	0	0	0	0	0	0	0	14.05	0	0
2024	10	13	5	0	8	26	0	0	0	0	0	0	0	14	0	0
2024	10	13	5	10	8	27	0	0	0	0	0	0	0	13.97	0	0
2024	10	13	5	20	8	27	0	0	0	0	0	0	0	13.94	0	0
2024	10	13	5	30	8	27	0	0	0	0	0	0	0	13.9	0	0
2024	10	13	5	40	8	27	0	0	0	0	0	0	0	13.86	0	0
2024	10	13	5	50	8	27	0	0	0	0	0	0	0	13.83	0	0
2024	10	13	6	0	8	27	0	0	0	0	0	0	0	13.8	0	0
2024	10	13	6	10	8	27	0	0	0	0	0	0	0	13.76	0	0
2024	10	13	6	20	8	27	0	0	0	0	0	0	0	13.73	0	0
2024	10	13	6	30	8	27	0	0	0	0	0	0	0	13.69	0	0
2024	10	13	6	40	8	27	0	0	0	0	0	0	0	13.66	0	0
2024	10	13	6	50	8	28	0	0	0	0	0	0	0	13.62	0	0
2024	10	13	7	0	8	27	0	0	0	0	0	0	0	13.6	0	0
2024	10	13	7	10	8	27	0	0	0	0	0	0	0	13.56	0	0
2024	10	13	7	20	8	27	0	0	0	0	0	0	0	13.54	0	0
2024	10	13	7	30	8	27	0	0	0	0	0	0	0	13.51	0	0
2024	10	13	7	40	8	26	0	0	0	0	0	0	0	13.49	0	0
2024	10	13	7	50	8	27	0	0	0	0	0	0	0	13.46	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	13	8	0	8	26	0	0	0	0	0	0	0	13.44	0	0
2024	10	13	8	10	8	27	0	0	0	0	0	0	0	13.44	0	0
2024	10	13	8	20	8	27	0	0	0	0	0	0	0	13.43	0	0
2024	10	13	8	30	8	27	0	0	0	0	0	0	0	13.43	0	0
2024	10	13	8	40	8	26	0	0	0	0	0	0	0	13.44	0	0
2024	10	13	8	50	8	27	0	0	0	0	0	0	0	13.45	0	0
2024	10	13	9	0	8	26	0	0	0	0	0	0	0	13.46	0	0
2024	10	13	9	10	8	27	0	0	0	0	0	0	0	13.48	0	0
2024	10	13	9	20	8	27	0	0	0	0	0	0	0	13.51	0	0
2024	10	13	9	30	8	27	0	0	0	0	0	0	0	13.54	0	0
2024	10	13	9	40	8	26	0	0	0	0	0	0	0	13.58	0	0
2024	10	13	9	50	8	26	0	0	0	0	0	0	0	13.63	0	0
2024	10	13	10	0	8	27	0	0	0	0	0	0	0	13.68	0	0
2024	10	13	10	10	8	27	0	0	0	0	0	0	0	13.73	0	0
2024	10	13	10	20	8	27	0	0	0	0	0	0	0	13.79	0	0
2024	10	13	10	30	8	27	0	0	0	0	0	0	0	13.85	0	0
2024	10	13	10	40	8	27	0	0	0	0	0	0	0	13.93	0	0
2024	10	13	10	50	8	27	0	0	0	0	0	0	0	14	0	0
2024	10	13	11	0	8	27	0	0	0	0	0	0	0	14.07	0	0
2024	10	13	11	10	8	27	0	0	0	0	0	0	0	14.15	0	0
2024	10	13	11	20	8	27	0	0	0	0	0	0	0	14.23	0	0
2024	10	13	11	30	8	26	0	0	0	0	0	0	0	14.32	0	0
2024	10	13	11	40	8	27	0	0	0	0	0	0	0	14.4	0	0
2024	10	13	11	50	8	27	0	0	0	0	0	0	0	14.48	0	0
2024	10	13	12	0	8	26	0	0	0	0	0	0	0	14.57	0	0
2024	10	13	12	10	8	26	0	0	0	0	0	0	0	14.66	0	0
2024	10	13	12	20	8	26	0	0	0	0	0	0	0	14.74	0	0
2024	10	13	12	30	8	27	0	0	0	0	0	0	0	14.83	0	0
2024	10	13	12	40	8	27	0	0	0	0	0	0	0	14.92	0	0
2024	10	13	12	50	8	27	0	0	0	0	0	0	0	15.01	0	0
2024	10	13	13	0	8	26	0	0	0	0	0	0	0	15.11	0	0
2024	10	13	13	10	8	27	0	0	0	0	0	0	0	15.2	0	0
2024	10	13	13	20	8	27	0	0	0	0	0	0	0	15.28	0	0
2024	10	13	13	30	8	26	0	0	0	0	0	0	0	15.38	0	0
2024	10	13	13	40	8	27	0	0	0	0	0	0	0	15.47	0	0
2024	10	13	13	50	8	26	0	0	0	0	0	0	0	15.55	0	0
2024	10	13	14	0	8	26	0	0	0	0	0	0	0	15.63	0	0
2024	10	13	14	10	8	26	0	0	0	0	0	0	0	15.71	0	0
2024	10	13	14	20	8	26	0	0	0	0	0	0	0	15.79	0	0
2024	10	13	14	30	8	27	0	0	0	0	0	0	0	15.87	0	0
2024	10	13	14	40	8	27	0	0	0	0	0	0	0	15.94	0	0
2024	10	13	14	50	8	27	0	0	0	0	0	0	0	16.01	0	0
2024	10	13	15	0	8	26	0	0	0	0	0	0	0	16.07	0	0
2024	10	13	15	10	8	26	0	0	0	0	0	0	0	16.13	0	0
2024	10	13	15	20	8	26	0	0	0	0	0	0	0	16.18	0	0
2024	10	13	15	30	8	26	0	0	0	0	0	0	0	16.23	0	0
2024	10	13	15	40	8	27	0	0	0	0	0	0	0	16.28	0	0
2024	10	13	15	50	8	26	0	0	0	0	0	0	0	16.32	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	13	16	0	8	26	0	0	0	0	0	0	0	16.36	0	0
2024	10	13	16	10	8	26	0	0	0	0	0	0	0	16.4	0	0
2024	10	13	16	20	8	27	0	0	0	0	0	0	0	16.43	0	0
2024	10	13	16	30	8	26	0	0	0	0	0	0	0	16.45	0	0
2024	10	13	16	40	8	26	0	0	0	0	0	0	0	16.48	0	0
2024	10	13	16	50	8	26	0	0	0	0	0	0	0	16.51	0	0
2024	10	13	17	0	8	26	0	0	0	0	0	0	0	16.52	0	0
2024	10	13	17	10	8	26	0	0	0	0	0	0	0	16.54	0	0
2024	10	13	17	20	8	26	0	0	0	0	0	0	0	16.55	0	0
2024	10	13	17	30	8	27	0	0	0	0	0	0	0	16.57	0	0
2024	10	13	17	40	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	13	17	50	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	13	18	0	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	13	18	10	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	13	18	20	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	13	18	30	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	13	18	40	8	27	0	0	0	0	0	0	0	16.57	0	0
2024	10	13	18	50	8	26	0	0	0	0	0	0	0	16.56	0	0
2024	10	13	19	0	8	27	0	0	0	0	0	0	0	16.55	0	0
2024	10	13	19	10	8	26	0	0	0	0	0	0	0	16.54	0	0
2024	10	13	19	20	8	26	0	0	0	0	0	0	0	16.51	0	0
2024	10	13	19	30	8	27	0	0	0	0	0	0	0	16.49	0	0
2024	10	13	19	40	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	13	19	50	8	26	0	0	0	0	0	0	0	16.44	0	0
2024	10	13	20	0	8	26	0	0	0	0	0	0	0	16.41	0	0
2024	10	13	20	10	8	26	0	0	0	0	0	0	0	16.38	0	0
2024	10	13	20	20	8	27	0	0	0	0	0	0	0	16.34	0	0
2024	10	13	20	30	8	26	0	0	0	0	0	0	0	16.3	0	0
2024	10	13	20	40	8	26	0	0	0	0	0	0	0	16.26	0	0
2024	10	13	20	50	8	27	0	0	0	0	0	0	0	16.23	0	0
2024	10	13	21	0	8	26	0	0	0	0	0	0	0	16.18	0	0
2024	10	13	21	10	8	26	0	0	0	0	0	0	0	16.15	0	0
2024	10	13	21	20	8	26	0	0	0	0	0	0	0	16.1	0	0
2024	10	13	21	30	8	26	0	0	0	0	0	0	0	16.05	0	0
2024	10	13	21	40	8	26	0	0	0	0	0	0	0	16	0	0
2024	10	13	21	50	8	27	0	0	0	0	0	0	0	15.95	0	0
2024	10	13	22	0	8	26	0	0	0	0	0	0	0	15.9	0	0
2024	10	13	22	10	8	26	0	0	0	0	0	0	0	15.85	0	0
2024	10	13	22	20	8	27	0	0	0	0	0	0	0	15.79	0	0
2024	10	13	22	30	8	27	0	0	0	0	0	0	0	15.74	0	0
2024	10	13	22	40	8	27	0	0	0	0	0	0	0	15.68	0	0
2024	10	13	22	50	8	27	0	0	0	0	0	0	0	15.62	0	0
2024	10	13	23	0	8	27	0	0	0	0	0	0	0	15.57	0	0
2024	10	13	23	10	8	26	0	0	0	0	0	0	0	15.51	0	0
2024	10	13	23	20	8	26	0	0	0	0	0	0	0	15.46	0	0
2024	10	13	23	30	8	26	0	0	0	0	0	0	0	15.41	0	0
2024	10	13	23	40	8	26	0	0	0	0	0	0	0	15.35	0	0
2024	10	13	23	50	8	26	0	0	0	0	0	0	0	15.29	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	14	0	0	8	27	0	0	0	0	0	0	0	15.24	0	0
2024	10	14	0	10	8	26	0	0	0	0	0	0	0	15.19	0	0
2024	10	14	0	20	8	27	0	0	0	0	0	0	0	15.13	0	0
2024	10	14	0	30	8	26	0	0	0	0	0	0	0	15.08	0	0
2024	10	14	0	40	8	27	0	0	0	0	0	0	0	15.02	0	0
2024	10	14	0	50	8	27	0	0	0	0	0	0	0	14.96	0	0
2024	10	14	1	0	8	26	0	0	0	0	0	0	0	14.9	0	0
2024	10	14	1	10	8	26	0	0	0	0	0	0	0	14.85	0	0
2024	10	14	1	20	8	27	0	0	0	0	0	0	0	14.79	0	0
2024	10	14	1	30	8	26	0	0	0	0	0	0	0	14.73	0	0
2024	10	14	1	40	8	27	0	0	0	0	0	0	0	14.68	0	0
2024	10	14	1	50	8	26	0	0	0	0	0	0	0	14.63	0	0
2024	10	14	2	0	8	26	0	0	0	0	0	0	0	14.58	0	0
2024	10	14	2	10	8	26	0	0	0	0	0	0	0	14.53	0	0
2024	10	14	2	20	8	27	0	0	0	0	0	0	0	14.48	0	0
2024	10	14	2	30	8	27	0	0	0	0	0	0	0	14.43	0	0
2024	10	14	2	40	8	26	0	0	0	0	0	0	0	14.39	0	0
2024	10	14	2	50	8	26	0	0	0	0	0	0	0	14.33	0	0
2024	10	14	3	0	8	27	0	0	0	0	0	0	0	14.29	0	0
2024	10	14	3	10	8	26	0	0	0	0	0	0	0	14.25	0	0
2024	10	14	3	20	8	27	0	0	0	0	0	0	0	14.2	0	0
2024	10	14	3	30	8	27	0	0	0	0	0	0	0	14.16	0	0
2024	10	14	3	40	8	26	0	0	0	0	0	0	0	14.11	0	0
2024	10	14	3	50	8	27	0	0	0	0	0	0	0	14.08	0	0
2024	10	14	4	0	8	26	0	0	0	0	0	0	0	14.03	0	0
2024	10	14	4	10	8	26	0	0	0	0	0	0	0	14	0	0
2024	10	14	4	20	8	27	0	0	0	0	0	0	0	13.96	0	0
2024	10	14	4	30	8	27	0	0	0	0	0	0	0	13.92	0	0
2024	10	14	4	40	8	27	0	0	0	0	0	0	0	13.89	0	0
2024	10	14	4	50	8	27	0	0	0	0	0	0	0	13.85	0	0
2024	10	14	5	0	8	27	0	0	0	0	0	0	0	13.82	0	0
2024	10	14	5	10	8	27	0	0	0	0	0	0	0	13.78	0	0
2024	10	14	5	20	8	26	0	0	0	0	0	0	0	13.74	0	0
2024	10	14	5	30	8	26	0	0	0	0	0	0	0	13.71	0	0
2024	10	14	5	40	8	27	0	0	0	0	0	0	0	13.68	0	0
2024	10	14	5	50	8	27	0	0	0	0	0	0	0	13.65	0	0
2024	10	14	6	0	8	26	0	0	0	0	0	0	0	13.62	0	0
2024	10	14	6	10	8	26	0	0	0	0	0	0	0	13.59	0	0
2024	10	14	6	20	8	27	0	0	0	0	0	0	0	13.56	0	0
2024	10	14	6	30	8	27	0	0	0	0	0	0	0	13.53	0	0
2024	10	14	6	40	8	27	0	0	0	0	0	0	0	13.5	0	0
2024	10	14	6	50	8	26	0	0	0	0	0	0	0	13.48	0	0
2024	10	14	7	0	8	27	0	0	0	0	0	0	0	13.45	0	0
2024	10	14	7	10	8	27	0	0	0	0	0	0	0	13.44	0	0
2024	10	14	7	20	8	27	0	0	0	0	0	0	0	13.42	0	0
2024	10	14	7	30	8	27	0	0	0	0	0	0	0	13.4	0	0
2024	10	14	7	40	8	27	0	0	0	0	0	0	0	13.38	0	0
2024	10	14	7	50	8	26	0	0	0	0	0	0	0	13.36	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	14	8	0	8	27	0	0	0	0	0	0	0	13.36	0	0
2024	10	14	8	10	8	26	0	0	0	0	0	0	0	13.35	0	0
2024	10	14	8	20	8	26	0	0	0	0	0	0	0	13.35	0	0
2024	10	14	8	30	8	27	0	0	0	0	0	0	0	13.35	0	0
2024	10	14	8	40	8	27	0	0	0	0	0	0	0	13.37	0	0
2024	10	14	8	50	8	27	0	0	0	0	0	0	0	13.38	0	0
2024	10	14	9	0	8	26	0	0	0	0	0	0	0	13.41	0	0
2024	10	14	9	10	8	27	0	0	0	0	0	0	0	13.43	0	0
2024	10	14	9	20	8	27	0	0	0	0	0	0	0	13.46	0	0
2024	10	14	9	30	8	27	0	0	0	0	0	0	0	13.5	0	0
2024	10	14	9	40	8	27	0	0	0	0	0	0	0	13.54	0	0
2024	10	14	9	50	8	27	0	0	0	0	0	0	0	13.59	0	0
2024	10	14	10	0	8	26	0	0	0	0	0	0	0	13.65	0	0
2024	10	14	10	10	8	27	0	0	0	0	0	0	0	13.71	0	0
2024	10	14	10	20	8	26	0	0	0	0	0	0	0	13.77	0	0
2024	10	14	10	30	8	27	0	0	0	0	0	0	0	13.84	0	0
2024	10	14	10	40	8	27	0	0	0	0	0	0	0	13.91	0	0
2024	10	14	10	50	8	26	0	0	0	0	0	0	0	13.99	0	0
2024	10	14	11	0	8	27	0	0	0	0	0	0	0	14.06	0	0
2024	10	14	11	10	8	27	0	0	0	0	0	0	0	14.15	0	0
2024	10	14	11	20	8	27	0	0	0	0	0	0	0	14.23	0	0
2024	10	14	11	30	8	26	0	0	0	0	0	0	0	14.32	0	0
2024	10	14	11	40	8	26	0	0	0	0	0	0	0	14.41	0	0
2024	10	14	11	50	8	26	0	0	0	0	0	0	0	14.5	0	0
2024	10	14	12	0	8	26	0	0	0	0	0	0	0	14.59	0	0
2024	10	14	12	10	8	27	0	0	0	0	0	0	0	14.69	0	0
2024	10	14	12	20	8	27	0	0	0	0	0	0	0	14.78	0	0
2024	10	14	12	30	8	27	0	0	0	0	0	0	0	14.88	0	0
2024	10	14	12	40	8	27	0	0	0	0	0	0	0	14.97	0	0
2024	10	14	12	50	8	27	0	0	0	0	0	0	0	15.06	0	0
2024	10	14	13	0	8	26	0	0	0	0	0	0	0	15.15	0	0
2024	10	14	13	10	8	26	0	0	0	0	0	0	0	15.24	0	0
2024	10	14	13	20	8	26	0	0	0	0	0	0	0	15.33	0	0
2024	10	14	13	30	8	27	0	0	0	0	0	0	0	15.42	0	0
2024	10	14	13	40	8	26	0	0	0	0	0	0	0	15.5	0	0
2024	10	14	13	50	8	27	0	0	0	0	0	0	0	15.58	0	0
2024	10	14	14	0	8	27	0	0	0	0	0	0	0	15.67	0	0
2024	10	14	14	10	8	26	0	0	0	0	0	0	0	15.74	0	0
2024	10	14	14	20	8	27	0	0	0	0	0	0	0	15.82	0	0
2024	10	14	14	30	8	26	0	0	0	0	0	0	0	15.89	0	0
2024	10	14	14	40	8	26	0	0	0	0	0	0	0	15.96	0	0
2024	10	14	14	50	8	26	0	0	0	0	0	0	0	16.02	0	0
2024	10	14	15	0	8	27	0	0	0	0	0	0	0	16.09	0	0
2024	10	14	15	10	8	27	0	0	0	0	0	0	0	16.14	0	0
2024	10	14	15	20	8	26	0	0	0	0	0	0	0	16.2	0	0
2024	10	14	15	30	8	26	0	0	0	0	0	0	0	16.25	0	0
2024	10	14	15	40	8	26	0	0	0	0	0	0	0	16.29	0	0
2024	10	14	15	50	8	26	0	0	0	0	0	0	0	16.34	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	14	16	0	8	26	0	0	0	0	0	0	0	16.38	0	0
2024	10	14	16	10	8	27	0	0	0	0	0	0	0	16.42	0	0
2024	10	14	16	20	8	26	0	0	0	0	0	0	0	16.46	0	0
2024	10	14	16	30	8	26	0	0	0	0	0	0	0	16.48	0	0
2024	10	14	16	40	8	26	0	0	0	0	0	0	0	16.51	0	0
2024	10	14	16	50	8	26	0	0	0	0	0	0	0	16.54	0	0
2024	10	14	17	0	8	26	0	0	0	0	0	0	0	16.56	0	0
2024	10	14	17	10	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	14	17	20	8	27	0	0	0	0	0	0	0	16.59	0	0
2024	10	14	17	30	8	26	0	0	0	0	0	0	0	16.6	0	0
2024	10	14	17	40	8	26	0	0	0	0	0	0	0	16.61	0	0
2024	10	14	17	50	8	26	0	0	0	0	0	0	0	16.61	0	0
2024	10	14	18	0	8	26	0	0	0	0	0	0	0	16.61	0	0
2024	10	14	18	10	8	26	0	0	0	0	0	0	0	16.61	0	0
2024	10	14	18	20	8	26	0	0	0	0	0	0	0	16.61	0	0
2024	10	14	18	30	8	26	0	0	0	0	0	0	0	16.6	0	0
2024	10	14	18	40	8	26	0	0	0	0	0	0	0	16.59	0	0
2024	10	14	18	50	8	26	0	0	0	0	0	0	0	16.58	0	0
2024	10	14	19	0	8	26	0	0	0	0	0	0	0	16.56	0	0
2024	10	14	19	10	8	26	0	0	0	0	0	0	0	16.54	0	0
2024	10	14	19	20	8	26	0	0	0	0	0	0	0	16.52	0	0
2024	10	14	19	30	8	26	0	0	0	0	0	0	0	16.49	0	0
2024	10	14	19	40	8	26	0	0	0	0	0	0	0	16.47	0	0
2024	10	14	19	50	8	26	0	0	0	0	0	0	0	16.43	0	0
2024	10	14	20	0	8	27	0	0	0	0	0	0	0	16.4	0	0
2024	10	14	20	10	8	26	0	0	0	0	0	0	0	16.36	0	0
2024	10	14	20	20	8	26	0	0	0	0	0	0	0	16.33	0	0
2024	10	14	20	30	8	27	0	0	0	0	0	0	0	16.29	0	0
2024	10	14	20	40	8	26	0	0	0	0	0	0	0	16.25	0	0
2024	10	14	20	50	8	26	0	0	0	0	0	0	0	16.21	0	0
2024	10	14	21	0	8	26	0	0	0	0	0	0	0	16.16	0	0
2024	10	14	21	10	8	26	0	0	0	0	0	0	0	16.11	0	0
2024	10	14	21	20	8	26	0	0	0	0	0	0	0	16.07	0	0
2024	10	14	21	30	8	26	0	0	0	0	0	0	0	16.03	0	0
2024	10	14	21	40	8	26	0	0	0	0	0	0	0	15.98	0	0
2024	10	14	21	50	8	27	0	0	0	0	0	0	0	15.93	0	0
2024	10	14	22	0	8	26	0	0	0	0	0	0	0	15.88	0	0
2024	10	14	22	10	8	26	0	0	0	0	0	0	0	15.83	0	0
2024	10	14	22	20	8	26	0	0	0	0	0	0	0	15.78	0	0
2024	10	14	22	30	8	26	0	0	0	0	0	0	0	15.73	0	0
2024	10	14	22	40	8	26	0	0	0	0	0	0	0	15.68	0	0
2024	10	14	22	50	8	26	0	0	0	0	0	0	0	15.63	0	0
2024	10	14	23	0	8	26	0	0	0	0	0	0	0	15.58	0	0
2024	10	14	23	10	8	26	0	0	0	0	0	0	0	15.52	0	0
2024	10	14	23	20	8	26	0	0	0	0	0	0	0	15.47	0	0
2024	10	14	23	30	8	25	0	0	0	0	0	0	0	15.41	0	0
2024	10	14	23	40	8	26	0	0	0	0	0	0	0	15.35	0	0
2024	10	14	23	50	8	26	0	0	0	0	0	0	0	15.29	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	15	0	0	8	26	0	0	0	0	0	0	0	15.24	0	0
2024	10	15	0	10	8	26	0	0	0	0	0	0	0	15.19	0	0
2024	10	15	0	20	8	27	0	0	0	0	0	0	0	15.13	0	0
2024	10	15	0	30	8	26	0	0	0	0	0	0	0	15.07	0	0
2024	10	15	0	40	8	27	0	0	0	0	0	0	0	15.01	0	0
2024	10	15	0	50	8	27	0	0	0	0	0	0	0	14.95	0	0
2024	10	15	1	0	8	27	0	0	0	0	0	0	0	14.9	0	0
2024	10	15	1	10	8	27	0	0	0	0	0	0	0	14.85	0	0
2024	10	15	1	20	8	27	0	0	0	0	0	0	0	14.79	0	0
2024	10	15	1	30	8	27	0	0	0	0	0	0	0	14.73	0	0
2024	10	15	1	40	8	26	0	0	0	0	0	0	0	14.68	0	0
2024	10	15	1	50	8	27	0	0	0	0	0	0	0	14.63	0	0
2024	10	15	2	0	8	27	0	0	0	0	0	0	0	14.57	0	0
2024	10	15	2	10	8	27	0	0	0	0	0	0	0	14.52	0	0
2024	10	15	2	20	8	26	0	0	0	0	0	0	0	14.47	0	0
2024	10	15	2	30	8	27	0	0	0	0	0	0	0	14.42	0	0
2024	10	15	2	40	8	27	0	0	0	0	0	0	0	14.37	0	0
2024	10	15	2	50	8	27	0	0	0	0	0	0	0	14.33	0	0
2024	10	15	3	0	8	27	0	0	0	0	0	0	0	14.28	0	0
2024	10	15	3	10	8	26	0	0	0	0	0	0	0	14.22	0	0
2024	10	15	3	20	8	26	0	0	0	0	0	0	0	14.18	0	0
2024	10	15	3	30	8	26	0	0	0	0	0	0	0	14.14	0	0
2024	10	15	3	40	8	27	0	0	0	0	0	0	0	14.09	0	0
2024	10	15	3	50	8	27	0	0	0	0	0	0	0	14.05	0	0
2024	10	15	4	0	8	26	0	0	0	0	0	0	0	14	0	0
2024	10	15	4	10	8	26	0	0	0	0	0	0	0	13.97	0	0
2024	10	15	4	20	8	27	0	0	0	0	0	0	0	13.93	0	0
2024	10	15	4	30	8	27	0	0	0	0	0	0	0	13.88	0	0
2024	10	15	4	40	8	27	0	0	0	0	0	0	0	13.84	0	0
2024	10	15	4	50	8	27	0	0	0	0	0	0	0	13.8	0	0
2024	10	15	5	0	8	26	0	0	0	0	0	0	0	13.77	0	0
2024	10	15	5	10	8	27	0	0	0	0	0	0	0	13.74	0	0
2024	10	15	5	20	8	27	0	0	0	0	0	0	0	13.7	0	0
2024	10	15	5	30	8	27	0	0	0	0	0	0	0	13.65	0	0
2024	10	15	5	40	8	26	0	0	0	0	0	0	0	13.62	0	0
2024	10	15	5	50	8	27	0	0	0	0	0	0	0	13.59	0	0
2024	10	15	6	0	8	27	0	0	0	0	0	0	0	13.55	0	0
2024	10	15	6	10	8	26	0	0	0	0	0	0	0	13.52	0	0
2024	10	15	6	20	8	27	0	0	0	0	0	0	0	13.48	0	0
2024	10	15	6	30	8	27	0	0	0	0	0	0	0	13.45	0	0
2024	10	15	6	40	8	26	0	0	0	0	0	0	0	13.42	0	0
2024	10	15	6	50	8	27	0	0	0	0	0	0	0	13.4	0	0
2024	10	15	7	0	8	27	0	0	0	0	0	0	0	13.36	0	0
2024	10	15	7	10	8	27	0	0	0	0	0	0	0	13.34	0	0
2024	10	15	7	20	8	26	0	0	0	0	0	0	0	13.32	0	0
2024	10	15	7	30	8	27	0	0	0	0	0	0	0	13.29	0	0
2024	10	15	7	40	8	26	0	0	0	0	0	0	0	13.27	0	0
2024	10	15	7	50	8	27	0	0	0	0	0	0	0	13.25	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	15	8	0	8	27	0	0	0	0	0	0	0	13.24	0	0
2024	10	15	8	10	8	26	0	0	0	0	0	0	0	13.23	0	0
2024	10	15	8	20	8	27	0	0	0	0	0	0	0	13.22	0	0
2024	10	15	8	30	8	27	0	0	0	0	0	0	0	13.22	0	0
2024	10	15	8	40	8	27	0	0	0	0	0	0	0	13.23	0	0
2024	10	15	8	50	8	27	0	0	0	0	0	0	0	13.24	0	0
2024	10	15	9	0	8	27	0	0	0	0	0	0	0	13.25	0	0
2024	10	15	9	10	8	27	0	0	0	0	0	0	0	13.27	0	0
2024	10	15	9	20	8	26	0	0	0	0	0	0	0	13.31	0	0
2024	10	15	9	30	8	27	0	0	0	0	0	0	0	13.34	0	0
2024	10	15	9	40	8	28	0	0	0	0	0	0	0	13.38	0	0
2024	10	15	9	50	8	27	0	0	0	0	0	0	0	13.43	0	0
2024	10	15	10	0	8	26	0	0	0	0	0	0	0	13.48	0	0
2024	10	15	10	10	8	27	0	0	0	0	0	0	0	13.54	0	0
2024	10	15	10	20	8	27	0	0	0	0	0	0	0	13.6	0	0
2024	10	15	10	30	8	26	0	0	0	0	0	0	0	13.67	0	0
2024	10	15	10	40	8	27	0	0	0	0	0	0	0	13.74	0	0
2024	10	15	10	50	8	27	0	0	0	0	0	0	0	13.81	0	0
2024	10	15	11	0	8	26	0	0	0	0	0	0	0	13.89	0	0
2024	10	15	11	10	8	27	0	0	0	0	0	0	0	13.97	0	0
2024	10	15	11	20	8	26	0	0	0	0	0	0	0	14.05	0	0
2024	10	15	11	30	8	27	0	0	0	0	0	0	0	14.14	0	0
2024	10	15	11	40	8	26	0	0	0	0	0	0	0	14.22	0	0
2024	10	15	11	50	8	27	0	0	0	0	0	0	0	14.31	0	0
2024	10	15	12	0	8	26	0	0	0	0	0	0	0	14.39	0	0
2024	10	15	12	10	8	27	0	0	0	0	0	0	0	14.49	0	0
2024	10	15	12	20	8	27	0	0	0	0	0	0	0	14.58	0	0
2024	10	15	12	30	8	27	0	0	0	0	0	0	0	14.67	0	0
2024	10	15	12	40	8	26	0	0	0	0	0	0	0	14.76	0	0
2024	10	15	12	50	8	26	0	0	0	0	0	0	0	14.85	0	0
2024	10	15	13	0	8	26	0	0	0	0	0	0	0	14.95	0	0
2024	10	15	13	10	8	27	0	0	0	0	0	0	0	15.03	0	0
2024	10	15	13	20	8	27	0	0	0	0	0	0	0	15.12	0	0
2024	10	15	13	30	8	27	0	0	0	0	0	0	0	15.21	0	0
2024	10	15	13	40	8	27	0	0	0	0	0	0	0	15.3	0	0
2024	10	15	13	50	8	27	0	0	0	0	0	0	0	15.37	0	0
2024	10	15	14	0	8	26	0	0	0	0	0	0	0	15.46	0	0
2024	10	15	14	10	8	26	0	0	0	0	0	0	0	15.54	0	0
2024	10	15	14	20	8	26	0	0	0	0	0	0	0	15.61	0	0
2024	10	15	14	30	8	27	0	0	0	0	0	0	0	15.69	0	0
2024	10	15	14	40	8	26	0	0	0	0	0	0	0	15.76	0	0
2024	10	15	14	50	8	26	0	0	0	0	0	0	0	15.82	0	0
2024	10	15	15	0	8	27	0	0	0	0	0	0	0	15.88	0	0
2024	10	15	15	10	8	26	0	0	0	0	0	0	0	15.94	0	0
2024	10	15	15	20	8	26	0	0	0	0	0	0	0	15.99	0	0
2024	10	15	15	30	8	26	0	0	0	0	0	0	0	16.05	0	0
2024	10	15	15	40	8	26	0	0	0	0	0	0	0	16.09	0	0
2024	10	15	15	50	8	26	0	0	0	0	0	0	0	16.13	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	15	16	0	8	26	0	0	0	0	0	0	0	16.17	0	0
2024	10	15	16	10	8	26	0	0	0	0	0	0	0	16.2	0	0
2024	10	15	16	20	8	27	0	0	0	0	0	0	0	16.23	0	0
2024	10	15	16	30	8	26	0	0	0	0	0	0	0	16.26	0	0
2024	10	15	16	40	8	26	0	0	0	0	0	0	0	16.28	0	0
2024	10	15	16	50	8	26	0	0	0	0	0	0	0	16.3	0	0
2024	10	15	17	0	8	27	0	0	0	0	0	0	0	16.32	0	0
2024	10	15	17	10	8	27	0	0	0	0	0	0	0	16.34	0	0
2024	10	15	17	20	8	26	0	0	0	0	0	0	0	16.35	0	0
2024	10	15	17	30	8	27	0	0	0	0	0	0	0	16.36	0	0
2024	10	15	17	40	8	26	0	0	0	0	0	0	0	16.37	0	0
2024	10	15	17	50	8	26	0	0	0	0	0	0	0	16.38	0	0
2024	10	15	18	0	8	26	0	0	0	0	0	0	0	16.37	0	0
2024	10	15	18	10	8	26	0	0	0	0	0	0	0	16.37	0	0
2024	10	15	18	20	8	26	0	0	0	0	0	0	0	16.36	0	0
2024	10	15	18	30	8	26	0	0	0	0	0	0	0	16.36	0	0
2024	10	15	18	40	8	27	0	0	0	0	0	0	0	16.34	0	0
2024	10	15	18	50	8	26	0	0	0	0	0	0	0	16.33	0	0
2024	10	15	19	0	8	26	0	0	0	0	0	0	0	16.31	0	0
2024	10	15	19	10	8	26	0	0	0	0	0	0	0	16.29	0	0
2024	10	15	19	20	8	27	0	0	0	0	0	0	0	16.27	0	0
2024	10	15	19	30	8	27	0	0	0	0	0	0	0	16.25	0	0
2024	10	15	19	40	8	26	0	0	0	0	0	0	0	16.22	0	0
2024	10	15	19	50	8	27	0	0	0	0	0	0	0	16.19	0	0
2024	10	15	20	0	8	26	0	0	0	0	0	0	0	16.16	0	0
2024	10	15	20	10	8	27	0	0	0	0	0	0	0	16.13	0	0
2024	10	15	20	20	8	26	0	0	0	0	0	0	0	16.09	0	0
2024	10	15	20	30	8	27	0	0	0	0	0	0	0	16.05	0	0
2024	10	15	20	40	8	27	0	0	0	0	0	0	0	16.01	0	0
2024	10	15	20	50	8	27	0	0	0	0	0	0	0	15.97	0	0
2024	10	15	21	0	8	27	0	0	0	0	0	0	0	15.93	0	0
2024	10	15	21	10	8	27	0	0	0	0	0	0	0	15.89	0	0
2024	10	15	21	20	8	26	0	0	0	0	0	0	0	15.85	0	0
2024	10	15	21	30	8	26	0	0	0	0	0	0	0	15.81	0	0
2024	10	15	21	40	8	26	0	0	0	0	0	0	0	15.77	0	0
2024	10	15	21	50	8	26	0	0	0	0	0	0	0	15.73	0	0
2024	10	15	22	0	8	27	0	0	0	0	0	0	0	15.69	0	0
2024	10	15	22	10	8	27	0	0	0	0	0	0	0	15.64	0	0
2024	10	15	22	20	8	26	0	0	0	0	0	0	0	15.6	0	0
2024	10	15	22	30	8	26	0	0	0	0	0	0	0	15.55	0	0
2024	10	15	22	40	8	28	0	0	0	0	0	0	0	15.51	0	0
2024	10	15	22	50	8	26	0	0	0	0	0	0	0	15.47	0	0
2024	10	15	23	0	8	26	0	0	0	0	0	0	0	15.42	0	0
2024	10	15	23	10	8	26	0	0	0	0	0	0	0	15.37	0	0
2024	10	15	23	20	8	26	0	0	0	0	0	0	0	15.33	0	0
2024	10	15	23	30	8	26	0	0	0	0	0	0	0	15.28	0	0
2024	10	15	23	40	8	27	0	0	0	0	0	0	0	15.22	0	0
2024	10	15	23	50	8	26	0	0	0	0	0	0	0	15.18	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	16	0	0	8	26	0	0	0	0	0	0	0	15.12	0	0
2024	10	16	0	10	8	27	0	0	0	0	0	0	0	15.06	0	0
2024	10	16	0	20	8	27	0	0	0	0	0	0	0	15.01	0	0
2024	10	16	0	30	8	26	0	0	0	0	0	0	0	14.96	0	0
2024	10	16	0	40	8	27	0	0	0	0	0	0	0	14.9	0	0
2024	10	16	0	50	8	26	0	0	0	0	0	0	0	14.85	0	0
2024	10	16	1	0	8	26	0	0	0	0	0	0	0	14.79	0	0
2024	10	16	1	10	8	26	0	0	0	0	0	0	0	14.74	0	0
2024	10	16	1	20	8	27	0	0	0	0	0	0	0	14.69	0	0
2024	10	16	1	30	8	26	0	0	0	0	0	0	0	14.63	0	0
2024	10	16	1	40	8	26	0	0	0	0	0	0	0	14.58	0	0
2024	10	16	1	50	8	26	0	0	0	0	0	0	0	14.53	0	0
2024	10	16	2	0	8	27	0	0	0	0	0	0	0	14.48	0	0
2024	10	16	2	10	8	26	0	0	0	0	0	0	0	14.43	0	0
2024	10	16	2	20	8	27	0	0	0	0	0	0	0	14.38	0	0
2024	10	16	2	30	8	27	0	0	0	0	0	0	0	14.34	0	0
2024	10	16	2	40	8	26	0	0	0	0	0	0	0	14.29	0	0
2024	10	16	2	50	8	26	0	0	0	0	0	0	0	14.24	0	0
2024	10	16	3	0	8	27	0	0	0	0	0	0	0	14.2	0	0
2024	10	16	3	10	8	27	0	0	0	0	0	0	0	14.16	0	0
2024	10	16	3	20	8	26	0	0	0	0	0	0	0	14.11	0	0
2024	10	16	3	30	8	26	0	0	0	0	0	0	0	14.07	0	0
2024	10	16	3	40	8	27	0	0	0	0	0	0	0	14.03	0	0
2024	10	16	3	50	8	27	0	0	0	0	0	0	0	13.99	0	0
2024	10	16	4	0	8	27	0	0	0	0	0	0	0	13.96	0	0
2024	10	16	4	10	8	27	0	0	0	0	0	0	0	13.92	0	0
2024	10	16	4	20	8	27	0	0	0	0	0	0	0	13.89	0	0
2024	10	16	4	30	8	27	0	0	0	0	0	0	0	13.86	0	0
2024	10	16	4	40	8	26	0	0	0	0	0	0	0	13.82	0	0
2024	10	16	4	50	8	27	0	0	0	0	0	0	0	13.79	0	0
2024	10	16	5	0	8	27	0	0	0	0	0	0	0	13.76	0	0
2024	10	16	5	10	8	27	0	0	0	0	0	0	0	13.72	0	0
2024	10	16	5	20	8	27	0	0	0	0	0	0	0	13.7	0	0
2024	10	16	5	30	8	27	0	0	0	0	0	0	0	13.67	0	0
2024	10	16	5	40	8	26	0	0	0	0	0	0	0	13.63	0	0
2024	10	16	5	50	8	27	0	0	0	0	0	0	0	13.6	0	0
2024	10	16	6	0	8	26	0	0	0	0	0	0	0	13.57	0	0
2024	10	16	6	10	8	27	0	0	0	0	0	0	0	13.53	0	0
2024	10	16	6	20	8	27	0	0	0	0	0	0	0	13.5	0	0
2024	10	16	6	30	8	27	0	0	0	0	0	0	0	13.48	0	0
2024	10	16	6	40	8	26	0	0	0	0	0	0	0	13.45	0	0
2024	10	16	6	50	8	27	0	0	0	0	0	0	0	13.42	0	0
2024	10	16	7	0	8	27	0	0	0	0	0	0	0	13.39	0	0
2024	10	16	7	10	8	27	0	0	0	0	0	0	0	13.37	0	0
2024	10	16	7	20	8	26	0	0	0	0	0	0	0	13.35	0	0
2024	10	16	7	30	8	27	0	0	0	0	0	0	0	13.33	0	0
2024	10	16	7	40	8	27	0	0	0	0	0	0	0	13.32	0	0
2024	10	16	7	50	8	27	0	0	0	0	0	0	0	13.3	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	16	8	0	8	27	0	0	0	0	0	0	0	13.29	0	0
2024	10	16	8	10	8	26	0	0	0	0	0	0	0	13.28	0	0
2024	10	16	8	20	8	27	0	0	0	0	0	0	0	13.28	0	0
2024	10	16	8	30	8	27	0	0	0	0	0	0	0	13.29	0	0
2024	10	16	8	40	8	27	0	0	0	0	0	0	0	13.3	0	0
2024	10	16	8	50	8	27	0	0	0	0	0	0	0	13.32	0	0
2024	10	16	9	0	8	26	0	0	0	0	0	0	0	13.34	0	0
2024	10	16	9	10	8	27	0	0	0	0	0	0	0	13.37	0	0
2024	10	16	9	20	8	26	0	0	0	0	0	0	0	13.41	0	0
2024	10	16	9	30	8	27	0	0	0	0	0	0	0	13.45	0	0
2024	10	16	9	40	8	27	0	0	0	0	0	0	0	13.5	0	0
2024	10	16	9	50	8	27	0	0	0	0	0	0	0	13.55	0	0
2024	10	16	10	0	8	27	0	0	0	0	0	0	0	13.6	0	0
2024	10	16	10	10	8	26	0	0	0	0	0	0	0	13.67	0	0
2024	10	16	10	20	8	27	0	0	0	0	0	0	0	13.73	0	0
2024	10	16	10	30	8	26	0	0	0	0	0	0	0	13.8	0	0
2024	10	16	10	40	8	27	0	0	0	0	0	0	0	13.87	0	0
2024	10	16	10	50	8	26	0	0	0	0	0	0	0	13.94	0	0
2024	10	16	11	0	8	27	0	0	0	0	0	0	0	14.02	0	0
2024	10	16	11	10	8	27	0	0	0	0	0	0	0	14.1	0	0
2024	10	16	11	20	8	27	0	0	0	0	0	0	0	14.18	0	0
2024	10	16	11	30	8	26	0	0	0	0	0	0	0	14.27	0	0
2024	10	16	11	40	8	27	0	0	0	0	0	0	0	14.35	0	0
2024	10	16	11	50	8	27	0	0	0	0	0	0	0	14.44	0	0
2024	10	16	12	0	8	27	0	0	0	0	0	0	0	14.52	0	0
2024	10	16	12	10	8	27	0	0	0	0	0	0	0	14.61	0	0
2024	10	16	12	20	8	27	0	0	0	0	0	0	0	14.7	0	0
2024	10	16	12	30	8	27	0	0	0	0	0	0	0	14.78	0	0
2024	10	16	12	40	8	27	0	0	0	0	0	0	0	14.87	0	0
2024	10	16	12	50	8	26	0	0	0	0	0	0	0	14.96	0	0
2024	10	16	13	0	8	27	0	0	0	0	0	0	0	15.02	0	0
2024	10	16	13	10	8	26	0	0	0	0	0	0	0	15.07	0	0
2024	10	16	13	20	8	26	0	0	0	0	0	0	0	15.14	0	0
2024	10	16	13	30	8	27	0	0	0	0	0	0	0	15.23	0	0
2024	10	16	13	40	8	26	0	0	0	0	0	0	0	15.31	0	0
2024	10	16	13	50	8	26	0	0	0	0	0	0	0	15.39	0	0
2024	10	16	14	0	8	27	0	0	0	0	0	0	0	15.44	0	0
2024	10	16	14	10	8	26	0	0	0	0	0	0	0	15.49	0	0
2024	10	16	14	20	8	27	0	0	0	0	0	0	0	15.52	0	0
2024	10	16	14	30	8	26	0	0	0	0	0	0	0	15.55	0	0
2024	10	16	14	40	8	26	0	0	0	0	0	0	0	15.59	0	0
2024	10	16	14	50	8	27	0	0	0	0	0	0	0	15.63	0	0
2024	10	16	15	0	8	26	0	0	0	0	0	0	0	15.67	0	0
2024	10	16	15	10	8	26	0	0	0	0	0	0	0	15.7	0	0
2024	10	16	15	20	8	26	0	0	0	0	0	0	0	15.75	0	0
2024	10	16	15	30	8	27	0	0	0	0	0	0	0	15.8	0	0
2024	10	16	15	40	8	26	0	0	0	0	0	0	0	15.84	0	0
2024	10	16	15	50	8	27	0	0	0	0	0	0	0	15.87	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	16	16	0	8	26	0	0	0	0	0	0	0	15.89	0	0
2024	10	16	16	10	8	26	0	0	0	0	0	0	0	15.92	0	0
2024	10	16	16	20	8	25	0	0	0	0	0	0	0	15.96	0	0
2024	10	16	16	30	8	26	0	0	0	0	0	0	0	16	0	0
2024	10	16	16	40	8	26	0	0	0	0	0	0	0	16.02	0	0
2024	10	16	16	50	8	26	0	0	0	0	0	0	0	16.05	0	0
2024	10	16	17	0	8	26	0	0	0	0	0	0	0	16.08	0	0
2024	10	16	17	10	8	27	0	0	0	0	0	0	0	16.09	0	0
2024	10	16	17	20	8	27	0	0	0	0	0	0	0	16.1	0	0
2024	10	16	17	30	8	26	0	0	0	0	0	0	0	16.1	0	0
2024	10	16	17	40	8	26	0	0	0	0	0	0	0	16.11	0	0
2024	10	16	17	50	8	26	0	0	0	0	0	0	0	16.11	0	0
2024	10	16	18	0	8	27	0	0	0	0	0	0	0	16.11	0	0
2024	10	16	18	10	8	26	0	0	0	0	0	0	0	16.1	0	0
2024	10	16	18	20	8	26	0	0	0	0	0	0	0	16.1	0	0
2024	10	16	18	30	8	26	0	0	0	0	0	0	0	16.08	0	0
2024	10	16	18	40	8	26	0	0	0	0	0	0	0	16.06	0	0
2024	10	16	18	50	8	26	0	0	0	0	0	0	0	16.05	0	0
2024	10	16	19	0	8	26	0	0	0	0	0	0	0	16.03	0	0
2024	10	16	19	10	8	27	0	0	0	0	0	0	0	16.01	0	0
2024	10	16	19	20	8	26	0	0	0	0	0	0	0	15.99	0	0
2024	10	16	19	30	8	26	0	0	0	0	0	0	0	15.97	0	0
2024	10	16	19	40	8	26	0	0	0	0	0	0	0	15.95	0	0
2024	10	16	19	50	8	26	0	0	0	0	0	0	0	15.92	0	0
2024	10	16	20	0	8	26	0	0	0	0	0	0	0	15.89	0	0
2024	10	16	20	10	8	26	0	0	0	0	0	0	0	15.86	0	0
2024	10	16	20	20	8	26	0	0	0	0	0	0	0	15.82	0	0
2024	10	16	20	30	8	26	0	0	0	0	0	0	0	15.78	0	0
2024	10	16	20	40	8	26	0	0	0	0	0	0	0	15.75	0	0
2024	10	16	20	50	8	26	0	0	0	0	0	0	0	15.71	0	0
2024	10	16	21	0	8	27	0	0	0	0	0	0	0	15.67	0	0
2024	10	16	21	10	8	26	0	0	0	0	0	0	0	15.63	0	0
2024	10	16	21	20	8	27	0	0	0	0	0	0	0	15.6	0	0
2024	10	16	21	30	8	26	0	0	0	0	0	0	0	15.56	0	0
2024	10	16	21	40	8	26	0	0	0	0	0	0	0	15.51	0	0
2024	10	16	21	50	8	26	0	0	0	0	0	0	0	15.47	0	0
2024	10	16	22	0	8	27	0	0	0	0	0	0	0	15.43	0	0
2024	10	16	22	10	8	26	0	0	0	0	0	0	0	15.38	0	0
2024	10	16	22	20	8	27	0	0	0	0	0	0	0	15.33	0	0
2024	10	16	22	30	8	27	0	0	0	0	0	0	0	15.28	0	0
2024	10	16	22	40	8	26	0	0	0	0	0	0	0	15.23	0	0
2024	10	16	22	50	8	27	0	0	0	0	0	0	0	15.19	0	0
2024	10	16	23	0	8	27	0	0	0	0	0	0	0	15.14	0	0
2024	10	16	23	10	8	27	0	0	0	0	0	0	0	15.09	0	0
2024	10	16	23	20	8	27	0	0	0	0	0	0	0	15.04	0	0
2024	10	16	23	30	8	26	0	0	0	0	0	0	0	14.99	0	0
2024	10	16	23	40	8	27	0	0	0	0	0	0	0	14.95	0	0
2024	10	16	23	50	8	27	0	0	0	0	0	0	0	14.9	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	17	0	0	8	27	0	0	0	0	0	0	0	14.86	0	0
2024	10	17	0	10	8	26	0	0	0	0	0	0	0	14.82	0	0
2024	10	17	0	20	8	26	0	0	0	0	0	0	0	14.77	0	0
2024	10	17	0	30	8	26	0	0	0	0	0	0	0	14.72	0	0
2024	10	17	0	40	8	27	0	0	0	0	0	0	0	14.67	0	0
2024	10	17	0	50	8	26	0	0	0	0	0	0	0	14.63	0	0
2024	10	17	1	0	8	27	0	0	0	0	0	0	0	14.58	0	0
2024	10	17	1	10	8	27	0	0	0	0	0	0	0	14.53	0	0
2024	10	17	1	20	8	27	0	0	0	0	0	0	0	14.48	0	0
2024	10	17	1	30	8	26	0	0	0	0	0	0	0	14.43	0	0
2024	10	17	1	40	8	26	0	0	0	0	0	0	0	14.39	0	0
2024	10	17	1	50	8	26	0	0	0	0	0	0	0	14.35	0	0
2024	10	17	2	0	8	27	0	0	0	0	0	0	0	14.3	0	0
2024	10	17	2	10	8	27	0	0	0	0	0	0	0	14.26	0	0
2024	10	17	2	20	8	26	0	0	0	0	0	0	0	14.22	0	0
2024	10	17	2	30	8	27	0	0	0	0	0	0	0	14.18	0	0
2024	10	17	2	40	8	26	0	0	0	0	0	0	0	14.15	0	0
2024	10	17	2	50	8	27	0	0	0	0	0	0	0	14.11	0	0
2024	10	17	3	0	8	25	0	0	0	0	0	0	0	14.07	0	0
2024	10	17	3	10	8	26	0	0	0	0	0	0	0	14.04	0	0
2024	10	17	3	20	8	26	0	0	0	0	0	0	0	14.01	0	0
2024	10	17	3	30	8	27	0	0	0	0	0	0	0	13.97	0	0
2024	10	17	3	40	8	26	0	0	0	0	0	0	0	13.93	0	0
2024	10	17	3	50	8	27	0	0	0	0	0	0	0	13.9	0	0
2024	10	17	4	0	8	27	0	0	0	0	0	0	0	13.86	0	0
2024	10	17	4	10	8	27	0	0	0	0	0	0	0	13.83	0	0
2024	10	17	4	20	8	26	0	0	0	0	0	0	0	13.79	0	0
2024	10	17	4	30	8	26	0	0	0	0	0	0	0	13.75	0	0
2024	10	17	4	40	8	27	0	0	0	0	0	0	0	13.72	0	0
2024	10	17	4	50	8	27	0	0	0	0	0	0	0	13.68	0	0
2024	10	17	5	0	8	27	0	0	0	0	0	0	0	13.64	0	0
2024	10	17	5	10	8	27	0	0	0	0	0	0	0	13.6	0	0
2024	10	17	5	20	8	26	0	0	0	0	0	0	0	13.58	0	0
2024	10	17	5	30	8	27	0	0	0	0	0	0	0	13.54	0	0
2024	10	17	5	40	8	27	0	0	0	0	0	0	0	13.5	0	0
2024	10	17	5	50	8	27	0	0	0	0	0	0	0	13.47	0	0
2024	10	17	6	0	8	27	0	0	0	0	0	0	0	13.43	0	0
2024	10	17	6	10	8	27	0	0	0	0	0	0	0	13.4	0	0
2024	10	17	6	20	8	27	0	0	0	0	0	0	0	13.36	0	0
2024	10	17	6	30	8	27	0	0	0	0	0	0	0	13.33	0	0
2024	10	17	6	40	8	27	0	0	0	0	0	0	0	13.31	0	0
2024	10	17	6	50	8	27	0	0	0	0	0	0	0	13.28	0	0
2024	10	17	7	0	8	27	0	0	0	0	0	0	0	13.25	0	0
2024	10	17	7	10	8	27	0	0	0	0	0	0	0	13.22	0	0
2024	10	17	7	20	8	26	0	0	0	0	0	0	0	13.2	0	0
2024	10	17	7	30	8	27	0	0	0	0	0	0	0	13.17	0	0
2024	10	17	7	40	8	27	0	0	0	0	0	0	0	13.15	0	0
2024	10	17	7	50	8	27	0	0	0	0	0	0	0	13.13	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	17	8	0	8	27	0	0	0	0	0	0	0	13.11	0	0
2024	10	17	8	10	8	27	0	0	0	0	0	0	0	13.09	0	0
2024	10	17	8	20	8	27	0	0	0	0	0	0	0	13.09	0	0
2024	10	17	8	30	8	27	0	0	0	0	0	0	0	13.08	0	0
2024	10	17	8	40	8	27	0	0	0	0	0	0	0	13.08	0	0
2024	10	17	8	50	8	27	0	0	0	0	0	0	0	13.09	0	0
2024	10	17	9	0	8	27	0	0	0	0	0	0	0	13.1	0	0
2024	10	17	9	10	8	27	0	0	0	0	0	0	0	13.11	0	0
2024	10	17	9	20	8	27	0	0	0	0	0	0	0	13.13	0	0
2024	10	17	9	30	8	27	0	0	0	0	0	0	0	13.16	0	0
2024	10	17	9	40	8	27	0	0	0	0	0	0	0	13.19	0	0
2024	10	17	9	50	8	27	0	0	0	0	0	0	0	13.23	0	0
2024	10	17	10	0	8	27	0	0	0	0	0	0	0	13.28	0	0
2024	10	17	10	10	8	27	0	0	0	0	0	0	0	13.33	0	0
2024	10	17	10	20	8	26	0	0	0	0	0	0	0	13.37	0	0
2024	10	17	10	30	8	27	0	0	0	0	0	0	0	13.43	0	0
2024	10	17	10	40	8	26	0	0	0	0	0	0	0	13.49	0	0
2024	10	17	10	50	8	26	0	0	0	0	0	0	0	13.55	0	0
2024	10	17	11	0	8	27	0	0	0	0	0	0	0	13.62	0	0
2024	10	17	11	10	8	26	0	0	0	0	0	0	0	13.69	0	0
2024	10	17	11	20	8	27	0	0	0	0	0	0	0	13.77	0	0
2024	10	17	11	30	8	26	0	0	0	0	0	0	0	13.85	0	0
2024	10	17	11	40	8	27	0	0	0	0	0	0	0	13.92	0	0
2024	10	17	11	50	8	26	0	0	0	0	0	0	0	14.01	0	0
2024	10	17	12	0	8	27	0	0	0	0	0	0	0	14.09	0	0
2024	10	17	12	10	8	27	0	0	0	0	0	0	0	14.18	0	0
2024	10	17	12	20	8	27	0	0	0	0	0	0	0	14.26	0	0
2024	10	17	12	30	8	26	0	0	0	0	0	0	0	14.34	0	0
2024	10	17	12	40	8	26	0	0	0	0	0	0	0	14.42	0	0
2024	10	17	12	50	8	27	0	0	0	0	0	0	0	14.51	0	0
2024	10	17	13	0	8	27	0	0	0	0	0	0	0	14.6	0	0
2024	10	17	13	10	8	27	0	0	0	0	0	0	0	14.68	0	0
2024	10	17	13	20	8	27	0	0	0	0	0	0	0	14.76	0	0
2024	10	17	13	30	8	26	0	0	0	0	0	0	0	14.84	0	0
2024	10	17	13	40	8	27	0	0	0	0	0	0	0	14.92	0	0
2024	10	17	13	50	8	27	0	0	0	0	0	0	0	14.99	0	0
2024	10	17	14	0	8	26	0	0	0	0	0	0	0	15.07	0	0
2024	10	17	14	10	8	26	0	0	0	0	0	0	0	15.15	0	0
2024	10	17	14	20	8	26	0	0	0	0	0	0	0	15.23	0	0
2024	10	17	14	30	8	26	0	0	0	0	0	0	0	15.3	0	0
2024	10	17	14	40	8	27	0	0	0	0	0	0	0	15.37	0	0
2024	10	17	14	50	8	27	0	0	0	0	0	0	0	15.43	0	0
2024	10	17	15	0	8	27	0	0	0	0	0	0	0	15.49	0	0
2024	10	17	15	10	8	27	0	0	0	0	0	0	0	15.54	0	0
2024	10	17	15	20	8	27	0	0	0	0	0	0	0	15.58	0	0
2024	10	17	15	30	8	26	0	0	0	0	0	0	0	15.62	0	0
2024	10	17	15	40	8	26	0	0	0	0	0	0	0	15.64	0	0
2024	10	17	15	50	8	26	0	0	0	0	0	0	0	15.66	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	17	16	0	8	26	0	0	0	0	0	0	0	15.68	0	0
2024	10	17	16	10	8	27	0	0	0	0	0	0	0	15.69	0	0
2024	10	17	16	20	8	26	0	0	0	0	0	0	0	15.7	0	0
2024	10	17	16	30	8	27	0	0	0	0	0	0	0	15.7	0	0
2024	10	17	16	40	8	26	0	0	0	0	0	0	0	15.69	0	0
2024	10	17	16	50	8	26	0	0	0	0	0	0	0	15.69	0	0
2024	10	17	17	0	8	26	0	0	0	0	0	0	0	15.66	0	0
2024	10	17	17	10	8	27	0	0	0	0	0	0	0	15.64	0	0
2024	10	17	17	20	8	26	0	0	0	0	0	0	0	15.62	0	0
2024	10	17	17	30	8	26	0	0	0	0	0	0	0	15.6	0	0
2024	10	17	17	40	8	27	0	0	0	0	0	0	0	15.59	0	0
2024	10	17	17	50	8	27	0	0	0	0	0	0	0	15.58	0	0
2024	10	17	18	0	8	27	0	0	0	0	0	0	0	15.56	0	0
2024	10	17	18	10	8	26	0	0	0	0	0	0	0	15.53	0	0
2024	10	17	18	20	8	27	0	0	0	0	0	0	0	15.51	0	0
2024	10	17	18	30	8	26	0	0	0	0	0	0	0	15.48	0	0
2024	10	17	18	40	8	26	0	0	0	0	0	0	0	15.45	0	0
2024	10	17	18	50	8	27	0	0	0	0	0	0	0	15.41	0	0
2024	10	17	19	0	8	27	0	0	0	0	0	0	0	15.37	0	0
2024	10	17	19	10	8	26	0	0	0	0	0	0	0	15.33	0	0
2024	10	17	19	20	8	27	0	0	0	0	0	0	0	15.28	0	0
2024	10	17	19	30	8	26	0	0	0	0	0	0	0	15.24	0	0
2024	10	17	19	40	8	26	0	0	0	0	0	0	0	15.2	0	0
2024	10	17	19	50	8	26	0	0	0	0	0	0	0	15.16	0	0
2024	10	17	20	0	8	26	0	0	0	0	0	0	0	15.12	0	0
2024	10	17	20	10	8	26	0	0	0	0	0	0	0	15.07	0	0
2024	10	17	20	20	8	26	0	0	0	0	0	0	0	15.02	0	0
2024	10	17	20	30	8	26	0	0	0	0	0	0	0	14.96	0	0
2024	10	17	20	40	8	26	0	0	0	0	0	0	0	14.89	0	0
2024	10	17	20	50	8	27	0	0	0	0	0	0	0	14.83	0	0
2024	10	17	21	0	8	27	0	0	0	0	0	0	0	14.76	0	0
2024	10	17	21	10	8	26	0	0	0	0	0	0	0	14.69	0	0
2024	10	17	21	20	8	27	0	0	0	0	0	0	0	14.62	0	0
2024	10	17	21	30	8	27	0	0	0	0	0	0	0	14.54	0	0
2024	10	17	21	40	8	26	0	0	0	0	0	0	0	14.46	0	0
2024	10	17	21	50	8	27	0	0	0	0	0	0	0	14.38	0	0
2024	10	17	22	0	8	27	0	0	0	0	0	0	0	14.29	0	0
2024	10	17	22	10	8	27	0	0	0	0	0	0	0	14.2	0	0
2024	10	17	22	20	8	26	0	0	0	0	0	0	0	14.12	0	0
2024	10	17	22	30	8	27	0	0	0	0	0	0	0	14.03	0	0
2024	10	17	22	40	8	27	0	0	0	0	0	0	0	13.94	0	0
2024	10	17	22	50	8	27	0	0	0	0	0	0	0	13.85	0	0
2024	10	17	23	0	8	27	0	0	0	0	0	0	0	13.77	0	0
2024	10	17	23	10	8	27	0	0	0	0	0	0	0	13.69	0	0
2024	10	17	23	20	8	27	0	0	0	0	0	0	0	13.61	0	0
2024	10	17	23	30	8	27	0	0	0	0	0	0	0	13.53	0	0
2024	10	17	23	40	8	27	0	0	0	0	0	0	0	13.45	0	0
2024	10	17	23	50	8	27	0	0	0	0	0	0	0	13.38	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	18	0	0	8	27	0	0	0	0	0	0	0	13.31	0	0
2024	10	18	0	10	8	27	0	0	0	0	0	0	0	13.23	0	0
2024	10	18	0	20	8	27	0	0	0	0	0	0	0	13.16	0	0
2024	10	18	0	30	8	27	0	0	0	0	0	0	0	13.09	0	0
2024	10	18	0	40	8	27	0	0	0	0	0	0	0	13.03	0	0
2024	10	18	0	50	8	26	0	0	0	0	0	0	0	12.96	0	0
2024	10	18	1	0	8	27	0	0	0	0	0	0	0	12.89	0	0
2024	10	18	1	10	8	26	0	0	0	0	0	0	0	12.85	0	0
2024	10	18	1	20	8	26	0	0	0	0	0	0	0	12.76	0	0
2024	10	18	1	30	8	27	0	0	0	0	0	0	0	12.68	0	0
2024	10	18	1	40	8	27	0	0	0	0	0	0	0	12.61	0	0
2024	10	18	1	50	8	27	0	0	0	0	0	0	0	12.53	0	0
2024	10	18	2	0	8	27	0	0	0	0	0	0	0	12.46	0	0
2024	10	18	2	10	8	26	0	0	0	0	0	0	0	12.39	0	0
2024	10	18	2	20	8	27	0	0	0	0	0	0	0	12.32	0	0
2024	10	18	2	30	8	27	0	0	0	0	0	0	0	12.25	0	0
2024	10	18	2	40	8	27	0	0	0	0	0	0	0	12.18	0	0
2024	10	18	2	50	8	27	0	0	0	0	0	0	0	12.12	0	0
2024	10	18	3	0	8	28	0	0	0	0	0	0	0	12.04	0	0
2024	10	18	3	10	8	27	0	0	0	0	0	0	0	11.98	0	0
2024	10	18	3	20	8	27	0	0	0	0	0	0	0	11.91	0	0
2024	10	18	3	30	8	27	0	0	0	0	0	0	0	11.84	0	0
2024	10	18	3	40	8	26	0	0	0	0	0	0	0	11.78	0	0
2024	10	18	3	50	8	27	0	0	0	0	0	0	0	11.72	0	0
2024	10	18	4	0	8	27	0	0	0	0	0	0	0	11.66	0	0
2024	10	18	4	10	8	27	0	0	0	0	0	0	0	11.61	0	0
2024	10	18	4	20	8	27	0	0	0	0	0	0	0	11.56	0	0
2024	10	18	4	30	8	27	0	0	0	0	0	0	0	11.5	0	0
2024	10	18	4	40	8	27	0	0	0	0	0	0	0	11.45	0	0
2024	10	18	4	50	8	27	0	0	0	0	0	0	0	11.38	0	0
2024	10	18	5	0	8	28	0	0	0	0	0	0	0	11.33	0	0
2024	10	18	5	10	8	28	0	0	0	0	0	0	0	11.27	0	0
2024	10	18	5	20	8	27	0	0	0	0	0	0	0	11.22	0	0
2024	10	18	5	30	8	27	0	0	0	0	0	0	0	11.17	0	0
2024	10	18	5	40	8	27	0	0	0	0	0	0	0	11.12	0	0
2024	10	18	5	50	8	27	0	0	0	0	0	0	0	11.07	0	0
2024	10	18	6	0	8	28	0	0	0	0	0	0	0	11.03	0	0
2024	10	18	6	10	8	27	0	0	0	0	0	0	0	10.98	0	0
2024	10	18	6	20	8	27	0	0	0	0	0	0	0	10.93	0	0
2024	10	18	6	30	8	27	0	0	0	0	0	0	0	10.89	0	0
2024	10	18	6	40	8	27	0	0	0	0	0	0	0	10.84	0	0
2024	10	18	6	50	8	27	0	0	0	0	0	0	0	10.8	0	0
2024	10	18	7	0	8	27	0	0	0	0	0	0	0	10.77	0	0
2024	10	18	7	10	8	27	0	0	0	0	0	0	0	10.73	0	0
2024	10	18	7	20	8	27	0	0	0	0	0	0	0	10.7	0	0
2024	10	18	7	30	8	27	0	0	0	0	0	0	0	10.67	0	0
2024	10	18	7	40	8	27	0	0	0	0	0	0	0	10.64	0	0
2024	10	18	7	50	8	27	0	0	0	0	0	0	0	10.62	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	18	8	0	8	28	0	0	0	0	0	0	0	10.6	0	0
2024	10	18	8	10	8	27	0	0	0	0	0	0	0	10.58	0	0
2024	10	18	8	20	8	27	0	0	0	0	0	0	0	10.57	0	0
2024	10	18	8	30	8	28	0	0	0	0	0	0	0	10.56	0	0
2024	10	18	8	40	8	27	0	0	0	0	0	0	0	10.56	0	0
2024	10	18	8	50	8	27	0	0	0	0	0	0	0	10.56	0	0
2024	10	18	9	0	8	27	0	0	0	0	0	0	0	10.57	0	0
2024	10	18	9	10	8	27	0	0	0	0	0	0	0	10.57	0	0
2024	10	18	9	20	8	28	0	0	0	0	0	0	0	10.58	0	0
2024	10	18	9	30	8	28	0	0	0	0	0	0	0	10.59	0	0
2024	10	18	9	40	8	28	0	0	0	0	0	0	0	10.6	0	0
2024	10	18	9	50	8	27	0	0	0	0	0	0	0	10.61	0	0
2024	10	18	10	0	8	27	0	0	0	0	0	0	0	10.64	0	0
2024	10	18	10	10	8	28	0	0	0	0	0	0	0	10.65	0	0
2024	10	18	10	20	8	28	0	0	0	0	0	0	0	10.68	0	0
2024	10	18	10	30	8	28	0	0	0	0	0	0	0	10.7	0	0
2024	10	18	10	40	8	28	0	0	0	0	0	0	0	10.74	0	0
2024	10	18	10	50	8	27	0	0	0	0	0	0	0	10.78	0	0
2024	10	18	11	0	8	27	0	0	0	0	0	0	0	10.81	0	0
2024	10	18	11	10	8	28	0	0	0	0	0	0	0	10.85	0	0
2024	10	18	11	20	8	27	0	0	0	0	0	0	0	10.9	0	0
2024	10	18	11	30	8	27	0	0	0	0	0	0	0	10.94	0	0
2024	10	18	11	40	8	27	0	0	0	0	0	0	0	11	0	0
2024	10	18	11	50	8	27	0	0	0	0	0	0	0	11.06	0	0
2024	10	18	12	0	8	28	0	0	0	0	0	0	0	11.11	0	0
2024	10	18	12	10	8	27	0	0	0	0	0	0	0	11.17	0	0
2024	10	18	12	20	8	27	0	0	0	0	0	0	0	11.23	0	0
2024	10	18	12	30	8	27	0	0	0	0	0	0	0	11.29	0	0
2024	10	18	12	40	8	27	0	0	0	0	0	0	0	11.35	0	0
2024	10	18	12	50	8	27	0	0	0	0	0	0	0	11.41	0	0
2024	10	18	13	0	8	28	0	0	0	0	0	0	0	11.47	0	0
2024	10	18	13	10	8	27	0	0	0	0	0	0	0	11.53	0	0
2024	10	18	13	20	8	27	0	0	0	0	0	0	0	11.58	0	0
2024	10	18	13	30	8	27	0	0	0	0	0	0	0	11.64	0	0
2024	10	18	13	40	8	28	0	0	0	0	0	0	0	11.69	0	0
2024	10	18	13	50	8	27	0	0	0	0	0	0	0	11.74	0	0
2024	10	18	14	0	8	27	0	0	0	0	0	0	0	11.79	0	0
2024	10	18	14	10	8	27	0	0	0	0	0	0	0	11.83	0	0
2024	10	18	14	20	8	27	0	0	0	0	0	0	0	11.87	0	0
2024	10	18	14	30	8	27	0	0	0	0	0	0	0	11.91	0	0
2024	10	18	14	40	8	27	0	0	0	0	0	0	0	11.95	0	0
2024	10	18	14	50	8	27	0	0	0	0	0	0	0	11.98	0	0
2024	10	18	15	0	8	27	0	0	0	0	0	0	0	12	0	0
2024	10	18	15	10	8	27	0	0	0	0	0	0	0	12.02	0	0
2024	10	18	15	20	8	27	0	0	0	0	0	0	0	12.03	0	0
2024	10	18	15	30	8	27	0	0	0	0	0	0	0	12.05	0	0
2024	10	18	15	40	8	27	0	0	0	0	0	0	0	12.05	0	0
2024	10	18	15	50	8	27	0	0	0	0	0	0	0	12.06	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	18	16	0	8	28	0	0	0	0	0	0	0	12.05	0	0
2024	10	18	16	10	8	27	0	0	0	0	0	0	0	12.05	0	0
2024	10	18	16	20	8	27	0	0	0	0	0	0	0	12.04	0	0
2024	10	18	16	30	8	27	0	0	0	0	0	0	0	12.03	0	0
2024	10	18	16	40	8	27	0	0	0	0	0	0	0	12.01	0	0
2024	10	18	16	50	8	27	0	0	0	0	0	0	0	12	0	0
2024	10	18	17	0	8	27	0	0	0	0	0	0	0	11.99	0	0
2024	10	18	17	10	8	27	0	0	0	0	0	0	0	11.97	0	0
2024	10	18	17	20	8	28	0	0	0	0	0	0	0	11.94	0	0
2024	10	18	17	30	8	27	0	0	0	0	0	0	0	11.92	0	0
2024	10	18	17	40	8	28	0	0	0	0	0	0	0	11.9	0	0
2024	10	18	17	50	8	27	0	0	0	0	0	0	0	11.86	0	0
2024	10	18	18	0	8	27	0	0	0	0	0	0	0	11.83	0	0
2024	10	18	18	10	8	27	0	0	0	0	0	0	0	11.8	0	0
2024	10	18	18	20	8	28	0	0	0	0	0	0	0	11.76	0	0
2024	10	18	18	30	8	27	0	0	0	0	0	0	0	11.73	0	0
2024	10	18	18	40	8	27	0	0	0	0	0	0	0	11.69	0	0
2024	10	18	18	50	8	28	0	0	0	0	0	0	0	11.65	0	0
2024	10	18	19	0	8	27	0	0	0	0	0	0	0	11.61	0	0
2024	10	18	19	10	8	27	0	0	0	0	0	0	0	11.57	0	0
2024	10	18	19	20	8	27	0	0	0	0	0	0	0	11.53	0	0
2024	10	18	19	30	8	27	0	0	0	0	0	0	0	11.48	0	0
2024	10	18	19	40	8	28	0	0	0	0	0	0	0	11.43	0	0
2024	10	18	19	50	8	27	0	0	0	0	0	0	0	11.39	0	0
2024	10	18	20	0	8	27	0	0	0	0	0	0	0	11.34	0	0
2024	10	18	20	10	8	27	0	0	0	0	0	0	0	11.29	0	0
2024	10	18	20	20	8	27	0	0	0	0	0	0	0	11.25	0	0
2024	10	18	20	30	8	27	0	0	0	0	0	0	0	11.2	0	0
2024	10	18	20	40	8	27	0	0	0	0	0	0	0	11.15	0	0
2024	10	18	20	50	8	27	0	0	0	0	0	0	0	11.1	0	0
2024	10	18	21	0	8	28	0	0	0	0	0	0	0	11.06	0	0
2024	10	18	21	10	8	27	0	0	0	0	0	0	0	11.01	0	0
2024	10	18	21	20	8	28	0	0	0	0	0	0	0	10.96	0	0
2024	10	18	21	30	8	28	0	0	0	0	0	0	0	10.91	0	0
2024	10	18	21	40	8	27	0	0	0	0	0	0	0	10.87	0	0
2024	10	18	21	50	8	27	0	0	0	0	0	0	0	10.82	0	0
2024	10	18	22	0	8	27	0	0	0	0	0	0	0	10.77	0	0
2024	10	18	22	10	8	28	0	0	0	0	0	0	0	10.72	0	0
2024	10	18	22	20	8	27	0	0	0	0	0	0	0	10.67	0	0
2024	10	18	22	30	8	27	0	0	0	0	0	0	0	10.63	0	0
2024	10	18	22	40	8	27	0	0	0	0	0	0	0	10.57	0	0
2024	10	18	22	50	8	28	0	0	0	0	0	0	0	10.52	0	0
2024	10	18	23	0	8	27	0	0	0	0	0	0	0	10.47	0	0
2024	10	18	23	10	8	27	0	0	0	0	0	0	0	10.42	0	0
2024	10	18	23	20	8	28	0	0	0	0	0	0	0	10.37	0	0
2024	10	18	23	30	8	27	0	0	0	0	0	0	0	10.32	0	0
2024	10	18	23	40	8	27	0	0	0	0	0	0	0	10.27	0	0
2024	10	18	23	50	8	27	0	0	0	0	0	0	0	10.22	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	19	0	0	8	27	0	0	0	0	0	0	0	10.17	0	0
2024	10	19	0	10	8	27	0	0	0	0	0	0	0	10.12	0	0
2024	10	19	0	20	8	28	0	0	0	0	0	0	0	10.07	0	0
2024	10	19	0	30	8	27	0	0	0	0	0	0	0	10.02	0	0
2024	10	19	0	40	8	28	0	0	0	0	0	0	0	9.97	0	0
2024	10	19	0	50	8	28	0	0	0	0	0	0	0	9.92	0	0
2024	10	19	1	0	8	27	0	0	0	0	0	0	0	9.87	0	0
2024	10	19	1	10	8	28	0	0	0	0	0	0	0	9.82	0	0
2024	10	19	1	20	8	27	0	0	0	0	0	0	0	9.77	0	0
2024	10	19	1	30	8	27	0	0	0	0	0	0	0	9.72	0	0
2024	10	19	1	40	8	28	0	0	0	0	0	0	0	9.68	0	0
2024	10	19	1	50	8	27	0	0	0	0	0	0	0	9.63	0	0
2024	10	19	2	0	8	28	0	0	0	0	0	0	0	9.58	0	0
2024	10	19	2	10	8	27	0	0	0	0	0	0	0	9.54	0	0
2024	10	19	2	20	8	28	0	0	0	0	0	0	0	9.49	0	0
2024	10	19	2	30	8	27	0	0	0	0	0	0	0	9.45	0	0
2024	10	19	2	40	8	27	0	0	0	0	0	0	0	9.4	0	0
2024	10	19	2	50	8	27	0	0	0	0	0	0	0	9.37	0	0
2024	10	19	3	0	8	27	0	0	0	0	0	0	0	9.32	0	0
2024	10	19	3	10	8	27	0	0	0	0	0	0	0	9.28	0	0
2024	10	19	3	20	8	27	0	0	0	0	0	0	0	9.23	0	0
2024	10	19	3	30	8	28	0	0	0	0	0	0	0	9.19	0	0
2024	10	19	3	40	8	28	0	0	0	0	0	0	0	9.15	0	0
2024	10	19	3	50	8	28	0	0	0	0	0	0	0	9.1	0	0
2024	10	19	4	0	8	28	0	0	0	0	0	0	0	9.06	0	0
2024	10	19	4	10	8	28	0	0	0	0	0	0	0	9.02	0	0
2024	10	19	4	20	8	28	0	0	0	0	0	0	0	8.98	0	0
2024	10	19	4	30	8	28	0	0	0	0	0	0	0	8.94	0	0
2024	10	19	4	40	8	28	0	0	0	0	0	0	0	8.9	0	0
2024	10	19	4	50	8	28	0	0	0	0	0	0	0	8.87	0	0
2024	10	19	5	0	8	28	0	0	0	0	0	0	0	8.84	0	0
2024	10	19	5	10	8	28	0	0	0	0	0	0	0	8.81	0	0
2024	10	19	5	20	8	28	0	0	0	0	0	0	0	8.78	0	0
2024	10	19	5	30	8	27	0	0	0	0	0	0	0	8.75	0	0
2024	10	19	5	40	8	27	0	0	0	0	0	0	0	8.73	0	0
2024	10	19	5	50	8	28	0	0	0	0	0	0	0	8.7	0	0
2024	10	19	6	0	8	28	0	0	0	0	0	0	0	8.66	0	0
2024	10	19	6	10	8	28	0	0	0	0	0	0	0	8.64	0	0
2024	10	19	6	20	8	28	0	0	0	0	0	0	0	8.61	0	0
2024	10	19	6	30	8	27	0	0	0	0	0	0	0	8.59	0	0
2024	10	19	6	40	8	28	0	0	0	0	0	0	0	8.56	0	0
2024	10	19	6	50	8	28	0	0	0	0	0	0	0	8.54	0	0
2024	10	19	7	0	8	28	0	0	0	0	0	0	0	8.51	0	0
2024	10	19	7	10	8	28	0	0	0	0	0	0	0	8.49	0	0
2024	10	19	7	20	8	28	0	0	0	0	0	0	0	8.47	0	0
2024	10	19	7	30	8	27	0	0	0	0	0	0	0	8.44	0	0
2024	10	19	7	40	8	28	0	0	0	0	0	0	0	8.42	0	0
2024	10	19	7	50	8	28	0	0	0	0	0	0	0	8.4	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	19	8	0	8	28	0	0	0	0	0	0	0	8.38	0	0
2024	10	19	8	10	8	28	0	0	0	0	0	0	0	8.36	0	0
2024	10	19	8	20	8	27	0	0	0	0	0	0	0	8.35	0	0
2024	10	19	8	30	8	28	0	0	0	0	0	0	0	8.35	0	0
2024	10	19	8	40	8	28	0	0	0	0	0	0	0	8.35	0	0
2024	10	19	8	50	8	27	0	0	0	0	0	0	0	8.36	0	0
2024	10	19	9	0	8	28	0	0	0	0	0	0	0	8.37	0	0
2024	10	19	9	10	8	28	0	0	0	0	0	0	0	8.38	0	0
2024	10	19	9	20	8	28	0	0	0	0	0	0	0	8.4	0	0
2024	10	19	9	30	8	28	0	0	0	0	0	0	0	8.43	0	0
2024	10	19	9	40	8	28	0	0	0	0	0	0	0	8.46	0	0
2024	10	19	9	50	8	28	0	0	0	0	0	0	0	8.5	0	0
2024	10	19	10	0	8	28	0	0	0	0	0	0	0	8.55	0	0
2024	10	19	10	10	8	28	0	0	0	0	0	0	0	8.59	0	0
2024	10	19	10	20	8	28	0	0	0	0	0	0	0	8.65	0	0
2024	10	19	10	30	8	27	0	0	0	0	0	0	0	8.71	0	0
2024	10	19	10	40	8	28	0	0	0	0	0	0	0	8.76	0	0
2024	10	19	10	50	8	28	0	0	0	0	0	0	0	8.83	0	0
2024	10	19	11	0	8	29	0	0	0	0	0	0	0	8.91	0	0
2024	10	19	11	10	8	27	0	0	0	0	0	0	0	8.98	0	0
2024	10	19	11	20	8	28	0	0	0	0	0	0	0	9.06	0	0
2024	10	19	11	30	8	28	0	0	0	0	0	0	0	9.13	0	0
2024	10	19	11	40	8	28	0	0	0	0	0	0	0	9.21	0	0
2024	10	19	11	50	8	27	0	0	0	0	0	0	0	9.3	0	0
2024	10	19	12	0	8	27	0	0	0	0	0	0	0	9.38	0	0
2024	10	19	12	10	8	27	0	0	0	0	0	0	0	9.47	0	0
2024	10	19	12	20	8	28	0	0	0	0	0	0	0	9.56	0	0
2024	10	19	12	30	8	27	0	0	0	0	0	0	0	9.64	0	0
2024	10	19	12	40	8	27	0	0	0	0	0	0	0	9.73	0	0
2024	10	19	12	50	8	28	0	0	0	0	0	0	0	9.83	0	0
2024	10	19	13	0	8	27	0	0	0	0	0	0	0	9.91	0	0
2024	10	19	13	10	8	28	0	0	0	0	0	0	0	9.99	0	0
2024	10	19	13	20	8	28	0	0	0	0	0	0	0	10.08	0	0
2024	10	19	13	30	8	28	0	0	0	0	0	0	0	10.16	0	0
2024	10	19	13	40	8	27	0	0	0	0	0	0	0	10.24	0	0
2024	10	19	13	50	8	26	0	0	0	0	0	0	0	10.31	0	0
2024	10	19	14	0	8	27	0	0	0	0	0	0	0	10.39	0	0
2024	10	19	14	10	8	28	0	0	0	0	0	0	0	10.47	0	0
2024	10	19	14	20	8	28	0	0	0	0	0	0	0	10.53	0	0
2024	10	19	14	30	8	28	0	0	0	0	0	0	0	10.6	0	0
2024	10	19	14	40	8	28	0	0	0	0	0	0	0	10.66	0	0
2024	10	19	14	50	8	27	0	0	0	0	0	0	0	10.72	0	0
2024	10	19	15	0	8	27	0	0	0	0	0	0	0	10.78	0	0
2024	10	19	15	10	8	28	0	0	0	0	0	0	0	10.84	0	0
2024	10	19	15	20	8	28	0	0	0	0	0	0	0	10.88	0	0
2024	10	19	15	30	8	26	0	0	0	0	0	0	0	10.93	0	0
2024	10	19	15	40	8	27	0	0	0	0	0	0	0	10.97	0	0
2024	10	19	15	50	8	27	0	0	0	0	0	0	0	11	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	19	16	0	8	27	0	0	0	0	0	0	0	11.03	0	0
2024	10	19	16	10	8	27	0	0	0	0	0	0	0	11.07	0	0
2024	10	19	16	20	8	28	0	0	0	0	0	0	0	11.09	0	0
2024	10	19	16	30	8	27	0	0	0	0	0	0	0	11.11	0	0
2024	10	19	16	40	8	27	0	0	0	0	0	0	0	11.13	0	0
2024	10	19	16	50	8	28	0	0	0	0	0	0	0	11.16	0	0
2024	10	19	17	0	8	27	0	0	0	0	0	0	0	11.17	0	0
2024	10	19	17	10	8	27	0	0	0	0	0	0	0	11.18	0	0
2024	10	19	17	20	8	27	0	0	0	0	0	0	0	11.19	0	0
2024	10	19	17	30	8	27	0	0	0	0	0	0	0	11.19	0	0
2024	10	19	17	40	8	27	0	0	0	0	0	0	0	11.19	0	0
2024	10	19	17	50	8	27	0	0	0	0	0	0	0	11.19	0	0
2024	10	19	18	0	8	27	0	0	0	0	0	0	0	11.19	0	0
2024	10	19	18	10	8	28	0	0	0	0	0	0	0	11.18	0	0
2024	10	19	18	20	8	27	0	0	0	0	0	0	0	11.17	0	0
2024	10	19	18	30	8	27	0	0	0	0	0	0	0	11.17	0	0
2024	10	19	18	40	8	27	0	0	0	0	0	0	0	11.16	0	0
2024	10	19	18	50	8	27	0	0	0	0	0	0	0	11.15	0	0
2024	10	19	19	0	8	27	0	0	0	0	0	0	0	11.13	0	0
2024	10	19	19	10	8	27	0	0	0	0	0	0	0	11.12	0	0
2024	10	19	19	20	8	27	0	0	0	0	0	0	0	11.09	0	0
2024	10	19	19	30	8	27	0	0	0	0	0	0	0	11.07	0	0
2024	10	19	19	40	8	27	0	0	0	0	0	0	0	11.05	0	0
2024	10	19	19	50	8	27	0	0	0	0	0	0	0	11.04	0	0
2024	10	19	20	0	8	27	0	0	0	0	0	0	0	11.01	0	0
2024	10	19	20	10	8	27	0	0	0	0	0	0	0	10.98	0	0
2024	10	19	20	20	8	27	0	0	0	0	0	0	0	10.96	0	0
2024	10	19	20	30	8	27	0	0	0	0	0	0	0	10.94	0	0
2024	10	19	20	40	8	28	0	0	0	0	0	0	0	10.91	0	0
2024	10	19	20	50	8	27	0	0	0	0	0	0	0	10.88	0	0
2024	10	19	21	0	8	27	0	0	0	0	0	0	0	10.85	0	0
2024	10	19	21	10	8	28	0	0	0	0	0	0	0	10.82	0	0
2024	10	19	21	20	8	28	0	0	0	0	0	0	0	10.79	0	0
2024	10	19	21	30	8	28	0	0	0	0	0	0	0	10.76	0	0
2024	10	19	21	40	8	27	0	0	0	0	0	0	0	10.73	0	0
2024	10	19	21	50	8	27	0	0	0	0	0	0	0	10.71	0	0
2024	10	19	22	0	8	28	0	0	0	0	0	0	0	10.68	0	0
2024	10	19	22	10	8	28	0	0	0	0	0	0	0	10.64	0	0
2024	10	19	22	20	8	28	0	0	0	0	0	0	0	10.6	0	0
2024	10	19	22	30	8	27	0	0	0	0	0	0	0	10.57	0	0
2024	10	19	22	40	8	27	0	0	0	0	0	0	0	10.53	0	0
2024	10	19	22	50	8	27	0	0	0	0	0	0	0	10.5	0	0
2024	10	19	23	0	8	27	0	0	0	0	0	0	0	10.47	0	0
2024	10	19	23	10	8	27	0	0	0	0	0	0	0	10.43	0	0
2024	10	19	23	20	8	27	0	0	0	0	0	0	0	10.39	0	0
2024	10	19	23	30	8	27	0	0	0	0	0	0	0	10.35	0	0
2024	10	19	23	40	8	28	0	0	0	0	0	0	0	10.32	0	0
2024	10	19	23	50	8	28	0	0	0	0	0	0	0	10.28	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	20	0	0	8	27	0	0	0	0	0	0	0	10.25	0	0
2024	10	20	0	10	8	28	0	0	0	0	0	0	0	10.21	0	0
2024	10	20	0	20	8	27	0	0	0	0	0	0	0	10.18	0	0
2024	10	20	0	30	8	27	0	0	0	0	0	0	0	10.14	0	0
2024	10	20	0	40	8	28	0	0	0	0	0	0	0	10.11	0	0
2024	10	20	0	50	8	28	0	0	0	0	0	0	0	10.08	0	0
2024	10	20	1	0	8	27	0	0	0	0	0	0	0	10.04	0	0
2024	10	20	1	10	8	27	0	0	0	0	0	0	0	10	0	0
2024	10	20	1	20	8	28	0	0	0	0	0	0	0	9.97	0	0
2024	10	20	1	30	8	27	0	0	0	0	0	0	0	9.93	0	0
2024	10	20	1	40	8	27	0	0	0	0	0	0	0	9.9	0	0
2024	10	20	1	50	8	27	0	0	0	0	0	0	0	9.86	0	0
2024	10	20	2	0	8	27	0	0	0	0	0	0	0	9.83	0	0
2024	10	20	2	10	8	27	0	0	0	0	0	0	0	9.79	0	0
2024	10	20	2	20	8	28	0	0	0	0	0	0	0	9.76	0	0
2024	10	20	2	30	8	27	0	0	0	0	0	0	0	9.72	0	0
2024	10	20	2	40	8	27	0	0	0	0	0	0	0	9.69	0	0
2024	10	20	2	50	8	27	0	0	0	0	0	0	0	9.66	0	0
2024	10	20	3	0	8	28	0	0	0	0	0	0	0	9.63	0	0
2024	10	20	3	10	8	27	0	0	0	0	0	0	0	9.61	0	0
2024	10	20	3	20	8	27	0	0	0	0	0	0	0	9.57	0	0
2024	10	20	3	30	8	27	0	0	0	0	0	0	0	9.54	0	0
2024	10	20	3	40	8	28	0	0	0	0	0	0	0	9.52	0	0
2024	10	20	3	50	8	27	0	0	0	0	0	0	0	9.48	0	0
2024	10	20	4	0	8	28	0	0	0	0	0	0	0	9.46	0	0
2024	10	20	4	10	8	28	0	0	0	0	0	0	0	9.43	0	0
2024	10	20	4	20	8	28	0	0	0	0	0	0	0	9.4	0	0
2024	10	20	4	30	8	27	0	0	0	0	0	0	0	9.38	0	0
2024	10	20	4	40	8	28	0	0	0	0	0	0	0	9.36	0	0
2024	10	20	4	50	8	27	0	0	0	0	0	0	0	9.33	0	0
2024	10	20	5	0	8	28	0	0	0	0	0	0	0	9.3	0	0
2024	10	20	5	10	8	27	0	0	0	0	0	0	0	9.28	0	0
2024	10	20	5	20	8	27	0	0	0	0	0	0	0	9.26	0	0
2024	10	20	5	30	8	27	0	0	0	0	0	0	0	9.23	0	0
2024	10	20	5	40	8	28	0	0	0	0	0	0	0	9.21	0	0
2024	10	20	5	50	8	27	0	0	0	0	0	0	0	9.18	0	0
2024	10	20	6	0	8	27	0	0	0	0	0	0	0	9.16	0	0
2024	10	20	6	10	8	28	0	0	0	0	0	0	0	9.13	0	0
2024	10	20	6	20	8	28	0	0	0	0	0	0	0	9.11	0	0
2024	10	20	6	30	8	27	0	0	0	0	0	0	0	9.09	0	0
2024	10	20	6	40	8	27	0	0	0	0	0	0	0	9.06	0	0
2024	10	20	6	50	8	27	0	0	0	0	0	0	0	9.03	0	0
2024	10	20	7	0	8	28	0	0	0	0	0	0	0	9.01	0	0
2024	10	20	7	10	8	28	0	0	0	0	0	0	0	8.99	0	0
2024	10	20	7	20	8	27	0	0	0	0	0	0	0	8.97	0	0
2024	10	20	7	30	8	28	0	0	0	0	0	0	0	8.95	0	0
2024	10	20	7	40	8	28	0	0	0	0	0	0	0	8.93	0	0
2024	10	20	7	50	8	28	0	0	0	0	0	0	0	8.91	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	20	8	0	8	27	0	0	0	0	0	0	0	8.9	0	0
2024	10	20	8	10	8	28	0	0	0	0	0	0	0	8.89	0	0
2024	10	20	8	20	8	28	0	0	0	0	0	0	0	8.89	0	0
2024	10	20	8	30	8	28	0	0	0	0	0	0	0	8.9	0	0
2024	10	20	8	40	8	27	0	0	0	0	0	0	0	8.91	0	0
2024	10	20	8	50	8	28	0	0	0	0	0	0	0	8.92	0	0
2024	10	20	9	0	8	28	0	0	0	0	0	0	0	8.94	0	0
2024	10	20	9	10	8	29	0	0	0	0	0	0	0	8.97	0	0
2024	10	20	9	20	8	28	0	0	0	0	0	0	0	9	0	0
2024	10	20	9	30	8	28	0	0	0	0	0	0	0	9.04	0	0
2024	10	20	9	40	8	27	0	0	0	0	0	0	0	9.08	0	0
2024	10	20	9	50	8	27	0	0	0	0	0	0	0	9.12	0	0
2024	10	20	10	0	8	28	0	0	0	0	0	0	0	9.18	0	0
2024	10	20	10	10	8	27	0	0	0	0	0	0	0	9.23	0	0
2024	10	20	10	20	8	28	0	0	0	0	0	0	0	9.29	0	0
2024	10	20	10	30	8	27	0	0	0	0	0	0	0	9.36	0	0
2024	10	20	10	40	8	28	0	0	0	0	0	0	0	9.43	0	0
2024	10	20	10	50	8	28	0	0	0	0	0	0	0	9.5	0	0
2024	10	20	11	0	8	28	0	0	0	0	0	0	0	9.57	0	0
2024	10	20	11	10	8	27	0	0	0	0	0	0	0	9.65	0	0
2024	10	20	11	20	8	28	0	0	0	0	0	0	0	9.73	0	0
2024	10	20	11	30	8	28	0	0	0	0	0	0	0	9.81	0	0
2024	10	20	11	40	8	28	0	0	0	0	0	0	0	9.9	0	0
2024	10	20	11	50	8	27	0	0	0	0	0	0	0	9.99	0	0
2024	10	20	12	0	8	28	0	0	0	0	0	0	0	10.08	0	0
2024	10	20	12	10	8	27	0	0	0	0	0	0	0	10.16	0	0
2024	10	20	12	20	8	27	0	0	0	0	0	0	0	10.24	0	0
2024	10	20	12	30	8	27	0	0	0	0	0	0	0	10.33	0	0
2024	10	20	12	40	8	27	0	0	0	0	0	0	0	10.42	0	0
2024	10	20	12	50	8	28	0	0	0	0	0	0	0	10.5	0	0
2024	10	20	13	0	8	27	0	0	0	0	0	0	0	10.58	0	0
2024	10	20	13	10	8	27	0	0	0	0	0	0	0	10.67	0	0
2024	10	20	13	20	8	27	0	0	0	0	0	0	0	10.76	0	0
2024	10	20	13	30	8	27	0	0	0	0	0	0	0	10.84	0	0
2024	10	20	13	40	8	28	0	0	0	0	0	0	0	10.91	0	0
2024	10	20	13	50	8	27	0	0	0	0	0	0	0	10.99	0	0
2024	10	20	14	0	8	28	0	0	0	0	0	0	0	11.06	0	0
2024	10	20	14	10	8	27	0	0	0	0	0	0	0	11.13	0	0
2024	10	20	14	20	8	27	0	0	0	0	0	0	0	11.2	0	0
2024	10	20	14	30	8	27	0	0	0	0	0	0	0	11.27	0	0
2024	10	20	14	40	8	28	0	0	0	0	0	0	0	11.33	0	0
2024	10	20	14	50	8	27	0	0	0	0	0	0	0	11.38	0	0
2024	10	20	15	0	8	27	0	0	0	0	0	0	0	11.45	0	0
2024	10	20	15	10	8	27	0	0	0	0	0	0	0	11.49	0	0
2024	10	20	15	20	8	27	0	0	0	0	0	0	0	11.54	0	0
2024	10	20	15	30	8	27	0	0	0	0	0	0	0	11.58	0	0
2024	10	20	15	40	8	27	0	0	0	0	0	0	0	11.63	0	0
2024	10	20	15	50	8	27	0	0	0	0	0	0	0	11.66	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	20	16	0	8	27	0	0	0	0	0	0	0	11.69	0	0
2024	10	20	16	10	8	27	0	0	0	0	0	0	0	11.72	0	0
2024	10	20	16	20	8	28	0	0	0	0	0	0	0	11.74	0	0
2024	10	20	16	30	8	27	0	0	0	0	0	0	0	11.76	0	0
2024	10	20	16	40	8	27	0	0	0	0	0	0	0	11.78	0	0
2024	10	20	16	50	8	27	0	0	0	0	0	0	0	11.8	0	0
2024	10	20	17	0	8	28	0	0	0	0	0	0	0	11.81	0	0
2024	10	20	17	10	8	27	0	0	0	0	0	0	0	11.83	0	0
2024	10	20	17	20	8	27	0	0	0	0	0	0	0	11.83	0	0
2024	10	20	17	30	8	27	0	0	0	0	0	0	0	11.84	0	0
2024	10	20	17	40	8	27	0	0	0	0	0	0	0	11.85	0	0
2024	10	20	17	50	8	27	0	0	0	0	0	0	0	11.85	0	0
2024	10	20	18	0	8	28	0	0	0	0	0	0	0	11.85	0	0
2024	10	20	18	10	8	27	0	0	0	0	0	0	0	11.85	0	0
2024	10	20	18	20	8	27	0	0	0	0	0	0	0	11.84	0	0
2024	10	20	18	30	8	27	0	0	0	0	0	0	0	11.84	0	0
2024	10	20	18	40	8	27	0	0	0	0	0	0	0	11.83	0	0
2024	10	20	18	50	8	27	0	0	0	0	0	0	0	11.82	0	0
2024	10	20	19	0	8	27	0	0	0	0	0	0	0	11.81	0	0
2024	10	20	19	10	8	26	0	0	0	0	0	0	0	11.79	0	0
2024	10	20	19	20	8	27	0	0	0	0	0	0	0	11.78	0	0
2024	10	20	19	30	8	26	0	0	0	0	0	0	0	11.76	0	0
2024	10	20	19	40	8	27	0	0	0	0	0	0	0	11.74	0	0
2024	10	20	19	50	8	28	0	0	0	0	0	0	0	11.72	0	0
2024	10	20	20	0	8	27	0	0	0	0	0	0	0	11.69	0	0
2024	10	20	20	10	8	27	0	0	0	0	0	0	0	11.66	0	0
2024	10	20	20	20	8	27	0	0	0	0	0	0	0	11.64	0	0
2024	10	20	20	30	8	28	0	0	0	0	0	0	0	11.6	0	0
2024	10	20	20	40	8	27	0	0	0	0	0	0	0	11.57	0	0
2024	10	20	20	50	8	27	0	0	0	0	0	0	0	11.54	0	0
2024	10	20	21	0	8	27	0	0	0	0	0	0	0	11.51	0	0
2024	10	20	21	10	8	27	0	0	0	0	0	0	0	11.47	0	0
2024	10	20	21	20	8	27	0	0	0	0	0	0	0	11.44	0	0
2024	10	20	21	30	8	28	0	0	0	0	0	0	0	11.41	0	0
2024	10	20	21	40	8	28	0	0	0	0	0	0	0	11.37	0	0
2024	10	20	21	50	8	27	0	0	0	0	0	0	0	11.33	0	0
2024	10	20	22	0	8	27	0	0	0	0	0	0	0	11.29	0	0
2024	10	20	22	10	8	28	0	0	0	0	0	0	0	11.25	0	0
2024	10	20	22	20	8	27	0	0	0	0	0	0	0	11.21	0	0
2024	10	20	22	30	8	28	0	0	0	0	0	0	0	11.17	0	0
2024	10	20	22	40	8	27	0	0	0	0	0	0	0	11.14	0	0
2024	10	20	22	50	8	28	0	0	0	0	0	0	0	11.1	0	0
2024	10	20	23	0	8	27	0	0	0	0	0	0	0	11.07	0	0
2024	10	20	23	10	8	27	0	0	0	0	0	0	0	11.03	0	0
2024	10	20	23	20	8	28	0	0	0	0	0	0	0	10.99	0	0
2024	10	20	23	30	8	26	0	0	0	0	0	0	0	10.96	0	0
2024	10	20	23	40	8	27	0	0	0	0	0	0	0	10.92	0	0
2024	10	20	23	50	8	27	0	0	0	0	0	0	0	10.88	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	21	0	0	8	27	0	0	0	0	0	0	0	10.84	0	0
2024	10	21	0	10	8	27	0	0	0	0	0	0	0	10.81	0	0
2024	10	21	0	20	8	27	0	0	0	0	0	0	0	10.77	0	0
2024	10	21	0	30	8	27	0	0	0	0	0	0	0	10.73	0	0
2024	10	21	0	40	8	27	0	0	0	0	0	0	0	10.68	0	0
2024	10	21	0	50	8	27	0	0	0	0	0	0	0	10.64	0	0
2024	10	21	1	0	8	27	0	0	0	0	0	0	0	10.6	0	0
2024	10	21	1	10	8	27	0	0	0	0	0	0	0	10.55	0	0
2024	10	21	1	20	8	27	0	0	0	0	0	0	0	10.51	0	0
2024	10	21	1	30	8	28	0	0	0	0	0	0	0	10.47	0	0
2024	10	21	1	40	8	27	0	0	0	0	0	0	0	10.42	0	0
2024	10	21	1	50	8	28	0	0	0	0	0	0	0	10.38	0	0
2024	10	21	2	0	8	27	0	0	0	0	0	0	0	10.33	0	0
2024	10	21	2	10	8	27	0	0	0	0	0	0	0	10.29	0	0
2024	10	21	2	20	8	28	0	0	0	0	0	0	0	10.24	0	0
2024	10	21	2	30	8	27	0	0	0	0	0	0	0	10.2	0	0
2024	10	21	2	40	8	28	0	0	0	0	0	0	0	10.16	0	0
2024	10	21	2	50	8	27	0	0	0	0	0	0	0	10.11	0	0
2024	10	21	3	0	8	27	0	0	0	0	0	0	0	10.07	0	0
2024	10	21	3	10	8	28	0	0	0	0	0	0	0	10.03	0	0
2024	10	21	3	20	8	28	0	0	0	0	0	0	0	10	0	0
2024	10	21	3	30	8	28	0	0	0	0	0	0	0	9.95	0	0
2024	10	21	3	40	8	27	0	0	0	0	0	0	0	9.92	0	0
2024	10	21	3	50	8	28	0	0	0	0	0	0	0	9.89	0	0
2024	10	21	4	0	8	28	0	0	0	0	0	0	0	9.87	0	0
2024	10	21	4	10	8	27	0	0	0	0	0	0	0	9.84	0	0
2024	10	21	4	20	8	27	0	0	0	0	0	0	0	9.81	0	0
2024	10	21	4	30	8	27	0	0	0	0	0	0	0	9.78	0	0
2024	10	21	4	40	8	27	0	0	0	0	0	0	0	9.76	0	0
2024	10	21	4	50	8	28	0	0	0	0	0	0	0	9.74	0	0
2024	10	21	5	0	8	27	0	0	0	0	0	0	0	9.72	0	0
2024	10	21	5	10	8	27	0	0	0	0	0	0	0	9.7	0	0
2024	10	21	5	20	8	28	0	0	0	0	0	0	0	9.67	0	0
2024	10	21	5	30	8	28	0	0	0	0	0	0	0	9.66	0	0
2024	10	21	5	40	8	28	0	0	0	0	0	0	0	9.63	0	0
2024	10	21	5	50	8	28	0	0	0	0	0	0	0	9.61	0	0
2024	10	21	6	0	8	27	0	0	0	0	0	0	0	9.59	0	0
2024	10	21	6	10	8	27	0	0	0	0	0	0	0	9.56	0	0
2024	10	21	6	20	8	27	0	0	0	0	0	0	0	9.54	0	0
2024	10	21	6	30	8	27	0	0	0	0	0	0	0	9.52	0	0
2024	10	21	6	40	8	27	0	0	0	0	0	0	0	9.5	0	0
2024	10	21	6	50	8	27	0	0	0	0	0	0	0	9.47	0	0
2024	10	21	7	0	8	28	0	0	0	0	0	0	0	9.45	0	0
2024	10	21	7	10	8	27	0	0	0	0	0	0	0	9.43	0	0
2024	10	21	7	20	8	28	0	0	0	0	0	0	0	9.41	0	0
2024	10	21	7	30	8	28	0	0	0	0	0	0	0	9.38	0	0
2024	10	21	7	40	8	27	0	0	0	0	0	0	0	9.37	0	0
2024	10	21	7	50	8	27	0	0	0	0	0	0	0	9.34	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	21	8	0	8	28	0	0	0	0	0	0	0	9.32	0	0
2024	10	21	8	10	8	27	0	0	0	0	0	0	0	9.31	0	0
2024	10	21	8	20	8	28	0	0	0	0	0	0	0	9.31	0	0
2024	10	21	8	30	8	27	0	0	0	0	0	0	0	9.31	0	0
2024	10	21	8	40	8	28	0	0	0	0	0	0	0	9.32	0	0
2024	10	21	8	50	8	28	0	0	0	0	0	0	0	9.33	0	0
2024	10	21	9	0	8	28	0	0	0	0	0	0	0	9.35	0	0
2024	10	21	9	10	8	27	0	0	0	0	0	0	0	9.37	0	0
2024	10	21	9	20	8	28	0	0	0	0	0	0	0	9.4	0	0
2024	10	21	9	30	8	28	0	0	0	0	0	0	0	9.42	0	0
2024	10	21	9	40	8	27	0	0	0	0	0	0	0	9.46	0	0
2024	10	21	9	50	8	28	0	0	0	0	0	0	0	9.49	0	0
2024	10	21	10	0	8	28	0	0	0	0	0	0	0	9.53	0	0
2024	10	21	10	10	8	27	0	0	0	0	0	0	0	9.57	0	0
2024	10	21	10	20	8	27	0	0	0	0	0	0	0	9.64	0	0
2024	10	21	10	30	8	28	0	0	0	0	0	0	0	9.7	0	0
2024	10	21	10	40	8	28	0	0	0	0	0	0	0	9.76	0	0
2024	10	21	10	50	8	27	0	0	0	0	0	0	0	9.83	0	0
2024	10	21	11	0	8	27	0	0	0	0	0	0	0	9.9	0	0
2024	10	21	11	10	8	27	0	0	0	0	0	0	0	9.97	0	0
2024	10	21	11	20	8	26	0	0	0	0	0	0	0	10.05	0	0
2024	10	21	11	30	8	28	0	0	0	0	0	0	0	10.13	0	0
2024	10	21	11	40	8	27	0	0	0	0	0	0	0	10.21	0	0
2024	10	21	11	50	8	28	0	0	0	0	0	0	0	10.3	0	0
2024	10	21	12	0	8	27	0	0	0	0	0	0	0	10.39	0	0
2024	10	21	12	10	8	28	0	0	0	0	0	0	0	10.47	0	0
2024	10	21	12	20	8	27	0	0	0	0	0	0	0	10.56	0	0
2024	10	21	12	30	8	27	0	0	0	0	0	0	0	10.65	0	0
2024	10	21	12	40	8	27	0	0	0	0	0	0	0	10.73	0	0
2024	10	21	12	50	8	27	0	0	0	0	0	0	0	10.82	0	0
2024	10	21	13	0	8	27	0	0	0	0	0	0	0	10.91	0	0
2024	10	21	13	10	8	27	0	0	0	0	0	0	0	10.99	0	0
2024	10	21	13	20	8	27	0	0	0	0	0	0	0	11.07	0	0
2024	10	21	13	30	8	28	0	0	0	0	0	0	0	11.15	0	0
2024	10	21	13	40	8	27	0	0	0	0	0	0	0	11.23	0	0
2024	10	21	13	50	8	28	0	0	0	0	0	0	0	11.3	0	0
2024	10	21	14	0	8	27	0	0	0	0	0	0	0	11.37	0	0
2024	10	21	14	10	8	27	0	0	0	0	0	0	0	11.45	0	0
2024	10	21	14	20	8	28	0	0	0	0	0	0	0	11.51	0	0
2024	10	21	14	30	8	28	0	0	0	0	0	0	0	11.58	0	0
2024	10	21	14	40	8	27	0	0	0	0	0	0	0	11.64	0	0
2024	10	21	14	50	8	27	0	0	0	0	0	0	0	11.7	0	0
2024	10	21	15	0	8	27	0	0	0	0	0	0	0	11.75	0	0
2024	10	21	15	10	8	27	0	0	0	0	0	0	0	11.81	0	0
2024	10	21	15	20	8	27	0	0	0	0	0	0	0	11.86	0	0
2024	10	21	15	30	8	27	0	0	0	0	0	0	0	11.9	0	0
2024	10	21	15	40	8	26	0	0	0	0	0	0	0	11.94	0	0
2024	10	21	15	50	8	27	0	0	0	0	0	0	0	11.98	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	21	16	0	8	27	0	0	0	0	0	0	0	12.01	0	0
2024	10	21	16	10	8	27	0	0	0	0	0	0	0	12.05	0	0
2024	10	21	16	20	8	28	0	0	0	0	0	0	0	12.07	0	0
2024	10	21	16	30	8	27	0	0	0	0	0	0	0	12.1	0	0
2024	10	21	16	40	8	27	0	0	0	0	0	0	0	12.12	0	0
2024	10	21	16	50	8	27	0	0	0	0	0	0	0	12.14	0	0
2024	10	21	17	0	8	28	0	0	0	0	0	0	0	12.16	0	0
2024	10	21	17	10	8	27	0	0	0	0	0	0	0	12.18	0	0
2024	10	21	17	20	8	27	0	0	0	0	0	0	0	12.19	0	0
2024	10	21	17	30	8	27	0	0	0	0	0	0	0	12.2	0	0
2024	10	21	17	40	8	27	0	0	0	0	0	0	0	12.21	0	0
2024	10	21	17	50	8	27	0	0	0	0	0	0	0	12.21	0	0
2024	10	21	18	0	8	28	0	0	0	0	0	0	0	12.22	0	0
2024	10	21	18	10	8	27	0	0	0	0	0	0	0	12.22	0	0
2024	10	21	18	20	8	27	0	0	0	0	0	0	0	12.21	0	0
2024	10	21	18	30	8	27	0	0	0	0	0	0	0	12.21	0	0
2024	10	21	18	40	8	27	0	0	0	0	0	0	0	12.19	0	0
2024	10	21	18	50	8	27	0	0	0	0	0	0	0	12.19	0	0
2024	10	21	19	0	8	28	0	0	0	0	0	0	0	12.17	0	0
2024	10	21	19	10	8	27	0	0	0	0	0	0	0	12.16	0	0
2024	10	21	19	20	8	27	0	0	0	0	0	0	0	12.14	0	0
2024	10	21	19	30	8	27	0	0	0	0	0	0	0	12.12	0	0
2024	10	21	19	40	8	27	0	0	0	0	0	0	0	12.1	0	0
2024	10	21	19	50	8	27	0	0	0	0	0	0	0	12.08	0	0
2024	10	21	20	0	8	26	0	0	0	0	0	0	0	12.04	0	0
2024	10	21	20	10	8	27	0	0	0	0	0	0	0	12.02	0	0
2024	10	21	20	20	8	27	0	0	0	0	0	0	0	11.99	0	0
2024	10	21	20	30	8	28	0	0	0	0	0	0	0	11.96	0	0
2024	10	21	20	40	8	27	0	0	0	0	0	0	0	11.92	0	0
2024	10	21	20	50	8	27	0	0	0	0	0	0	0	11.89	0	0
2024	10	21	21	0	8	27	0	0	0	0	0	0	0	11.85	0	0
2024	10	21	21	10	8	27	0	0	0	0	0	0	0	11.82	0	0
2024	10	21	21	20	8	27	0	0	0	0	0	0	0	11.77	0	0
2024	10	21	21	30	8	27	0	0	0	0	0	0	0	11.74	0	0
2024	10	21	21	40	8	27	0	0	0	0	0	0	0	11.7	0	0
2024	10	21	21	50	8	27	0	0	0	0	0	0	0	11.66	0	0
2024	10	21	22	0	8	27	0	0	0	0	0	0	0	11.62	0	0
2024	10	21	22	10	8	27	0	0	0	0	0	0	0	11.59	0	0
2024	10	21	22	20	8	27	0	0	0	0	0	0	0	11.55	0	0
2024	10	21	22	30	8	27	0	0	0	0	0	0	0	11.51	0	0
2024	10	21	22	40	8	27	0	0	0	0	0	0	0	11.47	0	0
2024	10	21	22	50	8	28	0	0	0	0	0	0	0	11.44	0	0
2024	10	21	23	0	8	27	0	0	0	0	0	0	0	11.4	0	0
2024	10	21	23	10	8	27	0	0	0	0	0	0	0	11.36	0	0
2024	10	21	23	20	8	27	0	0	0	0	0	0	0	11.31	0	0
2024	10	21	23	30	8	28	0	0	0	0	0	0	0	11.28	0	0
2024	10	21	23	40	8	26	0	0	0	0	0	0	0	11.23	0	0
2024	10	21	23	50	8	27	0	0	0	0	0	0	0	11.19	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	22	0	0	8	27	0	0	0	0	0	0	0	11.14	0	0
2024	10	22	0	10	8	28	0	0	0	0	0	0	0	11.09	0	0
2024	10	22	0	20	8	27	0	0	0	0	0	0	0	11.05	0	0
2024	10	22	0	30	8	27	0	0	0	0	0	0	0	11.01	0	0
2024	10	22	0	40	8	28	0	0	0	0	0	0	0	10.96	0	0
2024	10	22	0	50	8	28	0	0	0	0	0	0	0	10.91	0	0
2024	10	22	1	0	8	27	0	0	0	0	0	0	0	10.86	0	0
2024	10	22	1	10	8	27	0	0	0	0	0	0	0	10.81	0	0
2024	10	22	1	20	8	28	0	0	0	0	0	0	0	10.77	0	0
2024	10	22	1	30	8	28	0	0	0	0	0	0	0	10.72	0	0
2024	10	22	1	40	8	28	0	0	0	0	0	0	0	10.67	0	0
2024	10	22	1	50	8	27	0	0	0	0	0	0	0	10.63	0	0
2024	10	22	2	0	8	28	0	0	0	0	0	0	0	10.59	0	0
2024	10	22	2	10	8	27	0	0	0	0	0	0	0	10.54	0	0
2024	10	22	2	20	8	27	0	0	0	0	0	0	0	10.5	0	0
2024	10	22	2	30	8	27	0	0	0	0	0	0	0	10.46	0	0
2024	10	22	2	40	8	27	0	0	0	0	0	0	0	10.42	0	0
2024	10	22	2	50	8	28	0	0	0	0	0	0	0	10.38	0	0
2024	10	22	3	0	8	28	0	0	0	0	0	0	0	10.34	0	0
2024	10	22	3	10	8	27	0	0	0	0	0	0	0	10.3	0	0
2024	10	22	3	20	8	27	0	0	0	0	0	0	0	10.26	0	0
2024	10	22	3	30	8	28	0	0	0	0	0	0	0	10.22	0	0
2024	10	22	3	40	8	27	0	0	0	0	0	0	0	10.19	0	0
2024	10	22	3	50	8	28	0	0	0	0	0	0	0	10.16	0	0
2024	10	22	4	0	8	27	0	0	0	0	0	0	0	10.13	0	0
2024	10	22	4	10	8	27	0	0	0	0	0	0	0	10.1	0	0
2024	10	22	4	20	8	27	0	0	0	0	0	0	0	10.07	0	0
2024	10	22	4	30	8	27	0	0	0	0	0	0	0	10.04	0	0
2024	10	22	4	40	8	28	0	0	0	0	0	0	0	10.02	0	0
2024	10	22	4	50	8	28	0	0	0	0	0	0	0	9.98	0	0
2024	10	22	5	0	8	28	0	0	0	0	0	0	0	9.96	0	0
2024	10	22	5	10	8	27	0	0	0	0	0	0	0	9.93	0	0
2024	10	22	5	20	8	28	0	0	0	0	0	0	0	9.9	0	0
2024	10	22	5	30	8	27	0	0	0	0	0	0	0	9.88	0	0
2024	10	22	5	40	8	28	0	0	0	0	0	0	0	9.86	0	0
2024	10	22	5	50	8	28	0	0	0	0	0	0	0	9.84	0	0
2024	10	22	6	0	8	28	0	0	0	0	0	0	0	9.81	0	0
2024	10	22	6	10	8	27	0	0	0	0	0	0	0	9.79	0	0
2024	10	22	6	20	8	27	0	0	0	0	0	0	0	9.76	0	0
2024	10	22	6	30	8	27	0	0	0	0	0	0	0	9.74	0	0
2024	10	22	6	40	8	28	0	0	0	0	0	0	0	9.71	0	0
2024	10	22	6	50	8	27	0	0	0	0	0	0	0	9.7	0	0
2024	10	22	7	0	8	28	0	0	0	0	0	0	0	9.67	0	0
2024	10	22	7	10	8	27	0	0	0	0	0	0	0	9.66	0	0
2024	10	22	7	20	8	27	0	0	0	0	0	0	0	9.64	0	0
2024	10	22	7	30	8	27	0	0	0	0	0	0	0	9.62	0	0
2024	10	22	7	40	8	27	0	0	0	0	0	0	0	9.61	0	0
2024	10	22	7	50	8	28	0	0	0	0	0	0	0	9.59	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	22	8	0	8	28	0	0	0	0	0	0	0	9.58	0	0
2024	10	22	8	10	8	28	0	0	0	0	0	0	0	9.57	0	0
2024	10	22	8	20	8	27	0	0	0	0	0	0	0	9.57	0	0
2024	10	22	8	30	8	28	0	0	0	0	0	0	0	9.58	0	0
2024	10	22	8	40	8	28	0	0	0	0	0	0	0	9.6	0	0
2024	10	22	8	50	8	27	0	0	0	0	0	0	0	9.61	0	0
2024	10	22	9	0	8	28	0	0	0	0	0	0	0	9.64	0	0
2024	10	22	9	10	8	28	0	0	0	0	0	0	0	9.67	0	0
2024	10	22	9	20	8	27	0	0	0	0	0	0	0	9.7	0	0
2024	10	22	9	30	8	27	0	0	0	0	0	0	0	9.74	0	0
2024	10	22	9	40	8	28	0	0	0	0	0	0	0	9.79	0	0
2024	10	22	9	50	8	27	0	0	0	0	0	0	0	9.85	0	0
2024	10	22	10	0	8	28	0	0	0	0	0	0	0	9.91	0	0
2024	10	22	10	10	8	27	0	0	0	0	0	0	0	9.97	0	0
2024	10	22	10	20	8	28	0	0	0	0	0	0	0	10.04	0	0
2024	10	22	10	30	8	27	0	0	0	0	0	0	0	10.12	0	0
2024	10	22	10	40	8	27	0	0	0	0	0	0	0	10.2	0	0
2024	10	22	10	50	8	27	0	0	0	0	0	0	0	10.29	0	0
2024	10	22	11	0	8	28	0	0	0	0	0	0	0	10.37	0	0
2024	10	22	11	10	8	28	0	0	0	0	0	0	0	10.47	0	0
2024	10	22	11	20	8	27	0	0	0	0	0	0	0	10.56	0	0
2024	10	22	11	30	8	27	0	0	0	0	0	0	0	10.65	0	0
2024	10	22	11	40	8	27	0	0	0	0	0	0	0	10.75	0	0
2024	10	22	11	50	8	28	0	0	0	0	0	0	0	10.84	0	0
2024	10	22	12	0	8	28	0	0	0	0	0	0	0	10.94	0	0
2024	10	22	12	10	8	28	0	0	0	0	0	0	0	11.05	0	0
2024	10	22	12	20	8	27	0	0	0	0	0	0	0	11.15	0	0
2024	10	22	12	30	8	27	0	0	0	0	0	0	0	11.25	0	0
2024	10	22	12	40	8	28	0	0	0	0	0	0	0	11.34	0	0
2024	10	22	12	50	8	27	0	0	0	0	0	0	0	11.44	0	0
2024	10	22	13	0	8	27	0	0	0	0	0	0	0	11.53	0	0
2024	10	22	13	10	8	27	0	0	0	0	0	0	0	11.63	0	0
2024	10	22	13	20	8	27	0	0	0	0	0	0	0	11.72	0	0
2024	10	22	13	30	8	28	0	0	0	0	0	0	0	11.81	0	0
2024	10	22	13	40	8	27	0	0	0	0	0	0	0	11.89	0	0
2024	10	22	13	50	8	27	0	0	0	0	0	0	0	11.97	0	0
2024	10	22	14	0	8	27	0	0	0	0	0	0	0	12.05	0	0
2024	10	22	14	10	8	27	0	0	0	0	0	0	0	12.12	0	0
2024	10	22	14	20	8	27	0	0	0	0	0	0	0	12.2	0	0
2024	10	22	14	30	8	27	0	0	0	0	0	0	0	12.26	0	0
2024	10	22	14	40	8	27	0	0	0	0	0	0	0	12.33	0	0
2024	10	22	14	50	8	27	0	0	0	0	0	0	0	12.39	0	0
2024	10	22	15	0	8	27	0	0	0	0	0	0	0	12.44	0	0
2024	10	22	15	10	8	26	0	0	0	0	0	0	0	12.5	0	0
2024	10	22	15	20	8	27	0	0	0	0	0	0	0	12.54	0	0
2024	10	22	15	30	8	27	0	0	0	0	0	0	0	12.59	0	0
2024	10	22	15	40	8	27	0	0	0	0	0	0	0	12.63	0	0
2024	10	22	15	50	8	27	0	0	0	0	0	0	0	12.66	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	22	16	0	8	27	0	0	0	0	0	0	0	12.69	0	0
2024	10	22	16	10	8	27	0	0	0	0	0	0	0	12.73	0	0
2024	10	22	16	20	8	27	0	0	0	0	0	0	0	12.75	0	0
2024	10	22	16	30	8	27	0	0	0	0	0	0	0	12.77	0	0
2024	10	22	16	40	8	27	0	0	0	0	0	0	0	12.79	0	0
2024	10	22	16	50	8	27	0	0	0	0	0	0	0	12.81	0	0
2024	10	22	17	0	8	27	0	0	0	0	0	0	0	12.83	0	0
2024	10	22	17	10	8	27	0	0	0	0	0	0	0	12.84	0	0
2024	10	22	17	20	8	27	0	0	0	0	0	0	0	12.85	0	0
2024	10	22	17	30	8	27	0	0	0	0	0	0	0	12.87	0	0
2024	10	22	17	40	8	27	0	0	0	0	0	0	0	12.87	0	0
2024	10	22	17	50	8	27	0	0	0	0	0	0	0	12.88	0	0
2024	10	22	18	0	8	27	0	0	0	0	0	0	0	12.89	0	0
2024	10	22	18	10	8	27	0	0	0	0	0	0	0	12.88	0	0
2024	10	22	18	20	8	27	0	0	0	0	0	0	0	12.88	0	0
2024	10	22	18	30	8	27	0	0	0	0	0	0	0	12.88	0	0
2024	10	22	18	40	8	27	0	0	0	0	0	0	0	12.87	0	0
2024	10	22	18	50	8	27	0	0	0	0	0	0	0	12.86	0	0
2024	10	22	19	0	8	27	0	0	0	0	0	0	0	12.85	0	0
2024	10	22	19	10	8	27	0	0	0	0	0	0	0	12.85	0	0
2024	10	22	19	20	8	27	0	0	0	0	0	0	0	12.83	0	0
2024	10	22	19	30	8	27	0	0	0	0	0	0	0	12.81	0	0
2024	10	22	19	40	8	27	0	0	0	0	0	0	0	12.79	0	0
2024	10	22	19	50	8	27	0	0	0	0	0	0	0	12.77	0	0
2024	10	22	20	0	8	27	0	0	0	0	0	0	0	12.75	0	0
2024	10	22	20	10	8	27	0	0	0	0	0	0	0	12.72	0	0
2024	10	22	20	20	8	26	0	0	0	0	0	0	0	12.69	0	0
2024	10	22	20	30	8	27	0	0	0	0	0	0	0	12.66	0	0
2024	10	22	20	40	8	27	0	0	0	0	0	0	0	12.63	0	0
2024	10	22	20	50	8	27	0	0	0	0	0	0	0	12.6	0	0
2024	10	22	21	0	8	27	0	0	0	0	0	0	0	12.56	0	0
2024	10	22	21	10	8	27	0	0	0	0	0	0	0	12.53	0	0
2024	10	22	21	20	8	26	0	0	0	0	0	0	0	12.48	0	0
2024	10	22	21	30	8	27	0	0	0	0	0	0	0	12.45	0	0
2024	10	22	21	40	8	27	0	0	0	0	0	0	0	12.41	0	0
2024	10	22	21	50	8	27	0	0	0	0	0	0	0	12.37	0	0
2024	10	22	22	0	8	27	0	0	0	0	0	0	0	12.33	0	0
2024	10	22	22	10	8	28	0	0	0	0	0	0	0	12.29	0	0
2024	10	22	22	20	8	27	0	0	0	0	0	0	0	12.24	0	0
2024	10	22	22	30	8	27	0	0	0	0	0	0	0	12.2	0	0
2024	10	22	22	40	8	27	0	0	0	0	0	0	0	12.16	0	0
2024	10	22	22	50	8	27	0	0	0	0	0	0	0	12.12	0	0
2024	10	22	23	0	8	26	0	0	0	0	0	0	0	12.08	0	0
2024	10	22	23	10	8	27	0	0	0	0	0	0	0	12.03	0	0
2024	10	22	23	20	8	27	0	0	0	0	0	0	0	11.99	0	0
2024	10	22	23	30	8	27	0	0	0	0	0	0	0	11.95	0	0
2024	10	22	23	40	8	26	0	0	0	0	0	0	0	11.91	0	0
2024	10	22	23	50	8	27	0	0	0	0	0	0	0	11.86	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	23	0	0	8	27	0	0	0	0	0	0	0	11.81	0	0
2024	10	23	0	10	8	27	0	0	0	0	0	0	0	11.76	0	0
2024	10	23	0	20	8	27	0	0	0	0	0	0	0	11.71	0	0
2024	10	23	0	30	8	27	0	0	0	0	0	0	0	11.67	0	0
2024	10	23	0	40	8	27	0	0	0	0	0	0	0	11.62	0	0
2024	10	23	0	50	8	27	0	0	0	0	0	0	0	11.57	0	0
2024	10	23	1	0	8	28	0	0	0	0	0	0	0	11.52	0	0
2024	10	23	1	10	8	27	0	0	0	0	0	0	0	11.47	0	0
2024	10	23	1	20	8	27	0	0	0	0	0	0	0	11.42	0	0
2024	10	23	1	30	8	27	0	0	0	0	0	0	0	11.37	0	0
2024	10	23	1	40	8	27	0	0	0	0	0	0	0	11.32	0	0
2024	10	23	1	50	8	27	0	0	0	0	0	0	0	11.28	0	0
2024	10	23	2	0	8	27	0	0	0	0	0	0	0	11.23	0	0
2024	10	23	2	10	8	28	0	0	0	0	0	0	0	11.18	0	0
2024	10	23	2	20	8	27	0	0	0	0	0	0	0	11.14	0	0
2024	10	23	2	30	8	27	0	0	0	0	0	0	0	11.1	0	0
2024	10	23	2	40	8	27	0	0	0	0	0	0	0	11.05	0	0
2024	10	23	2	50	8	27	0	0	0	0	0	0	0	11.01	0	0
2024	10	23	3	0	8	27	0	0	0	0	0	0	0	10.96	0	0
2024	10	23	3	10	8	27	0	0	0	0	0	0	0	10.92	0	0
2024	10	23	3	20	8	27	0	0	0	0	0	0	0	10.88	0	0
2024	10	23	3	30	8	28	0	0	0	0	0	0	0	10.84	0	0
2024	10	23	3	40	8	27	0	0	0	0	0	0	0	10.79	0	0
2024	10	23	3	50	8	28	0	0	0	0	0	0	0	10.76	0	0
2024	10	23	4	0	8	27	0	0	0	0	0	0	0	10.72	0	0
2024	10	23	4	10	8	27	0	0	0	0	0	0	0	10.68	0	0
2024	10	23	4	20	8	27	0	0	0	0	0	0	0	10.65	0	0
2024	10	23	4	30	8	27	0	0	0	0	0	0	0	10.61	0	0
2024	10	23	4	40	8	27	0	0	0	0	0	0	0	10.59	0	0
2024	10	23	4	50	8	27	0	0	0	0	0	0	0	10.56	0	0
2024	10	23	5	0	8	27	0	0	0	0	0	0	0	10.53	0	0
2024	10	23	5	10	8	27	0	0	0	0	0	0	0	10.5	0	0
2024	10	23	5	20	8	27	0	0	0	0	0	0	0	10.47	0	0
2024	10	23	5	30	8	27	0	0	0	0	0	0	0	10.44	0	0
2024	10	23	5	40	8	27	0	0	0	0	0	0	0	10.41	0	0
2024	10	23	5	50	8	28	0	0	0	0	0	0	0	10.38	0	0
2024	10	23	6	0	8	27	0	0	0	0	0	0	0	10.36	0	0
2024	10	23	6	10	8	28	0	0	0	0	0	0	0	10.33	0	0
2024	10	23	6	20	8	27	0	0	0	0	0	0	0	10.3	0	0
2024	10	23	6	30	8	28	0	0	0	0	0	0	0	10.27	0	0
2024	10	23	6	40	8	28	0	0	0	0	0	0	0	10.24	0	0
2024	10	23	6	50	8	27	0	0	0	0	0	0	0	10.22	0	0
2024	10	23	7	0	8	27	0	0	0	0	0	0	0	10.2	0	0
2024	10	23	7	10	8	27	0	0	0	0	0	0	0	10.17	0	0
2024	10	23	7	20	8	27	0	0	0	0	0	0	0	10.15	0	0
2024	10	23	7	30	8	27	0	0	0	0	0	0	0	10.13	0	0
2024	10	23	7	40	8	28	0	0	0	0	0	0	0	10.11	0	0
2024	10	23	7	50	8	28	0	0	0	0	0	0	0	10.09	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	23	8	0	8	27	0	0	0	0	0	0	0	10.08	0	0
2024	10	23	8	10	8	27	0	0	0	0	0	0	0	10.06	0	0
2024	10	23	8	20	8	27	0	0	0	0	0	0	0	10.06	0	0
2024	10	23	8	30	8	28	0	0	0	0	0	0	0	10.06	0	0
2024	10	23	8	40	8	27	0	0	0	0	0	0	0	10.06	0	0
2024	10	23	8	50	8	27	0	0	0	0	0	0	0	10.09	0	0
2024	10	23	9	0	8	28	0	0	0	0	0	0	0	10.11	0	0
2024	10	23	9	10	8	28	0	0	0	0	0	0	0	10.13	0	0
2024	10	23	9	20	8	27	0	0	0	0	0	0	0	10.17	0	0
2024	10	23	9	30	8	28	0	0	0	0	0	0	0	10.2	0	0
2024	10	23	9	40	8	27	0	0	0	0	0	0	0	10.24	0	0
2024	10	23	9	50	8	27	0	0	0	0	0	0	0	10.3	0	0
2024	10	23	10	0	8	28	0	0	0	0	0	0	0	10.35	0	0
2024	10	23	10	10	8	27	0	0	0	0	0	0	0	10.41	0	0
2024	10	23	10	20	8	27	0	0	0	0	0	0	0	10.47	0	0
2024	10	23	10	30	8	27	0	0	0	0	0	0	0	10.54	0	0
2024	10	23	10	40	8	27	0	0	0	0	0	0	0	10.61	0	0
2024	10	23	10	50	8	28	0	0	0	0	0	0	0	10.69	0	0
2024	10	23	11	0	8	28	0	0	0	0	0	0	0	10.77	0	0
2024	10	23	11	10	8	27	0	0	0	0	0	0	0	10.85	0	0
2024	10	23	11	20	8	27	0	0	0	0	0	0	0	10.93	0	0
2024	10	23	11	30	8	28	0	0	0	0	0	0	0	11.02	0	0
2024	10	23	11	40	8	27	0	0	0	0	0	0	0	11.12	0	0
2024	10	23	11	50	8	27	0	0	0	0	0	0	0	11.21	0	0
2024	10	23	12	0	8	27	0	0	0	0	0	0	0	11.3	0	0
2024	10	23	12	10	8	27	0	0	0	0	0	0	0	11.39	0	0
2024	10	23	12	20	8	27	0	0	0	0	0	0	0	11.48	0	0
2024	10	23	12	30	8	28	0	0	0	0	0	0	0	11.58	0	0
2024	10	23	12	40	8	27	0	0	0	0	0	0	0	11.67	0	0
2024	10	23	12	50	8	27	0	0	0	0	0	0	0	11.76	0	0
2024	10	23	13	0	8	27	0	0	0	0	0	0	0	11.84	0	0
2024	10	23	13	10	8	27	0	0	0	0	0	0	0	11.94	0	0
2024	10	23	13	20	8	27	0	0	0	0	0	0	0	12.03	0	0
2024	10	23	13	30	8	27	0	0	0	0	0	0	0	12.11	0	0
2024	10	23	13	40	8	27	0	0	0	0	0	0	0	12.19	0	0
2024	10	23	13	50	8	27	0	0	0	0	0	0	0	12.28	0	0
2024	10	23	14	0	8	28	0	0	0	0	0	0	0	12.36	0	0
2024	10	23	14	10	8	27	0	0	0	0	0	0	0	12.43	0	0
2024	10	23	14	20	8	27	0	0	0	0	0	0	0	12.51	0	0
2024	10	23	14	30	8	28	0	0	0	0	0	0	0	12.58	0	0
2024	10	23	14	40	8	27	0	0	0	0	0	0	0	12.65	0	0
2024	10	23	14	50	8	27	0	0	0	0	0	0	0	12.72	0	0
2024	10	23	15	0	8	26	0	0	0	0	0	0	0	12.78	0	0
2024	10	23	15	10	8	27	0	0	0	0	0	0	0	12.84	0	0
2024	10	23	15	20	8	27	0	0	0	0	0	0	0	12.9	0	0
2024	10	23	15	30	8	27	0	0	0	0	0	0	0	12.96	0	0
2024	10	23	15	40	8	27	0	0	0	0	0	0	0	13	0	0
2024	10	23	15	50	8	27	0	0	0	0	0	0	0	13.04	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	23	16	0	8	27	0	0	0	0	0	0	0	13.08	0	0
2024	10	23	16	10	8	27	0	0	0	0	0	0	0	13.11	0	0
2024	10	23	16	20	8	27	0	0	0	0	0	0	0	13.14	0	0
2024	10	23	16	30	8	27	0	0	0	0	0	0	0	13.17	0	0
2024	10	23	16	40	8	27	0	0	0	0	0	0	0	13.2	0	0
2024	10	23	16	50	8	27	0	0	0	0	0	0	0	13.23	0	0
2024	10	23	17	0	8	27	0	0	0	0	0	0	0	13.25	0	0
2024	10	23	17	10	8	26	0	0	0	0	0	0	0	13.27	0	0
2024	10	23	17	20	8	27	0	0	0	0	0	0	0	13.29	0	0
2024	10	23	17	30	8	27	0	0	0	0	0	0	0	13.3	0	0
2024	10	23	17	40	8	27	0	0	0	0	0	0	0	13.31	0	0
2024	10	23	17	50	8	26	0	0	0	0	0	0	0	13.32	0	0
2024	10	23	18	0	8	27	0	0	0	0	0	0	0	13.32	0	0
2024	10	23	18	10	8	26	0	0	0	0	0	0	0	13.33	0	0
2024	10	23	18	20	8	28	0	0	0	0	0	0	0	13.32	0	0
2024	10	23	18	30	8	26	0	0	0	0	0	0	0	13.32	0	0
2024	10	23	18	40	8	27	0	0	0	0	0	0	0	13.32	0	0
2024	10	23	18	50	8	26	0	0	0	0	0	0	0	13.31	0	0
2024	10	23	19	0	8	27	0	0	0	0	0	0	0	13.3	0	0
2024	10	23	19	10	8	27	0	0	0	0	0	0	0	13.28	0	0
2024	10	23	19	20	8	27	0	0	0	0	0	0	0	13.27	0	0
2024	10	23	19	30	8	27	0	0	0	0	0	0	0	13.25	0	0
2024	10	23	19	40	8	27	0	0	0	0	0	0	0	13.24	0	0
2024	10	23	19	50	8	27	0	0	0	0	0	0	0	13.21	0	0
2024	10	23	20	0	8	27	0	0	0	0	0	0	0	13.18	0	0
2024	10	23	20	10	8	26	0	0	0	0	0	0	0	13.16	0	0
2024	10	23	20	20	8	27	0	0	0	0	0	0	0	13.13	0	0
2024	10	23	20	30	8	26	0	0	0	0	0	0	0	13.1	0	0
2024	10	23	20	40	8	27	0	0	0	0	0	0	0	13.07	0	0
2024	10	23	20	50	8	27	0	0	0	0	0	0	0	13.04	0	0
2024	10	23	21	0	8	27	0	0	0	0	0	0	0	13.01	0	0
2024	10	23	21	10	8	26	0	0	0	0	0	0	0	12.97	0	0
2024	10	23	21	20	8	27	0	0	0	0	0	0	0	12.94	0	0
2024	10	23	21	30	8	26	0	0	0	0	0	0	0	12.9	0	0
2024	10	23	21	40	8	27	0	0	0	0	0	0	0	12.87	0	0
2024	10	23	21	50	8	27	0	0	0	0	0	0	0	12.84	0	0
2024	10	23	22	0	8	26	0	0	0	0	0	0	0	12.8	0	0
2024	10	23	22	10	8	27	0	0	0	0	0	0	0	12.76	0	0
2024	10	23	22	20	8	27	0	0	0	0	0	0	0	12.73	0	0
2024	10	23	22	30	8	27	0	0	0	0	0	0	0	12.7	0	0
2024	10	23	22	40	8	27	0	0	0	0	0	0	0	12.65	0	0
2024	10	23	22	50	8	27	0	0	0	0	0	0	0	12.62	0	0
2024	10	23	23	0	8	27	0	0	0	0	0	0	0	12.58	0	0
2024	10	23	23	10	8	27	0	0	0	0	0	0	0	12.55	0	0
2024	10	23	23	20	8	27	0	0	0	0	0	0	0	12.51	0	0
2024	10	23	23	30	8	27	0	0	0	0	0	0	0	12.48	0	0
2024	10	23	23	40	8	28	0	0	0	0	0	0	0	12.44	0	0
2024	10	23	23	50	8	28	0	0	0	0	0	0	0	12.4	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	24	0	0	8	27	0	0	0	0	0	0	0	12.37	0	0
2024	10	24	0	10	8	27	0	0	0	0	0	0	0	12.33	0	0
2024	10	24	0	20	8	27	0	0	0	0	0	0	0	12.29	0	0
2024	10	24	0	30	8	26	0	0	0	0	0	0	0	12.25	0	0
2024	10	24	0	40	8	27	0	0	0	0	0	0	0	12.2	0	0
2024	10	24	0	50	8	27	0	0	0	0	0	0	0	12.17	0	0
2024	10	24	1	0	8	27	0	0	0	0	0	0	0	12.12	0	0
2024	10	24	1	10	8	27	0	0	0	0	0	0	0	12.07	0	0
2024	10	24	1	20	8	28	0	0	0	0	0	0	0	12.03	0	0
2024	10	24	1	30	8	27	0	0	0	0	0	0	0	11.98	0	0
2024	10	24	1	40	8	27	0	0	0	0	0	0	0	11.93	0	0
2024	10	24	1	50	8	27	0	0	0	0	0	0	0	11.89	0	0
2024	10	24	2	0	8	27	0	0	0	0	0	0	0	11.84	0	0
2024	10	24	2	10	8	27	0	0	0	0	0	0	0	11.8	0	0
2024	10	24	2	20	8	27	0	0	0	0	0	0	0	11.76	0	0
2024	10	24	2	30	8	27	0	0	0	0	0	0	0	11.71	0	0
2024	10	24	2	40	8	27	0	0	0	0	0	0	0	11.67	0	0
2024	10	24	2	50	8	27	0	0	0	0	0	0	0	11.63	0	0
2024	10	24	3	0	8	27	0	0	0	0	0	0	0	11.58	0	0
2024	10	24	3	10	8	27	0	0	0	0	0	0	0	11.54	0	0
2024	10	24	3	20	8	27	0	0	0	0	0	0	0	11.5	0	0
2024	10	24	3	30	8	27	0	0	0	0	0	0	0	11.46	0	0
2024	10	24	3	40	8	27	0	0	0	0	0	0	0	11.43	0	0
2024	10	24	3	50	8	27	0	0	0	0	0	0	0	11.38	0	0
2024	10	24	4	0	8	27	0	0	0	0	0	0	0	11.35	0	0
2024	10	24	4	10	8	27	0	0	0	0	0	0	0	11.32	0	0
2024	10	24	4	20	8	27	0	0	0	0	0	0	0	11.29	0	0
2024	10	24	4	30	8	27	0	0	0	0	0	0	0	11.26	0	0
2024	10	24	4	40	8	27	0	0	0	0	0	0	0	11.23	0	0
2024	10	24	4	50	8	27	0	0	0	0	0	0	0	11.2	0	0
2024	10	24	5	0	8	27	0	0	0	0	0	0	0	11.18	0	0
2024	10	24	5	10	8	27	0	0	0	0	0	0	0	11.15	0	0
2024	10	24	5	20	8	27	0	0	0	0	0	0	0	11.12	0	0
2024	10	24	5	30	8	27	0	0	0	0	0	0	0	11.1	0	0
2024	10	24	5	40	8	27	0	0	0	0	0	0	0	11.08	0	0
2024	10	24	5	50	8	27	0	0	0	0	0	0	0	11.05	0	0
2024	10	24	6	0	8	27	0	0	0	0	0	0	0	11.03	0	0
2024	10	24	6	10	8	26	0	0	0	0	0	0	0	11.01	0	0
2024	10	24	6	20	8	27	0	0	0	0	0	0	0	10.99	0	0
2024	10	24	6	30	8	27	0	0	0	0	0	0	0	10.97	0	0
2024	10	24	6	40	8	28	0	0	0	0	0	0	0	10.94	0	0
2024	10	24	6	50	8	26	0	0	0	0	0	0	0	10.92	0	0
2024	10	24	7	0	8	27	0	0	0	0	0	0	0	10.91	0	0
2024	10	24	7	10	8	27	0	0	0	0	0	0	0	10.88	0	0
2024	10	24	7	20	8	27	0	0	0	0	0	0	0	10.87	0	0
2024	10	24	7	30	8	28	0	0	0	0	0	0	0	10.86	0	0
2024	10	24	7	40	8	27	0	0	0	0	0	0	0	10.85	0	0
2024	10	24	7	50	8	27	0	0	0	0	0	0	0	10.84	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	24	8	0	8	27	0	0	0	0	0	0	0	10.84	0	0
2024	10	24	8	10	8	27	0	0	0	0	0	0	0	10.84	0	0
2024	10	24	8	20	8	27	0	0	0	0	0	0	0	10.84	0	0
2024	10	24	8	30	8	28	0	0	0	0	0	0	0	10.84	0	0
2024	10	24	8	40	8	27	0	0	0	0	0	0	0	10.84	0	0
2024	10	24	8	50	8	27	0	0	0	0	0	0	0	10.85	0	0
2024	10	24	9	0	8	28	0	0	0	0	0	0	0	10.86	0	0
2024	10	24	9	10	8	27	0	0	0	0	0	0	0	10.87	0	0
2024	10	24	9	20	8	27	0	0	0	0	0	0	0	10.88	0	0
2024	10	24	9	30	8	28	0	0	0	0	0	0	0	10.9	0	0
2024	10	24	9	40	8	28	0	0	0	0	0	0	0	10.92	0	0
2024	10	24	9	50	8	27	0	0	0	0	0	0	0	10.95	0	0
2024	10	24	10	0	8	27	0	0	0	0	0	0	0	10.97	0	0
2024	10	24	10	10	8	27	0	0	0	0	0	0	0	11	0	0
2024	10	24	10	20	8	27	0	0	0	0	0	0	0	11.05	0	0
2024	10	24	10	30	8	27	0	0	0	0	0	0	0	11.09	0	0
2024	10	24	10	40	8	28	0	0	0	0	0	0	0	11.15	0	0
2024	10	24	10	50	8	28	0	0	0	0	0	0	0	11.19	0	0
2024	10	24	11	1	20	27	0	0	0	0	0	0	0	11.24	0	0
2024	10	24	11	11	20	27	0	0	0	0	0	0	0	11.3	0	0
2024	10	24	11	21	20	28	0	0	0	0	0	0	0	11.37	0	0
2024	10	24	11	31	20	27	0	0	0	0	0	0	0	11.46	0	0
2024	10	24	11	41	20	27	0	0	0	0	0	0	0	11.5	0	0
2024	10	24	11	51	20	28	0	0	0	0	0	0	0	11.55	0	0
2024	10	24	12	1	20	27	0	0	0	0	0	0	0	11.62	0	0
2024	10	24	12	11	20	28	0	0	0	0	0	0	0	11.71	0	0
2024	10	24	12	21	20	27	0	0	0	0	0	0	0	11.77	0	0
2024	10	24	12	31	20	28	0	0	0	0	0	0	0	11.82	0	0
2024	10	24	12	41	20	27	0	0	0	0	0	0	0	11.89	0	0
2024	10	24	12	51	20	27	0	0	0	0	0	0	0	11.97	0	0
2024	10	24	13	1	20	27	0	0	0	0	0	0	0	12.04	0	0
2024	10	24	13	11	20	27	0	0	0	0	0	0	0	12.1	0	0
2024	10	24	13	21	20	27	0	0	0	0	0	0	0	12.21	0	0
2024	10	24	13	31	20	27	0	0	0	0	0	0	0	12.29	0	0
2024	10	24	13	41	20	28	0	0	0	0	0	0	0	12.36	0	0
2024	10	24	13	51	20	27	0	0	0	0	0	0	0	12.39	0	0
2024	10	24	14	1	20	27	0	0	0	0	0	0	0	12.43	0	0
2024	10	24	14	11	20	27	0	0	0	0	0	0	0	12.51	0	0
2024	10	24	14	21	20	28	0	0	0	0	0	0	0	12.54	0	0
2024	10	24	14	31	20	26	0	0	0	0	0	0	0	12.63	0	0
2024	10	24	14	41	20	27	0	0	0	0	0	0	0	12.67	0	0
2024	10	24	14	51	20	27	0	0	0	0	0	0	0	12.73	0	0
2024	10	24	15	1	20	26	0	0	0	0	0	0	0	12.78	0	0
2024	10	24	15	11	20	27	0	0	0	0	0	0	0	12.83	0	0
2024	10	24	15	21	20	27	0	0	0	0	0	0	0	12.87	0	0
2024	10	24	15	31	20	27	0	0	0	0	0	0	0	12.91	0	0
2024	10	24	15	41	20	27	0	0	0	0	0	0	0	12.94	0	0
2024	10	24	15	51	20	26	0	0	0	0	0	0	0	12.97	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	24	16	1	20	27	0	0	0	0	0	0	0	13	0	0
2024	10	24	16	11	20	27	0	0	0	0	0	0	0	13.01	0	0
2024	10	24	16	21	20	26	0	0	0	0	0	0	0	13.04	0	0
2024	10	24	16	31	20	27	0	0	0	0	0	0	0	13.06	0	0
2024	10	24	16	41	20	27	0	0	0	0	0	0	0	13.08	0	0
2024	10	24	16	51	20	27	0	0	0	0	0	0	0	13.1	0	0
2024	10	24	17	1	20	26	0	0	0	0	0	0	0	13.11	0	0
2024	10	24	17	11	20	28	0	0	0	0	0	0	0	13.12	0	0
2024	10	24	17	21	20	28	0	0	0	0	0	0	0	13.13	0	0
2024	10	24	17	31	20	27	0	0	0	0	0	0	0	13.14	0	0
2024	10	24	17	41	20	26	0	0	0	0	0	0	0	13.13	0	0
2024	10	24	17	51	20	27	0	0	0	0	0	0	0	13.13	0	0
2024	10	24	18	1	20	27	0	0	0	0	0	0	0	13.12	0	0
2024	10	24	18	11	20	27	0	0	0	0	0	0	0	13.12	0	0
2024	10	24	18	21	20	27	0	0	0	0	0	0	0	13.11	0	0
2024	10	24	18	31	20	27	0	0	0	0	0	0	0	13.1	0	0
2024	10	24	18	41	20	26	0	0	0	0	0	0	0	13.08	0	0
2024	10	24	18	51	20	27	0	0	0	0	0	0	0	13.07	0	0
2024	10	24	19	1	20	27	0	0	0	0	0	0	0	13.06	0	0
2024	10	24	19	11	20	27	0	0	0	0	0	0	0	13.04	0	0
2024	10	24	19	21	20	27	0	0	0	0	0	0	0	13.02	0	0
2024	10	24	19	31	20	27	0	0	0	0	0	0	0	13	0	0
2024	10	24	19	41	20	27	0	0	0	0	0	0	0	12.97	0	0
2024	10	24	19	51	20	26	0	0	0	0	0	0	0	12.95	0	0
2024	10	24	20	1	20	27	0	0	0	0	0	0	0	12.91	0	0
2024	10	24	20	11	20	27	0	0	0	0	0	0	0	12.87	0	0
2024	10	24	20	21	20	27	0	0	0	0	0	0	0	12.84	0	0
2024	10	24	20	31	20	27	0	0	0	0	0	0	0	12.8	0	0
2024	10	24	20	41	20	27	0	0	0	0	0	0	0	12.76	0	0
2024	10	24	20	51	20	27	0	0	0	0	0	0	0	12.72	0	0
2024	10	24	21	1	20	27	0	0	0	0	0	0	0	12.68	0	0
2024	10	24	21	11	20	26	0	0	0	0	0	0	0	12.63	0	0
2024	10	24	21	21	20	27	0	0	0	0	0	0	0	12.59	0	0
2024	10	24	21	31	20	27	0	0	0	0	0	0	0	12.55	0	0
2024	10	24	21	41	20	27	0	0	0	0	0	0	0	12.51	0	0
2024	10	24	21	51	20	26	0	0	0	0	0	0	0	12.46	0	0
2024	10	24	22	1	20	27	0	0	0	0	0	0	0	12.42	0	0
2024	10	24	22	11	20	28	0	0	0	0	0	0	0	12.38	0	0
2024	10	24	22	21	20	27	0	0	0	0	0	0	0	12.34	0	0
2024	10	24	22	31	20	27	0	0	0	0	0	0	0	12.29	0	0
2024	10	24	22	41	20	28	0	0	0	0	0	0	0	12.24	0	0
2024	10	24	22	51	20	27	0	0	0	0	0	0	0	12.2	0	0
2024	10	24	23	1	20	27	0	0	0	0	0	0	0	12.15	0	0
2024	10	24	23	11	20	27	0	0	0	0	0	0	0	12.1	0	0
2024	10	24	23	21	20	27	0	0	0	0	0	0	0	12.04	0	0
2024	10	24	23	31	20	27	0	0	0	0	0	0	0	12	0	0
2024	10	24	23	41	20	28	0	0	0	0	0	0	0	11.94	0	0
2024	10	24	23	51	20	27	0	0	0	0	0	0	0	11.89	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	25	0	1	20	27	0	0	0	0	0	0	0	11.84	0	0
2024	10	25	0	11	20	26	0	0	0	0	0	0	0	11.79	0	0
2024	10	25	0	21	20	27	0	0	0	0	0	0	0	11.73	0	0
2024	10	25	0	31	20	27	0	0	0	0	0	0	0	11.68	0	0
2024	10	25	0	41	20	27	0	0	0	0	0	0	0	11.63	0	0
2024	10	25	0	51	20	27	0	0	0	0	0	0	0	11.57	0	0
2024	10	25	1	1	20	27	0	0	0	0	0	0	0	11.53	0	0
2024	10	25	1	11	20	27	0	0	0	0	0	0	0	11.47	0	0
2024	10	25	1	21	20	27	0	0	0	0	0	0	0	11.42	0	0
2024	10	25	1	31	20	27	0	0	0	0	0	0	0	11.37	0	0
2024	10	25	1	41	20	26	0	0	0	0	0	0	0	11.32	0	0
2024	10	25	1	51	20	27	0	0	0	0	0	0	0	11.27	0	0
2024	10	25	2	1	20	27	0	0	0	0	0	0	0	11.21	0	0
2024	10	25	2	11	20	28	0	0	0	0	0	0	0	11.16	0	0
2024	10	25	2	21	20	28	0	0	0	0	0	0	0	11.11	0	0
2024	10	25	2	31	20	27	0	0	0	0	0	0	0	11.05	0	0
2024	10	25	2	41	20	27	0	0	0	0	0	0	0	11	0	0
2024	10	25	2	51	20	27	0	0	0	0	0	0	0	10.95	0	0
2024	10	25	3	1	20	27	0	0	0	0	0	0	0	10.89	0	0
2024	10	25	3	11	20	27	0	0	0	0	0	0	0	10.84	0	0
2024	10	25	3	21	20	27	0	0	0	0	0	0	0	10.8	0	0
2024	10	25	3	31	20	27	0	0	0	0	0	0	0	10.75	0	0
2024	10	25	3	41	20	27	0	0	0	0	0	0	0	10.71	0	0
2024	10	25	3	51	20	27	0	0	0	0	0	0	0	10.66	0	0
2024	10	25	4	1	20	28	0	0	0	0	0	0	0	10.62	0	0
2024	10	25	4	11	20	27	0	0	0	0	0	0	0	10.57	0	0
2024	10	25	4	21	20	26	0	0	0	0	0	0	0	10.53	0	0
2024	10	25	4	31	20	27	0	0	0	0	0	0	0	10.5	0	0
2024	10	25	4	41	20	27	0	0	0	0	0	0	0	10.45	0	0
2024	10	25	4	51	20	27	0	0	0	0	0	0	0	10.41	0	0
2024	10	25	5	1	20	28	0	0	0	0	0	0	0	10.38	0	0
2024	10	25	5	11	20	28	0	0	0	0	0	0	0	10.34	0	0
2024	10	25	5	21	20	27	0	0	0	0	0	0	0	10.3	0	0
2024	10	25	5	31	20	26	0	0	0	0	0	0	0	10.27	0	0
2024	10	25	5	41	20	28	0	0	0	0	0	0	0	10.23	0	0
2024	10	25	5	51	20	28	0	0	0	0	0	0	0	10.19	0	0
2024	10	25	6	1	20	28	0	0	0	0	0	0	0	10.15	0	0
2024	10	25	6	11	20	27	0	0	0	0	0	0	0	10.12	0	0
2024	10	25	6	21	20	27	0	0	0	0	0	0	0	10.08	0	0
2024	10	25	6	31	20	28	0	0	0	0	0	0	0	10.05	0	0
2024	10	25	6	41	20	28	0	0	0	0	0	0	0	10.01	0	0
2024	10	25	6	51	20	28	0	0	0	0	0	0	0	9.98	0	0
2024	10	25	7	1	20	27	0	0	0	0	0	0	0	9.94	0	0
2024	10	25	7	11	20	27	0	0	0	0	0	0	0	9.91	0	0
2024	10	25	7	21	20	27	0	0	0	0	0	0	0	9.88	0	0
2024	10	25	7	31	20	27	0	0	0	0	0	0	0	9.85	0	0
2024	10	25	7	41	20	27	0	0	0	0	0	0	0	9.82	0	0
2024	10	25	7	51	20	28	0	0	0	0	0	0	0	9.79	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	25	8	1	20	27	0	0	0	0	0	0	0	9.77	0	0
2024	10	25	8	11	20	28	0	0	0	0	0	0	0	9.75	0	0
2024	10	25	8	21	20	28	0	0	0	0	0	0	0	9.74	0	0
2024	10	25	8	31	20	28	0	0	0	0	0	0	0	9.74	0	0
2024	10	25	8	41	20	27	0	0	0	0	0	0	0	9.74	0	0
2024	10	25	8	51	20	27	0	0	0	0	0	0	0	9.75	0	0
2024	10	25	9	1	20	28	0	0	0	0	0	0	0	9.76	0	0
2024	10	25	9	11	20	28	0	0	0	0	0	0	0	9.79	0	0
2024	10	25	9	21	20	28	0	0	0	0	0	0	0	9.81	0	0
2024	10	25	9	31	20	27	0	0	0	0	0	0	0	9.84	0	0
2024	10	25	9	41	20	27	0	0	0	0	0	0	0	9.88	0	0
2024	10	25	9	51	20	28	0	0	0	0	0	0	0	9.92	0	0
2024	10	25	10	1	20	27	0	0	0	0	0	0	0	9.97	0	0
2024	10	25	10	11	20	28	0	0	0	0	0	0	0	10.03	0	0
2024	10	25	10	21	20	27	0	0	0	0	0	0	0	10.08	0	0
2024	10	25	10	31	20	27	0	0	0	0	0	0	0	10.14	0	0
2024	10	25	10	41	20	28	0	0	0	0	0	0	0	10.21	0	0
2024	10	25	10	51	20	28	0	0	0	0	0	0	0	10.28	0	0
2024	10	25	11	1	20	27	0	0	0	0	0	0	0	10.36	0	0
2024	10	25	11	11	20	28	0	0	0	0	0	0	0	10.43	0	0
2024	10	25	11	21	20	28	0	0	0	0	0	0	0	10.52	0	0
2024	10	25	11	31	20	27	0	0	0	0	0	0	0	10.59	0	0
2024	10	25	11	41	20	27	0	0	0	0	0	0	0	10.67	0	0
2024	10	25	11	51	20	27	0	0	0	0	0	0	0	10.76	0	0
2024	10	25	12	1	20	27	0	0	0	0	0	0	0	10.85	0	0
2024	10	25	12	11	20	27	0	0	0	0	0	0	0	10.95	0	0
2024	10	25	12	21	20	27	0	0	0	0	0	0	0	11.03	0	0
2024	10	25	12	31	20	27	0	0	0	0	0	0	0	11.12	0	0
2024	10	25	12	41	20	27	0	0	0	0	0	0	0	11.21	0	0
2024	10	25	12	51	20	27	0	0	0	0	0	0	0	11.29	0	0
2024	10	25	13	1	20	27	0	0	0	0	0	0	0	11.38	0	0
2024	10	25	13	11	20	27	0	0	0	0	0	0	0	11.47	0	0
2024	10	25	13	21	20	27	0	0	0	0	0	0	0	11.54	0	0
2024	10	25	13	31	20	27	0	0	0	0	0	0	0	11.62	0	0
2024	10	25	13	41	20	27	0	0	0	0	0	0	0	11.7	0	0
2024	10	25	13	51	20	27	0	0	0	0	0	0	0	11.78	0	0
2024	10	25	14	1	20	27	0	0	0	0	0	0	0	11.86	0	0
2024	10	25	14	11	20	27	0	0	0	0	0	0	0	11.92	0	0
2024	10	25	14	21	20	27	0	0	0	0	0	0	0	11.99	0	0
2024	10	25	14	31	20	27	0	0	0	0	0	0	0	12.05	0	0
2024	10	25	14	41	20	27	0	0	0	0	0	0	0	12.12	0	0
2024	10	25	14	51	20	27	0	0	0	0	0	0	0	12.18	0	0
2024	10	25	15	1	20	27	0	0	0	0	0	0	0	12.24	0	0
2024	10	25	15	11	20	27	0	0	0	0	0	0	0	12.3	0	0
2024	10	25	15	21	20	27	0	0	0	0	0	0	0	12.35	0	0
2024	10	25	15	31	20	27	0	0	0	0	0	0	0	12.39	0	0
2024	10	25	15	41	20	27	0	0	0	0	0	0	0	12.43	0	0
2024	10	25	15	51	20	27	0	0	0	0	0	0	0	12.47	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	25	16	1	20	27	0	0	0	0	0	0	0	12.51	0	0
2024	10	25	16	11	20	27	0	0	0	0	0	0	0	12.55	0	0
2024	10	25	16	21	20	27	0	0	0	0	0	0	0	12.58	0	0
2024	10	25	16	31	20	27	0	0	0	0	0	0	0	12.61	0	0
2024	10	25	16	41	20	27	0	0	0	0	0	0	0	12.63	0	0
2024	10	25	16	51	20	27	0	0	0	0	0	0	0	12.66	0	0
2024	10	25	17	1	20	27	0	0	0	0	0	0	0	12.68	0	0
2024	10	25	17	11	20	28	0	0	0	0	0	0	0	12.7	0	0
2024	10	25	17	21	20	27	0	0	0	0	0	0	0	12.72	0	0
2024	10	25	17	31	20	27	0	0	0	0	0	0	0	12.74	0	0
2024	10	25	17	41	20	27	0	0	0	0	0	0	0	12.75	0	0
2024	10	25	17	51	20	27	0	0	0	0	0	0	0	12.75	0	0
2024	10	25	18	1	20	27	0	0	0	0	0	0	0	12.76	0	0
2024	10	25	18	11	20	27	0	0	0	0	0	0	0	12.76	0	0
2024	10	25	18	21	20	27	0	0	0	0	0	0	0	12.76	0	0
2024	10	25	18	31	20	27	0	0	0	0	0	0	0	12.76	0	0
2024	10	25	18	41	20	27	0	0	0	0	0	0	0	12.75	0	0
2024	10	25	18	51	20	27	0	0	0	0	0	0	0	12.74	0	0
2024	10	25	19	1	20	27	0	0	0	0	0	0	0	12.73	0	0
2024	10	25	19	11	20	27	0	0	0	0	0	0	0	12.71	0	0
2024	10	25	19	21	20	27	0	0	0	0	0	0	0	12.69	0	0
2024	10	25	19	31	20	27	0	0	0	0	0	0	0	12.67	0	0
2024	10	25	19	41	20	27	0	0	0	0	0	0	0	12.65	0	0
2024	10	25	19	51	20	27	0	0	0	0	0	0	0	12.62	0	0
2024	10	25	20	1	20	27	0	0	0	0	0	0	0	12.59	0	0
2024	10	25	20	11	20	27	0	0	0	0	0	0	0	12.56	0	0
2024	10	25	20	21	20	27	0	0	0	0	0	0	0	12.53	0	0
2024	10	25	20	31	20	27	0	0	0	0	0	0	0	12.49	0	0
2024	10	25	20	41	20	27	0	0	0	0	0	0	0	12.46	0	0
2024	10	25	20	51	20	27	0	0	0	0	0	0	0	12.41	0	0
2024	10	25	21	1	20	27	0	0	0	0	0	0	0	12.38	0	0
2024	10	25	21	11	20	27	0	0	0	0	0	0	0	12.34	0	0
2024	10	25	21	21	20	27	0	0	0	0	0	0	0	12.3	0	0
2024	10	25	21	31	20	27	0	0	0	0	0	0	0	12.26	0	0
2024	10	25	21	41	20	27	0	0	0	0	0	0	0	12.22	0	0
2024	10	25	21	51	20	27	0	0	0	0	0	0	0	12.18	0	0
2024	10	25	22	1	20	27	0	0	0	0	0	0	0	12.14	0	0
2024	10	25	22	11	20	27	0	0	0	0	0	0	0	12.09	0	0
2024	10	25	22	21	20	27	0	0	0	0	0	0	0	12.05	0	0
2024	10	25	22	31	20	27	0	0	0	0	0	0	0	12.01	0	0
2024	10	25	22	41	20	27	0	0	0	0	0	0	0	11.97	0	0
2024	10	25	22	51	20	27	0	0	0	0	0	0	0	11.92	0	0
2024	10	25	23	1	20	27	0	0	0	0	0	0	0	11.88	0	0
2024	10	25	23	11	20	28	0	0	0	0	0	0	0	11.84	0	0
2024	10	25	23	21	20	28	0	0	0	0	0	0	0	11.8	0	0
2024	10	25	23	31	20	27	0	0	0	0	0	0	0	11.75	0	0
2024	10	25	23	41	20	26	0	0	0	0	0	0	0	11.7	0	0
2024	10	25	23	51	20	27	0	0	0	0	0	0	0	11.66	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	26	0	1	20	27	0	0	0	0	0	0	0	11.61	0	0
2024	10	26	0	11	20	26	0	0	0	0	0	0	0	11.57	0	0
2024	10	26	0	21	20	26	0	0	0	0	0	0	0	11.53	0	0
2024	10	26	0	31	20	27	0	0	0	0	0	0	0	11.48	0	0
2024	10	26	0	41	20	27	0	0	0	0	0	0	0	11.45	0	0
2024	10	26	0	51	20	27	0	0	0	0	0	0	0	11.4	0	0
2024	10	26	1	1	20	28	0	0	0	0	0	0	0	11.35	0	0
2024	10	26	1	11	20	28	0	0	0	0	0	0	0	11.31	0	0
2024	10	26	1	21	20	27	0	0	0	0	0	0	0	11.27	0	0
2024	10	26	1	31	20	27	0	0	0	0	0	0	0	11.23	0	0
2024	10	26	1	41	20	27	0	0	0	0	0	0	0	11.18	0	0
2024	10	26	1	51	20	27	0	0	0	0	0	0	0	11.14	0	0
2024	10	26	2	1	20	27	0	0	0	0	0	0	0	11.1	0	0
2024	10	26	2	11	20	28	0	0	0	0	0	0	0	11.06	0	0
2024	10	26	2	21	20	28	0	0	0	0	0	0	0	11.01	0	0
2024	10	26	2	31	20	27	0	0	0	0	0	0	0	10.97	0	0
2024	10	26	2	41	20	27	0	0	0	0	0	0	0	10.93	0	0
2024	10	26	2	51	20	27	0	0	0	0	0	0	0	10.89	0	0
2024	10	26	3	1	20	27	0	0	0	0	0	0	0	10.85	0	0
2024	10	26	3	11	20	27	0	0	0	0	0	0	0	10.81	0	0
2024	10	26	3	21	20	27	0	0	0	0	0	0	0	10.77	0	0
2024	10	26	3	31	20	27	0	0	0	0	0	0	0	10.73	0	0
2024	10	26	3	41	20	28	0	0	0	0	0	0	0	10.7	0	0
2024	10	26	3	51	20	27	0	0	0	0	0	0	0	10.66	0	0
2024	10	26	4	1	20	27	0	0	0	0	0	0	0	10.62	0	0
2024	10	26	4	11	20	27	0	0	0	0	0	0	0	10.59	0	0
2024	10	26	4	21	20	27	0	0	0	0	0	0	0	10.56	0	0
2024	10	26	4	31	20	27	0	0	0	0	0	0	0	10.52	0	0
2024	10	26	4	41	20	27	0	0	0	0	0	0	0	10.5	0	0
2024	10	26	4	51	20	27	0	0	0	0	0	0	0	10.47	0	0
2024	10	26	5	1	20	27	0	0	0	0	0	0	0	10.43	0	0
2024	10	26	5	11	20	27	0	0	0	0	0	0	0	10.41	0	0
2024	10	26	5	21	20	28	0	0	0	0	0	0	0	10.38	0	0
2024	10	26	5	31	20	27	0	0	0	0	0	0	0	10.35	0	0
2024	10	26	5	41	20	28	0	0	0	0	0	0	0	10.33	0	0
2024	10	26	5	51	20	28	0	0	0	0	0	0	0	10.3	0	0
2024	10	26	6	1	20	27	0	0	0	0	0	0	0	10.27	0	0
2024	10	26	6	11	20	28	0	0	0	0	0	0	0	10.25	0	0
2024	10	26	6	21	20	27	0	0	0	0	0	0	0	10.22	0	0
2024	10	26	6	31	20	27	0	0	0	0	0	0	0	10.2	0	0
2024	10	26	6	41	20	27	0	0	0	0	0	0	0	10.17	0	0
2024	10	26	6	51	20	27	0	0	0	0	0	0	0	10.15	0	0
2024	10	26	7	1	20	28	0	0	0	0	0	0	0	10.13	0	0
2024	10	26	7	11	20	28	0	0	0	0	0	0	0	10.1	0	0
2024	10	26	7	21	20	27	0	0	0	0	0	0	0	10.09	0	0
2024	10	26	7	31	20	27	0	0	0	0	0	0	0	10.07	0	0
2024	10	26	7	41	20	27	0	0	0	0	0	0	0	10.05	0	0
2024	10	26	7	51	20	28	0	0	0	0	0	0	0	10.03	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	26	8	1	20	27	0	0	0	0	0	0	0	10.02	0	0
2024	10	26	8	11	20	27	0	0	0	0	0	0	0	10.02	0	0
2024	10	26	8	21	20	27	0	0	0	0	0	0	0	10.01	0	0
2024	10	26	8	31	20	27	0	0	0	0	0	0	0	10.02	0	0
2024	10	26	8	41	20	28	0	0	0	0	0	0	0	10.02	0	0
2024	10	26	8	51	20	27	0	0	0	0	0	0	0	10.03	0	0
2024	10	26	9	1	20	28	0	0	0	0	0	0	0	10.06	0	0
2024	10	26	9	11	20	28	0	0	0	0	0	0	0	10.08	0	0
2024	10	26	9	21	20	28	0	0	0	0	0	0	0	10.11	0	0
2024	10	26	9	31	20	28	0	0	0	0	0	0	0	10.14	0	0
2024	10	26	9	41	20	27	0	0	0	0	0	0	0	10.18	0	0
2024	10	26	9	51	20	27	0	0	0	0	0	0	0	10.22	0	0
2024	10	26	10	1	20	28	0	0	0	0	0	0	0	10.27	0	0
2024	10	26	10	11	20	28	0	0	0	0	0	0	0	10.31	0	0
2024	10	26	10	21	20	27	0	0	0	0	0	0	0	10.36	0	0
2024	10	26	10	31	20	27	0	0	0	0	0	0	0	10.43	0	0
2024	10	26	10	41	20	27	0	0	0	0	0	0	0	10.5	0	0
2024	10	26	10	51	20	27	0	0	0	0	0	0	0	10.57	0	0
2024	10	26	11	1	20	27	0	0	0	0	0	0	0	10.65	0	0
2024	10	26	11	11	20	27	0	0	0	0	0	0	0	10.73	0	0
2024	10	26	11	21	20	27	0	0	0	0	0	0	0	10.79	0	0
2024	10	26	11	31	20	26	0	0	0	0	0	0	0	10.87	0	0
2024	10	26	11	41	20	27	0	0	0	0	0	0	0	10.95	0	0
2024	10	26	11	51	20	28	0	0	0	0	0	0	0	11.05	0	0
2024	10	26	12	1	20	27	0	0	0	0	0	0	0	11.12	0	0
2024	10	26	12	11	20	27	0	0	0	0	0	0	0	11.19	0	0
2024	10	26	12	21	20	27	0	0	0	0	0	0	0	11.29	0	0
2024	10	26	12	31	20	27	0	0	0	0	0	0	0	11.35	0	0
2024	10	26	12	41	20	28	0	0	0	0	0	0	0	11.44	0	0
2024	10	26	12	51	20	28	0	0	0	0	0	0	0	11.5	0	0
2024	10	26	13	1	20	28	0	0	0	0	0	0	0	11.57	0	0
2024	10	26	13	11	20	27	0	0	0	0	0	0	0	11.63	0	0
2024	10	26	13	21	20	28	0	0	0	0	0	0	0	11.72	0	0
2024	10	26	13	31	20	27	0	0	0	0	0	0	0	11.79	0	0
2024	10	26	13	41	20	27	0	0	0	0	0	0	0	11.86	0	0
2024	10	26	13	51	20	27	0	0	0	0	0	0	0	11.94	0	0
2024	10	26	14	1	20	27	0	0	0	0	0	0	0	12.01	0	0
2024	10	26	14	11	20	28	0	0	0	0	0	0	0	12.08	0	0
2024	10	26	14	21	20	27	0	0	0	0	0	0	0	12.15	0	0
2024	10	26	14	31	20	27	0	0	0	0	0	0	0	12.2	0	0
2024	10	26	14	41	20	27	0	0	0	0	0	0	0	12.26	0	0
2024	10	26	14	51	20	27	0	0	0	0	0	0	0	12.31	0	0
2024	10	26	15	1	20	27	0	0	0	0	0	0	0	12.37	0	0
2024	10	26	15	11	20	27	0	0	0	0	0	0	0	12.43	0	0
2024	10	26	15	21	20	28	0	0	0	0	0	0	0	12.49	0	0
2024	10	26	15	31	20	27	0	0	0	0	0	0	0	12.54	0	0
2024	10	26	15	41	20	27	0	0	0	0	0	0	0	12.58	0	0
2024	10	26	15	51	20	27	0	0	0	0	0	0	0	12.62	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	26	16	1	20	27	0	0	0	0	0	0	0	12.65	0	0
2024	10	26	16	11	20	27	0	0	0	0	0	0	0	12.68	0	0
2024	10	26	16	21	20	28	0	0	0	0	0	0	0	12.71	0	0
2024	10	26	16	31	20	27	0	0	0	0	0	0	0	12.74	0	0
2024	10	26	16	41	20	26	0	0	0	0	0	0	0	12.77	0	0
2024	10	26	16	51	20	27	0	0	0	0	0	0	0	12.79	0	0
2024	10	26	17	1	20	27	0	0	0	0	0	0	0	12.81	0	0
2024	10	26	17	11	20	27	0	0	0	0	0	0	0	12.83	0	0
2024	10	26	17	21	20	27	0	0	0	0	0	0	0	12.84	0	0
2024	10	26	17	31	20	26	0	0	0	0	0	0	0	12.86	0	0
2024	10	26	17	41	20	27	0	0	0	0	0	0	0	12.88	0	0
2024	10	26	17	51	20	26	0	0	0	0	0	0	0	12.88	0	0
2024	10	26	18	1	20	26	0	0	0	0	0	0	0	12.89	0	0
2024	10	26	18	11	20	27	0	0	0	0	0	0	0	12.89	0	0
2024	10	26	18	21	20	26	0	0	0	0	0	0	0	12.9	0	0
2024	10	26	18	31	20	28	0	0	0	0	0	0	0	12.9	0	0
2024	10	26	18	41	20	28	0	0	0	0	0	0	0	12.9	0	0
2024	10	26	18	51	20	27	0	0	0	0	0	0	0	12.89	0	0
2024	10	26	19	1	20	27	0	0	0	0	0	0	0	12.89	0	0
2024	10	26	19	11	20	27	0	0	0	0	0	0	0	12.88	0	0
2024	10	26	19	21	20	27	0	0	0	0	0	0	0	12.86	0	0
2024	10	26	19	31	20	27	0	0	0	0	0	0	0	12.84	0	0
2024	10	26	19	41	20	27	0	0	0	0	0	0	0	12.82	0	0
2024	10	26	19	51	20	27	0	0	0	0	0	0	0	12.81	0	0
2024	10	26	20	1	20	27	0	0	0	0	0	0	0	12.78	0	0
2024	10	26	20	11	20	28	0	0	0	0	0	0	0	12.76	0	0
2024	10	26	20	21	20	27	0	0	0	0	0	0	0	12.73	0	0
2024	10	26	20	31	20	27	0	0	0	0	0	0	0	12.7	0	0
2024	10	26	20	41	20	27	0	0	0	0	0	0	0	12.67	0	0
2024	10	26	20	51	20	27	0	0	0	0	0	0	0	12.64	0	0
2024	10	26	21	1	20	27	0	0	0	0	0	0	0	12.61	0	0
2024	10	26	21	11	20	27	0	0	0	0	0	0	0	12.58	0	0
2024	10	26	21	21	20	26	0	0	0	0	0	0	0	12.55	0	0
2024	10	26	21	31	20	27	0	0	0	0	0	0	0	12.52	0	0
2024	10	26	21	41	20	27	0	0	0	0	0	0	0	12.48	0	0
2024	10	26	21	51	20	27	0	0	0	0	0	0	0	12.45	0	0
2024	10	26	22	1	20	27	0	0	0	0	0	0	0	12.41	0	0
2024	10	26	22	11	20	27	0	0	0	0	0	0	0	12.37	0	0
2024	10	26	22	21	20	27	0	0	0	0	0	0	0	12.34	0	0
2024	10	26	22	31	20	27	0	0	0	0	0	0	0	12.3	0	0
2024	10	26	22	41	20	27	0	0	0	0	0	0	0	12.26	0	0
2024	10	26	22	51	20	27	0	0	0	0	0	0	0	12.23	0	0
2024	10	26	23	1	20	27	0	0	0	0	0	0	0	12.19	0	0
2024	10	26	23	11	20	27	0	0	0	0	0	0	0	12.15	0	0
2024	10	26	23	21	20	26	0	0	0	0	0	0	0	12.11	0	0
2024	10	26	23	31	20	27	0	0	0	0	0	0	0	12.07	0	0
2024	10	26	23	41	20	27	0	0	0	0	0	0	0	12.02	0	0
2024	10	26	23	51	20	27	0	0	0	0	0	0	0	11.98	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	27	0	1	20	27	0	0	0	0	0	0	0	11.94	0	0
2024	10	27	0	11	20	27	0	0	0	0	0	0	0	11.89	0	0
2024	10	27	0	21	20	27	0	0	0	0	0	0	0	11.85	0	0
2024	10	27	0	31	20	27	0	0	0	0	0	0	0	11.81	0	0
2024	10	27	0	41	20	27	0	0	0	0	0	0	0	11.76	0	0
2024	10	27	0	51	20	27	0	0	0	0	0	0	0	11.72	0	0
2024	10	27	1	1	20	26	0	0	0	0	0	0	0	11.67	0	0
2024	10	27	1	11	20	27	0	0	0	0	0	0	0	11.62	0	0
2024	10	27	1	21	20	28	0	0	0	0	0	0	0	11.57	0	0
2024	10	27	1	31	20	27	0	0	0	0	0	0	0	11.53	0	0
2024	10	27	1	41	20	27	0	0	0	0	0	0	0	11.48	0	0
2024	10	27	1	51	20	27	0	0	0	0	0	0	0	11.44	0	0
2024	10	27	2	1	20	27	0	0	0	0	0	0	0	11.39	0	0
2024	10	27	2	11	20	27	0	0	0	0	0	0	0	11.35	0	0
2024	10	27	2	21	20	27	0	0	0	0	0	0	0	11.3	0	0
2024	10	27	2	31	20	27	0	0	0	0	0	0	0	11.26	0	0
2024	10	27	2	41	20	27	0	0	0	0	0	0	0	11.21	0	0
2024	10	27	2	51	20	28	0	0	0	0	0	0	0	11.17	0	0
2024	10	27	3	1	20	27	0	0	0	0	0	0	0	11.13	0	0
2024	10	27	3	11	20	27	0	0	0	0	0	0	0	11.1	0	0
2024	10	27	3	21	20	27	0	0	0	0	0	0	0	11.06	0	0
2024	10	27	3	31	20	27	0	0	0	0	0	0	0	11.02	0	0
2024	10	27	3	41	20	27	0	0	0	0	0	0	0	10.98	0	0
2024	10	27	3	51	20	27	0	0	0	0	0	0	0	10.94	0	0
2024	10	27	4	1	20	27	0	0	0	0	0	0	0	10.91	0	0
2024	10	27	4	11	20	26	0	0	0	0	0	0	0	10.88	0	0
2024	10	27	4	21	20	27	0	0	0	0	0	0	0	10.84	0	0
2024	10	27	4	31	20	27	0	0	0	0	0	0	0	10.82	0	0
2024	10	27	4	41	20	28	0	0	0	0	0	0	0	10.79	0	0
2024	10	27	4	51	20	27	0	0	0	0	0	0	0	10.76	0	0
2024	10	27	5	1	20	27	0	0	0	0	0	0	0	10.73	0	0
2024	10	27	5	11	20	28	0	0	0	0	0	0	0	10.71	0	0
2024	10	27	5	21	20	28	0	0	0	0	0	0	0	10.68	0	0
2024	10	27	5	31	20	27	0	0	0	0	0	0	0	10.66	0	0
2024	10	27	5	41	20	26	0	0	0	0	0	0	0	10.63	0	0
2024	10	27	5	51	20	27	0	0	0	0	0	0	0	10.61	0	0
2024	10	27	6	1	20	28	0	0	0	0	0	0	0	10.58	0	0
2024	10	27	6	11	20	27	0	0	0	0	0	0	0	10.56	0	0
2024	10	27	6	21	20	27	0	0	0	0	0	0	0	10.54	0	0
2024	10	27	6	31	20	27	0	0	0	0	0	0	0	10.52	0	0
2024	10	27	6	41	20	28	0	0	0	0	0	0	0	10.5	0	0
2024	10	27	6	51	20	27	0	0	0	0	0	0	0	10.48	0	0
2024	10	27	7	1	20	27	0	0	0	0	0	0	0	10.47	0	0
2024	10	27	7	11	20	28	0	0	0	0	0	0	0	10.45	0	0
2024	10	27	7	21	20	27	0	0	0	0	0	0	0	10.44	0	0
2024	10	27	7	31	20	27	0	0	0	0	0	0	0	10.42	0	0
2024	10	27	7	41	20	27	0	0	0	0	0	0	0	10.41	0	0
2024	10	27	7	51	20	28	0	0	0	0	0	0	0	10.4	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	27	8	1	20	27	0	0	0	0	0	0	0	10.38	0	0
2024	10	27	8	11	20	27	0	0	0	0	0	0	0	10.37	0	0
2024	10	27	8	21	20	27	0	0	0	0	0	0	0	10.37	0	0
2024	10	27	8	31	20	27	0	0	0	0	0	0	0	10.36	0	0
2024	10	27	8	41	20	27	0	0	0	0	0	0	0	10.36	0	0
2024	10	27	8	51	20	27	0	0	0	0	0	0	0	10.36	0	0
2024	10	27	9	1	20	27	0	0	0	0	0	0	0	10.37	0	0
2024	10	27	9	11	20	27	0	0	0	0	0	0	0	10.38	0	0
2024	10	27	9	21	20	27	0	0	0	0	0	0	0	10.38	0	0
2024	10	27	9	31	20	27	0	0	0	0	0	0	0	10.4	0	0
2024	10	27	9	41	20	27	0	0	0	0	0	0	0	10.43	0	0
2024	10	27	9	51	20	27	0	0	0	0	0	0	0	10.46	0	0
2024	10	27	10	1	20	28	0	0	0	0	0	0	0	10.5	0	0
2024	10	27	10	11	20	27	0	0	0	0	0	0	0	10.56	0	0
2024	10	27	10	21	20	28	0	0	0	0	0	0	0	10.61	0	0
2024	10	27	10	31	20	28	0	0	0	0	0	0	0	10.67	0	0
2024	10	27	10	41	20	28	0	0	0	0	0	0	0	10.73	0	0
2024	10	27	10	51	20	27	0	0	0	0	0	0	0	10.79	0	0
2024	10	27	11	1	20	28	0	0	0	0	0	0	0	10.86	0	0
2024	10	27	11	11	20	28	0	0	0	0	0	0	0	10.95	0	0
2024	10	27	11	21	20	27	0	0	0	0	0	0	0	11.04	0	0
2024	10	27	11	31	20	28	0	0	0	0	0	0	0	11.13	0	0
2024	10	27	11	41	20	27	0	0	0	0	0	0	0	11.23	0	0
2024	10	27	11	51	20	27	0	0	0	0	0	0	0	11.32	0	0
2024	10	27	12	1	20	27	0	0	0	0	0	0	0	11.41	0	0
2024	10	27	12	11	20	27	0	0	0	0	0	0	0	11.48	0	0
2024	10	27	12	21	20	27	0	0	0	0	0	0	0	11.59	0	0
2024	10	27	12	31	20	27	0	0	0	0	0	0	0	11.68	0	0
2024	10	27	12	41	20	27	0	0	0	0	0	0	0	11.76	0	0
2024	10	27	12	51	20	27	0	0	0	0	0	0	0	11.84	0	0
2024	10	27	13	1	20	26	0	0	0	0	0	0	0	11.92	0	0
2024	10	27	13	11	20	27	0	0	0	0	0	0	0	12.01	0	0
2024	10	27	13	21	20	28	0	0	0	0	0	0	0	12.08	0	0
2024	10	27	13	31	20	27	0	0	0	0	0	0	0	12.15	0	0
2024	10	27	13	41	20	28	0	0	0	0	0	0	0	12.22	0	0
2024	10	27	13	51	20	26	0	0	0	0	0	0	0	12.31	0	0
2024	10	27	14	1	20	28	0	0	0	0	0	0	0	12.39	0	0
2024	10	27	14	11	20	27	0	0	0	0	0	0	0	12.47	0	0
2024	10	27	14	21	20	27	0	0	0	0	0	0	0	12.54	0	0
2024	10	27	14	31	20	27	0	0	0	0	0	0	0	12.61	0	0
2024	10	27	14	41	20	27	0	0	0	0	0	0	0	12.68	0	0
2024	10	27	14	51	20	27	0	0	0	0	0	0	0	12.74	0	0
2024	10	27	15	1	20	27	0	0	0	0	0	0	0	12.8	0	0
2024	10	27	15	11	20	27	0	0	0	0	0	0	0	12.87	0	0
2024	10	27	15	21	20	27	0	0	0	0	0	0	0	12.93	0	0
2024	10	27	15	31	20	27	0	0	0	0	0	0	0	12.98	0	0
2024	10	27	15	41	20	27	0	0	0	0	0	0	0	13.03	0	0
2024	10	27	15	51	20	27	0	0	0	0	0	0	0	13.08	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	27	16	1	20	27	0	0	0	0	0	0	0	13.13	0	0
2024	10	27	16	11	20	27	0	0	0	0	0	0	0	13.17	0	0
2024	10	27	16	21	20	27	0	0	0	0	0	0	0	13.22	0	0
2024	10	27	16	31	20	27	0	0	0	0	0	0	0	13.26	0	0
2024	10	27	16	41	20	27	0	0	0	0	0	0	0	13.3	0	0
2024	10	27	16	51	20	27	0	0	0	0	0	0	0	13.33	0	0
2024	10	27	17	1	20	27	0	0	0	0	0	0	0	13.36	0	0
2024	10	27	17	11	20	26	0	0	0	0	0	0	0	13.4	0	0
2024	10	27	17	21	20	26	0	0	0	0	0	0	0	13.42	0	0
2024	10	27	17	31	20	27	0	0	0	0	0	0	0	13.43	0	0
2024	10	27	17	41	20	27	0	0	0	0	0	0	0	13.45	0	0
2024	10	27	17	51	20	27	0	0	0	0	0	0	0	13.47	0	0
2024	10	27	18	1	20	27	0	0	0	0	0	0	0	13.48	0	0
2024	10	27	18	11	20	27	0	0	0	0	0	0	0	13.48	0	0
2024	10	27	18	21	20	26	0	0	0	0	0	0	0	13.48	0	0
2024	10	27	18	31	20	28	0	0	0	0	0	0	0	13.49	0	0
2024	10	27	18	41	20	27	0	0	0	0	0	0	0	13.49	0	0
2024	10	27	18	51	20	27	0	0	0	0	0	0	0	13.49	0	0
2024	10	27	19	1	20	27	0	0	0	0	0	0	0	13.49	0	0
2024	10	27	19	11	20	27	0	0	0	0	0	0	0	13.48	0	0
2024	10	27	19	21	20	27	0	0	0	0	0	0	0	13.48	0	0
2024	10	27	19	31	20	27	0	0	0	0	0	0	0	13.47	0	0
2024	10	27	19	41	20	28	0	0	0	0	0	0	0	13.46	0	0
2024	10	27	19	51	20	27	0	0	0	0	0	0	0	13.45	0	0
2024	10	27	20	1	20	27	0	0	0	0	0	0	0	13.44	0	0
2024	10	27	20	11	20	26	0	0	0	0	0	0	0	13.43	0	0
2024	10	27	20	21	20	26	0	0	0	0	0	0	0	13.41	0	0
2024	10	27	20	31	20	27	0	0	0	0	0	0	0	13.39	0	0
2024	10	27	20	41	20	26	0	0	0	0	0	0	0	13.38	0	0
2024	10	27	20	51	20	27	0	0	0	0	0	0	0	13.35	0	0
2024	10	27	21	1	20	27	0	0	0	0	0	0	0	13.33	0	0
2024	10	27	21	11	20	27	0	0	0	0	0	0	0	13.32	0	0
2024	10	27	21	21	20	27	0	0	0	0	0	0	0	13.29	0	0
2024	10	27	21	31	20	26	0	0	0	0	0	0	0	13.27	0	0
2024	10	27	21	41	20	27	0	0	0	0	0	0	0	13.24	0	0
2024	10	27	21	51	20	27	0	0	0	0	0	0	0	13.21	0	0
2024	10	27	22	1	20	27	0	0	0	0	0	0	0	13.18	0	0
2024	10	27	22	11	20	26	0	0	0	0	0	0	0	13.15	0	0
2024	10	27	22	21	20	27	0	0	0	0	0	0	0	13.12	0	0
2024	10	27	22	31	20	27	0	0	0	0	0	0	0	13.09	0	0
2024	10	27	22	41	20	27	0	0	0	0	0	0	0	13.07	0	0
2024	10	27	22	51	20	27	0	0	0	0	0	0	0	13.04	0	0
2024	10	27	23	1	20	27	0	0	0	0	0	0	0	13.01	0	0
2024	10	27	23	11	20	27	0	0	0	0	0	0	0	12.97	0	0
2024	10	27	23	21	20	27	0	0	0	0	0	0	0	12.94	0	0
2024	10	27	23	31	20	27	0	0	0	0	0	0	0	12.92	0	0
2024	10	27	23	41	20	27	0	0	0	0	0	0	0	12.89	0	0
2024	10	27	23	51	20	27	0	0	0	0	0	0	0	12.86	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	28	0	1	20	26	0	0	0	0	0	0	0	12.83	0	0
2024	10	28	0	11	20	27	0	0	0	0	0	0	0	12.79	0	0
2024	10	28	0	21	20	27	0	0	0	0	0	0	0	12.76	0	0
2024	10	28	0	31	20	26	0	0	0	0	0	0	0	12.73	0	0
2024	10	28	0	41	20	26	0	0	0	0	0	0	0	12.7	0	0
2024	10	28	0	51	20	26	0	0	0	0	0	0	0	12.67	0	0
2024	10	28	1	1	20	27	0	0	0	0	0	0	0	12.63	0	0
2024	10	28	1	11	20	28	0	0	0	0	0	0	0	12.59	0	0
2024	10	28	1	21	20	27	0	0	0	0	0	0	0	12.56	0	0
2024	10	28	1	31	20	27	0	0	0	0	0	0	0	12.53	0	0
2024	10	28	1	41	20	27	0	0	0	0	0	0	0	12.49	0	0
2024	10	28	1	51	20	27	0	0	0	0	0	0	0	12.45	0	0
2024	10	28	2	1	20	27	0	0	0	0	0	0	0	12.42	0	0
2024	10	28	2	11	20	27	0	0	0	0	0	0	0	12.38	0	0
2024	10	28	2	21	20	27	0	0	0	0	0	0	0	12.35	0	0
2024	10	28	2	31	20	28	0	0	0	0	0	0	0	12.31	0	0
2024	10	28	2	41	20	28	0	0	0	0	0	0	0	12.27	0	0
2024	10	28	2	51	20	27	0	0	0	0	0	0	0	12.23	0	0
2024	10	28	3	1	20	27	0	0	0	0	0	0	0	12.2	0	0
2024	10	28	3	11	20	27	0	0	0	0	0	0	0	12.17	0	0
2024	10	28	3	21	20	27	0	0	0	0	0	0	0	12.13	0	0
2024	10	28	3	31	20	27	0	0	0	0	0	0	0	12.11	0	0
2024	10	28	3	41	20	27	0	0	0	0	0	0	0	12.08	0	0
2024	10	28	3	51	20	27	0	0	0	0	0	0	0	12.05	0	0
2024	10	28	4	1	20	27	0	0	0	0	0	0	0	12.03	0	0
2024	10	28	4	11	20	27	0	0	0	0	0	0	0	12	0	0
2024	10	28	4	21	20	27	0	0	0	0	0	0	0	11.98	0	0
2024	10	28	4	31	20	27	0	0	0	0	0	0	0	11.95	0	0
2024	10	28	4	41	20	28	0	0	0	0	0	0	0	11.93	0	0
2024	10	28	4	51	20	28	0	0	0	0	0	0	0	11.91	0	0
2024	10	28	5	1	20	27	0	0	0	0	0	0	0	11.89	0	0
2024	10	28	5	11	20	27	0	0	0	0	0	0	0	11.87	0	0
2024	10	28	5	21	20	27	0	0	0	0	0	0	0	11.85	0	0
2024	10	28	5	31	20	27	0	0	0	0	0	0	0	11.83	0	0
2024	10	28	5	41	20	27	0	0	0	0	0	0	0	11.81	0	0
2024	10	28	5	51	20	27	0	0	0	0	0	0	0	11.78	0	0
2024	10	28	6	1	20	27	0	0	0	0	0	0	0	11.76	0	0
2024	10	28	6	11	20	27	0	0	0	0	0	0	0	11.75	0	0
2024	10	28	6	21	20	27	0	0	0	0	0	0	0	11.74	0	0
2024	10	28	6	31	20	27	0	0	0	0	0	0	0	11.73	0	0
2024	10	28	6	41	20	27	0	0	0	0	0	0	0	11.71	0	0
2024	10	28	6	51	20	27	0	0	0	0	0	0	0	11.7	0	0
2024	10	28	7	1	20	27	0	0	0	0	0	0	0	11.68	0	0
2024	10	28	7	11	20	27	0	0	0	0	0	0	0	11.67	0	0
2024	10	28	7	21	20	27	0	0	0	0	0	0	0	11.66	0	0
2024	10	28	7	31	20	27	0	0	0	0	0	0	0	11.66	0	0
2024	10	28	7	41	20	26	0	0	0	0	0	0	0	11.65	0	0
2024	10	28	7	51	20	27	0	0	0	0	0	0	0	11.64	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	28	8	1	20	27	0	0	0	0	0	0	0	11.64	0	0
2024	10	28	8	11	20	27	0	0	0	0	0	0	0	11.63	0	0
2024	10	28	8	21	20	26	0	0	0	0	0	0	0	11.63	0	0
2024	10	28	8	31	20	27	0	0	0	0	0	0	0	11.64	0	0
2024	10	28	8	41	20	28	0	0	0	0	0	0	0	11.63	0	0
2024	10	28	8	51	20	27	0	0	0	0	0	0	0	11.64	0	0
2024	10	28	9	1	20	27	0	0	0	0	0	0	0	11.65	0	0
2024	10	28	9	11	20	27	0	0	0	0	0	0	0	11.67	0	0
2024	10	28	9	21	20	28	0	0	0	0	0	0	0	11.69	0	0
2024	10	28	9	31	20	27	0	0	0	0	0	0	0	11.72	0	0
2024	10	28	9	41	20	27	0	0	0	0	0	0	0	11.74	0	0
2024	10	28	9	51	20	27	0	0	0	0	0	0	0	11.78	0	0
2024	10	28	10	1	20	27	0	0	0	0	0	0	0	11.82	0	0
2024	10	28	10	11	20	27	0	0	0	0	0	0	0	11.85	0	0
2024	10	28	10	21	20	27	0	0	0	0	0	0	0	11.9	0	0
2024	10	28	10	31	20	27	0	0	0	0	0	0	0	11.94	0	0
2024	10	28	10	41	20	27	0	0	0	0	0	0	0	12	0	0
2024	10	28	10	51	20	27	0	0	0	0	0	0	0	12.05	0	0
2024	10	28	11	1	20	28	0	0	0	0	0	0	0	12.11	0	0
2024	10	28	11	11	20	27	0	0	0	0	0	0	0	12.17	0	0
2024	10	28	11	21	20	28	0	0	0	0	0	0	0	12.24	0	0
2024	10	28	11	31	20	26	0	0	0	0	0	0	0	12.31	0	0
2024	10	28	11	41	20	27	0	0	0	0	0	0	0	12.38	0	0
2024	10	28	11	51	20	28	0	0	0	0	0	0	0	12.45	0	0
2024	10	28	12	1	20	27	0	0	0	0	0	0	0	12.53	0	0
2024	10	28	12	11	20	27	0	0	0	0	0	0	0	12.6	0	0
2024	10	28	12	21	20	27	0	0	0	0	0	0	0	12.67	0	0
2024	10	28	12	31	20	26	0	0	0	0	0	0	0	12.74	0	0
2024	10	28	12	41	20	26	0	0	0	0	0	0	0	12.81	0	0
2024	10	28	12	51	20	27	0	0	0	0	0	0	0	12.88	0	0
2024	10	28	13	1	20	27	0	0	0	0	0	0	0	12.95	0	0
2024	10	28	13	11	20	27	0	0	0	0	0	0	0	13.02	0	0
2024	10	28	13	21	20	27	0	0	0	0	0	0	0	13.08	0	0
2024	10	28	13	31	20	27	0	0	0	0	0	0	0	13.15	0	0
2024	10	28	13	41	20	26	0	0	0	0	0	0	0	13.21	0	0
2024	10	28	13	51	20	27	0	0	0	0	0	0	0	13.26	0	0
2024	10	28	14	1	20	28	0	0	0	0	0	0	0	13.31	0	0
2024	10	28	14	11	20	27	0	0	0	0	0	0	0	13.35	0	0
2024	10	28	14	21	20	26	0	0	0	0	0	0	0	13.4	0	0
2024	10	28	14	31	20	28	0	0	0	0	0	0	0	13.44	0	0
2024	10	28	14	41	20	26	0	0	0	0	0	0	0	13.48	0	0
2024	10	28	14	51	20	27	0	0	0	0	0	0	0	13.51	0	0
2024	10	28	15	1	20	27	0	0	0	0	0	0	0	13.54	0	0
2024	10	28	15	11	20	26	0	0	0	0	0	0	0	13.57	0	0
2024	10	28	15	21	20	27	0	0	0	0	0	0	0	13.58	0	0
2024	10	28	15	31	20	26	0	0	0	0	0	0	0	13.61	0	0
2024	10	28	15	41	20	27	0	0	0	0	0	0	0	13.62	0	0
2024	10	28	15	51	20	27	0	0	0	0	0	0	0	13.63	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	28	16	1	20	27	0	0	0	0	0	0	0	13.64	0	0
2024	10	28	16	11	20	27	0	0	0	0	0	0	0	13.65	0	0
2024	10	28	16	21	20	27	0	0	0	0	0	0	0	13.65	0	0
2024	10	28	16	31	20	27	0	0	0	0	0	0	0	13.66	0	0
2024	10	28	16	41	20	27	0	0	0	0	0	0	0	13.66	0	0
2024	10	28	16	51	20	28	0	0	0	0	0	0	0	13.66	0	0
2024	10	28	17	1	20	27	0	0	0	0	0	0	0	13.66	0	0
2024	10	28	17	11	20	27	0	0	0	0	0	0	0	13.64	0	0
2024	10	28	17	21	20	26	0	0	0	0	0	0	0	13.62	0	0
2024	10	28	17	31	20	26	0	0	0	0	0	0	0	13.59	0	0
2024	10	28	17	41	20	27	0	0	0	0	0	0	0	13.56	0	0
2024	10	28	17	51	20	26	0	0	0	0	0	0	0	13.53	0	0
2024	10	28	18	1	20	27	0	0	0	0	0	0	0	13.51	0	0
2024	10	28	18	11	20	26	0	0	0	0	0	0	0	13.48	0	0
2024	10	28	18	21	20	27	0	0	0	0	0	0	0	13.45	0	0
2024	10	28	18	31	20	27	0	0	0	0	0	0	0	13.42	0	0
2024	10	28	18	41	20	27	0	0	0	0	0	0	0	13.38	0	0
2024	10	28	18	51	20	27	0	0	0	0	0	0	0	13.35	0	0
2024	10	28	19	1	20	27	0	0	0	0	0	0	0	13.31	0	0
2024	10	28	19	11	20	26	0	0	0	0	0	0	0	13.27	0	0
2024	10	28	19	21	20	27	0	0	0	0	0	0	0	13.24	0	0
2024	10	28	19	31	20	27	0	0	0	0	0	0	0	13.21	0	0
2024	10	28	19	41	20	27	0	0	0	0	0	0	0	13.17	0	0
2024	10	28	19	51	20	27	0	0	0	0	0	0	0	13.13	0	0
2024	10	28	20	1	20	27	0	0	0	0	0	0	0	13.09	0	0
2024	10	28	20	11	20	27	0	0	0	0	0	0	0	13.05	0	0
2024	10	28	20	21	20	27	0	0	0	0	0	0	0	13.01	0	0
2024	10	28	20	31	20	26	0	0	0	0	0	0	0	12.97	0	0
2024	10	28	20	41	20	27	0	0	0	0	0	0	0	12.92	0	0
2024	10	28	20	51	20	27	0	0	0	0	0	0	0	12.87	0	0
2024	10	28	21	1	20	27	0	0	0	0	0	0	0	12.83	0	0
2024	10	28	21	11	20	27	0	0	0	0	0	0	0	12.78	0	0
2024	10	28	21	21	20	27	0	0	0	0	0	0	0	12.73	0	0
2024	10	28	21	31	20	27	0	0	0	0	0	0	0	12.68	0	0
2024	10	28	21	41	20	27	0	0	0	0	0	0	0	12.63	0	0
2024	10	28	21	51	20	27	0	0	0	0	0	0	0	12.57	0	0
2024	10	28	22	1	20	27	0	0	0	0	0	0	0	12.52	0	0
2024	10	28	22	11	20	27	0	0	0	0	0	0	0	12.47	0	0
2024	10	28	22	21	20	26	0	0	0	0	0	0	0	12.42	0	0
2024	10	28	22	31	20	27	0	0	0	0	0	0	0	12.37	0	0
2024	10	28	22	41	20	27	0	0	0	0	0	0	0	12.32	0	0
2024	10	28	22	51	20	27	0	0	0	0	0	0	0	12.27	0	0
2024	10	28	23	1	20	28	0	0	0	0	0	0	0	12.21	0	0
2024	10	28	23	11	20	27	0	0	0	0	0	0	0	12.16	0	0
2024	10	28	23	21	20	27	0	0	0	0	0	0	0	12.11	0	0
2024	10	28	23	31	20	27	0	0	0	0	0	0	0	12.06	0	0
2024	10	28	23	41	20	27	0	0	0	0	0	0	0	12	0	0
2024	10	28	23	51	20	27	0	0	0	0	0	0	0	11.96	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	29	0	1	20	27	0	0	0	0	0	0	0	11.91	0	0
2024	10	29	0	11	20	27	0	0	0	0	0	0	0	11.86	0	0
2024	10	29	0	21	20	27	0	0	0	0	0	0	0	11.81	0	0
2024	10	29	0	31	20	27	0	0	0	0	0	0	0	11.76	0	0
2024	10	29	0	41	20	27	0	0	0	0	0	0	0	11.71	0	0
2024	10	29	0	51	20	27	0	0	0	0	0	0	0	11.67	0	0
2024	10	29	1	1	20	27	0	0	0	0	0	0	0	11.61	0	0
2024	10	29	1	11	20	27	0	0	0	0	0	0	0	11.56	0	0
2024	10	29	1	21	20	27	0	0	0	0	0	0	0	11.51	0	0
2024	10	29	1	31	20	28	0	0	0	0	0	0	0	11.46	0	0
2024	10	29	1	41	20	28	0	0	0	0	0	0	0	11.42	0	0
2024	10	29	1	51	20	26	0	0	0	0	0	0	0	11.36	0	0
2024	10	29	2	1	20	27	0	0	0	0	0	0	0	11.31	0	0
2024	10	29	2	11	20	28	0	0	0	0	0	0	0	11.26	0	0
2024	10	29	2	21	20	28	0	0	0	0	0	0	0	11.2	0	0
2024	10	29	2	31	20	28	0	0	0	0	0	0	0	11.16	0	0
2024	10	29	2	41	20	26	0	0	0	0	0	0	0	11.11	0	0
2024	10	29	2	51	20	28	0	0	0	0	0	0	0	11.07	0	0
2024	10	29	3	1	20	27	0	0	0	0	0	0	0	11.01	0	0
2024	10	29	3	11	20	27	0	0	0	0	0	0	0	10.98	0	0
2024	10	29	3	21	20	27	0	0	0	0	0	0	0	10.93	0	0
2024	10	29	3	31	20	28	0	0	0	0	0	0	0	10.89	0	0
2024	10	29	3	41	20	27	0	0	0	0	0	0	0	10.85	0	0
2024	10	29	3	51	20	26	0	0	0	0	0	0	0	10.81	0	0
2024	10	29	4	1	20	27	0	0	0	0	0	0	0	10.77	0	0
2024	10	29	4	11	20	27	0	0	0	0	0	0	0	10.73	0	0
2024	10	29	4	21	20	27	0	0	0	0	0	0	0	10.69	0	0
2024	10	29	4	31	20	27	0	0	0	0	0	0	0	10.65	0	0
2024	10	29	4	41	20	28	0	0	0	0	0	0	0	10.61	0	0
2024	10	29	4	51	20	27	0	0	0	0	0	0	0	10.58	0	0
2024	10	29	5	1	20	27	0	0	0	0	0	0	0	10.54	0	0
2024	10	29	5	11	20	28	0	0	0	0	0	0	0	10.51	0	0
2024	10	29	5	21	20	27	0	0	0	0	0	0	0	10.47	0	0
2024	10	29	5	31	20	27	0	0	0	0	0	0	0	10.44	0	0
2024	10	29	5	41	20	27	0	0	0	0	0	0	0	10.4	0	0
2024	10	29	5	51	20	27	0	0	0	0	0	0	0	10.38	0	0
2024	10	29	6	1	20	28	0	0	0	0	0	0	0	10.34	0	0
2024	10	29	6	11	20	28	0	0	0	0	0	0	0	10.31	0	0
2024	10	29	6	21	20	27	0	0	0	0	0	0	0	10.28	0	0
2024	10	29	6	31	20	27	0	0	0	0	0	0	0	10.25	0	0
2024	10	29	6	41	20	27	0	0	0	0	0	0	0	10.22	0	0
2024	10	29	6	51	20	27	0	0	0	0	0	0	0	10.19	0	0
2024	10	29	7	1	20	28	0	0	0	0	0	0	0	10.17	0	0
2024	10	29	7	11	20	28	0	0	0	0	0	0	0	10.13	0	0
2024	10	29	7	21	20	28	0	0	0	0	0	0	0	10.11	0	0
2024	10	29	7	31	20	28	0	0	0	0	0	0	0	10.09	0	0
2024	10	29	7	41	20	27	0	0	0	0	0	0	0	10.06	0	0
2024	10	29	7	51	20	27	0	0	0	0	0	0	0	10.04	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	29	8	1	20	28	0	0	0	0	0	0	0	10.02	0	0
2024	10	29	8	11	20	27	0	0	0	0	0	0	0	10.01	0	0
2024	10	29	8	21	20	28	0	0	0	0	0	0	0	10	0	0
2024	10	29	8	31	20	28	0	0	0	0	0	0	0	9.99	0	0
2024	10	29	8	41	20	28	0	0	0	0	0	0	0	9.99	0	0
2024	10	29	8	51	20	28	0	0	0	0	0	0	0	9.99	0	0
2024	10	29	9	1	20	28	0	0	0	0	0	0	0	10	0	0
2024	10	29	9	11	20	28	0	0	0	0	0	0	0	10	0	0
2024	10	29	9	21	20	28	0	0	0	0	0	0	0	10.02	0	0
2024	10	29	9	31	20	28	0	0	0	0	0	0	0	10.02	0	0
2024	10	29	9	41	20	28	0	0	0	0	0	0	0	10.04	0	0
2024	10	29	9	51	20	27	0	0	0	0	0	0	0	10.07	0	0
2024	10	29	10	1	20	28	0	0	0	0	0	0	0	10.09	0	0
2024	10	29	10	11	20	28	0	0	0	0	0	0	0	10.12	0	0
2024	10	29	10	21	20	27	0	0	0	0	0	0	0	10.15	0	0
2024	10	29	10	31	20	27	0	0	0	0	0	0	0	10.19	0	0
2024	10	29	10	41	20	28	0	0	0	0	0	0	0	10.23	0	0
2024	10	29	10	51	20	27	0	0	0	0	0	0	0	10.27	0	0
2024	10	29	11	1	20	27	0	0	0	0	0	0	0	10.31	0	0
2024	10	29	11	11	20	27	0	0	0	0	0	0	0	10.37	0	0
2024	10	29	11	21	20	28	0	0	0	0	0	0	0	10.42	0	0
2024	10	29	11	31	20	27	0	0	0	0	0	0	0	10.48	0	0
2024	10	29	11	41	20	27	0	0	0	0	0	0	0	10.54	0	0
2024	10	29	11	51	20	27	0	0	0	0	0	0	0	10.61	0	0
2024	10	29	12	1	20	27	0	0	0	0	0	0	0	10.67	0	0
2024	10	29	12	11	20	27	0	0	0	0	0	0	0	10.74	0	0
2024	10	29	12	21	20	28	0	0	0	0	0	0	0	10.8	0	0
2024	10	29	12	31	20	27	0	0	0	0	0	0	0	10.85	0	0
2024	10	29	12	41	20	27	0	0	0	0	0	0	0	10.91	0	0
2024	10	29	12	51	20	27	0	0	0	0	0	0	0	10.96	0	0
2024	10	29	13	1	20	27	0	0	0	0	0	0	0	11.02	0	0
2024	10	29	13	11	20	28	0	0	0	0	0	0	0	11.08	0	0
2024	10	29	13	21	20	27	0	0	0	0	0	0	0	11.14	0	0
2024	10	29	13	31	20	27	0	0	0	0	0	0	0	11.19	0	0
2024	10	29	13	41	20	26	0	0	0	0	0	0	0	11.24	0	0
2024	10	29	13	51	20	27	0	0	0	0	0	0	0	11.3	0	0
2024	10	29	14	1	20	27	0	0	0	0	0	0	0	11.34	0	0
2024	10	29	14	11	20	27	0	0	0	0	0	0	0	11.37	0	0
2024	10	29	14	21	20	27	0	0	0	0	0	0	0	11.4	0	0
2024	10	29	14	31	20	27	0	0	0	0	0	0	0	11.44	0	0
2024	10	29	14	41	20	27	0	0	0	0	0	0	0	11.46	0	0
2024	10	29	14	51	20	28	0	0	0	0	0	0	0	11.49	0	0
2024	10	29	15	1	20	27	0	0	0	0	0	0	0	11.52	0	0
2024	10	29	15	11	20	27	0	0	0	0	0	0	0	11.54	0	0
2024	10	29	15	21	20	28	0	0	0	0	0	0	0	11.56	0	0
2024	10	29	15	31	20	27	0	0	0	0	0	0	0	11.57	0	0
2024	10	29	15	41	20	27	0	0	0	0	0	0	0	11.57	0	0
2024	10	29	15	51	20	28	0	0	0	0	0	0	0	11.56	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	29	16	1	20	27	0	0	0	0	0	0	0	11.56	0	0
2024	10	29	16	11	20	27	0	0	0	0	0	0	0	11.55	0	0
2024	10	29	16	21	20	28	0	0	0	0	0	0	0	11.54	0	0
2024	10	29	16	31	20	27	0	0	0	0	0	0	0	11.53	0	0
2024	10	29	16	41	20	27	0	0	0	0	0	0	0	11.51	0	0
2024	10	29	16	51	20	27	0	0	0	0	0	0	0	11.49	0	0
2024	10	29	17	1	20	27	0	0	0	0	0	0	0	11.48	0	0
2024	10	29	17	11	20	27	0	0	0	0	0	0	0	11.46	0	0
2024	10	29	17	21	20	27	0	0	0	0	0	0	0	11.44	0	0
2024	10	29	17	31	20	27	0	0	0	0	0	0	0	11.41	0	0
2024	10	29	17	41	20	27	0	0	0	0	0	0	0	11.39	0	0
2024	10	29	17	51	20	28	0	0	0	0	0	0	0	11.36	0	0
2024	10	29	18	1	20	27	0	0	0	0	0	0	0	11.33	0	0
2024	10	29	18	11	20	27	0	0	0	0	0	0	0	11.3	0	0
2024	10	29	18	21	20	27	0	0	0	0	0	0	0	11.27	0	0
2024	10	29	18	31	20	27	0	0	0	0	0	0	0	11.24	0	0
2024	10	29	18	41	20	27	0	0	0	0	0	0	0	11.21	0	0
2024	10	29	18	51	20	27	0	0	0	0	0	0	0	11.18	0	0
2024	10	29	19	1	20	27	0	0	0	0	0	0	0	11.14	0	0
2024	10	29	19	11	20	28	0	0	0	0	0	0	0	11.11	0	0
2024	10	29	19	21	20	27	0	0	0	0	0	0	0	11.07	0	0
2024	10	29	19	31	20	27	0	0	0	0	0	0	0	11.03	0	0
2024	10	29	19	41	20	27	0	0	0	0	0	0	0	10.99	0	0
2024	10	29	19	51	20	27	0	0	0	0	0	0	0	10.95	0	0
2024	10	29	20	1	20	27	0	0	0	0	0	0	0	10.9	0	0
2024	10	29	20	11	20	27	0	0	0	0	0	0	0	10.86	0	0
2024	10	29	20	21	20	27	0	0	0	0	0	0	0	10.81	0	0
2024	10	29	20	31	20	27	0	0	0	0	0	0	0	10.77	0	0
2024	10	29	20	41	20	27	0	0	0	0	0	0	0	10.71	0	0
2024	10	29	20	51	20	28	0	0	0	0	0	0	0	10.66	0	0
2024	10	29	21	1	20	28	0	0	0	0	0	0	0	10.62	0	0
2024	10	29	21	11	20	27	0	0	0	0	0	0	0	10.57	0	0
2024	10	29	21	21	20	27	0	0	0	0	0	0	0	10.51	0	0
2024	10	29	21	31	20	28	0	0	0	0	0	0	0	10.46	0	0
2024	10	29	21	41	20	27	0	0	0	0	0	0	0	10.41	0	0
2024	10	29	21	51	20	28	0	0	0	0	0	0	0	10.36	0	0
2024	10	29	22	1	20	28	0	0	0	0	0	0	0	10.31	0	0
2024	10	29	22	11	20	27	0	0	0	0	0	0	0	10.26	0	0
2024	10	29	22	21	20	27	0	0	0	0	0	0	0	10.21	0	0
2024	10	29	22	31	20	27	0	0	0	0	0	0	0	10.16	0	0
2024	10	29	22	41	20	27	0	0	0	0	0	0	0	10.11	0	0
2024	10	29	22	51	20	27	0	0	0	0	0	0	0	10.07	0	0
2024	10	29	23	1	20	27	0	0	0	0	0	0	0	10.02	0	0
2024	10	29	23	11	20	28	0	0	0	0	0	0	0	9.98	0	0
2024	10	29	23	21	20	27	0	0	0	0	0	0	0	9.93	0	0
2024	10	29	23	31	20	27	0	0	0	0	0	0	0	9.89	0	0
2024	10	29	23	41	20	27	0	0	0	0	0	0	0	9.84	0	0
2024	10	29	23	51	20	27	0	0	0	0	0	0	0	9.8	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	30	0	1	20	27	0	0	0	0	0	0	0	9.76	0	0
2024	10	30	0	11	20	28	0	0	0	0	0	0	0	9.71	0	0
2024	10	30	0	21	20	27	0	0	0	0	0	0	0	9.67	0	0
2024	10	30	0	31	20	27	0	0	0	0	0	0	0	9.63	0	0
2024	10	30	0	41	20	27	0	0	0	0	0	0	0	9.59	0	0
2024	10	30	0	51	20	27	0	0	0	0	0	0	0	9.55	0	0
2024	10	30	1	1	20	28	0	0	0	0	0	0	0	9.51	0	0
2024	10	30	1	11	20	27	0	0	0	0	0	0	0	9.47	0	0
2024	10	30	1	21	20	27	0	0	0	0	0	0	0	9.43	0	0
2024	10	30	1	31	20	28	0	0	0	0	0	0	0	9.39	0	0
2024	10	30	1	41	20	27	0	0	0	0	0	0	0	9.35	0	0
2024	10	30	1	51	20	28	0	0	0	0	0	0	0	9.3	0	0
2024	10	30	2	1	20	27	0	0	0	0	0	0	0	9.27	0	0
2024	10	30	2	11	20	28	0	0	0	0	0	0	0	9.22	0	0
2024	10	30	2	21	20	28	0	0	0	0	0	0	0	9.18	0	0
2024	10	30	2	31	20	28	0	0	0	0	0	0	0	9.14	0	0
2024	10	30	2	41	20	28	0	0	0	0	0	0	0	9.1	0	0
2024	10	30	2	51	20	28	0	0	0	0	0	0	0	9.06	0	0
2024	10	30	3	1	20	28	0	0	0	0	0	0	0	9.02	0	0
2024	10	30	3	11	20	27	0	0	0	0	0	0	0	8.98	0	0
2024	10	30	3	21	20	28	0	0	0	0	0	0	0	8.93	0	0
2024	10	30	3	31	20	28	0	0	0	0	0	0	0	8.89	0	0
2024	10	30	3	41	20	27	0	0	0	0	0	0	0	8.85	0	0
2024	10	30	3	51	20	27	0	0	0	0	0	0	0	8.81	0	0
2024	10	30	4	1	20	27	0	0	0	0	0	0	0	8.77	0	0
2024	10	30	4	11	20	28	0	0	0	0	0	0	0	8.74	0	0
2024	10	30	4	21	20	27	0	0	0	0	0	0	0	8.7	0	0
2024	10	30	4	31	20	28	0	0	0	0	0	0	0	8.66	0	0
2024	10	30	4	41	20	28	0	0	0	0	0	0	0	8.63	0	0
2024	10	30	4	51	20	27	0	0	0	0	0	0	0	8.6	0	0
2024	10	30	5	1	20	28	0	0	0	0	0	0	0	8.57	0	0
2024	10	30	5	11	20	27	0	0	0	0	0	0	0	8.54	0	0
2024	10	30	5	21	20	27	0	0	0	0	0	0	0	8.5	0	0
2024	10	30	5	31	20	28	0	0	0	0	0	0	0	8.47	0	0
2024	10	30	5	41	20	28	0	0	0	0	0	0	0	8.44	0	0
2024	10	30	5	51	20	28	0	0	0	0	0	0	0	8.41	0	0
2024	10	30	6	1	20	28	0	0	0	0	0	0	0	8.37	0	0
2024	10	30	6	11	20	27	0	0	0	0	0	0	0	8.35	0	0
2024	10	30	6	21	20	27	0	0	0	0	0	0	0	8.31	0	0
2024	10	30	6	31	20	28	0	0	0	0	0	0	0	8.28	0	0
2024	10	30	6	41	20	28	0	0	0	0	0	0	0	8.25	0	0
2024	10	30	6	51	20	28	0	0	0	0	0	0	0	8.22	0	0
2024	10	30	7	1	20	27	0	0	0	0	0	0	0	8.2	0	0
2024	10	30	7	11	20	28	0	0	0	0	0	0	0	8.17	0	0
2024	10	30	7	21	20	27	0	0	0	0	0	0	0	8.14	0	0
2024	10	30	7	31	20	28	0	0	0	0	0	0	0	8.11	0	0
2024	10	30	7	41	20	28	0	0	0	0	0	0	0	8.09	0	0
2024	10	30	7	51	20	28	0	0	0	0	0	0	0	8.06	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	30	8	1	20	27	0	0	0	0	0	0	0	8.04	0	0
2024	10	30	8	11	20	27	0	0	0	0	0	0	0	8.02	0	0
2024	10	30	8	21	20	28	0	0	0	0	0	0	0	8	0	0
2024	10	30	8	31	20	28	0	0	0	0	0	0	0	7.99	0	0
2024	10	30	8	41	20	28	0	0	0	0	0	0	0	7.99	0	0
2024	10	30	8	51	20	28	0	0	0	0	0	0	0	7.99	0	0
2024	10	30	9	1	20	28	0	0	0	0	0	0	0	8	0	0
2024	10	30	9	11	20	28	0	0	0	0	0	0	0	8.01	0	0
2024	10	30	9	21	20	28	0	0	0	0	0	0	0	8.03	0	0
2024	10	30	9	31	20	28	0	0	0	0	0	0	0	8.05	0	0
2024	10	30	9	41	20	28	0	0	0	0	0	0	0	8.07	0	0
2024	10	30	9	51	20	28	0	0	0	0	0	0	0	8.09	0	0
2024	10	30	10	1	20	28	0	0	0	0	0	0	0	8.13	0	0
2024	10	30	10	11	20	28	0	0	0	0	0	0	0	8.18	0	0
2024	10	30	10	21	20	28	0	0	0	0	0	0	0	8.19	0	0
2024	10	30	10	31	20	28	0	0	0	0	0	0	0	8.25	0	0
2024	10	30	10	41	20	28	0	0	0	0	0	0	0	8.3	0	0
2024	10	30	10	51	20	27	0	0	0	0	0	0	0	8.35	0	0
2024	10	30	11	1	20	27	0	0	0	0	0	0	0	8.41	0	0
2024	10	30	11	11	20	28	0	0	0	0	0	0	0	8.46	0	0
2024	10	30	11	21	20	28	0	0	0	0	0	0	0	8.53	0	0
2024	10	30	11	31	20	28	0	0	0	0	0	0	0	8.58	0	0
2024	10	30	11	41	20	28	0	0	0	0	0	0	0	8.65	0	0
2024	10	30	11	51	20	27	0	0	0	0	0	0	0	8.69	0	0
2024	10	30	12	1	20	28	0	0	0	0	0	0	0	8.76	0	0
2024	10	30	12	11	20	27	0	0	0	0	0	0	0	8.83	0	0
2024	10	30	12	21	20	27	0	0	0	0	0	0	0	8.9	0	0
2024	10	30	12	31	20	28	0	0	0	0	0	0	0	8.95	0	0
2024	10	30	12	41	20	28	0	0	0	0	0	0	0	9.01	0	0
2024	10	30	12	51	20	27	0	0	0	0	0	0	0	9.08	0	0
2024	10	30	13	1	20	27	0	0	0	0	0	0	0	9.14	0	0
2024	10	30	13	11	20	28	0	0	0	0	0	0	0	9.19	0	0
2024	10	30	13	21	20	28	0	0	0	0	0	0	0	9.25	0	0
2024	10	30	13	31	20	28	0	0	0	0	0	0	0	9.3	0	0
2024	10	30	13	41	20	28	0	0	0	0	0	0	0	9.36	0	0
2024	10	30	13	51	20	27	0	0	0	0	0	0	0	9.42	0	0
2024	10	30	14	1	20	28	0	0	0	0	0	0	0	9.47	0	0
2024	10	30	14	11	20	27	0	0	0	0	0	0	0	9.53	0	0
2024	10	30	14	21	20	27	0	0	0	0	0	0	0	9.57	0	0
2024	10	30	14	31	20	27	0	0	0	0	0	0	0	9.62	0	0
2024	10	30	14	41	20	27	0	0	0	0	0	0	0	9.67	0	0
2024	10	30	14	51	20	28	0	0	0	0	0	0	0	9.72	0	0
2024	10	30	15	1	20	27	0	0	0	0	0	0	0	9.75	0	0
2024	10	30	15	11	20	27	0	0	0	0	0	0	0	9.79	0	0
2024	10	30	15	21	20	27	0	0	0	0	0	0	0	9.83	0	0
2024	10	30	15	31	20	27	0	0	0	0	0	0	0	9.85	0	0
2024	10	30	15	41	20	27	0	0	0	0	0	0	0	9.88	0	0
2024	10	30	15	51	20	27	0	0	0	0	0	0	0	9.9	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	30	16	1	20	27	0	0	0	0	0	0	0	9.92	0	0
2024	10	30	16	11	20	28	0	0	0	0	0	0	0	9.94	0	0
2024	10	30	16	21	20	27	0	0	0	0	0	0	0	9.95	0	0
2024	10	30	16	31	20	27	0	0	0	0	0	0	0	9.96	0	0
2024	10	30	16	41	20	28	0	0	0	0	0	0	0	9.97	0	0
2024	10	30	16	51	20	27	0	0	0	0	0	0	0	9.98	0	0
2024	10	30	17	1	20	27	0	0	0	0	0	0	0	9.98	0	0
2024	10	30	17	11	20	27	0	0	0	0	0	0	0	9.99	0	0
2024	10	30	17	21	20	27	0	0	0	0	0	0	0	9.99	0	0
2024	10	30	17	31	20	27	0	0	0	0	0	0	0	9.99	0	0
2024	10	30	17	41	20	27	0	0	0	0	0	0	0	9.99	0	0
2024	10	30	17	51	20	27	0	0	0	0	0	0	0	9.99	0	0
2024	10	30	18	1	20	27	0	0	0	0	0	0	0	10	0	0
2024	10	30	18	11	20	28	0	0	0	0	0	0	0	9.98	0	0
2024	10	30	18	21	20	27	0	0	0	0	0	0	0	9.98	0	0
2024	10	30	18	31	20	27	0	0	0	0	0	0	0	9.97	0	0
2024	10	30	18	41	20	28	0	0	0	0	0	0	0	9.95	0	0
2024	10	30	18	51	20	27	0	0	0	0	0	0	0	9.94	0	0
2024	10	30	19	1	20	28	0	0	0	0	0	0	0	9.93	0	0
2024	10	30	19	11	20	27	0	0	0	0	0	0	0	9.92	0	0
2024	10	30	19	21	20	28	0	0	0	0	0	0	0	9.9	0	0
2024	10	30	19	31	20	28	0	0	0	0	0	0	0	9.88	0	0
2024	10	30	19	41	20	27	0	0	0	0	0	0	0	9.86	0	0
2024	10	30	19	51	20	27	0	0	0	0	0	0	0	9.84	0	0
2024	10	30	20	1	20	28	0	0	0	0	0	0	0	9.81	0	0
2024	10	30	20	11	20	28	0	0	0	0	0	0	0	9.79	0	0
2024	10	30	20	21	20	27	0	0	0	0	0	0	0	9.76	0	0
2024	10	30	20	31	20	28	0	0	0	0	0	0	0	9.72	0	0
2024	10	30	20	41	20	27	0	0	0	0	0	0	0	9.69	0	0
2024	10	30	20	51	20	27	0	0	0	0	0	0	0	9.66	0	0
2024	10	30	21	1	20	28	0	0	0	0	0	0	0	9.64	0	0
2024	10	30	21	11	20	27	0	0	0	0	0	0	0	9.6	0	0
2024	10	30	21	21	20	27	0	0	0	0	0	0	0	9.56	0	0
2024	10	30	21	31	20	28	0	0	0	0	0	0	0	9.53	0	0
2024	10	30	21	41	20	28	0	0	0	0	0	0	0	9.49	0	0
2024	10	30	21	51	20	27	0	0	0	0	0	0	0	9.45	0	0
2024	10	30	22	1	20	28	0	0	0	0	0	0	0	9.42	0	0
2024	10	30	22	11	20	27	0	0	0	0	0	0	0	9.37	0	0
2024	10	30	22	21	20	28	0	0	0	0	0	0	0	9.34	0	0
2024	10	30	22	31	20	27	0	0	0	0	0	0	0	9.29	0	0
2024	10	30	22	41	20	28	0	0	0	0	0	0	0	9.27	0	0
2024	10	30	22	51	20	27	0	0	0	0	0	0	0	9.22	0	0
2024	10	30	23	1	20	28	0	0	0	0	0	0	0	9.18	0	0
2024	10	30	23	11	20	27	0	0	0	0	0	0	0	9.14	0	0
2024	10	30	23	21	20	29	0	0	0	0	0	0	0	9.1	0	0
2024	10	30	23	31	20	27	0	0	0	0	0	0	0	9.07	0	0
2024	10	30	23	41	20	28	0	0	0	0	0	0	0	9.02	0	0
2024	10	30	23	51	20	28	0	0	0	0	0	0	0	8.98	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	31	0	1	20	27	0	0	0	0	0	0	0	8.94	0	0
2024	10	31	0	11	20	28	0	0	0	0	0	0	0	8.9	0	0
2024	10	31	0	21	20	28	0	0	0	0	0	0	0	8.86	0	0
2024	10	31	0	31	20	27	0	0	0	0	0	0	0	8.81	0	0
2024	10	31	0	41	20	28	0	0	0	0	0	0	0	8.77	0	0
2024	10	31	0	51	20	27	0	0	0	0	0	0	0	8.74	0	0
2024	10	31	1	1	20	27	0	0	0	0	0	0	0	8.69	0	0
2024	10	31	1	11	20	28	0	0	0	0	0	0	0	8.65	0	0
2024	10	31	1	21	20	28	0	0	0	0	0	0	0	8.61	0	0
2024	10	31	1	31	20	28	0	0	0	0	0	0	0	8.57	0	0
2024	10	31	1	41	20	28	0	0	0	0	0	0	0	8.53	0	0
2024	10	31	1	51	20	28	0	0	0	0	0	0	0	8.48	0	0
2024	10	31	2	1	20	28	0	0	0	0	0	0	0	8.45	0	0
2024	10	31	2	11	20	28	0	0	0	0	0	0	0	8.41	0	0
2024	10	31	2	21	20	27	0	0	0	0	0	0	0	8.37	0	0
2024	10	31	2	31	20	28	0	0	0	0	0	0	0	8.33	0	0
2024	10	31	2	41	20	27	0	0	0	0	0	0	0	8.29	0	0
2024	10	31	2	51	20	28	0	0	0	0	0	0	0	8.26	0	0
2024	10	31	3	1	20	28	0	0	0	0	0	0	0	8.22	0	0
2024	10	31	3	11	20	28	0	0	0	0	0	0	0	8.18	0	0
2024	10	31	3	21	20	28	0	0	0	0	0	0	0	8.15	0	0
2024	10	31	3	31	20	28	0	0	0	0	0	0	0	8.11	0	0
2024	10	31	3	41	20	27	0	0	0	0	0	0	0	8.09	0	0
2024	10	31	3	51	20	28	0	0	0	0	0	0	0	8.06	0	0
2024	10	31	4	1	20	28	0	0	0	0	0	0	0	8.03	0	0
2024	10	31	4	11	20	28	0	0	0	0	0	0	0	8	0	0
2024	10	31	4	21	20	28	0	0	0	0	0	0	0	7.97	0	0
2024	10	31	4	31	20	28	0	0	0	0	0	0	0	7.95	0	0
2024	10	31	4	41	20	27	0	0	0	0	0	0	0	7.92	0	0
2024	10	31	4	51	20	28	0	0	0	0	0	0	0	7.9	0	0
2024	10	31	5	1	20	28	0	0	0	0	0	0	0	7.88	0	0
2024	10	31	5	11	20	27	0	0	0	0	0	0	0	7.85	0	0
2024	10	31	5	21	20	27	0	0	0	0	0	0	0	7.82	0	0
2024	10	31	5	31	20	28	0	0	0	0	0	0	0	7.8	0	0
2024	10	31	5	41	20	28	0	0	0	0	0	0	0	7.78	0	0
2024	10	31	5	51	20	28	0	0	0	0	0	0	0	7.75	0	0
2024	10	31	6	1	20	28	0	0	0	0	0	0	0	7.73	0	0
2024	10	31	6	11	20	28	0	0	0	0	0	0	0	7.71	0	0
2024	10	31	6	21	20	28	0	0	0	0	0	0	0	7.68	0	0
2024	10	31	6	31	20	29	0	0	0	0	0	0	0	7.66	0	0
2024	10	31	6	41	20	28	0	0	0	0	0	0	0	7.64	0	0
2024	10	31	6	51	20	28	0	0	0	0	0	0	0	7.62	0	0
2024	10	31	7	1	20	28	0	0	0	0	0	0	0	7.6	0	0
2024	10	31	7	11	20	28	0	0	0	0	0	0	0	7.58	0	0
2024	10	31	7	21	20	28	0	0	0	0	0	0	0	7.56	0	0
2024	10	31	7	31	20	28	0	0	0	0	0	0	0	7.54	0	0
2024	10	31	7	41	20	28	0	0	0	0	0	0	0	7.53	0	0
2024	10	31	7	51	20	27	0	0	0	0	0	0	0	7.52	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	31	8	1	20	28	0	0	0	0	0	0	0	7.51	0	0
2024	10	31	8	11	20	28	0	0	0	0	0	0	0	7.5	0	0
2024	10	31	8	21	20	28	0	0	0	0	0	0	0	7.5	0	0
2024	10	31	8	31	20	28	0	0	0	0	0	0	0	7.51	0	0
2024	10	31	8	41	20	28	0	0	0	0	0	0	0	7.51	0	0
2024	10	31	8	51	20	28	0	0	0	0	0	0	0	7.51	0	0
2024	10	31	9	1	20	28	0	0	0	0	0	0	0	7.52	0	0
2024	10	31	9	11	20	28	0	0	0	0	0	0	0	7.53	0	0
2024	10	31	9	21	20	28	0	0	0	0	0	0	0	7.54	0	0
2024	10	31	9	31	20	27	0	0	0	0	0	0	0	7.55	0	0
2024	10	31	9	41	20	28	0	0	0	0	0	0	0	7.57	0	0
2024	10	31	9	51	20	28	0	0	0	0	0	0	0	7.61	0	0
2024	10	31	10	1	20	28	0	0	0	0	0	0	0	7.63	0	0
2024	10	31	10	11	20	28	0	0	0	0	0	0	0	7.65	0	0
2024	10	31	10	21	20	28	0	0	0	0	0	0	0	7.67	0	0
2024	10	31	10	31	20	27	0	0	0	0	0	0	0	7.73	0	0
2024	10	31	10	41	20	28	0	0	0	0	0	0	0	7.78	0	0
2024	10	31	10	51	20	28	0	0	0	0	0	0	0	7.8	0	0
2024	10	31	11	1	20	28	0	0	0	0	0	0	0	7.82	0	0
2024	10	31	11	11	20	28	0	0	0	0	0	0	0	7.85	0	0
2024	10	31	11	21	20	28	0	0	0	0	0	0	0	7.88	0	0
2024	10	31	11	31	20	27	0	0	0	0	0	0	0	7.93	0	0
2024	10	31	11	41	20	28	0	0	0	0	0	0	0	8	0	0
2024	10	31	11	51	20	28	0	0	0	0	0	0	0	8.09	0	0
2024	10	31	12	1	20	28	0	0	0	0	0	0	0	8.13	0	0
2024	10	31	12	11	20	28	0	0	0	0	0	0	0	8.21	0	0
2024	10	31	12	21	20	28	0	0	0	0	0	0	0	8.28	0	0
2024	10	31	12	31	20	28	0	0	0	0	0	0	0	8.35	0	0
2024	10	31	12	41	20	28	0	0	0	0	0	0	0	8.4	0	0
2024	10	31	12	51	20	28	0	0	0	0	0	0	0	8.45	0	0
2024	10	31	13	1	20	28	0	0	0	0	0	0	0	8.53	0	0
2024	10	31	13	11	20	28	0	0	0	0	0	0	0	8.61	0	0
2024	10	31	13	21	20	28	0	0	0	0	0	0	0	8.68	0	0
2024	10	31	13	31	20	28	0	0	0	0	0	0	0	8.75	0	0
2024	10	31	13	41	20	27	0	0	0	0	0	0	0	8.81	0	0
2024	10	31	13	51	20	27	0	0	0	0	0	0	0	8.87	0	0
2024	10	31	14	1	20	28	0	0	0	0	0	0	0	8.94	0	0
2024	10	31	14	11	20	28	0	0	0	0	0	0	0	8.99	0	0
2024	10	31	14	21	20	28	0	0	0	0	0	0	0	9.05	0	0
2024	10	31	14	31	20	27	0	0	0	0	0	0	0	9.12	0	0
2024	10	31	14	41	20	27	0	0	0	0	0	0	0	9.16	0	0
2024	10	31	14	51	20	28	0	0	0	0	0	0	0	9.18	0	0
2024	10	31	15	1	20	28	0	0	0	0	0	0	0	9.24	0	0
2024	10	31	15	11	20	27	0	0	0	0	0	0	0	9.29	0	0
2024	10	31	15	21	20	28	0	0	0	0	0	0	0	9.33	0	0
2024	10	31	15	31	20	28	0	0	0	0	0	0	0	9.37	0	0
2024	10	31	15	41	20	27	0	0	0	0	0	0	0	9.4	0	0
2024	10	31	15	51	20	28	0	0	0	0	0	0	0	9.43	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2024	10	31	16	1	20	27	0	0	0	0	0	0	0	9.45	0	0
2024	10	31	16	11	20	28	0	0	0	0	0	0	0	9.47	0	0
2024	10	31	16	21	20	28	0	0	0	0	0	0	0	9.47	0	0
2024	10	31	16	31	20	28	0	0	0	0	0	0	0	9.49	0	0
2024	10	31	16	41	20	27	0	0	0	0	0	0	0	9.5	0	0
2024	10	31	16	51	20	28	0	0	0	0	0	0	0	9.52	0	0
2024	10	31	17	1	20	27	0	0	0	0	0	0	0	9.53	0	0
2024	10	31	17	11	20	27	0	0	0	0	0	0	0	9.54	0	0
2024	10	31	17	21	20	28	0	0	0	0	0	0	0	9.55	0	0
2024	10	31	17	31	20	27	0	0	0	0	0	0	0	9.55	0	0
2024	10	31	17	41	20	28	0	0	0	0	0	0	0	9.55	0	0
2024	10	31	17	51	20	28	0	0	0	0	0	0	0	9.55	0	0
2024	10	31	18	1	20	28	0	0	0	0	0	0	0	9.54	0	0
2024	10	31	18	11	20	28	0	0	0	0	0	0	0	9.54	0	0
2024	10	31	18	21	20	28	0	0	0	0	0	0	0	9.53	0	0
2024	10	31	18	31	20	27	0	0	0	0	0	0	0	9.53	0	0
2024	10	31	18	41	20	27	0	0	0	0	0	0	0	9.51	0	0
2024	10	31	18	51	20	29	0	0	0	0	0	0	0	9.5	0	0
2024	10	31	19	1	20	27	0	0	0	0	0	0	0	9.49	0	0
2024	10	31	19	11	20	27	0	0	0	0	0	0	0	9.47	0	0
2024	10	31	19	21	20	28	0	0	0	0	0	0	0	9.45	0	0
2024	10	31	19	31	20	28	0	0	0	0	0	0	0	9.42	0	0
2024	10	31	19	41	20	27	0	0	0	0	0	0	0	9.4	0	0
2024	10	31	19	51	20	28	0	0	0	0	0	0	0	9.38	0	0
2024	10	31	20	1	20	27	0	0	0	0	0	0	0	9.35	0	0
2024	10	31	20	11	20	28	0	0	0	0	0	0	0	9.33	0	0
2024	10	31	20	21	20	28	0	0	0	0	0	0	0	9.3	0	0
2024	10	31	20	31	20	28	0	0	0	0	0	0	0	9.28	0	0
2024	10	31	20	41	20	27	0	0	0	0	0	0	0	9.25	0	0
2024	10	31	20	51	20	28	0	0	0	0	0	0	0	9.22	0	0
2024	10	31	21	1	20	27	0	0	0	0	0	0	0	9.19	0	0
2024	10	31	21	11	20	28	0	0	0	0	0	0	0	9.16	0	0
2024	10	31	21	21	20	28	0	0	0	0	0	0	0	9.13	0	0
2024	10	31	21	31	20	28	0	0	0	0	0	0	0	9.1	0	0
2024	10	31	21	41	20	28	0	0	0	0	0	0	0	9.07	0	0
2024	10	31	21	51	20	28	0	0	0	0	0	0	0	9.03	0	0
2024	10	31	22	1	20	27	0	0	0	0	0	0	0	9	0	0
2024	10	31	22	11	20	27	0	0	0	0	0	0	0	8.96	0	0
2024	10	31	22	21	20	27	0	0	0	0	0	0	0	8.92	0	0
2024	10	31	22	31	20	27	0	0	0	0	0	0	0	8.89	0	0
2024	10	31	22	41	20	28	0	0	0	0	0	0	0	8.85	0	0
2024	10	31	22	51	20	28	0	0	0	0	0	0	0	8.81	0	0
2024	10	31	23	1	20	27	0	0	0	0	0	0	0	8.78	0	0
2024	10	31	23	11	20	28	0	0	0	0	0	0	0	8.74	0	0
2024	10	31	23	21	20	28	0	0	0	0	0	0	0	8.7	0	0
2024	10	31	23	31	20	27	0	0	0	0	0	0	0	8.67	0	0
2024	10	31	23	41	20	28	0	0	0	0	0	0	0	8.63	0	0
2024	10	31	23	51	20	28	0	0	0	0	0	0	0	8.59	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	1	0	0	8	12	0.1	1	31.95	93.2	6.7507	71.5347
2024	10	1	0	10	8	12	0.1	1	31.62	92	6.7507	70.862
2024	10	1	0	20	8	12	0.1	1	33.11	91	6.7507	74.2258
2024	10	1	0	30	8	12	0.1	1	31.81	91.1	6.7507	71.3106
2024	10	1	0	40	8	12	0.1	1	31.63	92.5	6.7568	70.9288
2024	10	1	0	50	8	12	0.1	1	31.63	92.4	6.7568	70.9289
2024	10	1	1	0	8	12	0.1	1	31.91	91.6	6.7568	71.6023
2024	10	1	1	10	8	12	0.1	1	31.63	92.5	6.7568	70.929
2024	10	1	1	20	8	12	0.1	1	31.5	90.7	6.7568	70.7046
2024	10	1	1	30	8	12	0.1	1	31.75	93.2	6.7629	71.2204
2024	10	1	1	40	8	12	0.1	1	32.4	90.5	6.7629	72.7931
2024	10	1	1	50	8	12	0.1	1	32.63	92.3	6.7629	73.2425
2024	10	1	2	0	8	12	0.1	1	31.92	92	6.7629	71.6699
2024	10	1	2	10	8	12	0.1	1	31.81	91.3	6.769	71.5123
2024	10	1	2	20	8	12	0.1	1	31.5	90.7	6.769	70.8377
2024	10	1	2	30	8	12	0.1	1	32.94	93	6.769	73.9861
2024	10	1	2	40	8	12	0.1	1	32.03	92.3	6.769	71.9622
2024	10	1	2	50	8	12	0.1	1	31.2	90.9	6.769	70.1632
2024	10	1	3	0	8	12	0.1	1	31.71	94.7	6.769	71.0628
2024	10	1	3	10	8	12	0.1	1	32.18	93.9	6.769	72.1872
2024	10	1	3	20	8	12	0.1	1	31.85	93.2	6.769	71.5126
2024	10	1	3	30	8	12	0.1	1	31.41	91.1	6.769	70.6131
2024	10	1	3	40	8	12	0.1	1	31.43	92.6	6.769	70.6132
2024	10	1	3	50	8	12	0.1	1	32.41	91.6	6.769	72.862
2024	10	1	4	0	8	12	0.1	1	33.36	93.4	6.769	74.886
2024	10	1	4	10	8	12	0.1	1	31.26	93.5	6.769	70.1635
2024	10	1	4	20	8	12	0.1	1	32.01	91.4	6.769	71.9626
2024	10	1	4	30	8	12	0.1	1	32.41	91.6	6.769	72.8622
2024	10	1	4	40	8	12	0.1	1	30.88	94.1	6.769	69.2641
2024	10	1	4	50	8	12	0.1	1	31.15	93.1	6.769	69.9387
2024	10	1	5	0	8	12	0.1	1	31.56	93.6	6.769	70.8383
2024	10	1	5	10	8	12	0.1	1	32.18	93.9	6.769	72.1876
2024	10	1	5	20	8	12	0.1	1	32.63	92.6	6.769	73.3121
2024	10	1	5	30	8	12	0.1	1	32.13	92.3	6.769	72.1877
2024	10	1	5	40	8	12	0.1	1	33.14	92.9	6.769	74.4365
2024	10	1	5	50	8	11.8	0.1	1	31.9	90.7	6.769	71.7379
2024	10	1	6	0	8	11.8	0.1	1	31.01	88.7	6.7751	69.7794
2024	10	1	6	10	8	11.8	0.1	1	32.73	92.3	6.7751	73.606
2024	10	1	6	20	8	11.8	0.1	1	31.51	91.6	6.769	70.8385
2024	10	1	6	30	8	11.8	0.1	1	32.82	91.9	6.7751	73.8312
2024	10	1	6	40	8	11.8	0.1	1	31.51	91.5	6.7751	70.905
2024	10	1	6	50	8	11.8	0.1	1	32.85	93.3	6.7751	73.8312
2024	10	1	7	0	8	11.8	0.1	1	31.9	89.8	6.7751	71.8054
2024	10	1	7	10	8	11.8	0.1	1	32.76	93.5	6.7751	73.6061
2024	10	1	7	20	8	11.8	0.1	1	31.01	91.1	6.7751	69.7795
2024	10	1	7	30	8	11.8	0.1	1	32.31	91.6	6.7751	72.7058
2024	10	1	7	40	8	12.2	0.1	1	31.23	92.4	6.7751	70.2298
2024	10	1	7	50	8	12.4	0.1	1	31.25	93.1	6.7751	70.2298

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	1	8	0	8	12.6	0.1	1	31.82	92	6.7751	71.5804
2024	10	1	8	10	8	12.8	0.1	1	32.31	91.4	6.7751	72.7058
2024	10	1	8	20	8	12.8	0.1	1	31.4	90.9	6.7751	70.68
2024	10	1	8	30	8	12.8	0.1	1	31.13	92.4	6.7751	70.0047
2024	10	1	8	40	8	13	0.1	1	32.26	93.4	6.7751	72.4807
2024	10	1	8	50	8	13	0.1	1	31.32	92.2	6.7751	70.4548
2024	10	1	9	0	8	13	0.1	1	31.9	90.9	6.7751	71.8054
2024	10	1	9	10	8	13	0.1	1	32.53	92.3	6.7751	73.1559
2024	10	1	9	20	8	13	0.1	1	31.83	92.5	6.7751	71.5803
2024	10	1	9	30	8	13.2	0.1	1	32.03	92.3	6.7751	72.0304
2024	10	1	9	40	8	13.2	0.1	1	32.23	92.5	6.7751	72.4806
2024	10	1	9	50	8	13.2	0.1	1	31.83	92.3	6.7751	71.5801
2024	10	1	10	0	8	13.2	0.1	1	31.43	92.4	6.7751	70.6797
2024	10	1	10	10	8	13.2	0.1	1	30.63	92.4	6.7751	68.8789
2024	10	1	10	20	8	13.2	0.1	1	31.81	91.4	6.7751	71.58
2024	10	1	10	30	8	13.2	0.1	1	33.13	92.6	6.7751	74.5062
2024	10	1	10	40	8	13.2	0.1	1	31.61	94.7	6.7751	70.9046
2024	10	1	10	50	8	13.2	0.1	1	31.52	92.2	6.7812	70.971
2024	10	1	11	0	8	13.2	0.1	1	30.7	90.9	6.7812	69.1685
2024	10	1	11	10	8	13.2	0.1	1	30.82	91.9	6.7812	69.3937
2024	10	1	11	20	8	13.2	0.1	1	31.82	92.2	6.7812	71.6467
2024	10	1	11	30	8	13.2	0.1	1	32.12	91.8	6.7812	72.3225
2024	10	1	11	40	8	13.2	0.1	1	31.38	94.2	6.7812	70.52
2024	10	1	11	50	8	13.2	0.1	1	31.3	90	6.7812	70.5199
2024	10	1	12	0	8	13.2	0.1	1	33.07	93.6	6.7812	74.35
2024	10	1	12	10	8	13.2	0.1	1	31.42	92.2	6.7812	70.745
2024	10	1	12	20	8	13.2	0.1	1	32.36	93.5	6.7751	72.7045
2024	10	1	12	30	8	13.2	0.1	1	33.03	92.6	6.7751	74.2801
2024	10	1	12	40	8	13.2	0.1	1	32.53	92.6	6.7751	73.1545
2024	10	1	12	50	8	13	0.1	1	32.94	92.8	6.7751	74.0548
2024	10	1	13	0	8	13	0.1	1	32.11	91.6	6.7751	72.254
2024	10	1	13	10	8	13	0.1	1	31.61	91.6	6.7751	71.1285
2024	10	1	13	20	8	13	0.1	1	31.78	94.1	6.769	71.2866
2024	10	1	13	30	8	13	0.1	1	32.13	92.3	6.769	72.186
2024	10	1	13	40	8	13	0.1	1	31.82	91.8	6.7629	71.4442
2024	10	1	13	50	8	13	0.1	1	31.52	92	6.7629	70.7701
2024	10	1	14	0	8	13	0.1	1	31.44	92.9	6.7629	70.5454
2024	10	1	14	10	8	13	0.1	1	32.59	94.2	6.7629	73.0166
2024	10	1	14	20	8	13	0.1	1	32.42	92.1	6.7568	72.7235
2024	10	1	14	30	8	13	0.1	1	32.81	91.2	6.7568	73.6213
2024	10	1	14	40	8	13	0.1	1	33.15	93.1	6.7629	74.3644
2024	10	1	14	50	8	13	0.1	1	32.43	92.3	6.7629	72.7917
2024	10	1	15	0	8	13	0.1	1	31.9	90.2	6.7568	71.601
2024	10	1	15	10	8	13	0.1	1	32.71	91.1	6.7568	73.3966
2024	10	1	15	20	8	13	0.1	1	32.53	92.3	6.7629	73.0161
2024	10	1	15	30	8	13	0.1	1	31.7	90.2	6.7629	71.2188
2024	10	1	15	40	8	13	0.1	1	31.32	92.2	6.7629	70.32
2024	10	1	15	50	8	12.8	0.1	1	31.71	91.4	6.7629	71.2187

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	1	16	0	8	12.8	0.1	1	31.61	91.6	6.7629	70.9939
2024	10	1	16	10	8	12.8	0.1	1	31.81	91.6	6.7629	71.4432
2024	10	1	16	20	8	12.8	0.1	1	31.84	92.7	6.7629	71.4432
2024	10	1	16	30	8	12.8	0.1	1	31.41	91.6	6.7629	70.5445
2024	10	1	16	40	8	12.8	0.1	1	32.12	92	6.7629	72.1171
2024	10	1	16	50	8	12.8	0.1	1	31.81	91.3	6.7629	71.4431
2024	10	1	17	0	8	12.8	0.1	1	31.7	90.7	6.7629	71.2184
2024	10	1	17	10	8	12.8	0.1	1	31.61	91.1	6.7629	70.9937
2024	10	1	17	20	8	12.8	0.1	1	32.61	91.6	6.7629	73.2403
2024	10	1	17	30	8	12.8	0.1	1	31.81	91.6	6.7629	71.443
2024	10	1	17	40	8	12.4	0.1	1	32.03	92.3	6.7629	71.8923
2024	10	1	17	50	8	12.4	0.1	1	32.01	91.3	6.7629	71.8923
2024	10	1	18	0	8	12.2	0.1	1	30.5	90.4	6.7629	68.5223
2024	10	1	18	10	8	12.2	0.1	1	32.13	92.5	6.7629	72.1169
2024	10	1	18	20	8	12.2	0.1	1	31.3	89.8	6.7629	70.3196
2024	10	1	18	30	8	12.2	0.1	1	32.61	91.4	6.7629	73.2402
2024	10	1	18	40	8	12.2	0.1	1	31.43	92.4	6.7629	70.5443
2024	10	1	18	50	8	12.2	0.1	1	31.62	92	6.7629	70.9936
2024	10	1	19	0	8	12.2	0.1	1	31.13	92.6	6.7629	69.8703
2024	10	1	19	10	8	12.2	0.1	1	31.61	91.1	6.7629	70.9937
2024	10	1	19	20	8	12.2	0.1	1	31.16	93.5	6.7629	69.8704
2024	10	1	19	30	8	12.2	0.1	1	31.91	91.1	6.7629	71.6677
2024	10	1	19	40	8	12.2	0.1	1	32.4	90.2	6.7629	72.791
2024	10	1	19	50	8	12.2	0.1	1	31.71	91.3	6.7629	71.2184
2024	10	1	20	0	8	12.2	0.1	1	31.3	90	6.7629	70.3198
2024	10	1	20	10	8	12.2	0.1	1	31.1	90	6.7629	69.8705
2024	10	1	20	20	8	12.2	0.1	1	31.9	90.5	6.7629	71.6678
2024	10	1	20	30	8	12.2	0.1	1	31.81	91.6	6.7629	71.4432
2024	10	1	20	40	8	12.2	0.1	1	31.71	91.6	6.7629	71.2186
2024	10	1	20	50	8	12.2	0.1	1	31	90.7	6.7568	69.5806
2024	10	1	21	0	8	12.2	0.1	1	33.54	92.7	6.7568	75.192
2024	10	1	21	10	8	12.2	0.1	1	32.1	90.7	6.7629	72.1174
2024	10	1	21	20	8	12.2	0.1	1	30.83	92.4	6.7629	69.1968
2024	10	1	21	30	8	12	0.1	1	31.7	90.7	6.7629	71.2188
2024	10	1	21	40	8	12	0.1	1	31.71	91.6	6.7629	71.2188
2024	10	1	21	50	8	12	0.1	1	32.23	92.3	6.7568	72.2743
2024	10	1	22	0	8	12	0.1	1	31.92	92	6.7629	71.6683
2024	10	1	22	10	8	12	0.1	1	33.43	92.2	6.7568	74.9679
2024	10	1	22	20	8	12	0.1	1	31.71	91.6	6.7568	71.1522
2024	10	1	22	30	8	12	0.1	1	31.93	92.3	6.7568	71.6011
2024	10	1	22	40	8	12	0.1	1	32.22	92	6.7568	72.2745
2024	10	1	22	50	8	12	0.1	1	32.6	90.9	6.7568	73.1724
2024	10	1	23	0	8	12	0.1	1	31.42	91.8	6.7568	70.479
2024	10	1	23	10	8	12	0.1	1	31.85	93.2	6.7568	71.3769
2024	10	1	23	20	8	12	0.1	1	31.91	91.1	6.7568	71.6014
2024	10	1	23	30	8	12	0.1	1	31.85	93.2	6.7568	71.377
2024	10	1	23	40	8	12	0.1	1	31.91	91.3	6.7568	71.6014
2024	10	1	23	50	8	12	0.1	1	32.25	93.2	6.7568	72.2749

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	2	0	0	8	12	0.1	1	31.81	91.6	6.7568	71.3771
2024	10	2	0	10	8	12	0.1	1	32.2	90	6.7568	72.275
2024	10	2	0	20	8	12	0.1	1	31.52	92	6.7568	70.7038
2024	10	2	0	30	8	12	0.1	1	31.21	91.5	6.7568	70.0305
2024	10	2	0	40	8	12	0.1	1	31.2	90.7	6.7568	70.0306
2024	10	2	0	50	8	12	0.1	1	32.23	92.3	6.7568	72.2752
2024	10	2	1	0	8	12	0.1	1	32.13	92.3	6.7629	72.1185
2024	10	2	1	10	8	12	0.1	1	31.83	92.3	6.7629	71.4445
2024	10	2	1	20	8	12	0.1	1	31.1	90.7	6.7629	69.8719
2024	10	2	1	30	8	12	0.1	1	31.43	92.4	6.769	70.6122
2024	10	2	1	40	8	12	0.1	1	31.53	92.4	6.769	70.8371
2024	10	2	1	50	8	12	0.1	1	31	90.7	6.769	69.7127
2024	10	2	2	0	8	12	0.1	1	31.21	91.7	6.7751	70.2284
2024	10	2	2	10	8	12	0.1	1	33.14	92.8	6.7751	74.5051
2024	10	2	2	20	8	12	0.1	1	32.71	91.2	6.7751	73.6048
2024	10	2	2	30	8	12	0.1	1	31.11	91.1	6.7751	70.0034
2024	10	2	2	40	8	12	0.1	1	31.56	93.6	6.7751	70.9038
2024	10	2	2	50	8	12	0.1	1	32.11	91.1	6.7751	72.2544
2024	10	2	3	0	8	12	0.1	1	31.92	92.2	6.7751	71.8042
2024	10	2	3	10	8	12	0.1	1	31.4	90.7	6.7751	70.6788
2024	10	2	3	20	8	12	0.1	1	32.22	91.8	6.7751	72.4796
2024	10	2	3	30	8	12	0.1	1	32.83	92.6	6.7751	73.8302
2024	10	2	3	40	8	12	0.1	1	32.31	91.6	6.7751	72.7048
2024	10	2	3	50	8	12	0.1	1	31.31	91.6	6.7751	70.4539
2024	10	2	4	0	8	12	0.1	1	31.71	91.6	6.7751	71.3543
2024	10	2	4	10	8	12	0.1	1	31.7	90	6.7812	71.4212
2024	10	2	4	20	8	12	0.1	1	32.32	91.8	6.7812	72.773
2024	10	2	4	30	8	12	0.1	1	31.81	91.6	6.7812	71.6466
2024	10	2	4	40	8	12	0.1	1	32.68	94	6.7751	73.3803
2024	10	2	4	50	8	12	0.1	1	31.62	92	6.7751	71.1294
2024	10	2	5	0	8	12	0.1	1	31.34	92.7	6.7812	70.5201
2024	10	2	5	10	8	12	0.1	1	32.1	90.7	6.7812	72.3226
2024	10	2	5	20	8	11.8	0.1	1	31.98	93.9	6.7812	71.872
2024	10	2	5	30	8	11.8	0.1	1	31.34	92.7	6.7812	70.5202
2024	10	2	5	40	8	11.8	0.1	1	31.42	92	6.7812	70.7456
2024	10	2	5	50	8	11.8	0.1	1	33.43	92.2	6.7812	75.2517
2024	10	2	6	0	8	11.8	0.1	1	32.4	90.7	6.7812	72.9986
2024	10	2	6	10	8	11.8	0.1	1	31.62	91.8	6.7812	71.1962
2024	10	2	6	20	8	11.8	0.1	1	31.91	91.1	6.7812	71.8722
2024	10	2	6	30	8	11.8	0.1	1	32.33	92.7	6.7812	72.7734
2024	10	2	6	40	8	11.8	0.1	1	31.63	92.4	6.7812	71.1963
2024	10	2	6	50	8	11.8	0.1	1	31.13	92.6	6.7812	70.0698
2024	10	2	7	0	8	11.8	0.1	1	31.41	91.5	6.7812	70.7457
2024	10	2	7	10	8	11.8	0.1	1	32.11	91.2	6.7812	72.3229
2024	10	2	7	20	8	11.8	0.1	1	31.41	91.6	6.7812	70.7457
2024	10	2	7	30	8	11.8	0.1	1	31.58	94	6.7812	70.9711
2024	10	2	7	40	8	12	0.1	1	31.6	90.7	6.7812	71.1964
2024	10	2	7	50	8	12.4	0.1	1	31.9	90.5	6.7812	71.8723

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	2	8	0	8	12.6	0.1	1	32.83	92.6	6.7812	73.9001
2024	10	2	8	10	8	12.8	0.1	1	31.7	94.5	6.7812	71.1964
2024	10	2	8	20	8	12.8	0.1	1	32.6	90.4	6.7812	73.4494
2024	10	2	8	30	8	12.8	0.1	1	31.84	92.7	6.7812	71.647
2024	10	2	8	40	8	12.8	0.1	1	32.24	92.8	6.7812	72.5482
2024	10	2	8	50	8	13	0.1	1	32.44	93	6.7812	72.9988
2024	10	2	9	0	8	13.2	0.1	1	30.61	91.1	6.7812	68.9433
2024	10	2	9	10	8	14.2	0.1	1	31.66	93.6	6.7812	71.1963
2024	10	2	9	20	8	14.2	0.1	1	31.43	92.4	6.7812	70.7457
2024	10	2	9	30	8	14.2	0.1	1	31.61	91.3	6.7812	71.1963
2024	10	2	9	40	8	14.2	0.1	1	32.07	93.8	6.7812	72.0974
2024	10	2	9	50	8	14.2	0.1	1	31.24	92.9	6.7812	70.295
2024	10	2	10	0	8	14.2	0.1	1	32.12	92.1	6.7812	72.3227
2024	10	2	10	10	8	14.2	0.1	1	32.51	91.2	6.7812	73.2238
2024	10	2	10	20	8	14.2	0.1	1	32.44	93	6.7812	72.9985
2024	10	2	10	30	8	14.2	0.1	1	31.7	90	6.7812	71.4213
2024	10	2	10	40	8	14.2	0.1	1	31.31	91.6	6.7812	70.52
2024	10	2	10	50	8	14.2	0.1	1	32.21	91.6	6.7812	72.5477
2024	10	2	11	0	8	14.2	0.1	1	31.8	90.5	6.7812	71.6464
2024	10	2	11	10	8	14.2	0.1	1	32.66	93.3	6.7812	73.4487
2024	10	2	11	20	8	14.2	0.1	1	31.2	90.4	6.7812	70.2944
2024	10	2	11	30	8	14.2	0.1	1	31.21	91.3	6.7812	70.2943
2024	10	2	11	40	8	14.2	0.1	1	32.51	91.6	6.7812	73.2232
2024	10	2	11	50	8	14.2	0.1	1	31.1	89.1	6.7812	70.0689
2024	10	2	12	0	8	14.2	0.1	1	32.01	91.3	6.7812	72.0965
2024	10	2	12	10	8	14.2	0.1	1	31.81	91.6	6.7751	71.5788
2024	10	2	12	20	8	14.2	0.1	1	31.42	91.8	6.7751	70.6783
2024	10	2	12	30	8	14.2	0.1	1	32.1	90.9	6.769	72.1862
2024	10	2	12	40	8	14.2	0.1	1	31.65	93.3	6.769	71.0617
2024	10	2	12	50	8	14.2	0.1	1	31.22	92	6.769	70.1621
2024	10	2	13	0	8	14.2	0.1	1	33.64	92.9	6.7629	75.4882
2024	10	2	13	10	8	14.2	0.1	1	30.71	91.7	6.7629	68.9728
2024	10	2	13	20	8	14.2	0.1	1	32.53	92.5	6.7568	72.9481
2024	10	2	13	30	8	14.2	0.1	1	31.53	92.4	6.7629	70.7699
2024	10	2	13	40	8	14.2	0.1	1	31.7	90.5	6.7568	71.1523
2024	10	2	13	50	8	14.2	0.1	1	31.93	92.5	6.7629	71.6684
2024	10	2	14	0	8	14.2	0.1	1	32.33	92.7	6.7568	72.4989
2024	10	2	14	10	8	14.2	0.1	1	31.21	91.5	6.7568	70.0298
2024	10	2	14	20	8	14.2	0.1	1	32.8	89.3	6.7629	73.6902
2024	10	2	14	30	8	14.2	0.1	1	32.1	90.2	6.7629	72.1175
2024	10	2	14	40	8	14.2	0.1	1	31.85	93.2	6.7568	71.3763
2024	10	2	14	50	8	14	0.1	1	32.13	92.3	6.7629	72.1173
2024	10	2	15	0	8	13.8	0.1	1	32.11	91.4	6.7629	72.1172
2024	10	2	15	10	8	13.2	0.1	1	31.83	92.3	6.7629	71.4432
2024	10	2	15	20	8	13.8	0.1	1	32.24	92.8	6.7629	72.3418
2024	10	2	15	30	8	13.8	0.1	1	32.11	91.1	6.7629	72.1171
2024	10	2	15	40	8	13.6	0.1	1	31.81	91.6	6.7629	71.443
2024	10	2	15	50	8	13.6	0.1	1	32.1	90.5	6.7629	72.117

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	2	16	0	8	13.4	0.1	1	31	90.4	6.7629	69.6456
2024	10	2	16	10	8	12.8	0.1	1	31.9	89.6	6.7629	71.6675
2024	10	2	16	20	8	12.8	0.1	1	32.21	91.6	6.7629	72.3415
2024	10	2	16	30	8	12.8	0.1	1	31.31	91.1	6.7629	70.3195
2024	10	2	16	40	8	12.8	0.1	1	32.45	93.2	6.7629	72.7907
2024	10	2	16	50	8	12.8	0.1	1	31.43	92.4	6.7629	70.5441
2024	10	2	17	0	8	12.8	0.1	1	31.6	90.5	6.7629	70.9934
2024	10	2	17	10	8	13	0.1	1	32.4	90.5	6.7629	72.7907
2024	10	2	17	20	8	13	0.1	1	31.14	92.9	6.7629	69.87
2024	10	2	17	30	8	12.6	0.1	1	31.11	91.1	6.7629	69.87
2024	10	2	17	40	8	12.4	0.1	1	31.8	90.2	6.7629	71.4426
2024	10	2	17	50	8	12.4	0.1	1	32.01	91.4	6.7629	71.8919
2024	10	2	18	0	8	12.2	0.1	1	31.92	88.2	6.7629	71.6673
2024	10	2	18	10	8	12.2	0.1	1	32.71	91.6	6.7629	73.4646
2024	10	2	18	20	8	12.2	0.1	1	32.05	93.2	6.7629	71.8919
2024	10	2	18	30	8	12.2	0.1	1	31.5	90	6.7629	70.7686
2024	10	2	18	40	8	12.2	0.1	1	31.5	90.2	6.7629	70.7687
2024	10	2	18	50	8	12.2	0.1	1	32.42	92.1	6.7629	72.7906
2024	10	2	19	0	8	12.2	0.1	1	31.13	92.6	6.7629	69.87
2024	10	2	19	10	8	12.2	0.1	1	32.01	91.6	6.7629	71.892
2024	10	2	19	20	8	12.2	0.1	1	32.23	92.5	6.7629	72.3414
2024	10	2	19	30	8	12.2	0.1	1	33.31	91.2	6.7629	74.8127
2024	10	2	19	40	8	12.2	0.1	1	31.5	90.4	6.7629	70.7688
2024	10	2	19	50	8	12.2	0.1	1	31.91	91.3	6.7629	71.6674
2024	10	2	20	0	8	12.2	0.1	1	30.55	93.4	6.7629	68.5222
2024	10	2	20	10	8	12.2	0.1	1	32.3	90.5	6.7629	72.5662
2024	10	2	20	20	8	12.2	0.1	1	31.71	91.3	6.7629	71.2182
2024	10	2	20	30	8	12.2	0.1	1	33.33	92.4	6.7629	74.8129
2024	10	2	20	40	8	12.2	0.1	1	31.4	90.4	6.7629	70.5443
2024	10	2	20	50	8	12.2	0.1	1	32.2	90.7	6.7629	72.3417
2024	10	2	21	0	8	12.2	0.1	1	31.43	92.6	6.7629	70.5444
2024	10	2	21	10	8	12.2	0.1	1	31.4	90.7	6.7629	70.5444
2024	10	2	21	20	8	12.2	0.1	1	31.93	92.3	6.7629	71.6678
2024	10	2	21	30	8	12.2	0.1	1	31.61	91.5	6.7629	70.9938
2024	10	2	21	40	8	12.2	0.1	1	31.41	91.5	6.7629	70.5445
2024	10	2	21	50	8	12.2	0.1	1	32.61	91.2	6.7568	73.1718
2024	10	2	22	0	8	12.2	0.1	1	31.73	92.3	6.7568	71.1517
2024	10	2	22	10	8	12	0.1	1	32.82	92.1	6.7568	73.6208
2024	10	2	22	20	8	12	0.1	1	31.63	92.5	6.7568	70.9273
2024	10	2	22	30	8	12	0.1	1	32.7	89.5	6.7568	73.3964
2024	10	2	22	40	8	12	0.1	1	32.92	91.9	6.7568	73.8453
2024	10	2	22	50	8	12	0.1	1	32.12	92	6.7568	72.0498
2024	10	2	23	0	8	12	0.1	1	32.33	92.7	6.7568	72.4987
2024	10	2	23	10	8	12	0.1	1	32.12	92	6.7568	72.0498
2024	10	2	23	20	8	12	0.1	1	31.91	91.4	6.7568	71.601
2024	10	2	23	30	8	12	0.1	1	32.87	93.7	6.7568	73.6211
2024	10	2	23	40	8	12	0.1	1	32	90.7	6.7568	71.8255
2024	10	2	23	50	8	12	0.1	1	31.41	91.5	6.7568	70.4788

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	3	0	0	8	12	0.1	1	32.11	91.6	6.7568	72.0501
2024	10	3	0	10	8	12	0.1	1	31.51	91.3	6.7568	70.7034
2024	10	3	0	20	8	12	0.1	1	31.02	92	6.7507	69.5158
2024	10	3	0	30	8	12	0.1	1	31.1	89.6	6.7568	69.8057
2024	10	3	0	40	8	12	0.1	1	31.92	91.8	6.7507	71.534
2024	10	3	0	50	8	12	0.1	1	32.71	91.2	6.7568	73.397
2024	10	3	1	0	8	12	0.1	1	31.3	90	6.7507	70.1887
2024	10	3	1	10	8	12	0.1	1	31.4	89.6	6.7507	70.413
2024	10	3	1	20	8	12	0.1	1	31.61	91.3	6.7507	70.8615
2024	10	3	1	30	8	12	0.1	1	31.81	91.6	6.7507	71.31
2024	10	3	1	40	8	12	0.1	1	32.01	91.1	6.7507	71.7586
2024	10	3	1	50	8	12	0.1	1	32.92	91.7	6.7507	73.7768
2024	10	3	2	0	8	12	0.1	1	32.3	90.2	6.7507	72.4314
2024	10	3	2	10	8	12	0.1	1	31.71	91.6	6.7507	71.0859
2024	10	3	2	20	8	12	0.1	1	32.81	91.4	6.7507	73.5527
2024	10	3	2	30	8	12	0.1	1	32.51	91.6	6.7507	72.88
2024	10	3	2	40	8	12	0.1	1	32.07	93.8	6.7507	71.7588
2024	10	3	2	50	8	12	0.1	1	32.54	92.8	6.7507	72.8801
2024	10	3	3	0	8	12	0.1	1	32.4	90.4	6.7507	72.6558
2024	10	3	3	10	8	12	0.1	1	31.65	93.3	6.7568	70.9285
2024	10	3	3	20	8	12	0.1	1	31.4	90.4	6.7568	70.4797
2024	10	3	3	30	8	12	0.1	1	32.9	90.7	6.7568	73.8466
2024	10	3	3	40	8	12	0.1	1	31.31	91.1	6.7568	70.2553
2024	10	3	3	50	8	12	0.1	1	30.9	90.4	6.7629	69.4226
2024	10	3	4	0	8	12	0.1	1	31.95	93.1	6.7568	71.6021
2024	10	3	4	10	8	12	0.1	1	31.85	93.2	6.7629	71.4447
2024	10	3	4	20	8	12	0.1	1	31.91	91.3	6.7629	71.6694
2024	10	3	4	30	8	12	0.1	1	32.02	92.1	6.769	71.9616
2024	10	3	4	40	8	12	0.1	1	31.63	92.4	6.769	71.0621
2024	10	3	4	50	8	12	0.1	1	32.01	91.6	6.769	71.9617
2024	10	3	5	0	8	12	0.1	1	32.01	91.4	6.7751	72.0292
2024	10	3	5	10	8	12	0.1	1	31.7	90.9	6.7751	71.3539
2024	10	3	5	20	8	12	0.1	1	31.14	92.9	6.7751	70.0034
2024	10	3	5	30	8	12	0.1	1	30.61	91.7	6.7751	68.878
2024	10	3	5	40	8	12	0.1	1	32.6	90.2	6.7751	73.3798
2024	10	3	5	50	8	12	0.1	1	31.41	91.3	6.7751	70.6788
2024	10	3	6	0	8	11.8	0.1	1	31.03	92.4	6.7812	69.8438
2024	10	3	6	10	8	11.8	0.1	1	32.02	92.1	6.7812	72.0969
2024	10	3	6	20	8	11.8	0.1	1	31.41	91.6	6.7812	70.7451
2024	10	3	6	30	8	11.8	0.1	1	31.31	91.6	6.7812	70.5198
2024	10	3	6	40	8	11.8	0.1	1	32.21	91.2	6.7812	72.5475
2024	10	3	6	50	8	11.8	0.1	1	32.5	90.9	6.7812	73.2234
2024	10	3	7	0	8	11.8	0.1	1	31.5	90.7	6.7812	70.9704
2024	10	3	7	10	8	11.8	0.1	1	31.45	93.1	6.7812	70.7451
2024	10	3	7	20	8	11.8	0.1	1	32.41	91.1	6.7812	72.9982
2024	10	3	7	30	8	11.8	0.1	1	31.9	90.5	6.7812	71.8717
2024	10	3	7	40	8	12	0.1	1	32	90	6.7812	72.097
2024	10	3	7	50	8	12.4	0.1	1	30.92	92.2	6.7812	69.6186

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	3	8	0	8	12.6	0.1	1	32.53	92.6	6.7812	73.2235
2024	10	3	8	10	8	12.8	0.1	1	32.3	94.6	6.7812	72.5476
2024	10	3	8	20	8	12.8	0.1	1	31.3	90	6.7812	70.5199
2024	10	3	8	30	8	12.8	0.1	1	31.55	93.1	6.7812	70.9704
2024	10	3	8	40	8	12.8	0.1	1	31.4	90.9	6.7812	70.7451
2024	10	3	8	50	8	13	0.1	1	32.43	92.5	6.7812	72.9981
2024	10	3	9	0	8	13	0.1	1	32.32	92.1	6.7812	72.7728
2024	10	3	9	10	8	13	0.1	1	32.31	91.1	6.7873	72.8409
2024	10	3	9	20	8	13	0.1	1	32.21	91.6	6.7812	72.5475
2024	10	3	9	30	8	13	0.1	1	32.33	92.3	6.7812	72.7727
2024	10	3	9	40	8	14.2	0.1	1	32.41	91.1	6.7812	72.998
2024	10	3	9	50	8	14.2	0.1	1	32.12	92	6.7812	72.322
2024	10	3	10	0	8	14.2	0.1	1	31.63	92.4	6.7812	71.1955
2024	10	3	10	10	8	14.2	0.1	1	32.08	94.1	6.7873	72.1641
2024	10	3	10	20	8	14.2	0.1	1	31.25	93.1	6.7873	70.36
2024	10	3	10	30	8	14.2	0.1	1	32.55	93.2	6.7873	73.2916
2024	10	3	10	40	8	14.2	0.1	1	32.12	92	6.7873	72.3895
2024	10	3	10	50	8	14.2	0.1	1	32.13	92.5	6.7873	72.3894
2024	10	3	11	0	8	14.2	0.1	1	32.1	90.7	6.7873	72.3893
2024	10	3	11	10	8	14.2	0.1	1	31.64	92.9	6.7812	71.1951
2024	10	3	11	20	8	14.2	0.1	1	31.95	93.2	6.7812	71.8709
2024	10	3	11	30	8	14.2	0.1	1	31.98	93.9	6.7812	71.8708
2024	10	3	11	40	8	14.2	0.1	1	31.71	91.4	6.7812	71.4202
2024	10	3	11	50	8	14.2	0.1	1	30.5	90.9	6.7812	68.7165
2024	10	3	12	0	8	14.2	0.1	1	32.11	91.2	6.7751	72.2535
2024	10	3	12	10	8	14.2	0.1	1	32.2	90	6.7751	72.4785
2024	10	3	12	20	8	14.2	0.1	1	32.54	92.8	6.7751	73.1537
2024	10	3	12	30	8	14.2	0.1	1	32.91	91.6	6.769	73.9846
2024	10	3	12	40	8	14.2	0.1	1	32.02	91.8	6.769	71.9606
2024	10	3	12	50	8	14.2	0.1	1	32.83	92.3	6.769	73.7595
2024	10	3	13	0	8	14	0.1	1	31.91	91.1	6.769	71.7356
2024	10	3	13	10	8	14.2	0.1	1	32.02	91.8	6.769	71.9604
2024	10	3	13	20	8	14.2	0.1	1	31.8	90.7	6.769	71.5106
2024	10	3	13	30	8	14.2	0.1	1	32.1	90	6.769	72.1851
2024	10	3	13	40	8	14.2	0.1	1	32.22	91.8	6.769	72.4099
2024	10	3	13	50	8	14.2	0.1	1	31.1	90	6.769	69.9362
2024	10	3	14	0	8	14	0.1	1	32.53	92.3	6.769	73.0844
2024	10	3	14	10	8	13	0.1	1	32.23	92.5	6.769	72.4097
2024	10	3	14	20	8	13	0.1	1	32.63	92.3	6.769	73.3091
2024	10	3	14	30	8	13	0.1	1	31.61	91.1	6.7629	70.9937
2024	10	3	14	40	8	13	0.1	1	32.53	92.5	6.7629	73.0156
2024	10	3	14	50	8	13	0.1	1	31.58	94.2	6.769	70.8353
2024	10	3	15	0	8	13	0.1	1	33.03	92.6	6.7629	74.1388
2024	10	3	15	10	8	13	0.1	1	32.56	93.5	6.7629	73.0154
2024	10	3	15	20	8	13	0.1	1	32.62	91.9	6.769	73.3088
2024	10	3	15	30	8	13	0.1	1	31.72	91.8	6.7629	71.218
2024	10	3	15	40	8	13	0.1	1	32.3	90.7	6.7629	72.566
2024	10	3	15	50	8	13	0.1	1	31.51	91.6	6.7629	70.7686

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	3	16	0	8	13	0.1	1	31.92	91.8	6.7629	71.6673
2024	10	3	16	10	8	13	0.1	1	31.7	90.9	6.7629	71.2179
2024	10	3	16	20	8	13	0.1	1	31.72	92.2	6.7629	71.2179
2024	10	3	16	30	8	13	0.1	1	31.43	92.6	6.7629	70.5439
2024	10	3	16	40	8	13	0.1	1	32.1	90.2	6.7629	72.1165
2024	10	3	16	50	8	13	0.1	1	32.3	90	6.7629	72.5658
2024	10	3	17	0	8	13	0.1	1	32.32	92	6.7629	72.5658
2024	10	3	17	10	8	13	0.1	1	31.94	92.7	6.769	71.7344
2024	10	3	17	20	8	12.6	0.1	1	33.04	92.8	6.769	74.208
2024	10	3	17	30	8	13	0.1	1	32.7	90.4	6.769	73.5334
2024	10	3	17	40	8	12.6	0.1	1	32.1	90	6.769	72.1841
2024	10	3	17	50	8	12.4	0.1	1	32.22	91.8	6.769	72.409
2024	10	3	18	0	8	12.2	0.1	1	33.3	90.2	6.769	74.8826
2024	10	3	18	10	8	12.2	0.1	1	32.7	90.7	6.769	73.5334
2024	10	3	18	20	8	12.2	0.1	1	31	90.7	6.769	69.7106
2024	10	3	18	30	8	12.2	0.1	1	30.71	91.3	6.769	69.036
2024	10	3	18	40	8	12.2	0.1	1	31.9	90.7	6.769	71.7344
2024	10	3	18	50	8	12.2	0.1	1	31.72	91.8	6.769	71.2847
2024	10	3	19	0	8	12.2	0.1	1	31.8	90.2	6.769	71.5096
2024	10	3	19	10	8	12.2	0.1	1	32.6	90.7	6.769	73.3086
2024	10	3	19	20	8	12.2	0.1	1	31.6	90	6.769	71.0599
2024	10	3	19	30	8	12.2	0.1	1	32.73	92.5	6.7629	73.4646
2024	10	3	19	40	8	12.2	0.1	1	31.53	92.5	6.769	70.8351
2024	10	3	19	50	8	12.2	0.1	1	31.7	90.9	6.7629	71.218
2024	10	3	20	0	8	12.2	0.1	1	32.31	91.4	6.7629	72.566
2024	10	3	20	10	8	12.2	0.1	1	32.11	91.4	6.7629	72.1167
2024	10	3	20	20	8	12.2	0.1	1	31.05	93.1	6.7629	69.6455
2024	10	3	20	30	8	12.2	0.1	1	32.53	92.6	6.7629	73.0154
2024	10	3	20	40	8	12.2	0.1	1	32.4	90.2	6.7629	72.7908
2024	10	3	20	50	8	12.2	0.1	1	31.43	92.4	6.7629	70.5442
2024	10	3	21	0	8	12.2	0.1	1	31.4	90	6.7629	70.5442
2024	10	3	21	10	8	12.2	0.1	1	32.44	92.8	6.7629	72.7909
2024	10	3	21	20	8	12.2	0.1	1	32.3	90.7	6.7629	72.5663
2024	10	3	21	30	8	12.2	0.1	1	31.11	91.7	6.7629	69.8704
2024	10	3	21	40	8	12.2	0.1	1	31.9	90.2	6.7629	71.6677
2024	10	3	21	50	8	12.2	0.1	1	31.8	90.2	6.7629	71.4431
2024	10	3	22	0	8	12.2	0.1	1	31.12	92	6.7629	69.8705
2024	10	3	22	10	8	12	0.1	1	31.4	90	6.7629	70.5445
2024	10	3	22	20	8	12	0.1	1	32.63	92.3	6.7629	73.2405
2024	10	3	22	30	8	12	0.1	1	32.1	90.7	6.7629	72.1172
2024	10	3	22	40	8	12	0.1	1	33.22	91.9	6.7629	74.5886
2024	10	3	22	50	8	12	0.1	1	33.1	90	6.7629	74.364
2024	10	3	23	0	8	12	0.1	1	32	90.7	6.7629	71.8927
2024	10	3	23	10	8	12	0.1	1	32.01	91.3	6.7629	71.8927
2024	10	3	23	20	8	12	0.1	1	31.23	92.4	6.7629	70.0955
2024	10	3	23	30	8	12	0.1	1	31.7	94.5	6.7629	70.9942
2024	10	3	23	40	8	12	0.1	1	32.6	90.5	6.7629	73.2409
2024	10	3	23	50	8	12	0.1	1	32.53	92.3	6.7629	73.0163

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	4	0	0	8	12	0.1	1	31.82	92.2	6.7629	71.4436
2024	10	4	0	10	8	12	0.1	1	32.14	93	6.7629	72.1177
2024	10	4	0	20	8	12	0.1	1	32.64	93	6.7629	73.2411
2024	10	4	0	30	8	12	0.1	1	31.91	91.6	6.7629	71.6684
2024	10	4	0	40	8	12	0.1	1	32.44	93	6.7629	72.7918
2024	10	4	0	50	8	12	0.1	1	32.6	90	6.7629	73.2412
2024	10	4	1	0	8	12	0.1	1	32.73	92.3	6.7629	73.4659
2024	10	4	1	10	8	12	0.1	1	31.8	90.9	6.7629	71.4439
2024	10	4	1	20	8	12	0.1	1	32.81	91.6	6.7629	73.6907
2024	10	4	1	30	8	12	0.1	1	31.51	91.5	6.769	70.8365
2024	10	4	1	40	8	12	0.1	1	31.84	92.9	6.769	71.5111
2024	10	4	1	50	8	12	0.1	1	32	90.7	6.769	71.9609
2024	10	4	2	0	8	12	0.1	1	32.42	92.1	6.7751	72.9288
2024	10	4	2	10	8	12	0.1	1	31.8	90.9	6.7751	71.5783
2024	10	4	2	20	8	12	0.1	1	32.04	92.9	6.7812	72.0961
2024	10	4	2	30	8	12	0.1	1	31.42	91.8	6.7812	70.7443
2024	10	4	2	40	8	12	0.1	1	32.4	90.9	6.7812	72.9973
2024	10	4	2	50	8	12	0.1	1	32.21	91.6	6.7812	72.5468
2024	10	4	3	0	8	12	0.1	1	32.81	91	6.7873	73.9678
2024	10	4	3	10	8	12	0.1	1	32.63	92.3	6.7873	73.5168
2024	10	4	3	20	8	12	0.1	1	31.8	89.8	6.7873	71.7128
2024	10	4	3	30	8	12	0.1	1	31.12	92.2	6.7873	70.1342
2024	10	4	3	40	8	12	0.1	1	32.82	91.9	6.7873	73.968
2024	10	4	3	50	8	12	0.1	1	31.7	90.7	6.7873	71.4874
2024	10	4	4	0	8	12	0.1	1	31.3	90.7	6.7873	70.5854
2024	10	4	4	10	8	12	0.1	1	31.51	91.5	6.7873	71.0364
2024	10	4	4	20	8	12	0.1	1	32.4	90.4	6.7873	73.0661
2024	10	4	4	30	8	12	0.1	1	32.7	90.9	6.7873	73.7426
2024	10	4	4	40	8	12	0.1	1	32.72	91.8	6.7934	73.8116
2024	10	4	4	50	8	12	0.1	1	31.55	93.1	6.7934	71.103
2024	10	4	5	0	8	12	0.1	1	31.94	92.9	6.7934	72.0059
2024	10	4	5	10	8	12	0.1	1	32.63	92.5	6.7934	73.586
2024	10	4	5	20	8	12	0.1	1	31.54	92.9	6.7934	71.1031
2024	10	4	5	30	8	12	0.1	1	32.34	92.8	6.7934	72.9089
2024	10	4	5	40	8	12	0.1	1	31.33	92.4	6.7934	70.6516
2024	10	4	5	50	8	12	0.1	1	31.7	90.9	6.7934	71.5546
2024	10	4	6	0	8	12	0.1	1	32.61	91.6	6.7934	73.5861
2024	10	4	6	10	8	12	0.1	1	33.14	92.8	6.7934	74.7148
2024	10	4	6	20	8	12	0.1	1	33.02	91.7	6.7934	74.489
2024	10	4	6	30	8	11.8	0.1	1	31.91	91.3	6.7934	72.0061
2024	10	4	6	40	8	11.8	0.1	1	32.41	91.2	6.7934	73.1347
2024	10	4	6	50	8	11.8	0.1	1	33.13	92.4	6.7934	74.7148
2024	10	4	7	0	8	11.8	0.1	1	32.11	91.6	6.7934	72.4576
2024	10	4	7	10	8	11.8	0.1	1	32.58	94	6.7934	73.3605
2024	10	4	7	20	8	11.8	0.1	1	33.18	94	6.7934	74.7149
2024	10	4	7	30	8	11.8	0.1	1	31.81	91.1	6.7934	71.7805
2024	10	4	7	40	8	12	0.1	1	30.9	90.9	6.7934	69.7489
2024	10	4	7	50	8	12.4	0.1	1	33.02	92.1	6.7934	74.4892

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	4	8	0	8	12.6	0.1	1	33.02	91.7	6.7934	74.4892
2024	10	4	8	10	8	12.8	0.1	1	32.25	93.2	6.7934	72.6834
2024	10	4	8	20	8	12.8	0.1	1	32.2	90	6.7934	72.6834
2024	10	4	8	30	8	12.8	0.1	1	32.13	92.5	6.7934	72.4576
2024	10	4	8	40	8	12.8	0.1	1	32.71	91.1	6.7934	73.812
2024	10	4	8	50	8	13	0.1	1	32.3	90.9	6.7934	72.909
2024	10	4	9	0	8	12.8	0.1	1	32.13	92.5	6.7934	72.4576
2024	10	4	9	10	8	13	0.1	1	32.43	92.7	6.7934	73.1347
2024	10	4	9	20	8	13	0.1	1	32.12	92	6.7934	72.4575
2024	10	4	9	30	8	13	0.1	1	32.42	92.1	6.7934	73.1347
2024	10	4	9	40	8	13	0.1	1	32.93	92.3	6.7995	74.3326
2024	10	4	9	50	8	13.2	0.1	1	32.93	92.3	6.7995	74.3326
2024	10	4	10	0	8	13.2	0.1	1	32.95	93.3	6.7995	74.3325
2024	10	4	10	10	8	14.2	0.1	1	33.05	93.1	6.7995	74.5584
2024	10	4	10	20	8	14.2	0.1	1	32.54	93	6.7995	73.4287
2024	10	4	10	30	8	14.2	0.1	1	32.17	93.7	6.7995	72.5249
2024	10	4	10	40	8	14.2	0.1	1	32.13	92.3	6.7995	72.5248
2024	10	4	10	50	8	14.2	0.1	1	31.64	92.9	6.7995	71.3951
2024	10	4	11	0	8	14.2	0.1	1	32.51	91.6	6.7995	73.4285
2024	10	4	11	10	8	13	0.1	1	32.62	91.8	6.7995	73.6543
2024	10	4	11	20	8	12.8	0.1	1	32.9	90	6.7995	74.332
2024	10	4	11	30	8	12.8	0.1	1	33.53	92.2	6.7995	75.6876
2024	10	4	11	40	8	13.8	0.1	1	32.64	93	6.7995	73.6542
2024	10	4	11	50	8	13	0.1	1	32.1	90.9	6.7995	72.5245
2024	10	4	12	0	8	13.2	0.1	1	31.85	93.1	6.7995	71.8466
2024	10	4	12	10	8	13.2	0.1	1	32.7	90.4	6.7995	73.8799
2024	10	4	12	20	8	13.2	0.1	1	32.22	92	6.7995	72.7502
2024	10	4	12	30	8	13.2	0.1	1	33.71	91.7	6.7995	76.1392
2024	10	4	12	40	8	12.8	0.1	1	32	90.5	6.7995	72.2983
2024	10	4	12	50	8	12.6	0.1	1	31.6	90.9	6.7995	71.3945
2024	10	4	13	0	8	12.8	0.1	1	32.4	90.9	6.7995	73.2019
2024	10	4	13	10	8	12.8	0.1	1	32.61	91.2	6.7995	73.6538
2024	10	4	13	20	8	13.2	0.1	1	32.11	91.2	6.7995	72.5241
2024	10	4	13	30	8	13.2	0.1	1	32.02	92	6.7995	72.2981
2024	10	4	13	40	8	13.2	0.1	1	32	90.4	6.7995	72.298
2024	10	4	13	50	8	13	0.1	1	32.23	92.3	6.7995	72.7499
2024	10	4	14	0	8	13.2	0.1	1	32.02	92	6.7995	72.298
2024	10	4	14	10	8	13	0.1	1	32.9	90.7	6.7934	74.2619
2024	10	4	14	20	8	13.2	0.1	1	32.01	91.1	6.7934	72.2304
2024	10	4	14	30	8	12.6	0.1	1	32.21	91.1	6.7934	72.6818
2024	10	4	14	40	8	13	0.1	1	32.01	91.6	6.7934	72.2304
2024	10	4	14	50	8	13.2	0.1	1	31.5	90.7	6.7934	71.1018
2024	10	4	15	0	8	13.2	0.1	1	32.03	92.3	6.7995	72.2978
2024	10	4	15	10	8	13.2	0.1	1	33.11	91.6	6.7934	74.7132
2024	10	4	15	20	8	13.2	0.1	1	31.9	90.5	6.7873	71.9373
2024	10	4	15	30	8	13.2	0.1	1	32.01	91.6	6.7934	72.2302
2024	10	4	15	40	8	13.2	0.1	1	30.61	91.5	6.7934	69.0702
2024	10	4	15	50	8	12.8	0.1	1	31.7	90.5	6.7934	71.553

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	4	16	0	8	13	0.1	1	33	90.7	6.7873	74.4178
2024	10	4	16	10	8	12.4	0.1	1	32.31	91.6	6.7934	72.9073
2024	10	4	16	20	8	13	0.1	1	32.6	90.7	6.7873	73.5157
2024	10	4	16	30	8	13	0.1	1	32.68	94	6.7873	73.5157
2024	10	4	16	40	8	12.4	0.1	1	31.63	92.5	6.7873	71.2606
2024	10	4	16	50	8	12.4	0.1	1	31.6	90.7	6.7873	71.2606
2024	10	4	17	0	8	12.4	0.1	1	32.73	92.3	6.7873	73.7412
2024	10	4	17	10	8	12.4	0.1	1	33.1	90.9	6.7873	74.6432
2024	10	4	17	20	8	12.6	0.1	1	32.62	91.9	6.7873	73.5157
2024	10	4	17	30	8	12.6	0.1	1	32.03	92.3	6.7812	72.0952
2024	10	4	17	40	8	12.4	0.1	1	31.91	91.1	6.7812	71.8699
2024	10	4	17	50	8	12.4	0.1	1	32.93	92.4	6.7812	74.1229
2024	10	4	18	0	8	12.2	0.1	1	32.7	89.3	6.7873	73.7413
2024	10	4	18	10	8	12.2	0.1	1	31.41	91.6	6.7812	70.7434
2024	10	4	18	20	8	12.2	0.1	1	32.74	92.8	6.7812	73.6723
2024	10	4	18	30	8	12.2	0.1	1	32.51	91.6	6.7812	73.2217
2024	10	4	18	40	8	12.2	0.1	1	31.6	90.4	6.7873	71.2607
2024	10	4	18	50	8	12.2	0.1	1	32.12	91.8	6.7873	72.3883
2024	10	4	19	0	8	12.2	0.1	1	32.11	91.2	6.7873	72.3883
2024	10	4	19	10	8	12.2	0.1	1	32.46	93.4	6.7873	73.0649
2024	10	4	19	20	8	12.2	0.1	1	32.21	91.6	6.7873	72.6139
2024	10	4	19	30	8	12.2	0.1	1	32.01	91.1	6.7873	72.1629
2024	10	4	19	40	8	12.2	0.1	1	32.12	92.1	6.7873	72.3885
2024	10	4	19	50	8	12.2	0.1	1	32	90	6.7873	72.163
2024	10	4	20	0	8	12.2	0.1	1	32.54	92.8	6.7873	73.2906
2024	10	4	20	10	8	12.2	0.1	1	31.7	90.7	6.7934	71.5534
2024	10	4	20	20	8	12.2	0.1	1	32.03	92.5	6.7934	72.2306
2024	10	4	20	30	8	12.2	0.1	1	31.81	91.3	6.7934	71.7792
2024	10	4	20	40	8	12.2	0.1	1	31.41	91.6	6.7934	70.8763
2024	10	4	20	50	8	12.2	0.1	1	32.66	93.5	6.7934	73.585
2024	10	4	21	0	8	12.2	0.1	1	32.21	91.4	6.7934	72.6822
2024	10	4	21	10	8	12.2	0.1	1	32.83	95.1	6.7934	73.8108
2024	10	4	21	20	8	12.2	0.1	1	32.3	90.7	6.7934	72.9079
2024	10	4	21	30	8	12.2	0.1	1	32.91	91.2	6.7934	74.2623
2024	10	4	21	40	8	12.2	0.1	1	32.31	91.2	6.7934	72.908
2024	10	4	21	50	8	12	0.1	1	32.43	92.3	6.7934	73.1337
2024	10	4	22	0	8	12	0.1	1	32.42	91.8	6.7934	73.1338
2024	10	4	22	10	8	12	0.1	1	31.61	91.3	6.7934	71.328
2024	10	4	22	20	8	12	0.1	1	31.4	90	6.7934	70.8766
2024	10	4	22	30	8	12	0.1	1	32.21	91.6	6.7934	72.6824
2024	10	4	22	40	8	12	0.1	1	32.11	91.2	6.7934	72.4567
2024	10	4	22	50	8	12	0.1	1	33.73	92.5	6.7934	76.0683
2024	10	4	23	0	8	12	0.1	1	32.2	89.8	6.7934	72.6825
2024	10	4	23	10	8	12	0.1	1	32.42	91.8	6.7934	73.134
2024	10	4	23	20	8	12	0.1	1	32.33	92.5	6.7934	72.9083
2024	10	4	23	30	8	12	0.1	1	31.84	92.9	6.7934	71.7797
2024	10	4	23	40	8	12	0.1	1	31.93	92.3	6.7934	72.0055
2024	10	4	23	50	8	12	0.1	1	32	89.8	6.7934	72.2312

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	5	0	0	8	12	0.1	1	32.06	93.4	6.7934	72.2313
2024	10	5	0	10	8	12	0.1	1	31.42	92.2	6.7934	70.877
2024	10	5	0	20	8	12	0.1	1	31.6	90.9	6.7934	71.3284
2024	10	5	0	30	8	12	0.1	1	31.7	90.7	6.7934	71.5542
2024	10	5	0	40	8	12	0.1	1	32.71	91.6	6.7934	73.8115
2024	10	5	0	50	8	12	0.1	1	31.21	91.7	6.7934	70.4257
2024	10	5	1	0	8	12	0.1	1	32.6	90.5	6.7934	73.5858
2024	10	5	1	10	8	12	0.1	1	32	90.2	6.7934	72.2315
2024	10	5	1	20	8	12	0.1	1	32.2	90.4	6.7934	72.683
2024	10	5	1	30	8	12	0.1	1	32.41	91.2	6.7934	73.1345
2024	10	5	1	40	8	12	0.1	1	32.95	93.3	6.7934	74.2631
2024	10	5	1	50	8	12	0.1	1	32.53	92.6	6.7934	73.3603
2024	10	5	2	0	8	12	0.1	1	31.7	90.7	6.7934	71.5545
2024	10	5	2	10	8	12	0.1	1	31.7	89.6	6.7934	71.5546
2024	10	5	2	20	8	12	0.1	1	32.63	92.5	6.7934	73.5861
2024	10	5	2	30	8	12	0.1	1	31.72	91.8	6.7934	71.5546
2024	10	5	2	40	8	12	0.1	1	32.43	92.3	6.7934	73.1347
2024	10	5	2	50	8	12	0.1	1	32.72	92.1	6.7934	73.8119
2024	10	5	3	0	8	12	0.1	1	32.41	91.4	6.7934	73.1347
2024	10	5	3	10	8	12	0.1	1	32.92	91.9	6.7934	74.2634
2024	10	5	3	20	8	12	0.1	1	32.61	91.1	6.7934	73.5862
2024	10	5	3	30	8	12	0.1	1	32.76	93.3	6.7934	73.812
2024	10	5	3	40	8	12	0.1	1	32.05	93	6.7934	72.2319
2024	10	5	3	50	8	12	0.1	1	32.23	92.3	6.7934	72.6834
2024	10	5	4	0	8	12	0.1	1	32.33	92.7	6.7934	72.9091
2024	10	5	4	10	8	12	0.1	1	32.51	91.2	6.7934	73.3606
2024	10	5	4	20	8	12	0.1	1	32.23	92.7	6.7934	72.6835
2024	10	5	4	30	8	12	0.1	1	31.4	90.2	6.7934	70.8777
2024	10	5	4	40	8	12	0.1	1	31	89.6	6.7934	69.9748
2024	10	5	4	50	8	12	0.1	1	32.4	94.4	6.7934	72.9092
2024	10	5	5	0	8	12	0.1	1	31.31	91.6	6.7934	70.652
2024	10	5	5	10	8	12	0.1	1	32.61	91.6	6.7934	73.5865
2024	10	5	5	20	8	12	0.1	1	32.04	92.7	6.7934	72.2321
2024	10	5	5	30	8	12	0.1	1	31.22	92.2	6.7934	70.4263
2024	10	5	5	40	8	12	0.1	1	32	90	6.7934	72.2322
2024	10	5	5	50	8	12	0.1	1	33.02	91.9	6.7934	74.4894
2024	10	5	6	0	8	11.8	0.1	1	31.63	92.5	6.7934	71.3293
2024	10	5	6	10	8	11.8	0.1	1	32.5	90.9	6.7934	73.3608
2024	10	5	6	20	8	11.8	0.1	1	32.97	93.7	6.7934	74.2637
2024	10	5	6	30	8	11.8	0.1	1	31.74	92.7	6.7934	71.5551
2024	10	5	6	40	8	11.8	0.1	1	31.81	91.6	6.7934	71.7808
2024	10	5	6	50	8	11.8	0.1	1	32.6	90.7	6.7934	73.5866
2024	10	5	7	0	8	11.8	0.1	1	33.22	91.9	6.7934	74.941
2024	10	5	7	10	8	11.8	0.1	1	32.91	91.6	6.7934	74.2638
2024	10	5	7	20	8	11.8	0.1	1	33.35	93.1	6.7934	75.1667
2024	10	5	7	30	8	11.8	0.1	1	31.7	90.7	6.7934	71.5551
2024	10	5	7	40	8	11.8	0.1	1	32.61	91.2	6.7934	73.5867
2024	10	5	7	50	8	12.2	0.1	1	31.7	90.7	6.7934	71.5552

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	5	8	0	8	12.4	0.1	1	32.44	92.8	6.7934	73.1353
2024	10	5	8	10	8	12.6	0.1	1	31.91	91.1	6.7934	72.0066
2024	10	5	8	20	8	12.8	0.1	1	31.53	92.4	6.7934	71.1037
2024	10	5	8	30	8	12.8	0.1	1	33.04	92.8	6.7934	74.4896
2024	10	5	8	40	8	12.8	0.1	1	32.43	92.5	6.7934	73.1353
2024	10	5	8	50	8	12.8	0.1	1	33.07	93.6	6.7995	74.5592
2024	10	5	9	0	8	12.8	0.1	1	32.41	91.4	6.7934	73.1353
2024	10	5	9	10	8	13	0.1	1	32.52	91.9	6.7934	73.361
2024	10	5	9	20	8	12.8	0.1	1	33.33	92.2	6.7934	75.1667
2024	10	5	9	30	8	13	0.1	1	32.12	92	6.7934	72.458
2024	10	5	9	40	8	13.2	0.1	1	32.23	92.3	6.7995	72.7516
2024	10	5	9	50	8	13.2	0.1	1	32.31	91.6	6.7995	72.9775
2024	10	5	10	0	8	14.2	0.1	1	32	90.9	6.7995	72.2997
2024	10	5	10	10	8	13.4	0.1	1	31	90.4	6.7995	70.0403
2024	10	5	10	20	8	13.4	0.1	1	32.62	92.1	6.7995	73.6552
2024	10	5	10	30	8	13.4	0.1	1	31.91	91.4	6.7995	72.0736
2024	10	5	10	40	8	13.4	0.1	1	31.2	89.1	6.7995	70.492
2024	10	5	10	50	8	13.2	0.1	1	31.5	90.4	6.7995	71.1697
2024	10	5	11	0	8	13.4	0.1	1	32.71	91.6	6.7995	73.8809
2024	10	5	11	10	8	13.4	0.1	1	32.41	91.4	6.7995	73.203
2024	10	5	11	20	8	13.4	0.1	1	31.97	93.8	6.7995	72.0732
2024	10	5	11	30	8	13.4	0.1	1	32.81	91.4	6.7995	74.1066
2024	10	5	11	40	8	13.4	0.1	1	32.23	92.3	6.7995	72.7509
2024	10	5	11	50	8	13.4	0.1	1	32.32	92	6.7995	72.9768
2024	10	5	12	0	8	13.4	0.1	1	32.47	93.9	6.7995	73.2026
2024	10	5	12	10	8	13.4	0.1	1	32.93	92.6	6.7995	74.3322
2024	10	5	12	20	8	13.4	0.1	1	32.61	91.6	6.7995	73.6543
2024	10	5	12	30	8	13.4	0.1	1	32.61	91.6	6.7995	73.6542
2024	10	5	12	40	8	13.4	0.1	1	33.02	91.9	6.7995	74.5579
2024	10	5	12	50	8	13.4	0.1	1	31.61	91.6	6.7995	71.3947
2024	10	5	13	0	8	13.2	0.1	1	32.68	94	6.7995	73.654
2024	10	5	13	10	8	13.2	0.1	1	31.9	90	6.7995	72.0724
2024	10	5	13	20	8	13.2	0.1	1	31.92	91.8	6.7995	72.0723
2024	10	5	13	30	8	13.2	0.1	1	31.85	93.1	6.7995	71.8463
2024	10	5	13	40	8	13.2	0.1	1	31.71	91.6	6.7995	71.6203
2024	10	5	13	50	8	13.2	0.1	1	32.61	91.2	6.8056	73.7225
2024	10	5	14	0	8	13.2	0.1	1	31.6	90	6.7995	71.3943
2024	10	5	14	10	8	13.4	0.1	1	32.26	93.4	6.7995	72.7499
2024	10	5	14	20	8	13.2	0.1	1	32.51	91.2	6.7995	73.4276
2024	10	5	14	30	8	13.2	0.1	1	32.05	93.2	6.7995	72.2979
2024	10	5	14	40	8	13.2	0.1	1	32.05	93.2	6.7995	72.2979
2024	10	5	14	50	8	13.2	0.1	1	31.83	92.3	6.7995	71.846
2024	10	5	15	0	8	13.2	0.1	1	32.14	92.7	6.7995	72.5238
2024	10	5	15	10	8	13.4	0.1	1	33.23	92.4	6.7995	75.009
2024	10	5	15	20	8	13.4	0.1	1	32.1	90.7	6.7995	72.5237
2024	10	5	15	30	8	13.4	0.1	1	31.6	90.7	6.8056	71.4607
2024	10	5	15	40	8	13.4	0.1	1	33.43	92.2	6.7995	75.4607
2024	10	5	15	50	8	13.4	0.1	1	33.2	90.5	6.7995	75.0088

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	5	16	0	8	13.2	0.1	1	31.71	91.4	6.7995	71.6198
2024	10	5	16	10	8	13.4	0.1	1	31.5	90	6.7995	71.1679
2024	10	5	16	20	8	13.4	0.1	1	32.51	91.2	6.7995	73.4271
2024	10	5	16	30	8	12.8	0.1	1	32.7	90.4	6.7995	73.879
2024	10	5	16	40	8	12.4	0.1	1	31.02	91.8	6.7995	70.0381
2024	10	5	16	50	8	13.6	0.1	1	32.13	92.3	6.7995	72.5233
2024	10	5	17	0	8	13.6	0.1	1	31.9	89.3	6.7995	72.0714
2024	10	5	17	10	8	13.4	0.1	1	32.8	90.9	6.7934	74.0356
2024	10	5	17	20	8	13.4	0.1	1	32.81	91.2	6.7934	74.0356
2024	10	5	17	30	8	13.4	0.1	1	33.22	91.9	6.7934	74.9384
2024	10	5	17	40	8	12.8	0.1	1	32.31	91.1	6.7934	72.9069
2024	10	5	17	50	8	12.4	0.1	1	31.8	90.5	6.7873	71.7112
2024	10	5	18	0	8	12.2	0.1	1	32.83	92.4	6.7812	73.8971
2024	10	5	18	10	8	12.2	0.1	1	31.6	90.7	6.7812	71.1935
2024	10	5	18	20	8	12.2	0.1	1	31.41	88.7	6.7873	70.8092
2024	10	5	18	30	8	12.2	0.1	1	32.62	91.9	6.7873	73.5153
2024	10	5	18	40	8	12.2	0.1	1	32.84	93	6.7873	73.9663
2024	10	5	18	50	8	12.2	0.1	1	31.3	90.5	6.7873	70.5837
2024	10	5	19	0	8	12.2	0.1	1	32.51	91.6	6.7812	73.2212
2024	10	5	19	10	8	12.2	0.1	1	32.52	91.8	6.7812	73.2212
2024	10	5	19	20	8	12.2	0.1	1	31.93	92.5	6.7812	71.8694
2024	10	5	19	30	8	12.2	0.1	1	31.4	90.7	6.7812	70.743
2024	10	5	19	40	8	12.2	0.1	1	31.91	91.3	6.7812	71.8695
2024	10	5	19	50	8	12.2	0.1	1	32	90.9	6.7812	72.0948
2024	10	5	20	0	8	12.2	0.1	1	32.21	94.6	6.7812	72.3201
2024	10	5	20	10	8	12.2	0.1	1	31.91	91.3	6.7812	71.8695
2024	10	5	20	20	8	12.2	0.1	1	32.11	91.4	6.7812	72.3202
2024	10	5	20	30	8	12.2	0.1	1	32.67	93.7	6.7812	73.4467
2024	10	5	20	40	8	12.2	0.1	1	31	90.7	6.7812	69.842
2024	10	5	20	50	8	12.2	0.1	1	31.7	89.1	6.7873	71.4859
2024	10	5	21	0	8	12.2	0.1	1	32.31	91.6	6.7812	72.7709
2024	10	5	21	10	8	12.2	0.1	1	32.8	89.3	6.7873	73.9666
2024	10	5	21	20	8	12.2	0.1	1	31.41	91.6	6.7812	70.7433
2024	10	5	21	30	8	12.2	0.1	1	33.44	92.7	6.7812	75.2493
2024	10	5	21	40	8	12.2	0.1	1	32.63	92.3	6.7873	73.5157
2024	10	5	21	50	8	12.2	0.1	1	32.21	91.1	6.7873	72.6137
2024	10	5	22	0	8	12.2	0.1	1	32.2	90.5	6.7873	72.6137
2024	10	5	22	10	8	12.2	0.1	1	31.83	92.3	6.7934	71.7788
2024	10	5	22	20	8	12	0.1	1	32.21	91.4	6.7934	72.6817
2024	10	5	22	30	8	12	0.1	1	32.23	92.3	6.7873	72.6139
2024	10	5	22	40	8	12	0.1	1	32.94	93	6.7873	74.1925
2024	10	5	22	50	8	12	0.1	1	32.01	91.6	6.7934	72.2304
2024	10	5	23	0	8	12	0.1	1	32.3	90.7	6.7934	72.9076
2024	10	5	23	10	8	12	0.1	1	33.2	90.5	6.7934	74.9391
2024	10	5	23	20	8	12	0.1	1	32.42	91.8	6.7934	73.1334
2024	10	5	23	30	8	12	0.1	1	32.61	91.6	6.7934	73.5849
2024	10	5	23	40	8	12	0.1	1	32.42	91.9	6.7934	73.1335
2024	10	5	23	50	8	12	0.1	1	31.93	92.3	6.7934	72.0049

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	6	0	0	8	12	0.1	1	33.43	92.2	6.7934	75.3908
2024	10	6	0	10	8	12	0.1	1	32.12	92.1	6.7934	72.4565
2024	10	6	0	20	8	12	0.1	1	32.8	90	6.7934	74.0366
2024	10	6	0	30	8	12	0.1	1	32.81	91	6.7934	74.0366
2024	10	6	0	40	8	12	0.1	1	32.6	90.7	6.7934	73.5852
2024	10	6	0	50	8	12	0.1	1	32.01	91.1	6.7934	72.2309
2024	10	6	1	0	8	12	0.1	1	31.4	90.4	6.7934	70.8766
2024	10	6	1	10	8	12	0.1	1	31.82	92	6.7934	71.7796
2024	10	6	1	20	8	12	0.1	1	31.4	90.7	6.7934	70.8767
2024	10	6	1	30	8	12	0.1	1	33.22	91.7	6.7934	74.9398
2024	10	6	1	40	8	12	0.1	1	31.75	93.1	6.7934	71.554
2024	10	6	1	50	8	12	0.1	1	32.81	91	6.7934	74.0369
2024	10	6	2	0	8	12	0.1	1	31.6	90.7	6.7934	71.3283
2024	10	6	2	10	8	12	0.1	1	32.04	92.9	6.7934	72.2312
2024	10	6	2	20	8	12	0.1	1	32.11	91.1	6.7934	72.457
2024	10	6	2	30	8	12	0.1	1	33.01	91.4	6.7934	74.4885
2024	10	6	2	40	8	12	0.1	1	31.12	91.8	6.7934	70.1998
2024	10	6	2	50	8	12	0.1	1	32.11	91.4	6.7934	72.4571
2024	10	6	3	0	8	12	0.1	1	32.22	92.1	6.7934	72.6829
2024	10	6	3	10	8	12	0.1	1	32.5	90	6.7934	73.3601
2024	10	6	3	20	8	12	0.1	1	32.21	91.6	6.7934	72.6829
2024	10	6	3	30	8	12	0.1	1	33.21	91.2	6.7934	74.9402
2024	10	6	3	40	8	12	0.1	1	31.76	93.6	6.7934	71.5544
2024	10	6	3	50	8	12	0.1	1	32.6	90.7	6.7934	73.5859
2024	10	6	4	0	8	12	0.1	1	32.01	91.6	6.7934	72.2316
2024	10	6	4	10	8	12	0.1	1	32.1	90.5	6.7934	72.4574
2024	10	6	4	20	8	12	0.1	1	33.3	90.7	6.7934	75.1661
2024	10	6	4	30	8	12	0.1	1	31.81	94.7	6.7934	71.5545
2024	10	6	4	40	8	12	0.1	1	32.81	91.6	6.7934	74.0375
2024	10	6	4	50	8	12	0.1	1	31.66	93.4	6.7934	71.3288
2024	10	6	5	0	8	12	0.1	1	32.11	91.4	6.7934	72.4575
2024	10	6	5	10	8	12	0.1	1	32.41	91.4	6.7934	73.1347
2024	10	6	5	20	8	12	0.1	1	32.51	91.2	6.7934	73.3604
2024	10	6	5	30	8	12	0.1	1	31	90.7	6.7934	69.9746
2024	10	6	5	40	8	12	0.1	1	32.2	90	6.7934	72.6833
2024	10	6	5	50	8	12	0.1	1	32.61	91.1	6.7934	73.5862
2024	10	6	6	0	8	12	0.1	1	32.71	91.1	6.7934	73.812
2024	10	6	6	10	8	11.8	0.1	1	32.42	91.9	6.7934	73.1348
2024	10	6	6	20	8	11.8	0.1	1	32.42	91.9	6.7934	73.1349
2024	10	6	6	30	8	11.8	0.1	1	33.01	91.2	6.7934	74.4892
2024	10	6	6	40	8	11.8	0.1	1	32.81	91.6	6.7934	74.0378
2024	10	6	6	50	8	11.8	0.1	1	31.31	91.1	6.7934	70.652
2024	10	6	7	0	8	11.8	0.1	1	31.91	91.4	6.7934	72.0063
2024	10	6	7	10	8	11.8	0.1	1	33.23	92.4	6.7934	74.9408
2024	10	6	7	20	8	11.8	0.1	1	33.55	93.1	6.7934	75.618
2024	10	6	7	30	8	11.8	0.1	1	32.44	93	6.7934	73.135
2024	10	6	7	40	8	12	0.1	1	30.93	92.4	6.7934	69.7491
2024	10	6	7	50	8	12.2	0.1	1	31.93	92.5	6.7934	72.0064

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	6	8	0	8	12.4	0.1	1	31.2	90.4	6.7934	70.4264
2024	10	6	8	10	8	12.6	0.1	1	32.41	91.4	6.7934	73.1351
2024	10	6	8	20	8	12.8	0.1	1	32.32	91.8	6.7934	72.9093
2024	10	6	8	30	8	12.8	0.1	1	33.74	92.7	6.7934	76.0695
2024	10	6	8	40	8	12.8	0.1	1	32.6	90.7	6.7934	73.5865
2024	10	6	8	50	8	12.8	0.1	1	32.76	93.3	6.7934	73.8122
2024	10	6	9	0	8	12.8	0.1	1	32.21	91.2	6.7934	72.6836
2024	10	6	9	10	8	12.8	0.1	1	32.23	92.3	6.7934	72.6835
2024	10	6	9	20	8	12.8	0.1	1	32.71	94.7	6.7934	73.5864
2024	10	6	9	30	8	13	0.1	1	32.14	92.9	6.7934	72.4578
2024	10	6	9	40	8	13	0.1	1	32.22	92.1	6.7934	72.6834
2024	10	6	9	50	8	13	0.1	1	32.73	92.6	6.7934	73.812
2024	10	6	10	0	8	13	0.1	1	33.11	91.6	6.7934	74.7149
2024	10	6	10	10	8	13.2	0.1	1	32.33	92.3	6.7934	72.909
2024	10	6	10	20	8	13.2	0.1	1	32.03	92.3	6.7934	72.2318
2024	10	6	10	30	8	13.4	0.1	1	33.2	89.3	6.7934	74.9405
2024	10	6	10	40	8	13.4	0.1	1	31.81	91.6	6.7995	71.8473
2024	10	6	10	50	8	13.4	0.1	1	32.41	91.2	6.7995	73.2029
2024	10	6	11	0	8	13.4	0.1	1	32.17	93.7	6.7995	72.525
2024	10	6	11	10	8	13.4	0.1	1	32.9	90.3	6.7995	74.3324
2024	10	6	11	20	8	13.4	0.1	1	32.31	91.1	6.7995	72.9768
2024	10	6	11	30	8	13.4	0.1	1	32.91	91.2	6.7995	74.3323
2024	10	6	11	40	8	13.4	0.1	1	32.06	93.6	6.7995	72.2988
2024	10	6	11	50	8	13.4	0.1	1	32.63	92.3	6.7995	73.6544
2024	10	6	12	0	8	13.4	0.1	1	31.6	90.4	6.7995	71.395
2024	10	6	12	10	8	13.4	0.1	1	32.51	91.4	6.7995	73.4283
2024	10	6	12	20	8	13.4	0.1	1	32.63	92.3	6.7995	73.6542
2024	10	6	12	30	8	14.2	0.1	1	33.61	91	6.7995	75.9134
2024	10	6	12	40	8	14.2	0.1	1	32.53	92.5	6.7995	73.4281
2024	10	6	12	50	8	14.2	0.1	1	32.37	93.7	6.7995	72.9761
2024	10	6	13	0	8	13.4	0.1	1	31.72	92	6.7995	71.6205
2024	10	6	13	10	8	13.4	0.1	1	32.8	90.9	6.7995	74.1057
2024	10	6	13	20	8	13.4	0.1	1	32.77	93.7	6.7995	73.8797
2024	10	6	13	30	8	13.4	0.1	1	32.7	90	6.7995	73.8796
2024	10	6	13	40	8	13.4	0.1	1	32.8	89.5	6.7995	74.1055
2024	10	6	13	50	8	13.4	0.1	1	32.61	91.2	6.7995	73.6536
2024	10	6	14	0	8	13.4	0.1	1	31.73	92.5	6.7995	71.6202
2024	10	6	14	10	8	13.4	0.1	1	31.3	90	6.7995	70.7164
2024	10	6	14	20	8	13.4	0.1	1	31.8	90	6.7995	71.846
2024	10	6	14	30	8	13.2	0.1	1	32.41	91.4	6.8056	73.2699
2024	10	6	14	40	8	13.4	0.1	1	31.73	92.5	6.7995	71.62
2024	10	6	14	50	8	13.4	0.1	1	32.61	91.1	6.8056	73.7221
2024	10	6	15	0	8	13.4	0.1	1	32.74	93	6.7995	73.8793
2024	10	6	15	10	8	13.4	0.1	1	33.33	92.2	6.7934	75.1646
2024	10	6	15	20	8	13.4	0.1	1	32.43	92.5	6.7934	73.1331
2024	10	6	15	30	8	13.4	0.1	1	33.47	93.8	6.7934	75.3902
2024	10	6	15	40	8	13.4	0.1	1	32.88	94	6.7934	74.0359
2024	10	6	15	50	8	13.4	0.1	1	33.01	91.6	6.7995	74.5569

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	6	16	0	8	13.4	0.1	1	33.14	92.8	6.7934	74.713
2024	10	6	16	10	8	13.4	0.1	1	32.64	92.8	6.7934	73.5844
2024	10	6	16	20	8	13.2	0.1	1	31.83	92.5	6.7934	71.7786
2024	10	6	16	30	8	13	0.1	1	33.13	92.6	6.7934	74.7129
2024	10	6	16	40	8	12.4	0.1	1	32.41	91.4	6.7934	73.1328
2024	10	6	16	50	8	12.4	0.1	1	32.11	91.6	6.7934	72.4557
2024	10	6	17	0	8	12.4	0.1	1	32.41	91.1	6.7934	73.1328
2024	10	6	17	10	8	12.4	0.1	1	32.64	92.8	6.7873	73.5155
2024	10	6	17	20	8	12.2	0.1	1	32.04	92.7	6.7873	72.1624
2024	10	6	17	30	8	12.2	0.1	1	31.7	90.7	6.7934	71.5527
2024	10	6	17	40	8	12.2	0.1	1	33.33	92.2	6.7934	75.1642
2024	10	6	17	50	8	12.2	0.1	1	31.8	89.1	6.7873	71.7114
2024	10	6	18	0	8	12.2	0.1	1	31.81	91.3	6.7873	71.7114
2024	10	6	18	10	8	12.2	0.1	1	31.71	91.3	6.7873	71.4859
2024	10	6	18	20	8	12.2	0.1	1	32.83	92.3	6.7934	74.0356
2024	10	6	18	30	8	12.2	0.1	1	31.3	90	6.7934	70.6499
2024	10	6	18	40	8	12.2	0.1	1	32.4	90.7	6.7934	73.1328
2024	10	6	18	50	8	12.2	0.1	1	32.23	92.3	6.7873	72.6134
2024	10	6	19	0	8	12.2	0.1	1	32.33	92.3	6.7934	72.907
2024	10	6	19	10	8	12.2	0.1	1	31.8	90.5	6.7873	71.7114
2024	10	6	19	20	8	12.2	0.1	1	30.9	89.6	6.7873	69.6818
2024	10	6	19	30	8	12.2	0.1	1	33.06	93.5	6.7873	74.4175
2024	10	6	19	40	8	12.2	0.1	1	30.92	92.2	6.7873	69.6818
2024	10	6	19	50	8	12.2	0.1	1	31.82	92	6.7873	71.7114
2024	10	6	20	0	8	12.2	0.1	1	31.5	90	6.7873	71.0349
2024	10	6	20	10	8	12.2	0.1	1	32.11	91.4	6.7873	72.388
2024	10	6	20	20	8	12.2	0.1	1	32.53	92.3	6.7873	73.29
2024	10	6	20	30	8	12.2	0.1	1	31.31	91.3	6.7934	70.65
2024	10	6	20	40	8	12.2	0.1	1	32.22	91.8	6.7934	72.6815
2024	10	6	20	50	8	12.2	0.1	1	33.13	92.2	6.7934	74.713
2024	10	6	21	0	8	12.2	0.1	1	32.22	91.8	6.7995	72.7495
2024	10	6	21	10	8	12.2	0.1	1	31.3	90	6.7995	70.7161
2024	10	6	21	20	8	12.2	0.1	1	32.41	91.1	6.7995	73.2014
2024	10	6	21	30	8	12.2	0.1	1	32.3	90.7	6.7995	72.9755
2024	10	6	21	40	8	12.2	0.1	1	32.71	91.6	6.7995	73.8792
2024	10	6	21	50	8	12.2	0.1	1	31.9	90.5	6.7995	72.0718
2024	10	6	22	0	8	12.2	0.1	1	32.81	91.2	6.7995	74.1052
2024	10	6	22	10	8	12.2	0.1	1	32.71	91.4	6.7995	73.8793
2024	10	6	22	20	8	12.2	0.1	1	32.3	90.9	6.7995	72.9756
2024	10	6	22	30	8	12.2	0.1	1	33.82	92	6.7995	76.3646
2024	10	6	22	40	8	12	0.1	1	32.23	92.3	6.7995	72.7498
2024	10	6	22	50	8	12	0.1	1	32.41	91.6	6.7995	73.2017
2024	10	6	23	0	8	12	0.1	1	33.01	91.4	6.7995	74.5573
2024	10	6	23	10	8	12	0.1	1	31.8	90.4	6.7995	71.8462
2024	10	6	23	20	8	12	0.1	1	33.33	92.2	6.7995	75.2352
2024	10	6	23	30	8	12	0.1	1	32.03	92.3	6.7995	72.2981
2024	10	6	23	40	8	12	0.1	1	31.3	90.9	6.7995	70.7166
2024	10	6	23	50	8	12	0.1	1	31.8	90.4	6.7995	71.8464

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	7	0	0	8	12	0.1	1	32.3	90.7	6.7995	72.976
2024	10	7	0	10	8	12	0.1	1	32	90.7	6.7995	72.2983
2024	10	7	0	20	8	12	0.1	1	32.23	92.3	6.7995	72.7502
2024	10	7	0	30	8	12	0.1	1	31.4	90.9	6.7995	70.9428
2024	10	7	0	40	8	12	0.1	1	32.92	91.7	6.7995	74.3318
2024	10	7	0	50	8	12	0.1	1	32.42	91.8	6.7995	73.2022
2024	10	7	1	0	8	12	0.1	1	31.91	91.3	6.7995	72.0726
2024	10	7	1	10	8	12	0.1	1	33.3	89.8	6.7995	75.2356
2024	10	7	1	20	8	12	0.1	1	31.31	91.1	6.7995	70.717
2024	10	7	1	30	8	12	0.1	1	32.26	93.4	6.7995	72.7505
2024	10	7	1	40	8	12	0.1	1	32.18	94.1	6.7995	72.5246
2024	10	7	1	50	8	12	0.1	1	31.71	91.3	6.7995	71.6209
2024	10	7	2	0	8	12	0.1	1	32.3	90.7	6.7995	72.9765
2024	10	7	2	10	8	12	0.1	1	32.72	92.1	6.7995	73.8803
2024	10	7	2	20	8	12	0.1	1	31.31	91.5	6.7995	70.7173
2024	10	7	2	30	8	12	0.1	1	32.63	92.3	6.7995	73.6545
2024	10	7	2	40	8	12	0.1	1	32.71	91.6	6.7995	73.8804
2024	10	7	2	50	8	12	0.1	1	32.31	91.6	6.7995	72.9768
2024	10	7	3	0	8	12	0.1	1	32	90.7	6.7995	72.299
2024	10	7	3	10	8	12	0.1	1	33.15	93.3	6.7995	74.7843
2024	10	7	3	20	8	12	0.1	1	32.2	89.5	6.7995	72.751
2024	10	7	3	30	8	12	0.1	1	32.71	91.6	6.7995	73.8807
2024	10	7	3	40	8	12	0.1	1	31.62	92	6.7995	71.3954
2024	10	7	3	50	8	12	0.1	1	32.41	91.6	6.7995	73.2029
2024	10	7	4	0	8	12	0.1	1	32.32	91.8	6.7995	72.977
2024	10	7	4	10	8	12	0.1	1	32.52	91.8	6.7995	73.4289
2024	10	7	4	20	8	12	0.1	1	32.2	90.4	6.7995	72.7512
2024	10	7	4	30	8	12	0.1	1	32.53	92.6	6.7995	73.429
2024	10	7	4	40	8	12	0.1	1	31.91	91.3	6.7995	72.0734
2024	10	7	4	50	8	12	0.1	1	33.33	95	6.7995	75.0106
2024	10	7	5	0	8	12	0.1	1	32.74	93	6.7995	73.881
2024	10	7	5	10	8	12	0.1	1	31.81	91.1	6.7995	71.8476
2024	10	7	5	20	8	12	0.1	1	31.5	90.7	6.7995	71.1698
2024	10	7	5	30	8	12	0.1	1	32.51	91.2	6.7995	73.4292
2024	10	7	5	40	8	12	0.1	1	31.9	90.2	6.7995	72.0736
2024	10	7	5	50	8	12	0.1	1	32.67	93.7	6.7995	73.6552
2024	10	7	6	0	8	11.8	0.1	1	30.9	89.4	6.7995	69.8143
2024	10	7	6	10	8	11.8	0.1	1	32.56	93.5	6.7995	73.4293
2024	10	7	6	20	8	11.8	0.1	1	32.5	90.9	6.7934	73.3607
2024	10	7	6	30	8	11.8	0.1	1	32.22	91.8	6.7995	72.7515
2024	10	7	6	40	8	11.8	0.1	1	32.84	93	6.7995	74.1072
2024	10	7	6	50	8	11.8	0.1	1	32.36	93.5	6.7995	72.9775
2024	10	7	7	0	8	11.8	0.1	1	32.11	91.6	6.7995	72.5256
2024	10	7	7	10	8	11.8	0.1	1	33.4	90	6.7995	75.4628
2024	10	7	7	20	8	11.8	0.1	1	31.8	90.9	6.7995	71.8479
2024	10	7	7	30	8	11.8	0.1	1	32.5	90.9	6.7995	73.4294
2024	10	7	7	40	8	12	0.1	1	31.4	90.5	6.7995	70.9442
2024	10	7	7	50	8	12.2	0.1	1	31.23	92.6	6.7995	70.4923

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	7	8	0	8	12.6	0.1	1	32.2	90.7	6.7995	72.7517
2024	10	7	8	10	8	12.4	0.1	1	31.7	90.7	6.7995	71.622
2024	10	7	8	20	8	12.8	0.1	1	32.35	93.2	6.7995	72.9776
2024	10	7	8	30	8	12.6	0.1	1	31.41	91.1	6.7995	70.9442
2024	10	7	8	40	8	12.4	0.1	1	32.5	90.9	6.7995	73.4295
2024	10	7	8	50	8	12.4	0.1	1	32.04	92.7	6.7995	72.2998
2024	10	7	9	0	8	12.4	0.1	1	32.63	92.6	6.7995	73.6554
2024	10	7	9	10	8	12.6	0.1	1	32.62	92.1	6.7995	73.6554
2024	10	7	9	20	8	12.8	0.1	1	33.51	91.4	6.7995	75.6888
2024	10	7	9	30	8	13	0.1	1	31.94	92.9	6.7995	72.0738
2024	10	7	9	40	8	13	0.1	1	31.93	92.3	6.7995	72.0738
2024	10	7	9	50	8	12.6	0.1	1	31.95	93.2	6.7995	72.0737
2024	10	7	10	0	8	12.6	0.1	1	33.43	92.2	6.7995	75.4627
2024	10	7	10	10	8	12.6	0.1	1	32.41	91.4	6.7995	73.2034
2024	10	7	10	20	8	12.6	0.1	1	32.91	91	6.7995	74.333
2024	10	7	10	30	8	12.6	0.1	1	32.43	92.3	6.7995	73.2033
2024	10	7	10	40	8	13.2	0.1	1	32.3	90	6.7995	72.9773
2024	10	7	10	50	8	13	0.1	1	32.36	93.5	6.7995	72.9773
2024	10	7	11	0	8	12.6	0.1	1	32.23	92.7	6.7995	72.7513
2024	10	7	11	10	8	12.8	0.1	1	32.1	90.5	6.7995	72.5253
2024	10	7	11	20	8	12.8	0.1	1	32.42	91.9	6.7995	73.2031
2024	10	7	11	30	8	13	0.1	1	31.31	91.6	6.7995	70.7178
2024	10	7	11	40	8	13.4	0.1	1	31.5	90.9	6.7995	71.1696
2024	10	7	11	50	8	13.4	0.1	1	32.95	93.3	6.7995	74.3326
2024	10	7	12	0	8	13.2	0.1	1	32.5	90.9	6.7995	73.4288
2024	10	7	12	10	8	12.8	0.1	1	32.2	90.9	6.7995	72.751
2024	10	7	12	20	8	13.2	0.1	1	32.51	91.6	6.7995	73.4287
2024	10	7	12	30	8	13.4	0.1	1	31.6	90.7	6.7995	71.3953
2024	10	7	12	40	8	14.2	0.1	1	31.71	91.6	6.7995	71.6212
2024	10	7	12	50	8	14.2	0.1	1	33.71	91.2	6.7995	76.1398
2024	10	7	13	0	8	14.2	0.1	1	32.2	90	6.7995	72.7507
2024	10	7	13	10	8	13.6	0.1	1	32.93	92.6	6.7995	74.3322
2024	10	7	13	20	8	13.4	0.1	1	32.83	92.4	6.7995	74.1062
2024	10	7	13	30	8	13.4	0.1	1	32.02	92	6.7995	72.2986
2024	10	7	13	40	8	12.8	0.1	1	32.5	94.4	6.8056	73.2706
2024	10	7	13	50	8	12.8	0.1	1	31.52	92	6.7995	71.1688
2024	10	7	14	0	8	13.2	0.1	1	32.41	91.2	6.8056	73.2705
2024	10	7	14	10	8	13.2	0.1	1	32.52	91.9	6.8056	73.4966
2024	10	7	14	20	8	13.4	0.1	1	32.2	90.5	6.8056	72.8181
2024	10	7	14	30	8	13.4	0.1	1	33.04	92.9	6.8056	74.6272
2024	10	7	14	40	8	13.4	0.1	1	32.81	91.2	6.8056	74.1749
2024	10	7	14	50	8	13.6	0.1	1	32.8	90.5	6.8056	74.1748
2024	10	7	15	0	8	12.8	0.1	1	31.91	91.3	6.8056	72.1395
2024	10	7	15	10	8	12.8	0.1	1	33.12	91.7	6.8056	74.8532
2024	10	7	15	20	8	12.6	0.1	1	33.24	92.8	6.7995	75.0093
2024	10	7	15	30	8	12.4	0.1	1	32.51	91.4	6.7934	73.3592
2024	10	7	15	40	8	12.4	0.1	1	32.3	90.9	6.7934	72.9078
2024	10	7	15	50	8	12.4	0.1	1	31.91	91.6	6.7934	72.0049

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	7	16	0	8	12.4	0.1	1	31.51	91.3	6.7934	71.102
2024	10	7	16	10	8	12.4	0.1	1	32.42	91.9	6.7934	73.1335
2024	10	7	16	20	8	12.4	0.1	1	32.01	91.3	6.7995	72.2981
2024	10	7	16	30	8	12.4	0.1	1	32.41	91.2	6.7995	73.2018
2024	10	7	16	40	8	12.2	0.1	1	31.31	91.3	6.7995	70.7166
2024	10	7	16	50	8	12.2	0.1	1	32.21	91.6	6.7995	72.75
2024	10	7	17	0	8	12.2	0.1	1	31.7	90.5	6.7995	71.6203
2024	10	7	17	10	8	12.2	0.1	1	33.31	91	6.7995	75.2352
2024	10	7	17	20	8	12.2	0.1	1	32.51	91.4	6.7995	73.4278
2024	10	7	17	30	8	12.2	0.1	1	33.36	93.4	6.7995	75.2352
2024	10	7	17	40	8	12.2	0.1	1	32.42	91.8	6.7995	73.2019
2024	10	7	17	50	8	12.2	0.1	1	32.23	92.5	6.7934	72.6821
2024	10	7	18	0	8	12.2	0.1	1	32.53	92.3	6.7934	73.3593
2024	10	7	18	10	8	12.2	0.1	1	32.4	90.7	6.7995	73.2019
2024	10	7	18	20	8	12.2	0.1	1	32.22	92	6.7995	72.75
2024	10	7	18	30	8	12.2	0.1	1	32.8	90.7	6.7995	74.1056
2024	10	7	18	40	8	12.2	0.1	1	32.7	90.7	6.7995	73.8797
2024	10	7	18	50	8	12.2	0.1	1	32.73	92.3	6.7995	73.8797
2024	10	7	19	0	8	12.2	0.1	1	32.31	91.2	6.7995	72.976
2024	10	7	19	10	8	12.2	0.1	1	33.93	92.5	6.7995	76.5909
2024	10	7	19	20	8	12.2	0.1	1	33.3	90.9	6.7995	75.2353
2024	10	7	19	30	8	12.2	0.1	1	32.31	91.1	6.7995	72.976
2024	10	7	19	40	8	12.2	0.1	1	33.2	90.9	6.7995	75.0094
2024	10	7	19	50	8	12.2	0.1	1	32.1	90	6.7995	72.5242
2024	10	7	20	0	8	12.2	0.1	1	32.6	90	6.7995	73.6538
2024	10	7	20	10	8	12.2	0.1	1	31.9	90.7	6.7995	72.0723
2024	10	7	20	20	8	12.2	0.1	1	32.7	90.7	6.7995	73.8798
2024	10	7	20	30	8	12.2	0.1	1	31.9	89.5	6.7995	72.0724
2024	10	7	20	40	8	12.2	0.1	1	32.81	91	6.7995	74.1058
2024	10	7	20	50	8	12.2	0.1	1	32.47	93.9	6.7995	73.2021
2024	10	7	21	0	8	12	0.1	1	32.73	92.3	6.8056	73.9489
2024	10	7	21	10	8	12	0.1	1	32.57	93.7	6.8056	73.4966
2024	10	7	21	20	8	12	0.1	1	31.57	93.8	6.8056	71.2352
2024	10	7	21	30	8	12	0.1	1	31.76	93.4	6.8056	71.6876
2024	10	7	21	40	8	12	0.1	1	32.44	93	6.8056	73.2706
2024	10	7	21	50	8	12	0.1	1	32.12	91.8	6.8056	72.5922
2024	10	7	22	0	8	12	0.1	1	32.31	91.6	6.8056	73.0445
2024	10	7	22	10	8	12	0.1	1	33.13	92.6	6.8056	74.8537
2024	10	7	22	20	8	12	0.1	1	32.43	92.3	6.8056	73.2707
2024	10	7	22	30	8	12	0.1	1	31.14	92.8	6.8056	70.3309
2024	10	7	22	40	8	12	0.1	1	32.21	91.6	6.8056	72.8185
2024	10	7	22	50	8	12	0.1	1	33.02	92.1	6.8056	74.6277
2024	10	7	23	0	8	12	0.1	1	33.33	92.4	6.8056	75.3062
2024	10	7	23	10	8	12	0.1	1	32.14	92.7	6.8056	72.5925
2024	10	7	23	20	8	12	0.1	1	32.1	90	6.7995	72.5248
2024	10	7	23	30	8	12	0.1	1	32.02	92	6.7995	72.2989
2024	10	7	23	40	8	12	0.1	1	32.9	90.9	6.8056	74.4017
2024	10	7	23	50	8	12	0.1	1	32.13	92.5	6.8056	72.5926

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	8	0	0	8	12	0.1	1	31.6	89.8	6.8056	71.4619
2024	10	8	0	10	8	12	0.1	1	31.42	92.2	6.8056	71.0097
2024	10	8	0	20	8	12	0.1	1	31.22	92.2	6.8056	70.5574
2024	10	8	0	30	8	12	0.1	1	32.51	91.1	6.8056	73.4973
2024	10	8	0	40	8	12	0.1	1	32.43	92.3	6.7995	73.2029
2024	10	8	0	50	8	12	0.1	1	32.61	91.1	6.7995	73.6548
2024	10	8	1	0	8	12	0.1	1	32.21	91.6	6.7995	72.7511
2024	10	8	1	10	8	12	0.1	1	32.7	90	6.7995	73.8808
2024	10	8	1	20	8	12	0.1	1	32	90.7	6.8056	72.3668
2024	10	8	1	30	8	12	0.1	1	32.52	91.8	6.7995	73.429
2024	10	8	1	40	8	12	0.1	1	32.51	91.6	6.7995	73.429
2024	10	8	1	50	8	12	0.1	1	32.41	91.1	6.7995	73.2031
2024	10	8	2	0	8	12	0.1	1	31.91	91.6	6.7995	72.0735
2024	10	8	2	10	8	12	0.1	1	33.31	91.2	6.7995	75.2366
2024	10	8	2	20	8	12	0.1	1	32.71	91.2	6.7995	73.881
2024	10	8	2	30	8	12	0.1	1	31.8	89.5	6.7995	71.8476
2024	10	8	2	40	8	12	0.1	1	31.7	90	6.8056	71.6886
2024	10	8	2	50	8	12	0.1	1	32.4	90.5	6.8056	73.2717
2024	10	8	3	0	8	12	0.1	1	32.71	91.4	6.8056	73.9501
2024	10	8	3	10	8	12	0.1	1	33.12	92.1	6.8056	74.8548
2024	10	8	3	20	8	12	0.1	1	32.1	90.7	6.8056	72.5933
2024	10	8	3	30	8	12	0.1	1	31.7	89.3	6.8056	71.6888
2024	10	8	3	40	8	12	0.1	1	33.41	91.4	6.8056	75.5333
2024	10	8	3	50	8	12	0.1	1	32.82	91.7	6.8056	74.1765
2024	10	8	4	0	8	12	0.1	1	31.71	91.6	6.8056	71.6889
2024	10	8	4	10	8	12	0.1	1	32.5	90	6.8056	73.4981
2024	10	8	4	20	8	12	0.1	1	31.7	90.4	6.8056	71.689
2024	10	8	4	30	8	12	0.1	1	32.71	91.4	6.8056	73.9505
2024	10	8	4	40	8	12	0.1	1	32.41	91.1	6.8056	73.2721
2024	10	8	4	50	8	11.8	0.1	1	32.56	93.5	6.8056	73.4982
2024	10	8	5	0	8	11.8	0.1	1	33.54	92.7	6.8117	75.8304
2024	10	8	5	10	8	11.8	0.1	1	32.31	91.4	6.8056	73.046
2024	10	8	5	20	8	11.8	0.1	1	33.33	92.6	6.8117	75.3777
2024	10	8	5	30	8	11.8	0.1	1	32	90.7	6.8117	72.4351
2024	10	8	5	40	8	11.8	0.1	1	32.81	91.4	6.8117	74.246
2024	10	8	5	50	8	11.8	0.1	1	31.82	91.8	6.8117	71.9824
2024	10	8	6	0	8	11.8	0.1	1	31.94	92.7	6.8178	72.2761
2024	10	8	6	10	8	11.8	0.1	1	32.82	91.9	6.8117	74.246
2024	10	8	6	20	8	11.8	0.1	1	32.61	91.2	6.8117	73.7933
2024	10	8	6	30	8	11.8	0.1	1	32.02	91.8	6.8178	72.5027
2024	10	8	6	40	8	11.8	0.1	1	32.4	90.5	6.8178	73.409
2024	10	8	6	50	8	11.8	0.1	1	32.02	92	6.8178	72.5027
2024	10	8	7	0	8	11.8	0.1	1	32.5	90.7	6.8239	73.7042
2024	10	8	7	10	8	11.8	0.1	1	33.34	92.8	6.8239	75.5184
2024	10	8	7	20	8	11.8	0.1	1	32.21	91.1	6.8239	73.0238
2024	10	8	7	30	8	11.8	0.1	1	32.21	91.1	6.8239	73.0238
2024	10	8	7	40	8	11.8	0.1	1	32.81	91.4	6.8239	74.3846
2024	10	8	7	50	8	12	0.1	1	32.4	90.9	6.8239	73.4774

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	8	8	0	8	12.2	0.1	1	33.26	93.4	6.8239	75.2917
2024	10	8	8	10	8	12.2	0.1	1	31.63	92.4	6.8239	71.6632
2024	10	8	8	20	8	12.2	0.1	1	31.52	91.8	6.8239	71.4364
2024	10	8	8	30	8	12.6	0.1	1	33.34	92.9	6.8178	75.4482
2024	10	8	8	40	8	13	0.1	1	32.83	92.3	6.8178	74.3153
2024	10	8	8	50	8	12.6	0.1	1	33.23	92.4	6.8117	75.1516
2024	10	8	9	0	8	12.4	0.1	1	32.71	91.6	6.8117	74.0198
2024	10	8	9	10	8	13	0.1	1	32.53	92.5	6.8117	73.567
2024	10	8	9	20	8	13.4	0.1	1	31.04	92.8	6.8117	70.1716
2024	10	8	9	30	8	13.2	0.1	1	31.51	91.6	6.8056	71.2369
2024	10	8	9	40	8	13.2	0.1	1	32.2	89.8	6.8056	72.8199
2024	10	8	9	50	8	13.6	0.1	1	32.31	91.2	6.8056	73.0461
2024	10	8	10	0	8	13.8	0.1	1	32.01	91.4	6.8056	72.3676
2024	10	8	10	10	8	12.8	0.1	1	33.53	92.4	6.8056	75.7598
2024	10	8	10	20	8	13	0.1	1	32.93	92.4	6.8056	74.4028
2024	10	8	10	30	8	13.2	0.1	1	31.9	90.5	6.8056	72.1413
2024	10	8	10	40	8	14.2	0.1	1	33.8	90	6.8056	76.4381
2024	10	8	10	50	8	14.2	0.1	1	32.41	91.6	6.8056	73.2719
2024	10	8	11	0	8	14	0.1	1	32.5	90.7	6.7995	73.4294
2024	10	8	11	10	8	13.2	0.1	1	32.82	92.1	6.7995	74.1072
2024	10	8	11	20	8	13.6	0.1	1	33.12	92.1	6.7995	74.785
2024	10	8	11	30	8	14	0.1	1	31.82	92.2	6.8056	71.9148
2024	10	8	11	40	8	14	0.1	1	31.31	91.6	6.7995	70.718
2024	10	8	11	50	8	14.2	0.1	1	32.23	92.3	6.8056	72.8192
2024	10	8	12	0	8	14.2	0.1	1	32.21	91.6	6.8056	72.8192
2024	10	8	12	10	8	14.2	0.1	1	32.72	91.8	6.7995	73.8808
2024	10	8	12	20	8	14.2	0.1	1	32.61	91.4	6.7995	73.6548
2024	10	8	12	30	8	14.2	0.1	1	31.94	92.7	6.7995	72.0732
2024	10	8	12	40	8	14	0.1	1	32.6	90.2	6.8056	73.7234
2024	10	8	12	50	8	14.2	0.1	1	31.95	93.1	6.8056	72.1403
2024	10	8	13	0	8	14	0.1	1	31.3	90.7	6.8056	70.7834
2024	10	8	13	10	8	13.8	0.1	1	32.51	91.6	6.8056	73.497
2024	10	8	13	20	8	12.6	0.1	1	31.7	90.7	6.8056	71.6878
2024	10	8	13	30	8	12.4	0.1	1	33.23	92.2	6.8056	75.08
2024	10	8	13	40	8	12.4	0.1	1	32.21	91.6	6.8056	72.8185
2024	10	8	13	50	8	12.8	0.1	1	32.81	91.4	6.8056	74.1753
2024	10	8	14	0	8	13.8	0.1	1	32.42	91.8	6.8056	73.2707
2024	10	8	14	10	8	13.4	0.1	1	32.2	90.5	6.7995	72.7504
2024	10	8	14	20	8	13.8	0.1	1	32.81	91	6.8056	74.1752
2024	10	8	14	30	8	13.8	0.1	1	31.81	91.6	6.7995	71.8466
2024	10	8	14	40	8	14.2	0.1	1	31.73	92.3	6.7995	71.6207
2024	10	8	14	50	8	14.2	0.1	1	31.92	92.2	6.8056	72.1398
2024	10	8	15	0	8	14.2	0.1	1	32.74	92.8	6.7995	73.8799
2024	10	8	15	10	8	13.6	0.1	1	31.81	91.6	6.7995	71.8465
2024	10	8	15	20	8	13.6	0.1	1	32.3	90.7	6.7995	72.9762
2024	10	8	15	30	8	13.6	0.1	1	31.5	90.2	6.7995	71.1687
2024	10	8	15	40	8	13.6	0.1	1	32.6	90.4	6.7995	73.6539
2024	10	8	15	50	8	13.6	0.1	1	31.76	93.4	6.8056	71.6874

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	8	16	0	8	13.6	0.1	1	32.31	91.6	6.8056	73.0442
2024	10	8	16	10	8	13.4	0.1	1	32.93	92.6	6.8056	74.4011
2024	10	8	16	20	8	12.4	0.1	1	32.6	90	6.8056	73.7226
2024	10	8	16	30	8	12.4	0.1	1	32.1	90	6.8056	72.5919
2024	10	8	16	40	8	12.4	0.1	1	31.9	89.6	6.8056	72.1396
2024	10	8	16	50	8	12.4	0.1	1	32.34	92.8	6.8056	73.0442
2024	10	8	17	0	8	12.4	0.1	1	31.2	90.2	6.8056	70.5566
2024	10	8	17	10	8	12.2	0.1	1	31.11	91.7	6.8056	70.3304
2024	10	8	17	20	8	12.2	0.1	1	30.5	90	6.8056	68.9736
2024	10	8	17	30	8	12.2	0.1	1	32.12	91.8	6.8056	72.5918
2024	10	8	17	40	8	12.2	0.1	1	32.83	92.6	6.8056	74.1748
2024	10	8	17	50	8	12.2	0.1	1	32.3	89.3	6.8056	73.0441
2024	10	8	18	0	8	11.8	0.1	1	32.44	93	6.8056	73.2703
2024	10	8	18	10	8	12.2	0.1	1	33.53	92.4	6.8056	75.7578
2024	10	8	18	20	8	12.2	0.1	1	31.5	90.5	6.8056	71.235
2024	10	8	18	30	8	12.2	0.1	1	31.88	94.1	6.8056	71.9134
2024	10	8	18	40	8	12.2	0.1	1	31.92	91.8	6.8056	72.1395
2024	10	8	18	50	8	12.2	0.1	1	32.78	94	6.8056	73.9487
2024	10	8	19	0	8	12.2	0.1	1	32.03	92.3	6.8056	72.3657
2024	10	8	19	10	8	12.2	0.1	1	33.03	92.3	6.8056	74.6271
2024	10	8	19	20	8	12.2	0.1	1	32.7	90.2	6.8056	73.9487
2024	10	8	19	30	8	12.2	0.1	1	32.71	91.6	6.8056	73.9487
2024	10	8	19	40	8	12.2	0.1	1	32.8	90.7	6.8056	74.1749
2024	10	8	19	50	8	12.2	0.1	1	32.71	91.1	6.8056	73.9488
2024	10	8	20	0	8	12.2	0.1	1	32.32	91.8	6.8056	73.0442
2024	10	8	20	10	8	12.2	0.1	1	32.41	91.2	6.8056	73.2704
2024	10	8	20	20	8	12.2	0.1	1	31.81	91.6	6.8056	71.9136
2024	10	8	20	30	8	12.2	0.1	1	32.43	92.7	6.8056	73.2705
2024	10	8	20	40	8	12.2	0.1	1	32.21	91.2	6.8056	72.8182
2024	10	8	20	50	8	12.2	0.1	1	32.61	91.2	6.8056	73.7228
2024	10	8	21	0	8	12.2	0.1	1	31.41	91.1	6.8056	71.0091
2024	10	8	21	10	8	12	0.1	1	31.4	89.5	6.8056	71.0091
2024	10	8	21	20	8	12	0.1	1	32.5	90.7	6.8056	73.4967
2024	10	8	21	30	8	12	0.1	1	31.81	91.6	6.8056	71.9138
2024	10	8	21	40	8	12	0.1	1	31.92	91.8	6.8056	72.1399
2024	10	8	21	50	8	12	0.1	1	32.33	92.5	6.8056	73.0445
2024	10	8	22	0	8	12	0.1	1	32.71	91.2	6.8056	73.9492
2024	10	8	22	10	8	12	0.1	1	32.7	90.7	6.8056	73.9492
2024	10	8	22	20	8	12	0.1	1	32.62	91.8	6.8056	73.7231
2024	10	8	22	30	8	12	0.1	1	32.03	92.5	6.8056	72.3662
2024	10	8	22	40	8	12	0.1	1	31.63	92.4	6.8056	71.4617
2024	10	8	22	50	8	12	0.1	1	32.24	93	6.8056	72.8186
2024	10	8	23	0	8	12	0.1	1	32.02	92	6.8056	72.3663
2024	10	8	23	10	8	12	0.1	1	32.51	91.6	6.8056	73.4971
2024	10	8	23	20	8	12	0.1	1	32.54	93	6.8056	73.4971
2024	10	8	23	30	8	12	0.1	1	32.71	91.2	6.8056	73.9495
2024	10	8	23	40	8	12	0.1	1	32.2	90	6.8056	72.8188
2024	10	8	23	50	8	12	0.1	1	32	90.9	6.8056	72.3665

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	9	0	0	8	12	0.1	1	32.92	91.7	6.8056	74.4018
2024	10	9	0	10	8	12	0.1	1	32.4	90	6.8056	73.2712
2024	10	9	0	20	8	12	0.1	1	31.9	90.7	6.8056	72.1405
2024	10	9	0	30	8	12	0.1	1	32.91	91.6	6.8056	74.402
2024	10	9	0	40	8	12	0.1	1	31.4	89.6	6.7995	70.9436
2024	10	9	0	50	8	12	0.1	1	32.3	90	6.8056	73.0452
2024	10	9	1	0	8	12	0.1	1	31.9	90.9	6.8056	72.1406
2024	10	9	1	10	8	12	0.1	1	33.02	92.1	6.8056	74.6283
2024	10	9	1	20	8	12	0.1	1	33.11	91.6	6.7995	74.7846
2024	10	9	1	30	8	12	0.1	1	32.62	91.9	6.8056	73.7238
2024	10	9	1	40	8	12	0.1	1	33.4	90.7	6.7995	75.4625
2024	10	9	1	50	8	12	0.1	1	32.53	92.6	6.7995	73.4291
2024	10	9	2	0	8	12	0.1	1	32.94	92.8	6.8056	74.4023
2024	10	9	2	10	8	12	0.1	1	32.2	90	6.8056	72.8194
2024	10	9	2	20	8	12	0.1	1	32.52	92.1	6.8056	73.4978
2024	10	9	2	30	8	12	0.1	1	33.82	92	6.7995	76.3665
2024	10	9	2	40	8	12	0.1	1	31.43	92.4	6.8056	71.0103
2024	10	9	2	50	8	12	0.1	1	33.7	90.2	6.7995	76.1407
2024	10	9	3	0	8	12	0.1	1	31.72	92	6.8056	71.6889
2024	10	9	3	10	8	12	0.1	1	32.05	93.2	6.8056	72.3673
2024	10	9	3	20	8	12	0.1	1	32.33	92.3	6.8056	73.0458
2024	10	9	3	30	8	12	0.1	1	32.9	90.7	6.8056	74.4027
2024	10	9	3	40	8	12	0.1	1	33.34	92.8	6.8056	75.3074
2024	10	9	3	50	8	12	0.1	1	33.31	91.4	6.8056	75.3074
2024	10	9	4	0	8	12	0.1	1	32.53	92.5	6.8056	73.4983
2024	10	9	4	10	8	12	0.1	1	31.91	91.4	6.8056	72.1414
2024	10	9	4	20	8	12	0.1	1	31.91	91.6	6.8056	72.1415
2024	10	9	4	30	8	12	0.1	1	31.5	90.7	6.8056	71.2369
2024	10	9	4	40	8	12	0.1	1	32.41	88.9	6.8056	73.2723
2024	10	9	4	50	8	12	0.1	1	32.2	90.7	6.8056	72.82
2024	10	9	5	0	8	12	0.1	1	32.23	92.3	6.8056	72.82
2024	10	9	5	10	8	12	0.1	1	32.43	92.5	6.8056	73.2724
2024	10	9	5	20	8	12	0.1	1	31.84	92.7	6.8056	71.9155
2024	10	9	5	30	8	12	0.1	1	32.21	91.1	6.8056	72.8201
2024	10	9	5	40	8	11.8	0.1	1	31.51	91.5	6.8056	71.2371
2024	10	9	5	50	8	11.8	0.1	1	32.4	90.7	6.8117	73.3408
2024	10	9	6	0	8	11.8	0.1	1	32.74	92.8	6.8117	74.0199
2024	10	9	6	10	8	11.8	0.1	1	32.04	92.9	6.8117	72.4354
2024	10	9	6	20	8	11.8	0.1	1	32.71	88.9	6.8117	74.02
2024	10	9	6	30	8	11.8	0.1	1	32.63	92.5	6.8117	73.7937
2024	10	9	6	40	8	11.8	0.1	1	32.41	91.4	6.8117	73.341
2024	10	9	6	50	8	11.8	0.1	1	33.32	91.9	6.8117	75.3783
2024	10	9	7	0	8	11.8	0.1	1	31.83	92.5	6.8117	71.9829
2024	10	9	7	10	8	11.8	0.1	1	32.21	91.4	6.8117	72.8883
2024	10	9	7	20	8	11.8	0.1	1	33.12	92.1	6.8056	74.8558
2024	10	9	7	30	8	11.8	0.1	1	31.83	92.3	6.8117	71.983
2024	10	9	7	40	8	12	0.1	1	32.06	93.4	6.8056	72.3682
2024	10	9	7	50	8	12.2	0.1	1	32.52	91.9	6.8056	73.499

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	9	8	0	8	12.6	0.1	1	33.45	93.1	6.8056	75.5344
2024	10	9	8	10	8	12.8	0.1	1	31.12	92.2	6.8056	70.3329
2024	10	9	8	20	8	12.8	0.1	1	32.16	93.4	6.7995	72.5267
2024	10	9	8	30	8	12.8	0.1	1	32.19	94.3	6.7995	72.5268
2024	10	9	8	40	8	13	0.1	1	31.5	90.2	6.7934	71.1047
2024	10	9	8	50	8	13	0.1	1	32.56	93.5	6.7934	73.362
2024	10	9	9	0	8	13	0.1	1	31.71	91.4	6.7934	71.5562
2024	10	9	9	10	8	13	0.1	1	31.9	90	6.7934	72.0076
2024	10	9	9	20	8	13.2	0.1	1	32.14	93	6.7934	72.4591
2024	10	9	9	30	8	13.8	0.1	1	32.33	92.3	6.7873	72.8424
2024	10	9	9	40	8	14	0.1	1	31.64	92.9	6.7873	71.2637
2024	10	9	9	50	8	14	0.1	1	33.52	92.1	6.7873	75.5485
2024	10	9	10	0	8	14	0.1	1	31.93	92.3	6.7873	71.9402
2024	10	9	10	10	8	13.2	0.1	1	31.9	90.9	6.7812	71.8728
2024	10	9	10	20	8	13.2	0.1	1	31.83	92.3	6.7812	71.6475
2024	10	9	10	30	8	14	0.1	1	32.01	91.4	6.7812	72.0981
2024	10	9	10	40	8	13.8	0.1	1	31.3	90.7	6.7812	70.5209
2024	10	9	10	50	8	13.8	0.1	1	32.32	92.1	6.7812	72.7739
2024	10	9	11	0	8	13.8	0.1	1	31	90	6.7812	69.8448
2024	10	9	11	10	8	14	0.1	1	30.92	92	6.7812	69.6195
2024	10	9	11	20	8	13.8	0.1	1	31.54	92.7	6.7812	70.9713
2024	10	9	11	30	8	13.8	0.1	1	32.03	92.5	6.7751	72.0302
2024	10	9	11	40	8	13.8	0.1	1	32.41	91.2	6.7751	72.9305
2024	10	9	11	50	8	13.8	0.1	1	31.65	93.3	6.7751	71.1297
2024	10	9	12	0	8	13.6	0.1	1	32.5	90.7	6.7751	73.1555
2024	10	9	12	10	8	13.8	0.1	1	32.41	91.1	6.769	72.862
2024	10	9	12	20	8	13.8	0.1	1	32.1	90.7	6.769	72.1872
2024	10	9	12	30	8	13.8	0.1	1	31.7	90.7	6.7629	71.2208
2024	10	9	12	40	8	13.8	0.1	1	33.24	92.8	6.7507	74.4507
2024	10	9	12	50	8	13.6	0.1	1	31.5	90.9	6.7385	70.5055
2024	10	9	13	0	8	13.8	0.1	1	32.52	91.8	6.7385	72.7437
2024	10	9	13	10	8	13.2	0.1	1	31.41	91.3	6.7385	70.2815
2024	10	9	13	20	8	13.2	0.1	1	32.3	90.4	6.7324	72.2278
2024	10	9	13	30	8	13.2	0.1	1	32.22	92.1	6.7324	72.0041
2024	10	9	13	40	8	13.2	0.1	1	31.5	90.7	6.7324	70.4387
2024	10	9	13	50	8	13.2	0.1	1	30.61	91.7	6.7324	68.4261
2024	10	9	14	0	8	13	0.1	1	31.82	92	6.7263	71.0423
2024	10	9	14	10	8	13	0.1	1	32.54	93	6.7263	72.6061
2024	10	9	14	20	8	13	0.1	1	31.15	93.3	6.7263	69.4784
2024	10	9	14	30	8	13	0.1	1	31.41	91.3	6.7263	70.1485
2024	10	9	14	40	8	13	0.1	1	31.4	90.7	6.7202	70.0822
2024	10	9	14	50	8	13	0.1	1	32.3	90.5	6.7141	72.0228
2024	10	9	15	0	8	13	0.1	1	32.18	94.1	6.7141	71.5768
2024	10	9	15	10	8	13	0.1	1	30.81	91.3	6.7141	68.6779
2024	10	9	15	20	8	13	0.1	1	31.35	93.1	6.7019	69.6608
2024	10	9	15	30	8	13	0.1	1	31.32	92	6.6958	69.5947
2024	10	9	15	40	8	13	0.1	1	30.93	92.4	6.6898	68.6401
2024	10	9	15	50	8	13	0.1	1	30.91	91.1	6.6837	68.5749

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	9	16	0	8	13	0.1	1	31.41	91.5	6.6837	69.6845
2024	10	9	16	10	8	13	0.1	1	31.56	93.5	6.6837	69.9064
2024	10	9	16	20	8	13	0.1	1	31.64	92.7	6.6776	70.0616
2024	10	9	16	30	8	13	0.1	1	30.44	93	6.6715	67.3369
2024	10	9	16	40	8	13	0.1	1	31.72	92	6.6715	70.2164
2024	10	9	16	50	8	13	0.1	1	30.54	92.8	6.6715	67.5584
2024	10	9	17	0	8	13	0.1	1	30.6	90.9	6.6715	67.7799
2024	10	9	17	10	8	13	0.1	1	31.8	90.9	6.6654	70.3708
2024	10	9	17	20	8	13	0.1	1	31.71	91.1	6.6654	70.1495
2024	10	9	17	30	8	12.4	0.1	1	31.01	91.7	6.6654	68.6005
2024	10	9	17	40	8	12.4	0.1	1	31.41	91.6	6.6654	69.4856
2024	10	9	17	50	8	12.2	0.1	1	30.6	90.6	6.6593	67.6508
2024	10	9	18	0	8	12.2	0.1	1	30.91	91.7	6.6593	68.314
2024	10	9	18	10	8	12.2	0.1	1	30.4	90.8	6.6532	67.1445
2024	10	9	18	20	8	12.2	0.1	1	31.32	92.2	6.6532	69.1323
2024	10	9	18	30	8	12.2	0.1	1	31.6	90.7	6.6532	69.7949
2024	10	9	18	40	8	12.2	0.1	1	30.11	91.1	6.6471	66.4184
2024	10	9	18	50	8	12.2	0.1	1	30.32	91.9	6.641	66.7959
2024	10	9	19	0	8	12.2	0.1	1	30.8	90.4	6.6288	67.7682
2024	10	9	19	10	8	12.2	0.1	1	30.7	89.8	6.6227	67.4835
2024	10	9	19	20	8	12.2	0.1	1	31.93	92.3	6.6166	70.054
2024	10	9	19	30	8	12.2	0.1	1	31.2	90.6	6.6166	68.5168
2024	10	9	19	40	8	12.2	0.1	1	30.3	90.9	6.6105	66.4765
2024	10	9	19	50	8	12.2	0.1	1	30.51	91.5	6.6105	66.9153
2024	10	9	20	0	8	12.2	0.1	1	30	90.8	6.6044	65.7551
2024	10	9	20	10	8	12.2	0.1	1	30	90.8	6.6044	65.7551
2024	10	9	20	20	8	12.2	0.1	1	30.7	90.9	6.6044	67.2895
2024	10	9	20	30	8	12.2	0.1	1	29.81	91.7	6.5983	65.254
2024	10	9	20	40	8	12.2	0.1	1	30.42	92.3	6.5983	66.5679
2024	10	9	20	50	8	12.2	0.1	1	30.44	93	6.5983	66.5679
2024	10	9	21	0	8	12.2	0.1	1	30.91	91.3	6.5983	67.6628
2024	10	9	21	10	8	12.2	0.1	1	29.92	92.1	6.5922	65.41
2024	10	9	21	20	8	12.2	0.1	1	30.2	90.6	6.5922	66.0664
2024	10	9	21	30	8	12.2	0.1	1	29.92	92.3	6.5922	65.4101
2024	10	9	21	40	8	12.2	0.1	1	29.81	91.3	6.5861	65.1285
2024	10	9	21	50	8	12.2	0.1	1	30.39	94.5	6.5861	66.2213
2024	10	9	22	0	8	12.2	0.1	1	30.13	92.5	6.5861	65.7842
2024	10	9	22	10	8	12.2	0.1	1	30.2	89.8	6.58	65.9392
2024	10	9	22	20	8	12.2	0.1	1	30.53	92.6	6.58	66.5942
2024	10	9	22	30	8	12.2	0.1	1	30.84	93	6.58	67.2493
2024	10	9	22	40	8	12.2	0.1	1	30.28	94.2	6.5739	65.8756
2024	10	9	22	50	8	12	0.1	1	30.95	93.3	6.5739	67.4025
2024	10	9	23	0	8	12	0.1	1	30.23	92.5	6.5678	65.812
2024	10	9	23	10	8	12	0.1	1	29.81	91.7	6.5678	64.9403
2024	10	9	23	20	8	12	0.1	1	28.85	93.4	6.5678	62.7611
2024	10	9	23	30	8	12	0.1	1	31.02	92	6.5617	67.4901
2024	10	9	23	40	8	12	0.1	1	29.5	90.8	6.5556	64.1623
2024	10	9	23	50	8	12	0.1	1	29.31	91.4	6.5556	63.7273

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	10	0	0	8	12	0.1	1	29.1	90.8	6.5434	63.1697
2024	10	10	0	10	8	12	0.1	1	29.11	91.8	6.5374	63.1084
2024	10	10	0	20	8	12	0.1	1	30.36	93.6	6.5313	65.6469
2024	10	10	0	30	8	12	0.1	1	30.43	92.4	6.5313	65.8636
2024	10	10	0	40	8	12	0.1	1	29.73	92.5	6.5313	64.3471
2024	10	10	0	50	8	12	0.1	1	29.13	92.6	6.5252	62.9858
2024	10	10	1	0	8	12	0.1	1	28.51	91.2	6.5252	61.6872
2024	10	10	1	10	8	12	0.1	1	29.91	91.3	6.5252	64.7175
2024	10	10	1	20	8	12	0.1	1	29.46	93.5	6.5191	63.5733
2024	10	10	1	30	8	12	0.1	1	30.1	94.8	6.5191	64.8708
2024	10	10	1	40	8	12	0.1	1	30.5	90.4	6.5191	65.952
2024	10	10	1	50	8	12	0.1	1	29.85	93.5	6.513	64.3756
2024	10	10	2	0	8	12	0.1	1	30.85	93.3	6.513	66.5359
2024	10	10	2	10	8	12	0.1	1	29.4	90	6.513	63.5115
2024	10	10	2	20	8	12	0.1	1	29.01	91.8	6.513	62.6475
2024	10	10	2	30	8	12	0.1	1	29.96	93.6	6.513	64.5918
2024	10	10	2	40	8	12	0.1	1	30.5	90	6.5069	65.8237
2024	10	10	2	50	8	12	0.1	1	30.41	94.9	6.5069	65.3921
2024	10	10	3	0	8	12	0.1	1	29.04	93	6.5069	62.5865
2024	10	10	3	10	8	12	0.1	1	29.54	93.1	6.5069	63.6656
2024	10	10	3	20	8	12	0.1	1	30.13	92.5	6.5008	64.8971
2024	10	10	3	30	8	12	0.1	1	29.43	92.5	6.5008	63.3879
2024	10	10	3	40	8	12	0.1	1	29.42	92.1	6.5008	63.3879
2024	10	10	3	50	8	12	0.1	1	30.31	91.1	6.5008	65.3284
2024	10	10	4	0	8	12	0.1	1	29.5	89	6.5008	63.6036
2024	10	10	4	10	8	12	0.1	1	27.16	93.8	6.5008	58.4291
2024	10	10	4	20	8	12	0.1	1	29.53	92.5	6.4947	63.5414
2024	10	10	4	30	8	12	0.1	1	29.71	91.7	6.4947	63.9723
2024	10	10	4	40	8	12	0.1	1	29.72	91.9	6.4947	63.9723
2024	10	10	4	50	8	12	0.1	1	29.46	93.7	6.4947	63.3261
2024	10	10	5	0	8	12	0.1	1	30.21	91.7	6.4947	65.0493
2024	10	10	5	10	8	12	0.1	1	29.7	91	6.4947	63.9724
2024	10	10	5	20	8	12	0.1	1	29.61	91.2	6.4947	63.757
2024	10	10	5	30	8	12	0.1	1	30.2	89.4	6.4886	64.9858
2024	10	10	5	40	8	12	0.1	1	30.41	91.7	6.4886	65.4162
2024	10	10	5	50	8	12	0.1	1	29.43	92.5	6.4886	63.2643
2024	10	10	6	0	8	12	0.1	1	29.41	91.6	6.4886	63.2644
2024	10	10	6	10	8	12	0.1	1	29.2	90	6.4886	62.834
2024	10	10	6	20	8	11.8	0.1	1	29.85	93.5	6.4886	64.1252
2024	10	10	6	30	8	11.8	0.1	1	30.05	93.4	6.4825	64.4923
2024	10	10	6	40	8	11.8	0.1	1	29.12	92.2	6.4825	62.5576
2024	10	10	6	50	8	11.8	0.1	1	29.81	91.3	6.4825	64.0624
2024	10	10	7	0	8	11.8	0.1	1	29.13	92.6	6.4825	62.5576
2024	10	10	7	10	8	11.8	0.1	1	28.43	92.8	6.4764	60.993
2024	10	10	7	20	8	11.8	0.1	1	28.81	91.8	6.4764	61.852
2024	10	10	7	30	8	11.8	0.1	1	29.11	91.2	6.4764	62.4963
2024	10	10	7	40	8	11.8	0.1	1	30.04	92.9	6.4764	64.4292
2024	10	10	7	50	8	12	0.1	1	29.2	91	6.4764	62.7112

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	10	8	0	8	12.4	0.1	1	30.02	91.9	6.4764	64.4293
2024	10	10	8	10	8	12.6	0.1	1	29.06	93.6	6.4703	62.2205
2024	10	10	8	20	8	12.8	0.1	1	29.72	92.1	6.4703	63.7224
2024	10	10	8	30	8	12.8	0.1	1	28.74	93.2	6.4703	61.5769
2024	10	10	8	40	8	13	0.1	1	28.22	92.2	6.4703	60.5041
2024	10	10	8	50	8	13	0.1	1	29.21	91.6	6.4642	62.5881
2024	10	10	9	0	8	13	0.1	1	29.67	93.9	6.4642	63.4455
2024	10	10	9	10	8	13	0.1	1	30.03	92.5	6.4642	64.3028
2024	10	10	9	20	8	13.2	0.1	1	28.98	94.2	6.4581	61.8841
2024	10	10	9	30	8	13.2	0.1	1	28.96	93.8	6.452	61.8232
2024	10	10	9	40	8	13.2	0.1	1	29.68	94.3	6.4459	63.2582
2024	10	10	9	50	8	13.2	0.1	1	28.81	91.2	6.4459	61.5485
2024	10	10	10	0	8	13.2	0.1	1	30.15	93.2	6.4398	64.2633
2024	10	10	10	10	8	13.2	0.1	1	28.4	90.8	6.4398	60.6337
2024	10	10	10	20	8	13.2	0.1	1	30.32	92.3	6.4398	64.6901
2024	10	10	10	30	8	13.2	0.1	1	28.82	92	6.4398	61.4876
2024	10	10	10	40	8	13.2	0.1	1	30.41	91.5	6.4398	64.9035
2024	10	10	10	50	8	13.2	0.1	0.9	29.05	93.4	6.4337	61.8534
2024	10	10	11	0	8	13.2	0.1	0.9	28.81	91.8	6.4337	61.4268
2024	10	10	11	10	8	13.2	0.1	0.9	30.42	92.1	6.4337	64.8393
2024	10	10	11	20	8	13.2	0.1	0.9	29.88	94.2	6.4337	63.5595
2024	10	10	11	30	8	13.2	0.1	0.9	28.5	89.6	6.4337	60.7867
2024	10	10	11	40	8	13.2	0.1	0.9	29.18	94.1	6.4337	62.0664
2024	10	10	11	50	8	13.2	0.1	0.9	28.56	93.6	6.4337	60.7866
2024	10	10	12	0	8	14	0.1	0.9	28.31	91.2	6.4337	60.3599
2024	10	10	12	10	8	13.2	0.1	0.9	29.55	93.3	6.4276	62.8571
2024	10	10	12	20	8	13.2	0.1	0.9	28.8	91	6.4276	61.3655
2024	10	10	12	30	8	13.2	0.1	0.9	29.31	91.6	6.4276	62.4308
2024	10	10	12	40	8	13.2	0.1	0.9	27.92	92.1	6.4215	59.3889
2024	10	10	12	50	8	13.2	0.1	0.9	28.52	92.2	6.4276	60.7261
2024	10	10	13	0	8	13.2	0.1	0.9	28.66	93.6	6.4276	60.9391
2024	10	10	13	10	8	13.2	0.1	0.9	28.94	93	6.4276	61.5783
2024	10	10	13	20	8	13.2	0.1	0.9	29.36	93.5	6.4276	62.4305
2024	10	10	13	30	8	13.2	0.1	0.9	28.96	93.6	6.4154	61.4564
2024	10	10	13	40	8	13.2	0.1	0.9	29.11	91.8	6.4215	61.943
2024	10	10	13	50	8	13.2	0.1	0.9	27.91	91.8	6.4215	59.3886
2024	10	10	14	0	8	13.2	0.1	0.9	29.42	92.3	6.4215	62.5815
2024	10	10	14	10	8	13.2	0.1	0.9	30.41	91.3	6.4215	64.7101
2024	10	10	14	20	8	13.2	0.1	0.9	28.88	94.4	6.4154	61.2436
2024	10	10	14	30	8	13.2	0.1	0.9	29.16	93.5	6.4215	61.9429
2024	10	10	14	40	8	13.2	0.1	0.9	29.81	91.7	6.4093	63.3073
2024	10	10	14	50	8	13.2	0.1	0.9	29.46	93.7	6.4154	62.5194
2024	10	10	15	0	8	13.2	0.1	0.9	29.8	90.4	6.4154	63.37
2024	10	10	15	10	8	13.2	0.1	0.9	29.23	92.5	6.4154	62.0941
2024	10	10	15	20	8	13.2	0.1	0.9	28.93	92.6	6.4093	61.3952
2024	10	10	15	30	8	13.2	0.1	0.9	28.5	90	6.4154	60.6055
2024	10	10	15	40	8	13.2	0.1	0.9	29.7	90	6.4093	63.0947
2024	10	10	15	50	8	13.2	0.1	0.9	29.43	92.5	6.4093	62.4574

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	10	16	0	8	13.2	0.1	0.9	28.99	94.6	6.4093	61.3952
2024	10	10	16	10	8	13.2	0.1	0.9	29.41	91.2	6.4032	62.3954
2024	10	10	16	20	8	13.2	0.1	0.9	28.93	92.6	6.4093	61.3952
2024	10	10	16	30	8	13	0.1	0.9	29.6	91	6.4093	62.8822
2024	10	10	16	40	8	13.2	0.1	0.9	29.15	93.3	6.4093	61.82
2024	10	10	16	50	8	13.2	0.1	0.9	29.34	95.7	6.4093	62.0324
2024	10	10	17	0	8	12.4	0.1	0.9	28.91	91.6	6.4032	61.3342
2024	10	10	17	10	8	12.4	0.1	0.9	29.33	92.5	6.4093	62.2449
2024	10	10	17	20	8	12.4	0.1	0.9	29.47	93.9	6.4032	62.3954
2024	10	10	17	30	8	12.4	0.1	0.9	29	94.7	6.4032	61.3342
2024	10	10	17	40	8	12.2	0.1	0.9	29.44	93.1	6.4032	62.3954
2024	10	10	17	50	8	12.2	0.1	0.9	28.92	92.2	6.3971	61.2733
2024	10	10	18	0	8	12.2	0.1	0.9	28.71	91.8	6.3971	60.8493
2024	10	10	18	10	8	12.2	0.1	0.9	29.38	94.3	6.3971	62.1214
2024	10	10	18	20	8	12.2	0.1	0.9	29.02	92.2	6.3971	61.4854
2024	10	10	18	30	8	12.2	0.1	0.9	28.01	91.8	6.3971	59.3652
2024	10	10	18	40	8	12.2	0.1	0.9	29.02	92	6.4032	61.5465
2024	10	10	18	50	8	12.2	0.1	0.9	27.72	92.3	6.3971	58.7292
2024	10	10	19	0	8	12.2	0.1	0.9	28.4	90.8	6.3971	60.2133
2024	10	10	19	10	8	12.2	0.1	0.9	29.34	92.9	6.3971	62.1215
2024	10	10	19	20	8	12.2	0.1	0.9	29.21	91.8	6.4032	61.9711
2024	10	10	19	30	8	12.2	0.1	0.9	28.01	91.8	6.3971	59.3653
2024	10	10	19	40	8	12.2	0.1	0.9	28.51	91.4	6.3971	60.4254
2024	10	10	19	50	8	12.2	0.1	0.9	28.7	90.6	6.4032	60.91
2024	10	10	20	0	8	12.2	0.1	0.9	28.61	91.8	6.4032	60.6978
2024	10	10	20	10	8	12.2	0.1	0.9	28.72	92.2	6.4032	60.91
2024	10	10	20	20	8	12.2	0.1	0.9	28.43	92.8	6.4032	60.2733
2024	10	10	20	30	8	12.2	0.1	0.9	29.42	92.3	6.4032	62.3957
2024	10	10	20	40	8	12.2	0.1	0.9	29.3	90	6.4032	62.1835
2024	10	10	20	50	8	12.2	0.1	0.9	29.41	91.4	6.4093	62.4577
2024	10	10	21	0	8	12.2	0.1	0.9	28.85	93.4	6.4093	61.183
2024	10	10	21	10	8	12.2	0.1	0.9	28.64	93	6.4093	60.7582
2024	10	10	21	20	8	12.2	0.1	0.9	29.12	92.4	6.4093	61.8204
2024	10	10	21	30	8	12.2	0.1	0.9	28.51	91.2	6.4093	60.5458
2024	10	10	21	40	8	12.2	0.1	0.9	28.85	93.4	6.4093	61.1831
2024	10	10	21	50	8	12.2	0.1	0.9	28.13	92.4	6.4154	59.7553
2024	10	10	22	0	8	12.2	0.1	0.9	28.11	91.4	6.4093	59.6961
2024	10	10	22	10	8	12.2	0.1	0.9	28.86	93.6	6.4093	61.1832
2024	10	10	22	20	8	12.2	0.1	0.9	29.3	89.8	6.4154	62.3072
2024	10	10	22	30	8	12.2	0.1	0.9	27.6	91	6.4093	58.634
2024	10	10	22	40	8	12	0.1	0.9	28.11	91.4	6.4154	59.7554
2024	10	10	22	50	8	12	0.1	0.9	28.35	93.2	6.4154	60.1808
2024	10	10	23	0	8	12	0.1	0.9	28.24	93	6.4154	59.9682
2024	10	10	23	10	8	12	0.1	0.9	29.03	92.8	6.4154	61.6694
2024	10	10	23	20	8	12	0.1	0.9	28.53	92.8	6.4154	60.6062
2024	10	10	23	30	8	12	0.1	0.9	27.82	95.4	6.4154	58.905
2024	10	10	23	40	8	12	0.1	0.9	28.82	92.2	6.4154	61.2442
2024	10	10	23	50	8	12	0.1	0.9	28.2	90.4	6.4154	59.9683

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	11	0	0	8	12	0.1	0.9	27.9	91	6.4093	59.2716
2024	10	11	0	10	8	12	0.1	0.9	29.44	92.9	6.4154	62.5203
2024	10	11	0	20	8	12	0.1	0.9	28.33	92.8	6.4154	60.1811
2024	10	11	0	30	8	12	0.1	0.9	29.04	93	6.4093	61.6086
2024	10	11	0	40	8	12	0.1	0.9	28.97	94	6.4154	61.4571
2024	10	11	0	50	8	12	0.1	0.9	28.41	91.8	6.4154	60.3939
2024	10	11	1	0	8	12	0.1	0.9	29.84	93.1	6.4093	63.3083
2024	10	11	1	10	8	12	0.1	0.9	29.54	92.9	6.4154	62.7332
2024	10	11	1	20	8	12	0.1	0.9	28.89	94.6	6.4093	61.184
2024	10	11	1	30	8	12	0.1	0.9	28.95	93.4	6.4154	61.4574
2024	10	11	1	40	8	12	0.1	0.9	28.71	91.4	6.4154	61.0321
2024	10	11	1	50	8	12	0.1	0.9	28.63	92.8	6.4093	60.7592
2024	10	11	2	0	8	12	0.1	0.9	29.31	91.4	6.4154	62.3081
2024	10	11	2	10	8	12	0.1	0.9	29	90.8	6.4154	61.6702
2024	10	11	2	20	8	12	0.1	0.9	28.3	90.8	6.4154	60.1816
2024	10	11	2	30	8	12	0.1	0.9	28.8	90.4	6.4154	61.245
2024	10	11	2	40	8	12	0.1	0.9	28.33	92.4	6.4154	60.1817
2024	10	11	2	50	8	12	0.1	0.9	28.98	94.2	6.4154	61.4577
2024	10	11	3	0	8	12	0.1	0.9	29.41	91.6	6.4154	62.521
2024	10	11	3	10	8	12	0.1	0.9	28.61	91.6	6.4093	60.7596
2024	10	11	3	20	8	12	0.1	0.9	29.11	91.8	6.4154	61.8832
2024	10	11	3	30	8	12	0.1	0.9	28.33	92.6	6.4093	60.1223
2024	10	11	3	40	8	12	0.1	0.9	28.68	94.4	6.4093	60.7597
2024	10	11	3	50	8	12	0.1	0.9	28.84	93	6.4093	61.1846
2024	10	11	4	0	8	12	0.1	0.9	29.03	92.6	6.4093	61.6095
2024	10	11	4	10	8	12	0.1	0.9	28.23	92.6	6.4093	59.91
2024	10	11	4	20	8	12	0.1	0.9	27.94	92.9	6.4093	59.2727
2024	10	11	4	30	8	12	0.1	0.9	28.17	94.1	6.4093	59.6976
2024	10	11	4	40	8	12	0.1	0.9	29	90.8	6.4093	61.6097
2024	10	11	4	50	8	12	0.1	0.9	28.53	92.8	6.4093	60.5475
2024	10	11	5	0	8	12	0.1	0.9	28.94	93	6.4093	61.3973
2024	10	11	5	10	8	12	0.1	0.9	28.52	92	6.4093	60.5475
2024	10	11	5	20	8	12	0.1	0.9	27.6	90.4	6.4093	58.6355
2024	10	11	5	30	8	12	0.1	0.9	28.5	90.8	6.4093	60.5476
2024	10	11	5	40	8	11.8	0.1	0.9	28.82	92.4	6.4093	61.185
2024	10	11	5	50	8	11.8	0.1	0.9	28.72	92.2	6.4093	60.9726
2024	10	11	6	0	8	11.8	0.1	0.9	28.74	93.2	6.4093	60.9726
2024	10	11	6	10	8	11.8	0.1	0.9	27.91	91.8	6.4093	59.273
2024	10	11	6	20	8	11.8	0.1	0.9	27.91	91.4	6.4093	59.2731
2024	10	11	6	30	8	11.8	0.1	0.9	28.42	92.2	6.4093	60.3354
2024	10	11	6	40	8	11.8	0.1	0.9	27.83	92.5	6.4032	59.0021
2024	10	11	6	50	8	11.8	0.1	0.9	28	90.8	6.4032	59.4266
2024	10	11	7	0	8	11.8	0.1	0.9	28.88	94.2	6.4032	61.1246
2024	10	11	7	10	8	11.8	0.1	0.9	28.31	91.8	6.4032	60.0634
2024	10	11	7	20	8	11.8	0.1	0.9	28.81	91.4	6.4032	61.1246
2024	10	11	7	30	8	11.8	0.1	0.9	28.33	92.6	6.4032	60.0635
2024	10	11	7	40	8	11.8	0.1	0.9	28.06	93.9	6.4032	59.4268
2024	10	11	7	50	8	12.2	0.1	0.9	29.64	92.9	6.4032	62.8226

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	11	8	0	8	12.6	0.1	0.9	28.3	90.6	6.4032	60.0635
2024	10	11	8	10	8	12.8	0.1	0.9	27.91	91.8	6.4032	59.2146
2024	10	11	8	20	8	12.8	0.1	0.9	27.8	91	6.4032	59.0024
2024	10	11	8	30	8	12.8	0.1	0.9	27.21	91.9	6.4032	57.7289
2024	10	11	8	40	8	13	0.1	0.9	28.36	93.8	6.4032	60.0636
2024	10	11	8	50	8	13	0.1	0.9	28.72	92.2	6.4032	60.9125
2024	10	11	9	0	8	13	0.1	0.9	28.43	92.6	6.4032	60.2758
2024	10	11	9	10	8	12.8	0.1	0.9	27.71	91.9	6.4032	58.7901
2024	10	11	9	20	8	13	0.1	0.9	28.1	90	6.4032	59.639
2024	10	11	9	30	8	13	0.1	0.9	28.52	92.2	6.3971	60.4279
2024	10	11	9	40	8	13	0.1	0.9	28.26	93.9	6.4032	59.8512
2024	10	11	9	50	8	12.8	0.1	0.9	27.3	90	6.4032	57.9411
2024	10	11	10	0	8	13	0.1	0.9	28.73	92.6	6.3971	60.8519
2024	10	11	10	10	8	13.4	0.1	0.9	29.22	92.2	6.4032	61.9735
2024	10	11	10	20	8	13.4	0.1	0.9	28.8	91	6.3971	61.0639
2024	10	11	10	30	8	13	0.1	0.9	28.36	93.6	6.3971	60.0037
2024	10	11	10	40	8	13.6	0.1	0.9	28.33	92.8	6.3971	60.0037
2024	10	11	10	50	8	13.6	0.1	0.9	27.89	94.5	6.3971	58.9435
2024	10	11	11	0	8	13.6	0.1	0.9	28.46	93.6	6.3971	60.2156
2024	10	11	11	10	8	13.6	0.1	0.9	29.38	94.3	6.3971	62.1238
2024	10	11	11	20	8	13.6	0.1	0.9	28.33	92.6	6.3971	60.0035
2024	10	11	11	30	8	13.6	0.1	0.9	28.93	92.8	6.3971	61.2756
2024	10	11	11	40	8	13.6	0.1	0.9	28.86	93.6	6.3971	61.0635
2024	10	11	11	50	8	13.6	0.1	0.9	27.91	91.2	6.3971	59.1553
2024	10	11	12	0	8	13.6	0.1	0.9	29.57	94.1	6.3971	62.5476
2024	10	11	12	10	8	13.6	0.1	0.9	27.42	92.3	6.3971	58.095
2024	10	11	12	20	8	13.6	0.1	0.9	29.21	91.8	6.3971	61.9115
2024	10	11	12	30	8	13.6	0.1	0.9	28.62	92	6.3971	60.6392
2024	10	11	12	40	8	13.6	0.1	0.9	29.14	93	6.3971	61.6993
2024	10	11	12	50	8	13.6	0.1	0.9	27.12	92.3	6.391	57.4017
2024	10	11	13	0	8	13.6	0.1	0.9	28.12	92.2	6.391	59.5198
2024	10	11	13	10	8	13.2	0.1	0.9	27.71	91.4	6.391	58.6724
2024	10	11	13	20	8	13.2	0.1	0.9	27.2	89.6	6.385	57.556
2024	10	11	13	30	8	13.2	0.1	0.9	27.8	91	6.3789	58.767
2024	10	11	13	40	8	13.2	0.1	0.9	28.93	92.6	6.3789	61.0923
2024	10	11	13	50	8	13.2	0.1	0.9	29.32	92	6.3789	61.9378
2024	10	11	14	0	8	13.2	0.1	0.9	29.3	90.8	6.3728	61.876
2024	10	11	14	10	8	13.2	0.1	0.9	29.02	92.4	6.3728	61.2424
2024	10	11	14	20	8	13.2	0.1	0.9	28.64	93.2	6.3728	60.3977
2024	10	11	14	30	8	13.2	0.1	0.9	28.6	90.6	6.3728	60.3976
2024	10	11	14	40	8	13.2	0.1	0.9	28.24	93	6.3728	59.5529
2024	10	11	14	50	8	13.2	0.1	0.9	29.05	93.4	6.3728	61.2423
2024	10	11	15	0	8	13.2	0.1	0.9	28.9	91	6.3728	61.0311
2024	10	11	15	10	8	13.2	0.1	0.9	28.33	92.6	6.3728	59.764
2024	10	11	15	20	8	13.4	0.1	0.9	27.31	91.9	6.3728	57.6521
2024	10	11	15	30	8	13.2	0.1	0.9	29.53	92.5	6.3728	62.298
2024	10	11	15	40	8	13.2	0.1	0.9	29.07	93.9	6.3789	61.3032
2024	10	11	15	50	8	13.2	0.1	0.9	29.16	93.5	6.3728	61.4533

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	11	16	0	8	13.2	0.1	0.9	29.47	94.1	6.3728	62.0868
2024	10	11	16	10	8	13.2	0.1	0.9	29.12	92.2	6.3667	61.3919
2024	10	11	16	20	8	13.4	0.1	0.9	28.75	93.4	6.3667	60.548
2024	10	11	16	30	8	13.4	0.1	0.9	27.95	93.5	6.3667	58.8602
2024	10	11	16	40	8	13.2	0.1	0.9	28.11	91.8	6.3667	59.2821
2024	10	11	16	50	8	13.2	0.1	0.9	28.46	93.6	6.3667	59.915
2024	10	11	17	0	8	13.2	0.1	0.9	29.14	93.1	6.3667	61.3918
2024	10	11	17	10	8	13.2	0.1	0.9	27.34	92.9	6.3667	57.5943
2024	10	11	17	20	8	13.4	0.1	0.9	28.82	92.2	6.3667	60.7589
2024	10	11	17	30	8	12.8	0.1	0.9	29.16	93.5	6.3667	61.3918
2024	10	11	17	40	8	12.4	0.1	0.9	28.1	91	6.3667	59.2821
2024	10	11	17	50	8	12.2	0.1	0.9	27.82	92.3	6.3667	58.6491
2024	10	11	18	0	8	12.2	0.1	0.9	28.1	91	6.3667	59.2821
2024	10	11	18	10	8	12.2	0.1	0.9	28.65	93.4	6.3667	60.3369
2024	10	11	18	20	8	12.2	0.1	0.9	27.21	91.3	6.3667	57.3834
2024	10	11	18	30	8	12.2	0.1	0.9	29	91	6.3667	61.1808
2024	10	11	18	40	8	12.2	0.1	0.9	28.31	91.2	6.3667	59.704
2024	10	11	18	50	8	12.2	0.1	0.9	29.33	92.7	6.3667	61.8137
2024	10	11	19	0	8	12.2	0.1	0.9	28.52	92.2	6.3667	60.126
2024	10	11	19	10	8	12.2	0.1	0.9	28.63	92.6	6.3667	60.3369
2024	10	11	19	20	8	12.2	0.1	0.9	28.12	92	6.3667	59.2821
2024	10	11	19	30	8	12.2	0.1	0.9	29.11	91.6	6.3667	61.3918
2024	10	11	19	40	8	12.2	0.1	0.9	28.6	91	6.3667	60.337
2024	10	11	19	50	8	12.2	0.1	0.9	27.6	91	6.3667	58.2273
2024	10	11	20	0	8	12.2	0.1	0.9	29.42	92.3	6.3667	62.0248
2024	10	11	20	10	8	12.2	0.1	0.9	28.11	91.8	6.3667	59.2822
2024	10	11	20	20	8	12.2	0.1	0.9	29.75	93.3	6.3606	62.5952
2024	10	11	20	30	8	12.2	0.1	0.9	27.52	92.3	6.3606	57.9585
2024	10	11	20	40	8	12.2	0.1	0.9	28.6	90.8	6.3606	60.2769
2024	10	11	20	50	8	12.2	0.1	0.9	27.4	90.4	6.3606	57.7478
2024	10	11	21	0	8	12.2	0.1	0.9	28.88	94.2	6.3606	60.6985
2024	10	11	21	10	8	12.2	0.1	0.9	27.56	93.7	6.3606	57.9586
2024	10	11	21	20	8	12.2	0.1	0.9	28.24	93	6.3606	59.434
2024	10	11	21	30	8	12.2	0.1	0.9	28	90.8	6.3606	59.0125
2024	10	11	21	40	8	12.2	0.1	0.9	28.91	91.4	6.3606	60.9093
2024	10	11	21	50	8	12.2	0.1	0.9	28.43	92.4	6.3606	59.8556
2024	10	11	22	0	8	12.2	0.1	0.9	28.5	90.4	6.3606	60.0664
2024	10	11	22	10	8	12	0.1	0.9	28.3	90.8	6.3606	59.6449
2024	10	11	22	20	8	12	0.1	0.9	28.21	91.8	6.3606	59.4342
2024	10	11	22	30	8	12	0.1	0.9	27.22	92.1	6.3606	57.3266
2024	10	11	22	40	8	12	0.1	0.9	28.01	91.4	6.3606	59.0127
2024	10	11	22	50	8	12	0.1	0.9	28.24	93	6.3606	59.4342
2024	10	11	23	0	8	12	0.1	0.9	27.64	92.9	6.3606	58.1697
2024	10	11	23	10	8	12	0.1	0.9	28.24	93	6.3606	59.4343
2024	10	11	23	20	8	12	0.1	0.9	27.44	92.9	6.3545	57.6905
2024	10	11	23	30	8	12	0.1	0.9	29.52	92.3	6.3545	62.1121
2024	10	11	23	40	8	12	0.1	0.9	28.6	90.8	6.3545	60.2172
2024	10	11	23	50	8	12	0.1	0.9	28.61	91.8	6.3545	60.2172

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	12	0	0	8	12	0.1	0.9	28.1	90	6.3545	59.1645
2024	10	12	0	10	8	12	0.1	0.9	28.32	92	6.3545	59.5857
2024	10	12	0	20	8	12	0.1	0.9	29.02	92	6.3545	61.0596
2024	10	12	0	30	8	12	0.1	0.9	28.98	94.4	6.3545	60.8491
2024	10	12	0	40	8	12	0.1	0.9	29	91	6.3545	61.0596
2024	10	12	0	50	8	12	0.1	0.9	28.82	92.4	6.3545	60.6386
2024	10	12	1	0	8	12	0.1	0.9	28.41	91.6	6.3545	59.7964
2024	10	12	1	10	8	12	0.1	0.9	28.7	91	6.3545	60.4281
2024	10	12	1	20	8	12	0.1	0.9	28.82	92	6.3545	60.6387
2024	10	12	1	30	8	12	0.1	0.9	28.76	93.6	6.3545	60.4282
2024	10	12	1	40	8	12	0.1	0.9	28.66	93.6	6.3545	60.2177
2024	10	12	1	50	8	12	0.1	0.9	28.53	92.6	6.3545	60.0072
2024	10	12	2	0	8	12	0.1	0.9	28.5	90.2	6.3545	60.0072
2024	10	12	2	10	8	12	0.1	0.9	28.4	90	6.3545	59.7967
2024	10	12	2	20	8	12	0.1	0.9	28.14	93.1	6.3545	59.1651
2024	10	12	2	30	8	12	0.1	0.9	28.93	92.6	6.3545	60.8496
2024	10	12	2	40	8	12	0.1	0.9	28.72	92.2	6.3545	60.4285
2024	10	12	2	50	8	12	0.1	0.9	28.64	93	6.3545	60.218
2024	10	12	3	0	8	12	0.1	0.9	28.31	91.4	6.3545	59.5864
2024	10	12	3	10	8	12	0.1	0.9	27.51	91.7	6.3545	57.902
2024	10	12	3	20	8	12	0.1	0.9	27.4	90.4	6.3545	57.6915
2024	10	12	3	30	8	12	0.1	0.9	28.74	93.2	6.3545	60.4287
2024	10	12	3	40	8	12	0.1	0.9	28.26	93.9	6.3545	59.376
2024	10	12	3	50	8	12	0.1	0.9	28.92	92	6.3545	60.8499
2024	10	12	4	0	8	12	0.1	0.9	27.41	91.5	6.3606	57.7494
2024	10	12	4	10	8	12	0.1	0.9	28.54	93.2	6.3606	60.0678
2024	10	12	4	20	8	12	0.1	0.9	28.13	92.9	6.3667	59.284
2024	10	12	4	30	8	12	0.1	0.9	27.37	94.2	6.3667	57.5962
2024	10	12	4	40	8	12	0.1	0.9	28.6	90.8	6.3667	60.339
2024	10	12	4	50	8	12	0.1	0.9	29.47	94.1	6.3667	62.0268
2024	10	12	5	0	8	12	0.1	0.9	28.23	92.6	6.3728	59.5545
2024	10	12	5	10	8	12	0.1	0.9	27.1	91.1	6.3728	57.2315
2024	10	12	5	20	8	11.8	0.1	0.9	28.54	93.2	6.3728	60.1882
2024	10	12	5	30	8	11.8	0.1	0.9	28.63	92.8	6.3728	60.3994
2024	10	12	5	40	8	11.8	0.1	0.9	29.44	92.9	6.3728	62.0889
2024	10	12	5	50	8	11.8	0.1	0.9	28.05	93.5	6.3728	59.1323
2024	10	12	6	0	8	11.8	0.1	0.9	28.53	92.4	6.3728	60.1883
2024	10	12	6	10	8	11.8	0.1	0.9	29.52	91.9	6.3728	62.3002
2024	10	12	6	20	8	11.8	0.1	0.9	28.71	91.4	6.3728	60.6107
2024	10	12	6	30	8	11.8	0.1	0.9	27.42	92.1	6.3728	57.8653
2024	10	12	6	40	8	11.8	0.1	0.9	27.96	93.7	6.3728	58.9213
2024	10	12	6	50	8	11.8	0.1	0.9	27.94	93.1	6.3728	58.9213
2024	10	12	7	0	8	11.8	0.1	0.9	28.61	91.6	6.3728	60.3997
2024	10	12	7	10	8	11.8	0.1	0.9	27.91	91.4	6.3728	58.9214
2024	10	12	7	20	8	11.8	0.1	0.9	29.03	92.6	6.3728	61.2445
2024	10	12	7	30	8	11.8	0.1	0.9	28.23	92.4	6.3728	59.555
2024	10	12	7	40	8	11.8	0.1	0.9	28.3	90.6	6.3728	59.7662
2024	10	12	7	50	8	12.2	0.1	0.9	29.21	91.8	6.3728	61.6669

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	12	8	0	8	12.6	0.1	0.9	29.12	92.4	6.3728	61.4558
2024	10	12	8	10	8	12.8	0.1	0.9	27.03	92.8	6.3728	57.0208
2024	10	12	8	20	8	13	0.1	0.9	27.84	93.1	6.3728	58.7104
2024	10	12	8	30	8	13	0.1	0.9	27.54	93.1	6.3728	58.0768
2024	10	12	8	40	8	13	0.1	0.9	28.3	90	6.3728	59.7663
2024	10	12	8	50	8	13	0.1	0.9	28.02	92	6.3667	59.0738
2024	10	12	9	0	8	13.2	0.1	0.9	28.45	93.2	6.3667	59.9177
2024	10	12	9	10	8	13.2	0.1	0.9	28.01	91.8	6.3667	59.0737
2024	10	12	9	20	8	13.2	0.1	0.9	27.55	93.5	6.3667	58.0188
2024	10	12	9	30	8	13.4	0.1	0.9	27.91	91.6	6.3667	58.8627
2024	10	12	9	40	8	13.4	0.1	0.9	28	90.8	6.3667	59.0737
2024	10	12	9	50	8	13.4	0.1	0.9	28.4	91	6.3606	59.8577
2024	10	12	10	0	8	13.4	0.1	0.9	28.83	92.6	6.3606	60.7008
2024	10	12	10	10	8	13.4	0.1	0.9	27.95	93.3	6.3484	58.6862
2024	10	12	10	20	8	13.4	0.1	0.9	28.01	91.8	6.3484	58.8965
2024	10	12	10	30	8	13.4	0.1	0.9	29.3	90.8	6.3423	61.5692
2024	10	12	10	40	8	13.4	0.1	0.9	28.54	93	6.3423	59.8881
2024	10	12	10	50	8	13.4	0.1	0.9	28.56	93.6	6.3423	59.8881
2024	10	12	11	0	8	13.4	0.1	0.9	27.4	91	6.3423	57.5765
2024	10	12	11	10	8	13.4	0.1	0.9	28.16	93.9	6.3362	58.9882
2024	10	12	11	20	8	13.4	0.1	0.9	27.37	94	6.3423	57.3663
2024	10	12	11	30	8	13.4	0.1	0.9	27.79	94.5	6.3423	58.2067
2024	10	12	11	40	8	13.4	0.1	0.9	28.01	91.8	6.3362	58.7781
2024	10	12	11	50	8	13.4	0.1	0.9	27.65	93.5	6.3362	57.9383
2024	10	12	12	0	8	13.4	0.1	0.9	27.82	92.1	6.3362	58.3581
2024	10	12	12	10	8	13.4	0.1	0.9	28.03	92.9	6.3362	58.7778
2024	10	12	12	20	8	13.2	0.1	0.9	29.21	91.4	6.3362	61.2968
2024	10	12	12	30	8	13.2	0.1	0.9	28.67	94	6.3362	60.0372
2024	10	12	12	40	8	13.2	0.1	0.9	28.35	93.4	6.3362	59.4074
2024	10	12	12	50	8	13.2	0.1	0.9	27.74	92.9	6.3362	58.1478
2024	10	12	13	0	8	13.2	0.1	0.9	28.61	91.8	6.3362	60.037
2024	10	12	13	10	8	13.2	0.1	0.9	27.1	90.4	6.3362	56.8881
2024	10	12	13	20	8	13.2	0.1	0.9	27.52	92.1	6.3362	57.7277
2024	10	12	13	30	8	13.2	0.1	0.9	28.52	92	6.3362	59.8268
2024	10	12	13	40	8	13.2	0.1	0.9	29.01	91.2	6.3362	60.8763
2024	10	12	13	50	8	13.2	0.1	0.9	27.95	93.3	6.3362	58.5672
2024	10	12	14	0	8	13.2	0.1	0.9	28.4	90.8	6.3362	59.6167
2024	10	12	14	10	8	13.2	0.1	0.9	27.66	93.7	6.3362	57.9373
2024	10	12	14	20	8	13.2	0.1	0.9	28.51	91.8	6.3362	59.8265
2024	10	12	14	30	8	13.2	0.1	0.9	27.44	93.1	6.3301	57.4596
2024	10	12	14	40	8	13.2	0.1	0.9	28.34	93	6.3301	59.3469
2024	10	12	14	50	8	13.2	0.1	0.9	27.93	92.5	6.3301	58.508
2024	10	12	15	0	8	13.2	0.1	0.9	28.52	92	6.3301	59.7662
2024	10	12	15	10	8	13.2	0.1	0.9	28.96	93.6	6.324	60.5441
2024	10	12	15	20	8	13.2	0.1	0.9	27.86	93.9	6.3301	58.2982
2024	10	12	15	30	8	13.2	0.1	0.9	27.56	93.7	6.3301	57.669
2024	10	12	15	40	8	13.2	0.1	0.9	27.65	93.3	6.3362	57.9368
2024	10	12	15	50	8	13.2	0.1	0.9	28.36	93.6	6.324	59.287

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	12	16	0	8	13.2	0.1	0.9	28.93	92.8	6.324	60.5439
2024	10	12	16	10	8	13.2	0.1	0.9	28.51	91.2	6.3301	59.7659
2024	10	12	16	20	8	13.2	0.1	0.9	28.32	92.2	6.3301	59.3465
2024	10	12	16	30	8	13.2	0.1	0.9	29.41	91.8	6.324	61.5913
2024	10	12	16	40	8	13.2	0.1	0.9	27.2	91.1	6.324	56.9824
2024	10	12	16	50	8	13.2	0.1	0.9	28.12	92.2	6.3301	58.927
2024	10	12	17	0	8	13.2	0.1	0.9	27.72	92.1	6.3301	58.0882
2024	10	12	17	10	8	13.2	0.1	0.9	29.01	91.8	6.3301	60.8143
2024	10	12	17	20	8	13.2	0.1	0.9	28.82	92.2	6.3301	60.3949
2024	10	12	17	30	8	12.6	0.1	0.9	28.32	92.2	6.3362	59.406
2024	10	12	17	40	8	12.4	0.1	0.9	28.64	93.2	6.3362	60.0357
2024	10	12	17	50	8	12.2	0.1	0.9	29	89.2	6.3362	60.8754
2024	10	12	18	0	8	12.2	0.1	0.9	28.76	93.6	6.3362	60.2456
2024	10	12	18	10	8	12.2	0.1	0.9	27.54	92.9	6.3362	57.7266
2024	10	12	18	20	8	12.2	0.1	0.9	27.94	92.9	6.3362	58.5663
2024	10	12	18	30	8	12.2	0.1	0.9	28.31	91.6	6.3362	59.4059
2024	10	12	18	40	8	12.2	0.1	0.9	27.6	94.8	6.3362	57.7266
2024	10	12	18	50	8	12.2	0.1	0.9	28.44	93	6.3362	59.6159
2024	10	12	19	0	8	12.2	0.1	0.9	27.54	92.9	6.3362	57.7266
2024	10	12	19	10	8	12.2	0.1	0.9	28.94	93	6.3301	60.6046
2024	10	12	19	20	8	12.2	0.1	0.9	27.57	94	6.3362	57.7267
2024	10	12	19	30	8	12.2	0.1	0.9	27.16	93.8	6.3362	56.887
2024	10	12	19	40	8	12.2	0.1	0.9	27.9	90	6.3362	58.5663
2024	10	12	19	50	8	12.2	0.1	0.9	28.5	90.8	6.3362	59.8259
2024	10	12	20	0	8	12.2	0.1	0.9	27.2	89.8	6.3301	57.0397
2024	10	12	20	10	8	12.2	0.1	0.9	27.62	92.1	6.3301	57.8785
2024	10	12	20	20	8	12.2	0.1	0.9	28.11	91.8	6.3301	58.9271
2024	10	12	20	30	8	12.2	0.1	0.9	27.24	92.9	6.3301	57.0398
2024	10	12	20	40	8	12.2	0.1	0.9	28.5	90.8	6.3301	59.766
2024	10	12	20	50	8	12.2	0.1	0.9	28.45	93.2	6.3301	59.5563
2024	10	12	21	0	8	12.2	0.1	0.9	28.04	93.1	6.3301	58.7175
2024	10	12	21	10	8	12.2	0.1	0.9	28.13	92.9	6.3301	58.9272
2024	10	12	21	20	8	12.2	0.1	0.9	28.63	92.8	6.3301	59.9758
2024	10	12	21	30	8	12.2	0.1	0.9	27.95	93.5	6.3301	58.5079
2024	10	12	21	40	8	12.2	0.1	0.9	28.33	92.6	6.3301	59.3468
2024	10	12	21	50	8	12.2	0.1	0.9	28.31	91.8	6.3301	59.3468
2024	10	12	22	0	8	12.2	0.1	0.9	27.71	91.9	6.3301	58.0886
2024	10	12	22	10	8	12	0.1	0.9	27	91.1	6.3301	56.6207
2024	10	12	22	20	8	12	0.1	0.9	27.77	94.1	6.3301	58.0887
2024	10	12	22	30	8	12	0.1	0.9	28.34	93	6.3301	59.347
2024	10	12	22	40	8	12	0.1	0.9	27.02	92.1	6.3301	56.6208
2024	10	12	22	50	8	12	0.1	0.9	27.93	92.7	6.3301	58.5082
2024	10	12	23	0	8	12	0.1	0.9	27.2	90.8	6.3301	57.0403
2024	10	12	23	10	8	12	0.1	0.9	27.71	91.9	6.3301	58.0889
2024	10	12	23	20	8	12	0.1	0.9	27.41	91.9	6.3301	57.4598
2024	10	12	23	30	8	12	0.1	0.9	27.33	92.5	6.324	57.1926
2024	10	12	23	40	8	12	0.1	0.9	28.41	91.8	6.3301	59.557
2024	10	12	23	50	8	12	0.1	0.9	27.5	91	6.324	57.6117

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	13	0	0	8	12	0.1	0.9	26.91	91.7	6.324	56.3548
2024	10	13	0	10	8	12	0.1	0.9	27.25	93.4	6.324	56.9833
2024	10	13	0	20	8	12	0.1	0.9	28.54	93	6.324	59.7068
2024	10	13	0	30	8	12	0.1	0.9	27.32	92.1	6.324	57.1929
2024	10	13	0	40	8	12	0.1	0.9	28.81	91.4	6.324	60.3354
2024	10	13	0	50	8	12	0.1	0.9	26.85	93.6	6.324	56.1455
2024	10	13	1	0	8	12	0.1	0.9	26.72	92.1	6.324	55.936
2024	10	13	1	10	8	12	0.1	0.9	27.54	93.1	6.324	57.6121
2024	10	13	1	20	8	12	0.1	0.9	28.76	93.8	6.324	60.1261
2024	10	13	1	30	8	12	0.1	0.9	27.59	94.6	6.324	57.6121
2024	10	13	1	40	8	12	0.1	0.9	27.64	93.1	6.324	57.8217
2024	10	13	1	50	8	12	0.1	0.9	28.32	95.3	6.324	59.0787
2024	10	13	2	0	8	12	0.1	0.9	27.6	91	6.324	57.8217
2024	10	13	2	10	8	12	0.1	0.9	26.5	90	6.324	55.5173
2024	10	13	2	20	8	12	0.1	0.9	27.45	93.3	6.324	57.4028
2024	10	13	2	30	8	12	0.1	0.9	28.02	92.2	6.324	58.6599
2024	10	13	2	40	8	12	0.1	0.9	27.77	94.1	6.324	58.0314
2024	10	13	2	50	8	12	0.1	0.9	26.82	92.1	6.324	56.1459
2024	10	13	3	0	8	12	0.1	0.9	28.13	92.6	6.324	58.8695
2024	10	13	3	10	8	12	0.1	0.9	27.33	92.7	6.324	57.1935
2024	10	13	3	20	8	12	0.1	0.9	27.93	92.7	6.324	58.4505
2024	10	13	3	30	8	12	0.1	0.9	27.75	93.5	6.324	58.0316
2024	10	13	3	40	8	12	0.1	0.9	28.23	92.6	6.3179	59.0197
2024	10	13	3	50	8	12	0.1	0.9	27.71	91.9	6.3179	57.9733
2024	10	13	4	0	8	12	0.1	0.9	27.93	92.5	6.3179	58.3919
2024	10	13	4	10	8	12	0.1	0.9	28.22	92	6.3179	59.0198
2024	10	13	4	20	8	12	0.1	0.9	28.31	91.2	6.3179	59.2291
2024	10	13	4	30	8	12	0.1	0.9	28.61	95	6.3179	59.6477
2024	10	13	4	40	8	12	0.1	0.9	27.81	91.9	6.3179	58.1827
2024	10	13	4	50	8	12	0.1	0.9	28.19	94.7	6.3179	58.8106
2024	10	13	5	0	8	12	0.1	0.9	27.6	90.8	6.3179	57.7642
2024	10	13	5	10	8	12	0.1	0.9	27.3	90.8	6.3179	57.1363
2024	10	13	5	20	8	11.8	0.1	0.9	27.63	92.5	6.3179	57.7642
2024	10	13	5	30	8	11.8	0.1	0.9	26.35	93.5	6.3179	55.0435
2024	10	13	5	40	8	11.8	0.1	0.9	28.16	93.7	6.3179	58.8108
2024	10	13	5	50	8	11.8	0.1	0.9	26.81	91.3	6.3179	56.09
2024	10	13	6	0	8	11.8	0.1	0.9	27.69	94.6	6.3179	57.7644
2024	10	13	6	10	8	11.8	0.1	0.9	27.33	92.7	6.3179	57.1365
2024	10	13	6	20	8	11.8	0.1	0.9	27.02	92.1	6.3179	56.5087
2024	10	13	6	30	8	11.8	0.1	0.9	27.14	93	6.3179	56.718
2024	10	13	6	40	8	11.8	0.1	0.9	28.44	93	6.3179	59.4388
2024	10	13	6	50	8	11.8	0.1	0.9	28.41	91.8	6.3179	59.4388
2024	10	13	7	0	8	11.8	0.1	0.9	26.84	93	6.3179	56.0902
2024	10	13	7	10	8	11.8	0.1	0.9	27.74	93.1	6.3179	57.9739
2024	10	13	7	20	8	11.8	0.1	0.9	27.41	91.9	6.3118	57.2883
2024	10	13	7	30	8	11.8	0.1	0.9	28.33	92.8	6.3118	59.17
2024	10	13	7	40	8	11.8	0.1	0.9	27.91	91.8	6.3118	58.3337
2024	10	13	7	50	8	12.2	0.1	0.9	28.36	93.6	6.3118	59.1701

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	13	8	0	8	12.6	0.1	0.9	28.26	93.7	6.3118	58.961
2024	10	13	8	10	8	12.8	0.1	0.9	27.56	93.7	6.3118	57.4974
2024	10	13	8	20	8	13	0.1	0.9	28.33	92.4	6.3118	59.1701
2024	10	13	8	30	8	13	0.1	0.9	27.2	90.4	6.3118	56.8702
2024	10	13	8	40	8	13	0.1	0.9	27.7	95	6.3118	57.7065
2024	10	13	8	50	8	13	0.1	0.9	27.1	90.6	6.3118	56.6611
2024	10	13	9	0	8	13.2	0.1	0.9	27.01	91.7	6.3118	56.452
2024	10	13	9	10	8	13.2	0.1	0.9	27.65	93.5	6.3118	57.7065
2024	10	13	9	20	8	13.2	0.1	0.9	27.84	92.9	6.3118	58.1246
2024	10	13	9	30	8	13.2	0.1	0.9	27.5	91	6.3118	57.4974
2024	10	13	9	40	8	13.2	0.1	0.9	27.13	92.7	6.3118	56.661
2024	10	13	9	50	8	13.4	0.1	0.9	28.05	93.5	6.3118	58.5427
2024	10	13	10	0	8	13.4	0.1	0.9	27.44	93.1	6.3118	57.2882
2024	10	13	10	10	8	13.4	0.1	0.9	28.66	93.6	6.3118	59.7971
2024	10	13	10	20	8	13.4	0.1	0.9	27.72	92.1	6.3118	57.9153
2024	10	13	10	30	8	13.4	0.1	0.9	26.13	92.9	6.3057	54.515
2024	10	13	10	40	8	13.4	0.1	0.9	27.61	91.9	6.3057	57.648
2024	10	13	10	50	8	13.4	0.1	0.9	27.61	91.9	6.3057	57.6479
2024	10	13	11	0	8	13.4	0.1	0.9	28.23	92.4	6.3057	58.9011
2024	10	13	11	10	8	13.4	0.1	0.9	26.84	93	6.3057	55.9768
2024	10	13	11	20	8	13.4	0.1	0.9	27.86	93.7	6.3057	58.0655
2024	10	13	11	30	8	13.4	0.1	0.9	26.6	91.1	6.3057	55.559
2024	10	13	11	40	8	13.6	0.1	0.9	27.24	92.9	6.3057	56.8121
2024	10	13	11	50	8	13.6	0.1	0.9	27.93	92.7	6.3057	58.2741
2024	10	13	12	0	8	13.6	0.1	0.9	27.84	92.9	6.2996	58.0066
2024	10	13	12	10	8	13.6	0.1	0.9	27.64	93.1	6.2935	57.5311
2024	10	13	12	20	8	13.6	0.1	0.9	27.51	91.2	6.2935	57.3226
2024	10	13	12	30	8	13.6	0.1	0.9	27.44	92.9	6.2935	57.1141
2024	10	13	12	40	8	13.6	0.1	0.9	28.21	91.8	6.2874	58.7222
2024	10	13	12	50	8	13.6	0.1	0.9	27.66	93.7	6.2874	57.4727
2024	10	13	13	0	8	13.4	0.1	0.9	27.7	90.6	6.2874	57.6808
2024	10	13	13	10	8	13.4	0.1	0.9	27.46	93.8	6.2874	57.0561
2024	10	13	13	20	8	13.2	0.1	0.9	28.4	90.8	6.2874	59.1383
2024	10	13	13	30	8	13.2	0.1	0.9	28.33	92.4	6.2874	58.93
2024	10	13	13	40	8	13.2	0.1	0.9	27.76	93.7	6.2874	57.6805
2024	10	13	13	50	8	13.2	0.1	0.9	28.03	92.5	6.2874	58.3052
2024	10	13	14	0	8	13.2	0.1	0.9	27.11	91.7	6.2874	56.431
2024	10	13	14	10	8	13.2	0.1	0.9	27.54	93.1	6.2874	57.2639
2024	10	13	14	20	8	13.2	0.1	0.9	28.52	95.2	6.2935	59.1977
2024	10	13	14	30	8	13.2	0.1	0.9	27.66	93.7	6.2874	57.472
2024	10	13	14	40	8	13.2	0.1	0.9	29.22	92.4	6.2935	60.8652
2024	10	13	14	50	8	13.2	0.1	0.9	27.77	94.1	6.2935	57.7385
2024	10	13	15	0	8	13.2	0.1	0.9	27.45	93.6	6.2874	57.0554
2024	10	13	15	10	8	13.2	0.1	0.9	28.03	92.5	6.2874	58.3047
2024	10	13	15	20	8	13.2	0.1	0.9	28.68	94.2	6.2935	59.6143
2024	10	13	15	30	8	13.2	0.1	0.9	28.12	92.2	6.2874	58.5129
2024	10	13	15	40	8	13.2	0.1	0.9	27.37	94	6.2935	56.9045
2024	10	13	15	50	8	13.2	0.1	0.9	28.25	93.4	6.2935	58.7804

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	13	16	0	8	13.2	0.1	0.9	27.61	91.2	6.2935	57.5298
2024	10	13	16	10	8	13.2	0.1	0.9	27.73	92.5	6.2935	57.7382
2024	10	13	16	20	8	13.2	0.1	0.9	29.1	89.2	6.2935	60.6563
2024	10	13	16	30	8	13.2	0.1	0.9	27.96	93.7	6.2996	58.2138
2024	10	13	16	40	8	13.2	0.1	0.9	27.4	91	6.2935	57.1128
2024	10	13	16	50	8	13.2	0.1	0.9	27.45	93.6	6.2935	57.1128
2024	10	13	17	0	8	13.2	0.1	0.9	27.2	89.8	6.2935	56.6959
2024	10	13	17	10	8	13.2	0.1	0.9	26.81	91.3	6.2935	55.8621
2024	10	13	17	20	8	12.8	0.1	0.9	27.2	90.2	6.2996	56.7531
2024	10	13	17	30	8	12.4	0.1	0.9	27.71	91.2	6.2996	57.7964
2024	10	13	17	40	8	12.4	0.1	0.9	27.7	90.8	6.2996	57.7964
2024	10	13	17	50	8	12.2	0.1	0.9	28.16	93.7	6.2996	58.631
2024	10	13	18	0	8	12.2	0.1	0.9	29.33	92.7	6.2996	61.1348
2024	10	13	18	10	8	12.2	0.1	0.9	27.14	93	6.2996	56.5445
2024	10	13	18	20	8	12.2	0.1	0.9	27.71	91.9	6.2996	57.7964
2024	10	13	18	30	8	12.2	0.1	0.9	27.65	93.5	6.3057	57.6459
2024	10	13	18	40	8	12.2	0.1	0.9	27.12	92.3	6.3057	56.6016
2024	10	13	18	50	8	12.2	0.1	0.9	26.8	91.1	6.3057	55.975
2024	10	13	19	0	8	12.2	0.1	0.9	27.13	92.5	6.3057	56.6016
2024	10	13	19	10	8	12.2	0.1	0.9	28.03	92.9	6.3057	58.4813
2024	10	13	19	20	8	12.2	0.1	0.9	27.99	94.5	6.3057	58.2725
2024	10	13	19	30	8	12.2	0.1	0.9	27.3	91	6.3057	57.0193
2024	10	13	19	40	8	12.2	0.1	0.9	29.04	93.2	6.3057	60.57
2024	10	13	19	50	8	12.2	0.1	0.9	27.65	93.3	6.3057	57.646
2024	10	13	20	0	8	12.2	0.1	0.9	27.67	93.9	6.3057	57.646
2024	10	13	20	10	8	12.2	0.1	0.9	28.33	92.6	6.3057	59.108
2024	10	13	20	20	8	12.2	0.1	0.9	28.03	92.9	6.3118	58.5405
2024	10	13	20	30	8	12.2	0.1	0.9	27.16	93.8	6.3118	56.6588
2024	10	13	20	40	8	12.2	0.1	0.9	27.15	93.6	6.3118	56.6589
2024	10	13	20	50	8	12.2	0.1	0.9	27.2	91.1	6.3179	56.9253
2024	10	13	21	0	8	12.2	0.1	0.9	28.49	94.6	6.3179	59.4367
2024	10	13	21	10	8	12.2	0.1	0.9	28.23	92.8	6.324	59.0776
2024	10	13	21	20	8	12.2	0.1	0.9	27.02	92.1	6.324	56.5637
2024	10	13	21	30	8	12.2	0.1	0.9	27.71	91.9	6.3301	58.0885
2024	10	13	21	40	8	12.2	0.1	0.9	27.71	91.4	6.3301	58.0886
2024	10	13	21	50	8	12.2	0.1	0.9	26.77	94.3	6.3301	55.9915
2024	10	13	22	0	8	12.2	0.1	0.9	28.11	91.6	6.3301	58.9275
2024	10	13	22	10	8	12	0.1	0.9	28.31	91.4	6.3301	59.3469
2024	10	13	22	20	8	12	0.1	0.9	27.81	91.9	6.3301	58.2984
2024	10	13	22	30	8	12	0.1	0.9	28.35	93.4	6.3301	59.347
2024	10	13	22	40	8	12	0.1	0.9	27.31	91.9	6.3301	57.25
2024	10	13	22	50	8	12	0.1	0.9	26.81	91.7	6.3301	56.2015
2024	10	13	23	0	8	12	0.1	0.9	26.91	91.7	6.3301	56.4113
2024	10	13	23	10	8	12	0.1	0.9	28.23	92.4	6.3301	59.1375
2024	10	13	23	20	8	12	0.1	0.9	26.62	92.4	6.3301	55.7822
2024	10	13	23	30	8	12	0.1	0.9	28.22	95.3	6.3301	58.9279
2024	10	13	23	40	8	12	0.1	0.9	27.51	91.9	6.3301	57.6697
2024	10	13	23	50	8	12	0.1	0.9	27.02	92.1	6.3301	56.6212

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	14	0	0	8	12	0.1	0.9	28.17	94.1	6.3301	58.928
2024	10	14	0	10	8	12	0.1	0.9	28.5	90.2	6.3301	59.7669
2024	10	14	0	20	8	12	0.1	0.9	28.41	91.2	6.3301	59.5572
2024	10	14	0	30	8	12	0.1	0.9	27.89	94.5	6.3301	58.299
2024	10	14	0	40	8	12	0.1	0.9	27.33	92.5	6.3301	57.2505
2024	10	14	0	50	8	12	0.1	0.9	27.35	93.6	6.3301	57.2506
2024	10	14	1	0	8	12	0.1	0.9	27.91	91.8	6.3301	58.5089
2024	10	14	1	10	8	12	0.1	0.9	26.65	93.4	6.3301	55.7827
2024	10	14	1	20	8	12	0.1	0.9	28.88	94.2	6.3301	60.3964
2024	10	14	1	30	8	12	0.1	0.9	28.06	93.7	6.3301	58.7187
2024	10	14	1	40	8	12	0.1	0.9	27.74	92.9	6.3301	58.0896
2024	10	14	1	50	8	12	0.1	0.9	28.11	91.8	6.3301	58.9285
2024	10	14	2	0	8	12	0.1	0.9	27.11	91.5	6.3301	56.8315
2024	10	14	2	10	8	12	0.1	0.9	27.5	91	6.3301	57.6703
2024	10	14	2	20	8	12	0.1	0.9	28.33	92.6	6.3301	59.3481
2024	10	14	2	30	8	12	0.1	0.9	27.4	91	6.3301	57.4607
2024	10	14	2	40	8	12	0.1	0.9	27.45	93.6	6.3301	57.4607
2024	10	14	2	50	8	12	0.1	0.9	27.75	93.3	6.3301	58.0899
2024	10	14	3	0	8	12	0.1	0.9	27.85	93.3	6.3301	58.2997
2024	10	14	3	10	8	12	0.1	0.9	27.3	90.8	6.3301	57.2511
2024	10	14	3	20	8	12	0.1	0.9	27.81	91.6	6.3301	58.2997
2024	10	14	3	30	8	12	0.1	0.9	26.61	91.5	6.3301	55.7832
2024	10	14	3	40	8	12	0.1	0.9	28.61	91.6	6.3301	59.9775
2024	10	14	3	50	8	12	0.1	0.9	28.2	91	6.3301	59.1387
2024	10	14	4	0	8	12	0.1	0.9	28.13	92.9	6.3301	58.929
2024	10	14	4	10	8	12	0.1	0.9	27.16	93.8	6.3301	56.8319
2024	10	14	4	20	8	12	0.1	0.9	28.53	92.6	6.324	59.7079
2024	10	14	4	30	8	12	0.1	0.9	27.42	92.1	6.3301	57.4611
2024	10	14	4	40	8	12	0.1	0.9	28.09	94.7	6.324	58.6604
2024	10	14	4	50	8	12	0.1	0.9	28.59	94.6	6.3301	59.768
2024	10	14	5	0	8	12	0.1	0.9	27.73	92.5	6.324	58.032
2024	10	14	5	10	8	11.8	0.1	0.9	28.32	92.2	6.324	59.289
2024	10	14	5	20	8	11.8	0.1	0.9	27.6	90.8	6.3301	57.8807
2024	10	14	5	30	8	11.8	0.1	0.9	27.41	91.9	6.3301	57.4613
2024	10	14	5	40	8	11.8	0.1	0.9	28.85	93.4	6.324	60.3366
2024	10	14	5	50	8	11.8	0.1	0.9	27.61	91.9	6.324	57.8226
2024	10	14	6	0	8	11.8	0.1	0.9	28.51	91.8	6.324	59.7082
2024	10	14	6	10	8	11.8	0.1	0.9	28.41	91.6	6.324	59.4987
2024	10	14	6	20	8	11.8	0.1	0.9	28.29	94.5	6.324	59.0797
2024	10	14	6	30	8	11.8	0.1	0.9	27.91	91.6	6.324	58.4512
2024	10	14	6	40	8	11.8	0.1	0.9	28.35	93.2	6.324	59.2893
2024	10	14	6	50	8	11.8	0.1	0.9	27.73	92.7	6.324	58.0323
2024	10	14	7	0	8	11.8	0.1	0.9	28.66	93.8	6.324	59.9178
2024	10	14	7	10	8	11.8	0.1	0.9	28.05	93.5	6.324	58.6608
2024	10	14	7	20	8	11.8	0.1	0.9	28.23	92.6	6.324	59.0798
2024	10	14	7	30	8	11.8	0.1	0.9	26.94	93	6.324	56.3563
2024	10	14	7	40	8	11.8	0.1	0.9	27.82	92.3	6.324	58.2419
2024	10	14	7	50	8	12.2	0.1	0.9	27.23	92.5	6.324	56.9849

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	14	8	0	8	12.4	0.1	0.9	27.51	91.9	6.324	57.6134
2024	10	14	8	10	8	12.8	0.1	0.9	27.44	92.9	6.324	57.4039
2024	10	14	8	20	8	12.8	0.1	0.9	27.81	91.9	6.324	58.2419
2024	10	14	8	30	8	13	0.1	0.9	27.02	95.3	6.324	56.3564
2024	10	14	8	40	8	13	0.1	0.9	27.82	92.3	6.324	58.2419
2024	10	14	8	50	8	13	0.1	0.9	27.7	91	6.324	58.0324
2024	10	14	9	0	8	13	0.1	0.9	27.61	91.9	6.324	57.8228
2024	10	14	9	10	8	13.2	0.1	0.9	27.72	92.1	6.324	58.0323
2024	10	14	9	20	8	13	0.1	0.9	27.1	90.8	6.324	56.7753
2024	10	14	9	30	8	13.2	0.1	0.9	28.11	91.2	6.324	58.8703
2024	10	14	9	40	8	13.2	0.1	0.9	28.43	92.6	6.324	59.4987
2024	10	14	9	50	8	13.2	0.1	0.9	28.13	92.6	6.324	58.8702
2024	10	14	10	0	8	13.2	0.1	0.9	28.6	90.6	6.324	59.9176
2024	10	14	10	10	8	13.4	0.1	0.9	27.17	94	6.324	56.7751
2024	10	14	10	20	8	13.4	0.1	0.9	27.65	93.3	6.324	57.8225
2024	10	14	10	30	8	13.4	0.1	0.9	28.93	92.6	6.324	60.546
2024	10	14	10	40	8	13.4	0.1	0.9	28.05	93.3	6.324	58.6604
2024	10	14	10	50	8	13.4	0.1	0.9	27.43	92.5	6.3179	57.3456
2024	10	14	11	0	8	13.4	0.1	0.9	27.12	92.1	6.324	56.7748
2024	10	14	11	10	8	13.4	0.1	0.9	27.81	91.2	6.324	58.2412
2024	10	14	11	20	8	13.4	0.1	0.9	28.77	94	6.324	60.1267
2024	10	14	11	30	8	13.4	0.1	0.9	27.63	92.5	6.324	57.8221
2024	10	14	11	40	8	13.4	0.1	0.9	28.29	94.5	6.3179	59.0196
2024	10	14	11	50	8	13.4	0.1	0.9	28.51	91.6	6.3179	59.6474
2024	10	14	12	0	8	13.4	0.1	0.9	28.63	92.4	6.3179	59.8566
2024	10	14	12	10	8	13.4	0.1	0.9	27.85	93.5	6.3179	58.1822
2024	10	14	12	20	8	13.4	0.1	0.9	27.6	95	6.3179	57.5543
2024	10	14	12	30	8	13.4	0.1	0.9	27.1	90.4	6.3179	56.717
2024	10	14	12	40	8	13.2	0.1	0.9	28.06	93.7	6.3179	58.6005
2024	10	14	12	50	8	13.2	0.1	0.9	27.5	91	6.3179	57.554
2024	10	14	13	0	8	13.2	0.1	0.9	27.6	91	6.3179	57.7632
2024	10	14	13	10	8	13.2	0.1	0.9	26.61	91.7	6.3118	55.6143
2024	10	14	13	20	8	13.2	0.1	0.9	28.13	92.4	6.3057	58.6912
2024	10	14	13	30	8	13.2	0.1	0.9	28.63	92.6	6.3057	59.7354
2024	10	14	13	40	8	13.2	0.1	0.9	27.93	92.7	6.2996	58.2145
2024	10	14	13	50	8	13.2	0.1	0.9	27.96	93.7	6.2996	58.2145
2024	10	14	14	0	8	13.2	0.1	0.9	27.76	93.7	6.2996	57.7971
2024	10	14	14	10	8	13.2	0.1	0.9	27.8	91	6.2935	57.9471
2024	10	14	14	20	8	13.2	0.1	0.9	28.05	97.6	6.2935	57.9471
2024	10	14	14	30	8	13.2	0.1	0.9	27.32	92.3	6.2935	56.9048
2024	10	14	14	40	8	13.2	0.1	0.9	27.21	91.9	6.2996	56.7536
2024	10	14	14	50	8	13.2	0.1	0.9	27.96	93.7	6.2935	58.1553
2024	10	14	15	0	8	13	0.1	0.9	28.21	91.8	6.2935	58.7806
2024	10	14	15	10	8	13	0.1	0.9	28.84	93	6.2935	60.0312
2024	10	14	15	20	8	13	0.1	0.9	27.5	90.2	6.2935	57.3214
2024	10	14	15	30	8	13	0.1	0.9	27.9	94.9	6.2996	58.0053
2024	10	14	15	40	8	13	0.1	0.9	26.6	89.1	6.2935	55.4454
2024	10	14	15	50	8	13	0.1	0.9	27.5	89.8	6.2935	57.3213

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	14	16	0	8	13	0.1	0.9	28.23	92.8	6.2935	58.7804
2024	10	14	16	10	8	13	0.1	0.9	27.13	92.7	6.2935	56.4875
2024	10	14	16	20	8	13	0.1	0.9	27.81	91.6	6.2996	58.0051
2024	10	14	16	30	8	13	0.1	0.9	27.55	93.3	6.2935	57.3212
2024	10	14	16	40	8	13	0.1	0.9	28.54	93.2	6.2996	59.4656
2024	10	14	16	50	8	13	0.1	0.9	26.75	93.6	6.2935	55.6536
2024	10	14	17	0	8	13	0.1	0.9	28	90.8	6.2935	58.3634
2024	10	14	17	10	8	13	0.1	0.9	27.1	91.1	6.2935	56.4874
2024	10	14	17	20	8	12.8	0.1	0.9	27.91	91.8	6.2935	58.1549
2024	10	14	17	30	8	12.4	0.1	0.9	28.26	93.7	6.2935	58.7802
2024	10	14	17	40	8	12.4	0.1	0.9	28.11	91.6	6.2935	58.5718
2024	10	14	17	50	8	12.2	0.1	0.9	28.44	93	6.2935	59.1971
2024	10	14	18	0	8	12.2	0.1	0.9	27.63	92.5	6.2935	57.5296
2024	10	14	18	10	8	12.2	0.1	0.9	27	90.6	6.2996	56.3358
2024	10	14	18	20	8	12.2	0.1	0.9	27.4	90.4	6.2935	57.1127
2024	10	14	18	30	8	12.2	0.1	0.9	27.25	93.4	6.2935	56.6958
2024	10	14	18	40	8	12.2	0.1	0.9	26.93	92.6	6.2935	56.0705
2024	10	14	18	50	8	12.2	0.1	0.9	28.01	91.8	6.2996	58.4223
2024	10	14	19	0	8	12.2	0.1	0.9	26.71	91.7	6.2935	55.6536
2024	10	14	19	10	8	12.2	0.1	0.9	27.64	92.9	6.2935	57.5296
2024	10	14	19	20	8	12.2	0.1	0.9	27.52	92.3	6.2935	57.3212
2024	10	14	19	30	8	12.2	0.1	0.9	26.71	91.5	6.2935	55.6537
2024	10	14	19	40	8	12.2	0.1	0.9	26.22	92	6.2935	54.6115
2024	10	14	19	50	8	12.2	0.1	0.9	27.85	93.3	6.2935	57.9466
2024	10	14	20	0	8	12.2	0.1	0.9	28.2	90.4	6.2935	58.7804
2024	10	14	20	10	8	12.2	0.1	0.9	28.27	94.1	6.2935	58.7804
2024	10	14	20	20	8	12.2	0.1	0.9	26.72	92.1	6.2935	55.6538
2024	10	14	20	30	8	12.2	0.1	0.9	28.2	91	6.2935	58.7805
2024	10	14	20	40	8	12.2	0.1	0.9	27.74	92.9	6.2935	57.7383
2024	10	14	20	50	8	12.2	0.1	0.9	26.82	92.4	6.2935	55.8623
2024	10	14	21	0	8	12.2	0.1	0.9	28	90.2	6.2935	58.3637
2024	10	14	21	10	8	12.2	0.1	0.9	27.53	92.5	6.2935	57.3215
2024	10	14	21	20	8	12.2	0.1	0.9	28.1	90.8	6.2935	58.5722
2024	10	14	21	30	8	12.2	0.1	0.9	27.44	93.1	6.2935	57.1131
2024	10	14	21	40	8	12.2	0.1	0.9	27.26	93.8	6.2935	56.6963
2024	10	14	21	50	8	12.2	0.1	0.9	27.5	91	6.2935	57.3216
2024	10	14	22	0	8	12	0.1	0.9	27.95	93.3	6.2935	58.1555
2024	10	14	22	10	8	12	0.1	0.9	27.12	92.3	6.2935	56.488
2024	10	14	22	20	8	12	0.1	0.9	28.18	94.3	6.2935	58.5724
2024	10	14	22	30	8	12	0.1	0.9	27.4	89.8	6.2935	57.1134
2024	10	14	22	40	8	12	0.1	0.9	27.57	94.2	6.2874	57.2639
2024	10	14	22	50	8	12	0.1	0.9	28.72	92	6.2935	59.8232
2024	10	14	23	0	8	12	0.1	0.9	27.23	92.7	6.2935	56.6966
2024	10	14	23	10	8	12	0.1	0.9	27.72	92.3	6.2874	57.6805
2024	10	14	23	20	8	12	0.1	0.9	27.72	92.3	6.2874	57.6805
2024	10	14	23	30	8	12	0.1	0.9	28.3	91	6.2935	58.9896
2024	10	14	23	40	8	12	0.1	0.9	27.72	92.3	6.2874	57.6806
2024	10	14	23	50	8	12	0.1	0.9	28.37	94	6.2935	58.9897

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	15	0	0	8	12	0.1	0.9	27.65	93.5	6.2874	57.4725
2024	10	15	0	10	8	12	0.1	0.9	27.64	93.1	6.2874	57.4725
2024	10	15	0	20	8	12	0.1	0.9	26.9	91.1	6.2935	56.0716
2024	10	15	0	30	8	12	0.1	0.9	26.82	92.1	6.2874	55.8068
2024	10	15	0	40	8	12	0.1	0.9	27.6	90.8	6.2935	57.5308
2024	10	15	0	50	8	12	0.1	0.9	26.8	91.1	6.2935	55.8633
2024	10	15	1	0	8	12	0.1	0.9	27.4	94.8	6.2996	56.9631
2024	10	15	1	10	8	12	0.1	0.9	26.9	90.6	6.3057	56.1852
2024	10	15	1	20	8	12	0.1	0.9	28.17	94.1	6.3057	58.6916
2024	10	15	1	30	8	12	0.1	0.9	27.34	93.1	6.3057	57.0207
2024	10	15	1	40	8	12	0.1	0.9	26.92	92.3	6.3057	56.1853
2024	10	15	1	50	8	12	0.1	0.9	28.95	93.4	6.3118	60.4236
2024	10	15	2	0	8	12	0.1	0.9	28.61	91.4	6.3057	59.7361
2024	10	15	2	10	8	12	0.1	0.9	27.71	91.9	6.3118	57.9147
2024	10	15	2	20	8	12	0.1	0.9	28.27	94.1	6.3118	58.9601
2024	10	15	2	30	8	12	0.1	0.9	27.63	92.7	6.3118	57.7057
2024	10	15	2	40	8	12	0.1	0.9	27.32	92.1	6.3118	57.0785
2024	10	15	2	50	8	12	0.1	0.9	28.01	91.8	6.3118	58.5421
2024	10	15	3	0	8	12	0.1	0.9	27.54	92.9	6.3118	57.4967
2024	10	15	3	10	8	12	0.1	0.9	27.84	92.9	6.3118	58.124
2024	10	15	3	20	8	12	0.1	0.9	27.77	94.1	6.3118	57.915
2024	10	15	3	30	8	12	0.1	0.9	26.82	92.4	6.3118	56.0333
2024	10	15	3	40	8	12	0.1	0.9	27.38	94.4	6.3118	57.0787
2024	10	15	3	50	8	12	0.1	0.9	27.73	92.7	6.3118	57.9151
2024	10	15	4	0	8	12	0.1	0.9	26.31	91.7	6.3118	54.988
2024	10	15	4	10	8	12	0.1	0.9	28.36	93.8	6.3118	59.1696
2024	10	15	4	20	8	12	0.1	0.9	27.53	92.7	6.3118	57.497
2024	10	15	4	30	8	12	0.1	0.9	28.2	90	6.3118	58.9606
2024	10	15	4	40	8	12	0.1	0.9	27.1	90.4	6.3179	56.7179
2024	10	15	4	50	8	12	0.1	0.9	27.53	92.7	6.3118	57.4971
2024	10	15	5	0	8	11.8	0.1	0.9	28.21	91.4	6.3179	59.0201
2024	10	15	5	10	8	11.8	0.1	0.9	26.63	92.8	6.3118	55.6155
2024	10	15	5	20	8	11.8	0.1	0.9	28.43	92.6	6.3118	59.3789
2024	10	15	5	30	8	11.8	0.1	0.9	28.39	94.4	6.3118	59.1699
2024	10	15	5	40	8	11.8	0.1	0.9	27.76	93.7	6.3118	57.9155
2024	10	15	5	50	8	11.8	0.1	0.9	28.61	91.8	6.3118	59.7972
2024	10	15	6	0	8	11.8	0.1	0.9	27.91	91.6	6.3118	58.3337
2024	10	15	6	10	8	11.8	0.1	0.9	26.42	92	6.3118	55.1975
2024	10	15	6	20	8	11.8	0.1	0.9	27.71	91.4	6.3118	57.9156
2024	10	15	6	30	8	11.8	0.1	0.9	27.29	94.6	6.3118	56.8702
2024	10	15	6	40	8	11.8	0.1	0.9	28.57	94	6.3118	59.5883
2024	10	15	6	50	8	11.8	0.1	0.9	26.62	95.4	6.3118	55.4067
2024	10	15	7	0	8	11.8	0.1	0.9	27.31	91.9	6.3118	57.0793
2024	10	15	7	10	8	11.8	0.1	0.9	27.62	92.3	6.3118	57.7066
2024	10	15	7	20	8	11.8	0.1	0.9	27.8	90.4	6.3118	58.1248
2024	10	15	7	30	8	11.8	0.1	0.9	27.21	91.5	6.3118	56.8703
2024	10	15	7	40	8	11.8	0.1	0.9	26.06	93.7	6.3118	54.3614
2024	10	15	7	50	8	12.2	0.1	0.9	27.4	90.8	6.3118	57.2885

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	15	8	0	8	12.4	0.1	0.9	27.54	93.1	6.3118	57.4976
2024	10	15	8	10	8	12.8	0.1	0.9	27.53	92.7	6.3118	57.4976
2024	10	15	8	20	8	13	0.1	0.9	28.91	91.2	6.3118	60.4248
2024	10	15	8	30	8	13	0.1	0.9	27.81	91.6	6.3118	58.1249
2024	10	15	8	40	8	13	0.1	0.9	28.5	94.8	6.3118	59.3794
2024	10	15	8	50	8	13	0.1	0.9	26.95	93.4	6.3118	56.2431
2024	10	15	9	0	8	13.2	0.1	0.9	27.37	94	6.3118	57.0794
2024	10	15	9	10	8	13.2	0.1	0.9	26.95	93.6	6.3118	56.2431
2024	10	15	9	20	8	13	0.1	0.9	27.1	90.8	6.3118	56.6612
2024	10	15	9	30	8	13	0.1	0.9	28.06	93.7	6.3118	58.5429
2024	10	15	9	40	8	13.4	0.1	0.9	28.5	90.8	6.3118	59.5883
2024	10	15	9	50	8	13.4	0.1	0.9	27.95	93.5	6.3118	58.3338
2024	10	15	10	0	8	13.4	0.1	0.9	28.43	92.4	6.3118	59.3791
2024	10	15	10	10	8	13.4	0.1	0.9	27.91	91.4	6.3118	58.3337
2024	10	15	10	20	8	13.4	0.1	0.9	27	90	6.3118	56.4519
2024	10	15	10	30	8	13.4	0.1	0.9	27.17	94	6.3118	56.6609
2024	10	15	10	40	8	13.4	0.1	0.9	27.93	92.7	6.3118	58.3335
2024	10	15	10	50	8	13.4	0.1	0.9	26.12	92	6.3118	54.57
2024	10	15	11	0	8	13.4	0.1	0.9	27.26	93.8	6.3118	56.8698
2024	10	15	11	10	8	13.4	0.1	0.9	27.7	91	6.3118	57.9152
2024	10	15	11	20	8	13.4	0.1	0.9	28.06	93.7	6.3118	58.5423
2024	10	15	11	30	8	13.4	0.1	0.9	27.23	92.7	6.3118	56.8696
2024	10	15	11	40	8	13.4	0.1	0.9	27.7	90.6	6.3118	57.915
2024	10	15	11	50	8	13.4	0.1	0.9	28.49	94.4	6.3118	59.3784
2024	10	15	12	0	8	13.4	0.1	0.9	27.13	92.7	6.3118	56.6603
2024	10	15	12	10	8	13.4	0.1	0.9	27.36	93.8	6.3118	57.0784
2024	10	15	12	20	8	13.4	0.1	0.9	26.85	93.6	6.3118	56.033
2024	10	15	12	30	8	13.4	0.1	0.9	27.45	93.6	6.3118	57.2873
2024	10	15	12	40	8	13.4	0.1	0.9	27.91	91.2	6.3118	58.3327
2024	10	15	12	50	8	13.4	0.1	0.9	27.64	93.1	6.3118	57.7054
2024	10	15	13	0	8	13.2	0.1	0.9	26.9	90.6	6.3118	56.2417
2024	10	15	13	10	8	13.2	0.1	0.9	27.63	92.7	6.3057	57.6471
2024	10	15	13	20	8	13.2	0.1	0.9	27.46	93.8	6.2996	57.1716
2024	10	15	13	30	8	13.2	0.1	0.9	27.93	92.7	6.2996	58.2148
2024	10	15	13	40	8	13.6	0.1	0.9	27.85	93.5	6.2935	57.9475
2024	10	15	13	50	8	13.6	0.1	0.9	28.02	92	6.2935	58.3643
2024	10	15	14	0	8	13.6	0.1	0.9	27.61	91.2	6.2935	57.5305
2024	10	15	14	10	8	13.2	0.1	0.9	27.51	91.5	6.2935	57.322
2024	10	15	14	20	8	13.2	0.1	0.9	28.15	93.3	6.2935	58.5726
2024	10	15	14	30	8	13.2	0.1	0.9	28.01	91.4	6.2935	58.364
2024	10	15	14	40	8	13.2	0.1	0.9	27.53	92.5	6.2935	57.3218
2024	10	15	14	50	8	13.2	0.1	0.9	27.9	89.8	6.2996	58.2143
2024	10	15	15	0	8	13.2	0.1	0.9	26.94	93	6.2935	56.071
2024	10	15	15	10	8	13	0.1	0.9	27.85	93.3	6.2874	57.8884
2024	10	15	15	20	8	13	0.1	0.9	26.52	92.4	6.2874	55.1814
2024	10	15	15	30	8	13	0.1	0.9	27.03	92.5	6.2935	56.2793
2024	10	15	15	40	8	13	0.1	0.9	27.51	91.9	6.2935	57.3215
2024	10	15	15	50	8	13	0.1	0.9	27.74	93.1	6.2874	57.68

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	15	16	0	8	13	0.1	0.9	26.77	94.3	6.2874	55.5977
2024	10	15	16	10	8	13	0.1	0.9	28.03	92.5	6.2935	58.3636
2024	10	15	16	20	8	13	0.1	0.9	28.42	92	6.2935	59.1974
2024	10	15	16	30	8	13	0.1	0.9	27.3	91	6.2935	56.9045
2024	10	15	16	40	8	13	0.1	0.9	27.12	92.3	6.2935	56.4876
2024	10	15	16	50	8	13	0.1	0.9	27.42	92.1	6.2874	57.0552
2024	10	15	17	0	8	13.2	0.1	0.9	28.2	94.9	6.2874	58.5128
2024	10	15	17	10	8	13.2	0.1	0.9	27.71	91.9	6.2874	57.6799
2024	10	15	17	20	8	13.2	0.1	0.9	27.74	93.1	6.2935	57.7382
2024	10	15	17	30	8	12.4	0.1	0.9	26.77	94.1	6.2874	55.5975
2024	10	15	17	40	8	12.4	0.1	0.9	28.03	92.5	6.2935	58.3635
2024	10	15	17	50	8	12.2	0.1	0.9	27.94	92.9	6.2935	58.1551
2024	10	15	18	0	8	12.2	0.1	0.9	27.9	90.4	6.2935	58.1551
2024	10	15	18	10	8	12.2	0.1	0.9	27.13	92.7	6.2935	56.4875
2024	10	15	18	20	8	12.2	0.1	0.9	27.46	93.8	6.2935	57.1129
2024	10	15	18	30	8	12.2	0.1	0.9	27.72	92.1	6.2935	57.7382
2024	10	15	18	40	8	12.2	0.1	0.9	26.8	90.6	6.2935	55.8622
2024	10	15	18	50	8	12.2	0.1	0.9	27.6	91	6.2874	57.4716
2024	10	15	19	0	8	12.2	0.1	0.9	27.74	93.1	6.2874	57.6799
2024	10	15	19	10	8	12.2	0.1	0.9	28.31	91.8	6.2935	58.9889
2024	10	15	19	20	8	12.2	0.1	0.9	26.71	91.7	6.2874	55.5976
2024	10	15	19	30	8	12.2	0.1	0.9	27.94	93.1	6.2874	58.0964
2024	10	15	19	40	8	12.2	0.1	0.9	26.61	91.5	6.2874	55.3894
2024	10	15	19	50	8	12.2	0.1	0.9	27.43	92.5	6.2874	57.0553
2024	10	15	20	0	8	12.2	0.1	0.9	26.12	92	6.2874	54.3483
2024	10	15	20	10	8	12.2	0.1	0.9	26.43	92.6	6.2874	54.973
2024	10	15	20	20	8	12.2	0.1	0.9	28.03	92.9	6.2874	58.3047
2024	10	15	20	30	8	12.2	0.1	0.9	27	90.8	6.2874	56.2225
2024	10	15	20	40	8	12.2	0.1	0.9	27.82	92.3	6.2874	57.8883
2024	10	15	20	50	8	12.2	0.1	0.9	29.16	93.7	6.2874	60.5954
2024	10	15	21	0	8	12.2	0.1	0.9	27.21	91.5	6.2874	56.639
2024	10	15	21	10	8	12.2	0.1	0.9	28.02	92	6.2874	58.3049
2024	10	15	21	20	8	12.2	0.1	0.9	27.1	90.6	6.2874	56.4309
2024	10	15	21	30	8	12.2	0.1	0.9	27.06	93.8	6.2874	56.2226
2024	10	15	21	40	8	12.2	0.1	0.9	27.01	91.9	6.2874	56.2227
2024	10	15	21	50	8	12.2	0.1	0.9	27.02	92.1	6.2874	56.2227
2024	10	15	22	0	8	12.2	0.1	0.9	28	90	6.2874	58.3051
2024	10	15	22	10	8	12	0.1	0.9	26.6	91.1	6.2874	55.3899
2024	10	15	22	20	8	12	0.1	0.9	27.92	92.3	6.2813	58.0381
2024	10	15	22	30	8	12	0.1	0.9	27.53	92.5	6.2813	57.2061
2024	10	15	22	40	8	12	0.1	0.9	27.72	92.1	6.2813	57.6222
2024	10	15	22	50	8	12	0.1	0.9	27.63	92.7	6.2813	57.4142
2024	10	15	23	0	8	12	0.1	0.9	27.07	94.2	6.2813	56.1661
2024	10	15	23	10	8	12	0.1	0.9	27.14	93	6.2813	56.3741
2024	10	15	23	20	8	12	0.1	0.9	26.81	91.7	6.2813	55.7501
2024	10	15	23	30	8	12	0.1	0.9	27.43	92.7	6.2813	56.9983
2024	10	15	23	40	8	12	0.1	0.9	26.94	93	6.2813	55.9582
2024	10	15	23	50	8	12	0.1	0.9	28.01	91.8	6.2813	58.2465

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	16	0	0	8	12	0.1	0.9	27.03	92.8	6.2813	56.1663
2024	10	16	0	10	8	12	0.1	0.9	27.64	93.1	6.2813	57.4145
2024	10	16	0	20	8	12	0.1	0.9	27.12	92.1	6.2813	56.3744
2024	10	16	0	30	8	12	0.1	0.9	28.14	93.1	6.2813	58.4547
2024	10	16	0	40	8	12	0.1	0.9	27.71	91.9	6.2813	57.6227
2024	10	16	0	50	8	12	0.1	0.9	27.4	90.2	6.2813	56.9986
2024	10	16	1	0	8	12	0.1	0.9	27.8	90.4	6.2813	57.8308
2024	10	16	1	10	8	12	0.1	0.9	27.61	91.9	6.2813	57.4148
2024	10	16	1	20	8	12	0.1	0.9	26.8	91.1	6.2813	55.7506
2024	10	16	1	30	8	12	0.1	0.9	27.3	90	6.2813	56.7908
2024	10	16	1	40	8	12	0.1	0.9	26.52	91.9	6.2813	55.1266
2024	10	16	1	50	8	12	0.1	0.9	26.42	92	6.2813	54.9186
2024	10	16	2	0	8	12	0.1	0.9	26.7	91.1	6.2813	55.5428
2024	10	16	2	10	8	12	0.1	0.9	27.6	90	6.2813	57.415
2024	10	16	2	20	8	12	0.1	0.9	26.9	90.9	6.2874	56.0155
2024	10	16	2	30	8	12	0.1	0.9	26.83	92.6	6.2874	55.8073
2024	10	16	2	40	8	12	0.1	0.9	27.23	92.7	6.2935	56.6976
2024	10	16	2	50	8	12	0.1	0.9	27.12	92.1	6.2996	56.5463
2024	10	16	3	0	8	12	0.1	0.9	28.1	90.6	6.2996	58.6329
2024	10	16	3	10	8	12	0.1	0.9	28.44	93	6.2996	59.2589
2024	10	16	3	20	8	12	0.1	0.9	26.42	92.2	6.2996	55.0858
2024	10	16	3	30	8	12	0.1	0.9	27.45	93.6	6.3057	57.2301
2024	10	16	3	40	8	12	0.1	0.9	28.14	93.1	6.2996	58.633
2024	10	16	3	50	8	12	0.1	0.9	27.32	92.3	6.3057	57.0213
2024	10	16	4	0	8	12	0.1	0.9	28.23	92.4	6.3057	58.9012
2024	10	16	4	10	8	12	0.1	0.9	28.44	93	6.3057	59.3189
2024	10	16	4	20	8	12	0.1	0.9	27.62	92.1	6.3057	57.648
2024	10	16	4	30	8	12	0.1	0.9	26.01	91.3	6.3057	54.3061
2024	10	16	4	40	8	12	0.1	0.9	27.7	90.8	6.3057	57.8569
2024	10	16	4	50	8	12	0.1	0.9	27.19	94.6	6.3057	56.6037
2024	10	16	5	0	8	12	0.1	0.9	26.73	92.6	6.3057	55.7683
2024	10	16	5	10	8	12	0.1	0.9	27.13	92.7	6.3057	56.6038
2024	10	16	5	20	8	12	0.1	0.9	27.31	91.9	6.3057	57.0216
2024	10	16	5	30	8	11.8	0.1	0.9	27.68	94.4	6.3057	57.6482
2024	10	16	5	40	8	11.8	0.1	0.9	27.56	93.7	6.3057	57.4394
2024	10	16	5	50	8	11.8	0.1	0.9	27.54	93.1	6.3057	57.4394
2024	10	16	6	0	8	11.8	0.1	0.9	27.95	93.5	6.3057	58.2749
2024	10	16	6	10	8	11.8	0.1	0.9	27.41	91.9	6.3057	57.2306
2024	10	16	6	20	8	11.8	0.1	0.9	27.62	92.3	6.3057	57.6483
2024	10	16	6	30	8	11.8	0.1	0.9	27.41	91.9	6.3057	57.2306
2024	10	16	6	40	8	11.8	0.1	0.9	28.41	91.6	6.3057	59.3193
2024	10	16	6	50	8	11.8	0.1	0.9	27.25	93.6	6.3057	56.8129
2024	10	16	7	0	8	11.8	0.1	0.9	28.01	91.8	6.3057	58.4839
2024	10	16	7	10	8	11.8	0.1	0.9	27.44	92.9	6.3057	57.2307
2024	10	16	7	20	8	11.8	0.1	0.9	26.41	91.5	6.3057	55.142
2024	10	16	7	30	8	11.8	0.1	0.9	28.25	93.2	6.3057	58.9017
2024	10	16	7	40	8	11.8	0.1	0.9	27.73	92.7	6.3057	57.8574
2024	10	16	7	50	8	12.2	0.1	0.9	26.42	92	6.3057	55.142

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	16	8	0	8	12.4	0.1	0.9	27.31	91.3	6.3118	57.0794
2024	10	16	8	10	8	12.8	0.1	0.9	27.12	92.3	6.3118	56.6613
2024	10	16	8	20	8	12.8	0.1	0.9	28.63	92.4	6.3118	59.7975
2024	10	16	8	30	8	12.8	0.1	0.9	27.6	90.2	6.3118	57.7066
2024	10	16	8	40	8	13	0.1	0.9	27.41	91.9	6.3118	57.2885
2024	10	16	8	50	8	13	0.1	0.9	28.13	92.9	6.3118	58.752
2024	10	16	9	0	8	13	0.1	0.9	26.92	92.3	6.3118	56.243
2024	10	16	9	10	8	13.2	0.1	0.9	27.83	92.7	6.3118	58.1247
2024	10	16	9	20	8	13.2	0.1	0.9	26.14	93.1	6.3118	54.5703
2024	10	16	9	30	8	13.2	0.1	0.9	26.12	92.2	6.3118	54.5703
2024	10	16	9	40	8	13.4	0.1	0.9	28.11	91.8	6.3118	58.7519
2024	10	16	9	50	8	13.4	0.1	0.9	27	90.8	6.3118	56.4519
2024	10	16	10	0	8	13.4	0.1	0.9	25.96	94	6.3118	54.152
2024	10	16	10	10	8	13.4	0.1	0.9	27.45	93.6	6.3057	57.2304
2024	10	16	10	20	8	13.4	0.1	0.9	27.8	90.8	6.3118	58.1244
2024	10	16	10	30	8	13.4	0.1	0.9	27.23	92.5	6.3057	56.8126
2024	10	16	10	40	8	13.4	0.1	0.9	28.05	93.5	6.3057	58.4835
2024	10	16	10	50	8	13.4	0.1	0.9	27.31	91.7	6.3057	57.0214
2024	10	16	11	0	8	13.4	0.1	0.9	26.54	93	6.3057	55.3503
2024	10	16	11	10	8	13.4	0.1	0.9	27.24	92.9	6.3057	56.8124
2024	10	16	11	20	8	13.4	0.1	0.9	26.8	90.4	6.3057	55.9768
2024	10	16	11	30	8	13.4	0.1	0.9	27.74	92.9	6.3057	57.8566
2024	10	16	11	40	8	13.4	0.1	0.9	28.03	92.7	6.3057	58.4831
2024	10	16	11	50	8	13.4	0.1	0.9	27.81	91.9	6.2996	58.0067
2024	10	16	12	0	8	13.4	0.1	0.9	27.43	92.5	6.2996	57.172
2024	10	16	12	10	8	13.4	0.1	0.9	27.22	92.3	6.2935	56.6974
2024	10	16	12	20	8	13.4	0.1	0.9	27.92	92.1	6.2874	58.0976
2024	10	16	12	30	8	13.4	0.1	0.9	27.72	92.3	6.2874	57.6811
2024	10	16	12	40	8	13.4	0.1	0.9	27.78	94.3	6.2874	57.681
2024	10	16	12	50	8	13.4	0.1	0.9	27.92	92.3	6.2813	58.0387
2024	10	16	13	0	8	13.2	0.1	0.9	26.83	92.6	6.2813	55.7504
2024	10	16	13	10	8	13.2	0.1	0.9	27.53	92.7	6.2813	57.2065
2024	10	16	13	20	8	13.4	0.1	0.9	27.32	95.5	6.2874	56.6396
2024	10	16	13	30	8	13.4	0.1	0.9	28.33	92.6	6.2813	58.8705
2024	10	16	13	40	8	13.4	0.1	0.9	27.51	91.9	6.2813	57.2063
2024	10	16	13	50	8	13.4	0.1	0.9	27.94	92.9	6.2813	58.0383
2024	10	16	14	0	8	13.2	0.1	0.9	27.32	92.1	6.2813	56.7901
2024	10	16	14	10	8	13.2	0.1	0.9	26.87	94.1	6.2813	55.75
2024	10	16	14	20	8	13.2	0.1	0.9	26.92	91.9	6.2813	55.958
2024	10	16	14	30	8	13.2	0.1	0.9	27.74	93.1	6.2813	57.6222
2024	10	16	14	40	8	13.2	0.1	0.9	27.92	92.3	6.2813	58.0382
2024	10	16	14	50	8	13.2	0.1	0.9	27.03	92.5	6.2813	56.1659
2024	10	16	15	0	8	13.2	0.1	0.9	27.64	92.9	6.2813	57.414
2024	10	16	15	10	8	13.4	0.1	0.9	28.2	90.4	6.2813	58.6621
2024	10	16	15	20	8	13.4	0.1	0.9	26.93	92.8	6.2813	55.9578
2024	10	16	15	30	8	13.4	0.1	0.9	26.96	93.8	6.2813	55.9578
2024	10	16	15	40	8	13.2	0.1	0.9	27.5	91	6.2813	57.2059
2024	10	16	15	50	8	13.2	0.1	0.9	27.4	91	6.2813	56.9978

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	16	16	0	8	13.2	0.1	0.9	27.01	91.9	6.2813	56.1657
2024	10	16	16	10	8	13.2	0.1	0.9	27.81	91.6	6.2813	57.8299
2024	10	16	16	20	8	13.2	0.1	0.9	27.9	91	6.2813	58.0379
2024	10	16	16	30	8	13.2	0.1	0.9	28	90.8	6.2813	58.2459
2024	10	16	16	40	8	13.2	0.1	0.9	27.55	93.3	6.2813	57.2057
2024	10	16	16	50	8	13.2	0.1	0.9	28.47	94	6.2752	59.0181
2024	10	16	17	0	8	13.2	0.1	0.9	27.82	92.3	6.2752	57.7712
2024	10	16	17	10	8	13.2	0.1	0.9	27.94	93.1	6.2752	57.979
2024	10	16	17	20	8	12.6	0.1	0.9	27.2	91.1	6.2752	56.5243
2024	10	16	17	30	8	12.4	0.1	0.9	27.01	91.3	6.2752	56.1087
2024	10	16	17	40	8	12.2	0.1	0.9	28.4	90.8	6.2752	59.018
2024	10	16	17	50	8	12.2	0.1	0.9	26.7	91.1	6.2752	55.4853
2024	10	16	18	0	8	12.2	0.1	0.9	26.62	92.2	6.2752	55.2774
2024	10	16	18	10	8	12.2	0.1	0.9	28.61	91.8	6.2691	59.3734
2024	10	16	18	20	8	12.2	0.1	0.9	27.51	91.2	6.2691	57.0898
2024	10	16	18	30	8	12.2	0.1	0.9	26.92	91.9	6.2691	55.8442
2024	10	16	18	40	8	12.2	0.1	0.9	28.11	91.6	6.2691	58.3355
2024	10	16	18	50	8	12.2	0.1	0.9	26.54	93	6.2691	55.0139
2024	10	16	19	0	8	12.2	0.1	0.9	26.42	92.2	6.2691	54.8063
2024	10	16	19	10	8	12.2	0.1	0.9	27.46	93.8	6.2691	56.8823
2024	10	16	19	20	8	12.2	0.1	0.9	27.32	92.3	6.2691	56.6747
2024	10	16	19	30	8	12.2	0.1	0.9	28.55	93.4	6.2691	59.1659
2024	10	16	19	40	8	12.2	0.1	0.9	27.31	91.9	6.2691	56.6747
2024	10	16	19	50	8	12.2	0.1	0.9	27.38	94.4	6.2691	56.6748
2024	10	16	20	0	8	12.2	0.1	0.9	27	90.8	6.263	55.9951
2024	10	16	20	10	8	12.2	0.1	0.9	26.11	91.3	6.263	54.1286
2024	10	16	20	20	8	12.2	0.1	0.9	27	91.1	6.263	55.9952
2024	10	16	20	30	8	12.2	0.1	0.9	26.95	93.6	6.263	55.7878
2024	10	16	20	40	8	12.2	0.1	0.9	25.5	91.1	6.263	52.8844
2024	10	16	20	50	8	12.2	0.1	0.9	25.92	92	6.2569	53.6594
2024	10	16	21	0	8	12.2	0.1	0.9	28.79	94.6	6.2569	59.4605
2024	10	16	21	10	8	12.2	0.1	0.9	27.6	90	6.263	57.2397
2024	10	16	21	20	8	12.2	0.1	0.9	27.73	92.5	6.263	57.4471
2024	10	16	21	30	8	12.2	0.1	0.9	27.42	92.3	6.263	56.8249
2024	10	16	21	40	8	12.2	0.1	0.9	27.6	90.6	6.2569	57.1816
2024	10	16	21	50	8	12.2	0.1	0.9	27	90.4	6.2569	55.9386
2024	10	16	22	0	8	12.2	0.1	0.9	26.41	91.7	6.2569	54.6955
2024	10	16	22	10	8	12.2	0.1	0.9	27.41	91.3	6.2569	56.7674
2024	10	16	22	20	8	12.2	0.1	0.9	27.5	91	6.2569	56.9746
2024	10	16	22	30	8	12.2	0.1	0.9	25.92	92	6.2569	53.6597
2024	10	16	22	40	8	12.2	0.1	0.9	27.02	92.1	6.2508	55.8819
2024	10	16	22	50	8	12	0.1	0.9	27.11	91.9	6.2508	56.0889
2024	10	16	23	0	8	12	0.1	0.9	27.71	91.9	6.2569	57.3891
2024	10	16	23	10	8	12	0.1	0.9	26.54	93.2	6.2508	54.8472
2024	10	16	23	20	8	12	0.1	0.9	27.63	92.7	6.2508	57.1239
2024	10	16	23	30	8	12	0.1	0.9	26.13	92.9	6.2508	54.0194
2024	10	16	23	40	8	12	0.1	0.9	27.45	93.3	6.2508	56.71
2024	10	16	23	50	8	12	0.1	0.9	26.22	92.2	6.2569	54.2816

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	17	0	0	8	12	0.1	0.9	27.4	90.2	6.2569	56.7678
2024	10	17	0	10	8	12	0.1	0.9	27.01	95.1	6.2569	55.7319
2024	10	17	0	20	8	12	0.1	0.9	26.43	92.8	6.2508	54.6404
2024	10	17	0	30	8	12	0.1	0.9	27.04	93	6.2508	55.8823
2024	10	17	0	40	8	12	0.1	0.9	26.25	93.5	6.2569	54.2817
2024	10	17	0	50	8	12	0.1	0.9	26.52	92.2	6.2569	54.9033
2024	10	17	1	0	8	12	0.1	0.9	27.5	95	6.2569	56.768
2024	10	17	1	10	8	12	0.1	0.9	28.21	91.8	6.2508	58.3661
2024	10	17	1	20	8	12	0.1	0.9	26.04	93.3	6.2508	53.8128
2024	10	17	1	30	8	12	0.1	0.9	27.03	92.8	6.2569	55.9394
2024	10	17	1	40	8	12	0.1	0.9	26.82	92.1	6.2569	55.5251
2024	10	17	1	50	8	12	0.1	0.9	27.67	94.1	6.2569	57.1826
2024	10	17	2	0	8	12	0.1	0.9	27.29	94.6	6.2569	56.3539
2024	10	17	2	10	8	12	0.1	0.9	27.61	91.5	6.2508	57.1245
2024	10	17	2	20	8	12	0.1	0.9	27.94	93.1	6.2508	57.7455
2024	10	17	2	30	8	12	0.1	0.9	27.5	91	6.2569	56.9755
2024	10	17	2	40	8	12	0.1	0.9	27.03	92.8	6.2508	55.8828
2024	10	17	2	50	8	12	0.1	0.9	27.43	92.5	6.2508	56.7107
2024	10	17	3	0	8	12	0.1	0.9	26.85	93.4	6.2508	55.4689
2024	10	17	3	10	8	12	0.1	0.9	26.83	92.8	6.2508	55.4689
2024	10	17	3	20	8	12	0.1	0.9	27.49	94.6	6.2508	56.7108
2024	10	17	3	30	8	12	0.1	0.9	28	90.6	6.2508	57.9526
2024	10	17	3	40	8	12	0.1	0.9	26.64	93.2	6.2508	55.055
2024	10	17	3	50	8	12	0.1	0.9	26.73	92.8	6.2508	55.262
2024	10	17	4	0	8	12	0.1	0.9	26.44	93.3	6.2508	54.6412
2024	10	17	4	10	8	12	0.1	0.9	26.53	92.8	6.2508	54.8481
2024	10	17	4	20	8	12	0.1	0.9	27.43	92.5	6.2508	56.7109
2024	10	17	4	30	8	12	0.1	0.9	26.18	94.4	6.2508	54.0203
2024	10	17	4	40	8	12	0.1	0.9	27.23	92.5	6.2508	56.2971
2024	10	17	4	50	8	12	0.1	0.9	26.93	92.6	6.2508	55.6762
2024	10	17	5	0	8	12	0.1	0.9	27.04	93.2	6.2508	55.8832
2024	10	17	5	10	8	12	0.1	0.9	28.39	94.4	6.2508	58.5739
2024	10	17	5	20	8	12	0.1	0.9	27.51	91.9	6.2569	56.976
2024	10	17	5	30	8	12	0.1	0.9	26.93	92.8	6.2569	55.7329
2024	10	17	5	40	8	12	0.1	0.9	27.54	93.1	6.2569	56.9761
2024	10	17	5	50	8	11.8	0.1	0.9	27.35	93.4	6.2569	56.5617
2024	10	17	6	0	8	11.8	0.1	0.9	27.31	91.7	6.2569	56.5618
2024	10	17	6	10	8	11.8	0.1	0.9	27.34	92.9	6.2508	56.5043
2024	10	17	6	20	8	11.8	0.1	0.9	27.6	94.8	6.2569	56.9762
2024	10	17	6	30	8	11.8	0.1	0.9	26.61	91.7	6.2569	55.1115
2024	10	17	6	40	8	11.8	0.1	0.9	27.65	93.5	6.2569	57.1834
2024	10	17	6	50	8	11.8	0.1	0.9	26.4	90	6.2569	54.6972
2024	10	17	7	0	8	11.8	0.1	0.9	27.12	92.3	6.2508	56.0905
2024	10	17	7	10	8	11.8	0.1	0.9	26.8	90.9	6.2569	55.526
2024	10	17	7	20	8	11.8	0.1	0.9	26.94	93.2	6.2569	55.7332
2024	10	17	7	30	8	11.8	0.1	0.9	27.37	94.2	6.2569	56.562
2024	10	17	7	40	8	11.8	0.1	0.9	27.94	92.9	6.2569	57.8051
2024	10	17	7	50	8	12.2	0.1	0.9	28.68	94.4	6.2569	59.2554

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	17	8	0	8	12.4	0.1	0.9	27.82	92.1	6.2569	57.598
2024	10	17	8	10	8	12.8	0.1	0.9	27.35	93.4	6.2569	56.562
2024	10	17	8	20	8	12.8	0.1	0.9	27.31	91.9	6.2569	56.562
2024	10	17	8	30	8	13	0.1	0.9	27.96	93.9	6.2569	57.8052
2024	10	17	8	40	8	13	0.1	0.9	25.71	91.6	6.2569	53.2471
2024	10	17	8	50	8	13	0.1	0.9	26.95	93.6	6.2569	55.7333
2024	10	17	9	0	8	13	0.1	0.9	28.07	94.1	6.2569	58.0123
2024	10	17	9	10	8	13.2	0.1	0.9	26.64	93	6.2569	55.1117
2024	10	17	9	20	8	13.2	0.1	0.9	27.33	92.7	6.2569	56.562
2024	10	17	9	30	8	13.4	0.1	0.9	26.85	93.6	6.2569	55.5261
2024	10	17	9	40	8	13.4	0.1	0.9	26.92	91.9	6.2569	55.7332
2024	10	17	9	50	8	13.4	0.1	0.9	26.92	92.1	6.2569	55.7332
2024	10	17	10	0	8	13.4	0.1	0.9	27.81	91.9	6.2569	57.5978
2024	10	17	10	10	8	13.2	0.1	0.9	26.92	92.1	6.2569	55.7331
2024	10	17	10	20	8	13.4	0.1	0.9	27.07	94.2	6.2569	55.9403
2024	10	17	10	30	8	13.4	0.1	0.9	26.54	93.2	6.2569	54.9043
2024	10	17	10	40	8	13.4	0.1	0.9	25.82	92	6.2569	53.4539
2024	10	17	10	50	8	13.4	0.1	0.9	26.65	93.7	6.263	55.1674
2024	10	17	11	0	8	13.4	0.1	0.9	26.8	90.9	6.263	55.5821
2024	10	17	11	10	8	13.4	0.1	0.9	27.82	92.3	6.263	57.656
2024	10	17	11	20	8	13.4	0.1	0.9	27.75	93.5	6.263	57.4486
2024	10	17	11	30	8	13.4	0.1	0.9	27.84	92.9	6.2569	57.5973
2024	10	17	11	40	8	13.4	0.1	0.9	25.83	92.9	6.263	53.5079
2024	10	17	11	50	8	13.4	0.1	0.9	26.88	94.5	6.263	55.5818
2024	10	17	12	0	8	13.4	0.1	0.9	26.8	91.1	6.263	55.5817
2024	10	17	12	10	8	13.4	0.1	0.9	26.51	91.3	6.263	54.9595
2024	10	17	12	20	8	13.4	0.1	0.9	26.76	93.9	6.263	55.3742
2024	10	17	12	30	8	13.4	0.1	0.9	26.87	94.3	6.263	55.5816
2024	10	17	12	40	8	13.4	0.1	0.9	27.81	91.2	6.263	57.6554
2024	10	17	12	50	8	13.4	0.1	0.9	26.82	91.9	6.263	55.5814
2024	10	17	13	0	8	13.4	0.1	0.9	28.35	93.4	6.263	58.6922
2024	10	17	13	10	8	13.4	0.1	0.9	28.01	91.6	6.263	58.07
2024	10	17	13	20	8	13.4	0.1	0.9	27.73	92.7	6.263	57.4478
2024	10	17	13	30	8	13.4	0.1	0.9	28.65	93.4	6.263	59.3142
2024	10	17	13	40	8	13.4	0.1	0.9	26.21	91.5	6.263	54.3367
2024	10	17	13	50	8	13.4	0.1	0.9	26.83	92.8	6.263	55.581
2024	10	17	14	0	8	13.4	0.1	0.9	28.05	93.3	6.263	58.0697
2024	10	17	14	10	8	13.4	0.1	0.9	27.27	94.2	6.263	56.4105
2024	10	17	14	20	8	13.2	0.1	0.9	28.11	91.8	6.263	58.2769
2024	10	17	14	30	8	13.2	0.1	0.9	27.67	93.9	6.263	57.2399
2024	10	17	14	40	8	13.2	0.1	0.9	27.22	92.1	6.263	56.4103
2024	10	17	14	50	8	13.2	0.1	0.9	27.71	91.9	6.2691	57.5056
2024	10	17	15	0	8	13.2	0.1	0.9	27.41	91.9	6.263	56.825
2024	10	17	15	10	8	13.2	0.1	0.9	27.01	91.9	6.263	55.9954
2024	10	17	15	20	8	13.2	0.1	0.9	26.03	92.6	6.263	53.9215
2024	10	17	15	30	8	13.2	0.1	0.9	26.54	93	6.2569	54.9026
2024	10	17	15	40	8	13.2	0.1	0.9	26.42	92.2	6.2569	54.6954
2024	10	17	15	50	8	13.2	0.1	0.9	27.5	90.8	6.2508	56.9164

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	17	16	0	8	13.4	0.1	0.9	27.54	92.9	6.2569	56.9743
2024	10	17	16	10	8	13.4	0.1	0.9	27.13	92.7	6.2508	56.0885
2024	10	17	16	20	8	13.4	0.1	0.9	27.33	95.7	6.2508	56.2955
2024	10	17	16	30	8	13.4	0.1	0.9	25.83	92.9	6.2508	53.3979
2024	10	17	16	40	8	13.6	0.1	0.9	25.7	90.4	6.2508	53.191
2024	10	17	16	50	8	13.4	0.1	0.9	26.93	92.6	6.2508	55.6746
2024	10	17	17	0	8	13.4	0.1	0.9	27.8	90	6.2569	57.5959
2024	10	17	17	10	8	13.4	0.1	0.9	27.5	90	6.2508	56.9164
2024	10	17	17	20	8	12.4	0.1	0.9	27.11	91.3	6.2569	56.1456
2024	10	17	17	30	8	12.4	0.1	0.9	26.8	91.1	6.2569	55.5241
2024	10	17	17	40	8	12.2	0.1	0.9	26.96	93.8	6.2569	55.7313
2024	10	17	17	50	8	12.2	0.1	0.9	26.31	91.3	6.2508	54.4329
2024	10	17	18	0	8	12.2	0.1	0.9	26.82	92.1	6.2508	55.4677
2024	10	17	18	10	8	12.2	0.1	0.9	26.82	91.9	6.2508	55.4677
2024	10	17	18	20	8	12.2	0.1	0.9	26.48	94.5	6.2447	54.5843
2024	10	17	18	30	8	12.2	0.1	0.9	27.11	91.9	6.2508	56.0887
2024	10	17	18	40	8	12.2	0.1	0.9	26.72	91.9	6.2447	55.2046
2024	10	17	18	50	8	12.2	0.1	0.9	26.74	93.2	6.2447	55.2046
2024	10	17	19	0	8	12.2	0.1	0.9	27.33	92.5	6.2447	56.4452
2024	10	17	19	10	8	12.2	0.1	0.9	26.33	92.6	6.2447	54.3777
2024	10	17	19	20	8	12.2	0.1	0.9	27.3	91	6.2447	56.4453
2024	10	17	19	30	8	12.2	0.1	0.9	27.2	90	6.2447	56.2386
2024	10	17	19	40	8	12.2	0.1	0.9	27.33	92.7	6.2508	56.5028
2024	10	17	19	50	8	12.2	0.1	0.9	27.91	91.6	6.2447	57.6859
2024	10	17	20	0	8	12.2	0.1	0.9	27.8	91	6.2447	57.4792
2024	10	17	20	10	8	12.2	0.1	0.9	26.72	91.9	6.2386	55.1487
2024	10	17	20	20	8	12.2	0.1	0.9	25.56	93.8	6.2386	52.6701
2024	10	17	20	30	8	12.2	0.1	0.9	25.69	94.7	6.2326	52.8228
2024	10	17	20	40	8	12.2	0.1	0.9	27.19	94.6	6.2386	55.975
2024	10	17	20	50	8	12.2	0.1	0.9	26.4	89.3	6.2386	54.5292
2024	10	17	21	0	8	12.2	0.1	0.9	27.93	92.5	6.2386	57.6275
2024	10	17	21	10	8	12.2	0.1	0.9	27.26	93.8	6.2386	56.1817
2024	10	17	21	20	8	12.2	0.1	0.9	26.2	90.7	6.2447	54.1714
2024	10	17	21	30	8	12.2	0.1	0.9	26.11	91.5	6.2386	53.9098
2024	10	17	21	40	8	12.2	0.1	0.9	26.82	92.1	6.2386	55.3557
2024	10	17	21	50	8	12.2	0.1	0.9	27.81	91.2	6.2386	57.4213
2024	10	17	22	0	8	12.2	0.1	0.9	26.25	93.5	6.2326	54.0613
2024	10	17	22	10	8	12.2	0.1	0.9	25.73	92.9	6.2265	52.9756
2024	10	17	22	20	8	12.2	0.1	0.9	27.51	91.9	6.2326	56.7439
2024	10	17	22	30	8	12.2	0.1	0.9	27.02	92.3	6.2386	55.7691
2024	10	17	22	40	8	12	0.1	0.9	26.82	92.4	6.2326	55.2997
2024	10	17	22	50	8	12	0.1	0.9	26.61	91.5	6.2204	54.775
2024	10	17	23	0	8	12	0.1	0.9	27.05	93.4	6.2204	55.5988
2024	10	17	23	10	8	12	0.1	0.9	27.96	93.7	6.2326	57.5696
2024	10	17	23	20	8	12	0.1	0.9	26.41	91.5	6.2326	54.4746
2024	10	17	23	30	8	12	0.1	0.9	25.83	92.9	6.2326	53.2366
2024	10	17	23	40	8	12	0.1	0.9	26.35	93.5	6.2326	54.2683
2024	10	17	23	50	8	12	0.1	0.9	26.32	92.4	6.2326	54.2684

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	18	0	0	8	12	0.1	0.9	26	90.9	6.2326	53.6494
2024	10	18	0	10	8	12	0.1	0.9	26.72	92.1	6.2326	55.0939
2024	10	18	0	20	8	12	0.1	0.9	27.34	92.9	6.2326	56.332
2024	10	18	0	30	8	12	0.1	0.9	26.72	91.9	6.2265	55.0378
2024	10	18	0	40	8	12	0.1	0.9	26.07	94.2	6.2326	53.6496
2024	10	18	0	50	8	12	0.1	0.9	26.43	92.8	6.2326	54.4751
2024	10	18	1	0	8	12	0.1	0.9	26.45	93.5	6.2265	54.4195
2024	10	18	1	10	8	12	0.1	0.9	26.13	92.9	6.2326	53.8561
2024	10	18	1	20	8	12	0.1	0.9	26.61	91.7	6.2265	54.8319
2024	10	18	1	30	8	12	0.1	0.9	26.11	91.8	6.2265	53.8013
2024	10	18	1	40	8	12	0.1	0.9	26.97	94	6.2265	55.4504
2024	10	18	1	50	8	12	0.1	0.9	26.23	92.8	6.2326	54.0627
2024	10	18	2	0	8	12	0.1	0.9	26.15	93.5	6.2265	53.8015
2024	10	18	2	10	8	12	0.1	0.9	26.52	92.2	6.2265	54.6261
2024	10	18	2	20	8	12	0.1	0.9	26.92	92.1	6.2265	55.4507
2024	10	18	2	30	8	12	0.1	0.9	25.58	94.5	6.2265	52.5648
2024	10	18	2	40	8	12	0.1	0.9	26.62	92.2	6.2265	54.8324
2024	10	18	2	50	8	12	0.1	0.9	25.53	92.9	6.2265	52.5649
2024	10	18	3	0	8	12	0.1	0.9	26.92	91.9	6.2265	55.4509
2024	10	18	3	10	8	12	0.1	0.9	26.42	92	6.2265	54.4203
2024	10	18	3	20	8	12	0.1	0.9	25.32	92	6.2265	52.1528
2024	10	18	3	30	8	12	0.1	0.9	26.72	92.4	6.2265	55.0388
2024	10	18	3	40	8	12	0.1	0.9	27.28	94.4	6.2265	56.0696
2024	10	18	3	50	8	12	0.1	0.9	27	90.8	6.2265	55.6573
2024	10	18	4	0	8	12	0.1	0.9	25.86	94	6.2204	53.1294
2024	10	18	4	10	8	12	0.1	0.9	27.01	91.9	6.2204	55.6006
2024	10	18	4	20	8	12	0.1	0.9	27.76	93.7	6.2265	57.1004
2024	10	18	4	30	8	12	0.1	0.9	27.65	93.3	6.2265	56.8943
2024	10	18	4	40	8	12	0.1	0.9	27.13	92.7	6.2265	55.8637
2024	10	18	4	50	8	12	0.1	0.9	26.6	90.9	6.2265	54.8331
2024	10	18	5	0	8	12	0.1	0.9	26.92	92.1	6.2265	55.4515
2024	10	18	5	10	8	12	0.1	0.9	26.89	94.7	6.2265	55.2454
2024	10	18	5	20	8	12	0.1	0.9	25.93	92.9	6.2265	53.3902
2024	10	18	5	30	8	12	0.1	0.9	27.19	94.6	6.2265	55.8639
2024	10	18	5	40	8	12	0.1	0.9	26.45	93.7	6.2265	54.421
2024	10	18	5	50	8	12	0.1	0.9	26.4	91.1	6.2265	54.421
2024	10	18	6	0	8	12	0.1	0.9	26.32	92	6.2265	54.2149
2024	10	18	6	10	8	12	0.1	0.9	27.23	92.7	6.2265	56.0702
2024	10	18	6	20	8	11.8	0.1	0.9	26.82	92.4	6.2265	55.2457
2024	10	18	6	30	8	11.8	0.1	0.9	27.7	90.6	6.2265	57.101
2024	10	18	6	40	8	11.8	0.1	0.9	26.9	90.9	6.2265	55.4519
2024	10	18	6	50	8	11.8	0.1	0.9	26.7	91.1	6.2265	55.0397
2024	10	18	7	0	8	11.8	0.1	0.9	26.8	90.2	6.2326	55.3023
2024	10	18	7	10	8	11.8	0.1	0.9	26.08	94.6	6.2326	53.6515
2024	10	18	7	20	8	11.8	0.1	0.9	27.06	93.8	6.2326	55.7151
2024	10	18	7	30	8	11.8	0.1	0.9	26.87	94.3	6.2386	55.3588
2024	10	18	7	40	8	11.8	0.1	0.9	26.5	91.1	6.2447	54.795
2024	10	18	7	50	8	12	0.1	0.9	26.03	92.9	6.2447	53.7611

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	18	8	0	8	12.6	0.1	0.9	27.6	90.8	6.2508	57.1277
2024	10	18	8	10	8	12.8	0.1	0.9	26.37	94.1	6.2447	54.3815
2024	10	18	8	20	8	13	0.1	0.9	27.65	93.3	6.2447	57.0695
2024	10	18	8	30	8	13	0.1	0.9	28.24	95.7	6.2447	58.1034
2024	10	18	8	40	8	13	0.1	0.9	27.3	94.8	6.2447	56.2425
2024	10	18	8	50	8	13	0.1	0.9	26.98	94.5	6.2447	55.6221
2024	10	18	9	0	8	13.2	0.1	0.9	26.95	93.6	6.2447	55.6221
2024	10	18	9	10	8	13.2	0.1	0.9	25.97	94.2	6.2447	53.5544
2024	10	18	9	20	8	13.4	0.1	0.9	26.04	93.1	6.2447	53.7612
2024	10	18	9	30	8	13.6	0.1	0.9	26.74	93	6.2447	55.2086
2024	10	18	9	40	8	13.8	0.1	0.9	27.13	92.7	6.2447	56.0357
2024	10	18	9	50	8	13.8	0.1	0.9	26.44	93.3	6.2447	54.5882
2024	10	18	10	0	8	13.8	0.1	0.9	27.24	92.9	6.2447	56.2424
2024	10	18	10	10	8	14	0.1	0.9	26.04	93.1	6.2447	53.7611
2024	10	18	10	20	8	14	0.1	0.9	26.93	92.8	6.2508	55.6787
2024	10	18	10	30	8	14	0.1	0.9	26.94	93	6.2447	55.622
2024	10	18	10	40	8	14	0.1	0.9	26.84	93.2	6.2447	55.4152
2024	10	18	10	50	8	14	0.1	0.9	25.81	91.3	6.2447	53.3475
2024	10	18	11	0	8	14	0.1	0.9	26.44	93.3	6.2447	54.5881
2024	10	18	11	10	8	14	0.1	0.9	26.26	93.9	6.2447	54.1745
2024	10	18	11	20	8	14	0.1	0.9	27.72	92.1	6.2447	57.276
2024	10	18	11	30	8	14	0.1	0.9	25.71	91.8	6.2447	53.1405
2024	10	18	11	40	8	14	0.1	0.9	26.5	90.4	6.2447	54.7947
2024	10	18	11	50	8	14	0.1	0.9	27.5	90.8	6.2447	56.8623
2024	10	18	12	0	8	14	0.1	0.9	26.13	92.9	6.2386	53.9125
2024	10	18	12	10	8	14	0.1	0.9	26.34	93	6.2447	54.381
2024	10	18	12	20	8	14	0.1	0.9	26.02	92.4	6.2386	53.7059
2024	10	18	12	30	8	14.2	0.1	0.9	27.21	95.1	6.2447	56.035
2024	10	18	12	40	8	14.2	0.1	0.9	27.8	90.8	6.2386	57.4239
2024	10	18	12	50	8	14.2	0.1	0.9	26.26	93.7	6.2386	54.1188
2024	10	18	13	0	8	14	0.1	0.9	27.27	94.2	6.2447	56.2417
2024	10	18	13	10	8	14	0.1	0.9	26.73	95.6	6.2386	54.945
2024	10	18	13	20	8	14	0.1	0.9	26.93	92.8	6.2447	55.6213
2024	10	18	13	30	8	14	0.1	0.9	27.16	93.8	6.2386	55.9777
2024	10	18	13	40	8	14	0.1	0.9	28.44	93	6.2386	58.6629
2024	10	18	13	50	8	14	0.1	0.9	26.63	92.8	6.2447	55.0008
2024	10	18	14	0	8	14	0.1	0.9	27.3	94.8	6.2386	56.1841
2024	10	18	14	10	8	14.2	0.1	0.9	26.46	93.9	6.2386	54.5316
2024	10	18	14	20	8	14.2	0.1	0.9	25.56	93.8	6.2386	52.6725
2024	10	18	14	30	8	14.2	0.1	0.9	27.21	91.7	6.2386	56.184
2024	10	18	14	40	8	14.2	0.1	0.9	25.8	90	6.2386	53.2922
2024	10	18	14	50	8	14.2	0.1	0.9	27.22	92.3	6.2386	56.184
2024	10	18	15	0	8	14.2	0.1	0.9	27.25	93.6	6.2386	56.1839
2024	10	18	15	10	8	14.2	0.1	0.9	26.44	93	6.2447	54.587
2024	10	18	15	20	8	14.2	0.1	0.9	25.64	93.4	6.2386	52.879
2024	10	18	15	30	8	14.2	0.1	0.9	27.68	94.4	6.2386	57.0101
2024	10	18	15	40	8	14.2	0.1	0.9	25.63	92.7	6.2386	52.879
2024	10	18	15	50	8	14.2	0.1	0.9	26.63	92.6	6.2386	54.9445

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	18	16	0	8	14.2	0.1	0.9	25.64	93.4	6.2386	52.879
2024	10	18	16	10	8	13.8	0.1	0.9	26.91	91.5	6.2386	55.5642
2024	10	18	16	20	8	13.8	0.1	0.9	27.54	95.8	6.2386	56.597
2024	10	18	16	30	8	13.8	0.1	0.9	26.83	92.6	6.2326	55.3012
2024	10	18	16	40	8	13.8	0.1	0.9	27.04	93	6.2326	55.7139
2024	10	18	16	50	8	13.8	0.1	0.9	27.33	92.7	6.2386	56.3905
2024	10	18	17	0	8	13.8	0.1	0.9	26.45	93.5	6.2386	54.5315
2024	10	18	17	10	8	13.8	0.1	0.9	27.21	91.7	6.2386	56.184
2024	10	18	17	20	8	13.8	0.1	0.9	26.8	91.1	6.2386	55.3577
2024	10	18	17	30	8	12.4	0.1	0.9	26.04	93.3	6.2386	53.7053
2024	10	18	17	40	8	12.2	0.1	0.9	27.73	92.7	6.2326	57.1585
2024	10	18	17	50	8	12.2	0.1	0.9	26.88	94.5	6.2386	55.3578
2024	10	18	18	0	8	12.2	0.1	0.9	27.3	90.8	6.2386	56.3906
2024	10	18	18	10	8	12.2	0.1	0.9	26.7	90.9	6.2386	55.1513
2024	10	18	18	20	8	12.2	0.1	0.9	26.05	93.5	6.2386	53.7054
2024	10	18	18	30	8	12.2	0.1	0.9	27.28	94.4	6.2386	56.1842
2024	10	18	18	40	8	12.2	0.1	0.9	25.89	94.7	6.2386	53.2924
2024	10	18	18	50	8	12.2	0.1	0.9	26.32	92	6.2386	54.3252
2024	10	18	19	0	8	12.2	0.1	0.9	27.51	91.2	6.2386	56.8039
2024	10	18	19	10	8	12.2	0.1	0.9	27.7	95	6.2386	57.0105
2024	10	18	19	20	8	12.2	0.1	0.9	26.63	92.8	6.2386	54.945
2024	10	18	19	30	8	12.2	0.1	0.9	27.39	94.6	6.2386	56.3909
2024	10	18	19	40	8	12.2	0.1	0.9	27.64	92.9	6.2386	57.0107
2024	10	18	19	50	8	12.2	0.1	0.9	25.62	92	6.2386	52.8795
2024	10	18	20	0	8	12.2	0.1	0.9	25.75	93.6	6.2386	53.0861
2024	10	18	20	10	8	12.2	0.1	0.9	26.61	91.3	6.2386	54.9452
2024	10	18	20	20	8	12.2	0.1	0.9	27.01	91.9	6.2386	55.7715
2024	10	18	20	30	8	12.2	0.1	0.9	26.74	93.2	6.2447	55.208
2024	10	18	20	40	8	12.2	0.1	0.9	25.74	93.1	6.2447	53.1404
2024	10	18	20	50	8	12.2	0.1	0.9	26	90.9	6.2447	53.7607
2024	10	18	21	0	8	12.2	0.1	0.9	25.92	92.2	6.2447	53.554
2024	10	18	21	10	8	12.2	0.1	0.9	25.73	92.7	6.2508	53.1946
2024	10	18	21	20	8	12.2	0.1	0.9	26.12	92.2	6.2508	54.0226
2024	10	18	21	30	8	12.2	0.1	0.9	26.03	92.9	6.2508	53.8156
2024	10	18	21	40	8	12.2	0.1	0.9	26.56	93.9	6.2508	54.8506
2024	10	18	21	50	8	12.2	0.1	0.9	27.78	94.3	6.2508	57.3344
2024	10	18	22	0	8	12.2	0.1	0.9	27.08	94.4	6.2508	55.8856
2024	10	18	22	10	8	12.2	0.1	0.9	26.01	91.8	6.2508	53.8158
2024	10	18	22	20	8	12.2	0.1	0.9	27.22	95.3	6.2569	56.1497
2024	10	18	22	30	8	12.2	0.1	0.9	28.51	91.8	6.2569	59.0505
2024	10	18	22	40	8	12	0.1	0.9	26.17	94.2	6.2569	54.0779
2024	10	18	22	50	8	12	0.1	0.9	26.84	93.2	6.2569	55.5283
2024	10	18	23	0	8	12	0.1	0.9	27.08	94.4	6.2569	55.9427
2024	10	18	23	10	8	12	0.1	0.9	27.02	92.1	6.2569	55.9428
2024	10	18	23	20	8	12	0.1	0.9	27.83	92.5	6.2569	57.6004
2024	10	18	23	30	8	12	0.1	0.9	27.41	95.2	6.2569	56.5644
2024	10	18	23	40	8	12	0.1	0.9	25.95	93.5	6.2569	53.6637
2024	10	18	23	50	8	12	0.1	0.9	29.22	95.1	6.2569	60.2941

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	19	0	0	8	12	0.1	0.9	27.63	95.6	6.263	57.0369
2024	10	19	0	10	8	12	0.1	0.9	26.74	93	6.2569	55.3214
2024	10	19	0	20	8	12	0.1	0.9	28.33	92.4	6.2569	58.6366
2024	10	19	0	30	8	12	0.1	0.9	26.83	92.6	6.2569	55.5287
2024	10	19	0	40	8	12	0.1	0.9	27.65	93.5	6.2569	57.1863
2024	10	19	0	50	8	12	0.1	0.9	26.73	92.6	6.2569	55.3216
2024	10	19	1	0	8	12	0.1	0.9	26.03	92.9	6.2569	53.8713
2024	10	19	1	10	8	12	0.1	0.9	26.32	92.2	6.2569	54.4929
2024	10	19	1	20	8	12	0.1	0.9	27.36	93.8	6.2569	56.5649
2024	10	19	1	30	8	12	0.1	0.9	27.33	92.7	6.2569	56.565
2024	10	19	1	40	8	12	0.1	0.9	25.95	93.5	6.2569	53.6642
2024	10	19	1	50	8	12	0.1	0.9	26.87	94.1	6.2569	55.5291
2024	10	19	2	0	8	12	0.1	0.9	26.51	95.2	6.2569	54.7003
2024	10	19	2	10	8	12	0.1	0.9	26	95.1	6.2569	53.6644
2024	10	19	2	20	8	12	0.1	0.9	26.97	94.3	6.2569	55.7364
2024	10	19	2	30	8	12	0.1	0.9	26.97	96.4	6.2569	55.5292
2024	10	19	2	40	8	12	0.1	0.9	27.35	93.6	6.2569	56.5653
2024	10	19	2	50	8	12	0.1	0.9	27.65	96	6.2569	56.9797
2024	10	19	3	0	8	12	0.1	0.9	25.85	93.5	6.2569	53.4574
2024	10	19	3	10	8	12	0.1	0.9	26.75	93.4	6.263	55.3784
2024	10	19	3	20	8	12	0.1	0.9	26.38	94.3	6.2569	54.4934
2024	10	19	3	30	8	12	0.1	0.9	26.58	94.3	6.2508	54.8521
2024	10	19	3	40	8	12	0.1	0.9	27.43	92.7	6.2569	56.7727
2024	10	19	3	50	8	12	0.1	0.9	26.87	94.1	6.2569	55.5296
2024	10	19	4	0	8	12	0.1	0.9	27.15	93.6	6.2569	56.1512
2024	10	19	4	10	8	12	0.1	0.9	26.77	94.3	6.2569	55.3224
2024	10	19	4	20	8	12	0.1	0.9	27.53	95.6	6.2569	56.7729
2024	10	19	4	30	8	12	0.1	0.9	26.85	93.6	6.2508	55.4733
2024	10	19	4	40	8	12	0.1	0.9	27.61	91.9	6.2569	57.1873
2024	10	19	4	50	8	12	0.1	0.9	26.54	93	6.2508	54.8523
2024	10	19	5	0	8	12	0.1	0.9	26.51	91.3	6.2508	54.8524
2024	10	19	5	10	8	12	0.1	0.9	25.76	93.8	6.2508	53.1965
2024	10	19	5	20	8	12	0.1	0.9	27.95	93.5	6.2508	57.7503
2024	10	19	5	30	8	12	0.1	0.9	26.48	94.3	6.2508	54.6455
2024	10	19	5	40	8	12	0.1	0.9	26.54	93	6.2508	54.8525
2024	10	19	5	50	8	12	0.1	0.9	26.12	92.2	6.2508	54.0245
2024	10	19	6	0	8	12	0.1	0.9	26.42	92.2	6.2508	54.6455
2024	10	19	6	10	8	12	0.1	0.9	26.85	93.6	6.2508	55.4735
2024	10	19	6	20	8	12	0.1	0.9	25.93	92.7	6.2508	53.6106
2024	10	19	6	30	8	12	0.1	0.9	26.56	93.9	6.2447	54.7968
2024	10	19	6	40	8	12	0.1	0.9	27.34	93.1	6.2447	56.4511
2024	10	19	6	50	8	12	0.1	0.9	26.45	93.7	6.2447	54.5901
2024	10	19	7	0	8	11.8	0.1	0.9	26.69	94.7	6.2447	55.0036
2024	10	19	7	10	8	11.8	0.1	0.9	26.81	95.1	6.2447	55.2104
2024	10	19	7	20	8	11.8	0.1	0.9	27.08	94.4	6.2447	55.8308
2024	10	19	7	30	8	11.8	0.1	0.9	26.87	94.3	6.2447	55.4173
2024	10	19	7	40	8	11.8	0.1	0.9	27.43	92.5	6.2447	56.658
2024	10	19	7	50	8	12	0.1	0.9	26.03	92.9	6.2447	53.7631

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	19	8	0	8	12.4	0.1	0.9	26.64	93	6.2447	55.0038
2024	10	19	8	10	8	12.6	0.1	0.9	26.64	93	6.2447	55.0038
2024	10	19	8	20	8	12.8	0.1	0.9	24.62	92.3	6.2447	50.8682
2024	10	19	8	30	8	12.8	0.1	0.9	26.24	93.3	6.2447	54.1767
2024	10	19	8	40	8	13	0.1	0.9	26.3	90.4	6.2447	54.3834
2024	10	19	8	50	8	13	0.1	0.9	27.4	94.8	6.2447	56.4512
2024	10	19	9	0	8	13	0.1	0.9	26.76	93.9	6.2447	55.2105
2024	10	19	9	10	8	13	0.1	0.9	26.58	94.5	6.2447	54.797
2024	10	19	9	20	8	13.2	0.1	0.9	26.53	92.8	6.2508	54.8528
2024	10	19	9	30	8	13.2	0.1	0.9	26.14	93.1	6.2447	53.9698
2024	10	19	9	40	8	13.6	0.1	0.9	26.35	93.5	6.2447	54.3833
2024	10	19	9	50	8	13.6	0.1	0.9	28.52	95.2	6.2447	58.7257
2024	10	19	10	0	8	13.6	0.1	0.9	25.46	94.1	6.2386	52.4687
2024	10	19	10	10	8	13.6	0.1	0.9	26.47	94.1	6.2447	54.59
2024	10	19	10	20	8	13.6	0.1	0.9	26.94	93	6.2447	55.6239
2024	10	19	10	30	8	13.6	0.1	0.9	26.15	93.5	6.2447	53.9696
2024	10	19	10	40	8	13.6	0.1	0.9	27.94	92.9	6.2447	57.6915
2024	10	19	10	50	8	13.6	0.1	0.9	26.65	93.7	6.2447	55.0034
2024	10	19	11	0	8	13.6	0.1	0.9	27.41	91.7	6.2447	56.6575
2024	10	19	11	10	8	13.6	0.1	0.9	27.8	90.6	6.2447	57.4846
2024	10	19	11	20	8	13.6	0.1	0.9	26.13	92.6	6.2447	53.9693
2024	10	19	11	30	8	13.6	0.1	0.9	25.93	92.9	6.2447	53.5556
2024	10	19	11	40	8	13.6	0.1	0.9	26.78	94.5	6.2447	55.2098
2024	10	19	11	50	8	13.6	0.1	0.9	27.14	93	6.2447	56.0368
2024	10	19	12	0	8	13.8	0.1	0.9	26.16	93.9	6.2447	53.969
2024	10	19	12	10	8	14	0.1	0.9	27.01	91.7	6.2447	55.8299
2024	10	19	12	20	8	14	0.1	0.9	26.7	94.9	6.2447	55.0027
2024	10	19	12	30	8	13.6	0.1	0.9	26.7	94.9	6.2447	55.0026
2024	10	19	12	40	8	13.8	0.1	0.9	27.51	91.9	6.2447	56.8635
2024	10	19	12	50	8	13.8	0.1	0.9	26.33	92.6	6.2447	54.3821
2024	10	19	13	0	8	13.8	0.1	0.9	26.64	93.2	6.2386	54.9464
2024	10	19	13	10	8	13.8	0.1	0.9	27.42	92.1	6.2447	56.6565
2024	10	19	13	20	8	14	0.1	0.9	27.52	92.3	6.2386	56.8053
2024	10	19	13	30	8	14	0.1	0.9	26.51	91.5	6.2386	54.7396
2024	10	19	13	40	8	13.8	0.1	0.9	26.53	92.8	6.2386	54.7395
2024	10	19	13	50	8	14.2	0.1	0.9	26.75	93.6	6.2386	55.1526
2024	10	19	14	0	8	14	0.1	0.9	26.54	93.2	6.2386	54.7394
2024	10	19	14	10	8	14.2	0.1	0.9	26.83	92.8	6.2386	55.359
2024	10	19	14	20	8	14.2	0.1	0.9	27.14	93	6.2386	55.9786
2024	10	19	14	30	8	14.2	0.1	0.9	26.72	92.1	6.2326	55.0961
2024	10	19	14	40	8	14.2	0.1	0.9	25.91	95.3	6.2326	53.2389
2024	10	19	14	50	8	14.2	0.1	0.9	27.64	95.8	6.2326	56.7468
2024	10	19	15	0	8	14.2	0.1	0.9	26.51	95.2	6.2326	54.4769
2024	10	19	15	10	8	14.2	0.1	0.9	28	90.8	6.2326	57.7785
2024	10	19	15	20	8	14.2	0.1	0.9	27.04	93.2	6.2326	55.7149
2024	10	19	15	30	8	14.2	0.1	0.9	26.03	92.9	6.2326	53.6514
2024	10	19	15	40	8	14.2	0.1	0.9	25.54	93.1	6.2326	52.6196
2024	10	19	15	50	8	13.8	0.1	0.9	26.16	93.7	6.2326	53.8577

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	19	16	0	8	13.8	0.1	0.9	27.31	91.9	6.2326	56.3338
2024	10	19	16	10	8	13.6	0.1	0.9	26.97	96.4	6.2326	55.302
2024	10	19	16	20	8	13.6	0.1	0.9	26.41	91.5	6.2326	54.4766
2024	10	19	16	30	8	13.6	0.1	0.9	26.83	95.6	6.2326	55.0957
2024	10	19	16	40	8	13.6	0.1	0.9	28.06	93.7	6.2326	57.7782
2024	10	19	16	50	8	13.6	0.1	0.9	27.05	93.6	6.2265	55.6578
2024	10	19	17	0	8	13.6	0.1	0.9	26.71	91.5	6.2265	55.0394
2024	10	19	17	10	8	13.6	0.1	0.9	26.22	92	6.2326	54.0638
2024	10	19	17	20	8	13.6	0.1	0.9	26.55	93.7	6.2326	54.6829
2024	10	19	17	30	8	12.4	0.1	0.9	26.16	93.9	6.2326	53.8575
2024	10	19	17	40	8	12.2	0.1	0.9	27.12	95.3	6.2326	55.7146
2024	10	19	17	50	8	12.2	0.1	0.9	27.37	94	6.2326	56.3337
2024	10	19	18	0	8	12.2	0.1	0.9	27.77	94.1	6.2386	57.2174
2024	10	19	18	10	8	12.2	0.1	0.9	26.53	92.8	6.2386	54.7387
2024	10	19	18	20	8	12.2	0.1	0.9	26.65	93.7	6.2386	54.9453
2024	10	19	18	30	8	12.2	0.1	0.9	26.95	93.4	6.2386	55.565
2024	10	19	18	40	8	12.2	0.1	0.9	25.74	93.1	6.2386	53.0862
2024	10	19	18	50	8	12.2	0.1	0.9	26.51	91.3	6.2447	54.7945
2024	10	19	19	0	8	12.2	0.1	0.9	27.12	95.3	6.2508	55.8853
2024	10	19	19	10	8	12.2	0.1	0.9	26.88	94.5	6.2569	55.5278
2024	10	19	19	20	8	12.2	0.1	0.9	27.45	93.6	6.2569	56.771
2024	10	19	19	30	8	12.2	0.1	0.9	25.6	90.9	6.2569	53.0415
2024	10	19	19	40	8	12.2	0.1	0.9	27.19	94.6	6.263	56.2065
2024	10	19	19	50	8	12.2	0.1	0.9	26.98	94.5	6.2569	55.735
2024	10	19	20	0	8	12.2	0.1	0.9	26.95	93.4	6.2569	55.7351
2024	10	19	20	10	8	12.2	0.1	0.9	26.52	92.4	6.2569	54.9063
2024	10	19	20	20	8	12.2	0.1	0.9	26.83	92.8	6.263	55.5844
2024	10	19	20	30	8	12.2	0.1	0.9	26.98	94.5	6.263	55.7918
2024	10	19	20	40	8	12.2	0.1	0.9	27.14	93	6.263	56.2066
2024	10	19	20	50	8	12.2	0.1	0.9	27.03	92.5	6.263	55.9992
2024	10	19	21	0	8	12.2	0.1	0.9	27.37	94	6.263	56.6215
2024	10	19	21	10	8	12.2	0.1	0.9	26.51	91.3	6.2569	54.9064
2024	10	19	21	20	8	12.2	0.1	0.9	26.35	93.7	6.2569	54.4921
2024	10	19	21	30	8	12.2	0.1	0.9	25.81	91.3	6.263	53.5105
2024	10	19	21	40	8	12.2	0.1	0.9	26.95	93.6	6.263	55.792
2024	10	19	21	50	8	12.2	0.1	0.9	26.23	92.8	6.263	54.3401
2024	10	19	22	0	8	12	0.1	0.9	25.51	91.8	6.263	52.8883
2024	10	19	22	10	8	12	0.1	0.9	26.73	92.6	6.263	55.3772
2024	10	19	22	20	8	12	0.1	0.9	26.63	92.8	6.263	55.1699
2024	10	19	22	30	8	12	0.1	0.9	26.43	92.6	6.263	54.7551
2024	10	19	22	40	8	12	0.1	0.9	27.34	93.1	6.263	56.6218
2024	10	19	22	50	8	12	0.1	0.9	26.26	93.7	6.263	54.3403
2024	10	19	23	0	8	12	0.1	0.9	25.95	93.5	6.263	53.7181
2024	10	19	23	10	8	12	0.1	0.9	27.23	92.7	6.263	56.4144
2024	10	19	23	20	8	12	0.1	0.9	27.12	92.3	6.263	56.2071
2024	10	19	23	30	8	12	0.1	0.9	27.6	95	6.263	57.0367
2024	10	19	23	40	8	12	0.1	0.9	26.57	96.5	6.263	54.7553
2024	10	19	23	50	8	12	0.1	0.9	26.63	92.6	6.263	55.1701

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	20	0	0	8	12	0.1	0.9	26.61	91.3	6.263	55.1702
2024	10	20	0	10	8	12	0.1	0.9	26.84	93.2	6.263	55.585
2024	10	20	0	20	8	12	0.1	0.9	26.68	94.5	6.263	55.1702
2024	10	20	0	30	8	12	0.1	0.9	26.22	92	6.263	54.3406
2024	10	20	0	40	8	12	0.1	0.9	27.04	95.7	6.263	55.7925
2024	10	20	0	50	8	12	0.1	0.9	27.21	91.9	6.263	56.4148
2024	10	20	1	0	8	12	0.1	0.9	25.79	94.7	6.263	53.3037
2024	10	20	1	10	8	12	0.1	0.9	27.29	94.6	6.263	56.4148
2024	10	20	1	20	8	12	0.1	0.9	26.71	91.3	6.263	55.3778
2024	10	20	1	30	8	12	0.1	0.9	26.42	95.4	6.263	54.5482
2024	10	20	1	40	8	12	0.1	0.9	25.92	92.4	6.263	53.7186
2024	10	20	1	50	8	12	0.1	0.9	26.9	90	6.263	55.7927
2024	10	20	2	0	8	12	0.1	0.9	26.52	91.9	6.263	54.9631
2024	10	20	2	10	8	12	0.1	0.9	27.01	91.3	6.263	56.0002
2024	10	20	2	20	8	12	0.1	0.9	26.57	94.1	6.263	54.9632
2024	10	20	2	30	8	12	0.1	0.9	27.86	93.9	6.263	57.6595
2024	10	20	2	40	8	12	0.1	0.9	26.65	93.7	6.263	55.1707
2024	10	20	2	50	8	12	0.1	0.9	26.57	94.1	6.263	54.9633
2024	10	20	3	0	8	12	0.1	0.9	27.11	91.7	6.263	56.2077
2024	10	20	3	10	8	12	0.1	0.9	26.24	93.1	6.263	54.3411
2024	10	20	3	20	8	12	0.1	0.9	27.44	93.1	6.263	56.83
2024	10	20	3	30	8	12	0.1	0.9	26.45	93.7	6.263	54.756
2024	10	20	3	40	8	12	0.1	0.9	27.01	91.3	6.263	56.0004
2024	10	20	3	50	8	12	0.1	0.9	26.16	93.9	6.263	54.1338
2024	10	20	4	0	8	12	0.1	0.9	26.25	93.5	6.263	54.3412
2024	10	20	4	10	8	12	0.1	0.9	26.74	93.2	6.263	55.3783
2024	10	20	4	20	8	12	0.1	0.9	26.97	94.3	6.263	55.7931
2024	10	20	4	30	8	12	0.1	0.9	26.33	92.8	6.263	54.5487
2024	10	20	4	40	8	12	0.1	0.9	27.19	94.6	6.263	56.208
2024	10	20	4	50	8	12	0.1	0.9	26.66	93.9	6.263	55.171
2024	10	20	5	0	8	12	0.1	0.9	27.74	93.1	6.263	57.4525
2024	10	20	5	10	8	12	0.1	0.9	26.3	90.7	6.263	54.5488
2024	10	20	5	20	8	12	0.1	0.9	25.98	94.6	6.263	53.7192
2024	10	20	5	30	8	12	0.1	0.9	27.96	93.7	6.263	57.8674
2024	10	20	5	40	8	12	0.1	0.9	26.75	93.4	6.263	55.3785
2024	10	20	5	50	8	11.8	0.1	0.9	26.32	92.4	6.263	54.5489
2024	10	20	6	0	8	11.8	0.1	0.9	26.01	91.3	6.263	53.9267
2024	10	20	6	10	8	11.8	0.1	0.9	27.15	93.6	6.263	56.2082
2024	10	20	6	20	8	11.8	0.1	0.9	27.15	93.4	6.263	56.2082
2024	10	20	6	30	8	11.8	0.1	0.9	26.35	93.7	6.263	54.549
2024	10	20	6	40	8	11.8	0.1	0.9	27.3	94.8	6.263	56.4157
2024	10	20	6	50	8	11.8	0.1	0.9	26.68	94.3	6.263	55.1712
2024	10	20	7	0	8	11.8	0.1	0.9	26.11	91.5	6.263	54.1342
2024	10	20	7	10	8	11.8	0.1	0.9	27.17	96.3	6.263	56.0009
2024	10	20	7	20	8	11.8	0.1	0.9	26.98	94.5	6.263	55.7935
2024	10	20	7	30	8	11.8	0.1	0.9	26.53	92.6	6.263	54.9639
2024	10	20	7	40	8	11.8	0.1	0.9	26.48	94.5	6.263	54.7565
2024	10	20	7	50	8	11.8	0.1	0.9	26.35	93.7	6.263	54.5491

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	20	8	0	8	12.4	0.1	0.9	27.67	94.1	6.263	57.2455
2024	10	20	8	10	8	12.8	0.1	0.9	27.89	94.7	6.263	57.6603
2024	10	20	8	20	8	13	0.1	0.9	27.22	92.1	6.263	56.4158
2024	10	20	8	30	8	13	0.1	0.9	26.43	92.8	6.263	54.7565
2024	10	20	8	40	8	13	0.1	0.9	26.02	92.4	6.263	53.9269
2024	10	20	8	50	8	13	0.1	0.9	25.43	92.7	6.263	52.6824
2024	10	20	9	0	8	13.2	0.1	0.9	27.15	93.4	6.263	56.2084
2024	10	20	9	10	8	13.2	0.1	0.9	25.84	93.1	6.263	53.512
2024	10	20	9	20	8	13.4	0.1	0.9	27.56	93.7	6.263	57.038
2024	10	20	9	30	8	13.4	0.1	0.9	26.26	93.7	6.263	54.3416
2024	10	20	9	40	8	13.4	0.1	0.9	26.74	93.2	6.263	55.3786
2024	10	20	9	50	8	13.4	0.1	0.9	26.23	92.6	6.263	54.3415
2024	10	20	10	0	8	13.4	0.1	0.9	27.05	93.6	6.263	56.0007
2024	10	20	10	10	8	13.6	0.1	0.9	26.06	93.7	6.263	53.9266
2024	10	20	10	20	8	14.2	0.1	0.9	27.39	94.6	6.263	56.6229
2024	10	20	10	30	8	14.2	0.1	0.9	27.14	93	6.263	56.208
2024	10	20	10	40	8	14.2	0.1	0.9	26.85	93.6	6.263	55.5857
2024	10	20	10	50	8	14.2	0.1	0.9	27.62	92.3	6.263	57.2449
2024	10	20	11	0	8	14.2	0.1	0.9	26.48	94.5	6.263	54.7559
2024	10	20	11	10	8	14.2	0.1	0.9	28.54	95.6	6.263	58.904
2024	10	20	11	20	8	14.2	0.1	0.9	26.79	94.7	6.263	55.378
2024	10	20	11	30	8	14.2	0.1	0.9	26.63	95.6	6.263	54.9631
2024	10	20	11	40	8	14.2	0.1	0.9	26.08	94.4	6.263	53.926
2024	10	20	11	50	8	14.2	0.1	0.9	25.86	93.8	6.263	53.5111
2024	10	20	12	0	8	14	0.1	0.9	27.5	95	6.263	56.8296
2024	10	20	12	10	8	14.2	0.1	0.9	26.87	94.3	6.263	55.5851
2024	10	20	12	20	8	14.2	0.1	0.9	27.25	93.6	6.263	56.4146
2024	10	20	12	30	8	14.2	0.1	0.9	26.92	92.3	6.263	55.7923
2024	10	20	12	40	8	14.2	0.1	0.9	26.45	93.7	6.2569	54.6996
2024	10	20	12	50	8	14.2	0.1	0.9	27.65	93.5	6.2569	57.1859
2024	10	20	13	0	8	14	0.1	0.9	26.45	93.7	6.2569	54.6995
2024	10	20	13	10	8	14.2	0.1	0.9	26.03	92.9	6.2569	53.8706
2024	10	20	13	20	8	14.2	0.1	0.9	26.86	93.8	6.2508	55.4716
2024	10	20	13	30	8	14	0.1	0.9	26.42	92.2	6.2508	54.6436
2024	10	20	13	40	8	14	0.1	0.9	26.64	93	6.2447	55.0015
2024	10	20	13	50	8	14	0.1	0.9	26.15	93.5	6.2447	53.9676
2024	10	20	14	0	8	13.8	0.1	0.9	26.12	92.2	6.2447	53.9675
2024	10	20	14	10	8	13.8	0.1	0.9	26.14	93.3	6.2386	53.9125
2024	10	20	14	20	8	13.8	0.1	0.9	27.31	91.7	6.2386	56.3912
2024	10	20	14	30	8	13.8	0.1	0.9	26.93	92.8	6.2326	55.5082
2024	10	20	14	40	8	13.6	0.1	0.9	26.48	94.3	6.2326	54.4764
2024	10	20	14	50	8	13.6	0.1	0.9	25.81	91.6	6.2326	53.2383
2024	10	20	15	0	8	13.6	0.1	0.9	25.92	95.5	6.2326	53.2382
2024	10	20	15	10	8	13.6	0.1	0.9	26.77	94.1	6.2265	55.0391
2024	10	20	15	20	8	13.6	0.1	0.9	25.86	94	6.2265	53.1838
2024	10	20	15	30	8	13.6	0.1	0.9	26.35	93.7	6.2326	54.2699
2024	10	20	15	40	8	13.6	0.1	0.9	26.54	93	6.2265	54.6267
2024	10	20	15	50	8	13.6	0.1	0.9	26.42	92.2	6.2265	54.4205

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	20	16	0	8	13.4	0.1	0.9	26.66	93.9	6.2265	54.8328
2024	10	20	16	10	8	13.4	0.1	0.9	24.74	96	6.2265	50.71
2024	10	20	16	20	8	13.4	0.1	0.9	26.71	91.7	6.2265	55.0389
2024	10	20	16	30	8	13.4	0.1	0.9	26.85	93.6	6.2204	55.1886
2024	10	20	16	40	8	13.4	0.1	0.9	25.92	95.5	6.2265	53.1836
2024	10	20	16	50	8	13.4	0.1	0.9	26.47	94.1	6.2204	54.3648
2024	10	20	17	0	8	13.4	0.1	0.9	26.59	94.7	6.2204	54.5708
2024	10	20	17	10	8	13.4	0.1	0.9	24.91	95.3	6.2204	51.07
2024	10	20	17	20	8	13.4	0.1	0.9	27.55	93.5	6.2204	56.63
2024	10	20	17	30	8	12.4	0.1	0.9	26.47	94.1	6.2204	54.3648
2024	10	20	17	40	8	12.2	0.1	0.9	26.09	94.8	6.2204	53.5411
2024	10	20	17	50	8	12.2	0.1	0.9	26.23	92.8	6.2204	53.9529
2024	10	20	18	0	8	12.2	0.1	0.9	25.33	92.9	6.2204	52.0996
2024	10	20	18	10	8	12.2	0.1	0.9	28.44	93	6.2204	58.4833
2024	10	20	18	20	8	12.2	0.1	0.9	26.35	93.7	6.2204	54.1589
2024	10	20	18	30	8	12.2	0.1	0.9	25.6	91.1	6.2204	52.7174
2024	10	20	18	40	8	12.2	0.1	0.9	26.51	95.2	6.2204	54.3648
2024	10	20	18	50	8	12.2	0.1	0.9	26.68	94.5	6.2143	54.7207
2024	10	20	19	0	8	12.2	0.1	0.9	26.77	94.1	6.2143	54.9264
2024	10	20	19	10	8	12.2	0.1	0.9	26.41	91.3	6.2143	54.3092
2024	10	20	19	20	8	12.2	0.1	0.9	26.44	93.3	6.2143	54.3093
2024	10	20	19	30	8	12.2	0.1	0.9	26.42	92	6.2143	54.3093
2024	10	20	19	40	8	12.2	0.1	0.9	26.05	93.5	6.2143	53.4864
2024	10	20	19	50	8	12.2	0.1	0.9	26.07	94.2	6.2143	53.4864
2024	10	20	20	0	8	12.2	0.1	0.9	25.21	91.8	6.2143	51.8407
2024	10	20	20	10	8	12.2	0.1	0.9	27.34	92.9	6.2082	56.1033
2024	10	20	20	20	8	12.2	0.1	0.9	25.9	90.9	6.2082	53.2262
2024	10	20	20	30	8	12.2	0.1	0.9	25.92	95.5	6.2082	53.0208
2024	10	20	20	40	8	12.2	0.1	0.9	26.33	92.8	6.2082	54.0483
2024	10	20	20	50	8	12.2	0.1	0.9	25.92	92	6.2082	53.2263
2024	10	20	21	0	8	12.2	0.1	0.9	26.07	94.2	6.2082	53.4319
2024	10	20	21	10	8	12.2	0.1	0.9	26.14	93.3	6.2082	53.6374
2024	10	20	21	20	8	12.2	0.1	0.9	26.6	90	6.2082	54.665
2024	10	20	21	30	8	12	0.1	0.9	27.27	94.2	6.2082	55.898
2024	10	20	21	40	8	12	0.1	0.9	26.26	93.9	6.2082	53.843
2024	10	20	21	50	8	12	0.1	0.9	26.1	91.1	6.2021	53.5826
2024	10	20	22	0	8	12	0.1	0.9	26.34	93	6.2021	53.9932
2024	10	20	22	10	8	12	0.1	0.9	26.92	92.1	6.2021	55.225
2024	10	20	22	20	8	12	0.1	0.9	24.91	91.4	6.2021	51.1191
2024	10	20	22	30	8	12	0.1	0.9	25.52	92	6.2021	52.3509
2024	10	20	22	40	8	12	0.1	0.9	26.13	92.6	6.2021	53.5827
2024	10	20	22	50	8	12	0.1	0.9	26.14	93.1	6.2021	53.5827
2024	10	20	23	0	8	12	0.1	0.9	25.79	94.9	6.2021	52.7616
2024	10	20	23	10	8	12	0.1	0.9	26.23	95.7	6.196	53.5278
2024	10	20	23	20	8	12	0.1	0.9	26.57	94.1	6.196	54.3482
2024	10	20	23	30	8	12	0.1	0.9	25.76	93.8	6.196	52.7076
2024	10	20	23	40	8	12	0.1	0.9	25.66	94	6.196	52.5025
2024	10	20	23	50	8	12	0.1	0.9	25.46	94.1	6.196	52.0923

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	21	0	0	8	12	0.1	0.9	24.47	94.2	6.196	50.0415
2024	10	21	0	10	8	12	0.1	0.9	26.51	91.7	6.196	54.3484
2024	10	21	0	20	8	12	0.1	0.9	26.3	95	6.196	53.7331
2024	10	21	0	30	8	12	0.1	0.9	26.06	93.7	6.1899	53.2683
2024	10	21	0	40	8	12	0.1	0.9	26.53	92.8	6.1899	54.2927
2024	10	21	0	50	8	12	0.1	0.9	25.6	90.9	6.1899	52.4488
2024	10	21	1	0	8	12	0.1	0.9	25.1	90.2	6.1899	51.4245
2024	10	21	1	10	8	12	0.1	0.9	26.54	93.2	6.1899	54.2928
2024	10	21	1	20	8	12	0.1	0.9	26.15	93.5	6.1899	53.4733
2024	10	21	1	30	8	12	0.1	0.9	27.01	91.7	6.1899	55.3173
2024	10	21	1	40	8	12	0.1	0.9	25.53	92.7	6.1899	52.2441
2024	10	21	1	50	8	12	0.1	0.9	24.93	93	6.1899	51.0149
2024	10	21	2	0	8	12	0.1	0.9	25.32	92.5	6.1899	51.8344
2024	10	21	2	10	8	12	0.1	0.9	27.04	93.2	6.1899	55.3174
2024	10	21	2	20	8	12	0.1	0.9	26.58	94.3	6.1899	54.2931
2024	10	21	2	30	8	12	0.1	0.9	25.91	91.3	6.1838	53.0093
2024	10	21	2	40	8	12	0.1	0.9	25.66	93.8	6.1838	52.3953
2024	10	21	2	50	8	12	0.1	0.9	26.27	94.1	6.1838	53.6234
2024	10	21	3	0	8	12	0.1	0.9	25.44	93.2	6.1838	51.986
2024	10	21	3	10	8	12	0.1	0.9	26.82	92.1	6.1838	54.8515
2024	10	21	3	20	8	12	0.1	0.9	25.53	92.7	6.1838	52.1908
2024	10	21	3	30	8	12	0.1	0.9	26.1	95.1	6.1838	53.2142
2024	10	21	3	40	8	12	0.1	0.9	26.62	95.4	6.1838	54.2375
2024	10	21	3	50	8	12	0.1	0.9	26.2	90.9	6.1838	53.6236
2024	10	21	4	0	8	12	0.1	0.9	26.13	92.6	6.1838	53.4189
2024	10	21	4	10	8	12	0.1	0.9	26.34	95.9	6.1838	53.6236
2024	10	21	4	20	8	12	0.1	0.9	27.16	93.8	6.1838	55.4657
2024	10	21	4	30	8	12	0.1	0.9	25.2	90	6.1838	51.577
2024	10	21	4	40	8	12	0.1	0.9	25.51	91.6	6.1838	52.191
2024	10	21	4	50	8	12	0.1	0.9	25.65	93.6	6.1838	52.3957
2024	10	21	5	0	8	11.8	0.1	0.9	25.53	92.7	6.1838	52.191
2024	10	21	5	10	8	11.8	0.1	0.9	27.07	94	6.1838	55.2611
2024	10	21	5	20	8	11.8	0.1	0.9	26.91	91.3	6.1838	55.0564
2024	10	21	5	30	8	11.8	0.1	0.9	24.9	90.9	6.1838	50.963
2024	10	21	5	40	8	11.8	0.1	0.9	25.9	90.9	6.1838	53.0098
2024	10	21	5	50	8	11.8	0.1	0.9	25.6	91.1	6.1838	52.3958
2024	10	21	6	0	8	11.8	0.1	0.9	26.01	91.8	6.1838	53.2145
2024	10	21	6	10	8	11.8	0.1	0.9	26.01	91.8	6.1838	53.2145
2024	10	21	6	20	8	11.8	0.1	0.9	26.06	93.7	6.1838	53.2145
2024	10	21	6	30	8	11.8	0.1	0.9	25.98	94.6	6.1777	52.9553
2024	10	21	6	40	8	11.8	0.1	0.9	25.61	91.8	6.1838	52.3959
2024	10	21	6	50	8	11.8	0.1	0.9	26.31	95.2	6.1838	53.6239
2024	10	21	7	0	8	11.8	0.1	0.9	24.94	93.2	6.1838	50.9632
2024	10	21	7	10	8	11.8	0.1	0.9	26.29	94.8	6.1838	53.624
2024	10	21	7	20	8	11.8	0.1	0.9	27.67	93.9	6.1777	56.4313
2024	10	21	7	30	8	11.8	0.1	0.9	25.83	92.9	6.1838	52.8053
2024	10	21	7	40	8	11.8	0.1	0.9	26.27	94.1	6.1838	53.624
2024	10	21	7	50	8	11.8	0.1	0.9	25.43	92.7	6.1777	51.9332

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	21	8	0	8	12.4	0.1	0.9	25	90.5	6.1838	51.168
2024	10	21	8	10	8	12.8	0.1	0.9	27.09	94.7	6.1777	55.2046
2024	10	21	8	20	8	13	0.1	0.9	25.95	93.5	6.1777	52.9555
2024	10	21	8	30	8	13	0.1	0.9	25.45	93.6	6.1838	51.9867
2024	10	21	8	40	8	13.2	0.1	0.9	26.62	92.2	6.1838	54.4427
2024	10	21	8	50	8	13	0.1	0.9	24.33	92.8	6.1838	49.7353
2024	10	21	9	0	8	13.2	0.1	0.9	27.17	94	6.1838	55.4661
2024	10	21	9	10	8	13.4	0.1	0.9	25.72	92.5	6.1838	52.6007
2024	10	21	9	20	8	13.2	0.1	0.9	26.14	93.3	6.1838	53.4193
2024	10	21	9	30	8	13	0.1	0.9	25.61	95.4	6.1838	52.1913
2024	10	21	9	40	8	13.2	0.1	0.9	25.79	94.9	6.1838	52.6006
2024	10	21	9	50	8	13	0.1	0.9	25.59	94.7	6.1838	52.1912
2024	10	21	10	0	8	13.2	0.1	0.9	26.03	92.6	6.1838	53.2145
2024	10	21	10	10	8	13.4	0.1	0.9	25.16	93.9	6.1838	51.3725
2024	10	21	10	20	8	13.8	0.1	0.9	26.38	94.6	6.1899	53.8838
2024	10	21	10	30	8	14.2	0.1	0.9	25.59	94.7	6.1899	52.2447
2024	10	21	10	40	8	14.2	0.1	0.9	26.28	94.6	6.1899	53.6788
2024	10	21	10	50	8	14.2	0.1	0.9	25.86	94	6.1899	52.8593
2024	10	21	11	0	8	14.2	0.1	0.9	26.21	91.7	6.1899	53.6787
2024	10	21	11	10	8	14.2	0.1	0.9	26.54	93.2	6.1899	54.2933
2024	10	21	11	20	8	14.2	0.1	0.9	26.52	92.2	6.196	54.349
2024	10	21	11	30	8	14.2	0.1	0.9	27.04	95.7	6.196	55.1693
2024	10	21	11	40	8	14.2	0.1	0.9	25.69	94.7	6.196	52.5031
2024	10	21	11	50	8	14.2	0.1	0.9	25.92	92.2	6.196	53.1183
2024	10	21	12	0	8	14.2	0.1	0.9	27.27	94	6.196	55.7844
2024	10	21	12	10	8	14.2	0.1	0.9	25.49	94.7	6.196	52.0927
2024	10	21	12	20	8	14.2	0.1	0.9	26.58	94.5	6.196	54.3486
2024	10	21	12	30	8	14.2	0.1	0.9	25.89	94.7	6.196	52.9129
2024	10	21	12	40	8	14.2	0.1	0.9	27.07	94.2	6.196	55.3739
2024	10	21	12	50	8	14.2	0.1	0.9	26.38	94.6	6.2021	53.9936
2024	10	21	13	0	8	14	0.1	0.9	26.32	95.5	6.2021	53.7882
2024	10	21	13	10	8	13.8	0.1	0.9	26.48	94.5	6.2021	54.1987
2024	10	21	13	20	8	13.6	0.1	0.9	26.28	94.4	6.2021	53.7881
2024	10	21	13	30	8	13.6	0.1	0.9	25.87	94.2	6.2021	52.9668
2024	10	21	13	40	8	13.6	0.1	0.9	26.85	93.4	6.2082	55.0762
2024	10	21	13	50	8	13.6	0.1	0.9	26.44	93.3	6.2082	54.2541
2024	10	21	14	0	8	13.6	0.1	0.9	25.82	92.2	6.2082	53.021
2024	10	21	14	10	8	13.4	0.1	0.9	26.24	93.1	6.2082	53.8429
2024	10	21	14	20	8	13.4	0.1	0.9	26.16	93.7	6.2082	53.6374
2024	10	21	14	30	8	13.4	0.1	0.9	26.94	93.2	6.2082	55.2814
2024	10	21	14	40	8	13.4	0.1	0.9	27.41	95.2	6.2143	56.1608
2024	10	21	14	50	8	13.4	0.1	0.9	26.18	94.4	6.2143	53.6922
2024	10	21	15	0	8	13.2	0.1	0.9	25.04	93.2	6.2143	51.4292
2024	10	21	15	10	8	13.2	0.1	0.9	26.11	95.3	6.2143	53.4864
2024	10	21	15	20	8	13.2	0.1	0.9	26.42	92	6.2143	54.3092
2024	10	21	15	30	8	13.2	0.1	0.9	26.94	93.2	6.2143	55.3377
2024	10	21	15	40	8	13.4	0.1	0.9	27.51	91.7	6.2143	56.572
2024	10	21	15	50	8	13.4	0.1	0.9	26.53	92.6	6.2143	54.5148

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	21	16	0	8	13.4	0.1	0.9	26.53	92.8	6.2204	54.5706
2024	10	21	16	10	8	13.4	0.1	0.9	26.38	94.3	6.2204	54.1587
2024	10	21	16	20	8	13.4	0.1	0.9	26.61	95.2	6.2204	54.5705
2024	10	21	16	30	8	13.4	0.1	0.9	25.45	93.6	6.2204	52.3053
2024	10	21	16	40	8	13.4	0.1	0.9	26.48	94.5	6.2204	54.3646
2024	10	21	16	50	8	13.4	0.1	0.9	26.88	94.5	6.2204	55.1883
2024	10	21	17	0	8	13.2	0.1	0.9	26.77	96.4	6.2204	54.7764
2024	10	21	17	10	8	13.2	0.1	0.9	26.94	93.2	6.2204	55.3941
2024	10	21	17	20	8	13.2	0.1	0.9	26.43	92.8	6.2204	54.3645
2024	10	21	17	30	8	11.8	0.1	0.9	27.5	94.8	6.2265	56.4815
2024	10	21	17	40	8	11.6	0.1	0.9	26.28	94.6	6.2265	54.0078
2024	10	21	17	50	8	11.6	0.1	0.9	27.89	94.7	6.2265	57.306
2024	10	21	18	0	8	11.8	0.1	0.9	26.14	93.1	6.2265	53.8017
2024	10	21	18	10	8	12.2	0.1	0.9	25.73	92.9	6.2265	52.9771
2024	10	21	18	20	8	12.2	0.1	0.9	26.64	95.8	6.2265	54.6262
2024	10	21	18	30	8	12.2	0.1	0.9	26.91	91.7	6.2265	55.4508
2024	10	21	18	40	8	12.2	0.1	0.9	25.86	93.8	6.2265	53.1833
2024	10	21	18	50	8	12.2	0.1	0.9	26.02	92	6.2326	53.6503
2024	10	21	19	0	8	12.2	0.1	0.9	26.03	92.9	6.2326	53.6503
2024	10	21	19	10	8	12.2	0.1	0.9	27.41	91.9	6.2326	56.5392
2024	10	21	19	20	8	12.2	0.1	0.9	26.55	93.5	6.2326	54.6821
2024	10	21	19	30	8	12.2	0.1	0.9	26.03	92.6	6.2326	53.6504
2024	10	21	19	40	8	12.2	0.1	0.9	27.13	92.5	6.2326	55.9202
2024	10	21	19	50	8	12.2	0.1	0.9	26.42	95.4	6.2326	54.2695
2024	10	21	20	0	8	12.2	0.1	0.9	26.74	93	6.2326	55.0949
2024	10	21	20	10	8	12.2	0.1	0.9	25.69	94.9	6.2326	52.8251
2024	10	21	20	20	8	12.2	0.1	0.9	25.23	93	6.2326	51.9997
2024	10	21	20	30	8	12.2	0.1	0.9	25.75	93.6	6.2326	53.0315
2024	10	21	20	40	8	12.2	0.1	0.9	26.03	92.9	6.2326	53.6505
2024	10	21	20	50	8	12.2	0.1	0.9	26.48	94.5	6.2326	54.476
2024	10	21	21	0	8	12.2	0.1	0.9	26.31	95.2	6.2326	54.0633
2024	10	21	21	10	8	12.2	0.1	0.9	26.24	93.1	6.2326	54.0633
2024	10	21	21	20	8	12.2	0.1	0.9	27.28	94.4	6.2386	56.1841
2024	10	21	21	30	8	12.2	0.1	0.9	27.81	91.9	6.2386	57.4235
2024	10	21	21	40	8	12	0.1	0.9	26.02	92.4	6.2386	53.7055
2024	10	21	21	50	8	12	0.1	0.9	26.84	93.2	6.2386	55.358
2024	10	21	22	0	8	12	0.1	0.9	26.78	94.5	6.2386	55.1515
2024	10	21	22	10	8	12	0.1	0.9	27.12	92.1	6.2386	55.9777
2024	10	21	22	20	8	12	0.1	0.9	26.32	92.2	6.2386	54.3253
2024	10	21	22	30	8	12	0.1	0.9	27.34	92.9	6.2447	56.4484
2024	10	21	22	40	8	12	0.1	0.9	25.24	93.2	6.2447	52.1062
2024	10	21	22	50	8	12	0.1	0.9	25.9	90	6.2447	53.5537
2024	10	21	23	0	8	12	0.1	0.9	27.5	90.8	6.2508	56.92
2024	10	21	23	10	8	12	0.1	0.9	26.14	93.3	6.2569	54.0772
2024	10	21	23	20	8	12	0.1	0.9	26.91	91.5	6.2569	55.7348
2024	10	21	23	30	8	12	0.1	0.9	27.18	94.4	6.263	56.2063
2024	10	21	23	40	8	12	0.1	0.9	26.18	94.4	6.263	54.1323
2024	10	21	23	50	8	12	0.1	0.9	26.71	91.7	6.263	55.3768

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	22	0	0	8	12	0.1	0.9	26.17	94.2	6.263	54.1324
2024	10	22	0	10	8	12	0.1	0.9	26.64	93	6.263	55.1694
2024	10	22	0	20	8	12	0.1	0.9	26.85	93.4	6.263	55.5843
2024	10	22	0	30	8	12	0.1	0.9	27.69	94.6	6.263	57.2435
2024	10	22	0	40	8	12	0.1	0.9	26.43	92.6	6.263	54.7547
2024	10	22	0	50	8	12	0.1	0.9	25.43	92.7	6.263	52.6807
2024	10	22	1	0	8	12	0.1	0.9	26.95	93.6	6.263	55.7918
2024	10	22	1	10	8	12	0.1	0.9	26.71	91.7	6.263	55.3771
2024	10	22	1	20	8	12	0.1	0.9	26.45	93.7	6.2691	54.8105
2024	10	22	1	30	8	12	0.1	0.9	27.6	90.8	6.2691	57.3019
2024	10	22	1	40	8	12	0.1	0.9	27.13	92.7	6.2691	56.2639
2024	10	22	1	50	8	12	0.1	0.9	26.95	93.6	6.2691	55.8487
2024	10	22	2	0	8	12	0.1	0.9	27.11	91.9	6.2691	56.264
2024	10	22	2	10	8	12	0.1	0.9	26.91	95.1	6.2691	55.6412
2024	10	22	2	20	8	12	0.1	0.9	26.16	93.7	6.2691	54.1879
2024	10	22	2	30	8	12	0.1	0.9	26.83	92.8	6.2691	55.6412
2024	10	22	2	40	8	12	0.1	0.9	27.99	94.5	6.2691	57.9251
2024	10	22	2	50	8	12	0.1	0.9	27.07	94.2	6.2691	56.0565
2024	10	22	3	0	8	12	0.1	0.9	27.67	94.1	6.2691	57.3023
2024	10	22	3	10	8	12	0.1	0.9	27.15	93.6	6.263	56.2071
2024	10	22	3	20	8	12	0.1	0.9	25.88	94.4	6.263	53.5109
2024	10	22	3	30	8	12	0.1	0.9	27.01	91.7	6.263	55.9998
2024	10	22	3	40	8	12	0.1	0.9	26.16	93.7	6.263	54.1332
2024	10	22	3	50	8	12	0.1	0.9	26.03	92.9	6.2691	53.9806
2024	10	22	4	0	8	12	0.1	0.9	27.63	92.5	6.263	57.2443
2024	10	22	4	10	8	12	0.1	0.9	27.01	91.9	6.263	55.9999
2024	10	22	4	20	8	12	0.1	0.9	25.81	95.3	6.263	53.3037
2024	10	22	4	30	8	12	0.1	0.9	26.65	93.7	6.263	55.1703
2024	10	22	4	40	8	12	0.1	0.9	27.03	92.5	6.263	56
2024	10	22	4	50	8	11.8	0.1	0.9	27.41	95.2	6.263	56.6222
2024	10	22	5	0	8	11.8	0.1	0.9	26.94	93	6.263	55.7926
2024	10	22	5	10	8	11.8	0.1	0.9	26.12	92.4	6.263	54.1334
2024	10	22	5	20	8	11.8	0.1	0.9	26.24	95.9	6.263	54.1334
2024	10	22	5	30	8	11.8	0.1	0.9	26.74	93	6.263	55.3779
2024	10	22	5	40	8	11.8	0.1	0.9	27.63	92.5	6.263	57.2446
2024	10	22	5	50	8	11.8	0.1	0.9	27.52	92.3	6.263	57.0372
2024	10	22	6	0	8	11.8	0.1	0.9	27.33	92.5	6.263	56.6224
2024	10	22	6	10	8	11.8	0.1	0.9	25.71	91.6	6.263	53.3039
2024	10	22	6	20	8	11.8	0.1	0.9	26.27	94.1	6.263	54.341
2024	10	22	6	30	8	11.8	0.1	0.9	26.32	95.5	6.263	54.341
2024	10	22	6	40	8	11.8	0.1	0.9	26.79	94.7	6.263	55.378
2024	10	22	6	50	8	11.8	0.1	0.9	27.21	91.3	6.263	56.4151
2024	10	22	7	0	8	11.8	0.1	0.9	26.73	92.6	6.263	55.3781
2024	10	22	7	10	8	11.8	0.1	0.9	26.75	93.6	6.263	55.3781
2024	10	22	7	20	8	11.8	0.1	0.9	26.26	93.7	6.263	54.3411
2024	10	22	7	30	8	11.8	0.1	0.9	25.81	91.6	6.263	53.5114
2024	10	22	7	40	8	11.8	0.1	0.9	27.55	93.5	6.263	57.0374
2024	10	22	7	50	8	11.8	0.1	0.9	26.87	94.1	6.263	55.5856

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	22	8	0	8	12.2	0.1	0.9	25.56	93.8	6.263	52.8893
2024	10	22	8	10	8	12.8	0.1	0.9	27.52	92.3	6.263	57.0374
2024	10	22	8	20	8	13	0.1	0.9	26.88	94.5	6.263	55.5856
2024	10	22	8	30	8	13	0.1	0.9	25.14	93.4	6.263	52.0596
2024	10	22	8	40	8	13.2	0.1	0.9	27.66	93.7	6.263	57.2448
2024	10	22	8	50	8	13.2	0.1	0.9	26.87	94.3	6.263	55.5855
2024	10	22	9	0	8	13.2	0.1	0.9	25.6	90.9	6.263	53.0966
2024	10	22	9	10	8	13.4	0.1	0.9	27.48	94.4	6.263	56.8299
2024	10	22	9	20	8	13.4	0.1	0.9	26.33	92.8	6.263	54.5484
2024	10	22	9	30	8	13.4	0.1	0.9	26.84	93.2	6.263	55.5854
2024	10	22	9	40	8	13.4	0.1	0.9	26.33	92.8	6.263	54.5483
2024	10	22	9	50	8	13.4	0.1	0.9	26.97	94	6.263	55.7927
2024	10	22	10	0	8	14	0.1	0.9	26.24	93.1	6.263	54.3408
2024	10	22	10	10	8	13.6	0.1	0.9	27.52	92.3	6.263	57.0371
2024	10	22	10	20	8	14.2	0.1	0.9	25.71	91.6	6.2691	53.3578
2024	10	22	10	30	8	14.2	0.1	0.9	26	90.4	6.2691	53.9806
2024	10	22	10	40	8	14.2	0.1	0.9	27.03	92.8	6.2691	56.0567
2024	10	22	10	50	8	14.2	0.1	0.9	27.25	93.6	6.2691	56.4719
2024	10	22	11	0	8	14	0.1	0.9	27.05	93.6	6.2691	56.0565
2024	10	22	11	10	8	14.2	0.1	0.9	26.36	93.9	6.2691	54.6032
2024	10	22	11	20	8	14.2	0.1	0.9	27.35	93.6	6.2691	56.6792
2024	10	22	11	30	8	14.2	0.1	0.9	27.11	91.9	6.2752	56.321
2024	10	22	11	40	8	14.2	0.1	0.9	27.24	93.2	6.2752	56.5287
2024	10	22	11	50	8	14.2	0.1	0.9	26.53	92.8	6.2752	55.0739
2024	10	22	12	0	8	14	0.1	0.9	26.93	92.8	6.2752	55.9051
2024	10	22	12	10	8	14.2	0.1	0.9	26.15	93.5	6.2752	54.2424
2024	10	22	12	20	8	14.2	0.1	0.9	27.53	92.7	6.2752	57.1519
2024	10	22	12	30	8	14.2	0.1	0.9	27.31	91.7	6.2752	56.7361
2024	10	22	12	40	8	14.2	0.1	0.9	27.52	92.3	6.2752	57.1517
2024	10	22	12	50	8	14.2	0.1	0.9	25.96	96.4	6.2752	53.6186
2024	10	22	13	0	8	14	0.1	0.9	25.83	92.9	6.2752	53.6185
2024	10	22	13	10	8	14.2	0.1	0.9	27.11	95.1	6.2752	56.1123
2024	10	22	13	20	8	14.2	0.1	0.9	26.7	90.9	6.2752	55.4888
2024	10	22	13	30	8	14.2	0.1	0.9	26.78	94.5	6.2691	55.4325
2024	10	22	13	40	8	14	0.1	0.9	26.91	91.7	6.2691	55.8476
2024	10	22	13	50	8	14	0.1	0.9	26.95	93.6	6.2691	55.8475
2024	10	22	14	0	8	13.8	0.1	0.9	26.53	92.8	6.2691	55.017
2024	10	22	14	10	8	13.8	0.1	0.9	26.4	90.9	6.2691	54.8094
2024	10	22	14	20	8	13.8	0.1	0.9	27.58	94.4	6.2691	57.093
2024	10	22	14	30	8	13.8	0.1	0.9	27.01	91.5	6.2691	56.0549
2024	10	22	14	40	8	13.6	0.1	0.9	26.52	92.2	6.263	54.961
2024	10	22	14	50	8	13.6	0.1	0.9	26.97	94	6.263	55.7905
2024	10	22	15	0	8	13.6	0.1	0.9	26.31	95.2	6.263	54.3387
2024	10	22	15	10	8	13.4	0.1	0.9	27.87	94.1	6.263	57.657
2024	10	22	15	20	8	13.4	0.1	0.9	27.17	94.2	6.263	56.2052
2024	10	22	15	30	8	13.4	0.1	0.9	27.22	95.5	6.263	56.2052
2024	10	22	15	40	8	13.4	0.1	0.9	26.6	95	6.263	54.9607
2024	10	22	15	50	8	13.4	0.1	0.9	26.52	92.2	6.263	54.9607

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	22	16	0	8	13.4	0.1	0.9	26.71	95.2	6.263	55.1681
2024	10	22	16	10	8	13.4	0.1	0.9	26.26	93.7	6.263	54.3385
2024	10	22	16	20	8	13.2	0.1	0.9	27.72	92.3	6.263	57.4494
2024	10	22	16	30	8	13.2	0.1	0.9	27.21	91.5	6.263	56.4124
2024	10	22	16	40	8	13.2	0.1	0.9	27.54	93.1	6.263	57.0346
2024	10	22	16	50	8	13.2	0.1	0.9	26.68	94.5	6.263	55.168
2024	10	22	17	0	8	13.2	0.1	0.9	27.73	92.7	6.263	57.4494
2024	10	22	17	10	8	13.2	0.1	0.9	26.34	93.3	6.263	54.5458
2024	10	22	17	20	8	12.6	0.1	0.9	27.56	93.7	6.263	57.0345
2024	10	22	17	30	8	11.8	0.1	0.9	27.01	91.5	6.263	55.9975
2024	10	22	17	40	8	11.6	0.1	0.9	28.21	91.2	6.263	58.4863
2024	10	22	17	50	8	11.6	0.1	0.9	27.2	91.1	6.263	56.4123
2024	10	22	18	0	8	11.8	0.1	0.9	27.95	93.3	6.2691	57.9229
2024	10	22	18	10	8	12.2	0.1	0.9	27.04	93.2	6.2691	56.0544
2024	10	22	18	20	8	12.2	0.1	0.9	27.73	92.5	6.2691	57.5077
2024	10	22	18	30	8	12.2	0.1	0.9	28.11	95.1	6.2691	58.1305
2024	10	22	18	40	8	12.2	0.1	0.9	25.92	92	6.2752	53.8253
2024	10	22	18	50	8	12.2	0.1	0.9	27.12	92.3	6.2752	56.3191
2024	10	22	19	0	8	12.2	0.1	0.9	26.55	93.7	6.2752	55.0722
2024	10	22	19	10	8	12.2	0.1	0.9	26.73	92.8	6.2813	55.5441
2024	10	22	19	20	8	12.2	0.1	0.9	27.06	93.8	6.2813	56.1682
2024	10	22	19	30	8	12.2	0.1	0.9	26.79	94.7	6.2813	55.5441
2024	10	22	19	40	8	12.2	0.1	0.9	28.07	94.1	6.2813	58.2485
2024	10	22	19	50	8	12.2	0.1	0.9	27.8	90.4	6.2874	57.891
2024	10	22	20	0	8	12.2	0.1	0.9	26.72	91.9	6.2874	55.6004
2024	10	22	20	10	8	12.2	0.1	0.9	26.58	94.3	6.2874	55.1839
2024	10	22	20	20	8	12.2	0.1	0.9	26.91	91.7	6.2874	56.0169
2024	10	22	20	30	8	12.2	0.1	0.9	26.72	91.9	6.2874	55.6005
2024	10	22	20	40	8	12.2	0.1	0.9	25.84	93.3	6.2874	53.7263
2024	10	22	20	50	8	12.2	0.1	0.9	26.47	94.1	6.2874	54.9758
2024	10	22	21	0	8	12.2	0.1	0.9	27.24	92.9	6.2874	56.6418
2024	10	22	21	10	8	12.2	0.1	0.9	27.31	91.9	6.2935	56.9075
2024	10	22	21	20	8	12	0.1	0.9	26.52	91.9	6.2935	55.2399
2024	10	22	21	30	8	12	0.1	0.9	26.6	95	6.2935	55.24
2024	10	22	21	40	8	12	0.1	0.9	26.28	96.8	6.2935	54.4062
2024	10	22	21	50	8	12	0.1	0.9	27.25	93.6	6.2935	56.6992
2024	10	22	22	0	8	12	0.1	0.9	27.36	93.8	6.2935	56.9077
2024	10	22	22	10	8	12	0.1	0.9	26.95	93.6	6.2935	56.0739
2024	10	22	22	20	8	12	0.1	0.9	26.42	92.4	6.2935	55.0317
2024	10	22	22	30	8	12	0.1	0.9	27.81	91.4	6.2935	57.9501
2024	10	22	22	40	8	12	0.1	0.9	26.72	92.4	6.2935	55.6571
2024	10	22	22	50	8	12	0.1	0.9	26.95	93.6	6.2935	56.0741
2024	10	22	23	0	8	12	0.1	0.9	27.36	93.8	6.2935	56.9079
2024	10	22	23	10	8	12	0.1	0.9	27.85	93.3	6.2935	57.9502
2024	10	22	23	20	8	12	0.1	0.9	26.57	94.1	6.2935	55.2403
2024	10	22	23	30	8	12	0.1	0.9	27.27	94	6.2935	56.6996
2024	10	22	23	40	8	12	0.1	0.9	27.32	92.3	6.2935	56.9081
2024	10	22	23	50	8	12	0.1	0.9	26.54	93	6.2935	55.2405

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	23	0	0	8	12	0.1	0.9	26.85	93.4	6.2935	55.8659
2024	10	23	0	10	8	12	0.1	0.9	26.85	93.4	6.2935	55.8659
2024	10	23	0	20	8	12	0.1	0.9	27.05	93.6	6.2935	56.2829
2024	10	23	0	30	8	12	0.1	0.9	27.45	93.6	6.2935	57.1167
2024	10	23	0	40	8	12	0.1	0.9	28.27	94.1	6.2935	58.7844
2024	10	23	0	50	8	12	0.1	0.9	26.74	93	6.2935	55.6576
2024	10	23	1	0	8	12	0.1	0.9	27.63	92.7	6.2935	57.5338
2024	10	23	1	10	8	12	0.1	0.9	28.19	94.5	6.2935	58.5761
2024	10	23	1	20	8	12	0.1	0.9	26.5	90.9	6.2874	55.185
2024	10	23	1	30	8	12	0.1	0.9	26.82	91.9	6.2935	55.8662
2024	10	23	1	40	8	12	0.1	0.9	27.11	91.9	6.2935	56.4917
2024	10	23	1	50	8	12	0.1	0.9	27.25	93.6	6.2874	56.6429
2024	10	23	2	0	8	12	0.1	0.9	27.22	95.3	6.2874	56.4346
2024	10	23	2	10	8	12	0.1	0.9	27.94	92.9	6.2935	58.1594
2024	10	23	2	20	8	12	0.1	0.9	26.88	94.5	6.2935	55.8664
2024	10	23	2	30	8	12	0.1	0.9	26.04	93.1	6.2935	54.1988
2024	10	23	2	40	8	12	0.1	0.9	26.55	93.5	6.2935	55.2411
2024	10	23	2	50	8	12	0.1	0.9	26.74	93.2	6.2935	55.6581
2024	10	23	3	0	8	12	0.1	0.9	27	94.9	6.2935	56.0751
2024	10	23	3	10	8	12	0.1	0.9	27.03	97.4	6.2935	55.8666
2024	10	23	3	20	8	12	0.1	0.9	26.91	91.7	6.2935	56.0751
2024	10	23	3	30	8	12	0.1	0.9	28.45	93.2	6.2935	59.202
2024	10	23	3	40	8	12	0.1	0.9	26.84	93.2	6.2935	55.8667
2024	10	23	3	50	8	12	0.1	0.9	27.19	94.6	6.2935	56.4921
2024	10	23	4	0	8	12	0.1	0.9	27.77	93.9	6.2935	57.7429
2024	10	23	4	10	8	12	0.1	0.9	27.98	94.3	6.2935	58.1599
2024	10	23	4	20	8	12	0.1	0.9	27.55	93.5	6.2935	57.3261
2024	10	23	4	30	8	11.8	0.1	0.9	26.33	92.8	6.2935	54.8246
2024	10	23	4	40	8	11.8	0.1	0.9	26.55	93.7	6.2935	55.2415
2024	10	23	4	50	8	11.8	0.1	0.9	26.75	93.6	6.2996	55.7147
2024	10	23	5	0	8	11.8	0.1	0.9	25.7	91.1	6.2935	53.5739
2024	10	23	5	10	8	11.8	0.1	0.9	28.3	94.9	6.2996	58.8448
2024	10	23	5	20	8	11.8	0.1	0.9	27.23	92.7	6.2996	56.7582
2024	10	23	5	30	8	11.8	0.1	0.9	28.06	93.7	6.3057	58.4865
2024	10	23	5	40	8	11.8	0.1	0.9	25.87	94.2	6.2996	53.8368
2024	10	23	5	50	8	11.8	0.1	0.9	27.16	93.8	6.3057	56.6067
2024	10	23	6	0	8	11.8	0.1	0.9	26.83	92.6	6.3118	56.0365
2024	10	23	6	10	8	11.8	0.1	0.9	26.77	94.1	6.3118	55.8274
2024	10	23	6	20	8	11.8	0.1	0.9	27.73	92.7	6.3118	57.9184
2024	10	23	6	30	8	11.8	0.1	0.9	27.02	92.1	6.3179	56.5116
2024	10	23	6	40	8	11.8	0.1	0.9	27.55	93.3	6.3179	57.5582
2024	10	23	6	50	8	11.8	0.1	0.9	27.11	91.3	6.3179	56.721
2024	10	23	7	0	8	11.8	0.1	0.9	27.33	92.5	6.3179	57.1396
2024	10	23	7	10	8	11.8	0.1	0.9	28.3	94.9	6.3179	59.0233
2024	10	23	7	20	8	11.8	0.1	0.9	27.33	92.7	6.3179	57.1396
2024	10	23	7	30	8	11.8	0.1	0.9	26.61	91.3	6.3179	55.6745
2024	10	23	7	40	8	11.8	0.1	0.9	27.45	93.6	6.3179	57.349
2024	10	23	7	50	8	11.8	0.1	0.9	27.49	94.6	6.3179	57.349

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	23	8	0	8	12.2	0.1	0.9	27.5	90.6	6.3179	57.5583
2024	10	23	8	10	8	12.6	0.1	0.9	27.23	92.5	6.3179	56.9304
2024	10	23	8	20	8	13	0.1	0.9	27.87	94.1	6.3179	58.1862
2024	10	23	8	30	8	13.2	0.1	0.9	26.93	95.5	6.3179	56.0932
2024	10	23	8	40	8	13.2	0.1	0.9	26.98	94.5	6.3179	56.3025
2024	10	23	8	50	8	13.6	0.1	0.9	27.44	92.9	6.3179	57.349
2024	10	23	9	0	8	13.6	0.1	0.9	27.89	94.7	6.3179	58.1862
2024	10	23	9	10	8	13.2	0.1	0.9	27.22	92.3	6.3179	56.9304
2024	10	23	9	20	8	13.2	0.1	0.9	26.42	92	6.3179	55.2559
2024	10	23	9	30	8	13.6	0.1	0.9	26.65	93.7	6.3179	55.6745
2024	10	23	9	40	8	13.8	0.1	0.9	27.08	94.4	6.3179	56.5116
2024	10	23	9	50	8	14	0.1	0.9	27	90	6.3179	56.5116
2024	10	23	10	0	8	13.8	0.1	0.9	27.61	95.2	6.3118	57.5001
2024	10	23	10	10	8	14.2	0.1	0.9	26.28	94.4	6.3118	54.7819
2024	10	23	10	20	8	14.2	0.1	0.9	27.29	94.6	6.3057	56.8155
2024	10	23	10	30	8	14.2	0.1	0.9	26.35	93.7	6.2996	54.8801
2024	10	23	10	40	8	14.2	0.1	0.9	26.67	94.1	6.2996	55.506
2024	10	23	10	50	8	14.2	0.1	0.9	28.09	94.7	6.2996	58.4273
2024	10	23	11	0	8	14	0.1	0.9	28.19	94.7	6.2996	58.6359
2024	10	23	11	10	8	13.8	0.1	0.9	26.93	92.8	6.2935	56.0752
2024	10	23	11	20	8	14	0.1	0.9	25.76	94	6.2935	53.5736
2024	10	23	11	30	8	14.2	0.1	0.9	28.23	92.8	6.2935	58.7849
2024	10	23	11	40	8	14.2	0.1	0.9	26.23	92.8	6.2935	54.6157
2024	10	23	11	50	8	14.2	0.1	0.9	27.58	94.4	6.2935	57.3256
2024	10	23	12	0	8	14.2	0.1	0.9	26.84	93	6.2935	55.8663
2024	10	23	12	10	8	14.2	0.1	0.9	27.92	92.1	6.2935	58.1592
2024	10	23	12	20	8	14.2	0.1	0.9	26.22	92	6.2935	54.6154
2024	10	23	12	30	8	14.2	0.1	0.9	26.35	93.7	6.2935	54.8238
2024	10	23	12	40	8	14.2	0.1	0.9	27.65	93.5	6.2935	57.5336
2024	10	23	12	50	8	14.2	0.1	0.9	25.72	92.5	6.2935	53.5729
2024	10	23	13	0	8	13.8	0.1	0.9	27.46	93.8	6.2935	57.1166
2024	10	23	13	10	8	13.8	0.1	0.9	27.08	94.4	6.2935	56.2827
2024	10	23	13	20	8	14.2	0.1	0.9	27.94	93.1	6.2935	58.1587
2024	10	23	13	30	8	14	0.1	0.9	27.52	95.4	6.2935	57.1163
2024	10	23	13	40	8	14	0.1	0.9	27.85	93.5	6.2996	58.0086
2024	10	23	13	50	8	13.6	0.1	0.9	27.93	95.5	6.2996	58.0086
2024	10	23	14	0	8	13.6	0.1	0.9	26.36	93.9	6.2996	54.8785
2024	10	23	14	10	8	13.6	0.1	0.9	27.1	94.9	6.2996	56.3391
2024	10	23	14	20	8	13.6	0.1	0.9	26.52	91.9	6.2935	55.2399
2024	10	23	14	30	8	13.4	0.1	0.9	27.44	92.9	6.2935	57.1159
2024	10	23	14	40	8	13.4	0.1	0.9	27.85	93.5	6.2874	57.8911
2024	10	23	14	50	8	13.4	0.1	0.9	26.38	94.3	6.2935	54.8228
2024	10	23	15	0	8	13.4	0.1	0.9	26.97	96.4	6.2935	55.8651
2024	10	23	15	10	8	13.2	0.1	0.9	27.25	93.6	6.2935	56.6988
2024	10	23	15	20	8	13.2	0.1	0.9	28.5	94.8	6.2874	59.1404
2024	10	23	15	30	8	13.2	0.1	0.9	27.03	92.5	6.2874	56.2249
2024	10	23	15	40	8	13.2	0.1	0.9	26.42	92.4	6.2935	55.0311
2024	10	23	15	50	8	13.4	0.1	0.9	26.81	91.7	6.2874	55.8084

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	23	16	0	8	13.2	0.1	0.9	28.11	91.6	6.2874	58.5155
2024	10	23	16	10	8	13.2	0.1	0.9	26.72	92.1	6.2935	55.6563
2024	10	23	16	20	8	13.2	0.1	0.9	27.74	92.9	6.2874	57.6825
2024	10	23	16	30	8	13.2	0.1	0.9	26.94	95.8	6.2935	55.8647
2024	10	23	16	40	8	13.2	0.1	0.9	27.45	93.3	6.2874	57.0577
2024	10	23	16	50	8	13.2	0.1	0.9	26.91	95.1	6.2874	55.8082
2024	10	23	17	0	8	13.2	0.1	0.9	27.43	95.6	6.2935	56.9069
2024	10	23	17	10	8	13.2	0.1	0.9	25.91	91.5	6.2935	53.9886
2024	10	23	17	20	8	12	0.1	0.9	27.95	93.3	6.2996	58.2164
2024	10	23	17	30	8	11.8	0.1	0.9	26.35	93.7	6.2996	54.8778
2024	10	23	17	40	8	11.8	0.1	0.9	27.43	92.7	6.2996	57.173
2024	10	23	17	50	8	11.8	0.1	0.9	28.23	92.8	6.2996	58.8423
2024	10	23	18	0	8	11.8	0.1	0.9	27.42	92.1	6.2996	57.173
2024	10	23	18	10	8	12.2	0.1	0.9	27.12	92.3	6.2996	56.547
2024	10	23	18	20	8	12.2	0.1	0.9	26.41	91.5	6.2996	55.0864
2024	10	23	18	30	8	12.2	0.1	0.9	26.95	93.6	6.2996	56.1297
2024	10	23	18	40	8	12.2	0.1	0.9	27.17	94	6.2996	56.5471
2024	10	23	18	50	8	12.2	0.1	0.9	27.43	92.7	6.3057	57.2307
2024	10	23	19	0	8	12.2	0.1	0.9	26.43	92.6	6.2996	55.0864
2024	10	23	19	10	8	12.2	0.1	0.9	27.12	95.5	6.3057	56.3953
2024	10	23	19	20	8	12.2	0.1	0.9	27.54	93.1	6.3057	57.4397
2024	10	23	19	30	8	12.2	0.1	0.9	26.2	90	6.3057	54.7243
2024	10	23	19	40	8	12.2	0.1	0.9	27.53	92.5	6.3057	57.4397
2024	10	23	19	50	8	12.2	0.1	0.9	26.72	91.9	6.3057	55.7687
2024	10	23	20	0	8	12.2	0.1	0.9	27.23	92.5	6.3057	56.8131
2024	10	23	20	10	8	12.2	0.1	0.9	26.5	90	6.3057	55.351
2024	10	23	20	20	8	12.2	0.1	0.9	27.73	92.7	6.3057	57.8575
2024	10	23	20	30	8	12.2	0.1	0.9	27.43	92.7	6.3057	57.2309
2024	10	23	20	40	8	12.2	0.1	0.9	26.28	94.4	6.3057	54.7245
2024	10	23	20	50	8	12.2	0.1	0.9	27.23	92.5	6.3057	56.8132
2024	10	23	21	0	8	12.2	0.1	0.9	27.01	95.1	6.3057	56.1866
2024	10	23	21	10	8	12.2	0.1	0.9	26.42	92.4	6.3057	55.1423
2024	10	23	21	20	8	12.2	0.1	0.9	26.85	93.4	6.3057	55.9778
2024	10	23	21	30	8	12.2	0.1	0.9	27.35	93.6	6.3057	57.0222
2024	10	23	21	40	8	12	0.1	0.9	26.33	92.8	6.3057	54.9335
2024	10	23	21	50	8	12	0.1	0.9	27.64	93.1	6.3057	57.6489
2024	10	23	22	0	8	12	0.1	0.9	27.04	93.2	6.3057	56.3957
2024	10	23	22	10	8	12	0.1	0.9	27.12	92.3	6.3057	56.6046
2024	10	23	22	20	8	12	0.1	0.9	26	90	6.3057	54.307
2024	10	23	22	30	8	12	0.1	0.9	27.12	92.1	6.3057	56.6046
2024	10	23	22	40	8	12	0.1	0.9	27.8	95	6.3057	57.8579
2024	10	23	22	50	8	12	0.1	0.9	28.14	93.1	6.3057	58.6934
2024	10	23	23	0	8	12	0.1	0.9	27.43	92.7	6.3057	57.2314
2024	10	23	23	10	8	12	0.1	0.9	26.73	92.8	6.3118	55.8255
2024	10	23	23	20	8	12	0.1	0.9	27.74	92.9	6.3118	57.9164
2024	10	23	23	30	8	12	0.1	0.9	28.13	92.6	6.3118	58.7528
2024	10	23	23	40	8	12	0.1	0.9	27.96	93.7	6.3057	58.2759
2024	10	23	23	50	8	12	0.1	0.9	29.01	94.9	6.3118	60.4255

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	24	0	0	8	12	0.1	0.9	27.78	94.3	6.3057	57.8582
2024	10	24	0	10	8	12	0.1	0.9	26.41	91.7	6.3118	55.1984
2024	10	24	0	20	8	12	0.1	0.9	27.53	92.7	6.3118	57.4984
2024	10	24	0	30	8	12	0.1	0.9	26.93	92.8	6.3118	56.2439
2024	10	24	0	40	8	12	0.1	0.9	27.82	95.4	6.3118	57.9167
2024	10	24	0	50	8	12	0.1	0.9	26.92	92.3	6.3118	56.244
2024	10	24	1	0	8	12	0.1	0.9	26.55	93.7	6.3118	55.4077
2024	10	24	1	10	8	12	0.1	0.9	28.23	92.8	6.3118	58.9622
2024	10	24	1	20	8	12	0.1	0.9	26.83	92.6	6.3118	56.035
2024	10	24	1	30	8	12	0.1	0.9	28.44	93	6.3118	59.3805
2024	10	24	1	40	8	12	0.1	0.9	28.02	92.2	6.3118	58.5442
2024	10	24	1	50	8	12	0.1	0.9	27.35	93.6	6.3118	57.0806
2024	10	24	2	0	8	12	0.1	0.9	27.46	93.8	6.3118	57.2897
2024	10	24	2	10	8	12	0.1	0.9	27.34	93.1	6.3118	57.0807
2024	10	24	2	20	8	12	0.1	0.9	28.21	95.1	6.3118	58.7534
2024	10	24	2	30	8	12	0.1	0.9	27.65	93.3	6.3179	57.7661
2024	10	24	2	40	8	12	0.1	0.9	28.04	93.1	6.3179	58.6034
2024	10	24	2	50	8	12	0.1	0.9	26.94	93.2	6.3179	56.3011
2024	10	24	3	0	8	12	0.1	0.9	28.01	91.8	6.324	58.6624
2024	10	24	3	10	8	12	0.1	0.9	28.31	91.8	6.324	59.291
2024	10	24	3	20	8	12	0.1	0.9	27.75	93.5	6.3301	58.0923
2024	10	24	3	30	8	12	0.1	0.9	28.48	94.2	6.3301	59.5604
2024	10	24	3	40	8	12	0.1	0.9	27.21	91.5	6.3301	57.0438
2024	10	24	3	50	8	12	0.1	0.9	27.68	94.4	6.3362	57.9409
2024	10	24	4	0	8	12	0.1	0.9	27.12	92.1	6.3362	56.8912
2024	10	24	4	10	8	12	0.1	0.9	26.9	91.1	6.3362	56.4714
2024	10	24	4	20	8	12	0.1	0.9	27.27	94.2	6.3362	57.1012
2024	10	24	4	30	8	12	0.1	0.9	27.15	93.4	6.3362	56.8913
2024	10	24	4	40	8	12	0.1	0.9	26.94	93.2	6.3362	56.4715
2024	10	24	4	50	8	12	0.1	0.9	27.37	94	6.3362	57.3112
2024	10	24	5	0	8	11.8	0.1	0.9	27.11	91.7	6.3362	56.8914
2024	10	24	5	10	8	11.8	0.1	0.9	28.55	95.8	6.3362	59.6205
2024	10	24	5	20	8	11.8	0.1	0.9	27.55	93.5	6.3362	57.7312
2024	10	24	5	30	8	11.8	0.1	0.9	28.28	94.3	6.3362	59.2007
2024	10	24	5	40	8	11.8	0.1	0.9	26.96	93.8	6.3362	56.4716
2024	10	24	5	50	8	11.8	0.1	0.9	28.2	94.9	6.3362	58.9908
2024	10	24	6	0	8	11.8	0.1	0.9	27.65	93.3	6.3362	57.9412
2024	10	24	6	10	8	11.8	0.1	0.9	27.43	92.7	6.3362	57.5213
2024	10	24	6	20	8	11.8	0.1	0.9	26.94	93	6.3362	56.4717
2024	10	24	6	30	8	11.8	0.1	0.9	26.43	92.6	6.3362	55.422
2024	10	24	6	40	8	11.8	0.1	0.9	26.92	92.3	6.3362	56.4717
2024	10	24	6	50	8	11.8	0.1	0.9	27.35	93.4	6.3362	57.3115
2024	10	24	7	0	8	11.8	0.1	0.9	27.69	94.6	6.3362	57.9413
2024	10	24	7	10	8	11.8	0.1	0.9	26.51	91.7	6.3362	55.6321
2024	10	24	7	20	8	11.8	0.1	0.9	27.42	92.3	6.3362	57.5215
2024	10	24	7	30	8	11.8	0.1	0.9	28.16	93.9	6.3362	58.991
2024	10	24	7	40	8	11.8	0.1	0.9	27.75	93.5	6.3423	58.2096
2024	10	24	7	50	8	11.8	0.1	0.9	27.24	93.2	6.3362	57.1016

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	24	8	0	8	11.8	0.1	0.9	27.33	92.7	6.3362	57.3116
2024	10	24	8	10	8	11.8	0.1	0.9	26.77	94.3	6.3362	56.052
2024	10	24	8	20	8	11.8	0.1	0.9	27.75	93.5	6.3423	58.2096
2024	10	24	8	30	8	11.8	0.1	0.9	27.34	92.9	6.3423	57.3691
2024	10	24	8	40	8	11.8	0.1	0.9	27.92	95.3	6.3362	58.3612
2024	10	24	8	50	8	11.8	0.1	0.9	26.92	91.9	6.3362	56.4718
2024	10	24	9	0	8	12	0.1	0.9	26.92	91.9	6.3362	56.4718
2024	10	24	9	10	8	12	0.1	0.9	27.74	93.1	6.3362	58.1513
2024	10	24	9	20	8	12	0.1	0.9	27.71	91.4	6.3362	58.1512
2024	10	24	9	30	8	12.2	0.1	0.9	27.53	92.7	6.3362	57.7314
2024	10	24	9	40	8	12.2	0.1	0.9	27.17	94	6.3362	56.8916
2024	10	24	9	50	8	12.4	0.1	0.9	28.11	95.1	6.3362	58.781
2024	10	24	10	0	8	12.6	0.1	0.9	27.95	93.3	6.3362	58.571
2024	10	24	10	10	8	12.8	0.1	0.9	27.42	92.1	6.3362	57.5213
2024	10	24	10	20	8	12.8	0.1	0.9	27.23	92.5	6.3362	57.1014
2024	10	24	10	30	8	13	0.1	0.9	27.75	93.5	6.3362	58.1511
2024	10	24	10	40	8	13.4	0.1	0.9	26.97	94.3	6.3362	56.4715
2024	10	24	10	50	8	13	0.1	0.9	27.48	94.4	6.3362	57.5212
2024	10	24	11	1	20	13.6	0.1	0.9	26.51	91.7	6.3362	55.6317
2024	10	24	11	11	20	13.6	0.1	0.9	27.76	93.7	6.3362	58.1509
2024	10	24	11	21	20	14	0.1	0.9	27.13	92.5	6.3362	56.8912
2024	10	24	11	31	20	14.2	0.1	0.9	28.35	95.9	6.3362	59.2004
2024	10	24	11	41	20	13.6	0.1	0.9	27.91	91.8	6.3362	58.5705
2024	10	24	11	51	20	13.8	0.1	0.9	27.67	93.9	6.3362	57.9407
2024	10	24	12	1	20	13.4	0.1	0.9	27.83	92.7	6.3362	58.3605
2024	10	24	12	11	20	14.2	0.1	0.9	26.87	94.3	6.3362	56.2611
2024	10	24	12	21	20	13.8	0.1	0.9	26.87	94.3	6.3301	56.2046
2024	10	24	12	31	20	13.4	0.1	0.9	27.05	93.6	6.3301	56.624
2024	10	24	12	41	20	14	0.1	0.9	26.66	93.9	6.324	55.7291
2024	10	24	12	51	20	14.2	0.1	0.9	27.11	95.1	6.3179	56.5101
2024	10	24	13	1	20	13.8	0.1	0.9	26.23	92.8	6.3179	54.8357
2024	10	24	13	11	20	13.6	0.1	0.9	26.84	93.2	6.3179	56.0914
2024	10	24	13	21	20	14.2	0.1	0.9	27.45	93.3	6.3179	57.3471
2024	10	24	13	31	20	14.2	0.1	0.9	27.74	92.9	6.3179	57.9749
2024	10	24	13	41	20	13.6	0.1	0.9	26.9	90.6	6.3179	56.3005
2024	10	24	13	51	20	13.4	0.1	0.9	27	90.8	6.3179	56.5098
2024	10	24	14	1	20	13.4	0.1	0.9	27.15	93.6	6.3179	56.719
2024	10	24	14	11	20	14.2	0.1	0.9	27	90	6.3179	56.5097
2024	10	24	14	21	20	13.8	0.1	0.9	27.73	92.7	6.3179	57.9747
2024	10	24	14	31	20	14.2	0.1	0.9	26.84	93.2	6.3179	56.091
2024	10	24	14	41	20	14.2	0.1	0.9	27.7	94.8	6.3179	57.7653
2024	10	24	14	51	20	13.8	0.1	0.9	26.7	90.6	6.3179	55.8816
2024	10	24	15	1	20	14	0.1	0.9	27.18	94.4	6.3179	56.7187
2024	10	24	15	11	20	14	0.1	0.9	27.35	93.6	6.3179	57.1373
2024	10	24	15	21	20	13.8	0.1	0.9	26.82	92.1	6.3179	56.0908
2024	10	24	15	31	20	13.8	0.1	0.9	28.65	93.4	6.3179	59.858
2024	10	24	15	41	20	13.8	0.1	0.9	27.15	93.4	6.3179	56.7186
2024	10	24	15	51	20	13.4	0.1	0.9	26.8	91.1	6.3179	56.0907

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	24	16	1	20	13.4	0.1	0.9	27.75	93.5	6.3179	57.9743
2024	10	24	16	11	20	13.4	0.1	0.9	27.75	93.3	6.3179	57.9743
2024	10	24	16	21	20	13.4	0.1	0.9	28.93	92.8	6.3179	60.4858
2024	10	24	16	31	20	13.4	0.1	0.9	27.31	91.7	6.3179	57.1371
2024	10	24	16	41	20	13.4	0.1	0.9	26.73	92.8	6.3179	55.8813
2024	10	24	16	51	20	13.2	0.1	0.9	27.43	92.7	6.324	57.4041
2024	10	24	17	1	20	12.8	0.1	0.9	27.65	93.3	6.324	57.8231
2024	10	24	17	11	20	12.8	0.1	0.9	28.26	93.7	6.324	59.0801
2024	10	24	17	21	20	12.4	0.1	0.9	27.61	95.2	6.324	57.6136
2024	10	24	17	31	20	12.2	0.1	0.9	28.13	92.9	6.324	58.8706
2024	10	24	17	41	20	12.2	0.1	0.9	27.91	91.8	6.324	58.4516
2024	10	24	17	51	20	12.2	0.1	0.9	27.89	94.7	6.324	58.2421
2024	10	24	18	1	20	12.2	0.1	0.9	28.43	92.8	6.324	59.4991
2024	10	24	18	11	20	12.2	0.1	0.9	26.91	91.3	6.324	56.3565
2024	10	24	18	21	20	12.2	0.1	0.9	26.95	93.6	6.324	56.3566
2024	10	24	18	31	20	12.2	0.1	0.9	26.4	90.2	6.324	55.309
2024	10	24	18	41	20	12.2	0.1	0.9	27.15	93.4	6.324	56.7756
2024	10	24	18	51	20	12.2	0.1	0.9	28.23	92.6	6.324	59.0801
2024	10	24	19	1	20	12.2	0.1	0.9	28.03	92.7	6.324	58.6611
2024	10	24	19	11	20	12.2	0.1	0.9	27.21	91.9	6.324	56.9851
2024	10	24	19	21	20	12.2	0.1	0.9	27.06	93.8	6.324	56.5661
2024	10	24	19	31	20	12.2	0.1	0.9	27.22	92.1	6.3179	56.9279
2024	10	24	19	41	20	12.2	0.1	0.9	27.68	94.4	6.324	57.8232
2024	10	24	19	51	20	12.2	0.1	0.9	27.96	93.9	6.324	58.4517
2024	10	24	20	1	20	12.2	0.1	0.9	28.63	92.4	6.324	59.9183
2024	10	24	20	11	20	12.2	0.1	0.9	27.75	93.5	6.324	58.0328
2024	10	24	20	21	20	12.2	0.1	0.9	28.1	91	6.324	58.8708
2024	10	24	20	31	20	12.2	0.1	0.9	27.89	94.5	6.324	58.2424
2024	10	24	20	41	20	12.2	0.1	0.9	26.03	92.9	6.324	54.4713
2024	10	24	20	51	20	12.2	0.1	0.9	27.65	93.5	6.324	57.8234
2024	10	24	21	1	20	12	0.1	0.9	27.8	91	6.324	58.2425
2024	10	24	21	11	20	12	0.1	0.9	27.73	92.7	6.324	58.033
2024	10	24	21	21	20	12	0.1	0.9	26.85	93.6	6.324	56.1475
2024	10	24	21	31	20	12	0.1	0.9	27.55	93.5	6.324	57.6141
2024	10	24	21	41	20	12	0.1	0.9	27.37	94.2	6.324	57.1951
2024	10	24	21	51	20	12	0.1	0.9	28.23	92.8	6.324	59.0807
2024	10	24	22	1	20	12	0.1	0.9	27.93	92.7	6.324	58.4522
2024	10	24	22	11	20	12	0.1	0.9	27.7	89.4	6.324	58.0332
2024	10	24	22	21	20	12	0.1	0.9	28.03	92.9	6.324	58.6618
2024	10	24	22	31	20	12	0.1	0.9	26.71	91.3	6.324	55.9382
2024	10	24	22	41	20	12	0.1	0.9	26.45	93.7	6.324	55.3097
2024	10	24	22	51	20	12	0.1	0.9	27.44	93.1	6.324	57.4048
2024	10	24	23	1	20	12	0.1	0.9	29.15	93.3	6.3301	61.0278
2024	10	24	23	11	20	12	0.1	0.9	27.77	94.1	6.3301	58.0918
2024	10	24	23	21	20	12	0.1	0.9	27.02	92.3	6.3301	56.6238
2024	10	24	23	31	20	12	0.1	0.9	27.75	93.3	6.3362	58.1503
2024	10	24	23	41	20	12	0.1	0.9	27.21	91.7	6.3362	57.1007
2024	10	24	23	51	20	12	0.1	0.9	27.52	92.3	6.3362	57.7305

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	25	0	1	20	12	0.1	0.9	27.16	93.8	6.3423	56.9479
2024	10	25	0	11	20	12	0.1	0.9	27.34	92.9	6.3423	57.3682
2024	10	25	0	21	20	12	0.1	0.9	27.24	92.9	6.3423	57.1581
2024	10	25	0	31	20	12	0.1	0.9	27	90.6	6.3423	56.7379
2024	10	25	0	41	20	12	0.1	0.9	27.61	95.2	6.3423	57.7887
2024	10	25	0	51	20	12	0.1	0.9	27.55	93.3	6.3423	57.7887
2024	10	25	1	1	20	12	0.1	0.9	26.75	93.4	6.3423	56.1076
2024	10	25	1	11	20	12	0.1	0.9	26.5	95	6.3423	55.4772
2024	10	25	1	21	20	12	0.1	0.9	27.44	93.1	6.3423	57.5787
2024	10	25	1	31	20	12	0.1	0.9	28.36	93.8	6.3423	59.47
2024	10	25	1	41	20	12	0.1	0.9	27.94	92.9	6.3423	58.6295
2024	10	25	1	51	20	12	0.1	0.9	26.53	92.8	6.3423	55.6876
2024	10	25	2	1	20	12	0.1	0.9	28.38	94.2	6.3423	59.4702
2024	10	25	2	11	20	12	0.1	0.9	26.13	92.6	6.3423	54.8471
2024	10	25	2	21	20	12	0.1	0.9	27.64	92.9	6.3423	57.9993
2024	10	25	2	31	20	12	0.1	0.9	27.13	92.7	6.3423	56.9486
2024	10	25	2	41	20	12	0.1	0.9	28.08	94.3	6.3423	58.8399
2024	10	25	2	51	20	12	0.1	0.9	27.75	93.5	6.3423	58.2095
2024	10	25	3	1	20	12	0.1	0.9	27.35	93.4	6.3423	57.369
2024	10	25	3	11	20	12	0.1	0.9	28.2	94.9	6.3423	59.0502
2024	10	25	3	21	20	12	0.1	0.9	27.7	90.8	6.3423	58.2097
2024	10	25	3	31	20	12	0.1	0.9	27.81	95.2	6.3423	58.2097
2024	10	25	3	41	20	12	0.1	0.9	26.34	93	6.3423	55.2677
2024	10	25	3	51	20	12	0.1	0.9	26.97	94	6.3423	56.5287
2024	10	25	4	1	20	12	0.1	0.9	27.25	93.4	6.3423	57.1591
2024	10	25	4	11	20	12	0.1	0.9	28.06	93.9	6.3423	58.8403
2024	10	25	4	21	20	11.8	0.1	0.9	27.28	94.4	6.3423	57.1592
2024	10	25	4	31	20	11.8	0.1	0.9	27.27	94.2	6.3423	57.1592
2024	10	25	4	41	20	11.8	0.1	0.9	27.11	91.7	6.3423	56.9491
2024	10	25	4	51	20	11.8	0.1	0.9	27.27	94	6.3423	57.1593
2024	10	25	5	1	20	11.8	0.1	0.9	27.54	93.1	6.3423	57.7898
2024	10	25	5	11	20	11.8	0.1	0.9	27.01	91.5	6.3423	56.7391
2024	10	25	5	21	20	11.8	0.1	0.9	27.51	95.2	6.3423	57.5797
2024	10	25	5	31	20	11.8	0.1	0.9	28.5	90.2	6.3423	59.8913
2024	10	25	5	41	20	11.8	0.1	0.9	27.75	93.5	6.3423	58.2102
2024	10	25	5	51	20	11.8	0.1	0.9	27.52	92.3	6.3423	57.7899
2024	10	25	6	1	20	11.8	0.1	0.9	27.93	92.5	6.3423	58.6306
2024	10	25	6	11	20	11.8	0.1	0.9	27.81	91.9	6.3423	58.4204
2024	10	25	6	21	20	11.8	0.1	0.9	28.35	93.2	6.3423	59.4712
2024	10	25	6	31	20	11.8	0.1	0.9	27.43	92.7	6.3423	57.5799
2024	10	25	6	41	20	11.8	0.1	0.9	27.24	92.9	6.3423	57.1597
2024	10	25	6	51	20	11.8	0.1	0.9	27.17	94.2	6.3423	56.9495
2024	10	25	7	1	20	11.8	0.1	0.9	28.43	92.6	6.3423	59.6815
2024	10	25	7	11	20	11.8	0.1	0.9	28.23	92.4	6.3423	59.2612
2024	10	25	7	21	20	11.8	0.1	0.9	27.59	94.6	6.3423	57.7902
2024	10	25	7	31	20	11.8	0.1	0.9	27.63	92.7	6.3423	58.0004
2024	10	25	7	41	20	11.8	0.1	0.9	27.39	94.6	6.3423	57.37
2024	10	25	7	51	20	11.8	0.1	0.9	28.33	92.8	6.3423	59.4715

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	25	8	1	20	12.2	0.1	0.9	27	90.6	6.3423	56.7396
2024	10	25	8	11	20	12.6	0.1	0.9	27.96	93.7	6.3423	58.6309
2024	10	25	8	21	20	13	0.1	0.9	28.5	90.6	6.3423	59.8918
2024	10	25	8	31	20	13.2	0.1	0.9	28.12	92	6.3423	59.0512
2024	10	25	8	41	20	13.2	0.1	0.9	27.85	93.5	6.3423	58.4208
2024	10	25	8	51	20	13.2	0.1	0.9	27.55	93.5	6.3423	57.7903
2024	10	25	9	1	20	13.2	0.1	0.9	27.63	92.5	6.3423	58.0005
2024	10	25	9	11	20	13.4	0.1	0.9	27.29	94.6	6.3423	57.1599
2024	10	25	9	21	20	13.6	0.1	0.9	27.4	94.8	6.3423	57.37
2024	10	25	9	31	20	13.6	0.1	0.9	28.56	93.8	6.3423	59.8917
2024	10	25	9	41	20	13.6	0.1	0.9	27.96	93.7	6.3423	58.6308
2024	10	25	9	51	20	13.6	0.1	0.9	26.97	94	6.3423	56.5293
2024	10	25	10	1	20	13.6	0.1	0.9	26.95	93.6	6.3423	56.5293
2024	10	25	10	11	20	13.8	0.1	0.9	28.1	94.9	6.3423	58.8408
2024	10	25	10	21	20	13.8	0.1	0.9	27.63	92.7	6.3484	58.0583
2024	10	25	10	31	20	13.8	0.1	0.9	27.21	91.9	6.3484	57.2169
2024	10	25	10	41	20	14.2	0.1	0.9	28.38	94.2	6.3484	59.5307
2024	10	25	10	51	20	14.2	0.1	0.9	26.56	93.9	6.3484	55.7442
2024	10	25	11	1	20	13.8	0.1	0.9	28.11	95.1	6.3484	58.8995
2024	10	25	11	11	20	13.8	0.1	0.9	28.15	93.5	6.3484	59.1098
2024	10	25	11	21	20	14	0.1	0.9	26.51	95.2	6.3484	55.5337
2024	10	25	11	31	20	14.2	0.1	0.9	28.22	95.3	6.3484	59.1096
2024	10	25	11	41	20	14.2	0.1	0.9	26.95	93.6	6.3484	56.5853
2024	10	25	11	51	20	14.2	0.1	0.9	26.75	93.6	6.3484	56.1645
2024	10	25	12	1	20	14	0.1	0.9	25.9	88.9	6.3484	54.4816
2024	10	25	12	11	20	13.8	0.1	0.9	26.53	92.8	6.3484	55.7437
2024	10	25	12	21	20	14.2	0.1	0.9	26.96	93.8	6.3545	56.6417
2024	10	25	12	31	20	14.2	0.1	0.9	27.71	91.4	6.3545	58.3261
2024	10	25	12	41	20	14.2	0.1	0.9	27.8	90.8	6.3545	58.5366
2024	10	25	12	51	20	13.8	0.1	0.9	27.64	95.8	6.3545	57.9048
2024	10	25	13	1	20	13.4	0.1	0.9	28.15	93.3	6.3545	59.1681
2024	10	25	13	11	20	13.8	0.1	0.9	27.57	94.2	6.3545	57.9047
2024	10	25	13	21	20	14.2	0.1	0.9	27.72	92.1	6.3545	58.3257
2024	10	25	13	31	20	14.2	0.1	0.9	27.54	92.9	6.3545	57.9045
2024	10	25	13	41	20	13.8	0.1	0.9	27.64	92.9	6.3545	58.115
2024	10	25	13	51	20	14	0.1	0.9	29.18	94.3	6.3545	61.2734
2024	10	25	14	1	20	13.4	0.1	0.9	28.34	95.7	6.3545	59.3783
2024	10	25	14	11	20	13.4	0.1	0.9	27.67	94.1	6.3484	58.0567
2024	10	25	14	21	20	13.4	0.1	0.9	27.75	93.5	6.3484	58.267
2024	10	25	14	31	20	13.4	0.1	0.9	27.97	94.1	6.3484	58.6876
2024	10	25	14	41	20	13.4	0.1	0.9	27.17	94.2	6.3484	57.0048
2024	10	25	14	51	20	13.4	0.1	0.9	28.25	93.4	6.3484	59.3186
2024	10	25	15	1	20	13.2	0.1	0.9	27.35	93.6	6.3484	57.4254
2024	10	25	15	11	20	13.4	0.1	0.9	27.11	95.1	6.3484	56.7943
2024	10	25	15	21	20	13.4	0.1	0.9	28.28	94.3	6.3484	59.3184
2024	10	25	15	31	20	13.4	0.1	0.9	28.48	94.2	6.3423	59.6792
2024	10	25	15	41	20	13.4	0.1	0.9	28.94	93	6.3423	60.7299
2024	10	25	15	51	20	13.4	0.1	0.9	27.77	93.9	6.3423	58.2082

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	25	16	1	20	13.2	0.1	0.9	27.79	94.5	6.3423	58.2082
2024	10	25	16	11	20	13.4	0.1	0.9	27.33	92.7	6.3423	57.3676
2024	10	25	16	21	20	13.2	0.1	0.9	27.37	94.2	6.3423	57.3676
2024	10	25	16	31	20	13.2	0.1	0.9	27.27	94	6.3423	57.1574
2024	10	25	16	41	20	13.2	0.1	0.9	28.28	94.3	6.3423	59.2587
2024	10	25	16	51	20	13.2	0.1	0.9	27.05	93.6	6.3423	56.7371
2024	10	25	17	1	20	13	0.1	0.9	27.91	91.2	6.3484	58.6871
2024	10	25	17	11	20	13	0.1	0.9	27.51	91.5	6.3423	57.7877
2024	10	25	17	21	20	12.2	0.1	0.9	27.89	94.7	6.3484	58.4767
2024	10	25	17	31	20	12.2	0.1	0.9	27.85	93.5	6.3423	58.4181
2024	10	25	17	41	20	12.2	0.1	0.9	28.05	93.5	6.3423	58.8384
2024	10	25	17	51	20	12.2	0.1	0.9	27.23	92.5	6.3423	57.1573
2024	10	25	18	1	20	12.2	0.1	0.9	28.41	91.2	6.3423	59.6789
2024	10	25	18	11	20	12.2	0.1	0.9	27.31	91.9	6.3423	57.3674
2024	10	25	18	21	20	12.2	0.1	0.9	27.42	92.3	6.3423	57.5775
2024	10	25	18	31	20	12.2	0.1	0.9	27.19	94.6	6.3423	56.9471
2024	10	25	18	41	20	12.2	0.1	0.9	27.03	92.5	6.3362	56.6801
2024	10	25	18	51	20	12.2	0.1	0.9	28.04	93.1	6.3484	58.8974
2024	10	25	19	1	20	12.2	0.1	0.9	26.77	94.3	6.3484	56.1628
2024	10	25	19	11	20	12.2	0.1	0.9	27.58	94.4	6.3484	57.8457
2024	10	25	19	21	20	12.2	0.1	0.9	27.67	94.1	6.3484	58.056
2024	10	25	19	31	20	12.2	0.1	0.9	27.1	91.1	6.3484	57.0043
2024	10	25	19	41	20	12.2	0.1	0.9	28.45	93.2	6.3423	59.679
2024	10	25	19	51	20	12.2	0.1	0.9	26.72	92.4	6.3484	56.1629
2024	10	25	20	1	20	12.2	0.1	0.9	27.74	92.9	6.3484	58.2665
2024	10	25	20	11	20	12.2	0.1	0.9	27.22	92.3	6.3484	57.2147
2024	10	25	20	21	20	12.2	0.1	0.9	26.26	93.7	6.3484	55.1113
2024	10	25	20	31	20	12.2	0.1	0.9	28.22	92.2	6.3484	59.3183
2024	10	25	20	41	20	12.2	0.1	0.9	28.83	92.8	6.3484	60.5804
2024	10	25	20	51	20	12.2	0.1	0.9	28.43	92.4	6.3484	59.739
2024	10	25	21	1	20	12	0.1	0.9	26.4	90.9	6.3484	55.5321
2024	10	25	21	11	20	12	0.1	0.9	27.24	92.9	6.3484	57.2149
2024	10	25	21	21	20	12	0.1	0.9	28.01	91.2	6.3484	58.8978
2024	10	25	21	31	20	12	0.1	0.9	26.3	91.1	6.3484	55.3219
2024	10	25	21	41	20	12	0.1	0.9	28.76	93.6	6.3484	60.3703
2024	10	25	21	51	20	12	0.1	0.9	27.77	94.1	6.3484	58.2668
2024	10	25	22	1	20	12	0.1	0.9	28.23	92.8	6.3484	59.3186
2024	10	25	22	11	20	12	0.1	0.9	27.82	92.3	6.3484	58.4772
2024	10	25	22	21	20	12	0.1	0.9	27.01	91.9	6.3484	56.7945
2024	10	25	22	31	20	12	0.1	0.9	27.24	92.9	6.3484	57.2152
2024	10	25	22	41	20	12	0.1	0.9	27.77	93.9	6.3484	58.267
2024	10	25	22	51	20	12	0.1	0.9	27.13	92.7	6.3484	57.0049
2024	10	25	23	1	20	12	0.1	0.9	28.14	93.1	6.3484	59.1085
2024	10	25	23	11	20	12	0.1	0.9	26.96	93.8	6.3484	56.5843
2024	10	25	23	21	20	12	0.1	0.9	27.93	92.7	6.3484	58.6878
2024	10	25	23	31	20	12	0.1	0.9	26.42	92.2	6.3484	55.5326
2024	10	25	23	41	20	12	0.1	0.9	26.4	91.1	6.3484	55.5327
2024	10	25	23	51	20	12	0.1	0.9	27.51	91.2	6.3484	57.8466

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	26	0	1	20	12	0.1	0.9	27.65	93.3	6.3423	57.9988
2024	10	26	0	11	20	12	0.1	0.9	27.57	94.2	6.3423	57.7887
2024	10	26	0	21	20	12	0.1	0.9	27.12	92.3	6.3423	56.9482
2024	10	26	0	31	20	12	0.1	0.9	27.97	94.1	6.3423	58.6293
2024	10	26	0	41	20	12	0.1	0.9	28.02	92	6.3423	58.8395
2024	10	26	0	51	20	12	0.1	0.9	27.55	93.3	6.3423	57.7889
2024	10	26	1	1	20	12	0.1	0.9	27.86	93.9	6.3423	58.4193
2024	10	26	1	11	20	12	0.1	0.9	28.49	94.4	6.3423	59.6802
2024	10	26	1	21	20	12	0.1	0.9	27.95	93.3	6.3423	58.6295
2024	10	26	1	31	20	12	0.1	0.9	26.98	94.5	6.3423	56.5282
2024	10	26	1	41	20	12	0.1	0.9	26.74	93.2	6.3423	56.1079
2024	10	26	1	51	20	12	0.1	0.9	26.93	92.6	6.3423	56.5282
2024	10	26	2	1	20	12	0.1	0.9	28.85	93.4	6.3423	60.521
2024	10	26	2	11	20	12	0.1	0.9	26.93	92.6	6.3423	56.5283
2024	10	26	2	21	20	12	0.1	0.9	26.15	93.5	6.3423	54.8472
2024	10	26	2	31	20	12	0.1	0.9	26.65	93.4	6.3362	55.8419
2024	10	26	2	41	20	12	0.1	0.9	27.83	92.7	6.3423	58.4197
2024	10	26	2	51	20	12	0.1	0.9	27.55	93.5	6.3362	57.7314
2024	10	26	3	1	20	12	0.1	0.9	26.83	92.8	6.3362	56.2619
2024	10	26	3	11	20	12	0.1	0.9	27.95	93.5	6.3362	58.5712
2024	10	26	3	21	20	12	0.1	0.9	27.23	92.5	6.3362	57.1017
2024	10	26	3	31	20	12	0.1	0.9	26.86	93.8	6.3362	56.262
2024	10	26	3	41	20	12	0.1	0.9	27.55	93.5	6.3362	57.7315
2024	10	26	3	51	20	12	0.1	0.9	26.45	93.7	6.3362	55.4223
2024	10	26	4	1	20	12	0.1	0.9	27.21	91.5	6.3362	57.1018
2024	10	26	4	11	20	12	0.1	0.9	27.7	90	6.3362	58.1515
2024	10	26	4	21	20	12	0.1	0.9	27.02	92.1	6.3362	56.682
2024	10	26	4	31	20	12	0.1	0.9	26.93	92.8	6.3362	56.4721
2024	10	26	4	41	20	12	0.1	0.9	27.4	94.8	6.3362	57.3119
2024	10	26	4	51	20	12	0.1	0.9	26.73	92.6	6.3362	56.0523
2024	10	26	5	1	20	12	0.1	0.9	27.53	92.7	6.3362	57.7318
2024	10	26	5	11	20	11.8	0.1	0.9	27.25	93.6	6.3301	57.0447
2024	10	26	5	21	20	11.8	0.1	0.9	26.63	92.8	6.3362	55.8424
2024	10	26	5	31	20	11.8	0.1	0.9	27.25	93.4	6.3301	57.0448
2024	10	26	5	41	20	11.8	0.1	0.9	26.4	90.9	6.3301	55.367
2024	10	26	5	51	20	11.8	0.1	0.9	27.75	93.3	6.3301	58.0934
2024	10	26	6	1	20	11.8	0.1	0.9	27.99	94.5	6.3301	58.5129
2024	10	26	6	11	20	11.8	0.1	0.9	27.13	92.7	6.3301	56.8351
2024	10	26	6	21	20	11.8	0.1	0.9	27.08	94.4	6.3301	56.6254
2024	10	26	6	31	20	11.8	0.1	0.9	27.9	90.4	6.3301	58.513
2024	10	26	6	41	20	11.8	0.1	0.9	27.81	91.4	6.3301	58.3033
2024	10	26	6	51	20	11.8	0.1	0.9	25.65	93.6	6.3301	53.6894
2024	10	26	7	1	20	11.8	0.1	0.9	27.25	93.6	6.3301	57.045
2024	10	26	7	11	20	11.8	0.1	0.9	26.44	93	6.3301	55.3672
2024	10	26	7	21	20	11.8	0.1	0.9	27.43	92.5	6.3301	57.4644
2024	10	26	7	31	20	11.8	0.1	0.9	27.2	90	6.3301	57.045
2024	10	26	7	41	20	11.8	0.1	0.9	27.25	93.6	6.3301	57.045
2024	10	26	7	51	20	11.8	0.1	0.9	27.74	92.9	6.3301	58.0937

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	26	8	1	20	12	0.1	0.9	27.82	92.1	6.3301	58.3034
2024	10	26	8	11	20	12.2	0.1	0.9	28.35	93.2	6.3301	59.352
2024	10	26	8	21	20	12.6	0.1	0.9	26.11	91.8	6.324	54.6831
2024	10	26	8	31	20	12.8	0.1	0.9	27.12	95.3	6.324	56.5687
2024	10	26	8	41	20	13	0.1	0.9	27.78	94.3	6.324	58.0353
2024	10	26	8	51	20	13	0.1	0.9	27.45	93.3	6.324	57.4068
2024	10	26	9	1	20	13	0.1	0.9	27.89	94.5	6.324	58.2448
2024	10	26	9	11	20	13.2	0.1	0.9	26.92	91.9	6.324	56.3592
2024	10	26	9	21	20	13.2	0.1	0.9	26.53	92.6	6.324	55.5211
2024	10	26	9	31	20	13.4	0.1	0.9	26.92	92.3	6.324	56.3591
2024	10	26	9	41	20	13.2	0.1	0.9	27.24	92.9	6.324	56.9876
2024	10	26	9	51	20	13.2	0.1	0.9	27.63	92.7	6.324	57.8256
2024	10	26	10	1	20	13.4	0.1	0.9	27.15	93.6	6.324	56.778
2024	10	26	10	11	20	13.4	0.1	0.9	26.35	93.7	6.324	55.1019
2024	10	26	10	21	20	13.4	0.1	0.9	27.59	94.6	6.324	57.616
2024	10	26	10	31	20	13.4	0.1	0.9	28.18	94.3	6.324	58.873
2024	10	26	10	41	20	13.4	0.1	0.9	27.25	93.4	6.324	56.9873
2024	10	26	10	51	20	13.4	0.1	0.9	27.4	90.6	6.3179	57.3486
2024	10	26	11	1	20	14.2	0.1	0.9	28.33	92.6	6.324	59.2918
2024	10	26	11	11	20	14.2	0.1	0.9	26.06	93.7	6.3179	54.4182
2024	10	26	11	21	20	14.2	0.1	0.9	26.74	93.2	6.3179	55.8833
2024	10	26	11	31	20	14.2	0.1	0.9	27.03	92.8	6.3057	56.3973
2024	10	26	11	41	20	14.2	0.1	0.9	28.25	93.2	6.3057	58.9038
2024	10	26	11	51	20	14.2	0.1	0.9	27.75	93.5	6.3057	57.8593
2024	10	26	12	1	20	14.2	0.1	0.9	26.83	92.8	6.3057	55.9794
2024	10	26	12	11	20	14	0.1	0.9	27.67	93.9	6.2996	57.5922
2024	10	26	12	21	20	14.2	0.1	0.9	27.51	91.5	6.3057	57.4414
2024	10	26	12	31	20	14.2	0.1	0.9	27.43	92.5	6.3057	57.2324
2024	10	26	12	41	20	14.2	0.1	0.9	27.12	92.1	6.3057	56.6057
2024	10	26	12	51	20	14	0.1	0.9	26.96	93.8	6.2996	56.1313
2024	10	26	13	1	20	13.8	0.1	0.9	26.82	95.3	6.2996	55.7139
2024	10	26	13	11	20	13.8	0.1	0.9	26.82	92.4	6.2996	55.9225
2024	10	26	13	21	20	14.2	0.1	0.9	27.4	90.8	6.2996	57.1744
2024	10	26	13	31	20	13.8	0.1	0.9	26.22	92	6.2996	54.6703
2024	10	26	13	41	20	13.8	0.1	0.9	26.63	92.8	6.2996	55.505
2024	10	26	13	51	20	13.8	0.1	0.9	27.73	92.5	6.2996	57.8002
2024	10	26	14	1	20	13.4	0.1	0.9	27.55	93.5	6.2996	57.3828
2024	10	26	14	11	20	13.6	0.1	0.9	27.72	95.4	6.2996	57.5914
2024	10	26	14	21	20	13.6	0.1	0.9	27.3	91	6.2996	56.9654
2024	10	26	14	31	20	13.4	0.1	0.9	26.73	95.6	6.2996	55.5047
2024	10	26	14	41	20	13.4	0.1	0.9	26.66	93.9	6.2996	55.5046
2024	10	26	14	51	20	13.4	0.1	0.9	28.36	93.6	6.2996	59.0519
2024	10	26	15	1	20	13.2	0.1	0.9	27.66	93.7	6.2996	57.5912
2024	10	26	15	11	20	13.4	0.1	0.9	26.45	93.7	6.2996	55.0872
2024	10	26	15	21	20	13.4	0.1	0.9	27.11	91.7	6.2996	56.5477
2024	10	26	15	31	20	13.4	0.1	0.9	26.65	93.7	6.2996	55.5044
2024	10	26	15	41	20	13.4	0.1	0.9	28.05	93.5	6.2996	58.4256
2024	10	26	15	51	20	13.4	0.1	0.9	27.24	92.9	6.2996	56.7563

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	26	16	1	20	13.2	0.1	0.9	27.48	94.4	6.2996	57.1736
2024	10	26	16	11	20	13.2	0.1	0.9	27.24	92.9	6.2996	56.7562
2024	10	26	16	21	20	13.2	0.1	0.9	26.95	93.6	6.2996	56.1302
2024	10	26	16	31	20	13.2	0.1	0.9	27.65	93.5	6.2996	57.5908
2024	10	26	16	41	20	12.4	0.1	0.9	26.82	92.1	6.3057	55.978
2024	10	26	16	51	20	12.4	0.1	0.9	28.64	93	6.2996	59.6774
2024	10	26	17	1	20	12.4	0.1	0.9	27.92	92.3	6.3057	58.2755
2024	10	26	17	11	20	12.4	0.1	0.9	28.1	90.6	6.3057	58.6933
2024	10	26	17	21	20	12.2	0.1	0.9	27.24	92.9	6.3057	56.8134
2024	10	26	17	31	20	12.2	0.1	0.9	27.11	91.9	6.3057	56.6045
2024	10	26	17	41	20	12.2	0.1	0.9	27.1	90.2	6.3057	56.6045
2024	10	26	17	51	20	12.2	0.1	0.9	26.63	92.8	6.3057	55.5601
2024	10	26	18	1	20	12.2	0.1	0.9	27.28	94.4	6.3057	56.8134
2024	10	26	18	11	20	12.2	0.1	0.9	26.93	92.8	6.3057	56.1867
2024	10	26	18	21	20	12.2	0.1	0.9	26.68	94.5	6.3057	55.5601
2024	10	26	18	31	20	12.2	0.1	0.9	27.79	94.5	6.3057	57.8577
2024	10	26	18	41	20	12.2	0.1	0.9	26.44	93	6.3057	55.1424
2024	10	26	18	51	20	12.2	0.1	0.9	25.56	94	6.3057	53.2625
2024	10	26	19	1	20	12.2	0.1	0.9	26.62	92.4	6.3118	55.6162
2024	10	26	19	11	20	12.2	0.1	0.9	26.83	92.6	6.3057	55.9779
2024	10	26	19	21	20	12.2	0.1	0.9	27.24	92.9	6.3118	56.8707
2024	10	26	19	31	20	12.2	0.1	0.9	26.83	92.8	6.3118	56.0344
2024	10	26	19	41	20	12.2	0.1	0.9	26.95	93.6	6.3118	56.2435
2024	10	26	19	51	20	12.2	0.1	0.9	27.93	92.7	6.3118	58.3343
2024	10	26	20	1	20	12.2	0.1	0.9	28.31	91.8	6.3118	59.1707
2024	10	26	20	11	20	12.2	0.1	0.9	27.67	93.9	6.3118	57.7071
2024	10	26	20	21	20	12.2	0.1	0.9	27.51	91.9	6.3118	57.498
2024	10	26	20	31	20	12	0.1	0.9	27.5	91	6.3118	57.4981
2024	10	26	20	41	20	12	0.1	0.9	27.16	93.8	6.3118	56.6618
2024	10	26	20	51	20	12	0.1	0.9	27.2	90	6.3118	56.8709
2024	10	26	21	1	20	12	0.1	0.9	27.12	92.3	6.3118	56.6618
2024	10	26	21	11	20	12	0.1	0.9	27.8	91	6.3118	58.1254
2024	10	26	21	21	20	12	0.1	0.9	27.86	93.7	6.3118	58.1255
2024	10	26	21	31	20	12	0.1	0.9	26.95	93.6	6.3118	56.2437
2024	10	26	21	41	20	12	0.1	0.9	26.97	94	6.3118	56.2437
2024	10	26	21	51	20	12	0.1	0.9	27.3	90	6.3118	57.0801
2024	10	26	22	1	20	12	0.1	0.9	26.22	92	6.3118	54.7802
2024	10	26	22	11	20	12	0.1	0.9	27.33	92.5	6.3118	57.0802
2024	10	26	22	21	20	12	0.1	0.9	27.74	92.9	6.3179	57.9749
2024	10	26	22	31	20	12	0.1	0.9	26.34	93.3	6.3179	55.0448
2024	10	26	22	41	20	12	0.1	0.9	27.99	94.7	6.3179	58.3936
2024	10	26	22	51	20	12	0.1	0.9	28.81	91.6	6.3179	60.2772
2024	10	26	23	1	20	12	0.1	0.9	27.22	95.3	6.3179	56.7192
2024	10	26	23	11	20	12	0.1	0.9	28.25	93.2	6.3179	59.0215
2024	10	26	23	21	20	12	0.1	0.9	27.63	92.5	6.3179	57.7658
2024	10	26	23	31	20	12	0.1	0.9	25.1	90.9	6.3179	52.5334
2024	10	26	23	41	20	12	0.1	0.9	27.57	94	6.3179	57.5566
2024	10	26	23	51	20	12	0.1	0.9	26.41	91.7	6.324	55.31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	27	0	1	20	12	0.1	0.9	28.13	92.9	6.324	58.8716
2024	10	27	0	11	20	12	0.1	0.9	27.41	91.5	6.324	57.4051
2024	10	27	0	21	20	12	0.1	0.9	27.35	93.6	6.3301	57.2532
2024	10	27	0	31	20	12	0.1	0.9	28.02	92.2	6.3301	58.7212
2024	10	27	0	41	20	12	0.1	0.9	27.75	93.5	6.3362	58.1505
2024	10	27	0	51	20	12	0.1	0.9	27.84	95.8	6.3362	58.1505
2024	10	27	1	1	20	12	0.1	0.9	27.25	93.6	6.3362	57.1009
2024	10	27	1	11	20	12	0.1	0.9	27.81	91.9	6.3362	58.3605
2024	10	27	1	21	20	12	0.1	0.9	26.93	92.6	6.3362	56.4712
2024	10	27	1	31	20	12	0.1	0.9	27.64	93.1	6.3362	57.9407
2024	10	27	1	41	20	12	0.1	0.9	26.77	94.3	6.3423	56.1077
2024	10	27	1	51	20	12	0.1	0.9	28.08	94.3	6.3423	58.8395
2024	10	27	2	1	20	12	0.1	0.9	26.91	91.5	6.3423	56.528
2024	10	27	2	11	20	12	0.1	0.9	27.07	94	6.3423	56.7382
2024	10	27	2	21	20	12	0.1	0.9	27.23	92.5	6.3423	57.1585
2024	10	27	2	31	20	12	0.1	0.9	27.95	93.3	6.3423	58.6295
2024	10	27	2	41	20	12	0.1	0.9	27.35	93.6	6.3423	57.3687
2024	10	27	2	51	20	12	0.1	0.9	27.82	92.3	6.3423	58.4195
2024	10	27	3	1	20	12	0.1	0.9	27.35	93.4	6.3423	57.3688
2024	10	27	3	11	20	12	0.1	0.9	27.07	94	6.3423	56.7384
2024	10	27	3	21	20	12	0.1	0.9	27.44	92.9	6.3423	57.579
2024	10	27	3	31	20	12	0.1	0.9	27.77	93.9	6.3423	58.2095
2024	10	27	3	41	20	12	0.1	0.9	27.54	93.1	6.3423	57.7892
2024	10	27	3	51	20	12	0.1	0.9	27.44	92.9	6.3423	57.5791
2024	10	27	4	1	20	12	0.1	0.9	27.41	95.2	6.3423	57.369
2024	10	27	4	11	20	12	0.1	0.9	26.76	93.9	6.3423	56.1082
2024	10	27	4	21	20	12	0.1	0.9	28.13	92.6	6.3423	59.0502
2024	10	27	4	31	20	12	0.1	0.9	27.83	92.5	6.3423	58.4198
2024	10	27	4	41	20	11.8	0.1	0.9	27.86	93.7	6.3423	58.4198
2024	10	27	4	51	20	11.8	0.1	0.9	26.88	94.5	6.3423	56.3184
2024	10	27	5	1	20	11.8	0.1	0.9	26.98	94.5	6.3423	56.5286
2024	10	27	5	11	20	11.8	0.1	0.9	28.41	91.8	6.3423	59.6808
2024	10	27	5	21	20	11.8	0.1	0.9	26.14	93.1	6.3423	54.8475
2024	10	27	5	31	20	11.8	0.1	0.9	27.64	92.9	6.3423	57.9997
2024	10	27	5	41	20	11.8	0.1	0.9	27.23	92.7	6.3423	57.1591
2024	10	27	5	51	20	11.8	0.1	0.9	26.55	93.7	6.3423	55.6881
2024	10	27	6	1	20	11.8	0.1	0.9	27.1	94.9	6.3423	56.7389
2024	10	27	6	11	20	11.8	0.1	0.9	26.64	93	6.3423	55.8983
2024	10	27	6	21	20	11.8	0.1	0.9	28.09	94.5	6.3423	58.8403
2024	10	27	6	31	20	11.8	0.1	0.9	27.57	94	6.3423	57.7896
2024	10	27	6	41	20	11.8	0.1	0.9	26.76	93.9	6.3423	56.1085
2024	10	27	6	51	20	11.8	0.1	0.9	27.43	92.7	6.3423	57.5795
2024	10	27	7	1	20	11.8	0.1	0.9	27.23	92.5	6.3423	57.1593
2024	10	27	7	11	20	11.8	0.1	0.9	27.07	94.2	6.3423	56.739
2024	10	27	7	21	20	11.8	0.1	0.9	27.63	92.5	6.3423	57.9999
2024	10	27	7	31	20	11.8	0.1	0.9	27.65	93.5	6.3423	57.9999
2024	10	27	7	41	20	11.8	0.1	0.9	27.15	93.6	6.3423	56.9492
2024	10	27	7	51	20	11.8	0.1	0.9	27.43	92.7	6.3423	57.5796

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	27	8	1	20	11.8	0.1	0.9	27.47	94	6.3423	57.5796
2024	10	27	8	11	20	11.8	0.1	0.9	28.25	93.2	6.3423	59.2608
2024	10	27	8	21	20	11.8	0.1	0.9	27.57	94	6.3423	57.7898
2024	10	27	8	31	20	11.8	0.1	0.9	28.92	95.2	6.3423	60.5217
2024	10	27	8	41	20	11.8	0.1	0.9	26.79	94.7	6.3423	56.1086
2024	10	27	8	51	20	12	0.1	0.9	27.01	91.5	6.3423	56.7391
2024	10	27	9	1	20	12.2	0.1	0.9	27.33	92.7	6.3423	57.3695
2024	10	27	9	11	20	12.4	0.1	0.9	26.8	90.4	6.3423	56.3188
2024	10	27	9	21	20	12.6	0.1	0.9	27.65	93.3	6.3423	57.9999
2024	10	27	9	31	20	12.8	0.1	0.9	27.49	94.6	6.3423	57.5796
2024	10	27	9	41	20	13	0.1	0.9	28.03	92.7	6.3423	58.8404
2024	10	27	9	51	20	13.2	0.1	0.9	28.68	94.2	6.3362	60.041
2024	10	27	10	1	20	13.2	0.1	0.9	27.65	93.5	6.3423	57.9998
2024	10	27	10	11	20	13.6	0.1	0.9	27.09	96.8	6.3423	56.5287
2024	10	27	10	21	20	13.6	0.1	0.9	27.19	94.6	6.3423	56.949
2024	10	27	10	31	20	14	0.1	0.9	28.53	92.6	6.3423	59.8909
2024	10	27	10	41	20	14.2	0.1	0.9	27.06	93.8	6.3423	56.7387
2024	10	27	10	51	20	14.2	0.1	0.9	27.34	95.9	6.3423	57.159
2024	10	27	11	1	20	14.2	0.1	0.9	27.81	91.6	6.3423	58.4198
2024	10	27	11	11	20	14.2	0.1	0.9	28.16	93.9	6.3423	59.0501
2024	10	27	11	21	20	14.2	0.1	0.9	26.02	95.5	6.3423	54.4269
2024	10	27	11	31	20	14.2	0.1	0.9	27.81	91.4	6.3423	58.4195
2024	10	27	11	41	20	14.2	0.1	0.9	28.52	92	6.3423	59.8904
2024	10	27	11	51	20	14.2	0.1	0.9	27.55	93.5	6.3362	57.731
2024	10	27	12	1	20	14	0.1	0.9	27.05	93.4	6.3362	56.6813
2024	10	27	12	11	20	14.2	0.1	0.9	26.5	95	6.3362	55.4216
2024	10	27	12	21	20	14.2	0.1	0.9	26.3	90.9	6.3362	55.2116
2024	10	27	12	31	20	14.2	0.1	0.9	27.67	93.9	6.3362	57.9406
2024	10	27	12	41	20	14.2	0.1	0.9	28.59	94.6	6.3362	59.8299
2024	10	27	12	51	20	14	0.1	0.9	28.11	91.8	6.3362	58.9901
2024	10	27	13	1	20	14	0.1	0.9	28.23	92.4	6.3301	59.1406
2024	10	27	13	11	20	14.2	0.1	0.9	26.43	95.6	6.324	55.1004
2024	10	27	13	21	20	14	0.1	0.9	27.46	93.8	6.324	57.4049
2024	10	27	13	31	20	14.2	0.1	0.9	27.63	92.7	6.3179	57.7658
2024	10	27	13	41	20	14.2	0.1	0.9	27.55	93.3	6.3179	57.5564
2024	10	27	13	51	20	14.2	0.1	0.9	27.44	93.1	6.3179	57.347
2024	10	27	14	1	20	14	0.1	0.9	27.65	93.5	6.324	57.8237
2024	10	27	14	11	20	14.2	0.1	0.9	28.23	92.6	6.3179	59.0213
2024	10	27	14	21	20	14.2	0.1	0.9	27.55	93.5	6.3179	57.5561
2024	10	27	14	31	20	14.2	0.1	0.9	26.95	93.6	6.3179	56.3003
2024	10	27	14	41	20	14	0.1	0.9	27.3	90.8	6.3179	57.1374
2024	10	27	14	51	20	14	0.1	0.9	27.53	92.5	6.3179	57.556
2024	10	27	15	1	20	13.2	0.1	0.9	27.33	92.5	6.3179	57.1373
2024	10	27	15	11	20	13	0.1	0.9	28.03	92.7	6.3179	58.6023
2024	10	27	15	21	20	13	0.1	0.9	27.4	90.8	6.3179	57.3465
2024	10	27	15	31	20	13	0.1	0.9	27.33	92.7	6.3179	57.1372
2024	10	27	15	41	20	13	0.1	0.9	28.6	90.6	6.3179	59.8579
2024	10	27	15	51	20	13	0.1	0.9	27.75	93.5	6.324	58.0326

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	27	16	1	20	13	0.1	0.9	27.11	91.9	6.324	56.7755
2024	10	27	16	11	20	13.2	0.1	0.9	27.41	91.7	6.324	57.404
2024	10	27	16	21	20	12.8	0.1	0.9	26.43	92.6	6.324	55.3089
2024	10	27	16	31	20	12.6	0.1	0.9	28.13	92.9	6.324	58.8705
2024	10	27	16	41	20	12.4	0.1	0.9	27.23	92.7	6.324	56.9849
2024	10	27	16	51	20	12.4	0.1	0.9	27.65	93.3	6.324	57.8229
2024	10	27	17	1	20	12.4	0.1	0.9	26.57	94.1	6.324	55.5183
2024	10	27	17	11	20	12.4	0.1	0.9	28.12	92.2	6.324	58.8703
2024	10	27	17	21	20	12.4	0.1	0.9	27.11	95.1	6.3301	56.6227
2024	10	27	17	31	20	12.2	0.1	0.9	27	90.8	6.3301	56.6227
2024	10	27	17	41	20	12.2	0.1	0.9	28.63	92.4	6.324	59.9178
2024	10	27	17	51	20	12.2	0.1	0.9	27.85	93.5	6.3301	58.3004
2024	10	27	18	1	20	12.2	0.1	0.9	27.33	92.7	6.3301	57.2518
2024	10	27	18	11	20	12.2	0.1	0.9	26.35	93.7	6.3301	55.1546
2024	10	27	18	21	20	12.2	0.1	0.9	27.93	92.5	6.3301	58.5101
2024	10	27	18	31	20	12.2	0.1	0.9	27.55	93.5	6.3301	57.6712
2024	10	27	18	41	20	12.2	0.1	0.9	28.29	94.7	6.3301	59.1392
2024	10	27	18	51	20	12.2	0.1	0.9	27.95	93.3	6.3301	58.51
2024	10	27	19	1	20	12.2	0.1	0.9	27.67	93.9	6.3301	57.8809
2024	10	27	19	11	20	12.2	0.1	0.9	28.13	92.9	6.3301	58.9295
2024	10	27	19	21	20	12.2	0.1	0.9	27.74	93.1	6.3301	58.0906
2024	10	27	19	31	20	12.2	0.1	0.9	27.73	92.7	6.3301	58.0906
2024	10	27	19	41	20	12.2	0.1	0.9	27.01	91.5	6.3301	56.6226
2024	10	27	19	51	20	12.2	0.1	0.9	28.12	92.2	6.3301	58.9295
2024	10	27	20	1	20	12.2	0.1	0.9	27.3	94.8	6.3301	57.0421
2024	10	27	20	11	20	12.2	0.1	0.9	27.27	94.2	6.3301	57.0421
2024	10	27	20	21	20	12.2	0.1	0.9	27.65	93.5	6.3301	57.881
2024	10	27	20	31	20	12.2	0.1	0.9	27.3	90	6.3301	57.2519
2024	10	27	20	41	20	12.2	0.1	0.9	28.46	93.8	6.3301	59.5587
2024	10	27	20	51	20	12.2	0.1	0.9	28.51	91.8	6.3301	59.7685
2024	10	27	21	1	20	12.2	0.1	0.9	27.72	92.1	6.3301	58.0908
2024	10	27	21	11	20	12.2	0.1	0.9	27.42	92.3	6.3301	57.4616
2024	10	27	21	21	20	12.2	0.1	0.9	27.31	91.9	6.3362	57.3094
2024	10	27	21	31	20	12.2	0.1	0.9	27.79	94.5	6.3362	58.1492
2024	10	27	21	41	20	12.2	0.1	0.9	28.04	93.1	6.3301	58.72
2024	10	27	21	51	20	12.2	0.1	0.9	27.99	94.5	6.3301	58.5103
2024	10	27	22	1	20	12	0.1	0.9	27.55	93.5	6.3301	57.6715
2024	10	27	22	11	20	12	0.1	0.9	27.1	90.8	6.3301	56.8326
2024	10	27	22	21	20	12	0.1	0.9	26.87	96.4	6.3301	55.9938
2024	10	27	22	31	20	12	0.1	0.9	28.04	93.1	6.3301	58.7201
2024	10	27	22	41	20	12	0.1	0.9	27.33	92.5	6.3301	57.2521
2024	10	27	22	51	20	12	0.1	0.9	27.03	95.5	6.3301	56.4133
2024	10	27	23	1	20	12	0.1	0.9	27.91	91.8	6.3301	58.5105
2024	10	27	23	11	20	12	0.1	0.9	27.13	92.7	6.3301	56.8328
2024	10	27	23	21	20	12	0.1	0.9	26.64	93	6.3301	55.7842
2024	10	27	23	31	20	12	0.1	0.9	27.6	90.8	6.3301	57.8814
2024	10	27	23	41	20	12	0.1	0.9	28.04	93.1	6.3301	58.7203
2024	10	27	23	51	20	12	0.1	0.9	27.53	92.7	6.3301	57.6717

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	28	0	1	20	12	0.1	0.9	27.15	93.4	6.3301	56.8329
2024	10	28	0	11	20	12	0.1	0.9	27.52	92.1	6.3362	57.7297
2024	10	28	0	21	20	12	0.1	0.9	26.44	93	6.3301	55.3649
2024	10	28	0	31	20	12	0.1	0.9	27.8	90	6.3301	58.301
2024	10	28	0	41	20	12	0.1	0.9	28.81	91.6	6.3362	60.4588
2024	10	28	0	51	20	12	0.1	0.9	27.03	92.5	6.3423	56.7371
2024	10	28	1	1	20	12	0.1	0.9	26.83	95.6	6.3362	56.0504
2024	10	28	1	11	20	12	0.1	0.9	28.47	94	6.3423	59.6791
2024	10	28	1	21	20	12	0.1	0.9	27.56	93.7	6.3423	57.7878
2024	10	28	1	31	20	12	0.1	0.9	26.45	93.5	6.3484	55.532
2024	10	28	1	41	20	12	0.1	0.9	28.05	93.5	6.3423	58.8386
2024	10	28	1	51	20	12	0.1	0.9	27.44	92.9	6.3423	57.5778
2024	10	28	2	1	20	12	0.1	0.9	27.57	94	6.3484	57.8459
2024	10	28	2	11	20	12	0.1	0.9	26.14	93.1	6.3484	54.9011
2024	10	28	2	21	20	12	0.1	0.9	27.59	94.6	6.3484	57.846
2024	10	28	2	31	20	12	0.1	0.9	28.23	92.6	6.3484	59.3184
2024	10	28	2	41	20	12	0.1	0.9	27.45	93.6	6.3484	57.6357
2024	10	28	2	51	20	12	0.1	0.9	27.43	92.5	6.3484	57.6357
2024	10	28	3	1	20	12	0.1	0.9	27.43	92.7	6.3423	57.578
2024	10	28	3	11	20	12	0.1	0.9	27.41	91.9	6.3484	57.6358
2024	10	28	3	21	20	12	0.1	0.9	27.8	95	6.3423	58.2085
2024	10	28	3	31	20	12	0.1	0.9	26.9	90.9	6.3484	56.5841
2024	10	28	3	41	20	12	0.1	0.9	27.62	92.1	6.3484	58.0565
2024	10	28	3	51	20	12	0.1	0.9	27.81	91.9	6.3484	58.4773
2024	10	28	4	1	20	12	0.1	0.9	27.25	93.4	6.3484	57.2152
2024	10	28	4	11	20	12	0.1	0.9	26.78	94.5	6.3484	56.1635
2024	10	28	4	21	20	12	0.1	0.9	27.82	92.3	6.3484	58.4773
2024	10	28	4	31	20	12	0.1	0.9	27.45	93.6	6.3484	57.636
2024	10	28	4	41	20	12	0.1	0.9	27.55	93.5	6.3423	57.7884
2024	10	28	4	51	20	12	0.1	0.9	28.47	94	6.3423	59.6797
2024	10	28	5	1	20	12	0.1	0.9	28.33	92.4	6.3362	59.4099
2024	10	28	5	11	20	12	0.1	0.9	26.42	92.2	6.3423	55.4769
2024	10	28	5	21	20	12	0.1	0.9	26	90.7	6.3362	54.5816
2024	10	28	5	31	20	12	0.1	0.9	27.75	93.5	6.3301	58.0921
2024	10	28	5	41	20	12	0.1	0.9	27.68	94.4	6.3362	57.9405
2024	10	28	5	51	20	12	0.1	0.9	27.21	91.9	6.324	56.9862
2024	10	28	6	1	20	12	0.1	0.9	27.64	92.9	6.3301	57.8824
2024	10	28	6	11	20	12	0.1	0.9	28.51	91.8	6.3301	59.7699
2024	10	28	6	21	20	12	0.1	0.9	28.19	94.7	6.3301	58.931
2024	10	28	6	31	20	11.8	0.1	0.9	27.13	92.7	6.324	56.7767
2024	10	28	6	41	20	11.8	0.1	0.9	26.88	94.5	6.324	56.1482
2024	10	28	6	51	20	11.8	0.1	0.9	26.75	93.4	6.324	55.9387
2024	10	28	7	1	20	11.8	0.1	0.9	28.15	95.9	6.3179	58.6034
2024	10	28	7	11	20	11.8	0.1	0.9	26.61	95.2	6.3179	55.4639
2024	10	28	7	21	20	11.8	0.1	0.9	27.63	92.7	6.3179	57.7662
2024	10	28	7	31	20	11.8	0.1	0.9	27.68	94.4	6.3179	57.7662
2024	10	28	7	41	20	11.8	0.1	0.9	27.01	91.3	6.3118	56.4535
2024	10	28	7	51	20	11.8	0.1	0.9	26.22	92	6.3118	54.7808

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	28	8	1	20	12	0.1	0.9	26.26	93.7	6.3118	54.7808
2024	10	28	8	11	20	12.4	0.1	0.9	26.42	92.2	6.3118	55.199
2024	10	28	8	21	20	12.6	0.1	0.9	26.39	94.8	6.3118	54.9899
2024	10	28	8	31	20	12.8	0.1	0.9	25.93	92.9	6.3057	54.099
2024	10	28	8	41	20	12.8	0.1	0.9	28.42	92.2	6.3118	59.3808
2024	10	28	8	51	20	12.8	0.1	0.9	26.23	92.8	6.3118	54.7808
2024	10	28	9	1	20	12.8	0.1	0.9	27.8	94.7	6.3057	57.8588
2024	10	28	9	11	20	12.8	0.1	0.9	26.23	95.7	6.3057	54.5168
2024	10	28	9	21	20	13	0.1	0.9	28.26	96.1	6.3057	58.6943
2024	10	28	9	31	20	13	0.1	0.9	27.24	93.2	6.3057	56.8144
2024	10	28	9	41	20	13	0.1	0.9	27.22	92.3	6.3057	56.8143
2024	10	28	9	51	20	13	0.1	0.9	26.71	91.7	6.3057	55.7699
2024	10	28	10	1	20	13.2	0.1	0.9	26.84	93.2	6.3057	55.9788
2024	10	28	10	11	20	13.2	0.1	0.9	27.08	94.4	6.2996	56.3396
2024	10	28	10	21	20	13.2	0.1	0.9	27.77	94.1	6.3057	57.8586
2024	10	28	10	31	20	13.2	0.1	0.9	27.75	93.5	6.3057	57.8585
2024	10	28	10	41	20	13.2	0.1	0.9	28.84	93.2	6.3057	60.1561
2024	10	28	10	51	20	13.4	0.1	0.9	27.15	93.6	6.3057	56.6052
2024	10	28	11	1	20	13.4	0.1	0.9	27.42	95.4	6.3057	57.0229
2024	10	28	11	11	20	13.4	0.1	0.9	26.51	91.5	6.3057	55.3518
2024	10	28	11	21	20	13.4	0.1	0.9	27.2	94.9	6.2996	56.548
2024	10	28	11	31	20	13.4	0.1	0.9	27.16	93.8	6.2996	56.5479
2024	10	28	11	41	20	13.4	0.1	0.9	26.64	93.2	6.2996	55.5045
2024	10	28	11	51	20	13.4	0.1	0.9	27.55	93.5	6.3057	57.4403
2024	10	28	12	1	20	13.4	0.1	0.9	26.94	93	6.2996	56.1304
2024	10	28	12	11	20	13.4	0.1	0.9	28.49	94.4	6.2996	59.2603
2024	10	28	12	21	20	13.6	0.1	0.9	28.66	93.6	6.2996	59.6775
2024	10	28	12	31	20	13.6	0.1	0.9	26.78	94.5	6.2996	55.7129
2024	10	28	12	41	20	13.6	0.1	0.9	26.37	94.1	6.2996	54.8782
2024	10	28	12	51	20	13.6	0.1	0.9	26.52	91.9	6.2996	55.2954
2024	10	28	13	1	20	13.4	0.1	0.9	27.25	93.6	6.2996	56.756
2024	10	28	13	11	20	13.4	0.1	0.9	26.53	92.8	6.2935	55.2395
2024	10	28	13	21	20	13.4	0.1	0.9	26.45	93.7	6.2996	55.0866
2024	10	28	13	31	20	13.6	0.1	0.9	26.43	92.8	6.2935	55.0309
2024	10	28	13	41	20	13.6	0.1	0.9	26.23	92.6	6.2874	54.5588
2024	10	28	13	51	20	13.6	0.1	0.9	26.72	92.1	6.2935	55.6562
2024	10	28	14	1	20	13.4	0.1	0.9	27.45	93.6	6.2935	57.1153
2024	10	28	14	11	20	13.6	0.1	0.9	27.03	92.8	6.2874	56.2246
2024	10	28	14	21	20	13.6	0.1	0.9	26.79	94.7	6.2874	55.5999
2024	10	28	14	31	20	13.6	0.1	0.9	27.05	93.6	6.2935	56.2814
2024	10	28	14	41	20	13.8	0.1	0.9	27.35	93.6	6.2935	56.9067
2024	10	28	14	51	20	13.8	0.1	0.9	26.74	93.2	6.2935	55.656
2024	10	28	15	1	20	13.6	0.1	0.9	26.88	94.5	6.2874	55.808
2024	10	28	15	11	20	13.6	0.1	0.9	27.51	91.9	6.2874	57.2656
2024	10	28	15	21	20	13.6	0.1	0.9	27.15	93.4	6.2874	56.4327
2024	10	28	15	31	20	13.6	0.1	0.9	26.62	92.2	6.2813	55.3354
2024	10	28	15	41	20	13.6	0.1	0.9	28.06	93.7	6.2813	58.2478
2024	10	28	15	51	20	13.6	0.1	0.9	26.69	94.7	6.2813	55.3354

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	28	16	1	20	13.6	0.1	0.9	26.58	94.5	6.2813	55.1274
2024	10	28	16	11	20	13.6	0.1	0.9	26.82	91.9	6.2813	55.7514
2024	10	28	16	21	20	13.6	0.1	0.9	25.96	93.8	6.2813	53.8792
2024	10	28	16	31	20	13.6	0.1	0.9	27.32	92.3	6.2752	56.7341
2024	10	28	16	41	20	13.6	0.1	0.9	26.8	90.6	6.2752	55.695
2024	10	28	16	51	20	13.4	0.1	0.9	26.43	95.6	6.2813	54.7113
2024	10	28	17	1	20	13.4	0.1	0.9	27.11	95.1	6.2813	56.1675
2024	10	28	17	11	20	11.8	0.1	0.9	26.32	92.4	6.2813	54.7113
2024	10	28	17	21	20	11.6	0.1	0.9	27.34	92.9	6.2752	56.7341
2024	10	28	17	31	20	11.6	0.1	0.9	25.13	92.7	6.2813	52.215
2024	10	28	17	41	20	11.6	0.1	0.9	26.42	92.2	6.2752	54.8638
2024	10	28	17	51	20	11.4	0.1	0.9	26.61	91.3	6.2752	55.2795
2024	10	28	18	1	20	12	0.1	0.9	26.73	92.8	6.2752	55.4873
2024	10	28	18	11	20	11.6	0.1	0.9	26	90.2	6.2813	54.0874
2024	10	28	18	21	20	11.6	0.1	0.9	27.4	90.8	6.2752	56.9421
2024	10	28	18	31	20	11.6	0.1	0.9	26.87	94.1	6.2813	55.7516
2024	10	28	18	41	20	11.6	0.1	0.9	25.98	94.4	6.2752	53.8249
2024	10	28	18	51	20	11.4	0.1	0.9	26.95	93.6	6.2813	55.9597
2024	10	28	19	1	20	12	0.1	0.9	26.32	92.4	6.2752	54.6562
2024	10	28	19	11	20	12.2	0.1	0.9	27.1	90.2	6.2813	56.3758
2024	10	28	19	21	20	12.2	0.1	0.9	26.55	93.5	6.2813	55.1277
2024	10	28	19	31	20	12.2	0.1	0.9	27.67	93.9	6.2813	57.416
2024	10	28	19	41	20	12.2	0.1	0.9	26.41	91.7	6.2874	54.9753
2024	10	28	19	51	20	12.2	0.1	0.9	26.62	92.4	6.2874	55.3918
2024	10	28	20	1	20	12.2	0.1	0.9	26.4	91.1	6.2874	54.9754
2024	10	28	20	11	20	12.2	0.1	0.9	26.87	94.3	6.2874	55.8084
2024	10	28	20	21	20	12.2	0.1	0.9	27.86	96.2	6.2874	57.6826
2024	10	28	20	31	20	12.2	0.1	0.9	26.43	92.8	6.2874	54.9755
2024	10	28	20	41	20	12.2	0.1	0.9	25.52	92	6.2874	53.1014
2024	10	28	20	51	20	12.2	0.1	0.9	26.72	91.9	6.2874	55.6003
2024	10	28	21	1	20	12.2	0.1	0.9	27.2	90.4	6.2874	56.6415
2024	10	28	21	11	20	12.2	0.1	0.9	26.22	92	6.2874	54.5592
2024	10	28	21	21	20	12	0.1	0.9	25.98	94.6	6.2935	53.989
2024	10	28	21	31	20	12	0.1	0.9	26.59	94.7	6.2874	55.184
2024	10	28	21	41	20	12	0.1	0.9	27.58	94.4	6.2935	57.3243
2024	10	28	21	51	20	12	0.1	0.9	27.84	93.1	6.2935	57.9498
2024	10	28	22	1	20	12	0.1	0.9	27.15	93.6	6.2935	56.4906
2024	10	28	22	11	20	12	0.1	0.9	27.64	93.1	6.2935	57.5329
2024	10	28	22	21	20	12	0.1	0.9	25.72	92.2	6.2935	53.5724
2024	10	28	22	31	20	12	0.1	0.9	27.9	90.2	6.2935	58.1584
2024	10	28	22	41	20	12	0.1	0.9	26.34	93.3	6.2935	54.8232
2024	10	28	22	51	20	12	0.1	0.9	26.14	93.3	6.2935	54.4063
2024	10	28	23	1	20	12	0.1	0.9	27.51	95.2	6.2935	57.1162
2024	10	28	23	11	20	12	0.1	0.9	27.95	93.5	6.2935	58.1586
2024	10	28	23	21	20	12	0.1	0.9	26.24	93.1	6.2935	54.6149
2024	10	28	23	31	20	12	0.1	0.9	26.98	94.5	6.2935	56.0741
2024	10	28	23	41	20	12	0.1	0.9	27.31	91.3	6.2935	56.908
2024	10	28	23	51	20	12	0.1	0.9	27.48	94.4	6.2935	57.1165

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	29	0	1	20	12	0.1	0.9	27.6	91	6.2996	57.5916
2024	10	29	0	11	20	12	0.1	0.9	26.35	93.7	6.2935	54.8236
2024	10	29	0	21	20	12	0.1	0.9	27.69	94.6	6.2935	57.5335
2024	10	29	0	31	20	12	0.1	0.9	25.04	93.2	6.2935	52.1137
2024	10	29	0	41	20	12	0.1	0.9	27.29	94.6	6.2935	56.6998
2024	10	29	0	51	20	12	0.1	0.9	27.55	93.5	6.2935	57.3252
2024	10	29	1	1	20	12	0.1	0.9	27.63	92.7	6.2935	57.5337
2024	10	29	1	11	20	12	0.1	0.9	27.1	91.1	6.2935	56.4915
2024	10	29	1	21	20	12	0.1	0.9	27.13	92.7	6.2935	56.4915
2024	10	29	1	31	20	12	0.1	0.9	27.14	93.2	6.2935	56.4915
2024	10	29	1	41	20	12	0.1	0.9	28.01	91.8	6.2935	58.3677
2024	10	29	1	51	20	12	0.1	0.9	26.21	91.3	6.2935	54.6155
2024	10	29	2	1	20	12	0.1	0.9	27.04	93	6.2935	56.2832
2024	10	29	2	11	20	12	0.1	0.9	26.92	91.9	6.2935	56.0748
2024	10	29	2	21	20	12	0.1	0.9	27.73	92.5	6.2935	57.7425
2024	10	29	2	31	20	12	0.1	0.9	27	90.4	6.2935	56.2833
2024	10	29	2	41	20	12	0.1	0.9	27.01	91.5	6.2935	56.2834
2024	10	29	2	51	20	12	0.1	0.9	26.64	93	6.2935	55.4496
2024	10	29	3	1	20	12	0.1	0.9	26.61	91.7	6.2935	55.4496
2024	10	29	3	11	20	12	0.1	0.9	27.2	90.8	6.2935	56.7004
2024	10	29	3	21	20	12	0.1	0.9	27.75	93.5	6.2935	57.7427
2024	10	29	3	31	20	12	0.1	0.9	26.89	94.7	6.2996	55.9231
2024	10	29	3	41	20	12	0.1	0.9	26.53	92.6	6.2996	55.2971
2024	10	29	3	51	20	12	0.1	0.9	26.16	93.7	6.2996	54.4625
2024	10	29	4	1	20	12	0.1	0.9	26.97	94.3	6.2996	56.1319
2024	10	29	4	11	20	12	0.1	0.9	26.43	92.8	6.2996	55.0886
2024	10	29	4	21	20	12	0.1	0.9	26.51	91.7	6.3057	55.3531
2024	10	29	4	31	20	12	0.1	0.9	28.09	94.7	6.3057	58.4863
2024	10	29	4	41	20	12	0.1	0.9	26.45	93.5	6.3057	55.1443
2024	10	29	4	51	20	12	0.1	0.9	26.61	91.3	6.3057	55.5621
2024	10	29	5	1	20	12	0.1	0.9	27.25	93.6	6.3057	56.8154
2024	10	29	5	11	20	12	0.1	0.9	26.92	92.3	6.3118	56.2454
2024	10	29	5	21	20	11.8	0.1	0.9	27.14	93	6.3057	56.6066
2024	10	29	5	31	20	11.8	0.1	0.9	26.52	92.2	6.3118	55.4091
2024	10	29	5	41	20	11.8	0.1	0.9	26.47	94.1	6.3118	55.2001
2024	10	29	5	51	20	11.8	0.1	0.9	27.18	94.4	6.3118	56.6637
2024	10	29	6	1	20	11.8	0.1	0.9	27.02	92.1	6.3179	56.5116
2024	10	29	6	11	20	11.8	0.1	0.9	26.23	92.6	6.3179	54.8372
2024	10	29	6	21	20	11.8	0.1	0.9	26.15	93.5	6.3179	54.6279
2024	10	29	6	31	20	11.8	0.1	0.9	26.64	93	6.3179	55.6744
2024	10	29	6	41	20	11.8	0.1	0.9	26.54	95.8	6.3179	55.2559
2024	10	29	6	51	20	11.8	0.1	0.9	27.48	94.4	6.3179	57.3489
2024	10	29	7	1	20	11.8	0.1	0.9	26.52	92.2	6.3179	55.4652
2024	10	29	7	11	20	11.8	0.1	0.9	26.84	95.8	6.3179	55.8838
2024	10	29	7	21	20	11.8	0.1	0.9	27.49	94.6	6.3179	57.349
2024	10	29	7	31	20	11.8	0.1	0.9	27.12	95.3	6.3179	56.5118
2024	10	29	7	41	20	11.8	0.1	0.9	27.47	94	6.3179	57.349
2024	10	29	7	51	20	11.8	0.1	0.9	26.53	92.6	6.3179	55.4653

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	29	8	1	20	12	0.1	0.9	27.42	92.3	6.3179	57.3491
2024	10	29	8	11	20	12.4	0.1	0.9	27.51	91.9	6.3179	57.5584
2024	10	29	8	21	20	12.8	0.1	0.9	27.01	91.9	6.3179	56.5119
2024	10	29	8	31	20	12.8	0.1	0.9	27.47	94	6.3179	57.3491
2024	10	29	8	41	20	13	0.1	0.9	26.54	93.2	6.3179	55.4653
2024	10	29	8	51	20	13	0.1	0.9	27.63	92.7	6.3179	57.7677
2024	10	29	9	1	20	13	0.1	0.9	27.49	94.6	6.3118	57.2914
2024	10	29	9	11	20	13	0.1	0.9	28.31	95.1	6.3118	58.9641
2024	10	29	9	21	20	13.2	0.1	0.9	26.83	92.6	6.3057	55.9803
2024	10	29	9	31	20	13.2	0.1	0.9	26.67	94.1	6.3118	55.6186
2024	10	29	9	41	20	13.4	0.1	0.9	26.32	95.5	6.3118	54.7822
2024	10	29	9	51	20	13.6	0.1	0.9	26.47	94.1	6.3057	55.1448
2024	10	29	10	1	20	13.6	0.1	0.9	27.3	91	6.3057	57.0247
2024	10	29	10	11	20	13.8	0.1	0.9	27.82	92.1	6.3118	58.1276
2024	10	29	10	21	20	14	0.1	0.9	27.61	91.7	6.3118	57.7094
2024	10	29	10	31	20	14	0.1	0.9	26.65	93.7	6.3118	55.6185
2024	10	29	10	41	20	14	0.1	0.9	26.06	93.7	6.3057	54.3091
2024	10	29	10	51	20	14	0.1	0.9	26.1	90.9	6.3118	54.5729
2024	10	29	11	1	20	14	0.1	0.9	27.41	91.9	6.3057	57.2334
2024	10	29	11	11	20	14	0.1	0.9	25.62	92	6.3118	53.5274
2024	10	29	11	21	20	14	0.1	0.9	27.35	96.1	6.3118	56.8728
2024	10	29	11	31	20	14	0.1	0.9	26.04	93.3	6.3057	54.3089
2024	10	29	11	41	20	14	0.1	0.9	27.45	93.6	6.3118	57.2909
2024	10	29	11	51	20	14	0.1	0.9	27.04	95.7	6.3057	56.1887
2024	10	29	12	1	20	14	0.1	0.9	26.3	95	6.3057	54.7265
2024	10	29	12	11	20	14	0.1	0.9	26.55	93.7	6.3057	55.3531
2024	10	29	12	21	20	14	0.1	0.9	27.41	95	6.3057	57.024
2024	10	29	12	31	20	14	0.1	0.9	27.14	93	6.3057	56.6062
2024	10	29	12	41	20	14	0.1	0.9	27.56	93.7	6.3057	57.4417
2024	10	29	12	51	20	14	0.1	0.9	27.87	94.1	6.2996	58.0097
2024	10	29	13	1	20	14	0.1	0.9	26.76	93.9	6.2996	55.7143
2024	10	29	13	11	20	14	0.1	0.9	26.78	94.5	6.3057	55.7705
2024	10	29	13	21	20	14	0.1	0.9	26.04	93.1	6.3057	54.3083
2024	10	29	13	31	20	14	0.1	0.9	27	94.9	6.3057	56.1882
2024	10	29	13	41	20	13.8	0.1	0.9	27.48	94.4	6.3057	57.2325
2024	10	29	13	51	20	13.6	0.1	0.9	28.33	92.4	6.3057	59.1124
2024	10	29	14	1	20	13.6	0.1	0.9	28.71	95	6.2996	59.6787
2024	10	29	14	11	20	13.6	0.1	0.9	27.43	92.5	6.3057	57.2324
2024	10	29	14	21	20	13.6	0.1	0.9	27.98	94.3	6.3057	58.2768
2024	10	29	14	31	20	13.6	0.1	0.9	26.72	92.4	6.2996	55.714
2024	10	29	14	41	20	13.6	0.1	0.9	26.75	93.4	6.2996	55.714
2024	10	29	14	51	20	13.6	0.1	0.9	26.83	92.8	6.2996	55.9226
2024	10	29	15	1	20	13.6	0.1	0.9	26.62	92.2	6.2996	55.5052
2024	10	29	15	11	20	13.6	0.1	0.9	28.31	91.6	6.2996	59.0525
2024	10	29	15	21	20	13.6	0.1	0.9	27.4	90.4	6.3057	57.2322
2024	10	29	15	31	20	13.6	0.1	0.9	26.73	92.6	6.2996	55.7139
2024	10	29	15	41	20	13.6	0.1	0.9	26.74	93	6.2996	55.7139
2024	10	29	15	51	20	13.6	0.1	0.9	28.05	93.5	6.2996	58.4265

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	29	16	1	20	13.6	0.1	0.9	27.45	93.6	6.2996	57.1745
2024	10	29	16	11	20	13.6	0.1	0.9	26.73	92.8	6.2996	55.7139
2024	10	29	16	21	20	13.6	0.1	0.9	26.26	93.7	6.2996	54.6706
2024	10	29	16	31	20	13.6	0.1	0.9	27.5	94.8	6.2996	57.1746
2024	10	29	16	41	20	13.6	0.1	0.9	26.04	93.1	6.2996	54.2532
2024	10	29	16	51	20	14	0.1	0.9	27.75	93.5	6.2996	57.8006
2024	10	29	17	1	20	12.6	0.1	0.9	26.82	92.4	6.2996	55.9226
2024	10	29	17	11	20	12.4	0.1	0.9	26.45	93.7	6.2996	55.088
2024	10	29	17	21	20	12.4	0.1	0.9	27.08	94.4	6.2996	56.34
2024	10	29	17	31	20	12.2	0.1	0.9	27.71	95.2	6.2996	57.592
2024	10	29	17	41	20	12.2	0.1	0.9	26.84	93	6.2996	55.9227
2024	10	29	17	51	20	12.2	0.1	0.9	27.17	94	6.2996	56.5487
2024	10	29	18	1	20	12.2	0.1	0.9	27.56	93.7	6.2996	57.3834
2024	10	29	18	11	20	12.2	0.1	0.9	26.26	93.7	6.2996	54.6708
2024	10	29	18	21	20	12.2	0.1	0.9	27	90.6	6.2996	56.3401
2024	10	29	18	31	20	12.2	0.1	0.9	26.13	92.9	6.2996	54.4621
2024	10	29	18	41	20	12.2	0.1	0.9	27.05	93.6	6.2996	56.3402
2024	10	29	18	51	20	12.2	0.1	0.9	26.61	91.5	6.2996	55.5055
2024	10	29	19	1	20	12.2	0.1	0.9	27.65	93.3	6.2996	57.5922
2024	10	29	19	11	20	12.2	0.1	0.9	27.39	94.6	6.3057	57.0238
2024	10	29	19	21	20	12.2	0.1	0.9	26.55	93.7	6.2996	55.297
2024	10	29	19	31	20	12.2	0.1	0.9	26.5	90.9	6.2996	55.297
2024	10	29	19	41	20	12.2	0.1	0.9	25.76	93.8	6.2996	53.6277
2024	10	29	19	51	20	12.2	0.1	0.9	27.78	94.3	6.2996	57.8011
2024	10	29	20	1	20	12.2	0.1	0.9	27.75	93.5	6.3057	57.8595
2024	10	29	20	11	20	12.2	0.1	0.9	27.21	95.1	6.3057	56.6062
2024	10	29	20	21	20	12.2	0.1	0.9	27.88	94.3	6.3057	58.0684
2024	10	29	20	31	20	12.2	0.1	0.9	25.91	91.8	6.3057	54.0998
2024	10	29	20	41	20	12.2	0.1	0.9	27.4	94.8	6.3057	57.0241
2024	10	29	20	51	20	12.2	0.1	0.9	26.65	93.4	6.3118	55.618
2024	10	29	21	1	20	12.2	0.1	0.9	27.23	92.7	6.3179	56.9299
2024	10	29	21	11	20	12	0.1	0.9	27.66	93.7	6.3179	57.7672
2024	10	29	21	21	20	12	0.1	0.9	28.76	93.8	6.3179	60.0695
2024	10	29	21	31	20	12	0.1	0.9	28.07	94.1	6.3179	58.6045
2024	10	29	21	41	20	12	0.1	0.9	26.83	92.8	6.324	56.1494
2024	10	29	21	51	20	12	0.1	0.9	28.08	94.3	6.324	58.6635
2024	10	29	22	1	20	12	0.1	0.9	26.79	94.7	6.324	55.9399
2024	10	29	22	11	20	12	0.1	0.9	27.14	93	6.324	56.778
2024	10	29	22	21	20	12	0.1	0.9	27.22	95.3	6.324	56.7781
2024	10	29	22	31	20	12	0.1	0.9	26.26	93.7	6.324	54.8925
2024	10	29	22	41	20	12	0.1	0.9	27.47	94	6.324	57.4067
2024	10	29	22	51	20	12	0.1	0.9	26.47	94.1	6.324	55.3116
2024	10	29	23	1	20	12	0.1	0.9	27.13	92.5	6.324	56.7782
2024	10	29	23	11	20	12	0.1	0.9	27.45	93.6	6.324	57.4068
2024	10	29	23	21	20	12	0.1	0.9	26.57	94.1	6.324	55.5212
2024	10	29	23	31	20	12	0.1	0.9	27.31	91.9	6.324	57.1974
2024	10	29	23	41	20	12	0.1	0.9	27.33	92.5	6.324	57.1974
2024	10	29	23	51	20	12	0.1	0.9	26.31	91.7	6.324	55.1023

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	30	0	1	20	12	0.1	0.9	26.94	95.8	6.324	56.1499
2024	10	30	0	11	20	12	0.1	0.9	28.19	94.5	6.324	58.8737
2024	10	30	0	21	20	12	0.1	0.9	28.26	93.7	6.324	59.0832
2024	10	30	0	31	20	12	0.1	0.9	28.95	93.4	6.324	60.5499
2024	10	30	0	41	20	12	0.1	0.9	27.33	95.7	6.324	56.9881
2024	10	30	0	51	20	12	0.1	0.9	27.03	92.5	6.324	56.5691
2024	10	30	1	1	20	12	0.1	0.9	27.04	93	6.324	56.5692
2024	10	30	1	11	20	12	0.1	0.9	27.32	95.5	6.324	56.9883
2024	10	30	1	21	20	12	0.1	0.9	27.67	93.9	6.324	57.8264
2024	10	30	1	31	20	12	0.1	0.9	26.63	92.6	6.324	55.7312
2024	10	30	1	41	20	12	0.1	0.9	26.4	95	6.324	55.1027
2024	10	30	1	51	20	12	0.1	0.9	26.79	94.7	6.324	55.9408
2024	10	30	2	1	20	12	0.1	0.9	27.11	95.1	6.324	56.5694
2024	10	30	2	11	20	12	0.1	0.9	28.07	96.3	6.324	58.4551
2024	10	30	2	21	20	12	0.1	0.9	26.33	92.8	6.324	55.1029
2024	10	30	2	31	20	12	0.1	0.9	27.12	92.1	6.324	56.779
2024	10	30	2	41	20	12	0.1	0.9	26.95	93.4	6.324	56.36
2024	10	30	2	51	20	12	0.1	0.9	26.43	92.6	6.3179	55.2569
2024	10	30	3	1	20	12	0.1	0.9	28.04	93.1	6.324	58.6648
2024	10	30	3	11	20	12	0.1	0.9	26.94	93.2	6.324	56.3601
2024	10	30	3	21	20	12	0.1	0.9	26.76	93.9	6.3179	55.8849
2024	10	30	3	31	20	12	0.1	0.9	26.26	93.9	6.3179	54.8384
2024	10	30	3	41	20	12	0.1	0.9	27.07	94.2	6.3179	56.5129
2024	10	30	3	51	20	12	0.1	0.9	26.9	90.9	6.3179	56.3036
2024	10	30	4	1	20	12	0.1	0.9	26.35	93.7	6.3179	55.0478
2024	10	30	4	11	20	12	0.1	0.9	27.27	94.2	6.3179	56.9316
2024	10	30	4	21	20	12	0.1	0.9	26.22	92.2	6.3179	54.8386
2024	10	30	4	31	20	12	0.1	0.9	27.5	95	6.3179	57.3503
2024	10	30	4	41	20	12	0.1	0.9	27.03	92.5	6.3179	56.5131
2024	10	30	4	51	20	12	0.1	0.9	27.47	94	6.3179	57.3504
2024	10	30	5	1	20	11.8	0.1	0.9	26.87	94.3	6.3179	56.0946
2024	10	30	5	11	20	11.8	0.1	0.9	26.64	93	6.3179	55.676
2024	10	30	5	21	20	11.8	0.1	0.9	27.65	96	6.3179	57.5598
2024	10	30	5	31	20	11.8	0.1	0.9	28.34	93	6.3179	59.2343
2024	10	30	5	41	20	11.8	0.1	0.9	27.84	93.1	6.3179	58.1878
2024	10	30	5	51	20	11.8	0.1	0.9	26.62	92.4	6.3179	55.6761
2024	10	30	6	1	20	11.8	0.1	0.9	27.45	93.3	6.3179	57.3506
2024	10	30	6	11	20	11.8	0.1	0.9	27.14	93	6.3179	56.7227
2024	10	30	6	21	20	11.8	0.1	0.9	26.52	92.2	6.3179	55.4669
2024	10	30	6	31	20	11.8	0.1	0.9	25.65	93.6	6.3179	53.5831
2024	10	30	6	41	20	11.8	0.1	0.9	27.16	93.8	6.3179	56.7228
2024	10	30	6	51	20	11.8	0.1	0.9	27.15	93.6	6.3179	56.7228
2024	10	30	7	1	20	11.8	0.1	0.9	27.2	94.9	6.3179	56.7228
2024	10	30	7	11	20	11.8	0.1	0.9	27.92	97.2	6.3179	57.9787
2024	10	30	7	21	20	11.8	0.1	0.9	27.88	94.3	6.3179	58.188
2024	10	30	7	31	20	11.8	0.1	0.9	27.65	93.3	6.3179	57.7695
2024	10	30	7	41	20	11.8	0.1	0.9	27.18	94.4	6.3179	56.7229
2024	10	30	7	51	20	11.8	0.1	0.9	27.7	95	6.3179	57.7695

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	30	8	1	20	12	0.1	0.9	27.94	93.1	6.3179	58.3974
2024	10	30	8	11	20	12.4	0.1	0.9	27.03	92.8	6.3179	56.5137
2024	10	30	8	21	20	12.8	0.1	0.9	27.82	92.1	6.3179	58.1882
2024	10	30	8	31	20	13.2	0.1	0.9	27.16	93.8	6.3179	56.723
2024	10	30	8	41	20	13.2	0.1	0.9	27.47	94.2	6.3179	57.3509
2024	10	30	8	51	20	13.4	0.1	0.9	25.96	93.8	6.3179	54.2113
2024	10	30	9	1	20	13.4	0.1	0.9	27.14	95.9	6.3179	56.5137
2024	10	30	9	11	20	13.4	0.1	0.9	27.03	92.8	6.3118	56.4568
2024	10	30	9	21	20	13.6	0.1	0.9	26.63	92.6	6.3118	55.6204
2024	10	30	9	31	20	13.6	0.1	0.9	27.2	94.9	6.3118	56.6659
2024	10	30	9	41	20	13.6	0.1	0.9	28.29	94.5	6.3179	59.0253
2024	10	30	9	51	20	13.6	0.1	0.9	27.37	94.2	6.3118	57.084
2024	10	30	10	1	20	13.8	0.1	0.9	28.43	92.6	6.3118	59.3841
2024	10	30	10	11	20	14.2	0.1	0.9	27.7	95	6.3118	57.7112
2024	10	30	10	21	20	14.2	0.1	0.9	27.63	95.6	6.3118	57.5021
2024	10	30	10	31	20	14.2	0.1	0.9	26.99	94.7	6.3179	56.3042
2024	10	30	10	41	20	14.2	0.1	0.9	26.51	95.2	6.3118	55.202
2024	10	30	10	51	20	14.2	0.1	0.9	25.28	94.5	6.3179	52.7458
2024	10	30	11	1	20	14.2	0.1	0.9	27.07	94.2	6.3179	56.5133
2024	10	30	11	11	20	14.2	0.1	0.9	27.91	91.8	6.3179	58.397
2024	10	30	11	21	20	14.2	0.1	0.9	26.72	92.1	6.3179	55.8853
2024	10	30	11	31	20	14.2	0.1	0.9	27.24	92.9	6.3179	56.9318
2024	10	30	11	41	20	14.2	0.1	0.9	26.23	92.8	6.3179	54.8386
2024	10	30	11	51	20	14.2	0.1	0.9	28.91	97	6.3179	60.0713
2024	10	30	12	1	20	14.2	0.1	0.9	27.83	95.6	6.3179	57.9781
2024	10	30	12	11	20	14.2	0.1	0.9	26.61	95.2	6.3179	55.4664
2024	10	30	12	21	20	14.2	0.1	0.9	28.26	93.7	6.3179	59.0245
2024	10	30	12	31	20	14.2	0.1	0.9	27.78	94.3	6.3179	57.978
2024	10	30	12	41	20	14.2	0.1	0.9	26.96	93.8	6.3179	56.3035
2024	10	30	12	51	20	14.2	0.1	0.9	27.31	91.3	6.3179	57.1406
2024	10	30	13	1	20	13.8	0.1	0.9	27.55	93.3	6.324	57.6171
2024	10	30	13	11	20	13.6	0.1	0.9	27.22	95.3	6.3179	56.7219
2024	10	30	13	21	20	13.6	0.1	0.9	26.14	93.3	6.3179	54.6288
2024	10	30	13	31	20	13.6	0.1	0.9	26.74	93	6.3179	55.8846
2024	10	30	13	41	20	13.6	0.1	0.9	26.37	94.1	6.3179	55.0473
2024	10	30	13	51	20	13.6	0.1	0.9	27.38	94.4	6.324	57.1978
2024	10	30	14	1	20	13.6	0.1	0.9	26.34	93.3	6.3179	55.0472
2024	10	30	14	11	20	13.6	0.1	0.9	26.82	92.4	6.3179	56.0937
2024	10	30	14	21	20	13.6	0.1	0.9	26.77	94.1	6.324	55.9406
2024	10	30	14	31	20	13.6	0.1	0.9	27.04	93	6.3179	56.5122
2024	10	30	14	41	20	13.6	0.1	0.9	26.97	94.3	6.324	56.3595
2024	10	30	14	51	20	13.6	0.1	0.9	27.25	93.6	6.324	56.988
2024	10	30	15	1	20	13.4	0.1	0.9	27.85	96	6.324	58.0356
2024	10	30	15	11	20	13.4	0.1	0.9	27.33	92.5	6.324	57.1975
2024	10	30	15	21	20	13.4	0.1	0.9	27.94	95.8	6.324	58.245
2024	10	30	15	31	20	13.4	0.1	0.9	26.63	92.8	6.3179	55.6748
2024	10	30	15	41	20	13.4	0.1	0.9	27.24	92.9	6.324	56.9879
2024	10	30	15	51	20	13.4	0.1	0.9	27.52	95.4	6.3301	57.4646

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	30	16	1	20	13.4	0.1	0.9	28.13	92.4	6.3301	58.9327
2024	10	30	16	11	20	13.4	0.1	0.9	27.67	94.1	6.3301	57.884
2024	10	30	16	21	20	13.4	0.1	0.9	27.91	95.1	6.3301	58.3035
2024	10	30	16	31	20	13.4	0.1	0.9	28.11	95.1	6.3301	58.7229
2024	10	30	16	41	20	13.2	0.1	0.9	27.71	95.2	6.3301	57.884
2024	10	30	16	51	20	13.6	0.1	0.9	27.85	93.5	6.3301	58.3034
2024	10	30	17	1	20	13.4	0.1	0.9	27.29	94.6	6.3362	57.1024
2024	10	30	17	11	20	12.4	0.1	0.9	27.85	93.5	6.3362	58.362
2024	10	30	17	21	20	12.2	0.1	0.9	28.68	94.2	6.3362	60.0415
2024	10	30	17	31	20	12.2	0.1	0.9	26.08	94.4	6.3362	54.5832
2024	10	30	17	41	20	12.2	0.1	0.9	28.33	95.5	6.3362	59.2017
2024	10	30	17	51	20	12.2	0.1	0.9	26.9	90.6	6.3362	56.4726
2024	10	30	18	1	20	12.2	0.1	0.9	26.65	93.7	6.3362	55.8428
2024	10	30	18	11	20	12.2	0.1	0.9	27.44	93.1	6.3423	57.58
2024	10	30	18	21	20	12.2	0.1	0.9	27.29	94.6	6.3423	57.1597
2024	10	30	18	31	20	12.2	0.1	0.9	28.35	93.2	6.3423	59.4713
2024	10	30	18	41	20	12.2	0.1	0.9	27.24	92.9	6.3423	57.1597
2024	10	30	18	51	20	12.2	0.1	0.9	26.55	93.7	6.3423	55.6887
2024	10	30	19	1	20	12.2	0.1	0.9	27.88	94.3	6.3423	58.4206
2024	10	30	19	11	20	12.2	0.1	0.9	27.37	94	6.3423	57.3699
2024	10	30	19	21	20	12.2	0.1	0.9	27.07	94.2	6.3423	56.7395
2024	10	30	19	31	20	12.2	0.1	0.9	26.92	91.9	6.3423	56.5293
2024	10	30	19	41	20	12.2	0.1	0.9	27.51	91.9	6.3423	57.7902
2024	10	30	19	51	20	12.2	0.1	0.9	28.32	92.2	6.3423	59.4714
2024	10	30	20	1	20	12.2	0.1	0.9	27.77	93.9	6.3423	58.2106
2024	10	30	20	11	20	12.2	0.1	0.9	27.61	91.5	6.3423	58.0005
2024	10	30	20	21	20	12.2	0.1	0.9	27.33	95.7	6.3423	57.1599
2024	10	30	20	31	20	12.2	0.1	0.9	26.55	93.5	6.3423	55.6889
2024	10	30	20	41	20	12	0.1	0.9	27.45	93.6	6.3423	57.5803
2024	10	30	20	51	20	12	0.1	0.9	27.61	91.7	6.3484	58.0587
2024	10	30	21	1	20	12	0.1	0.9	26.06	93.7	6.3484	54.693
2024	10	30	21	11	20	12	0.1	0.9	27.71	91.7	6.3484	58.2691
2024	10	30	21	21	20	12	0.1	0.9	27.23	92.5	6.3484	57.2174
2024	10	30	21	31	20	12	0.1	0.9	27.35	93.6	6.3484	57.4278
2024	10	30	21	41	20	12	0.1	0.9	27.17	94.2	6.3484	57.0071
2024	10	30	21	51	20	12	0.1	0.9	26.72	91.9	6.3484	56.1657
2024	10	30	22	1	20	12	0.1	0.9	27.62	92.3	6.3484	58.0589
2024	10	30	22	11	20	12	0.1	0.9	27.47	94.2	6.3545	57.696
2024	10	30	22	21	20	12	0.1	0.9	27.86	93.9	6.3484	58.4797
2024	10	30	22	31	20	12	0.1	0.9	27.95	93.3	6.3545	58.7489
2024	10	30	22	41	20	12	0.1	0.9	27.82	92.3	6.3545	58.5384
2024	10	30	22	51	20	12	0.1	0.9	26.3	90.7	6.3606	55.4353
2024	10	30	23	1	20	12	0.1	0.9	29.02	92.4	6.3667	61.1875
2024	10	30	23	11	20	12	0.1	0.9	26.75	96	6.3667	56.1237
2024	10	30	23	21	20	12	0.1	0.9	27.81	95.2	6.3667	58.4447
2024	10	30	23	31	20	12	0.1	0.9	27.11	91.3	6.3667	57.1788
2024	10	30	23	41	20	12	0.1	0.9	26.93	92.8	6.3667	56.7568
2024	10	30	23	51	20	12	0.1	0.9	26.65	93.4	6.3667	56.1239

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	31	0	1	20	12	0.1	0.9	27.51	91.5	6.3667	58.0229
2024	10	31	0	11	20	12	0.1	0.9	27.11	95.1	6.3667	56.9679
2024	10	31	0	21	20	12	0.1	0.9	27.73	92.5	6.3667	58.4449
2024	10	31	0	31	20	12	0.1	0.9	27.01	91.7	6.3667	56.968
2024	10	31	0	41	20	12	0.1	0.9	27.34	93.1	6.3667	57.601
2024	10	31	0	51	20	12	0.1	0.9	27.05	93.4	6.3667	56.9681
2024	10	31	1	1	20	12	0.1	0.9	27	91.1	6.3667	56.9681
2024	10	31	1	11	20	12	0.1	0.9	26.56	93.9	6.3667	55.9132
2024	10	31	1	21	20	12	0.1	0.9	29.33	92.7	6.3667	61.821
2024	10	31	1	31	20	12	0.1	0.9	28.11	91.4	6.3667	59.2892
2024	10	31	1	41	20	12	0.1	0.9	28.55	93.4	6.3728	60.1932
2024	10	31	1	51	20	12	0.1	0.9	26.95	93.6	6.3667	56.7573
2024	10	31	2	1	20	12	0.1	0.9	27.85	93.3	6.3667	58.6563
2024	10	31	2	11	20	12	0.1	0.9	25.94	93.3	6.3728	54.702
2024	10	31	2	21	20	12	0.1	0.9	28.09	96.7	6.3667	58.8674
2024	10	31	2	31	20	12	0.1	0.9	26.43	92.6	6.3667	55.7025
2024	10	31	2	41	20	12	0.1	0.9	27.65	96	6.3728	58.0814
2024	10	31	2	51	20	12	0.1	0.9	27.94	92.9	6.3667	58.8675
2024	10	31	3	1	20	12	0.1	0.9	27.19	94.6	6.3667	57.1796
2024	10	31	3	11	20	12	0.1	0.9	26.24	95.9	6.3667	55.0696
2024	10	31	3	21	20	12	0.1	0.9	27.57	94	6.3667	58.0236
2024	10	31	3	31	20	12	0.1	0.9	28	94.9	6.3667	58.8676
2024	10	31	3	41	20	12	0.1	0.9	27.38	94.4	6.3667	57.6017
2024	10	31	3	51	20	12	0.1	0.9	26.77	94.3	6.3667	56.3357
2024	10	31	4	1	20	11.8	0.1	0.9	27.74	92.9	6.3667	58.4457
2024	10	31	4	11	20	11.8	0.1	0.9	27.5	95	6.3667	57.8127
2024	10	31	4	21	20	11.8	0.1	0.9	27.9	94.9	6.3667	58.6568
2024	10	31	4	31	20	11.8	0.1	0.9	27.96	93.7	6.3667	58.8678
2024	10	31	4	41	20	11.8	0.1	0.9	27.35	93.4	6.3667	57.6018
2024	10	31	4	51	20	11.8	0.1	0.9	26.42	92	6.3667	55.7029
2024	10	31	5	1	20	11.8	0.1	0.9	28.64	93.2	6.3667	60.3448
2024	10	31	5	11	20	11.8	0.1	0.9	27.57	94.2	6.3667	58.0239
2024	10	31	5	21	20	11.8	0.1	0.9	28.1	94.9	6.3667	59.0789
2024	10	31	5	31	20	11.8	0.1	0.9	28.05	93.5	6.3667	59.0789
2024	10	31	5	41	20	11.8	0.1	0.9	28.44	93	6.3667	59.9229
2024	10	31	5	51	20	11.8	0.1	0.9	28.05	93.3	6.3667	59.079
2024	10	31	6	1	20	11.8	0.1	0.9	27.8	95	6.3667	58.446
2024	10	31	6	11	20	11.8	0.1	0.9	28.57	94	6.3667	60.134
2024	10	31	6	21	20	11.8	0.1	0.9	26.66	93.9	6.3667	56.1251
2024	10	31	6	31	20	11.8	0.1	0.9	27.87	94.1	6.3667	58.6571
2024	10	31	6	41	20	11.8	0.1	0.9	27.7	95	6.3667	58.2351
2024	10	31	6	51	20	11.8	0.1	0.9	27.76	93.7	6.3667	58.4461
2024	10	31	7	1	20	11.8	0.1	0.9	27.75	93.3	6.3667	58.4461
2024	10	31	7	11	20	11.8	0.1	0.9	27.5	94.8	6.3667	57.8131
2024	10	31	7	21	20	11.8	0.1	0.9	28.91	95	6.3667	60.7671
2024	10	31	7	31	20	11.8	0.1	0.9	27.55	93.5	6.3667	58.0242
2024	10	31	7	41	20	11.8	0.1	0.9	27.85	93.5	6.3667	58.6572
2024	10	31	7	51	20	11.8	0.1	0.9	28.49	94.4	6.3667	59.9232

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	31	8	1	20	11.8	0.1	0.9	27.05	95.9	6.3667	56.7582
2024	10	31	8	11	20	11.8	0.1	0.9	27.21	91.5	6.3667	57.3912
2024	10	31	8	21	20	11.8	0.1	0.9	28	94.9	6.3667	58.8682
2024	10	31	8	31	20	12	0.1	0.9	27.67	94.1	6.3667	58.2352
2024	10	31	8	41	20	12	0.1	0.9	27.28	94.4	6.3667	57.3912
2024	10	31	8	51	20	12.2	0.1	0.9	27.13	92.5	6.3667	57.1802
2024	10	31	9	1	20	12.2	0.1	0.9	27.46	96.3	6.3667	57.6022
2024	10	31	9	11	20	12.4	0.1	0.9	27.78	94.3	6.3667	58.4462
2024	10	31	9	21	20	12.8	0.1	0.9	27.08	96.6	6.3667	56.7582
2024	10	31	9	31	20	12.8	0.1	0.9	26	90.9	6.3667	54.8592
2024	10	31	9	41	20	13	0.1	0.9	28.74	95.6	6.3667	60.3451
2024	10	31	9	51	20	13.2	0.1	0.9	26.95	93.6	6.3667	56.7581
2024	10	31	10	1	20	13.2	0.1	0.9	28.56	93.6	6.3667	60.1341
2024	10	31	10	11	20	13	0.1	0.9	27.75	93.5	6.3667	58.4461
2024	10	31	10	21	20	13	0.1	0.9	27.83	95.6	6.3667	58.4461
2024	10	31	10	31	20	13.6	0.1	0.9	28.13	95.5	6.3667	59.079
2024	10	31	10	41	20	13.6	0.1	0.9	27.34	92.9	6.3667	57.602
2024	10	31	10	51	20	13.2	0.1	0.9	28.59	94.6	6.3667	60.1339
2024	10	31	11	1	20	13	0.1	0.9	28.09	94.5	6.3667	59.0789
2024	10	31	11	11	20	12.8	0.1	0.9	27.45	93.3	6.3667	57.8129
2024	10	31	11	21	20	12.8	0.1	0.9	26.84	93.2	6.3667	56.5469
2024	10	31	11	31	20	13	0.1	0.9	27.12	92.1	6.3667	57.1798
2024	10	31	11	41	20	13.8	0.1	0.9	26.83	92.6	6.3667	56.5468
2024	10	31	11	51	20	13.8	0.1	0.9	29.1	94.7	6.3667	61.1886
2024	10	31	12	1	20	13.8	0.1	0.9	27.21	95.1	6.3667	57.1796
2024	10	31	12	11	20	14.2	0.1	0.9	28.13	92.4	6.3667	59.2895
2024	10	31	12	21	20	14.2	0.1	0.9	28.43	95.4	6.3667	59.7114
2024	10	31	12	31	20	14.2	0.1	0.9	28.26	93.9	6.3667	59.5004
2024	10	31	12	41	20	14.2	0.1	0.9	27.23	92.7	6.3667	57.3904
2024	10	31	12	51	20	14.2	0.1	0.9	28.26	93.9	6.3667	59.5003
2024	10	31	13	1	20	14.2	0.1	0.9	27.95	93.3	6.3728	58.926
2024	10	31	13	11	20	13.8	0.1	0.9	27.12	95.5	6.3667	56.9682
2024	10	31	13	21	20	14.2	0.1	0.9	27.21	91.7	6.3667	57.3901
2024	10	31	13	31	20	14.2	0.1	0.9	27.49	94.6	6.3728	57.8698
2024	10	31	13	41	20	14.2	0.1	0.9	27.15	93.6	6.3667	57.179
2024	10	31	13	51	20	14.2	0.1	0.9	27.42	92.1	6.3728	57.8697
2024	10	31	14	1	20	14.2	0.1	0.9	27.6	94.8	6.3667	58.0229
2024	10	31	14	11	20	14.2	0.1	0.9	28.36	93.6	6.3606	59.6511
2024	10	31	14	21	20	14.2	0.1	0.9	27.25	93.4	6.3667	57.3898
2024	10	31	14	31	20	14.2	0.1	0.9	27.8	94.7	6.3606	58.3863
2024	10	31	14	41	20	14.2	0.1	0.9	28.35	95.9	6.3606	59.4402
2024	10	31	14	51	20	13.6	0.1	0.9	28.63	92.8	6.3606	60.2833
2024	10	31	15	1	20	14.2	0.1	0.9	27.94	93.1	6.3606	58.8077
2024	10	31	15	11	20	14.2	0.1	0.9	28.74	93	6.3545	60.4335
2024	10	31	15	21	20	14.2	0.1	0.9	26.88	94.5	6.3606	56.4891
2024	10	31	15	31	20	14.2	0.1	0.9	26.64	93.2	6.3545	56.0114
2024	10	31	15	41	20	14.2	0.1	0.9	26.51	91.3	6.3545	55.8008
2024	10	31	15	51	20	14.2	0.1	0.9	27.41	95.2	6.3545	57.4854

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2024	10	31	16	1	20	13.4	0.1	0.9	27.38	94.4	6.3545	57.4854
2024	10	31	16	11	20	13.8	0.1	0.9	27.91	95.1	6.3545	58.5382
2024	10	31	16	21	20	13.8	0.1	0.9	27.73	92.5	6.3545	58.3276
2024	10	31	16	31	20	13.6	0.1	0.9	27.45	93.3	6.3545	57.6959
2024	10	31	16	41	20	13.6	0.1	0.9	27.15	93.4	6.3545	57.0642
2024	10	31	16	51	20	13.4	0.1	0.9	27.65	93.5	6.3545	58.117
2024	10	31	17	1	20	13	0.1	0.9	27.92	92.1	6.3545	58.7487
2024	10	31	17	11	20	12.4	0.1	0.9	27.9	94.9	6.3545	58.5381
2024	10	31	17	21	20	12.4	0.1	0.9	28.03	92.5	6.3545	58.9592
2024	10	31	17	31	20	12.2	0.1	0.9	28.55	93.4	6.3545	60.0121
2024	10	31	17	41	20	11.6	0.1	0.9	27.85	93.5	6.3545	58.5381
2024	10	31	17	51	20	11.6	0.1	0.9	28.13	92.4	6.3545	59.1698
2024	10	31	18	1	20	12.2	0.1	0.9	27.4	90.4	6.3545	57.6958
2024	10	31	18	11	20	12.2	0.1	0.9	27.94	93.1	6.3545	58.7487
2024	10	31	18	21	20	12.2	0.1	0.9	27.73	92.5	6.3545	58.3276
2024	10	31	18	31	20	12.2	0.1	0.9	26.88	94.5	6.3545	56.4324
2024	10	31	18	41	20	12.2	0.1	0.9	27.63	92.5	6.3545	58.117
2024	10	31	18	51	20	12.2	0.1	0.9	27.96	93.7	6.3545	58.7487
2024	10	31	19	1	20	12.2	0.1	0.9	26.98	94.5	6.3545	56.643
2024	10	31	19	11	20	12.2	0.1	0.9	27.81	91.9	6.3545	58.5382
2024	10	31	19	21	20	12.2	0.1	0.9	28.41	95	6.3545	59.591
2024	10	31	19	31	20	12.2	0.1	0.9	27.55	93.3	6.3606	57.9645
2024	10	31	19	41	20	12.2	0.1	0.9	28.43	92.4	6.3606	59.8615
2024	10	31	19	51	20	12.2	0.1	0.9	27.93	92.5	6.3667	58.8664
2024	10	31	20	1	20	12.2	0.1	0.9	28.36	93.8	6.3667	59.7104
2024	10	31	20	11	20	12.2	0.1	0.9	27.02	95.3	6.3667	56.7565
2024	10	31	20	21	20	12.2	0.1	0.9	27.3	90.8	6.3667	57.6005
2024	10	31	20	31	20	12.2	0.1	0.9	28.53	92.6	6.3728	60.1925
2024	10	31	20	41	20	12.2	0.1	0.9	27.57	94	6.3728	58.0805
2024	10	31	20	51	20	12	0.1	0.9	26.71	91.7	6.3728	56.3909
2024	10	31	21	1	20	12	0.1	0.9	28.11	91.8	6.3728	59.3478
2024	10	31	21	11	20	12	0.1	0.9	27.8	94.7	6.3728	58.503
2024	10	31	21	21	20	12	0.1	0.9	27.54	93.1	6.3728	58.0806
2024	10	31	21	31	20	12	0.1	0.9	27.65	93.3	6.3728	58.2918
2024	10	31	21	41	20	12	0.1	0.9	27.73	92.7	6.3728	58.5031
2024	10	31	21	51	20	12	0.1	0.9	27.53	92.7	6.3728	58.0807
2024	10	31	22	1	20	12	0.1	0.9	27.14	93	6.3728	57.2359
2024	10	31	22	11	20	12	0.1	0.9	27.67	93.9	6.3728	58.292
2024	10	31	22	21	20	12	0.1	0.9	27.74	93.1	6.3728	58.5032
2024	10	31	22	31	20	12	0.1	0.9	26.93	92.8	6.3728	56.8136
2024	10	31	22	41	20	12	0.1	0.9	29.07	93.9	6.3728	61.2489
2024	10	31	22	51	20	12	0.1	0.9	27.03	92.8	6.3728	57.0249
2024	10	31	23	1	20	12	0.1	1	27.52	92.1	6.3789	58.1389
2024	10	31	23	11	20	12	0.1	1	27.21	91.5	6.3789	57.5047
2024	10	31	23	21	20	12	0.1	1	26.77	94.3	6.3789	56.4476
2024	10	31	23	31	20	12	0.1	1	26.98	94.5	6.3789	56.8705
2024	10	31	23	41	20	12	0.1	1	28.68	94.2	6.3789	60.4646
2024	10	31	23	51	20	12	0.1	1	27.92	95.3	6.3789	58.7733

Locust Ditch Return

Station 0215

Date	Flow (cfs)
10/1/2024	0
10/2/2024	0
10/3/2024	0
10/4/2024	0
10/5/2024	0
10/6/2024	0
10/7/2024	0
10/8/2024	0
10/9/2024	0
10/10/2024	0
10/11/2024	0
10/12/2024	0
10/13/2024	0
10/14/2024	0
10/15/2024	0
10/16/2024	0
10/17/2024	0
10/18/2024	0
10/19/2024	0
10/20/2024	0
10/21/2024	0
10/22/2024	0
10/23/2024	0
10/24/2024	0
10/25/2024	0
10/26/2024	0
10/27/2024	0
10/28/2024	0
10/29/2024	0
10/30/2024	0
10/31/2024	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/1/2024	12:00:00 AM	0
10/1/2024	12:15:00 AM	0
10/1/2024	12:30:00 AM	0
10/1/2024	12:45:00 AM	0
10/1/2024	1:00:00 AM	0
10/1/2024	1:15:00 AM	0
10/1/2024	1:30:00 AM	0
10/1/2024	1:45:00 AM	0
10/1/2024	2:00:00 AM	0
10/1/2024	2:15:00 AM	0
10/1/2024	2:30:00 AM	0
10/1/2024	2:45:00 AM	0
10/1/2024	3:00:00 AM	0
10/1/2024	3:15:00 AM	0
10/1/2024	3:30:00 AM	0
10/1/2024	3:45:00 AM	0
10/1/2024	4:00:00 AM	0
10/1/2024	4:15:00 AM	0
10/1/2024	4:30:00 AM	0
10/1/2024	4:45:00 AM	0
10/1/2024	5:00:00 AM	0
10/1/2024	5:15:00 AM	0
10/1/2024	5:30:00 AM	0
10/1/2024	5:45:00 AM	0
10/1/2024	6:00:00 AM	0
10/1/2024	6:15:00 AM	0
10/1/2024	6:30:00 AM	0
10/1/2024	6:45:00 AM	0
10/1/2024	7:00:00 AM	0
10/1/2024	7:15:00 AM	0
10/1/2024	7:30:00 AM	0
10/1/2024	7:45:00 AM	0
10/1/2024	8:00:00 AM	0
10/1/2024	8:15:00 AM	0
10/1/2024	8:30:00 AM	0
10/1/2024	8:45:00 AM	0
10/1/2024	9:00:00 AM	0
10/1/2024	9:15:00 AM	0
10/1/2024	9:30:00 AM	0
10/1/2024	9:45:00 AM	0
10/1/2024	10:00:00 AM	0
10/1/2024	10:15:00 AM	0
10/1/2024	10:30:00 AM	0
10/1/2024	10:45:00 AM	0
10/1/2024	11:00:00 AM	0
10/1/2024	11:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/1/2024	11:30:00 AM	0
10/1/2024	11:45:00 AM	0
10/1/2024	12:00:00 PM	0
10/1/2024	12:15:00 PM	0
10/1/2024	12:30:00 PM	0
10/1/2024	12:45:00 PM	0
10/1/2024	1:00:00 PM	0
10/1/2024	1:15:00 PM	0
10/1/2024	1:30:00 PM	0
10/1/2024	1:45:00 PM	0
10/1/2024	2:00:00 PM	0
10/1/2024	2:15:00 PM	0
10/1/2024	2:30:00 PM	0
10/1/2024	2:45:00 PM	0
10/1/2024	3:00:00 PM	0
10/1/2024	3:15:00 PM	0
10/1/2024	3:30:00 PM	0
10/1/2024	3:45:00 PM	0
10/1/2024	4:00:00 PM	0
10/1/2024	4:15:00 PM	0
10/1/2024	4:30:00 PM	0
10/1/2024	4:45:00 PM	0
10/1/2024	5:00:00 PM	0
10/1/2024	5:15:00 PM	0
10/1/2024	5:30:00 PM	0
10/1/2024	5:45:00 PM	0
10/1/2024	6:00:00 PM	0
10/1/2024	6:15:00 PM	0
10/1/2024	6:30:00 PM	0
10/1/2024	6:45:00 PM	0
10/1/2024	7:00:00 PM	0
10/1/2024	7:15:00 PM	0
10/1/2024	7:30:00 PM	0
10/1/2024	7:45:00 PM	0
10/1/2024	8:00:00 PM	0
10/1/2024	8:15:00 PM	0
10/1/2024	8:30:00 PM	0
10/1/2024	8:45:00 PM	0
10/1/2024	9:00:00 PM	0
10/1/2024	9:15:00 PM	0
10/1/2024	9:30:00 PM	0
10/1/2024	9:45:00 PM	0
10/1/2024	10:00:00 PM	0
10/1/2024	10:15:00 PM	0
10/1/2024	10:30:00 PM	0
10/1/2024	10:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/1/2024	11:00:00 PM	0
10/1/2024	11:15:00 PM	0
10/1/2024	11:30:00 PM	0
10/1/2024	11:45:00 PM	0
10/2/2024	12:00:00 AM	0
10/2/2024	12:15:00 AM	0
10/2/2024	12:30:00 AM	0
10/2/2024	12:45:00 AM	0
10/2/2024	1:00:00 AM	0
10/2/2024	1:15:00 AM	0
10/2/2024	1:30:00 AM	0
10/2/2024	1:45:00 AM	0
10/2/2024	2:00:00 AM	0
10/2/2024	2:15:00 AM	0
10/2/2024	2:30:00 AM	0
10/2/2024	2:45:00 AM	0
10/2/2024	3:00:00 AM	0
10/2/2024	3:15:00 AM	0
10/2/2024	3:30:00 AM	0
10/2/2024	3:45:00 AM	0
10/2/2024	4:00:00 AM	0
10/2/2024	4:15:00 AM	0
10/2/2024	4:30:00 AM	0
10/2/2024	4:45:00 AM	0
10/2/2024	5:00:00 AM	0
10/2/2024	5:15:00 AM	0
10/2/2024	5:30:00 AM	0
10/2/2024	5:45:00 AM	0
10/2/2024	6:00:00 AM	0
10/2/2024	6:15:00 AM	0
10/2/2024	6:30:00 AM	0
10/2/2024	6:45:00 AM	0
10/2/2024	7:00:00 AM	0
10/2/2024	7:15:00 AM	0
10/2/2024	7:30:00 AM	0
10/2/2024	7:45:00 AM	0
10/2/2024	8:00:00 AM	0
10/2/2024	8:15:00 AM	0
10/2/2024	8:30:00 AM	0
10/2/2024	8:45:00 AM	0
10/2/2024	9:00:00 AM	0
10/2/2024	9:15:00 AM	0
10/2/2024	9:30:00 AM	0
10/2/2024	9:45:00 AM	0
10/2/2024	10:00:00 AM	0
10/2/2024	10:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/2/2024	10:30:00 AM	0
10/2/2024	10:45:00 AM	0
10/2/2024	11:00:00 AM	0
10/2/2024	11:15:00 AM	0
10/2/2024	11:30:00 AM	0
10/2/2024	11:45:00 AM	0
10/2/2024	12:00:00 PM	0
10/2/2024	12:15:00 PM	0
10/2/2024	12:30:00 PM	0
10/2/2024	12:45:00 PM	0
10/2/2024	1:00:00 PM	0
10/2/2024	1:15:00 PM	0
10/2/2024	1:30:00 PM	0
10/2/2024	1:45:00 PM	0
10/2/2024	2:00:00 PM	0
10/2/2024	2:15:00 PM	0
10/2/2024	2:30:00 PM	0
10/2/2024	2:45:00 PM	0
10/2/2024	3:00:00 PM	0
10/2/2024	3:15:00 PM	0
10/2/2024	3:30:00 PM	0
10/2/2024	3:45:00 PM	0
10/2/2024	4:00:00 PM	0
10/2/2024	4:15:00 PM	0
10/2/2024	4:30:00 PM	0
10/2/2024	4:45:00 PM	0
10/2/2024	5:00:00 PM	0
10/2/2024	5:15:00 PM	0
10/2/2024	5:30:00 PM	0
10/2/2024	5:45:00 PM	0
10/2/2024	6:00:00 PM	0
10/2/2024	6:15:00 PM	0
10/2/2024	6:30:00 PM	0
10/2/2024	6:45:00 PM	0
10/2/2024	7:00:00 PM	0
10/2/2024	7:15:00 PM	0
10/2/2024	7:30:00 PM	0
10/2/2024	7:45:00 PM	0
10/2/2024	8:00:00 PM	0
10/2/2024	8:15:00 PM	0
10/2/2024	8:30:00 PM	0
10/2/2024	8:45:00 PM	0
10/2/2024	9:00:00 PM	0
10/2/2024	9:15:00 PM	0
10/2/2024	9:30:00 PM	0
10/2/2024	9:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/2/2024	10:00:00 PM	0
10/2/2024	10:15:00 PM	0
10/2/2024	10:30:00 PM	0
10/2/2024	10:45:00 PM	0
10/2/2024	11:00:00 PM	0
10/2/2024	11:15:00 PM	0
10/2/2024	11:30:00 PM	0
10/2/2024	11:45:00 PM	0
10/3/2024	12:00:00 AM	0
10/3/2024	12:15:00 AM	0
10/3/2024	12:30:00 AM	0
10/3/2024	12:45:00 AM	0
10/3/2024	1:00:00 AM	0
10/3/2024	1:15:00 AM	0
10/3/2024	1:30:00 AM	0
10/3/2024	1:45:00 AM	0
10/3/2024	2:00:00 AM	0
10/3/2024	2:15:00 AM	0
10/3/2024	2:30:00 AM	0
10/3/2024	2:45:00 AM	0
10/3/2024	3:00:00 AM	0
10/3/2024	3:15:00 AM	0
10/3/2024	3:30:00 AM	0
10/3/2024	3:45:00 AM	0
10/3/2024	4:00:00 AM	0
10/3/2024	4:15:00 AM	0
10/3/2024	4:30:00 AM	0
10/3/2024	4:45:00 AM	0
10/3/2024	5:00:00 AM	0
10/3/2024	5:15:00 AM	0
10/3/2024	5:30:00 AM	0
10/3/2024	5:45:00 AM	0
10/3/2024	6:00:00 AM	0
10/3/2024	6:15:00 AM	0
10/3/2024	6:30:00 AM	0
10/3/2024	6:45:00 AM	0
10/3/2024	7:00:00 AM	0
10/3/2024	7:15:00 AM	0
10/3/2024	7:30:00 AM	0
10/3/2024	7:45:00 AM	0
10/3/2024	8:00:00 AM	0
10/3/2024	8:15:00 AM	0
10/3/2024	8:30:00 AM	0
10/3/2024	8:45:00 AM	0
10/3/2024	9:00:00 AM	0
10/3/2024	9:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/3/2024	9:30:00 AM	0
10/3/2024	9:45:00 AM	0
10/3/2024	10:00:00 AM	0
10/3/2024	10:15:00 AM	0
10/3/2024	10:30:00 AM	0
10/3/2024	10:45:00 AM	0
10/3/2024	11:00:00 AM	0
10/3/2024	11:15:00 AM	0
10/3/2024	11:30:00 AM	0
10/3/2024	11:45:00 AM	0
10/3/2024	12:00:00 PM	0
10/3/2024	12:15:00 PM	0
10/3/2024	12:30:00 PM	0
10/3/2024	12:45:00 PM	0
10/3/2024	1:00:00 PM	0
10/3/2024	1:15:00 PM	0
10/3/2024	1:30:00 PM	0
10/3/2024	1:45:00 PM	0
10/3/2024	2:00:00 PM	0
10/3/2024	2:15:00 PM	0
10/3/2024	2:30:00 PM	0
10/3/2024	2:45:00 PM	0
10/3/2024	3:00:00 PM	0
10/3/2024	3:15:00 PM	0
10/3/2024	3:30:00 PM	0
10/3/2024	3:45:00 PM	0
10/3/2024	4:00:00 PM	0
10/3/2024	4:15:00 PM	0
10/3/2024	4:30:00 PM	0
10/3/2024	4:45:00 PM	0
10/3/2024	5:00:00 PM	0
10/3/2024	5:15:00 PM	0
10/3/2024	5:30:00 PM	0
10/3/2024	5:45:00 PM	0
10/3/2024	6:00:00 PM	0
10/3/2024	6:15:00 PM	0
10/3/2024	6:30:00 PM	0
10/3/2024	6:45:00 PM	0
10/3/2024	7:00:00 PM	0
10/3/2024	7:15:00 PM	0
10/3/2024	7:30:00 PM	0
10/3/2024	7:45:00 PM	0
10/3/2024	8:00:00 PM	0
10/3/2024	8:15:00 PM	0
10/3/2024	8:30:00 PM	0
10/3/2024	8:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/3/2024	9:00:00 PM	0
10/3/2024	9:15:00 PM	0
10/3/2024	9:30:00 PM	0
10/3/2024	9:45:00 PM	0
10/3/2024	10:00:00 PM	0
10/3/2024	10:15:00 PM	0
10/3/2024	10:30:00 PM	0
10/3/2024	10:45:00 PM	0
10/3/2024	11:00:00 PM	0
10/3/2024	11:15:00 PM	0
10/3/2024	11:30:00 PM	0
10/3/2024	11:45:00 PM	0
10/4/2024	12:00:00 AM	0
10/4/2024	12:15:00 AM	0
10/4/2024	12:30:00 AM	0
10/4/2024	12:45:00 AM	0
10/4/2024	1:00:00 AM	0
10/4/2024	1:15:00 AM	0
10/4/2024	1:30:00 AM	0
10/4/2024	1:45:00 AM	0
10/4/2024	2:00:00 AM	0
10/4/2024	2:15:00 AM	0
10/4/2024	2:30:00 AM	0
10/4/2024	2:45:00 AM	0
10/4/2024	3:00:00 AM	0
10/4/2024	3:15:00 AM	0
10/4/2024	3:30:00 AM	0
10/4/2024	3:45:00 AM	0
10/4/2024	4:00:00 AM	0
10/4/2024	4:15:00 AM	0
10/4/2024	4:30:00 AM	0
10/4/2024	4:45:00 AM	0
10/4/2024	5:00:00 AM	0
10/4/2024	5:15:00 AM	0
10/4/2024	5:30:00 AM	0
10/4/2024	5:45:00 AM	0
10/4/2024	6:00:00 AM	0
10/4/2024	6:15:00 AM	0
10/4/2024	6:30:00 AM	0
10/4/2024	6:45:00 AM	0
10/4/2024	7:00:00 AM	0
10/4/2024	7:15:00 AM	0
10/4/2024	7:30:00 AM	0
10/4/2024	7:45:00 AM	0
10/4/2024	8:00:00 AM	0
10/4/2024	8:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/4/2024	8:30:00 AM	0
10/4/2024	8:45:00 AM	0
10/4/2024	9:00:00 AM	0
10/4/2024	9:15:00 AM	0
10/4/2024	9:30:00 AM	0
10/4/2024	9:45:00 AM	0
10/4/2024	10:00:00 AM	0
10/4/2024	10:15:00 AM	0
10/4/2024	10:30:00 AM	0
10/4/2024	10:45:00 AM	0
10/4/2024	11:00:00 AM	0
10/4/2024	11:15:00 AM	0
10/4/2024	11:30:00 AM	0
10/4/2024	11:45:00 AM	0
10/4/2024	12:00:00 PM	0
10/4/2024	12:15:00 PM	0
10/4/2024	12:30:00 PM	0
10/4/2024	12:45:00 PM	0
10/4/2024	1:00:00 PM	0
10/4/2024	1:15:00 PM	0
10/4/2024	1:30:00 PM	0
10/4/2024	1:45:00 PM	0
10/4/2024	2:00:00 PM	0
10/4/2024	2:15:00 PM	0
10/4/2024	2:30:00 PM	0
10/4/2024	2:45:00 PM	0
10/4/2024	3:00:00 PM	0
10/4/2024	3:15:00 PM	0
10/4/2024	3:30:00 PM	0
10/4/2024	3:45:00 PM	0
10/4/2024	4:00:00 PM	0
10/4/2024	4:15:00 PM	0
10/4/2024	4:30:00 PM	0
10/4/2024	4:45:00 PM	0
10/4/2024	5:00:00 PM	0
10/4/2024	5:15:00 PM	0
10/4/2024	5:30:00 PM	0
10/4/2024	5:45:00 PM	0
10/4/2024	6:00:00 PM	0
10/4/2024	6:15:00 PM	0
10/4/2024	6:30:00 PM	0
10/4/2024	6:45:00 PM	0
10/4/2024	7:00:00 PM	0
10/4/2024	7:15:00 PM	0
10/4/2024	7:30:00 PM	0
10/4/2024	7:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/4/2024	8:00:00 PM	0
10/4/2024	8:15:00 PM	0
10/4/2024	8:30:00 PM	0
10/4/2024	8:45:00 PM	0
10/4/2024	9:00:00 PM	0
10/4/2024	9:15:00 PM	0
10/4/2024	9:30:00 PM	0
10/4/2024	9:45:00 PM	0
10/4/2024	10:00:00 PM	0
10/4/2024	10:15:00 PM	0
10/4/2024	10:30:00 PM	0
10/4/2024	10:45:00 PM	0
10/4/2024	11:00:00 PM	0
10/4/2024	11:15:00 PM	0
10/4/2024	11:30:00 PM	0
10/4/2024	11:45:00 PM	0
10/5/2024	12:00:00 AM	0
10/5/2024	12:15:00 AM	0
10/5/2024	12:30:00 AM	0
10/5/2024	12:45:00 AM	0
10/5/2024	1:00:00 AM	0
10/5/2024	1:15:00 AM	0
10/5/2024	1:30:00 AM	0
10/5/2024	1:45:00 AM	0
10/5/2024	2:00:00 AM	0
10/5/2024	2:15:00 AM	0
10/5/2024	2:30:00 AM	0
10/5/2024	2:45:00 AM	0
10/5/2024	3:00:00 AM	0
10/5/2024	3:15:00 AM	0
10/5/2024	3:30:00 AM	0
10/5/2024	3:45:00 AM	0
10/5/2024	4:00:00 AM	0
10/5/2024	4:15:00 AM	0
10/5/2024	4:30:00 AM	0
10/5/2024	4:45:00 AM	0
10/5/2024	5:00:00 AM	0
10/5/2024	5:15:00 AM	0
10/5/2024	5:30:00 AM	0
10/5/2024	5:45:00 AM	0
10/5/2024	6:00:00 AM	0
10/5/2024	6:15:00 AM	0
10/5/2024	6:30:00 AM	0
10/5/2024	6:45:00 AM	0
10/5/2024	7:00:00 AM	0
10/5/2024	7:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/5/2024	7:30:00 AM	0
10/5/2024	7:45:00 AM	0
10/5/2024	8:00:00 AM	0
10/5/2024	8:15:00 AM	0
10/5/2024	8:30:00 AM	0
10/5/2024	8:45:00 AM	0
10/5/2024	9:00:00 AM	0
10/5/2024	9:15:00 AM	0
10/5/2024	9:30:00 AM	0
10/5/2024	9:45:00 AM	0
10/5/2024	10:00:00 AM	0
10/5/2024	10:15:00 AM	0
10/5/2024	10:30:00 AM	0
10/5/2024	10:45:00 AM	0
10/5/2024	11:00:00 AM	0
10/5/2024	11:15:00 AM	0
10/5/2024	11:30:00 AM	0
10/5/2024	11:45:00 AM	0
10/5/2024	12:00:00 PM	0
10/5/2024	12:15:00 PM	0
10/5/2024	12:30:00 PM	0
10/5/2024	12:45:00 PM	0
10/5/2024	1:00:00 PM	0
10/5/2024	1:15:00 PM	0
10/5/2024	1:30:00 PM	0
10/5/2024	1:45:00 PM	0
10/5/2024	2:00:00 PM	0
10/5/2024	2:15:00 PM	0
10/5/2024	2:30:00 PM	0
10/5/2024	2:45:00 PM	0
10/5/2024	3:00:00 PM	0
10/5/2024	3:15:00 PM	0
10/5/2024	3:30:00 PM	0
10/5/2024	3:45:00 PM	0
10/5/2024	4:00:00 PM	0
10/5/2024	4:15:00 PM	0
10/5/2024	4:30:00 PM	0
10/5/2024	4:45:00 PM	0
10/5/2024	5:00:00 PM	0
10/5/2024	5:15:00 PM	0
10/5/2024	5:30:00 PM	0
10/5/2024	5:45:00 PM	0
10/5/2024	6:00:00 PM	0
10/5/2024	6:15:00 PM	0
10/5/2024	6:30:00 PM	0
10/5/2024	6:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/5/2024	7:00:00 PM	0
10/5/2024	7:15:00 PM	0
10/5/2024	7:30:00 PM	0
10/5/2024	7:45:00 PM	0
10/5/2024	8:00:00 PM	0
10/5/2024	8:15:00 PM	0
10/5/2024	8:30:00 PM	0
10/5/2024	8:45:00 PM	0
10/5/2024	9:00:00 PM	0
10/5/2024	9:15:00 PM	0
10/5/2024	9:30:00 PM	0
10/5/2024	9:45:00 PM	0
10/5/2024	10:00:00 PM	0
10/5/2024	10:15:00 PM	0
10/5/2024	10:30:00 PM	0
10/5/2024	10:45:00 PM	0
10/5/2024	11:00:00 PM	0
10/5/2024	11:15:00 PM	0
10/5/2024	11:30:00 PM	0
10/5/2024	11:45:00 PM	0
10/6/2024	12:00:00 AM	0
10/6/2024	12:15:00 AM	0
10/6/2024	12:30:00 AM	0
10/6/2024	12:45:00 AM	0
10/6/2024	1:00:00 AM	0
10/6/2024	1:15:00 AM	0
10/6/2024	1:30:00 AM	0
10/6/2024	1:45:00 AM	0
10/6/2024	2:00:00 AM	0
10/6/2024	2:15:00 AM	0
10/6/2024	2:30:00 AM	0
10/6/2024	2:45:00 AM	0
10/6/2024	3:00:00 AM	0
10/6/2024	3:15:00 AM	0
10/6/2024	3:30:00 AM	0
10/6/2024	3:45:00 AM	0
10/6/2024	4:00:00 AM	0
10/6/2024	4:15:00 AM	0
10/6/2024	4:30:00 AM	0
10/6/2024	4:45:00 AM	0
10/6/2024	5:00:00 AM	0
10/6/2024	5:15:00 AM	0
10/6/2024	5:30:00 AM	0
10/6/2024	5:45:00 AM	0
10/6/2024	6:00:00 AM	0
10/6/2024	6:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/6/2024	6:30:00 AM	0
10/6/2024	6:45:00 AM	0
10/6/2024	7:00:00 AM	0
10/6/2024	7:15:00 AM	0
10/6/2024	7:30:00 AM	0
10/6/2024	7:45:00 AM	0
10/6/2024	8:00:00 AM	0
10/6/2024	8:15:00 AM	0
10/6/2024	8:30:00 AM	0
10/6/2024	8:45:00 AM	0
10/6/2024	9:00:00 AM	0
10/6/2024	9:15:00 AM	0
10/6/2024	9:30:00 AM	0
10/6/2024	9:45:00 AM	0
10/6/2024	10:00:00 AM	0
10/6/2024	10:15:00 AM	0
10/6/2024	10:30:00 AM	0
10/6/2024	10:45:00 AM	0
10/6/2024	11:00:00 AM	0
10/6/2024	11:15:00 AM	0
10/6/2024	11:30:00 AM	0
10/6/2024	11:45:00 AM	0
10/6/2024	12:00:00 PM	0
10/6/2024	12:15:00 PM	0
10/6/2024	12:30:00 PM	0
10/6/2024	12:45:00 PM	0
10/6/2024	1:00:00 PM	0
10/6/2024	1:15:00 PM	0
10/6/2024	1:30:00 PM	0
10/6/2024	1:45:00 PM	0
10/6/2024	2:00:00 PM	0
10/6/2024	2:15:00 PM	0
10/6/2024	2:30:00 PM	0
10/6/2024	2:45:00 PM	0
10/6/2024	3:00:00 PM	0
10/6/2024	3:15:00 PM	0
10/6/2024	3:30:00 PM	0
10/6/2024	3:45:00 PM	0
10/6/2024	4:00:00 PM	0
10/6/2024	4:15:00 PM	0
10/6/2024	4:30:00 PM	0
10/6/2024	4:45:00 PM	0
10/6/2024	5:00:00 PM	0
10/6/2024	5:15:00 PM	0
10/6/2024	5:30:00 PM	0
10/6/2024	5:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/6/2024	6:00:00 PM	0
10/6/2024	6:15:00 PM	0
10/6/2024	6:30:00 PM	0
10/6/2024	6:45:00 PM	0
10/6/2024	7:00:00 PM	0
10/6/2024	7:15:00 PM	0
10/6/2024	7:30:00 PM	0
10/6/2024	7:45:00 PM	0
10/6/2024	8:00:00 PM	0
10/6/2024	8:15:00 PM	0
10/6/2024	8:30:00 PM	0
10/6/2024	8:45:00 PM	0
10/6/2024	9:00:00 PM	0
10/6/2024	9:15:00 PM	0
10/6/2024	9:30:00 PM	0
10/6/2024	9:45:00 PM	0
10/6/2024	10:00:00 PM	0
10/6/2024	10:15:00 PM	0
10/6/2024	10:30:00 PM	0
10/6/2024	10:45:00 PM	0
10/6/2024	11:00:00 PM	0
10/6/2024	11:15:00 PM	0
10/6/2024	11:30:00 PM	0
10/6/2024	11:45:00 PM	0
10/7/2024	12:00:00 AM	0
10/7/2024	12:15:00 AM	0
10/7/2024	12:30:00 AM	0
10/7/2024	12:45:00 AM	0
10/7/2024	1:00:00 AM	0
10/7/2024	1:15:00 AM	0
10/7/2024	1:30:00 AM	0
10/7/2024	1:45:00 AM	0
10/7/2024	2:00:00 AM	0
10/7/2024	2:15:00 AM	0
10/7/2024	2:30:00 AM	0
10/7/2024	2:45:00 AM	0
10/7/2024	3:00:00 AM	0
10/7/2024	3:15:00 AM	0
10/7/2024	3:30:00 AM	0
10/7/2024	3:45:00 AM	0
10/7/2024	4:00:00 AM	0
10/7/2024	4:15:00 AM	0
10/7/2024	4:30:00 AM	0
10/7/2024	4:45:00 AM	0
10/7/2024	5:00:00 AM	0
10/7/2024	5:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/7/2024	5:30:00 AM	0
10/7/2024	5:45:00 AM	0
10/7/2024	6:00:00 AM	0
10/7/2024	6:15:00 AM	0
10/7/2024	6:30:00 AM	0
10/7/2024	6:45:00 AM	0
10/7/2024	7:00:00 AM	0
10/7/2024	7:15:00 AM	0
10/7/2024	7:30:00 AM	0
10/7/2024	7:45:00 AM	0
10/7/2024	8:00:00 AM	0
10/7/2024	8:15:00 AM	0
10/7/2024	8:30:00 AM	0
10/7/2024	8:45:00 AM	0
10/7/2024	9:00:00 AM	0
10/7/2024	9:15:00 AM	0
10/7/2024	9:30:00 AM	0
10/7/2024	9:45:00 AM	0
10/7/2024	10:00:00 AM	0
10/7/2024	10:15:00 AM	0
10/7/2024	10:30:00 AM	0
10/7/2024	10:45:00 AM	0
10/7/2024	11:00:00 AM	0
10/7/2024	11:15:00 AM	0
10/7/2024	11:30:00 AM	0
10/7/2024	11:45:00 AM	0
10/7/2024	12:00:00 PM	0
10/7/2024	12:15:00 PM	0
10/7/2024	12:30:00 PM	0
10/7/2024	12:45:00 PM	0
10/7/2024	1:00:00 PM	0
10/7/2024	1:15:00 PM	0
10/7/2024	1:30:00 PM	0
10/7/2024	1:45:00 PM	0
10/7/2024	2:00:00 PM	0
10/7/2024	2:15:00 PM	0
10/7/2024	2:30:00 PM	0
10/7/2024	2:45:00 PM	0
10/7/2024	3:00:00 PM	0
10/7/2024	3:15:00 PM	0
10/7/2024	3:30:00 PM	0
10/7/2024	3:45:00 PM	0
10/7/2024	4:00:00 PM	0
10/7/2024	4:15:00 PM	0
10/7/2024	4:30:00 PM	0
10/7/2024	4:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/7/2024	5:00:00 PM	0
10/7/2024	5:15:00 PM	0
10/7/2024	5:30:00 PM	0
10/7/2024	5:45:00 PM	0
10/7/2024	6:00:00 PM	0
10/7/2024	6:15:00 PM	0
10/7/2024	6:30:00 PM	0
10/7/2024	6:45:00 PM	0
10/7/2024	7:00:00 PM	0
10/7/2024	7:15:00 PM	0
10/7/2024	7:30:00 PM	0
10/7/2024	7:45:00 PM	0
10/7/2024	8:00:00 PM	0
10/7/2024	8:15:00 PM	0
10/7/2024	8:30:00 PM	0
10/7/2024	8:45:00 PM	0
10/7/2024	9:00:00 PM	0
10/7/2024	9:15:00 PM	0
10/7/2024	9:30:00 PM	0
10/7/2024	9:45:00 PM	0
10/7/2024	10:00:00 PM	0
10/7/2024	10:15:00 PM	0
10/7/2024	10:30:00 PM	0
10/7/2024	10:45:00 PM	0
10/7/2024	11:00:00 PM	0
10/7/2024	11:15:00 PM	0
10/7/2024	11:30:00 PM	0
10/7/2024	11:45:00 PM	0
10/8/2024	12:00:00 AM	0
10/8/2024	12:15:00 AM	0
10/8/2024	12:30:00 AM	0
10/8/2024	12:45:00 AM	0
10/8/2024	1:00:00 AM	0
10/8/2024	1:15:00 AM	0
10/8/2024	1:30:00 AM	0
10/8/2024	1:45:00 AM	0
10/8/2024	2:00:00 AM	0
10/8/2024	2:15:00 AM	0
10/8/2024	2:30:00 AM	0
10/8/2024	2:45:00 AM	0
10/8/2024	3:00:00 AM	0
10/8/2024	3:15:00 AM	0
10/8/2024	3:30:00 AM	0
10/8/2024	3:45:00 AM	0
10/8/2024	4:00:00 AM	0
10/8/2024	4:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/8/2024	4:30:00 AM	0
10/8/2024	4:45:00 AM	0
10/8/2024	5:00:00 AM	0
10/8/2024	5:15:00 AM	0
10/8/2024	5:30:00 AM	0
10/8/2024	5:45:00 AM	0
10/8/2024	6:00:00 AM	0
10/8/2024	6:15:00 AM	0
10/8/2024	6:30:00 AM	0
10/8/2024	6:45:00 AM	0
10/8/2024	7:00:00 AM	0
10/8/2024	7:15:00 AM	0
10/8/2024	7:30:00 AM	0
10/8/2024	7:45:00 AM	0
10/8/2024	8:00:00 AM	0
10/8/2024	8:15:00 AM	0
10/8/2024	8:30:00 AM	0
10/8/2024	8:45:00 AM	0
10/8/2024	9:00:00 AM	0
10/8/2024	9:15:00 AM	0
10/8/2024	9:30:00 AM	0
10/8/2024	9:45:00 AM	0
10/8/2024	10:00:00 AM	0
10/8/2024	10:15:00 AM	0
10/8/2024	10:30:00 AM	0
10/8/2024	10:45:00 AM	0
10/8/2024	11:00:00 AM	0
10/8/2024	11:15:00 AM	0
10/8/2024	11:30:00 AM	0
10/8/2024	11:45:00 AM	0
10/8/2024	12:00:00 PM	0
10/8/2024	12:15:00 PM	0
10/8/2024	12:30:00 PM	0
10/8/2024	12:45:00 PM	0
10/8/2024	1:00:00 PM	0
10/8/2024	1:15:00 PM	0
10/8/2024	1:30:00 PM	0
10/8/2024	1:45:00 PM	0
10/8/2024	2:00:00 PM	0
10/8/2024	2:15:00 PM	0
10/8/2024	2:30:00 PM	0
10/8/2024	2:45:00 PM	0
10/8/2024	3:00:00 PM	0
10/8/2024	3:15:00 PM	0
10/8/2024	3:30:00 PM	0
10/8/2024	3:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/8/2024	4:00:00 PM	0
10/8/2024	4:15:00 PM	0
10/8/2024	4:30:00 PM	0
10/8/2024	4:45:00 PM	0
10/8/2024	5:00:00 PM	0
10/8/2024	5:15:00 PM	0
10/8/2024	5:30:00 PM	0
10/8/2024	5:45:00 PM	0
10/8/2024	6:00:00 PM	0
10/8/2024	6:15:00 PM	0
10/8/2024	6:30:00 PM	0
10/8/2024	6:45:00 PM	0
10/8/2024	7:00:00 PM	0
10/8/2024	7:15:00 PM	0
10/8/2024	7:30:00 PM	0
10/8/2024	7:45:00 PM	0
10/8/2024	8:00:00 PM	0
10/8/2024	8:15:00 PM	0
10/8/2024	8:30:00 PM	0
10/8/2024	8:45:00 PM	0
10/8/2024	9:00:00 PM	0
10/8/2024	9:15:00 PM	0
10/8/2024	9:30:00 PM	0
10/8/2024	9:45:00 PM	0
10/8/2024	10:00:00 PM	0
10/8/2024	10:15:00 PM	0
10/8/2024	10:30:00 PM	0
10/8/2024	10:45:00 PM	0
10/8/2024	11:00:00 PM	0
10/8/2024	11:15:00 PM	0
10/8/2024	11:30:00 PM	0
10/8/2024	11:45:00 PM	0
10/9/2024	12:00:00 AM	0
10/9/2024	12:15:00 AM	0
10/9/2024	12:30:00 AM	0
10/9/2024	12:45:00 AM	0
10/9/2024	1:00:00 AM	0
10/9/2024	1:15:00 AM	0
10/9/2024	1:30:00 AM	0
10/9/2024	1:45:00 AM	0
10/9/2024	2:00:00 AM	0
10/9/2024	2:15:00 AM	0
10/9/2024	2:30:00 AM	0
10/9/2024	2:45:00 AM	0
10/9/2024	3:00:00 AM	0
10/9/2024	3:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/9/2024	3:30:00 AM	0
10/9/2024	3:45:00 AM	0
10/9/2024	4:00:00 AM	0
10/9/2024	4:15:00 AM	0
10/9/2024	4:30:00 AM	0
10/9/2024	4:45:00 AM	0
10/9/2024	5:00:00 AM	0
10/9/2024	5:15:00 AM	0
10/9/2024	5:30:00 AM	0
10/9/2024	5:45:00 AM	0
10/9/2024	6:00:00 AM	0
10/9/2024	6:15:00 AM	0
10/9/2024	6:30:00 AM	0
10/9/2024	6:45:00 AM	0
10/9/2024	7:00:00 AM	0
10/9/2024	7:15:00 AM	0
10/9/2024	7:30:00 AM	0
10/9/2024	7:45:00 AM	0
10/9/2024	8:00:00 AM	0
10/9/2024	8:15:00 AM	0
10/9/2024	8:30:00 AM	0
10/9/2024	8:45:00 AM	0
10/9/2024	9:00:00 AM	0
10/9/2024	9:15:00 AM	0
10/9/2024	9:30:00 AM	0
10/9/2024	9:45:00 AM	0
10/9/2024	10:00:00 AM	0
10/9/2024	10:15:00 AM	0
10/9/2024	10:30:00 AM	0
10/9/2024	10:45:00 AM	0
10/9/2024	11:00:00 AM	0
10/9/2024	11:15:00 AM	0
10/9/2024	11:30:00 AM	0
10/9/2024	11:45:00 AM	0
10/9/2024	12:00:00 PM	0
10/9/2024	12:15:00 PM	0
10/9/2024	12:30:00 PM	0
10/9/2024	12:45:00 PM	0
10/9/2024	1:00:00 PM	0
10/9/2024	1:15:00 PM	0
10/9/2024	1:30:00 PM	0
10/9/2024	1:45:00 PM	0
10/9/2024	2:00:00 PM	0
10/9/2024	2:15:00 PM	0
10/9/2024	2:30:00 PM	0
10/9/2024	2:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/9/2024	3:00:00 PM	0
10/9/2024	3:15:00 PM	0
10/9/2024	3:30:00 PM	0
10/9/2024	3:45:00 PM	0
10/9/2024	4:00:00 PM	0
10/9/2024	4:15:00 PM	0
10/9/2024	4:30:00 PM	0
10/9/2024	4:45:00 PM	0
10/9/2024	5:00:00 PM	0
10/9/2024	5:15:00 PM	0
10/9/2024	5:30:00 PM	0
10/9/2024	5:45:00 PM	0
10/9/2024	6:00:00 PM	0
10/9/2024	6:15:00 PM	0
10/9/2024	6:30:00 PM	0
10/9/2024	6:45:00 PM	0
10/9/2024	7:00:00 PM	0
10/9/2024	7:15:00 PM	0
10/9/2024	7:30:00 PM	0
10/9/2024	7:45:00 PM	0
10/9/2024	8:00:00 PM	0
10/9/2024	8:15:00 PM	0
10/9/2024	8:30:00 PM	0
10/9/2024	8:45:00 PM	0
10/9/2024	9:00:00 PM	0
10/9/2024	9:15:00 PM	0
10/9/2024	9:30:00 PM	0
10/9/2024	9:45:00 PM	0
10/9/2024	10:00:00 PM	0
10/9/2024	10:15:00 PM	0
10/9/2024	10:30:00 PM	0
10/9/2024	10:45:00 PM	0
10/9/2024	11:00:00 PM	0
10/9/2024	11:15:00 PM	0
10/9/2024	11:30:00 PM	0
10/9/2024	11:45:00 PM	0
10/10/2024	12:00:00 AM	0
10/10/2024	12:15:00 AM	0
10/10/2024	12:30:00 AM	0
10/10/2024	12:45:00 AM	0
10/10/2024	1:00:00 AM	0
10/10/2024	1:15:00 AM	0
10/10/2024	1:30:00 AM	0
10/10/2024	1:45:00 AM	0
10/10/2024	2:00:00 AM	0
10/10/2024	2:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/10/2024	2:30:00 AM	0
10/10/2024	2:45:00 AM	0
10/10/2024	3:00:00 AM	0
10/10/2024	3:15:00 AM	0
10/10/2024	3:30:00 AM	0
10/10/2024	3:45:00 AM	0
10/10/2024	4:00:00 AM	0
10/10/2024	4:15:00 AM	0
10/10/2024	4:30:00 AM	0
10/10/2024	4:45:00 AM	0
10/10/2024	5:00:00 AM	0
10/10/2024	5:15:00 AM	0
10/10/2024	5:30:00 AM	0
10/10/2024	5:45:00 AM	0
10/10/2024	6:00:00 AM	0
10/10/2024	6:15:00 AM	0
10/10/2024	6:30:00 AM	0
10/10/2024	6:45:00 AM	0
10/10/2024	7:00:00 AM	0
10/10/2024	7:15:00 AM	0
10/10/2024	7:30:00 AM	0
10/10/2024	7:45:00 AM	0
10/10/2024	8:00:00 AM	0
10/10/2024	8:15:00 AM	0
10/10/2024	8:30:00 AM	0
10/10/2024	8:45:00 AM	0
10/10/2024	9:00:00 AM	0
10/10/2024	9:15:00 AM	0
10/10/2024	9:30:00 AM	0
10/10/2024	9:45:00 AM	0
10/10/2024	10:00:00 AM	0
10/10/2024	10:15:00 AM	0
10/10/2024	10:30:00 AM	0
10/10/2024	10:45:00 AM	0
10/10/2024	11:00:00 AM	0
10/10/2024	11:15:00 AM	0
10/10/2024	11:30:00 AM	0
10/10/2024	11:45:00 AM	0
10/10/2024	12:00:00 PM	0
10/10/2024	12:15:00 PM	0
10/10/2024	12:30:00 PM	0
10/10/2024	12:45:00 PM	0
10/10/2024	1:00:00 PM	0
10/10/2024	1:15:00 PM	0
10/10/2024	1:30:00 PM	0
10/10/2024	1:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/10/2024	2:00:00 PM	0
10/10/2024	2:15:00 PM	0
10/10/2024	2:30:00 PM	0
10/10/2024	2:45:00 PM	0
10/10/2024	3:00:00 PM	0
10/10/2024	3:15:00 PM	0
10/10/2024	3:30:00 PM	0
10/10/2024	3:45:00 PM	0
10/10/2024	4:00:00 PM	0
10/10/2024	4:15:00 PM	0
10/10/2024	4:30:00 PM	0
10/10/2024	4:45:00 PM	0
10/10/2024	5:00:00 PM	0
10/10/2024	5:15:00 PM	0
10/10/2024	5:30:00 PM	0
10/10/2024	5:45:00 PM	0
10/10/2024	6:00:00 PM	0
10/10/2024	6:15:00 PM	0
10/10/2024	6:30:00 PM	0
10/10/2024	6:45:00 PM	0
10/10/2024	7:00:00 PM	0
10/10/2024	7:15:00 PM	0
10/10/2024	7:30:00 PM	0
10/10/2024	7:45:00 PM	0
10/10/2024	8:00:00 PM	0
10/10/2024	8:15:00 PM	0
10/10/2024	8:30:00 PM	0
10/10/2024	8:45:00 PM	0
10/10/2024	9:00:00 PM	0
10/10/2024	9:15:00 PM	0
10/10/2024	9:30:00 PM	0
10/10/2024	9:45:00 PM	0
10/10/2024	10:00:00 PM	0
10/10/2024	10:15:00 PM	0
10/10/2024	10:30:00 PM	0
10/10/2024	10:45:00 PM	0
10/10/2024	11:00:00 PM	0
10/10/2024	11:15:00 PM	0
10/10/2024	11:30:00 PM	0
10/10/2024	11:45:00 PM	0
10/11/2024	12:00:00 AM	0
10/11/2024	12:15:00 AM	0
10/11/2024	12:30:00 AM	0
10/11/2024	12:45:00 AM	0
10/11/2024	1:00:00 AM	0
10/11/2024	1:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/11/2024	1:30:00 AM	0
10/11/2024	1:45:00 AM	0
10/11/2024	2:00:00 AM	0
10/11/2024	2:15:00 AM	0
10/11/2024	2:30:00 AM	0
10/11/2024	2:45:00 AM	0
10/11/2024	3:00:00 AM	0
10/11/2024	3:15:00 AM	0
10/11/2024	3:30:00 AM	0
10/11/2024	3:45:00 AM	0
10/11/2024	4:00:00 AM	0
10/11/2024	4:15:00 AM	0
10/11/2024	4:30:00 AM	0
10/11/2024	4:45:00 AM	0
10/11/2024	5:00:00 AM	0
10/11/2024	5:15:00 AM	0
10/11/2024	5:30:00 AM	0
10/11/2024	5:45:00 AM	0
10/11/2024	6:00:00 AM	0
10/11/2024	6:15:00 AM	0
10/11/2024	6:30:00 AM	0
10/11/2024	6:45:00 AM	0
10/11/2024	7:00:00 AM	0
10/11/2024	7:15:00 AM	0
10/11/2024	7:30:00 AM	0
10/11/2024	7:45:00 AM	0
10/11/2024	8:00:00 AM	0
10/11/2024	8:15:00 AM	0
10/11/2024	8:30:00 AM	0
10/11/2024	8:45:00 AM	0
10/11/2024	9:00:00 AM	0
10/11/2024	9:15:00 AM	0
10/11/2024	9:30:00 AM	0
10/11/2024	9:45:00 AM	0
10/11/2024	10:00:00 AM	0
10/11/2024	10:15:00 AM	0
10/11/2024	10:30:00 AM	0
10/11/2024	10:45:00 AM	0
10/11/2024	11:00:00 AM	0
10/11/2024	11:15:00 AM	0
10/11/2024	11:30:00 AM	0
10/11/2024	11:45:00 AM	0
10/11/2024	12:00:00 PM	0
10/11/2024	12:15:00 PM	0
10/11/2024	12:30:00 PM	0
10/11/2024	12:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/11/2024	1:00:00 PM	0
10/11/2024	1:15:00 PM	0
10/11/2024	1:30:00 PM	0
10/11/2024	1:45:00 PM	0
10/11/2024	2:00:00 PM	0
10/11/2024	2:15:00 PM	0
10/11/2024	2:30:00 PM	0
10/11/2024	2:45:00 PM	0
10/11/2024	3:00:00 PM	0
10/11/2024	3:15:00 PM	0
10/11/2024	3:30:00 PM	0
10/11/2024	3:45:00 PM	0
10/11/2024	4:00:00 PM	0
10/11/2024	4:15:00 PM	0
10/11/2024	4:30:00 PM	0
10/11/2024	4:45:00 PM	0
10/11/2024	5:00:00 PM	0
10/11/2024	5:15:00 PM	0
10/11/2024	5:30:00 PM	0
10/11/2024	5:45:00 PM	0
10/11/2024	6:00:00 PM	0
10/11/2024	6:15:00 PM	0
10/11/2024	6:30:00 PM	0
10/11/2024	6:45:00 PM	0
10/11/2024	7:00:00 PM	0
10/11/2024	7:15:00 PM	0
10/11/2024	7:30:00 PM	0
10/11/2024	7:45:00 PM	0
10/11/2024	8:00:00 PM	0
10/11/2024	8:15:00 PM	0
10/11/2024	8:30:00 PM	0
10/11/2024	8:45:00 PM	0
10/11/2024	9:00:00 PM	0
10/11/2024	9:15:00 PM	0
10/11/2024	9:30:00 PM	0
10/11/2024	9:45:00 PM	0
10/11/2024	10:00:00 PM	0
10/11/2024	10:15:00 PM	0
10/11/2024	10:30:00 PM	0
10/11/2024	10:45:00 PM	0
10/11/2024	11:00:00 PM	0
10/11/2024	11:15:00 PM	0
10/11/2024	11:30:00 PM	0
10/11/2024	11:45:00 PM	0
10/12/2024	12:00:00 AM	0
10/12/2024	12:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/12/2024	12:30:00 AM	0
10/12/2024	12:45:00 AM	0
10/12/2024	1:00:00 AM	0
10/12/2024	1:15:00 AM	0
10/12/2024	1:30:00 AM	0
10/12/2024	1:45:00 AM	0
10/12/2024	2:00:00 AM	0
10/12/2024	2:15:00 AM	0
10/12/2024	2:30:00 AM	0
10/12/2024	2:45:00 AM	0
10/12/2024	3:00:00 AM	0
10/12/2024	3:15:00 AM	0
10/12/2024	3:30:00 AM	0
10/12/2024	3:45:00 AM	0
10/12/2024	4:00:00 AM	0
10/12/2024	4:15:00 AM	0
10/12/2024	4:30:00 AM	0
10/12/2024	4:45:00 AM	0
10/12/2024	5:00:00 AM	0
10/12/2024	5:15:00 AM	0
10/12/2024	5:30:00 AM	0
10/12/2024	5:45:00 AM	0
10/12/2024	6:00:00 AM	0
10/12/2024	6:15:00 AM	0
10/12/2024	6:30:00 AM	0
10/12/2024	6:45:00 AM	0
10/12/2024	7:00:00 AM	0
10/12/2024	7:15:00 AM	0
10/12/2024	7:30:00 AM	0
10/12/2024	7:45:00 AM	0
10/12/2024	8:00:00 AM	0
10/12/2024	8:15:00 AM	0
10/12/2024	8:30:00 AM	0
10/12/2024	8:45:00 AM	0
10/12/2024	9:00:00 AM	0
10/12/2024	9:15:00 AM	0
10/12/2024	9:30:00 AM	0
10/12/2024	9:45:00 AM	0
10/12/2024	10:00:00 AM	0
10/12/2024	10:15:00 AM	0
10/12/2024	10:30:00 AM	0
10/12/2024	10:45:00 AM	0
10/12/2024	11:00:00 AM	0
10/12/2024	11:15:00 AM	0
10/12/2024	11:30:00 AM	0
10/12/2024	11:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/12/2024	12:00:00 PM	0
10/12/2024	12:15:00 PM	0
10/12/2024	12:30:00 PM	0
10/12/2024	12:45:00 PM	0
10/12/2024	1:00:00 PM	0
10/12/2024	1:15:00 PM	0
10/12/2024	1:30:00 PM	0
10/12/2024	1:45:00 PM	0
10/12/2024	2:00:00 PM	0
10/12/2024	2:15:00 PM	0
10/12/2024	2:30:00 PM	0
10/12/2024	2:45:00 PM	0
10/12/2024	3:00:00 PM	0
10/12/2024	3:15:00 PM	0
10/12/2024	3:30:00 PM	0
10/12/2024	3:45:00 PM	0
10/12/2024	4:00:00 PM	0
10/12/2024	4:15:00 PM	0
10/12/2024	4:30:00 PM	0
10/12/2024	4:45:00 PM	0
10/12/2024	5:00:00 PM	0
10/12/2024	5:15:00 PM	0
10/12/2024	5:30:00 PM	0
10/12/2024	5:45:00 PM	0
10/12/2024	6:00:00 PM	0
10/12/2024	6:15:00 PM	0
10/12/2024	6:30:00 PM	0
10/12/2024	6:45:00 PM	0
10/12/2024	7:00:00 PM	0
10/12/2024	7:15:00 PM	0
10/12/2024	7:30:00 PM	0
10/12/2024	7:45:00 PM	0
10/12/2024	8:00:00 PM	0
10/12/2024	8:15:00 PM	0
10/12/2024	8:30:00 PM	0
10/12/2024	8:45:00 PM	0
10/12/2024	9:00:00 PM	0
10/12/2024	9:15:00 PM	0
10/12/2024	9:30:00 PM	0
10/12/2024	9:45:00 PM	0
10/12/2024	10:00:00 PM	0
10/12/2024	10:15:00 PM	0
10/12/2024	10:30:00 PM	0
10/12/2024	10:45:00 PM	0
10/12/2024	11:00:00 PM	0
10/12/2024	11:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/12/2024	11:30:00 PM	0
10/12/2024	11:45:00 PM	0
10/13/2024	12:00:00 AM	0
10/13/2024	12:15:00 AM	0
10/13/2024	12:30:00 AM	0
10/13/2024	12:45:00 AM	0
10/13/2024	1:00:00 AM	0
10/13/2024	1:15:00 AM	0
10/13/2024	1:30:00 AM	0
10/13/2024	1:45:00 AM	0
10/13/2024	2:00:00 AM	0
10/13/2024	2:15:00 AM	0
10/13/2024	2:30:00 AM	0
10/13/2024	2:45:00 AM	0
10/13/2024	3:00:00 AM	0
10/13/2024	3:15:00 AM	0
10/13/2024	3:30:00 AM	0
10/13/2024	3:45:00 AM	0
10/13/2024	4:00:00 AM	0
10/13/2024	4:15:00 AM	0
10/13/2024	4:30:00 AM	0
10/13/2024	4:45:00 AM	0
10/13/2024	5:00:00 AM	0
10/13/2024	5:15:00 AM	0
10/13/2024	5:30:00 AM	0
10/13/2024	5:45:00 AM	0
10/13/2024	6:00:00 AM	0
10/13/2024	6:15:00 AM	0
10/13/2024	6:30:00 AM	0
10/13/2024	6:45:00 AM	0
10/13/2024	7:00:00 AM	0
10/13/2024	7:15:00 AM	0
10/13/2024	7:30:00 AM	0
10/13/2024	7:45:00 AM	0
10/13/2024	8:00:00 AM	0
10/13/2024	8:15:00 AM	0
10/13/2024	8:30:00 AM	0
10/13/2024	8:45:00 AM	0
10/13/2024	9:00:00 AM	0
10/13/2024	9:15:00 AM	0
10/13/2024	9:30:00 AM	0
10/13/2024	9:45:00 AM	0
10/13/2024	10:00:00 AM	0
10/13/2024	10:15:00 AM	0
10/13/2024	10:30:00 AM	0
10/13/2024	10:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/13/2024	11:00:00 AM	0
10/13/2024	11:15:00 AM	0
10/13/2024	11:30:00 AM	0
10/13/2024	11:45:00 AM	0
10/13/2024	12:00:00 PM	0
10/13/2024	12:15:00 PM	0
10/13/2024	12:30:00 PM	0
10/13/2024	12:45:00 PM	0
10/13/2024	1:00:00 PM	0
10/13/2024	1:15:00 PM	0
10/13/2024	1:30:00 PM	0
10/13/2024	1:45:00 PM	0
10/13/2024	2:00:00 PM	0
10/13/2024	2:15:00 PM	0
10/13/2024	2:30:00 PM	0
10/13/2024	2:45:00 PM	0
10/13/2024	3:00:00 PM	0
10/13/2024	3:15:00 PM	0
10/13/2024	3:30:00 PM	0
10/13/2024	3:45:00 PM	0
10/13/2024	4:00:00 PM	0
10/13/2024	4:15:00 PM	0
10/13/2024	4:30:00 PM	0
10/13/2024	4:45:00 PM	0
10/13/2024	5:00:00 PM	0
10/13/2024	5:15:00 PM	0
10/13/2024	5:30:00 PM	0
10/13/2024	5:45:00 PM	0
10/13/2024	6:00:00 PM	0
10/13/2024	6:15:00 PM	0
10/13/2024	6:30:00 PM	0
10/13/2024	6:45:00 PM	0
10/13/2024	7:00:00 PM	0
10/13/2024	7:15:00 PM	0
10/13/2024	7:30:00 PM	0
10/13/2024	7:45:00 PM	0
10/13/2024	8:00:00 PM	0
10/13/2024	8:15:00 PM	0
10/13/2024	8:30:00 PM	0
10/13/2024	8:45:00 PM	0
10/13/2024	9:00:00 PM	0
10/13/2024	9:15:00 PM	0
10/13/2024	9:30:00 PM	0
10/13/2024	9:45:00 PM	0
10/13/2024	10:00:00 PM	0
10/13/2024	10:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/13/2024	10:30:00 PM	0
10/13/2024	10:45:00 PM	0
10/13/2024	11:00:00 PM	0
10/13/2024	11:15:00 PM	0
10/13/2024	11:30:00 PM	0
10/13/2024	11:45:00 PM	0
10/14/2024	12:00:00 AM	0
10/14/2024	12:15:00 AM	0
10/14/2024	12:30:00 AM	0
10/14/2024	12:45:00 AM	0
10/14/2024	1:00:00 AM	0
10/14/2024	1:15:00 AM	0
10/14/2024	1:30:00 AM	0
10/14/2024	1:45:00 AM	0
10/14/2024	2:00:00 AM	0
10/14/2024	2:15:00 AM	0
10/14/2024	2:30:00 AM	0
10/14/2024	2:45:00 AM	0
10/14/2024	3:00:00 AM	0
10/14/2024	3:15:00 AM	0
10/14/2024	3:30:00 AM	0
10/14/2024	3:45:00 AM	0
10/14/2024	4:00:00 AM	0
10/14/2024	4:15:00 AM	0
10/14/2024	4:30:00 AM	0
10/14/2024	4:45:00 AM	0
10/14/2024	5:00:00 AM	0
10/14/2024	5:15:00 AM	0
10/14/2024	5:30:00 AM	0
10/14/2024	5:45:00 AM	0
10/14/2024	6:00:00 AM	0
10/14/2024	6:15:00 AM	0
10/14/2024	6:30:00 AM	0
10/14/2024	6:45:00 AM	0
10/14/2024	7:00:00 AM	0
10/14/2024	7:15:00 AM	0
10/14/2024	7:30:00 AM	0
10/14/2024	7:45:00 AM	0
10/14/2024	8:00:00 AM	0
10/14/2024	8:15:00 AM	0
10/14/2024	8:30:00 AM	0
10/14/2024	8:45:00 AM	0
10/14/2024	9:00:00 AM	0
10/14/2024	9:15:00 AM	0
10/14/2024	9:30:00 AM	0
10/14/2024	9:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/14/2024	10:00:00 AM	0
10/14/2024	10:15:00 AM	0
10/14/2024	10:30:00 AM	0
10/14/2024	10:45:00 AM	0
10/14/2024	11:00:00 AM	0
10/14/2024	11:15:00 AM	0
10/14/2024	11:30:00 AM	0
10/14/2024	11:45:00 AM	0
10/14/2024	12:00:00 PM	0
10/14/2024	12:15:00 PM	0
10/14/2024	12:30:00 PM	0
10/14/2024	12:45:00 PM	0
10/14/2024	1:00:00 PM	0
10/14/2024	1:15:00 PM	0
10/14/2024	1:30:00 PM	0
10/14/2024	1:45:00 PM	0
10/14/2024	2:00:00 PM	0
10/14/2024	2:15:00 PM	0
10/14/2024	2:30:00 PM	0
10/14/2024	2:45:00 PM	0
10/14/2024	3:00:00 PM	0
10/14/2024	3:15:00 PM	0
10/14/2024	3:30:00 PM	0
10/14/2024	3:45:00 PM	0
10/14/2024	4:00:00 PM	0
10/14/2024	4:15:00 PM	0
10/14/2024	4:30:00 PM	0
10/14/2024	4:45:00 PM	0
10/14/2024	5:00:00 PM	0
10/14/2024	5:15:00 PM	0
10/14/2024	5:30:00 PM	0
10/14/2024	5:45:00 PM	0
10/14/2024	6:00:00 PM	0
10/14/2024	6:15:00 PM	0
10/14/2024	6:30:00 PM	0
10/14/2024	6:45:00 PM	0
10/14/2024	7:00:00 PM	0
10/14/2024	7:15:00 PM	0
10/14/2024	7:30:00 PM	0
10/14/2024	7:45:00 PM	0
10/14/2024	8:00:00 PM	0
10/14/2024	8:15:00 PM	0
10/14/2024	8:30:00 PM	0
10/14/2024	8:45:00 PM	0
10/14/2024	9:00:00 PM	0
10/14/2024	9:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/14/2024	9:30:00 PM	0
10/14/2024	9:45:00 PM	0
10/14/2024	10:00:00 PM	0
10/14/2024	10:15:00 PM	0
10/14/2024	10:30:00 PM	0
10/14/2024	10:45:00 PM	0
10/14/2024	11:00:00 PM	0
10/14/2024	11:15:00 PM	0
10/14/2024	11:30:00 PM	0
10/14/2024	11:45:00 PM	0
10/15/2024	12:00:00 AM	0
10/15/2024	12:15:00 AM	0
10/15/2024	12:30:00 AM	0
10/15/2024	12:45:00 AM	0
10/15/2024	1:00:00 AM	0
10/15/2024	1:15:00 AM	0
10/15/2024	1:30:00 AM	0
10/15/2024	1:45:00 AM	0
10/15/2024	2:00:00 AM	0
10/15/2024	2:15:00 AM	0
10/15/2024	2:30:00 AM	0
10/15/2024	2:45:00 AM	0
10/15/2024	3:00:00 AM	0
10/15/2024	3:15:00 AM	0
10/15/2024	3:30:00 AM	0
10/15/2024	3:45:00 AM	0
10/15/2024	4:00:00 AM	0
10/15/2024	4:15:00 AM	0
10/15/2024	4:30:00 AM	0
10/15/2024	4:45:00 AM	0
10/15/2024	5:00:00 AM	0
10/15/2024	5:15:00 AM	0
10/15/2024	5:30:00 AM	0
10/15/2024	5:45:00 AM	0
10/15/2024	6:00:00 AM	0
10/15/2024	6:15:00 AM	0
10/15/2024	6:30:00 AM	0
10/15/2024	6:45:00 AM	0
10/15/2024	7:00:00 AM	0
10/15/2024	7:15:00 AM	0
10/15/2024	7:30:00 AM	0
10/15/2024	7:45:00 AM	0
10/15/2024	8:00:00 AM	0
10/15/2024	8:15:00 AM	0
10/15/2024	8:30:00 AM	0
10/15/2024	8:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/15/2024	9:00:00 AM	0
10/15/2024	9:15:00 AM	0
10/15/2024	9:30:00 AM	0
10/15/2024	9:45:00 AM	0
10/15/2024	10:00:00 AM	0
10/15/2024	10:15:00 AM	0
10/15/2024	10:30:00 AM	0
10/15/2024	10:45:00 AM	0
10/15/2024	11:00:00 AM	0
10/15/2024	11:15:00 AM	0
10/15/2024	11:30:00 AM	0
10/15/2024	11:45:00 AM	0
10/15/2024	12:00:00 PM	0
10/15/2024	12:15:00 PM	0
10/15/2024	12:30:00 PM	0
10/15/2024	12:45:00 PM	0
10/15/2024	1:00:00 PM	0
10/15/2024	1:15:00 PM	0
10/15/2024	1:30:00 PM	0
10/15/2024	1:45:00 PM	0
10/15/2024	2:00:00 PM	0
10/15/2024	2:15:00 PM	0
10/15/2024	2:30:00 PM	0
10/15/2024	2:45:00 PM	0
10/15/2024	3:00:00 PM	0
10/15/2024	3:15:00 PM	0
10/15/2024	3:30:00 PM	0
10/15/2024	3:45:00 PM	0
10/15/2024	4:00:00 PM	0
10/15/2024	4:15:00 PM	0
10/15/2024	4:30:00 PM	0
10/15/2024	4:45:00 PM	0
10/15/2024	5:00:00 PM	0
10/15/2024	5:15:00 PM	0
10/15/2024	5:30:00 PM	0
10/15/2024	5:45:00 PM	0
10/15/2024	6:00:00 PM	0
10/15/2024	6:15:00 PM	0
10/15/2024	6:30:00 PM	0
10/15/2024	6:45:00 PM	0
10/15/2024	7:00:00 PM	0
10/15/2024	7:15:00 PM	0
10/15/2024	7:30:00 PM	0
10/15/2024	7:45:00 PM	0
10/15/2024	8:00:00 PM	0
10/15/2024	8:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/15/2024	8:30:00 PM	0
10/15/2024	8:45:00 PM	0
10/15/2024	9:00:00 PM	0
10/15/2024	9:15:00 PM	0
10/15/2024	9:30:00 PM	0
10/15/2024	9:45:00 PM	0
10/15/2024	10:00:00 PM	0
10/15/2024	10:15:00 PM	0
10/15/2024	10:30:00 PM	0
10/15/2024	10:45:00 PM	0
10/15/2024	11:00:00 PM	0
10/15/2024	11:15:00 PM	0
10/15/2024	11:30:00 PM	0
10/15/2024	11:45:00 PM	0
10/16/2024	12:00:00 AM	0
10/16/2024	12:15:00 AM	0
10/16/2024	12:30:00 AM	0
10/16/2024	12:45:00 AM	0
10/16/2024	1:00:00 AM	0
10/16/2024	1:15:00 AM	0
10/16/2024	1:30:00 AM	0
10/16/2024	1:45:00 AM	0
10/16/2024	2:00:00 AM	0
10/16/2024	2:15:00 AM	0
10/16/2024	2:30:00 AM	0
10/16/2024	2:45:00 AM	0
10/16/2024	3:00:00 AM	0
10/16/2024	3:15:00 AM	0
10/16/2024	3:30:00 AM	0
10/16/2024	3:45:00 AM	0
10/16/2024	4:00:00 AM	0
10/16/2024	4:15:00 AM	0
10/16/2024	4:30:00 AM	0
10/16/2024	4:45:00 AM	0
10/16/2024	5:00:00 AM	0
10/16/2024	5:15:00 AM	0
10/16/2024	5:30:00 AM	0
10/16/2024	5:45:00 AM	0
10/16/2024	6:00:00 AM	0
10/16/2024	6:15:00 AM	0
10/16/2024	6:30:00 AM	0
10/16/2024	6:45:00 AM	0
10/16/2024	7:00:00 AM	0
10/16/2024	7:15:00 AM	0
10/16/2024	7:30:00 AM	0
10/16/2024	7:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/16/2024	8:00:00 AM	0
10/16/2024	8:15:00 AM	0
10/16/2024	8:30:00 AM	0
10/16/2024	8:45:00 AM	0
10/16/2024	9:00:00 AM	0
10/16/2024	9:15:00 AM	0
10/16/2024	9:30:00 AM	0
10/16/2024	9:45:00 AM	0
10/16/2024	10:00:00 AM	0
10/16/2024	10:15:00 AM	0
10/16/2024	10:30:00 AM	0
10/16/2024	10:45:00 AM	0
10/16/2024	11:00:00 AM	0
10/16/2024	11:15:00 AM	0
10/16/2024	11:30:00 AM	0
10/16/2024	11:45:00 AM	0
10/16/2024	12:00:00 PM	0
10/16/2024	12:15:00 PM	0
10/16/2024	12:30:00 PM	0
10/16/2024	12:45:00 PM	0
10/16/2024	1:00:00 PM	0
10/16/2024	1:15:00 PM	0
10/16/2024	1:30:00 PM	0
10/16/2024	1:45:00 PM	0
10/16/2024	2:00:00 PM	0
10/16/2024	2:15:00 PM	0
10/16/2024	2:30:00 PM	0
10/16/2024	2:45:00 PM	0
10/16/2024	3:00:00 PM	0
10/16/2024	3:15:00 PM	0
10/16/2024	3:30:00 PM	0
10/16/2024	3:45:00 PM	0
10/16/2024	4:00:00 PM	0
10/16/2024	4:15:00 PM	0
10/16/2024	4:30:00 PM	0
10/16/2024	4:45:00 PM	0
10/16/2024	5:00:00 PM	0
10/16/2024	5:15:00 PM	0
10/16/2024	5:30:00 PM	0
10/16/2024	5:45:00 PM	0
10/16/2024	6:00:00 PM	0
10/16/2024	6:15:00 PM	0
10/16/2024	6:30:00 PM	0
10/16/2024	6:45:00 PM	0
10/16/2024	7:00:00 PM	0
10/16/2024	7:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/16/2024	7:30:00 PM	0
10/16/2024	7:45:00 PM	0
10/16/2024	8:00:00 PM	0
10/16/2024	8:15:00 PM	0
10/16/2024	8:30:00 PM	0
10/16/2024	8:45:00 PM	0
10/16/2024	9:00:00 PM	0
10/16/2024	9:15:00 PM	0
10/16/2024	9:30:00 PM	0
10/16/2024	9:45:00 PM	0
10/16/2024	10:00:00 PM	0
10/16/2024	10:15:00 PM	0
10/16/2024	10:30:00 PM	0
10/16/2024	10:45:00 PM	0
10/16/2024	11:00:00 PM	0
10/16/2024	11:15:00 PM	0
10/16/2024	11:30:00 PM	0
10/16/2024	11:45:00 PM	0
10/17/2024	12:00:00 AM	0
10/17/2024	12:15:00 AM	0
10/17/2024	12:30:00 AM	0
10/17/2024	12:45:00 AM	0
10/17/2024	1:00:00 AM	0
10/17/2024	1:15:00 AM	0
10/17/2024	1:30:00 AM	0
10/17/2024	1:45:00 AM	0
10/17/2024	2:00:00 AM	0
10/17/2024	2:15:00 AM	0
10/17/2024	2:30:00 AM	0
10/17/2024	2:45:00 AM	0
10/17/2024	3:00:00 AM	0
10/17/2024	3:15:00 AM	0
10/17/2024	3:30:00 AM	0
10/17/2024	3:45:00 AM	0
10/17/2024	4:00:00 AM	0
10/17/2024	4:15:00 AM	0
10/17/2024	4:30:00 AM	0
10/17/2024	4:45:00 AM	0
10/17/2024	5:00:00 AM	0
10/17/2024	5:15:00 AM	0
10/17/2024	5:30:00 AM	0
10/17/2024	5:45:00 AM	0
10/17/2024	6:00:00 AM	0
10/17/2024	6:15:00 AM	0
10/17/2024	6:30:00 AM	0
10/17/2024	6:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/17/2024	7:00:00 AM	0
10/17/2024	7:15:00 AM	0
10/17/2024	7:30:00 AM	0
10/17/2024	7:45:00 AM	0
10/17/2024	8:00:00 AM	0
10/17/2024	8:15:00 AM	0
10/17/2024	8:30:00 AM	0
10/17/2024	8:45:00 AM	0
10/17/2024	9:00:00 AM	0
10/17/2024	9:15:00 AM	0
10/17/2024	9:30:00 AM	0
10/17/2024	9:45:00 AM	0
10/17/2024	10:00:00 AM	0
10/17/2024	10:15:00 AM	0
10/17/2024	10:30:00 AM	0
10/17/2024	10:45:00 AM	0
10/17/2024	11:00:00 AM	0
10/17/2024	11:15:00 AM	0
10/17/2024	11:30:00 AM	0
10/17/2024	11:45:00 AM	0
10/17/2024	12:00:00 PM	0
10/17/2024	12:15:00 PM	0
10/17/2024	12:30:00 PM	0
10/17/2024	12:45:00 PM	0
10/17/2024	1:00:00 PM	0
10/17/2024	1:15:00 PM	0
10/17/2024	1:30:00 PM	0
10/17/2024	1:45:00 PM	0
10/17/2024	2:00:00 PM	0
10/17/2024	2:15:00 PM	0
10/17/2024	2:30:00 PM	0
10/17/2024	2:45:00 PM	0
10/17/2024	3:00:00 PM	0
10/17/2024	3:15:00 PM	0
10/17/2024	3:30:00 PM	0
10/17/2024	3:45:00 PM	0
10/17/2024	4:00:00 PM	0
10/17/2024	4:15:00 PM	0
10/17/2024	4:30:00 PM	0
10/17/2024	4:45:00 PM	0
10/17/2024	5:00:00 PM	0
10/17/2024	5:15:00 PM	0
10/17/2024	5:30:00 PM	0
10/17/2024	5:45:00 PM	0
10/17/2024	6:00:00 PM	0
10/17/2024	6:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/17/2024	6:30:00 PM	0
10/17/2024	6:45:00 PM	0
10/17/2024	7:00:00 PM	0
10/17/2024	7:15:00 PM	0
10/17/2024	7:30:00 PM	0
10/17/2024	7:45:00 PM	0
10/17/2024	8:00:00 PM	0
10/17/2024	8:15:00 PM	0
10/17/2024	8:30:00 PM	0
10/17/2024	8:45:00 PM	0
10/17/2024	9:00:00 PM	0
10/17/2024	9:15:00 PM	0
10/17/2024	9:30:00 PM	0
10/17/2024	9:45:00 PM	0
10/17/2024	10:00:00 PM	0
10/17/2024	10:15:00 PM	0
10/17/2024	10:30:00 PM	0
10/17/2024	10:45:00 PM	0
10/17/2024	11:00:00 PM	0
10/17/2024	11:15:00 PM	0
10/17/2024	11:30:00 PM	0
10/17/2024	11:45:00 PM	0
10/18/2024	12:00:00 AM	0
10/18/2024	12:15:00 AM	0
10/18/2024	12:30:00 AM	0
10/18/2024	12:45:00 AM	0
10/18/2024	1:00:00 AM	0
10/18/2024	1:15:00 AM	0
10/18/2024	1:30:00 AM	0
10/18/2024	1:45:00 AM	0
10/18/2024	2:00:00 AM	0
10/18/2024	2:15:00 AM	0
10/18/2024	2:30:00 AM	0
10/18/2024	2:45:00 AM	0
10/18/2024	3:00:00 AM	0
10/18/2024	3:15:00 AM	0
10/18/2024	3:30:00 AM	0
10/18/2024	3:45:00 AM	0
10/18/2024	4:00:00 AM	0
10/18/2024	4:15:00 AM	0
10/18/2024	4:30:00 AM	0
10/18/2024	4:45:00 AM	0
10/18/2024	5:00:00 AM	0
10/18/2024	5:15:00 AM	0
10/18/2024	5:30:00 AM	0
10/18/2024	5:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/18/2024	6:00:00 AM	0
10/18/2024	6:15:00 AM	0
10/18/2024	6:30:00 AM	0
10/18/2024	6:45:00 AM	0
10/18/2024	7:00:00 AM	0
10/18/2024	7:15:00 AM	0
10/18/2024	7:30:00 AM	0
10/18/2024	7:45:00 AM	0
10/18/2024	8:00:00 AM	0
10/18/2024	8:15:00 AM	0
10/18/2024	8:30:00 AM	0
10/18/2024	8:45:00 AM	0
10/18/2024	9:00:00 AM	0
10/18/2024	9:15:00 AM	0
10/18/2024	9:30:00 AM	0
10/18/2024	9:45:00 AM	0
10/18/2024	10:00:00 AM	0
10/18/2024	10:15:00 AM	0
10/18/2024	10:30:00 AM	0
10/18/2024	10:45:00 AM	0
10/18/2024	11:00:00 AM	0
10/18/2024	11:15:00 AM	0
10/18/2024	11:30:00 AM	0
10/18/2024	11:45:00 AM	0
10/18/2024	12:00:00 PM	0
10/18/2024	12:15:00 PM	0
10/18/2024	12:30:00 PM	0
10/18/2024	12:45:00 PM	0
10/18/2024	1:00:00 PM	0
10/18/2024	1:15:00 PM	0
10/18/2024	1:30:00 PM	0
10/18/2024	1:45:00 PM	0
10/18/2024	2:00:00 PM	0
10/18/2024	2:15:00 PM	0
10/18/2024	2:30:00 PM	0
10/18/2024	2:45:00 PM	0
10/18/2024	3:00:00 PM	0
10/18/2024	3:15:00 PM	0
10/18/2024	3:30:00 PM	0
10/18/2024	3:45:00 PM	0
10/18/2024	4:00:00 PM	0
10/18/2024	4:15:00 PM	0
10/18/2024	4:30:00 PM	0
10/18/2024	4:45:00 PM	0
10/18/2024	5:00:00 PM	0
10/18/2024	5:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/18/2024	5:30:00 PM	0
10/18/2024	5:45:00 PM	0
10/18/2024	6:00:00 PM	0
10/18/2024	6:15:00 PM	0
10/18/2024	6:30:00 PM	0
10/18/2024	6:45:00 PM	0
10/18/2024	7:00:00 PM	0
10/18/2024	7:15:00 PM	0
10/18/2024	7:30:00 PM	0
10/18/2024	7:45:00 PM	0
10/18/2024	8:00:00 PM	0
10/18/2024	8:15:00 PM	0
10/18/2024	8:30:00 PM	0
10/18/2024	8:45:00 PM	0
10/18/2024	9:00:00 PM	0
10/18/2024	9:15:00 PM	0
10/18/2024	9:30:00 PM	0
10/18/2024	9:45:00 PM	0
10/18/2024	10:00:00 PM	0
10/18/2024	10:15:00 PM	0
10/18/2024	10:30:00 PM	0
10/18/2024	10:45:00 PM	0
10/18/2024	11:00:00 PM	0
10/18/2024	11:15:00 PM	0
10/18/2024	11:30:00 PM	0
10/18/2024	11:45:00 PM	0
10/19/2024	12:00:00 AM	0
10/19/2024	12:15:00 AM	0
10/19/2024	12:30:00 AM	0
10/19/2024	12:45:00 AM	0
10/19/2024	1:00:00 AM	0
10/19/2024	1:15:00 AM	0
10/19/2024	1:30:00 AM	0
10/19/2024	1:45:00 AM	0
10/19/2024	2:00:00 AM	0
10/19/2024	2:15:00 AM	0
10/19/2024	2:30:00 AM	0
10/19/2024	2:45:00 AM	0
10/19/2024	3:00:00 AM	0
10/19/2024	3:15:00 AM	0
10/19/2024	3:30:00 AM	0
10/19/2024	3:45:00 AM	0
10/19/2024	4:00:00 AM	0
10/19/2024	4:15:00 AM	0
10/19/2024	4:30:00 AM	0
10/19/2024	4:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/19/2024	5:00:00 AM	0
10/19/2024	5:15:00 AM	0
10/19/2024	5:30:00 AM	0
10/19/2024	5:45:00 AM	0
10/19/2024	6:00:00 AM	0
10/19/2024	6:15:00 AM	0
10/19/2024	6:30:00 AM	0
10/19/2024	6:45:00 AM	0
10/19/2024	7:00:00 AM	0
10/19/2024	7:15:00 AM	0
10/19/2024	7:30:00 AM	0
10/19/2024	7:45:00 AM	0
10/19/2024	8:00:00 AM	0
10/19/2024	8:15:00 AM	0
10/19/2024	8:30:00 AM	0
10/19/2024	8:45:00 AM	0
10/19/2024	9:00:00 AM	0
10/19/2024	9:15:00 AM	0
10/19/2024	9:30:00 AM	0
10/19/2024	9:45:00 AM	0
10/19/2024	10:00:00 AM	0
10/19/2024	10:15:00 AM	0
10/19/2024	10:30:00 AM	0
10/19/2024	10:45:00 AM	0
10/19/2024	11:00:00 AM	0
10/19/2024	11:15:00 AM	0
10/19/2024	11:30:00 AM	0
10/19/2024	11:45:00 AM	0
10/19/2024	12:00:00 PM	0
10/19/2024	12:15:00 PM	0
10/19/2024	12:30:00 PM	0
10/19/2024	12:45:00 PM	0
10/19/2024	1:00:00 PM	0
10/19/2024	1:15:00 PM	0
10/19/2024	1:30:00 PM	0
10/19/2024	1:45:00 PM	0
10/19/2024	2:00:00 PM	0
10/19/2024	2:15:00 PM	0
10/19/2024	2:30:00 PM	0
10/19/2024	2:45:00 PM	0
10/19/2024	3:00:00 PM	0
10/19/2024	3:15:00 PM	0
10/19/2024	3:30:00 PM	0
10/19/2024	3:45:00 PM	0
10/19/2024	4:00:00 PM	0
10/19/2024	4:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/19/2024	4:30:00 PM	0
10/19/2024	4:45:00 PM	0
10/19/2024	5:00:00 PM	0
10/19/2024	5:15:00 PM	0
10/19/2024	5:30:00 PM	0
10/19/2024	5:45:00 PM	0
10/19/2024	6:00:00 PM	0
10/19/2024	6:15:00 PM	0
10/19/2024	6:30:00 PM	0
10/19/2024	6:45:00 PM	0
10/19/2024	7:00:00 PM	0
10/19/2024	7:15:00 PM	0
10/19/2024	7:30:00 PM	0
10/19/2024	7:45:00 PM	0
10/19/2024	8:00:00 PM	0
10/19/2024	8:15:00 PM	0
10/19/2024	8:30:00 PM	0
10/19/2024	8:45:00 PM	0
10/19/2024	9:00:00 PM	0
10/19/2024	9:15:00 PM	0
10/19/2024	9:30:00 PM	0
10/19/2024	9:45:00 PM	0
10/19/2024	10:00:00 PM	0
10/19/2024	10:15:00 PM	0
10/19/2024	10:30:00 PM	0
10/19/2024	10:45:00 PM	0
10/19/2024	11:00:00 PM	0
10/19/2024	11:15:00 PM	0
10/19/2024	11:30:00 PM	0
10/19/2024	11:45:00 PM	0
10/20/2024	12:00:00 AM	0
10/20/2024	12:15:00 AM	0
10/20/2024	12:30:00 AM	0
10/20/2024	12:45:00 AM	0
10/20/2024	1:00:00 AM	0
10/20/2024	1:15:00 AM	0
10/20/2024	1:30:00 AM	0
10/20/2024	1:45:00 AM	0
10/20/2024	2:00:00 AM	0
10/20/2024	2:15:00 AM	0
10/20/2024	2:30:00 AM	0
10/20/2024	2:45:00 AM	0
10/20/2024	3:00:00 AM	0
10/20/2024	3:15:00 AM	0
10/20/2024	3:30:00 AM	0
10/20/2024	3:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/20/2024	4:00:00 AM	0
10/20/2024	4:15:00 AM	0
10/20/2024	4:30:00 AM	0
10/20/2024	4:45:00 AM	0
10/20/2024	5:00:00 AM	0
10/20/2024	5:15:00 AM	0
10/20/2024	5:30:00 AM	0
10/20/2024	5:45:00 AM	0
10/20/2024	6:00:00 AM	0
10/20/2024	6:15:00 AM	0
10/20/2024	6:30:00 AM	0
10/20/2024	6:45:00 AM	0
10/20/2024	7:00:00 AM	0
10/20/2024	7:15:00 AM	0
10/20/2024	7:30:00 AM	0
10/20/2024	7:45:00 AM	0
10/20/2024	8:00:00 AM	0
10/20/2024	8:15:00 AM	0
10/20/2024	8:30:00 AM	0
10/20/2024	8:45:00 AM	0
10/20/2024	9:00:00 AM	0
10/20/2024	9:15:00 AM	0
10/20/2024	9:30:00 AM	0
10/20/2024	9:45:00 AM	0
10/20/2024	10:00:00 AM	0
10/20/2024	10:15:00 AM	0
10/20/2024	10:30:00 AM	0
10/20/2024	10:45:00 AM	0
10/20/2024	11:00:00 AM	0
10/20/2024	11:15:00 AM	0
10/20/2024	11:30:00 AM	0
10/20/2024	11:45:00 AM	0
10/20/2024	12:00:00 PM	0
10/20/2024	12:15:00 PM	0
10/20/2024	12:30:00 PM	0
10/20/2024	12:45:00 PM	0
10/20/2024	1:00:00 PM	0
10/20/2024	1:15:00 PM	0
10/20/2024	1:30:00 PM	0
10/20/2024	1:45:00 PM	0
10/20/2024	2:00:00 PM	0
10/20/2024	2:15:00 PM	0
10/20/2024	2:30:00 PM	0
10/20/2024	2:45:00 PM	0
10/20/2024	3:00:00 PM	0
10/20/2024	3:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/20/2024	3:30:00 PM	0
10/20/2024	3:45:00 PM	0
10/20/2024	4:00:00 PM	0
10/20/2024	4:15:00 PM	0
10/20/2024	4:30:00 PM	0
10/20/2024	4:45:00 PM	0
10/20/2024	5:00:00 PM	0
10/20/2024	5:15:00 PM	0
10/20/2024	5:30:00 PM	0
10/20/2024	5:45:00 PM	0
10/20/2024	6:00:00 PM	0
10/20/2024	6:15:00 PM	0
10/20/2024	6:30:00 PM	0
10/20/2024	6:45:00 PM	0
10/20/2024	7:00:00 PM	0
10/20/2024	7:15:00 PM	0
10/20/2024	7:30:00 PM	0
10/20/2024	7:45:00 PM	0
10/20/2024	8:00:00 PM	0
10/20/2024	8:15:00 PM	0
10/20/2024	8:30:00 PM	0
10/20/2024	8:45:00 PM	0
10/20/2024	9:00:00 PM	0
10/20/2024	9:15:00 PM	0
10/20/2024	9:30:00 PM	0
10/20/2024	9:45:00 PM	0
10/20/2024	10:00:00 PM	0
10/20/2024	10:15:00 PM	0
10/20/2024	10:30:00 PM	0
10/20/2024	10:45:00 PM	0
10/20/2024	11:00:00 PM	0
10/20/2024	11:15:00 PM	0
10/20/2024	11:30:00 PM	0
10/20/2024	11:45:00 PM	0
10/21/2024	12:00:00 AM	0
10/21/2024	12:15:00 AM	0
10/21/2024	12:30:00 AM	0
10/21/2024	12:45:00 AM	0
10/21/2024	1:00:00 AM	0
10/21/2024	1:15:00 AM	0
10/21/2024	1:30:00 AM	0
10/21/2024	1:45:00 AM	0
10/21/2024	2:00:00 AM	0
10/21/2024	2:15:00 AM	0
10/21/2024	2:30:00 AM	0
10/21/2024	2:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/21/2024	3:00:00 AM	0
10/21/2024	3:15:00 AM	0
10/21/2024	3:30:00 AM	0
10/21/2024	3:45:00 AM	0
10/21/2024	4:00:00 AM	0
10/21/2024	4:15:00 AM	0
10/21/2024	4:30:00 AM	0
10/21/2024	4:45:00 AM	0
10/21/2024	5:00:00 AM	0
10/21/2024	5:15:00 AM	0
10/21/2024	5:30:00 AM	0
10/21/2024	5:45:00 AM	0
10/21/2024	6:00:00 AM	0
10/21/2024	6:15:00 AM	0
10/21/2024	6:30:00 AM	0
10/21/2024	6:45:00 AM	0
10/21/2024	7:00:00 AM	0
10/21/2024	7:15:00 AM	0
10/21/2024	7:30:00 AM	0
10/21/2024	7:45:00 AM	0
10/21/2024	8:00:00 AM	0
10/21/2024	8:15:00 AM	0
10/21/2024	8:30:00 AM	0
10/21/2024	8:45:00 AM	0
10/21/2024	9:00:00 AM	0
10/21/2024	9:15:00 AM	0
10/21/2024	9:30:00 AM	0
10/21/2024	9:45:00 AM	0
10/21/2024	10:00:00 AM	0
10/21/2024	10:15:00 AM	0
10/21/2024	10:30:00 AM	0
10/21/2024	10:45:00 AM	0
10/21/2024	11:00:00 AM	0
10/21/2024	11:15:00 AM	0
10/21/2024	11:30:00 AM	0
10/21/2024	11:45:00 AM	0
10/21/2024	12:00:00 PM	0
10/21/2024	12:15:00 PM	0
10/21/2024	12:30:00 PM	0
10/21/2024	12:45:00 PM	0
10/21/2024	1:00:00 PM	0
10/21/2024	1:15:00 PM	0
10/21/2024	1:30:00 PM	0
10/21/2024	1:45:00 PM	0
10/21/2024	2:00:00 PM	0
10/21/2024	2:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/21/2024	2:30:00 PM	0
10/21/2024	2:45:00 PM	0
10/21/2024	3:00:00 PM	0
10/21/2024	3:15:00 PM	0
10/21/2024	3:30:00 PM	0
10/21/2024	3:45:00 PM	0
10/21/2024	4:00:00 PM	0
10/21/2024	4:15:00 PM	0
10/21/2024	4:30:00 PM	0
10/21/2024	4:45:00 PM	0
10/21/2024	5:00:00 PM	0
10/21/2024	5:15:00 PM	0
10/21/2024	5:30:00 PM	0
10/21/2024	5:45:00 PM	0
10/21/2024	6:00:00 PM	0
10/21/2024	6:15:00 PM	0
10/21/2024	6:30:00 PM	0
10/21/2024	6:45:00 PM	0
10/21/2024	7:00:00 PM	0
10/21/2024	7:15:00 PM	0
10/21/2024	7:30:00 PM	0
10/21/2024	7:45:00 PM	0
10/21/2024	8:00:00 PM	0
10/21/2024	8:15:00 PM	0
10/21/2024	8:30:00 PM	0
10/21/2024	8:45:00 PM	0
10/21/2024	9:00:00 PM	0
10/21/2024	9:15:00 PM	0
10/21/2024	9:30:00 PM	0
10/21/2024	9:45:00 PM	0
10/21/2024	10:00:00 PM	0
10/21/2024	10:15:00 PM	0
10/21/2024	10:30:00 PM	0
10/21/2024	10:45:00 PM	0
10/21/2024	11:00:00 PM	0
10/21/2024	11:15:00 PM	0
10/21/2024	11:30:00 PM	0
10/21/2024	11:45:00 PM	0
10/22/2024	12:00:00 AM	0
10/22/2024	12:15:00 AM	0
10/22/2024	12:30:00 AM	0
10/22/2024	12:45:00 AM	0
10/22/2024	1:00:00 AM	0
10/22/2024	1:15:00 AM	0
10/22/2024	1:30:00 AM	0
10/22/2024	1:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/22/2024	2:00:00 AM	0
10/22/2024	2:15:00 AM	0
10/22/2024	2:30:00 AM	0
10/22/2024	2:45:00 AM	0
10/22/2024	3:00:00 AM	0
10/22/2024	3:15:00 AM	0
10/22/2024	3:30:00 AM	0
10/22/2024	3:45:00 AM	0
10/22/2024	4:00:00 AM	0
10/22/2024	4:15:00 AM	0
10/22/2024	4:30:00 AM	0
10/22/2024	4:45:00 AM	0
10/22/2024	5:00:00 AM	0
10/22/2024	5:15:00 AM	0
10/22/2024	5:30:00 AM	0
10/22/2024	5:45:00 AM	0
10/22/2024	6:00:00 AM	0
10/22/2024	6:15:00 AM	0
10/22/2024	6:30:00 AM	0
10/22/2024	6:45:00 AM	0
10/22/2024	7:00:00 AM	0
10/22/2024	7:15:00 AM	0
10/22/2024	7:30:00 AM	0
10/22/2024	7:45:00 AM	0
10/22/2024	8:00:00 AM	0
10/22/2024	8:15:00 AM	0
10/22/2024	8:30:00 AM	0
10/22/2024	8:45:00 AM	0
10/22/2024	9:00:00 AM	0
10/22/2024	9:15:00 AM	0
10/22/2024	9:30:00 AM	0
10/22/2024	9:45:00 AM	0
10/22/2024	10:00:00 AM	0
10/22/2024	10:15:00 AM	0
10/22/2024	10:30:00 AM	0
10/22/2024	10:45:00 AM	0
10/22/2024	11:00:00 AM	0
10/22/2024	11:15:00 AM	0
10/22/2024	11:30:00 AM	0
10/22/2024	11:45:00 AM	0
10/22/2024	12:00:00 PM	0
10/22/2024	12:15:00 PM	0
10/22/2024	12:30:00 PM	0
10/22/2024	12:45:00 PM	0
10/22/2024	1:00:00 PM	0
10/22/2024	1:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/22/2024	1:30:00 PM	0
10/22/2024	1:45:00 PM	0
10/22/2024	2:00:00 PM	0
10/22/2024	2:15:00 PM	0
10/22/2024	2:30:00 PM	0
10/22/2024	2:45:00 PM	0
10/22/2024	3:00:00 PM	0
10/22/2024	3:15:00 PM	0
10/22/2024	3:30:00 PM	0
10/22/2024	3:45:00 PM	0
10/22/2024	4:00:00 PM	0
10/22/2024	4:15:00 PM	0
10/22/2024	4:30:00 PM	0
10/22/2024	4:45:00 PM	0
10/22/2024	5:00:00 PM	0
10/22/2024	5:15:00 PM	0
10/22/2024	5:30:00 PM	0
10/22/2024	5:45:00 PM	0
10/22/2024	6:00:00 PM	0
10/22/2024	6:15:00 PM	0
10/22/2024	6:30:00 PM	0
10/22/2024	6:45:00 PM	0
10/22/2024	7:00:00 PM	0
10/22/2024	7:15:00 PM	0
10/22/2024	7:30:00 PM	0
10/22/2024	7:45:00 PM	0
10/22/2024	8:00:00 PM	0
10/22/2024	8:15:00 PM	0
10/22/2024	8:30:00 PM	0
10/22/2024	8:45:00 PM	0
10/22/2024	9:00:00 PM	0
10/22/2024	9:15:00 PM	0
10/22/2024	9:30:00 PM	0
10/22/2024	9:45:00 PM	0
10/22/2024	10:00:00 PM	0
10/22/2024	10:15:00 PM	0
10/22/2024	10:30:00 PM	0
10/22/2024	10:45:00 PM	0
10/22/2024	11:00:00 PM	0
10/22/2024	11:15:00 PM	0
10/22/2024	11:30:00 PM	0
10/22/2024	11:45:00 PM	0
10/23/2024	12:00:00 AM	0
10/23/2024	12:15:00 AM	0
10/23/2024	12:30:00 AM	0
10/23/2024	12:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/23/2024	1:00:00 AM	0
10/23/2024	1:15:00 AM	0
10/23/2024	1:30:00 AM	0
10/23/2024	1:45:00 AM	0
10/23/2024	2:00:00 AM	0
10/23/2024	2:15:00 AM	0
10/23/2024	2:30:00 AM	0
10/23/2024	2:45:00 AM	0
10/23/2024	3:00:00 AM	0
10/23/2024	3:15:00 AM	0
10/23/2024	3:30:00 AM	0
10/23/2024	3:45:00 AM	0
10/23/2024	4:00:00 AM	0
10/23/2024	4:15:00 AM	0
10/23/2024	4:30:00 AM	0
10/23/2024	4:45:00 AM	0
10/23/2024	5:00:00 AM	0
10/23/2024	5:15:00 AM	0
10/23/2024	5:30:00 AM	0
10/23/2024	5:45:00 AM	0
10/23/2024	6:00:00 AM	0
10/23/2024	6:15:00 AM	0
10/23/2024	6:30:00 AM	0
10/23/2024	6:45:00 AM	0
10/23/2024	7:00:00 AM	0
10/23/2024	7:15:00 AM	0
10/23/2024	7:30:00 AM	0
10/23/2024	7:45:00 AM	0
10/23/2024	8:00:00 AM	0
10/23/2024	8:15:00 AM	0
10/23/2024	8:30:00 AM	0
10/23/2024	8:45:00 AM	0
10/23/2024	9:00:00 AM	0
10/23/2024	9:15:00 AM	0
10/23/2024	9:30:00 AM	0
10/23/2024	9:45:00 AM	0
10/23/2024	10:00:00 AM	0
10/23/2024	10:15:00 AM	0
10/23/2024	10:30:00 AM	0
10/23/2024	10:45:00 AM	0
10/23/2024	11:00:00 AM	0
10/23/2024	11:15:00 AM	0
10/23/2024	11:30:00 AM	0
10/23/2024	11:45:00 AM	0
10/23/2024	12:00:00 PM	0
10/23/2024	12:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/23/2024	12:30:00 PM	0
10/23/2024	12:45:00 PM	0
10/23/2024	1:00:00 PM	0
10/23/2024	1:15:00 PM	0
10/23/2024	1:30:00 PM	0
10/23/2024	1:45:00 PM	0
10/23/2024	2:00:00 PM	0
10/23/2024	2:15:00 PM	0
10/23/2024	2:30:00 PM	0
10/23/2024	2:45:00 PM	0
10/23/2024	3:00:00 PM	0
10/23/2024	3:15:00 PM	0
10/23/2024	3:30:00 PM	0
10/23/2024	3:45:00 PM	0
10/23/2024	4:00:00 PM	0
10/23/2024	4:15:00 PM	0
10/23/2024	4:30:00 PM	0
10/23/2024	4:45:00 PM	0
10/23/2024	5:00:00 PM	0
10/23/2024	5:15:00 PM	0
10/23/2024	5:30:00 PM	0
10/23/2024	5:45:00 PM	0
10/23/2024	6:00:00 PM	0
10/23/2024	6:15:00 PM	0
10/23/2024	6:30:00 PM	0
10/23/2024	6:45:00 PM	0
10/23/2024	7:00:00 PM	0
10/23/2024	7:15:00 PM	0
10/23/2024	7:30:00 PM	0
10/23/2024	7:45:00 PM	0
10/23/2024	8:00:00 PM	0
10/23/2024	8:15:00 PM	0
10/23/2024	8:30:00 PM	0
10/23/2024	8:45:00 PM	0
10/23/2024	9:00:00 PM	0
10/23/2024	9:15:00 PM	0
10/23/2024	9:30:00 PM	0
10/23/2024	9:45:00 PM	0
10/23/2024	10:00:00 PM	0
10/23/2024	10:15:00 PM	0
10/23/2024	10:30:00 PM	0
10/23/2024	10:45:00 PM	0
10/23/2024	11:00:00 PM	0
10/23/2024	11:15:00 PM	0
10/23/2024	11:30:00 PM	0
10/23/2024	11:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/24/2024	12:00:00 AM	0
10/24/2024	12:15:00 AM	0
10/24/2024	12:30:00 AM	0
10/24/2024	12:45:00 AM	0
10/24/2024	1:00:00 AM	0
10/24/2024	1:15:00 AM	0
10/24/2024	1:30:00 AM	0
10/24/2024	1:45:00 AM	0
10/24/2024	2:00:00 AM	0
10/24/2024	2:15:00 AM	0
10/24/2024	2:30:00 AM	0
10/24/2024	2:45:00 AM	0
10/24/2024	3:00:00 AM	0
10/24/2024	3:15:00 AM	0
10/24/2024	3:30:00 AM	0
10/24/2024	3:45:00 AM	0
10/24/2024	4:00:00 AM	0
10/24/2024	4:15:00 AM	0
10/24/2024	4:30:00 AM	0
10/24/2024	4:45:00 AM	0
10/24/2024	5:00:00 AM	0
10/24/2024	5:15:00 AM	0
10/24/2024	5:30:00 AM	0
10/24/2024	5:45:00 AM	0
10/24/2024	6:00:00 AM	0
10/24/2024	6:15:00 AM	0
10/24/2024	6:30:00 AM	0
10/24/2024	6:45:00 AM	0
10/24/2024	7:00:00 AM	0
10/24/2024	7:15:00 AM	0
10/24/2024	7:30:00 AM	0
10/24/2024	7:45:00 AM	0
10/24/2024	8:00:00 AM	0
10/24/2024	8:15:00 AM	0
10/24/2024	8:30:00 AM	0
10/24/2024	8:45:00 AM	0
10/24/2024	9:00:00 AM	0
10/24/2024	9:15:00 AM	0
10/24/2024	9:30:00 AM	0
10/24/2024	9:45:00 AM	0
10/24/2024	10:00:00 AM	0
10/24/2024	10:15:00 AM	0
10/24/2024	10:30:00 AM	0
10/24/2024	10:45:00 AM	0
10/24/2024	11:00:00 AM	0
10/24/2024	11:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/24/2024	11:30:00 AM	0
10/24/2024	11:45:00 AM	0
10/24/2024	12:00:00 PM	0
10/24/2024	12:15:00 PM	0
10/24/2024	12:30:00 PM	0
10/24/2024	12:45:00 PM	0
10/24/2024	1:00:00 PM	0
10/24/2024	1:15:00 PM	0
10/24/2024	1:30:00 PM	0
10/24/2024	1:45:00 PM	0
10/24/2024	2:00:00 PM	0
10/24/2024	2:15:00 PM	0
10/24/2024	2:30:00 PM	0
10/24/2024	2:45:00 PM	0
10/24/2024	3:00:00 PM	0
10/24/2024	3:15:00 PM	0
10/24/2024	3:30:00 PM	0
10/24/2024	3:45:00 PM	0
10/24/2024	4:00:00 PM	0
10/24/2024	4:15:00 PM	0
10/24/2024	4:30:00 PM	0
10/24/2024	4:45:00 PM	0
10/24/2024	5:00:00 PM	0
10/24/2024	5:15:00 PM	0
10/24/2024	5:30:00 PM	0
10/24/2024	5:45:00 PM	0
10/24/2024	6:00:00 PM	0
10/24/2024	6:15:00 PM	0
10/24/2024	6:30:00 PM	0
10/24/2024	6:45:00 PM	0
10/24/2024	7:00:00 PM	0
10/24/2024	7:15:00 PM	0
10/24/2024	7:30:00 PM	0
10/24/2024	7:45:00 PM	0
10/24/2024	8:00:00 PM	0
10/24/2024	8:15:00 PM	0
10/24/2024	8:30:00 PM	0
10/24/2024	8:45:00 PM	0
10/24/2024	9:00:00 PM	0
10/24/2024	9:15:00 PM	0
10/24/2024	9:30:00 PM	0
10/24/2024	9:45:00 PM	0
10/24/2024	10:00:00 PM	0
10/24/2024	10:15:00 PM	0
10/24/2024	10:30:00 PM	0
10/24/2024	10:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/24/2024	11:00:00 PM	0
10/24/2024	11:15:00 PM	0
10/24/2024	11:30:00 PM	0
10/24/2024	11:45:00 PM	0
10/25/2024	12:00:00 AM	0
10/25/2024	12:15:00 AM	0
10/25/2024	12:30:00 AM	0
10/25/2024	12:45:00 AM	0
10/25/2024	1:00:00 AM	0
10/25/2024	1:15:00 AM	0
10/25/2024	1:30:00 AM	0
10/25/2024	1:45:00 AM	0
10/25/2024	2:00:00 AM	0
10/25/2024	2:15:00 AM	0
10/25/2024	2:30:00 AM	0
10/25/2024	2:45:00 AM	0
10/25/2024	3:00:00 AM	0
10/25/2024	3:15:00 AM	0
10/25/2024	3:30:00 AM	0
10/25/2024	3:45:00 AM	0
10/25/2024	4:00:00 AM	0
10/25/2024	4:15:00 AM	0
10/25/2024	4:30:00 AM	0
10/25/2024	4:45:00 AM	0
10/25/2024	5:00:00 AM	0
10/25/2024	5:15:00 AM	0
10/25/2024	5:30:00 AM	0
10/25/2024	5:45:00 AM	0
10/25/2024	6:00:00 AM	0
10/25/2024	6:15:00 AM	0
10/25/2024	6:30:00 AM	0
10/25/2024	6:45:00 AM	0
10/25/2024	7:00:00 AM	0
10/25/2024	7:15:00 AM	0
10/25/2024	7:30:00 AM	0
10/25/2024	7:45:00 AM	0
10/25/2024	8:00:00 AM	0
10/25/2024	8:15:00 AM	0
10/25/2024	8:30:00 AM	0
10/25/2024	8:45:00 AM	0
10/25/2024	9:00:00 AM	0
10/25/2024	9:15:00 AM	0
10/25/2024	9:30:00 AM	0
10/25/2024	9:45:00 AM	0
10/25/2024	10:00:00 AM	0
10/25/2024	10:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/25/2024	10:30:00 AM	0
10/25/2024	10:45:00 AM	0
10/25/2024	11:00:00 AM	0
10/25/2024	11:15:00 AM	0
10/25/2024	11:30:00 AM	0
10/25/2024	11:45:00 AM	0
10/25/2024	12:00:00 PM	0
10/25/2024	12:15:00 PM	0
10/25/2024	12:30:00 PM	0
10/25/2024	12:45:00 PM	0
10/25/2024	1:00:00 PM	0
10/25/2024	1:15:00 PM	0
10/25/2024	1:30:00 PM	0
10/25/2024	1:45:00 PM	0
10/25/2024	2:00:00 PM	0
10/25/2024	2:15:00 PM	0
10/25/2024	2:30:00 PM	0
10/25/2024	2:45:00 PM	0
10/25/2024	3:00:00 PM	0
10/25/2024	3:15:00 PM	0
10/25/2024	3:30:00 PM	0
10/25/2024	3:45:00 PM	0
10/25/2024	4:00:00 PM	0
10/25/2024	4:15:00 PM	0
10/25/2024	4:30:00 PM	0
10/25/2024	4:45:00 PM	0
10/25/2024	5:00:00 PM	0
10/25/2024	5:15:00 PM	0
10/25/2024	5:30:00 PM	0
10/25/2024	5:45:00 PM	0
10/25/2024	6:00:00 PM	0
10/25/2024	6:15:00 PM	0
10/25/2024	6:30:00 PM	0
10/25/2024	6:45:00 PM	0
10/25/2024	7:00:00 PM	0
10/25/2024	7:15:00 PM	0
10/25/2024	7:30:00 PM	0
10/25/2024	7:45:00 PM	0
10/25/2024	8:00:00 PM	0
10/25/2024	8:15:00 PM	0
10/25/2024	8:30:00 PM	0
10/25/2024	8:45:00 PM	0
10/25/2024	9:00:00 PM	0
10/25/2024	9:15:00 PM	0
10/25/2024	9:30:00 PM	0
10/25/2024	9:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/25/2024	10:00:00 PM	0
10/25/2024	10:15:00 PM	0
10/25/2024	10:30:00 PM	0
10/25/2024	10:45:00 PM	0
10/25/2024	11:00:00 PM	0
10/25/2024	11:15:00 PM	0
10/25/2024	11:30:00 PM	0
10/25/2024	11:45:00 PM	0
10/26/2024	12:00:00 AM	0
10/26/2024	12:15:00 AM	0
10/26/2024	12:30:00 AM	0
10/26/2024	12:45:00 AM	0
10/26/2024	1:00:00 AM	0
10/26/2024	1:15:00 AM	0
10/26/2024	1:30:00 AM	0
10/26/2024	1:45:00 AM	0
10/26/2024	2:00:00 AM	0
10/26/2024	2:15:00 AM	0
10/26/2024	2:30:00 AM	0
10/26/2024	2:45:00 AM	0
10/26/2024	3:00:00 AM	0
10/26/2024	3:15:00 AM	0
10/26/2024	3:30:00 AM	0
10/26/2024	3:45:00 AM	0
10/26/2024	4:00:00 AM	0
10/26/2024	4:15:00 AM	0
10/26/2024	4:30:00 AM	0
10/26/2024	4:45:00 AM	0
10/26/2024	5:00:00 AM	0
10/26/2024	5:15:00 AM	0
10/26/2024	5:30:00 AM	0
10/26/2024	5:45:00 AM	0
10/26/2024	6:00:00 AM	0
10/26/2024	6:15:00 AM	0
10/26/2024	6:30:00 AM	0
10/26/2024	6:45:00 AM	0
10/26/2024	7:00:00 AM	0
10/26/2024	7:15:00 AM	0
10/26/2024	7:30:00 AM	0
10/26/2024	7:45:00 AM	0
10/26/2024	8:00:00 AM	0
10/26/2024	8:15:00 AM	0
10/26/2024	8:30:00 AM	0
10/26/2024	8:45:00 AM	0
10/26/2024	9:00:00 AM	0
10/26/2024	9:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/26/2024	9:30:00 AM	0
10/26/2024	9:45:00 AM	0
10/26/2024	10:00:00 AM	0
10/26/2024	10:15:00 AM	0
10/26/2024	10:30:00 AM	0
10/26/2024	10:45:00 AM	0
10/26/2024	11:00:00 AM	0
10/26/2024	11:15:00 AM	0
10/26/2024	11:30:00 AM	0
10/26/2024	11:45:00 AM	0
10/26/2024	12:00:00 PM	0
10/26/2024	12:15:00 PM	0
10/26/2024	12:30:00 PM	0
10/26/2024	12:45:00 PM	0
10/26/2024	1:00:00 PM	0
10/26/2024	1:15:00 PM	0
10/26/2024	1:30:00 PM	0
10/26/2024	1:45:00 PM	0
10/26/2024	2:00:00 PM	0
10/26/2024	2:15:00 PM	0
10/26/2024	2:30:00 PM	0
10/26/2024	2:45:00 PM	0
10/26/2024	3:00:00 PM	0
10/26/2024	3:15:00 PM	0
10/26/2024	3:30:00 PM	0
10/26/2024	3:45:00 PM	0
10/26/2024	4:00:00 PM	0
10/26/2024	4:15:00 PM	0
10/26/2024	4:30:00 PM	0
10/26/2024	4:45:00 PM	0
10/26/2024	5:00:00 PM	0
10/26/2024	5:15:00 PM	0
10/26/2024	5:30:00 PM	0
10/26/2024	5:45:00 PM	0
10/26/2024	6:00:00 PM	0
10/26/2024	6:15:00 PM	0
10/26/2024	6:30:00 PM	0
10/26/2024	6:45:00 PM	0
10/26/2024	7:00:00 PM	0
10/26/2024	7:15:00 PM	0
10/26/2024	7:30:00 PM	0
10/26/2024	7:45:00 PM	0
10/26/2024	8:00:00 PM	0
10/26/2024	8:15:00 PM	0
10/26/2024	8:30:00 PM	0
10/26/2024	8:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/26/2024	9:00:00 PM	0
10/26/2024	9:15:00 PM	0
10/26/2024	9:30:00 PM	0
10/26/2024	9:45:00 PM	0
10/26/2024	10:00:00 PM	0
10/26/2024	10:15:00 PM	0
10/26/2024	10:30:00 PM	0
10/26/2024	10:45:00 PM	0
10/26/2024	11:00:00 PM	0
10/26/2024	11:15:00 PM	0
10/26/2024	11:30:00 PM	0
10/26/2024	11:45:00 PM	0
10/27/2024	12:00:00 AM	0
10/27/2024	12:15:00 AM	0
10/27/2024	12:30:00 AM	0
10/27/2024	12:45:00 AM	0
10/27/2024	1:00:00 AM	0
10/27/2024	1:15:00 AM	0
10/27/2024	1:30:00 AM	0
10/27/2024	1:45:00 AM	0
10/27/2024	2:00:00 AM	0
10/27/2024	2:15:00 AM	0
10/27/2024	2:30:00 AM	0
10/27/2024	2:45:00 AM	0
10/27/2024	3:00:00 AM	0
10/27/2024	3:15:00 AM	0
10/27/2024	3:30:00 AM	0
10/27/2024	3:45:00 AM	0
10/27/2024	4:00:00 AM	0
10/27/2024	4:15:00 AM	0
10/27/2024	4:30:00 AM	0
10/27/2024	4:45:00 AM	0
10/27/2024	5:00:00 AM	0
10/27/2024	5:15:00 AM	0
10/27/2024	5:30:00 AM	0
10/27/2024	5:45:00 AM	0
10/27/2024	6:00:00 AM	0
10/27/2024	6:15:00 AM	0
10/27/2024	6:30:00 AM	0
10/27/2024	6:45:00 AM	0
10/27/2024	7:00:00 AM	0
10/27/2024	7:15:00 AM	0
10/27/2024	7:30:00 AM	0
10/27/2024	7:45:00 AM	0
10/27/2024	8:00:00 AM	0
10/27/2024	8:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/27/2024	8:30:00 AM	0
10/27/2024	8:45:00 AM	0
10/27/2024	9:00:00 AM	0
10/27/2024	9:15:00 AM	0
10/27/2024	9:30:00 AM	0
10/27/2024	9:45:00 AM	0
10/27/2024	10:00:00 AM	0
10/27/2024	10:15:00 AM	0
10/27/2024	10:30:00 AM	0
10/27/2024	10:45:00 AM	0
10/27/2024	11:00:00 AM	0
10/27/2024	11:15:00 AM	0
10/27/2024	11:30:00 AM	0
10/27/2024	11:45:00 AM	0
10/27/2024	12:00:00 PM	0
10/27/2024	12:15:00 PM	0
10/27/2024	12:30:00 PM	0
10/27/2024	12:45:00 PM	0
10/27/2024	1:00:00 PM	0
10/27/2024	1:15:00 PM	0
10/27/2024	1:30:00 PM	0
10/27/2024	1:45:00 PM	0
10/27/2024	2:00:00 PM	0
10/27/2024	2:15:00 PM	0
10/27/2024	2:30:00 PM	0
10/27/2024	2:45:00 PM	0
10/27/2024	3:00:00 PM	0
10/27/2024	3:15:00 PM	0
10/27/2024	3:30:00 PM	0
10/27/2024	3:45:00 PM	0
10/27/2024	4:00:00 PM	0
10/27/2024	4:15:00 PM	0
10/27/2024	4:30:00 PM	0
10/27/2024	4:45:00 PM	0
10/27/2024	5:00:00 PM	0
10/27/2024	5:15:00 PM	0
10/27/2024	5:30:00 PM	0
10/27/2024	5:45:00 PM	0
10/27/2024	6:00:00 PM	0
10/27/2024	6:15:00 PM	0
10/27/2024	6:30:00 PM	0
10/27/2024	6:45:00 PM	0
10/27/2024	7:00:00 PM	0
10/27/2024	7:15:00 PM	0
10/27/2024	7:30:00 PM	0
10/27/2024	7:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/27/2024	8:00:00 PM	0
10/27/2024	8:15:00 PM	0
10/27/2024	8:30:00 PM	0
10/27/2024	8:45:00 PM	0
10/27/2024	9:00:00 PM	0
10/27/2024	9:15:00 PM	0
10/27/2024	9:30:00 PM	0
10/27/2024	9:45:00 PM	0
10/27/2024	10:00:00 PM	0
10/27/2024	10:15:00 PM	0
10/27/2024	10:30:00 PM	0
10/27/2024	10:45:00 PM	0
10/27/2024	11:00:00 PM	0
10/27/2024	11:15:00 PM	0
10/27/2024	11:30:00 PM	0
10/27/2024	11:45:00 PM	0
10/28/2024	12:00:00 AM	0
10/28/2024	12:15:00 AM	0
10/28/2024	12:30:00 AM	0
10/28/2024	12:45:00 AM	0
10/28/2024	1:00:00 AM	0
10/28/2024	1:15:00 AM	0
10/28/2024	1:30:00 AM	0
10/28/2024	1:45:00 AM	0
10/28/2024	2:00:00 AM	0
10/28/2024	2:15:00 AM	0
10/28/2024	2:30:00 AM	0
10/28/2024	2:45:00 AM	0
10/28/2024	3:00:00 AM	0
10/28/2024	3:15:00 AM	0
10/28/2024	3:30:00 AM	0
10/28/2024	3:45:00 AM	0
10/28/2024	4:00:00 AM	0
10/28/2024	4:15:00 AM	0
10/28/2024	4:30:00 AM	0
10/28/2024	4:45:00 AM	0
10/28/2024	5:00:00 AM	0
10/28/2024	5:15:00 AM	0
10/28/2024	5:30:00 AM	0
10/28/2024	5:45:00 AM	0
10/28/2024	6:00:00 AM	0
10/28/2024	6:15:00 AM	0
10/28/2024	6:30:00 AM	0
10/28/2024	6:45:00 AM	0
10/28/2024	7:00:00 AM	0
10/28/2024	7:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/28/2024	7:30:00 AM	0
10/28/2024	7:45:00 AM	0
10/28/2024	8:00:00 AM	0
10/28/2024	8:15:00 AM	0
10/28/2024	8:30:00 AM	0
10/28/2024	8:45:00 AM	0
10/28/2024	9:00:00 AM	0
10/28/2024	9:15:00 AM	0
10/28/2024	9:30:00 AM	0
10/28/2024	9:45:00 AM	0
10/28/2024	10:00:00 AM	0
10/28/2024	10:15:00 AM	0
10/28/2024	10:30:00 AM	0
10/28/2024	10:45:00 AM	0
10/28/2024	11:00:00 AM	0
10/28/2024	11:15:00 AM	0
10/28/2024	11:30:00 AM	0
10/28/2024	11:45:00 AM	0
10/28/2024	12:00:00 PM	0
10/28/2024	12:15:00 PM	0
10/28/2024	12:30:00 PM	0
10/28/2024	12:45:00 PM	0
10/28/2024	1:00:00 PM	0
10/28/2024	1:15:00 PM	0
10/28/2024	1:30:00 PM	0
10/28/2024	1:45:00 PM	0
10/28/2024	2:00:00 PM	0
10/28/2024	2:15:00 PM	0
10/28/2024	2:30:00 PM	0
10/28/2024	2:45:00 PM	0
10/28/2024	3:00:00 PM	0
10/28/2024	3:15:00 PM	0
10/28/2024	3:30:00 PM	0
10/28/2024	3:45:00 PM	0
10/28/2024	4:00:00 PM	0
10/28/2024	4:15:00 PM	0
10/28/2024	4:30:00 PM	0
10/28/2024	4:45:00 PM	0
10/28/2024	5:00:00 PM	0
10/28/2024	5:15:00 PM	0
10/28/2024	5:30:00 PM	0
10/28/2024	5:45:00 PM	0
10/28/2024	6:00:00 PM	0
10/28/2024	6:15:00 PM	0
10/28/2024	6:30:00 PM	0
10/28/2024	6:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/28/2024	7:00:00 PM	0
10/28/2024	7:15:00 PM	0
10/28/2024	7:30:00 PM	0
10/28/2024	7:45:00 PM	0
10/28/2024	8:00:00 PM	0
10/28/2024	8:15:00 PM	0
10/28/2024	8:30:00 PM	0
10/28/2024	8:45:00 PM	0
10/28/2024	9:00:00 PM	0
10/28/2024	9:15:00 PM	0
10/28/2024	9:30:00 PM	0
10/28/2024	9:45:00 PM	0
10/28/2024	10:00:00 PM	0
10/28/2024	10:15:00 PM	0
10/28/2024	10:30:00 PM	0
10/28/2024	10:45:00 PM	0
10/28/2024	11:00:00 PM	0
10/28/2024	11:15:00 PM	0
10/28/2024	11:30:00 PM	0
10/28/2024	11:45:00 PM	0
10/29/2024	12:00:00 AM	0
10/29/2024	12:15:00 AM	0
10/29/2024	12:30:00 AM	0
10/29/2024	12:45:00 AM	0
10/29/2024	1:00:00 AM	0
10/29/2024	1:15:00 AM	0
10/29/2024	1:30:00 AM	0
10/29/2024	1:45:00 AM	0
10/29/2024	2:00:00 AM	0
10/29/2024	2:15:00 AM	0
10/29/2024	2:30:00 AM	0
10/29/2024	2:45:00 AM	0
10/29/2024	3:00:00 AM	0
10/29/2024	3:15:00 AM	0
10/29/2024	3:30:00 AM	0
10/29/2024	3:45:00 AM	0
10/29/2024	4:00:00 AM	0
10/29/2024	4:15:00 AM	0
10/29/2024	4:30:00 AM	0
10/29/2024	4:45:00 AM	0
10/29/2024	5:00:00 AM	0
10/29/2024	5:15:00 AM	0
10/29/2024	5:30:00 AM	0
10/29/2024	5:45:00 AM	0
10/29/2024	6:00:00 AM	0
10/29/2024	6:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/29/2024	6:30:00 AM	0
10/29/2024	6:45:00 AM	0
10/29/2024	7:00:00 AM	0
10/29/2024	7:15:00 AM	0
10/29/2024	7:30:00 AM	0
10/29/2024	7:45:00 AM	0
10/29/2024	8:00:00 AM	0
10/29/2024	8:15:00 AM	0
10/29/2024	8:30:00 AM	0
10/29/2024	8:45:00 AM	0
10/29/2024	9:00:00 AM	0
10/29/2024	9:15:00 AM	0
10/29/2024	9:30:00 AM	0
10/29/2024	9:45:00 AM	0
10/29/2024	10:00:00 AM	0
10/29/2024	10:15:00 AM	0
10/29/2024	10:30:00 AM	0
10/29/2024	10:45:00 AM	0
10/29/2024	11:00:00 AM	0
10/29/2024	11:15:00 AM	0
10/29/2024	11:30:00 AM	0
10/29/2024	11:45:00 AM	0
10/29/2024	12:00:00 PM	0
10/29/2024	12:15:00 PM	0
10/29/2024	12:30:00 PM	0
10/29/2024	12:45:00 PM	0
10/29/2024	1:00:00 PM	0
10/29/2024	1:15:00 PM	0
10/29/2024	1:30:00 PM	0
10/29/2024	1:45:00 PM	0
10/29/2024	2:00:00 PM	0
10/29/2024	2:15:00 PM	0
10/29/2024	2:30:00 PM	0
10/29/2024	2:45:00 PM	0
10/29/2024	3:00:00 PM	0
10/29/2024	3:15:00 PM	0
10/29/2024	3:30:00 PM	0
10/29/2024	3:45:00 PM	0
10/29/2024	4:00:00 PM	0
10/29/2024	4:15:00 PM	0
10/29/2024	4:30:00 PM	0
10/29/2024	4:45:00 PM	0
10/29/2024	5:00:00 PM	0
10/29/2024	5:15:00 PM	0
10/29/2024	5:30:00 PM	0
10/29/2024	5:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/29/2024	6:00:00 PM	0
10/29/2024	6:15:00 PM	0
10/29/2024	6:30:00 PM	0
10/29/2024	6:45:00 PM	0
10/29/2024	7:00:00 PM	0
10/29/2024	7:15:00 PM	0
10/29/2024	7:30:00 PM	0
10/29/2024	7:45:00 PM	0
10/29/2024	8:00:00 PM	0
10/29/2024	8:15:00 PM	0
10/29/2024	8:30:00 PM	0
10/29/2024	8:45:00 PM	0
10/29/2024	9:00:00 PM	0
10/29/2024	9:15:00 PM	0
10/29/2024	9:30:00 PM	0
10/29/2024	9:45:00 PM	0
10/29/2024	10:00:00 PM	0
10/29/2024	10:15:00 PM	0
10/29/2024	10:30:00 PM	0
10/29/2024	10:45:00 PM	0
10/29/2024	11:00:00 PM	0
10/29/2024	11:15:00 PM	0
10/29/2024	11:30:00 PM	0
10/29/2024	11:45:00 PM	0
10/30/2024	12:00:00 AM	0
10/30/2024	12:15:00 AM	0
10/30/2024	12:30:00 AM	0
10/30/2024	12:45:00 AM	0
10/30/2024	1:00:00 AM	0
10/30/2024	1:15:00 AM	0
10/30/2024	1:30:00 AM	0
10/30/2024	1:45:00 AM	0
10/30/2024	2:00:00 AM	0
10/30/2024	2:15:00 AM	0
10/30/2024	2:30:00 AM	0
10/30/2024	2:45:00 AM	0
10/30/2024	3:00:00 AM	0
10/30/2024	3:15:00 AM	0
10/30/2024	3:30:00 AM	0
10/30/2024	3:45:00 AM	0
10/30/2024	4:00:00 AM	0
10/30/2024	4:15:00 AM	0
10/30/2024	4:30:00 AM	0
10/30/2024	4:45:00 AM	0
10/30/2024	5:00:00 AM	0
10/30/2024	5:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/30/2024	5:30:00 AM	0
10/30/2024	5:45:00 AM	0
10/30/2024	6:00:00 AM	0
10/30/2024	6:15:00 AM	0
10/30/2024	6:30:00 AM	0
10/30/2024	6:45:00 AM	0
10/30/2024	7:00:00 AM	0
10/30/2024	7:15:00 AM	0
10/30/2024	7:30:00 AM	0
10/30/2024	7:45:00 AM	0
10/30/2024	8:00:00 AM	0
10/30/2024	8:15:00 AM	0
10/30/2024	8:30:00 AM	0
10/30/2024	8:45:00 AM	0
10/30/2024	9:00:00 AM	0
10/30/2024	9:15:00 AM	0
10/30/2024	9:30:00 AM	0
10/30/2024	9:45:00 AM	0
10/30/2024	10:00:00 AM	0
10/30/2024	10:15:00 AM	0
10/30/2024	10:30:00 AM	0
10/30/2024	10:45:00 AM	0
10/30/2024	11:00:00 AM	0
10/30/2024	11:15:00 AM	0
10/30/2024	11:30:00 AM	0
10/30/2024	11:45:00 AM	0
10/30/2024	12:00:00 PM	0
10/30/2024	12:15:00 PM	0
10/30/2024	12:30:00 PM	0
10/30/2024	12:45:00 PM	0
10/30/2024	1:00:00 PM	0
10/30/2024	1:15:00 PM	0
10/30/2024	1:30:00 PM	0
10/30/2024	1:45:00 PM	0
10/30/2024	2:00:00 PM	0
10/30/2024	2:15:00 PM	0
10/30/2024	2:30:00 PM	0
10/30/2024	2:45:00 PM	0
10/30/2024	3:00:00 PM	0
10/30/2024	3:15:00 PM	0
10/30/2024	3:30:00 PM	0
10/30/2024	3:45:00 PM	0
10/30/2024	4:00:00 PM	0
10/30/2024	4:15:00 PM	0
10/30/2024	4:30:00 PM	0
10/30/2024	4:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/30/2024	5:00:00 PM	0
10/30/2024	5:15:00 PM	0
10/30/2024	5:30:00 PM	0
10/30/2024	5:45:00 PM	0
10/30/2024	6:00:00 PM	0
10/30/2024	6:15:00 PM	0
10/30/2024	6:30:00 PM	0
10/30/2024	6:45:00 PM	0
10/30/2024	7:00:00 PM	0
10/30/2024	7:15:00 PM	0
10/30/2024	7:30:00 PM	0
10/30/2024	7:45:00 PM	0
10/30/2024	8:00:00 PM	0
10/30/2024	8:15:00 PM	0
10/30/2024	8:30:00 PM	0
10/30/2024	8:45:00 PM	0
10/30/2024	9:00:00 PM	0
10/30/2024	9:15:00 PM	0
10/30/2024	9:30:00 PM	0
10/30/2024	9:45:00 PM	0
10/30/2024	10:00:00 PM	0
10/30/2024	10:15:00 PM	0
10/30/2024	10:30:00 PM	0
10/30/2024	10:45:00 PM	0
10/30/2024	11:00:00 PM	0
10/30/2024	11:15:00 PM	0
10/30/2024	11:30:00 PM	0
10/30/2024	11:45:00 PM	0
10/31/2024	12:00:00 AM	0
10/31/2024	12:15:00 AM	0
10/31/2024	12:30:00 AM	0
10/31/2024	12:45:00 AM	0
10/31/2024	1:00:00 AM	0
10/31/2024	1:15:00 AM	0
10/31/2024	1:30:00 AM	0
10/31/2024	1:45:00 AM	0
10/31/2024	2:00:00 AM	0
10/31/2024	2:15:00 AM	0
10/31/2024	2:30:00 AM	0
10/31/2024	2:45:00 AM	0
10/31/2024	3:00:00 AM	0
10/31/2024	3:15:00 AM	0
10/31/2024	3:30:00 AM	0
10/31/2024	3:45:00 AM	0
10/31/2024	4:00:00 AM	0
10/31/2024	4:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/31/2024	4:30:00 AM	0
10/31/2024	4:45:00 AM	0
10/31/2024	5:00:00 AM	0
10/31/2024	5:15:00 AM	0
10/31/2024	5:30:00 AM	0
10/31/2024	5:45:00 AM	0
10/31/2024	6:00:00 AM	0
10/31/2024	6:15:00 AM	0
10/31/2024	6:30:00 AM	0
10/31/2024	6:45:00 AM	0
10/31/2024	7:00:00 AM	0
10/31/2024	7:15:00 AM	0
10/31/2024	7:30:00 AM	0
10/31/2024	7:45:00 AM	0
10/31/2024	8:00:00 AM	0
10/31/2024	8:15:00 AM	0
10/31/2024	8:30:00 AM	0
10/31/2024	8:45:00 AM	0
10/31/2024	9:00:00 AM	0
10/31/2024	9:15:00 AM	0
10/31/2024	9:30:00 AM	0
10/31/2024	9:45:00 AM	0
10/31/2024	10:00:00 AM	0
10/31/2024	10:15:00 AM	0
10/31/2024	10:30:00 AM	0
10/31/2024	10:45:00 AM	0
10/31/2024	11:00:00 AM	0
10/31/2024	11:15:00 AM	0
10/31/2024	11:30:00 AM	0
10/31/2024	11:45:00 AM	0
10/31/2024	12:00:00 PM	0
10/31/2024	12:15:00 PM	0
10/31/2024	12:30:00 PM	0
10/31/2024	12:45:00 PM	0
10/31/2024	1:00:00 PM	0
10/31/2024	1:15:00 PM	0
10/31/2024	1:30:00 PM	0
10/31/2024	1:45:00 PM	0
10/31/2024	2:00:00 PM	0
10/31/2024	2:15:00 PM	0
10/31/2024	2:30:00 PM	0
10/31/2024	2:45:00 PM	0
10/31/2024	3:00:00 PM	0
10/31/2024	3:15:00 PM	0
10/31/2024	3:30:00 PM	0
10/31/2024	3:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
10/31/2024	4:00:00 PM	0
10/31/2024	4:15:00 PM	0
10/31/2024	4:30:00 PM	0
10/31/2024	4:45:00 PM	0
10/31/2024	5:00:00 PM	0
10/31/2024	5:15:00 PM	0
10/31/2024	5:30:00 PM	0
10/31/2024	5:45:00 PM	0
10/31/2024	6:00:00 PM	0
10/31/2024	6:15:00 PM	0
10/31/2024	6:30:00 PM	0
10/31/2024	6:45:00 PM	0
10/31/2024	7:00:00 PM	0
10/31/2024	7:15:00 PM	0
10/31/2024	7:30:00 PM	0
10/31/2024	7:45:00 PM	0
10/31/2024	8:00:00 PM	0
10/31/2024	8:15:00 PM	0
10/31/2024	8:30:00 PM	0
10/31/2024	8:45:00 PM	0
10/31/2024	9:00:00 PM	0
10/31/2024	9:15:00 PM	0
10/31/2024	9:30:00 PM	0
10/31/2024	9:45:00 PM	0
10/31/2024	10:00:00 PM	0
10/31/2024	10:15:00 PM	0
10/31/2024	10:30:00 PM	0
10/31/2024	10:45:00 PM	0
10/31/2024	11:00:00 PM	0
10/31/2024	11:15:00 PM	0
10/31/2024	11:30:00 PM	0
10/31/2024	11:45:00 PM	0

Georges Ditch Return

Station 0217

Date	Flow (cfs)
10/1/2024	0.11
10/2/2024	0.11
10/3/2024	0.19
10/4/2024	0.52
10/5/2024	0.28
10/6/2024	0.16
10/7/2024	0.20
10/8/2024	0.48
10/9/2024	0.38
10/10/2024	0.29
10/11/2024	0.20
10/12/2024	0.16
10/13/2024	0.18
10/14/2024	0.11
10/15/2024	0.10
10/16/2024	0.20
10/17/2024	0.48
10/18/2024	1.08
10/19/2024	1.32
10/20/2024	0.25
10/21/2024	0.20
10/22/2024	0.24
10/23/2024	0.39
10/24/2024	0.26
10/25/2024	0.58
10/26/2024	0.81
10/27/2024	1.00
10/28/2024	0.43
10/29/2024	0.18
10/30/2024	0.31
10/31/2024	0.56

Georges Ditch Return Gage

DATE	TIME	GAGE
10/1/2024	12:00:00 AM	0.03
10/1/2024	12:15:00 AM	0.03
10/1/2024	12:30:00 AM	0.03
10/1/2024	12:45:00 AM	0.03
10/1/2024	1:00:00 AM	0.03
10/1/2024	1:15:00 AM	0.03
10/1/2024	1:30:00 AM	0.03
10/1/2024	1:45:00 AM	0.03
10/1/2024	2:00:00 AM	0.03
10/1/2024	2:15:00 AM	0.03
10/1/2024	2:30:00 AM	0.03
10/1/2024	2:45:00 AM	0.03
10/1/2024	3:00:00 AM	0.03
10/1/2024	3:15:00 AM	0.03
10/1/2024	3:30:00 AM	0.03
10/1/2024	3:45:00 AM	0.03
10/1/2024	4:00:00 AM	0.03
10/1/2024	4:15:00 AM	0.03
10/1/2024	4:30:00 AM	0.03
10/1/2024	4:45:00 AM	0.03
10/1/2024	5:00:00 AM	0.03
10/1/2024	5:15:00 AM	0.03
10/1/2024	5:30:00 AM	0.03
10/1/2024	5:45:00 AM	0.03
10/1/2024	6:00:00 AM	0.02
10/1/2024	6:15:00 AM	0.03
10/1/2024	6:30:00 AM	0.03
10/1/2024	6:45:00 AM	0.03
10/1/2024	7:00:00 AM	0.03
10/1/2024	7:15:00 AM	0.03
10/1/2024	7:30:00 AM	0.03
10/1/2024	7:45:00 AM	0.03
10/1/2024	8:00:00 AM	0.03
10/1/2024	8:15:00 AM	0.03
10/1/2024	8:30:00 AM	0.03
10/1/2024	8:45:00 AM	0.03
10/1/2024	9:00:00 AM	0.03
10/1/2024	9:15:00 AM	0.03
10/1/2024	9:30:00 AM	0.03
10/1/2024	9:45:00 AM	0.03
10/1/2024	10:00:00 AM	0.03
10/1/2024	10:15:00 AM	0.03
10/1/2024	10:30:00 AM	0.03
10/1/2024	10:45:00 AM	0.03
10/1/2024	11:00:00 AM	0.03
10/1/2024	11:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
10/1/2024	11:30:00 AM	0.03
10/1/2024	11:45:00 AM	0.03
10/1/2024	12:00:00 PM	0.03
10/1/2024	12:15:00 PM	0.02
10/1/2024	12:30:00 PM	0.03
10/1/2024	12:45:00 PM	0.02
10/1/2024	1:00:00 PM	0.03
10/1/2024	1:15:00 PM	0.03
10/1/2024	1:30:00 PM	0.03
10/1/2024	1:45:00 PM	0.03
10/1/2024	2:00:00 PM	0.02
10/1/2024	2:15:00 PM	0.03
10/1/2024	2:30:00 PM	0.03
10/1/2024	2:45:00 PM	0.03
10/1/2024	3:00:00 PM	0.03
10/1/2024	3:15:00 PM	0.03
10/1/2024	3:30:00 PM	0.04
10/1/2024	3:45:00 PM	0.04
10/1/2024	4:00:00 PM	0.03
10/1/2024	4:15:00 PM	0.04
10/1/2024	4:30:00 PM	0.04
10/1/2024	4:45:00 PM	0.04
10/1/2024	5:00:00 PM	0.04
10/1/2024	5:15:00 PM	0.04
10/1/2024	5:30:00 PM	0.04
10/1/2024	5:45:00 PM	0.04
10/1/2024	6:00:00 PM	0.04
10/1/2024	6:15:00 PM	0.04
10/1/2024	6:30:00 PM	0.04
10/1/2024	6:45:00 PM	0.04
10/1/2024	7:00:00 PM	0.04
10/1/2024	7:15:00 PM	0.04
10/1/2024	7:30:00 PM	0.04
10/1/2024	7:45:00 PM	0.04
10/1/2024	8:00:00 PM	0.04
10/1/2024	8:15:00 PM	0.04
10/1/2024	8:30:00 PM	0.04
10/1/2024	8:45:00 PM	0.04
10/1/2024	9:00:00 PM	0.05
10/1/2024	9:15:00 PM	0.05
10/1/2024	9:30:00 PM	0.05
10/1/2024	9:45:00 PM	0.05
10/1/2024	10:00:00 PM	0.05
10/1/2024	10:15:00 PM	0.05
10/1/2024	10:30:00 PM	0.05
10/1/2024	10:45:00 PM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/1/2024	11:00:00 PM	0.05
10/1/2024	11:15:00 PM	0.05
10/1/2024	11:30:00 PM	0.05
10/1/2024	11:45:00 PM	0.05
10/2/2024	12:00:00 AM	0.05
10/2/2024	12:15:00 AM	0.05
10/2/2024	12:30:00 AM	0.05
10/2/2024	12:45:00 AM	0.05
10/2/2024	1:00:00 AM	0.05
10/2/2024	1:15:00 AM	0.05
10/2/2024	1:30:00 AM	0.05
10/2/2024	1:45:00 AM	0.05
10/2/2024	2:00:00 AM	0.05
10/2/2024	2:15:00 AM	0.05
10/2/2024	2:30:00 AM	0.05
10/2/2024	2:45:00 AM	0.05
10/2/2024	3:00:00 AM	0.05
10/2/2024	3:15:00 AM	0.05
10/2/2024	3:30:00 AM	0.05
10/2/2024	3:45:00 AM	0.05
10/2/2024	4:00:00 AM	0.05
10/2/2024	4:15:00 AM	0.05
10/2/2024	4:30:00 AM	0.05
10/2/2024	4:45:00 AM	0.05
10/2/2024	5:00:00 AM	0.04
10/2/2024	5:15:00 AM	0.04
10/2/2024	5:30:00 AM	0.04
10/2/2024	5:45:00 AM	0.04
10/2/2024	6:00:00 AM	0.04
10/2/2024	6:15:00 AM	0.04
10/2/2024	6:30:00 AM	0.04
10/2/2024	6:45:00 AM	0.04
10/2/2024	7:00:00 AM	0.04
10/2/2024	7:15:00 AM	0.04
10/2/2024	7:30:00 AM	0.04
10/2/2024	7:45:00 AM	0.04
10/2/2024	8:00:00 AM	0.04
10/2/2024	8:15:00 AM	0.04
10/2/2024	8:30:00 AM	0.04
10/2/2024	8:45:00 AM	0.03
10/2/2024	9:00:00 AM	0.03
10/2/2024	9:15:00 AM	0.03
10/2/2024	9:30:00 AM	0.03
10/2/2024	9:45:00 AM	0.03
10/2/2024	10:00:00 AM	0.03
10/2/2024	10:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
10/2/2024	10:30:00 AM	0.03
10/2/2024	10:45:00 AM	0.03
10/2/2024	11:00:00 AM	0.03
10/2/2024	11:15:00 AM	0.03
10/2/2024	11:30:00 AM	0.03
10/2/2024	11:45:00 AM	0.03
10/2/2024	12:00:00 PM	0.03
10/2/2024	12:15:00 PM	0.03
10/2/2024	12:30:00 PM	0.03
10/2/2024	12:45:00 PM	0.03
10/2/2024	1:00:00 PM	0.03
10/2/2024	1:15:00 PM	0.03
10/2/2024	1:30:00 PM	0.03
10/2/2024	1:45:00 PM	0.03
10/2/2024	2:00:00 PM	0.03
10/2/2024	2:15:00 PM	0.03
10/2/2024	2:30:00 PM	0.03
10/2/2024	2:45:00 PM	0.03
10/2/2024	3:00:00 PM	0.03
10/2/2024	3:15:00 PM	0.03
10/2/2024	3:30:00 PM	0.02
10/2/2024	3:45:00 PM	0.03
10/2/2024	4:00:00 PM	0.02
10/2/2024	4:15:00 PM	0.03
10/2/2024	4:30:00 PM	0.02
10/2/2024	4:45:00 PM	0.03
10/2/2024	5:00:00 PM	0.03
10/2/2024	5:15:00 PM	0.03
10/2/2024	5:30:00 PM	0.03
10/2/2024	5:45:00 PM	0.03
10/2/2024	6:00:00 PM	0.03
10/2/2024	6:15:00 PM	0.03
10/2/2024	6:30:00 PM	0.03
10/2/2024	6:45:00 PM	0.03
10/2/2024	7:00:00 PM	0.03
10/2/2024	7:15:00 PM	0.03
10/2/2024	7:30:00 PM	0.03
10/2/2024	7:45:00 PM	0.03
10/2/2024	8:00:00 PM	0.03
10/2/2024	8:15:00 PM	0.03
10/2/2024	8:30:00 PM	0.03
10/2/2024	8:45:00 PM	0.03
10/2/2024	9:00:00 PM	0.03
10/2/2024	9:15:00 PM	0.03
10/2/2024	9:30:00 PM	0.03
10/2/2024	9:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
10/2/2024	10:00:00 PM	0.03
10/2/2024	10:15:00 PM	0.03
10/2/2024	10:30:00 PM	0.03
10/2/2024	10:45:00 PM	0.03
10/2/2024	11:00:00 PM	0.03
10/2/2024	11:15:00 PM	0.03
10/2/2024	11:30:00 PM	0.03
10/2/2024	11:45:00 PM	0.03
10/3/2024	12:00:00 AM	0.03
10/3/2024	12:15:00 AM	0.03
10/3/2024	12:30:00 AM	0.03
10/3/2024	12:45:00 AM	0.03
10/3/2024	1:00:00 AM	0.03
10/3/2024	1:15:00 AM	0.03
10/3/2024	1:30:00 AM	0.03
10/3/2024	1:45:00 AM	0.03
10/3/2024	2:00:00 AM	0.03
10/3/2024	2:15:00 AM	0.03
10/3/2024	2:30:00 AM	0.03
10/3/2024	2:45:00 AM	0.03
10/3/2024	3:00:00 AM	0.03
10/3/2024	3:15:00 AM	0.03
10/3/2024	3:30:00 AM	0.03
10/3/2024	3:45:00 AM	0.03
10/3/2024	4:00:00 AM	0.03
10/3/2024	4:15:00 AM	0.03
10/3/2024	4:30:00 AM	0.03
10/3/2024	4:45:00 AM	0.03
10/3/2024	5:00:00 AM	0.03
10/3/2024	5:15:00 AM	0.03
10/3/2024	5:30:00 AM	0.03
10/3/2024	5:45:00 AM	0.03
10/3/2024	6:00:00 AM	0.03
10/3/2024	6:15:00 AM	0.03
10/3/2024	6:30:00 AM	0.03
10/3/2024	6:45:00 AM	0.03
10/3/2024	7:00:00 AM	0.03
10/3/2024	7:15:00 AM	0.03
10/3/2024	7:30:00 AM	0.03
10/3/2024	7:45:00 AM	0.03
10/3/2024	8:00:00 AM	0.03
10/3/2024	8:15:00 AM	0.03
10/3/2024	8:30:00 AM	0.03
10/3/2024	8:45:00 AM	0.03
10/3/2024	9:00:00 AM	0.03
10/3/2024	9:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
10/3/2024	9:30:00 AM	0.03
10/3/2024	9:45:00 AM	0.03
10/3/2024	10:00:00 AM	0.03
10/3/2024	10:15:00 AM	0.03
10/3/2024	10:30:00 AM	0.03
10/3/2024	10:45:00 AM	0.03
10/3/2024	11:00:00 AM	0.03
10/3/2024	11:15:00 AM	0.03
10/3/2024	11:30:00 AM	0.03
10/3/2024	11:45:00 AM	0.03
10/3/2024	12:00:00 PM	0.03
10/3/2024	12:15:00 PM	0.03
10/3/2024	12:30:00 PM	0.03
10/3/2024	12:45:00 PM	0.02
10/3/2024	1:00:00 PM	0.03
10/3/2024	1:15:00 PM	0.03
10/3/2024	1:30:00 PM	0.03
10/3/2024	1:45:00 PM	0.03
10/3/2024	2:00:00 PM	0.02
10/3/2024	2:15:00 PM	0.03
10/3/2024	2:30:00 PM	0.03
10/3/2024	2:45:00 PM	0.03
10/3/2024	3:00:00 PM	0.02
10/3/2024	3:15:00 PM	0.03
10/3/2024	3:30:00 PM	0.03
10/3/2024	3:45:00 PM	0.03
10/3/2024	4:00:00 PM	0.02
10/3/2024	4:15:00 PM	0.02
10/3/2024	4:30:00 PM	0.02
10/3/2024	4:45:00 PM	0.02
10/3/2024	5:00:00 PM	0.03
10/3/2024	5:15:00 PM	0.02
10/3/2024	5:30:00 PM	0.03
10/3/2024	5:45:00 PM	0.03
10/3/2024	6:00:00 PM	0.03
10/3/2024	6:15:00 PM	0.02
10/3/2024	6:30:00 PM	0.03
10/3/2024	6:45:00 PM	0.03
10/3/2024	7:00:00 PM	0.03
10/3/2024	7:15:00 PM	0.08
10/3/2024	7:30:00 PM	0.11
10/3/2024	7:45:00 PM	0.11
10/3/2024	8:00:00 PM	0.11
10/3/2024	8:15:00 PM	0.11
10/3/2024	8:30:00 PM	0.11
10/3/2024	8:45:00 PM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
10/3/2024	9:00:00 PM	0.11
10/3/2024	9:15:00 PM	0.11
10/3/2024	9:30:00 PM	0.11
10/3/2024	9:45:00 PM	0.11
10/3/2024	10:00:00 PM	0.11
10/3/2024	10:15:00 PM	0.11
10/3/2024	10:30:00 PM	0.11
10/3/2024	10:45:00 PM	0.11
10/3/2024	11:00:00 PM	0.11
10/3/2024	11:15:00 PM	0.12
10/3/2024	11:30:00 PM	0.12
10/3/2024	11:45:00 PM	0.12
10/4/2024	12:00:00 AM	0.12
10/4/2024	12:15:00 AM	0.12
10/4/2024	12:30:00 AM	0.12
10/4/2024	12:45:00 AM	0.12
10/4/2024	1:00:00 AM	0.12
10/4/2024	1:15:00 AM	0.12
10/4/2024	1:30:00 AM	0.12
10/4/2024	1:45:00 AM	0.12
10/4/2024	2:00:00 AM	0.12
10/4/2024	2:15:00 AM	0.12
10/4/2024	2:30:00 AM	0.12
10/4/2024	2:45:00 AM	0.12
10/4/2024	3:00:00 AM	0.12
10/4/2024	3:15:00 AM	0.12
10/4/2024	3:30:00 AM	0.12
10/4/2024	3:45:00 AM	0.12
10/4/2024	4:00:00 AM	0.12
10/4/2024	4:15:00 AM	0.12
10/4/2024	4:30:00 AM	0.12
10/4/2024	4:45:00 AM	0.12
10/4/2024	5:00:00 AM	0.12
10/4/2024	5:15:00 AM	0.12
10/4/2024	5:30:00 AM	0.12
10/4/2024	5:45:00 AM	0.12
10/4/2024	6:00:00 AM	0.12
10/4/2024	6:15:00 AM	0.12
10/4/2024	6:30:00 AM	0.12
10/4/2024	6:45:00 AM	0.11
10/4/2024	7:00:00 AM	0.11
10/4/2024	7:15:00 AM	0.11
10/4/2024	7:30:00 AM	0.11
10/4/2024	7:45:00 AM	0.11
10/4/2024	8:00:00 AM	0.11
10/4/2024	8:15:00 AM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
10/4/2024	8:30:00 AM	0.11
10/4/2024	8:45:00 AM	0.11
10/4/2024	9:00:00 AM	0.11
10/4/2024	9:15:00 AM	0.11
10/4/2024	9:30:00 AM	0.11
10/4/2024	9:45:00 AM	0.11
10/4/2024	10:00:00 AM	0.11
10/4/2024	10:15:00 AM	0.11
10/4/2024	10:30:00 AM	0.1
10/4/2024	10:45:00 AM	0.1
10/4/2024	11:00:00 AM	0.1
10/4/2024	11:15:00 AM	0.1
10/4/2024	11:30:00 AM	0.1
10/4/2024	11:45:00 AM	0.1
10/4/2024	12:00:00 PM	0.09
10/4/2024	12:15:00 PM	0.09
10/4/2024	12:30:00 PM	0.09
10/4/2024	12:45:00 PM	0.09
10/4/2024	1:00:00 PM	0.09
10/4/2024	1:15:00 PM	0.08
10/4/2024	1:30:00 PM	0.08
10/4/2024	1:45:00 PM	0.08
10/4/2024	2:00:00 PM	0.08
10/4/2024	2:15:00 PM	0.08
10/4/2024	2:30:00 PM	0.08
10/4/2024	2:45:00 PM	0.08
10/4/2024	3:00:00 PM	0.08
10/4/2024	3:15:00 PM	0.08
10/4/2024	3:30:00 PM	0.08
10/4/2024	3:45:00 PM	0.08
10/4/2024	4:00:00 PM	0.08
10/4/2024	4:15:00 PM	0.08
10/4/2024	4:30:00 PM	0.08
10/4/2024	4:45:00 PM	0.08
10/4/2024	5:00:00 PM	0.08
10/4/2024	5:15:00 PM	0.08
10/4/2024	5:30:00 PM	0.08
10/4/2024	5:45:00 PM	0.08
10/4/2024	6:00:00 PM	0.08
10/4/2024	6:15:00 PM	0.08
10/4/2024	6:30:00 PM	0.08
10/4/2024	6:45:00 PM	0.08
10/4/2024	7:00:00 PM	0.08
10/4/2024	7:15:00 PM	0.08
10/4/2024	7:30:00 PM	0.08
10/4/2024	7:45:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
10/4/2024	8:00:00 PM	0.08
10/4/2024	8:15:00 PM	0.08
10/4/2024	8:30:00 PM	0.08
10/4/2024	8:45:00 PM	0.08
10/4/2024	9:00:00 PM	0.08
10/4/2024	9:15:00 PM	0.08
10/4/2024	9:30:00 PM	0.08
10/4/2024	9:45:00 PM	0.08
10/4/2024	10:00:00 PM	0.08
10/4/2024	10:15:00 PM	0.08
10/4/2024	10:30:00 PM	0.08
10/4/2024	10:45:00 PM	0.08
10/4/2024	11:00:00 PM	0.08
10/4/2024	11:15:00 PM	0.08
10/4/2024	11:30:00 PM	0.08
10/4/2024	11:45:00 PM	0.08
10/5/2024	12:00:00 AM	0.08
10/5/2024	12:15:00 AM	0.08
10/5/2024	12:30:00 AM	0.08
10/5/2024	12:45:00 AM	0.08
10/5/2024	1:00:00 AM	0.08
10/5/2024	1:15:00 AM	0.08
10/5/2024	1:30:00 AM	0.08
10/5/2024	1:45:00 AM	0.08
10/5/2024	2:00:00 AM	0.08
10/5/2024	2:15:00 AM	0.08
10/5/2024	2:30:00 AM	0.08
10/5/2024	2:45:00 AM	0.08
10/5/2024	3:00:00 AM	0.08
10/5/2024	3:15:00 AM	0.08
10/5/2024	3:30:00 AM	0.08
10/5/2024	3:45:00 AM	0.08
10/5/2024	4:00:00 AM	0.08
10/5/2024	4:15:00 AM	0.08
10/5/2024	4:30:00 AM	0.08
10/5/2024	4:45:00 AM	0.08
10/5/2024	5:00:00 AM	0.08
10/5/2024	5:15:00 AM	0.08
10/5/2024	5:30:00 AM	0.08
10/5/2024	5:45:00 AM	0.07
10/5/2024	6:00:00 AM	0.07
10/5/2024	6:15:00 AM	0.07
10/5/2024	6:30:00 AM	0.07
10/5/2024	6:45:00 AM	0.07
10/5/2024	7:00:00 AM	0.07
10/5/2024	7:15:00 AM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
10/5/2024	7:30:00 AM	0.07
10/5/2024	7:45:00 AM	0.07
10/5/2024	8:00:00 AM	0.07
10/5/2024	8:15:00 AM	0.07
10/5/2024	8:30:00 AM	0.07
10/5/2024	8:45:00 AM	0.07
10/5/2024	9:00:00 AM	0.06
10/5/2024	9:15:00 AM	0.06
10/5/2024	9:30:00 AM	0.06
10/5/2024	9:45:00 AM	0.06
10/5/2024	10:00:00 AM	0.06
10/5/2024	10:15:00 AM	0.06
10/5/2024	10:30:00 AM	0.05
10/5/2024	10:45:00 AM	0.05
10/5/2024	11:00:00 AM	0.05
10/5/2024	11:15:00 AM	0.05
10/5/2024	11:30:00 AM	0.05
10/5/2024	11:45:00 AM	0.05
10/5/2024	12:00:00 PM	0.05
10/5/2024	12:15:00 PM	0.05
10/5/2024	12:30:00 PM	0.05
10/5/2024	12:45:00 PM	0.05
10/5/2024	1:00:00 PM	0.05
10/5/2024	1:15:00 PM	0.05
10/5/2024	1:30:00 PM	0.05
10/5/2024	1:45:00 PM	0.05
10/5/2024	2:00:00 PM	0.05
10/5/2024	2:15:00 PM	0.05
10/5/2024	2:30:00 PM	0.06
10/5/2024	2:45:00 PM	0.06
10/5/2024	3:00:00 PM	0.06
10/5/2024	3:15:00 PM	0.06
10/5/2024	3:30:00 PM	0.06
10/5/2024	3:45:00 PM	0.06
10/5/2024	4:00:00 PM	0.06
10/5/2024	4:15:00 PM	0.06
10/5/2024	4:30:00 PM	0.06
10/5/2024	4:45:00 PM	0.06
10/5/2024	5:00:00 PM	0.06
10/5/2024	5:15:00 PM	0.06
10/5/2024	5:30:00 PM	0.06
10/5/2024	5:45:00 PM	0.06
10/5/2024	6:00:00 PM	0.06
10/5/2024	6:15:00 PM	0.06
10/5/2024	6:30:00 PM	0.06
10/5/2024	6:45:00 PM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
10/5/2024	7:00:00 PM	0.06
10/5/2024	7:15:00 PM	0.06
10/5/2024	7:30:00 PM	0.06
10/5/2024	7:45:00 PM	0.06
10/5/2024	8:00:00 PM	0.06
10/5/2024	8:15:00 PM	0.06
10/5/2024	8:30:00 PM	0.06
10/5/2024	8:45:00 PM	0.06
10/5/2024	9:00:00 PM	0.06
10/5/2024	9:15:00 PM	0.06
10/5/2024	9:30:00 PM	0.06
10/5/2024	9:45:00 PM	0.06
10/5/2024	10:00:00 PM	0.06
10/5/2024	10:15:00 PM	0.06
10/5/2024	10:30:00 PM	0.06
10/5/2024	10:45:00 PM	0.06
10/5/2024	11:00:00 PM	0.06
10/5/2024	11:15:00 PM	0.06
10/5/2024	11:30:00 PM	0.06
10/5/2024	11:45:00 PM	0.06
10/6/2024	12:00:00 AM	0.06
10/6/2024	12:15:00 AM	0.06
10/6/2024	12:30:00 AM	0.06
10/6/2024	12:45:00 AM	0.06
10/6/2024	1:00:00 AM	0.06
10/6/2024	1:15:00 AM	0.06
10/6/2024	1:30:00 AM	0.06
10/6/2024	1:45:00 AM	0.06
10/6/2024	2:00:00 AM	0.06
10/6/2024	2:15:00 AM	0.06
10/6/2024	2:30:00 AM	0.06
10/6/2024	2:45:00 AM	0.06
10/6/2024	3:00:00 AM	0.05
10/6/2024	3:15:00 AM	0.05
10/6/2024	3:30:00 AM	0.05
10/6/2024	3:45:00 AM	0.05
10/6/2024	4:00:00 AM	0.05
10/6/2024	4:15:00 AM	0.05
10/6/2024	4:30:00 AM	0.05
10/6/2024	4:45:00 AM	0.05
10/6/2024	5:00:00 AM	0.05
10/6/2024	5:15:00 AM	0.05
10/6/2024	5:30:00 AM	0.05
10/6/2024	5:45:00 AM	0.05
10/6/2024	6:00:00 AM	0.05
10/6/2024	6:15:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/6/2024	6:30:00 AM	0.05
10/6/2024	6:45:00 AM	0.05
10/6/2024	7:00:00 AM	0.05
10/6/2024	7:15:00 AM	0.05
10/6/2024	7:30:00 AM	0.05
10/6/2024	7:45:00 AM	0.05
10/6/2024	8:00:00 AM	0.05
10/6/2024	8:15:00 AM	0.05
10/6/2024	8:30:00 AM	0.05
10/6/2024	8:45:00 AM	0.05
10/6/2024	9:00:00 AM	0.05
10/6/2024	9:15:00 AM	0.05
10/6/2024	9:30:00 AM	0.05
10/6/2024	9:45:00 AM	0.05
10/6/2024	10:00:00 AM	0.05
10/6/2024	10:15:00 AM	0.05
10/6/2024	10:30:00 AM	0.05
10/6/2024	10:45:00 AM	0.05
10/6/2024	11:00:00 AM	0.04
10/6/2024	11:15:00 AM	0.04
10/6/2024	11:30:00 AM	0.04
10/6/2024	11:45:00 AM	0.04
10/6/2024	12:00:00 PM	0.04
10/6/2024	12:15:00 PM	0.04
10/6/2024	12:30:00 PM	0.04
10/6/2024	12:45:00 PM	0.04
10/6/2024	1:00:00 PM	0.04
10/6/2024	1:15:00 PM	0.04
10/6/2024	1:30:00 PM	0.04
10/6/2024	1:45:00 PM	0.04
10/6/2024	2:00:00 PM	0.04
10/6/2024	2:15:00 PM	0.04
10/6/2024	2:30:00 PM	0.04
10/6/2024	2:45:00 PM	0.04
10/6/2024	3:00:00 PM	0.04
10/6/2024	3:15:00 PM	0.04
10/6/2024	3:30:00 PM	0.04
10/6/2024	3:45:00 PM	0.04
10/6/2024	4:00:00 PM	0.04
10/6/2024	4:15:00 PM	0.04
10/6/2024	4:30:00 PM	0.04
10/6/2024	4:45:00 PM	0.04
10/6/2024	5:00:00 PM	0.04
10/6/2024	5:15:00 PM	0.04
10/6/2024	5:30:00 PM	0.04
10/6/2024	5:45:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
10/6/2024	6:00:00 PM	0.04
10/6/2024	6:15:00 PM	0.04
10/6/2024	6:30:00 PM	0.04
10/6/2024	6:45:00 PM	0.03
10/6/2024	7:00:00 PM	0.03
10/6/2024	7:15:00 PM	0.03
10/6/2024	7:30:00 PM	0.03
10/6/2024	7:45:00 PM	0.04
10/6/2024	8:00:00 PM	0.03
10/6/2024	8:15:00 PM	0.03
10/6/2024	8:30:00 PM	0.04
10/6/2024	8:45:00 PM	0.03
10/6/2024	9:00:00 PM	0.04
10/6/2024	9:15:00 PM	0.04
10/6/2024	9:30:00 PM	0.03
10/6/2024	9:45:00 PM	0.03
10/6/2024	10:00:00 PM	0.03
10/6/2024	10:15:00 PM	0.03
10/6/2024	10:30:00 PM	0.04
10/6/2024	10:45:00 PM	0.04
10/6/2024	11:00:00 PM	0.04
10/6/2024	11:15:00 PM	0.03
10/6/2024	11:30:00 PM	0.03
10/6/2024	11:45:00 PM	0.03
10/7/2024	12:00:00 AM	0.04
10/7/2024	12:15:00 AM	0.04
10/7/2024	12:30:00 AM	0.04
10/7/2024	12:45:00 AM	0.04
10/7/2024	1:00:00 AM	0.04
10/7/2024	1:15:00 AM	0.04
10/7/2024	1:30:00 AM	0.04
10/7/2024	1:45:00 AM	0.04
10/7/2024	2:00:00 AM	0.04
10/7/2024	2:15:00 AM	0.04
10/7/2024	2:30:00 AM	0.04
10/7/2024	2:45:00 AM	0.04
10/7/2024	3:00:00 AM	0.05
10/7/2024	3:15:00 AM	0.05
10/7/2024	3:30:00 AM	0.05
10/7/2024	3:45:00 AM	0.05
10/7/2024	4:00:00 AM	0.05
10/7/2024	4:15:00 AM	0.05
10/7/2024	4:30:00 AM	0.05
10/7/2024	4:45:00 AM	0.05
10/7/2024	5:00:00 AM	0.05
10/7/2024	5:15:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/7/2024	5:30:00 AM	0.05
10/7/2024	5:45:00 AM	0.05
10/7/2024	6:00:00 AM	0.05
10/7/2024	6:15:00 AM	0.05
10/7/2024	6:30:00 AM	0.04
10/7/2024	6:45:00 AM	0.04
10/7/2024	7:00:00 AM	0.04
10/7/2024	7:15:00 AM	0.04
10/7/2024	7:30:00 AM	0.04
10/7/2024	7:45:00 AM	0.04
10/7/2024	8:00:00 AM	0.04
10/7/2024	8:15:00 AM	0.04
10/7/2024	8:30:00 AM	0.04
10/7/2024	8:45:00 AM	0.04
10/7/2024	9:00:00 AM	0.04
10/7/2024	9:15:00 AM	0.04
10/7/2024	9:30:00 AM	0.04
10/7/2024	9:45:00 AM	0.04
10/7/2024	10:00:00 AM	0.04
10/7/2024	10:15:00 AM	0.04
10/7/2024	10:30:00 AM	0.04
10/7/2024	10:45:00 AM	0.04
10/7/2024	11:00:00 AM	0.04
10/7/2024	11:15:00 AM	0.04
10/7/2024	11:30:00 AM	0.04
10/7/2024	11:45:00 AM	0.04
10/7/2024	12:00:00 PM	0.04
10/7/2024	12:15:00 PM	0.04
10/7/2024	12:30:00 PM	0.04
10/7/2024	12:45:00 PM	0.04
10/7/2024	1:00:00 PM	0.04
10/7/2024	1:15:00 PM	0.04
10/7/2024	1:30:00 PM	0.04
10/7/2024	1:45:00 PM	0.03
10/7/2024	2:00:00 PM	0.03
10/7/2024	2:15:00 PM	0.03
10/7/2024	2:30:00 PM	0.03
10/7/2024	2:45:00 PM	0.03
10/7/2024	3:00:00 PM	0.03
10/7/2024	3:15:00 PM	0.03
10/7/2024	3:30:00 PM	0.03
10/7/2024	3:45:00 PM	0.03
10/7/2024	4:00:00 PM	0.03
10/7/2024	4:15:00 PM	0.03
10/7/2024	4:30:00 PM	0.03
10/7/2024	4:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
10/7/2024	5:00:00 PM	0.03
10/7/2024	5:15:00 PM	0.03
10/7/2024	5:30:00 PM	0.04
10/7/2024	5:45:00 PM	0.04
10/7/2024	6:00:00 PM	0.04
10/7/2024	6:15:00 PM	0.04
10/7/2024	6:30:00 PM	0.04
10/7/2024	6:45:00 PM	0.04
10/7/2024	7:00:00 PM	0.04
10/7/2024	7:15:00 PM	0.05
10/7/2024	7:30:00 PM	0.06
10/7/2024	7:45:00 PM	0.07
10/7/2024	8:00:00 PM	0.07
10/7/2024	8:15:00 PM	0.08
10/7/2024	8:30:00 PM	0.08
10/7/2024	8:45:00 PM	0.09
10/7/2024	9:00:00 PM	0.09
10/7/2024	9:15:00 PM	0.09
10/7/2024	9:30:00 PM	0.1
10/7/2024	9:45:00 PM	0.1
10/7/2024	10:00:00 PM	0.1
10/7/2024	10:15:00 PM	0.1
10/7/2024	10:30:00 PM	0.1
10/7/2024	10:45:00 PM	0.1
10/7/2024	11:00:00 PM	0.1
10/7/2024	11:15:00 PM	0.1
10/7/2024	11:30:00 PM	0.1
10/7/2024	11:45:00 PM	0.1
10/8/2024	12:00:00 AM	0.1
10/8/2024	12:15:00 AM	0.1
10/8/2024	12:30:00 AM	0.1
10/8/2024	12:45:00 AM	0.1
10/8/2024	1:00:00 AM	0.1
10/8/2024	1:15:00 AM	0.1
10/8/2024	1:30:00 AM	0.1
10/8/2024	1:45:00 AM	0.1
10/8/2024	2:00:00 AM	0.1
10/8/2024	2:15:00 AM	0.1
10/8/2024	2:30:00 AM	0.11
10/8/2024	2:45:00 AM	0.11
10/8/2024	3:00:00 AM	0.11
10/8/2024	3:15:00 AM	0.11
10/8/2024	3:30:00 AM	0.11
10/8/2024	3:45:00 AM	0.11
10/8/2024	4:00:00 AM	0.11
10/8/2024	4:15:00 AM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
10/8/2024	4:30:00 AM	0.11
10/8/2024	4:45:00 AM	0.11
10/8/2024	5:00:00 AM	0.11
10/8/2024	5:15:00 AM	0.11
10/8/2024	5:30:00 AM	0.11
10/8/2024	5:45:00 AM	0.11
10/8/2024	6:00:00 AM	0.11
10/8/2024	6:15:00 AM	0.11
10/8/2024	6:30:00 AM	0.11
10/8/2024	6:45:00 AM	0.11
10/8/2024	7:00:00 AM	0.11
10/8/2024	7:15:00 AM	0.11
10/8/2024	7:30:00 AM	0.11
10/8/2024	7:45:00 AM	0.1
10/8/2024	8:00:00 AM	0.1
10/8/2024	8:15:00 AM	0.1
10/8/2024	8:30:00 AM	0.1
10/8/2024	8:45:00 AM	0.1
10/8/2024	9:00:00 AM	0.09
10/8/2024	9:15:00 AM	0.09
10/8/2024	9:30:00 AM	0.09
10/8/2024	9:45:00 AM	0.09
10/8/2024	10:00:00 AM	0.08
10/8/2024	10:15:00 AM	0.08
10/8/2024	10:30:00 AM	0.08
10/8/2024	10:45:00 AM	0.07
10/8/2024	11:00:00 AM	0.07
10/8/2024	11:15:00 AM	0.06
10/8/2024	11:30:00 AM	0.06
10/8/2024	11:45:00 AM	0.06
10/8/2024	12:00:00 PM	0.06
10/8/2024	12:15:00 PM	0.06
10/8/2024	12:30:00 PM	0.06
10/8/2024	12:45:00 PM	0.07
10/8/2024	1:00:00 PM	0.08
10/8/2024	1:15:00 PM	0.08
10/8/2024	1:30:00 PM	0.09
10/8/2024	1:45:00 PM	0.09
10/8/2024	2:00:00 PM	0.09
10/8/2024	2:15:00 PM	0.09
10/8/2024	2:30:00 PM	0.09
10/8/2024	2:45:00 PM	0.09
10/8/2024	3:00:00 PM	0.09
10/8/2024	3:15:00 PM	0.09
10/8/2024	3:30:00 PM	0.09
10/8/2024	3:45:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
10/8/2024	4:00:00 PM	0.09
10/8/2024	4:15:00 PM	0.09
10/8/2024	4:30:00 PM	0.09
10/8/2024	4:45:00 PM	0.09
10/8/2024	5:00:00 PM	0.09
10/8/2024	5:15:00 PM	0.09
10/8/2024	5:30:00 PM	0.09
10/8/2024	5:45:00 PM	0.09
10/8/2024	6:00:00 PM	0.09
10/8/2024	6:15:00 PM	0.09
10/8/2024	6:30:00 PM	0.09
10/8/2024	6:45:00 PM	0.09
10/8/2024	7:00:00 PM	0.09
10/8/2024	7:15:00 PM	0.09
10/8/2024	7:30:00 PM	0.09
10/8/2024	7:45:00 PM	0.09
10/8/2024	8:00:00 PM	0.09
10/8/2024	8:15:00 PM	0.09
10/8/2024	8:30:00 PM	0.09
10/8/2024	8:45:00 PM	0.09
10/8/2024	9:00:00 PM	0.09
10/8/2024	9:15:00 PM	0.09
10/8/2024	9:30:00 PM	0.09
10/8/2024	9:45:00 PM	0.09
10/8/2024	10:00:00 PM	0.09
10/8/2024	10:15:00 PM	0.09
10/8/2024	10:30:00 PM	0.09
10/8/2024	10:45:00 PM	0.09
10/8/2024	11:00:00 PM	0.09
10/8/2024	11:15:00 PM	0.09
10/8/2024	11:30:00 PM	0.09
10/8/2024	11:45:00 PM	0.09
10/9/2024	12:00:00 AM	0.09
10/9/2024	12:15:00 AM	0.09
10/9/2024	12:30:00 AM	0.09
10/9/2024	12:45:00 AM	0.09
10/9/2024	1:00:00 AM	0.09
10/9/2024	1:15:00 AM	0.09
10/9/2024	1:30:00 AM	0.09
10/9/2024	1:45:00 AM	0.09
10/9/2024	2:00:00 AM	0.08
10/9/2024	2:15:00 AM	0.08
10/9/2024	2:30:00 AM	0.08
10/9/2024	2:45:00 AM	0.08
10/9/2024	3:00:00 AM	0.08
10/9/2024	3:15:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
10/9/2024	3:30:00 AM	0.08
10/9/2024	3:45:00 AM	0.08
10/9/2024	4:00:00 AM	0.08
10/9/2024	4:15:00 AM	0.08
10/9/2024	4:30:00 AM	0.08
10/9/2024	4:45:00 AM	0.08
10/9/2024	5:00:00 AM	0.08
10/9/2024	5:15:00 AM	0.08
10/9/2024	5:30:00 AM	0.08
10/9/2024	5:45:00 AM	0.08
10/9/2024	6:00:00 AM	0.08
10/9/2024	6:15:00 AM	0.08
10/9/2024	6:30:00 AM	0.08
10/9/2024	6:45:00 AM	0.08
10/9/2024	7:00:00 AM	0.08
10/9/2024	7:15:00 AM	0.08
10/9/2024	7:30:00 AM	0.08
10/9/2024	7:45:00 AM	0.07
10/9/2024	8:00:00 AM	0.07
10/9/2024	8:15:00 AM	0.06
10/9/2024	8:30:00 AM	0.06
10/9/2024	8:45:00 AM	0.06
10/9/2024	9:00:00 AM	0.06
10/9/2024	9:15:00 AM	0.06
10/9/2024	9:30:00 AM	0.06
10/9/2024	9:45:00 AM	0.07
10/9/2024	10:00:00 AM	0.07
10/9/2024	10:15:00 AM	0.07
10/9/2024	10:30:00 AM	0.07
10/9/2024	10:45:00 AM	0.07
10/9/2024	11:00:00 AM	0.07
10/9/2024	11:15:00 AM	0.07
10/9/2024	11:30:00 AM	0.07
10/9/2024	11:45:00 AM	0.08
10/9/2024	12:00:00 PM	0.08
10/9/2024	12:15:00 PM	0.08
10/9/2024	12:30:00 PM	0.08
10/9/2024	12:45:00 PM	0.08
10/9/2024	1:00:00 PM	0.09
10/9/2024	1:15:00 PM	0.09
10/9/2024	1:30:00 PM	0.09
10/9/2024	1:45:00 PM	0.09
10/9/2024	2:00:00 PM	0.09
10/9/2024	2:15:00 PM	0.08
10/9/2024	2:30:00 PM	0.08
10/9/2024	2:45:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
10/9/2024	3:00:00 PM	0.08
10/9/2024	3:15:00 PM	0.08
10/9/2024	3:30:00 PM	0.08
10/9/2024	3:45:00 PM	0.08
10/9/2024	4:00:00 PM	0.08
10/9/2024	4:15:00 PM	0.08
10/9/2024	4:30:00 PM	0.08
10/9/2024	4:45:00 PM	0.08
10/9/2024	5:00:00 PM	0.08
10/9/2024	5:15:00 PM	0.08
10/9/2024	5:30:00 PM	0.08
10/9/2024	5:45:00 PM	0.08
10/9/2024	6:00:00 PM	0.08
10/9/2024	6:15:00 PM	0.08
10/9/2024	6:30:00 PM	0.08
10/9/2024	6:45:00 PM	0.08
10/9/2024	7:00:00 PM	0.08
10/9/2024	7:15:00 PM	0.08
10/9/2024	7:30:00 PM	0.08
10/9/2024	7:45:00 PM	0.08
10/9/2024	8:00:00 PM	0.08
10/9/2024	8:15:00 PM	0.08
10/9/2024	8:30:00 PM	0.08
10/9/2024	8:45:00 PM	0.08
10/9/2024	9:00:00 PM	0.08
10/9/2024	9:15:00 PM	0.08
10/9/2024	9:30:00 PM	0.08
10/9/2024	9:45:00 PM	0.08
10/9/2024	10:00:00 PM	0.08
10/9/2024	10:15:00 PM	0.08
10/9/2024	10:30:00 PM	0.08
10/9/2024	10:45:00 PM	0.08
10/9/2024	11:00:00 PM	0.08
10/9/2024	11:15:00 PM	0.08
10/9/2024	11:30:00 PM	0.08
10/9/2024	11:45:00 PM	0.08
10/10/2024	12:00:00 AM	0.08
10/10/2024	12:15:00 AM	0.08
10/10/2024	12:30:00 AM	0.08
10/10/2024	12:45:00 AM	0.08
10/10/2024	1:00:00 AM	0.08
10/10/2024	1:15:00 AM	0.08
10/10/2024	1:30:00 AM	0.08
10/10/2024	1:45:00 AM	0.08
10/10/2024	2:00:00 AM	0.08
10/10/2024	2:15:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
10/10/2024	2:30:00 AM	0.08
10/10/2024	2:45:00 AM	0.08
10/10/2024	3:00:00 AM	0.08
10/10/2024	3:15:00 AM	0.08
10/10/2024	3:30:00 AM	0.08
10/10/2024	3:45:00 AM	0.08
10/10/2024	4:00:00 AM	0.08
10/10/2024	4:15:00 AM	0.08
10/10/2024	4:30:00 AM	0.08
10/10/2024	4:45:00 AM	0.08
10/10/2024	5:00:00 AM	0.08
10/10/2024	5:15:00 AM	0.08
10/10/2024	5:30:00 AM	0.08
10/10/2024	5:45:00 AM	0.08
10/10/2024	6:00:00 AM	0.08
10/10/2024	6:15:00 AM	0.08
10/10/2024	6:30:00 AM	0.08
10/10/2024	6:45:00 AM	0.07
10/10/2024	7:00:00 AM	0.07
10/10/2024	7:15:00 AM	0.07
10/10/2024	7:30:00 AM	0.07
10/10/2024	7:45:00 AM	0.07
10/10/2024	8:00:00 AM	0.07
10/10/2024	8:15:00 AM	0.07
10/10/2024	8:30:00 AM	0.07
10/10/2024	8:45:00 AM	0.07
10/10/2024	9:00:00 AM	0.06
10/10/2024	9:15:00 AM	0.06
10/10/2024	9:30:00 AM	0.06
10/10/2024	9:45:00 AM	0.06
10/10/2024	10:00:00 AM	0.06
10/10/2024	10:15:00 AM	0.06
10/10/2024	10:30:00 AM	0.06
10/10/2024	10:45:00 AM	0.06
10/10/2024	11:00:00 AM	0.06
10/10/2024	11:15:00 AM	0.06
10/10/2024	11:30:00 AM	0.06
10/10/2024	11:45:00 AM	0.06
10/10/2024	12:00:00 PM	0.06
10/10/2024	12:15:00 PM	0.06
10/10/2024	12:30:00 PM	0.06
10/10/2024	12:45:00 PM	0.06
10/10/2024	1:00:00 PM	0.06
10/10/2024	1:15:00 PM	0.06
10/10/2024	1:30:00 PM	0.06
10/10/2024	1:45:00 PM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
10/10/2024	2:00:00 PM	0.06
10/10/2024	2:15:00 PM	0.06
10/10/2024	2:30:00 PM	0.06
10/10/2024	2:45:00 PM	0.06
10/10/2024	3:00:00 PM	0.06
10/10/2024	3:15:00 PM	0.06
10/10/2024	3:30:00 PM	0.06
10/10/2024	3:45:00 PM	0.06
10/10/2024	4:00:00 PM	0.06
10/10/2024	4:15:00 PM	0.06
10/10/2024	4:30:00 PM	0.06
10/10/2024	4:45:00 PM	0.06
10/10/2024	5:00:00 PM	0.06
10/10/2024	5:15:00 PM	0.06
10/10/2024	5:30:00 PM	0.06
10/10/2024	5:45:00 PM	0.06
10/10/2024	6:00:00 PM	0.06
10/10/2024	6:15:00 PM	0.06
10/10/2024	6:30:00 PM	0.06
10/10/2024	6:45:00 PM	0.06
10/10/2024	7:00:00 PM	0.06
10/10/2024	7:15:00 PM	0.06
10/10/2024	7:30:00 PM	0.06
10/10/2024	7:45:00 PM	0.06
10/10/2024	8:00:00 PM	0.06
10/10/2024	8:15:00 PM	0.06
10/10/2024	8:30:00 PM	0.06
10/10/2024	8:45:00 PM	0.06
10/10/2024	9:00:00 PM	0.06
10/10/2024	9:15:00 PM	0.06
10/10/2024	9:30:00 PM	0.06
10/10/2024	9:45:00 PM	0.06
10/10/2024	10:00:00 PM	0.06
10/10/2024	10:15:00 PM	0.06
10/10/2024	10:30:00 PM	0.06
10/10/2024	10:45:00 PM	0.06
10/10/2024	11:00:00 PM	0.06
10/10/2024	11:15:00 PM	0.06
10/10/2024	11:30:00 PM	0.06
10/10/2024	11:45:00 PM	0.06
10/11/2024	12:00:00 AM	0.06
10/11/2024	12:15:00 AM	0.06
10/11/2024	12:30:00 AM	0.06
10/11/2024	12:45:00 AM	0.06
10/11/2024	1:00:00 AM	0.06
10/11/2024	1:15:00 AM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
10/11/2024	1:30:00 AM	0.06
10/11/2024	1:45:00 AM	0.06
10/11/2024	2:00:00 AM	0.06
10/11/2024	2:15:00 AM	0.06
10/11/2024	2:30:00 AM	0.06
10/11/2024	2:45:00 AM	0.06
10/11/2024	3:00:00 AM	0.06
10/11/2024	3:15:00 AM	0.06
10/11/2024	3:30:00 AM	0.06
10/11/2024	3:45:00 AM	0.06
10/11/2024	4:00:00 AM	0.06
10/11/2024	4:15:00 AM	0.06
10/11/2024	4:30:00 AM	0.06
10/11/2024	4:45:00 AM	0.06
10/11/2024	5:00:00 AM	0.06
10/11/2024	5:15:00 AM	0.06
10/11/2024	5:30:00 AM	0.06
10/11/2024	5:45:00 AM	0.06
10/11/2024	6:00:00 AM	0.06
10/11/2024	6:15:00 AM	0.06
10/11/2024	6:30:00 AM	0.05
10/11/2024	6:45:00 AM	0.05
10/11/2024	7:00:00 AM	0.05
10/11/2024	7:15:00 AM	0.05
10/11/2024	7:30:00 AM	0.05
10/11/2024	7:45:00 AM	0.05
10/11/2024	8:00:00 AM	0.04
10/11/2024	8:15:00 AM	0.04
10/11/2024	8:30:00 AM	0.04
10/11/2024	8:45:00 AM	0.04
10/11/2024	9:00:00 AM	0.04
10/11/2024	9:15:00 AM	0.04
10/11/2024	9:30:00 AM	0.04
10/11/2024	9:45:00 AM	0.04
10/11/2024	10:00:00 AM	0.04
10/11/2024	10:15:00 AM	0.04
10/11/2024	10:30:00 AM	0.04
10/11/2024	10:45:00 AM	0.04
10/11/2024	11:00:00 AM	0.04
10/11/2024	11:15:00 AM	0.05
10/11/2024	11:30:00 AM	0.04
10/11/2024	11:45:00 AM	0.04
10/11/2024	12:00:00 PM	0.04
10/11/2024	12:15:00 PM	0.05
10/11/2024	12:30:00 PM	0.05
10/11/2024	12:45:00 PM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/11/2024	1:00:00 PM	0.05
10/11/2024	1:15:00 PM	0.05
10/11/2024	1:30:00 PM	0.05
10/11/2024	1:45:00 PM	0.05
10/11/2024	2:00:00 PM	0.05
10/11/2024	2:15:00 PM	0.05
10/11/2024	2:30:00 PM	0.05
10/11/2024	2:45:00 PM	0.05
10/11/2024	3:00:00 PM	0.05
10/11/2024	3:15:00 PM	0.05
10/11/2024	3:30:00 PM	0.05
10/11/2024	3:45:00 PM	0.05
10/11/2024	4:00:00 PM	0.05
10/11/2024	4:15:00 PM	0.05
10/11/2024	4:30:00 PM	0.05
10/11/2024	4:45:00 PM	0.05
10/11/2024	5:00:00 PM	0.05
10/11/2024	5:15:00 PM	0.05
10/11/2024	5:30:00 PM	0.05
10/11/2024	5:45:00 PM	0.05
10/11/2024	6:00:00 PM	0.05
10/11/2024	6:15:00 PM	0.05
10/11/2024	6:30:00 PM	0.05
10/11/2024	6:45:00 PM	0.05
10/11/2024	7:00:00 PM	0.05
10/11/2024	7:15:00 PM	0.05
10/11/2024	7:30:00 PM	0.05
10/11/2024	7:45:00 PM	0.05
10/11/2024	8:00:00 PM	0.05
10/11/2024	8:15:00 PM	0.05
10/11/2024	8:30:00 PM	0.05
10/11/2024	8:45:00 PM	0.05
10/11/2024	9:00:00 PM	0.05
10/11/2024	9:15:00 PM	0.05
10/11/2024	9:30:00 PM	0.05
10/11/2024	9:45:00 PM	0.05
10/11/2024	10:00:00 PM	0.05
10/11/2024	10:15:00 PM	0.05
10/11/2024	10:30:00 PM	0.05
10/11/2024	10:45:00 PM	0.05
10/11/2024	11:00:00 PM	0.05
10/11/2024	11:15:00 PM	0.05
10/11/2024	11:30:00 PM	0.05
10/11/2024	11:45:00 PM	0.05
10/12/2024	12:00:00 AM	0.05
10/12/2024	12:15:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/12/2024	12:30:00 AM	0.05
10/12/2024	12:45:00 AM	0.05
10/12/2024	1:00:00 AM	0.05
10/12/2024	1:15:00 AM	0.05
10/12/2024	1:30:00 AM	0.05
10/12/2024	1:45:00 AM	0.05
10/12/2024	2:00:00 AM	0.05
10/12/2024	2:15:00 AM	0.05
10/12/2024	2:30:00 AM	0.05
10/12/2024	2:45:00 AM	0.05
10/12/2024	3:00:00 AM	0.05
10/12/2024	3:15:00 AM	0.05
10/12/2024	3:30:00 AM	0.05
10/12/2024	3:45:00 AM	0.05
10/12/2024	4:00:00 AM	0.05
10/12/2024	4:15:00 AM	0.05
10/12/2024	4:30:00 AM	0.05
10/12/2024	4:45:00 AM	0.05
10/12/2024	5:00:00 AM	0.05
10/12/2024	5:15:00 AM	0.05
10/12/2024	5:30:00 AM	0.05
10/12/2024	5:45:00 AM	0.05
10/12/2024	6:00:00 AM	0.05
10/12/2024	6:15:00 AM	0.05
10/12/2024	6:30:00 AM	0.05
10/12/2024	6:45:00 AM	0.05
10/12/2024	7:00:00 AM	0.05
10/12/2024	7:15:00 AM	0.05
10/12/2024	7:30:00 AM	0.05
10/12/2024	7:45:00 AM	0.05
10/12/2024	8:00:00 AM	0.05
10/12/2024	8:15:00 AM	0.05
10/12/2024	8:30:00 AM	0.05
10/12/2024	8:45:00 AM	0.05
10/12/2024	9:00:00 AM	0.05
10/12/2024	9:15:00 AM	0.04
10/12/2024	9:30:00 AM	0.05
10/12/2024	9:45:00 AM	0.05
10/12/2024	10:00:00 AM	0.04
10/12/2024	10:15:00 AM	0.04
10/12/2024	10:30:00 AM	0.04
10/12/2024	10:45:00 AM	0.04
10/12/2024	11:00:00 AM	0.04
10/12/2024	11:15:00 AM	0.04
10/12/2024	11:30:00 AM	0.04
10/12/2024	11:45:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
10/12/2024	12:00:00 PM	0.04
10/12/2024	12:15:00 PM	0.04
10/12/2024	12:30:00 PM	0.04
10/12/2024	12:45:00 PM	0.04
10/12/2024	1:00:00 PM	0.04
10/12/2024	1:15:00 PM	0.04
10/12/2024	1:30:00 PM	0.04
10/12/2024	1:45:00 PM	0.04
10/12/2024	2:00:00 PM	0.04
10/12/2024	2:15:00 PM	0.04
10/12/2024	2:30:00 PM	0.04
10/12/2024	2:45:00 PM	0.04
10/12/2024	3:00:00 PM	0.04
10/12/2024	3:15:00 PM	0.04
10/12/2024	3:30:00 PM	0.04
10/12/2024	3:45:00 PM	0.04
10/12/2024	4:00:00 PM	0.04
10/12/2024	4:15:00 PM	0.04
10/12/2024	4:30:00 PM	0.04
10/12/2024	4:45:00 PM	0.04
10/12/2024	5:00:00 PM	0.04
10/12/2024	5:15:00 PM	0.04
10/12/2024	5:30:00 PM	0.04
10/12/2024	5:45:00 PM	0.04
10/12/2024	6:00:00 PM	0.04
10/12/2024	6:15:00 PM	0.04
10/12/2024	6:30:00 PM	0.04
10/12/2024	6:45:00 PM	0.04
10/12/2024	7:00:00 PM	0.04
10/12/2024	7:15:00 PM	0.04
10/12/2024	7:30:00 PM	0.04
10/12/2024	7:45:00 PM	0.04
10/12/2024	8:00:00 PM	0.04
10/12/2024	8:15:00 PM	0.04
10/12/2024	8:30:00 PM	0.04
10/12/2024	8:45:00 PM	0.04
10/12/2024	9:00:00 PM	0.04
10/12/2024	9:15:00 PM	0.04
10/12/2024	9:30:00 PM	0.04
10/12/2024	9:45:00 PM	0.05
10/12/2024	10:00:00 PM	0.05
10/12/2024	10:15:00 PM	0.05
10/12/2024	10:30:00 PM	0.05
10/12/2024	10:45:00 PM	0.05
10/12/2024	11:00:00 PM	0.05
10/12/2024	11:15:00 PM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/12/2024	11:30:00 PM	0.05
10/12/2024	11:45:00 PM	0.05
10/13/2024	12:00:00 AM	0.05
10/13/2024	12:15:00 AM	0.05
10/13/2024	12:30:00 AM	0.05
10/13/2024	12:45:00 AM	0.05
10/13/2024	1:00:00 AM	0.05
10/13/2024	1:15:00 AM	0.06
10/13/2024	1:30:00 AM	0.06
10/13/2024	1:45:00 AM	0.06
10/13/2024	2:00:00 AM	0.06
10/13/2024	2:15:00 AM	0.06
10/13/2024	2:30:00 AM	0.06
10/13/2024	2:45:00 AM	0.06
10/13/2024	3:00:00 AM	0.06
10/13/2024	3:15:00 AM	0.06
10/13/2024	3:30:00 AM	0.06
10/13/2024	3:45:00 AM	0.06
10/13/2024	4:00:00 AM	0.06
10/13/2024	4:15:00 AM	0.06
10/13/2024	4:30:00 AM	0.06
10/13/2024	4:45:00 AM	0.05
10/13/2024	5:00:00 AM	0.06
10/13/2024	5:15:00 AM	0.05
10/13/2024	5:30:00 AM	0.05
10/13/2024	5:45:00 AM	0.05
10/13/2024	6:00:00 AM	0.05
10/13/2024	6:15:00 AM	0.05
10/13/2024	6:30:00 AM	0.05
10/13/2024	6:45:00 AM	0.05
10/13/2024	7:00:00 AM	0.05
10/13/2024	7:15:00 AM	0.05
10/13/2024	7:30:00 AM	0.05
10/13/2024	7:45:00 AM	0.05
10/13/2024	8:00:00 AM	0.05
10/13/2024	8:15:00 AM	0.05
10/13/2024	8:30:00 AM	0.05
10/13/2024	8:45:00 AM	0.05
10/13/2024	9:00:00 AM	0.05
10/13/2024	9:15:00 AM	0.05
10/13/2024	9:30:00 AM	0.05
10/13/2024	9:45:00 AM	0.05
10/13/2024	10:00:00 AM	0.05
10/13/2024	10:15:00 AM	0.05
10/13/2024	10:30:00 AM	0.05
10/13/2024	10:45:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/13/2024	11:00:00 AM	0.05
10/13/2024	11:15:00 AM	0.05
10/13/2024	11:30:00 AM	0.05
10/13/2024	11:45:00 AM	0.05
10/13/2024	12:00:00 PM	0.05
10/13/2024	12:15:00 PM	0.05
10/13/2024	12:30:00 PM	0.05
10/13/2024	12:45:00 PM	0.05
10/13/2024	1:00:00 PM	0.05
10/13/2024	1:15:00 PM	0.05
10/13/2024	1:30:00 PM	0.05
10/13/2024	1:45:00 PM	0.05
10/13/2024	2:00:00 PM	0.05
10/13/2024	2:15:00 PM	0.05
10/13/2024	2:30:00 PM	0.05
10/13/2024	2:45:00 PM	0.05
10/13/2024	3:00:00 PM	0.05
10/13/2024	3:15:00 PM	0.05
10/13/2024	3:30:00 PM	0.04
10/13/2024	3:45:00 PM	0.04
10/13/2024	4:00:00 PM	0.04
10/13/2024	4:15:00 PM	0.04
10/13/2024	4:30:00 PM	0.04
10/13/2024	4:45:00 PM	0.04
10/13/2024	5:00:00 PM	0.04
10/13/2024	5:15:00 PM	0.04
10/13/2024	5:30:00 PM	0.04
10/13/2024	5:45:00 PM	0.04
10/13/2024	6:00:00 PM	0.04
10/13/2024	6:15:00 PM	0.04
10/13/2024	6:30:00 PM	0.04
10/13/2024	6:45:00 PM	0.04
10/13/2024	7:00:00 PM	0.04
10/13/2024	7:15:00 PM	0.04
10/13/2024	7:30:00 PM	0.04
10/13/2024	7:45:00 PM	0.04
10/13/2024	8:00:00 PM	0.04
10/13/2024	8:15:00 PM	0.04
10/13/2024	8:30:00 PM	0.04
10/13/2024	8:45:00 PM	0.04
10/13/2024	9:00:00 PM	0.04
10/13/2024	9:15:00 PM	0.04
10/13/2024	9:30:00 PM	0.04
10/13/2024	9:45:00 PM	0.04
10/13/2024	10:00:00 PM	0.04
10/13/2024	10:15:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
10/13/2024	10:30:00 PM	0.04
10/13/2024	10:45:00 PM	0.04
10/13/2024	11:00:00 PM	0.04
10/13/2024	11:15:00 PM	0.04
10/13/2024	11:30:00 PM	0.04
10/13/2024	11:45:00 PM	0.04
10/14/2024	12:00:00 AM	0.04
10/14/2024	12:15:00 AM	0.04
10/14/2024	12:30:00 AM	0.04
10/14/2024	12:45:00 AM	0.04
10/14/2024	1:00:00 AM	0.04
10/14/2024	1:15:00 AM	0.04
10/14/2024	1:30:00 AM	0.04
10/14/2024	1:45:00 AM	0.04
10/14/2024	2:00:00 AM	0.04
10/14/2024	2:15:00 AM	0.04
10/14/2024	2:30:00 AM	0.04
10/14/2024	2:45:00 AM	0.04
10/14/2024	3:00:00 AM	0.04
10/14/2024	3:15:00 AM	0.04
10/14/2024	3:30:00 AM	0.04
10/14/2024	3:45:00 AM	0.04
10/14/2024	4:00:00 AM	0.04
10/14/2024	4:15:00 AM	0.04
10/14/2024	4:30:00 AM	0.04
10/14/2024	4:45:00 AM	0.04
10/14/2024	5:00:00 AM	0.04
10/14/2024	5:15:00 AM	0.04
10/14/2024	5:30:00 AM	0.04
10/14/2024	5:45:00 AM	0.04
10/14/2024	6:00:00 AM	0.04
10/14/2024	6:15:00 AM	0.04
10/14/2024	6:30:00 AM	0.04
10/14/2024	6:45:00 AM	0.04
10/14/2024	7:00:00 AM	0.04
10/14/2024	7:15:00 AM	0.04
10/14/2024	7:30:00 AM	0.04
10/14/2024	7:45:00 AM	0.04
10/14/2024	8:00:00 AM	0.04
10/14/2024	8:15:00 AM	0.04
10/14/2024	8:30:00 AM	0.04
10/14/2024	8:45:00 AM	0.04
10/14/2024	9:00:00 AM	0.04
10/14/2024	9:15:00 AM	0.04
10/14/2024	9:30:00 AM	0.04
10/14/2024	9:45:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
10/14/2024	10:00:00 AM	0.04
10/14/2024	10:15:00 AM	0.03
10/14/2024	10:30:00 AM	0.03
10/14/2024	10:45:00 AM	0.03
10/14/2024	11:00:00 AM	0.03
10/14/2024	11:15:00 AM	0.03
10/14/2024	11:30:00 AM	0.03
10/14/2024	11:45:00 AM	0.03
10/14/2024	12:00:00 PM	0.03
10/14/2024	12:15:00 PM	0.03
10/14/2024	12:30:00 PM	0.03
10/14/2024	12:45:00 PM	0.03
10/14/2024	1:00:00 PM	0.03
10/14/2024	1:15:00 PM	0.03
10/14/2024	1:30:00 PM	0.03
10/14/2024	1:45:00 PM	0.03
10/14/2024	2:00:00 PM	0.03
10/14/2024	2:15:00 PM	0.03
10/14/2024	2:30:00 PM	0.03
10/14/2024	2:45:00 PM	0.03
10/14/2024	3:00:00 PM	0.03
10/14/2024	3:15:00 PM	0.03
10/14/2024	3:30:00 PM	0.03
10/14/2024	3:45:00 PM	0.03
10/14/2024	4:00:00 PM	0.03
10/14/2024	4:15:00 PM	0.03
10/14/2024	4:30:00 PM	0.03
10/14/2024	4:45:00 PM	0.03
10/14/2024	5:00:00 PM	0.03
10/14/2024	5:15:00 PM	0.03
10/14/2024	5:30:00 PM	0.03
10/14/2024	5:45:00 PM	0.03
10/14/2024	6:00:00 PM	0.03
10/14/2024	6:15:00 PM	0.03
10/14/2024	6:30:00 PM	0.03
10/14/2024	6:45:00 PM	0.03
10/14/2024	7:00:00 PM	0.03
10/14/2024	7:15:00 PM	0.03
10/14/2024	7:30:00 PM	0.03
10/14/2024	7:45:00 PM	0.03
10/14/2024	8:00:00 PM	0.03
10/14/2024	8:15:00 PM	0.03
10/14/2024	8:30:00 PM	0.03
10/14/2024	8:45:00 PM	0.03
10/14/2024	9:00:00 PM	0.03
10/14/2024	9:15:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
10/14/2024	9:30:00 PM	0.03
10/14/2024	9:45:00 PM	0.03
10/14/2024	10:00:00 PM	0.03
10/14/2024	10:15:00 PM	0.03
10/14/2024	10:30:00 PM	0.03
10/14/2024	10:45:00 PM	0.03
10/14/2024	11:00:00 PM	0.03
10/14/2024	11:15:00 PM	0.03
10/14/2024	11:30:00 PM	0.03
10/14/2024	11:45:00 PM	0.03
10/15/2024	12:00:00 AM	0.03
10/15/2024	12:15:00 AM	0.03
10/15/2024	12:30:00 AM	0.03
10/15/2024	12:45:00 AM	0.03
10/15/2024	1:00:00 AM	0.03
10/15/2024	1:15:00 AM	0.03
10/15/2024	1:30:00 AM	0.03
10/15/2024	1:45:00 AM	0.03
10/15/2024	2:00:00 AM	0.03
10/15/2024	2:15:00 AM	0.04
10/15/2024	2:30:00 AM	0.04
10/15/2024	2:45:00 AM	0.04
10/15/2024	3:00:00 AM	0.04
10/15/2024	3:15:00 AM	0.04
10/15/2024	3:30:00 AM	0.04
10/15/2024	3:45:00 AM	0.04
10/15/2024	4:00:00 AM	0.04
10/15/2024	4:15:00 AM	0.04
10/15/2024	4:30:00 AM	0.04
10/15/2024	4:45:00 AM	0.04
10/15/2024	5:00:00 AM	0.04
10/15/2024	5:15:00 AM	0.04
10/15/2024	5:30:00 AM	0.04
10/15/2024	5:45:00 AM	0.04
10/15/2024	6:00:00 AM	0.04
10/15/2024	6:15:00 AM	0.04
10/15/2024	6:30:00 AM	0.04
10/15/2024	6:45:00 AM	0.04
10/15/2024	7:00:00 AM	0.04
10/15/2024	7:15:00 AM	0.04
10/15/2024	7:30:00 AM	0.04
10/15/2024	7:45:00 AM	0.04
10/15/2024	8:00:00 AM	0.04
10/15/2024	8:15:00 AM	0.04
10/15/2024	8:30:00 AM	0.04
10/15/2024	8:45:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
10/15/2024	9:00:00 AM	0.04
10/15/2024	9:15:00 AM	0.03
10/15/2024	9:30:00 AM	0.03
10/15/2024	9:45:00 AM	0.03
10/15/2024	10:00:00 AM	0.03
10/15/2024	10:15:00 AM	0.03
10/15/2024	10:30:00 AM	0.03
10/15/2024	10:45:00 AM	0.03
10/15/2024	11:00:00 AM	0.03
10/15/2024	11:15:00 AM	0.03
10/15/2024	11:30:00 AM	0.03
10/15/2024	11:45:00 AM	0.03
10/15/2024	12:00:00 PM	0.03
10/15/2024	12:15:00 PM	0.03
10/15/2024	12:30:00 PM	0.03
10/15/2024	12:45:00 PM	0.03
10/15/2024	1:00:00 PM	0.03
10/15/2024	1:15:00 PM	0.03
10/15/2024	1:30:00 PM	0.03
10/15/2024	1:45:00 PM	0.03
10/15/2024	2:00:00 PM	0.03
10/15/2024	2:15:00 PM	0.03
10/15/2024	2:30:00 PM	0.03
10/15/2024	2:45:00 PM	0.03
10/15/2024	3:00:00 PM	0.03
10/15/2024	3:15:00 PM	0.03
10/15/2024	3:30:00 PM	0.03
10/15/2024	3:45:00 PM	0.03
10/15/2024	4:00:00 PM	0.03
10/15/2024	4:15:00 PM	0.03
10/15/2024	4:30:00 PM	0.03
10/15/2024	4:45:00 PM	0.03
10/15/2024	5:00:00 PM	0.02
10/15/2024	5:15:00 PM	0.03
10/15/2024	5:30:00 PM	0.03
10/15/2024	5:45:00 PM	0.02
10/15/2024	6:00:00 PM	0.02
10/15/2024	6:15:00 PM	0.02
10/15/2024	6:30:00 PM	0.03
10/15/2024	6:45:00 PM	0.02
10/15/2024	7:00:00 PM	0.02
10/15/2024	7:15:00 PM	0.02
10/15/2024	7:30:00 PM	0.03
10/15/2024	7:45:00 PM	0.03
10/15/2024	8:00:00 PM	0.03
10/15/2024	8:15:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
10/15/2024	8:30:00 PM	0.03
10/15/2024	8:45:00 PM	0.03
10/15/2024	9:00:00 PM	0.03
10/15/2024	9:15:00 PM	0.03
10/15/2024	9:30:00 PM	0.03
10/15/2024	9:45:00 PM	0.03
10/15/2024	10:00:00 PM	0.03
10/15/2024	10:15:00 PM	0.03
10/15/2024	10:30:00 PM	0.03
10/15/2024	10:45:00 PM	0.03
10/15/2024	11:00:00 PM	0.03
10/15/2024	11:15:00 PM	0.03
10/15/2024	11:30:00 PM	0.03
10/15/2024	11:45:00 PM	0.03
10/16/2024	12:00:00 AM	0.03
10/16/2024	12:15:00 AM	0.03
10/16/2024	12:30:00 AM	0.03
10/16/2024	12:45:00 AM	0.03
10/16/2024	1:00:00 AM	0.03
10/16/2024	1:15:00 AM	0.03
10/16/2024	1:30:00 AM	0.03
10/16/2024	1:45:00 AM	0.03
10/16/2024	2:00:00 AM	0.03
10/16/2024	2:15:00 AM	0.02
10/16/2024	2:30:00 AM	0.03
10/16/2024	2:45:00 AM	0.02
10/16/2024	3:00:00 AM	0.03
10/16/2024	3:15:00 AM	0.03
10/16/2024	3:30:00 AM	0.03
10/16/2024	3:45:00 AM	0.03
10/16/2024	4:00:00 AM	0.03
10/16/2024	4:15:00 AM	0.03
10/16/2024	4:30:00 AM	0.03
10/16/2024	4:45:00 AM	0.03
10/16/2024	5:00:00 AM	0.03
10/16/2024	5:15:00 AM	0.03
10/16/2024	5:30:00 AM	0.03
10/16/2024	5:45:00 AM	0.03
10/16/2024	6:00:00 AM	0.03
10/16/2024	6:15:00 AM	0.03
10/16/2024	6:30:00 AM	0.02
10/16/2024	6:45:00 AM	0.03
10/16/2024	7:00:00 AM	0.02
10/16/2024	7:15:00 AM	0.03
10/16/2024	7:30:00 AM	0.03
10/16/2024	7:45:00 AM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
10/16/2024	8:00:00 AM	0.03
10/16/2024	8:15:00 AM	0.03
10/16/2024	8:30:00 AM	0.03
10/16/2024	8:45:00 AM	0.02
10/16/2024	9:00:00 AM	0.03
10/16/2024	9:15:00 AM	0.02
10/16/2024	9:30:00 AM	0.03
10/16/2024	9:45:00 AM	0.03
10/16/2024	10:00:00 AM	0.02
10/16/2024	10:15:00 AM	0.02
10/16/2024	10:30:00 AM	0.02
10/16/2024	10:45:00 AM	0.02
10/16/2024	11:00:00 AM	0.03
10/16/2024	11:15:00 AM	0.02
10/16/2024	11:30:00 AM	0.02
10/16/2024	11:45:00 AM	0.02
10/16/2024	12:00:00 PM	0.02
10/16/2024	12:15:00 PM	0.02
10/16/2024	12:30:00 PM	0.02
10/16/2024	12:45:00 PM	0.02
10/16/2024	1:00:00 PM	0.02
10/16/2024	1:15:00 PM	0.02
10/16/2024	1:30:00 PM	0.02
10/16/2024	1:45:00 PM	0.02
10/16/2024	2:00:00 PM	0.02
10/16/2024	2:15:00 PM	0.02
10/16/2024	2:30:00 PM	0.02
10/16/2024	2:45:00 PM	0.03
10/16/2024	3:00:00 PM	0.03
10/16/2024	3:15:00 PM	0.04
10/16/2024	3:30:00 PM	0.04
10/16/2024	3:45:00 PM	0.04
10/16/2024	4:00:00 PM	0.04
10/16/2024	4:15:00 PM	0.04
10/16/2024	4:30:00 PM	0.04
10/16/2024	4:45:00 PM	0.04
10/16/2024	5:00:00 PM	0.04
10/16/2024	5:15:00 PM	0.04
10/16/2024	5:30:00 PM	0.04
10/16/2024	5:45:00 PM	0.04
10/16/2024	6:00:00 PM	0.04
10/16/2024	6:15:00 PM	0.04
10/16/2024	6:30:00 PM	0.05
10/16/2024	6:45:00 PM	0.08
10/16/2024	7:00:00 PM	0.09
10/16/2024	7:15:00 PM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
10/16/2024	7:30:00 PM	0.1
10/16/2024	7:45:00 PM	0.1
10/16/2024	8:00:00 PM	0.11
10/16/2024	8:15:00 PM	0.11
10/16/2024	8:30:00 PM	0.11
10/16/2024	8:45:00 PM	0.11
10/16/2024	9:00:00 PM	0.11
10/16/2024	9:15:00 PM	0.11
10/16/2024	9:30:00 PM	0.11
10/16/2024	9:45:00 PM	0.11
10/16/2024	10:00:00 PM	0.12
10/16/2024	10:15:00 PM	0.12
10/16/2024	10:30:00 PM	0.12
10/16/2024	10:45:00 PM	0.12
10/16/2024	11:00:00 PM	0.12
10/16/2024	11:15:00 PM	0.12
10/16/2024	11:30:00 PM	0.12
10/16/2024	11:45:00 PM	0.12
10/17/2024	12:00:00 AM	0.12
10/17/2024	12:15:00 AM	0.12
10/17/2024	12:30:00 AM	0.12
10/17/2024	12:45:00 AM	0.12
10/17/2024	1:00:00 AM	0.12
10/17/2024	1:15:00 AM	0.12
10/17/2024	1:30:00 AM	0.12
10/17/2024	1:45:00 AM	0.12
10/17/2024	2:00:00 AM	0.12
10/17/2024	2:15:00 AM	0.12
10/17/2024	2:30:00 AM	0.12
10/17/2024	2:45:00 AM	0.12
10/17/2024	3:00:00 AM	0.12
10/17/2024	3:15:00 AM	0.11
10/17/2024	3:30:00 AM	0.11
10/17/2024	3:45:00 AM	0.11
10/17/2024	4:00:00 AM	0.11
10/17/2024	4:15:00 AM	0.11
10/17/2024	4:30:00 AM	0.11
10/17/2024	4:45:00 AM	0.11
10/17/2024	5:00:00 AM	0.11
10/17/2024	5:15:00 AM	0.1
10/17/2024	5:30:00 AM	0.1
10/17/2024	5:45:00 AM	0.1
10/17/2024	6:00:00 AM	0.1
10/17/2024	6:15:00 AM	0.1
10/17/2024	6:30:00 AM	0.1
10/17/2024	6:45:00 AM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
10/17/2024	7:00:00 AM	0.1
10/17/2024	7:15:00 AM	0.1
10/17/2024	7:30:00 AM	0.09
10/17/2024	7:45:00 AM	0.09
10/17/2024	8:00:00 AM	0.09
10/17/2024	8:15:00 AM	0.09
10/17/2024	8:30:00 AM	0.09
10/17/2024	8:45:00 AM	0.09
10/17/2024	9:00:00 AM	0.09
10/17/2024	9:15:00 AM	0.09
10/17/2024	9:30:00 AM	0.09
10/17/2024	9:45:00 AM	0.09
10/17/2024	10:00:00 AM	0.09
10/17/2024	10:15:00 AM	0.09
10/17/2024	10:30:00 AM	0.09
10/17/2024	10:45:00 AM	0.09
10/17/2024	11:00:00 AM	0.09
10/17/2024	11:15:00 AM	0.09
10/17/2024	11:30:00 AM	0.09
10/17/2024	11:45:00 AM	0.09
10/17/2024	12:00:00 PM	0.09
10/17/2024	12:15:00 PM	0.09
10/17/2024	12:30:00 PM	0.09
10/17/2024	12:45:00 PM	0.09
10/17/2024	1:00:00 PM	0.09
10/17/2024	1:15:00 PM	0.09
10/17/2024	1:30:00 PM	0.09
10/17/2024	1:45:00 PM	0.09
10/17/2024	2:00:00 PM	0.09
10/17/2024	2:15:00 PM	0.1
10/17/2024	2:30:00 PM	0.1
10/17/2024	2:45:00 PM	0.1
10/17/2024	3:00:00 PM	0.1
10/17/2024	3:15:00 PM	0.1
10/17/2024	3:30:00 PM	0.09
10/17/2024	3:45:00 PM	0.09
10/17/2024	4:00:00 PM	0.09
10/17/2024	4:15:00 PM	0.09
10/17/2024	4:30:00 PM	0.09
10/17/2024	4:45:00 PM	0.09
10/17/2024	5:00:00 PM	0.09
10/17/2024	5:15:00 PM	0.09
10/17/2024	5:30:00 PM	0.09
10/17/2024	5:45:00 PM	0.08
10/17/2024	6:00:00 PM	0.08
10/17/2024	6:15:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
10/17/2024	6:30:00 PM	0.08
10/17/2024	6:45:00 PM	0.08
10/17/2024	7:00:00 PM	0.08
10/17/2024	7:15:00 PM	0.08
10/17/2024	7:30:00 PM	0.08
10/17/2024	7:45:00 PM	0.08
10/17/2024	8:00:00 PM	0.08
10/17/2024	8:15:00 PM	0.07
10/17/2024	8:30:00 PM	0.07
10/17/2024	8:45:00 PM	0.07
10/17/2024	9:00:00 PM	0.07
10/17/2024	9:15:00 PM	0.07
10/17/2024	9:30:00 PM	0.07
10/17/2024	9:45:00 PM	0.07
10/17/2024	10:00:00 PM	0.07
10/17/2024	10:15:00 PM	0.07
10/17/2024	10:30:00 PM	0.07
10/17/2024	10:45:00 PM	0.07
10/17/2024	11:00:00 PM	0.07
10/17/2024	11:15:00 PM	0.07
10/17/2024	11:30:00 PM	0.07
10/17/2024	11:45:00 PM	0.07
10/18/2024	12:00:00 AM	0.07
10/18/2024	12:15:00 AM	0.07
10/18/2024	12:30:00 AM	0.06
10/18/2024	12:45:00 AM	0.07
10/18/2024	1:00:00 AM	0.06
10/18/2024	1:15:00 AM	0.06
10/18/2024	1:30:00 AM	0.07
10/18/2024	1:45:00 AM	0.07
10/18/2024	2:00:00 AM	0.07
10/18/2024	2:15:00 AM	0.07
10/18/2024	2:30:00 AM	0.07
10/18/2024	2:45:00 AM	0.07
10/18/2024	3:00:00 AM	0.07
10/18/2024	3:15:00 AM	0.07
10/18/2024	3:30:00 AM	0.07
10/18/2024	3:45:00 AM	0.07
10/18/2024	4:00:00 AM	0.07
10/18/2024	4:15:00 AM	0.07
10/18/2024	4:30:00 AM	0.07
10/18/2024	4:45:00 AM	0.07
10/18/2024	5:00:00 AM	0.07
10/18/2024	5:15:00 AM	0.07
10/18/2024	5:30:00 AM	0.07
10/18/2024	5:45:00 AM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
10/18/2024	6:00:00 AM	0.06
10/18/2024	6:15:00 AM	0.06
10/18/2024	6:30:00 AM	0.06
10/18/2024	6:45:00 AM	0.06
10/18/2024	7:00:00 AM	0.06
10/18/2024	7:15:00 AM	0.06
10/18/2024	7:30:00 AM	0.06
10/18/2024	7:45:00 AM	0.06
10/18/2024	8:00:00 AM	0.06
10/18/2024	8:15:00 AM	0.06
10/18/2024	8:30:00 AM	0.06
10/18/2024	8:45:00 AM	0.06
10/18/2024	9:00:00 AM	0.06
10/18/2024	9:15:00 AM	0.06
10/18/2024	9:30:00 AM	0.06
10/18/2024	9:45:00 AM	0.05
10/18/2024	10:00:00 AM	0.06
10/18/2024	10:15:00 AM	0.05
10/18/2024	10:30:00 AM	0.05
10/18/2024	10:45:00 AM	0.05
10/18/2024	11:00:00 AM	0.05
10/18/2024	11:15:00 AM	0.05
10/18/2024	11:30:00 AM	0.05
10/18/2024	11:45:00 AM	0.05
10/18/2024	12:00:00 PM	0.05
10/18/2024	12:15:00 PM	0.05
10/18/2024	12:30:00 PM	0.05
10/18/2024	12:45:00 PM	0.04
10/18/2024	1:00:00 PM	0.04
10/18/2024	1:15:00 PM	0.04
10/18/2024	1:30:00 PM	0.04
10/18/2024	1:45:00 PM	0.04
10/18/2024	2:00:00 PM	0.21
10/18/2024	2:15:00 PM	0.25
10/18/2024	2:30:00 PM	0.26
10/18/2024	2:45:00 PM	0.26
10/18/2024	3:00:00 PM	0.26
10/18/2024	3:15:00 PM	0.27
10/18/2024	3:30:00 PM	0.27
10/18/2024	3:45:00 PM	0.27
10/18/2024	4:00:00 PM	0.27
10/18/2024	4:15:00 PM	0.27
10/18/2024	4:30:00 PM	0.27
10/18/2024	4:45:00 PM	0.27
10/18/2024	5:00:00 PM	0.27
10/18/2024	5:15:00 PM	0.27

Georges Ditch Return Gage

DATE	TIME	GAGE
10/18/2024	5:30:00 PM	0.26
10/18/2024	5:45:00 PM	0.26
10/18/2024	6:00:00 PM	0.26
10/18/2024	6:15:00 PM	0.26
10/18/2024	6:30:00 PM	0.26
10/18/2024	6:45:00 PM	0.26
10/18/2024	7:00:00 PM	0.26
10/18/2024	7:15:00 PM	0.26
10/18/2024	7:30:00 PM	0.26
10/18/2024	7:45:00 PM	0.26
10/18/2024	8:00:00 PM	0.26
10/18/2024	8:15:00 PM	0.26
10/18/2024	8:30:00 PM	0.26
10/18/2024	8:45:00 PM	0.26
10/18/2024	9:00:00 PM	0.26
10/18/2024	9:15:00 PM	0.26
10/18/2024	9:30:00 PM	0.26
10/18/2024	9:45:00 PM	0.26
10/18/2024	10:00:00 PM	0.26
10/18/2024	10:15:00 PM	0.25
10/18/2024	10:30:00 PM	0.25
10/18/2024	10:45:00 PM	0.25
10/18/2024	11:00:00 PM	0.25
10/18/2024	11:15:00 PM	0.25
10/18/2024	11:30:00 PM	0.25
10/18/2024	11:45:00 PM	0.25
10/19/2024	12:00:00 AM	0.25
10/19/2024	12:15:00 AM	0.25
10/19/2024	12:30:00 AM	0.24
10/19/2024	12:45:00 AM	0.24
10/19/2024	1:00:00 AM	0.24
10/19/2024	1:15:00 AM	0.24
10/19/2024	1:30:00 AM	0.25
10/19/2024	1:45:00 AM	0.24
10/19/2024	2:00:00 AM	0.25
10/19/2024	2:15:00 AM	0.25
10/19/2024	2:30:00 AM	0.25
10/19/2024	2:45:00 AM	0.25
10/19/2024	3:00:00 AM	0.24
10/19/2024	3:15:00 AM	0.24
10/19/2024	3:30:00 AM	0.24
10/19/2024	3:45:00 AM	0.24
10/19/2024	4:00:00 AM	0.24
10/19/2024	4:15:00 AM	0.24
10/19/2024	4:30:00 AM	0.24
10/19/2024	4:45:00 AM	0.24

Georges Ditch Return Gage

DATE	TIME	GAGE
10/19/2024	5:00:00 AM	0.23
10/19/2024	5:15:00 AM	0.23
10/19/2024	5:30:00 AM	0.23
10/19/2024	5:45:00 AM	0.23
10/19/2024	6:00:00 AM	0.23
10/19/2024	6:15:00 AM	0.22
10/19/2024	6:30:00 AM	0.22
10/19/2024	6:45:00 AM	0.22
10/19/2024	7:00:00 AM	0.22
10/19/2024	7:15:00 AM	0.22
10/19/2024	7:30:00 AM	0.21
10/19/2024	7:45:00 AM	0.21
10/19/2024	8:00:00 AM	0.21
10/19/2024	8:15:00 AM	0.21
10/19/2024	8:30:00 AM	0.21
10/19/2024	8:45:00 AM	0.21
10/19/2024	9:00:00 AM	0.21
10/19/2024	9:15:00 AM	0.21
10/19/2024	9:30:00 AM	0.21
10/19/2024	9:45:00 AM	0.21
10/19/2024	10:00:00 AM	0.21
10/19/2024	10:15:00 AM	0.21
10/19/2024	10:30:00 AM	0.21
10/19/2024	10:45:00 AM	0.21
10/19/2024	11:00:00 AM	0.21
10/19/2024	11:15:00 AM	0.21
10/19/2024	11:30:00 AM	0.21
10/19/2024	11:45:00 AM	0.21
10/19/2024	12:00:00 PM	0.21
10/19/2024	12:15:00 PM	0.21
10/19/2024	12:30:00 PM	0.21
10/19/2024	12:45:00 PM	0.21
10/19/2024	1:00:00 PM	0.21
10/19/2024	1:15:00 PM	0.21
10/19/2024	1:30:00 PM	0.2
10/19/2024	1:45:00 PM	0.2
10/19/2024	2:00:00 PM	0.19
10/19/2024	2:15:00 PM	0.19
10/19/2024	2:30:00 PM	0.18
10/19/2024	2:45:00 PM	0.17
10/19/2024	3:00:00 PM	0.17
10/19/2024	3:15:00 PM	0.16
10/19/2024	3:30:00 PM	0.15
10/19/2024	3:45:00 PM	0.15
10/19/2024	4:00:00 PM	0.14
10/19/2024	4:15:00 PM	0.14

Georges Ditch Return Gage

DATE	TIME	GAGE
10/19/2024	4:30:00 PM	0.13
10/19/2024	4:45:00 PM	0.13
10/19/2024	5:00:00 PM	0.12
10/19/2024	5:15:00 PM	0.12
10/19/2024	5:30:00 PM	0.12
10/19/2024	5:45:00 PM	0.11
10/19/2024	6:00:00 PM	0.11
10/19/2024	6:15:00 PM	0.11
10/19/2024	6:30:00 PM	0.11
10/19/2024	6:45:00 PM	0.1
10/19/2024	7:00:00 PM	0.1
10/19/2024	7:15:00 PM	0.1
10/19/2024	7:30:00 PM	0.1
10/19/2024	7:45:00 PM	0.1
10/19/2024	8:00:00 PM	0.1
10/19/2024	8:15:00 PM	0.1
10/19/2024	8:30:00 PM	0.09
10/19/2024	8:45:00 PM	0.09
10/19/2024	9:00:00 PM	0.09
10/19/2024	9:15:00 PM	0.09
10/19/2024	9:30:00 PM	0.09
10/19/2024	9:45:00 PM	0.09
10/19/2024	10:00:00 PM	0.08
10/19/2024	10:15:00 PM	0.08
10/19/2024	10:30:00 PM	0.08
10/19/2024	10:45:00 PM	0.08
10/19/2024	11:00:00 PM	0.08
10/19/2024	11:15:00 PM	0.08
10/19/2024	11:30:00 PM	0.08
10/19/2024	11:45:00 PM	0.08
10/20/2024	12:00:00 AM	0.08
10/20/2024	12:15:00 AM	0.08
10/20/2024	12:30:00 AM	0.08
10/20/2024	12:45:00 AM	0.08
10/20/2024	1:00:00 AM	0.08
10/20/2024	1:15:00 AM	0.08
10/20/2024	1:30:00 AM	0.07
10/20/2024	1:45:00 AM	0.07
10/20/2024	2:00:00 AM	0.07
10/20/2024	2:15:00 AM	0.07
10/20/2024	2:30:00 AM	0.07
10/20/2024	2:45:00 AM	0.07
10/20/2024	3:00:00 AM	0.07
10/20/2024	3:15:00 AM	0.07
10/20/2024	3:30:00 AM	0.07
10/20/2024	3:45:00 AM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
10/20/2024	4:00:00 AM	0.07
10/20/2024	4:15:00 AM	0.06
10/20/2024	4:30:00 AM	0.06
10/20/2024	4:45:00 AM	0.06
10/20/2024	5:00:00 AM	0.06
10/20/2024	5:15:00 AM	0.06
10/20/2024	5:30:00 AM	0.06
10/20/2024	5:45:00 AM	0.06
10/20/2024	6:00:00 AM	0.05
10/20/2024	6:15:00 AM	0.05
10/20/2024	6:30:00 AM	0.05
10/20/2024	6:45:00 AM	0.05
10/20/2024	7:00:00 AM	0.05
10/20/2024	7:15:00 AM	0.05
10/20/2024	7:30:00 AM	0.05
10/20/2024	7:45:00 AM	0.05
10/20/2024	8:00:00 AM	0.05
10/20/2024	8:15:00 AM	0.05
10/20/2024	8:30:00 AM	0.05
10/20/2024	8:45:00 AM	0.05
10/20/2024	9:00:00 AM	0.05
10/20/2024	9:15:00 AM	0.05
10/20/2024	9:30:00 AM	0.05
10/20/2024	9:45:00 AM	0.05
10/20/2024	10:00:00 AM	0.05
10/20/2024	10:15:00 AM	0.06
10/20/2024	10:30:00 AM	0.06
10/20/2024	10:45:00 AM	0.06
10/20/2024	11:00:00 AM	0.06
10/20/2024	11:15:00 AM	0.06
10/20/2024	11:30:00 AM	0.06
10/20/2024	11:45:00 AM	0.06
10/20/2024	12:00:00 PM	0.06
10/20/2024	12:15:00 PM	0.06
10/20/2024	12:30:00 PM	0.06
10/20/2024	12:45:00 PM	0.06
10/20/2024	1:00:00 PM	0.06
10/20/2024	1:15:00 PM	0.06
10/20/2024	1:30:00 PM	0.06
10/20/2024	1:45:00 PM	0.06
10/20/2024	2:00:00 PM	0.06
10/20/2024	2:15:00 PM	0.06
10/20/2024	2:30:00 PM	0.06
10/20/2024	2:45:00 PM	0.06
10/20/2024	3:00:00 PM	0.06
10/20/2024	3:15:00 PM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
10/20/2024	3:30:00 PM	0.06
10/20/2024	3:45:00 PM	0.06
10/20/2024	4:00:00 PM	0.06
10/20/2024	4:15:00 PM	0.06
10/20/2024	4:30:00 PM	0.06
10/20/2024	4:45:00 PM	0.06
10/20/2024	5:00:00 PM	0.06
10/20/2024	5:15:00 PM	0.06
10/20/2024	5:30:00 PM	0.06
10/20/2024	5:45:00 PM	0.06
10/20/2024	6:00:00 PM	0.06
10/20/2024	6:15:00 PM	0.06
10/20/2024	6:30:00 PM	0.06
10/20/2024	6:45:00 PM	0.06
10/20/2024	7:00:00 PM	0.06
10/20/2024	7:15:00 PM	0.06
10/20/2024	7:30:00 PM	0.06
10/20/2024	7:45:00 PM	0.06
10/20/2024	8:00:00 PM	0.06
10/20/2024	8:15:00 PM	0.06
10/20/2024	8:30:00 PM	0.06
10/20/2024	8:45:00 PM	0.06
10/20/2024	9:00:00 PM	0.06
10/20/2024	9:15:00 PM	0.06
10/20/2024	9:30:00 PM	0.06
10/20/2024	9:45:00 PM	0.06
10/20/2024	10:00:00 PM	0.06
10/20/2024	10:15:00 PM	0.06
10/20/2024	10:30:00 PM	0.06
10/20/2024	10:45:00 PM	0.06
10/20/2024	11:00:00 PM	0.06
10/20/2024	11:15:00 PM	0.06
10/20/2024	11:30:00 PM	0.06
10/20/2024	11:45:00 PM	0.06
10/21/2024	12:00:00 AM	0.06
10/21/2024	12:15:00 AM	0.06
10/21/2024	12:30:00 AM	0.05
10/21/2024	12:45:00 AM	0.06
10/21/2024	1:00:00 AM	0.05
10/21/2024	1:15:00 AM	0.05
10/21/2024	1:30:00 AM	0.05
10/21/2024	1:45:00 AM	0.06
10/21/2024	2:00:00 AM	0.06
10/21/2024	2:15:00 AM	0.06
10/21/2024	2:30:00 AM	0.06
10/21/2024	2:45:00 AM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
10/21/2024	3:00:00 AM	0.06
10/21/2024	3:15:00 AM	0.06
10/21/2024	3:30:00 AM	0.06
10/21/2024	3:45:00 AM	0.06
10/21/2024	4:00:00 AM	0.06
10/21/2024	4:15:00 AM	0.06
10/21/2024	4:30:00 AM	0.06
10/21/2024	4:45:00 AM	0.06
10/21/2024	5:00:00 AM	0.06
10/21/2024	5:15:00 AM	0.06
10/21/2024	5:30:00 AM	0.06
10/21/2024	5:45:00 AM	0.06
10/21/2024	6:00:00 AM	0.05
10/21/2024	6:15:00 AM	0.06
10/21/2024	6:30:00 AM	0.05
10/21/2024	6:45:00 AM	0.06
10/21/2024	7:00:00 AM	0.06
10/21/2024	7:15:00 AM	0.06
10/21/2024	7:30:00 AM	0.05
10/21/2024	7:45:00 AM	0.06
10/21/2024	8:00:00 AM	0.05
10/21/2024	8:15:00 AM	0.05
10/21/2024	8:30:00 AM	0.05
10/21/2024	8:45:00 AM	0.05
10/21/2024	9:00:00 AM	0.05
10/21/2024	9:15:00 AM	0.05
10/21/2024	9:30:00 AM	0.05
10/21/2024	9:45:00 AM	0.05
10/21/2024	10:00:00 AM	0.05
10/21/2024	10:15:00 AM	0.05
10/21/2024	10:30:00 AM	0.05
10/21/2024	10:45:00 AM	0.05
10/21/2024	11:00:00 AM	0.05
10/21/2024	11:15:00 AM	0.05
10/21/2024	11:30:00 AM	0.05
10/21/2024	11:45:00 AM	0.05
10/21/2024	12:00:00 PM	0.05
10/21/2024	12:15:00 PM	0.05
10/21/2024	12:30:00 PM	0.05
10/21/2024	12:45:00 PM	0.05
10/21/2024	1:00:00 PM	0.05
10/21/2024	1:15:00 PM	0.05
10/21/2024	1:30:00 PM	0.05
10/21/2024	1:45:00 PM	0.05
10/21/2024	2:00:00 PM	0.05
10/21/2024	2:15:00 PM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/21/2024	2:30:00 PM	0.05
10/21/2024	2:45:00 PM	0.05
10/21/2024	3:00:00 PM	0.05
10/21/2024	3:15:00 PM	0.05
10/21/2024	3:30:00 PM	0.05
10/21/2024	3:45:00 PM	0.05
10/21/2024	4:00:00 PM	0.05
10/21/2024	4:15:00 PM	0.05
10/21/2024	4:30:00 PM	0.05
10/21/2024	4:45:00 PM	0.05
10/21/2024	5:00:00 PM	0.05
10/21/2024	5:15:00 PM	0.05
10/21/2024	5:30:00 PM	0.05
10/21/2024	5:45:00 PM	0.05
10/21/2024	6:00:00 PM	0.05
10/21/2024	6:15:00 PM	0.05
10/21/2024	6:30:00 PM	0.05
10/21/2024	6:45:00 PM	0.05
10/21/2024	7:00:00 PM	0.05
10/21/2024	7:15:00 PM	0.05
10/21/2024	7:30:00 PM	0.05
10/21/2024	7:45:00 PM	0.05
10/21/2024	8:00:00 PM	0.05
10/21/2024	8:15:00 PM	0.05
10/21/2024	8:30:00 PM	0.05
10/21/2024	8:45:00 PM	0.05
10/21/2024	9:00:00 PM	0.05
10/21/2024	9:15:00 PM	0.05
10/21/2024	9:30:00 PM	0.05
10/21/2024	9:45:00 PM	0.05
10/21/2024	10:00:00 PM	0.05
10/21/2024	10:15:00 PM	0.05
10/21/2024	10:30:00 PM	0.05
10/21/2024	10:45:00 PM	0.05
10/21/2024	11:00:00 PM	0.05
10/21/2024	11:15:00 PM	0.05
10/21/2024	11:30:00 PM	0.05
10/21/2024	11:45:00 PM	0.05
10/22/2024	12:00:00 AM	0.05
10/22/2024	12:15:00 AM	0.05
10/22/2024	12:30:00 AM	0.05
10/22/2024	12:45:00 AM	0.05
10/22/2024	1:00:00 AM	0.05
10/22/2024	1:15:00 AM	0.05
10/22/2024	1:30:00 AM	0.05
10/22/2024	1:45:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/22/2024	2:00:00 AM	0.05
10/22/2024	2:15:00 AM	0.05
10/22/2024	2:30:00 AM	0.05
10/22/2024	2:45:00 AM	0.05
10/22/2024	3:00:00 AM	0.05
10/22/2024	3:15:00 AM	0.05
10/22/2024	3:30:00 AM	0.05
10/22/2024	3:45:00 AM	0.05
10/22/2024	4:00:00 AM	0.05
10/22/2024	4:15:00 AM	0.05
10/22/2024	4:30:00 AM	0.05
10/22/2024	4:45:00 AM	0.05
10/22/2024	5:00:00 AM	0.05
10/22/2024	5:15:00 AM	0.05
10/22/2024	5:30:00 AM	0.05
10/22/2024	5:45:00 AM	0.05
10/22/2024	6:00:00 AM	0.05
10/22/2024	6:15:00 AM	0.05
10/22/2024	6:30:00 AM	0.05
10/22/2024	6:45:00 AM	0.05
10/22/2024	7:00:00 AM	0.05
10/22/2024	7:15:00 AM	0.05
10/22/2024	7:30:00 AM	0.05
10/22/2024	7:45:00 AM	0.05
10/22/2024	8:00:00 AM	0.05
10/22/2024	8:15:00 AM	0.05
10/22/2024	8:30:00 AM	0.05
10/22/2024	8:45:00 AM	0.05
10/22/2024	9:00:00 AM	0.05
10/22/2024	9:15:00 AM	0.05
10/22/2024	9:30:00 AM	0.05
10/22/2024	9:45:00 AM	0.05
10/22/2024	10:00:00 AM	0.05
10/22/2024	10:15:00 AM	0.05
10/22/2024	10:30:00 AM	0.05
10/22/2024	10:45:00 AM	0.05
10/22/2024	11:00:00 AM	0.05
10/22/2024	11:15:00 AM	0.05
10/22/2024	11:30:00 AM	0.05
10/22/2024	11:45:00 AM	0.05
10/22/2024	12:00:00 PM	0.05
10/22/2024	12:15:00 PM	0.05
10/22/2024	12:30:00 PM	0.04
10/22/2024	12:45:00 PM	0.04
10/22/2024	1:00:00 PM	0.04
10/22/2024	1:15:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
10/22/2024	1:30:00 PM	0.04
10/22/2024	1:45:00 PM	0.04
10/22/2024	2:00:00 PM	0.04
10/22/2024	2:15:00 PM	0.04
10/22/2024	2:30:00 PM	0.04
10/22/2024	2:45:00 PM	0.04
10/22/2024	3:00:00 PM	0.04
10/22/2024	3:15:00 PM	0.04
10/22/2024	3:30:00 PM	0.04
10/22/2024	3:45:00 PM	0.04
10/22/2024	4:00:00 PM	0.04
10/22/2024	4:15:00 PM	0.04
10/22/2024	4:30:00 PM	0.04
10/22/2024	4:45:00 PM	0.04
10/22/2024	5:00:00 PM	0.04
10/22/2024	5:15:00 PM	0.04
10/22/2024	5:30:00 PM	0.04
10/22/2024	5:45:00 PM	0.04
10/22/2024	6:00:00 PM	0.06
10/22/2024	6:15:00 PM	0.07
10/22/2024	6:30:00 PM	0.08
10/22/2024	6:45:00 PM	0.08
10/22/2024	7:00:00 PM	0.08
10/22/2024	7:15:00 PM	0.08
10/22/2024	7:30:00 PM	0.09
10/22/2024	7:45:00 PM	0.09
10/22/2024	8:00:00 PM	0.09
10/22/2024	8:15:00 PM	0.09
10/22/2024	8:30:00 PM	0.09
10/22/2024	8:45:00 PM	0.09
10/22/2024	9:00:00 PM	0.09
10/22/2024	9:15:00 PM	0.09
10/22/2024	9:30:00 PM	0.09
10/22/2024	9:45:00 PM	0.09
10/22/2024	10:00:00 PM	0.09
10/22/2024	10:15:00 PM	0.09
10/22/2024	10:30:00 PM	0.09
10/22/2024	10:45:00 PM	0.09
10/22/2024	11:00:00 PM	0.09
10/22/2024	11:15:00 PM	0.09
10/22/2024	11:30:00 PM	0.09
10/22/2024	11:45:00 PM	0.09
10/23/2024	12:00:00 AM	0.09
10/23/2024	12:15:00 AM	0.09
10/23/2024	12:30:00 AM	0.09
10/23/2024	12:45:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
10/23/2024	1:00:00 AM	0.09
10/23/2024	1:15:00 AM	0.09
10/23/2024	1:30:00 AM	0.09
10/23/2024	1:45:00 AM	0.09
10/23/2024	2:00:00 AM	0.09
10/23/2024	2:15:00 AM	0.09
10/23/2024	2:30:00 AM	0.09
10/23/2024	2:45:00 AM	0.09
10/23/2024	3:00:00 AM	0.09
10/23/2024	3:15:00 AM	0.09
10/23/2024	3:30:00 AM	0.09
10/23/2024	3:45:00 AM	0.09
10/23/2024	4:00:00 AM	0.09
10/23/2024	4:15:00 AM	0.09
10/23/2024	4:30:00 AM	0.09
10/23/2024	4:45:00 AM	0.09
10/23/2024	5:00:00 AM	0.09
10/23/2024	5:15:00 AM	0.09
10/23/2024	5:30:00 AM	0.09
10/23/2024	5:45:00 AM	0.09
10/23/2024	6:00:00 AM	0.09
10/23/2024	6:15:00 AM	0.09
10/23/2024	6:30:00 AM	0.09
10/23/2024	6:45:00 AM	0.1
10/23/2024	7:00:00 AM	0.09
10/23/2024	7:15:00 AM	0.09
10/23/2024	7:30:00 AM	0.09
10/23/2024	7:45:00 AM	0.09
10/23/2024	8:00:00 AM	0.09
10/23/2024	8:15:00 AM	0.09
10/23/2024	8:30:00 AM	0.09
10/23/2024	8:45:00 AM	0.09
10/23/2024	9:00:00 AM	0.09
10/23/2024	9:15:00 AM	0.09
10/23/2024	9:30:00 AM	0.09
10/23/2024	9:45:00 AM	0.09
10/23/2024	10:00:00 AM	0.09
10/23/2024	10:15:00 AM	0.09
10/23/2024	10:30:00 AM	0.09
10/23/2024	10:45:00 AM	0.09
10/23/2024	11:00:00 AM	0.09
10/23/2024	11:15:00 AM	0.09
10/23/2024	11:30:00 AM	0.09
10/23/2024	11:45:00 AM	0.09
10/23/2024	12:00:00 PM	0.09
10/23/2024	12:15:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
10/23/2024	12:30:00 PM	0.09
10/23/2024	12:45:00 PM	0.09
10/23/2024	1:00:00 PM	0.09
10/23/2024	1:15:00 PM	0.09
10/23/2024	1:30:00 PM	0.09
10/23/2024	1:45:00 PM	0.09
10/23/2024	2:00:00 PM	0.09
10/23/2024	2:15:00 PM	0.09
10/23/2024	2:30:00 PM	0.09
10/23/2024	2:45:00 PM	0.09
10/23/2024	3:00:00 PM	0.09
10/23/2024	3:15:00 PM	0.09
10/23/2024	3:30:00 PM	0.09
10/23/2024	3:45:00 PM	0.08
10/23/2024	4:00:00 PM	0.08
10/23/2024	4:15:00 PM	0.08
10/23/2024	4:30:00 PM	0.08
10/23/2024	4:45:00 PM	0.08
10/23/2024	5:00:00 PM	0.07
10/23/2024	5:15:00 PM	0.07
10/23/2024	5:30:00 PM	0.07
10/23/2024	5:45:00 PM	0.07
10/23/2024	6:00:00 PM	0.07
10/23/2024	6:15:00 PM	0.07
10/23/2024	6:30:00 PM	0.06
10/23/2024	6:45:00 PM	0.06
10/23/2024	7:00:00 PM	0.06
10/23/2024	7:15:00 PM	0.06
10/23/2024	7:30:00 PM	0.06
10/23/2024	7:45:00 PM	0.06
10/23/2024	8:00:00 PM	0.06
10/23/2024	8:15:00 PM	0.06
10/23/2024	8:30:00 PM	0.06
10/23/2024	8:45:00 PM	0.06
10/23/2024	9:00:00 PM	0.06
10/23/2024	9:15:00 PM	0.06
10/23/2024	9:30:00 PM	0.06
10/23/2024	9:45:00 PM	0.05
10/23/2024	10:00:00 PM	0.05
10/23/2024	10:15:00 PM	0.05
10/23/2024	10:30:00 PM	0.05
10/23/2024	10:45:00 PM	0.05
10/23/2024	11:00:00 PM	0.05
10/23/2024	11:15:00 PM	0.05
10/23/2024	11:30:00 PM	0.05
10/23/2024	11:45:00 PM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/24/2024	12:00:00 AM	0.05
10/24/2024	12:15:00 AM	0.05
10/24/2024	12:30:00 AM	0.05
10/24/2024	12:45:00 AM	0.05
10/24/2024	1:00:00 AM	0.05
10/24/2024	1:15:00 AM	0.05
10/24/2024	1:30:00 AM	0.05
10/24/2024	1:45:00 AM	0.05
10/24/2024	2:00:00 AM	0.05
10/24/2024	2:15:00 AM	0.05
10/24/2024	2:30:00 AM	0.05
10/24/2024	2:45:00 AM	0.05
10/24/2024	3:00:00 AM	0.05
10/24/2024	3:15:00 AM	0.05
10/24/2024	3:30:00 AM	0.04
10/24/2024	3:45:00 AM	0.04
10/24/2024	4:00:00 AM	0.04
10/24/2024	4:15:00 AM	0.04
10/24/2024	4:30:00 AM	0.04
10/24/2024	4:45:00 AM	0.04
10/24/2024	5:00:00 AM	0.04
10/24/2024	5:15:00 AM	0.04
10/24/2024	5:30:00 AM	0.04
10/24/2024	5:45:00 AM	0.04
10/24/2024	6:00:00 AM	0.04
10/24/2024	6:15:00 AM	0.04
10/24/2024	6:30:00 AM	0.04
10/24/2024	6:45:00 AM	0.04
10/24/2024	7:00:00 AM	0.04
10/24/2024	7:15:00 AM	0.04
10/24/2024	7:30:00 AM	0.04
10/24/2024	7:45:00 AM	0.04
10/24/2024	8:00:00 AM	0.04
10/24/2024	8:15:00 AM	0.04
10/24/2024	8:30:00 AM	0.04
10/24/2024	8:45:00 AM	0.04
10/24/2024	9:00:00 AM	0.04
10/24/2024	9:15:00 AM	0.04
10/24/2024	9:30:00 AM	0.04
10/24/2024	9:45:00 AM	0.04
10/24/2024	10:00:00 AM	0.04
10/24/2024	10:15:00 AM	0.04
10/24/2024	10:30:00 AM	0.04
10/24/2024	10:45:00 AM	0.04
10/24/2024	11:00:00 AM	0.04
10/24/2024	11:15:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
10/24/2024	11:30:00 AM	0.03
10/24/2024	11:45:00 AM	0.04
10/24/2024	12:00:00 PM	0.03
10/24/2024	12:15:00 PM	0.03
10/24/2024	12:30:00 PM	0.03
10/24/2024	12:45:00 PM	0.03
10/24/2024	1:00:00 PM	0.03
10/24/2024	1:15:00 PM	0.03
10/24/2024	1:30:00 PM	0.03
10/24/2024	1:45:00 PM	0.03
10/24/2024	2:00:00 PM	0.03
10/24/2024	2:15:00 PM	0.03
10/24/2024	2:30:00 PM	0.03
10/24/2024	2:45:00 PM	0.03
10/24/2024	3:00:00 PM	0.03
10/24/2024	3:15:00 PM	0.03
10/24/2024	3:30:00 PM	0.03
10/24/2024	3:45:00 PM	0.03
10/24/2024	4:00:00 PM	0.03
10/24/2024	4:15:00 PM	0.03
10/24/2024	4:30:00 PM	0.03
10/24/2024	4:45:00 PM	0.03
10/24/2024	5:00:00 PM	0.03
10/24/2024	5:15:00 PM	0.03
10/24/2024	5:30:00 PM	0.03
10/24/2024	5:45:00 PM	0.03
10/24/2024	6:00:00 PM	0.03
10/24/2024	6:15:00 PM	0.03
10/24/2024	6:30:00 PM	0.06
10/24/2024	6:45:00 PM	0.11
10/24/2024	7:00:00 PM	0.12
10/24/2024	7:15:00 PM	0.12
10/24/2024	7:30:00 PM	0.12
10/24/2024	7:45:00 PM	0.12
10/24/2024	8:00:00 PM	0.12
10/24/2024	8:15:00 PM	0.12
10/24/2024	8:30:00 PM	0.12
10/24/2024	8:45:00 PM	0.12
10/24/2024	9:00:00 PM	0.12
10/24/2024	9:15:00 PM	0.12
10/24/2024	9:30:00 PM	0.12
10/24/2024	9:45:00 PM	0.12
10/24/2024	10:00:00 PM	0.12
10/24/2024	10:15:00 PM	0.12
10/24/2024	10:30:00 PM	0.13
10/24/2024	10:45:00 PM	0.13

Georges Ditch Return Gage

DATE	TIME	GAGE
10/24/2024	11:00:00 PM	0.13
10/24/2024	11:15:00 PM	0.13
10/24/2024	11:30:00 PM	0.13
10/24/2024	11:45:00 PM	0.13
10/25/2024	12:00:00 AM	0.13
10/25/2024	12:15:00 AM	0.13
10/25/2024	12:30:00 AM	0.12
10/25/2024	12:45:00 AM	0.12
10/25/2024	1:00:00 AM	0.12
10/25/2024	1:15:00 AM	0.13
10/25/2024	1:30:00 AM	0.12
10/25/2024	1:45:00 AM	0.12
10/25/2024	2:00:00 AM	0.12
10/25/2024	2:15:00 AM	0.12
10/25/2024	2:30:00 AM	0.12
10/25/2024	2:45:00 AM	0.12
10/25/2024	3:00:00 AM	0.12
10/25/2024	3:15:00 AM	0.12
10/25/2024	3:30:00 AM	0.12
10/25/2024	3:45:00 AM	0.12
10/25/2024	4:00:00 AM	0.12
10/25/2024	4:15:00 AM	0.12
10/25/2024	4:30:00 AM	0.12
10/25/2024	4:45:00 AM	0.11
10/25/2024	5:00:00 AM	0.11
10/25/2024	5:15:00 AM	0.11
10/25/2024	5:30:00 AM	0.11
10/25/2024	5:45:00 AM	0.11
10/25/2024	6:00:00 AM	0.11
10/25/2024	6:15:00 AM	0.11
10/25/2024	6:30:00 AM	0.11
10/25/2024	6:45:00 AM	0.11
10/25/2024	7:00:00 AM	0.1
10/25/2024	7:15:00 AM	0.1
10/25/2024	7:30:00 AM	0.1
10/25/2024	7:45:00 AM	0.1
10/25/2024	8:00:00 AM	0.1
10/25/2024	8:15:00 AM	0.1
10/25/2024	8:30:00 AM	0.1
10/25/2024	8:45:00 AM	0.11
10/25/2024	9:00:00 AM	0.11
10/25/2024	9:15:00 AM	0.11
10/25/2024	9:30:00 AM	0.11
10/25/2024	9:45:00 AM	0.11
10/25/2024	10:00:00 AM	0.11
10/25/2024	10:15:00 AM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
10/25/2024	10:30:00 AM	0.11
10/25/2024	10:45:00 AM	0.11
10/25/2024	11:00:00 AM	0.11
10/25/2024	11:15:00 AM	0.11
10/25/2024	11:30:00 AM	0.11
10/25/2024	11:45:00 AM	0.11
10/25/2024	12:00:00 PM	0.11
10/25/2024	12:15:00 PM	0.11
10/25/2024	12:30:00 PM	0.11
10/25/2024	12:45:00 PM	0.11
10/25/2024	1:00:00 PM	0.11
10/25/2024	1:15:00 PM	0.11
10/25/2024	1:30:00 PM	0.11
10/25/2024	1:45:00 PM	0.11
10/25/2024	2:00:00 PM	0.11
10/25/2024	2:15:00 PM	0.11
10/25/2024	2:30:00 PM	0.11
10/25/2024	2:45:00 PM	0.11
10/25/2024	3:00:00 PM	0.11
10/25/2024	3:15:00 PM	0.11
10/25/2024	3:30:00 PM	0.11
10/25/2024	3:45:00 PM	0.11
10/25/2024	4:00:00 PM	0.11
10/25/2024	4:15:00 PM	0.11
10/25/2024	4:30:00 PM	0.11
10/25/2024	4:45:00 PM	0.11
10/25/2024	5:00:00 PM	0.11
10/25/2024	5:15:00 PM	0.11
10/25/2024	5:30:00 PM	0.11
10/25/2024	5:45:00 PM	0.11
10/25/2024	6:00:00 PM	0.11
10/25/2024	6:15:00 PM	0.11
10/25/2024	6:30:00 PM	0.1
10/25/2024	6:45:00 PM	0.1
10/25/2024	7:00:00 PM	0.1
10/25/2024	7:15:00 PM	0.1
10/25/2024	7:30:00 PM	0.1
10/25/2024	7:45:00 PM	0.1
10/25/2024	8:00:00 PM	0.09
10/25/2024	8:15:00 PM	0.09
10/25/2024	8:30:00 PM	0.09
10/25/2024	8:45:00 PM	0.09
10/25/2024	9:00:00 PM	0.08
10/25/2024	9:15:00 PM	0.08
10/25/2024	9:30:00 PM	0.08
10/25/2024	9:45:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
10/25/2024	10:00:00 PM	0.08
10/25/2024	10:15:00 PM	0.08
10/25/2024	10:30:00 PM	0.08
10/25/2024	10:45:00 PM	0.08
10/25/2024	11:00:00 PM	0.08
10/25/2024	11:15:00 PM	0.08
10/25/2024	11:30:00 PM	0.08
10/25/2024	11:45:00 PM	0.07
10/26/2024	12:00:00 AM	0.07
10/26/2024	12:15:00 AM	0.07
10/26/2024	12:30:00 AM	0.07
10/26/2024	12:45:00 AM	0.07
10/26/2024	1:00:00 AM	0.07
10/26/2024	1:15:00 AM	0.07
10/26/2024	1:30:00 AM	0.07
10/26/2024	1:45:00 AM	0.06
10/26/2024	2:00:00 AM	0.07
10/26/2024	2:15:00 AM	0.06
10/26/2024	2:30:00 AM	0.07
10/26/2024	2:45:00 AM	0.06
10/26/2024	3:00:00 AM	0.06
10/26/2024	3:15:00 AM	0.06
10/26/2024	3:30:00 AM	0.06
10/26/2024	3:45:00 AM	0.06
10/26/2024	4:00:00 AM	0.06
10/26/2024	4:15:00 AM	0.06
10/26/2024	4:30:00 AM	0.06
10/26/2024	4:45:00 AM	0.06
10/26/2024	5:00:00 AM	0.06
10/26/2024	5:15:00 AM	0.06
10/26/2024	5:30:00 AM	0.06
10/26/2024	5:45:00 AM	0.06
10/26/2024	6:00:00 AM	0.06
10/26/2024	6:15:00 AM	0.06
10/26/2024	6:30:00 AM	0.06
10/26/2024	6:45:00 AM	0.06
10/26/2024	7:00:00 AM	0.06
10/26/2024	7:15:00 AM	0.06
10/26/2024	7:30:00 AM	0.06
10/26/2024	7:45:00 AM	0.06
10/26/2024	8:00:00 AM	0.06
10/26/2024	8:15:00 AM	0.06
10/26/2024	8:30:00 AM	0.05
10/26/2024	8:45:00 AM	0.05
10/26/2024	9:00:00 AM	0.05
10/26/2024	9:15:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/26/2024	9:30:00 AM	0.05
10/26/2024	9:45:00 AM	0.05
10/26/2024	10:00:00 AM	0.05
10/26/2024	10:15:00 AM	0.05
10/26/2024	10:30:00 AM	0.05
10/26/2024	10:45:00 AM	0.05
10/26/2024	11:00:00 AM	0.05
10/26/2024	11:15:00 AM	0.05
10/26/2024	11:30:00 AM	0.05
10/26/2024	11:45:00 AM	0.05
10/26/2024	12:00:00 PM	0.05
10/26/2024	12:15:00 PM	0.05
10/26/2024	12:30:00 PM	0.05
10/26/2024	12:45:00 PM	0.05
10/26/2024	1:00:00 PM	0.05
10/26/2024	1:15:00 PM	0.05
10/26/2024	1:30:00 PM	0.05
10/26/2024	1:45:00 PM	0.05
10/26/2024	2:00:00 PM	0.05
10/26/2024	2:15:00 PM	0.15
10/26/2024	2:30:00 PM	0.17
10/26/2024	2:45:00 PM	0.18
10/26/2024	3:00:00 PM	0.19
10/26/2024	3:15:00 PM	0.19
10/26/2024	3:30:00 PM	0.2
10/26/2024	3:45:00 PM	0.2
10/26/2024	4:00:00 PM	0.21
10/26/2024	4:15:00 PM	0.21
10/26/2024	4:30:00 PM	0.21
10/26/2024	4:45:00 PM	0.21
10/26/2024	5:00:00 PM	0.21
10/26/2024	5:15:00 PM	0.21
10/26/2024	5:30:00 PM	0.22
10/26/2024	5:45:00 PM	0.22
10/26/2024	6:00:00 PM	0.22
10/26/2024	6:15:00 PM	0.22
10/26/2024	6:30:00 PM	0.22
10/26/2024	6:45:00 PM	0.22
10/26/2024	7:00:00 PM	0.22
10/26/2024	7:15:00 PM	0.22
10/26/2024	7:30:00 PM	0.22
10/26/2024	7:45:00 PM	0.22
10/26/2024	8:00:00 PM	0.22
10/26/2024	8:15:00 PM	0.22
10/26/2024	8:30:00 PM	0.22
10/26/2024	8:45:00 PM	0.22

Georges Ditch Return Gage

DATE	TIME	GAGE
10/26/2024	9:00:00 PM	0.22
10/26/2024	9:15:00 PM	0.22
10/26/2024	9:30:00 PM	0.22
10/26/2024	9:45:00 PM	0.22
10/26/2024	10:00:00 PM	0.22
10/26/2024	10:15:00 PM	0.22
10/26/2024	10:30:00 PM	0.22
10/26/2024	10:45:00 PM	0.22
10/26/2024	11:00:00 PM	0.22
10/26/2024	11:15:00 PM	0.22
10/26/2024	11:30:00 PM	0.22
10/26/2024	11:45:00 PM	0.22
10/27/2024	12:00:00 AM	0.22
10/27/2024	12:15:00 AM	0.22
10/27/2024	12:30:00 AM	0.22
10/27/2024	12:45:00 AM	0.22
10/27/2024	1:00:00 AM	0.22
10/27/2024	1:15:00 AM	0.22
10/27/2024	1:30:00 AM	0.22
10/27/2024	1:45:00 AM	0.21
10/27/2024	2:00:00 AM	0.21
10/27/2024	2:15:00 AM	0.21
10/27/2024	2:30:00 AM	0.21
10/27/2024	2:45:00 AM	0.21
10/27/2024	3:00:00 AM	0.21
10/27/2024	3:15:00 AM	0.21
10/27/2024	3:30:00 AM	0.21
10/27/2024	3:45:00 AM	0.21
10/27/2024	4:00:00 AM	0.21
10/27/2024	4:15:00 AM	0.21
10/27/2024	4:30:00 AM	0.21
10/27/2024	4:45:00 AM	0.21
10/27/2024	5:00:00 AM	0.21
10/27/2024	5:15:00 AM	0.21
10/27/2024	5:30:00 AM	0.21
10/27/2024	5:45:00 AM	0.21
10/27/2024	6:00:00 AM	0.21
10/27/2024	6:15:00 AM	0.21
10/27/2024	6:30:00 AM	0.21
10/27/2024	6:45:00 AM	0.21
10/27/2024	7:00:00 AM	0.21
10/27/2024	7:15:00 AM	0.21
10/27/2024	7:30:00 AM	0.21
10/27/2024	7:45:00 AM	0.21
10/27/2024	8:00:00 AM	0.21
10/27/2024	8:15:00 AM	0.21

Georges Ditch Return Gage

DATE	TIME	GAGE
10/27/2024	8:30:00 AM	0.21
10/27/2024	8:45:00 AM	0.21
10/27/2024	9:00:00 AM	0.21
10/27/2024	9:15:00 AM	0.21
10/27/2024	9:30:00 AM	0.21
10/27/2024	9:45:00 AM	0.21
10/27/2024	10:00:00 AM	0.21
10/27/2024	10:15:00 AM	0.21
10/27/2024	10:30:00 AM	0.2
10/27/2024	10:45:00 AM	0.2
10/27/2024	11:00:00 AM	0.19
10/27/2024	11:15:00 AM	0.18
10/27/2024	11:30:00 AM	0.17
10/27/2024	11:45:00 AM	0.16
10/27/2024	12:00:00 PM	0.16
10/27/2024	12:15:00 PM	0.15
10/27/2024	12:30:00 PM	0.14
10/27/2024	12:45:00 PM	0.14
10/27/2024	1:00:00 PM	0.13
10/27/2024	1:15:00 PM	0.13
10/27/2024	1:30:00 PM	0.12
10/27/2024	1:45:00 PM	0.12
10/27/2024	2:00:00 PM	0.11
10/27/2024	2:15:00 PM	0.11
10/27/2024	2:30:00 PM	0.11
10/27/2024	2:45:00 PM	0.1
10/27/2024	3:00:00 PM	0.1
10/27/2024	3:15:00 PM	0.1
10/27/2024	3:30:00 PM	0.09
10/27/2024	3:45:00 PM	0.09
10/27/2024	4:00:00 PM	0.09
10/27/2024	4:15:00 PM	0.08
10/27/2024	4:30:00 PM	0.08
10/27/2024	4:45:00 PM	0.08
10/27/2024	5:00:00 PM	0.08
10/27/2024	5:15:00 PM	0.08
10/27/2024	5:30:00 PM	0.08
10/27/2024	5:45:00 PM	0.07
10/27/2024	6:00:00 PM	0.07
10/27/2024	6:15:00 PM	0.07
10/27/2024	6:30:00 PM	0.07
10/27/2024	6:45:00 PM	0.06
10/27/2024	7:00:00 PM	0.06
10/27/2024	7:15:00 PM	0.06
10/27/2024	7:30:00 PM	0.06
10/27/2024	7:45:00 PM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
10/27/2024	8:00:00 PM	0.06
10/27/2024	8:15:00 PM	0.06
10/27/2024	8:30:00 PM	0.06
10/27/2024	8:45:00 PM	0.06
10/27/2024	9:00:00 PM	0.06
10/27/2024	9:15:00 PM	0.06
10/27/2024	9:30:00 PM	0.06
10/27/2024	9:45:00 PM	0.06
10/27/2024	10:00:00 PM	0.06
10/27/2024	10:15:00 PM	0.06
10/27/2024	10:30:00 PM	0.05
10/27/2024	10:45:00 PM	0.05
10/27/2024	11:00:00 PM	0.05
10/27/2024	11:15:00 PM	0.05
10/27/2024	11:30:00 PM	0.05
10/27/2024	11:45:00 PM	0.05
10/28/2024	12:00:00 AM	0.06
10/28/2024	12:15:00 AM	0.07
10/28/2024	12:30:00 AM	0.08
10/28/2024	12:45:00 AM	0.09
10/28/2024	1:00:00 AM	0.09
10/28/2024	1:15:00 AM	0.1
10/28/2024	1:30:00 AM	0.1
10/28/2024	1:45:00 AM	0.1
10/28/2024	2:00:00 AM	0.1
10/28/2024	2:15:00 AM	0.1
10/28/2024	2:30:00 AM	0.1
10/28/2024	2:45:00 AM	0.1
10/28/2024	3:00:00 AM	0.1
10/28/2024	3:15:00 AM	0.1
10/28/2024	3:30:00 AM	0.1
10/28/2024	3:45:00 AM	0.1
10/28/2024	4:00:00 AM	0.1
10/28/2024	4:15:00 AM	0.1
10/28/2024	4:30:00 AM	0.1
10/28/2024	4:45:00 AM	0.1
10/28/2024	5:00:00 AM	0.1
10/28/2024	5:15:00 AM	0.1
10/28/2024	5:30:00 AM	0.1
10/28/2024	5:45:00 AM	0.1
10/28/2024	6:00:00 AM	0.1
10/28/2024	6:15:00 AM	0.1
10/28/2024	6:30:00 AM	0.1
10/28/2024	6:45:00 AM	0.1
10/28/2024	7:00:00 AM	0.1
10/28/2024	7:15:00 AM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
10/28/2024	7:30:00 AM	0.1
10/28/2024	7:45:00 AM	0.1
10/28/2024	8:00:00 AM	0.1
10/28/2024	8:15:00 AM	0.1
10/28/2024	8:30:00 AM	0.1
10/28/2024	8:45:00 AM	0.1
10/28/2024	9:00:00 AM	0.1
10/28/2024	9:15:00 AM	0.1
10/28/2024	9:30:00 AM	0.1
10/28/2024	9:45:00 AM	0.1
10/28/2024	10:00:00 AM	0.1
10/28/2024	10:15:00 AM	0.1
10/28/2024	10:30:00 AM	0.1
10/28/2024	10:45:00 AM	0.1
10/28/2024	11:00:00 AM	0.1
10/28/2024	11:15:00 AM	0.1
10/28/2024	11:30:00 AM	0.1
10/28/2024	11:45:00 AM	0.1
10/28/2024	12:00:00 PM	0.1
10/28/2024	12:15:00 PM	0.1
10/28/2024	12:30:00 PM	0.1
10/28/2024	12:45:00 PM	0.1
10/28/2024	1:00:00 PM	0.1
10/28/2024	1:15:00 PM	0.09
10/28/2024	1:30:00 PM	0.09
10/28/2024	1:45:00 PM	0.09
10/28/2024	2:00:00 PM	0.09
10/28/2024	2:15:00 PM	0.09
10/28/2024	2:30:00 PM	0.09
10/28/2024	2:45:00 PM	0.08
10/28/2024	3:00:00 PM	0.08
10/28/2024	3:15:00 PM	0.08
10/28/2024	3:30:00 PM	0.08
10/28/2024	3:45:00 PM	0.08
10/28/2024	4:00:00 PM	0.08
10/28/2024	4:15:00 PM	0.08
10/28/2024	4:30:00 PM	0.08
10/28/2024	4:45:00 PM	0.08
10/28/2024	5:00:00 PM	0.07
10/28/2024	5:15:00 PM	0.07
10/28/2024	5:30:00 PM	0.07
10/28/2024	5:45:00 PM	0.07
10/28/2024	6:00:00 PM	0.07
10/28/2024	6:15:00 PM	0.07
10/28/2024	6:30:00 PM	0.07
10/28/2024	6:45:00 PM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
10/28/2024	7:00:00 PM	0.07
10/28/2024	7:15:00 PM	0.07
10/28/2024	7:30:00 PM	0.06
10/28/2024	7:45:00 PM	0.06
10/28/2024	8:00:00 PM	0.06
10/28/2024	8:15:00 PM	0.06
10/28/2024	8:30:00 PM	0.06
10/28/2024	8:45:00 PM	0.06
10/28/2024	9:00:00 PM	0.06
10/28/2024	9:15:00 PM	0.06
10/28/2024	9:30:00 PM	0.06
10/28/2024	9:45:00 PM	0.06
10/28/2024	10:00:00 PM	0.06
10/28/2024	10:15:00 PM	0.06
10/28/2024	10:30:00 PM	0.06
10/28/2024	10:45:00 PM	0.06
10/28/2024	11:00:00 PM	0.06
10/28/2024	11:15:00 PM	0.06
10/28/2024	11:30:00 PM	0.06
10/28/2024	11:45:00 PM	0.06
10/29/2024	12:00:00 AM	0.06
10/29/2024	12:15:00 AM	0.06
10/29/2024	12:30:00 AM	0.06
10/29/2024	12:45:00 AM	0.06
10/29/2024	1:00:00 AM	0.06
10/29/2024	1:15:00 AM	0.06
10/29/2024	1:30:00 AM	0.06
10/29/2024	1:45:00 AM	0.06
10/29/2024	2:00:00 AM	0.06
10/29/2024	2:15:00 AM	0.06
10/29/2024	2:30:00 AM	0.06
10/29/2024	2:45:00 AM	0.06
10/29/2024	3:00:00 AM	0.06
10/29/2024	3:15:00 AM	0.06
10/29/2024	3:30:00 AM	0.06
10/29/2024	3:45:00 AM	0.06
10/29/2024	4:00:00 AM	0.06
10/29/2024	4:15:00 AM	0.06
10/29/2024	4:30:00 AM	0.06
10/29/2024	4:45:00 AM	0.06
10/29/2024	5:00:00 AM	0.06
10/29/2024	5:15:00 AM	0.06
10/29/2024	5:30:00 AM	0.05
10/29/2024	5:45:00 AM	0.05
10/29/2024	6:00:00 AM	0.05
10/29/2024	6:15:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
10/29/2024	6:30:00 AM	0.05
10/29/2024	6:45:00 AM	0.05
10/29/2024	7:00:00 AM	0.05
10/29/2024	7:15:00 AM	0.05
10/29/2024	7:30:00 AM	0.05
10/29/2024	7:45:00 AM	0.05
10/29/2024	8:00:00 AM	0.05
10/29/2024	8:15:00 AM	0.05
10/29/2024	8:30:00 AM	0.05
10/29/2024	8:45:00 AM	0.05
10/29/2024	9:00:00 AM	0.05
10/29/2024	9:15:00 AM	0.05
10/29/2024	9:30:00 AM	0.05
10/29/2024	9:45:00 AM	0.05
10/29/2024	10:00:00 AM	0.05
10/29/2024	10:15:00 AM	0.05
10/29/2024	10:30:00 AM	0.05
10/29/2024	10:45:00 AM	0.05
10/29/2024	11:00:00 AM	0.05
10/29/2024	11:15:00 AM	0.05
10/29/2024	11:30:00 AM	0.05
10/29/2024	11:45:00 AM	0.04
10/29/2024	12:00:00 PM	0.04
10/29/2024	12:15:00 PM	0.04
10/29/2024	12:30:00 PM	0.04
10/29/2024	12:45:00 PM	0.04
10/29/2024	1:00:00 PM	0.04
10/29/2024	1:15:00 PM	0.04
10/29/2024	1:30:00 PM	0.04
10/29/2024	1:45:00 PM	0.04
10/29/2024	2:00:00 PM	0.04
10/29/2024	2:15:00 PM	0.04
10/29/2024	2:30:00 PM	0.04
10/29/2024	2:45:00 PM	0.04
10/29/2024	3:00:00 PM	0.04
10/29/2024	3:15:00 PM	0.04
10/29/2024	3:30:00 PM	0.04
10/29/2024	3:45:00 PM	0.04
10/29/2024	4:00:00 PM	0.04
10/29/2024	4:15:00 PM	0.04
10/29/2024	4:30:00 PM	0.04
10/29/2024	4:45:00 PM	0.04
10/29/2024	5:00:00 PM	0.04
10/29/2024	5:15:00 PM	0.04
10/29/2024	5:30:00 PM	0.04
10/29/2024	5:45:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
10/29/2024	6:00:00 PM	0.04
10/29/2024	6:15:00 PM	0.04
10/29/2024	6:30:00 PM	0.04
10/29/2024	6:45:00 PM	0.04
10/29/2024	7:00:00 PM	0.04
10/29/2024	7:15:00 PM	0.04
10/29/2024	7:30:00 PM	0.04
10/29/2024	7:45:00 PM	0.04
10/29/2024	8:00:00 PM	0.04
10/29/2024	8:15:00 PM	0.04
10/29/2024	8:30:00 PM	0.04
10/29/2024	8:45:00 PM	0.04
10/29/2024	9:00:00 PM	0.05
10/29/2024	9:15:00 PM	0.05
10/29/2024	9:30:00 PM	0.05
10/29/2024	9:45:00 PM	0.05
10/29/2024	10:00:00 PM	0.05
10/29/2024	10:15:00 PM	0.05
10/29/2024	10:30:00 PM	0.05
10/29/2024	10:45:00 PM	0.05
10/29/2024	11:00:00 PM	0.05
10/29/2024	11:15:00 PM	0.04
10/29/2024	11:30:00 PM	0.04
10/29/2024	11:45:00 PM	0.05
10/30/2024	12:00:00 AM	0.04
10/30/2024	12:15:00 AM	0.04
10/30/2024	12:30:00 AM	0.04
10/30/2024	12:45:00 AM	0.05
10/30/2024	1:00:00 AM	0.05
10/30/2024	1:15:00 AM	0.05
10/30/2024	1:30:00 AM	0.04
10/30/2024	1:45:00 AM	0.04
10/30/2024	2:00:00 AM	0.04
10/30/2024	2:15:00 AM	0.04
10/30/2024	2:30:00 AM	0.05
10/30/2024	2:45:00 AM	0.04
10/30/2024	3:00:00 AM	0.04
10/30/2024	3:15:00 AM	0.04
10/30/2024	3:30:00 AM	0.04
10/30/2024	3:45:00 AM	0.04
10/30/2024	4:00:00 AM	0.04
10/30/2024	4:15:00 AM	0.04
10/30/2024	4:30:00 AM	0.04
10/30/2024	4:45:00 AM	0.04
10/30/2024	5:00:00 AM	0.04
10/30/2024	5:15:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
10/30/2024	5:30:00 AM	0.04
10/30/2024	5:45:00 AM	0.04
10/30/2024	6:00:00 AM	0.04
10/30/2024	6:15:00 AM	0.04
10/30/2024	6:30:00 AM	0.04
10/30/2024	6:45:00 AM	0.04
10/30/2024	7:00:00 AM	0.04
10/30/2024	7:15:00 AM	0.04
10/30/2024	7:30:00 AM	0.04
10/30/2024	7:45:00 AM	0.04
10/30/2024	8:00:00 AM	0.04
10/30/2024	8:15:00 AM	0.04
10/30/2024	8:30:00 AM	0.04
10/30/2024	8:45:00 AM	0.04
10/30/2024	9:00:00 AM	0.04
10/30/2024	9:15:00 AM	0.04
10/30/2024	9:30:00 AM	0.04
10/30/2024	9:45:00 AM	0.04
10/30/2024	10:00:00 AM	0.04
10/30/2024	10:15:00 AM	0.04
10/30/2024	10:30:00 AM	0.04
10/30/2024	10:45:00 AM	0.04
10/30/2024	11:00:00 AM	0.04
10/30/2024	11:15:00 AM	0.04
10/30/2024	11:30:00 AM	0.04
10/30/2024	11:45:00 AM	0.04
10/30/2024	12:00:00 PM	0.04
10/30/2024	12:15:00 PM	0.04
10/30/2024	12:30:00 PM	0.04
10/30/2024	12:45:00 PM	0.04
10/30/2024	1:00:00 PM	0.04
10/30/2024	1:15:00 PM	0.04
10/30/2024	1:30:00 PM	0.04
10/30/2024	1:45:00 PM	0.04
10/30/2024	2:00:00 PM	0.04
10/30/2024	2:15:00 PM	0.04
10/30/2024	2:30:00 PM	0.04
10/30/2024	2:45:00 PM	0.04
10/30/2024	3:00:00 PM	0.03
10/30/2024	3:15:00 PM	0.03
10/30/2024	3:30:00 PM	0.03
10/30/2024	3:45:00 PM	0.03
10/30/2024	4:00:00 PM	0.03
10/30/2024	4:15:00 PM	0.03
10/30/2024	4:30:00 PM	0.07
10/30/2024	4:45:00 PM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
10/30/2024	5:00:00 PM	0.12
10/30/2024	5:15:00 PM	0.12
10/30/2024	5:30:00 PM	0.12
10/30/2024	5:45:00 PM	0.12
10/30/2024	6:00:00 PM	0.12
10/30/2024	6:15:00 PM	0.12
10/30/2024	6:30:00 PM	0.12
10/30/2024	6:45:00 PM	0.12
10/30/2024	7:00:00 PM	0.12
10/30/2024	7:15:00 PM	0.12
10/30/2024	7:30:00 PM	0.12
10/30/2024	7:45:00 PM	0.12
10/30/2024	8:00:00 PM	0.12
10/30/2024	8:15:00 PM	0.12
10/30/2024	8:30:00 PM	0.12
10/30/2024	8:45:00 PM	0.12
10/30/2024	9:00:00 PM	0.12
10/30/2024	9:15:00 PM	0.12
10/30/2024	9:30:00 PM	0.12
10/30/2024	9:45:00 PM	0.12
10/30/2024	10:00:00 PM	0.12
10/30/2024	10:15:00 PM	0.12
10/30/2024	10:30:00 PM	0.12
10/30/2024	10:45:00 PM	0.12
10/30/2024	11:00:00 PM	0.12
10/30/2024	11:15:00 PM	0.12
10/30/2024	11:30:00 PM	0.12
10/30/2024	11:45:00 PM	0.12
10/31/2024	12:00:00 AM	0.12
10/31/2024	12:15:00 AM	0.12
10/31/2024	12:30:00 AM	0.12
10/31/2024	12:45:00 AM	0.12
10/31/2024	1:00:00 AM	0.12
10/31/2024	1:15:00 AM	0.12
10/31/2024	1:30:00 AM	0.12
10/31/2024	1:45:00 AM	0.12
10/31/2024	2:00:00 AM	0.12
10/31/2024	2:15:00 AM	0.12
10/31/2024	2:30:00 AM	0.12
10/31/2024	2:45:00 AM	0.11
10/31/2024	3:00:00 AM	0.11
10/31/2024	3:15:00 AM	0.11
10/31/2024	3:30:00 AM	0.11
10/31/2024	3:45:00 AM	0.11
10/31/2024	4:00:00 AM	0.11
10/31/2024	4:15:00 AM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
10/31/2024	4:30:00 AM	0.11
10/31/2024	4:45:00 AM	0.11
10/31/2024	5:00:00 AM	0.11
10/31/2024	5:15:00 AM	0.1
10/31/2024	5:30:00 AM	0.1
10/31/2024	5:45:00 AM	0.1
10/31/2024	6:00:00 AM	0.1
10/31/2024	6:15:00 AM	0.1
10/31/2024	6:30:00 AM	0.1
10/31/2024	6:45:00 AM	0.1
10/31/2024	7:00:00 AM	0.1
10/31/2024	7:15:00 AM	0.1
10/31/2024	7:30:00 AM	0.1
10/31/2024	7:45:00 AM	0.1
10/31/2024	8:00:00 AM	0.1
10/31/2024	8:15:00 AM	0.09
10/31/2024	8:30:00 AM	0.09
10/31/2024	8:45:00 AM	0.09
10/31/2024	9:00:00 AM	0.09
10/31/2024	9:15:00 AM	0.09
10/31/2024	9:30:00 AM	0.09
10/31/2024	9:45:00 AM	0.09
10/31/2024	10:00:00 AM	0.09
10/31/2024	10:15:00 AM	0.09
10/31/2024	10:30:00 AM	0.09
10/31/2024	10:45:00 AM	0.09
10/31/2024	11:00:00 AM	0.09
10/31/2024	11:15:00 AM	0.1
10/31/2024	11:30:00 AM	0.1
10/31/2024	11:45:00 AM	0.1
10/31/2024	12:00:00 PM	0.1
10/31/2024	12:15:00 PM	0.1
10/31/2024	12:30:00 PM	0.1
10/31/2024	12:45:00 PM	0.1
10/31/2024	1:00:00 PM	0.1
10/31/2024	1:15:00 PM	0.1
10/31/2024	1:30:00 PM	0.1
10/31/2024	1:45:00 PM	0.11
10/31/2024	2:00:00 PM	0.11
10/31/2024	2:15:00 PM	0.11
10/31/2024	2:30:00 PM	0.11
10/31/2024	2:45:00 PM	0.11
10/31/2024	3:00:00 PM	0.11
10/31/2024	3:15:00 PM	0.11
10/31/2024	3:30:00 PM	0.11
10/31/2024	3:45:00 PM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
10/31/2024	4:00:00 PM	0.11
10/31/2024	4:15:00 PM	0.11
10/31/2024	4:30:00 PM	0.11
10/31/2024	4:45:00 PM	0.1
10/31/2024	5:00:00 PM	0.1
10/31/2024	5:15:00 PM	0.1
10/31/2024	5:30:00 PM	0.1
10/31/2024	5:45:00 PM	0.1
10/31/2024	6:00:00 PM	0.1
10/31/2024	6:15:00 PM	0.1
10/31/2024	6:30:00 PM	0.1
10/31/2024	6:45:00 PM	0.1
10/31/2024	7:00:00 PM	0.1
10/31/2024	7:15:00 PM	0.1
10/31/2024	7:30:00 PM	0.1
10/31/2024	7:45:00 PM	0.1
10/31/2024	8:00:00 PM	0.1
10/31/2024	8:15:00 PM	0.1
10/31/2024	8:30:00 PM	0.1
10/31/2024	8:45:00 PM	0.1
10/31/2024	9:00:00 PM	0.1
10/31/2024	9:15:00 PM	0.1
10/31/2024	9:30:00 PM	0.1
10/31/2024	9:45:00 PM	0.1
10/31/2024	10:00:00 PM	0.1
10/31/2024	10:15:00 PM	0.1
10/31/2024	10:30:00 PM	0.1
10/31/2024	10:45:00 PM	0.1
10/31/2024	11:00:00 PM	0.1
10/31/2024	11:15:00 PM	0.1
10/31/2024	11:30:00 PM	0.1
10/31/2024	11:45:00 PM	0.1

Party: BLP / BJA	Width: 21.4 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 82.1 ft ²	Mean Velocity: 0.781 ft/s
Gage Height: 4.14 ft	G.H.Change: 0.000 ft	Discharge: 64.1 ft ³ /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft ²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:	ADCP:
BT 3-Beam Solution: YES	Type/Freq.: StreamPro / 2000 kHz
WT 3-Beam Solution: YES	Serial #: 2370 Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Bin Size: 17 cm Blank: 3 cm
WT Error Vel.: 0.98 ft/s	BT Mode: 10 BT Pings: 2
BT Up Vel.: 1.00 ft/s	WT Mode: 12 WT Pings: 6
WT Up Vel.: 1.64 ft/s	
Use Weighted Mean Depth: YES	
Max. Vel.: 1.40 ft/s	
Max. Depth: 4.37 ft	
Mean Depth: 3.83 ft	
% Meas.: 63.15	
Water Temp.: None	
ADCP Temp.: 71.4 °F	

Performed Diag. Test: YES
 Performed Moving Bed Test: NO
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE

Project Name: 241001 LOR @ REINHACKLE_
 Software: 2.26.00.04

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	37	<i>10.3</i>	<i>38.2</i>	<i>7.95</i>	<i>2.19</i>	<i>2.19</i>	<i>60.8</i>	21	82	10:52	10:53	0.45	0.74	0	0
001	R	2	2	29	<i>11.2</i>	<i>41.5</i>	<i>8.26</i>	<i>2.83</i>	<i>1.98</i>	<i>65.7</i>	21	82	10:53	10:53	0.56	0.80	0	0
002	L	2	2	28	<i>10.9</i>	<i>40.8</i>	<i>8.05</i>	<i>2.47</i>	<i>2.44</i>	<i>64.7</i>	21	81	10:54	10:54	0.56	0.80	0	0
003	R	2	2	31	<i>11.2</i>	<i>41.5</i>	<i>8.16</i>	<i>2.44</i>	<i>2.05</i>	<i>65.3</i>	22	83	10:54	10:55	0.52	0.79	0	0
Mean		2	2	31	10.9	40.5	8.10	2.48	2.16	64.1	21	82	Total	00:03	0.52	0.78	0	0
SDev		0	0	4	0.418	1.55	0.137	0.262	0.203	2.24	0.2	0.8			0.05	0.03		
SD/M		0.0%	0.0%	13.0%	3.8%	3.8%	1.7%	10.5%	9.4%	3.5%	0.9%	0.9%			10.1%	3.7%		

Remarks:

Discharge for transects in *italics* have a total Q more than 5% from the mean

Party: BLP BRP	Width: 20.9 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 83.3 ft ²	Mean Velocity: 0.708 ft/s
Gage Height: 3.95 ft	G.H.Change: 0.000 ft	Discharge: 59.0 ft ³ /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft ²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:	ADCP:
BT 3-Beam Solution: YES	Type/Freq.: StreamPro / 2000 kHz
WT 3-Beam Solution: YES	Serial #: 2370 Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Bin Size: 4 cm Blank: 3 cm
WT Error Vel.: 1.41 ft/s	BT Mode: 10 BT Pings: 2
BT Up Vel.: 1.00 ft/s	WT Mode: 12 WT Pings: 6
WT Up Vel.: 1.64 ft/s	
Use Weighted Mean Depth: YES	
Max. Vel.: 2.62 ft/s	
Max. Depth: 4.11 ft	
Mean Depth: 3.99 ft	
% Meas.: 63.36	
Water Temp.: None	
ADCP Temp.: 61.5 °F	

Performed Diag. Test: YES
 Performed Moving Bed Test: NO
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE

Project Name: 241029 RINKL_0.mmt
 Software: 2.26.00.04

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	31	6.50	37.8	4.52	6.22	4.66	59.7	21	85	13:10	13:10	0.54	0.70	0	1
001	R	2	2	33	6.32	36.8	4.27	6.25	4.66	58.4	21	85	13:11	13:11	0.58	0.68	0	1
002	L	2	2	36	6.25	36.4	4.17	4.98	5.19	57.0	20	82	13:11	13:12	0.49	0.70	0	1
003	R	2	2	48	6.60	38.5	4.41	5.97	5.51	61.0	20	81	13:12	13:13	0.38	0.75	0	1
Mean		2	2	37	6.42	37.4	4.34	5.85	5.01	59.0	21	83	Total	00:03	0.50	0.71	0	1
SDev		0	0	8	0.162	0.944	0.155	0.596	0.418	1.73	0.5	2.2			0.08	0.03		
SD/M		0.0%	0.0%	20.6%	2.5%	2.5%	3.6%	10.2%	8.4%	2.9%	2.4%	2.6%			17.0%	4.0%		

Remarks:

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	1	0	6	6	27.1	-2.3	1.185	0.5	0.4	0	46	40.9	0	140	127	0	33	32	33
2024	10	1	0	16	6	26.3	-3.6	1.185	0.5	0.4	0	45.2	40.4	0	139	126	0	34	32	33
2024	10	1	0	26	6	26	-3.2	1.185	0.5	0.4	0	45.6	40.4	0	139	126	0	33	32	33
2024	10	1	0	36	6	27.9	-3.4	1.185	0.3	0.2	0	45.2	40.4	0	138	126	0	33	32	34
2024	10	1	0	46	6	26.8	-2.3	1.185	0.3	0.2	0	45.6	40.4	0	139	126	0	33	32	33
2024	10	1	0	56	6	27.4	-3.5	1.185	0.4	0.3	0	45.2	39.6	0	138	125	0	33	33	34
2024	10	1	1	6	6	27.1	-1.7	1.185	0.3	0.2	0	44.7	40	0	138	126	0	34	33	33
2024	10	1	1	16	6	26	-3.2	1.185	0.3	0.2	0	44.7	39.6	0	138	125	0	34	33	33
2024	10	1	1	26	6	25.8	-3.2	1.185	0.5	0.4	0	44.7	40.9	0	138	126	0	34	31	33
2024	10	1	1	36	6	26.4	-2.2	1.185	0.5	0.4	0	45.2	39.6	0	138	125	0	33	33	33
2024	10	1	1	46	6	26.5	-2.2	1.185	0.5	0.4	0	44.7	39.6	0	138	125	0	34	33	34
2024	10	1	1	56	6	26.6	-2.6	1.186	0.4	0.3	0	44.7	40	0	138	125	0	34	32	33
2024	10	1	2	6	6	27	-3.2	1.185	0.3	0.2	0	44.3	39.6	0	137	124	0	34	32	34
2024	10	1	2	16	6	26.1	-2.4	1.185	0.4	0.3	0	44.7	40	0	138	125	0	34	32	33
2024	10	1	2	26	6	26.8	-1.8	1.186	0.3	0.2	0	44.7	39.6	0	138	125	0	34	33	33
2024	10	1	2	36	6	27.8	-3.1	1.186	0.3	0.2	0	44.3	39.6	0	137	124	0	34	32	33
2024	10	1	2	46	6	27.5	-3.3	1.185	0.3	0.2	0	44.7	40	0	138	125	0	34	32	33
2024	10	1	2	56	6	27.7	-3.4	1.186	0.3	0.2	0	45.2	40	0	138	125	0	33	32	33
2024	10	1	3	6	6	25.7	-3	1.185	0.5	0.4	0	44.7	40	0	137	125	0	33	32	34
2024	10	1	3	16	6	26.7	-2.7	1.185	0.4	0.3	0	44.3	39.6	0	137	124	0	34	32	33
2024	10	1	3	26	6	27.7	-2.9	1.186	0.3	0.2	0	44.3	39.6	0	137	124	0	34	32	33
2024	10	1	3	36	6	27	-3.1	1.186	0.3	0.2	0	44.3	40	0	137	125	0	34	32	34
2024	10	1	3	46	6	27.6	-2.7	1.186	0.4	0.3	0	44.3	39.6	0	137	124	0	34	32	34
2024	10	1	3	56	6	27.5	-3.1	1.186	0.5	0.4	0	44.3	39.6	0	137	125	0	34	33	33
2024	10	1	4	6	6	27.6	-3	1.186	0.3	0.2	0	44.3	39.6	0	137	124	0	34	32	34
2024	10	1	4	16	6	27.8	-3.1	1.186	0.3	0.2	0	44.3	39.6	0	137	124	0	34	32	33
2024	10	1	4	26	6	26.3	-3.2	1.186	0.4	0.3	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	1	4	36	6	27.5	-3.1	1.186	0.4	0.3	0	45.2	39.1	0	138	123	0	33	32	34
2024	10	1	4	46	6	27.3	-3.5	1.186	0.3	0.2	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	1	4	56	6	26.7	-2.6	1.186	0.5	0.4	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	1	5	6	6	27.5	-3.4	1.186	0.4	0.3	0	44.7	39.1	0	138	123	0	34	32	34
2024	10	1	5	16	6	27.9	-3.2	1.186	0.4	0.3	0	45.2	39.1	0	138	124	0	33	33	33
2024	10	1	5	26	6	27.1	-3	1.186	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	1	5	36	6	27.1	-2.3	1.186	0.4	0.3	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	1	5	46	6	26.4	-2.1	1.186	0.4	0.3	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	1	5	56	6	27	-2.3	1.186	0.3	0.2	0	45.2	39.1	0	139	124	0	34	33	33
2024	10	1	6	6	6	26.8	-2	1.187	0.4	0.3	0	45.2	38.7	0	138	123	0	33	33	33
2024	10	1	6	16	6	27.4	-3.4	1.187	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	1	6	26	6	27	-3.3	1.187	0.3	0.2	0	44.7	38.3	0	137	122	0	33	33	33
2024	10	1	6	36	6	26.7	-2.9	1.187	0.3	0.2	0	44.7	38.3	0	137	122	0	33	33	33
2024	10	1	6	46	6	26.7	-2.7	1.187	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	34
2024	10	1	6	56	6	27.4	-3.2	1.187	0.5	0.5	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	1	7	6	6	26.7	-2.1	1.187	0.5	0.4	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	1	7	16	6	27.2	-3.1	1.187	0.5	0.4	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	1	7	26	6	26.6	-2.6	1.187	0.5	0.4	0	43.9	38.3	0	135	121	0	33	32	32
2024	10	1	7	36	6	27.9	-3.2	1.187	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	1	7	46	6	26.7	-3.1	1.187	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	1	7	56	6	27.5	-3.1	1.188	0.4	0.3	0	43	37.8	0	134	120	0	34	32	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	1	8	6	6	27.6	-2.5	1.187	0.3	0.2	0	43	37.8	0	134	120	0	34	32	32
2024	10	1	8	16	6	27.1	-1.9	1.187	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	1	8	26	6	26.8	-3	1.187	0.4	0.3	0	43	37.4	0	134	120	0	34	33	33
2024	10	1	8	36	6	26.8	-2.2	1.188	0.4	0.3	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	1	8	46	6	27.4	-2.7	1.187	0.3	0.2	0	43	37	0	133	119	0	33	33	33
2024	10	1	8	56	6	27.5	-2.3	1.188	0.3	0.2	0	43	37.8	0	133	119	0	33	31	33
2024	10	1	9	6	6	27.6	-2.5	1.187	0.3	0.2	0	43	37	0	133	119	0	33	33	33
2024	10	1	9	16	6	27.5	-2.3	1.188	0.3	0.2	0	43	37.4	0	133	119	0	33	32	33
2024	10	1	9	26	6	28.1	-2.7	1.187	0.4	0.3	0	42.6	37	0	133	119	0	34	33	33
2024	10	1	9	36	6	27.6	-2.7	1.187	0.6	0.5	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	1	9	46	6	27.7	-3	1.187	0.4	0.3	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	1	9	56	6	26.8	-2.1	1.187	0.3	0.2	0	43.4	38.7	0	135	122	0	34	32	33
2024	10	1	10	6	6	26.3	-1.9	1.187	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	1	10	16	6	27.3	-2.2	1.187	0.5	0.5	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	1	10	26	6	26.4	-2.4	1.187	0.4	0.3	0	43	38.3	0	134	121	0	34	32	33
2024	10	1	10	36	6	26.3	-2.4	1.187	0.3	0.2	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	1	10	46	6	27	-2.8	1.187	0.3	0.2	0	43	38.7	0	134	121	0	34	31	33
2024	10	1	10	56	6	26.9	-2.7	1.187	0.3	0.2	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	1	11	6	6	27.2	-3.1	1.187	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	1	11	16	6	27.4	-2.9	1.187	0.4	0.3	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	1	11	26	6	26.9	-3.2	1.187	0.5	0.4	0	44.3	38.7	0	137	123	0	34	33	33
2024	10	1	11	36	6	27.6	-1.4	1.187	0.3	0.2	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	1	11	46	6	27.5	-3	1.187	0.3	0.2	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	1	11	56	6	26.5	-3.3	1.187	0.4	0.3	0	43.9	39.1	0	136	122	0	34	31	33
2024	10	1	12	6	6	27.4	-2.3	1.187	0.3	0.2	0	43.9	38.3	0	136	122	0	34	33	33
2024	10	1	12	16	6	27	-3.1	1.186	0.4	0.3	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	1	12	26	6	27.9	-2.7	1.186	0.3	0.2	0	43.4	37.8	0	135	121	0	34	33	33
2024	10	1	12	36	6	27.6	-3.4	1.186	0.4	0.3	0	43.4	37.8	0	135	121	0	34	33	33
2024	10	1	12	46	6	27.3	-3.1	1.186	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	1	12	56	6	26.6	-2.7	1.186	0.4	0.3	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	1	13	6	6	27.1	-3.2	1.186	0.3	0.2	0	44.3	38.3	0	136	122	0	33	33	32
2024	10	1	13	16	6	28.4	-2.2	1.186	0.3	0.2	0	43.9	38.3	0	135	122	0	33	33	33
2024	10	1	13	26	6	26.1	-2.6	1.186	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	1	13	36	6	27.1	-3.2	1.186	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	1	13	46	6	27.4	-3.7	1.186	0.4	0.3	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	1	13	56	6	27.9	-2	1.186	0.3	0.2	0	43.9	38.7	0	136	122	0	34	32	32
2024	10	1	14	6	6	27.5	-2.2	1.186	0.3	0.2	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	1	14	16	6	28.4	-2.6	1.186	0.4	0.3	0	43	38.3	0	134	121	0	34	32	33
2024	10	1	14	26	6	26.8	-3.2	1.186	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	1	14	36	6	28.2	-3.5	1.186	0.3	0.2	0	43.9	38.7	0	135	121	0	33	31	33
2024	10	1	14	46	6	27.4	-3	1.186	0.3	0.2	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	1	14	56	6	27.5	-2.4	1.186	0.3	0.2	0	44.3	37.8	0	136	121	0	33	33	32
2024	10	1	15	6	6	27.8	-3.2	1.186	0.3	0.2	0	43.9	38.7	0	135	121	0	33	31	34
2024	10	1	15	16	6	26.6	-3.9	1.185	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	1	15	26	6	27.9	-3.2	1.185	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	1	15	36	6	28.1	-4.4	1.185	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	32
2024	10	1	15	46	6	28	-4.1	1.185	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	1	15	56	6	26.5	-4	1.185	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	1	16	6	6	27.4	-2.3	1.185	0.3	0.2	0	43	37	0	134	119	0	34	33	33
2024	10	1	16	16	6	25.9	-3	1.185	0.3	0.2	0	43.4	37.4	0	134	120	0	33	33	34
2024	10	1	16	26	6	27.9	-2.8	1.185	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	32
2024	10	1	16	36	6	27.9	-2.7	1.185	0.4	0.3	0	43.9	37.8	0	135	120	0	33	32	32
2024	10	1	16	46	6	27.9	-2.7	1.185	0.4	0.3	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	1	16	56	6	28.4	-2.6	1.185	0.5	0.4	0	43	37.4	0	134	119	0	34	32	32
2024	10	1	17	6	6	27	-3	1.185	0.4	0.3	0	43	37	0	133	118	0	33	32	33
2024	10	1	17	16	6	26.7	-4	1.185	0.5	0.4	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	1	17	26	6	26.5	-2.6	1.185	0.4	0.3	0	43	37	0	133	118	0	33	32	33
2024	10	1	17	36	6	27	-4	1.185	0.4	0.3	0	43	37	0	134	118	0	34	32	33
2024	10	1	17	46	6	28.1	-3.1	1.185	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	34
2024	10	1	17	56	6	28.5	-3	1.185	0.3	0.2	0	43	37	0	134	118	0	34	32	33
2024	10	1	18	6	6	27.3	-3.4	1.185	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	34
2024	10	1	18	16	6	26.8	-3.4	1.185	0.5	0.4	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	1	18	26	6	27.8	-2.9	1.185	0.4	0.3	0	44.3	38.3	0	136	122	0	33	33	32
2024	10	1	18	36	6	28.3	-3.7	1.185	0.3	0.2	0	44.3	39.1	0	136	122	0	33	31	33
2024	10	1	18	46	6	27.4	-2.7	1.185	0.4	0.3	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	1	18	56	6	26.9	-3.1	1.185	0.3	0.2	0	45.2	39.6	0	138	124	0	33	32	32
2024	10	1	19	6	6	27.8	-2.7	1.185	0.4	0.3	0	45.6	40.4	0	139	126	0	33	32	33
2024	10	1	19	16	6	27.3	-2.1	1.185	0.3	0.2	0	46	40	0	140	126	0	33	33	33
2024	10	1	19	26	6	27.7	-2.8	1.185	0.3	0.2	0	46	40.9	0	141	127	0	34	32	33
2024	10	1	19	36	6	27.4	-2.7	1.185	0.5	0.5	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	1	19	46	6	27.8	-2.9	1.185	0.4	0.3	0	46.4	40.9	0	141	127	0	33	32	34
2024	10	1	19	56	6	27.2	-3.1	1.185	0.5	0.4	0	46.4	41.3	0	142	128	0	34	32	33
2024	10	1	20	6	6	25.7	-2.8	1.185	0.4	0.3	0	47.3	41.3	0	143	129	0	33	33	33
2024	10	1	20	16	6	26.7	-2.7	1.185	0.3	0.2	0	46.4	40.9	0	142	128	0	34	33	33
2024	10	1	20	26	6	27.4	-3.7	1.185	0.3	0.2	0	46.9	41.3	0	142	128	0	33	32	33
2024	10	1	20	36	6	27.7	-1.7	1.185	0.3	0.2	0	46.4	41.7	0	142	129	0	34	32	33
2024	10	1	20	46	6	28.6	-2.9	1.185	0.5	0.4	0	46.4	41.3	0	142	128	0	34	32	32
2024	10	1	20	56	6	27.7	-4	1.185	0.3	0.2	0	46	40	0	140	126	0	33	33	33
2024	10	1	21	6	6	26.4	-2.7	1.185	0.5	0.4	0	46	40.4	0	141	126	0	34	32	33
2024	10	1	21	16	6	27.3	-3.3	1.185	0.3	0.2	0	46	40.4	0	141	126	0	34	32	33
2024	10	1	21	26	6	26.2	-2.5	1.185	0.4	0.3	0	46	40.4	0	141	126	0	34	32	32
2024	10	1	21	36	6	27.4	-2.4	1.185	0.4	0.3	0	46	40.4	0	141	126	0	34	32	33
2024	10	1	21	46	6	27.7	-2.8	1.185	0.5	0.4	0	46	40.4	0	141	126	0	34	32	32
2024	10	1	21	56	6	27.9	-3.4	1.185	0.4	0.3	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	1	22	6	6	25.8	-2.3	1.185	0.4	0.3	0	46	40.4	0	141	126	0	34	32	33
2024	10	1	22	16	6	27.5	-2.2	1.185	0.4	0.3	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	1	22	26	6	28	-1.8	1.185	0.3	0.2	0	46	40.4	0	141	126	0	34	32	33
2024	10	1	22	36	6	26.5	-4	1.185	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	1	22	46	6	27.1	-3	1.185	0.3	0.2	0	46	40.4	0	141	127	0	34	33	33
2024	10	1	22	56	6	27	-2.3	1.185	0.4	0.3	0	46.4	40	0	141	126	0	33	33	34
2024	10	1	23	6	6	27.1	-2.8	1.185	0.3	0.2	0	46	40	0	141	126	0	34	33	32
2024	10	1	23	16	6	27.1	-3.5	1.185	0.3	0.2	0	46	39.6	0	140	125	0	33	33	33
2024	10	1	23	26	6	27	-2.8	1.186	0.3	0.2	0	46	40.9	0	141	126	0	34	31	33
2024	10	1	23	36	6	27	-3	1.185	0.3	0.2	0	45.6	40	0	140	126	0	34	33	33
2024	10	1	23	46	6	27	-2.2	1.186	0.4	0.3	0	46	40.9	0	141	127	0	34	32	33
2024	10	1	23	56	6	26.7	-2.8	1.186	0.4	0.3	0	45.6	40	0	140	126	0	34	33	32

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	2	0	6	6	26.4	-2.1	1.186	0.4	0.3	0	46	40.4	0	141	127	0	34	33	33
2024	10	2	0	16	6	27.6	-3.1	1.186	0.3	0.2	0	45.6	39.6	0	140	125	0	34	33	33
2024	10	2	0	26	6	27.2	-1.8	1.186	0.3	0.2	0	45.6	39.6	0	140	125	0	34	33	33
2024	10	2	0	36	6	27.3	-2.7	1.186	0.3	0.2	0	45.6	40	0	140	126	0	34	33	34
2024	10	2	0	46	6	26.7	-3	1.186	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	2	0	56	6	27.1	-2.6	1.186	0.5	0.4	0	45.6	40	0	140	126	0	34	33	33
2024	10	2	1	6	6	25.8	-2.3	1.186	0.3	0.2	0	46	40	0	141	126	0	34	33	33
2024	10	2	1	16	6	27.6	-2	1.186	0.3	0.2	0	46	40	0	140	126	0	33	33	34
2024	10	2	1	26	6	27	-3	1.186	0.3	0.2	0	46	40.4	0	140	126	0	33	32	33
2024	10	2	1	36	6	26.3	-3.2	1.186	0.4	0.3	0	45.6	39.6	0	140	125	0	34	33	33
2024	10	2	1	46	6	27.7	-3.7	1.186	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33
2024	10	2	1	56	6	27.5	-2.2	1.187	0.3	0.2	0	46	40	0	140	126	0	33	33	34
2024	10	2	2	6	6	25.8	-1.7	1.187	0.3	0.2	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	2	2	16	6	26.7	-2.1	1.187	0.3	0.2	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	2	2	26	6	26.6	-1.8	1.187	0.4	0.3	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	2	2	36	6	27.6	-3.1	1.187	0.4	0.3	0	45.6	40	0	140	125	0	34	32	33
2024	10	2	2	46	6	27	-3.3	1.187	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	2	2	56	6	26.8	-3.8	1.187	0.3	0.2	0	46	40.4	0	140	126	0	33	32	33
2024	10	2	3	6	6	27.6	-2.4	1.188	0.5	0.4	0	45.6	40	0	139	125	0	33	32	33
2024	10	2	3	16	6	26.9	-3.2	1.188	0.4	0.3	0	45.6	40	0	139	125	0	33	32	32
2024	10	2	3	26	6	27.1	-3	1.188	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33
2024	10	2	3	36	6	27	-1.5	1.187	0.3	0.2	0	45.6	39.6	0	139	125	0	33	33	33
2024	10	2	3	46	6	29.3	-2.8	1.188	0.4	0.3	0	45.2	39.6	0	139	125	0	34	33	33
2024	10	2	3	56	6	27.5	-2.7	1.188	0.3	0.2	0	45.6	39.1	0	139	124	0	33	33	33
2024	10	2	4	6	6	27.7	-2.1	1.189	0.3	0.2	0	45.2	40	0	139	125	0	34	32	33
2024	10	2	4	16	6	25.8	-2.3	1.189	0.3	0.2	0	45.2	40.4	0	139	126	0	34	32	33
2024	10	2	4	26	6	27.8	-3.3	1.189	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	2	4	36	6	27.1	-3	1.189	0.4	0.3	0	45.2	39.6	0	139	125	0	34	33	32
2024	10	2	4	46	6	27.1	-3.4	1.189	0.4	0.3	0	45.6	39.6	0	139	125	0	33	33	33
2024	10	2	4	56	6	28.5	-3	1.189	0.3	0.2	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	2	5	6	6	27.1	-2.2	1.19	0.3	0.2	0	45.6	40	0	139	125	0	33	32	33
2024	10	2	5	16	6	27.5	-2.3	1.189	0.4	0.3	0	45.2	40	0	139	125	0	34	32	34
2024	10	2	5	26	6	27	-1.3	1.19	0.3	0.2	0	45.6	40	0	140	126	0	34	33	33
2024	10	2	5	36	6	25.8	-2.3	1.191	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33
2024	10	2	5	46	6	26.7	-1.5	1.19	0.4	0.3	0	45.2	40	0	139	125	0	34	32	34
2024	10	2	5	56	6	26.4	-1.3	1.191	0.3	0.2	0	45.6	40	0	139	125	0	33	32	33
2024	10	2	6	6	6	26.6	-1.8	1.191	0.5	0.4	0	45.2	40	0	139	125	0	34	32	33
2024	10	2	6	16	6	27.2	-2.3	1.191	0.3	0.2	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	2	6	26	6	27.1	-2.9	1.191	0.5	0.4	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	2	6	36	6	27.7	-2.5	1.191	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	32
2024	10	2	6	46	6	27.8	-2.8	1.191	0.4	0.3	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	2	6	56	6	26.7	-3.1	1.192	0.4	0.3	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	2	7	6	6	26.9	-2.7	1.192	0.5	0.4	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	2	7	16	6	27	-2.8	1.192	0.3	0.2	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	2	7	26	6	28.2	-2.2	1.192	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	2	7	36	6	27.2	-2.9	1.192	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	2	7	46	6	26.7	-2.2	1.192	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	32
2024	10	2	7	56	6	27.9	-2.9	1.192	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	2	8	6	6	27.1	-2.4	1.192	0.3	0.2	0	43.9	38.7	0	136	122	0	34	32	34
2024	10	2	8	16	6	26.6	-1.9	1.192	0.3	0.2	0	43.9	38.3	0	136	122	0	34	33	33
2024	10	2	8	26	6	26.8	-1.6	1.193	0.3	0.2	0	43.9	38.3	0	136	122	0	34	33	33
2024	10	2	8	36	6	25.7	-3.5	1.193	0.3	0.2	0	43.9	37.8	0	135	121	0	33	33	33
2024	10	2	8	46	6	27.9	-3.6	1.193	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	2	8	56	6	27.4	-3.7	1.193	0.3	0.2	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	2	9	6	6	28	-2.8	1.193	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	34
2024	10	2	9	16	6	26.9	-2.5	1.193	0.3	0.2	0	43.4	38.7	0	135	122	0	34	32	33
2024	10	2	9	26	6	27.8	-3	1.192	0.3	0.2	0	43	38.3	0	134	121	0	34	32	33
2024	10	2	9	36	6	26.8	-2.7	1.192	0.3	0.2	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	2	9	46	6	27.8	-2.4	1.192	0.4	0.3	0	43.9	38.7	0	135	122	0	33	32	33
2024	10	2	9	56	6	26.9	-1.9	1.191	0.4	0.3	0	43.9	38.3	0	135	122	0	33	33	34
2024	10	2	10	6	6	27.7	-1.8	1.191	0.4	0.3	0	43.9	38.3	0	135	122	0	33	33	33
2024	10	2	10	16	6	27.1	-1.9	1.191	0.3	0.2	0	43.4	38.3	0	135	122	0	34	33	33
2024	10	2	10	26	6	28.1	-2.9	1.19	0.4	0.3	0	43	38.3	0	134	121	0	34	32	33
2024	10	2	10	36	6	27.2	-2.5	1.191	0.5	0.4	0	43.4	39.1	0	135	122	0	34	31	33
2024	10	2	10	46	6	27.7	-2.2	1.19	0.3	0.2	0	43.4	38.7	0	135	122	0	34	32	33
2024	10	2	10	56	6	27.5	-2.3	1.19	0.3	0.2	0	43.9	38.7	0	135	122	0	33	32	33
2024	10	2	11	6	6	28	-2.8	1.189	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	2	11	16	6	27.4	-2.8	1.189	0.3	0.2	0	42.6	37.4	0	133	120	0	34	33	33
2024	10	2	11	26	6	27.6	-2.9	1.189	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	2	11	36	6	26.7	-2.3	1.189	0.4	0.3	0	43	37.4	0	134	120	0	34	33	32
2024	10	2	11	46	6	27.6	-2.7	1.189	0.4	0.3	0	43	37.8	0	134	121	0	34	33	33
2024	10	2	11	56	6	24.6	-2.5	1.189	0.4	0.3	0	43	38.3	0	134	121	0	34	32	33
2024	10	2	12	6	6	25.8	-2.1	1.189	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	2	12	16	6	27.4	-2.3	1.189	0.4	0.3	0	43	38.3	0	134	121	0	34	32	32
2024	10	2	12	26	6	27.2	-3	1.189	0.4	0.3	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	2	12	36	6	27.9	-3.6	1.189	0.4	0.3	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	2	12	46	6	27.8	-3.4	1.188	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	2	12	56	6	27.9	-3.3	1.189	0.4	0.3	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	2	13	6	6	26.7	-2.5	1.189	0.3	0.2	0	42.6	38.3	0	133	120	0	34	31	34
2024	10	2	13	16	6	27.6	-3.6	1.189	0.4	0.3	0	43	37.8	0	133	120	0	33	32	33
2024	10	2	13	26	6	26.7	-3.1	1.189	0.4	0.3	0	43	38.3	0	134	121	0	34	32	33
2024	10	2	13	36	6	28	-3.8	1.188	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	32
2024	10	2	13	46	6	28	-3.5	1.188	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	2	13	56	6	27.2	-3.5	1.188	0.4	0.3	0	43.4	38.3	0	134	121	0	33	32	32
2024	10	2	14	6	6	28	-3.6	1.188	0.3	0.2	0	43	38.3	0	134	121	0	34	32	32
2024	10	2	14	16	6	27.2	-2.7	1.188	0.4	0.3	0	43	37.8	0	133	120	0	33	32	34
2024	10	2	14	26	6	27.2	-3	1.188	0.3	0.2	0	43	38.7	0	133	121	0	33	31	32
2024	10	2	14	36	6	27.6	-3.2	1.188	0.3	0.2	0	43	37.8	0	133	120	0	33	32	32
2024	10	2	14	46	6	26.2	-3.2	1.188	0.3	0.2	0	43	37.8	0	133	120	0	33	32	33
2024	10	2	14	56	6	27.3	-3.1	1.188	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	32
2024	10	2	15	6	6	27.5	-2.1	1.188	0.4	0.3	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	2	15	16	6	26.6	-3.7	1.188	0.3	0.2	0	42.6	37.4	0	133	120	0	34	33	32
2024	10	2	15	26	6	29.2	-3	1.188	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	2	15	36	6	26	-3.2	1.188	0.3	0.2	0	43	37.8	0	133	120	0	33	32	33
2024	10	2	15	46	6	27.8	-3.4	1.187	0.4	0.3	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	2	15	56	6	27.3	-3.1	1.188	0.5	0.4	0	43.4	38.3	0	134	121	0	33	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	2	16	6	6	27.1	-2.7	1.188	0.4	0.3	0	42.6	38.3	0	133	120	0	34	31	33
2024	10	2	16	16	6	26.2	-2.2	1.187	0.3	0.2	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	2	16	26	6	27.1	-3.2	1.187	0.3	0.2	0	43	38.3	0	134	121	0	34	32	32
2024	10	2	16	36	6	27.3	-2.3	1.187	0.4	0.3	0	43	38.3	0	134	121	0	34	32	33
2024	10	2	16	46	6	27.9	-4.1	1.187	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	2	16	56	6	27.3	-3.2	1.187	0.5	0.4	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	2	17	6	6	27.6	-3.6	1.187	0.3	0.2	0	43	37.8	0	133	120	0	33	32	33
2024	10	2	17	16	6	27.1	-2.9	1.187	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	2	17	26	6	26.9	-2.8	1.187	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2024	10	2	17	36	6	27.6	-2.7	1.187	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	2	17	46	6	27.2	-2.3	1.187	0.4	0.3	0	43.4	37.8	0	134	121	0	33	33	33
2024	10	2	17	56	6	26.8	-2.6	1.187	0.4	0.3	0	43.4	38.7	0	134	121	0	33	31	33
2024	10	2	18	6	6	28.2	-2.8	1.187	0.3	0.2	0	43.4	37.8	0	134	121	0	33	33	32
2024	10	2	18	16	6	27.7	-1.7	1.187	0.3	0.2	0	43.4	39.1	0	135	122	0	34	31	33
2024	10	2	18	26	6	27	-2.1	1.187	0.4	0.3	0	43.9	38.7	0	135	122	0	33	32	32
2024	10	2	18	36	6	27.2	-3	1.187	0.5	0.4	0	43.9	38.7	0	135	122	0	33	32	32
2024	10	2	18	46	6	27.4	-3	1.187	0.3	0.2	0	43.4	38.7	0	135	122	0	34	32	33
2024	10	2	18	56	6	26.3	-2.7	1.187	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	2	19	6	6	29	-3.1	1.188	0.5	0.4	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	2	19	16	6	27.5	-2.2	1.187	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	2	19	26	6	28.8	-2.7	1.187	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	2	19	36	6	28.4	-3.1	1.187	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	32
2024	10	2	19	46	6	27	-2.3	1.188	0.3	0.2	0	46	40	0	140	126	0	33	33	34
2024	10	2	19	56	6	27.7	-2.3	1.187	0.3	0.2	0	45.6	40.4	0	139	126	0	33	32	33
2024	10	2	20	6	6	27.8	-2.6	1.188	0.5	0.4	0	45.6	40.4	0	139	126	0	33	32	33
2024	10	2	20	16	6	27.4	-3.3	1.188	0.3	0.2	0	45.6	40.4	0	139	126	0	33	32	33
2024	10	2	20	26	6	27.7	-1.8	1.188	0.5	0.4	0	44.3	39.6	0	137	124	0	34	32	33
2024	10	2	20	36	6	26.7	-2.2	1.188	0.4	0.3	0	45.2	39.6	0	139	124	0	34	32	32
2024	10	2	20	46	6	28.5	-1.8	1.188	0.5	0.4	0	45.6	40.4	0	139	125	0	33	31	32
2024	10	2	20	56	6	28.2	-1.8	1.188	0.3	0.2	0	45.2	39.6	0	139	125	0	34	33	32
2024	10	2	21	6	6	27.6	-1.9	1.188	0.5	0.4	0	45.2	40	0	139	125	0	34	32	33
2024	10	2	21	16	6	25.9	-2	1.188	0.3	0.2	0	45.6	40	0	139	125	0	33	32	33
2024	10	2	21	26	6	27.4	-2.4	1.188	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	2	21	36	6	28.2	-3.8	1.188	0.3	0.2	0	45.2	40	0	138	124	0	33	31	33
2024	10	2	21	46	6	26.9	-2.1	1.188	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	2	21	56	6	28.7	-3.4	1.188	0.4	0.3	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	2	22	6	6	26.4	-2.2	1.188	0.3	0.2	0	46.4	41.7	0	141	128	0	33	31	33
2024	10	2	22	16	6	26.6	-2.7	1.188	0.4	0.3	0	46.4	41.7	0	141	128	0	33	31	33
2024	10	2	22	26	6	27.4	-3.1	1.188	0.4	0.3	0	46	41.3	0	141	128	0	34	32	33
2024	10	2	22	36	6	27	-4	1.188	0.3	0.2	0	45.6	40.9	0	140	127	0	34	32	32
2024	10	2	22	46	6	26.4	-2.9	1.188	0.3	0.2	0	46.4	41.3	0	141	128	0	33	32	33
2024	10	2	22	56	6	27	-2.7	1.189	0.3	0.2	0	46.4	41.3	0	141	128	0	33	32	34
2024	10	2	23	6	6	28.7	-2.6	1.188	0.4	0.3	0	46	40.4	0	140	127	0	33	33	33
2024	10	2	23	16	6	28.3	-3	1.189	0.5	0.4	0	46	41.3	0	141	128	0	34	32	33
2024	10	2	23	26	6	27.4	-3.7	1.189	0.3	0.2	0	46	41.3	0	141	128	0	34	32	33
2024	10	2	23	36	6	26.4	-2.7	1.189	0.3	0.2	0	46	41.7	0	141	129	0	34	32	32
2024	10	2	23	46	6	27.5	-2.5	1.189	0.5	0.4	0	46	40.9	0	141	128	0	34	33	33
2024	10	2	23	56	6	27.6	-1.8	1.19	0.3	0.2	0	45.6	41.3	0	140	128	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	3	0	6	6	27.3	-4	1.19	0.3	0.2	0	45.6	40.9	0	140	127	0	34	32	33
2024	10	3	0	16	6	26.3	-3.6	1.19	0.3	0.2	0	46	40.9	0	140	127	0	33	32	33
2024	10	3	0	26	6	27.4	-3.1	1.191	0.4	0.3	0	46	40.4	0	140	127	0	33	33	33
2024	10	3	0	36	6	25.9	-2.2	1.191	0.3	0.2	0	46	40.9	0	141	128	0	34	33	33
2024	10	3	0	46	6	26.4	-2.9	1.191	0.4	0.3	0	46	41.3	0	141	128	0	34	32	33
2024	10	3	0	56	6	26.8	-2.4	1.192	0.3	0.2	0	46	41.3	0	141	128	0	34	32	33
2024	10	3	1	6	6	27.7	-2.8	1.192	0.4	0.3	0	45.6	40.9	0	140	127	0	34	32	33
2024	10	3	1	16	6	28.3	-3	1.192	0.3	0.2	0	46	40.9	0	140	127	0	33	32	33
2024	10	3	1	26	6	27.8	-2.2	1.192	0.3	0.2	0	46.4	40.9	0	141	128	0	33	33	33
2024	10	3	1	36	6	27.1	-3.4	1.192	0.5	0.4	0	46	41.3	0	141	128	0	34	32	33
2024	10	3	1	46	6	27.8	-2.8	1.192	0.4	0.3	0	46.4	41.3	0	141	128	0	33	32	33
2024	10	3	1	56	6	26.9	-2.2	1.192	0.3	0.2	0	46	40.9	0	140	127	0	33	32	33
2024	10	3	2	6	6	26.8	-3.1	1.192	0.4	0.3	0	46	41.3	0	141	128	0	34	32	33
2024	10	3	2	16	6	28.2	-2.7	1.192	0.3	0.2	0	45.6	40.9	0	140	127	0	34	32	33
2024	10	3	2	26	6	27	-3	1.192	0.3	0.2	0	46	40.9	0	141	128	0	34	33	33
2024	10	3	2	36	6	28.3	-2.5	1.193	0.3	0.2	0	45.6	40.4	0	140	127	0	34	33	34
2024	10	3	2	46	6	27.3	-3	1.193	0.4	0.3	0	46	40.9	0	141	128	0	34	33	33
2024	10	3	2	56	6	28.5	-2.3	1.193	0.5	0.4	0	46	41.3	0	140	127	0	33	31	33
2024	10	3	3	6	6	27.2	-2.6	1.192	0.3	0.2	0	46.4	41.3	0	141	128	0	33	32	33
2024	10	3	3	16	6	27.2	-2.8	1.193	0.5	0.5	0	46	40.9	0	140	127	0	33	32	33
2024	10	3	3	26	6	28.1	-4.2	1.193	0.3	0.2	0	45.6	40.9	0	140	127	0	34	32	33
2024	10	3	3	36	6	27.1	-2.7	1.193	0.4	0.3	0	45.6	41.3	0	140	127	0	34	31	33
2024	10	3	3	46	6	27.2	-2.3	1.193	0.4	0.3	0	45.6	40.9	0	140	127	0	34	32	33
2024	10	3	3	56	6	28.3	-3	1.193	0.4	0.3	0	46	40.9	0	140	127	0	33	32	33
2024	10	3	4	6	6	26.9	-2.1	1.193	0.4	0.3	0	45.6	41.3	0	141	128	0	35	32	33
2024	10	3	4	16	6	27	-2.2	1.193	0.5	0.4	0	45.6	40.9	0	140	127	0	34	32	33
2024	10	3	4	26	6	27.2	-2.8	1.193	0.4	0.3	0	46	40.9	0	140	127	0	33	32	33
2024	10	3	4	36	6	26.9	-1.4	1.193	0.5	0.4	0	45.6	41.3	0	140	128	0	34	32	33
2024	10	3	4	46	6	26.9	-1.8	1.193	0.3	0.2	0	46	40.9	0	140	127	0	33	32	33
2024	10	3	4	56	6	26.9	-3.2	1.193	0.3	0.2	0	46.4	40.4	0	142	126	0	34	32	33
2024	10	3	5	6	6	26.8	-3.1	1.193	0.4	0.3	0	46.4	40.4	0	142	126	0	34	32	33
2024	10	3	5	16	6	27.9	-2.9	1.193	0.3	0.2	0	46.4	40.4	0	142	127	0	34	33	33
2024	10	3	5	26	6	26.7	-3.1	1.193	0.3	0.2	0	46.9	40.4	0	142	127	0	33	33	33
2024	10	3	5	36	6	27.7	-2.8	1.194	0.3	0.2	0	46.9	40.9	0	142	127	0	33	32	33
2024	10	3	5	46	6	27	-3.1	1.193	0.4	0.3	0	46.9	41.3	0	142	128	0	33	32	33
2024	10	3	5	56	6	26.9	-3.2	1.194	0.4	0.3	0	46.4	40.9	0	142	127	0	34	32	33
2024	10	3	6	6	6	27.4	-2.4	1.194	0.3	0.2	0	46	40	0	141	126	0	34	33	33
2024	10	3	6	16	6	28.3	-2.9	1.194	0.4	0.3	0	46	40.4	0	141	126	0	34	32	32
2024	10	3	6	26	6	29.1	-2.7	1.194	0.4	0.3	0	45.6	40.4	0	140	126	0	34	32	34
2024	10	3	6	36	6	27.4	-3	1.194	0.3	0.2	0	46	40.4	0	140	126	0	33	32	32
2024	10	3	6	46	6	27.8	-2.8	1.194	0.4	0.3	0	46	40.4	0	140	126	0	33	32	32
2024	10	3	6	56	6	27.5	-2.3	1.194	0.4	0.3	0	45.6	40	0	140	125	0	34	32	33
2024	10	3	7	6	6	27.3	-3.1	1.194	0.4	0.3	0	45.2	40	0	139	125	0	34	32	32
2024	10	3	7	16	6	27.9	-2.4	1.194	0.4	0.3	0	45.6	39.6	0	139	124	0	33	32	33
2024	10	3	7	26	6	26.7	-3.5	1.194	0.3	0.2	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	3	7	36	6	27.7	-3.1	1.194	0.4	0.3	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	3	7	46	6	26.4	-2.9	1.194	0.3	0.2	0	44.7	39.1	0	138	124	0	34	33	32
2024	10	3	7	56	6	27.4	-2	1.194	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	3	8	6	6	26.4	-2.3	1.194	0.3	0.2	0	44.7	39.6	0	138	124	0	34	32	34
2024	10	3	8	16	6	27.4	-2.1	1.195	0.3	0.2	0	44.7	39.6	0	138	124	0	34	32	32
2024	10	3	8	26	6	27.5	-2.2	1.195	0.3	0.2	0	44.3	39.1	0	137	123	0	34	32	32
2024	10	3	8	36	6	28.3	-2.3	1.195	0.5	0.4	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	3	8	46	6	26.8	-3.7	1.195	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	3	8	56	6	28.4	-2.4	1.195	0.4	0.3	0	44.3	38.3	0	136	122	0	33	33	32
2024	10	3	9	6	6	29	-3	1.195	0.4	0.3	0	43.9	38.3	0	136	122	0	34	33	33
2024	10	3	9	16	6	26.5	-3.9	1.195	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	33
2024	10	3	9	26	6	27.8	-2.6	1.195	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	32
2024	10	3	9	36	6	27.5	-3	1.195	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	3	9	46	6	28.1	-2.3	1.195	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	33
2024	10	3	9	56	6	26.9	-3	1.195	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	32
2024	10	3	10	6	6	27	-2.3	1.195	0.4	0.3	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	3	10	16	6	27.2	-2.5	1.195	0.5	0.5	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	3	10	26	6	27.4	-2.5	1.195	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	3	10	36	6	27.1	-2.2	1.195	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	3	10	46	6	27	-2.6	1.195	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	3	10	56	6	27.4	-2.2	1.194	0.4	0.3	0	43.9	39.1	0	135	122	0	33	31	32
2024	10	3	11	6	6	26.9	-3.7	1.194	0.4	0.3	0	43.9	38.7	0	135	122	0	33	32	32
2024	10	3	11	16	6	27.7	-2.8	1.194	0.3	0.2	0	44.3	38.3	0	135	121	0	32	32	32
2024	10	3	11	26	6	27.6	-3.4	1.193	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	3	11	36	6	27.4	-2.3	1.193	0.3	0.2	0	43.9	37.8	0	135	121	0	33	33	33
2024	10	3	11	46	6	27.9	-2.7	1.193	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	3	11	56	6	27.3	-2.6	1.192	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	3	12	6	6	27.6	-3.3	1.191	0.4	0.3	0	43.4	38.3	0	134	120	0	33	31	32
2024	10	3	12	16	6	27.4	-3.2	1.191	0.5	0.4	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	3	12	26	6	28	-2.9	1.191	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	3	12	36	6	27.7	-2.2	1.191	0.3	0.2	0	43	38.3	0	134	120	0	34	31	33
2024	10	3	12	46	6	27.4	-3	1.191	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	3	12	56	6	28.1	-3.2	1.191	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2024	10	3	13	6	6	27.7	-2	1.19	0.4	0.3	0	43.4	37.4	0	134	120	0	33	33	33
2024	10	3	13	16	6	27.3	-2.9	1.191	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	32
2024	10	3	13	26	6	27.5	-3.1	1.19	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	32
2024	10	3	13	36	6	27.4	-3.7	1.19	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	3	13	46	6	29.5	-3	1.19	0.5	0.4	0	43	37.8	0	134	120	0	34	32	32
2024	10	3	13	56	6	27.6	-2.7	1.19	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2024	10	3	14	6	6	27.4	-2.2	1.19	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	32
2024	10	3	14	16	6	28.2	-2.5	1.19	0.3	0.2	0	43	37.8	0	134	120	0	34	32	32
2024	10	3	14	26	6	27.1	-3	1.19	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	3	14	36	6	26.3	-2.6	1.19	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	3	14	46	6	26.9	-3	1.19	0.3	0.2	0	43.9	37.4	0	135	120	0	33	33	33
2024	10	3	14	56	6	26.3	-3.2	1.19	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2024	10	3	15	6	6	26.8	-4.1	1.189	0.3	0.2	0	43	37.4	0	133	119	0	33	32	33
2024	10	3	15	16	6	27.2	-2.4	1.189	0.4	0.3	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	3	15	26	6	27.1	-3.5	1.189	0.3	0.2	0	43.4	38.3	0	135	120	0	34	31	33
2024	10	3	15	36	6	26.9	-1.2	1.189	0.5	0.4	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	3	15	46	6	28.2	-3.6	1.189	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	3	15	56	6	26.6	-3.3	1.189	0.3	0.2	0	43.9	37.8	0	135	121	0	33	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	3	16	6	6	26.8	-2.7	1.189	0.5	0.4	0	44.3	38.7	0	136	122	0	33	32	32
2024	10	3	16	16	6	27.2	-2.7	1.189	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	3	16	26	6	27.3	-3.2	1.189	0.3	0.2	0	43	37.8	0	134	120	0	34	32	34
2024	10	3	16	36	6	26.6	-2.5	1.189	0.4	0.3	0	44.3	37.8	0	136	121	0	33	33	33
2024	10	3	16	46	6	27.6	-3	1.189	0.5	0.4	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	3	16	56	6	27.4	-3.3	1.189	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	3	17	6	6	27.4	-1.8	1.189	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	33
2024	10	3	17	16	6	28.4	-3	1.189	0.4	0.3	0	44.3	38.3	0	136	120	0	33	31	32
2024	10	3	17	26	6	28.6	-3.3	1.189	0.5	0.4	0	44.3	38.3	0	136	121	0	33	32	33
2024	10	3	17	36	6	28.5	-2.7	1.189	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	33
2024	10	3	17	46	6	27.4	-3.3	1.188	0.3	0.2	0	44.3	38.3	0	136	121	0	33	32	33
2024	10	3	17	56	6	27.6	-3	1.189	0.4	0.3	0	44.3	38.3	0	137	121	0	34	32	33
2024	10	3	18	6	6	27.3	-2.7	1.189	0.3	0.2	0	44.7	38.3	0	137	121	0	33	32	32
2024	10	3	18	16	6	28.1	-2.9	1.189	0.4	0.3	0	44.7	37.8	0	137	120	0	33	32	33
2024	10	3	18	26	6	28.1	-2.5	1.189	0.3	0.2	0	44.3	37.8	0	136	120	0	33	32	33
2024	10	3	18	36	6	27.5	-3.4	1.189	0.3	0.2	0	44.3	37.8	0	136	120	0	33	32	32
2024	10	3	18	46	6	26.4	-3.5	1.189	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	32
2024	10	3	18	56	6	27.4	-2.3	1.189	0.3	0.2	0	44.7	38.3	0	137	121	0	33	32	33
2024	10	3	19	6	6	26.9	-2.7	1.189	0.4	0.3	0	43	38.3	0	134	121	0	34	32	33
2024	10	3	19	16	6	28.1	-3.2	1.189	0.3	0.2	0	45.2	38.7	0	138	122	0	33	32	33
2024	10	3	19	26	6	26.4	-2.2	1.189	0.4	0.3	0	45.6	39.1	0	139	123	0	33	32	33
2024	10	3	19	36	6	27.1	-2.4	1.189	0.3	0.2	0	45.6	39.1	0	140	123	0	34	32	33
2024	10	3	19	46	6	27.6	-2.9	1.189	0.5	0.4	0	45.6	38.7	0	139	123	0	33	33	33
2024	10	3	19	56	6	27.7	-1.8	1.189	0.4	0.3	0	45.6	39.1	0	140	124	0	34	33	33
2024	10	3	20	6	6	28.3	-2.4	1.188	0.3	0.2	0	45.2	39.1	0	139	123	0	34	32	33
2024	10	3	20	16	6	28.8	-2.7	1.189	0.3	0.2	0	45.2	39.1	0	139	123	0	34	32	33
2024	10	3	20	26	6	27.7	-3.2	1.188	0.4	0.3	0	46	38.7	0	140	123	0	33	33	32
2024	10	3	20	36	6	26.1	-2	1.189	0.4	0.3	0	46	37.8	0	140	120	0	33	32	34
2024	10	3	20	46	6	27.1	-2.6	1.189	0.3	0.2	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	3	20	56	6	26.4	-2.3	1.188	0.4	0.3	0	46.4	40	0	141	125	0	33	32	33
2024	10	3	21	6	6	26.3	-1.4	1.188	0.5	0.4	0	46.9	40.9	0	142	126	0	33	31	34
2024	10	3	21	16	6	27	-1.9	1.189	0.3	0.2	0	46	39.6	0	140	124	0	33	32	33
2024	10	3	21	26	6	27.4	-2.5	1.189	0.4	0.3	0	46.4	40	0	141	125	0	33	32	33
2024	10	3	21	36	6	28.9	-2.9	1.189	0.4	0.3	0	45.6	39.6	0	140	124	0	34	32	33
2024	10	3	21	46	6	27	-3.3	1.189	0.3	0.2	0	46	40	0	140	125	0	33	32	33
2024	10	3	21	56	6	26.5	-3.2	1.189	0.4	0.3	0	46	39.1	0	140	124	0	33	33	33
2024	10	3	22	6	6	27.5	-2.3	1.189	0.3	0.2	0	46	40	0	140	125	0	33	32	33
2024	10	3	22	16	6	27.2	-2.8	1.189	0.3	0.2	0	45.6	39.6	0	140	124	0	34	32	33
2024	10	3	22	26	6	26.9	-2.2	1.189	0.4	0.3	0	46	40.4	0	140	125	0	33	31	33
2024	10	3	22	36	6	27.8	-2.2	1.189	0.3	0.2	0	45.6	40	0	140	125	0	34	32	33
2024	10	3	22	46	6	26.1	-2.6	1.189	0.3	0.2	0	46	36.5	0	140	118	0	33	33	33
2024	10	3	22	56	6	28.4	-2.9	1.189	0.4	0.3	0	46	39.6	0	140	124	0	33	32	33
2024	10	3	23	6	6	29.1	-3.1	1.189	0.5	0.4	0	45.6	39.6	0	140	124	0	34	32	33
2024	10	3	23	16	6	28.3	-3	1.189	0.5	0.5	0	46	40	0	140	125	0	33	32	33
2024	10	3	23	26	6	27	-2.7	1.189	0.3	0.2	0	46	40	0	140	125	0	33	32	32
2024	10	3	23	36	6	27.4	-2.7	1.189	0.3	0.2	0	46	40	0	141	125	0	34	32	33
2024	10	3	23	46	6	28.1	-3.4	1.19	0.5	0.4	0	45.6	40	0	140	125	0	34	32	33
2024	10	3	23	56	6	27.8	-3.2	1.19	0.5	0.4	0	46	40	0	141	126	0	34	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	4	0	6	6	27.7	-4	1.19	0.3	0.2	0	46.4	40	0	141	125	0	33	32	33
2024	10	4	0	16	6	28.5	-3.5	1.191	0.4	0.3	0	46	40.4	0	141	126	0	34	32	32
2024	10	4	0	26	6	27.6	-2.6	1.191	0.4	0.3	0	46.4	40	0	141	125	0	33	32	33
2024	10	4	0	36	6	27.7	-2.8	1.191	0.4	0.3	0	46	40.4	0	141	126	0	34	32	33
2024	10	4	0	46	6	27.9	-3.2	1.192	0.3	0.2	0	46.4	40	0	141	126	0	33	33	33
2024	10	4	0	56	6	27.6	-3.1	1.192	0.4	0.3	0	46	40	0	141	125	0	34	32	34
2024	10	4	1	6	6	26.2	-2.3	1.193	0.3	0.2	0	46.4	40	0	141	126	0	33	33	32
2024	10	4	1	16	6	28.2	-2.5	1.193	0.3	0.2	0	45.6	39.1	0	139	123	0	33	32	33
2024	10	4	1	26	6	26.8	-2.2	1.193	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	4	1	36	6	27.6	-3.6	1.193	0.3	0.2	0	46.4	40	0	140	125	0	32	32	33
2024	10	4	1	46	6	28.5	-2.8	1.193	0.3	0.2	0	46	39.6	0	140	124	0	33	32	33
2024	10	4	1	56	6	27.4	-3	1.194	0.4	0.3	0	45.6	39.6	0	140	124	0	34	32	33
2024	10	4	2	6	6	28.5	-2.8	1.194	0.3	0.2	0	46.4	40	0	141	125	0	33	32	33
2024	10	4	2	16	6	26.2	-2.5	1.194	0.4	0.3	0	46	40	0	141	125	0	34	32	33
2024	10	4	2	26	6	27.3	-1.9	1.194	0.5	0.4	0	45.6	39.6	0	140	124	0	34	32	33
2024	10	4	2	36	6	27.2	-2.7	1.194	0.4	0.3	0	45.6	39.1	0	140	124	0	34	33	33
2024	10	4	2	46	6	27.2	-2.7	1.194	0.3	0.2	0	46.4	40	0	141	125	0	33	32	33
2024	10	4	2	56	6	27.7	-3.1	1.194	0.3	0.2	0	45.6	40	0	140	124	0	34	31	33
2024	10	4	3	6	6	27	-2.4	1.194	0.4	0.3	0	46	39.6	0	140	124	0	33	32	33
2024	10	4	3	16	6	26.5	-2.5	1.194	0.5	0.4	0	46	39.6	0	140	124	0	33	32	33
2024	10	4	3	26	6	28.6	-2.2	1.194	0.4	0.3	0	45.2	38.7	0	139	123	0	34	33	33
2024	10	4	3	36	6	28.2	-3	1.195	0.3	0.2	0	45.6	39.6	0	140	124	0	34	32	33
2024	10	4	3	46	6	27.5	-2.8	1.195	0.4	0.3	0	45.2	39.1	0	139	124	0	34	33	34
2024	10	4	3	56	6	26.4	-2.8	1.195	0.4	0.3	0	46	39.6	0	140	124	0	33	32	32
2024	10	4	4	6	6	28.2	-4	1.195	0.3	0.2	0	45.6	39.1	0	139	123	0	33	32	33
2024	10	4	4	16	6	28.1	-2.7	1.195	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	34
2024	10	4	4	26	6	27.5	-2.8	1.195	0.3	0.2	0	45.6	39.1	0	139	124	0	33	33	33
2024	10	4	4	36	6	27.3	-2.2	1.195	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	4	4	46	6	28.1	-1.8	1.195	0.4	0.3	0	45.6	39.1	0	139	124	0	33	33	33
2024	10	4	4	56	6	26.2	-2	1.195	0.4	0.3	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	4	5	6	6	26.8	-2.7	1.196	0.5	0.4	0	46	39.6	0	140	124	0	33	32	32
2024	10	4	5	16	6	25.8	-1.8	1.195	0.4	0.3	0	46	39.6	0	140	124	0	33	32	33
2024	10	4	5	26	6	27.8	-1.8	1.196	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	4	5	36	6	27.9	-2.5	1.196	0.5	0.4	0	45.2	39.1	0	139	123	0	34	32	34
2024	10	4	5	46	6	28.3	-2.9	1.196	0.3	0.2	0	45.2	39.1	0	139	123	0	34	32	32
2024	10	4	5	56	6	27.9	-3.6	1.196	0.5	0.5	0	45.2	39.6	0	139	124	0	34	32	32
2024	10	4	6	6	6	28.2	-3	1.196	0.3	0.2	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	4	6	16	6	27.8	-2.9	1.196	0.3	0.2	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	4	6	26	6	27.9	-2.8	1.196	0.4	0.3	0	45.2	38.7	0	138	122	0	33	32	32
2024	10	4	6	36	6	27.5	-3.1	1.196	0.3	0.2	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	4	6	46	6	27	-3.1	1.196	0.3	0.2	0	44.7	38.7	0	138	122	0	34	32	32
2024	10	4	6	56	6	26.8	-2.4	1.196	0.3	0.2	0	45.2	38.7	0	138	122	0	33	32	32
2024	10	4	7	6	6	26	-2.7	1.196	0.3	0.2	0	44.7	38.3	0	137	121	0	33	32	33
2024	10	4	7	16	6	27.5	-3.1	1.196	0.3	0.2	0	44.3	37.8	0	136	120	0	33	32	33
2024	10	4	7	26	6	27.7	-2.2	1.196	0.4	0.3	0	44.3	37.8	0	136	120	0	33	32	33
2024	10	4	7	36	6	28	-2.3	1.196	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	33
2024	10	4	7	46	6	27.9	-2.7	1.197	0.5	0.4	0	44.3	37.8	0	136	120	0	33	32	33
2024	10	4	7	56	6	27.7	-2.7	1.197	0.4	0.3	0	44.3	37.8	0	136	120	0	33	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	4	8	6	6	27	-1.7	1.197	0.4	0.3	0	44.3	37.8	0	136	121	0	33	33	33
2024	10	4	8	16	6	27.8	-3.1	1.197	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	4	8	26	6	27.5	-3.3	1.197	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	32
2024	10	4	8	36	6	27.3	-3.2	1.197	0.5	0.4	0	43.4	37.8	0	135	120	0	34	32	33
2024	10	4	8	46	6	27.9	-2	1.197	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	4	8	56	6	27.4	-2.7	1.197	0.4	0.3	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	4	9	6	6	27.4	-2.3	1.197	0.4	0.3	0	43	37.4	0	134	119	0	34	32	32
2024	10	4	9	16	6	28.2	-2	1.197	0.3	0.2	0	43	37	0	133	118	0	33	32	33
2024	10	4	9	26	6	27.1	-2.3	1.197	0.3	0.2	0	43	36.5	0	134	118	0	34	33	33
2024	10	4	9	36	6	27.3	-2.4	1.197	0.4	0.3	0	43	37.4	0	134	119	0	34	32	33
2024	10	4	9	46	6	27.5	-3.2	1.197	0.4	0.3	0	43	37	0	133	118	0	33	32	33
2024	10	4	9	56	6	27.1	-2.2	1.197	0.3	0.2	0	42.6	37	0	133	118	0	34	32	33
2024	10	4	10	6	6	27.2	-2.5	1.197	0.3	0.2	0	43	37.4	0	133	119	0	33	32	34
2024	10	4	10	16	6	27.4	-2.2	1.197	0.3	0.2	0	43	37	0	133	118	0	33	32	33
2024	10	4	10	26	6	27.7	-3.3	1.197	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	32
2024	10	4	10	36	6	28	-3.6	1.197	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	4	10	46	6	26.9	-3.2	1.197	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	32
2024	10	4	10	56	6	25.7	-1.6	1.197	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	4	11	6	6	27.9	-2.8	1.197	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	4	11	16	6	27.7	-3.4	1.197	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	4	11	26	6	27.2	-2.1	1.197	0.3	0.2	0	43.4	37.4	0	134	120	0	33	33	33
2024	10	4	11	36	6	27.9	-3.6	1.197	0.4	0.3	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	4	11	46	6	27.8	-2.4	1.197	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	32
2024	10	4	11	56	6	26.6	-2.2	1.197	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	4	12	6	6	27.1	-2.7	1.197	0.4	0.3	0	43.4	38.7	0	134	121	0	33	31	33
2024	10	4	12	16	6	27.4	-2.3	1.197	0.4	0.3	0	43.4	38.3	0	134	120	0	33	31	33
2024	10	4	12	26	6	27.5	-2.9	1.196	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	4	12	36	6	27.5	-2.1	1.197	0.3	0.2	0	42.6	37.4	0	133	120	0	34	33	33
2024	10	4	12	46	6	27.8	-4.1	1.196	0.3	0.2	0	43	37.8	0	133	120	0	33	32	33
2024	10	4	12	56	6	26.8	-2.6	1.196	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2024	10	4	13	6	6	27.2	-2.8	1.196	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	4	13	16	6	28.1	-2.3	1.196	0.3	0.2	0	42.6	37.4	0	133	120	0	34	33	32
2024	10	4	13	26	6	26.7	-3.2	1.196	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	34
2024	10	4	13	36	6	26.8	-1.8	1.196	0.3	0.2	0	43.9	38.7	0	135	121	0	33	31	33
2024	10	4	13	46	6	28.2	-1.6	1.196	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	4	13	56	6	28.1	-2.5	1.196	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	4	14	6	6	27.3	-2.6	1.195	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	4	14	16	6	26.8	-3.7	1.195	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	4	14	26	6	26.8	-1.8	1.196	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	4	14	36	6	27.4	-2.8	1.194	0.3	0.2	0	43.9	37.8	0	135	121	0	33	33	33
2024	10	4	14	46	6	27.3	-2.2	1.193	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2024	10	4	14	56	6	28.6	-3	1.193	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	4	15	6	6	26.8	-3.2	1.192	0.3	0.2	0	43.4	37.4	0	134	120	0	33	33	33
2024	10	4	15	16	6	29.1	-1.5	1.192	0.3	0.2	0	43.4	38.3	0	134	121	0	33	32	32
2024	10	4	15	26	6	27.4	-3	1.192	0.3	0.2	0	43.4	38.3	0	134	120	0	33	31	32
2024	10	4	15	36	6	28.8	-3.6	1.192	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	32
2024	10	4	15	46	6	26.1	-3	1.192	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	4	15	56	6	26.7	-2.1	1.192	0.3	0.2	0	43.4	38.3	0	134	121	0	33	32	32

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	4	16	6	6	26.4	-1.4	1.192	0.3	0.2	0	43	37.4	0	133	119	0	33	32	33
2024	10	4	16	16	6	27.3	-1.8	1.191	0.4	0.3	0	43	37.4	0	133	119	0	33	32	32
2024	10	4	16	26	6	28.4	-3.3	1.192	0.3	0.2	0	43	37.4	0	133	119	0	33	32	32
2024	10	4	16	36	6	27.7	-1.1	1.191	0.3	0.2	0	42.6	37	0	133	119	0	34	33	33
2024	10	4	16	46	6	27.9	-3.2	1.191	0.4	0.3	0	43	37	0	133	118	0	33	32	33
2024	10	4	16	56	6	26.9	-2.5	1.191	0.5	0.4	0	43	37	0	133	118	0	33	32	33
2024	10	4	17	6	6	27.7	-3.2	1.191	0.3	0.2	0	43	37.4	0	133	119	0	33	32	33
2024	10	4	17	16	6	27.3	-2.9	1.191	0.5	0.4	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	4	17	26	6	26.7	-1.8	1.191	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	32
2024	10	4	17	36	6	27.5	-2.6	1.191	0.4	0.3	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	4	17	46	6	27.7	-3.1	1.191	0.3	0.2	0	43.4	37.8	0	134	119	0	33	31	33
2024	10	4	17	56	6	28.2	-2.7	1.191	0.4	0.3	0	43	37.4	0	134	119	0	34	32	33
2024	10	4	18	6	6	26.3	-2.9	1.191	0.4	0.3	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	4	18	16	6	27.2	-2.8	1.192	0.3	0.2	0	43.4	37	0	134	119	0	33	33	33
2024	10	4	18	26	6	26.8	-2.7	1.192	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	32
2024	10	4	18	36	6	27.6	-3	1.192	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	4	18	46	6	27.6	-3.1	1.191	0.5	0.5	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	4	18	56	6	27.6	-3.8	1.192	0.5	0.4	0	44.3	38.7	0	136	121	0	33	31	33
2024	10	4	19	6	6	26.9	-2.5	1.192	0.3	0.2	0	44.7	39.1	0	137	122	0	33	31	32
2024	10	4	19	16	6	27.9	-3	1.192	0.4	0.3	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	4	19	26	6	27.3	-2.6	1.193	0.4	0.3	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	4	19	36	6	26.8	-2.3	1.192	0.5	0.4	0	45.6	39.1	0	139	123	0	33	32	33
2024	10	4	19	46	6	27.1	-2.3	1.194	0.5	0.4	0	45.6	40	0	140	125	0	34	32	33
2024	10	4	19	56	6	27.5	-1.6	1.193	0.4	0.3	0	46	41.3	0	140	127	0	33	31	33
2024	10	4	20	6	6	27.2	-3.2	1.193	0.3	0.2	0	45.6	40.4	0	139	126	0	33	32	32
2024	10	4	20	16	6	28.1	-3.6	1.194	0.4	0.3	0	44.7	40	0	138	125	0	34	32	33
2024	10	4	20	26	6	27.1	-2.5	1.194	0.3	0.2	0	46	40.9	0	141	127	0	34	32	33
2024	10	4	20	36	6	27.5	-3.1	1.194	0.3	0.2	0	46	40.9	0	140	126	0	33	31	32
2024	10	4	20	46	6	26.8	-2.9	1.194	0.3	0.2	0	45.6	40.4	0	140	126	0	34	32	34
2024	10	4	20	56	6	27.2	-3.7	1.194	0.3	0.2	0	46	40	0	140	125	0	33	32	33
2024	10	4	21	6	6	27.9	-3	1.194	0.3	0.2	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	4	21	16	6	27.6	-2.4	1.195	0.4	0.3	0	45.2	37.8	0	139	120	0	34	32	33
2024	10	4	21	26	6	27.4	-2.8	1.194	0.4	0.3	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	4	21	36	6	27.6	-3.2	1.195	0.3	0.2	0	45.2	39.1	0	138	123	0	33	32	32
2024	10	4	21	46	6	27.9	-4.4	1.195	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	4	21	56	6	27.1	-3.6	1.194	0.3	0.2	0	46	40.4	0	140	126	0	33	32	32
2024	10	4	22	6	6	26.1	-2.7	1.195	0.3	0.2	0	45.6	40	0	140	126	0	34	33	33
2024	10	4	22	16	6	28	-3	1.195	0.3	0.2	0	45.2	40	0	139	125	0	34	32	32
2024	10	4	22	26	6	28.2	-3.6	1.194	0.4	0.3	0	45.6	40	0	139	125	0	33	32	33
2024	10	4	22	36	6	28	-3	1.194	0.4	0.3	0	45.2	40	0	139	125	0	34	32	32
2024	10	4	22	46	6	27	-3	1.194	0.3	0.2	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	4	22	56	6	26.8	-1.8	1.195	0.3	0.2	0	45.6	39.6	0	140	125	0	34	33	33
2024	10	4	23	6	6	28.5	-4.1	1.195	0.3	0.2	0	45.6	39.6	0	140	125	0	34	33	32
2024	10	4	23	16	6	29.2	-2.7	1.195	0.4	0.3	0	45.6	39.6	0	139	124	0	33	32	33
2024	10	4	23	26	6	28.2	-2.2	1.195	0.3	0.2	0	45.6	39.6	0	139	124	0	33	32	33
2024	10	4	23	36	6	26.9	-2.5	1.195	0.5	0.4	0	45.2	39.6	0	138	124	0	33	32	32
2024	10	4	23	46	6	26.8	-3.2	1.195	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	4	23	56	6	27.5	-3.6	1.195	0.5	0.4	0	45.6	39.6	0	139	125	0	33	33	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	5	0	6	6	27.6	-3.9	1.195	0.4	0.3	0	45.6	40.9	0	140	127	0	34	32	33
2024	10	5	0	16	6	28.3	-3.4	1.195	0.4	0.3	0	45.6	40.4	0	139	126	0	33	32	34
2024	10	5	0	26	6	27.4	-3.1	1.195	0.3	0.2	0	45.6	39.6	0	139	125	0	33	33	33
2024	10	5	0	36	6	27.4	-3.2	1.195	0.4	0.3	0	45.6	40.4	0	139	126	0	33	32	33
2024	10	5	0	46	6	28	-3.5	1.195	0.3	0.2	0	45.6	40.4	0	139	126	0	33	32	33
2024	10	5	0	56	6	26.6	-2.3	1.195	0.5	0.4	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	5	1	6	6	26.4	-2.3	1.195	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	5	1	16	6	27.2	-3	1.195	0.3	0.2	0	45.6	40	0	140	126	0	34	33	33
2024	10	5	1	26	6	27.9	-2.4	1.195	0.4	0.3	0	45.6	40.4	0	140	126	0	34	32	32
2024	10	5	1	36	6	27.6	-2.7	1.195	0.4	0.3	0	45.6	40.4	0	139	126	0	33	32	33
2024	10	5	1	46	6	26.9	-2.7	1.195	0.4	0.3	0	45.6	40.4	0	139	126	0	33	32	33
2024	10	5	1	56	6	26.5	-2.7	1.195	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33
2024	10	5	2	6	6	27.7	-4.1	1.195	0.3	0.2	0	45.6	40.4	0	139	125	0	33	31	33
2024	10	5	2	16	6	26.7	-2.2	1.195	0.3	0.2	0	45.2	40.4	0	139	126	0	34	32	33
2024	10	5	2	26	6	27	-2.8	1.195	0.5	0.4	0	45.2	40.4	0	139	126	0	34	32	33
2024	10	5	2	36	6	27.5	-3.5	1.195	0.3	0.2	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	5	2	46	6	28.7	-2.7	1.196	0.3	0.2	0	44.7	40.4	0	138	125	0	34	31	33
2024	10	5	2	56	6	28.2	-3.1	1.196	0.4	0.3	0	45.6	40	0	139	125	0	33	32	33
2024	10	5	3	6	6	27.8	-2.1	1.196	0.4	0.3	0	45.2	40.4	0	139	126	0	34	32	33
2024	10	5	3	16	6	26.8	-1.9	1.196	0.3	0.2	0	45.2	40	0	139	125	0	34	32	32
2024	10	5	3	26	6	26.3	-2.4	1.196	0.4	0.3	0	45.2	40	0	138	125	0	33	32	33
2024	10	5	3	36	6	27.6	-2.9	1.196	0.5	0.4	0	45.2	40	0	138	125	0	33	32	33
2024	10	5	3	46	6	28.6	-2.9	1.196	0.4	0.3	0	44.7	40	0	138	125	0	34	32	33
2024	10	5	3	56	6	28.4	-2.6	1.196	0.3	0.2	0	45.2	40	0	138	125	0	33	32	33
2024	10	5	4	6	6	26.6	-1.9	1.196	0.3	0.2	0	45.2	40	0	139	125	0	34	32	33
2024	10	5	4	16	6	26.9	-2.2	1.196	0.4	0.3	0	45.6	40	0	139	125	0	33	32	33
2024	10	5	4	26	6	28.3	-3	1.196	0.3	0.2	0	45.2	39.6	0	138	125	0	33	33	33
2024	10	5	4	36	6	28.2	-2.8	1.196	0.3	0.2	0	45.2	40.4	0	138	125	0	33	31	32
2024	10	5	4	46	6	27.2	-2.8	1.196	0.3	0.2	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	5	4	56	6	27.3	-2.9	1.196	0.5	0.4	0	45.6	40	0	139	125	0	33	32	32
2024	10	5	5	6	6	27.1	-1.4	1.196	0.4	0.3	0	45.6	40	0	139	126	0	33	33	33
2024	10	5	5	16	6	27.4	-2.3	1.196	0.5	0.4	0	45.2	40	0	139	125	0	34	32	33
2024	10	5	5	26	6	28.4	-2.6	1.196	0.3	0.2	0	44.7	40	0	138	125	0	34	32	32
2024	10	5	5	36	6	26.9	-2.5	1.196	0.4	0.3	0	44.7	40	0	138	125	0	34	32	33
2024	10	5	5	46	6	27.8	-3.3	1.196	0.4	0.3	0	45.6	40	0	139	125	0	33	32	33
2024	10	5	5	56	6	28.6	-2.7	1.197	0.4	0.3	0	46	40	0	141	125	0	34	32	33
2024	10	5	6	6	6	27.9	-3.1	1.196	0.4	0.3	0	46	40	0	141	125	0	34	32	33
2024	10	5	6	16	6	26.6	-2.3	1.196	0.5	0.4	0	46	39.1	0	140	124	0	33	33	33
2024	10	5	6	26	6	28	-2.8	1.196	0.4	0.3	0	45.6	39.6	0	140	123	0	34	31	33
2024	10	5	6	36	6	27.9	-3.1	1.196	0.4	0.3	0	45.2	38.7	0	139	123	0	34	33	32
2024	10	5	6	46	6	27.2	-2.8	1.196	0.4	0.3	0	45.2	39.1	0	139	123	0	34	32	33
2024	10	5	6	56	6	27.4	-2.5	1.196	0.3	0.2	0	45.2	39.1	0	139	123	0	34	32	32
2024	10	5	7	6	6	27.7	-3	1.197	0.4	0.3	0	45.6	38.7	0	139	123	0	33	33	32
2024	10	5	7	16	6	27.9	-2.3	1.197	0.4	0.3	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	5	7	26	6	27	-2.1	1.197	0.3	0.2	0	45.2	38.7	0	138	122	0	33	32	34
2024	10	5	7	36	6	27.9	-1.5	1.197	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	33
2024	10	5	7	46	6	27.2	-2.7	1.197	0.5	0.4	0	44.7	38.3	0	137	121	0	33	32	33
2024	10	5	7	56	6	27.1	-2.3	1.197	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	5	8	6	6	27.9	-2.3	1.197	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	32
2024	10	5	8	16	6	26.1	-2.4	1.197	0.4	0.3	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	5	8	26	6	27.1	-2.1	1.197	0.5	0.4	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	5	8	36	6	28.2	-2.7	1.197	0.3	0.2	0	43.9	38.3	0	136	121	0	34	32	34
2024	10	5	8	46	6	28.3	-3.2	1.197	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	33
2024	10	5	8	56	6	26.5	-2.4	1.197	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	32
2024	10	5	9	6	6	27	-1.9	1.197	0.3	0.2	0	43.9	37	0	135	119	0	33	33	32
2024	10	5	9	16	6	27.4	-2.8	1.197	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	33
2024	10	5	9	26	6	27.5	-3.6	1.197	0.3	0.2	0	43.4	37.4	0	134	118	0	33	31	33
2024	10	5	9	36	6	27.5	-2.5	1.197	0.3	0.2	0	43.9	37.4	0	135	119	0	33	32	33
2024	10	5	9	46	6	28.1	-2.9	1.197	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	32
2024	10	5	9	56	6	26.4	-2.8	1.197	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2024	10	5	10	6	6	27.7	-3.3	1.197	0.5	0.4	0	43.9	37	0	135	119	0	33	33	32
2024	10	5	10	16	6	26.7	-2.8	1.197	0.4	0.3	0	43.4	37.4	0	135	119	0	34	32	32
2024	10	5	10	26	6	27.1	-2.7	1.197	0.3	0.2	0	43.4	37.8	0	135	119	0	34	31	32
2024	10	5	10	36	6	28.9	-2.9	1.197	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	33
2024	10	5	10	46	6	27.6	-2.9	1.197	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	32
2024	10	5	10	56	6	28.1	-2.9	1.197	0.3	0.2	0	43.9	38.3	0	135	120	0	33	31	33
2024	10	5	11	6	6	27.7	-3.2	1.197	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	5	11	16	6	27.1	-2.3	1.197	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	33
2024	10	5	11	26	6	27.9	-2.5	1.197	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	33
2024	10	5	11	36	6	27	-3.1	1.197	0.3	0.2	0	43.9	37.4	0	135	120	0	33	33	33
2024	10	5	11	46	6	27.7	-1.7	1.197	0.4	0.3	0	43.9	37.8	0	135	120	0	33	32	32
2024	10	5	11	56	6	28	-2.3	1.197	0.4	0.3	0	43	37.8	0	134	119	0	34	31	34
2024	10	5	12	6	6	27.9	-3.2	1.197	0.3	0.2	0	43	37	0	134	119	0	34	33	33
2024	10	5	12	16	6	27.8	-3.1	1.196	0.3	0.2	0	43	37	0	133	118	0	33	32	33
2024	10	5	12	26	6	28.4	-3	1.196	0.3	0.2	0	43.4	37.8	0	134	119	0	33	31	33
2024	10	5	12	36	6	28.3	-2.1	1.197	0.4	0.3	0	43.4	37	0	134	118	0	33	32	33
2024	10	5	12	46	6	27.6	-3.2	1.196	0.5	0.4	0	43.4	37	0	134	118	0	33	32	33
2024	10	5	12	56	6	28	-3.1	1.196	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2024	10	5	13	6	6	28.1	-2.4	1.196	0.5	0.4	0	43	37.4	0	133	119	0	33	32	33
2024	10	5	13	16	6	26.6	-3.7	1.196	0.3	0.2	0	43	37	0	133	118	0	33	32	33
2024	10	5	13	26	6	26	-3.1	1.196	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	5	13	36	6	27.7	-2.6	1.196	0.4	0.3	0	43.4	37.4	0	135	119	0	34	32	33
2024	10	5	13	46	6	28.2	-3	1.196	0.4	0.3	0	43.4	37	0	134	119	0	33	33	32
2024	10	5	13	56	6	27.1	-3.7	1.196	0.3	0.2	0	43	37	0	133	118	0	33	32	32
2024	10	5	14	6	6	27.2	-2.3	1.196	0.5	0.5	0	43.4	37.4	0	134	119	0	33	32	34
2024	10	5	14	16	6	28.3	-3.2	1.196	0.3	0.2	0	43	37.8	0	134	119	0	34	31	33
2024	10	5	14	26	6	27.7	-2.8	1.195	0.3	0.2	0	43	37.4	0	134	119	0	34	32	32
2024	10	5	14	36	6	27.6	-2.5	1.195	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2024	10	5	14	46	6	29.5	-3.6	1.195	0.5	0.4	0	42.6	37.4	0	133	118	0	34	31	32
2024	10	5	14	56	6	28.3	-2.9	1.194	0.3	0.2	0	43.4	37.4	0	134	118	0	33	31	33
2024	10	5	15	6	6	27	-2.3	1.194	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	5	15	16	6	27.1	-1.8	1.194	0.5	0.4	0	43.4	37.4	0	135	119	0	34	32	34
2024	10	5	15	26	6	27.6	-3	1.193	0.5	0.4	0	43	37.4	0	134	119	0	34	32	32
2024	10	5	15	36	6	27.2	-2.4	1.193	0.4	0.3	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	5	15	46	6	27.8	-2.7	1.193	0.5	0.5	0	42.6	36.5	0	133	117	0	34	32	33
2024	10	5	15	56	6	26.8	-3.2	1.193	0.4	0.3	0	43	37	0	133	117	0	33	31	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	5	16	6	6	27.9	-3.2	1.192	0.5	0.4	0	43	37	0	133	117	0	33	31	33
2024	10	5	16	16	6	28.2	-2.8	1.193	0.4	0.3	0	42.6	36.5	0	132	117	0	33	32	33
2024	10	5	16	26	6	27.1	-3	1.193	0.3	0.2	0	43	36.1	0	133	117	0	33	33	32
2024	10	5	16	36	6	27.8	-2.6	1.192	0.3	0.2	0	42.6	37	0	133	118	0	34	32	33
2024	10	5	16	46	6	26.3	-1.8	1.192	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	5	16	56	6	27.2	-2.7	1.193	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	5	17	6	6	27.3	-2.3	1.193	0.3	0.2	0	43.4	37.8	0	134	119	0	33	31	33
2024	10	5	17	16	6	28.2	-3.3	1.193	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	5	17	26	6	26.9	-2.5	1.193	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	33
2024	10	5	17	36	6	27.2	-2.5	1.193	0.3	0.2	0	43.4	37.8	0	135	119	0	34	31	32
2024	10	5	17	46	6	27.5	-2.6	1.194	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	33
2024	10	5	17	56	6	28.2	-3	1.194	0.3	0.2	0	43.9	37.8	0	135	119	0	33	31	33
2024	10	5	18	6	6	26.8	-1.5	1.195	0.4	0.3	0	44.3	37.8	0	136	120	0	33	32	33
2024	10	5	18	16	6	26.2	-1.1	1.195	0.3	0.2	0	44.3	38.3	0	136	121	0	33	32	33
2024	10	5	18	26	6	27.8	-1.4	1.195	0.3	0.2	0	44.7	38.7	0	137	121	0	33	31	33
2024	10	5	18	36	6	26.4	-2.5	1.195	0.3	0.2	0	44.3	38.3	0	136	121	0	33	32	32
2024	10	5	18	46	6	27.7	-2.2	1.195	0.5	0.4	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	5	18	56	6	27.8	-3.2	1.195	0.3	0.2	0	45.6	37.8	0	139	120	0	33	32	33
2024	10	5	19	6	6	29.4	-2.8	1.196	0.4	0.3	0	45.6	39.6	0	139	124	0	33	32	32
2024	10	5	19	16	6	28.2	-3.6	1.196	0.3	0.2	0	46	40	0	140	125	0	33	32	33
2024	10	5	19	26	6	28.9	-2.5	1.196	0.3	0.2	0	46	40	0	140	125	0	33	32	33
2024	10	5	19	36	6	28.2	-2	1.196	0.3	0.2	0	46	40.4	0	141	126	0	34	32	33
2024	10	5	19	46	6	28.3	-3.7	1.196	0.5	0.4	0	46.4	40.4	0	141	126	0	33	32	32
2024	10	5	19	56	6	28	-3.2	1.196	0.3	0.2	0	46.9	40.4	0	142	126	0	33	32	33
2024	10	5	20	6	6	29	-3.8	1.196	0.4	0.3	0	46.4	40	0	141	125	0	33	32	32
2024	10	5	20	16	6	27.7	-3.2	1.196	0.5	0.4	0	46.4	40.9	0	141	126	0	33	31	33
2024	10	5	20	26	6	27.9	-3.5	1.196	0.3	0.2	0	45.6	39.6	0	140	125	0	34	33	33
2024	10	5	20	36	6	28.4	-4	1.196	0.3	0.2	0	46	40	0	140	125	0	33	32	32
2024	10	5	20	46	6	26.1	-2.5	1.197	0.5	0.5	0	46.9	40.9	0	142	127	0	33	32	33
2024	10	5	20	56	6	28.8	-2.4	1.197	0.4	0.3	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	5	21	6	6	27.9	-3.7	1.197	0.5	0.4	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	5	21	16	6	26	-3.1	1.197	0.4	0.3	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	5	21	26	6	27	-2.4	1.197	0.4	0.3	0	46	40	0	141	126	0	34	33	32
2024	10	5	21	36	6	26.7	-2	1.197	0.4	0.3	0	46	40	0	141	126	0	34	33	33
2024	10	5	21	46	6	27	-2.4	1.197	0.3	0.2	0	46	40.4	0	141	126	0	34	32	33
2024	10	5	21	56	6	28.4	-3	1.197	0.3	0.2	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	5	22	6	6	27.9	-2.5	1.197	0.3	0.2	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	5	22	16	6	27.2	-2.2	1.197	0.3	0.2	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	5	22	26	6	26.1	-2.6	1.197	0.5	0.4	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	5	22	36	6	27.4	-2.8	1.197	0.4	0.3	0	46.4	40.9	0	141	126	0	33	31	33
2024	10	5	22	46	6	28.2	-2.8	1.197	0.3	0.2	0	46.4	40.9	0	141	127	0	33	32	32
2024	10	5	22	56	6	26.8	-2.3	1.197	0.4	0.3	0	46	40.4	0	141	126	0	34	32	33
2024	10	5	23	6	6	26.8	-2.7	1.197	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	5	23	16	6	27.3	-2.4	1.197	0.3	0.2	0	45.6	40	0	140	125	0	34	32	33
2024	10	5	23	26	6	27.9	-2.4	1.197	0.4	0.3	0	46	40	0	140	125	0	33	32	33
2024	10	5	23	36	6	27.8	-3.1	1.197	0.5	0.4	0	46	40.4	0	141	126	0	34	32	33
2024	10	5	23	46	6	28.4	-3.6	1.197	0.4	0.3	0	46	40	0	140	125	0	33	32	32
2024	10	5	23	56	6	28.1	-2.7	1.197	0.3	0.2	0	46	40.4	0	141	126	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	6	0	6	6	26.5	-1.8	1.198	0.3	0.2	0	46.4	40.9	0	141	126	0	33	31	32
2024	10	6	0	16	6	26.1	-2.6	1.197	0.5	0.4	0	46	40.4	0	141	126	0	34	32	32
2024	10	6	0	26	6	28.1	-3.2	1.198	0.4	0.3	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	6	0	36	6	27.9	-2.7	1.198	0.4	0.3	0	46	40.4	0	141	126	0	34	32	33
2024	10	6	0	46	6	27.8	-2.9	1.198	0.5	0.4	0	46	40.4	0	141	126	0	34	32	33
2024	10	6	0	56	6	27.1	-2.4	1.198	0.5	0.4	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	6	1	6	6	27.2	-1.8	1.198	0.4	0.3	0	46.4	40.4	0	141	126	0	33	32	34
2024	10	6	1	16	6	27.7	-3	1.198	0.5	0.4	0	45.6	40.4	0	140	126	0	34	32	32
2024	10	6	1	26	6	26.6	-2.9	1.198	0.5	0.4	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	6	1	36	6	29.1	-2.1	1.198	0.4	0.3	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	6	1	46	6	29.1	-3.1	1.198	0.4	0.3	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	6	1	56	6	27.2	-3.1	1.198	0.4	0.3	0	45.6	40	0	140	125	0	34	32	34
2024	10	6	2	6	6	28.4	-2.6	1.198	0.4	0.3	0	46	40.4	0	140	126	0	33	32	34
2024	10	6	2	16	6	27.5	-3.4	1.198	0.3	0.2	0	45.6	39.6	0	140	125	0	34	33	33
2024	10	6	2	26	6	27.2	-1.8	1.198	0.5	0.4	0	46	40.9	0	141	126	0	34	31	32
2024	10	6	2	36	6	27.5	-3.6	1.198	0.3	0.2	0	46	40	0	140	125	0	33	32	33
2024	10	6	2	46	6	28.4	-2.7	1.198	0.3	0.2	0	46	40.4	0	140	126	0	33	32	33
2024	10	6	2	56	6	27.4	-2.7	1.198	0.3	0.2	0	46	40	0	140	125	0	33	32	33
2024	10	6	3	6	6	27	-2.3	1.198	0.3	0.2	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	6	3	16	6	27.2	-2.5	1.198	0.5	0.4	0	46.4	40.4	0	141	126	0	33	32	32
2024	10	6	3	26	6	27	-2.4	1.198	0.3	0.2	0	46	40.4	0	140	126	0	33	32	33
2024	10	6	3	36	6	26.5	-2.3	1.198	0.5	0.4	0	45.6	39.6	0	139	124	0	33	32	33
2024	10	6	3	46	6	27.3	-2.9	1.198	0.5	0.4	0	46	39.1	0	140	124	0	33	33	33
2024	10	6	3	56	6	28.9	-2.7	1.198	0.3	0.2	0	45.6	39.1	0	139	123	0	33	32	33
2024	10	6	4	6	6	27.5	-2.5	1.198	0.5	0.4	0	45.6	39.6	0	139	123	0	33	31	33
2024	10	6	4	16	6	27.3	-2.9	1.198	0.3	0.2	0	45.6	39.1	0	140	123	0	34	32	33
2024	10	6	4	26	6	28.5	-3	1.199	0.4	0.3	0	46	39.1	0	140	123	0	33	32	33
2024	10	6	4	36	6	27.7	-2.3	1.198	0.3	0.2	0	45.6	39.6	0	140	124	0	34	32	34
2024	10	6	4	46	6	29	-2.3	1.199	0.4	0.3	0	46	39.6	0	140	124	0	33	32	33
2024	10	6	4	56	6	28.4	-2.7	1.199	0.3	0.2	0	46	39.6	0	140	124	0	33	32	34
2024	10	6	5	6	6	28.8	-3.4	1.199	0.4	0.3	0	45.6	38.7	0	139	123	0	33	33	33
2024	10	6	5	16	6	28.7	-2.7	1.199	0.4	0.3	0	45.2	38.7	0	139	123	0	34	33	33
2024	10	6	5	26	6	27.7	-2	1.199	0.4	0.3	0	45.2	39.1	0	139	123	0	34	32	33
2024	10	6	5	36	6	28.2	-3	1.199	0.4	0.3	0	45.6	39.6	0	140	124	0	34	32	32
2024	10	6	5	46	6	26.8	-2.1	1.199	0.3	0.2	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	6	5	56	6	26.5	-1.9	1.199	0.4	0.3	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	6	6	6	6	27.1	-3.6	1.199	0.3	0.2	0	46	40.4	0	141	126	0	34	32	33
2024	10	6	6	16	6	27.8	-1.8	1.199	0.4	0.3	0	45.6	40	0	140	125	0	34	32	33
2024	10	6	6	26	6	28.1	-2.9	1.199	0.3	0.2	0	45.6	39.6	0	139	124	0	33	32	32
2024	10	6	6	36	6	27	-2.5	1.199	0.3	0.2	0	45.6	40	0	140	125	0	34	32	33
2024	10	6	6	46	6	26.6	-1.5	1.199	0.3	0.2	0	45.6	40	0	140	125	0	34	32	33
2024	10	6	6	56	6	28.8	-2.8	1.199	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	6	7	6	6	26.6	-2.4	1.199	0.4	0.3	0	45.6	39.6	0	139	124	0	33	32	33
2024	10	6	7	16	6	29.3	-1.6	1.199	0.3	0.2	0	45.2	39.1	0	139	124	0	34	33	33
2024	10	6	7	26	6	28.3	-2.9	1.199	0.4	0.3	0	44.7	39.1	0	138	123	0	34	32	34
2024	10	6	7	36	6	27.5	-2.6	1.199	0.4	0.3	0	44.7	38.3	0	137	122	0	33	33	33
2024	10	6	7	46	6	27.3	-3.1	1.199	0.4	0.3	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	6	7	56	6	27	-2.3	1.199	0.5	0.4	0	44.3	38.7	0	137	122	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	6	8	6	6	27.1	-1.9	1.2	0.3	0.2	0	44.7	38.3	0	137	122	0	33	33	33
2024	10	6	8	16	6	28.2	-2.8	1.199	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	6	8	26	6	28.1	-2.6	1.199	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	6	8	36	6	26.8	-1.9	1.2	0.3	0.2	0	44.3	39.1	0	137	122	0	34	31	33
2024	10	6	8	46	6	25.4	-0.4	1.2	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	6	8	56	6	28.9	-2.4	1.2	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	32
2024	10	6	9	6	6	26.5	-2.4	1.2	0.5	0.4	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	6	9	16	6	28.4	-3	1.2	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	6	9	26	6	27	-3.4	1.2	0.5	0.4	0	43.9	38.3	0	136	121	0	34	32	32
2024	10	6	9	36	6	28.3	-3.1	1.2	0.4	0.3	0	43.9	37.8	0	135	121	0	33	33	33
2024	10	6	9	46	6	27.6	-3	1.2	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	6	9	56	6	28.3	-2.7	1.2	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	6	10	6	6	27.6	-2.8	1.2	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	6	10	16	6	28.1	-2.5	1.2	0.3	0.2	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	6	10	26	6	27.6	-2.4	1.2	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	6	10	36	6	28.1	-2.3	1.2	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	6	10	46	6	26.7	-2.5	1.2	0.3	0.2	0	44.3	38.3	0	135	121	0	32	32	33
2024	10	6	10	56	6	28.8	-3.4	1.2	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	6	11	6	6	28.4	-2.3	1.2	0.3	0.2	0	43.4	38.3	0	134	120	0	33	31	33
2024	10	6	11	16	6	26.8	-2.6	1.2	0.3	0.2	0	43	37.8	0	134	120	0	34	32	32
2024	10	6	11	26	6	27.9	-2.5	1.2	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	6	11	36	6	28	-3.1	1.2	0.5	0.4	0	43.4	37.8	0	134	121	0	33	33	33
2024	10	6	11	46	6	28.1	-3.3	1.2	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	6	11	56	6	27.4	-3.3	1.2	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	6	12	6	6	28.3	-2.3	1.2	0.3	0.2	0	42.6	37.8	0	133	119	0	34	31	33
2024	10	6	12	16	6	27.9	-2.5	1.2	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	32
2024	10	6	12	26	6	27.2	-2.1	1.2	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	6	12	36	6	28.1	-2.4	1.2	0.3	0.2	0	43	37.4	0	133	119	0	33	32	32
2024	10	6	12	46	6	27.8	-2.7	1.2	0.3	0.2	0	43	37.4	0	133	119	0	33	32	32
2024	10	6	12	56	6	27.2	-3.3	1.199	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2024	10	6	13	6	6	28	-2.6	1.2	0.3	0.2	0	43	37.4	0	133	119	0	33	32	33
2024	10	6	13	16	6	29	-3.6	1.2	0.3	0.2	0	43	37	0	133	118	0	33	32	32
2024	10	6	13	26	6	26.5	-3.6	1.2	0.5	0.4	0	42.6	37.4	0	133	118	0	34	31	34
2024	10	6	13	36	6	26.8	-2.7	1.2	0.3	0.2	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	6	13	46	6	26.5	-2.9	1.2	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	6	13	56	6	27.9	-3.5	1.2	0.4	0.3	0	42.6	37	0	133	118	0	34	32	33
2024	10	6	14	6	6	27	-1.8	1.199	0.3	0.2	0	42.6	37.4	0	133	118	0	34	31	33
2024	10	6	14	16	6	28	-1.4	1.2	0.3	0.2	0	42.6	37	0	132	118	0	33	32	33
2024	10	6	14	26	6	27.3	-3.3	1.2	0.4	0.3	0	42.6	36.5	0	132	118	0	33	33	33
2024	10	6	14	36	6	26.9	-3.7	1.199	0.3	0.2	0	43	37	0	133	118	0	33	32	33
2024	10	6	14	46	6	26.8	-2.2	1.199	0.3	0.2	0	42.6	36.5	0	132	117	0	33	32	33
2024	10	6	14	56	6	27.5	-3.2	1.199	0.3	0.2	0	42.1	36.1	0	131	116	0	33	32	33
2024	10	6	15	6	6	28.2	-2.9	1.199	0.3	0.2	0	42.6	37	0	132	118	0	33	32	33
2024	10	6	15	16	6	26.4	-2.7	1.199	0.3	0.2	0	42.6	36.5	0	133	118	0	34	33	33
2024	10	6	15	26	6	28.1	-3.1	1.199	0.4	0.3	0	43	37	0	133	119	0	33	33	33
2024	10	6	15	36	6	27.5	-2.1	1.199	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	6	15	46	6	26.7	-2.4	1.198	0.3	0.2	0	43.9	38.7	0	136	121	0	34	31	32
2024	10	6	15	56	6	28.5	-3.9	1.199	0.4	0.3	0	43.9	38.7	0	135	122	0	33	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	6	16	6	6	28.1	-1.7	1.199	0.3	0.2	0	43.9	38.7	0	135	122	0	33	32	33
2024	10	6	16	16	6	27.3	-3.2	1.199	0.4	0.3	0	43.9	38.7	0	135	122	0	33	32	32
2024	10	6	16	26	6	27.9	-2.5	1.199	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	6	16	36	6	27.8	-2.7	1.199	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	6	16	46	6	27.8	-2.8	1.199	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	32
2024	10	6	16	56	6	26.8	-2.7	1.199	0.5	0.5	0	43	37.4	0	134	119	0	34	32	33
2024	10	6	17	6	6	28	-2.4	1.199	0.4	0.3	0	43	37.8	0	133	119	0	33	31	32
2024	10	6	17	16	6	28.9	-3	1.199	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	32
2024	10	6	17	26	6	27.2	-2.7	1.199	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	32
2024	10	6	17	36	6	28	-2.1	1.199	0.5	0.4	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	6	17	46	6	28.4	-3.3	1.199	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	32
2024	10	6	17	56	6	26.9	-1.2	1.199	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	32
2024	10	6	18	6	6	28.1	-2.4	1.199	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	32
2024	10	6	18	16	6	28.1	-2.7	1.199	0.4	0.3	0	44.3	39.1	0	136	122	0	33	31	33
2024	10	6	18	26	6	27.6	-3.7	1.199	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	6	18	36	6	27.7	-2.6	1.199	0.5	0.4	0	43.9	39.1	0	136	122	0	34	31	33
2024	10	6	18	46	6	27.2	-1.8	1.199	0.3	0.2	0	44.3	39.6	0	137	123	0	34	31	32
2024	10	6	18	56	6	27.2	-2.4	1.199	0.3	0.2	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	6	19	6	6	28	-1.9	1.199	0.3	0.2	0	45.6	39.6	0	139	124	0	33	32	33
2024	10	6	19	16	6	28.2	-2.5	1.199	0.3	0.2	0	45.6	40	0	140	125	0	34	32	33
2024	10	6	19	26	6	27.5	-3.7	1.199	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33
2024	10	6	19	36	6	26.5	-3.4	1.198	0.3	0.2	0	46	40.4	0	140	125	0	33	31	33
2024	10	6	19	46	6	27.4	-1.8	1.198	0.5	0.4	0	45.2	40.4	0	139	126	0	34	32	33
2024	10	6	19	56	6	28.1	-2.8	1.199	0.3	0.2	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	6	20	6	6	27.2	-1.6	1.198	0.3	0.2	0	46	40.4	0	141	126	0	34	32	33
2024	10	6	20	16	6	28	-4.1	1.199	0.4	0.3	0	46	39.6	0	140	125	0	33	33	33
2024	10	6	20	26	6	28.2	-2.3	1.198	0.3	0.2	0	46.4	40	0	141	126	0	33	33	33
2024	10	6	20	36	6	27.6	-2.8	1.198	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	6	20	46	6	27.9	-2.8	1.199	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	6	20	56	6	28.8	-3.1	1.198	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	6	21	6	6	25.9	-2.2	1.198	0.4	0.3	0	46	40.9	0	141	127	0	34	32	33
2024	10	6	21	16	6	27.1	-3.3	1.199	0.5	0.4	0	45.6	40.4	0	140	126	0	34	32	32
2024	10	6	21	26	6	28.1	-2.3	1.198	0.3	0.2	0	46	40	0	140	126	0	33	33	32
2024	10	6	21	36	6	27.5	-2.4	1.198	0.4	0.3	0	45.6	40.9	0	140	126	0	34	31	33
2024	10	6	21	46	6	27.5	-3.2	1.199	0.4	0.3	0	46.4	40.4	0	141	126	0	33	32	33
2024	10	6	21	56	6	26.8	-2.9	1.199	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	6	22	6	6	27.4	-2.7	1.198	0.3	0.2	0	46	40.9	0	141	127	0	34	32	33
2024	10	6	22	16	6	27.8	-3.4	1.198	0.3	0.2	0	45.6	40	0	139	125	0	33	32	33
2024	10	6	22	26	6	26.4	-2.7	1.198	0.4	0.3	0	46	40	0	140	125	0	33	32	33
2024	10	6	22	36	6	27.7	-3	1.198	0.5	0.4	0	45.2	39.6	0	139	125	0	34	33	33
2024	10	6	22	46	6	27.1	-2.3	1.198	0.3	0.2	0	46	40.4	0	141	126	0	34	32	33
2024	10	6	22	56	6	27.9	-2.8	1.198	0.3	0.2	0	46	40.4	0	140	126	0	33	32	32
2024	10	6	23	6	6	28.7	-2.8	1.198	0.5	0.4	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	6	23	16	6	27.4	-3.2	1.198	0.5	0.4	0	46	40	0	140	126	0	33	33	33
2024	10	6	23	26	6	28.8	-2.3	1.198	0.3	0.2	0	45.6	40.9	0	140	127	0	34	32	33
2024	10	6	23	36	6	27.1	-2.6	1.198	0.3	0.2	0	46	40	0	140	126	0	33	33	33
2024	10	6	23	46	6	27.2	-2	1.198	0.3	0.2	0	46	40.4	0	140	126	0	33	32	33
2024	10	6	23	56	6	28.2	-2.3	1.199	0.3	0.2	0	45.2	40	0	139	125	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	7	0	6	6	27.8	-2.2	1.199	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	7	0	16	6	27.5	-2.3	1.198	0.3	0.2	0	46	40.4	0	140	126	0	33	32	33
2024	10	7	0	26	6	27.9	-1.7	1.199	0.3	0.2	0	46	40.4	0	140	126	0	33	32	33
2024	10	7	0	36	6	27.7	-2.5	1.199	0.3	0.2	0	46	40	0	140	125	0	33	32	33
2024	10	7	0	46	6	28.4	-2.4	1.199	0.4	0.3	0	45.6	40.9	0	139	126	0	33	31	33
2024	10	7	0	56	6	27.3	-3.1	1.199	0.3	0.2	0	46	40	0	140	126	0	33	33	33
2024	10	7	1	6	6	27.9	-2.1	1.199	0.4	0.3	0	46	40.4	0	140	126	0	33	32	33
2024	10	7	1	16	6	27.5	-1.7	1.199	0.3	0.2	0	46	40.4	0	140	127	0	33	33	33
2024	10	7	1	26	6	28.1	-2.3	1.199	0.4	0.3	0	45.6	40	0	139	125	0	33	32	33
2024	10	7	1	36	6	26.5	-0.8	1.199	0.3	0.2	0	45.6	40	0	139	125	0	33	32	33
2024	10	7	1	46	6	27.5	-2	1.199	0.5	0.4	0	44.7	39.6	0	138	123	0	34	31	33
2024	10	7	1	56	6	27.4	-1.7	1.199	0.3	0.2	0	44.3	39.6	0	137	124	0	34	32	33
2024	10	7	2	6	6	27.5	-3.1	1.199	0.3	0.2	0	44.7	39.1	0	138	124	0	34	33	32
2024	10	7	2	16	6	27.2	-2.8	1.199	0.3	0.2	0	44.7	39.1	0	138	123	0	34	32	34
2024	10	7	2	26	6	28.1	-3.1	1.199	0.5	0.4	0	45.6	39.1	0	139	124	0	33	33	33
2024	10	7	2	36	6	27.5	-2.7	1.199	0.4	0.3	0	45.2	39.6	0	139	124	0	34	32	32
2024	10	7	2	46	6	27.9	-2.9	1.199	0.4	0.3	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	7	2	56	6	27.2	-2.5	1.199	0.4	0.3	0	45.6	40.4	0	140	126	0	34	32	33
2024	10	7	3	6	6	27.9	-2.3	1.199	0.5	0.4	0	46	40	0	140	126	0	33	33	33
2024	10	7	3	16	6	27.5	-2.8	1.199	0.5	0.4	0	46	40.4	0	140	126	0	33	32	33
2024	10	7	3	26	6	29	-2	1.2	0.3	0.2	0	45.2	40.4	0	139	126	0	34	32	34
2024	10	7	3	36	6	27	-2.6	1.2	0.4	0.3	0	45.6	40.4	0	140	126	0	34	32	32
2024	10	7	3	46	6	27.8	-2.1	1.2	0.4	0.3	0	45.6	40	0	139	125	0	33	32	33
2024	10	7	3	56	6	28.1	-3.9	1.2	0.3	0.2	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	7	4	6	6	28.2	-3.5	1.2	0.3	0.2	0	45.6	40	0	139	125	0	33	32	33
2024	10	7	4	16	6	30	-2.5	1.2	0.4	0.3	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	7	4	26	6	27.4	-4.9	1.2	0.3	0.2	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	7	4	36	6	27.7	-3.2	1.2	0.4	0.3	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	7	4	46	6	28.1	-2.6	1.2	0.4	0.3	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	7	4	56	6	27.4	-2.7	1.2	0.4	0.3	0	45.2	38.7	0	138	123	0	33	33	32
2024	10	7	5	6	6	27.7	-3.5	1.2	0.4	0.3	0	44.3	38.7	0	137	123	0	34	33	33
2024	10	7	5	16	6	29.4	-3.6	1.2	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	7	5	26	6	28.5	-3.3	1.2	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	34
2024	10	7	5	36	6	27.2	-2.5	1.2	0.5	0.4	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	7	5	46	6	27	-3.7	1.2	0.3	0.2	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	7	5	56	6	28.2	-2.5	1.2	0.3	0.2	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	7	6	6	6	28.4	-2.8	1.2	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	7	6	16	6	27.1	-2.7	1.2	0.3	0.2	0	44.7	39.1	0	137	122	0	33	31	32
2024	10	7	6	26	6	28.4	-2.2	1.2	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	7	6	36	6	27.8	-3.2	1.2	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	7	6	46	6	27.4	-3.3	1.2	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	7	6	56	6	27.5	-2.5	1.2	0.3	0.2	0	44.7	38.7	0	137	123	0	33	33	33
2024	10	7	7	6	6	27.4	-2.8	1.201	0.3	0.2	0	43.9	39.1	0	136	122	0	34	31	32
2024	10	7	7	16	6	28.7	-2.5	1.201	0.5	0.4	0	43.9	39.1	0	136	123	0	34	32	33
2024	10	7	7	26	6	26.6	-3.2	1.201	0.3	0.2	0	43.9	39.1	0	135	122	0	33	31	33
2024	10	7	7	36	6	28.4	-2.3	1.201	0.3	0.2	0	43.9	38.7	0	135	122	0	33	32	33
2024	10	7	7	46	6	28.3	-3.7	1.201	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	7	7	56	6	27.7	-1.7	1.201	0.5	0.4	0	43.4	38.3	0	135	121	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	7	8	6	6	28	-2.5	1.201	0.4	0.3	0	43.4	37.4	0	134	120	0	33	33	33
2024	10	7	8	16	6	27.7	-2.8	1.201	0.4	0.3	0	43	37.8	0	134	120	0	34	32	32
2024	10	7	8	26	6	27.4	-2.2	1.201	0.4	0.3	0	43.9	38.3	0	135	122	0	33	33	33
2024	10	7	8	36	6	28	-2.6	1.201	0.3	0.2	0	43.4	37.8	0	134	121	0	33	33	32
2024	10	7	8	46	6	28.2	-2.5	1.201	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	7	8	56	6	27.5	-3.4	1.201	0.4	0.3	0	43	38.3	0	134	121	0	34	32	32
2024	10	7	9	6	6	28.3	-1.6	1.201	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	7	9	16	6	27.3	-2.3	1.201	0.3	0.2	0	43	38.3	0	134	121	0	34	32	33
2024	10	7	9	26	6	28.8	-3	1.201	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	32
2024	10	7	9	36	6	26.8	-2.7	1.201	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	7	9	46	6	28.1	-3.4	1.201	0.3	0.2	0	42.1	37	0	132	118	0	34	32	33
2024	10	7	9	56	6	28.5	-3.1	1.201	0.4	0.3	0	42.1	37.4	0	131	118	0	33	31	33
2024	10	7	10	6	6	28	-2.7	1.201	0.3	0.2	0	42.1	36.5	0	131	117	0	33	32	33
2024	10	7	10	16	6	27.7	-2.8	1.201	0.3	0.2	0	41.3	36.5	0	130	117	0	34	32	33
2024	10	7	10	26	6	27.9	-2.5	1.201	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2024	10	7	10	36	6	27.8	-2.1	1.201	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	7	10	46	6	29.3	-3.2	1.201	0.3	0.2	0	41.7	37	0	131	118	0	34	32	33
2024	10	7	10	56	6	28	-2.3	1.201	0.3	0.2	0	42.1	36.5	0	131	118	0	33	33	33
2024	10	7	11	6	6	27.5	-2.9	1.201	0.4	0.3	0	42.1	37	0	132	118	0	34	32	32
2024	10	7	11	16	6	27.1	-3.2	1.201	0.3	0.2	0	42.6	37.4	0	133	120	0	34	33	32
2024	10	7	11	26	6	28	-1.8	1.201	0.3	0.2	0	44.3	39.1	0	136	123	0	33	32	34
2024	10	7	11	36	6	28.9	-2.3	1.201	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	7	11	46	6	28.6	-2.9	1.201	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	7	11	56	6	28.5	-3	1.2	0.4	0.3	0	41.7	36.5	0	131	118	0	34	33	33
2024	10	7	12	6	6	29	-2.8	1.2	0.3	0.2	0	42.1	37.4	0	131	118	0	33	31	33
2024	10	7	12	16	6	27.2	-3.2	1.201	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	32
2024	10	7	12	26	6	27.7	-2.5	1.2	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	7	12	36	6	27.8	-2.9	1.201	0.4	0.3	0	42.6	37.4	0	132	120	0	33	33	32
2024	10	7	12	46	6	27.8	-2.9	1.2	0.5	0.4	0	42.1	37	0	132	119	0	34	33	33
2024	10	7	12	56	6	27.2	-2.3	1.2	0.4	0.3	0	42.1	37.4	0	132	118	0	34	31	33
2024	10	7	13	6	6	28.2	-2.7	1.2	0.5	0.5	0	42.6	37.8	0	132	119	0	33	31	33
2024	10	7	13	16	6	28.2	-2.7	1.2	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	7	13	26	6	27.2	-2.9	1.2	0.4	0.3	0	43	37.8	0	133	120	0	33	32	33
2024	10	7	13	36	6	27.5	-2.9	1.2	0.3	0.2	0	43	37.8	0	133	120	0	33	32	33
2024	10	7	13	46	6	29.1	-2.5	1.2	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	7	13	56	6	27.7	-1.7	1.2	0.3	0.2	0	42.6	37.8	0	132	119	0	33	31	32
2024	10	7	14	6	6	28.2	-2.2	1.2	0.3	0.2	0	42.6	38.3	0	133	120	0	34	31	33
2024	10	7	14	16	6	28.6	-2.5	1.2	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	7	14	26	6	28.5	-3.1	1.2	0.4	0.3	0	42.1	37.4	0	131	118	0	33	31	32
2024	10	7	14	36	6	27.2	-2.8	1.2	0.3	0.2	0	42.1	37	0	131	118	0	33	32	32
2024	10	7	14	46	6	27.2	-1.5	1.2	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	7	14	56	6	27.7	-2.5	1.2	0.4	0.3	0	42.1	37	0	131	118	0	33	32	33
2024	10	7	15	6	6	27	-2.9	1.2	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2024	10	7	15	16	6	28.2	-3.6	1.2	0.4	0.3	0	41.7	37	0	131	118	0	34	32	32
2024	10	7	15	26	6	26.8	-2.3	1.2	0.3	0.2	0	41.7	37	0	131	118	0	34	32	32
2024	10	7	15	36	6	28.1	-3.1	1.199	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	7	15	46	6	27.7	-2.1	1.2	0.5	0.4	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	7	15	56	6	27.4	-2.3	1.199	0.3	0.2	0	42.6	37	0	132	118	0	33	32	32

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	7	16	6	6	27.4	-2.8	1.199	0.4	0.3	0	42.1	37.4	0	132	118	0	34	31	32
2024	10	7	16	16	6	27.3	-2.1	1.199	0.3	0.2	0	42.6	37	0	132	119	0	33	33	33
2024	10	7	16	26	6	27.2	-1.8	1.199	0.5	0.4	0	42.6	37	0	132	119	0	33	33	33
2024	10	7	16	36	6	27.9	-3.2	1.199	0.3	0.2	0	42.1	36.5	0	131	118	0	33	33	33
2024	10	7	16	46	6	28.1	-3.4	1.199	0.4	0.3	0	41.7	37.4	0	131	118	0	34	31	33
2024	10	7	16	56	6	27	-2.1	1.199	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	7	17	6	6	28.1	-2.7	1.199	0.3	0.2	0	42.6	36.5	0	132	118	0	33	33	33
2024	10	7	17	16	6	27.3	-2.6	1.199	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	7	17	26	6	27.8	-3.7	1.199	0.3	0.2	0	42.1	36.5	0	131	118	0	33	33	33
2024	10	7	17	36	6	28	-2	1.199	0.3	0.2	0	43	37.8	0	133	120	0	33	32	33
2024	10	7	17	46	6	28.3	-2.7	1.199	0.5	0.4	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	7	17	56	6	28.9	-4	1.199	0.3	0.2	0	43	38.3	0	133	120	0	33	31	33
2024	10	7	18	6	6	28.9	-2.7	1.199	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	7	18	16	6	27.4	-2.5	1.199	0.3	0.2	0	43	38.3	0	134	121	0	34	32	33
2024	10	7	18	26	6	28	-3.4	1.199	0.4	0.3	0	43	38.3	0	134	121	0	34	32	32
2024	10	7	18	36	6	26.9	-2.3	1.199	0.3	0.2	0	43	38.3	0	134	121	0	34	32	33
2024	10	7	18	46	6	28.2	-2.5	1.199	0.3	0.2	0	43.4	38.3	0	135	122	0	34	33	33
2024	10	7	18	56	6	28.4	-2.5	1.199	0.5	0.5	0	43.9	39.1	0	136	123	0	34	32	33
2024	10	7	19	6	6	27.9	-3.5	1.199	0.4	0.3	0	44.7	39.1	0	137	123	0	33	32	32
2024	10	7	19	16	6	27.1	-2.8	1.199	0.3	0.2	0	44.7	40	0	137	124	0	33	31	33
2024	10	7	19	26	6	27.4	-2.5	1.199	0.3	0.2	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	7	19	36	6	27.6	-2.2	1.199	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33
2024	10	7	19	46	6	27.8	-2.7	1.199	0.3	0.2	0	45.2	40	0	138	125	0	33	32	32
2024	10	7	19	56	6	26.8	-2.4	1.199	0.5	0.4	0	45.2	40	0	138	125	0	33	32	33
2024	10	7	20	6	6	27.1	-1.9	1.199	0.3	0.2	0	45.2	40.4	0	139	125	0	34	31	33
2024	10	7	20	16	6	28.5	-3.2	1.199	0.3	0.2	0	45.2	38.7	0	138	122	0	33	32	32
2024	10	7	20	26	6	27.6	-1.8	1.199	0.4	0.3	0	45.6	40	0	139	125	0	33	32	32
2024	10	7	20	36	6	27.8	-2.6	1.199	0.3	0.2	0	45.6	40.4	0	139	125	0	33	31	33
2024	10	7	20	46	6	27.7	-2.3	1.199	0.5	0.5	0	45.2	40	0	139	125	0	34	32	33
2024	10	7	20	56	6	26.9	-1.8	1.199	0.4	0.3	0	45.2	40.4	0	139	126	0	34	32	33
2024	10	7	21	6	6	27.9	-3.3	1.199	0.4	0.3	0	45.6	40	0	139	125	0	33	32	34
2024	10	7	21	16	6	27.7	-3	1.199	0.3	0.2	0	45.6	40	0	140	125	0	34	32	33
2024	10	7	21	26	6	27.9	-3	1.199	0.3	0.2	0	45.6	40	0	139	125	0	33	32	33
2024	10	7	21	36	6	26.6	-1.6	1.199	0.3	0.2	0	45.6	40	0	139	125	0	33	32	33
2024	10	7	21	46	6	27.5	-2.7	1.199	0.3	0.2	0	46	40.4	0	140	126	0	33	32	33
2024	10	7	21	56	6	27.4	-3	1.199	0.3	0.2	0	44.3	40	0	137	125	0	34	32	33
2024	10	7	22	6	6	27.9	-3.2	1.199	0.3	0.2	0	45.6	40	0	139	125	0	33	32	32
2024	10	7	22	16	6	28.4	-2.4	1.199	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33
2024	10	7	22	26	6	27.5	-2.3	1.199	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33
2024	10	7	22	36	6	27	-2.7	1.199	0.4	0.3	0	44.3	39.6	0	137	124	0	34	32	33
2024	10	7	22	46	6	27.4	-3	1.199	0.3	0.2	0	45.6	39.6	0	139	124	0	33	32	33
2024	10	7	22	56	6	27	-2.3	1.199	0.3	0.2	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	7	23	6	6	27.7	-3.5	1.199	0.5	0.4	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	7	23	16	6	28	-2.5	1.199	0.4	0.3	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	7	23	26	6	28.7	-1.8	1.199	0.3	0.2	0	45.2	40	0	138	125	0	33	32	33
2024	10	7	23	36	6	28.7	-1.8	1.199	0.3	0.2	0	45.2	40	0	138	125	0	33	32	33
2024	10	7	23	46	6	27.3	-2.7	1.199	0.5	0.4	0	45.6	39.6	0	139	125	0	33	33	33
2024	10	7	23	56	6	27.7	-2.8	1.199	0.5	0.5	0	44.7	40	0	138	124	0	34	31	33
2024	10	7	23	6	6	26.2	-2.2	1.199	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	8	0	6	6	28.2	-2.5	1.199	0.4	0.3	0	45.6	40	0	139	125	0	33	32	33
2024	10	8	0	16	6	27.4	-2.6	1.199	0.4	0.3	0	45.2	40	0	138	125	0	33	32	34
2024	10	8	0	26	6	27	-2	1.199	0.3	0.2	0	45.2	40	0	139	125	0	34	32	32
2024	10	8	0	36	6	27.1	-3.9	1.199	0.5	0.4	0	45.2	39.6	0	138	124	0	33	32	34
2024	10	8	0	46	6	28.9	-3.2	1.2	0.3	0.2	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	8	0	56	6	26.9	-2.3	1.199	0.5	0.4	0	45.2	39.1	0	138	124	0	33	33	33
2024	10	8	1	6	6	27.4	-3.1	1.2	0.3	0.2	0	44.3	39.1	0	137	124	0	34	33	33
2024	10	8	1	16	6	29.2	-2.7	1.2	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	32
2024	10	8	1	26	6	28.2	-2.2	1.2	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	8	1	36	6	27.5	-3.3	1.2	0.4	0.3	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	8	1	46	6	27.4	-2.5	1.2	0.4	0.3	0	45.2	40	0	138	125	0	33	32	33
2024	10	8	1	56	6	27.2	-2	1.2	0.3	0.2	0	45.2	40	0	139	125	0	34	32	33
2024	10	8	2	6	6	26.9	-1.3	1.2	0.3	0.2	0	45.2	39.6	0	139	125	0	34	33	33
2024	10	8	2	16	6	27.4	-2.2	1.2	0.3	0.2	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	8	2	26	6	27.9	-1.8	1.201	0.4	0.3	0	45.2	38.7	0	139	122	0	34	32	33
2024	10	8	2	36	6	29	-2.3	1.2	0.3	0.2	0	45.2	39.1	0	138	124	0	33	33	33
2024	10	8	2	46	6	26.4	-1.7	1.2	0.3	0.2	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	8	2	56	6	27.6	-3.4	1.201	0.4	0.3	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	8	3	6	6	27.8	-2.1	1.201	0.5	0.4	0	44.7	39.6	0	137	124	0	33	32	34
2024	10	8	3	16	6	27.2	-2	1.201	0.4	0.3	0	44.7	40	0	138	125	0	34	32	33
2024	10	8	3	26	6	28.1	-2.1	1.201	0.3	0.2	0	44.3	39.6	0	137	124	0	34	32	33
2024	10	8	3	36	6	28.9	-3.2	1.201	0.5	0.4	0	44.7	40	0	137	124	0	33	31	33
2024	10	8	3	46	6	26.8	-2.9	1.201	0.4	0.3	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	8	3	56	6	28.1	-2.6	1.202	0.4	0.3	0	44.7	39.6	0	137	124	0	33	32	33
2024	10	8	4	6	6	25.9	-2	1.201	0.3	0.2	0	45.2	40	0	138	125	0	33	32	33
2024	10	8	4	16	6	26.6	-2.6	1.202	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	8	4	26	6	28.4	-3.2	1.203	0.3	0.2	0	44.7	39.6	0	137	124	0	33	32	33
2024	10	8	4	36	6	27.9	-3.1	1.202	0.3	0.2	0	44.3	39.6	0	137	124	0	34	32	33
2024	10	8	4	46	6	27.9	-3.1	1.203	0.4	0.3	0	44.3	39.1	0	137	123	0	34	32	34
2024	10	8	4	56	6	27.2	-3.3	1.203	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	8	5	6	6	26.8	-2.2	1.204	0.4	0.3	0	44.7	39.1	0	137	124	0	33	33	33
2024	10	8	5	16	6	27.9	-2.2	1.204	0.4	0.3	0	45.2	39.1	0	138	124	0	33	33	32
2024	10	8	5	26	6	28.9	-3.4	1.204	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	32
2024	10	8	5	36	6	27.9	-3.2	1.204	0.5	0.4	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	8	5	46	6	27.6	-3.4	1.205	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	8	5	56	6	28.1	-2.4	1.205	0.4	0.3	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	8	6	6	6	26.7	-2.5	1.205	0.3	0.2	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	8	6	16	6	27.3	-2.4	1.205	0.4	0.3	0	43.9	39.1	0	135	122	0	33	31	33
2024	10	8	6	26	6	27.9	-3.1	1.205	0.3	0.2	0	43.4	38.7	0	135	122	0	34	32	33
2024	10	8	6	36	6	27.8	-2.3	1.205	0.4	0.3	0	43.4	38.7	0	135	122	0	34	32	33
2024	10	8	6	46	6	26.9	-3	1.205	0.3	0.2	0	43.4	38.7	0	135	122	0	34	32	32
2024	10	8	6	56	6	26.8	-2.9	1.206	0.5	0.4	0	43.4	38.3	0	135	121	0	34	32	32
2024	10	8	7	6	6	27.6	-2.2	1.205	0.3	0.2	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	8	7	16	6	27.1	-2.2	1.206	0.3	0.2	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	8	7	26	6	28.1	-2.1	1.206	0.5	0.5	0	43	37.8	0	134	120	0	34	32	32
2024	10	8	7	36	6	29.2	-2.4	1.206	0.5	0.5	0	41.7	37.4	0	132	119	0	35	32	32
2024	10	8	7	46	6	27.3	-2.2	1.206	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2024	10	8	7	56	6	29.4	-3.2	1.206	0.3	0.2	0	43	37	0	134	118	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	8	8	6	6	29.6	-2.6	1.206	0.4	0.3	0	43.4	37	0	135	118	0	34	32	33
2024	10	8	8	16	6	27.8	-3.7	1.206	0.3	0.2	0	43.4	37	0	134	118	0	33	32	33
2024	10	8	8	26	6	27.7	-2.8	1.206	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	8	8	36	6	26.8	-1.1	1.206	0.3	0.2	0	43	37.8	0	134	119	0	34	31	34
2024	10	8	8	46	6	27.1	-2.6	1.206	0.3	0.2	0	43.4	37.8	0	134	119	0	33	31	33
2024	10	8	8	56	6	27.9	-3.1	1.206	0.3	0.2	0	43	37	0	134	118	0	34	32	33
2024	10	8	9	6	6	29	-2.8	1.206	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2024	10	8	9	16	6	28.3	-2.6	1.206	0.3	0.2	0	43	37	0	134	118	0	34	32	33
2024	10	8	9	26	6	27.4	-1.8	1.206	0.4	0.3	0	43	37	0	134	118	0	34	32	33
2024	10	8	9	36	6	27.1	-3.1	1.207	0.5	0.4	0	43	36.5	0	134	118	0	34	33	33
2024	10	8	9	46	6	29.4	-3.1	1.206	0.4	0.3	0	43.4	37	0	134	118	0	33	32	33
2024	10	8	9	56	6	29.3	-3.1	1.206	0.3	0.2	0	43	37	0	133	117	0	33	31	33
2024	10	8	10	6	6	29	-2.8	1.206	0.4	0.3	0	42.6	36.5	0	132	117	0	33	32	32
2024	10	8	10	16	6	28.6	-2.7	1.206	0.3	0.2	0	43.4	37.4	0	134	120	0	33	33	33
2024	10	8	10	26	6	27.9	-2.5	1.206	0.3	0.2	0	43	37.4	0	134	119	0	34	32	32
2024	10	8	10	36	6	28.8	-2.7	1.206	0.3	0.2	0	43	37.4	0	134	120	0	34	33	33
2024	10	8	10	46	6	29.3	-2.8	1.206	0.3	0.2	0	43	37	0	133	118	0	33	32	33
2024	10	8	10	56	6	28.1	-2.3	1.206	0.3	0.2	0	43	36.5	0	133	118	0	33	33	33
2024	10	8	11	6	6	27.5	-1.8	1.206	0.4	0.3	0	43	37.4	0	134	119	0	34	32	33
2024	10	8	11	16	6	28.3	-3.1	1.206	0.3	0.2	0	43	37	0	133	118	0	33	32	33
2024	10	8	11	26	6	27.2	-2.8	1.206	0.3	0.2	0	43	37.4	0	133	119	0	33	32	32
2024	10	8	11	36	6	28.2	-2.3	1.206	0.3	0.2	0	42.6	37	0	133	118	0	34	32	33
2024	10	8	11	46	6	28.1	-3.4	1.206	0.4	0.3	0	42.1	36.5	0	132	117	0	34	32	33
2024	10	8	11	56	6	26.9	-1.8	1.206	0.3	0.2	0	42.1	37.4	0	132	118	0	34	31	33
2024	10	8	12	6	6	28.9	-1.8	1.206	0.4	0.3	0	43	37.8	0	133	119	0	33	31	33
2024	10	8	12	16	6	28	-2.7	1.206	0.4	0.3	0	43	37.8	0	133	119	0	33	31	33
2024	10	8	12	26	6	28.2	-2.7	1.206	0.3	0.2	0	43	37	0	133	119	0	33	33	32
2024	10	8	12	36	6	27.3	-3.9	1.206	0.3	0.2	0	42.6	37.4	0	133	119	0	34	32	34
2024	10	8	12	46	6	27.6	-2.7	1.205	0.3	0.2	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	8	12	56	6	28.5	-3.2	1.204	0.4	0.3	0	43	37.4	0	134	119	0	34	32	32
2024	10	8	13	6	6	28.1	-2.1	1.205	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	8	13	16	6	28.4	-3.1	1.205	0.3	0.2	0	42.6	36.5	0	132	117	0	33	32	33
2024	10	8	13	26	6	29.3	-2.6	1.204	0.4	0.3	0	42.6	36.5	0	132	117	0	33	32	33
2024	10	8	13	36	6	28.2	-2.3	1.205	0.3	0.2	0	42.6	37	0	133	118	0	34	32	32
2024	10	8	13	46	6	27.5	-2.1	1.204	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	8	13	56	6	28.2	-2.7	1.204	0.5	0.4	0	43.4	37.4	0	134	119	0	33	32	32
2024	10	8	14	6	6	28.9	-2.5	1.203	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	8	14	16	6	27.2	-2.2	1.203	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	32
2024	10	8	14	26	6	27.5	-2.6	1.203	0.3	0.2	0	43.9	38.3	0	136	122	0	34	33	33
2024	10	8	14	36	6	27.7	-2.8	1.203	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2024	10	8	14	46	6	27.7	-2.5	1.203	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	8	14	56	6	26.6	-2.3	1.203	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	8	15	6	6	28.6	-1.8	1.202	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	8	15	16	6	28.6	-2.6	1.202	0.3	0.2	0	43	37.8	0	134	119	0	34	31	33
2024	10	8	15	26	6	28.8	-2.3	1.203	0.3	0.2	0	43	37.4	0	134	120	0	34	33	32
2024	10	8	15	36	6	29.8	-2.9	1.202	0.3	0.2	0	43.4	38.3	0	135	121	0	34	32	34
2024	10	8	15	46	6	28.1	-3.4	1.202	0.4	0.3	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	8	15	56	6	28.4	-2.3	1.201	0.5	0.4	0	43.9	38.3	0	135	120	0	33	31	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	8	16	6	6	28.8	-3	1.201	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	32
2024	10	8	16	16	6	27.4	-3.2	1.201	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	8	16	26	6	27.6	-2.6	1.202	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	8	16	36	6	27.9	-2	1.201	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2024	10	8	16	46	6	28.4	-2.3	1.201	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	8	16	56	6	27.7	-3.2	1.201	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	8	17	6	6	27.5	-1.9	1.201	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	33
2024	10	8	17	16	6	28.1	-3.1	1.201	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	8	17	26	6	28.4	-2.8	1.201	0.4	0.3	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	8	17	36	6	27.5	-2.2	1.201	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	8	17	46	6	27.5	-1.9	1.201	0.4	0.3	0	43.9	37.8	0	135	120	0	33	32	33
2024	10	8	17	56	6	29.2	-2.2	1.201	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	8	18	6	6	27.9	-2.2	1.201	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	34
2024	10	8	18	16	6	27.3	-2.6	1.202	0.4	0.3	0	43.4	37.4	0	134	119	0	33	32	33
2024	10	8	18	26	6	27.4	-2.5	1.201	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	32
2024	10	8	18	36	6	27.7	-0.9	1.202	0.4	0.3	0	43.9	38.7	0	136	121	0	34	31	33
2024	10	8	18	46	6	28	-3	1.202	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	8	18	56	6	26.4	-2.3	1.202	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	8	19	6	6	26.9	-2.2	1.202	0.4	0.3	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	8	19	16	6	27.8	-2.6	1.202	0.4	0.3	0	45.2	39.6	0	138	123	0	33	31	33
2024	10	8	19	26	6	27.8	-2.4	1.202	0.3	0.2	0	44.7	38.3	0	137	122	0	33	33	33
2024	10	8	19	36	6	26.6	-2.7	1.202	0.4	0.3	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	8	19	46	6	28.7	-2.8	1.202	0.3	0.2	0	45.6	38.7	0	139	123	0	33	33	33
2024	10	8	19	56	6	27.5	-3.1	1.202	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	32
2024	10	8	20	6	6	28.4	-3.1	1.203	0.3	0.2	0	45.6	39.1	0	139	123	0	33	32	33
2024	10	8	20	16	6	27.3	-2.7	1.202	0.3	0.2	0	45.6	39.6	0	139	124	0	33	32	33
2024	10	8	20	26	6	27.1	-2.4	1.203	0.3	0.2	0	45.6	40	0	140	125	0	34	32	33
2024	10	8	20	36	6	27.4	-2.1	1.203	0.3	0.2	0	46	40	0	140	125	0	33	32	33
2024	10	8	20	46	6	29.1	-3	1.204	0.3	0.2	0	45.6	40	0	140	125	0	34	32	32
2024	10	8	20	56	6	27.9	-1.9	1.204	0.3	0.2	0	45.6	40	0	139	125	0	33	32	33
2024	10	8	21	6	6	27.4	-3.1	1.204	0.5	0.4	0	45.2	40	0	139	125	0	34	32	33
2024	10	8	21	16	6	30	-2.2	1.205	0.3	0.2	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	8	21	26	6	27.9	-3.1	1.205	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	32
2024	10	8	21	36	6	28.1	-2.4	1.205	0.3	0.2	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	8	21	46	6	28.2	-2	1.205	0.4	0.3	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	8	21	56	6	27	-2.2	1.205	0.4	0.3	0	45.6	40	0	139	124	0	33	31	33
2024	10	8	22	6	6	27.8	-3.6	1.205	0.4	0.3	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	8	22	16	6	28.1	-3.1	1.205	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	33
2024	10	8	22	26	6	27.5	-3	1.205	0.3	0.2	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	8	22	36	6	28.6	-2.6	1.205	0.4	0.3	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	8	22	46	6	27.2	-3	1.205	0.4	0.3	0	44.7	38.3	0	138	122	0	34	33	32
2024	10	8	22	56	6	28	-3.1	1.205	0.4	0.3	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	8	23	6	6	27.8	-2.8	1.205	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	8	23	16	6	27.3	-2.2	1.205	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	8	23	26	6	27.5	-1.5	1.205	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	8	23	36	6	26.6	-2.1	1.205	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	33
2024	10	8	23	46	6	28.6	-2.3	1.205	0.5	0.4	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	8	23	56	6	27.1	-2.4	1.206	0.4	0.3	0	45.2	39.1	0	138	123	0	33	32	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	9	0	6	6	27.6	-1.8	1.206	0.5	0.4	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	9	0	16	6	28.3	-2.8	1.206	0.4	0.3	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	9	0	26	6	27.3	-2.3	1.206	0.3	0.2	0	44.7	38.3	0	138	122	0	34	33	33
2024	10	9	0	36	6	27.4	-3.2	1.206	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	9	0	46	6	27.8	-3.8	1.206	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	9	0	56	6	27.6	-2.4	1.206	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	9	1	6	6	27.8	-2.7	1.206	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	9	1	16	6	28.6	-2.2	1.206	0.4	0.3	0	44.3	38.3	0	136	121	0	33	32	33
2024	10	9	1	26	6	27.1	-3.4	1.206	0.3	0.2	0	44.3	38.3	0	137	121	0	34	32	33
2024	10	9	1	36	6	27.8	-2.8	1.206	0.3	0.2	0	43.9	35.7	0	136	115	0	34	32	33
2024	10	9	1	46	6	28.9	-2.6	1.206	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	33
2024	10	9	1	56	6	29.2	-2.9	1.206	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	33
2024	10	9	2	6	6	28.1	-3.2	1.206	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	33
2024	10	9	2	16	6	27.8	-2.2	1.206	0.3	0.2	0	44.3	38.3	0	137	121	0	34	32	33
2024	10	9	2	26	6	26.8	-1.3	1.206	0.3	0.2	0	44.7	39.1	0	138	124	0	34	33	32
2024	10	9	2	36	6	27.8	-2.7	1.206	0.4	0.3	0	45.2	39.6	0	138	124	0	33	32	32
2024	10	9	2	46	6	27.3	-2.2	1.206	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	9	2	56	6	28.6	-4.1	1.206	0.3	0.2	0	44.7	38.7	0	137	123	0	33	33	33
2024	10	9	3	6	6	27.3	-3.1	1.206	0.5	0.4	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	9	3	16	6	27.8	-3.8	1.206	0.5	0.4	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	9	3	26	6	28.2	-3	1.206	0.5	0.4	0	44.3	39.1	0	137	123	0	34	32	32
2024	10	9	3	36	6	28.2	-3.4	1.206	0.4	0.3	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	9	3	46	6	28	-3.3	1.206	0.3	0.2	0	45.2	39.6	0	138	124	0	33	32	34
2024	10	9	3	56	6	28.2	-3.4	1.206	0.5	0.4	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	9	4	6	6	27.5	-3.3	1.206	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	9	4	16	6	28.2	-2.9	1.206	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	34
2024	10	9	4	26	6	28.1	-3	1.206	0.4	0.3	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	9	4	36	6	28	-3	1.206	0.5	0.4	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	9	4	46	6	28.3	-3	1.207	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	9	4	56	6	28.2	-2.4	1.207	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	33
2024	10	9	5	6	6	28.1	-2.3	1.206	0.4	0.3	0	44.7	39.1	0	137	123	0	33	32	34
2024	10	9	5	16	6	28.1	-2.4	1.206	0.3	0.2	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	9	5	26	6	27.7	-2.2	1.207	0.4	0.3	0	44.3	38.7	0	137	123	0	34	33	32
2024	10	9	5	36	6	27.3	-2.7	1.207	0.4	0.3	0	44.7	38.3	0	137	122	0	33	33	33
2024	10	9	5	46	6	29.5	-3.7	1.206	0.3	0.2	0	43.9	38.7	0	136	122	0	34	32	32
2024	10	9	5	56	6	28.3	-2.7	1.206	0.3	0.2	0	44.3	38.7	0	136	123	0	33	33	33
2024	10	9	6	6	6	28.3	-2.8	1.206	0.3	0.2	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	9	6	16	6	26.7	-3.2	1.206	0.5	0.4	0	44.3	38.7	0	136	122	0	33	32	33
2024	10	9	6	26	6	28.5	-3.9	1.207	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	34
2024	10	9	6	36	6	27.7	-1.9	1.207	0.4	0.3	0	43.9	38.3	0	136	122	0	34	33	33
2024	10	9	6	46	6	28.2	-1.1	1.207	0.3	0.2	0	43.9	37.8	0	136	121	0	34	33	33
2024	10	9	6	56	6	28.6	-3.1	1.206	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	34
2024	10	9	7	6	6	27.6	-3.2	1.207	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	9	7	16	6	27.9	-1.9	1.207	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2024	10	9	7	26	6	27.6	-3.5	1.207	0.3	0.2	0	43.4	37.4	0	134	120	0	33	33	33
2024	10	9	7	36	6	27.9	-2.7	1.206	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	9	7	46	6	28.1	-2.6	1.207	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2024	10	9	7	56	6	28.6	-3.1	1.207	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	9	8	6	6	27	-2.3	1.207	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	9	8	16	6	27.9	-3.1	1.207	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2024	10	9	8	26	6	28.8	-3.9	1.207	0.3	0.2	0	42.6	37	0	133	119	0	34	33	33
2024	10	9	8	36	6	28	-2.2	1.207	0.4	0.3	0	42.1	37	0	132	118	0	34	32	33
2024	10	9	8	46	6	28.5	-3.5	1.207	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	34
2024	10	9	8	56	6	28.3	-2.2	1.207	0.4	0.3	0	42.1	36.5	0	132	118	0	34	33	34
2024	10	9	9	6	6	26.9	-3.1	1.207	0.3	0.2	0	42.1	37	0	132	118	0	34	32	33
2024	10	9	9	16	6	27.7	-3.1	1.207	0.4	0.3	0	42.1	36.1	0	131	117	0	33	33	33
2024	10	9	9	26	6	28.5	-2.8	1.207	0.4	0.3	0	42.1	36.1	0	132	117	0	34	33	32
2024	10	9	9	36	6	28.7	-3.9	1.207	0.3	0.2	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	9	9	46	6	28.4	-2.4	1.207	0.3	0.2	0	42.1	36.1	0	131	117	0	33	33	34
2024	10	9	9	56	6	28.2	-2	1.207	0.5	0.4	0	41.7	37	0	131	118	0	34	32	33
2024	10	9	10	6	6	28.2	-2.6	1.207	0.3	0.2	0	42.1	36.1	0	131	117	0	33	33	33
2024	10	9	10	16	6	27.7	-4.2	1.207	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2024	10	9	10	26	6	27.7	-3.6	1.207	0.4	0.3	0	42.6	36.5	0	132	118	0	33	33	33
2024	10	9	10	36	6	28	-2.7	1.207	0.3	0.2	0	42.1	36.5	0	131	118	0	33	33	33
2024	10	9	10	46	6	28.1	-3.1	1.207	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2024	10	9	10	56	6	28.3	-3.8	1.207	0.3	0.2	0	41.3	36.5	0	130	117	0	34	32	34
2024	10	9	11	6	6	28.2	-2.6	1.207	0.3	0.2	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	9	11	16	6	28.8	-2.8	1.207	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	9	11	26	6	28.6	-3.2	1.206	0.3	0.2	0	42.1	36.5	0	131	117	0	33	32	33
2024	10	9	11	36	6	27.9	-3.6	1.206	0.4	0.3	0	41.3	35.7	0	130	116	0	34	33	34
2024	10	9	11	46	6	27.5	-2	1.206	0.3	0.2	0	41.3	36.5	0	130	117	0	34	32	34
2024	10	9	11	56	6	28.5	-3	1.206	0.4	0.3	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	9	12	6	6	29.1	-4	1.206	0.3	0.2	0	41.7	36.1	0	130	116	0	33	32	32
2024	10	9	12	16	6	28.6	-3.4	1.206	0.3	0.2	0	41.3	35.3	0	130	115	0	34	33	32
2024	10	9	12	26	6	28.1	-2.6	1.206	0.3	0.2	0	41.3	36.5	0	130	117	0	34	32	34
2024	10	9	12	36	6	28.4	-3.1	1.206	0.3	0.2	0	41.3	36.1	0	130	117	0	34	33	33
2024	10	9	12	46	6	28.3	-2.2	1.206	0.4	0.3	0	42.1	36.1	0	131	117	0	33	33	33
2024	10	9	12	56	6	27.6	-3.7	1.206	0.3	0.2	0	41.3	36.1	0	130	116	0	34	32	33
2024	10	9	13	6	6	28.3	-2.7	1.206	0.3	0.2	0	41.7	37	0	131	118	0	34	32	34
2024	10	9	13	16	6	28.3	-3.1	1.206	0.3	0.2	0	41.7	36.1	0	131	117	0	34	33	33
2024	10	9	13	26	6	28.3	-3.4	1.206	0.3	0.2	0	41.3	36.5	0	130	117	0	34	32	33
2024	10	9	13	36	6	26.9	-3.9	1.206	0.3	0.2	0	41.7	36.5	0	131	118	0	34	33	33
2024	10	9	13	46	6	27.6	-1.8	1.205	0.4	0.3	0	41.7	37	0	131	118	0	34	32	32
2024	10	9	13	56	6	28.4	-2.3	1.205	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2024	10	9	14	6	6	27.4	-3.5	1.205	0.4	0.3	0	41.7	36.5	0	131	118	0	34	33	33
2024	10	9	14	16	6	27.2	-2.7	1.205	0.4	0.3	0	41.7	37.4	0	131	118	0	34	31	33
2024	10	9	14	26	6	28.4	-3.7	1.205	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2024	10	9	14	36	6	27.5	-3.1	1.204	0.3	0.2	0	41.7	37	0	131	118	0	34	32	33
2024	10	9	14	46	6	27.2	-3.1	1.203	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	9	14	56	6	28.5	-2.5	1.203	0.3	0.2	0	41.7	36.5	0	131	118	0	34	33	33
2024	10	9	15	6	6	27.7	-3	1.202	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2024	10	9	15	16	6	27.7	-3	1.203	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2024	10	9	15	26	6	26.3	-2.1	1.202	0.5	0.4	0	42.1	37	0	132	119	0	34	33	33
2024	10	9	15	36	6	28.6	-4.2	1.202	0.4	0.3	0	41.7	36.5	0	131	118	0	34	33	33
2024	10	9	15	46	6	27.9	-2.6	1.202	0.3	0.2	0	41.7	37	0	131	118	0	34	32	33
2024	10	9	15	56	6	28.4	-3.4	1.201	0.3	0.2	0	42.1	37	0	132	119	0	34	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	9	16	6	6	27.9	-3.4	1.201	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	9	16	16	6	27.3	-2.4	1.201	0.4	0.3	0	42.6	37	0	132	119	0	33	33	33
2024	10	9	16	26	6	27.1	-3.6	1.201	0.3	0.2	0	42.6	37	0	132	118	0	33	32	34
2024	10	9	16	36	6	27.6	-3.2	1.201	0.4	0.3	0	42.1	37	0	132	118	0	34	32	33
2024	10	9	16	46	6	26.7	-3.5	1.201	0.3	0.2	0	42.6	37	0	132	118	0	33	32	33
2024	10	9	16	56	6	27.6	-2.6	1.201	0.4	0.3	0	42.1	37	0	132	118	0	34	32	32
2024	10	9	17	6	6	27.5	-2.7	1.201	0.3	0.2	0	41.7	37	0	131	118	0	34	32	33
2024	10	9	17	16	6	27.9	-2.9	1.201	0.3	0.2	0	42.1	37	0	132	118	0	34	32	33
2024	10	9	17	26	6	28.6	-3.2	1.201	0.3	0.2	0	42.1	37	0	132	118	0	34	32	33
2024	10	9	17	36	6	27.8	-1.8	1.201	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	9	17	46	6	27	-3.1	1.201	0.3	0.2	0	42.6	36.5	0	132	118	0	33	33	33
2024	10	9	17	56	6	27.3	-2.2	1.201	0.4	0.3	0	42.1	37	0	132	118	0	34	32	33
2024	10	9	18	6	6	26.3	-2.7	1.201	0.3	0.2	0	42.6	37	0	132	118	0	33	32	33
2024	10	9	18	16	6	28.6	-2.2	1.201	0.3	0.2	0	42.6	37.4	0	133	119	0	34	32	32
2024	10	9	18	26	6	27.8	-2.2	1.201	0.4	0.3	0	42.6	37.4	0	133	120	0	34	33	33
2024	10	9	18	36	6	27.9	-3.1	1.201	0.3	0.2	0	43.4	37.4	0	134	120	0	33	33	33
2024	10	9	18	46	6	28.6	-3.2	1.202	0.4	0.3	0	43	37.8	0	133	120	0	33	32	32
2024	10	9	18	56	6	27.6	-3.1	1.202	0.3	0.2	0	43.9	37.8	0	135	121	0	33	33	33
2024	10	9	19	6	6	27.6	-2.6	1.202	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	9	19	16	6	28.4	-3.1	1.203	0.3	0.2	0	43.9	39.1	0	136	123	0	34	32	33
2024	10	9	19	26	6	28.3	-2.9	1.203	0.3	0.2	0	44.7	38.7	0	137	123	0	33	33	33
2024	10	9	19	36	6	27.8	-2.8	1.203	0.4	0.3	0	44.3	39.6	0	137	124	0	34	32	34
2024	10	9	19	46	6	27.3	-3.6	1.203	0.3	0.2	0	44.3	39.1	0	136	123	0	33	32	33
2024	10	9	19	56	6	26.9	-2.5	1.204	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	9	20	6	6	27.7	-3.4	1.204	0.4	0.3	0	45.2	38.7	0	139	122	0	34	32	34
2024	10	9	20	16	6	26.3	-1.6	1.204	0.4	0.3	0	45.2	38.7	0	138	122	0	33	32	33
2024	10	9	20	26	6	28.6	-3	1.204	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	33
2024	10	9	20	36	6	27.6	-3.2	1.204	0.3	0.2	0	45.6	39.6	0	140	124	0	34	32	33
2024	10	9	20	46	6	27.4	-2.7	1.204	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	9	20	56	6	26.7	-2.3	1.203	0.4	0.3	0	45.2	39.1	0	139	124	0	34	33	33
2024	10	9	21	6	6	27.3	-2.4	1.204	0.4	0.3	0	45.2	38.7	0	139	123	0	34	33	32
2024	10	9	21	16	6	27	-3.6	1.204	0.4	0.3	0	45.2	39.1	0	139	123	0	34	32	33
2024	10	9	21	26	6	27.4	-3.1	1.204	0.4	0.3	0	45.2	39.6	0	139	124	0	34	32	34
2024	10	9	21	36	6	27.3	-4	1.204	0.5	0.4	0	45.2	38.7	0	139	123	0	34	33	34
2024	10	9	21	46	6	28.2	-3.9	1.204	0.3	0.2	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	9	21	56	6	29	-3.1	1.204	0.4	0.3	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	9	22	6	6	27.7	-3.1	1.204	0.3	0.2	0	45.2	38.7	0	138	123	0	33	33	33
2024	10	9	22	16	6	27.9	-2.2	1.204	0.4	0.3	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	9	22	26	6	26.5	-2.7	1.204	0.4	0.3	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	9	22	36	6	27.3	-3.5	1.204	0.4	0.3	0	45.2	38.7	0	138	123	0	33	33	33
2024	10	9	22	46	6	27.7	-2.8	1.205	0.5	0.4	0	45.6	39.6	0	139	124	0	33	32	33
2024	10	9	22	56	6	27.6	-4.4	1.205	0.3	0.2	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	9	23	6	6	27.5	-4.5	1.204	0.3	0.2	0	45.6	39.1	0	139	123	0	33	32	34
2024	10	9	23	16	6	27.5	-3.1	1.205	0.3	0.2	0	44.7	39.6	0	138	123	0	34	31	33
2024	10	9	23	26	6	29	-2.9	1.205	0.3	0.2	0	45.2	39.1	0	138	123	0	33	32	33
2024	10	9	23	36	6	27.4	-2.7	1.205	0.3	0.2	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	9	23	46	6	28	-1.8	1.205	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	9	23	56	6	26.9	-3.1	1.205	0.3	0.2	0	44.7	39.6	0	138	124	0	34	32	32

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	10	0	6	6	28.3	-2	1.205	0.5	0.4	0	45.6	39.1	0	139	124	0	33	33	33
2024	10	10	0	16	6	27.3	-2.2	1.205	0.3	0.2	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	10	0	26	6	28.2	-2.4	1.205	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	10	0	36	6	28	-2.8	1.205	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	10	0	46	6	27.9	-2.1	1.205	0.4	0.3	0	44.7	39.1	0	138	123	0	34	32	32
2024	10	10	0	56	6	27.4	-1.8	1.205	0.4	0.3	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	10	1	6	6	27.4	-3.1	1.205	0.3	0.2	0	44.7	39.1	0	138	123	0	34	32	32
2024	10	10	1	16	6	27.2	-2.4	1.205	0.4	0.3	0	45.6	39.6	0	139	124	0	33	32	33
2024	10	10	1	26	6	27.5	-2.5	1.205	0.3	0.2	0	44.7	39.1	0	138	123	0	34	32	34
2024	10	10	1	36	6	29.2	-2.7	1.205	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	33
2024	10	10	1	46	6	27.3	-3.1	1.205	0.4	0.3	0	44.7	39.6	0	138	123	0	34	31	33
2024	10	10	1	56	6	27.7	-3.4	1.205	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	33
2024	10	10	2	6	6	28.9	-3.4	1.206	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	10	2	16	6	27.9	-3.1	1.205	0.3	0.2	0	44.7	38.3	0	137	122	0	33	33	33
2024	10	10	2	26	6	27.5	-2.7	1.205	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	34
2024	10	10	2	36	6	28.5	-3.1	1.206	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	10	2	46	6	27.5	-2.5	1.206	0.5	0.5	0	44.3	38.7	0	137	123	0	34	33	33
2024	10	10	2	56	6	28.7	-2.9	1.205	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	10	3	6	6	28.4	-2.7	1.205	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	10	3	16	6	29	-3.4	1.206	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	33
2024	10	10	3	26	6	28.5	-3.7	1.206	0.3	0.2	0	43.4	38.3	0	136	122	0	35	33	33
2024	10	10	3	36	6	28.6	-2.3	1.206	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	10	3	46	6	28.5	-3.2	1.206	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	34
2024	10	10	3	56	6	26.7	-3	1.206	0.3	0.2	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	10	4	6	6	28.1	-2.6	1.206	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	33
2024	10	10	4	16	6	28.5	-2.7	1.206	0.4	0.3	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	10	4	26	6	28.1	-3.5	1.206	0.3	0.2	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	10	4	36	6	28.5	-3.9	1.206	0.4	0.3	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	10	4	46	6	27.7	-2.7	1.206	0.4	0.3	0	43.9	38.7	0	136	121	0	34	31	32
2024	10	10	4	56	6	29.2	-2.2	1.206	0.3	0.2	0	44.3	38.3	0	136	121	0	33	32	34
2024	10	10	5	6	6	27.3	-3.1	1.206	0.4	0.3	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	10	5	16	6	27.6	-2.8	1.206	0.3	0.2	0	44.3	37.8	0	136	121	0	33	33	33
2024	10	10	5	26	6	26.5	-1.5	1.206	0.4	0.3	0	44.3	37.4	0	137	119	0	34	32	33
2024	10	10	5	36	6	29.4	-2.6	1.206	0.3	0.2	0	43.9	37.8	0	136	121	0	34	33	33
2024	10	10	5	46	6	27.3	-2.7	1.206	0.4	0.3	0	44.3	37.8	0	136	121	0	33	33	33
2024	10	10	5	56	6	28.4	-2.7	1.206	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	33
2024	10	10	6	6	6	26.2	-2.4	1.206	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	10	6	16	6	28.2	-3.2	1.206	0.3	0.2	0	43.9	37.4	0	135	120	0	33	33	33
2024	10	10	6	26	6	29.4	-3.5	1.206	0.5	0.4	0	43.4	37.8	0	135	120	0	34	32	33
2024	10	10	6	36	6	29.2	-3.7	1.206	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2024	10	10	6	46	6	27.2	-2.7	1.206	0.4	0.3	0	43	37.4	0	134	120	0	34	33	32
2024	10	10	6	56	6	28.5	-2.9	1.206	0.4	0.3	0	43	37.4	0	134	119	0	34	32	33
2024	10	10	7	6	6	28.7	-2.4	1.206	0.4	0.3	0	42.6	37	0	133	118	0	34	32	33
2024	10	10	7	16	6	28.9	-2.8	1.206	0.3	0.2	0	42.6	37	0	133	118	0	34	32	33
2024	10	10	7	26	6	27.3	-2.2	1.206	0.3	0.2	0	42.6	37	0	133	118	0	34	32	33
2024	10	10	7	36	6	27.3	-3	1.206	0.3	0.2	0	42.1	36.1	0	132	117	0	34	33	33
2024	10	10	7	46	6	28.4	-2.7	1.206	0.3	0.2	0	42.6	36.5	0	132	118	0	33	33	34
2024	10	10	7	56	6	27.1	-2.4	1.206	0.3	0.2	0	42.6	36.5	0	132	118	0	33	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	10	8	6	6	27.8	-2.2	1.206	0.3	0.2	0	42.1	36.5	0	132	117	0	34	32	33
2024	10	10	8	16	6	28.7	-2.4	1.206	0.3	0.2	0	42.1	37	0	132	118	0	34	32	33
2024	10	10	8	26	6	26	-2.7	1.206	0.4	0.3	0	42.6	37	0	132	118	0	33	32	33
2024	10	10	8	36	6	28.8	-2.8	1.206	0.3	0.2	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	10	8	46	6	26.5	-2.7	1.206	0.5	0.4	0	42.1	37	0	132	118	0	34	32	33
2024	10	10	8	56	6	28	-2.7	1.206	0.3	0.2	0	42.1	36.5	0	131	117	0	33	32	33
2024	10	10	9	6	6	28.2	-2.9	1.206	0.3	0.2	0	41.7	36.1	0	131	117	0	34	33	33
2024	10	10	9	16	6	27.2	-2.5	1.206	0.3	0.2	0	42.1	36.5	0	131	117	0	33	32	32
2024	10	10	9	26	6	27.2	-1.8	1.207	0.3	0.2	0	42.6	36.5	0	132	117	0	33	32	32
2024	10	10	9	36	6	28.1	-2.7	1.207	0.3	0.2	0	42.1	36.1	0	131	117	0	33	33	33
2024	10	10	9	46	6	28.4	-2.7	1.206	0.3	0.2	0	42.1	36.1	0	131	117	0	33	33	33
2024	10	10	9	56	6	28.6	-3.2	1.207	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	32
2024	10	10	10	6	6	28.3	-2.8	1.207	0.5	0.4	0	41.7	37	0	131	118	0	34	32	33
2024	10	10	10	16	6	28.2	-3.4	1.207	0.4	0.3	0	41.7	37.4	0	131	118	0	34	31	34
2024	10	10	10	26	6	28.9	-3.1	1.207	0.4	0.3	0	41.7	36.1	0	130	117	0	33	33	33
2024	10	10	10	36	6	28.6	-2.9	1.207	0.4	0.3	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	10	10	46	6	26.9	-3.7	1.207	0.4	0.3	0	42.1	37	0	131	118	0	33	32	33
2024	10	10	10	56	6	28.3	-3.6	1.207	0.3	0.2	0	42.1	37	0	131	118	0	33	32	34
2024	10	10	11	6	6	27.2	-2.5	1.207	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	10	11	16	6	28.4	-3.1	1.207	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2024	10	10	11	26	6	27.1	-2.9	1.207	0.4	0.3	0	41.7	36.5	0	131	118	0	34	33	33
2024	10	10	11	36	6	28.7	-3.1	1.207	0.3	0.2	0	41.7	37	0	131	118	0	34	32	33
2024	10	10	11	46	6	27.1	-2.6	1.206	0.5	0.4	0	42.1	37	0	131	118	0	33	32	33
2024	10	10	11	56	6	28.7	-3	1.207	0.3	0.2	0	41.7	37	0	131	118	0	34	32	32
2024	10	10	12	6	6	27.4	-3.4	1.206	0.4	0.3	0	41.7	36.5	0	130	117	0	33	32	32
2024	10	10	12	16	6	27.4	-2.9	1.206	0.3	0.2	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	10	12	26	6	26.6	-2.6	1.205	0.3	0.2	0	41.3	36.1	0	130	117	0	34	33	33
2024	10	10	12	36	6	26.8	-3.9	1.205	0.3	0.2	0	41.7	37	0	130	117	0	33	31	33
2024	10	10	12	46	6	26.6	-4.1	1.205	0.5	0.4	0	41.3	36.1	0	130	116	0	34	32	33
2024	10	10	12	56	6	26.9	-3.6	1.205	0.5	0.4	0	41.3	36.5	0	130	117	0	34	32	33
2024	10	10	13	6	6	26.9	-2.5	1.204	0.3	0.2	0	41.7	37.4	0	131	118	0	34	31	33
2024	10	10	13	16	6	27.6	-3.1	1.205	0.4	0.3	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	10	13	26	6	27.4	-2.3	1.204	0.4	0.3	0	42.1	37	0	131	118	0	33	32	34
2024	10	10	13	36	6	27.2	-2	1.203	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2024	10	10	13	46	6	27.4	-3.9	1.204	0.3	0.2	0	41.7	37	0	131	118	0	34	32	34
2024	10	10	13	56	6	26.5	-2.7	1.203	0.3	0.2	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	10	14	6	6	27.2	-3.1	1.203	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2024	10	10	14	16	6	26.9	-2.7	1.204	0.4	0.3	0	42.1	37.4	0	131	118	0	33	31	33
2024	10	10	14	26	6	27.8	-3.2	1.203	0.4	0.3	0	42.6	36.5	0	132	118	0	33	33	33
2024	10	10	14	36	6	27.9	-3.1	1.203	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	10	14	46	6	28.3	-3.6	1.202	0.3	0.2	0	41.7	37	0	131	118	0	34	32	32
2024	10	10	14	56	6	27.9	-3.4	1.202	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2024	10	10	15	6	6	26.7	-2.7	1.202	0.3	0.2	0	42.6	36.5	0	132	118	0	33	33	33
2024	10	10	15	16	6	27.8	-4	1.202	0.3	0.2	0	42.1	37	0	132	118	0	34	32	33
2024	10	10	15	26	6	27.6	-2.6	1.203	0.4	0.3	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	10	15	36	6	27	-2.8	1.203	0.3	0.2	0	42.6	36.5	0	132	117	0	33	32	32
2024	10	10	15	46	6	26.5	-3.2	1.201	0.3	0.2	0	42.6	37	0	132	118	0	33	32	33
2024	10	10	15	56	6	27.3	-3.4	1.201	0.5	0.5	0	41.7	36.5	0	131	117	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	10	16	6	6	26.5	-1.7	1.203	0.3	0.2	0	42.1	36.5	0	132	118	0	34	33	34
2024	10	10	16	16	6	26.4	-2.2	1.201	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	10	16	26	6	27.8	-4	1.201	0.3	0.2	0	41.7	36.1	0	131	117	0	34	33	33
2024	10	10	16	36	6	26.8	-3.1	1.2	0.3	0.2	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	10	16	46	6	28.2	-3.1	1.2	0.3	0.2	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	10	16	56	6	27.3	-2.7	1.2	0.3	0.2	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	10	17	6	6	27.3	-4.5	1.201	0.4	0.3	0	41.7	36.1	0	130	116	0	33	32	33
2024	10	10	17	16	6	28.6	-3	1.2	0.5	0.4	0	42.1	36.5	0	131	117	0	33	32	33
2024	10	10	17	26	6	27.5	-2.7	1.199	0.3	0.2	0	41.7	36.1	0	131	117	0	34	33	34
2024	10	10	17	36	6	27.4	-2.7	1.199	0.4	0.3	0	41.7	36.1	0	130	117	0	33	33	33
2024	10	10	17	46	6	28.4	-3.7	1.199	0.3	0.2	0	41.3	36.1	0	130	116	0	34	32	32
2024	10	10	17	56	6	28	-3.1	1.199	0.4	0.3	0	41.3	36.5	0	130	117	0	34	32	32
2024	10	10	18	6	6	27.4	-3.2	1.199	0.3	0.2	0	42.1	36.5	0	131	117	0	33	32	33
2024	10	10	18	16	6	27.1	-2.7	1.199	0.3	0.2	0	42.1	36.5	0	131	117	0	33	32	33
2024	10	10	18	26	6	27.7	-2.8	1.199	0.3	0.2	0	42.1	36.1	0	131	116	0	33	32	33
2024	10	10	18	36	6	26.6	-3.1	1.199	0.3	0.2	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	10	18	46	6	26.8	-2.4	1.199	0.3	0.2	0	42.1	36.5	0	132	118	0	34	33	33
2024	10	10	18	56	6	27.1	-2.2	1.199	0.4	0.3	0	42.1	36.5	0	132	118	0	34	33	33
2024	10	10	19	6	6	27.7	-2.8	1.199	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2024	10	10	19	16	6	26.8	-3.7	1.199	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	33
2024	10	10	19	26	6	28.9	-2.2	1.199	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	10	19	36	6	28	-2.5	1.199	0.5	0.4	0	43.9	38.7	0	135	122	0	33	32	33
2024	10	10	19	46	6	27.5	-2.8	1.199	0.3	0.2	0	43.4	38.7	0	135	122	0	34	32	33
2024	10	10	19	56	6	27.1	-2.4	1.199	0.3	0.2	0	43.9	38.3	0	135	122	0	33	33	33
2024	10	10	20	6	6	27.2	-2.9	1.199	0.4	0.3	0	43.9	38.3	0	136	122	0	34	33	33
2024	10	10	20	16	6	27.7	-2.7	1.199	0.3	0.2	0	43.9	37.8	0	135	121	0	33	33	33
2024	10	10	20	26	6	28.1	-2.7	1.199	0.5	0.4	0	45.6	38.3	0	139	122	0	33	33	33
2024	10	10	20	36	6	28.9	-3.5	1.199	0.3	0.2	0	43.9	38.3	0	136	122	0	34	33	33
2024	10	10	20	46	6	27.3	-2.8	1.199	0.3	0.2	0	44.7	38.3	0	138	122	0	34	33	32
2024	10	10	20	56	6	27	-3	1.198	0.3	0.2	0	45.2	38.3	0	138	121	0	33	32	33
2024	10	10	21	6	6	27.4	-2.7	1.198	0.3	0.2	0	45.2	38.7	0	138	121	0	33	31	33
2024	10	10	21	16	6	27.8	-3.1	1.198	0.4	0.3	0	44.3	38.3	0	137	121	0	34	32	33
2024	10	10	21	26	6	27.1	-3.1	1.198	0.3	0.2	0	44.7	37.8	0	137	121	0	33	33	33
2024	10	10	21	36	6	27.1	-3.3	1.198	0.4	0.3	0	45.2	37.8	0	138	121	0	33	33	33
2024	10	10	21	46	6	27.7	-2.9	1.198	0.3	0.2	0	44.7	38.3	0	138	121	0	34	32	34
2024	10	10	21	56	6	28.7	-3.5	1.198	0.5	0.4	0	44.3	37.8	0	137	120	0	34	32	33
2024	10	10	22	6	6	26.9	-1.9	1.198	0.5	0.4	0	44.7	37.8	0	137	120	0	33	32	33
2024	10	10	22	16	6	27.2	-2.9	1.198	0.3	0.2	0	44.3	37.8	0	137	121	0	34	33	33
2024	10	10	22	26	6	28.7	-3.2	1.198	0.3	0.2	0	44.7	38.3	0	137	121	0	33	32	33
2024	10	10	22	36	6	27.1	-1.3	1.198	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	33
2024	10	10	22	46	6	28	-3	1.198	0.3	0.2	0	45.2	38.3	0	138	122	0	33	33	33
2024	10	10	22	56	6	28.5	-1.9	1.198	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	33
2024	10	10	23	6	6	27.7	-2.2	1.198	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	33
2024	10	10	23	16	6	28.2	-1.9	1.198	0.4	0.3	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	10	23	26	6	27.8	-2.2	1.198	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	33
2024	10	10	23	36	6	27.7	-1.8	1.198	0.5	0.4	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	10	23	46	6	27.3	-1.7	1.198	0.3	0.2	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	10	23	56	6	27.9	-3.2	1.198	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	11	0	6	6	28.4	-3	1.198	0.3	0.2	0	44.3	38.3	0	136	122	0	33	33	33
2024	10	11	0	16	6	28.7	-3.5	1.198	0.4	0.3	0	43.9	38.7	0	135	122	0	33	32	33
2024	10	11	0	26	6	28.1	-2.2	1.198	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	34
2024	10	11	0	36	6	28.2	-3.2	1.198	0.3	0.2	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	11	0	46	6	27	-3.1	1.198	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	11	0	56	6	28.4	-3.3	1.198	0.5	0.4	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	11	1	6	6	27.7	-2.4	1.198	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	11	1	16	6	28	-3.5	1.198	0.4	0.3	0	44.3	38.7	0	137	122	0	34	32	34
2024	10	11	1	26	6	27.9	-2.1	1.197	0.3	0.2	0	45.2	38.7	0	138	123	0	33	33	33
2024	10	11	1	36	6	29.6	-2.8	1.197	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	11	1	46	6	29.2	-2.4	1.197	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	11	1	56	6	27.1	-2.6	1.197	0.4	0.3	0	44.7	38.3	0	138	122	0	34	33	33
2024	10	11	2	6	6	26.6	-3.3	1.197	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	11	2	16	6	27	-2.5	1.197	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	34
2024	10	11	2	26	6	28	-2.9	1.197	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	11	2	36	6	28.2	-2.1	1.197	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	33
2024	10	11	2	46	6	27.9	-2.2	1.197	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	11	2	56	6	27.9	-2.8	1.197	0.5	0.4	0	43.9	38.3	0	136	121	0	34	32	32
2024	10	11	3	6	6	28.4	-3	1.197	0.3	0.2	0	43.9	38.3	0	136	122	0	34	33	34
2024	10	11	3	16	6	27	-3	1.197	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	11	3	26	6	27.3	-2.7	1.196	0.4	0.3	0	43.9	38.3	0	136	122	0	34	33	32
2024	10	11	3	36	6	27.6	-4.1	1.196	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	11	3	46	6	28.5	-1.8	1.196	0.4	0.3	0	43.9	38.3	0	136	122	0	34	33	33
2024	10	11	3	56	6	26.2	-3.1	1.196	0.3	0.2	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	11	4	6	6	27.9	-3.9	1.196	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	34
2024	10	11	4	16	6	28	-2.4	1.196	0.3	0.2	0	44.3	38.7	0	136	122	0	33	32	34
2024	10	11	4	26	6	27.8	-2.5	1.196	0.3	0.2	0	44.3	38.3	0	136	122	0	33	33	34
2024	10	11	4	36	6	27.5	-2.7	1.196	0.4	0.3	0	44.3	38.3	0	136	122	0	33	33	33
2024	10	11	4	46	6	29	-2.9	1.196	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	11	4	56	6	28.4	-2.6	1.196	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	11	5	6	6	26.9	-3.4	1.196	0.4	0.3	0	44.7	38.7	0	137	122	0	33	32	33
2024	10	11	5	16	6	27.9	-2.7	1.196	0.3	0.2	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	11	5	26	6	26.6	-2.6	1.195	0.3	0.2	0	43.4	38.7	0	136	122	0	35	32	33
2024	10	11	5	36	6	28.4	-2.2	1.195	0.5	0.4	0	43	37.8	0	135	121	0	35	33	34
2024	10	11	5	46	6	28.3	-3	1.195	0.5	0.5	0	43.9	37.8	0	135	121	0	33	33	33
2024	10	11	5	56	6	28.3	-2.5	1.195	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	11	6	6	6	27.1	-3.1	1.195	0.5	0.4	0	43.9	38.3	0	136	122	0	34	33	34
2024	10	11	6	16	6	27.7	-2.7	1.195	0.3	0.2	0	44.3	38.3	0	136	121	0	33	32	33
2024	10	11	6	26	6	27.8	-3.4	1.195	0.3	0.2	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	11	6	36	6	27.9	-3.1	1.195	0.4	0.3	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	11	6	46	6	26.9	-4	1.195	0.5	0.5	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	11	6	56	6	28.4	-2.7	1.195	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	11	7	6	6	26.7	-1.8	1.195	0.3	0.2	0	43.4	37.8	0	135	121	0	34	33	33
2024	10	11	7	16	6	26.8	-2.2	1.194	0.3	0.2	0	43.9	38.3	0	136	121	0	34	32	34
2024	10	11	7	26	6	27.4	-3.4	1.194	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	11	7	36	6	28.2	-3.2	1.194	0.4	0.3	0	43	37.4	0	134	120	0	34	33	33
2024	10	11	7	46	6	27.5	-3.1	1.194	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	33
2024	10	11	7	56	6	28	-3.4	1.194	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	11	8	6	6	27.2	-4.2	1.194	0.4	0.3	0	43	37.4	0	134	120	0	34	33	33
2024	10	11	8	16	6	27	-2.1	1.194	0.3	0.2	0	43.4	38.3	0	135	121	0	34	32	34
2024	10	11	8	26	6	26.6	-2.4	1.194	0.5	0.4	0	43	37.4	0	134	120	0	34	33	33
2024	10	11	8	36	6	28.3	-3.3	1.194	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2024	10	11	8	46	6	27.1	-1.7	1.193	0.4	0.3	0	42.1	37	0	133	119	0	35	33	33
2024	10	11	8	56	6	29.3	-2.1	1.194	0.4	0.3	0	42.1	37.4	0	132	119	0	34	32	34
2024	10	11	9	6	6	28.2	-3.2	1.194	0.3	0.2	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	11	9	16	6	28.1	-2.8	1.193	0.4	0.3	0	42.6	36.5	0	132	118	0	33	33	33
2024	10	11	9	26	6	26.7	-1.6	1.193	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	32
2024	10	11	9	36	6	27	-2.2	1.193	0.5	0.4	0	42.1	36.5	0	132	118	0	34	33	33
2024	10	11	9	46	6	28.9	-3.3	1.193	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2024	10	11	9	56	6	28.9	-3.5	1.193	0.3	0.2	0	42.1	37	0	132	118	0	34	32	34
2024	10	11	10	6	6	26.8	-3.8	1.193	0.4	0.3	0	42.6	37.4	0	133	120	0	34	33	33
2024	10	11	10	16	6	27.2	-2.6	1.192	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	11	10	26	6	28.3	-3.5	1.192	0.4	0.3	0	43	37.8	0	133	120	0	33	32	34
2024	10	11	10	36	6	27.1	-3.5	1.192	0.4	0.3	0	42.1	37	0	132	119	0	34	33	33
2024	10	11	10	46	6	27.5	-3.7	1.191	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2024	10	11	10	56	6	26	-3.5	1.191	0.4	0.3	0	42.1	37	0	132	119	0	34	33	33
2024	10	11	11	6	6	27.7	-3.5	1.191	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	11	11	16	6	27.8	-3.8	1.19	0.4	0.3	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	11	11	26	6	27.2	-1.9	1.187	0.3	0.2	0	41.7	37	0	131	118	0	34	32	33
2024	10	11	11	36	6	27.1	-3.5	1.187	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2024	10	11	11	46	6	27.2	-3.7	1.186	0.3	0.2	0	41.7	37	0	131	118	0	34	32	33
2024	10	11	11	56	6	27	-2.5	1.186	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2024	10	11	12	6	6	26.2	-3.3	1.186	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2024	10	11	12	16	6	26.7	-2.6	1.186	0.4	0.3	0	42.1	37.4	0	132	119	0	34	32	32
2024	10	11	12	26	6	26.7	-2.9	1.185	0.5	0.5	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	11	12	36	6	27.3	-3.1	1.185	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	11	12	46	6	27.1	-3.7	1.185	0.4	0.3	0	41.7	37	0	131	118	0	34	32	34
2024	10	11	12	56	6	26.4	-2.2	1.184	0.5	0.4	0	42.1	37	0	131	118	0	33	32	33
2024	10	11	13	6	6	27.1	-2.9	1.184	0.3	0.2	0	41.7	37	0	131	118	0	34	32	33
2024	10	11	13	16	6	27.1	-3	1.184	0.4	0.3	0	42.1	36.5	0	131	118	0	33	33	33
2024	10	11	13	26	6	27.5	-3.6	1.184	0.5	0.4	0	41.7	36.1	0	130	117	0	33	33	33
2024	10	11	13	36	6	28.6	-4.1	1.183	0.3	0.2	0	42.1	37	0	131	118	0	33	32	32
2024	10	11	13	46	6	26.4	-3.1	1.183	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2024	10	11	13	56	6	28	-2.8	1.183	0.3	0.2	0	41.3	36.5	0	130	117	0	34	32	33
2024	10	11	14	6	6	27.4	-4	1.183	0.3	0.2	0	42.1	37	0	131	118	0	33	32	32
2024	10	11	14	16	6	26.3	-2.5	1.183	0.3	0.2	0	42.1	37.4	0	131	119	0	33	32	33
2024	10	11	14	26	6	27.1	-3.2	1.182	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2024	10	11	14	36	6	27.2	-2.9	1.182	0.4	0.3	0	41.7	37	0	130	118	0	33	32	33
2024	10	11	14	46	6	26.3	-3.2	1.182	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2024	10	11	14	56	6	26.1	-2.6	1.181	0.5	0.4	0	41.7	36.5	0	131	118	0	34	33	32
2024	10	11	15	6	6	27.1	-2.7	1.18	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2024	10	11	15	16	6	27	-2.2	1.18	0.4	0.3	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	11	15	26	6	25.9	-2.4	1.18	0.5	0.4	0	42.1	37.4	0	131	119	0	33	32	34
2024	10	11	15	36	6	26.8	-2.3	1.179	0.3	0.2	0	41.7	37.4	0	131	119	0	34	32	34
2024	10	11	15	46	6	25.9	-2.7	1.178	0.4	0.3	0	42.1	37	0	132	119	0	34	33	33
2024	10	11	15	56	6	26.6	-2.9	1.177	0.5	0.5	0	42.6	37.8	0	132	119	0	33	31	32

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	11	16	6	6	25.3	-2.6	1.176	0.4	0.3	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	11	16	16	6	26.5	-3.2	1.175	0.3	0.2	0	42.1	36.5	0	131	118	0	33	33	34
2024	10	11	16	26	6	26	-3.5	1.174	0.4	0.3	0	42.1	36.5	0	131	118	0	33	33	33
2024	10	11	16	36	6	26.3	-3.2	1.174	0.4	0.3	0	42.1	37	0	132	118	0	34	32	34
2024	10	11	16	46	6	26.8	-4.1	1.174	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	11	16	56	6	26	-3.2	1.174	0.3	0.2	0	42.6	37	0	132	119	0	33	33	32
2024	10	11	17	6	6	27.5	-3	1.173	0.4	0.3	0	42.1	36.5	0	132	118	0	34	33	33
2024	10	11	17	16	6	26.8	-2.7	1.173	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	11	17	26	6	26.6	-2.9	1.173	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2024	10	11	17	36	6	27.4	-3.4	1.172	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	33
2024	10	11	17	46	6	27.6	-2.2	1.172	0.3	0.2	0	41.7	37.4	0	132	119	0	35	32	33
2024	10	11	17	56	6	27.3	-3.1	1.172	0.3	0.2	0	42.6	37.4	0	133	120	0	34	33	33
2024	10	11	18	6	6	27.4	-3.1	1.172	0.3	0.2	0	42.1	37	0	132	119	0	34	33	33
2024	10	11	18	16	6	26.2	-3.2	1.171	0.5	0.4	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	11	18	26	6	26.5	-2.3	1.171	0.4	0.3	0	43	37.8	0	134	120	0	34	32	32
2024	10	11	18	36	6	25.7	-2.7	1.171	0.4	0.3	0	43	38.3	0	134	121	0	34	32	34
2024	10	11	18	46	6	26.2	-1.6	1.171	0.3	0.2	0	43.4	38.7	0	135	122	0	34	32	33
2024	10	11	18	56	6	26.9	-2.7	1.17	0.3	0.2	0	43.9	39.1	0	136	123	0	34	32	34
2024	10	11	19	6	6	27	-2.9	1.17	0.3	0.2	0	44.3	38.3	0	136	121	0	33	32	33
2024	10	11	19	16	6	28	-2.8	1.17	0.3	0.2	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	11	19	26	6	26.9	-3.4	1.17	0.3	0.2	0	44.7	39.1	0	137	124	0	33	33	33
2024	10	11	19	36	6	27.5	-3.7	1.169	0.5	0.4	0	44.7	39.6	0	137	124	0	33	32	33
2024	10	11	19	46	6	26.6	-2.2	1.169	0.3	0.2	0	44.3	39.6	0	137	124	0	34	32	34
2024	10	11	19	56	6	26.1	-4	1.169	0.3	0.2	0	44.7	40	0	138	125	0	34	32	33
2024	10	11	20	6	6	26.3	-2.7	1.168	0.5	0.4	0	45.2	39.6	0	138	125	0	33	33	33
2024	10	11	20	16	6	26.3	-2.7	1.168	0.5	0.4	0	44.7	40	0	138	125	0	34	32	34
2024	10	11	20	26	6	26.5	-3.2	1.168	0.5	0.4	0	44.7	40	0	138	125	0	34	32	33
2024	10	11	20	36	6	26.1	-3	1.167	0.3	0.2	0	45.2	40.4	0	139	126	0	34	32	34
2024	10	11	20	46	6	26.6	-2.4	1.167	0.3	0.2	0	45.2	39.6	0	139	125	0	34	33	34
2024	10	11	20	56	6	26.7	-2.7	1.166	0.3	0.2	0	44.7	40	0	138	125	0	34	32	33
2024	10	11	21	6	6	26.2	-3.1	1.165	0.3	0.2	0	44.7	39.6	0	138	125	0	34	33	33
2024	10	11	21	16	6	24.9	-2.7	1.164	0.5	0.4	0	45.6	40.4	0	139	126	0	33	32	32
2024	10	11	21	26	6	26.1	-2.3	1.163	0.4	0.3	0	45.6	40.4	0	139	126	0	33	32	34
2024	10	11	21	36	6	27.1	-1.3	1.162	0.3	0.2	0	45.6	40	0	140	126	0	34	33	33
2024	10	11	21	46	6	26.5	-2.6	1.162	0.4	0.3	0	45.2	40.4	0	139	126	0	34	32	33
2024	10	11	21	56	6	26	-2.7	1.161	0.4	0.3	0	45.6	39.6	0	139	125	0	33	33	33
2024	10	11	22	6	6	24.2	-1.9	1.161	0.5	0.4	0	46	40	0	140	126	0	33	33	33
2024	10	11	22	16	6	26.4	-3.1	1.16	0.4	0.3	0	45.2	40.4	0	139	126	0	34	32	33
2024	10	11	22	26	6	25.1	-1.3	1.16	0.3	0.2	0	46	40.9	0	140	127	0	33	32	33
2024	10	11	22	36	6	27	-2.2	1.16	0.3	0.2	0	45.2	40.4	0	139	126	0	34	32	32
2024	10	11	22	46	6	26.9	-3.1	1.16	0.4	0.3	0	44.7	40	0	138	125	0	34	32	34
2024	10	11	22	56	6	26.2	-2.9	1.159	0.4	0.3	0	44.7	40	0	138	125	0	34	32	34
2024	10	11	23	6	6	25.7	-2.4	1.159	0.3	0.2	0	44.7	39.6	0	138	125	0	34	33	33
2024	10	11	23	16	6	26.5	-2.9	1.159	0.3	0.2	0	44.7	40	0	138	125	0	34	32	34
2024	10	11	23	26	6	26.5	-2.1	1.158	0.4	0.3	0	44.7	39.6	0	138	125	0	34	33	33
2024	10	11	23	36	6	26.7	-3.4	1.158	0.4	0.3	0	45.2	39.6	0	138	125	0	33	33	33
2024	10	11	23	46	6	26.4	-2.8	1.158	0.4	0.3	0	45.2	40	0	138	125	0	33	32	33
2024	10	11	23	56	6	25	-1.6	1.158	0.3	0.2	0	45.2	40	0	139	126	0	34	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	12	0	6	6	25.2	-2.3	1.158	0.3	0.2	0	44.7	40	0	138	125	0	34	32	33
2024	10	12	0	16	6	25.2	-2.4	1.158	0.5	0.5	0	45.2	40	0	139	125	0	34	32	34
2024	10	12	0	26	6	25.9	-2.5	1.157	0.5	0.4	0	45.6	39.6	0	139	125	0	33	33	32
2024	10	12	0	36	6	26.3	-2.7	1.157	0.3	0.2	0	45.2	40.4	0	139	126	0	34	32	33
2024	10	12	0	46	6	26.5	-3.1	1.157	0.5	0.4	0	45.2	40.4	0	139	126	0	34	32	33
2024	10	12	0	56	6	25.9	-1.8	1.157	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33
2024	10	12	1	6	6	25.4	-2.3	1.157	0.4	0.3	0	45.2	40	0	139	126	0	34	33	33
2024	10	12	1	16	6	27.3	-2.6	1.156	0.3	0.2	0	45.2	40	0	138	125	0	33	32	33
2024	10	12	1	26	6	25.9	-3.5	1.156	0.5	0.4	0	45.2	39.6	0	139	125	0	34	33	34
2024	10	12	1	36	6	24.7	-3.7	1.156	0.4	0.3	0	45.2	40	0	139	126	0	34	33	33
2024	10	12	1	46	6	26.6	-3.5	1.156	0.3	0.2	0	45.6	40	0	139	125	0	33	32	34
2024	10	12	1	56	6	26.7	-3.4	1.155	0.3	0.2	0	44.7	39.6	0	138	125	0	34	33	34
2024	10	12	2	6	6	27.2	-3.4	1.155	0.3	0.2	0	44.7	39.6	0	138	125	0	34	33	33
2024	10	12	2	16	6	25.5	-2.9	1.155	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33
2024	10	12	2	26	6	24.6	-2.8	1.155	0.4	0.3	0	45.2	40.4	0	139	126	0	34	32	34
2024	10	12	2	36	6	25.4	-2.9	1.154	0.3	0.2	0	44.7	39.6	0	138	125	0	34	33	33
2024	10	12	2	46	6	25.8	-2.8	1.154	0.4	0.3	0	45.2	39.6	0	138	125	0	33	33	33
2024	10	12	2	56	6	26.3	-2.9	1.154	0.5	0.4	0	45.2	39.6	0	138	125	0	33	33	33
2024	10	12	3	6	6	24.9	-2.7	1.153	0.3	0.2	0	44.7	40	0	138	125	0	34	32	33
2024	10	12	3	16	6	26.3	-2.8	1.153	0.3	0.2	0	44.7	39.1	0	137	124	0	33	33	34
2024	10	12	3	26	6	24.9	-2.3	1.152	0.3	0.2	0	44.7	40	0	138	125	0	34	32	32
2024	10	12	3	36	6	24.9	-2.2	1.151	0.4	0.3	0	45.2	40	0	139	125	0	34	32	33
2024	10	12	3	46	6	25.7	-2.6	1.15	0.3	0.2	0	45.6	40	0	139	125	0	33	32	33
2024	10	12	3	56	6	25	-2.6	1.149	0.3	0.2	0	44.7	39.6	0	138	125	0	34	33	33
2024	10	12	4	6	6	26.8	-2.8	1.149	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	34
2024	10	12	4	16	6	26.1	-3.1	1.148	0.5	0.4	0	44.3	39.6	0	137	124	0	34	32	34
2024	10	12	4	26	6	26	-2.4	1.148	0.3	0.2	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	12	4	36	6	25.1	-3.6	1.148	0.3	0.2	0	44.7	39.1	0	137	124	0	33	33	33
2024	10	12	4	46	6	27.1	-2.6	1.148	0.4	0.3	0	44.3	39.6	0	137	124	0	34	32	34
2024	10	12	4	56	6	25.9	-2	1.147	0.3	0.2	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	12	5	6	6	25.8	-2.3	1.147	0.3	0.2	0	44.7	40	0	138	125	0	34	32	33
2024	10	12	5	16	6	24.8	-1.3	1.147	0.5	0.4	0	44.7	39.6	0	138	124	0	34	32	34
2024	10	12	5	26	6	27.4	-2.5	1.147	0.5	0.4	0	44.7	39.1	0	137	124	0	33	33	33
2024	10	12	5	36	6	24.1	-2.5	1.146	0.4	0.3	0	44.7	39.6	0	138	125	0	34	33	33
2024	10	12	5	46	6	26.5	-2.9	1.146	0.3	0.2	0	44.7	40	0	139	125	0	35	32	34
2024	10	12	5	56	6	25.8	-2.7	1.146	0.5	0.4	0	46	40	0	140	125	0	33	32	33
2024	10	12	6	6	6	26.4	-2.6	1.146	0.3	0.2	0	44.7	39.1	0	138	124	0	34	33	34
2024	10	12	6	16	6	27.3	-2.6	1.145	0.4	0.3	0	45.2	39.1	0	139	124	0	34	33	33
2024	10	12	6	26	6	27.8	-2.4	1.145	0.3	0.2	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	12	6	36	6	23.8	-2	1.145	0.4	0.3	0	45.2	39.1	0	138	124	0	33	33	34
2024	10	12	6	46	6	25.8	-2.2	1.145	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	12	6	56	6	26.7	-1.3	1.145	0.4	0.3	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	12	7	6	6	26.1	-2.6	1.145	0.3	0.2	0	44.7	39.6	0	138	124	0	34	32	34
2024	10	12	7	16	6	26.3	-3.2	1.145	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	33
2024	10	12	7	26	6	25.3	-2.5	1.144	0.4	0.3	0	44.3	38.7	0	137	122	0	34	32	34
2024	10	12	7	36	6	25.8	-2.9	1.144	0.3	0.2	0	43.9	38.3	0	136	122	0	34	33	34
2024	10	12	7	46	6	25.3	-2.2	1.144	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	33
2024	10	12	7	56	6	26.5	-3.1	1.144	0.3	0.2	0	43.9	37.8	0	136	121	0	34	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	12	8	6	6	25	-2.1	1.144	0.5	0.4	0	44.3	38.7	0	136	122	0	33	32	34
2024	10	12	8	16	6	25.3	-2.7	1.144	0.3	0.2	0	43.9	38.3	0	136	122	0	34	33	34
2024	10	12	8	26	6	26.3	-2.4	1.144	0.4	0.3	0	43.9	38.3	0	136	122	0	34	33	34
2024	10	12	8	36	6	26.6	-2	1.143	0.4	0.3	0	43.4	38.7	0	135	122	0	34	32	33
2024	10	12	8	46	6	25.8	-2.6	1.143	0.3	0.2	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	12	8	56	6	25.9	-2.6	1.143	0.3	0.2	0	43.4	37.8	0	135	121	0	34	33	33
2024	10	12	9	6	6	25	-2.6	1.143	0.3	0.2	0	43.4	37.8	0	135	121	0	34	33	33
2024	10	12	9	16	6	26.1	-1.2	1.143	0.3	0.2	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	12	9	26	6	25.4	-2.4	1.142	0.3	0.2	0	43.4	38.3	0	135	121	0	34	32	34
2024	10	12	9	36	6	26.5	-2.4	1.142	0.3	0.2	0	43	37	0	134	120	0	34	34	33
2024	10	12	9	46	6	24.6	-2.6	1.141	0.3	0.2	0	43.9	38.3	0	136	122	0	34	33	34
2024	10	12	9	56	6	24.2	-2.3	1.14	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	33
2024	10	12	10	6	6	26.2	-3.4	1.138	0.4	0.3	0	43	37.8	0	134	121	0	34	33	33
2024	10	12	10	16	6	24.9	-2.9	1.137	0.4	0.3	0	43.9	37.8	0	135	121	0	33	33	33
2024	10	12	10	26	6	26.3	-2.4	1.137	0.5	0.4	0	43	37.8	0	134	121	0	34	33	34
2024	10	12	10	36	6	25.5	-3	1.137	0.3	0.2	0	43	37.8	0	134	121	0	34	33	34
2024	10	12	10	46	6	26.4	-2.6	1.136	0.4	0.3	0	43	37.8	0	134	121	0	34	33	34
2024	10	12	10	56	6	26.8	-3.3	1.137	0.4	0.3	0	43.4	37.4	0	134	120	0	33	33	34
2024	10	12	11	6	6	25.6	-2.2	1.136	0.4	0.3	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	12	11	16	6	25.8	-3.1	1.136	0.3	0.2	0	42.6	37.4	0	133	120	0	34	33	33
2024	10	12	11	26	6	25.3	-2.8	1.136	0.4	0.3	0	43.4	37.4	0	134	120	0	33	33	34
2024	10	12	11	36	6	25.9	-2.9	1.136	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2024	10	12	11	46	6	26	-2	1.136	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	12	11	56	6	25.2	-2.7	1.135	0.3	0.2	0	42.1	37	0	132	118	0	34	32	34
2024	10	12	12	6	6	25.3	-1.3	1.135	0.4	0.3	0	42.1	36.5	0	132	118	0	34	33	33
2024	10	12	12	16	6	26	-2.6	1.135	0.4	0.3	0	42.6	37	0	133	119	0	34	33	33
2024	10	12	12	26	6	25.9	-2.4	1.135	0.4	0.3	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	12	12	36	6	26.1	-2.8	1.135	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	34
2024	10	12	12	46	6	25.1	-3.5	1.135	0.4	0.3	0	42.1	37	0	132	119	0	34	33	33
2024	10	12	12	56	6	26.4	-3.1	1.134	0.5	0.5	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	12	13	6	6	26	-3.1	1.134	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	34
2024	10	12	13	16	6	26.6	-2.7	1.134	0.5	0.4	0	42.1	37	0	132	119	0	34	33	34
2024	10	12	13	26	6	26.2	-2.9	1.134	0.4	0.3	0	42.6	37	0	133	119	0	34	33	33
2024	10	12	13	36	6	27.4	-2.9	1.134	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	34
2024	10	12	13	46	6	23.9	-2.7	1.133	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	12	13	56	6	24.8	-2.6	1.133	0.4	0.3	0	43	37.8	0	133	120	0	33	32	33
2024	10	12	14	6	6	27	-2.7	1.133	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	34
2024	10	12	14	16	6	25.1	-2.3	1.133	0.4	0.3	0	43.4	38.3	0	134	121	0	33	32	33
2024	10	12	14	26	6	25	-1.3	1.132	0.5	0.4	0	43.4	38.3	0	135	121	0	34	32	34
2024	10	12	14	36	6	26	-2.7	1.132	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	12	14	46	6	25.3	-3.5	1.131	0.4	0.3	0	42.6	37	0	133	119	0	34	33	33
2024	10	12	14	56	6	24.9	-2.4	1.13	0.5	0.4	0	43	37.4	0	134	120	0	34	33	33
2024	10	12	15	6	6	24.3	-2	1.13	0.4	0.3	0	42.6	37.8	0	133	120	0	34	32	33
2024	10	12	15	16	6	25	-2.8	1.129	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	12	15	26	6	24.8	-2.2	1.128	0.3	0.2	0	43	38.3	0	134	121	0	34	32	33
2024	10	12	15	36	6	26.1	-3	1.129	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2024	10	12	15	46	6	25.4	-2.9	1.128	0.5	0.4	0	42.6	37.4	0	133	120	0	34	33	34
2024	10	12	15	56	6	25.9	-2.2	1.128	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	12	16	6	6	25.5	-2.2	1.128	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	34
2024	10	12	16	16	6	26	-4.3	1.127	0.3	0.2	0	42.6	37	0	133	119	0	34	33	34
2024	10	12	16	26	6	25.7	-3.9	1.126	0.5	0.4	0	42.6	37.4	0	133	119	0	34	32	34
2024	10	12	16	36	6	25.4	-3.6	1.127	0.5	0.4	0	42.6	37.4	0	133	119	0	34	32	33
2024	10	12	16	46	6	24.3	-2.7	1.126	0.4	0.3	0	42.6	37	0	133	119	0	34	33	33
2024	10	12	16	56	6	25.5	-3.6	1.126	0.3	0.2	0	43	37.4	0	133	119	0	33	32	34
2024	10	12	17	6	6	25.7	-3.2	1.126	0.3	0.2	0	42.6	37	0	133	118	0	34	32	33
2024	10	12	17	16	6	25.6	-2.1	1.125	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	34
2024	10	12	17	26	6	26	-3.2	1.126	0.5	0.4	0	42.1	36.5	0	133	118	0	35	33	33
2024	10	12	17	36	6	24	-3	1.125	0.4	0.3	0	43.4	37	0	134	119	0	33	33	34
2024	10	12	17	46	6	26.5	-3.2	1.125	0.4	0.3	0	43	37.4	0	134	119	0	34	32	33
2024	10	12	17	56	6	25.5	-3.3	1.125	0.4	0.3	0	43	37.4	0	134	119	0	34	32	34
2024	10	12	18	6	6	24.4	-4.1	1.125	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2024	10	12	18	16	6	25.6	-2.4	1.125	0.5	0.4	0	43.4	38.3	0	135	121	0	34	32	34
2024	10	12	18	26	6	24.7	-2.5	1.125	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	12	18	36	6	25.7	-1.8	1.125	0.3	0.2	0	43.4	37.8	0	135	121	0	34	33	34
2024	10	12	18	46	6	25.1	-2.1	1.125	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	32
2024	10	12	18	56	6	25.4	-2.7	1.125	0.4	0.3	0	45.2	39.6	0	138	124	0	33	32	33
2024	10	12	19	6	6	25.1	-2.7	1.124	0.4	0.3	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	12	19	16	6	25.1	-3.3	1.124	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	34
2024	10	12	19	26	6	24.1	-3	1.124	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	12	19	36	6	25.5	-3.2	1.124	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	34
2024	10	12	19	46	6	25.1	-2.3	1.124	0.4	0.3	0	45.6	40	0	139	125	0	33	32	33
2024	10	12	19	56	6	24.3	-2.7	1.124	0.4	0.3	0	45.6	40	0	140	125	0	34	32	33
2024	10	12	20	6	6	25.5	-2.4	1.124	0.4	0.3	0	45.6	39.6	0	140	125	0	34	33	33
2024	10	12	20	16	6	24.8	-1.8	1.124	0.3	0.2	0	45.2	39.6	0	139	125	0	34	33	34
2024	10	12	20	26	6	25.3	-2.5	1.123	0.3	0.2	0	45.2	39.6	0	139	124	0	34	32	33
2024	10	12	20	36	6	25.3	-2.5	1.124	0.4	0.3	0	45.6	40	0	139	125	0	33	32	34
2024	10	12	20	46	6	25.8	-3.3	1.123	0.5	0.5	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	12	20	56	6	23.6	-2	1.123	0.4	0.3	0	45.2	39.6	0	139	124	0	34	32	34
2024	10	12	21	6	6	24.5	-2.3	1.123	0.5	0.4	0	45.2	39.6	0	139	125	0	34	33	34
2024	10	12	21	16	6	25.5	-2.4	1.123	0.5	0.4	0	45.2	39.6	0	139	125	0	34	33	33
2024	10	12	21	26	6	24.4	-2.3	1.123	0.5	0.4	0	45.6	40	0	140	125	0	34	32	33
2024	10	12	21	36	6	26.2	-2.9	1.123	0.3	0.2	0	45.2	39.6	0	139	125	0	34	33	33
2024	10	12	21	46	6	24	-2.4	1.123	0.5	0.4	0	44.3	39.6	0	138	124	0	35	32	34
2024	10	12	21	56	6	24.9	-2.5	1.123	0.5	0.5	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	12	22	6	6	25	-2.7	1.123	0.4	0.3	0	45.2	39.6	0	138	124	0	33	32	34
2024	10	12	22	16	6	25.6	-3	1.123	0.3	0.2	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	12	22	26	6	24.2	-2.7	1.123	0.5	0.4	0	44.7	38.7	0	138	124	0	34	34	33
2024	10	12	22	36	6	24.5	-2.7	1.122	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	33
2024	10	12	22	46	6	25.3	-2.5	1.122	0.3	0.2	0	45.2	39.1	0	139	124	0	34	33	34
2024	10	12	22	56	6	24.4	-2.3	1.122	0.3	0.2	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	12	23	6	6	25.1	-3	1.122	0.3	0.2	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	12	23	16	6	25.6	-2.5	1.122	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	34
2024	10	12	23	26	6	25.3	-3.5	1.122	0.3	0.2	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	12	23	36	6	25.5	-2.7	1.122	0.4	0.3	0	43.9	39.1	0	137	123	0	35	32	33
2024	10	12	23	46	6	24.1	-3.3	1.122	0.5	0.4	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	12	23	56	6	24.8	-2.2	1.122	0.5	0.4	0	44.7	38.7	0	138	123	0	34	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	13	0	6	6	23.4	-1.3	1.122	0.4	0.3	0	44.7	39.1	0	139	124	0	35	33	33
2024	10	13	0	16	6	24.7	-1.9	1.122	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	13	0	26	6	25.7	-1.9	1.122	0.4	0.3	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	13	0	36	6	23.8	-2	1.122	0.4	0.3	0	45.2	38.7	0	138	123	0	33	33	33
2024	10	13	0	46	6	25.3	-2.4	1.122	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	13	0	56	6	26.1	-2.3	1.121	0.4	0.3	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	13	1	6	6	25	-2.7	1.121	0.5	0.4	0	44.7	38.7	0	138	123	0	34	33	34
2024	10	13	1	16	6	24.5	-3.2	1.121	0.5	0.4	0	44.3	38.7	0	137	123	0	34	33	33
2024	10	13	1	26	6	25.3	-2.2	1.121	0.5	0.4	0	43.9	38.3	0	136	122	0	34	33	34
2024	10	13	1	36	6	24.6	-3	1.121	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	13	1	46	6	24.9	-1.3	1.121	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	13	1	56	6	24.4	-1	1.121	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	13	2	6	6	23.4	-2.7	1.121	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	13	2	16	6	25	-2.2	1.121	0.4	0.3	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	13	2	26	6	24.7	-3.5	1.121	0.4	0.3	0	43.9	38.3	0	136	122	0	34	33	34
2024	10	13	2	36	6	24.3	-2.2	1.121	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	13	2	46	6	26.1	-4.2	1.121	0.4	0.3	0	44.3	38.3	0	136	122	0	33	33	34
2024	10	13	2	56	6	25.2	-2.6	1.121	0.4	0.3	0	43.9	38.3	0	136	122	0	34	33	34
2024	10	13	3	6	6	24.7	-2.7	1.121	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	13	3	16	6	24.9	-1.7	1.121	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	33
2024	10	13	3	26	6	24	-2.6	1.121	0.3	0.2	0	44.7	38.7	0	137	123	0	33	33	34
2024	10	13	3	36	6	25.6	-3.1	1.121	0.3	0.2	0	44.7	38.7	0	137	123	0	33	33	34
2024	10	13	3	46	6	24.6	-2.5	1.121	0.4	0.3	0	43.9	39.1	0	136	123	0	34	32	34
2024	10	13	3	56	6	26.3	-2.7	1.121	0.4	0.3	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	13	4	6	6	24.1	-3.2	1.121	0.4	0.3	0	44.7	39.1	0	137	123	0	33	32	34
2024	10	13	4	16	6	23.5	-2.2	1.121	0.3	0.2	0	45.2	40.4	0	139	127	0	34	33	34
2024	10	13	4	26	6	24.8	-2.2	1.12	0.4	0.3	0	44.7	40	0	138	126	0	34	33	33
2024	10	13	4	36	6	25.8	-3.2	1.121	0.5	0.4	0	44.7	39.1	0	138	125	0	34	34	34
2024	10	13	4	46	6	25.2	-3	1.121	0.5	0.5	0	44.3	40	0	137	125	0	34	32	33
2024	10	13	4	56	6	25.4	-3	1.12	0.3	0.2	0	44.3	39.6	0	137	125	0	34	33	34
2024	10	13	5	6	6	24.7	-2.4	1.12	0.5	0.4	0	44.7	40.4	0	138	126	0	34	32	34
2024	10	13	5	16	6	24.7	-2.4	1.12	0.4	0.3	0	44.7	40	0	138	125	0	34	32	33
2024	10	13	5	26	6	25.7	-2.8	1.12	0.3	0.2	0	44.3	39.6	0	137	125	0	34	33	34
2024	10	13	5	36	6	24.6	-2.2	1.12	0.3	0.2	0	44.7	40	0	139	126	0	35	33	33
2024	10	13	5	46	6	25.5	-2.6	1.12	0.4	0.3	0	44.7	39.6	0	138	125	0	34	33	33
2024	10	13	5	56	6	25.2	-2.7	1.12	0.3	0.2	0	44.3	40	0	137	125	0	34	32	33
2024	10	13	6	6	6	23.3	-2.9	1.12	0.3	0.2	0	44.7	39.6	0	138	125	0	34	33	33
2024	10	13	6	16	6	23.7	-2.7	1.12	0.4	0.3	0	44.3	38.7	0	137	124	0	34	34	34
2024	10	13	6	26	6	25	-2.9	1.12	0.4	0.3	0	44.3	39.1	0	137	124	0	34	33	34
2024	10	13	6	36	6	24	-2.6	1.12	0.5	0.4	0	43.9	39.1	0	136	124	0	34	33	34
2024	10	13	6	46	6	25.4	-2.3	1.12	0.4	0.3	0	44.3	39.1	0	136	124	0	33	33	33
2024	10	13	6	56	6	24.6	-3	1.12	0.4	0.3	0	44.3	38.7	0	137	124	0	34	34	34
2024	10	13	7	6	6	24.6	-2.5	1.12	0.5	0.4	0	44.3	39.6	0	137	124	0	34	32	34
2024	10	13	7	16	6	25.8	-3.2	1.12	0.3	0.2	0	43.9	39.1	0	136	124	0	34	33	33
2024	10	13	7	26	6	25.8	-2.9	1.12	0.3	0.2	0	43.9	38.7	0	136	123	0	34	33	34
2024	10	13	7	36	6	24.5	-2.1	1.12	0.5	0.4	0	43.4	38.7	0	135	123	0	34	33	33
2024	10	13	7	46	6	24.9	-2.5	1.12	0.4	0.3	0	43.4	38.7	0	135	123	0	34	33	33
2024	10	13	7	56	6	24.3	-2.7	1.12	0.3	0.2	0	43.9	38.7	0	136	123	0	34	33	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	13	8	6	6	25.5	-3.1	1.12	0.4	0.3	0	43.4	38.7	0	135	123	0	34	33	33
2024	10	13	8	16	6	26	-3.1	1.12	0.3	0.2	0	43.4	38.3	0	135	122	0	34	33	34
2024	10	13	8	26	6	24.1	-2.5	1.119	0.5	0.4	0	43	38.3	0	134	122	0	34	33	33
2024	10	13	8	36	6	26.2	-2.6	1.12	0.3	0.2	0	43	38.3	0	134	122	0	34	33	34
2024	10	13	8	46	6	24.8	-1.6	1.12	0.4	0.3	0	43.4	38.7	0	134	122	0	33	32	34
2024	10	13	8	56	6	24.5	-2.1	1.12	0.3	0.2	0	43	37.8	0	133	121	0	33	33	34
2024	10	13	9	6	6	24.1	-2.5	1.12	0.3	0.2	0	43	38.3	0	134	122	0	34	33	33
2024	10	13	9	16	6	26.5	-2.9	1.12	0.3	0.2	0	42.6	37.8	0	133	121	0	34	33	34
2024	10	13	9	26	6	23.3	-3.2	1.12	0.4	0.3	0	43	38.7	0	134	122	0	34	32	34
2024	10	13	9	36	6	24.8	-1.8	1.12	0.3	0.2	0	42.6	38.3	0	133	121	0	34	32	33
2024	10	13	9	46	6	26	-2.2	1.12	0.4	0.3	0	43	38.3	0	134	122	0	34	33	34
2024	10	13	9	56	6	24.7	-2.4	1.12	0.4	0.3	0	43	38.3	0	134	122	0	34	33	35
2024	10	13	10	6	6	25.6	-2.3	1.119	0.6	0.5	0	43	38.7	0	134	122	0	34	32	33
2024	10	13	10	16	6	24.7	-1.1	1.119	0.4	0.3	0	43	38.3	0	134	122	0	34	33	33
2024	10	13	10	26	6	25.2	-3.4	1.119	0.4	0.3	0	42.6	38.3	0	133	121	0	34	32	33
2024	10	13	10	36	6	24	-1.8	1.119	0.5	0.4	0	42.6	37.8	0	133	121	0	34	33	34
2024	10	13	10	46	6	25.1	-3.1	1.119	0.5	0.4	0	42.1	37.4	0	132	120	0	34	33	34
2024	10	13	10	56	6	24.5	-2.2	1.119	0.3	0.2	0	43	38.3	0	134	122	0	34	33	33
2024	10	13	11	6	6	24	-2.3	1.119	0.3	0.2	0	42.1	37.4	0	132	120	0	34	33	33
2024	10	13	11	16	6	23.6	-1.3	1.119	0.3	0.2	0	41.7	37.4	0	131	119	0	34	32	33
2024	10	13	11	26	6	25.6	-2.6	1.118	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2024	10	13	11	36	6	26.3	-3.1	1.118	0.4	0.3	0	41.7	37	0	130	118	0	33	32	33
2024	10	13	11	46	6	24.6	-2.7	1.118	0.3	0.2	0	41.3	36.1	0	130	117	0	34	33	33
2024	10	13	11	56	6	23.8	-2.2	1.117	0.5	0.4	0	41.7	36.5	0	131	119	0	34	34	33
2024	10	13	12	6	6	24.5	-2.3	1.117	0.3	0.2	0	41.3	37	0	131	119	0	35	33	34
2024	10	13	12	16	6	23.7	-2.5	1.115	0.4	0.3	0	41.7	37.4	0	131	119	0	34	32	34
2024	10	13	12	26	6	25.5	-2	1.115	0.3	0.2	0	41.3	37	0	130	118	0	34	32	33
2024	10	13	12	36	6	24.6	-2.7	1.115	0.4	0.3	0	41.7	37	0	131	119	0	34	33	34
2024	10	13	12	46	6	24.7	-2.7	1.115	0.4	0.3	0	41.3	37	0	130	118	0	34	32	33
2024	10	13	12	56	6	24.1	-2.6	1.114	0.5	0.4	0	41.7	36.5	0	131	118	0	34	33	34
2024	10	13	13	6	6	24.6	-2.6	1.114	0.4	0.3	0	41.3	36.5	0	130	118	0	34	33	33
2024	10	13	13	16	6	26	-3.7	1.114	0.3	0.2	0	40.9	36.5	0	129	117	0	34	32	33
2024	10	13	13	26	6	25	-4.1	1.114	0.4	0.3	0	40.9	36.5	0	130	117	0	35	32	33
2024	10	13	13	36	6	25.5	-2.5	1.114	0.3	0.2	0	40.9	36.5	0	129	117	0	34	32	33
2024	10	13	13	46	6	26.5	-3.2	1.114	0.4	0.3	0	41.3	36.1	0	130	117	0	34	33	34
2024	10	13	13	56	6	24.9	-3.4	1.113	0.5	0.4	0	40.9	36.5	0	129	117	0	34	32	33
2024	10	13	14	6	6	24.3	-2	1.113	0.4	0.3	0	40.9	36.1	0	129	117	0	34	33	34
2024	10	13	14	16	6	25.7	-2.3	1.113	0.4	0.3	0	40.9	36.1	0	129	117	0	34	33	34
2024	10	13	14	26	6	24.4	-2.9	1.113	0.4	0.3	0	40.9	36.1	0	129	116	0	34	32	33
2024	10	13	14	36	6	24.9	-3.9	1.113	0.4	0.3	0	40.4	35.7	0	128	116	0	34	33	33
2024	10	13	14	46	6	24.3	-2.3	1.113	0.4	0.3	0	41.7	36.5	0	130	117	0	33	32	33
2024	10	13	14	56	6	24.9	-2.9	1.112	0.3	0.2	0	40.9	36.5	0	129	117	0	34	32	34
2024	10	13	15	6	6	25.5	-2.6	1.113	0.4	0.3	0	40.9	36.1	0	129	117	0	34	33	33
2024	10	13	15	16	6	23.9	-3.4	1.112	0.4	0.3	0	41.3	35.7	0	129	116	0	33	33	34
2024	10	13	15	26	6	24.8	-3.2	1.112	0.3	0.2	0	40.4	35.7	0	128	116	0	34	33	33
2024	10	13	15	36	6	23.6	-1.8	1.112	0.3	0.2	0	41.3	36.1	0	130	117	0	34	33	33
2024	10	13	15	46	6	25	-3.2	1.112	0.5	0.4	0	40.9	36.1	0	129	116	0	34	32	34
2024	10	13	15	56	6	24.5	-2.8	1.112	0.3	0.2	0	41.3	36.1	0	130	117	0	34	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	13	16	6	6	24.5	-2.5	1.112	0.5	0.4	0	40.9	36.1	0	129	116	0	34	32	33
2024	10	13	16	16	6	24.6	-3.1	1.112	0.3	0.2	0	41.3	36.5	0	130	117	0	34	32	34
2024	10	13	16	26	6	26	-3.1	1.111	0.5	0.4	0	41.3	35.7	0	129	116	0	33	33	33
2024	10	13	16	36	6	24.6	-2.3	1.111	0.3	0.2	0	41.3	36.1	0	129	116	0	33	32	33
2024	10	13	16	46	6	24	-2.2	1.111	0.4	0.3	0	40.9	36.1	0	129	116	0	34	32	34
2024	10	13	16	56	6	24.1	-2.3	1.111	0.3	0.2	0	40.9	36.1	0	129	116	0	34	32	34
2024	10	13	17	6	6	24.8	-2.8	1.111	0.5	0.4	0	40.9	35.3	0	129	115	0	34	33	33
2024	10	13	17	16	6	25.1	-3.1	1.111	0.4	0.3	0	40.9	36.1	0	129	116	0	34	32	34
2024	10	13	17	26	6	22.8	-3.2	1.111	0.4	0.3	0	40.9	36.1	0	129	116	0	34	32	32
2024	10	13	17	36	6	24.2	-2.3	1.111	0.3	0.2	0	41.7	37	0	131	119	0	34	33	33
2024	10	13	17	46	6	25	-2.3	1.111	0.4	0.3	0	42.6	37.8	0	133	121	0	34	33	34
2024	10	13	17	56	6	25	-3.4	1.111	0.5	0.4	0	42.1	37.8	0	132	121	0	34	33	34
2024	10	13	18	6	6	24.6	-2.2	1.111	0.4	0.3	0	42.6	37.8	0	132	121	0	33	33	33
2024	10	13	18	16	6	24.8	-2.7	1.111	0.5	0.4	0	42.1	37.8	0	132	121	0	34	33	34
2024	10	13	18	26	6	24.5	-2.2	1.111	0.4	0.3	0	42.6	37.8	0	133	121	0	34	33	33
2024	10	13	18	36	6	24.5	-2.7	1.111	0.3	0.2	0	42.6	38.7	0	133	122	0	34	32	33
2024	10	13	18	46	6	24.7	-2.7	1.111	0.3	0.2	0	42.6	38.7	0	134	122	0	35	32	33
2024	10	13	18	56	6	25.4	-3.9	1.111	0.4	0.3	0	43.4	39.1	0	135	123	0	34	32	33
2024	10	13	19	6	6	25.2	-2.4	1.111	0.5	0.4	0	43.9	39.1	0	136	123	0	34	32	33
2024	10	13	19	16	6	23.9	-2.3	1.111	0.4	0.3	0	44.3	39.1	0	137	124	0	34	33	33
2024	10	13	19	26	6	25.4	-2.7	1.111	0.3	0.2	0	43.9	39.6	0	136	124	0	34	32	33
2024	10	13	19	36	6	24.5	-3	1.11	0.5	0.4	0	44.3	39.1	0	136	123	0	33	32	33
2024	10	13	19	46	6	24.5	-2.8	1.11	0.4	0.3	0	45.6	39.6	0	140	124	0	34	32	33
2024	10	13	19	56	6	23.8	-3	1.11	0.3	0.2	0	45.2	39.1	0	139	123	0	34	32	33
2024	10	13	20	6	6	23.9	-1.8	1.11	0.5	0.4	0	45.2	39.1	0	139	123	0	34	32	33
2024	10	13	20	16	6	24.1	-2	1.11	0.4	0.3	0	45.6	39.1	0	140	124	0	34	33	34
2024	10	13	20	26	6	23.5	-2.6	1.11	0.3	0.2	0	45.6	39.1	0	140	124	0	34	33	34
2024	10	13	20	36	6	24.4	-2.4	1.11	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	13	20	46	6	24.8	-1.5	1.11	0.4	0.3	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	13	20	56	6	24.4	-2.7	1.11	0.4	0.3	0	44.7	39.1	0	138	123	0	34	32	33
2024	10	13	21	6	6	25.2	-3.9	1.11	0.4	0.3	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	13	21	16	6	24.9	-3.1	1.11	0.3	0.2	0	45.2	39.1	0	140	124	0	35	33	33
2024	10	13	21	26	6	24.8	-3.2	1.11	0.4	0.3	0	45.6	39.1	0	140	124	0	34	33	34
2024	10	13	21	36	6	23.2	-2.2	1.11	0.3	0.2	0	45.6	38.7	0	140	123	0	34	33	34
2024	10	13	21	46	6	26.1	-2.6	1.11	0.4	0.3	0	45.2	38.3	0	139	122	0	34	33	33
2024	10	13	21	56	6	24.3	-2.3	1.11	0.3	0.2	0	45.6	39.1	0	140	123	0	34	32	33
2024	10	13	22	6	6	24	-2.4	1.11	0.4	0.3	0	45.2	38.7	0	139	123	0	34	33	34
2024	10	13	22	16	6	24.3	-3.1	1.109	0.5	0.4	0	45.2	38.7	0	139	122	0	34	32	35
2024	10	13	22	26	6	25	-3.2	1.11	0.3	0.2	0	43	39.1	0	135	123	0	35	32	33
2024	10	13	22	36	6	24.2	-3.3	1.109	0.4	0.3	0	45.6	38.7	0	140	123	0	34	33	34
2024	10	13	22	46	6	24.3	-2.9	1.109	0.3	0.2	0	46	38.7	0	140	123	0	33	33	34
2024	10	13	22	56	6	23.8	-2.4	1.109	0.3	0.2	0	46	38.3	0	140	122	0	33	33	34
2024	10	13	23	6	6	25.2	-3.1	1.109	0.3	0.2	0	45.6	39.6	0	140	124	0	34	32	33
2024	10	13	23	16	6	24.8	-3.2	1.109	0.5	0.4	0	45.6	38.7	0	140	123	0	34	33	34
2024	10	13	23	26	6	24.1	-2.2	1.109	0.4	0.3	0	45.2	38.7	0	139	122	0	34	32	34
2024	10	13	23	36	6	24.9	-3.1	1.109	0.4	0.3	0	45.2	38.3	0	139	122	0	34	33	33
2024	10	13	23	46	6	25	-3.1	1.109	0.4	0.3	0	45.2	38.3	0	139	122	0	34	33	34
2024	10	13	23	56	6	24.4	-2.7	1.109	0.3	0.2	0	44.7	38.7	0	138	122	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	14	0	6	6	22.5	-2.4	1.109	0.3	0.2	0	45.2	38.7	0	139	123	0	34	33	34
2024	10	14	0	16	6	24.7	-3.2	1.109	0.4	0.3	0	45.2	38.3	0	139	122	0	34	33	34
2024	10	14	0	26	6	25.1	-2.8	1.109	0.4	0.3	0	44.7	38.3	0	139	122	0	35	33	33
2024	10	14	0	36	6	24.4	-3.3	1.109	0.4	0.3	0	44.7	37.8	0	138	121	0	34	33	34
2024	10	14	0	46	6	24.5	-2.7	1.109	0.3	0.2	0	45.2	38.7	0	139	122	0	34	32	33
2024	10	14	0	56	6	25.1	-2.2	1.109	0.5	0.4	0	45.2	38.7	0	139	122	0	34	32	34
2024	10	14	1	6	6	24.7	-2	1.109	0.3	0.2	0	45.2	38.3	0	139	123	0	34	34	34
2024	10	14	1	16	6	25.1	-2.3	1.109	0.5	0.4	0	45.2	38.3	0	139	122	0	34	33	34
2024	10	14	1	26	6	23.9	-2.8	1.109	0.3	0.2	0	45.6	38.7	0	140	123	0	34	33	34
2024	10	14	1	36	6	25	-3.5	1.109	0.4	0.3	0	44.7	38.3	0	138	122	0	34	33	33
2024	10	14	1	46	6	23.5	-3.2	1.109	0.3	0.2	0	44.7	38.7	0	138	122	0	34	32	33
2024	10	14	1	56	6	26.4	-3.7	1.109	0.4	0.3	0	44.7	37.8	0	138	121	0	34	33	34
2024	10	14	2	6	6	25.6	-3.5	1.109	0.5	0.4	0	44.3	38.3	0	137	121	0	34	32	33
2024	10	14	2	16	6	25.9	-2.6	1.109	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	34
2024	10	14	2	26	6	25.4	-2	1.109	0.5	0.5	0	44.3	37.8	0	138	121	0	35	33	33
2024	10	14	2	36	6	24.2	-3.5	1.109	0.5	0.4	0	44.3	38.3	0	138	122	0	35	33	34
2024	10	14	2	46	6	24.2	-2.7	1.109	0.4	0.3	0	44.7	38.3	0	138	122	0	34	33	33
2024	10	14	2	56	6	23	-2.6	1.109	0.4	0.3	0	44.7	38.3	0	138	122	0	34	33	34
2024	10	14	3	6	6	25.8	-2.7	1.109	0.5	0.4	0	44.3	37.8	0	137	121	0	34	33	33
2024	10	14	3	16	6	23.8	-1.6	1.109	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	34
2024	10	14	3	26	6	23.8	-2.4	1.108	0.5	0.4	0	44.3	37.8	0	137	121	0	34	33	34
2024	10	14	3	36	6	24	-2.9	1.108	0.3	0.2	0	44.3	37.8	0	137	121	0	34	33	33
2024	10	14	3	46	6	24.2	-2.5	1.108	0.3	0.2	0	44.3	38.3	0	138	122	0	35	33	34
2024	10	14	3	56	6	25.1	-2.7	1.108	0.3	0.2	0	45.2	37.8	0	138	121	0	33	33	34
2024	10	14	4	6	6	24.7	-2.5	1.108	0.4	0.3	0	44.3	35.7	0	137	116	0	34	33	33
2024	10	14	4	16	6	24.6	-3.2	1.108	0.5	0.4	0	44.3	37.8	0	137	121	0	34	33	34
2024	10	14	4	26	6	24.4	-3	1.108	0.4	0.3	0	44.3	38.3	0	138	122	0	35	33	33
2024	10	14	4	36	6	23.7	-1.9	1.108	0.5	0.4	0	44.7	37.8	0	138	122	0	34	34	34
2024	10	14	4	46	6	24.1	-2	1.108	0.4	0.3	0	44.7	37.8	0	137	121	0	33	33	33
2024	10	14	4	56	6	24	-2.6	1.108	0.3	0.2	0	44.7	38.3	0	138	122	0	34	33	33
2024	10	14	5	6	6	25.4	-3.3	1.108	0.4	0.3	0	44.3	38.7	0	138	122	0	35	32	34
2024	10	14	5	16	6	25.3	-4.2	1.108	0.5	0.5	0	44.3	37.8	0	137	121	0	34	33	33
2024	10	14	5	26	6	24.6	-2.2	1.108	0.4	0.3	0	44.3	37.8	0	138	121	0	35	33	33
2024	10	14	5	36	6	24.4	-2.5	1.108	0.3	0.2	0	44.3	37.8	0	137	121	0	34	33	34
2024	10	14	5	46	6	24.8	-2.9	1.108	0.4	0.3	0	44.7	38.3	0	138	122	0	34	33	33
2024	10	14	5	56	6	24.7	-2.3	1.108	0.4	0.3	0	44.7	38.3	0	138	122	0	34	33	34
2024	10	14	6	6	6	24.8	-1.3	1.108	0.4	0.3	0	45.2	38.3	0	138	122	0	33	33	34
2024	10	14	6	16	6	23.9	-2.5	1.108	0.5	0.5	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	14	6	26	6	24.6	-3	1.108	0.4	0.3	0	43.9	37.8	0	137	121	0	35	33	34
2024	10	14	6	36	6	25.8	-2.7	1.108	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	34
2024	10	14	6	46	6	24.7	-2.8	1.108	0.5	0.5	0	44.3	37.4	0	137	121	0	34	34	33
2024	10	14	6	56	6	25.5	-3.3	1.108	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	34
2024	10	14	7	6	6	23.7	-2.7	1.108	0.4	0.3	0	43.4	37.4	0	136	120	0	35	33	33
2024	10	14	7	16	6	24.3	-1.9	1.108	0.5	0.4	0	43.9	37.4	0	136	120	0	34	33	33
2024	10	14	7	26	6	24.2	-2.5	1.108	0.5	0.4	0	43.9	37.4	0	136	120	0	34	33	34
2024	10	14	7	36	6	25	-3.4	1.107	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	34
2024	10	14	7	46	6	24	-2.6	1.108	0.5	0.4	0	43.9	37.4	0	136	120	0	34	33	34
2024	10	14	7	56	6	24.8	-3.2	1.107	0.5	0.4	0	43.4	37	0	134	119	0	33	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	14	8	6	6	24.5	-3.1	1.108	0.4	0.3	0	43.4	37.4	0	135	120	0	34	33	33
2024	10	14	8	16	6	23.8	-2.9	1.107	0.5	0.4	0	43.4	37.8	0	135	120	0	34	32	34
2024	10	14	8	26	6	24.2	-2.2	1.108	0.3	0.2	0	43	37	0	134	119	0	34	33	33
2024	10	14	8	36	6	25.9	-2.8	1.107	0.3	0.2	0	43.9	37.4	0	136	121	0	34	34	34
2024	10	14	8	46	6	24.4	-2.3	1.107	0.5	0.4	0	43	37	0	134	119	0	34	33	33
2024	10	14	8	56	6	23.7	-3.2	1.108	0.3	0.2	0	43	37.4	0	135	120	0	35	33	34
2024	10	14	9	6	6	25.2	-2.7	1.108	0.4	0.3	0	42.6	37	0	133	119	0	34	33	33
2024	10	14	9	16	6	25.5	-2.8	1.108	0.3	0.2	0	42.6	37	0	133	119	0	34	33	34
2024	10	14	9	26	6	24.1	-3.2	1.108	0.4	0.3	0	42.1	36.1	0	132	117	0	34	33	34
2024	10	14	9	36	6	23.5	-1.8	1.108	0.3	0.2	0	42.1	35.7	0	131	116	0	33	33	33
2024	10	14	9	46	6	24.3	-3.1	1.108	0.3	0.2	0	41.7	36.1	0	132	117	0	35	33	34
2024	10	14	9	56	6	24.9	-2.5	1.108	0.3	0.2	0	42.1	36.1	0	132	117	0	34	33	34
2024	10	14	10	6	6	24.6	-1.5	1.108	0.4	0.3	0	42.1	36.5	0	132	117	0	34	32	33
2024	10	14	10	16	6	24.8	-2.2	1.108	0.5	0.5	0	42.1	36.1	0	132	117	0	34	33	33
2024	10	14	10	26	6	24.1	-3.2	1.108	0.5	0.4	0	41.7	36.5	0	131	117	0	34	32	34
2024	10	14	10	36	6	24.8	-2.8	1.108	0.5	0.4	0	42.1	36.1	0	131	117	0	33	33	33
2024	10	14	10	46	6	24.8	-3.4	1.108	0.5	0.5	0	41.7	36.1	0	131	117	0	34	33	33
2024	10	14	10	56	6	24.2	-2.7	1.108	0.4	0.3	0	41.7	35.7	0	131	116	0	34	33	34
2024	10	14	11	6	6	24	-1.9	1.107	0.3	0.2	0	41.7	36.1	0	131	117	0	34	33	33
2024	10	14	11	16	6	25.4	-3.6	1.108	0.3	0.2	0	41.7	35.7	0	131	116	0	34	33	34
2024	10	14	11	26	6	24.4	-2.4	1.107	0.4	0.3	0	41.7	36.5	0	131	117	0	34	32	34
2024	10	14	11	36	6	25	-2.3	1.107	0.4	0.3	0	41.3	36.1	0	131	117	0	35	33	34
2024	10	14	11	46	6	25.3	-2.8	1.107	0.5	0.4	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	14	11	56	6	24.9	-1.8	1.107	0.4	0.3	0	41.7	36.1	0	131	116	0	34	32	33
2024	10	14	12	6	6	24.8	-2.7	1.107	0.3	0.2	0	41.7	35.3	0	130	115	0	33	33	33
2024	10	14	12	16	6	23.4	-2.8	1.107	0.5	0.4	0	41.7	35.7	0	131	116	0	34	33	34
2024	10	14	12	26	6	24.3	-2.8	1.107	0.3	0.2	0	41.3	35.7	0	130	116	0	34	33	33
2024	10	14	12	36	6	24.4	-2.7	1.106	0.3	0.2	0	41.7	35.3	0	130	115	0	33	33	33
2024	10	14	12	46	6	25	-2	1.106	0.3	0.2	0	41.7	36.1	0	131	116	0	34	32	34
2024	10	14	12	56	6	24.6	-3.3	1.105	0.4	0.3	0	41.3	35.3	0	130	115	0	34	33	33
2024	10	14	13	6	6	23.2	-3.2	1.105	0.4	0.3	0	41.3	35.7	0	130	116	0	34	33	34
2024	10	14	13	16	6	24.3	-1.7	1.104	0.3	0.2	0	41.3	35.7	0	130	116	0	34	33	33
2024	10	14	13	26	6	24.3	-2.7	1.103	0.4	0.3	0	41.7	36.1	0	131	117	0	34	33	34
2024	10	14	13	36	6	23.9	-3.7	1.102	0.5	0.4	0	42.1	36.1	0	132	117	0	34	33	33
2024	10	14	13	46	6	24.5	-2.3	1.102	0.3	0.2	0	41.7	35.7	0	131	116	0	34	33	33
2024	10	14	13	56	6	24.9	-2.7	1.102	0.4	0.3	0	41.7	35.7	0	130	116	0	33	33	33
2024	10	14	14	6	6	24.7	-3.6	1.102	0.3	0.2	0	41.7	35.7	0	131	116	0	34	33	34
2024	10	14	14	16	6	24.8	-2.8	1.102	0.4	0.3	0	41.7	35.7	0	130	116	0	33	33	33
2024	10	14	14	26	6	23.6	-2.3	1.101	0.5	0.4	0	42.1	36.1	0	132	117	0	34	33	33
2024	10	14	14	36	6	24.4	-3.2	1.101	0.4	0.3	0	41.7	35.7	0	131	116	0	34	33	33
2024	10	14	14	46	6	24.1	-3.1	1.101	0.4	0.3	0	42.1	36.1	0	131	117	0	33	33	34
2024	10	14	14	56	6	24.7	-3.2	1.101	0.4	0.3	0	41.7	36.5	0	131	117	0	34	32	33
2024	10	14	15	6	6	24.7	-2.7	1.101	0.3	0.2	0	42.1	36.1	0	132	117	0	34	33	33
2024	10	14	15	16	6	24.3	-2.5	1.101	0.4	0.3	0	42.1	36.1	0	132	117	0	34	33	34
2024	10	14	15	26	6	25	-2.6	1.101	0.3	0.2	0	41.7	36.1	0	131	116	0	34	32	34
2024	10	14	15	36	6	24.6	-3.2	1.1	0.3	0.2	0	41.3	35.3	0	130	115	0	34	33	33
2024	10	14	15	46	6	24.6	-2.2	1.1	0.5	0.5	0	42.1	35.7	0	131	116	0	33	33	33
2024	10	14	15	56	6	25.2	-3.1	1.1	0.4	0.3	0	41.7	35.3	0	131	115	0	34	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	14	16	6	6	25.6	-4.3	1.1	0.4	0.3	0	41.3	35.7	0	130	115	0	34	32	33
2024	10	14	16	16	6	23.8	-2.8	1.1	0.3	0.2	0	42.1	36.1	0	132	116	0	34	32	33
2024	10	14	16	26	6	24.9	-3.1	1.1	0.4	0.3	0	41.3	35.7	0	130	115	0	34	32	33
2024	10	14	16	36	6	24.6	-3.2	1.099	0.4	0.3	0	41.3	35.3	0	130	115	0	34	33	33
2024	10	14	16	46	6	25	-3.1	1.1	0.5	0.4	0	41.3	35.3	0	130	115	0	34	33	34
2024	10	14	16	56	6	23.9	-4.4	1.099	0.5	0.4	0	41.3	35.3	0	130	115	0	34	33	34
2024	10	14	17	6	6	24.7	-2.7	1.099	0.4	0.3	0	40.9	35.3	0	129	114	0	34	32	34
2024	10	14	17	16	6	25.5	-4.1	1.099	0.3	0.2	0	41.3	34.8	0	130	114	0	34	33	33
2024	10	14	17	26	6	24.9	-3.5	1.099	0.3	0.2	0	41.3	35.3	0	130	115	0	34	33	33
2024	10	14	17	36	6	23.7	-2.3	1.099	0.3	0.2	0	41.3	34.8	0	130	114	0	34	33	33
2024	10	14	17	46	6	24.4	-1.3	1.099	0.3	0.2	0	41.3	34.8	0	130	114	0	34	33	33
2024	10	14	17	56	6	23.9	-4	1.099	0.4	0.3	0	41.3	34.8	0	130	114	0	34	33	33
2024	10	14	18	6	6	23.6	-3.3	1.099	0.3	0.2	0	42.1	36.5	0	132	117	0	34	32	34
2024	10	14	18	16	6	25.4	-2.8	1.099	0.5	0.4	0	42.1	36.1	0	132	117	0	34	33	34
2024	10	14	18	26	6	24	-3.7	1.099	0.3	0.2	0	42.6	37	0	133	118	0	34	32	33
2024	10	14	18	36	6	24.1	-2.7	1.099	0.4	0.3	0	42.1	36.5	0	133	118	0	35	33	33
2024	10	14	18	46	6	25.1	-2.5	1.099	0.5	0.4	0	43.4	37.8	0	135	120	0	34	32	34
2024	10	14	18	56	6	23	-2.2	1.099	0.4	0.3	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	14	19	6	6	23.5	-2.1	1.099	0.4	0.3	0	44.3	37.8	0	136	121	0	33	33	33
2024	10	14	19	16	6	24.4	-3.1	1.099	0.3	0.2	0	44.3	37.8	0	137	122	0	34	34	33
2024	10	14	19	26	6	24.3	-3.5	1.099	0.4	0.3	0	44.3	38.3	0	137	122	0	34	33	33
2024	10	14	19	36	6	24.7	-2.6	1.099	0.4	0.3	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	14	19	46	6	23.6	-2.3	1.099	0.3	0.2	0	44.7	38.7	0	138	123	0	34	33	34
2024	10	14	19	56	6	23.9	-2.7	1.099	0.4	0.3	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	14	20	6	6	24.4	-2.3	1.098	0.4	0.3	0	44.3	38.7	0	137	123	0	34	33	33
2024	10	14	20	16	6	23.2	-2.7	1.098	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	34
2024	10	14	20	26	6	24.4	-2.4	1.098	0.4	0.3	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	14	20	36	6	25.3	-3.5	1.098	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	34
2024	10	14	20	46	6	23.8	-3.2	1.098	0.3	0.2	0	45.2	39.1	0	138	123	0	33	32	34
2024	10	14	20	56	6	24.3	-2.7	1.098	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	33
2024	10	14	21	6	6	23.4	-3	1.098	0.4	0.3	0	44.7	39.1	0	138	123	0	34	32	34
2024	10	14	21	16	6	24.6	-2.2	1.098	0.3	0.2	0	44.7	38.3	0	138	122	0	34	33	33
2024	10	14	21	26	6	24.7	-3.8	1.098	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2024	10	14	21	36	6	23.8	-2.4	1.098	0.5	0.5	0	43.9	37.4	0	136	121	0	34	34	34
2024	10	14	21	46	6	24.3	-2.9	1.098	0.5	0.5	0	43.9	37.8	0	136	121	0	34	33	34
2024	10	14	21	56	6	24.1	-3.2	1.098	0.5	0.4	0	44.3	37.8	0	137	121	0	34	33	33
2024	10	14	22	6	6	23.8	-3.2	1.098	0.5	0.4	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	14	22	16	6	22.1	-1.4	1.098	0.5	0.4	0	44.3	38.3	0	138	122	0	35	33	34
2024	10	14	22	26	6	23.7	-2.9	1.098	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	14	22	36	6	24.7	-2.7	1.098	0.3	0.2	0	43.4	37.8	0	136	121	0	35	33	33
2024	10	14	22	46	6	24.2	-2.8	1.098	0.4	0.3	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	14	22	56	6	24.1	-2.3	1.097	0.5	0.4	0	44.7	39.6	0	138	124	0	34	32	34
2024	10	14	23	6	6	23.5	-3.4	1.097	0.5	0.4	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	14	23	16	6	24.5	-2.7	1.098	0.5	0.5	0	44.7	39.1	0	138	124	0	34	33	34
2024	10	14	23	26	6	23.3	-2.6	1.097	0.4	0.3	0	44.7	39.6	0	138	124	0	34	32	34
2024	10	14	23	36	6	24.6	-3	1.097	0.5	0.4	0	44.3	39.1	0	138	124	0	35	33	33
2024	10	14	23	46	6	24	-2.7	1.097	0.5	0.4	0	44.3	38.7	0	137	123	0	34	33	34
2024	10	14	23	56	6	23.6	-1.8	1.097	0.3	0.2	0	44.3	38.7	0	137	123	0	34	33	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	15	0	6	6	23.6	-3	1.097	0.3	0.2	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	15	0	16	6	24.5	-2.2	1.097	0.4	0.3	0	44.7	39.1	0	138	124	0	34	33	33
2024	10	15	0	26	6	24.5	-2.4	1.097	0.3	0.2	0	44.3	39.1	0	137	123	0	34	32	33
2024	10	15	0	36	6	24.6	-2.6	1.097	0.5	0.4	0	44.3	38.7	0	138	123	0	35	33	34
2024	10	15	0	46	6	24.1	-2.7	1.097	0.5	0.4	0	44.3	38.3	0	137	122	0	34	33	33
2024	10	15	0	56	6	24.5	-2.2	1.097	0.4	0.3	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	15	1	6	6	23.1	-2.3	1.097	0.5	0.4	0	43.9	38.7	0	136	122	0	34	32	34
2024	10	15	1	16	6	24.4	-2.2	1.097	0.5	0.5	0	43.9	37.8	0	136	121	0	34	33	35
2024	10	15	1	26	6	24	-2.4	1.098	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	33
2024	10	15	1	36	6	23.7	-2.6	1.097	0.3	0.2	0	43.9	37.4	0	136	121	0	34	34	34
2024	10	15	1	46	6	24	-1.8	1.097	0.5	0.4	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	15	1	56	6	25	-2.5	1.097	0.5	0.4	0	43.9	37.8	0	136	121	0	34	33	34
2024	10	15	2	6	6	23.1	-2.5	1.097	0.3	0.2	0	43.9	38.3	0	136	121	0	34	32	34
2024	10	15	2	16	6	24.7	-3.1	1.097	0.4	0.3	0	43.9	38.3	0	136	121	0	34	32	33
2024	10	15	2	26	6	24.7	-3	1.098	0.3	0.2	0	41.3	37.4	0	131	120	0	35	33	34
2024	10	15	2	36	6	23.6	-2.3	1.097	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	34
2024	10	15	2	46	6	23.8	-2.7	1.097	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	15	2	56	6	24.9	-3.1	1.097	0.4	0.3	0	44.7	37.4	0	138	120	0	34	33	34
2024	10	15	3	6	6	23.4	-2.8	1.097	0.5	0.4	0	45.2	37.8	0	139	121	0	34	33	33
2024	10	15	3	16	6	24.7	-2.3	1.097	0.4	0.3	0	44.7	37.8	0	138	121	0	34	33	34
2024	10	15	3	26	6	23.4	-2.7	1.097	0.3	0.2	0	45.2	37.8	0	139	122	0	34	34	34
2024	10	15	3	36	6	24.5	-2.7	1.097	0.4	0.3	0	44.7	37.8	0	139	121	0	35	33	34
2024	10	15	3	46	6	24	-2.9	1.097	0.5	0.5	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	15	3	56	6	25.8	-1.7	1.097	0.4	0.3	0	44.7	37.8	0	138	121	0	34	33	33
2024	10	15	4	6	6	24.5	-2.8	1.097	0.5	0.4	0	44.7	37.8	0	138	121	0	34	33	33
2024	10	15	4	16	6	24.7	-2.8	1.097	0.5	0.4	0	45.2	37.4	0	139	121	0	34	34	34
2024	10	15	4	26	6	24.6	-2.7	1.097	0.5	0.4	0	44.7	37.8	0	138	121	0	34	33	33
2024	10	15	4	36	6	23.7	-2.8	1.097	0.4	0.3	0	44.7	37.4	0	138	121	0	34	34	34
2024	10	15	4	46	6	24.6	-2.2	1.097	0.3	0.2	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	15	4	56	6	24.6	-3.1	1.097	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	34
2024	10	15	5	6	6	24.5	-2.7	1.097	0.5	0.4	0	43.4	37.4	0	135	120	0	34	33	33
2024	10	15	5	16	6	25.4	-2.3	1.097	0.4	0.3	0	44.3	37.4	0	138	121	0	35	34	34
2024	10	15	5	26	6	24.1	-2.4	1.097	0.3	0.2	0	45.2	37.4	0	139	121	0	34	34	34
2024	10	15	5	36	6	24.7	-2.8	1.097	0.3	0.2	0	44.7	37.8	0	138	121	0	34	33	33
2024	10	15	5	46	6	23.1	-1.5	1.097	0.4	0.3	0	44.3	37.8	0	138	121	0	35	33	34
2024	10	15	5	56	6	23.5	-2.7	1.097	0.4	0.3	0	44.7	38.3	0	138	121	0	34	32	34
2024	10	15	6	6	6	25.4	-3.8	1.097	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	33
2024	10	15	6	16	6	23.9	-2.8	1.097	0.3	0.2	0	44.7	37.8	0	138	121	0	34	33	33
2024	10	15	6	26	6	25	-3.5	1.097	0.4	0.3	0	44.7	37	0	138	120	0	34	34	33
2024	10	15	6	36	6	25.1	-2.9	1.097	0.5	0.4	0	45.2	37.4	0	138	120	0	33	33	34
2024	10	15	6	46	6	24.3	-2.7	1.097	0.3	0.2	0	44.7	37.4	0	138	121	0	34	34	34
2024	10	15	6	56	6	23.4	-2.7	1.097	0.5	0.4	0	44.3	37.8	0	138	121	0	35	33	34
2024	10	15	7	6	6	25.4	-2.7	1.097	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	15	7	16	6	23.1	-2.7	1.097	0.3	0.2	0	44.7	37.4	0	138	120	0	34	33	34
2024	10	15	7	26	6	23.8	-1.6	1.097	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	15	7	36	6	24.7	-2.8	1.098	0.4	0.3	0	44.3	37	0	137	119	0	34	33	34
2024	10	15	7	46	6	24	-2.6	1.098	0.4	0.3	0	44.3	37	0	136	119	0	33	33	34
2024	10	15	7	56	6	23.7	-2.8	1.097	0.3	0.2	0	43.9	37	0	136	119	0	34	33	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	15	8	6	6	24.9	-2.2	1.098	0.4	0.3	0	43.4	37.4	0	135	119	0	34	32	34
2024	10	15	8	16	6	24.5	-2.6	1.098	0.4	0.3	0	43.4	36.5	0	135	118	0	34	33	34
2024	10	15	8	26	6	24.6	-2.6	1.098	0.5	0.4	0	43.9	37	0	136	119	0	34	33	33
2024	10	15	8	36	6	24.8	-2.6	1.098	0.3	0.2	0	43.4	36.5	0	135	118	0	34	33	34
2024	10	15	8	46	6	23.6	-2.6	1.098	0.4	0.3	0	43.4	36.1	0	135	118	0	34	34	34
2024	10	15	8	56	6	24.3	-1.7	1.098	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	34
2024	10	15	9	6	6	25	-2.8	1.098	0.4	0.3	0	43.4	36.5	0	135	119	0	34	34	34
2024	10	15	9	16	6	24.5	-3.2	1.098	0.3	0.2	0	43.4	36.5	0	135	118	0	34	33	34
2024	10	15	9	26	6	24.2	-2	1.098	0.3	0.2	0	43	37	0	134	118	0	34	32	33
2024	10	15	9	36	6	24	-3.1	1.098	0.3	0.2	0	42.6	37	0	134	118	0	35	32	33
2024	10	15	9	46	6	25.2	-3.8	1.098	0.4	0.3	0	43	36.5	0	134	118	0	34	33	34
2024	10	15	9	56	6	23.9	-3.2	1.099	0.3	0.2	0	42.6	36.1	0	133	117	0	34	33	33
2024	10	15	10	6	6	25	-1.9	1.099	0.4	0.3	0	43	36.5	0	134	118	0	34	33	34
2024	10	15	10	16	6	24.8	-2.4	1.099	0.4	0.3	0	42.6	36.5	0	133	117	0	34	32	34
2024	10	15	10	26	6	25.2	-3.5	1.099	0.4	0.3	0	42.1	35.7	0	132	116	0	34	33	33
2024	10	15	10	36	6	24.3	-2.7	1.099	0.4	0.3	0	42.1	35.7	0	132	116	0	34	33	34
2024	10	15	10	46	6	22.8	-2.5	1.099	0.3	0.2	0	41.7	35.3	0	131	115	0	34	33	34
2024	10	15	10	56	6	24.7	-3	1.099	0.4	0.3	0	42.1	36.1	0	132	117	0	34	33	33
2024	10	15	11	6	6	25	-2.1	1.099	0.4	0.3	0	42.1	35.7	0	132	116	0	34	33	34
2024	10	15	11	16	6	23.7	-3.4	1.099	0.4	0.3	0	42.6	36.5	0	133	117	0	34	32	33
2024	10	15	11	26	6	24.3	-3.9	1.099	0.4	0.3	0	42.6	36.1	0	133	117	0	34	33	33
2024	10	15	11	36	6	24.6	-2.8	1.099	0.4	0.3	0	43	36.1	0	133	116	0	33	32	33
2024	10	15	11	46	6	24.9	-2.5	1.099	0.3	0.2	0	42.6	36.1	0	133	117	0	34	33	33
2024	10	15	11	56	6	23.8	-2	1.099	0.5	0.5	0	43	36.5	0	134	117	0	34	32	34
2024	10	15	12	6	6	23.8	-2.7	1.099	0.3	0.2	0	42.1	35.7	0	132	116	0	34	33	33
2024	10	15	12	16	6	23	-2.6	1.099	0.4	0.3	0	42.1	35.3	0	132	115	0	34	33	34
2024	10	15	12	26	6	23.6	-1.6	1.099	0.5	0.4	0	42.6	35.7	0	133	116	0	34	33	33
2024	10	15	12	36	6	23.6	-2.8	1.099	0.4	0.3	0	43	36.1	0	134	117	0	34	33	34
2024	10	15	12	46	6	25.8	-2.6	1.099	0.4	0.3	0	41.3	34.8	0	131	114	0	35	33	34
2024	10	15	12	56	6	25.2	-2.4	1.099	0.3	0.2	0	41.3	34.4	0	130	113	0	34	33	34
2024	10	15	13	6	6	24.7	-2.1	1.099	0.4	0.3	0	41.3	34.8	0	130	113	0	34	32	33
2024	10	15	13	16	6	24.9	-2.7	1.099	0.5	0.4	0	41.3	34.8	0	131	114	0	35	33	33
2024	10	15	13	26	6	24.1	-2.2	1.099	0.3	0.2	0	41.7	35.3	0	131	115	0	34	33	33
2024	10	15	13	36	6	23.8	-3.3	1.099	0.4	0.3	0	42.1	36.1	0	132	116	0	34	32	33
2024	10	15	13	46	6	24.5	-1.5	1.099	0.4	0.3	0	42.1	35.7	0	132	116	0	34	33	33
2024	10	15	13	56	6	23.9	-2.1	1.099	0.5	0.4	0	42.6	36.1	0	133	117	0	34	33	34
2024	10	15	14	6	6	23.1	-2.7	1.098	0.4	0.3	0	41.7	35.3	0	131	115	0	34	33	33
2024	10	15	14	16	6	24.3	-2.3	1.098	0.4	0.3	0	41.7	35.3	0	131	115	0	34	33	33
2024	10	15	14	26	6	24.5	-2.2	1.098	0.3	0.2	0	41.3	35.3	0	130	114	0	34	32	33
2024	10	15	14	36	6	24.9	-2.5	1.098	0.4	0.3	0	41.3	35.3	0	131	114	0	35	32	34
2024	10	15	14	46	6	24.1	-3.5	1.098	0.5	0.4	0	41.7	34.8	0	131	114	0	34	33	33
2024	10	15	14	56	6	24.5	-3.3	1.098	0.4	0.3	0	42.1	35.3	0	132	115	0	34	33	33
2024	10	15	15	6	6	25.3	-2	1.098	0.5	0.4	0	42.1	35.7	0	132	116	0	34	33	34
2024	10	15	15	16	6	24	-2.4	1.098	0.4	0.3	0	41.7	34.8	0	131	114	0	34	33	33
2024	10	15	15	26	6	25.1	-3.3	1.098	0.5	0.4	0	41.7	34.8	0	131	114	0	34	33	33
2024	10	15	15	36	6	25.1	-3.3	1.098	0.3	0.2	0	41.7	35.7	0	131	115	0	34	32	33
2024	10	15	15	46	6	23.9	-2.4	1.098	0.4	0.3	0	42.6	36.1	0	132	117	0	33	33	33
2024	10	15	15	56	6	24.6	-3.5	1.097	0.4	0.3	0	42.6	36.1	0	133	117	0	34	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	15	16	6	6	24.4	-3.7	1.098	0.3	0.2	0	42.6	37	0	133	118	0	34	32	34
2024	10	15	16	16	6	24.1	-2.3	1.098	0.4	0.3	0	42.6	36.1	0	133	117	0	34	33	33
2024	10	15	16	26	6	23.7	-2.7	1.097	0.4	0.3	0	42.6	36.5	0	133	118	0	34	33	33
2024	10	15	16	36	6	24.7	-2.7	1.097	0.3	0.2	0	42.1	36.5	0	132	117	0	34	32	33
2024	10	15	16	46	6	25.3	-2.7	1.097	0.3	0.2	0	42.6	36.5	0	133	117	0	34	32	33
2024	10	15	16	56	6	24.9	-3.1	1.098	0.4	0.3	0	41.7	36.1	0	131	116	0	34	32	33
2024	10	15	17	6	6	24.5	-3	1.098	0.5	0.4	0	42.1	36.1	0	132	116	0	34	32	34
2024	10	15	17	16	6	24.7	-2.1	1.097	0.3	0.2	0	42.6	36.1	0	133	117	0	34	33	33
2024	10	15	17	26	6	23.6	-2.8	1.098	0.5	0.4	0	42.6	36.5	0	133	117	0	34	32	34
2024	10	15	17	36	6	24.9	-2.4	1.098	0.5	0.4	0	42.6	36.1	0	133	117	0	34	33	34
2024	10	15	17	46	6	23.3	-3.2	1.098	0.4	0.3	0	43	36.1	0	134	118	0	34	34	32
2024	10	15	17	56	6	24.1	-2.7	1.097	0.4	0.3	0	43	36.5	0	134	118	0	34	33	34
2024	10	15	18	6	6	23.8	-2.3	1.097	0.4	0.3	0	43	36.5	0	134	117	0	34	32	33
2024	10	15	18	16	6	24.2	-2.6	1.098	0.4	0.3	0	42.1	36.5	0	133	117	0	35	32	33
2024	10	15	18	26	6	25.3	-3.2	1.098	0.3	0.2	0	42.6	35.7	0	133	116	0	34	33	33
2024	10	15	18	36	6	24	-2.4	1.097	0.4	0.3	0	43	36.5	0	134	117	0	34	32	33
2024	10	15	18	46	6	24.5	-2.4	1.097	0.4	0.3	0	43.4	36.5	0	135	118	0	34	33	34
2024	10	15	18	56	6	23.1	-2	1.097	0.5	0.4	0	44.3	37.4	0	136	119	0	33	32	34
2024	10	15	19	6	6	24.2	-1.9	1.097	0.3	0.2	0	44.3	37.8	0	137	120	0	34	32	34
2024	10	15	19	16	6	23.8	-2.3	1.097	0.3	0.2	0	44.7	37.4	0	137	120	0	33	33	34
2024	10	15	19	26	6	25.1	-1.8	1.097	0.3	0.2	0	43.9	37	0	136	119	0	34	33	33
2024	10	15	19	36	6	24.4	-2.4	1.097	0.4	0.3	0	44.7	37.4	0	137	120	0	33	33	33
2024	10	15	19	46	6	23.6	-1.5	1.097	0.4	0.3	0	44.7	37.4	0	138	121	0	34	34	34
2024	10	15	19	56	6	24.6	-3.2	1.097	0.5	0.4	0	44.3	37.4	0	137	120	0	34	33	33
2024	10	15	20	6	6	24.2	-2.9	1.097	0.4	0.3	0	45.6	37.8	0	140	121	0	34	33	33
2024	10	15	20	16	6	24.2	-3.2	1.097	0.5	0.5	0	45.6	37.4	0	140	121	0	34	34	33
2024	10	15	20	26	6	24.1	-2.7	1.097	0.5	0.4	0	45.6	37.8	0	140	121	0	34	33	33
2024	10	15	20	36	6	24.3	-2.4	1.097	0.4	0.3	0	45.6	37.8	0	139	121	0	33	33	33
2024	10	15	20	46	6	24.8	-3.7	1.097	0.3	0.2	0	45.2	37.4	0	138	120	0	33	33	33
2024	10	15	20	56	6	24.1	-2.5	1.097	0.3	0.2	0	45.2	37.4	0	139	120	0	34	33	33
2024	10	15	21	6	6	24.8	-2.4	1.097	0.5	0.4	0	45.2	37.4	0	139	120	0	34	33	33
2024	10	15	21	16	6	24.1	-1.8	1.097	0.3	0.2	0	45.6	37.4	0	139	120	0	33	33	34
2024	10	15	21	26	6	23.4	-2.2	1.097	0.4	0.3	0	46	37.8	0	140	121	0	33	33	34
2024	10	15	21	36	6	24.7	-2.8	1.097	0.5	0.4	0	45.2	37.4	0	139	120	0	34	33	33
2024	10	15	21	46	6	23.4	-2	1.097	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	15	21	56	6	24.7	-3	1.097	0.4	0.3	0	45.2	37.4	0	139	120	0	34	33	34
2024	10	15	22	6	6	25.1	-2.3	1.097	0.5	0.4	0	45.2	37.8	0	139	121	0	34	33	33
2024	10	15	22	16	6	23.5	-1.9	1.097	0.4	0.3	0	45.2	37.4	0	139	120	0	34	33	33
2024	10	15	22	26	6	24.2	-3	1.097	0.4	0.3	0	45.2	38.3	0	139	121	0	34	32	34
2024	10	15	22	36	6	24.6	-2.4	1.097	0.5	0.4	0	45.2	37.8	0	139	121	0	34	33	33
2024	10	15	22	46	6	23.9	-2.8	1.097	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	15	22	56	6	24.5	-3.6	1.097	0.5	0.4	0	44.7	37.8	0	139	121	0	35	33	34
2024	10	15	23	6	6	24.1	-1.9	1.097	0.3	0.2	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	15	23	16	6	24.2	-3.6	1.097	0.3	0.2	0	45.2	37.8	0	139	121	0	34	33	33
2024	10	15	23	26	6	23.6	-2.4	1.097	0.3	0.2	0	44.7	37.8	0	139	121	0	35	33	34
2024	10	15	23	36	6	24.7	-2.8	1.097	0.3	0.2	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	15	23	46	6	24.6	-2.7	1.097	0.3	0.2	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	15	23	56	6	23.6	-2	1.097	0.4	0.3	0	45.2	38.3	0	139	121	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	16	0	6	6	23.1	-2.9	1.097	0.3	0.2	0	45.2	38.3	0	139	122	0	34	33	33
2024	10	16	0	16	6	24.7	-2.8	1.097	0.3	0.2	0	44.7	37.8	0	138	120	0	34	32	34
2024	10	16	0	26	6	23	-2.6	1.097	0.3	0.2	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	16	0	36	6	24	-1.9	1.097	0.4	0.3	0	44.7	38.3	0	139	121	0	35	32	34
2024	10	16	0	46	6	23.6	-2.4	1.097	0.4	0.3	0	44.7	37.8	0	139	121	0	35	33	34
2024	10	16	0	56	6	23.2	-2.7	1.097	0.5	0.4	0	45.2	37.8	0	139	121	0	34	33	33
2024	10	16	1	6	6	24.4	-2.5	1.097	0.3	0.2	0	45.2	37.4	0	138	120	0	33	33	34
2024	10	16	1	16	6	23.9	-3.1	1.097	0.4	0.3	0	44.7	37.4	0	138	120	0	34	33	34
2024	10	16	1	26	6	23.3	-2.7	1.097	0.4	0.3	0	44.3	37.8	0	138	120	0	35	32	34
2024	10	16	1	36	6	26.1	-3.2	1.097	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	16	1	46	6	24.9	-2.4	1.097	0.3	0.2	0	44.3	36.5	0	137	119	0	34	34	33
2024	10	16	1	56	6	24.4	-2.5	1.097	0.3	0.2	0	44.3	36.5	0	137	119	0	34	34	34
2024	10	16	2	6	6	23.5	-2.1	1.097	0.3	0.2	0	44.3	37.8	0	137	120	0	34	32	33
2024	10	16	2	16	6	24.8	-3.4	1.097	0.4	0.3	0	44.3	37.8	0	137	120	0	34	32	34
2024	10	16	2	26	6	24.4	-3.3	1.097	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	33
2024	10	16	2	36	6	24.8	-2.4	1.097	0.3	0.2	0	44.3	37	0	137	119	0	34	33	34
2024	10	16	2	46	6	25.8	-3	1.097	0.3	0.2	0	44.7	37.4	0	138	120	0	34	33	34
2024	10	16	2	56	6	24	-2.4	1.097	0.3	0.2	0	44.3	37.4	0	138	120	0	35	33	33
2024	10	16	3	6	6	24.8	-3.1	1.097	0.3	0.2	0	44.3	36.5	0	137	118	0	34	33	33
2024	10	16	3	16	6	24.6	-2.9	1.097	0.3	0.2	0	44.3	37	0	138	119	0	35	33	34
2024	10	16	3	26	6	24	-2.8	1.097	0.5	0.4	0	44.7	37.4	0	138	120	0	34	33	33
2024	10	16	3	36	6	23.8	-2.9	1.097	0.5	0.4	0	44.3	37	0	138	119	0	35	33	33
2024	10	16	3	46	6	24.1	-2.2	1.097	0.3	0.2	0	44.3	37	0	138	119	0	35	33	34
2024	10	16	3	56	6	23.6	-2.4	1.097	0.5	0.4	0	44.7	37.4	0	138	120	0	34	33	33
2024	10	16	4	6	6	25.4	-3.4	1.097	0.4	0.3	0	44.7	37	0	138	119	0	34	33	34
2024	10	16	4	16	6	24.5	-3.4	1.097	0.5	0.4	0	44.3	37	0	137	119	0	34	33	34
2024	10	16	4	26	6	23.2	-2.8	1.097	0.3	0.2	0	44.7	37.4	0	138	120	0	34	33	33
2024	10	16	4	36	6	24.6	-3.2	1.097	0.5	0.4	0	44.7	37.4	0	138	120	0	34	33	33
2024	10	16	4	46	6	24.6	-3.1	1.097	0.4	0.3	0	44.7	37.4	0	138	120	0	34	33	34
2024	10	16	4	56	6	25.6	-2.7	1.097	0.4	0.3	0	44.7	36.5	0	138	119	0	34	34	34
2024	10	16	5	6	6	24.5	-1.9	1.097	0.4	0.3	0	44.3	37.8	0	138	120	0	35	32	34
2024	10	16	5	16	6	24.9	-3.3	1.097	0.4	0.3	0	43.9	37	0	137	119	0	35	33	33
2024	10	16	5	26	6	22.7	-1.8	1.097	0.5	0.4	0	44.7	37.8	0	138	120	0	34	32	33
2024	10	16	5	36	6	24.4	-1.5	1.097	0.4	0.3	0	44.7	37.4	0	138	120	0	34	33	34
2024	10	16	5	46	6	24.6	-2.1	1.097	0.3	0.2	0	44.7	37.8	0	138	120	0	34	32	34
2024	10	16	5	56	6	23.7	-3	1.097	0.4	0.3	0	44.7	37	0	138	120	0	34	34	34
2024	10	16	6	6	6	24.2	-3	1.097	0.3	0.2	0	44.7	37	0	138	120	0	34	34	33
2024	10	16	6	16	6	23.3	-2.7	1.097	0.3	0.2	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	16	6	26	6	23.2	-1.8	1.097	0.5	0.4	0	44.7	37.4	0	138	120	0	34	33	34
2024	10	16	6	36	6	24.8	-2.6	1.097	0.4	0.3	0	44.3	37.4	0	137	119	0	34	32	34
2024	10	16	6	46	6	22.7	-2.3	1.097	0.3	0.2	0	44.7	37.4	0	138	120	0	34	33	34
2024	10	16	6	56	6	23.7	-3	1.097	0.4	0.3	0	44.7	37	0	138	119	0	34	33	33
2024	10	16	7	6	6	24.3	-2.2	1.097	0.3	0.2	0	44.3	37.4	0	137	119	0	34	32	34
2024	10	16	7	16	6	24.2	-3.3	1.097	0.4	0.3	0	43.9	36.5	0	136	118	0	34	33	34
2024	10	16	7	26	6	24.7	-2.8	1.096	0.4	0.3	0	43.4	37	0	136	118	0	35	32	34
2024	10	16	7	36	6	24	-1.8	1.096	0.4	0.3	0	44.3	37	0	136	118	0	33	32	34
2024	10	16	7	46	6	23.8	-2.6	1.097	0.4	0.3	0	43.9	37	0	136	119	0	34	33	33
2024	10	16	7	56	6	24	-3.1	1.097	0.3	0.2	0	43.4	36.5	0	135	118	0	34	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	16	8	6	6	24.2	-2.3	1.097	0.3	0.2	0	43.9	36.5	0	136	118	0	34	33	34
2024	10	16	8	16	6	24.1	-2.9	1.096	0.4	0.3	0	43	36.1	0	134	117	0	34	33	33
2024	10	16	8	26	6	22.9	-2.2	1.097	0.3	0.2	0	43.4	36.5	0	135	118	0	34	33	34
2024	10	16	8	36	6	25.1	-3.1	1.097	0.4	0.3	0	43	36.1	0	134	117	0	34	33	34
2024	10	16	8	46	6	24	-2.7	1.097	0.3	0.2	0	43	36.1	0	134	117	0	34	33	34
2024	10	16	8	56	6	24.1	-3.1	1.097	0.4	0.3	0	42.6	36.1	0	134	117	0	35	33	34
2024	10	16	9	6	6	23.4	-1.8	1.097	0.4	0.3	0	42.1	35.7	0	133	116	0	35	33	33
2024	10	16	9	16	6	23.7	-2.2	1.097	0.3	0.2	0	42.6	35.7	0	133	116	0	34	33	34
2024	10	16	9	26	6	23.8	-2.4	1.097	0.3	0.2	0	42.6	36.1	0	133	116	0	34	32	33
2024	10	16	9	36	6	24	-2.2	1.097	0.3	0.2	0	41.3	34.8	0	131	114	0	35	33	34
2024	10	16	9	46	6	22.5	-2.3	1.097	0.5	0.4	0	42.6	34.8	0	132	115	0	33	34	34
2024	10	16	9	56	6	25.7	-3.5	1.097	0.4	0.3	0	41.7	34.4	0	131	113	0	34	33	33
2024	10	16	10	6	6	23.3	-3.1	1.097	0.3	0.2	0	42.1	35.3	0	132	115	0	34	33	34
2024	10	16	10	16	6	23.7	-2.2	1.096	0.4	0.3	0	42.1	35.7	0	132	116	0	34	33	33
2024	10	16	10	26	6	25.8	-3.1	1.097	0.5	0.5	0	41.7	34.8	0	131	114	0	34	33	33
2024	10	16	10	36	6	25.1	-2.6	1.097	0.5	0.5	0	41.7	34.8	0	131	114	0	34	33	34
2024	10	16	10	46	6	24.2	-3.1	1.096	0.4	0.3	0	41.7	35.3	0	131	115	0	34	33	35
2024	10	16	10	56	6	24.2	-2.9	1.097	0.4	0.3	0	42.1	35.3	0	132	115	0	34	33	34
2024	10	16	11	6	6	23.6	-2	1.097	0.5	0.4	0	42.1	36.1	0	132	116	0	34	32	34
2024	10	16	11	16	6	25.1	-3.6	1.097	0.4	0.3	0	42.1	35.3	0	132	115	0	34	33	33
2024	10	16	11	26	6	23.6	-2.3	1.097	0.5	0.4	0	41.7	35.7	0	132	115	0	35	32	34
2024	10	16	11	36	6	24.7	-3.4	1.097	0.4	0.3	0	42.1	34.8	0	132	115	0	34	34	34
2024	10	16	11	46	6	23.4	-2.6	1.097	0.4	0.3	0	42.6	35.3	0	133	115	0	34	33	34
2024	10	16	11	56	6	24.3	-2	1.097	0.4	0.3	0	41.3	35.7	0	131	115	0	35	32	33
2024	10	16	12	6	6	24.4	-3.2	1.097	0.3	0.2	0	41.7	34.8	0	131	114	0	34	33	33
2024	10	16	12	16	6	24.2	-2.4	1.097	0.5	0.4	0	42.1	35.3	0	132	115	0	34	33	34
2024	10	16	12	26	6	25.3	-2.5	1.096	0.4	0.3	0	41.7	35.3	0	131	115	0	34	33	34
2024	10	16	12	36	6	24	-2.9	1.096	0.4	0.3	0	41.7	35.7	0	131	115	0	34	32	33
2024	10	16	12	46	6	24.3	-2.5	1.096	0.4	0.3	0	42.1	35.7	0	132	115	0	34	32	34
2024	10	16	12	56	6	23.9	-2.7	1.096	0.3	0.2	0	42.1	35.7	0	132	116	0	34	33	33
2024	10	16	13	6	6	23.6	-2.2	1.096	0.3	0.2	0	42.1	35.7	0	132	116	0	34	33	34
2024	10	16	13	16	6	23.8	-3	1.096	0.4	0.3	0	41.7	35.7	0	131	115	0	34	32	34
2024	10	16	13	26	6	23.2	-2.4	1.096	0.5	0.4	0	42.1	35.7	0	132	116	0	34	33	33
2024	10	16	13	36	6	24.3	-2.7	1.096	0.4	0.3	0	42.1	35.3	0	132	115	0	34	33	33
2024	10	16	13	46	6	23.8	-3.5	1.096	0.4	0.3	0	42.1	36.1	0	132	116	0	34	32	34
2024	10	16	13	56	6	23.1	-2.3	1.096	0.5	0.4	0	42.1	35.3	0	132	115	0	34	33	33
2024	10	16	14	6	6	24.3	-2.7	1.095	0.5	0.4	0	42.1	35.7	0	132	115	0	34	32	33
2024	10	16	14	16	6	24	-3	1.095	0.4	0.3	0	42.1	35.7	0	132	115	0	34	32	33
2024	10	16	14	26	6	24	-2.7	1.095	0.4	0.3	0	42.1	36.1	0	132	116	0	34	32	33
2024	10	16	14	36	6	24.1	-2.5	1.096	0.4	0.3	0	41.3	35.3	0	131	115	0	35	33	34
2024	10	16	14	46	6	23.1	-3.5	1.095	0.4	0.3	0	42.1	35.7	0	131	115	0	33	32	34
2024	10	16	14	56	6	23.9	-2.9	1.096	0.4	0.3	0	42.1	36.1	0	132	116	0	34	32	33
2024	10	16	15	6	6	23.9	-3.5	1.096	0.4	0.3	0	41.7	34.8	0	131	114	0	34	33	34
2024	10	16	15	16	6	25.1	-3.1	1.096	0.4	0.3	0	41.3	34.8	0	131	114	0	35	33	34
2024	10	16	15	26	6	24.5	-1.6	1.096	0.3	0.2	0	41.7	34.8	0	131	114	0	34	33	34
2024	10	16	15	36	6	23.8	-2.2	1.096	0.4	0.3	0	42.1	35.7	0	132	116	0	34	33	34
2024	10	16	15	46	6	23.6	-2.5	1.096	0.3	0.2	0	42.1	35.3	0	132	115	0	34	33	34
2024	10	16	15	56	6	25.3	-2.6	1.096	0.3	0.2	0	42.1	34.8	0	131	114	0	33	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	16	16	6	6	23.9	-1.9	1.096	0.4	0.3	0	41.7	35.7	0	131	115	0	34	32	33
2024	10	16	16	16	6	24	-2.7	1.095	0.4	0.3	0	42.1	36.1	0	132	117	0	34	33	34
2024	10	16	16	26	6	24.5	-2.3	1.096	0.4	0.3	0	42.1	35.7	0	132	116	0	34	33	33
2024	10	16	16	36	6	24.6	-2.5	1.094	0.4	0.3	0	43	36.5	0	134	118	0	34	33	33
2024	10	16	16	46	6	24.5	-2.7	1.094	0.3	0.2	0	43.4	37	0	135	118	0	34	32	33
2024	10	16	16	56	6	24.7	-3.6	1.094	0.5	0.5	0	42.6	36.1	0	133	116	0	34	32	34
2024	10	16	17	6	6	24.6	-2.7	1.093	0.3	0.2	0	42.1	35.7	0	132	116	0	34	33	33
2024	10	16	17	16	6	23.3	-2.8	1.093	0.4	0.3	0	42.6	36.1	0	133	116	0	34	32	34
2024	10	16	17	26	6	24.3	-2.7	1.094	0.3	0.2	0	42.6	35.3	0	132	115	0	33	33	34
2024	10	16	17	36	6	24.9	-2.7	1.094	0.4	0.3	0	42.1	35.3	0	132	115	0	34	33	34
2024	10	16	17	46	6	23.9	-1.9	1.095	0.4	0.3	0	42.1	35.3	0	132	115	0	34	33	34
2024	10	16	17	56	6	24.2	-2.4	1.095	0.4	0.3	0	42.1	35.3	0	132	115	0	34	33	34
2024	10	16	18	6	6	24.3	-2.5	1.095	0.4	0.3	0	42.1	35.3	0	132	115	0	34	33	34
2024	10	16	18	16	6	23.5	-2	1.095	0.4	0.3	0	42.6	35.7	0	133	116	0	34	33	34
2024	10	16	18	26	6	24.5	-2.2	1.095	0.4	0.3	0	43	36.5	0	134	117	0	34	32	34
2024	10	16	18	36	6	24	-2.4	1.095	0.4	0.3	0	43	36.1	0	134	117	0	34	33	34
2024	10	16	18	46	6	24.3	-2.3	1.095	0.3	0.2	0	43.4	36.5	0	135	118	0	34	33	34
2024	10	16	18	56	6	25	-3.1	1.095	0.4	0.3	0	43.9	37	0	136	119	0	34	33	33
2024	10	16	19	6	6	22.4	-1.9	1.095	0.4	0.3	0	44.3	34.8	0	137	114	0	34	33	33
2024	10	16	19	16	6	25.8	-2.2	1.095	0.5	0.4	0	44.7	37.4	0	137	120	0	33	33	34
2024	10	16	19	26	6	23.4	-2.1	1.094	0.5	0.4	0	44.7	37.8	0	138	121	0	34	33	33
2024	10	16	19	36	6	22.5	-2.2	1.095	0.5	0.4	0	44.7	33.5	0	138	111	0	34	33	34
2024	10	16	19	46	6	22.8	-1.4	1.095	0.4	0.3	0	44.7	37.8	0	138	121	0	34	33	33
2024	10	16	19	56	6	23.7	-2.7	1.094	0.4	0.3	0	45.2	38.7	0	139	122	0	34	32	34
2024	10	16	20	6	6	23.9	-2.8	1.094	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	16	20	16	6	25.3	-3.7	1.094	0.4	0.3	0	45.6	38.7	0	140	123	0	34	33	33
2024	10	16	20	26	6	24.3	-2.2	1.093	0.4	0.3	0	46.4	39.6	0	142	125	0	34	33	34
2024	10	16	20	36	6	22.5	-3.1	1.094	0.4	0.3	0	46.9	40	0	143	126	0	34	33	34
2024	10	16	20	46	6	24.1	-2.7	1.094	0.3	0.2	0	46.9	39.6	0	143	125	0	34	33	33
2024	10	16	20	56	6	24.6	-2.5	1.094	0.5	0.4	0	46.4	39.6	0	142	125	0	34	33	34
2024	10	16	21	6	6	25.3	-2.7	1.094	0.4	0.3	0	46	39.1	0	141	124	0	34	33	33
2024	10	16	21	16	6	25	-2.7	1.094	0.3	0.2	0	45.6	38.7	0	140	123	0	34	33	34
2024	10	16	21	26	6	24.1	-2.3	1.095	0.3	0.2	0	45.2	38.3	0	139	122	0	34	33	33
2024	10	16	21	36	6	24.5	-3.4	1.094	0.5	0.4	0	44.7	38.3	0	139	122	0	35	33	33
2024	10	16	21	46	6	23.3	-2.4	1.094	0.3	0.2	0	45.2	38.3	0	139	122	0	34	33	33
2024	10	16	21	56	6	24.7	-2.6	1.094	0.5	0.4	0	45.6	38.3	0	140	122	0	34	33	33
2024	10	16	22	6	6	24.4	-2.8	1.095	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	16	22	16	6	23.5	-3.1	1.095	0.4	0.3	0	44.7	37.8	0	139	121	0	35	33	34
2024	10	16	22	26	6	22.9	-2.2	1.095	0.3	0.2	0	44.7	37.8	0	139	121	0	35	33	33
2024	10	16	22	36	6	24.7	-3	1.095	0.3	0.2	0	44.7	37.8	0	138	121	0	34	33	34
2024	10	16	22	46	6	23.4	-3.5	1.095	0.3	0.2	0	45.2	38.3	0	139	121	0	34	32	33
2024	10	16	22	56	6	24.4	-1.7	1.095	0.4	0.3	0	44.7	37.8	0	138	121	0	34	33	34
2024	10	16	23	6	6	24.7	-2.2	1.095	0.4	0.3	0	44.7	37.8	0	138	121	0	34	33	34
2024	10	16	23	16	6	24.1	-1.9	1.095	0.5	0.4	0	43.9	37.4	0	136	119	0	34	32	34
2024	10	16	23	26	6	22.8	-2.6	1.095	0.3	0.2	0	44.3	37	0	137	119	0	34	33	34
2024	10	16	23	36	6	23.3	-3.1	1.095	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	16	23	46	6	23.6	-2.2	1.095	0.4	0.3	0	44.7	37.4	0	138	121	0	34	34	34
2024	10	16	23	56	6	23.4	-2.3	1.095	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	32

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	17	0	6	6	22.6	-3	1.095	0.5	0.4	0	44.3	37.8	0	137	120	0	34	32	34
2024	10	17	0	16	6	23.2	-2.2	1.095	0.3	0.2	0	44.7	37.4	0	137	120	0	33	33	34
2024	10	17	0	26	6	23.5	-2.9	1.095	0.4	0.3	0	44.7	37.8	0	137	120	0	33	32	34
2024	10	17	0	36	6	23.2	-3.1	1.095	0.4	0.3	0	43.4	37	0	136	119	0	35	33	34
2024	10	17	0	46	6	24	-2.6	1.095	0.4	0.3	0	43.9	37	0	136	118	0	34	32	33
2024	10	17	0	56	6	24.4	-3.3	1.095	0.5	0.4	0	43.9	37	0	136	119	0	34	33	35
2024	10	17	1	6	6	23.4	-2.7	1.095	0.4	0.3	0	43.9	37	0	136	119	0	34	33	34
2024	10	17	1	16	6	24.5	-2.2	1.096	0.5	0.4	0	43.4	37.4	0	136	119	0	35	32	34
2024	10	17	1	26	6	23.9	-2.3	1.095	0.4	0.3	0	43.9	37	0	136	119	0	34	33	34
2024	10	17	1	36	6	25.8	-2.1	1.096	0.5	0.4	0	43.9	37.4	0	136	119	0	34	32	33
2024	10	17	1	46	6	24.1	-3.2	1.096	0.4	0.3	0	43.4	36.5	0	135	118	0	34	33	34
2024	10	17	1	56	6	25	-3.1	1.096	0.3	0.2	0	43.4	37	0	136	119	0	35	33	34
2024	10	17	2	6	6	24.7	-3.3	1.096	0.3	0.2	0	43.4	36.5	0	136	119	0	35	34	34
2024	10	17	2	16	6	23.7	-2.6	1.096	0.3	0.2	0	43.9	37	0	136	119	0	34	33	34
2024	10	17	2	26	6	24.2	-2.5	1.096	0.4	0.3	0	43.9	37.4	0	136	119	0	34	32	33
2024	10	17	2	36	6	23.3	-3.2	1.096	0.3	0.2	0	43.9	37	0	136	119	0	34	33	34
2024	10	17	2	46	6	23.5	-2.1	1.096	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	17	2	56	6	24.8	-2.2	1.096	0.4	0.3	0	43.4	36.5	0	135	118	0	34	33	33
2024	10	17	3	6	6	24.4	-2.5	1.096	0.6	0.5	0	43.4	37	0	135	119	0	34	33	34
2024	10	17	3	16	6	24.7	-3.8	1.096	0.3	0.2	0	43.4	37.4	0	136	119	0	35	32	34
2024	10	17	3	26	6	23.1	-2	1.096	0.3	0.2	0	43.9	37	0	136	119	0	34	33	35
2024	10	17	3	36	6	24.4	-2.2	1.096	0.4	0.3	0	43.4	37	0	135	118	0	34	32	34
2024	10	17	3	46	6	24.1	-1.9	1.096	0.5	0.4	0	43.9	37	0	136	119	0	34	33	34
2024	10	17	3	56	6	22.7	-0.8	1.097	0.5	0.5	0	43.4	37.4	0	136	119	0	35	32	34
2024	10	17	4	6	6	24.1	-1.9	1.096	0.5	0.4	0	43	37	0	135	118	0	35	32	33
2024	10	17	4	16	6	24.1	-2.6	1.097	0.3	0.2	0	43.4	37	0	135	119	0	34	33	34
2024	10	17	4	26	6	24.5	-2.6	1.097	0.3	0.2	0	43.9	37	0	136	119	0	34	33	34
2024	10	17	4	36	6	24.1	-2.8	1.097	0.5	0.5	0	43.9	37	0	136	119	0	34	33	34
2024	10	17	4	46	6	23	-2.4	1.097	0.3	0.2	0	43.4	37	0	136	119	0	35	33	34
2024	10	17	4	56	6	23.5	-3.1	1.097	0.3	0.2	0	43.9	37	0	136	119	0	34	33	34
2024	10	17	5	6	6	23.5	-1.9	1.097	0.3	0.2	0	43.9	37	0	136	119	0	34	33	34
2024	10	17	5	16	6	25	-2.2	1.097	0.5	0.4	0	43.4	36.5	0	135	119	0	34	34	33
2024	10	17	5	26	6	24.8	-4.4	1.097	0.4	0.3	0	43.9	37	0	136	119	0	34	33	34
2024	10	17	5	36	6	24.3	-2.6	1.097	0.3	0.2	0	43.9	37	0	136	119	0	34	33	34
2024	10	17	5	46	6	23.5	-2.4	1.097	0.5	0.4	0	44.7	38.7	0	138	123	0	34	33	34
2024	10	17	5	56	6	25.1	-1.7	1.097	0.3	0.2	0	44.3	39.1	0	138	123	0	35	32	33
2024	10	17	6	6	6	24.7	-3.6	1.097	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	34
2024	10	17	6	16	6	24.3	-2.1	1.097	0.3	0.2	0	44.7	38.3	0	138	122	0	34	33	34
2024	10	17	6	26	6	25	-2.4	1.097	0.4	0.3	0	43.9	38.3	0	137	122	0	35	33	34
2024	10	17	6	36	6	24	-2.7	1.097	0.4	0.3	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	17	6	46	6	23.2	-1.8	1.097	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	33
2024	10	17	6	56	6	24.4	-3.5	1.097	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	17	7	6	6	23.4	-3.3	1.097	0.5	0.4	0	44.7	38.7	0	138	122	0	34	32	34
2024	10	17	7	16	6	23.9	-2.3	1.097	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	33
2024	10	17	7	26	6	23.2	-2.6	1.097	0.4	0.3	0	44.3	38.3	0	137	122	0	34	33	34
2024	10	17	7	36	6	23.8	-2.9	1.097	0.3	0.2	0	43.9	37.8	0	136	121	0	34	33	34
2024	10	17	7	46	6	23.4	-1.5	1.097	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	34
2024	10	17	7	56	6	23.7	-3.5	1.097	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	17	8	6	6	24.9	-3.2	1.097	0.5	0.4	0	43.9	37.8	0	136	121	0	34	33	33
2024	10	17	8	16	6	23.6	-1.7	1.097	0.4	0.3	0	43.4	37.8	0	135	121	0	34	33	34
2024	10	17	8	26	6	23.2	-2.8	1.097	0.5	0.4	0	43.9	38.3	0	136	122	0	34	33	34
2024	10	17	8	36	6	24.6	-2.5	1.097	0.5	0.4	0	43.4	37.8	0	136	121	0	35	33	34
2024	10	17	8	46	6	23	-2.1	1.097	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	34
2024	10	17	8	56	6	24.5	-2.7	1.097	0.3	0.2	0	43	37.4	0	134	120	0	34	33	34
2024	10	17	9	6	6	24.5	-1.9	1.097	0.3	0.2	0	43.4	38.3	0	135	121	0	34	32	33
2024	10	17	9	16	6	25.3	-2.7	1.098	0.4	0.3	0	43.4	37.4	0	135	120	0	34	33	34
2024	10	17	9	26	6	23.2	-2.9	1.098	0.4	0.3	0	43	37	0	134	119	0	34	33	34
2024	10	17	9	36	6	23.6	-4	1.098	0.3	0.2	0	43	37.4	0	134	119	0	34	32	34
2024	10	17	9	46	6	24.9	-2.3	1.098	0.4	0.3	0	43	37.4	0	134	120	0	34	33	33
2024	10	17	9	56	6	24.5	-2.7	1.098	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	34
2024	10	17	10	6	6	24.6	-3.5	1.098	0.3	0.2	0	42.6	37	0	133	118	0	34	32	34
2024	10	17	10	16	6	25.4	-3.1	1.098	0.4	0.3	0	41.7	36.1	0	132	117	0	35	33	33
2024	10	17	10	26	6	25	-3.5	1.098	0.4	0.3	0	43	37	0	134	119	0	34	33	34
2024	10	17	10	36	6	23.4	-3.3	1.098	0.3	0.2	0	43.4	37.8	0	135	121	0	34	33	34
2024	10	17	10	46	6	22.8	-2.3	1.098	0.5	0.4	0	43	37.4	0	134	119	0	34	32	34
2024	10	17	10	56	6	24.9	-2.2	1.098	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	34
2024	10	17	11	6	6	25	-1.7	1.098	0.5	0.4	0	42.6	37	0	133	119	0	34	33	33
2024	10	17	11	16	6	24.7	-2.7	1.098	0.3	0.2	0	43	37.4	0	134	120	0	34	33	34
2024	10	17	11	26	6	25.2	-2.2	1.098	0.4	0.3	0	42.6	37	0	133	119	0	34	33	34
2024	10	17	11	36	6	24.2	-2.1	1.098	0.4	0.3	0	43	37	0	134	120	0	34	34	34
2024	10	17	11	46	6	23.7	-1.7	1.098	0.4	0.3	0	42.1	36.5	0	132	118	0	34	33	34
2024	10	17	11	56	6	23.7	-2.9	1.098	0.4	0.3	0	42.6	37	0	133	118	0	34	32	33
2024	10	17	12	6	6	24.5	-3.7	1.098	0.3	0.2	0	42.6	36.5	0	133	118	0	34	33	33
2024	10	17	12	16	6	24.2	-2.2	1.098	0.4	0.3	0	42.1	37	0	133	119	0	35	33	34
2024	10	17	12	26	6	23.8	-2.5	1.098	0.5	0.5	0	42.6	37	0	133	119	0	34	33	33
2024	10	17	12	36	6	24.8	-3.1	1.098	0.4	0.3	0	42.6	36.5	0	133	118	0	34	33	34
2024	10	17	12	46	6	25.2	-2.7	1.098	0.3	0.2	0	42.1	36.5	0	132	118	0	34	33	33
2024	10	17	12	56	6	23.9	-3.1	1.098	0.4	0.3	0	42.1	36.1	0	132	117	0	34	33	34
2024	10	17	13	6	6	25.7	-3.5	1.098	0.4	0.3	0	42.6	37	0	133	118	0	34	32	33
2024	10	17	13	16	6	24.5	-2.7	1.098	0.5	0.4	0	42.1	36.1	0	132	117	0	34	33	34
2024	10	17	13	26	6	25.3	-3.4	1.098	0.3	0.2	0	42.1	36.5	0	132	118	0	34	33	33
2024	10	17	13	36	6	24.4	-3.1	1.098	0.3	0.2	0	42.1	36.5	0	132	118	0	34	33	34
2024	10	17	13	46	6	23.9	-3	1.098	0.5	0.4	0	42.6	36.5	0	133	118	0	34	33	34
2024	10	17	13	56	6	24.3	-2.8	1.097	0.3	0.2	0	42.6	37.4	0	133	119	0	34	32	34
2024	10	17	14	6	6	25.1	-2.3	1.098	0.4	0.3	0	42.6	36.5	0	132	118	0	33	33	33
2024	10	17	14	16	6	25.3	-2.7	1.098	0.4	0.3	0	42.6	36.5	0	133	118	0	34	33	34
2024	10	17	14	26	6	24.9	-3.1	1.098	0.3	0.2	0	42.1	36.1	0	132	117	0	34	33	33
2024	10	17	14	36	6	22.5	-3	1.098	0.5	0.4	0	41.7	35.7	0	131	115	0	34	32	33
2024	10	17	14	46	6	24.3	-3.2	1.098	0.3	0.2	0	42.6	37	0	133	118	0	34	32	34
2024	10	17	14	56	6	24.4	-3	1.097	0.5	0.5	0	42.1	36.5	0	132	118	0	34	33	34
2024	10	17	15	6	6	22.9	-2.7	1.097	0.3	0.2	0	42.1	37	0	132	118	0	34	32	34
2024	10	17	15	16	6	24	-2.1	1.097	0.3	0.2	0	42.1	36.1	0	132	117	0	34	33	33
2024	10	17	15	26	6	23.1	-3.5	1.097	0.5	0.4	0	42.6	36.1	0	133	117	0	34	33	33
2024	10	17	15	36	6	24.6	-3.2	1.097	0.4	0.3	0	42.1	36.1	0	132	116	0	34	32	34
2024	10	17	15	46	6	25	-2.6	1.097	0.4	0.3	0	42.1	35.7	0	132	116	0	34	33	34
2024	10	17	15	56	6	24.9	-3	1.097	0.4	0.3	0	42.6	36.5	0	133	117	0	34	32	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	17	16	6	6	25.2	-2.7	1.097	0.5	0.4	0	43.4	37	0	135	119	0	34	33	34
2024	10	17	16	16	6	25	-2.9	1.096	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	34
2024	10	17	16	26	6	24.9	-2.7	1.096	0.3	0.2	0	44.7	38.3	0	138	122	0	34	33	34
2024	10	17	16	36	6	24.9	-1.7	1.096	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	34
2024	10	17	16	46	6	25.5	-2.2	1.095	0.3	0.2	0	44.7	37.4	0	137	120	0	33	33	34
2024	10	17	16	56	6	22.9	-2.4	1.095	0.5	0.4	0	45.2	37.8	0	138	120	0	33	32	34
2024	10	17	17	6	6	25.1	-2.8	1.096	0.3	0.2	0	44.3	37	0	137	119	0	34	33	34
2024	10	17	17	16	6	23.8	-2.8	1.095	0.3	0.2	0	44.3	37	0	137	119	0	34	33	33
2024	10	17	17	26	6	23.8	-3.5	1.094	0.5	0.4	0	44.7	37.8	0	138	120	0	34	32	33
2024	10	17	17	36	6	24.6	-2.3	1.095	0.4	0.3	0	44.3	37.4	0	137	119	0	34	32	34
2024	10	17	17	46	6	25.2	-1.9	1.095	0.3	0.2	0	44.7	37	0	138	119	0	34	33	33
2024	10	17	17	56	6	24.4	-2	1.095	0.4	0.3	0	43.9	37	0	137	119	0	35	33	34
2024	10	17	18	6	6	25.5	-2.7	1.095	0.3	0.2	0	43.9	37.4	0	137	119	0	35	32	33
2024	10	17	18	16	6	25.4	-3	1.093	0.4	0.3	0	44.7	37.4	0	138	120	0	34	33	33
2024	10	17	18	26	6	24.8	-1.8	1.095	0.5	0.4	0	45.2	38.3	0	139	121	0	34	32	34
2024	10	17	18	36	6	24.4	-2.3	1.095	0.4	0.3	0	44.7	37.8	0	138	120	0	34	32	33
2024	10	17	18	46	6	24.2	-3.1	1.094	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	33
2024	10	17	18	56	6	23.6	-3	1.095	0.3	0.2	0	45.2	37.8	0	139	121	0	34	33	34
2024	10	17	19	6	6	23.8	-1.8	1.094	0.3	0.2	0	46.4	39.1	0	141	123	0	33	32	33
2024	10	17	19	16	6	25	-3.7	1.094	0.3	0.2	0	46	39.1	0	141	123	0	34	32	33
2024	10	17	19	26	6	23.7	-3.4	1.095	0.5	0.4	0	45.6	38.7	0	140	122	0	34	32	34
2024	10	17	19	36	6	24.5	-2.1	1.094	0.4	0.3	0	46	38.3	0	141	122	0	34	33	34
2024	10	17	19	46	6	22.7	-2.4	1.094	0.5	0.5	0	46	38.7	0	141	123	0	34	33	33
2024	10	17	19	56	6	24.6	-3.2	1.095	0.4	0.3	0	45.6	38.7	0	140	122	0	34	32	33
2024	10	17	20	6	6	24.2	-2.7	1.095	0.4	0.3	0	44.7	37.8	0	138	121	0	34	33	34
2024	10	17	20	16	6	23.7	-2.6	1.095	0.4	0.3	0	45.2	38.3	0	139	122	0	34	33	34
2024	10	17	20	26	6	23.7	-2.5	1.094	0.4	0.3	0	45.6	38.3	0	139	122	0	33	33	33
2024	10	17	20	36	6	25.7	-1.8	1.094	0.4	0.3	0	45.6	34.8	0	140	114	0	34	33	34
2024	10	17	20	46	6	26.1	-3.1	1.094	0.5	0.4	0	45.2	39.1	0	139	123	0	34	32	33
2024	10	17	20	56	6	23.6	-2.5	1.094	0.3	0.2	0	46	39.1	0	141	124	0	34	33	33
2024	10	17	21	6	6	23	-1.9	1.094	0.3	0.2	0	46	39.1	0	141	124	0	34	33	34
2024	10	17	21	16	6	23.5	-2.2	1.092	0.3	0.2	0	46.9	40.4	0	143	126	0	34	32	33
2024	10	17	21	26	6	24.7	-2	1.094	0.4	0.3	0	47.7	40.9	0	145	128	0	34	33	33
2024	10	17	21	36	6	25	-2	1.094	0.5	0.5	0	47.7	41.3	0	146	129	0	35	33	34
2024	10	17	21	46	6	24.5	-2.7	1.094	0.5	0.5	0	48.6	41.7	0	147	129	0	34	32	33
2024	10	17	21	56	6	24.9	-2.4	1.095	0.4	0.3	0	48.2	40.9	0	146	128	0	34	33	34
2024	10	17	22	6	6	24.2	-2	1.093	0.5	0.4	0	48.6	41.7	0	147	129	0	34	32	33
2024	10	17	22	16	6	24	-2.5	1.094	0.5	0.4	0	48.2	40.9	0	146	128	0	34	33	34
2024	10	17	22	26	6	24.3	-3.6	1.094	0.4	0.3	0	47.7	40.4	0	145	127	0	34	33	33
2024	10	17	22	36	6	23.9	-3	1.094	0.4	0.3	0	47.7	40.4	0	145	127	0	34	33	34
2024	10	17	22	46	6	23.9	-2.2	1.095	0.3	0.2	0	46.9	40	0	144	126	0	35	33	34
2024	10	17	22	56	6	24	-2.1	1.094	0.4	0.3	0	48.2	40.9	0	146	128	0	34	33	34
2024	10	17	23	6	6	24.7	-2.8	1.095	0.4	0.3	0	46.4	40	0	143	126	0	35	33	34
2024	10	17	23	16	6	24.1	-1.7	1.094	0.3	0.2	0	47.3	40	0	144	126	0	34	33	34
2024	10	17	23	26	6	23.9	-2.7	1.095	0.4	0.3	0	46.4	39.6	0	142	125	0	34	33	33
2024	10	17	23	36	6	24.1	-2.6	1.095	0.4	0.3	0	46	38.7	0	141	123	0	34	33	34
2024	10	17	23	46	6	24.2	-2.3	1.094	0.3	0.2	0	46.4	39.1	0	142	124	0	34	33	33
2024	10	17	23	56	6	25.3	-2.3	1.094	0.5	0.4	0	45.6	39.6	0	141	124	0	35	32	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	18	0	6	6	23.8	-2.1	1.094	0.5	0.4	0	46	38.7	0	141	123	0	34	33	34
2024	10	18	0	16	6	24.8	-2.2	1.094	0.3	0.2	0	45.6	38.7	0	141	123	0	35	33	34
2024	10	18	0	26	6	23.5	-2.8	1.094	0.4	0.3	0	46	39.1	0	141	124	0	34	33	34
2024	10	18	0	36	6	23.9	-2.8	1.094	0.5	0.4	0	46	39.1	0	141	124	0	34	33	34
2024	10	18	0	46	6	23.4	-2.6	1.094	0.5	0.4	0	45.6	38.7	0	140	123	0	34	33	34
2024	10	18	0	56	6	23	-2.1	1.094	0.5	0.4	0	46	39.1	0	141	124	0	34	33	34
2024	10	18	1	6	6	24.4	-3.4	1.094	0.3	0.2	0	46	38.7	0	141	123	0	34	33	34
2024	10	18	1	16	6	24.3	-2.8	1.094	0.4	0.3	0	45.6	38.7	0	141	123	0	35	33	34
2024	10	18	1	26	6	24.6	-2.9	1.094	0.4	0.3	0	46	39.1	0	141	124	0	34	33	34
2024	10	18	1	36	6	23.1	-3.2	1.094	0.4	0.3	0	45.6	38.3	0	140	123	0	34	34	34
2024	10	18	1	46	6	24.3	-2.6	1.094	0.4	0.3	0	45.6	38.7	0	140	123	0	34	33	34
2024	10	18	1	56	6	24.6	-2.1	1.094	0.4	0.3	0	44.7	38.3	0	139	122	0	35	33	34
2024	10	18	2	6	6	24.3	-2.2	1.093	0.4	0.3	0	45.2	37.8	0	139	122	0	34	34	33
2024	10	18	2	16	6	25.4	-1.6	1.093	0.5	0.4	0	44.7	37.8	0	139	121	0	35	33	34
2024	10	18	2	26	6	25.1	-3	1.093	0.5	0.5	0	45.2	37.8	0	139	121	0	34	33	33
2024	10	18	2	36	6	24.6	-3.2	1.092	0.5	0.5	0	44.7	37.8	0	139	121	0	35	33	34
2024	10	18	2	46	6	24.6	-2.1	1.093	0.5	0.4	0	45.2	38.3	0	139	122	0	34	33	34
2024	10	18	2	56	6	23.4	-2.4	1.093	0.4	0.3	0	44.7	37.8	0	139	121	0	35	33	34
2024	10	18	3	6	6	24.8	-3.5	1.093	0.4	0.3	0	44.3	37.8	0	138	121	0	35	33	34
2024	10	18	3	16	6	23.3	-2.3	1.093	0.5	0.4	0	44.7	37.4	0	138	121	0	34	34	34
2024	10	18	3	26	6	24.2	-3.4	1.093	0.3	0.2	0	44.3	37	0	137	120	0	34	34	33
2024	10	18	3	36	6	24.1	-2.6	1.093	0.4	0.3	0	44.3	37.8	0	137	120	0	34	32	33
2024	10	18	3	46	6	23.9	-2.1	1.092	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	18	3	56	6	24.2	-3	1.093	0.3	0.2	0	43.9	37.4	0	137	120	0	35	33	33
2024	10	18	4	6	6	25.6	-3.3	1.092	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	18	4	16	6	23.7	-3.1	1.092	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	18	4	26	6	24.1	-2.7	1.092	0.3	0.2	0	44.7	37.4	0	138	120	0	34	33	34
2024	10	18	4	36	6	22.7	-2.2	1.092	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	18	4	46	6	23.9	-2.6	1.092	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	18	4	56	6	24.8	-2.6	1.092	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	33
2024	10	18	5	6	6	24	-3.1	1.092	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	18	5	16	6	24.5	-2	1.092	0.4	0.3	0	43.9	37	0	137	119	0	35	33	34
2024	10	18	5	26	6	22.9	-1.8	1.092	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	33
2024	10	18	5	36	6	23.2	-2.8	1.091	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	34
2024	10	18	5	46	6	24.8	-2.5	1.091	0.5	0.4	0	43.9	37	0	136	119	0	34	33	34
2024	10	18	5	56	6	24.1	-2.7	1.091	0.4	0.3	0	43.9	37.4	0	137	120	0	35	33	33
2024	10	18	6	6	6	23.4	-2.4	1.091	0.5	0.4	0	43.9	37	0	136	119	0	34	33	34
2024	10	18	6	16	6	22.8	-2.6	1.091	0.5	0.4	0	43.9	37.4	0	136	119	0	34	32	34
2024	10	18	6	26	6	22.5	-3.8	1.091	0.5	0.4	0	43.9	37	0	136	119	0	34	33	34
2024	10	18	6	36	6	24.7	-3.4	1.091	0.5	0.4	0	43.9	36.5	0	136	119	0	34	34	34
2024	10	18	6	46	6	24.1	-3	1.091	0.5	0.4	0	43.9	37	0	136	119	0	34	33	34
2024	10	18	6	56	6	23.6	-3.1	1.091	0.4	0.3	0	43.9	36.5	0	136	119	0	34	34	34
2024	10	18	7	6	6	24.5	-3	1.091	0.5	0.4	0	43.9	37	0	136	119	0	34	33	34
2024	10	18	7	16	6	23	-3.1	1.091	0.3	0.2	0	43.4	36.5	0	135	119	0	34	34	34
2024	10	18	7	26	6	24.1	-1.9	1.091	0.3	0.2	0	43	36.5	0	135	118	0	35	33	34
2024	10	18	7	36	6	21.8	-3.2	1.091	0.3	0.2	0	43.9	37	0	136	119	0	34	33	34
2024	10	18	7	46	6	25.6	-3.6	1.09	0.4	0.3	0	43	36.1	0	134	117	0	34	33	34
2024	10	18	7	56	6	24.5	-3	1.09	0.3	0.2	0	43.4	36.5	0	135	118	0	34	33	33

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	18	8	6	6	24.6	-1.6	1.09	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	34
2024	10	18	8	16	6	23.6	-3	1.09	0.4	0.3	0	43.4	37	0	135	119	0	34	33	34
2024	10	18	8	26	6	23.6	-2.1	1.089	0.3	0.2	0	43	37	0	135	119	0	35	33	34
2024	10	18	8	36	6	23.9	-2.2	1.089	0.4	0.3	0	43.9	37	0	136	119	0	34	33	34
2024	10	18	8	46	6	24.6	-2.4	1.09	0.4	0.3	0	43.4	37	0	136	119	0	35	33	34
2024	10	18	8	56	6	23.1	-2.9	1.09	0.5	0.4	0	43.4	37.4	0	136	120	0	35	33	34
2024	10	18	9	6	6	24.9	-2.9	1.089	0.3	0.2	0	43.9	37.4	0	136	120	0	34	33	34
2024	10	18	9	16	6	23.9	-2.4	1.089	0.4	0.3	0	43.4	37.4	0	136	120	0	35	33	33
2024	10	18	9	26	6	23.6	-3.4	1.089	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	33
2024	10	18	9	36	6	23.5	-2.8	1.089	0.4	0.3	0	43.9	34.8	0	136	114	0	34	33	34
2024	10	18	9	46	6	22.8	-3.4	1.089	0.4	0.3	0	44.3	30.5	0	137	103	0	34	32	33
2024	10	18	9	56	6	22.4	32767	1.089	0.5	25.5	0	43	0	0	135	0	0	35	33	34
2024	10	18	10	6	6	20.6	32767	1.088	0.5	25.5	0	43.4	0	0	135	0	0	34	33	34
2024	10	18	10	16	6	21.8	32767	1.088	0.5	25.5	0	43.4	0	0	135	0	0	34	33	35
2024	10	18	10	26	6	21.5	32767	1.088	0.5	25.5	0	43.4	0	0	135	0	0	34	33	33
2024	10	18	10	36	6	20.3	32767	1.088	0.7	25.5	0	43.4	0	0	135	0	0	34	33	34
2024	10	18	10	46	6	22.5	32767	1.088	0.7	25.5	0	43.4	0	0	135	0	0	34	33	35
2024	10	18	10	56	6	23.7	-2.7	1.088	0.4	0.3	0	42.6	37	0	134	119	0	35	33	34
2024	10	18	11	6	6	23.8	-3.1	1.087	0.4	0.3	0	43.4	37	0	135	119	0	34	33	34
2024	10	18	11	16	6	24.2	-1.8	1.087	0.4	0.3	0	43	37.4	0	135	120	0	35	33	34
2024	10	18	11	26	6	23.9	-2.9	1.086	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	34
2024	10	18	11	36	6	25.1	-3.2	1.086	0.3	0.2	0	43.4	37	0	136	120	0	35	34	33
2024	10	18	11	46	6	24.6	-2.6	1.086	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	34
2024	10	18	11	56	6	24.3	-3.1	1.086	0.3	0.2	0	43.9	38.3	0	137	122	0	35	33	34
2024	10	18	12	6	6	24.4	-2.4	1.086	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	34
2024	10	18	12	16	6	23.4	-2.9	1.085	0.3	0.2	0	43.4	37.8	0	136	121	0	35	33	34
2024	10	18	12	26	6	24	-2.5	1.086	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	34
2024	10	18	12	36	6	23.4	-1.8	1.085	0.4	0.3	0	44.7	38.7	0	138	123	0	34	33	34
2024	10	18	12	46	6	23.7	-2.6	1.085	0.4	0.3	0	44.3	37.8	0	137	122	0	34	34	34
2024	10	18	12	56	6	22.9	-2.9	1.085	0.4	0.3	0	44.3	38.3	0	137	122	0	34	33	33
2024	10	18	13	6	6	24.6	-3.9	1.084	0.4	0.3	0	43.4	37.8	0	135	121	0	34	33	34
2024	10	18	13	16	6	23	-2.7	1.084	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	34
2024	10	18	13	26	6	24.1	-3.1	1.084	0.4	0.3	0	43.4	37.4	0	135	120	0	34	33	34
2024	10	18	13	36	6	22.2	-2.2	1.084	0.5	0.5	0	43.4	37.4	0	135	120	0	34	33	33
2024	10	18	13	46	6	24	-2.8	1.084	0.4	0.3	0	43	37	0	134	119	0	34	33	34
2024	10	18	13	56	6	23.8	-3.1	1.084	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	34
2024	10	18	14	6	6	23	-2	1.084	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	34
2024	10	18	14	16	6	23.8	-3	1.084	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	34
2024	10	18	14	26	6	25.1	-3.2	1.083	0.4	0.3	0	43	37.8	0	134	120	0	34	32	34
2024	10	18	14	36	6	23.7	-3.1	1.083	0.4	0.3	0	42.6	37	0	134	119	0	35	33	34
2024	10	18	14	46	6	24.2	-3.6	1.083	0.4	0.3	0	43.4	37.4	0	135	120	0	34	33	33
2024	10	18	14	56	6	22.6	-3.6	1.083	0.4	0.3	0	43	37.4	0	134	120	0	34	33	34
2024	10	18	15	6	6	23.7	-2.6	1.083	0.4	0.3	0	42.6	37.8	0	134	120	0	35	32	34
2024	10	18	15	16	6	22.3	-2.6	1.083	0.3	0.2	0	42.6	36.5	0	134	119	0	35	34	34
2024	10	18	15	26	6	23.7	-1	1.083	0.3	0.2	0	43	37	0	134	119	0	34	33	34
2024	10	18	15	36	6	23.7	-2.2	1.083	0.5	0.4	0	43	37.4	0	135	120	0	35	33	33
2024	10	18	15	46	6	24.4	-3.4	1.082	0.5	0.5	0	43	36.5	0	134	119	0	34	34	34
2024	10	18	15	56	6	23.8	-2.5	1.083	0.4	0.3	0	43.4	37.4	0	135	120	0	34	33	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	18	16	6	6	23.1	-3.6	1.082	0.4	0.3	0	43	37	0	135	120	0	35	34	34
2024	10	18	16	16	6	24.5	-1.7	1.082	0.3	0.2	0	42.6	37	0	134	119	0	35	33	33
2024	10	18	16	26	6	23.8	-2.3	1.082	0.5	0.4	0	43	37.4	0	135	120	0	35	33	34
2024	10	18	16	36	6	22.7	-2.7	1.082	0.3	0.2	0	43	37	0	134	119	0	34	33	34
2024	10	18	16	46	6	24	-4.1	1.081	0.3	0.2	0	42.6	36.1	0	133	118	0	34	34	34
2024	10	18	16	56	6	22.7	-3.3	1.081	0.3	0.2	0	42.1	36.1	0	132	117	0	34	33	33
2024	10	18	17	6	6	24.3	-2.8	1.081	0.3	0.2	0	42.1	36.1	0	133	117	0	35	33	34
2024	10	18	17	16	6	23.3	-2.5	1.081	0.3	0.2	0	42.6	36.1	0	133	117	0	34	33	34
2024	10	18	17	26	6	22.6	-3.2	1.081	0.4	0.3	0	42.1	36.1	0	132	117	0	34	33	34
2024	10	18	17	36	6	22.5	-3	1.081	0.5	0.5	0	42.1	36.1	0	132	117	0	34	33	34
2024	10	18	17	46	6	24.1	-2.3	1.081	0.4	0.3	0	41.7	35.7	0	131	116	0	34	33	33
2024	10	18	17	56	6	23.8	-2.8	1.08	0.5	0.4	0	41.7	35.7	0	132	116	0	35	33	35
2024	10	18	18	6	6	23.6	-2.2	1.08	0.4	0.3	0	42.1	35.7	0	132	116	0	34	33	34
2024	10	18	18	16	6	23.5	-2.5	1.08	0.4	0.3	0	42.6	36.1	0	133	117	0	34	33	34
2024	10	18	18	26	6	23.2	-2.6	1.08	0.5	0.4	0	42.1	36.1	0	132	117	0	34	33	34
2024	10	18	18	36	6	23.1	-2.8	1.08	0.4	0.3	0	42.6	36.1	0	133	117	0	34	33	34
2024	10	18	18	46	6	23.4	-3.1	1.08	0.3	0.2	0	42.6	36.5	0	133	118	0	34	33	34
2024	10	18	18	56	6	22.5	-2.7	1.08	0.3	0.2	0	43.4	36.5	0	135	118	0	34	33	34
2024	10	18	19	6	6	24	-3	1.08	0.4	0.3	0	42.6	37	0	134	119	0	35	33	34
2024	10	18	19	16	6	23.5	-3.1	1.08	0.4	0.3	0	43.9	37	0	136	119	0	34	33	34
2024	10	18	19	26	6	24.5	-3.4	1.08	0.3	0.2	0	43.9	37.4	0	136	120	0	34	33	34
2024	10	18	19	36	6	23.8	-2.3	1.08	0.4	0.3	0	43.9	37	0	137	120	0	35	34	34
2024	10	18	19	46	6	22.6	-2.1	1.081	0.3	0.2	0	44.3	31.8	0	137	108	0	34	34	34
2024	10	18	19	56	6	24	-2.1	1.081	0.3	0.2	0	43.9	37.4	0	137	121	0	35	34	34
2024	10	18	20	6	6	23	-2.6	1.081	0.5	0.4	0	43.4	37.4	0	136	120	0	35	33	35
2024	10	18	20	16	6	22.7	-2.4	1.082	0.3	0.2	0	43.9	37.8	0	137	121	0	35	33	34
2024	10	18	20	26	6	23.9	-1.5	1.081	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	34
2024	10	18	20	36	6	25	-2.9	1.081	0.3	0.2	0	43.4	37	0	136	120	0	35	34	34
2024	10	18	20	46	6	22.8	-3.6	1.082	0.3	0.2	0	43	37.4	0	135	120	0	35	33	34
2024	10	18	20	56	6	25.8	-2.7	1.082	0.3	0.2	0	43	37	0	135	119	0	35	33	34
2024	10	18	21	6	6	22.6	-2.5	1.082	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	33
2024	10	18	21	16	6	23.1	-2.2	1.083	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	34
2024	10	18	21	26	6	23.7	-2.9	1.084	0.5	0.4	0	43.9	37.4	0	136	120	0	34	33	34
2024	10	18	21	36	6	24.2	-1.9	1.084	0.4	0.3	0	43.9	37	0	136	120	0	34	34	34
2024	10	18	21	46	6	24.3	-3.4	1.086	0.3	0.2	0	43	37	0	135	119	0	35	33	34
2024	10	18	21	56	6	22.9	-2.5	1.086	0.3	0.2	0	43.4	37.4	0	136	120	0	35	33	34
2024	10	18	22	6	6	22.5	-2.7	1.087	0.3	0.2	0	42.6	36.1	0	134	118	0	35	34	34
2024	10	18	22	16	6	23	-2.6	1.087	0.4	0.3	0	42.6	36.5	0	134	119	0	35	34	34
2024	10	18	22	26	6	23.8	-2.7	1.087	0.4	0.3	0	43	36.5	0	134	118	0	34	33	35
2024	10	18	22	36	6	23.5	-3	1.087	0.4	0.3	0	42.6	36.1	0	134	118	0	35	34	33
2024	10	18	22	46	6	24.2	-3.1	1.088	0.3	0.2	0	42.6	36.1	0	133	117	0	34	33	34
2024	10	18	22	56	6	22.8	-2.9	1.088	0.3	0.2	0	42.1	36.1	0	133	117	0	35	33	34
2024	10	18	23	6	6	22.7	-2.6	1.088	0.4	0.3	0	42.1	35.7	0	133	117	0	35	34	34
2024	10	18	23	16	6	22.6	-2	1.088	0.3	0.2	0	43	36.5	0	134	118	0	34	33	34
2024	10	18	23	26	6	23.2	-2.1	1.088	0.5	0.4	0	42.6	36.1	0	133	117	0	34	33	34
2024	10	18	23	36	6	22.9	-2.5	1.088	0.3	0.2	0	42.6	35.7	0	133	117	0	34	34	35
2024	10	18	23	46	6	22.9	-2.8	1.088	0.4	0.3	0	42.1	35.7	0	133	117	0	35	34	34
2024	10	18	23	56	6	23.4	-2.3	1.088	0.3	0.2	0	42.1	36.1	0	133	117	0	35	33	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	19	0	6	6	22.8	-2.6	1.088	0.3	0.2	0	42.6	35.7	0	133	117	0	34	34	34
2024	10	19	0	16	6	22.2	-2.6	1.089	0.4	0.3	0	41.7	31	0	132	105	0	35	33	34
2024	10	19	0	26	6	25.8	-3.2	1.089	0.4	0.3	0	42.1	35.7	0	132	117	0	34	34	35
2024	10	19	0	36	6	24	-3	1.089	0.4	0.3	0	42.1	35.7	0	132	117	0	34	34	34
2024	10	19	0	46	6	24.7	-3.1	1.089	0.4	0.3	0	42.1	36.1	0	133	117	0	35	33	35
2024	10	19	0	56	6	25.1	-3.7	1.089	0.4	0.3	0	41.7	35.7	0	132	116	0	35	33	35
2024	10	19	1	6	6	25.2	-2.5	1.09	0.3	0.2	0	42.1	36.1	0	132	117	0	34	33	34
2024	10	19	1	16	6	24.1	-2.7	1.09	0.3	0.2	0	42.1	36.1	0	133	117	0	35	33	34
2024	10	19	1	26	6	24.2	-2.6	1.09	0.3	0.2	0	41.7	35.7	0	132	116	0	35	33	34
2024	10	19	1	36	6	24.8	-2.7	1.091	0.4	0.3	0	41.7	35.7	0	132	116	0	35	33	34
2024	10	19	1	46	6	24.1	-3.7	1.091	0.3	0.2	0	42.1	36.1	0	132	117	0	34	33	35
2024	10	19	1	56	6	22.9	-3.5	1.091	0.3	0.2	0	42.1	36.1	0	133	117	0	35	33	34
2024	10	19	2	6	6	24	-3.1	1.091	0.3	0.2	0	42.1	36.1	0	133	118	0	35	34	34
2024	10	19	2	16	6	24.8	-2.1	1.092	0.5	0.5	0	42.1	35.7	0	132	116	0	34	33	34
2024	10	19	2	26	6	24.8	-3.5	1.092	0.3	0.2	0	41.7	35.3	0	131	115	0	34	33	34
2024	10	19	2	36	6	23.8	-2.2	1.093	0.4	0.3	0	41.3	34.8	0	131	115	0	35	34	33
2024	10	19	2	46	6	23.7	-3	1.093	0.3	0.2	0	41.3	35.3	0	131	115	0	35	33	34
2024	10	19	2	56	6	23.5	-3.1	1.093	0.5	0.4	0	42.1	37	0	133	119	0	35	33	35
2024	10	19	3	6	6	23.1	-2.9	1.095	0.4	0.3	0	42.6	37	0	134	120	0	35	34	34
2024	10	19	3	16	6	22.8	-2.7	1.095	0.3	0.2	0	42.1	36.5	0	133	119	0	35	34	35
2024	10	19	3	26	6	23.3	-2.6	1.095	0.5	0.4	0	42.6	37.4	0	134	120	0	35	33	34
2024	10	19	3	36	6	22.4	-3	1.095	0.3	0.2	0	43	37.4	0	135	121	0	35	34	35
2024	10	19	3	46	6	24	-3.1	1.096	0.4	0.3	0	42.6	37	0	134	120	0	35	34	34
2024	10	19	3	56	6	24.3	-2.9	1.096	0.4	0.3	0	42.6	37.4	0	134	120	0	35	33	34
2024	10	19	4	6	6	24.8	-3.6	1.096	0.4	0.3	0	42.1	37	0	133	120	0	35	34	34
2024	10	19	4	16	6	23.8	-2.6	1.096	0.5	0.4	0	42.6	37	0	134	120	0	35	34	34
2024	10	19	4	26	6	23.5	-2.4	1.096	0.4	0.3	0	42.6	37	0	134	120	0	35	34	34
2024	10	19	4	36	6	24.4	-3.4	1.096	0.5	0.4	0	42.6	37	0	134	120	0	35	34	34
2024	10	19	4	46	6	23.3	-2.4	1.097	0.5	0.4	0	42.6	37.8	0	134	121	0	35	33	34
2024	10	19	4	56	6	24.1	-2.4	1.097	0.4	0.3	0	42.6	37.4	0	134	120	0	35	33	35
2024	10	19	5	6	6	23.8	-3.5	1.097	0.4	0.3	0	42.6	37.4	0	134	120	0	35	33	34
2024	10	19	5	16	6	22.7	-2.5	1.097	0.3	0.2	0	43	37.4	0	135	121	0	35	34	34
2024	10	19	5	26	6	24.5	-2.2	1.097	0.4	0.3	0	42.1	37	0	133	120	0	35	34	35
2024	10	19	5	36	6	23.9	-2.6	1.097	0.3	0.2	0	42.1	37	0	133	119	0	35	33	34
2024	10	19	5	46	6	22.5	-2.2	1.097	0.3	0.2	0	42.6	37	0	133	120	0	34	34	34
2024	10	19	5	56	6	23.2	-3.3	1.097	0.4	0.3	0	42.1	37.4	0	133	120	0	35	33	34
2024	10	19	6	6	6	23.5	-1.4	1.097	0.5	0.4	0	43	37.4	0	134	120	0	34	33	34
2024	10	19	6	16	6	24.7	-2.8	1.097	0.5	0.4	0	42.6	37.4	0	134	120	0	35	33	35
2024	10	19	6	26	6	24.4	-3.7	1.097	0.3	0.2	0	42.6	37	0	133	119	0	34	33	34
2024	10	19	6	36	6	22.7	-3.1	1.097	0.3	0.2	0	42.1	37.4	0	133	120	0	35	33	34
2024	10	19	6	46	6	23.7	-2.6	1.097	0.3	0.2	0	42.1	37.4	0	133	120	0	35	33	35
2024	10	19	6	56	6	24.1	-3	1.097	0.5	0.4	0	42.1	37	0	133	119	0	35	33	35
2024	10	19	7	6	6	23.4	-3	1.097	0.3	0.2	0	42.6	37	0	134	120	0	35	34	34
2024	10	19	7	16	6	23.4	-2.8	1.097	0.3	0.2	0	42.1	36.5	0	133	119	0	35	34	34
2024	10	19	7	26	6	24.7	-3	1.097	0.3	0.2	0	41.7	36.1	0	132	118	0	35	34	34
2024	10	19	7	36	6	23.9	-3	1.097	0.3	0.2	0	41.7	36.1	0	132	118	0	35	34	34
2024	10	19	7	46	6	22.8	-2.4	1.097	0.3	0.2	0	41.7	36.1	0	132	118	0	35	34	34
2024	10	19	7	56	6	23.1	-2.7	1.097	0.4	0.3	0	41.7	36.5	0	132	118	0	35	33	35

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	19	8	6	6	24.3	-3.2	1.097	0.4	0.3	0	41.7	36.1	0	132	118	0	35	34	35
2024	10	19	8	16	6	24.2	-3.1	1.097	0.4	0.3	0	41.7	36.5	0	132	118	0	35	33	34
2024	10	19	8	26	6	23.1	-3.2	1.097	0.4	0.3	0	42.1	36.1	0	132	118	0	34	34	34
2024	10	19	8	36	6	24.7	-2.3	1.097	0.5	0.4	0	41.3	35.7	0	131	117	0	35	34	34
2024	10	19	8	46	6	22.7	-2.8	1.097	0.3	0.2	0	41.7	36.5	0	132	119	0	35	34	34
2024	10	19	8	56	6	23	-1.9	1.097	0.4	0.3	0	41.7	36.5	0	132	118	0	35	33	34
2024	10	19	9	6	6	22.8	-1.9	1.097	0.3	0.2	0	41.7	36.1	0	132	118	0	35	34	34
2024	10	19	9	16	6	23	-3	1.097	0.4	0.3	0	41.7	36.1	0	132	118	0	35	34	34
2024	10	19	9	26	6	24.5	-3	1.097	0.4	0.3	0	41.7	36.1	0	132	118	0	35	34	34
2024	10	19	9	36	6	23.5	-2.4	1.096	0.3	0.2	0	41.3	36.5	0	131	118	0	35	33	34
2024	10	19	9	46	6	23.6	-2.7	1.097	0.5	0.4	0	41.3	36.1	0	131	118	0	35	34	35
2024	10	19	9	56	6	23.7	-3	1.096	0.3	0.2	0	41.7	36.5	0	132	118	0	35	33	35
2024	10	19	10	6	6	23.6	-3	1.096	0.3	0.2	0	41.7	37	0	132	119	0	35	33	35
2024	10	19	10	16	6	25.2	-2.5	1.096	0.4	0.3	0	41.3	35.7	0	131	117	0	35	34	34
2024	10	19	10	26	6	24.5	-2.4	1.095	0.4	0.3	0	40.4	34.8	0	129	115	0	35	34	35
2024	10	19	10	36	6	23.6	-2.8	1.095	0.3	0.2	0	40.9	34.8	0	129	115	0	34	34	34
2024	10	19	10	46	6	23.7	-2.6	1.095	0.5	0.5	0	40.4	35.3	0	129	115	0	35	33	34
2024	10	19	10	56	6	24.5	-3.5	1.095	0.4	0.3	0	40.9	35.7	0	130	116	0	35	33	34
2024	10	19	11	6	6	24.6	-3.5	1.094	0.4	0.3	0	40.4	34.8	0	129	115	0	35	34	35
2024	10	19	11	16	6	23.9	-3	1.094	0.3	0.2	0	40.4	34.8	0	129	114	0	35	33	34
2024	10	19	11	26	6	23.7	-2.9	1.094	0.3	0.2	0	40.9	34.8	0	129	114	0	34	33	34
2024	10	19	11	36	6	24.1	-3.3	1.095	0.3	0.2	0	40	34.4	0	128	114	0	35	34	35
2024	10	19	11	46	6	24.9	-2.3	1.094	0.5	0.5	0	40	34.8	0	128	114	0	35	33	34
2024	10	19	11	56	6	22.9	-2.7	1.094	0.6	0.5	0	40	34.8	0	128	114	0	35	33	34
2024	10	19	12	6	6	25.3	-3.8	1.094	0.4	0.3	0	40	34	0	127	113	0	34	34	35
2024	10	19	12	16	6	23.5	-3.2	1.093	0.3	0.2	0	39.6	34	0	127	113	0	35	34	35
2024	10	19	12	26	6	24.6	-3.3	1.093	0.4	0.3	0	39.6	33.5	0	126	112	0	34	34	35
2024	10	19	12	36	6	22.9	-2.4	1.093	0.3	0.2	0	40	33.5	0	127	112	0	34	34	34
2024	10	19	12	46	6	22.9	-3	1.093	0.3	0.2	0	40	34.4	0	128	114	0	35	34	34
2024	10	19	12	56	6	23.8	-2.3	1.093	0.3	0.2	0	40.4	34	0	128	113	0	34	34	34
2024	10	19	13	6	6	23.9	-2.8	1.092	0.5	0.4	0	39.1	33.5	0	126	112	0	35	34	34
2024	10	19	13	16	6	24	-3	1.092	0.3	0.2	0	39.6	34	0	127	112	0	35	33	34
2024	10	19	13	26	6	24.3	-2.1	1.092	0.3	0.2	0	39.1	33.1	0	126	111	0	35	34	34
2024	10	19	13	36	6	23.5	-3.1	1.091	0.3	0.2	0	39.6	34	0	127	112	0	35	33	34
2024	10	19	13	46	6	24.7	-2.9	1.092	0.3	0.2	0	40.4	34.4	0	128	113	0	34	33	34
2024	10	19	13	56	6	22.1	-2.8	1.091	0.4	0.3	0	40	34.8	0	128	114	0	35	33	34
2024	10	19	14	6	6	23.9	-2.9	1.091	0.5	0.4	0	39.6	33.5	0	127	112	0	35	34	34
2024	10	19	14	16	6	23.4	-3	1.091	0.5	0.4	0	39.1	34	0	126	112	0	35	33	35
2024	10	19	14	26	6	22.5	-2.9	1.091	0.5	0.4	0	39.1	34	0	126	112	0	35	33	34
2024	10	19	14	36	6	23.6	-3.8	1.091	0.3	0.2	0	39.6	34	0	127	112	0	35	33	34
2024	10	19	14	46	6	24	-3.5	1.091	0.4	0.3	0	40	34.4	0	128	113	0	35	33	34
2024	10	19	14	56	6	23	-2.5	1.091	0.3	0.2	0	40	34.4	0	127	113	0	34	33	34
2024	10	19	15	6	6	24.6	-3.1	1.091	0.3	0.2	0	40	34	0	127	112	0	34	33	35
2024	10	19	15	16	6	22.7	-3.1	1.091	0.4	0.3	0	40	34.8	0	128	114	0	35	33	34
2024	10	19	15	26	6	24.6	-3.3	1.091	0.3	0.2	0	40	34.4	0	127	113	0	34	33	34
2024	10	19	15	36	6	23.4	-2.6	1.09	0.3	0.2	0	39.6	34	0	127	113	0	35	34	34
2024	10	19	15	46	6	23	-2.2	1.09	0.5	0.4	0	40.4	34.4	0	128	113	0	34	33	34
2024	10	19	15	56	6	23.7	-3.1	1.09	0.4	0.3	0	40	34.4	0	127	113	0	34	33	35

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	19	16	6	6	22.8	-3	1.09	0.4	0.3	0	40	34	0	128	113	0	35	34	34
2024	10	19	16	16	6	24.7	-3	1.09	0.3	0.2	0	40.4	34.8	0	128	114	0	34	33	34
2024	10	19	16	26	6	24.2	-3.6	1.09	0.4	0.3	0	40	34.4	0	128	113	0	35	33	34
2024	10	19	16	36	6	22.6	-3.3	1.09	0.4	0.3	0	40	34	0	128	113	0	35	34	34
2024	10	19	16	46	6	24.5	-3.7	1.09	0.3	0.2	0	39.6	33.5	0	127	111	0	35	33	34
2024	10	19	16	56	6	23.6	-2.3	1.09	0.4	0.3	0	39.1	33.1	0	126	111	0	35	34	34
2024	10	19	17	6	6	23.4	-3.2	1.09	0.3	0.2	0	40	33.5	0	127	112	0	34	34	34
2024	10	19	17	16	6	23.2	-3.2	1.09	0.5	0.4	0	39.1	34	0	126	111	0	35	32	34
2024	10	19	17	26	6	25.2	-3.3	1.09	0.4	0.3	0	39.6	33.1	0	126	110	0	34	33	34
2024	10	19	17	36	6	23.8	-2.8	1.09	0.4	0.3	0	39.6	33.5	0	126	111	0	34	33	34
2024	10	19	17	46	6	24.2	-2.9	1.09	0.4	0.3	0	40	34	0	127	112	0	34	33	35
2024	10	19	17	56	6	23.4	-1.8	1.09	0.3	0.2	0	40	34	0	128	112	0	35	33	34
2024	10	19	18	6	6	23.3	-2.3	1.09	0.5	0.5	0	39.6	34	0	127	112	0	35	33	35
2024	10	19	18	16	6	24	-2.6	1.09	0.4	0.3	0	40.4	33.5	0	128	111	0	34	33	34
2024	10	19	18	26	6	24.2	-2.2	1.09	0.3	0.2	0	40	34	0	127	112	0	34	33	33
2024	10	19	18	36	6	23.8	-3.4	1.09	0.5	0.4	0	40.4	34	0	129	113	0	35	34	34
2024	10	19	18	46	6	24.1	-3.6	1.089	0.5	0.4	0	40.9	34.4	0	129	114	0	34	34	34
2024	10	19	18	56	6	23.8	-2.8	1.09	0.3	0.2	0	41.3	36.5	0	131	117	0	35	32	34
2024	10	19	19	6	6	23.8	-2.3	1.09	0.3	0.2	0	42.6	37.4	0	133	120	0	34	33	34
2024	10	19	19	16	6	22.9	-3	1.09	0.4	0.3	0	42.1	36.5	0	132	119	0	34	34	34
2024	10	19	19	26	6	22.9	-2.6	1.09	0.3	0.2	0	42.1	37	0	133	119	0	35	33	34
2024	10	19	19	36	6	21.6	-1.3	1.09	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	35
2024	10	19	19	46	6	22.6	-1.8	1.09	0.4	0.3	0	42.6	37.4	0	134	120	0	35	33	34
2024	10	19	19	56	6	24.5	-3	1.09	0.4	0.3	0	42.1	36.5	0	133	119	0	35	34	34
2024	10	19	20	6	6	23.5	-4	1.09	0.5	0.4	0	42.6	37.4	0	134	120	0	35	33	35
2024	10	19	20	16	6	23.6	-2.8	1.09	0.3	0.2	0	42.6	37.4	0	133	120	0	34	33	34
2024	10	19	20	26	6	24.6	-3	1.089	0.4	0.3	0	42.1	36.5	0	133	119	0	35	34	35
2024	10	19	20	36	6	23.9	-3.1	1.089	0.5	0.4	0	42.6	37.4	0	134	120	0	35	33	34
2024	10	19	20	46	6	22.3	-3.5	1.09	0.4	0.3	0	42.6	37.4	0	134	121	0	35	34	35
2024	10	19	20	56	6	23.3	-3.2	1.089	0.3	0.2	0	42.6	37	0	134	120	0	35	34	34
2024	10	19	21	6	6	23.8	-3	1.089	0.3	0.2	0	42.1	37	0	133	120	0	35	34	34
2024	10	19	21	16	6	23.7	-3.3	1.089	0.5	0.4	0	42.1	37.4	0	133	120	0	35	33	34
2024	10	19	21	26	6	22.6	-2.3	1.089	0.4	0.3	0	43	37.4	0	134	120	0	34	33	34
2024	10	19	21	36	6	23.8	-2.4	1.089	0.3	0.2	0	43	37.8	0	134	121	0	34	33	34
2024	10	19	21	46	6	22.9	-2.1	1.089	0.4	0.3	0	42.6	37.4	0	133	120	0	34	33	34
2024	10	19	21	56	6	23.9	-2.5	1.089	0.4	0.3	0	42.6	37	0	133	119	0	34	33	34
2024	10	19	22	6	6	23.3	-2.6	1.089	0.4	0.3	0	42.1	37	0	132	119	0	34	33	34
2024	10	19	22	16	6	24	-3	1.089	0.3	0.2	0	42.1	37	0	133	119	0	35	33	34
2024	10	19	22	26	6	23.2	-2.1	1.089	0.3	0.2	0	42.1	37	0	133	119	0	35	33	34
2024	10	19	22	36	6	23.3	-3	1.089	0.3	0.2	0	42.6	36.5	0	133	119	0	34	34	34
2024	10	19	22	46	6	22.9	-3.5	1.089	0.5	0.4	0	42.1	37	0	133	119	0	35	33	35
2024	10	19	22	56	6	22.8	-3.2	1.089	0.4	0.3	0	42.1	36.5	0	133	119	0	35	34	34
2024	10	19	23	6	6	24.2	-3.3	1.088	0.3	0.2	0	43.4	38.3	0	136	122	0	35	33	34
2024	10	19	23	16	6	24	-3	1.088	0.4	0.3	0	43	37.4	0	135	121	0	35	34	34
2024	10	19	23	26	6	24.8	-3.1	1.088	0.3	0.2	0	42.6	37.4	0	134	120	0	35	33	34
2024	10	19	23	36	6	24.2	-2.6	1.088	0.3	0.2	0	43	37	0	134	120	0	34	34	34
2024	10	19	23	46	6	22.3	-2.2	1.088	0.5	0.4	0	42.6	37.4	0	134	121	0	35	34	35
2024	10	19	23	56	6	23.6	-2.9	1.088	0.4	0.3	0	42.6	37.4	0	133	120	0	34	33	35

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	20	0	6	6	23	-2.6	1.088	0.4	0.3	0	41.7	36.5	0	132	119	0	35	34	35
2024	10	20	0	16	6	23.1	-2.3	1.088	0.4	0.3	0	41.7	37	0	132	119	0	35	33	34
2024	10	20	0	26	6	22.5	-2.6	1.088	0.3	0.2	0	41.3	36.5	0	131	118	0	35	33	34
2024	10	20	0	36	6	23	-2.2	1.088	0.3	0.2	0	42.6	37.4	0	133	120	0	34	33	35
2024	10	20	0	46	6	23.3	-2.9	1.088	0.4	0.3	0	41.3	36.1	0	131	118	0	35	34	35
2024	10	20	0	56	6	22.8	-3.9	1.087	0.3	0.2	0	41.7	37	0	132	119	0	35	33	34
2024	10	20	1	6	6	24	-3.1	1.088	0.4	0.3	0	41.3	36.5	0	131	119	0	35	34	35
2024	10	20	1	16	6	24.1	-3.8	1.087	0.3	0.2	0	41.7	36.5	0	132	119	0	35	34	34
2024	10	20	1	26	6	23.7	-2.3	1.088	0.4	0.3	0	41.3	36.1	0	131	118	0	35	34	33
2024	10	20	1	36	6	23.8	-3.4	1.088	0.4	0.3	0	42.1	36.5	0	132	119	0	34	34	34
2024	10	20	1	46	6	22.7	-2.8	1.087	0.4	0.3	0	41.7	36.1	0	131	118	0	34	34	35
2024	10	20	1	56	6	22.2	-2.3	1.087	0.4	0.3	0	41.7	36.5	0	132	119	0	35	34	35
2024	10	20	2	6	6	23.8	-3.5	1.087	0.3	0.2	0	42.1	37	0	132	119	0	34	33	34
2024	10	20	2	16	6	23.5	-3	1.087	0.4	0.3	0	40.9	35.7	0	130	117	0	35	34	34
2024	10	20	2	26	6	24.5	-3.3	1.087	0.3	0.2	0	40.9	36.1	0	130	117	0	35	33	34
2024	10	20	2	36	6	23.1	-3.4	1.087	0.4	0.3	0	41.3	35.7	0	131	117	0	35	34	35
2024	10	20	2	46	6	23.1	-3.6	1.087	0.4	0.3	0	39.1	35.7	0	126	117	0	35	34	34
2024	10	20	2	56	6	23.9	-3.8	1.087	0.5	0.4	0	41.7	36.1	0	131	117	0	34	33	35
2024	10	20	3	6	6	23	-3.9	1.087	0.3	0.2	0	41.3	36.1	0	131	117	0	35	33	35
2024	10	20	3	16	6	22.7	-2.6	1.087	0.5	0.5	0	41.3	36.1	0	131	118	0	35	34	34
2024	10	20	3	26	6	23	-2.6	1.087	0.4	0.3	0	41.3	36.1	0	131	117	0	35	33	34
2024	10	20	3	36	6	22.2	-2.8	1.087	0.4	0.3	0	41.3	36.5	0	131	118	0	35	33	34
2024	10	20	3	46	6	24.4	-3.1	1.087	0.5	0.4	0	41.3	35.7	0	131	117	0	35	34	34
2024	10	20	3	56	6	23.3	-2.7	1.087	0.3	0.2	0	42.1	36.5	0	132	119	0	34	34	35
2024	10	20	4	6	6	22.6	-2.7	1.087	0.4	0.3	0	41.3	36.5	0	131	118	0	35	33	35
2024	10	20	4	16	6	22.4	-3.3	1.087	0.5	0.4	0	41.7	35.7	0	131	117	0	34	34	34
2024	10	20	4	26	6	23.5	-2.4	1.087	0.5	0.4	0	41.3	35.7	0	131	118	0	35	35	34
2024	10	20	4	36	6	24	-3.1	1.087	0.5	0.4	0	41.3	35.7	0	131	117	0	35	34	34
2024	10	20	4	46	6	22.8	-3	1.087	0.4	0.3	0	41.3	36.5	0	131	118	0	35	33	35
2024	10	20	4	56	6	22.6	-1.7	1.087	0.5	0.4	0	41.3	36.1	0	131	118	0	35	34	34
2024	10	20	5	6	6	24.2	-3.8	1.086	0.4	0.3	0	41.7	36.1	0	131	117	0	34	33	35
2024	10	20	5	16	6	24	-3	1.086	0.4	0.3	0	40.9	35.3	0	130	116	0	35	34	35
2024	10	20	5	26	6	22.6	-3	1.087	0.3	0.2	0	41.3	36.5	0	131	118	0	35	33	35
2024	10	20	5	36	6	23.3	-2.9	1.086	0.4	0.3	0	41.7	36.1	0	131	118	0	34	34	34
2024	10	20	5	46	6	24.1	-2.9	1.087	0.3	0.2	0	41.3	35.7	0	131	117	0	35	34	35
2024	10	20	5	56	6	23.1	-2.9	1.087	0.3	0.2	0	41.3	36.1	0	131	118	0	35	34	34
2024	10	20	6	6	6	23.4	-2	1.086	0.5	0.4	0	41.3	35.7	0	131	117	0	35	34	34
2024	10	20	6	16	6	22.9	-3.1	1.086	0.3	0.2	0	41.3	36.1	0	131	117	0	35	33	34
2024	10	20	6	26	6	24.9	-2.9	1.087	0.3	0.2	0	40.9	35.3	0	130	116	0	35	34	34
2024	10	20	6	36	6	23.5	-2.8	1.086	0.4	0.3	0	40.9	36.1	0	130	117	0	35	33	35
2024	10	20	6	46	6	23.7	-2.5	1.086	0.3	0.2	0	40.9	35.3	0	130	116	0	35	34	34
2024	10	20	6	56	6	23.4	-3	1.086	0.5	0.4	0	41.3	35.7	0	131	117	0	35	34	35
2024	10	20	7	6	6	22.3	-3	1.086	0.4	0.3	0	40	35.3	0	128	116	0	35	34	34
2024	10	20	7	16	6	23.9	-3.2	1.086	0.4	0.3	0	43	36.1	0	135	117	0	35	33	34
2024	10	20	7	26	6	24.2	-2.5	1.086	0.3	0.2	0	43.4	35.3	0	135	116	0	34	34	34
2024	10	20	7	36	6	23	-2.7	1.086	0.3	0.2	0	42.1	34.8	0	133	115	0	35	34	34
2024	10	20	7	46	6	22.9	-2	1.086	0.4	0.3	0	43	34.8	0	134	115	0	34	34	35
2024	10	20	7	56	6	22.7	-3.5	1.086	0.3	0.2	0	42.6	35.3	0	134	115	0	35	33	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	20	8	6	6	24.4	-3.2	1.086	0.4	0.3	0	42.6	35.7	0	134	116	0	35	33	35
2024	10	20	8	16	6	24	-3.1	1.086	0.5	0.4	0	43	36.1	0	135	117	0	35	33	34
2024	10	20	8	26	6	23.3	-2.4	1.086	0.3	0.2	0	42.6	35.7	0	134	116	0	35	33	35
2024	10	20	8	36	6	22.8	-3	1.086	0.4	0.3	0	42.6	34.8	0	134	115	0	35	34	34
2024	10	20	8	46	6	23.8	-2.4	1.086	0.5	0.4	0	42.1	35.3	0	133	115	0	35	33	35
2024	10	20	8	56	6	24.8	-3.8	1.087	0.5	0.4	0	42.1	34.4	0	132	114	0	34	34	35
2024	10	20	9	6	6	26.1	-4.2	1.087	0.5	0.4	0	42.6	34.4	0	133	114	0	34	34	34
2024	10	20	9	16	6	23.7	-3	1.087	0.5	0.5	0	41.7	34.4	0	132	114	0	35	34	34
2024	10	20	9	26	6	23.6	-3.2	1.087	0.5	0.4	0	42.1	35.3	0	133	115	0	35	33	34
2024	10	20	9	36	6	23.4	-2.1	1.087	0.3	0.2	0	42.1	35.7	0	133	116	0	35	33	34
2024	10	20	9	46	6	22.5	-2.6	1.087	0.3	0.2	0	42.6	35.7	0	134	117	0	35	34	34
2024	10	20	9	56	6	22.5	-2.2	1.087	0.4	0.3	0	43	35.7	0	134	116	0	34	33	34
2024	10	20	10	6	6	23.4	-3.1	1.087	0.4	0.3	0	43	35.7	0	135	117	0	35	34	34
2024	10	20	10	16	6	25	-2.1	1.087	0.3	0.2	0	43.4	36.5	0	136	119	0	35	34	34
2024	10	20	10	26	6	23.3	-2.1	1.087	0.3	0.2	0	42.6	35.7	0	134	116	0	35	33	35
2024	10	20	10	36	6	23.8	-2.1	1.087	0.3	0.2	0	41.3	34	0	131	112	0	35	33	34
2024	10	20	10	46	6	22.4	-3.7	1.087	0.3	0.2	0	42.1	34.8	0	133	115	0	35	34	34
2024	10	20	10	56	6	24.1	-2.6	1.088	0.5	0.5	0	41.3	34	0	131	112	0	35	33	34
2024	10	20	11	6	6	22.7	-3.7	1.087	0.5	0.4	0	41.7	34	0	132	113	0	35	34	34
2024	10	20	11	16	6	24.3	-3.5	1.088	0.3	0.2	0	42.1	34.4	0	132	114	0	34	34	34
2024	10	20	11	26	6	23.6	-3	1.087	0.3	0.2	0	41.3	34	0	131	112	0	35	33	35
2024	10	20	11	36	6	23.2	-3.7	1.087	0.4	0.3	0	41.7	34	0	131	112	0	34	33	34
2024	10	20	11	46	6	23.3	-3.5	1.087	0.4	0.3	0	41.7	34.4	0	132	113	0	35	33	34
2024	10	20	11	56	6	22.9	-3.4	1.087	0.5	0.4	0	40.9	33.5	0	130	112	0	35	34	34
2024	10	20	12	6	6	22.7	-3.2	1.087	0.4	0.3	0	42.6	35.3	0	133	115	0	34	33	34
2024	10	20	12	16	6	22.5	-2.7	1.087	0.4	0.3	0	40.4	33.5	0	129	111	0	35	33	34
2024	10	20	12	26	6	23.3	-2.6	1.087	0.4	0.3	0	41.3	33.5	0	130	111	0	34	33	34
2024	10	20	12	36	6	23.9	-3.5	1.087	0.4	0.3	0	41.3	33.5	0	130	111	0	34	33	34
2024	10	20	12	46	6	23.9	-2.7	1.087	0.4	0.3	0	40.4	32.7	0	128	109	0	34	33	33
2024	10	20	12	56	6	22.6	-3.3	1.087	0.4	0.3	0	40.9	33.1	0	129	110	0	34	33	34
2024	10	20	13	6	6	23.4	-3.6	1.087	0.4	0.3	0	40.9	32.7	0	129	110	0	34	34	34
2024	10	20	13	16	6	23.4	-2.4	1.086	0.5	0.4	0	41.7	34	0	132	113	0	35	34	34
2024	10	20	13	26	6	22.8	-1.8	1.087	0.3	0.2	0	40.9	34	0	130	112	0	35	33	34
2024	10	20	13	36	6	22.7	-3.1	1.086	0.4	0.3	0	40.9	34	0	130	113	0	35	34	35
2024	10	20	13	46	6	22.5	-3.1	1.086	0.4	0.3	0	41.3	34.8	0	131	114	0	35	33	35
2024	10	20	13	56	6	23.4	-2.4	1.086	0.5	0.4	0	42.6	35.3	0	133	115	0	34	33	34
2024	10	20	14	6	6	23.4	-2.7	1.085	0.4	0.3	0	41.7	34.8	0	131	114	0	34	33	34
2024	10	20	14	16	6	22.5	-2.8	1.086	0.4	0.3	0	42.1	35.7	0	133	116	0	35	33	34
2024	10	20	14	26	6	24.4	-2.2	1.085	0.3	0.2	0	42.1	35.3	0	132	115	0	34	33	34
2024	10	20	14	36	6	23.5	-2.6	1.085	0.3	0.2	0	41.7	34.8	0	131	114	0	34	33	34
2024	10	20	14	46	6	22.2	-3.1	1.086	0.5	0.4	0	41.7	34.8	0	132	115	0	35	34	34
2024	10	20	14	56	6	23.8	-3.6	1.085	0.4	0.3	0	41.7	34.8	0	131	115	0	34	34	34
2024	10	20	15	6	6	24.3	-3	1.085	0.4	0.3	0	41.3	34	0	130	113	0	34	34	34
2024	10	20	15	16	6	23.6	-2.6	1.085	0.4	0.3	0	41.7	34.8	0	131	114	0	34	33	34
2024	10	20	15	26	6	23.1	-2.2	1.085	0.4	0.3	0	42.6	36.1	0	134	117	0	35	33	34
2024	10	20	15	36	6	23.9	-3.2	1.085	0.3	0.2	0	41.3	34.4	0	130	114	0	34	34	34
2024	10	20	15	46	6	22.5	-3.1	1.084	0.5	0.4	0	42.1	35.7	0	133	116	0	35	33	34
2024	10	20	15	56	6	23.3	-2.8	1.085	0.3	0.2	0	41.3	34	0	130	113	0	34	34	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	20	16	6	6	23.5	-2.6	1.085	0.3	0.2	0	41.3	34.4	0	131	114	0	35	34	34
2024	10	20	16	16	6	23.1	-2.5	1.085	0.4	0.3	0	41.3	34.8	0	131	114	0	35	33	35
2024	10	20	16	26	6	23.1	-3.8	1.084	0.4	0.3	0	41.3	34.4	0	130	113	0	34	33	34
2024	10	20	16	36	6	22.6	-2.2	1.085	0.4	0.3	0	40.9	34.4	0	130	113	0	35	33	34
2024	10	20	16	46	6	22.2	-2.3	1.084	0.4	0.3	0	41.3	34.4	0	131	113	0	35	33	34
2024	10	20	16	56	6	23.1	-3.5	1.085	0.3	0.2	0	40.9	34.4	0	130	113	0	35	33	35
2024	10	20	17	6	6	23	-3.6	1.084	0.4	0.3	0	42.1	34.8	0	132	114	0	34	33	34
2024	10	20	17	16	6	23.1	-2.6	1.086	0.4	0.3	0	41.3	34.4	0	130	113	0	34	33	35
2024	10	20	17	26	6	23	-3.4	1.086	0.3	0.2	0	41.7	34.8	0	131	114	0	34	33	34
2024	10	20	17	36	6	22.9	-2.7	1.086	0.5	0.4	0	41.3	34.4	0	131	113	0	35	33	34
2024	10	20	17	46	6	23.1	-2.5	1.086	0.3	0.2	0	41.3	34.8	0	131	114	0	35	33	34
2024	10	20	17	56	6	24.6	-3.1	1.086	0.3	0.2	0	41.7	34.8	0	131	114	0	34	33	34
2024	10	20	18	6	6	24	-3	1.086	0.3	0.2	0	41.3	34.8	0	131	114	0	35	33	34
2024	10	20	18	16	6	24	-3	1.086	0.4	0.3	0	42.1	34.8	0	132	114	0	34	33	34
2024	10	20	18	26	6	22.9	-2.9	1.086	0.5	0.4	0	42.6	35.7	0	133	116	0	34	33	34
2024	10	20	18	36	6	24.2	-2.9	1.086	0.4	0.3	0	42.1	35.7	0	133	116	0	35	33	35
2024	10	20	18	46	6	22.7	-1.7	1.087	0.4	0.3	0	43.4	36.1	0	135	117	0	34	33	34
2024	10	20	18	56	6	22.8	-2.6	1.087	0.3	0.2	0	43.4	36.1	0	135	117	0	34	33	34
2024	10	20	19	6	6	22.8	-3.5	1.087	0.3	0.2	0	43	36.5	0	135	118	0	35	33	34
2024	10	20	19	16	6	23.6	-3.8	1.087	0.5	0.5	0	43.9	36.5	0	136	118	0	34	33	34
2024	10	20	19	26	6	21.2	-1.3	1.087	0.3	0.2	0	43.9	37.4	0	137	120	0	35	33	34
2024	10	20	19	36	6	23.8	-2.9	1.087	0.4	0.3	0	43.4	36.5	0	136	119	0	35	34	33
2024	10	20	19	46	6	24.4	-3.3	1.087	0.3	0.2	0	43.4	36.5	0	136	118	0	35	33	34
2024	10	20	19	56	6	22.7	-3.1	1.087	0.3	0.2	0	43.4	36.5	0	136	119	0	35	34	34
2024	10	20	20	6	6	23.3	-2.5	1.087	0.3	0.2	0	44.3	37	0	137	119	0	34	33	34
2024	10	20	20	16	6	22.6	-3.5	1.087	0.4	0.3	0	43.9	36.5	0	137	119	0	35	34	35
2024	10	20	20	26	6	23.4	-2.5	1.087	0.4	0.3	0	43.9	37	0	137	119	0	35	33	35
2024	10	20	20	36	6	22.7	-2.6	1.087	0.4	0.3	0	44.7	37	0	138	120	0	34	34	34
2024	10	20	20	46	6	22.8	-2	1.087	0.3	0.2	0	44.3	37	0	137	119	0	34	33	34
2024	10	20	20	56	6	22.6	-2.8	1.087	0.3	0.2	0	43.9	36.1	0	136	118	0	34	34	34
2024	10	20	21	6	6	23.6	-2.6	1.087	0.4	0.3	0	43.4	36.1	0	136	118	0	35	34	34
2024	10	20	21	16	6	22.3	-3.1	1.087	0.4	0.3	0	43.9	37	0	136	119	0	34	33	34
2024	10	20	21	26	6	23.3	-2.6	1.087	0.4	0.3	0	43.4	36.5	0	136	118	0	35	33	34
2024	10	20	21	36	6	23.2	-3.1	1.087	0.4	0.3	0	43.9	36.5	0	136	118	0	34	33	34
2024	10	20	21	46	6	23.5	-2.4	1.087	0.3	0.2	0	43.4	36.5	0	136	118	0	35	33	34
2024	10	20	21	56	6	23.3	-2.5	1.087	0.4	0.3	0	43.9	36.5	0	137	119	0	35	34	34
2024	10	20	22	6	6	23.2	-3.2	1.087	0.4	0.3	0	43.9	37	0	137	119	0	35	33	34
2024	10	20	22	16	6	23.4	-2.6	1.087	0.3	0.2	0	44.3	37	0	137	119	0	34	33	34
2024	10	20	22	26	6	23.2	-2.9	1.087	0.4	0.3	0	43.9	35.7	0	136	116	0	34	33	34
2024	10	20	22	36	6	22.4	-2.8	1.087	0.4	0.3	0	43.4	36.5	0	136	118	0	35	33	34
2024	10	20	22	46	6	23.6	-3.6	1.087	0.3	0.2	0	43.9	36.1	0	136	118	0	34	34	34
2024	10	20	22	56	6	22.9	-3.6	1.087	0.4	0.3	0	43.4	36.1	0	136	118	0	35	34	34
2024	10	20	23	6	6	23.1	-2.1	1.087	0.4	0.3	0	43.9	36.5	0	136	118	0	34	33	34
2024	10	20	23	16	6	22.2	-2.4	1.087	0.3	0.2	0	43.9	36.5	0	136	118	0	34	33	35
2024	10	20	23	26	6	23.6	-2.3	1.087	0.3	0.2	0	43	35.7	0	135	117	0	35	34	34
2024	10	20	23	36	6	23.7	-2.5	1.087	0.4	0.3	0	43	36.5	0	135	117	0	35	32	34
2024	10	20	23	46	6	22.1	-2.3	1.087	0.3	0.2	0	43.4	37	0	136	118	0	35	32	34
2024	10	20	23	56	6	23.1	-3.4	1.087	0.3	0.2	0	43.4	35.7	0	135	117	0	34	34	35

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	21	0	6	6	22.1	-2.7	1.087	0.3	0.2	0	43.4	36.1	0	135	117	0	34	33	35
2024	10	21	0	16	6	23.1	-2.7	1.087	0.4	0.3	0	43	36.1	0	135	118	0	35	34	34
2024	10	21	0	26	6	23.9	-2.5	1.087	0.5	0.4	0	43	36.1	0	135	117	0	35	33	34
2024	10	21	0	36	6	23.4	-3.1	1.087	0.5	0.4	0	43	35.7	0	135	117	0	35	34	34
2024	10	21	0	46	6	23.5	-2.5	1.087	0.4	0.3	0	43	35.7	0	135	117	0	35	34	34
2024	10	21	0	56	6	22.9	-2.6	1.087	0.3	0.2	0	43.4	35.7	0	135	117	0	34	34	35
2024	10	21	1	6	6	24.2	-2.5	1.087	0.4	0.3	0	43	35.7	0	135	117	0	35	34	34
2024	10	21	1	16	6	23	-2.8	1.087	0.4	0.3	0	42.6	36.1	0	134	117	0	35	33	35
2024	10	21	1	26	6	23.2	-2.1	1.087	0.4	0.3	0	42.6	35.7	0	134	117	0	35	34	35
2024	10	21	1	36	6	24	-2.5	1.087	0.4	0.3	0	42.6	35.7	0	134	117	0	35	34	34
2024	10	21	1	46	6	21.9	-1.7	1.087	0.4	0.3	0	42.6	35.7	0	134	117	0	35	34	34
2024	10	21	1	56	6	23	-3.3	1.087	0.5	0.4	0	42.6	35.3	0	134	116	0	35	34	35
2024	10	21	2	6	6	23.1	-3.2	1.087	0.5	0.4	0	43	36.1	0	134	117	0	34	33	34
2024	10	21	2	16	6	24.5	-2.8	1.087	0.4	0.3	0	42.1	35.3	0	133	116	0	35	34	35
2024	10	21	2	26	6	23	-2.9	1.088	0.4	0.3	0	42.6	35.3	0	133	116	0	34	34	35
2024	10	21	2	36	6	23.9	-2.7	1.088	0.5	0.4	0	42.1	35.7	0	133	116	0	35	33	34
2024	10	21	2	46	6	23.4	-3.5	1.088	0.5	0.4	0	42.1	35.3	0	133	116	0	35	34	35
2024	10	21	2	56	6	22.7	-3.8	1.087	0.4	0.3	0	42.1	35.3	0	133	116	0	35	34	35
2024	10	21	3	6	6	24.8	-3.1	1.087	0.4	0.3	0	42.1	35.3	0	133	116	0	35	34	34
2024	10	21	3	16	6	23.2	-3.1	1.087	0.4	0.3	0	41.7	34.8	0	132	115	0	35	34	34
2024	10	21	3	26	6	23.3	-3	1.088	0.3	0.2	0	42.1	35.3	0	133	116	0	35	34	35
2024	10	21	3	36	6	22.7	-2.3	1.088	0.3	0.2	0	41.7	34.8	0	132	115	0	35	34	35
2024	10	21	3	46	6	24.4	-3.7	1.088	0.4	0.3	0	41.7	34.8	0	132	115	0	35	34	34
2024	10	21	3	56	6	23.4	-3.5	1.088	0.4	0.3	0	42.1	35.7	0	133	116	0	35	33	34
2024	10	21	4	6	6	23.4	-2.7	1.088	0.4	0.3	0	41.7	34.8	0	132	115	0	35	34	35
2024	10	21	4	16	6	23.1	-3	1.088	0.4	0.3	0	41.7	34.8	0	132	115	0	35	34	34
2024	10	21	4	26	6	23.5	-2.5	1.088	0.4	0.3	0	41.7	35.3	0	132	116	0	35	34	34
2024	10	21	4	36	6	23	-1.5	1.088	0.4	0.3	0	43	36.1	0	134	117	0	34	33	35
2024	10	21	4	46	6	24.3	-2.4	1.088	0.4	0.3	0	41.7	34.4	0	132	114	0	35	34	34
2024	10	21	4	56	6	24.5	-2.6	1.088	0.5	0.4	0	41.7	34.8	0	132	115	0	35	34	34
2024	10	21	5	6	6	24.4	-2.9	1.088	0.4	0.3	0	41.3	35.3	0	132	115	0	36	33	34
2024	10	21	5	16	6	22.9	-3.3	1.088	0.3	0.2	0	42.1	35.3	0	133	116	0	35	34	34
2024	10	21	5	26	6	23.2	-2.3	1.088	0.4	0.3	0	41.7	35.3	0	132	116	0	35	34	35
2024	10	21	5	36	6	23.3	-2.1	1.088	0.3	0.2	0	43	35.7	0	134	117	0	34	34	34
2024	10	21	5	46	6	22.7	-3.9	1.088	0.5	0.5	0	41.7	35.3	0	132	115	0	35	33	34
2024	10	21	5	56	6	24.3	-2.4	1.088	0.3	0.2	0	41.3	34.8	0	131	115	0	35	34	34
2024	10	21	6	6	6	23.4	-3.5	1.088	0.3	0.2	0	41.7	34.8	0	132	115	0	35	34	35
2024	10	21	6	16	6	23.6	-3.4	1.088	0.5	0.4	0	41.7	34.8	0	132	115	0	35	34	34
2024	10	21	6	26	6	24.2	-2.1	1.088	0.4	0.3	0	41.3	34.8	0	131	115	0	35	34	35
2024	10	21	6	36	6	22.4	-3.3	1.089	0.4	0.3	0	41.3	34.8	0	131	114	0	35	33	35
2024	10	21	6	46	6	23.7	-2.6	1.089	0.4	0.3	0	41.3	34.4	0	131	114	0	35	34	35
2024	10	21	6	56	6	24.6	-2.7	1.089	0.4	0.3	0	41.7	34.8	0	132	115	0	35	34	35
2024	10	21	7	6	6	23.8	-3.9	1.089	0.3	0.2	0	40.9	34.4	0	130	114	0	35	34	35
2024	10	21	7	16	6	23.7	-2.5	1.089	0.4	0.3	0	41.3	34.8	0	130	114	0	34	33	35
2024	10	21	7	26	6	23.5	-2.8	1.089	0.3	0.2	0	40.9	34	0	130	113	0	35	34	34
2024	10	21	7	36	6	23	-2.7	1.089	0.3	0.2	0	41.3	34.4	0	130	114	0	34	34	35
2024	10	21	7	46	6	22.6	-2.9	1.089	0.5	0.4	0	40.9	34.4	0	130	113	0	35	33	34
2024	10	21	7	56	6	23.6	-3.9	1.089	0.3	0.2	0	40.9	34	0	130	113	0	35	34	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	21	8	6	6	23.5	-2.5	1.089	0.5	0.4	0	40.9	34	0	130	113	0	35	34	34
2024	10	21	8	16	6	23.1	-2.7	1.089	0.4	0.3	0	40.9	34.4	0	130	113	0	35	33	34
2024	10	21	8	26	6	23.9	-2.7	1.09	0.3	0.2	0	40.4	34	0	129	113	0	35	34	34
2024	10	21	8	36	6	22.7	-2.6	1.09	0.3	0.2	0	40.4	34.4	0	129	113	0	35	33	34
2024	10	21	8	46	6	23.9	-2.5	1.09	0.3	0.2	0	40.4	34.4	0	129	113	0	35	33	34
2024	10	21	8	56	6	24.5	-3.9	1.09	0.4	0.3	0	40.9	34.8	0	130	114	0	35	33	35
2024	10	21	9	6	6	22.5	-1.7	1.09	0.3	0.2	0	40.9	34.4	0	130	114	0	35	34	34
2024	10	21	9	16	6	23.9	-2.6	1.09	0.4	0.3	0	40.4	33.5	0	128	112	0	34	34	34
2024	10	21	9	26	6	23.2	-3	1.091	0.3	0.2	0	40	34	0	128	112	0	35	33	34
2024	10	21	9	36	6	25	-3.6	1.091	0.3	0.2	0	40	33.1	0	128	111	0	35	34	35
2024	10	21	9	46	6	23.1	-2.1	1.091	0.5	0.4	0	39.6	33.1	0	127	111	0	35	34	34
2024	10	21	9	56	6	23.1	-3.3	1.091	0.3	0.2	0	39.6	32.7	0	127	110	0	35	34	35
2024	10	21	10	6	6	23.1	-2.7	1.091	0.4	0.3	0	40	33.5	0	128	112	0	35	34	34
2024	10	21	10	16	6	23.6	-2.7	1.091	0.4	0.3	0	40.4	33.5	0	128	112	0	34	34	34
2024	10	21	10	26	6	24.5	-2.8	1.091	0.5	0.4	0	40.4	34	0	128	112	0	34	33	34
2024	10	21	10	36	6	24.6	-3.5	1.091	0.3	0.2	0	39.6	33.1	0	127	111	0	35	34	35
2024	10	21	10	46	6	23.2	-2.3	1.091	0.4	0.3	0	40	33.5	0	128	112	0	35	34	35
2024	10	21	10	56	6	24.1	-2.5	1.091	0.3	0.2	0	40.4	34	0	129	113	0	35	34	34
2024	10	21	11	6	6	24	-4.3	1.091	0.3	0.2	0	40	33.5	0	128	112	0	35	34	34
2024	10	21	11	16	6	24	-3.8	1.091	0.5	0.4	0	39.1	32.7	0	126	110	0	35	34	34
2024	10	21	11	26	6	22.4	-2.6	1.091	0.4	0.3	0	40	33.5	0	127	112	0	34	34	34
2024	10	21	11	36	6	23.1	-2.1	1.091	0.4	0.3	0	39.6	34	0	127	112	0	35	33	35
2024	10	21	11	46	6	23.8	-3.4	1.091	0.4	0.3	0	39.1	33.1	0	126	110	0	35	33	35
2024	10	21	11	56	6	23.3	-2.6	1.092	0.3	0.2	0	40.4	34.4	0	128	113	0	34	33	35
2024	10	21	12	6	6	23.7	-1.6	1.091	0.3	0.2	0	40	34	0	128	112	0	35	33	34
2024	10	21	12	16	6	23.5	-3	1.091	0.6	0.5	0	40.9	34	0	129	113	0	34	34	34
2024	10	21	12	26	6	22.9	-3.3	1.091	0.3	0.2	0	40.4	34	0	128	113	0	34	34	35
2024	10	21	12	36	6	23	-4.2	1.091	0.4	0.3	0	40	34.4	0	128	113	0	35	33	33
2024	10	21	12	46	6	23.7	-3.8	1.091	0.3	0.2	0	40.4	34.8	0	129	114	0	35	33	34
2024	10	21	12	56	6	23.3	-3	1.092	0.3	0.2	0	40	33.1	0	127	111	0	34	34	35
2024	10	21	13	6	6	23.4	-2.6	1.091	0.4	0.3	0	39.6	34	0	127	112	0	35	33	34
2024	10	21	13	16	6	24	-3.4	1.092	0.4	0.3	0	40.4	34	0	128	113	0	34	34	34
2024	10	21	13	26	6	22.5	-2.7	1.092	0.3	0.2	0	40.4	34.4	0	129	113	0	35	33	34
2024	10	21	13	36	6	23.4	-3.3	1.091	0.4	0.3	0	39.6	33.1	0	127	111	0	35	34	35
2024	10	21	13	46	6	23	-3.7	1.091	0.4	0.3	0	39.6	33.1	0	127	111	0	35	34	34
2024	10	21	13	56	6	22.4	-3.2	1.091	0.3	0.2	0	39.1	33.5	0	126	111	0	35	33	34
2024	10	21	14	6	6	22.8	-3	1.091	0.3	0.2	0	39.6	33.1	0	127	111	0	35	34	34
2024	10	21	14	16	6	24	-2.1	1.091	0.3	0.2	0	39.6	33.1	0	126	110	0	34	33	34
2024	10	21	14	26	6	23.3	-3.3	1.091	0.5	0.4	0	39.6	33.1	0	127	111	0	35	34	34
2024	10	21	14	36	6	23	-2.6	1.091	0.3	0.2	0	40.4	33.5	0	128	112	0	34	34	34
2024	10	21	14	46	6	23	-2.8	1.091	0.4	0.3	0	40.4	33.5	0	128	112	0	34	34	34
2024	10	21	14	56	6	23.9	-2.5	1.091	0.4	0.3	0	40.4	33.5	0	128	112	0	34	34	34
2024	10	21	15	6	6	23.5	-3.5	1.091	0.3	0.2	0	39.6	33.5	0	127	112	0	35	34	35
2024	10	21	15	16	6	23	-3.5	1.091	0.5	0.4	0	39.6	33.5	0	127	111	0	35	33	35
2024	10	21	15	26	6	22.1	-3.1	1.091	0.4	0.3	0	40.4	34.4	0	128	113	0	34	33	34
2024	10	21	15	36	6	23.2	-3.7	1.091	0.4	0.3	0	39.6	33.1	0	127	111	0	35	34	34
2024	10	21	15	46	6	23.5	-3.4	1.091	0.5	0.5	0	40.4	34	0	128	112	0	34	33	34
2024	10	21	15	56	6	24.5	-3.4	1.091	0.4	0.3	0	40	33.5	0	127	111	0	34	33	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	21	16	6	6	24.5	-2.7	1.091	0.5	0.4	0	40.4	34	0	128	112	0	34	33	34
2024	10	21	16	16	6	23.9	-2.5	1.091	0.4	0.3	0	40	33.5	0	128	112	0	35	34	34
2024	10	21	16	26	6	23.9	-2.8	1.091	0.3	0.2	0	40	33.5	0	127	111	0	34	33	34
2024	10	21	16	36	6	23.1	-3.5	1.091	0.5	0.4	0	39.6	33.1	0	127	110	0	35	33	34
2024	10	21	16	46	6	23.7	-3.5	1.091	0.3	0.2	0	39.6	33.1	0	126	110	0	34	33	34
2024	10	21	16	56	6	23.2	-2.2	1.091	0.4	0.3	0	38.7	32.7	0	125	109	0	35	33	35
2024	10	21	17	6	6	23.8	-3.3	1.091	0.4	0.3	0	39.6	32.3	0	126	109	0	34	34	35
2024	10	21	17	16	6	23.5	-3.5	1.091	0.3	0.2	0	38.7	31.8	0	125	108	0	35	34	34
2024	10	21	17	26	6	23.3	-3	1.091	0.5	0.4	0	39.6	33.1	0	127	110	0	35	33	34
2024	10	21	17	36	6	23.4	-4.3	1.091	0.3	0.2	0	39.1	33.1	0	126	110	0	35	33	35
2024	10	21	17	46	6	22.4	-2.2	1.091	0.4	0.3	0	39.6	33.5	0	127	111	0	35	33	34
2024	10	21	17	56	6	24.5	-3.2	1.091	0.4	0.3	0	39.6	32.7	0	127	110	0	35	34	34
2024	10	21	18	6	6	23.5	-2.6	1.091	0.5	0.5	0	40	33.1	0	127	110	0	34	33	34
2024	10	21	18	16	6	23.1	-3.8	1.091	0.5	0.4	0	40	32.7	0	127	109	0	34	33	34
2024	10	21	18	26	6	23.8	-3	1.091	0.4	0.3	0	40	32.7	0	127	110	0	34	34	34
2024	10	21	18	36	6	22.7	-2.9	1.091	0.4	0.3	0	40.9	33.5	0	129	111	0	34	33	34
2024	10	21	18	46	6	24	-4.2	1.091	0.5	0.4	0	41.3	33.1	0	130	112	0	34	35	34
2024	10	21	18	56	6	23.8	-3.5	1.091	0.4	0.3	0	41.3	33.5	0	130	112	0	34	34	34
2024	10	21	19	6	6	23.6	-3	1.091	0.4	0.3	0	41.3	34.4	0	131	113	0	35	33	34
2024	10	21	19	16	6	23.7	-2.6	1.091	0.4	0.3	0	41.3	34	0	131	113	0	35	34	34
2024	10	21	19	26	6	23.3	-4	1.091	0.4	0.3	0	41.3	34.4	0	131	114	0	35	34	34
2024	10	21	19	36	6	23.4	-3	1.091	0.3	0.2	0	42.1	35.3	0	133	115	0	35	33	34
2024	10	21	19	46	6	21.8	-2.5	1.091	0.3	0.2	0	42.6	35.3	0	133	115	0	34	33	34
2024	10	21	19	56	6	23.5	-2.7	1.091	0.4	0.3	0	41.7	34.8	0	132	114	0	35	33	34
2024	10	21	20	6	6	22.9	-3.1	1.091	0.3	0.2	0	41.7	34.4	0	131	113	0	34	33	34
2024	10	21	20	16	6	23.7	-2.6	1.091	0.4	0.3	0	42.1	34.8	0	132	114	0	34	33	34
2024	10	21	20	26	6	22.8	-2.5	1.091	0.3	0.2	0	42.1	34.8	0	132	114	0	34	33	34
2024	10	21	20	36	6	24.5	-3.8	1.091	0.3	0.2	0	41.7	34.4	0	132	114	0	35	34	34
2024	10	21	20	46	6	23.8	-2.7	1.091	0.5	0.4	0	41.3	34	0	131	113	0	35	34	34
2024	10	21	20	56	6	23.7	-2.8	1.091	0.3	0.2	0	41.7	34.8	0	131	114	0	34	33	35
2024	10	21	21	6	6	24	-3.7	1.091	0.4	0.3	0	41.3	34.4	0	131	113	0	35	33	34
2024	10	21	21	16	6	22.7	-2.8	1.091	0.4	0.3	0	41.3	34	0	131	113	0	35	34	34
2024	10	21	21	26	6	22.4	-2.2	1.092	0.5	0.5	0	41.7	34.4	0	132	114	0	35	34	34
2024	10	21	21	36	6	22.3	-1.5	1.092	0.3	0.2	0	41.7	34.8	0	132	114	0	35	33	34
2024	10	21	21	46	6	23.6	-2.5	1.093	0.5	0.5	0	41.7	34.4	0	131	114	0	34	34	35
2024	10	21	21	56	6	22.4	-2.7	1.094	0.4	0.3	0	41.3	34.8	0	131	114	0	35	33	34
2024	10	21	22	6	6	24.2	-3.6	1.094	0.3	0.2	0	41.3	34	0	131	113	0	35	34	35
2024	10	21	22	16	6	24.7	-2.3	1.094	0.5	0.4	0	40.9	34.4	0	130	113	0	35	33	34
2024	10	21	22	26	6	23.4	-3.5	1.094	0.3	0.2	0	40.9	34	0	130	113	0	35	34	35
2024	10	21	22	36	6	23.1	-1.7	1.094	0.3	0.2	0	41.7	34	0	131	113	0	34	34	34
2024	10	21	22	46	6	22.8	-2.6	1.094	0.4	0.3	0	41.3	34.4	0	131	114	0	35	34	34
2024	10	21	22	56	6	24.1	-2.7	1.094	0.5	0.5	0	41.3	34.4	0	131	114	0	35	34	34
2024	10	21	23	6	6	23.9	-3.3	1.094	0.4	0.3	0	40.4	34	0	129	112	0	35	33	34
2024	10	21	23	16	6	22.7	-3.3	1.094	0.5	0.4	0	41.7	34.4	0	132	114	0	35	34	35
2024	10	21	23	26	6	23.1	-3.2	1.094	0.3	0.2	0	40.9	34.4	0	130	113	0	35	33	34
2024	10	21	23	36	6	23.3	-2.9	1.094	0.5	0.4	0	41.3	34.4	0	131	114	0	35	34	34
2024	10	21	23	46	6	22.4	-2.6	1.094	0.3	0.2	0	40.9	34	0	130	113	0	35	34	34
2024	10	21	23	56	6	23.2	-3.3	1.094	0.3	0.2	0	40.9	34.4	0	130	113	0	35	33	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	22	0	6	6	24.1	-2.9	1.094	0.3	0.2	0	41.3	34.8	0	130	115	0	34	34	34
2024	10	22	0	16	6	22.8	-2.4	1.094	0.3	0.2	0	41.3	34.4	0	130	114	0	34	34	34
2024	10	22	0	26	6	23.4	-2.6	1.094	0.5	0.4	0	40.9	35.3	0	130	115	0	35	33	35
2024	10	22	0	36	6	22.5	-3.5	1.094	0.4	0.3	0	40.9	34.8	0	130	115	0	35	34	35
2024	10	22	0	46	6	24	-3.3	1.094	0.3	0.2	0	40.9	34.8	0	130	115	0	35	34	35
2024	10	22	0	56	6	23.3	-2.7	1.094	0.4	0.3	0	41.3	34.8	0	131	115	0	35	34	34
2024	10	22	1	6	6	23	-2.8	1.094	0.4	0.3	0	41.3	35.3	0	131	115	0	35	33	35
2024	10	22	1	16	6	23.3	-3.5	1.094	0.3	0.2	0	41.3	34.4	0	131	114	0	35	34	34
2024	10	22	1	26	6	23.1	-3.4	1.094	0.5	0.4	0	41.7	35.7	0	132	115	0	35	32	35
2024	10	22	1	36	6	23.2	-2	1.094	0.4	0.3	0	41.7	34.8	0	131	114	0	34	33	35
2024	10	22	1	46	6	23.4	-2.2	1.094	0.5	0.4	0	41.3	34.8	0	131	114	0	35	33	35
2024	10	22	1	56	6	23.4	-2.9	1.094	0.5	0.4	0	41.3	34.4	0	131	114	0	35	34	35
2024	10	22	2	6	6	23.2	-3.3	1.093	0.5	0.4	0	40	34	0	128	113	0	35	34	35
2024	10	22	2	16	6	24.2	-2.1	1.094	0.3	0.2	0	40.9	34.8	0	130	114	0	35	33	35
2024	10	22	2	26	6	22.8	-3.2	1.093	0.4	0.3	0	41.3	34	0	130	113	0	34	34	35
2024	10	22	2	36	6	22.2	-2.6	1.094	0.3	0.2	0	40.9	34	0	130	113	0	35	34	34
2024	10	22	2	46	6	21.8	-2.1	1.094	0.3	0.2	0	40.9	34.4	0	130	114	0	35	34	34
2024	10	22	2	56	6	23.9	-3.2	1.093	0.3	0.2	0	40.9	34	0	130	113	0	35	34	34
2024	10	22	3	6	6	22.6	-2.6	1.093	0.4	0.3	0	41.3	34	0	130	113	0	34	34	34
2024	10	22	3	16	6	22.9	-3.4	1.093	0.3	0.2	0	40.9	34.4	0	130	113	0	35	33	34
2024	10	22	3	26	6	24.7	-2.7	1.093	0.3	0.2	0	40.9	34	0	130	113	0	35	34	35
2024	10	22	3	36	6	23.8	-2.9	1.093	0.4	0.3	0	40.9	34	0	130	113	0	35	34	35
2024	10	22	3	46	6	22.5	-2.5	1.093	0.4	0.3	0	40.9	34	0	130	113	0	35	34	34
2024	10	22	3	56	6	23	-1	1.093	0.3	0.2	0	40.9	34	0	130	113	0	35	34	35
2024	10	22	4	6	6	23.3	-3	1.093	0.3	0.2	0	40.4	33.5	0	129	112	0	35	34	35
2024	10	22	4	16	6	23.9	-3.4	1.093	0.3	0.2	0	40.9	34.4	0	130	113	0	35	33	35
2024	10	22	4	26	6	23.3	-2.5	1.093	0.5	0.4	0	41.3	34	0	130	113	0	34	34	35
2024	10	22	4	36	6	23.2	-3.5	1.093	0.3	0.2	0	40.4	34	0	129	113	0	35	34	34
2024	10	22	4	46	6	23.7	-2.5	1.093	0.3	0.2	0	40.9	33.5	0	129	112	0	34	34	34
2024	10	22	4	56	6	23.5	-2.5	1.093	0.3	0.2	0	40	33.5	0	128	112	0	35	34	35
2024	10	22	5	6	6	23.9	-2.2	1.093	0.3	0.2	0	40.4	34.4	0	129	113	0	35	33	35
2024	10	22	5	16	6	23.6	-2.9	1.093	0.3	0.2	0	40.4	34	0	128	112	0	34	33	35
2024	10	22	5	26	6	23.8	-3.3	1.092	0.5	0.4	0	40.4	33.1	0	129	112	0	35	35	34
2024	10	22	5	36	6	23.9	-2.4	1.092	0.3	0.2	0	40.4	33.5	0	129	112	0	35	34	34
2024	10	22	5	46	6	23.1	-3.5	1.092	0.5	0.4	0	40.4	33.5	0	129	112	0	35	34	34
2024	10	22	5	56	6	23.5	-3.8	1.092	0.4	0.3	0	40	33.5	0	128	111	0	35	33	34
2024	10	22	6	6	6	22.8	-2.9	1.092	0.3	0.2	0	40.4	33.5	0	129	112	0	35	34	34
2024	10	22	6	16	6	22.2	-3.3	1.091	0.5	0.4	0	40.4	33.5	0	129	112	0	35	34	34
2024	10	22	6	26	6	23.7	-1.7	1.091	0.5	0.5	0	40	33.5	0	128	111	0	35	33	34
2024	10	22	6	36	6	23.3	-3.5	1.09	0.4	0.3	0	40	33.5	0	128	112	0	35	34	35
2024	10	22	6	46	6	22	-2.6	1.09	0.4	0.3	0	40	34	0	129	112	0	36	33	35
2024	10	22	6	56	6	22.5	-3	1.09	0.5	0.4	0	40	34	0	128	112	0	35	33	34
2024	10	22	7	6	6	23.9	-2.7	1.089	0.4	0.3	0	40	33.5	0	128	112	0	35	34	34
2024	10	22	7	16	6	22.5	-2.3	1.089	0.4	0.3	0	40.4	33.5	0	129	112	0	35	34	35
2024	10	22	7	26	6	23.7	-2.5	1.089	0.3	0.2	0	40.4	34	0	128	112	0	34	33	34
2024	10	22	7	36	6	22.8	-3	1.089	0.3	0.2	0	39.6	32.7	0	127	110	0	35	34	35
2024	10	22	7	46	6	23.9	-3	1.088	0.4	0.3	0	40	33.5	0	127	111	0	34	33	34
2024	10	22	7	56	6	22.6	-1.9	1.088	0.3	0.2	0	40	33.5	0	128	112	0	35	34	35

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	22	8	6	6	23.4	-2.5	1.088	0.4	0.3	0	39.6	33.5	0	127	111	0	35	33	35
2024	10	22	8	16	6	23.8	-2.5	1.088	0.4	0.3	0	40.4	34	0	129	113	0	35	34	34
2024	10	22	8	26	6	24	-3.9	1.088	0.3	0.2	0	39.6	33.1	0	127	111	0	35	34	35
2024	10	22	8	36	6	23.6	-2.5	1.088	0.3	0.2	0	39.6	33.1	0	127	111	0	35	34	34
2024	10	22	8	46	6	24.4	-2.5	1.088	0.4	0.3	0	39.6	33.1	0	127	111	0	35	34	34
2024	10	22	8	56	6	23.8	-2.4	1.088	0.3	0.2	0	39.6	33.1	0	127	111	0	35	34	35
2024	10	22	9	6	6	23.2	-3.1	1.088	0.4	0.3	0	39.6	32.7	0	127	110	0	35	34	34
2024	10	22	9	16	6	24.7	-3.4	1.088	0.3	0.2	0	39.6	33.1	0	127	110	0	35	33	35
2024	10	22	9	26	6	24.2	-2.5	1.088	0.4	0.3	0	39.1	32.7	0	126	109	0	35	33	34
2024	10	22	9	36	6	24	-3.6	1.088	0.4	0.3	0	39.1	32.3	0	126	108	0	35	33	34
2024	10	22	9	46	6	22.3	-3.9	1.088	0.3	0.2	0	39.6	32.7	0	127	110	0	35	34	34
2024	10	22	9	56	6	23.6	-3.7	1.088	0.4	0.3	0	40	33.1	0	128	111	0	35	34	35
2024	10	22	10	6	6	23.4	-2.6	1.088	0.3	0.2	0	39.1	32.7	0	126	109	0	35	33	35
2024	10	22	10	16	6	24	-3.8	1.088	0.4	0.3	0	38.7	32.3	0	125	109	0	35	34	35
2024	10	22	10	26	6	21.8	-2.7	1.088	0.5	0.4	0	40	33.1	0	128	111	0	35	34	34
2024	10	22	10	36	6	23.5	-2.6	1.088	0.4	0.3	0	39.1	33.1	0	126	110	0	35	33	35
2024	10	22	10	46	6	24.3	-3.5	1.088	0.3	0.2	0	38.7	31.8	0	125	108	0	35	34	34
2024	10	22	10	56	6	23.6	-2.5	1.088	0.4	0.3	0	39.1	32.7	0	126	109	0	35	33	34
2024	10	22	11	6	6	22.3	-2	1.088	0.4	0.3	0	39.6	32.3	0	126	109	0	34	34	34
2024	10	22	11	16	6	23.3	-3.5	1.088	0.4	0.3	0	39.6	32.7	0	126	109	0	34	33	34
2024	10	22	11	26	6	23.6	-2.7	1.088	0.3	0.2	0	40	33.1	0	128	111	0	35	34	34
2024	10	22	11	36	6	23.6	-3.6	1.088	0.5	0.4	0	40	33.1	0	127	111	0	34	34	35
2024	10	22	11	46	6	23.9	-2.5	1.088	0.3	0.2	0	38.7	32.7	0	125	109	0	35	33	35
2024	10	22	11	56	6	23.7	-3.6	1.088	0.4	0.3	0	39.6	32.3	0	126	109	0	34	34	35
2024	10	22	12	6	6	23.7	-3.8	1.087	0.4	0.3	0	39.1	32.7	0	126	110	0	35	34	35
2024	10	22	12	16	6	23.9	-3	1.087	0.4	0.3	0	38.7	32.7	0	125	109	0	35	33	35
2024	10	22	12	26	6	23.2	-3.9	1.088	0.4	0.3	0	39.1	32.7	0	126	110	0	35	34	34
2024	10	22	12	36	6	23.1	-3.3	1.088	0.4	0.3	0	39.1	32.7	0	126	110	0	35	34	35
2024	10	22	12	46	6	23.3	-2.6	1.088	0.4	0.3	0	38.7	32.3	0	125	109	0	35	34	34
2024	10	22	12	56	6	23	-3.2	1.088	0.3	0.2	0	38.3	32.3	0	124	109	0	35	34	35
2024	10	22	13	6	6	23.8	-2.7	1.087	0.5	0.5	0	39.6	33.1	0	127	111	0	35	34	34
2024	10	22	13	16	6	23.3	-3	1.087	0.3	0.2	0	38.7	32.7	0	125	109	0	35	33	35
2024	10	22	13	26	6	23.8	-3	1.087	0.3	0.2	0	38.7	32.3	0	125	109	0	35	34	34
2024	10	22	13	36	6	22.3	-2.5	1.087	0.3	0.2	0	38.7	32.7	0	125	109	0	35	33	34
2024	10	22	13	46	6	22.9	-2.6	1.087	0.3	0.2	0	39.1	32.7	0	126	110	0	35	34	34
2024	10	22	13	56	6	23.6	-3.5	1.087	0.4	0.3	0	38.3	31.8	0	124	108	0	35	34	34
2024	10	22	14	6	6	23.7	-3.5	1.086	0.3	0.2	0	39.1	32.7	0	126	110	0	35	34	34
2024	10	22	14	16	6	22.3	-2.5	1.086	0.4	0.3	0	39.1	33.1	0	125	110	0	34	33	34
2024	10	22	14	26	6	23.1	-3.1	1.086	0.5	0.5	0	38.7	32.7	0	125	109	0	35	33	34
2024	10	22	14	36	6	22.9	-3.1	1.086	0.3	0.2	0	39.1	32.7	0	126	110	0	35	34	34
2024	10	22	14	46	6	23	-3.5	1.086	0.4	0.3	0	39.1	33.1	0	126	111	0	35	34	34
2024	10	22	14	56	6	23.4	-3.1	1.086	0.4	0.3	0	39.1	32.3	0	125	109	0	34	34	34
2024	10	22	15	6	6	22.9	-2.4	1.084	0.5	0.4	0	40.4	34	0	128	112	0	34	33	34
2024	10	22	15	16	6	22	-2.7	1.084	0.4	0.3	0	39.6	33.5	0	127	111	0	35	33	34
2024	10	22	15	26	6	22.1	-3	1.084	0.4	0.3	0	39.6	33.5	0	126	111	0	34	33	34
2024	10	22	15	36	6	21.9	-2.9	1.083	0.5	0.4	0	39.6	34	0	127	112	0	35	33	34
2024	10	22	15	46	6	22.3	-2	1.084	0.3	0.2	0	40	33.1	0	127	111	0	34	34	33
2024	10	22	15	56	6	22.3	-2.8	1.083	0.3	0.2	0	40.4	34	0	128	112	0	34	33	35

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	22	16	6	6	22.6	-1.8	1.083	0.4	0.3	0	39.6	33.5	0	127	111	0	35	33	34
2024	10	22	16	16	6	22.7	-3	1.083	0.4	0.3	0	40.4	34	0	128	112	0	34	33	34
2024	10	22	16	26	6	23.8	-2.8	1.083	0.3	0.2	0	40	33.5	0	127	111	0	34	33	34
2024	10	22	16	36	6	23.1	-3.8	1.082	0.5	0.4	0	39.6	32.7	0	127	110	0	35	34	35
2024	10	22	16	46	6	23.5	-2.4	1.082	0.4	0.3	0	39.6	33.1	0	127	111	0	35	34	34
2024	10	22	16	56	6	22.5	-3.9	1.082	0.3	0.2	0	39.6	33.1	0	127	110	0	35	33	34
2024	10	22	17	6	6	24.1	-3.7	1.081	0.4	0.3	0	39.1	33.1	0	126	110	0	35	33	35
2024	10	22	17	16	6	23.1	-2.6	1.082	0.5	0.5	0	39.6	33.1	0	127	110	0	35	33	35
2024	10	22	17	26	6	23.3	-2.3	1.082	0.4	0.3	0	39.1	33.1	0	126	109	0	35	32	35
2024	10	22	17	36	6	22.8	-2.2	1.082	0.4	0.3	0	39.6	33.1	0	126	110	0	34	33	35
2024	10	22	17	46	6	23.3	-3.4	1.082	0.5	0.4	0	39.1	32.7	0	125	109	0	34	33	34
2024	10	22	17	56	6	23.3	-3.1	1.082	0.5	0.4	0	39.6	32.7	0	126	109	0	34	33	35
2024	10	22	18	6	6	22.5	-3	1.081	0.5	0.4	0	39.1	32.7	0	126	109	0	35	33	35
2024	10	22	18	16	6	23.1	-3	1.081	0.5	0.4	0	39.6	32.7	0	127	109	0	35	33	34
2024	10	22	18	26	6	22.3	-2.2	1.081	0.3	0.2	0	39.6	32.3	0	127	109	0	35	34	34
2024	10	22	18	36	6	23.5	-2.9	1.08	0.3	0.2	0	40	32.3	0	127	109	0	34	34	34
2024	10	22	18	46	6	22.3	-3	1.081	0.4	0.3	0	40	33.5	0	128	111	0	35	33	34
2024	10	22	18	56	6	23.7	-3	1.081	0.4	0.3	0	41.3	34.4	0	130	113	0	34	33	34
2024	10	22	19	6	6	21.7	-2.9	1.08	0.3	0.2	0	41.3	34.4	0	131	114	0	35	34	34
2024	10	22	19	16	6	22.5	-2.6	1.081	0.4	0.3	0	40.9	34	0	130	113	0	35	34	34
2024	10	22	19	26	6	23.3	-3.4	1.081	0.3	0.2	0	41.3	34.8	0	131	114	0	35	33	34
2024	10	22	19	36	6	22	-3.1	1.081	0.3	0.2	0	42.6	35.7	0	133	116	0	34	33	35
2024	10	22	19	46	6	22.8	-3.5	1.081	0.4	0.3	0	42.6	36.1	0	134	118	0	35	34	34
2024	10	22	19	56	6	24.1	-2.9	1.083	0.4	0.3	0	42.1	32.7	0	133	110	0	35	34	35
2024	10	22	20	6	6	23.4	-3	1.08	0.4	0.3	0	43	36.1	0	134	118	0	34	34	34
2024	10	22	20	16	6	22.9	-3	1.081	0.3	0.2	0	42.6	35.7	0	133	117	0	34	34	34
2024	10	22	20	26	6	23.4	-2	1.081	0.3	0.2	0	42.1	36.1	0	133	117	0	35	33	34
2024	10	22	20	36	6	22.6	-2.8	1.081	0.4	0.3	0	42.6	35.7	0	134	117	0	35	34	35
2024	10	22	20	46	6	22.8	-2.2	1.081	0.5	0.4	0	42.6	37	0	134	118	0	35	32	35
2024	10	22	20	56	6	22.8	-2.6	1.081	0.4	0.3	0	42.6	35.3	0	133	116	0	34	34	34
2024	10	22	21	6	6	23.6	-1.9	1.083	0.4	0.3	0	42.6	35.7	0	133	117	0	34	34	35
2024	10	22	21	16	6	22.5	-2.2	1.082	0.3	0.2	0	42.1	35.7	0	133	117	0	35	34	35
2024	10	22	21	26	6	23.3	-2.7	1.082	0.3	0.2	0	41.7	35.7	0	132	116	0	35	33	34
2024	10	22	21	36	6	23.3	-3	1.083	0.5	0.5	0	42.1	35.7	0	133	116	0	35	33	34
2024	10	22	21	46	6	23.8	-3.5	1.082	0.5	0.4	0	41.3	35.7	0	132	116	0	36	33	33
2024	10	22	21	56	6	23	-2.9	1.083	0.5	0.4	0	41.7	35.3	0	132	115	0	35	33	34
2024	10	22	22	6	6	22.5	-3.4	1.083	0.3	0.2	0	42.1	36.1	0	133	117	0	35	33	35
2024	10	22	22	16	6	22.2	-2.1	1.083	0.5	0.4	0	41.7	35.7	0	132	116	0	35	33	34
2024	10	22	22	26	6	22.9	-3.6	1.083	0.3	0.2	0	41.7	35.7	0	132	116	0	35	33	35
2024	10	22	22	36	6	22.3	-2.6	1.083	0.5	0.4	0	42.1	35.3	0	133	116	0	35	34	34
2024	10	22	22	46	6	24.6	-3.5	1.083	0.4	0.3	0	41.3	34.8	0	131	115	0	35	34	34
2024	10	22	22	56	6	23	-2.6	1.083	0.3	0.2	0	41.7	34.8	0	132	114	0	35	33	35
2024	10	22	23	6	6	23.4	-2.6	1.083	0.5	0.4	0	41.7	35.3	0	132	116	0	35	34	34
2024	10	22	23	16	6	23.4	-3.2	1.083	0.3	0.2	0	41.3	34.8	0	131	115	0	35	34	34
2024	10	22	23	26	6	23.4	-4	1.083	0.4	0.3	0	42.1	35.3	0	132	115	0	34	33	34
2024	10	22	23	36	6	23.1	-3.5	1.083	0.4	0.3	0	42.1	35.7	0	133	116	0	35	33	35
2024	10	22	23	46	6	22.6	-2.6	1.083	0.4	0.3	0	41.3	34.8	0	131	115	0	35	34	35
2024	10	22	23	56	6	21.9	-2.6	1.083	0.3	0.2	0	41.7	35.3	0	132	116	0	35	34	35

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	23	0	6	6	22.7	-3.8	1.083	0.5	0.4	0	41.7	34.8	0	132	115	0	35	34	34
2024	10	23	0	16	6	23.2	-3	1.083	0.3	0.2	0	41.7	35.7	0	132	116	0	35	33	34
2024	10	23	0	26	6	22.6	-2.7	1.083	0.4	0.3	0	41.3	34.4	0	131	114	0	35	34	35
2024	10	23	0	36	6	22.7	-3.3	1.083	0.5	0.4	0	41.3	34.4	0	131	114	0	35	34	34
2024	10	23	0	46	6	22.4	-4.3	1.083	0.4	0.3	0	41.3	34.4	0	130	114	0	34	34	35
2024	10	23	0	56	6	23.4	-3.4	1.083	0.5	0.5	0	41.3	34.8	0	131	115	0	35	34	35
2024	10	23	1	6	6	22.3	-3.2	1.083	0.3	0.2	0	41.7	34.4	0	131	114	0	34	34	35
2024	10	23	1	16	6	22.5	-2.6	1.083	0.5	0.4	0	40.9	34.8	0	130	114	0	35	33	35
2024	10	23	1	26	6	22.8	-3.4	1.083	0.4	0.3	0	41.3	34.8	0	130	114	0	34	33	34
2024	10	23	1	36	6	23.5	-3.6	1.083	0.3	0.2	0	40.9	34.4	0	130	114	0	35	34	34
2024	10	23	1	46	6	23.8	-1.5	1.083	0.3	0.2	0	40.9	34	0	130	113	0	35	34	34
2024	10	23	1	56	6	22.9	-2.8	1.083	0.3	0.2	0	40.9	34.4	0	130	113	0	35	33	35
2024	10	23	2	6	6	23.3	-3.5	1.083	0.4	0.3	0	40.9	34.4	0	130	114	0	35	34	34
2024	10	23	2	16	6	23.5	-2.3	1.083	0.4	0.3	0	40.4	34	0	129	113	0	35	34	34
2024	10	23	2	26	6	22.4	-2.1	1.084	0.5	0.5	0	40.4	34	0	129	113	0	35	34	35
2024	10	23	2	36	6	21.6	-2.3	1.083	0.5	0.4	0	41.3	34.4	0	130	114	0	34	34	34
2024	10	23	2	46	6	23.1	-2.9	1.084	0.5	0.5	0	40.4	33.5	0	129	112	0	35	34	35
2024	10	23	2	56	6	22.8	-3	1.084	0.4	0.3	0	40.9	34.4	0	130	113	0	35	33	34
2024	10	23	3	6	6	23.6	-2.1	1.084	0.4	0.3	0	40.4	34	0	129	113	0	35	34	34
2024	10	23	3	16	6	22.2	-2.6	1.084	0.5	0.5	0	40.4	33.5	0	129	112	0	35	34	35
2024	10	23	3	26	6	24	-3.5	1.084	0.5	0.4	0	40.4	33.5	0	129	112	0	35	34	35
2024	10	23	3	36	6	22.5	-2	1.084	0.4	0.3	0	40.4	34	0	129	112	0	35	33	35
2024	10	23	3	46	6	22.7	-2.5	1.084	0.3	0.2	0	40.4	34	0	129	112	0	35	33	34
2024	10	23	3	56	6	23.7	-3.1	1.084	0.3	0.2	0	40	33.1	0	128	111	0	35	34	34
2024	10	23	4	6	6	23.1	-2.7	1.084	0.5	0.4	0	40.4	33.5	0	129	112	0	35	34	34
2024	10	23	4	16	6	23.7	-2.7	1.084	0.4	0.3	0	40	33.1	0	128	111	0	35	34	34
2024	10	23	4	26	6	24.2	-2.7	1.084	0.3	0.2	0	40.4	33.5	0	128	112	0	34	34	35
2024	10	23	4	36	6	23.1	-2.9	1.084	0.3	0.2	0	40.4	34	0	128	112	0	34	33	34
2024	10	23	4	46	6	22.2	-2.2	1.084	0.5	0.4	0	40.4	34	0	129	112	0	35	33	34
2024	10	23	4	56	6	22.5	-3	1.084	0.5	0.4	0	40	33.5	0	128	111	0	35	33	34
2024	10	23	5	6	6	23.8	-3.6	1.084	0.3	0.2	0	40	33.1	0	128	111	0	35	34	34
2024	10	23	5	16	6	23.1	-2.6	1.085	0.4	0.3	0	39.6	32.7	0	127	110	0	35	34	34
2024	10	23	5	26	6	23.2	-1.8	1.085	0.5	0.4	0	40	33.1	0	128	111	0	35	34	34
2024	10	23	5	36	6	23.2	-2.9	1.085	0.4	0.3	0	39.6	33.1	0	127	111	0	35	34	34
2024	10	23	5	46	6	22.9	-2.1	1.085	0.4	0.3	0	39.6	32.7	0	127	110	0	35	34	34
2024	10	23	5	56	6	22.2	-2.8	1.085	0.3	0.2	0	41.3	32.7	0	131	110	0	35	34	34
2024	10	23	6	6	6	23.9	-2.5	1.085	0.5	0.4	0	41.3	32.7	0	131	110	0	35	34	34
2024	10	23	6	16	6	23.6	-1.9	1.085	0.4	0.3	0	41.3	32.7	0	131	110	0	35	34	35
2024	10	23	6	26	6	22.3	-3.5	1.085	0.3	0.2	0	41.3	33.1	0	131	110	0	35	33	35
2024	10	23	6	36	6	22.4	-3.1	1.085	0.5	0.4	0	41.3	32.7	0	131	110	0	35	34	35
2024	10	23	6	46	6	24.1	-2.4	1.085	0.3	0.2	0	41.3	32.3	0	131	110	0	35	35	35
2024	10	23	6	56	6	24.3	-3.4	1.085	0.4	0.3	0	41.3	33.1	0	131	110	0	35	33	34
2024	10	23	7	6	6	24.1	-3	1.085	0.3	0.2	0	42.1	33.1	0	133	111	0	35	34	34
2024	10	23	7	16	6	23.7	-3	1.085	0.3	0.2	0	41.7	33.1	0	132	110	0	35	33	35
2024	10	23	7	26	6	24.1	-3.7	1.085	0.3	0.2	0	41.7	33.1	0	132	111	0	35	34	35
2024	10	23	7	36	6	22.4	-3.7	1.085	0.4	0.3	0	41.7	34	0	132	112	0	35	33	35
2024	10	23	7	46	6	22.1	-3.2	1.085	0.3	0.2	0	41.7	34	0	132	112	0	35	33	35
2024	10	23	7	56	6	23.4	-1.7	1.085	0.3	0.2	0	42.1	34	0	133	113	0	35	34	35

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	23	8	6	6	22.4	-2.6	1.086	0.4	0.3	0	41.3	33.5	0	131	112	0	35	34	34
2024	10	23	8	16	6	23	-2.5	1.086	0.5	0.4	0	41.7	33.5	0	132	112	0	35	34	34
2024	10	23	8	26	6	24.8	-3.4	1.086	0.3	0.2	0	42.1	33.5	0	132	112	0	34	34	34
2024	10	23	8	36	6	22.9	-2.1	1.086	0.3	0.2	0	41.7	34	0	132	112	0	35	33	34
2024	10	23	8	46	6	23.9	-3	1.086	0.5	0.4	0	41.3	33.5	0	131	111	0	35	33	34
2024	10	23	8	56	6	22.3	-3.4	1.087	0.3	0.2	0	41.3	34	0	131	112	0	35	33	35
2024	10	23	9	6	6	23.9	-3.7	1.087	0.3	0.2	0	40.9	32.7	0	130	110	0	35	34	35
2024	10	23	9	16	6	22.9	-3	1.087	0.4	0.3	0	41.7	33.5	0	132	112	0	35	34	34
2024	10	23	9	26	6	23	-2.5	1.087	0.4	0.3	0	40.4	32.3	0	129	108	0	35	33	34
2024	10	23	9	36	6	24	-2.8	1.087	0.5	0.5	0	40.9	32.3	0	130	109	0	35	34	35
2024	10	23	9	46	6	23.8	-3.5	1.087	0.4	0.3	0	40	31.8	0	128	108	0	35	34	34
2024	10	23	9	56	6	23.7	-2.1	1.088	0.3	0.2	0	40.4	31.8	0	129	108	0	35	34	34
2024	10	23	10	6	6	23.4	-3	1.088	0.4	0.3	0	40.4	32.3	0	129	109	0	35	34	34
2024	10	23	10	16	6	23.2	-3.9	1.088	0.3	0.2	0	40.4	31.8	0	129	108	0	35	34	35
2024	10	23	10	26	6	23.1	-3	1.088	0.3	0.2	0	40.4	31.8	0	129	108	0	35	34	34
2024	10	23	10	36	6	23.6	-2.1	1.088	0.4	0.3	0	40	31.4	0	128	107	0	35	34	35
2024	10	23	10	46	6	23	-2.9	1.088	0.3	0.2	0	40.9	33.1	0	130	110	0	35	33	35
2024	10	23	10	56	6	23.3	-2.9	1.088	0.3	0.2	0	40	31.4	0	128	107	0	35	34	34
2024	10	23	11	6	6	24	-2.5	1.088	0.4	0.3	0	40	31.8	0	128	107	0	35	33	34
2024	10	23	11	16	6	23.1	-3.6	1.088	0.4	0.3	0	39.6	31	0	127	106	0	35	34	35
2024	10	23	11	26	6	22.6	-2	1.088	0.5	0.4	0	40	31.8	0	128	108	0	35	34	35
2024	10	23	11	36	6	23.5	-2.6	1.089	0.3	0.2	0	40.4	32.3	0	129	108	0	35	33	34
2024	10	23	11	46	6	22.8	-2.5	1.089	0.4	0.3	0	39.6	31.4	0	127	107	0	35	34	34
2024	10	23	11	56	6	24.4	-2.1	1.089	0.3	0.2	0	39.6	31.4	0	127	106	0	35	33	35
2024	10	23	12	6	6	23.6	-3.7	1.089	0.3	0.2	0	39.6	31.4	0	127	106	0	35	33	34
2024	10	23	12	16	6	22.4	-2.6	1.089	0.3	0.2	0	40	31.4	0	128	107	0	35	34	35
2024	10	23	12	26	6	23.6	-2.3	1.089	0.3	0.2	0	40	32.3	0	128	108	0	35	33	34
2024	10	23	12	36	6	22.7	-3.4	1.089	0.3	0.2	0	40.4	32.3	0	129	108	0	35	33	34
2024	10	23	12	46	6	22.3	-3.1	1.089	0.5	0.5	0	40	31.8	0	128	107	0	35	33	34
2024	10	23	12	56	6	22.5	-2.9	1.089	0.4	0.3	0	39.6	31.4	0	127	106	0	35	33	34
2024	10	23	13	6	6	23.7	-2.1	1.09	0.4	0.3	0	40	31.4	0	128	107	0	35	34	34
2024	10	23	13	16	6	23.4	-3	1.09	0.5	0.4	0	39.6	31	0	127	106	0	35	34	34
2024	10	23	13	26	6	22.7	-3	1.09	0.3	0.2	0	40	32.3	0	128	108	0	35	33	34
2024	10	23	13	36	6	24.4	-2.6	1.09	0.4	0.3	0	41.3	33.1	0	130	110	0	34	33	34
2024	10	23	13	46	6	22.7	-2.7	1.09	0.3	0.2	0	40.4	32.3	0	128	108	0	34	33	35
2024	10	23	13	56	6	23.2	-3.2	1.09	0.5	0.5	0	40	31.8	0	128	108	0	35	34	35
2024	10	23	14	6	6	23	-1.8	1.09	0.3	0.2	0	40	31.8	0	127	108	0	34	34	34
2024	10	23	14	16	6	22.7	-3.7	1.09	0.5	0.5	0	40.4	32.3	0	128	109	0	34	34	34
2024	10	23	14	26	6	23.5	-3.1	1.09	0.5	0.4	0	40.4	33.1	0	129	110	0	35	33	34
2024	10	23	14	36	6	22.9	-2.5	1.09	0.3	0.2	0	40.9	32.7	0	129	110	0	34	34	34
2024	10	23	14	46	6	22.1	-2.2	1.09	0.4	0.3	0	41.3	33.1	0	131	111	0	35	34	35
2024	10	23	14	56	6	24.7	-2.8	1.09	0.4	0.3	0	40.9	33.5	0	130	111	0	35	33	34
2024	10	23	15	6	6	22.7	-2.7	1.09	0.3	0.2	0	41.3	33.5	0	130	111	0	34	33	34
2024	10	23	15	16	6	23	-2.4	1.09	0.5	0.4	0	40	32.7	0	129	109	0	36	33	34
2024	10	23	15	26	6	23.1	-3.8	1.09	0.3	0.2	0	40.4	32.7	0	129	110	0	35	34	35
2024	10	23	15	36	6	22.8	-3.5	1.09	0.4	0.3	0	41.3	33.5	0	131	111	0	35	33	34
2024	10	23	15	46	6	22.5	-3.7	1.09	0.5	0.4	0	40.9	32.7	0	130	110	0	35	34	34
2024	10	23	15	56	6	22.8	-3	1.09	0.5	0.4	0	40.9	33.5	0	130	111	0	35	33	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	23	16	6	6	22.5	-2.4	1.09	0.3	0.2	0	41.3	33.5	0	131	111	0	35	33	34
2024	10	23	16	16	6	22.9	-3.1	1.09	0.3	0.2	0	41.3	33.1	0	131	111	0	35	34	34
2024	10	23	16	26	6	23.4	-2.2	1.09	0.5	0.4	0	40.9	33.1	0	129	110	0	34	33	34
2024	10	23	16	36	6	24.2	-2.7	1.09	0.3	0.2	0	40.4	33.5	0	129	110	0	35	32	34
2024	10	23	16	46	6	23.4	-1.6	1.09	0.4	0.3	0	40.4	32.7	0	129	109	0	35	33	34
2024	10	23	16	56	6	23.1	-2	1.09	0.5	0.4	0	40.4	32.7	0	129	109	0	35	33	34
2024	10	23	17	6	6	22.2	-3.7	1.09	0.4	0.3	0	40.9	32.3	0	129	108	0	34	33	34
2024	10	23	17	16	6	23.3	-2.6	1.091	0.3	0.2	0	40.9	32.7	0	129	109	0	34	33	34
2024	10	23	17	26	6	24.1	-2.3	1.091	0.3	0.2	0	40.9	33.1	0	130	110	0	35	33	34
2024	10	23	17	36	6	22	-3.4	1.091	0.4	0.3	0	40.9	32.7	0	129	109	0	34	33	34
2024	10	23	17	46	6	23.1	-1.8	1.091	0.4	0.3	0	40.9	33.1	0	130	110	0	35	33	34
2024	10	23	17	56	6	23.5	-1.9	1.091	0.5	0.4	0	42.1	33.5	0	132	111	0	34	33	34
2024	10	23	18	6	6	23.4	-2.6	1.091	0.3	0.2	0	41.7	32.7	0	131	110	0	34	34	34
2024	10	23	18	16	6	23.1	-2.8	1.091	0.3	0.2	0	41.7	33.1	0	131	110	0	34	33	34
2024	10	23	18	26	6	22.9	-2.3	1.091	0.4	0.3	0	41.3	31.8	0	130	108	0	34	34	34
2024	10	23	18	36	6	23.7	-2.6	1.092	0.4	0.3	0	41.3	32.3	0	130	109	0	34	34	34
2024	10	23	18	46	6	23.4	-2.5	1.092	0.4	0.3	0	41.3	32.7	0	131	109	0	35	33	34
2024	10	23	18	56	6	23.5	-1.9	1.092	0.4	0.3	0	42.1	33.1	0	132	110	0	34	33	34
2024	10	23	19	6	6	24.6	-2	1.092	0.5	0.4	0	42.6	34	0	134	112	0	35	33	35
2024	10	23	19	16	6	24.6	-3.4	1.092	0.3	0.2	0	42.6	34	0	134	112	0	35	33	34
2024	10	23	19	26	6	24.3	-2.6	1.092	0.4	0.3	0	43	34	0	134	112	0	34	33	34
2024	10	23	19	36	6	23.8	-3.5	1.093	0.3	0.2	0	43.4	34.8	0	136	115	0	35	34	34
2024	10	23	19	46	6	22.9	-2.3	1.093	0.3	0.2	0	43.4	35.3	0	136	116	0	35	34	34
2024	10	23	19	56	6	24.1	-3	1.094	0.4	0.3	0	43.4	34.8	0	135	115	0	34	34	34
2024	10	23	20	6	6	23.6	-2.5	1.094	0.3	0.2	0	43.9	35.3	0	136	116	0	34	34	34
2024	10	23	20	16	6	23.5	-2.7	1.095	0.3	0.2	0	43	34	0	134	113	0	34	34	35
2024	10	23	20	26	6	23.6	-2.8	1.095	0.4	0.3	0	43.9	35.3	0	136	115	0	34	33	34
2024	10	23	20	36	6	23.8	-3	1.095	0.4	0.3	0	43	35.3	0	135	115	0	35	33	35
2024	10	23	20	46	6	24	-3.8	1.095	0.4	0.3	0	43	34.8	0	135	115	0	35	34	35
2024	10	23	20	56	6	24.2	-3	1.095	0.4	0.3	0	43	34.8	0	135	115	0	35	34	35
2024	10	23	21	6	6	22.1	-3.5	1.095	0.3	0.2	0	43.4	35.7	0	136	116	0	35	33	34
2024	10	23	21	16	6	22.8	-2.7	1.096	0.3	0.2	0	43	35.3	0	135	116	0	35	34	34
2024	10	23	21	26	6	23.1	-2.5	1.096	0.5	0.4	0	43	35.3	0	135	115	0	35	33	34
2024	10	23	21	36	6	22.8	-2.2	1.096	0.4	0.3	0	43	34.8	0	135	115	0	35	34	34
2024	10	23	21	46	6	23.8	-2.5	1.096	0.5	0.4	0	43	34.8	0	135	115	0	35	34	34
2024	10	23	21	56	6	22.7	-2.3	1.096	0.3	0.2	0	43	35.7	0	135	115	0	35	32	34
2024	10	23	22	6	6	22.9	-4.1	1.096	0.4	0.3	0	38.3	35.3	0	123	115	0	34	33	35
2024	10	23	22	16	6	25	-2.5	1.096	0.3	0.2	0	43.4	35.3	0	136	116	0	35	34	34
2024	10	23	22	26	6	24.9	-3.4	1.096	0.3	0.2	0	43	34.8	0	135	115	0	35	34	34
2024	10	23	22	36	6	23.9	-3.8	1.096	0.3	0.2	0	43	35.3	0	135	115	0	35	33	35
2024	10	23	22	46	6	23	-2.6	1.096	0.5	0.4	0	43	34.8	0	135	115	0	35	34	35
2024	10	23	22	56	6	24.8	-3.4	1.096	0.4	0.3	0	43.4	34.8	0	135	115	0	34	34	34
2024	10	23	23	6	6	24.3	-2	1.096	0.5	0.4	0	43.4	34.8	0	135	115	0	34	34	35
2024	10	23	23	16	6	23	-3.2	1.096	0.3	0.2	0	43.4	34.8	0	135	115	0	34	34	34
2024	10	23	23	26	6	22.4	-2.7	1.096	0.3	0.2	0	42.6	34.8	0	135	114	0	36	33	35
2024	10	23	23	36	6	24.6	-3	1.096	0.4	0.3	0	42.6	34.4	0	134	113	0	35	33	34
2024	10	23	23	46	6	24.8	-3.4	1.096	0.4	0.3	0	42.6	34.4	0	135	114	0	36	34	34
2024	10	23	23	56	6	22.8	-2.6	1.096	0.5	0.4	0	42.6	34	0	134	113	0	35	34	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	24	0	6	6	23.3	-3.8	1.096	0.4	0.3	0	43	34.4	0	135	114	0	35	34	34
2024	10	24	0	16	6	23.7	-2.1	1.096	0.3	0.2	0	43	34.8	0	134	114	0	34	33	34
2024	10	24	0	26	6	24.7	-2.5	1.097	0.5	0.4	0	42.6	34.4	0	134	113	0	35	33	34
2024	10	24	0	36	6	24.2	-1.8	1.097	0.3	0.2	0	43.4	34.4	0	135	114	0	34	34	34
2024	10	24	0	46	6	22.8	-2.4	1.096	0.3	0.2	0	43.9	34.8	0	136	115	0	34	34	35
2024	10	24	0	56	6	23.1	-2.7	1.097	0.3	0.2	0	43	34.4	0	135	114	0	35	34	34
2024	10	24	1	6	6	22	-2.6	1.097	0.3	0.2	0	43.4	35.3	0	136	115	0	35	33	35
2024	10	24	1	16	6	23.2	-3	1.097	0.3	0.2	0	43.4	35.3	0	136	115	0	35	33	35
2024	10	24	1	26	6	23.2	-1.3	1.096	0.3	0.2	0	43.4	34.8	0	136	115	0	35	34	35
2024	10	24	1	36	6	23.1	-2.1	1.097	0.4	0.3	0	42.1	33.5	0	133	112	0	35	34	34
2024	10	24	1	46	6	22.9	-2.1	1.096	0.4	0.3	0	42.6	34	0	134	113	0	35	34	34
2024	10	24	1	56	6	23.6	-2.9	1.096	0.4	0.3	0	42.1	33.5	0	133	112	0	35	34	35
2024	10	24	2	6	6	23	-2.5	1.097	0.3	0.2	0	42.6	34	0	134	113	0	35	34	35
2024	10	24	2	16	6	24.2	-2.6	1.097	0.3	0.2	0	42.1	33.5	0	132	112	0	34	34	34
2024	10	24	2	26	6	23.3	-3.6	1.097	0.3	0.2	0	41.7	34	0	132	112	0	35	33	35
2024	10	24	2	36	6	23.7	-2.8	1.097	0.4	0.3	0	41.7	33.1	0	132	111	0	35	34	34
2024	10	24	2	46	6	23.3	-2.1	1.097	0.3	0.2	0	41.7	34	0	132	112	0	35	33	34
2024	10	24	2	56	6	23.4	-3.5	1.097	0.3	0.2	0	41.7	33.1	0	132	111	0	35	34	34
2024	10	24	3	6	6	22.7	-3.5	1.097	0.4	0.3	0	41.7	33.5	0	132	112	0	35	34	35
2024	10	24	3	16	6	24.7	-2.4	1.097	0.3	0.2	0	41.7	33.5	0	132	111	0	35	33	34
2024	10	24	3	26	6	22.7	-2.2	1.097	0.4	0.3	0	42.1	34	0	133	112	0	35	33	35
2024	10	24	3	36	6	23.4	-2.1	1.097	0.4	0.3	0	41.7	33.1	0	132	111	0	35	34	34
2024	10	24	3	46	6	22.9	-2.9	1.097	0.3	0.2	0	42.6	33.5	0	133	112	0	34	34	35
2024	10	24	3	56	6	23	-3.5	1.097	0.3	0.2	0	41.3	33.5	0	132	111	0	36	33	34
2024	10	24	4	6	6	24	-2.5	1.097	0.4	0.3	0	41.7	33.1	0	132	111	0	35	34	35
2024	10	24	4	16	6	22.6	-2.2	1.097	0.4	0.3	0	42.6	34	0	134	112	0	35	33	35
2024	10	24	4	26	6	23.3	-3.9	1.097	0.4	0.3	0	42.1	33.1	0	132	111	0	34	34	34
2024	10	24	4	36	6	24.7	-3.2	1.097	0.3	0.2	0	41.7	33.5	0	132	111	0	35	33	35
2024	10	24	4	46	6	22.6	-2.7	1.097	0.5	0.4	0	42.6	33.5	0	134	112	0	35	34	36
2024	10	24	4	56	6	24	-3.1	1.097	0.3	0.2	0	42.1	33.1	0	133	111	0	35	34	35
2024	10	24	5	6	6	22.9	-3.4	1.097	0.4	0.3	0	42.1	33.5	0	133	112	0	35	34	34
2024	10	24	5	16	6	23.9	-2.5	1.097	0.4	0.3	0	41.7	33.5	0	132	111	0	35	33	34
2024	10	24	5	26	6	23.3	-1.9	1.097	0.4	0.3	0	42.1	34	0	133	112	0	35	33	34
2024	10	24	5	36	6	23.9	-2.5	1.097	0.4	0.3	0	42.1	33.5	0	133	111	0	35	33	35
2024	10	24	5	46	6	23.3	-3.4	1.097	0.4	0.3	0	41.7	33.1	0	132	111	0	35	34	34
2024	10	24	5	56	6	24.5	-3.1	1.097	0.3	0.2	0	41.7	33.5	0	132	111	0	35	33	34
2024	10	24	6	6	6	23.9	-2.4	1.097	0.5	0.4	0	42.1	33.5	0	133	112	0	35	34	34
2024	10	24	6	16	6	22.8	-2.6	1.097	0.5	0.5	0	42.1	33.5	0	133	112	0	35	34	34
2024	10	24	6	26	6	23.8	-2	1.097	0.4	0.3	0	42.1	33.5	0	133	112	0	35	34	34
2024	10	24	6	36	6	23.3	-3.5	1.097	0.3	0.2	0	41.7	33.1	0	132	111	0	35	34	34
2024	10	24	6	46	6	24.3	-2.9	1.097	0.4	0.3	0	41.7	33.1	0	132	111	0	35	34	34
2024	10	24	6	56	6	22.8	-3.4	1.097	0.4	0.3	0	41.7	33.1	0	132	111	0	35	34	35
2024	10	24	7	6	6	23.5	-2.8	1.097	0.3	0.2	0	41.7	33.1	0	133	111	0	36	34	34
2024	10	24	7	16	6	23.6	-2.7	1.097	0.4	0.3	0	41.3	32.7	0	131	110	0	35	34	35
2024	10	24	7	26	6	23.9	-2.2	1.097	0.5	0.4	0	41.7	33.1	0	132	111	0	35	34	35
2024	10	24	7	36	6	23.2	-2.3	1.097	0.3	0.2	0	41.3	32.7	0	131	110	0	35	34	34
2024	10	24	7	46	6	24.4	-3.7	1.097	0.3	0.2	0	41.3	33.1	0	131	110	0	35	33	35
2024	10	24	7	56	6	24.5	-2.8	1.097	0.3	0.2	0	41.3	32.3	0	131	109	0	35	34	35

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2024	10	24	8	6	6	22.6	-2.6	1.097	0.5	0.5	0	40.9	33.1	0	131	110	0	36	33	35
2024	10	24	8	16	6	22.6	-3.2	1.097	0.3	0.2	0	40.4	32.3	0	129	109	0	35	34	35
2024	10	24	8	26	6	23.1	-2.7	1.097	0.3	0.2	0	40.4	32.3	0	129	108	0	35	33	34
2024	10	24	8	36	6	22.6	-2.2	1.097	0.5	0.5	0	40.9	32.7	0	130	109	0	35	33	34
2024	10	24	8	46	6	21.6	-2.5	1.097	0.4	0.3	0	40.9	32.7	0	130	109	0	35	33	34
2024	10	24	8	56	6	22.5	-2.4	1.097	0.5	0.4	0	41.3	32.3	0	130	108	0	34	33	35
2024	10	24	9	6	6	24.4	-3.1	1.097	0.3	0.2	0	40	31.4	0	128	107	0	35	34	34
2024	10	24	9	16	6	24.5	-3.3	1.097	0.4	0.3	0	40.4	31.8	0	129	108	0	35	34	34
2024	10	24	9	26	6	23.9	-1.8	1.097	0.5	0.4	0	40	31.8	0	128	108	0	35	34	35
2024	10	24	9	36	6	23.6	-3.2	1.097	0.4	0.3	0	40.4	32.3	0	129	108	0	35	33	34
2024	10	24	9	46	6	23	-4	1.097	0.3	0.2	0	39.6	31.8	0	128	108	0	36	34	34
2024	10	24	9	56	6	24.7	-3.1	1.097	0.3	0.2	0	40	31.4	0	128	107	0	35	34	34

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	1	0	6	6	0	0	0	0	0	0	0	15.14	0	0	11.4	0.1	1.2
2024	10	1	0	16	6	0	0	0	0	0	0	0	15.13	0	0	11.2	0.1	1.2
2024	10	1	0	26	6	0	0	0	0	0	0	0	15.12	0	0	11.2	0.1	1.2
2024	10	1	0	36	6	0	0	0	0	0	0	0	15.11	0	0	11.2	0.1	1.2
2024	10	1	0	46	6	0	0	0	0	0	0	0	15.1	0	0	11.2	0.1	1.2
2024	10	1	0	56	6	0	0	0	0	0	0	0	15.09	0	0	11.2	0.1	1.2
2024	10	1	1	6	6	0	0	0	0	0	0	0	15.09	0	0	11.2	0.1	1.2
2024	10	1	1	16	6	0	0	0	0	0	0	0	15.08	0	0	11	0.1	1.2
2024	10	1	1	26	6	0	0	0	0	0	0	0	15.08	0	0	11	0.1	1.2
2024	10	1	1	36	6	0	0	0	0	0	0	0	15.08	0	0	11	0.1	1.2
2024	10	1	1	46	6	0	0	0	0	0	0	0	15.07	0	0	10.8	0.1	1.2
2024	10	1	1	56	6	0	0	0	0	0	0	0	15.08	0	0	10.6	0.1	1.2
2024	10	1	2	6	6	0	0	0	0	0	0	0	15.08	0	0	10.6	0.1	1.2
2024	10	1	2	16	6	0	0	0	0	0	0	0	15.08	0	0	10.6	0.1	1.2
2024	10	1	2	26	6	0	0	0	0	0	0	0	15.08	0	0	10.6	0.1	1.2
2024	10	1	2	36	6	0	0	0	0	0	0	0	15.08	0	0	10.6	0.1	1.2
2024	10	1	2	46	6	0	0	0	0	0	0	0	15.08	0	0	10.6	0.1	1.2
2024	10	1	2	56	6	0	0	0	0	0	0	0	15.09	0	0	10.4	0.1	1.2
2024	10	1	3	6	6	0	0	0	0	0	0	0	15.09	0	0	10.6	0.1	1.2
2024	10	1	3	16	6	0	0	0	0	0	0	0	15.09	0	0	10.6	0.1	1.2
2024	10	1	3	26	6	0	0	0	0	0	0	0	15.1	0	0	10.4	0.1	1.2
2024	10	1	3	36	6	0	0	0	0	0	0	0	15.11	0	0	10.4	0.1	1.2
2024	10	1	3	46	6	0	0	0	0	0	0	0	15.12	0	0	10.4	0.1	1.2
2024	10	1	3	56	6	0	0	0	0	0	0	0	15.12	0	0	10.4	0.1	1.2
2024	10	1	4	6	6	0	0	0	0	0	0	0	15.13	0	0	10.4	0.1	1.2
2024	10	1	4	16	6	0	0	0	0	0	0	0	15.13	0	0	10.4	0.1	1.2
2024	10	1	4	26	6	0	0	0	0	0	0	0	15.14	0	0	10.4	0.1	1.2
2024	10	1	4	36	6	0	0	0	0	0	0	0	15.15	0	0	10.4	0.1	1.2
2024	10	1	4	46	6	0	0	0	0	0	0	0	15.15	0	0	10.4	0.1	1.2
2024	10	1	4	56	6	0	0	0	0	0	0	0	15.16	0	0	10.4	0.1	1.2
2024	10	1	5	6	6	0	0	0	0	0	0	0	15.16	0	0	10.4	0.1	1.2
2024	10	1	5	16	6	0	0	0	0	0	0	0	15.17	0	0	10.4	0.1	1.2
2024	10	1	5	26	6	0	0	0	0	0	0	0	15.18	0	0	10.4	0.1	1.2
2024	10	1	5	36	6	0	0	0	0	0	0	0	15.19	0	0	10.4	0.1	1.2
2024	10	1	5	46	6	0	0	0	0	0	0	0	15.2	0	0	10.4	0.1	1.2
2024	10	1	5	56	6	0	0	0	0	0	0	0	15.2	0	0	10.4	0.1	1.2
2024	10	1	6	6	6	0	0	0	0	0	0	0	15.2	0	0	10.4	0.1	1.2
2024	10	1	6	16	6	0	0	0	0	0	0	0	15.21	0	0	10.4	0.1	1.2
2024	10	1	6	26	6	0	0	0	0	0	0	0	15.22	0	0	10.4	0.1	1.2
2024	10	1	6	36	6	0	0	0	0	0	0	0	15.22	0	0	10.2	0.1	1.2
2024	10	1	6	46	6	0	0	0	0	0	0	0	15.23	0	0	10.2	0.1	1.2
2024	10	1	6	56	6	0	0	0	0	0	0	0	15.24	0	0	10.2	0.1	1.2
2024	10	1	7	6	6	0	0	0	0	0	0	0	15.25	0	0	10.2	0.1	1.2
2024	10	1	7	16	6	0	0	0	0	0	0	0	15.26	0	0	10.2	0.1	1.2
2024	10	1	7	26	6	0	0	0	0	0	0	0	15.27	0	0	10.2	0.1	1.2
2024	10	1	7	36	6	0	0	0	0	0	0	0	15.28	0	0	10.6	0.1	1.2
2024	10	1	7	46	6	0	0	0	0	0	0	0	15.28	0	0	10.6	0.1	1.2
2024	10	1	7	56	6	0	0	0	0	0	0	0	15.29	0	0	11	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	1	8	6	6	0	0	0	0	0	0	0	15.31	0	0	11.2	0.1	1.2
2024	10	1	8	16	6	0	0	0	0	0	0	0	15.33	0	0	11.2	0.1	1.2
2024	10	1	8	26	6	0	0	0	0	0	0	0	15.34	0	0	11	0.1	1.2
2024	10	1	8	36	6	0	0	0	0	0	0	0	15.36	0	0	10.8	0.1	1.2
2024	10	1	8	46	6	0	0	0	0	0	0	0	15.39	0	0	10.8	0.1	1.2
2024	10	1	8	56	6	0	0	0	0	0	0	0	15.45	0	0	10.8	0.1	1.2
2024	10	1	9	6	6	0	0	0	0	0	0	0	15.48	0	0	10.8	0.1	1.2
2024	10	1	9	16	6	0	0	0	0	0	0	0	15.52	0	0	10.8	0.1	1.2
2024	10	1	9	26	6	0	0	0	0	0	0	0	15.55	0	0	11.2	0.1	1.2
2024	10	1	9	36	6	0	0	0	0	0	0	0	15.59	0	0	12.6	0.1	1.2
2024	10	1	9	46	6	0	0	0	0	0	0	0	15.63	0	0	12	0.1	1.2
2024	10	1	9	56	6	0	0	0	0	0	0	0	15.67	0	0	13.6	0.1	1.2
2024	10	1	10	6	6	0	0	0	0	0	0	0	15.71	0	0	13.8	0.1	1.2
2024	10	1	10	16	6	0	0	0	0	0	0	0	15.75	0	0	12.6	0.1	1.2
2024	10	1	10	26	6	0	0	0	0	0	0	0	15.79	0	0	13	0.1	1.2
2024	10	1	10	36	6	0	0	0	0	0	0	0	15.84	0	0	13	0.1	1.2
2024	10	1	10	46	6	0	0	0	0	0	0	0	15.87	0	0	13.6	0.1	1.2
2024	10	1	10	56	6	0	0	0	0	0	0	0	15.88	0	0	13.8	0.1	1.2
2024	10	1	11	6	6	0	0	0	0	0	0	0	15.91	0	0	13.6	0.1	1.2
2024	10	1	11	16	6	0	0	0	0	0	0	0	15.94	0	0	13.8	0.1	1.2
2024	10	1	11	26	6	0	0	0	0	0	0	0	15.98	0	0	13.4	0.1	1.2
2024	10	1	11	36	6	0	0	0	0	0	0	0	16.02	0	0	13.2	0.1	1.2
2024	10	1	11	46	6	0	0	0	0	0	0	0	16.05	0	0	13.2	0.1	1.2
2024	10	1	11	56	6	0	0	0	0	0	0	0	16.08	0	0	13	0.1	1.2
2024	10	1	12	6	6	0	0	0	0	0	0	0	16.11	0	0	13.2	0.1	1.2
2024	10	1	12	16	6	0	0	0	0	0	0	0	16.14	0	0	13.2	0.1	1.2
2024	10	1	12	26	6	0	0	0	0	0	0	0	16.17	0	0	13	0.1	1.2
2024	10	1	12	36	6	0	0	0	0	0	0	0	16.19	0	0	13	0.1	1.2
2024	10	1	12	46	6	0	0	0	0	0	0	0	16.22	0	0	13	0.1	1.2
2024	10	1	12	56	6	0	0	0	0	0	0	0	16.24	0	0	13	0.1	1.2
2024	10	1	13	6	6	0	0	0	0	0	0	0	16.26	0	0	13	0.1	1.2
2024	10	1	13	16	6	0	0	0	0	0	0	0	16.28	0	0	13.2	0.1	1.2
2024	10	1	13	26	6	0	0	0	0	0	0	0	16.3	0	0	13	0.1	1.2
2024	10	1	13	36	6	0	0	0	0	0	0	0	16.31	0	0	13	0.1	1.2
2024	10	1	13	46	6	0	0	0	0	0	0	0	16.31	0	0	12.8	0.1	1.2
2024	10	1	13	56	6	0	0	0	0	0	0	0	16.34	0	0	12.8	0.1	1.2
2024	10	1	14	6	6	0	0	0	0	0	0	0	16.34	0	0	12.6	0.1	1.2
2024	10	1	14	16	6	0	0	0	0	0	0	0	16.34	0	0	12.4	0.1	1.2
2024	10	1	14	26	6	0	0	0	0	0	0	0	16.35	0	0	12.6	0.1	1.2
2024	10	1	14	36	6	0	0	0	0	0	0	0	16.35	0	0	12.6	0.1	1.2
2024	10	1	14	46	6	0	0	0	0	0	0	0	16.35	0	0	12.2	0.1	1.2
2024	10	1	14	56	6	0	0	0	0	0	0	0	16.35	0	0	12.8	0.1	1.2
2024	10	1	15	6	6	0	0	0	0	0	0	0	16.35	0	0	12.6	0.1	1.2
2024	10	1	15	16	6	0	0	0	0	0	0	0	16.34	0	0	12.4	0.1	1.2
2024	10	1	15	26	6	0	0	0	0	0	0	0	16.34	0	0	12	0.1	1.2
2024	10	1	15	36	6	0	0	0	0	0	0	0	16.33	0	0	12.4	0.1	1.2
2024	10	1	15	46	6	0	0	0	0	0	0	0	16.32	0	0	12	0.1	1.2
2024	10	1	15	56	6	0	0	0	0	0	0	0	16.31	0	0	12.2	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	1	16	6	6	0	0	0	0	0	0	0	16.3	0	0	11.4	0.1	1.2
2024	10	1	16	16	6	0	0	0	0	0	0	0	16.29	0	0	11.4	0.1	1.2
2024	10	1	16	26	6	0	0	0	0	0	0	0	16.26	0	0	11.4	0.1	1.2
2024	10	1	16	36	6	0	0	0	0	0	0	0	16.26	0	0	11.2	0.1	1.2
2024	10	1	16	46	6	0	0	0	0	0	0	0	16.25	0	0	10.6	0.1	1.2
2024	10	1	16	56	6	0	0	0	0	0	0	0	16.23	0	0	10.4	0.1	1.2
2024	10	1	17	6	6	0	0	0	0	0	0	0	16.21	0	0	10.2	0.1	1.2
2024	10	1	17	16	6	0	0	0	0	0	0	0	16.19	0	0	10.2	0.1	1.2
2024	10	1	17	26	6	0	0	0	0	0	0	0	16.17	0	0	10.2	0.1	1.2
2024	10	1	17	36	6	0	0	0	0	0	0	0	16.16	0	0	10	0.1	1.2
2024	10	1	17	46	6	0	0	0	0	0	0	0	16.15	0	0	10	0.1	1.2
2024	10	1	17	56	6	0	0	0	0	0	0	0	16.13	0	0	10	0.1	1.2
2024	10	1	18	6	6	0	0	0	0	0	0	0	16.12	0	0	10.2	0.1	1.2
2024	10	1	18	16	6	0	0	0	0	0	0	0	16.1	0	0	11	0.1	1.2
2024	10	1	18	26	6	0	0	0	0	0	0	0	16.08	0	0	10.8	0.1	1.2
2024	10	1	18	36	6	0	0	0	0	0	0	0	16.06	0	0	10.8	0.1	1.2
2024	10	1	18	46	6	0	0	0	0	0	0	0	16.05	0	0	10.6	0.1	1.2
2024	10	1	18	56	6	0	0	0	0	0	0	0	16.02	0	0	11.2	0.1	1.2
2024	10	1	19	6	6	0	0	0	0	0	0	0	16	0	0	11.8	0.1	1.2
2024	10	1	19	16	6	0	0	0	0	0	0	0	15.97	0	0	11.8	0.1	1.2
2024	10	1	19	26	6	0	0	0	0	0	0	0	15.95	0	0	11.8	0.1	1.2
2024	10	1	19	36	6	0	0	0	0	0	0	0	15.93	0	0	11.8	0.1	1.2
2024	10	1	19	46	6	0	0	0	0	0	0	0	15.9	0	0	11.8	0.1	1.2
2024	10	1	19	56	6	0	0	0	0	0	0	0	15.88	0	0	11.8	0.1	1.2
2024	10	1	20	6	6	0	0	0	0	0	0	0	15.85	0	0	11.8	0.1	1.2
2024	10	1	20	16	6	0	0	0	0	0	0	0	15.83	0	0	11.8	0.1	1.2
2024	10	1	20	26	6	0	0	0	0	0	0	0	15.8	0	0	11.8	0.1	1.2
2024	10	1	20	36	6	0	0	0	0	0	0	0	15.78	0	0	11.8	0.1	1.2
2024	10	1	20	46	6	0	0	0	0	0	0	0	15.75	0	0	11.4	0.1	1.2
2024	10	1	20	56	6	0	0	0	0	0	0	0	15.73	0	0	10.4	0.1	1.2
2024	10	1	21	6	6	0	0	0	0	0	0	0	15.71	0	0	10	0.1	1.2
2024	10	1	21	16	6	0	0	0	0	0	0	0	15.68	0	0	10	0.1	1.2
2024	10	1	21	26	6	0	0	0	0	0	0	0	15.66	0	0	10	0.1	1.2
2024	10	1	21	36	6	0	0	0	0	0	0	0	15.64	0	0	10	0.1	1.2
2024	10	1	21	46	6	0	0	0	0	0	0	0	15.62	0	0	10	0.1	1.2
2024	10	1	21	56	6	0	0	0	0	0	0	0	15.6	0	0	10.2	0.1	1.2
2024	10	1	22	6	6	0	0	0	0	0	0	0	15.58	0	0	10.4	0.1	1.2
2024	10	1	22	16	6	0	0	0	0	0	0	0	15.56	0	0	10.2	0.1	1.2
2024	10	1	22	26	6	0	0	0	0	0	0	0	15.54	0	0	10.2	0.1	1.2
2024	10	1	22	36	6	0	0	0	0	0	0	0	15.52	0	0	10.2	0.1	1.2
2024	10	1	22	46	6	0	0	0	0	0	0	0	15.51	0	0	10.6	0.1	1.2
2024	10	1	22	56	6	0	0	0	0	0	0	0	15.5	0	0	10.4	0.1	1.2
2024	10	1	23	6	6	0	0	0	0	0	0	0	15.48	0	0	10.4	0.1	1.2
2024	10	1	23	16	6	0	0	0	0	0	0	0	15.47	0	0	10.2	0.1	1.2
2024	10	1	23	26	6	0	0	0	0	0	0	0	15.46	0	0	10.2	0.1	1.2
2024	10	1	23	36	6	0	0	0	0	0	0	0	15.45	0	0	10.2	0.1	1.2
2024	10	1	23	46	6	0	0	0	0	0	0	0	15.44	0	0	10.2	0.1	1.2
2024	10	1	23	56	6	0	0	0	0	0	0	0	15.43	0	0	10.2	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	2	0	6	6	0	0	0	0	0	0	0	15.43	0	0	10.2	0.1	1.2
2024	10	2	0	16	6	0	0	0	0	0	0	0	15.42	0	0	10.2	0.1	1.2
2024	10	2	0	26	6	0	0	0	0	0	0	0	15.41	0	0	10.2	0.1	1.2
2024	10	2	0	36	6	0	0	0	0	0	0	0	15.41	0	0	10.2	0.1	1.2
2024	10	2	0	46	6	0	0	0	0	0	0	0	15.41	0	0	10.2	0.1	1.2
2024	10	2	0	56	6	0	0	0	0	0	0	0	15.4	0	0	10.2	0.1	1.2
2024	10	2	1	6	6	0	0	0	0	0	0	0	15.4	0	0	10.2	0.1	1.2
2024	10	2	1	16	6	0	0	0	0	0	0	0	15.4	0	0	10.2	0.1	1.2
2024	10	2	1	26	6	0	0	0	0	0	0	0	15.39	0	0	10	0.1	1.2
2024	10	2	1	36	6	0	0	0	0	0	0	0	15.4	0	0	10	0.1	1.2
2024	10	2	1	46	6	0	0	0	0	0	0	0	15.4	0	0	10	0.1	1.2
2024	10	2	1	56	6	0	0	0	0	0	0	0	15.4	0	0	10.2	0.1	1.2
2024	10	2	2	6	6	0	0	0	0	0	0	0	15.4	0	0	10.2	0.1	1.2
2024	10	2	2	16	6	0	0	0	0	0	0	0	15.41	0	0	10.2	0.1	1.2
2024	10	2	2	26	6	0	0	0	0	0	0	0	15.41	0	0	10.2	0.1	1.2
2024	10	2	2	36	6	0	0	0	0	0	0	0	15.42	0	0	10.2	0.1	1.2
2024	10	2	2	46	6	0	0	0	0	0	0	0	15.42	0	0	10.2	0.1	1.2
2024	10	2	2	56	6	0	0	0	0	0	0	0	15.43	0	0	10.2	0.1	1.2
2024	10	2	3	6	6	0	0	0	0	0	0	0	15.43	0	0	10.2	0.1	1.2
2024	10	2	3	16	6	0	0	0	0	0	0	0	15.44	0	0	10	0.1	1.2
2024	10	2	3	26	6	0	0	0	0	0	0	0	15.45	0	0	10	0.1	1.2
2024	10	2	3	36	6	0	0	0	0	0	0	0	15.46	0	0	10	0.1	1.2
2024	10	2	3	46	6	0	0	0	0	0	0	0	15.47	0	0	10	0.1	1.2
2024	10	2	3	56	6	0	0	0	0	0	0	0	15.48	0	0	10	0.1	1.2
2024	10	2	4	6	6	0	0	0	0	0	0	0	15.48	0	0	10	0.1	1.2
2024	10	2	4	16	6	0	0	0	0	0	0	0	15.5	0	0	10	0.1	1.2
2024	10	2	4	26	6	0	0	0	0	0	0	0	15.51	0	0	10	0.1	1.2
2024	10	2	4	36	6	0	0	0	0	0	0	0	15.52	0	0	10	0.1	1.2
2024	10	2	4	46	6	0	0	0	0	0	0	0	15.53	0	0	10.2	0.1	1.2
2024	10	2	4	56	6	0	0	0	0	0	0	0	15.54	0	0	10	0.1	1.2
2024	10	2	5	6	6	0	0	0	0	0	0	0	15.55	0	0	10	0.1	1.2
2024	10	2	5	16	6	0	0	0	0	0	0	0	15.56	0	0	10	0.1	1.2
2024	10	2	5	26	6	0	0	0	0	0	0	0	15.57	0	0	10	0.1	1.2
2024	10	2	5	36	6	0	0	0	0	0	0	0	15.58	0	0	10	0.1	1.2
2024	10	2	5	46	6	0	0	0	0	0	0	0	15.58	0	0	10	0.1	1.2
2024	10	2	5	56	6	0	0	0	0	0	0	0	15.6	0	0	10	0.1	1.2
2024	10	2	6	6	6	0	0	0	0	0	0	0	15.61	0	0	10	0.1	1.2
2024	10	2	6	16	6	0	0	0	0	0	0	0	15.61	0	0	10	0.1	1.2
2024	10	2	6	26	6	0	0	0	0	0	0	0	15.62	0	0	10	0.1	1.2
2024	10	2	6	36	6	0	0	0	0	0	0	0	15.62	0	0	10	0.1	1.2
2024	10	2	6	46	6	0	0	0	0	0	0	0	15.64	0	0	10	0.1	1.2
2024	10	2	6	56	6	0	0	0	0	0	0	0	15.64	0	0	10	0.1	1.2
2024	10	2	7	6	6	0	0	0	0	0	0	0	15.65	0	0	10	0.1	1.2
2024	10	2	7	16	6	0	0	0	0	0	0	0	15.65	0	0	10	0.1	1.2
2024	10	2	7	26	6	0	0	0	0	0	0	0	15.66	0	0	10	0.1	1.2
2024	10	2	7	36	6	0	0	0	0	0	0	0	15.67	0	0	10.2	0.1	1.2
2024	10	2	7	46	6	0	0	0	0	0	0	0	15.68	0	0	10.4	0.1	1.2
2024	10	2	7	56	6	0	0	0	0	0	0	0	15.7	0	0	10.8	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	2	8	6	6	0	0	0	0	0	0	0	15.71	0	0	11	0.1	1.2
2024	10	2	8	16	6	0	0	0	0	0	0	0	15.72	0	0	11	0.1	1.2
2024	10	2	8	26	6	0	0	0	0	0	0	0	15.74	0	0	11	0.1	1.2
2024	10	2	8	36	6	0	0	0	0	0	0	0	15.76	0	0	11	0.1	1.2
2024	10	2	8	46	6	0	0	0	0	0	0	0	15.78	0	0	11	0.1	1.2
2024	10	2	8	56	6	0	0	0	0	0	0	0	15.85	0	0	11.2	0.1	1.2
2024	10	2	9	6	6	0	0	0	0	0	0	0	15.88	0	0	11.4	0.1	1.2
2024	10	2	9	16	6	0	0	0	0	0	0	0	15.9	0	0	11.6	0.1	1.2
2024	10	2	9	26	6	0	0	0	0	0	0	0	15.94	0	0	11.6	0.1	1.2
2024	10	2	9	36	6	0	0	0	0	0	0	0	15.98	0	0	11.6	0.1	1.2
2024	10	2	9	46	6	0	0	0	0	0	0	0	16.02	0	0	12	0.1	1.2
2024	10	2	9	56	6	0	0	0	0	0	0	0	16.06	0	0	12.6	0.1	1.2
2024	10	2	10	6	6	0	0	0	0	0	0	0	16.09	0	0	12.4	0.1	1.2
2024	10	2	10	16	6	0	0	0	0	0	0	0	16.13	0	0	12.6	0.1	1.2
2024	10	2	10	26	6	0	0	0	0	0	0	0	16.16	0	0	12	0.1	1.2
2024	10	2	10	36	6	0	0	0	0	0	0	0	16.2	0	0	12.8	0.1	1.2
2024	10	2	10	46	6	0	0	0	0	0	0	0	16.24	0	0	12.6	0.1	1.2
2024	10	2	10	56	6	0	0	0	0	0	0	0	16.27	0	0	12.6	0.1	1.2
2024	10	2	11	6	6	0	0	0	0	0	0	0	16.31	0	0	11.8	0.1	1.2
2024	10	2	11	16	6	0	0	0	0	0	0	0	16.34	0	0	12	0.1	1.2
2024	10	2	11	26	6	0	0	0	0	0	0	0	16.37	0	0	12	0.1	1.2
2024	10	2	11	36	6	0	0	0	0	0	0	0	16.41	0	0	12	0.1	1.2
2024	10	2	11	46	6	0	0	0	0	0	0	0	16.44	0	0	12.2	0.1	1.2
2024	10	2	11	56	6	0	0	0	0	0	0	0	16.47	0	0	12.6	0.1	1.2
2024	10	2	12	6	6	0	0	0	0	0	0	0	16.5	0	0	12.4	0.1	1.2
2024	10	2	12	16	6	0	0	0	0	0	0	0	16.53	0	0	12.6	0.1	1.2
2024	10	2	12	26	6	0	0	0	0	0	0	0	16.55	0	0	12.4	0.1	1.2
2024	10	2	12	36	6	0	0	0	0	0	0	0	16.58	0	0	12.6	0.1	1.2
2024	10	2	12	46	6	0	0	0	0	0	0	0	16.59	0	0	12.4	0.1	1.2
2024	10	2	12	56	6	0	0	0	0	0	0	0	16.61	0	0	12.4	0.1	1.2
2024	10	2	13	6	6	0	0	0	0	0	0	0	16.64	0	0	12.4	0.1	1.2
2024	10	2	13	16	6	0	0	0	0	0	0	0	16.66	0	0	12.4	0.1	1.2
2024	10	2	13	26	6	0	0	0	0	0	0	0	16.67	0	0	12.4	0.1	1.2
2024	10	2	13	36	6	0	0	0	0	0	0	0	16.68	0	0	12.4	0.1	1.2
2024	10	2	13	46	6	0	0	0	0	0	0	0	16.7	0	0	12.4	0.1	1.2
2024	10	2	13	56	6	0	0	0	0	0	0	0	16.71	0	0	12.4	0.1	1.2
2024	10	2	14	6	6	0	0	0	0	0	0	0	16.71	0	0	12.4	0.1	1.2
2024	10	2	14	16	6	0	0	0	0	0	0	0	16.72	0	0	12.4	0.1	1.2
2024	10	2	14	26	6	0	0	0	0	0	0	0	16.72	0	0	12.4	0.1	1.2
2024	10	2	14	36	6	0	0	0	0	0	0	0	16.73	0	0	12.4	0.1	1.2
2024	10	2	14	46	6	0	0	0	0	0	0	0	16.74	0	0	12.4	0.1	1.2
2024	10	2	14	56	6	0	0	0	0	0	0	0	16.73	0	0	12.4	0.1	1.2
2024	10	2	15	6	6	0	0	0	0	0	0	0	16.73	0	0	12.4	0.1	1.2
2024	10	2	15	16	6	0	0	0	0	0	0	0	16.73	0	0	12.4	0.1	1.2
2024	10	2	15	26	6	0	0	0	0	0	0	0	16.72	0	0	12.4	0.1	1.2
2024	10	2	15	36	6	0	0	0	0	0	0	0	16.71	0	0	12.4	0.1	1.2
2024	10	2	15	46	6	0	0	0	0	0	0	0	16.7	0	0	12.4	0.1	1.2
2024	10	2	15	56	6	0	0	0	0	0	0	0	16.69	0	0	12.4	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	2	16	6	6	0	0	0	0	0	0	0	16.68	0	0	12.4	0.1	1.2
2024	10	2	16	16	6	0	0	0	0	0	0	0	16.68	0	0	12	0.1	1.2
2024	10	2	16	26	6	0	0	0	0	0	0	0	16.65	0	0	11.8	0.1	1.2
2024	10	2	16	36	6	0	0	0	0	0	0	0	16.64	0	0	11.8	0.1	1.2
2024	10	2	16	46	6	0	0	0	0	0	0	0	16.63	0	0	11.6	0.1	1.2
2024	10	2	16	56	6	0	0	0	0	0	0	0	16.61	0	0	11.4	0.1	1.2
2024	10	2	17	6	6	0	0	0	0	0	0	0	16.59	0	0	11.4	0.1	1.2
2024	10	2	17	16	6	0	0	0	0	0	0	0	16.58	0	0	11.2	0.1	1.2
2024	10	2	17	26	6	0	0	0	0	0	0	0	16.56	0	0	11	0.1	1.2
2024	10	2	17	36	6	0	0	0	0	0	0	0	16.55	0	0	11	0.1	1.2
2024	10	2	17	46	6	0	0	0	0	0	0	0	16.53	0	0	10.8	0.1	1.2
2024	10	2	17	56	6	0	0	0	0	0	0	0	16.52	0	0	11	0.1	1.2
2024	10	2	18	6	6	0	0	0	0	0	0	0	16.49	0	0	10.8	0.1	1.2
2024	10	2	18	16	6	0	0	0	0	0	0	0	16.48	0	0	10.8	0.1	1.2
2024	10	2	18	26	6	0	0	0	0	0	0	0	16.46	0	0	10.8	0.1	1.2
2024	10	2	18	36	6	0	0	0	0	0	0	0	16.44	0	0	10.8	0.1	1.2
2024	10	2	18	46	6	0	0	0	0	0	0	0	16.42	0	0	10.4	0.1	1.2
2024	10	2	18	56	6	0	0	0	0	0	0	0	16.4	0	0	10.2	0.1	1.2
2024	10	2	19	6	6	0	0	0	0	0	0	0	16.38	0	0	10	0.1	1.2
2024	10	2	19	16	6	0	0	0	0	0	0	0	16.35	0	0	9.8	0.1	1.2
2024	10	2	19	26	6	0	0	0	0	0	0	0	16.33	0	0	9.8	0.1	1.2
2024	10	2	19	36	6	0	0	0	0	0	0	0	16.3	0	0	9.6	0.1	1.2
2024	10	2	19	46	6	0	0	0	0	0	0	0	16.28	0	0	10.4	0.1	1.2
2024	10	2	19	56	6	0	0	0	0	0	0	0	16.25	0	0	10.6	0.1	1.2
2024	10	2	20	6	6	0	0	0	0	0	0	0	16.23	0	0	10.4	0.1	1.2
2024	10	2	20	16	6	0	0	0	0	0	0	0	16.21	0	0	10.2	0.1	1.2
2024	10	2	20	26	6	0	0	0	0	0	0	0	16.18	0	0	9.6	0.1	1.2
2024	10	2	20	36	6	0	0	0	0	0	0	0	16.15	0	0	9.8	0.1	1.2
2024	10	2	20	46	6	0	0	0	0	0	0	0	16.13	0	0	9.8	0.1	1.2
2024	10	2	20	56	6	0	0	0	0	0	0	0	16.11	0	0	9.6	0.1	1.2
2024	10	2	21	6	6	0	0	0	0	0	0	0	16.08	0	0	9.6	0.1	1.2
2024	10	2	21	16	6	0	0	0	0	0	0	0	16.06	0	0	9.4	0.1	1.2
2024	10	2	21	26	6	0	0	0	0	0	0	0	16.04	0	0	9.4	0.1	1.2
2024	10	2	21	36	6	0	0	0	0	0	0	0	16.02	0	0	9.2	0.1	1.2
2024	10	2	21	46	6	0	0	0	0	0	0	0	16	0	0	9.2	0.1	1.2
2024	10	2	21	56	6	0	0	0	0	0	0	0	15.98	0	0	9.2	0.1	1.2
2024	10	2	22	6	6	0	0	0	0	0	0	0	15.95	0	0	11.2	0.1	1.2
2024	10	2	22	16	6	0	0	0	0	0	0	0	15.94	0	0	11.6	0.1	1.2
2024	10	2	22	26	6	0	0	0	0	0	0	0	15.92	0	0	11.6	0.1	1.2
2024	10	2	22	36	6	0	0	0	0	0	0	0	15.9	0	0	11.6	0.1	1.2
2024	10	2	22	46	6	0	0	0	0	0	0	0	15.89	0	0	11.6	0.1	1.2
2024	10	2	22	56	6	0	0	0	0	0	0	0	15.87	0	0	11.6	0.1	1.2
2024	10	2	23	6	6	0	0	0	0	0	0	0	15.86	0	0	11.6	0.1	1.2
2024	10	2	23	16	6	0	0	0	0	0	0	0	15.85	0	0	11.6	0.1	1.2
2024	10	2	23	26	6	0	0	0	0	0	0	0	15.83	0	0	11.6	0.1	1.2
2024	10	2	23	36	6	0	0	0	0	0	0	0	15.82	0	0	11.6	0.1	1.2
2024	10	2	23	46	6	0	0	0	0	0	0	0	15.81	0	0	11.6	0.1	1.2
2024	10	2	23	56	6	0	0	0	0	0	0	0	15.81	0	0	11.6	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	3	0	6	6	0	0	0	0	0	0	0	15.79	0	0	11.6	0.1	1.2
2024	10	3	0	16	6	0	0	0	0	0	0	0	15.79	0	0	11.6	0.1	1.2
2024	10	3	0	26	6	0	0	0	0	0	0	0	15.79	0	0	11.6	0.1	1.2
2024	10	3	0	36	6	0	0	0	0	0	0	0	15.78	0	0	11.6	0.1	1.2
2024	10	3	0	46	6	0	0	0	0	0	0	0	15.78	0	0	11.6	0.1	1.2
2024	10	3	0	56	6	0	0	0	0	0	0	0	15.78	0	0	11.6	0.1	1.2
2024	10	3	1	6	6	0	0	0	0	0	0	0	15.77	0	0	11.6	0.1	1.2
2024	10	3	1	16	6	0	0	0	0	0	0	0	15.77	0	0	11.6	0.1	1.2
2024	10	3	1	26	6	0	0	0	0	0	0	0	15.77	0	0	11.6	0.1	1.2
2024	10	3	1	36	6	0	0	0	0	0	0	0	15.77	0	0	11.6	0.1	1.2
2024	10	3	1	46	6	0	0	0	0	0	0	0	15.78	0	0	11.6	0.1	1.2
2024	10	3	1	56	6	0	0	0	0	0	0	0	15.78	0	0	11.6	0.1	1.2
2024	10	3	2	6	6	0	0	0	0	0	0	0	15.79	0	0	11.6	0.1	1.2
2024	10	3	2	16	6	0	0	0	0	0	0	0	15.79	0	0	11.6	0.1	1.2
2024	10	3	2	26	6	0	0	0	0	0	0	0	15.79	0	0	11.6	0.1	1.2
2024	10	3	2	36	6	0	0	0	0	0	0	0	15.8	0	0	11.6	0.1	1.2
2024	10	3	2	46	6	0	0	0	0	0	0	0	15.8	0	0	11.6	0.1	1.2
2024	10	3	2	56	6	0	0	0	0	0	0	0	15.81	0	0	11.6	0.1	1.2
2024	10	3	3	6	6	0	0	0	0	0	0	0	15.82	0	0	11.4	0.1	1.2
2024	10	3	3	16	6	0	0	0	0	0	0	0	15.83	0	0	11.4	0.1	1.2
2024	10	3	3	26	6	0	0	0	0	0	0	0	15.83	0	0	11.4	0.1	1.2
2024	10	3	3	36	6	0	0	0	0	0	0	0	15.84	0	0	11.4	0.1	1.2
2024	10	3	3	46	6	0	0	0	0	0	0	0	15.85	0	0	11.4	0.1	1.2
2024	10	3	3	56	6	0	0	0	0	0	0	0	15.86	0	0	11.4	0.1	1.2
2024	10	3	4	6	6	0	0	0	0	0	0	0	15.87	0	0	11.4	0.1	1.2
2024	10	3	4	16	6	0	0	0	0	0	0	0	15.87	0	0	11.4	0.1	1.2
2024	10	3	4	26	6	0	0	0	0	0	0	0	15.88	0	0	11.4	0.1	1.2
2024	10	3	4	36	6	0	0	0	0	0	0	0	15.89	0	0	11.4	0.1	1.2
2024	10	3	4	46	6	0	0	0	0	0	0	0	15.9	0	0	11.4	0.1	1.2
2024	10	3	4	56	6	0	0	0	0	0	0	0	15.91	0	0	11.4	0.1	1.2
2024	10	3	5	6	6	0	0	0	0	0	0	0	15.92	0	0	11.4	0.1	1.2
2024	10	3	5	16	6	0	0	0	0	0	0	0	15.93	0	0	11.4	0.1	1.2
2024	10	3	5	26	6	0	0	0	0	0	0	0	15.94	0	0	11.4	0.1	1.2
2024	10	3	5	36	6	0	0	0	0	0	0	0	15.95	0	0	11.4	0.1	1.2
2024	10	3	5	46	6	0	0	0	0	0	0	0	15.95	0	0	11.4	0.1	1.2
2024	10	3	5	56	6	0	0	0	0	0	0	0	15.96	0	0	11.4	0.1	1.2
2024	10	3	6	6	6	0	0	0	0	0	0	0	15.97	0	0	11.4	0.1	1.2
2024	10	3	6	16	6	0	0	0	0	0	0	0	15.98	0	0	11.4	0.1	1.2
2024	10	3	6	26	6	0	0	0	0	0	0	0	15.98	0	0	11.4	0.1	1.2
2024	10	3	6	36	6	0	0	0	0	0	0	0	15.99	0	0	11.4	0.1	1.2
2024	10	3	6	46	6	0	0	0	0	0	0	0	15.99	0	0	11.4	0.1	1.2
2024	10	3	6	56	6	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1.2
2024	10	3	7	6	6	0	0	0	0	0	0	0	16.01	0	0	11.4	0.1	1.2
2024	10	3	7	16	6	0	0	0	0	0	0	0	16.01	0	0	11.4	0.1	1.2
2024	10	3	7	26	6	0	0	0	0	0	0	0	16.02	0	0	11.4	0.1	1.2
2024	10	3	7	36	6	0	0	0	0	0	0	0	16.03	0	0	11.6	0.1	1.2
2024	10	3	7	46	6	0	0	0	0	0	0	0	16.04	0	0	11.8	0.1	1.2
2024	10	3	7	56	6	0	0	0	0	0	0	0	16.05	0	0	12	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	3	8	6	6	0	0	0	0	0	0	0	16.06	0	0	12.2	0.1	1.2
2024	10	3	8	16	6	0	0	0	0	0	0	0	16.07	0	0	12.4	0.1	1.2
2024	10	3	8	26	6	0	0	0	0	0	0	0	16.09	0	0	12.4	0.1	1.2
2024	10	3	8	36	6	0	0	0	0	0	0	0	16.11	0	0	12.4	0.1	1.2
2024	10	3	8	46	6	0	0	0	0	0	0	0	16.13	0	0	12.2	0.1	1.2
2024	10	3	8	56	6	0	0	0	0	0	0	0	16.19	0	0	12	0.1	1.2
2024	10	3	9	6	6	0	0	0	0	0	0	0	16.23	0	0	11.8	0.1	1.2
2024	10	3	9	16	6	0	0	0	0	0	0	0	16.26	0	0	11.2	0.1	1.2
2024	10	3	9	26	6	0	0	0	0	0	0	0	16.3	0	0	11.2	0.1	1.2
2024	10	3	9	36	6	0	0	0	0	0	0	0	16.33	0	0	11	0.1	1.2
2024	10	3	9	46	6	0	0	0	0	0	0	0	16.36	0	0	11	0.1	1.2
2024	10	3	9	56	6	0	0	0	0	0	0	0	16.4	0	0	11.6	0.1	1.2
2024	10	3	10	6	6	0	0	0	0	0	0	0	16.44	0	0	11.6	0.1	1.2
2024	10	3	10	16	6	0	0	0	0	0	0	0	16.47	0	0	13	0.1	1.2
2024	10	3	10	26	6	0	0	0	0	0	0	0	16.51	0	0	13.8	0.1	1.2
2024	10	3	10	36	6	0	0	0	0	0	0	0	16.54	0	0	13.8	0.1	1.2
2024	10	3	10	46	6	0	0	0	0	0	0	0	16.58	0	0	13	0.1	1.2
2024	10	3	10	56	6	0	0	0	0	0	0	0	16.61	0	0	13.2	0.1	1.2
2024	10	3	11	6	6	0	0	0	0	0	0	0	16.64	0	0	13.4	0.1	1.2
2024	10	3	11	16	6	0	0	0	0	0	0	0	16.68	0	0	12.4	0.1	1.2
2024	10	3	11	26	6	0	0	0	0	0	0	0	16.71	0	0	12.4	0.1	1.2
2024	10	3	11	36	6	0	0	0	0	0	0	0	16.74	0	0	12.4	0.1	1.2
2024	10	3	11	46	6	0	0	0	0	0	0	0	16.77	0	0	12.4	0.1	1.2
2024	10	3	11	56	6	0	0	0	0	0	0	0	16.8	0	0	12.4	0.1	1.2
2024	10	3	12	6	6	0	0	0	0	0	0	0	16.83	0	0	12.4	0.1	1.2
2024	10	3	12	16	6	0	0	0	0	0	0	0	16.86	0	0	12.8	0.1	1.2
2024	10	3	12	26	6	0	0	0	0	0	0	0	16.89	0	0	12.6	0.1	1.2
2024	10	3	12	36	6	0	0	0	0	0	0	0	16.91	0	0	12.6	0.1	1.2
2024	10	3	12	46	6	0	0	0	0	0	0	0	16.93	0	0	12.4	0.1	1.2
2024	10	3	12	56	6	0	0	0	0	0	0	0	16.95	0	0	12.2	0.1	1.2
2024	10	3	13	6	6	0	0	0	0	0	0	0	16.97	0	0	12.2	0.1	1.2
2024	10	3	13	16	6	0	0	0	0	0	0	0	16.99	0	0	12.2	0.1	1.2
2024	10	3	13	26	6	0	0	0	0	0	0	0	17	0	0	12.2	0.1	1.2
2024	10	3	13	36	6	0	0	0	0	0	0	0	17.01	0	0	12	0.1	1.2
2024	10	3	13	46	6	0	0	0	0	0	0	0	17.02	0	0	12	0.1	1.2
2024	10	3	13	56	6	0	0	0	0	0	0	0	17.03	0	0	11.8	0.1	1.2
2024	10	3	14	6	6	0	0	0	0	0	0	0	17.04	0	0	12	0.1	1.2
2024	10	3	14	16	6	0	0	0	0	0	0	0	17.04	0	0	12	0.1	1.2
2024	10	3	14	26	6	0	0	0	0	0	0	0	17.05	0	0	12.4	0.1	1.2
2024	10	3	14	36	6	0	0	0	0	0	0	0	17.05	0	0	12.4	0.1	1.2
2024	10	3	14	46	6	0	0	0	0	0	0	0	17.05	0	0	12.4	0.1	1.2
2024	10	3	14	56	6	0	0	0	0	0	0	0	17.05	0	0	12.4	0.1	1.2
2024	10	3	15	6	6	0	0	0	0	0	0	0	17.05	0	0	12.4	0.1	1.2
2024	10	3	15	16	6	0	0	0	0	0	0	0	17.05	0	0	12.4	0.1	1.2
2024	10	3	15	26	6	0	0	0	0	0	0	0	17.04	0	0	12.4	0.1	1.2
2024	10	3	15	36	6	0	0	0	0	0	0	0	17.04	0	0	12.4	0.1	1.2
2024	10	3	15	46	6	0	0	0	0	0	0	0	17.02	0	0	12.4	0.1	1.2
2024	10	3	15	56	6	0	0	0	0	0	0	0	17.01	0	0	12.4	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	3	16	6	6	0	0	0	0	0	0	0	17	0	0	12.4	0.1	1.2
2024	10	3	16	16	6	0	0	0	0	0	0	0	16.98	0	0	12.2	0.1	1.2
2024	10	3	16	26	6	0	0	0	0	0	0	0	16.96	0	0	11.4	0.1	1.2
2024	10	3	16	36	6	0	0	0	0	0	0	0	16.95	0	0	12.2	0.1	1.2
2024	10	3	16	46	6	0	0	0	0	0	0	0	16.94	0	0	11.6	0.1	1.2
2024	10	3	16	56	6	0	0	0	0	0	0	0	16.92	0	0	11.4	0.1	1.2
2024	10	3	17	6	6	0	0	0	0	0	0	0	16.9	0	0	11.2	0.1	1.2
2024	10	3	17	16	6	0	0	0	0	0	0	0	16.88	0	0	11.2	0.1	1.2
2024	10	3	17	26	6	0	0	0	0	0	0	0	16.87	0	0	11	0.1	1.2
2024	10	3	17	36	6	0	0	0	0	0	0	0	16.86	0	0	11	0.1	1.2
2024	10	3	17	46	6	0	0	0	0	0	0	0	16.84	0	0	11	0.1	1.2
2024	10	3	17	56	6	0	0	0	0	0	0	0	16.83	0	0	11	0.1	1.2
2024	10	3	18	6	6	0	0	0	0	0	0	0	16.81	0	0	11	0.1	1.2
2024	10	3	18	16	6	0	0	0	0	0	0	0	16.79	0	0	10.4	0.1	1.2
2024	10	3	18	26	6	0	0	0	0	0	0	0	16.77	0	0	10	0.1	1.2
2024	10	3	18	36	6	0	0	0	0	0	0	0	16.76	0	0	10	0.1	1.2
2024	10	3	18	46	6	0	0	0	0	0	0	0	16.73	0	0	10.4	0.1	1.2
2024	10	3	18	56	6	0	0	0	0	0	0	0	16.7	0	0	10	0.1	1.2
2024	10	3	19	6	6	0	0	0	0	0	0	0	16.68	0	0	9.8	0.1	1.2
2024	10	3	19	16	6	0	0	0	0	0	0	0	16.66	0	0	9.6	0.1	1.2
2024	10	3	19	26	6	0	0	0	0	0	0	0	16.64	0	0	9.8	0.1	1.2
2024	10	3	19	36	6	0	0	0	0	0	0	0	16.61	0	0	9.4	0.1	1.2
2024	10	3	19	46	6	0	0	0	0	0	0	0	16.58	0	0	9.6	0.1	1.2
2024	10	3	19	56	6	0	0	0	0	0	0	0	16.56	0	0	9.4	0.1	1.2
2024	10	3	20	6	6	0	0	0	0	0	0	0	16.53	0	0	9.2	0.1	1.2
2024	10	3	20	16	6	0	0	0	0	0	0	0	16.5	0	0	9.4	0.1	1.2
2024	10	3	20	26	6	0	0	0	0	0	0	0	16.48	0	0	9.2	0.1	1.2
2024	10	3	20	36	6	0	0	0	0	0	0	0	16.46	0	0	9.8	0.1	1.2
2024	10	3	20	46	6	0	0	0	0	0	0	0	16.44	0	0	9.8	0.1	1.2
2024	10	3	20	56	6	0	0	0	0	0	0	0	16.42	0	0	9.6	0.1	1.2
2024	10	3	21	6	6	0	0	0	0	0	0	0	16.39	0	0	9.6	0.1	1.2
2024	10	3	21	16	6	0	0	0	0	0	0	0	16.37	0	0	9.6	0.1	1.2
2024	10	3	21	26	6	0	0	0	0	0	0	0	16.35	0	0	9.6	0.1	1.2
2024	10	3	21	36	6	0	0	0	0	0	0	0	16.33	0	0	9.6	0.1	1.2
2024	10	3	21	46	6	0	0	0	0	0	0	0	16.3	0	0	9.6	0.1	1.2
2024	10	3	21	56	6	0	0	0	0	0	0	0	16.28	0	0	9.4	0.1	1.2
2024	10	3	22	6	6	0	0	0	0	0	0	0	16.26	0	0	9.4	0.1	1.2
2024	10	3	22	16	6	0	0	0	0	0	0	0	16.24	0	0	9.6	0.1	1.2
2024	10	3	22	26	6	0	0	0	0	0	0	0	16.23	0	0	9.4	0.1	1.2
2024	10	3	22	36	6	0	0	0	0	0	0	0	16.21	0	0	9.4	0.1	1.2
2024	10	3	22	46	6	0	0	0	0	0	0	0	16.19	0	0	9.4	0.1	1.2
2024	10	3	22	56	6	0	0	0	0	0	0	0	16.18	0	0	9.6	0.1	1.2
2024	10	3	23	6	6	0	0	0	0	0	0	0	16.16	0	0	9.4	0.1	1.2
2024	10	3	23	16	6	0	0	0	0	0	0	0	16.14	0	0	9.4	0.1	1.2
2024	10	3	23	26	6	0	0	0	0	0	0	0	16.14	0	0	9.4	0.1	1.2
2024	10	3	23	36	6	0	0	0	0	0	0	0	16.12	0	0	9.4	0.1	1.2
2024	10	3	23	46	6	0	0	0	0	0	0	0	16.1	0	0	9.8	0.1	1.2
2024	10	3	23	56	6	0	0	0	0	0	0	0	16.1	0	0	10.2	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	4	0	6	6	0	0	0	0	0	0	0	16.09	0	0	10.2	0.1	1.2
2024	10	4	0	16	6	0	0	0	0	0	0	0	16.08	0	0	10.2	0.1	1.2
2024	10	4	0	26	6	0	0	0	0	0	0	0	16.08	0	0	10.2	0.1	1.2
2024	10	4	0	36	6	0	0	0	0	0	0	0	16.07	0	0	10	0.1	1.2
2024	10	4	0	46	6	0	0	0	0	0	0	0	16.07	0	0	10	0.1	1.2
2024	10	4	0	56	6	0	0	0	0	0	0	0	16.07	0	0	10	0.1	1.2
2024	10	4	1	6	6	0	0	0	0	0	0	0	16.06	0	0	9.8	0.1	1.2
2024	10	4	1	16	6	0	0	0	0	0	0	0	16.06	0	0	9.4	0.1	1.2
2024	10	4	1	26	6	0	0	0	0	0	0	0	16.06	0	0	9.6	0.1	1.2
2024	10	4	1	36	6	0	0	0	0	0	0	0	16.06	0	0	9.6	0.1	1.2
2024	10	4	1	46	6	0	0	0	0	0	0	0	16.06	0	0	9.6	0.1	1.2
2024	10	4	1	56	6	0	0	0	0	0	0	0	16.06	0	0	9.6	0.1	1.2
2024	10	4	2	6	6	0	0	0	0	0	0	0	16.06	0	0	9.6	0.1	1.2
2024	10	4	2	16	6	0	0	0	0	0	0	0	16.06	0	0	9.6	0.1	1.2
2024	10	4	2	26	6	0	0	0	0	0	0	0	16.07	0	0	9.6	0.1	1.2
2024	10	4	2	36	6	0	0	0	0	0	0	0	16.07	0	0	9.6	0.1	1.2
2024	10	4	2	46	6	0	0	0	0	0	0	0	16.07	0	0	9.6	0.1	1.2
2024	10	4	2	56	6	0	0	0	0	0	0	0	16.08	0	0	9.6	0.1	1.2
2024	10	4	3	6	6	0	0	0	0	0	0	0	16.09	0	0	9.6	0.1	1.2
2024	10	4	3	16	6	0	0	0	0	0	0	0	16.09	0	0	9.6	0.1	1.2
2024	10	4	3	26	6	0	0	0	0	0	0	0	16.1	0	0	9.6	0.1	1.2
2024	10	4	3	36	6	0	0	0	0	0	0	0	16.11	0	0	9.4	0.1	1.2
2024	10	4	3	46	6	0	0	0	0	0	0	0	16.12	0	0	9.6	0.1	1.2
2024	10	4	3	56	6	0	0	0	0	0	0	0	16.12	0	0	9.6	0.1	1.2
2024	10	4	4	6	6	0	0	0	0	0	0	0	16.13	0	0	9.6	0.1	1.2
2024	10	4	4	16	6	0	0	0	0	0	0	0	16.14	0	0	9.6	0.1	1.2
2024	10	4	4	26	6	0	0	0	0	0	0	0	16.14	0	0	9.6	0.1	1.2
2024	10	4	4	36	6	0	0	0	0	0	0	0	16.15	0	0	9.6	0.1	1.2
2024	10	4	4	46	6	0	0	0	0	0	0	0	16.16	0	0	9.6	0.1	1.2
2024	10	4	4	56	6	0	0	0	0	0	0	0	16.17	0	0	9.6	0.1	1.2
2024	10	4	5	6	6	0	0	0	0	0	0	0	16.18	0	0	9.4	0.1	1.2
2024	10	4	5	16	6	0	0	0	0	0	0	0	16.18	0	0	9.4	0.1	1.2
2024	10	4	5	26	6	0	0	0	0	0	0	0	16.19	0	0	9.4	0.1	1.2
2024	10	4	5	36	6	0	0	0	0	0	0	0	16.19	0	0	9.4	0.1	1.2
2024	10	4	5	46	6	0	0	0	0	0	0	0	16.2	0	0	9.4	0.1	1.2
2024	10	4	5	56	6	0	0	0	0	0	0	0	16.2	0	0	9.4	0.1	1.2
2024	10	4	6	6	6	0	0	0	0	0	0	0	16.21	0	0	9.4	0.1	1.2
2024	10	4	6	16	6	0	0	0	0	0	0	0	16.22	0	0	9.4	0.1	1.2
2024	10	4	6	26	6	0	0	0	0	0	0	0	16.22	0	0	9.4	0.1	1.2
2024	10	4	6	36	6	0	0	0	0	0	0	0	16.22	0	0	9.4	0.1	1.2
2024	10	4	6	46	6	0	0	0	0	0	0	0	16.22	0	0	9.4	0.1	1.2
2024	10	4	6	56	6	0	0	0	0	0	0	0	16.22	0	0	9.4	0.1	1.2
2024	10	4	7	6	6	0	0	0	0	0	0	0	16.23	0	0	9.4	0.1	1.2
2024	10	4	7	16	6	0	0	0	0	0	0	0	16.23	0	0	9.4	0.1	1.2
2024	10	4	7	26	6	0	0	0	0	0	0	0	16.24	0	0	9.4	0.1	1.2
2024	10	4	7	36	6	0	0	0	0	0	0	0	16.23	0	0	9.6	0.1	1.2
2024	10	4	7	46	6	0	0	0	0	0	0	0	16.24	0	0	9.8	0.1	1.2
2024	10	4	7	56	6	0	0	0	0	0	0	0	16.25	0	0	10.2	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	4	8	6	6	0	0	0	0	0	0	0	16.26	0	0	10.4	0.1	1.2
2024	10	4	8	16	6	0	0	0	0	0	0	0	16.28	0	0	10.6	0.1	1.2
2024	10	4	8	26	6	0	0	0	0	0	0	0	16.29	0	0	10.6	0.1	1.2
2024	10	4	8	36	6	0	0	0	0	0	0	0	16.3	0	0	10.4	0.1	1.2
2024	10	4	8	46	6	0	0	0	0	0	0	0	16.33	0	0	10.6	0.1	1.2
2024	10	4	8	56	6	0	0	0	0	0	0	0	16.39	0	0	10.4	0.1	1.2
2024	10	4	9	6	6	0	0	0	0	0	0	0	16.42	0	0	10.6	0.1	1.2
2024	10	4	9	16	6	0	0	0	0	0	0	0	16.45	0	0	10.4	0.1	1.2
2024	10	4	9	26	6	0	0	0	0	0	0	0	16.48	0	0	10.8	0.1	1.2
2024	10	4	9	36	6	0	0	0	0	0	0	0	16.52	0	0	10.8	0.1	1.2
2024	10	4	9	46	6	0	0	0	0	0	0	0	16.55	0	0	10.8	0.1	1.2
2024	10	4	9	56	6	0	0	0	0	0	0	0	16.58	0	0	11	0.1	1.2
2024	10	4	10	6	6	0	0	0	0	0	0	0	16.61	0	0	11.4	0.1	1.2
2024	10	4	10	16	6	0	0	0	0	0	0	0	16.64	0	0	11.2	0.1	1.2
2024	10	4	10	26	6	0	0	0	0	0	0	0	16.68	0	0	12.4	0.1	1.2
2024	10	4	10	36	6	0	0	0	0	0	0	0	16.71	0	0	12.2	0.1	1.2
2024	10	4	10	46	6	0	0	0	0	0	0	0	16.74	0	0	12.2	0.1	1.2
2024	10	4	10	56	6	0	0	0	0	0	0	0	16.78	0	0	12.4	0.1	1.2
2024	10	4	11	6	6	0	0	0	0	0	0	0	16.82	0	0	12.8	0.1	1.2
2024	10	4	11	16	6	0	0	0	0	0	0	0	16.84	0	0	12.6	0.1	1.2
2024	10	4	11	26	6	0	0	0	0	0	0	0	16.84	0	0	12	0.1	1.2
2024	10	4	11	36	6	0	0	0	0	0	0	0	16.86	0	0	12.4	0.1	1.2
2024	10	4	11	46	6	0	0	0	0	0	0	0	16.9	0	0	12.4	0.1	1.2
2024	10	4	11	56	6	0	0	0	0	0	0	0	16.83	0	0	12.6	0.1	1.2
2024	10	4	12	6	6	0	0	0	0	0	0	0	16.84	0	0	12.6	0.1	1.2
2024	10	4	12	16	6	0	0	0	0	0	0	0	16.96	0	0	12.2	0.1	1.2
2024	10	4	12	26	6	0	0	0	0	0	0	0	16.88	0	0	12	0.1	1.2
2024	10	4	12	36	6	0	0	0	0	0	0	0	16.92	0	0	12.6	0.1	1.2
2024	10	4	12	46	6	0	0	0	0	0	0	0	16.89	0	0	12.4	0.1	1.2
2024	10	4	12	56	6	0	0	0	0	0	0	0	16.92	0	0	11.6	0.1	1.2
2024	10	4	13	6	6	0	0	0	0	0	0	0	16.89	0	0	11.4	0.1	1.2
2024	10	4	13	16	6	0	0	0	0	0	0	0	16.93	0	0	12.2	0.1	1.2
2024	10	4	13	26	6	0	0	0	0	0	0	0	16.97	0	0	12.2	0.1	1.2
2024	10	4	13	36	6	0	0	0	0	0	0	0	16.98	0	0	12.2	0.1	1.2
2024	10	4	13	46	6	0	0	0	0	0	0	0	16.95	0	0	11.8	0.1	1.2
2024	10	4	13	56	6	0	0	0	0	0	0	0	17.03	0	0	12	0.1	1.2
2024	10	4	14	6	6	0	0	0	0	0	0	0	17.07	0	0	12.4	0.1	1.2
2024	10	4	14	16	6	0	0	0	0	0	0	0	17.08	0	0	12.2	0.1	1.2
2024	10	4	14	26	6	0	0	0	0	0	0	0	17.12	0	0	12.2	0.1	1.2
2024	10	4	14	36	6	0	0	0	0	0	0	0	17.12	0	0	12.2	0.1	1.2
2024	10	4	14	46	6	0	0	0	0	0	0	0	17.14	0	0	12.2	0.1	1.2
2024	10	4	14	56	6	0	0	0	0	0	0	0	17.15	0	0	12.2	0.1	1.2
2024	10	4	15	6	6	0	0	0	0	0	0	0	17.14	0	0	12	0.1	1.2
2024	10	4	15	16	6	0	0	0	0	0	0	0	17.11	0	0	12.2	0.1	1.2
2024	10	4	15	26	6	0	0	0	0	0	0	0	17.12	0	0	11.8	0.1	1.2
2024	10	4	15	36	6	0	0	0	0	0	0	0	17.07	0	0	11.2	0.1	1.2
2024	10	4	15	46	6	0	0	0	0	0	0	0	17.09	0	0	11.6	0.1	1.2
2024	10	4	15	56	6	0	0	0	0	0	0	0	17.05	0	0	11.6	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	4	16	6	6	0	0	0	0	0	0	0	17.02	0	0	11	0.1	1.2
2024	10	4	16	16	6	0	0	0	0	0	0	0	17.01	0	0	10.8	0.1	1.2
2024	10	4	16	26	6	0	0	0	0	0	0	0	16.99	0	0	10.8	0.1	1.2
2024	10	4	16	36	6	0	0	0	0	0	0	0	16.99	0	0	10.8	0.1	1.2
2024	10	4	16	46	6	0	0	0	0	0	0	0	16.98	0	0	10.8	0.1	1.2
2024	10	4	16	56	6	0	0	0	0	0	0	0	16.96	0	0	10.6	0.1	1.2
2024	10	4	17	6	6	0	0	0	0	0	0	0	16.95	0	0	10.4	0.1	1.2
2024	10	4	17	16	6	0	0	0	0	0	0	0	16.95	0	0	10.4	0.1	1.2
2024	10	4	17	26	6	0	0	0	0	0	0	0	16.94	0	0	10.4	0.1	1.2
2024	10	4	17	36	6	0	0	0	0	0	0	0	16.93	0	0	10.2	0.1	1.2
2024	10	4	17	46	6	0	0	0	0	0	0	0	16.92	0	0	10.2	0.1	1.2
2024	10	4	17	56	6	0	0	0	0	0	0	0	16.91	0	0	10	0.1	1.2
2024	10	4	18	6	6	0	0	0	0	0	0	0	16.9	0	0	10	0.1	1.2
2024	10	4	18	16	6	0	0	0	0	0	0	0	16.88	0	0	10	0.1	1.2
2024	10	4	18	26	6	0	0	0	0	0	0	0	16.86	0	0	9.8	0.1	1.2
2024	10	4	18	36	6	0	0	0	0	0	0	0	16.83	0	0	9.8	0.1	1.2
2024	10	4	18	46	6	0	0	0	0	0	0	0	16.81	0	0	10	0.1	1.2
2024	10	4	18	56	6	0	0	0	0	0	0	0	16.79	0	0	9.8	0.1	1.2
2024	10	4	19	6	6	0	0	0	0	0	0	0	16.76	0	0	9.6	0.1	1.2
2024	10	4	19	16	6	0	0	0	0	0	0	0	16.74	0	0	10	0.1	1.2
2024	10	4	19	26	6	0	0	0	0	0	0	0	16.72	0	0	9.6	0.1	1.2
2024	10	4	19	36	6	0	0	0	0	0	0	0	16.69	0	0	9.6	0.1	1.2
2024	10	4	19	46	6	0	0	0	0	0	0	0	16.67	0	0	10.4	0.1	1.2
2024	10	4	19	56	6	0	0	0	0	0	0	0	16.65	0	0	11	0.1	1.2
2024	10	4	20	6	6	0	0	0	0	0	0	0	16.63	0	0	11	0.1	1.2
2024	10	4	20	16	6	0	0	0	0	0	0	0	16.6	0	0	10.8	0.1	1.2
2024	10	4	20	26	6	0	0	0	0	0	0	0	16.59	0	0	10.8	0.1	1.2
2024	10	4	20	36	6	0	0	0	0	0	0	0	16.57	0	0	10.8	0.1	1.2
2024	10	4	20	46	6	0	0	0	0	0	0	0	16.54	0	0	10.8	0.1	1.2
2024	10	4	20	56	6	0	0	0	0	0	0	0	16.52	0	0	10.8	0.1	1.2
2024	10	4	21	6	6	0	0	0	0	0	0	0	16.49	0	0	10.8	0.1	1.2
2024	10	4	21	16	6	0	0	0	0	0	0	0	16.47	0	0	10.6	0.1	1.2
2024	10	4	21	26	6	0	0	0	0	0	0	0	16.45	0	0	9.2	0.1	1.2
2024	10	4	21	36	6	0	0	0	0	0	0	0	16.43	0	0	9.2	0.1	1.2
2024	10	4	21	46	6	0	0	0	0	0	0	0	16.41	0	0	10.2	0.1	1.2
2024	10	4	21	56	6	0	0	0	0	0	0	0	16.39	0	0	10.6	0.1	1.2
2024	10	4	22	6	6	0	0	0	0	0	0	0	16.38	0	0	10.4	0.1	1.2
2024	10	4	22	16	6	0	0	0	0	0	0	0	16.36	0	0	10	0.1	1.2
2024	10	4	22	26	6	0	0	0	0	0	0	0	16.34	0	0	10	0.1	1.2
2024	10	4	22	36	6	0	0	0	0	0	0	0	16.33	0	0	9.8	0.1	1.2
2024	10	4	22	46	6	0	0	0	0	0	0	0	16.31	0	0	9.6	0.1	1.2
2024	10	4	22	56	6	0	0	0	0	0	0	0	16.3	0	0	9.6	0.1	1.2
2024	10	4	23	6	6	0	0	0	0	0	0	0	16.29	0	0	9.6	0.1	1.2
2024	10	4	23	16	6	0	0	0	0	0	0	0	16.28	0	0	9.6	0.1	1.2
2024	10	4	23	26	6	0	0	0	0	0	0	0	16.27	0	0	9.6	0.1	1.2
2024	10	4	23	36	6	0	0	0	0	0	0	0	16.26	0	0	9.4	0.1	1.2
2024	10	4	23	46	6	0	0	0	0	0	0	0	16.25	0	0	9.4	0.1	1.2
2024	10	4	23	56	6	0	0	0	0	0	0	0	16.25	0	0	10.4	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	5	0	6	6	0	0	0	0	0	0	0	16.24	0	0	10.6	0.1	1.2
2024	10	5	0	16	6	0	0	0	0	0	0	0	16.22	0	0	10.6	0.1	1.2
2024	10	5	0	26	6	0	0	0	0	0	0	0	16.22	0	0	10.6	0.1	1.2
2024	10	5	0	36	6	0	0	0	0	0	0	0	16.21	0	0	10.6	0.1	1.2
2024	10	5	0	46	6	0	0	0	0	0	0	0	16.21	0	0	10.6	0.1	1.2
2024	10	5	0	56	6	0	0	0	0	0	0	0	16.21	0	0	10.4	0.1	1.2
2024	10	5	1	6	6	0	0	0	0	0	0	0	16.2	0	0	10.4	0.1	1.2
2024	10	5	1	16	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	1	26	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	1	36	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	1	46	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	1	56	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	2	6	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	2	16	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	2	26	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	2	36	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	2	46	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	2	56	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	3	6	6	0	0	0	0	0	0	0	16.19	0	0	10.4	0.1	1.2
2024	10	5	3	16	6	0	0	0	0	0	0	0	16.2	0	0	10.4	0.1	1.2
2024	10	5	3	26	6	0	0	0	0	0	0	0	16.2	0	0	10.4	0.1	1.2
2024	10	5	3	36	6	0	0	0	0	0	0	0	16.2	0	0	10.4	0.1	1.2
2024	10	5	3	46	6	0	0	0	0	0	0	0	16.2	0	0	10.4	0.1	1.2
2024	10	5	3	56	6	0	0	0	0	0	0	0	16.21	0	0	10.4	0.1	1.2
2024	10	5	4	6	6	0	0	0	0	0	0	0	16.21	0	0	10.4	0.1	1.2
2024	10	5	4	16	6	0	0	0	0	0	0	0	16.21	0	0	10.4	0.1	1.2
2024	10	5	4	26	6	0	0	0	0	0	0	0	16.22	0	0	10.4	0.1	1.2
2024	10	5	4	36	6	0	0	0	0	0	0	0	16.22	0	0	10.4	0.1	1.2
2024	10	5	4	46	6	0	0	0	0	0	0	0	16.23	0	0	10.4	0.1	1.2
2024	10	5	4	56	6	0	0	0	0	0	0	0	16.23	0	0	10.4	0.1	1.2
2024	10	5	5	6	6	0	0	0	0	0	0	0	16.23	0	0	10.4	0.1	1.2
2024	10	5	5	16	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	5	26	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	5	36	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	5	46	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	5	56	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	6	6	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	6	16	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	6	26	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	6	36	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	6	46	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	6	56	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	7	6	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	7	16	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	7	26	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	7	36	6	0	0	0	0	0	0	0	16.24	0	0	10.4	0.1	1.2
2024	10	5	7	46	6	0	0	0	0	0	0	0	16.23	0	0	10.6	0.1	1.2
2024	10	5	7	56	6	0	0	0	0	0	0	0	16.23	0	0	11	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	5	8	6	6	0	0	0	0	0	0	0	16.24	0	0	11.2	0.1	1.2
2024	10	5	8	16	6	0	0	0	0	0	0	0	16.25	0	0	11.4	0.1	1.2
2024	10	5	8	26	6	0	0	0	0	0	0	0	16.26	0	0	11.4	0.1	1.2
2024	10	5	8	36	6	0	0	0	0	0	0	0	16.27	0	0	11.4	0.1	1.2
2024	10	5	8	46	6	0	0	0	0	0	0	0	16.29	0	0	11.4	0.1	1.2
2024	10	5	8	56	6	0	0	0	0	0	0	0	16.34	0	0	11.2	0.1	1.2
2024	10	5	9	6	6	0	0	0	0	0	0	0	16.36	0	0	10.8	0.1	1.2
2024	10	5	9	16	6	0	0	0	0	0	0	0	16.39	0	0	10.6	0.1	1.2
2024	10	5	9	26	6	0	0	0	0	0	0	0	16.42	0	0	10.6	0.1	1.2
2024	10	5	9	36	6	0	0	0	0	0	0	0	16.44	0	0	10.8	0.1	1.2
2024	10	5	9	46	6	0	0	0	0	0	0	0	16.47	0	0	10.8	0.1	1.2
2024	10	5	9	56	6	0	0	0	0	0	0	0	16.5	0	0	11	0.1	1.2
2024	10	5	10	6	6	0	0	0	0	0	0	0	16.52	0	0	11.2	0.1	1.2
2024	10	5	10	16	6	0	0	0	0	0	0	0	16.55	0	0	11.2	0.1	1.2
2024	10	5	10	26	6	0	0	0	0	0	0	0	16.58	0	0	11	0.1	1.2
2024	10	5	10	36	6	0	0	0	0	0	0	0	16.6	0	0	12.4	0.1	1.2
2024	10	5	10	46	6	0	0	0	0	0	0	0	16.62	0	0	12.4	0.1	1.2
2024	10	5	10	56	6	0	0	0	0	0	0	0	16.65	0	0	12.2	0.1	1.2
2024	10	5	11	6	6	0	0	0	0	0	0	0	16.67	0	0	12.4	0.1	1.2
2024	10	5	11	16	6	0	0	0	0	0	0	0	16.69	0	0	12.4	0.1	1.2
2024	10	5	11	26	6	0	0	0	0	0	0	0	16.72	0	0	12.2	0.1	1.2
2024	10	5	11	36	6	0	0	0	0	0	0	0	16.74	0	0	12.4	0.1	1.2
2024	10	5	11	46	6	0	0	0	0	0	0	0	16.77	0	0	12	0.1	1.2
2024	10	5	11	56	6	0	0	0	0	0	0	0	16.79	0	0	12.2	0.1	1.2
2024	10	5	12	6	6	0	0	0	0	0	0	0	16.81	0	0	12.2	0.1	1.2
2024	10	5	12	16	6	0	0	0	0	0	0	0	16.7	0	0	11.6	0.1	1.2
2024	10	5	12	26	6	0	0	0	0	0	0	0	16.76	0	0	12.2	0.1	1.2
2024	10	5	12	36	6	0	0	0	0	0	0	0	16.81	0	0	11.8	0.1	1.2
2024	10	5	12	46	6	0	0	0	0	0	0	0	16.84	0	0	11.4	0.1	1.2
2024	10	5	12	56	6	0	0	0	0	0	0	0	16.87	0	0	12	0.1	1.2
2024	10	5	13	6	6	0	0	0	0	0	0	0	16.89	0	0	11.8	0.1	1.2
2024	10	5	13	16	6	0	0	0	0	0	0	0	16.85	0	0	11.8	0.1	1.2
2024	10	5	13	26	6	0	0	0	0	0	0	0	16.82	0	0	11.6	0.1	1.2
2024	10	5	13	36	6	0	0	0	0	0	0	0	16.85	0	0	12.2	0.1	1.2
2024	10	5	13	46	6	0	0	0	0	0	0	0	16.87	0	0	11.8	0.1	1.2
2024	10	5	13	56	6	0	0	0	0	0	0	0	16.85	0	0	11.4	0.1	1.2
2024	10	5	14	6	6	0	0	0	0	0	0	0	16.84	0	0	12	0.1	1.2
2024	10	5	14	16	6	0	0	0	0	0	0	0	16.93	0	0	12.2	0.1	1.2
2024	10	5	14	26	6	0	0	0	0	0	0	0	16.95	0	0	12.2	0.1	1.2
2024	10	5	14	36	6	0	0	0	0	0	0	0	16.9	0	0	12	0.1	1.2
2024	10	5	14	46	6	0	0	0	0	0	0	0	16.95	0	0	11.8	0.1	1.2
2024	10	5	14	56	6	0	0	0	0	0	0	0	16.96	0	0	11.8	0.1	1.2
2024	10	5	15	6	6	0	0	0	0	0	0	0	16.97	0	0	12	0.1	1.2
2024	10	5	15	16	6	0	0	0	0	0	0	0	17	0	0	11.8	0.1	1.2
2024	10	5	15	26	6	0	0	0	0	0	0	0	17.01	0	0	11.8	0.1	1.2
2024	10	5	15	36	6	0	0	0	0	0	0	0	17	0	0	11.8	0.1	1.2
2024	10	5	15	46	6	0	0	0	0	0	0	0	16.97	0	0	10.8	0.1	1.2
2024	10	5	15	56	6	0	0	0	0	0	0	0	16.93	0	0	10.6	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	5	16	6	6	0	0	0	0	0	0	0	16.92	0	0	10.6	0.1	1.2
2024	10	5	16	16	6	0	0	0	0	0	0	0	16.91	0	0	10.4	0.1	1.2
2024	10	5	16	26	6	0	0	0	0	0	0	0	16.9	0	0	10.4	0.1	1.2
2024	10	5	16	36	6	0	0	0	0	0	0	0	16.9	0	0	10.4	0.1	1.2
2024	10	5	16	46	6	0	0	0	0	0	0	0	16.89	0	0	10.4	0.1	1.2
2024	10	5	16	56	6	0	0	0	0	0	0	0	16.88	0	0	10.4	0.1	1.2
2024	10	5	17	6	6	0	0	0	0	0	0	0	16.88	0	0	10.4	0.1	1.2
2024	10	5	17	16	6	0	0	0	0	0	0	0	16.88	0	0	10.4	0.1	1.2
2024	10	5	17	26	6	0	0	0	0	0	0	0	16.87	0	0	10.2	0.1	1.2
2024	10	5	17	36	6	0	0	0	0	0	0	0	16.87	0	0	10.2	0.1	1.2
2024	10	5	17	46	6	0	0	0	0	0	0	0	16.87	0	0	10	0.1	1.2
2024	10	5	17	56	6	0	0	0	0	0	0	0	16.86	0	0	10	0.1	1.2
2024	10	5	18	6	6	0	0	0	0	0	0	0	16.85	0	0	10	0.1	1.2
2024	10	5	18	16	6	0	0	0	0	0	0	0	16.84	0	0	10.8	0.1	1.2
2024	10	5	18	26	6	0	0	0	0	0	0	0	16.83	0	0	10.6	0.1	1.2
2024	10	5	18	36	6	0	0	0	0	0	0	0	16.82	0	0	10	0.1	1.2
2024	10	5	18	46	6	0	0	0	0	0	0	0	16.8	0	0	11	0.1	1.2
2024	10	5	18	56	6	0	0	0	0	0	0	0	16.79	0	0	10.8	0.1	1.2
2024	10	5	19	6	6	0	0	0	0	0	0	0	16.78	0	0	10.6	0.1	1.2
2024	10	5	19	16	6	0	0	0	0	0	0	0	16.76	0	0	10.6	0.1	1.2
2024	10	5	19	26	6	0	0	0	0	0	0	0	16.74	0	0	10.8	0.1	1.2
2024	10	5	19	36	6	0	0	0	0	0	0	0	16.72	0	0	10.8	0.1	1.2
2024	10	5	19	46	6	0	0	0	0	0	0	0	16.7	0	0	10.8	0.1	1.2
2024	10	5	19	56	6	0	0	0	0	0	0	0	16.68	0	0	10.6	0.1	1.2
2024	10	5	20	6	6	0	0	0	0	0	0	0	16.65	0	0	10.4	0.1	1.2
2024	10	5	20	16	6	0	0	0	0	0	0	0	16.64	0	0	10.6	0.1	1.2
2024	10	5	20	26	6	0	0	0	0	0	0	0	16.61	0	0	10.6	0.1	1.2
2024	10	5	20	36	6	0	0	0	0	0	0	0	16.6	0	0	10.6	0.1	1.2
2024	10	5	20	46	6	0	0	0	0	0	0	0	16.57	0	0	10.6	0.1	1.2
2024	10	5	20	56	6	0	0	0	0	0	0	0	16.56	0	0	10.6	0.1	1.2
2024	10	5	21	6	6	0	0	0	0	0	0	0	16.54	0	0	10.4	0.1	1.2
2024	10	5	21	16	6	0	0	0	0	0	0	0	16.52	0	0	10.6	0.1	1.2
2024	10	5	21	26	6	0	0	0	0	0	0	0	16.5	0	0	10.6	0.1	1.2
2024	10	5	21	36	6	0	0	0	0	0	0	0	16.48	0	0	10.6	0.1	1.2
2024	10	5	21	46	6	0	0	0	0	0	0	0	16.47	0	0	10.6	0.1	1.2
2024	10	5	21	56	6	0	0	0	0	0	0	0	16.45	0	0	10.4	0.1	1.2
2024	10	5	22	6	6	0	0	0	0	0	0	0	16.44	0	0	10.4	0.1	1.2
2024	10	5	22	16	6	0	0	0	0	0	0	0	16.42	0	0	10.4	0.1	1.2
2024	10	5	22	26	6	0	0	0	0	0	0	0	16.4	0	0	10.4	0.1	1.2
2024	10	5	22	36	6	0	0	0	0	0	0	0	16.39	0	0	10.8	0.1	1.2
2024	10	5	22	46	6	0	0	0	0	0	0	0	16.37	0	0	10.8	0.1	1.2
2024	10	5	22	56	6	0	0	0	0	0	0	0	16.36	0	0	10.4	0.1	1.2
2024	10	5	23	6	6	0	0	0	0	0	0	0	16.34	0	0	10.4	0.1	1.2
2024	10	5	23	16	6	0	0	0	0	0	0	0	16.34	0	0	10.4	0.1	1.2
2024	10	5	23	26	6	0	0	0	0	0	0	0	16.32	0	0	10.4	0.1	1.2
2024	10	5	23	36	6	0	0	0	0	0	0	0	16.32	0	0	10.6	0.1	1.2
2024	10	5	23	46	6	0	0	0	0	0	0	0	16.31	0	0	10.4	0.1	1.2
2024	10	5	23	56	6	0	0	0	0	0	0	0	16.3	0	0	10.4	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	6	0	6	6	0	0	0	0	0	0	0	16.29	0	0	10.4	0.1	1.2
2024	10	6	0	16	6	0	0	0	0	0	0	0	16.28	0	0	10.4	0.1	1.2
2024	10	6	0	26	6	0	0	0	0	0	0	0	16.28	0	0	10.6	0.1	1.2
2024	10	6	0	36	6	0	0	0	0	0	0	0	16.27	0	0	10.6	0.1	1.2
2024	10	6	0	46	6	0	0	0	0	0	0	0	16.26	0	0	11	0.1	1.2
2024	10	6	0	56	6	0	0	0	0	0	0	0	16.26	0	0	11	0.1	1.2
2024	10	6	1	6	6	0	0	0	0	0	0	0	16.26	0	0	11	0.1	1.2
2024	10	6	1	16	6	0	0	0	0	0	0	0	16.26	0	0	11	0.1	1.2
2024	10	6	1	26	6	0	0	0	0	0	0	0	16.25	0	0	11	0.1	1.2
2024	10	6	1	36	6	0	0	0	0	0	0	0	16.25	0	0	10.8	0.1	1.2
2024	10	6	1	46	6	0	0	0	0	0	0	0	16.26	0	0	10.8	0.1	1.2
2024	10	6	1	56	6	0	0	0	0	0	0	0	16.25	0	0	10.8	0.1	1.2
2024	10	6	2	6	6	0	0	0	0	0	0	0	16.25	0	0	10.8	0.1	1.2
2024	10	6	2	16	6	0	0	0	0	0	0	0	16.25	0	0	10.8	0.1	1.2
2024	10	6	2	26	6	0	0	0	0	0	0	0	16.25	0	0	10.8	0.1	1.2
2024	10	6	2	36	6	0	0	0	0	0	0	0	16.25	0	0	10.8	0.1	1.2
2024	10	6	2	46	6	0	0	0	0	0	0	0	16.25	0	0	10.8	0.1	1.2
2024	10	6	2	56	6	0	0	0	0	0	0	0	16.26	0	0	10.8	0.1	1.2
2024	10	6	3	6	6	0	0	0	0	0	0	0	16.26	0	0	10.6	0.1	1.2
2024	10	6	3	16	6	0	0	0	0	0	0	0	16.26	0	0	10.6	0.1	1.2
2024	10	6	3	26	6	0	0	0	0	0	0	0	16.26	0	0	10.6	0.1	1.2
2024	10	6	3	36	6	0	0	0	0	0	0	0	16.27	0	0	10	0.1	1.2
2024	10	6	3	46	6	0	0	0	0	0	0	0	16.27	0	0	10	0.1	1.2
2024	10	6	3	56	6	0	0	0	0	0	0	0	16.27	0	0	9.8	0.1	1.2
2024	10	6	4	6	6	0	0	0	0	0	0	0	16.27	0	0	9.8	0.1	1.2
2024	10	6	4	16	6	0	0	0	0	0	0	0	16.27	0	0	9.6	0.1	1.2
2024	10	6	4	26	6	0	0	0	0	0	0	0	16.27	0	0	9.8	0.1	1.2
2024	10	6	4	36	6	0	0	0	0	0	0	0	16.27	0	0	9.8	0.1	1.2
2024	10	6	4	46	6	0	0	0	0	0	0	0	16.28	0	0	9.8	0.1	1.2
2024	10	6	4	56	6	0	0	0	0	0	0	0	16.29	0	0	9.8	0.1	1.2
2024	10	6	5	6	6	0	0	0	0	0	0	0	16.28	0	0	9.8	0.1	1.2
2024	10	6	5	16	6	0	0	0	0	0	0	0	16.29	0	0	9.8	0.1	1.2
2024	10	6	5	26	6	0	0	0	0	0	0	0	16.29	0	0	9.8	0.1	1.2
2024	10	6	5	36	6	0	0	0	0	0	0	0	16.3	0	0	10	0.1	1.2
2024	10	6	5	46	6	0	0	0	0	0	0	0	16.3	0	0	10.8	0.1	1.2
2024	10	6	5	56	6	0	0	0	0	0	0	0	16.3	0	0	10.8	0.1	1.2
2024	10	6	6	6	6	0	0	0	0	0	0	0	16.3	0	0	10.8	0.1	1.2
2024	10	6	6	16	6	0	0	0	0	0	0	0	16.3	0	0	10.8	0.1	1.2
2024	10	6	6	26	6	0	0	0	0	0	0	0	16.31	0	0	10.8	0.1	1.2
2024	10	6	6	36	6	0	0	0	0	0	0	0	16.31	0	0	10.8	0.1	1.2
2024	10	6	6	46	6	0	0	0	0	0	0	0	16.32	0	0	10.8	0.1	1.2
2024	10	6	6	56	6	0	0	0	0	0	0	0	16.32	0	0	10.8	0.1	1.2
2024	10	6	7	6	6	0	0	0	0	0	0	0	16.32	0	0	10.8	0.1	1.2
2024	10	6	7	16	6	0	0	0	0	0	0	0	16.32	0	0	10.8	0.1	1.2
2024	10	6	7	26	6	0	0	0	0	0	0	0	16.32	0	0	10.8	0.1	1.2
2024	10	6	7	36	6	0	0	0	0	0	0	0	16.33	0	0	11	0.1	1.2
2024	10	6	7	46	6	0	0	0	0	0	0	0	16.33	0	0	11.2	0.1	1.2
2024	10	6	7	56	6	0	0	0	0	0	0	0	16.34	0	0	11.4	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	6	8	6	6	0	0	0	0	0	0	0	16.35	0	0	11.6	0.1	1.2
2024	10	6	8	16	6	0	0	0	0	0	0	0	16.36	0	0	11.8	0.1	1.2
2024	10	6	8	26	6	0	0	0	0	0	0	0	16.37	0	0	12	0.1	1.2
2024	10	6	8	36	6	0	0	0	0	0	0	0	16.39	0	0	12	0.1	1.2
2024	10	6	8	46	6	0	0	0	0	0	0	0	16.41	0	0	12	0.1	1.2
2024	10	6	8	56	6	0	0	0	0	0	0	0	16.45	0	0	12	0.1	1.2
2024	10	6	9	6	6	0	0	0	0	0	0	0	16.48	0	0	12	0.1	1.2
2024	10	6	9	16	6	0	0	0	0	0	0	0	16.51	0	0	12.2	0.1	1.2
2024	10	6	9	26	6	0	0	0	0	0	0	0	16.54	0	0	12.2	0.1	1.2
2024	10	6	9	36	6	0	0	0	0	0	0	0	16.56	0	0	12.2	0.1	1.2
2024	10	6	9	46	6	0	0	0	0	0	0	0	16.59	0	0	12.4	0.1	1.2
2024	10	6	9	56	6	0	0	0	0	0	0	0	16.62	0	0	12.8	0.1	1.2
2024	10	6	10	6	6	0	0	0	0	0	0	0	16.65	0	0	13	0.1	1.2
2024	10	6	10	16	6	0	0	0	0	0	0	0	16.68	0	0	12.8	0.1	1.2
2024	10	6	10	26	6	0	0	0	0	0	0	0	16.72	0	0	12.8	0.1	1.2
2024	10	6	10	36	6	0	0	0	0	0	0	0	16.75	0	0	12.6	0.1	1.2
2024	10	6	10	46	6	0	0	0	0	0	0	0	16.78	0	0	12.6	0.1	1.2
2024	10	6	10	56	6	0	0	0	0	0	0	0	16.81	0	0	12.4	0.1	1.2
2024	10	6	11	6	6	0	0	0	0	0	0	0	16.84	0	0	12.4	0.1	1.2
2024	10	6	11	16	6	0	0	0	0	0	0	0	16.87	0	0	12.2	0.1	1.2
2024	10	6	11	26	6	0	0	0	0	0	0	0	16.89	0	0	12.4	0.1	1.2
2024	10	6	11	36	6	0	0	0	0	0	0	0	16.92	0	0	12.4	0.1	1.2
2024	10	6	11	46	6	0	0	0	0	0	0	0	16.95	0	0	12.4	0.1	1.2
2024	10	6	11	56	6	0	0	0	0	0	0	0	16.97	0	0	12.2	0.1	1.2
2024	10	6	12	6	6	0	0	0	0	0	0	0	17	0	0	12.2	0.1	1.2
2024	10	6	12	16	6	0	0	0	0	0	0	0	17.03	0	0	12.6	0.1	1.2
2024	10	6	12	26	6	0	0	0	0	0	0	0	17.05	0	0	12.2	0.1	1.2
2024	10	6	12	36	6	0	0	0	0	0	0	0	17.08	0	0	12	0.1	1.2
2024	10	6	12	46	6	0	0	0	0	0	0	0	17.07	0	0	12.2	0.1	1.2
2024	10	6	12	56	6	0	0	0	0	0	0	0	17.08	0	0	12.4	0.1	1.2
2024	10	6	13	6	6	0	0	0	0	0	0	0	17.09	0	0	12.2	0.1	1.2
2024	10	6	13	16	6	0	0	0	0	0	0	0	17.11	0	0	12	0.1	1.2
2024	10	6	13	26	6	0	0	0	0	0	0	0	17.15	0	0	11.8	0.1	1.2
2024	10	6	13	36	6	0	0	0	0	0	0	0	17.17	0	0	11.8	0.1	1.2
2024	10	6	13	46	6	0	0	0	0	0	0	0	17.2	0	0	12	0.1	1.2
2024	10	6	13	56	6	0	0	0	0	0	0	0	17.2	0	0	11.6	0.1	1.2
2024	10	6	14	6	6	0	0	0	0	0	0	0	17.18	0	0	11.8	0.1	1.2
2024	10	6	14	16	6	0	0	0	0	0	0	0	17.2	0	0	11.6	0.1	1.2
2024	10	6	14	26	6	0	0	0	0	0	0	0	17.22	0	0	11.6	0.1	1.2
2024	10	6	14	36	6	0	0	0	0	0	0	0	17.2	0	0	11.4	0.1	1.2
2024	10	6	14	46	6	0	0	0	0	0	0	0	17.14	0	0	10.8	0.1	1.2
2024	10	6	14	56	6	0	0	0	0	0	0	0	17.11	0	0	10.6	0.1	1.2
2024	10	6	15	6	6	0	0	0	0	0	0	0	17.1	0	0	11.2	0.1	1.2
2024	10	6	15	16	6	0	0	0	0	0	0	0	17.09	0	0	11.6	0.1	1.2
2024	10	6	15	26	6	0	0	0	0	0	0	0	17.08	0	0	11.4	0.1	1.2
2024	10	6	15	36	6	0	0	0	0	0	0	0	17.07	0	0	10.6	0.1	1.2
2024	10	6	15	46	6	0	0	0	0	0	0	0	17.09	0	0	12.2	0.1	1.2
2024	10	6	15	56	6	0	0	0	0	0	0	0	17.12	0	0	12.4	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	6	16	6	6	0	0	0	0	0	0	0	17.11	0	0	12	0.1	1.2
2024	10	6	16	16	6	0	0	0	0	0	0	0	17.13	0	0	13	0.1	1.2
2024	10	6	16	26	6	0	0	0	0	0	0	0	17.12	0	0	12.2	0.1	1.2
2024	10	6	16	36	6	0	0	0	0	0	0	0	17.1	0	0	12	0.1	1.2
2024	10	6	16	46	6	0	0	0	0	0	0	0	17.08	0	0	11.2	0.1	1.2
2024	10	6	16	56	6	0	0	0	0	0	0	0	17.07	0	0	10.8	0.1	1.2
2024	10	6	17	6	6	0	0	0	0	0	0	0	17.06	0	0	10.8	0.1	1.2
2024	10	6	17	16	6	0	0	0	0	0	0	0	17.04	0	0	10.8	0.1	1.2
2024	10	6	17	26	6	0	0	0	0	0	0	0	17.03	0	0	11	0.1	1.2
2024	10	6	17	36	6	0	0	0	0	0	0	0	17.01	0	0	10.8	0.1	1.2
2024	10	6	17	46	6	0	0	0	0	0	0	0	17	0	0	10.8	0.1	1.2
2024	10	6	17	56	6	0	0	0	0	0	0	0	16.99	0	0	10.6	0.1	1.2
2024	10	6	18	6	6	0	0	0	0	0	0	0	16.98	0	0	11.2	0.1	1.2
2024	10	6	18	16	6	0	0	0	0	0	0	0	16.96	0	0	11.4	0.1	1.2
2024	10	6	18	26	6	0	0	0	0	0	0	0	16.95	0	0	11.4	0.1	1.2
2024	10	6	18	36	6	0	0	0	0	0	0	0	16.93	0	0	11.4	0.1	1.2
2024	10	6	18	46	6	0	0	0	0	0	0	0	16.91	0	0	11.4	0.1	1.2
2024	10	6	18	56	6	0	0	0	0	0	0	0	16.89	0	0	10.8	0.1	1.2
2024	10	6	19	6	6	0	0	0	0	0	0	0	16.88	0	0	10.6	0.1	1.2
2024	10	6	19	16	6	0	0	0	0	0	0	0	16.86	0	0	11.2	0.1	1.2
2024	10	6	19	26	6	0	0	0	0	0	0	0	16.84	0	0	11	0.1	1.2
2024	10	6	19	36	6	0	0	0	0	0	0	0	16.82	0	0	10.8	0.1	1.2
2024	10	6	19	46	6	0	0	0	0	0	0	0	16.8	0	0	11.2	0.1	1.2
2024	10	6	19	56	6	0	0	0	0	0	0	0	16.78	0	0	11.4	0.1	1.2
2024	10	6	20	6	6	0	0	0	0	0	0	0	16.76	0	0	11.2	0.1	1.2
2024	10	6	20	16	6	0	0	0	0	0	0	0	16.74	0	0	11.2	0.1	1.2
2024	10	6	20	26	6	0	0	0	0	0	0	0	16.71	0	0	11.2	0.1	1.2
2024	10	6	20	36	6	0	0	0	0	0	0	0	16.7	0	0	11	0.1	1.2
2024	10	6	20	46	6	0	0	0	0	0	0	0	16.67	0	0	11	0.1	1.2
2024	10	6	20	56	6	0	0	0	0	0	0	0	16.66	0	0	11	0.1	1.2
2024	10	6	21	6	6	0	0	0	0	0	0	0	16.64	0	0	11	0.1	1.2
2024	10	6	21	16	6	0	0	0	0	0	0	0	16.62	0	0	11.2	0.1	1.2
2024	10	6	21	26	6	0	0	0	0	0	0	0	16.6	0	0	11.2	0.1	1.2
2024	10	6	21	36	6	0	0	0	0	0	0	0	16.58	0	0	11	0.1	1.2
2024	10	6	21	46	6	0	0	0	0	0	0	0	16.56	0	0	11.2	0.1	1.2
2024	10	6	21	56	6	0	0	0	0	0	0	0	16.54	0	0	11	0.1	1.2
2024	10	6	22	6	6	0	0	0	0	0	0	0	16.52	0	0	11	0.1	1.2
2024	10	6	22	16	6	0	0	0	0	0	0	0	16.5	0	0	10.6	0.1	1.2
2024	10	6	22	26	6	0	0	0	0	0	0	0	16.48	0	0	10.6	0.1	1.2
2024	10	6	22	36	6	0	0	0	0	0	0	0	16.47	0	0	10.6	0.1	1.2
2024	10	6	22	46	6	0	0	0	0	0	0	0	16.46	0	0	11	0.1	1.2
2024	10	6	22	56	6	0	0	0	0	0	0	0	16.44	0	0	10.8	0.1	1.2
2024	10	6	23	6	6	0	0	0	0	0	0	0	16.43	0	0	11	0.1	1.2
2024	10	6	23	16	6	0	0	0	0	0	0	0	16.42	0	0	11	0.1	1.2
2024	10	6	23	26	6	0	0	0	0	0	0	0	16.41	0	0	11.2	0.1	1.2
2024	10	6	23	36	6	0	0	0	0	0	0	0	16.4	0	0	11.2	0.1	1.2
2024	10	6	23	46	6	0	0	0	0	0	0	0	16.4	0	0	10.8	0.1	1.2
2024	10	6	23	56	6	0	0	0	0	0	0	0	16.39	0	0	11	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	7	0	6	6	0	0	0	0	0	0	0	16.38	0	0	11.2	0.1	1.2
2024	10	7	0	16	6	0	0	0	0	0	0	0	16.38	0	0	10.8	0.1	1.2
2024	10	7	0	26	6	0	0	0	0	0	0	0	16.37	0	0	10.8	0.1	1.2
2024	10	7	0	36	6	0	0	0	0	0	0	0	16.37	0	0	11	0.1	1.2
2024	10	7	0	46	6	0	0	0	0	0	0	0	16.36	0	0	11	0.1	1.2
2024	10	7	0	56	6	0	0	0	0	0	0	0	16.36	0	0	11	0.1	1.2
2024	10	7	1	6	6	0	0	0	0	0	0	0	16.36	0	0	11	0.1	1.2
2024	10	7	1	16	6	0	0	0	0	0	0	0	16.36	0	0	11	0.1	1.2
2024	10	7	1	26	6	0	0	0	0	0	0	0	16.35	0	0	10.6	0.1	1.2
2024	10	7	1	36	6	0	0	0	0	0	0	0	16.35	0	0	10.2	0.1	1.2
2024	10	7	1	46	6	0	0	0	0	0	0	0	16.35	0	0	9.8	0.1	1.2
2024	10	7	1	56	6	0	0	0	0	0	0	0	16.35	0	0	10.2	0.1	1.2
2024	10	7	2	6	6	0	0	0	0	0	0	0	16.36	0	0	10	0.1	1.2
2024	10	7	2	16	6	0	0	0	0	0	0	0	16.35	0	0	10	0.1	1.2
2024	10	7	2	26	6	0	0	0	0	0	0	0	16.35	0	0	9.8	0.1	1.2
2024	10	7	2	36	6	0	0	0	0	0	0	0	16.36	0	0	10.2	0.1	1.2
2024	10	7	2	46	6	0	0	0	0	0	0	0	16.35	0	0	11.6	0.1	1.2
2024	10	7	2	56	6	0	0	0	0	0	0	0	16.36	0	0	11.6	0.1	1.2
2024	10	7	3	6	6	0	0	0	0	0	0	0	16.36	0	0	11.6	0.1	1.2
2024	10	7	3	16	6	0	0	0	0	0	0	0	16.36	0	0	11.6	0.1	1.2
2024	10	7	3	26	6	0	0	0	0	0	0	0	16.36	0	0	11.6	0.1	1.2
2024	10	7	3	36	6	0	0	0	0	0	0	0	16.36	0	0	11.4	0.1	1.2
2024	10	7	3	46	6	0	0	0	0	0	0	0	16.37	0	0	11	0.1	1.2
2024	10	7	3	56	6	0	0	0	0	0	0	0	16.36	0	0	10.8	0.1	1.2
2024	10	7	4	6	6	0	0	0	0	0	0	0	16.37	0	0	11	0.1	1.2
2024	10	7	4	16	6	0	0	0	0	0	0	0	16.36	0	0	10.6	0.1	1.2
2024	10	7	4	26	6	0	0	0	0	0	0	0	16.36	0	0	10.2	0.1	1.2
2024	10	7	4	36	6	0	0	0	0	0	0	0	16.37	0	0	10	0.1	1.2
2024	10	7	4	46	6	0	0	0	0	0	0	0	16.36	0	0	10	0.1	1.2
2024	10	7	4	56	6	0	0	0	0	0	0	0	16.37	0	0	9.8	0.1	1.2
2024	10	7	5	6	6	0	0	0	0	0	0	0	16.36	0	0	9.8	0.1	1.2
2024	10	7	5	16	6	0	0	0	0	0	0	0	16.36	0	0	9.8	0.1	1.2
2024	10	7	5	26	6	0	0	0	0	0	0	0	16.36	0	0	10	0.1	1.2
2024	10	7	5	36	6	0	0	0	0	0	0	0	16.36	0	0	9.8	0.1	1.2
2024	10	7	5	46	6	0	0	0	0	0	0	0	16.36	0	0	9.8	0.1	1.2
2024	10	7	5	56	6	0	0	0	0	0	0	0	16.36	0	0	9.6	0.1	1.2
2024	10	7	6	6	6	0	0	0	0	0	0	0	16.36	0	0	9.6	0.1	1.2
2024	10	7	6	16	6	0	0	0	0	0	0	0	16.35	0	0	9.6	0.1	1.2
2024	10	7	6	26	6	0	0	0	0	0	0	0	16.36	0	0	9.6	0.1	1.2
2024	10	7	6	36	6	0	0	0	0	0	0	0	16.36	0	0	9.6	0.1	1.2
2024	10	7	6	46	6	0	0	0	0	0	0	0	16.35	0	0	9.4	0.1	1.2
2024	10	7	6	56	6	0	0	0	0	0	0	0	16.35	0	0	9.4	0.1	1.2
2024	10	7	7	6	6	0	0	0	0	0	0	0	16.35	0	0	9.4	0.1	1.2
2024	10	7	7	16	6	0	0	0	0	0	0	0	16.35	0	0	10.6	0.1	1.2
2024	10	7	7	26	6	0	0	0	0	0	0	0	16.34	0	0	10.6	0.1	1.2
2024	10	7	7	36	6	0	0	0	0	0	0	0	16.35	0	0	10.6	0.1	1.2
2024	10	7	7	46	6	0	0	0	0	0	0	0	16.35	0	0	10.6	0.1	1.2
2024	10	7	7	56	6	0	0	0	0	0	0	0	16.35	0	0	10.8	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	7	8	6	6	0	0	0	0	0	0	0	16.36	0	0	10.2	0.1	1.2
2024	10	7	8	16	6	0	0	0	0	0	0	0	16.38	0	0	10.8	0.1	1.2
2024	10	7	8	26	6	0	0	0	0	0	0	0	16.39	0	0	12	0.1	1.2
2024	10	7	8	36	6	0	0	0	0	0	0	0	16.41	0	0	12	0.1	1.2
2024	10	7	8	46	6	0	0	0	0	0	0	0	16.43	0	0	11.8	0.1	1.2
2024	10	7	8	56	6	0	0	0	0	0	0	0	16.46	0	0	11.6	0.1	1.2
2024	10	7	9	6	6	0	0	0	0	0	0	0	16.46	0	0	11.4	0.1	1.2
2024	10	7	9	16	6	0	0	0	0	0	0	0	16.5	0	0	11.6	0.1	1.2
2024	10	7	9	26	6	0	0	0	0	0	0	0	16.47	0	0	11	0.1	1.2
2024	10	7	9	36	6	0	0	0	0	0	0	0	16.48	0	0	11	0.1	1.2
2024	10	7	9	46	6	0	0	0	0	0	0	0	16.52	0	0	11.2	0.1	1.2
2024	10	7	9	56	6	0	0	0	0	0	0	0	16.5	0	0	11	0.1	1.2
2024	10	7	10	6	6	0	0	0	0	0	0	0	16.5	0	0	10.8	0.1	1.2
2024	10	7	10	16	6	0	0	0	0	0	0	0	16.5	0	0	10.8	0.1	1.2
2024	10	7	10	26	6	0	0	0	0	0	0	0	16.54	0	0	11.2	0.1	1.2
2024	10	7	10	36	6	0	0	0	0	0	0	0	16.61	0	0	12	0.1	1.2
2024	10	7	10	46	6	0	0	0	0	0	0	0	16.59	0	0	11	0.1	1.2
2024	10	7	10	56	6	0	0	0	0	0	0	0	16.6	0	0	11.2	0.1	1.2
2024	10	7	11	6	6	0	0	0	0	0	0	0	16.67	0	0	11.4	0.1	1.2
2024	10	7	11	16	6	0	0	0	0	0	0	0	16.7	0	0	12.2	0.1	1.2
2024	10	7	11	26	6	0	0	0	0	0	0	0	16.74	0	0	12.8	0.1	1.2
2024	10	7	11	36	6	0	0	0	0	0	0	0	16.73	0	0	11.4	0.1	1.2
2024	10	7	11	46	6	0	0	0	0	0	0	0	16.76	0	0	11.8	0.1	1.2
2024	10	7	11	56	6	0	0	0	0	0	0	0	16.71	0	0	11.4	0.1	1.2
2024	10	7	12	6	6	0	0	0	0	0	0	0	16.7	0	0	11.4	0.1	1.2
2024	10	7	12	16	6	0	0	0	0	0	0	0	16.82	0	0	12.6	0.1	1.2
2024	10	7	12	26	6	0	0	0	0	0	0	0	16.88	0	0	12.6	0.1	1.2
2024	10	7	12	36	6	0	0	0	0	0	0	0	16.87	0	0	12.6	0.1	1.2
2024	10	7	12	46	6	0	0	0	0	0	0	0	16.87	0	0	12.4	0.1	1.2
2024	10	7	12	56	6	0	0	0	0	0	0	0	16.86	0	0	12.2	0.1	1.2
2024	10	7	13	6	6	0	0	0	0	0	0	0	16.93	0	0	12	0.1	1.2
2024	10	7	13	16	6	0	0	0	0	0	0	0	16.97	0	0	12.6	0.1	1.2
2024	10	7	13	26	6	0	0	0	0	0	0	0	16.9	0	0	12.2	0.1	1.2
2024	10	7	13	36	6	0	0	0	0	0	0	0	16.99	0	0	12.8	0.1	1.2
2024	10	7	13	46	6	0	0	0	0	0	0	0	17	0	0	12.4	0.1	1.2
2024	10	7	13	56	6	0	0	0	0	0	0	0	16.96	0	0	12.4	0.1	1.2
2024	10	7	14	6	6	0	0	0	0	0	0	0	16.94	0	0	12.4	0.1	1.2
2024	10	7	14	16	6	0	0	0	0	0	0	0	16.94	0	0	12.4	0.1	1.2
2024	10	7	14	26	6	0	0	0	0	0	0	0	16.92	0	0	11.8	0.1	1.2
2024	10	7	14	36	6	0	0	0	0	0	0	0	16.91	0	0	11.6	0.1	1.2
2024	10	7	14	46	6	0	0	0	0	0	0	0	16.92	0	0	12	0.1	1.2
2024	10	7	14	56	6	0	0	0	0	0	0	0	16.91	0	0	11.4	0.1	1.2
2024	10	7	15	6	6	0	0	0	0	0	0	0	16.9	0	0	11.4	0.1	1.2
2024	10	7	15	16	6	0	0	0	0	0	0	0	16.89	0	0	11.2	0.1	1.2
2024	10	7	15	26	6	0	0	0	0	0	0	0	16.89	0	0	11.2	0.1	1.2
2024	10	7	15	36	6	0	0	0	0	0	0	0	16.88	0	0	11.2	0.1	1.2
2024	10	7	15	46	6	0	0	0	0	0	0	0	16.88	0	0	11.2	0.1	1.2
2024	10	7	15	56	6	0	0	0	0	0	0	0	16.88	0	0	11.2	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	7	16	6	6	0	0	0	0	0	0	0	16.87	0	0	11	0.1	1.2
2024	10	7	16	16	6	0	0	0	0	0	0	0	16.87	0	0	11	0.1	1.2
2024	10	7	16	26	6	0	0	0	0	0	0	0	16.86	0	0	10.8	0.1	1.2
2024	10	7	16	36	6	0	0	0	0	0	0	0	16.85	0	0	10.6	0.1	1.2
2024	10	7	16	46	6	0	0	0	0	0	0	0	16.83	0	0	10.6	0.1	1.2
2024	10	7	16	56	6	0	0	0	0	0	0	0	16.83	0	0	10.6	0.1	1.2
2024	10	7	17	6	6	0	0	0	0	0	0	0	16.82	0	0	10.6	0.1	1.2
2024	10	7	17	16	6	0	0	0	0	0	0	0	16.81	0	0	10.6	0.1	1.2
2024	10	7	17	26	6	0	0	0	0	0	0	0	16.8	0	0	10.6	0.1	1.2
2024	10	7	17	36	6	0	0	0	0	0	0	0	16.79	0	0	10.6	0.1	1.2
2024	10	7	17	46	6	0	0	0	0	0	0	0	16.77	0	0	10.6	0.1	1.2
2024	10	7	17	56	6	0	0	0	0	0	0	0	16.75	0	0	10.8	0.1	1.2
2024	10	7	18	6	6	0	0	0	0	0	0	0	16.74	0	0	10.8	0.1	1.2
2024	10	7	18	16	6	0	0	0	0	0	0	0	16.73	0	0	10.8	0.1	1.2
2024	10	7	18	26	6	0	0	0	0	0	0	0	16.71	0	0	10.8	0.1	1.2
2024	10	7	18	36	6	0	0	0	0	0	0	0	16.7	0	0	11	0.1	1.2
2024	10	7	18	46	6	0	0	0	0	0	0	0	16.69	0	0	11	0.1	1.2
2024	10	7	18	56	6	0	0	0	0	0	0	0	16.67	0	0	10.8	0.1	1.2
2024	10	7	19	6	6	0	0	0	0	0	0	0	16.65	0	0	10.8	0.1	1.2
2024	10	7	19	16	6	0	0	0	0	0	0	0	16.64	0	0	11	0.1	1.2
2024	10	7	19	26	6	0	0	0	0	0	0	0	16.62	0	0	10.8	0.1	1.2
2024	10	7	19	36	6	0	0	0	0	0	0	0	16.61	0	0	11	0.1	1.2
2024	10	7	19	46	6	0	0	0	0	0	0	0	16.58	0	0	11	0.1	1.2
2024	10	7	19	56	6	0	0	0	0	0	0	0	16.57	0	0	11	0.1	1.2
2024	10	7	20	6	6	0	0	0	0	0	0	0	16.55	0	0	11	0.1	1.2
2024	10	7	20	16	6	0	0	0	0	0	0	0	16.53	0	0	10.2	0.1	1.2
2024	10	7	20	26	6	0	0	0	0	0	0	0	16.5	0	0	10.8	0.1	1.2
2024	10	7	20	36	6	0	0	0	0	0	0	0	16.49	0	0	10.8	0.1	1.2
2024	10	7	20	46	6	0	0	0	0	0	0	0	16.46	0	0	10.8	0.1	1.2
2024	10	7	20	56	6	0	0	0	0	0	0	0	16.45	0	0	10.8	0.1	1.2
2024	10	7	21	6	6	0	0	0	0	0	0	0	16.43	0	0	10.8	0.1	1.2
2024	10	7	21	16	6	0	0	0	0	0	0	0	16.4	0	0	10.8	0.1	1.2
2024	10	7	21	26	6	0	0	0	0	0	0	0	16.38	0	0	10.6	0.1	1.2
2024	10	7	21	36	6	0	0	0	0	0	0	0	16.36	0	0	10.6	0.1	1.2
2024	10	7	21	46	6	0	0	0	0	0	0	0	16.34	0	0	10.8	0.1	1.2
2024	10	7	21	56	6	0	0	0	0	0	0	0	16.31	0	0	10.6	0.1	1.2
2024	10	7	22	6	6	0	0	0	0	0	0	0	16.29	0	0	10.4	0.1	1.2
2024	10	7	22	16	6	0	0	0	0	0	0	0	16.27	0	0	10.4	0.1	1.2
2024	10	7	22	26	6	0	0	0	0	0	0	0	16.25	0	0	10.2	0.1	1.2
2024	10	7	22	36	6	0	0	0	0	0	0	0	16.24	0	0	10	0.1	1.2
2024	10	7	22	46	6	0	0	0	0	0	0	0	16.22	0	0	10	0.1	1.2
2024	10	7	22	56	6	0	0	0	0	0	0	0	16.2	0	0	10	0.1	1.2
2024	10	7	23	6	6	0	0	0	0	0	0	0	16.19	0	0	10.2	0.1	1.2
2024	10	7	23	16	6	0	0	0	0	0	0	0	16.18	0	0	10.2	0.1	1.2
2024	10	7	23	26	6	0	0	0	0	0	0	0	16.16	0	0	10.6	0.1	1.2
2024	10	7	23	36	6	0	0	0	0	0	0	0	16.15	0	0	10.4	0.1	1.2
2024	10	7	23	46	6	0	0	0	0	0	0	0	16.14	0	0	10	0.1	1.2
2024	10	7	23	56	6	0	0	0	0	0	0	0	16.13	0	0	10.2	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	8	0	6	6	0	0	0	0	0	0	0	16.12	0	0	10.4	0.1	1.2
2024	10	8	0	16	6	0	0	0	0	0	0	0	16.11	0	0	10.4	0.1	1.2
2024	10	8	0	26	6	0	0	0	0	0	0	0	16.11	0	0	10.4	0.1	1.2
2024	10	8	0	36	6	0	0	0	0	0	0	0	16.1	0	0	10.4	0.1	1.2
2024	10	8	0	46	6	0	0	0	0	0	0	0	16.09	0	0	10.2	0.1	1.2
2024	10	8	0	56	6	0	0	0	0	0	0	0	16.09	0	0	10.2	0.1	1.2
2024	10	8	1	6	6	0	0	0	0	0	0	0	16.08	0	0	10.2	0.1	1.2
2024	10	8	1	16	6	0	0	0	0	0	0	0	16.09	0	0	10.2	0.1	1.2
2024	10	8	1	26	6	0	0	0	0	0	0	0	16.08	0	0	10.2	0.1	1.2
2024	10	8	1	36	6	0	0	0	0	0	0	0	16.08	0	0	10.2	0.1	1.2
2024	10	8	1	46	6	0	0	0	0	0	0	0	16.07	0	0	10.4	0.1	1.2
2024	10	8	1	56	6	0	0	0	0	0	0	0	16.07	0	0	10.4	0.1	1.2
2024	10	8	2	6	6	0	0	0	0	0	0	0	16.06	0	0	10.4	0.1	1.2
2024	10	8	2	16	6	0	0	0	0	0	0	0	16.06	0	0	10.4	0.1	1.2
2024	10	8	2	26	6	0	0	0	0	0	0	0	16.05	0	0	10.4	0.1	1.2
2024	10	8	2	36	6	0	0	0	0	0	0	0	16.05	0	0	10.4	0.1	1.2
2024	10	8	2	46	6	0	0	0	0	0	0	0	16.04	0	0	10.4	0.1	1.2
2024	10	8	2	56	6	0	0	0	0	0	0	0	16.04	0	0	10.4	0.1	1.2
2024	10	8	3	6	6	0	0	0	0	0	0	0	16.04	0	0	10.4	0.1	1.2
2024	10	8	3	16	6	0	0	0	0	0	0	0	16.03	0	0	10.4	0.1	1.2
2024	10	8	3	26	6	0	0	0	0	0	0	0	16.03	0	0	10.4	0.1	1.2
2024	10	8	3	36	6	0	0	0	0	0	0	0	16.03	0	0	10.4	0.1	1.2
2024	10	8	3	46	6	0	0	0	0	0	0	0	16.02	0	0	10.4	0.1	1.2
2024	10	8	3	56	6	0	0	0	0	0	0	0	16.02	0	0	10.4	0.1	1.2
2024	10	8	4	6	6	0	0	0	0	0	0	0	16.02	0	0	10.4	0.1	1.2
2024	10	8	4	16	6	0	0	0	0	0	0	0	16.02	0	0	10.4	0.1	1.2
2024	10	8	4	26	6	0	0	0	0	0	0	0	16.02	0	0	10.4	0.1	1.2
2024	10	8	4	36	6	0	0	0	0	0	0	0	16.02	0	0	10.2	0.1	1.2
2024	10	8	4	46	6	0	0	0	0	0	0	0	16.01	0	0	10.2	0.1	1.2
2024	10	8	4	56	6	0	0	0	0	0	0	0	16.02	0	0	10.2	0.1	1.2
2024	10	8	5	6	6	0	0	0	0	0	0	0	16.02	0	0	10.2	0.1	1.2
2024	10	8	5	16	6	0	0	0	0	0	0	0	16.02	0	0	10.2	0.1	1.2
2024	10	8	5	26	6	0	0	0	0	0	0	0	16.02	0	0	10.2	0.1	1.2
2024	10	8	5	36	6	0	0	0	0	0	0	0	16.02	0	0	10.2	0.1	1.2
2024	10	8	5	46	6	0	0	0	0	0	0	0	16.01	0	0	10.2	0.1	1.2
2024	10	8	5	56	6	0	0	0	0	0	0	0	16.02	0	0	10.2	0.1	1.2
2024	10	8	6	6	6	0	0	0	0	0	0	0	16.02	0	0	10.2	0.1	1.2
2024	10	8	6	16	6	0	0	0	0	0	0	0	16.02	0	0	10	0.1	1.2
2024	10	8	6	26	6	0	0	0	0	0	0	0	16.01	0	0	10	0.1	1.2
2024	10	8	6	36	6	0	0	0	0	0	0	0	16.01	0	0	10	0.1	1.2
2024	10	8	6	46	6	0	0	0	0	0	0	0	16.01	0	0	10	0.1	1.2
2024	10	8	6	56	6	0	0	0	0	0	0	0	16	0	0	10	0.1	1.2
2024	10	8	7	6	6	0	0	0	0	0	0	0	16	0	0	10	0.1	1.2
2024	10	8	7	16	6	0	0	0	0	0	0	0	16.01	0	0	10	0.1	1.2
2024	10	8	7	26	6	0	0	0	0	0	0	0	16.02	0	0	10	0.1	1.2
2024	10	8	7	36	6	0	0	0	0	0	0	0	16.02	0	0	10	0.1	1.2
2024	10	8	7	46	6	0	0	0	0	0	0	0	16.02	0	0	10	0.1	1.2
2024	10	8	7	56	6	0	0	0	0	0	0	0	16.03	0	0	10	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	8	8	6	6	0	0	0	0	0	0	0	16.05	0	0	10	0.1	1.2
2024	10	8	8	16	6	0	0	0	0	0	0	0	16.05	0	0	10.2	0.1	1.2
2024	10	8	8	26	6	0	0	0	0	0	0	0	16.07	0	0	10.6	0.1	1.2
2024	10	8	8	36	6	0	0	0	0	0	0	0	16.08	0	0	10.4	0.1	1.2
2024	10	8	8	46	6	0	0	0	0	0	0	0	16.1	0	0	10.8	0.1	1.2
2024	10	8	8	56	6	0	0	0	0	0	0	0	16.14	0	0	10.8	0.1	1.2
2024	10	8	9	6	6	0	0	0	0	0	0	0	16.16	0	0	11	0.1	1.2
2024	10	8	9	16	6	0	0	0	0	0	0	0	16.18	0	0	11	0.1	1.2
2024	10	8	9	26	6	0	0	0	0	0	0	0	16.19	0	0	11.2	0.1	1.2
2024	10	8	9	36	6	0	0	0	0	0	0	0	16.19	0	0	11.2	0.1	1.2
2024	10	8	9	46	6	0	0	0	0	0	0	0	16.24	0	0	11.4	0.1	1.2
2024	10	8	9	56	6	0	0	0	0	0	0	0	16.26	0	0	11.4	0.1	1.2
2024	10	8	10	6	6	0	0	0	0	0	0	0	16.26	0	0	11.4	0.1	1.2
2024	10	8	10	16	6	0	0	0	0	0	0	0	16.31	0	0	12.4	0.1	1.2
2024	10	8	10	26	6	0	0	0	0	0	0	0	16.36	0	0	12.2	0.1	1.2
2024	10	8	10	36	6	0	0	0	0	0	0	0	16.38	0	0	12.4	0.1	1.2
2024	10	8	10	46	6	0	0	0	0	0	0	0	16.41	0	0	12.2	0.1	1.2
2024	10	8	10	56	6	0	0	0	0	0	0	0	16.39	0	0	11.8	0.1	1.2
2024	10	8	11	6	6	0	0	0	0	0	0	0	16.39	0	0	11.6	0.1	1.2
2024	10	8	11	16	6	0	0	0	0	0	0	0	16.44	0	0	12.2	0.1	1.2
2024	10	8	11	26	6	0	0	0	0	0	0	0	16.47	0	0	12.2	0.1	1.2
2024	10	8	11	36	6	0	0	0	0	0	0	0	16.49	0	0	12.2	0.1	1.2
2024	10	8	11	46	6	0	0	0	0	0	0	0	16.53	0	0	12	0.1	1.2
2024	10	8	11	56	6	0	0	0	0	0	0	0	16.48	0	0	11.4	0.1	1.2
2024	10	8	12	6	6	0	0	0	0	0	0	0	16.56	0	0	12.6	0.1	1.2
2024	10	8	12	16	6	0	0	0	0	0	0	0	16.59	0	0	12.6	0.1	1.2
2024	10	8	12	26	6	0	0	0	0	0	0	0	16.63	0	0	13	0.1	1.2
2024	10	8	12	36	6	0	0	0	0	0	0	0	16.65	0	0	13	0.1	1.2
2024	10	8	12	46	6	0	0	0	0	0	0	0	16.67	0	0	12.8	0.1	1.2
2024	10	8	12	56	6	0	0	0	0	0	0	0	16.69	0	0	12.8	0.1	1.2
2024	10	8	13	6	6	0	0	0	0	0	0	0	16.71	0	0	12.4	0.1	1.2
2024	10	8	13	16	6	0	0	0	0	0	0	0	16.63	0	0	11.4	0.1	1.2
2024	10	8	13	26	6	0	0	0	0	0	0	0	16.59	0	0	11.2	0.1	1.2
2024	10	8	13	36	6	0	0	0	0	0	0	0	16.58	0	0	11.6	0.1	1.2
2024	10	8	13	46	6	0	0	0	0	0	0	0	16.58	0	0	12	0.1	1.2
2024	10	8	13	56	6	0	0	0	0	0	0	0	16.57	0	0	12	0.1	1.2
2024	10	8	14	6	6	0	0	0	0	0	0	0	16.56	0	0	12.2	0.1	1.2
2024	10	8	14	16	6	0	0	0	0	0	0	0	16.63	0	0	13	0.1	1.2
2024	10	8	14	26	6	0	0	0	0	0	0	0	16.69	0	0	13	0.1	1.2
2024	10	8	14	36	6	0	0	0	0	0	0	0	16.66	0	0	12	0.1	1.2
2024	10	8	14	46	6	0	0	0	0	0	0	0	16.61	0	0	11.6	0.1	1.2
2024	10	8	14	56	6	0	0	0	0	0	0	0	16.59	0	0	11.6	0.1	1.2
2024	10	8	15	6	6	0	0	0	0	0	0	0	16.58	0	0	11.6	0.1	1.2
2024	10	8	15	16	6	0	0	0	0	0	0	0	16.57	0	0	11.6	0.1	1.2
2024	10	8	15	26	6	0	0	0	0	0	0	0	16.58	0	0	11.8	0.1	1.2
2024	10	8	15	36	6	0	0	0	0	0	0	0	16.61	0	0	12.8	0.1	1.2
2024	10	8	15	46	6	0	0	0	0	0	0	0	16.59	0	0	11.8	0.1	1.2
2024	10	8	15	56	6	0	0	0	0	0	0	0	16.58	0	0	11.6	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	8	16	6	6	0	0	0	0	0	0	0	16.56	0	0	11.4	0.1	1.2
2024	10	8	16	16	6	0	0	0	0	0	0	0	16.55	0	0	11.4	0.1	1.2
2024	10	8	16	26	6	0	0	0	0	0	0	0	16.54	0	0	11.2	0.1	1.2
2024	10	8	16	36	6	0	0	0	0	0	0	0	16.53	0	0	11.2	0.1	1.2
2024	10	8	16	46	6	0	0	0	0	0	0	0	16.51	0	0	11.4	0.1	1.2
2024	10	8	16	56	6	0	0	0	0	0	0	0	16.5	0	0	11.4	0.1	1.2
2024	10	8	17	6	6	0	0	0	0	0	0	0	16.49	0	0	11.2	0.1	1.2
2024	10	8	17	16	6	0	0	0	0	0	0	0	16.48	0	0	11.2	0.1	1.2
2024	10	8	17	26	6	0	0	0	0	0	0	0	16.48	0	0	11.4	0.1	1.2
2024	10	8	17	36	6	0	0	0	0	0	0	0	16.47	0	0	11.4	0.1	1.2
2024	10	8	17	46	6	0	0	0	0	0	0	0	16.46	0	0	11.2	0.1	1.2
2024	10	8	17	56	6	0	0	0	0	0	0	0	16.45	0	0	11.2	0.1	1.2
2024	10	8	18	6	6	0	0	0	0	0	0	0	16.44	0	0	10.8	0.1	1.2
2024	10	8	18	16	6	0	0	0	0	0	0	0	16.43	0	0	10.6	0.1	1.2
2024	10	8	18	26	6	0	0	0	0	0	0	0	16.41	0	0	10.8	0.1	1.2
2024	10	8	18	36	6	0	0	0	0	0	0	0	16.4	0	0	10.6	0.1	1.2
2024	10	8	18	46	6	0	0	0	0	0	0	0	16.38	0	0	10.6	0.1	1.2
2024	10	8	18	56	6	0	0	0	0	0	0	0	16.36	0	0	10.4	0.1	1.2
2024	10	8	19	6	6	0	0	0	0	0	0	0	16.34	0	0	10.8	0.1	1.2
2024	10	8	19	16	6	0	0	0	0	0	0	0	16.32	0	0	10.4	0.1	1.2
2024	10	8	19	26	6	0	0	0	0	0	0	0	16.3	0	0	9.8	0.1	1.2
2024	10	8	19	36	6	0	0	0	0	0	0	0	16.28	0	0	10.4	0.1	1.2
2024	10	8	19	46	6	0	0	0	0	0	0	0	16.25	0	0	10.6	0.1	1.2
2024	10	8	19	56	6	0	0	0	0	0	0	0	16.23	0	0	10.4	0.1	1.2
2024	10	8	20	6	6	0	0	0	0	0	0	0	16.21	0	0	10.2	0.1	1.2
2024	10	8	20	16	6	0	0	0	0	0	0	0	16.19	0	0	10.2	0.1	1.2
2024	10	8	20	26	6	0	0	0	0	0	0	0	16.18	0	0	10.8	0.1	1.2
2024	10	8	20	36	6	0	0	0	0	0	0	0	16.16	0	0	10.8	0.1	1.2
2024	10	8	20	46	6	0	0	0	0	0	0	0	16.14	0	0	10.8	0.1	1.2
2024	10	8	20	56	6	0	0	0	0	0	0	0	16.12	0	0	10.6	0.1	1.2
2024	10	8	21	6	6	0	0	0	0	0	0	0	16.1	0	0	10.6	0.1	1.2
2024	10	8	21	16	6	0	0	0	0	0	0	0	16.09	0	0	10.6	0.1	1.2
2024	10	8	21	26	6	0	0	0	0	0	0	0	16.07	0	0	10.4	0.1	1.2
2024	10	8	21	36	6	0	0	0	0	0	0	0	16.05	0	0	10.4	0.1	1.2
2024	10	8	21	46	6	0	0	0	0	0	0	0	16.03	0	0	10.2	0.1	1.2
2024	10	8	21	56	6	0	0	0	0	0	0	0	16.01	0	0	10.2	0.1	1.2
2024	10	8	22	6	6	0	0	0	0	0	0	0	16	0	0	10	0.1	1.2
2024	10	8	22	16	6	0	0	0	0	0	0	0	15.98	0	0	10	0.1	1.2
2024	10	8	22	26	6	0	0	0	0	0	0	0	15.96	0	0	10	0.1	1.2
2024	10	8	22	36	6	0	0	0	0	0	0	0	15.94	0	0	10	0.1	1.2
2024	10	8	22	46	6	0	0	0	0	0	0	0	15.93	0	0	10	0.1	1.2
2024	10	8	22	56	6	0	0	0	0	0	0	0	15.92	0	0	9.8	0.1	1.2
2024	10	8	23	6	6	0	0	0	0	0	0	0	15.9	0	0	9.6	0.1	1.2
2024	10	8	23	16	6	0	0	0	0	0	0	0	15.89	0	0	9.6	0.1	1.2
2024	10	8	23	26	6	0	0	0	0	0	0	0	15.89	0	0	9.6	0.1	1.2
2024	10	8	23	36	6	0	0	0	0	0	0	0	15.87	0	0	9.4	0.1	1.2
2024	10	8	23	46	6	0	0	0	0	0	0	0	15.86	0	0	10	0.1	1.2
2024	10	8	23	56	6	0	0	0	0	0	0	0	15.85	0	0	10.2	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	9	0	6	6	0	0	0	0	0	0	0	15.84	0	0	10	0.1	1.2
2024	10	9	0	16	6	0	0	0	0	0	0	0	15.84	0	0	9.8	0.1	1.2
2024	10	9	0	26	6	0	0	0	0	0	0	0	15.83	0	0	9.8	0.1	1.2
2024	10	9	0	36	6	0	0	0	0	0	0	0	15.82	0	0	9.6	0.1	1.2
2024	10	9	0	46	6	0	0	0	0	0	0	0	15.81	0	0	9.6	0.1	1.2
2024	10	9	0	56	6	0	0	0	0	0	0	0	15.8	0	0	9.6	0.1	1.2
2024	10	9	1	6	6	0	0	0	0	0	0	0	15.8	0	0	9.4	0.1	1.2
2024	10	9	1	16	6	0	0	0	0	0	0	0	15.79	0	0	9.4	0.1	1.2
2024	10	9	1	26	6	0	0	0	0	0	0	0	15.78	0	0	9.2	0.1	1.2
2024	10	9	1	36	6	0	0	0	0	0	0	0	15.78	0	0	9.2	0.1	1.2
2024	10	9	1	46	6	0	0	0	0	0	0	0	15.77	0	0	9.2	0.1	1.2
2024	10	9	1	56	6	0	0	0	0	0	0	0	15.77	0	0	9.2	0.1	1.2
2024	10	9	2	6	6	0	0	0	0	0	0	0	15.76	0	0	9.2	0.1	1.2
2024	10	9	2	16	6	0	0	0	0	0	0	0	15.75	0	0	9.2	0.1	1.2
2024	10	9	2	26	6	0	0	0	0	0	0	0	15.75	0	0	10.8	0.1	1.2
2024	10	9	2	36	6	0	0	0	0	0	0	0	15.74	0	0	10.8	0.1	1.2
2024	10	9	2	46	6	0	0	0	0	0	0	0	15.73	0	0	10.8	0.1	1.2
2024	10	9	2	56	6	0	0	0	0	0	0	0	15.72	0	0	10.8	0.1	1.2
2024	10	9	3	6	6	0	0	0	0	0	0	0	15.72	0	0	10.6	0.1	1.2
2024	10	9	3	16	6	0	0	0	0	0	0	0	15.71	0	0	10.6	0.1	1.2
2024	10	9	3	26	6	0	0	0	0	0	0	0	15.71	0	0	10.6	0.1	1.2
2024	10	9	3	36	6	0	0	0	0	0	0	0	15.7	0	0	10.6	0.1	1.2
2024	10	9	3	46	6	0	0	0	0	0	0	0	15.69	0	0	10.6	0.1	1.2
2024	10	9	3	56	6	0	0	0	0	0	0	0	15.69	0	0	10.6	0.1	1.2
2024	10	9	4	6	6	0	0	0	0	0	0	0	15.69	0	0	10.6	0.1	1.2
2024	10	9	4	16	6	0	0	0	0	0	0	0	15.67	0	0	10.6	0.1	1.2
2024	10	9	4	26	6	0	0	0	0	0	0	0	15.67	0	0	10.6	0.1	1.2
2024	10	9	4	36	6	0	0	0	0	0	0	0	15.66	0	0	10.6	0.1	1.2
2024	10	9	4	46	6	0	0	0	0	0	0	0	15.66	0	0	10.6	0.1	1.2
2024	10	9	4	56	6	0	0	0	0	0	0	0	15.65	0	0	10.6	0.1	1.2
2024	10	9	5	6	6	0	0	0	0	0	0	0	15.64	0	0	10.6	0.1	1.2
2024	10	9	5	16	6	0	0	0	0	0	0	0	15.64	0	0	10.6	0.1	1.2
2024	10	9	5	26	6	0	0	0	0	0	0	0	15.63	0	0	10.6	0.1	1.2
2024	10	9	5	36	6	0	0	0	0	0	0	0	15.62	0	0	10.6	0.1	1.2
2024	10	9	5	46	6	0	0	0	0	0	0	0	15.62	0	0	10.4	0.1	1.2
2024	10	9	5	56	6	0	0	0	0	0	0	0	15.62	0	0	10.4	0.1	1.2
2024	10	9	6	6	6	0	0	0	0	0	0	0	15.62	0	0	10.4	0.1	1.2
2024	10	9	6	16	6	0	0	0	0	0	0	0	15.6	0	0	10.4	0.1	1.2
2024	10	9	6	26	6	0	0	0	0	0	0	0	15.6	0	0	10.4	0.1	1.2
2024	10	9	6	36	6	0	0	0	0	0	0	0	15.59	0	0	10.4	0.1	1.2
2024	10	9	6	46	6	0	0	0	0	0	0	0	15.59	0	0	10.4	0.1	1.2
2024	10	9	6	56	6	0	0	0	0	0	0	0	15.58	0	0	10.4	0.1	1.2
2024	10	9	7	6	6	0	0	0	0	0	0	0	15.57	0	0	10.4	0.1	1.2
2024	10	9	7	16	6	0	0	0	0	0	0	0	15.57	0	0	10.4	0.1	1.2
2024	10	9	7	26	6	0	0	0	0	0	0	0	15.57	0	0	10.4	0.1	1.2
2024	10	9	7	36	6	0	0	0	0	0	0	0	15.56	0	0	10.4	0.1	1.2
2024	10	9	7	46	6	0	0	0	0	0	0	0	15.55	0	0	10.8	0.1	1.2
2024	10	9	7	56	6	0	0	0	0	0	0	0	15.55	0	0	11	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	9	8	6	6	0	0	0	0	0	0	0	15.55	0	0	11.2	0.1	1.2
2024	10	9	8	16	6	0	0	0	0	0	0	0	15.55	0	0	11.4	0.1	1.2
2024	10	9	8	26	6	0	0	0	0	0	0	0	15.56	0	0	11.6	0.1	1.2
2024	10	9	8	36	6	0	0	0	0	0	0	0	15.56	0	0	11.6	0.1	1.2
2024	10	9	8	46	6	0	0	0	0	0	0	0	15.57	0	0	11.6	0.1	1.2
2024	10	9	8	56	6	0	0	0	0	0	0	0	15.61	0	0	11.6	0.1	1.2
2024	10	9	9	6	6	0	0	0	0	0	0	0	15.63	0	0	11.4	0.1	1.2
2024	10	9	9	16	6	0	0	0	0	0	0	0	15.64	0	0	11.2	0.1	1.2
2024	10	9	9	26	6	0	0	0	0	0	0	0	15.67	0	0	11.2	0.1	1.2
2024	10	9	9	36	6	0	0	0	0	0	0	0	15.69	0	0	11.6	0.1	1.2
2024	10	9	9	46	6	0	0	0	0	0	0	0	15.71	0	0	11.2	0.1	1.2
2024	10	9	9	56	6	0	0	0	0	0	0	0	15.73	0	0	11.6	0.1	1.2
2024	10	9	10	6	6	0	0	0	0	0	0	0	15.76	0	0	11.6	0.1	1.2
2024	10	9	10	16	6	0	0	0	0	0	0	0	15.78	0	0	12.4	0.1	1.2
2024	10	9	10	26	6	0	0	0	0	0	0	0	15.8	0	0	12.6	0.1	1.2
2024	10	9	10	36	6	0	0	0	0	0	0	0	15.83	0	0	12.2	0.1	1.2
2024	10	9	10	46	6	0	0	0	0	0	0	0	15.85	0	0	12.2	0.1	1.2
2024	10	9	10	56	6	0	0	0	0	0	0	0	15.87	0	0	12	0.1	1.2
2024	10	9	11	6	6	0	0	0	0	0	0	0	15.9	0	0	12.4	0.1	1.2
2024	10	9	11	16	6	0	0	0	0	0	0	0	15.92	0	0	12.4	0.1	1.2
2024	10	9	11	26	6	0	0	0	0	0	0	0	15.94	0	0	12.2	0.1	1.2
2024	10	9	11	36	6	0	0	0	0	0	0	0	15.96	0	0	11.8	0.1	1.2
2024	10	9	11	46	6	0	0	0	0	0	0	0	15.99	0	0	11.6	0.1	1.2
2024	10	9	11	56	6	0	0	0	0	0	0	0	16	0	0	11.8	0.1	1.2
2024	10	9	12	6	6	0	0	0	0	0	0	0	16.03	0	0	11.4	0.1	1.2
2024	10	9	12	16	6	0	0	0	0	0	0	0	16.05	0	0	11.4	0.1	1.2
2024	10	9	12	26	6	0	0	0	0	0	0	0	16.08	0	0	12	0.1	1.2
2024	10	9	12	36	6	0	0	0	0	0	0	0	16.09	0	0	12.2	0.1	1.2
2024	10	9	12	46	6	0	0	0	0	0	0	0	16.11	0	0	12.2	0.1	1.2
2024	10	9	12	56	6	0	0	0	0	0	0	0	16.13	0	0	12	0.1	1.2
2024	10	9	13	6	6	0	0	0	0	0	0	0	16.15	0	0	12.6	0.1	1.2
2024	10	9	13	16	6	0	0	0	0	0	0	0	16.16	0	0	12.6	0.1	1.2
2024	10	9	13	26	6	0	0	0	0	0	0	0	16.17	0	0	12.4	0.1	1.2
2024	10	9	13	36	6	0	0	0	0	0	0	0	16.18	0	0	12.4	0.1	1.2
2024	10	9	13	46	6	0	0	0	0	0	0	0	16.19	0	0	12.6	0.1	1.2
2024	10	9	13	56	6	0	0	0	0	0	0	0	16.2	0	0	12.6	0.1	1.2
2024	10	9	14	6	6	0	0	0	0	0	0	0	16.22	0	0	12.8	0.1	1.2
2024	10	9	14	16	6	0	0	0	0	0	0	0	16.22	0	0	12.8	0.1	1.2
2024	10	9	14	26	6	0	0	0	0	0	0	0	16.22	0	0	12.8	0.1	1.2
2024	10	9	14	36	6	0	0	0	0	0	0	0	16.23	0	0	12.8	0.1	1.2
2024	10	9	14	46	6	0	0	0	0	0	0	0	16.23	0	0	12.8	0.1	1.2
2024	10	9	14	56	6	0	0	0	0	0	0	0	16.24	0	0	12.8	0.1	1.2
2024	10	9	15	6	6	0	0	0	0	0	0	0	16.24	0	0	12.8	0.1	1.2
2024	10	9	15	16	6	0	0	0	0	0	0	0	16.23	0	0	12.8	0.1	1.2
2024	10	9	15	26	6	0	0	0	0	0	0	0	16.23	0	0	12.8	0.1	1.2
2024	10	9	15	36	6	0	0	0	0	0	0	0	16.23	0	0	12.8	0.1	1.2
2024	10	9	15	46	6	0	0	0	0	0	0	0	16.23	0	0	12.8	0.1	1.2
2024	10	9	15	56	6	0	0	0	0	0	0	0	16.22	0	0	12.8	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	9	16	6	6	0	0	0	0	0	0	0	16.22	0	0	12.6	0.1	1.2
2024	10	9	16	16	6	0	0	0	0	0	0	0	16.21	0	0	12.2	0.1	1.2
2024	10	9	16	26	6	0	0	0	0	0	0	0	16.2	0	0	12	0.1	1.2
2024	10	9	16	36	6	0	0	0	0	0	0	0	16.19	0	0	11.8	0.1	1.2
2024	10	9	16	46	6	0	0	0	0	0	0	0	16.18	0	0	11.8	0.1	1.2
2024	10	9	16	56	6	0	0	0	0	0	0	0	16.17	0	0	11.6	0.1	1.2
2024	10	9	17	6	6	0	0	0	0	0	0	0	16.16	0	0	11.6	0.1	1.2
2024	10	9	17	16	6	0	0	0	0	0	0	0	16.15	0	0	11.4	0.1	1.2
2024	10	9	17	26	6	0	0	0	0	0	0	0	16.14	0	0	11.2	0.1	1.2
2024	10	9	17	36	6	0	0	0	0	0	0	0	16.13	0	0	10.8	0.1	1.2
2024	10	9	17	46	6	0	0	0	0	0	0	0	16.13	0	0	10.8	0.1	1.2
2024	10	9	17	56	6	0	0	0	0	0	0	0	16.11	0	0	10.4	0.1	1.2
2024	10	9	18	6	6	0	0	0	0	0	0	0	16.1	0	0	9.8	0.1	1.2
2024	10	9	18	16	6	0	0	0	0	0	0	0	16.09	0	0	10.6	0.1	1.2
2024	10	9	18	26	6	0	0	0	0	0	0	0	16.07	0	0	10.8	0.1	1.2
2024	10	9	18	36	6	0	0	0	0	0	0	0	16.05	0	0	10.6	0.1	1.2
2024	10	9	18	46	6	0	0	0	0	0	0	0	16.04	0	0	10.6	0.1	1.2
2024	10	9	18	56	6	0	0	0	0	0	0	0	16.01	0	0	10.4	0.1	1.2
2024	10	9	19	6	6	0	0	0	0	0	0	0	16	0	0	10.4	0.1	1.2
2024	10	9	19	16	6	0	0	0	0	0	0	0	15.97	0	0	10.6	0.1	1.2
2024	10	9	19	26	6	0	0	0	0	0	0	0	15.95	0	0	10.6	0.1	1.2
2024	10	9	19	36	6	0	0	0	0	0	0	0	15.93	0	0	10.8	0.1	1.2
2024	10	9	19	46	6	0	0	0	0	0	0	0	15.91	0	0	10.6	0.1	1.2
2024	10	9	19	56	6	0	0	0	0	0	0	0	15.88	0	0	10.6	0.1	1.2
2024	10	9	20	6	6	0	0	0	0	0	0	0	15.85	0	0	10.4	0.1	1.2
2024	10	9	20	16	6	0	0	0	0	0	0	0	15.82	0	0	10	0.1	1.2
2024	10	9	20	26	6	0	0	0	0	0	0	0	15.81	0	0	10.8	0.1	1.2
2024	10	9	20	36	6	0	0	0	0	0	0	0	15.78	0	0	11.4	0.1	1.2
2024	10	9	20	46	6	0	0	0	0	0	0	0	15.76	0	0	11.4	0.1	1.2
2024	10	9	20	56	6	0	0	0	0	0	0	0	15.74	0	0	11.4	0.1	1.2
2024	10	9	21	6	6	0	0	0	0	0	0	0	15.72	0	0	11.4	0.1	1.2
2024	10	9	21	16	6	0	0	0	0	0	0	0	15.7	0	0	11.4	0.1	1.2
2024	10	9	21	26	6	0	0	0	0	0	0	0	15.69	0	0	11.4	0.1	1.2
2024	10	9	21	36	6	0	0	0	0	0	0	0	15.68	0	0	11.4	0.1	1.2
2024	10	9	21	46	6	0	0	0	0	0	0	0	15.66	0	0	11.4	0.1	1.2
2024	10	9	21	56	6	0	0	0	0	0	0	0	15.65	0	0	11.4	0.1	1.2
2024	10	9	22	6	6	0	0	0	0	0	0	0	15.63	0	0	11.4	0.1	1.2
2024	10	9	22	16	6	0	0	0	0	0	0	0	15.62	0	0	11.4	0.1	1.2
2024	10	9	22	26	6	0	0	0	0	0	0	0	15.6	0	0	11.4	0.1	1.2
2024	10	9	22	36	6	0	0	0	0	0	0	0	15.59	0	0	11.4	0.1	1.2
2024	10	9	22	46	6	0	0	0	0	0	0	0	15.58	0	0	11.4	0.1	1.2
2024	10	9	22	56	6	0	0	0	0	0	0	0	15.57	0	0	11.4	0.1	1.2
2024	10	9	23	6	6	0	0	0	0	0	0	0	15.55	0	0	11.4	0.1	1.2
2024	10	9	23	16	6	0	0	0	0	0	0	0	15.54	0	0	11.4	0.1	1.2
2024	10	9	23	26	6	0	0	0	0	0	0	0	15.53	0	0	11.2	0.1	1.2
2024	10	9	23	36	6	0	0	0	0	0	0	0	15.52	0	0	11.2	0.1	1.2
2024	10	9	23	46	6	0	0	0	0	0	0	0	15.5	0	0	11.2	0.1	1.2
2024	10	9	23	56	6	0	0	0	0	0	0	0	15.5	0	0	11.2	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	10	0	6	6	0	0	0	0	0	0	0	15.48	0	0	11.2	0.1	1.2
2024	10	10	0	16	6	0	0	0	0	0	0	0	15.48	0	0	11.2	0.1	1.2
2024	10	10	0	26	6	0	0	0	0	0	0	0	15.47	0	0	11.2	0.1	1.2
2024	10	10	0	36	6	0	0	0	0	0	0	0	15.47	0	0	11	0.1	1.2
2024	10	10	0	46	6	0	0	0	0	0	0	0	15.46	0	0	10.8	0.1	1.2
2024	10	10	0	56	6	0	0	0	0	0	0	0	15.46	0	0	10.8	0.1	1.2
2024	10	10	1	6	6	0	0	0	0	0	0	0	15.45	0	0	10.6	0.1	1.2
2024	10	10	1	16	6	0	0	0	0	0	0	0	15.45	0	0	10.6	0.1	1.2
2024	10	10	1	26	6	0	0	0	0	0	0	0	15.45	0	0	10.6	0.1	1.2
2024	10	10	1	36	6	0	0	0	0	0	0	0	15.45	0	0	10.6	0.1	1.2
2024	10	10	1	46	6	0	0	0	0	0	0	0	15.45	0	0	10.6	0.1	1.2
2024	10	10	1	56	6	0	0	0	0	0	0	0	15.46	0	0	10.6	0.1	1.2
2024	10	10	2	6	6	0	0	0	0	0	0	0	15.45	0	0	10.6	0.1	1.2
2024	10	10	2	16	6	0	0	0	0	0	0	0	15.46	0	0	10.6	0.1	1.2
2024	10	10	2	26	6	0	0	0	0	0	0	0	15.45	0	0	10.6	0.1	1.2
2024	10	10	2	36	6	0	0	0	0	0	0	0	15.46	0	0	10.6	0.1	1.2
2024	10	10	2	46	6	0	0	0	0	0	0	0	15.46	0	0	10.6	0.1	1.2
2024	10	10	2	56	6	0	0	0	0	0	0	0	15.46	0	0	10.6	0.1	1.2
2024	10	10	3	6	6	0	0	0	0	0	0	0	15.46	0	0	10.6	0.1	1.2
2024	10	10	3	16	6	0	0	0	0	0	0	0	15.46	0	0	10.6	0.1	1.2
2024	10	10	3	26	6	0	0	0	0	0	0	0	15.47	0	0	10.4	0.1	1.2
2024	10	10	3	36	6	0	0	0	0	0	0	0	15.47	0	0	10.4	0.1	1.2
2024	10	10	3	46	6	0	0	0	0	0	0	0	15.47	0	0	10.4	0.1	1.2
2024	10	10	3	56	6	0	0	0	0	0	0	0	15.46	0	0	10.4	0.1	1.2
2024	10	10	4	6	6	0	0	0	0	0	0	0	15.46	0	0	10.4	0.1	1.2
2024	10	10	4	16	6	0	0	0	0	0	0	0	15.46	0	0	10.4	0.1	1.2
2024	10	10	4	26	6	0	0	0	0	0	0	0	15.46	0	0	10.4	0.1	1.2
2024	10	10	4	36	6	0	0	0	0	0	0	0	15.46	0	0	10.2	0.1	1.2
2024	10	10	4	46	6	0	0	0	0	0	0	0	15.46	0	0	10.2	0.1	1.2
2024	10	10	4	56	6	0	0	0	0	0	0	0	15.46	0	0	10.2	0.1	1.2
2024	10	10	5	6	6	0	0	0	0	0	0	0	15.46	0	0	10.2	0.1	1.2
2024	10	10	5	16	6	0	0	0	0	0	0	0	15.46	0	0	10.2	0.1	1.2
2024	10	10	5	26	6	0	0	0	0	0	0	0	15.46	0	0	10.2	0.1	1.2
2024	10	10	5	36	6	0	0	0	0	0	0	0	15.46	0	0	10.2	0.1	1.2
2024	10	10	5	46	6	0	0	0	0	0	0	0	15.46	0	0	10.2	0.1	1.2
2024	10	10	5	56	6	0	0	0	0	0	0	0	15.46	0	0	10.2	0.1	1.2
2024	10	10	6	6	6	0	0	0	0	0	0	0	15.46	0	0	10.2	0.1	1.2
2024	10	10	6	16	6	0	0	0	0	0	0	0	15.45	0	0	10	0.1	1.2
2024	10	10	6	26	6	0	0	0	0	0	0	0	15.46	0	0	10	0.1	1.2
2024	10	10	6	36	6	0	0	0	0	0	0	0	15.46	0	0	9.8	0.1	1.2
2024	10	10	6	46	6	0	0	0	0	0	0	0	15.45	0	0	9.8	0.1	1.2
2024	10	10	6	56	6	0	0	0	0	0	0	0	15.45	0	0	9.8	0.1	1.2
2024	10	10	7	6	6	0	0	0	0	0	0	0	15.44	0	0	9.8	0.1	1.2
2024	10	10	7	16	6	0	0	0	0	0	0	0	15.44	0	0	9.8	0.1	1.2
2024	10	10	7	26	6	0	0	0	0	0	0	0	15.44	0	0	9.8	0.1	1.2
2024	10	10	7	36	6	0	0	0	0	0	0	0	15.44	0	0	9.8	0.1	1.2
2024	10	10	7	46	6	0	0	0	0	0	0	0	15.43	0	0	10	0.1	1.2
2024	10	10	7	56	6	0	0	0	0	0	0	0	15.43	0	0	10.2	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	10	8	6	6	0	0	0	0	0	0	0	15.43	0	0	10.6	0.1	1.2
2024	10	10	8	16	6	0	0	0	0	0	0	0	15.44	0	0	10.8	0.1	1.2
2024	10	10	8	26	6	0	0	0	0	0	0	0	15.44	0	0	11	0.1	1.2
2024	10	10	8	36	6	0	0	0	0	0	0	0	15.45	0	0	11	0.1	1.2
2024	10	10	8	46	6	0	0	0	0	0	0	0	15.47	0	0	11	0.1	1.2
2024	10	10	8	56	6	0	0	0	0	0	0	0	15.51	0	0	11.2	0.1	1.2
2024	10	10	9	6	6	0	0	0	0	0	0	0	15.54	0	0	11.2	0.1	1.2
2024	10	10	9	16	6	0	0	0	0	0	0	0	15.57	0	0	11	0.1	1.2
2024	10	10	9	26	6	0	0	0	0	0	0	0	15.6	0	0	11.4	0.1	1.2
2024	10	10	9	36	6	0	0	0	0	0	0	0	15.63	0	0	11.4	0.1	1.2
2024	10	10	9	46	6	0	0	0	0	0	0	0	15.66	0	0	11.6	0.1	1.2
2024	10	10	9	56	6	0	0	0	0	0	0	0	15.69	0	0	13.2	0.1	1.2
2024	10	10	10	6	6	0	0	0	0	0	0	0	15.72	0	0	12.6	0.1	1.2
2024	10	10	10	16	6	0	0	0	0	0	0	0	15.75	0	0	12.4	0.1	1.2
2024	10	10	10	26	6	0	0	0	0	0	0	0	15.78	0	0	12	0.1	1.2
2024	10	10	10	36	6	0	0	0	0	0	0	0	15.81	0	0	11.8	0.1	1.2
2024	10	10	10	46	6	0	0	0	0	0	0	0	15.84	0	0	12.8	0.1	1.2
2024	10	10	10	56	6	0	0	0	0	0	0	0	15.87	0	0	12.8	0.1	1.2
2024	10	10	11	6	6	0	0	0	0	0	0	0	15.9	0	0	13	0.1	1.2
2024	10	10	11	16	6	0	0	0	0	0	0	0	15.93	0	0	12.8	0.1	1.2
2024	10	10	11	26	6	0	0	0	0	0	0	0	15.96	0	0	13	0.1	1.2
2024	10	10	11	36	6	0	0	0	0	0	0	0	15.98	0	0	12.8	0.1	1.2
2024	10	10	11	46	6	0	0	0	0	0	0	0	16.01	0	0	12.8	0.1	1.2
2024	10	10	11	56	6	0	0	0	0	0	0	0	16.04	0	0	12.8	0.1	1.2
2024	10	10	12	6	6	0	0	0	0	0	0	0	16.06	0	0	12.8	0.1	1.2
2024	10	10	12	16	6	0	0	0	0	0	0	0	16.09	0	0	12.6	0.1	1.2
2024	10	10	12	26	6	0	0	0	0	0	0	0	16.1	0	0	12.6	0.1	1.2
2024	10	10	12	36	6	0	0	0	0	0	0	0	16.13	0	0	12.6	0.1	1.2
2024	10	10	12	46	6	0	0	0	0	0	0	0	16.06	0	0	11.8	0.1	1.2
2024	10	10	12	56	6	0	0	0	0	0	0	0	16.05	0	0	12.6	0.1	1.2
2024	10	10	13	6	6	0	0	0	0	0	0	0	16.09	0	0	12.6	0.1	1.2
2024	10	10	13	16	6	0	0	0	0	0	0	0	16.1	0	0	12.6	0.1	1.2
2024	10	10	13	26	6	0	0	0	0	0	0	0	16.08	0	0	12.6	0.1	1.2
2024	10	10	13	36	6	0	0	0	0	0	0	0	16.1	0	0	12.6	0.1	1.2
2024	10	10	13	46	6	0	0	0	0	0	0	0	16.1	0	0	12.6	0.1	1.2
2024	10	10	13	56	6	0	0	0	0	0	0	0	16.1	0	0	12.6	0.1	1.2
2024	10	10	14	6	6	0	0	0	0	0	0	0	16.09	0	0	12.6	0.1	1.2
2024	10	10	14	16	6	0	0	0	0	0	0	0	16.13	0	0	12.6	0.1	1.2
2024	10	10	14	26	6	0	0	0	0	0	0	0	16.13	0	0	12.4	0.1	1.2
2024	10	10	14	36	6	0	0	0	0	0	0	0	16.09	0	0	12.4	0.1	1.2
2024	10	10	14	46	6	0	0	0	0	0	0	0	16.12	0	0	12.4	0.1	1.2
2024	10	10	14	56	6	0	0	0	0	0	0	0	16.09	0	0	12.2	0.1	1.2
2024	10	10	15	6	6	0	0	0	0	0	0	0	16.09	0	0	11.8	0.1	1.2
2024	10	10	15	16	6	0	0	0	0	0	0	0	16.09	0	0	12.2	0.1	1.2
2024	10	10	15	26	6	0	0	0	0	0	0	0	16.13	0	0	12.2	0.1	1.2
2024	10	10	15	36	6	0	0	0	0	0	0	0	16.09	0	0	11.6	0.1	1.2
2024	10	10	15	46	6	0	0	0	0	0	0	0	16.08	0	0	12	0.1	1.2
2024	10	10	15	56	6	0	0	0	0	0	0	0	16.07	0	0	11.6	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	10	16	6	6	0	0	0	0	0	0	0	16.07	0	0	11.6	0.1	1.2
2024	10	10	16	16	6	0	0	0	0	0	0	0	16.05	0	0	12.4	0.1	1.2
2024	10	10	16	26	6	0	0	0	0	0	0	0	16.04	0	0	11.4	0.1	1.2
2024	10	10	16	36	6	0	0	0	0	0	0	0	16.01	0	0	11.2	0.1	1.2
2024	10	10	16	46	6	0	0	0	0	0	0	0	16	0	0	11.2	0.1	1.2
2024	10	10	16	56	6	0	0	0	0	0	0	0	15.99	0	0	11.2	0.1	1.2
2024	10	10	17	6	6	0	0	0	0	0	0	0	15.98	0	0	10.8	0.1	1.2
2024	10	10	17	16	6	0	0	0	0	0	0	0	15.96	0	0	11	0.1	1.2
2024	10	10	17	26	6	0	0	0	0	0	0	0	15.95	0	0	11	0.1	1.2
2024	10	10	17	36	6	0	0	0	0	0	0	0	15.93	0	0	10.8	0.1	1.2
2024	10	10	17	46	6	0	0	0	0	0	0	0	15.93	0	0	10.8	0.1	1.2
2024	10	10	17	56	6	0	0	0	0	0	0	0	15.9	0	0	10.6	0.1	1.2
2024	10	10	18	6	6	0	0	0	0	0	0	0	15.88	0	0	10.8	0.1	1.2
2024	10	10	18	16	6	0	0	0	0	0	0	0	15.87	0	0	10.4	0.1	1.2
2024	10	10	18	26	6	0	0	0	0	0	0	0	15.85	0	0	10	0.1	1.2
2024	10	10	18	36	6	0	0	0	0	0	0	0	15.83	0	0	10	0.1	1.2
2024	10	10	18	46	6	0	0	0	0	0	0	0	15.81	0	0	9.8	0.1	1.2
2024	10	10	18	56	6	0	0	0	0	0	0	0	15.79	0	0	9.8	0.1	1.2
2024	10	10	19	6	6	0	0	0	0	0	0	0	15.77	0	0	10.6	0.1	1.2
2024	10	10	19	16	6	0	0	0	0	0	0	0	15.75	0	0	11	0.1	1.2
2024	10	10	19	26	6	0	0	0	0	0	0	0	15.73	0	0	10.8	0.1	1.2
2024	10	10	19	36	6	0	0	0	0	0	0	0	15.71	0	0	10.8	0.1	1.2
2024	10	10	19	46	6	0	0	0	0	0	0	0	15.69	0	0	10.8	0.1	1.2
2024	10	10	19	56	6	0	0	0	0	0	0	0	15.66	0	0	10.8	0.1	1.2
2024	10	10	20	6	6	0	0	0	0	0	0	0	15.63	0	0	10.6	0.1	1.2
2024	10	10	20	16	6	0	0	0	0	0	0	0	15.6	0	0	10.6	0.1	1.2
2024	10	10	20	26	6	0	0	0	0	0	0	0	15.58	0	0	10.6	0.1	1.2
2024	10	10	20	36	6	0	0	0	0	0	0	0	15.55	0	0	10.6	0.1	1.2
2024	10	10	20	46	6	0	0	0	0	0	0	0	15.53	0	0	10.6	0.1	1.2
2024	10	10	20	56	6	0	0	0	0	0	0	0	15.5	0	0	10.4	0.1	1.2
2024	10	10	21	6	6	0	0	0	0	0	0	0	15.49	0	0	10	0.1	1.2
2024	10	10	21	16	6	0	0	0	0	0	0	0	15.47	0	0	10.2	0.1	1.2
2024	10	10	21	26	6	0	0	0	0	0	0	0	15.45	0	0	10	0.1	1.2
2024	10	10	21	36	6	0	0	0	0	0	0	0	15.43	0	0	10	0.1	1.2
2024	10	10	21	46	6	0	0	0	0	0	0	0	15.41	0	0	10	0.1	1.2
2024	10	10	21	56	6	0	0	0	0	0	0	0	15.4	0	0	9.8	0.1	1.2
2024	10	10	22	6	6	0	0	0	0	0	0	0	15.39	0	0	9.8	0.1	1.2
2024	10	10	22	16	6	0	0	0	0	0	0	0	15.37	0	0	9.8	0.1	1.2
2024	10	10	22	26	6	0	0	0	0	0	0	0	15.36	0	0	9.6	0.1	1.2
2024	10	10	22	36	6	0	0	0	0	0	0	0	15.34	0	0	10.2	0.1	1.2
2024	10	10	22	46	6	0	0	0	0	0	0	0	15.33	0	0	10.2	0.1	1.2
2024	10	10	22	56	6	0	0	0	0	0	0	0	15.31	0	0	10.2	0.1	1.2
2024	10	10	23	6	6	0	0	0	0	0	0	0	15.3	0	0	10.2	0.1	1.2
2024	10	10	23	16	6	0	0	0	0	0	0	0	15.28	0	0	10.2	0.1	1.2
2024	10	10	23	26	6	0	0	0	0	0	0	0	15.26	0	0	10.2	0.1	1.2
2024	10	10	23	36	6	0	0	0	0	0	0	0	15.26	0	0	10	0.1	1.2
2024	10	10	23	46	6	0	0	0	0	0	0	0	15.24	0	0	10	0.1	1.2
2024	10	10	23	56	6	0	0	0	0	0	0	0	15.23	0	0	10	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	11	0	6	6	0	0	0	0	0	0	0	15.22	0	0	10	0.1	1.2
2024	10	11	0	16	6	0	0	0	0	0	0	0	15.21	0	0	10	0.1	1.2
2024	10	11	0	26	6	0	0	0	0	0	0	0	15.19	0	0	10	0.1	1.2
2024	10	11	0	36	6	0	0	0	0	0	0	0	15.18	0	0	10	0.1	1.2
2024	10	11	0	46	6	0	0	0	0	0	0	0	15.18	0	0	10	0.1	1.2
2024	10	11	0	56	6	0	0	0	0	0	0	0	15.16	0	0	10	0.1	1.2
2024	10	11	1	6	6	0	0	0	0	0	0	0	15.16	0	0	10	0.1	1.2
2024	10	11	1	16	6	0	0	0	0	0	0	0	15.15	0	0	10	0.1	1.2
2024	10	11	1	26	6	0	0	0	0	0	0	0	15.14	0	0	10	0.1	1.2
2024	10	11	1	36	6	0	0	0	0	0	0	0	15.13	0	0	10	0.1	1.2
2024	10	11	1	46	6	0	0	0	0	0	0	0	15.13	0	0	9.8	0.1	1.2
2024	10	11	1	56	6	0	0	0	0	0	0	0	15.12	0	0	9.8	0.1	1.2
2024	10	11	2	6	6	0	0	0	0	0	0	0	15.12	0	0	9.8	0.1	1.2
2024	10	11	2	16	6	0	0	0	0	0	0	0	15.11	0	0	10	0.1	1.2
2024	10	11	2	26	6	0	0	0	0	0	0	0	15.1	0	0	10	0.1	1.2
2024	10	11	2	36	6	0	0	0	0	0	0	0	15.1	0	0	10	0.1	1.2
2024	10	11	2	46	6	0	0	0	0	0	0	0	15.09	0	0	10	0.1	1.2
2024	10	11	2	56	6	0	0	0	0	0	0	0	15.08	0	0	10	0.1	1.2
2024	10	11	3	6	6	0	0	0	0	0	0	0	15.07	0	0	10	0.1	1.2
2024	10	11	3	16	6	0	0	0	0	0	0	0	15.07	0	0	10	0.1	1.2
2024	10	11	3	26	6	0	0	0	0	0	0	0	15.07	0	0	10	0.1	1.2
2024	10	11	3	36	6	0	0	0	0	0	0	0	15.06	0	0	10	0.1	1.2
2024	10	11	3	46	6	0	0	0	0	0	0	0	15.05	0	0	10	0.1	1.2
2024	10	11	3	56	6	0	0	0	0	0	0	0	15.05	0	0	10	0.1	1.2
2024	10	11	4	6	6	0	0	0	0	0	0	0	15.05	0	0	10	0.1	1.2
2024	10	11	4	16	6	0	0	0	0	0	0	0	15.04	0	0	10	0.1	1.2
2024	10	11	4	26	6	0	0	0	0	0	0	0	15.03	0	0	10	0.1	1.2
2024	10	11	4	36	6	0	0	0	0	0	0	0	15.02	0	0	10	0.1	1.2
2024	10	11	4	46	6	0	0	0	0	0	0	0	15.02	0	0	10	0.1	1.2
2024	10	11	4	56	6	0	0	0	0	0	0	0	15.01	0	0	10	0.1	1.2
2024	10	11	5	6	6	0	0	0	0	0	0	0	15.01	0	0	10	0.1	1.2
2024	10	11	5	16	6	0	0	0	0	0	0	0	15	0	0	10	0.1	1.2
2024	10	11	5	26	6	0	0	0	0	0	0	0	14.99	0	0	10	0.1	1.2
2024	10	11	5	36	6	0	0	0	0	0	0	0	14.98	0	0	10	0.1	1.2
2024	10	11	5	46	6	0	0	0	0	0	0	0	14.98	0	0	10	0.1	1.2
2024	10	11	5	56	6	0	0	0	0	0	0	0	14.98	0	0	10	0.1	1.2
2024	10	11	6	6	6	0	0	0	0	0	0	0	14.97	0	0	10	0.1	1.2
2024	10	11	6	16	6	0	0	0	0	0	0	0	14.96	0	0	10	0.1	1.2
2024	10	11	6	26	6	0	0	0	0	0	0	0	14.95	0	0	10	0.1	1.2
2024	10	11	6	36	6	0	0	0	0	0	0	0	14.95	0	0	10	0.1	1.2
2024	10	11	6	46	6	0	0	0	0	0	0	0	14.94	0	0	10	0.1	1.2
2024	10	11	6	56	6	0	0	0	0	0	0	0	14.93	0	0	10	0.1	1.2
2024	10	11	7	6	6	0	0	0	0	0	0	0	14.92	0	0	10	0.1	1.2
2024	10	11	7	16	6	0	0	0	0	0	0	0	14.92	0	0	10	0.1	1.2
2024	10	11	7	26	6	0	0	0	0	0	0	0	14.91	0	0	10	0.1	1.2
2024	10	11	7	36	6	0	0	0	0	0	0	0	14.9	0	0	10	0.1	1.2
2024	10	11	7	46	6	0	0	0	0	0	0	0	14.9	0	0	10.4	0.1	1.2
2024	10	11	7	56	6	0	0	0	0	0	0	0	14.9	0	0	10.6	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	11	8	6	6	0	0	0	0	0	0	0	14.9	0	0	10.8	0.1	1.2
2024	10	11	8	16	6	0	0	0	0	0	0	0	14.91	0	0	11	0.1	1.2
2024	10	11	8	26	6	0	0	0	0	0	0	0	14.91	0	0	11	0.1	1.2
2024	10	11	8	36	6	0	0	0	0	0	0	0	14.92	0	0	11	0.1	1.2
2024	10	11	8	46	6	0	0	0	0	0	0	0	14.94	0	0	11	0.1	1.2
2024	10	11	8	56	6	0	0	0	0	0	0	0	14.98	0	0	11.2	0.1	1.2
2024	10	11	9	6	6	0	0	0	0	0	0	0	14.99	0	0	11	0.1	1.2
2024	10	11	9	16	6	0	0	0	0	0	0	0	15.01	0	0	11	0.1	1.2
2024	10	11	9	26	6	0	0	0	0	0	0	0	15.03	0	0	11	0.1	1.2
2024	10	11	9	36	6	0	0	0	0	0	0	0	15.06	0	0	11.4	0.1	1.2
2024	10	11	9	46	6	0	0	0	0	0	0	0	15.08	0	0	10.8	0.1	1.2
2024	10	11	9	56	6	0	0	0	0	0	0	0	15.09	0	0	11.8	0.1	1.2
2024	10	11	10	6	6	0	0	0	0	0	0	0	15.12	0	0	12.8	0.1	1.2
2024	10	11	10	16	6	0	0	0	0	0	0	0	15.12	0	0	12.4	0.1	1.2
2024	10	11	10	26	6	0	0	0	0	0	0	0	15.17	0	0	12.6	0.1	1.2
2024	10	11	10	36	6	0	0	0	0	0	0	0	15.19	0	0	12.6	0.1	1.2
2024	10	11	10	46	6	0	0	0	0	0	0	0	15.16	0	0	12.4	0.1	1.2
2024	10	11	10	56	6	0	0	0	0	0	0	0	15.18	0	0	12.8	0.1	1.2
2024	10	11	11	6	6	0	0	0	0	0	0	0	15.2	0	0	12.6	0.1	1.2
2024	10	11	11	16	6	0	0	0	0	0	0	0	15.22	0	0	12.8	0.1	1.2
2024	10	11	11	26	6	0	0	0	0	0	0	0	15.23	0	0	12.2	0.1	1.2
2024	10	11	11	36	6	0	0	0	0	0	0	0	15.31	0	0	12.8	0.1	1.2
2024	10	11	11	46	6	0	0	0	0	0	0	0	15.29	0	0	12.8	0.1	1.2
2024	10	11	11	56	6	0	0	0	0	0	0	0	15.29	0	0	12.6	0.1	1.2
2024	10	11	12	6	6	0	0	0	0	0	0	0	15.28	0	0	12.6	0.1	1.2
2024	10	11	12	16	6	0	0	0	0	0	0	0	15.28	0	0	12.6	0.1	1.2
2024	10	11	12	26	6	0	0	0	0	0	0	0	15.31	0	0	12.8	0.1	1.2
2024	10	11	12	36	6	0	0	0	0	0	0	0	15.34	0	0	12.8	0.1	1.2
2024	10	11	12	46	6	0	0	0	0	0	0	0	15.32	0	0	12.6	0.1	1.2
2024	10	11	12	56	6	0	0	0	0	0	0	0	15.36	0	0	12.8	0.1	1.2
2024	10	11	13	6	6	0	0	0	0	0	0	0	15.36	0	0	12.6	0.1	1.2
2024	10	11	13	16	6	0	0	0	0	0	0	0	15.36	0	0	12.6	0.1	1.2
2024	10	11	13	26	6	0	0	0	0	0	0	0	15.35	0	0	12.6	0.1	1.2
2024	10	11	13	36	6	0	0	0	0	0	0	0	15.34	0	0	12.4	0.1	1.2
2024	10	11	13	46	6	0	0	0	0	0	0	0	15.35	0	0	12.4	0.1	1.2
2024	10	11	13	56	6	0	0	0	0	0	0	0	15.39	0	0	12.6	0.1	1.2
2024	10	11	14	6	6	0	0	0	0	0	0	0	15.39	0	0	12.6	0.1	1.2
2024	10	11	14	16	6	0	0	0	0	0	0	0	15.38	0	0	12.6	0.1	1.2
2024	10	11	14	26	6	0	0	0	0	0	0	0	15.4	0	0	12.6	0.1	1.2
2024	10	11	14	36	6	0	0	0	0	0	0	0	15.42	0	0	12.6	0.1	1.2
2024	10	11	14	46	6	0	0	0	0	0	0	0	15.43	0	0	12.6	0.1	1.2
2024	10	11	14	56	6	0	0	0	0	0	0	0	15.46	0	0	12.6	0.1	1.2
2024	10	11	15	6	6	0	0	0	0	0	0	0	15.43	0	0	12.2	0.1	1.2
2024	10	11	15	16	6	0	0	0	0	0	0	0	15.41	0	0	12	0.1	1.2
2024	10	11	15	26	6	0	0	0	0	0	0	0	15.44	0	0	12.6	0.1	1.2
2024	10	11	15	36	6	0	0	0	0	0	0	0	15.46	0	0	12.6	0.1	1.2
2024	10	11	15	46	6	0	0	0	0	0	0	0	15.46	0	0	12.6	0.1	1.2
2024	10	11	15	56	6	0	0	0	0	0	0	0	15.44	0	0	12.6	0.1	1.2

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	11	16	6	6	0	0	0	0	0	0	0	15.43	0	0	12.6	0.1	1.2
2024	10	11	16	16	6	0	0	0	0	0	0	0	15.42	0	0	12.4	0.1	1.2
2024	10	11	16	26	6	0	0	0	0	0	0	0	15.42	0	0	12.2	0.1	1.2
2024	10	11	16	36	6	0	0	0	0	0	0	0	15.4	0	0	11.8	0.1	1.2
2024	10	11	16	46	6	0	0	0	0	0	0	0	15.38	0	0	12	0.1	1.2
2024	10	11	16	56	6	0	0	0	0	0	0	0	15.37	0	0	11.8	0.1	1.2
2024	10	11	17	6	6	0	0	0	0	0	0	0	15.35	0	0	11.6	0.1	1.2
2024	10	11	17	16	6	0	0	0	0	0	0	0	15.35	0	0	11.6	0.1	1.2
2024	10	11	17	26	6	0	0	0	0	0	0	0	15.34	0	0	11.4	0.1	1.2
2024	10	11	17	36	6	0	0	0	0	0	0	0	15.33	0	0	11.6	0.1	1.2
2024	10	11	17	46	6	0	0	0	0	0	0	0	15.31	0	0	11	0.1	1.2
2024	10	11	17	56	6	0	0	0	0	0	0	0	15.3	0	0	11.2	0.1	1.2
2024	10	11	18	6	6	0	0	0	0	0	0	0	15.28	0	0	11.2	0.1	1.2
2024	10	11	18	16	6	0	0	0	0	0	0	0	15.27	0	0	10.8	0.1	1.2
2024	10	11	18	26	6	0	0	0	0	0	0	0	15.25	0	0	11	0.1	1.2
2024	10	11	18	36	6	0	0	0	0	0	0	0	15.23	0	0	10.8	0.1	1.2
2024	10	11	18	46	6	0	0	0	0	0	0	0	15.21	0	0	10.8	0.1	1.2
2024	10	11	18	56	6	0	0	0	0	0	0	0	15.19	0	0	10.8	0.1	1.2
2024	10	11	19	6	6	0	0	0	0	0	0	0	15.16	0	0	11	0.1	1.2
2024	10	11	19	16	6	0	0	0	0	0	0	0	15.14	0	0	11	0.1	1.2
2024	10	11	19	26	6	0	0	0	0	0	0	0	15.11	0	0	11	0.1	1.2
2024	10	11	19	36	6	0	0	0	0	0	0	0	15.08	0	0	11	0.1	1.2
2024	10	11	19	46	6	0	0	0	0	0	0	0	15.06	0	0	11	0.1	1.2
2024	10	11	19	56	6	0	0	0	0	0	0	0	15.03	0	0	11.2	0.1	1.2
2024	10	11	20	6	6	0	0	0	0	0	0	0	15.01	0	0	11.2	0.1	1.2
2024	10	11	20	16	6	0	0	0	0	0	0	0	14.98	0	0	11.2	0.1	1.2
2024	10	11	20	26	6	0	0	0	0	0	0	0	14.96	0	0	11	0.1	1.2
2024	10	11	20	36	6	0	0	0	0	0	0	0	14.93	0	0	11	0.1	1.2
2024	10	11	20	46	6	0	0	0	0	0	0	0	14.9	0	0	11	0.1	1.2
2024	10	11	20	56	6	0	0	0	0	0	0	0	14.88	0	0	11	0.1	1.2
2024	10	11	21	6	6	0	0	0	0	0	0	0	14.85	0	0	11	0.1	1.2
2024	10	11	21	16	6	0	0	0	0	0	0	0	14.83	0	0	11	0.1	1.1
2024	10	11	21	26	6	0	0	0	0	0	0	0	14.8	0	0	11	0.1	1.1
2024	10	11	21	36	6	0	0	0	0	0	0	0	14.78	0	0	11	0.1	1.1
2024	10	11	21	46	6	0	0	0	0	0	0	0	14.75	0	0	11	0.1	1.1
2024	10	11	21	56	6	0	0	0	0	0	0	0	14.73	0	0	11	0.1	1.1
2024	10	11	22	6	6	0	0	0	0	0	0	0	14.7	0	0	11	0.1	1.1
2024	10	11	22	16	6	0	0	0	0	0	0	0	14.68	0	0	11	0.1	1.1
2024	10	11	22	26	6	0	0	0	0	0	0	0	14.66	0	0	11	0.1	1.1
2024	10	11	22	36	6	0	0	0	0	0	0	0	14.64	0	0	11	0.1	1.1
2024	10	11	22	46	6	0	0	0	0	0	0	0	14.61	0	0	11	0.1	1.1
2024	10	11	22	56	6	0	0	0	0	0	0	0	14.59	0	0	11	0.1	1.1
2024	10	11	23	6	6	0	0	0	0	0	0	0	14.57	0	0	10.8	0.1	1.1
2024	10	11	23	16	6	0	0	0	0	0	0	0	14.55	0	0	10.8	0.1	1.1
2024	10	11	23	26	6	0	0	0	0	0	0	0	14.53	0	0	10.8	0.1	1.1
2024	10	11	23	36	6	0	0	0	0	0	0	0	14.51	0	0	10.8	0.1	1.1
2024	10	11	23	46	6	0	0	0	0	0	0	0	14.49	0	0	10.8	0.1	1.1
2024	10	11	23	56	6	0	0	0	0	0	0	0	14.47	0	0	10.8	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	12	0	6	6	0	0	0	0	0	0	0	14.45	0	0	10.8	0.1	1.1
2024	10	12	0	16	6	0	0	0	0	0	0	0	14.44	0	0	10.8	0.1	1.1
2024	10	12	0	26	6	0	0	0	0	0	0	0	14.41	0	0	10.8	0.1	1.1
2024	10	12	0	36	6	0	0	0	0	0	0	0	14.4	0	0	10.8	0.1	1.1
2024	10	12	0	46	6	0	0	0	0	0	0	0	14.39	0	0	10.8	0.1	1.1
2024	10	12	0	56	6	0	0	0	0	0	0	0	14.37	0	0	10.8	0.1	1.1
2024	10	12	1	6	6	0	0	0	0	0	0	0	14.35	0	0	10.8	0.1	1.1
2024	10	12	1	16	6	0	0	0	0	0	0	0	14.34	0	0	10.8	0.1	1.1
2024	10	12	1	26	6	0	0	0	0	0	0	0	14.32	0	0	10.8	0.1	1.1
2024	10	12	1	36	6	0	0	0	0	0	0	0	14.31	0	0	10.8	0.1	1.1
2024	10	12	1	46	6	0	0	0	0	0	0	0	14.3	0	0	10.8	0.1	1.1
2024	10	12	1	56	6	0	0	0	0	0	0	0	14.29	0	0	10.8	0.1	1.1
2024	10	12	2	6	6	0	0	0	0	0	0	0	14.28	0	0	10.8	0.1	1.1
2024	10	12	2	16	6	0	0	0	0	0	0	0	14.27	0	0	10.8	0.1	1.1
2024	10	12	2	26	6	0	0	0	0	0	0	0	14.26	0	0	10.8	0.1	1.1
2024	10	12	2	36	6	0	0	0	0	0	0	0	14.25	0	0	10.8	0.1	1.1
2024	10	12	2	46	6	0	0	0	0	0	0	0	14.25	0	0	10.8	0.1	1.1
2024	10	12	2	56	6	0	0	0	0	0	0	0	14.24	0	0	10.8	0.1	1.1
2024	10	12	3	6	6	0	0	0	0	0	0	0	14.23	0	0	10.8	0.1	1.1
2024	10	12	3	16	6	0	0	0	0	0	0	0	14.23	0	0	10.8	0.1	1.1
2024	10	12	3	26	6	0	0	0	0	0	0	0	14.23	0	0	10.8	0.1	1.1
2024	10	12	3	36	6	0	0	0	0	0	0	0	14.22	0	0	10.8	0.1	1.1
2024	10	12	3	46	6	0	0	0	0	0	0	0	14.22	0	0	10.8	0.1	1.1
2024	10	12	3	56	6	0	0	0	0	0	0	0	14.21	0	0	10.8	0.1	1.1
2024	10	12	4	6	6	0	0	0	0	0	0	0	14.21	0	0	10.8	0.1	1.1
2024	10	12	4	16	6	0	0	0	0	0	0	0	14.21	0	0	10.8	0.1	1.1
2024	10	12	4	26	6	0	0	0	0	0	0	0	14.2	0	0	10.8	0.1	1.1
2024	10	12	4	36	6	0	0	0	0	0	0	0	14.2	0	0	10.8	0.1	1.1
2024	10	12	4	46	6	0	0	0	0	0	0	0	14.2	0	0	10.8	0.1	1.1
2024	10	12	4	56	6	0	0	0	0	0	0	0	14.2	0	0	10.8	0.1	1.1
2024	10	12	5	6	6	0	0	0	0	0	0	0	14.2	0	0	10.6	0.1	1.1
2024	10	12	5	16	6	0	0	0	0	0	0	0	14.19	0	0	10.6	0.1	1.1
2024	10	12	5	26	6	0	0	0	0	0	0	0	14.2	0	0	10.6	0.1	1.1
2024	10	12	5	36	6	0	0	0	0	0	0	0	14.19	0	0	10.6	0.1	1.1
2024	10	12	5	46	6	0	0	0	0	0	0	0	14.19	0	0	10.6	0.1	1.1
2024	10	12	5	56	6	0	0	0	0	0	0	0	14.18	0	0	10.6	0.1	1.1
2024	10	12	6	6	6	0	0	0	0	0	0	0	14.18	0	0	10.6	0.1	1.1
2024	10	12	6	16	6	0	0	0	0	0	0	0	14.17	0	0	10.6	0.1	1.1
2024	10	12	6	26	6	0	0	0	0	0	0	0	14.18	0	0	10.6	0.1	1.1
2024	10	12	6	36	6	0	0	0	0	0	0	0	14.17	0	0	10.6	0.1	1.1
2024	10	12	6	46	6	0	0	0	0	0	0	0	14.17	0	0	10.6	0.1	1.1
2024	10	12	6	56	6	0	0	0	0	0	0	0	14.17	0	0	10.6	0.1	1.1
2024	10	12	7	6	6	0	0	0	0	0	0	0	14.16	0	0	10.6	0.1	1.1
2024	10	12	7	16	6	0	0	0	0	0	0	0	14.15	0	0	10.6	0.1	1.1
2024	10	12	7	26	6	0	0	0	0	0	0	0	14.15	0	0	10.6	0.1	1.1
2024	10	12	7	36	6	0	0	0	0	0	0	0	14.15	0	0	10.6	0.1	1.1
2024	10	12	7	46	6	0	0	0	0	0	0	0	14.15	0	0	11	0.1	1.1
2024	10	12	7	56	6	0	0	0	0	0	0	0	14.15	0	0	11.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	12	8	6	6	0	0	0	0	0	0	0	14.15	0	0	11.6	0.1	1.1
2024	10	12	8	16	6	0	0	0	0	0	0	0	14.15	0	0	11.8	0.1	1.1
2024	10	12	8	26	6	0	0	0	0	0	0	0	14.16	0	0	12	0.1	1.1
2024	10	12	8	36	6	0	0	0	0	0	0	0	14.17	0	0	12	0.1	1.1
2024	10	12	8	46	6	0	0	0	0	0	0	0	14.2	0	0	12	0.1	1.1
2024	10	12	8	56	6	0	0	0	0	0	0	0	14.25	0	0	12	0.1	1.1
2024	10	12	9	6	6	0	0	0	0	0	0	0	14.28	0	0	11.8	0.1	1.1
2024	10	12	9	16	6	0	0	0	0	0	0	0	14.31	0	0	12	0.1	1.1
2024	10	12	9	26	6	0	0	0	0	0	0	0	14.35	0	0	12.2	0.1	1.1
2024	10	12	9	36	6	0	0	0	0	0	0	0	14.37	0	0	12.4	0.1	1.1
2024	10	12	9	46	6	0	0	0	0	0	0	0	14.39	0	0	12.6	0.1	1.1
2024	10	12	9	56	6	0	0	0	0	0	0	0	14.41	0	0	12.6	0.1	1.1
2024	10	12	10	6	6	0	0	0	0	0	0	0	14.44	0	0	12.6	0.1	1.1
2024	10	12	10	16	6	0	0	0	0	0	0	0	14.47	0	0	12.6	0.1	1.1
2024	10	12	10	26	6	0	0	0	0	0	0	0	14.5	0	0	12.8	0.1	1.1
2024	10	12	10	36	6	0	0	0	0	0	0	0	14.53	0	0	12.8	0.1	1.1
2024	10	12	10	46	6	0	0	0	0	0	0	0	14.55	0	0	13	0.1	1.1
2024	10	12	10	56	6	0	0	0	0	0	0	0	14.58	0	0	13.2	0.1	1.1
2024	10	12	11	6	6	0	0	0	0	0	0	0	14.61	0	0	12.8	0.1	1.1
2024	10	12	11	16	6	0	0	0	0	0	0	0	14.65	0	0	12.8	0.1	1.1
2024	10	12	11	26	6	0	0	0	0	0	0	0	14.67	0	0	12.8	0.1	1.1
2024	10	12	11	36	6	0	0	0	0	0	0	0	14.7	0	0	13	0.1	1.1
2024	10	12	11	46	6	0	0	0	0	0	0	0	14.74	0	0	13	0.1	1.1
2024	10	12	11	56	6	0	0	0	0	0	0	0	14.76	0	0	12	0.1	1.1
2024	10	12	12	6	6	0	0	0	0	0	0	0	14.79	0	0	12	0.1	1.1
2024	10	12	12	16	6	0	0	0	0	0	0	0	14.81	0	0	12.8	0.1	1.1
2024	10	12	12	26	6	0	0	0	0	0	0	0	14.83	0	0	12.6	0.1	1.1
2024	10	12	12	36	6	0	0	0	0	0	0	0	14.86	0	0	12.6	0.1	1.1
2024	10	12	12	46	6	0	0	0	0	0	0	0	14.87	0	0	12.8	0.1	1.1
2024	10	12	12	56	6	0	0	0	0	0	0	0	14.9	0	0	12.8	0.1	1.1
2024	10	12	13	6	6	0	0	0	0	0	0	0	14.92	0	0	12.6	0.1	1.1
2024	10	12	13	16	6	0	0	0	0	0	0	0	14.94	0	0	12.6	0.1	1.1
2024	10	12	13	26	6	0	0	0	0	0	0	0	14.96	0	0	12.6	0.1	1.1
2024	10	12	13	36	6	0	0	0	0	0	0	0	14.97	0	0	12.4	0.1	1.1
2024	10	12	13	46	6	0	0	0	0	0	0	0	14.99	0	0	12.4	0.1	1.1
2024	10	12	13	56	6	0	0	0	0	0	0	0	15	0	0	12.6	0.1	1.1
2024	10	12	14	6	6	0	0	0	0	0	0	0	15.01	0	0	12.4	0.1	1.1
2024	10	12	14	16	6	0	0	0	0	0	0	0	15.01	0	0	12.4	0.1	1.1
2024	10	12	14	26	6	0	0	0	0	0	0	0	15.02	0	0	12.4	0.1	1.1
2024	10	12	14	36	6	0	0	0	0	0	0	0	15.03	0	0	12.4	0.1	1.1
2024	10	12	14	46	6	0	0	0	0	0	0	0	15.04	0	0	12.4	0.1	1.1
2024	10	12	14	56	6	0	0	0	0	0	0	0	15.05	0	0	12.2	0.1	1.1
2024	10	12	15	6	6	0	0	0	0	0	0	0	15.04	0	0	12.2	0.1	1.1
2024	10	12	15	16	6	0	0	0	0	0	0	0	15.04	0	0	12.2	0.1	1.1
2024	10	12	15	26	6	0	0	0	0	0	0	0	15.04	0	0	12.2	0.1	1.1
2024	10	12	15	36	6	0	0	0	0	0	0	0	15.02	0	0	12.2	0.1	1.1
2024	10	12	15	46	6	0	0	0	0	0	0	0	15.01	0	0	12	0.1	1.1
2024	10	12	15	56	6	0	0	0	0	0	0	0	15.01	0	0	12	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	12	16	6	6	0	0	0	0	0	0	0	15	0	0	11.8	0.1	1.1
2024	10	12	16	16	6	0	0	0	0	0	0	0	14.98	0	0	12	0.1	1.1
2024	10	12	16	26	6	0	0	0	0	0	0	0	14.97	0	0	11.4	0.1	1.1
2024	10	12	16	36	6	0	0	0	0	0	0	0	14.96	0	0	11	0.1	1.1
2024	10	12	16	46	6	0	0	0	0	0	0	0	14.94	0	0	11	0.1	1.1
2024	10	12	16	56	6	0	0	0	0	0	0	0	14.92	0	0	10.8	0.1	1.1
2024	10	12	17	6	6	0	0	0	0	0	0	0	14.91	0	0	10.8	0.1	1.1
2024	10	12	17	16	6	0	0	0	0	0	0	0	14.91	0	0	10.8	0.1	1.1
2024	10	12	17	26	6	0	0	0	0	0	0	0	14.89	0	0	10.6	0.1	1.1
2024	10	12	17	36	6	0	0	0	0	0	0	0	14.89	0	0	10.6	0.1	1.1
2024	10	12	17	46	6	0	0	0	0	0	0	0	14.88	0	0	10.6	0.1	1.1
2024	10	12	17	56	6	0	0	0	0	0	0	0	14.86	0	0	10.4	0.1	1.1
2024	10	12	18	6	6	0	0	0	0	0	0	0	14.85	0	0	10.4	0.1	1.1
2024	10	12	18	16	6	0	0	0	0	0	0	0	14.83	0	0	10.8	0.1	1.1
2024	10	12	18	26	6	0	0	0	0	0	0	0	14.81	0	0	10.8	0.1	1.1
2024	10	12	18	36	6	0	0	0	0	0	0	0	14.79	0	0	10.8	0.1	1.1
2024	10	12	18	46	6	0	0	0	0	0	0	0	14.77	0	0	10.8	0.1	1.1
2024	10	12	18	56	6	0	0	0	0	0	0	0	14.74	0	0	10.6	0.1	1.1
2024	10	12	19	6	6	0	0	0	0	0	0	0	14.72	0	0	10.4	0.1	1.1
2024	10	12	19	16	6	0	0	0	0	0	0	0	14.69	0	0	10.4	0.1	1.1
2024	10	12	19	26	6	0	0	0	0	0	0	0	14.66	0	0	10.4	0.1	1.1
2024	10	12	19	36	6	0	0	0	0	0	0	0	14.63	0	0	10.6	0.1	1.1
2024	10	12	19	46	6	0	0	0	0	0	0	0	14.6	0	0	10.2	0.1	1.1
2024	10	12	19	56	6	0	0	0	0	0	0	0	14.57	0	0	10.2	0.1	1.1
2024	10	12	20	6	6	0	0	0	0	0	0	0	14.54	0	0	10.2	0.1	1.1
2024	10	12	20	16	6	0	0	0	0	0	0	0	14.51	0	0	10.2	0.1	1.1
2024	10	12	20	26	6	0	0	0	0	0	0	0	14.48	0	0	10	0.1	1.1
2024	10	12	20	36	6	0	0	0	0	0	0	0	14.45	0	0	9.8	0.1	1.1
2024	10	12	20	46	6	0	0	0	0	0	0	0	14.41	0	0	9.8	0.1	1.1
2024	10	12	20	56	6	0	0	0	0	0	0	0	14.38	0	0	9.8	0.1	1.1
2024	10	12	21	6	6	0	0	0	0	0	0	0	14.35	0	0	10	0.1	1.1
2024	10	12	21	16	6	0	0	0	0	0	0	0	14.32	0	0	10.2	0.1	1.1
2024	10	12	21	26	6	0	0	0	0	0	0	0	14.29	0	0	10	0.1	1.1
2024	10	12	21	36	6	0	0	0	0	0	0	0	14.25	0	0	10	0.1	1.1
2024	10	12	21	46	6	0	0	0	0	0	0	0	14.22	0	0	10	0.1	1.1
2024	10	12	21	56	6	0	0	0	0	0	0	0	14.19	0	0	10	0.1	1.1
2024	10	12	22	6	6	0	0	0	0	0	0	0	14.16	0	0	10	0.1	1.1
2024	10	12	22	16	6	0	0	0	0	0	0	0	14.13	0	0	10	0.1	1.1
2024	10	12	22	26	6	0	0	0	0	0	0	0	14.1	0	0	10	0.1	1.1
2024	10	12	22	36	6	0	0	0	0	0	0	0	14.08	0	0	10	0.1	1.1
2024	10	12	22	46	6	0	0	0	0	0	0	0	14.05	0	0	10	0.1	1.1
2024	10	12	22	56	6	0	0	0	0	0	0	0	14.02	0	0	10	0.1	1.1
2024	10	12	23	6	6	0	0	0	0	0	0	0	14	0	0	9.8	0.1	1.1
2024	10	12	23	16	6	0	0	0	0	0	0	0	13.97	0	0	9.8	0.1	1.1
2024	10	12	23	26	6	0	0	0	0	0	0	0	13.95	0	0	9.8	0.1	1.1
2024	10	12	23	36	6	0	0	0	0	0	0	0	13.93	0	0	9.8	0.1	1.1
2024	10	12	23	46	6	0	0	0	0	0	0	0	13.9	0	0	9.8	0.1	1.1
2024	10	12	23	56	6	0	0	0	0	0	0	0	13.88	0	0	9.8	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	13	0	6	6	0	0	0	0	0	0	0	13.86	0	0	9.6	0.1	1.1
2024	10	13	0	16	6	0	0	0	0	0	0	0	13.84	0	0	9.6	0.1	1.1
2024	10	13	0	26	6	0	0	0	0	0	0	0	13.82	0	0	9.6	0.1	1.1
2024	10	13	0	36	6	0	0	0	0	0	0	0	13.8	0	0	9.6	0.1	1.1
2024	10	13	0	46	6	0	0	0	0	0	0	0	13.79	0	0	9.6	0.1	1.1
2024	10	13	0	56	6	0	0	0	0	0	0	0	13.77	0	0	9.6	0.1	1.1
2024	10	13	1	6	6	0	0	0	0	0	0	0	13.75	0	0	9.6	0.1	1.1
2024	10	13	1	16	6	0	0	0	0	0	0	0	13.74	0	0	9.6	0.1	1.1
2024	10	13	1	26	6	0	0	0	0	0	0	0	13.73	0	0	9.6	0.1	1.1
2024	10	13	1	36	6	0	0	0	0	0	0	0	13.72	0	0	9.6	0.1	1.1
2024	10	13	1	46	6	0	0	0	0	0	0	0	13.7	0	0	9.6	0.1	1.1
2024	10	13	1	56	6	0	0	0	0	0	0	0	13.7	0	0	9.6	0.1	1.1
2024	10	13	2	6	6	0	0	0	0	0	0	0	13.68	0	0	9.6	0.1	1.1
2024	10	13	2	16	6	0	0	0	0	0	0	0	13.68	0	0	9.6	0.1	1.1
2024	10	13	2	26	6	0	0	0	0	0	0	0	13.67	0	0	9.6	0.1	1.1
2024	10	13	2	36	6	0	0	0	0	0	0	0	13.67	0	0	9.6	0.1	1.1
2024	10	13	2	46	6	0	0	0	0	0	0	0	13.66	0	0	9.6	0.1	1.1
2024	10	13	2	56	6	0	0	0	0	0	0	0	13.66	0	0	9.6	0.1	1.1
2024	10	13	3	6	6	0	0	0	0	0	0	0	13.66	0	0	9.4	0.1	1.1
2024	10	13	3	16	6	0	0	0	0	0	0	0	13.65	0	0	9.4	0.1	1.1
2024	10	13	3	26	6	0	0	0	0	0	0	0	13.65	0	0	9.6	0.1	1.1
2024	10	13	3	36	6	0	0	0	0	0	0	0	13.65	0	0	9.4	0.1	1.1
2024	10	13	3	46	6	0	0	0	0	0	0	0	13.65	0	0	9.4	0.1	1.1
2024	10	13	3	56	6	0	0	0	0	0	0	0	13.65	0	0	9.4	0.1	1.1
2024	10	13	4	6	6	0	0	0	0	0	0	0	13.65	0	0	10	0.1	1.1
2024	10	13	4	16	6	0	0	0	0	0	0	0	13.65	0	0	11.2	0.1	1.1
2024	10	13	4	26	6	0	0	0	0	0	0	0	13.65	0	0	11	0.1	1.1
2024	10	13	4	36	6	0	0	0	0	0	0	0	13.65	0	0	10.8	0.1	1.1
2024	10	13	4	46	6	0	0	0	0	0	0	0	13.64	0	0	10.8	0.1	1.1
2024	10	13	4	56	6	0	0	0	0	0	0	0	13.65	0	0	10.8	0.1	1.1
2024	10	13	5	6	6	0	0	0	0	0	0	0	13.65	0	0	10.8	0.1	1.1
2024	10	13	5	16	6	0	0	0	0	0	0	0	13.65	0	0	10.8	0.1	1.1
2024	10	13	5	26	6	0	0	0	0	0	0	0	13.65	0	0	10.8	0.1	1.1
2024	10	13	5	36	6	0	0	0	0	0	0	0	13.65	0	0	10.8	0.1	1.1
2024	10	13	5	46	6	0	0	0	0	0	0	0	13.64	0	0	10.8	0.1	1.1
2024	10	13	5	56	6	0	0	0	0	0	0	0	13.64	0	0	10.8	0.1	1.1
2024	10	13	6	6	6	0	0	0	0	0	0	0	13.64	0	0	10.6	0.1	1.1
2024	10	13	6	16	6	0	0	0	0	0	0	0	13.64	0	0	10.6	0.1	1.1
2024	10	13	6	26	6	0	0	0	0	0	0	0	13.64	0	0	10.6	0.1	1.1
2024	10	13	6	36	6	0	0	0	0	0	0	0	13.64	0	0	10.6	0.1	1.1
2024	10	13	6	46	6	0	0	0	0	0	0	0	13.64	0	0	10.6	0.1	1.1
2024	10	13	6	56	6	0	0	0	0	0	0	0	13.64	0	0	10.6	0.1	1.1
2024	10	13	7	6	6	0	0	0	0	0	0	0	13.64	0	0	10.8	0.1	1.1
2024	10	13	7	16	6	0	0	0	0	0	0	0	13.64	0	0	10.8	0.1	1.1
2024	10	13	7	26	6	0	0	0	0	0	0	0	13.65	0	0	10.8	0.1	1.1
2024	10	13	7	36	6	0	0	0	0	0	0	0	13.65	0	0	10.8	0.1	1.1
2024	10	13	7	46	6	0	0	0	0	0	0	0	13.65	0	0	11.2	0.1	1.1
2024	10	13	7	56	6	0	0	0	0	0	0	0	13.65	0	0	11.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	13	8	6	6	0	0	0	0	0	0	0	13.66	0	0	11.8	0.1	1.1
2024	10	13	8	16	6	0	0	0	0	0	0	0	13.67	0	0	11.8	0.1	1.1
2024	10	13	8	26	6	0	0	0	0	0	0	0	13.68	0	0	12	0.1	1.1
2024	10	13	8	36	6	0	0	0	0	0	0	0	13.69	0	0	12	0.1	1.1
2024	10	13	8	46	6	0	0	0	0	0	0	0	13.73	0	0	12.2	0.1	1.1
2024	10	13	8	56	6	0	0	0	0	0	0	0	13.78	0	0	11.8	0.1	1.1
2024	10	13	9	6	6	0	0	0	0	0	0	0	13.81	0	0	12.8	0.1	1.1
2024	10	13	9	16	6	0	0	0	0	0	0	0	13.85	0	0	12.8	0.1	1.1
2024	10	13	9	26	6	0	0	0	0	0	0	0	13.88	0	0	13	0.1	1.1
2024	10	13	9	36	6	0	0	0	0	0	0	0	13.91	0	0	13	0.1	1.1
2024	10	13	9	46	6	0	0	0	0	0	0	0	13.95	0	0	13.4	0.1	1.1
2024	10	13	9	56	6	0	0	0	0	0	0	0	14	0	0	13.6	0.1	1.1
2024	10	13	10	6	6	0	0	0	0	0	0	0	14.03	0	0	13.6	0.1	1.1
2024	10	13	10	16	6	0	0	0	0	0	0	0	14.07	0	0	13.4	0.1	1.1
2024	10	13	10	26	6	0	0	0	0	0	0	0	14.1	0	0	13.4	0.1	1.1
2024	10	13	10	36	6	0	0	0	0	0	0	0	14.15	0	0	13	0.1	1.1
2024	10	13	10	46	6	0	0	0	0	0	0	0	14.18	0	0	13.2	0.1	1.1
2024	10	13	10	56	6	0	0	0	0	0	0	0	14.22	0	0	13.4	0.1	1.1
2024	10	13	11	6	6	0	0	0	0	0	0	0	14.26	0	0	12.8	0.1	1.1
2024	10	13	11	16	6	0	0	0	0	0	0	0	14.29	0	0	12	0.1	1.1
2024	10	13	11	26	6	0	0	0	0	0	0	0	14.32	0	0	11.6	0.1	1.1
2024	10	13	11	36	6	0	0	0	0	0	0	0	14.36	0	0	11.6	0.1	1.1
2024	10	13	11	46	6	0	0	0	0	0	0	0	14.39	0	0	11.2	0.1	1.1
2024	10	13	11	56	6	0	0	0	0	0	0	0	14.43	0	0	12.4	0.1	1.1
2024	10	13	12	6	6	0	0	0	0	0	0	0	14.46	0	0	12.4	0.1	1.1
2024	10	13	12	16	6	0	0	0	0	0	0	0	14.49	0	0	12.2	0.1	1.1
2024	10	13	12	26	6	0	0	0	0	0	0	0	14.52	0	0	12.2	0.1	1.1
2024	10	13	12	36	6	0	0	0	0	0	0	0	14.54	0	0	12.2	0.1	1.1
2024	10	13	12	46	6	0	0	0	0	0	0	0	14.57	0	0	12.2	0.1	1.1
2024	10	13	12	56	6	0	0	0	0	0	0	0	14.59	0	0	12	0.1	1.1
2024	10	13	13	6	6	0	0	0	0	0	0	0	14.61	0	0	11.8	0.1	1.1
2024	10	13	13	16	6	0	0	0	0	0	0	0	14.63	0	0	12	0.1	1.1
2024	10	13	13	26	6	0	0	0	0	0	0	0	14.64	0	0	12	0.1	1.1
2024	10	13	13	36	6	0	0	0	0	0	0	0	14.66	0	0	12	0.1	1.1
2024	10	13	13	46	6	0	0	0	0	0	0	0	14.67	0	0	11.8	0.1	1.1
2024	10	13	13	56	6	0	0	0	0	0	0	0	14.68	0	0	11.8	0.1	1.1
2024	10	13	14	6	6	0	0	0	0	0	0	0	14.7	0	0	11.8	0.1	1.1
2024	10	13	14	16	6	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2024	10	13	14	26	6	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2024	10	13	14	36	6	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2024	10	13	14	46	6	0	0	0	0	0	0	0	14.71	0	0	11.6	0.1	1.1
2024	10	13	14	56	6	0	0	0	0	0	0	0	14.7	0	0	11.8	0.1	1.1
2024	10	13	15	6	6	0	0	0	0	0	0	0	14.7	0	0	11.8	0.1	1.1
2024	10	13	15	16	6	0	0	0	0	0	0	0	14.69	0	0	11.8	0.1	1.1
2024	10	13	15	26	6	0	0	0	0	0	0	0	14.68	0	0	11.4	0.1	1.1
2024	10	13	15	36	6	0	0	0	0	0	0	0	14.67	0	0	11.2	0.1	1.1
2024	10	13	15	46	6	0	0	0	0	0	0	0	14.66	0	0	11.2	0.1	1.1
2024	10	13	15	56	6	0	0	0	0	0	0	0	14.64	0	0	11.2	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	13	16	6	6	0	0	0	0	0	0	0	14.62	0	0	11.2	0.1	1.1
2024	10	13	16	16	6	0	0	0	0	0	0	0	14.61	0	0	11.2	0.1	1.1
2024	10	13	16	26	6	0	0	0	0	0	0	0	14.59	0	0	10.8	0.1	1.1
2024	10	13	16	36	6	0	0	0	0	0	0	0	14.58	0	0	10.6	0.1	1.1
2024	10	13	16	46	6	0	0	0	0	0	0	0	14.54	0	0	10.4	0.1	1.1
2024	10	13	16	56	6	0	0	0	0	0	0	0	14.53	0	0	10.4	0.1	1.1
2024	10	13	17	6	6	0	0	0	0	0	0	0	14.51	0	0	10.2	0.1	1.1
2024	10	13	17	16	6	0	0	0	0	0	0	0	14.5	0	0	10	0.1	1.1
2024	10	13	17	26	6	0	0	0	0	0	0	0	14.49	0	0	9.8	0.1	1.1
2024	10	13	17	36	6	0	0	0	0	0	0	0	14.48	0	0	11	0.1	1.1
2024	10	13	17	46	6	0	0	0	0	0	0	0	14.46	0	0	11.8	0.1	1.1
2024	10	13	17	56	6	0	0	0	0	0	0	0	14.45	0	0	11.8	0.1	1.1
2024	10	13	18	6	6	0	0	0	0	0	0	0	14.42	0	0	11.8	0.1	1.1
2024	10	13	18	16	6	0	0	0	0	0	0	0	14.4	0	0	11.8	0.1	1.1
2024	10	13	18	26	6	0	0	0	0	0	0	0	14.38	0	0	11.8	0.1	1.1
2024	10	13	18	36	6	0	0	0	0	0	0	0	14.35	0	0	11.8	0.1	1.1
2024	10	13	18	46	6	0	0	0	0	0	0	0	14.33	0	0	11.8	0.1	1.1
2024	10	13	18	56	6	0	0	0	0	0	0	0	14.3	0	0	11	0.1	1.1
2024	10	13	19	6	6	0	0	0	0	0	0	0	14.27	0	0	10.4	0.1	1.1
2024	10	13	19	16	6	0	0	0	0	0	0	0	14.24	0	0	10.4	0.1	1.1
2024	10	13	19	26	6	0	0	0	0	0	0	0	14.21	0	0	11.2	0.1	1.1
2024	10	13	19	36	6	0	0	0	0	0	0	0	14.18	0	0	10.6	0.1	1.1
2024	10	13	19	46	6	0	0	0	0	0	0	0	14.15	0	0	10.2	0.1	1.1
2024	10	13	19	56	6	0	0	0	0	0	0	0	14.11	0	0	10.2	0.1	1.1
2024	10	13	20	6	6	0	0	0	0	0	0	0	14.08	0	0	10	0.1	1.1
2024	10	13	20	16	6	0	0	0	0	0	0	0	14.05	0	0	10	0.1	1.1
2024	10	13	20	26	6	0	0	0	0	0	0	0	14.02	0	0	10.6	0.1	1.1
2024	10	13	20	36	6	0	0	0	0	0	0	0	13.98	0	0	10	0.1	1.1
2024	10	13	20	46	6	0	0	0	0	0	0	0	13.95	0	0	10	0.1	1.1
2024	10	13	20	56	6	0	0	0	0	0	0	0	13.91	0	0	9.8	0.1	1.1
2024	10	13	21	6	6	0	0	0	0	0	0	0	13.88	0	0	9.8	0.1	1.1
2024	10	13	21	16	6	0	0	0	0	0	0	0	13.84	0	0	10.4	0.1	1.1
2024	10	13	21	26	6	0	0	0	0	0	0	0	13.81	0	0	10.6	0.1	1.1
2024	10	13	21	36	6	0	0	0	0	0	0	0	13.77	0	0	10.2	0.1	1.1
2024	10	13	21	46	6	0	0	0	0	0	0	0	13.74	0	0	10	0.1	1.1
2024	10	13	21	56	6	0	0	0	0	0	0	0	13.7	0	0	9.8	0.1	1.1
2024	10	13	22	6	6	0	0	0	0	0	0	0	13.67	0	0	9.8	0.1	1.1
2024	10	13	22	16	6	0	0	0	0	0	0	0	13.65	0	0	9.8	0.1	1.1
2024	10	13	22	26	6	0	0	0	0	0	0	0	13.61	0	0	10.2	0.1	1.1
2024	10	13	22	36	6	0	0	0	0	0	0	0	13.58	0	0	10.2	0.1	1.1
2024	10	13	22	46	6	0	0	0	0	0	0	0	13.55	0	0	10.4	0.1	1.1
2024	10	13	22	56	6	0	0	0	0	0	0	0	13.52	0	0	10.2	0.1	1.1
2024	10	13	23	6	6	0	0	0	0	0	0	0	13.49	0	0	10.2	0.1	1.1
2024	10	13	23	16	6	0	0	0	0	0	0	0	13.47	0	0	10.2	0.1	1.1
2024	10	13	23	26	6	0	0	0	0	0	0	0	13.44	0	0	10	0.1	1.1
2024	10	13	23	36	6	0	0	0	0	0	0	0	13.42	0	0	10	0.1	1.1
2024	10	13	23	46	6	0	0	0	0	0	0	0	13.39	0	0	10	0.1	1.1
2024	10	13	23	56	6	0	0	0	0	0	0	0	13.37	0	0	10	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	14	0	6	6	0	0	0	0	0	0	0	13.35	0	0	9.8	0.1	1.1
2024	10	14	0	16	6	0	0	0	0	0	0	0	13.32	0	0	9.8	0.1	1.1
2024	10	14	0	26	6	0	0	0	0	0	0	0	13.3	0	0	9.8	0.1	1.1
2024	10	14	0	36	6	0	0	0	0	0	0	0	13.29	0	0	9.8	0.1	1.1
2024	10	14	0	46	6	0	0	0	0	0	0	0	13.27	0	0	9.8	0.1	1.1
2024	10	14	0	56	6	0	0	0	0	0	0	0	13.25	0	0	9.8	0.1	1.1
2024	10	14	1	6	6	0	0	0	0	0	0	0	13.24	0	0	9.6	0.1	1.1
2024	10	14	1	16	6	0	0	0	0	0	0	0	13.22	0	0	9.6	0.1	1.1
2024	10	14	1	26	6	0	0	0	0	0	0	0	13.21	0	0	9.8	0.1	1.1
2024	10	14	1	36	6	0	0	0	0	0	0	0	13.2	0	0	9.8	0.1	1.1
2024	10	14	1	46	6	0	0	0	0	0	0	0	13.18	0	0	9.8	0.1	1.1
2024	10	14	1	56	6	0	0	0	0	0	0	0	13.17	0	0	9.6	0.1	1.1
2024	10	14	2	6	6	0	0	0	0	0	0	0	13.16	0	0	9.6	0.1	1.1
2024	10	14	2	16	6	0	0	0	0	0	0	0	13.15	0	0	9.6	0.1	1.1
2024	10	14	2	26	6	0	0	0	0	0	0	0	13.14	0	0	9.6	0.1	1.1
2024	10	14	2	36	6	0	0	0	0	0	0	0	13.13	0	0	9.6	0.1	1.1
2024	10	14	2	46	6	0	0	0	0	0	0	0	13.13	0	0	9.6	0.1	1.1
2024	10	14	2	56	6	0	0	0	0	0	0	0	13.12	0	0	9.6	0.1	1.1
2024	10	14	3	6	6	0	0	0	0	0	0	0	13.11	0	0	9.6	0.1	1.1
2024	10	14	3	16	6	0	0	0	0	0	0	0	13.11	0	0	9.6	0.1	1.1
2024	10	14	3	26	6	0	0	0	0	0	0	0	13.11	0	0	9.6	0.1	1.1
2024	10	14	3	36	6	0	0	0	0	0	0	0	13.11	0	0	9.6	0.1	1.1
2024	10	14	3	46	6	0	0	0	0	0	0	0	13.11	0	0	9.6	0.1	1.1
2024	10	14	3	56	6	0	0	0	0	0	0	0	13.11	0	0	9.6	0.1	1.1
2024	10	14	4	6	6	0	0	0	0	0	0	0	13.11	0	0	9.6	0.1	1.1
2024	10	14	4	16	6	0	0	0	0	0	0	0	13.11	0	0	9.6	0.1	1.1
2024	10	14	4	26	6	0	0	0	0	0	0	0	13.11	0	0	9.8	0.1	1.1
2024	10	14	4	36	6	0	0	0	0	0	0	0	13.11	0	0	9.8	0.1	1.1
2024	10	14	4	46	6	0	0	0	0	0	0	0	13.11	0	0	9.8	0.1	1.1
2024	10	14	4	56	6	0	0	0	0	0	0	0	13.11	0	0	9.8	0.1	1.1
2024	10	14	5	6	6	0	0	0	0	0	0	0	13.12	0	0	9.6	0.1	1.1
2024	10	14	5	16	6	0	0	0	0	0	0	0	13.11	0	0	9.8	0.1	1.1
2024	10	14	5	26	6	0	0	0	0	0	0	0	13.11	0	0	9.8	0.1	1.1
2024	10	14	5	36	6	0	0	0	0	0	0	0	13.12	0	0	9.8	0.1	1.1
2024	10	14	5	46	6	0	0	0	0	0	0	0	13.12	0	0	9.8	0.1	1.1
2024	10	14	5	56	6	0	0	0	0	0	0	0	13.12	0	0	9.8	0.1	1.1
2024	10	14	6	6	6	0	0	0	0	0	0	0	13.13	0	0	9.8	0.1	1.1
2024	10	14	6	16	6	0	0	0	0	0	0	0	13.13	0	0	9.8	0.1	1.1
2024	10	14	6	26	6	0	0	0	0	0	0	0	13.13	0	0	9.6	0.1	1.1
2024	10	14	6	36	6	0	0	0	0	0	0	0	13.13	0	0	9.8	0.1	1.1
2024	10	14	6	46	6	0	0	0	0	0	0	0	13.14	0	0	9.8	0.1	1.1
2024	10	14	6	56	6	0	0	0	0	0	0	0	13.14	0	0	9.8	0.1	1.1
2024	10	14	7	6	6	0	0	0	0	0	0	0	13.14	0	0	9.8	0.1	1.1
2024	10	14	7	16	6	0	0	0	0	0	0	0	13.15	0	0	9.6	0.1	1.1
2024	10	14	7	26	6	0	0	0	0	0	0	0	13.15	0	0	9.6	0.1	1.1
2024	10	14	7	36	6	0	0	0	0	0	0	0	13.16	0	0	9.6	0.1	1.1
2024	10	14	7	46	6	0	0	0	0	0	0	0	13.16	0	0	10	0.1	1.1
2024	10	14	7	56	6	0	0	0	0	0	0	0	13.17	0	0	10.2	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	14	8	6	6	0	0	0	0	0	0	0	13.19	0	0	10.6	0.1	1.1
2024	10	14	8	16	6	0	0	0	0	0	0	0	13.2	0	0	10.8	0.1	1.1
2024	10	14	8	26	6	0	0	0	0	0	0	0	13.22	0	0	11	0.1	1.1
2024	10	14	8	36	6	0	0	0	0	0	0	0	13.24	0	0	10.8	0.1	1.1
2024	10	14	8	46	6	0	0	0	0	0	0	0	13.28	0	0	10.8	0.1	1.1
2024	10	14	8	56	6	0	0	0	0	0	0	0	13.33	0	0	12	0.1	1.1
2024	10	14	9	6	6	0	0	0	0	0	0	0	13.38	0	0	12	0.1	1.1
2024	10	14	9	16	6	0	0	0	0	0	0	0	13.42	0	0	12.2	0.1	1.1
2024	10	14	9	26	6	0	0	0	0	0	0	0	13.46	0	0	11	0.1	1.1
2024	10	14	9	36	6	0	0	0	0	0	0	0	13.5	0	0	11.4	0.1	1.1
2024	10	14	9	46	6	0	0	0	0	0	0	0	13.54	0	0	11.4	0.1	1.1
2024	10	14	9	56	6	0	0	0	0	0	0	0	13.58	0	0	11.8	0.1	1.1
2024	10	14	10	6	6	0	0	0	0	0	0	0	13.63	0	0	11.8	0.1	1.1
2024	10	14	10	16	6	0	0	0	0	0	0	0	13.67	0	0	11.6	0.1	1.1
2024	10	14	10	26	6	0	0	0	0	0	0	0	13.72	0	0	12	0.1	1.1
2024	10	14	10	36	6	0	0	0	0	0	0	0	13.76	0	0	11.8	0.1	1.1
2024	10	14	10	46	6	0	0	0	0	0	0	0	13.81	0	0	12.2	0.1	1.1
2024	10	14	10	56	6	0	0	0	0	0	0	0	13.85	0	0	12	0.1	1.1
2024	10	14	11	6	6	0	0	0	0	0	0	0	13.89	0	0	12.2	0.1	1.1
2024	10	14	11	16	6	0	0	0	0	0	0	0	13.93	0	0	12.2	0.1	1.1
2024	10	14	11	26	6	0	0	0	0	0	0	0	13.97	0	0	12.2	0.1	1.1
2024	10	14	11	36	6	0	0	0	0	0	0	0	14.01	0	0	12.2	0.1	1.1
2024	10	14	11	46	6	0	0	0	0	0	0	0	14.04	0	0	12	0.1	1.1
2024	10	14	11	56	6	0	0	0	0	0	0	0	14.09	0	0	12	0.1	1.1
2024	10	14	12	6	6	0	0	0	0	0	0	0	14.12	0	0	11.6	0.1	1.1
2024	10	14	12	16	6	0	0	0	0	0	0	0	14.15	0	0	11.6	0.1	1.1
2024	10	14	12	26	6	0	0	0	0	0	0	0	14.19	0	0	11.6	0.1	1.1
2024	10	14	12	36	6	0	0	0	0	0	0	0	14.22	0	0	11.8	0.1	1.1
2024	10	14	12	46	6	0	0	0	0	0	0	0	14.24	0	0	12	0.1	1.1
2024	10	14	12	56	6	0	0	0	0	0	0	0	14.27	0	0	11.6	0.1	1.1
2024	10	14	13	6	6	0	0	0	0	0	0	0	14.3	0	0	12	0.1	1.1
2024	10	14	13	16	6	0	0	0	0	0	0	0	14.33	0	0	12.2	0.1	1.1
2024	10	14	13	26	6	0	0	0	0	0	0	0	14.34	0	0	12.4	0.1	1.1
2024	10	14	13	36	6	0	0	0	0	0	0	0	14.36	0	0	12.2	0.1	1.1
2024	10	14	13	46	6	0	0	0	0	0	0	0	14.37	0	0	12	0.1	1.1
2024	10	14	13	56	6	0	0	0	0	0	0	0	14.39	0	0	12	0.1	1.1
2024	10	14	14	6	6	0	0	0	0	0	0	0	14.39	0	0	12	0.1	1.1
2024	10	14	14	16	6	0	0	0	0	0	0	0	14.41	0	0	12.2	0.1	1.1
2024	10	14	14	26	6	0	0	0	0	0	0	0	14.4	0	0	12.2	0.1	1.1
2024	10	14	14	36	6	0	0	0	0	0	0	0	14.41	0	0	12.2	0.1	1.1
2024	10	14	14	46	6	0	0	0	0	0	0	0	14.41	0	0	12.2	0.1	1.1
2024	10	14	14	56	6	0	0	0	0	0	0	0	14.41	0	0	12.2	0.1	1.1
2024	10	14	15	6	6	0	0	0	0	0	0	0	14.4	0	0	11.8	0.1	1.1
2024	10	14	15	16	6	0	0	0	0	0	0	0	14.39	0	0	11.8	0.1	1.1
2024	10	14	15	26	6	0	0	0	0	0	0	0	14.38	0	0	11.6	0.1	1.1
2024	10	14	15	36	6	0	0	0	0	0	0	0	14.37	0	0	11.4	0.1	1.1
2024	10	14	15	46	6	0	0	0	0	0	0	0	14.36	0	0	11.2	0.1	1.1
2024	10	14	15	56	6	0	0	0	0	0	0	0	14.35	0	0	11.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	14	16	6	6	0	0	0	0	0	0	0	14.33	0	0	11.4	0.1	1.1
2024	10	14	16	16	6	0	0	0	0	0	0	0	14.32	0	0	11.4	0.1	1.1
2024	10	14	16	26	6	0	0	0	0	0	0	0	14.3	0	0	11.4	0.1	1.1
2024	10	14	16	36	6	0	0	0	0	0	0	0	14.28	0	0	11	0.1	1.1
2024	10	14	16	46	6	0	0	0	0	0	0	0	14.25	0	0	10.8	0.1	1.1
2024	10	14	16	56	6	0	0	0	0	0	0	0	14.22	0	0	10.8	0.1	1.1
2024	10	14	17	6	6	0	0	0	0	0	0	0	14.21	0	0	10.6	0.1	1.1
2024	10	14	17	16	6	0	0	0	0	0	0	0	14.19	0	0	10.4	0.1	1.1
2024	10	14	17	26	6	0	0	0	0	0	0	0	14.18	0	0	10	0.1	1.1
2024	10	14	17	36	6	0	0	0	0	0	0	0	14.17	0	0	9.6	0.1	1.1
2024	10	14	17	46	6	0	0	0	0	0	0	0	14.15	0	0	9.4	0.1	1.1
2024	10	14	17	56	6	0	0	0	0	0	0	0	14.13	0	0	9.2	0.1	1.1
2024	10	14	18	6	6	0	0	0	0	0	0	0	14.12	0	0	11.2	0.1	1.1
2024	10	14	18	16	6	0	0	0	0	0	0	0	14.09	0	0	11.2	0.1	1.1
2024	10	14	18	26	6	0	0	0	0	0	0	0	14.07	0	0	11.2	0.1	1.1
2024	10	14	18	36	6	0	0	0	0	0	0	0	14.04	0	0	11.2	0.1	1.1
2024	10	14	18	46	6	0	0	0	0	0	0	0	14.02	0	0	11.2	0.1	1.1
2024	10	14	18	56	6	0	0	0	0	0	0	0	14	0	0	11	0.1	1.1
2024	10	14	19	6	6	0	0	0	0	0	0	0	13.96	0	0	11	0.1	1.1
2024	10	14	19	16	6	0	0	0	0	0	0	0	13.94	0	0	10.8	0.1	1.1
2024	10	14	19	26	6	0	0	0	0	0	0	0	13.9	0	0	11	0.1	1.1
2024	10	14	19	36	6	0	0	0	0	0	0	0	13.86	0	0	10.8	0.1	1.1
2024	10	14	19	46	6	0	0	0	0	0	0	0	13.83	0	0	10.6	0.1	1.1
2024	10	14	19	56	6	0	0	0	0	0	0	0	13.8	0	0	10.6	0.1	1.1
2024	10	14	20	6	6	0	0	0	0	0	0	0	13.76	0	0	10.6	0.1	1.1
2024	10	14	20	16	6	0	0	0	0	0	0	0	13.73	0	0	10.8	0.1	1.1
2024	10	14	20	26	6	0	0	0	0	0	0	0	13.7	0	0	10.8	0.1	1.1
2024	10	14	20	36	6	0	0	0	0	0	0	0	13.66	0	0	10.8	0.1	1.1
2024	10	14	20	46	6	0	0	0	0	0	0	0	13.62	0	0	10.8	0.1	1.1
2024	10	14	20	56	6	0	0	0	0	0	0	0	13.59	0	0	10.8	0.1	1.1
2024	10	14	21	6	6	0	0	0	0	0	0	0	13.56	0	0	10.8	0.1	1.1
2024	10	14	21	16	6	0	0	0	0	0	0	0	13.52	0	0	10.4	0.1	1.1
2024	10	14	21	26	6	0	0	0	0	0	0	0	13.49	0	0	10.4	0.1	1.1
2024	10	14	21	36	6	0	0	0	0	0	0	0	13.45	0	0	10.2	0.1	1.1
2024	10	14	21	46	6	0	0	0	0	0	0	0	13.42	0	0	10.4	0.1	1.1
2024	10	14	21	56	6	0	0	0	0	0	0	0	13.39	0	0	10.2	0.1	1.1
2024	10	14	22	6	6	0	0	0	0	0	0	0	13.35	0	0	10.2	0.1	1.1
2024	10	14	22	16	6	0	0	0	0	0	0	0	13.33	0	0	10.2	0.1	1.1
2024	10	14	22	26	6	0	0	0	0	0	0	0	13.3	0	0	10.2	0.1	1.1
2024	10	14	22	36	6	0	0	0	0	0	0	0	13.26	0	0	10.2	0.1	1.1
2024	10	14	22	46	6	0	0	0	0	0	0	0	13.23	0	0	10.2	0.1	1.1
2024	10	14	22	56	6	0	0	0	0	0	0	0	13.2	0	0	11.4	0.1	1.1
2024	10	14	23	6	6	0	0	0	0	0	0	0	13.17	0	0	11.4	0.1	1.1
2024	10	14	23	16	6	0	0	0	0	0	0	0	13.14	0	0	11.4	0.1	1.1
2024	10	14	23	26	6	0	0	0	0	0	0	0	13.12	0	0	11.4	0.1	1.1
2024	10	14	23	36	6	0	0	0	0	0	0	0	13.09	0	0	11.4	0.1	1.1
2024	10	14	23	46	6	0	0	0	0	0	0	0	13.07	0	0	11.4	0.1	1.1
2024	10	14	23	56	6	0	0	0	0	0	0	0	13.05	0	0	11.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	15	0	6	6	0	0	0	0	0	0	0	13.02	0	0	11.4	0.1	1.1
2024	10	15	0	16	6	0	0	0	0	0	0	0	13	0	0	11.4	0.1	1.1
2024	10	15	0	26	6	0	0	0	0	0	0	0	12.98	0	0	11.4	0.1	1.1
2024	10	15	0	36	6	0	0	0	0	0	0	0	12.97	0	0	11.4	0.1	1.1
2024	10	15	0	46	6	0	0	0	0	0	0	0	12.95	0	0	10.8	0.1	1.1
2024	10	15	0	56	6	0	0	0	0	0	0	0	12.93	0	0	10.4	0.1	1.1
2024	10	15	1	6	6	0	0	0	0	0	0	0	12.92	0	0	10.4	0.1	1.1
2024	10	15	1	16	6	0	0	0	0	0	0	0	12.9	0	0	10.4	0.1	1.1
2024	10	15	1	26	6	0	0	0	0	0	0	0	12.89	0	0	10.4	0.1	1.1
2024	10	15	1	36	6	0	0	0	0	0	0	0	12.87	0	0	10.2	0.1	1.1
2024	10	15	1	46	6	0	0	0	0	0	0	0	12.87	0	0	10.2	0.1	1.1
2024	10	15	1	56	6	0	0	0	0	0	0	0	12.85	0	0	10.2	0.1	1.1
2024	10	15	2	6	6	0	0	0	0	0	0	0	12.85	0	0	10.2	0.1	1.1
2024	10	15	2	16	6	0	0	0	0	0	0	0	12.84	0	0	10.2	0.1	1.1
2024	10	15	2	26	6	0	0	0	0	0	0	0	12.83	0	0	10.2	0.1	1.1
2024	10	15	2	36	6	0	0	0	0	0	0	0	12.83	0	0	10.2	0.1	1.1
2024	10	15	2	46	6	0	0	0	0	0	0	0	12.82	0	0	10.2	0.1	1.1
2024	10	15	2	56	6	0	0	0	0	0	0	0	12.82	0	0	10.2	0.1	1.1
2024	10	15	3	6	6	0	0	0	0	0	0	0	12.82	0	0	10.2	0.1	1.1
2024	10	15	3	16	6	0	0	0	0	0	0	0	12.82	0	0	10.2	0.1	1.1
2024	10	15	3	26	6	0	0	0	0	0	0	0	12.82	0	0	10.2	0.1	1.1
2024	10	15	3	36	6	0	0	0	0	0	0	0	12.82	0	0	10.2	0.1	1.1
2024	10	15	3	46	6	0	0	0	0	0	0	0	12.82	0	0	10.2	0.1	1.1
2024	10	15	3	56	6	0	0	0	0	0	0	0	12.82	0	0	10.2	0.1	1.1
2024	10	15	4	6	6	0	0	0	0	0	0	0	12.83	0	0	10.2	0.1	1.1
2024	10	15	4	16	6	0	0	0	0	0	0	0	12.83	0	0	10.2	0.1	1.1
2024	10	15	4	26	6	0	0	0	0	0	0	0	12.83	0	0	10.2	0.1	1.1
2024	10	15	4	36	6	0	0	0	0	0	0	0	12.84	0	0	10.2	0.1	1.1
2024	10	15	4	46	6	0	0	0	0	0	0	0	12.84	0	0	10.2	0.1	1.1
2024	10	15	4	56	6	0	0	0	0	0	0	0	12.85	0	0	10.2	0.1	1.1
2024	10	15	5	6	6	0	0	0	0	0	0	0	12.85	0	0	10	0.1	1.1
2024	10	15	5	16	6	0	0	0	0	0	0	0	12.85	0	0	10	0.1	1.1
2024	10	15	5	26	6	0	0	0	0	0	0	0	12.86	0	0	10	0.1	1.1
2024	10	15	5	36	6	0	0	0	0	0	0	0	12.86	0	0	10	0.1	1.1
2024	10	15	5	46	6	0	0	0	0	0	0	0	12.87	0	0	10	0.1	1.1
2024	10	15	5	56	6	0	0	0	0	0	0	0	12.87	0	0	10	0.1	1.1
2024	10	15	6	6	6	0	0	0	0	0	0	0	12.88	0	0	10	0.1	1.1
2024	10	15	6	16	6	0	0	0	0	0	0	0	12.89	0	0	10	0.1	1.1
2024	10	15	6	26	6	0	0	0	0	0	0	0	12.9	0	0	10	0.1	1.1
2024	10	15	6	36	6	0	0	0	0	0	0	0	12.91	0	0	10	0.1	1.1
2024	10	15	6	46	6	0	0	0	0	0	0	0	12.91	0	0	10	0.1	1.1
2024	10	15	6	56	6	0	0	0	0	0	0	0	12.91	0	0	10	0.1	1.1
2024	10	15	7	6	6	0	0	0	0	0	0	0	12.91	0	0	10	0.1	1.1
2024	10	15	7	16	6	0	0	0	0	0	0	0	12.92	0	0	10	0.1	1.1
2024	10	15	7	26	6	0	0	0	0	0	0	0	12.92	0	0	10	0.1	1.1
2024	10	15	7	36	6	0	0	0	0	0	0	0	12.93	0	0	10	0.1	1.1
2024	10	15	7	46	6	0	0	0	0	0	0	0	12.94	0	0	10.2	0.1	1.1
2024	10	15	7	56	6	0	0	0	0	0	0	0	12.95	0	0	10.6	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	15	8	6	6	0	0	0	0	0	0	0	12.95	0	0	11	0.1	1.1
2024	10	15	8	16	6	0	0	0	0	0	0	0	12.97	0	0	11.2	0.1	1.1
2024	10	15	8	26	6	0	0	0	0	0	0	0	12.99	0	0	11.2	0.1	1.1
2024	10	15	8	36	6	0	0	0	0	0	0	0	13.01	0	0	11.4	0.1	1.1
2024	10	15	8	46	6	0	0	0	0	0	0	0	13.06	0	0	11.4	0.1	1.1
2024	10	15	8	56	6	0	0	0	0	0	0	0	13.11	0	0	11.6	0.1	1.1
2024	10	15	9	6	6	0	0	0	0	0	0	0	13.16	0	0	12.2	0.1	1.1
2024	10	15	9	16	6	0	0	0	0	0	0	0	13.2	0	0	12.2	0.1	1.1
2024	10	15	9	26	6	0	0	0	0	0	0	0	13.24	0	0	12.2	0.1	1.1
2024	10	15	9	36	6	0	0	0	0	0	0	0	13.29	0	0	12.2	0.1	1.1
2024	10	15	9	46	6	0	0	0	0	0	0	0	13.34	0	0	12.4	0.1	1.1
2024	10	15	9	56	6	0	0	0	0	0	0	0	13.38	0	0	12.4	0.1	1.1
2024	10	15	10	6	6	0	0	0	0	0	0	0	13.43	0	0	12	0.1	1.1
2024	10	15	10	16	6	0	0	0	0	0	0	0	13.48	0	0	11.8	0.1	1.1
2024	10	15	10	26	6	0	0	0	0	0	0	0	13.52	0	0	11.6	0.1	1.1
2024	10	15	10	36	6	0	0	0	0	0	0	0	13.56	0	0	11.8	0.1	1.1
2024	10	15	10	46	6	0	0	0	0	0	0	0	13.62	0	0	11.2	0.1	1.1
2024	10	15	10	56	6	0	0	0	0	0	0	0	13.66	0	0	12.4	0.1	1.1
2024	10	15	11	6	6	0	0	0	0	0	0	0	13.7	0	0	12.4	0.1	1.1
2024	10	15	11	16	6	0	0	0	0	0	0	0	13.75	0	0	12.4	0.1	1.1
2024	10	15	11	26	6	0	0	0	0	0	0	0	13.79	0	0	12.2	0.1	1.1
2024	10	15	11	36	6	0	0	0	0	0	0	0	13.83	0	0	12.2	0.1	1.1
2024	10	15	11	46	6	0	0	0	0	0	0	0	13.88	0	0	12	0.1	1.1
2024	10	15	11	56	6	0	0	0	0	0	0	0	13.91	0	0	11.8	0.1	1.1
2024	10	15	12	6	6	0	0	0	0	0	0	0	13.96	0	0	11.6	0.1	1.1
2024	10	15	12	16	6	0	0	0	0	0	0	0	13.99	0	0	11.4	0.1	1.1
2024	10	15	12	26	6	0	0	0	0	0	0	0	14.03	0	0	11.2	0.1	1.1
2024	10	15	12	36	6	0	0	0	0	0	0	0	14.05	0	0	11	0.1	1.1
2024	10	15	12	46	6	0	0	0	0	0	0	0	14.07	0	0	11	0.1	1.1
2024	10	15	12	56	6	0	0	0	0	0	0	0	14.11	0	0	11	0.1	1.1
2024	10	15	13	6	6	0	0	0	0	0	0	0	14.14	0	0	10.8	0.1	1.1
2024	10	15	13	16	6	0	0	0	0	0	0	0	14.15	0	0	10.8	0.1	1.1
2024	10	15	13	26	6	0	0	0	0	0	0	0	14.17	0	0	10.8	0.1	1.1
2024	10	15	13	36	6	0	0	0	0	0	0	0	14.18	0	0	11	0.1	1.1
2024	10	15	13	46	6	0	0	0	0	0	0	0	14.2	0	0	11	0.1	1.1
2024	10	15	13	56	6	0	0	0	0	0	0	0	14.21	0	0	11	0.1	1.1
2024	10	15	14	6	6	0	0	0	0	0	0	0	14.22	0	0	11.2	0.1	1.1
2024	10	15	14	16	6	0	0	0	0	0	0	0	14.23	0	0	11	0.1	1.1
2024	10	15	14	26	6	0	0	0	0	0	0	0	14.24	0	0	10.6	0.1	1.1
2024	10	15	14	36	6	0	0	0	0	0	0	0	14.24	0	0	10.6	0.1	1.1
2024	10	15	14	46	6	0	0	0	0	0	0	0	14.24	0	0	10.6	0.1	1.1
2024	10	15	14	56	6	0	0	0	0	0	0	0	14.24	0	0	10.8	0.1	1.1
2024	10	15	15	6	6	0	0	0	0	0	0	0	14.24	0	0	10.6	0.1	1.1
2024	10	15	15	16	6	0	0	0	0	0	0	0	14.24	0	0	10.6	0.1	1.1
2024	10	15	15	26	6	0	0	0	0	0	0	0	14.22	0	0	10.6	0.1	1.1
2024	10	15	15	36	6	0	0	0	0	0	0	0	14.21	0	0	11	0.1	1.1
2024	10	15	15	46	6	0	0	0	0	0	0	0	14.21	0	0	12.2	0.1	1.1
2024	10	15	15	56	6	0	0	0	0	0	0	0	14.18	0	0	12.2	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	15	16	6	6	0	0	0	0	0	0	0	14.17	0	0	12.2	0.1	1.1
2024	10	15	16	16	6	0	0	0	0	0	0	0	14.16	0	0	12.2	0.1	1.1
2024	10	15	16	26	6	0	0	0	0	0	0	0	14.15	0	0	12	0.1	1.1
2024	10	15	16	36	6	0	0	0	0	0	0	0	14.13	0	0	11.8	0.1	1.1
2024	10	15	16	46	6	0	0	0	0	0	0	0	14.09	0	0	11.6	0.1	1.1
2024	10	15	16	56	6	0	0	0	0	0	0	0	14.08	0	0	11.4	0.1	1.1
2024	10	15	17	6	6	0	0	0	0	0	0	0	14.07	0	0	11.4	0.1	1.1
2024	10	15	17	16	6	0	0	0	0	0	0	0	14.06	0	0	11.2	0.1	1.1
2024	10	15	17	26	6	0	0	0	0	0	0	0	14.05	0	0	11.2	0.1	1.1
2024	10	15	17	36	6	0	0	0	0	0	0	0	14.03	0	0	11	0.1	1.1
2024	10	15	17	46	6	0	0	0	0	0	0	0	14.01	0	0	11	0.1	1.1
2024	10	15	17	56	6	0	0	0	0	0	0	0	14	0	0	11	0.1	1.1
2024	10	15	18	6	6	0	0	0	0	0	0	0	13.98	0	0	10.4	0.1	1.1
2024	10	15	18	16	6	0	0	0	0	0	0	0	13.96	0	0	10	0.1	1.1
2024	10	15	18	26	6	0	0	0	0	0	0	0	13.94	0	0	9.8	0.1	1.1
2024	10	15	18	36	6	0	0	0	0	0	0	0	13.91	0	0	9.6	0.1	1.1
2024	10	15	18	46	6	0	0	0	0	0	0	0	13.89	0	0	9.6	0.1	1.1
2024	10	15	18	56	6	0	0	0	0	0	0	0	13.86	0	0	9.4	0.1	1.1
2024	10	15	19	6	6	0	0	0	0	0	0	0	13.84	0	0	9.4	0.1	1.1
2024	10	15	19	16	6	0	0	0	0	0	0	0	13.81	0	0	9.2	0.1	1.1
2024	10	15	19	26	6	0	0	0	0	0	0	0	13.78	0	0	9.2	0.1	1.1
2024	10	15	19	36	6	0	0	0	0	0	0	0	13.75	0	0	9	0.1	1.1
2024	10	15	19	46	6	0	0	0	0	0	0	0	13.71	0	0	9.4	0.1	1.1
2024	10	15	19	56	6	0	0	0	0	0	0	0	13.68	0	0	9.2	0.1	1.1
2024	10	15	20	6	6	0	0	0	0	0	0	0	13.65	0	0	9.2	0.1	1.1
2024	10	15	20	16	6	0	0	0	0	0	0	0	13.61	0	0	9.2	0.1	1.1
2024	10	15	20	26	6	0	0	0	0	0	0	0	13.58	0	0	9.4	0.1	1.1
2024	10	15	20	36	6	0	0	0	0	0	0	0	13.55	0	0	9.4	0.1	1.1
2024	10	15	20	46	6	0	0	0	0	0	0	0	13.52	0	0	9.2	0.1	1.1
2024	10	15	20	56	6	0	0	0	0	0	0	0	13.49	0	0	9.2	0.1	1.1
2024	10	15	21	6	6	0	0	0	0	0	0	0	13.46	0	0	9.2	0.1	1.1
2024	10	15	21	16	6	0	0	0	0	0	0	0	13.43	0	0	9	0.1	1.1
2024	10	15	21	26	6	0	0	0	0	0	0	0	13.4	0	0	9	0.1	1.1
2024	10	15	21	36	6	0	0	0	0	0	0	0	13.37	0	0	9	0.1	1.1
2024	10	15	21	46	6	0	0	0	0	0	0	0	13.34	0	0	9	0.1	1.1
2024	10	15	21	56	6	0	0	0	0	0	0	0	13.31	0	0	9	0.1	1.1
2024	10	15	22	6	6	0	0	0	0	0	0	0	13.28	0	0	9	0.1	1.1
2024	10	15	22	16	6	0	0	0	0	0	0	0	13.25	0	0	9	0.1	1.1
2024	10	15	22	26	6	0	0	0	0	0	0	0	13.22	0	0	9	0.1	1.1
2024	10	15	22	36	6	0	0	0	0	0	0	0	13.19	0	0	9.6	0.1	1.1
2024	10	15	22	46	6	0	0	0	0	0	0	0	13.16	0	0	9.4	0.1	1.1
2024	10	15	22	56	6	0	0	0	0	0	0	0	13.13	0	0	9.4	0.1	1.1
2024	10	15	23	6	6	0	0	0	0	0	0	0	13.11	0	0	9.4	0.1	1.1
2024	10	15	23	16	6	0	0	0	0	0	0	0	13.08	0	0	9.4	0.1	1.1
2024	10	15	23	26	6	0	0	0	0	0	0	0	13.06	0	0	9.4	0.1	1.1
2024	10	15	23	36	6	0	0	0	0	0	0	0	13.03	0	0	9.4	0.1	1.1
2024	10	15	23	46	6	0	0	0	0	0	0	0	13.01	0	0	9.4	0.1	1.1
2024	10	15	23	56	6	0	0	0	0	0	0	0	12.99	0	0	9.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	16	0	6	6	0	0	0	0	0	0	0	12.97	0	0	9.4	0.1	1.1
2024	10	16	0	16	6	0	0	0	0	0	0	0	12.95	0	0	9.4	0.1	1.1
2024	10	16	0	26	6	0	0	0	0	0	0	0	12.93	0	0	9.4	0.1	1.1
2024	10	16	0	36	6	0	0	0	0	0	0	0	12.91	0	0	9.4	0.1	1.1
2024	10	16	0	46	6	0	0	0	0	0	0	0	12.89	0	0	9.4	0.1	1.1
2024	10	16	0	56	6	0	0	0	0	0	0	0	12.88	0	0	9.4	0.1	1.1
2024	10	16	1	6	6	0	0	0	0	0	0	0	12.86	0	0	9.4	0.1	1.1
2024	10	16	1	16	6	0	0	0	0	0	0	0	12.85	0	0	9.4	0.1	1.1
2024	10	16	1	26	6	0	0	0	0	0	0	0	12.84	0	0	9.4	0.1	1.1
2024	10	16	1	36	6	0	0	0	0	0	0	0	12.83	0	0	9.2	0.1	1.1
2024	10	16	1	46	6	0	0	0	0	0	0	0	12.82	0	0	9.2	0.1	1.1
2024	10	16	1	56	6	0	0	0	0	0	0	0	12.81	0	0	9.2	0.1	1.1
2024	10	16	2	6	6	0	0	0	0	0	0	0	12.8	0	0	9.2	0.1	1.1
2024	10	16	2	16	6	0	0	0	0	0	0	0	12.8	0	0	9.2	0.1	1.1
2024	10	16	2	26	6	0	0	0	0	0	0	0	12.79	0	0	9.4	0.1	1.1
2024	10	16	2	36	6	0	0	0	0	0	0	0	12.78	0	0	9.2	0.1	1.1
2024	10	16	2	46	6	0	0	0	0	0	0	0	12.78	0	0	9.2	0.1	1.1
2024	10	16	2	56	6	0	0	0	0	0	0	0	12.78	0	0	9.2	0.1	1.1
2024	10	16	3	6	6	0	0	0	0	0	0	0	12.78	0	0	9.2	0.1	1.1
2024	10	16	3	16	6	0	0	0	0	0	0	0	12.78	0	0	9.2	0.1	1.1
2024	10	16	3	26	6	0	0	0	0	0	0	0	12.78	0	0	9.2	0.1	1.1
2024	10	16	3	36	6	0	0	0	0	0	0	0	12.78	0	0	9.2	0.1	1.1
2024	10	16	3	46	6	0	0	0	0	0	0	0	12.79	0	0	9.2	0.1	1.1
2024	10	16	3	56	6	0	0	0	0	0	0	0	12.79	0	0	9.2	0.1	1.1
2024	10	16	4	6	6	0	0	0	0	0	0	0	12.79	0	0	9.2	0.1	1.1
2024	10	16	4	16	6	0	0	0	0	0	0	0	12.8	0	0	9.2	0.1	1.1
2024	10	16	4	26	6	0	0	0	0	0	0	0	12.8	0	0	9.2	0.1	1.1
2024	10	16	4	36	6	0	0	0	0	0	0	0	12.8	0	0	9.2	0.1	1.1
2024	10	16	4	46	6	0	0	0	0	0	0	0	12.8	0	0	9.2	0.1	1.1
2024	10	16	4	56	6	0	0	0	0	0	0	0	12.81	0	0	9.2	0.1	1.1
2024	10	16	5	6	6	0	0	0	0	0	0	0	12.81	0	0	9.2	0.1	1.1
2024	10	16	5	16	6	0	0	0	0	0	0	0	12.81	0	0	9.2	0.1	1.1
2024	10	16	5	26	6	0	0	0	0	0	0	0	12.81	0	0	9.2	0.1	1.1
2024	10	16	5	36	6	0	0	0	0	0	0	0	12.82	0	0	9.2	0.1	1.1
2024	10	16	5	46	6	0	0	0	0	0	0	0	12.82	0	0	9.2	0.1	1.1
2024	10	16	5	56	6	0	0	0	0	0	0	0	12.83	0	0	9.2	0.1	1.1
2024	10	16	6	6	6	0	0	0	0	0	0	0	12.83	0	0	9.2	0.1	1.1
2024	10	16	6	16	6	0	0	0	0	0	0	0	12.83	0	0	9.2	0.1	1.1
2024	10	16	6	26	6	0	0	0	0	0	0	0	12.84	0	0	9.2	0.1	1.1
2024	10	16	6	36	6	0	0	0	0	0	0	0	12.84	0	0	9.2	0.1	1.1
2024	10	16	6	46	6	0	0	0	0	0	0	0	12.84	0	0	9.2	0.1	1.1
2024	10	16	6	56	6	0	0	0	0	0	0	0	12.84	0	0	9.2	0.1	1.1
2024	10	16	7	6	6	0	0	0	0	0	0	0	12.85	0	0	9.2	0.1	1.1
2024	10	16	7	16	6	0	0	0	0	0	0	0	12.85	0	0	9.2	0.1	1.1
2024	10	16	7	26	6	0	0	0	0	0	0	0	12.86	0	0	9.2	0.1	1.1
2024	10	16	7	36	6	0	0	0	0	0	0	0	12.87	0	0	9.2	0.1	1.1
2024	10	16	7	46	6	0	0	0	0	0	0	0	12.87	0	0	9.4	0.1	1.1
2024	10	16	7	56	6	0	0	0	0	0	0	0	12.89	0	0	9.8	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	16	8	6	6	0	0	0	0	0	0	0	12.91	0	0	10.2	0.1	1.1
2024	10	16	8	16	6	0	0	0	0	0	0	0	12.92	0	0	10.4	0.1	1.1
2024	10	16	8	26	6	0	0	0	0	0	0	0	12.93	0	0	10.4	0.1	1.1
2024	10	16	8	36	6	0	0	0	0	0	0	0	12.95	0	0	10.4	0.1	1.1
2024	10	16	8	46	6	0	0	0	0	0	0	0	12.98	0	0	10.6	0.1	1.1
2024	10	16	8	56	6	0	0	0	0	0	0	0	13.03	0	0	10.6	0.1	1.1
2024	10	16	9	6	6	0	0	0	0	0	0	0	13.08	0	0	10.4	0.1	1.1
2024	10	16	9	16	6	0	0	0	0	0	0	0	13.12	0	0	10.6	0.1	1.1
2024	10	16	9	26	6	0	0	0	0	0	0	0	13.16	0	0	10.6	0.1	1.1
2024	10	16	9	36	6	0	0	0	0	0	0	0	13.17	0	0	10.2	0.1	1.1
2024	10	16	9	46	6	0	0	0	0	0	0	0	13.23	0	0	10.6	0.1	1.1
2024	10	16	9	56	6	0	0	0	0	0	0	0	13.24	0	0	10.2	0.1	1.1
2024	10	16	10	6	6	0	0	0	0	0	0	0	13.31	0	0	10.6	0.1	1.1
2024	10	16	10	16	6	0	0	0	0	0	0	0	13.34	0	0	11	0.1	1.1
2024	10	16	10	26	6	0	0	0	0	0	0	0	13.4	0	0	11	0.1	1.1
2024	10	16	10	36	6	0	0	0	0	0	0	0	13.46	0	0	10.8	0.1	1.1
2024	10	16	10	46	6	0	0	0	0	0	0	0	13.45	0	0	11	0.1	1.1
2024	10	16	10	56	6	0	0	0	0	0	0	0	13.51	0	0	11.2	0.1	1.1
2024	10	16	11	6	6	0	0	0	0	0	0	0	13.57	0	0	11.2	0.1	1.1
2024	10	16	11	16	6	0	0	0	0	0	0	0	13.62	0	0	11.4	0.1	1.1
2024	10	16	11	26	6	0	0	0	0	0	0	0	13.66	0	0	11	0.1	1.1
2024	10	16	11	36	6	0	0	0	0	0	0	0	13.69	0	0	11.2	0.1	1.1
2024	10	16	11	46	6	0	0	0	0	0	0	0	13.74	0	0	11	0.1	1.1
2024	10	16	11	56	6	0	0	0	0	0	0	0	13.79	0	0	11.2	0.1	1.1
2024	10	16	12	6	6	0	0	0	0	0	0	0	13.82	0	0	11.2	0.1	1.1
2024	10	16	12	16	6	0	0	0	0	0	0	0	13.86	0	0	11.4	0.1	1.1
2024	10	16	12	26	6	0	0	0	0	0	0	0	13.89	0	0	11.4	0.1	1.1
2024	10	16	12	36	6	0	0	0	0	0	0	0	13.91	0	0	11.4	0.1	1.1
2024	10	16	12	46	6	0	0	0	0	0	0	0	13.94	0	0	11.4	0.1	1.1
2024	10	16	12	56	6	0	0	0	0	0	0	0	13.94	0	0	11.4	0.1	1.1
2024	10	16	13	6	6	0	0	0	0	0	0	0	13.94	0	0	11.4	0.1	1.1
2024	10	16	13	16	6	0	0	0	0	0	0	0	13.87	0	0	11.2	0.1	1.1
2024	10	16	13	26	6	0	0	0	0	0	0	0	14	0	0	11.4	0.1	1.1
2024	10	16	13	36	6	0	0	0	0	0	0	0	14.05	0	0	11.4	0.1	1.1
2024	10	16	13	46	6	0	0	0	0	0	0	0	14.07	0	0	11.4	0.1	1.1
2024	10	16	13	56	6	0	0	0	0	0	0	0	14.09	0	0	11.4	0.1	1.1
2024	10	16	14	6	6	0	0	0	0	0	0	0	14.04	0	0	11.4	0.1	1.1
2024	10	16	14	16	6	0	0	0	0	0	0	0	14.09	0	0	11.4	0.1	1.1
2024	10	16	14	26	6	0	0	0	0	0	0	0	14.07	0	0	11.6	0.1	1.1
2024	10	16	14	36	6	0	0	0	0	0	0	0	14.06	0	0	11.6	0.1	1.1
2024	10	16	14	46	6	0	0	0	0	0	0	0	14.01	0	0	10.6	0.1	1.1
2024	10	16	14	56	6	0	0	0	0	0	0	0	14	0	0	10.6	0.1	1.1
2024	10	16	15	6	6	0	0	0	0	0	0	0	14	0	0	10.6	0.1	1.1
2024	10	16	15	16	6	0	0	0	0	0	0	0	13.99	0	0	10.4	0.1	1.1
2024	10	16	15	26	6	0	0	0	0	0	0	0	13.99	0	0	10.6	0.1	1.1
2024	10	16	15	36	6	0	0	0	0	0	0	0	14.05	0	0	11.6	0.1	1.1
2024	10	16	15	46	6	0	0	0	0	0	0	0	14.05	0	0	11.2	0.1	1.1
2024	10	16	15	56	6	0	0	0	0	0	0	0	14.03	0	0	10.6	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	16	16	6	6	0	0	0	0	0	0	0	14.04	0	0	11	0.1	1.1
2024	10	16	16	16	6	0	0	0	0	0	0	0	14.07	0	0	11.6	0.1	1.1
2024	10	16	16	26	6	0	0	0	0	0	0	0	14.05	0	0	10.6	0.1	1.1
2024	10	16	16	36	6	0	0	0	0	0	0	0	14.06	0	0	11.4	0.1	1.1
2024	10	16	16	46	6	0	0	0	0	0	0	0	14.04	0	0	11.4	0.1	1.1
2024	10	16	16	56	6	0	0	0	0	0	0	0	14.02	0	0	10.8	0.1	1.1
2024	10	16	17	6	6	0	0	0	0	0	0	0	14	0	0	10.4	0.1	1.1
2024	10	16	17	16	6	0	0	0	0	0	0	0	13.97	0	0	10.2	0.1	1.1
2024	10	16	17	26	6	0	0	0	0	0	0	0	13.94	0	0	10	0.1	1.1
2024	10	16	17	36	6	0	0	0	0	0	0	0	13.92	0	0	9.8	0.1	1.1
2024	10	16	17	46	6	0	0	0	0	0	0	0	13.9	0	0	9.8	0.1	1.1
2024	10	16	17	56	6	0	0	0	0	0	0	0	13.89	0	0	9.4	0.1	1.1
2024	10	16	18	6	6	0	0	0	0	0	0	0	13.86	0	0	9.2	0.1	1.1
2024	10	16	18	16	6	0	0	0	0	0	0	0	13.85	0	0	9.4	0.1	1.1
2024	10	16	18	26	6	0	0	0	0	0	0	0	13.83	0	0	9.4	0.1	1.1
2024	10	16	18	36	6	0	0	0	0	0	0	0	13.81	0	0	9.4	0.1	1.1
2024	10	16	18	46	6	0	0	0	0	0	0	0	13.79	0	0	9.4	0.1	1.1
2024	10	16	18	56	6	0	0	0	0	0	0	0	13.78	0	0	9.4	0.1	1.1
2024	10	16	19	6	6	0	0	0	0	0	0	0	13.76	0	0	9.4	0.1	1.1
2024	10	16	19	16	6	0	0	0	0	0	0	0	13.74	0	0	9.4	0.1	1.1
2024	10	16	19	26	6	0	0	0	0	0	0	0	13.72	0	0	9.4	0.1	1.1
2024	10	16	19	36	6	0	0	0	0	0	0	0	13.7	0	0	9.4	0.1	1.1
2024	10	16	19	46	6	0	0	0	0	0	0	0	13.68	0	0	9.4	0.1	1.1
2024	10	16	19	56	6	0	0	0	0	0	0	0	13.65	0	0	9.4	0.1	1.1
2024	10	16	20	6	6	0	0	0	0	0	0	0	13.64	0	0	9.4	0.1	1.1
2024	10	16	20	16	6	0	0	0	0	0	0	0	13.61	0	0	9.4	0.1	1.1
2024	10	16	20	26	6	0	0	0	0	0	0	0	13.58	0	0	9.6	0.1	1.1
2024	10	16	20	36	6	0	0	0	0	0	0	0	13.55	0	0	9.6	0.1	1.1
2024	10	16	20	46	6	0	0	0	0	0	0	0	13.51	0	0	9.6	0.1	1.1
2024	10	16	20	56	6	0	0	0	0	0	0	0	13.48	0	0	9.6	0.1	1.1
2024	10	16	21	6	6	0	0	0	0	0	0	0	13.45	0	0	9.4	0.1	1.1
2024	10	16	21	16	6	0	0	0	0	0	0	0	13.42	0	0	9.4	0.1	1.1
2024	10	16	21	26	6	0	0	0	0	0	0	0	13.4	0	0	9.4	0.1	1.1
2024	10	16	21	36	6	0	0	0	0	0	0	0	13.37	0	0	9.2	0.1	1.1
2024	10	16	21	46	6	0	0	0	0	0	0	0	13.34	0	0	9.2	0.1	1.1
2024	10	16	21	56	6	0	0	0	0	0	0	0	13.32	0	0	9.2	0.1	1.1
2024	10	16	22	6	6	0	0	0	0	0	0	0	13.29	0	0	9.2	0.1	1.1
2024	10	16	22	16	6	0	0	0	0	0	0	0	13.27	0	0	9.2	0.1	1.1
2024	10	16	22	26	6	0	0	0	0	0	0	0	13.25	0	0	9.2	0.1	1.1
2024	10	16	22	36	6	0	0	0	0	0	0	0	13.22	0	0	9.4	0.1	1.1
2024	10	16	22	46	6	0	0	0	0	0	0	0	13.21	0	0	9.4	0.1	1.1
2024	10	16	22	56	6	0	0	0	0	0	0	0	13.19	0	0	9.4	0.1	1.1
2024	10	16	23	6	6	0	0	0	0	0	0	0	13.17	0	0	9.4	0.1	1.1
2024	10	16	23	16	6	0	0	0	0	0	0	0	13.16	0	0	9.2	0.1	1.1
2024	10	16	23	26	6	0	0	0	0	0	0	0	13.13	0	0	9.2	0.1	1.1
2024	10	16	23	36	6	0	0	0	0	0	0	0	13.12	0	0	9.2	0.1	1.1
2024	10	16	23	46	6	0	0	0	0	0	0	0	13.1	0	0	9.4	0.1	1.1
2024	10	16	23	56	6	0	0	0	0	0	0	0	13.09	0	0	9.2	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	17	0	6	6	0	0	0	0	0	0	0	13.07	0	0	9.2	0.1	1.1
2024	10	17	0	16	6	0	0	0	0	0	0	0	13.06	0	0	9.2	0.1	1.1
2024	10	17	0	26	6	0	0	0	0	0	0	0	13.06	0	0	9.2	0.1	1.1
2024	10	17	0	36	6	0	0	0	0	0	0	0	13.05	0	0	9.2	0.1	1.1
2024	10	17	0	46	6	0	0	0	0	0	0	0	13.04	0	0	9.2	0.1	1.1
2024	10	17	0	56	6	0	0	0	0	0	0	0	13.03	0	0	9.2	0.1	1.1
2024	10	17	1	6	6	0	0	0	0	0	0	0	13.02	0	0	9.2	0.1	1.1
2024	10	17	1	16	6	0	0	0	0	0	0	0	13.02	0	0	9.2	0.1	1.1
2024	10	17	1	26	6	0	0	0	0	0	0	0	13.02	0	0	9.2	0.1	1.1
2024	10	17	1	36	6	0	0	0	0	0	0	0	13.02	0	0	9.2	0.1	1.1
2024	10	17	1	46	6	0	0	0	0	0	0	0	13.01	0	0	9.2	0.1	1.1
2024	10	17	1	56	6	0	0	0	0	0	0	0	13.01	0	0	9.2	0.1	1.1
2024	10	17	2	6	6	0	0	0	0	0	0	0	13.01	0	0	9.2	0.1	1.1
2024	10	17	2	16	6	0	0	0	0	0	0	0	13.01	0	0	9.2	0.1	1.1
2024	10	17	2	26	6	0	0	0	0	0	0	0	13.01	0	0	9.2	0.1	1.1
2024	10	17	2	36	6	0	0	0	0	0	0	0	13.01	0	0	9	0.1	1.1
2024	10	17	2	46	6	0	0	0	0	0	0	0	13.01	0	0	9.2	0.1	1.1
2024	10	17	2	56	6	0	0	0	0	0	0	0	13.01	0	0	9.2	0.1	1.1
2024	10	17	3	6	6	0	0	0	0	0	0	0	13.01	0	0	9	0.1	1.1
2024	10	17	3	16	6	0	0	0	0	0	0	0	13.01	0	0	9.2	0.1	1.1
2024	10	17	3	26	6	0	0	0	0	0	0	0	13.02	0	0	9.2	0.1	1.1
2024	10	17	3	36	6	0	0	0	0	0	0	0	13.02	0	0	9.2	0.1	1.1
2024	10	17	3	46	6	0	0	0	0	0	0	0	13.02	0	0	9	0.1	1.1
2024	10	17	3	56	6	0	0	0	0	0	0	0	13.03	0	0	9	0.1	1.1
2024	10	17	4	6	6	0	0	0	0	0	0	0	13.04	0	0	9	0.1	1.1
2024	10	17	4	16	6	0	0	0	0	0	0	0	13.04	0	0	9	0.1	1.1
2024	10	17	4	26	6	0	0	0	0	0	0	0	13.05	0	0	9.2	0.1	1.1
2024	10	17	4	36	6	0	0	0	0	0	0	0	13.05	0	0	9.2	0.1	1.1
2024	10	17	4	46	6	0	0	0	0	0	0	0	13.06	0	0	9.2	0.1	1.1
2024	10	17	4	56	6	0	0	0	0	0	0	0	13.06	0	0	9.2	0.1	1.1
2024	10	17	5	6	6	0	0	0	0	0	0	0	13.06	0	0	9.2	0.1	1.1
2024	10	17	5	16	6	0	0	0	0	0	0	0	13.06	0	0	9.2	0.1	1.1
2024	10	17	5	26	6	0	0	0	0	0	0	0	13.06	0	0	9.2	0.1	1.1
2024	10	17	5	36	6	0	0	0	0	0	0	0	13.06	0	0	9.4	0.1	1.1
2024	10	17	5	46	6	0	0	0	0	0	0	0	13.06	0	0	10.8	0.1	1.1
2024	10	17	5	56	6	0	0	0	0	0	0	0	13.06	0	0	10.8	0.1	1.1
2024	10	17	6	6	6	0	0	0	0	0	0	0	13.06	0	0	10.8	0.1	1.1
2024	10	17	6	16	6	0	0	0	0	0	0	0	13.07	0	0	10.8	0.1	1.1
2024	10	17	6	26	6	0	0	0	0	0	0	0	13.06	0	0	10.8	0.1	1.1
2024	10	17	6	36	6	0	0	0	0	0	0	0	13.06	0	0	10.8	0.1	1.1
2024	10	17	6	46	6	0	0	0	0	0	0	0	13.06	0	0	10.8	0.1	1.1
2024	10	17	6	56	6	0	0	0	0	0	0	0	13.06	0	0	10.8	0.1	1.1
2024	10	17	7	6	6	0	0	0	0	0	0	0	13.06	0	0	10.8	0.1	1.1
2024	10	17	7	16	6	0	0	0	0	0	0	0	13.06	0	0	10.8	0.1	1.1
2024	10	17	7	26	6	0	0	0	0	0	0	0	13.06	0	0	10.8	0.1	1.1
2024	10	17	7	36	6	0	0	0	0	0	0	0	13.06	0	0	10.8	0.1	1.1
2024	10	17	7	46	6	0	0	0	0	0	0	0	13.07	0	0	11	0.1	1.1
2024	10	17	7	56	6	0	0	0	0	0	0	0	13.07	0	0	11.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	17	8	6	6	0	0	0	0	0	0	0	13.08	0	0	11.8	0.1	1.1
2024	10	17	8	16	6	0	0	0	0	0	0	0	13.09	0	0	12	0.1	1.1
2024	10	17	8	26	6	0	0	0	0	0	0	0	13.1	0	0	12	0.1	1.1
2024	10	17	8	36	6	0	0	0	0	0	0	0	13.11	0	0	12.2	0.1	1.1
2024	10	17	8	46	6	0	0	0	0	0	0	0	13.14	0	0	12.2	0.1	1.1
2024	10	17	8	56	6	0	0	0	0	0	0	0	13.18	0	0	12.2	0.1	1.1
2024	10	17	9	6	6	0	0	0	0	0	0	0	13.22	0	0	12.4	0.1	1.1
2024	10	17	9	16	6	0	0	0	0	0	0	0	13.26	0	0	12.4	0.1	1.1
2024	10	17	9	26	6	0	0	0	0	0	0	0	13.28	0	0	12.6	0.1	1.1
2024	10	17	9	36	6	0	0	0	0	0	0	0	13.32	0	0	13	0.1	1.1
2024	10	17	9	46	6	0	0	0	0	0	0	0	13.36	0	0	13.2	0.1	1.1
2024	10	17	9	56	6	0	0	0	0	0	0	0	13.4	0	0	13	0.1	1.1
2024	10	17	10	6	6	0	0	0	0	0	0	0	13.43	0	0	12.4	0.1	1.1
2024	10	17	10	16	6	0	0	0	0	0	0	0	13.38	0	0	11.2	0.1	1.1
2024	10	17	10	26	6	0	0	0	0	0	0	0	13.47	0	0	12.6	0.1	1.1
2024	10	17	10	36	6	0	0	0	0	0	0	0	13.53	0	0	12.6	0.1	1.1
2024	10	17	10	46	6	0	0	0	0	0	0	0	13.57	0	0	12.6	0.1	1.1
2024	10	17	10	56	6	0	0	0	0	0	0	0	13.6	0	0	12.8	0.1	1.1
2024	10	17	11	6	6	0	0	0	0	0	0	0	13.63	0	0	13	0.1	1.1
2024	10	17	11	16	6	0	0	0	0	0	0	0	13.67	0	0	12.8	0.1	1.1
2024	10	17	11	26	6	0	0	0	0	0	0	0	13.7	0	0	12.8	0.1	1.1
2024	10	17	11	36	6	0	0	0	0	0	0	0	13.73	0	0	12.8	0.1	1.1
2024	10	17	11	46	6	0	0	0	0	0	0	0	13.76	0	0	12	0.1	1.1
2024	10	17	11	56	6	0	0	0	0	0	0	0	13.79	0	0	12.4	0.1	1.1
2024	10	17	12	6	6	0	0	0	0	0	0	0	13.82	0	0	12.6	0.1	1.1
2024	10	17	12	16	6	0	0	0	0	0	0	0	13.84	0	0	12.6	0.1	1.1
2024	10	17	12	26	6	0	0	0	0	0	0	0	13.87	0	0	12.6	0.1	1.1
2024	10	17	12	36	6	0	0	0	0	0	0	0	13.9	0	0	12.6	0.1	1.1
2024	10	17	12	46	6	0	0	0	0	0	0	0	13.91	0	0	12.6	0.1	1.1
2024	10	17	12	56	6	0	0	0	0	0	0	0	13.94	0	0	12.6	0.1	1.1
2024	10	17	13	6	6	0	0	0	0	0	0	0	13.96	0	0	12.4	0.1	1.1
2024	10	17	13	16	6	0	0	0	0	0	0	0	13.98	0	0	12.2	0.1	1.1
2024	10	17	13	26	6	0	0	0	0	0	0	0	14	0	0	12.4	0.1	1.1
2024	10	17	13	36	6	0	0	0	0	0	0	0	14	0	0	12.4	0.1	1.1
2024	10	17	13	46	6	0	0	0	0	0	0	0	14.02	0	0	12.6	0.1	1.1
2024	10	17	13	56	6	0	0	0	0	0	0	0	14.03	0	0	12.4	0.1	1.1
2024	10	17	14	6	6	0	0	0	0	0	0	0	14.04	0	0	12.2	0.1	1.1
2024	10	17	14	16	6	0	0	0	0	0	0	0	14.06	0	0	12	0.1	1.1
2024	10	17	14	26	6	0	0	0	0	0	0	0	14.04	0	0	11.2	0.1	1.1
2024	10	17	14	36	6	0	0	0	0	0	0	0	14.03	0	0	11.2	0.1	1.1
2024	10	17	14	46	6	0	0	0	0	0	0	0	14.05	0	0	12.2	0.1	1.1
2024	10	17	14	56	6	0	0	0	0	0	0	0	14.06	0	0	11.8	0.1	1.1
2024	10	17	15	6	6	0	0	0	0	0	0	0	14.06	0	0	11.8	0.1	1.1
2024	10	17	15	16	6	0	0	0	0	0	0	0	14.06	0	0	11.6	0.1	1.1
2024	10	17	15	26	6	0	0	0	0	0	0	0	14.06	0	0	11	0.1	1.1
2024	10	17	15	36	6	0	0	0	0	0	0	0	14.04	0	0	10.6	0.1	1.1
2024	10	17	15	46	6	0	0	0	0	0	0	0	14.04	0	0	10.4	0.1	1.1
2024	10	17	15	56	6	0	0	0	0	0	0	0	14.02	0	0	10.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	17	16	6	6	0	0	0	0	0	0	0	14.01	0	0	10.4	0.1	1.1
2024	10	17	16	16	6	0	0	0	0	0	0	0	14	0	0	10.6	0.1	1.1
2024	10	17	16	26	6	0	0	0	0	0	0	0	13.98	0	0	10.8	0.1	1.1
2024	10	17	16	36	6	0	0	0	0	0	0	0	13.96	0	0	10.4	0.1	1.1
2024	10	17	16	46	6	0	0	0	0	0	0	0	13.93	0	0	9.8	0.1	1.1
2024	10	17	16	56	6	0	0	0	0	0	0	0	13.9	0	0	9.6	0.1	1.1
2024	10	17	17	6	6	0	0	0	0	0	0	0	13.88	0	0	9.4	0.1	1.1
2024	10	17	17	16	6	0	0	0	0	0	0	0	13.85	0	0	9.2	0.1	1.1
2024	10	17	17	26	6	0	0	0	0	0	0	0	13.83	0	0	9.2	0.1	1.1
2024	10	17	17	36	6	0	0	0	0	0	0	0	13.8	0	0	9	0.1	1.1
2024	10	17	17	46	6	0	0	0	0	0	0	0	13.78	0	0	8.8	0.1	1.1
2024	10	17	17	56	6	0	0	0	0	0	0	0	13.76	0	0	9	0.1	1.1
2024	10	17	18	6	6	0	0	0	0	0	0	0	13.74	0	0	8.8	0.1	1.1
2024	10	17	18	16	6	0	0	0	0	0	0	0	13.72	0	0	9	0.1	1.1
2024	10	17	18	26	6	0	0	0	0	0	0	0	13.69	0	0	9	0.1	1.1
2024	10	17	18	36	6	0	0	0	0	0	0	0	13.67	0	0	9	0.1	1.1
2024	10	17	18	46	6	0	0	0	0	0	0	0	13.65	0	0	9	0.1	1.1
2024	10	17	18	56	6	0	0	0	0	0	0	0	13.62	0	0	9.6	0.1	1.1
2024	10	17	19	6	6	0	0	0	0	0	0	0	13.59	0	0	9.6	0.1	1.1
2024	10	17	19	16	6	0	0	0	0	0	0	0	13.56	0	0	9.6	0.1	1.1
2024	10	17	19	26	6	0	0	0	0	0	0	0	13.53	0	0	9.6	0.1	1.1
2024	10	17	19	36	6	0	0	0	0	0	0	0	13.5	0	0	9.6	0.1	1.1
2024	10	17	19	46	6	0	0	0	0	0	0	0	13.47	0	0	9.4	0.1	1.1
2024	10	17	19	56	6	0	0	0	0	0	0	0	13.43	0	0	9.4	0.1	1.1
2024	10	17	20	6	6	0	0	0	0	0	0	0	13.4	0	0	9.4	0.1	1.1
2024	10	17	20	16	6	0	0	0	0	0	0	0	13.37	0	0	9.4	0.1	1.1
2024	10	17	20	26	6	0	0	0	0	0	0	0	13.33	0	0	9.2	0.1	1.1
2024	10	17	20	36	6	0	0	0	0	0	0	0	13.29	0	0	9.2	0.1	1.1
2024	10	17	20	46	6	0	0	0	0	0	0	0	13.25	0	0	9.2	0.1	1.1
2024	10	17	20	56	6	0	0	0	0	0	0	0	13.21	0	0	9.2	0.1	1.1
2024	10	17	21	6	6	0	0	0	0	0	0	0	13.17	0	0	9.2	0.1	1.1
2024	10	17	21	16	6	0	0	0	0	0	0	0	13.11	0	0	9.2	0.1	1.1
2024	10	17	21	26	6	0	0	0	0	0	0	0	13.07	0	0	9.2	0.1	1.1
2024	10	17	21	36	6	0	0	0	0	0	0	0	13.02	0	0	9.2	0.1	1.1
2024	10	17	21	46	6	0	0	0	0	0	0	0	12.97	0	0	9.2	0.1	1.1
2024	10	17	21	56	6	0	0	0	0	0	0	0	12.92	0	0	9	0.1	1.1
2024	10	17	22	6	6	0	0	0	0	0	0	0	12.87	0	0	9	0.1	1.1
2024	10	17	22	16	6	0	0	0	0	0	0	0	12.83	0	0	9	0.1	1.1
2024	10	17	22	26	6	0	0	0	0	0	0	0	12.79	0	0	9	0.1	1.1
2024	10	17	22	36	6	0	0	0	0	0	0	0	12.74	0	0	9	0.1	1.1
2024	10	17	22	46	6	0	0	0	0	0	0	0	12.7	0	0	9	0.1	1.1
2024	10	17	22	56	6	0	0	0	0	0	0	0	12.67	0	0	9.2	0.1	1.1
2024	10	17	23	6	6	0	0	0	0	0	0	0	12.63	0	0	9.2	0.1	1.1
2024	10	17	23	16	6	0	0	0	0	0	0	0	12.6	0	0	9.2	0.1	1.1
2024	10	17	23	26	6	0	0	0	0	0	0	0	12.56	0	0	9.2	0.1	1.1
2024	10	17	23	36	6	0	0	0	0	0	0	0	12.54	0	0	9.2	0.1	1.1
2024	10	17	23	46	6	0	0	0	0	0	0	0	12.51	0	0	9.2	0.1	1.1
2024	10	17	23	56	6	0	0	0	0	0	0	0	12.48	0	0	9.2	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	18	0	6	6	0	0	0	0	0	0	0	12.45	0	0	9.2	0.1	1.1
2024	10	18	0	16	6	0	0	0	0	0	0	0	12.42	0	0	9.2	0.1	1.1
2024	10	18	0	26	6	0	0	0	0	0	0	0	12.4	0	0	9.2	0.1	1.1
2024	10	18	0	36	6	0	0	0	0	0	0	0	12.37	0	0	9.2	0.1	1.1
2024	10	18	0	46	6	0	0	0	0	0	0	0	12.34	0	0	9.2	0.1	1.1
2024	10	18	0	56	6	0	0	0	0	0	0	0	12.31	0	0	9.2	0.1	1.1
2024	10	18	1	6	6	0	0	0	0	0	0	0	12.29	0	0	9.2	0.1	1.1
2024	10	18	1	16	6	0	0	0	0	0	0	0	12.26	0	0	9.2	0.1	1.1
2024	10	18	1	26	6	0	0	0	0	0	0	0	12.23	0	0	9.2	0.1	1.1
2024	10	18	1	36	6	0	0	0	0	0	0	0	12.2	0	0	9.2	0.1	1.1
2024	10	18	1	46	6	0	0	0	0	0	0	0	12.18	0	0	9.2	0.1	1.1
2024	10	18	1	56	6	0	0	0	0	0	0	0	12.16	0	0	9.2	0.1	1.1
2024	10	18	2	6	6	0	0	0	0	0	0	0	12.15	0	0	9.2	0.1	1.1
2024	10	18	2	16	6	0	0	0	0	0	0	0	12.13	0	0	9.2	0.1	1.1
2024	10	18	2	26	6	0	0	0	0	0	0	0	12.1	0	0	9.2	0.1	1.1
2024	10	18	2	36	6	0	0	0	0	0	0	0	12.08	0	0	9.2	0.1	1.1
2024	10	18	2	46	6	0	0	0	0	0	0	0	12.06	0	0	9.2	0.1	1.1
2024	10	18	2	56	6	0	0	0	0	0	0	0	12.05	0	0	9.2	0.1	1.1
2024	10	18	3	6	6	0	0	0	0	0	0	0	12.04	0	0	9.2	0.1	1.1
2024	10	18	3	16	6	0	0	0	0	0	0	0	12.03	0	0	9.2	0.1	1.1
2024	10	18	3	26	6	0	0	0	0	0	0	0	12.01	0	0	9.2	0.1	1.1
2024	10	18	3	36	6	0	0	0	0	0	0	0	12	0	0	9	0.1	1.1
2024	10	18	3	46	6	0	0	0	0	0	0	0	11.99	0	0	9	0.1	1.1
2024	10	18	3	56	6	0	0	0	0	0	0	0	11.97	0	0	9.2	0.1	1.1
2024	10	18	4	6	6	0	0	0	0	0	0	0	11.96	0	0	9	0.1	1.1
2024	10	18	4	16	6	0	0	0	0	0	0	0	11.95	0	0	9	0.1	1.1
2024	10	18	4	26	6	0	0	0	0	0	0	0	11.94	0	0	9.2	0.1	1.1
2024	10	18	4	36	6	0	0	0	0	0	0	0	11.92	0	0	9	0.1	1.1
2024	10	18	4	46	6	0	0	0	0	0	0	0	11.93	0	0	9	0.1	1.1
2024	10	18	4	56	6	0	0	0	0	0	0	0	11.91	0	0	9	0.1	1.1
2024	10	18	5	6	6	0	0	0	0	0	0	0	11.91	0	0	9	0.1	1.1
2024	10	18	5	16	6	0	0	0	0	0	0	0	11.9	0	0	9	0.1	1.1
2024	10	18	5	26	6	0	0	0	0	0	0	0	11.9	0	0	9	0.1	1.1
2024	10	18	5	36	6	0	0	0	0	0	0	0	11.89	0	0	9	0.1	1.1
2024	10	18	5	46	6	0	0	0	0	0	0	0	11.88	0	0	9	0.1	1.1
2024	10	18	5	56	6	0	0	0	0	0	0	0	11.87	0	0	9	0.1	1.1
2024	10	18	6	6	6	0	0	0	0	0	0	0	11.87	0	0	9	0.1	1.1
2024	10	18	6	16	6	0	0	0	0	0	0	0	11.86	0	0	9	0.1	1.1
2024	10	18	6	26	6	0	0	0	0	0	0	0	11.85	0	0	9	0.1	1.1
2024	10	18	6	36	6	0	0	0	0	0	0	0	11.84	0	0	9	0.1	1.1
2024	10	18	6	46	6	0	0	0	0	0	0	0	11.83	0	0	9	0.1	1.1
2024	10	18	6	56	6	0	0	0	0	0	0	0	11.83	0	0	9	0.1	1.1
2024	10	18	7	6	6	0	0	0	0	0	0	0	11.82	0	0	9	0.1	1.1
2024	10	18	7	16	6	0	0	0	0	0	0	0	11.81	0	0	9	0.1	1.1
2024	10	18	7	26	6	0	0	0	0	0	0	0	11.81	0	0	9	0.1	1.1
2024	10	18	7	36	6	0	0	0	0	0	0	0	11.81	0	0	9	0.1	1.1
2024	10	18	7	46	6	0	0	0	0	0	0	0	11.8	0	0	9	0.1	1.1
2024	10	18	7	56	6	0	0	0	0	0	0	0	11.8	0	0	9.6	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	18	8	6	6	0	0	0	0	0	0	0	11.8	0	0	10	0.1	1.1
2024	10	18	8	16	6	0	0	0	0	0	0	0	11.8	0	0	10.2	0.1	1.1
2024	10	18	8	26	6	0	0	0	0	0	0	0	11.8	0	0	10.4	0.1	1.1
2024	10	18	8	36	6	0	0	0	0	0	0	0	11.8	0	0	10.4	0.1	1.1
2024	10	18	8	46	6	0	0	0	0	0	0	0	11.82	0	0	10.4	0.1	1.1
2024	10	18	8	56	6	0	0	0	0	0	0	0	11.85	0	0	10.6	0.1	1.1
2024	10	18	9	6	6	0	0	0	0	0	0	0	11.85	0	0	10.6	0.1	1.1
2024	10	18	9	16	6	0	0	0	0	0	0	0	11.87	0	0	10.6	0.1	1.1
2024	10	18	9	26	6	0	0	0	0	0	0	0	11.88	0	0	10.8	0.1	1.1
2024	10	18	9	36	6	0	0	0	0	0	0	0	11.9	0	0	11.2	0.1	1.1
2024	10	18	9	46	6	0	0	0	0	0	0	0	11.92	0	0	11.4	0.1	1.1
2024	10	18	9	56	6	0	0	0	0	0	0	0	11.95	0	0	11.8	0.1	1.1
2024	10	18	10	6	6	0	0	0	0	0	0	0	11.97	0	0	11.8	0.1	1.1
2024	10	18	10	16	6	0	0	0	0	0	0	0	11.99	0	0	11.8	0.1	1.1
2024	10	18	10	26	6	0	0	0	0	0	0	0	12.01	0	0	11.8	0.1	1.1
2024	10	18	10	36	6	0	0	0	0	0	0	0	12.04	0	0	11.8	0.1	1.1
2024	10	18	10	46	6	0	0	0	0	0	0	0	12.07	0	0	11.8	0.1	1.1
2024	10	18	10	56	6	0	0	0	0	0	0	0	12.04	0	0	11.8	0.1	1.1
2024	10	18	11	6	6	0	0	0	0	0	0	0	12.13	0	0	11.8	0.1	1.1
2024	10	18	11	16	6	0	0	0	0	0	0	0	12.15	0	0	11.8	0.1	1.1
2024	10	18	11	26	6	0	0	0	0	0	0	0	12.17	0	0	11.8	0.1	1.1
2024	10	18	11	36	6	0	0	0	0	0	0	0	12.19	0	0	11.8	0.1	1.1
2024	10	18	11	46	6	0	0	0	0	0	0	0	12.21	0	0	11.4	0.1	1.1
2024	10	18	11	56	6	0	0	0	0	0	0	0	12.22	0	0	11.4	0.1	1.1
2024	10	18	12	6	6	0	0	0	0	0	0	0	12.24	0	0	11.4	0.1	1.1
2024	10	18	12	16	6	0	0	0	0	0	0	0	12.22	0	0	11.4	0.1	1.1
2024	10	18	12	26	6	0	0	0	0	0	0	0	12.24	0	0	11.4	0.1	1.1
2024	10	18	12	36	6	0	0	0	0	0	0	0	12.26	0	0	11.6	0.1	1.1
2024	10	18	12	46	6	0	0	0	0	0	0	0	12.27	0	0	11.6	0.1	1.1
2024	10	18	12	56	6	0	0	0	0	0	0	0	12.3	0	0	11.6	0.1	1.1
2024	10	18	13	6	6	0	0	0	0	0	0	0	12.3	0	0	11.6	0.1	1.1
2024	10	18	13	16	6	0	0	0	0	0	0	0	12.31	0	0	11.6	0.1	1.1
2024	10	18	13	26	6	0	0	0	0	0	0	0	12.31	0	0	11.6	0.1	1.1
2024	10	18	13	36	6	0	0	0	0	0	0	0	12.31	0	0	11.6	0.1	1.1
2024	10	18	13	46	6	0	0	0	0	0	0	0	12.32	0	0	11.4	0.1	1.1
2024	10	18	13	56	6	0	0	0	0	0	0	0	12.3	0	0	11.4	0.1	1.1
2024	10	18	14	6	6	0	0	0	0	0	0	0	12.3	0	0	11.4	0.1	1.1
2024	10	18	14	16	6	0	0	0	0	0	0	0	12.28	0	0	11.4	0.1	1.1
2024	10	18	14	26	6	0	0	0	0	0	0	0	12.27	0	0	11.2	0.1	1.1
2024	10	18	14	36	6	0	0	0	0	0	0	0	12.25	0	0	11.4	0.1	1.1
2024	10	18	14	46	6	0	0	0	0	0	0	0	12.24	0	0	11.4	0.1	1.1
2024	10	18	14	56	6	0	0	0	0	0	0	0	12.22	0	0	11.6	0.1	1.1
2024	10	18	15	6	6	0	0	0	0	0	0	0	12.19	0	0	11.4	0.1	1.1
2024	10	18	15	16	6	0	0	0	0	0	0	0	12.17	0	0	11.4	0.1	1.1
2024	10	18	15	26	6	0	0	0	0	0	0	0	12.15	0	0	11.4	0.1	1.1
2024	10	18	15	36	6	0	0	0	0	0	0	0	12.12	0	0	11.4	0.1	1.1
2024	10	18	15	46	6	0	0	0	0	0	0	0	12.09	0	0	11.4	0.1	1.1
2024	10	18	15	56	6	0	0	0	0	0	0	0	12.05	0	0	11.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	18	16	6	6	0	0	0	0	0	0	0	12.02	0	0	11.4	0.1	1.1
2024	10	18	16	16	6	0	0	0	0	0	0	0	12	0	0	11.4	0.1	1.1
2024	10	18	16	26	6	0	0	0	0	0	0	0	11.97	0	0	11.4	0.1	1.1
2024	10	18	16	36	6	0	0	0	0	0	0	0	11.93	0	0	10.8	0.1	1.1
2024	10	18	16	46	6	0	0	0	0	0	0	0	11.89	0	0	10	0.1	1.1
2024	10	18	16	56	6	0	0	0	0	0	0	0	11.85	0	0	9.8	0.1	1.1
2024	10	18	17	6	6	0	0	0	0	0	0	0	11.82	0	0	9.6	0.1	1.1
2024	10	18	17	16	6	0	0	0	0	0	0	0	11.8	0	0	9.4	0.1	1.1
2024	10	18	17	26	6	0	0	0	0	0	0	0	11.77	0	0	9.2	0.1	1.1
2024	10	18	17	36	6	0	0	0	0	0	0	0	11.74	0	0	9	0.1	1.1
2024	10	18	17	46	6	0	0	0	0	0	0	0	11.71	0	0	9	0.1	1.1
2024	10	18	17	56	6	0	0	0	0	0	0	0	11.68	0	0	9	0.1	1.1
2024	10	18	18	6	6	0	0	0	0	0	0	0	11.65	0	0	9	0.1	1.1
2024	10	18	18	16	6	0	0	0	0	0	0	0	11.62	0	0	9	0.1	1.1
2024	10	18	18	26	6	0	0	0	0	0	0	0	11.59	0	0	8.8	0.1	1.1
2024	10	18	18	36	6	0	0	0	0	0	0	0	11.57	0	0	8.8	0.1	1.1
2024	10	18	18	46	6	0	0	0	0	0	0	0	11.53	0	0	9	0.1	1.1
2024	10	18	18	56	6	0	0	0	0	0	0	0	11.49	0	0	9	0.1	1.1
2024	10	18	19	6	6	0	0	0	0	0	0	0	11.46	0	0	9.2	0.1	1.1
2024	10	18	19	16	6	0	0	0	0	0	0	0	11.43	0	0	9.2	0.1	1.1
2024	10	18	19	26	6	0	0	0	0	0	0	0	11.4	0	0	9.2	0.1	1.1
2024	10	18	19	36	6	0	0	0	0	0	0	0	11.36	0	0	9.2	0.1	1.1
2024	10	18	19	46	6	0	0	0	0	0	0	0	11.32	0	0	9.2	0.1	1.1
2024	10	18	19	56	6	0	0	0	0	0	0	0	11.28	0	0	9	0.1	1.1
2024	10	18	20	6	6	0	0	0	0	0	0	0	11.24	0	0	9	0.1	1.1
2024	10	18	20	16	6	0	0	0	0	0	0	0	11.2	0	0	9.2	0.1	1.1
2024	10	18	20	26	6	0	0	0	0	0	0	0	11.16	0	0	9.2	0.1	1.1
2024	10	18	20	36	6	0	0	0	0	0	0	0	11.13	0	0	9.2	0.1	1.1
2024	10	18	20	46	6	0	0	0	0	0	0	0	11.09	0	0	9.2	0.1	1.1
2024	10	18	20	56	6	0	0	0	0	0	0	0	11.05	0	0	9.2	0.1	1.1
2024	10	18	21	6	6	0	0	0	0	0	0	0	11.01	0	0	9	0.1	1.1
2024	10	18	21	16	6	0	0	0	0	0	0	0	10.97	0	0	9.2	0.1	1.1
2024	10	18	21	26	6	0	0	0	0	0	0	0	10.93	0	0	9.2	0.1	1.1
2024	10	18	21	36	6	0	0	0	0	0	0	0	10.89	0	0	9	0.1	1.1
2024	10	18	21	46	6	0	0	0	0	0	0	0	10.86	0	0	9	0.1	1.1
2024	10	18	21	56	6	0	0	0	0	0	0	0	10.83	0	0	9	0.1	1.1
2024	10	18	22	6	6	0	0	0	0	0	0	0	10.8	0	0	9	0.1	1.1
2024	10	18	22	16	6	0	0	0	0	0	0	0	10.77	0	0	9	0.1	1.1
2024	10	18	22	26	6	0	0	0	0	0	0	0	10.75	0	0	9	0.1	1.1
2024	10	18	22	36	6	0	0	0	0	0	0	0	10.71	0	0	9	0.1	1.1
2024	10	18	22	46	6	0	0	0	0	0	0	0	10.68	0	0	9	0.1	1.1
2024	10	18	22	56	6	0	0	0	0	0	0	0	10.66	0	0	8.8	0.1	1.1
2024	10	18	23	6	6	0	0	0	0	0	0	0	10.63	0	0	9	0.1	1.1
2024	10	18	23	16	6	0	0	0	0	0	0	0	10.61	0	0	9	0.1	1.1
2024	10	18	23	26	6	0	0	0	0	0	0	0	10.58	0	0	9	0.1	1.1
2024	10	18	23	36	6	0	0	0	0	0	0	0	10.56	0	0	9	0.1	1.1
2024	10	18	23	46	6	0	0	0	0	0	0	0	10.54	0	0	9	0.1	1.1
2024	10	18	23	56	6	0	0	0	0	0	0	0	10.51	0	0	9	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	19	0	6	6	0	0	0	0	0	0	0	10.48	0	0	9	0.1	1.1
2024	10	19	0	16	6	0	0	0	0	0	0	0	10.46	0	0	9	0.1	1.1
2024	10	19	0	26	6	0	0	0	0	0	0	0	10.43	0	0	8.8	0.1	1.1
2024	10	19	0	36	6	0	0	0	0	0	0	0	10.41	0	0	8.8	0.1	1.1
2024	10	19	0	46	6	0	0	0	0	0	0	0	10.39	0	0	8.8	0.1	1.1
2024	10	19	0	56	6	0	0	0	0	0	0	0	10.37	0	0	8.8	0.1	1.1
2024	10	19	1	6	6	0	0	0	0	0	0	0	10.36	0	0	8.8	0.1	1.1
2024	10	19	1	16	6	0	0	0	0	0	0	0	10.35	0	0	8.8	0.1	1.1
2024	10	19	1	26	6	0	0	0	0	0	0	0	10.34	0	0	8.8	0.1	1.1
2024	10	19	1	36	6	0	0	0	0	0	0	0	10.32	0	0	8.8	0.1	1.1
2024	10	19	1	46	6	0	0	0	0	0	0	0	10.31	0	0	8.8	0.1	1.1
2024	10	19	1	56	6	0	0	0	0	0	0	0	10.3	0	0	8.8	0.1	1.1
2024	10	19	2	6	6	0	0	0	0	0	0	0	10.3	0	0	8.8	0.1	1.1
2024	10	19	2	16	6	0	0	0	0	0	0	0	10.28	0	0	8.8	0.1	1.1
2024	10	19	2	26	6	0	0	0	0	0	0	0	10.28	0	0	8.8	0.1	1.1
2024	10	19	2	36	6	0	0	0	0	0	0	0	10.27	0	0	8.8	0.1	1.1
2024	10	19	2	46	6	0	0	0	0	0	0	0	10.26	0	0	8.8	0.1	1.1
2024	10	19	2	56	6	0	0	0	0	0	0	0	10.25	0	0	10.8	0.1	1.1
2024	10	19	3	6	6	0	0	0	0	0	0	0	10.25	0	0	11.2	0.1	1.1
2024	10	19	3	16	6	0	0	0	0	0	0	0	10.25	0	0	11.2	0.1	1.1
2024	10	19	3	26	6	0	0	0	0	0	0	0	10.24	0	0	11.2	0.1	1.1
2024	10	19	3	36	6	0	0	0	0	0	0	0	10.24	0	0	11.2	0.1	1.1
2024	10	19	3	46	6	0	0	0	0	0	0	0	10.24	0	0	11.2	0.1	1.1
2024	10	19	3	56	6	0	0	0	0	0	0	0	10.24	0	0	11.2	0.1	1.1
2024	10	19	4	6	6	0	0	0	0	0	0	0	10.24	0	0	11.2	0.1	1.1
2024	10	19	4	16	6	0	0	0	0	0	0	0	10.24	0	0	11.2	0.1	1.1
2024	10	19	4	26	6	0	0	0	0	0	0	0	10.24	0	0	11.2	0.1	1.1
2024	10	19	4	36	6	0	0	0	0	0	0	0	10.24	0	0	11.2	0.1	1.1
2024	10	19	4	46	6	0	0	0	0	0	0	0	10.23	0	0	11.2	0.1	1.1
2024	10	19	4	56	6	0	0	0	0	0	0	0	10.24	0	0	11.2	0.1	1.1
2024	10	19	5	6	6	0	0	0	0	0	0	0	10.23	0	0	11.2	0.1	1.1
2024	10	19	5	16	6	0	0	0	0	0	0	0	10.23	0	0	11.2	0.1	1.1
2024	10	19	5	26	6	0	0	0	0	0	0	0	10.22	0	0	11.2	0.1	1.1
2024	10	19	5	36	6	0	0	0	0	0	0	0	10.22	0	0	11.2	0.1	1.1
2024	10	19	5	46	6	0	0	0	0	0	0	0	10.22	0	0	11.2	0.1	1.1
2024	10	19	5	56	6	0	0	0	0	0	0	0	10.21	0	0	11.2	0.1	1.1
2024	10	19	6	6	6	0	0	0	0	0	0	0	10.21	0	0	11.2	0.1	1.1
2024	10	19	6	16	6	0	0	0	0	0	0	0	10.21	0	0	11.2	0.1	1.1
2024	10	19	6	26	6	0	0	0	0	0	0	0	10.21	0	0	11.2	0.1	1.1
2024	10	19	6	36	6	0	0	0	0	0	0	0	10.2	0	0	11.2	0.1	1.1
2024	10	19	6	46	6	0	0	0	0	0	0	0	10.2	0	0	11.2	0.1	1.1
2024	10	19	6	56	6	0	0	0	0	0	0	0	10.2	0	0	11.2	0.1	1.1
2024	10	19	7	6	6	0	0	0	0	0	0	0	10.2	0	0	11.2	0.1	1.1
2024	10	19	7	16	6	0	0	0	0	0	0	0	10.19	0	0	11.2	0.1	1.1
2024	10	19	7	26	6	0	0	0	0	0	0	0	10.2	0	0	11.2	0.1	1.1
2024	10	19	7	36	6	0	0	0	0	0	0	0	10.2	0	0	11.2	0.1	1.1
2024	10	19	7	46	6	0	0	0	0	0	0	0	10.2	0	0	11.2	0.1	1.1
2024	10	19	7	56	6	0	0	0	0	0	0	0	10.21	0	0	11.6	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	19	8	6	6	0	0	0	0	0	0	0	10.21	0	0	12	0.1	1.1
2024	10	19	8	16	6	0	0	0	0	0	0	0	10.21	0	0	12.4	0.1	1.1
2024	10	19	8	26	6	0	0	0	0	0	0	0	10.21	0	0	12.4	0.1	1.1
2024	10	19	8	36	6	0	0	0	0	0	0	0	10.22	0	0	12.4	0.1	1.1
2024	10	19	8	46	6	0	0	0	0	0	0	0	10.25	0	0	12.6	0.1	1.1
2024	10	19	8	56	6	0	0	0	0	0	0	0	10.28	0	0	12.6	0.1	1.1
2024	10	19	9	6	6	0	0	0	0	0	0	0	10.3	0	0	12.8	0.1	1.1
2024	10	19	9	16	6	0	0	0	0	0	0	0	10.32	0	0	12.8	0.1	1.1
2024	10	19	9	26	6	0	0	0	0	0	0	0	10.34	0	0	13.2	0.1	1.1
2024	10	19	9	36	6	0	0	0	0	0	0	0	10.37	0	0	13.2	0.1	1.1
2024	10	19	9	46	6	0	0	0	0	0	0	0	10.4	0	0	13.2	0.1	1.1
2024	10	19	9	56	6	0	0	0	0	0	0	0	10.43	0	0	13.4	0.1	1.1
2024	10	19	10	6	6	0	0	0	0	0	0	0	10.46	0	0	13.6	0.1	1.1
2024	10	19	10	16	6	0	0	0	0	0	0	0	10.49	0	0	11.4	0.1	1.1
2024	10	19	10	26	6	0	0	0	0	0	0	0	10.52	0	0	11	0.1	1.1
2024	10	19	10	36	6	0	0	0	0	0	0	0	10.55	0	0	11.2	0.1	1.1
2024	10	19	10	46	6	0	0	0	0	0	0	0	10.58	0	0	11	0.1	1.1
2024	10	19	10	56	6	0	0	0	0	0	0	0	10.62	0	0	11	0.1	1.1
2024	10	19	11	6	6	0	0	0	0	0	0	0	10.65	0	0	11	0.1	1.1
2024	10	19	11	16	6	0	0	0	0	0	0	0	10.67	0	0	11	0.1	1.1
2024	10	19	11	26	6	0	0	0	0	0	0	0	10.71	0	0	11.2	0.1	1.1
2024	10	19	11	36	6	0	0	0	0	0	0	0	10.75	0	0	11.2	0.1	1.1
2024	10	19	11	46	6	0	0	0	0	0	0	0	10.78	0	0	11.2	0.1	1.1
2024	10	19	11	56	6	0	0	0	0	0	0	0	10.82	0	0	11	0.1	1.1
2024	10	19	12	6	6	0	0	0	0	0	0	0	10.84	0	0	11.2	0.1	1.1
2024	10	19	12	16	6	0	0	0	0	0	0	0	10.88	0	0	11.2	0.1	1.1
2024	10	19	12	26	6	0	0	0	0	0	0	0	10.91	0	0	11	0.1	1.1
2024	10	19	12	36	6	0	0	0	0	0	0	0	10.95	0	0	11	0.1	1.1
2024	10	19	12	46	6	0	0	0	0	0	0	0	10.97	0	0	11	0.1	1.1
2024	10	19	12	56	6	0	0	0	0	0	0	0	10.99	0	0	11	0.1	1.1
2024	10	19	13	6	6	0	0	0	0	0	0	0	11.01	0	0	10.8	0.1	1.1
2024	10	19	13	16	6	0	0	0	0	0	0	0	11.04	0	0	10.8	0.1	1.1
2024	10	19	13	26	6	0	0	0	0	0	0	0	11.06	0	0	11	0.1	1.1
2024	10	19	13	36	6	0	0	0	0	0	0	0	11.08	0	0	11.2	0.1	1.1
2024	10	19	13	46	6	0	0	0	0	0	0	0	11.09	0	0	11.2	0.1	1.1
2024	10	19	13	56	6	0	0	0	0	0	0	0	11.11	0	0	11.2	0.1	1.1
2024	10	19	14	6	6	0	0	0	0	0	0	0	11.12	0	0	11	0.1	1.1
2024	10	19	14	16	6	0	0	0	0	0	0	0	11.13	0	0	11	0.1	1.1
2024	10	19	14	26	6	0	0	0	0	0	0	0	11.14	0	0	11	0.1	1.1
2024	10	19	14	36	6	0	0	0	0	0	0	0	11.14	0	0	11	0.1	1.1
2024	10	19	14	46	6	0	0	0	0	0	0	0	11.14	0	0	11.4	0.1	1.1
2024	10	19	14	56	6	0	0	0	0	0	0	0	11.14	0	0	11.4	0.1	1.1
2024	10	19	15	6	6	0	0	0	0	0	0	0	11.14	0	0	11.2	0.1	1.1
2024	10	19	15	16	6	0	0	0	0	0	0	0	11.13	0	0	11.2	0.1	1.1
2024	10	19	15	26	6	0	0	0	0	0	0	0	11.13	0	0	11.2	0.1	1.1
2024	10	19	15	36	6	0	0	0	0	0	0	0	11.12	0	0	11.2	0.1	1.1
2024	10	19	15	46	6	0	0	0	0	0	0	0	11.11	0	0	11.2	0.1	1.1
2024	10	19	15	56	6	0	0	0	0	0	0	0	11.08	0	0	11.2	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	19	16	6	6	0	0	0	0	0	0	0	11.08	0	0	11.2	0.1	1.1
2024	10	19	16	16	6	0	0	0	0	0	0	0	11.08	0	0	11.2	0.1	1.1
2024	10	19	16	26	6	0	0	0	0	0	0	0	11.07	0	0	11.2	0.1	1.1
2024	10	19	16	36	6	0	0	0	0	0	0	0	11.05	0	0	10.2	0.1	1.1
2024	10	19	16	46	6	0	0	0	0	0	0	0	11.02	0	0	9.8	0.1	1.1
2024	10	19	16	56	6	0	0	0	0	0	0	0	11.01	0	0	9.6	0.1	1.1
2024	10	19	17	6	6	0	0	0	0	0	0	0	11	0	0	9.4	0.1	1.1
2024	10	19	17	16	6	0	0	0	0	0	0	0	10.99	0	0	9.2	0.1	1.1
2024	10	19	17	26	6	0	0	0	0	0	0	0	10.98	0	0	9	0.1	1.1
2024	10	19	17	36	6	0	0	0	0	0	0	0	10.97	0	0	9	0.1	1.1
2024	10	19	17	46	6	0	0	0	0	0	0	0	10.97	0	0	9	0.1	1.1
2024	10	19	17	56	6	0	0	0	0	0	0	0	10.95	0	0	9.2	0.1	1.1
2024	10	19	18	6	6	0	0	0	0	0	0	0	10.95	0	0	9	0.1	1.1
2024	10	19	18	16	6	0	0	0	0	0	0	0	10.93	0	0	9	0.1	1.1
2024	10	19	18	26	6	0	0	0	0	0	0	0	10.92	0	0	9	0.1	1.1
2024	10	19	18	36	6	0	0	0	0	0	0	0	10.91	0	0	9	0.1	1.1
2024	10	19	18	46	6	0	0	0	0	0	0	0	10.89	0	0	9.6	0.1	1.1
2024	10	19	18	56	6	0	0	0	0	0	0	0	10.87	0	0	10.4	0.1	1.1
2024	10	19	19	6	6	0	0	0	0	0	0	0	10.85	0	0	11.2	0.1	1.1
2024	10	19	19	16	6	0	0	0	0	0	0	0	10.83	0	0	11.2	0.1	1.1
2024	10	19	19	26	6	0	0	0	0	0	0	0	10.8	0	0	11.2	0.1	1.1
2024	10	19	19	36	6	0	0	0	0	0	0	0	10.78	0	0	11.2	0.1	1.1
2024	10	19	19	46	6	0	0	0	0	0	0	0	10.76	0	0	11.2	0.1	1.1
2024	10	19	19	56	6	0	0	0	0	0	0	0	10.73	0	0	11.2	0.1	1.1
2024	10	19	20	6	6	0	0	0	0	0	0	0	10.7	0	0	11	0.1	1.1
2024	10	19	20	16	6	0	0	0	0	0	0	0	10.68	0	0	11	0.1	1.1
2024	10	19	20	26	6	0	0	0	0	0	0	0	10.66	0	0	11.2	0.1	1.1
2024	10	19	20	36	6	0	0	0	0	0	0	0	10.63	0	0	11.2	0.1	1.1
2024	10	19	20	46	6	0	0	0	0	0	0	0	10.61	0	0	11.2	0.1	1.1
2024	10	19	20	56	6	0	0	0	0	0	0	0	10.59	0	0	11.2	0.1	1.1
2024	10	19	21	6	6	0	0	0	0	0	0	0	10.57	0	0	11.2	0.1	1.1
2024	10	19	21	16	6	0	0	0	0	0	0	0	10.55	0	0	11.2	0.1	1.1
2024	10	19	21	26	6	0	0	0	0	0	0	0	10.52	0	0	11.2	0.1	1.1
2024	10	19	21	36	6	0	0	0	0	0	0	0	10.5	0	0	11.2	0.1	1.1
2024	10	19	21	46	6	0	0	0	0	0	0	0	10.49	0	0	11.2	0.1	1.1
2024	10	19	21	56	6	0	0	0	0	0	0	0	10.46	0	0	11.2	0.1	1.1
2024	10	19	22	6	6	0	0	0	0	0	0	0	10.44	0	0	11.2	0.1	1.1
2024	10	19	22	16	6	0	0	0	0	0	0	0	10.41	0	0	11.2	0.1	1.1
2024	10	19	22	26	6	0	0	0	0	0	0	0	10.39	0	0	11.2	0.1	1.1
2024	10	19	22	36	6	0	0	0	0	0	0	0	10.37	0	0	11.2	0.1	1.1
2024	10	19	22	46	6	0	0	0	0	0	0	0	10.34	0	0	11.2	0.1	1.1
2024	10	19	22	56	6	0	0	0	0	0	0	0	10.32	0	0	11.2	0.1	1.1
2024	10	19	23	6	6	0	0	0	0	0	0	0	10.29	0	0	11.2	0.1	1.1
2024	10	19	23	16	6	0	0	0	0	0	0	0	10.27	0	0	11.2	0.1	1.1
2024	10	19	23	26	6	0	0	0	0	0	0	0	10.25	0	0	11.2	0.1	1.1
2024	10	19	23	36	6	0	0	0	0	0	0	0	10.23	0	0	11.2	0.1	1.1
2024	10	19	23	46	6	0	0	0	0	0	0	0	10.21	0	0	11.2	0.1	1.1
2024	10	19	23	56	6	0	0	0	0	0	0	0	10.2	0	0	11.2	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	20	0	6	6	0	0	0	0	0	0	0	10.18	0	0	11.2	0.1	1.1
2024	10	20	0	16	6	0	0	0	0	0	0	0	10.17	0	0	11.2	0.1	1.1
2024	10	20	0	26	6	0	0	0	0	0	0	0	10.16	0	0	11.2	0.1	1.1
2024	10	20	0	36	6	0	0	0	0	0	0	0	10.15	0	0	11.2	0.1	1.1
2024	10	20	0	46	6	0	0	0	0	0	0	0	10.14	0	0	11.2	0.1	1.1
2024	10	20	0	56	6	0	0	0	0	0	0	0	10.14	0	0	11.2	0.1	1.1
2024	10	20	1	6	6	0	0	0	0	0	0	0	10.13	0	0	11.2	0.1	1.1
2024	10	20	1	16	6	0	0	0	0	0	0	0	10.12	0	0	11.2	0.1	1.1
2024	10	20	1	26	6	0	0	0	0	0	0	0	10.11	0	0	11.2	0.1	1.1
2024	10	20	1	36	6	0	0	0	0	0	0	0	10.1	0	0	11.2	0.1	1.1
2024	10	20	1	46	6	0	0	0	0	0	0	0	10.09	0	0	11.2	0.1	1.1
2024	10	20	1	56	6	0	0	0	0	0	0	0	10.09	0	0	11.2	0.1	1.1
2024	10	20	2	6	6	0	0	0	0	0	0	0	10.09	0	0	11.2	0.1	1.1
2024	10	20	2	16	6	0	0	0	0	0	0	0	10.08	0	0	11.2	0.1	1.1
2024	10	20	2	26	6	0	0	0	0	0	0	0	10.08	0	0	11.2	0.1	1.1
2024	10	20	2	36	6	0	0	0	0	0	0	0	10.08	0	0	11.2	0.1	1.1
2024	10	20	2	46	6	0	0	0	0	0	0	0	10.08	0	0	11.2	0.1	1.1
2024	10	20	2	56	6	0	0	0	0	0	0	0	10.08	0	0	11.2	0.1	1.1
2024	10	20	3	6	6	0	0	0	0	0	0	0	10.08	0	0	11.2	0.1	1.1
2024	10	20	3	16	6	0	0	0	0	0	0	0	10.08	0	0	11.2	0.1	1.1
2024	10	20	3	26	6	0	0	0	0	0	0	0	10.08	0	0	11	0.1	1.1
2024	10	20	3	36	6	0	0	0	0	0	0	0	10.08	0	0	11	0.1	1.1
2024	10	20	3	46	6	0	0	0	0	0	0	0	10.08	0	0	11	0.1	1.1
2024	10	20	3	56	6	0	0	0	0	0	0	0	10.09	0	0	11	0.1	1.1
2024	10	20	4	6	6	0	0	0	0	0	0	0	10.1	0	0	11	0.1	1.1
2024	10	20	4	16	6	0	0	0	0	0	0	0	10.09	0	0	11	0.1	1.1
2024	10	20	4	26	6	0	0	0	0	0	0	0	10.1	0	0	11	0.1	1.1
2024	10	20	4	36	6	0	0	0	0	0	0	0	10.1	0	0	11	0.1	1.1
2024	10	20	4	46	6	0	0	0	0	0	0	0	10.1	0	0	11	0.1	1.1
2024	10	20	4	56	6	0	0	0	0	0	0	0	10.1	0	0	11	0.1	1.1
2024	10	20	5	6	6	0	0	0	0	0	0	0	10.1	0	0	11	0.1	1.1
2024	10	20	5	16	6	0	0	0	0	0	0	0	10.1	0	0	11	0.1	1.1
2024	10	20	5	26	6	0	0	0	0	0	0	0	10.1	0	0	11.2	0.1	1.1
2024	10	20	5	36	6	0	0	0	0	0	0	0	10.1	0	0	11.2	0.1	1.1
2024	10	20	5	46	6	0	0	0	0	0	0	0	10.1	0	0	11.2	0.1	1.1
2024	10	20	5	56	6	0	0	0	0	0	0	0	10.1	0	0	11.2	0.1	1.1
2024	10	20	6	6	6	0	0	0	0	0	0	0	10.1	0	0	11.2	0.1	1.1
2024	10	20	6	16	6	0	0	0	0	0	0	0	10.1	0	0	11.2	0.1	1.1
2024	10	20	6	26	6	0	0	0	0	0	0	0	10.11	0	0	11.2	0.1	1.1
2024	10	20	6	36	6	0	0	0	0	0	0	0	10.11	0	0	11.2	0.1	1.1
2024	10	20	6	46	6	0	0	0	0	0	0	0	10.11	0	0	11.2	0.1	1.1
2024	10	20	6	56	6	0	0	0	0	0	0	0	10.1	0	0	11.2	0.1	1.1
2024	10	20	7	6	6	0	0	0	0	0	0	0	10.11	0	0	11.2	0.1	1.1
2024	10	20	7	16	6	0	0	0	0	0	0	0	10.11	0	0	11.2	0.1	1.1
2024	10	20	7	26	6	0	0	0	0	0	0	0	10.11	0	0	11.2	0.1	1.1
2024	10	20	7	36	6	0	0	0	0	0	0	0	10.11	0	0	11.2	0.1	1.1
2024	10	20	7	46	6	0	0	0	0	0	0	0	10.1	0	0	11.2	0.1	1.1
2024	10	20	7	56	6	0	0	0	0	0	0	0	10.11	0	0	11.6	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	20	8	6	6	0	0	0	0	0	0	0	10.12	0	0	12	0.1	1.1
2024	10	20	8	16	6	0	0	0	0	0	0	0	10.13	0	0	12.2	0.1	1.1
2024	10	20	8	26	6	0	0	0	0	0	0	0	10.14	0	0	12.4	0.1	1.1
2024	10	20	8	36	6	0	0	0	0	0	0	0	10.15	0	0	12.4	0.1	1.1
2024	10	20	8	46	6	0	0	0	0	0	0	0	10.2	0	0	12.6	0.1	1.1
2024	10	20	8	56	6	0	0	0	0	0	0	0	10.26	0	0	12.6	0.1	1.1
2024	10	20	9	6	6	0	0	0	0	0	0	0	10.29	0	0	12.8	0.1	1.1
2024	10	20	9	16	6	0	0	0	0	0	0	0	10.32	0	0	12.8	0.1	1.1
2024	10	20	9	26	6	0	0	0	0	0	0	0	10.36	0	0	13	0.1	1.1
2024	10	20	9	36	6	0	0	0	0	0	0	0	10.41	0	0	13	0.1	1.1
2024	10	20	9	46	6	0	0	0	0	0	0	0	10.46	0	0	13.4	0.1	1.1
2024	10	20	9	56	6	0	0	0	0	0	0	0	10.49	0	0	13.4	0.1	1.1
2024	10	20	10	6	6	0	0	0	0	0	0	0	10.55	0	0	13.2	0.1	1.1
2024	10	20	10	16	6	0	0	0	0	0	0	0	10.57	0	0	13.2	0.1	1.1
2024	10	20	10	26	6	0	0	0	0	0	0	0	10.62	0	0	12.2	0.1	1.1
2024	10	20	10	36	6	0	0	0	0	0	0	0	10.67	0	0	11.4	0.1	1.1
2024	10	20	10	46	6	0	0	0	0	0	0	0	10.73	0	0	12.4	0.1	1.1
2024	10	20	10	56	6	0	0	0	0	0	0	0	10.77	0	0	12	0.1	1.1
2024	10	20	11	6	6	0	0	0	0	0	0	0	10.81	0	0	11.8	0.1	1.1
2024	10	20	11	16	6	0	0	0	0	0	0	0	10.85	0	0	11.4	0.1	1.1
2024	10	20	11	26	6	0	0	0	0	0	0	0	10.89	0	0	11.2	0.1	1.1
2024	10	20	11	36	6	0	0	0	0	0	0	0	10.93	0	0	11.2	0.1	1.1
2024	10	20	11	46	6	0	0	0	0	0	0	0	10.98	0	0	11.2	0.1	1.1
2024	10	20	11	56	6	0	0	0	0	0	0	0	11.01	0	0	11.4	0.1	1.1
2024	10	20	12	6	6	0	0	0	0	0	0	0	11.05	0	0	11.4	0.1	1.1
2024	10	20	12	16	6	0	0	0	0	0	0	0	11.1	0	0	11.2	0.1	1.1
2024	10	20	12	26	6	0	0	0	0	0	0	0	11.13	0	0	11.4	0.1	1.1
2024	10	20	12	36	6	0	0	0	0	0	0	0	11.16	0	0	11.6	0.1	1.1
2024	10	20	12	46	6	0	0	0	0	0	0	0	11.19	0	0	11	0.1	1.1
2024	10	20	12	56	6	0	0	0	0	0	0	0	11.22	0	0	11.2	0.1	1.1
2024	10	20	13	6	6	0	0	0	0	0	0	0	11.26	0	0	11	0.1	1.1
2024	10	20	13	16	6	0	0	0	0	0	0	0	11.29	0	0	11	0.1	1.1
2024	10	20	13	26	6	0	0	0	0	0	0	0	11.3	0	0	12.4	0.1	1.1
2024	10	20	13	36	6	0	0	0	0	0	0	0	11.33	0	0	13.4	0.1	1.1
2024	10	20	13	46	6	0	0	0	0	0	0	0	11.34	0	0	13.2	0.1	1.1
2024	10	20	13	56	6	0	0	0	0	0	0	0	11.36	0	0	13	0.1	1.1
2024	10	20	14	6	6	0	0	0	0	0	0	0	11.35	0	0	13.2	0.1	1.1
2024	10	20	14	16	6	0	0	0	0	0	0	0	11.38	0	0	13.2	0.1	1.1
2024	10	20	14	26	6	0	0	0	0	0	0	0	11.39	0	0	13.2	0.1	1.1
2024	10	20	14	36	6	0	0	0	0	0	0	0	11.4	0	0	13.4	0.1	1.1
2024	10	20	14	46	6	0	0	0	0	0	0	0	11.41	0	0	13.4	0.1	1.1
2024	10	20	14	56	6	0	0	0	0	0	0	0	11.4	0	0	13.2	0.1	1.1
2024	10	20	15	6	6	0	0	0	0	0	0	0	11.41	0	0	13.2	0.1	1.1
2024	10	20	15	16	6	0	0	0	0	0	0	0	11.4	0	0	13	0.1	1.1
2024	10	20	15	26	6	0	0	0	0	0	0	0	11.4	0	0	13	0.1	1.1
2024	10	20	15	36	6	0	0	0	0	0	0	0	11.4	0	0	13	0.1	1.1
2024	10	20	15	46	6	0	0	0	0	0	0	0	11.38	0	0	12.8	0.1	1.1
2024	10	20	15	56	6	0	0	0	0	0	0	0	11.36	0	0	12.8	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	20	16	6	6	0	0	0	0	0	0	0	11.35	0	0	12.8	0.1	1.1
2024	10	20	16	16	6	0	0	0	0	0	0	0	11.35	0	0	12.6	0.1	1.1
2024	10	20	16	26	6	0	0	0	0	0	0	0	11.33	0	0	12.4	0.1	1.1
2024	10	20	16	36	6	0	0	0	0	0	0	0	11.31	0	0	11.8	0.1	1.1
2024	10	20	16	46	6	0	0	0	0	0	0	0	11.29	0	0	11.4	0.1	1.1
2024	10	20	16	56	6	0	0	0	0	0	0	0	11.28	0	0	11.8	0.1	1.1
2024	10	20	17	6	6	0	0	0	0	0	0	0	11.28	0	0	12	0.1	1.1
2024	10	20	17	16	6	0	0	0	0	0	0	0	11.27	0	0	11.8	0.1	1.1
2024	10	20	17	26	6	0	0	0	0	0	0	0	11.27	0	0	11.6	0.1	1.1
2024	10	20	17	36	6	0	0	0	0	0	0	0	11.25	0	0	11.6	0.1	1.1
2024	10	20	17	46	6	0	0	0	0	0	0	0	11.25	0	0	11.6	0.1	1.1
2024	10	20	17	56	6	0	0	0	0	0	0	0	11.23	0	0	11.4	0.1	1.1
2024	10	20	18	6	6	0	0	0	0	0	0	0	11.22	0	0	11.4	0.1	1.1
2024	10	20	18	16	6	0	0	0	0	0	0	0	11.2	0	0	11.4	0.1	1.1
2024	10	20	18	26	6	0	0	0	0	0	0	0	11.18	0	0	11.4	0.1	1.1
2024	10	20	18	36	6	0	0	0	0	0	0	0	11.16	0	0	11.6	0.1	1.1
2024	10	20	18	46	6	0	0	0	0	0	0	0	11.14	0	0	10.8	0.1	1.1
2024	10	20	18	56	6	0	0	0	0	0	0	0	11.12	0	0	11	0.1	1.1
2024	10	20	19	6	6	0	0	0	0	0	0	0	11.09	0	0	11.2	0.1	1.1
2024	10	20	19	16	6	0	0	0	0	0	0	0	11.07	0	0	11.2	0.1	1.1
2024	10	20	19	26	6	0	0	0	0	0	0	0	11.04	0	0	11.2	0.1	1.1
2024	10	20	19	36	6	0	0	0	0	0	0	0	11.01	0	0	11.2	0.1	1.1
2024	10	20	19	46	6	0	0	0	0	0	0	0	10.98	0	0	11.2	0.1	1.1
2024	10	20	19	56	6	0	0	0	0	0	0	0	10.95	0	0	11.2	0.1	1.1
2024	10	20	20	6	6	0	0	0	0	0	0	0	10.92	0	0	11.2	0.1	1.1
2024	10	20	20	16	6	0	0	0	0	0	0	0	10.88	0	0	11.2	0.1	1.1
2024	10	20	20	26	6	0	0	0	0	0	0	0	10.84	0	0	11.2	0.1	1.1
2024	10	20	20	36	6	0	0	0	0	0	0	0	10.81	0	0	11.2	0.1	1.1
2024	10	20	20	46	6	0	0	0	0	0	0	0	10.77	0	0	11.2	0.1	1.1
2024	10	20	20	56	6	0	0	0	0	0	0	0	10.74	0	0	11.2	0.1	1.1
2024	10	20	21	6	6	0	0	0	0	0	0	0	10.7	0	0	11.2	0.1	1.1
2024	10	20	21	16	6	0	0	0	0	0	0	0	10.68	0	0	11.2	0.1	1.1
2024	10	20	21	26	6	0	0	0	0	0	0	0	10.64	0	0	11.2	0.1	1.1
2024	10	20	21	36	6	0	0	0	0	0	0	0	10.61	0	0	11.2	0.1	1.1
2024	10	20	21	46	6	0	0	0	0	0	0	0	10.57	0	0	11.2	0.1	1.1
2024	10	20	21	56	6	0	0	0	0	0	0	0	10.54	0	0	11.2	0.1	1.1
2024	10	20	22	6	6	0	0	0	0	0	0	0	10.5	0	0	11.2	0.1	1.1
2024	10	20	22	16	6	0	0	0	0	0	0	0	10.47	0	0	11.2	0.1	1.1
2024	10	20	22	26	6	0	0	0	0	0	0	0	10.44	0	0	11.2	0.1	1.1
2024	10	20	22	36	6	0	0	0	0	0	0	0	10.4	0	0	11.2	0.1	1.1
2024	10	20	22	46	6	0	0	0	0	0	0	0	10.37	0	0	11.2	0.1	1.1
2024	10	20	22	56	6	0	0	0	0	0	0	0	10.34	0	0	11.2	0.1	1.1
2024	10	20	23	6	6	0	0	0	0	0	0	0	10.3	0	0	11.2	0.1	1.1
2024	10	20	23	16	6	0	0	0	0	0	0	0	10.27	0	0	11.2	0.1	1.1
2024	10	20	23	26	6	0	0	0	0	0	0	0	10.24	0	0	11.2	0.1	1.1
2024	10	20	23	36	6	0	0	0	0	0	0	0	10.21	0	0	11.2	0.1	1.1
2024	10	20	23	46	6	0	0	0	0	0	0	0	10.18	0	0	11.2	0.1	1.1
2024	10	20	23	56	6	0	0	0	0	0	0	0	10.15	0	0	11.2	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	21	0	6	6	0	0	0	0	0	0	0	10.13	0	0	11.2	0.1	1.1
2024	10	21	0	16	6	0	0	0	0	0	0	0	10.1	0	0	11.2	0.1	1.1
2024	10	21	0	26	6	0	0	0	0	0	0	0	10.08	0	0	11.2	0.1	1.1
2024	10	21	0	36	6	0	0	0	0	0	0	0	10.05	0	0	11.2	0.1	1.1
2024	10	21	0	46	6	0	0	0	0	0	0	0	10.03	0	0	11.2	0.1	1.1
2024	10	21	0	56	6	0	0	0	0	0	0	0	10.01	0	0	11.2	0.1	1.1
2024	10	21	1	6	6	0	0	0	0	0	0	0	9.99	0	0	11.2	0.1	1.1
2024	10	21	1	16	6	0	0	0	0	0	0	0	9.98	0	0	11.2	0.1	1.1
2024	10	21	1	26	6	0	0	0	0	0	0	0	9.95	0	0	11.2	0.1	1.1
2024	10	21	1	36	6	0	0	0	0	0	0	0	9.94	0	0	11.2	0.1	1.1
2024	10	21	1	46	6	0	0	0	0	0	0	0	9.92	0	0	11.2	0.1	1.1
2024	10	21	1	56	6	0	0	0	0	0	0	0	9.91	0	0	11.2	0.1	1.1
2024	10	21	2	6	6	0	0	0	0	0	0	0	9.9	0	0	11.2	0.1	1.1
2024	10	21	2	16	6	0	0	0	0	0	0	0	9.88	0	0	11.2	0.1	1.1
2024	10	21	2	26	6	0	0	0	0	0	0	0	9.87	0	0	11.2	0.1	1.1
2024	10	21	2	36	6	0	0	0	0	0	0	0	9.86	0	0	11.2	0.1	1.1
2024	10	21	2	46	6	0	0	0	0	0	0	0	9.85	0	0	11.2	0.1	1.1
2024	10	21	2	56	6	0	0	0	0	0	0	0	9.84	0	0	11.2	0.1	1.1
2024	10	21	3	6	6	0	0	0	0	0	0	0	9.84	0	0	11.2	0.1	1.1
2024	10	21	3	16	6	0	0	0	0	0	0	0	9.83	0	0	11.2	0.1	1.1
2024	10	21	3	26	6	0	0	0	0	0	0	0	9.83	0	0	11.2	0.1	1.1
2024	10	21	3	36	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	3	46	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	3	56	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	4	6	6	0	0	0	0	0	0	0	9.81	0	0	11.2	0.1	1.1
2024	10	21	4	16	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	4	26	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	4	36	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	4	46	6	0	0	0	0	0	0	0	9.81	0	0	11.2	0.1	1.1
2024	10	21	4	56	6	0	0	0	0	0	0	0	9.81	0	0	11.2	0.1	1.1
2024	10	21	5	6	6	0	0	0	0	0	0	0	9.81	0	0	11.2	0.1	1.1
2024	10	21	5	16	6	0	0	0	0	0	0	0	9.81	0	0	11.2	0.1	1.1
2024	10	21	5	26	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	5	36	6	0	0	0	0	0	0	0	9.81	0	0	11.2	0.1	1.1
2024	10	21	5	46	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	5	56	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	6	6	6	0	0	0	0	0	0	0	9.81	0	0	11.2	0.1	1.1
2024	10	21	6	16	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	6	26	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	6	36	6	0	0	0	0	0	0	0	9.81	0	0	11.2	0.1	1.1
2024	10	21	6	46	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	6	56	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	7	6	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	7	16	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	7	26	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	7	36	6	0	0	0	0	0	0	0	9.82	0	0	11.2	0.1	1.1
2024	10	21	7	46	6	0	0	0	0	0	0	0	9.83	0	0	11.2	0.1	1.1
2024	10	21	7	56	6	0	0	0	0	0	0	0	9.83	0	0	11.6	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	21	8	6	6	0	0	0	0	0	0	0	9.84	0	0	12	0.1	1.1
2024	10	21	8	16	6	0	0	0	0	0	0	0	9.85	0	0	12.4	0.1	1.1
2024	10	21	8	26	6	0	0	0	0	0	0	0	9.87	0	0	12.6	0.1	1.1
2024	10	21	8	36	6	0	0	0	0	0	0	0	9.89	0	0	12.6	0.1	1.1
2024	10	21	8	46	6	0	0	0	0	0	0	0	9.93	0	0	13	0.1	1.1
2024	10	21	8	56	6	0	0	0	0	0	0	0	9.96	0	0	13.2	0.1	1.1
2024	10	21	9	6	6	0	0	0	0	0	0	0	10.02	0	0	13	0.1	1.1
2024	10	21	9	16	6	0	0	0	0	0	0	0	10.05	0	0	12.4	0.1	1.1
2024	10	21	9	26	6	0	0	0	0	0	0	0	10.09	0	0	12.4	0.1	1.1
2024	10	21	9	36	6	0	0	0	0	0	0	0	10.11	0	0	12.2	0.1	1.1
2024	10	21	9	46	6	0	0	0	0	0	0	0	10.18	0	0	11.8	0.1	1.1
2024	10	21	9	56	6	0	0	0	0	0	0	0	10.23	0	0	11.4	0.1	1.1
2024	10	21	10	6	6	0	0	0	0	0	0	0	10.27	0	0	11.8	0.1	1.1
2024	10	21	10	16	6	0	0	0	0	0	0	0	10.3	0	0	13	0.1	1.1
2024	10	21	10	26	6	0	0	0	0	0	0	0	10.36	0	0	13.4	0.1	1.1
2024	10	21	10	36	6	0	0	0	0	0	0	0	10.39	0	0	13.6	0.1	1.1
2024	10	21	10	46	6	0	0	0	0	0	0	0	10.44	0	0	13.6	0.1	1.1
2024	10	21	10	56	6	0	0	0	0	0	0	0	10.5	0	0	12.6	0.1	1.1
2024	10	21	11	6	6	0	0	0	0	0	0	0	10.53	0	0	13	0.1	1.1
2024	10	21	11	16	6	0	0	0	0	0	0	0	10.58	0	0	13	0.1	1.1
2024	10	21	11	26	6	0	0	0	0	0	0	0	10.62	0	0	13	0.1	1.1
2024	10	21	11	36	6	0	0	0	0	0	0	0	10.66	0	0	13	0.1	1.1
2024	10	21	11	46	6	0	0	0	0	0	0	0	10.69	0	0	13.2	0.1	1.1
2024	10	21	11	56	6	0	0	0	0	0	0	0	10.73	0	0	13.2	0.1	1.1
2024	10	21	12	6	6	0	0	0	0	0	0	0	10.77	0	0	13	0.1	1.1
2024	10	21	12	16	6	0	0	0	0	0	0	0	10.81	0	0	13	0.1	1.1
2024	10	21	12	26	6	0	0	0	0	0	0	0	10.84	0	0	13.2	0.1	1.1
2024	10	21	12	36	6	0	0	0	0	0	0	0	10.88	0	0	13.2	0.1	1.1
2024	10	21	12	46	6	0	0	0	0	0	0	0	10.9	0	0	13.2	0.1	1.1
2024	10	21	12	56	6	0	0	0	0	0	0	0	10.93	0	0	13.2	0.1	1.1
2024	10	21	13	6	6	0	0	0	0	0	0	0	10.97	0	0	13.2	0.1	1.1
2024	10	21	13	16	6	0	0	0	0	0	0	0	10.99	0	0	13.2	0.1	1.1
2024	10	21	13	26	6	0	0	0	0	0	0	0	11.02	0	0	13.2	0.1	1.1
2024	10	21	13	36	6	0	0	0	0	0	0	0	11.04	0	0	13.2	0.1	1.1
2024	10	21	13	46	6	0	0	0	0	0	0	0	11.05	0	0	13.2	0.1	1.1
2024	10	21	13	56	6	0	0	0	0	0	0	0	11.06	0	0	13.2	0.1	1.1
2024	10	21	14	6	6	0	0	0	0	0	0	0	11.09	0	0	13.2	0.1	1.1
2024	10	21	14	16	6	0	0	0	0	0	0	0	11.09	0	0	13.2	0.1	1.1
2024	10	21	14	26	6	0	0	0	0	0	0	0	11.1	0	0	13.2	0.1	1.1
2024	10	21	14	36	6	0	0	0	0	0	0	0	11.1	0	0	13.2	0.1	1.1
2024	10	21	14	46	6	0	0	0	0	0	0	0	11.11	0	0	13.2	0.1	1.1
2024	10	21	14	56	6	0	0	0	0	0	0	0	11.12	0	0	13.2	0.1	1.1
2024	10	21	15	6	6	0	0	0	0	0	0	0	11.11	0	0	13.2	0.1	1.1
2024	10	21	15	16	6	0	0	0	0	0	0	0	11.1	0	0	13.2	0.1	1.1
2024	10	21	15	26	6	0	0	0	0	0	0	0	11.1	0	0	13.2	0.1	1.1
2024	10	21	15	36	6	0	0	0	0	0	0	0	11.1	0	0	13.2	0.1	1.1
2024	10	21	15	46	6	0	0	0	0	0	0	0	11.09	0	0	13.2	0.1	1.1
2024	10	21	15	56	6	0	0	0	0	0	0	0	11.06	0	0	13.2	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	21	16	6	6	0	0	0	0	0	0	0	11.04	0	0	13.2	0.1	1.1
2024	10	21	16	16	6	0	0	0	0	0	0	0	11.04	0	0	13.2	0.1	1.1
2024	10	21	16	26	6	0	0	0	0	0	0	0	11.03	0	0	13	0.1	1.1
2024	10	21	16	36	6	0	0	0	0	0	0	0	11	0	0	12.4	0.1	1.1
2024	10	21	16	46	6	0	0	0	0	0	0	0	10.99	0	0	12	0.1	1.1
2024	10	21	16	56	6	0	0	0	0	0	0	0	10.98	0	0	11.8	0.1	1.1
2024	10	21	17	6	6	0	0	0	0	0	0	0	10.97	0	0	11.8	0.1	1.1
2024	10	21	17	16	6	0	0	0	0	0	0	0	10.96	0	0	11.6	0.1	1.1
2024	10	21	17	26	6	0	0	0	0	0	0	0	10.94	0	0	11.4	0.1	1.1
2024	10	21	17	36	6	0	0	0	0	0	0	0	10.93	0	0	11.4	0.1	1.1
2024	10	21	17	46	6	0	0	0	0	0	0	0	10.91	0	0	11.4	0.1	1.1
2024	10	21	17	56	6	0	0	0	0	0	0	0	10.89	0	0	11.4	0.1	1.1
2024	10	21	18	6	6	0	0	0	0	0	0	0	10.88	0	0	11	0.1	1.1
2024	10	21	18	16	6	0	0	0	0	0	0	0	10.86	0	0	10.4	0.1	1.1
2024	10	21	18	26	6	0	0	0	0	0	0	0	10.84	0	0	10.8	0.1	1.1
2024	10	21	18	36	6	0	0	0	0	0	0	0	10.81	0	0	10.6	0.1	1.1
2024	10	21	18	46	6	0	0	0	0	0	0	0	10.78	0	0	10.2	0.1	1.1
2024	10	21	18	56	6	0	0	0	0	0	0	0	10.76	0	0	10	0.1	1.1
2024	10	21	19	6	6	0	0	0	0	0	0	0	10.73	0	0	10	0.1	1.1
2024	10	21	19	16	6	0	0	0	0	0	0	0	10.7	0	0	10	0.1	1.1
2024	10	21	19	26	6	0	0	0	0	0	0	0	10.67	0	0	10	0.1	1.1
2024	10	21	19	36	6	0	0	0	0	0	0	0	10.64	0	0	10	0.1	1.1
2024	10	21	19	46	6	0	0	0	0	0	0	0	10.6	0	0	9.8	0.1	1.1
2024	10	21	19	56	6	0	0	0	0	0	0	0	10.57	0	0	9.8	0.1	1.1
2024	10	21	20	6	6	0	0	0	0	0	0	0	10.54	0	0	9.8	0.1	1.1
2024	10	21	20	16	6	0	0	0	0	0	0	0	10.5	0	0	9.8	0.1	1.1
2024	10	21	20	26	6	0	0	0	0	0	0	0	10.46	0	0	9.8	0.1	1.1
2024	10	21	20	36	6	0	0	0	0	0	0	0	10.43	0	0	9.8	0.1	1.1
2024	10	21	20	46	6	0	0	0	0	0	0	0	10.39	0	0	9.6	0.1	1.1
2024	10	21	20	56	6	0	0	0	0	0	0	0	10.35	0	0	9.6	0.1	1.1
2024	10	21	21	6	6	0	0	0	0	0	0	0	10.32	0	0	9.6	0.1	1.1
2024	10	21	21	16	6	0	0	0	0	0	0	0	10.27	0	0	9.8	0.1	1.1
2024	10	21	21	26	6	0	0	0	0	0	0	0	10.24	0	0	9.8	0.1	1.1
2024	10	21	21	36	6	0	0	0	0	0	0	0	10.2	0	0	9.8	0.1	1.1
2024	10	21	21	46	6	0	0	0	0	0	0	0	10.16	0	0	9.8	0.1	1.1
2024	10	21	21	56	6	0	0	0	0	0	0	0	10.12	0	0	9.8	0.1	1.1
2024	10	21	22	6	6	0	0	0	0	0	0	0	10.09	0	0	10	0.1	1.1
2024	10	21	22	16	6	0	0	0	0	0	0	0	10.06	0	0	10	0.1	1.1
2024	10	21	22	26	6	0	0	0	0	0	0	0	10.02	0	0	10	0.1	1.1
2024	10	21	22	36	6	0	0	0	0	0	0	0	9.98	0	0	10	0.1	1.1
2024	10	21	22	46	6	0	0	0	0	0	0	0	9.95	0	0	10	0.1	1.1
2024	10	21	22	56	6	0	0	0	0	0	0	0	9.92	0	0	10	0.1	1.1
2024	10	21	23	6	6	0	0	0	0	0	0	0	9.88	0	0	10	0.1	1.1
2024	10	21	23	16	6	0	0	0	0	0	0	0	9.85	0	0	10	0.1	1.1
2024	10	21	23	26	6	0	0	0	0	0	0	0	9.81	0	0	10	0.1	1.1
2024	10	21	23	36	6	0	0	0	0	0	0	0	9.79	0	0	10	0.1	1.1
2024	10	21	23	46	6	0	0	0	0	0	0	0	9.76	0	0	10	0.1	1.1
2024	10	21	23	56	6	0	0	0	0	0	0	0	9.73	0	0	10.2	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	22	0	6	6	0	0	0	0	0	0	0	9.7	0	0	11	0.1	1.1
2024	10	22	0	16	6	0	0	0	0	0	0	0	9.68	0	0	10.8	0.1	1.1
2024	10	22	0	26	6	0	0	0	0	0	0	0	9.66	0	0	11.2	0.1	1.1
2024	10	22	0	36	6	0	0	0	0	0	0	0	9.64	0	0	11.2	0.1	1.1
2024	10	22	0	46	6	0	0	0	0	0	0	0	9.61	0	0	11.2	0.1	1.1
2024	10	22	0	56	6	0	0	0	0	0	0	0	9.59	0	0	11.2	0.1	1.1
2024	10	22	1	6	6	0	0	0	0	0	0	0	9.57	0	0	11.2	0.1	1.1
2024	10	22	1	16	6	0	0	0	0	0	0	0	9.55	0	0	11.2	0.1	1.1
2024	10	22	1	26	6	0	0	0	0	0	0	0	9.54	0	0	11.2	0.1	1.1
2024	10	22	1	36	6	0	0	0	0	0	0	0	9.52	0	0	11.2	0.1	1.1
2024	10	22	1	46	6	0	0	0	0	0	0	0	9.51	0	0	11.2	0.1	1.1
2024	10	22	1	56	6	0	0	0	0	0	0	0	9.5	0	0	11.2	0.1	1.1
2024	10	22	2	6	6	0	0	0	0	0	0	0	9.49	0	0	11	0.1	1.1
2024	10	22	2	16	6	0	0	0	0	0	0	0	9.48	0	0	11	0.1	1.1
2024	10	22	2	26	6	0	0	0	0	0	0	0	9.47	0	0	11	0.1	1.1
2024	10	22	2	36	6	0	0	0	0	0	0	0	9.46	0	0	11	0.1	1.1
2024	10	22	2	46	6	0	0	0	0	0	0	0	9.45	0	0	11	0.1	1.1
2024	10	22	2	56	6	0	0	0	0	0	0	0	9.45	0	0	11	0.1	1.1
2024	10	22	3	6	6	0	0	0	0	0	0	0	9.45	0	0	11	0.1	1.1
2024	10	22	3	16	6	0	0	0	0	0	0	0	9.44	0	0	11	0.1	1.1
2024	10	22	3	26	6	0	0	0	0	0	0	0	9.44	0	0	11	0.1	1.1
2024	10	22	3	36	6	0	0	0	0	0	0	0	9.44	0	0	11	0.1	1.1
2024	10	22	3	46	6	0	0	0	0	0	0	0	9.43	0	0	11	0.1	1.1
2024	10	22	3	56	6	0	0	0	0	0	0	0	9.44	0	0	11	0.1	1.1
2024	10	22	4	6	6	0	0	0	0	0	0	0	9.44	0	0	11	0.1	1.1
2024	10	22	4	16	6	0	0	0	0	0	0	0	9.43	0	0	11	0.1	1.1
2024	10	22	4	26	6	0	0	0	0	0	0	0	9.43	0	0	11	0.1	1.1
2024	10	22	4	36	6	0	0	0	0	0	0	0	9.44	0	0	11	0.1	1.1
2024	10	22	4	46	6	0	0	0	0	0	0	0	9.44	0	0	11	0.1	1.1
2024	10	22	4	56	6	0	0	0	0	0	0	0	9.44	0	0	11	0.1	1.1
2024	10	22	5	6	6	0	0	0	0	0	0	0	9.44	0	0	11	0.1	1.1
2024	10	22	5	16	6	0	0	0	0	0	0	0	9.45	0	0	11	0.1	1.1
2024	10	22	5	26	6	0	0	0	0	0	0	0	9.45	0	0	11	0.1	1.1
2024	10	22	5	36	6	0	0	0	0	0	0	0	9.45	0	0	11	0.1	1.1
2024	10	22	5	46	6	0	0	0	0	0	0	0	9.45	0	0	11	0.1	1.1
2024	10	22	5	56	6	0	0	0	0	0	0	0	9.45	0	0	11	0.1	1.1
2024	10	22	6	6	6	0	0	0	0	0	0	0	9.46	0	0	11	0.1	1.1
2024	10	22	6	16	6	0	0	0	0	0	0	0	9.46	0	0	11	0.1	1.1
2024	10	22	6	26	6	0	0	0	0	0	0	0	9.47	0	0	11	0.1	1.1
2024	10	22	6	36	6	0	0	0	0	0	0	0	9.47	0	0	11	0.1	1.1
2024	10	22	6	46	6	0	0	0	0	0	0	0	9.47	0	0	11	0.1	1.1
2024	10	22	6	56	6	0	0	0	0	0	0	0	9.48	0	0	11	0.1	1.1
2024	10	22	7	6	6	0	0	0	0	0	0	0	9.48	0	0	11	0.1	1.1
2024	10	22	7	16	6	0	0	0	0	0	0	0	9.49	0	0	11	0.1	1.1
2024	10	22	7	26	6	0	0	0	0	0	0	0	9.49	0	0	11	0.1	1.1
2024	10	22	7	36	6	0	0	0	0	0	0	0	9.5	0	0	11	0.1	1.1
2024	10	22	7	46	6	0	0	0	0	0	0	0	9.5	0	0	11	0.1	1.1
2024	10	22	7	56	6	0	0	0	0	0	0	0	9.51	0	0	11.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	22	8	6	6	0	0	0	0	0	0	0	9.52	0	0	11.8	0.1	1.1
2024	10	22	8	16	6	0	0	0	0	0	0	0	9.54	0	0	12.2	0.1	1.1
2024	10	22	8	26	6	0	0	0	0	0	0	0	9.55	0	0	12.2	0.1	1.1
2024	10	22	8	36	6	0	0	0	0	0	0	0	9.57	0	0	12.4	0.1	1.1
2024	10	22	8	46	6	0	0	0	0	0	0	0	9.61	0	0	12.4	0.1	1.1
2024	10	22	8	56	6	0	0	0	0	0	0	0	9.65	0	0	12.4	0.1	1.1
2024	10	22	9	6	6	0	0	0	0	0	0	0	9.71	0	0	11.8	0.1	1.1
2024	10	22	9	16	6	0	0	0	0	0	0	0	9.76	0	0	11.8	0.1	1.1
2024	10	22	9	26	6	0	0	0	0	0	0	0	9.8	0	0	11.2	0.1	1.1
2024	10	22	9	36	6	0	0	0	0	0	0	0	9.85	0	0	11.2	0.1	1.1
2024	10	22	9	46	6	0	0	0	0	0	0	0	9.89	0	0	11.8	0.1	1.1
2024	10	22	9	56	6	0	0	0	0	0	0	0	9.93	0	0	12.4	0.1	1.1
2024	10	22	10	6	6	0	0	0	0	0	0	0	9.98	0	0	12	0.1	1.1
2024	10	22	10	16	6	0	0	0	0	0	0	0	10.03	0	0	11.8	0.1	1.1
2024	10	22	10	26	6	0	0	0	0	0	0	0	10.08	0	0	12.4	0.1	1.1
2024	10	22	10	36	6	0	0	0	0	0	0	0	10.12	0	0	11.6	0.1	1.1
2024	10	22	10	46	6	0	0	0	0	0	0	0	10.17	0	0	11.6	0.1	1.1
2024	10	22	10	56	6	0	0	0	0	0	0	0	10.23	0	0	11.6	0.1	1.1
2024	10	22	11	6	6	0	0	0	0	0	0	0	10.27	0	0	11.8	0.1	1.1
2024	10	22	11	16	6	0	0	0	0	0	0	0	10.31	0	0	12	0.1	1.1
2024	10	22	11	26	6	0	0	0	0	0	0	0	10.36	0	0	12.8	0.1	1.1
2024	10	22	11	36	6	0	0	0	0	0	0	0	10.4	0	0	12.6	0.1	1.1
2024	10	22	11	46	6	0	0	0	0	0	0	0	10.44	0	0	12.8	0.1	1.1
2024	10	22	11	56	6	0	0	0	0	0	0	0	10.48	0	0	12.6	0.1	1.1
2024	10	22	12	6	6	0	0	0	0	0	0	0	10.52	0	0	12.6	0.1	1.1
2024	10	22	12	16	6	0	0	0	0	0	0	0	10.56	0	0	12.6	0.1	1.1
2024	10	22	12	26	6	0	0	0	0	0	0	0	10.6	0	0	12.6	0.1	1.1
2024	10	22	12	36	6	0	0	0	0	0	0	0	10.64	0	0	12.8	0.1	1.1
2024	10	22	12	46	6	0	0	0	0	0	0	0	10.67	0	0	12.8	0.1	1.1
2024	10	22	12	56	6	0	0	0	0	0	0	0	10.71	0	0	12.8	0.1	1.1
2024	10	22	13	6	6	0	0	0	0	0	0	0	10.73	0	0	12.8	0.1	1.1
2024	10	22	13	16	6	0	0	0	0	0	0	0	10.76	0	0	12.8	0.1	1.1
2024	10	22	13	26	6	0	0	0	0	0	0	0	10.79	0	0	12.8	0.1	1.1
2024	10	22	13	36	6	0	0	0	0	0	0	0	10.82	0	0	12.6	0.1	1.1
2024	10	22	13	46	6	0	0	0	0	0	0	0	10.84	0	0	12.6	0.1	1.1
2024	10	22	13	56	6	0	0	0	0	0	0	0	10.86	0	0	12.6	0.1	1.1
2024	10	22	14	6	6	0	0	0	0	0	0	0	10.88	0	0	12.6	0.1	1.1
2024	10	22	14	16	6	0	0	0	0	0	0	0	10.89	0	0	12.6	0.1	1.1
2024	10	22	14	26	6	0	0	0	0	0	0	0	10.9	0	0	12.6	0.1	1.1
2024	10	22	14	36	6	0	0	0	0	0	0	0	10.91	0	0	12.6	0.1	1.1
2024	10	22	14	46	6	0	0	0	0	0	0	0	10.91	0	0	12.8	0.1	1.1
2024	10	22	14	56	6	0	0	0	0	0	0	0	10.91	0	0	12.8	0.1	1.1
2024	10	22	15	6	6	0	0	0	0	0	0	0	10.92	0	0	12.8	0.1	1.1
2024	10	22	15	16	6	0	0	0	0	0	0	0	10.92	0	0	12.8	0.1	1.1
2024	10	22	15	26	6	0	0	0	0	0	0	0	10.92	0	0	12.8	0.1	1.1
2024	10	22	15	36	6	0	0	0	0	0	0	0	10.92	0	0	12.8	0.1	1.1
2024	10	22	15	46	6	0	0	0	0	0	0	0	10.91	0	0	12.8	0.1	1.1
2024	10	22	15	56	6	0	0	0	0	0	0	0	10.9	0	0	12.8	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	22	16	6	6	0	0	0	0	0	0	0	10.89	0	0	12.8	0.1	1.1
2024	10	22	16	16	6	0	0	0	0	0	0	0	10.88	0	0	12.8	0.1	1.1
2024	10	22	16	26	6	0	0	0	0	0	0	0	10.86	0	0	12.4	0.1	1.1
2024	10	22	16	36	6	0	0	0	0	0	0	0	10.84	0	0	11.8	0.1	1.1
2024	10	22	16	46	6	0	0	0	0	0	0	0	10.84	0	0	11.6	0.1	1.1
2024	10	22	16	56	6	0	0	0	0	0	0	0	10.83	0	0	11.6	0.1	1.1
2024	10	22	17	6	6	0	0	0	0	0	0	0	10.82	0	0	11.4	0.1	1.1
2024	10	22	17	16	6	0	0	0	0	0	0	0	10.81	0	0	11.2	0.1	1.1
2024	10	22	17	26	6	0	0	0	0	0	0	0	10.8	0	0	11.2	0.1	1.1
2024	10	22	17	36	6	0	0	0	0	0	0	0	10.79	0	0	11	0.1	1.1
2024	10	22	17	46	6	0	0	0	0	0	0	0	10.78	0	0	11	0.1	1.1
2024	10	22	17	56	6	0	0	0	0	0	0	0	10.77	0	0	10.8	0.1	1.1
2024	10	22	18	6	6	0	0	0	0	0	0	0	10.75	0	0	10.6	0.1	1.1
2024	10	22	18	16	6	0	0	0	0	0	0	0	10.74	0	0	9.8	0.1	1.1
2024	10	22	18	26	6	0	0	0	0	0	0	0	10.73	0	0	9.8	0.1	1.1
2024	10	22	18	36	6	0	0	0	0	0	0	0	10.7	0	0	9.4	0.1	1.1
2024	10	22	18	46	6	0	0	0	0	0	0	0	10.68	0	0	10	0.1	1.1
2024	10	22	18	56	6	0	0	0	0	0	0	0	10.66	0	0	10.8	0.1	1.1
2024	10	22	19	6	6	0	0	0	0	0	0	0	10.63	0	0	10.2	0.1	1.1
2024	10	22	19	16	6	0	0	0	0	0	0	0	10.61	0	0	9.2	0.1	1.1
2024	10	22	19	26	6	0	0	0	0	0	0	0	10.57	0	0	10.2	0.1	1.1
2024	10	22	19	36	6	0	0	0	0	0	0	0	10.54	0	0	11.6	0.1	1.1
2024	10	22	19	46	6	0	0	0	0	0	0	0	10.51	0	0	11.6	0.1	1.1
2024	10	22	19	56	6	0	0	0	0	0	0	0	10.48	0	0	11.6	0.1	1.1
2024	10	22	20	6	6	0	0	0	0	0	0	0	10.45	0	0	11.6	0.1	1.1
2024	10	22	20	16	6	0	0	0	0	0	0	0	10.41	0	0	11.4	0.1	1.1
2024	10	22	20	26	6	0	0	0	0	0	0	0	10.38	0	0	11.4	0.1	1.1
2024	10	22	20	36	6	0	0	0	0	0	0	0	10.34	0	0	11.4	0.1	1.1
2024	10	22	20	46	6	0	0	0	0	0	0	0	10.31	0	0	11.2	0.1	1.1
2024	10	22	20	56	6	0	0	0	0	0	0	0	10.27	0	0	11.2	0.1	1.1
2024	10	22	21	6	6	0	0	0	0	0	0	0	10.24	0	0	11.2	0.1	1.1
2024	10	22	21	16	6	0	0	0	0	0	0	0	10.2	0	0	11.2	0.1	1.1
2024	10	22	21	26	6	0	0	0	0	0	0	0	10.16	0	0	11.2	0.1	1.1
2024	10	22	21	36	6	0	0	0	0	0	0	0	10.13	0	0	11.2	0.1	1.1
2024	10	22	21	46	6	0	0	0	0	0	0	0	10.09	0	0	11	0.1	1.1
2024	10	22	21	56	6	0	0	0	0	0	0	0	10.06	0	0	11	0.1	1.1
2024	10	22	22	6	6	0	0	0	0	0	0	0	10.03	0	0	10.8	0.1	1.1
2024	10	22	22	16	6	0	0	0	0	0	0	0	9.99	0	0	10.8	0.1	1.1
2024	10	22	22	26	6	0	0	0	0	0	0	0	9.96	0	0	10.8	0.1	1.1
2024	10	22	22	36	6	0	0	0	0	0	0	0	9.92	0	0	10.8	0.1	1.1
2024	10	22	22	46	6	0	0	0	0	0	0	0	9.89	0	0	10.6	0.1	1.1
2024	10	22	22	56	6	0	0	0	0	0	0	0	9.86	0	0	10.6	0.1	1.1
2024	10	22	23	6	6	0	0	0	0	0	0	0	9.83	0	0	10.6	0.1	1.1
2024	10	22	23	16	6	0	0	0	0	0	0	0	9.78	0	0	10.6	0.1	1.1
2024	10	22	23	26	6	0	0	0	0	0	0	0	9.75	0	0	10.6	0.1	1.1
2024	10	22	23	36	6	0	0	0	0	0	0	0	9.72	0	0	10.6	0.1	1.1
2024	10	22	23	46	6	0	0	0	0	0	0	0	9.7	0	0	10.6	0.1	1.1
2024	10	22	23	56	6	0	0	0	0	0	0	0	9.67	0	0	10.6	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	23	0	6	6	0	0	0	0	0	0	0	9.65	0	0	10.4	0.1	1.1
2024	10	23	0	16	6	0	0	0	0	0	0	0	9.63	0	0	10.4	0.1	1.1
2024	10	23	0	26	6	0	0	0	0	0	0	0	9.6	0	0	10.4	0.1	1.1
2024	10	23	0	36	6	0	0	0	0	0	0	0	9.58	0	0	10.2	0.1	1.1
2024	10	23	0	46	6	0	0	0	0	0	0	0	9.56	0	0	10.2	0.1	1.1
2024	10	23	0	56	6	0	0	0	0	0	0	0	9.54	0	0	10.2	0.1	1.1
2024	10	23	1	6	6	0	0	0	0	0	0	0	9.53	0	0	10.2	0.1	1.1
2024	10	23	1	16	6	0	0	0	0	0	0	0	9.51	0	0	10.2	0.1	1.1
2024	10	23	1	26	6	0	0	0	0	0	0	0	9.49	0	0	10.2	0.1	1.1
2024	10	23	1	36	6	0	0	0	0	0	0	0	9.48	0	0	10.2	0.1	1.1
2024	10	23	1	46	6	0	0	0	0	0	0	0	9.46	0	0	10.2	0.1	1.1
2024	10	23	1	56	6	0	0	0	0	0	0	0	9.45	0	0	10.2	0.1	1.1
2024	10	23	2	6	6	0	0	0	0	0	0	0	9.44	0	0	10.2	0.1	1.1
2024	10	23	2	16	6	0	0	0	0	0	0	0	9.43	0	0	10.2	0.1	1.1
2024	10	23	2	26	6	0	0	0	0	0	0	0	9.42	0	0	10	0.1	1.1
2024	10	23	2	36	6	0	0	0	0	0	0	0	9.41	0	0	10	0.1	1.1
2024	10	23	2	46	6	0	0	0	0	0	0	0	9.41	0	0	10	0.1	1.1
2024	10	23	2	56	6	0	0	0	0	0	0	0	9.4	0	0	10	0.1	1.1
2024	10	23	3	6	6	0	0	0	0	0	0	0	9.4	0	0	10	0.1	1.1
2024	10	23	3	16	6	0	0	0	0	0	0	0	9.39	0	0	10	0.1	1.1
2024	10	23	3	26	6	0	0	0	0	0	0	0	9.39	0	0	10	0.1	1.1
2024	10	23	3	36	6	0	0	0	0	0	0	0	9.39	0	0	10	0.1	1.1
2024	10	23	3	46	6	0	0	0	0	0	0	0	9.39	0	0	10	0.1	1.1
2024	10	23	3	56	6	0	0	0	0	0	0	0	9.39	0	0	9.8	0.1	1.1
2024	10	23	4	6	6	0	0	0	0	0	0	0	9.39	0	0	9.8	0.1	1.1
2024	10	23	4	16	6	0	0	0	0	0	0	0	9.4	0	0	9.8	0.1	1.1
2024	10	23	4	26	6	0	0	0	0	0	0	0	9.39	0	0	10	0.1	1.1
2024	10	23	4	36	6	0	0	0	0	0	0	0	9.39	0	0	9.8	0.1	1.1
2024	10	23	4	46	6	0	0	0	0	0	0	0	9.4	0	0	9.8	0.1	1.1
2024	10	23	4	56	6	0	0	0	0	0	0	0	9.4	0	0	9.8	0.1	1.1
2024	10	23	5	6	6	0	0	0	0	0	0	0	9.4	0	0	9.8	0.1	1.1
2024	10	23	5	16	6	0	0	0	0	0	0	0	9.4	0	0	9.8	0.1	1.1
2024	10	23	5	26	6	0	0	0	0	0	0	0	9.4	0	0	9.8	0.1	1.1
2024	10	23	5	36	6	0	0	0	0	0	0	0	9.41	0	0	9.8	0.1	1.1
2024	10	23	5	46	6	0	0	0	0	0	0	0	9.41	0	0	9.8	0.1	1.1
2024	10	23	5	56	6	0	0	0	0	0	0	0	9.41	0	0	9.8	0.1	1.1
2024	10	23	6	6	6	0	0	0	0	0	0	0	9.42	0	0	9.8	0.1	1.1
2024	10	23	6	16	6	0	0	0	0	0	0	0	9.42	0	0	9.8	0.1	1.1
2024	10	23	6	26	6	0	0	0	0	0	0	0	9.42	0	0	9.8	0.1	1.1
2024	10	23	6	36	6	0	0	0	0	0	0	0	9.42	0	0	9.8	0.1	1.1
2024	10	23	6	46	6	0	0	0	0	0	0	0	9.43	0	0	9.8	0.1	1.1
2024	10	23	6	56	6	0	0	0	0	0	0	0	9.43	0	0	9.8	0.1	1.1
2024	10	23	7	6	6	0	0	0	0	0	0	0	9.44	0	0	9.8	0.1	1.1
2024	10	23	7	16	6	0	0	0	0	0	0	0	9.44	0	0	9.8	0.1	1.1
2024	10	23	7	26	6	0	0	0	0	0	0	0	9.45	0	0	10.2	0.1	1.1
2024	10	23	7	36	6	0	0	0	0	0	0	0	9.46	0	0	10.8	0.1	1.1
2024	10	23	7	46	6	0	0	0	0	0	0	0	9.47	0	0	11	0.1	1.1
2024	10	23	7	56	6	0	0	0	0	0	0	0	9.47	0	0	11.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	23	8	6	6	0	0	0	0	0	0	0	9.49	0	0	11.8	0.1	1.1
2024	10	23	8	16	6	0	0	0	0	0	0	0	9.5	0	0	12	0.1	1.1
2024	10	23	8	26	6	0	0	0	0	0	0	0	9.52	0	0	12.2	0.1	1.1
2024	10	23	8	36	6	0	0	0	0	0	0	0	9.54	0	0	12.2	0.1	1.1
2024	10	23	8	46	6	0	0	0	0	0	0	0	9.57	0	0	12.4	0.1	1.1
2024	10	23	8	56	6	0	0	0	0	0	0	0	9.63	0	0	12.4	0.1	1.1
2024	10	23	9	6	6	0	0	0	0	0	0	0	9.68	0	0	11.4	0.1	1.1
2024	10	23	9	16	6	0	0	0	0	0	0	0	9.73	0	0	12.4	0.1	1.1
2024	10	23	9	26	6	0	0	0	0	0	0	0	9.78	0	0	11	0.1	1.1
2024	10	23	9	36	6	0	0	0	0	0	0	0	9.81	0	0	11.2	0.1	1.1
2024	10	23	9	46	6	0	0	0	0	0	0	0	9.86	0	0	11.2	0.1	1.1
2024	10	23	9	56	6	0	0	0	0	0	0	0	9.9	0	0	11.4	0.1	1.1
2024	10	23	10	6	6	0	0	0	0	0	0	0	9.95	0	0	11.6	0.1	1.1
2024	10	23	10	16	6	0	0	0	0	0	0	0	10	0	0	11.4	0.1	1.1
2024	10	23	10	26	6	0	0	0	0	0	0	0	10.05	0	0	11.2	0.1	1.1
2024	10	23	10	36	6	0	0	0	0	0	0	0	10.1	0	0	11	0.1	1.1
2024	10	23	10	46	6	0	0	0	0	0	0	0	10.15	0	0	10.8	0.1	1.1
2024	10	23	10	56	6	0	0	0	0	0	0	0	10.2	0	0	11	0.1	1.1
2024	10	23	11	6	6	0	0	0	0	0	0	0	10.25	0	0	11	0.1	1.1
2024	10	23	11	16	6	0	0	0	0	0	0	0	10.29	0	0	11	0.1	1.1
2024	10	23	11	26	6	0	0	0	0	0	0	0	10.35	0	0	11.2	0.1	1.1
2024	10	23	11	36	6	0	0	0	0	0	0	0	10.41	0	0	11.2	0.1	1.1
2024	10	23	11	46	6	0	0	0	0	0	0	0	10.44	0	0	11.4	0.1	1.1
2024	10	23	11	56	6	0	0	0	0	0	0	0	10.49	0	0	11.2	0.1	1.1
2024	10	23	12	6	6	0	0	0	0	0	0	0	10.52	0	0	11	0.1	1.1
2024	10	23	12	16	6	0	0	0	0	0	0	0	10.57	0	0	11	0.1	1.1
2024	10	23	12	26	6	0	0	0	0	0	0	0	10.61	0	0	11.2	0.1	1.1
2024	10	23	12	36	6	0	0	0	0	0	0	0	10.65	0	0	11.2	0.1	1.1
2024	10	23	12	46	6	0	0	0	0	0	0	0	10.68	0	0	11	0.1	1.1
2024	10	23	12	56	6	0	0	0	0	0	0	0	10.72	0	0	11	0.1	1.1
2024	10	23	13	6	6	0	0	0	0	0	0	0	10.76	0	0	11	0.1	1.1
2024	10	23	13	16	6	0	0	0	0	0	0	0	10.79	0	0	11.2	0.1	1.1
2024	10	23	13	26	6	0	0	0	0	0	0	0	10.81	0	0	11.4	0.1	1.1
2024	10	23	13	36	6	0	0	0	0	0	0	0	10.84	0	0	12	0.1	1.1
2024	10	23	13	46	6	0	0	0	0	0	0	0	10.86	0	0	12	0.1	1.1
2024	10	23	13	56	6	0	0	0	0	0	0	0	10.89	0	0	12	0.1	1.1
2024	10	23	14	6	6	0	0	0	0	0	0	0	10.89	0	0	11.8	0.1	1.1
2024	10	23	14	16	6	0	0	0	0	0	0	0	10.92	0	0	12.4	0.1	1.1
2024	10	23	14	26	6	0	0	0	0	0	0	0	10.94	0	0	12.6	0.1	1.1
2024	10	23	14	36	6	0	0	0	0	0	0	0	10.94	0	0	12.8	0.1	1.1
2024	10	23	14	46	6	0	0	0	0	0	0	0	10.95	0	0	12.8	0.1	1.1
2024	10	23	14	56	6	0	0	0	0	0	0	0	10.95	0	0	12.8	0.1	1.1
2024	10	23	15	6	6	0	0	0	0	0	0	0	10.96	0	0	12.6	0.1	1.1
2024	10	23	15	16	6	0	0	0	0	0	0	0	10.96	0	0	12.4	0.1	1.1
2024	10	23	15	26	6	0	0	0	0	0	0	0	10.96	0	0	12.4	0.1	1.1
2024	10	23	15	36	6	0	0	0	0	0	0	0	10.96	0	0	12.4	0.1	1.1
2024	10	23	15	46	6	0	0	0	0	0	0	0	10.95	0	0	12.4	0.1	1.1
2024	10	23	15	56	6	0	0	0	0	0	0	0	10.94	0	0	12.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	23	16	6	6	0	0	0	0	0	0	0	10.93	0	0	12.2	0.1	1.1
2024	10	23	16	16	6	0	0	0	0	0	0	0	10.91	0	0	12.4	0.1	1.1
2024	10	23	16	26	6	0	0	0	0	0	0	0	10.89	0	0	11.8	0.1	1.1
2024	10	23	16	36	6	0	0	0	0	0	0	0	10.88	0	0	11.6	0.1	1.1
2024	10	23	16	46	6	0	0	0	0	0	0	0	10.87	0	0	11.4	0.1	1.1
2024	10	23	16	56	6	0	0	0	0	0	0	0	10.86	0	0	11.4	0.1	1.1
2024	10	23	17	6	6	0	0	0	0	0	0	0	10.86	0	0	11.2	0.1	1.1
2024	10	23	17	16	6	0	0	0	0	0	0	0	10.85	0	0	11	0.1	1.1
2024	10	23	17	26	6	0	0	0	0	0	0	0	10.84	0	0	11	0.1	1.1
2024	10	23	17	36	6	0	0	0	0	0	0	0	10.83	0	0	10.8	0.1	1.1
2024	10	23	17	46	6	0	0	0	0	0	0	0	10.82	0	0	11	0.1	1.1
2024	10	23	17	56	6	0	0	0	0	0	0	0	10.81	0	0	11	0.1	1.1
2024	10	23	18	6	6	0	0	0	0	0	0	0	10.79	0	0	10.8	0.1	1.1
2024	10	23	18	16	6	0	0	0	0	0	0	0	10.77	0	0	10.6	0.1	1.1
2024	10	23	18	26	6	0	0	0	0	0	0	0	10.75	0	0	9.2	0.1	1.1
2024	10	23	18	36	6	0	0	0	0	0	0	0	10.73	0	0	8.8	0.1	1.1
2024	10	23	18	46	6	0	0	0	0	0	0	0	10.71	0	0	8.8	0.1	1.1
2024	10	23	18	56	6	0	0	0	0	0	0	0	10.68	0	0	9	0.1	1.1
2024	10	23	19	6	6	0	0	0	0	0	0	0	10.66	0	0	9.4	0.1	1.1
2024	10	23	19	16	6	0	0	0	0	0	0	0	10.63	0	0	9.2	0.1	1.1
2024	10	23	19	26	6	0	0	0	0	0	0	0	10.6	0	0	9.2	0.1	1.1
2024	10	23	19	36	6	0	0	0	0	0	0	0	10.57	0	0	10.8	0.1	1.1
2024	10	23	19	46	6	0	0	0	0	0	0	0	10.54	0	0	10.8	0.1	1.1
2024	10	23	19	56	6	0	0	0	0	0	0	0	10.5	0	0	10.6	0.1	1.1
2024	10	23	20	6	6	0	0	0	0	0	0	0	10.47	0	0	10.6	0.1	1.1
2024	10	23	20	16	6	0	0	0	0	0	0	0	10.44	0	0	10.6	0.1	1.1
2024	10	23	20	26	6	0	0	0	0	0	0	0	10.41	0	0	10.6	0.1	1.1
2024	10	23	20	36	6	0	0	0	0	0	0	0	10.37	0	0	10.6	0.1	1.1
2024	10	23	20	46	6	0	0	0	0	0	0	0	10.33	0	0	10.6	0.1	1.1
2024	10	23	20	56	6	0	0	0	0	0	0	0	10.3	0	0	10.6	0.1	1.1
2024	10	23	21	6	6	0	0	0	0	0	0	0	10.26	0	0	10.6	0.1	1.1
2024	10	23	21	16	6	0	0	0	0	0	0	0	10.23	0	0	10.4	0.1	1.1
2024	10	23	21	26	6	0	0	0	0	0	0	0	10.19	0	0	10.4	0.1	1.1
2024	10	23	21	36	6	0	0	0	0	0	0	0	10.16	0	0	10.4	0.1	1.1
2024	10	23	21	46	6	0	0	0	0	0	0	0	10.12	0	0	10.4	0.1	1.1
2024	10	23	21	56	6	0	0	0	0	0	0	0	10.09	0	0	10.4	0.1	1.1
2024	10	23	22	6	6	0	0	0	0	0	0	0	10.05	0	0	10.4	0.1	1.1
2024	10	23	22	16	6	0	0	0	0	0	0	0	10.02	0	0	10.6	0.1	1.1
2024	10	23	22	26	6	0	0	0	0	0	0	0	9.98	0	0	10.4	0.1	1.1
2024	10	23	22	36	6	0	0	0	0	0	0	0	9.96	0	0	10.4	0.1	1.1
2024	10	23	22	46	6	0	0	0	0	0	0	0	9.92	0	0	10.4	0.1	1.1
2024	10	23	22	56	6	0	0	0	0	0	0	0	9.9	0	0	10.4	0.1	1.1
2024	10	23	23	6	6	0	0	0	0	0	0	0	9.87	0	0	10.4	0.1	1.1
2024	10	23	23	16	6	0	0	0	0	0	0	0	9.84	0	0	10.4	0.1	1.1
2024	10	23	23	26	6	0	0	0	0	0	0	0	9.81	0	0	10.4	0.1	1.1
2024	10	23	23	36	6	0	0	0	0	0	0	0	9.79	0	0	10.4	0.1	1.1
2024	10	23	23	46	6	0	0	0	0	0	0	0	9.76	0	0	10.4	0.1	1.1
2024	10	23	23	56	6	0	0	0	0	0	0	0	9.74	0	0	10.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	24	0	6	6	0	0	0	0	0	0	0	9.72	0	0	10.4	0.1	1.1
2024	10	24	0	16	6	0	0	0	0	0	0	0	9.7	0	0	10.4	0.1	1.1
2024	10	24	0	26	6	0	0	0	0	0	0	0	9.69	0	0	10.4	0.1	1.1
2024	10	24	0	36	6	0	0	0	0	0	0	0	9.67	0	0	10.4	0.1	1.1
2024	10	24	0	46	6	0	0	0	0	0	0	0	9.65	0	0	10.4	0.1	1.1
2024	10	24	0	56	6	0	0	0	0	0	0	0	9.63	0	0	10.4	0.1	1.1
2024	10	24	1	6	6	0	0	0	0	0	0	0	9.63	0	0	10.4	0.1	1.1
2024	10	24	1	16	6	0	0	0	0	0	0	0	9.61	0	0	10.4	0.1	1.1
2024	10	24	1	26	6	0	0	0	0	0	0	0	9.6	0	0	10.4	0.1	1.1
2024	10	24	1	36	6	0	0	0	0	0	0	0	9.59	0	0	10.2	0.1	1.1
2024	10	24	1	46	6	0	0	0	0	0	0	0	9.58	0	0	10.2	0.1	1.1
2024	10	24	1	56	6	0	0	0	0	0	0	0	9.57	0	0	10.2	0.1	1.1
2024	10	24	2	6	6	0	0	0	0	0	0	0	9.56	0	0	10.2	0.1	1.1
2024	10	24	2	16	6	0	0	0	0	0	0	0	9.56	0	0	10	0.1	1.1
2024	10	24	2	26	6	0	0	0	0	0	0	0	9.55	0	0	10	0.1	1.1
2024	10	24	2	36	6	0	0	0	0	0	0	0	9.55	0	0	10	0.1	1.1
2024	10	24	2	46	6	0	0	0	0	0	0	0	9.55	0	0	10.2	0.1	1.1
2024	10	24	2	56	6	0	0	0	0	0	0	0	9.55	0	0	10.2	0.1	1.1
2024	10	24	3	6	6	0	0	0	0	0	0	0	9.56	0	0	10.2	0.1	1.1
2024	10	24	3	16	6	0	0	0	0	0	0	0	9.55	0	0	10	0.1	1.1
2024	10	24	3	26	6	0	0	0	0	0	0	0	9.56	0	0	10	0.1	1.1
2024	10	24	3	36	6	0	0	0	0	0	0	0	9.57	0	0	10	0.1	1.1
2024	10	24	3	46	6	0	0	0	0	0	0	0	9.57	0	0	10	0.1	1.1
2024	10	24	3	56	6	0	0	0	0	0	0	0	9.58	0	0	10	0.1	1.1
2024	10	24	4	6	6	0	0	0	0	0	0	0	9.58	0	0	10	0.1	1.1
2024	10	24	4	16	6	0	0	0	0	0	0	0	9.59	0	0	10	0.1	1.1
2024	10	24	4	26	6	0	0	0	0	0	0	0	9.6	0	0	10	0.1	1.1
2024	10	24	4	36	6	0	0	0	0	0	0	0	9.61	0	0	10	0.1	1.1
2024	10	24	4	46	6	0	0	0	0	0	0	0	9.62	0	0	10	0.1	1.1
2024	10	24	4	56	6	0	0	0	0	0	0	0	9.62	0	0	10	0.1	1.1
2024	10	24	5	6	6	0	0	0	0	0	0	0	9.63	0	0	10	0.1	1.1
2024	10	24	5	16	6	0	0	0	0	0	0	0	9.64	0	0	10	0.1	1.1
2024	10	24	5	26	6	0	0	0	0	0	0	0	9.65	0	0	10	0.1	1.1
2024	10	24	5	36	6	0	0	0	0	0	0	0	9.66	0	0	10	0.1	1.1
2024	10	24	5	46	6	0	0	0	0	0	0	0	9.66	0	0	10	0.1	1.1
2024	10	24	5	56	6	0	0	0	0	0	0	0	9.67	0	0	10	0.1	1.1
2024	10	24	6	6	6	0	0	0	0	0	0	0	9.68	0	0	10	0.1	1.1
2024	10	24	6	16	6	0	0	0	0	0	0	0	9.69	0	0	10	0.1	1.1
2024	10	24	6	26	6	0	0	0	0	0	0	0	9.7	0	0	10	0.1	1.1
2024	10	24	6	36	6	0	0	0	0	0	0	0	9.71	0	0	10	0.1	1.1
2024	10	24	6	46	6	0	0	0	0	0	0	0	9.72	0	0	10	0.1	1.1
2024	10	24	6	56	6	0	0	0	0	0	0	0	9.73	0	0	10	0.1	1.1
2024	10	24	7	6	6	0	0	0	0	0	0	0	9.74	0	0	10	0.1	1.1
2024	10	24	7	16	6	0	0	0	0	0	0	0	9.75	0	0	9.8	0.1	1.1
2024	10	24	7	26	6	0	0	0	0	0	0	0	9.76	0	0	10	0.1	1.1
2024	10	24	7	36	6	0	0	0	0	0	0	0	9.77	0	0	10	0.1	1.1
2024	10	24	7	46	6	0	0	0	0	0	0	0	9.79	0	0	10	0.1	1.1
2024	10	24	7	56	6	0	0	0	0	0	0	0	9.81	0	0	10	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2024	10	24	8	6	6	0	0	0	0	0	0	0	9.83	0	0	10	0.1	1.1
2024	10	24	8	16	6	0	0	0	0	0	0	0	9.84	0	0	9.8	0.1	1.1
2024	10	24	8	26	6	0	0	0	0	0	0	0	9.86	0	0	10	0.1	1.1
2024	10	24	8	36	6	0	0	0	0	0	0	0	9.88	0	0	10	0.1	1.1
2024	10	24	8	46	6	0	0	0	0	0	0	0	9.9	0	0	9.8	0.1	1.1
2024	10	24	8	56	6	0	0	0	0	0	0	0	9.93	0	0	9.8	0.1	1.1
2024	10	24	9	6	6	0	0	0	0	0	0	0	9.96	0	0	10	0.1	1.1
2024	10	24	9	16	6	0	0	0	0	0	0	0	9.99	0	0	10	0.1	1.1
2024	10	24	9	26	6	0	0	0	0	0	0	0	10.01	0	0	10.2	0.1	1.1
2024	10	24	9	36	6	0	0	0	0	0	0	0	10.04	0	0	10.2	0.1	1.1
2024	10	24	9	46	6	0	0	0	0	0	0	0	10.08	0	0	10.4	0.1	1.1
2024	10	24	9	56	6	0	0	0	0	0	0	0	10.11	0	0	10.4	0.1	1.1

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	1	0	6	6	27.2	94.9	7.7809	70.8375
2024	10	1	0	16	6	26.55	97.8	7.7809	68.7464
2024	10	1	0	26	6	26.2	97	7.7809	67.9622
2024	10	1	0	36	6	28.11	96.9	7.7809	72.9287
2024	10	1	0	46	6	26.9	94.9	7.7809	70.0534
2024	10	1	0	56	6	27.62	97.3	7.7809	71.6217
2024	10	1	1	6	6	27.15	93.6	7.7809	70.8375
2024	10	1	1	16	6	26.2	97	7.7809	67.9622
2024	10	1	1	26	6	26	97.1	7.7809	67.4395
2024	10	1	1	36	6	26.49	94.8	7.7809	69.0078
2024	10	1	1	46	6	26.59	94.7	7.7809	69.2692
2024	10	1	1	56	6	26.73	95.6	7.787	69.5875
2024	10	1	2	6	6	27.19	96.8	7.7809	70.5762
2024	10	1	2	16	6	26.21	95.3	7.7809	68.2236
2024	10	1	2	26	6	26.86	93.8	7.787	70.1107
2024	10	1	2	36	6	27.97	96.4	7.787	72.7268
2024	10	1	2	46	6	27.7	96.8	7.7809	71.8831
2024	10	1	2	56	6	27.91	97	7.787	72.4652
2024	10	1	3	6	6	25.87	96.7	7.7809	67.178
2024	10	1	3	16	6	26.84	95.8	7.7809	69.792
2024	10	1	3	26	6	27.85	96	7.787	72.4651
2024	10	1	3	36	6	27.18	96.5	7.787	70.6339
2024	10	1	3	46	6	27.73	95.6	7.787	72.2035
2024	10	1	3	56	6	27.67	96.4	7.787	71.9419
2024	10	1	4	6	6	27.76	96.2	7.787	72.2035
2024	10	1	4	16	6	27.97	96.4	7.787	72.7267
2024	10	1	4	26	6	26.49	96.9	7.787	68.8026
2024	10	1	4	36	6	27.67	96.4	7.787	71.9419
2024	10	1	4	46	6	27.52	97.3	7.787	71.4187
2024	10	1	4	56	6	26.83	95.6	7.787	69.849
2024	10	1	5	6	6	27.71	97	7.787	71.9419
2024	10	1	5	16	6	28.08	96.5	7.787	72.9883
2024	10	1	5	26	6	27.27	96.3	7.787	70.8954
2024	10	1	5	36	6	27.2	94.9	7.787	70.8954
2024	10	1	5	46	6	26.48	94.5	7.787	69.0642
2024	10	1	5	56	6	27.1	94.9	7.787	70.6338
2024	10	1	6	6	6	26.87	94.3	7.7931	70.1679
2024	10	1	6	16	6	27.61	97.1	7.7931	71.7388
2024	10	1	6	26	6	27.2	97	7.7931	70.6915
2024	10	1	6	36	6	26.86	96.2	7.7931	69.9061
2024	10	1	6	46	6	26.84	95.8	7.7931	69.906
2024	10	1	6	56	6	27.59	96.7	7.7931	71.7388
2024	10	1	7	6	6	26.78	94.5	7.7931	69.906
2024	10	1	7	16	6	27.38	96.5	7.7931	71.2151
2024	10	1	7	26	6	26.73	95.6	7.7931	69.6442
2024	10	1	7	36	6	28.08	96.5	7.7931	73.0478
2024	10	1	7	46	6	26.88	96.6	7.7931	69.906
2024	10	1	7	56	6	27.67	96.4	7.7992	72.0594

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	1	8	6	6	27.71	95.2	7.7931	72.2623
2024	10	1	8	16	6	27.17	94	7.7931	70.9532
2024	10	1	8	26	6	26.97	96.4	7.7931	70.1678
2024	10	1	8	36	6	26.89	94.7	7.7992	70.2251
2024	10	1	8	46	6	27.53	95.6	7.7931	71.7386
2024	10	1	8	56	6	27.6	94.8	7.7992	72.0592
2024	10	1	9	6	6	27.71	95.2	7.7931	72.2622
2024	10	1	9	16	6	27.6	94.8	7.7992	72.0591
2024	10	1	9	26	6	28.23	95.5	7.7931	73.5712
2024	10	1	9	36	6	27.73	95.6	7.7931	72.2621
2024	10	1	9	46	6	27.86	96.2	7.7931	72.5238
2024	10	1	9	56	6	26.88	94.5	7.7931	70.1674
2024	10	1	10	6	6	26.37	94.1	7.7931	68.8583
2024	10	1	10	16	6	27.39	94.6	7.7931	71.4764
2024	10	1	10	26	6	26.51	95.2	7.7931	69.12
2024	10	1	10	36	6	26.41	95.2	7.7931	68.8582
2024	10	1	10	46	6	27.14	95.9	7.7931	70.6909
2024	10	1	10	56	6	27.04	95.7	7.7931	70.429
2024	10	1	11	6	6	27.38	96.5	7.7931	71.2145
2024	10	1	11	16	6	27.55	96	7.7931	71.7381
2024	10	1	11	26	6	27.09	96.8	7.7931	70.4289
2024	10	1	11	36	6	27.64	92.9	7.7931	72.2616
2024	10	1	11	46	6	27.66	96.2	7.7931	71.9998
2024	10	1	11	56	6	26.7	97.1	7.7931	69.3816
2024	10	1	12	6	6	27.5	94.8	7.7931	71.7379
2024	10	1	12	16	6	27.18	96.5	7.787	70.6329
2024	10	1	12	26	6	28.03	95.5	7.787	72.9873
2024	10	1	12	36	6	27.81	97	7.787	72.2024
2024	10	1	12	46	6	27.48	96.5	7.787	71.4176
2024	10	1	12	56	6	26.74	95.8	7.787	69.5863
2024	10	1	13	6	6	27.29	96.7	7.787	70.8943
2024	10	1	13	16	6	28.49	94.4	7.787	74.2952
2024	10	1	13	26	6	26.23	95.7	7.787	68.2783
2024	10	1	13	36	6	27.29	96.7	7.787	70.8943
2024	10	1	13	46	6	27.65	97.7	7.787	71.6791
2024	10	1	13	56	6	27.97	94.1	7.787	72.9871
2024	10	1	14	6	6	27.59	94.6	7.787	71.9407
2024	10	1	14	16	6	28.52	95.2	7.787	74.2951
2024	10	1	14	26	6	26.99	96.8	7.787	70.1095
2024	10	1	14	36	6	28.42	97.1	7.787	73.7719
2024	10	1	14	46	6	27.56	96.2	7.787	71.6791
2024	10	1	14	56	6	27.6	95	7.787	71.9407
2024	10	1	15	6	6	27.98	96.6	7.787	72.7255
2024	10	1	15	16	6	26.88	98.3	7.7809	69.5294
2024	10	1	15	26	6	28.08	96.5	7.7809	72.9274
2024	10	1	15	36	6	28.44	98.9	7.7809	73.4502
2024	10	1	15	46	6	28.3	98.3	7.7809	73.1888
2024	10	1	15	56	6	26.8	98.6	7.7809	69.268

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	1	16	6	6	27.5	94.8	7.7809	71.6205
2024	10	1	16	16	6	26.07	96.6	7.7809	67.6997
2024	10	1	16	26	6	28.04	95.7	7.7809	72.9275
2024	10	1	16	36	6	28.03	95.5	7.7809	72.9275
2024	10	1	16	46	6	28.03	95.5	7.7809	72.9275
2024	10	1	16	56	6	28.52	95.2	7.7809	74.2345
2024	10	1	17	6	6	27.17	96.3	7.7809	70.575
2024	10	1	17	16	6	27	98.5	7.7809	69.7909
2024	10	1	17	26	6	26.63	95.6	7.7809	69.2681
2024	10	1	17	36	6	27.29	98.4	7.7809	70.5751
2024	10	1	17	46	6	28.27	96.3	7.7809	73.4504
2024	10	1	17	56	6	28.66	96	7.7809	74.496
2024	10	1	18	6	6	27.51	97.1	7.7809	71.3593
2024	10	1	18	16	6	27.01	97.2	7.7809	70.0524
2024	10	1	18	26	6	27.95	96	7.7809	72.6663
2024	10	1	18	36	6	28.54	97.4	7.7809	73.9733
2024	10	1	18	46	6	27.53	95.6	7.7809	71.6208
2024	10	1	18	56	6	27.08	96.6	7.7809	70.3138
2024	10	1	19	6	6	27.93	95.5	7.7809	72.6664
2024	10	1	19	16	6	27.38	94.4	7.7809	71.3595
2024	10	1	19	26	6	27.84	95.8	7.7809	72.405
2024	10	1	19	36	6	27.53	95.6	7.7809	71.6209
2024	10	1	19	46	6	27.95	96	7.7809	72.6665
2024	10	1	19	56	6	27.38	96.5	7.7809	71.0982
2024	10	1	20	6	6	25.85	96.2	7.7809	67.1773
2024	10	1	20	16	6	26.84	95.8	7.7809	69.7912
2024	10	1	20	26	6	27.65	97.7	7.7809	71.621
2024	10	1	20	36	6	27.75	93.5	7.7809	72.4052
2024	10	1	20	46	6	28.75	95.8	7.7809	74.7578
2024	10	1	20	56	6	27.99	98.2	7.7809	72.4053
2024	10	1	21	6	6	26.54	95.8	7.7809	69.0072
2024	10	1	21	16	6	27.5	96.9	7.7809	71.3597
2024	10	1	21	26	6	26.32	95.5	7.7809	68.4845
2024	10	1	21	36	6	27.5	95	7.7809	71.6212
2024	10	1	21	46	6	27.84	95.8	7.7809	72.4054
2024	10	1	21	56	6	28.11	96.9	7.7809	72.9282
2024	10	1	22	6	6	25.9	95.1	7.7809	67.439
2024	10	1	22	16	6	27.59	94.6	7.7809	71.8827
2024	10	1	22	26	6	28.06	93.7	7.7809	73.1896
2024	10	1	22	36	6	26.8	98.6	7.7809	69.2688
2024	10	1	22	46	6	27.27	96.3	7.7809	70.8371
2024	10	1	22	56	6	27.1	94.9	7.7809	70.5757
2024	10	1	23	6	6	27.24	95.9	7.7809	70.8372
2024	10	1	23	16	6	27.33	97.4	7.7809	70.8372
2024	10	1	23	26	6	27.14	95.9	7.787	70.6335
2024	10	1	23	36	6	27.17	96.3	7.7809	70.5758
2024	10	1	23	46	6	27.09	94.7	7.787	70.6336
2024	10	1	23	56	6	26.85	96	7.787	69.8487

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	2	0	6	6	26.48	94.5	7.787	69.0639
2024	10	2	0	16	6	27.77	96.4	7.787	72.2032
2024	10	2	0	26	6	27.26	93.8	7.787	71.1568
2024	10	2	0	36	6	27.43	95.6	7.787	71.4184
2024	10	2	0	46	6	26.87	96.4	7.787	69.8488
2024	10	2	0	56	6	27.22	95.5	7.787	70.8952
2024	10	2	1	6	6	25.9	95.1	7.787	67.4943
2024	10	2	1	16	6	27.67	94.1	7.787	72.2032
2024	10	2	1	26	6	27.17	96.3	7.787	70.6336
2024	10	2	1	36	6	26.49	96.9	7.787	68.8024
2024	10	2	1	46	6	27.95	97.6	7.787	72.4648
2024	10	2	1	56	6	27.59	94.6	7.7931	72.0004
2024	10	2	2	6	6	25.86	93.8	7.7931	67.5495
2024	10	2	2	16	6	26.78	94.5	7.7931	69.9059
2024	10	2	2	26	6	26.66	93.9	7.7931	69.644
2024	10	2	2	36	6	27.77	96.4	7.7931	72.2622
2024	10	2	2	46	6	27.2	97	7.7931	70.6913
2024	10	2	2	56	6	27.07	98.1	7.7931	70.1677
2024	10	2	3	6	6	27.7	95	7.7992	72.3213
2024	10	2	3	16	6	27.09	96.8	7.7992	70.487
2024	10	2	3	26	6	27.27	96.3	7.7992	71.0111
2024	10	2	3	36	6	27.04	93.2	7.7931	70.6913
2024	10	2	3	46	6	29.43	95.5	7.7992	76.7758
2024	10	2	3	56	6	27.63	95.6	7.7992	72.0592
2024	10	2	4	6	6	27.78	94.3	7.8053	72.6425
2024	10	2	4	16	6	25.9	95.1	7.8053	67.6598
2024	10	2	4	26	6	28	96.8	7.8053	72.9047
2024	10	2	4	36	6	27.27	96.3	7.8053	71.0689
2024	10	2	4	46	6	27.31	97.2	7.8053	71.0689
2024	10	2	4	56	6	28.66	96	7.8053	74.7404
2024	10	2	5	6	6	27.19	94.6	7.8114	71.1269
2024	10	2	5	16	6	27.6	94.8	7.8053	72.1179
2024	10	2	5	26	6	27.03	92.8	7.8114	70.8644
2024	10	2	5	36	6	25.9	95.1	7.8175	67.77
2024	10	2	5	46	6	26.74	93.2	7.8114	70.077
2024	10	2	5	56	6	26.43	92.8	7.8175	69.3461
2024	10	2	6	6	6	26.66	93.9	7.8175	69.8714
2024	10	2	6	16	6	27.3	94.8	7.8175	71.4475
2024	10	2	6	26	6	27.25	96.1	7.8175	71.1848
2024	10	2	6	36	6	27.81	95.2	7.8175	72.7608
2024	10	2	6	46	6	27.94	95.8	7.8175	73.0235
2024	10	2	6	56	6	26.88	96.6	7.8236	70.1912
2024	10	2	7	6	6	27.04	95.7	7.8236	70.7169
2024	10	2	7	16	6	27.14	95.9	7.8236	70.9798
2024	10	2	7	26	6	28.29	94.5	7.8236	74.1345
2024	10	2	7	36	6	27.35	96.1	7.8236	71.5056
2024	10	2	7	46	6	26.79	94.7	7.8236	70.1911
2024	10	2	7	56	6	28.05	95.9	7.8236	73.3458

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	2	8	6	6	27.21	95.1	7.8236	71.2426
2024	10	2	8	16	6	26.67	94.1	7.8236	69.9282
2024	10	2	8	26	6	26.85	93.4	7.8297	70.5113
2024	10	2	8	36	6	25.94	97.8	7.8297	67.6171
2024	10	2	8	46	6	28.13	97.4	7.8297	73.4053
2024	10	2	8	56	6	27.65	97.7	7.8297	72.0898
2024	10	2	9	6	6	28.14	95.7	7.8297	73.6683
2024	10	2	9	16	6	27.02	95.3	7.8297	70.7742
2024	10	2	9	26	6	27.96	96.2	7.8236	73.0826
2024	10	2	9	36	6	26.94	95.8	7.8236	70.4537
2024	10	2	9	46	6	27.9	94.9	7.8236	73.0825
2024	10	2	9	56	6	26.97	94	7.8175	70.659
2024	10	2	10	6	6	27.76	93.7	7.8175	72.7603
2024	10	2	10	16	6	27.17	94	7.8175	71.1843
2024	10	2	10	26	6	28.25	95.9	7.8114	73.7508
2024	10	2	10	36	6	27.31	95.3	7.8175	71.4469
2024	10	2	10	46	6	27.79	94.5	7.8114	72.7009
2024	10	2	10	56	6	27.6	94.8	7.8114	72.176
2024	10	2	11	6	6	28.14	95.7	7.8053	73.4284
2024	10	2	11	16	6	27.54	95.8	7.8053	71.8549
2024	10	2	11	26	6	27.75	96	7.8053	72.3793
2024	10	2	11	36	6	26.8	94.9	7.8053	70.0191
2024	10	2	11	46	6	27.73	95.6	7.8053	72.3792
2024	10	2	11	56	6	24.73	95.8	7.8053	64.5119
2024	10	2	12	6	6	25.89	94.7	7.8053	67.6588
2024	10	2	12	16	6	27.5	94.8	7.8053	71.8547
2024	10	2	12	26	6	27.36	96.3	7.8053	71.3302
2024	10	2	12	36	6	28.13	97.4	7.8053	73.1658
2024	10	2	12	46	6	28.01	97	7.7992	72.8441
2024	10	2	12	56	6	28.09	96.7	7.8053	73.1658
2024	10	2	13	6	6	26.82	95.3	7.8053	70.0189
2024	10	2	13	16	6	27.83	97.4	7.8053	72.379
2024	10	2	13	26	6	26.88	96.6	7.8053	70.0188
2024	10	2	13	36	6	28.26	97.7	7.7992	73.3681
2024	10	2	13	46	6	28.22	97.1	7.7992	73.3681
2024	10	2	13	56	6	27.42	97.3	7.7992	71.2718
2024	10	2	14	6	6	28.23	97.3	7.7992	73.3681
2024	10	2	14	16	6	27.33	95.7	7.7992	71.2718
2024	10	2	14	26	6	27.36	96.3	7.7992	71.2718
2024	10	2	14	36	6	27.78	96.6	7.7992	72.3199
2024	10	2	14	46	6	26.39	97	7.7992	68.6515
2024	10	2	14	56	6	27.48	96.5	7.7992	71.5339
2024	10	2	15	6	6	27.58	94.4	7.7992	72.0579
2024	10	2	15	16	6	26.86	97.9	7.7992	69.6997
2024	10	2	15	26	6	29.35	95.9	7.7992	76.5124
2024	10	2	15	36	6	26.2	97	7.7992	68.1275
2024	10	2	15	46	6	28.01	97	7.7931	72.7846
2024	10	2	15	56	6	27.48	96.5	7.7992	71.5339

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	2	16	6	6	27.23	95.7	7.7992	71.0098
2024	10	2	16	16	6	26.29	94.8	7.7931	68.5956
2024	10	2	16	26	6	27.29	96.7	7.7931	70.9519
2024	10	2	16	36	6	27.4	94.8	7.7931	71.4756
2024	10	2	16	46	6	28.2	98.4	7.7931	73.0465
2024	10	2	16	56	6	27.49	96.7	7.7931	71.4756
2024	10	2	17	6	6	27.83	97.4	7.7931	72.261
2024	10	2	17	16	6	27.25	96.1	7.7931	70.952
2024	10	2	17	26	6	27.05	95.9	7.7931	70.4284
2024	10	2	17	36	6	27.73	95.6	7.7931	72.2611
2024	10	2	17	46	6	27.3	94.8	7.7931	71.2139
2024	10	2	17	56	6	26.93	95.5	7.7931	70.1666
2024	10	2	18	6	6	28.34	95.7	7.7931	73.832
2024	10	2	18	16	6	27.75	93.5	7.7931	72.523
2024	10	2	18	26	6	27.08	94.4	7.7931	70.6903
2024	10	2	18	36	6	27.36	96.3	7.7931	71.2139
2024	10	2	18	46	6	27.56	96.2	7.7931	71.7376
2024	10	2	18	56	6	26.44	95.9	7.7931	68.8576
2024	10	2	19	6	6	29.17	96.1	7.7992	75.9887
2024	10	2	19	16	6	27.59	94.6	7.7931	71.9995
2024	10	2	19	26	6	28.93	95.4	7.7931	75.4031
2024	10	2	19	36	6	28.57	96.2	7.7931	74.3559
2024	10	2	19	46	6	27.1	94.9	7.7992	70.7482
2024	10	2	19	56	6	27.8	94.7	7.7931	72.5232
2024	10	2	20	6	6	27.92	95.3	7.7992	72.8445
2024	10	2	20	16	6	27.6	96.9	7.7992	71.7964
2024	10	2	20	26	6	27.76	93.7	7.7992	72.5825
2024	10	2	20	36	6	26.79	94.7	7.7992	69.9622
2024	10	2	20	46	6	28.56	93.6	7.7992	74.6788
2024	10	2	20	56	6	28.26	93.7	7.7992	73.8927
2024	10	2	21	6	6	27.67	93.9	7.7992	72.3206
2024	10	2	21	16	6	25.98	94.4	7.7992	67.8661
2024	10	2	21	26	6	27.5	95	7.7992	71.7966
2024	10	2	21	36	6	28.45	97.7	7.7992	73.8928
2024	10	2	21	46	6	26.98	94.5	7.7992	70.4864
2024	10	2	21	56	6	28.9	96.8	7.7992	75.203
2024	10	2	22	6	6	26.49	94.8	7.7992	69.1763
2024	10	2	22	16	6	26.74	95.8	7.7992	69.7004
2024	10	2	22	26	6	27.57	96.5	7.7992	71.7967
2024	10	2	22	36	6	27.29	98.4	7.7992	70.7486
2024	10	2	22	46	6	26.56	96.3	7.7992	69.1764
2024	10	2	22	56	6	27.13	95.7	7.8053	70.8064
2024	10	2	23	6	6	28.82	95.2	7.7992	75.2032
2024	10	2	23	16	6	28.46	96.1	7.8053	74.2156
2024	10	2	23	26	6	27.65	97.7	7.8053	71.8554
2024	10	2	23	36	6	26.54	95.8	7.8053	69.2329
2024	10	2	23	46	6	27.61	95.2	7.8053	72.1176
2024	10	2	23	56	6	27.66	93.7	7.8114	72.4389

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	3	0	6	6	27.59	98.3	7.8114	71.6516
2024	10	3	0	16	6	26.55	97.8	7.8114	69.027
2024	10	3	0	26	6	27.57	96.5	7.8175	71.9726
2024	10	3	0	36	6	25.99	94.9	7.8175	68.0325
2024	10	3	0	46	6	26.56	96.3	7.8175	69.3459
2024	10	3	0	56	6	26.91	95.1	7.8236	70.4539
2024	10	3	1	6	6	27.84	95.8	7.8236	72.8199
2024	10	3	1	16	6	28.46	96.1	7.8236	74.3972
2024	10	3	1	26	6	27.89	94.5	7.8236	73.0828
2024	10	3	1	36	6	27.31	97.2	7.8236	71.2426
2024	10	3	1	46	6	27.94	95.8	7.8236	73.0828
2024	10	3	1	56	6	26.99	94.7	7.8236	70.7168
2024	10	3	2	6	6	26.98	96.6	7.8236	70.4539
2024	10	3	2	16	6	28.33	95.5	7.8236	74.1343
2024	10	3	2	26	6	27.17	96.3	7.8236	70.9797
2024	10	3	2	36	6	28.41	95	7.8297	74.4577
2024	10	3	2	46	6	27.46	96.3	7.8297	71.8267
2024	10	3	2	56	6	28.59	94.6	7.8297	74.9839
2024	10	3	3	6	6	27.32	95.5	7.8236	71.5054
2024	10	3	3	16	6	27.34	95.9	7.8297	71.5636
2024	10	3	3	26	6	28.41	98.5	7.8297	73.9315
2024	10	3	3	36	6	27.23	95.7	7.8297	71.3005
2024	10	3	3	46	6	27.3	94.8	7.8297	71.5636
2024	10	3	3	56	6	28.46	96.1	7.8297	74.4577
2024	10	3	4	6	6	26.98	94.5	7.8297	70.7742
2024	10	3	4	16	6	27.09	94.7	7.8297	71.0373
2024	10	3	4	26	6	27.34	95.9	7.8297	71.5635
2024	10	3	4	36	6	26.94	93	7.8297	70.7742
2024	10	3	4	46	6	26.96	93.8	7.8297	70.7742
2024	10	3	4	56	6	27.09	96.8	7.8297	70.7742
2024	10	3	5	6	6	26.98	96.6	7.8297	70.5111
2024	10	3	5	16	6	28.05	95.9	7.8297	73.4052
2024	10	3	5	26	6	26.88	96.6	7.8297	70.248
2024	10	3	5	36	6	27.84	95.8	7.8358	72.9382
2024	10	3	5	46	6	27.18	96.5	7.8297	71.0372
2024	10	3	5	56	6	27.09	96.8	7.8358	70.8317
2024	10	3	6	6	6	27.5	95	7.8358	72.1482
2024	10	3	6	16	6	28.45	95.9	7.8358	74.5181
2024	10	3	6	26	6	29.22	95.3	7.8358	76.6246
2024	10	3	6	36	6	27.56	96.2	7.8358	72.1482
2024	10	3	6	46	6	27.94	95.8	7.8358	73.2015
2024	10	3	6	56	6	27.6	94.8	7.8358	72.4115
2024	10	3	7	6	6	27.48	96.5	7.8358	71.8849
2024	10	3	7	16	6	28	94.9	7.8358	73.4648
2024	10	3	7	26	6	26.93	97.5	7.8358	70.305
2024	10	3	7	36	6	27.87	96.4	7.8358	72.9381
2024	10	3	7	46	6	26.56	96.3	7.8358	69.515
2024	10	3	7	56	6	27.47	94.2	7.8358	72.1482

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	3	8	6	6	26.5	95	7.8358	69.515
2024	10	3	8	16	6	27.48	94.4	7.8419	72.2067
2024	10	3	8	26	6	27.59	94.6	7.8419	72.4703
2024	10	3	8	36	6	28.39	94.6	7.8419	74.5785
2024	10	3	8	46	6	27.05	97.9	7.8419	70.6255
2024	10	3	8	56	6	28.5	94.8	7.8419	74.8419
2024	10	3	9	6	6	29.15	95.9	7.8419	76.423
2024	10	3	9	16	6	26.79	98.4	7.8419	69.8348
2024	10	3	9	26	6	27.92	95.3	7.8419	73.2606
2024	10	3	9	36	6	27.66	96.2	7.8419	72.47
2024	10	3	9	46	6	28.19	94.7	7.8419	74.0511
2024	10	3	9	56	6	27.07	96.4	7.8419	70.8888
2024	10	3	10	6	6	27.1	94.9	7.8419	71.1523
2024	10	3	10	16	6	27.31	95.3	7.8419	71.6793
2024	10	3	10	26	6	27.51	95.2	7.8419	72.2063
2024	10	3	10	36	6	27.19	94.6	7.8419	71.4157
2024	10	3	10	46	6	27.12	95.5	7.8419	71.1521
2024	10	3	10	56	6	27.49	94.6	7.8358	72.1476
2024	10	3	11	6	6	27.15	97.8	7.8358	70.831
2024	10	3	11	16	6	27.84	95.8	7.8358	72.9375
2024	10	3	11	26	6	27.81	97	7.8297	72.6151
2024	10	3	11	36	6	27.5	94.8	7.8297	72.0889
2024	10	3	11	46	6	28.03	95.5	7.8297	73.4043
2024	10	3	11	56	6	27.42	95.4	7.8236	71.7673
2024	10	3	12	6	6	27.8	96.8	7.8175	72.4969
2024	10	3	12	16	6	27.59	96.7	7.8175	71.9716
2024	10	3	12	26	6	28.15	95.9	7.8175	73.5475
2024	10	3	12	36	6	27.79	94.5	7.8175	72.7595
2024	10	3	12	46	6	27.56	96.2	7.8175	71.9715
2024	10	3	12	56	6	28.28	96.5	7.8175	73.8102
2024	10	3	13	6	6	27.77	94.1	7.8114	72.7002
2024	10	3	13	16	6	27.45	96.1	7.8175	71.7088
2024	10	3	13	26	6	27.67	96.4	7.8114	72.1753
2024	10	3	13	36	6	27.65	97.7	7.8114	71.9128
2024	10	3	13	46	6	29.65	95.8	7.8114	77.4244
2024	10	3	13	56	6	27.73	95.6	7.8114	72.4377
2024	10	3	14	6	6	27.49	94.6	7.8114	71.9128
2024	10	3	14	16	6	28.31	95.1	7.8114	74.0124
2024	10	3	14	26	6	27.27	96.3	7.8114	71.1254
2024	10	3	14	36	6	26.43	95.6	7.8114	69.0258
2024	10	3	14	46	6	27.07	96.4	7.8114	70.6005
2024	10	3	14	56	6	26.49	96.9	7.8114	69.0258
2024	10	3	15	6	6	27.11	98.7	7.8053	70.2807
2024	10	3	15	16	6	27.31	95	7.8053	71.3297
2024	10	3	15	26	6	27.33	97.4	7.8053	71.0675
2024	10	3	15	36	6	26.93	92.6	7.8053	70.543
2024	10	3	15	46	6	28.43	97.3	7.8053	73.9521
2024	10	3	15	56	6	26.8	97.1	7.8053	69.7563

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	3	16	6	6	26.94	95.8	7.8053	70.2808
2024	10	3	16	16	6	27.33	95.7	7.8053	71.3298
2024	10	3	16	26	6	27.49	96.7	7.8053	71.592
2024	10	3	16	36	6	26.72	95.4	7.8053	69.7563
2024	10	3	16	46	6	27.76	96.2	7.8053	72.3788
2024	10	3	16	56	6	27.6	96.9	7.8053	71.8543
2024	10	3	17	6	6	27.46	93.8	7.8053	71.8543
2024	10	3	17	16	6	28.56	96	7.8053	74.4768
2024	10	3	17	26	6	28.79	96.6	7.8053	75.0012
2024	10	3	17	36	6	28.63	95.4	7.8053	74.739
2024	10	3	17	46	6	27.6	96.9	7.7992	71.7958
2024	10	3	17	56	6	27.76	96.2	7.8053	72.3789
2024	10	3	18	6	6	27.43	95.6	7.8053	71.5922
2024	10	3	18	16	6	28.25	95.9	7.8053	73.6901
2024	10	3	18	26	6	28.21	95.1	7.8053	73.6901
2024	10	3	18	36	6	27.71	97	7.8053	72.1167
2024	10	3	18	46	6	26.63	97.6	7.8053	69.2321
2024	10	3	18	56	6	27.5	94.8	7.8053	71.8545
2024	10	3	19	6	6	27.04	95.7	7.8053	70.5433
2024	10	3	19	16	6	28.28	96.5	7.8053	73.6902
2024	10	3	19	26	6	26.49	94.8	7.8053	69.2321
2024	10	3	19	36	6	27.21	95.1	7.8053	71.0679
2024	10	3	19	46	6	27.75	96	7.8053	72.3791
2024	10	3	19	56	6	27.76	93.7	7.8053	72.6414
2024	10	3	20	6	6	28.4	94.8	7.7992	74.1543
2024	10	3	20	16	6	28.93	95.4	7.8053	75.5261
2024	10	3	20	26	6	27.88	96.6	7.7992	72.5822
2024	10	3	20	36	6	26.18	94.4	7.8053	68.4456
2024	10	3	20	46	6	27.22	95.5	7.8053	71.068
2024	10	3	20	56	6	26.5	95	7.7992	69.1759
2024	10	3	21	6	6	26.34	93	7.7992	68.9139
2024	10	3	21	16	6	27.07	94	7.8053	70.8059
2024	10	3	21	26	6	27.51	95.2	7.8053	71.8549
2024	10	3	21	36	6	29.05	95.7	7.8053	75.7885
2024	10	3	21	46	6	27.2	97	7.8053	70.8059
2024	10	3	21	56	6	26.69	96.9	7.8053	69.4947
2024	10	3	22	6	6	27.6	94.8	7.8053	72.1172
2024	10	3	22	16	6	27.34	95.9	7.8053	71.3305
2024	10	3	22	26	6	26.99	94.7	7.8053	70.5438
2024	10	3	22	36	6	27.89	94.5	7.8053	72.904
2024	10	3	22	46	6	26.23	95.7	7.8053	68.4458
2024	10	3	22	56	6	28.55	95.8	7.8053	74.4775
2024	10	3	23	6	6	29.26	96.1	7.8053	76.3132
2024	10	3	23	16	6	28.46	96.1	7.8053	74.2153
2024	10	3	23	26	6	27.13	95.7	7.8053	70.8061
2024	10	3	23	36	6	27.53	95.6	7.8053	71.8551
2024	10	3	23	46	6	28.3	96.9	7.8114	73.7509
2024	10	3	23	56	6	27.98	96.6	7.8114	72.9635

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	4	0	6	6	27.99	98.2	7.8114	72.7011
2024	10	4	0	16	6	28.71	97	7.8175	74.8617
2024	10	4	0	26	6	27.72	95.4	7.8175	72.4977
2024	10	4	0	36	6	27.84	95.8	7.8175	72.7604
2024	10	4	0	46	6	28.08	96.5	7.8236	73.3454
2024	10	4	0	56	6	27.77	96.4	7.8236	72.5567
2024	10	4	1	6	6	26.3	95	7.8297	68.9323
2024	10	4	1	16	6	28.31	95.1	7.8297	74.1944
2024	10	4	1	26	6	26.89	94.7	7.8297	70.5109
2024	10	4	1	36	6	27.83	97.4	7.8297	72.6158
2024	10	4	1	46	6	28.64	95.6	7.8297	74.9837
2024	10	4	1	56	6	27.56	96.2	7.8358	72.1482
2024	10	4	2	6	6	28.64	95.6	7.8358	75.0446
2024	10	4	2	16	6	26.32	95.5	7.8358	68.9884
2024	10	4	2	26	6	27.37	94	7.8358	71.8848
2024	10	4	2	36	6	27.33	95.7	7.8358	71.6215
2024	10	4	2	46	6	27.33	95.7	7.8358	71.6215
2024	10	4	2	56	6	27.87	96.4	7.8358	72.9381
2024	10	4	3	6	6	27.11	95.1	7.8358	71.0949
2024	10	4	3	16	6	26.62	95.4	7.8358	69.7783
2024	10	4	3	26	6	28.68	94.4	7.8358	75.3079
2024	10	4	3	36	6	28.36	96.1	7.8419	74.3149
2024	10	4	3	46	6	27.64	95.8	7.8419	72.4702
2024	10	4	3	56	6	26.55	96.1	7.8419	69.5714
2024	10	4	4	6	6	28.48	98.1	7.8419	74.3149
2024	10	4	4	16	6	28.23	95.5	7.8419	74.0514
2024	10	4	4	26	6	27.64	95.8	7.8419	72.4702
2024	10	4	4	36	6	27.39	94.6	7.8419	71.9431
2024	10	4	4	46	6	28.16	93.7	7.8419	74.0513
2024	10	4	4	56	6	26.28	94.4	7.8419	69.0443
2024	10	4	5	6	6	26.94	95.8	7.848	70.6828
2024	10	4	5	16	6	25.86	94	7.8419	67.9902
2024	10	4	5	26	6	27.86	93.7	7.848	73.3202
2024	10	4	5	36	6	28.01	95.1	7.848	73.5839
2024	10	4	5	46	6	28.45	95.9	7.848	74.6389
2024	10	4	5	56	6	28.13	97.4	7.848	73.5839
2024	10	4	6	6	6	28.36	96.1	7.848	74.3752
2024	10	4	6	16	6	27.95	96	7.848	73.3202
2024	10	4	6	26	6	28.04	95.7	7.848	73.5839
2024	10	4	6	36	6	27.67	96.4	7.848	72.529
2024	10	4	6	46	6	27.18	96.5	7.848	71.2102
2024	10	4	6	56	6	26.91	95.1	7.848	70.6828
2024	10	4	7	6	6	26.14	95.9	7.848	68.5728
2024	10	4	7	16	6	27.67	96.4	7.848	72.5289
2024	10	4	7	26	6	27.79	94.5	7.848	73.0564
2024	10	4	7	36	6	28.09	94.7	7.848	73.8476
2024	10	4	7	46	6	28.03	95.5	7.8541	73.6436
2024	10	4	7	56	6	27.83	95.6	7.8541	73.1157

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	4	8	6	6	27.05	93.6	7.8541	71.268
2024	10	4	8	16	6	27.97	96.4	7.8541	73.3796
2024	10	4	8	26	6	27.7	96.8	7.8541	72.5877
2024	10	4	8	36	6	27.49	96.7	7.8541	72.0598
2024	10	4	8	46	6	27.97	94.1	7.8541	73.6435
2024	10	4	8	56	6	27.53	95.6	7.8541	72.3236
2024	10	4	9	6	6	27.5	94.8	7.8541	72.3236
2024	10	4	9	16	6	28.27	94.1	7.8541	74.4352
2024	10	4	9	26	6	27.2	94.9	7.8541	71.5317
2024	10	4	9	36	6	27.41	95	7.8541	72.0596
2024	10	4	9	46	6	27.69	96.6	7.8541	72.5874
2024	10	4	9	56	6	27.19	94.6	7.8541	71.5316
2024	10	4	10	6	6	27.31	95.3	7.8541	71.7955
2024	10	4	10	16	6	27.49	94.6	7.8541	72.3234
2024	10	4	10	26	6	27.9	96.8	7.8541	73.1152
2024	10	4	10	36	6	28.23	97.3	7.8541	73.9071
2024	10	4	10	46	6	27.09	96.8	7.8541	71.0035
2024	10	4	10	56	6	25.75	93.6	7.8541	67.8361
2024	10	4	11	6	6	28.04	95.7	7.8541	73.643
2024	10	4	11	16	6	27.91	97	7.8541	73.1151
2024	10	4	11	26	6	27.28	94.4	7.8541	71.7953
2024	10	4	11	36	6	28.13	97.4	7.8541	73.643
2024	10	4	11	46	6	27.9	94.9	7.8541	73.379
2024	10	4	11	56	6	26.69	94.7	7.8541	70.2116
2024	10	4	12	6	6	27.23	95.7	7.8541	71.5313
2024	10	4	12	16	6	27.5	94.8	7.8541	72.3231
2024	10	4	12	26	6	27.65	96	7.848	72.5283
2024	10	4	12	36	6	27.58	94.4	7.8541	72.5871
2024	10	4	12	46	6	28.1	98.4	7.848	73.3195
2024	10	4	12	56	6	26.93	95.5	7.848	70.6821
2024	10	4	13	6	6	27.34	95.9	7.848	71.7371
2024	10	4	13	16	6	28.19	94.7	7.848	74.1107
2024	10	4	13	26	6	26.89	96.8	7.848	70.4183
2024	10	4	13	36	6	26.86	93.8	7.848	70.682
2024	10	4	13	46	6	28.25	93.2	7.848	74.3744
2024	10	4	13	56	6	28.21	95.1	7.848	74.1106
2024	10	4	14	6	6	27.42	95.4	7.8419	71.9422
2024	10	4	14	16	6	27.05	97.9	7.8419	70.6246
2024	10	4	14	26	6	26.86	93.8	7.848	70.6819
2024	10	4	14	36	6	27.54	95.8	7.8358	72.1471
2024	10	4	14	46	6	27.39	94.6	7.8297	71.8254
2024	10	4	14	56	6	28.76	96	7.8297	75.2456
2024	10	4	15	6	6	26.99	96.8	7.8236	70.4526
2024	10	4	15	16	6	29.14	93	7.8236	76.4989
2024	10	4	15	26	6	27.56	96.2	7.8236	72.0299
2024	10	4	15	36	6	29.02	97.1	7.8236	75.7103
2024	10	4	15	46	6	26.27	96.6	7.8236	68.6125
2024	10	4	15	56	6	26.78	94.5	7.8236	70.1898

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	4	16	6	6	26.44	93	7.8236	69.4012
2024	10	4	16	16	6	27.36	93.8	7.8175	71.7087
2024	10	4	16	26	6	28.59	96.6	7.8236	74.6589
2024	10	4	16	36	6	27.72	92.3	7.8175	72.7594
2024	10	4	16	46	6	28.08	96.5	7.8175	73.2848
2024	10	4	16	56	6	27.02	95.3	7.8175	70.6581
2024	10	4	17	6	6	27.88	96.6	7.8175	72.7595
2024	10	4	17	16	6	27.45	96.1	7.8175	71.7088
2024	10	4	17	26	6	26.76	93.9	7.8175	70.1328
2024	10	4	17	36	6	27.62	95.4	7.8175	72.2342
2024	10	4	17	46	6	27.87	96.4	7.8175	72.7595
2024	10	4	17	56	6	28.33	95.5	7.8175	74.0729
2024	10	4	18	6	6	26.46	96.3	7.8175	69.0821
2024	10	4	18	16	6	27.34	95.9	7.8236	71.5044
2024	10	4	18	26	6	26.94	95.8	7.8236	70.4529
2024	10	4	18	36	6	27.76	96.2	7.8236	72.556
2024	10	4	18	46	6	27.77	96.4	7.8175	72.4969
2024	10	4	18	56	6	27.86	97.8	7.8236	72.556
2024	10	4	19	6	6	27.02	95.3	7.8236	70.7158
2024	10	4	19	16	6	28.06	96.1	7.8236	73.3447
2024	10	4	19	26	6	27.42	95.4	7.8297	71.8258
2024	10	4	19	36	6	26.9	94.9	7.8236	70.453
2024	10	4	19	46	6	27.2	94.9	7.8358	71.3576
2024	10	4	19	56	6	27.55	93.3	7.8297	72.3521
2024	10	4	20	6	6	27.39	96.7	7.8297	71.5628
2024	10	4	20	16	6	28.33	97.3	7.8358	73.9908
2024	10	4	20	26	6	27.22	95.3	7.8358	71.3577
2024	10	4	20	36	6	27.67	96.4	7.8358	72.411
2024	10	4	20	46	6	26.96	96.2	7.8358	70.5678
2024	10	4	20	56	6	27.45	97.7	7.8358	71.6211
2024	10	4	21	6	6	28.06	96.1	7.8358	73.4643
2024	10	4	21	16	6	27.7	95	7.8419	72.7334
2024	10	4	21	26	6	27.54	95.8	7.8358	72.1478
2024	10	4	21	36	6	27.78	96.6	7.8419	72.7334
2024	10	4	21	46	6	28.24	99	7.8419	73.524
2024	10	4	21	56	6	27.34	97.6	7.8358	71.3579
2024	10	4	22	6	6	26.24	95.9	7.8419	68.7806
2024	10	4	22	16	6	28.16	96.1	7.8419	73.7876
2024	10	4	22	26	6	28.43	97.3	7.8358	74.2544
2024	10	4	22	36	6	28.16	96.1	7.8358	73.7278
2024	10	4	22	46	6	27.17	96.3	7.8358	71.0947
2024	10	4	22	56	6	26.86	93.8	7.8419	70.6254
2024	10	4	23	6	6	28.79	98.2	7.8419	75.1053
2024	10	4	23	16	6	29.32	95.3	7.8419	76.95
2024	10	4	23	26	6	28.29	94.5	7.8419	74.3148
2024	10	4	23	36	6	27.02	95.3	7.8419	70.8889
2024	10	4	23	46	6	26.99	96.8	7.8419	70.6254
2024	10	4	23	56	6	27.73	97.5	7.8419	72.4701

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	5	0	6	6	27.87	98	7.8419	72.7336
2024	10	5	0	16	6	28.5	96.9	7.8419	74.5783
2024	10	5	0	26	6	27.57	96.5	7.8419	72.2066
2024	10	5	0	36	6	27.59	96.7	7.8419	72.2066
2024	10	5	0	46	6	28.22	97.1	7.8419	73.7878
2024	10	5	0	56	6	26.7	94.9	7.8419	70.0984
2024	10	5	1	6	6	26.5	95	7.8419	69.5713
2024	10	5	1	16	6	27.36	96.3	7.8419	71.6796
2024	10	5	1	26	6	28	94.9	7.8419	73.5243
2024	10	5	1	36	6	27.73	95.6	7.8419	72.7337
2024	10	5	1	46	6	27.04	95.7	7.8419	70.889
2024	10	5	1	56	6	26.64	95.8	7.8419	69.8349
2024	10	5	2	6	6	28	98.4	7.8419	72.9972
2024	10	5	2	16	6	26.79	94.7	7.8419	70.3619
2024	10	5	2	26	6	27.14	95.9	7.8419	71.1525
2024	10	5	2	36	6	27.72	97.3	7.8419	72.4702
2024	10	5	2	46	6	28.83	95.4	7.848	75.6939
2024	10	5	2	56	6	28.37	96.3	7.848	74.3752
2024	10	5	3	6	6	27.88	94.3	7.848	73.3202
2024	10	5	3	16	6	26.87	94.1	7.848	70.6828
2024	10	5	3	26	6	26.41	95.2	7.848	69.3641
2024	10	5	3	36	6	27.75	96	7.848	72.7927
2024	10	5	3	46	6	28.75	95.8	7.848	75.4301
2024	10	5	3	56	6	28.52	95.2	7.848	74.9026
2024	10	5	4	6	6	26.67	94.1	7.848	70.1553
2024	10	5	4	16	6	26.99	94.7	7.848	70.9465
2024	10	5	4	26	6	28.46	96.1	7.848	74.6389
2024	10	5	4	36	6	28.34	95.7	7.848	74.3751
2024	10	5	4	46	6	27.34	95.9	7.848	71.7377
2024	10	5	4	56	6	27.45	96.1	7.848	72.0015
2024	10	5	5	6	6	27.14	93	7.848	71.474
2024	10	5	5	16	6	27.5	94.8	7.848	72.2652
2024	10	5	5	26	6	28.52	95.2	7.848	74.9026
2024	10	5	5	36	6	27.02	95.3	7.848	70.9465
2024	10	5	5	46	6	28	96.8	7.848	73.3202
2024	10	5	5	56	6	28.73	95.4	7.8541	75.4913
2024	10	5	6	6	6	28.07	96.3	7.848	73.5839
2024	10	5	6	16	6	26.7	94.9	7.848	70.1553
2024	10	5	6	26	6	28.14	95.7	7.848	73.8476
2024	10	5	6	36	6	28.07	96.3	7.848	73.5839
2024	10	5	6	46	6	27.34	95.9	7.848	71.7377
2024	10	5	6	56	6	27.51	95.2	7.848	72.2652
2024	10	5	7	6	6	27.86	96.2	7.8541	73.1157
2024	10	5	7	16	6	27.99	94.7	7.8541	73.6436
2024	10	5	7	26	6	27.08	94.4	7.8541	71.268
2024	10	5	7	36	6	27.94	93.1	7.8541	73.6436
2024	10	5	7	46	6	27.33	95.7	7.8541	71.7959
2024	10	5	7	56	6	27.2	94.9	7.8541	71.5319

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	5	8	6	6	27.99	94.7	7.8541	73.6436
2024	10	5	8	16	6	26.21	95.3	7.8541	68.8924
2024	10	5	8	26	6	27.18	94.4	7.8541	71.5319
2024	10	5	8	36	6	28.33	95.5	7.8541	74.4354
2024	10	5	8	46	6	28.48	96.5	7.8541	74.6993
2024	10	5	8	56	6	26.61	95.2	7.8541	69.9481
2024	10	5	9	6	6	27.07	94	7.8541	71.2679
2024	10	5	9	16	6	27.54	95.8	7.8541	72.3236
2024	10	5	9	26	6	27.73	97.5	7.8541	72.5876
2024	10	5	9	36	6	27.61	95.2	7.8541	72.5876
2024	10	5	9	46	6	28.25	95.9	7.8541	74.1712
2024	10	5	9	56	6	26.55	96.1	7.8541	69.684
2024	10	5	10	6	6	27.9	96.8	7.8541	73.1154
2024	10	5	10	16	6	26.85	96	7.8541	70.4758
2024	10	5	10	26	6	27.23	95.7	7.8541	71.5316
2024	10	5	10	36	6	29.05	95.7	7.8541	76.2828
2024	10	5	10	46	6	27.75	96	7.8541	72.8513
2024	10	5	10	56	6	28.25	95.9	7.8541	74.1711
2024	10	5	11	6	6	27.88	96.6	7.8541	73.1152
2024	10	5	11	16	6	27.2	94.9	7.8541	71.5315
2024	10	5	11	26	6	28.01	95.1	7.8541	73.6431
2024	10	5	11	36	6	27.18	96.5	7.8541	71.2675
2024	10	5	11	46	6	27.75	93.5	7.8541	73.1151
2024	10	5	11	56	6	28.09	94.7	7.8541	73.907
2024	10	5	12	6	6	28.08	96.5	7.8541	73.643
2024	10	5	12	16	6	27.97	96.4	7.848	73.3197
2024	10	5	12	26	6	28.56	96	7.848	74.9021
2024	10	5	12	36	6	28.38	94.2	7.8541	74.6988
2024	10	5	12	46	6	27.78	96.6	7.848	72.7921
2024	10	5	12	56	6	28.17	96.3	7.848	73.847
2024	10	5	13	6	6	28.2	94.9	7.848	74.1107
2024	10	5	13	16	6	26.86	97.9	7.848	70.1547
2024	10	5	13	26	6	26.18	96.8	7.848	68.5723
2024	10	5	13	36	6	27.82	95.4	7.848	73.0558
2024	10	5	13	46	6	28.36	96.1	7.848	74.3745
2024	10	5	13	56	6	27.35	97.8	7.848	71.4734
2024	10	5	14	6	6	27.3	94.8	7.848	71.7371
2024	10	5	14	16	6	28.48	96.5	7.848	74.6382
2024	10	5	14	26	6	27.84	95.8	7.8419	72.9965
2024	10	5	14	36	6	27.71	95.2	7.8419	72.733
2024	10	5	14	46	6	29.72	97	7.8419	77.7399
2024	10	5	14	56	6	28.45	95.9	7.8358	74.5171
2024	10	5	15	6	6	27.1	94.9	7.8358	71.094
2024	10	5	15	16	6	27.16	93.8	7.8358	71.3573
2024	10	5	15	26	6	27.76	96.2	7.8297	72.6148
2024	10	5	15	36	6	27.31	95	7.8297	71.5624
2024	10	5	15	46	6	27.93	95.5	7.8297	73.141
2024	10	5	15	56	6	26.99	96.8	7.8297	70.5101

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	5	16	6	6	28.08	96.5	7.8236	73.3445
2024	10	5	16	16	6	28.34	95.7	7.8297	74.1935
2024	10	5	16	26	6	27.27	96.3	7.8297	71.2994
2024	10	5	16	36	6	27.92	95.3	7.8236	73.0817
2024	10	5	16	46	6	26.36	93.9	7.8236	69.1384
2024	10	5	16	56	6	27.33	95.7	7.8297	71.5625
2024	10	5	17	6	6	27.4	94.8	7.8297	71.8256
2024	10	5	17	16	6	28.39	96.7	7.8297	74.1935
2024	10	5	17	26	6	27.02	95.3	7.8297	70.7733
2024	10	5	17	36	6	27.31	95.3	7.8297	71.5626
2024	10	5	17	46	6	27.62	95.4	7.8358	72.4107
2024	10	5	17	56	6	28.36	96.1	7.8358	74.2539
2024	10	5	18	6	6	26.84	93.2	7.8419	70.6248
2024	10	5	18	16	6	26.22	92.4	7.8419	69.0437
2024	10	5	18	26	6	27.84	92.9	7.8419	73.2601
2024	10	5	18	36	6	26.52	95.4	7.8419	69.5707
2024	10	5	18	46	6	27.79	94.5	7.8419	72.9966
2024	10	5	18	56	6	27.98	96.6	7.8419	73.2601
2024	10	5	19	6	6	29.53	95.4	7.848	77.5395
2024	10	5	19	16	6	28.43	97.3	7.848	74.3746
2024	10	5	19	26	6	29.01	94.9	7.848	76.2208
2024	10	5	19	36	6	28.27	94.1	7.848	74.3746
2024	10	5	19	46	6	28.54	97.4	7.848	74.6384
2024	10	5	19	56	6	28.18	96.5	7.848	73.8472
2024	10	5	20	6	6	29.25	97.5	7.848	76.4846
2024	10	5	20	16	6	27.88	96.6	7.848	73.056
2024	10	5	20	26	6	28.12	97.2	7.848	73.5835
2024	10	5	20	36	6	28.68	98	7.848	74.9022
2024	10	5	20	46	6	26.22	95.5	7.8541	68.8921
2024	10	5	20	56	6	28.9	94.8	7.8541	76.0189
2024	10	5	21	6	6	28.14	97.6	7.8541	73.6433
2024	10	5	21	16	6	26.18	96.8	7.8541	68.6282
2024	10	5	21	26	6	27.11	95.1	7.8541	71.2677
2024	10	5	21	36	6	26.77	94.3	7.8541	70.4759
2024	10	5	21	46	6	27.11	95.1	7.8541	71.2677
2024	10	5	21	56	6	28.56	96	7.8541	74.9631
2024	10	5	22	6	6	28.01	95.1	7.8541	73.6434
2024	10	5	22	16	6	27.29	94.6	7.8541	71.7957
2024	10	5	22	26	6	26.23	95.7	7.8541	68.8922
2024	10	5	22	36	6	27.54	95.8	7.8541	72.3236
2024	10	5	22	46	6	28.34	95.7	7.8541	74.4353
2024	10	5	22	56	6	26.9	94.9	7.8541	70.74
2024	10	5	23	6	6	26.94	95.8	7.8541	70.74
2024	10	5	23	16	6	27.41	95	7.8541	72.0597
2024	10	5	23	26	6	28	94.9	7.8541	73.6435
2024	10	5	23	36	6	27.97	96.4	7.8541	73.3795
2024	10	5	23	46	6	28.63	97.2	7.8541	74.9633
2024	10	5	23	56	6	28.23	95.5	7.8541	74.1714

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	6	0	6	6	26.56	93.9	7.8602	70.0048
2024	10	6	0	16	6	26.23	95.7	7.8541	68.8923
2024	10	6	0	26	6	28.28	96.5	7.8602	74.2315
2024	10	6	0	36	6	28.03	95.5	7.8602	73.7032
2024	10	6	0	46	6	27.95	96	7.8602	73.4391
2024	10	6	0	56	6	27.21	95.1	7.8602	71.5899
2024	10	6	1	6	6	27.26	93.8	7.8602	71.854
2024	10	6	1	16	6	27.86	96.2	7.8602	73.1749
2024	10	6	1	26	6	26.76	96.2	7.8602	70.269
2024	10	6	1	36	6	29.18	94.1	7.8602	76.8733
2024	10	6	1	46	6	29.26	96.1	7.8602	76.8733
2024	10	6	1	56	6	27.38	96.5	7.8602	71.8541
2024	10	6	2	6	6	28.52	95.2	7.8602	75.0241
2024	10	6	2	16	6	27.71	97	7.8602	72.6466
2024	10	6	2	26	6	27.26	93.8	7.8602	71.8541
2024	10	6	2	36	6	27.73	97.5	7.8602	72.6466
2024	10	6	2	46	6	28.53	95.4	7.8602	75.0241
2024	10	6	2	56	6	27.53	95.6	7.8602	72.3824
2024	10	6	3	6	6	27.1	94.9	7.8602	71.3257
2024	10	6	3	16	6	27.31	95.3	7.8602	71.854
2024	10	6	3	26	6	27.11	95.1	7.8602	71.3257
2024	10	6	3	36	6	26.6	95	7.8602	70.0049
2024	10	6	3	46	6	27.45	96.1	7.8602	72.1182
2024	10	6	3	56	6	29.03	95.3	7.8602	76.3449
2024	10	6	4	6	6	27.61	95.2	7.8602	72.6465
2024	10	6	4	16	6	27.45	96.1	7.8602	72.1182
2024	10	6	4	26	6	28.66	96	7.8663	75.3492
2024	10	6	4	36	6	27.8	94.7	7.8602	73.1749
2024	10	6	4	46	6	29.09	94.5	7.8663	76.6711
2024	10	6	4	56	6	28.53	95.4	7.8663	75.0848
2024	10	6	5	6	6	29	96.7	7.8663	76.1423
2024	10	6	5	16	6	28.83	95.4	7.8663	75.8779
2024	10	6	5	26	6	27.77	94.1	7.8663	73.2341
2024	10	6	5	36	6	28.36	96.1	7.8663	74.556
2024	10	6	5	46	6	26.88	94.5	7.8663	70.8547
2024	10	6	5	56	6	26.57	94.1	7.8663	70.0615
2024	10	6	6	6	6	27.34	97.6	7.8663	71.6478
2024	10	6	6	16	6	27.86	93.7	7.8663	73.4985
2024	10	6	6	26	6	28.25	95.9	7.8663	74.2916
2024	10	6	6	36	6	27.12	95.3	7.8663	71.3834
2024	10	6	6	46	6	26.64	93.2	7.8663	70.3259
2024	10	6	6	56	6	28.94	95.6	7.8663	76.1423
2024	10	6	7	6	6	26.71	95.2	7.8663	70.3259
2024	10	6	7	16	6	29.34	93.1	7.8663	77.4642
2024	10	6	7	26	6	28.45	95.9	7.8663	74.8204
2024	10	6	7	36	6	27.62	95.4	7.8663	72.7053
2024	10	6	7	46	6	27.48	96.5	7.8663	72.1765
2024	10	6	7	56	6	27.1	94.9	7.8663	71.3834

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	6	8	6	6	27.17	94	7.8724	71.7057
2024	10	6	8	16	6	28.34	95.7	7.8663	74.556
2024	10	6	8	26	6	28.22	95.3	7.8663	74.2916
2024	10	6	8	36	6	26.87	94.1	7.8724	70.9119
2024	10	6	8	46	6	25.4	90.9	7.8724	67.2075
2024	10	6	8	56	6	29	94.7	7.8724	76.4684
2024	10	6	9	6	6	26.61	95.2	7.8724	70.118
2024	10	6	9	16	6	28.56	96	7.8724	75.1453
2024	10	6	9	26	6	27.21	97.2	7.8724	71.4409
2024	10	6	9	36	6	28.47	96.3	7.8724	74.8807
2024	10	6	9	46	6	27.76	96.2	7.8724	73.0285
2024	10	6	9	56	6	28.43	95.4	7.8724	74.8806
2024	10	6	10	6	6	27.74	95.8	7.8724	73.0284
2024	10	6	10	16	6	28.21	95.1	7.8724	74.3513
2024	10	6	10	26	6	27.7	95	7.8724	73.0283
2024	10	6	10	36	6	28.19	94.7	7.8724	74.3513
2024	10	6	10	46	6	26.82	95.3	7.8724	70.6469
2024	10	6	10	56	6	29	96.7	7.8724	76.2034
2024	10	6	11	6	6	28.49	94.6	7.8724	75.145
2024	10	6	11	16	6	26.93	95.5	7.8724	70.9114
2024	10	6	11	26	6	28.01	95.1	7.8724	73.8219
2024	10	6	11	36	6	28.17	96.3	7.8724	74.0865
2024	10	6	11	46	6	28.29	96.7	7.8724	74.3511
2024	10	6	11	56	6	27.6	96.9	7.8724	72.4989
2024	10	6	12	6	6	28.39	94.6	7.8724	74.8802
2024	10	6	12	16	6	28.01	95.1	7.8724	73.8218
2024	10	6	12	26	6	27.28	94.4	7.8724	71.9696
2024	10	6	12	36	6	28.2	94.9	7.8724	74.3509
2024	10	6	12	46	6	27.93	95.5	7.8724	73.5572
2024	10	6	12	56	6	27.4	96.9	7.8663	71.9114
2024	10	6	13	6	6	28.12	95.3	7.8724	74.0863
2024	10	6	13	16	6	29.22	97.1	7.8724	76.7323
2024	10	6	13	26	6	26.74	97.7	7.8724	70.1174
2024	10	6	13	36	6	26.94	95.8	7.8724	70.9111
2024	10	6	13	46	6	26.66	96.2	7.8724	70.1173
2024	10	6	13	56	6	28.12	97.2	7.8724	73.8216
2024	10	6	14	6	6	27.06	93.8	7.8663	71.3826
2024	10	6	14	16	6	28.03	92.9	7.8724	74.0862
2024	10	6	14	26	6	27.5	96.9	7.8724	72.2341
2024	10	6	14	36	6	27.15	97.8	7.8663	71.1182
2024	10	6	14	46	6	26.89	94.7	7.8663	70.8539
2024	10	6	14	56	6	27.69	96.6	7.8663	72.7045
2024	10	6	15	6	6	28.35	95.9	7.8663	74.5552
2024	10	6	15	16	6	26.54	95.8	7.8663	69.7964
2024	10	6	15	26	6	28.27	96.3	7.8663	74.2908
2024	10	6	15	36	6	27.58	94.4	7.8663	72.7046
2024	10	6	15	46	6	26.81	95.1	7.8602	70.5324
2024	10	6	15	56	6	28.77	97.8	7.8663	75.3483

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	6	16	6	6	28.15	93.5	7.8663	74.2908
2024	10	6	16	16	6	27.49	96.7	7.8663	72.1758
2024	10	6	16	26	6	28.01	95.1	7.8663	73.762
2024	10	6	16	36	6	27.93	95.5	7.8663	73.4977
2024	10	6	16	46	6	27.94	95.8	7.8663	73.4977
2024	10	6	16	56	6	26.94	95.8	7.8663	70.8539
2024	10	6	17	6	6	28.1	94.9	7.8663	74.0265
2024	10	6	17	16	6	29.06	95.9	7.8663	76.4059
2024	10	6	17	26	6	27.33	95.7	7.8663	71.9115
2024	10	6	17	36	6	28.08	94.3	7.8663	74.0265
2024	10	6	17	46	6	28.59	96.6	7.8663	75.0841
2024	10	6	17	56	6	26.93	92.6	7.8663	71.1184
2024	10	6	18	6	6	28.2	94.9	7.8663	74.2909
2024	10	6	18	16	6	28.23	95.5	7.8663	74.291
2024	10	6	18	26	6	27.85	97.6	7.8663	72.9691
2024	10	6	18	36	6	27.82	95.4	7.8663	73.2335
2024	10	6	18	46	6	27.26	93.8	7.8663	71.9116
2024	10	6	18	56	6	27.31	95	7.8663	71.9116
2024	10	6	19	6	6	28.06	93.9	7.8663	74.0267
2024	10	6	19	16	6	28.31	95.1	7.8663	74.5555
2024	10	6	19	26	6	27.75	97.7	7.8663	72.7048
2024	10	6	19	36	6	26.72	97.3	7.8602	70.0043
2024	10	6	19	46	6	27.46	93.8	7.8602	72.3818
2024	10	6	19	56	6	28.24	95.7	7.8663	74.2911
2024	10	6	20	6	6	27.25	93.4	7.8602	71.8536
2024	10	6	20	16	6	28.3	98.3	7.8663	74.0268
2024	10	6	20	26	6	28.29	94.7	7.8602	74.4953
2024	10	6	20	36	6	27.74	95.8	7.8602	72.9103
2024	10	6	20	46	6	28.04	95.7	7.8663	73.7625
2024	10	6	20	56	6	28.97	96.1	7.8602	76.0803
2024	10	6	21	6	6	25.99	94.9	7.8602	68.4195
2024	10	6	21	16	6	27.3	96.9	7.8663	71.6475
2024	10	6	21	26	6	28.19	94.7	7.8602	74.2312
2024	10	6	21	36	6	27.6	95	7.8602	72.6462
2024	10	6	21	46	6	27.69	96.6	7.8663	72.7051
2024	10	6	21	56	6	26.96	96.2	7.8663	70.8544
2024	10	6	22	6	6	27.53	95.6	7.8602	72.3821
2024	10	6	22	16	6	28.01	97	7.8602	73.4388
2024	10	6	22	26	6	26.54	95.8	7.8602	69.7405
2024	10	6	22	36	6	27.86	96.2	7.8602	73.1747
2024	10	6	22	46	6	27.2	94.9	7.8602	71.5897
2024	10	6	22	56	6	28.04	95.7	7.8602	73.703
2024	10	6	23	6	6	28.84	95.6	7.8602	75.8164
2024	10	6	23	16	6	27.59	96.7	7.8602	72.3822
2024	10	6	23	26	6	28.89	94.6	7.8602	76.0806
2024	10	6	23	36	6	27.22	95.5	7.8602	71.5897
2024	10	6	23	46	6	27.27	94.2	7.8602	71.8539
2024	10	6	23	56	6	28.29	94.7	7.8663	74.5559

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	7	0	6	6	27.89	94.5	7.8663	73.4984
2024	10	7	0	16	6	27.6	94.8	7.8602	72.6464
2024	10	7	0	26	6	27.95	93.5	7.8663	73.7628
2024	10	7	0	36	6	27.81	95.2	7.8663	73.234
2024	10	7	0	46	6	28.5	94.8	7.8663	75.0847
2024	10	7	0	56	6	27.48	96.5	7.8663	72.1765
2024	10	7	1	6	6	27.98	94.3	7.8663	73.7628
2024	10	7	1	16	6	27.55	93.5	7.8663	72.7053
2024	10	7	1	26	6	28.19	94.7	7.8663	74.2916
2024	10	7	1	36	6	26.51	91.7	7.8663	70.0615
2024	10	7	1	46	6	27.57	94.2	7.8663	72.7053
2024	10	7	1	56	6	27.45	93.6	7.8663	72.4409
2024	10	7	2	6	6	27.67	96.4	7.8663	72.7053
2024	10	7	2	16	6	27.34	95.9	7.8663	71.9121
2024	10	7	2	26	6	28.27	96.3	7.8663	74.2916
2024	10	7	2	36	6	27.63	95.6	7.8663	72.7053
2024	10	7	2	46	6	28.05	95.9	7.8663	73.7628
2024	10	7	2	56	6	27.31	95.3	7.8663	71.9121
2024	10	7	3	6	6	27.99	94.7	7.8663	73.7628
2024	10	7	3	16	6	27.64	95.8	7.8663	72.7053
2024	10	7	3	26	6	29.07	93.9	7.8724	76.733
2024	10	7	3	36	6	27.12	95.5	7.8724	71.4411
2024	10	7	3	46	6	27.88	94.3	7.8724	73.5579
2024	10	7	3	56	6	28.37	97.9	7.8724	74.3517
2024	10	7	4	6	6	28.42	97.1	7.8724	74.6163
2024	10	7	4	16	6	30.1	94.8	7.8724	79.379
2024	10	7	4	26	6	27.83	100.1	7.8724	72.4995
2024	10	7	4	36	6	27.88	96.6	7.8724	73.2933
2024	10	7	4	46	6	28.22	95.3	7.8724	74.3517
2024	10	7	4	56	6	27.53	95.6	7.8724	72.4995
2024	10	7	5	6	6	27.92	97.2	7.8724	73.2933
2024	10	7	5	16	6	29.62	97	7.8724	77.7914
2024	10	7	5	26	6	28.69	96.6	7.8724	75.4101
2024	10	7	5	36	6	27.31	95.3	7.8724	71.9703
2024	10	7	5	46	6	27.25	97.8	7.8724	71.4411
2024	10	7	5	56	6	28.31	95.1	7.8724	74.6163
2024	10	7	6	6	6	28.54	95.6	7.8724	75.1455
2024	10	7	6	16	6	27.23	95.7	7.8724	71.7057
2024	10	7	6	26	6	28.49	94.4	7.8724	75.1455
2024	10	7	6	36	6	27.98	96.6	7.8724	73.5579
2024	10	7	6	46	6	27.6	96.9	7.8724	72.4995
2024	10	7	6	56	6	27.61	95.2	7.8724	72.7641
2024	10	7	7	6	6	27.54	95.8	7.8785	72.5581
2024	10	7	7	16	6	28.81	95	7.8785	76.0007
2024	10	7	7	26	6	26.79	96.9	7.8785	70.4397
2024	10	7	7	36	6	28.49	94.6	7.8785	75.2062
2024	10	7	7	46	6	28.54	97.4	7.8785	74.9414
2024	10	7	7	56	6	27.75	93.5	7.8785	73.3526

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	7	8	6	6	28.11	95.1	7.8785	74.147
2024	10	7	8	16	6	27.84	95.8	7.8785	73.3525
2024	10	7	8	26	6	27.49	94.6	7.8785	72.5581
2024	10	7	8	36	6	28.12	95.3	7.8785	74.1469
2024	10	7	8	46	6	28.31	95.1	7.8785	74.6765
2024	10	7	8	56	6	27.71	97	7.8785	72.8228
2024	10	7	9	6	6	28.35	93.2	7.8785	74.9413
2024	10	7	9	16	6	27.4	94.8	7.8785	72.2932
2024	10	7	9	26	6	28.96	95.9	7.8785	76.2654
2024	10	7	9	36	6	26.94	95.8	7.8785	70.9691
2024	10	7	9	46	6	28.3	96.9	7.8785	74.4116
2024	10	7	9	56	6	28.67	96.2	7.8785	75.4709
2024	10	7	10	6	6	28.13	95.5	7.8785	74.1468
2024	10	7	10	16	6	27.84	95.8	7.8785	73.3524
2024	10	7	10	26	6	28.01	95.1	7.8785	73.882
2024	10	7	10	36	6	27.88	94.3	7.8785	73.6171
2024	10	7	10	46	6	29.47	96.2	7.8785	77.5893
2024	10	7	10	56	6	28.09	94.7	7.8785	74.1467
2024	10	7	11	6	6	27.65	96	7.8785	72.8226
2024	10	7	11	16	6	27.29	96.7	7.8785	71.7634
2024	10	7	11	26	6	28.06	93.7	7.8785	74.1466
2024	10	7	11	36	6	28.99	94.6	7.8785	76.5299
2024	10	7	11	46	6	28.75	95.8	7.8785	75.7354
2024	10	7	11	56	6	28.66	96	7.8724	75.4097
2024	10	7	12	6	6	29.13	95.5	7.8724	76.7327
2024	10	7	12	16	6	27.39	96.7	7.8785	72.0281
2024	10	7	12	26	6	27.81	95.2	7.8724	73.2928
2024	10	7	12	36	6	27.95	96	7.8785	73.6169
2024	10	7	12	46	6	27.95	96	7.8724	73.5574
2024	10	7	12	56	6	27.3	94.8	7.8724	71.9698
2024	10	7	13	6	6	28.33	95.5	7.8724	74.6157
2024	10	7	13	16	6	28.33	95.5	7.8724	74.6157
2024	10	7	13	26	6	27.35	96.1	7.8724	71.9698
2024	10	7	13	36	6	27.65	96	7.8724	72.7635
2024	10	7	13	46	6	29.21	94.9	7.8724	76.997
2024	10	7	13	56	6	27.75	93.5	7.8724	73.2927
2024	10	7	14	6	6	28.29	94.5	7.8724	74.6157
2024	10	7	14	16	6	28.71	95	7.8724	75.6741
2024	10	7	14	26	6	28.67	96.2	7.8724	75.4095
2024	10	7	14	36	6	27.34	95.9	7.8724	71.9698
2024	10	7	14	46	6	27.24	93.2	7.8724	71.9698
2024	10	7	14	56	6	27.81	95.2	7.8724	73.2927
2024	10	7	15	6	6	27.16	96.1	7.8724	71.4406
2024	10	7	15	16	6	28.43	97.3	7.8724	74.6157
2024	10	7	15	26	6	26.9	94.9	7.8724	70.9114
2024	10	7	15	36	6	28.27	96.3	7.8663	74.291
2024	10	7	15	46	6	27.78	94.3	7.8724	73.2928
2024	10	7	15	56	6	27.5	94.8	7.8663	72.4404

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	7	16	6	6	27.54	95.8	7.8663	72.4404
2024	10	7	16	16	6	27.38	94.4	7.8663	72.176
2024	10	7	16	26	6	27.26	93.8	7.8663	71.9117
2024	10	7	16	36	6	28.08	96.5	7.8663	73.7623
2024	10	7	16	46	6	28.3	96.9	7.8663	74.2911
2024	10	7	16	56	6	27.08	94.4	7.8663	71.3829
2024	10	7	17	6	6	28.23	95.5	7.8663	74.2911
2024	10	7	17	16	6	27.42	95.4	7.8663	72.1761
2024	10	7	17	26	6	28.05	97.6	7.8663	73.498
2024	10	7	17	36	6	28.07	94.1	7.8663	74.0268
2024	10	7	17	46	6	28.43	95.4	7.8663	74.8199
2024	10	7	17	56	6	29.18	97.9	7.8663	76.4062
2024	10	7	18	6	6	29.03	95.3	7.8663	76.4063
2024	10	7	18	16	6	27.51	95.2	7.8663	72.4405
2024	10	7	18	26	6	28.21	96.9	7.8663	74.0268
2024	10	7	18	36	6	27	94.9	7.8663	71.1187
2024	10	7	18	46	6	28.31	95.1	7.8663	74.5556
2024	10	7	18	56	6	28.51	95	7.8663	75.0844
2024	10	7	19	6	6	28.12	97.2	7.8663	73.7625
2024	10	7	19	16	6	27.24	95.9	7.8663	71.6475
2024	10	7	19	26	6	27.51	95.2	7.8663	72.4406
2024	10	7	19	36	6	27.69	94.6	7.8663	72.9694
2024	10	7	19	46	6	27.93	95.5	7.8663	73.4982
2024	10	7	19	56	6	26.91	95.1	7.8663	70.8544
2024	10	7	20	6	6	27.17	94	7.8663	71.6476
2024	10	7	20	16	6	28.68	96.4	7.8663	75.3489
2024	10	7	20	26	6	27.66	93.7	7.8663	72.9695
2024	10	7	20	36	6	27.92	95.3	7.8663	73.4983
2024	10	7	20	46	6	27.8	94.7	7.8663	73.2339
2024	10	7	20	56	6	26.96	93.8	7.8663	71.1189
2024	10	7	21	6	6	28.09	96.7	7.8663	73.7627
2024	10	7	21	16	6	27.86	96.2	7.8663	73.234
2024	10	7	21	26	6	28.06	96.1	7.8663	73.7628
2024	10	7	21	36	6	26.65	93.4	7.8663	70.3258
2024	10	7	21	46	6	27.63	95.6	7.8663	72.7053
2024	10	7	21	56	6	27.56	96.2	7.8663	72.4409
2024	10	7	22	6	6	28.08	96.5	7.8663	73.7629
2024	10	7	22	16	6	28.5	94.8	7.8663	75.0848
2024	10	7	22	26	6	27.6	94.8	7.8663	72.7054
2024	10	7	22	36	6	27.13	95.7	7.8663	71.3835
2024	10	7	22	46	6	27.56	96.2	7.8663	72.441
2024	10	7	22	56	6	27.1	94.9	7.8663	71.3835
2024	10	7	23	6	6	27.92	97.2	7.8663	73.2342
2024	10	7	23	16	6	28.11	95.1	7.8663	74.0274
2024	10	7	23	26	6	28.76	93.6	7.8663	75.8781
2024	10	7	23	36	6	27.43	95.6	7.8663	72.1767
2024	10	7	23	46	6	27.84	95.8	7.8663	73.2343
2024	10	7	23	56	6	26.29	94.8	7.8663	69.2685

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	8	0	6	6	28.31	95.1	7.8663	74.5562
2024	10	8	0	16	6	27.52	95.4	7.8663	72.4411
2024	10	8	0	26	6	27.07	94.2	7.8663	71.3836
2024	10	8	0	36	6	27.38	98.2	7.8663	71.648
2024	10	8	0	46	6	29.08	96.3	7.8724	76.4687
2024	10	8	0	56	6	27	94.9	7.8663	71.1192
2024	10	8	1	6	6	27.57	96.5	7.8724	72.4998
2024	10	8	1	16	6	29.32	95.3	7.8724	77.2625
2024	10	8	1	26	6	28.29	94.5	7.8724	74.6166
2024	10	8	1	36	6	27.7	96.8	7.8724	72.7644
2024	10	8	1	46	6	27.51	95.2	7.8724	72.4998
2024	10	8	1	56	6	27.27	94.2	7.8724	71.9706
2024	10	8	2	6	6	26.93	92.8	7.8724	71.1768
2024	10	8	2	16	6	27.49	94.6	7.8724	72.4998
2024	10	8	2	26	6	27.96	93.7	7.8785	73.8825
2024	10	8	2	36	6	29.09	94.5	7.8724	76.7334
2024	10	8	2	46	6	26.45	93.7	7.8724	69.8538
2024	10	8	2	56	6	27.81	97	7.8785	73.0881
2024	10	8	3	6	6	27.88	94.3	7.8785	73.6177
2024	10	8	3	16	6	27.27	94.2	7.8785	72.0288
2024	10	8	3	26	6	28.18	94.3	7.8785	74.4121
2024	10	8	3	36	6	29.08	96.3	7.8785	76.5306
2024	10	8	3	46	6	26.96	96.2	7.8785	70.9696
2024	10	8	3	56	6	28.22	95.3	7.8846	74.4723
2024	10	8	4	6	6	25.98	94.4	7.8785	68.5863
2024	10	8	4	16	6	26.73	95.6	7.8846	70.4969
2024	10	8	4	26	6	28.58	96.4	7.8907	75.3281
2024	10	8	4	36	6	28.07	96.3	7.8846	73.9422
2024	10	8	4	46	6	28.07	96.3	7.8907	74.0019
2024	10	8	4	56	6	27.4	96.9	7.8907	72.1452
2024	10	8	5	6	6	26.89	94.7	7.8968	71.1416
2024	10	8	5	16	6	27.99	94.5	7.8968	74.0616
2024	10	8	5	26	6	29.1	96.7	7.8968	76.7161
2024	10	8	5	36	6	28.08	96.5	7.8968	74.0616
2024	10	8	5	46	6	27.81	97	7.9029	73.3243
2024	10	8	5	56	6	28.2	94.9	7.9029	74.6526
2024	10	8	6	6	6	26.82	95.3	7.9029	70.9332
2024	10	8	6	16	6	27.41	95	7.9029	72.5273
2024	10	8	6	26	6	28.07	96.3	7.9029	74.1213
2024	10	8	6	36	6	27.89	94.7	7.9029	73.8556
2024	10	8	6	46	6	27.07	96.4	7.9029	71.4646
2024	10	8	6	56	6	26.96	96.2	7.909	71.2563
2024	10	8	7	6	6	27.69	94.6	7.9029	73.3243
2024	10	8	7	16	6	27.19	94.6	7.909	72.0539
2024	10	8	7	26	6	28.18	94.3	7.909	74.7127
2024	10	8	7	36	6	29.3	94.7	7.909	77.6374
2024	10	8	7	46	6	27.39	94.6	7.909	72.5857
2024	10	8	7	56	6	29.57	96.2	7.909	78.1692

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	8	8	6	6	29.71	95	7.909	78.7009
2024	10	8	8	16	6	28.05	97.6	7.909	73.915
2024	10	8	8	26	6	27.84	95.8	7.909	73.6491
2024	10	8	8	36	6	26.82	92.4	7.909	71.2562
2024	10	8	8	46	6	27.22	95.5	7.909	72.0538
2024	10	8	8	56	6	28.07	96.3	7.909	74.1808
2024	10	8	9	6	6	29.13	95.5	7.909	77.1055
2024	10	8	9	16	6	28.42	95.2	7.909	75.2443
2024	10	8	9	26	6	27.46	93.8	7.909	72.8514
2024	10	8	9	36	6	27.28	96.5	7.915	72.1117
2024	10	8	9	46	6	29.56	96	7.909	78.1689
2024	10	8	9	56	6	29.46	96	7.909	77.903
2024	10	8	10	6	6	29.13	95.5	7.909	77.1054
2024	10	8	10	16	6	28.73	95.4	7.909	76.0418
2024	10	8	10	26	6	28.01	95.1	7.909	74.1806
2024	10	8	10	36	6	28.93	95.4	7.909	76.5735
2024	10	8	10	46	6	29.43	95.5	7.909	77.9029
2024	10	8	10	56	6	28.19	94.7	7.909	74.7123
2024	10	8	11	6	6	27.56	93.7	7.909	73.1171
2024	10	8	11	16	6	28.47	96.3	7.909	75.244
2024	10	8	11	26	6	27.34	95.9	7.909	72.3193
2024	10	8	11	36	6	28.29	94.7	7.909	74.9781
2024	10	8	11	46	6	28.3	96.9	7.909	74.7122
2024	10	8	11	56	6	26.96	93.8	7.909	71.5217
2024	10	8	12	6	6	28.96	93.6	7.909	76.8392
2024	10	8	12	16	6	28.13	95.5	7.909	74.4463
2024	10	8	12	26	6	28.33	95.5	7.909	74.978
2024	10	8	12	36	6	27.58	98.1	7.909	72.585
2024	10	8	12	46	6	27.73	95.6	7.9029	73.3236
2024	10	8	12	56	6	28.68	96.4	7.8968	75.6536
2024	10	8	13	6	6	28.18	94.3	7.9029	74.6519
2024	10	8	13	16	6	28.57	96.2	7.9029	75.449
2024	10	8	13	26	6	29.42	95.1	7.8968	77.7773
2024	10	8	13	36	6	28.29	94.7	7.9029	74.9177
2024	10	8	13	46	6	27.58	94.4	7.8968	72.9992
2024	10	8	13	56	6	28.33	95.5	7.8968	74.8574
2024	10	8	14	6	6	29.01	94.9	7.8907	76.6537
2024	10	8	14	16	6	27.29	94.6	7.8907	72.1446
2024	10	8	14	26	6	27.62	95.4	7.8907	72.9403
2024	10	8	14	36	6	27.84	95.8	7.8907	73.4708
2024	10	8	14	46	6	27.81	95.2	7.8907	73.4708
2024	10	8	14	56	6	26.7	94.9	7.8907	70.5532
2024	10	8	15	6	6	28.66	93.6	7.8846	75.7968
2024	10	8	15	16	6	28.72	95.2	7.8846	75.7968
2024	10	8	15	26	6	28.89	94.6	7.8907	76.3885
2024	10	8	15	36	6	29.94	95.6	7.8846	78.9771
2024	10	8	15	46	6	28.3	96.9	7.8846	74.4717
2024	10	8	15	56	6	28.49	94.6	7.8785	75.206

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	8	16	6	6	28.96	95.9	7.8785	76.2653
2024	10	8	16	16	6	27.59	96.7	7.8785	72.5579
2024	10	8	16	26	6	27.72	95.4	7.8846	73.1466
2024	10	8	16	36	6	27.97	94.1	7.8785	73.882
2024	10	8	16	46	6	28.49	94.6	7.8785	75.2061
2024	10	8	16	56	6	27.88	96.6	7.8785	73.3524
2024	10	8	17	6	6	27.57	94	7.8785	72.8228
2024	10	8	17	16	6	28.27	96.3	7.8785	74.4117
2024	10	8	17	26	6	28.54	95.6	7.8785	75.2061
2024	10	8	17	36	6	27.59	94.6	7.8785	72.8228
2024	10	8	17	46	6	27.57	94	7.8785	72.8228
2024	10	8	17	56	6	29.28	94.3	7.8785	77.3246
2024	10	8	18	6	6	27.99	94.5	7.8785	73.8821
2024	10	8	18	16	6	27.42	95.4	7.8846	72.3516
2024	10	8	18	26	6	27.51	95.2	7.8785	72.5581
2024	10	8	18	36	6	27.71	91.9	7.8846	73.4118
2024	10	8	18	46	6	28.16	96.1	7.8846	74.2069
2024	10	8	18	56	6	26.5	95	7.8846	69.9665
2024	10	8	19	6	6	26.99	94.7	7.8846	71.2916
2024	10	8	19	16	6	27.92	95.3	7.8846	73.6769
2024	10	8	19	26	6	27.9	94.9	7.8846	73.6769
2024	10	8	19	36	6	26.74	95.8	7.8846	70.4966
2024	10	8	19	46	6	28.84	95.6	7.8846	76.0622
2024	10	8	19	56	6	27.67	96.4	7.8846	72.8819
2024	10	8	20	6	6	28.57	96.2	7.8907	75.3279
2024	10	8	20	16	6	27.43	95.6	7.8846	72.3519
2024	10	8	20	26	6	27.21	95.1	7.8907	71.8798
2024	10	8	20	36	6	27.48	94.4	7.8907	72.6755
2024	10	8	20	46	6	29.25	95.9	7.8968	77.2469
2024	10	8	20	56	6	27.96	93.9	7.8968	74.0615
2024	10	8	21	6	6	27.57	96.5	7.8968	72.7342
2024	10	8	21	16	6	30.08	94.2	7.9029	79.7002
2024	10	8	21	26	6	28.07	96.3	7.9029	74.1212
2024	10	8	21	36	6	28.2	94.9	7.9029	74.6526
2024	10	8	21	46	6	28.27	94.1	7.9029	74.9182
2024	10	8	21	56	6	27.09	94.7	7.9029	71.7303
2024	10	8	22	6	6	28.03	97.4	7.9029	73.8556
2024	10	8	22	16	6	28.27	96.3	7.9029	74.6526
2024	10	8	22	26	6	27.66	96.2	7.9029	73.0586
2024	10	8	22	36	6	28.72	95.2	7.9029	75.981
2024	10	8	22	46	6	27.36	96.3	7.9029	72.2617
2024	10	8	22	56	6	28.17	96.3	7.9029	74.387
2024	10	8	23	6	6	27.94	95.8	7.9029	73.8557
2024	10	8	23	16	6	27.39	94.6	7.9029	72.5274
2024	10	8	23	26	6	27.54	93.1	7.9029	73.0587
2024	10	8	23	36	6	26.68	94.5	7.9029	70.6677
2024	10	8	23	46	6	28.69	94.6	7.9029	75.9811
2024	10	8	23	56	6	27.21	95.1	7.909	72.0541

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	9	0	6	6	27.66	93.7	7.909	73.3835
2024	10	9	0	16	6	28.44	95.7	7.909	75.2447
2024	10	9	0	26	6	27.4	94.8	7.909	72.5859
2024	10	9	0	36	6	27.59	96.7	7.909	72.8517
2024	10	9	0	46	6	28.06	97.8	7.909	73.9153
2024	10	9	0	56	6	27.7	95	7.909	73.3835
2024	10	9	1	6	6	27.93	95.5	7.909	73.9153
2024	10	9	1	16	6	28.68	94.4	7.909	76.0424
2024	10	9	1	26	6	27.31	97.2	7.909	72.0541
2024	10	9	1	36	6	27.94	95.8	7.909	73.9153
2024	10	9	1	46	6	29.02	95.1	7.909	76.84
2024	10	9	1	56	6	29.34	95.7	7.909	77.6377
2024	10	9	2	6	6	28.28	96.5	7.909	74.713
2024	10	9	2	16	6	27.89	94.5	7.909	73.9153
2024	10	9	2	26	6	26.83	92.8	7.909	71.2565
2024	10	9	2	36	6	27.93	95.5	7.909	73.9154
2024	10	9	2	46	6	27.39	94.6	7.909	72.586
2024	10	9	2	56	6	28.89	98.2	7.909	76.0424
2024	10	9	3	6	6	27.48	96.5	7.909	72.586
2024	10	9	3	16	6	28.06	97.8	7.909	73.9154
2024	10	9	3	26	6	28.36	96.1	7.909	74.9789
2024	10	9	3	36	6	28.4	96.9	7.909	74.9789
2024	10	9	3	46	6	28.19	96.7	7.909	74.4472
2024	10	9	3	56	6	28.4	96.9	7.909	74.9789
2024	10	9	4	6	6	27.7	96.8	7.909	73.1178
2024	10	9	4	16	6	28.35	95.9	7.909	74.979
2024	10	9	4	26	6	28.26	96.1	7.909	74.7131
2024	10	9	4	36	6	28.16	96.1	7.909	74.4472
2024	10	9	4	46	6	28.46	96.1	7.915	75.3054
2024	10	9	4	56	6	28.3	94.9	7.915	75.0393
2024	10	9	5	6	6	28.19	94.7	7.909	74.7131
2024	10	9	5	16	6	28.2	94.9	7.909	74.7131
2024	10	9	5	26	6	27.79	94.5	7.915	73.7089
2024	10	9	5	36	6	27.43	95.6	7.915	72.6445
2024	10	9	5	46	6	29.73	97.1	7.909	78.4355
2024	10	9	5	56	6	28.43	95.4	7.909	75.2449
2024	10	9	6	6	6	28.44	95.7	7.909	75.2449
2024	10	9	6	16	6	26.89	96.8	7.909	70.9908
2024	10	9	6	26	6	28.77	97.8	7.915	75.8377
2024	10	9	6	36	6	27.77	93.9	7.915	73.7089
2024	10	9	6	46	6	28.22	92.2	7.915	75.0394
2024	10	9	6	56	6	28.77	96.2	7.909	76.0426
2024	10	9	7	6	6	27.78	96.6	7.915	73.4428
2024	10	9	7	16	6	27.96	93.9	7.915	74.2411
2024	10	9	7	26	6	27.82	97.2	7.915	73.4428
2024	10	9	7	36	6	28.03	95.5	7.909	74.1814
2024	10	9	7	46	6	28.22	95.3	7.915	74.7733
2024	10	9	7	56	6	28.77	96.2	7.915	76.1038

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	9	8	6	6	27.1	94.9	7.915	71.8462
2024	10	9	8	16	6	28.07	96.3	7.915	74.2411
2024	10	9	8	26	6	29.06	97.7	7.915	76.636
2024	10	9	8	36	6	28.09	94.5	7.915	74.5072
2024	10	9	8	46	6	28.71	97	7.915	75.8377
2024	10	9	8	56	6	28.39	94.4	7.915	75.3055
2024	10	9	9	6	6	27.08	96.6	7.915	71.5801
2024	10	9	9	16	6	27.87	96.4	7.915	73.7088
2024	10	9	9	26	6	28.64	95.6	7.915	75.8376
2024	10	9	9	36	6	28.96	97.7	7.915	76.3698
2024	10	9	9	46	6	28.5	94.8	7.915	75.5714
2024	10	9	9	56	6	28.27	94.1	7.915	75.0392
2024	10	9	10	6	6	28.32	95.3	7.915	75.0392
2024	10	9	10	16	6	28.02	98.6	7.915	73.7087
2024	10	9	10	26	6	27.93	97.4	7.915	73.7087
2024	10	9	10	36	6	28.13	95.5	7.915	74.5069
2024	10	9	10	46	6	28.27	96.3	7.915	74.773
2024	10	9	10	56	6	28.55	97.6	7.915	75.3052
2024	10	9	11	6	6	28.32	95.3	7.915	75.0391
2024	10	9	11	16	6	28.94	95.6	7.915	76.6356
2024	10	9	11	26	6	28.78	96.4	7.909	76.0422
2024	10	9	11	36	6	28.13	97.4	7.909	74.181
2024	10	9	11	46	6	27.57	94.2	7.909	73.1175
2024	10	9	11	56	6	28.66	96	7.909	75.7763
2024	10	9	12	6	6	29.37	97.8	7.909	77.3715
2024	10	9	12	16	6	28.8	96.8	7.909	76.0421
2024	10	9	12	26	6	28.22	95.3	7.909	74.7126
2024	10	9	12	36	6	28.57	96.2	7.909	75.5103
2024	10	9	12	46	6	28.39	94.4	7.909	75.2444
2024	10	9	12	56	6	27.85	97.6	7.909	73.3832
2024	10	9	13	6	6	28.43	95.4	7.909	75.2443
2024	10	9	13	16	6	28.47	96.3	7.909	75.2443
2024	10	9	13	26	6	28.5	96.9	7.909	75.2443
2024	10	9	13	36	6	27.18	98.2	7.909	71.522
2024	10	9	13	46	6	27.66	93.7	7.9029	73.3241
2024	10	9	13	56	6	28.49	94.6	7.9029	75.4494
2024	10	9	14	6	6	27.62	97.3	7.9029	72.7927
2024	10	9	14	16	6	27.33	95.7	7.9029	72.2614
2024	10	9	14	26	6	28.64	97.4	7.9029	75.4494
2024	10	9	14	36	6	27.67	96.4	7.8968	72.9995
2024	10	9	14	46	6	27.38	96.5	7.8907	72.145
2024	10	9	14	56	6	28.61	95	7.8907	75.5931
2024	10	9	15	6	6	27.86	96.2	7.8846	73.4119
2024	10	9	15	16	6	27.86	96.2	7.8907	73.4712
2024	10	9	15	26	6	26.38	94.6	7.8846	69.7016
2024	10	9	15	36	6	28.91	98.4	7.8846	75.7972
2024	10	9	15	46	6	28.02	95.3	7.8846	73.942
2024	10	9	15	56	6	28.6	96.8	7.8785	75.2064

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	9	16	6	6	28.11	96.9	7.8785	73.8823
2024	10	9	16	16	6	27.41	95	7.8785	72.2935
2024	10	9	16	26	6	27.34	97.6	7.8785	71.7638
2024	10	9	16	36	6	27.78	96.6	7.8785	73.0879
2024	10	9	16	46	6	26.93	97.5	7.8785	70.7046
2024	10	9	16	56	6	27.72	95.4	7.8785	73.0879
2024	10	9	17	6	6	27.63	95.6	7.8785	72.8231
2024	10	9	17	16	6	28.05	95.9	7.8785	73.8824
2024	10	9	17	26	6	28.78	96.4	7.8785	75.7361
2024	10	9	17	36	6	27.86	93.7	7.8785	73.6176
2024	10	9	17	46	6	27.18	96.5	7.8785	71.4991
2024	10	9	17	56	6	27.39	94.6	7.8785	72.2936
2024	10	9	18	6	6	26.44	95.9	7.8785	69.6455
2024	10	9	18	16	6	28.68	94.4	7.8785	75.7361
2024	10	9	18	26	6	27.89	94.5	7.8785	73.6177
2024	10	9	18	36	6	28.07	96.3	7.8785	73.8825
2024	10	9	18	46	6	28.78	96.4	7.8846	75.7974
2024	10	9	18	56	6	27.77	96.4	7.8846	73.1471
2024	10	9	19	6	6	27.72	95.4	7.8846	73.1471
2024	10	9	19	16	6	28.57	96.2	7.8907	75.3281
2024	10	9	19	26	6	28.45	95.9	7.8907	75.0629
2024	10	9	19	36	6	27.94	95.8	7.8907	73.7367
2024	10	9	19	46	6	27.54	97.5	7.8907	72.4106
2024	10	9	19	56	6	27.02	95.3	7.8968	71.4072
2024	10	9	20	6	6	27.91	97	7.8968	73.5308
2024	10	9	20	16	6	26.35	93.5	7.8968	69.8145
2024	10	9	20	26	6	28.76	96	7.8968	75.92
2024	10	9	20	36	6	27.78	96.6	7.8968	73.2655
2024	10	9	20	46	6	27.53	95.6	7.8968	72.7346
2024	10	9	20	56	6	26.8	94.9	7.8907	70.8193
2024	10	9	21	6	6	27.41	95	7.8968	72.4692
2024	10	9	21	16	6	27.24	97.6	7.8968	71.6728
2024	10	9	21	26	6	27.57	96.5	7.8968	72.7346
2024	10	9	21	36	6	27.59	98.3	7.8968	72.4692
2024	10	9	21	46	6	28.47	97.9	7.8968	74.8583
2024	10	9	21	56	6	29.17	96.1	7.8968	76.982
2024	10	9	22	6	6	27.87	96.4	7.8968	73.5311
2024	10	9	22	16	6	27.99	94.5	7.8968	74.062
2024	10	9	22	26	6	26.64	95.8	7.8968	70.3456
2024	10	9	22	36	6	27.52	97.3	7.8968	72.4693
2024	10	9	22	46	6	27.84	95.8	7.9029	73.5904
2024	10	9	22	56	6	27.95	99.1	7.9029	73.3247
2024	10	9	23	6	6	27.87	99.3	7.8968	73.0002
2024	10	9	23	16	6	27.67	96.4	7.9029	73.0591
2024	10	9	23	26	6	29.14	95.7	7.9029	77.0441
2024	10	9	23	36	6	27.53	95.6	7.9029	72.7934
2024	10	9	23	46	6	28.06	93.7	7.9029	74.3875
2024	10	9	23	56	6	27.08	96.6	7.9029	71.4651

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	10	0	6	6	28.37	94	7.9029	75.1845
2024	10	10	0	16	6	27.39	94.6	7.9029	72.5278
2024	10	10	0	26	6	28.3	94.9	7.9029	74.9188
2024	10	10	0	36	6	28.14	95.7	7.9029	74.3875
2024	10	10	0	46	6	27.98	94.3	7.9029	74.1218
2024	10	10	0	56	6	27.46	93.8	7.9029	72.7935
2024	10	10	1	6	6	27.57	96.5	7.9029	72.7935
2024	10	10	1	16	6	27.31	95	7.9029	72.2622
2024	10	10	1	26	6	27.61	95.2	7.9029	73.0592
2024	10	10	1	36	6	29.32	95.3	7.9029	77.5756
2024	10	10	1	46	6	27.48	96.5	7.9029	72.5278
2024	10	10	1	56	6	27.91	97	7.9029	73.5905
2024	10	10	2	6	6	29.1	96.7	7.909	76.8404
2024	10	10	2	16	6	28.07	96.3	7.9029	74.1218
2024	10	10	2	26	6	27.63	95.6	7.9029	73.0592
2024	10	10	2	36	6	28.67	96.2	7.909	75.7768
2024	10	10	2	46	6	27.61	95.2	7.909	73.118
2024	10	10	2	56	6	28.85	95.8	7.9029	76.2472
2024	10	10	3	6	6	28.53	95.4	7.9029	75.4502
2024	10	10	3	16	6	29.2	96.7	7.909	77.1062
2024	10	10	3	26	6	28.74	97.4	7.909	75.7768
2024	10	10	3	36	6	28.69	94.6	7.909	76.0427
2024	10	10	3	46	6	28.68	96.4	7.909	75.7768
2024	10	10	3	56	6	26.87	96.4	7.909	70.9909
2024	10	10	4	6	6	28.22	95.3	7.909	74.7133
2024	10	10	4	16	6	28.63	95.4	7.909	75.7768
2024	10	10	4	26	6	28.32	97.1	7.909	74.7133
2024	10	10	4	36	6	28.77	97.8	7.909	75.7768
2024	10	10	4	46	6	27.83	95.6	7.909	73.6498
2024	10	10	4	56	6	29.28	94.3	7.909	77.638
2024	10	10	5	6	6	27.48	96.5	7.909	72.5862
2024	10	10	5	16	6	27.74	95.8	7.909	73.3839
2024	10	10	5	26	6	26.54	93.2	7.909	70.4592
2024	10	10	5	36	6	29.51	95.1	7.909	78.1698
2024	10	10	5	46	6	27.43	95.6	7.909	72.5862
2024	10	10	5	56	6	28.53	95.4	7.909	75.5109
2024	10	10	6	6	6	26.31	95.2	7.909	69.6615
2024	10	10	6	16	6	28.38	96.5	7.909	74.9792
2024	10	10	6	26	6	29.61	96.8	7.909	78.1698
2024	10	10	6	36	6	29.43	97.2	7.909	77.638
2024	10	10	6	46	6	27.33	95.7	7.909	72.3204
2024	10	10	6	56	6	28.65	95.8	7.909	75.7768
2024	10	10	7	6	6	28.8	94.8	7.909	76.3086
2024	10	10	7	16	6	29.04	95.5	7.909	76.8404
2024	10	10	7	26	6	27.39	94.6	7.909	72.5863
2024	10	10	7	36	6	27.46	96.3	7.909	72.5863
2024	10	10	7	46	6	28.53	95.4	7.909	75.511
2024	10	10	7	56	6	27.21	95.1	7.909	72.0545

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	10	8	6	6	27.89	94.5	7.909	73.9157
2024	10	10	8	16	6	28.8	94.8	7.909	76.3086
2024	10	10	8	26	6	26.14	95.9	7.909	69.1298
2024	10	10	8	36	6	28.94	95.6	7.909	76.5745
2024	10	10	8	46	6	26.64	95.8	7.909	70.4591
2024	10	10	8	56	6	28.13	95.5	7.909	74.4474
2024	10	10	9	6	6	28.35	95.9	7.909	74.9791
2024	10	10	9	16	6	27.31	95.3	7.909	72.3202
2024	10	10	9	26	6	27.26	93.8	7.915	72.3784
2024	10	10	9	36	6	28.23	95.5	7.915	74.7732
2024	10	10	9	46	6	28.53	95.4	7.909	75.5107
2024	10	10	9	56	6	28.78	96.4	7.915	76.1037
2024	10	10	10	6	6	28.44	95.7	7.915	75.3053
2024	10	10	10	16	6	28.4	96.9	7.915	75.0392
2024	10	10	10	26	6	29.07	96.1	7.915	76.9019
2024	10	10	10	36	6	28.75	95.8	7.915	76.1035
2024	10	10	10	46	6	27.15	97.8	7.915	71.5799
2024	10	10	10	56	6	28.53	97.2	7.915	75.3052
2024	10	10	11	6	6	27.31	95.3	7.915	72.3781
2024	10	10	11	16	6	28.57	96.2	7.915	75.5712
2024	10	10	11	26	6	27.25	96.1	7.915	72.1119
2024	10	10	11	36	6	28.87	96.2	7.915	76.3694
2024	10	10	11	46	6	27.22	95.5	7.909	72.0539
2024	10	10	11	56	6	28.86	96	7.915	76.3694
2024	10	10	12	6	6	27.61	97.1	7.909	72.8515
2024	10	10	12	16	6	27.55	96	7.909	72.8515
2024	10	10	12	26	6	26.73	95.6	7.9029	70.6675
2024	10	10	12	36	6	27.08	98.3	7.9029	71.1988
2024	10	10	12	46	6	26.91	98.8	7.9029	70.6675
2024	10	10	12	56	6	27.14	97.6	7.9029	71.4645
2024	10	10	13	6	6	27.02	95.3	7.8968	71.407
2024	10	10	13	16	6	27.77	96.4	7.9029	73.3242
2024	10	10	13	26	6	27.5	94.8	7.8968	72.7342
2024	10	10	13	36	6	27.27	94.2	7.8907	72.1451
2024	10	10	13	46	6	27.68	98.1	7.8968	72.7342
2024	10	10	13	56	6	26.64	95.8	7.8907	70.2885
2024	10	10	14	6	6	27.38	96.5	7.8907	72.1451
2024	10	10	14	16	6	27.04	95.7	7.8968	71.4069
2024	10	10	14	26	6	27.98	96.6	7.8907	73.7365
2024	10	10	14	36	6	28.07	96.3	7.8907	74.0018
2024	10	10	14	46	6	28.53	97.2	7.8846	75.0022
2024	10	10	14	56	6	28.11	96.9	7.8846	73.9421
2024	10	10	15	6	6	26.84	95.8	7.8846	70.7618
2024	10	10	15	16	6	28.09	98.2	7.8846	73.6771
2024	10	10	15	26	6	27.72	95.4	7.8907	73.2061
2024	10	10	15	36	6	27.14	95.9	7.8907	71.6147
2024	10	10	15	46	6	26.69	96.9	7.8785	70.1751
2024	10	10	15	56	6	27.51	97.1	7.8785	72.2936

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	10	16	6	6	26.55	93.7	7.8907	70.2885
2024	10	10	16	16	6	26.49	94.8	7.8785	69.9103
2024	10	10	16	26	6	28.09	98.2	7.8785	73.6177
2024	10	10	16	36	6	26.98	96.6	7.8724	70.9123
2024	10	10	16	46	6	28.37	96.3	7.8724	74.6167
2024	10	10	16	56	6	27.43	95.6	7.8724	72.2353
2024	10	10	17	6	6	27.67	99.4	7.8785	72.2937
2024	10	10	17	16	6	28.76	96	7.8724	75.6751
2024	10	10	17	26	6	27.63	95.6	7.8663	72.7057
2024	10	10	17	36	6	27.53	95.6	7.8663	72.4413
2024	10	10	17	46	6	28.64	97.4	7.8663	75.0852
2024	10	10	17	56	6	28.17	96.3	7.8663	74.0277
2024	10	10	18	6	6	27.59	96.7	7.8663	72.4414
2024	10	10	18	16	6	27.23	95.7	7.8663	71.6482
2024	10	10	18	26	6	27.84	95.8	7.8663	73.2346
2024	10	10	18	36	6	26.78	96.6	7.8663	70.3264
2024	10	10	18	46	6	26.91	95.1	7.8663	70.8551
2024	10	10	18	56	6	27.19	94.6	7.8663	71.6483
2024	10	10	19	6	6	27.84	95.8	7.8663	73.2346
2024	10	10	19	16	6	27.05	97.9	7.8663	70.8552
2024	10	10	19	26	6	28.98	94.4	7.8663	76.4073
2024	10	10	19	36	6	28.11	95.1	7.8663	74.0279
2024	10	10	19	46	6	27.64	95.8	7.8663	72.706
2024	10	10	19	56	6	27.21	95.1	7.8663	71.6485
2024	10	10	20	6	6	27.35	96.1	7.8663	71.9129
2024	10	10	20	16	6	27.83	95.6	7.8663	73.2348
2024	10	10	20	26	6	28.23	95.5	7.8663	74.2924
2024	10	10	20	36	6	29.11	96.9	7.8663	76.4075
2024	10	10	20	46	6	27.44	95.9	7.8663	72.1773
2024	10	10	20	56	6	27.17	96.3	7.8602	71.3265
2024	10	10	21	6	6	27.53	95.6	7.8602	72.3832
2024	10	10	21	16	6	27.97	96.4	7.8602	73.4399
2024	10	10	21	26	6	27.28	96.5	7.8602	71.5907
2024	10	10	21	36	6	27.3	96.9	7.8602	71.5907
2024	10	10	21	46	6	27.85	96	7.8602	73.1758
2024	10	10	21	56	6	28.91	97	7.8602	75.8175
2024	10	10	22	6	6	26.97	94	7.8602	71.0624
2024	10	10	22	16	6	27.35	96.1	7.8602	71.8549
2024	10	10	22	26	6	28.88	96.4	7.8602	75.8175
2024	10	10	22	36	6	27.13	92.7	7.8602	71.5908
2024	10	10	22	46	6	28.16	96.1	7.8602	73.9684
2024	10	10	22	56	6	28.56	93.8	7.8602	75.2892
2024	10	10	23	6	6	27.79	94.5	7.8602	73.1759
2024	10	10	23	16	6	28.26	93.9	7.8602	74.4968
2024	10	10	23	26	6	27.89	94.5	7.8602	73.4401
2024	10	10	23	36	6	27.76	93.7	7.8602	73.1759
2024	10	10	23	46	6	27.35	93.6	7.8602	72.1192
2024	10	10	23	56	6	28.08	96.5	7.8602	73.7043

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	11	0	6	6	28.56	96	7.8602	75.0252
2024	10	11	0	16	6	28.91	97	7.8602	75.8177
2024	10	11	0	26	6	28.19	94.5	7.8602	74.2327
2024	10	11	0	36	6	28.38	96.5	7.8602	74.4969
2024	10	11	0	46	6	27.18	96.5	7.8602	71.3268
2024	10	11	0	56	6	28.59	96.6	7.8602	75.0252
2024	10	11	1	6	6	27.8	95	7.8602	73.176
2024	10	11	1	16	6	28.22	97.1	7.8602	73.9686
2024	10	11	1	26	6	27.98	94.3	7.8541	73.6447
2024	10	11	1	36	6	29.73	95.4	7.8541	78.132
2024	10	11	1	46	6	29.3	94.7	7.8541	77.0762
2024	10	11	1	56	6	27.22	95.5	7.8541	71.5331
2024	10	11	2	6	6	26.8	97.1	7.8541	70.2133
2024	10	11	2	16	6	27.12	95.3	7.8541	71.2691
2024	10	11	2	26	6	28.15	95.9	7.8541	73.9087
2024	10	11	2	36	6	28.28	94.3	7.8541	74.4366
2024	10	11	2	46	6	27.99	94.5	7.8541	73.6448
2024	10	11	2	56	6	28.04	95.7	7.8541	73.6448
2024	10	11	3	6	6	28.56	96	7.8541	74.9646
2024	10	11	3	16	6	27.17	96.3	7.8541	71.2691
2024	10	11	3	26	6	27.43	95.6	7.848	72.0026
2024	10	11	3	36	6	27.9	98.4	7.848	72.7939
2024	10	11	3	46	6	28.56	93.6	7.848	75.1676
2024	10	11	3	56	6	26.38	96.7	7.848	69.1014
2024	10	11	4	6	6	28.17	98	7.848	73.5851
2024	10	11	4	16	6	28.1	94.9	7.848	73.8489
2024	10	11	4	26	6	27.91	95.1	7.848	73.3214
2024	10	11	4	36	6	27.63	95.6	7.848	72.5302
2024	10	11	4	46	6	29.14	95.7	7.848	76.4864
2024	10	11	4	56	6	28.52	95.2	7.848	74.9039
2024	10	11	5	6	6	27.11	97.2	7.848	70.9477
2024	10	11	5	16	6	28.03	95.5	7.848	73.5852
2024	10	11	5	26	6	26.73	95.6	7.8419	70.0996
2024	10	11	5	36	6	28.49	94.4	7.8419	74.8432
2024	10	11	5	46	6	28.46	96.1	7.8419	74.5797
2024	10	11	5	56	6	28.41	95	7.8419	74.5797
2024	10	11	6	6	6	27.28	96.5	7.8419	71.4173
2024	10	11	6	16	6	27.83	95.6	7.8419	72.9985
2024	10	11	6	26	6	28.01	97	7.8419	73.262
2024	10	11	6	36	6	28.07	96.3	7.8419	73.5256
2024	10	11	6	46	6	27.2	98.5	7.8419	70.8902
2024	10	11	6	56	6	28.53	95.4	7.8419	74.8432
2024	10	11	7	6	6	26.76	93.9	7.8419	70.3632
2024	10	11	7	16	6	26.89	94.7	7.8358	70.5694
2024	10	11	7	26	6	27.61	97.1	7.8358	72.1493
2024	10	11	7	36	6	28.38	96.5	7.8358	74.2559
2024	10	11	7	46	6	27.67	96.4	7.8358	72.4127
2024	10	11	7	56	6	28.21	96.9	7.8358	73.7293

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	11	8	6	6	27.52	98.8	7.8358	71.6227
2024	10	11	8	16	6	27.08	94.4	7.8358	71.0961
2024	10	11	8	26	6	26.71	95.2	7.8358	70.0428
2024	10	11	8	36	6	28.49	96.7	7.8358	74.5192
2024	10	11	8	46	6	27.15	93.6	7.8297	71.3014
2024	10	11	8	56	6	29.38	94.1	7.8358	77.1523
2024	10	11	9	6	6	28.38	96.5	7.8358	74.2558
2024	10	11	9	16	6	28.24	95.7	7.8297	73.9323
2024	10	11	9	26	6	26.75	93.4	7.8297	70.2489
2024	10	11	9	36	6	27.09	94.7	7.8297	71.0381
2024	10	11	9	46	6	29.09	96.5	7.8297	76.0371
2024	10	11	9	56	6	29.11	96.9	7.8297	76.0371
2024	10	11	10	6	6	27.07	98.1	7.8297	70.5119
2024	10	11	10	16	6	27.32	95.5	7.8236	71.5061
2024	10	11	10	26	6	28.52	97.1	7.8236	74.3979
2024	10	11	10	36	6	27.33	97.4	7.8236	71.2432
2024	10	11	10	46	6	27.75	97.7	7.8175	72.2359
2024	10	11	10	56	6	26.23	97.7	7.8175	68.2958
2024	10	11	11	6	6	27.92	97.2	7.8175	72.7612
2024	10	11	11	16	6	28.06	97.8	7.8114	72.9644
2024	10	11	11	26	6	27.27	94	7.7931	71.2151
2024	10	11	11	36	6	27.33	97.4	7.7931	70.9532
2024	10	11	11	46	6	27.45	97.7	7.787	71.1569
2024	10	11	11	56	6	27.12	95.3	7.787	70.6337
2024	10	11	12	6	6	26.41	97.2	7.787	68.5409
2024	10	11	12	16	6	26.83	95.6	7.787	69.8489
2024	10	11	12	26	6	26.86	96.2	7.7809	69.7918
2024	10	11	12	36	6	27.48	96.5	7.7809	71.3601
2024	10	11	12	46	6	27.35	97.8	7.7809	70.8373
2024	10	11	12	56	6	26.49	94.8	7.7748	68.9511
2024	10	11	13	6	6	27.25	96.1	7.7748	70.7793
2024	10	11	13	16	6	27.27	96.3	7.7748	70.7793
2024	10	11	13	26	6	27.73	97.5	7.7748	71.8241
2024	10	11	13	36	6	28.89	98.2	7.7687	74.6359
2024	10	11	13	46	6	26.58	96.7	7.7687	68.8946
2024	10	11	13	56	6	28.14	95.7	7.7687	73.07
2024	10	11	14	6	6	27.69	98.3	7.7687	71.5042
2024	10	11	14	16	6	26.42	95.4	7.7687	68.6336
2024	10	11	14	26	6	27.29	96.7	7.7626	70.6634
2024	10	11	14	36	6	27.35	96.1	7.7626	70.9241
2024	10	11	14	46	6	26.49	96.9	7.7626	68.5774
2024	10	11	14	56	6	26.23	95.7	7.7565	68
2024	10	11	15	6	6	27.23	95.7	7.7505	70.5475
2024	10	11	15	16	6	27.09	94.7	7.7505	70.2872
2024	10	11	15	26	6	26.01	95.3	7.7505	67.4236
2024	10	11	15	36	6	26.9	94.9	7.7444	69.7092
2024	10	11	15	46	6	26.04	96	7.7383	67.3128
2024	10	11	15	56	6	26.76	96.2	7.7322	69.0752

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	11	16	6	6	25.43	95.9	7.7261	65.6453
2024	10	11	16	16	6	26.69	96.9	7.72	68.7022
2024	10	11	16	26	6	26.23	97.7	7.7139	67.3504
2024	10	11	16	36	6	26.49	96.9	7.7139	68.1275
2024	10	11	16	46	6	27.11	98.7	7.7139	69.4227
2024	10	11	16	56	6	26.2	97	7.7139	67.3504
2024	10	11	17	6	6	27.66	96.2	7.7078	71.1772
2024	10	11	17	16	6	26.94	95.8	7.7078	69.3654
2024	10	11	17	26	6	26.76	96.2	7.7078	68.8478
2024	10	11	17	36	6	27.61	97.1	7.7017	70.8598
2024	10	11	17	46	6	27.69	94.6	7.7017	71.3771
2024	10	11	17	56	6	27.48	96.5	7.7017	70.6013
2024	10	11	18	6	6	27.57	96.5	7.7017	70.8599
2024	10	11	18	16	6	26.39	97	7.6956	67.7005
2024	10	11	18	26	6	26.6	95	7.6956	68.4757
2024	10	11	18	36	6	25.84	96	7.6956	66.4086
2024	10	11	18	46	6	26.25	93.5	7.6956	67.7006
2024	10	11	18	56	6	27.04	95.7	7.6895	69.4519
2024	10	11	19	6	6	27.16	96.1	7.6895	69.7101
2024	10	11	19	16	6	28.14	95.7	7.6895	72.292
2024	10	11	19	26	6	27.11	97.2	7.6895	69.452
2024	10	11	19	36	6	27.75	97.7	7.6834	70.9423
2024	10	11	19	46	6	26.69	94.7	7.6834	68.6206
2024	10	11	19	56	6	26.4	98.7	7.6834	67.3308
2024	10	11	20	6	6	26.44	95.9	7.6773	67.7905
2024	10	11	20	16	6	26.44	95.9	7.6773	67.7905
2024	10	11	20	26	6	26.69	96.9	7.6773	68.3061
2024	10	11	20	36	6	26.27	96.6	7.6712	67.2193
2024	10	11	20	46	6	26.71	95.2	7.6712	68.507
2024	10	11	20	56	6	26.84	95.8	7.6651	68.7075
2024	10	11	21	6	6	26.38	96.7	7.659	67.3649
2024	10	11	21	16	6	25.05	96.2	7.6529	63.9691
2024	10	11	21	26	6	26.2	95	7.6468	66.9962
2024	10	11	21	36	6	27.13	92.7	7.6407	69.5052
2024	10	11	21	46	6	26.63	95.6	7.6407	67.9664
2024	10	11	21	56	6	26.14	95.9	7.6346	66.6284
2024	10	11	22	6	6	24.27	94.5	7.6346	62.0157
2024	10	11	22	16	6	26.58	96.7	7.6285	67.5971
2024	10	11	22	26	6	25.13	93	7.6285	64.2685
2024	10	11	22	36	6	27.09	94.7	7.6285	69.1335
2024	10	11	22	46	6	27.08	96.6	7.6285	68.8774
2024	10	11	22	56	6	26.36	96.3	7.6224	67.0291
2024	10	11	23	6	6	25.81	95.3	7.6224	65.7499
2024	10	11	23	16	6	26.66	96.2	7.6224	67.7967
2024	10	11	23	26	6	26.58	94.5	7.6163	67.74
2024	10	11	23	36	6	26.92	97.3	7.6163	68.2513
2024	10	11	23	46	6	26.55	96.1	7.6163	67.4845
2024	10	11	23	56	6	25.05	93.7	7.6163	63.9058

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	12	0	6	6	25.3	95.2	7.6163	64.417
2024	10	12	0	16	6	25.31	95.4	7.6163	64.417
2024	10	12	0	26	6	26.02	95.5	7.6102	66.1511
2024	10	12	0	36	6	26.44	95.9	7.6102	67.1727
2024	10	12	0	46	6	26.68	96.7	7.6102	67.6835
2024	10	12	0	56	6	25.96	94	7.6102	66.1511
2024	10	12	1	6	6	25.5	95.2	7.6102	64.8741
2024	10	12	1	16	6	27.42	95.4	7.6041	69.6685
2024	10	12	1	26	6	26.14	97.7	7.6041	66.0958
2024	10	12	1	36	6	24.98	98.5	7.6041	63.0334
2024	10	12	1	46	6	26.83	97.5	7.6041	67.8822
2024	10	12	1	56	6	26.92	97.3	7.5981	68.0803
2024	10	12	2	6	6	27.41	97.1	7.5981	69.3553
2024	10	12	2	16	6	25.66	96.5	7.5981	65.0206
2024	10	12	2	26	6	24.76	96.5	7.5981	62.7257
2024	10	12	2	36	6	25.57	96.5	7.592	64.7113
2024	10	12	2	46	6	25.95	96.2	7.592	65.7304
2024	10	12	2	56	6	26.46	96.3	7.592	67.0042
2024	10	12	3	6	6	25.05	96.2	7.5859	63.3843
2024	10	12	3	16	6	26.45	96.1	7.5859	66.948
2024	10	12	3	26	6	25.01	95.3	7.5798	63.3311
2024	10	12	3	36	6	25	95	7.5737	63.2778
2024	10	12	3	46	6	25.83	95.8	7.5676	65.2559
2024	10	12	3	56	6	25.13	95.9	7.5615	63.4251
2024	10	12	4	6	6	26.95	96	7.5615	67.9917
2024	10	12	4	16	6	26.28	96.8	7.5554	66.1601
2024	10	12	4	26	6	26.11	95.3	7.5554	65.9066
2024	10	12	4	36	6	25.36	98.2	7.5554	63.6252
2024	10	12	4	46	6	27.22	95.5	7.5554	68.6949
2024	10	12	4	56	6	25.98	94.4	7.5493	65.5978
2024	10	12	5	6	6	25.9	95.1	7.5493	65.3445
2024	10	12	5	16	6	24.83	93	7.5493	62.8118
2024	10	12	5	26	6	27.51	95.2	7.5493	69.3968
2024	10	12	5	36	6	24.23	95.9	7.5432	60.9873
2024	10	12	5	46	6	26.66	96.2	7.5432	67.0608
2024	10	12	5	56	6	25.94	96	7.5432	65.2894
2024	10	12	6	6	6	26.53	95.6	7.5432	66.8077
2024	10	12	6	16	6	27.42	95.4	7.5371	69.0269
2024	10	12	6	26	6	27.9	94.9	7.5371	70.2912
2024	10	12	6	36	6	23.88	94.8	7.5371	60.1773
2024	10	12	6	46	6	25.89	94.9	7.5371	65.2343
2024	10	12	6	56	6	26.73	92.8	7.5371	67.5099
2024	10	12	7	6	6	26.23	95.7	7.5371	65.9928
2024	10	12	7	16	6	26.49	96.9	7.5371	66.4985
2024	10	12	7	26	6	25.42	95.6	7.531	63.916
2024	10	12	7	36	6	25.96	96.4	7.531	65.1791
2024	10	12	7	46	6	25.4	95	7.531	63.916
2024	10	12	7	56	6	26.68	96.7	7.531	66.9476

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	12	8	6	6	25.09	94.8	7.531	63.1581
2024	10	12	8	16	6	25.44	96.1	7.531	63.916
2024	10	12	8	26	6	26.41	95.2	7.531	66.4423
2024	10	12	8	36	6	26.68	94.3	7.5249	67.1433
2024	10	12	8	46	6	25.93	95.8	7.5249	65.124
2024	10	12	8	56	6	26.03	95.7	7.5249	65.3763
2024	10	12	9	6	6	25.13	95.9	7.5249	63.1045
2024	10	12	9	16	6	26.13	92.6	7.5249	65.8811
2024	10	12	9	26	6	25.51	95.4	7.5188	64.0599
2024	10	12	9	36	6	26.61	95.2	7.5188	66.8341
2024	10	12	9	46	6	24.74	96	7.5127	61.9896
2024	10	12	9	56	6	24.31	95.4	7.5066	60.9299
2024	10	12	10	6	6	26.42	97.4	7.4944	65.8535
2024	10	12	10	16	6	25.07	96.6	7.4883	62.5327
2024	10	12	10	26	6	26.41	95.2	7.4883	66.0486
2024	10	12	10	36	6	25.68	96.7	7.4883	64.0395
2024	10	12	10	46	6	26.53	95.6	7.4822	66.2433
2024	10	12	10	56	6	27	97	7.4883	67.3042
2024	10	12	11	6	6	25.69	94.9	7.4822	64.2359
2024	10	12	11	16	6	25.99	96.9	7.4822	64.7377
2024	10	12	11	26	6	25.45	96.3	7.4822	63.483
2024	10	12	11	36	6	26.06	96.4	7.4822	64.9885
2024	10	12	11	46	6	26.08	94.4	7.4822	65.2394
2024	10	12	11	56	6	25.34	96.1	7.4761	63.1782
2024	10	12	12	6	6	25.33	92.9	7.4761	63.4289
2024	10	12	12	16	6	26.13	95.7	7.4761	65.1838
2024	10	12	12	26	6	26.01	95.3	7.4761	64.9331
2024	10	12	12	36	6	26.25	96.1	7.4761	65.4345
2024	10	12	12	46	6	25.34	97.9	7.4761	62.9274
2024	10	12	12	56	6	26.58	96.7	7.47	66.1301
2024	10	12	13	6	6	26.18	96.8	7.47	65.1281
2024	10	12	13	16	6	26.74	95.8	7.47	66.6311
2024	10	12	13	26	6	26.36	96.3	7.47	65.6291
2024	10	12	13	36	6	27.55	96	7.47	68.635
2024	10	12	13	46	6	24.05	96.4	7.4639	59.8167
2024	10	12	13	56	6	24.94	96	7.4639	62.0692
2024	10	12	14	6	6	27.13	95.7	7.4639	67.5753
2024	10	12	14	16	6	25.21	95.2	7.4639	62.82
2024	10	12	14	26	6	25.03	93	7.4578	62.5163
2024	10	12	14	36	6	26.14	95.9	7.4578	65.017
2024	10	12	14	46	6	25.54	97.9	7.4518	63.2124
2024	10	12	14	56	6	25.02	95.5	7.4457	62.1598
2024	10	12	15	6	6	24.38	94.7	7.4457	60.662
2024	10	12	15	16	6	25.16	96.4	7.4396	62.3561
2024	10	12	15	26	6	24.9	95.1	7.4335	61.8043
2024	10	12	15	36	6	26.27	96.6	7.4396	65.0998
2024	10	12	15	46	6	25.57	96.5	7.4335	63.2995
2024	10	12	15	56	6	25.99	94.9	7.4335	64.5456

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	12	16	6	6	25.59	94.9	7.4335	63.5488
2024	10	12	16	16	6	26.35	99.4	7.4274	64.7393
2024	10	12	16	26	6	25.99	98.6	7.4213	63.9374
2024	10	12	16	36	6	25.65	98.1	7.4274	63.2453
2024	10	12	16	46	6	24.45	96.3	7.4213	60.4545
2024	10	12	16	56	6	25.75	98	7.4213	63.4399
2024	10	12	17	6	6	25.9	97.1	7.4213	63.9375
2024	10	12	17	16	6	25.69	94.7	7.4152	63.634
2024	10	12	17	26	6	26.2	97	7.4213	64.6838
2024	10	12	17	36	6	24.19	97.1	7.4152	59.6569
2024	10	12	17	46	6	26.69	96.9	7.4152	65.8712
2024	10	12	17	56	6	25.71	97.4	7.4152	63.3855
2024	10	12	18	6	6	24.74	99.5	7.4152	60.6512
2024	10	12	18	16	6	25.71	95.4	7.4152	63.6341
2024	10	12	18	26	6	24.83	95.8	7.4152	61.397
2024	10	12	18	36	6	25.76	94	7.4152	63.8827
2024	10	12	18	46	6	25.19	94.8	7.4152	62.3913
2024	10	12	18	56	6	25.54	96.1	7.4152	63.137
2024	10	12	19	6	6	25.24	96.1	7.4091	62.3377
2024	10	12	19	16	6	25.32	97.5	7.4091	62.3378
2024	10	12	19	26	6	24.29	97.1	7.4091	59.8542
2024	10	12	19	36	6	25.7	97.2	7.4091	63.3312
2024	10	12	19	46	6	25.21	95.2	7.4091	62.3378
2024	10	12	19	56	6	24.45	96.3	7.4091	60.351
2024	10	12	20	6	6	25.61	95.4	7.4091	63.3313
2024	10	12	20	16	6	24.87	94.2	7.4091	61.5928
2024	10	12	20	26	6	25.42	95.6	7.403	62.7806
2024	10	12	20	36	6	25.42	95.6	7.4091	62.8347
2024	10	12	20	46	6	26.01	97.3	7.403	64.0214
2024	10	12	20	56	6	23.68	94.8	7.403	58.5623
2024	10	12	21	6	6	24.61	95.4	7.403	60.7956
2024	10	12	21	16	6	25.61	95.4	7.403	63.2771
2024	10	12	21	26	6	24.51	95.4	7.403	60.5475
2024	10	12	21	36	6	26.36	96.3	7.403	65.0142
2024	10	12	21	46	6	24.12	95.7	7.403	59.555
2024	10	12	21	56	6	25.03	95.7	7.403	61.7883
2024	10	12	22	6	6	25.15	96.2	7.403	62.0365
2024	10	12	22	16	6	25.78	96.7	7.403	63.5254
2024	10	12	22	26	6	24.35	96.4	7.403	60.0514
2024	10	12	22	36	6	24.65	96.3	7.3969	60.7435
2024	10	12	22	46	6	25.42	95.6	7.3969	62.727
2024	10	12	22	56	6	24.51	95.4	7.3969	60.4956
2024	10	12	23	6	6	25.28	96.8	7.3969	62.2312
2024	10	12	23	16	6	25.72	95.6	7.3969	63.4709
2024	10	12	23	26	6	25.54	97.9	7.3969	62.7271
2024	10	12	23	36	6	25.64	96	7.3969	63.223
2024	10	12	23	46	6	24.32	97.8	7.3969	59.7519
2024	10	12	23	56	6	24.9	95.1	7.3969	61.4875

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	13	0	6	6	23.44	93.2	7.3969	58.0164
2024	10	13	0	16	6	24.77	94.4	7.3969	61.2396
2024	10	13	0	26	6	25.77	94.2	7.3969	63.7189
2024	10	13	0	36	6	23.88	94.8	7.3969	59.0082
2024	10	13	0	46	6	25.41	95.4	7.3969	62.7272
2024	10	13	0	56	6	26.2	95	7.3908	64.655
2024	10	13	1	6	6	25.15	96.2	7.3908	61.9301
2024	10	13	1	16	6	24.71	97.4	7.3908	60.6915
2024	10	13	1	26	6	25.4	95	7.3908	62.6733
2024	10	13	1	36	6	24.78	97	7.3908	60.9392
2024	10	13	1	46	6	24.93	93	7.3908	61.6824
2024	10	13	1	56	6	24.42	92.3	7.3908	60.4438
2024	10	13	2	6	6	23.56	96.6	7.3908	57.9666
2024	10	13	2	16	6	25.1	95	7.3908	61.9301
2024	10	13	2	26	6	24.95	98.1	7.3908	61.187
2024	10	13	2	36	6	24.4	95.2	7.3908	60.1961
2024	10	13	2	46	6	26.44	99.1	7.3908	64.6551
2024	10	13	2	56	6	25.33	95.9	7.3908	62.4256
2024	10	13	3	6	6	24.85	96.2	7.3908	61.187
2024	10	13	3	16	6	24.96	93.9	7.3908	61.6825
2024	10	13	3	26	6	24.14	96.2	7.3908	59.453
2024	10	13	3	36	6	25.79	96.9	7.3908	63.4165
2024	10	13	3	46	6	24.73	95.8	7.3908	60.9393
2024	10	13	3	56	6	26.44	95.9	7.3908	65.1506
2024	10	13	4	6	6	24.31	97.6	7.3908	59.7007
2024	10	13	4	16	6	23.6	95.3	7.3908	58.2144
2024	10	13	4	26	6	24.9	95.1	7.3847	61.3818
2024	10	13	4	36	6	26	97.1	7.3908	63.9119
2024	10	13	4	46	6	25.38	96.8	7.3908	62.4256
2024	10	13	4	56	6	25.58	96.7	7.3847	62.8668
2024	10	13	5	6	6	24.82	95.5	7.3847	61.1343
2024	10	13	5	16	6	24.82	95.5	7.3847	61.1343
2024	10	13	5	26	6	25.85	96.2	7.3847	63.6093
2024	10	13	5	36	6	24.7	95.1	7.3847	60.8868
2024	10	13	5	46	6	25.63	95.8	7.3847	63.1143
2024	10	13	5	56	6	25.34	96.1	7.3847	62.3718
2024	10	13	6	6	6	23.48	97.1	7.3847	57.6692
2024	10	13	6	16	6	23.85	96.5	7.3847	58.6592
2024	10	13	6	26	6	25.17	96.6	7.3847	61.8768
2024	10	13	6	36	6	24.14	96.2	7.3847	59.4017
2024	10	13	6	46	6	25.5	95.2	7.3847	62.8668
2024	10	13	6	56	6	24.78	97	7.3847	60.8868
2024	10	13	7	6	6	24.73	95.8	7.3847	60.8868
2024	10	13	7	16	6	26	97.1	7.3847	63.8569
2024	10	13	7	26	6	25.96	96.4	7.3847	63.8568
2024	10	13	7	36	6	24.59	94.9	7.3847	60.6393
2024	10	13	7	46	6	25.03	95.7	7.3847	61.6293
2024	10	13	7	56	6	24.45	96.3	7.3847	60.1442

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	13	8	6	6	25.69	96.9	7.3847	63.1143
2024	10	13	8	16	6	26.18	96.8	7.3847	64.3518
2024	10	13	8	26	6	24.23	95.9	7.3786	59.5977
2024	10	13	8	36	6	26.33	95.7	7.3847	64.8468
2024	10	13	8	46	6	24.85	93.7	7.3847	61.3817
2024	10	13	8	56	6	24.59	94.9	7.3847	60.6391
2024	10	13	9	6	6	24.23	95.9	7.3847	59.6491
2024	10	13	9	16	6	26.66	96.2	7.3847	65.5892
2024	10	13	9	26	6	23.52	97.8	7.3847	57.669
2024	10	13	9	36	6	24.87	94.2	7.3847	61.3815
2024	10	13	9	46	6	26.09	94.8	7.3847	64.3516
2024	10	13	9	56	6	24.82	95.5	7.3847	61.1339
2024	10	13	10	6	6	25.7	95.1	7.3786	63.3068
2024	10	13	10	16	6	24.72	92.5	7.3786	61.0811
2024	10	13	10	26	6	25.43	97.7	7.3786	62.3176
2024	10	13	10	36	6	24.07	94.3	7.3786	59.35
2024	10	13	10	46	6	25.29	97	7.3786	62.0702
2024	10	13	10	56	6	24.6	95.1	7.3786	60.5864
2024	10	13	11	6	6	24.11	95.5	7.3786	59.3499
2024	10	13	11	16	6	23.64	93.2	7.3786	58.3607
2024	10	13	11	26	6	25.73	95.8	7.3725	63.2519
2024	10	13	11	36	6	26.48	96.7	7.3725	64.9814
2024	10	13	11	46	6	24.75	96.3	7.3725	60.781
2024	10	13	11	56	6	23.9	95.3	7.3664	58.7535
2024	10	13	12	6	6	24.61	95.4	7.3664	60.4815
2024	10	13	12	16	6	23.83	96	7.3542	58.4054
2024	10	13	12	26	6	25.58	94.5	7.3542	62.8412
2024	10	13	12	36	6	24.75	96.3	7.3542	60.6233
2024	10	13	12	46	6	24.85	96.2	7.3542	60.8697
2024	10	13	12	56	6	24.24	96.2	7.3481	59.3396
2024	10	13	13	6	6	24.74	96	7.3481	60.5707
2024	10	13	13	16	6	26.26	98.1	7.3481	64.0178
2024	10	13	13	26	6	25.33	99.3	7.3481	61.5555
2024	10	13	13	36	6	25.62	95.6	7.3481	62.7866
2024	10	13	13	46	6	26.69	96.9	7.3481	65.2488
2024	10	13	13	56	6	25.13	97.8	7.342	61.2561
2024	10	13	14	6	6	24.38	94.7	7.342	59.78
2024	10	13	14	16	6	25.8	95.1	7.342	63.2242
2024	10	13	14	26	6	24.57	96.8	7.342	60.026
2024	10	13	14	36	6	25.2	98.9	7.342	61.2561
2024	10	13	14	46	6	24.41	95.4	7.342	59.78
2024	10	13	14	56	6	25.07	96.6	7.3359	61.2029
2024	10	13	15	6	6	25.63	95.8	7.342	62.7321
2024	10	13	15	16	6	24.14	98.1	7.3359	58.745
2024	10	13	15	26	6	25.01	97.4	7.3359	60.9571
2024	10	13	15	36	6	23.67	94.4	7.3359	58.0076
2024	10	13	15	46	6	25.2	97.3	7.3359	61.4487
2024	10	13	15	56	6	24.66	96.5	7.3359	60.2198

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	13	16	6	6	24.63	95.8	7.3359	60.2198
2024	10	13	16	16	6	24.79	97.2	7.3359	60.4656
2024	10	13	16	26	6	26.18	96.8	7.3298	63.8512
2024	10	13	16	36	6	24.71	95.3	7.3298	60.4131
2024	10	13	16	46	6	24.1	95.2	7.3298	58.9396
2024	10	13	16	56	6	24.21	95.5	7.3298	59.1852
2024	10	13	17	6	6	24.96	96.4	7.3298	60.9043
2024	10	13	17	16	6	25.29	97	7.3298	61.6411
2024	10	13	17	26	6	23.02	98	7.3298	55.9927
2024	10	13	17	36	6	24.31	95.4	7.3298	59.4309
2024	10	13	17	46	6	25.11	95.3	7.3298	61.3955
2024	10	13	17	56	6	25.23	97.7	7.3298	61.3955
2024	10	13	18	6	6	24.7	95.1	7.3298	60.4132
2024	10	13	18	16	6	24.95	96.2	7.3298	60.9044
2024	10	13	18	26	6	24.6	95.1	7.3298	60.1677
2024	10	13	18	36	6	24.65	96.3	7.3298	60.1677
2024	10	13	18	46	6	24.85	96.2	7.3298	60.6589
2024	10	13	18	56	6	25.7	98.7	7.3298	62.378
2024	10	13	19	6	6	25.31	95.4	7.3298	61.8869
2024	10	13	19	16	6	24.01	95.5	7.3298	58.6943
2024	10	13	19	26	6	25.54	96.1	7.3298	62.3781
2024	10	13	19	36	6	24.68	97	7.3237	60.1156
2024	10	13	19	46	6	24.66	96.5	7.3237	60.1156
2024	10	13	19	56	6	23.99	97.2	7.3237	58.398
2024	10	13	20	6	6	23.97	94.3	7.3237	58.6434
2024	10	13	20	16	6	24.18	94.7	7.3237	59.1342
2024	10	13	20	26	6	23.64	96.3	7.3237	57.662
2024	10	13	20	36	6	24.52	95.6	7.3237	59.8704
2024	10	13	20	46	6	24.85	93.5	7.3237	60.8519
2024	10	13	20	56	6	24.55	96.3	7.3237	59.8704
2024	10	13	21	6	6	25.5	98.8	7.3237	61.8334
2024	10	13	21	16	6	25.09	97.1	7.3237	61.0974
2024	10	13	21	26	6	25.01	97.4	7.3237	60.852
2024	10	13	21	36	6	23.3	95.4	7.3237	56.9261
2024	10	13	21	46	6	26.23	95.7	7.3237	64.0419
2024	10	13	21	56	6	24.41	95.4	7.3237	59.6253
2024	10	13	22	6	6	24.12	95.7	7.3237	58.8892
2024	10	13	22	16	6	24.5	97.3	7.3176	59.5734
2024	10	13	22	26	6	25.2	97.3	7.3237	61.3429
2024	10	13	22	36	6	24.42	97.8	7.3176	59.3283
2024	10	13	22	46	6	24.47	96.8	7.3176	59.5735
2024	10	13	22	56	6	23.92	95.8	7.3176	58.3477
2024	10	13	23	6	6	25.39	97	7.3176	61.78
2024	10	13	23	16	6	25.01	97.4	7.3176	60.7994
2024	10	13	23	26	6	24.2	95.2	7.3176	59.0833
2024	10	13	23	36	6	25.09	97.1	7.3176	61.0446
2024	10	13	23	46	6	25.19	97.1	7.3176	61.2898
2024	10	13	23	56	6	24.55	96.3	7.3176	59.8188

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	14	0	6	6	22.63	96.1	7.3176	55.1608
2024	10	14	0	16	6	24.91	97.4	7.3176	60.5544
2024	10	14	0	26	6	25.26	96.4	7.3176	61.535
2024	10	14	0	36	6	24.62	97.7	7.3176	59.8189
2024	10	14	0	46	6	24.65	96.3	7.3176	60.0641
2024	10	14	0	56	6	25.2	95	7.3176	61.5351
2024	10	14	1	6	6	24.78	94.6	7.3176	60.5544
2024	10	14	1	16	6	25.21	95.2	7.3176	61.5351
2024	10	14	1	26	6	24.06	96.7	7.3176	58.5932
2024	10	14	1	36	6	25.24	98	7.3176	61.29
2024	10	14	1	46	6	23.72	97.8	7.3176	57.6126
2024	10	14	1	56	6	26.66	98	7.3176	64.7222
2024	10	14	2	6	6	25.84	97.8	7.3176	62.761
2024	10	14	2	16	6	26.03	95.7	7.3176	63.4964
2024	10	14	2	26	6	25.48	94.5	7.3176	62.2706
2024	10	14	2	36	6	24.45	98.2	7.3176	59.3287
2024	10	14	2	46	6	24.35	96.4	7.3176	59.3287
2024	10	14	2	56	6	23.15	96.4	7.3176	56.3868
2024	10	14	3	6	6	25.94	96	7.3176	63.2513
2024	10	14	3	16	6	23.85	93.8	7.3176	58.3481
2024	10	14	3	26	6	23.92	95.8	7.3115	58.2973
2024	10	14	3	36	6	24.17	96.9	7.3115	58.7872
2024	10	14	3	46	6	24.33	95.9	7.3115	59.2771
2024	10	14	3	56	6	25.24	96.1	7.3115	61.4816
2024	10	14	4	6	6	24.83	95.8	7.3115	60.5018
2024	10	14	4	16	6	24.81	97.4	7.3115	60.2569
2024	10	14	4	26	6	24.58	97	7.3115	59.767
2024	10	14	4	36	6	23.78	94.6	7.3115	58.0523
2024	10	14	4	46	6	24.18	94.7	7.3115	59.0321
2024	10	14	4	56	6	24.14	96.2	7.3115	58.7872
2024	10	14	5	6	6	25.61	97.4	7.3115	62.2164
2024	10	14	5	16	6	25.65	99.4	7.3115	61.9715
2024	10	14	5	26	6	24.7	95.1	7.3115	60.2569
2024	10	14	5	36	6	24.53	95.9	7.3115	59.767
2024	10	14	5	46	6	24.97	96.7	7.3115	60.7468
2024	10	14	5	56	6	24.81	95.3	7.3115	60.5018
2024	10	14	6	6	6	24.83	93	7.3115	60.7467
2024	10	14	6	16	6	24.03	96	7.3115	58.5422
2024	10	14	6	26	6	24.78	97	7.3115	60.2568
2024	10	14	6	36	6	25.94	96	7.3115	63.1962
2024	10	14	6	46	6	24.86	96.5	7.3115	60.5018
2024	10	14	6	56	6	25.71	97.4	7.3115	62.4614
2024	10	14	7	6	6	23.85	96.5	7.3115	58.0523
2024	10	14	7	16	6	24.37	94.5	7.3115	59.522
2024	10	14	7	26	6	24.33	95.9	7.3115	59.277
2024	10	14	7	36	6	25.23	97.7	7.3054	61.1832
2024	10	14	7	46	6	24.14	96.2	7.3115	58.7871
2024	10	14	7	56	6	25.01	97.4	7.3054	60.6938

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	14	8	6	6	24.7	97.2	7.3115	60.0118
2024	10	14	8	16	6	23.98	96.9	7.3054	58.2464
2024	10	14	8	26	6	24.3	95.2	7.3115	59.277
2024	10	14	8	36	6	26.05	96.2	7.3054	63.3858
2024	10	14	8	46	6	24.51	95.4	7.3054	59.7147
2024	10	14	8	56	6	23.92	97.7	7.3115	58.0522
2024	10	14	9	6	6	25.34	96.1	7.3115	61.7263
2024	10	14	9	16	6	25.65	96.3	7.3115	62.4611
2024	10	14	9	26	6	24.31	97.6	7.3115	59.0318
2024	10	14	9	36	6	23.57	94.4	7.3115	57.5621
2024	10	14	9	46	6	24.5	97.3	7.3115	59.5216
2024	10	14	9	56	6	25.03	95.7	7.3115	60.9913
2024	10	14	10	6	6	24.65	93.5	7.3115	60.2564
2024	10	14	10	16	6	24.9	95.1	7.3115	60.7462
2024	10	14	10	26	6	24.31	97.6	7.3115	59.0316
2024	10	14	10	36	6	24.96	96.4	7.3115	60.7462
2024	10	14	10	46	6	25.03	97.8	7.3115	60.7461
2024	10	14	10	56	6	24.35	96.4	7.3115	59.2764
2024	10	14	11	6	6	24.08	94.5	7.3054	58.7352
2024	10	14	11	16	6	25.65	98.1	7.3115	62.2157
2024	10	14	11	26	6	24.52	95.6	7.3054	59.7141
2024	10	14	11	36	6	25.11	95.3	7.3054	61.1824
2024	10	14	11	46	6	25.45	96.3	7.3054	61.9166
2024	10	14	11	56	6	24.96	94.1	7.3054	60.9376
2024	10	14	12	6	6	24.95	96.2	7.3054	60.6929
2024	10	14	12	16	6	23.57	96.8	7.3054	57.2666
2024	10	14	12	26	6	24.46	96.6	7.3054	59.4692
2024	10	14	12	36	6	24.55	96.3	7.2994	59.6618
2024	10	14	12	46	6	25.08	94.6	7.2994	61.1288
2024	10	14	12	56	6	24.82	97.6	7.2933	60.0982
2024	10	14	13	6	6	23.42	97.9	7.2933	56.678
2024	10	14	13	16	6	24.36	94	7.2872	59.3134
2024	10	14	13	26	6	24.45	96.3	7.2811	59.2615
2024	10	14	13	36	6	24.18	98.8	7.275	58.235
2024	10	14	13	46	6	24.61	95.4	7.275	59.6969
2024	10	14	13	56	6	25.05	96.2	7.275	60.6715
2024	10	14	14	6	6	24.96	98.3	7.275	60.1842
2024	10	14	14	16	6	24.96	96.4	7.275	60.4279
2024	10	14	14	26	6	23.71	95.6	7.2689	57.4536
2024	10	14	14	36	6	24.61	97.5	7.2689	59.4011
2024	10	14	14	46	6	24.3	97.3	7.2689	58.6708
2024	10	14	14	56	6	24.91	97.4	7.2689	60.1315
2024	10	14	15	6	6	24.85	96.2	7.2689	60.1315
2024	10	14	15	16	6	24.43	95.9	7.2689	59.1577
2024	10	14	15	26	6	25.13	95.9	7.2689	60.8618
2024	10	14	15	36	6	24.81	97.4	7.2628	59.8355
2024	10	14	15	46	6	24.7	95.1	7.2628	59.8356
2024	10	14	15	56	6	25.39	97	7.2628	61.295

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	14	16	6	6	25.96	99.5	7.2628	62.2679
2024	10	14	16	16	6	23.96	96.7	7.2628	57.8897
2024	10	14	16	26	6	25.09	97.1	7.2628	60.5653
2024	10	14	16	36	6	24.81	97.4	7.2567	59.7831
2024	10	14	16	46	6	25.19	97.1	7.2628	60.8086
2024	10	14	16	56	6	24.3	100.4	7.2567	58.082
2024	10	14	17	6	6	24.85	96.2	7.2567	60.0262
2024	10	14	17	16	6	25.83	99.1	7.2567	61.9704
2024	10	14	17	26	6	25.14	98	7.2567	60.5123
2024	10	14	17	36	6	23.81	95.5	7.2567	57.596
2024	10	14	17	46	6	24.43	93	7.2567	59.2972
2024	10	14	17	56	6	24.23	99.5	7.2567	58.0821
2024	10	14	18	6	6	23.83	98	7.2567	57.353
2024	10	14	18	16	6	25.55	96.3	7.2567	61.7275
2024	10	14	18	26	6	24.28	98.8	7.2567	58.3252
2024	10	14	18	36	6	24.25	96.4	7.2567	58.5682
2024	10	14	18	46	6	25.22	95.7	7.2567	60.9985
2024	10	14	18	56	6	23.1	95.5	7.2567	55.895
2024	10	14	19	6	6	23.59	95.1	7.2567	57.1102
2024	10	14	19	16	6	24.6	97.2	7.2567	59.2974
2024	10	14	19	26	6	24.55	98.2	7.2567	59.0544
2024	10	14	19	36	6	24.84	96	7.2567	60.0265
2024	10	14	19	46	6	23.71	95.6	7.2567	57.3533
2024	10	14	19	56	6	24.05	96.4	7.2567	58.0824
2024	10	14	20	6	6	24.51	95.4	7.2506	59.2454
2024	10	14	20	16	6	23.36	96.6	7.2506	56.3318
2024	10	14	20	26	6	24.52	95.6	7.2506	59.2455
2024	10	14	20	36	6	25.54	97.9	7.2506	61.4308
2024	10	14	20	46	6	24.01	97.7	7.2506	57.7887
2024	10	14	20	56	6	24.45	96.3	7.2506	59.0028
2024	10	14	21	6	6	23.59	97.3	7.2506	56.8175
2024	10	14	21	16	6	24.7	95.1	7.2506	59.7313
2024	10	14	21	26	6	24.99	98.7	7.2506	59.9741
2024	10	14	21	36	6	23.92	95.8	7.2506	57.7889
2024	10	14	21	46	6	24.47	96.8	7.2506	59.0029
2024	10	14	21	56	6	24.31	97.6	7.2506	58.5174
2024	10	14	22	6	6	24.01	97.7	7.2506	57.789
2024	10	14	22	16	6	22.14	93.6	7.2506	53.6612
2024	10	14	22	26	6	23.88	97	7.2506	57.5462
2024	10	14	22	36	6	24.85	96.2	7.2506	59.9743
2024	10	14	22	46	6	24.36	96.6	7.2506	58.7603
2024	10	14	22	56	6	24.21	95.5	7.2445	58.4661
2024	10	14	23	6	6	23.74	98.2	7.2445	57.0105
2024	10	14	23	16	6	24.65	96.3	7.2506	59.4888
2024	10	14	23	26	6	23.44	96.4	7.2445	56.5254
2024	10	14	23	36	6	24.78	97	7.2445	59.6792
2024	10	14	23	46	6	24.15	96.4	7.2445	58.2236
2024	10	14	23	56	6	23.67	94.4	7.2445	57.2532

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	15	0	6	6	23.79	97.2	7.2445	57.2533
2024	10	15	0	16	6	24.6	95.1	7.2445	59.4367
2024	10	15	0	26	6	24.62	95.6	7.2445	59.4367
2024	10	15	0	36	6	24.74	96	7.2445	59.6793
2024	10	15	0	46	6	24.25	96.4	7.2445	58.4663
2024	10	15	0	56	6	24.6	95.1	7.2445	59.4367
2024	10	15	1	6	6	23.21	95.7	7.2445	56.0403
2024	10	15	1	16	6	24.5	95.2	7.2445	59.1942
2024	10	15	1	26	6	24.12	95.7	7.2506	58.275
2024	10	15	1	36	6	23.84	96.3	7.2445	57.496
2024	10	15	1	46	6	24.07	94.3	7.2445	58.2238
2024	10	15	1	56	6	25.12	95.7	7.2445	60.6498
2024	10	15	2	6	6	23.23	96.2	7.2445	56.0404
2024	10	15	2	16	6	24.89	97.2	7.2445	59.922
2024	10	15	2	26	6	24.88	96.9	7.2506	59.9747
2024	10	15	2	36	6	23.71	95.6	7.2445	57.2534
2024	10	15	2	46	6	23.95	96.5	7.2445	57.7386
2024	10	15	2	56	6	25.09	97.1	7.2445	60.4072
2024	10	15	3	6	6	23.57	96.8	7.2445	56.7682
2024	10	15	3	16	6	24.81	95.3	7.2445	59.922
2024	10	15	3	26	6	23.56	96.6	7.2445	56.7682
2024	10	15	3	36	6	24.65	96.3	7.2445	59.4368
2024	10	15	3	46	6	24.17	96.9	7.2445	58.2238
2024	10	15	3	56	6	25.86	93.8	7.2445	62.5906
2024	10	15	4	6	6	24.66	96.5	7.2445	59.4368
2024	10	15	4	16	6	24.86	96.5	7.2445	59.922
2024	10	15	4	26	6	24.75	96.3	7.2445	59.6794
2024	10	15	4	36	6	23.86	96.7	7.2445	57.496
2024	10	15	4	46	6	24.7	95.1	7.2445	59.6794
2024	10	15	4	56	6	24.79	97.2	7.2445	59.6794
2024	10	15	5	6	6	24.65	96.3	7.2445	59.4368
2024	10	15	5	16	6	25.5	95.2	7.2445	61.6202
2024	10	15	5	26	6	24.22	95.7	7.2445	58.4664
2024	10	15	5	36	6	24.86	96.5	7.2445	59.922
2024	10	15	5	46	6	23.15	93.7	7.2445	56.0404
2024	10	15	5	56	6	23.65	96.6	7.2445	57.0108
2024	10	15	6	6	6	25.68	98.5	7.2445	61.6202
2024	10	15	6	16	6	24.06	96.7	7.2445	57.9812
2024	10	15	6	26	6	25.24	98	7.2445	60.6497
2024	10	15	6	36	6	25.27	96.6	7.2445	60.8923
2024	10	15	6	46	6	24.45	96.3	7.2445	58.9515
2024	10	15	6	56	6	23.56	96.6	7.2445	56.7682
2024	10	15	7	6	6	25.54	96.1	7.2445	61.6201
2024	10	15	7	16	6	23.26	96.7	7.2445	56.0403
2024	10	15	7	26	6	23.85	93.8	7.2445	57.7385
2024	10	15	7	36	6	24.86	96.5	7.2506	59.9746
2024	10	15	7	46	6	24.14	96.2	7.2506	58.275
2024	10	15	7	56	6	23.86	96.7	7.2445	57.4959

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	15	8	6	6	25	95	7.2506	60.4603
2024	10	15	8	16	6	24.64	96.1	7.2506	59.489
2024	10	15	8	26	6	24.74	96	7.2506	59.7318
2024	10	15	8	36	6	24.94	96	7.2506	60.2174
2024	10	15	8	46	6	23.74	96.3	7.2506	57.3036
2024	10	15	8	56	6	24.36	94	7.2506	59.0032
2024	10	15	9	6	6	25.16	96.4	7.2506	60.7029
2024	10	15	9	16	6	24.71	97.4	7.2506	59.4888
2024	10	15	9	26	6	24.28	94.7	7.2506	58.7603
2024	10	15	9	36	6	24.2	97.4	7.2506	58.2746
2024	10	15	9	46	6	25.48	98.6	7.2506	61.1883
2024	10	15	9	56	6	24.11	97.6	7.2567	58.0828
2024	10	15	10	6	6	25.07	94.3	7.2567	60.756
2024	10	15	10	16	6	24.92	95.5	7.2567	60.2699
2024	10	15	10	26	6	25.44	97.9	7.2567	61.2419
2024	10	15	10	36	6	24.45	96.3	7.2567	59.0547
2024	10	15	10	46	6	22.94	96.3	7.2567	55.4093
2024	10	15	10	56	6	24.88	96.9	7.2567	60.0267
2024	10	15	11	6	6	25.09	94.8	7.2567	60.7557
2024	10	15	11	16	6	23.94	98.2	7.2567	57.5964
2024	10	15	11	26	6	24.61	99.1	7.2567	59.0545
2024	10	15	11	36	6	24.76	96.5	7.2567	59.7835
2024	10	15	11	46	6	25.03	95.7	7.2567	60.5125
2024	10	15	11	56	6	23.88	94.8	7.2567	57.8393
2024	10	15	12	6	6	23.95	96.5	7.2567	57.8392
2024	10	15	12	16	6	23.15	96.4	7.2567	55.895
2024	10	15	12	26	6	23.65	93.9	7.2567	57.3531
2024	10	15	12	36	6	23.77	96.8	7.2567	57.3531
2024	10	15	12	46	6	25.93	95.8	7.2567	62.6996
2024	10	15	12	56	6	25.31	95.4	7.2567	61.2414
2024	10	15	13	6	6	24.79	94.9	7.2567	60.0263
2024	10	15	13	16	6	25.05	96.2	7.2567	60.5123
2024	10	15	13	26	6	24.2	95.2	7.2567	58.5681
2024	10	15	13	36	6	24.03	97.9	7.2567	57.839
2024	10	15	13	46	6	24.55	93.5	7.2567	59.5402
2024	10	15	13	56	6	23.99	95	7.2567	58.082
2024	10	15	14	6	6	23.26	96.7	7.2506	56.0885
2024	10	15	14	16	6	24.41	95.4	7.2506	59.0022
2024	10	15	14	26	6	24.6	95.1	7.2506	59.4878
2024	10	15	14	36	6	25.03	95.7	7.2506	60.4591
2024	10	15	14	46	6	24.35	98.3	7.2506	58.5166
2024	10	15	14	56	6	24.72	97.7	7.2506	59.4878
2024	10	15	15	6	6	25.38	94.5	7.2506	61.4303
2024	10	15	15	16	6	24.12	95.7	7.2506	58.2738
2024	10	15	15	26	6	25.32	97.5	7.2506	60.9447
2024	10	15	15	36	6	25.32	97.5	7.2506	60.9447
2024	10	15	15	46	6	24.02	95.7	7.2506	58.031
2024	10	15	15	56	6	24.85	98.1	7.2445	59.6782

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	15	16	6	6	24.68	98.6	7.2506	59.2451
2024	10	15	16	16	6	24.21	95.5	7.2506	58.5167
2024	10	15	16	26	6	23.85	96.5	7.2445	57.4949
2024	10	15	16	36	6	24.85	96.2	7.2445	59.9208
2024	10	15	16	46	6	25.44	96.1	7.2445	61.3764
2024	10	15	16	56	6	25.09	97.1	7.2506	60.4592
2024	10	15	17	6	6	24.68	97	7.2506	59.488
2024	10	15	17	16	6	24.79	94.9	7.2445	59.9209
2024	10	15	17	26	6	23.77	96.8	7.2506	57.3027
2024	10	15	17	36	6	25.02	95.5	7.2506	60.4592
2024	10	15	17	46	6	23.52	97.8	7.2506	56.5743
2024	10	15	17	56	6	24.25	96.4	7.2445	58.4654
2024	10	15	18	6	6	23.91	95.5	7.2445	57.7376
2024	10	15	18	16	6	24.34	96.1	7.2506	58.7597
2024	10	15	18	26	6	25.5	97.2	7.2506	61.4306
2024	10	15	18	36	6	24.12	95.7	7.2445	58.2229
2024	10	15	18	46	6	24.62	95.6	7.2445	59.4358
2024	10	15	18	56	6	23.19	94.9	7.2445	56.0395
2024	10	15	19	6	6	24.27	94.5	7.2445	58.7081
2024	10	15	19	16	6	23.91	95.5	7.2445	57.7378
2024	10	15	19	26	6	25.16	94.1	7.2445	60.8915
2024	10	15	19	36	6	24.52	95.6	7.2445	59.1934
2024	10	15	19	46	6	23.65	93.6	7.2445	57.2526
2024	10	15	19	56	6	24.81	97.4	7.2445	59.6786
2024	10	15	20	6	6	24.37	96.8	7.2445	58.7083
2024	10	15	20	16	6	24.41	97.5	7.2445	58.7083
2024	10	15	20	26	6	24.25	96.4	7.2445	58.4657
2024	10	15	20	36	6	24.42	95.6	7.2445	58.951
2024	10	15	20	46	6	25.07	98.5	7.2445	60.164
2024	10	15	20	56	6	24.23	95.9	7.2445	58.4658
2024	10	15	21	6	6	24.92	95.5	7.2445	60.164
2024	10	15	21	16	6	24.17	94.3	7.2445	58.4659
2024	10	15	21	26	6	23.5	95.4	7.2445	56.7677
2024	10	15	21	36	6	24.86	96.5	7.2445	59.9215
2024	10	15	21	46	6	23.49	94.9	7.2445	56.7678
2024	10	15	21	56	6	24.88	96.9	7.2445	59.9216
2024	10	15	22	6	6	25.21	95.2	7.2445	60.892
2024	10	15	22	16	6	23.58	94.6	7.2445	57.0105
2024	10	15	22	26	6	24.39	97.1	7.2445	58.7087
2024	10	15	22	36	6	24.72	95.6	7.2445	59.6791
2024	10	15	22	46	6	24.06	96.7	7.2445	57.9809
2024	10	15	22	56	6	24.76	98.4	7.2445	59.4365
2024	10	15	23	6	6	24.17	94.5	7.2445	58.4662
2024	10	15	23	16	6	24.47	98.5	7.2445	58.7088
2024	10	15	23	26	6	23.72	95.8	7.2445	57.2532
2024	10	15	23	36	6	24.86	96.5	7.2445	59.9218
2024	10	15	23	46	6	24.75	96.3	7.2445	59.6792
2024	10	15	23	56	6	23.68	94.8	7.2445	57.2533

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	16	0	6	6	23.28	97.2	7.2445	56.0403
2024	10	16	0	16	6	24.86	96.5	7.2445	59.9219
2024	10	16	0	26	6	23.15	96.4	7.2445	55.7977
2024	10	16	0	36	6	24.08	94.5	7.2445	58.2237
2024	10	16	0	46	6	23.72	95.8	7.2445	57.2534
2024	10	16	0	56	6	23.36	96.6	7.2445	56.283
2024	10	16	1	6	6	24.53	95.9	7.2445	59.1942
2024	10	16	1	16	6	24.1	97.4	7.2445	57.9812
2024	10	16	1	26	6	23.46	96.6	7.2445	56.5256
2024	10	16	1	36	6	26.3	97	7.2445	63.3184
2024	10	16	1	46	6	25.02	95.5	7.2445	60.4072
2024	10	16	1	56	6	24.53	95.9	7.2445	59.1942
2024	10	16	2	6	6	23.59	95.1	7.2445	57.0109
2024	10	16	2	16	6	25.03	97.8	7.2445	60.1646
2024	10	16	2	26	6	24.62	97.7	7.2445	59.1943
2024	10	16	2	36	6	24.92	95.5	7.2445	60.1647
2024	10	16	2	46	6	25.97	96.6	7.2445	62.5907
2024	10	16	2	56	6	24.12	95.7	7.2445	58.2239
2024	10	16	3	6	6	24.99	97.1	7.2445	60.1647
2024	10	16	3	16	6	24.77	96.7	7.2445	59.6795
2024	10	16	3	26	6	24.16	96.7	7.2445	58.2239
2024	10	16	3	36	6	23.98	96.9	7.2445	57.7387
2024	10	16	3	46	6	24.2	95.2	7.2445	58.4665
2024	10	16	3	56	6	23.72	95.8	7.2445	57.2535
2024	10	16	4	6	6	25.63	97.6	7.2445	61.6202
2024	10	16	4	16	6	24.73	97.9	7.2445	59.4368
2024	10	16	4	26	6	23.37	96.9	7.2445	56.2831
2024	10	16	4	36	6	24.81	97.4	7.2445	59.6794
2024	10	16	4	46	6	24.79	97.2	7.2445	59.6794
2024	10	16	4	56	6	25.74	96	7.2445	62.1054
2024	10	16	5	6	6	24.57	94.4	7.2445	59.4368
2024	10	16	5	16	6	25.12	97.5	7.2445	60.4072
2024	10	16	5	26	6	22.77	94.5	7.2445	55.07
2024	10	16	5	36	6	24.45	93.5	7.2445	59.1942
2024	10	16	5	46	6	24.69	94.9	7.2445	59.6794
2024	10	16	5	56	6	23.89	97.2	7.2445	57.496
2024	10	16	6	6	6	24.39	97.1	7.2445	58.709
2024	10	16	6	16	6	23.46	96.6	7.2445	56.5256
2024	10	16	6	26	6	23.27	94.4	7.2445	56.283
2024	10	16	6	36	6	24.94	96	7.2445	60.1646
2024	10	16	6	46	6	22.82	95.8	7.2445	55.07
2024	10	16	6	56	6	23.89	97.2	7.2445	57.496
2024	10	16	7	6	6	24.4	95.2	7.2445	58.9516
2024	10	16	7	16	6	24.42	97.8	7.2445	58.709
2024	10	16	7	26	6	24.86	96.5	7.2384	59.8693
2024	10	16	7	36	6	24.07	94.3	7.2384	58.1726
2024	10	16	7	46	6	23.94	96.2	7.2445	57.7386
2024	10	16	7	56	6	24.2	97.4	7.2445	58.2238

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	16	8	6	6	24.31	95.4	7.2445	58.7089
2024	10	16	8	16	6	24.27	96.9	7.2384	58.4149
2024	10	16	8	26	6	23.01	95.5	7.2445	55.5551
2024	10	16	8	36	6	25.29	97	7.2445	60.8923
2024	10	16	8	46	6	24.15	96.4	7.2445	58.2237
2024	10	16	8	56	6	24.3	97.3	7.2445	58.4662
2024	10	16	9	6	6	23.47	94.4	7.2445	56.768
2024	10	16	9	16	6	23.8	95.3	7.2445	57.4958
2024	10	16	9	26	6	23.92	95.8	7.2445	57.7383
2024	10	16	9	36	6	24.1	95.2	7.2445	58.2235
2024	10	16	9	46	6	22.62	95.8	7.2445	54.5845
2024	10	16	9	56	6	25.94	97.8	7.2445	62.3476
2024	10	16	10	6	6	23.51	97.6	7.2445	56.5252
2024	10	16	10	16	6	23.8	95.3	7.2384	57.445
2024	10	16	10	26	6	25.99	96.9	7.2445	62.5901
2024	10	16	10	36	6	25.23	95.9	7.2445	60.8918
2024	10	16	10	46	6	24.4	97.3	7.2384	58.6568
2024	10	16	10	56	6	24.37	96.8	7.2445	58.7084
2024	10	16	11	6	6	23.68	94.8	7.2445	57.2528
2024	10	16	11	16	6	25.36	98.2	7.2445	60.8917
2024	10	16	11	26	6	23.71	95.6	7.2445	57.2527
2024	10	16	11	36	6	24.93	97.8	7.2445	59.9212
2024	10	16	11	46	6	23.54	96.3	7.2445	56.7674
2024	10	16	11	56	6	24.38	94.7	7.2445	58.9507
2024	10	16	12	6	6	24.61	97.5	7.2445	59.1933
2024	10	16	12	16	6	24.32	95.7	7.2445	58.7081
2024	10	16	12	26	6	25.42	95.6	7.2384	61.3226
2024	10	16	12	36	6	24.17	96.9	7.2384	58.1716
2024	10	16	12	46	6	24.43	95.9	7.2384	58.8987
2024	10	16	12	56	6	24.05	96.4	7.2384	57.9292
2024	10	16	13	6	6	23.7	95.3	7.2384	57.2021
2024	10	16	13	16	6	23.99	97.2	7.2384	57.6869
2024	10	16	13	26	6	23.32	95.9	7.2384	56.2325
2024	10	16	13	36	6	24.45	96.3	7.2384	58.8986
2024	10	16	13	46	6	24.06	98.4	7.2384	57.6867
2024	10	16	13	56	6	23.21	95.7	7.2384	55.99
2024	10	16	14	6	6	24.45	96.3	7.2323	58.8468
2024	10	16	14	16	6	24.19	97.1	7.2323	58.1202
2024	10	16	14	26	6	24.15	96.4	7.2323	58.1202
2024	10	16	14	36	6	24.23	95.9	7.2384	58.4139
2024	10	16	14	46	6	23.36	98.6	7.2323	55.9408
2024	10	16	14	56	6	24.08	96.9	7.2384	57.9292
2024	10	16	15	6	6	24.15	98.3	7.2384	57.9292
2024	10	16	15	16	6	25.29	97	7.2384	60.8377
2024	10	16	15	26	6	24.55	93.7	7.2384	59.3835
2024	10	16	15	36	6	23.9	95.3	7.2384	57.6867
2024	10	16	15	46	6	23.73	96	7.2384	57.202
2024	10	16	15	56	6	25.43	95.9	7.2384	61.3225

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	16	16	6	6	23.98	94.5	7.2384	57.9291
2024	10	16	16	16	6	24.15	96.4	7.2323	58.1202
2024	10	16	16	26	6	24.61	95.4	7.2384	59.3834
2024	10	16	16	36	6	24.73	95.8	7.2262	59.5208
2024	10	16	16	46	6	24.65	96.3	7.2262	59.2788
2024	10	16	16	56	6	24.96	98.3	7.2262	59.7627
2024	10	16	17	6	6	24.75	96.3	7.2201	59.4683
2024	10	16	17	16	6	23.47	96.9	7.2201	56.3257
2024	10	16	17	26	6	24.45	96.3	7.2262	58.795
2024	10	16	17	36	6	25.05	96.2	7.2262	60.2467
2024	10	16	17	46	6	23.98	94.5	7.2323	57.8782
2024	10	16	17	56	6	24.32	95.7	7.2323	58.6047
2024	10	16	18	6	6	24.43	95.9	7.2323	58.8469
2024	10	16	18	16	6	23.58	94.9	7.2323	56.9096
2024	10	16	18	26	6	24.6	95.1	7.2323	59.3313
2024	10	16	18	36	6	24.12	95.7	7.2323	58.1205
2024	10	16	18	46	6	24.41	95.4	7.2323	58.847
2024	10	16	18	56	6	25.19	97.1	7.2323	60.5422
2024	10	16	19	6	6	22.48	94.8	7.2323	54.2458
2024	10	16	19	16	6	25.89	94.9	7.2323	62.4796
2024	10	16	19	26	6	23.49	95.1	7.2262	56.6176
2024	10	16	19	36	6	22.61	95.6	7.2323	54.488
2024	10	16	19	46	6	22.84	93.5	7.2323	55.2146
2024	10	16	19	56	6	23.85	96.5	7.2262	57.3435
2024	10	16	20	6	6	24.06	96.7	7.2262	57.8274
2024	10	16	20	16	6	25.57	98.3	7.2262	61.2149
2024	10	16	20	26	6	24.4	95.2	7.2201	58.7435
2024	10	16	20	36	6	22.71	97.8	7.2262	54.4401
2024	10	16	20	46	6	24.25	96.4	7.2262	58.3115
2024	10	16	20	56	6	24.73	95.8	7.2262	59.5213
2024	10	16	21	6	6	25.44	96.1	7.2262	61.215
2024	10	16	21	16	6	25.15	96.2	7.2262	60.4892
2024	10	16	21	26	6	24.21	95.5	7.2323	58.363
2024	10	16	21	36	6	24.73	97.9	7.2262	59.2794
2024	10	16	21	46	6	23.42	95.9	7.2262	56.376
2024	10	16	21	56	6	24.84	96	7.2262	59.7634
2024	10	16	22	6	6	24.56	96.5	7.2323	59.0896
2024	10	16	22	16	6	23.7	97.5	7.2323	56.9101
2024	10	16	22	26	6	23.01	95.5	7.2323	55.4571
2024	10	16	22	36	6	24.88	96.9	7.2323	59.8162
2024	10	16	22	46	6	23.66	98.5	7.2323	56.668
2024	10	16	22	56	6	24.46	94	7.2323	59.0897
2024	10	16	23	6	6	24.8	95.1	7.2323	59.8162
2024	10	16	23	16	6	24.17	94.5	7.2323	58.3632
2024	10	16	23	26	6	22.95	96.5	7.2323	55.215
2024	10	16	23	36	6	23.51	97.6	7.2323	56.4259
2024	10	16	23	46	6	23.7	95.3	7.2323	57.1524
2024	10	16	23	56	6	23.51	95.6	7.2323	56.6681

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	17	0	6	6	22.8	97.6	7.2323	54.7307
2024	10	17	0	16	6	23.3	95.4	7.2323	56.1838
2024	10	17	0	26	6	23.68	97	7.2323	56.9103
2024	10	17	0	36	6	23.41	97.6	7.2323	56.1838
2024	10	17	0	46	6	24.14	96.2	7.2323	58.1212
2024	10	17	0	56	6	24.62	97.7	7.2323	59.0899
2024	10	17	1	6	6	23.56	96.6	7.2323	56.6681
2024	10	17	1	16	6	24.6	95.1	7.2384	59.3843
2024	10	17	1	26	6	24.01	95.5	7.2323	57.879
2024	10	17	1	36	6	25.89	94.7	7.2384	62.5354
2024	10	17	1	46	6	24.31	97.6	7.2384	58.4148
2024	10	17	1	56	6	25.19	97.1	7.2384	60.5963
2024	10	17	2	6	6	24.92	97.6	7.2384	59.8691
2024	10	17	2	16	6	23.84	96.3	7.2384	57.4453
2024	10	17	2	26	6	24.33	95.9	7.2384	58.6572
2024	10	17	2	36	6	23.52	97.8	7.2384	56.4757
2024	10	17	2	46	6	23.59	95.1	7.2384	56.9605
2024	10	17	2	56	6	24.9	95.1	7.2384	60.1115
2024	10	17	3	6	6	24.53	95.9	7.2384	59.142
2024	10	17	3	16	6	24.99	98.7	7.2384	59.8691
2024	10	17	3	26	6	23.19	94.9	7.2384	55.9909
2024	10	17	3	36	6	24.5	95.2	7.2384	59.142
2024	10	17	3	46	6	24.17	94.5	7.2384	58.4148
2024	10	17	3	56	6	22.71	92	7.2445	55.0699
2024	10	17	4	6	6	24.17	94.5	7.2384	58.4148
2024	10	17	4	16	6	24.24	96.2	7.2445	58.4662
2024	10	17	4	26	6	24.64	96.1	7.2445	59.4366
2024	10	17	4	36	6	24.26	96.6	7.2445	58.4662
2024	10	17	4	46	6	23.12	96	7.2445	55.7976
2024	10	17	4	56	6	23.7	97.5	7.2445	57.0106
2024	10	17	5	6	6	23.58	94.6	7.2445	57.0106
2024	10	17	5	16	6	25.1	95	7.2445	60.6496
2024	10	17	5	26	6	25.19	100.1	7.2445	60.1644
2024	10	17	5	36	6	24.44	96.1	7.2445	58.9514
2024	10	17	5	46	6	23.62	95.8	7.2445	57.0106
2024	10	17	5	56	6	25.16	93.9	7.2445	60.8922
2024	10	17	6	6	6	24.96	98.3	7.2445	59.9218
2024	10	17	6	16	6	24.39	94.9	7.2445	58.9514
2024	10	17	6	26	6	25.11	95.5	7.2445	60.6496
2024	10	17	6	36	6	24.15	96.4	7.2445	58.2236
2024	10	17	6	46	6	23.27	94.4	7.2445	56.2828
2024	10	17	6	56	6	24.65	98.2	7.2445	59.194
2024	10	17	7	6	6	23.63	98	7.2445	56.768
2024	10	17	7	16	6	24.01	95.5	7.2445	57.981
2024	10	17	7	26	6	23.35	96.4	7.2445	56.2828
2024	10	17	7	36	6	23.98	96.9	7.2445	57.7384
2024	10	17	7	46	6	23.45	93.7	7.2445	56.768
2024	10	17	7	56	6	23.96	98.4	7.2445	57.4958

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	17	8	6	6	25.1	97.3	7.2445	60.407
2024	10	17	8	16	6	23.66	94.1	7.2445	57.2532
2024	10	17	8	26	6	23.37	96.9	7.2445	56.2828
2024	10	17	8	36	6	24.73	95.8	7.2445	59.6792
2024	10	17	8	46	6	23.1	95.2	7.2445	55.7976
2024	10	17	8	56	6	24.65	96.3	7.2445	59.4365
2024	10	17	9	6	6	24.57	94.4	7.2445	59.4365
2024	10	17	9	16	6	25.44	96.1	7.2506	61.4312
2024	10	17	9	26	6	23.38	97.1	7.2506	56.3322
2024	10	17	9	36	6	23.94	99.6	7.2506	57.3034
2024	10	17	9	46	6	25.01	95.3	7.2506	60.4599
2024	10	17	9	56	6	24.65	96.3	7.2506	59.4886
2024	10	17	10	6	6	24.85	98.1	7.2506	59.7314
2024	10	17	10	16	6	25.59	97	7.2506	61.6739
2024	10	17	10	26	6	25.24	98	7.2506	60.7026
2024	10	17	10	36	6	23.63	98	7.2506	56.8176
2024	10	17	10	46	6	22.92	95.8	7.2506	55.3607
2024	10	17	10	56	6	25	95	7.2506	60.4596
2024	10	17	11	6	6	25.06	93.9	7.2506	60.7024
2024	10	17	11	16	6	24.85	96.2	7.2506	59.974
2024	10	17	11	26	6	25.3	95	7.2506	61.188
2024	10	17	11	36	6	24.29	95	7.2506	58.7599
2024	10	17	11	46	6	23.76	94.1	7.2506	57.5458
2024	10	17	11	56	6	23.88	97	7.2506	57.5458
2024	10	17	12	6	6	24.78	98.6	7.2506	59.4882
2024	10	17	12	16	6	24.3	95.2	7.2506	58.7598
2024	10	17	12	26	6	23.93	96	7.2506	57.7885
2024	10	17	12	36	6	24.99	97.1	7.2506	60.2166
2024	10	17	12	46	6	25.34	96.1	7.2506	61.1878
2024	10	17	12	56	6	24.1	97.4	7.2506	58.0312
2024	10	17	13	6	6	25.94	97.8	7.2506	62.4018
2024	10	17	13	16	6	24.65	96.3	7.2506	59.4881
2024	10	17	13	26	6	25.53	97.7	7.2506	61.4305
2024	10	17	13	36	6	24.6	97.2	7.2506	59.2452
2024	10	17	13	46	6	24.09	97.2	7.2506	58.0312
2024	10	17	13	56	6	24.46	96.6	7.2445	58.9505
2024	10	17	14	6	6	25.21	95.2	7.2506	60.9449
2024	10	17	14	16	6	25.44	96.1	7.2506	61.4305
2024	10	17	14	26	6	25.09	97.1	7.2506	60.4592
2024	10	17	14	36	6	22.7	97.6	7.2506	54.6319
2024	10	17	14	46	6	24.51	97.5	7.2506	59.0024
2024	10	17	14	56	6	24.58	97	7.2445	59.1931
2024	10	17	15	6	6	23.06	96.7	7.2445	55.5542
2024	10	17	15	16	6	24.09	95	7.2445	58.2227
2024	10	17	15	26	6	23.36	98.6	7.2445	56.0394
2024	10	17	15	36	6	24.81	97.4	7.2445	59.6783
2024	10	17	15	46	6	25.13	95.9	7.2445	60.6487
2024	10	17	15	56	6	25.08	96.9	7.2445	60.4061

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	17	16	6	6	25.34	96.1	7.2445	61.1339
2024	10	17	16	16	6	25.17	96.6	7.2384	60.5953
2024	10	17	16	26	6	25.05	96.2	7.2384	60.353
2024	10	17	16	36	6	24.96	93.9	7.2384	60.353
2024	10	17	16	46	6	25.59	94.9	7.2323	61.7529
2024	10	17	16	56	6	23.03	96	7.2323	55.4565
2024	10	17	17	6	6	25.26	96.4	7.2384	60.8378
2024	10	17	17	16	6	23.96	96.7	7.2323	57.6361
2024	10	17	17	26	6	24.06	98.4	7.2262	57.5853
2024	10	17	17	36	6	24.71	95.3	7.2323	59.5735
2024	10	17	17	46	6	25.27	94.3	7.2323	61.0265
2024	10	17	17	56	6	24.48	94.7	7.2323	59.0892
2024	10	17	18	6	6	25.64	96	7.2323	61.7531
2024	10	17	18	16	6	25.58	96.7	7.2201	61.4025
2024	10	17	18	26	6	24.87	94.2	7.2323	60.0579
2024	10	17	18	36	6	24.51	95.4	7.2323	59.0893
2024	10	17	18	46	6	24.4	97.3	7.2262	58.5533
2024	10	17	18	56	6	23.79	97.2	7.2323	57.152
2024	10	17	19	6	6	23.87	94.3	7.2262	57.5855
2024	10	17	19	16	6	25.27	98.4	7.2262	60.489
2024	10	17	19	26	6	23.94	98.2	7.2323	57.3942
2024	10	17	19	36	6	24.59	94.9	7.2262	59.2793
2024	10	17	19	46	6	22.83	96	7.2262	54.9241
2024	10	17	19	56	6	24.81	97.4	7.2323	59.5738
2024	10	17	20	6	6	24.35	96.4	7.2323	58.6052
2024	10	17	20	16	6	23.84	96.3	7.2323	57.3944
2024	10	17	20	26	6	23.83	96	7.2262	57.3438
2024	10	17	20	36	6	25.76	94	7.2262	62.183
2024	10	17	20	46	6	26.28	96.8	7.2262	63.1509
2024	10	17	20	56	6	23.73	96	7.2262	57.102
2024	10	17	21	6	6	23.08	94.7	7.2262	55.6502
2024	10	17	21	16	6	23.6	95.3	7.214	56.7598
2024	10	17	21	26	6	24.78	94.6	7.2262	59.7636
2024	10	17	21	36	6	25.08	94.6	7.2262	60.4895
2024	10	17	21	46	6	24.65	96.3	7.2262	59.2798
2024	10	17	21	56	6	25.02	95.5	7.2323	60.3008
2024	10	17	22	6	6	24.28	94.7	7.2201	58.5023
2024	10	17	22	16	6	24.13	95.9	7.2262	58.0701
2024	10	17	22	26	6	24.57	98.4	7.2262	58.796
2024	10	17	22	36	6	24.09	97.2	7.2262	57.8283
2024	10	17	22	46	6	24	95.3	7.2323	57.8793
2024	10	17	22	56	6	24.09	95	7.2262	58.0703
2024	10	17	23	6	6	24.86	96.5	7.2323	59.8167
2024	10	17	23	16	6	24.16	94	7.2262	58.3123
2024	10	17	23	26	6	24.05	96.4	7.2323	57.8794
2024	10	17	23	36	6	24.24	96.2	7.2323	58.3638
2024	10	17	23	46	6	24.31	95.4	7.2262	58.5543
2024	10	17	23	56	6	25.4	95.2	7.2262	61.2159

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	18	0	6	6	23.89	95	7.2262	57.5866
2024	10	18	0	16	6	24.9	95.1	7.2262	60.0062
2024	10	18	0	26	6	23.67	96.8	7.2262	56.8607
2024	10	18	0	36	6	24.06	96.7	7.2262	57.8286
2024	10	18	0	46	6	23.54	96.3	7.2262	56.6188
2024	10	18	0	56	6	23.1	95.2	7.2262	55.651
2024	10	18	1	6	6	24.64	97.9	7.2262	59.0385
2024	10	18	1	16	6	24.46	96.6	7.2262	58.7965
2024	10	18	1	26	6	24.77	96.7	7.2262	59.5224
2024	10	18	1	36	6	23.32	97.9	7.2262	55.8931
2024	10	18	1	46	6	24.44	96.1	7.2262	58.7966
2024	10	18	1	56	6	24.69	94.9	7.2262	59.5225
2024	10	18	2	6	6	24.4	95.2	7.2201	58.7448
2024	10	18	2	16	6	25.45	93.6	7.2201	61.404
2024	10	18	2	26	6	25.28	96.8	7.2201	60.6788
2024	10	18	2	36	6	24.81	97.4	7.214	59.4176
2024	10	18	2	46	6	24.69	94.9	7.2201	59.4701
2024	10	18	2	56	6	23.52	95.9	7.2201	56.5691
2024	10	18	3	6	6	25.05	98	7.2201	59.9536
2024	10	18	3	16	6	23.41	95.6	7.2201	56.3274
2024	10	18	3	26	6	24.44	98	7.2201	58.5032
2024	10	18	3	36	6	24.24	96.2	7.2201	58.2614
2024	10	18	3	46	6	23.99	95	7.214	57.7269
2024	10	18	3	56	6	24.39	97.1	7.2201	58.5032
2024	10	18	4	6	6	25.81	97.3	7.214	61.833
2024	10	18	4	16	6	23.9	97.5	7.214	57.2439
2024	10	18	4	26	6	24.25	96.4	7.214	58.21
2024	10	18	4	36	6	22.81	95.5	7.214	54.8285
2024	10	18	4	46	6	24.04	96.2	7.214	57.727
2024	10	18	4	56	6	24.94	96	7.214	59.9008
2024	10	18	5	6	6	24.2	97.4	7.214	57.9685
2024	10	18	5	16	6	24.58	94.7	7.214	59.1762
2024	10	18	5	26	6	22.97	94.5	7.214	55.3116
2024	10	18	5	36	6	23.37	96.9	7.2079	55.9867
2024	10	18	5	46	6	24.93	95.8	7.2079	59.8479
2024	10	18	5	56	6	24.25	96.4	7.2079	58.1586
2024	10	18	6	6	6	23.52	95.9	7.2079	56.4694
2024	10	18	6	16	6	22.95	96.5	7.2079	55.0215
2024	10	18	6	26	6	22.82	99.6	7.2079	54.2975
2024	10	18	6	36	6	24.93	97.8	7.2079	59.6066
2024	10	18	6	46	6	24.29	97.1	7.2079	58.1587
2024	10	18	6	56	6	23.8	97.5	7.2079	56.9521
2024	10	18	7	6	6	24.68	97	7.2079	59.124
2024	10	18	7	16	6	23.21	97.7	7.2079	55.5042
2024	10	18	7	26	6	24.17	94.5	7.2079	58.1587
2024	10	18	7	36	6	22.03	98.4	7.2079	52.6083
2024	10	18	7	46	6	25.85	98	7.2018	61.7239
2024	10	18	7	56	6	24.68	97	7.2018	59.0717

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	18	8	6	6	24.65	93.7	7.2018	59.3128
2024	10	18	8	16	6	23.79	97.2	7.2018	56.9017
2024	10	18	8	26	6	23.69	95.1	7.1957	56.8514
2024	10	18	8	36	6	24	95.3	7.1957	57.574
2024	10	18	8	46	6	24.72	95.6	7.2018	59.3128
2024	10	18	8	56	6	23.28	97.2	7.2018	55.6961
2024	10	18	9	6	6	25.07	96.6	7.1957	59.983
2024	10	18	9	16	6	24.02	95.7	7.1957	57.574
2024	10	18	9	26	6	23.84	98.2	7.1957	56.8513
2024	10	18	9	36	6	23.67	96.8	7.1957	56.6104
2024	10	18	9	46	6	23.05	98.5	7.1957	54.9241
2024	10	18	9	56	6	32767.01	0	7.1957	53.9605
2024	10	18	10	6	6	32767.01	0	7.1896	49.5804
2024	10	18	10	16	6	32767.01	0	7.1896	52.4686
2024	10	18	10	26	6	32767.01	0	7.1896	51.7465
2024	10	18	10	36	6	32767.01	0	7.1896	48.8583
2024	10	18	10	46	6	32767.01	0	7.1896	54.1532
2024	10	18	10	56	6	23.85	96.5	7.1896	57.0415
2024	10	18	11	6	6	24	97.4	7.1835	57.2313
2024	10	18	11	16	6	24.27	94.3	7.1835	58.1931
2024	10	18	11	26	6	24.08	96.9	7.1774	57.4207
2024	10	18	11	36	6	25.3	97.3	7.1774	60.3037
2024	10	18	11	46	6	24.74	96	7.1774	59.1024
2024	10	18	11	56	6	24.5	97.3	7.1774	58.3816
2024	10	18	12	6	6	24.52	95.6	7.1774	58.6219
2024	10	18	12	16	6	23.58	97.1	7.1713	56.1694
2024	10	18	12	26	6	24.13	95.9	7.1774	57.6609
2024	10	18	12	36	6	23.47	94.4	7.1713	56.1694
2024	10	18	12	46	6	23.84	96.3	7.1713	56.8895
2024	10	18	12	56	6	23.08	97.2	7.1713	54.9691
2024	10	18	13	6	6	24.91	99	7.1652	58.9973
2024	10	18	13	16	6	23.16	96.7	7.1652	55.1601
2024	10	18	13	26	6	24.3	97.3	7.1652	57.7982
2024	10	18	13	36	6	22.31	95.7	7.1652	53.2415
2024	10	18	13	46	6	24.16	96.7	7.1652	57.5584
2024	10	18	13	56	6	24	97.4	7.1652	57.0787
2024	10	18	14	6	6	23.09	95	7.1652	55.1601
2024	10	18	14	16	6	23.99	97.2	7.1652	57.0787
2024	10	18	14	26	6	25.3	97.3	7.1591	60.1429
2024	10	18	14	36	6	23.9	97.5	7.1591	56.7884
2024	10	18	14	46	6	24.47	98.5	7.1591	57.9864
2024	10	18	14	56	6	22.88	99.1	7.1591	54.1526
2024	10	18	15	6	6	23.84	96.3	7.1591	56.7884
2024	10	18	15	16	6	22.45	96.7	7.1591	53.4338
2024	10	18	15	26	6	23.72	92.4	7.1591	56.7884
2024	10	18	15	36	6	23.8	95.3	7.1591	56.7885
2024	10	18	15	46	6	24.64	97.9	7.153	58.4137
2024	10	18	15	56	6	23.93	96	7.1591	57.0282

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	18	16	6	6	23.38	98.9	7.153	55.3016
2024	10	18	16	16	6	24.56	94	7.153	58.6532
2024	10	18	16	26	6	23.91	95.5	7.153	56.9774
2024	10	18	16	36	6	22.86	96.8	7.153	54.3441
2024	10	18	16	46	6	24.35	99.7	7.147	57.4051
2024	10	18	16	56	6	22.94	98.3	7.147	54.2957
2024	10	18	17	6	6	24.46	96.6	7.147	58.1227
2024	10	18	17	16	6	23.43	96.1	7.147	55.7309
2024	10	18	17	26	6	22.83	98.1	7.147	54.0566
2024	10	18	17	36	6	22.7	97.6	7.147	53.8174
2024	10	18	17	46	6	24.21	95.5	7.147	57.6445
2024	10	18	17	56	6	23.96	96.7	7.1409	56.8761
2024	10	18	18	6	6	23.7	95.3	7.1409	56.3982
2024	10	18	18	16	6	23.63	96.1	7.1409	56.1593
2024	10	18	18	26	6	23.35	96.4	7.1409	55.4424
2024	10	18	18	36	6	23.27	96.9	7.1409	55.2034
2024	10	18	18	46	6	23.6	97.5	7.1409	55.9204
2024	10	18	18	56	6	22.66	96.8	7.1409	53.7696
2024	10	18	19	6	6	24.19	97.1	7.1409	57.3543
2024	10	18	19	16	6	23.7	97.5	7.1409	56.1594
2024	10	18	19	26	6	24.73	97.9	7.1409	58.5492
2024	10	18	19	36	6	23.91	95.5	7.1409	56.8764
2024	10	18	19	46	6	22.7	95.3	7.147	54.057
2024	10	18	19	56	6	24.09	95	7.147	57.4057
2024	10	18	20	6	6	23.15	96.4	7.147	55.0138
2024	10	18	20	16	6	22.83	96	7.153	54.3447
2024	10	18	20	26	6	23.95	93.6	7.147	57.1666
2024	10	18	20	36	6	25.17	96.6	7.147	59.7977
2024	10	18	20	46	6	23.08	99	7.153	54.5842
2024	10	18	20	56	6	25.94	96	7.153	61.7664
2024	10	18	21	6	6	22.74	96.3	7.153	54.1055
2024	10	18	21	16	6	23.2	95.4	7.1591	55.3518
2024	10	18	21	26	6	23.88	97	7.1652	56.8402
2024	10	18	21	36	6	24.27	94.5	7.1652	58.0394
2024	10	18	21	46	6	24.54	98	7.1774	58.3829
2024	10	18	21	56	6	23.04	96.2	7.1774	55.0193
2024	10	18	22	6	6	22.66	96.8	7.1835	54.1063
2024	10	18	22	16	6	23.15	96.4	7.1835	55.3087
2024	10	18	22	26	6	23.95	96.5	7.1835	57.2325
2024	10	18	22	36	6	23.69	97.3	7.1835	56.5112
2024	10	18	22	46	6	24.4	97.3	7.1896	58.2461
2024	10	18	22	56	6	22.98	97.2	7.1896	54.8766
2024	10	18	23	6	6	22.85	96.5	7.1896	54.6359
2024	10	18	23	16	6	22.69	95.1	7.1896	54.3952
2024	10	18	23	26	6	23.29	95.2	7.1896	55.8394
2024	10	18	23	36	6	23.04	96.2	7.1896	55.1173
2024	10	18	23	46	6	23.07	97	7.1896	55.1174
2024	10	18	23	56	6	23.51	95.6	7.1896	56.3208

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	19	0	6	6	22.95	96.5	7.1896	54.8767
2024	10	19	0	16	6	22.35	96.7	7.1957	53.48
2024	10	19	0	26	6	26	97.1	7.1957	62.1525
2024	10	19	0	36	6	24.19	97.1	7.1957	57.8163
2024	10	19	0	46	6	24.89	97.2	7.1957	59.5026
2024	10	19	0	56	6	25.37	98.4	7.1957	60.4662
2024	10	19	1	6	6	25.32	95.7	7.2018	60.7609
2024	10	19	1	16	6	24.25	96.4	7.2018	58.1087
2024	10	19	1	26	6	24.34	96.1	7.2018	58.3498
2024	10	19	1	36	6	24.95	96.2	7.2079	59.8494
2024	10	19	1	46	6	24.38	98.7	7.2079	58.1601
2024	10	19	1	56	6	23.17	98.7	7.2079	55.2642
2024	10	19	2	6	6	24.2	97.4	7.2079	57.9188
2024	10	19	2	16	6	24.89	94.8	7.214	59.9024
2024	10	19	2	26	6	25.05	98	7.214	59.9024
2024	10	19	2	36	6	23.9	95.3	7.2201	57.5378
2024	10	19	2	46	6	23.89	97.2	7.2201	57.296
2024	10	19	2	56	6	23.7	97.5	7.2201	56.8125
2024	10	19	3	6	6	23.28	97.2	7.2323	55.9441
2024	10	19	3	16	6	22.96	96.8	7.2323	55.2176
2024	10	19	3	26	6	23.44	96.4	7.2323	56.4285
2024	10	19	3	36	6	22.6	97.6	7.2323	54.2489
2024	10	19	3	46	6	24.2	97.4	7.2384	58.175
2024	10	19	3	56	6	24.47	96.8	7.2384	58.9022
2024	10	19	4	6	6	25.06	98.3	7.2384	60.1142
2024	10	19	4	16	6	23.94	96.2	7.2384	57.6902
2024	10	19	4	26	6	23.62	95.8	7.2384	56.963
2024	10	19	4	36	6	24.64	97.9	7.2384	59.1446
2024	10	19	4	46	6	23.42	95.9	7.2445	56.528
2024	10	19	4	56	6	24.22	95.7	7.2445	58.4689
2024	10	19	5	6	6	24.06	98.4	7.2445	57.7411
2024	10	19	5	16	6	22.84	96.3	7.2445	55.0723
2024	10	19	5	26	6	24.6	95.1	7.2445	59.4393
2024	10	19	5	36	6	24.04	96.2	7.2445	57.9837
2024	10	19	5	46	6	22.61	95.6	7.2445	54.5871
2024	10	19	5	56	6	23.43	98.1	7.2445	56.2854
2024	10	19	6	6	6	23.54	93.4	7.2445	57.0132
2024	10	19	6	16	6	24.86	96.5	7.2445	59.9246
2024	10	19	6	26	6	24.68	98.6	7.2445	59.1967
2024	10	19	6	36	6	22.91	97.8	7.2445	55.0724
2024	10	19	6	46	6	23.84	96.3	7.2445	57.4985
2024	10	19	6	56	6	24.29	97.1	7.2445	58.4689
2024	10	19	7	6	6	23.59	97.3	7.2445	56.7706
2024	10	19	7	16	6	23.57	96.8	7.2445	56.7707
2024	10	19	7	26	6	24.88	96.9	7.2445	59.9246
2024	10	19	7	36	6	24.09	97.2	7.2445	57.9837
2024	10	19	7	46	6	22.93	96	7.2445	55.315
2024	10	19	7	56	6	23.26	96.7	7.2445	56.0428

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	19	8	6	6	24.51	97.5	7.2445	58.9541
2024	10	19	8	16	6	24.4	97.3	7.2445	58.7115
2024	10	19	8	26	6	23.32	97.9	7.2445	56.0428
2024	10	19	8	36	6	24.81	95.3	7.2445	59.9245
2024	10	19	8	46	6	22.87	97	7.2445	55.0723
2024	10	19	8	56	6	23.08	94.7	7.2445	55.8001
2024	10	19	9	6	6	22.88	94.8	7.2445	55.3149
2024	10	19	9	16	6	23.19	97.4	7.2445	55.8001
2024	10	19	9	26	6	24.68	97	7.2445	59.4392
2024	10	19	9	36	6	23.62	95.8	7.2384	56.9629
2024	10	19	9	46	6	23.75	96.5	7.2445	57.2557
2024	10	19	9	56	6	23.89	97.2	7.2384	57.4477
2024	10	19	10	6	6	23.79	97.2	7.2384	57.2052
2024	10	19	10	16	6	25.32	95.7	7.2384	61.0835
2024	10	19	10	26	6	24.62	95.6	7.2323	59.3344
2024	10	19	10	36	6	23.77	96.8	7.2323	57.1548
2024	10	19	10	46	6	23.84	96.3	7.2323	57.3969
2024	10	19	10	56	6	24.75	98.1	7.2323	59.3343
2024	10	19	11	6	6	24.85	98.1	7.2262	59.524
2024	10	19	11	16	6	24.09	97.2	7.2262	57.8302
2024	10	19	11	26	6	23.88	97	7.2262	57.3462
2024	10	19	11	36	6	24.32	97.8	7.2323	58.3655
2024	10	19	11	46	6	25.01	95.3	7.2262	60.2497
2024	10	19	11	56	6	23.06	96.7	7.2262	55.4104
2024	10	19	12	6	6	25.58	98.5	7.2262	61.2176
2024	10	19	12	16	6	23.72	97.8	7.2201	56.812
2024	10	19	12	26	6	24.82	97.6	7.2201	59.4712
2024	10	19	12	36	6	23.03	96	7.2201	55.3614
2024	10	19	12	46	6	23.1	97.5	7.2201	55.3613
2024	10	19	12	56	6	23.91	95.5	7.2201	57.5371
2024	10	19	13	6	6	24.06	96.7	7.214	57.7278
2024	10	19	13	16	6	24.19	97.1	7.214	57.9693
2024	10	19	13	26	6	24.39	94.9	7.214	58.6939
2024	10	19	13	36	6	23.7	97.5	7.2079	56.7114
2024	10	19	13	46	6	24.87	96.7	7.214	59.6601
2024	10	19	13	56	6	22.28	97.2	7.2079	53.3329
2024	10	19	14	6	6	24.08	96.9	7.2079	57.6767
2024	10	19	14	16	6	23.59	97.3	7.2079	56.4701
2024	10	19	14	26	6	22.69	97.3	7.2079	54.2981
2024	10	19	14	36	6	23.9	99.1	7.2079	56.9527
2024	10	19	14	46	6	24.25	98.3	7.2079	57.918
2024	10	19	14	56	6	23.14	96.2	7.2079	55.5048
2024	10	19	15	6	6	24.79	97.2	7.2079	59.366
2024	10	19	15	16	6	22.91	97.8	7.2079	54.7808
2024	10	19	15	26	6	24.82	97.6	7.2079	59.366
2024	10	19	15	36	6	23.54	96.3	7.2018	56.4201
2024	10	19	15	46	6	23.1	95.5	7.2018	55.4557
2024	10	19	15	56	6	23.9	97.5	7.2018	57.1435

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	19	16	6	6	23	97.5	7.2018	54.9735
2024	10	19	16	16	6	24.88	96.9	7.2018	59.5546
2024	10	19	16	26	6	24.47	98.5	7.2018	58.3491
2024	10	19	16	36	6	22.84	98.3	7.2018	54.4913
2024	10	19	16	46	6	24.78	98.6	7.2018	59.0725
2024	10	19	16	56	6	23.71	95.6	7.2018	56.9025
2024	10	19	17	6	6	23.62	97.8	7.2018	56.4202
2024	10	19	17	16	6	23.42	97.9	7.2018	55.938
2024	10	19	17	26	6	25.42	97.5	7.2018	60.7603
2024	10	19	17	36	6	23.96	96.7	7.2018	57.3847
2024	10	19	17	46	6	24.37	96.8	7.2018	58.3492
2024	10	19	17	56	6	23.47	94.4	7.2018	56.4203
2024	10	19	18	6	6	23.41	95.6	7.2018	56.1792
2024	10	19	18	16	6	24.14	96.2	7.2018	57.867
2024	10	19	18	26	6	24.3	95.2	7.2018	58.3492
2024	10	19	18	36	6	24.04	98.1	7.2018	57.3848
2024	10	19	18	46	6	24.37	98.5	7.1957	58.0567
2024	10	19	18	56	6	23.96	96.7	7.2018	57.3848
2024	10	19	19	6	6	23.91	95.5	7.2018	57.3848
2024	10	19	19	16	6	23.1	97.5	7.2018	55.2148
2024	10	19	19	26	6	23.05	96.5	7.2018	55.2149
2024	10	19	19	36	6	21.64	93.4	7.2018	52.0804
2024	10	19	19	46	6	22.67	94.6	7.2018	54.4916
2024	10	19	19	56	6	24.68	97	7.2018	59.0727
2024	10	19	20	6	6	23.84	99.7	7.2018	56.6616
2024	10	19	20	16	6	23.77	96.8	7.2018	56.9028
2024	10	19	20	26	6	24.78	97	7.1957	59.2614
2024	10	19	20	36	6	24.1	97.4	7.1957	57.5751
2024	10	19	20	46	6	22.57	98.9	7.2018	53.7684
2024	10	19	20	56	6	23.52	97.8	7.1957	56.1298
2024	10	19	21	6	6	23.99	97.2	7.1957	57.3343
2024	10	19	21	16	6	23.93	97.9	7.1957	57.0934
2024	10	19	21	26	6	22.72	95.8	7.1957	54.4435
2024	10	19	21	36	6	23.92	95.8	7.1957	57.3344
2024	10	19	21	46	6	23	95.2	7.1957	55.1663
2024	10	19	21	56	6	24.03	96	7.1957	57.5753
2024	10	19	22	6	6	23.44	96.4	7.1957	56.1299
2024	10	19	22	16	6	24.19	97.1	7.1957	57.8163
2024	10	19	22	26	6	23.29	95.2	7.1957	55.8891
2024	10	19	22	36	6	23.49	97.3	7.1957	56.13
2024	10	19	22	46	6	23.17	98.7	7.1957	55.1664
2024	10	19	22	56	6	23.02	98	7.1957	54.9255
2024	10	19	23	6	6	24.42	97.8	7.1896	58.2465
2024	10	19	23	16	6	24.19	97.1	7.1896	57.7652
2024	10	19	23	26	6	24.99	97.1	7.1896	59.6907
2024	10	19	23	36	6	24.34	96.1	7.1896	58.2466
2024	10	19	23	46	6	22.41	95.6	7.1896	53.6735
2024	10	19	23	56	6	23.78	97	7.1896	56.8025

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	20	0	6	6	23.15	96.4	7.1896	55.3584
2024	10	20	0	16	6	23.21	95.7	7.1896	55.5991
2024	10	20	0	26	6	22.65	96.6	7.1896	54.1549
2024	10	20	0	36	6	23.1	95.5	7.1896	55.3584
2024	10	20	0	46	6	23.48	97.1	7.1896	56.0805
2024	10	20	0	56	6	23.13	99.7	7.1835	54.8284
2024	10	20	1	6	6	24.2	97.4	7.1896	57.7653
2024	10	20	1	16	6	24.4	99	7.1835	57.9546
2024	10	20	1	26	6	23.81	95.5	7.1896	57.0433
2024	10	20	1	36	6	24.04	98.1	7.1896	57.284
2024	10	20	1	46	6	22.87	97	7.1835	54.5879
2024	10	20	1	56	6	22.32	95.9	7.1835	53.3856
2024	10	20	2	6	6	24.06	98.4	7.1835	57.2332
2024	10	20	2	16	6	23.69	97.3	7.1835	56.5118
2024	10	20	2	26	6	24.72	97.7	7.1835	58.9165
2024	10	20	2	36	6	23.35	98.4	7.1835	55.5499
2024	10	20	2	46	6	23.38	98.9	7.1835	55.5499
2024	10	20	2	56	6	24.2	99	7.1835	57.4737
2024	10	20	3	6	6	23.33	99.6	7.1835	55.3094
2024	10	20	3	16	6	22.85	96.5	7.1835	54.588
2024	10	20	3	26	6	23.15	96.4	7.1835	55.3094
2024	10	20	3	36	6	22.38	97.2	7.1835	53.3856
2024	10	20	3	46	6	24.6	97.2	7.1835	58.676
2024	10	20	3	56	6	23.46	96.6	7.1835	56.0308
2024	10	20	4	6	6	22.76	96.8	7.1835	54.3475
2024	10	20	4	16	6	22.64	98.4	7.1835	53.8665
2024	10	20	4	26	6	23.62	95.8	7.1835	56.5117
2024	10	20	4	36	6	24.2	97.4	7.1835	57.7141
2024	10	20	4	46	6	23	97.5	7.1835	54.8284
2024	10	20	4	56	6	22.66	94.3	7.1835	54.3475
2024	10	20	5	6	6	24.5	98.9	7.1774	58.1434
2024	10	20	5	16	6	24.19	97.1	7.1774	57.6629
2024	10	20	5	26	6	22.8	97.6	7.1835	54.3475
2024	10	20	5	36	6	23.48	97.1	7.1774	55.9811
2024	10	20	5	46	6	24.27	96.9	7.1835	57.9546
2024	10	20	5	56	6	23.28	97.2	7.1835	55.5498
2024	10	20	6	6	6	23.49	94.9	7.1774	56.2213
2024	10	20	6	16	6	23.11	97.7	7.1774	55.02
2024	10	20	6	26	6	25.07	96.6	7.1835	59.8784
2024	10	20	6	36	6	23.67	96.8	7.1774	56.4616
2024	10	20	6	46	6	23.83	96	7.1774	56.9421
2024	10	20	6	56	6	23.59	97.3	7.1774	56.2213
2024	10	20	7	6	6	22.5	97.7	7.1774	53.5784
2024	10	20	7	16	6	24.11	97.6	7.1774	57.4226
2024	10	20	7	26	6	24.33	95.9	7.1774	58.1434
2024	10	20	7	36	6	23.16	96.7	7.1774	55.2603
2024	10	20	7	46	6	22.99	95	7.1774	55.02
2024	10	20	7	56	6	22.97	98.8	7.1774	54.5395

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	20	8	6	6	24.61	97.5	7.1774	58.6239
2024	10	20	8	16	6	24.2	97.4	7.1774	57.6629
2024	10	20	8	26	6	23.42	95.9	7.1774	55.981
2024	10	20	8	36	6	23	97.5	7.1774	54.7797
2024	10	20	8	46	6	23.92	95.8	7.1774	57.1823
2024	10	20	8	56	6	25.09	98.7	7.1835	59.6378
2024	10	20	9	6	6	26.44	99.1	7.1835	62.7639
2024	10	20	9	16	6	23.89	97.2	7.1835	56.9925
2024	10	20	9	26	6	23.82	97.7	7.1835	56.752
2024	10	20	9	36	6	23.49	95.1	7.1835	56.271
2024	10	20	9	46	6	22.65	96.6	7.1835	54.1067
2024	10	20	9	56	6	22.61	95.6	7.1835	54.1066
2024	10	20	10	6	6	23.6	97.5	7.1835	56.2708
2024	10	20	10	16	6	25.09	94.8	7.1835	60.1184
2024	10	20	10	26	6	23.39	95.2	7.1835	56.0303
2024	10	20	10	36	6	23.89	95	7.1835	57.2326
2024	10	20	10	46	6	22.7	99.4	7.1835	53.8659
2024	10	20	10	56	6	24.24	96.2	7.1896	58.0054
2024	10	20	11	6	6	23	99.3	7.1835	54.5873
2024	10	20	11	16	6	24.55	98.2	7.1896	58.4867
2024	10	20	11	26	6	23.79	97.2	7.1835	56.7515
2024	10	20	11	36	6	23.49	99.1	7.1835	55.7895
2024	10	20	11	46	6	23.56	98.5	7.1835	56.03
2024	10	20	11	56	6	23.15	98.4	7.1835	55.0681
2024	10	20	12	6	6	22.92	98	7.1835	54.5871
2024	10	20	12	16	6	22.66	96.8	7.1835	54.1061
2024	10	20	12	26	6	23.44	96.4	7.1835	56.0298
2024	10	20	12	36	6	24.15	98.3	7.1835	57.4726
2024	10	20	12	46	6	24.05	96.4	7.1835	57.4726
2024	10	20	12	56	6	22.84	98.3	7.1835	54.3464
2024	10	20	13	6	6	23.68	98.7	7.1835	56.2702
2024	10	20	13	16	6	23.52	95.9	7.1774	56.2202
2024	10	20	13	26	6	22.87	94.5	7.1835	54.8273
2024	10	20	13	36	6	22.91	97.8	7.1774	54.5384
2024	10	20	13	46	6	22.71	97.8	7.1774	54.0578
2024	10	20	13	56	6	23.52	95.9	7.1774	56.2201
2024	10	20	14	6	6	23.56	96.6	7.1713	56.1702
2024	10	20	14	16	6	22.67	97.1	7.1774	54.0578
2024	10	20	14	26	6	24.5	95.2	7.1713	58.5706
2024	10	20	14	36	6	23.64	96.3	7.1713	56.4102
2024	10	20	14	46	6	22.42	97.9	7.1774	53.337
2024	10	20	14	56	6	24.07	98.6	7.1713	57.1303
2024	10	20	15	6	6	24.48	97	7.1713	58.3306
2024	10	20	15	16	6	23.74	96.3	7.1713	56.6503
2024	10	20	15	26	6	23.2	95.4	7.1713	55.45
2024	10	20	15	36	6	24.11	97.6	7.1713	57.3704
2024	10	20	15	46	6	22.71	97.8	7.1652	53.9618
2024	10	20	15	56	6	23.47	96.9	7.1713	55.9302

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	20	16	6	6	23.64	96.3	7.1713	56.4103
2024	10	20	16	16	6	23.23	96.2	7.1713	55.4501
2024	10	20	16	26	6	23.41	99.3	7.1652	55.4008
2024	10	20	16	36	6	22.71	95.6	7.1713	54.2499
2024	10	20	16	46	6	22.32	95.9	7.1652	53.2424
2024	10	20	16	56	6	23.36	98.6	7.1713	55.4501
2024	10	20	17	6	6	23.28	98.9	7.1652	55.161
2024	10	20	17	16	6	23.25	96.4	7.1774	55.4995
2024	10	20	17	26	6	23.25	98.4	7.1774	55.2592
2024	10	20	17	36	6	23.06	96.7	7.1774	55.019
2024	10	20	17	46	6	23.23	96.2	7.1774	55.4995
2024	10	20	17	56	6	24.79	97.2	7.1774	59.1034
2024	10	20	18	6	6	24.19	97.1	7.1774	57.6618
2024	10	20	18	16	6	24.19	97.1	7.1774	57.6618
2024	10	20	18	26	6	23.08	97.2	7.1774	55.019
2024	10	20	18	36	6	24.37	96.8	7.1774	58.1424
2024	10	20	18	46	6	22.76	94.3	7.1835	54.587
2024	10	20	18	56	6	22.95	96.5	7.1835	54.8275
2024	10	20	19	6	6	23.07	98.7	7.1835	54.8275
2024	10	20	19	16	6	23.9	99.1	7.1835	56.7513
2024	10	20	19	26	6	21.24	93.5	7.1835	50.98
2024	10	20	19	36	6	23.98	96.9	7.1835	57.2323
2024	10	20	19	46	6	24.62	97.7	7.1835	58.6752
2024	10	20	19	56	6	22.91	97.8	7.1835	54.5872
2024	10	20	20	6	6	23.43	96.1	7.1835	56.03
2024	10	20	20	16	6	22.87	98.8	7.1835	54.3467
2024	10	20	20	26	6	23.53	96.1	7.1835	56.2706
2024	10	20	20	36	6	22.85	96.5	7.1835	54.5873
2024	10	20	20	46	6	22.89	95	7.1835	54.8278
2024	10	20	20	56	6	22.77	97.1	7.1835	54.3469
2024	10	20	21	6	6	23.74	96.3	7.1835	56.7516
2024	10	20	21	16	6	22.51	97.9	7.1835	53.6255
2024	10	20	21	26	6	23.44	96.4	7.1835	56.0303
2024	10	20	21	36	6	23.41	97.6	7.1835	55.7898
2024	10	20	21	46	6	23.62	95.8	7.1835	56.5113
2024	10	20	21	56	6	23.43	96.1	7.1835	56.0304
2024	10	20	22	6	6	23.42	97.9	7.1835	55.7899
2024	10	20	22	16	6	23.54	96.3	7.1835	56.2709
2024	10	20	22	26	6	23.38	97.1	7.1835	55.79
2024	10	20	22	36	6	22.57	97.1	7.1835	53.8662
2024	10	20	22	46	6	23.87	98.7	7.1835	56.752
2024	10	20	22	56	6	23.18	98.9	7.1835	55.0687
2024	10	20	23	6	6	23.2	95.2	7.1835	55.5496
2024	10	20	23	16	6	22.33	96.2	7.1835	53.3854
2024	10	20	23	26	6	23.71	95.6	7.1835	56.7521
2024	10	20	23	36	6	23.83	96	7.1835	56.9926
2024	10	20	23	46	6	22.22	95.9	7.1835	53.145
2024	10	20	23	56	6	23.35	98.4	7.1835	55.5498

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	21	0	6	6	22.26	97	7.1835	53.1451
2024	10	21	0	16	6	23.26	96.7	7.1835	55.5498
2024	10	21	0	26	6	24.03	96	7.1835	57.4737
2024	10	21	0	36	6	23.6	97.5	7.1835	56.2713
2024	10	21	0	46	6	23.63	96.1	7.1835	56.5118
2024	10	21	0	56	6	23.05	96.5	7.1835	55.069
2024	10	21	1	6	6	24.33	95.9	7.1835	58.1952
2024	10	21	1	16	6	23.17	96.9	7.1835	55.3095
2024	10	21	1	26	6	23.29	95.2	7.1835	55.7905
2024	10	21	1	36	6	24.13	95.9	7.1835	57.7143
2024	10	21	1	46	6	21.97	94.4	7.1835	52.6643
2024	10	21	1	56	6	23.24	98.2	7.1835	55.3095
2024	10	21	2	6	6	23.32	97.9	7.1835	55.55
2024	10	21	2	16	6	24.66	96.5	7.1835	58.9167
2024	10	21	2	26	6	23.18	97.2	7.1896	55.3587
2024	10	21	2	36	6	24.05	96.4	7.1896	57.5249
2024	10	21	2	46	6	23.66	98.5	7.1896	56.3214
2024	10	21	2	56	6	23.02	99.5	7.1835	54.5882
2024	10	21	3	6	6	24.99	97.1	7.1835	59.6382
2024	10	21	3	16	6	23.41	97.6	7.1835	55.7906
2024	10	21	3	26	6	23.49	97.3	7.1896	56.0808
2024	10	21	3	36	6	22.82	95.8	7.1896	54.6366
2024	10	21	3	46	6	24.68	98.6	7.1896	58.7284
2024	10	21	3	56	6	23.66	98.5	7.1896	56.3215
2024	10	21	4	6	6	23.56	96.6	7.1896	56.3215
2024	10	21	4	16	6	23.29	97.4	7.1896	55.5994
2024	10	21	4	26	6	23.63	96.1	7.1896	56.5622
2024	10	21	4	36	6	23.05	93.7	7.1896	55.3587
2024	10	21	4	46	6	24.42	95.6	7.1896	58.4877
2024	10	21	4	56	6	24.64	96.1	7.1896	58.9691
2024	10	21	5	6	6	24.57	96.8	7.1896	58.7284
2024	10	21	5	16	6	23.14	98.2	7.1896	55.118
2024	10	21	5	26	6	23.31	95.7	7.1896	55.8401
2024	10	21	5	36	6	23.39	95.2	7.1896	56.0808
2024	10	21	5	46	6	23.03	99.7	7.1896	54.6366
2024	10	21	5	56	6	24.42	95.6	7.1896	58.4877
2024	10	21	6	6	6	23.66	98.5	7.1896	56.3215
2024	10	21	6	16	6	23.84	98.2	7.1896	56.8029
2024	10	21	6	26	6	24.29	95	7.1896	58.247
2024	10	21	6	36	6	22.64	98.4	7.1957	53.9624
2024	10	21	6	46	6	23.84	96.3	7.1957	57.0941
2024	10	21	6	56	6	24.75	96.3	7.1957	59.2622
2024	10	21	7	6	6	24.12	99.3	7.1957	57.335
2024	10	21	7	16	6	23.83	96	7.1957	57.0941
2024	10	21	7	26	6	23.67	96.8	7.1957	56.6123
2024	10	21	7	36	6	23.16	96.7	7.1957	55.4078
2024	10	21	7	46	6	22.79	97.3	7.1957	54.4442
2024	10	21	7	56	6	23.92	99.4	7.1957	56.8532

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	21	8	6	6	23.63	96.1	7.1957	56.6123
2024	10	21	8	16	6	23.26	96.7	7.1957	55.6487
2024	10	21	8	26	6	24.05	96.4	7.2018	57.6269
2024	10	21	8	36	6	22.85	96.5	7.2018	54.7335
2024	10	21	8	46	6	24.03	96	7.2018	57.6268
2024	10	21	8	56	6	24.81	99	7.2018	59.0735
2024	10	21	9	6	6	22.56	94.3	7.2018	54.2511
2024	10	21	9	16	6	24.04	96.2	7.2018	57.6267
2024	10	21	9	26	6	23.39	97.4	7.2079	55.9884
2024	10	21	9	36	6	25.26	98.2	7.2079	60.3323
2024	10	21	9	46	6	23.2	95.2	7.2079	55.747
2024	10	21	9	56	6	23.33	98.1	7.2079	55.7469
2024	10	21	10	6	6	23.26	96.7	7.2079	55.7469
2024	10	21	10	16	6	23.75	96.5	7.2079	56.9535
2024	10	21	10	26	6	24.66	96.5	7.2079	59.1254
2024	10	21	10	36	6	24.85	98.1	7.2079	59.3667
2024	10	21	10	46	6	23.31	95.7	7.2079	55.9881
2024	10	21	10	56	6	24.23	95.9	7.2079	58.16
2024	10	21	11	6	6	24.38	100.2	7.2079	57.9186
2024	10	21	11	16	6	24.3	99	7.2079	57.9185
2024	10	21	11	26	6	22.55	96.6	7.2079	54.0573
2024	10	21	11	36	6	23.2	95.2	7.2079	55.7465
2024	10	21	11	46	6	24.04	98.1	7.2079	57.4358
2024	10	21	11	56	6	23.44	96.4	7.214	56.2789
2024	10	21	12	6	6	23.75	93.9	7.2079	57.1944
2024	10	21	12	16	6	23.69	97.3	7.2079	56.7117
2024	10	21	12	26	6	23.14	98.2	7.2079	55.2637
2024	10	21	12	36	6	23.38	100.3	7.2079	55.505
2024	10	21	12	46	6	24	99.1	7.2079	57.1943
2024	10	21	12	56	6	23.49	97.3	7.214	56.2787
2024	10	21	13	6	6	23.54	96.3	7.2079	56.4702
2024	10	21	13	16	6	24.24	98.1	7.214	57.9694
2024	10	21	13	26	6	22.66	96.8	7.214	54.3463
2024	10	21	13	36	6	23.63	98	7.2079	56.4702
2024	10	21	13	46	6	23.3	99.1	7.2079	55.5048
2024	10	21	13	56	6	22.63	98.1	7.2079	54.0569
2024	10	21	14	6	6	23	97.5	7.2079	55.0222
2024	10	21	14	16	6	24.09	95	7.2079	57.9181
2024	10	21	14	26	6	23.53	98.1	7.2079	56.2288
2024	10	21	14	36	6	23.15	96.4	7.2079	55.5048
2024	10	21	14	46	6	23.17	96.9	7.2079	55.5048
2024	10	21	14	56	6	24.03	96	7.2079	57.6767
2024	10	21	15	6	6	23.76	98.5	7.2079	56.7114
2024	10	21	15	16	6	23.26	98.7	7.2079	55.5048
2024	10	21	15	26	6	22.32	98	7.2079	53.3329
2024	10	21	15	36	6	23.49	99.1	7.2079	55.9875
2024	10	21	15	46	6	23.74	98.2	7.2079	56.7114
2024	10	21	15	56	6	24.73	97.9	7.2079	59.1247

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	21	16	6	6	24.65	96.3	7.2079	59.1247
2024	10	21	16	16	6	24.03	96	7.2079	57.6768
2024	10	21	16	26	6	24.06	96.7	7.2079	57.6768
2024	10	21	16	36	6	23.36	98.6	7.2079	55.7462
2024	10	21	16	46	6	23.96	98.4	7.2079	57.1942
2024	10	21	16	56	6	23.3	95.4	7.2079	55.9876
2024	10	21	17	6	6	24.03	97.9	7.2079	57.4355
2024	10	21	17	16	6	23.76	98.5	7.2079	56.7116
2024	10	21	17	26	6	23.49	97.3	7.2079	56.2289
2024	10	21	17	36	6	23.79	100.4	7.2079	56.4703
2024	10	21	17	46	6	22.51	95.6	7.2079	54.057
2024	10	21	17	56	6	24.71	97.4	7.2079	59.1249
2024	10	21	18	6	6	23.64	96.3	7.2079	56.7116
2024	10	21	18	16	6	23.41	99.3	7.2079	55.7463
2024	10	21	18	26	6	23.99	97.2	7.2079	57.4356
2024	10	21	18	36	6	22.88	97.3	7.2079	54.7811
2024	10	21	18	46	6	24.36	99.9	7.2079	57.9184
2024	10	21	18	56	6	24.06	98.4	7.2079	57.4357
2024	10	21	19	6	6	23.79	97.2	7.2079	56.9531
2024	10	21	19	16	6	23.84	96.3	7.2079	57.1945
2024	10	21	19	26	6	23.64	99.7	7.2079	56.2292
2024	10	21	19	36	6	23.59	97.3	7.2079	56.4705
2024	10	21	19	46	6	21.94	96.5	7.2079	52.6093
2024	10	21	19	56	6	23.65	96.6	7.2079	56.7119
2024	10	21	20	6	6	23.11	97.7	7.2079	55.264
2024	10	21	20	16	6	23.84	96.3	7.2079	57.1946
2024	10	21	20	26	6	22.94	96.3	7.2079	55.0227
2024	10	21	20	36	6	24.79	98.8	7.2079	59.1253
2024	10	21	20	46	6	23.95	96.5	7.2079	57.4361
2024	10	21	20	56	6	23.86	96.7	7.2079	57.1948
2024	10	21	21	6	6	24.28	98.8	7.2079	57.9188
2024	10	21	21	16	6	22.87	97	7.2079	54.7816
2024	10	21	21	26	6	22.51	95.6	7.214	54.1054
2024	10	21	21	36	6	22.35	93.8	7.214	53.8639
2024	10	21	21	46	6	23.73	96	7.2201	57.0544
2024	10	21	21	56	6	22.56	96.9	7.2262	54.2012
2024	10	21	22	6	6	24.47	98.5	7.2262	58.5567
2024	10	21	22	16	6	24.81	95.3	7.2262	59.7665
2024	10	21	22	26	6	23.66	98.5	7.2262	56.621
2024	10	21	22	36	6	23.16	94.2	7.2262	55.8951
2024	10	21	22	46	6	22.95	96.5	7.2262	55.1692
2024	10	21	22	56	6	24.25	96.4	7.2262	58.3148
2024	10	21	23	6	6	24.13	97.9	7.2262	57.8309
2024	10	21	23	16	6	22.94	98.3	7.2262	54.9273
2024	10	21	23	26	6	23.32	97.9	7.2262	55.8952
2024	10	21	23	36	6	23.48	97.1	7.2262	56.3792
2024	10	21	23	46	6	22.55	96.6	7.2262	54.2015
2024	10	21	23	56	6	23.43	98.1	7.2262	56.1373

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	22	0	6	6	24.27	96.9	7.2262	58.3151
2024	10	22	0	16	6	22.93	96	7.2262	55.1695
2024	10	22	0	26	6	23.54	96.3	7.2262	56.6213
2024	10	22	0	36	6	22.77	98.8	7.2262	54.4436
2024	10	22	0	46	6	24.23	97.8	7.2262	58.0732
2024	10	22	0	56	6	23.46	96.6	7.2262	56.3794
2024	10	22	1	6	6	23.17	96.9	7.2262	55.6535
2024	10	22	1	16	6	23.56	98.5	7.2262	56.3794
2024	10	22	1	26	6	23.35	98.4	7.2262	55.8955
2024	10	22	1	36	6	23.29	94.9	7.2262	56.1375
2024	10	22	1	46	6	23.5	95.4	7.2262	56.6214
2024	10	22	1	56	6	23.58	97.1	7.2262	56.6215
2024	10	22	2	6	6	23.43	98.1	7.2201	56.088
2024	10	22	2	16	6	24.29	95	7.2262	58.5573
2024	10	22	2	26	6	23.02	98	7.2201	55.121
2024	10	22	2	36	6	22.35	96.7	7.2262	53.7178
2024	10	22	2	46	6	21.9	95.5	7.2262	52.75
2024	10	22	2	56	6	24.11	97.6	7.2201	57.7803
2024	10	22	3	6	6	22.75	96.6	7.2201	54.6375
2024	10	22	3	16	6	23.15	98.4	7.2201	55.3628
2024	10	22	3	26	6	24.85	96.2	7.2201	59.7144
2024	10	22	3	36	6	23.98	96.9	7.2201	57.5386
2024	10	22	3	46	6	22.64	96.3	7.2201	54.3957
2024	10	22	3	56	6	23.02	92.5	7.2201	55.6045
2024	10	22	4	6	6	23.49	97.3	7.2201	56.3298
2024	10	22	4	16	6	24.14	98.1	7.2201	57.7804
2024	10	22	4	26	6	23.43	96.1	7.2201	56.3298
2024	10	22	4	36	6	23.46	98.6	7.2201	56.088
2024	10	22	4	46	6	23.83	96	7.2201	57.2968
2024	10	22	4	56	6	23.63	96.1	7.2201	56.8133
2024	10	22	5	6	6	24	95.3	7.2201	57.7804
2024	10	22	5	16	6	23.78	97	7.2201	57.0551
2024	10	22	5	26	6	24.03	97.9	7.214	57.4878
2024	10	22	5	36	6	24.02	95.7	7.214	57.7293
2024	10	22	5	46	6	23.36	98.6	7.214	55.797
2024	10	22	5	56	6	23.81	99.2	7.214	56.7632
2024	10	22	6	6	6	22.98	97.2	7.214	55.0723
2024	10	22	6	16	6	22.44	98.5	7.2079	53.5757
2024	10	22	6	26	6	23.76	94.1	7.2079	57.1956
2024	10	22	6	36	6	23.56	98.5	7.2018	56.1806
2024	10	22	6	46	6	22.15	96.7	7.2018	53.046
2024	10	22	6	56	6	22.7	97.6	7.2018	54.2516
2024	10	22	7	6	6	24.05	96.4	7.1957	57.5763
2024	10	22	7	16	6	22.62	95.8	7.1957	54.2036
2024	10	22	7	26	6	23.83	96	7.1957	57.0944
2024	10	22	7	36	6	23	97.5	7.1957	54.9263
2024	10	22	7	46	6	24.09	97.2	7.1896	57.5252
2024	10	22	7	56	6	22.68	94.8	7.1896	54.3962

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	22	8	6	6	23.53	96.1	7.1896	56.3218
2024	10	22	8	16	6	23.93	96	7.1896	57.2845
2024	10	22	8	26	6	24.31	99.2	7.1896	57.7659
2024	10	22	8	36	6	23.73	96	7.1896	56.8031
2024	10	22	8	46	6	24.53	95.9	7.1896	58.7286
2024	10	22	8	56	6	23.92	95.8	7.1896	57.2844
2024	10	22	9	6	6	23.41	97.6	7.1896	55.8402
2024	10	22	9	16	6	24.93	97.8	7.1896	59.4505
2024	10	22	9	26	6	24.33	95.9	7.1896	58.247
2024	10	22	9	36	6	24.27	98.5	7.1896	57.7656
2024	10	22	9	46	6	22.64	99.9	7.1896	53.6738
2024	10	22	9	56	6	23.89	98.9	7.1896	56.8027
2024	10	22	10	6	6	23.54	96.3	7.1896	56.3213
2024	10	22	10	16	6	24.3	99	7.1896	57.7654
2024	10	22	10	26	6	21.97	97.1	7.1896	52.4702
2024	10	22	10	36	6	23.64	96.3	7.1896	56.5619
2024	10	22	10	46	6	24.55	98.2	7.1896	58.4873
2024	10	22	10	56	6	23.73	96	7.1896	56.8025
2024	10	22	11	6	6	22.39	95.1	7.1896	53.6735
2024	10	22	11	16	6	23.56	98.5	7.1896	56.0803
2024	10	22	11	26	6	23.75	96.5	7.1896	56.8023
2024	10	22	11	36	6	23.87	98.7	7.1896	56.8023
2024	10	22	11	46	6	24.03	96	7.1896	57.5243
2024	10	22	11	56	6	23.97	98.6	7.1896	57.0429
2024	10	22	12	6	6	24	99.1	7.1835	56.9923
2024	10	22	12	16	6	24.09	97.2	7.1835	57.4732
2024	10	22	12	26	6	23.53	99.5	7.1896	55.8394
2024	10	22	12	36	6	23.33	98.1	7.1896	55.5986
2024	10	22	12	46	6	23.44	96.4	7.1896	56.08
2024	10	22	12	56	6	23.22	97.9	7.1896	55.3579
2024	10	22	13	6	6	23.95	96.5	7.1835	57.2326
2024	10	22	13	16	6	23.49	97.3	7.1835	56.0302
2024	10	22	13	26	6	23.99	97.2	7.1835	57.2325
2024	10	22	13	36	6	22.44	96.4	7.1835	53.6254
2024	10	22	13	46	6	23.05	96.5	7.1835	55.0682
2024	10	22	13	56	6	23.86	98.4	7.1835	56.7515
2024	10	22	14	6	6	23.96	98.4	7.1774	56.9414
2024	10	22	14	16	6	22.44	96.4	7.1774	53.5777
2024	10	22	14	26	6	23.31	97.6	7.1774	55.4998
2024	10	22	14	36	6	23.11	97.7	7.1774	55.0193
2024	10	22	14	46	6	23.26	98.7	7.1774	55.2595
2024	10	22	14	56	6	23.6	97.5	7.1774	56.2206
2024	10	22	15	6	6	23.03	96	7.1652	54.9215
2024	10	22	15	16	6	22.17	97	7.1652	52.763
2024	10	22	15	26	6	22.3	97.7	7.1652	53.0029
2024	10	22	15	36	6	22.09	97.5	7.1591	52.4765
2024	10	22	15	46	6	22.39	95.1	7.1652	53.4825
2024	10	22	15	56	6	22.48	97.2	7.1591	53.4349

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	22	16	6	6	22.67	94.6	7.1591	54.1538
2024	10	22	16	16	6	22.9	97.5	7.1591	54.3934
2024	10	22	16	26	6	23.96	96.7	7.1591	57.0293
2024	10	22	16	36	6	23.41	99.3	7.153	55.3027
2024	10	22	16	46	6	23.62	95.8	7.153	56.2603
2024	10	22	16	56	6	22.84	99.8	7.153	53.8662
2024	10	22	17	6	6	24.38	98.7	7.147	57.6453
2024	10	22	17	16	6	23.25	96.4	7.153	55.3027
2024	10	22	17	26	6	23.41	95.6	7.153	55.7815
2024	10	22	17	36	6	22.91	95.5	7.153	54.5845
2024	10	22	17	46	6	23.55	98.3	7.153	55.7815
2024	10	22	17	56	6	23.51	97.6	7.153	55.7815
2024	10	22	18	6	6	22.7	97.6	7.147	53.8183
2024	10	22	18	16	6	23.29	97.4	7.147	55.2534
2024	10	22	18	26	6	22.41	95.6	7.147	53.3399
2024	10	22	18	36	6	23.68	97	7.1409	56.1601
2024	10	22	18	46	6	22.5	97.7	7.147	53.34
2024	10	22	18	56	6	23.89	97.2	7.147	56.6887
2024	10	22	19	6	6	21.89	97.6	7.1409	51.8585
2024	10	22	19	16	6	22.65	96.6	7.147	53.8184
2024	10	22	19	26	6	23.55	98.3	7.147	55.732
2024	10	22	19	36	6	22.22	98	7.147	52.6225
2024	10	22	19	46	6	23.07	98.7	7.147	54.5361
2024	10	22	19	56	6	24.27	96.9	7.1591	57.7485
2024	10	22	20	6	6	23.59	97.3	7.1409	55.9214
2024	10	22	20	16	6	23.1	97.5	7.147	54.7754
2024	10	22	20	26	6	23.49	94.9	7.147	55.9714
2024	10	22	20	36	6	22.77	97.1	7.147	54.0578
2024	10	22	20	46	6	22.91	95.5	7.147	54.5363
2024	10	22	20	56	6	22.95	96.5	7.147	54.5363
2024	10	22	21	6	6	23.68	94.6	7.1591	56.5506
2024	10	22	21	16	6	22.61	95.6	7.153	53.8668
2024	10	22	21	26	6	23.46	96.6	7.153	55.7821
2024	10	22	21	36	6	23.49	97.3	7.1591	55.8319
2024	10	22	21	46	6	24.06	98.4	7.153	56.9792
2024	10	22	21	56	6	23.18	97.2	7.1591	55.113
2024	10	22	22	6	6	22.76	98.6	7.1591	53.915
2024	10	22	22	16	6	22.3	95.4	7.1591	53.1961
2024	10	22	22	26	6	23.18	98.9	7.1591	54.8735
2024	10	22	22	36	6	22.45	96.7	7.1591	53.4358
2024	10	22	22	46	6	24.85	98.1	7.1591	58.9472
2024	10	22	22	56	6	23.15	96.4	7.1591	55.1132
2024	10	22	23	6	6	23.54	96.3	7.1591	56.0718
2024	10	22	23	16	6	23.62	97.8	7.1591	56.0718
2024	10	22	23	26	6	23.74	99.7	7.1591	56.0718
2024	10	22	23	36	6	23.36	98.6	7.1591	55.353
2024	10	22	23	46	6	22.75	96.6	7.1591	54.1549
2024	10	22	23	56	6	22.05	96.8	7.1591	52.4776

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	23	0	6	6	23.02	99.5	7.1591	54.3946
2024	10	23	0	16	6	23.39	97.4	7.1591	55.5927
2024	10	23	0	26	6	22.76	96.8	7.1591	54.155
2024	10	23	0	36	6	22.94	98.3	7.1591	54.3946
2024	10	23	0	46	6	22.81	100.9	7.1591	53.6758
2024	10	23	0	56	6	23.65	98.3	7.1591	56.072
2024	10	23	1	6	6	22.53	98.2	7.1591	53.4362
2024	10	23	1	16	6	22.65	96.6	7.1591	53.9154
2024	10	23	1	26	6	23.05	98.5	7.1591	54.6343
2024	10	23	1	36	6	23.77	98.7	7.1591	56.3117
2024	10	23	1	46	6	23.85	93.6	7.1591	57.0306
2024	10	23	1	56	6	23.07	97	7.1591	54.874
2024	10	23	2	6	6	23.56	98.5	7.1591	55.8325
2024	10	23	2	16	6	23.61	95.6	7.1591	56.3118
2024	10	23	2	26	6	22.5	95.4	7.1652	53.7237
2024	10	23	2	36	6	21.72	96.1	7.1591	51.7589
2024	10	23	2	46	6	23.28	97.2	7.1652	55.4026
2024	10	23	2	56	6	23	97.5	7.1652	54.6831
2024	10	23	3	6	6	23.69	95.1	7.1652	56.6018
2024	10	23	3	16	6	22.35	96.7	7.1652	53.2441
2024	10	23	3	26	6	24.25	98.3	7.1652	57.5611
2024	10	23	3	36	6	22.59	95.1	7.1652	53.9636
2024	10	23	3	46	6	22.84	96.3	7.1652	54.4432
2024	10	23	3	56	6	23.9	97.5	7.1652	56.8416
2024	10	23	4	6	6	23.26	96.7	7.1652	55.4026
2024	10	23	4	16	6	23.85	96.5	7.1652	56.8416
2024	10	23	4	26	6	24.35	96.4	7.1652	58.0408
2024	10	23	4	36	6	23.28	97.2	7.1652	55.4026
2024	10	23	4	46	6	22.31	95.7	7.1652	53.244
2024	10	23	4	56	6	22.7	97.6	7.1652	53.9636
2024	10	23	5	6	6	24.07	98.6	7.1652	57.0815
2024	10	23	5	16	6	23.25	96.4	7.1713	55.4519
2024	10	23	5	26	6	23.27	94.4	7.1713	55.6919
2024	10	23	5	36	6	23.38	97.1	7.1713	55.6919
2024	10	23	5	46	6	23	95.2	7.1713	54.9718
2024	10	23	5	56	6	22.38	97.2	7.1713	53.2914
2024	10	23	6	6	6	24.03	96	7.1713	57.3723
2024	10	23	6	16	6	23.68	94.6	7.1713	56.6521
2024	10	23	6	26	6	22.57	98.9	7.1713	53.5315
2024	10	23	6	36	6	22.61	97.9	7.1713	53.7715
2024	10	23	6	46	6	24.22	95.7	7.1713	57.8524
2024	10	23	6	56	6	24.54	98	7.1713	58.3325
2024	10	23	7	6	6	24.29	97.1	7.1713	57.8524
2024	10	23	7	16	6	23.89	97.2	7.1713	56.8922
2024	10	23	7	26	6	24.38	98.7	7.1713	57.8524
2024	10	23	7	36	6	22.7	99.4	7.1713	53.7715
2024	10	23	7	46	6	22.33	98.2	7.1713	53.0513
2024	10	23	7	56	6	23.46	94.2	7.1713	56.172

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	23	8	6	6	22.55	96.6	7.1774	53.8193
2024	10	23	8	16	6	23.14	96.2	7.1774	55.2608
2024	10	23	8	26	6	25.03	97.8	7.1774	59.5856
2024	10	23	8	36	6	23	95.2	7.1774	55.0205
2024	10	23	8	46	6	24.09	97.2	7.1774	57.4231
2024	10	23	8	56	6	22.56	98.7	7.1835	53.6265
2024	10	23	9	6	6	24.18	98.8	7.1835	57.474
2024	10	23	9	16	6	23.1	97.5	7.1835	55.0692
2024	10	23	9	26	6	23.14	96.2	7.1835	55.3097
2024	10	23	9	36	6	24.16	96.7	7.1835	57.7144
2024	10	23	9	46	6	24.06	98.4	7.1835	57.2334
2024	10	23	9	56	6	23.79	95.1	7.1896	57.0435
2024	10	23	10	6	6	23.59	97.3	7.1896	56.3213
2024	10	23	10	16	6	23.53	99.5	7.1896	55.8399
2024	10	23	10	26	6	23.29	97.4	7.1896	55.5992
2024	10	23	10	36	6	23.69	95.1	7.1896	56.8026
2024	10	23	10	46	6	23.18	97.2	7.1896	55.3584
2024	10	23	10	56	6	23.48	97.1	7.1896	56.0804
2024	10	23	11	6	6	24.13	95.9	7.1896	57.7652
2024	10	23	11	16	6	23.38	98.9	7.1896	55.599
2024	10	23	11	26	6	22.69	95.1	7.1896	54.3955
2024	10	23	11	36	6	23.64	96.3	7.1957	56.6118
2024	10	23	11	46	6	22.94	96.3	7.1957	54.9254
2024	10	23	11	56	6	24.49	94.9	7.1957	58.7798
2024	10	23	12	6	6	23.89	98.9	7.1957	56.8526
2024	10	23	12	16	6	22.55	96.6	7.1957	53.9617
2024	10	23	12	26	6	23.71	95.6	7.1957	56.8525
2024	10	23	12	36	6	22.95	98.5	7.1957	54.6843
2024	10	23	12	46	6	22.51	97.9	7.1957	53.7207
2024	10	23	12	56	6	22.69	97.3	7.1957	54.2025
2024	10	23	13	6	6	23.79	95.1	7.2018	57.1438
2024	10	23	13	16	6	23.59	97.3	7.2018	56.4204
2024	10	23	13	26	6	22.9	97.5	7.2018	54.7326
2024	10	23	13	36	6	24.54	96.1	7.2018	58.8315
2024	10	23	13	46	6	22.86	96.8	7.2018	54.7326
2024	10	23	13	56	6	23.42	97.9	7.2018	55.9381
2024	10	23	14	6	6	23.07	94.5	7.2018	55.4559
2024	10	23	14	16	6	23	99.3	7.2018	54.7325
2024	10	23	14	26	6	23.7	97.5	7.2018	56.6614
2024	10	23	14	36	6	23.04	96.2	7.2018	55.2147
2024	10	23	14	46	6	22.21	95.7	7.2018	53.2858
2024	10	23	14	56	6	24.86	96.5	7.2018	59.5548
2024	10	23	15	6	6	22.86	96.8	7.2018	54.7325
2024	10	23	15	16	6	23.12	96	7.2018	55.4558
2024	10	23	15	26	6	23.41	99.3	7.2018	55.6969
2024	10	23	15	36	6	23.07	98.7	7.2018	54.9736
2024	10	23	15	46	6	22.8	99.3	7.2018	54.2503
2024	10	23	15	56	6	23	97.5	7.2018	54.9736

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	23	16	6	6	22.63	96.1	7.2018	54.2503
2024	10	23	16	16	6	23.11	97.7	7.2018	55.2148
2024	10	23	16	26	6	23.5	95.4	7.2018	56.4203
2024	10	23	16	36	6	24.35	96.4	7.2018	58.3493
2024	10	23	16	46	6	23.45	93.9	7.2018	56.4204
2024	10	23	16	56	6	23.19	94.9	7.2018	55.697
2024	10	23	17	6	6	22.51	99.5	7.2018	53.527
2024	10	23	17	16	6	23.44	96.4	7.2079	56.229
2024	10	23	17	26	6	24.21	95.5	7.2079	58.1596
2024	10	23	17	36	6	22.26	98.8	7.2079	53.0918
2024	10	23	17	46	6	23.17	94.5	7.2079	55.7464
2024	10	23	17	56	6	23.58	94.6	7.2079	56.7117
2024	10	23	18	6	6	23.54	96.3	7.2079	56.4704
2024	10	23	18	16	6	23.27	96.9	7.2079	55.7464
2024	10	23	18	26	6	23.02	95.7	7.2079	55.2638
2024	10	23	18	36	6	23.84	96.3	7.214	57.245
2024	10	23	18	46	6	23.53	96.1	7.214	56.5204
2024	10	23	18	56	6	23.58	94.6	7.214	56.762
2024	10	23	19	6	6	24.68	94.6	7.214	59.4189
2024	10	23	19	16	6	24.83	97.9	7.214	59.419
2024	10	23	19	26	6	24.44	96.1	7.214	58.6944
2024	10	23	19	36	6	24.06	98.4	7.2201	57.5375
2024	10	23	19	46	6	23.02	95.7	7.2201	55.3617
2024	10	23	19	56	6	24.29	97.1	7.2262	58.3143
2024	10	23	20	6	6	23.73	96	7.2262	57.1045
2024	10	23	20	16	6	23.65	96.6	7.2323	56.9127
2024	10	23	20	26	6	23.77	96.8	7.2323	57.1549
2024	10	23	20	36	6	23.99	97.2	7.2323	57.6393
2024	10	23	20	46	6	24.3	99	7.2323	58.1237
2024	10	23	20	56	6	24.39	97.1	7.2323	58.6081
2024	10	23	21	6	6	22.38	99	7.2323	53.5223
2024	10	23	21	16	6	22.96	96.8	7.2384	55.2663
2024	10	23	21	26	6	23.23	96.2	7.2384	55.9935
2024	10	23	21	36	6	22.91	95.5	7.2384	55.2663
2024	10	23	21	46	6	23.93	96	7.2384	57.6904
2024	10	23	21	56	6	22.82	95.8	7.2384	55.024
2024	10	23	22	6	6	23.26	100.2	7.2384	55.5088
2024	10	23	22	16	6	25.12	95.7	7.2384	60.5992
2024	10	23	22	26	6	25.13	97.8	7.2384	60.3569
2024	10	23	22	36	6	24.2	99	7.2384	57.9329
2024	10	23	22	46	6	23.15	96.4	7.2384	55.7514
2024	10	23	22	56	6	25.03	97.8	7.2384	60.1145
2024	10	23	23	6	6	24.38	94.7	7.2384	58.9026
2024	10	23	23	16	6	23.22	97.9	7.2384	55.7514
2024	10	23	23	26	6	22.56	96.9	7.2384	54.2971
2024	10	23	23	36	6	24.78	97	7.2384	59.6298
2024	10	23	23	46	6	25.03	97.8	7.2384	60.1147
2024	10	23	23	56	6	22.95	96.5	7.2384	55.2667

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	24	0	6	6	23.61	99.3	7.2384	56.4788
2024	10	24	0	16	6	23.79	95.1	7.2384	57.4484
2024	10	24	0	26	6	24.83	95.8	7.2445	59.9251
2024	10	24	0	36	6	24.27	94.3	7.2445	58.712
2024	10	24	0	46	6	22.93	96	7.2384	55.2668
2024	10	24	0	56	6	23.26	96.7	7.2445	56.0434
2024	10	24	1	6	6	22.15	96.7	7.2445	53.3746
2024	10	24	1	16	6	23.39	97.4	7.2445	56.286
2024	10	24	1	26	6	23.24	93.2	7.2384	56.2365
2024	10	24	1	36	6	23.2	95.2	7.2445	56.0434
2024	10	24	1	46	6	23	95.2	7.2384	55.5093
2024	10	24	1	56	6	23.78	97	7.2384	57.2061
2024	10	24	2	6	6	23.14	96.2	7.2445	55.8008
2024	10	24	2	16	6	24.34	96.1	7.2445	58.7122
2024	10	24	2	26	6	23.58	98.8	7.2445	56.5287
2024	10	24	2	36	6	23.86	96.7	7.2445	57.4991
2024	10	24	2	46	6	23.39	95.2	7.2445	56.5287
2024	10	24	2	56	6	23.66	98.5	7.2445	56.7713
2024	10	24	3	6	6	22.97	98.8	7.2445	55.073
2024	10	24	3	16	6	24.82	95.5	7.2445	59.9252
2024	10	24	3	26	6	22.81	95.5	7.2445	55.073
2024	10	24	3	36	6	23.49	95.1	7.2445	56.7712
2024	10	24	3	46	6	23.08	97.2	7.2445	55.5582
2024	10	24	3	56	6	23.26	98.7	7.2445	55.8008
2024	10	24	4	6	6	24.13	95.9	7.2445	58.2269
2024	10	24	4	16	6	22.71	95.6	7.2445	54.8303
2024	10	24	4	26	6	23.62	99.5	7.2445	56.5286
2024	10	24	4	36	6	24.91	97.4	7.2445	59.9252
2024	10	24	4	46	6	22.76	96.8	7.2445	54.8303
2024	10	24	4	56	6	24.2	97.4	7.2445	58.2269
2024	10	24	5	6	6	23.15	98.4	7.2445	55.5581
2024	10	24	5	16	6	24.03	96	7.2445	57.9842
2024	10	24	5	26	6	23.38	94.7	7.2445	56.5286
2024	10	24	5	36	6	24.03	96	7.2445	57.9842
2024	10	24	5	46	6	23.55	98.3	7.2445	56.5285
2024	10	24	5	56	6	24.7	97.2	7.2445	59.4399
2024	10	24	6	6	6	24.02	95.7	7.2445	57.9842
2024	10	24	6	16	6	22.95	96.5	7.2445	55.3155
2024	10	24	6	26	6	23.88	94.8	7.2445	57.7416
2024	10	24	6	36	6	23.56	98.5	7.2445	56.5285
2024	10	24	6	46	6	24.47	96.8	7.2445	58.9546
2024	10	24	6	56	6	23.05	98.5	7.2445	55.3154
2024	10	24	7	6	6	23.67	96.8	7.2445	57.0137
2024	10	24	7	16	6	23.75	96.5	7.2445	57.2563
2024	10	24	7	26	6	24	95.3	7.2445	57.9841
2024	10	24	7	36	6	23.31	95.7	7.2445	56.2858
2024	10	24	7	46	6	24.68	98.6	7.2445	59.1971
2024	10	24	7	56	6	24.66	96.5	7.2445	59.4397

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2024	10	24	8	6	6	22.75	96.6	7.2445	54.8301
2024	10	24	8	16	6	22.83	98.1	7.2445	54.8301
2024	10	24	8	26	6	23.26	96.7	7.2445	56.0431
2024	10	24	8	36	6	22.71	95.6	7.2445	54.8301
2024	10	24	8	46	6	21.74	96.6	7.2445	52.4039
2024	10	24	8	56	6	22.63	96.1	7.2445	54.5874
2024	10	24	9	6	6	24.6	97.2	7.2445	59.197
2024	10	24	9	16	6	24.72	97.7	7.2445	59.4396
2024	10	24	9	26	6	23.97	94.3	7.2445	57.9839
2024	10	24	9	36	6	23.82	97.7	7.2445	57.256
2024	10	24	9	46	6	23.35	99.9	7.2445	55.8003
2024	10	24	9	56	6	24.89	97.2	7.2445	59.9247

Alabama Gates Release

Station 0087

Date	Flow (cfs)
10/1/2024	0.00
10/2/2024	0.00
10/3/2024	0.00
10/4/2024	0.00
10/5/2024	0.00
10/6/2024	0.00
10/7/2024	0.00
10/8/2024	0.00
10/9/2024	0.00
10/10/2024	0.00
10/11/2024	0.00
10/12/2024	0.00
10/13/2024	0.00
10/14/2024	0.00
10/15/2024	0.00
10/16/2024	0.00
10/17/2024	0.00
10/18/2024	0.00
10/19/2024	0.00
10/20/2024	0.00
10/21/2024	0.00
10/22/2024	0.00
10/23/2024	0.00
10/24/2024	0.00
10/25/2024	0.00
10/26/2024	0.00
10/27/2024	0.00
10/28/2024	0.00
10/29/2024	0.00
10/30/2024	0.00
10/31/2024	0.00

Langemann Gate to Delta Weir to Delta Pumpback Station Discharge

DATE	FLOW (CFS)	FLOW (CFS)	FLOW (CFS)
10/1/2024	11	0	38
10/2/2024	11	0	38
10/3/2024	11	0	38
10/4/2024	11	0	39
10/5/2024	11	0	40
10/6/2024	11	0	41
10/7/2024	11	0	41
10/8/2024	11	0	43
10/9/2024	11	0	43
10/10/2024	11	0	39
10/11/2024	11	0	43
10/12/2024	11	0	43
10/13/2024	11	0	44
10/14/2024	11	0	43
10/15/2024	11	0	40
10/16/2024	9	0	38
10/17/2024	8	0	39
10/18/2024	8	0	37
10/19/2024	8	0	35
10/20/2024	8	0	35
10/21/2024	8	0	34
10/22/2024	8	0	34
10/23/2024	8	0	35
10/24/2024	8	0	36
10/25/2024	8	0	36
10/26/2024	8	0	36
10/27/2024	8	0	36
10/28/2024	8	0	38
10/29/2024	8	0	39
10/30/2024	8	0	39
10/31/2024	8	0	40

Pumpback Station Discharge (0364)

10/1/24 0:00 == 48	10/1/24 4:30 == 34.2	10/1/24 9:00 == 48	10/1/24 13:30 == 34.7
10/1/24 0:05 == 48	10/1/24 4:35 == 34.1	10/1/24 9:05 == 48.1	10/1/24 13:35 == 34.6
10/1/24 0:10 == 43.5	10/1/24 4:40 == 35.4	10/1/24 9:10 == 47.4	10/1/24 13:40 == 34.8
10/1/24 0:15 == 36.7	10/1/24 4:45 == 45.4	10/1/24 9:15 == 35.2	10/1/24 13:45 == 34.9
10/1/24 0:20 == 33.9	10/1/24 4:50 == 48	10/1/24 9:20 == 34.9	10/1/24 13:50 == 34.8
10/1/24 0:25 == 34.1	10/1/24 4:55 == 48	10/1/24 9:25 == 35	10/1/24 13:55 == 34.8
10/1/24 0:30 == 34.2	10/1/24 5:00 == 48.1	10/1/24 9:30 == 35.1	10/1/24 14:00 == 35
10/1/24 0:35 == 34.1	10/1/24 5:05 == 48.1	10/1/24 9:35 == 35.1	10/1/24 14:05 == 35.1
10/1/24 0:40 == 34.2	10/1/24 5:10 == 47.6	10/1/24 9:40 == 34.9	10/1/24 14:10 == 35.1
10/1/24 0:45 == 34.1	10/1/24 5:15 == 47.7	10/1/24 9:45 == 35	10/1/24 14:15 == 35.2
10/1/24 0:50 == 34.1	10/1/24 5:20 == 48.1	10/1/24 9:50 == 34.9	10/1/24 14:20 == 34.9
10/1/24 0:55 == 34.1	10/1/24 5:25 == 44	10/1/24 9:55 == 35.1	10/1/24 14:25 == 35.2
10/1/24 1:00 == 34.1	10/1/24 5:30 == 37.3	10/1/24 10:00 == 35	10/1/24 14:30 == 35.1
10/1/24 1:05 == 34.1	10/1/24 5:35 == 34.4	10/1/24 10:05 == 35	10/1/24 14:35 == 35.2
10/1/24 1:10 == 34.2	10/1/24 5:40 == 34.4	10/1/24 10:10 == 35.2	10/1/24 14:40 == 35.1
10/1/24 1:15 == 34.2	10/1/24 5:45 == 34.3	10/1/24 10:15 == 35.2	10/1/24 14:45 == 45.6
10/1/24 1:20 == 34.3	10/1/24 5:50 == 34.4	10/1/24 10:20 == 35.2	10/1/24 14:50 == 47.9
10/1/24 1:25 == 34.3	10/1/24 5:55 == 34.4	10/1/24 10:25 == 35.2	10/1/24 14:55 == 48.1
10/1/24 1:30 == 34.3	10/1/24 6:00 == 34.5	10/1/24 10:30 == 34.9	10/1/24 15:00 == 48.2
10/1/24 1:35 == 34.2	10/1/24 6:05 == 34.4	10/1/24 10:35 == 35	10/1/24 15:05 == 48
10/1/24 1:40 == 34.2	10/1/24 6:10 == 34.5	10/1/24 10:40 == 35.1	10/1/24 15:10 == 47.4
10/1/24 1:45 == 34.3	10/1/24 6:15 == 34.5	10/1/24 10:45 == 35	10/1/24 15:15 == 47.7
10/1/24 1:50 == 34.3	10/1/24 6:20 == 34.5	10/1/24 10:50 == 34.7	10/1/24 15:20 == 47.8
10/1/24 1:55 == 34.5	10/1/24 6:25 == 34.5	10/1/24 10:55 == 34.6	10/1/24 15:25 == 45.3
10/1/24 2:00 == 34.5	10/1/24 6:30 == 33.9	10/1/24 11:00 == 34.7	10/1/24 15:30 == 38.6
10/1/24 2:05 == 34.4	10/1/24 6:35 == 34.1	10/1/24 11:05 == 34.6	10/1/24 15:35 == 35.1
10/1/24 2:10 == 36.5	10/1/24 6:40 == 34.2	10/1/24 11:10 == 34.7	10/1/24 15:40 == 35.3
10/1/24 2:15 == 44.9	10/1/24 6:45 == 34	10/1/24 11:15 == 35.1	10/1/24 15:45 == 35.2
10/1/24 2:20 == 47.9	10/1/24 6:50 == 34	10/1/24 11:20 == 35.2	10/1/24 15:50 == 35.1
10/1/24 2:25 == 48	10/1/24 6:55 == 34.4	10/1/24 11:25 == 35.1	10/1/24 15:55 == 35.1
10/1/24 2:30 == 48.1	10/1/24 7:00 == 34.3	10/1/24 11:30 == 34.7	10/1/24 16:00 == 34.9
10/1/24 2:35 == 48.1	10/1/24 7:05 == 34.3	10/1/24 11:35 == 34.7	10/1/24 16:05 == 34.8
10/1/24 2:40 == 47.9	10/1/24 7:10 == 34.5	10/1/24 11:40 == 34.6	10/1/24 16:10 == 34.9
10/1/24 2:45 == 48	10/1/24 7:15 == 34.5	10/1/24 11:45 == 34.5	10/1/24 16:15 == 34.8
10/1/24 2:50 == 48.2	10/1/24 7:20 == 34.5	10/1/24 11:50 == 34.7	10/1/24 16:20 == 34.8
10/1/24 2:55 == 43.6	10/1/24 7:25 == 34.6	10/1/24 11:55 == 34.8	10/1/24 16:25 == 34.7
10/1/24 3:00 == 36.8	10/1/24 7:30 == 34.6	10/1/24 12:00 == 45.4	10/1/24 16:30 == 34.7
10/1/24 3:05 == 34.3	10/1/24 7:35 == 34.5	10/1/24 12:05 == 47.3	10/1/24 16:35 == 34.6
10/1/24 3:10 == 34.4	10/1/24 7:40 == 34.3	10/1/24 12:10 == 47.9	10/1/24 16:40 == 34.6
10/1/24 3:15 == 34.3	10/1/24 7:45 == 34.3	10/1/24 12:15 == 48	10/1/24 16:45 == 34.4
10/1/24 3:20 == 34.2	10/1/24 7:50 == 34.3	10/1/24 12:20 == 48.1	10/1/24 16:50 == 34.4
10/1/24 3:25 == 34.2	10/1/24 7:55 == 34.3	10/1/24 12:25 == 48.1	10/1/24 16:55 == 34.3
10/1/24 3:30 == 34	10/1/24 8:00 == 34.3	10/1/24 12:30 == 48	10/1/24 17:00 == 34.3
10/1/24 3:35 == 34	10/1/24 8:05 == 34.3	10/1/24 12:35 == 48	10/1/24 17:05 == 34.2
10/1/24 3:40 == 34.1	10/1/24 8:10 == 34.5	10/1/24 12:40 == 45.3	10/1/24 17:10 == 34.1
10/1/24 3:45 == 34.1	10/1/24 8:15 == 34.7	10/1/24 12:45 == 37.5	10/1/24 17:15 == 33.9
10/1/24 3:50 == 33.9	10/1/24 8:20 == 34.8	10/1/24 12:50 == 34.5	10/1/24 17:20 == 33.8
10/1/24 3:55 == 34	10/1/24 8:25 == 37.2	10/1/24 12:55 == 34.5	10/1/24 17:25 == 33.8
10/1/24 4:00 == 34	10/1/24 8:30 == 43.6	10/1/24 13:00 == 34.4	10/1/24 17:30 == 33.9
10/1/24 4:05 == 34.1	10/1/24 8:35 == 48	10/1/24 13:05 == 34.5	10/1/24 17:35 == 33.9
10/1/24 4:10 == 34.2	10/1/24 8:40 == 48.1	10/1/24 13:10 == 34.6	10/1/24 17:40 == 33.9
10/1/24 4:15 == 34.1	10/1/24 8:45 == 48	10/1/24 13:15 == 34.7	10/1/24 17:45 == 33.9
10/1/24 4:20 == 34.3	10/1/24 8:50 == 48	10/1/24 13:20 == 34.6	10/1/24 17:50 == 33.8
10/1/24 4:25 == 34.2	10/1/24 8:55 == 48	10/1/24 13:25 == 34.7	10/1/24 17:55 == 33.8

Pumpback Station Discharge (0364)

10/1/24 18:00 == 33.9	10/1/24 22:30 == 34.2	10/2/24 3:00 == 34.4	10/2/24 7:30 == 34.4
10/1/24 18:05 == 33.9	10/1/24 22:35 == 34.1	10/2/24 3:05 == 34.4	10/2/24 7:35 == 34.4
10/1/24 18:10 == 33.8	10/1/24 22:40 == 34.2	10/2/24 3:10 == 34.2	10/2/24 7:40 == 34.4
10/1/24 18:15 == 33.7	10/1/24 22:45 == 34.3	10/2/24 3:15 == 34.1	10/2/24 7:45 == 34.3
10/1/24 18:20 == 33.7	10/1/24 22:50 == 34.3	10/2/24 3:20 == 34	10/2/24 7:50 == 34.4
10/1/24 18:25 == 33.8	10/1/24 22:55 == 34.2	10/2/24 3:25 == 34.1	10/2/24 7:55 == 34.3
10/1/24 18:30 == 33.8	10/1/24 23:00 == 43.5	10/2/24 3:30 == 42.5	10/2/24 8:00 == 34
10/1/24 18:35 == 33.8	10/1/24 23:05 == 47.7	10/2/24 3:35 == 47.9	10/2/24 8:05 == 34.1
10/1/24 18:40 == 35.8	10/1/24 23:10 == 48	10/2/24 3:40 == 48.1	10/2/24 8:10 == 34.3
10/1/24 18:45 == 42.1	10/1/24 23:15 == 47.9	10/2/24 3:45 == 48	10/2/24 8:15 == 34.3
10/1/24 18:50 == 47.9	10/1/24 23:20 == 48.1	10/2/24 3:50 == 48.1	10/2/24 8:20 == 34.4
10/1/24 18:55 == 47.9	10/1/24 23:25 == 48.2	10/2/24 3:55 == 48.1	10/2/24 8:25 == 34.5
10/1/24 19:00 == 47.9	10/1/24 23:30 == 48	10/2/24 4:00 == 48	10/2/24 8:30 == 34.6
10/1/24 19:05 == 48	10/1/24 23:35 == 47.9	10/2/24 4:05 == 48.1	10/2/24 8:35 == 34.6
10/1/24 19:10 == 48	10/1/24 23:40 == 45.5	10/2/24 4:10 == 47.1	10/2/24 8:40 == 34.4
10/1/24 19:15 == 47.9	10/1/24 23:45 == 38.9	10/2/24 4:15 == 38.1	10/2/24 8:45 == 34.6
10/1/24 19:20 == 48	10/1/24 23:50 == 34	10/2/24 4:20 == 34.1	10/2/24 8:50 == 34.6
10/1/24 19:25 == 47.1	10/1/24 23:55 == 33.9	10/2/24 4:25 == 34.1	10/2/24 8:55 == 34.5
10/1/24 19:30 == 36.5	10/2/24 0:00 == 33.8	10/2/24 4:30 == 34	10/2/24 9:00 == 34.3
10/1/24 19:35 == 33.9	10/2/24 0:05 == 33.8	10/2/24 4:35 == 33.9	10/2/24 9:05 == 34.4
10/1/24 19:40 == 33.8	10/2/24 0:10 == 33.7	10/2/24 4:40 == 34	10/2/24 9:10 == 34.5
10/1/24 19:45 == 33.8	10/2/24 0:15 == 33.8	10/2/24 4:45 == 34	10/2/24 9:15 == 34.4
10/1/24 19:50 == 33.8	10/2/24 0:20 == 33.9	10/2/24 4:50 == 34.1	10/2/24 9:20 == 34.3
10/1/24 19:55 == 34	10/2/24 0:25 == 33.9	10/2/24 4:55 == 34	10/2/24 9:25 == 34.3
10/1/24 20:00 == 33.9	10/2/24 0:30 == 34.1	10/2/24 5:00 == 33.9	10/2/24 9:30 == 34.4
10/1/24 20:05 == 34	10/2/24 0:35 == 34	10/2/24 5:05 == 34	10/2/24 9:35 == 34.4
10/1/24 20:10 == 34.5	10/2/24 0:40 == 34.1	10/2/24 5:10 == 34.2	10/2/24 9:40 == 34.4
10/1/24 20:15 == 34.5	10/2/24 0:45 == 34	10/2/24 5:15 == 34.6	10/2/24 9:45 == 41.7
10/1/24 20:20 == 34.4	10/2/24 0:50 == 34.1	10/2/24 5:20 == 34.5	10/2/24 9:50 == 47.8
10/1/24 20:25 == 34.5	10/2/24 0:55 == 34.2	10/2/24 5:25 == 34.5	10/2/24 9:55 == 47.9
10/1/24 20:30 == 43.5	10/2/24 1:00 == 43.1	10/2/24 5:30 == 34.6	10/2/24 10:00 == 47.9
10/1/24 20:35 == 47.9	10/2/24 1:05 == 47.5	10/2/24 5:35 == 34.7	10/2/24 10:05 == 47.9
10/1/24 20:40 == 47.9	10/2/24 1:10 == 48.2	10/2/24 5:40 == 34.5	10/2/24 10:10 == 48.1
10/1/24 20:45 == 48	10/2/24 1:15 == 48	10/2/24 5:45 == 34.5	10/2/24 10:15 == 47.9
10/1/24 20:50 == 48.1	10/2/24 1:20 == 47.9	10/2/24 5:50 == 34.5	10/2/24 10:20 == 47.9
10/1/24 20:55 == 45.3	10/2/24 1:25 == 48.1	10/2/24 5:55 == 34.8	10/2/24 10:25 == 46.2
10/1/24 21:00 == 38.8	10/2/24 1:30 == 48.1	10/2/24 6:00 == 42.6	10/2/24 10:30 == 40
10/1/24 21:05 == 34.5	10/2/24 1:35 == 48	10/2/24 6:05 == 47.9	10/2/24 10:35 == 34.6
10/1/24 21:10 == 34.4	10/2/24 1:40 == 46.4	10/2/24 6:10 == 47.9	10/2/24 10:40 == 34.7
10/1/24 21:15 == 34.4	10/2/24 1:45 == 38.3	10/2/24 6:15 == 48.1	10/2/24 10:45 == 34.8
10/1/24 21:20 == 34.4	10/2/24 1:50 == 34.5	10/2/24 6:20 == 48	10/2/24 10:50 == 34.6
10/1/24 21:25 == 34.5	10/2/24 1:55 == 34.6	10/2/24 6:25 == 47.9	10/2/24 10:55 == 34.8
10/1/24 21:30 == 34.3	10/2/24 2:00 == 34.6	10/2/24 6:30 == 48	10/2/24 11:00 == 34.6
10/1/24 21:35 == 34.3	10/2/24 2:05 == 34.5	10/2/24 6:35 == 47.9	10/2/24 11:05 == 34.5
10/1/24 21:40 == 34.3	10/2/24 2:10 == 34.5	10/2/24 6:40 == 47.8	10/2/24 11:10 == 35
10/1/24 21:45 == 34.2	10/2/24 2:15 == 34.5	10/2/24 6:45 == 38	10/2/24 11:15 == 35.2
10/1/24 21:50 == 34.1	10/2/24 2:20 == 34.5	10/2/24 6:50 == 33.9	10/2/24 11:20 == 35.2
10/1/24 21:55 == 34	10/2/24 2:25 == 34.5	10/2/24 6:55 == 34.3	10/2/24 11:25 == 34.9
10/1/24 22:00 == 33.9	10/2/24 2:30 == 34.4	10/2/24 7:00 == 34.4	10/2/24 11:30 == 34.9
10/1/24 22:05 == 34	10/2/24 2:35 == 34.5	10/2/24 7:05 == 34.2	10/2/24 11:35 == 34.8
10/1/24 22:10 == 34.2	10/2/24 2:40 == 34.6	10/2/24 7:10 == 34.5	10/2/24 11:40 == 34.7
10/1/24 22:15 == 34.1	10/2/24 2:45 == 34.5	10/2/24 7:15 == 34.6	10/2/24 11:45 == 34.6
10/1/24 22:20 == 34.1	10/2/24 2:50 == 34.6	10/2/24 7:20 == 34.3	10/2/24 11:50 == 34.6
10/1/24 22:25 == 34.2	10/2/24 2:55 == 34.5	10/2/24 7:25 == 34.3	10/2/24 11:55 == 34.8

Pumpback Station Discharge (0364)

10/2/24 12:00 == 34.6	10/2/24 16:30 == 35	10/2/24 21:00 == 34.8	10/3/24 1:30 == 34.4
10/2/24 12:05 == 34.4	10/2/24 16:35 == 34.9	10/2/24 21:05 == 34.8	10/3/24 1:35 == 34.3
10/2/24 12:10 == 34.3	10/2/24 16:40 == 35	10/2/24 21:10 == 34.7	10/3/24 1:40 == 34.5
10/2/24 12:15 == 41.4	10/2/24 16:45 == 34.8	10/2/24 21:15 == 34.5	10/3/24 1:45 == 34.6
10/2/24 12:20 == 47.4	10/2/24 16:50 == 34.7	10/2/24 21:20 == 34.6	10/3/24 1:50 == 34.5
10/2/24 12:25 == 47.9	10/2/24 16:55 == 34.6	10/2/24 21:25 == 34.4	10/3/24 1:55 == 34.6
10/2/24 12:30 == 48	10/2/24 17:00 == 34.5	10/2/24 21:30 == 34.4	10/3/24 2:00 == 34.6
10/2/24 12:35 == 48	10/2/24 17:05 == 34.4	10/2/24 21:35 == 34.4	10/3/24 2:05 == 34.6
10/2/24 12:40 == 47.9	10/2/24 17:10 == 34.2	10/2/24 21:40 == 34.4	10/3/24 2:10 == 34.6
10/2/24 12:45 == 48	10/2/24 17:15 == 34.2	10/2/24 21:45 == 40.2	10/3/24 2:15 == 34.4
10/2/24 12:50 == 48	10/2/24 17:20 == 34	10/2/24 21:50 == 47	10/3/24 2:20 == 34.6
10/2/24 12:55 == 48	10/2/24 17:25 == 33.9	10/2/24 21:55 == 47.9	10/3/24 2:25 == 34.9
10/2/24 13:00 == 48	10/2/24 17:30 == 34.2	10/2/24 22:00 == 48.1	10/3/24 2:30 == 38
10/2/24 13:05 == 48.1	10/2/24 17:35 == 34.4	10/2/24 22:05 == 48	10/3/24 2:35 == 47.5
10/2/24 13:10 == 46.6	10/2/24 17:40 == 34.3	10/2/24 22:10 == 48	10/3/24 2:40 == 48
10/2/24 13:15 == 40.1	10/2/24 17:45 == 34.3	10/2/24 22:15 == 47.8	10/3/24 2:45 == 48.1
10/2/24 13:20 == 34.1	10/2/24 17:50 == 34.3	10/2/24 22:20 == 47.9	10/3/24 2:50 == 47.8
10/2/24 13:25 == 34.3	10/2/24 17:55 == 34.4	10/2/24 22:25 == 48	10/3/24 2:55 == 48.1
10/2/24 13:30 == 34.3	10/2/24 18:00 == 34.3	10/2/24 22:30 == 48.1	10/3/24 3:00 == 47.8
10/2/24 13:35 == 34.2	10/2/24 18:05 == 34.1	10/2/24 22:35 == 48	10/3/24 3:05 == 47.9
10/2/24 13:40 == 34.2	10/2/24 18:10 == 34.2	10/2/24 22:40 == 48	10/3/24 3:10 == 47.9
10/2/24 13:45 == 34.3	10/2/24 18:15 == 34.2	10/2/24 22:45 == 40.9	10/3/24 3:15 == 40.5
10/2/24 13:50 == 34.2	10/2/24 18:20 == 34.2	10/2/24 22:50 == 34.4	10/3/24 3:20 == 35
10/2/24 13:55 == 34.3	10/2/24 18:25 == 34.2	10/2/24 22:55 == 34.4	10/3/24 3:25 == 33.9
10/2/24 14:00 == 34.1	10/2/24 18:30 == 34.2	10/2/24 23:00 == 34.3	10/3/24 3:30 == 33.9
10/2/24 14:05 == 34	10/2/24 18:35 == 34.2	10/2/24 23:05 == 34.3	10/3/24 3:35 == 33.9
10/2/24 14:10 == 34.2	10/2/24 18:40 == 34.3	10/2/24 23:10 == 34.3	10/3/24 3:40 == 33.8
10/2/24 14:15 == 34.3	10/2/24 18:45 == 34.3	10/2/24 23:15 == 34.3	10/3/24 3:45 == 33.9
10/2/24 14:20 == 34.2	10/2/24 18:50 == 34.3	10/2/24 23:20 == 34.2	10/3/24 3:50 == 33.9
10/2/24 14:25 == 34.4	10/2/24 18:55 == 34.3	10/2/24 23:25 == 34	10/3/24 3:55 == 33.9
10/2/24 14:30 == 34.7	10/2/24 19:00 == 34.3	10/2/24 23:30 == 34	10/3/24 4:00 == 33.9
10/2/24 14:35 == 34.7	10/2/24 19:05 == 34.2	10/2/24 23:35 == 33.8	10/3/24 4:05 == 33.9
10/2/24 14:40 == 34.7	10/2/24 19:10 == 34.2	10/2/24 23:40 == 33.8	10/3/24 4:10 == 34
10/2/24 14:45 == 34.7	10/2/24 19:15 == 34.2	10/2/24 23:45 == 33.9	10/3/24 4:15 == 34.2
10/2/24 14:50 == 34.7	10/2/24 19:20 == 34.4	10/2/24 23:50 == 33.9	10/3/24 4:20 == 34.3
10/2/24 14:55 == 34.8	10/2/24 19:25 == 34.4	10/2/24 23:55 == 34	10/3/24 4:25 == 34.3
10/2/24 15:00 == 34.7	10/2/24 19:30 == 40.6	10/3/24 0:00 == 33.7	10/3/24 4:30 == 34.2
10/2/24 15:05 == 34.7	10/2/24 19:35 == 46.1	10/3/24 0:05 == 33.6	10/3/24 4:35 == 34.3
10/2/24 15:10 == 35	10/2/24 19:40 == 47.8	10/3/24 0:10 == 33.7	10/3/24 4:40 == 34.6
10/2/24 15:15 == 40.5	10/2/24 19:45 == 48	10/3/24 0:15 == 39	10/3/24 4:45 == 38
10/2/24 15:20 == 47.8	10/2/24 19:50 == 47.9	10/3/24 0:20 == 47.5	10/3/24 4:50 == 48
10/2/24 15:25 == 48	10/2/24 19:55 == 47.7	10/3/24 0:25 == 48.2	10/3/24 4:55 == 48
10/2/24 15:30 == 47.9	10/2/24 20:00 == 47.8	10/3/24 0:30 == 48	10/3/24 5:00 == 48
10/2/24 15:35 == 48	10/2/24 20:05 == 48	10/3/24 0:35 == 48	10/3/24 5:05 == 47.8
10/2/24 15:40 == 47.9	10/2/24 20:10 == 47.9	10/3/24 0:40 == 48.2	10/3/24 5:10 == 47.8
10/2/24 15:45 == 47.7	10/2/24 20:15 == 47.7	10/3/24 0:45 == 48.1	10/3/24 5:15 == 47.7
10/2/24 15:50 == 47.8	10/2/24 20:20 == 47.8	10/3/24 0:50 == 48.1	10/3/24 5:20 == 48
10/2/24 15:55 == 46.9	10/2/24 20:25 == 46.9	10/3/24 0:55 == 48.2	10/3/24 5:25 == 47.9
10/2/24 16:00 == 40.9	10/2/24 20:30 == 41.4	10/3/24 1:00 == 40.1	10/3/24 5:30 == 41.2
10/2/24 16:05 == 34.8	10/2/24 20:35 == 34.8	10/3/24 1:05 == 34.7	10/3/24 5:35 == 35.3
10/2/24 16:10 == 35.1	10/2/24 20:40 == 34.7	10/3/24 1:10 == 34.2	10/3/24 5:40 == 34.5
10/2/24 16:15 == 35.2	10/2/24 20:45 == 34.6	10/3/24 1:15 == 34.2	10/3/24 5:45 == 34.6
10/2/24 16:20 == 35.2	10/2/24 20:50 == 34.5	10/3/24 1:20 == 34.3	10/3/24 5:50 == 34.5
10/2/24 16:25 == 35.2	10/2/24 20:55 == 34.6	10/3/24 1:25 == 34.4	10/3/24 5:55 == 34.5

Pumpback Station Discharge (0364)

10/3/24 6:00 == 34.6	10/3/24 10:30 == 47.7	10/3/24 15:00 == 35.2	10/3/24 19:30 == 34.6
10/3/24 6:05 == 34.7	10/3/24 10:35 == 48.1	10/3/24 15:05 == 35.1	10/3/24 19:35 == 34.5
10/3/24 6:10 == 34.7	10/3/24 10:40 == 48	10/3/24 15:10 == 35.2	10/3/24 19:40 == 34.5
10/3/24 6:15 == 34.6	10/3/24 10:45 == 42.6	10/3/24 15:15 == 36.7	10/3/24 19:45 == 34.5
10/3/24 6:20 == 34.6	10/3/24 10:50 == 36	10/3/24 15:20 == 47.6	10/3/24 19:50 == 34.6
10/3/24 6:25 == 34.5	10/3/24 10:55 == 35.1	10/3/24 15:25 == 48.1	10/3/24 19:55 == 34.7
10/3/24 6:30 == 34.4	10/3/24 11:00 == 35.1	10/3/24 15:30 == 47.9	10/3/24 20:00 == 34.7
10/3/24 6:35 == 34.2	10/3/24 11:05 == 35.1	10/3/24 15:35 == 48	10/3/24 20:05 == 34.6
10/3/24 6:40 == 34.1	10/3/24 11:10 == 35.3	10/3/24 15:40 == 48.1	10/3/24 20:10 == 34.7
10/3/24 6:45 == 34.1	10/3/24 11:15 == 35.3	10/3/24 15:45 == 47.9	10/3/24 20:15 == 35.2
10/3/24 6:50 == 34.2	10/3/24 11:20 == 35.3	10/3/24 15:50 == 47.8	10/3/24 20:20 == 35.1
10/3/24 6:55 == 34.3	10/3/24 11:25 == 35.2	10/3/24 15:55 == 47.9	10/3/24 20:25 == 35.1
10/3/24 7:00 == 34.3	10/3/24 11:30 == 35.1	10/3/24 16:00 == 42.7	10/3/24 20:30 == 35
10/3/24 7:05 == 34.2	10/3/24 11:35 == 35.1	10/3/24 16:05 == 36.3	10/3/24 20:35 == 35.1
10/3/24 7:10 == 34.4	10/3/24 11:40 == 34.8	10/3/24 16:10 == 35.2	10/3/24 20:40 == 34.9
10/3/24 7:15 == 34.2	10/3/24 11:45 == 34.7	10/3/24 16:15 == 35.3	10/3/24 20:45 == 35.9
10/3/24 7:20 == 34.4	10/3/24 11:50 == 34.7	10/3/24 16:20 == 35.3	10/3/24 20:50 == 47.3
10/3/24 7:25 == 34.6	10/3/24 11:55 == 34.7	10/3/24 16:25 == 35.2	10/3/24 20:55 == 48.1
10/3/24 7:30 == 37	10/3/24 12:00 == 34.7	10/3/24 16:30 == 35.2	10/3/24 21:00 == 48
10/3/24 7:35 == 47.8	10/3/24 12:05 == 34.6	10/3/24 16:35 == 35	10/3/24 21:05 == 48
10/3/24 7:40 == 47.9	10/3/24 12:10 == 34.6	10/3/24 16:40 == 35.1	10/3/24 21:10 == 47.9
10/3/24 7:45 == 48.2	10/3/24 12:15 == 38	10/3/24 16:45 == 35	10/3/24 21:15 == 48
10/3/24 7:50 == 48	10/3/24 12:20 == 47	10/3/24 16:50 == 34.8	10/3/24 21:20 == 48.1
10/3/24 7:55 == 48	10/3/24 12:25 == 48.1	10/3/24 16:55 == 34.7	10/3/24 21:25 == 47.9
10/3/24 8:00 == 48.1	10/3/24 12:30 == 47.9	10/3/24 17:00 == 34.6	10/3/24 21:30 == 48
10/3/24 8:05 == 48.1	10/3/24 12:35 == 47.9	10/3/24 17:05 == 34.4	10/3/24 21:35 == 48
10/3/24 8:10 == 47.8	10/3/24 12:40 == 48	10/3/24 17:10 == 34.4	10/3/24 21:40 == 48
10/3/24 8:15 == 41.1	10/3/24 12:45 == 47.9	10/3/24 17:15 == 34.4	10/3/24 21:45 == 43
10/3/24 8:20 == 35.3	10/3/24 12:50 == 48	10/3/24 17:20 == 34.3	10/3/24 21:50 == 36.6
10/3/24 8:25 == 34.6	10/3/24 12:55 == 48	10/3/24 17:25 == 34.4	10/3/24 21:55 == 34.2
10/3/24 8:30 == 34.5	10/3/24 13:00 == 48.2	10/3/24 17:30 == 34.5	10/3/24 22:00 == 34.2
10/3/24 8:35 == 34.5	10/3/24 13:05 == 48.1	10/3/24 17:35 == 34.8	10/3/24 22:05 == 34.2
10/3/24 8:40 == 34.7	10/3/24 13:10 == 48	10/3/24 17:40 == 34.6	10/3/24 22:10 == 34.4
10/3/24 8:45 == 34.8	10/3/24 13:15 == 42.6	10/3/24 17:45 == 34.7	10/3/24 22:15 == 34.5
10/3/24 8:50 == 34.6	10/3/24 13:20 == 35.3	10/3/24 17:50 == 34.6	10/3/24 22:20 == 34.4
10/3/24 8:55 == 34.7	10/3/24 13:25 == 34.5	10/3/24 17:55 == 34.6	10/3/24 22:25 == 34.5
10/3/24 9:00 == 34.7	10/3/24 13:30 == 34.8	10/3/24 18:00 == 34.6	10/3/24 22:30 == 34.6
10/3/24 9:05 == 34.7	10/3/24 13:35 == 34.7	10/3/24 18:05 == 34.3	10/3/24 22:35 == 34.7
10/3/24 9:10 == 34.8	10/3/24 13:40 == 35	10/3/24 18:10 == 34.3	10/3/24 22:40 == 34.6
10/3/24 9:15 == 34.7	10/3/24 13:45 == 34.9	10/3/24 18:15 == 35.9	10/3/24 22:45 == 34.6
10/3/24 9:20 == 34.6	10/3/24 13:50 == 34.7	10/3/24 18:20 == 47.4	10/3/24 22:50 == 34.6
10/3/24 9:25 == 34.7	10/3/24 13:55 == 34.7	10/3/24 18:25 == 48	10/3/24 22:55 == 34.7
10/3/24 9:30 == 34.7	10/3/24 14:00 == 34.7	10/3/24 18:30 == 47.8	10/3/24 23:00 == 34.8
10/3/24 9:35 == 34.6	10/3/24 14:05 == 34.6	10/3/24 18:35 == 48.1	10/3/24 23:05 == 34.6
10/3/24 9:40 == 34.6	10/3/24 14:10 == 34.8	10/3/24 18:40 == 48.1	10/3/24 23:10 == 34.6
10/3/24 9:45 == 34.6	10/3/24 14:15 == 34.9	10/3/24 18:45 == 48	10/3/24 23:15 == 34.8
10/3/24 9:50 == 34.6	10/3/24 14:20 == 34.8	10/3/24 18:50 == 47.9	10/3/24 23:20 == 48.1
10/3/24 9:55 == 34.8	10/3/24 14:25 == 34.9	10/3/24 18:55 == 47.9	10/3/24 23:25 == 48
10/3/24 10:00 == 37.3	10/3/24 14:30 == 35.2	10/3/24 19:00 == 47.9	10/3/24 23:30 == 48
10/3/24 10:05 == 47.5	10/3/24 14:35 == 35.3	10/3/24 19:05 == 48	10/3/24 23:35 == 47.9
10/3/24 10:10 == 48.1	10/3/24 14:40 == 35.1	10/3/24 19:10 == 48	10/3/24 23:40 == 48
10/3/24 10:15 == 48	10/3/24 14:45 == 35.1	10/3/24 19:15 == 42.6	10/3/24 23:45 == 43.2
10/3/24 10:20 == 48.1	10/3/24 14:50 == 35.1	10/3/24 19:20 == 36.4	10/3/24 23:50 == 35.6
10/3/24 10:25 == 47.7	10/3/24 14:55 == 35.1	10/3/24 19:25 == 34.6	10/3/24 23:55 == 34

Pumpback Station Discharge (0364)

10/4/24 0:00 == 33.9	10/4/24 4:30 == 34.3	10/4/24 9:00 == 34.6	10/4/24 13:30 == 44.5
10/4/24 0:05 == 34	10/4/24 4:35 == 34.3	10/4/24 9:05 == 34.5	10/4/24 13:35 == 37.9
10/4/24 0:10 == 34.1	10/4/24 4:40 == 34.1	10/4/24 9:10 == 34.5	10/4/24 13:40 == 34.4
10/4/24 0:15 == 34.1	10/4/24 4:45 == 34.2	10/4/24 9:15 == 34.6	10/4/24 13:45 == 34.6
10/4/24 0:20 == 34	10/4/24 4:50 == 34.2	10/4/24 9:20 == 34.4	10/4/24 13:50 == 34.5
10/4/24 0:25 == 34.2	10/4/24 4:55 == 34.2	10/4/24 9:25 == 34.6	10/4/24 13:55 == 34.5
10/4/24 0:30 == 34.4	10/4/24 5:00 == 34.2	10/4/24 9:30 == 34.6	10/4/24 14:00 == 34.5
10/4/24 0:35 == 34.4	10/4/24 5:05 == 34.2	10/4/24 9:35 == 34.5	10/4/24 14:05 == 34.6
10/4/24 0:40 == 34.3	10/4/24 5:10 == 34.6	10/4/24 9:40 == 34.4	10/4/24 14:10 == 34.7
10/4/24 0:45 == 34.3	10/4/24 5:15 == 34.9	10/4/24 9:45 == 34.5	10/4/24 14:15 == 34.7
10/4/24 0:50 == 34.3	10/4/24 5:20 == 34.8	10/4/24 9:50 == 34.5	10/4/24 14:20 == 34.6
10/4/24 0:55 == 34.4	10/4/24 5:25 == 34.9	10/4/24 9:55 == 34.7	10/4/24 14:25 == 34.6
10/4/24 1:00 == 37.3	10/4/24 5:30 == 34.9	10/4/24 10:00 == 34.5	10/4/24 14:30 == 34.7
10/4/24 1:05 == 44.6	10/4/24 5:35 == 34.8	10/4/24 10:05 == 34.8	10/4/24 14:35 == 34.8
10/4/24 1:10 == 48	10/4/24 5:40 == 34.7	10/4/24 10:10 == 35	10/4/24 14:40 == 34.9
10/4/24 1:15 == 48.1	10/4/24 5:45 == 37.3	10/4/24 10:15 == 35	10/4/24 14:45 == 34.8
10/4/24 1:20 == 48.3	10/4/24 5:50 == 43.7	10/4/24 10:20 == 35.1	10/4/24 14:50 == 35
10/4/24 1:25 == 48.2	10/4/24 5:55 == 48	10/4/24 10:25 == 35.1	10/4/24 14:55 == 34.9
10/4/24 1:30 == 48	10/4/24 6:00 == 48	10/4/24 10:30 == 36.9	10/4/24 15:00 == 34.9
10/4/24 1:35 == 48.1	10/4/24 6:05 == 48	10/4/24 10:35 == 44.6	10/4/24 15:05 == 45.4
10/4/24 1:40 == 48.1	10/4/24 6:10 == 48	10/4/24 10:40 == 48.1	10/4/24 15:10 == 47.5
10/4/24 1:45 == 48	10/4/24 6:15 == 48.1	10/4/24 10:45 == 48	10/4/24 15:15 == 47.7
10/4/24 1:50 == 47.9	10/4/24 6:20 == 48	10/4/24 10:50 == 48	10/4/24 15:20 == 47.9
10/4/24 1:55 == 47.7	10/4/24 6:25 == 48.1	10/4/24 10:55 == 48	10/4/24 15:25 == 48.1
10/4/24 2:00 == 45.3	10/4/24 6:30 == 45.3	10/4/24 11:00 == 48	10/4/24 15:30 == 48
10/4/24 2:05 == 35.1	10/4/24 6:35 == 35.7	10/4/24 11:05 == 48	10/4/24 15:35 == 48
10/4/24 2:10 == 34.7	10/4/24 6:40 == 34.4	10/4/24 11:10 == 48	10/4/24 15:40 == 48.1
10/4/24 2:15 == 34.6	10/4/24 6:45 == 34.4	10/4/24 11:15 == 48	10/4/24 15:45 == 48.1
10/4/24 2:20 == 34.7	10/4/24 6:50 == 34.4	10/4/24 11:20 == 47.9	10/4/24 15:50 == 47.9
10/4/24 2:25 == 34.7	10/4/24 6:55 == 34.5	10/4/24 11:25 == 48	10/4/24 15:55 == 47.9
10/4/24 2:30 == 34.7	10/4/24 7:00 == 34.5	10/4/24 11:30 == 45	10/4/24 16:00 == 44.5
10/4/24 2:35 == 34.7	10/4/24 7:05 == 34.2	10/4/24 11:35 == 37	10/4/24 16:05 == 38.3
10/4/24 2:40 == 34.8	10/4/24 7:10 == 34.4	10/4/24 11:40 == 34.8	10/4/24 16:10 == 35
10/4/24 2:45 == 34.8	10/4/24 7:15 == 34.3	10/4/24 11:45 == 34.8	10/4/24 16:15 == 35
10/4/24 2:50 == 34.7	10/4/24 7:20 == 34.5	10/4/24 11:50 == 34.8	10/4/24 16:20 == 35
10/4/24 2:55 == 34.6	10/4/24 7:25 == 34.4	10/4/24 11:55 == 35	10/4/24 16:25 == 35
10/4/24 3:00 == 34.4	10/4/24 7:30 == 34.5	10/4/24 12:00 == 34.6	10/4/24 16:30 == 35
10/4/24 3:05 == 34.2	10/4/24 7:35 == 34.5	10/4/24 12:05 == 34.5	10/4/24 16:35 == 35
10/4/24 3:10 == 34.2	10/4/24 7:40 == 34.2	10/4/24 12:10 == 34.4	10/4/24 16:40 == 35
10/4/24 3:15 == 37.5	10/4/24 7:45 == 36.1	10/4/24 12:15 == 34.5	10/4/24 16:45 == 34.9
10/4/24 3:20 == 44.3	10/4/24 7:50 == 44.9	10/4/24 12:20 == 34.7	10/4/24 16:50 == 34.8
10/4/24 3:25 == 48.1	10/4/24 7:55 == 47.9	10/4/24 12:25 == 34.7	10/4/24 16:55 == 34.7
10/4/24 3:30 == 47.9	10/4/24 8:00 == 48.1	10/4/24 12:30 == 34.9	10/4/24 17:00 == 34.5
10/4/24 3:35 == 47.9	10/4/24 8:05 == 48.1	10/4/24 12:35 == 34.6	10/4/24 17:05 == 34.5
10/4/24 3:40 == 48	10/4/24 8:10 == 47.6	10/4/24 12:40 == 34.6	10/4/24 17:10 == 34.3
10/4/24 3:45 == 48.1	10/4/24 8:15 == 47.7	10/4/24 12:45 == 35.3	10/4/24 17:15 == 34.3
10/4/24 3:50 == 48	10/4/24 8:20 == 48	10/4/24 12:50 == 45.3	10/4/24 17:20 == 34.4
10/4/24 3:55 == 48	10/4/24 8:25 == 47.7	10/4/24 12:55 == 47.9	10/4/24 17:25 == 34.3
10/4/24 4:00 == 45.5	10/4/24 8:30 == 43.7	10/4/24 13:00 == 47.9	10/4/24 17:30 == 34.4
10/4/24 4:05 == 34.5	10/4/24 8:35 == 37.3	10/4/24 13:05 == 47.9	10/4/24 17:35 == 45
10/4/24 4:10 == 34.2	10/4/24 8:40 == 34.6	10/4/24 13:10 == 48	10/4/24 17:40 == 47.7
10/4/24 4:15 == 34.5	10/4/24 8:45 == 34.6	10/4/24 13:15 == 48	10/4/24 17:45 == 47.8
10/4/24 4:20 == 34.4	10/4/24 8:50 == 34.6	10/4/24 13:20 == 48.1	10/4/24 17:50 == 47.9
10/4/24 4:25 == 34.5	10/4/24 8:55 == 34.7	10/4/24 13:25 == 48	10/4/24 17:55 == 48

Pumpback Station Discharge (0364)

10/4/24 18:00 == 48.1	10/4/24 22:30 == 34.6	10/5/24 3:00 == 34.5	10/5/24 7:30 == 34.7
10/4/24 18:05 == 48	10/4/24 22:35 == 34.5	10/5/24 3:05 == 34.4	10/5/24 7:35 == 34.7
10/4/24 18:10 == 47.9	10/4/24 22:40 == 34.7	10/5/24 3:10 == 34.2	10/5/24 7:40 == 34.7
10/4/24 18:15 == 47.9	10/4/24 22:45 == 34.8	10/5/24 3:15 == 34.3	10/5/24 7:45 == 34.7
10/4/24 18:20 == 47.9	10/4/24 22:50 == 44.6	10/5/24 3:20 == 34.3	10/5/24 7:50 == 34.6
10/4/24 18:25 == 48.1	10/4/24 22:55 == 47.7	10/5/24 3:25 == 34.3	10/5/24 7:55 == 34.5
10/4/24 18:30 == 44.9	10/4/24 23:00 == 48.1	10/5/24 3:30 == 35	10/5/24 8:00 == 34.4
10/4/24 18:35 == 38	10/4/24 23:05 == 48	10/5/24 3:35 == 42.7	10/5/24 8:05 == 34.5
10/4/24 18:40 == 34.4	10/4/24 23:10 == 48	10/5/24 3:40 == 47.9	10/5/24 8:10 == 34.8
10/4/24 18:45 == 34.4	10/4/24 23:15 == 48	10/5/24 3:45 == 47.9	10/5/24 8:15 == 34.9
10/4/24 18:50 == 34.3	10/4/24 23:20 == 48	10/5/24 3:50 == 48	10/5/24 8:20 == 34.8
10/4/24 18:55 == 34.4	10/4/24 23:25 == 47.6	10/5/24 3:55 == 47.9	10/5/24 8:25 == 34.9
10/4/24 19:00 == 34.3	10/4/24 23:30 == 47.6	10/5/24 4:00 == 47.9	10/5/24 8:30 == 35.8
10/4/24 19:05 == 34.4	10/4/24 23:35 == 47.8	10/5/24 4:05 == 48.1	10/5/24 8:35 == 42
10/4/24 19:10 == 34.4	10/4/24 23:40 == 47.8	10/5/24 4:10 == 48.1	10/5/24 8:40 == 47.9
10/4/24 19:15 == 34.4	10/4/24 23:45 == 45.1	10/5/24 4:15 == 47.7	10/5/24 8:45 == 47.7
10/4/24 19:20 == 34.5	10/4/24 23:50 == 38.3	10/5/24 4:20 == 37.5	10/5/24 8:50 == 48
10/4/24 19:25 == 34.5	10/4/24 23:55 == 34.1	10/5/24 4:25 == 34.5	10/5/24 8:55 == 47.9
10/4/24 19:30 == 34.5	10/5/24 0:00 == 34	10/5/24 4:30 == 34.4	10/5/24 9:00 == 48
10/4/24 19:35 == 34.4	10/5/24 0:05 == 33.9	10/5/24 4:35 == 34.4	10/5/24 9:05 == 48
10/4/24 19:40 == 34.3	10/5/24 0:10 == 34	10/5/24 4:40 == 34.4	10/5/24 9:10 == 47.8
10/4/24 19:45 == 34.3	10/5/24 0:15 == 34.3	10/5/24 4:45 == 34.4	10/5/24 9:15 == 48.1
10/4/24 19:50 == 34.4	10/5/24 0:20 == 34.3	10/5/24 4:50 == 34.4	10/5/24 9:20 == 38.2
10/4/24 19:55 == 34.6	10/5/24 0:25 == 34.3	10/5/24 4:55 == 34.3	10/5/24 9:25 == 35.1
10/4/24 20:00 == 34.5	10/5/24 0:30 == 34.5	10/5/24 5:00 == 34.3	10/5/24 9:30 == 34.8
10/4/24 20:05 == 34.3	10/5/24 0:35 == 34.6	10/5/24 5:05 == 34.3	10/5/24 9:35 == 35
10/4/24 20:10 == 34.9	10/5/24 0:40 == 34.6	10/5/24 5:10 == 34.8	10/5/24 9:40 == 35
10/4/24 20:15 == 34.9	10/5/24 0:45 == 34.5	10/5/24 5:15 == 35.2	10/5/24 9:45 == 35
10/4/24 20:20 == 44.2	10/5/24 0:50 == 34.4	10/5/24 5:20 == 35	10/5/24 9:50 == 35
10/4/24 20:25 == 47.6	10/5/24 0:55 == 34.4	10/5/24 5:25 == 34.8	10/5/24 9:55 == 34.9
10/4/24 20:30 == 48	10/5/24 1:00 == 34.4	10/5/24 5:30 == 34.8	10/5/24 10:00 == 35
10/4/24 20:35 == 48.1	10/5/24 1:05 == 34.4	10/5/24 5:35 == 34.9	10/5/24 10:05 == 35
10/4/24 20:40 == 48	10/5/24 1:10 == 34.4	10/5/24 5:40 == 34.9	10/5/24 10:10 == 35.1
10/4/24 20:45 == 48	10/5/24 1:15 == 34.6	10/5/24 5:45 == 35.9	10/5/24 10:15 == 35.2
10/4/24 20:50 == 47.6	10/5/24 1:20 == 43.4	10/5/24 5:50 == 41.6	10/5/24 10:20 == 35
10/4/24 20:55 == 47.8	10/5/24 1:25 == 47.6	10/5/24 5:55 == 47.9	10/5/24 10:25 == 35.2
10/4/24 21:00 == 48	10/5/24 1:30 == 47.9	10/5/24 6:00 == 47.4	10/5/24 10:30 == 35.3
10/4/24 21:05 == 47.9	10/5/24 1:35 == 47.9	10/5/24 6:05 == 48	10/5/24 10:35 == 35.3
10/4/24 21:10 == 48	10/5/24 1:40 == 48	10/5/24 6:10 == 48.3	10/5/24 10:40 == 35.3
10/4/24 21:15 == 45.4	10/5/24 1:45 == 48	10/5/24 6:15 == 48.1	10/5/24 10:45 == 36.4
10/4/24 21:20 == 39	10/5/24 1:50 == 48	10/5/24 6:20 == 48	10/5/24 10:50 == 41.2
10/4/24 21:25 == 34.9	10/5/24 1:55 == 47.7	10/5/24 6:25 == 47.9	10/5/24 10:55 == 48
10/4/24 21:30 == 34.7	10/5/24 2:00 == 47.8	10/5/24 6:30 == 47.9	10/5/24 11:00 == 47.9
10/4/24 21:35 == 34.6	10/5/24 2:05 == 47.9	10/5/24 6:35 == 47.9	10/5/24 11:05 == 48
10/4/24 21:40 == 34.7	10/5/24 2:10 == 48.1	10/5/24 6:40 == 48	10/5/24 11:10 == 48.1
10/4/24 21:45 == 34.6	10/5/24 2:15 == 45.9	10/5/24 6:45 == 48	10/5/24 11:15 == 48
10/4/24 21:50 == 34.5	10/5/24 2:20 == 39	10/5/24 6:50 == 37.1	10/5/24 11:20 == 47.9
10/4/24 21:55 == 34.3	10/5/24 2:25 == 34.8	10/5/24 6:55 == 34.8	10/5/24 11:25 == 48.1
10/4/24 22:00 == 34.3	10/5/24 2:30 == 34.8	10/5/24 7:00 == 34.7	10/5/24 11:30 == 48.1
10/4/24 22:05 == 34.3	10/5/24 2:35 == 34.8	10/5/24 7:05 == 34.6	10/5/24 11:35 == 48.1
10/4/24 22:10 == 34.3	10/5/24 2:40 == 34.9	10/5/24 7:10 == 34.7	10/5/24 11:40 == 47.9
10/4/24 22:15 == 34.3	10/5/24 2:45 == 34.9	10/5/24 7:15 == 34.8	10/5/24 11:45 == 48
10/4/24 22:20 == 34.5	10/5/24 2:50 == 34.9	10/5/24 7:20 == 34.9	10/5/24 11:50 == 38.4
10/4/24 22:25 == 34.6	10/5/24 2:55 == 34.7	10/5/24 7:25 == 34.8	10/5/24 11:55 == 35.2

Pumpback Station Discharge (0364)

10/5/24 12:00 == 35.1	10/5/24 16:30 == 34.9	10/5/24 21:00 == 48	10/6/24 1:30 == 48.1
10/5/24 12:05 == 34.9	10/5/24 16:35 == 34.9	10/5/24 21:05 == 47.9	10/6/24 1:35 == 48
10/5/24 12:10 == 34.9	10/5/24 16:40 == 34.9	10/5/24 21:10 == 48	10/6/24 1:40 == 47.7
10/5/24 12:15 == 34.7	10/5/24 16:45 == 34.8	10/5/24 21:15 == 46.8	10/6/24 1:45 == 47
10/5/24 12:20 == 34.8	10/5/24 16:50 == 34.6	10/5/24 21:20 == 41.4	10/6/24 1:50 == 41.3
10/5/24 12:25 == 34.8	10/5/24 16:55 == 34.5	10/5/24 21:25 == 34.7	10/6/24 1:55 == 35
10/5/24 12:30 == 34.7	10/5/24 17:00 == 34.4	10/5/24 21:30 == 34.6	10/6/24 2:00 == 34.9
10/5/24 12:35 == 34.8	10/5/24 17:05 == 34.3	10/5/24 21:35 == 34.6	10/6/24 2:05 == 34.9
10/5/24 12:40 == 34.8	10/5/24 17:10 == 34.2	10/5/24 21:40 == 34.5	10/6/24 2:10 == 34.8
10/5/24 12:45 == 34.8	10/5/24 17:15 == 34.2	10/5/24 21:45 == 34.5	10/6/24 2:15 == 34.8
10/5/24 12:50 == 34.7	10/5/24 17:20 == 34.2	10/5/24 21:50 == 34.5	10/6/24 2:20 == 34.9
10/5/24 12:55 == 34.6	10/5/24 17:25 == 34.2	10/5/24 21:55 == 34.3	10/6/24 2:25 == 34.9
10/5/24 13:00 == 35.2	10/5/24 17:30 == 34.4	10/5/24 22:00 == 34.3	10/6/24 2:30 == 34.9
10/5/24 13:05 == 40.6	10/5/24 17:35 == 34.4	10/5/24 22:05 == 34.4	10/6/24 2:35 == 34.8
10/5/24 13:10 == 47.8	10/5/24 17:40 == 34.4	10/5/24 22:10 == 34.2	10/6/24 2:40 == 34.6
10/5/24 13:15 == 48	10/5/24 17:45 == 34.3	10/5/24 22:15 == 34.3	10/6/24 2:45 == 35.1
10/5/24 13:20 == 47.9	10/5/24 17:50 == 41.1	10/5/24 22:20 == 34.4	10/6/24 2:50 == 38.8
10/5/24 13:25 == 47.9	10/5/24 17:55 == 47.1	10/5/24 22:25 == 34.6	10/6/24 2:55 == 48
10/5/24 13:30 == 48.1	10/5/24 18:00 == 47.8	10/5/24 22:30 == 34.7	10/6/24 3:00 == 48.2
10/5/24 13:35 == 48.1	10/5/24 18:05 == 47.9	10/5/24 22:35 == 41.6	10/6/24 3:05 == 48
10/5/24 13:40 == 48	10/5/24 18:10 == 47.9	10/5/24 22:40 == 46.7	10/6/24 3:10 == 47.9
10/5/24 13:45 == 47.9	10/5/24 18:15 == 48	10/5/24 22:45 == 48	10/6/24 3:15 == 47.9
10/5/24 13:50 == 47.9	10/5/24 18:20 == 48.1	10/5/24 22:50 == 47.9	10/6/24 3:20 == 48
10/5/24 13:55 == 48	10/5/24 18:25 == 48.2	10/5/24 22:55 == 48	10/6/24 3:25 == 47.9
10/5/24 14:00 == 47.9	10/5/24 18:30 == 48.1	10/5/24 23:00 == 47.9	10/6/24 3:30 == 48
10/5/24 14:05 == 38.6	10/5/24 18:35 == 48.1	10/5/24 23:05 == 47.9	10/6/24 3:35 == 48.1
10/5/24 14:10 == 34.7	10/5/24 18:40 == 48.2	10/5/24 23:10 == 48	10/6/24 3:40 == 48
10/5/24 14:15 == 34.6	10/5/24 18:45 == 46.7	10/5/24 23:15 == 48	10/6/24 3:45 == 48.1
10/5/24 14:20 == 34.5	10/5/24 18:50 == 40.3	10/5/24 23:20 == 48	10/6/24 3:50 == 40.6
10/5/24 14:25 == 34.6	10/5/24 18:55 == 34.5	10/5/24 23:25 == 48	10/6/24 3:55 == 35.3
10/5/24 14:30 == 35	10/5/24 19:00 == 34.4	10/5/24 23:30 == 46.9	10/6/24 4:00 == 34.4
10/5/24 14:35 == 35	10/5/24 19:05 == 34.2	10/5/24 23:35 == 41.5	10/6/24 4:05 == 34.2
10/5/24 14:40 == 35	10/5/24 19:10 == 34.3	10/5/24 23:40 == 34.2	10/6/24 4:10 == 34.3
10/5/24 14:45 == 35.1	10/5/24 19:15 == 34.4	10/5/24 23:45 == 34.1	10/6/24 4:15 == 34.5
10/5/24 14:50 == 34.9	10/5/24 19:20 == 34.3	10/5/24 23:50 == 34.3	10/6/24 4:20 == 34.6
10/5/24 14:55 == 34.8	10/5/24 19:25 == 34.4	10/5/24 23:55 == 34.1	10/6/24 4:25 == 34.5
10/5/24 15:00 == 34.9	10/5/24 19:30 == 34.4	10/6/24 0:00 == 33.9	10/6/24 4:30 == 34.5
10/5/24 15:05 == 35	10/5/24 19:35 == 34.3	10/6/24 0:05 == 34	10/6/24 4:35 == 34.4
10/5/24 15:10 == 35.1	10/5/24 19:40 == 34.4	10/6/24 0:10 == 34	10/6/24 4:40 == 34.3
10/5/24 15:15 == 35.1	10/5/24 19:45 == 34.3	10/6/24 0:15 == 34.2	10/6/24 4:45 == 34.3
10/5/24 15:20 == 35.2	10/5/24 19:50 == 34.4	10/6/24 0:20 == 34.1	10/6/24 4:50 == 34.5
10/5/24 15:25 == 35.2	10/5/24 19:55 == 34.5	10/6/24 0:25 == 34.5	10/6/24 4:55 == 34.4
10/5/24 15:30 == 35.5	10/5/24 20:00 == 34.4	10/6/24 0:30 == 34.4	10/6/24 5:00 == 34.7
10/5/24 15:35 == 41	10/5/24 20:05 == 41.2	10/6/24 0:35 == 34.4	10/6/24 5:05 == 37.9
10/5/24 15:40 == 47.7	10/5/24 20:10 == 46.4	10/6/24 0:40 == 34.5	10/6/24 5:10 == 47.8
10/5/24 15:45 == 47.8	10/5/24 20:15 == 47.7	10/6/24 0:45 == 34.4	10/6/24 5:15 == 47.4
10/5/24 15:50 == 47.9	10/5/24 20:20 == 48	10/6/24 0:50 == 40.6	10/6/24 5:20 == 47.9
10/5/24 15:55 == 47.8	10/5/24 20:25 == 48	10/6/24 0:55 == 46.8	10/6/24 5:25 == 48
10/5/24 16:00 == 47.9	10/5/24 20:30 == 48	10/6/24 1:00 == 48	10/6/24 5:30 == 48
10/5/24 16:05 == 48	10/5/24 20:35 == 48.1	10/6/24 1:05 == 48	10/6/24 5:35 == 47.8
10/5/24 16:10 == 47.9	10/5/24 20:40 == 48.1	10/6/24 1:10 == 48.1	10/6/24 5:40 == 48
10/5/24 16:15 == 46.8	10/5/24 20:45 == 48.1	10/6/24 1:15 == 48.1	10/6/24 5:45 == 48.1
10/5/24 16:20 == 40.4	10/5/24 20:50 == 47.9	10/6/24 1:20 == 48	10/6/24 5:50 == 47.8
10/5/24 16:25 == 34.9	10/5/24 20:55 == 47.8	10/6/24 1:25 == 48.2	10/6/24 5:55 == 48

Pumpback Station Discharge (0364)

10/6/24 6:00 == 48	10/6/24 10:30 == 34.9	10/6/24 15:00 == 34.6	10/6/24 19:30 == 34.7
10/6/24 6:05 == 36.5	10/6/24 10:35 == 34.9	10/6/24 15:05 == 34.8	10/6/24 19:35 == 34.7
10/6/24 6:10 == 15.4	10/6/24 10:40 == 37.1	10/6/24 15:10 == 35.1	10/6/24 19:40 == 34.7
10/6/24 6:15 == 15.1	10/6/24 10:45 == 44.9	10/6/24 15:15 == 34.9	10/6/24 19:45 == 34.7
10/6/24 6:20 == 28.8	10/6/24 10:50 == 47.9	10/6/24 15:20 == 35.1	10/6/24 19:50 == 34.8
10/6/24 6:25 == 36.7	10/6/24 10:55 == 48	10/6/24 15:25 == 35.1	10/6/24 19:55 == 35
10/6/24 6:30 == 43.4	10/6/24 11:00 == 47.9	10/6/24 15:30 == 35	10/6/24 20:00 == 34.7
10/6/24 6:35 == 48	10/6/24 11:05 == 48	10/6/24 15:35 == 35	10/6/24 20:05 == 34.7
10/6/24 6:40 == 48	10/6/24 11:10 == 48.2	10/6/24 15:40 == 35.2	10/6/24 20:10 == 35.1
10/6/24 6:45 == 47.9	10/6/24 11:15 == 48	10/6/24 15:45 == 35.2	10/6/24 20:15 == 45.1
10/6/24 6:50 == 48	10/6/24 11:20 == 48	10/6/24 15:50 == 35	10/6/24 20:20 == 47.7
10/6/24 6:55 == 48	10/6/24 11:25 == 48	10/6/24 15:55 == 35	10/6/24 20:25 == 48
10/6/24 7:00 == 48	10/6/24 11:30 == 47.9	10/6/24 16:00 == 35	10/6/24 20:30 == 48.1
10/6/24 7:05 == 47.9	10/6/24 11:35 == 47.9	10/6/24 16:05 == 34.9	10/6/24 20:35 == 48
10/6/24 7:10 == 48	10/6/24 11:40 == 48	10/6/24 16:10 == 37.6	10/6/24 20:40 == 48
10/6/24 7:15 == 47.9	10/6/24 11:45 == 48	10/6/24 16:15 == 43.9	10/6/24 20:45 == 47.9
10/6/24 7:20 == 48	10/6/24 11:50 == 48.1	10/6/24 16:20 == 47.9	10/6/24 20:50 == 47.9
10/6/24 7:25 == 45.1	10/6/24 11:55 == 45	10/6/24 16:25 == 47.9	10/6/24 20:55 == 47.9
10/6/24 7:30 == 34.5	10/6/24 12:00 == 35.4	10/6/24 16:30 == 47.9	10/6/24 21:00 == 47.9
10/6/24 7:35 == 34.5	10/6/24 12:05 == 34.2	10/6/24 16:35 == 47.9	10/6/24 21:05 == 48
10/6/24 7:40 == 34.4	10/6/24 12:10 == 34.3	10/6/24 16:40 == 47.9	10/6/24 21:10 == 44.6
10/6/24 7:45 == 34.3	10/6/24 12:15 == 34.5	10/6/24 16:45 == 48	10/6/24 21:15 == 38.2
10/6/24 7:50 == 34.3	10/6/24 12:20 == 34.4	10/6/24 16:50 == 48	10/6/24 21:20 == 34.8
10/6/24 7:55 == 34.3	10/6/24 12:25 == 34.5	10/6/24 16:55 == 48	10/6/24 21:25 == 34.7
10/6/24 8:00 == 34	10/6/24 12:30 == 34.4	10/6/24 17:00 == 48	10/6/24 21:30 == 34.4
10/6/24 8:05 == 34.1	10/6/24 12:35 == 34.4	10/6/24 17:05 == 48.1	10/6/24 21:35 == 34.3
10/6/24 8:10 == 34.3	10/6/24 12:40 == 34.5	10/6/24 17:10 == 48.1	10/6/24 21:40 == 34.3
10/6/24 8:15 == 34.3	10/6/24 12:45 == 34.4	10/6/24 17:15 == 48	10/6/24 21:45 == 34.4
10/6/24 8:20 == 34.2	10/6/24 12:50 == 34.4	10/6/24 17:20 == 48.1	10/6/24 21:50 == 34.4
10/6/24 8:25 == 37.5	10/6/24 12:55 == 34.4	10/6/24 17:25 == 47	10/6/24 21:55 == 34.3
10/6/24 8:30 == 44.3	10/6/24 13:00 == 34.3	10/6/24 17:30 == 34.8	10/6/24 22:00 == 34.2
10/6/24 8:35 == 47.7	10/6/24 13:05 == 33.9	10/6/24 17:35 == 34.5	10/6/24 22:05 == 34.4
10/6/24 8:40 == 48	10/6/24 13:10 == 35.9	10/6/24 17:40 == 34.6	10/6/24 22:10 == 35.4
10/6/24 8:45 == 48.1	10/6/24 13:15 == 44.9	10/6/24 17:45 == 34.5	10/6/24 22:15 == 44.3
10/6/24 8:50 == 47.9	10/6/24 13:20 == 48	10/6/24 17:50 == 34.6	10/6/24 22:20 == 48
10/6/24 8:55 == 48.1	10/6/24 13:25 == 47.7	10/6/24 17:55 == 34.7	10/6/24 22:25 == 48.1
10/6/24 9:00 == 48.1	10/6/24 13:30 == 47.7	10/6/24 18:00 == 34.7	10/6/24 22:30 == 48.1
10/6/24 9:05 == 48	10/6/24 13:35 == 47.9	10/6/24 18:05 == 34.6	10/6/24 22:35 == 48
10/6/24 9:10 == 48	10/6/24 13:40 == 48	10/6/24 18:10 == 34.5	10/6/24 22:40 == 48
10/6/24 9:15 == 48	10/6/24 13:45 == 48	10/6/24 18:15 == 34.4	10/6/24 22:45 == 47.9
10/6/24 9:20 == 48	10/6/24 13:50 == 48	10/6/24 18:20 == 34.4	10/6/24 22:50 == 48.1
10/6/24 9:25 == 45.1	10/6/24 13:55 == 47.9	10/6/24 18:25 == 36.7	10/6/24 22:55 == 48.1
10/6/24 9:30 == 35.2	10/6/24 14:00 == 47.9	10/6/24 18:30 == 44.2	10/6/24 23:00 == 48.1
10/6/24 9:35 == 34.3	10/6/24 14:05 == 48.1	10/6/24 18:35 == 48.2	10/6/24 23:05 == 48
10/6/24 9:40 == 34.6	10/6/24 14:10 == 47.8	10/6/24 18:40 == 48.1	10/6/24 23:10 == 45.2
10/6/24 9:45 == 34.5	10/6/24 14:15 == 47.4	10/6/24 18:45 == 48.1	10/6/24 23:15 == 37.7
10/6/24 9:50 == 34.6	10/6/24 14:20 == 48.1	10/6/24 18:50 == 48.1	10/6/24 23:20 == 34.7
10/6/24 9:55 == 34.5	10/6/24 14:25 == 45.3	10/6/24 18:55 == 48	10/6/24 23:25 == 34.7
10/6/24 10:00 == 34.6	10/6/24 14:30 == 35.9	10/6/24 19:00 == 47.9	10/6/24 23:30 == 34.4
10/6/24 10:05 == 34.6	10/6/24 14:35 == 34.7	10/6/24 19:05 == 48.1	10/6/24 23:35 == 34.3
10/6/24 10:10 == 34.6	10/6/24 14:40 == 34.6	10/6/24 19:10 == 45	10/6/24 23:40 == 34.4
10/6/24 10:15 == 34.6	10/6/24 14:45 == 34.6	10/6/24 19:15 == 37.6	10/6/24 23:45 == 34.4
10/6/24 10:20 == 34.5	10/6/24 14:50 == 34.5	10/6/24 19:20 == 34.7	10/6/24 23:50 == 34.3
10/6/24 10:25 == 34.8	10/6/24 14:55 == 34.7	10/6/24 19:25 == 34.7	10/6/24 23:55 == 34.2

Pumpback Station Discharge (0364)

10/7/24 0:00 == 34.1	10/7/24 4:30 == 47.8	10/7/24 9:00 == 48.1	10/7/24 13:30 == 48
10/7/24 0:05 == 34.1	10/7/24 4:35 == 47.9	10/7/24 9:05 == 48	10/7/24 13:35 == 48
10/7/24 0:10 == 36.4	10/7/24 4:40 == 47.9	10/7/24 9:10 == 47.9	10/7/24 13:40 == 48
10/7/24 0:15 == 43	10/7/24 4:45 == 48	10/7/24 9:15 == 48	10/7/24 13:45 == 48
10/7/24 0:20 == 47.9	10/7/24 4:50 == 48	10/7/24 9:20 == 48	10/7/24 13:50 == 48
10/7/24 0:25 == 47.7	10/7/24 4:55 == 48	10/7/24 9:25 == 45.7	10/7/24 13:55 == 48
10/7/24 0:30 == 47.5	10/7/24 5:00 == 48.1	10/7/24 9:30 == 38.7	10/7/24 14:00 == 48
10/7/24 0:35 == 47.9	10/7/24 5:05 == 48.1	10/7/24 9:35 == 34.5	10/7/24 14:05 == 48
10/7/24 0:40 == 47.9	10/7/24 5:10 == 47.9	10/7/24 9:40 == 34.6	10/7/24 14:10 == 47
10/7/24 0:45 == 47.9	10/7/24 5:15 == 47.5	10/7/24 9:45 == 34.5	10/7/24 14:15 == 38.5
10/7/24 0:50 == 47.8	10/7/24 5:20 == 47.9	10/7/24 9:50 == 34.6	10/7/24 14:20 == 34.4
10/7/24 0:55 == 48.1	10/7/24 5:25 == 46.1	10/7/24 9:55 == 34.7	10/7/24 14:25 == 34.4
10/7/24 1:00 == 48.1	10/7/24 5:30 == 37.6	10/7/24 10:00 == 34.6	10/7/24 14:30 == 34.6
10/7/24 1:05 == 48	10/7/24 5:35 == 34.7	10/7/24 10:05 == 34.7	10/7/24 14:35 == 34.6
10/7/24 1:10 == 46.9	10/7/24 5:40 == 34.6	10/7/24 10:10 == 34.6	10/7/24 14:40 == 34.8
10/7/24 1:15 == 36.1	10/7/24 5:45 == 34.5	10/7/24 10:15 == 34.5	10/7/24 14:45 == 34.8
10/7/24 1:20 == 34.7	10/7/24 5:50 == 34.6	10/7/24 10:20 == 34.7	10/7/24 14:50 == 34.6
10/7/24 1:25 == 34.8	10/7/24 5:55 == 34.6	10/7/24 10:25 == 36.3	10/7/24 14:55 == 35.7
10/7/24 1:30 == 34.7	10/7/24 6:00 == 34.7	10/7/24 10:30 == 42.4	10/7/24 15:00 == 41.1
10/7/24 1:35 == 34.8	10/7/24 6:05 == 34.7	10/7/24 10:35 == 47.7	10/7/24 15:05 == 47.8
10/7/24 1:40 == 34.8	10/7/24 6:10 == 34.7	10/7/24 10:40 == 47.9	10/7/24 15:10 == 47.7
10/7/24 1:45 == 34.8	10/7/24 6:15 == 34.9	10/7/24 10:45 == 47.7	10/7/24 15:15 == 47.3
10/7/24 1:50 == 34.7	10/7/24 6:20 == 35	10/7/24 10:50 == 47.9	10/7/24 15:20 == 48.1
10/7/24 1:55 == 34.7	10/7/24 6:25 == 35	10/7/24 10:55 == 48.1	10/7/24 15:25 == 48.1
10/7/24 2:00 == 34.7	10/7/24 6:30 == 44.3	10/7/24 11:00 == 48	10/7/24 15:30 == 48
10/7/24 2:05 == 34.5	10/7/24 6:35 == 47.8	10/7/24 11:05 == 47.9	10/7/24 15:35 == 47.9
10/7/24 2:10 == 36.5	10/7/24 6:40 == 48	10/7/24 11:10 == 47.8	10/7/24 15:40 == 48.1
10/7/24 2:15 == 43	10/7/24 6:45 == 48	10/7/24 11:15 == 47.6	10/7/24 15:45 == 47.5
10/7/24 2:20 == 48	10/7/24 6:50 == 48	10/7/24 11:20 == 47.9	10/7/24 15:50 == 48.1
10/7/24 2:25 == 48.1	10/7/24 6:55 == 48.1	10/7/24 11:25 == 47.9	10/7/24 15:55 == 47.9
10/7/24 2:30 == 48	10/7/24 7:00 == 48.1	10/7/24 11:30 == 47.9	10/7/24 16:00 == 47.9
10/7/24 2:35 == 47.9	10/7/24 7:05 == 48	10/7/24 11:35 == 48	10/7/24 16:05 == 47.8
10/7/24 2:40 == 48	10/7/24 7:10 == 47.8	10/7/24 11:40 == 46.8	10/7/24 16:10 == 47.6
10/7/24 2:45 == 48	10/7/24 7:15 == 47.8	10/7/24 11:45 == 38.7	10/7/24 16:15 == 37.7
10/7/24 2:50 == 47.9	10/7/24 7:20 == 48.1	10/7/24 11:50 == 35.1	10/7/24 16:20 == 34.9
10/7/24 2:55 == 48	10/7/24 7:25 == 48	10/7/24 11:55 == 35	10/7/24 16:25 == 34.8
10/7/24 3:00 == 48	10/7/24 7:30 == 48	10/7/24 12:00 == 35.1	10/7/24 16:30 == 34.5
10/7/24 3:05 == 48	10/7/24 7:35 == 48.1	10/7/24 12:05 == 34.9	10/7/24 16:35 == 34.4
10/7/24 3:10 == 47	10/7/24 7:40 == 45.8	10/7/24 12:10 == 34.9	10/7/24 16:40 == 34.4
10/7/24 3:15 == 36.4	10/7/24 7:45 == 38.9	10/7/24 12:15 == 35.1	10/7/24 16:45 == 34.4
10/7/24 3:20 == 34.1	10/7/24 7:50 == 34.7	10/7/24 12:20 == 35.2	10/7/24 16:50 == 34.2
10/7/24 3:25 == 34.3	10/7/24 7:55 == 34.8	10/7/24 12:25 == 35.1	10/7/24 16:55 == 34.3
10/7/24 3:30 == 34.1	10/7/24 8:00 == 34.6	10/7/24 12:30 == 35	10/7/24 17:00 == 34.4
10/7/24 3:35 == 34.2	10/7/24 8:05 == 34.6	10/7/24 12:35 == 35	10/7/24 17:05 == 34.3
10/7/24 3:40 == 34.3	10/7/24 8:10 == 34.8	10/7/24 12:40 == 36.4	10/7/24 17:10 == 35
10/7/24 3:45 == 34.2	10/7/24 8:15 == 34.8	10/7/24 12:45 == 41.8	10/7/24 17:15 == 41.5
10/7/24 3:50 == 34.1	10/7/24 8:20 == 34.9	10/7/24 12:50 == 48.1	10/7/24 17:20 == 48
10/7/24 3:55 == 34.2	10/7/24 8:25 == 35.2	10/7/24 12:55 == 48	10/7/24 17:25 == 48
10/7/24 4:00 == 34.4	10/7/24 8:30 == 43.4	10/7/24 13:00 == 47.9	10/7/24 17:30 == 47.8
10/7/24 4:05 == 34.3	10/7/24 8:35 == 47.8	10/7/24 13:05 == 47.7	10/7/24 17:35 == 47.9
10/7/24 4:10 == 35	10/7/24 8:40 == 48.2	10/7/24 13:10 == 48	10/7/24 17:40 == 48
10/7/24 4:15 == 43.5	10/7/24 8:45 == 47.8	10/7/24 13:15 == 48.1	10/7/24 17:45 == 48.2
10/7/24 4:20 == 47.7	10/7/24 8:50 == 48	10/7/24 13:20 == 47.9	10/7/24 17:50 == 48.1
10/7/24 4:25 == 47.9	10/7/24 8:55 == 48	10/7/24 13:25 == 47.9	10/7/24 17:55 == 48.2

Pumpback Station Discharge (0364)

10/7/24 18:00 == 47.9	10/7/24 22:30 == 40.1	10/8/24 3:00 == 39.9	10/8/24 7:30 == 48.2
10/7/24 18:05 == 48	10/7/24 22:35 == 34	10/8/24 3:05 == 34.5	10/8/24 7:35 == 48.2
10/7/24 18:10 == 48	10/7/24 22:40 == 34	10/8/24 3:10 == 34.4	10/8/24 7:40 == 47.9
10/7/24 18:15 == 48	10/7/24 22:45 == 33.9	10/8/24 3:15 == 34.2	10/8/24 7:45 == 48
10/7/24 18:20 == 48	10/7/24 22:50 == 33.9	10/8/24 3:20 == 34.3	10/8/24 7:50 == 47.9
10/7/24 18:25 == 47.9	10/7/24 22:55 == 34	10/8/24 3:25 == 34.3	10/8/24 7:55 == 48
10/7/24 18:30 == 47.9	10/7/24 23:00 == 34.3	10/8/24 3:30 == 34.3	10/8/24 8:00 == 48
10/7/24 18:35 == 48	10/7/24 23:05 == 34.2	10/8/24 3:35 == 34.2	10/8/24 8:05 == 48
10/7/24 18:40 == 47.9	10/7/24 23:10 == 34.7	10/8/24 3:40 == 34.6	10/8/24 8:10 == 47.8
10/7/24 18:45 == 37.5	10/7/24 23:15 == 40.3	10/8/24 3:45 == 38.9	10/8/24 8:15 == 47.7
10/7/24 18:50 == 34.3	10/7/24 23:20 == 48.1	10/8/24 3:50 == 47.8	10/8/24 8:20 == 48
10/7/24 18:55 == 33.9	10/7/24 23:25 == 47.8	10/8/24 3:55 == 48.1	10/8/24 8:25 == 48
10/7/24 19:00 == 33.8	10/7/24 23:30 == 47.9	10/8/24 4:00 == 48.1	10/8/24 8:30 == 47.9
10/7/24 19:05 == 33.9	10/7/24 23:35 == 47.9	10/8/24 4:05 == 48.1	10/8/24 8:35 == 48
10/7/24 19:10 == 33.9	10/7/24 23:40 == 48.1	10/8/24 4:10 == 48.1	10/8/24 8:40 == 48.1
10/7/24 19:15 == 33.9	10/7/24 23:45 == 47.4	10/8/24 4:15 == 47.9	10/8/24 8:45 == 47.9
10/7/24 19:20 == 33.9	10/7/24 23:50 == 47.8	10/8/24 4:20 == 47.9	10/8/24 8:50 == 47.9
10/7/24 19:25 == 33.8	10/7/24 23:55 == 48	10/8/24 4:25 == 48	10/8/24 8:55 == 47.7
10/7/24 19:30 == 41.4	10/8/24 0:00 == 48	10/8/24 4:30 == 48.1	10/8/24 9:00 == 47.4
10/7/24 19:35 == 47.6	10/8/24 0:05 == 48	10/8/24 4:35 == 48	10/8/24 9:05 == 48
10/7/24 19:40 == 48	10/8/24 0:10 == 48.1	10/8/24 4:40 == 48.1	10/8/24 9:10 == 47.9
10/7/24 19:45 == 48	10/8/24 0:15 == 48	10/8/24 4:45 == 47.9	10/8/24 9:15 == 47.9
10/7/24 19:50 == 48	10/8/24 0:20 == 48.1	10/8/24 4:50 == 47.9	10/8/24 9:20 == 48.1
10/7/24 19:55 == 47.9	10/8/24 0:25 == 48.1	10/8/24 4:55 == 47.9	10/8/24 9:25 == 48.1
10/7/24 20:00 == 47.9	10/8/24 0:30 == 48	10/8/24 5:00 == 48	10/8/24 9:30 == 48
10/7/24 20:05 == 48.1	10/8/24 0:35 == 48	10/8/24 5:05 == 48.1	10/8/24 9:35 == 47.9
10/7/24 20:10 == 48.1	10/8/24 0:40 == 46.9	10/8/24 5:10 == 47.5	10/8/24 9:40 == 48
10/7/24 20:15 == 47.6	10/8/24 0:45 == 40	10/8/24 5:15 == 39.4	10/8/24 9:45 == 47.8
10/7/24 20:20 == 48	10/8/24 0:50 == 33.9	10/8/24 5:20 == 35.2	10/8/24 9:50 == 47.9
10/7/24 20:25 == 46.6	10/8/24 0:55 == 34	10/8/24 5:25 == 34.5	10/8/24 9:55 == 47.8
10/7/24 20:30 == 40.2	10/8/24 1:00 == 34	10/8/24 5:30 == 34.4	10/8/24 10:00 == 40.2
10/7/24 20:35 == 34.5	10/8/24 1:05 == 34	10/8/24 5:35 == 31.6	10/8/24 10:05 == 35
10/7/24 20:40 == 34.5	10/8/24 1:10 == 34	10/8/24 5:40 == 23.2	10/8/24 10:10 == 34.1
10/7/24 20:45 == 34.4	10/8/24 1:15 == 33.9	10/8/24 5:45 == 17.6	10/8/24 10:15 == 34.4
10/7/24 20:50 == 34.4	10/8/24 1:20 == 34	10/8/24 5:50 == 17.6	10/8/24 10:20 == 34.4
10/7/24 20:55 == 34.6	10/8/24 1:25 == 34.7	10/8/24 5:55 == 17.5	10/8/24 10:25 == 34.5
10/7/24 21:00 == 34.4	10/8/24 1:30 == 39.5	10/8/24 6:00 == 17.4	10/8/24 10:30 == 34.5
10/7/24 21:05 == 34.5	10/8/24 1:35 == 48.2	10/8/24 6:05 == 17.4	10/8/24 10:35 == 34.5
10/7/24 21:10 == 34.5	10/8/24 1:40 == 47.9	10/8/24 6:10 == 17.5	10/8/24 10:40 == 34.7
10/7/24 21:15 == 41.4	10/8/24 1:45 == 47.5	10/8/24 6:15 == 22.6	10/8/24 10:45 == 40.1
10/7/24 21:20 == 46.9	10/8/24 1:50 == 48.1	10/8/24 6:20 == 38.5	10/8/24 10:50 == 46.5
10/7/24 21:25 == 48	10/8/24 1:55 == 47.8	10/8/24 6:25 == 47.7	10/8/24 10:55 == 48
10/7/24 21:30 == 47.9	10/8/24 2:00 == 48.1	10/8/24 6:30 == 48	10/8/24 11:00 == 47.9
10/7/24 21:35 == 47.9	10/8/24 2:05 == 48.2	10/8/24 6:35 == 47.9	10/8/24 11:05 == 48
10/7/24 21:40 == 47.6	10/8/24 2:10 == 47.9	10/8/24 6:40 == 47.9	10/8/24 11:10 == 47.8
10/7/24 21:45 == 47.8	10/8/24 2:15 == 48	10/8/24 6:45 == 48	10/8/24 11:15 == 47.4
10/7/24 21:50 == 47.9	10/8/24 2:20 == 48	10/8/24 6:50 == 47.9	10/8/24 11:20 == 47.9
10/7/24 21:55 == 48	10/8/24 2:25 == 48	10/8/24 6:55 == 47.9	10/8/24 11:25 == 48.1
10/7/24 22:00 == 48	10/8/24 2:30 == 48	10/8/24 7:00 == 48	10/8/24 11:30 == 48.1
10/7/24 22:05 == 48	10/8/24 2:35 == 48	10/8/24 7:05 == 48.1	10/8/24 11:35 == 48
10/7/24 22:10 == 48	10/8/24 2:40 == 48	10/8/24 7:10 == 48	10/8/24 11:40 == 48
10/7/24 22:15 == 48	10/8/24 2:45 == 48	10/8/24 7:15 == 47.8	10/8/24 11:45 == 48
10/7/24 22:20 == 48	10/8/24 2:50 == 47.8	10/8/24 7:20 == 48.1	10/8/24 11:50 == 47.9
10/7/24 22:25 == 46.3	10/8/24 2:55 == 47.7	10/8/24 7:25 == 47.9	10/8/24 11:55 == 48.2

Pumpback Station Discharge (0364)

10/8/24 12:00 == 47.9	10/8/24 16:30 == 47.9	10/8/24 21:00 == 34.7	10/9/24 1:30 == 47.9
10/8/24 12:05 == 48	10/8/24 16:35 == 48	10/8/24 21:05 == 34.7	10/9/24 1:35 == 48
10/8/24 12:10 == 48.2	10/8/24 16:40 == 47.3	10/8/24 21:10 == 34.6	10/9/24 1:40 == 47.7
10/8/24 12:15 == 40.6	10/8/24 16:45 == 43	10/8/24 21:15 == 34.5	10/9/24 1:45 == 42.4
10/8/24 12:20 == 35	10/8/24 16:50 == 34.2	10/8/24 21:20 == 34.7	10/9/24 1:50 == 35.9
10/8/24 12:25 == 34.4	10/8/24 16:55 == 34.3	10/8/24 21:25 == 34.6	10/9/24 1:55 == 34.4
10/8/24 12:30 == 34.4	10/8/24 17:00 == 34.3	10/8/24 21:30 == 37.1	10/9/24 2:00 == 34.5
10/8/24 12:35 == 34.3	10/8/24 17:05 == 34	10/8/24 21:35 == 48.1	10/9/24 2:05 == 34.6
10/8/24 12:40 == 34.3	10/8/24 17:10 == 34.2	10/8/24 21:40 == 48	10/9/24 2:10 == 34.7
10/8/24 12:45 == 34.2	10/8/24 17:15 == 34.1	10/8/24 21:45 == 48	10/9/24 2:15 == 34.6
10/8/24 12:50 == 34.1	10/8/24 17:20 == 34.2	10/8/24 21:50 == 47.9	10/9/24 2:20 == 34.6
10/8/24 12:55 == 34.1	10/8/24 17:25 == 34.2	10/8/24 21:55 == 47.9	10/9/24 2:25 == 34.7
10/8/24 13:00 == 39.8	10/8/24 17:30 == 39	10/8/24 22:00 == 48	10/9/24 2:30 == 36.8
10/8/24 13:05 == 46	10/8/24 17:35 == 45.9	10/8/24 22:05 == 47.8	10/9/24 2:35 == 47
10/8/24 13:10 == 47.9	10/8/24 17:40 == 47.7	10/8/24 22:10 == 47.9	10/9/24 2:40 == 48.1
10/8/24 13:15 == 48	10/8/24 17:45 == 48	10/8/24 22:15 == 48.1	10/9/24 2:45 == 48.1
10/8/24 13:20 == 48	10/8/24 17:50 == 48.1	10/8/24 22:20 == 47.9	10/9/24 2:50 == 48
10/8/24 13:25 == 48.1	10/8/24 17:55 == 48	10/8/24 22:25 == 48.1	10/9/24 2:55 == 47.9
10/8/24 13:30 == 48	10/8/24 18:00 == 48	10/8/24 22:30 == 47.9	10/9/24 3:00 == 47.8
10/8/24 13:35 == 48	10/8/24 18:05 == 47.9	10/8/24 22:35 == 48	10/9/24 3:05 == 47.8
10/8/24 13:40 == 48	10/8/24 18:10 == 47.9	10/8/24 22:40 == 47.9	10/9/24 3:10 == 48
10/8/24 13:45 == 48	10/8/24 18:15 == 48.1	10/8/24 22:45 == 47.9	10/9/24 3:15 == 48.1
10/8/24 13:50 == 48	10/8/24 18:20 == 48.1	10/8/24 22:50 == 47.9	10/9/24 3:20 == 47.9
10/8/24 13:55 == 47.9	10/8/24 18:25 == 48	10/8/24 22:55 == 48	10/9/24 3:25 == 48
10/8/24 14:00 == 48	10/8/24 18:30 == 48	10/8/24 23:00 == 41.6	10/9/24 3:30 == 48
10/8/24 14:05 == 48.1	10/8/24 18:35 == 48.1	10/8/24 23:05 == 35.6	10/9/24 3:35 == 48.1
10/8/24 14:10 == 48	10/8/24 18:40 == 47.6	10/8/24 23:10 == 34.1	10/9/24 3:40 == 48
10/8/24 14:15 == 48	10/8/24 18:45 == 42.9	10/8/24 23:15 == 34.1	10/9/24 3:45 == 42.3
10/8/24 14:20 == 48.1	10/8/24 18:50 == 33.9	10/8/24 23:20 == 34.1	10/9/24 3:50 == 36.2
10/8/24 14:25 == 47.4	10/8/24 18:55 == 34	10/8/24 23:25 == 34.1	10/9/24 3:55 == 34.2
10/8/24 14:30 == 41.5	10/8/24 19:00 == 33.8	10/8/24 23:30 == 34.1	10/9/24 4:00 == 34.1
10/8/24 14:35 == 34.8	10/8/24 19:05 == 33.7	10/8/24 23:35 == 34	10/9/24 4:05 == 34.1
10/8/24 14:40 == 35.1	10/8/24 19:10 == 33.7	10/8/24 23:40 == 33.9	10/9/24 4:10 == 34.3
10/8/24 14:45 == 35.1	10/8/24 19:15 == 33.8	10/8/24 23:45 == 33.6	10/9/24 4:15 == 34.3
10/8/24 14:50 == 35	10/8/24 19:20 == 33.8	10/8/24 23:50 == 33.7	10/9/24 4:20 == 34.2
10/8/24 14:55 == 35	10/8/24 19:25 == 33.8	10/8/24 23:55 == 33.7	10/9/24 4:25 == 34.2
10/8/24 15:00 == 35	10/8/24 19:30 == 36.5	10/9/24 0:00 == 36.3	10/9/24 4:30 == 37.7
10/8/24 15:05 == 35	10/8/24 19:35 == 48	10/9/24 0:05 == 47.6	10/9/24 4:35 == 44.9
10/8/24 15:10 == 35.1	10/8/24 19:40 == 47.8	10/9/24 0:10 == 48.1	10/9/24 4:40 == 47.9
10/8/24 15:15 == 34.9	10/8/24 19:45 == 48	10/9/24 0:15 == 47.9	10/9/24 4:45 == 48
10/8/24 15:20 == 35	10/8/24 19:50 == 48.1	10/9/24 0:20 == 48	10/9/24 4:50 == 48
10/8/24 15:25 == 35.1	10/8/24 19:55 == 47.8	10/9/24 0:25 == 48.1	10/9/24 4:55 == 48.1
10/8/24 15:30 == 40.6	10/8/24 20:00 == 48.1	10/9/24 0:30 == 48	10/9/24 5:00 == 48
10/8/24 15:35 == 46.3	10/8/24 20:05 == 48	10/9/24 0:35 == 48	10/9/24 5:05 == 48.2
10/8/24 15:40 == 48.1	10/8/24 20:10 == 48.1	10/9/24 0:40 == 47.9	10/9/24 5:10 == 47.9
10/8/24 15:45 == 48.1	10/8/24 20:15 == 48	10/9/24 0:45 == 47.9	10/9/24 5:15 == 47.6
10/8/24 15:50 == 48	10/8/24 20:20 == 48	10/9/24 0:50 == 48	10/9/24 5:20 == 47.9
10/8/24 15:55 == 47.9	10/8/24 20:25 == 47.8	10/9/24 0:55 == 48	10/9/24 5:25 == 47.9
10/8/24 16:00 == 47.9	10/8/24 20:30 == 48	10/9/24 1:00 == 48	10/9/24 5:30 == 48
10/8/24 16:05 == 48	10/8/24 20:35 == 48	10/9/24 1:05 == 48	10/9/24 5:35 == 47.9
10/8/24 16:10 == 48	10/8/24 20:40 == 48.1	10/9/24 1:10 == 48	10/9/24 5:40 == 48
10/8/24 16:15 == 48	10/8/24 20:45 == 42	10/9/24 1:15 == 48	10/9/24 5:45 == 48
10/8/24 16:20 == 48.1	10/8/24 20:50 == 35.2	10/9/24 1:20 == 47.9	10/9/24 5:50 == 47.9
10/8/24 16:25 == 48	10/8/24 20:55 == 34.5	10/9/24 1:25 == 48	10/9/24 5:55 == 47.9

Pumpback Station Discharge (0364)

10/9/24 6:00 == 42.7	10/9/24 10:30 == 47.8	10/9/24 15:00 == 45.8	10/9/24 19:30 == 0
10/9/24 6:05 == 36	10/9/24 10:35 == 48	10/9/24 15:05 == 34.8	10/9/24 19:35 == 0
10/9/24 6:10 == 34.3	10/9/24 10:40 == 47.8	10/9/24 15:10 == 34.8	10/9/24 19:40 == 0
10/9/24 6:15 == 34.3	10/9/24 10:45 == 47.8	10/9/24 15:15 == 34.5	10/9/24 19:45 == 0
10/9/24 6:20 == 34.3	10/9/24 10:50 == 47.9	10/9/24 15:20 == 34.7	10/9/24 19:50 == 0
10/9/24 6:25 == 34.5	10/9/24 10:55 == 48.1	10/9/24 15:25 == 34.6	10/9/24 19:55 == 0
10/9/24 6:30 == 34.4	10/9/24 11:00 == 43.8	10/9/24 15:30 == 34.7	10/9/24 20:00 == 0
10/9/24 6:35 == 34.3	10/9/24 11:05 == 36.8	10/9/24 15:35 == 34.5	10/9/24 20:05 == 0
10/9/24 6:40 == 34.3	10/9/24 11:10 == 34.9	10/9/24 15:40 == 34.8	10/9/24 20:10 == 0
10/9/24 6:45 == 34.3	10/9/24 11:15 == 34.9	10/9/24 15:45 == 36	10/9/24 20:15 == 0
10/9/24 6:50 == 34.3	10/9/24 11:20 == 34.8	10/9/24 15:50 == 46.3	10/9/24 20:20 == 0
10/9/24 6:55 == 34.3	10/9/24 11:25 == 34.8	10/9/24 15:55 == 47.9	10/9/24 20:25 == 0
10/9/24 7:00 == 37.8	10/9/24 11:30 == 34.7	10/9/24 16:00 == 47.9	10/9/24 20:30 == 0
10/9/24 7:05 == 45	10/9/24 11:35 == 34.7	10/9/24 16:05 == 48	10/9/24 20:35 == 0
10/9/24 7:10 == 47.7	10/9/24 11:40 == 34.6	10/9/24 16:10 == 48	10/9/24 20:40 == 0
10/9/24 7:15 == 47.4	10/9/24 11:45 == 37.7	10/9/24 16:15 == 48	10/9/24 20:45 == 0
10/9/24 7:20 == 47.9	10/9/24 11:50 == 44.3	10/9/24 16:20 == 48.1	10/9/24 20:50 == 0
10/9/24 7:25 == 48.2	10/9/24 11:55 == 48	10/9/24 16:25 == 47.9	10/9/24 20:55 == 0
10/9/24 7:30 == 48.2	10/9/24 12:00 == 48	10/9/24 16:30 == 47.9	10/9/24 21:00 == 0
10/9/24 7:35 == 48	10/9/24 12:05 == 48	10/9/24 16:35 == 47.9	10/9/24 21:05 == 0
10/9/24 7:40 == 48	10/9/24 12:10 == 47.9	10/9/24 16:40 == 47.9	10/9/24 21:10 == 0
10/9/24 7:45 == 48.2	10/9/24 12:15 == 47.9	10/9/24 16:45 == 48	10/9/24 21:15 == 0
10/9/24 7:50 == 47.9	10/9/24 12:20 == 48.1	10/9/24 16:50 == 47.9	10/9/24 21:20 == 0.1
10/9/24 7:55 == 47.8	10/9/24 12:25 == 48.2	10/9/24 16:55 == 47.9	10/9/24 21:25 == 8
10/9/24 8:00 == 47.7	10/9/24 12:30 == 48	10/9/24 17:00 == 43.9	10/9/24 21:30 == 31.6
10/9/24 8:05 == 48	10/9/24 12:35 == 48	10/9/24 17:05 == 36.1	10/9/24 21:35 == 47.5
10/9/24 8:10 == 48	10/9/24 12:40 == 48	10/9/24 17:10 == 34	10/9/24 21:40 == 48
10/9/24 8:15 == 48	10/9/24 12:45 == 48	10/9/24 17:15 == 33.9	10/9/24 21:45 == 47.9
10/9/24 8:20 == 47.9	10/9/24 12:50 == 48.2	10/9/24 17:20 == 33.9	10/9/24 21:50 == 48
10/9/24 8:25 == 48	10/9/24 12:55 == 48.1	10/9/24 17:25 == 33.9	10/9/24 21:55 == 48
10/9/24 8:30 == 43.3	10/9/24 13:00 == 47.8	10/9/24 17:30 == 34.1	10/9/24 22:00 == 47.9
10/9/24 8:35 == 36.3	10/9/24 13:05 == 47.9	10/9/24 17:35 == 34.1	10/9/24 22:05 == 48.1
10/9/24 8:40 == 34.3	10/9/24 13:10 == 48	10/9/24 17:40 == 34.1	10/9/24 22:10 == 47.9
10/9/24 8:45 == 34.2	10/9/24 13:15 == 44.6	10/9/24 17:45 == 34	10/9/24 22:15 == 48.1
10/9/24 8:50 == 34.2	10/9/24 13:20 == 35.7	10/9/24 17:50 == 36.5	10/9/24 22:20 == 47.9
10/9/24 8:55 == 34.3	10/9/24 13:25 == 34.3	10/9/24 17:55 == 10.8	10/9/24 22:25 == 48.1
10/9/24 9:00 == 34.2	10/9/24 13:30 == 34.2	10/9/24 18:00 == 0	10/9/24 22:30 == 48.1
10/9/24 9:05 == 34.2	10/9/24 13:35 == 34.1	10/9/24 18:05 == 0	10/9/24 22:35 == 48
10/9/24 9:10 == 34.1	10/9/24 13:40 == 34.2	10/9/24 18:10 == 0	10/9/24 22:40 == 48.1
10/9/24 9:15 == 34.1	10/9/24 13:45 == 37	10/9/24 18:15 == 0	10/9/24 22:45 == 48
10/9/24 9:20 == 34.2	10/9/24 13:50 == 44.7	10/9/24 18:20 == 0	10/9/24 22:50 == 47.8
10/9/24 9:25 == 34.2	10/9/24 13:55 == 48.2	10/9/24 18:25 == 0	10/9/24 22:55 == 47.9
10/9/24 9:30 == 37.5	10/9/24 14:00 == 48.1	10/9/24 18:30 == 0	10/9/24 23:00 == 47.9
10/9/24 9:35 == 44.8	10/9/24 14:05 == 48	10/9/24 18:35 == 0	10/9/24 23:05 == 48.1
10/9/24 9:40 == 48	10/9/24 14:10 == 48.1	10/9/24 18:40 == 0	10/9/24 23:10 == 47.9
10/9/24 9:45 == 47.9	10/9/24 14:15 == 48	10/9/24 18:45 == 0	10/9/24 23:15 == 47.8
10/9/24 9:50 == 48.1	10/9/24 14:20 == 47.9	10/9/24 18:50 == 0	10/9/24 23:20 == 47.9
10/9/24 9:55 == 48	10/9/24 14:25 == 47.7	10/9/24 18:55 == 0	10/9/24 23:25 == 47.9
10/9/24 10:00 == 47.9	10/9/24 14:30 == 47.5	10/9/24 19:00 == 0	10/9/24 23:30 == 47.8
10/9/24 10:05 == 48	10/9/24 14:35 == 47.9	10/9/24 19:05 == 0	10/9/24 23:35 == 48
10/9/24 10:10 == 48	10/9/24 14:40 == 48	10/9/24 19:10 == 0	10/9/24 23:40 == 48
10/9/24 10:15 == 48	10/9/24 14:45 == 48	10/9/24 19:15 == 0	10/9/24 23:45 == 47.9
10/9/24 10:20 == 48.1	10/9/24 14:50 == 48.1	10/9/24 19:20 == 0	10/9/24 23:50 == 48
10/9/24 10:25 == 47.6	10/9/24 14:55 == 47.9	10/9/24 19:25 == 0	10/9/24 23:55 == 48

Pumpback Station Discharge (0364)

10/10/24 0:00 == 47.9	10/10/24 4:30 == 48	10/10/24 9:00 == 47.9	10/10/24 13:30 == 48.2
10/10/24 0:05 == 48	10/10/24 4:35 == 48	10/10/24 9:05 == 46.6	10/10/24 13:35 == 48
10/10/24 0:10 == 47.9	10/10/24 4:40 == 48	10/10/24 9:10 == 39.7	10/10/24 13:40 == 48
10/10/24 0:15 == 47.9	10/10/24 4:45 == 48	10/10/24 9:15 == 33.7	10/10/24 13:45 == 47.9
10/10/24 0:20 == 47.9	10/10/24 4:50 == 48	10/10/24 9:20 == 33.6	10/10/24 13:50 == 47.1
10/10/24 0:25 == 47.7	10/10/24 4:55 == 48	10/10/24 9:25 == 33.5	10/10/24 13:55 == 39.7
10/10/24 0:30 == 47.9	10/10/24 5:00 == 48	10/10/24 9:30 == 33.8	10/10/24 14:00 == 34.3
10/10/24 0:35 == 47.7	10/10/24 5:05 == 48	10/10/24 9:35 == 33.9	10/10/24 14:05 == 34.1
10/10/24 0:40 == 48.1	10/10/24 5:10 == 48	10/10/24 9:40 == 33.6	10/10/24 14:10 == 34
10/10/24 0:45 == 48.1	10/10/24 5:15 == 47.5	10/10/24 9:45 == 33.5	10/10/24 14:15 == 33.9
10/10/24 0:50 == 48.1	10/10/24 5:20 == 48	10/10/24 9:50 == 34.5	10/10/24 14:20 == 33.9
10/10/24 0:55 == 48.1	10/10/24 5:25 == 47.9	10/10/24 9:55 == 39.4	10/10/24 14:25 == 34.1
10/10/24 1:00 == 48	10/10/24 5:30 == 48.1	10/10/24 10:00 == 48.1	10/10/24 14:30 == 34.2
10/10/24 1:05 == 48.1	10/10/24 5:35 == 48	10/10/24 10:05 == 48.2	10/10/24 14:35 == 34.2
10/10/24 1:10 == 48	10/10/24 5:40 == 48	10/10/24 10:10 == 47.8	10/10/24 14:40 == 34.3
10/10/24 1:15 == 48	10/10/24 5:45 == 48	10/10/24 10:15 == 48.1	10/10/24 14:45 == 34.3
10/10/24 1:20 == 48.1	10/10/24 5:50 == 48.1	10/10/24 10:20 == 47.8	10/10/24 14:50 == 34.9
10/10/24 1:25 == 48	10/10/24 5:55 == 48.1	10/10/24 10:25 == 48.3	10/10/24 14:55 == 39.7
10/10/24 1:30 == 48	10/10/24 6:00 == 47.9	10/10/24 10:30 == 47.9	10/10/24 15:00 == 47.7
10/10/24 1:35 == 48	10/10/24 6:05 == 47.8	10/10/24 10:35 == 47.9	10/10/24 15:05 == 48
10/10/24 1:40 == 47.8	10/10/24 6:10 == 47.9	10/10/24 10:40 == 47.6	10/10/24 15:10 == 47.5
10/10/24 1:45 == 47.8	10/10/24 6:15 == 48	10/10/24 10:45 == 48	10/10/24 15:15 == 47.9
10/10/24 1:50 == 48	10/10/24 6:20 == 48.1	10/10/24 10:50 == 48	10/10/24 15:20 == 48
10/10/24 1:55 == 48.1	10/10/24 6:25 == 48	10/10/24 10:55 == 48	10/10/24 15:25 == 48.1
10/10/24 2:00 == 48.1	10/10/24 6:30 == 48	10/10/24 11:00 == 48.1	10/10/24 15:30 == 48
10/10/24 2:05 == 48.1	10/10/24 6:35 == 47.9	10/10/24 11:05 == 48	10/10/24 15:35 == 48.1
10/10/24 2:10 == 48	10/10/24 6:40 == 48	10/10/24 11:10 == 47.6	10/10/24 15:40 == 48
10/10/24 2:15 == 48	10/10/24 6:45 == 48.1	10/10/24 11:15 == 47.8	10/10/24 15:45 == 48.1
10/10/24 2:20 == 48	10/10/24 6:50 == 48	10/10/24 11:20 == 47.3	10/10/24 15:50 == 47.9
10/10/24 2:25 == 48.1	10/10/24 6:55 == 48	10/10/24 11:25 == 39.7	10/10/24 15:55 == 47.9
10/10/24 2:30 == 47.9	10/10/24 7:00 == 47.9	10/10/24 11:30 == 34.4	10/10/24 16:00 == 47.9
10/10/24 2:35 == 48.1	10/10/24 7:05 == 48	10/10/24 11:35 == 34.3	10/10/24 16:05 == 47.9
10/10/24 2:40 == 48	10/10/24 7:10 == 47.9	10/10/24 11:40 == 34.5	10/10/24 16:10 == 39.6
10/10/24 2:45 == 47.8	10/10/24 7:15 == 47.7	10/10/24 11:45 == 34.5	10/10/24 16:15 == 34.7
10/10/24 2:50 == 47.9	10/10/24 7:20 == 48	10/10/24 11:50 == 34.3	10/10/24 16:20 == 34.4
10/10/24 2:55 == 47.6	10/10/24 7:25 == 48	10/10/24 11:55 == 34.3	10/10/24 16:25 == 34.3
10/10/24 3:00 == 47.9	10/10/24 7:30 == 47.9	10/10/24 12:00 == 34.1	10/10/24 16:30 == 34.1
10/10/24 3:05 == 48	10/10/24 7:35 == 48	10/10/24 12:05 == 34.9	10/10/24 16:35 == 34
10/10/24 3:10 == 48.1	10/10/24 7:40 == 47.9	10/10/24 12:10 == 39.5	10/10/24 16:40 == 34.1
10/10/24 3:15 == 47.8	10/10/24 7:45 == 47.9	10/10/24 12:15 == 47.9	10/10/24 16:45 == 34.2
10/10/24 3:20 == 47.9	10/10/24 7:50 == 47.9	10/10/24 12:20 == 47.9	10/10/24 16:50 == 34.6
10/10/24 3:25 == 48	10/10/24 7:55 == 47.9	10/10/24 12:25 == 47.9	10/10/24 16:55 == 39.3
10/10/24 3:30 == 48.1	10/10/24 8:00 == 47.5	10/10/24 12:30 == 48	10/10/24 17:00 == 47.5
10/10/24 3:35 == 48	10/10/24 8:05 == 47.9	10/10/24 12:35 == 47.9	10/10/24 17:05 == 47.9
10/10/24 3:40 == 48	10/10/24 8:10 == 47.4	10/10/24 12:40 == 48	10/10/24 17:10 == 48
10/10/24 3:45 == 48	10/10/24 8:15 == 47.9	10/10/24 12:45 == 48.1	10/10/24 17:15 == 47.5
10/10/24 3:50 == 48	10/10/24 8:20 == 48	10/10/24 12:50 == 47.9	10/10/24 17:20 == 48
10/10/24 3:55 == 48	10/10/24 8:25 == 48.1	10/10/24 12:55 == 48.1	10/10/24 17:25 == 48.1
10/10/24 4:00 == 48	10/10/24 8:30 == 48.1	10/10/24 13:00 == 47.8	10/10/24 17:30 == 47.9
10/10/24 4:05 == 47.9	10/10/24 8:35 == 48.1	10/10/24 13:05 == 47.9	10/10/24 17:35 == 48
10/10/24 4:10 == 47.9	10/10/24 8:40 == 48	10/10/24 13:10 == 47.8	10/10/24 17:40 == 48.1
10/10/24 4:15 == 48.1	10/10/24 8:45 == 47.9	10/10/24 13:15 == 48.1	10/10/24 17:45 == 48
10/10/24 4:20 == 48.1	10/10/24 8:50 == 47.9	10/10/24 13:20 == 48	10/10/24 17:50 == 48
10/10/24 4:25 == 48	10/10/24 8:55 == 47.9	10/10/24 13:25 == 48.1	10/10/24 17:55 == 48

Pumpback Station Discharge (0364)

10/10/24 18:00 == 48	10/10/24 22:30 == 34.1	10/11/24 3:00 == 34.3	10/11/24 7:30 == 45.9
10/10/24 18:05 == 48	10/10/24 22:35 == 33.7	10/11/24 3:05 == 34.5	10/11/24 7:35 == 47.9
10/10/24 18:10 == 39.1	10/10/24 22:40 == 33.8	10/11/24 3:10 == 37.3	10/11/24 7:40 == 48
10/10/24 18:15 == 34.6	10/10/24 22:45 == 33.8	10/11/24 3:15 == 48	10/11/24 7:45 == 48
10/10/24 18:20 == 33.8	10/10/24 22:50 == 33.8	10/11/24 3:20 == 47.8	10/11/24 7:50 == 48
10/10/24 18:25 == 33.8	10/10/24 22:55 == 39.1	10/11/24 3:25 == 47.9	10/11/24 7:55 == 48.1
10/10/24 18:30 == 33.7	10/10/24 23:00 == 46.9	10/11/24 3:30 == 48.1	10/11/24 8:00 == 48
10/10/24 18:35 == 33.8	10/10/24 23:05 == 48	10/11/24 3:35 == 48.3	10/11/24 8:05 == 48
10/10/24 18:40 == 33.8	10/10/24 23:10 == 48	10/11/24 3:40 == 47.9	10/11/24 8:10 == 47.6
10/10/24 18:45 == 33.5	10/10/24 23:15 == 47.9	10/11/24 3:45 == 48	10/11/24 8:15 == 47.6
10/10/24 18:50 == 33.5	10/10/24 23:20 == 48	10/11/24 3:50 == 48	10/11/24 8:20 == 48
10/10/24 18:55 == 39.7	10/10/24 23:25 == 48	10/11/24 3:55 == 48	10/11/24 8:25 == 48
10/10/24 19:00 == 46.8	10/10/24 23:30 == 48	10/11/24 4:00 == 48	10/11/24 8:30 == 47.9
10/10/24 19:05 == 48	10/10/24 23:35 == 48.1	10/11/24 4:05 == 48	10/11/24 8:35 == 47.9
10/10/24 19:10 == 48	10/10/24 23:40 == 47.9	10/11/24 4:10 == 47.6	10/11/24 8:40 == 41.6
10/10/24 19:15 == 48	10/10/24 23:45 == 48	10/11/24 4:15 == 47.7	10/11/24 8:45 == 34.7
10/10/24 19:20 == 47.9	10/10/24 23:50 == 48.1	10/11/24 4:20 == 47.9	10/11/24 8:50 == 33.8
10/10/24 19:25 == 47.9	10/10/24 23:55 == 47.9	10/11/24 4:25 == 48	10/11/24 8:55 == 34
10/10/24 19:30 == 47.9	10/11/24 0:00 == 47.8	10/11/24 4:30 == 48	10/11/24 9:00 == 34
10/10/24 19:35 == 48	10/11/24 0:05 == 47.4	10/11/24 4:35 == 48	10/11/24 9:05 == 33.9
10/10/24 19:40 == 48.1	10/11/24 0:10 == 41.8	10/11/24 4:40 == 41.1	10/11/24 9:10 == 33.9
10/10/24 19:45 == 47.9	10/11/24 0:15 == 33.6	10/11/24 4:45 == 34.5	10/11/24 9:15 == 33.8
10/10/24 19:50 == 48.1	10/11/24 0:20 == 33.6	10/11/24 4:50 == 33.7	10/11/24 9:20 == 33.9
10/10/24 19:55 == 48	10/11/24 0:25 == 33.6	10/11/24 4:55 == 33.6	10/11/24 9:25 == 39.1
10/10/24 20:00 == 48.1	10/11/24 0:30 == 33.8	10/11/24 5:00 == 33.7	10/11/24 9:30 == 45.7
10/10/24 20:05 == 48	10/11/24 0:35 == 33.7	10/11/24 5:05 == 33.7	10/11/24 9:35 == 48.2
10/10/24 20:10 == 47.7	10/11/24 0:40 == 33.7	10/11/24 5:10 == 34.1	10/11/24 9:40 == 47.9
10/10/24 20:15 == 48	10/11/24 0:45 == 33.8	10/11/24 5:15 == 34.4	10/11/24 9:45 == 47.9
10/10/24 20:20 == 47.9	10/11/24 0:50 == 34	10/11/24 5:20 == 34.3	10/11/24 9:50 == 48.1
10/10/24 20:25 == 48	10/11/24 0:55 == 37.2	10/11/24 5:25 == 37.5	10/11/24 9:55 == 47.9
10/10/24 20:30 == 48	10/11/24 1:00 == 47.6	10/11/24 5:30 == 48	10/11/24 10:00 == 47.9
10/10/24 20:35 == 48.1	10/11/24 1:05 == 48.1	10/11/24 5:35 == 48.1	10/11/24 10:05 == 47.9
10/10/24 20:40 == 39.8	10/11/24 1:10 == 47.8	10/11/24 5:40 == 48	10/11/24 10:10 == 47.9
10/10/24 20:45 == 34.9	10/11/24 1:15 == 47.9	10/11/24 5:45 == 48	10/11/24 10:15 == 47.9
10/10/24 20:50 == 34	10/11/24 1:20 == 48.1	10/11/24 5:50 == 48	10/11/24 10:20 == 47.9
10/10/24 20:55 == 34.3	10/11/24 1:25 == 48.1	10/11/24 5:55 == 48	10/11/24 10:25 == 47.8
10/10/24 21:00 == 34.2	10/11/24 1:30 == 48.1	10/11/24 6:00 == 47.8	10/11/24 10:30 == 47.7
10/10/24 21:05 == 34	10/11/24 1:35 == 48	10/11/24 6:05 == 48	10/11/24 10:35 == 47.9
10/10/24 21:10 == 34.1	10/11/24 1:40 == 47.7	10/11/24 6:10 == 47.9	10/11/24 10:40 == 47.7
10/10/24 21:15 == 34.1	10/11/24 1:45 == 47.9	10/11/24 6:15 == 47.9	10/11/24 10:45 == 47.7
10/10/24 21:20 == 34.1	10/11/24 1:50 == 48	10/11/24 6:20 == 48.1	10/11/24 10:50 == 47.9
10/10/24 21:25 == 39.8	10/11/24 1:55 == 48	10/11/24 6:25 == 48	10/11/24 10:55 == 43.1
10/10/24 21:30 == 46.7	10/11/24 2:00 == 48	10/11/24 6:30 == 47.9	10/11/24 11:00 == 34
10/10/24 21:35 == 48	10/11/24 2:05 == 48	10/11/24 6:35 == 47.9	10/11/24 11:05 == 34
10/10/24 21:40 == 48	10/11/24 2:10 == 48.1	10/11/24 6:40 == 40.8	10/11/24 11:10 == 34.3
10/10/24 21:45 == 48.1	10/11/24 2:15 == 48	10/11/24 6:45 == 35.2	10/11/24 11:15 == 34.5
10/10/24 21:50 == 48	10/11/24 2:20 == 47.8	10/11/24 6:50 == 34	10/11/24 11:20 == 34.3
10/10/24 21:55 == 47.9	10/11/24 2:25 == 41.7	10/11/24 6:55 == 33.9	10/11/24 11:25 == 34.2
10/10/24 22:00 == 47.8	10/11/24 2:30 == 34.3	10/11/24 7:00 == 33.9	10/11/24 11:30 == 34.2
10/10/24 22:05 == 48	10/11/24 2:35 == 34.2	10/11/24 7:05 == 34	10/11/24 11:35 == 34.1
10/10/24 22:10 == 47.9	10/11/24 2:40 == 34.2	10/11/24 7:10 == 34	10/11/24 11:40 == 38.7
10/10/24 22:15 == 47.9	10/11/24 2:45 == 34.3	10/11/24 7:15 == 33.8	10/11/24 11:45 == 45.5
10/10/24 22:20 == 47.2	10/11/24 2:50 == 34.3	10/11/24 7:20 == 33.6	10/11/24 11:50 == 47.9
10/10/24 22:25 == 41.8	10/11/24 2:55 == 34.3	10/11/24 7:25 == 38.2	10/11/24 11:55 == 48

Pumpback Station Discharge (0364)

10/11/24 12:00 == 47.9	10/11/24 16:30 == 47.9	10/11/24 21:00 == 34	10/12/24 1:30 == 33.5
10/11/24 12:05 == 47.6	10/11/24 16:35 == 47.8	10/11/24 21:05 == 33.8	10/12/24 1:35 == 33.6
10/11/24 12:10 == 47.7	10/11/24 16:40 == 47.9	10/11/24 21:10 == 36.4	10/12/24 1:40 == 34.1
10/11/24 12:15 == 48.1	10/11/24 16:45 == 47.9	10/11/24 21:15 == 45.5	10/12/24 1:45 == 47.7
10/11/24 12:20 == 48.1	10/11/24 16:50 == 48	10/11/24 21:20 == 47.9	10/12/24 1:50 == 47.9
10/11/24 12:25 == 48	10/11/24 16:55 == 48	10/11/24 21:25 == 48.1	10/12/24 1:55 == 48.1
10/11/24 12:30 == 48.1	10/11/24 17:00 == 48.1	10/11/24 21:30 == 48.1	10/12/24 2:00 == 48.1
10/11/24 12:35 == 48	10/11/24 17:05 == 48.1	10/11/24 21:35 == 48.1	10/12/24 2:05 == 48
10/11/24 12:40 == 47.9	10/11/24 17:10 == 48	10/11/24 21:40 == 48	10/12/24 2:10 == 47.9
10/11/24 12:45 == 48	10/11/24 17:15 == 48.1	10/11/24 21:45 == 48	10/12/24 2:15 == 48
10/11/24 12:50 == 48	10/11/24 17:20 == 48.1	10/11/24 21:50 == 48.1	10/12/24 2:20 == 47.9
10/11/24 12:55 == 47.9	10/11/24 17:25 == 43.5	10/11/24 21:55 == 48	10/12/24 2:25 == 48
10/11/24 13:00 == 47.9	10/11/24 17:30 == 34.6	10/11/24 22:00 == 47.9	10/12/24 2:30 == 48
10/11/24 13:05 == 47.6	10/11/24 17:35 == 33.8	10/11/24 22:05 == 48.1	10/12/24 2:35 == 47.9
10/11/24 13:10 == 44	10/11/24 17:40 == 33.8	10/11/24 22:10 == 48.1	10/12/24 2:40 == 48
10/11/24 13:15 == 34	10/11/24 17:45 == 33.9	10/11/24 22:15 == 48.1	10/12/24 2:45 == 48
10/11/24 13:20 == 34.1	10/11/24 17:50 == 33.9	10/11/24 22:20 == 48.1	10/12/24 2:50 == 47.9
10/11/24 13:25 == 34	10/11/24 17:55 == 33.8	10/11/24 22:25 == 48	10/12/24 2:55 == 47.7
10/11/24 13:30 == 33.9	10/11/24 18:00 == 34	10/11/24 22:30 == 48	10/12/24 3:00 == 47.6
10/11/24 13:35 == 34	10/11/24 18:05 == 34	10/11/24 22:35 == 47.9	10/12/24 3:05 == 48
10/11/24 13:40 == 34.2	10/11/24 18:10 == 33.9	10/11/24 22:40 == 45	10/12/24 3:10 == 48
10/11/24 13:45 == 34	10/11/24 18:15 == 33.4	10/11/24 22:45 == 33.7	10/12/24 3:15 == 48
10/11/24 13:50 == 34	10/11/24 18:20 == 33.6	10/11/24 22:50 == 33.5	10/12/24 3:20 == 48
10/11/24 13:55 == 37.9	10/11/24 18:25 == 35.4	10/11/24 22:55 == 33.5	10/12/24 3:25 == 44.5
10/11/24 14:00 == 45.5	10/11/24 18:30 == 47.2	10/11/24 23:00 == 33.8	10/12/24 3:30 == 35.1
10/11/24 14:05 == 47.8	10/11/24 18:35 == 48	10/11/24 23:05 == 34	10/12/24 3:35 == 33.8
10/11/24 14:10 == 47.9	10/11/24 18:40 == 48	10/11/24 23:10 == 33.8	10/12/24 3:40 == 33.7
10/11/24 14:15 == 47.9	10/11/24 18:45 == 48.1	10/11/24 23:15 == 33.8	10/12/24 3:45 == 33.5
10/11/24 14:20 == 48	10/11/24 18:50 == 48	10/11/24 23:20 == 33.8	10/12/24 3:50 == 33.7
10/11/24 14:25 == 48.1	10/11/24 18:55 == 48.1	10/11/24 23:25 == 34.9	10/12/24 3:55 == 33.5
10/11/24 14:30 == 48.1	10/11/24 19:00 == 48	10/11/24 23:30 == 46.6	10/12/24 4:00 == 33.5
10/11/24 14:35 == 48	10/11/24 19:05 == 47.9	10/11/24 23:35 == 48.1	10/12/24 4:05 == 33.6
10/11/24 14:40 == 47.7	10/11/24 19:10 == 48	10/11/24 23:40 == 48	10/12/24 4:10 == 33.9
10/11/24 14:45 == 47.7	10/11/24 19:15 == 48	10/11/24 23:45 == 48	10/12/24 4:15 == 47.2
10/11/24 14:50 == 48	10/11/24 19:20 == 48	10/11/24 23:50 == 48	10/12/24 4:20 == 47.8
10/11/24 14:55 == 48.1	10/11/24 19:25 == 47.8	10/11/24 23:55 == 48	10/12/24 4:25 == 47.6
10/11/24 15:00 == 48.1	10/11/24 19:30 == 47.8	10/12/24 0:00 == 48	10/12/24 4:30 == 48
10/11/24 15:05 == 47.8	10/11/24 19:35 == 48	10/12/24 0:05 == 48	10/12/24 4:35 == 48
10/11/24 15:10 == 43.9	10/11/24 19:40 == 48	10/12/24 0:10 == 48	10/12/24 4:40 == 48
10/11/24 15:15 == 34.3	10/11/24 19:45 == 47.9	10/12/24 0:15 == 48.1	10/12/24 4:45 == 48.1
10/11/24 15:20 == 34.2	10/11/24 19:50 == 48	10/12/24 0:20 == 48	10/12/24 4:50 == 48.3
10/11/24 15:25 == 34.3	10/11/24 19:55 == 48.1	10/12/24 0:25 == 47.9	10/12/24 4:55 == 48.1
10/11/24 15:30 == 34.1	10/11/24 20:00 == 48	10/12/24 0:30 == 47.9	10/12/24 5:00 == 48
10/11/24 15:35 == 34.3	10/11/24 20:05 == 48	10/12/24 0:35 == 48	10/12/24 5:05 == 48
10/11/24 15:40 == 34.6	10/11/24 20:10 == 48.2	10/12/24 0:40 == 47.9	10/12/24 5:10 == 47.5
10/11/24 15:45 == 34.6	10/11/24 20:15 == 47.8	10/12/24 0:45 == 48	10/12/24 5:15 == 47.6
10/11/24 15:50 == 34.6	10/11/24 20:20 == 47.7	10/12/24 0:50 == 48	10/12/24 5:20 == 48
10/11/24 15:55 == 36.3	10/11/24 20:25 == 45.5	10/12/24 0:55 == 44.4	10/12/24 5:25 == 43.7
10/11/24 16:00 == 47.1	10/11/24 20:30 == 33.9	10/12/24 1:00 == 35	10/12/24 5:30 == 36.6
10/11/24 16:05 == 48	10/11/24 20:35 == 33.9	10/12/24 1:05 == 33.7	10/12/24 5:35 == 33.9
10/11/24 16:10 == 47.7	10/11/24 20:40 == 33.8	10/12/24 1:10 == 33.8	10/12/24 5:40 == 33.8
10/11/24 16:15 == 47.8	10/11/24 20:45 == 33.8	10/12/24 1:15 == 33.6	10/12/24 5:45 == 33.8
10/11/24 16:20 == 47.8	10/11/24 20:50 == 34	10/12/24 1:20 == 33.5	10/12/24 5:50 == 33.9
10/11/24 16:25 == 47.9	10/11/24 20:55 == 34.1	10/12/24 1:25 == 33.7	10/12/24 5:55 == 33.9

Pumpback Station Discharge (0364)

10/12/24 6:00 == 33.7	10/12/24 10:30 == 33.9	10/12/24 15:00 == 34	10/12/24 19:30 == 43.3
10/12/24 6:05 == 33.7	10/12/24 10:35 == 34	10/12/24 15:05 == 34	10/12/24 19:35 == 47.9
10/12/24 6:10 == 35.2	10/12/24 10:40 == 36.3	10/12/24 15:10 == 34.3	10/12/24 19:40 == 48
10/12/24 6:15 == 44.9	10/12/24 10:45 == 43.1	10/12/24 15:15 == 34.3	10/12/24 19:45 == 48.1
10/12/24 6:20 == 48	10/12/24 10:50 == 48	10/12/24 15:20 == 34.2	10/12/24 19:50 == 48
10/12/24 6:25 == 48	10/12/24 10:55 == 48	10/12/24 15:25 == 36.4	10/12/24 19:55 == 47.9
10/12/24 6:30 == 47.9	10/12/24 11:00 == 48	10/12/24 15:30 == 42.7	10/12/24 20:00 == 47.8
10/12/24 6:35 == 48.1	10/12/24 11:05 == 48	10/12/24 15:35 == 48.1	10/12/24 20:05 == 47.9
10/12/24 6:40 == 48	10/12/24 11:10 == 47.7	10/12/24 15:40 == 48	10/12/24 20:10 == 47.7
10/12/24 6:45 == 48.1	10/12/24 11:15 == 47.5	10/12/24 15:45 == 47.7	10/12/24 20:15 == 47.5
10/12/24 6:50 == 47.9	10/12/24 11:20 == 48	10/12/24 15:50 == 48	10/12/24 20:20 == 48
10/12/24 6:55 == 47.7	10/12/24 11:25 == 47.9	10/12/24 15:55 == 47.9	10/12/24 20:25 == 48
10/12/24 7:00 == 47.9	10/12/24 11:30 == 47.9	10/12/24 16:00 == 48	10/12/24 20:30 == 48.1
10/12/24 7:05 == 47.9	10/12/24 11:35 == 47.9	10/12/24 16:05 == 48.2	10/12/24 20:35 == 47.9
10/12/24 7:10 == 47.9	10/12/24 11:40 == 47.9	10/12/24 16:10 == 48	10/12/24 20:40 == 48
10/12/24 7:15 == 47.8	10/12/24 11:45 == 48	10/12/24 16:15 == 48	10/12/24 20:45 == 48.1
10/12/24 7:20 == 47.9	10/12/24 11:50 == 48	10/12/24 16:20 == 47.9	10/12/24 20:50 == 48
10/12/24 7:25 == 48	10/12/24 11:55 == 47.9	10/12/24 16:25 == 47.8	10/12/24 20:55 == 47.7
10/12/24 7:30 == 48	10/12/24 12:00 == 48	10/12/24 16:30 == 48	10/12/24 21:00 == 47.8
10/12/24 7:35 == 48	10/12/24 12:05 == 48	10/12/24 16:35 == 47.9	10/12/24 21:05 == 48.1
10/12/24 7:40 == 43.8	10/12/24 12:10 == 48	10/12/24 16:40 == 47	10/12/24 21:10 == 47.9
10/12/24 7:45 == 37	10/12/24 12:15 == 48	10/12/24 16:45 == 36	10/12/24 21:15 == 35.5
10/12/24 7:50 == 33.8	10/12/24 12:20 == 48	10/12/24 16:50 == 33.6	10/12/24 21:20 == 33.8
10/12/24 7:55 == 33.8	10/12/24 12:25 == 44.5	10/12/24 16:55 == 33.7	10/12/24 21:25 == 33.9
10/12/24 8:00 == 33.8	10/12/24 12:30 == 37.5	10/12/24 17:00 == 33.7	10/12/24 21:30 == 33.8
10/12/24 8:05 == 33.8	10/12/24 12:35 == 34	10/12/24 17:05 == 33.6	10/12/24 21:35 == 33.7
10/12/24 8:10 == 33.8	10/12/24 12:40 == 34	10/12/24 17:10 == 33.7	10/12/24 21:40 == 33.7
10/12/24 8:15 == 33.9	10/12/24 12:45 == 34	10/12/24 17:15 == 33.8	10/12/24 21:45 == 33.8
10/12/24 8:20 == 33.9	10/12/24 12:50 == 34.1	10/12/24 17:20 == 33.9	10/12/24 21:50 == 33.8
10/12/24 8:25 == 35.8	10/12/24 12:55 == 34	10/12/24 17:25 == 35.2	10/12/24 21:55 == 33.8
10/12/24 8:30 == 44	10/12/24 13:00 == 33.9	10/12/24 17:30 == 42.2	10/12/24 22:00 == 43
10/12/24 8:35 == 47.7	10/12/24 13:05 == 34	10/12/24 17:35 == 47.7	10/12/24 22:05 == 47.8
10/12/24 8:40 == 48	10/12/24 13:10 == 36.1	10/12/24 17:40 == 48	10/12/24 22:10 == 48.1
10/12/24 8:45 == 48.1	10/12/24 13:15 == 43.3	10/12/24 17:45 == 48.2	10/12/24 22:15 == 48
10/12/24 8:50 == 47.9	10/12/24 13:20 == 47.9	10/12/24 17:50 == 48.1	10/12/24 22:20 == 47.9
10/12/24 8:55 == 47.7	10/12/24 13:25 == 48	10/12/24 17:55 == 48.1	10/12/24 22:25 == 47.6
10/12/24 9:00 == 47.6	10/12/24 13:30 == 48.2	10/12/24 18:00 == 48	10/12/24 22:30 == 47.7
10/12/24 9:05 == 48	10/12/24 13:35 == 48.2	10/12/24 18:05 == 47.9	10/12/24 22:35 == 47.9
10/12/24 9:10 == 48	10/12/24 13:40 == 47.9	10/12/24 18:10 == 47.8	10/12/24 22:40 == 47.9
10/12/24 9:15 == 47.7	10/12/24 13:45 == 48	10/12/24 18:15 == 47.8	10/12/24 22:45 == 48
10/12/24 9:20 == 47.8	10/12/24 13:50 == 48	10/12/24 18:20 == 48	10/12/24 22:50 == 48.1
10/12/24 9:25 == 47.9	10/12/24 13:55 == 47.9	10/12/24 18:25 == 48.1	10/12/24 22:55 == 48
10/12/24 9:30 == 48	10/12/24 14:00 == 47.9	10/12/24 18:30 == 47.9	10/12/24 23:00 == 47.9
10/12/24 9:35 == 48	10/12/24 14:05 == 48	10/12/24 18:35 == 48.1	10/12/24 23:05 == 48
10/12/24 9:40 == 48.2	10/12/24 14:10 == 47.9	10/12/24 18:40 == 47.6	10/12/24 23:10 == 48
10/12/24 9:45 == 48	10/12/24 14:15 == 48	10/12/24 18:45 == 34.9	10/12/24 23:15 == 48
10/12/24 9:50 == 48	10/12/24 14:20 == 48.1	10/12/24 18:50 == 33.3	10/12/24 23:20 == 47.9
10/12/24 9:55 == 44.1	10/12/24 14:25 == 48.1	10/12/24 18:55 == 33.2	10/12/24 23:25 == 47
10/12/24 10:00 == 36.9	10/12/24 14:30 == 48	10/12/24 19:00 == 33.2	10/12/24 23:30 == 36.4
10/12/24 10:05 == 33.5	10/12/24 14:35 == 47.9	10/12/24 19:05 == 33.1	10/12/24 23:35 == 33.5
10/12/24 10:10 == 33.5	10/12/24 14:40 == 44.9	10/12/24 19:10 == 33.2	10/12/24 23:40 == 33.3
10/12/24 10:15 == 33.6	10/12/24 14:45 == 37.5	10/12/24 19:15 == 33.1	10/12/24 23:45 == 33.2
10/12/24 10:20 == 33.8	10/12/24 14:50 == 34.2	10/12/24 19:20 == 33.1	10/12/24 23:50 == 33.1
10/12/24 10:25 == 33.8	10/12/24 14:55 == 34.1	10/12/24 19:25 == 33.5	10/12/24 23:55 == 33.2

Pumpback Station Discharge (0364)

10/13/24 0:00 == 33.3	10/13/24 4:30 == 36.9	10/13/24 9:00 == 38.6	10/13/24 13:30 == 48
10/13/24 0:05 == 33.3	10/13/24 4:35 == 33.4	10/13/24 9:05 == 33.5	10/13/24 13:35 == 48.1
10/13/24 0:10 == 33.4	10/13/24 4:40 == 33.6	10/13/24 9:10 == 33.6	10/13/24 13:40 == 48
10/13/24 0:15 == 43.1	10/13/24 4:45 == 33.7	10/13/24 9:15 == 33.5	10/13/24 13:45 == 47.9
10/13/24 0:20 == 47.5	10/13/24 4:50 == 33.6	10/13/24 9:20 == 33.6	10/13/24 13:50 == 48
10/13/24 0:25 == 47.5	10/13/24 4:55 == 33.6	10/13/24 9:25 == 33.5	10/13/24 13:55 == 48.2
10/13/24 0:30 == 47.7	10/13/24 5:00 == 33.6	10/13/24 9:30 == 33.4	10/13/24 14:00 == 48
10/13/24 0:35 == 47.9	10/13/24 5:05 == 33.8	10/13/24 9:35 == 33.3	10/13/24 14:05 == 48
10/13/24 0:40 == 48	10/13/24 5:10 == 34.3	10/13/24 9:40 == 33.2	10/13/24 14:10 == 47.4
10/13/24 0:45 == 48	10/13/24 5:15 == 43.1	10/13/24 9:45 == 41.3	10/13/24 14:15 == 39.1
10/13/24 0:50 == 48	10/13/24 5:20 == 47.5	10/13/24 9:50 == 46.8	10/13/24 14:20 == 33.6
10/13/24 0:55 == 47.9	10/13/24 5:25 == 48	10/13/24 9:55 == 47.5	10/13/24 14:25 == 34
10/13/24 1:00 == 47.9	10/13/24 5:30 == 47.9	10/13/24 10:00 == 47.8	10/13/24 14:30 == 33.8
10/13/24 1:05 == 48	10/13/24 5:35 == 47.9	10/13/24 10:05 == 47.9	10/13/24 14:35 == 33.8
10/13/24 1:10 == 48	10/13/24 5:40 == 47.9	10/13/24 10:10 == 47.9	10/13/24 14:40 == 33.9
10/13/24 1:15 == 47.9	10/13/24 5:45 == 47.9	10/13/24 10:15 == 48	10/13/24 14:45 == 33.9
10/13/24 1:20 == 47.9	10/13/24 5:50 == 48	10/13/24 10:20 == 48.1	10/13/24 14:50 == 34
10/13/24 1:25 == 48.1	10/13/24 5:55 == 48	10/13/24 10:25 == 47.8	10/13/24 14:55 == 34.2
10/13/24 1:30 == 48	10/13/24 6:00 == 47.8	10/13/24 10:30 == 47.9	10/13/24 15:00 == 41.5
10/13/24 1:35 == 48	10/13/24 6:05 == 48	10/13/24 10:35 == 48	10/13/24 15:05 == 46.7
10/13/24 1:40 == 47.9	10/13/24 6:10 == 48.1	10/13/24 10:40 == 47.7	10/13/24 15:10 == 47.5
10/13/24 1:45 == 47.4	10/13/24 6:15 == 48.1	10/13/24 10:45 == 47.6	10/13/24 15:15 == 47.8
10/13/24 1:50 == 48	10/13/24 6:20 == 48.1	10/13/24 10:50 == 48	10/13/24 15:20 == 48
10/13/24 1:55 == 48	10/13/24 6:25 == 48	10/13/24 10:55 == 48	10/13/24 15:25 == 47.9
10/13/24 2:00 == 48	10/13/24 6:30 == 48.1	10/13/24 11:00 == 47.9	10/13/24 15:30 == 48
10/13/24 2:05 == 48	10/13/24 6:35 == 48.1	10/13/24 11:05 == 47.9	10/13/24 15:35 == 48.1
10/13/24 2:10 == 48	10/13/24 6:40 == 46.7	10/13/24 11:10 == 47.8	10/13/24 15:40 == 47.9
10/13/24 2:15 == 36.1	10/13/24 6:45 == 38.2	10/13/24 11:15 == 47.4	10/13/24 15:45 == 47.7
10/13/24 2:20 == 34.1	10/13/24 6:50 == 34.2	10/13/24 11:20 == 48	10/13/24 15:50 == 47.9
10/13/24 2:25 == 34	10/13/24 6:55 == 34.1	10/13/24 11:25 == 48	10/13/24 15:55 == 47.9
10/13/24 2:30 == 33.9	10/13/24 7:00 == 34	10/13/24 11:30 == 48	10/13/24 16:00 == 47.9
10/13/24 2:35 == 34	10/13/24 7:05 == 34.1	10/13/24 11:35 == 48.1	10/13/24 16:05 == 48
10/13/24 2:40 == 33.9	10/13/24 7:10 == 34.1	10/13/24 11:40 == 47.1	10/13/24 16:10 == 48
10/13/24 2:45 == 33.9	10/13/24 7:15 == 34.1	10/13/24 11:45 == 38.8	10/13/24 16:15 == 48
10/13/24 2:50 == 33.9	10/13/24 7:20 == 33.9	10/13/24 11:50 == 34	10/13/24 16:20 == 48
10/13/24 2:55 == 34.1	10/13/24 7:25 == 34	10/13/24 11:55 == 33.8	10/13/24 16:25 == 47.9
10/13/24 3:00 == 42.9	10/13/24 7:30 == 42.4	10/13/24 12:00 == 33.5	10/13/24 16:30 == 47.8
10/13/24 3:05 == 47.9	10/13/24 7:35 == 47	10/13/24 12:05 == 33.6	10/13/24 16:35 == 47.9
10/13/24 3:10 == 48.1	10/13/24 7:40 == 47.5	10/13/24 12:10 == 33.5	10/13/24 16:40 == 47.6
10/13/24 3:15 == 48	10/13/24 7:45 == 47.8	10/13/24 12:15 == 33.6	10/13/24 16:45 == 39.6
10/13/24 3:20 == 47.9	10/13/24 7:50 == 48	10/13/24 12:20 == 33.6	10/13/24 16:50 == 33.4
10/13/24 3:25 == 47.9	10/13/24 7:55 == 48	10/13/24 12:25 == 33.6	10/13/24 16:55 == 33.6
10/13/24 3:30 == 48	10/13/24 8:00 == 48.1	10/13/24 12:30 == 41.5	10/13/24 17:00 == 33.6
10/13/24 3:35 == 48	10/13/24 8:05 == 48	10/13/24 12:35 == 46.7	10/13/24 17:05 == 33.7
10/13/24 3:40 == 48	10/13/24 8:10 == 47.7	10/13/24 12:40 == 48	10/13/24 17:10 == 33.6
10/13/24 3:45 == 47.9	10/13/24 8:15 == 47.8	10/13/24 12:45 == 48.1	10/13/24 17:15 == 33.8
10/13/24 3:50 == 48	10/13/24 8:20 == 48	10/13/24 12:50 == 47.9	10/13/24 17:20 == 33.7
10/13/24 3:55 == 48	10/13/24 8:25 == 48	10/13/24 12:55 == 47.9	10/13/24 17:25 == 33.8
10/13/24 4:00 == 48.2	10/13/24 8:30 == 48	10/13/24 13:00 == 47.9	10/13/24 17:30 == 40.8
10/13/24 4:05 == 48.1	10/13/24 8:35 == 48	10/13/24 13:05 == 48	10/13/24 17:35 == 46.5
10/13/24 4:10 == 48.1	10/13/24 8:40 == 47.9	10/13/24 13:10 == 48	10/13/24 17:40 == 48
10/13/24 4:15 == 47.4	10/13/24 8:45 == 48	10/13/24 13:15 == 48.1	10/13/24 17:45 == 48
10/13/24 4:20 == 48	10/13/24 8:50 == 48	10/13/24 13:20 == 48.1	10/13/24 17:50 == 48
10/13/24 4:25 == 47.6	10/13/24 8:55 == 46.2	10/13/24 13:25 == 48	10/13/24 17:55 == 48

Pumpback Station Discharge (0364)

10/13/24 18:00 == 48	10/13/24 22:30 == 40.5	10/14/24 3:00 == 47.8	10/14/24 7:30 == 47.6
10/13/24 18:05 == 48	10/13/24 22:35 == 45.8	10/14/24 3:05 == 48	10/14/24 7:35 == 48
10/13/24 18:10 == 48	10/13/24 22:40 == 47.6	10/14/24 3:10 == 47.9	10/14/24 7:40 == 47.9
10/13/24 18:15 == 48	10/13/24 22:45 == 48	10/14/24 3:15 == 40.3	10/14/24 7:45 == 41.2
10/13/24 18:20 == 48.1	10/13/24 22:50 == 48	10/14/24 3:20 == 34.9	10/14/24 7:50 == 33.8
10/13/24 18:25 == 48.1	10/13/24 22:55 == 47.6	10/14/24 3:25 == 33.8	10/14/24 7:55 == 33.1
10/13/24 18:30 == 48.1	10/13/24 23:00 == 47.6	10/14/24 3:30 == 33.6	10/14/24 8:00 == 33.1
10/13/24 18:35 == 48.1	10/13/24 23:05 == 47.9	10/14/24 3:35 == 33.6	10/14/24 8:05 == 33.1
10/13/24 18:40 == 48.1	10/13/24 23:10 == 47.9	10/14/24 3:40 == 33.6	10/14/24 8:10 == 33.3
10/13/24 18:45 == 48	10/13/24 23:15 == 47.9	10/14/24 3:45 == 33.5	10/14/24 8:15 == 38.7
10/13/24 18:50 == 47.9	10/13/24 23:20 == 47.8	10/14/24 3:50 == 33.5	10/14/24 8:20 == 45.9
10/13/24 18:55 == 48	10/13/24 23:25 == 48	10/14/24 3:55 == 33.5	10/14/24 8:25 == 48.1
10/13/24 19:00 == 48	10/13/24 23:30 == 48	10/14/24 4:00 == 39.1	10/14/24 8:30 == 48.1
10/13/24 19:05 == 48	10/13/24 23:35 == 47.9	10/14/24 4:05 == 46.5	10/14/24 8:35 == 48.1
10/13/24 19:10 == 48.1	10/13/24 23:40 == 47.6	10/14/24 4:10 == 47.7	10/14/24 8:40 == 48
10/13/24 19:15 == 47.9	10/13/24 23:45 == 47.4	10/14/24 4:15 == 47.6	10/14/24 8:45 == 48.1
10/13/24 19:20 == 48.1	10/13/24 23:50 == 48	10/14/24 4:20 == 48	10/14/24 8:50 == 48.2
10/13/24 19:25 == 47.5	10/13/24 23:55 == 48	10/14/24 4:25 == 48.1	10/14/24 8:55 == 48.1
10/13/24 19:30 == 38.4	10/14/24 0:00 == 48	10/14/24 4:30 == 48	10/14/24 9:00 == 47.9
10/13/24 19:35 == 33.9	10/14/24 0:05 == 47.9	10/14/24 4:35 == 47.8	10/14/24 9:05 == 48
10/13/24 19:40 == 33.2	10/14/24 0:10 == 48.1	10/14/24 4:40 == 48.1	10/14/24 9:10 == 47.4
10/13/24 19:45 == 33.3	10/14/24 0:15 == 47.9	10/14/24 4:45 == 48.1	10/14/24 9:15 == 42.2
10/13/24 19:50 == 33.3	10/14/24 0:20 == 47.7	10/14/24 4:50 == 47.9	10/14/24 9:20 == 33.1
10/13/24 19:55 == 33.4	10/14/24 0:25 == 48.1	10/14/24 4:55 == 48	10/14/24 9:25 == 32.9
10/13/24 20:00 == 33.3	10/14/24 0:30 == 39.9	10/14/24 5:00 == 48	10/14/24 9:30 == 33
10/13/24 20:05 == 33.3	10/14/24 0:35 == 34.5	10/14/24 5:05 == 47.9	10/14/24 9:35 == 33
10/13/24 20:10 == 33.6	10/14/24 0:40 == 33.7	10/14/24 5:10 == 47.7	10/14/24 9:40 == 33
10/13/24 20:15 == 40.8	10/14/24 0:45 == 33.8	10/14/24 5:15 == 47.8	10/14/24 9:45 == 32.9
10/13/24 20:20 == 46.8	10/14/24 0:50 == 33.9	10/14/24 5:20 == 48	10/14/24 9:50 == 32.9
10/13/24 20:25 == 48	10/14/24 0:55 == 33.7	10/14/24 5:25 == 47.9	10/14/24 9:55 == 33.1
10/13/24 20:30 == 48	10/14/24 1:00 == 33.7	10/14/24 5:30 == 40.7	10/14/24 10:00 == 35.7
10/13/24 20:35 == 48	10/14/24 1:05 == 33.8	10/14/24 5:35 == 34.7	10/14/24 10:05 == 47.5
10/13/24 20:40 == 48	10/14/24 1:10 == 33.7	10/14/24 5:40 == 33.7	10/14/24 10:10 == 47.9
10/13/24 20:45 == 48	10/14/24 1:15 == 39.9	10/14/24 5:45 == 33.6	10/14/24 10:15 == 48.2
10/13/24 20:50 == 48	10/14/24 1:20 == 46.3	10/14/24 5:50 == 33.7	10/14/24 10:20 == 48
10/13/24 20:55 == 47.9	10/14/24 1:25 == 48	10/14/24 5:55 == 33.7	10/14/24 10:25 == 47.5
10/13/24 21:00 == 47.6	10/14/24 1:30 == 48.1	10/14/24 6:00 == 33.5	10/14/24 10:30 == 47.8
10/13/24 21:05 == 48	10/14/24 1:35 == 48.1	10/14/24 6:05 == 33.5	10/14/24 10:35 == 48.1
10/13/24 21:10 == 48	10/14/24 1:40 == 47.8	10/14/24 6:10 == 33.7	10/14/24 10:40 == 47.5
10/13/24 21:15 == 48	10/14/24 1:45 == 47.7	10/14/24 6:15 == 39.4	10/14/24 10:45 == 47.7
10/13/24 21:20 == 47.9	10/14/24 1:50 == 48.1	10/14/24 6:20 == 46.1	10/14/24 10:50 == 47.9
10/13/24 21:25 == 48	10/14/24 1:55 == 48	10/14/24 6:25 == 48.1	10/14/24 10:55 == 48
10/13/24 21:30 == 47.3	10/14/24 2:00 == 48.1	10/14/24 6:30 == 48.1	10/14/24 11:00 == 47.9
10/13/24 21:35 == 47.9	10/14/24 2:05 == 48.1	10/14/24 6:35 == 48	10/14/24 11:05 == 48
10/13/24 21:40 == 47.8	10/14/24 2:10 == 47.9	10/14/24 6:40 == 48	10/14/24 11:10 == 47.7
10/13/24 21:45 == 39.8	10/14/24 2:15 == 48	10/14/24 6:45 == 48	10/14/24 11:15 == 47.7
10/13/24 21:50 == 33.8	10/14/24 2:20 == 48	10/14/24 6:50 == 48	10/14/24 11:20 == 48
10/13/24 21:55 == 33.6	10/14/24 2:25 == 47.9	10/14/24 6:55 == 47.9	10/14/24 11:25 == 48
10/13/24 22:00 == 33.6	10/14/24 2:30 == 47.9	10/14/24 7:00 == 47.8	10/14/24 11:30 == 42.2
10/13/24 22:05 == 33.7	10/14/24 2:35 == 48.1	10/14/24 7:05 == 48	10/14/24 11:35 == 33.8
10/13/24 22:10 == 33.7	10/14/24 2:40 == 48	10/14/24 7:10 == 48	10/14/24 11:40 == 33.6
10/13/24 22:15 == 33.8	10/14/24 2:45 == 48	10/14/24 7:15 == 47.9	10/14/24 11:45 == 33.6
10/13/24 22:20 == 33.9	10/14/24 2:50 == 48.1	10/14/24 7:20 == 48	10/14/24 11:50 == 33.6
10/13/24 22:25 == 33.8	10/14/24 2:55 == 47.6	10/14/24 7:25 == 47.8	10/14/24 11:55 == 33.7

Pumpback Station Discharge (0364)

10/14/24 12:00 == 33.4	10/14/24 16:30 == 33.4	10/14/24 21:00 == 33.8	10/15/24 1:30 == 47.8
10/14/24 12:05 == 33.4	10/14/24 16:35 == 33.4	10/14/24 21:05 == 33.6	10/15/24 1:35 == 47.9
10/14/24 12:10 == 33.5	10/14/24 16:40 == 33.4	10/14/24 21:10 == 33.6	10/15/24 1:40 == 47.6
10/14/24 12:15 == 35.6	10/14/24 16:45 == 36.5	10/14/24 21:15 == 37.6	10/15/24 1:45 == 47.7
10/14/24 12:20 == 47.8	10/14/24 16:50 == 46.1	10/14/24 21:20 == 44.7	10/15/24 1:50 == 47.9
10/14/24 12:25 == 47.9	10/14/24 16:55 == 47.8	10/14/24 21:25 == 47.9	10/15/24 1:55 == 47.9
10/14/24 12:30 == 47.9	10/14/24 17:00 == 47.4	10/14/24 21:30 == 47.7	10/15/24 2:00 == 48
10/14/24 12:35 == 47.9	10/14/24 17:05 == 48	10/14/24 21:35 == 47.9	10/15/24 2:05 == 48
10/14/24 12:40 == 48.1	10/14/24 17:10 == 48	10/14/24 21:40 == 48	10/15/24 2:10 == 47.9
10/14/24 12:45 == 48	10/14/24 17:15 == 48	10/14/24 21:45 == 47.9	10/15/24 2:15 == 43.3
10/14/24 12:50 == 48.1	10/14/24 17:20 == 48	10/14/24 21:50 == 48	10/15/24 2:20 == 35.4
10/14/24 12:55 == 48	10/14/24 17:25 == 48	10/14/24 21:55 == 48	10/15/24 2:25 == 33.5
10/14/24 13:00 == 48	10/14/24 17:30 == 47.9	10/14/24 22:00 == 48.1	10/15/24 2:30 == 33.4
10/14/24 13:05 == 48	10/14/24 17:35 == 48.1	10/14/24 22:05 == 47.8	10/15/24 2:35 == 33.4
10/14/24 13:10 == 48.1	10/14/24 17:40 == 48	10/14/24 22:10 == 47.7	10/15/24 2:40 == 33.4
10/14/24 13:15 == 48	10/14/24 17:45 == 47.9	10/14/24 22:15 == 44.8	10/15/24 2:45 == 33.3
10/14/24 13:20 == 48	10/14/24 17:50 == 48	10/14/24 22:20 == 33.4	10/15/24 2:50 == 33.2
10/14/24 13:25 == 48.1	10/14/24 17:55 == 47.9	10/14/24 22:25 == 33.4	10/15/24 2:55 == 33.4
10/14/24 13:30 == 48	10/14/24 18:00 == 41.7	10/14/24 22:30 == 33.3	10/15/24 3:00 == 33.3
10/14/24 13:35 == 48.1	10/14/24 18:05 == 35.3	10/14/24 22:35 == 33.3	10/15/24 3:05 == 33.5
10/14/24 13:40 == 47.8	10/14/24 18:10 == 33.2	10/14/24 22:40 == 33.1	10/15/24 3:10 == 33.6
10/14/24 13:45 == 41.4	10/14/24 18:15 == 33.2	10/14/24 22:45 == 33.2	10/15/24 3:15 == 33.5
10/14/24 13:50 == 34.3	10/14/24 18:20 == 33.2	10/14/24 22:50 == 33.2	10/15/24 3:20 == 47.4
10/14/24 13:55 == 33.3	10/14/24 18:25 == 33.2	10/14/24 22:55 == 33.3	10/15/24 3:25 == 48
10/14/24 14:00 == 33.3	10/14/24 18:30 == 33.2	10/14/24 23:00 == 36.4	10/15/24 3:30 == 48.1
10/14/24 14:05 == 33.3	10/14/24 18:35 == 33.2	10/14/24 23:05 == 44.7	10/15/24 3:35 == 48
10/14/24 14:10 == 33.3	10/14/24 18:40 == 33.1	10/14/24 23:10 == 47.8	10/15/24 3:40 == 47.9
10/14/24 14:15 == 33.2	10/14/24 18:45 == 33	10/14/24 23:15 == 47.9	10/15/24 3:45 == 48
10/14/24 14:20 == 33.4	10/14/24 18:50 == 33	10/14/24 23:20 == 48	10/15/24 3:50 == 48
10/14/24 14:25 == 33.7	10/14/24 18:55 == 33	10/14/24 23:25 == 47.9	10/15/24 3:55 == 47.9
10/14/24 14:30 == 36.2	10/14/24 19:00 == 33	10/14/24 23:30 == 48	10/15/24 4:00 == 48
10/14/24 14:35 == 47.5	10/14/24 19:05 == 32.9	10/14/24 23:35 == 48	10/15/24 4:05 == 47.9
10/14/24 14:40 == 47.8	10/14/24 19:10 == 32.8	10/14/24 23:40 == 47.7	10/15/24 4:10 == 47.9
10/14/24 14:45 == 47.5	10/14/24 19:15 == 35.9	10/14/24 23:45 == 47.7	10/15/24 4:15 == 42.9
10/14/24 14:50 == 47.9	10/14/24 19:20 == 45.6	10/14/24 23:50 == 48	10/15/24 4:20 == 36.1
10/14/24 14:55 == 48.1	10/14/24 19:25 == 48	10/14/24 23:55 == 47.7	10/15/24 4:25 == 33.4
10/14/24 15:00 == 48.1	10/14/24 19:30 == 48	10/15/24 0:00 == 43.2	10/15/24 4:30 == 33.3
10/14/24 15:05 == 48.1	10/14/24 19:35 == 48.2	10/15/24 0:05 == 34.1	10/15/24 4:35 == 33.2
10/14/24 15:10 == 47.8	10/14/24 19:40 == 48.1	10/15/24 0:10 == 32.9	10/15/24 4:40 == 33.3
10/14/24 15:15 == 47.7	10/14/24 19:45 == 48	10/15/24 0:15 == 33.3	10/15/24 4:45 == 33.3
10/14/24 15:20 == 47.9	10/14/24 19:50 == 48.1	10/15/24 0:20 == 33.3	10/15/24 4:50 == 33.3
10/14/24 15:25 == 48	10/14/24 19:55 == 47.8	10/15/24 0:25 == 33.3	10/15/24 4:55 == 33.3
10/14/24 15:30 == 48	10/14/24 20:00 == 48.1	10/15/24 0:30 == 33.5	10/15/24 5:00 == 33.3
10/14/24 15:35 == 47.9	10/14/24 20:05 == 47.8	10/15/24 0:35 == 33.5	10/15/24 5:05 == 33.4
10/14/24 15:40 == 47.8	10/14/24 20:10 == 47.5	10/15/24 0:40 == 33.4	10/15/24 5:10 == 33.7
10/14/24 15:45 == 41.3	10/14/24 20:15 == 47.8	10/15/24 0:45 == 33.4	10/15/24 5:15 == 34
10/14/24 15:50 == 35.6	10/14/24 20:20 == 47.9	10/15/24 0:50 == 33.5	10/15/24 5:20 == 34
10/14/24 15:55 == 34	10/14/24 20:25 == 47.9	10/15/24 0:55 == 33.4	10/15/24 5:25 == 33.9
10/14/24 16:00 == 33.9	10/14/24 20:30 == 42.2	10/15/24 1:00 == 34.6	10/15/24 5:30 == 34.4
10/14/24 16:05 == 33.8	10/14/24 20:35 == 35.4	10/15/24 1:05 == 46.7	10/15/24 5:35 == 46.6
10/14/24 16:10 == 33.7	10/14/24 20:40 == 33.5	10/15/24 1:10 == 48	10/15/24 5:40 == 47.8
10/14/24 16:15 == 33.6	10/14/24 20:45 == 33.4	10/15/24 1:15 == 47.9	10/15/24 5:45 == 48.3
10/14/24 16:20 == 33.6	10/14/24 20:50 == 33.4	10/15/24 1:20 == 48	10/15/24 5:50 == 48
10/14/24 16:25 == 33.4	10/14/24 20:55 == 33.6	10/15/24 1:25 == 48	10/15/24 5:55 == 48

Pumpback Station Discharge (0364)

10/15/24 6:00 == 47.9	10/15/24 10:30 == 47.6	10/15/24 15:00 == 48	10/15/24 19:30 == 48
10/15/24 6:05 == 48	10/15/24 10:35 == 48	10/15/24 15:05 == 47.9	10/15/24 19:35 == 48
10/15/24 6:10 == 47.9	10/15/24 10:40 == 48.1	10/15/24 15:10 == 47.9	10/15/24 19:40 == 48.1
10/15/24 6:15 == 47.9	10/15/24 10:45 == 47.7	10/15/24 15:15 == 47	10/15/24 19:45 == 45.4
10/15/24 6:20 == 48	10/15/24 10:50 == 47.6	10/15/24 15:20 == 34.7	10/15/24 19:50 == 36.7
10/15/24 6:25 == 47.9	10/15/24 10:55 == 47	10/15/24 15:25 == 33.8	10/15/24 19:55 == 33
10/15/24 6:30 == 43.1	10/15/24 11:00 == 44.6	10/15/24 15:30 == 33.8	10/15/24 20:00 == 32.8
10/15/24 6:35 == 36	10/15/24 11:05 == 35.6	10/15/24 15:35 == 33.6	10/15/24 20:05 == 32.8
10/15/24 6:40 == 33.3	10/15/24 11:10 == 34	10/15/24 15:40 == 33.9	10/15/24 20:10 == 33.2
10/15/24 6:45 == 33.3	10/15/24 11:15 == 33.9	10/15/24 15:45 == 33.9	10/15/24 20:15 == 32.9
10/15/24 6:50 == 33.3	10/15/24 11:20 == 33.9	10/15/24 15:50 == 34.1	10/15/24 20:20 == 33
10/15/24 6:55 == 33.4	10/15/24 11:25 == 33.8	10/15/24 15:55 == 33.7	10/15/24 20:25 == 32.9
10/15/24 7:00 == 33.3	10/15/24 11:30 == 33.9	10/15/24 16:00 == 33.6	10/15/24 20:30 == 33.1
10/15/24 7:05 == 33.3	10/15/24 11:35 == 34	10/15/24 16:05 == 33.6	10/15/24 20:35 == 32.9
10/15/24 7:10 == 33.3	10/15/24 11:40 == 33.8	10/15/24 16:10 == 33.7	10/15/24 20:40 == 33.1
10/15/24 7:15 == 33.2	10/15/24 11:45 == 33.7	10/15/24 16:15 == 33.6	10/15/24 20:45 == 33.2
10/15/24 7:20 == 33.1	10/15/24 11:50 == 33.6	10/15/24 16:20 == 33.5	10/15/24 20:50 == 33.2
10/15/24 7:25 == 33.1	10/15/24 11:55 == 33.6	10/15/24 16:25 == 33.3	10/15/24 20:55 == 33.2
10/15/24 7:30 == 33.2	10/15/24 12:00 == 33.6	10/15/24 16:30 == 35.2	10/15/24 21:00 == 33.2
10/15/24 7:35 == 33.2	10/15/24 12:05 == 33.7	10/15/24 16:35 == 43	10/15/24 21:05 == 33.1
10/15/24 7:40 == 33.1	10/15/24 12:10 == 33.7	10/15/24 16:40 == 47.7	10/15/24 21:10 == 33.2
10/15/24 7:45 == 34.9	10/15/24 12:15 == 36.3	10/15/24 16:45 == 47.5	10/15/24 21:15 == 33.2
10/15/24 7:50 == 45.2	10/15/24 12:20 == 43.5	10/15/24 16:50 == 47.9	10/15/24 21:20 == 33.2
10/15/24 7:55 == 48.1	10/15/24 12:25 == 47.7	10/15/24 16:55 == 48.1	10/15/24 21:25 == 33.2
10/15/24 8:00 == 48	10/15/24 12:30 == 47.8	10/15/24 17:00 == 48	10/15/24 21:30 == 34.6
10/15/24 8:05 == 48	10/15/24 12:35 == 48	10/15/24 17:05 == 48.1	10/15/24 21:35 == 42
10/15/24 8:10 == 47.5	10/15/24 12:40 == 48.1	10/15/24 17:10 == 47.9	10/15/24 21:40 == 47.8
10/15/24 8:15 == 47.7	10/15/24 12:45 == 48.1	10/15/24 17:15 == 44.7	10/15/24 21:45 == 48
10/15/24 8:20 == 48.1	10/15/24 12:50 == 48	10/15/24 17:20 == 36.5	10/15/24 21:50 == 48
10/15/24 8:25 == 48.1	10/15/24 12:55 == 48.2	10/15/24 17:25 == 33.2	10/15/24 21:55 == 48
10/15/24 8:30 == 48.1	10/15/24 13:00 == 47.8	10/15/24 17:30 == 33.3	10/15/24 22:00 == 48
10/15/24 8:35 == 47.9	10/15/24 13:05 == 48	10/15/24 17:35 == 33.2	10/15/24 22:05 == 47.8
10/15/24 8:40 == 47.9	10/15/24 13:10 == 48	10/15/24 17:40 == 33.3	10/15/24 22:10 == 47.9
10/15/24 8:45 == 43.8	10/15/24 13:15 == 46.1	10/15/24 17:45 == 33.2	10/15/24 22:15 == 45.6
10/15/24 8:50 == 35.8	10/15/24 13:20 == 34.8	10/15/24 17:50 == 33.3	10/15/24 22:20 == 36.8
10/15/24 8:55 == 33.5	10/15/24 13:25 == 33.7	10/15/24 17:55 == 33.3	10/15/24 22:25 == 33.1
10/15/24 9:00 == 33.5	10/15/24 13:30 == 33.6	10/15/24 18:00 == 33.3	10/15/24 22:30 == 33
10/15/24 9:05 == 33.4	10/15/24 13:35 == 33.6	10/15/24 18:05 == 33.3	10/15/24 22:35 == 33
10/15/24 9:10 == 33.3	10/15/24 13:40 == 33.7	10/15/24 18:10 == 33.1	10/15/24 22:40 == 33
10/15/24 9:15 == 33.3	10/15/24 13:45 == 33.7	10/15/24 18:15 == 33.1	10/15/24 22:45 == 32.9
10/15/24 9:20 == 33.4	10/15/24 13:50 == 33.7	10/15/24 18:20 == 33.1	10/15/24 22:50 == 33.1
10/15/24 9:25 == 33.4	10/15/24 13:55 == 33.7	10/15/24 18:25 == 33.1	10/15/24 22:55 == 33
10/15/24 9:30 == 33.4	10/15/24 14:00 == 33.7	10/15/24 18:30 == 33	10/15/24 23:00 == 33
10/15/24 9:35 == 33.4	10/15/24 14:05 == 33.6	10/15/24 18:35 == 33	10/15/24 23:05 == 32.9
10/15/24 9:40 == 33.3	10/15/24 14:10 == 33.6	10/15/24 18:40 == 33	10/15/24 23:10 == 32.8
10/15/24 9:45 == 33.2	10/15/24 14:15 == 33.5	10/15/24 18:45 == 34.1	10/15/24 23:15 == 33
10/15/24 9:50 == 33.3	10/15/24 14:20 == 33.7	10/15/24 18:50 == 43.3	10/15/24 23:20 == 32.9
10/15/24 9:55 == 33.6	10/15/24 14:25 == 33.9	10/15/24 18:55 == 47.9	10/15/24 23:25 == 32.9
10/15/24 10:00 == 36	10/15/24 14:30 == 36.6	10/15/24 19:00 == 47.9	10/15/24 23:30 == 32.9
10/15/24 10:05 == 44.2	10/15/24 14:35 == 43.2	10/15/24 19:05 == 47.9	10/15/24 23:35 == 43.3
10/15/24 10:10 == 47.7	10/15/24 14:40 == 47.6	10/15/24 19:10 == 47.9	10/15/24 23:40 == 47.8
10/15/24 10:15 == 48.1	10/15/24 14:45 == 47.6	10/15/24 19:15 == 48	10/15/24 23:45 == 48.1
10/15/24 10:20 == 48	10/15/24 14:50 == 47.9	10/15/24 19:20 == 48	10/15/24 23:50 == 48.1
10/15/24 10:25 == 47.7	10/15/24 14:55 == 47.9	10/15/24 19:25 == 48.1	10/15/24 23:55 == 48.1

Pumpback Station Discharge (0364)

10/16/24 0:00 == 48.1	10/16/24 4:30 == 48	10/16/24 9:00 == 33.2	10/16/24 13:30 == 33
10/16/24 0:05 == 48	10/16/24 4:35 == 48	10/16/24 9:05 == 33.1	10/16/24 13:35 == 33.1
10/16/24 0:10 == 47.6	10/16/24 4:40 == 47.7	10/16/24 9:10 == 33.1	10/16/24 13:40 == 33.2
10/16/24 0:15 == 47.6	10/16/24 4:45 == 47.8	10/16/24 9:15 == 33	10/16/24 13:45 == 33.2
10/16/24 0:20 == 48	10/16/24 4:50 == 48	10/16/24 9:20 == 33.1	10/16/24 13:50 == 41.3
10/16/24 0:25 == 48	10/16/24 4:55 == 48.1	10/16/24 9:25 == 33	10/16/24 13:55 == 47.3
10/16/24 0:30 == 45.2	10/16/24 5:00 == 45.4	10/16/24 9:30 == 33	10/16/24 14:00 == 48.2
10/16/24 0:35 == 37.6	10/16/24 5:05 == 37.9	10/16/24 9:35 == 33.1	10/16/24 14:05 == 48.1
10/16/24 0:40 == 33.2	10/16/24 5:10 == 33.2	10/16/24 9:40 == 33.1	10/16/24 14:10 == 47.8
10/16/24 0:45 == 33.1	10/16/24 5:15 == 33.7	10/16/24 9:45 == 33.1	10/16/24 14:15 == 47.6
10/16/24 0:50 == 33	10/16/24 5:20 == 33.5	10/16/24 9:50 == 40.8	10/16/24 14:20 == 47.8
10/16/24 0:55 == 33	10/16/24 5:25 == 33.4	10/16/24 9:55 == 47.4	10/16/24 14:25 == 48
10/16/24 1:00 == 33.1	10/16/24 5:30 == 33.3	10/16/24 10:00 == 48	10/16/24 14:30 == 48.1
10/16/24 1:05 == 33.2	10/16/24 5:35 == 33.4	10/16/24 10:05 == 48	10/16/24 14:35 == 48
10/16/24 1:10 == 33.2	10/16/24 5:40 == 33.3	10/16/24 10:10 == 48	10/16/24 14:40 == 47.9
10/16/24 1:15 == 33	10/16/24 5:45 == 33.2	10/16/24 10:15 == 48	10/16/24 14:45 == 46.5
10/16/24 1:20 == 33	10/16/24 5:50 == 33.2	10/16/24 10:20 == 47.9	10/16/24 14:50 == 39.2
10/16/24 1:25 == 33.1	10/16/24 5:55 == 33.2	10/16/24 10:25 == 47.8	10/16/24 14:55 == 33.2
10/16/24 1:30 == 33.3	10/16/24 6:00 == 33.2	10/16/24 10:30 == 45.5	10/16/24 15:00 == 33.3
10/16/24 1:35 == 33	10/16/24 6:05 == 33	10/16/24 10:35 == 39	10/16/24 15:05 == 33.4
10/16/24 1:40 == 33.3	10/16/24 6:10 == 32.9	10/16/24 10:40 == 33.3	10/16/24 15:10 == 33.3
10/16/24 1:45 == 33.2	10/16/24 6:15 == 33.4	10/16/24 10:45 == 33.3	10/16/24 15:15 == 33.2
10/16/24 1:50 == 33.3	10/16/24 6:20 == 33.1	10/16/24 10:50 == 33	10/16/24 15:20 == 33.4
10/16/24 1:55 == 33.1	10/16/24 6:25 == 33.2	10/16/24 10:55 == 33.2	10/16/24 15:25 == 33.5
10/16/24 2:00 == 33.1	10/16/24 6:30 == 33.1	10/16/24 11:00 == 33.1	10/16/24 15:30 == 33.4
10/16/24 2:05 == 33.2	10/16/24 6:35 == 33.2	10/16/24 11:05 == 33.2	10/16/24 15:35 == 33.4
10/16/24 2:10 == 33.2	10/16/24 6:40 == 33.1	10/16/24 11:10 == 33.3	10/16/24 15:40 == 33.7
10/16/24 2:15 == 34.1	10/16/24 6:45 == 32.9	10/16/24 11:15 == 33.4	10/16/24 15:45 == 33.5
10/16/24 2:20 == 42.2	10/16/24 6:50 == 42.4	10/16/24 11:20 == 33.5	10/16/24 15:50 == 33.6
10/16/24 2:25 == 47.8	10/16/24 6:55 == 47.1	10/16/24 11:25 == 33.4	10/16/24 15:55 == 33.6
10/16/24 2:30 == 48	10/16/24 7:00 == 47.9	10/16/24 11:30 == 33.3	10/16/24 16:00 == 33.6
10/16/24 2:35 == 48	10/16/24 7:05 == 48	10/16/24 11:35 == 41.8	10/16/24 16:05 == 40.7
10/16/24 2:40 == 47.7	10/16/24 7:10 == 48	10/16/24 11:40 == 47	10/16/24 16:10 == 47.1
10/16/24 2:45 == 47.6	10/16/24 7:15 == 48	10/16/24 11:45 == 48	10/16/24 16:15 == 47.9
10/16/24 2:50 == 48	10/16/24 7:20 == 48.1	10/16/24 11:50 == 47.7	10/16/24 16:20 == 48.1
10/16/24 2:55 == 47.9	10/16/24 7:25 == 47.8	10/16/24 11:55 == 47.8	10/16/24 16:25 == 47.9
10/16/24 3:00 == 45.2	10/16/24 7:30 == 45.5	10/16/24 12:00 == 47.9	10/16/24 16:30 == 48
10/16/24 3:05 == 37.6	10/16/24 7:35 == 38.6	10/16/24 12:05 == 48	10/16/24 16:35 == 48.1
10/16/24 3:10 == 33.3	10/16/24 7:40 == 32.9	10/16/24 12:10 == 48.1	10/16/24 16:40 == 48
10/16/24 3:15 == 33.1	10/16/24 7:45 == 33.1	10/16/24 12:15 == 48.1	10/16/24 16:45 == 47.8
10/16/24 3:20 == 33.1	10/16/24 7:50 == 33	10/16/24 12:20 == 48.1	10/16/24 16:50 == 47.9
10/16/24 3:25 == 33.2	10/16/24 7:55 == 33	10/16/24 12:25 == 47.9	10/16/24 16:55 == 47.7
10/16/24 3:30 == 33.1	10/16/24 8:00 == 33.3	10/16/24 12:30 == 47.9	10/16/24 17:00 == 46.8
10/16/24 3:35 == 33.1	10/16/24 8:05 == 33.3	10/16/24 12:35 == 48.1	10/16/24 17:05 == 38.4
10/16/24 3:40 == 32.9	10/16/24 8:10 == 33.5	10/16/24 12:40 == 48.1	10/16/24 17:10 == 32.9
10/16/24 3:45 == 32.8	10/16/24 8:15 == 33.3	10/16/24 12:45 == 46	10/16/24 17:15 == 32.9
10/16/24 3:50 == 32.9	10/16/24 8:20 == 33.4	10/16/24 12:50 == 39.4	10/16/24 17:20 == 32.7
10/16/24 3:55 == 32.9	10/16/24 8:25 == 33.5	10/16/24 12:55 == 33.2	10/16/24 17:25 == 32.8
10/16/24 4:00 == 32.9	10/16/24 8:30 == 33.4	10/16/24 13:00 == 33.1	10/16/24 17:30 == 32.9
10/16/24 4:05 == 33	10/16/24 8:35 == 33.3	10/16/24 13:05 == 33.1	10/16/24 17:35 == 32.9
10/16/24 4:10 == 33.1	10/16/24 8:40 == 33.2	10/16/24 13:10 == 33.2	10/16/24 17:40 == 33
10/16/24 4:15 == 33.1	10/16/24 8:45 == 33.2	10/16/24 13:15 == 33.1	10/16/24 17:45 == 32.9
10/16/24 4:20 == 42.7	10/16/24 8:50 == 33.2	10/16/24 13:20 == 33	10/16/24 17:50 == 32.9
10/16/24 4:25 == 47.2	10/16/24 8:55 == 33.3	10/16/24 13:25 == 33.1	10/16/24 17:55 == 33

Pumpback Station Discharge (0364)

10/16/24 18:00 == 33.6	10/16/24 22:30 == 47.6	10/17/24 3:00 == 33	10/17/24 7:30 == 32.9
10/16/24 18:05 == 38.6	10/16/24 22:35 == 48.1	10/17/24 3:05 == 33	10/17/24 7:35 == 32.9
10/16/24 18:10 == 47.5	10/16/24 22:40 == 47.9	10/17/24 3:10 == 33.1	10/17/24 7:40 == 32.9
10/16/24 18:15 == 48	10/16/24 22:45 == 47.9	10/17/24 3:15 == 33.1	10/17/24 7:45 == 33
10/16/24 18:20 == 48.1	10/16/24 22:50 == 47.8	10/17/24 3:20 == 33	10/17/24 7:50 == 33
10/16/24 18:25 == 48	10/16/24 22:55 == 47.8	10/17/24 3:25 == 33.2	10/17/24 7:55 == 33.1
10/16/24 18:30 == 48	10/16/24 23:00 == 46.5	10/17/24 3:30 == 33.4	10/17/24 8:00 == 33.1
10/16/24 18:35 == 48	10/16/24 23:05 == 39.9	10/17/24 3:35 == 37.9	10/17/24 8:05 == 38.4
10/16/24 18:40 == 47.9	10/16/24 23:10 == 32.9	10/17/24 3:40 == 47.5	10/17/24 8:10 == 45.7
10/16/24 18:45 == 48	10/16/24 23:15 == 32.9	10/17/24 3:45 == 48	10/17/24 8:15 == 47.6
10/16/24 18:50 == 48	10/16/24 23:20 == 32.8	10/17/24 3:50 == 48.2	10/17/24 8:20 == 47.8
10/16/24 18:55 == 48	10/16/24 23:25 == 32.9	10/17/24 3:55 == 47.9	10/17/24 8:25 == 48
10/16/24 19:00 == 47.9	10/16/24 23:30 == 32.9	10/17/24 4:00 == 48	10/17/24 8:30 == 48
10/16/24 19:05 == 37.7	10/16/24 23:35 == 32.8	10/17/24 4:05 == 48	10/17/24 8:35 == 48
10/16/24 19:10 == 33.2	10/16/24 23:40 == 32.5	10/17/24 4:10 == 47.6	10/17/24 8:40 == 47.9
10/16/24 19:15 == 32.8	10/16/24 23:45 == 32.5	10/17/24 4:15 == 47.7	10/17/24 8:45 == 47.1
10/16/24 19:20 == 32.8	10/16/24 23:50 == 32.6	10/17/24 4:20 == 48.1	10/17/24 8:50 == 42.1
10/16/24 19:25 == 32.8	10/16/24 23:55 == 32.6	10/17/24 4:25 == 47.7	10/17/24 8:55 == 33.3
10/16/24 19:30 == 32.8	10/17/24 0:00 == 32.6	10/17/24 4:30 == 47.8	10/17/24 9:00 == 33
10/16/24 19:35 == 32.8	10/17/24 0:05 == 39.7	10/17/24 4:35 == 39.5	10/17/24 9:05 == 33.1
10/16/24 19:40 == 32.8	10/17/24 0:10 == 46.1	10/17/24 4:40 == 33.9	10/17/24 9:10 == 33.1
10/16/24 19:45 == 32.8	10/17/24 0:15 == 47.9	10/17/24 4:45 == 33	10/17/24 9:15 == 33.2
10/16/24 19:50 == 32.7	10/17/24 0:20 == 48	10/17/24 4:50 == 33	10/17/24 9:20 == 33.1
10/16/24 19:55 == 32.7	10/17/24 0:25 == 47.7	10/17/24 4:55 == 32.9	10/17/24 9:25 == 33.2
10/16/24 20:00 == 32.9	10/17/24 0:30 == 47.8	10/17/24 5:00 == 33	10/17/24 9:30 == 33.1
10/16/24 20:05 == 32.8	10/17/24 0:35 == 48.1	10/17/24 5:05 == 33	10/17/24 9:35 == 33.1
10/16/24 20:10 == 32.8	10/17/24 0:40 == 47.9	10/17/24 5:10 == 33.3	10/17/24 9:40 == 33
10/16/24 20:15 == 33.7	10/17/24 0:45 == 46.7	10/17/24 5:15 == 33.4	10/17/24 9:45 == 32.9
10/16/24 20:20 == 38.6	10/17/24 0:50 == 40.2	10/17/24 5:20 == 33.3	10/17/24 9:50 == 33.1
10/16/24 20:25 == 48.2	10/17/24 0:55 == 33	10/17/24 5:25 == 33.2	10/17/24 9:55 == 33.1
10/16/24 20:30 == 48.1	10/17/24 1:00 == 33.2	10/17/24 5:30 == 33.2	10/17/24 10:00 == 33.3
10/16/24 20:35 == 47.9	10/17/24 1:05 == 33.1	10/17/24 5:35 == 33.1	10/17/24 10:05 == 38.8
10/16/24 20:40 == 47.6	10/17/24 1:10 == 32.9	10/17/24 5:40 == 33.1	10/17/24 10:10 == 45.4
10/16/24 20:45 == 47.7	10/17/24 1:15 == 32.8	10/17/24 5:45 == 33.1	10/17/24 10:15 == 47.8
10/16/24 20:50 == 48.1	10/17/24 1:20 == 33	10/17/24 5:50 == 38.2	10/17/24 10:20 == 47.8
10/16/24 20:55 == 47.9	10/17/24 1:25 == 33	10/17/24 5:55 == 47	10/17/24 10:25 == 47.6
10/16/24 21:00 == 48.1	10/17/24 1:30 == 32.8	10/17/24 6:00 == 47.9	10/17/24 10:30 == 47.8
10/16/24 21:05 == 38.3	10/17/24 1:35 == 33	10/17/24 6:05 == 47.9	10/17/24 10:35 == 48
10/16/24 21:10 == 33.5	10/17/24 1:40 == 33.3	10/17/24 6:10 == 47.9	10/17/24 10:40 == 47.9
10/16/24 21:15 == 33.1	10/17/24 1:45 == 33.4	10/17/24 6:15 == 48.1	10/17/24 10:45 == 47.5
10/16/24 21:20 == 33.1	10/17/24 1:50 == 38.8	10/17/24 6:20 == 48	10/17/24 10:50 == 42
10/16/24 21:25 == 32.8	10/17/24 1:55 == 47.6	10/17/24 6:25 == 47.9	10/17/24 10:55 == 33.5
10/16/24 21:30 == 33.1	10/17/24 2:00 == 47.9	10/17/24 6:30 == 47.4	10/17/24 11:00 == 33.3
10/16/24 21:35 == 33.1	10/17/24 2:05 == 48.1	10/17/24 6:35 == 41.7	10/17/24 11:05 == 33.5
10/16/24 21:40 == 33	10/17/24 2:10 == 48.1	10/17/24 6:40 == 33	10/17/24 11:10 == 33.8
10/16/24 21:45 == 33.1	10/17/24 2:15 == 47.8	10/17/24 6:45 == 33	10/17/24 11:15 == 33.6
10/16/24 21:50 == 33	10/17/24 2:20 == 47.9	10/17/24 6:50 == 32.8	10/17/24 11:20 == 33.5
10/16/24 21:55 == 33	10/17/24 2:25 == 47.9	10/17/24 6:55 == 33	10/17/24 11:25 == 33.7
10/16/24 22:00 == 33	10/17/24 2:30 == 48.1	10/17/24 7:00 == 33	10/17/24 11:30 == 33.3
10/16/24 22:05 == 39.7	10/17/24 2:35 == 38.8	10/17/24 7:05 == 33	10/17/24 11:35 == 33.3
10/16/24 22:10 == 46.6	10/17/24 2:40 == 33.6	10/17/24 7:10 == 33	10/17/24 11:40 == 33.5
10/16/24 22:15 == 47.7	10/17/24 2:45 == 32.9	10/17/24 7:15 == 33	10/17/24 11:45 == 33.4
10/16/24 22:20 == 47.9	10/17/24 2:50 == 33	10/17/24 7:20 == 33	10/17/24 11:50 == 37.3
10/16/24 22:25 == 47.7	10/17/24 2:55 == 33	10/17/24 7:25 == 33	10/17/24 11:55 == 46.4

Pumpback Station Discharge (0364)

10/17/24 12:00 == 47.6	10/17/24 16:30 == 32.9	10/17/24 21:00 == 33.1	10/18/24 1:30 == 33
10/17/24 12:05 == 48	10/17/24 16:35 == 32.9	10/17/24 21:05 == 33.2	10/18/24 1:35 == 32.9
10/17/24 12:10 == 48	10/17/24 16:40 == 33	10/17/24 21:10 == 33.3	10/18/24 1:40 == 33
10/17/24 12:15 == 48	10/17/24 16:45 == 32.9	10/17/24 21:15 == 33.1	10/18/24 1:45 == 33.1
10/17/24 12:20 == 48	10/17/24 16:50 == 32.8	10/17/24 21:20 == 33.1	10/18/24 1:50 == 33.1
10/17/24 12:25 == 48.1	10/17/24 16:55 == 32.7	10/17/24 21:25 == 33	10/18/24 1:55 == 33
10/17/24 12:30 == 48	10/17/24 17:00 == 32.9	10/17/24 21:30 == 33.2	10/18/24 2:00 == 33
10/17/24 12:35 == 48	10/17/24 17:05 == 37.3	10/17/24 21:35 == 33.1	10/18/24 2:05 == 33.1
10/17/24 12:40 == 47.9	10/17/24 17:10 == 45.5	10/17/24 21:40 == 33.1	10/18/24 2:10 == 33.2
10/17/24 12:45 == 48	10/17/24 17:15 == 47.9	10/17/24 21:45 == 33.1	10/18/24 2:15 == 33
10/17/24 12:50 == 40.9	10/17/24 17:20 == 48	10/17/24 21:50 == 33	10/18/24 2:20 == 33.1
10/17/24 12:55 == 34.1	10/17/24 17:25 == 48	10/17/24 21:55 == 33.1	10/18/24 2:25 == 33.1
10/17/24 13:00 == 33.2	10/17/24 17:30 == 48	10/17/24 22:00 == 33.1	10/18/24 2:30 == 32.8
10/17/24 13:05 == 33.1	10/17/24 17:35 == 48	10/17/24 22:05 == 33	10/18/24 2:35 == 33
10/17/24 13:10 == 33.2	10/17/24 17:40 == 48	10/17/24 22:10 == 32.9	10/18/24 2:40 == 32.8
10/17/24 13:15 == 33.2	10/17/24 17:45 == 47.9	10/17/24 22:15 == 33	10/18/24 2:45 == 33
10/17/24 13:20 == 33	10/17/24 17:50 == 41.5	10/17/24 22:20 == 37	10/18/24 2:50 == 35.2
10/17/24 13:25 == 33	10/17/24 17:55 == 34.4	10/17/24 22:25 == 44.5	10/18/24 2:55 == 45.7
10/17/24 13:30 == 33.2	10/17/24 18:00 == 33	10/17/24 22:30 == 47.8	10/18/24 3:00 == 47.9
10/17/24 13:35 == 33.1	10/17/24 18:05 == 33	10/17/24 22:35 == 48.1	10/18/24 3:05 == 48
10/17/24 13:40 == 33.2	10/17/24 18:10 == 33	10/17/24 22:40 == 48	10/18/24 3:10 == 47.5
10/17/24 13:45 == 33.3	10/17/24 18:15 == 33	10/17/24 22:45 == 48	10/18/24 3:15 == 47.7
10/17/24 13:50 == 33.3	10/17/24 18:20 == 32.9	10/17/24 22:50 == 48.1	10/18/24 3:20 == 47.8
10/17/24 13:55 == 33.2	10/17/24 18:25 == 32.9	10/17/24 22:55 == 48	10/18/24 3:25 == 47.6
10/17/24 14:00 == 33.2	10/17/24 18:30 == 32.9	10/17/24 23:00 == 48	10/18/24 3:30 == 47.5
10/17/24 14:05 == 33.3	10/17/24 18:35 == 32.8	10/17/24 23:05 == 42.8	10/18/24 3:35 == 41.9
10/17/24 14:10 == 33.3	10/17/24 18:40 == 33	10/17/24 23:10 == 34.1	10/18/24 3:40 == 35.1
10/17/24 14:15 == 33.1	10/17/24 18:45 == 32.9	10/17/24 23:15 == 32.8	10/18/24 3:45 == 32.9
10/17/24 14:20 == 37.3	10/17/24 18:50 == 32.9	10/17/24 23:20 == 33	10/18/24 3:50 == 32.8
10/17/24 14:25 == 46.8	10/17/24 18:55 == 32.8	10/17/24 23:25 == 33	10/18/24 3:55 == 32.9
10/17/24 14:30 == 48	10/17/24 19:00 == 32.7	10/17/24 23:30 == 32.9	10/18/24 4:00 == 32.9
10/17/24 14:35 == 47.9	10/17/24 19:05 == 34.5	10/17/24 23:35 == 32.9	10/18/24 4:05 == 32.9
10/17/24 14:40 == 47.4	10/17/24 19:10 == 47.2	10/17/24 23:40 == 32.5	10/18/24 4:10 == 32.9
10/17/24 14:45 == 47.8	10/17/24 19:15 == 48	10/17/24 23:45 == 32.6	10/18/24 4:15 == 32.9
10/17/24 14:50 == 48	10/17/24 19:20 == 48	10/17/24 23:50 == 32.7	10/18/24 4:20 == 32.9
10/17/24 14:55 == 48.1	10/17/24 19:25 == 47.6	10/17/24 23:55 == 32.7	10/18/24 4:25 == 32.9
10/17/24 15:00 == 48.1	10/17/24 19:30 == 47.8	10/18/24 0:00 == 32.7	10/18/24 4:30 == 32.7
10/17/24 15:05 == 48	10/17/24 19:35 == 48.1	10/18/24 0:05 == 32.7	10/18/24 4:35 == 32.8
10/17/24 15:10 == 47.6	10/17/24 19:40 == 48	10/18/24 0:10 == 32.8	10/18/24 4:40 == 33
10/17/24 15:15 == 47.7	10/17/24 19:45 == 48	10/18/24 0:15 == 32.9	10/18/24 4:45 == 32.9
10/17/24 15:20 == 41.1	10/17/24 19:50 == 48	10/18/24 0:20 == 35.2	10/18/24 4:50 == 32.9
10/17/24 15:25 == 34.5	10/17/24 19:55 == 47.8	10/18/24 0:25 == 45.8	10/18/24 4:55 == 33
10/17/24 15:30 == 33.5	10/17/24 20:00 == 47.9	10/18/24 0:30 == 47.8	10/18/24 5:00 == 32.9
10/17/24 15:35 == 33.4	10/17/24 20:05 == 41.5	10/18/24 0:35 == 48.1	10/18/24 5:05 == 33
10/17/24 15:40 == 33.6	10/17/24 20:10 == 34.9	10/18/24 0:40 == 48.1	10/18/24 5:10 == 33.4
10/17/24 15:45 == 33.7	10/17/24 20:15 == 33.1	10/18/24 0:45 == 48	10/18/24 5:15 == 33.5
10/17/24 15:50 == 33.6	10/17/24 20:20 == 32.9	10/18/24 0:50 == 47.9	10/18/24 5:20 == 33.4
10/17/24 15:55 == 33.6	10/17/24 20:25 == 33	10/18/24 0:55 == 47.9	10/18/24 5:25 == 33.2
10/17/24 16:00 == 33.3	10/17/24 20:30 == 33	10/18/24 1:00 == 48	10/18/24 5:30 == 33.3
10/17/24 16:05 == 33.4	10/17/24 20:35 == 33	10/18/24 1:05 == 42.1	10/18/24 5:35 == 33.1
10/17/24 16:10 == 33.4	10/17/24 20:40 == 32.9	10/18/24 1:10 == 35.3	10/18/24 5:40 == 33.2
10/17/24 16:15 == 33.3	10/17/24 20:45 == 33	10/18/24 1:15 == 33	10/18/24 5:45 == 33.1
10/17/24 16:20 == 33.3	10/17/24 20:50 == 33	10/18/24 1:20 == 32.9	10/18/24 5:50 == 33.2
10/17/24 16:25 == 33.2	10/17/24 20:55 == 33.1	10/18/24 1:25 == 32.9	10/18/24 5:55 == 33.2

Pumpback Station Discharge (0364)

10/18/24 6:00 == 33.1	10/18/24 10:30 == 48.1	10/18/24 15:00 == 33.6	10/18/24 19:30 == 33
10/18/24 6:05 == 33.1	10/18/24 10:35 == 43.6	10/18/24 15:05 == 33.6	10/18/24 19:35 == 33.3
10/18/24 6:10 == 33.1	10/18/24 10:40 == 35.9	10/18/24 15:10 == 33.5	10/18/24 19:40 == 44.3
10/18/24 6:15 == 33.1	10/18/24 10:45 == 33.2	10/18/24 15:15 == 33.4	10/18/24 19:45 == 48
10/18/24 6:20 == 36.8	10/18/24 10:50 == 33.1	10/18/24 15:20 == 33.4	10/18/24 19:50 == 48
10/18/24 6:25 == 44	10/18/24 10:55 == 33.1	10/18/24 15:25 == 33.6	10/18/24 19:55 == 47.9
10/18/24 6:30 == 47.8	10/18/24 11:00 == 33.2	10/18/24 15:30 == 33.6	10/18/24 20:00 == 48
10/18/24 6:35 == 47.9	10/18/24 11:05 == 33.2	10/18/24 15:35 == 33.6	10/18/24 20:05 == 48
10/18/24 6:40 == 47.8	10/18/24 11:10 == 33.5	10/18/24 15:40 == 33.8	10/18/24 20:10 == 47.3
10/18/24 6:45 == 47.8	10/18/24 11:15 == 33.7	10/18/24 15:45 == 34	10/18/24 20:15 == 47.8
10/18/24 6:50 == 47.9	10/18/24 11:20 == 33.7	10/18/24 15:50 == 34	10/18/24 20:20 == 44.8
10/18/24 6:55 == 47.9	10/18/24 11:25 == 33.6	10/18/24 15:55 == 33.8	10/18/24 20:25 == 36.3
10/18/24 7:00 == 47.8	10/18/24 11:30 == 33.5	10/18/24 16:00 == 33.7	10/18/24 20:30 == 33.2
10/18/24 7:05 == 45.1	10/18/24 11:35 == 33.5	10/18/24 16:05 == 33.8	10/18/24 20:35 == 33.2
10/18/24 7:10 == 33.3	10/18/24 11:40 == 33.5	10/18/24 16:10 == 33.8	10/18/24 20:40 == 33.3
10/18/24 7:15 == 33.1	10/18/24 11:45 == 33.4	10/18/24 16:15 == 33.8	10/18/24 20:45 == 33.3
10/18/24 7:20 == 33	10/18/24 11:50 == 33.4	10/18/24 16:20 == 33.7	10/18/24 20:50 == 33.4
10/18/24 7:25 == 33.1	10/18/24 11:55 == 33.4	10/18/24 16:25 == 33.5	10/18/24 20:55 == 33.4
10/18/24 7:30 == 33.1	10/18/24 12:00 == 33.1	10/18/24 16:30 == 33.2	10/18/24 21:00 == 33.4
10/18/24 7:35 == 33.1	10/18/24 12:05 == 33	10/18/24 16:35 == 35.3	10/18/24 21:05 == 33.3
10/18/24 7:40 == 33	10/18/24 12:10 == 33.2	10/18/24 16:40 == 43	10/18/24 21:10 == 33.5
10/18/24 7:45 == 32.9	10/18/24 12:15 == 33.1	10/18/24 16:45 == 47.6	10/18/24 21:15 == 33.6
10/18/24 7:50 == 33	10/18/24 12:20 == 33.2	10/18/24 16:50 == 47.9	10/18/24 21:20 == 33.4
10/18/24 7:55 == 32.9	10/18/24 12:25 == 33.2	10/18/24 16:55 == 48	10/18/24 21:25 == 33.2
10/18/24 8:00 == 32.9	10/18/24 12:30 == 33	10/18/24 17:00 == 47.9	10/18/24 21:30 == 33.2
10/18/24 8:05 == 32.8	10/18/24 12:35 == 33.1	10/18/24 17:05 == 47.3	10/18/24 21:35 == 33.2
10/18/24 8:10 == 33.2	10/18/24 12:40 == 33.2	10/18/24 17:10 == 33.7	10/18/24 21:40 == 33.2
10/18/24 8:15 == 33.3	10/18/24 12:45 == 33.1	10/18/24 17:15 == 33.5	10/18/24 21:45 == 33.2
10/18/24 8:20 == 33.2	10/18/24 12:50 == 33.2	10/18/24 17:20 == 33.4	10/18/24 21:50 == 33.2
10/18/24 8:25 == 33.2	10/18/24 12:55 == 33.2	10/18/24 17:25 == 33.3	10/18/24 21:55 == 33.3
10/18/24 8:30 == 33.2	10/18/24 13:00 == 33.1	10/18/24 17:30 == 33.3	10/18/24 22:00 == 33.3
10/18/24 8:35 == 33.1	10/18/24 13:05 == 33.1	10/18/24 17:35 == 33.4	10/18/24 22:05 == 33.1
10/18/24 8:40 == 33.1	10/18/24 13:10 == 33.2	10/18/24 17:40 == 33.4	10/18/24 22:10 == 33.2
10/18/24 8:45 == 33.1	10/18/24 13:15 == 33.1	10/18/24 17:45 == 33.3	10/18/24 22:15 == 33.1
10/18/24 8:50 == 33.1	10/18/24 13:20 == 35.9	10/18/24 17:50 == 33.4	10/18/24 22:20 == 33.3
10/18/24 8:55 == 33.1	10/18/24 13:25 == 43.3	10/18/24 17:55 == 33.4	10/18/24 22:25 == 33.2
10/18/24 9:00 == 33	10/18/24 13:30 == 47.8	10/18/24 18:00 == 33.4	10/18/24 22:30 == 33.2
10/18/24 9:05 == 33.1	10/18/24 13:35 == 48	10/18/24 18:05 == 33.4	10/18/24 22:35 == 33
10/18/24 9:10 == 33.1	10/18/24 13:40 == 47.9	10/18/24 18:10 == 33.2	10/18/24 22:40 == 33.1
10/18/24 9:15 == 33	10/18/24 13:45 == 47.9	10/18/24 18:15 == 33.2	10/18/24 22:45 == 32.9
10/18/24 9:20 == 33.1	10/18/24 13:50 == 44.1	10/18/24 18:20 == 33.2	10/18/24 22:50 == 32.9
10/18/24 9:25 == 32.9	10/18/24 13:55 == 36.4	10/18/24 18:25 == 33.1	10/18/24 22:55 == 33.1
10/18/24 9:30 == 32.9	10/18/24 14:00 == 33.4	10/18/24 18:30 == 33	10/18/24 23:00 == 33.3
10/18/24 9:35 == 32.9	10/18/24 14:05 == 33.4	10/18/24 18:35 == 33.1	10/18/24 23:05 == 33.3
10/18/24 9:40 == 33	10/18/24 14:10 == 33.5	10/18/24 18:40 == 33.1	10/18/24 23:10 == 33.1
10/18/24 9:45 == 32.9	10/18/24 14:15 == 33.2	10/18/24 18:45 == 33	10/18/24 23:15 == 33.2
10/18/24 9:50 == 33.1	10/18/24 14:20 == 33.5	10/18/24 18:50 == 33	10/18/24 23:20 == 33.3
10/18/24 9:55 == 46.4	10/18/24 14:25 == 33.4	10/18/24 18:55 == 32.9	10/18/24 23:25 == 33.2
10/18/24 10:00 == 47.9	10/18/24 14:30 == 33.6	10/18/24 19:00 == 32.8	10/18/24 23:30 == 33
10/18/24 10:05 == 48.1	10/18/24 14:35 == 33.6	10/18/24 19:05 == 32.8	10/18/24 23:35 == 32.9
10/18/24 10:10 == 47.8	10/18/24 14:40 == 33.9	10/18/24 19:10 == 32.9	10/18/24 23:40 == 32.8
10/18/24 10:15 == 47.9	10/18/24 14:45 == 33.4	10/18/24 19:15 == 33	10/18/24 23:45 == 32.8
10/18/24 10:20 == 47.9	10/18/24 14:50 == 33.5	10/18/24 19:20 == 33	10/18/24 23:50 == 32.8
10/18/24 10:25 == 47.9	10/18/24 14:55 == 33.6	10/18/24 19:25 == 33.1	10/18/24 23:55 == 32.7

Pumpback Station Discharge (0364)

10/19/24 0:00 == 32.7	10/19/24 4:30 == 33	10/19/24 9:00 == 33.1	10/19/24 13:30 == 47.1
10/19/24 0:05 == 32.7	10/19/24 4:35 == 33.1	10/19/24 9:05 == 33	10/19/24 13:35 == 48.1
10/19/24 0:10 == 32.8	10/19/24 4:40 == 33.2	10/19/24 9:10 == 33.1	10/19/24 13:40 == 47.9
10/19/24 0:15 == 33.1	10/19/24 4:45 == 33.1	10/19/24 9:15 == 33.1	10/19/24 13:45 == 48
10/19/24 0:20 == 33.9	10/19/24 4:50 == 34.9	10/19/24 9:20 == 33.1	10/19/24 13:50 == 46.3
10/19/24 0:25 == 43.1	10/19/24 4:55 == 41.5	10/19/24 9:25 == 33.2	10/19/24 13:55 == 38
10/19/24 0:30 == 47.6	10/19/24 5:00 == 47.5	10/19/24 9:30 == 33.1	10/19/24 14:00 == 33
10/19/24 0:35 == 48	10/19/24 5:05 == 47.9	10/19/24 9:35 == 34.7	10/19/24 14:05 == 33
10/19/24 0:40 == 48	10/19/24 5:10 == 47.8	10/19/24 9:40 == 40.7	10/19/24 14:10 == 32.9
10/19/24 0:45 == 47.8	10/19/24 5:15 == 47.5	10/19/24 9:45 == 47.7	10/19/24 14:15 == 32.9
10/19/24 0:50 == 47.9	10/19/24 5:20 == 48	10/19/24 9:50 == 47.9	10/19/24 14:20 == 33
10/19/24 0:55 == 47.9	10/19/24 5:25 == 47.9	10/19/24 9:55 == 47.8	10/19/24 14:25 == 33.2
10/19/24 1:00 == 47.9	10/19/24 5:30 == 47.7	10/19/24 10:00 == 47.5	10/19/24 14:30 == 33.2
10/19/24 1:05 == 45.9	10/19/24 5:35 == 48	10/19/24 10:05 == 48	10/19/24 14:35 == 33.2
10/19/24 1:10 == 35.9	10/19/24 5:40 == 35.3	10/19/24 10:10 == 47.9	10/19/24 14:40 == 33.3
10/19/24 1:15 == 33.2	10/19/24 5:45 == 33.3	10/19/24 10:15 == 47.5	10/19/24 14:45 == 33.2
10/19/24 1:20 == 33.1	10/19/24 5:50 == 33.3	10/19/24 10:20 == 47.7	10/19/24 14:50 == 33.1
10/19/24 1:25 == 33.2	10/19/24 5:55 == 33.2	10/19/24 10:25 == 36.3	10/19/24 14:55 == 33.1
10/19/24 1:30 == 33.2	10/19/24 6:00 == 33.2	10/19/24 10:30 == 33.3	10/19/24 15:00 == 33.2
10/19/24 1:35 == 33.3	10/19/24 6:05 == 33.2	10/19/24 10:35 == 33.3	10/19/24 15:05 == 33.2
10/19/24 1:40 == 33.5	10/19/24 6:10 == 33.3	10/19/24 10:40 == 33.2	10/19/24 15:10 == 33.1
10/19/24 1:45 == 33.6	10/19/24 6:15 == 33.3	10/19/24 10:45 == 33.2	10/19/24 15:15 == 33.2
10/19/24 1:50 == 33.4	10/19/24 6:20 == 33.2	10/19/24 10:50 == 33.1	10/19/24 15:20 == 33.1
10/19/24 1:55 == 33.4	10/19/24 6:25 == 33.3	10/19/24 10:55 == 33.4	10/19/24 15:25 == 33.4
10/19/24 2:00 == 33.4	10/19/24 6:30 == 33.2	10/19/24 11:00 == 33.4	10/19/24 15:30 == 33.3
10/19/24 2:05 == 33.4	10/19/24 6:35 == 33.3	10/19/24 11:05 == 33.3	10/19/24 15:35 == 33.3
10/19/24 2:10 == 33.4	10/19/24 6:40 == 33.2	10/19/24 11:10 == 33.5	10/19/24 15:40 == 33.7
10/19/24 2:15 == 33.4	10/19/24 6:45 == 33.1	10/19/24 11:15 == 33.9	10/19/24 15:45 == 33.6
10/19/24 2:20 == 33.5	10/19/24 6:50 == 33.1	10/19/24 11:20 == 33.8	10/19/24 15:50 == 33.5
10/19/24 2:25 == 33.4	10/19/24 6:55 == 33.2	10/19/24 11:25 == 33.6	10/19/24 15:55 == 33.5
10/19/24 2:30 == 33.3	10/19/24 7:00 == 33.2	10/19/24 11:30 == 33.5	10/19/24 16:00 == 33.6
10/19/24 2:35 == 33.2	10/19/24 7:05 == 33.1	10/19/24 11:35 == 33.4	10/19/24 16:05 == 33.5
10/19/24 2:40 == 33.3	10/19/24 7:10 == 33.1	10/19/24 11:40 == 33.4	10/19/24 16:10 == 33.6
10/19/24 2:45 == 33.2	10/19/24 7:15 == 33	10/19/24 11:45 == 33.4	10/19/24 16:15 == 33.6
10/19/24 2:50 == 33.2	10/19/24 7:20 == 33	10/19/24 11:50 == 33.5	10/19/24 16:20 == 33.3
10/19/24 2:55 == 33.3	10/19/24 7:25 == 32.9	10/19/24 11:55 == 33.4	10/19/24 16:25 == 33
10/19/24 3:00 == 33.3	10/19/24 7:30 == 32.9	10/19/24 12:00 == 33.1	10/19/24 16:30 == 32.8
10/19/24 3:05 == 33.4	10/19/24 7:35 == 32.9	10/19/24 12:05 == 33.1	10/19/24 16:35 == 32.8
10/19/24 3:10 == 33.5	10/19/24 7:40 == 32.9	10/19/24 12:10 == 33.2	10/19/24 16:40 == 32.9
10/19/24 3:15 == 33.4	10/19/24 7:45 == 32.8	10/19/24 12:15 == 33.2	10/19/24 16:45 == 32.9
10/19/24 3:20 == 33.3	10/19/24 7:50 == 33	10/19/24 12:20 == 33.3	10/19/24 16:50 == 32.7
10/19/24 3:25 == 33.2	10/19/24 7:55 == 32.8	10/19/24 12:25 == 33.2	10/19/24 16:55 == 32.7
10/19/24 3:30 == 33.1	10/19/24 8:00 == 32.9	10/19/24 12:30 == 33	10/19/24 17:00 == 32.7
10/19/24 3:35 == 33.3	10/19/24 8:05 == 33	10/19/24 12:35 == 32.8	10/19/24 17:05 == 32.9
10/19/24 3:40 == 33.1	10/19/24 8:10 == 33.4	10/19/24 12:40 == 33	10/19/24 17:10 == 33
10/19/24 3:45 == 33	10/19/24 8:15 == 33.1	10/19/24 12:45 == 33	10/19/24 17:15 == 33
10/19/24 3:50 == 33.1	10/19/24 8:20 == 33.2	10/19/24 12:50 == 33	10/19/24 17:20 == 34.1
10/19/24 3:55 == 33.1	10/19/24 8:25 == 33.2	10/19/24 12:55 == 33	10/19/24 17:25 == 39.9
10/19/24 4:00 == 33.1	10/19/24 8:30 == 33.3	10/19/24 13:00 == 32.9	10/19/24 17:30 == 47.9
10/19/24 4:05 == 32.9	10/19/24 8:35 == 33.3	10/19/24 13:05 == 32.9	10/19/24 17:35 == 47.8
10/19/24 4:10 == 33.1	10/19/24 8:40 == 33.3	10/19/24 13:10 == 33	10/19/24 17:40 == 47.8
10/19/24 4:15 == 33	10/19/24 8:45 == 33.1	10/19/24 13:15 == 32.9	10/19/24 17:45 == 47.7
10/19/24 4:20 == 32.9	10/19/24 8:50 == 33.1	10/19/24 13:20 == 32.8	10/19/24 17:50 == 47.8
10/19/24 4:25 == 33	10/19/24 8:55 == 33.2	10/19/24 13:25 == 41.9	10/19/24 17:55 == 37.1

Pumpback Station Discharge (0364)

10/19/24 18:00 == 33.3	10/19/24 22:30 == 32.6	10/20/24 3:00 == 32.9	10/20/24 7:30 == 32.7
10/19/24 18:05 == 33	10/19/24 22:35 == 32.6	10/20/24 3:05 == 33	10/20/24 7:35 == 32.6
10/19/24 18:10 == 32.6	10/19/24 22:40 == 32.8	10/20/24 3:10 == 33.1	10/20/24 7:40 == 32.5
10/19/24 18:15 == 32.7	10/19/24 22:45 == 32.6	10/20/24 3:15 == 32.8	10/20/24 7:45 == 32.4
10/19/24 18:20 == 32.8	10/19/24 22:50 == 32.8	10/20/24 3:20 == 32.8	10/20/24 7:50 == 32.6
10/19/24 18:25 == 32.9	10/19/24 22:55 == 32.9	10/20/24 3:25 == 32.9	10/20/24 7:55 == 32.6
10/19/24 18:30 == 32.7	10/19/24 23:00 == 33	10/20/24 3:30 == 32.7	10/20/24 8:00 == 32.6
10/19/24 18:35 == 32.7	10/19/24 23:05 == 32.9	10/20/24 3:35 == 33	10/20/24 8:05 == 33.2
10/19/24 18:40 == 32.8	10/19/24 23:10 == 32.8	10/20/24 3:40 == 32.5	10/20/24 8:10 == 37.4
10/19/24 18:45 == 32.6	10/19/24 23:15 == 32.8	10/20/24 3:45 == 32.8	10/20/24 8:15 == 48.1
10/19/24 18:50 == 32.6	10/19/24 23:20 == 32.8	10/20/24 3:50 == 32.8	10/20/24 8:20 == 48
10/19/24 18:55 == 32.7	10/19/24 23:25 == 32.6	10/20/24 3:55 == 32.8	10/20/24 8:25 == 47.9
10/19/24 19:00 == 32.6	10/19/24 23:30 == 32.4	10/20/24 4:00 == 32.8	10/20/24 8:30 == 48
10/19/24 19:05 == 32.4	10/19/24 23:35 == 32.5	10/20/24 4:05 == 32.6	10/20/24 8:35 == 48.1
10/19/24 19:10 == 32.5	10/19/24 23:40 == 32.6	10/20/24 4:10 == 32.7	10/20/24 8:40 == 39.4
10/19/24 19:15 == 32.7	10/19/24 23:45 == 32.5	10/20/24 4:15 == 32.7	10/20/24 8:45 == 33.3
10/19/24 19:20 == 32.6	10/19/24 23:50 == 32.5	10/20/24 4:20 == 32.7	10/20/24 8:50 == 32.8
10/19/24 19:25 == 32.7	10/19/24 23:55 == 32.5	10/20/24 4:25 == 39.9	10/20/24 8:55 == 32.6
10/19/24 19:30 == 32.6	10/20/24 0:00 == 32.5	10/20/24 4:30 == 46.2	10/20/24 9:00 == 32.7
10/19/24 19:35 == 32.7	10/20/24 0:05 == 32.5	10/20/24 4:35 == 47.9	10/20/24 9:05 == 32.7
10/19/24 19:40 == 32.7	10/20/24 0:10 == 32.6	10/20/24 4:40 == 48	10/20/24 9:10 == 32.7
10/19/24 19:45 == 32.6	10/20/24 0:15 == 32.6	10/20/24 4:45 == 48	10/20/24 9:15 == 32.7
10/19/24 19:50 == 32.7	10/20/24 0:20 == 32.6	10/20/24 4:50 == 47.3	10/20/24 9:20 == 32.7
10/19/24 19:55 == 32.6	10/20/24 0:25 == 32.8	10/20/24 4:55 == 40.1	10/20/24 9:25 == 32.6
10/19/24 20:00 == 32.6	10/20/24 0:30 == 32.8	10/20/24 5:00 == 32.8	10/20/24 9:30 == 32.6
10/19/24 20:05 == 33.1	10/20/24 0:35 == 33.6	10/20/24 5:05 == 32.8	10/20/24 9:35 == 32.6
10/19/24 20:10 == 39.2	10/20/24 0:40 == 38.5	10/20/24 5:10 == 33.1	10/20/24 9:40 == 32.5
10/19/24 20:15 == 47.5	10/20/24 0:45 == 48.1	10/20/24 5:15 == 33.4	10/20/24 9:45 == 32.4
10/19/24 20:20 == 48.2	10/20/24 0:50 == 47.9	10/20/24 5:20 == 33.3	10/20/24 9:50 == 32.5
10/19/24 20:25 == 47.8	10/20/24 0:55 == 48	10/20/24 5:25 == 33.1	10/20/24 9:55 == 32.5
10/19/24 20:30 == 48.1	10/20/24 1:00 == 48	10/20/24 5:30 == 33.1	10/20/24 10:00 == 32.5
10/19/24 20:35 == 48.1	10/20/24 1:05 == 47.6	10/20/24 5:35 == 33	10/20/24 10:05 == 32.4
10/19/24 20:40 == 48	10/20/24 1:10 == 39	10/20/24 5:40 == 33	10/20/24 10:10 == 32.4
10/19/24 20:45 == 48.1	10/20/24 1:15 == 32.8	10/20/24 5:45 == 32.8	10/20/24 10:15 == 32.5
10/19/24 20:50 == 48.1	10/20/24 1:20 == 32.7	10/20/24 5:50 == 32.8	10/20/24 10:20 == 32.6
10/19/24 20:55 == 37.6	10/20/24 1:25 == 32.7	10/20/24 5:55 == 32.8	10/20/24 10:25 == 32.7
10/19/24 21:00 == 33.2	10/20/24 1:30 == 32.9	10/20/24 6:00 == 32.8	10/20/24 10:30 == 32.7
10/19/24 21:05 == 32.9	10/20/24 1:35 == 32.9	10/20/24 6:05 == 32.8	10/20/24 10:35 == 32.8
10/19/24 21:10 == 33	10/20/24 1:40 == 33	10/20/24 6:10 == 32.8	10/20/24 10:40 == 32.8
10/19/24 21:15 == 33	10/20/24 1:45 == 33.1	10/20/24 6:15 == 32.9	10/20/24 10:45 == 32.9
10/19/24 21:20 == 32.9	10/20/24 1:50 == 33	10/20/24 6:20 == 32.9	10/20/24 10:50 == 32.8
10/19/24 21:25 == 32.9	10/20/24 1:55 == 32.9	10/20/24 6:25 == 32.9	10/20/24 10:55 == 33
10/19/24 21:30 == 32.9	10/20/24 2:00 == 33	10/20/24 6:30 == 33	10/20/24 11:00 == 32.9
10/19/24 21:35 == 32.9	10/20/24 2:05 == 32.9	10/20/24 6:35 == 32.9	10/20/24 11:05 == 32.9
10/19/24 21:40 == 32.9	10/20/24 2:10 == 32.8	10/20/24 6:40 == 32.8	10/20/24 11:10 == 33.1
10/19/24 21:45 == 32.8	10/20/24 2:15 == 32.9	10/20/24 6:45 == 32.7	10/20/24 11:15 == 33
10/19/24 21:50 == 32.8	10/20/24 2:20 == 33	10/20/24 6:50 == 32.7	10/20/24 11:20 == 33.1
10/19/24 21:55 == 32.9	10/20/24 2:25 == 33	10/20/24 6:55 == 32.9	10/20/24 11:25 == 32.9
10/19/24 22:00 == 32.9	10/20/24 2:30 == 32.9	10/20/24 7:00 == 32.9	10/20/24 11:30 == 32.8
10/19/24 22:05 == 32.9	10/20/24 2:35 == 32.9	10/20/24 7:05 == 32.8	10/20/24 11:35 == 32.9
10/19/24 22:10 == 32.9	10/20/24 2:40 == 32.8	10/20/24 7:10 == 32.9	10/20/24 11:40 == 32.9
10/19/24 22:15 == 32.8	10/20/24 2:45 == 32.8	10/20/24 7:15 == 32.7	10/20/24 11:45 == 32.7
10/19/24 22:20 == 32.8	10/20/24 2:50 == 32.8	10/20/24 7:20 == 32.6	10/20/24 11:50 == 32.9
10/19/24 22:25 == 32.8	10/20/24 2:55 == 32.9	10/20/24 7:25 == 32.7	10/20/24 11:55 == 32.9

Pumpback Station Discharge (0364)

10/20/24 12:00 == 32.7	10/20/24 16:30 == 32.6	10/20/24 21:00 == 32.9	10/21/24 1:30 == 32.6
10/20/24 12:05 == 32.7	10/20/24 16:35 == 32.6	10/20/24 21:05 == 32.8	10/21/24 1:35 == 32.8
10/20/24 12:10 == 32.8	10/20/24 16:40 == 38	10/20/24 21:10 == 36.8	10/21/24 1:40 == 33
10/20/24 12:15 == 32.8	10/20/24 16:45 == 44.9	10/20/24 21:15 == 46.2	10/21/24 1:45 == 32.8
10/20/24 12:20 == 32.7	10/20/24 16:50 == 47.3	10/20/24 21:20 == 47.9	10/21/24 1:50 == 32.8
10/20/24 12:25 == 37.9	10/20/24 16:55 == 47.7	10/20/24 21:25 == 47.9	10/21/24 1:55 == 32.9
10/20/24 12:30 == 46.2	10/20/24 17:00 == 47.8	10/20/24 21:30 == 47.5	10/21/24 2:00 == 32.8
10/20/24 12:35 == 48	10/20/24 17:05 == 47.9	10/20/24 21:35 == 47.8	10/21/24 2:05 == 32.9
10/20/24 12:40 == 48	10/20/24 17:10 == 41.1	10/20/24 21:40 == 40.8	10/21/24 2:10 == 32.8
10/20/24 12:45 == 48.1	10/20/24 17:15 == 33.6	10/20/24 21:45 == 34.5	10/21/24 2:15 == 32.8
10/20/24 12:50 == 47.2	10/20/24 17:20 == 32.6	10/20/24 21:50 == 32.7	10/21/24 2:20 == 32.8
10/20/24 12:55 == 41.9	10/20/24 17:25 == 32.6	10/20/24 21:55 == 32.7	10/21/24 2:25 == 32.8
10/20/24 13:00 == 32.7	10/20/24 17:30 == 32.6	10/20/24 22:00 == 32.8	10/21/24 2:30 == 32.6
10/20/24 13:05 == 32.8	10/20/24 17:35 == 32.5	10/20/24 22:05 == 32.8	10/21/24 2:35 == 32.7
10/20/24 13:10 == 32.8	10/20/24 17:40 == 32.6	10/20/24 22:10 == 32.7	10/21/24 2:40 == 32.6
10/20/24 13:15 == 32.8	10/20/24 17:45 == 32.6	10/20/24 22:15 == 32.6	10/21/24 2:45 == 32.5
10/20/24 13:20 == 32.8	10/20/24 17:50 == 32.6	10/20/24 22:20 == 32.5	10/21/24 2:50 == 32.5
10/20/24 13:25 == 32.8	10/20/24 17:55 == 32.6	10/20/24 22:25 == 32.6	10/21/24 2:55 == 37.3
10/20/24 13:30 == 32.8	10/20/24 18:00 == 32.7	10/20/24 22:30 == 32.7	10/21/24 3:00 == 44.5
10/20/24 13:35 == 32.7	10/20/24 18:05 == 32.8	10/20/24 22:35 == 32.7	10/21/24 3:05 == 47.8
10/20/24 13:40 == 32.8	10/20/24 18:10 == 32.8	10/20/24 22:40 == 32.8	10/21/24 3:10 == 47.8
10/20/24 13:45 == 32.7	10/20/24 18:15 == 32.5	10/20/24 22:45 == 32.6	10/21/24 3:15 == 47.6
10/20/24 13:50 == 32.6	10/20/24 18:20 == 32.7	10/20/24 22:50 == 32.6	10/21/24 3:20 == 47.9
10/20/24 13:55 == 32.8	10/20/24 18:25 == 32.7	10/20/24 22:55 == 32.7	10/21/24 3:25 == 42.9
10/20/24 14:00 == 32.8	10/20/24 18:30 == 32.5	10/20/24 23:00 == 32.7	10/21/24 3:30 == 33
10/20/24 14:05 == 32.9	10/20/24 18:35 == 32.5	10/20/24 23:05 == 32.7	10/21/24 3:35 == 32.7
10/20/24 14:10 == 32.8	10/20/24 18:40 == 32.6	10/20/24 23:10 == 32.8	10/21/24 3:40 == 32.8
10/20/24 14:15 == 32.9	10/20/24 18:45 == 32.6	10/20/24 23:15 == 32.8	10/21/24 3:45 == 32.7
10/20/24 14:20 == 33	10/20/24 18:50 == 32.5	10/20/24 23:20 == 32.6	10/21/24 3:50 == 32.7
10/20/24 14:25 == 33	10/20/24 18:55 == 32.6	10/20/24 23:25 == 32.7	10/21/24 3:55 == 32.6
10/20/24 14:30 == 33.1	10/20/24 19:00 == 32.5	10/20/24 23:30 == 32.6	10/21/24 4:00 == 32.5
10/20/24 14:35 == 33	10/20/24 19:05 == 32.4	10/20/24 23:35 == 32.5	10/21/24 4:05 == 32.6
10/20/24 14:40 == 33.1	10/20/24 19:10 == 32.5	10/20/24 23:40 == 32.3	10/21/24 4:10 == 32.6
10/20/24 14:45 == 33.1	10/20/24 19:15 == 32.5	10/20/24 23:45 == 32.4	10/21/24 4:15 == 32.5
10/20/24 14:50 == 32.9	10/20/24 19:20 == 32.4	10/20/24 23:50 == 32.4	10/21/24 4:20 == 32.6
10/20/24 14:55 == 32.9	10/20/24 19:25 == 32.5	10/20/24 23:55 == 32.4	10/21/24 4:25 == 32.8
10/20/24 15:00 == 33.1	10/20/24 19:30 == 32.5	10/21/24 0:00 == 32.4	10/21/24 4:30 == 32.7
10/20/24 15:05 == 33.1	10/20/24 19:35 == 32.6	10/21/24 0:05 == 32.5	10/21/24 4:35 == 32.6
10/20/24 15:10 == 33.2	10/20/24 19:40 == 32.6	10/21/24 0:10 == 32.7	10/21/24 4:40 == 32.6
10/20/24 15:15 == 32.9	10/20/24 19:45 == 32.5	10/21/24 0:15 == 32.5	10/21/24 4:45 == 32.7
10/20/24 15:20 == 32.9	10/20/24 19:50 == 32.5	10/21/24 0:20 == 32.4	10/21/24 4:50 == 32.7
10/20/24 15:25 == 33.2	10/20/24 19:55 == 32.6	10/21/24 0:25 == 32.7	10/21/24 4:55 == 32.6
10/20/24 15:30 == 33.1	10/20/24 20:00 == 32.6	10/21/24 0:30 == 32.8	10/21/24 5:00 == 32.6
10/20/24 15:35 == 33	10/20/24 20:05 == 32.6	10/21/24 0:35 == 32.8	10/21/24 5:05 == 32.7
10/20/24 15:40 == 33.5	10/20/24 20:10 == 32.7	10/21/24 0:40 == 32.9	10/21/24 5:10 == 33
10/20/24 15:45 == 33.2	10/20/24 20:15 == 32.7	10/21/24 0:45 == 32.8	10/21/24 5:15 == 33.2
10/20/24 15:50 == 33.2	10/20/24 20:20 == 32.6	10/21/24 0:50 == 32.7	10/21/24 5:20 == 33.2
10/20/24 15:55 == 33	10/20/24 20:25 == 32.6	10/21/24 0:55 == 32.8	10/21/24 5:25 == 33
10/20/24 16:00 == 33.2	10/20/24 20:30 == 32.7	10/21/24 1:00 == 32.8	10/21/24 5:30 == 32.8
10/20/24 16:05 == 33.1	10/20/24 20:35 == 32.8	10/21/24 1:05 == 32.8	10/21/24 5:35 == 32.9
10/20/24 16:10 == 33.1	10/20/24 20:40 == 32.9	10/21/24 1:10 == 32.8	10/21/24 5:40 == 32.9
10/20/24 16:15 == 32.8	10/20/24 20:45 == 32.8	10/21/24 1:15 == 32.7	10/21/24 5:45 == 32.9
10/20/24 16:20 == 32.7	10/20/24 20:50 == 32.8	10/21/24 1:20 == 32.6	10/21/24 5:50 == 32.8
10/20/24 16:25 == 32.5	10/20/24 20:55 == 32.8	10/21/24 1:25 == 32.8	10/21/24 5:55 == 32.8

Pumpback Station Discharge (0364)

10/21/24 6:00 == 32.8	10/21/24 10:30 == 32.9	10/21/24 15:00 == 33.1	10/21/24 19:30 == 32.4
10/21/24 6:05 == 32.9	10/21/24 10:35 == 33	10/21/24 15:05 == 33.1	10/21/24 19:35 == 32.5
10/21/24 6:10 == 32.8	10/21/24 10:40 == 33	10/21/24 15:10 == 33.1	10/21/24 19:40 == 32.5
10/21/24 6:15 == 32.9	10/21/24 10:45 == 32.9	10/21/24 15:15 == 33	10/21/24 19:45 == 32.5
10/21/24 6:20 == 32.9	10/21/24 10:50 == 32.8	10/21/24 15:20 == 33	10/21/24 19:50 == 32.5
10/21/24 6:25 == 33	10/21/24 10:55 == 33	10/21/24 15:25 == 33.1	10/21/24 19:55 == 32.5
10/21/24 6:30 == 32.9	10/21/24 11:00 == 33	10/21/24 15:30 == 33.1	10/21/24 20:00 == 32.5
10/21/24 6:35 == 33	10/21/24 11:05 == 33.2	10/21/24 15:35 == 33	10/21/24 20:05 == 32.4
10/21/24 6:40 == 32.8	10/21/24 11:10 == 33.4	10/21/24 15:40 == 33.3	10/21/24 20:10 == 35.1
10/21/24 6:45 == 32.8	10/21/24 11:15 == 33.3	10/21/24 15:45 == 33.4	10/21/24 20:15 == 42.7
10/21/24 6:50 == 32.9	10/21/24 11:20 == 33.5	10/21/24 15:50 == 33.2	10/21/24 20:20 == 47.9
10/21/24 6:55 == 32.7	10/21/24 11:25 == 33.3	10/21/24 15:55 == 33.3	10/21/24 20:25 == 48
10/21/24 7:00 == 32.6	10/21/24 11:30 == 33.2	10/21/24 16:00 == 32.9	10/21/24 20:30 == 48
10/21/24 7:05 == 32.8	10/21/24 11:35 == 33.4	10/21/24 16:05 == 33	10/21/24 20:35 == 48
10/21/24 7:10 == 32.8	10/21/24 11:40 == 33.3	10/21/24 16:10 == 33.1	10/21/24 20:40 == 44.4
10/21/24 7:15 == 32.7	10/21/24 11:45 == 33.2	10/21/24 16:15 == 32.8	10/21/24 20:45 == 35.8
10/21/24 7:20 == 32.7	10/21/24 11:50 == 33.3	10/21/24 16:20 == 32.9	10/21/24 20:50 == 32.7
10/21/24 7:25 == 32.6	10/21/24 11:55 == 33.1	10/21/24 16:25 == 32.7	10/21/24 20:55 == 32.7
10/21/24 7:30 == 32.6	10/21/24 12:00 == 32.9	10/21/24 16:30 == 32.7	10/21/24 21:00 == 32.8
10/21/24 7:35 == 32.7	10/21/24 12:05 == 32.9	10/21/24 16:35 == 32.6	10/21/24 21:05 == 32.7
10/21/24 7:40 == 32.7	10/21/24 12:10 == 32.7	10/21/24 16:40 == 32.7	10/21/24 21:10 == 33
10/21/24 7:45 == 32.7	10/21/24 12:15 == 32.5	10/21/24 16:45 == 32.6	10/21/24 21:15 == 32.8
10/21/24 7:50 == 32.8	10/21/24 12:20 == 32.7	10/21/24 16:50 == 32.6	10/21/24 21:20 == 32.7
10/21/24 7:55 == 32.7	10/21/24 12:25 == 32.6	10/21/24 16:55 == 32.3	10/21/24 21:25 == 32.7
10/21/24 8:00 == 32.6	10/21/24 12:30 == 32.5	10/21/24 17:00 == 32.6	10/21/24 21:30 == 32.8
10/21/24 8:05 == 32.6	10/21/24 12:35 == 32.5	10/21/24 17:05 == 32.5	10/21/24 21:35 == 32.6
10/21/24 8:10 == 36.3	10/21/24 12:40 == 35.9	10/21/24 17:10 == 32.6	10/21/24 21:40 == 32.6
10/21/24 8:15 == 43.7	10/21/24 12:45 == 43.3	10/21/24 17:15 == 32.5	10/21/24 21:45 == 32.7
10/21/24 8:20 == 47.4	10/21/24 12:50 == 47.7	10/21/24 17:20 == 32.5	10/21/24 21:50 == 32.7
10/21/24 8:25 == 47.5	10/21/24 12:55 == 47.9	10/21/24 17:25 == 32.6	10/21/24 21:55 == 32.6
10/21/24 8:30 == 47.8	10/21/24 13:00 == 47.9	10/21/24 17:30 == 32.6	10/21/24 22:00 == 32.7
10/21/24 8:35 == 47.6	10/21/24 13:05 == 48	10/21/24 17:35 == 32.6	10/21/24 22:05 == 32.7
10/21/24 8:40 == 45.1	10/21/24 13:10 == 43.4	10/21/24 17:40 == 32.6	10/21/24 22:10 == 32.6
10/21/24 8:45 == 33	10/21/24 13:15 == 34.8	10/21/24 17:45 == 32.5	10/21/24 22:15 == 32.6
10/21/24 8:50 == 32.8	10/21/24 13:20 == 32.5	10/21/24 17:50 == 32.6	10/21/24 22:20 == 32.6
10/21/24 8:55 == 32.8	10/21/24 13:25 == 32.4	10/21/24 17:55 == 32.7	10/21/24 22:25 == 32.6
10/21/24 9:00 == 32.7	10/21/24 13:30 == 32.5	10/21/24 18:00 == 32.8	10/21/24 22:30 == 32.6
10/21/24 9:05 == 32.7	10/21/24 13:35 == 32.5	10/21/24 18:05 == 32.8	10/21/24 22:35 == 32.6
10/21/24 9:10 == 32.6	10/21/24 13:40 == 32.5	10/21/24 18:10 == 32.7	10/21/24 22:40 == 32.6
10/21/24 9:15 == 32.7	10/21/24 13:45 == 32.5	10/21/24 18:15 == 32.5	10/21/24 22:45 == 32.5
10/21/24 9:20 == 32.6	10/21/24 13:50 == 32.5	10/21/24 18:20 == 32.5	10/21/24 22:50 == 32.5
10/21/24 9:25 == 32.7	10/21/24 13:55 == 32.6	10/21/24 18:25 == 32.6	10/21/24 22:55 == 32.5
10/21/24 9:30 == 32.7	10/21/24 14:00 == 32.7	10/21/24 18:30 == 32.6	10/21/24 23:00 == 32.6
10/21/24 9:35 == 32.6	10/21/24 14:05 == 32.7	10/21/24 18:35 == 32.6	10/21/24 23:05 == 32.7
10/21/24 9:40 == 32.7	10/21/24 14:10 == 32.7	10/21/24 18:40 == 32.5	10/21/24 23:10 == 32.6
10/21/24 9:45 == 32.6	10/21/24 14:15 == 32.6	10/21/24 18:45 == 32.6	10/21/24 23:15 == 32.7
10/21/24 9:50 == 32.5	10/21/24 14:20 == 32.6	10/21/24 18:50 == 32.6	10/21/24 23:20 == 32.7
10/21/24 9:55 == 32.8	10/21/24 14:25 == 32.7	10/21/24 18:55 == 32.5	10/21/24 23:25 == 32.7
10/21/24 10:00 == 32.7	10/21/24 14:30 == 32.7	10/21/24 19:00 == 32.4	10/21/24 23:30 == 32.6
10/21/24 10:05 == 32.6	10/21/24 14:35 == 32.8	10/21/24 19:05 == 32.5	10/21/24 23:35 == 32.5
10/21/24 10:10 == 32.7	10/21/24 14:40 == 32.9	10/21/24 19:10 == 32.3	10/21/24 23:40 == 32.4
10/21/24 10:15 == 32.7	10/21/24 14:45 == 33	10/21/24 19:15 == 32.5	10/21/24 23:45 == 32.6
10/21/24 10:20 == 32.7	10/21/24 14:50 == 33	10/21/24 19:20 == 32.4	10/21/24 23:50 == 32.5
10/21/24 10:25 == 32.8	10/21/24 14:55 == 33	10/21/24 19:25 == 32.4	10/21/24 23:55 == 32.4

Pumpback Station Discharge (0364)

10/22/24 0:00 == 32.4	10/22/24 4:30 == 32.6	10/22/24 9:00 == 33.1	10/22/24 13:30 == 32.9
10/22/24 0:05 == 32.3	10/22/24 4:35 == 32.7	10/22/24 9:05 == 33.1	10/22/24 13:35 == 32.8
10/22/24 0:10 == 32.4	10/22/24 4:40 == 32.8	10/22/24 9:10 == 33	10/22/24 13:40 == 32.9
10/22/24 0:15 == 32.5	10/22/24 4:45 == 32.6	10/22/24 9:15 == 33	10/22/24 13:45 == 33
10/22/24 0:20 == 32.5	10/22/24 4:50 == 32.7	10/22/24 9:20 == 32.9	10/22/24 13:50 == 33
10/22/24 0:25 == 32.7	10/22/24 4:55 == 32.5	10/22/24 9:25 == 33	10/22/24 13:55 == 33.1
10/22/24 0:30 == 32.9	10/22/24 5:00 == 32.8	10/22/24 9:30 == 33	10/22/24 14:00 == 33.1
10/22/24 0:35 == 32.9	10/22/24 5:05 == 32.8	10/22/24 9:35 == 33	10/22/24 14:05 == 33
10/22/24 0:40 == 32.8	10/22/24 5:10 == 33.2	10/22/24 9:40 == 32.9	10/22/24 14:10 == 34.5
10/22/24 0:45 == 32.8	10/22/24 5:15 == 33.1	10/22/24 9:45 == 32.8	10/22/24 14:15 == 40.7
10/22/24 0:50 == 32.8	10/22/24 5:20 == 33.1	10/22/24 9:50 == 32.8	10/22/24 14:20 == 48.2
10/22/24 0:55 == 32.7	10/22/24 5:25 == 32.8	10/22/24 9:55 == 32.7	10/22/24 14:25 == 47.7
10/22/24 1:00 == 32.7	10/22/24 5:30 == 32.8	10/22/24 10:00 == 33	10/22/24 14:30 == 47.8
10/22/24 1:05 == 32.9	10/22/24 5:35 == 32.8	10/22/24 10:05 == 32.8	10/22/24 14:35 == 47.9
10/22/24 1:10 == 34.2	10/22/24 5:40 == 32.8	10/22/24 10:10 == 32.8	10/22/24 14:40 == 47.5
10/22/24 1:15 == 41.5	10/22/24 5:45 == 32.8	10/22/24 10:15 == 32.8	10/22/24 14:45 == 36.3
10/22/24 1:20 == 48	10/22/24 5:50 == 32.8	10/22/24 10:20 == 32.8	10/22/24 14:50 == 33
10/22/24 1:25 == 48	10/22/24 5:55 == 32.7	10/22/24 10:25 == 32.8	10/22/24 14:55 == 33.2
10/22/24 1:30 == 48	10/22/24 6:00 == 32.7	10/22/24 10:30 == 32.9	10/22/24 15:00 == 33.2
10/22/24 1:35 == 48	10/22/24 6:05 == 32.6	10/22/24 10:35 == 32.9	10/22/24 15:05 == 33.2
10/22/24 1:40 == 44.9	10/22/24 6:10 == 32.7	10/22/24 10:40 == 33	10/22/24 15:10 == 33.1
10/22/24 1:45 == 36.2	10/22/24 6:15 == 32.7	10/22/24 10:45 == 33	10/22/24 15:15 == 32.9
10/22/24 1:50 == 33	10/22/24 6:20 == 32.6	10/22/24 10:50 == 32.9	10/22/24 15:20 == 33.1
10/22/24 1:55 == 32.9	10/22/24 6:25 == 34.7	10/22/24 10:55 == 33	10/22/24 15:25 == 33.2
10/22/24 2:00 == 32.8	10/22/24 6:30 == 41.4	10/22/24 11:00 == 33.1	10/22/24 15:30 == 33.2
10/22/24 2:05 == 32.8	10/22/24 6:35 == 47.5	10/22/24 11:05 == 33.1	10/22/24 15:35 == 33.2
10/22/24 2:10 == 32.7	10/22/24 6:40 == 48	10/22/24 11:10 == 33.3	10/22/24 15:40 == 33.5
10/22/24 2:15 == 32.7	10/22/24 6:45 == 47.9	10/22/24 11:15 == 33.4	10/22/24 15:45 == 33.6
10/22/24 2:20 == 32.8	10/22/24 6:50 == 48	10/22/24 11:20 == 33.3	10/22/24 15:50 == 33.6
10/22/24 2:25 == 32.6	10/22/24 6:55 == 46	10/22/24 11:25 == 34.8	10/22/24 15:55 == 33.4
10/22/24 2:30 == 32.7	10/22/24 7:00 == 35.9	10/22/24 11:30 == 40.7	10/22/24 16:00 == 33.3
10/22/24 2:35 == 32.8	10/22/24 7:05 == 32.6	10/22/24 11:35 == 47.6	10/22/24 16:05 == 33.3
10/22/24 2:40 == 32.5	10/22/24 7:10 == 32.6	10/22/24 11:40 == 48	10/22/24 16:10 == 33.3
10/22/24 2:45 == 32.8	10/22/24 7:15 == 32.4	10/22/24 11:45 == 47.9	10/22/24 16:15 == 33.2
10/22/24 2:50 == 32.7	10/22/24 7:20 == 32.5	10/22/24 11:50 == 48	10/22/24 16:20 == 33.1
10/22/24 2:55 == 32.6	10/22/24 7:25 == 32.5	10/22/24 11:55 == 46.5	10/22/24 16:25 == 33
10/22/24 3:00 == 32.6	10/22/24 7:30 == 32.5	10/22/24 12:00 == 36.6	10/22/24 16:30 == 32.8
10/22/24 3:05 == 32.6	10/22/24 7:35 == 32.5	10/22/24 12:05 == 32.9	10/22/24 16:35 == 32.9
10/22/24 3:10 == 32.6	10/22/24 7:40 == 32.5	10/22/24 12:10 == 32.9	10/22/24 16:40 == 32.9
10/22/24 3:15 == 32.7	10/22/24 7:45 == 32.5	10/22/24 12:15 == 32.9	10/22/24 16:45 == 32.7
10/22/24 3:20 == 32.7	10/22/24 7:50 == 32.6	10/22/24 12:20 == 32.9	10/22/24 16:50 == 32.7
10/22/24 3:25 == 32.6	10/22/24 7:55 == 32.7	10/22/24 12:25 == 32.9	10/22/24 16:55 == 32.8
10/22/24 3:30 == 32.6	10/22/24 8:00 == 32.7	10/22/24 12:30 == 32.9	10/22/24 17:00 == 32.5
10/22/24 3:35 == 32.7	10/22/24 8:05 == 32.6	10/22/24 12:35 == 32.9	10/22/24 17:05 == 33
10/22/24 3:40 == 32.6	10/22/24 8:10 == 33	10/22/24 12:40 == 32.8	10/22/24 17:10 == 32.9
10/22/24 3:45 == 32.6	10/22/24 8:15 == 33.1	10/22/24 12:45 == 32.9	10/22/24 17:15 == 33.1
10/22/24 3:50 == 32.6	10/22/24 8:20 == 33.1	10/22/24 12:50 == 32.9	10/22/24 17:20 == 32.9
10/22/24 3:55 == 32.6	10/22/24 8:25 == 33.1	10/22/24 12:55 == 32.9	10/22/24 17:25 == 33
10/22/24 4:00 == 32.6	10/22/24 8:30 == 33.1	10/22/24 13:00 == 32.8	10/22/24 17:30 == 32.9
10/22/24 4:05 == 32.7	10/22/24 8:35 == 33	10/22/24 13:05 == 32.9	10/22/24 17:35 == 32.9
10/22/24 4:10 == 32.8	10/22/24 8:40 == 32.9	10/22/24 13:10 == 33	10/22/24 17:40 == 33
10/22/24 4:15 == 32.8	10/22/24 8:45 == 33	10/22/24 13:15 == 33	10/22/24 17:45 == 33
10/22/24 4:20 == 32.7	10/22/24 8:50 == 33	10/22/24 13:20 == 32.9	10/22/24 17:50 == 32.9
10/22/24 4:25 == 32.7	10/22/24 8:55 == 33	10/22/24 13:25 == 32.9	10/22/24 17:55 == 32.9

Pumpback Station Discharge (0364)

10/22/24 18:00 == 33	10/22/24 22:30 == 32.8	10/23/24 3:00 == 32.7	10/23/24 7:30 == 32.6
10/22/24 18:05 == 33	10/22/24 22:35 == 32.7	10/23/24 3:05 == 32.9	10/23/24 7:35 == 32.5
10/22/24 18:10 == 32.9	10/22/24 22:40 == 32.7	10/23/24 3:10 == 33	10/23/24 7:40 == 32.7
10/22/24 18:15 == 32.9	10/22/24 22:45 == 32.8	10/23/24 3:15 == 33	10/23/24 7:45 == 32.5
10/22/24 18:20 == 33	10/22/24 22:50 == 32.7	10/23/24 3:20 == 33	10/23/24 7:50 == 32.7
10/22/24 18:25 == 32.9	10/22/24 22:55 == 32.8	10/23/24 3:25 == 32.7	10/23/24 7:55 == 32.9
10/22/24 18:30 == 32.9	10/22/24 23:00 == 32.9	10/23/24 3:30 == 32.7	10/23/24 8:00 == 32.5
10/22/24 18:35 == 32.9	10/22/24 23:05 == 32.8	10/23/24 3:35 == 32.8	10/23/24 8:05 == 32.6
10/22/24 18:40 == 32.8	10/22/24 23:10 == 32.7	10/23/24 3:40 == 32.8	10/23/24 8:10 == 32.9
10/22/24 18:45 == 32.8	10/22/24 23:15 == 32.7	10/23/24 3:45 == 32.7	10/23/24 8:15 == 33
10/22/24 18:50 == 32.7	10/22/24 23:20 == 32.8	10/23/24 3:50 == 32.7	10/23/24 8:20 == 33
10/22/24 18:55 == 32.7	10/22/24 23:25 == 32.8	10/23/24 3:55 == 32.7	10/23/24 8:25 == 32.9
10/22/24 19:00 == 32.7	10/22/24 23:30 == 32.7	10/23/24 4:00 == 32.7	10/23/24 8:30 == 32.9
10/22/24 19:05 == 32.6	10/22/24 23:35 == 32.6	10/23/24 4:05 == 32.7	10/23/24 8:35 == 33
10/22/24 19:10 == 33.8	10/22/24 23:40 == 33.1	10/23/24 4:10 == 32.6	10/23/24 8:40 == 32.9
10/22/24 19:15 == 39.7	10/22/24 23:45 == 39	10/23/24 4:15 == 32.6	10/23/24 8:45 == 32.7
10/22/24 19:20 == 47.4	10/22/24 23:50 == 48.1	10/23/24 4:20 == 32.6	10/23/24 8:50 == 32.7
10/22/24 19:25 == 48	10/22/24 23:55 == 47.9	10/23/24 4:25 == 32.6	10/23/24 8:55 == 32.8
10/22/24 19:30 == 48	10/23/24 0:00 == 47.6	10/23/24 4:30 == 32.5	10/23/24 9:00 == 32.9
10/22/24 19:35 == 48.1	10/23/24 0:05 == 47.8	10/23/24 4:35 == 32.5	10/23/24 9:05 == 32.8
10/22/24 19:40 == 48.1	10/23/24 0:10 == 48	10/23/24 4:40 == 32.6	10/23/24 9:10 == 32.8
10/22/24 19:45 == 36.1	10/23/24 0:15 == 48	10/23/24 4:45 == 32.7	10/23/24 9:15 == 32.9
10/22/24 19:50 == 32.8	10/23/24 0:20 == 48	10/23/24 4:50 == 32.6	10/23/24 9:20 == 32.7
10/22/24 19:55 == 32.6	10/23/24 0:25 == 47.5	10/23/24 4:55 == 33.3	10/23/24 9:25 == 32.8
10/22/24 20:00 == 32.6	10/23/24 0:30 == 38.6	10/23/24 5:00 == 38	10/23/24 9:30 == 32.8
10/22/24 20:05 == 32.7	10/23/24 0:35 == 32.9	10/23/24 5:05 == 47.4	10/23/24 9:35 == 32.8
10/22/24 20:10 == 32.7	10/23/24 0:40 == 32.8	10/23/24 5:10 == 47.7	10/23/24 9:40 == 32.7
10/22/24 20:15 == 32.7	10/23/24 0:45 == 32.9	10/23/24 5:15 == 47.5	10/23/24 9:45 == 32.6
10/22/24 20:20 == 32.5	10/23/24 0:50 == 32.9	10/23/24 5:20 == 47.9	10/23/24 9:50 == 32.6
10/22/24 20:25 == 32.7	10/23/24 0:55 == 32.9	10/23/24 5:25 == 47.9	10/23/24 9:55 == 33.3
10/22/24 20:30 == 32.9	10/23/24 1:00 == 32.8	10/23/24 5:30 == 48.1	10/23/24 10:00 == 37.3
10/22/24 20:35 == 32.8	10/23/24 1:05 == 32.8	10/23/24 5:35 == 48.2	10/23/24 10:05 == 48
10/22/24 20:40 == 32.9	10/23/24 1:10 == 32.8	10/23/24 5:40 == 48	10/23/24 10:10 == 48
10/22/24 20:45 == 32.8	10/23/24 1:15 == 32.8	10/23/24 5:45 == 38.3	10/23/24 10:15 == 47.9
10/22/24 20:50 == 32.9	10/23/24 1:20 == 32.7	10/23/24 5:50 == 33.3	10/23/24 10:20 == 47.9
10/22/24 20:55 == 33	10/23/24 1:25 == 32.7	10/23/24 5:55 == 32.8	10/23/24 10:25 == 47.6
10/22/24 21:00 == 33	10/23/24 1:30 == 32.8	10/23/24 6:00 == 32.7	10/23/24 10:30 == 39.9
10/22/24 21:05 == 32.9	10/23/24 1:35 == 32.8	10/23/24 6:05 == 32.8	10/23/24 10:35 == 33.1
10/22/24 21:10 == 33	10/23/24 1:40 == 33	10/23/24 6:10 == 32.6	10/23/24 10:40 == 33.1
10/22/24 21:15 == 33.1	10/23/24 1:45 == 33.1	10/23/24 6:15 == 32.8	10/23/24 10:45 == 33
10/22/24 21:20 == 33	10/23/24 1:50 == 33	10/23/24 6:20 == 32.8	10/23/24 10:50 == 33
10/22/24 21:25 == 32.9	10/23/24 1:55 == 33	10/23/24 6:25 == 32.9	10/23/24 10:55 == 33.2
10/22/24 21:30 == 32.8	10/23/24 2:00 == 32.9	10/23/24 6:30 == 32.9	10/23/24 11:00 == 33.1
10/22/24 21:35 == 32.8	10/23/24 2:05 == 33	10/23/24 6:35 == 32.9	10/23/24 11:05 == 33.1
10/22/24 21:40 == 32.9	10/23/24 2:10 == 33.1	10/23/24 6:40 == 32.8	10/23/24 11:10 == 33.4
10/22/24 21:45 == 32.8	10/23/24 2:15 == 33.1	10/23/24 6:45 == 32.7	10/23/24 11:15 == 33.4
10/22/24 21:50 == 32.9	10/23/24 2:20 == 33.1	10/23/24 6:50 == 32.7	10/23/24 11:20 == 33.3
10/22/24 21:55 == 32.9	10/23/24 2:25 == 33	10/23/24 6:55 == 32.8	10/23/24 11:25 == 33
10/22/24 22:00 == 32.8	10/23/24 2:30 == 32.9	10/23/24 7:00 == 32.8	10/23/24 11:30 == 32.9
10/22/24 22:05 == 32.8	10/23/24 2:35 == 32.8	10/23/24 7:05 == 32.7	10/23/24 11:35 == 33
10/22/24 22:10 == 32.6	10/23/24 2:40 == 32.9	10/23/24 7:10 == 32.7	10/23/24 11:40 == 33
10/22/24 22:15 == 32.8	10/23/24 2:45 == 32.8	10/23/24 7:15 == 32.6	10/23/24 11:45 == 32.9
10/22/24 22:20 == 32.8	10/23/24 2:50 == 32.7	10/23/24 7:20 == 32.6	10/23/24 11:50 == 32.8
10/22/24 22:25 == 32.8	10/23/24 2:55 == 32.8	10/23/24 7:25 == 32.7	10/23/24 11:55 == 32.6

Pumpback Station Discharge (0364)

10/23/24 12:00 == 32.6	10/23/24 16:30 == 32.9	10/23/24 21:00 == 38.2	10/24/24 1:30 == 32.9
10/23/24 12:05 == 32.7	10/23/24 16:35 == 32.9	10/23/24 21:05 == 45.9	10/24/24 1:35 == 33
10/23/24 12:10 == 32.5	10/23/24 16:40 == 33	10/23/24 21:10 == 47.7	10/24/24 1:40 == 33.1
10/23/24 12:15 == 32.5	10/23/24 16:45 == 33	10/23/24 21:15 == 47.7	10/24/24 1:45 == 33
10/23/24 12:20 == 32.6	10/23/24 16:50 == 32.9	10/23/24 21:20 == 47.9	10/24/24 1:50 == 33.1
10/23/24 12:25 == 32.9	10/23/24 16:55 == 32.8	10/23/24 21:25 == 47.8	10/24/24 1:55 == 33
10/23/24 12:30 == 36.6	10/23/24 17:00 == 32.7	10/23/24 21:30 == 47.6	10/24/24 2:00 == 32.9
10/23/24 12:35 == 47.4	10/23/24 17:05 == 32.9	10/23/24 21:35 == 47.8	10/24/24 2:05 == 33
10/23/24 12:40 == 47.9	10/23/24 17:10 == 33	10/23/24 21:40 == 48.1	10/24/24 2:10 == 33
10/23/24 12:45 == 48.2	10/23/24 17:15 == 33	10/23/24 21:45 == 41.6	10/24/24 2:15 == 33
10/23/24 12:50 == 47.9	10/23/24 17:20 == 33.1	10/23/24 21:50 == 33.2	10/24/24 2:20 == 32.9
10/23/24 12:55 == 48.1	10/23/24 17:25 == 33.4	10/23/24 21:55 == 32.8	10/24/24 2:25 == 33
10/23/24 13:00 == 47.8	10/23/24 17:30 == 36.6	10/23/24 22:00 == 32.9	10/24/24 2:30 == 33
10/23/24 13:05 == 48.1	10/23/24 17:35 == 47.5	10/23/24 22:05 == 32.8	10/24/24 2:35 == 33
10/23/24 13:10 == 47.9	10/23/24 17:40 == 48.1	10/23/24 22:10 == 32.8	10/24/24 2:40 == 32.9
10/23/24 13:15 == 39.7	10/23/24 17:45 == 48	10/23/24 22:15 == 32.7	10/24/24 2:45 == 32.8
10/23/24 13:20 == 33.7	10/23/24 17:50 == 48	10/23/24 22:20 == 32.9	10/24/24 2:50 == 32.7
10/23/24 13:25 == 32.9	10/23/24 17:55 == 48	10/23/24 22:25 == 32.9	10/24/24 2:55 == 32.8
10/23/24 13:30 == 32.9	10/23/24 18:00 == 41	10/23/24 22:30 == 32.8	10/24/24 3:00 == 32.9
10/23/24 13:35 == 32.9	10/23/24 18:05 == 33.5	10/23/24 22:35 == 32.7	10/24/24 3:05 == 32.9
10/23/24 13:40 == 32.8	10/23/24 18:10 == 33	10/23/24 22:40 == 32.8	10/24/24 3:10 == 33
10/23/24 13:45 == 32.9	10/23/24 18:15 == 32.9	10/23/24 22:45 == 32.7	10/24/24 3:15 == 32.9
10/23/24 13:50 == 32.9	10/23/24 18:20 == 33	10/23/24 22:50 == 32.7	10/24/24 3:20 == 32.7
10/23/24 13:55 == 33	10/23/24 18:25 == 32.9	10/23/24 22:55 == 32.8	10/24/24 3:25 == 32.8
10/23/24 14:00 == 33	10/23/24 18:30 == 32.8	10/23/24 23:00 == 32.8	10/24/24 3:30 == 32.8
10/23/24 14:05 == 33.1	10/23/24 18:35 == 32.9	10/23/24 23:05 == 32.9	10/24/24 3:35 == 32.7
10/23/24 14:10 == 33.2	10/23/24 18:40 == 32.9	10/23/24 23:10 == 32.8	10/24/24 3:40 == 32.6
10/23/24 14:15 == 33.1	10/23/24 18:45 == 32.8	10/23/24 23:15 == 33	10/24/24 3:45 == 32.7
10/23/24 14:20 == 33.2	10/23/24 18:50 == 32.7	10/23/24 23:20 == 32.9	10/24/24 3:50 == 32.7
10/23/24 14:25 == 33.3	10/23/24 18:55 == 32.7	10/23/24 23:25 == 32.8	10/24/24 3:55 == 32.7
10/23/24 14:30 == 33.4	10/23/24 19:00 == 32.7	10/23/24 23:30 == 32.6	10/24/24 4:00 == 32.7
10/23/24 14:35 == 33.3	10/23/24 19:05 == 32.7	10/23/24 23:35 == 32.6	10/24/24 4:05 == 32.8
10/23/24 14:40 == 33.4	10/23/24 19:10 == 32.8	10/23/24 23:40 == 32.5	10/24/24 4:10 == 32.7
10/23/24 14:45 == 33.4	10/23/24 19:15 == 32.7	10/23/24 23:45 == 32.5	10/24/24 4:15 == 32.8
10/23/24 14:50 == 33.3	10/23/24 19:20 == 32.6	10/23/24 23:50 == 32.5	10/24/24 4:20 == 32.7
10/23/24 14:55 == 33.2	10/23/24 19:25 == 32.8	10/23/24 23:55 == 32.5	10/24/24 4:25 == 32.7
10/23/24 15:00 == 33.2	10/23/24 19:30 == 32.8	10/24/24 0:00 == 32.5	10/24/24 4:30 == 32.6
10/23/24 15:05 == 33.2	10/23/24 19:35 == 32.8	10/24/24 0:05 == 32.5	10/24/24 4:35 == 32.6
10/23/24 15:10 == 33.3	10/23/24 19:40 == 32.7	10/24/24 0:10 == 32.7	10/24/24 4:40 == 32.7
10/23/24 15:15 == 33.1	10/23/24 19:45 == 32.7	10/24/24 0:15 == 37.3	10/24/24 4:45 == 37.2
10/23/24 15:20 == 33.2	10/23/24 19:50 == 32.7	10/24/24 0:20 == 45	10/24/24 4:50 == 44.4
10/23/24 15:25 == 33.4	10/23/24 19:55 == 32.7	10/24/24 0:25 == 47.5	10/24/24 4:55 == 47.8
10/23/24 15:30 == 33.2	10/23/24 20:00 == 32.8	10/24/24 0:30 == 47.4	10/24/24 5:00 == 48
10/23/24 15:35 == 33.3	10/23/24 20:05 == 32.8	10/24/24 0:35 == 47.8	10/24/24 5:05 == 48.1
10/23/24 15:40 == 33.5	10/23/24 20:10 == 32.7	10/24/24 0:40 == 48	10/24/24 5:10 == 47.9
10/23/24 15:45 == 33.5	10/23/24 20:15 == 32.6	10/24/24 0:45 == 48.2	10/24/24 5:15 == 42.7
10/23/24 15:50 == 33.6	10/23/24 20:20 == 32.6	10/24/24 0:50 == 48.1	10/24/24 5:20 == 34.3
10/23/24 15:55 == 33.5	10/23/24 20:25 == 32.8	10/24/24 0:55 == 47.4	10/24/24 5:25 == 33.2
10/23/24 16:00 == 33.4	10/23/24 20:30 == 32.9	10/24/24 1:00 == 43.2	10/24/24 5:30 == 32.9
10/23/24 16:05 == 33.4	10/23/24 20:35 == 32.7	10/24/24 1:05 == 32.7	10/24/24 5:35 == 32.9
10/23/24 16:10 == 33.5	10/23/24 20:40 == 32.9	10/24/24 1:10 == 33	10/24/24 5:40 == 33
10/23/24 16:15 == 33.4	10/23/24 20:45 == 33	10/24/24 1:15 == 32.9	10/24/24 5:45 == 33.1
10/23/24 16:20 == 33.2	10/23/24 20:50 == 32.9	10/24/24 1:20 == 32.7	10/24/24 5:50 == 32.9
10/23/24 16:25 == 33	10/23/24 20:55 == 32.9	10/24/24 1:25 == 32.8	10/24/24 5:55 == 32.9

Pumpback Station Discharge (0364)

10/24/24 6:00 == 32.9	10/24/24 10:30 == 33.1	10/24/24 15:00 == 48	10/24/24 19:30 == 47.9
10/24/24 6:05 == 32.8	10/24/24 10:35 == 33.1	10/24/24 15:05 == 48.1	10/24/24 19:35 == 48
10/24/24 6:10 == 32.8	10/24/24 10:40 == 33.1	10/24/24 15:10 == 47.8	10/24/24 19:40 == 48.1
10/24/24 6:15 == 32.8	10/24/24 10:45 == 35.1	10/24/24 15:15 == 47.5	10/24/24 19:45 == 48
10/24/24 6:20 == 33	10/24/24 10:50 == 46.2	10/24/24 15:20 == 47.9	10/24/24 19:50 == 48
10/24/24 6:25 == 32.8	10/24/24 10:55 == 47.7	10/24/24 15:25 == 47.9	10/24/24 19:55 == 48.2
10/24/24 6:30 == 32.9	10/24/24 11:00 == 47.8	10/24/24 15:30 == 44.4	10/24/24 20:00 == 43.7
10/24/24 6:35 == 33	10/24/24 11:05 == 47.9	10/24/24 15:35 == 34.3	10/24/24 20:05 == 35.6
10/24/24 6:40 == 32.9	10/24/24 11:10 == 47.4	10/24/24 15:40 == 33.3	10/24/24 20:10 == 32.7
10/24/24 6:45 == 32.8	10/24/24 11:15 == 47.9	10/24/24 15:45 == 33.3	10/24/24 20:15 == 32.7
10/24/24 6:50 == 33	10/24/24 11:20 == 48	10/24/24 15:50 == 33.4	10/24/24 20:20 == 32.5
10/24/24 6:55 == 33	10/24/24 11:25 == 47.9	10/24/24 15:55 == 33.2	10/24/24 20:25 == 32.5
10/24/24 7:00 == 32.9	10/24/24 11:30 == 43.1	10/24/24 16:00 == 33.1	10/24/24 20:30 == 32.5
10/24/24 7:05 == 32.8	10/24/24 11:35 == 34.8	10/24/24 16:05 == 33.2	10/24/24 20:35 == 32.6
10/24/24 7:10 == 32.8	10/24/24 11:40 == 33.4	10/24/24 16:10 == 33.1	10/24/24 20:40 == 32.6
10/24/24 7:15 == 32.7	10/24/24 11:45 == 33.3	10/24/24 16:15 == 33.1	10/24/24 20:45 == 32.7
10/24/24 7:20 == 32.4	10/24/24 11:50 == 33.2	10/24/24 16:20 == 33.1	10/24/24 20:50 == 32.7
10/24/24 7:25 == 32.5	10/24/24 11:55 == 33	10/24/24 16:25 == 32.8	10/24/24 20:55 == 32.8
10/24/24 7:30 == 36.9	10/24/24 12:00 == 33	10/24/24 16:30 == 32.6	10/24/24 21:00 == 32.7
10/24/24 7:35 == 44.3	10/24/24 12:05 == 33	10/24/24 16:35 == 32.6	10/24/24 21:05 == 32.8
10/24/24 7:40 == 47.6	10/24/24 12:10 == 32.9	10/24/24 16:40 == 32.7	10/24/24 21:10 == 32.8
10/24/24 7:45 == 47.7	10/24/24 12:15 == 33	10/24/24 16:45 == 32.7	10/24/24 21:15 == 32.9
10/24/24 7:50 == 48.1	10/24/24 12:20 == 32.9	10/24/24 16:50 == 32.6	10/24/24 21:20 == 32.7
10/24/24 7:55 == 48	10/24/24 12:25 == 32.7	10/24/24 16:55 == 32.5	10/24/24 21:25 == 32.5
10/24/24 8:00 == 47.8	10/24/24 12:30 == 32.7	10/24/24 17:00 == 32.5	10/24/24 21:30 == 32.7
10/24/24 8:05 == 47.9	10/24/24 12:35 == 32.7	10/24/24 17:05 == 32.5	10/24/24 21:35 == 32.7
10/24/24 8:10 == 47.7	10/24/24 12:40 == 32.7	10/24/24 17:10 == 32.6	10/24/24 21:40 == 32.7
10/24/24 8:15 == 44	10/24/24 12:45 == 32.8	10/24/24 17:15 == 32.6	10/24/24 21:45 == 32.7
10/24/24 8:20 == 33.2	10/24/24 12:50 == 32.9	10/24/24 17:20 == 32.5	10/24/24 21:50 == 32.7
10/24/24 8:25 == 33.1	10/24/24 12:55 == 32.8	10/24/24 17:25 == 32.6	10/24/24 21:55 == 32.7
10/24/24 8:30 == 33	10/24/24 13:00 == 33	10/24/24 17:30 == 32.6	10/24/24 22:00 == 35.2
10/24/24 8:35 == 33	10/24/24 13:05 == 33.1	10/24/24 17:35 == 32.5	10/24/24 22:05 == 42.9
10/24/24 8:40 == 33	10/24/24 13:10 == 33.2	10/24/24 17:40 == 32.5	10/24/24 22:10 == 47.6
10/24/24 8:45 == 32.9	10/24/24 13:15 == 33	10/24/24 17:45 == 32.6	10/24/24 22:15 == 48
10/24/24 8:50 == 32.9	10/24/24 13:20 == 32.9	10/24/24 17:50 == 32.6	10/24/24 22:20 == 48
10/24/24 8:55 == 32.8	10/24/24 13:25 == 32.9	10/24/24 17:55 == 32.7	10/24/24 22:25 == 47.9
10/24/24 9:00 == 32.9	10/24/24 13:30 == 32.8	10/24/24 18:00 == 32.7	10/24/24 22:30 == 43.7
10/24/24 9:05 == 32.8	10/24/24 13:35 == 32.8	10/24/24 18:05 == 32.8	10/24/24 22:35 == 35.7
10/24/24 9:10 == 32.9	10/24/24 13:40 == 32.9	10/24/24 18:10 == 32.7	10/24/24 22:40 == 32.6
10/24/24 9:15 == 32.7	10/24/24 13:45 == 32.9	10/24/24 18:15 == 32.6	10/24/24 22:45 == 32.5
10/24/24 9:20 == 32.8	10/24/24 13:50 == 32.8	10/24/24 18:20 == 32.6	10/24/24 22:50 == 32.6
10/24/24 9:25 == 32.8	10/24/24 13:55 == 33	10/24/24 18:25 == 32.7	10/24/24 22:55 == 32.6
10/24/24 9:30 == 32.7	10/24/24 14:00 == 33	10/24/24 18:30 == 32.5	10/24/24 23:00 == 32.6
10/24/24 9:35 == 32.9	10/24/24 14:05 == 32.9	10/24/24 18:35 == 32.5	10/24/24 23:05 == 32.7
10/24/24 9:40 == 32.8	10/24/24 14:10 == 32.7	10/24/24 18:40 == 32.7	10/24/24 23:10 == 32.6
10/24/24 9:45 == 32.6	10/24/24 14:15 == 32.8	10/24/24 18:45 == 32.4	10/24/24 23:15 == 32.7
10/24/24 9:50 == 32.5	10/24/24 14:20 == 32.8	10/24/24 18:50 == 32.6	10/24/24 23:20 == 32.8
10/24/24 9:55 == 32.6	10/24/24 14:25 == 33	10/24/24 18:55 == 32.5	10/24/24 23:25 == 32.7
10/24/24 10:00 == 32.6	10/24/24 14:30 == 33	10/24/24 19:00 == 32.5	10/24/24 23:30 == 32.7
10/24/24 10:05 == 32.6	10/24/24 14:35 == 33	10/24/24 19:05 == 32.7	10/24/24 23:35 == 32.6
10/24/24 10:10 == 32.7	10/24/24 14:40 == 33.2	10/24/24 19:10 == 32.6	10/24/24 23:40 == 32.4
10/24/24 10:15 == 32.9	10/24/24 14:45 == 36.7	10/24/24 19:15 == 34.5	10/24/24 23:45 == 32.5
10/24/24 10:20 == 33	10/24/24 14:50 == 43.7	10/24/24 19:20 == 43.6	10/24/24 23:50 == 32.5
10/24/24 10:25 == 32.9	10/24/24 14:55 == 47.7	10/24/24 19:25 == 47.7	10/24/24 23:55 == 32.5

Pumpback Station Discharge (0364)

10/25/24 0:00 == 32.5	10/25/24 4:30 == 32.5	10/25/24 9:00 == 32.6	10/25/24 13:30 == 48
10/25/24 0:05 == 32.4	10/25/24 4:35 == 32.5	10/25/24 9:05 == 32.7	10/25/24 13:35 == 48.1
10/25/24 0:10 == 32.6	10/25/24 4:40 == 32.7	10/25/24 9:10 == 32.8	10/25/24 13:40 == 47.8
10/25/24 0:15 == 34.5	10/25/24 4:45 == 32.7	10/25/24 9:15 == 32.7	10/25/24 13:45 == 45.4
10/25/24 0:20 == 43.7	10/25/24 4:50 == 32.7	10/25/24 9:20 == 32.8	10/25/24 13:50 == 36.8
10/25/24 0:25 == 48	10/25/24 4:55 == 32.7	10/25/24 9:25 == 32.8	10/25/24 13:55 == 32.8
10/25/24 0:30 == 48.1	10/25/24 5:00 == 32.7	10/25/24 9:30 == 32.7	10/25/24 14:00 == 32.9
10/25/24 0:35 == 47.9	10/25/24 5:05 == 32.7	10/25/24 9:35 == 32.8	10/25/24 14:05 == 32.8
10/25/24 0:40 == 47.8	10/25/24 5:10 == 33	10/25/24 9:40 == 32.7	10/25/24 14:10 == 32.9
10/25/24 0:45 == 47.9	10/25/24 5:15 == 33.2	10/25/24 9:45 == 32.6	10/25/24 14:15 == 32.7
10/25/24 0:50 == 47.9	10/25/24 5:20 == 33.2	10/25/24 9:50 == 32.6	10/25/24 14:20 == 32.9
10/25/24 0:55 == 48	10/25/24 5:25 == 32.9	10/25/24 9:55 == 32.6	10/25/24 14:25 == 33
10/25/24 1:00 == 44.1	10/25/24 5:30 == 32.9	10/25/24 10:00 == 32.6	10/25/24 14:30 == 32.9
10/25/24 1:05 == 36	10/25/24 5:35 == 32.9	10/25/24 10:05 == 32.6	10/25/24 14:35 == 32.8
10/25/24 1:10 == 32.7	10/25/24 5:40 == 32.9	10/25/24 10:10 == 32.6	10/25/24 14:40 == 32.9
10/25/24 1:15 == 32.7	10/25/24 5:45 == 32.9	10/25/24 10:15 == 32.8	10/25/24 14:45 == 32.9
10/25/24 1:20 == 32.8	10/25/24 5:50 == 32.9	10/25/24 10:20 == 32.7	10/25/24 14:50 == 32.8
10/25/24 1:25 == 32.8	10/25/24 5:55 == 32.9	10/25/24 10:25 == 32.8	10/25/24 14:55 == 32.8
10/25/24 1:30 == 32.8	10/25/24 6:00 == 35.2	10/25/24 10:30 == 34.4	10/25/24 15:00 == 32.8
10/25/24 1:35 == 32.7	10/25/24 6:05 == 42	10/25/24 10:35 == 41.6	10/25/24 15:05 == 32.9
10/25/24 1:40 == 33.1	10/25/24 6:10 == 47.5	10/25/24 10:40 == 47.6	10/25/24 15:10 == 32.9
10/25/24 1:45 == 32.9	10/25/24 6:15 == 48	10/25/24 10:45 == 47.9	10/25/24 15:15 == 32.9
10/25/24 1:50 == 32.9	10/25/24 6:20 == 48.1	10/25/24 10:50 == 48	10/25/24 15:20 == 32.8
10/25/24 1:55 == 32.8	10/25/24 6:25 == 48	10/25/24 10:55 == 47.9	10/25/24 15:25 == 32.9
10/25/24 2:00 == 33	10/25/24 6:30 == 46.4	10/25/24 11:00 == 47.7	10/25/24 15:30 == 33
10/25/24 2:05 == 32.8	10/25/24 6:35 == 35.1	10/25/24 11:05 == 48.1	10/25/24 15:35 == 33
10/25/24 2:10 == 33	10/25/24 6:40 == 32.6	10/25/24 11:10 == 48	10/25/24 15:40 == 32.9
10/25/24 2:15 == 32.8	10/25/24 6:45 == 32.4	10/25/24 11:15 == 45.3	10/25/24 15:45 == 34.6
10/25/24 2:20 == 32.8	10/25/24 6:50 == 32.4	10/25/24 11:20 == 37.2	10/25/24 15:50 == 41
10/25/24 2:25 == 32.9	10/25/24 6:55 == 32.7	10/25/24 11:25 == 33.2	10/25/24 15:55 == 47.8
10/25/24 2:30 == 32.8	10/25/24 7:00 == 32.6	10/25/24 11:30 == 33.2	10/25/24 16:00 == 47.9
10/25/24 2:35 == 32.7	10/25/24 7:05 == 32.6	10/25/24 11:35 == 33.2	10/25/24 16:05 == 48
10/25/24 2:40 == 32.8	10/25/24 7:10 == 32.7	10/25/24 11:40 == 33.3	10/25/24 16:10 == 48.1
10/25/24 2:45 == 32.8	10/25/24 7:15 == 32.6	10/25/24 11:45 == 33.2	10/25/24 16:15 == 47.9
10/25/24 2:50 == 32.7	10/25/24 7:20 == 32.6	10/25/24 11:50 == 33.2	10/25/24 16:20 == 47.9
10/25/24 2:55 == 32.8	10/25/24 7:25 == 32.6	10/25/24 11:55 == 33.2	10/25/24 16:25 == 47.9
10/25/24 3:00 == 32.7	10/25/24 7:30 == 32.6	10/25/24 12:00 == 33.1	10/25/24 16:30 == 47.1
10/25/24 3:05 == 32.6	10/25/24 7:35 == 32.5	10/25/24 12:05 == 33.1	10/25/24 16:35 == 36
10/25/24 3:10 == 32.7	10/25/24 7:40 == 32.5	10/25/24 12:10 == 33	10/25/24 16:40 == 32.6
10/25/24 3:15 == 35.4	10/25/24 7:45 == 32.6	10/25/24 12:15 == 32.9	10/25/24 16:45 == 32.4
10/25/24 3:20 == 42.2	10/25/24 7:50 == 32.5	10/25/24 12:20 == 32.8	10/25/24 16:50 == 32.3
10/25/24 3:25 == 47.6	10/25/24 7:55 == 32.7	10/25/24 12:25 == 32.8	10/25/24 16:55 == 32.4
10/25/24 3:30 == 48	10/25/24 8:00 == 32.9	10/25/24 12:30 == 32.9	10/25/24 17:00 == 32.3
10/25/24 3:35 == 48	10/25/24 8:05 == 32.8	10/25/24 12:35 == 32.7	10/25/24 17:05 == 32.2
10/25/24 3:40 == 47.9	10/25/24 8:10 == 33	10/25/24 12:40 == 32.7	10/25/24 17:10 == 32.5
10/25/24 3:45 == 45	10/25/24 8:15 == 35.1	10/25/24 12:45 == 32.8	10/25/24 17:15 == 32.6
10/25/24 3:50 == 35.5	10/25/24 8:20 == 41.6	10/25/24 12:50 == 32.8	10/25/24 17:20 == 32.4
10/25/24 3:55 == 32.7	10/25/24 8:25 == 47.8	10/25/24 12:55 == 32.8	10/25/24 17:25 == 32.4
10/25/24 4:00 == 32.7	10/25/24 8:30 == 48.1	10/25/24 13:00 == 32.8	10/25/24 17:30 == 32.4
10/25/24 4:05 == 32.6	10/25/24 8:35 == 47.9	10/25/24 13:05 == 32.8	10/25/24 17:35 == 32.5
10/25/24 4:10 == 32.6	10/25/24 8:40 == 48	10/25/24 13:10 == 32.9	10/25/24 17:40 == 32.5
10/25/24 4:15 == 32.7	10/25/24 8:45 == 45.6	10/25/24 13:15 == 34.5	10/25/24 17:45 == 32.5
10/25/24 4:20 == 32.5	10/25/24 8:50 == 36.3	10/25/24 13:20 == 40.7	10/25/24 17:50 == 32.5
10/25/24 4:25 == 32.5	10/25/24 8:55 == 32.8	10/25/24 13:25 == 47.6	10/25/24 17:55 == 32.5

Pumpback Station Discharge (0364)

10/25/24 18:00 == 32.6	10/25/24 22:30 == 48.1	10/26/24 3:00 == 32.4	10/26/24 7:30 == 48
10/25/24 18:05 == 32.6	10/25/24 22:35 == 48	10/26/24 3:05 == 32.5	10/26/24 7:35 == 47.7
10/25/24 18:10 == 32.6	10/25/24 22:40 == 47.7	10/26/24 3:10 == 32.5	10/26/24 7:40 == 47.3
10/25/24 18:15 == 32.5	10/25/24 22:45 == 46.1	10/26/24 3:15 == 32.4	10/26/24 7:45 == 48
10/25/24 18:20 == 32.5	10/25/24 22:50 == 38.4	10/26/24 3:20 == 32.4	10/26/24 7:50 == 37.2
10/25/24 18:25 == 32.5	10/25/24 22:55 == 32.4	10/26/24 3:25 == 32.4	10/26/24 7:55 == 33
10/25/24 18:30 == 32.5	10/25/24 23:00 == 32.6	10/26/24 3:30 == 32.4	10/26/24 8:00 == 32.5
10/25/24 18:35 == 32.5	10/25/24 23:05 == 32.5	10/26/24 3:35 == 32.4	10/26/24 8:05 == 32.5
10/25/24 18:40 == 32.4	10/25/24 23:10 == 32.5	10/26/24 3:40 == 32.4	10/26/24 8:10 == 32.6
10/25/24 18:45 == 32.4	10/25/24 23:15 == 32.4	10/26/24 3:45 == 32.4	10/26/24 8:15 == 32.7
10/25/24 18:50 == 32.5	10/25/24 23:20 == 32.5	10/26/24 3:50 == 32.4	10/26/24 8:20 == 32.8
10/25/24 18:55 == 32.5	10/25/24 23:25 == 32.6	10/26/24 3:55 == 32.4	10/26/24 8:25 == 32.7
10/25/24 19:00 == 33.1	10/25/24 23:30 == 32.4	10/26/24 4:00 == 33	10/26/24 8:30 == 32.5
10/25/24 19:05 == 41.2	10/25/24 23:35 == 32.4	10/26/24 4:05 == 38.8	10/26/24 8:35 == 32.5
10/25/24 19:10 == 47.2	10/25/24 23:40 == 32.4	10/26/24 4:10 == 47.1	10/26/24 8:40 == 32.5
10/25/24 19:15 == 47.9	10/25/24 23:45 == 32.5	10/26/24 4:15 == 47.5	10/26/24 8:45 == 32.5
10/25/24 19:20 == 48.1	10/25/24 23:50 == 32.5	10/26/24 4:20 == 47.9	10/26/24 8:50 == 32.6
10/25/24 19:25 == 48.1	10/25/24 23:55 == 32.6	10/26/24 4:25 == 47.9	10/26/24 8:55 == 32.6
10/25/24 19:30 == 48	10/26/24 0:00 == 32.3	10/26/24 4:30 == 47.9	10/26/24 9:00 == 32.6
10/25/24 19:35 == 48.1	10/26/24 0:05 == 32.5	10/26/24 4:35 == 47.9	10/26/24 9:05 == 32.6
10/25/24 19:40 == 48	10/26/24 0:10 == 32.2	10/26/24 4:40 == 48	10/26/24 9:10 == 32.7
10/25/24 19:45 == 47.3	10/26/24 0:15 == 32.5	10/26/24 4:45 == 47	10/26/24 9:15 == 32.7
10/25/24 19:50 == 36.1	10/26/24 0:20 == 32.4	10/26/24 4:50 == 38.3	10/26/24 9:20 == 32.8
10/25/24 19:55 == 32.3	10/26/24 0:25 == 32.5	10/26/24 4:55 == 32.4	10/26/24 9:25 == 32.9
10/25/24 20:00 == 32.2	10/26/24 0:30 == 32.5	10/26/24 5:00 == 32.3	10/26/24 9:30 == 32.7
10/25/24 20:05 == 32.1	10/26/24 0:35 == 40.9	10/26/24 5:05 == 32.3	10/26/24 9:35 == 32.8
10/25/24 20:10 == 32.3	10/26/24 0:40 == 46.8	10/26/24 5:10 == 32.4	10/26/24 9:40 == 32.7
10/25/24 20:15 == 32.4	10/26/24 0:45 == 48	10/26/24 5:15 == 32.5	10/26/24 9:45 == 32.5
10/25/24 20:20 == 32.3	10/26/24 0:50 == 48	10/26/24 5:20 == 32.4	10/26/24 9:50 == 32.6
10/25/24 20:25 == 32.5	10/26/24 0:55 == 48	10/26/24 5:25 == 32.5	10/26/24 9:55 == 32.7
10/25/24 20:30 == 32.6	10/26/24 1:00 == 47.8	10/26/24 5:30 == 32.3	10/26/24 10:00 == 32.5
10/25/24 20:35 == 32.6	10/26/24 1:05 == 48	10/26/24 5:35 == 32.3	10/26/24 10:05 == 39.2
10/25/24 20:40 == 32.5	10/26/24 1:10 == 48	10/26/24 5:40 == 32.6	10/26/24 10:10 == 46.6
10/25/24 20:45 == 32.4	10/26/24 1:15 == 46.5	10/26/24 5:45 == 32.5	10/26/24 10:15 == 48
10/25/24 20:50 == 32.5	10/26/24 1:20 == 38.7	10/26/24 5:50 == 32.5	10/26/24 10:20 == 48.1
10/25/24 20:55 == 32.5	10/26/24 1:25 == 32.4	10/26/24 5:55 == 32.5	10/26/24 10:25 == 47.4
10/25/24 21:00 == 32.5	10/26/24 1:30 == 32.4	10/26/24 6:00 == 32.5	10/26/24 10:30 == 47.8
10/25/24 21:05 == 32.5	10/26/24 1:35 == 32.4	10/26/24 6:05 == 32.5	10/26/24 10:35 == 48
10/25/24 21:10 == 32.8	10/26/24 1:40 == 32.5	10/26/24 6:10 == 32.5	10/26/24 10:40 == 47.6
10/25/24 21:15 == 32.5	10/26/24 1:45 == 32.5	10/26/24 6:15 == 32.5	10/26/24 10:45 == 47.8
10/25/24 21:20 == 32.6	10/26/24 1:50 == 32.6	10/26/24 6:20 == 32.4	10/26/24 10:50 == 38.5
10/25/24 21:25 == 32.4	10/26/24 1:55 == 32.7	10/26/24 6:25 == 32.4	10/26/24 10:55 == 32.8
10/25/24 21:30 == 32.4	10/26/24 2:00 == 32.8	10/26/24 6:30 == 32.4	10/26/24 11:00 == 32.5
10/25/24 21:35 == 32.3	10/26/24 2:05 == 32.6	10/26/24 6:35 == 32.5	10/26/24 11:05 == 32.4
10/25/24 21:40 == 32.4	10/26/24 2:10 == 32.6	10/26/24 6:40 == 32.4	10/26/24 11:10 == 32.8
10/25/24 21:45 == 32.3	10/26/24 2:15 == 32.6	10/26/24 6:45 == 32.2	10/26/24 11:15 == 33.1
10/25/24 21:50 == 32.3	10/26/24 2:20 == 32.6	10/26/24 6:50 == 32.4	10/26/24 11:20 == 32.9
10/25/24 21:55 == 32.5	10/26/24 2:25 == 32.7	10/26/24 6:55 == 32.5	10/26/24 11:25 == 32.9
10/25/24 22:00 == 32.4	10/26/24 2:30 == 32.7	10/26/24 7:00 == 33.1	10/26/24 11:30 == 32.8
10/25/24 22:05 == 41.1	10/26/24 2:35 == 32.7	10/26/24 7:05 == 38.2	10/26/24 11:35 == 32.8
10/25/24 22:10 == 46.6	10/26/24 2:40 == 32.4	10/26/24 7:10 == 47.6	10/26/24 11:40 == 32.8
10/25/24 22:15 == 47.9	10/26/24 2:45 == 32.4	10/26/24 7:15 == 48	10/26/24 11:45 == 32.8
10/25/24 22:20 == 48	10/26/24 2:50 == 32.5	10/26/24 7:20 == 48	10/26/24 11:50 == 32.7
10/25/24 22:25 == 47.9	10/26/24 2:55 == 32.5	10/26/24 7:25 == 48.1	10/26/24 11:55 == 32.7

Pumpback Station Discharge (0364)

10/26/24 12:00 == 32.4	10/26/24 16:30 == 32.6	10/26/24 21:00 == 32.4	10/27/24 1:30 == 47.6
10/26/24 12:05 == 32.4	10/26/24 16:35 == 32.5	10/26/24 21:05 == 37.4	10/27/24 1:35 == 47.9
10/26/24 12:10 == 32.4	10/26/24 16:40 == 32.5	10/26/24 21:10 == 44.7	10/27/24 1:40 == 47.9
10/26/24 12:15 == 32.6	10/26/24 16:45 == 32.5	10/26/24 21:15 == 47.5	10/27/24 1:45 == 47.8
10/26/24 12:20 == 32.6	10/26/24 16:50 == 32.4	10/26/24 21:20 == 48	10/27/24 1:50 == 47.8
10/26/24 12:25 == 32.5	10/26/24 16:55 == 32.5	10/26/24 21:25 == 47.7	10/27/24 1:55 == 47.7
10/26/24 12:30 == 32.3	10/26/24 17:00 == 32.2	10/26/24 21:30 == 47.4	10/27/24 2:00 == 47.6
10/26/24 12:35 == 32.3	10/26/24 17:05 == 32.5	10/26/24 21:35 == 47.9	10/27/24 2:05 == 41.5
10/26/24 12:40 == 32.5	10/26/24 17:10 == 32.5	10/26/24 21:40 == 48	10/27/24 2:10 == 32.7
10/26/24 12:45 == 32.2	10/26/24 17:15 == 32.7	10/26/24 21:45 == 47.2	10/27/24 2:15 == 32.6
10/26/24 12:50 == 39.2	10/26/24 17:20 == 32.5	10/26/24 21:50 == 41.8	10/27/24 2:20 == 32.7
10/26/24 12:55 == 45.5	10/26/24 17:25 == 32.5	10/26/24 21:55 == 32.4	10/27/24 2:25 == 32.8
10/26/24 13:00 == 47.8	10/26/24 17:30 == 32.5	10/26/24 22:00 == 32.4	10/27/24 2:30 == 32.8
10/26/24 13:05 == 48.1	10/26/24 17:35 == 32.6	10/26/24 22:05 == 32.4	10/27/24 2:35 == 32.6
10/26/24 13:10 == 48	10/26/24 17:40 == 32.4	10/26/24 22:10 == 32.3	10/27/24 2:40 == 32.6
10/26/24 13:15 == 47.9	10/26/24 17:45 == 32.6	10/26/24 22:15 == 32.4	10/27/24 2:45 == 32.3
10/26/24 13:20 == 48.1	10/26/24 17:50 == 32.5	10/26/24 22:20 == 32.2	10/27/24 2:50 == 32.6
10/26/24 13:25 == 47.8	10/26/24 17:55 == 32.5	10/26/24 22:25 == 32.3	10/27/24 2:55 == 32.5
10/26/24 13:30 == 47.4	10/26/24 18:00 == 32.5	10/26/24 22:30 == 32.4	10/27/24 3:00 == 32.3
10/26/24 13:35 == 39.6	10/26/24 18:05 == 32.5	10/26/24 22:35 == 32.4	10/27/24 3:05 == 32.4
10/26/24 13:40 == 32.5	10/26/24 18:10 == 32.6	10/26/24 22:40 == 32.4	10/27/24 3:10 == 32.3
10/26/24 13:45 == 32.6	10/26/24 18:15 == 32.6	10/26/24 22:45 == 32.4	10/27/24 3:15 == 32.4
10/26/24 13:50 == 32.6	10/26/24 18:20 == 32.5	10/26/24 22:50 == 32.5	10/27/24 3:20 == 32.4
10/26/24 13:55 == 32.7	10/26/24 18:25 == 32.5	10/26/24 22:55 == 32.7	10/27/24 3:25 == 32.2
10/26/24 14:00 == 32.7	10/26/24 18:30 == 32.6	10/26/24 23:00 == 32.7	10/27/24 3:30 == 32.4
10/26/24 14:05 == 32.6	10/26/24 18:35 == 32.6	10/26/24 23:05 == 32.7	10/27/24 3:35 == 32.4
10/26/24 14:10 == 32.6	10/26/24 18:40 == 32.6	10/26/24 23:10 == 32.5	10/27/24 3:40 == 32.4
10/26/24 14:15 == 32.3	10/26/24 18:45 == 32.5	10/26/24 23:15 == 32.5	10/27/24 3:45 == 32.5
10/26/24 14:20 == 32.4	10/26/24 18:50 == 32.5	10/26/24 23:20 == 32.4	10/27/24 3:50 == 37.6
10/26/24 14:25 == 32.5	10/26/24 18:55 == 32.6	10/26/24 23:25 == 32.5	10/27/24 3:55 == 44.8
10/26/24 14:30 == 32.5	10/26/24 19:00 == 32.5	10/26/24 23:30 == 32.5	10/27/24 4:00 == 47.8
10/26/24 14:35 == 32.6	10/26/24 19:05 == 36.6	10/26/24 23:35 == 37.6	10/27/24 4:05 == 48
10/26/24 14:40 == 32.7	10/26/24 19:10 == 47.2	10/26/24 23:40 == 45.5	10/27/24 4:10 == 48
10/26/24 14:45 == 32.7	10/26/24 19:15 == 47.8	10/26/24 23:45 == 48	10/27/24 4:15 == 48
10/26/24 14:50 == 32.8	10/26/24 19:20 == 48	10/26/24 23:50 == 48.1	10/27/24 4:20 == 48
10/26/24 14:55 == 32.7	10/26/24 19:25 == 47.9	10/26/24 23:55 == 47.7	10/27/24 4:25 == 47.9
10/26/24 15:00 == 32.8	10/26/24 19:30 == 48.1	10/27/24 0:00 == 46.8	10/27/24 4:30 == 48
10/26/24 15:05 == 32.7	10/26/24 19:35 == 47.9	10/27/24 0:05 == 42.1	10/27/24 4:35 == 42.2
10/26/24 15:10 == 32.7	10/26/24 19:40 == 47.8	10/27/24 0:10 == 32.5	10/27/24 4:40 == 33.1
10/26/24 15:15 == 32.5	10/26/24 19:45 == 47.9	10/27/24 0:15 == 32.3	10/27/24 4:45 == 32.4
10/26/24 15:20 == 39.1	10/26/24 19:50 == 40.6	10/27/24 0:20 == 32.4	10/27/24 4:50 == 32.4
10/26/24 15:25 == 45.6	10/26/24 19:55 == 32.7	10/27/24 0:25 == 32.7	10/27/24 4:55 == 32.5
10/26/24 15:30 == 47.7	10/26/24 20:00 == 32.5	10/27/24 0:30 == 32.3	10/27/24 5:00 == 32.4
10/26/24 15:35 == 47.9	10/26/24 20:05 == 32.4	10/27/24 0:35 == 32.5	10/27/24 5:05 == 32.5
10/26/24 15:40 == 48	10/26/24 20:10 == 32.3	10/27/24 0:40 == 32.4	10/27/24 5:10 == 32.4
10/26/24 15:45 == 48	10/26/24 20:15 == 32.2	10/27/24 0:45 == 32.5	10/27/24 5:15 == 32.4
10/26/24 15:50 == 48	10/26/24 20:20 == 32.3	10/27/24 0:50 == 32.5	10/27/24 5:20 == 32.5
10/26/24 15:55 == 48	10/26/24 20:25 == 32.5	10/27/24 0:55 == 32.4	10/27/24 5:25 == 32.4
10/26/24 16:00 == 47.9	10/26/24 20:30 == 32.5	10/27/24 1:00 == 32.5	10/27/24 5:30 == 32.3
10/26/24 16:05 == 40.3	10/26/24 20:35 == 32.4	10/27/24 1:05 == 32.4	10/27/24 5:35 == 32.4
10/26/24 16:10 == 33	10/26/24 20:40 == 32.5	10/27/24 1:10 == 32.3	10/27/24 5:40 == 32.6
10/26/24 16:15 == 32.9	10/26/24 20:45 == 32.5	10/27/24 1:15 == 32.4	10/27/24 5:45 == 32.3
10/26/24 16:20 == 32.9	10/26/24 20:50 == 32.5	10/27/24 1:20 == 38	10/27/24 5:50 == 32.5
10/26/24 16:25 == 32.7	10/26/24 20:55 == 32.5	10/27/24 1:25 == 45	10/27/24 5:55 == 32.4

Pumpback Station Discharge (0364)

10/27/24 6:00 == 32.4	10/27/24 10:30 == 32.7	10/27/24 15:00 == 32.7	10/27/24 19:30 == 32.5
10/27/24 6:05 == 32.5	10/27/24 10:35 == 32.4	10/27/24 15:05 == 32.7	10/27/24 19:35 == 32.5
10/27/24 6:10 == 32.5	10/27/24 10:40 == 32.8	10/27/24 15:10 == 32.8	10/27/24 19:40 == 32.4
10/27/24 6:15 == 32.6	10/27/24 10:45 == 32.5	10/27/24 15:15 == 32.8	10/27/24 19:45 == 32.5
10/27/24 6:20 == 32.6	10/27/24 10:50 == 34.9	10/27/24 15:20 == 32.8	10/27/24 19:50 == 32.6
10/27/24 6:25 == 32.6	10/27/24 10:55 == 46.2	10/27/24 15:25 == 33	10/27/24 19:55 == 32.5
10/27/24 6:30 == 32.6	10/27/24 11:00 == 48.1	10/27/24 15:30 == 32.9	10/27/24 20:00 == 32.4
10/27/24 6:35 == 37.1	10/27/24 11:05 == 48.1	10/27/24 15:35 == 33	10/27/24 20:05 == 33.7
10/27/24 6:40 == 44.1	10/27/24 11:10 == 47.6	10/27/24 15:40 == 32.9	10/27/24 20:10 == 44.3
10/27/24 6:45 == 47.5	10/27/24 11:15 == 47.7	10/27/24 15:45 == 32.9	10/27/24 20:15 == 47.8
10/27/24 6:50 == 47.8	10/27/24 11:20 == 48	10/27/24 15:50 == 33.1	10/27/24 20:20 == 47.9
10/27/24 6:55 == 47.9	10/27/24 11:25 == 48.2	10/27/24 15:55 == 33.2	10/27/24 20:25 == 47.5
10/27/24 7:00 == 47.9	10/27/24 11:30 == 48.1	10/27/24 16:00 == 32.8	10/27/24 20:30 == 47.7
10/27/24 7:05 == 48	10/27/24 11:35 == 42	10/27/24 16:05 == 32.8	10/27/24 20:35 == 48
10/27/24 7:10 == 48.1	10/27/24 11:40 == 35	10/27/24 16:10 == 33	10/27/24 20:40 == 48
10/27/24 7:15 == 47.9	10/27/24 11:45 == 32.7	10/27/24 16:15 == 32.8	10/27/24 20:45 == 48
10/27/24 7:20 == 43.2	10/27/24 11:50 == 32.7	10/27/24 16:20 == 36.4	10/27/24 20:50 == 44.4
10/27/24 7:25 == 32.5	10/27/24 11:55 == 32.6	10/27/24 16:25 == 44.1	10/27/24 20:55 == 34.7
10/27/24 7:30 == 32.3	10/27/24 12:00 == 32.5	10/27/24 16:30 == 47.8	10/27/24 21:00 == 32.5
10/27/24 7:35 == 32.4	10/27/24 12:05 == 32.6	10/27/24 16:35 == 48	10/27/24 21:05 == 32.5
10/27/24 7:40 == 32.5	10/27/24 12:10 == 32.7	10/27/24 16:40 == 48	10/27/24 21:10 == 32.7
10/27/24 7:45 == 32.5	10/27/24 12:15 == 32.6	10/27/24 16:45 == 48	10/27/24 21:15 == 32.7
10/27/24 7:50 == 32.5	10/27/24 12:20 == 32.5	10/27/24 16:50 == 48	10/27/24 21:20 == 32.8
10/27/24 7:55 == 32.7	10/27/24 12:25 == 32.7	10/27/24 16:55 == 47.8	10/27/24 21:25 == 32.6
10/27/24 8:00 == 32.6	10/27/24 12:30 == 32.6	10/27/24 17:00 == 47.6	10/27/24 21:30 == 32.4
10/27/24 8:05 == 32.6	10/27/24 12:35 == 32.7	10/27/24 17:05 == 43.5	10/27/24 21:35 == 35.6
10/27/24 8:10 == 32.8	10/27/24 12:40 == 32.6	10/27/24 17:10 == 34.3	10/27/24 21:40 == 43.1
10/27/24 8:15 == 32.7	10/27/24 12:45 == 32.4	10/27/24 17:15 == 32.5	10/27/24 21:45 == 48
10/27/24 8:20 == 32.7	10/27/24 12:50 == 32.7	10/27/24 17:20 == 32.6	10/27/24 21:50 == 48.1
10/27/24 8:25 == 32.5	10/27/24 12:55 == 32.6	10/27/24 17:25 == 32.7	10/27/24 21:55 == 48
10/27/24 8:30 == 32.6	10/27/24 13:00 == 32.4	10/27/24 17:30 == 32.6	10/27/24 22:00 == 48
10/27/24 8:35 == 36.1	10/27/24 13:05 == 32.6	10/27/24 17:35 == 32.6	10/27/24 22:05 == 47.9
10/27/24 8:40 == 45.2	10/27/24 13:10 == 32.4	10/27/24 17:40 == 32.6	10/27/24 22:10 == 47.9
10/27/24 8:45 == 47.7	10/27/24 13:15 == 32.5	10/27/24 17:45 == 32.6	10/27/24 22:15 == 47.9
10/27/24 8:50 == 48	10/27/24 13:20 == 32.5	10/27/24 17:50 == 32.7	10/27/24 22:20 == 45.2
10/27/24 8:55 == 48.1	10/27/24 13:25 == 32.6	10/27/24 17:55 == 32.9	10/27/24 22:25 == 33.8
10/27/24 9:00 == 47.6	10/27/24 13:30 == 32.6	10/27/24 18:00 == 32.6	10/27/24 22:30 == 32.3
10/27/24 9:05 == 47.7	10/27/24 13:35 == 36	10/27/24 18:05 == 32.6	10/27/24 22:35 == 32.5
10/27/24 9:10 == 47.6	10/27/24 13:40 == 45.2	10/27/24 18:10 == 32.6	10/27/24 22:40 == 32.5
10/27/24 9:15 == 47.6	10/27/24 13:45 == 48	10/27/24 18:15 == 32.7	10/27/24 22:45 == 32.5
10/27/24 9:20 == 42.1	10/27/24 13:50 == 47.9	10/27/24 18:20 == 32.7	10/27/24 22:50 == 32.5
10/27/24 9:25 == 34.5	10/27/24 13:55 == 47.9	10/27/24 18:25 == 32.8	10/27/24 22:55 == 32.5
10/27/24 9:30 == 32.8	10/27/24 14:00 == 48	10/27/24 18:30 == 32.8	10/27/24 23:00 == 32.6
10/27/24 9:35 == 32.8	10/27/24 14:05 == 48.2	10/27/24 18:35 == 35.1	10/27/24 23:05 == 32.6
10/27/24 9:40 == 32.7	10/27/24 14:10 == 48.1	10/27/24 18:40 == 44.7	10/27/24 23:10 == 32.7
10/27/24 9:45 == 32.7	10/27/24 14:15 == 47.9	10/27/24 18:45 == 48	10/27/24 23:15 == 32.7
10/27/24 9:50 == 32.8	10/27/24 14:20 == 42.3	10/27/24 18:50 == 47.9	10/27/24 23:20 == 32.7
10/27/24 9:55 == 32.7	10/27/24 14:25 == 34.7	10/27/24 18:55 == 47.9	10/27/24 23:25 == 32.5
10/27/24 10:00 == 32.6	10/27/24 14:30 == 32.8	10/27/24 19:00 == 47.9	10/27/24 23:30 == 32.5
10/27/24 10:05 == 32.7	10/27/24 14:35 == 32.7	10/27/24 19:05 == 42.9	10/27/24 23:35 == 32.5
10/27/24 10:10 == 32.5	10/27/24 14:40 == 32.7	10/27/24 19:10 == 35.5	10/27/24 23:40 == 32.4
10/27/24 10:15 == 32.5	10/27/24 14:45 == 32.8	10/27/24 19:15 == 32.5	10/27/24 23:45 == 32.4
10/27/24 10:20 == 32.4	10/27/24 14:50 == 32.9	10/27/24 19:20 == 32.5	10/27/24 23:50 == 35.3
10/27/24 10:25 == 32.5	10/27/24 14:55 == 32.7	10/27/24 19:25 == 32.5	10/27/24 23:55 == 42.9

Pumpback Station Discharge (0364)

10/28/24 0:00 == 47.6	10/28/24 4:30 == 32.6	10/28/24 9:00 == 32.9	10/28/24 13:30 == 32.8
10/28/24 0:05 == 48.1	10/28/24 4:35 == 32.6	10/28/24 9:05 == 33	10/28/24 13:35 == 32.9
10/28/24 0:10 == 48	10/28/24 4:40 == 32.6	10/28/24 9:10 == 32.9	10/28/24 13:40 == 43.5
10/28/24 0:15 == 48	10/28/24 4:45 == 32.5	10/28/24 9:15 == 32.9	10/28/24 13:45 == 47.7
10/28/24 0:20 == 48	10/28/24 4:50 == 34.9	10/28/24 9:20 == 34	10/28/24 13:50 == 47.9
10/28/24 0:25 == 47.8	10/28/24 4:55 == 42.3	10/28/24 9:25 == 43.3	10/28/24 13:55 == 47.7
10/28/24 0:30 == 47.9	10/28/24 5:00 == 47.7	10/28/24 9:30 == 47.7	10/28/24 14:00 == 47.9
10/28/24 0:35 == 44.5	10/28/24 5:05 == 47.9	10/28/24 9:35 == 48.1	10/28/24 14:05 == 48
10/28/24 0:40 == 34.9	10/28/24 5:10 == 47.9	10/28/24 9:40 == 48.1	10/28/24 14:10 == 48
10/28/24 0:45 == 32.6	10/28/24 5:15 == 47.9	10/28/24 9:45 == 48	10/28/24 14:15 == 48
10/28/24 0:50 == 32.5	10/28/24 5:20 == 44.1	10/28/24 9:50 == 47.8	10/28/24 14:20 == 45.4
10/28/24 0:55 == 32.6	10/28/24 5:25 == 35.8	10/28/24 9:55 == 47.8	10/28/24 14:25 == 36.8
10/28/24 1:00 == 32.5	10/28/24 5:30 == 32.3	10/28/24 10:00 == 47.8	10/28/24 14:30 == 33.1
10/28/24 1:05 == 32.5	10/28/24 5:35 == 32.3	10/28/24 10:05 == 44.2	10/28/24 14:35 == 33.1
10/28/24 1:10 == 32.4	10/28/24 5:40 == 32.7	10/28/24 10:10 == 36.7	10/28/24 14:40 == 33
10/28/24 1:15 == 32.6	10/28/24 5:45 == 32.4	10/28/24 10:15 == 32.5	10/28/24 14:45 == 33
10/28/24 1:20 == 32.3	10/28/24 5:50 == 32.6	10/28/24 10:20 == 32.5	10/28/24 14:50 == 33.1
10/28/24 1:25 == 32.5	10/28/24 5:55 == 32.5	10/28/24 10:25 == 32.7	10/28/24 14:55 == 33.2
10/28/24 1:30 == 32.6	10/28/24 6:00 == 32.4	10/28/24 10:30 == 32.7	10/28/24 15:00 == 33.1
10/28/24 1:35 == 32.5	10/28/24 6:05 == 32.7	10/28/24 10:35 == 32.8	10/28/24 15:05 == 33
10/28/24 1:40 == 32.4	10/28/24 6:10 == 32.6	10/28/24 10:40 == 32.8	10/28/24 15:10 == 33.1
10/28/24 1:45 == 32.5	10/28/24 6:15 == 32.7	10/28/24 10:45 == 32.8	10/28/24 15:15 == 33.1
10/28/24 1:50 == 32.6	10/28/24 6:20 == 32.6	10/28/24 10:50 == 32.8	10/28/24 15:20 == 33.1
10/28/24 1:55 == 32.8	10/28/24 6:25 == 44.6	10/28/24 10:55 == 33.1	10/28/24 15:25 == 33.3
10/28/24 2:00 == 32.8	10/28/24 6:30 == 47.7	10/28/24 11:00 == 32.8	10/28/24 15:30 == 33.2
10/28/24 2:05 == 32.8	10/28/24 6:35 == 48.1	10/28/24 11:05 == 32.4	10/28/24 15:35 == 33.3
10/28/24 2:10 == 32.7	10/28/24 6:40 == 47.8	10/28/24 11:10 == 33.2	10/28/24 15:40 == 33.2
10/28/24 2:15 == 32.7	10/28/24 6:45 == 47.9	10/28/24 11:15 == 33.2	10/28/24 15:45 == 33.3
10/28/24 2:20 == 35.1	10/28/24 6:50 == 47.9	10/28/24 11:20 == 33.2	10/28/24 15:50 == 33.9
10/28/24 2:25 == 42.6	10/28/24 6:55 == 48	10/28/24 11:25 == 33.1	10/28/24 15:55 == 42.4
10/28/24 2:30 == 47.7	10/28/24 7:00 == 47.9	10/28/24 11:30 == 33.1	10/28/24 16:00 == 47.8
10/28/24 2:35 == 48	10/28/24 7:05 == 44	10/28/24 11:35 == 33.2	10/28/24 16:05 == 47.9
10/28/24 2:40 == 48	10/28/24 7:10 == 36.1	10/28/24 11:40 == 43.9	10/28/24 16:10 == 47.9
10/28/24 2:45 == 47.8	10/28/24 7:15 == 32.3	10/28/24 11:45 == 47.6	10/28/24 16:15 == 48.1
10/28/24 2:50 == 47.9	10/28/24 7:20 == 32.4	10/28/24 11:50 == 48	10/28/24 16:20 == 48.1
10/28/24 2:55 == 47.9	10/28/24 7:25 == 32.5	10/28/24 11:55 == 48	10/28/24 16:25 == 48
10/28/24 3:00 == 48	10/28/24 7:30 == 32.6	10/28/24 12:00 == 48	10/28/24 16:30 == 48.1
10/28/24 3:05 == 47.9	10/28/24 7:35 == 32.6	10/28/24 12:05 == 48	10/28/24 16:35 == 46.8
10/28/24 3:10 == 47.9	10/28/24 7:40 == 32.7	10/28/24 12:10 == 47.8	10/28/24 16:40 == 36.4
10/28/24 3:15 == 47.9	10/28/24 7:45 == 32.6	10/28/24 12:15 == 47.8	10/28/24 16:45 == 32.7
10/28/24 3:20 == 45.8	10/28/24 7:50 == 35	10/28/24 12:20 == 44.4	10/28/24 16:50 == 32.6
10/28/24 3:25 == 34.1	10/28/24 7:55 == 42	10/28/24 12:25 == 37.1	10/28/24 16:55 == 32.6
10/28/24 3:30 == 32.3	10/28/24 8:00 == 47.6	10/28/24 12:30 == 32.9	10/28/24 17:00 == 32.7
10/28/24 3:35 == 32.5	10/28/24 8:05 == 47.9	10/28/24 12:35 == 32.9	10/28/24 17:05 == 32.7
10/28/24 3:40 == 32.3	10/28/24 8:10 == 47.8	10/28/24 12:40 == 32.8	10/28/24 17:10 == 32.7
10/28/24 3:45 == 32.3	10/28/24 8:15 == 47.5	10/28/24 12:45 == 32.8	10/28/24 17:15 == 32.7
10/28/24 3:50 == 32.5	10/28/24 8:20 == 46.3	10/28/24 12:50 == 32.8	10/28/24 17:20 == 32.6
10/28/24 3:55 == 32.6	10/28/24 8:25 == 34.3	10/28/24 12:55 == 32.8	10/28/24 17:25 == 32.6
10/28/24 4:00 == 32.4	10/28/24 8:30 == 32.6	10/28/24 13:00 == 32.8	10/28/24 17:30 == 32.7
10/28/24 4:05 == 32.5	10/28/24 8:35 == 32.6	10/28/24 13:05 == 32.8	10/28/24 17:35 == 32.7
10/28/24 4:10 == 32.4	10/28/24 8:40 == 32.5	10/28/24 13:10 == 32.9	10/28/24 17:40 == 32.6
10/28/24 4:15 == 32.6	10/28/24 8:45 == 32.6	10/28/24 13:15 == 32.8	10/28/24 17:45 == 32.6
10/28/24 4:20 == 32.5	10/28/24 8:50 == 32.8	10/28/24 13:20 == 32.8	10/28/24 17:50 == 32.7
10/28/24 4:25 == 32.4	10/28/24 8:55 == 32.8	10/28/24 13:25 == 33	10/28/24 17:55 == 32.8

Pumpback Station Discharge (0364)

10/28/24 18:00 == 32.7	10/28/24 22:30 == 47.5	10/29/24 3:00 == 32.6	10/29/24 7:30 == 32.6
10/28/24 18:05 == 33.9	10/28/24 22:35 == 48.1	10/29/24 3:05 == 32.6	10/29/24 7:35 == 32.7
10/28/24 18:10 == 41.1	10/28/24 22:40 == 48	10/29/24 3:10 == 32.7	10/29/24 7:40 == 32.8
10/28/24 18:15 == 47.3	10/28/24 22:45 == 48.1	10/29/24 3:15 == 32.6	10/29/24 7:45 == 32.7
10/28/24 18:20 == 48.1	10/28/24 22:50 == 48.1	10/29/24 3:20 == 32.5	10/29/24 7:50 == 32.7
10/28/24 18:25 == 47.9	10/28/24 22:55 == 48.1	10/29/24 3:25 == 32.6	10/29/24 7:55 == 32.8
10/28/24 18:30 == 48.1	10/28/24 23:00 == 47.9	10/29/24 3:30 == 32.6	10/29/24 8:00 == 32.9
10/28/24 18:35 == 48.1	10/28/24 23:05 == 47.1	10/29/24 3:35 == 32.6	10/29/24 8:05 == 32.9
10/28/24 18:40 == 48	10/28/24 23:10 == 37.3	10/29/24 3:40 == 32.5	10/29/24 8:10 == 32.9
10/28/24 18:45 == 47.9	10/28/24 23:15 == 32.8	10/29/24 3:45 == 32.6	10/29/24 8:15 == 33.1
10/28/24 18:50 == 48	10/28/24 23:20 == 32.8	10/29/24 3:50 == 32.7	10/29/24 8:20 == 33.7
10/28/24 18:55 == 48	10/28/24 23:25 == 32.7	10/29/24 3:55 == 32.6	10/29/24 8:25 == 39.2
10/28/24 19:00 == 47.8	10/28/24 23:30 == 32.7	10/29/24 4:00 == 32.6	10/29/24 8:30 == 48.1
10/28/24 19:05 == 46.7	10/28/24 23:35 == 32.8	10/29/24 4:05 == 33.1	10/29/24 8:35 == 48
10/28/24 19:10 == 36.5	10/28/24 23:40 == 32.6	10/29/24 4:10 == 40.1	10/29/24 8:40 == 47.9
10/28/24 19:15 == 32.5	10/28/24 23:45 == 32.7	10/29/24 4:15 == 47.3	10/29/24 8:45 == 48.2
10/28/24 19:20 == 32.5	10/28/24 23:50 == 32.6	10/29/24 4:20 == 48.1	10/29/24 8:50 == 48.1
10/28/24 19:25 == 32.6	10/28/24 23:55 == 32.6	10/29/24 4:25 == 48.1	10/29/24 8:55 == 47.7
10/28/24 19:30 == 32.5	10/29/24 0:00 == 32.7	10/29/24 4:30 == 47.9	10/29/24 9:00 == 47.5
10/28/24 19:35 == 32.5	10/29/24 0:05 == 32.7	10/29/24 4:35 == 47.9	10/29/24 9:05 == 47.7
10/28/24 19:40 == 32.5	10/29/24 0:10 == 32.6	10/29/24 4:40 == 47.9	10/29/24 9:10 == 38.9
10/28/24 19:45 == 32.5	10/29/24 0:15 == 32.6	10/29/24 4:45 == 47.9	10/29/24 9:15 == 33.2
10/28/24 19:50 == 32.5	10/29/24 0:20 == 32.6	10/29/24 4:50 == 48	10/29/24 9:20 == 33.1
10/28/24 19:55 == 32.5	10/29/24 0:25 == 41.2	10/29/24 4:55 == 36.7	10/29/24 9:25 == 33.1
10/28/24 20:00 == 32.5	10/29/24 0:30 == 47.7	10/29/24 5:00 == 32.8	10/29/24 9:30 == 33.1
10/28/24 20:05 == 32.4	10/29/24 0:35 == 47.9	10/29/24 5:05 == 32.7	10/29/24 9:35 == 33.1
10/28/24 20:10 == 32.4	10/29/24 0:40 == 48	10/29/24 5:10 == 32.7	10/29/24 9:40 == 33.1
10/28/24 20:15 == 32.4	10/29/24 0:45 == 47.9	10/29/24 5:15 == 32.7	10/29/24 9:45 == 32.9
10/28/24 20:20 == 33.8	10/29/24 0:50 == 47.9	10/29/24 5:20 == 32.7	10/29/24 9:50 == 32.9
10/28/24 20:25 == 40.4	10/29/24 0:55 == 47.9	10/29/24 5:25 == 32.6	10/29/24 9:55 == 32.9
10/28/24 20:30 == 47.2	10/29/24 1:00 == 47.9	10/29/24 5:30 == 32.6	10/29/24 10:00 == 32.9
10/28/24 20:35 == 47.9	10/29/24 1:05 == 45.8	10/29/24 5:35 == 32.6	10/29/24 10:05 == 32.7
10/28/24 20:40 == 48.1	10/29/24 1:10 == 38.5	10/29/24 5:40 == 32.7	10/29/24 10:10 == 32.8
10/28/24 20:45 == 47.5	10/29/24 1:15 == 32.6	10/29/24 5:45 == 32.8	10/29/24 10:15 == 32.9
10/28/24 20:50 == 48	10/29/24 1:20 == 32.7	10/29/24 5:50 == 32.7	10/29/24 10:20 == 32.9
10/28/24 20:55 == 48.1	10/29/24 1:25 == 32.6	10/29/24 5:55 == 32.6	10/29/24 10:25 == 40
10/28/24 21:00 == 48.2	10/29/24 1:30 == 32.6	10/29/24 6:00 == 32.6	10/29/24 10:30 == 47.3
10/28/24 21:05 == 47.9	10/29/24 1:35 == 32.6	10/29/24 6:05 == 33.6	10/29/24 10:35 == 48
10/28/24 21:10 == 35.6	10/29/24 1:40 == 32.7	10/29/24 6:10 == 39.1	10/29/24 10:40 == 48.1
10/28/24 21:15 == 33.1	10/29/24 1:45 == 32.6	10/29/24 6:15 == 48	10/29/24 10:45 == 48.1
10/28/24 21:20 == 32.9	10/29/24 1:50 == 32.6	10/29/24 6:20 == 48	10/29/24 10:50 == 48
10/28/24 21:25 == 32.7	10/29/24 1:55 == 33	10/29/24 6:25 == 48.1	10/29/24 10:55 == 47.8
10/28/24 21:30 == 32.7	10/29/24 2:00 == 33.1	10/29/24 6:30 == 47.9	10/29/24 11:00 == 47.5
10/28/24 21:35 == 32.7	10/29/24 2:05 == 33.1	10/29/24 6:35 == 48.1	10/29/24 11:05 == 46.7
10/28/24 21:40 == 32.6	10/29/24 2:10 == 42	10/29/24 6:40 == 47.8	10/29/24 11:10 == 40.4
10/28/24 21:45 == 32.6	10/29/24 2:15 == 47.4	10/29/24 6:45 == 48.2	10/29/24 11:15 == 33.4
10/28/24 21:50 == 32.6	10/29/24 2:20 == 48.2	10/29/24 6:50 == 47.9	10/29/24 11:20 == 33.4
10/28/24 21:55 == 32.6	10/29/24 2:25 == 48.1	10/29/24 6:55 == 47.8	10/29/24 11:25 == 33.3
10/28/24 22:00 == 32.6	10/29/24 2:30 == 48	10/29/24 7:00 == 48	10/29/24 11:30 == 33.2
10/28/24 22:05 == 32.5	10/29/24 2:35 == 48	10/29/24 7:05 == 48	10/29/24 11:35 == 33.2
10/28/24 22:10 == 32.5	10/29/24 2:40 == 47.7	10/29/24 7:10 == 37.1	10/29/24 11:40 == 33.2
10/28/24 22:15 == 32.5	10/29/24 2:45 == 47.6	10/29/24 7:15 == 33.1	10/29/24 11:45 == 33.2
10/28/24 22:20 == 33.7	10/29/24 2:50 == 46.2	10/29/24 7:20 == 32.7	10/29/24 11:50 == 33.2
10/28/24 22:25 == 39.9	10/29/24 2:55 == 38.1	10/29/24 7:25 == 32.7	10/29/24 11:55 == 33.2

Pumpback Station Discharge (0364)

10/29/24 12:00 == 33.1	10/29/24 16:30 == 47.2	10/29/24 21:00 == 32.4	10/30/24 1:30 == 32.5
10/29/24 12:05 == 33.1	10/29/24 16:35 == 47.8	10/29/24 21:05 == 32.5	10/30/24 1:35 == 32.6
10/29/24 12:10 == 33	10/29/24 16:40 == 48	10/29/24 21:10 == 32.6	10/30/24 1:40 == 36.8
10/29/24 12:15 == 32.9	10/29/24 16:45 == 47.7	10/29/24 21:15 == 32.3	10/30/24 1:45 == 46.9
10/29/24 12:20 == 32.9	10/29/24 16:50 == 48	10/29/24 21:20 == 32.5	10/30/24 1:50 == 47.5
10/29/24 12:25 == 40.2	10/29/24 16:55 == 47.3	10/29/24 21:25 == 32.5	10/30/24 1:55 == 47.9
10/29/24 12:30 == 46.4	10/29/24 17:00 == 47.2	10/29/24 21:30 == 32.6	10/30/24 2:00 == 47.6
10/29/24 12:35 == 48	10/29/24 17:05 == 47.7	10/29/24 21:35 == 32.4	10/30/24 2:05 == 48
10/29/24 12:40 == 47.9	10/29/24 17:10 == 38.5	10/29/24 21:40 == 32.4	10/30/24 2:10 == 48
10/29/24 12:45 == 47.9	10/29/24 17:15 == 33.4	10/29/24 21:45 == 32.3	10/30/24 2:15 == 47.9
10/29/24 12:50 == 48	10/29/24 17:20 == 32.4	10/29/24 21:50 == 32.4	10/30/24 2:20 == 47.8
10/29/24 12:55 == 48	10/29/24 17:25 == 32.3	10/29/24 21:55 == 32.5	10/30/24 2:25 == 48
10/29/24 13:00 == 47.9	10/29/24 17:30 == 32.3	10/29/24 22:00 == 32.5	10/30/24 2:30 == 48.1
10/29/24 13:05 == 48	10/29/24 17:35 == 32.3	10/29/24 22:05 == 32.5	10/30/24 2:35 == 47.9
10/29/24 13:10 == 48	10/29/24 17:40 == 32.3	10/29/24 22:10 == 38.6	10/30/24 2:40 == 40
10/29/24 13:15 == 48	10/29/24 17:45 == 32.4	10/29/24 22:15 == 45.7	10/30/24 2:45 == 33.3
10/29/24 13:20 == 46.7	10/29/24 17:50 == 32.4	10/29/24 22:20 == 48	10/30/24 2:50 == 32.4
10/29/24 13:25 == 40.5	10/29/24 17:55 == 32.5	10/29/24 22:25 == 48.1	10/30/24 2:55 == 32.5
10/29/24 13:30 == 32.3	10/29/24 18:00 == 32.5	10/29/24 22:30 == 48	10/30/24 3:00 == 32.5
10/29/24 13:35 == 32.6	10/29/24 18:05 == 32.5	10/29/24 22:35 == 48	10/30/24 3:05 == 32.4
10/29/24 13:40 == 32.8	10/29/24 18:10 == 37.8	10/29/24 22:40 == 47.7	10/30/24 3:10 == 32.3
10/29/24 13:45 == 32.7	10/29/24 18:15 == 47.9	10/29/24 22:45 == 47.6	10/30/24 3:15 == 32.3
10/29/24 13:50 == 32.7	10/29/24 18:20 == 48.1	10/29/24 22:50 == 47.4	10/30/24 3:20 == 32.3
10/29/24 13:55 == 32.9	10/29/24 18:25 == 48.1	10/29/24 22:55 == 41.1	10/30/24 3:25 == 32.4
10/29/24 14:00 == 32.8	10/29/24 18:30 == 48	10/29/24 23:00 == 32.9	10/30/24 3:30 == 32.4
10/29/24 14:05 == 32.7	10/29/24 18:35 == 48	10/29/24 23:05 == 32.7	10/30/24 3:35 == 32.3
10/29/24 14:10 == 32.6	10/29/24 18:40 == 47.9	10/29/24 23:10 == 32.6	10/30/24 3:40 == 37.7
10/29/24 14:15 == 32.7	10/29/24 18:45 == 48.1	10/29/24 23:15 == 32.6	10/30/24 3:45 == 45.6
10/29/24 14:20 == 32.5	10/29/24 18:50 == 47.4	10/29/24 23:20 == 32.7	10/30/24 3:50 == 48
10/29/24 14:25 == 32.6	10/29/24 18:55 == 40.2	10/29/24 23:25 == 32.6	10/30/24 3:55 == 47.8
10/29/24 14:30 == 32.8	10/29/24 19:00 == 32.6	10/29/24 23:30 == 32.5	10/30/24 4:00 == 47.8
10/29/24 14:35 == 32.7	10/29/24 19:05 == 32.3	10/29/24 23:35 == 32.5	10/30/24 4:05 == 47.9
10/29/24 14:40 == 39.9	10/29/24 19:10 == 32.5	10/29/24 23:40 == 32.3	10/30/24 4:10 == 47.8
10/29/24 14:45 == 46.4	10/29/24 19:15 == 32.3	10/29/24 23:45 == 32.4	10/30/24 4:15 == 47.6
10/29/24 14:50 == 48	10/29/24 19:20 == 32.3	10/29/24 23:50 == 32.6	10/30/24 4:20 == 47.4
10/29/24 14:55 == 48.1	10/29/24 19:25 == 32.3	10/29/24 23:55 == 36.6	10/30/24 4:25 == 43
10/29/24 15:00 == 48.1	10/29/24 19:30 == 32.3	10/30/24 0:00 == 47.4	10/30/24 4:30 == 32.2
10/29/24 15:05 == 48	10/29/24 19:35 == 32.5	10/30/24 0:05 == 47.9	10/30/24 4:35 == 32.4
10/29/24 15:10 == 47.9	10/29/24 19:40 == 32.5	10/30/24 0:10 == 47.9	10/30/24 4:40 == 32.5
10/29/24 15:15 == 48	10/29/24 19:45 == 32.4	10/30/24 0:15 == 48.2	10/30/24 4:45 == 32.3
10/29/24 15:20 == 47.3	10/29/24 19:50 == 32.4	10/30/24 0:20 == 48	10/30/24 4:50 == 32.3
10/29/24 15:25 == 40.3	10/29/24 19:55 == 39	10/30/24 0:25 == 47.9	10/30/24 4:55 == 32.4
10/29/24 15:30 == 33	10/29/24 20:00 == 45.7	10/30/24 0:30 == 48.1	10/30/24 5:00 == 32.3
10/29/24 15:35 == 32.9	10/29/24 20:05 == 47.8	10/30/24 0:35 == 48	10/30/24 5:05 == 32.3
10/29/24 15:40 == 32.8	10/29/24 20:10 == 47.5	10/30/24 0:40 == 39.6	10/30/24 5:10 == 32.5
10/29/24 15:45 == 32.8	10/29/24 20:15 == 47.4	10/30/24 0:45 == 33.6	10/30/24 5:15 == 32.5
10/29/24 15:50 == 32.9	10/29/24 20:20 == 47.8	10/30/24 0:50 == 32.5	10/30/24 5:20 == 32.5
10/29/24 15:55 == 33	10/29/24 20:25 == 47.7	10/30/24 0:55 == 32.5	10/30/24 5:25 == 37.1
10/29/24 16:00 == 32.8	10/29/24 20:30 == 47.6	10/30/24 1:00 == 32.4	10/30/24 5:30 == 45.5
10/29/24 16:05 == 32.9	10/29/24 20:35 == 48	10/30/24 1:05 == 32.5	10/30/24 5:35 == 47.9
10/29/24 16:10 == 32.8	10/29/24 20:40 == 47.9	10/30/24 1:10 == 32.6	10/30/24 5:40 == 47.6
10/29/24 16:15 == 32.9	10/29/24 20:45 == 48	10/30/24 1:15 == 32.5	10/30/24 5:45 == 47.7
10/29/24 16:20 == 33.2	10/29/24 20:50 == 46.9	10/30/24 1:20 == 32.5	10/30/24 5:50 == 47.9
10/29/24 16:25 == 37.5	10/29/24 20:55 == 41.3	10/30/24 1:25 == 32.4	10/30/24 5:55 == 47.9

Pumpback Station Discharge (0364)

10/30/24 6:00 == 47.9	10/30/24 10:30 == 32.4	10/30/24 15:00 == 48.1	10/30/24 19:30 == 32.2
10/30/24 6:05 == 48	10/30/24 10:35 == 32.4	10/30/24 15:05 == 48.2	10/30/24 19:35 == 32.3
10/30/24 6:10 == 41.5	10/30/24 10:40 == 32.5	10/30/24 15:10 == 41.9	10/30/24 19:40 == 32.2
10/30/24 6:15 == 33.5	10/30/24 10:45 == 32.5	10/30/24 15:15 == 34.4	10/30/24 19:45 == 32.4
10/30/24 6:20 == 32.6	10/30/24 10:50 == 32.4	10/30/24 15:20 == 32.7	10/30/24 19:50 == 32.3
10/30/24 6:25 == 32.5	10/30/24 10:55 == 37.4	10/30/24 15:25 == 32.8	10/30/24 19:55 == 34.1
10/30/24 6:30 == 32.6	10/30/24 11:00 == 44.8	10/30/24 15:30 == 32.8	10/30/24 20:00 == 45.4
10/30/24 6:35 == 32.5	10/30/24 11:05 == 47.9	10/30/24 15:35 == 32.7	10/30/24 20:05 == 47.8
10/30/24 6:40 == 32.3	10/30/24 11:10 == 47.7	10/30/24 15:40 == 32.8	10/30/24 20:10 == 47.9
10/30/24 6:45 == 32.2	10/30/24 11:15 == 47.6	10/30/24 15:45 == 32.8	10/30/24 20:15 == 47.6
10/30/24 6:50 == 32.5	10/30/24 11:20 == 48.1	10/30/24 15:50 == 32.8	10/30/24 20:20 == 47.9
10/30/24 6:55 == 32.8	10/30/24 11:25 == 47.8	10/30/24 15:55 == 32.9	10/30/24 20:25 == 47.6
10/30/24 7:00 == 32.5	10/30/24 11:30 == 47.4	10/30/24 16:00 == 32.9	10/30/24 20:30 == 47.9
10/30/24 7:05 == 32.6	10/30/24 11:35 == 47.5	10/30/24 16:05 == 32.7	10/30/24 20:35 == 48
10/30/24 7:10 == 34.7	10/30/24 11:40 == 43.6	10/30/24 16:10 == 36.8	10/30/24 20:40 == 42.4
10/30/24 7:15 == 47.4	10/30/24 11:45 == 33	10/30/24 16:15 == 44.8	10/30/24 20:45 == 35.2
10/30/24 7:20 == 47.8	10/30/24 11:50 == 33.1	10/30/24 16:20 == 48	10/30/24 20:50 == 32.4
10/30/24 7:25 == 48.1	10/30/24 11:55 == 32.9	10/30/24 16:25 == 47.9	10/30/24 20:55 == 32.4
10/30/24 7:30 == 47.9	10/30/24 12:00 == 32.4	10/30/24 16:30 == 47.9	10/30/24 21:00 == 32.5
10/30/24 7:35 == 47.9	10/30/24 12:05 == 32.5	10/30/24 16:35 == 48	10/30/24 21:05 == 32.6
10/30/24 7:40 == 48	10/30/24 12:10 == 32.6	10/30/24 16:40 == 48	10/30/24 21:10 == 32.7
10/30/24 7:45 == 48	10/30/24 12:15 == 32.6	10/30/24 16:45 == 48	10/30/24 21:15 == 32.8
10/30/24 7:50 == 48	10/30/24 12:20 == 32.5	10/30/24 16:50 == 47.6	10/30/24 21:20 == 32.6
10/30/24 7:55 == 41.1	10/30/24 12:25 == 35	10/30/24 16:55 == 44	10/30/24 21:25 == 32.5
10/30/24 8:00 == 34.4	10/30/24 12:30 == 46.1	10/30/24 17:00 == 32.4	10/30/24 21:30 == 32.3
10/30/24 8:05 == 32.6	10/30/24 12:35 == 47.9	10/30/24 17:05 == 32.4	10/30/24 21:35 == 32.3
10/30/24 8:10 == 32.8	10/30/24 12:40 == 48.1	10/30/24 17:10 == 32.4	10/30/24 21:40 == 34.2
10/30/24 8:15 == 32.8	10/30/24 12:45 == 48	10/30/24 17:15 == 32.4	10/30/24 21:45 == 45.2
10/30/24 8:20 == 32.7	10/30/24 12:50 == 48	10/30/24 17:20 == 32.4	10/30/24 21:50 == 47.9
10/30/24 8:25 == 32.7	10/30/24 12:55 == 48	10/30/24 17:25 == 32.3	10/30/24 21:55 == 47.6
10/30/24 8:30 == 32.8	10/30/24 13:00 == 48.1	10/30/24 17:30 == 32.4	10/30/24 22:00 == 47.5
10/30/24 8:35 == 32.6	10/30/24 13:05 == 48	10/30/24 17:35 == 32.5	10/30/24 22:05 == 48.3
10/30/24 8:40 == 32.6	10/30/24 13:10 == 41.3	10/30/24 17:40 == 32.4	10/30/24 22:10 == 48
10/30/24 8:45 == 32.6	10/30/24 13:15 == 34.4	10/30/24 17:45 == 32.5	10/30/24 22:15 == 48.1
10/30/24 8:50 == 32.6	10/30/24 13:20 == 32.4	10/30/24 17:50 == 32.5	10/30/24 22:20 == 48
10/30/24 8:55 == 36.6	10/30/24 13:25 == 32.5	10/30/24 17:55 == 32.7	10/30/24 22:25 == 44
10/30/24 9:00 == 45.3	10/30/24 13:30 == 32.4	10/30/24 18:00 == 32.7	10/30/24 22:30 == 34.2
10/30/24 9:05 == 48.1	10/30/24 13:35 == 32.5	10/30/24 18:05 == 32.6	10/30/24 22:35 == 32.3
10/30/24 9:10 == 47.8	10/30/24 13:40 == 32.6	10/30/24 18:10 == 36.7	10/30/24 22:40 == 32.4
10/30/24 9:15 == 47.5	10/30/24 13:45 == 32.5	10/30/24 18:15 == 43.8	10/30/24 22:45 == 32.6
10/30/24 9:20 == 47.8	10/30/24 13:50 == 32.4	10/30/24 18:20 == 47.6	10/30/24 22:50 == 32.5
10/30/24 9:25 == 48	10/30/24 13:55 == 32.5	10/30/24 18:25 == 47.9	10/30/24 22:55 == 32.6
10/30/24 9:30 == 47.9	10/30/24 14:00 == 32.4	10/30/24 18:30 == 48	10/30/24 23:00 == 32.6
10/30/24 9:35 == 48	10/30/24 14:05 == 32.3	10/30/24 18:35 == 48	10/30/24 23:05 == 32.6
10/30/24 9:40 == 47.8	10/30/24 14:10 == 34.8	10/30/24 18:40 == 47.9	10/30/24 23:10 == 32.6
10/30/24 9:45 == 48.1	10/30/24 14:15 == 45.6	10/30/24 18:45 == 48	10/30/24 23:15 == 32.4
10/30/24 9:50 == 47.8	10/30/24 14:20 == 48	10/30/24 18:50 == 47.9	10/30/24 23:20 == 32.4
10/30/24 9:55 == 42.1	10/30/24 14:25 == 48.2	10/30/24 18:55 == 48	10/30/24 23:25 == 36
10/30/24 10:00 == 33	10/30/24 14:30 == 48	10/30/24 19:00 == 47.9	10/30/24 23:30 == 43.4
10/30/24 10:05 == 32.4	10/30/24 14:35 == 47.9	10/30/24 19:05 == 47.9	10/30/24 23:35 == 47.8
10/30/24 10:10 == 32.4	10/30/24 14:40 == 48.1	10/30/24 19:10 == 45	10/30/24 23:40 == 47.6
10/30/24 10:15 == 32.2	10/30/24 14:45 == 48.1	10/30/24 19:15 == 32.5	10/30/24 23:45 == 47.8
10/30/24 10:20 == 32.2	10/30/24 14:50 == 48	10/30/24 19:20 == 32.1	10/30/24 23:50 == 48.1
10/30/24 10:25 == 32.5	10/30/24 14:55 == 47.9	10/30/24 19:25 == 32.2	10/30/24 23:55 == 47.9

Pumpback Station Discharge (0364)

10/31/24 0:00 == 47.5	10/31/24 4:30 == 48	10/31/24 9:00 == 32.6	10/31/24 13:30 == 48
10/31/24 0:05 == 48	10/31/24 4:35 == 48	10/31/24 9:05 == 32.6	10/31/24 13:35 == 47.9
10/31/24 0:10 == 45.9	10/31/24 4:40 == 47.8	10/31/24 9:10 == 35.5	10/31/24 13:40 == 44.6
10/31/24 0:15 == 32.5	10/31/24 4:45 == 47.4	10/31/24 9:15 == 42.6	10/31/24 13:45 == 36.6
10/31/24 0:20 == 32.2	10/31/24 4:50 == 48	10/31/24 9:20 == 48	10/31/24 13:50 == 32.6
10/31/24 0:25 == 32.4	10/31/24 4:55 == 45.6	10/31/24 9:25 == 48	10/31/24 13:55 == 32.6
10/31/24 0:30 == 32.6	10/31/24 5:00 == 33.8	10/31/24 9:30 == 47.9	10/31/24 14:00 == 32.6
10/31/24 0:35 == 32.5	10/31/24 5:05 == 32.4	10/31/24 9:35 == 48	10/31/24 14:05 == 32.6
10/31/24 0:40 == 32.5	10/31/24 5:10 == 32.5	10/31/24 9:40 == 48	10/31/24 14:10 == 32.6
10/31/24 0:45 == 32.4	10/31/24 5:15 == 32.5	10/31/24 9:45 == 47.9	10/31/24 14:15 == 32.6
10/31/24 0:50 == 32.4	10/31/24 5:20 == 32.4	10/31/24 9:50 == 48	10/31/24 14:20 == 32.6
10/31/24 0:55 == 32.5	10/31/24 5:25 == 32.4	10/31/24 9:55 == 47.9	10/31/24 14:25 == 34.4
10/31/24 1:00 == 32.3	10/31/24 5:30 == 32.5	10/31/24 10:00 == 48	10/31/24 14:30 == 40.8
10/31/24 1:05 == 32.4	10/31/24 5:35 == 32.4	10/31/24 10:05 == 47.9	10/31/24 14:35 == 47.5
10/31/24 1:10 == 34.4	10/31/24 5:40 == 32.6	10/31/24 10:10 == 47.4	10/31/24 14:40 == 47.9
10/31/24 1:15 == 44.2	10/31/24 5:45 == 32.6	10/31/24 10:15 == 32.7	10/31/24 14:45 == 48
10/31/24 1:20 == 48	10/31/24 5:50 == 32.5	10/31/24 10:20 == 32.4	10/31/24 14:50 == 48
10/31/24 1:25 == 47.8	10/31/24 5:55 == 33.5	10/31/24 10:25 == 32.5	10/31/24 14:55 == 47.8
10/31/24 1:30 == 47.9	10/31/24 6:00 == 44	10/31/24 10:30 == 32.4	10/31/24 15:00 == 47.4
10/31/24 1:35 == 48	10/31/24 6:05 == 47.7	10/31/24 10:35 == 32.4	10/31/24 15:05 == 48
10/31/24 1:40 == 48	10/31/24 6:10 == 47.9	10/31/24 10:40 == 32.5	10/31/24 15:10 == 47.6
10/31/24 1:45 == 48	10/31/24 6:15 == 48	10/31/24 10:45 == 32.6	10/31/24 15:15 == 33.5
10/31/24 1:50 == 47.9	10/31/24 6:20 == 48	10/31/24 10:50 == 32.5	10/31/24 15:20 == 32.5
10/31/24 1:55 == 43.2	10/31/24 6:25 == 48	10/31/24 10:55 == 32.8	10/31/24 15:25 == 32.7
10/31/24 2:00 == 35.2	10/31/24 6:30 == 48	10/31/24 11:00 == 32.8	10/31/24 15:30 == 32.6
10/31/24 2:05 == 32.4	10/31/24 6:35 == 47.9	10/31/24 11:05 == 32.8	10/31/24 15:35 == 32.6
10/31/24 2:10 == 32.4	10/31/24 6:40 == 43.4	10/31/24 11:10 == 34.9	10/31/24 15:40 == 32.6
10/31/24 2:15 == 32.3	10/31/24 6:45 == 35.9	10/31/24 11:15 == 43.3	10/31/24 15:45 == 32.7
10/31/24 2:20 == 32.4	10/31/24 6:50 == 32.5	10/31/24 11:20 == 47.9	10/31/24 15:50 == 32.7
10/31/24 2:25 == 32.5	10/31/24 6:55 == 32.5	10/31/24 11:25 == 48	10/31/24 15:55 == 32.7
10/31/24 2:30 == 32.4	10/31/24 7:00 == 32.4	10/31/24 11:30 == 48	10/31/24 16:00 == 32.7
10/31/24 2:35 == 32.6	10/31/24 7:05 == 32.5	10/31/24 11:35 == 48	10/31/24 16:05 == 32.7
10/31/24 2:40 == 33.6	10/31/24 7:10 == 32.4	10/31/24 11:40 == 48.1	10/31/24 16:10 == 34.3
10/31/24 2:45 == 44.6	10/31/24 7:15 == 32.4	10/31/24 11:45 == 48	10/31/24 16:15 == 42.4
10/31/24 2:50 == 47.9	10/31/24 7:20 == 32.4	10/31/24 11:50 == 47.9	10/31/24 16:20 == 47.7
10/31/24 2:55 == 47.8	10/31/24 7:25 == 34.3	10/31/24 11:55 == 44.3	10/31/24 16:25 == 47.9
10/31/24 3:00 == 48	10/31/24 7:30 == 43.7	10/31/24 12:00 == 35.8	10/31/24 16:30 == 48
10/31/24 3:05 == 48.1	10/31/24 7:35 == 48	10/31/24 12:05 == 32.7	10/31/24 16:35 == 48
10/31/24 3:10 == 48.1	10/31/24 7:40 == 48	10/31/24 12:10 == 32.6	10/31/24 16:40 == 48
10/31/24 3:15 == 48	10/31/24 7:45 == 48	10/31/24 12:15 == 32.6	10/31/24 16:45 == 47.9
10/31/24 3:20 == 47.9	10/31/24 7:50 == 48.1	10/31/24 12:20 == 32.6	10/31/24 16:50 == 47.9
10/31/24 3:25 == 43.9	10/31/24 7:55 == 48	10/31/24 12:25 == 32.7	10/31/24 16:55 == 47.6
10/31/24 3:30 == 34.5	10/31/24 8:00 == 47.9	10/31/24 12:30 == 32.5	10/31/24 17:00 == 47.2
10/31/24 3:35 == 32.1	10/31/24 8:05 == 47.9	10/31/24 12:35 == 32.5	10/31/24 17:05 == 47.8
10/31/24 3:40 == 32.2	10/31/24 8:10 == 45	10/31/24 12:40 == 32.6	10/31/24 17:10 == 45.9
10/31/24 3:45 == 32.2	10/31/24 8:15 == 34.5	10/31/24 12:45 == 32.5	10/31/24 17:15 == 36.1
10/31/24 3:50 == 32.3	10/31/24 8:20 == 32.8	10/31/24 12:50 == 32.4	10/31/24 17:20 == 32.4
10/31/24 3:55 == 32.4	10/31/24 8:25 == 32.8	10/31/24 12:55 == 32.6	10/31/24 17:25 == 32.3
10/31/24 4:00 == 32.3	10/31/24 8:30 == 32.5	10/31/24 13:00 == 44.9	10/31/24 17:30 == 32.2
10/31/24 4:05 == 32.3	10/31/24 8:35 == 32.5	10/31/24 13:05 == 47.7	10/31/24 17:35 == 32.4
10/31/24 4:10 == 35.2	10/31/24 8:40 == 32.5	10/31/24 13:10 == 47.9	10/31/24 17:40 == 32.4
10/31/24 4:15 == 42.6	10/31/24 8:45 == 32.5	10/31/24 13:15 == 48.1	10/31/24 17:45 == 32.4
10/31/24 4:20 == 48	10/31/24 8:50 == 32.6	10/31/24 13:20 == 48	10/31/24 17:50 == 32.5
10/31/24 4:25 == 48.1	10/31/24 8:55 == 32.7	10/31/24 13:25 == 48.1	10/31/24 17:55 == 32.5

Pumpback Station Discharge (0364)

10/31/24 18:00 == 32.4	10/31/24 22:30 == 35.2
10/31/24 18:05 == 32.6	10/31/24 22:35 == 32.4
10/31/24 18:10 == 32.5	10/31/24 22:40 == 32.4
10/31/24 18:15 == 32.6	10/31/24 22:45 == 32.4
10/31/24 18:20 == 32.4	10/31/24 22:50 == 32.4
10/31/24 18:25 == 33.3	10/31/24 22:55 == 32.5
10/31/24 18:30 == 42.4	10/31/24 23:00 == 32.6
10/31/24 18:35 == 47.7	10/31/24 23:05 == 32.6
10/31/24 18:40 == 48.1	10/31/24 23:10 == 32.5
10/31/24 18:45 == 47.9	10/31/24 23:15 == 42.5
10/31/24 18:50 == 47.9	10/31/24 23:20 == 47.5
10/31/24 18:55 == 47.9	10/31/24 23:25 == 48
10/31/24 19:00 == 47.9	10/31/24 23:30 == 48
10/31/24 19:05 == 47.9	10/31/24 23:35 == 47.9
10/31/24 19:10 == 44.9	10/31/24 23:40 == 47.9
10/31/24 19:15 == 37	10/31/24 23:45 == 47.9
10/31/24 19:20 == 32.2	10/31/24 23:50 == 47.9
10/31/24 19:25 == 32.2	10/31/24 23:55 == 45.2
10/31/24 19:30 == 32.2	
10/31/24 19:35 == 32.3	
10/31/24 19:40 == 32.4	
10/31/24 19:45 == 32.3	
10/31/24 19:50 == 32.2	
10/31/24 19:55 == 32.9	
10/31/24 20:00 == 42	
10/31/24 20:05 == 47.8	
10/31/24 20:10 == 47.9	
10/31/24 20:15 == 48	
10/31/24 20:20 == 48.1	
10/31/24 20:25 == 47.3	
10/31/24 20:30 == 47.7	
10/31/24 20:35 == 47.9	
10/31/24 20:40 == 46.6	
10/31/24 20:45 == 36.1	
10/31/24 20:50 == 32.5	
10/31/24 20:55 == 32.6	
10/31/24 21:00 == 32.5	
10/31/24 21:05 == 32.5	
10/31/24 21:10 == 32.6	
10/31/24 21:15 == 32.7	
10/31/24 21:20 == 32.6	
10/31/24 21:25 == 32.5	
10/31/24 21:30 == 32.3	
10/31/24 21:35 == 32.4	
10/31/24 21:40 == 34	
10/31/24 21:45 == 40.4	
10/31/24 21:50 == 48.1	
10/31/24 21:55 == 47.8	
10/31/24 22:00 == 47.1	
10/31/24 22:05 == 48.1	
10/31/24 22:10 == 47.9	
10/31/24 22:15 == 48.1	
10/31/24 22:20 == 48	
10/31/24 22:25 == 47.4	