

## **LORP Synopsis for January 2022**

### **Compliance Comments**

Flows were above the minimum flow for the month.

### **Maintenance**

Activities for the month on the Lower Owens River included the following:

- Current metering continues the development of discharge curves at all in-river flow monitoring sites and are used to develop velocity indexing tables.
- Some in-river station measurements have fluctuated as a result of shifting and increased sedimentation in the river, requiring additional indexing to increase the accuracy of measurements.

### **Operations**

There were no flow changes during the month.

# Waterfowl Area Monthly Report

## Synopsis (for Runoff Year 2021-2022)

In accordance with the Interim Management and Monitoring Plan, starting this year a seasonal flooding regime will be implemented, which includes sustained flooding from fall through mid-spring, a complete dry down during late spring, and a fixed waterfowl acreage goal of 500 acres.

On April 16, flows to all units were set to 0 cfs.

On September 15, flows for the Fall season were set. Flow to Thibaut Unit was set to 8 cfs. Flow to Winterton Unit was set to 6 cfs. Flow to Waggoner Unit was set to 9 cfs.

In November, wetted acreage surveys were completed for the Fall season. Thibaut measured 189 acres, Winterton measured 101 acres, and Waggoner measured 212 acres for a combined total of 502 acres.

On November 10, flows for the Winter season were set. Flow to Thibaut Unit was set to 2 cfs. Flow to Winterton Unit was set to 1.1 cfs. Flow to Waggoner Unit was set to 2 cfs.

On February 25, a Winter season wetted acreage survey was conducted for Winterton, measuring 49 acres.

## Flow Rates and Wetted Acreage Summary (for Runoff Year 2021-22)

	Inflow (cfs)	Date Set	Wetted Acreage	Date of GPS
Drew Unit	off	4/16/2021		
Waggoner Unit	off	4/16/2021		
	9	9/15/2021	212	11/1/2021
	2	11/10/2021		
Winterton Unit	off	4/16/2021		
	6	9/15/2021	101	11/2/2021
	1.1	11/10/2021	49	2/25/2022
Thibaut Unit	off	4/16/2021		
	8	9/15/2021	189	11/3/2021
	2	11/10/2021		

## JANUARY 2022 IN-RIVER STATION CURRENT METERING SUMMARY

Station	Date	Metered Flow	Station Begin Flow	Station End Flow	Shift Applied	Notes	
LORP Intake	1/26/2022	41.62	41.90	41.40	0	gage height	3.87
At Mazourka Canyon Road	1/13/2022	43.73	44.36	45.92	-1	gage height	3.77
At Mazourka Canyon Road	1/26/2022	40.24	42.20	45.30	-4	gage height	3.78
At Reinhackle Springs	1/26/2022	41.64	47.44	40.95	-3	gage height	4.08



## Lower Owens River Project Flow Report for 01/01/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>43</b>	<b>15</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>46</b>	<b>44</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>53</b>	<b>51</b>	<b>15</b>
Pump Station			47	45	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 47 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.67 ft	(Last Collected: 12/20/2021)
Lower Twin Lake Gage Read	2.42 ft	
Goose Lake Gage Read	2.55 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/02/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>42</b>	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>45</b>	<b>45</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>54</b>	<b>51</b>	15
Pump Station			48	45	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 48 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.67 ft	(Last Collected: 12/20/2021)
Lower Twin Lake Gage Read	2.42 ft	
Goose Lake Gage Read	2.55 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/03/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>42</b>	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>45</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>54</b>	<b>51</b>	15
Pump Station			48	45	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 48 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.67 ft	(Last Collected: 12/20/2021)
Lower Twin Lake Gage Read	2.42 ft	
Goose Lake Gage Read	2.55 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/04/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>42</b>	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>45</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>54</b>	<b>52</b>	15
Pump Station			48	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 48 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.67 ft	(Last Collected: 12/20/2021)
Lower Twin Lake Gage Read	2.42 ft	
Goose Lake Gage Read	2.55 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>



## Lower Owens River Project Flow Report for 01/05/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>39</b>	<b>42</b>	<b>14</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>45</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>54</b>	<b>52</b>	<b>15</b>
Pump Station			48	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 48 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.67 ft	(Last Collected: 12/20/2021)
Lower Twin Lake Gage Read	2.42 ft	
Goose Lake Gage Read	2.55 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/06/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>39</b>	<b>42</b>	<b>13</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>45</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>54</b>	<b>52</b>	<b>15</b>
Pump Station			48	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 48 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/07/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>42</b>	13
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>45</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>53</b>	<b>53</b>	15
Pump Station			47	47	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 48 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/08/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>41</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>41</b>	<b>13</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>45</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>53</b>	<b>15</b>
Pump Station			46	47	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 48 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/09/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>41</b>	13
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>45</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>53</b>	15
Pump Station			46	47	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 47 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/10/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>41</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>39</b>	<b>40</b>	12
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>45</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>53</b>	15
Pump Station			46	47	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 47 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/11/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>41</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>39</b>	<b>40</b>	11
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>43</b>	<b>45</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>53</b>	15
Pump Station			46	47	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 47 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/12/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>38</b>	<b>40</b>	10
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>43</b>	<b>45</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>53</b>	15
Pump Station			46	47	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 47 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>



## Lower Owens River Project Flow Report for 01/13/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>43</b>	<b>40</b>	<b>10</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>43</b>	<b>44</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>51</b>	<b>53</b>	<b>15</b>
Pump Station			45	47	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 47 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/14/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>44</b>	<b>40</b>	10
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>44</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>51</b>	<b>53</b>	15
Pump Station			45	47	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 47 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/15/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>43</b>	<b>40</b>	10
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>42</b>	<b>44</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>51</b>	<b>53</b>	15
Pump Station			45	47	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 47 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/16/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>43</b>	<b>40</b>	10
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>43</b>	<b>44</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>51</b>	<b>52</b>	15
Pump Station			45	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/17/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>41</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>44</b>	<b>41</b>	<b>10</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>43</b>	<b>44</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>52</b>	<b>15</b>
Pump Station			46	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/18/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>43</b>	<b>41</b>	<b>10</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>43</b>	<b>43</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>53</b>	<b>52</b>	<b>15</b>
Pump Station			47	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
Total Flooded Area	502 Acres			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.72 ft	(Last Collected: 01/05/2022)
Lower Twin Lake Gage Read	2.29 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/19/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>41</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>44</b>	<b>41</b>	<b>10</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>43</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>52</b>	<b>15</b>
Pump Station			46	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/20/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>41</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>43</b>	<b>41</b>	<b>11</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>43</b>	<b>43</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>52</b>	<b>15</b>
Pump Station			46	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>



## Lower Owens River Project Flow Report for 01/21/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>43</b>	<b>42</b>	<b>12</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>43</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>52</b>	<b>15</b>
Pump Station			46	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/22/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
<b>Mazourka Canyon Road</b>			<b>44</b>	<b>42</b>	12
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>43</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>51</b>	<b>52</b>	15
Pump Station			45	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/23/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>43</b>	<b>42</b>	<b>12</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>42</b>	<b>43</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>52</b>	<b>15</b>
Pump Station			46	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/24/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>41</b>	<b>42</b>	<b>12</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>42</b>	<b>43</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>52</b>	<b>15</b>
Pump Station			46	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/25/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>42</b>	<b>42</b>	<b>13</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>44</b>	<b>43</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>52</b>	<b>15</b>
Pump Station			46	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>45</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/26/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>41</b>	<b>42</b>	<b>15</b>
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>43</b>	<b>14</b>
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>42</b>	<b>43</b>	<b>15</b>
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>52</b>	<b>52</b>	<b>15</b>
Pump Station			46	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/27/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>43</b>	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>41</b>	<b>43</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>51</b>	<b>52</b>	15
Pump Station			45	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/28/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>42</b>	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>41</b>	<b>43</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>51</b>	<b>52</b>	15
Pump Station			45	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>



## Lower Owens River Project Flow Report for 01/29/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>42</b>	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>42</b>	<b>43</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>51</b>	<b>52</b>	15
Pump Station			45	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/30/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
<b>Mazourka Canyon Road</b>			<b>40</b>	<b>42</b>	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>42</b>	<b>43</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>51</b>	<b>52</b>	15
Pump Station			45	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>45</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Lower Owens River Project Flow Report for 01/31/2022

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
<b>Below River Intake</b>			<b>42</b>	<b>42</b>	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
<b>Mazourka Canyon Road</b>			<b>41</b>	<b>42</b>	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
<b>Reinhackle Springs</b>			<b>42</b>	<b>43</b>	15
Alabama Gates Return (augmentation)	0	0			
<b>At Pumpback Station <sup>1</sup></b>			<b>50</b>	<b>52</b>	15
Pump Station			44	46	
Langemann Gate to Delta			6	6	
Weir to Delta			0	0	
<b>LORP In Channel Average Flow <sup>2</sup></b>			<b>44</b>	<b>44</b>	

Pump Station Month-to-Date Average Flow 46 cfs

### Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	189 Acres	11/03/2021	2 cfs	11/10/2021
Winterton	101 Acres	11/02/2021	1.1 cfs	11/10/2021
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	212 Acres	11/01/2021	2 cfs	11/10/2021
<b>Total Flooded Area</b>	<b>502 Acres</b>			

### Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.61 ft	(Last Collected: 01/19/2022)
Lower Twin Lake Gage Read	2.27 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2021)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

## Quality Assurance and Calibration Procedures

The Los Angeles Department of Water and Power has a set standard to assure quality of all hydrological data collected. Procedures used to QA data vary based on the type of data collected and the device used to measure flow.

Data collected from sites utilizing area velocity flow meters are electronically monitored continuously. Sites are physically visited most days of the week to assure debris or vandalism hasn't affected the reading. Errors in the data collected may arise from several sources:

1. The transducers which detect the stage height and velocities have a tendency to drift.
2. Power outages occur occasionally thereby preventing the recording of data to the data loggers.
3. Occasionally the data loggers themselves malfunction.
4. Data can be lost or corrupted when it is transferred from the data loggers to the laptop.

Errors in discharge can originate from the instability of the relationship between velocity and stage height. This relationship varies temporally. It is affected by changes in the streambed that results from the flow of water over the bed, such as scour and fill, aquatic growth, ice, debris, or bed roughness.

To compensate for changes in the constantly shifting conditions multiple current meter measurements at each location per USGS standards are conducted per month. The current meter shots are taken at 2 foot intervals horizontally across the lined sections or 1 foot intervals at the sites where the measurements are taken in culverts. In each vertical section two separate measurements are taken (0.2 and 0.8) of the depth to achieve the best velocity average in the vertical. These vertical discharges are then added together to obtain a total flow in the section. The current meter data is logged in an on-board computer tracking the measurements as taken. That data is then extracted from the on-board computer to a PC using the FlowPack software that allows analysis of the data for erroneous measurements and is then converted to an Excel spreadsheet for ease of storage and printing. See Examples 1 – 3 for printout of software used to validate the current meter data.

Current meter data is used to develop velocity index tables. The tables require a minimum of 6 meter shots. After a table has been developed it is then downloaded into the on-site SonTek software which takes into account any variables within the meter section and applies any shifts to the discharge.

Data is collected and logged every 10 minutes utilizing SonTek area velocity flow meters. The data is downloaded from the meters once per month utilizing software provided by SonTek. The software "ViewArgonaut" gives us the ability to check items relevant to the performance of the meter. Battery voltage, beam strength, noise ratios, depth, and cell distance. (See Example 4) The software provides a trend of the data collected and displays it for quick comparisons, flagging discrepancies, one day at a time. Utilizing the ViewArgonaut software monthly reports are generated and the data is

reviewed. Using the current meter data collected during the month shifts are applied to the discharge to assure accuracy.

### **Augmentation Flows**

Flows at several of the augmentation points are measured using weirs and flumes at sites that were pre-existing. Billy Lake has a one foot Parshall flume, Locust and Georges Returns have three foot weirs installed. All have stilling wells with dataloggers installed. The water surface elevation in the stillwell is measured each time the site is visited and verified it matches the staff gage for correct water depth through the measuring device. The still wells are flushed once every two months to assure the communication line is open and free of debris. The gage height data is logged on a module every 15 minutes. The modules are changed and processed every two weeks. Software used to process the data gives an hourly average gage and converts it to flow. It also gives the maximum and minimum flows for each day and time stamps it. The data is reviewed for any discrepancies which can be caused as a result of debris plugging the measuring device, a plugged stillwell, low batteries, etc.

# SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

- [Open a FlowTracker file](#)
- [Open many FlowTracker files/folders](#)

The current export settings are:

- Show Discharge Summary Report
- Export ASCII Discharge file (DIS)
- Export ASCII Control file (CTL)
- Export ASCII Summary file (SUM)
- Export ASCII Data file (DAT)
- Export FlowPack file (FPX)
- Put Headers on ASCII files

[Connect to a FlowTracker](#)

To download data and run diagnostics

070706.ORABR.LOR.WAD

## Discharge Measurement Summary

Date Generated: Thu Sep 27 2007

File Information		Site Details	
File Name	070706.ORABR.LOR.WAD	Site Name	ORABR
Start Date and Time	2007/07/06 07:48:17	Operator(s)	DJT

System Information		Units	(English Units)
Sensor Type	FlowTracker	Distance	ft
Serial #	P1685	Velocity	ft/s
CPU Firmware Version	3.2	Area	ft^2
Software Ver	2.11	Discharge	cfs

Discharge Uncertainty		
Category	ISO	Stats
Accuracy	1.0%	1.0%
Depth	0.1%	0.5%
Velocity	0.3%	1.4%
Width	0.1%	0.1%
Method	0.8%	-
# Stations	1.6%	-
<b>Overall</b>	<b>2.1%</b>	<b>1.8%</b>

Summary			
Averaging Int.	40	# Stations	32
Start Edge	REW	Total Width	48.100
Mean SNR	18.7 dB	Total Area	69.016
Mean Temp	73.68 °F	Mean Depth	1.435
Disch. Equation	Mid-Section	Mean Velocity	0.6419
		<b>Total Discharge</b>	<b>44.3025</b>

Measurement Results												
St	Clock	Loc	Method	Depth	%Dep	MeasD	Vel	CorrFact	MeanV	Area	Flow	%Q
0	07:48	23.60	None	0.000	0.0	0.0	0.0000	1.00	0.0000	0.000	0.0000	0.0
1	07:48	24.60	0.6	0.360	0.6	0.144	0.2762	1.00	0.2762	0.360	0.0994	0.2
2	07:50	25.60	0.6	0.640	0.6	0.256	0.5102	1.00	0.5102	0.640	0.3266	0.7
3	07:51	26.60	0.6	0.880	0.6	0.352	0.5938	1.00	0.5938	0.880	0.5225	1.2
4	07:52	27.60	0.6	1.180	0.6	0.472	0.6257	1.00	0.6257	1.180	0.7383	1.7
5	07:54	28.60	0.6	1.390	0.6	0.556	0.6302	1.00	0.6302	1.390	0.8761	2.0
6	07:55	29.60	0.2/0.8	1.520	0.2	1.216	0.8130	1.00	0.7078	1.520	1.0759	2.4
6	07:56	29.60	0.2/0.8	1.520	0.8	0.304	0.6027					
7	07:58	30.60	0.8/0.2	1.690	0.2	1.352	0.8468	1.00	0.7664	1.690	1.2952	2.9
7	07:57	30.60	0.8/0.2	1.690	0.8	0.338	0.6860					
8	07:59	31.60	0.2/0.8	1.700	0.2	1.360	0.8146	1.00	0.7037	2.040	1.4357	3.2
8	08:00	31.60	0.2/0.8	1.700	0.8	0.340	0.5928					
9	08:03	33.00	0.8/0.2	1.680	0.2	1.344	0.8383	1.00	0.7408	2.016	1.4935	3.4
9	08:01	33.00	0.8/0.2	1.680	0.8	0.336	0.6434					
10	08:05	34.00	0.2/0.8	1.600	0.2	1.280	0.8724	1.00	0.7398	2.400	1.7757	4.0
10	08:06	34.00	0.2/0.8	1.600	0.8	0.320	0.6073					
11	08:08	36.00	0.8/0.2	1.520	0.2	1.216	0.8186	1.00	0.6995	3.040	2.1264	4.8
11	08:07	36.00	0.8/0.2	1.520	0.8	0.304	0.5804					
12	08:09	38.00	0.2/0.8	1.500	0.2	1.200	0.8957	1.00	0.7461	3.000	2.2382	5.1
12	08:11	38.00	0.2/0.8	1.500	0.8	0.300	0.5965					
13	08:12	40.00	0.2/0.8	1.490	0.2	1.192	0.8245	1.00	0.6321	2.980	1.8837	4.3
13	08:13	40.00	0.2/0.8	1.490	0.8	0.298	0.4396					
14	08:15	42.00	0.2/0.8	1.510	0.2	1.208	0.8514	1.00	0.7548	3.020	2.2791	5.1
14	08:16	42.00	0.2/0.8	1.510	0.8	0.302	0.6581					
15	08:18	44.00	0.8/0.2	1.600	0.2	1.280	0.8278	1.00	0.7026	3.200	2.2484	5.1
15	08:17	44.00	0.8/0.2	1.600	0.8	0.320	0.5774					
16	08:19	46.00	0.2/0.8	1.620	0.2	1.296	0.8018	1.00	0.6916	3.240	2.2409	5.1
16	08:20	46.00	0.2/0.8	1.620	0.8	0.324	0.5814					
17	08:22	48.00	0.8/0.2	1.700	0.2	1.360	0.8396	1.00	0.7756	3.400	2.6372	6.0
17	08:21	48.00	0.8/0.2	1.700	0.8	0.340	0.7116					
18	08:23	50.00	0.2/0.8	1.800	0.2	1.440	0.9016	1.00	0.8251	3.600	2.9703	6.7
18	08:24	50.00	0.2/0.8	1.800	0.8	0.360	0.7487					
19	08:26	52.00	0.8/0.2	1.680	0.2	1.344	0.8271	1.00	0.7269	3.360	2.4425	5.5
19	08:25	52.00	0.8/0.2	1.680	0.8	0.336	0.6266					
20	08:27	54.00	0.2/0.8	1.780	0.2	1.424	0.7795	1.00	0.6763	3.560	2.4076	5.4
20	08:28	54.00	0.2/0.8	1.780	0.8	0.356	0.5732					
21	08:30	56.00	0.8/0.2	1.820	0.2	1.456	0.7329	1.00	0.6097	3.640	2.2193	5.0
21	08:29	56.00	0.8/0.2	1.820	0.8	0.364	0.4865					
22	08:32	58.00	0.2/0.8	1.820	0.2	1.456	0.7123	1.00	0.5540	3.640	2.0163	4.6
22	08:34	58.00	0.2/0.8	1.820	0.8	0.364	0.3957					
23	08:36	60.00	0.8/0.2	1.800	0.2	1.440	0.6949	1.00	0.6017	3.600	2.1660	4.9
23	08:35	60.00	0.8/0.2	1.800	0.8	0.360	0.5085					

- [Program Settings](#)
- [Quality Control Settings](#)
- [Show User's Manual](#)
- [Show Technical Manual](#)
- [Show Quick Start](#)
- [About FlowTracker](#)

English



A YSI Environmental Company

# SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

-  [Open a FlowTracker file](#)
-  [Open many FlowTracker files/folders](#)

**The current export settings are:**

- Show Discharge Summary Report
- Export ASCII Discharge file (DIS)
- Export ASCII Control file (CTL)
- Export ASCII Summary file (SUM)
- Export ASCII Data file (DAT)
- Export FlowPack file (FPX)
- Put Headers on ASCII files

-  [Connect to a FlowTracker](#)  
To download data and run diagnostics




-  [Program Settings](#)
- [Quality Control Settings](#)
-  [Show User's Manual](#)
-  [Show Technical Manual](#)
-  [Show Quick Start](#)
-  [About FlowTracker](#)

 English



A YSI Environmental Company

070706.0RABR.LOR.WAD



**Quality Control**

St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

**Automatic Quality Control Test (BeamCheck)**



# SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

-  [Open a FlowTracker file](#)
-  [Open many FlowTracker files/folders](#)

**The current export settings are:**

- Show Discharge Summary Report
- Export ASCII Discharge file (DIS)
- Export ASCII Control file (CTL)
- Export ASCII Summary file (SUM)
- Export ASCII Data file (DAT)
- Export FlowPack file (FPX)
- Put Headers on ASCII files

 [Connect to a FlowTracker](#)




To download data and run diagnostics

-  [Program Settings](#)
- [Quality Control Settings](#)
-  [Show User's Manual](#)
-  [Show Technical Manual](#)
-  [Show Quick Start](#)
-  [About FlowTracker](#)

 English




070706.0RABR.LOR.WAD



**Quality Control**



St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

**Automatic Quality Control Test (BeamCheck)**





FileName: BROR\_070801\_a.arg (Argonaut- SW 3000 kHz)



System	Argonaut-SW
Frequency	3000 kHz

File	BROR_070801_a
File Size	65.18 kB

Sample No	1
Sample Date	02/07/2007
Sample Time	13:28:38
Time Interval	180

Velocity Data:	
V1/X/E(cm/s)	27.8
V2/Y/N(cm/s)	2.4
V3/Z/U(cm/s)	--
Speed (cm/s)	27.9
Direction(deg)	85.1

Discharge Summary:	
V Beam (m)	0.426
Stage (m)	1.304 V
VMean (cm/s)	22.7
Flow (cfs)	50.21
Area (m2)	6.26
Vol (acre-ft)	0.7

Diagnostic Data:	
SNR1 (dB)	61
SNR2 (dB)	61
SNR3 (dB)	--
StErr1 (cm/s)	0.9
StErr2 (cm/s)	0.8
StErr3 (cm/s)	--
Mean StDev	0.9
Battery (V)	12.4

Party: BLP/CBR	Width: 30.1 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 123 ft <sup>2</sup>	Mean Velocity: 0.341 ft/s
Gage Height: 4.67 ft	G.H.Change: 0.000 ft	Discharge: 41.6 ft <sup>3</sup> /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.0°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft <sup>2</sup>	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:	ADCP:
BT 3-Beam Solution: NO	Type/Freq.: StreamPro / 2000 kHz
WT 3-Beam Solution: NO	Serial #:                      Firmware: 31.12
BT Error Vel.: 32.81 ft/s	Bin Size: 10 cm              Blank: 3 cm
WT Error Vel.: 32.81 ft/s	BT Mode: 10                  BT Pings: 2
BT Up Vel.: 32.81 ft/s	WT Mode: 12                  WT Pings: 6
WT Up Vel.: 32.81 ft/s	WV : 0                          WO : 1, 4
Use Weighted Mean Depth: NO	

Performed Diag. Test: NO  
 Performed Moving Bed Test: NO  
 Performed Compass Calibration: NO    Evaluation: NO  
 Meas. Location: BRIDGE

Project Name: 220126 LOR @ INTAKE000r.m  
 Software: 2.20

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	70	5.33	29.1	5.65	0.636	1.55	42.2	30	123	10:54	10:55	0.39	0.34	24	0
001	R	2	2	56	5.33	29.6	5.72	0.459	1.13	42.2	26	108	10:56	10:57	0.39	0.39	20	0
004	L	2	2	74	5.30	27.6	5.76	0.671	0.812	40.2	32	128	11:00	11:01	0.36	0.31	26	0
005	R	2	2	98	5.47	28.7	6.39	0.600	0.706	41.9	33	133	11:02	11:03	0.29	0.31	29	0
<b>Mean</b>		2	2	74	5.36	28.8	5.88	0.592	1.05	41.6	30	123	<b>Total</b>	00:09	0.36	0.34	25	0
<b>SDev</b>		0	0	17	0.078	0.848	0.344	0.093	0.381	1.00	3.0	10.8			0.05	0.04		
<b>SD/M</b>		0.0%	0.0%	23.6%	1.5%	2.9%	5.9%	15.7%	36.2%	2.4%	10.0%	8.8%			13.7%	10.4%		

Remarks:

Blackrock Return Ditch

Station 0208

Date	Flow (cfs)
1/1/2022	1.02
1/2/2022	1.07
1/3/2022	1.05
1/4/2022	1.05
1/5/2022	1.16
1/6/2022	1.15
1/7/2022	1.15
1/8/2022	1.10
1/9/2022	1.04
1/10/2022	0.96
1/11/2022	1.13
1/12/2022	1.26
1/13/2022	1.26
1/14/2022	1.26
1/15/2022	1.26
1/16/2022	1.20
1/17/2022	1.19
1/18/2022	1.18
1/19/2022	1.16
1/20/2022	1.16
1/21/2022	1.12
1/22/2022	1.12
1/23/2022	1.09
1/24/2022	1.09
1/25/2022	1.07
1/26/2022	1.05
1/27/2022	1.05
1/28/2022	1.03
1/29/2022	1.03
1/30/2022	1.05
1/31/2022	1.21

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/1/2022	12:00:00 AM	0.45
1/1/2022	12:15:00 AM	0.45
1/1/2022	12:30:00 AM	0.45
1/1/2022	12:45:00 AM	0.45
1/1/2022	1:00:00 AM	0.45
1/1/2022	1:15:00 AM	0.45
1/1/2022	1:30:00 AM	0.45
1/1/2022	1:45:00 AM	0.45
1/1/2022	2:00:00 AM	0.45
1/1/2022	2:15:00 AM	0.45
1/1/2022	2:30:00 AM	0.45
1/1/2022	2:45:00 AM	0.45
1/1/2022	3:00:00 AM	0.44
1/1/2022	3:15:00 AM	0.44
1/1/2022	3:30:00 AM	0.44
1/1/2022	3:45:00 AM	0.44
1/1/2022	4:00:00 AM	0.44
1/1/2022	4:15:00 AM	0.44
1/1/2022	4:30:00 AM	0.44
1/1/2022	4:45:00 AM	0.44
1/1/2022	5:00:00 AM	0.44
1/1/2022	5:15:00 AM	0.44
1/1/2022	5:30:00 AM	0.44
1/1/2022	5:45:00 AM	0.44
1/1/2022	6:00:00 AM	0.44
1/1/2022	6:15:00 AM	0.44
1/1/2022	6:30:00 AM	0.44
1/1/2022	6:45:00 AM	0.44
1/1/2022	7:00:00 AM	0.44
1/1/2022	7:15:00 AM	0.44
1/1/2022	7:30:00 AM	0.44
1/1/2022	7:45:00 AM	0.44
1/1/2022	8:00:00 AM	0.44
1/1/2022	8:15:00 AM	0.44
1/1/2022	8:30:00 AM	0.43
1/1/2022	8:45:00 AM	0.43
1/1/2022	9:00:00 AM	0.43
1/1/2022	9:15:00 AM	0.43
1/1/2022	9:30:00 AM	0.43
1/1/2022	9:45:00 AM	0.43
1/1/2022	10:00:00 AM	0.43
1/1/2022	10:15:00 AM	0.43
1/1/2022	10:30:00 AM	0.44
1/1/2022	10:45:00 AM	0.44
1/1/2022	11:00:00 AM	0.44
1/1/2022	11:15:00 AM	0.44

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/1/2022	11:30:00 AM	0.44
1/1/2022	11:45:00 AM	0.44
1/1/2022	12:00:00 PM	0.44
1/1/2022	12:15:00 PM	0.44
1/1/2022	12:30:00 PM	0.44
1/1/2022	12:45:00 PM	0.45
1/1/2022	1:00:00 PM	0.45
1/1/2022	1:15:00 PM	0.45
1/1/2022	1:30:00 PM	0.45
1/1/2022	1:45:00 PM	0.45
1/1/2022	2:00:00 PM	0.45
1/1/2022	2:15:00 PM	0.45
1/1/2022	2:30:00 PM	0.45
1/1/2022	2:45:00 PM	0.46
1/1/2022	3:00:00 PM	0.46
1/1/2022	3:15:00 PM	0.46
1/1/2022	3:30:00 PM	0.46
1/1/2022	3:45:00 PM	0.46
1/1/2022	4:00:00 PM	0.46
1/1/2022	4:15:00 PM	0.46
1/1/2022	4:30:00 PM	0.46
1/1/2022	4:45:00 PM	0.46
1/1/2022	5:00:00 PM	0.46
1/1/2022	5:15:00 PM	0.46
1/1/2022	5:30:00 PM	0.46
1/1/2022	5:45:00 PM	0.46
1/1/2022	6:00:00 PM	0.46
1/1/2022	6:15:00 PM	0.46
1/1/2022	6:30:00 PM	0.46
1/1/2022	6:45:00 PM	0.46
1/1/2022	7:00:00 PM	0.46
1/1/2022	7:15:00 PM	0.46
1/1/2022	7:30:00 PM	0.46
1/1/2022	7:45:00 PM	0.46
1/1/2022	8:00:00 PM	0.46
1/1/2022	8:15:00 PM	0.46
1/1/2022	8:30:00 PM	0.46
1/1/2022	8:45:00 PM	0.46
1/1/2022	9:00:00 PM	0.46
1/1/2022	9:15:00 PM	0.46
1/1/2022	9:30:00 PM	0.46
1/1/2022	9:45:00 PM	0.46
1/1/2022	10:00:00 PM	0.46
1/1/2022	10:15:00 PM	0.46
1/1/2022	10:30:00 PM	0.46
1/1/2022	10:45:00 PM	0.47

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/1/2022	11:00:00 PM	0.47
1/1/2022	11:15:00 PM	0.47
1/1/2022	11:30:00 PM	0.46
1/1/2022	11:45:00 PM	0.47
1/2/2022	12:00:00 AM	0.47
1/2/2022	12:15:00 AM	0.47
1/2/2022	12:30:00 AM	0.47
1/2/2022	12:45:00 AM	0.47
1/2/2022	1:00:00 AM	0.47
1/2/2022	1:15:00 AM	0.47
1/2/2022	1:30:00 AM	0.47
1/2/2022	1:45:00 AM	0.47
1/2/2022	2:00:00 AM	0.47
1/2/2022	2:15:00 AM	0.46
1/2/2022	2:30:00 AM	0.46
1/2/2022	2:45:00 AM	0.47
1/2/2022	3:00:00 AM	0.47
1/2/2022	3:15:00 AM	0.46
1/2/2022	3:30:00 AM	0.46
1/2/2022	3:45:00 AM	0.46
1/2/2022	4:00:00 AM	0.46
1/2/2022	4:15:00 AM	0.46
1/2/2022	4:30:00 AM	0.46
1/2/2022	4:45:00 AM	0.47
1/2/2022	5:00:00 AM	0.46
1/2/2022	5:15:00 AM	0.46
1/2/2022	5:30:00 AM	0.46
1/2/2022	5:45:00 AM	0.46
1/2/2022	6:00:00 AM	0.46
1/2/2022	6:15:00 AM	0.46
1/2/2022	6:30:00 AM	0.46
1/2/2022	6:45:00 AM	0.46
1/2/2022	7:00:00 AM	0.46
1/2/2022	7:15:00 AM	0.46
1/2/2022	7:30:00 AM	0.46
1/2/2022	7:45:00 AM	0.46
1/2/2022	8:00:00 AM	0.46
1/2/2022	8:15:00 AM	0.46
1/2/2022	8:30:00 AM	0.46
1/2/2022	8:45:00 AM	0.46
1/2/2022	9:00:00 AM	0.46
1/2/2022	9:15:00 AM	0.46
1/2/2022	9:30:00 AM	0.46
1/2/2022	9:45:00 AM	0.46
1/2/2022	10:00:00 AM	0.46
1/2/2022	10:15:00 AM	0.46

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/2/2022	10:30:00 AM	0.46
1/2/2022	10:45:00 AM	0.46
1/2/2022	11:00:00 AM	0.46
1/2/2022	11:15:00 AM	0.46
1/2/2022	11:30:00 AM	0.46
1/2/2022	11:45:00 AM	0.46
1/2/2022	12:00:00 PM	0.46
1/2/2022	12:15:00 PM	0.46
1/2/2022	12:30:00 PM	0.46
1/2/2022	12:45:00 PM	0.47
1/2/2022	1:00:00 PM	0.46
1/2/2022	1:15:00 PM	0.46
1/2/2022	1:30:00 PM	0.47
1/2/2022	1:45:00 PM	0.47
1/2/2022	2:00:00 PM	0.46
1/2/2022	2:15:00 PM	0.47
1/2/2022	2:30:00 PM	0.47
1/2/2022	2:45:00 PM	0.47
1/2/2022	3:00:00 PM	0.47
1/2/2022	3:15:00 PM	0.47
1/2/2022	3:30:00 PM	0.47
1/2/2022	3:45:00 PM	0.47
1/2/2022	4:00:00 PM	0.47
1/2/2022	4:15:00 PM	0.46
1/2/2022	4:30:00 PM	0.47
1/2/2022	4:45:00 PM	0.47
1/2/2022	5:00:00 PM	0.47
1/2/2022	5:15:00 PM	0.47
1/2/2022	5:30:00 PM	0.47
1/2/2022	5:45:00 PM	0.47
1/2/2022	6:00:00 PM	0.47
1/2/2022	6:15:00 PM	0.47
1/2/2022	6:30:00 PM	0.47
1/2/2022	6:45:00 PM	0.47
1/2/2022	7:00:00 PM	0.47
1/2/2022	7:15:00 PM	0.47
1/2/2022	7:30:00 PM	0.47
1/2/2022	7:45:00 PM	0.47
1/2/2022	8:00:00 PM	0.47
1/2/2022	8:15:00 PM	0.47
1/2/2022	8:30:00 PM	0.46
1/2/2022	8:45:00 PM	0.46
1/2/2022	9:00:00 PM	0.47
1/2/2022	9:15:00 PM	0.47
1/2/2022	9:30:00 PM	0.47
1/2/2022	9:45:00 PM	0.47

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/2/2022	10:00:00 PM	0.46
1/2/2022	10:15:00 PM	0.46
1/2/2022	10:30:00 PM	0.46
1/2/2022	10:45:00 PM	0.46
1/2/2022	11:00:00 PM	0.46
1/2/2022	11:15:00 PM	0.46
1/2/2022	11:30:00 PM	0.46
1/2/2022	11:45:00 PM	0.46
1/3/2022	12:00:00 AM	0.46
1/3/2022	12:15:00 AM	0.46
1/3/2022	12:30:00 AM	0.46
1/3/2022	12:45:00 AM	0.46
1/3/2022	1:00:00 AM	0.46
1/3/2022	1:15:00 AM	0.46
1/3/2022	1:30:00 AM	0.46
1/3/2022	1:45:00 AM	0.46
1/3/2022	2:00:00 AM	0.46
1/3/2022	2:15:00 AM	0.46
1/3/2022	2:30:00 AM	0.46
1/3/2022	2:45:00 AM	0.46
1/3/2022	3:00:00 AM	0.46
1/3/2022	3:15:00 AM	0.46
1/3/2022	3:30:00 AM	0.46
1/3/2022	3:45:00 AM	0.46
1/3/2022	4:00:00 AM	0.46
1/3/2022	4:15:00 AM	0.46
1/3/2022	4:30:00 AM	0.46
1/3/2022	4:45:00 AM	0.46
1/3/2022	5:00:00 AM	0.46
1/3/2022	5:15:00 AM	0.46
1/3/2022	5:30:00 AM	0.46
1/3/2022	5:45:00 AM	0.46
1/3/2022	6:00:00 AM	0.46
1/3/2022	6:15:00 AM	0.46
1/3/2022	6:30:00 AM	0.46
1/3/2022	6:45:00 AM	0.46
1/3/2022	7:00:00 AM	0.46
1/3/2022	7:15:00 AM	0.46
1/3/2022	7:30:00 AM	0.46
1/3/2022	7:45:00 AM	0.46
1/3/2022	8:00:00 AM	0.46
1/3/2022	8:15:00 AM	0.46
1/3/2022	8:30:00 AM	0.46
1/3/2022	8:45:00 AM	0.46
1/3/2022	9:00:00 AM	0.46
1/3/2022	9:15:00 AM	0.46



## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/3/2022	9:30:00 AM	0.46
1/3/2022	9:45:00 AM	0.46
1/3/2022	10:00:00 AM	0.46
1/3/2022	10:15:00 AM	0.46
1/3/2022	10:30:00 AM	0.46
1/3/2022	10:45:00 AM	0.46
1/3/2022	11:00:00 AM	0.46
1/3/2022	11:15:00 AM	0.46
1/3/2022	11:30:00 AM	0.46
1/3/2022	11:45:00 AM	0.46
1/3/2022	12:00:00 PM	0.46
1/3/2022	12:15:00 PM	0.46
1/3/2022	12:30:00 PM	0.46
1/3/2022	12:45:00 PM	0.46
1/3/2022	1:00:00 PM	0.46
1/3/2022	1:15:00 PM	0.46
1/3/2022	1:30:00 PM	0.46
1/3/2022	1:45:00 PM	0.46
1/3/2022	2:00:00 PM	0.46
1/3/2022	2:15:00 PM	0.46
1/3/2022	2:30:00 PM	0.46
1/3/2022	2:45:00 PM	0.46
1/3/2022	3:00:00 PM	0.46
1/3/2022	3:15:00 PM	0.46
1/3/2022	3:30:00 PM	0.46
1/3/2022	3:45:00 PM	0.46
1/3/2022	4:00:00 PM	0.46
1/3/2022	4:15:00 PM	0.46
1/3/2022	4:30:00 PM	0.46
1/3/2022	4:45:00 PM	0.46
1/3/2022	5:00:00 PM	0.46
1/3/2022	5:15:00 PM	0.46
1/3/2022	5:30:00 PM	0.46
1/3/2022	5:45:00 PM	0.46
1/3/2022	6:00:00 PM	0.46
1/3/2022	6:15:00 PM	0.46
1/3/2022	6:30:00 PM	0.46
1/3/2022	6:45:00 PM	0.46
1/3/2022	7:00:00 PM	0.46
1/3/2022	7:15:00 PM	0.46
1/3/2022	7:30:00 PM	0.46
1/3/2022	7:45:00 PM	0.46
1/3/2022	8:00:00 PM	0.46
1/3/2022	8:15:00 PM	0.46
1/3/2022	8:30:00 PM	0.46
1/3/2022	8:45:00 PM	0.46

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/3/2022	9:00:00 PM	0.46
1/3/2022	9:15:00 PM	0.46
1/3/2022	9:30:00 PM	0.46
1/3/2022	9:45:00 PM	0.46
1/3/2022	10:00:00 PM	0.46
1/3/2022	10:15:00 PM	0.46
1/3/2022	10:30:00 PM	0.46
1/3/2022	10:45:00 PM	0.46
1/3/2022	11:00:00 PM	0.46
1/3/2022	11:15:00 PM	0.46
1/3/2022	11:30:00 PM	0.46
1/3/2022	11:45:00 PM	0.45
1/4/2022	12:00:00 AM	0.46
1/4/2022	12:15:00 AM	0.45
1/4/2022	12:30:00 AM	0.45
1/4/2022	12:45:00 AM	0.45
1/4/2022	1:00:00 AM	0.45
1/4/2022	1:15:00 AM	0.45
1/4/2022	1:30:00 AM	0.45
1/4/2022	1:45:00 AM	0.45
1/4/2022	2:00:00 AM	0.45
1/4/2022	2:15:00 AM	0.45
1/4/2022	2:30:00 AM	0.45
1/4/2022	2:45:00 AM	0.45
1/4/2022	3:00:00 AM	0.45
1/4/2022	3:15:00 AM	0.45
1/4/2022	3:30:00 AM	0.45
1/4/2022	3:45:00 AM	0.44
1/4/2022	4:00:00 AM	0.45
1/4/2022	4:15:00 AM	0.45
1/4/2022	4:30:00 AM	0.45
1/4/2022	4:45:00 AM	0.44
1/4/2022	5:00:00 AM	0.45
1/4/2022	5:15:00 AM	0.44
1/4/2022	5:30:00 AM	0.44
1/4/2022	5:45:00 AM	0.44
1/4/2022	6:00:00 AM	0.44
1/4/2022	6:15:00 AM	0.44
1/4/2022	6:30:00 AM	0.44
1/4/2022	6:45:00 AM	0.44
1/4/2022	7:00:00 AM	0.44
1/4/2022	7:15:00 AM	0.44
1/4/2022	7:30:00 AM	0.44
1/4/2022	7:45:00 AM	0.44
1/4/2022	8:00:00 AM	0.44
1/4/2022	8:15:00 AM	0.44

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/4/2022	8:30:00 AM	0.44
1/4/2022	8:45:00 AM	0.44
1/4/2022	9:00:00 AM	0.44
1/4/2022	9:15:00 AM	0.44
1/4/2022	9:30:00 AM	0.44
1/4/2022	9:45:00 AM	0.44
1/4/2022	10:00:00 AM	0.44
1/4/2022	10:15:00 AM	0.44
1/4/2022	10:30:00 AM	0.44
1/4/2022	10:45:00 AM	0.44
1/4/2022	11:00:00 AM	0.44
1/4/2022	11:15:00 AM	0.44
1/4/2022	11:30:00 AM	0.44
1/4/2022	11:45:00 AM	0.44
1/4/2022	12:00:00 PM	0.44
1/4/2022	12:15:00 PM	0.44
1/4/2022	12:30:00 PM	0.45
1/4/2022	12:45:00 PM	0.45
1/4/2022	1:00:00 PM	0.45
1/4/2022	1:15:00 PM	0.45
1/4/2022	1:30:00 PM	0.45
1/4/2022	1:45:00 PM	0.46
1/4/2022	2:00:00 PM	0.46
1/4/2022	2:15:00 PM	0.46
1/4/2022	2:30:00 PM	0.46
1/4/2022	2:45:00 PM	0.46
1/4/2022	3:00:00 PM	0.46
1/4/2022	3:15:00 PM	0.46
1/4/2022	3:30:00 PM	0.47
1/4/2022	3:45:00 PM	0.47
1/4/2022	4:00:00 PM	0.47
1/4/2022	4:15:00 PM	0.47
1/4/2022	4:30:00 PM	0.47
1/4/2022	4:45:00 PM	0.47
1/4/2022	5:00:00 PM	0.47
1/4/2022	5:15:00 PM	0.47
1/4/2022	5:30:00 PM	0.47
1/4/2022	5:45:00 PM	0.48
1/4/2022	6:00:00 PM	0.48
1/4/2022	6:15:00 PM	0.48
1/4/2022	6:30:00 PM	0.48
1/4/2022	6:45:00 PM	0.48
1/4/2022	7:00:00 PM	0.48
1/4/2022	7:15:00 PM	0.48
1/4/2022	7:30:00 PM	0.48
1/4/2022	7:45:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/4/2022	8:00:00 PM	0.48
1/4/2022	8:15:00 PM	0.48
1/4/2022	8:30:00 PM	0.48
1/4/2022	8:45:00 PM	0.49
1/4/2022	9:00:00 PM	0.49
1/4/2022	9:15:00 PM	0.49
1/4/2022	9:30:00 PM	0.49
1/4/2022	9:45:00 PM	0.49
1/4/2022	10:00:00 PM	0.49
1/4/2022	10:15:00 PM	0.49
1/4/2022	10:30:00 PM	0.49
1/4/2022	10:45:00 PM	0.49
1/4/2022	11:00:00 PM	0.49
1/4/2022	11:15:00 PM	0.49
1/4/2022	11:30:00 PM	0.49
1/4/2022	11:45:00 PM	0.49
1/5/2022	12:00:00 AM	0.49
1/5/2022	12:15:00 AM	0.49
1/5/2022	12:30:00 AM	0.49
1/5/2022	12:45:00 AM	0.49
1/5/2022	1:00:00 AM	0.49
1/5/2022	1:15:00 AM	0.49
1/5/2022	1:30:00 AM	0.49
1/5/2022	1:45:00 AM	0.49
1/5/2022	2:00:00 AM	0.49
1/5/2022	2:15:00 AM	0.49
1/5/2022	2:30:00 AM	0.49
1/5/2022	2:45:00 AM	0.49
1/5/2022	3:00:00 AM	0.49
1/5/2022	3:15:00 AM	0.49
1/5/2022	3:30:00 AM	0.49
1/5/2022	3:45:00 AM	0.49
1/5/2022	4:00:00 AM	0.49
1/5/2022	4:15:00 AM	0.49
1/5/2022	4:30:00 AM	0.49
1/5/2022	4:45:00 AM	0.49
1/5/2022	5:00:00 AM	0.49
1/5/2022	5:15:00 AM	0.49
1/5/2022	5:30:00 AM	0.49
1/5/2022	5:45:00 AM	0.49
1/5/2022	6:00:00 AM	0.49
1/5/2022	6:15:00 AM	0.49
1/5/2022	6:30:00 AM	0.49
1/5/2022	6:45:00 AM	0.49
1/5/2022	7:00:00 AM	0.49
1/5/2022	7:15:00 AM	0.49

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/5/2022	7:30:00 AM	0.49
1/5/2022	7:45:00 AM	0.49
1/5/2022	8:00:00 AM	0.49
1/5/2022	8:15:00 AM	0.49
1/5/2022	8:30:00 AM	0.49
1/5/2022	8:45:00 AM	0.49
1/5/2022	9:00:00 AM	0.49
1/5/2022	9:15:00 AM	0.49
1/5/2022	9:30:00 AM	0.49
1/5/2022	9:45:00 AM	0.49
1/5/2022	10:00:00 AM	0.49
1/5/2022	10:15:00 AM	0.49
1/5/2022	10:30:00 AM	0.49
1/5/2022	10:45:00 AM	0.49
1/5/2022	11:00:00 AM	0.49
1/5/2022	11:15:00 AM	0.49
1/5/2022	11:30:00 AM	0.49
1/5/2022	11:45:00 AM	0.49
1/5/2022	12:00:00 PM	0.49
1/5/2022	12:15:00 PM	0.49
1/5/2022	12:30:00 PM	0.49
1/5/2022	12:45:00 PM	0.49
1/5/2022	1:00:00 PM	0.49
1/5/2022	1:15:00 PM	0.49
1/5/2022	1:30:00 PM	0.49
1/5/2022	1:45:00 PM	0.49
1/5/2022	2:00:00 PM	0.49
1/5/2022	2:15:00 PM	0.49
1/5/2022	2:30:00 PM	0.49
1/5/2022	2:45:00 PM	0.49
1/5/2022	3:00:00 PM	0.49
1/5/2022	3:15:00 PM	0.49
1/5/2022	3:30:00 PM	0.49
1/5/2022	3:45:00 PM	0.49
1/5/2022	4:00:00 PM	0.49
1/5/2022	4:15:00 PM	0.49
1/5/2022	4:30:00 PM	0.49
1/5/2022	4:45:00 PM	0.49
1/5/2022	5:00:00 PM	0.49
1/5/2022	5:15:00 PM	0.49
1/5/2022	5:30:00 PM	0.49
1/5/2022	5:45:00 PM	0.49
1/5/2022	6:00:00 PM	0.49
1/5/2022	6:15:00 PM	0.49
1/5/2022	6:30:00 PM	0.49
1/5/2022	6:45:00 PM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/5/2022	7:00:00 PM	0.49
1/5/2022	7:15:00 PM	0.5
1/5/2022	7:30:00 PM	0.49
1/5/2022	7:45:00 PM	0.49
1/5/2022	8:00:00 PM	0.5
1/5/2022	8:15:00 PM	0.49
1/5/2022	8:30:00 PM	0.49
1/5/2022	8:45:00 PM	0.5
1/5/2022	9:00:00 PM	0.49
1/5/2022	9:15:00 PM	0.49
1/5/2022	9:30:00 PM	0.49
1/5/2022	9:45:00 PM	0.49
1/5/2022	10:00:00 PM	0.49
1/5/2022	10:15:00 PM	0.49
1/5/2022	10:30:00 PM	0.49
1/5/2022	10:45:00 PM	0.49
1/5/2022	11:00:00 PM	0.49
1/5/2022	11:15:00 PM	0.49
1/5/2022	11:30:00 PM	0.49
1/5/2022	11:45:00 PM	0.49
1/6/2022	12:00:00 AM	0.49
1/6/2022	12:15:00 AM	0.49
1/6/2022	12:30:00 AM	0.49
1/6/2022	12:45:00 AM	0.49
1/6/2022	1:00:00 AM	0.49
1/6/2022	1:15:00 AM	0.49
1/6/2022	1:30:00 AM	0.49
1/6/2022	1:45:00 AM	0.49
1/6/2022	2:00:00 AM	0.49
1/6/2022	2:15:00 AM	0.49
1/6/2022	2:30:00 AM	0.49
1/6/2022	2:45:00 AM	0.49
1/6/2022	3:00:00 AM	0.49
1/6/2022	3:15:00 AM	0.49
1/6/2022	3:30:00 AM	0.49
1/6/2022	3:45:00 AM	0.49
1/6/2022	4:00:00 AM	0.49
1/6/2022	4:15:00 AM	0.49
1/6/2022	4:30:00 AM	0.49
1/6/2022	4:45:00 AM	0.49
1/6/2022	5:00:00 AM	0.49
1/6/2022	5:15:00 AM	0.49
1/6/2022	5:30:00 AM	0.49
1/6/2022	5:45:00 AM	0.49
1/6/2022	6:00:00 AM	0.49
1/6/2022	6:15:00 AM	0.49

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/6/2022	6:30:00 AM	0.49
1/6/2022	6:45:00 AM	0.49
1/6/2022	7:00:00 AM	0.49
1/6/2022	7:15:00 AM	0.49
1/6/2022	7:30:00 AM	0.49
1/6/2022	7:45:00 AM	0.49
1/6/2022	8:00:00 AM	0.49
1/6/2022	8:15:00 AM	0.49
1/6/2022	8:30:00 AM	0.49
1/6/2022	8:45:00 AM	0.49
1/6/2022	9:00:00 AM	0.49
1/6/2022	9:15:00 AM	0.49
1/6/2022	9:30:00 AM	0.49
1/6/2022	9:45:00 AM	0.49
1/6/2022	10:00:00 AM	0.49
1/6/2022	10:15:00 AM	0.49
1/6/2022	10:30:00 AM	0.49
1/6/2022	10:45:00 AM	0.49
1/6/2022	11:00:00 AM	0.49
1/6/2022	11:15:00 AM	0.49
1/6/2022	11:30:00 AM	0.49
1/6/2022	11:45:00 AM	0.49
1/6/2022	12:00:00 PM	0.49
1/6/2022	12:15:00 PM	0.49
1/6/2022	12:30:00 PM	0.49
1/6/2022	12:45:00 PM	0.49
1/6/2022	1:00:00 PM	0.49
1/6/2022	1:15:00 PM	0.49
1/6/2022	1:30:00 PM	0.48
1/6/2022	1:45:00 PM	0.49
1/6/2022	2:00:00 PM	0.49
1/6/2022	2:15:00 PM	0.48
1/6/2022	2:30:00 PM	0.49
1/6/2022	2:45:00 PM	0.49
1/6/2022	3:00:00 PM	0.49
1/6/2022	3:15:00 PM	0.49
1/6/2022	3:30:00 PM	0.49
1/6/2022	3:45:00 PM	0.49
1/6/2022	4:00:00 PM	0.49
1/6/2022	4:15:00 PM	0.49
1/6/2022	4:30:00 PM	0.49
1/6/2022	4:45:00 PM	0.49
1/6/2022	5:00:00 PM	0.49
1/6/2022	5:15:00 PM	0.49
1/6/2022	5:30:00 PM	0.49
1/6/2022	5:45:00 PM	0.49

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/6/2022	6:00:00 PM	0.49
1/6/2022	6:15:00 PM	0.49
1/6/2022	6:30:00 PM	0.49
1/6/2022	6:45:00 PM	0.49
1/6/2022	7:00:00 PM	0.49
1/6/2022	7:15:00 PM	0.49
1/6/2022	7:30:00 PM	0.49
1/6/2022	7:45:00 PM	0.49
1/6/2022	8:00:00 PM	0.49
1/6/2022	8:15:00 PM	0.49
1/6/2022	8:30:00 PM	0.49
1/6/2022	8:45:00 PM	0.49
1/6/2022	9:00:00 PM	0.49
1/6/2022	9:15:00 PM	0.49
1/6/2022	9:30:00 PM	0.49
1/6/2022	9:45:00 PM	0.49
1/6/2022	10:00:00 PM	0.49
1/6/2022	10:15:00 PM	0.49
1/6/2022	10:30:00 PM	0.49
1/6/2022	10:45:00 PM	0.49
1/6/2022	11:00:00 PM	0.49
1/6/2022	11:15:00 PM	0.49
1/6/2022	11:30:00 PM	0.49
1/6/2022	11:45:00 PM	0.49
1/7/2022	12:00:00 AM	0.49
1/7/2022	12:15:00 AM	0.49
1/7/2022	12:30:00 AM	0.49
1/7/2022	12:45:00 AM	0.49
1/7/2022	1:00:00 AM	0.49
1/7/2022	1:15:00 AM	0.49
1/7/2022	1:30:00 AM	0.49
1/7/2022	1:45:00 AM	0.49
1/7/2022	2:00:00 AM	0.49
1/7/2022	2:15:00 AM	0.49
1/7/2022	2:30:00 AM	0.49
1/7/2022	2:45:00 AM	0.49
1/7/2022	3:00:00 AM	0.49
1/7/2022	3:15:00 AM	0.49
1/7/2022	3:30:00 AM	0.49
1/7/2022	3:45:00 AM	0.49
1/7/2022	4:00:00 AM	0.49
1/7/2022	4:15:00 AM	0.49
1/7/2022	4:30:00 AM	0.49
1/7/2022	4:45:00 AM	0.49
1/7/2022	5:00:00 AM	0.49
1/7/2022	5:15:00 AM	0.49



Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/7/2022	5:30:00 AM	0.49
1/7/2022	5:45:00 AM	0.49
1/7/2022	6:00:00 AM	0.49
1/7/2022	6:15:00 AM	0.49
1/7/2022	6:30:00 AM	0.49
1/7/2022	6:45:00 AM	0.49
1/7/2022	7:00:00 AM	0.49
1/7/2022	7:15:00 AM	0.49
1/7/2022	7:30:00 AM	0.49
1/7/2022	7:45:00 AM	0.49
1/7/2022	8:00:00 AM	0.49
1/7/2022	8:15:00 AM	0.49
1/7/2022	8:30:00 AM	0.49
1/7/2022	8:45:00 AM	0.49
1/7/2022	9:00:00 AM	0.49
1/7/2022	9:15:00 AM	0.49
1/7/2022	9:30:00 AM	0.48
1/7/2022	9:45:00 AM	0.49
1/7/2022	10:00:00 AM	0.49
1/7/2022	10:15:00 AM	0.48
1/7/2022	10:30:00 AM	0.49
1/7/2022	10:45:00 AM	0.49
1/7/2022	11:00:00 AM	0.48
1/7/2022	11:15:00 AM	0.49
1/7/2022	11:30:00 AM	0.49
1/7/2022	11:45:00 AM	0.49
1/7/2022	12:00:00 PM	0.49
1/7/2022	12:15:00 PM	0.49
1/7/2022	12:30:00 PM	0.49
1/7/2022	12:45:00 PM	0.49
1/7/2022	1:00:00 PM	0.49
1/7/2022	1:15:00 PM	0.49
1/7/2022	1:30:00 PM	0.49
1/7/2022	1:45:00 PM	0.49
1/7/2022	2:00:00 PM	0.49
1/7/2022	2:15:00 PM	0.49
1/7/2022	2:30:00 PM	0.49
1/7/2022	2:45:00 PM	0.49
1/7/2022	3:00:00 PM	0.49
1/7/2022	3:15:00 PM	0.49
1/7/2022	3:30:00 PM	0.49
1/7/2022	3:45:00 PM	0.49
1/7/2022	4:00:00 PM	0.49
1/7/2022	4:15:00 PM	0.49
1/7/2022	4:30:00 PM	0.49
1/7/2022	4:45:00 PM	0.49

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/7/2022	5:00:00 PM	0.49
1/7/2022	5:15:00 PM	0.49
1/7/2022	5:30:00 PM	0.49
1/7/2022	5:45:00 PM	0.49
1/7/2022	6:00:00 PM	0.49
1/7/2022	6:15:00 PM	0.49
1/7/2022	6:30:00 PM	0.49
1/7/2022	6:45:00 PM	0.49
1/7/2022	7:00:00 PM	0.49
1/7/2022	7:15:00 PM	0.49
1/7/2022	7:30:00 PM	0.49
1/7/2022	7:45:00 PM	0.49
1/7/2022	8:00:00 PM	0.49
1/7/2022	8:15:00 PM	0.49
1/7/2022	8:30:00 PM	0.49
1/7/2022	8:45:00 PM	0.49
1/7/2022	9:00:00 PM	0.49
1/7/2022	9:15:00 PM	0.49
1/7/2022	9:30:00 PM	0.49
1/7/2022	9:45:00 PM	0.49
1/7/2022	10:00:00 PM	0.49
1/7/2022	10:15:00 PM	0.49
1/7/2022	10:30:00 PM	0.49
1/7/2022	10:45:00 PM	0.48
1/7/2022	11:00:00 PM	0.49
1/7/2022	11:15:00 PM	0.49
1/7/2022	11:30:00 PM	0.49
1/7/2022	11:45:00 PM	0.49
1/8/2022	12:00:00 AM	0.49
1/8/2022	12:15:00 AM	0.49
1/8/2022	12:30:00 AM	0.49
1/8/2022	12:45:00 AM	0.49
1/8/2022	1:00:00 AM	0.49
1/8/2022	1:15:00 AM	0.49
1/8/2022	1:30:00 AM	0.49
1/8/2022	1:45:00 AM	0.49
1/8/2022	2:00:00 AM	0.49
1/8/2022	2:15:00 AM	0.49
1/8/2022	2:30:00 AM	0.49
1/8/2022	2:45:00 AM	0.49
1/8/2022	3:00:00 AM	0.49
1/8/2022	3:15:00 AM	0.49
1/8/2022	3:30:00 AM	0.49
1/8/2022	3:45:00 AM	0.49
1/8/2022	4:00:00 AM	0.49
1/8/2022	4:15:00 AM	0.49

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/8/2022	4:30:00 AM	0.48
1/8/2022	4:45:00 AM	0.48
1/8/2022	5:00:00 AM	0.48
1/8/2022	5:15:00 AM	0.48
1/8/2022	5:30:00 AM	0.48
1/8/2022	5:45:00 AM	0.48
1/8/2022	6:00:00 AM	0.48
1/8/2022	6:15:00 AM	0.48
1/8/2022	6:30:00 AM	0.48
1/8/2022	6:45:00 AM	0.48
1/8/2022	7:00:00 AM	0.48
1/8/2022	7:15:00 AM	0.48
1/8/2022	7:30:00 AM	0.48
1/8/2022	7:45:00 AM	0.48
1/8/2022	8:00:00 AM	0.48
1/8/2022	8:15:00 AM	0.48
1/8/2022	8:30:00 AM	0.47
1/8/2022	8:45:00 AM	0.47
1/8/2022	9:00:00 AM	0.47
1/8/2022	9:15:00 AM	0.47
1/8/2022	9:30:00 AM	0.47
1/8/2022	9:45:00 AM	0.47
1/8/2022	10:00:00 AM	0.47
1/8/2022	10:15:00 AM	0.47
1/8/2022	10:30:00 AM	0.47
1/8/2022	10:45:00 AM	0.47
1/8/2022	11:00:00 AM	0.47
1/8/2022	11:15:00 AM	0.47
1/8/2022	11:30:00 AM	0.47
1/8/2022	11:45:00 AM	0.47
1/8/2022	12:00:00 PM	0.47
1/8/2022	12:15:00 PM	0.47
1/8/2022	12:30:00 PM	0.47
1/8/2022	12:45:00 PM	0.47
1/8/2022	1:00:00 PM	0.47
1/8/2022	1:15:00 PM	0.47
1/8/2022	1:30:00 PM	0.47
1/8/2022	1:45:00 PM	0.47
1/8/2022	2:00:00 PM	0.47
1/8/2022	2:15:00 PM	0.47
1/8/2022	2:30:00 PM	0.47
1/8/2022	2:45:00 PM	0.47
1/8/2022	3:00:00 PM	0.47
1/8/2022	3:15:00 PM	0.47
1/8/2022	3:30:00 PM	0.47
1/8/2022	3:45:00 PM	0.47

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/8/2022	4:00:00 PM	0.47
1/8/2022	4:15:00 PM	0.47
1/8/2022	4:30:00 PM	0.47
1/8/2022	4:45:00 PM	0.47
1/8/2022	5:00:00 PM	0.47
1/8/2022	5:15:00 PM	0.47
1/8/2022	5:30:00 PM	0.47
1/8/2022	5:45:00 PM	0.47
1/8/2022	6:00:00 PM	0.47
1/8/2022	6:15:00 PM	0.47
1/8/2022	6:30:00 PM	0.47
1/8/2022	6:45:00 PM	0.47
1/8/2022	7:00:00 PM	0.47
1/8/2022	7:15:00 PM	0.47
1/8/2022	7:30:00 PM	0.47
1/8/2022	7:45:00 PM	0.47
1/8/2022	8:00:00 PM	0.47
1/8/2022	8:15:00 PM	0.47
1/8/2022	8:30:00 PM	0.47
1/8/2022	8:45:00 PM	0.47
1/8/2022	9:00:00 PM	0.47
1/8/2022	9:15:00 PM	0.47
1/8/2022	9:30:00 PM	0.47
1/8/2022	9:45:00 PM	0.47
1/8/2022	10:00:00 PM	0.47
1/8/2022	10:15:00 PM	0.47
1/8/2022	10:30:00 PM	0.47
1/8/2022	10:45:00 PM	0.46
1/8/2022	11:00:00 PM	0.46
1/8/2022	11:15:00 PM	0.47
1/8/2022	11:30:00 PM	0.46
1/8/2022	11:45:00 PM	0.46
1/9/2022	12:00:00 AM	0.46
1/9/2022	12:15:00 AM	0.46
1/9/2022	12:30:00 AM	0.46
1/9/2022	12:45:00 AM	0.46
1/9/2022	1:00:00 AM	0.46
1/9/2022	1:15:00 AM	0.46
1/9/2022	1:30:00 AM	0.46
1/9/2022	1:45:00 AM	0.46
1/9/2022	2:00:00 AM	0.46
1/9/2022	2:15:00 AM	0.46
1/9/2022	2:30:00 AM	0.46
1/9/2022	2:45:00 AM	0.46
1/9/2022	3:00:00 AM	0.46
1/9/2022	3:15:00 AM	0.46

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/9/2022	3:30:00 AM	0.46
1/9/2022	3:45:00 AM	0.46
1/9/2022	4:00:00 AM	0.46
1/9/2022	4:15:00 AM	0.46
1/9/2022	4:30:00 AM	0.46
1/9/2022	4:45:00 AM	0.46
1/9/2022	5:00:00 AM	0.46
1/9/2022	5:15:00 AM	0.46
1/9/2022	5:30:00 AM	0.46
1/9/2022	5:45:00 AM	0.46
1/9/2022	6:00:00 AM	0.46
1/9/2022	6:15:00 AM	0.46
1/9/2022	6:30:00 AM	0.46
1/9/2022	6:45:00 AM	0.46
1/9/2022	7:00:00 AM	0.46
1/9/2022	7:15:00 AM	0.46
1/9/2022	7:30:00 AM	0.46
1/9/2022	7:45:00 AM	0.46
1/9/2022	8:00:00 AM	0.46
1/9/2022	8:15:00 AM	0.46
1/9/2022	8:30:00 AM	0.46
1/9/2022	8:45:00 AM	0.46
1/9/2022	9:00:00 AM	0.46
1/9/2022	9:15:00 AM	0.46
1/9/2022	9:30:00 AM	0.46
1/9/2022	9:45:00 AM	0.46
1/9/2022	10:00:00 AM	0.46
1/9/2022	10:15:00 AM	0.46
1/9/2022	10:30:00 AM	0.46
1/9/2022	10:45:00 AM	0.46
1/9/2022	11:00:00 AM	0.46
1/9/2022	11:15:00 AM	0.45
1/9/2022	11:30:00 AM	0.46
1/9/2022	11:45:00 AM	0.45
1/9/2022	12:00:00 PM	0.45
1/9/2022	12:15:00 PM	0.45
1/9/2022	12:30:00 PM	0.46
1/9/2022	12:45:00 PM	0.45
1/9/2022	1:00:00 PM	0.45
1/9/2022	1:15:00 PM	0.45
1/9/2022	1:30:00 PM	0.45
1/9/2022	1:45:00 PM	0.45
1/9/2022	2:00:00 PM	0.46
1/9/2022	2:15:00 PM	0.46
1/9/2022	2:30:00 PM	0.46
1/9/2022	2:45:00 PM	0.46

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/9/2022	3:00:00 PM	0.46
1/9/2022	3:15:00 PM	0.45
1/9/2022	3:30:00 PM	0.46
1/9/2022	3:45:00 PM	0.46
1/9/2022	4:00:00 PM	0.46
1/9/2022	4:15:00 PM	0.46
1/9/2022	4:30:00 PM	0.46
1/9/2022	4:45:00 PM	0.45
1/9/2022	5:00:00 PM	0.45
1/9/2022	5:15:00 PM	0.45
1/9/2022	5:30:00 PM	0.46
1/9/2022	5:45:00 PM	0.46
1/9/2022	6:00:00 PM	0.46
1/9/2022	6:15:00 PM	0.46
1/9/2022	6:30:00 PM	0.46
1/9/2022	6:45:00 PM	0.46
1/9/2022	7:00:00 PM	0.45
1/9/2022	7:15:00 PM	0.45
1/9/2022	7:30:00 PM	0.45
1/9/2022	7:45:00 PM	0.45
1/9/2022	8:00:00 PM	0.45
1/9/2022	8:15:00 PM	0.45
1/9/2022	8:30:00 PM	0.45
1/9/2022	8:45:00 PM	0.45
1/9/2022	9:00:00 PM	0.45
1/9/2022	9:15:00 PM	0.45
1/9/2022	9:30:00 PM	0.45
1/9/2022	9:45:00 PM	0.45
1/9/2022	10:00:00 PM	0.45
1/9/2022	10:15:00 PM	0.45
1/9/2022	10:30:00 PM	0.45
1/9/2022	10:45:00 PM	0.45
1/9/2022	11:00:00 PM	0.45
1/9/2022	11:15:00 PM	0.45
1/9/2022	11:30:00 PM	0.45
1/9/2022	11:45:00 PM	0.45
1/10/2022	12:00:00 AM	0.45
1/10/2022	12:15:00 AM	0.45
1/10/2022	12:30:00 AM	0.45
1/10/2022	12:45:00 AM	0.45
1/10/2022	1:00:00 AM	0.45
1/10/2022	1:15:00 AM	0.44
1/10/2022	1:30:00 AM	0.44
1/10/2022	1:45:00 AM	0.44
1/10/2022	2:00:00 AM	0.44
1/10/2022	2:15:00 AM	0.44

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/10/2022	2:30:00 AM	0.44
1/10/2022	2:45:00 AM	0.44
1/10/2022	3:00:00 AM	0.44
1/10/2022	3:15:00 AM	0.44
1/10/2022	3:30:00 AM	0.44
1/10/2022	3:45:00 AM	0.44
1/10/2022	4:00:00 AM	0.44
1/10/2022	4:15:00 AM	0.44
1/10/2022	4:30:00 AM	0.44
1/10/2022	4:45:00 AM	0.43
1/10/2022	5:00:00 AM	0.43
1/10/2022	5:15:00 AM	0.43
1/10/2022	5:30:00 AM	0.43
1/10/2022	5:45:00 AM	0.43
1/10/2022	6:00:00 AM	0.43
1/10/2022	6:15:00 AM	0.43
1/10/2022	6:30:00 AM	0.43
1/10/2022	6:45:00 AM	0.42
1/10/2022	7:00:00 AM	0.42
1/10/2022	7:15:00 AM	0.42
1/10/2022	7:30:00 AM	0.42
1/10/2022	7:45:00 AM	0.42
1/10/2022	8:00:00 AM	0.42
1/10/2022	8:15:00 AM	0.42
1/10/2022	8:30:00 AM	0.42
1/10/2022	8:45:00 AM	0.42
1/10/2022	9:00:00 AM	0.42
1/10/2022	9:15:00 AM	0.42
1/10/2022	9:30:00 AM	0.41
1/10/2022	9:45:00 AM	0.41
1/10/2022	10:00:00 AM	0.41
1/10/2022	10:15:00 AM	0.41
1/10/2022	10:30:00 AM	0.41
1/10/2022	10:45:00 AM	0.41
1/10/2022	11:00:00 AM	0.41
1/10/2022	11:15:00 AM	0.41
1/10/2022	11:30:00 AM	0.41
1/10/2022	11:45:00 AM	0.41
1/10/2022	12:00:00 PM	0.41
1/10/2022	12:15:00 PM	0.41
1/10/2022	12:30:00 PM	0.41
1/10/2022	12:45:00 PM	0.41
1/10/2022	1:00:00 PM	0.41
1/10/2022	1:15:00 PM	0.41
1/10/2022	1:30:00 PM	0.41
1/10/2022	1:45:00 PM	0.41

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/10/2022	2:00:00 PM	0.42
1/10/2022	2:15:00 PM	0.42
1/10/2022	2:30:00 PM	0.42
1/10/2022	2:45:00 PM	0.42
1/10/2022	3:00:00 PM	0.42
1/10/2022	3:15:00 PM	0.42
1/10/2022	3:30:00 PM	0.42
1/10/2022	3:45:00 PM	0.43
1/10/2022	4:00:00 PM	0.43
1/10/2022	4:15:00 PM	0.43
1/10/2022	4:30:00 PM	0.43
1/10/2022	4:45:00 PM	0.43
1/10/2022	5:00:00 PM	0.43
1/10/2022	5:15:00 PM	0.43
1/10/2022	5:30:00 PM	0.43
1/10/2022	5:45:00 PM	0.44
1/10/2022	6:00:00 PM	0.44
1/10/2022	6:15:00 PM	0.44
1/10/2022	6:30:00 PM	0.44
1/10/2022	6:45:00 PM	0.44
1/10/2022	7:00:00 PM	0.44
1/10/2022	7:15:00 PM	0.44
1/10/2022	7:30:00 PM	0.44
1/10/2022	7:45:00 PM	0.44
1/10/2022	8:00:00 PM	0.45
1/10/2022	8:15:00 PM	0.45
1/10/2022	8:30:00 PM	0.45
1/10/2022	8:45:00 PM	0.45
1/10/2022	9:00:00 PM	0.45
1/10/2022	9:15:00 PM	0.45
1/10/2022	9:30:00 PM	0.45
1/10/2022	9:45:00 PM	0.45
1/10/2022	10:00:00 PM	0.45
1/10/2022	10:15:00 PM	0.45
1/10/2022	10:30:00 PM	0.45
1/10/2022	10:45:00 PM	0.45
1/10/2022	11:00:00 PM	0.46
1/10/2022	11:15:00 PM	0.45
1/10/2022	11:30:00 PM	0.46
1/10/2022	11:45:00 PM	0.46
1/11/2022	12:00:00 AM	0.46
1/11/2022	12:15:00 AM	0.46
1/11/2022	12:30:00 AM	0.46
1/11/2022	12:45:00 AM	0.46
1/11/2022	1:00:00 AM	0.46
1/11/2022	1:15:00 AM	0.46



## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/11/2022	1:30:00 AM	0.46
1/11/2022	1:45:00 AM	0.46
1/11/2022	2:00:00 AM	0.46
1/11/2022	2:15:00 AM	0.46
1/11/2022	2:30:00 AM	0.46
1/11/2022	2:45:00 AM	0.46
1/11/2022	3:00:00 AM	0.46
1/11/2022	3:15:00 AM	0.46
1/11/2022	3:30:00 AM	0.46
1/11/2022	3:45:00 AM	0.46
1/11/2022	4:00:00 AM	0.46
1/11/2022	4:15:00 AM	0.46
1/11/2022	4:30:00 AM	0.46
1/11/2022	4:45:00 AM	0.46
1/11/2022	5:00:00 AM	0.46
1/11/2022	5:15:00 AM	0.46
1/11/2022	5:30:00 AM	0.46
1/11/2022	5:45:00 AM	0.46
1/11/2022	6:00:00 AM	0.46
1/11/2022	6:15:00 AM	0.46
1/11/2022	6:30:00 AM	0.46
1/11/2022	6:45:00 AM	0.46
1/11/2022	7:00:00 AM	0.46
1/11/2022	7:15:00 AM	0.46
1/11/2022	7:30:00 AM	0.46
1/11/2022	7:45:00 AM	0.46
1/11/2022	8:00:00 AM	0.47
1/11/2022	8:15:00 AM	0.46
1/11/2022	8:30:00 AM	0.46
1/11/2022	8:45:00 AM	0.47
1/11/2022	9:00:00 AM	0.47
1/11/2022	9:15:00 AM	0.47
1/11/2022	9:30:00 AM	0.47
1/11/2022	9:45:00 AM	0.47
1/11/2022	10:00:00 AM	0.47
1/11/2022	10:15:00 AM	0.47
1/11/2022	10:30:00 AM	0.47
1/11/2022	10:45:00 AM	0.47
1/11/2022	11:00:00 AM	0.47
1/11/2022	11:15:00 AM	0.47
1/11/2022	11:30:00 AM	0.47
1/11/2022	11:45:00 AM	0.47
1/11/2022	12:00:00 PM	0.48
1/11/2022	12:15:00 PM	0.48
1/11/2022	12:30:00 PM	0.48
1/11/2022	12:45:00 PM	0.48

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/11/2022	1:00:00 PM	0.48
1/11/2022	1:15:00 PM	0.48
1/11/2022	1:30:00 PM	0.49
1/11/2022	1:45:00 PM	0.49
1/11/2022	2:00:00 PM	0.49
1/11/2022	2:15:00 PM	0.49
1/11/2022	2:30:00 PM	0.49
1/11/2022	2:45:00 PM	0.49
1/11/2022	3:00:00 PM	0.49
1/11/2022	3:15:00 PM	0.49
1/11/2022	3:30:00 PM	0.5
1/11/2022	3:45:00 PM	0.5
1/11/2022	4:00:00 PM	0.5
1/11/2022	4:15:00 PM	0.5
1/11/2022	4:30:00 PM	0.5
1/11/2022	4:45:00 PM	0.5
1/11/2022	5:00:00 PM	0.5
1/11/2022	5:15:00 PM	0.51
1/11/2022	5:30:00 PM	0.5
1/11/2022	5:45:00 PM	0.51
1/11/2022	6:00:00 PM	0.51
1/11/2022	6:15:00 PM	0.51
1/11/2022	6:30:00 PM	0.51
1/11/2022	6:45:00 PM	0.51
1/11/2022	7:00:00 PM	0.51
1/11/2022	7:15:00 PM	0.51
1/11/2022	7:30:00 PM	0.51
1/11/2022	7:45:00 PM	0.51
1/11/2022	8:00:00 PM	0.51
1/11/2022	8:15:00 PM	0.51
1/11/2022	8:30:00 PM	0.51
1/11/2022	8:45:00 PM	0.51
1/11/2022	9:00:00 PM	0.51
1/11/2022	9:15:00 PM	0.51
1/11/2022	9:30:00 PM	0.52
1/11/2022	9:45:00 PM	0.52
1/11/2022	10:00:00 PM	0.52
1/11/2022	10:15:00 PM	0.52
1/11/2022	10:30:00 PM	0.52
1/11/2022	10:45:00 PM	0.52
1/11/2022	11:00:00 PM	0.52
1/11/2022	11:15:00 PM	0.52
1/11/2022	11:30:00 PM	0.52
1/11/2022	11:45:00 PM	0.52
1/12/2022	12:00:00 AM	0.52
1/12/2022	12:15:00 AM	0.52

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/12/2022	12:30:00 AM	0.52
1/12/2022	12:45:00 AM	0.52
1/12/2022	1:00:00 AM	0.52
1/12/2022	1:15:00 AM	0.52
1/12/2022	1:30:00 AM	0.52
1/12/2022	1:45:00 AM	0.52
1/12/2022	2:00:00 AM	0.52
1/12/2022	2:15:00 AM	0.52
1/12/2022	2:30:00 AM	0.52
1/12/2022	2:45:00 AM	0.52
1/12/2022	3:00:00 AM	0.52
1/12/2022	3:15:00 AM	0.52
1/12/2022	3:30:00 AM	0.52
1/12/2022	3:45:00 AM	0.52
1/12/2022	4:00:00 AM	0.52
1/12/2022	4:15:00 AM	0.52
1/12/2022	4:30:00 AM	0.52
1/12/2022	4:45:00 AM	0.52
1/12/2022	5:00:00 AM	0.52
1/12/2022	5:15:00 AM	0.52
1/12/2022	5:30:00 AM	0.52
1/12/2022	5:45:00 AM	0.52
1/12/2022	6:00:00 AM	0.52
1/12/2022	6:15:00 AM	0.52
1/12/2022	6:30:00 AM	0.52
1/12/2022	6:45:00 AM	0.52
1/12/2022	7:00:00 AM	0.52
1/12/2022	7:15:00 AM	0.52
1/12/2022	7:30:00 AM	0.52
1/12/2022	7:45:00 AM	0.52
1/12/2022	8:00:00 AM	0.52
1/12/2022	8:15:00 AM	0.52
1/12/2022	8:30:00 AM	0.52
1/12/2022	8:45:00 AM	0.52
1/12/2022	9:00:00 AM	0.52
1/12/2022	9:15:00 AM	0.52
1/12/2022	9:30:00 AM	0.52
1/12/2022	9:45:00 AM	0.52
1/12/2022	10:00:00 AM	0.52
1/12/2022	10:15:00 AM	0.52
1/12/2022	10:30:00 AM	0.52
1/12/2022	10:45:00 AM	0.52
1/12/2022	11:00:00 AM	0.52
1/12/2022	11:15:00 AM	0.52
1/12/2022	11:30:00 AM	0.52
1/12/2022	11:45:00 AM	0.52

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/12/2022	12:00:00 PM	0.52
1/12/2022	12:15:00 PM	0.52
1/12/2022	12:30:00 PM	0.52
1/12/2022	12:45:00 PM	0.52
1/12/2022	1:00:00 PM	0.52
1/12/2022	1:15:00 PM	0.52
1/12/2022	1:30:00 PM	0.52
1/12/2022	1:45:00 PM	0.52
1/12/2022	2:00:00 PM	0.52
1/12/2022	2:15:00 PM	0.52
1/12/2022	2:30:00 PM	0.52
1/12/2022	2:45:00 PM	0.52
1/12/2022	3:00:00 PM	0.52
1/12/2022	3:15:00 PM	0.52
1/12/2022	3:30:00 PM	0.52
1/12/2022	3:45:00 PM	0.52
1/12/2022	4:00:00 PM	0.52
1/12/2022	4:15:00 PM	0.52
1/12/2022	4:30:00 PM	0.52
1/12/2022	4:45:00 PM	0.52
1/12/2022	5:00:00 PM	0.52
1/12/2022	5:15:00 PM	0.52
1/12/2022	5:30:00 PM	0.52
1/12/2022	5:45:00 PM	0.52
1/12/2022	6:00:00 PM	0.52
1/12/2022	6:15:00 PM	0.52
1/12/2022	6:30:00 PM	0.52
1/12/2022	6:45:00 PM	0.52
1/12/2022	7:00:00 PM	0.52
1/12/2022	7:15:00 PM	0.52
1/12/2022	7:30:00 PM	0.52
1/12/2022	7:45:00 PM	0.52
1/12/2022	8:00:00 PM	0.52
1/12/2022	8:15:00 PM	0.52
1/12/2022	8:30:00 PM	0.52
1/12/2022	8:45:00 PM	0.52
1/12/2022	9:00:00 PM	0.52
1/12/2022	9:15:00 PM	0.52
1/12/2022	9:30:00 PM	0.52
1/12/2022	9:45:00 PM	0.52
1/12/2022	10:00:00 PM	0.52
1/12/2022	10:15:00 PM	0.52
1/12/2022	10:30:00 PM	0.52
1/12/2022	10:45:00 PM	0.52
1/12/2022	11:00:00 PM	0.52
1/12/2022	11:15:00 PM	0.52

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/12/2022	11:30:00 PM	0.52
1/12/2022	11:45:00 PM	0.52
1/13/2022	12:00:00 AM	0.52
1/13/2022	12:15:00 AM	0.52
1/13/2022	12:30:00 AM	0.52
1/13/2022	12:45:00 AM	0.52
1/13/2022	1:00:00 AM	0.52
1/13/2022	1:15:00 AM	0.52
1/13/2022	1:30:00 AM	0.52
1/13/2022	1:45:00 AM	0.52
1/13/2022	2:00:00 AM	0.52
1/13/2022	2:15:00 AM	0.52
1/13/2022	2:30:00 AM	0.52
1/13/2022	2:45:00 AM	0.52
1/13/2022	3:00:00 AM	0.52
1/13/2022	3:15:00 AM	0.52
1/13/2022	3:30:00 AM	0.52
1/13/2022	3:45:00 AM	0.52
1/13/2022	4:00:00 AM	0.52
1/13/2022	4:15:00 AM	0.52
1/13/2022	4:30:00 AM	0.52
1/13/2022	4:45:00 AM	0.52
1/13/2022	5:00:00 AM	0.52
1/13/2022	5:15:00 AM	0.52
1/13/2022	5:30:00 AM	0.52
1/13/2022	5:45:00 AM	0.52
1/13/2022	6:00:00 AM	0.52
1/13/2022	6:15:00 AM	0.52
1/13/2022	6:30:00 AM	0.52
1/13/2022	6:45:00 AM	0.52
1/13/2022	7:00:00 AM	0.52
1/13/2022	7:15:00 AM	0.52
1/13/2022	7:30:00 AM	0.52
1/13/2022	7:45:00 AM	0.52
1/13/2022	8:00:00 AM	0.52
1/13/2022	8:15:00 AM	0.52
1/13/2022	8:30:00 AM	0.52
1/13/2022	8:45:00 AM	0.52
1/13/2022	9:00:00 AM	0.52
1/13/2022	9:15:00 AM	0.52
1/13/2022	9:30:00 AM	0.52
1/13/2022	9:45:00 AM	0.52
1/13/2022	10:00:00 AM	0.52
1/13/2022	10:15:00 AM	0.52
1/13/2022	10:30:00 AM	0.52
1/13/2022	10:45:00 AM	0.52

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/13/2022	11:00:00 AM	0.52
1/13/2022	11:15:00 AM	0.52
1/13/2022	11:30:00 AM	0.52
1/13/2022	11:45:00 AM	0.52
1/13/2022	12:00:00 PM	0.52
1/13/2022	12:15:00 PM	0.52
1/13/2022	12:30:00 PM	0.52
1/13/2022	12:45:00 PM	0.52
1/13/2022	1:00:00 PM	0.52
1/13/2022	1:15:00 PM	0.52
1/13/2022	1:30:00 PM	0.52
1/13/2022	1:45:00 PM	0.52
1/13/2022	2:00:00 PM	0.52
1/13/2022	2:15:00 PM	0.52
1/13/2022	2:30:00 PM	0.52
1/13/2022	2:45:00 PM	0.52
1/13/2022	3:00:00 PM	0.52
1/13/2022	3:15:00 PM	0.52
1/13/2022	3:30:00 PM	0.52
1/13/2022	3:45:00 PM	0.52
1/13/2022	4:00:00 PM	0.52
1/13/2022	4:15:00 PM	0.52
1/13/2022	4:30:00 PM	0.52
1/13/2022	4:45:00 PM	0.52
1/13/2022	5:00:00 PM	0.52
1/13/2022	5:15:00 PM	0.52
1/13/2022	5:30:00 PM	0.52
1/13/2022	5:45:00 PM	0.52
1/13/2022	6:00:00 PM	0.52
1/13/2022	6:15:00 PM	0.52
1/13/2022	6:30:00 PM	0.52
1/13/2022	6:45:00 PM	0.52
1/13/2022	7:00:00 PM	0.52
1/13/2022	7:15:00 PM	0.52
1/13/2022	7:30:00 PM	0.52
1/13/2022	7:45:00 PM	0.52
1/13/2022	8:00:00 PM	0.52
1/13/2022	8:15:00 PM	0.52
1/13/2022	8:30:00 PM	0.52
1/13/2022	8:45:00 PM	0.52
1/13/2022	9:00:00 PM	0.52
1/13/2022	9:15:00 PM	0.52
1/13/2022	9:30:00 PM	0.52
1/13/2022	9:45:00 PM	0.52
1/13/2022	10:00:00 PM	0.52
1/13/2022	10:15:00 PM	0.52

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/13/2022	10:30:00 PM	0.52
1/13/2022	10:45:00 PM	0.52
1/13/2022	11:00:00 PM	0.52
1/13/2022	11:15:00 PM	0.52
1/13/2022	11:30:00 PM	0.52
1/13/2022	11:45:00 PM	0.52
1/14/2022	12:00:00 AM	0.52
1/14/2022	12:15:00 AM	0.52
1/14/2022	12:30:00 AM	0.52
1/14/2022	12:45:00 AM	0.52
1/14/2022	1:00:00 AM	0.52
1/14/2022	1:15:00 AM	0.52
1/14/2022	1:30:00 AM	0.52
1/14/2022	1:45:00 AM	0.52
1/14/2022	2:00:00 AM	0.52
1/14/2022	2:15:00 AM	0.52
1/14/2022	2:30:00 AM	0.52
1/14/2022	2:45:00 AM	0.52
1/14/2022	3:00:00 AM	0.52
1/14/2022	3:15:00 AM	0.52
1/14/2022	3:30:00 AM	0.52
1/14/2022	3:45:00 AM	0.52
1/14/2022	4:00:00 AM	0.52
1/14/2022	4:15:00 AM	0.52
1/14/2022	4:30:00 AM	0.52
1/14/2022	4:45:00 AM	0.52
1/14/2022	5:00:00 AM	0.52
1/14/2022	5:15:00 AM	0.52
1/14/2022	5:30:00 AM	0.52
1/14/2022	5:45:00 AM	0.52
1/14/2022	6:00:00 AM	0.52
1/14/2022	6:15:00 AM	0.52
1/14/2022	6:30:00 AM	0.52
1/14/2022	6:45:00 AM	0.51
1/14/2022	7:00:00 AM	0.52
1/14/2022	7:15:00 AM	0.52
1/14/2022	7:30:00 AM	0.52
1/14/2022	7:45:00 AM	0.52
1/14/2022	8:00:00 AM	0.52
1/14/2022	8:15:00 AM	0.52
1/14/2022	8:30:00 AM	0.52
1/14/2022	8:45:00 AM	0.52
1/14/2022	9:00:00 AM	0.52
1/14/2022	9:15:00 AM	0.52
1/14/2022	9:30:00 AM	0.52
1/14/2022	9:45:00 AM	0.52

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/14/2022	10:00:00 AM	0.52
1/14/2022	10:15:00 AM	0.52
1/14/2022	10:30:00 AM	0.52
1/14/2022	10:45:00 AM	0.52
1/14/2022	11:00:00 AM	0.52
1/14/2022	11:15:00 AM	0.52
1/14/2022	11:30:00 AM	0.52
1/14/2022	11:45:00 AM	0.52
1/14/2022	12:00:00 PM	0.52
1/14/2022	12:15:00 PM	0.52
1/14/2022	12:30:00 PM	0.52
1/14/2022	12:45:00 PM	0.52
1/14/2022	1:00:00 PM	0.52
1/14/2022	1:15:00 PM	0.52
1/14/2022	1:30:00 PM	0.52
1/14/2022	1:45:00 PM	0.52
1/14/2022	2:00:00 PM	0.52
1/14/2022	2:15:00 PM	0.52
1/14/2022	2:30:00 PM	0.52
1/14/2022	2:45:00 PM	0.52
1/14/2022	3:00:00 PM	0.52
1/14/2022	3:15:00 PM	0.52
1/14/2022	3:30:00 PM	0.52
1/14/2022	3:45:00 PM	0.52
1/14/2022	4:00:00 PM	0.52
1/14/2022	4:15:00 PM	0.52
1/14/2022	4:30:00 PM	0.52
1/14/2022	4:45:00 PM	0.52
1/14/2022	5:00:00 PM	0.52
1/14/2022	5:15:00 PM	0.52
1/14/2022	5:30:00 PM	0.52
1/14/2022	5:45:00 PM	0.52
1/14/2022	6:00:00 PM	0.52
1/14/2022	6:15:00 PM	0.52
1/14/2022	6:30:00 PM	0.52
1/14/2022	6:45:00 PM	0.52
1/14/2022	7:00:00 PM	0.52
1/14/2022	7:15:00 PM	0.52
1/14/2022	7:30:00 PM	0.52
1/14/2022	7:45:00 PM	0.52
1/14/2022	8:00:00 PM	0.52
1/14/2022	8:15:00 PM	0.52
1/14/2022	8:30:00 PM	0.52
1/14/2022	8:45:00 PM	0.52
1/14/2022	9:00:00 PM	0.52
1/14/2022	9:15:00 PM	0.52



## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/14/2022	9:30:00 PM	0.52
1/14/2022	9:45:00 PM	0.52
1/14/2022	10:00:00 PM	0.52
1/14/2022	10:15:00 PM	0.52
1/14/2022	10:30:00 PM	0.52
1/14/2022	10:45:00 PM	0.52
1/14/2022	11:00:00 PM	0.52
1/14/2022	11:15:00 PM	0.52
1/14/2022	11:30:00 PM	0.52
1/14/2022	11:45:00 PM	0.52
1/15/2022	12:00:00 AM	0.52
1/15/2022	12:15:00 AM	0.52
1/15/2022	12:30:00 AM	0.52
1/15/2022	12:45:00 AM	0.52
1/15/2022	1:00:00 AM	0.52
1/15/2022	1:15:00 AM	0.52
1/15/2022	1:30:00 AM	0.52
1/15/2022	1:45:00 AM	0.52
1/15/2022	2:00:00 AM	0.52
1/15/2022	2:15:00 AM	0.52
1/15/2022	2:30:00 AM	0.52
1/15/2022	2:45:00 AM	0.52
1/15/2022	3:00:00 AM	0.52
1/15/2022	3:15:00 AM	0.52
1/15/2022	3:30:00 AM	0.52
1/15/2022	3:45:00 AM	0.52
1/15/2022	4:00:00 AM	0.52
1/15/2022	4:15:00 AM	0.52
1/15/2022	4:30:00 AM	0.52
1/15/2022	4:45:00 AM	0.52
1/15/2022	5:00:00 AM	0.52
1/15/2022	5:15:00 AM	0.52
1/15/2022	5:30:00 AM	0.52
1/15/2022	5:45:00 AM	0.52
1/15/2022	6:00:00 AM	0.52
1/15/2022	6:15:00 AM	0.52
1/15/2022	6:30:00 AM	0.52
1/15/2022	6:45:00 AM	0.52
1/15/2022	7:00:00 AM	0.52
1/15/2022	7:15:00 AM	0.52
1/15/2022	7:30:00 AM	0.52
1/15/2022	7:45:00 AM	0.52
1/15/2022	8:00:00 AM	0.52
1/15/2022	8:15:00 AM	0.52
1/15/2022	8:30:00 AM	0.52
1/15/2022	8:45:00 AM	0.52

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/15/2022	9:00:00 AM	0.52
1/15/2022	9:15:00 AM	0.52
1/15/2022	9:30:00 AM	0.52
1/15/2022	9:45:00 AM	0.52
1/15/2022	10:00:00 AM	0.52
1/15/2022	10:15:00 AM	0.52
1/15/2022	10:30:00 AM	0.52
1/15/2022	10:45:00 AM	0.52
1/15/2022	11:00:00 AM	0.52
1/15/2022	11:15:00 AM	0.52
1/15/2022	11:30:00 AM	0.52
1/15/2022	11:45:00 AM	0.52
1/15/2022	12:00:00 PM	0.52
1/15/2022	12:15:00 PM	0.52
1/15/2022	12:30:00 PM	0.52
1/15/2022	12:45:00 PM	0.52
1/15/2022	1:00:00 PM	0.52
1/15/2022	1:15:00 PM	0.52
1/15/2022	1:30:00 PM	0.52
1/15/2022	1:45:00 PM	0.52
1/15/2022	2:00:00 PM	0.52
1/15/2022	2:15:00 PM	0.52
1/15/2022	2:30:00 PM	0.52
1/15/2022	2:45:00 PM	0.52
1/15/2022	3:00:00 PM	0.52
1/15/2022	3:15:00 PM	0.52
1/15/2022	3:30:00 PM	0.52
1/15/2022	3:45:00 PM	0.52
1/15/2022	4:00:00 PM	0.52
1/15/2022	4:15:00 PM	0.52
1/15/2022	4:30:00 PM	0.52
1/15/2022	4:45:00 PM	0.52
1/15/2022	5:00:00 PM	0.52
1/15/2022	5:15:00 PM	0.52
1/15/2022	5:30:00 PM	0.52
1/15/2022	5:45:00 PM	0.52
1/15/2022	6:00:00 PM	0.52
1/15/2022	6:15:00 PM	0.52
1/15/2022	6:30:00 PM	0.52
1/15/2022	6:45:00 PM	0.52
1/15/2022	7:00:00 PM	0.52
1/15/2022	7:15:00 PM	0.51
1/15/2022	7:30:00 PM	0.51
1/15/2022	7:45:00 PM	0.51
1/15/2022	8:00:00 PM	0.51
1/15/2022	8:15:00 PM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/15/2022	8:30:00 PM	0.51
1/15/2022	8:45:00 PM	0.51
1/15/2022	9:00:00 PM	0.51
1/15/2022	9:15:00 PM	0.51
1/15/2022	9:30:00 PM	0.51
1/15/2022	9:45:00 PM	0.51
1/15/2022	10:00:00 PM	0.51
1/15/2022	10:15:00 PM	0.51
1/15/2022	10:30:00 PM	0.51
1/15/2022	10:45:00 PM	0.51
1/15/2022	11:00:00 PM	0.51
1/15/2022	11:15:00 PM	0.51
1/15/2022	11:30:00 PM	0.51
1/15/2022	11:45:00 PM	0.51
1/16/2022	12:00:00 AM	0.51
1/16/2022	12:15:00 AM	0.51
1/16/2022	12:30:00 AM	0.51
1/16/2022	12:45:00 AM	0.51
1/16/2022	1:00:00 AM	0.51
1/16/2022	1:15:00 AM	0.51
1/16/2022	1:30:00 AM	0.51
1/16/2022	1:45:00 AM	0.51
1/16/2022	2:00:00 AM	0.51
1/16/2022	2:15:00 AM	0.51
1/16/2022	2:30:00 AM	0.51
1/16/2022	2:45:00 AM	0.51
1/16/2022	3:00:00 AM	0.51
1/16/2022	3:15:00 AM	0.51
1/16/2022	3:30:00 AM	0.51
1/16/2022	3:45:00 AM	0.51
1/16/2022	4:00:00 AM	0.51
1/16/2022	4:15:00 AM	0.51
1/16/2022	4:30:00 AM	0.51
1/16/2022	4:45:00 AM	0.51
1/16/2022	5:00:00 AM	0.51
1/16/2022	5:15:00 AM	0.51
1/16/2022	5:30:00 AM	0.51
1/16/2022	5:45:00 AM	0.51
1/16/2022	6:00:00 AM	0.51
1/16/2022	6:15:00 AM	0.51
1/16/2022	6:30:00 AM	0.5
1/16/2022	6:45:00 AM	0.51
1/16/2022	7:00:00 AM	0.5
1/16/2022	7:15:00 AM	0.5
1/16/2022	7:30:00 AM	0.5
1/16/2022	7:45:00 AM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/16/2022	8:00:00 AM	0.5
1/16/2022	8:15:00 AM	0.5
1/16/2022	8:30:00 AM	0.5
1/16/2022	8:45:00 AM	0.5
1/16/2022	9:00:00 AM	0.5
1/16/2022	9:15:00 AM	0.5
1/16/2022	9:30:00 AM	0.5
1/16/2022	9:45:00 AM	0.5
1/16/2022	10:00:00 AM	0.5
1/16/2022	10:15:00 AM	0.5
1/16/2022	10:30:00 AM	0.5
1/16/2022	10:45:00 AM	0.5
1/16/2022	11:00:00 AM	0.5
1/16/2022	11:15:00 AM	0.5
1/16/2022	11:30:00 AM	0.5
1/16/2022	11:45:00 AM	0.5
1/16/2022	12:00:00 PM	0.5
1/16/2022	12:15:00 PM	0.5
1/16/2022	12:30:00 PM	0.5
1/16/2022	12:45:00 PM	0.5
1/16/2022	1:00:00 PM	0.5
1/16/2022	1:15:00 PM	0.5
1/16/2022	1:30:00 PM	0.5
1/16/2022	1:45:00 PM	0.5
1/16/2022	2:00:00 PM	0.5
1/16/2022	2:15:00 PM	0.5
1/16/2022	2:30:00 PM	0.5
1/16/2022	2:45:00 PM	0.5
1/16/2022	3:00:00 PM	0.5
1/16/2022	3:15:00 PM	0.5
1/16/2022	3:30:00 PM	0.5
1/16/2022	3:45:00 PM	0.5
1/16/2022	4:00:00 PM	0.5
1/16/2022	4:15:00 PM	0.5
1/16/2022	4:30:00 PM	0.5
1/16/2022	4:45:00 PM	0.5
1/16/2022	5:00:00 PM	0.5
1/16/2022	5:15:00 PM	0.5
1/16/2022	5:30:00 PM	0.5
1/16/2022	5:45:00 PM	0.5
1/16/2022	6:00:00 PM	0.5
1/16/2022	6:15:00 PM	0.5
1/16/2022	6:30:00 PM	0.5
1/16/2022	6:45:00 PM	0.5
1/16/2022	7:00:00 PM	0.5
1/16/2022	7:15:00 PM	0.5

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/16/2022	7:30:00 PM	0.5
1/16/2022	7:45:00 PM	0.5
1/16/2022	8:00:00 PM	0.5
1/16/2022	8:15:00 PM	0.5
1/16/2022	8:30:00 PM	0.5
1/16/2022	8:45:00 PM	0.5
1/16/2022	9:00:00 PM	0.5
1/16/2022	9:15:00 PM	0.5
1/16/2022	9:30:00 PM	0.5
1/16/2022	9:45:00 PM	0.5
1/16/2022	10:00:00 PM	0.5
1/16/2022	10:15:00 PM	0.5
1/16/2022	10:30:00 PM	0.5
1/16/2022	10:45:00 PM	0.5
1/16/2022	11:00:00 PM	0.5
1/16/2022	11:15:00 PM	0.5
1/16/2022	11:30:00 PM	0.5
1/16/2022	11:45:00 PM	0.5
1/17/2022	12:00:00 AM	0.5
1/17/2022	12:15:00 AM	0.5
1/17/2022	12:30:00 AM	0.5
1/17/2022	12:45:00 AM	0.5
1/17/2022	1:00:00 AM	0.5
1/17/2022	1:15:00 AM	0.5
1/17/2022	1:30:00 AM	0.5
1/17/2022	1:45:00 AM	0.5
1/17/2022	2:00:00 AM	0.5
1/17/2022	2:15:00 AM	0.5
1/17/2022	2:30:00 AM	0.5
1/17/2022	2:45:00 AM	0.5
1/17/2022	3:00:00 AM	0.5
1/17/2022	3:15:00 AM	0.5
1/17/2022	3:30:00 AM	0.5
1/17/2022	3:45:00 AM	0.5
1/17/2022	4:00:00 AM	0.5
1/17/2022	4:15:00 AM	0.5
1/17/2022	4:30:00 AM	0.5
1/17/2022	4:45:00 AM	0.5
1/17/2022	5:00:00 AM	0.5
1/17/2022	5:15:00 AM	0.5
1/17/2022	5:30:00 AM	0.5
1/17/2022	5:45:00 AM	0.5
1/17/2022	6:00:00 AM	0.5
1/17/2022	6:15:00 AM	0.5
1/17/2022	6:30:00 AM	0.5
1/17/2022	6:45:00 AM	0.5

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/17/2022	7:00:00 AM	0.5
1/17/2022	7:15:00 AM	0.5
1/17/2022	7:30:00 AM	0.5
1/17/2022	7:45:00 AM	0.5
1/17/2022	8:00:00 AM	0.5
1/17/2022	8:15:00 AM	0.5
1/17/2022	8:30:00 AM	0.5
1/17/2022	8:45:00 AM	0.5
1/17/2022	9:00:00 AM	0.5
1/17/2022	9:15:00 AM	0.5
1/17/2022	9:30:00 AM	0.5
1/17/2022	9:45:00 AM	0.5
1/17/2022	10:00:00 AM	0.5
1/17/2022	10:15:00 AM	0.5
1/17/2022	10:30:00 AM	0.5
1/17/2022	10:45:00 AM	0.5
1/17/2022	11:00:00 AM	0.5
1/17/2022	11:15:00 AM	0.5
1/17/2022	11:30:00 AM	0.5
1/17/2022	11:45:00 AM	0.5
1/17/2022	12:00:00 PM	0.5
1/17/2022	12:15:00 PM	0.5
1/17/2022	12:30:00 PM	0.5
1/17/2022	12:45:00 PM	0.5
1/17/2022	1:00:00 PM	0.5
1/17/2022	1:15:00 PM	0.5
1/17/2022	1:30:00 PM	0.5
1/17/2022	1:45:00 PM	0.5
1/17/2022	2:00:00 PM	0.5
1/17/2022	2:15:00 PM	0.5
1/17/2022	2:30:00 PM	0.5
1/17/2022	2:45:00 PM	0.5
1/17/2022	3:00:00 PM	0.5
1/17/2022	3:15:00 PM	0.5
1/17/2022	3:30:00 PM	0.5
1/17/2022	3:45:00 PM	0.5
1/17/2022	4:00:00 PM	0.5
1/17/2022	4:15:00 PM	0.5
1/17/2022	4:30:00 PM	0.5
1/17/2022	4:45:00 PM	0.5
1/17/2022	5:00:00 PM	0.5
1/17/2022	5:15:00 PM	0.5
1/17/2022	5:30:00 PM	0.5
1/17/2022	5:45:00 PM	0.5
1/17/2022	6:00:00 PM	0.5
1/17/2022	6:15:00 PM	0.5

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/17/2022	6:30:00 PM	0.5
1/17/2022	6:45:00 PM	0.5
1/17/2022	7:00:00 PM	0.5
1/17/2022	7:15:00 PM	0.5
1/17/2022	7:30:00 PM	0.5
1/17/2022	7:45:00 PM	0.5
1/17/2022	8:00:00 PM	0.5
1/17/2022	8:15:00 PM	0.5
1/17/2022	8:30:00 PM	0.5
1/17/2022	8:45:00 PM	0.5
1/17/2022	9:00:00 PM	0.5
1/17/2022	9:15:00 PM	0.5
1/17/2022	9:30:00 PM	0.5
1/17/2022	9:45:00 PM	0.5
1/17/2022	10:00:00 PM	0.5
1/17/2022	10:15:00 PM	0.5
1/17/2022	10:30:00 PM	0.5
1/17/2022	10:45:00 PM	0.5
1/17/2022	11:00:00 PM	0.5
1/17/2022	11:15:00 PM	0.5
1/17/2022	11:30:00 PM	0.5
1/17/2022	11:45:00 PM	0.5
1/18/2022	12:00:00 AM	0.5
1/18/2022	12:15:00 AM	0.5
1/18/2022	12:30:00 AM	0.5
1/18/2022	12:45:00 AM	0.5
1/18/2022	1:00:00 AM	0.5
1/18/2022	1:15:00 AM	0.5
1/18/2022	1:30:00 AM	0.5
1/18/2022	1:45:00 AM	0.5
1/18/2022	2:00:00 AM	0.5
1/18/2022	2:15:00 AM	0.5
1/18/2022	2:30:00 AM	0.5
1/18/2022	2:45:00 AM	0.5
1/18/2022	3:00:00 AM	0.5
1/18/2022	3:15:00 AM	0.5
1/18/2022	3:30:00 AM	0.5
1/18/2022	3:45:00 AM	0.5
1/18/2022	4:00:00 AM	0.5
1/18/2022	4:15:00 AM	0.5
1/18/2022	4:30:00 AM	0.5
1/18/2022	4:45:00 AM	0.5
1/18/2022	5:00:00 AM	0.5
1/18/2022	5:15:00 AM	0.5
1/18/2022	5:30:00 AM	0.5
1/18/2022	5:45:00 AM	0.5

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/18/2022	6:00:00 AM	0.5
1/18/2022	6:15:00 AM	0.5
1/18/2022	6:30:00 AM	0.5
1/18/2022	6:45:00 AM	0.5
1/18/2022	7:00:00 AM	0.5
1/18/2022	7:15:00 AM	0.5
1/18/2022	7:30:00 AM	0.5
1/18/2022	7:45:00 AM	0.5
1/18/2022	8:00:00 AM	0.5
1/18/2022	8:15:00 AM	0.5
1/18/2022	8:30:00 AM	0.5
1/18/2022	8:45:00 AM	0.5
1/18/2022	9:00:00 AM	0.49
1/18/2022	9:15:00 AM	0.5
1/18/2022	9:30:00 AM	0.5
1/18/2022	9:45:00 AM	0.5
1/18/2022	10:00:00 AM	0.5
1/18/2022	10:15:00 AM	0.5
1/18/2022	10:30:00 AM	0.5
1/18/2022	10:45:00 AM	0.49
1/18/2022	11:00:00 AM	0.5
1/18/2022	11:15:00 AM	0.49
1/18/2022	11:30:00 AM	0.49
1/18/2022	11:45:00 AM	0.5
1/18/2022	12:00:00 PM	0.49
1/18/2022	12:15:00 PM	0.5
1/18/2022	12:30:00 PM	0.49
1/18/2022	12:45:00 PM	0.49
1/18/2022	1:00:00 PM	0.5
1/18/2022	1:15:00 PM	0.5
1/18/2022	1:30:00 PM	0.5
1/18/2022	1:45:00 PM	0.49
1/18/2022	2:00:00 PM	0.5
1/18/2022	2:15:00 PM	0.5
1/18/2022	2:30:00 PM	0.49
1/18/2022	2:45:00 PM	0.5
1/18/2022	3:00:00 PM	0.5
1/18/2022	3:15:00 PM	0.5
1/18/2022	3:30:00 PM	0.5
1/18/2022	3:45:00 PM	0.5
1/18/2022	4:00:00 PM	0.49
1/18/2022	4:15:00 PM	0.49
1/18/2022	4:30:00 PM	0.49
1/18/2022	4:45:00 PM	0.49
1/18/2022	5:00:00 PM	0.5
1/18/2022	5:15:00 PM	0.5



## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/18/2022	5:30:00 PM	0.5
1/18/2022	5:45:00 PM	0.5
1/18/2022	6:00:00 PM	0.5
1/18/2022	6:15:00 PM	0.5
1/18/2022	6:30:00 PM	0.5
1/18/2022	6:45:00 PM	0.5
1/18/2022	7:00:00 PM	0.5
1/18/2022	7:15:00 PM	0.5
1/18/2022	7:30:00 PM	0.5
1/18/2022	7:45:00 PM	0.5
1/18/2022	8:00:00 PM	0.5
1/18/2022	8:15:00 PM	0.5
1/18/2022	8:30:00 PM	0.5
1/18/2022	8:45:00 PM	0.5
1/18/2022	9:00:00 PM	0.5
1/18/2022	9:15:00 PM	0.5
1/18/2022	9:30:00 PM	0.5
1/18/2022	9:45:00 PM	0.49
1/18/2022	10:00:00 PM	0.5
1/18/2022	10:15:00 PM	0.49
1/18/2022	10:30:00 PM	0.49
1/18/2022	10:45:00 PM	0.49
1/18/2022	11:00:00 PM	0.49
1/18/2022	11:15:00 PM	0.49
1/18/2022	11:30:00 PM	0.49
1/18/2022	11:45:00 PM	0.49
1/19/2022	12:00:00 AM	0.49
1/19/2022	12:15:00 AM	0.49
1/19/2022	12:30:00 AM	0.49
1/19/2022	12:45:00 AM	0.49
1/19/2022	1:00:00 AM	0.49
1/19/2022	1:15:00 AM	0.49
1/19/2022	1:30:00 AM	0.49
1/19/2022	1:45:00 AM	0.49
1/19/2022	2:00:00 AM	0.49
1/19/2022	2:15:00 AM	0.49
1/19/2022	2:30:00 AM	0.49
1/19/2022	2:45:00 AM	0.49
1/19/2022	3:00:00 AM	0.49
1/19/2022	3:15:00 AM	0.49
1/19/2022	3:30:00 AM	0.49
1/19/2022	3:45:00 AM	0.49
1/19/2022	4:00:00 AM	0.49
1/19/2022	4:15:00 AM	0.49
1/19/2022	4:30:00 AM	0.49
1/19/2022	4:45:00 AM	0.49

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/19/2022	5:00:00 AM	0.49
1/19/2022	5:15:00 AM	0.49
1/19/2022	5:30:00 AM	0.49
1/19/2022	5:45:00 AM	0.49
1/19/2022	6:00:00 AM	0.49
1/19/2022	6:15:00 AM	0.49
1/19/2022	6:30:00 AM	0.49
1/19/2022	6:45:00 AM	0.49
1/19/2022	7:00:00 AM	0.49
1/19/2022	7:15:00 AM	0.49
1/19/2022	7:30:00 AM	0.49
1/19/2022	7:45:00 AM	0.49
1/19/2022	8:00:00 AM	0.49
1/19/2022	8:15:00 AM	0.49
1/19/2022	8:30:00 AM	0.49
1/19/2022	8:45:00 AM	0.49
1/19/2022	9:00:00 AM	0.49
1/19/2022	9:15:00 AM	0.49
1/19/2022	9:30:00 AM	0.49
1/19/2022	9:45:00 AM	0.49
1/19/2022	10:00:00 AM	0.49
1/19/2022	10:15:00 AM	0.49
1/19/2022	10:30:00 AM	0.49
1/19/2022	10:45:00 AM	0.49
1/19/2022	11:00:00 AM	0.49
1/19/2022	11:15:00 AM	0.49
1/19/2022	11:30:00 AM	0.49
1/19/2022	11:45:00 AM	0.49
1/19/2022	12:00:00 PM	0.49
1/19/2022	12:15:00 PM	0.49
1/19/2022	12:30:00 PM	0.49
1/19/2022	12:45:00 PM	0.49
1/19/2022	1:00:00 PM	0.49
1/19/2022	1:15:00 PM	0.49
1/19/2022	1:30:00 PM	0.49
1/19/2022	1:45:00 PM	0.49
1/19/2022	2:00:00 PM	0.49
1/19/2022	2:15:00 PM	0.49
1/19/2022	2:30:00 PM	0.49
1/19/2022	2:45:00 PM	0.49
1/19/2022	3:00:00 PM	0.49
1/19/2022	3:15:00 PM	0.49
1/19/2022	3:30:00 PM	0.49
1/19/2022	3:45:00 PM	0.49
1/19/2022	4:00:00 PM	0.49
1/19/2022	4:15:00 PM	0.49

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/19/2022	4:30:00 PM	0.49
1/19/2022	4:45:00 PM	0.49
1/19/2022	5:00:00 PM	0.49
1/19/2022	5:15:00 PM	0.49
1/19/2022	5:30:00 PM	0.49
1/19/2022	5:45:00 PM	0.49
1/19/2022	6:00:00 PM	0.49
1/19/2022	6:15:00 PM	0.49
1/19/2022	6:30:00 PM	0.49
1/19/2022	6:45:00 PM	0.49
1/19/2022	7:00:00 PM	0.49
1/19/2022	7:15:00 PM	0.49
1/19/2022	7:30:00 PM	0.49
1/19/2022	7:45:00 PM	0.49
1/19/2022	8:00:00 PM	0.49
1/19/2022	8:15:00 PM	0.49
1/19/2022	8:30:00 PM	0.49
1/19/2022	8:45:00 PM	0.49
1/19/2022	9:00:00 PM	0.49
1/19/2022	9:15:00 PM	0.49
1/19/2022	9:30:00 PM	0.49
1/19/2022	9:45:00 PM	0.49
1/19/2022	10:00:00 PM	0.49
1/19/2022	10:15:00 PM	0.49
1/19/2022	10:30:00 PM	0.49
1/19/2022	10:45:00 PM	0.49
1/19/2022	11:00:00 PM	0.49
1/19/2022	11:15:00 PM	0.49
1/19/2022	11:30:00 PM	0.49
1/19/2022	11:45:00 PM	0.49
1/20/2022	12:00:00 AM	0.49
1/20/2022	12:15:00 AM	0.49
1/20/2022	12:30:00 AM	0.49
1/20/2022	12:45:00 AM	0.49
1/20/2022	1:00:00 AM	0.49
1/20/2022	1:15:00 AM	0.5
1/20/2022	1:30:00 AM	0.49
1/20/2022	1:45:00 AM	0.49
1/20/2022	2:00:00 AM	0.49
1/20/2022	2:15:00 AM	0.49
1/20/2022	2:30:00 AM	0.49
1/20/2022	2:45:00 AM	0.49
1/20/2022	3:00:00 AM	0.49
1/20/2022	3:15:00 AM	0.49
1/20/2022	3:30:00 AM	0.49
1/20/2022	3:45:00 AM	0.49

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/20/2022	4:00:00 AM	0.49
1/20/2022	4:15:00 AM	0.49
1/20/2022	4:30:00 AM	0.5
1/20/2022	4:45:00 AM	0.49
1/20/2022	5:00:00 AM	0.5
1/20/2022	5:15:00 AM	0.5
1/20/2022	5:30:00 AM	0.5
1/20/2022	5:45:00 AM	0.5
1/20/2022	6:00:00 AM	0.5
1/20/2022	6:15:00 AM	0.49
1/20/2022	6:30:00 AM	0.49
1/20/2022	6:45:00 AM	0.5
1/20/2022	7:00:00 AM	0.49
1/20/2022	7:15:00 AM	0.49
1/20/2022	7:30:00 AM	0.49
1/20/2022	7:45:00 AM	0.49
1/20/2022	8:00:00 AM	0.49
1/20/2022	8:15:00 AM	0.49
1/20/2022	8:30:00 AM	0.49
1/20/2022	8:45:00 AM	0.49
1/20/2022	9:00:00 AM	0.49
1/20/2022	9:15:00 AM	0.49
1/20/2022	9:30:00 AM	0.49
1/20/2022	9:45:00 AM	0.49
1/20/2022	10:00:00 AM	0.49
1/20/2022	10:15:00 AM	0.49
1/20/2022	10:30:00 AM	0.49
1/20/2022	10:45:00 AM	0.49
1/20/2022	11:00:00 AM	0.49
1/20/2022	11:15:00 AM	0.49
1/20/2022	11:30:00 AM	0.49
1/20/2022	11:45:00 AM	0.49
1/20/2022	12:00:00 PM	0.49
1/20/2022	12:15:00 PM	0.49
1/20/2022	12:30:00 PM	0.49
1/20/2022	12:45:00 PM	0.49
1/20/2022	1:00:00 PM	0.49
1/20/2022	1:15:00 PM	0.49
1/20/2022	1:30:00 PM	0.49
1/20/2022	1:45:00 PM	0.49
1/20/2022	2:00:00 PM	0.49
1/20/2022	2:15:00 PM	0.49
1/20/2022	2:30:00 PM	0.49
1/20/2022	2:45:00 PM	0.49
1/20/2022	3:00:00 PM	0.49
1/20/2022	3:15:00 PM	0.49

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/20/2022	3:30:00 PM	0.49
1/20/2022	3:45:00 PM	0.49
1/20/2022	4:00:00 PM	0.49
1/20/2022	4:15:00 PM	0.49
1/20/2022	4:30:00 PM	0.49
1/20/2022	4:45:00 PM	0.5
1/20/2022	5:00:00 PM	0.49
1/20/2022	5:15:00 PM	0.49
1/20/2022	5:30:00 PM	0.5
1/20/2022	5:45:00 PM	0.5
1/20/2022	6:00:00 PM	0.5
1/20/2022	6:15:00 PM	0.5
1/20/2022	6:30:00 PM	0.5
1/20/2022	6:45:00 PM	0.5
1/20/2022	7:00:00 PM	0.49
1/20/2022	7:15:00 PM	0.5
1/20/2022	7:30:00 PM	0.49
1/20/2022	7:45:00 PM	0.49
1/20/2022	8:00:00 PM	0.49
1/20/2022	8:15:00 PM	0.49
1/20/2022	8:30:00 PM	0.5
1/20/2022	8:45:00 PM	0.5
1/20/2022	9:00:00 PM	0.49
1/20/2022	9:15:00 PM	0.49
1/20/2022	9:30:00 PM	0.49
1/20/2022	9:45:00 PM	0.49
1/20/2022	10:00:00 PM	0.49
1/20/2022	10:15:00 PM	0.49
1/20/2022	10:30:00 PM	0.49
1/20/2022	10:45:00 PM	0.49
1/20/2022	11:00:00 PM	0.49
1/20/2022	11:15:00 PM	0.49
1/20/2022	11:30:00 PM	0.49
1/20/2022	11:45:00 PM	0.49
1/21/2022	12:00:00 AM	0.49
1/21/2022	12:15:00 AM	0.49
1/21/2022	12:30:00 AM	0.49
1/21/2022	12:45:00 AM	0.49
1/21/2022	1:00:00 AM	0.49
1/21/2022	1:15:00 AM	0.49
1/21/2022	1:30:00 AM	0.49
1/21/2022	1:45:00 AM	0.49
1/21/2022	2:00:00 AM	0.49
1/21/2022	2:15:00 AM	0.49
1/21/2022	2:30:00 AM	0.49
1/21/2022	2:45:00 AM	0.49

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/21/2022	3:00:00 AM	0.49
1/21/2022	3:15:00 AM	0.49
1/21/2022	3:30:00 AM	0.49
1/21/2022	3:45:00 AM	0.49
1/21/2022	4:00:00 AM	0.49
1/21/2022	4:15:00 AM	0.49
1/21/2022	4:30:00 AM	0.49
1/21/2022	4:45:00 AM	0.49
1/21/2022	5:00:00 AM	0.49
1/21/2022	5:15:00 AM	0.49
1/21/2022	5:30:00 AM	0.49
1/21/2022	5:45:00 AM	0.49
1/21/2022	6:00:00 AM	0.49
1/21/2022	6:15:00 AM	0.49
1/21/2022	6:30:00 AM	0.49
1/21/2022	6:45:00 AM	0.49
1/21/2022	7:00:00 AM	0.48
1/21/2022	7:15:00 AM	0.48
1/21/2022	7:30:00 AM	0.49
1/21/2022	7:45:00 AM	0.49
1/21/2022	8:00:00 AM	0.49
1/21/2022	8:15:00 AM	0.48
1/21/2022	8:30:00 AM	0.49
1/21/2022	8:45:00 AM	0.48
1/21/2022	9:00:00 AM	0.48
1/21/2022	9:15:00 AM	0.48
1/21/2022	9:30:00 AM	0.48
1/21/2022	9:45:00 AM	0.48
1/21/2022	10:00:00 AM	0.48
1/21/2022	10:15:00 AM	0.48
1/21/2022	10:30:00 AM	0.48
1/21/2022	10:45:00 AM	0.47
1/21/2022	11:00:00 AM	0.47
1/21/2022	11:15:00 AM	0.47
1/21/2022	11:30:00 AM	0.47
1/21/2022	11:45:00 AM	0.47
1/21/2022	12:00:00 PM	0.47
1/21/2022	12:15:00 PM	0.47
1/21/2022	12:30:00 PM	0.47
1/21/2022	12:45:00 PM	0.47
1/21/2022	1:00:00 PM	0.47
1/21/2022	1:15:00 PM	0.47
1/21/2022	1:30:00 PM	0.47
1/21/2022	1:45:00 PM	0.47
1/21/2022	2:00:00 PM	0.47
1/21/2022	2:15:00 PM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/21/2022	2:30:00 PM	0.47
1/21/2022	2:45:00 PM	0.47
1/21/2022	3:00:00 PM	0.47
1/21/2022	3:15:00 PM	0.47
1/21/2022	3:30:00 PM	0.48
1/21/2022	3:45:00 PM	0.47
1/21/2022	4:00:00 PM	0.47
1/21/2022	4:15:00 PM	0.47
1/21/2022	4:30:00 PM	0.47
1/21/2022	4:45:00 PM	0.47
1/21/2022	5:00:00 PM	0.48
1/21/2022	5:15:00 PM	0.48
1/21/2022	5:30:00 PM	0.48
1/21/2022	5:45:00 PM	0.48
1/21/2022	6:00:00 PM	0.48
1/21/2022	6:15:00 PM	0.48
1/21/2022	6:30:00 PM	0.48
1/21/2022	6:45:00 PM	0.48
1/21/2022	7:00:00 PM	0.48
1/21/2022	7:15:00 PM	0.48
1/21/2022	7:30:00 PM	0.48
1/21/2022	7:45:00 PM	0.48
1/21/2022	8:00:00 PM	0.48
1/21/2022	8:15:00 PM	0.48
1/21/2022	8:30:00 PM	0.48
1/21/2022	8:45:00 PM	0.48
1/21/2022	9:00:00 PM	0.48
1/21/2022	9:15:00 PM	0.48
1/21/2022	9:30:00 PM	0.48
1/21/2022	9:45:00 PM	0.48
1/21/2022	10:00:00 PM	0.48
1/21/2022	10:15:00 PM	0.48
1/21/2022	10:30:00 PM	0.48
1/21/2022	10:45:00 PM	0.48
1/21/2022	11:00:00 PM	0.48
1/21/2022	11:15:00 PM	0.48
1/21/2022	11:30:00 PM	0.48
1/21/2022	11:45:00 PM	0.48
1/22/2022	12:00:00 AM	0.48
1/22/2022	12:15:00 AM	0.48
1/22/2022	12:30:00 AM	0.48
1/22/2022	12:45:00 AM	0.48
1/22/2022	1:00:00 AM	0.48
1/22/2022	1:15:00 AM	0.48
1/22/2022	1:30:00 AM	0.48
1/22/2022	1:45:00 AM	0.48

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/22/2022	2:00:00 AM	0.48
1/22/2022	2:15:00 AM	0.48
1/22/2022	2:30:00 AM	0.48
1/22/2022	2:45:00 AM	0.48
1/22/2022	3:00:00 AM	0.48
1/22/2022	3:15:00 AM	0.48
1/22/2022	3:30:00 AM	0.48
1/22/2022	3:45:00 AM	0.48
1/22/2022	4:00:00 AM	0.48
1/22/2022	4:15:00 AM	0.48
1/22/2022	4:30:00 AM	0.48
1/22/2022	4:45:00 AM	0.48
1/22/2022	5:00:00 AM	0.48
1/22/2022	5:15:00 AM	0.48
1/22/2022	5:30:00 AM	0.48
1/22/2022	5:45:00 AM	0.48
1/22/2022	6:00:00 AM	0.48
1/22/2022	6:15:00 AM	0.48
1/22/2022	6:30:00 AM	0.48
1/22/2022	6:45:00 AM	0.48
1/22/2022	7:00:00 AM	0.48
1/22/2022	7:15:00 AM	0.48
1/22/2022	7:30:00 AM	0.48
1/22/2022	7:45:00 AM	0.48
1/22/2022	8:00:00 AM	0.48
1/22/2022	8:15:00 AM	0.48
1/22/2022	8:30:00 AM	0.48
1/22/2022	8:45:00 AM	0.48
1/22/2022	9:00:00 AM	0.48
1/22/2022	9:15:00 AM	0.48
1/22/2022	9:30:00 AM	0.48
1/22/2022	9:45:00 AM	0.48
1/22/2022	10:00:00 AM	0.48
1/22/2022	10:15:00 AM	0.48
1/22/2022	10:30:00 AM	0.48
1/22/2022	10:45:00 AM	0.48
1/22/2022	11:00:00 AM	0.48
1/22/2022	11:15:00 AM	0.48
1/22/2022	11:30:00 AM	0.48
1/22/2022	11:45:00 AM	0.48
1/22/2022	12:00:00 PM	0.48
1/22/2022	12:15:00 PM	0.48
1/22/2022	12:30:00 PM	0.48
1/22/2022	12:45:00 PM	0.48
1/22/2022	1:00:00 PM	0.48
1/22/2022	1:15:00 PM	0.48



## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/22/2022	1:30:00 PM	0.48
1/22/2022	1:45:00 PM	0.48
1/22/2022	2:00:00 PM	0.48
1/22/2022	2:15:00 PM	0.48
1/22/2022	2:30:00 PM	0.48
1/22/2022	2:45:00 PM	0.48
1/22/2022	3:00:00 PM	0.48
1/22/2022	3:15:00 PM	0.48
1/22/2022	3:30:00 PM	0.48
1/22/2022	3:45:00 PM	0.48
1/22/2022	4:00:00 PM	0.48
1/22/2022	4:15:00 PM	0.48
1/22/2022	4:30:00 PM	0.48
1/22/2022	4:45:00 PM	0.48
1/22/2022	5:00:00 PM	0.48
1/22/2022	5:15:00 PM	0.48
1/22/2022	5:30:00 PM	0.48
1/22/2022	5:45:00 PM	0.48
1/22/2022	6:00:00 PM	0.48
1/22/2022	6:15:00 PM	0.48
1/22/2022	6:30:00 PM	0.48
1/22/2022	6:45:00 PM	0.48
1/22/2022	7:00:00 PM	0.48
1/22/2022	7:15:00 PM	0.48
1/22/2022	7:30:00 PM	0.48
1/22/2022	7:45:00 PM	0.48
1/22/2022	8:00:00 PM	0.48
1/22/2022	8:15:00 PM	0.48
1/22/2022	8:30:00 PM	0.48
1/22/2022	8:45:00 PM	0.48
1/22/2022	9:00:00 PM	0.48
1/22/2022	9:15:00 PM	0.48
1/22/2022	9:30:00 PM	0.48
1/22/2022	9:45:00 PM	0.48
1/22/2022	10:00:00 PM	0.48
1/22/2022	10:15:00 PM	0.48
1/22/2022	10:30:00 PM	0.48
1/22/2022	10:45:00 PM	0.48
1/22/2022	11:00:00 PM	0.48
1/22/2022	11:15:00 PM	0.47
1/22/2022	11:30:00 PM	0.48
1/22/2022	11:45:00 PM	0.47
1/23/2022	12:00:00 AM	0.47
1/23/2022	12:15:00 AM	0.47
1/23/2022	12:30:00 AM	0.47
1/23/2022	12:45:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/23/2022	1:00:00 AM	0.47
1/23/2022	1:15:00 AM	0.47
1/23/2022	1:30:00 AM	0.47
1/23/2022	1:45:00 AM	0.47
1/23/2022	2:00:00 AM	0.47
1/23/2022	2:15:00 AM	0.47
1/23/2022	2:30:00 AM	0.47
1/23/2022	2:45:00 AM	0.47
1/23/2022	3:00:00 AM	0.47
1/23/2022	3:15:00 AM	0.47
1/23/2022	3:30:00 AM	0.47
1/23/2022	3:45:00 AM	0.47
1/23/2022	4:00:00 AM	0.47
1/23/2022	4:15:00 AM	0.47
1/23/2022	4:30:00 AM	0.47
1/23/2022	4:45:00 AM	0.47
1/23/2022	5:00:00 AM	0.47
1/23/2022	5:15:00 AM	0.47
1/23/2022	5:30:00 AM	0.47
1/23/2022	5:45:00 AM	0.47
1/23/2022	6:00:00 AM	0.47
1/23/2022	6:15:00 AM	0.47
1/23/2022	6:30:00 AM	0.47
1/23/2022	6:45:00 AM	0.47
1/23/2022	7:00:00 AM	0.47
1/23/2022	7:15:00 AM	0.47
1/23/2022	7:30:00 AM	0.47
1/23/2022	7:45:00 AM	0.47
1/23/2022	8:00:00 AM	0.47
1/23/2022	8:15:00 AM	0.47
1/23/2022	8:30:00 AM	0.47
1/23/2022	8:45:00 AM	0.47
1/23/2022	9:00:00 AM	0.47
1/23/2022	9:15:00 AM	0.47
1/23/2022	9:30:00 AM	0.47
1/23/2022	9:45:00 AM	0.47
1/23/2022	10:00:00 AM	0.47
1/23/2022	10:15:00 AM	0.47
1/23/2022	10:30:00 AM	0.47
1/23/2022	10:45:00 AM	0.47
1/23/2022	11:00:00 AM	0.47
1/23/2022	11:15:00 AM	0.47
1/23/2022	11:30:00 AM	0.47
1/23/2022	11:45:00 AM	0.47
1/23/2022	12:00:00 PM	0.47
1/23/2022	12:15:00 PM	0.47

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/23/2022	12:30:00 PM	0.47
1/23/2022	12:45:00 PM	0.47
1/23/2022	1:00:00 PM	0.47
1/23/2022	1:15:00 PM	0.47
1/23/2022	1:30:00 PM	0.47
1/23/2022	1:45:00 PM	0.47
1/23/2022	2:00:00 PM	0.47
1/23/2022	2:15:00 PM	0.47
1/23/2022	2:30:00 PM	0.47
1/23/2022	2:45:00 PM	0.47
1/23/2022	3:00:00 PM	0.47
1/23/2022	3:15:00 PM	0.47
1/23/2022	3:30:00 PM	0.47
1/23/2022	3:45:00 PM	0.47
1/23/2022	4:00:00 PM	0.47
1/23/2022	4:15:00 PM	0.47
1/23/2022	4:30:00 PM	0.47
1/23/2022	4:45:00 PM	0.47
1/23/2022	5:00:00 PM	0.47
1/23/2022	5:15:00 PM	0.47
1/23/2022	5:30:00 PM	0.47
1/23/2022	5:45:00 PM	0.47
1/23/2022	6:00:00 PM	0.47
1/23/2022	6:15:00 PM	0.47
1/23/2022	6:30:00 PM	0.47
1/23/2022	6:45:00 PM	0.47
1/23/2022	7:00:00 PM	0.47
1/23/2022	7:15:00 PM	0.47
1/23/2022	7:30:00 PM	0.47
1/23/2022	7:45:00 PM	0.47
1/23/2022	8:00:00 PM	0.47
1/23/2022	8:15:00 PM	0.47
1/23/2022	8:30:00 PM	0.47
1/23/2022	8:45:00 PM	0.47
1/23/2022	9:00:00 PM	0.47
1/23/2022	9:15:00 PM	0.47
1/23/2022	9:30:00 PM	0.47
1/23/2022	9:45:00 PM	0.47
1/23/2022	10:00:00 PM	0.47
1/23/2022	10:15:00 PM	0.47
1/23/2022	10:30:00 PM	0.47
1/23/2022	10:45:00 PM	0.47
1/23/2022	11:00:00 PM	0.47
1/23/2022	11:15:00 PM	0.47
1/23/2022	11:30:00 PM	0.47
1/23/2022	11:45:00 PM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/24/2022	12:00:00 AM	0.47
1/24/2022	12:15:00 AM	0.47
1/24/2022	12:30:00 AM	0.47
1/24/2022	12:45:00 AM	0.47
1/24/2022	1:00:00 AM	0.47
1/24/2022	1:15:00 AM	0.47
1/24/2022	1:30:00 AM	0.47
1/24/2022	1:45:00 AM	0.47
1/24/2022	2:00:00 AM	0.47
1/24/2022	2:15:00 AM	0.47
1/24/2022	2:30:00 AM	0.47
1/24/2022	2:45:00 AM	0.47
1/24/2022	3:00:00 AM	0.47
1/24/2022	3:15:00 AM	0.47
1/24/2022	3:30:00 AM	0.47
1/24/2022	3:45:00 AM	0.47
1/24/2022	4:00:00 AM	0.47
1/24/2022	4:15:00 AM	0.47
1/24/2022	4:30:00 AM	0.47
1/24/2022	4:45:00 AM	0.47
1/24/2022	5:00:00 AM	0.47
1/24/2022	5:15:00 AM	0.47
1/24/2022	5:30:00 AM	0.47
1/24/2022	5:45:00 AM	0.47
1/24/2022	6:00:00 AM	0.47
1/24/2022	6:15:00 AM	0.47
1/24/2022	6:30:00 AM	0.47
1/24/2022	6:45:00 AM	0.47
1/24/2022	7:00:00 AM	0.47
1/24/2022	7:15:00 AM	0.47
1/24/2022	7:30:00 AM	0.47
1/24/2022	7:45:00 AM	0.47
1/24/2022	8:00:00 AM	0.47
1/24/2022	8:15:00 AM	0.47
1/24/2022	8:30:00 AM	0.47
1/24/2022	8:45:00 AM	0.47
1/24/2022	9:00:00 AM	0.47
1/24/2022	9:15:00 AM	0.47
1/24/2022	9:30:00 AM	0.47
1/24/2022	9:45:00 AM	0.47
1/24/2022	10:00:00 AM	0.47
1/24/2022	10:15:00 AM	0.47
1/24/2022	10:30:00 AM	0.47
1/24/2022	10:45:00 AM	0.47
1/24/2022	11:00:00 AM	0.47
1/24/2022	11:15:00 AM	0.47

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/24/2022	11:30:00 AM	0.47
1/24/2022	11:45:00 AM	0.47
1/24/2022	12:00:00 PM	0.47
1/24/2022	12:15:00 PM	0.47
1/24/2022	12:30:00 PM	0.47
1/24/2022	12:45:00 PM	0.47
1/24/2022	1:00:00 PM	0.47
1/24/2022	1:15:00 PM	0.47
1/24/2022	1:30:00 PM	0.47
1/24/2022	1:45:00 PM	0.47
1/24/2022	2:00:00 PM	0.47
1/24/2022	2:15:00 PM	0.47
1/24/2022	2:30:00 PM	0.47
1/24/2022	2:45:00 PM	0.47
1/24/2022	3:00:00 PM	0.47
1/24/2022	3:15:00 PM	0.47
1/24/2022	3:30:00 PM	0.47
1/24/2022	3:45:00 PM	0.47
1/24/2022	4:00:00 PM	0.47
1/24/2022	4:15:00 PM	0.47
1/24/2022	4:30:00 PM	0.47
1/24/2022	4:45:00 PM	0.47
1/24/2022	5:00:00 PM	0.47
1/24/2022	5:15:00 PM	0.47
1/24/2022	5:30:00 PM	0.47
1/24/2022	5:45:00 PM	0.47
1/24/2022	6:00:00 PM	0.47
1/24/2022	6:15:00 PM	0.47
1/24/2022	6:30:00 PM	0.47
1/24/2022	6:45:00 PM	0.47
1/24/2022	7:00:00 PM	0.47
1/24/2022	7:15:00 PM	0.47
1/24/2022	7:30:00 PM	0.47
1/24/2022	7:45:00 PM	0.47
1/24/2022	8:00:00 PM	0.47
1/24/2022	8:15:00 PM	0.47
1/24/2022	8:30:00 PM	0.47
1/24/2022	8:45:00 PM	0.47
1/24/2022	9:00:00 PM	0.47
1/24/2022	9:15:00 PM	0.47
1/24/2022	9:30:00 PM	0.47
1/24/2022	9:45:00 PM	0.47
1/24/2022	10:00:00 PM	0.47
1/24/2022	10:15:00 PM	0.47
1/24/2022	10:30:00 PM	0.47
1/24/2022	10:45:00 PM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/24/2022	11:00:00 PM	0.47
1/24/2022	11:15:00 PM	0.47
1/24/2022	11:30:00 PM	0.47
1/24/2022	11:45:00 PM	0.47
1/25/2022	12:00:00 AM	0.47
1/25/2022	12:15:00 AM	0.47
1/25/2022	12:30:00 AM	0.47
1/25/2022	12:45:00 AM	0.47
1/25/2022	1:00:00 AM	0.47
1/25/2022	1:15:00 AM	0.47
1/25/2022	1:30:00 AM	0.47
1/25/2022	1:45:00 AM	0.47
1/25/2022	2:00:00 AM	0.47
1/25/2022	2:15:00 AM	0.47
1/25/2022	2:30:00 AM	0.47
1/25/2022	2:45:00 AM	0.47
1/25/2022	3:00:00 AM	0.47
1/25/2022	3:15:00 AM	0.47
1/25/2022	3:30:00 AM	0.47
1/25/2022	3:45:00 AM	0.47
1/25/2022	4:00:00 AM	0.47
1/25/2022	4:15:00 AM	0.47
1/25/2022	4:30:00 AM	0.47
1/25/2022	4:45:00 AM	0.47
1/25/2022	5:00:00 AM	0.47
1/25/2022	5:15:00 AM	0.47
1/25/2022	5:30:00 AM	0.47
1/25/2022	5:45:00 AM	0.47
1/25/2022	6:00:00 AM	0.47
1/25/2022	6:15:00 AM	0.47
1/25/2022	6:30:00 AM	0.47
1/25/2022	6:45:00 AM	0.47
1/25/2022	7:00:00 AM	0.47
1/25/2022	7:15:00 AM	0.47
1/25/2022	7:30:00 AM	0.47
1/25/2022	7:45:00 AM	0.47
1/25/2022	8:00:00 AM	0.47
1/25/2022	8:15:00 AM	0.47
1/25/2022	8:30:00 AM	0.47
1/25/2022	8:45:00 AM	0.47
1/25/2022	9:00:00 AM	0.47
1/25/2022	9:15:00 AM	0.47
1/25/2022	9:30:00 AM	0.47
1/25/2022	9:45:00 AM	0.47
1/25/2022	10:00:00 AM	0.47
1/25/2022	10:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/25/2022	10:30:00 AM	0.47
1/25/2022	10:45:00 AM	0.47
1/25/2022	11:00:00 AM	0.47
1/25/2022	11:15:00 AM	0.47
1/25/2022	11:30:00 AM	0.47
1/25/2022	11:45:00 AM	0.47
1/25/2022	12:00:00 PM	0.47
1/25/2022	12:15:00 PM	0.46
1/25/2022	12:30:00 PM	0.46
1/25/2022	12:45:00 PM	0.46
1/25/2022	1:00:00 PM	0.46
1/25/2022	1:15:00 PM	0.46
1/25/2022	1:30:00 PM	0.46
1/25/2022	1:45:00 PM	0.46
1/25/2022	2:00:00 PM	0.46
1/25/2022	2:15:00 PM	0.47
1/25/2022	2:30:00 PM	0.46
1/25/2022	2:45:00 PM	0.46
1/25/2022	3:00:00 PM	0.46
1/25/2022	3:15:00 PM	0.46
1/25/2022	3:30:00 PM	0.46
1/25/2022	3:45:00 PM	0.46
1/25/2022	4:00:00 PM	0.46
1/25/2022	4:15:00 PM	0.46
1/25/2022	4:30:00 PM	0.46
1/25/2022	4:45:00 PM	0.46
1/25/2022	5:00:00 PM	0.46
1/25/2022	5:15:00 PM	0.46
1/25/2022	5:30:00 PM	0.46
1/25/2022	5:45:00 PM	0.46
1/25/2022	6:00:00 PM	0.46
1/25/2022	6:15:00 PM	0.46
1/25/2022	6:30:00 PM	0.47
1/25/2022	6:45:00 PM	0.46
1/25/2022	7:00:00 PM	0.46
1/25/2022	7:15:00 PM	0.46
1/25/2022	7:30:00 PM	0.46
1/25/2022	7:45:00 PM	0.46
1/25/2022	8:00:00 PM	0.46
1/25/2022	8:15:00 PM	0.46
1/25/2022	8:30:00 PM	0.46
1/25/2022	8:45:00 PM	0.46
1/25/2022	9:00:00 PM	0.46
1/25/2022	9:15:00 PM	0.46
1/25/2022	9:30:00 PM	0.46
1/25/2022	9:45:00 PM	0.46

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/25/2022	10:00:00 PM	0.46
1/25/2022	10:15:00 PM	0.46
1/25/2022	10:30:00 PM	0.46
1/25/2022	10:45:00 PM	0.46
1/25/2022	11:00:00 PM	0.46
1/25/2022	11:15:00 PM	0.46
1/25/2022	11:30:00 PM	0.46
1/25/2022	11:45:00 PM	0.46
1/26/2022	12:00:00 AM	0.46
1/26/2022	12:15:00 AM	0.46
1/26/2022	12:30:00 AM	0.46
1/26/2022	12:45:00 AM	0.46
1/26/2022	1:00:00 AM	0.46
1/26/2022	1:15:00 AM	0.46
1/26/2022	1:30:00 AM	0.46
1/26/2022	1:45:00 AM	0.46
1/26/2022	2:00:00 AM	0.46
1/26/2022	2:15:00 AM	0.46
1/26/2022	2:30:00 AM	0.46
1/26/2022	2:45:00 AM	0.46
1/26/2022	3:00:00 AM	0.46
1/26/2022	3:15:00 AM	0.46
1/26/2022	3:30:00 AM	0.46
1/26/2022	3:45:00 AM	0.46
1/26/2022	4:00:00 AM	0.46
1/26/2022	4:15:00 AM	0.46
1/26/2022	4:30:00 AM	0.46
1/26/2022	4:45:00 AM	0.46
1/26/2022	5:00:00 AM	0.46
1/26/2022	5:15:00 AM	0.46
1/26/2022	5:30:00 AM	0.46
1/26/2022	5:45:00 AM	0.46
1/26/2022	6:00:00 AM	0.46
1/26/2022	6:15:00 AM	0.46
1/26/2022	6:30:00 AM	0.46
1/26/2022	6:45:00 AM	0.46
1/26/2022	7:00:00 AM	0.46
1/26/2022	7:15:00 AM	0.46
1/26/2022	7:30:00 AM	0.46
1/26/2022	7:45:00 AM	0.46
1/26/2022	8:00:00 AM	0.46
1/26/2022	8:15:00 AM	0.46
1/26/2022	8:30:00 AM	0.46
1/26/2022	8:45:00 AM	0.46
1/26/2022	9:00:00 AM	0.46
1/26/2022	9:15:00 AM	0.46



## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/26/2022	9:30:00 AM	0.46
1/26/2022	9:45:00 AM	0.46
1/26/2022	10:00:00 AM	0.46
1/26/2022	10:15:00 AM	0.46
1/26/2022	10:30:00 AM	0.46
1/26/2022	10:45:00 AM	0.46
1/26/2022	11:00:00 AM	0.46
1/26/2022	11:15:00 AM	0.46
1/26/2022	11:30:00 AM	0.46
1/26/2022	11:45:00 AM	0.46
1/26/2022	12:00:00 PM	0.46
1/26/2022	12:15:00 PM	0.46
1/26/2022	12:30:00 PM	0.46
1/26/2022	12:45:00 PM	0.46
1/26/2022	1:00:00 PM	0.46
1/26/2022	1:15:00 PM	0.46
1/26/2022	1:30:00 PM	0.46
1/26/2022	1:45:00 PM	0.46
1/26/2022	2:00:00 PM	0.46
1/26/2022	2:15:00 PM	0.46
1/26/2022	2:30:00 PM	0.46
1/26/2022	2:45:00 PM	0.46
1/26/2022	3:00:00 PM	0.46
1/26/2022	3:15:00 PM	0.46
1/26/2022	3:30:00 PM	0.46
1/26/2022	3:45:00 PM	0.46
1/26/2022	4:00:00 PM	0.46
1/26/2022	4:15:00 PM	0.46
1/26/2022	4:30:00 PM	0.46
1/26/2022	4:45:00 PM	0.46
1/26/2022	5:00:00 PM	0.46
1/26/2022	5:15:00 PM	0.46
1/26/2022	5:30:00 PM	0.46
1/26/2022	5:45:00 PM	0.46
1/26/2022	6:00:00 PM	0.46
1/26/2022	6:15:00 PM	0.46
1/26/2022	6:30:00 PM	0.46
1/26/2022	6:45:00 PM	0.46
1/26/2022	7:00:00 PM	0.46
1/26/2022	7:15:00 PM	0.46
1/26/2022	7:30:00 PM	0.46
1/26/2022	7:45:00 PM	0.46
1/26/2022	8:00:00 PM	0.46
1/26/2022	8:15:00 PM	0.46
1/26/2022	8:30:00 PM	0.46
1/26/2022	8:45:00 PM	0.46

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/26/2022	9:00:00 PM	0.46
1/26/2022	9:15:00 PM	0.46
1/26/2022	9:30:00 PM	0.46
1/26/2022	9:45:00 PM	0.46
1/26/2022	10:00:00 PM	0.46
1/26/2022	10:15:00 PM	0.46
1/26/2022	10:30:00 PM	0.46
1/26/2022	10:45:00 PM	0.46
1/26/2022	11:00:00 PM	0.46
1/26/2022	11:15:00 PM	0.46
1/26/2022	11:30:00 PM	0.46
1/26/2022	11:45:00 PM	0.46
1/27/2022	12:00:00 AM	0.46
1/27/2022	12:15:00 AM	0.46
1/27/2022	12:30:00 AM	0.46
1/27/2022	12:45:00 AM	0.46
1/27/2022	1:00:00 AM	0.46
1/27/2022	1:15:00 AM	0.46
1/27/2022	1:30:00 AM	0.46
1/27/2022	1:45:00 AM	0.46
1/27/2022	2:00:00 AM	0.46
1/27/2022	2:15:00 AM	0.46
1/27/2022	2:30:00 AM	0.46
1/27/2022	2:45:00 AM	0.46
1/27/2022	3:00:00 AM	0.46
1/27/2022	3:15:00 AM	0.46
1/27/2022	3:30:00 AM	0.46
1/27/2022	3:45:00 AM	0.46
1/27/2022	4:00:00 AM	0.46
1/27/2022	4:15:00 AM	0.46
1/27/2022	4:30:00 AM	0.46
1/27/2022	4:45:00 AM	0.46
1/27/2022	5:00:00 AM	0.46
1/27/2022	5:15:00 AM	0.46
1/27/2022	5:30:00 AM	0.46
1/27/2022	5:45:00 AM	0.46
1/27/2022	6:00:00 AM	0.46
1/27/2022	6:15:00 AM	0.46
1/27/2022	6:30:00 AM	0.46
1/27/2022	6:45:00 AM	0.46
1/27/2022	7:00:00 AM	0.46
1/27/2022	7:15:00 AM	0.46
1/27/2022	7:30:00 AM	0.46
1/27/2022	7:45:00 AM	0.46
1/27/2022	8:00:00 AM	0.46
1/27/2022	8:15:00 AM	0.46

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/27/2022	8:30:00 AM	0.46
1/27/2022	8:45:00 AM	0.46
1/27/2022	9:00:00 AM	0.46
1/27/2022	9:15:00 AM	0.46
1/27/2022	9:30:00 AM	0.46
1/27/2022	9:45:00 AM	0.46
1/27/2022	10:00:00 AM	0.46
1/27/2022	10:15:00 AM	0.46
1/27/2022	10:30:00 AM	0.46
1/27/2022	10:45:00 AM	0.46
1/27/2022	11:00:00 AM	0.46
1/27/2022	11:15:00 AM	0.46
1/27/2022	11:30:00 AM	0.46
1/27/2022	11:45:00 AM	0.46
1/27/2022	12:00:00 PM	0.46
1/27/2022	12:15:00 PM	0.46
1/27/2022	12:30:00 PM	0.46
1/27/2022	12:45:00 PM	0.46
1/27/2022	1:00:00 PM	0.46
1/27/2022	1:15:00 PM	0.46
1/27/2022	1:30:00 PM	0.46
1/27/2022	1:45:00 PM	0.46
1/27/2022	2:00:00 PM	0.46
1/27/2022	2:15:00 PM	0.46
1/27/2022	2:30:00 PM	0.46
1/27/2022	2:45:00 PM	0.46
1/27/2022	3:00:00 PM	0.46
1/27/2022	3:15:00 PM	0.46
1/27/2022	3:30:00 PM	0.46
1/27/2022	3:45:00 PM	0.46
1/27/2022	4:00:00 PM	0.46
1/27/2022	4:15:00 PM	0.46
1/27/2022	4:30:00 PM	0.46
1/27/2022	4:45:00 PM	0.46
1/27/2022	5:00:00 PM	0.46
1/27/2022	5:15:00 PM	0.46
1/27/2022	5:30:00 PM	0.46
1/27/2022	5:45:00 PM	0.46
1/27/2022	6:00:00 PM	0.46
1/27/2022	6:15:00 PM	0.46
1/27/2022	6:30:00 PM	0.46
1/27/2022	6:45:00 PM	0.46
1/27/2022	7:00:00 PM	0.46
1/27/2022	7:15:00 PM	0.46
1/27/2022	7:30:00 PM	0.46
1/27/2022	7:45:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/27/2022	8:00:00 PM	0.46
1/27/2022	8:15:00 PM	0.46
1/27/2022	8:30:00 PM	0.46
1/27/2022	8:45:00 PM	0.46
1/27/2022	9:00:00 PM	0.46
1/27/2022	9:15:00 PM	0.46
1/27/2022	9:30:00 PM	0.46
1/27/2022	9:45:00 PM	0.46
1/27/2022	10:00:00 PM	0.46
1/27/2022	10:15:00 PM	0.46
1/27/2022	10:30:00 PM	0.46
1/27/2022	10:45:00 PM	0.46
1/27/2022	11:00:00 PM	0.46
1/27/2022	11:15:00 PM	0.46
1/27/2022	11:30:00 PM	0.46
1/27/2022	11:45:00 PM	0.46
1/28/2022	12:00:00 AM	0.46
1/28/2022	12:15:00 AM	0.46
1/28/2022	12:30:00 AM	0.46
1/28/2022	12:45:00 AM	0.46
1/28/2022	1:00:00 AM	0.46
1/28/2022	1:15:00 AM	0.46
1/28/2022	1:30:00 AM	0.46
1/28/2022	1:45:00 AM	0.46
1/28/2022	2:00:00 AM	0.46
1/28/2022	2:15:00 AM	0.46
1/28/2022	2:30:00 AM	0.46
1/28/2022	2:45:00 AM	0.46
1/28/2022	3:00:00 AM	0.46
1/28/2022	3:15:00 AM	0.46
1/28/2022	3:30:00 AM	0.46
1/28/2022	3:45:00 AM	0.46
1/28/2022	4:00:00 AM	0.46
1/28/2022	4:15:00 AM	0.46
1/28/2022	4:30:00 AM	0.46
1/28/2022	4:45:00 AM	0.46
1/28/2022	5:00:00 AM	0.46
1/28/2022	5:15:00 AM	0.46
1/28/2022	5:30:00 AM	0.46
1/28/2022	5:45:00 AM	0.46
1/28/2022	6:00:00 AM	0.46
1/28/2022	6:15:00 AM	0.46
1/28/2022	6:30:00 AM	0.45
1/28/2022	6:45:00 AM	0.45
1/28/2022	7:00:00 AM	0.45
1/28/2022	7:15:00 AM	0.45

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/28/2022	7:30:00 AM	0.46
1/28/2022	7:45:00 AM	0.46
1/28/2022	8:00:00 AM	0.45
1/28/2022	8:15:00 AM	0.46
1/28/2022	8:30:00 AM	0.45
1/28/2022	8:45:00 AM	0.45
1/28/2022	9:00:00 AM	0.45
1/28/2022	9:15:00 AM	0.46
1/28/2022	9:30:00 AM	0.45
1/28/2022	9:45:00 AM	0.45
1/28/2022	10:00:00 AM	0.45
1/28/2022	10:15:00 AM	0.45
1/28/2022	10:30:00 AM	0.45
1/28/2022	10:45:00 AM	0.45
1/28/2022	11:00:00 AM	0.45
1/28/2022	11:15:00 AM	0.45
1/28/2022	11:30:00 AM	0.45
1/28/2022	11:45:00 AM	0.45
1/28/2022	12:00:00 PM	0.45
1/28/2022	12:15:00 PM	0.45
1/28/2022	12:30:00 PM	0.45
1/28/2022	12:45:00 PM	0.45
1/28/2022	1:00:00 PM	0.45
1/28/2022	1:15:00 PM	0.45
1/28/2022	1:30:00 PM	0.45
1/28/2022	1:45:00 PM	0.45
1/28/2022	2:00:00 PM	0.45
1/28/2022	2:15:00 PM	0.45
1/28/2022	2:30:00 PM	0.45
1/28/2022	2:45:00 PM	0.45
1/28/2022	3:00:00 PM	0.45
1/28/2022	3:15:00 PM	0.45
1/28/2022	3:30:00 PM	0.45
1/28/2022	3:45:00 PM	0.45
1/28/2022	4:00:00 PM	0.45
1/28/2022	4:15:00 PM	0.45
1/28/2022	4:30:00 PM	0.45
1/28/2022	4:45:00 PM	0.45
1/28/2022	5:00:00 PM	0.45
1/28/2022	5:15:00 PM	0.45
1/28/2022	5:30:00 PM	0.45
1/28/2022	5:45:00 PM	0.45
1/28/2022	6:00:00 PM	0.45
1/28/2022	6:15:00 PM	0.45
1/28/2022	6:30:00 PM	0.45
1/28/2022	6:45:00 PM	0.45

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/28/2022	7:00:00 PM	0.45
1/28/2022	7:15:00 PM	0.45
1/28/2022	7:30:00 PM	0.45
1/28/2022	7:45:00 PM	0.45
1/28/2022	8:00:00 PM	0.45
1/28/2022	8:15:00 PM	0.45
1/28/2022	8:30:00 PM	0.45
1/28/2022	8:45:00 PM	0.45
1/28/2022	9:00:00 PM	0.45
1/28/2022	9:15:00 PM	0.45
1/28/2022	9:30:00 PM	0.45
1/28/2022	9:45:00 PM	0.45
1/28/2022	10:00:00 PM	0.45
1/28/2022	10:15:00 PM	0.45
1/28/2022	10:30:00 PM	0.45
1/28/2022	10:45:00 PM	0.45
1/28/2022	11:00:00 PM	0.45
1/28/2022	11:15:00 PM	0.45
1/28/2022	11:30:00 PM	0.45
1/28/2022	11:45:00 PM	0.45
1/29/2022	12:00:00 AM	0.45
1/29/2022	12:15:00 AM	0.45
1/29/2022	12:30:00 AM	0.45
1/29/2022	12:45:00 AM	0.45
1/29/2022	1:00:00 AM	0.45
1/29/2022	1:15:00 AM	0.45
1/29/2022	1:30:00 AM	0.45
1/29/2022	1:45:00 AM	0.45
1/29/2022	2:00:00 AM	0.45
1/29/2022	2:15:00 AM	0.45
1/29/2022	2:30:00 AM	0.45
1/29/2022	2:45:00 AM	0.45
1/29/2022	3:00:00 AM	0.45
1/29/2022	3:15:00 AM	0.45
1/29/2022	3:30:00 AM	0.45
1/29/2022	3:45:00 AM	0.45
1/29/2022	4:00:00 AM	0.45
1/29/2022	4:15:00 AM	0.45
1/29/2022	4:30:00 AM	0.45
1/29/2022	4:45:00 AM	0.45
1/29/2022	5:00:00 AM	0.45
1/29/2022	5:15:00 AM	0.45
1/29/2022	5:30:00 AM	0.46
1/29/2022	5:45:00 AM	0.45
1/29/2022	6:00:00 AM	0.46
1/29/2022	6:15:00 AM	0.45

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/29/2022	6:30:00 AM	0.45
1/29/2022	6:45:00 AM	0.46
1/29/2022	7:00:00 AM	0.46
1/29/2022	7:15:00 AM	0.46
1/29/2022	7:30:00 AM	0.46
1/29/2022	7:45:00 AM	0.46
1/29/2022	8:00:00 AM	0.46
1/29/2022	8:15:00 AM	0.46
1/29/2022	8:30:00 AM	0.46
1/29/2022	8:45:00 AM	0.46
1/29/2022	9:00:00 AM	0.46
1/29/2022	9:15:00 AM	0.46
1/29/2022	9:30:00 AM	0.46
1/29/2022	9:45:00 AM	0.46
1/29/2022	10:00:00 AM	0.46
1/29/2022	10:15:00 AM	0.46
1/29/2022	10:30:00 AM	0.45
1/29/2022	10:45:00 AM	0.46
1/29/2022	11:00:00 AM	0.46
1/29/2022	11:15:00 AM	0.46
1/29/2022	11:30:00 AM	0.46
1/29/2022	11:45:00 AM	0.46
1/29/2022	12:00:00 PM	0.46
1/29/2022	12:15:00 PM	0.46
1/29/2022	12:30:00 PM	0.46
1/29/2022	12:45:00 PM	0.46
1/29/2022	1:00:00 PM	0.46
1/29/2022	1:15:00 PM	0.46
1/29/2022	1:30:00 PM	0.46
1/29/2022	1:45:00 PM	0.46
1/29/2022	2:00:00 PM	0.46
1/29/2022	2:15:00 PM	0.46
1/29/2022	2:30:00 PM	0.46
1/29/2022	2:45:00 PM	0.46
1/29/2022	3:00:00 PM	0.46
1/29/2022	3:15:00 PM	0.46
1/29/2022	3:30:00 PM	0.45
1/29/2022	3:45:00 PM	0.45
1/29/2022	4:00:00 PM	0.45
1/29/2022	4:15:00 PM	0.45
1/29/2022	4:30:00 PM	0.45
1/29/2022	4:45:00 PM	0.45
1/29/2022	5:00:00 PM	0.45
1/29/2022	5:15:00 PM	0.45
1/29/2022	5:30:00 PM	0.45
1/29/2022	5:45:00 PM	0.45

Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/29/2022	6:00:00 PM	0.45
1/29/2022	6:15:00 PM	0.45
1/29/2022	6:30:00 PM	0.45
1/29/2022	6:45:00 PM	0.45
1/29/2022	7:00:00 PM	0.45
1/29/2022	7:15:00 PM	0.45
1/29/2022	7:30:00 PM	0.45
1/29/2022	7:45:00 PM	0.45
1/29/2022	8:00:00 PM	0.45
1/29/2022	8:15:00 PM	0.45
1/29/2022	8:30:00 PM	0.45
1/29/2022	8:45:00 PM	0.45
1/29/2022	9:00:00 PM	0.45
1/29/2022	9:15:00 PM	0.45
1/29/2022	9:30:00 PM	0.45
1/29/2022	9:45:00 PM	0.45
1/29/2022	10:00:00 PM	0.45
1/29/2022	10:15:00 PM	0.45
1/29/2022	10:30:00 PM	0.45
1/29/2022	10:45:00 PM	0.45
1/29/2022	11:00:00 PM	0.45
1/29/2022	11:15:00 PM	0.45
1/29/2022	11:30:00 PM	0.45
1/29/2022	11:45:00 PM	0.44
1/30/2022	12:00:00 AM	0.44
1/30/2022	12:15:00 AM	0.44
1/30/2022	12:30:00 AM	0.45
1/30/2022	12:45:00 AM	0.45
1/30/2022	1:00:00 AM	0.45
1/30/2022	1:15:00 AM	0.44
1/30/2022	1:30:00 AM	0.44
1/30/2022	1:45:00 AM	0.44
1/30/2022	2:00:00 AM	0.44
1/30/2022	2:15:00 AM	0.44
1/30/2022	2:30:00 AM	0.44
1/30/2022	2:45:00 AM	0.44
1/30/2022	3:00:00 AM	0.44
1/30/2022	3:15:00 AM	0.44
1/30/2022	3:30:00 AM	0.44
1/30/2022	3:45:00 AM	0.44
1/30/2022	4:00:00 AM	0.44
1/30/2022	4:15:00 AM	0.44
1/30/2022	4:30:00 AM	0.44
1/30/2022	4:45:00 AM	0.44
1/30/2022	5:00:00 AM	0.44
1/30/2022	5:15:00 AM	0.44



Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/30/2022	5:30:00 AM	0.44
1/30/2022	5:45:00 AM	0.44
1/30/2022	6:00:00 AM	0.44
1/30/2022	6:15:00 AM	0.44
1/30/2022	6:30:00 AM	0.44
1/30/2022	6:45:00 AM	0.44
1/30/2022	7:00:00 AM	0.44
1/30/2022	7:15:00 AM	0.44
1/30/2022	7:30:00 AM	0.44
1/30/2022	7:45:00 AM	0.44
1/30/2022	8:00:00 AM	0.44
1/30/2022	8:15:00 AM	0.44
1/30/2022	8:30:00 AM	0.44
1/30/2022	8:45:00 AM	0.44
1/30/2022	9:00:00 AM	0.44
1/30/2022	9:15:00 AM	0.44
1/30/2022	9:30:00 AM	0.44
1/30/2022	9:45:00 AM	0.44
1/30/2022	10:00:00 AM	0.44
1/30/2022	10:15:00 AM	0.44
1/30/2022	10:30:00 AM	0.44
1/30/2022	10:45:00 AM	0.44
1/30/2022	11:00:00 AM	0.44
1/30/2022	11:15:00 AM	0.44
1/30/2022	11:30:00 AM	0.44
1/30/2022	11:45:00 AM	0.44
1/30/2022	12:00:00 PM	0.44
1/30/2022	12:15:00 PM	0.45
1/30/2022	12:30:00 PM	0.45
1/30/2022	12:45:00 PM	0.45
1/30/2022	1:00:00 PM	0.45
1/30/2022	1:15:00 PM	0.46
1/30/2022	1:30:00 PM	0.46
1/30/2022	1:45:00 PM	0.46
1/30/2022	2:00:00 PM	0.46
1/30/2022	2:15:00 PM	0.46
1/30/2022	2:30:00 PM	0.47
1/30/2022	2:45:00 PM	0.47
1/30/2022	3:00:00 PM	0.47
1/30/2022	3:15:00 PM	0.47
1/30/2022	3:30:00 PM	0.47
1/30/2022	3:45:00 PM	0.47
1/30/2022	4:00:00 PM	0.47
1/30/2022	4:15:00 PM	0.48
1/30/2022	4:30:00 PM	0.48
1/30/2022	4:45:00 PM	0.48

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/30/2022	5:00:00 PM	0.48
1/30/2022	5:15:00 PM	0.48
1/30/2022	5:30:00 PM	0.48
1/30/2022	5:45:00 PM	0.48
1/30/2022	6:00:00 PM	0.48
1/30/2022	6:15:00 PM	0.49
1/30/2022	6:30:00 PM	0.49
1/30/2022	6:45:00 PM	0.49
1/30/2022	7:00:00 PM	0.49
1/30/2022	7:15:00 PM	0.49
1/30/2022	7:30:00 PM	0.49
1/30/2022	7:45:00 PM	0.49
1/30/2022	8:00:00 PM	0.49
1/30/2022	8:15:00 PM	0.49
1/30/2022	8:30:00 PM	0.49
1/30/2022	8:45:00 PM	0.49
1/30/2022	9:00:00 PM	0.49
1/30/2022	9:15:00 PM	0.49
1/30/2022	9:30:00 PM	0.5
1/30/2022	9:45:00 PM	0.5
1/30/2022	10:00:00 PM	0.5
1/30/2022	10:15:00 PM	0.5
1/30/2022	10:30:00 PM	0.5
1/30/2022	10:45:00 PM	0.5
1/30/2022	11:00:00 PM	0.5
1/30/2022	11:15:00 PM	0.5
1/30/2022	11:30:00 PM	0.5
1/30/2022	11:45:00 PM	0.5
1/31/2022	12:00:00 AM	0.5
1/31/2022	12:15:00 AM	0.5
1/31/2022	12:30:00 AM	0.5
1/31/2022	12:45:00 AM	0.5
1/31/2022	1:00:00 AM	0.5
1/31/2022	1:15:00 AM	0.5
1/31/2022	1:30:00 AM	0.5
1/31/2022	1:45:00 AM	0.5
1/31/2022	2:00:00 AM	0.5
1/31/2022	2:15:00 AM	0.5
1/31/2022	2:30:00 AM	0.5
1/31/2022	2:45:00 AM	0.5
1/31/2022	3:00:00 AM	0.51
1/31/2022	3:15:00 AM	0.5
1/31/2022	3:30:00 AM	0.51
1/31/2022	3:45:00 AM	0.5
1/31/2022	4:00:00 AM	0.51
1/31/2022	4:15:00 AM	0.51

## Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/31/2022	4:30:00 AM	0.51
1/31/2022	4:45:00 AM	0.51
1/31/2022	5:00:00 AM	0.51
1/31/2022	5:15:00 AM	0.51
1/31/2022	5:30:00 AM	0.51
1/31/2022	5:45:00 AM	0.51
1/31/2022	6:00:00 AM	0.51
1/31/2022	6:15:00 AM	0.51
1/31/2022	6:30:00 AM	0.51
1/31/2022	6:45:00 AM	0.51
1/31/2022	7:00:00 AM	0.51
1/31/2022	7:15:00 AM	0.51
1/31/2022	7:30:00 AM	0.51
1/31/2022	7:45:00 AM	0.51
1/31/2022	8:00:00 AM	0.51
1/31/2022	8:15:00 AM	0.51
1/31/2022	8:30:00 AM	0.51
1/31/2022	8:45:00 AM	0.51
1/31/2022	9:00:00 AM	0.51
1/31/2022	9:15:00 AM	0.51
1/31/2022	9:30:00 AM	0.51
1/31/2022	9:45:00 AM	0.51
1/31/2022	10:00:00 AM	0.51
1/31/2022	10:15:00 AM	0.51
1/31/2022	10:30:00 AM	0.51
1/31/2022	10:45:00 AM	0.51
1/31/2022	11:00:00 AM	0.51
1/31/2022	11:15:00 AM	0.51
1/31/2022	11:30:00 AM	0.51
1/31/2022	11:45:00 AM	0.51
1/31/2022	12:00:00 PM	0.51
1/31/2022	12:15:00 PM	0.51
1/31/2022	12:30:00 PM	0.51
1/31/2022	12:45:00 PM	0.51
1/31/2022	1:00:00 PM	0.51
1/31/2022	1:15:00 PM	0.51
1/31/2022	1:30:00 PM	0.51
1/31/2022	1:45:00 PM	0.51
1/31/2022	2:00:00 PM	0.51
1/31/2022	2:15:00 PM	0.51
1/31/2022	2:30:00 PM	0.51
1/31/2022	2:45:00 PM	0.51
1/31/2022	3:00:00 PM	0.51
1/31/2022	3:15:00 PM	0.5
1/31/2022	3:30:00 PM	0.5
1/31/2022	3:45:00 PM	0.5

# Blackrock Return Ditch Gage

DATE	TIME	GAGE
1/31/2022	4:00:00 PM	0.5
1/31/2022	4:15:00 PM	0.5
1/31/2022	4:30:00 PM	0.5
1/31/2022	4:45:00 PM	0.5
1/31/2022	5:00:00 PM	0.5
1/31/2022	5:15:00 PM	0.5
1/31/2022	5:30:00 PM	0.5
1/31/2022	5:45:00 PM	0.5
1/31/2022	6:00:00 PM	0.5
1/31/2022	6:15:00 PM	0.5
1/31/2022	6:30:00 PM	0.5
1/31/2022	6:45:00 PM	0.5
1/31/2022	7:00:00 PM	0.5
1/31/2022	7:15:00 PM	0.5
1/31/2022	7:30:00 PM	0.5
1/31/2022	7:45:00 PM	0.5
1/31/2022	8:00:00 PM	0.5
1/31/2022	8:15:00 PM	0.5
1/31/2022	8:30:00 PM	0.5
1/31/2022	8:45:00 PM	0.5
1/31/2022	9:00:00 PM	0.5
1/31/2022	9:15:00 PM	0.5
1/31/2022	9:30:00 PM	0.5
1/31/2022	9:45:00 PM	0.5
1/31/2022	10:00:00 PM	0.5
1/31/2022	10:15:00 PM	0.5
1/31/2022	10:30:00 PM	0.5
1/31/2022	10:45:00 PM	0.5
1/31/2022	11:00:00 PM	0.5
1/31/2022	11:15:00 PM	0.5
1/31/2022	11:30:00 PM	0.5
1/31/2022	11:45:00 PM	0.49

Billy Lake Return  
Station 0213

Date	Flow (cfs)
1/1/2022	1.33
1/2/2022	1.25
1/3/2022	1.24
1/4/2022	1.24
1/5/2022	1.20
1/6/2022	1.11
1/7/2022	1.11
1/8/2022	1.11
1/9/2022	1.11
1/10/2022	1.11
1/11/2022	1.11
1/12/2022	1.11
1/13/2022	1.11
1/14/2022	1.11
1/15/2022	1.11
1/16/2022	1.11
1/17/2022	1.11
1/18/2022	1.14
1/19/2022	1.13
1/20/2022	1.11
1/21/2022	1.11
1/22/2022	1.11
1/23/2022	1.14
1/24/2022	1.16
1/25/2022	1.17
1/26/2022	1.17
1/27/2022	1.17
1/28/2022	1.17
1/29/2022	1.17
1/30/2022	1.18
1/31/2022	1.19

# Billy Lake Return Gage

DATE	TIME	GAGE
1/1/2022	12:00:00 AM	0.32
1/1/2022	12:15:00 AM	0.32
1/1/2022	12:30:00 AM	0.32
1/1/2022	12:45:00 AM	0.32
1/1/2022	1:00:00 AM	0.32
1/1/2022	1:15:00 AM	0.32
1/1/2022	1:30:00 AM	0.32
1/1/2022	1:45:00 AM	0.32
1/1/2022	2:00:00 AM	0.32
1/1/2022	2:15:00 AM	0.32
1/1/2022	2:30:00 AM	0.32
1/1/2022	2:45:00 AM	0.32
1/1/2022	3:00:00 AM	0.32
1/1/2022	3:15:00 AM	0.32
1/1/2022	3:30:00 AM	0.32
1/1/2022	3:45:00 AM	0.32
1/1/2022	4:00:00 AM	0.32
1/1/2022	4:15:00 AM	0.32
1/1/2022	4:30:00 AM	0.32
1/1/2022	4:45:00 AM	0.32
1/1/2022	5:00:00 AM	0.32
1/1/2022	5:15:00 AM	0.32
1/1/2022	5:30:00 AM	0.32
1/1/2022	5:45:00 AM	0.32
1/1/2022	6:00:00 AM	0.32
1/1/2022	6:15:00 AM	0.32
1/1/2022	6:30:00 AM	0.32
1/1/2022	6:45:00 AM	0.32
1/1/2022	7:00:00 AM	0.32
1/1/2022	7:15:00 AM	0.32
1/1/2022	7:30:00 AM	0.32
1/1/2022	7:45:00 AM	0.32
1/1/2022	8:00:00 AM	0.32
1/1/2022	8:15:00 AM	0.32
1/1/2022	8:30:00 AM	0.32
1/1/2022	8:45:00 AM	0.32
1/1/2022	9:00:00 AM	0.32
1/1/2022	9:15:00 AM	0.32
1/1/2022	9:30:00 AM	0.32
1/1/2022	9:45:00 AM	0.32
1/1/2022	10:00:00 AM	0.32
1/1/2022	10:15:00 AM	0.32
1/1/2022	10:30:00 AM	0.32
1/1/2022	10:45:00 AM	0.32
1/1/2022	11:00:00 AM	0.32
1/1/2022	11:15:00 AM	0.32

# Billy Lake Return Gage

DATE	TIME	GAGE
1/1/2022	11:30:00 AM	0.32
1/1/2022	11:45:00 AM	0.31
1/1/2022	12:00:00 PM	0.31
1/1/2022	12:15:00 PM	0.31
1/1/2022	12:30:00 PM	0.31
1/1/2022	12:45:00 PM	0.31
1/1/2022	1:00:00 PM	0.31
1/1/2022	1:15:00 PM	0.31
1/1/2022	1:30:00 PM	0.31
1/1/2022	1:45:00 PM	0.31
1/1/2022	2:00:00 PM	0.31
1/1/2022	2:15:00 PM	0.31
1/1/2022	2:30:00 PM	0.31
1/1/2022	2:45:00 PM	0.31
1/1/2022	3:00:00 PM	0.31
1/1/2022	3:15:00 PM	0.31
1/1/2022	3:30:00 PM	0.31
1/1/2022	3:45:00 PM	0.31
1/1/2022	4:00:00 PM	0.31
1/1/2022	4:15:00 PM	0.31
1/1/2022	4:30:00 PM	0.31
1/1/2022	4:45:00 PM	0.31
1/1/2022	5:00:00 PM	0.31
1/1/2022	5:15:00 PM	0.31
1/1/2022	5:30:00 PM	0.31
1/1/2022	5:45:00 PM	0.31
1/1/2022	6:00:00 PM	0.31
1/1/2022	6:15:00 PM	0.31
1/1/2022	6:30:00 PM	0.31
1/1/2022	6:45:00 PM	0.31
1/1/2022	7:00:00 PM	0.31
1/1/2022	7:15:00 PM	0.31
1/1/2022	7:30:00 PM	0.31
1/1/2022	7:45:00 PM	0.31
1/1/2022	8:00:00 PM	0.31
1/1/2022	8:15:00 PM	0.31
1/1/2022	8:30:00 PM	0.31
1/1/2022	8:45:00 PM	0.31
1/1/2022	9:00:00 PM	0.31
1/1/2022	9:15:00 PM	0.31
1/1/2022	9:30:00 PM	0.31
1/1/2022	9:45:00 PM	0.31
1/1/2022	10:00:00 PM	0.31
1/1/2022	10:15:00 PM	0.31
1/1/2022	10:30:00 PM	0.31
1/1/2022	10:45:00 PM	0.31

# Billy Lake Return Gage

DATE	TIME	GAGE
1/1/2022	11:00:00 PM	0.31
1/1/2022	11:15:00 PM	0.31
1/1/2022	11:30:00 PM	0.31
1/1/2022	11:45:00 PM	0.31
1/2/2022	12:00:00 AM	0.31
1/2/2022	12:15:00 AM	0.31
1/2/2022	12:30:00 AM	0.31
1/2/2022	12:45:00 AM	0.31
1/2/2022	1:00:00 AM	0.31
1/2/2022	1:15:00 AM	0.31
1/2/2022	1:30:00 AM	0.31
1/2/2022	1:45:00 AM	0.31
1/2/2022	2:00:00 AM	0.31
1/2/2022	2:15:00 AM	0.31
1/2/2022	2:30:00 AM	0.31
1/2/2022	2:45:00 AM	0.31
1/2/2022	3:00:00 AM	0.31
1/2/2022	3:15:00 AM	0.31
1/2/2022	3:30:00 AM	0.31
1/2/2022	3:45:00 AM	0.31
1/2/2022	4:00:00 AM	0.31
1/2/2022	4:15:00 AM	0.31
1/2/2022	4:30:00 AM	0.31
1/2/2022	4:45:00 AM	0.31
1/2/2022	5:00:00 AM	0.31
1/2/2022	5:15:00 AM	0.31
1/2/2022	5:30:00 AM	0.31
1/2/2022	5:45:00 AM	0.31
1/2/2022	6:00:00 AM	0.3
1/2/2022	6:15:00 AM	0.31
1/2/2022	6:30:00 AM	0.3
1/2/2022	6:45:00 AM	0.3
1/2/2022	7:00:00 AM	0.3
1/2/2022	7:15:00 AM	0.3
1/2/2022	7:30:00 AM	0.3
1/2/2022	7:45:00 AM	0.3
1/2/2022	8:00:00 AM	0.3
1/2/2022	8:15:00 AM	0.3
1/2/2022	8:30:00 AM	0.3
1/2/2022	8:45:00 AM	0.3
1/2/2022	9:00:00 AM	0.3
1/2/2022	9:15:00 AM	0.3
1/2/2022	9:30:00 AM	0.3
1/2/2022	9:45:00 AM	0.3
1/2/2022	10:00:00 AM	0.3
1/2/2022	10:15:00 AM	0.3



# Billy Lake Return Gage

DATE	TIME	GAGE
1/2/2022	10:30:00 AM	0.3
1/2/2022	10:45:00 AM	0.3
1/2/2022	11:00:00 AM	0.3
1/2/2022	11:15:00 AM	0.3
1/2/2022	11:30:00 AM	0.3
1/2/2022	11:45:00 AM	0.3
1/2/2022	12:00:00 PM	0.3
1/2/2022	12:15:00 PM	0.3
1/2/2022	12:30:00 PM	0.3
1/2/2022	12:45:00 PM	0.3
1/2/2022	1:00:00 PM	0.3
1/2/2022	1:15:00 PM	0.3
1/2/2022	1:30:00 PM	0.3
1/2/2022	1:45:00 PM	0.3
1/2/2022	2:00:00 PM	0.3
1/2/2022	2:15:00 PM	0.3
1/2/2022	2:30:00 PM	0.3
1/2/2022	2:45:00 PM	0.3
1/2/2022	3:00:00 PM	0.3
1/2/2022	3:15:00 PM	0.3
1/2/2022	3:30:00 PM	0.3
1/2/2022	3:45:00 PM	0.3
1/2/2022	4:00:00 PM	0.3
1/2/2022	4:15:00 PM	0.3
1/2/2022	4:30:00 PM	0.3
1/2/2022	4:45:00 PM	0.3
1/2/2022	5:00:00 PM	0.3
1/2/2022	5:15:00 PM	0.3
1/2/2022	5:30:00 PM	0.3
1/2/2022	5:45:00 PM	0.3
1/2/2022	6:00:00 PM	0.3
1/2/2022	6:15:00 PM	0.3
1/2/2022	6:30:00 PM	0.3
1/2/2022	6:45:00 PM	0.3
1/2/2022	7:00:00 PM	0.3
1/2/2022	7:15:00 PM	0.3
1/2/2022	7:30:00 PM	0.3
1/2/2022	7:45:00 PM	0.3
1/2/2022	8:00:00 PM	0.3
1/2/2022	8:15:00 PM	0.3
1/2/2022	8:30:00 PM	0.3
1/2/2022	8:45:00 PM	0.3
1/2/2022	9:00:00 PM	0.3
1/2/2022	9:15:00 PM	0.3
1/2/2022	9:30:00 PM	0.3
1/2/2022	9:45:00 PM	0.3

# Billy Lake Return Gage

DATE	TIME	GAGE
1/2/2022	10:00:00 PM	0.3
1/2/2022	10:15:00 PM	0.3
1/2/2022	10:30:00 PM	0.3
1/2/2022	10:45:00 PM	0.3
1/2/2022	11:00:00 PM	0.3
1/2/2022	11:15:00 PM	0.3
1/2/2022	11:30:00 PM	0.3
1/2/2022	11:45:00 PM	0.3
1/3/2022	12:00:00 AM	0.3
1/3/2022	12:15:00 AM	0.3
1/3/2022	12:30:00 AM	0.3
1/3/2022	12:45:00 AM	0.3
1/3/2022	1:00:00 AM	0.3
1/3/2022	1:15:00 AM	0.3
1/3/2022	1:30:00 AM	0.3
1/3/2022	1:45:00 AM	0.3
1/3/2022	2:00:00 AM	0.3
1/3/2022	2:15:00 AM	0.3
1/3/2022	2:30:00 AM	0.3
1/3/2022	2:45:00 AM	0.3
1/3/2022	3:00:00 AM	0.3
1/3/2022	3:15:00 AM	0.3
1/3/2022	3:30:00 AM	0.3
1/3/2022	3:45:00 AM	0.3
1/3/2022	4:00:00 AM	0.3
1/3/2022	4:15:00 AM	0.3
1/3/2022	4:30:00 AM	0.3
1/3/2022	4:45:00 AM	0.3
1/3/2022	5:00:00 AM	0.3
1/3/2022	5:15:00 AM	0.3
1/3/2022	5:30:00 AM	0.3
1/3/2022	5:45:00 AM	0.3
1/3/2022	6:00:00 AM	0.3
1/3/2022	6:15:00 AM	0.3
1/3/2022	6:30:00 AM	0.3
1/3/2022	6:45:00 AM	0.3
1/3/2022	7:00:00 AM	0.3
1/3/2022	7:15:00 AM	0.3
1/3/2022	7:30:00 AM	0.3
1/3/2022	7:45:00 AM	0.3
1/3/2022	8:00:00 AM	0.3
1/3/2022	8:15:00 AM	0.3
1/3/2022	8:30:00 AM	0.3
1/3/2022	8:45:00 AM	0.3
1/3/2022	9:00:00 AM	0.3
1/3/2022	9:15:00 AM	0.3

# Billy Lake Return Gage

DATE	TIME	GAGE
1/3/2022	9:30:00 AM	0.3
1/3/2022	9:45:00 AM	0.3
1/3/2022	10:00:00 AM	0.3
1/3/2022	10:15:00 AM	0.3
1/3/2022	10:30:00 AM	0.3
1/3/2022	10:45:00 AM	0.3
1/3/2022	11:00:00 AM	0.3
1/3/2022	11:15:00 AM	0.3
1/3/2022	11:30:00 AM	0.3
1/3/2022	11:45:00 AM	0.3
1/3/2022	12:00:00 PM	0.3
1/3/2022	12:15:00 PM	0.3
1/3/2022	12:30:00 PM	0.3
1/3/2022	12:45:00 PM	0.3
1/3/2022	1:00:00 PM	0.3
1/3/2022	1:15:00 PM	0.3
1/3/2022	1:30:00 PM	0.3
1/3/2022	1:45:00 PM	0.3
1/3/2022	2:00:00 PM	0.3
1/3/2022	2:15:00 PM	0.3
1/3/2022	2:30:00 PM	0.3
1/3/2022	2:45:00 PM	0.3
1/3/2022	3:00:00 PM	0.3
1/3/2022	3:15:00 PM	0.3
1/3/2022	3:30:00 PM	0.3
1/3/2022	3:45:00 PM	0.3
1/3/2022	4:00:00 PM	0.3
1/3/2022	4:15:00 PM	0.3
1/3/2022	4:30:00 PM	0.3
1/3/2022	4:45:00 PM	0.3
1/3/2022	5:00:00 PM	0.3
1/3/2022	5:15:00 PM	0.3
1/3/2022	5:30:00 PM	0.3
1/3/2022	5:45:00 PM	0.3
1/3/2022	6:00:00 PM	0.3
1/3/2022	6:15:00 PM	0.3
1/3/2022	6:30:00 PM	0.3
1/3/2022	6:45:00 PM	0.3
1/3/2022	7:00:00 PM	0.3
1/3/2022	7:15:00 PM	0.3
1/3/2022	7:30:00 PM	0.3
1/3/2022	7:45:00 PM	0.3
1/3/2022	8:00:00 PM	0.3
1/3/2022	8:15:00 PM	0.3
1/3/2022	8:30:00 PM	0.3
1/3/2022	8:45:00 PM	0.3

# Billy Lake Return Gage

DATE	TIME	GAGE
1/3/2022	9:00:00 PM	0.3
1/3/2022	9:15:00 PM	0.3
1/3/2022	9:30:00 PM	0.3
1/3/2022	9:45:00 PM	0.3
1/3/2022	10:00:00 PM	0.3
1/3/2022	10:15:00 PM	0.3
1/3/2022	10:30:00 PM	0.3
1/3/2022	10:45:00 PM	0.3
1/3/2022	11:00:00 PM	0.3
1/3/2022	11:15:00 PM	0.3
1/3/2022	11:30:00 PM	0.3
1/3/2022	11:45:00 PM	0.3
1/4/2022	12:00:00 AM	0.3
1/4/2022	12:15:00 AM	0.3
1/4/2022	12:30:00 AM	0.3
1/4/2022	12:45:00 AM	0.3
1/4/2022	1:00:00 AM	0.3
1/4/2022	1:15:00 AM	0.3
1/4/2022	1:30:00 AM	0.3
1/4/2022	1:45:00 AM	0.3
1/4/2022	2:00:00 AM	0.3
1/4/2022	2:15:00 AM	0.3
1/4/2022	2:30:00 AM	0.3
1/4/2022	2:45:00 AM	0.3
1/4/2022	3:00:00 AM	0.3
1/4/2022	3:15:00 AM	0.3
1/4/2022	3:30:00 AM	0.3
1/4/2022	3:45:00 AM	0.3
1/4/2022	4:00:00 AM	0.3
1/4/2022	4:15:00 AM	0.3
1/4/2022	4:30:00 AM	0.3
1/4/2022	4:45:00 AM	0.3
1/4/2022	5:00:00 AM	0.3
1/4/2022	5:15:00 AM	0.3
1/4/2022	5:30:00 AM	0.3
1/4/2022	5:45:00 AM	0.3
1/4/2022	6:00:00 AM	0.3
1/4/2022	6:15:00 AM	0.3
1/4/2022	6:30:00 AM	0.3
1/4/2022	6:45:00 AM	0.3
1/4/2022	7:00:00 AM	0.3
1/4/2022	7:15:00 AM	0.3
1/4/2022	7:30:00 AM	0.3
1/4/2022	7:45:00 AM	0.3
1/4/2022	8:00:00 AM	0.3
1/4/2022	8:15:00 AM	0.3

# Billy Lake Return Gage

DATE	TIME	GAGE
1/4/2022	8:30:00 AM	0.3
1/4/2022	8:45:00 AM	0.3
1/4/2022	9:00:00 AM	0.3
1/4/2022	9:15:00 AM	0.3
1/4/2022	9:30:00 AM	0.3
1/4/2022	9:45:00 AM	0.3
1/4/2022	10:00:00 AM	0.3
1/4/2022	10:15:00 AM	0.3
1/4/2022	10:30:00 AM	0.3
1/4/2022	10:45:00 AM	0.3
1/4/2022	11:00:00 AM	0.3
1/4/2022	11:15:00 AM	0.3
1/4/2022	11:30:00 AM	0.3
1/4/2022	11:45:00 AM	0.3
1/4/2022	12:00:00 PM	0.3
1/4/2022	12:15:00 PM	0.3
1/4/2022	12:30:00 PM	0.3
1/4/2022	12:45:00 PM	0.3
1/4/2022	1:00:00 PM	0.3
1/4/2022	1:15:00 PM	0.3
1/4/2022	1:30:00 PM	0.3
1/4/2022	1:45:00 PM	0.3
1/4/2022	2:00:00 PM	0.3
1/4/2022	2:15:00 PM	0.3
1/4/2022	2:30:00 PM	0.3
1/4/2022	2:45:00 PM	0.3
1/4/2022	3:00:00 PM	0.3
1/4/2022	3:15:00 PM	0.3
1/4/2022	3:30:00 PM	0.3
1/4/2022	3:45:00 PM	0.3
1/4/2022	4:00:00 PM	0.3
1/4/2022	4:15:00 PM	0.3
1/4/2022	4:30:00 PM	0.3
1/4/2022	4:45:00 PM	0.3
1/4/2022	5:00:00 PM	0.3
1/4/2022	5:15:00 PM	0.3
1/4/2022	5:30:00 PM	0.3
1/4/2022	5:45:00 PM	0.3
1/4/2022	6:00:00 PM	0.3
1/4/2022	6:15:00 PM	0.3
1/4/2022	6:30:00 PM	0.3
1/4/2022	6:45:00 PM	0.3
1/4/2022	7:00:00 PM	0.3
1/4/2022	7:15:00 PM	0.3
1/4/2022	7:30:00 PM	0.3
1/4/2022	7:45:00 PM	0.3

# Billy Lake Return Gage

DATE	TIME	GAGE
1/4/2022	8:00:00 PM	0.3
1/4/2022	8:15:00 PM	0.3
1/4/2022	8:30:00 PM	0.3
1/4/2022	8:45:00 PM	0.3
1/4/2022	9:00:00 PM	0.3
1/4/2022	9:15:00 PM	0.3
1/4/2022	9:30:00 PM	0.3
1/4/2022	9:45:00 PM	0.3
1/4/2022	10:00:00 PM	0.3
1/4/2022	10:15:00 PM	0.3
1/4/2022	10:30:00 PM	0.3
1/4/2022	10:45:00 PM	0.3
1/4/2022	11:00:00 PM	0.3
1/4/2022	11:15:00 PM	0.3
1/4/2022	11:30:00 PM	0.3
1/4/2022	11:45:00 PM	0.3
1/5/2022	12:00:00 AM	0.3
1/5/2022	12:15:00 AM	0.3
1/5/2022	12:30:00 AM	0.3
1/5/2022	12:45:00 AM	0.3
1/5/2022	1:00:00 AM	0.3
1/5/2022	1:15:00 AM	0.3
1/5/2022	1:30:00 AM	0.3
1/5/2022	1:45:00 AM	0.3
1/5/2022	2:00:00 AM	0.3
1/5/2022	2:15:00 AM	0.3
1/5/2022	2:30:00 AM	0.3
1/5/2022	2:45:00 AM	0.3
1/5/2022	3:00:00 AM	0.3
1/5/2022	3:15:00 AM	0.3
1/5/2022	3:30:00 AM	0.3
1/5/2022	3:45:00 AM	0.3
1/5/2022	4:00:00 AM	0.3
1/5/2022	4:15:00 AM	0.3
1/5/2022	4:30:00 AM	0.3
1/5/2022	4:45:00 AM	0.3
1/5/2022	5:00:00 AM	0.3
1/5/2022	5:15:00 AM	0.3
1/5/2022	5:30:00 AM	0.3
1/5/2022	5:45:00 AM	0.3
1/5/2022	6:00:00 AM	0.3
1/5/2022	6:15:00 AM	0.3
1/5/2022	6:30:00 AM	0.3
1/5/2022	6:45:00 AM	0.3
1/5/2022	7:00:00 AM	0.3
1/5/2022	7:15:00 AM	0.3

# Billy Lake Return Gage

DATE	TIME	GAGE
1/5/2022	7:30:00 AM	0.3
1/5/2022	7:45:00 AM	0.3
1/5/2022	8:00:00 AM	0.3
1/5/2022	8:15:00 AM	0.3
1/5/2022	8:30:00 AM	0.3
1/5/2022	8:45:00 AM	0.3
1/5/2022	9:00:00 AM	0.3
1/5/2022	9:15:00 AM	0.3
1/5/2022	9:30:00 AM	0.3
1/5/2022	9:45:00 AM	0.3
1/5/2022	10:00:00 AM	0.3
1/5/2022	10:15:00 AM	0.3
1/5/2022	10:30:00 AM	0.3
1/5/2022	10:45:00 AM	0.3
1/5/2022	11:00:00 AM	0.29
1/5/2022	11:15:00 AM	0.29
1/5/2022	11:30:00 AM	0.29
1/5/2022	11:45:00 AM	0.28
1/5/2022	12:00:00 PM	0.29
1/5/2022	12:15:00 PM	0.29
1/5/2022	12:30:00 PM	0.28
1/5/2022	12:45:00 PM	0.29
1/5/2022	1:00:00 PM	0.29
1/5/2022	1:15:00 PM	0.29
1/5/2022	1:30:00 PM	0.28
1/5/2022	1:45:00 PM	0.29
1/5/2022	2:00:00 PM	0.29
1/5/2022	2:15:00 PM	0.29
1/5/2022	2:30:00 PM	0.29
1/5/2022	2:45:00 PM	0.29
1/5/2022	3:00:00 PM	0.29
1/5/2022	3:15:00 PM	0.29
1/5/2022	3:30:00 PM	0.29
1/5/2022	3:45:00 PM	0.29
1/5/2022	4:00:00 PM	0.29
1/5/2022	4:15:00 PM	0.29
1/5/2022	4:30:00 PM	0.29
1/5/2022	4:45:00 PM	0.29
1/5/2022	5:00:00 PM	0.29
1/5/2022	5:15:00 PM	0.29
1/5/2022	5:30:00 PM	0.29
1/5/2022	5:45:00 PM	0.29
1/5/2022	6:00:00 PM	0.29
1/5/2022	6:15:00 PM	0.29
1/5/2022	6:30:00 PM	0.29
1/5/2022	6:45:00 PM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/5/2022	7:00:00 PM	0.29
1/5/2022	7:15:00 PM	0.29
1/5/2022	7:30:00 PM	0.29
1/5/2022	7:45:00 PM	0.29
1/5/2022	8:00:00 PM	0.29
1/5/2022	8:15:00 PM	0.29
1/5/2022	8:30:00 PM	0.29
1/5/2022	8:45:00 PM	0.29
1/5/2022	9:00:00 PM	0.29
1/5/2022	9:15:00 PM	0.28
1/5/2022	9:30:00 PM	0.28
1/5/2022	9:45:00 PM	0.28
1/5/2022	10:00:00 PM	0.28
1/5/2022	10:15:00 PM	0.29
1/5/2022	10:30:00 PM	0.29
1/5/2022	10:45:00 PM	0.29
1/5/2022	11:00:00 PM	0.28
1/5/2022	11:15:00 PM	0.29
1/5/2022	11:30:00 PM	0.28
1/5/2022	11:45:00 PM	0.29
1/6/2022	12:00:00 AM	0.28
1/6/2022	12:15:00 AM	0.28
1/6/2022	12:30:00 AM	0.28
1/6/2022	12:45:00 AM	0.28
1/6/2022	1:00:00 AM	0.28
1/6/2022	1:15:00 AM	0.28
1/6/2022	1:30:00 AM	0.28
1/6/2022	1:45:00 AM	0.28
1/6/2022	2:00:00 AM	0.28
1/6/2022	2:15:00 AM	0.28
1/6/2022	2:30:00 AM	0.28
1/6/2022	2:45:00 AM	0.28
1/6/2022	3:00:00 AM	0.28
1/6/2022	3:15:00 AM	0.28
1/6/2022	3:30:00 AM	0.28
1/6/2022	3:45:00 AM	0.28
1/6/2022	4:00:00 AM	0.28
1/6/2022	4:15:00 AM	0.28
1/6/2022	4:30:00 AM	0.28
1/6/2022	4:45:00 AM	0.28
1/6/2022	5:00:00 AM	0.28
1/6/2022	5:15:00 AM	0.28
1/6/2022	5:30:00 AM	0.28
1/6/2022	5:45:00 AM	0.28
1/6/2022	6:00:00 AM	0.28
1/6/2022	6:15:00 AM	0.28



# Billy Lake Return Gage

DATE	TIME	GAGE
1/6/2022	6:30:00 AM	0.28
1/6/2022	6:45:00 AM	0.28
1/6/2022	7:00:00 AM	0.28
1/6/2022	7:15:00 AM	0.28
1/6/2022	7:30:00 AM	0.28
1/6/2022	7:45:00 AM	0.28
1/6/2022	8:00:00 AM	0.28
1/6/2022	8:15:00 AM	0.28
1/6/2022	8:30:00 AM	0.28
1/6/2022	8:45:00 AM	0.28
1/6/2022	9:00:00 AM	0.28
1/6/2022	9:15:00 AM	0.28
1/6/2022	9:30:00 AM	0.28
1/6/2022	9:45:00 AM	0.28
1/6/2022	10:00:00 AM	0.28
1/6/2022	10:15:00 AM	0.28
1/6/2022	10:30:00 AM	0.28
1/6/2022	10:45:00 AM	0.28
1/6/2022	11:00:00 AM	0.28
1/6/2022	11:15:00 AM	0.28
1/6/2022	11:30:00 AM	0.28
1/6/2022	11:45:00 AM	0.28
1/6/2022	12:00:00 PM	0.28
1/6/2022	12:15:00 PM	0.28
1/6/2022	12:30:00 PM	0.28
1/6/2022	12:45:00 PM	0.28
1/6/2022	1:00:00 PM	0.28
1/6/2022	1:15:00 PM	0.28
1/6/2022	1:30:00 PM	0.28
1/6/2022	1:45:00 PM	0.28
1/6/2022	2:00:00 PM	0.28
1/6/2022	2:15:00 PM	0.28
1/6/2022	2:30:00 PM	0.29
1/6/2022	2:45:00 PM	0.28
1/6/2022	3:00:00 PM	0.28
1/6/2022	3:15:00 PM	0.28
1/6/2022	3:30:00 PM	0.28
1/6/2022	3:45:00 PM	0.29
1/6/2022	4:00:00 PM	0.28
1/6/2022	4:15:00 PM	0.28
1/6/2022	4:30:00 PM	0.28
1/6/2022	4:45:00 PM	0.28
1/6/2022	5:00:00 PM	0.28
1/6/2022	5:15:00 PM	0.28
1/6/2022	5:30:00 PM	0.28
1/6/2022	5:45:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/6/2022	6:00:00 PM	0.28
1/6/2022	6:15:00 PM	0.28
1/6/2022	6:30:00 PM	0.28
1/6/2022	6:45:00 PM	0.28
1/6/2022	7:00:00 PM	0.28
1/6/2022	7:15:00 PM	0.28
1/6/2022	7:30:00 PM	0.28
1/6/2022	7:45:00 PM	0.28
1/6/2022	8:00:00 PM	0.28
1/6/2022	8:15:00 PM	0.28
1/6/2022	8:30:00 PM	0.28
1/6/2022	8:45:00 PM	0.28
1/6/2022	9:00:00 PM	0.28
1/6/2022	9:15:00 PM	0.28
1/6/2022	9:30:00 PM	0.28
1/6/2022	9:45:00 PM	0.28
1/6/2022	10:00:00 PM	0.28
1/6/2022	10:15:00 PM	0.28
1/6/2022	10:30:00 PM	0.28
1/6/2022	10:45:00 PM	0.28
1/6/2022	11:00:00 PM	0.28
1/6/2022	11:15:00 PM	0.28
1/6/2022	11:30:00 PM	0.28
1/6/2022	11:45:00 PM	0.28
1/7/2022	12:00:00 AM	0.28
1/7/2022	12:15:00 AM	0.28
1/7/2022	12:30:00 AM	0.28
1/7/2022	12:45:00 AM	0.28
1/7/2022	1:00:00 AM	0.28
1/7/2022	1:15:00 AM	0.28
1/7/2022	1:30:00 AM	0.28
1/7/2022	1:45:00 AM	0.28
1/7/2022	2:00:00 AM	0.28
1/7/2022	2:15:00 AM	0.28
1/7/2022	2:30:00 AM	0.28
1/7/2022	2:45:00 AM	0.28
1/7/2022	3:00:00 AM	0.28
1/7/2022	3:15:00 AM	0.28
1/7/2022	3:30:00 AM	0.28
1/7/2022	3:45:00 AM	0.28
1/7/2022	4:00:00 AM	0.28
1/7/2022	4:15:00 AM	0.28
1/7/2022	4:30:00 AM	0.28
1/7/2022	4:45:00 AM	0.28
1/7/2022	5:00:00 AM	0.28
1/7/2022	5:15:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/7/2022	5:30:00 AM	0.28
1/7/2022	5:45:00 AM	0.28
1/7/2022	6:00:00 AM	0.28
1/7/2022	6:15:00 AM	0.28
1/7/2022	6:30:00 AM	0.28
1/7/2022	6:45:00 AM	0.28
1/7/2022	7:00:00 AM	0.28
1/7/2022	7:15:00 AM	0.28
1/7/2022	7:30:00 AM	0.28
1/7/2022	7:45:00 AM	0.28
1/7/2022	8:00:00 AM	0.28
1/7/2022	8:15:00 AM	0.28
1/7/2022	8:30:00 AM	0.28
1/7/2022	8:45:00 AM	0.28
1/7/2022	9:00:00 AM	0.28
1/7/2022	9:15:00 AM	0.28
1/7/2022	9:30:00 AM	0.28
1/7/2022	9:45:00 AM	0.28
1/7/2022	10:00:00 AM	0.28
1/7/2022	10:15:00 AM	0.28
1/7/2022	10:30:00 AM	0.28
1/7/2022	10:45:00 AM	0.28
1/7/2022	11:00:00 AM	0.28
1/7/2022	11:15:00 AM	0.28
1/7/2022	11:30:00 AM	0.28
1/7/2022	11:45:00 AM	0.28
1/7/2022	12:00:00 PM	0.28
1/7/2022	12:15:00 PM	0.28
1/7/2022	12:30:00 PM	0.28
1/7/2022	12:45:00 PM	0.28
1/7/2022	1:00:00 PM	0.28
1/7/2022	1:15:00 PM	0.28
1/7/2022	1:30:00 PM	0.28
1/7/2022	1:45:00 PM	0.28
1/7/2022	2:00:00 PM	0.28
1/7/2022	2:15:00 PM	0.28
1/7/2022	2:30:00 PM	0.28
1/7/2022	2:45:00 PM	0.28
1/7/2022	3:00:00 PM	0.28
1/7/2022	3:15:00 PM	0.28
1/7/2022	3:30:00 PM	0.28
1/7/2022	3:45:00 PM	0.28
1/7/2022	4:00:00 PM	0.28
1/7/2022	4:15:00 PM	0.28
1/7/2022	4:30:00 PM	0.28
1/7/2022	4:45:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/7/2022	5:00:00 PM	0.28
1/7/2022	5:15:00 PM	0.28
1/7/2022	5:30:00 PM	0.29
1/7/2022	5:45:00 PM	0.28
1/7/2022	6:00:00 PM	0.28
1/7/2022	6:15:00 PM	0.28
1/7/2022	6:30:00 PM	0.28
1/7/2022	6:45:00 PM	0.28
1/7/2022	7:00:00 PM	0.28
1/7/2022	7:15:00 PM	0.28
1/7/2022	7:30:00 PM	0.28
1/7/2022	7:45:00 PM	0.28
1/7/2022	8:00:00 PM	0.28
1/7/2022	8:15:00 PM	0.28
1/7/2022	8:30:00 PM	0.28
1/7/2022	8:45:00 PM	0.28
1/7/2022	9:00:00 PM	0.28
1/7/2022	9:15:00 PM	0.28
1/7/2022	9:30:00 PM	0.28
1/7/2022	9:45:00 PM	0.28
1/7/2022	10:00:00 PM	0.28
1/7/2022	10:15:00 PM	0.28
1/7/2022	10:30:00 PM	0.28
1/7/2022	10:45:00 PM	0.28
1/7/2022	11:00:00 PM	0.28
1/7/2022	11:15:00 PM	0.28
1/7/2022	11:30:00 PM	0.28
1/7/2022	11:45:00 PM	0.28
1/8/2022	12:00:00 AM	0.28
1/8/2022	12:15:00 AM	0.28
1/8/2022	12:30:00 AM	0.28
1/8/2022	12:45:00 AM	0.28
1/8/2022	1:00:00 AM	0.28
1/8/2022	1:15:00 AM	0.28
1/8/2022	1:30:00 AM	0.28
1/8/2022	1:45:00 AM	0.28
1/8/2022	2:00:00 AM	0.28
1/8/2022	2:15:00 AM	0.28
1/8/2022	2:30:00 AM	0.28
1/8/2022	2:45:00 AM	0.28
1/8/2022	3:00:00 AM	0.28
1/8/2022	3:15:00 AM	0.28
1/8/2022	3:30:00 AM	0.28
1/8/2022	3:45:00 AM	0.28
1/8/2022	4:00:00 AM	0.28
1/8/2022	4:15:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/8/2022	4:30:00 AM	0.28
1/8/2022	4:45:00 AM	0.28
1/8/2022	5:00:00 AM	0.28
1/8/2022	5:15:00 AM	0.28
1/8/2022	5:30:00 AM	0.28
1/8/2022	5:45:00 AM	0.28
1/8/2022	6:00:00 AM	0.28
1/8/2022	6:15:00 AM	0.28
1/8/2022	6:30:00 AM	0.28
1/8/2022	6:45:00 AM	0.28
1/8/2022	7:00:00 AM	0.28
1/8/2022	7:15:00 AM	0.28
1/8/2022	7:30:00 AM	0.28
1/8/2022	7:45:00 AM	0.28
1/8/2022	8:00:00 AM	0.28
1/8/2022	8:15:00 AM	0.28
1/8/2022	8:30:00 AM	0.28
1/8/2022	8:45:00 AM	0.28
1/8/2022	9:00:00 AM	0.28
1/8/2022	9:15:00 AM	0.28
1/8/2022	9:30:00 AM	0.28
1/8/2022	9:45:00 AM	0.28
1/8/2022	10:00:00 AM	0.28
1/8/2022	10:15:00 AM	0.28
1/8/2022	10:30:00 AM	0.28
1/8/2022	10:45:00 AM	0.28
1/8/2022	11:00:00 AM	0.28
1/8/2022	11:15:00 AM	0.28
1/8/2022	11:30:00 AM	0.28
1/8/2022	11:45:00 AM	0.28
1/8/2022	12:00:00 PM	0.28
1/8/2022	12:15:00 PM	0.28
1/8/2022	12:30:00 PM	0.28
1/8/2022	12:45:00 PM	0.28
1/8/2022	1:00:00 PM	0.28
1/8/2022	1:15:00 PM	0.28
1/8/2022	1:30:00 PM	0.28
1/8/2022	1:45:00 PM	0.28
1/8/2022	2:00:00 PM	0.28
1/8/2022	2:15:00 PM	0.28
1/8/2022	2:30:00 PM	0.28
1/8/2022	2:45:00 PM	0.28
1/8/2022	3:00:00 PM	0.28
1/8/2022	3:15:00 PM	0.28
1/8/2022	3:30:00 PM	0.28
1/8/2022	3:45:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/8/2022	4:00:00 PM	0.28
1/8/2022	4:15:00 PM	0.28
1/8/2022	4:30:00 PM	0.28
1/8/2022	4:45:00 PM	0.28
1/8/2022	5:00:00 PM	0.28
1/8/2022	5:15:00 PM	0.28
1/8/2022	5:30:00 PM	0.28
1/8/2022	5:45:00 PM	0.28
1/8/2022	6:00:00 PM	0.28
1/8/2022	6:15:00 PM	0.28
1/8/2022	6:30:00 PM	0.28
1/8/2022	6:45:00 PM	0.28
1/8/2022	7:00:00 PM	0.28
1/8/2022	7:15:00 PM	0.28
1/8/2022	7:30:00 PM	0.28
1/8/2022	7:45:00 PM	0.28
1/8/2022	8:00:00 PM	0.28
1/8/2022	8:15:00 PM	0.28
1/8/2022	8:30:00 PM	0.28
1/8/2022	8:45:00 PM	0.28
1/8/2022	9:00:00 PM	0.28
1/8/2022	9:15:00 PM	0.28
1/8/2022	9:30:00 PM	0.28
1/8/2022	9:45:00 PM	0.28
1/8/2022	10:00:00 PM	0.28
1/8/2022	10:15:00 PM	0.28
1/8/2022	10:30:00 PM	0.28
1/8/2022	10:45:00 PM	0.28
1/8/2022	11:00:00 PM	0.28
1/8/2022	11:15:00 PM	0.28
1/8/2022	11:30:00 PM	0.28
1/8/2022	11:45:00 PM	0.28
1/9/2022	12:00:00 AM	0.28
1/9/2022	12:15:00 AM	0.28
1/9/2022	12:30:00 AM	0.28
1/9/2022	12:45:00 AM	0.28
1/9/2022	1:00:00 AM	0.28
1/9/2022	1:15:00 AM	0.28
1/9/2022	1:30:00 AM	0.28
1/9/2022	1:45:00 AM	0.28
1/9/2022	2:00:00 AM	0.28
1/9/2022	2:15:00 AM	0.28
1/9/2022	2:30:00 AM	0.28
1/9/2022	2:45:00 AM	0.28
1/9/2022	3:00:00 AM	0.28
1/9/2022	3:15:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/9/2022	3:30:00 AM	0.28
1/9/2022	3:45:00 AM	0.28
1/9/2022	4:00:00 AM	0.28
1/9/2022	4:15:00 AM	0.28
1/9/2022	4:30:00 AM	0.28
1/9/2022	4:45:00 AM	0.28
1/9/2022	5:00:00 AM	0.28
1/9/2022	5:15:00 AM	0.28
1/9/2022	5:30:00 AM	0.28
1/9/2022	5:45:00 AM	0.28
1/9/2022	6:00:00 AM	0.28
1/9/2022	6:15:00 AM	0.28
1/9/2022	6:30:00 AM	0.28
1/9/2022	6:45:00 AM	0.28
1/9/2022	7:00:00 AM	0.28
1/9/2022	7:15:00 AM	0.28
1/9/2022	7:30:00 AM	0.28
1/9/2022	7:45:00 AM	0.28
1/9/2022	8:00:00 AM	0.28
1/9/2022	8:15:00 AM	0.28
1/9/2022	8:30:00 AM	0.28
1/9/2022	8:45:00 AM	0.28
1/9/2022	9:00:00 AM	0.28
1/9/2022	9:15:00 AM	0.28
1/9/2022	9:30:00 AM	0.28
1/9/2022	9:45:00 AM	0.28
1/9/2022	10:00:00 AM	0.28
1/9/2022	10:15:00 AM	0.28
1/9/2022	10:30:00 AM	0.28
1/9/2022	10:45:00 AM	0.28
1/9/2022	11:00:00 AM	0.28
1/9/2022	11:15:00 AM	0.28
1/9/2022	11:30:00 AM	0.28
1/9/2022	11:45:00 AM	0.28
1/9/2022	12:00:00 PM	0.28
1/9/2022	12:15:00 PM	0.28
1/9/2022	12:30:00 PM	0.28
1/9/2022	12:45:00 PM	0.28
1/9/2022	1:00:00 PM	0.28
1/9/2022	1:15:00 PM	0.28
1/9/2022	1:30:00 PM	0.28
1/9/2022	1:45:00 PM	0.28
1/9/2022	2:00:00 PM	0.28
1/9/2022	2:15:00 PM	0.28
1/9/2022	2:30:00 PM	0.28
1/9/2022	2:45:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/9/2022	3:00:00 PM	0.28
1/9/2022	3:15:00 PM	0.28
1/9/2022	3:30:00 PM	0.28
1/9/2022	3:45:00 PM	0.28
1/9/2022	4:00:00 PM	0.28
1/9/2022	4:15:00 PM	0.28
1/9/2022	4:30:00 PM	0.28
1/9/2022	4:45:00 PM	0.28
1/9/2022	5:00:00 PM	0.28
1/9/2022	5:15:00 PM	0.28
1/9/2022	5:30:00 PM	0.28
1/9/2022	5:45:00 PM	0.28
1/9/2022	6:00:00 PM	0.28
1/9/2022	6:15:00 PM	0.28
1/9/2022	6:30:00 PM	0.28
1/9/2022	6:45:00 PM	0.28
1/9/2022	7:00:00 PM	0.28
1/9/2022	7:15:00 PM	0.28
1/9/2022	7:30:00 PM	0.28
1/9/2022	7:45:00 PM	0.28
1/9/2022	8:00:00 PM	0.28
1/9/2022	8:15:00 PM	0.28
1/9/2022	8:30:00 PM	0.28
1/9/2022	8:45:00 PM	0.28
1/9/2022	9:00:00 PM	0.28
1/9/2022	9:15:00 PM	0.28
1/9/2022	9:30:00 PM	0.28
1/9/2022	9:45:00 PM	0.28
1/9/2022	10:00:00 PM	0.28
1/9/2022	10:15:00 PM	0.28
1/9/2022	10:30:00 PM	0.28
1/9/2022	10:45:00 PM	0.28
1/9/2022	11:00:00 PM	0.28
1/9/2022	11:15:00 PM	0.28
1/9/2022	11:30:00 PM	0.28
1/9/2022	11:45:00 PM	0.28
1/10/2022	12:00:00 AM	0.28
1/10/2022	12:15:00 AM	0.28
1/10/2022	12:30:00 AM	0.28
1/10/2022	12:45:00 AM	0.28
1/10/2022	1:00:00 AM	0.28
1/10/2022	1:15:00 AM	0.28
1/10/2022	1:30:00 AM	0.28
1/10/2022	1:45:00 AM	0.28
1/10/2022	2:00:00 AM	0.28
1/10/2022	2:15:00 AM	0.28



## Billy Lake Return Gage

DATE	TIME	GAGE
1/10/2022	2:30:00 AM	0.28
1/10/2022	2:45:00 AM	0.28
1/10/2022	3:00:00 AM	0.28
1/10/2022	3:15:00 AM	0.28
1/10/2022	3:30:00 AM	0.28
1/10/2022	3:45:00 AM	0.28
1/10/2022	4:00:00 AM	0.28
1/10/2022	4:15:00 AM	0.28
1/10/2022	4:30:00 AM	0.28
1/10/2022	4:45:00 AM	0.28
1/10/2022	5:00:00 AM	0.28
1/10/2022	5:15:00 AM	0.28
1/10/2022	5:30:00 AM	0.28
1/10/2022	5:45:00 AM	0.28
1/10/2022	6:00:00 AM	0.28
1/10/2022	6:15:00 AM	0.28
1/10/2022	6:30:00 AM	0.28
1/10/2022	6:45:00 AM	0.28
1/10/2022	7:00:00 AM	0.28
1/10/2022	7:15:00 AM	0.28
1/10/2022	7:30:00 AM	0.28
1/10/2022	7:45:00 AM	0.28
1/10/2022	8:00:00 AM	0.28
1/10/2022	8:15:00 AM	0.28
1/10/2022	8:30:00 AM	0.28
1/10/2022	8:45:00 AM	0.28
1/10/2022	9:00:00 AM	0.28
1/10/2022	9:15:00 AM	0.28
1/10/2022	9:30:00 AM	0.28
1/10/2022	9:45:00 AM	0.28
1/10/2022	10:00:00 AM	0.28
1/10/2022	10:15:00 AM	0.28
1/10/2022	10:30:00 AM	0.28
1/10/2022	10:45:00 AM	0.28
1/10/2022	11:00:00 AM	0.28
1/10/2022	11:15:00 AM	0.28
1/10/2022	11:30:00 AM	0.28
1/10/2022	11:45:00 AM	0.28
1/10/2022	12:00:00 PM	0.28
1/10/2022	12:15:00 PM	0.28
1/10/2022	12:30:00 PM	0.28
1/10/2022	12:45:00 PM	0.28
1/10/2022	1:00:00 PM	0.28
1/10/2022	1:15:00 PM	0.28
1/10/2022	1:30:00 PM	0.28
1/10/2022	1:45:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/10/2022	2:00:00 PM	0.28
1/10/2022	2:15:00 PM	0.28
1/10/2022	2:30:00 PM	0.28
1/10/2022	2:45:00 PM	0.28
1/10/2022	3:00:00 PM	0.28
1/10/2022	3:15:00 PM	0.28
1/10/2022	3:30:00 PM	0.28
1/10/2022	3:45:00 PM	0.28
1/10/2022	4:00:00 PM	0.28
1/10/2022	4:15:00 PM	0.28
1/10/2022	4:30:00 PM	0.28
1/10/2022	4:45:00 PM	0.28
1/10/2022	5:00:00 PM	0.28
1/10/2022	5:15:00 PM	0.28
1/10/2022	5:30:00 PM	0.28
1/10/2022	5:45:00 PM	0.28
1/10/2022	6:00:00 PM	0.28
1/10/2022	6:15:00 PM	0.28
1/10/2022	6:30:00 PM	0.28
1/10/2022	6:45:00 PM	0.28
1/10/2022	7:00:00 PM	0.28
1/10/2022	7:15:00 PM	0.28
1/10/2022	7:30:00 PM	0.28
1/10/2022	7:45:00 PM	0.28
1/10/2022	8:00:00 PM	0.28
1/10/2022	8:15:00 PM	0.28
1/10/2022	8:30:00 PM	0.28
1/10/2022	8:45:00 PM	0.28
1/10/2022	9:00:00 PM	0.28
1/10/2022	9:15:00 PM	0.28
1/10/2022	9:30:00 PM	0.28
1/10/2022	9:45:00 PM	0.28
1/10/2022	10:00:00 PM	0.28
1/10/2022	10:15:00 PM	0.28
1/10/2022	10:30:00 PM	0.28
1/10/2022	10:45:00 PM	0.28
1/10/2022	11:00:00 PM	0.28
1/10/2022	11:15:00 PM	0.28
1/10/2022	11:30:00 PM	0.28
1/10/2022	11:45:00 PM	0.28
1/11/2022	12:00:00 AM	0.28
1/11/2022	12:15:00 AM	0.28
1/11/2022	12:30:00 AM	0.28
1/11/2022	12:45:00 AM	0.28
1/11/2022	1:00:00 AM	0.28
1/11/2022	1:15:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/11/2022	1:30:00 AM	0.28
1/11/2022	1:45:00 AM	0.28
1/11/2022	2:00:00 AM	0.28
1/11/2022	2:15:00 AM	0.28
1/11/2022	2:30:00 AM	0.28
1/11/2022	2:45:00 AM	0.28
1/11/2022	3:00:00 AM	0.28
1/11/2022	3:15:00 AM	0.28
1/11/2022	3:30:00 AM	0.28
1/11/2022	3:45:00 AM	0.28
1/11/2022	4:00:00 AM	0.28
1/11/2022	4:15:00 AM	0.28
1/11/2022	4:30:00 AM	0.28
1/11/2022	4:45:00 AM	0.28
1/11/2022	5:00:00 AM	0.28
1/11/2022	5:15:00 AM	0.28
1/11/2022	5:30:00 AM	0.28
1/11/2022	5:45:00 AM	0.28
1/11/2022	6:00:00 AM	0.28
1/11/2022	6:15:00 AM	0.28
1/11/2022	6:30:00 AM	0.28
1/11/2022	6:45:00 AM	0.28
1/11/2022	7:00:00 AM	0.28
1/11/2022	7:15:00 AM	0.28
1/11/2022	7:30:00 AM	0.28
1/11/2022	7:45:00 AM	0.28
1/11/2022	8:00:00 AM	0.28
1/11/2022	8:15:00 AM	0.28
1/11/2022	8:30:00 AM	0.28
1/11/2022	8:45:00 AM	0.28
1/11/2022	9:00:00 AM	0.28
1/11/2022	9:15:00 AM	0.28
1/11/2022	9:30:00 AM	0.28
1/11/2022	9:45:00 AM	0.28
1/11/2022	10:00:00 AM	0.28
1/11/2022	10:15:00 AM	0.28
1/11/2022	10:30:00 AM	0.28
1/11/2022	10:45:00 AM	0.28
1/11/2022	11:00:00 AM	0.28
1/11/2022	11:15:00 AM	0.28
1/11/2022	11:30:00 AM	0.28
1/11/2022	11:45:00 AM	0.28
1/11/2022	12:00:00 PM	0.28
1/11/2022	12:15:00 PM	0.28
1/11/2022	12:30:00 PM	0.28
1/11/2022	12:45:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/11/2022	1:00:00 PM	0.28
1/11/2022	1:15:00 PM	0.28
1/11/2022	1:30:00 PM	0.28
1/11/2022	1:45:00 PM	0.28
1/11/2022	2:00:00 PM	0.28
1/11/2022	2:15:00 PM	0.28
1/11/2022	2:30:00 PM	0.28
1/11/2022	2:45:00 PM	0.28
1/11/2022	3:00:00 PM	0.28
1/11/2022	3:15:00 PM	0.28
1/11/2022	3:30:00 PM	0.28
1/11/2022	3:45:00 PM	0.28
1/11/2022	4:00:00 PM	0.28
1/11/2022	4:15:00 PM	0.28
1/11/2022	4:30:00 PM	0.28
1/11/2022	4:45:00 PM	0.28
1/11/2022	5:00:00 PM	0.28
1/11/2022	5:15:00 PM	0.28
1/11/2022	5:30:00 PM	0.28
1/11/2022	5:45:00 PM	0.28
1/11/2022	6:00:00 PM	0.28
1/11/2022	6:15:00 PM	0.28
1/11/2022	6:30:00 PM	0.28
1/11/2022	6:45:00 PM	0.28
1/11/2022	7:00:00 PM	0.28
1/11/2022	7:15:00 PM	0.28
1/11/2022	7:30:00 PM	0.28
1/11/2022	7:45:00 PM	0.28
1/11/2022	8:00:00 PM	0.28
1/11/2022	8:15:00 PM	0.28
1/11/2022	8:30:00 PM	0.28
1/11/2022	8:45:00 PM	0.28
1/11/2022	9:00:00 PM	0.28
1/11/2022	9:15:00 PM	0.28
1/11/2022	9:30:00 PM	0.28
1/11/2022	9:45:00 PM	0.28
1/11/2022	10:00:00 PM	0.28
1/11/2022	10:15:00 PM	0.28
1/11/2022	10:30:00 PM	0.28
1/11/2022	10:45:00 PM	0.28
1/11/2022	11:00:00 PM	0.28
1/11/2022	11:15:00 PM	0.28
1/11/2022	11:30:00 PM	0.28
1/11/2022	11:45:00 PM	0.28
1/12/2022	12:00:00 AM	0.28
1/12/2022	12:15:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/12/2022	12:30:00 AM	0.28
1/12/2022	12:45:00 AM	0.28
1/12/2022	1:00:00 AM	0.28
1/12/2022	1:15:00 AM	0.28
1/12/2022	1:30:00 AM	0.28
1/12/2022	1:45:00 AM	0.28
1/12/2022	2:00:00 AM	0.28
1/12/2022	2:15:00 AM	0.28
1/12/2022	2:30:00 AM	0.28
1/12/2022	2:45:00 AM	0.28
1/12/2022	3:00:00 AM	0.28
1/12/2022	3:15:00 AM	0.28
1/12/2022	3:30:00 AM	0.28
1/12/2022	3:45:00 AM	0.28
1/12/2022	4:00:00 AM	0.28
1/12/2022	4:15:00 AM	0.28
1/12/2022	4:30:00 AM	0.28
1/12/2022	4:45:00 AM	0.28
1/12/2022	5:00:00 AM	0.28
1/12/2022	5:15:00 AM	0.28
1/12/2022	5:30:00 AM	0.28
1/12/2022	5:45:00 AM	0.28
1/12/2022	6:00:00 AM	0.28
1/12/2022	6:15:00 AM	0.28
1/12/2022	6:30:00 AM	0.28
1/12/2022	6:45:00 AM	0.28
1/12/2022	7:00:00 AM	0.28
1/12/2022	7:15:00 AM	0.28
1/12/2022	7:30:00 AM	0.28
1/12/2022	7:45:00 AM	0.28
1/12/2022	8:00:00 AM	0.28
1/12/2022	8:15:00 AM	0.28
1/12/2022	8:30:00 AM	0.28
1/12/2022	8:45:00 AM	0.28
1/12/2022	9:00:00 AM	0.28
1/12/2022	9:15:00 AM	0.28
1/12/2022	9:30:00 AM	0.28
1/12/2022	9:45:00 AM	0.28
1/12/2022	10:00:00 AM	0.28
1/12/2022	10:15:00 AM	0.28
1/12/2022	10:30:00 AM	0.28
1/12/2022	10:45:00 AM	0.28
1/12/2022	11:00:00 AM	0.28
1/12/2022	11:15:00 AM	0.28
1/12/2022	11:30:00 AM	0.28
1/12/2022	11:45:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/12/2022	12:00:00 PM	0.28
1/12/2022	12:15:00 PM	0.28
1/12/2022	12:30:00 PM	0.28
1/12/2022	12:45:00 PM	0.28
1/12/2022	1:00:00 PM	0.28
1/12/2022	1:15:00 PM	0.28
1/12/2022	1:30:00 PM	0.28
1/12/2022	1:45:00 PM	0.28
1/12/2022	2:00:00 PM	0.28
1/12/2022	2:15:00 PM	0.28
1/12/2022	2:30:00 PM	0.28
1/12/2022	2:45:00 PM	0.28
1/12/2022	3:00:00 PM	0.28
1/12/2022	3:15:00 PM	0.28
1/12/2022	3:30:00 PM	0.28
1/12/2022	3:45:00 PM	0.28
1/12/2022	4:00:00 PM	0.28
1/12/2022	4:15:00 PM	0.28
1/12/2022	4:30:00 PM	0.28
1/12/2022	4:45:00 PM	0.28
1/12/2022	5:00:00 PM	0.28
1/12/2022	5:15:00 PM	0.28
1/12/2022	5:30:00 PM	0.28
1/12/2022	5:45:00 PM	0.28
1/12/2022	6:00:00 PM	0.28
1/12/2022	6:15:00 PM	0.28
1/12/2022	6:30:00 PM	0.28
1/12/2022	6:45:00 PM	0.28
1/12/2022	7:00:00 PM	0.28
1/12/2022	7:15:00 PM	0.28
1/12/2022	7:30:00 PM	0.28
1/12/2022	7:45:00 PM	0.28
1/12/2022	8:00:00 PM	0.28
1/12/2022	8:15:00 PM	0.28
1/12/2022	8:30:00 PM	0.28
1/12/2022	8:45:00 PM	0.28
1/12/2022	9:00:00 PM	0.28
1/12/2022	9:15:00 PM	0.28
1/12/2022	9:30:00 PM	0.28
1/12/2022	9:45:00 PM	0.28
1/12/2022	10:00:00 PM	0.28
1/12/2022	10:15:00 PM	0.28
1/12/2022	10:30:00 PM	0.28
1/12/2022	10:45:00 PM	0.28
1/12/2022	11:00:00 PM	0.28
1/12/2022	11:15:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/12/2022	11:30:00 PM	0.28
1/12/2022	11:45:00 PM	0.28
1/13/2022	12:00:00 AM	0.28
1/13/2022	12:15:00 AM	0.28
1/13/2022	12:30:00 AM	0.28
1/13/2022	12:45:00 AM	0.28
1/13/2022	1:00:00 AM	0.28
1/13/2022	1:15:00 AM	0.28
1/13/2022	1:30:00 AM	0.28
1/13/2022	1:45:00 AM	0.28
1/13/2022	2:00:00 AM	0.28
1/13/2022	2:15:00 AM	0.28
1/13/2022	2:30:00 AM	0.28
1/13/2022	2:45:00 AM	0.28
1/13/2022	3:00:00 AM	0.28
1/13/2022	3:15:00 AM	0.28
1/13/2022	3:30:00 AM	0.28
1/13/2022	3:45:00 AM	0.28
1/13/2022	4:00:00 AM	0.28
1/13/2022	4:15:00 AM	0.28
1/13/2022	4:30:00 AM	0.28
1/13/2022	4:45:00 AM	0.28
1/13/2022	5:00:00 AM	0.28
1/13/2022	5:15:00 AM	0.28
1/13/2022	5:30:00 AM	0.28
1/13/2022	5:45:00 AM	0.28
1/13/2022	6:00:00 AM	0.28
1/13/2022	6:15:00 AM	0.28
1/13/2022	6:30:00 AM	0.28
1/13/2022	6:45:00 AM	0.28
1/13/2022	7:00:00 AM	0.28
1/13/2022	7:15:00 AM	0.28
1/13/2022	7:30:00 AM	0.28
1/13/2022	7:45:00 AM	0.28
1/13/2022	8:00:00 AM	0.28
1/13/2022	8:15:00 AM	0.28
1/13/2022	8:30:00 AM	0.28
1/13/2022	8:45:00 AM	0.28
1/13/2022	9:00:00 AM	0.28
1/13/2022	9:15:00 AM	0.28
1/13/2022	9:30:00 AM	0.28
1/13/2022	9:45:00 AM	0.28
1/13/2022	10:00:00 AM	0.28
1/13/2022	10:15:00 AM	0.28
1/13/2022	10:30:00 AM	0.28
1/13/2022	10:45:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/13/2022	11:00:00 AM	0.28
1/13/2022	11:15:00 AM	0.28
1/13/2022	11:30:00 AM	0.28
1/13/2022	11:45:00 AM	0.28
1/13/2022	12:00:00 PM	0.28
1/13/2022	12:15:00 PM	0.28
1/13/2022	12:30:00 PM	0.28
1/13/2022	12:45:00 PM	0.28
1/13/2022	1:00:00 PM	0.28
1/13/2022	1:15:00 PM	0.28
1/13/2022	1:30:00 PM	0.28
1/13/2022	1:45:00 PM	0.28
1/13/2022	2:00:00 PM	0.28
1/13/2022	2:15:00 PM	0.28
1/13/2022	2:30:00 PM	0.28
1/13/2022	2:45:00 PM	0.28
1/13/2022	3:00:00 PM	0.28
1/13/2022	3:15:00 PM	0.28
1/13/2022	3:30:00 PM	0.28
1/13/2022	3:45:00 PM	0.28
1/13/2022	4:00:00 PM	0.28
1/13/2022	4:15:00 PM	0.28
1/13/2022	4:30:00 PM	0.28
1/13/2022	4:45:00 PM	0.28
1/13/2022	5:00:00 PM	0.28
1/13/2022	5:15:00 PM	0.28
1/13/2022	5:30:00 PM	0.28
1/13/2022	5:45:00 PM	0.28
1/13/2022	6:00:00 PM	0.28
1/13/2022	6:15:00 PM	0.28
1/13/2022	6:30:00 PM	0.28
1/13/2022	6:45:00 PM	0.28
1/13/2022	7:00:00 PM	0.28
1/13/2022	7:15:00 PM	0.28
1/13/2022	7:30:00 PM	0.28
1/13/2022	7:45:00 PM	0.28
1/13/2022	8:00:00 PM	0.28
1/13/2022	8:15:00 PM	0.28
1/13/2022	8:30:00 PM	0.28
1/13/2022	8:45:00 PM	0.28
1/13/2022	9:00:00 PM	0.28
1/13/2022	9:15:00 PM	0.28
1/13/2022	9:30:00 PM	0.28
1/13/2022	9:45:00 PM	0.28
1/13/2022	10:00:00 PM	0.28
1/13/2022	10:15:00 PM	0.28



# Billy Lake Return Gage

DATE	TIME	GAGE
1/13/2022	10:30:00 PM	0.28
1/13/2022	10:45:00 PM	0.28
1/13/2022	11:00:00 PM	0.28
1/13/2022	11:15:00 PM	0.28
1/13/2022	11:30:00 PM	0.28
1/13/2022	11:45:00 PM	0.28
1/14/2022	12:00:00 AM	0.28
1/14/2022	12:15:00 AM	0.28
1/14/2022	12:30:00 AM	0.28
1/14/2022	12:45:00 AM	0.28
1/14/2022	1:00:00 AM	0.28
1/14/2022	1:15:00 AM	0.28
1/14/2022	1:30:00 AM	0.28
1/14/2022	1:45:00 AM	0.28
1/14/2022	2:00:00 AM	0.28
1/14/2022	2:15:00 AM	0.28
1/14/2022	2:30:00 AM	0.28
1/14/2022	2:45:00 AM	0.28
1/14/2022	3:00:00 AM	0.28
1/14/2022	3:15:00 AM	0.28
1/14/2022	3:30:00 AM	0.28
1/14/2022	3:45:00 AM	0.28
1/14/2022	4:00:00 AM	0.28
1/14/2022	4:15:00 AM	0.28
1/14/2022	4:30:00 AM	0.28
1/14/2022	4:45:00 AM	0.28
1/14/2022	5:00:00 AM	0.28
1/14/2022	5:15:00 AM	0.28
1/14/2022	5:30:00 AM	0.28
1/14/2022	5:45:00 AM	0.28
1/14/2022	6:00:00 AM	0.28
1/14/2022	6:15:00 AM	0.28
1/14/2022	6:30:00 AM	0.28
1/14/2022	6:45:00 AM	0.28
1/14/2022	7:00:00 AM	0.28
1/14/2022	7:15:00 AM	0.28
1/14/2022	7:30:00 AM	0.28
1/14/2022	7:45:00 AM	0.28
1/14/2022	8:00:00 AM	0.28
1/14/2022	8:15:00 AM	0.28
1/14/2022	8:30:00 AM	0.28
1/14/2022	8:45:00 AM	0.28
1/14/2022	9:00:00 AM	0.28
1/14/2022	9:15:00 AM	0.28
1/14/2022	9:30:00 AM	0.28
1/14/2022	9:45:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/14/2022	10:00:00 AM	0.28
1/14/2022	10:15:00 AM	0.28
1/14/2022	10:30:00 AM	0.28
1/14/2022	10:45:00 AM	0.28
1/14/2022	11:00:00 AM	0.28
1/14/2022	11:15:00 AM	0.28
1/14/2022	11:30:00 AM	0.28
1/14/2022	11:45:00 AM	0.28
1/14/2022	12:00:00 PM	0.28
1/14/2022	12:15:00 PM	0.28
1/14/2022	12:30:00 PM	0.28
1/14/2022	12:45:00 PM	0.28
1/14/2022	1:00:00 PM	0.28
1/14/2022	1:15:00 PM	0.28
1/14/2022	1:30:00 PM	0.28
1/14/2022	1:45:00 PM	0.28
1/14/2022	2:00:00 PM	0.28
1/14/2022	2:15:00 PM	0.28
1/14/2022	2:30:00 PM	0.28
1/14/2022	2:45:00 PM	0.28
1/14/2022	3:00:00 PM	0.28
1/14/2022	3:15:00 PM	0.28
1/14/2022	3:30:00 PM	0.28
1/14/2022	3:45:00 PM	0.28
1/14/2022	4:00:00 PM	0.28
1/14/2022	4:15:00 PM	0.28
1/14/2022	4:30:00 PM	0.28
1/14/2022	4:45:00 PM	0.28
1/14/2022	5:00:00 PM	0.28
1/14/2022	5:15:00 PM	0.28
1/14/2022	5:30:00 PM	0.28
1/14/2022	5:45:00 PM	0.28
1/14/2022	6:00:00 PM	0.28
1/14/2022	6:15:00 PM	0.28
1/14/2022	6:30:00 PM	0.28
1/14/2022	6:45:00 PM	0.28
1/14/2022	7:00:00 PM	0.28
1/14/2022	7:15:00 PM	0.28
1/14/2022	7:30:00 PM	0.28
1/14/2022	7:45:00 PM	0.28
1/14/2022	8:00:00 PM	0.28
1/14/2022	8:15:00 PM	0.28
1/14/2022	8:30:00 PM	0.28
1/14/2022	8:45:00 PM	0.28
1/14/2022	9:00:00 PM	0.28
1/14/2022	9:15:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/14/2022	9:30:00 PM	0.28
1/14/2022	9:45:00 PM	0.28
1/14/2022	10:00:00 PM	0.28
1/14/2022	10:15:00 PM	0.28
1/14/2022	10:30:00 PM	0.28
1/14/2022	10:45:00 PM	0.28
1/14/2022	11:00:00 PM	0.28
1/14/2022	11:15:00 PM	0.28
1/14/2022	11:30:00 PM	0.28
1/14/2022	11:45:00 PM	0.28
1/15/2022	12:00:00 AM	0.28
1/15/2022	12:15:00 AM	0.28
1/15/2022	12:30:00 AM	0.28
1/15/2022	12:45:00 AM	0.28
1/15/2022	1:00:00 AM	0.28
1/15/2022	1:15:00 AM	0.28
1/15/2022	1:30:00 AM	0.28
1/15/2022	1:45:00 AM	0.28
1/15/2022	2:00:00 AM	0.28
1/15/2022	2:15:00 AM	0.28
1/15/2022	2:30:00 AM	0.28
1/15/2022	2:45:00 AM	0.28
1/15/2022	3:00:00 AM	0.28
1/15/2022	3:15:00 AM	0.28
1/15/2022	3:30:00 AM	0.28
1/15/2022	3:45:00 AM	0.28
1/15/2022	4:00:00 AM	0.28
1/15/2022	4:15:00 AM	0.28
1/15/2022	4:30:00 AM	0.28
1/15/2022	4:45:00 AM	0.28
1/15/2022	5:00:00 AM	0.28
1/15/2022	5:15:00 AM	0.28
1/15/2022	5:30:00 AM	0.28
1/15/2022	5:45:00 AM	0.28
1/15/2022	6:00:00 AM	0.28
1/15/2022	6:15:00 AM	0.28
1/15/2022	6:30:00 AM	0.28
1/15/2022	6:45:00 AM	0.28
1/15/2022	7:00:00 AM	0.28
1/15/2022	7:15:00 AM	0.28
1/15/2022	7:30:00 AM	0.28
1/15/2022	7:45:00 AM	0.28
1/15/2022	8:00:00 AM	0.28
1/15/2022	8:15:00 AM	0.28
1/15/2022	8:30:00 AM	0.28
1/15/2022	8:45:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/15/2022	9:00:00 AM	0.28
1/15/2022	9:15:00 AM	0.28
1/15/2022	9:30:00 AM	0.28
1/15/2022	9:45:00 AM	0.28
1/15/2022	10:00:00 AM	0.28
1/15/2022	10:15:00 AM	0.28
1/15/2022	10:30:00 AM	0.28
1/15/2022	10:45:00 AM	0.28
1/15/2022	11:00:00 AM	0.28
1/15/2022	11:15:00 AM	0.28
1/15/2022	11:30:00 AM	0.28
1/15/2022	11:45:00 AM	0.28
1/15/2022	12:00:00 PM	0.28
1/15/2022	12:15:00 PM	0.28
1/15/2022	12:30:00 PM	0.28
1/15/2022	12:45:00 PM	0.28
1/15/2022	1:00:00 PM	0.28
1/15/2022	1:15:00 PM	0.28
1/15/2022	1:30:00 PM	0.28
1/15/2022	1:45:00 PM	0.28
1/15/2022	2:00:00 PM	0.28
1/15/2022	2:15:00 PM	0.28
1/15/2022	2:30:00 PM	0.28
1/15/2022	2:45:00 PM	0.28
1/15/2022	3:00:00 PM	0.28
1/15/2022	3:15:00 PM	0.28
1/15/2022	3:30:00 PM	0.28
1/15/2022	3:45:00 PM	0.28
1/15/2022	4:00:00 PM	0.28
1/15/2022	4:15:00 PM	0.28
1/15/2022	4:30:00 PM	0.28
1/15/2022	4:45:00 PM	0.28
1/15/2022	5:00:00 PM	0.28
1/15/2022	5:15:00 PM	0.28
1/15/2022	5:30:00 PM	0.28
1/15/2022	5:45:00 PM	0.28
1/15/2022	6:00:00 PM	0.28
1/15/2022	6:15:00 PM	0.28
1/15/2022	6:30:00 PM	0.28
1/15/2022	6:45:00 PM	0.28
1/15/2022	7:00:00 PM	0.28
1/15/2022	7:15:00 PM	0.28
1/15/2022	7:30:00 PM	0.28
1/15/2022	7:45:00 PM	0.28
1/15/2022	8:00:00 PM	0.28
1/15/2022	8:15:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/15/2022	8:30:00 PM	0.28
1/15/2022	8:45:00 PM	0.28
1/15/2022	9:00:00 PM	0.28
1/15/2022	9:15:00 PM	0.28
1/15/2022	9:30:00 PM	0.28
1/15/2022	9:45:00 PM	0.28
1/15/2022	10:00:00 PM	0.28
1/15/2022	10:15:00 PM	0.28
1/15/2022	10:30:00 PM	0.28
1/15/2022	10:45:00 PM	0.28
1/15/2022	11:00:00 PM	0.28
1/15/2022	11:15:00 PM	0.28
1/15/2022	11:30:00 PM	0.28
1/15/2022	11:45:00 PM	0.28
1/16/2022	12:00:00 AM	0.28
1/16/2022	12:15:00 AM	0.28
1/16/2022	12:30:00 AM	0.28
1/16/2022	12:45:00 AM	0.28
1/16/2022	1:00:00 AM	0.28
1/16/2022	1:15:00 AM	0.28
1/16/2022	1:30:00 AM	0.28
1/16/2022	1:45:00 AM	0.28
1/16/2022	2:00:00 AM	0.28
1/16/2022	2:15:00 AM	0.28
1/16/2022	2:30:00 AM	0.28
1/16/2022	2:45:00 AM	0.28
1/16/2022	3:00:00 AM	0.28
1/16/2022	3:15:00 AM	0.28
1/16/2022	3:30:00 AM	0.28
1/16/2022	3:45:00 AM	0.28
1/16/2022	4:00:00 AM	0.28
1/16/2022	4:15:00 AM	0.28
1/16/2022	4:30:00 AM	0.28
1/16/2022	4:45:00 AM	0.28
1/16/2022	5:00:00 AM	0.28
1/16/2022	5:15:00 AM	0.28
1/16/2022	5:30:00 AM	0.28
1/16/2022	5:45:00 AM	0.28
1/16/2022	6:00:00 AM	0.28
1/16/2022	6:15:00 AM	0.28
1/16/2022	6:30:00 AM	0.28
1/16/2022	6:45:00 AM	0.28
1/16/2022	7:00:00 AM	0.28
1/16/2022	7:15:00 AM	0.28
1/16/2022	7:30:00 AM	0.28
1/16/2022	7:45:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/16/2022	8:00:00 AM	0.28
1/16/2022	8:15:00 AM	0.28
1/16/2022	8:30:00 AM	0.28
1/16/2022	8:45:00 AM	0.28
1/16/2022	9:00:00 AM	0.28
1/16/2022	9:15:00 AM	0.28
1/16/2022	9:30:00 AM	0.28
1/16/2022	9:45:00 AM	0.28
1/16/2022	10:00:00 AM	0.28
1/16/2022	10:15:00 AM	0.28
1/16/2022	10:30:00 AM	0.28
1/16/2022	10:45:00 AM	0.28
1/16/2022	11:00:00 AM	0.28
1/16/2022	11:15:00 AM	0.28
1/16/2022	11:30:00 AM	0.28
1/16/2022	11:45:00 AM	0.28
1/16/2022	12:00:00 PM	0.28
1/16/2022	12:15:00 PM	0.28
1/16/2022	12:30:00 PM	0.28
1/16/2022	12:45:00 PM	0.28
1/16/2022	1:00:00 PM	0.28
1/16/2022	1:15:00 PM	0.28
1/16/2022	1:30:00 PM	0.28
1/16/2022	1:45:00 PM	0.28
1/16/2022	2:00:00 PM	0.28
1/16/2022	2:15:00 PM	0.28
1/16/2022	2:30:00 PM	0.28
1/16/2022	2:45:00 PM	0.28
1/16/2022	3:00:00 PM	0.28
1/16/2022	3:15:00 PM	0.28
1/16/2022	3:30:00 PM	0.28
1/16/2022	3:45:00 PM	0.28
1/16/2022	4:00:00 PM	0.28
1/16/2022	4:15:00 PM	0.28
1/16/2022	4:30:00 PM	0.28
1/16/2022	4:45:00 PM	0.28
1/16/2022	5:00:00 PM	0.28
1/16/2022	5:15:00 PM	0.28
1/16/2022	5:30:00 PM	0.28
1/16/2022	5:45:00 PM	0.28
1/16/2022	6:00:00 PM	0.28
1/16/2022	6:15:00 PM	0.28
1/16/2022	6:30:00 PM	0.28
1/16/2022	6:45:00 PM	0.28
1/16/2022	7:00:00 PM	0.28
1/16/2022	7:15:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/16/2022	7:30:00 PM	0.28
1/16/2022	7:45:00 PM	0.28
1/16/2022	8:00:00 PM	0.28
1/16/2022	8:15:00 PM	0.28
1/16/2022	8:30:00 PM	0.28
1/16/2022	8:45:00 PM	0.28
1/16/2022	9:00:00 PM	0.28
1/16/2022	9:15:00 PM	0.28
1/16/2022	9:30:00 PM	0.28
1/16/2022	9:45:00 PM	0.28
1/16/2022	10:00:00 PM	0.28
1/16/2022	10:15:00 PM	0.28
1/16/2022	10:30:00 PM	0.28
1/16/2022	10:45:00 PM	0.28
1/16/2022	11:00:00 PM	0.28
1/16/2022	11:15:00 PM	0.28
1/16/2022	11:30:00 PM	0.28
1/16/2022	11:45:00 PM	0.28
1/17/2022	12:00:00 AM	0.28
1/17/2022	12:15:00 AM	0.28
1/17/2022	12:30:00 AM	0.28
1/17/2022	12:45:00 AM	0.28
1/17/2022	1:00:00 AM	0.28
1/17/2022	1:15:00 AM	0.28
1/17/2022	1:30:00 AM	0.28
1/17/2022	1:45:00 AM	0.28
1/17/2022	2:00:00 AM	0.28
1/17/2022	2:15:00 AM	0.28
1/17/2022	2:30:00 AM	0.28
1/17/2022	2:45:00 AM	0.28
1/17/2022	3:00:00 AM	0.28
1/17/2022	3:15:00 AM	0.28
1/17/2022	3:30:00 AM	0.28
1/17/2022	3:45:00 AM	0.28
1/17/2022	4:00:00 AM	0.28
1/17/2022	4:15:00 AM	0.28
1/17/2022	4:30:00 AM	0.28
1/17/2022	4:45:00 AM	0.28
1/17/2022	5:00:00 AM	0.28
1/17/2022	5:15:00 AM	0.28
1/17/2022	5:30:00 AM	0.28
1/17/2022	5:45:00 AM	0.28
1/17/2022	6:00:00 AM	0.28
1/17/2022	6:15:00 AM	0.28
1/17/2022	6:30:00 AM	0.28
1/17/2022	6:45:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/17/2022	7:00:00 AM	0.28
1/17/2022	7:15:00 AM	0.28
1/17/2022	7:30:00 AM	0.28
1/17/2022	7:45:00 AM	0.28
1/17/2022	8:00:00 AM	0.28
1/17/2022	8:15:00 AM	0.28
1/17/2022	8:30:00 AM	0.28
1/17/2022	8:45:00 AM	0.28
1/17/2022	9:00:00 AM	0.28
1/17/2022	9:15:00 AM	0.28
1/17/2022	9:30:00 AM	0.28
1/17/2022	9:45:00 AM	0.28
1/17/2022	10:00:00 AM	0.28
1/17/2022	10:15:00 AM	0.28
1/17/2022	10:30:00 AM	0.28
1/17/2022	10:45:00 AM	0.28
1/17/2022	11:00:00 AM	0.28
1/17/2022	11:15:00 AM	0.28
1/17/2022	11:30:00 AM	0.28
1/17/2022	11:45:00 AM	0.28
1/17/2022	12:00:00 PM	0.28
1/17/2022	12:15:00 PM	0.28
1/17/2022	12:30:00 PM	0.28
1/17/2022	12:45:00 PM	0.28
1/17/2022	1:00:00 PM	0.28
1/17/2022	1:15:00 PM	0.28
1/17/2022	1:30:00 PM	0.29
1/17/2022	1:45:00 PM	0.28
1/17/2022	2:00:00 PM	0.28
1/17/2022	2:15:00 PM	0.28
1/17/2022	2:30:00 PM	0.28
1/17/2022	2:45:00 PM	0.28
1/17/2022	3:00:00 PM	0.28
1/17/2022	3:15:00 PM	0.28
1/17/2022	3:30:00 PM	0.28
1/17/2022	3:45:00 PM	0.28
1/17/2022	4:00:00 PM	0.28
1/17/2022	4:15:00 PM	0.28
1/17/2022	4:30:00 PM	0.28
1/17/2022	4:45:00 PM	0.28
1/17/2022	5:00:00 PM	0.28
1/17/2022	5:15:00 PM	0.28
1/17/2022	5:30:00 PM	0.29
1/17/2022	5:45:00 PM	0.28
1/17/2022	6:00:00 PM	0.28
1/17/2022	6:15:00 PM	0.28



# Billy Lake Return Gage

DATE	TIME	GAGE
1/17/2022	6:30:00 PM	0.28
1/17/2022	6:45:00 PM	0.28
1/17/2022	7:00:00 PM	0.28
1/17/2022	7:15:00 PM	0.29
1/17/2022	7:30:00 PM	0.28
1/17/2022	7:45:00 PM	0.28
1/17/2022	8:00:00 PM	0.28
1/17/2022	8:15:00 PM	0.28
1/17/2022	8:30:00 PM	0.28
1/17/2022	8:45:00 PM	0.28
1/17/2022	9:00:00 PM	0.28
1/17/2022	9:15:00 PM	0.28
1/17/2022	9:30:00 PM	0.28
1/17/2022	9:45:00 PM	0.28
1/17/2022	10:00:00 PM	0.28
1/17/2022	10:15:00 PM	0.28
1/17/2022	10:30:00 PM	0.28
1/17/2022	10:45:00 PM	0.28
1/17/2022	11:00:00 PM	0.28
1/17/2022	11:15:00 PM	0.28
1/17/2022	11:30:00 PM	0.28
1/17/2022	11:45:00 PM	0.28
1/18/2022	12:00:00 AM	0.28
1/18/2022	12:15:00 AM	0.28
1/18/2022	12:30:00 AM	0.28
1/18/2022	12:45:00 AM	0.28
1/18/2022	1:00:00 AM	0.28
1/18/2022	1:15:00 AM	0.28
1/18/2022	1:30:00 AM	0.28
1/18/2022	1:45:00 AM	0.28
1/18/2022	2:00:00 AM	0.28
1/18/2022	2:15:00 AM	0.28
1/18/2022	2:30:00 AM	0.28
1/18/2022	2:45:00 AM	0.28
1/18/2022	3:00:00 AM	0.28
1/18/2022	3:15:00 AM	0.28
1/18/2022	3:30:00 AM	0.28
1/18/2022	3:45:00 AM	0.28
1/18/2022	4:00:00 AM	0.28
1/18/2022	4:15:00 AM	0.28
1/18/2022	4:30:00 AM	0.28
1/18/2022	4:45:00 AM	0.28
1/18/2022	5:00:00 AM	0.28
1/18/2022	5:15:00 AM	0.28
1/18/2022	5:30:00 AM	0.28
1/18/2022	5:45:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/18/2022	6:00:00 AM	0.28
1/18/2022	6:15:00 AM	0.28
1/18/2022	6:30:00 AM	0.28
1/18/2022	6:45:00 AM	0.28
1/18/2022	7:00:00 AM	0.28
1/18/2022	7:15:00 AM	0.28
1/18/2022	7:30:00 AM	0.28
1/18/2022	7:45:00 AM	0.28
1/18/2022	8:00:00 AM	0.28
1/18/2022	8:15:00 AM	0.28
1/18/2022	8:30:00 AM	0.29
1/18/2022	8:45:00 AM	0.28
1/18/2022	9:00:00 AM	0.28
1/18/2022	9:15:00 AM	0.28
1/18/2022	9:30:00 AM	0.28
1/18/2022	9:45:00 AM	0.28
1/18/2022	10:00:00 AM	0.28
1/18/2022	10:15:00 AM	0.28
1/18/2022	10:30:00 AM	0.29
1/18/2022	10:45:00 AM	0.28
1/18/2022	11:00:00 AM	0.28
1/18/2022	11:15:00 AM	0.28
1/18/2022	11:30:00 AM	0.28
1/18/2022	11:45:00 AM	0.28
1/18/2022	12:00:00 PM	0.28
1/18/2022	12:15:00 PM	0.28
1/18/2022	12:30:00 PM	0.29
1/18/2022	12:45:00 PM	0.29
1/18/2022	1:00:00 PM	0.29
1/18/2022	1:15:00 PM	0.28
1/18/2022	1:30:00 PM	0.29
1/18/2022	1:45:00 PM	0.29
1/18/2022	2:00:00 PM	0.29
1/18/2022	2:15:00 PM	0.29
1/18/2022	2:30:00 PM	0.29
1/18/2022	2:45:00 PM	0.29
1/18/2022	3:00:00 PM	0.29
1/18/2022	3:15:00 PM	0.29
1/18/2022	3:30:00 PM	0.29
1/18/2022	3:45:00 PM	0.29
1/18/2022	4:00:00 PM	0.29
1/18/2022	4:15:00 PM	0.29
1/18/2022	4:30:00 PM	0.29
1/18/2022	4:45:00 PM	0.29
1/18/2022	5:00:00 PM	0.29
1/18/2022	5:15:00 PM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/18/2022	5:30:00 PM	0.29
1/18/2022	5:45:00 PM	0.29
1/18/2022	6:00:00 PM	0.29
1/18/2022	6:15:00 PM	0.29
1/18/2022	6:30:00 PM	0.29
1/18/2022	6:45:00 PM	0.29
1/18/2022	7:00:00 PM	0.29
1/18/2022	7:15:00 PM	0.29
1/18/2022	7:30:00 PM	0.29
1/18/2022	7:45:00 PM	0.29
1/18/2022	8:00:00 PM	0.29
1/18/2022	8:15:00 PM	0.29
1/18/2022	8:30:00 PM	0.29
1/18/2022	8:45:00 PM	0.29
1/18/2022	9:00:00 PM	0.29
1/18/2022	9:15:00 PM	0.29
1/18/2022	9:30:00 PM	0.29
1/18/2022	9:45:00 PM	0.29
1/18/2022	10:00:00 PM	0.29
1/18/2022	10:15:00 PM	0.29
1/18/2022	10:30:00 PM	0.29
1/18/2022	10:45:00 PM	0.29
1/18/2022	11:00:00 PM	0.29
1/18/2022	11:15:00 PM	0.29
1/18/2022	11:30:00 PM	0.28
1/18/2022	11:45:00 PM	0.28
1/19/2022	12:00:00 AM	0.29
1/19/2022	12:15:00 AM	0.29
1/19/2022	12:30:00 AM	0.29
1/19/2022	12:45:00 AM	0.28
1/19/2022	1:00:00 AM	0.28
1/19/2022	1:15:00 AM	0.29
1/19/2022	1:30:00 AM	0.29
1/19/2022	1:45:00 AM	0.28
1/19/2022	2:00:00 AM	0.29
1/19/2022	2:15:00 AM	0.29
1/19/2022	2:30:00 AM	0.28
1/19/2022	2:45:00 AM	0.28
1/19/2022	3:00:00 AM	0.29
1/19/2022	3:15:00 AM	0.28
1/19/2022	3:30:00 AM	0.28
1/19/2022	3:45:00 AM	0.29
1/19/2022	4:00:00 AM	0.29
1/19/2022	4:15:00 AM	0.29
1/19/2022	4:30:00 AM	0.29
1/19/2022	4:45:00 AM	0.28

## Billy Lake Return Gage

DATE	TIME	GAGE
1/19/2022	5:00:00 AM	0.29
1/19/2022	5:15:00 AM	0.29
1/19/2022	5:30:00 AM	0.28
1/19/2022	5:45:00 AM	0.29
1/19/2022	6:00:00 AM	0.29
1/19/2022	6:15:00 AM	0.28
1/19/2022	6:30:00 AM	0.29
1/19/2022	6:45:00 AM	0.29
1/19/2022	7:00:00 AM	0.29
1/19/2022	7:15:00 AM	0.29
1/19/2022	7:30:00 AM	0.29
1/19/2022	7:45:00 AM	0.29
1/19/2022	8:00:00 AM	0.28
1/19/2022	8:15:00 AM	0.29
1/19/2022	8:30:00 AM	0.28
1/19/2022	8:45:00 AM	0.29
1/19/2022	9:00:00 AM	0.29
1/19/2022	9:15:00 AM	0.29
1/19/2022	9:30:00 AM	0.29
1/19/2022	9:45:00 AM	0.29
1/19/2022	10:00:00 AM	0.29
1/19/2022	10:15:00 AM	0.29
1/19/2022	10:30:00 AM	0.29
1/19/2022	10:45:00 AM	0.28
1/19/2022	11:00:00 AM	0.29
1/19/2022	11:15:00 AM	0.28
1/19/2022	11:30:00 AM	0.28
1/19/2022	11:45:00 AM	0.28
1/19/2022	12:00:00 PM	0.28
1/19/2022	12:15:00 PM	0.28
1/19/2022	12:30:00 PM	0.28
1/19/2022	12:45:00 PM	0.28
1/19/2022	1:00:00 PM	0.28
1/19/2022	1:15:00 PM	0.28
1/19/2022	1:30:00 PM	0.28
1/19/2022	1:45:00 PM	0.28
1/19/2022	2:00:00 PM	0.28
1/19/2022	2:15:00 PM	0.28
1/19/2022	2:30:00 PM	0.28
1/19/2022	2:45:00 PM	0.28
1/19/2022	3:00:00 PM	0.28
1/19/2022	3:15:00 PM	0.28
1/19/2022	3:30:00 PM	0.28
1/19/2022	3:45:00 PM	0.28
1/19/2022	4:00:00 PM	0.28
1/19/2022	4:15:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/19/2022	4:30:00 PM	0.28
1/19/2022	4:45:00 PM	0.28
1/19/2022	5:00:00 PM	0.28
1/19/2022	5:15:00 PM	0.28
1/19/2022	5:30:00 PM	0.28
1/19/2022	5:45:00 PM	0.28
1/19/2022	6:00:00 PM	0.28
1/19/2022	6:15:00 PM	0.28
1/19/2022	6:30:00 PM	0.28
1/19/2022	6:45:00 PM	0.28
1/19/2022	7:00:00 PM	0.28
1/19/2022	7:15:00 PM	0.28
1/19/2022	7:30:00 PM	0.28
1/19/2022	7:45:00 PM	0.28
1/19/2022	8:00:00 PM	0.28
1/19/2022	8:15:00 PM	0.28
1/19/2022	8:30:00 PM	0.28
1/19/2022	8:45:00 PM	0.28
1/19/2022	9:00:00 PM	0.28
1/19/2022	9:15:00 PM	0.28
1/19/2022	9:30:00 PM	0.28
1/19/2022	9:45:00 PM	0.28
1/19/2022	10:00:00 PM	0.28
1/19/2022	10:15:00 PM	0.28
1/19/2022	10:30:00 PM	0.28
1/19/2022	10:45:00 PM	0.28
1/19/2022	11:00:00 PM	0.28
1/19/2022	11:15:00 PM	0.28
1/19/2022	11:30:00 PM	0.28
1/19/2022	11:45:00 PM	0.28
1/20/2022	12:00:00 AM	0.28
1/20/2022	12:15:00 AM	0.28
1/20/2022	12:30:00 AM	0.28
1/20/2022	12:45:00 AM	0.28
1/20/2022	1:00:00 AM	0.28
1/20/2022	1:15:00 AM	0.28
1/20/2022	1:30:00 AM	0.28
1/20/2022	1:45:00 AM	0.28
1/20/2022	2:00:00 AM	0.28
1/20/2022	2:15:00 AM	0.28
1/20/2022	2:30:00 AM	0.28
1/20/2022	2:45:00 AM	0.28
1/20/2022	3:00:00 AM	0.28
1/20/2022	3:15:00 AM	0.28
1/20/2022	3:30:00 AM	0.28
1/20/2022	3:45:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/20/2022	4:00:00 AM	0.28
1/20/2022	4:15:00 AM	0.28
1/20/2022	4:30:00 AM	0.28
1/20/2022	4:45:00 AM	0.28
1/20/2022	5:00:00 AM	0.28
1/20/2022	5:15:00 AM	0.28
1/20/2022	5:30:00 AM	0.28
1/20/2022	5:45:00 AM	0.28
1/20/2022	6:00:00 AM	0.28
1/20/2022	6:15:00 AM	0.28
1/20/2022	6:30:00 AM	0.28
1/20/2022	6:45:00 AM	0.28
1/20/2022	7:00:00 AM	0.28
1/20/2022	7:15:00 AM	0.28
1/20/2022	7:30:00 AM	0.28
1/20/2022	7:45:00 AM	0.28
1/20/2022	8:00:00 AM	0.28
1/20/2022	8:15:00 AM	0.28
1/20/2022	8:30:00 AM	0.28
1/20/2022	8:45:00 AM	0.28
1/20/2022	9:00:00 AM	0.28
1/20/2022	9:15:00 AM	0.28
1/20/2022	9:30:00 AM	0.28
1/20/2022	9:45:00 AM	0.28
1/20/2022	10:00:00 AM	0.28
1/20/2022	10:15:00 AM	0.28
1/20/2022	10:30:00 AM	0.28
1/20/2022	10:45:00 AM	0.28
1/20/2022	11:00:00 AM	0.28
1/20/2022	11:15:00 AM	0.28
1/20/2022	11:30:00 AM	0.28
1/20/2022	11:45:00 AM	0.28
1/20/2022	12:00:00 PM	0.28
1/20/2022	12:15:00 PM	0.28
1/20/2022	12:30:00 PM	0.28
1/20/2022	12:45:00 PM	0.28
1/20/2022	1:00:00 PM	0.28
1/20/2022	1:15:00 PM	0.28
1/20/2022	1:30:00 PM	0.28
1/20/2022	1:45:00 PM	0.28
1/20/2022	2:00:00 PM	0.28
1/20/2022	2:15:00 PM	0.28
1/20/2022	2:30:00 PM	0.28
1/20/2022	2:45:00 PM	0.28
1/20/2022	3:00:00 PM	0.28
1/20/2022	3:15:00 PM	0.28

## Billy Lake Return Gage

DATE	TIME	GAGE
1/20/2022	3:30:00 PM	0.28
1/20/2022	3:45:00 PM	0.28
1/20/2022	4:00:00 PM	0.28
1/20/2022	4:15:00 PM	0.28
1/20/2022	4:30:00 PM	0.28
1/20/2022	4:45:00 PM	0.28
1/20/2022	5:00:00 PM	0.28
1/20/2022	5:15:00 PM	0.28
1/20/2022	5:30:00 PM	0.28
1/20/2022	5:45:00 PM	0.28
1/20/2022	6:00:00 PM	0.28
1/20/2022	6:15:00 PM	0.28
1/20/2022	6:30:00 PM	0.28
1/20/2022	6:45:00 PM	0.28
1/20/2022	7:00:00 PM	0.28
1/20/2022	7:15:00 PM	0.28
1/20/2022	7:30:00 PM	0.28
1/20/2022	7:45:00 PM	0.28
1/20/2022	8:00:00 PM	0.28
1/20/2022	8:15:00 PM	0.28
1/20/2022	8:30:00 PM	0.28
1/20/2022	8:45:00 PM	0.28
1/20/2022	9:00:00 PM	0.28
1/20/2022	9:15:00 PM	0.28
1/20/2022	9:30:00 PM	0.28
1/20/2022	9:45:00 PM	0.28
1/20/2022	10:00:00 PM	0.28
1/20/2022	10:15:00 PM	0.28
1/20/2022	10:30:00 PM	0.28
1/20/2022	10:45:00 PM	0.28
1/20/2022	11:00:00 PM	0.28
1/20/2022	11:15:00 PM	0.28
1/20/2022	11:30:00 PM	0.28
1/20/2022	11:45:00 PM	0.28
1/21/2022	12:00:00 AM	0.28
1/21/2022	12:15:00 AM	0.28
1/21/2022	12:30:00 AM	0.28
1/21/2022	12:45:00 AM	0.28
1/21/2022	1:00:00 AM	0.28
1/21/2022	1:15:00 AM	0.28
1/21/2022	1:30:00 AM	0.28
1/21/2022	1:45:00 AM	0.28
1/21/2022	2:00:00 AM	0.28
1/21/2022	2:15:00 AM	0.28
1/21/2022	2:30:00 AM	0.28
1/21/2022	2:45:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/21/2022	3:00:00 AM	0.28
1/21/2022	3:15:00 AM	0.28
1/21/2022	3:30:00 AM	0.28
1/21/2022	3:45:00 AM	0.28
1/21/2022	4:00:00 AM	0.28
1/21/2022	4:15:00 AM	0.28
1/21/2022	4:30:00 AM	0.28
1/21/2022	4:45:00 AM	0.28
1/21/2022	5:00:00 AM	0.28
1/21/2022	5:15:00 AM	0.28
1/21/2022	5:30:00 AM	0.28
1/21/2022	5:45:00 AM	0.28
1/21/2022	6:00:00 AM	0.28
1/21/2022	6:15:00 AM	0.28
1/21/2022	6:30:00 AM	0.28
1/21/2022	6:45:00 AM	0.28
1/21/2022	7:00:00 AM	0.28
1/21/2022	7:15:00 AM	0.28
1/21/2022	7:30:00 AM	0.28
1/21/2022	7:45:00 AM	0.28
1/21/2022	8:00:00 AM	0.28
1/21/2022	8:15:00 AM	0.28
1/21/2022	8:30:00 AM	0.28
1/21/2022	8:45:00 AM	0.28
1/21/2022	9:00:00 AM	0.28
1/21/2022	9:15:00 AM	0.28
1/21/2022	9:30:00 AM	0.28
1/21/2022	9:45:00 AM	0.28
1/21/2022	10:00:00 AM	0.28
1/21/2022	10:15:00 AM	0.28
1/21/2022	10:30:00 AM	0.28
1/21/2022	10:45:00 AM	0.28
1/21/2022	11:00:00 AM	0.28
1/21/2022	11:15:00 AM	0.28
1/21/2022	11:30:00 AM	0.28
1/21/2022	11:45:00 AM	0.28
1/21/2022	12:00:00 PM	0.28
1/21/2022	12:15:00 PM	0.28
1/21/2022	12:30:00 PM	0.28
1/21/2022	12:45:00 PM	0.28
1/21/2022	1:00:00 PM	0.28
1/21/2022	1:15:00 PM	0.28
1/21/2022	1:30:00 PM	0.28
1/21/2022	1:45:00 PM	0.28
1/21/2022	2:00:00 PM	0.28
1/21/2022	2:15:00 PM	0.28



# Billy Lake Return Gage

DATE	TIME	GAGE
1/21/2022	2:30:00 PM	0.28
1/21/2022	2:45:00 PM	0.28
1/21/2022	3:00:00 PM	0.28
1/21/2022	3:15:00 PM	0.28
1/21/2022	3:30:00 PM	0.28
1/21/2022	3:45:00 PM	0.28
1/21/2022	4:00:00 PM	0.28
1/21/2022	4:15:00 PM	0.28
1/21/2022	4:30:00 PM	0.28
1/21/2022	4:45:00 PM	0.28
1/21/2022	5:00:00 PM	0.28
1/21/2022	5:15:00 PM	0.28
1/21/2022	5:30:00 PM	0.28
1/21/2022	5:45:00 PM	0.28
1/21/2022	6:00:00 PM	0.28
1/21/2022	6:15:00 PM	0.28
1/21/2022	6:30:00 PM	0.28
1/21/2022	6:45:00 PM	0.28
1/21/2022	7:00:00 PM	0.28
1/21/2022	7:15:00 PM	0.28
1/21/2022	7:30:00 PM	0.28
1/21/2022	7:45:00 PM	0.28
1/21/2022	8:00:00 PM	0.28
1/21/2022	8:15:00 PM	0.28
1/21/2022	8:30:00 PM	0.28
1/21/2022	8:45:00 PM	0.28
1/21/2022	9:00:00 PM	0.28
1/21/2022	9:15:00 PM	0.28
1/21/2022	9:30:00 PM	0.28
1/21/2022	9:45:00 PM	0.28
1/21/2022	10:00:00 PM	0.28
1/21/2022	10:15:00 PM	0.28
1/21/2022	10:30:00 PM	0.28
1/21/2022	10:45:00 PM	0.28
1/21/2022	11:00:00 PM	0.28
1/21/2022	11:15:00 PM	0.28
1/21/2022	11:30:00 PM	0.28
1/21/2022	11:45:00 PM	0.28
1/22/2022	12:00:00 AM	0.28
1/22/2022	12:15:00 AM	0.28
1/22/2022	12:30:00 AM	0.28
1/22/2022	12:45:00 AM	0.28
1/22/2022	1:00:00 AM	0.28
1/22/2022	1:15:00 AM	0.28
1/22/2022	1:30:00 AM	0.28
1/22/2022	1:45:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/22/2022	2:00:00 AM	0.28
1/22/2022	2:15:00 AM	0.28
1/22/2022	2:30:00 AM	0.28
1/22/2022	2:45:00 AM	0.28
1/22/2022	3:00:00 AM	0.28
1/22/2022	3:15:00 AM	0.28
1/22/2022	3:30:00 AM	0.28
1/22/2022	3:45:00 AM	0.28
1/22/2022	4:00:00 AM	0.28
1/22/2022	4:15:00 AM	0.28
1/22/2022	4:30:00 AM	0.28
1/22/2022	4:45:00 AM	0.28
1/22/2022	5:00:00 AM	0.28
1/22/2022	5:15:00 AM	0.28
1/22/2022	5:30:00 AM	0.28
1/22/2022	5:45:00 AM	0.28
1/22/2022	6:00:00 AM	0.28
1/22/2022	6:15:00 AM	0.28
1/22/2022	6:30:00 AM	0.28
1/22/2022	6:45:00 AM	0.28
1/22/2022	7:00:00 AM	0.28
1/22/2022	7:15:00 AM	0.28
1/22/2022	7:30:00 AM	0.28
1/22/2022	7:45:00 AM	0.28
1/22/2022	8:00:00 AM	0.28
1/22/2022	8:15:00 AM	0.28
1/22/2022	8:30:00 AM	0.28
1/22/2022	8:45:00 AM	0.28
1/22/2022	9:00:00 AM	0.28
1/22/2022	9:15:00 AM	0.28
1/22/2022	9:30:00 AM	0.28
1/22/2022	9:45:00 AM	0.28
1/22/2022	10:00:00 AM	0.28
1/22/2022	10:15:00 AM	0.28
1/22/2022	10:30:00 AM	0.28
1/22/2022	10:45:00 AM	0.28
1/22/2022	11:00:00 AM	0.28
1/22/2022	11:15:00 AM	0.28
1/22/2022	11:30:00 AM	0.28
1/22/2022	11:45:00 AM	0.28
1/22/2022	12:00:00 PM	0.28
1/22/2022	12:15:00 PM	0.28
1/22/2022	12:30:00 PM	0.28
1/22/2022	12:45:00 PM	0.28
1/22/2022	1:00:00 PM	0.28
1/22/2022	1:15:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/22/2022	1:30:00 PM	0.28
1/22/2022	1:45:00 PM	0.28
1/22/2022	2:00:00 PM	0.28
1/22/2022	2:15:00 PM	0.28
1/22/2022	2:30:00 PM	0.28
1/22/2022	2:45:00 PM	0.28
1/22/2022	3:00:00 PM	0.28
1/22/2022	3:15:00 PM	0.28
1/22/2022	3:30:00 PM	0.28
1/22/2022	3:45:00 PM	0.28
1/22/2022	4:00:00 PM	0.28
1/22/2022	4:15:00 PM	0.28
1/22/2022	4:30:00 PM	0.28
1/22/2022	4:45:00 PM	0.28
1/22/2022	5:00:00 PM	0.28
1/22/2022	5:15:00 PM	0.28
1/22/2022	5:30:00 PM	0.28
1/22/2022	5:45:00 PM	0.28
1/22/2022	6:00:00 PM	0.28
1/22/2022	6:15:00 PM	0.28
1/22/2022	6:30:00 PM	0.28
1/22/2022	6:45:00 PM	0.28
1/22/2022	7:00:00 PM	0.28
1/22/2022	7:15:00 PM	0.28
1/22/2022	7:30:00 PM	0.28
1/22/2022	7:45:00 PM	0.28
1/22/2022	8:00:00 PM	0.28
1/22/2022	8:15:00 PM	0.28
1/22/2022	8:30:00 PM	0.28
1/22/2022	8:45:00 PM	0.28
1/22/2022	9:00:00 PM	0.28
1/22/2022	9:15:00 PM	0.28
1/22/2022	9:30:00 PM	0.28
1/22/2022	9:45:00 PM	0.28
1/22/2022	10:00:00 PM	0.28
1/22/2022	10:15:00 PM	0.28
1/22/2022	10:30:00 PM	0.28
1/22/2022	10:45:00 PM	0.28
1/22/2022	11:00:00 PM	0.28
1/22/2022	11:15:00 PM	0.28
1/22/2022	11:30:00 PM	0.28
1/22/2022	11:45:00 PM	0.28
1/23/2022	12:00:00 AM	0.28
1/23/2022	12:15:00 AM	0.28
1/23/2022	12:30:00 AM	0.28
1/23/2022	12:45:00 AM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/23/2022	1:00:00 AM	0.28
1/23/2022	1:15:00 AM	0.28
1/23/2022	1:30:00 AM	0.28
1/23/2022	1:45:00 AM	0.28
1/23/2022	2:00:00 AM	0.28
1/23/2022	2:15:00 AM	0.28
1/23/2022	2:30:00 AM	0.28
1/23/2022	2:45:00 AM	0.28
1/23/2022	3:00:00 AM	0.28
1/23/2022	3:15:00 AM	0.28
1/23/2022	3:30:00 AM	0.28
1/23/2022	3:45:00 AM	0.28
1/23/2022	4:00:00 AM	0.28
1/23/2022	4:15:00 AM	0.28
1/23/2022	4:30:00 AM	0.28
1/23/2022	4:45:00 AM	0.28
1/23/2022	5:00:00 AM	0.28
1/23/2022	5:15:00 AM	0.28
1/23/2022	5:30:00 AM	0.28
1/23/2022	5:45:00 AM	0.28
1/23/2022	6:00:00 AM	0.28
1/23/2022	6:15:00 AM	0.28
1/23/2022	6:30:00 AM	0.28
1/23/2022	6:45:00 AM	0.28
1/23/2022	7:00:00 AM	0.28
1/23/2022	7:15:00 AM	0.28
1/23/2022	7:30:00 AM	0.28
1/23/2022	7:45:00 AM	0.28
1/23/2022	8:00:00 AM	0.28
1/23/2022	8:15:00 AM	0.28
1/23/2022	8:30:00 AM	0.28
1/23/2022	8:45:00 AM	0.28
1/23/2022	9:00:00 AM	0.28
1/23/2022	9:15:00 AM	0.28
1/23/2022	9:30:00 AM	0.28
1/23/2022	9:45:00 AM	0.28
1/23/2022	10:00:00 AM	0.28
1/23/2022	10:15:00 AM	0.28
1/23/2022	10:30:00 AM	0.28
1/23/2022	10:45:00 AM	0.28
1/23/2022	11:00:00 AM	0.28
1/23/2022	11:15:00 AM	0.28
1/23/2022	11:30:00 AM	0.28
1/23/2022	11:45:00 AM	0.28
1/23/2022	12:00:00 PM	0.28
1/23/2022	12:15:00 PM	0.28

# Billy Lake Return Gage

DATE	TIME	GAGE
1/23/2022	12:30:00 PM	0.28
1/23/2022	12:45:00 PM	0.28
1/23/2022	1:00:00 PM	0.28
1/23/2022	1:15:00 PM	0.28
1/23/2022	1:30:00 PM	0.28
1/23/2022	1:45:00 PM	0.28
1/23/2022	2:00:00 PM	0.29
1/23/2022	2:15:00 PM	0.29
1/23/2022	2:30:00 PM	0.29
1/23/2022	2:45:00 PM	0.29
1/23/2022	3:00:00 PM	0.29
1/23/2022	3:15:00 PM	0.29
1/23/2022	3:30:00 PM	0.29
1/23/2022	3:45:00 PM	0.29
1/23/2022	4:00:00 PM	0.29
1/23/2022	4:15:00 PM	0.29
1/23/2022	4:30:00 PM	0.29
1/23/2022	4:45:00 PM	0.29
1/23/2022	5:00:00 PM	0.28
1/23/2022	5:15:00 PM	0.29
1/23/2022	5:30:00 PM	0.28
1/23/2022	5:45:00 PM	0.29
1/23/2022	6:00:00 PM	0.29
1/23/2022	6:15:00 PM	0.29
1/23/2022	6:30:00 PM	0.29
1/23/2022	6:45:00 PM	0.29
1/23/2022	7:00:00 PM	0.29
1/23/2022	7:15:00 PM	0.28
1/23/2022	7:30:00 PM	0.29
1/23/2022	7:45:00 PM	0.29
1/23/2022	8:00:00 PM	0.29
1/23/2022	8:15:00 PM	0.29
1/23/2022	8:30:00 PM	0.29
1/23/2022	8:45:00 PM	0.29
1/23/2022	9:00:00 PM	0.29
1/23/2022	9:15:00 PM	0.29
1/23/2022	9:30:00 PM	0.28
1/23/2022	9:45:00 PM	0.29
1/23/2022	10:00:00 PM	0.29
1/23/2022	10:15:00 PM	0.29
1/23/2022	10:30:00 PM	0.29
1/23/2022	10:45:00 PM	0.29
1/23/2022	11:00:00 PM	0.29
1/23/2022	11:15:00 PM	0.29
1/23/2022	11:30:00 PM	0.29
1/23/2022	11:45:00 PM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/24/2022	12:00:00 AM	0.29
1/24/2022	12:15:00 AM	0.29
1/24/2022	12:30:00 AM	0.29
1/24/2022	12:45:00 AM	0.29
1/24/2022	1:00:00 AM	0.29
1/24/2022	1:15:00 AM	0.28
1/24/2022	1:30:00 AM	0.28
1/24/2022	1:45:00 AM	0.28
1/24/2022	2:00:00 AM	0.29
1/24/2022	2:15:00 AM	0.29
1/24/2022	2:30:00 AM	0.29
1/24/2022	2:45:00 AM	0.28
1/24/2022	3:00:00 AM	0.29
1/24/2022	3:15:00 AM	0.28
1/24/2022	3:30:00 AM	0.28
1/24/2022	3:45:00 AM	0.29
1/24/2022	4:00:00 AM	0.28
1/24/2022	4:15:00 AM	0.29
1/24/2022	4:30:00 AM	0.29
1/24/2022	4:45:00 AM	0.28
1/24/2022	5:00:00 AM	0.28
1/24/2022	5:15:00 AM	0.29
1/24/2022	5:30:00 AM	0.29
1/24/2022	5:45:00 AM	0.28
1/24/2022	6:00:00 AM	0.28
1/24/2022	6:15:00 AM	0.28
1/24/2022	6:30:00 AM	0.29
1/24/2022	6:45:00 AM	0.28
1/24/2022	7:00:00 AM	0.28
1/24/2022	7:15:00 AM	0.29
1/24/2022	7:30:00 AM	0.28
1/24/2022	7:45:00 AM	0.29
1/24/2022	8:00:00 AM	0.29
1/24/2022	8:15:00 AM	0.28
1/24/2022	8:30:00 AM	0.28
1/24/2022	8:45:00 AM	0.29
1/24/2022	9:00:00 AM	0.29
1/24/2022	9:15:00 AM	0.28
1/24/2022	9:30:00 AM	0.29
1/24/2022	9:45:00 AM	0.29
1/24/2022	10:00:00 AM	0.29
1/24/2022	10:15:00 AM	0.29
1/24/2022	10:30:00 AM	0.29
1/24/2022	10:45:00 AM	0.29
1/24/2022	11:00:00 AM	0.29
1/24/2022	11:15:00 AM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/24/2022	11:30:00 AM	0.29
1/24/2022	11:45:00 AM	0.29
1/24/2022	12:00:00 PM	0.29
1/24/2022	12:15:00 PM	0.29
1/24/2022	12:30:00 PM	0.29
1/24/2022	12:45:00 PM	0.29
1/24/2022	1:00:00 PM	0.29
1/24/2022	1:15:00 PM	0.29
1/24/2022	1:30:00 PM	0.29
1/24/2022	1:45:00 PM	0.29
1/24/2022	2:00:00 PM	0.29
1/24/2022	2:15:00 PM	0.29
1/24/2022	2:30:00 PM	0.29
1/24/2022	2:45:00 PM	0.29
1/24/2022	3:00:00 PM	0.29
1/24/2022	3:15:00 PM	0.29
1/24/2022	3:30:00 PM	0.29
1/24/2022	3:45:00 PM	0.29
1/24/2022	4:00:00 PM	0.29
1/24/2022	4:15:00 PM	0.29
1/24/2022	4:30:00 PM	0.29
1/24/2022	4:45:00 PM	0.29
1/24/2022	5:00:00 PM	0.29
1/24/2022	5:15:00 PM	0.29
1/24/2022	5:30:00 PM	0.29
1/24/2022	5:45:00 PM	0.29
1/24/2022	6:00:00 PM	0.29
1/24/2022	6:15:00 PM	0.29
1/24/2022	6:30:00 PM	0.29
1/24/2022	6:45:00 PM	0.29
1/24/2022	7:00:00 PM	0.29
1/24/2022	7:15:00 PM	0.29
1/24/2022	7:30:00 PM	0.29
1/24/2022	7:45:00 PM	0.29
1/24/2022	8:00:00 PM	0.29
1/24/2022	8:15:00 PM	0.29
1/24/2022	8:30:00 PM	0.29
1/24/2022	8:45:00 PM	0.29
1/24/2022	9:00:00 PM	0.29
1/24/2022	9:15:00 PM	0.29
1/24/2022	9:30:00 PM	0.29
1/24/2022	9:45:00 PM	0.29
1/24/2022	10:00:00 PM	0.29
1/24/2022	10:15:00 PM	0.29
1/24/2022	10:30:00 PM	0.29
1/24/2022	10:45:00 PM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/24/2022	11:00:00 PM	0.29
1/24/2022	11:15:00 PM	0.29
1/24/2022	11:30:00 PM	0.29
1/24/2022	11:45:00 PM	0.29
1/25/2022	12:00:00 AM	0.29
1/25/2022	12:15:00 AM	0.29
1/25/2022	12:30:00 AM	0.29
1/25/2022	12:45:00 AM	0.29
1/25/2022	1:00:00 AM	0.29
1/25/2022	1:15:00 AM	0.29
1/25/2022	1:30:00 AM	0.29
1/25/2022	1:45:00 AM	0.29
1/25/2022	2:00:00 AM	0.29
1/25/2022	2:15:00 AM	0.29
1/25/2022	2:30:00 AM	0.29
1/25/2022	2:45:00 AM	0.29
1/25/2022	3:00:00 AM	0.29
1/25/2022	3:15:00 AM	0.29
1/25/2022	3:30:00 AM	0.29
1/25/2022	3:45:00 AM	0.29
1/25/2022	4:00:00 AM	0.29
1/25/2022	4:15:00 AM	0.29
1/25/2022	4:30:00 AM	0.29
1/25/2022	4:45:00 AM	0.29
1/25/2022	5:00:00 AM	0.29
1/25/2022	5:15:00 AM	0.29
1/25/2022	5:30:00 AM	0.29
1/25/2022	5:45:00 AM	0.29
1/25/2022	6:00:00 AM	0.29
1/25/2022	6:15:00 AM	0.29
1/25/2022	6:30:00 AM	0.29
1/25/2022	6:45:00 AM	0.29
1/25/2022	7:00:00 AM	0.29
1/25/2022	7:15:00 AM	0.29
1/25/2022	7:30:00 AM	0.29
1/25/2022	7:45:00 AM	0.29
1/25/2022	8:00:00 AM	0.29
1/25/2022	8:15:00 AM	0.29
1/25/2022	8:30:00 AM	0.29
1/25/2022	8:45:00 AM	0.29
1/25/2022	9:00:00 AM	0.29
1/25/2022	9:15:00 AM	0.29
1/25/2022	9:30:00 AM	0.29
1/25/2022	9:45:00 AM	0.29
1/25/2022	10:00:00 AM	0.29
1/25/2022	10:15:00 AM	0.29



# Billy Lake Return Gage

DATE	TIME	GAGE
1/25/2022	10:30:00 AM	0.29
1/25/2022	10:45:00 AM	0.29
1/25/2022	11:00:00 AM	0.29
1/25/2022	11:15:00 AM	0.29
1/25/2022	11:30:00 AM	0.29
1/25/2022	11:45:00 AM	0.29
1/25/2022	12:00:00 PM	0.29
1/25/2022	12:15:00 PM	0.29
1/25/2022	12:30:00 PM	0.29
1/25/2022	12:45:00 PM	0.29
1/25/2022	1:00:00 PM	0.29
1/25/2022	1:15:00 PM	0.29
1/25/2022	1:30:00 PM	0.29
1/25/2022	1:45:00 PM	0.29
1/25/2022	2:00:00 PM	0.29
1/25/2022	2:15:00 PM	0.29
1/25/2022	2:30:00 PM	0.29
1/25/2022	2:45:00 PM	0.29
1/25/2022	3:00:00 PM	0.29
1/25/2022	3:15:00 PM	0.29
1/25/2022	3:30:00 PM	0.29
1/25/2022	3:45:00 PM	0.29
1/25/2022	4:00:00 PM	0.29
1/25/2022	4:15:00 PM	0.29
1/25/2022	4:30:00 PM	0.29
1/25/2022	4:45:00 PM	0.29
1/25/2022	5:00:00 PM	0.29
1/25/2022	5:15:00 PM	0.29
1/25/2022	5:30:00 PM	0.29
1/25/2022	5:45:00 PM	0.29
1/25/2022	6:00:00 PM	0.29
1/25/2022	6:15:00 PM	0.29
1/25/2022	6:30:00 PM	0.29
1/25/2022	6:45:00 PM	0.29
1/25/2022	7:00:00 PM	0.29
1/25/2022	7:15:00 PM	0.29
1/25/2022	7:30:00 PM	0.29
1/25/2022	7:45:00 PM	0.29
1/25/2022	8:00:00 PM	0.29
1/25/2022	8:15:00 PM	0.29
1/25/2022	8:30:00 PM	0.29
1/25/2022	8:45:00 PM	0.29
1/25/2022	9:00:00 PM	0.29
1/25/2022	9:15:00 PM	0.29
1/25/2022	9:30:00 PM	0.29
1/25/2022	9:45:00 PM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/25/2022	10:00:00 PM	0.29
1/25/2022	10:15:00 PM	0.29
1/25/2022	10:30:00 PM	0.29
1/25/2022	10:45:00 PM	0.29
1/25/2022	11:00:00 PM	0.29
1/25/2022	11:15:00 PM	0.29
1/25/2022	11:30:00 PM	0.29
1/25/2022	11:45:00 PM	0.29
1/26/2022	12:00:00 AM	0.29
1/26/2022	12:15:00 AM	0.29
1/26/2022	12:30:00 AM	0.29
1/26/2022	12:45:00 AM	0.29
1/26/2022	1:00:00 AM	0.29
1/26/2022	1:15:00 AM	0.29
1/26/2022	1:30:00 AM	0.29
1/26/2022	1:45:00 AM	0.29
1/26/2022	2:00:00 AM	0.29
1/26/2022	2:15:00 AM	0.29
1/26/2022	2:30:00 AM	0.29
1/26/2022	2:45:00 AM	0.29
1/26/2022	3:00:00 AM	0.29
1/26/2022	3:15:00 AM	0.29
1/26/2022	3:30:00 AM	0.29
1/26/2022	3:45:00 AM	0.29
1/26/2022	4:00:00 AM	0.29
1/26/2022	4:15:00 AM	0.29
1/26/2022	4:30:00 AM	0.29
1/26/2022	4:45:00 AM	0.29
1/26/2022	5:00:00 AM	0.29
1/26/2022	5:15:00 AM	0.29
1/26/2022	5:30:00 AM	0.29
1/26/2022	5:45:00 AM	0.29
1/26/2022	6:00:00 AM	0.29
1/26/2022	6:15:00 AM	0.29
1/26/2022	6:30:00 AM	0.29
1/26/2022	6:45:00 AM	0.29
1/26/2022	7:00:00 AM	0.29
1/26/2022	7:15:00 AM	0.29
1/26/2022	7:30:00 AM	0.29
1/26/2022	7:45:00 AM	0.29
1/26/2022	8:00:00 AM	0.29
1/26/2022	8:15:00 AM	0.29
1/26/2022	8:30:00 AM	0.29
1/26/2022	8:45:00 AM	0.29
1/26/2022	9:00:00 AM	0.29
1/26/2022	9:15:00 AM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/26/2022	9:30:00 AM	0.29
1/26/2022	9:45:00 AM	0.29
1/26/2022	10:00:00 AM	0.29
1/26/2022	10:15:00 AM	0.29
1/26/2022	10:30:00 AM	0.29
1/26/2022	10:45:00 AM	0.29
1/26/2022	11:00:00 AM	0.29
1/26/2022	11:15:00 AM	0.29
1/26/2022	11:30:00 AM	0.29
1/26/2022	11:45:00 AM	0.29
1/26/2022	12:00:00 PM	0.29
1/26/2022	12:15:00 PM	0.29
1/26/2022	12:30:00 PM	0.29
1/26/2022	12:45:00 PM	0.29
1/26/2022	1:00:00 PM	0.29
1/26/2022	1:15:00 PM	0.29
1/26/2022	1:30:00 PM	0.29
1/26/2022	1:45:00 PM	0.29
1/26/2022	2:00:00 PM	0.29
1/26/2022	2:15:00 PM	0.29
1/26/2022	2:30:00 PM	0.29
1/26/2022	2:45:00 PM	0.29
1/26/2022	3:00:00 PM	0.29
1/26/2022	3:15:00 PM	0.29
1/26/2022	3:30:00 PM	0.29
1/26/2022	3:45:00 PM	0.29
1/26/2022	4:00:00 PM	0.29
1/26/2022	4:15:00 PM	0.29
1/26/2022	4:30:00 PM	0.29
1/26/2022	4:45:00 PM	0.29
1/26/2022	5:00:00 PM	0.29
1/26/2022	5:15:00 PM	0.29
1/26/2022	5:30:00 PM	0.29
1/26/2022	5:45:00 PM	0.29
1/26/2022	6:00:00 PM	0.29
1/26/2022	6:15:00 PM	0.29
1/26/2022	6:30:00 PM	0.29
1/26/2022	6:45:00 PM	0.29
1/26/2022	7:00:00 PM	0.29
1/26/2022	7:15:00 PM	0.29
1/26/2022	7:30:00 PM	0.29
1/26/2022	7:45:00 PM	0.29
1/26/2022	8:00:00 PM	0.29
1/26/2022	8:15:00 PM	0.29
1/26/2022	8:30:00 PM	0.29
1/26/2022	8:45:00 PM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/26/2022	9:00:00 PM	0.29
1/26/2022	9:15:00 PM	0.29
1/26/2022	9:30:00 PM	0.29
1/26/2022	9:45:00 PM	0.29
1/26/2022	10:00:00 PM	0.29
1/26/2022	10:15:00 PM	0.29
1/26/2022	10:30:00 PM	0.29
1/26/2022	10:45:00 PM	0.29
1/26/2022	11:00:00 PM	0.29
1/26/2022	11:15:00 PM	0.29
1/26/2022	11:30:00 PM	0.29
1/26/2022	11:45:00 PM	0.29
1/27/2022	12:00:00 AM	0.29
1/27/2022	12:15:00 AM	0.29
1/27/2022	12:30:00 AM	0.29
1/27/2022	12:45:00 AM	0.29
1/27/2022	1:00:00 AM	0.29
1/27/2022	1:15:00 AM	0.29
1/27/2022	1:30:00 AM	0.29
1/27/2022	1:45:00 AM	0.29
1/27/2022	2:00:00 AM	0.29
1/27/2022	2:15:00 AM	0.29
1/27/2022	2:30:00 AM	0.29
1/27/2022	2:45:00 AM	0.29
1/27/2022	3:00:00 AM	0.29
1/27/2022	3:15:00 AM	0.29
1/27/2022	3:30:00 AM	0.29
1/27/2022	3:45:00 AM	0.29
1/27/2022	4:00:00 AM	0.29
1/27/2022	4:15:00 AM	0.29
1/27/2022	4:30:00 AM	0.29
1/27/2022	4:45:00 AM	0.29
1/27/2022	5:00:00 AM	0.29
1/27/2022	5:15:00 AM	0.29
1/27/2022	5:30:00 AM	0.29
1/27/2022	5:45:00 AM	0.29
1/27/2022	6:00:00 AM	0.29
1/27/2022	6:15:00 AM	0.29
1/27/2022	6:30:00 AM	0.29
1/27/2022	6:45:00 AM	0.29
1/27/2022	7:00:00 AM	0.29
1/27/2022	7:15:00 AM	0.29
1/27/2022	7:30:00 AM	0.29
1/27/2022	7:45:00 AM	0.29
1/27/2022	8:00:00 AM	0.29
1/27/2022	8:15:00 AM	0.29

## Billy Lake Return Gage

DATE	TIME	GAGE
1/27/2022	8:30:00 AM	0.29
1/27/2022	8:45:00 AM	0.29
1/27/2022	9:00:00 AM	0.29
1/27/2022	9:15:00 AM	0.29
1/27/2022	9:30:00 AM	0.29
1/27/2022	9:45:00 AM	0.29
1/27/2022	10:00:00 AM	0.29
1/27/2022	10:15:00 AM	0.29
1/27/2022	10:30:00 AM	0.29
1/27/2022	10:45:00 AM	0.29
1/27/2022	11:00:00 AM	0.29
1/27/2022	11:15:00 AM	0.29
1/27/2022	11:30:00 AM	0.29
1/27/2022	11:45:00 AM	0.29
1/27/2022	12:00:00 PM	0.29
1/27/2022	12:15:00 PM	0.29
1/27/2022	12:30:00 PM	0.29
1/27/2022	12:45:00 PM	0.29
1/27/2022	1:00:00 PM	0.29
1/27/2022	1:15:00 PM	0.29
1/27/2022	1:30:00 PM	0.29
1/27/2022	1:45:00 PM	0.29
1/27/2022	2:00:00 PM	0.29
1/27/2022	2:15:00 PM	0.29
1/27/2022	2:30:00 PM	0.29
1/27/2022	2:45:00 PM	0.29
1/27/2022	3:00:00 PM	0.29
1/27/2022	3:15:00 PM	0.29
1/27/2022	3:30:00 PM	0.29
1/27/2022	3:45:00 PM	0.29
1/27/2022	4:00:00 PM	0.29
1/27/2022	4:15:00 PM	0.29
1/27/2022	4:30:00 PM	0.29
1/27/2022	4:45:00 PM	0.29
1/27/2022	5:00:00 PM	0.29
1/27/2022	5:15:00 PM	0.29
1/27/2022	5:30:00 PM	0.29
1/27/2022	5:45:00 PM	0.29
1/27/2022	6:00:00 PM	0.29
1/27/2022	6:15:00 PM	0.29
1/27/2022	6:30:00 PM	0.29
1/27/2022	6:45:00 PM	0.29
1/27/2022	7:00:00 PM	0.29
1/27/2022	7:15:00 PM	0.29
1/27/2022	7:30:00 PM	0.29
1/27/2022	7:45:00 PM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/27/2022	8:00:00 PM	0.29
1/27/2022	8:15:00 PM	0.29
1/27/2022	8:30:00 PM	0.29
1/27/2022	8:45:00 PM	0.29
1/27/2022	9:00:00 PM	0.29
1/27/2022	9:15:00 PM	0.29
1/27/2022	9:30:00 PM	0.29
1/27/2022	9:45:00 PM	0.29
1/27/2022	10:00:00 PM	0.29
1/27/2022	10:15:00 PM	0.29
1/27/2022	10:30:00 PM	0.29
1/27/2022	10:45:00 PM	0.29
1/27/2022	11:00:00 PM	0.29
1/27/2022	11:15:00 PM	0.29
1/27/2022	11:30:00 PM	0.29
1/27/2022	11:45:00 PM	0.29
1/28/2022	12:00:00 AM	0.29
1/28/2022	12:15:00 AM	0.29
1/28/2022	12:30:00 AM	0.29
1/28/2022	12:45:00 AM	0.29
1/28/2022	1:00:00 AM	0.29
1/28/2022	1:15:00 AM	0.29
1/28/2022	1:30:00 AM	0.29
1/28/2022	1:45:00 AM	0.29
1/28/2022	2:00:00 AM	0.29
1/28/2022	2:15:00 AM	0.29
1/28/2022	2:30:00 AM	0.29
1/28/2022	2:45:00 AM	0.29
1/28/2022	3:00:00 AM	0.29
1/28/2022	3:15:00 AM	0.29
1/28/2022	3:30:00 AM	0.29
1/28/2022	3:45:00 AM	0.29
1/28/2022	4:00:00 AM	0.29
1/28/2022	4:15:00 AM	0.29
1/28/2022	4:30:00 AM	0.29
1/28/2022	4:45:00 AM	0.29
1/28/2022	5:00:00 AM	0.29
1/28/2022	5:15:00 AM	0.29
1/28/2022	5:30:00 AM	0.29
1/28/2022	5:45:00 AM	0.29
1/28/2022	6:00:00 AM	0.29
1/28/2022	6:15:00 AM	0.29
1/28/2022	6:30:00 AM	0.29
1/28/2022	6:45:00 AM	0.29
1/28/2022	7:00:00 AM	0.29
1/28/2022	7:15:00 AM	0.29

## Billy Lake Return Gage

DATE	TIME	GAGE
1/28/2022	7:30:00 AM	0.29
1/28/2022	7:45:00 AM	0.29
1/28/2022	8:00:00 AM	0.29
1/28/2022	8:15:00 AM	0.29
1/28/2022	8:30:00 AM	0.29
1/28/2022	8:45:00 AM	0.29
1/28/2022	9:00:00 AM	0.29
1/28/2022	9:15:00 AM	0.29
1/28/2022	9:30:00 AM	0.29
1/28/2022	9:45:00 AM	0.29
1/28/2022	10:00:00 AM	0.29
1/28/2022	10:15:00 AM	0.29
1/28/2022	10:30:00 AM	0.29
1/28/2022	10:45:00 AM	0.29
1/28/2022	11:00:00 AM	0.29
1/28/2022	11:15:00 AM	0.29
1/28/2022	11:30:00 AM	0.29
1/28/2022	11:45:00 AM	0.29
1/28/2022	12:00:00 PM	0.29
1/28/2022	12:15:00 PM	0.29
1/28/2022	12:30:00 PM	0.29
1/28/2022	12:45:00 PM	0.29
1/28/2022	1:00:00 PM	0.29
1/28/2022	1:15:00 PM	0.29
1/28/2022	1:30:00 PM	0.29
1/28/2022	1:45:00 PM	0.29
1/28/2022	2:00:00 PM	0.29
1/28/2022	2:15:00 PM	0.29
1/28/2022	2:30:00 PM	0.29
1/28/2022	2:45:00 PM	0.29
1/28/2022	3:00:00 PM	0.29
1/28/2022	3:15:00 PM	0.29
1/28/2022	3:30:00 PM	0.29
1/28/2022	3:45:00 PM	0.29
1/28/2022	4:00:00 PM	0.29
1/28/2022	4:15:00 PM	0.29
1/28/2022	4:30:00 PM	0.29
1/28/2022	4:45:00 PM	0.29
1/28/2022	5:00:00 PM	0.29
1/28/2022	5:15:00 PM	0.29
1/28/2022	5:30:00 PM	0.29
1/28/2022	5:45:00 PM	0.29
1/28/2022	6:00:00 PM	0.29
1/28/2022	6:15:00 PM	0.29
1/28/2022	6:30:00 PM	0.29
1/28/2022	6:45:00 PM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/28/2022	7:00:00 PM	0.29
1/28/2022	7:15:00 PM	0.29
1/28/2022	7:30:00 PM	0.29
1/28/2022	7:45:00 PM	0.29
1/28/2022	8:00:00 PM	0.29
1/28/2022	8:15:00 PM	0.29
1/28/2022	8:30:00 PM	0.29
1/28/2022	8:45:00 PM	0.29
1/28/2022	9:00:00 PM	0.29
1/28/2022	9:15:00 PM	0.29
1/28/2022	9:30:00 PM	0.29
1/28/2022	9:45:00 PM	0.29
1/28/2022	10:00:00 PM	0.29
1/28/2022	10:15:00 PM	0.29
1/28/2022	10:30:00 PM	0.29
1/28/2022	10:45:00 PM	0.29
1/28/2022	11:00:00 PM	0.29
1/28/2022	11:15:00 PM	0.29
1/28/2022	11:30:00 PM	0.29
1/28/2022	11:45:00 PM	0.29
1/29/2022	12:00:00 AM	0.29
1/29/2022	12:15:00 AM	0.29
1/29/2022	12:30:00 AM	0.29
1/29/2022	12:45:00 AM	0.29
1/29/2022	1:00:00 AM	0.29
1/29/2022	1:15:00 AM	0.29
1/29/2022	1:30:00 AM	0.29
1/29/2022	1:45:00 AM	0.29
1/29/2022	2:00:00 AM	0.29
1/29/2022	2:15:00 AM	0.29
1/29/2022	2:30:00 AM	0.29
1/29/2022	2:45:00 AM	0.29
1/29/2022	3:00:00 AM	0.29
1/29/2022	3:15:00 AM	0.29
1/29/2022	3:30:00 AM	0.29
1/29/2022	3:45:00 AM	0.29
1/29/2022	4:00:00 AM	0.29
1/29/2022	4:15:00 AM	0.29
1/29/2022	4:30:00 AM	0.29
1/29/2022	4:45:00 AM	0.29
1/29/2022	5:00:00 AM	0.29
1/29/2022	5:15:00 AM	0.29
1/29/2022	5:30:00 AM	0.29
1/29/2022	5:45:00 AM	0.29
1/29/2022	6:00:00 AM	0.29
1/29/2022	6:15:00 AM	0.29



## Billy Lake Return Gage

DATE	TIME	GAGE
1/29/2022	6:30:00 AM	0.29
1/29/2022	6:45:00 AM	0.29
1/29/2022	7:00:00 AM	0.29
1/29/2022	7:15:00 AM	0.29
1/29/2022	7:30:00 AM	0.29
1/29/2022	7:45:00 AM	0.29
1/29/2022	8:00:00 AM	0.29
1/29/2022	8:15:00 AM	0.29
1/29/2022	8:30:00 AM	0.29
1/29/2022	8:45:00 AM	0.29
1/29/2022	9:00:00 AM	0.29
1/29/2022	9:15:00 AM	0.29
1/29/2022	9:30:00 AM	0.29
1/29/2022	9:45:00 AM	0.29
1/29/2022	10:00:00 AM	0.29
1/29/2022	10:15:00 AM	0.29
1/29/2022	10:30:00 AM	0.29
1/29/2022	10:45:00 AM	0.29
1/29/2022	11:00:00 AM	0.29
1/29/2022	11:15:00 AM	0.29
1/29/2022	11:30:00 AM	0.29
1/29/2022	11:45:00 AM	0.29
1/29/2022	12:00:00 PM	0.29
1/29/2022	12:15:00 PM	0.29
1/29/2022	12:30:00 PM	0.29
1/29/2022	12:45:00 PM	0.29
1/29/2022	1:00:00 PM	0.29
1/29/2022	1:15:00 PM	0.29
1/29/2022	1:30:00 PM	0.29
1/29/2022	1:45:00 PM	0.29
1/29/2022	2:00:00 PM	0.29
1/29/2022	2:15:00 PM	0.29
1/29/2022	2:30:00 PM	0.29
1/29/2022	2:45:00 PM	0.29
1/29/2022	3:00:00 PM	0.29
1/29/2022	3:15:00 PM	0.29
1/29/2022	3:30:00 PM	0.29
1/29/2022	3:45:00 PM	0.29
1/29/2022	4:00:00 PM	0.29
1/29/2022	4:15:00 PM	0.29
1/29/2022	4:30:00 PM	0.29
1/29/2022	4:45:00 PM	0.29
1/29/2022	5:00:00 PM	0.29
1/29/2022	5:15:00 PM	0.29
1/29/2022	5:30:00 PM	0.29
1/29/2022	5:45:00 PM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/29/2022	6:00:00 PM	0.29
1/29/2022	6:15:00 PM	0.29
1/29/2022	6:30:00 PM	0.29
1/29/2022	6:45:00 PM	0.29
1/29/2022	7:00:00 PM	0.29
1/29/2022	7:15:00 PM	0.29
1/29/2022	7:30:00 PM	0.29
1/29/2022	7:45:00 PM	0.29
1/29/2022	8:00:00 PM	0.29
1/29/2022	8:15:00 PM	0.29
1/29/2022	8:30:00 PM	0.29
1/29/2022	8:45:00 PM	0.29
1/29/2022	9:00:00 PM	0.29
1/29/2022	9:15:00 PM	0.29
1/29/2022	9:30:00 PM	0.29
1/29/2022	9:45:00 PM	0.29
1/29/2022	10:00:00 PM	0.29
1/29/2022	10:15:00 PM	0.29
1/29/2022	10:30:00 PM	0.29
1/29/2022	10:45:00 PM	0.29
1/29/2022	11:00:00 PM	0.29
1/29/2022	11:15:00 PM	0.29
1/29/2022	11:30:00 PM	0.29
1/29/2022	11:45:00 PM	0.29
1/30/2022	12:00:00 AM	0.29
1/30/2022	12:15:00 AM	0.29
1/30/2022	12:30:00 AM	0.29
1/30/2022	12:45:00 AM	0.29
1/30/2022	1:00:00 AM	0.29
1/30/2022	1:15:00 AM	0.29
1/30/2022	1:30:00 AM	0.29
1/30/2022	1:45:00 AM	0.29
1/30/2022	2:00:00 AM	0.29
1/30/2022	2:15:00 AM	0.29
1/30/2022	2:30:00 AM	0.29
1/30/2022	2:45:00 AM	0.29
1/30/2022	3:00:00 AM	0.29
1/30/2022	3:15:00 AM	0.29
1/30/2022	3:30:00 AM	0.29
1/30/2022	3:45:00 AM	0.29
1/30/2022	4:00:00 AM	0.29
1/30/2022	4:15:00 AM	0.29
1/30/2022	4:30:00 AM	0.29
1/30/2022	4:45:00 AM	0.29
1/30/2022	5:00:00 AM	0.29
1/30/2022	5:15:00 AM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/30/2022	5:30:00 AM	0.29
1/30/2022	5:45:00 AM	0.29
1/30/2022	6:00:00 AM	0.29
1/30/2022	6:15:00 AM	0.29
1/30/2022	6:30:00 AM	0.29
1/30/2022	6:45:00 AM	0.29
1/30/2022	7:00:00 AM	0.29
1/30/2022	7:15:00 AM	0.29
1/30/2022	7:30:00 AM	0.29
1/30/2022	7:45:00 AM	0.29
1/30/2022	8:00:00 AM	0.29
1/30/2022	8:15:00 AM	0.29
1/30/2022	8:30:00 AM	0.29
1/30/2022	8:45:00 AM	0.29
1/30/2022	9:00:00 AM	0.29
1/30/2022	9:15:00 AM	0.29
1/30/2022	9:30:00 AM	0.29
1/30/2022	9:45:00 AM	0.29
1/30/2022	10:00:00 AM	0.29
1/30/2022	10:15:00 AM	0.29
1/30/2022	10:30:00 AM	0.29
1/30/2022	10:45:00 AM	0.29
1/30/2022	11:00:00 AM	0.29
1/30/2022	11:15:00 AM	0.29
1/30/2022	11:30:00 AM	0.29
1/30/2022	11:45:00 AM	0.29
1/30/2022	12:00:00 PM	0.29
1/30/2022	12:15:00 PM	0.29
1/30/2022	12:30:00 PM	0.29
1/30/2022	12:45:00 PM	0.3
1/30/2022	1:00:00 PM	0.29
1/30/2022	1:15:00 PM	0.29
1/30/2022	1:30:00 PM	0.29
1/30/2022	1:45:00 PM	0.29
1/30/2022	2:00:00 PM	0.29
1/30/2022	2:15:00 PM	0.3
1/30/2022	2:30:00 PM	0.29
1/30/2022	2:45:00 PM	0.3
1/30/2022	3:00:00 PM	0.29
1/30/2022	3:15:00 PM	0.3
1/30/2022	3:30:00 PM	0.3
1/30/2022	3:45:00 PM	0.3
1/30/2022	4:00:00 PM	0.29
1/30/2022	4:15:00 PM	0.3
1/30/2022	4:30:00 PM	0.3
1/30/2022	4:45:00 PM	0.3

# Billy Lake Return Gage

DATE	TIME	GAGE
1/30/2022	5:00:00 PM	0.29
1/30/2022	5:15:00 PM	0.3
1/30/2022	5:30:00 PM	0.3
1/30/2022	5:45:00 PM	0.29
1/30/2022	6:00:00 PM	0.29
1/30/2022	6:15:00 PM	0.29
1/30/2022	6:30:00 PM	0.29
1/30/2022	6:45:00 PM	0.29
1/30/2022	7:00:00 PM	0.29
1/30/2022	7:15:00 PM	0.29
1/30/2022	7:30:00 PM	0.29
1/30/2022	7:45:00 PM	0.29
1/30/2022	8:00:00 PM	0.3
1/30/2022	8:15:00 PM	0.29
1/30/2022	8:30:00 PM	0.29
1/30/2022	8:45:00 PM	0.29
1/30/2022	9:00:00 PM	0.29
1/30/2022	9:15:00 PM	0.3
1/30/2022	9:30:00 PM	0.29
1/30/2022	9:45:00 PM	0.29
1/30/2022	10:00:00 PM	0.29
1/30/2022	10:15:00 PM	0.29
1/30/2022	10:30:00 PM	0.29
1/30/2022	10:45:00 PM	0.29
1/30/2022	11:00:00 PM	0.29
1/30/2022	11:15:00 PM	0.29
1/30/2022	11:30:00 PM	0.29
1/30/2022	11:45:00 PM	0.29
1/31/2022	12:00:00 AM	0.29
1/31/2022	12:15:00 AM	0.29
1/31/2022	12:30:00 AM	0.29
1/31/2022	12:45:00 AM	0.29
1/31/2022	1:00:00 AM	0.29
1/31/2022	1:15:00 AM	0.29
1/31/2022	1:30:00 AM	0.29
1/31/2022	1:45:00 AM	0.29
1/31/2022	2:00:00 AM	0.29
1/31/2022	2:15:00 AM	0.29
1/31/2022	2:30:00 AM	0.29
1/31/2022	2:45:00 AM	0.29
1/31/2022	3:00:00 AM	0.29
1/31/2022	3:15:00 AM	0.29
1/31/2022	3:30:00 AM	0.29
1/31/2022	3:45:00 AM	0.29
1/31/2022	4:00:00 AM	0.29
1/31/2022	4:15:00 AM	0.29

# Billy Lake Return Gage

DATE	TIME	GAGE
1/31/2022	4:30:00 AM	0.29
1/31/2022	4:45:00 AM	0.29
1/31/2022	5:00:00 AM	0.29
1/31/2022	5:15:00 AM	0.29
1/31/2022	5:30:00 AM	0.29
1/31/2022	5:45:00 AM	0.29
1/31/2022	6:00:00 AM	0.29
1/31/2022	6:15:00 AM	0.29
1/31/2022	6:30:00 AM	0.29
1/31/2022	6:45:00 AM	0.29
1/31/2022	7:00:00 AM	0.29
1/31/2022	7:15:00 AM	0.29
1/31/2022	7:30:00 AM	0.29
1/31/2022	7:45:00 AM	0.29
1/31/2022	8:00:00 AM	0.29
1/31/2022	8:15:00 AM	0.29
1/31/2022	8:30:00 AM	0.29
1/31/2022	8:45:00 AM	0.29
1/31/2022	9:00:00 AM	0.29
1/31/2022	9:15:00 AM	0.29
1/31/2022	9:30:00 AM	0.29
1/31/2022	9:45:00 AM	0.29
1/31/2022	10:00:00 AM	0.29
1/31/2022	10:15:00 AM	0.29
1/31/2022	10:30:00 AM	0.29
1/31/2022	10:45:00 AM	0.29
1/31/2022	11:00:00 AM	0.29
1/31/2022	11:15:00 AM	0.29
1/31/2022	11:30:00 AM	0.29
1/31/2022	11:45:00 AM	0.29
1/31/2022	12:00:00 PM	0.29
1/31/2022	12:15:00 PM	0.29
1/31/2022	12:30:00 PM	0.29
1/31/2022	12:45:00 PM	0.29
1/31/2022	1:00:00 PM	0.29
1/31/2022	1:15:00 PM	0.29
1/31/2022	1:30:00 PM	0.29
1/31/2022	1:45:00 PM	0.29
1/31/2022	2:00:00 PM	0.3
1/31/2022	2:15:00 PM	0.29
1/31/2022	2:30:00 PM	0.3
1/31/2022	2:45:00 PM	0.3
1/31/2022	3:00:00 PM	0.3
1/31/2022	3:15:00 PM	0.3
1/31/2022	3:30:00 PM	0.3
1/31/2022	3:45:00 PM	0.3

## Billy Lake Return Gage

DATE	TIME	GAGE
1/31/2022	4:00:00 PM	0.29
1/31/2022	4:15:00 PM	0.29
1/31/2022	4:30:00 PM	0.3
1/31/2022	4:45:00 PM	0.3
1/31/2022	5:00:00 PM	0.3
1/31/2022	5:15:00 PM	0.3
1/31/2022	5:30:00 PM	0.3
1/31/2022	5:45:00 PM	0.3
1/31/2022	6:00:00 PM	0.3
1/31/2022	6:15:00 PM	0.29
1/31/2022	6:30:00 PM	0.3
1/31/2022	6:45:00 PM	0.29
1/31/2022	7:00:00 PM	0.3
1/31/2022	7:15:00 PM	0.29
1/31/2022	7:30:00 PM	0.29
1/31/2022	7:45:00 PM	0.3
1/31/2022	8:00:00 PM	0.29
1/31/2022	8:15:00 PM	0.29
1/31/2022	8:30:00 PM	0.29
1/31/2022	8:45:00 PM	0.29
1/31/2022	9:00:00 PM	0.29
1/31/2022	9:15:00 PM	0.29
1/31/2022	9:30:00 PM	0.29
1/31/2022	9:45:00 PM	0.3
1/31/2022	10:00:00 PM	0.29
1/31/2022	10:15:00 PM	0.3
1/31/2022	10:30:00 PM	0.29
1/31/2022	10:45:00 PM	0.29
1/31/2022	11:00:00 PM	0.29
1/31/2022	11:15:00 PM	0.29
1/31/2022	11:30:00 PM	0.3
1/31/2022	11:45:00 PM	0.29

Party: BLP/BRP	Width: 23.1 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 83.5 ft <sup>2</sup>	Mean Velocity: 0.524 ft/s
Gage Height: 3.77 ft	G.H.Change: 0.000 ft	Discharge: 43.7 ft <sup>3</sup> /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.0°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft <sup>2</sup>	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:	ADCP:
BT 3-Beam Solution: NO	Type/Freq.: StreamPro / 2000 kHz
WT 3-Beam Solution: NO	Serial #:                      Firmware: 31.12
BT Error Vel.: 32.81 ft/s	Bin Size: 10 cm              Blank: 3 cm
WT Error Vel.: 32.81 ft/s	BT Mode: 10                  BT Pings: 2
BT Up Vel.: 32.81 ft/s	WT Mode: 12                WT Pings: 6
WT Up Vel.: 32.81 ft/s	WV : 0                        WO : 1, 4
Use Weighted Mean Depth: NO	
	Max. Vel.: 2.11 ft/s
	Max. Depth: 5.89 ft
	Mean Depth: 3.61 ft
	% Meas.: 66.94
	Water Temp.: None
	ADCP Temp.: 65.2 °F

Performed Diag. Test: NO  
 Performed Moving Bed Test: NO  
 Performed Compass Calibration: NO    Evaluation: NO  
 Meas. Location: BRIDGE

Project Name: 220113 LOR @ MAZOURKA000  
 Software: 2.20

Tr.#		Edge Distance		#Ens.	Discharge					Width	Area	Time		Mean Vel.		% Bad		
		L	R		Top	Middle	Bottom	Left	Right			Total	Start	End	Boat	Water	Ens.	Bins
000	L	2	2	46	6.57	29.6	6.75	0.600	0.530	44.0	23	84	14:22	14:22	0.42	0.52	13	0
001	R	2	2	44	6.22	28.1	6.25	0.706	1.09	42.3	24	88	14:23	14:24	0.46	0.48	9	3
002	L	2	2	43	6.50	29.3	6.43	1.02	0.459	43.7	22	80	14:24	14:25	0.42	0.54	7	2
003	R	2	2	48	6.71	30.1	6.32	0.777	0.918	44.8	23	82	14:25	14:26	0.39	0.55	4	1
<b>Mean</b>		2	2	45	6.50	29.3	6.44	0.777	0.750	43.7	23	84	<b>Total</b>	00:04	0.42	0.52	8	2
<b>SDev</b>		0	0	2	0.208	0.873	0.218	0.180	0.306	1.04	0.7	3.3			0.03	0.03		
<b>SD/M</b>		0.0%	0.0%	5.0%	3.2%	3.0%	3.4%	23.2%	40.7%	2.4%	3.0%	4.0%			6.7%	5.8%		

Remarks:





### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	1	0	0	25	19.8	-2.3	1.074	0.3	0.2	0	31	31.4	0	103	104	0	31	31
2022	1	1	0	10	25	19.8	-3.2	1.074	0.4	0.3	0	31	31.8	0	102	104	0	30	30
2022	1	1	0	20	25	19.8	-2.6	1.074	0.4	0.3	0	30.5	31.4	0	102	103	0	31	30
2022	1	1	0	30	25	20.2	-3.2	1.074	0.3	0.2	0	30.5	31	0	101	103	0	30	31
2022	1	1	0	40	25	20.5	-3.2	1.074	0.4	0.3	0	30.1	31.4	0	101	103	0	31	30
2022	1	1	0	50	25	19.7	-3	1.074	0.3	0.2	0	31	31.4	0	102	103	0	30	30
2022	1	1	1	0	25	19.7	-2.7	1.074	0.3	0.2	0	31	31.4	0	102	103	0	30	30
2022	1	1	1	10	25	18.7	-2.6	1.074	0.4	0.3	0	31.4	32.3	0	103	105	0	30	30
2022	1	1	1	20	25	20	-3.1	1.074	0.3	0.2	0	31.4	31.8	0	103	104	0	30	30
2022	1	1	1	30	25	18.9	-3.5	1.074	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	1	1	40	25	19.3	-2.5	1.074	0.4	0.3	0	30.1	30.1	0	100	101	0	30	31
2022	1	1	1	50	25	20.9	-2.8	1.074	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	1	2	0	25	18.9	-1.6	1.074	0.5	0.4	0	30.5	31	0	101	102	0	30	30
2022	1	1	2	10	25	20.5	-2.4	1.074	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	1	2	20	25	19.3	-3.3	1.074	0.3	0.2	0	30.1	29.7	0	99	100	0	29	31
2022	1	1	2	30	25	19.7	-3	1.074	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	1	2	40	25	19.3	-2.6	1.074	0.3	0.2	0	29.2	29.7	0	99	100	0	31	31
2022	1	1	2	50	25	19.7	-2.8	1.074	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	1	3	0	25	19.7	-2.9	1.074	0.3	0.2	0	29.2	29.7	0	98	100	0	30	31
2022	1	1	3	10	25	20.3	-2.9	1.074	0.5	0.4	0	29.2	29.2	0	99	99	0	31	31
2022	1	1	3	20	25	20.1	-1.6	1.074	0.3	0.2	0	29.2	29.7	0	99	99	0	31	30
2022	1	1	3	30	25	19	-2.7	1.074	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	1	3	40	25	19.8	-3.2	1.074	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	1	3	50	25	20	-3.1	1.074	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	1	4	0	25	19	-2.7	1.074	0.4	0.3	0	29.2	29.2	0	98	99	0	30	31
2022	1	1	4	10	25	19.7	-2	1.074	0.5	0.4	0	28.8	28.8	0	98	98	0	31	31
2022	1	1	4	20	25	19.7	-3.2	1.074	0.3	0.2	0	28.4	29.2	0	97	99	0	31	31
2022	1	1	4	30	25	20.4	-3.3	1.075	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	1	4	40	25	20.1	-2.9	1.074	0.4	0.3	0	28.8	29.7	0	98	99	0	31	30
2022	1	1	4	50	25	19.3	-2.2	1.074	0.5	0.4	0	28.8	29.7	0	97	99	0	30	30
2022	1	1	5	0	25	19.5	-2.6	1.075	0.5	0.4	0	28.8	29.7	0	97	99	0	30	30
2022	1	1	5	10	25	20.6	-3.4	1.075	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	1	5	20	25	20.8	-1.4	1.074	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	1	5	30	25	20	-2.1	1.075	0.3	0.2	0	29.7	29.7	0	99	100	0	30	31
2022	1	1	5	40	25	20.6	-2.7	1.075	0.3	0.2	0	28.8	30.1	0	98	100	0	31	30
2022	1	1	5	50	25	19.8	-2.6	1.074	0.3	0.2	0	28.4	29.7	0	97	99	0	31	30
2022	1	1	6	0	25	19.9	-2.8	1.074	0.4	0.3	0	28.4	28.8	0	97	98	0	31	31
2022	1	1	6	10	25	20.2	-3.3	1.074	0.5	0.4	0	28.8	29.2	0	97	98	0	30	30
2022	1	1	6	20	25	19.6	-3	1.074	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	1	6	30	25	19.3	-3.7	1.074	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	1	6	40	25	19.7	-3.1	1.074	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	1	6	50	25	20.1	-3.2	1.074	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	1	7	0	25	19.5	-2.7	1.074	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	1	7	10	25	20.2	-3.5	1.074	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	1	7	20	25	21	-3.1	1.074	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	1	7	30	25	19.3	-3.1	1.074	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	1	7	40	25	20.1	-2.3	1.074	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	1	7	50	25	19.4	-3.6	1.074	0.5	0.4	0	28	28.4	0	95	97	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	1	8	0	25	19.8	-3.4	1.074	0.3	0.2	0	28	28.4	0	96	97	0	31	31
2022	1	1	8	10	25	19.9	-2.5	1.074	0.3	0.2	0	28.4	29.2	0	97	98	0	31	30
2022	1	1	8	20	25	19.2	-2.7	1.074	0.5	0.4	0	29.2	30.1	0	98	100	0	30	30
2022	1	1	8	30	25	19.6	-3.5	1.074	0.3	0.2	0	29.2	29.7	0	99	100	0	31	31
2022	1	1	8	40	25	19.3	-2.6	1.074	0.3	0.2	0	29.7	30.1	0	99	101	0	30	31
2022	1	1	8	50	25	20.2	-2.8	1.074	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	1	9	0	25	19.1	-2.8	1.074	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	1	9	10	25	20.6	-3.1	1.074	0.3	0.2	0	29.7	29.7	0	99	100	0	30	31
2022	1	1	9	20	25	19.4	-3.5	1.074	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	1	9	30	25	19	-4.2	1.074	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	1	9	40	25	19.2	-3	1.075	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	1	9	50	25	20.4	-3.3	1.075	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	1	10	0	25	20.4	-3.2	1.075	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	1	10	10	25	19.9	-3.8	1.075	0.5	0.4	0	28	28	0	95	96	0	30	31
2022	1	1	10	20	25	19.3	-3.1	1.075	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	1	10	30	25	19	-3.2	1.075	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	1	10	40	25	19.5	-3.5	1.075	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	1	10	50	25	19.7	-2.7	1.075	0.5	0.4	0	28	28	0	95	96	0	30	31
2022	1	1	11	0	25	19.1	-2.8	1.075	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	1	11	10	25	19.5	-4.2	1.075	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	1	11	20	25	19.1	-3.2	1.075	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	1	11	30	25	20	-3.4	1.075	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	1	11	40	25	20.3	-3.2	1.075	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	1	11	50	25	18.9	-2.7	1.075	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	1	12	0	25	18.5	-3.6	1.075	0.3	0.2	0	28	27.5	0	94	95	0	29	31
2022	1	1	12	10	25	19.6	-3.2	1.076	0.5	0.4	0	27.5	27.5	0	94	95	0	30	31
2022	1	1	12	20	25	18.9	-3.8	1.075	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	1	12	30	25	19.5	-3.5	1.075	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	1	12	40	25	19.3	-2.9	1.075	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	1	12	50	25	19.2	-3.4	1.075	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	1	13	0	25	19.9	-3.3	1.075	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	1	13	10	25	19	-3.2	1.075	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	1	13	20	25	19.2	-2.7	1.075	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	1	13	30	25	18.8	-3.3	1.075	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	1	13	40	25	18.7	-2.9	1.075	0.5	0.4	0	27.5	28	0	94	95	0	30	30
2022	1	1	13	50	25	19.6	-3.6	1.075	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	1	14	0	25	20.5	-3.6	1.075	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	1	14	10	25	19.8	-3.1	1.075	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	1	14	20	25	19.6	-2.7	1.075	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	1	14	30	25	19.5	-3.5	1.075	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	1	14	40	25	19.8	-3.5	1.075	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	1	14	50	25	19.6	-3.2	1.075	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	1	15	0	25	20	-3.6	1.075	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	1	15	10	25	19.2	-2.6	1.075	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	1	15	20	25	19.6	-3.9	1.075	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	1	15	30	25	19	-2.9	1.075	0.4	0.3	0	27.1	28	0	94	95	0	31	30
2022	1	1	15	40	25	20.1	-3.5	1.075	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	1	15	50	25	19.7	-3.8	1.075	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	1	16	0	25	19.9	-4.3	1.075	0.5	0.5	0	27.1	27.5	0	93	94	0	30	30
2022	1	1	16	10	25	19.5	-3.9	1.075	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	1	16	20	25	19.2	-3.7	1.075	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	1	16	30	25	19.2	-4	1.075	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	1	16	40	25	20	-4	1.075	0.3	0.2	0	27.5	27.1	0	93	94	0	29	31
2022	1	1	16	50	25	19.4	-2.8	1.075	0.4	0.3	0	27.1	27.5	0	93	94	0	30	30
2022	1	1	17	0	25	20	-2.4	1.075	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	1	17	10	25	19.2	-3.4	1.075	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	1	17	20	25	19.6	-3.8	1.075	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	1	17	30	25	19.3	-3.4	1.075	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	1	17	40	25	19.6	-4.1	1.075	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	1	17	50	25	19	-3.7	1.075	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	1	18	0	25	20.1	-3.2	1.075	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	1	18	10	25	19.6	-3.8	1.075	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	1	18	20	25	19.3	-3.6	1.075	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	1	18	30	25	19.6	-3.2	1.075	0.3	0.2	0	27.5	28	0	95	95	0	31	30
2022	1	1	18	40	25	20.1	-3.5	1.075	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	1	18	50	25	19.9	-3.2	1.075	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	1	19	0	25	18.9	-2.9	1.075	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	1	19	10	25	20.3	-3.9	1.075	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	1	19	20	25	19.3	-2.7	1.075	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	1	19	30	25	20	-3.7	1.075	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	1	19	40	25	19.1	-3.9	1.075	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	1	19	50	25	20.1	-3.9	1.075	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	1	20	0	25	19.3	-3	1.075	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	1	20	10	25	19.3	-3.2	1.075	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	1	20	20	25	20.2	-3.5	1.075	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	1	20	30	25	20.1	-2.5	1.075	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	1	20	40	25	19.3	-3.5	1.075	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	1	20	50	25	19.6	-3.2	1.075	0.3	0.2	0	28.4	28	0	95	96	0	29	31
2022	1	1	21	0	25	19.6	-3.3	1.075	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	1	21	10	25	19.8	-3.9	1.075	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	1	21	20	25	19.5	-2.9	1.075	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	1	21	30	25	19.5	-2.6	1.075	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	1	21	40	25	19.3	-3.2	1.075	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	1	21	50	25	19.3	-3.5	1.075	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	1	22	0	25	19.8	-2.9	1.075	0.5	0.4	0	27.5	28.4	0	94	96	0	30	30
2022	1	1	22	10	25	20.5	-2.8	1.075	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	1	22	20	25	19	-3.7	1.075	0.5	0.5	0	27.5	28	0	95	96	0	31	31
2022	1	1	22	30	25	19.5	-2.7	1.075	0.5	0.4	0	27.5	28.4	0	94	96	0	30	30
2022	1	1	22	40	25	19.9	-2.7	1.075	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	1	22	50	25	19.8	-3.9	1.075	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	1	23	0	25	19.2	-2.6	1.075	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	1	23	10	25	20.3	-2.9	1.075	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	1	23	20	25	20	-2.8	1.075	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	1	23	30	25	19.6	-2.2	1.075	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	1	23	40	25	20.1	-3.5	1.075	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	1	23	50	25	20.3	-3.5	1.075	0.4	0.3	0	27.1	28	0	94	96	0	31	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	2	0	0	25	20	-3.3	1.075	0.5	0.4	0	27.5	27.5	0	94	95	0	30	31
2022	1	2	0	10	25	20.2	-3	1.075	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	2	0	20	25	19	-3.4	1.075	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	2	0	30	25	19.5	-3.8	1.075	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	2	0	40	25	20.4	-3.4	1.076	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	2	0	50	25	20	-3.4	1.075	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	2	1	0	25	19.7	-2.8	1.076	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	2	1	10	25	19.4	-2.8	1.076	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	2	1	20	25	19.6	-3.1	1.077	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	2	1	30	25	20	-3.3	1.078	0.4	0.3	0	27.1	28	0	94	95	0	31	30
2022	1	2	1	40	25	19.5	-3.1	1.078	0.4	0.3	0	27.1	28	0	94	95	0	31	30
2022	1	2	1	50	25	19.4	-3.3	1.078	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	2	2	0	25	19.3	-3.7	1.078	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	2	2	10	25	18.7	-2.6	1.078	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	2	2	20	25	19.3	-3.2	1.078	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	2	2	30	25	19.1	-2.7	1.078	0.4	0.3	0	26.7	28	0	93	95	0	31	30
2022	1	2	2	40	25	19.8	-4	1.078	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	2	2	50	25	19.5	-3.5	1.078	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	2	3	0	25	19.5	-3.5	1.078	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	2	3	10	25	20.6	-3.9	1.078	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	2	3	20	25	19.6	-2.9	1.078	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	2	3	30	25	19.7	-3	1.078	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	2	3	40	25	19.8	-3.8	1.078	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	2	3	50	25	18.9	-2.8	1.078	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	2	4	0	25	19.5	-3.8	1.078	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	2	4	10	25	20.2	-2.6	1.078	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	2	4	20	25	19.8	-3.7	1.078	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	2	4	30	25	19.7	-3.3	1.078	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	2	4	40	25	20.3	-3.3	1.078	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	2	4	50	25	20.5	-2.8	1.078	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	2	5	0	25	19.5	-3	1.078	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	2	5	10	25	19.7	-3.1	1.078	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	2	5	20	25	20.9	-3.6	1.078	0.5	0.4	0	26.2	26.7	0	92	93	0	31	31
2022	1	2	5	30	25	19.3	-3.9	1.078	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	2	5	40	25	20.5	-3.8	1.078	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	2	5	50	25	20.3	-3	1.078	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	2	6	0	25	18.1	-3.1	1.078	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	2	6	10	25	19.5	-2.5	1.078	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	2	6	20	25	20.1	-3.3	1.078	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	2	6	30	25	19.2	-3.9	1.078	0.3	0.2	0	26.2	27.1	0	92	93	0	31	30
2022	1	2	6	40	25	19.8	-3.3	1.078	0.5	0.4	0	26.2	27.1	0	92	94	0	31	31
2022	1	2	6	50	25	19	-3	1.078	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	2	7	0	25	19.8	-3.3	1.078	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	2	7	10	25	18.5	-2.7	1.078	0.4	0.3	0	26.2	27.1	0	92	94	0	31	31
2022	1	2	7	20	25	19.6	-3.8	1.078	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	2	7	30	25	19.6	-2.8	1.078	0.4	0.3	0	27.5	28	0	95	96	0	31	31
2022	1	2	7	40	25	19.1	-2.4	1.078	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	2	7	50	25	19.7	-2.9	1.078	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	2	8	0	25	20.6	-4.1	1.078	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	2	8	10	25	20	-3.4	1.078	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	2	8	20	25	19.6	-3.1	1.078	0.5	0.5	0	26.7	26.7	0	92	93	0	30	31
2022	1	2	8	30	25	19.2	-4	1.078	0.5	0.5	0	26.7	27.1	0	92	94	0	30	31
2022	1	2	8	40	25	20.1	-3.3	1.078	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	2	8	50	25	19.6	-3.3	1.078	0.4	0.3	0	26.2	27.1	0	92	94	0	31	31
2022	1	2	9	0	25	19.6	-3.3	1.078	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	2	9	10	25	19.4	-2.9	1.078	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	2	9	20	25	20.1	-2.3	1.079	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	2	9	30	25	19.8	-3	1.078	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	2	9	40	25	19.4	-3.2	1.079	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	2	9	50	25	19.5	-3.1	1.079	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	2	10	0	25	19.7	-3.2	1.079	0.3	0.2	0	26.2	26.7	0	92	94	0	31	32
2022	1	2	10	10	25	20.2	-3.4	1.079	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	2	10	20	25	19	-3.5	1.079	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	2	10	30	25	20.2	-2.9	1.079	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	2	10	40	25	18.6	-3.5	1.078	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	2	10	50	25	19	-2.5	1.079	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	2	11	0	25	19.6	-2.4	1.079	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	2	11	10	25	19.9	-2.4	1.079	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	2	11	20	25	19.7	-3.1	1.079	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	2	11	30	25	20	-3.5	1.079	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	2	11	40	25	19.8	-2.7	1.079	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	2	11	50	25	19.6	-3.7	1.079	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	2	12	0	25	20.3	-3	1.079	0.3	0.2	0	28	28.4	0	96	97	0	31	31
2022	1	2	12	10	25	19.7	-2.7	1.079	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	2	12	20	25	19.9	-3.4	1.079	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	2	12	30	25	19.2	-3.6	1.079	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	2	12	40	25	19.5	-3.1	1.079	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	2	12	50	25	19.6	-3.1	1.079	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	2	13	0	25	19.1	-3.2	1.079	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	2	13	10	25	20.5	-3.1	1.079	0.5	0.4	0	27.1	27.5	0	93	94	0	30	30
2022	1	2	13	20	25	19.7	-3	1.078	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	2	13	30	25	20	-3.6	1.079	0.4	0.3	0	26.7	27.5	0	93	95	0	31	31
2022	1	2	13	40	25	18.8	-2.7	1.079	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	2	13	50	25	20.1	-3.5	1.079	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	2	14	0	25	19.7	-2.7	1.078	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	2	14	10	25	20.1	-2.6	1.078	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	2	14	20	25	20.2	-3.1	1.078	0.4	0.3	0	26.2	27.5	0	92	94	0	31	30
2022	1	2	14	30	25	19.6	-3.3	1.078	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	2	14	40	25	19.5	-3.5	1.078	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	2	14	50	25	18.4	-2.8	1.078	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	2	15	0	25	19.4	-2.9	1.078	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	2	15	10	25	18.9	-3.5	1.078	0.4	0.3	0	26.2	26.7	0	91	92	0	30	30
2022	1	2	15	20	25	19.4	-2.7	1.078	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	2	15	30	25	19.8	-3.8	1.078	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	2	15	40	25	19.9	-3.4	1.078	0.3	0.2	0	25.8	26.2	0	90	91	0	30	30
2022	1	2	15	50	25	19.9	-3.8	1.078	0.5	0.4	0	25.4	26.2	0	90	92	0	31	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	2	16	0	25	20	-3.9	1.078	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	2	16	10	25	20.9	-3.4	1.078	0.3	0.2	0	24.9	25.4	0	89	90	0	31	31
2022	1	2	16	20	25	19.6	-2.9	1.078	0.3	0.2	0	24.9	25.4	0	89	90	0	31	31
2022	1	2	16	30	25	19.1	-3.2	1.078	0.3	0.2	0	25.4	25.8	0	89	91	0	30	31
2022	1	2	16	40	25	20	-3.1	1.078	0.3	0.2	0	24.9	25.4	0	89	90	0	31	31
2022	1	2	16	50	25	19.9	-2.7	1.078	0.3	0.2	0	24.9	25.4	0	89	90	0	31	31
2022	1	2	17	0	25	19.5	-3	1.078	0.3	0.2	0	25.4	25.8	0	89	91	0	30	31
2022	1	2	17	10	25	19.6	-3.8	1.078	0.3	0.2	0	25.8	26.2	0	90	91	0	30	30
2022	1	2	17	20	25	19.5	-3.6	1.078	0.3	0.2	0	24.9	26.2	0	89	91	0	31	30
2022	1	2	17	30	25	19.9	-4	1.078	0.3	0.2	0	25.8	25.8	0	90	91	0	30	31
2022	1	2	17	40	25	18.8	-2.7	1.078	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	2	17	50	25	20	-3.1	1.078	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	2	18	0	25	21.1	-3.1	1.078	0.4	0.3	0	25.8	26.7	0	90	92	0	30	30
2022	1	2	18	10	25	19.1	-3.9	1.078	0.4	0.3	0	25.4	26.2	0	90	92	0	31	31
2022	1	2	18	20	25	19.6	-3.1	1.078	0.4	0.3	0	25.4	26.2	0	90	92	0	31	31
2022	1	2	18	30	25	19.5	-2.7	1.078	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	2	18	40	25	20.1	-2.1	1.078	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	2	18	50	25	19.2	-3.3	1.078	0.3	0.2	0	25.8	26.2	0	90	92	0	30	31
2022	1	2	19	0	25	20	-2.8	1.078	0.3	0.2	0	25.8	26.7	0	90	92	0	30	30
2022	1	2	19	10	25	19.2	-3.9	1.078	0.3	0.2	0	25.8	25.8	0	90	91	0	30	31
2022	1	2	19	20	25	19.7	-3.7	1.077	0.3	0.2	0	25.4	26.7	0	90	92	0	31	30
2022	1	2	19	30	25	20.2	-3.5	1.078	0.4	0.3	0	25.4	26.7	0	90	92	0	31	30
2022	1	2	19	40	25	20.1	-2.4	1.078	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	2	19	50	25	19.1	-3.5	1.078	0.3	0.2	0	25.8	26.7	0	91	92	0	31	30
2022	1	2	20	0	25	20.3	-3.1	1.078	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	2	20	10	25	19.9	-2.9	1.078	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	2	20	20	25	20.1	-3.3	1.078	0.3	0.2	0	26.2	27.1	0	92	93	0	31	30
2022	1	2	20	30	25	20.1	-3.8	1.078	0.3	0.2	0	25.8	26.7	0	90	92	0	30	30
2022	1	2	20	40	25	20.3	-3.1	1.078	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	2	20	50	25	20.4	-3.5	1.077	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	2	21	0	25	19.9	-2.6	1.077	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	2	21	10	25	19.8	-3.5	1.077	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	2	21	20	25	19.9	-2.4	1.077	0.3	0.2	0	26.2	26.7	0	91	92	0	30	30
2022	1	2	21	30	25	20.9	-2.7	1.077	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	2	21	40	25	18.9	-3.1	1.077	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	2	21	50	25	19.3	-3	1.077	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	2	22	0	25	20.3	-3	1.077	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	2	22	10	25	19.8	-3.1	1.077	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	2	22	20	25	19.6	-3.2	1.077	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	2	22	30	25	18.7	-3	1.077	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	2	22	40	25	19.2	-3.8	1.077	0.4	0.3	0	26.2	27.1	0	91	93	0	30	30
2022	1	2	22	50	25	19.2	-3.6	1.077	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	2	23	0	25	18.5	-2.6	1.077	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	2	23	10	25	20.1	-3.8	1.077	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	2	23	20	25	19.6	-3.4	1.077	0.3	0.2	0	25.8	25.8	0	91	92	0	31	32
2022	1	2	23	30	25	19.9	-4	1.077	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	2	23	40	25	18.9	-3.1	1.077	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	2	23	50	25	20.4	-3.5	1.076	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	3	0	0	25	21	-2.9	1.077	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	3	0	10	25	20.9	-3	1.076	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	3	0	20	25	19.1	-3.4	1.076	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	3	0	30	25	20.1	-3.3	1.076	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	3	0	40	25	20.1	-2.8	1.076	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	3	0	50	25	19.9	-3.8	1.076	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	3	1	0	25	20	-3.4	1.076	0.3	0.2	0	25.8	26.7	0	91	92	0	31	30
2022	1	3	1	10	25	20.4	-3.8	1.076	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	3	1	20	25	19.5	-3.1	1.076	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	1	30	25	19.4	-2.9	1.076	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	1	40	25	19.3	-3.9	1.076	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	3	1	50	25	19.5	-4.2	1.076	0.4	0.3	0	26.2	27.1	0	91	93	0	30	30
2022	1	3	2	0	25	19.9	-3.1	1.076	0.4	0.3	0	26.2	26.7	0	91	93	0	30	31
2022	1	3	2	10	25	20.2	-3.4	1.076	0.4	0.3	0	26.2	25.8	0	91	92	0	30	32
2022	1	3	2	20	25	20.2	-3.7	1.076	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	3	2	30	25	20.1	-3	1.076	0.3	0.2	0	26.2	25.8	0	91	92	0	30	32
2022	1	3	2	40	25	19.5	-3.3	1.076	0.4	0.3	0	26.2	26.2	0	91	92	0	30	31
2022	1	3	2	50	25	20.1	-3.9	1.076	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	3	3	0	25	19.5	-2.9	1.076	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	3	3	10	25	18.5	-2.5	1.076	0.3	0.2	0	25.8	25.8	0	91	92	0	31	32
2022	1	3	3	20	25	19.8	-3.6	1.076	0.5	0.4	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	3	30	25	19.1	-3.2	1.076	0.3	0.2	0	25.8	26.2	0	90	92	0	30	31
2022	1	3	3	40	25	20.4	-3.1	1.076	0.3	0.2	0	25.8	26.2	0	90	92	0	30	31
2022	1	3	3	50	25	19.2	-3.4	1.075	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	4	0	25	19.1	-2.8	1.075	0.4	0.3	0	25.8	26.7	0	91	92	0	31	30
2022	1	3	4	10	25	18.8	-3.5	1.075	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	3	4	20	25	19.5	-3.1	1.075	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	4	30	25	19.1	-2.8	1.075	0.4	0.3	0	26.2	25.8	0	91	92	0	30	32
2022	1	3	4	40	25	20.2	-2.9	1.075	0.3	0.2	0	25.4	26.7	0	90	92	0	31	30
2022	1	3	4	50	25	20	-3.2	1.075	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	3	5	0	25	20.3	-3.5	1.075	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	3	5	10	25	19.1	-3.1	1.075	0.3	0.2	0	25.4	26.7	0	90	92	0	31	30
2022	1	3	5	20	25	19	-3	1.075	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	3	5	30	25	20.1	-2.8	1.075	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	3	5	40	25	20.1	-2.7	1.075	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	3	5	50	25	19.5	-2.7	1.075	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	6	0	25	19.8	-3.8	1.075	0.3	0.2	0	25.4	25.8	0	90	92	0	31	32
2022	1	3	6	10	25	19.9	-3.6	1.075	0.4	0.3	0	25.4	26.2	0	90	92	0	31	31
2022	1	3	6	20	25	19.5	-4.2	1.075	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	3	6	30	25	19.7	-3.5	1.075	0.3	0.2	0	25.8	25.8	0	91	92	0	31	32
2022	1	3	6	40	25	19.9	-2.8	1.075	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	3	6	50	25	20.2	-3.8	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	7	0	25	19.1	-3.2	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	7	10	25	19.4	-3.2	1.074	0.4	0.3	0	28.4	28.8	0	97	98	0	31	31
2022	1	3	7	20	25	19	-3.4	1.074	0.5	0.4	0	26.2	26.7	0	91	93	0	30	31
2022	1	3	7	30	25	20.2	-4.2	1.074	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	3	7	40	25	19.4	-3.2	1.074	0.3	0.2	0	25.8	25.4	0	90	91	0	30	32
2022	1	3	7	50	25	19.6	-4.1	1.074	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	3	8	0	25	19	-4.3	1.075	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	8	10	25	19.5	-3.4	1.074	0.3	0.2	0	25.8	26.2	0	90	92	0	30	31
2022	1	3	8	20	25	18.6	-3.4	1.075	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	8	30	25	19.1	-3.1	1.075	0.4	0.3	0	26.2	26.2	0	91	92	0	30	31
2022	1	3	8	40	25	18.6	-4.1	1.074	0.3	0.2	0	25.8	25.8	0	90	91	0	30	31
2022	1	3	8	50	25	18.6	-3.7	1.075	0.3	0.2	0	25.8	25.8	0	90	91	0	30	31
2022	1	3	9	0	25	19.6	-3.4	1.075	0.4	0.3	0	25.8	25.8	0	90	91	0	30	31
2022	1	3	9	10	25	18.9	-4	1.074	0.3	0.2	0	30.5	31	0	102	103	0	31	31
2022	1	3	9	20	25	19.5	-3.2	1.074	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	3	9	30	25	19.2	-4.2	1.074	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	3	9	40	25	19.1	-3.1	1.075	0.3	0.2	0	28	28.4	0	96	97	0	31	31
2022	1	3	9	50	25	19.2	-3.1	1.075	0.3	0.2	0	28.4	29.2	0	97	99	0	31	31
2022	1	3	10	0	25	18.8	-3.5	1.075	0.4	0.3	0	29.2	29.7	0	99	100	0	31	31
2022	1	3	10	10	25	20.3	-3	1.075	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	3	10	20	25	19.7	-3.1	1.075	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	3	10	30	25	19.5	-2.7	1.075	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	3	10	40	25	19.1	-3	1.075	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	3	10	50	25	19.3	-3.6	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	11	0	25	18.3	-3.8	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	11	10	25	19.9	-3.6	1.074	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	3	11	20	25	20.8	-3.8	1.074	0.3	0.2	0	28.4	28.8	0	97	98	0	31	31
2022	1	3	11	30	25	20.2	-3.3	1.074	0.5	0.5	0	29.7	30.1	0	100	101	0	31	31
2022	1	3	11	40	25	19.7	-3.1	1.074	0.4	0.3	0	28	28.8	0	96	97	0	31	30
2022	1	3	11	50	25	19.2	-4.6	1.075	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	3	12	0	25	18.3	-3.2	1.075	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	3	12	10	25	18.7	-3.3	1.075	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	3	12	20	25	19.8	-3.5	1.075	0.3	0.2	0	26.2	26.2	0	91	93	0	30	32
2022	1	3	12	30	25	19.5	-4.2	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	12	40	25	20	-3.2	1.075	0.4	0.3	0	26.7	27.5	0	93	95	0	31	31
2022	1	3	12	50	25	20.6	-3.7	1.075	0.3	0.2	0	27.5	27.5	0	95	96	0	31	32
2022	1	3	13	0	25	19.3	-3.3	1.075	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	3	13	10	25	19.3	-3.8	1.075	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	3	13	20	25	19.5	-3.7	1.075	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	3	13	30	25	20.5	-3.4	1.075	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	3	13	40	25	19.3	-3.3	1.075	0.4	0.3	0	27.5	28.4	0	95	96	0	31	30
2022	1	3	13	50	25	19	-3.8	1.075	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	3	14	0	25	19	-2.8	1.075	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	3	14	10	25	19.5	-3	1.075	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	3	14	20	25	20.3	-2.6	1.075	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	3	14	30	25	19.4	-3.1	1.075	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	3	14	40	25	19.1	-2.3	1.075	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	3	14	50	25	19.9	-3.1	1.075	0.5	0.4	0	26.7	27.1	0	93	94	0	31	31
2022	1	3	15	0	25	19.9	-4	1.075	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	3	15	10	25	20.4	-1.9	1.075	0.4	0.3	0	31.8	32.3	0	104	106	0	30	31
2022	1	3	15	20	25	19.8	-2.9	1.075	0.3	0.2	0	29.7	30.1	0	100	101	0	31	31
2022	1	3	15	30	25	20	-3.8	1.075	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	3	15	40	25	19.1	-2.6	1.075	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	3	15	50	25	20.2	-3.1	1.075	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31



### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	3	16	0	25	18.9	-3.5	1.075	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	3	16	10	25	19.7	-2.9	1.075	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	16	20	25	19.4	-3.4	1.075	0.3	0.2	0	25.4	26.7	0	90	92	0	31	30
2022	1	3	16	30	25	19.6	-2.8	1.075	0.5	0.4	0	25.4	25.8	0	90	91	0	31	31
2022	1	3	16	40	25	19.8	-3.5	1.075	0.4	0.3	0	25.4	25.8	0	90	91	0	31	31
2022	1	3	16	50	25	20.4	-2.3	1.075	0.3	0.2	0	25.4	26.2	0	90	91	0	31	30
2022	1	3	17	0	25	19.5	-3.7	1.075	0.4	0.3	0	25.4	25.8	0	90	91	0	31	31
2022	1	3	17	10	25	19.8	-3.6	1.075	0.3	0.2	0	24.9	25.8	0	89	91	0	31	31
2022	1	3	17	20	25	19.6	-3.8	1.075	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	3	17	30	25	19.8	-3	1.075	0.4	0.3	0	25.4	25.8	0	90	91	0	31	31
2022	1	3	17	40	25	19.7	-2.6	1.075	0.4	0.3	0	25.4	26.7	0	90	92	0	31	30
2022	1	3	17	50	25	19.6	-2.3	1.075	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	18	0	25	19.6	-3	1.075	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	3	18	10	25	19.3	-2.7	1.075	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	18	20	25	19.9	-2.9	1.075	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	3	18	30	25	19.4	-3.1	1.075	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	3	18	40	25	19.1	-2.7	1.075	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	3	18	50	25	20.1	-3.6	1.075	0.5	0.4	0	25.8	25.8	0	91	92	0	31	32
2022	1	3	19	0	25	19.9	-3.2	1.075	0.3	0.2	0	26.2	25.8	0	91	92	0	30	32
2022	1	3	19	10	25	19.9	-2.3	1.075	0.4	0.3	0	25.8	26.2	0	90	92	0	30	31
2022	1	3	19	20	25	20	-3.2	1.075	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	3	19	30	25	19.2	-3.2	1.075	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	3	19	40	25	20.3	-2.9	1.075	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	3	19	50	25	19.8	-2.8	1.075	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	3	20	0	25	18.9	-2.9	1.075	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	3	20	10	25	19.9	-3.3	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	20	20	25	20.7	-3.6	1.075	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	3	20	30	25	20.5	-2.6	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	20	40	25	19.3	-3.3	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	20	50	25	19.8	-3	1.075	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	3	21	0	25	19.9	-4	1.075	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	3	21	10	25	19.1	-2.8	1.075	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	3	21	20	25	19.1	-3.1	1.075	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	3	21	30	25	19.5	-3.5	1.075	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	3	21	40	25	19.5	-2.3	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	21	50	25	19.8	-3.6	1.075	0.3	0.2	0	26.2	26.7	0	92	94	0	31	32
2022	1	3	22	0	25	19.5	-3.4	1.075	0.4	0.3	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	22	10	25	19.1	-3.4	1.075	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	3	22	20	25	19.7	-2.6	1.075	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	3	22	30	25	19.5	-3.2	1.075	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	3	22	40	25	19.5	-3.3	1.075	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	3	22	50	25	19.5	-3.4	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	23	0	25	20.1	-2.8	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	23	10	25	19	-3.4	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	23	20	25	19.5	-3.8	1.075	0.3	0.2	0	26.2	26.2	0	92	93	0	31	32
2022	1	3	23	30	25	19.8	-3	1.075	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	3	23	40	25	19.6	-2.5	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	3	23	50	25	19.8	-3.1	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	4	0	0	25	19.8	-1.9	1.074	0.5	0.4	0	26.7	26.7	0	92	93	0	30	31
2022	1	4	0	10	25	20.3	-3	1.074	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	0	20	25	20.9	-3	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	0	30	25	20.3	-2.8	1.075	0.5	0.4	0	26.7	26.7	0	92	93	0	30	31
2022	1	4	0	40	25	20.3	-2.7	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	0	50	25	21	-3.6	1.074	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	4	1	0	25	19.9	-3.3	1.074	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	4	1	10	25	19.8	-3.1	1.074	0.4	0.3	0	26.7	26.7	0	92	93	0	30	31
2022	1	4	1	20	25	19	-2.6	1.074	0.4	0.3	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	1	30	25	19.8	-3.6	1.074	0.3	0.2	0	26.2	27.1	0	92	93	0	31	30
2022	1	4	1	40	25	19.5	-3.4	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	1	50	25	20.2	-3.4	1.074	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	2	0	25	20.7	-3.8	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	2	10	25	19.9	-3.8	1.074	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	4	2	20	25	20.1	-3.8	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	2	30	25	19.4	-3.9	1.074	0.4	0.3	0	26.2	27.1	0	92	94	0	31	31
2022	1	4	2	40	25	19	-3	1.074	0.5	0.5	0	25.8	26.2	0	91	93	0	31	32
2022	1	4	2	50	25	19.4	-3.2	1.074	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	3	0	25	20.2	-2.9	1.074	0.5	0.4	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	3	10	25	19.2	-3.4	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	3	20	25	20.5	-3	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	3	30	25	19.9	-3.9	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	3	40	25	20	-4	1.074	0.4	0.3	0	26.2	26.7	0	91	93	0	30	31
2022	1	4	3	50	25	19.8	-3	1.074	0.4	0.3	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	4	0	25	18.9	-3.4	1.074	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	4	4	10	25	19.7	-3.2	1.074	0.3	0.2	0	25.8	26.2	0	91	93	0	31	32
2022	1	4	4	20	25	19.8	-3.2	1.074	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	4	4	30	25	20.5	-3.4	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	4	40	25	20.8	-3	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	4	50	25	19.4	-2.8	1.074	0.4	0.3	0	26.2	27.1	0	92	94	0	31	31
2022	1	4	5	0	25	19.7	-2.6	1.074	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	4	5	10	25	19.2	-2.7	1.074	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	4	5	20	25	19.2	-3.5	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	5	30	25	19	-3.1	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	5	40	25	19	-2.9	1.074	0.4	0.3	0	26.2	26.2	0	91	92	0	30	31
2022	1	4	5	50	25	19.8	-3.8	1.074	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	4	6	0	25	19.1	-3	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	6	10	25	19.7	-2.8	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	6	20	25	19.4	-3.6	1.074	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	4	6	30	25	19.2	-2.7	1.074	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	4	6	40	25	20	-3.7	1.074	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	4	6	50	25	19.3	-2.5	1.074	0.5	0.4	0	26.7	28	0	93	95	0	31	30
2022	1	4	7	0	25	19.8	-3.5	1.074	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	4	7	10	25	19.2	-4.2	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	7	20	25	19.1	-3.1	1.074	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	4	7	30	25	20.6	-4	1.074	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	4	7	40	25	19.4	-4.1	1.074	0.3	0.2	0	25.8	26.7	0	90	92	0	30	30
2022	1	4	7	50	25	20	-3.7	1.074	0.4	0.3	0	25.8	27.1	0	91	93	0	31	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	4	8	0	25	19.5	-4.3	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	8	10	25	19.1	-3.8	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	8	20	25	19	-3.8	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	8	30	25	19.2	-3.5	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	8	40	25	19.3	-3.2	1.074	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	4	8	50	25	20.1	-2.8	1.074	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	4	9	0	25	18.8	-2.6	1.074	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	4	9	10	25	19.7	-3.8	1.074	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	4	9	20	25	18.6	-4.1	1.074	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	4	9	30	25	19.8	-3.3	1.074	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	4	9	40	25	19.8	-2.5	1.074	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	4	9	50	25	19.8	-2.5	1.074	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	4	10	0	25	20.1	-2.8	1.074	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	4	10	10	25	18.3	-3.5	1.074	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	4	10	20	25	18.7	-3.1	1.074	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	4	10	30	25	20	-3.5	1.074	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	4	10	40	25	19.1	-3.4	1.074	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	4	10	50	25	19.2	-3.1	1.074	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	4	11	0	25	19.2	-3.2	1.075	0.4	0.3	0	28	27.5	0	95	96	0	30	32
2022	1	4	11	10	25	19.4	-3.5	1.075	0.3	0.2	0	28	28	0	95	97	0	30	32
2022	1	4	11	20	25	18.8	-3.5	1.075	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	4	11	30	25	18.9	-3.7	1.075	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	4	11	40	25	19.8	-3.8	1.075	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	4	11	50	25	19.4	-3.4	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	12	0	25	19.8	-2	1.075	0.3	0.2	0	26.2	27.1	0	92	93	0	31	30
2022	1	4	12	10	25	18.9	-2.4	1.075	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	4	12	20	25	19.1	-2.8	1.075	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	4	12	30	25	20.2	-3.2	1.074	0.4	0.3	0	26.2	27.1	0	92	94	0	31	31
2022	1	4	12	40	25	20.6	-3.8	1.075	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	4	12	50	25	18.6	-3.4	1.075	0.4	0.3	0	26.7	27.1	0	93	94	0	31	31
2022	1	4	13	0	25	19.8	-4.2	1.075	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	13	10	25	18.8	-3.5	1.075	0.4	0.3	0	25.8	26.2	0	91	93	0	31	32
2022	1	4	13	20	25	19	-3.3	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	13	30	25	20.3	-2.9	1.074	0.3	0.2	0	26.2	26.7	0	91	92	0	30	30
2022	1	4	13	40	25	20.7	-3.1	1.074	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	4	13	50	25	19.2	-2.9	1.074	0.3	0.2	0	26.2	26.7	0	91	92	0	30	30
2022	1	4	14	0	25	19.4	-3.8	1.075	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	4	14	10	25	18.8	-3.5	1.074	0.3	0.2	0	26.2	25.8	0	91	91	0	30	31
2022	1	4	14	20	25	18.7	-3.8	1.074	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	4	14	30	25	19.9	-3.9	1.074	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	4	14	40	25	19.3	-2.8	1.074	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	4	14	50	25	20.3	-3.7	1.074	0.3	0.2	0	25.8	26.7	0	91	92	0	31	30
2022	1	4	15	0	25	20	-3.8	1.074	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	4	15	10	25	19.4	-3.2	1.074	0.4	0.3	0	26.2	26.2	0	91	92	0	30	31
2022	1	4	15	20	25	19.8	-3.6	1.074	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	4	15	30	25	19	-2.3	1.074	0.4	0.3	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	15	40	25	19.1	-3	1.074	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	15	50	25	18.9	-3.4	1.074	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	4	16	0	25	20	-2.9	1.074	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	4	16	10	25	19.1	-3.1	1.074	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	4	16	20	25	19.8	-3.4	1.074	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	4	16	30	25	19.5	-3.4	1.074	0.5	0.4	0	25.4	25.8	0	90	91	0	31	31
2022	1	4	16	40	25	19.1	-3.8	1.074	0.3	0.2	0	24.9	25.8	0	89	91	0	31	31
2022	1	4	16	50	25	20.2	-3.3	1.074	0.4	0.3	0	25.8	25.8	0	90	90	0	30	30
2022	1	4	17	0	25	19.5	-3.5	1.074	0.3	0.2	0	25.4	25.8	0	89	91	0	30	31
2022	1	4	17	10	25	20.6	-3.1	1.074	0.3	0.2	0	24.9	25.8	0	89	91	0	31	31
2022	1	4	17	20	25	19.5	-3.5	1.074	0.4	0.3	0	25.8	25.8	0	90	91	0	30	31
2022	1	4	17	30	25	19.1	-3.4	1.074	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	4	17	40	25	20.2	-3.6	1.074	0.4	0.3	0	25.4	25.8	0	90	91	0	31	31
2022	1	4	17	50	25	19	-3.1	1.074	0.3	0.2	0	25.8	26.7	0	90	92	0	30	30
2022	1	4	18	0	25	20.6	-3.6	1.074	0.3	0.2	0	25.4	26.2	0	90	91	0	31	30
2022	1	4	18	10	25	18.9	-2.6	1.074	0.3	0.2	0	25.8	26.7	0	91	92	0	31	30
2022	1	4	18	20	25	19.9	-3.8	1.074	0.4	0.3	0	25.4	26.2	0	90	92	0	31	31
2022	1	4	18	30	25	19.9	-2.9	1.074	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	4	18	40	25	19.5	-3.1	1.074	0.4	0.3	0	26.2	26.7	0	91	92	0	30	30
2022	1	4	18	50	25	18.7	-3.1	1.074	0.4	0.3	0	25.8	25.8	0	91	92	0	31	32
2022	1	4	19	0	25	19.2	-3.7	1.073	0.3	0.2	0	24.9	26.7	0	90	92	0	32	30
2022	1	4	19	10	25	19.9	-3.7	1.073	0.5	0.4	0	25.4	26.2	0	90	92	0	31	31
2022	1	4	19	20	25	19.5	-3.4	1.073	0.3	0.2	0	25.8	26.7	0	91	92	0	31	30
2022	1	4	19	30	25	19.5	-3.1	1.072	0.4	0.3	0	26.2	26.2	0	91	92	0	30	31
2022	1	4	19	40	25	18.9	-2.9	1.072	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	4	19	50	25	19.8	-3.1	1.071	0.3	0.2	0	25.8	26.7	0	91	92	0	31	30
2022	1	4	20	0	25	19.9	-2.9	1.072	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	4	20	10	25	18.8	-3.9	1.071	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	4	20	20	25	20.3	-3.9	1.071	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	20	30	25	19.5	-3.1	1.071	0.3	0.2	0	26.2	26.2	0	92	93	0	31	32
2022	1	4	20	40	25	20.6	-3.6	1.07	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	4	20	50	25	20.1	-2.7	1.071	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	4	21	0	25	19.2	-3.3	1.071	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	4	21	10	25	19	-3.4	1.071	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	4	21	20	25	19.6	-3	1.071	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	4	21	30	25	19.9	-2.5	1.07	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	21	40	25	20.2	-4.2	1.071	0.3	0.2	0	25.8	26.2	0	91	93	0	31	32
2022	1	4	21	50	25	19.5	-2.7	1.07	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	4	22	0	25	18.8	-2.7	1.07	0.4	0.3	0	26.2	26.7	0	91	93	0	30	31
2022	1	4	22	10	25	20.5	-2.9	1.07	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	4	22	20	25	20	-3.4	1.07	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	4	22	30	25	18.4	-2.3	1.07	0.5	0.4	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	22	40	25	19.8	-3.9	1.07	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	22	50	25	19.9	-3.5	1.07	0.4	0.3	0	26.7	26.2	0	92	92	0	30	31
2022	1	4	23	0	25	19.6	-2.3	1.07	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	4	23	10	25	19.3	-2.8	1.07	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	4	23	20	25	20.1	-3.6	1.07	0.4	0.3	0	26.7	27.1	0	92	93	0	30	30
2022	1	4	23	30	25	19.5	-3.1	1.07	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	4	23	40	25	20.1	-3.1	1.07	0.4	0.3	0	26.2	26.2	0	91	92	0	30	31
2022	1	4	23	50	25	18.8	-3.1	1.07	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	5	0	0	25	19.5	-3.4	1.07	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	5	0	10	25	20.3	-3.5	1.07	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	5	0	20	25	19.9	-2.6	1.07	0.4	0.3	0	26.7	26.7	0	92	93	0	30	31
2022	1	5	0	30	25	20.1	-3.6	1.07	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	5	0	40	25	19.1	-3.2	1.07	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	5	0	50	25	20	-3.8	1.07	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	5	1	0	25	19.6	-3.8	1.07	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	5	1	10	25	19.6	-4.1	1.07	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	5	1	20	25	19.2	-2.7	1.07	0.4	0.3	0	26.2	26.7	0	92	93	0	31	31
2022	1	5	1	30	25	20.4	-3	1.07	0.4	0.3	0	26.2	26.7	0	92	93	0	31	31
2022	1	5	1	40	25	20.1	-3.8	1.07	0.4	0.3	0	26.2	26.7	0	92	93	0	31	31
2022	1	5	1	50	25	20.8	-4.1	1.07	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	5	2	0	25	19.9	-3.4	1.07	0.3	0.2	0	30.1	30.1	0	100	101	0	30	31
2022	1	5	2	10	25	19.8	-3.6	1.069	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	5	2	20	25	20	-3.1	1.069	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	5	2	30	25	19.5	-3.1	1.069	0.4	0.3	0	26.2	26.7	0	92	93	0	31	31
2022	1	5	2	40	25	20.2	-3.1	1.069	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	5	2	50	25	19.1	-3.8	1.069	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	5	3	0	25	19.6	-3.3	1.069	0.4	0.3	0	25.8	27.1	0	91	93	0	31	30
2022	1	5	3	10	25	18.8	-3.5	1.069	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	5	3	20	25	19.9	-2.9	1.069	0.5	0.4	0	26.7	26.7	0	92	93	0	30	31
2022	1	5	3	30	25	20.2	-3.4	1.069	0.4	0.3	0	26.2	26.2	0	91	92	0	30	31
2022	1	5	3	40	25	19.1	-3.4	1.069	0.5	0.4	0	25.8	26.7	0	91	93	0	31	31
2022	1	5	3	50	25	20.1	-3.4	1.069	0.4	0.3	0	26.2	26.7	0	91	93	0	30	31
2022	1	5	4	0	25	19.1	-2.7	1.069	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	5	4	10	25	19.3	-2.5	1.069	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	4	20	25	20.1	-3.1	1.069	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	5	4	30	25	19.6	-4.1	1.069	0.4	0.3	0	25.8	27.1	0	91	93	0	31	30
2022	1	5	4	40	25	19.7	-3.7	1.069	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	5	4	50	25	19.7	-4	1.069	0.4	0.3	0	26.2	26.2	0	91	92	0	30	31
2022	1	5	5	0	25	19.6	-3.6	1.069	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	5	10	25	19.4	-2.3	1.069	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	5	20	25	19.7	-2.9	1.069	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	5	5	30	25	19	-2.3	1.069	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	5	40	25	18.8	-2.3	1.069	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	5	50	25	19.4	-3.4	1.069	0.5	0.4	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	6	0	25	20.4	-3.4	1.069	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	6	10	25	19.7	-3.5	1.069	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	6	20	25	20.2	-3.7	1.069	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	6	30	25	20	-2.7	1.069	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	6	40	25	19.8	-2.9	1.068	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	6	50	25	19.2	-3.5	1.068	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	5	7	0	25	18.7	-3.8	1.069	0.5	0.4	0	25.4	26.2	0	90	92	0	31	31
2022	1	5	7	10	25	18.9	-3.5	1.069	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	7	20	25	18.9	-3.4	1.068	0.4	0.3	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	7	30	25	20.1	-4.3	1.069	0.3	0.2	0	25.8	25.8	0	90	91	0	30	31
2022	1	5	7	40	25	18.6	-2.9	1.069	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	7	50	25	19.3	-3.6	1.069	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	5	8	0	25	19.2	-3.5	1.068	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	8	10	25	19.7	-3.2	1.068	0.3	0.2	0	26.2	26.7	0	91	92	0	30	30
2022	1	5	8	20	25	18.5	-3	1.069	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	8	30	25	19.8	-3.6	1.069	0.4	0.3	0	26.2	26.2	0	91	92	0	30	31
2022	1	5	8	40	25	19.4	-3.1	1.069	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	8	50	25	19.1	-2.2	1.069	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	9	0	25	18.9	-3.5	1.069	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	5	9	10	25	18.7	-2.4	1.069	0.4	0.3	0	26.7	26.7	0	92	93	0	30	31
2022	1	5	9	20	25	19.6	-3.6	1.069	0.3	0.2	0	26.2	25.8	0	92	92	0	31	32
2022	1	5	9	30	25	19.6	-2.8	1.069	0.4	0.3	0	26.2	26.7	0	91	93	0	30	31
2022	1	5	9	40	25	19.6	-3.4	1.069	0.4	0.3	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	9	50	25	19.8	-3.6	1.069	0.4	0.3	0	25.8	26.7	0	91	92	0	31	30
2022	1	5	10	0	25	19.3	-3.4	1.069	0.3	0.2	0	25.8	25.8	0	90	91	0	30	31
2022	1	5	10	10	25	19.3	-4.2	1.069	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	5	10	20	25	19.7	-3.8	1.069	0.4	0.3	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	10	30	25	19.7	-3.7	1.069	0.3	0.2	0	25.8	25.8	0	90	91	0	30	31
2022	1	5	10	40	25	18.8	-3	1.069	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	10	50	25	19.5	-3.2	1.069	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	11	0	25	19.6	-4.1	1.069	0.3	0.2	0	24.9	25.4	0	89	90	0	31	31
2022	1	5	11	10	25	19.5	-4.1	1.069	0.3	0.2	0	25.4	25.4	0	89	90	0	30	31
2022	1	5	11	20	25	19.5	-3.9	1.069	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	11	30	25	18.9	-2.9	1.069	0.3	0.2	0	24.9	25.8	0	89	91	0	31	31
2022	1	5	11	40	25	18.6	-3.1	1.069	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	11	50	25	19.4	-3.2	1.071	0.3	0.2	0	25.4	26.2	0	90	91	0	31	30
2022	1	5	12	0	25	19.2	-2	1.072	0.3	0.2	0	25.8	25.8	0	90	91	0	30	31
2022	1	5	12	10	25	18.4	-3.2	1.071	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	12	20	25	19.2	-3.4	1.071	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	12	30	25	19.2	-3.1	1.071	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	12	40	25	19	-3.6	1.071	0.3	0.2	0	25.4	26.7	0	90	92	0	31	30
2022	1	5	12	50	25	19.4	-3.4	1.071	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	5	13	0	25	19.6	-3.9	1.071	0.3	0.2	0	25.8	26.2	0	91	91	0	31	30
2022	1	5	13	10	25	19.3	-3.8	1.071	0.3	0.2	0	25.8	26.7	0	91	92	0	31	30
2022	1	5	13	20	25	19.3	-3.1	1.071	0.3	0.2	0	25.4	26.2	0	90	91	0	31	30
2022	1	5	13	30	25	20.1	-3	1.071	0.4	0.3	0	26.2	26.2	0	91	92	0	30	31
2022	1	5	13	40	25	20.4	-3.4	1.071	0.4	0.3	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	13	50	25	19.5	-3.8	1.071	0.3	0.2	0	25.8	25.4	0	90	91	0	30	32
2022	1	5	14	0	25	19.5	-2.8	1.07	0.3	0.2	0	25.8	25.8	0	91	92	0	31	32
2022	1	5	14	10	25	19.4	-4.2	1.071	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	14	20	25	19.4	-3.1	1.07	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	5	14	30	25	18.4	-3.7	1.071	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	5	14	40	25	19.9	-3.7	1.07	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	5	14	50	25	19.2	-2.4	1.07	0.4	0.3	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	15	0	25	19	-3	1.07	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	5	15	10	25	20.3	-3.1	1.07	0.3	0.2	0	24.9	25.8	0	89	91	0	31	31
2022	1	5	15	20	25	19.5	-3.1	1.07	0.4	0.3	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	15	30	25	19.4	-4	1.07	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	15	40	25	19.7	-3.4	1.07	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	5	15	50	25	18.8	-3.1	1.07	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	5	16	0	25	20.2	-3.5	1.07	0.3	0.2	0	24.9	25.8	0	89	91	0	31	31
2022	1	5	16	10	25	19.1	-3.2	1.07	0.3	0.2	0	25.4	25.4	0	90	90	0	31	31
2022	1	5	16	20	25	19.3	-3.9	1.07	0.3	0.2	0	24.9	25.8	0	89	90	0	31	30
2022	1	5	16	30	25	19.3	-3.4	1.07	0.3	0.2	0	25.8	25.8	0	90	91	0	30	31
2022	1	5	16	40	25	19.4	-3.2	1.07	0.5	0.4	0	30.5	31	0	102	103	0	31	31
2022	1	5	16	50	25	18.7	-3	1.07	0.3	0.2	0	29.7	30.1	0	100	101	0	31	31
2022	1	5	17	0	25	19.3	-3.4	1.07	0.3	0.2	0	28.4	29.7	0	97	99	0	31	30
2022	1	5	17	10	25	19.6	-3.6	1.07	0.3	0.2	0	28	28.4	0	96	97	0	31	31
2022	1	5	17	20	25	21.2	-3.9	1.07	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	5	17	30	25	19.8	-3	1.07	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	5	17	40	25	18.8	-3.7	1.07	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	5	17	50	25	19.5	-3.9	1.07	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	5	18	0	25	20.3	-3.6	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	5	18	10	25	18.9	-3.2	1.07	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	5	18	20	25	18.7	-3	1.07	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	5	18	30	25	19.6	-3.4	1.07	0.4	0.3	0	26.7	27.5	0	93	95	0	31	31
2022	1	5	18	40	25	19.4	-2.7	1.07	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	5	18	50	25	18.1	-3	1.07	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	5	19	0	25	20.3	-3.1	1.07	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	5	19	10	25	19.2	-3.9	1.07	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	5	19	20	25	18.6	-2.9	1.07	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	5	19	30	25	19	-3	1.07	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	5	19	40	25	18.5	-3.7	1.07	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	5	19	50	25	19	-3.5	1.07	0.3	0.2	0	27.5	27.1	0	94	94	0	30	31
2022	1	5	20	0	25	19	-2.7	1.07	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	5	20	10	25	19.2	-3.5	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	5	20	20	25	20.5	-3.9	1.07	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	5	20	30	25	19.2	-3	1.07	0.5	0.4	0	27.1	27.1	0	93	94	0	30	31
2022	1	5	20	40	25	18.3	-3.1	1.07	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	5	20	50	25	19.3	-3.3	1.07	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	5	21	0	25	19.3	-3.4	1.07	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	5	21	10	25	19.9	-3.2	1.07	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	5	21	20	25	19.1	-2.9	1.07	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	5	21	30	25	19.3	-2.6	1.07	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	5	21	40	25	19	-2.8	1.07	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	5	21	50	25	19.3	-3.6	1.07	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	5	22	0	25	19.7	-2.5	1.07	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	5	22	10	25	19.4	-2.6	1.07	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	5	22	20	25	19.4	-3.4	1.07	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	5	22	30	25	19.7	-3.3	1.07	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	5	22	40	25	19.8	-2.5	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	5	22	50	25	19.7	-3.2	1.07	0.4	0.3	0	26.7	27.1	0	93	94	0	31	31
2022	1	5	23	0	25	19.2	-3.3	1.07	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	5	23	10	25	19.7	-3.5	1.07	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	5	23	20	25	19.7	-2.7	1.07	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	5	23	30	25	19	-2.7	1.07	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	5	23	40	25	19.7	-3	1.07	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	5	23	50	25	19.1	-2.1	1.07	0.5	0.4	0	27.5	27.5	0	94	95	0	30	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	6	0	0	25	19.1	-3.4	1.07	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	0	10	25	19.8	-3.1	1.07	0.3	0.2	0	27.5	27.1	0	94	95	0	30	32
2022	1	6	0	20	25	19.3	-3.6	1.07	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	0	30	25	19.4	-3.7	1.07	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	6	0	40	25	20	-3.5	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	0	50	25	19.9	-3.1	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	1	0	25	19	-3.8	1.07	0.4	0.3	0	26.7	27.1	0	93	94	0	31	31
2022	1	6	1	10	25	19.9	-3.7	1.07	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	6	1	20	25	19	-3.3	1.07	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	1	30	25	20.1	-3.1	1.07	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	6	1	40	25	19.9	-3.1	1.07	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	6	1	50	25	18.9	-2.8	1.07	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	6	2	0	25	19.9	-2.6	1.07	0.3	0.2	0	30.1	30.5	0	100	102	0	30	31
2022	1	6	2	10	25	19.3	-3.2	1.07	0.4	0.3	0	34.4	34.4	0	110	111	0	30	31
2022	1	6	2	20	25	19.8	-3.3	1.07	0.3	0.2	0	31.4	31.4	0	103	104	0	30	31
2022	1	6	2	30	25	19.2	-3.5	1.07	0.3	0.2	0	29.7	29.7	0	99	100	0	30	31
2022	1	6	2	40	25	20.3	-3.8	1.07	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	6	2	50	25	19.2	-4.3	1.07	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	6	3	0	25	19.4	-2.7	1.07	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	6	3	10	25	19.5	-3.9	1.07	0.4	0.3	0	27.5	28	0	95	96	0	31	31
2022	1	6	3	20	25	19.3	-2.3	1.07	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	6	3	30	25	19.3	-3.3	1.069	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	6	3	40	25	19.7	-2.4	1.069	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	6	3	50	25	19.5	-2.7	1.069	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	6	4	0	25	20	-3.1	1.069	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	6	4	10	25	20.3	-2.3	1.07	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	6	4	20	25	18.5	-2.9	1.07	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	6	4	30	25	19.6	-3.3	1.07	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	6	4	40	25	20.1	-3.1	1.07	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	6	4	50	25	20	-3.9	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	5	0	25	19.9	-3.2	1.069	0.3	0.2	0	26.7	26.7	0	93	94	0	31	32
2022	1	6	5	10	25	20	-3.1	1.07	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	6	5	20	25	19.6	-3.4	1.07	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	6	5	30	25	18.7	-3.5	1.07	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	5	40	25	19.6	-3.2	1.069	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	6	5	50	25	19.1	-2.3	1.069	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	6	0	25	19.3	-3.6	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	6	10	25	19.2	-3.3	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	6	20	25	20	-4.3	1.069	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	6	6	30	25	19.2	-3.2	1.069	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	6	40	25	18.4	-3	1.069	0.4	0.3	0	26.7	27.1	0	93	94	0	31	31
2022	1	6	6	50	25	19.4	-3.1	1.069	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	6	7	0	25	19	-2.8	1.07	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	6	7	10	25	19.5	-3.5	1.07	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	6	7	20	25	19.5	-3.3	1.07	0.5	0.4	0	26.7	27.5	0	92	94	0	30	30
2022	1	6	7	30	25	19.3	-3.1	1.07	0.4	0.3	0	26.7	27.1	0	92	93	0	30	30
2022	1	6	7	40	25	19.2	-3.1	1.069	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	6	7	50	25	19	-3.3	1.07	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31



### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	6	8	0	25	19.9	-3.8	1.069	0.3	0.2	0	26.2	26.2	0	92	92	0	31	31
2022	1	6	8	10	25	19.5	-3.4	1.069	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	6	8	20	25	19	-3.5	1.07	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	6	8	30	25	19.8	-3.6	1.07	0.4	0.3	0	26.7	27.1	0	92	93	0	30	30
2022	1	6	8	40	25	19.6	-3.8	1.07	0.3	0.2	0	26.2	27.1	0	92	93	0	31	30
2022	1	6	8	50	25	19.4	-3.7	1.07	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	6	9	0	25	19.5	-3	1.07	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	6	9	10	25	19.3	-3.1	1.07	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	6	9	20	25	18.5	-2.9	1.07	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	6	9	30	25	19.7	-3.5	1.07	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	6	9	40	25	19.2	-3	1.07	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	6	9	50	25	18.9	-3.9	1.07	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	6	10	0	25	19.8	-3.8	1.07	0.4	0.3	0	26.7	27.1	0	92	93	0	30	30
2022	1	6	10	10	25	20.8	-3.9	1.07	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	6	10	20	25	19.5	-3.8	1.07	0.4	0.3	0	26.7	26.2	0	92	92	0	30	31
2022	1	6	10	30	25	20.8	-3.9	1.07	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	6	10	40	25	18.5	-3.7	1.07	0.5	0.5	0	26.2	27.1	0	92	93	0	31	30
2022	1	6	10	50	25	19.2	-3.1	1.07	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	6	11	0	25	19.7	-3.5	1.071	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	6	11	10	25	19.4	-2.7	1.071	0.4	0.3	0	26.2	26.7	0	91	93	0	30	31
2022	1	6	11	20	25	19.2	-3	1.071	0.3	0.2	0	26.7	26.7	0	93	93	0	31	31
2022	1	6	11	30	25	19.4	-3.1	1.071	0.4	0.3	0	26.2	26.7	0	91	92	0	30	30
2022	1	6	11	40	25	18.2	-3.5	1.071	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	6	11	50	25	19.3	-3.2	1.071	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	6	12	0	25	18.9	-3.8	1.071	0.4	0.3	0	26.7	26.7	0	92	93	0	30	31
2022	1	6	12	10	25	19.4	-3.8	1.071	0.3	0.2	0	26.7	26.2	0	92	92	0	30	31
2022	1	6	12	20	25	19.6	-4.5	1.071	0.4	0.3	0	26.2	26.7	0	92	93	0	31	31
2022	1	6	12	30	25	19.5	-2.8	1.071	0.3	0.2	0	26.7	26.2	0	92	92	0	30	31
2022	1	6	12	40	25	20.7	-4.2	1.071	0.4	0.3	0	26.7	27.1	0	92	93	0	30	30
2022	1	6	12	50	25	19.6	-3.5	1.071	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	13	0	25	20.4	-3.7	1.071	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	6	13	10	25	19.3	-3.7	1.071	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	6	13	20	25	19.4	-3.2	1.071	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	6	13	30	25	19	-4	1.071	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	6	13	40	25	19.7	-3.1	1.071	0.3	0.2	0	26.2	26.2	0	92	92	0	31	31
2022	1	6	13	50	25	19.8	-4.4	1.071	0.5	0.4	0	26.7	27.1	0	92	93	0	30	30
2022	1	6	14	0	25	19.1	-4.2	1.071	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	14	10	25	19.3	-3.9	1.071	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	6	14	20	25	20	-3.5	1.071	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	6	14	30	25	19.9	-4.3	1.071	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	6	14	40	25	19.4	-3.3	1.071	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	6	14	50	25	20.6	-3.9	1.071	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	15	0	25	19.7	-3.5	1.071	0.3	0.2	0	27.5	27.5	0	95	95	0	31	31
2022	1	6	15	10	25	19.5	-3.1	1.071	0.4	0.3	0	27.5	28	0	95	95	0	31	30
2022	1	6	15	20	25	19.1	-3.5	1.07	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	6	15	30	25	19.5	-3	1.07	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	6	15	40	25	19	-4.4	1.07	0.4	0.3	0	27.1	27.5	0	93	94	0	30	30
2022	1	6	15	50	25	19.6	-3.7	1.071	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	6	16	0	25	19.2	-3.3	1.07	0.4	0.3	0	26.7	27.1	0	93	94	0	31	31
2022	1	6	16	10	25	19.5	-3.1	1.07	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	6	16	20	25	18.9	-2.7	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	6	16	30	25	20.3	-3.1	1.071	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	6	16	40	25	20.4	-3.1	1.071	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	6	16	50	25	18.3	-3.4	1.071	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	17	0	25	19.4	-3.2	1.071	0.3	0.2	0	26.7	26.2	0	92	93	0	30	32
2022	1	6	17	10	25	19.6	-3.1	1.071	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	6	17	20	25	19.2	-3.1	1.071	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	6	17	30	25	19.2	-2.3	1.071	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	6	17	40	25	20.2	-4.3	1.071	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	6	17	50	25	19.8	-3.1	1.071	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	6	18	0	25	19.9	-3.1	1.071	0.5	0.4	0	27.1	28	0	94	95	0	31	30
2022	1	6	18	10	25	20.2	-3.1	1.071	0.4	0.3	0	27.1	28	0	94	95	0	31	30
2022	1	6	18	20	25	19.1	-3.5	1.071	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	6	18	30	25	19.3	-3.1	1.071	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	6	18	40	25	19.4	-3	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	6	18	50	25	19.5	-3.8	1.071	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	6	19	0	25	18.7	-2.6	1.071	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	6	19	10	25	19.9	-2.7	1.071	0.3	0.2	0	27.5	27.5	0	94	96	0	30	32
2022	1	6	19	20	25	19.5	-3.2	1.071	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	6	19	30	25	18.7	-3.6	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	6	19	40	25	19.5	-3.2	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	6	19	50	25	19.5	-3.9	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	6	20	0	25	19.9	-4.1	1.071	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	6	20	10	25	20	-2.9	1.071	0.5	0.4	0	28	28	0	95	96	0	30	31
2022	1	6	20	20	25	19.4	-2.7	1.071	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	6	20	30	25	20.6	-3.2	1.071	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	6	20	40	25	20.3	-2.6	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	6	20	50	25	19.9	-3.1	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	6	21	0	25	19.9	-2.7	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	6	21	10	25	19.7	-3.3	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	6	21	20	25	20.6	-4.3	1.072	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	6	21	30	25	20.4	-2.7	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	6	21	40	25	20	-3.2	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	6	21	50	25	18.8	-2	1.071	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	6	22	0	25	19.8	-2.7	1.071	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	6	22	10	25	18.8	-3.1	1.071	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	6	22	20	25	20.2	-3.5	1.071	0.4	0.3	0	27.5	28.4	0	95	96	0	31	30
2022	1	6	22	30	25	19.4	-3.5	1.071	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	6	22	40	25	20	-2.8	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	6	22	50	25	19	-2.9	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	6	23	0	25	19.3	-3.5	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	6	23	10	25	19	-2.7	1.071	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	6	23	20	25	19.5	-2.9	1.071	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	6	23	30	25	20.1	-3.4	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	6	23	40	25	20	-3.6	1.071	0.4	0.3	0	27.5	28.4	0	95	96	0	31	30
2022	1	6	23	50	25	19.3	-2.4	1.071	0.3	0.2	0	28	28.4	0	95	97	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	7	0	0	25	20.3	-2.3	1.071	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	7	0	10	25	20.4	-2.5	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	7	0	20	25	19.9	-3.5	1.071	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	7	0	30	25	20.2	-3.6	1.071	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	7	0	40	25	18.8	-3.3	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	7	0	50	25	18.8	-3.3	1.071	0.5	0.4	0	28.4	28.8	0	96	97	0	30	30
2022	1	7	1	0	25	20.4	-3.9	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	7	1	10	25	19.2	-3.2	1.071	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	7	1	20	25	20.3	-2.9	1.071	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	7	1	30	25	19.2	-2.7	1.071	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	7	1	40	25	18.9	-2.8	1.071	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	7	1	50	25	19.3	-3.2	1.071	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	7	2	0	25	19.6	-2	1.071	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	7	2	10	25	19.5	-3.2	1.071	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	7	2	20	25	19.3	-3.1	1.071	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	7	2	30	25	18.9	-2	1.071	0.5	0.5	0	28.8	29.7	0	97	99	0	30	30
2022	1	7	2	40	25	20.6	-3.2	1.071	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	7	2	50	25	19.7	-3.1	1.071	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	7	3	0	25	19.9	-3.8	1.071	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	7	3	10	25	19.9	-3.1	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	7	3	20	25	19.5	-3.1	1.071	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	7	3	30	25	19.8	-2.3	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	7	3	40	25	19.8	-3.2	1.07	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	7	3	50	25	19.5	-3.2	1.07	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	7	4	0	25	18.6	-3.3	1.07	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	7	4	10	25	19	-3.1	1.07	0.4	0.3	0	26.7	27.5	0	93	95	0	31	31
2022	1	7	4	20	25	19.5	-2.9	1.07	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	7	4	30	25	20.2	-3.1	1.07	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	7	4	40	25	18.8	-2.1	1.07	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	7	4	50	25	18.6	-2.5	1.07	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	7	5	0	25	19.2	-3.1	1.07	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	7	5	10	25	18.9	-3.8	1.07	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	7	5	20	25	19.5	-3.9	1.07	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	7	5	30	25	19	-2.9	1.07	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	7	5	40	25	19.8	-2.7	1.07	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	7	5	50	25	19.6	-3.9	1.07	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	7	6	0	25	19.3	-2.9	1.07	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	7	6	10	25	19.1	-3	1.07	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	7	6	20	25	19.9	-2.1	1.07	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	7	6	30	25	19.5	-3	1.07	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	7	6	40	25	19	-3.1	1.07	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	7	6	50	25	19.5	-3	1.07	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	7	7	0	25	19.5	-3.2	1.07	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	7	7	10	25	19.9	-3.1	1.07	0.4	0.3	0	26.7	27.5	0	93	95	0	31	31
2022	1	7	7	20	25	18.9	-3.3	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	7	7	30	25	19.6	-3.1	1.07	0.3	0.2	0	27.5	28.8	0	95	98	0	31	31
2022	1	7	7	40	25	19.2	-3.5	1.07	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	7	7	50	25	19.8	-2.9	1.07	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	7	8	0	25	19.9	-3.6	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	7	8	10	25	19.9	-3.5	1.07	0.5	0.4	0	27.5	27.1	0	94	94	0	30	31
2022	1	7	8	20	25	19.2	-3.1	1.07	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	7	8	30	25	19.9	-3.5	1.07	0.3	0.2	0	28.8	30.1	0	98	100	0	31	30
2022	1	7	8	40	25	20.4	-3.4	1.07	0.3	0.2	0	30.1	30.1	0	100	101	0	30	31
2022	1	7	8	50	25	19.9	-3.2	1.071	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	7	9	0	25	19.5	-3.6	1.071	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	7	9	10	25	19.4	-3.6	1.07	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	7	9	20	25	19.1	-3.9	1.07	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	7	9	30	25	19.8	-4.2	1.071	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	7	9	40	25	19.4	-3.6	1.071	0.5	0.4	0	27.5	27.5	0	94	95	0	30	31
2022	1	7	9	50	25	19.5	-3.2	1.071	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	7	10	0	25	18.8	-3.1	1.071	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	7	10	10	25	19.2	-3.2	1.071	0.4	0.3	0	27.5	28.4	0	95	96	0	31	30
2022	1	7	10	20	25	19.9	-3.8	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	7	10	30	25	19.3	-3.7	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	7	10	40	25	18.8	-3.1	1.071	0.3	0.2	0	27.5	27.5	0	95	95	0	31	31
2022	1	7	10	50	25	19.7	-4.1	1.071	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	7	11	0	25	20.3	-3.5	1.071	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	7	11	10	25	19.3	-3.1	1.071	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	7	11	20	25	19.8	-3.1	1.071	0.4	0.3	0	26.7	26.7	0	93	93	0	31	31
2022	1	7	11	30	25	18.9	-2.5	1.071	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	7	11	40	25	19.3	-3.7	1.072	0.3	0.2	0	26.7	26.7	0	93	93	0	31	31
2022	1	7	11	50	25	19.9	-3.8	1.071	0.4	0.3	0	27.1	27.5	0	93	94	0	30	30
2022	1	7	12	0	25	19.2	-3.1	1.071	0.4	0.3	0	27.1	27.5	0	93	94	0	30	30
2022	1	7	12	10	25	20.5	-3.5	1.071	0.4	0.3	0	26.7	27.1	0	92	93	0	30	30
2022	1	7	12	20	25	19.5	-3.4	1.071	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	7	12	30	25	20	-3.3	1.071	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	7	12	40	25	19.8	-4.2	1.071	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	7	12	50	25	19.1	-3.5	1.071	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	7	13	0	25	19.1	-2.8	1.071	0.4	0.3	0	27.1	28	0	94	95	0	31	30
2022	1	7	13	10	25	19.7	-3.9	1.071	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	7	13	20	25	19.4	-3.5	1.072	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	7	13	30	25	19.4	-3.5	1.071	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	7	13	40	25	19.9	-3.3	1.071	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	7	13	50	25	18.8	-3.6	1.071	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	7	14	0	25	19.3	-3.1	1.071	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	7	14	10	25	19.8	-2.4	1.072	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	7	14	20	25	20.1	-3.9	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	7	14	30	25	20.8	-2.6	1.072	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	7	14	40	25	19.6	-2.2	1.072	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	7	14	50	25	19.9	-3.1	1.072	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	7	15	0	25	19.6	-3.4	1.071	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	7	15	10	25	18.9	-2.9	1.072	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	7	15	20	25	19.2	-2.6	1.071	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	7	15	30	25	19.4	-2.7	1.071	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	7	15	40	25	19.6	-2.7	1.072	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	7	15	50	25	20.4	-3.1	1.071	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	7	16	0	25	19.2	-2.3	1.072	0.3	0.2	0	27.1	27.1	0	93	93	0	30	30
2022	1	7	16	10	25	19.4	-3.8	1.072	0.4	0.3	0	26.7	27.1	0	93	94	0	31	31
2022	1	7	16	20	25	20	-3.7	1.072	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	7	16	30	25	20	-2.9	1.072	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	7	16	40	25	19.6	-3.5	1.072	0.4	0.3	0	26.7	27.5	0	93	94	0	31	30
2022	1	7	16	50	25	20.1	-3	1.072	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	7	17	0	25	19	-3.4	1.072	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	7	17	10	25	20	-3.2	1.072	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	7	17	20	25	19.9	-4.1	1.072	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	7	17	30	25	19.4	-3.5	1.072	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	7	17	40	25	19.7	-3.3	1.072	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	7	17	50	25	19.8	-2.7	1.072	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	7	18	0	25	20	-3.5	1.072	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	7	18	10	25	19.6	-3.3	1.072	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	7	18	20	25	19.7	-3.2	1.072	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	7	18	30	25	19.7	-3.1	1.072	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	7	18	40	25	18.6	-3.6	1.073	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	7	18	50	25	20.3	-3.5	1.072	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	7	19	0	25	20.3	-3.4	1.073	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	7	19	10	25	19.7	-3.5	1.073	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	7	19	20	25	19.3	-2.4	1.073	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	7	19	30	25	19.7	-3.2	1.073	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	7	19	40	25	19.5	-3.2	1.073	0.5	0.4	0	28	28.8	0	96	98	0	31	31
2022	1	7	19	50	25	20.2	-3.5	1.073	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	7	20	0	25	20.1	-2.8	1.073	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	7	20	10	25	20.2	-3.1	1.073	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	7	20	20	25	19.4	-3.3	1.073	0.3	0.2	0	28.4	29.2	0	97	98	0	31	30
2022	1	7	20	30	25	19.8	-2.8	1.073	0.3	0.2	0	28.4	29.2	0	97	98	0	31	30
2022	1	7	20	40	25	20.1	-3.5	1.073	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	7	20	50	25	20.5	-3.4	1.073	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	7	21	0	25	19.8	-2.8	1.073	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	7	21	10	25	21.1	-3.5	1.073	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	7	21	20	25	20	-3.7	1.073	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	7	21	30	25	18.9	-3.4	1.073	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	7	21	40	25	19.6	-3.8	1.073	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	7	21	50	25	20.3	-2.4	1.073	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	7	22	0	25	20.6	-2.8	1.073	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	7	22	10	25	19.8	-2.7	1.073	0.4	0.3	0	28.8	29.2	0	97	99	0	30	31
2022	1	7	22	20	25	19.4	-2.7	1.073	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	7	22	30	25	20.2	-2.8	1.073	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	7	22	40	25	19	-3.8	1.073	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	7	22	50	25	19.5	-1.9	1.073	0.5	0.4	0	28.8	29.2	0	97	98	0	30	30
2022	1	7	23	0	25	19.4	-3.1	1.073	0.3	0.2	0	29.2	29.2	0	97	98	0	29	30
2022	1	7	23	10	25	20.6	-2.8	1.073	0.3	0.2	0	28.4	28.8	0	97	98	0	31	31
2022	1	7	23	20	25	19.8	-3	1.073	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	7	23	30	25	18.9	-3.2	1.073	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	7	23	40	25	19.4	-3.6	1.073	0.3	0.2	0	29.2	28.8	0	97	98	0	29	31
2022	1	7	23	50	25	19.8	-2	1.073	0.4	0.3	0	28.8	28.8	0	97	98	0	30	31

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	8	0	0	25	20.9	-1.9	1.073	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	8	0	10	25	19.7	-2.3	1.073	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	8	0	20	25	19.5	-3.2	1.073	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	8	0	30	25	19.3	-2.8	1.073	0.4	0.3	0	28.8	29.2	0	97	99	0	30	31
2022	1	8	0	40	25	19.8	-2.3	1.073	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	0	50	25	19.7	-2.3	1.073	0.4	0.3	0	28.4	29.7	0	97	99	0	31	30
2022	1	8	1	0	25	18.8	-2.5	1.073	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	1	10	25	20.2	-1.6	1.073	0.5	0.4	0	28.4	28.8	0	97	98	0	31	31
2022	1	8	1	20	25	20.9	-2.8	1.074	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	1	30	25	19.7	-2.8	1.073	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	8	1	40	25	20.2	-3.2	1.074	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	8	1	50	25	19.8	-2.5	1.073	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	2	0	25	20.3	-2.9	1.073	0.3	0.2	0	29.2	29.2	0	98	98	0	30	30
2022	1	8	2	10	25	19.6	-3.2	1.073	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	8	2	20	25	19.4	-2	1.074	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	8	2	30	25	20	-3.2	1.074	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	8	2	40	25	20.4	-2.5	1.074	0.5	0.4	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	2	50	25	19.2	-2.6	1.074	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	8	3	0	25	19.8	-2.2	1.074	0.3	0.2	0	28.8	29.7	0	98	100	0	31	31
2022	1	8	3	10	25	20.5	-3.4	1.074	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	3	20	25	20.2	-3.4	1.074	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	8	3	30	25	19.7	-3.4	1.074	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	8	3	40	25	19.8	-2.8	1.074	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	8	3	50	25	20.3	-3.2	1.074	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	8	4	0	25	19.4	-2.4	1.074	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	8	4	10	25	19.8	-3.9	1.074	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	8	4	20	25	19.9	-3.2	1.074	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	8	4	30	25	20.1	-3.8	1.074	0.4	0.3	0	28	28.4	0	96	97	0	31	31
2022	1	8	4	40	25	20.2	-1.9	1.074	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	8	4	50	25	20.1	-3.5	1.074	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	8	5	0	25	20.2	-2.8	1.074	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	8	5	10	25	19.9	-3.8	1.074	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	5	20	25	18.8	-2.8	1.074	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	5	30	25	20.1	-2.8	1.073	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	8	5	40	25	20.2	-2.7	1.074	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	5	50	25	19	-2.7	1.073	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	8	6	0	25	20	-3.4	1.073	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	8	6	10	25	19.9	-3.2	1.073	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	8	6	20	25	20.8	-2.6	1.074	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	6	30	25	20.9	-3	1.073	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	6	40	25	19.9	-3.3	1.073	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	8	6	50	25	19.7	-2.5	1.073	0.5	0.5	0	28	28.8	0	96	97	0	31	30
2022	1	8	7	0	25	20.1	-3.2	1.073	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	8	7	10	25	20.1	-3.5	1.073	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	8	7	20	25	19.7	-3.4	1.074	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	8	7	30	25	19.2	-3.1	1.073	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	8	7	40	25	20.7	-2.5	1.073	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	8	7	50	25	19.8	-3.1	1.073	0.3	0.2	0	28	28	0	95	96	0	30	31

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	8	8	0	25	19.5	-2.9	1.073	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	8	10	25	20.5	-2.9	1.074	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	8	8	20	25	19.4	-2.8	1.074	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	8	8	30	25	20.1	-3.5	1.073	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	8	8	40	25	19.2	-3.2	1.074	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	8	8	50	25	19.9	-3	1.074	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	8	9	0	25	19.9	-3	1.074	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	8	9	10	25	19.9	-2.2	1.074	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	8	9	20	25	20.2	-2.4	1.074	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	8	9	30	25	20.2	-3.9	1.074	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	8	9	40	25	19.9	-3.3	1.074	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	8	9	50	25	19.8	-3.5	1.074	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	8	10	0	25	19.7	-3.2	1.074	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	8	10	10	25	19.2	-3.7	1.074	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	8	10	20	25	20.5	-3.2	1.074	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	8	10	30	25	19.2	-2.1	1.074	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	8	10	40	25	20.2	-4.2	1.074	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	8	10	50	25	19.1	-3	1.075	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	8	11	0	25	18.9	-3.4	1.075	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	8	11	10	25	19.8	-3.2	1.075	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	8	11	20	25	19.5	-3.4	1.075	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	8	11	30	25	20.5	-2.8	1.075	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	8	11	40	25	20.8	-1.8	1.075	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	8	11	50	25	20	-2.8	1.075	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	8	12	0	25	19.8	-1.9	1.075	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	8	12	10	25	20.1	-3.2	1.075	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	8	12	20	25	20	-2.6	1.075	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	8	12	30	25	19.9	-2.5	1.075	0.3	0.2	0	28	28.4	0	96	97	0	31	31
2022	1	8	12	40	25	19.8	-3.3	1.075	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	8	12	50	25	19.4	-3.1	1.075	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	8	13	0	25	19.9	-2.1	1.075	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	13	10	25	20.6	-3.3	1.075	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	13	20	25	19.5	-3.2	1.075	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	8	13	30	25	19.9	-2.7	1.075	0.5	0.4	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	13	40	25	19.3	-2.2	1.075	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31
2022	1	8	13	50	25	20	-2.8	1.075	0.4	0.3	0	28.8	28.8	0	97	98	0	30	31
2022	1	8	14	0	25	20.9	-2.7	1.075	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	8	14	10	25	20.3	-3.2	1.075	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	14	20	25	19.9	-2.3	1.075	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	14	30	25	19.3	-2.4	1.075	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	14	40	25	19.9	-2	1.075	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	8	14	50	25	19.4	-2.9	1.075	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	8	15	0	25	20.3	-1.9	1.075	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	15	10	25	19.1	-3.4	1.075	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	15	20	25	19.9	-2.3	1.075	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	15	30	25	19.6	-3.2	1.075	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	8	15	40	25	19.8	-2.2	1.075	0.3	0.2	0	28.4	29.2	0	97	98	0	31	30
2022	1	8	15	50	25	19.8	-2.7	1.075	0.4	0.3	0	28	29.2	0	96	98	0	31	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	8	16	0	25	20	-2.9	1.075	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	8	16	10	25	20.3	-2.6	1.075	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	8	16	20	25	19.8	-3	1.075	0.5	0.4	0	28	28.4	0	95	96	0	30	30
2022	1	8	16	30	25	19.1	-3	1.075	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	8	16	40	25	20	-2.8	1.075	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	8	16	50	25	19.5	-3.4	1.075	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	8	17	0	25	19.5	-3.4	1.075	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	8	17	10	25	18.3	-3	1.075	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	8	17	20	25	19.5	-2.4	1.075	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	8	17	30	25	19.7	-3.2	1.075	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	8	17	40	25	20	-2.6	1.075	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	8	17	50	25	20	-2.7	1.075	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	8	18	0	25	20	-3.4	1.075	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	8	18	10	25	20.5	-3.6	1.075	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	18	20	25	20	-3.6	1.075	0.3	0.2	0	28.4	29.7	0	97	99	0	31	30
2022	1	8	18	30	25	20.6	-3	1.075	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	18	40	25	21.1	-2	1.075	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	8	18	50	25	18.7	-2	1.075	0.3	0.2	0	28.4	29.2	0	97	99	0	31	31
2022	1	8	19	0	25	19.5	-3.2	1.075	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	8	19	10	25	20	-2.3	1.075	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	8	19	20	25	19.4	-3.2	1.075	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	19	30	25	19.3	-3	1.075	0.3	0.2	0	28.4	29.7	0	97	99	0	31	30
2022	1	8	19	40	25	19.4	-3.1	1.075	0.3	0.2	0	28.4	29.7	0	97	99	0	31	30
2022	1	8	19	50	25	19.4	-3.2	1.075	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	20	0	25	20.4	-2.8	1.075	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	20	10	25	19	-2.7	1.075	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	20	20	25	19.7	-2.9	1.075	0.5	0.4	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	20	30	25	19.4	-3.6	1.075	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	8	20	40	25	20.6	-2.8	1.075	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	20	50	25	20.8	-3.1	1.075	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	21	0	25	20	-2.6	1.075	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	8	21	10	25	20	-2.7	1.075	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	8	21	20	25	18.8	-3.4	1.075	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	8	21	30	25	20.5	-3.2	1.075	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	21	40	25	19.7	-3.2	1.075	0.4	0.3	0	29.2	29.7	0	97	99	0	29	30
2022	1	8	21	50	25	19.3	-3.3	1.075	0.5	0.4	0	28.4	29.7	0	97	99	0	31	30
2022	1	8	22	0	25	20.2	-3.2	1.075	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	8	22	10	25	19.8	-3.3	1.075	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	22	20	25	19.9	-3.2	1.075	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	8	22	30	25	20	-2.8	1.075	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	22	40	25	19.2	-2.7	1.075	0.3	0.2	0	28.4	29.7	0	97	99	0	31	30
2022	1	8	22	50	25	20.3	-2.7	1.075	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	23	0	25	19.8	-2.4	1.075	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	8	23	10	25	20.3	-2.7	1.075	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	23	20	25	19.2	-2.4	1.075	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	8	23	30	25	19	-2.7	1.075	0.3	0.2	0	29.2	29.7	0	98	100	0	30	31
2022	1	8	23	40	25	19.7	-3.4	1.075	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	8	23	50	25	20.1	-3.5	1.075	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30



### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	9	0	0	25	19.9	-2.9	1.075	0.5	0.4	0	28.8	29.2	0	97	99	0	30	31
2022	1	9	0	10	25	20.4	-3.5	1.075	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	0	20	25	19.6	-3.6	1.075	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	9	0	30	25	20.3	-3.5	1.075	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	9	0	40	25	20.1	-3.2	1.075	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	0	50	25	20.2	-2.8	1.075	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	9	1	0	25	19.4	-2.9	1.074	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	9	1	10	25	19.6	-3.2	1.074	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	9	1	20	25	19.5	-2.9	1.074	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	9	1	30	25	19.5	-3.3	1.074	0.3	0.2	0	29.2	29.2	0	97	99	0	29	31
2022	1	9	1	40	25	20.1	-2.7	1.074	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	9	1	50	25	19.7	-2.8	1.074	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	9	2	0	25	20.2	-2.8	1.074	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	9	2	10	25	19.7	-3.4	1.074	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	9	2	20	25	20.1	-3.3	1.074	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	2	30	25	19.8	-3	1.074	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	9	2	40	25	18.8	-3	1.074	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	9	2	50	25	18.7	-3.3	1.074	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	9	3	0	25	20.4	-3.3	1.074	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	9	3	10	25	19.3	-3	1.074	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	3	20	25	20.4	-2.7	1.074	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	3	30	25	18.3	-3.3	1.074	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	3	40	25	19.1	-2.9	1.074	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	9	3	50	25	19.3	-3	1.074	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	9	4	0	25	19.8	-3.1	1.074	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	9	4	10	25	19.8	-3.3	1.074	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	4	20	25	19.6	-2.8	1.074	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	9	4	30	25	19.5	-2	1.074	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	9	4	40	25	19.1	-2.5	1.074	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	9	4	50	25	19.8	-2.4	1.074	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	9	5	0	25	20.2	-2.3	1.074	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	9	5	10	25	19.5	-3.2	1.074	0.5	0.4	0	28.4	28.8	0	96	97	0	30	30
2022	1	9	5	20	25	19.8	-3.3	1.074	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	9	5	30	25	20.3	-2.6	1.074	0.4	0.3	0	28	28.8	0	96	97	0	31	30
2022	1	9	5	40	25	19	-2.8	1.074	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	9	5	50	25	19.5	-2	1.074	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	9	6	0	25	20.3	-3.9	1.073	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	9	6	10	25	19.8	-2.6	1.074	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	9	6	20	25	20.2	-2.8	1.073	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	9	6	30	25	20.9	-3.3	1.073	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	9	6	40	25	19.8	-3.1	1.074	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	9	6	50	25	19.8	-2.7	1.073	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	9	7	0	25	19.9	-2.8	1.073	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	9	7	10	25	19.3	-2.7	1.073	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	9	7	20	25	19.5	-2.9	1.073	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	9	7	30	25	20.5	-3.2	1.073	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	9	7	40	25	19.7	-2.9	1.073	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	9	7	50	25	20.6	-3.5	1.073	0.3	0.2	0	30.1	31.4	0	101	103	0	31	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	9	8	0	25	19.5	-3.2	1.073	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	8	10	25	19.3	-2.3	1.073	0.5	0.4	0	28	28.4	0	95	96	0	30	30
2022	1	9	8	20	25	19.3	-3.4	1.073	0.3	0.2	0	31	31	0	102	103	0	30	31
2022	1	9	8	30	25	20.4	-3.3	1.073	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	8	40	25	20	-3.4	1.073	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	9	8	50	25	20.6	-3.7	1.073	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	9	9	0	25	20.6	-2.8	1.073	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	9	10	25	19.6	-3.3	1.073	0.3	0.2	0	30.1	31	0	101	103	0	31	31
2022	1	9	9	20	25	20.1	-3	1.073	0.4	0.3	0	31.8	31.8	0	104	105	0	30	31
2022	1	9	9	30	25	19.8	-2.9	1.074	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	9	40	25	19.9	-2.3	1.074	0.4	0.3	0	30.1	31.4	0	101	103	0	31	30
2022	1	9	9	50	25	19.5	-2.9	1.074	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	9	10	0	25	19.7	-2.6	1.074	0.4	0.3	0	29.7	30.1	0	99	101	0	30	31
2022	1	9	10	10	25	19.7	-2.1	1.074	0.5	0.4	0	31.8	32.3	0	104	106	0	30	31
2022	1	9	10	20	25	19.3	-3.8	1.074	0.3	0.2	0	34	34.4	0	109	110	0	30	30
2022	1	9	10	30	25	19.4	-3.2	1.074	0.3	0.2	0	28.4	29.2	0	97	98	0	31	30
2022	1	9	10	40	25	19.2	-2.6	1.074	0.5	0.4	0	28.4	28	0	96	96	0	30	31
2022	1	9	10	50	25	19.4	-3.4	1.074	0.4	0.3	0	27.5	28.4	0	95	96	0	31	30
2022	1	9	11	0	25	18.4	-3.2	1.074	0.5	0.4	0	31	31.4	0	102	103	0	30	30
2022	1	9	11	10	25	19.2	-3.1	1.074	0.3	0.2	0	33.1	33.5	0	107	109	0	30	31
2022	1	9	11	20	25	20.2	-3.1	1.074	0.3	0.2	0	29.7	29.7	0	99	100	0	30	31
2022	1	9	11	30	25	18.8	-3.5	1.074	0.3	0.2	0	29.2	30.1	0	99	100	0	31	30
2022	1	9	11	40	25	19.6	-3.3	1.074	0.4	0.3	0	29.2	29.2	0	98	99	0	30	31
2022	1	9	11	50	25	19.7	-3.1	1.074	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	9	12	0	25	20.3	-4.3	1.074	0.3	0.2	0	28	28	0	95	95	0	30	30
2022	1	9	12	10	25	20.2	-3.2	1.074	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	9	12	20	25	19.1	-3.3	1.074	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	9	12	30	25	19.9	-3.3	1.074	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	9	12	40	25	20.3	-3.1	1.074	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	9	12	50	25	20	-3.4	1.074	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	9	13	0	25	19	-1.7	1.074	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	9	13	10	25	18.9	-3.2	1.074	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	9	13	20	25	19.3	-3.2	1.074	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	9	13	30	25	19.9	-3.5	1.074	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	9	13	40	25	19	-4.2	1.074	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	9	13	50	25	18.2	-3.3	1.074	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	9	14	0	25	20.3	-3.4	1.074	0.5	0.4	0	28	28.4	0	96	96	0	31	30
2022	1	9	14	10	25	20	-3.9	1.074	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	9	14	20	25	19.3	-3.6	1.074	0.3	0.2	0	28	28.4	0	96	97	0	31	31
2022	1	9	14	30	25	20.2	-3.7	1.074	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	9	14	40	25	19.4	-2.8	1.073	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	9	14	50	25	20.3	-2.9	1.073	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	9	15	0	25	19.7	-2.8	1.073	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	9	15	10	25	19.7	-4	1.073	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	9	15	20	25	19.3	-3	1.073	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	9	15	30	25	18.7	-3.1	1.073	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	9	15	40	25	19.4	-3.3	1.073	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	9	15	50	25	19.6	-3	1.073	0.3	0.2	0	28	28.4	0	95	96	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	9	16	0	25	19.5	-3.2	1.073	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	9	16	10	25	20.6	-3.8	1.073	0.5	0.4	0	27.1	27.1	0	93	94	0	30	31
2022	1	9	16	20	25	19.8	-3.3	1.073	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	9	16	30	25	19.4	-2.6	1.073	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	9	16	40	25	19.4	-3.3	1.073	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	9	16	50	25	20.2	-2.8	1.073	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	9	17	0	25	19.5	-2.4	1.073	0.5	0.4	0	26.7	27.1	0	92	94	0	30	31
2022	1	9	17	10	25	18.2	-3.2	1.073	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	9	17	20	25	19.4	-3.6	1.073	0.5	0.4	0	27.5	27.5	0	94	95	0	30	31
2022	1	9	17	30	25	19.8	-2.6	1.073	0.4	0.3	0	27.5	28.4	0	95	96	0	31	30
2022	1	9	17	40	25	19.2	-3.1	1.073	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	9	17	50	25	19.2	-2.8	1.073	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	9	18	0	25	20.2	-3.4	1.073	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	9	18	10	25	20.3	-3	1.073	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	9	18	20	25	19.2	-2.9	1.073	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	9	18	30	25	20.6	-2.8	1.073	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	9	18	40	25	19.5	-3.7	1.073	0.3	0.2	0	28.8	30.1	0	98	100	0	31	30
2022	1	9	18	50	25	19.5	-3.2	1.073	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	9	19	0	25	19.9	-3.1	1.073	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	9	19	10	25	19.6	-2.5	1.073	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	19	20	25	19.9	-3.2	1.073	0.4	0.3	0	28.8	28.8	0	97	97	0	30	30
2022	1	9	19	30	25	20	-2.8	1.073	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	9	19	40	25	20.3	-2.4	1.073	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	19	50	25	19.7	-3.1	1.073	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	9	20	0	25	19.8	-3.2	1.072	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	20	10	25	19.8	-3	1.073	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	20	20	25	19.1	-2.9	1.073	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	20	30	25	19.9	-3.3	1.073	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	20	40	25	21.1	-3.2	1.072	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	20	50	25	19.6	-3.6	1.072	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	21	0	25	19.3	-2.8	1.072	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	21	10	25	19.7	-3.1	1.072	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	21	20	25	20.3	-3.5	1.072	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	21	30	25	19.6	-3.3	1.072	0.5	0.4	0	28.4	28.8	0	96	98	0	30	31
2022	1	9	21	40	25	19.9	-3.5	1.072	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	21	50	25	19.6	-3	1.072	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	22	0	25	19.9	-2.7	1.072	0.5	0.5	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	22	10	25	19.5	-3.7	1.072	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	9	22	20	25	20.3	-2.7	1.072	0.4	0.3	0	28.8	28.8	0	97	98	0	30	31
2022	1	9	22	30	25	19.5	-2.6	1.072	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	9	22	40	25	20.6	-3.6	1.071	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	22	50	25	19.1	-2.5	1.071	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	9	23	0	25	19.1	-3.5	1.071	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	23	10	25	19.5	-3.2	1.071	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	9	23	20	25	19.5	-3.2	1.071	0.5	0.4	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	23	30	25	18.9	-3.1	1.071	0.3	0.2	0	28.4	29.7	0	97	99	0	31	30
2022	1	9	23	40	25	19.8	-3.7	1.071	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	9	23	50	25	19.4	-3.1	1.071	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	10	0	0	25	20	-2.9	1.071	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	10	0	10	25	18.7	-3.6	1.071	0.4	0.3	0	31	31.4	0	102	103	0	30	30
2022	1	10	0	20	25	19.7	-3.1	1.071	0.4	0.3	0	35.3	36.1	0	112	114	0	30	30
2022	1	10	0	30	25	18.9	-2.9	1.071	0.4	0.3	0	32.7	33.5	0	106	108	0	30	30
2022	1	10	0	40	25	19	-2.3	1.07	0.4	0.3	0	31.4	31.8	0	103	104	0	30	30
2022	1	10	0	50	25	20.8	-2.3	1.07	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	10	1	0	25	19.4	-3.5	1.07	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	10	1	10	25	18.7	-2.3	1.071	0.3	0.2	0	28.8	30.1	0	98	100	0	31	30
2022	1	10	1	20	25	19	-3.1	1.071	0.3	0.2	0	29.2	29.7	0	98	100	0	30	31
2022	1	10	1	30	25	18.7	-2.9	1.07	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	10	1	40	25	20	-3.2	1.07	0.3	0.2	0	28.4	29.2	0	97	99	0	31	31
2022	1	10	1	50	25	19.7	-2.9	1.07	0.3	0.2	0	28.8	29.2	0	98	99	0	31	31
2022	1	10	2	0	25	19.7	-3.1	1.07	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	10	2	10	25	20	-3.2	1.07	0.4	0.3	0	28.8	29.2	0	97	99	0	30	31
2022	1	10	2	20	25	19.6	-3	1.07	0.4	0.3	0	28.8	28.8	0	97	98	0	30	31
2022	1	10	2	30	25	18.8	-2.8	1.07	0.5	0.5	0	28.8	29.2	0	97	98	0	30	30
2022	1	10	2	40	25	19.6	-3.8	1.07	0.3	0.2	0	28.4	28.8	0	97	98	0	31	31
2022	1	10	2	50	25	20.1	-3.5	1.07	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	10	3	0	25	19.3	-3.2	1.07	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	10	3	10	25	19.3	-3.5	1.07	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	10	3	20	25	19	-3.2	1.07	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	10	3	30	25	19.2	-3.1	1.07	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	10	3	40	25	19.9	-3.5	1.07	0.4	0.3	0	28	28.8	0	96	97	0	31	30
2022	1	10	3	50	25	19.3	-2.6	1.07	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	10	4	0	25	19.3	-2.8	1.07	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	10	4	10	25	19.8	-3.7	1.069	0.5	0.4	0	28	28.4	0	95	97	0	30	31
2022	1	10	4	20	25	20.5	-2.9	1.07	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	10	4	30	25	19.6	-3.3	1.07	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	10	4	40	25	19.4	-3	1.07	0.3	0.2	0	28.4	28	0	95	96	0	29	31
2022	1	10	4	50	25	19.3	-3.4	1.069	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	10	5	0	25	19.1	-3.3	1.069	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	10	5	10	25	18.7	-3.7	1.07	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	10	5	20	25	19.2	-3.1	1.069	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	10	5	30	25	19.2	-3.5	1.069	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	10	5	40	25	18.8	-3.1	1.069	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	10	5	50	25	20.8	-2.8	1.069	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	10	6	0	25	19.8	-3.2	1.069	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	10	6	10	25	20.1	-3.1	1.069	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	10	6	20	25	19.4	-3	1.069	0.5	0.4	0	28	28	0	95	96	0	30	31
2022	1	10	6	30	25	20.1	-3.4	1.069	0.4	0.3	0	28	28	0	94	96	0	29	31
2022	1	10	6	40	25	20	-2.7	1.069	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	10	6	50	25	19.4	-3.3	1.069	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	10	7	0	25	19.5	-3	1.069	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	10	7	10	25	20.3	-3.4	1.069	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	10	7	20	25	19.5	-3.1	1.069	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	10	7	30	25	20	-3.5	1.069	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	10	7	40	25	19.2	-2.9	1.068	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	10	7	50	25	19.2	-2.7	1.069	0.3	0.2	0	26.7	28	0	93	95	0	31	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	10	8	0	25	19.8	-3.5	1.068	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	10	8	10	25	18.1	-2.8	1.068	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	10	8	20	25	19.5	-2.9	1.069	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	10	8	30	25	19.5	-3.9	1.068	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	10	8	40	25	20.3	-3.3	1.068	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	10	8	50	25	20.1	-2.9	1.068	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	10	9	0	25	20.3	-3.9	1.068	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	10	9	10	25	19.7	-3.9	1.068	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	10	9	20	25	19.2	-3.4	1.068	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	10	9	30	25	19	-2.9	1.068	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	10	9	40	25	19	-2.9	1.068	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	10	9	50	25	18.9	-2.1	1.069	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	10	10	0	25	20.1	-4	1.068	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	10	10	10	25	19.4	-3	1.068	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	10	10	20	25	18.8	-2.7	1.068	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	10	10	30	25	19.4	-2.4	1.068	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	10	10	40	25	18.8	-3.1	1.068	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	10	10	50	25	20.3	-3.1	1.068	0.5	0.4	0	27.1	27.1	0	93	94	0	30	31
2022	1	10	11	0	25	19.2	-3.4	1.068	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	10	11	10	25	20	-3.7	1.068	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	10	11	20	25	20	-3.5	1.068	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	10	11	30	25	18.7	-3.7	1.068	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	10	11	40	25	18.8	-2.9	1.068	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	10	11	50	25	19.6	-4	1.068	0.4	0.3	0	26.7	27.1	0	93	94	0	31	31
2022	1	10	12	0	25	19.1	-3.5	1.067	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	10	12	10	25	18.6	-3.1	1.068	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	10	12	20	25	18.9	-3	1.067	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	10	12	30	25	19.3	-3.5	1.067	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	10	12	40	25	19.6	-3.1	1.067	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	10	12	50	25	19.7	-3	1.066	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	10	13	0	25	19.1	-3.6	1.066	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	10	13	10	25	19.4	-3.3	1.066	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	10	13	20	25	19.7	-3.3	1.066	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	10	13	30	25	19.2	-2.6	1.065	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	10	13	40	25	19.1	-3.1	1.065	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	10	13	50	25	19.2	-3.3	1.065	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	10	14	0	25	19.3	-3.4	1.065	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	10	14	10	25	20	-3.9	1.065	0.4	0.3	0	26.7	26.7	0	92	93	0	30	31
2022	1	10	14	20	25	19.4	-3	1.065	0.4	0.3	0	26.7	26.7	0	92	93	0	30	31
2022	1	10	14	30	25	19.2	-3.5	1.065	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	10	14	40	25	19.8	-2.9	1.065	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	10	14	50	25	19.9	-3.3	1.065	0.3	0.2	0	26.2	27.1	0	92	93	0	31	30
2022	1	10	15	0	25	19.9	-2.8	1.064	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	10	15	10	25	19.6	-3.5	1.064	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	10	15	20	25	18.3	-3.8	1.064	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	10	15	30	25	18.5	-3.4	1.064	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	10	15	40	25	20.3	-3.1	1.064	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	10	15	50	25	18.9	-3.2	1.064	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	10	16	0	25	21.1	-3.5	1.064	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	10	16	10	25	20.5	-3	1.064	0.4	0.3	0	27.1	27.5	0	93	94	0	30	30
2022	1	10	16	20	25	19.3	-3.4	1.064	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	10	16	30	25	19.2	-3.9	1.064	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	10	16	40	25	18.5	-3.1	1.064	0.4	0.3	0	26.7	27.1	0	93	94	0	31	31
2022	1	10	16	50	25	18.6	-2.8	1.064	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	10	17	0	25	19.6	-3.7	1.064	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	10	17	10	25	19.2	-3.1	1.064	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	10	17	20	25	18.5	-3.9	1.064	0.4	0.3	0	26.7	28	0	93	95	0	31	30
2022	1	10	17	30	25	18.9	-2.7	1.064	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	10	17	40	25	19	-3.4	1.064	0.5	0.4	0	27.5	28	0	94	96	0	30	31
2022	1	10	17	50	25	20.3	-2.9	1.063	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	10	18	0	25	19.1	-2.7	1.063	0.5	0.4	0	28	28.4	0	95	97	0	30	31
2022	1	10	18	10	25	19.2	-4.1	1.063	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	10	18	20	25	19.5	-4	1.063	0.3	0.2	0	28.4	28.4	0	96	96	0	30	30
2022	1	10	18	30	25	19.8	-3.2	1.063	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	10	18	40	25	19.6	-3.3	1.063	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	10	18	50	25	19.6	-3.4	1.063	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	10	19	0	25	19.3	-3.2	1.063	0.5	0.4	0	27.5	28.8	0	95	97	0	31	30
2022	1	10	19	10	25	20.1	-3	1.063	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	10	19	20	25	20.1	-2.6	1.063	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	10	19	30	25	18.9	-3	1.063	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	10	19	40	25	19.6	-2.8	1.063	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	10	19	50	25	19.7	-3.3	1.063	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	10	20	0	25	19.9	-2.8	1.063	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	10	20	10	25	19.3	-3.4	1.063	0.3	0.2	0	28.8	28.4	0	96	97	0	29	31
2022	1	10	20	20	25	19.6	-4	1.063	0.5	0.4	0	27.5	28.4	0	95	96	0	31	30
2022	1	10	20	30	25	20.1	-3.2	1.063	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	10	20	40	25	18.9	-3.8	1.063	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	10	20	50	25	19.2	-3.5	1.063	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	10	21	0	25	18.9	-3.8	1.063	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	10	21	10	25	19.9	-3.3	1.063	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	10	21	20	25	18.9	-2.9	1.063	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	10	21	30	25	19.9	-3.3	1.063	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	10	21	40	25	20	-3.2	1.062	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	10	21	50	25	19.6	-3.1	1.063	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	10	22	0	25	19.8	-2.4	1.062	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	10	22	10	25	18.9	-2.5	1.063	0.4	0.3	0	28	28.8	0	96	97	0	31	30
2022	1	10	22	20	25	18.8	-2.7	1.063	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31
2022	1	10	22	30	25	19.6	-3.8	1.062	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	10	22	40	25	20.1	-3.1	1.062	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	10	22	50	25	19.9	-3.2	1.062	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	10	23	0	25	19.4	-3.9	1.062	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	10	23	10	25	18.8	-2.8	1.062	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	10	23	20	25	19.6	-3.2	1.062	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	10	23	30	25	18.8	-2.4	1.062	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	10	23	40	25	20.9	-3.1	1.062	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	10	23	50	25	18.5	-2.7	1.062	0.3	0.2	0	28	28.4	0	96	97	0	31	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	11	0	0	25	19.4	-4.3	1.062	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	11	0	10	25	19.4	-2.8	1.062	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	11	0	20	25	20.9	-3.1	1.062	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	11	0	30	25	19.8	-3.5	1.062	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	11	0	40	25	20.4	-3.6	1.062	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	11	0	50	25	19.6	-3.1	1.062	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	11	1	0	25	19.6	-2.5	1.062	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	11	1	10	25	19.6	-3.5	1.062	0.3	0.2	0	27.5	28.8	0	94	97	0	30	30
2022	1	11	1	20	25	18.8	-2.8	1.062	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	11	1	30	25	18.9	-3.1	1.061	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	11	1	40	25	20.3	-3.7	1.061	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	11	1	50	25	20.2	-2.8	1.062	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	11	2	0	25	20.6	-2.9	1.061	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	11	2	10	25	19.1	-3.1	1.061	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	11	2	20	25	19.9	-3	1.061	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	11	2	30	25	19.5	-3.6	1.061	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	11	2	40	25	18.4	-3.2	1.061	0.4	0.3	0	27.5	28	0	95	96	0	31	31
2022	1	11	2	50	25	19.9	-4.1	1.061	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	11	3	0	25	19.9	-2.7	1.061	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	11	3	10	25	19.2	-3.1	1.061	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	11	3	20	25	19.6	-3.4	1.061	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	11	3	30	25	19.7	-2.3	1.061	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	11	3	40	25	18.1	-2.3	1.061	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	11	3	50	25	19.3	-3.7	1.061	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	11	4	0	25	19.7	-3	1.061	0.5	0.4	0	27.1	28.4	0	94	96	0	31	30
2022	1	11	4	10	25	19.1	-3	1.061	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	11	4	20	25	19.6	-2.6	1.061	0.4	0.3	0	27.1	28.4	0	94	96	0	31	30
2022	1	11	4	30	25	19.5	-2.8	1.061	0.5	0.4	0	27.1	28	0	94	96	0	31	31
2022	1	11	4	40	25	18.9	-3.1	1.061	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	11	4	50	25	19.2	-3.6	1.061	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	11	5	0	25	19.8	-3.5	1.061	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	11	5	10	25	20.2	-3.1	1.061	0.5	0.4	0	27.5	28	0	94	95	0	30	30
2022	1	11	5	20	25	19.1	-3.4	1.061	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	5	30	25	19.5	-3.1	1.06	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	5	40	25	20.1	-2.9	1.06	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	5	50	25	19.3	-3.4	1.061	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	6	0	25	19.1	-3.4	1.06	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	6	10	25	19.8	-3.6	1.06	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	6	20	25	20.6	-2.6	1.06	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	11	6	30	25	19.1	-2.9	1.06	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	11	6	40	25	18.8	-3.9	1.06	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	6	50	25	18.6	-3.3	1.06	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	11	7	0	25	20.1	-2.6	1.06	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	11	7	10	25	19.5	-3.8	1.06	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	11	7	20	25	19.3	-3.2	1.06	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	11	7	30	25	19.4	-3.3	1.06	0.5	0.4	0	26.7	27.1	0	92	94	0	30	31
2022	1	11	7	40	25	19	-3	1.06	0.4	0.3	0	26.2	27.1	0	92	94	0	31	31
2022	1	11	7	50	25	19.8	-2.8	1.06	0.5	0.4	0	26.2	27.5	0	92	94	0	31	30

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	11	8	0	25	19.8	-3.3	1.06	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	11	8	10	25	19.7	-3.5	1.06	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	11	8	20	25	19.6	-3.4	1.06	0.5	0.4	0	26.7	27.5	0	93	95	0	31	31
2022	1	11	8	30	25	20.2	-2.9	1.06	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	11	8	40	25	19.4	-3.5	1.06	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	11	8	50	25	19.2	-2.7	1.06	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	9	0	25	19.2	-4.1	1.06	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	11	9	10	25	19.2	-3.3	1.06	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	11	9	20	25	19.3	-2.9	1.06	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	11	9	30	25	19.2	-4.1	1.06	0.4	0.3	0	27.1	27.5	0	93	94	0	30	30
2022	1	11	9	40	25	20.1	-4.5	1.06	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	11	9	50	25	20	-3	1.06	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	11	10	0	25	18.7	-2.6	1.06	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	11	10	10	25	18.3	-2.5	1.061	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	11	10	20	25	19.4	-3.4	1.06	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	11	10	30	25	19.6	-2.4	1.06	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	11	10	40	25	19.3	-2.9	1.06	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	10	50	25	19.9	-3.5	1.061	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	11	0	25	19	-4.2	1.06	0.5	0.5	0	27.5	28	0	94	96	0	30	31
2022	1	11	11	10	25	19.1	-2.9	1.061	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	11	11	20	25	19.1	-2.8	1.061	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	11	11	30	25	18.2	-3.9	1.061	0.5	0.4	0	27.1	27.1	0	93	94	0	30	31
2022	1	11	11	40	25	19.2	-2.8	1.061	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	11	11	50	25	19.1	-3.5	1.061	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	11	12	0	25	18.9	-3.6	1.061	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	11	12	10	25	19.5	-3	1.06	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	11	12	20	25	19.1	-3.3	1.061	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	11	12	30	25	19.4	-3	1.061	0.5	0.4	0	26.7	28	0	92	94	0	30	29
2022	1	11	12	40	25	19.9	-3.8	1.061	0.5	0.4	0	26.2	26.7	0	92	94	0	31	32
2022	1	11	12	50	25	19.9	-3.1	1.06	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	11	13	0	25	18.8	-3.5	1.061	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	11	13	10	25	18.9	-3.9	1.06	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	11	13	20	25	20.3	-2.7	1.061	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	11	13	30	25	19.9	-3.2	1.061	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	11	13	40	25	19.1	-3.1	1.06	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	11	13	50	25	19.3	-2.9	1.06	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	11	14	0	25	18.9	-2.7	1.06	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	11	14	10	25	18.7	-2.8	1.06	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	11	14	20	25	19.8	-2.9	1.061	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	11	14	30	25	18.5	-3.4	1.06	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	11	14	40	25	18.7	-2.7	1.06	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	11	14	50	25	19.2	-2.5	1.06	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	11	15	0	25	19.9	-3.3	1.06	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	11	15	10	25	20.3	-3.8	1.06	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	11	15	20	25	19.7	-3.6	1.06	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	11	15	30	25	19.4	-2.7	1.06	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	11	15	40	25	19	-2.7	1.06	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	11	15	50	25	18.7	-3.4	1.06	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31



### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	11	16	0	25	20.4	-2.7	1.06	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	11	16	10	25	20.1	-2.6	1.06	0.4	0.3	0	26.7	27.1	0	92	93	0	30	30
2022	1	11	16	20	25	19.7	-3.3	1.06	0.3	0.2	0	25.8	26.7	0	91	92	0	31	30
2022	1	11	16	30	25	18.3	-2.9	1.06	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	11	16	40	25	19.3	-2.9	1.06	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	11	16	50	25	19.9	-3.9	1.06	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	11	17	0	25	19.5	-2.5	1.06	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	11	17	10	25	19.5	-3.8	1.06	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	11	17	20	25	19.1	-3.1	1.06	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	11	17	30	25	19.7	-3	1.06	0.4	0.3	0	26.2	27.1	0	91	94	0	30	31
2022	1	11	17	40	25	19.3	-2.9	1.06	0.5	0.4	0	27.1	27.5	0	92	94	0	29	30
2022	1	11	17	50	25	19.7	-3.3	1.06	0.4	0.3	0	26.2	27.5	0	92	94	0	31	30
2022	1	11	18	0	25	19.1	-3.4	1.06	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	11	18	10	25	19.2	-3.1	1.06	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	11	18	20	25	18.7	-2.9	1.06	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	11	18	30	25	19.3	-2.1	1.06	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	11	18	40	25	18.8	-3.1	1.06	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	11	18	50	25	20.5	-2.8	1.06	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	11	19	0	25	19.3	-3.1	1.06	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	11	19	10	25	19.3	-3.7	1.06	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	11	19	20	25	18.8	-2.7	1.06	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	19	30	25	18.9	-2.2	1.06	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	11	19	40	25	19.9	-3.5	1.06	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	11	19	50	25	19	-2.6	1.06	0.5	0.4	0	27.1	28	0	94	95	0	31	30
2022	1	11	20	0	25	19.1	-2.8	1.06	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	11	20	10	25	20.1	-2.7	1.06	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	11	20	20	25	19.4	-3.1	1.06	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	11	20	30	25	18.5	-2.7	1.06	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	11	20	40	25	18.8	-3.3	1.06	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	11	20	50	25	19	-2.9	1.06	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	11	21	0	25	20.5	-3.5	1.06	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	11	21	10	25	19.2	-2.6	1.06	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	11	21	20	25	19	-2.9	1.06	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	11	21	30	25	19.7	-3.6	1.06	0.5	0.4	0	27.5	28.4	0	94	96	0	30	30
2022	1	11	21	40	25	19.5	-2.9	1.06	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	11	21	50	25	18.9	-3.3	1.06	0.4	0.3	0	27.1	28.4	0	94	96	0	31	30
2022	1	11	22	0	25	18.4	-3.9	1.06	0.5	0.4	0	27.5	28	0	94	96	0	30	31
2022	1	11	22	10	25	19.4	-3.3	1.06	0.5	0.4	0	27.5	28.4	0	94	96	0	30	30
2022	1	11	22	20	25	19.5	-3.4	1.06	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	11	22	30	25	20.2	-2.7	1.06	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	11	22	40	25	19.2	-3.1	1.06	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	11	22	50	25	18.7	-2.9	1.06	0.3	0.2	0	28.4	28.4	0	95	96	0	29	30
2022	1	11	23	0	25	19.1	-3.1	1.06	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	11	23	10	25	19	-2.6	1.06	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	11	23	20	25	19.2	-3.5	1.06	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	11	23	30	25	19.6	-2.7	1.06	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	11	23	40	25	19.3	-3.2	1.06	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	11	23	50	25	18.6	-2.8	1.06	0.4	0.3	0	28	28.8	0	95	97	0	30	30

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	12	0	0	25	20.4	-3.5	1.06	0.5	0.4	0	27.1	28.4	0	94	96	0	31	30
2022	1	12	0	10	25	18.6	-3	1.06	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	12	0	20	25	19.2	-2.7	1.06	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	12	0	30	25	19.2	-3.5	1.059	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	12	0	40	25	19	-3.1	1.06	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	12	0	50	25	18.8	-2.7	1.06	0.4	0.3	0	27.1	28.4	0	94	96	0	31	30
2022	1	12	1	0	25	18.9	-3.3	1.06	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	12	1	10	25	19.6	-3.4	1.06	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	12	1	20	25	19.3	-3.2	1.06	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	12	1	30	25	19.9	-3.4	1.059	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	12	1	40	25	19.1	-3.7	1.059	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	12	1	50	25	19.3	-3.1	1.059	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	12	2	0	25	20.2	-3.8	1.059	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	12	2	10	25	19.5	-3.2	1.059	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	12	2	20	25	19.1	-2.7	1.059	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	12	2	30	25	20	-2.3	1.059	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	12	2	40	25	19.9	-3.1	1.059	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	12	2	50	25	19.1	-3.5	1.059	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	12	3	0	25	19.7	-3.3	1.059	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	12	3	10	25	20	-3.8	1.059	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	12	3	20	25	19.8	-3.1	1.059	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	12	3	30	25	20	-2.8	1.059	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	12	3	40	25	19.5	-3.8	1.059	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	12	3	50	25	18.2	-2.9	1.059	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	12	4	0	25	20.2	-3.8	1.059	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	12	4	10	25	19.8	-4.5	1.059	0.4	0.3	0	26.7	28	0	93	95	0	31	30
2022	1	12	4	20	25	19	-3.6	1.059	0.4	0.3	0	26.7	28	0	93	95	0	31	30
2022	1	12	4	30	25	18.7	-2.9	1.059	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	12	4	40	25	19.6	-2.7	1.059	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	12	4	50	25	19.2	-3.6	1.059	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	12	5	0	25	18.9	-4.1	1.059	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	12	5	10	25	19.4	-3.2	1.059	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	12	5	20	25	18.7	-2.7	1.059	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	12	5	30	25	19	-2.6	1.059	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	12	5	40	25	19.1	-3.4	1.059	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	12	5	50	25	20.4	-2.6	1.059	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	12	6	0	25	18.9	-2.8	1.059	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	12	6	10	25	18.6	-3.1	1.059	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	12	6	20	25	19.8	-3.4	1.058	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	12	6	30	25	19	-3.2	1.058	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	12	6	40	25	18.6	-2.7	1.059	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	12	6	50	25	19.8	-3.1	1.059	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	12	7	0	25	19.3	-3.1	1.059	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	12	7	10	25	19.1	-2.9	1.058	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	7	20	25	19	-3.1	1.058	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	12	7	30	25	19.1	-3.2	1.059	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	12	7	40	25	19.9	-4.3	1.059	0.4	0.3	0	25.8	27.1	0	92	93	0	32	30
2022	1	12	7	50	25	18.7	-3.6	1.058	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	12	8	0	25	20.2	-3.1	1.059	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	12	8	10	25	19.1	-3.2	1.058	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	12	8	20	25	19	-3.1	1.058	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	12	8	30	25	18.8	-3.2	1.059	0.5	0.4	0	27.5	27.5	0	94	95	0	30	31
2022	1	12	8	40	25	19.2	-2.8	1.059	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	12	8	50	25	19.6	-4.3	1.059	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	12	9	0	25	19.1	-3.7	1.059	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	12	9	10	25	18.8	-2.3	1.059	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	9	20	25	18.6	-3	1.059	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	12	9	30	25	19.1	-3.1	1.059	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	9	40	25	18.8	-3.4	1.059	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	12	9	50	25	19	-4	1.059	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	10	0	25	19.2	-3.5	1.059	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	12	10	10	25	19.1	-3.4	1.059	0.4	0.3	0	26.7	26.7	0	92	93	0	30	31
2022	1	12	10	20	25	19.1	-4.3	1.06	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	12	10	30	25	18.5	-2.9	1.06	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	12	10	40	25	19.5	-3	1.06	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	12	10	50	25	18.9	-3.3	1.06	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	12	11	0	25	19.1	-3.2	1.06	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	11	10	25	19.7	-3.1	1.06	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	12	11	20	25	18.9	-3.8	1.06	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	12	11	30	25	20.1	-3.5	1.06	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	12	11	40	25	19.8	-3.2	1.06	0.5	0.4	0	26.2	26.7	0	91	93	0	30	31
2022	1	12	11	50	25	19.5	-3	1.06	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	12	0	25	19.7	-2.3	1.06	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	12	10	25	19.5	-2.7	1.06	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	12	12	20	25	19.8	-2.6	1.06	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	12	12	30	25	19.3	-3.2	1.06	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	12	12	40	25	19.5	-3.7	1.06	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	12	50	25	18.2	-2.3	1.06	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	12	13	0	25	18.2	-2.9	1.06	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	12	13	10	25	19.6	-4.2	1.06	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	12	13	20	25	18.8	-3.5	1.06	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	13	30	25	18.9	-3.5	1.06	0.4	0.3	0	26.7	27.5	0	93	94	0	31	30
2022	1	12	13	40	25	18.7	-3.1	1.06	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	12	13	50	25	19.5	-3.5	1.06	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	12	14	0	25	19	-3.6	1.06	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	12	14	10	25	19.5	-3.2	1.06	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	14	20	25	20	-3	1.06	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	12	14	30	25	19.7	-3.6	1.06	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	12	14	40	25	19.2	-3.6	1.06	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	14	50	25	18.7	-2.7	1.06	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	12	15	0	25	19.5	-3.9	1.06	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	12	15	10	25	20	-3.1	1.06	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	12	15	20	25	19.2	-3.8	1.06	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	12	15	30	25	19.2	-3.1	1.06	0.4	0.3	0	26.2	27.1	0	92	94	0	31	31
2022	1	12	15	40	25	19.6	-4.2	1.06	0.5	0.4	0	27.1	27.5	0	93	94	0	30	30
2022	1	12	15	50	25	18.4	-2.9	1.06	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	12	16	0	25	19.7	-2.3	1.06	0.4	0.3	0	26.7	27.1	0	92	93	0	30	30
2022	1	12	16	10	25	19.2	-2.4	1.06	0.4	0.3	0	26.7	27.1	0	92	93	0	30	30
2022	1	12	16	20	25	19.4	-4.1	1.06	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	12	16	30	25	19.2	-3.3	1.06	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	12	16	40	25	19.7	-3.5	1.06	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	12	16	50	25	19.8	-3.7	1.06	0.4	0.3	0	26.2	27.1	0	91	93	0	30	30
2022	1	12	17	0	25	18.2	-3.2	1.06	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	12	17	10	25	19.2	-3.3	1.061	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	12	17	20	25	18.7	-2.7	1.061	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	12	17	30	25	19.2	-3.9	1.061	0.4	0.3	0	26.7	27.5	0	93	95	0	31	31
2022	1	12	17	40	25	19.2	-4.1	1.061	0.5	0.4	0	27.1	28	0	93	95	0	30	30
2022	1	12	17	50	25	18.7	-2.6	1.061	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	12	18	0	25	19.3	-3.1	1.061	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	12	18	10	25	19.4	-3.5	1.061	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	12	18	20	25	20.2	-3.3	1.061	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	12	18	30	25	19.2	-3.1	1.061	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	12	18	40	25	20	-3.2	1.061	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	12	18	50	25	19.5	-3.1	1.061	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	12	19	0	25	19	-2.4	1.061	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	12	19	10	25	19.7	-2.8	1.061	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	12	19	20	25	19.5	-1.5	1.061	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	12	19	30	25	19.9	-3.2	1.062	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	12	19	40	25	19.2	-3.4	1.062	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	12	19	50	25	19.5	-2.9	1.062	0.4	0.3	0	28	28.8	0	96	97	0	31	30
2022	1	12	20	0	25	19.2	-2.3	1.062	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	12	20	10	25	18.5	-2.8	1.062	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	12	20	20	25	18.6	-3.2	1.062	0.3	0.2	0	28	29.2	0	95	98	0	30	30
2022	1	12	20	30	25	19.6	-3.2	1.062	0.3	0.2	0	28.4	29.2	0	97	98	0	31	30
2022	1	12	20	40	25	19.5	-3.4	1.062	0.5	0.4	0	28.8	29.2	0	97	99	0	30	31
2022	1	12	20	50	25	19	-3.2	1.062	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	12	21	0	25	19.6	-3.8	1.062	0.4	0.3	0	28	29.2	0	96	98	0	31	30
2022	1	12	21	10	25	19	-2.7	1.062	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	12	21	20	25	18.7	-2.1	1.062	0.5	0.4	0	28.4	29.7	0	97	99	0	31	30
2022	1	12	21	30	25	18.5	-2.4	1.062	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	12	21	40	25	18.8	-3.5	1.062	0.5	0.4	0	28.8	28.8	0	97	98	0	30	31
2022	1	12	21	50	25	19.2	-3.1	1.062	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	12	22	0	25	19.7	-3	1.062	0.5	0.4	0	28.8	28.8	0	97	98	0	30	31
2022	1	12	22	10	25	19.4	-2	1.062	0.4	0.3	0	28	29.2	0	96	98	0	31	30
2022	1	12	22	20	25	20.1	-3.3	1.062	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	12	22	30	25	19.7	-2.4	1.062	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	12	22	40	25	19.4	-3.5	1.062	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	12	22	50	25	18.2	-2.9	1.063	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	12	23	0	25	20.2	-3.3	1.062	0.4	0.3	0	28	29.2	0	96	98	0	31	30
2022	1	12	23	10	25	20.1	-3.6	1.062	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	12	23	20	25	19.6	-3.3	1.062	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	12	23	30	25	18.7	-2.6	1.063	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	12	23	40	25	18.5	-3.3	1.062	0.5	0.4	0	28.8	28.8	0	97	98	0	30	31
2022	1	12	23	50	25	19.7	-3.2	1.063	0.5	0.4	0	28.4	28.8	0	96	98	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	13	0	0	25	19.3	-2.9	1.063	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	0	10	25	19.7	-3.4	1.063	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	0	20	25	19.7	-2.7	1.063	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	13	0	30	25	19.7	-2.4	1.063	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	0	40	25	19.4	-3.8	1.063	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	0	50	25	19.6	-2.8	1.063	0.5	0.4	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	1	0	25	19.8	-3.1	1.063	0.4	0.3	0	28	28.8	0	96	98	0	31	31
2022	1	13	1	10	25	20.5	-3.1	1.063	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	1	20	25	20.4	-2.2	1.063	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	1	30	25	20.1	-3.2	1.063	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	1	40	25	20.5	-2	1.063	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	13	1	50	25	19.7	-3.4	1.063	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	2	0	25	20.1	-3.9	1.063	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	13	2	10	25	19	-2.8	1.063	0.5	0.4	0	28	28.8	0	96	98	0	31	31
2022	1	13	2	20	25	19	-3.2	1.063	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	13	2	30	25	19.7	-3.2	1.063	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	2	40	25	19.6	-3	1.063	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	13	2	50	25	19.8	-2.9	1.063	0.5	0.4	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	3	0	25	19.4	-3.3	1.063	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	3	10	25	19.6	-3.5	1.063	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	13	3	20	25	19.2	-2.7	1.063	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	3	30	25	20	-3.1	1.063	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	3	40	25	20	-2.9	1.063	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	3	50	25	20.2	-2.8	1.064	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	4	0	25	19.3	-2.7	1.064	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	4	10	25	19.5	-3.4	1.064	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	4	20	25	19.3	-2.9	1.064	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	13	4	30	25	19.6	-3	1.064	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	4	40	25	19.5	-3.1	1.064	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	13	4	50	25	19.3	-2.4	1.064	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	5	0	25	19.1	-2.5	1.064	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	13	5	10	25	20	-2.3	1.064	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	5	20	25	18.8	-3	1.064	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	5	30	25	19.5	-2.9	1.064	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	13	5	40	25	19.7	-2.9	1.064	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	13	5	50	25	19.3	-2.5	1.064	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	13	6	0	25	20.1	-3.3	1.064	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	13	6	10	25	19.4	-2.7	1.064	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	13	6	20	25	19.7	-3.2	1.064	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	13	6	30	25	18.9	-2.7	1.064	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	13	6	40	25	19.8	-2.7	1.064	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	13	6	50	25	20.1	-3.2	1.064	0.3	0.2	0	28.4	28.8	0	95	97	0	29	30
2022	1	13	7	0	25	19.5	-2.6	1.064	0.5	0.4	0	28	28.4	0	95	97	0	30	31
2022	1	13	7	10	25	19.1	-3	1.064	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	13	7	20	25	19.7	-3.1	1.064	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	13	7	30	25	20.2	-2.7	1.064	0.3	0.2	0	31	31.8	0	102	104	0	30	30
2022	1	13	7	40	25	19.8	-3.4	1.064	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	13	7	50	25	20.1	-2.3	1.065	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	13	8	0	25	18.9	-2.7	1.064	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	13	8	10	25	20.1	-3.2	1.065	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	13	8	20	25	19.3	-1.4	1.065	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	13	8	30	25	19.5	-3.2	1.065	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	13	8	40	25	20.1	-3.1	1.065	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	13	8	50	25	20.2	-3	1.065	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	13	9	0	25	20.2	-3.6	1.065	0.3	0.2	0	26.7	28	0	92	95	0	30	30
2022	1	13	9	10	25	20.1	-3.2	1.065	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	13	9	20	25	19.7	-2.7	1.065	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	13	9	30	25	19.2	-3.5	1.065	0.3	0.2	0	26.2	27.1	0	91	94	0	30	31
2022	1	13	9	40	25	19.7	-3	1.065	0.5	0.4	0	27.1	27.1	0	92	93	0	29	30
2022	1	13	9	50	25	19.5	-3.1	1.065	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	13	10	0	25	18.7	-2.9	1.065	0.4	0.3	0	26.2	27.1	0	91	93	0	30	30
2022	1	13	10	10	25	19.3	-2.7	1.065	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	13	10	20	25	19.1	-2.8	1.065	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	13	10	30	25	20.1	-4	1.065	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	13	10	40	25	19.2	-3.4	1.065	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	13	10	50	25	20.9	-2.7	1.065	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	13	11	0	25	20	-2.7	1.065	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	13	11	10	25	19.9	-2.8	1.065	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	13	11	20	25	20.4	-3.3	1.066	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	13	11	30	25	20.3	-3.9	1.066	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	13	11	40	25	19.8	-2.6	1.066	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	13	11	50	25	19.4	-2.3	1.066	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	13	12	0	25	20.9	-3.3	1.066	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	13	12	10	25	20.2	-3.5	1.066	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	13	12	20	25	19	-2	1.066	0.4	0.3	0	26.7	28	0	92	95	0	30	30
2022	1	13	12	30	25	19.5	-3.1	1.066	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	13	12	40	25	20.3	-3.1	1.066	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	13	12	50	25	19.3	-3.8	1.066	0.5	0.4	0	27.1	28	0	93	95	0	30	30
2022	1	13	13	0	25	19.7	-3.5	1.066	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	13	13	10	25	19.6	-3.2	1.066	0.3	0.2	0	28	28.8	0	95	98	0	30	31
2022	1	13	13	20	25	19.6	-3.2	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	13	13	30	25	20.3	-3.5	1.066	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	13	13	40	25	19.8	-2.9	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	13	13	50	25	19.4	-3	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	13	14	0	25	19.5	-3.4	1.066	0.5	0.4	0	28	28.4	0	95	97	0	30	31
2022	1	13	14	10	25	19.6	-3.6	1.067	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	13	14	20	25	20.3	-3.6	1.066	0.4	0.3	0	28	26.7	0	95	96	0	30	34
2022	1	13	14	30	25	19.4	-3	1.066	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	13	14	40	25	19.2	-2.9	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	13	14	50	25	19.5	-2.6	1.066	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	13	15	0	25	19.7	-2.8	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	13	15	10	25	20.2	-3.4	1.066	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	13	15	20	25	19.1	-3.3	1.066	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	13	15	30	25	20.1	-2	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	13	15	40	25	19.1	-4	1.066	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	15	50	25	19.3	-2.8	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	13	16	0	25	19.5	-3.1	1.066	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	13	16	10	25	19.8	-2.5	1.066	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	13	16	20	25	19.4	-3.2	1.066	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	13	16	30	25	19.1	-3.2	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	13	16	40	25	19.7	-3.6	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	13	16	50	25	19.2	-3.6	1.066	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	13	17	0	25	20.2	-2.3	1.066	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	13	17	10	25	20.3	-3	1.066	0.5	0.4	0	27.5	28.4	0	95	96	0	31	30
2022	1	13	17	20	25	19.7	-2.9	1.066	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	13	17	30	25	19.7	-3.2	1.066	0.3	0.2	0	28	29.2	0	95	98	0	30	30
2022	1	13	17	40	25	19.7	-2.3	1.066	0.4	0.3	0	28.4	29.7	0	97	99	0	31	30
2022	1	13	17	50	25	19.1	-3.2	1.066	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	18	0	25	20.1	-2.3	1.066	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	13	18	10	25	19.2	-2.4	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	18	20	25	19.2	-2.4	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	13	18	30	25	19.5	-2.3	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	18	40	25	19.8	-3	1.066	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	13	18	50	25	19.7	-2.6	1.066	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	13	19	0	25	19.5	-4.2	1.066	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	19	10	25	20.5	-2.4	1.066	0.4	0.3	0	29.2	29.7	0	97	99	0	29	30
2022	1	13	19	20	25	19.2	-3.2	1.066	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	19	30	25	19.1	-3.7	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	19	40	25	20	-2.3	1.066	0.3	0.2	0	28.4	29.2	0	97	98	0	31	30
2022	1	13	19	50	25	19.2	-3	1.066	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	13	20	0	25	19.6	-2.3	1.066	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	20	10	25	19.4	-2.4	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	13	20	20	25	20	-2.7	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	13	20	30	25	19.8	-2.5	1.066	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	20	40	25	19.6	-3.7	1.066	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	20	50	25	19.6	-2.7	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	13	21	0	25	19.6	-2.8	1.066	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	13	21	10	25	20.9	-3.2	1.066	0.3	0.2	0	28.4	29.7	0	96	98	0	30	29
2022	1	13	21	20	25	19.2	-2.4	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	21	30	25	19.9	-2.8	1.066	0.3	0.2	0	28.4	29.7	0	96	98	0	30	29
2022	1	13	21	40	25	19.2	-2.3	1.066	0.4	0.3	0	28.4	29.7	0	96	99	0	30	30
2022	1	13	21	50	25	19.5	-2.2	1.066	0.4	0.3	0	28.8	28.8	0	97	98	0	30	31
2022	1	13	22	0	25	19.7	-3.4	1.066	0.3	0.2	0	28.4	29.2	0	97	98	0	31	30
2022	1	13	22	10	25	19	-2.5	1.066	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	13	22	20	25	19.8	-3	1.066	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	22	30	25	19.2	-3.2	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	13	22	40	25	19.7	-3.1	1.066	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	13	22	50	25	19.4	-3.1	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	13	23	0	25	18.8	-2.5	1.066	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	23	10	25	20	-3.1	1.066	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	23	20	25	19.2	-2.9	1.066	0.5	0.4	0	29.2	29.2	0	97	98	0	29	30
2022	1	13	23	30	25	20.2	-3.2	1.066	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	23	40	25	20	-3	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	13	23	50	25	20	-3.2	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	14	0	0	25	19.8	-2.5	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	14	0	10	25	18.4	-2.7	1.066	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	14	0	20	25	19.8	-2	1.066	0.5	0.4	0	31.8	32.7	0	104	106	0	30	30
2022	1	14	0	30	25	20	-3.5	1.066	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	14	0	40	25	20	-3.7	1.066	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	14	0	50	25	19.9	-2	1.065	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	14	1	0	25	20.4	-2.4	1.065	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	14	1	10	25	19.9	-3.6	1.065	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	14	1	20	25	19.6	-2.5	1.065	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	14	1	30	25	19.6	-3.6	1.065	0.3	0.2	0	32.3	33.1	0	105	107	0	30	30
2022	1	14	1	40	25	19.2	-2.9	1.065	0.3	0.2	0	30.5	31.8	0	101	103	0	30	29
2022	1	14	1	50	25	18.9	-3.6	1.065	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	14	2	0	25	20.8	-3.3	1.065	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	14	2	10	25	18.9	-3.1	1.065	0.5	0.4	0	28.8	30.1	0	98	100	0	31	30
2022	1	14	2	20	25	19.5	-3.2	1.065	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	14	2	30	25	19.8	-2.5	1.065	0.3	0.2	0	28.4	29.7	0	97	99	0	31	30
2022	1	14	2	40	25	20	-2.8	1.065	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	14	2	50	25	19.6	-2.4	1.065	0.4	0.3	0	28.8	29.2	0	96	98	0	29	30
2022	1	14	3	0	25	19.4	-2.6	1.065	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	14	3	10	25	19.2	-2.9	1.065	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	14	3	20	25	19	-3	1.065	0.3	0.2	0	28.4	29.7	0	96	99	0	30	30
2022	1	14	3	30	25	20.1	-2.7	1.065	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	14	3	40	25	20.4	-3.6	1.065	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	14	3	50	25	19.4	-3.4	1.065	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	14	4	0	25	19.6	-2.7	1.065	0.3	0.2	0	28.8	28.8	0	96	98	0	29	31
2022	1	14	4	10	25	19.3	-2	1.065	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	14	4	20	25	19.3	-2.8	1.065	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	14	4	30	25	19.4	-3.4	1.065	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	14	4	40	25	19.7	-2.9	1.065	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	14	4	50	25	19.9	-3.2	1.065	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	14	5	0	25	19.5	-3.2	1.065	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	14	5	10	25	19.7	-3.7	1.065	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	14	5	20	25	19.9	-3.2	1.065	0.4	0.3	0	28	29.2	0	96	98	0	31	30
2022	1	14	5	30	25	19.5	-3.3	1.065	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	14	5	40	25	19.2	-3.1	1.065	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	14	5	50	25	18.6	-3.7	1.064	0.5	0.4	0	28.8	29.7	0	97	99	0	30	30
2022	1	14	6	0	25	18.7	-3.5	1.065	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	14	6	10	25	19	-2.8	1.065	0.4	0.3	0	28.4	28.8	0	95	97	0	29	30
2022	1	14	6	20	25	18.6	-2.3	1.065	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	14	6	30	25	19.9	-2.2	1.065	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	14	6	40	25	19.9	-1.9	1.066	0.3	0.2	0	30.5	30.5	0	101	102	0	30	31
2022	1	14	6	50	25	21	-3.3	1.066	0.3	0.2	0	31.8	32.3	0	104	106	0	30	31
2022	1	14	7	0	25	19.5	-1.8	1.065	0.5	0.4	0	31	31.8	0	102	104	0	30	30
2022	1	14	7	10	25	20.1	-2	1.065	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	14	7	20	25	20.4	-2.3	1.066	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	14	7	30	25	19.7	-2.6	1.065	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	14	7	40	25	20.6	-2.5	1.065	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	14	7	50	25	19.8	-1.9	1.065	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	14	8	0	25	19.9	-2	1.065	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	14	8	10	25	19	-1.9	1.065	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	14	8	20	25	20.1	-1.9	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	14	8	30	25	20.3	-2.3	1.066	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	14	8	40	25	19.9	-2.3	1.066	0.4	0.3	0	30.1	30.1	0	99	100	0	29	30
2022	1	14	8	50	25	20.4	-2.7	1.065	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	14	9	0	25	20.9	-1.1	1.066	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	14	9	10	25	19.9	-2.1	1.067	0.3	0.2	0	34.4	34.8	0	109	111	0	29	30
2022	1	14	9	20	25	20.3	-2.3	1.066	0.3	0.2	0	33.5	34	0	108	109	0	30	30
2022	1	14	9	30	25	20	-1.5	1.066	0.3	0.2	0	33.1	33.5	0	107	108	0	30	30
2022	1	14	9	40	25	21.2	-2	1.066	0.3	0.2	0	33.1	32.7	0	106	107	0	29	31
2022	1	14	9	50	25	20.1	-2.5	1.066	0.4	0.3	0	33.1	33.5	0	107	108	0	30	30
2022	1	14	10	0	25	19.9	-1.8	1.066	0.3	0.2	0	34	34.8	0	109	111	0	30	30
2022	1	14	10	10	25	19.6	-3	1.067	0.3	0.2	0	33.5	33.5	0	108	109	0	30	31
2022	1	14	10	20	25	21.3	-2.6	1.066	0.3	0.2	0	32.7	33.1	0	106	107	0	30	30
2022	1	14	10	30	25	19.5	-1.4	1.066	0.3	0.2	0	32.7	33.5	0	106	108	0	30	30
2022	1	14	10	40	25	20.7	-3.4	1.067	0.3	0.2	0	32.3	32.7	0	105	106	0	30	30
2022	1	14	10	50	25	20.5	-2.6	1.067	0.4	0.3	0	32.3	32.7	0	105	106	0	30	30
2022	1	14	11	0	25	20.5	-2	1.066	0.3	0.2	0	32.7	33.5	0	106	108	0	30	30
2022	1	14	11	10	25	20.2	-2.4	1.066	0.3	0.2	0	34	34.8	0	109	111	0	30	30
2022	1	14	11	20	25	20.2	-2.1	1.066	0.3	0.2	0	34	34	0	109	110	0	30	31
2022	1	14	11	30	25	20.1	-1.9	1.066	0.5	0.5	0	34	34.8	0	109	111	0	30	30
2022	1	14	11	40	25	20.8	-2.4	1.066	0.3	0.2	0	34	34.4	0	109	110	0	30	30
2022	1	14	11	50	25	20.7	-2.1	1.067	0.3	0.2	0	33.5	34	0	108	109	0	30	30
2022	1	14	12	0	25	20.4	-3.2	1.067	0.3	0.2	0	32.7	33.5	0	107	108	0	31	30
2022	1	14	12	10	25	20	-1.9	1.066	0.4	0.3	0	32.7	33.1	0	106	107	0	30	30
2022	1	14	12	20	25	21.6	-3	1.066	0.3	0.2	0	32.7	33.1	0	106	108	0	30	31
2022	1	14	12	30	25	20.4	-1.7	1.066	0.4	0.3	0	32.3	33.1	0	105	107	0	30	30
2022	1	14	12	40	25	21.2	-2.7	1.066	0.3	0.2	0	31.4	32.7	0	104	106	0	31	30
2022	1	14	12	50	25	19.7	-2.2	1.067	0.4	0.3	0	31.8	31.8	0	104	105	0	30	31
2022	1	14	13	0	25	20.5	-2.6	1.066	0.3	0.2	0	31.4	31.8	0	103	104	0	30	30
2022	1	14	13	10	25	19.4	-1.6	1.067	0.3	0.2	0	31.4	31.4	0	103	104	0	30	31
2022	1	14	13	20	25	20.4	-2.1	1.066	0.3	0.2	0	31	31.4	0	102	104	0	30	31
2022	1	14	13	30	25	20.5	-1.2	1.067	0.3	0.2	0	30.5	31.8	0	102	104	0	31	30
2022	1	14	13	40	25	19.8	-2.2	1.066	0.3	0.2	0	31	31.4	0	102	103	0	30	30
2022	1	14	13	50	25	19.9	-2	1.066	0.3	0.2	0	31	31.4	0	102	103	0	30	30
2022	1	14	14	0	25	20.6	-2.8	1.066	0.3	0.2	0	30.5	31	0	102	103	0	31	31
2022	1	14	14	10	25	20.2	-1.8	1.066	0.3	0.2	0	31.8	31.8	0	103	104	0	29	30
2022	1	14	14	20	25	18.8	-2.4	1.066	0.3	0.2	0	31	31.8	0	102	104	0	30	30
2022	1	14	14	30	25	20	-2.8	1.066	0.3	0.2	0	31	31.8	0	102	104	0	30	30
2022	1	14	14	40	25	20.1	-2.6	1.066	0.5	0.4	0	30.5	31	0	101	102	0	30	30
2022	1	14	14	50	25	20	-2.7	1.066	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	14	15	0	25	19.9	-2.8	1.066	0.4	0.3	0	30.5	31	0	101	102	0	30	30
2022	1	14	15	10	25	20.5	-2.9	1.066	0.3	0.2	0	31	31.4	0	102	104	0	30	31
2022	1	14	15	20	25	20	-3.1	1.066	0.3	0.2	0	31.4	31.8	0	103	104	0	30	30
2022	1	14	15	30	25	20.5	-1.6	1.066	0.4	0.3	0	29.7	30.5	0	100	102	0	31	31
2022	1	14	15	40	25	20.8	-2.1	1.066	0.3	0.2	0	30.1	30.1	0	100	101	0	30	31
2022	1	14	15	50	25	18.8	-1.6	1.066	0.3	0.2	0	29.7	31	0	99	101	0	30	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	14	16	0	25	19.8	-2.8	1.066	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	14	16	10	25	19.5	-2.8	1.066	0.3	0.2	0	28.8	30.1	0	97	100	0	30	30
2022	1	14	16	20	25	20.7	-2.1	1.066	0.4	0.3	0	29.7	29.7	0	98	99	0	29	30
2022	1	14	16	30	25	20	-2.5	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	14	16	40	25	19.6	-2.4	1.066	0.3	0.2	0	28.4	29.7	0	97	99	0	31	30
2022	1	14	16	50	25	20.1	-3.2	1.066	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	14	17	0	25	19.5	-2.7	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	14	17	10	25	18.7	-2.5	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	14	17	20	25	20.1	-2.9	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	14	17	30	25	18.8	-3.1	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	14	17	40	25	19.1	-2.8	1.066	0.4	0.3	0	30.1	29.7	0	99	100	0	29	31
2022	1	14	17	50	25	19.3	-2.8	1.066	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	14	18	0	25	17.6	-3.5	1.066	0.3	0.2	0	29.7	30.1	0	99	101	0	30	31
2022	1	14	18	10	25	19.6	-3.7	1.066	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	14	18	20	25	18.9	-2.2	1.066	0.3	0.2	0	29.7	30.1	0	99	101	0	30	31
2022	1	14	18	30	25	19.3	-1.8	1.066	0.3	0.2	0	29.2	30.1	0	99	100	0	31	30
2022	1	14	18	40	25	20	-2.8	1.066	0.5	0.4	0	29.7	30.1	0	99	100	0	30	30
2022	1	14	18	50	25	20.3	-3	1.066	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	14	19	0	25	20.4	-2.6	1.066	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	14	19	10	25	18.9	-3.7	1.066	0.4	0.3	0	29.7	31	0	99	101	0	30	29
2022	1	14	19	20	25	19.1	-2.1	1.066	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	14	19	30	25	19.5	-2	1.067	0.4	0.3	0	29.2	30.1	0	99	100	0	31	30
2022	1	14	19	40	25	20.3	-1.4	1.066	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	14	19	50	25	20.7	-2.6	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	14	20	0	25	18.6	-3	1.067	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	14	20	10	25	19.4	-2.2	1.066	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	14	20	20	25	20.6	-3	1.067	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	14	20	30	25	19.2	-1.7	1.067	0.3	0.2	0	31	31.8	0	102	104	0	30	30
2022	1	14	20	40	25	19.9	-2.4	1.067	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	14	20	50	25	20.6	-2.4	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	14	21	0	25	18.3	-2.6	1.067	0.4	0.3	0	30.5	31	0	101	102	0	30	30
2022	1	14	21	10	25	19.1	-2.1	1.067	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	14	21	20	25	18.9	-2.2	1.066	0.4	0.3	0	31	31.4	0	102	103	0	30	30
2022	1	14	21	30	25	19	-2.4	1.066	0.4	0.3	0	30.5	31.4	0	100	103	0	29	30
2022	1	14	21	40	25	19.4	-2.8	1.067	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	14	21	50	25	20.1	-3.4	1.067	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	14	22	0	25	20.6	-1.3	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	14	22	10	25	19.3	-3.1	1.067	0.3	0.2	0	30.1	31.8	0	100	103	0	30	29
2022	1	14	22	20	25	19.3	-3.1	1.066	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	14	22	30	25	19.6	-2.4	1.067	0.4	0.3	0	31	31.4	0	101	103	0	29	30
2022	1	14	22	40	25	19.9	-3.1	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	14	22	50	25	20	-3.5	1.066	0.5	0.4	0	29.7	30.5	0	99	101	0	30	30
2022	1	14	23	0	25	19.2	-2.8	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	14	23	10	25	19	-3.7	1.067	0.5	0.4	0	29.7	30.5	0	99	101	0	30	30
2022	1	14	23	20	25	19.3	-3.2	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	14	23	30	25	19.8	-3.2	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	14	23	40	25	20.2	-2.6	1.067	0.4	0.3	0	30.1	30.5	0	100	102	0	30	31
2022	1	14	23	50	25	19	-3.4	1.067	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	15	0	0	25	19.8	-3	1.067	0.3	0.2	0	30.5	30.5	0	100	101	0	29	30
2022	1	15	0	10	25	19.4	-2.4	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	0	20	25	19.7	-2.8	1.067	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	15	0	30	25	20.6	-2.9	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	0	40	25	19	-1.7	1.066	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	15	0	50	25	19.8	-2.9	1.067	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	15	1	0	25	20.1	-2.6	1.067	0.5	0.4	0	30.1	30.5	0	99	100	0	29	29
2022	1	15	1	10	25	19.1	-3.2	1.067	0.3	0.2	0	30.5	30.5	0	100	101	0	29	30
2022	1	15	1	20	25	19.7	-2.8	1.067	0.5	0.4	0	29.7	30.1	0	99	101	0	30	31
2022	1	15	1	30	25	20.9	-3.1	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	1	40	25	19.6	-2.8	1.066	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	1	50	25	19.8	-3.2	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	2	0	25	19.4	-2.4	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	2	10	25	19.2	-3.3	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	2	20	25	19.4	-2.9	1.067	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	15	2	30	25	19.6	-3.6	1.067	0.4	0.3	0	30.1	30.5	0	99	101	0	29	30
2022	1	15	2	40	25	19.5	-1.6	1.066	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	2	50	25	18.7	-3.2	1.067	0.4	0.3	0	30.1	30.5	0	99	101	0	29	30
2022	1	15	3	0	25	19	-3.2	1.067	0.3	0.2	0	29.7	30.1	0	99	101	0	30	31
2022	1	15	3	10	25	20	-2.7	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	3	20	25	19.4	-2.5	1.067	0.4	0.3	0	29.7	30.1	0	99	101	0	30	31
2022	1	15	3	30	25	19.2	-3	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	3	40	25	19.4	-3.5	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	3	50	25	19.4	-2.4	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	4	0	25	19.4	-3.1	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	4	10	25	19.6	-2.6	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	15	4	20	25	20	-3.8	1.066	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	4	30	25	19.5	-3.2	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	15	4	40	25	19.4	-2.8	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	4	50	25	19.4	-3.1	1.066	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	5	0	25	20.2	-2.8	1.066	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	15	5	10	25	19.6	-3.1	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	5	20	25	18.8	-2.6	1.066	0.4	0.3	0	29.2	29.2	0	98	99	0	30	31
2022	1	15	5	30	25	18.7	-3.3	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	5	40	25	18.7	-2.7	1.066	0.5	0.4	0	29.2	29.7	0	98	99	0	30	30
2022	1	15	5	50	25	19.6	-2.4	1.066	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	6	0	25	20.6	-2.9	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	6	10	25	20.2	-2.8	1.066	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	6	20	25	19.3	-2.9	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	15	6	30	25	19.1	-2.6	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	6	40	25	20.2	-2.8	1.066	0.3	0.2	0	28.8	30.1	0	98	100	0	31	30
2022	1	15	6	50	25	18.6	-3.1	1.066	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	7	0	25	19.6	-2.4	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	15	7	10	25	20.1	-3.2	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	15	7	20	25	19.8	-2.7	1.066	0.4	0.3	0	28.8	28.8	0	97	98	0	30	31
2022	1	15	7	30	25	20.2	-3.9	1.066	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	15	7	40	25	19.8	-3	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	15	7	50	25	20.1	-2.4	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	15	8	0	25	19.3	-3.4	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	8	10	25	19.9	-3.7	1.066	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	15	8	20	25	19.8	-2.7	1.066	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	15	8	30	25	19.9	-4.2	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	15	8	40	25	19.6	-2.9	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	15	8	50	25	19.3	-2.8	1.066	0.3	0.2	0	28	28.4	0	94	96	0	29	30
2022	1	15	9	0	25	19.2	-3.2	1.066	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	15	9	10	25	19.9	-2.9	1.066	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	15	9	20	25	19.8	-2.4	1.066	0.3	0.2	0	27.5	27.5	0	93	95	0	29	31
2022	1	15	9	30	25	20.2	-3.2	1.066	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	15	9	40	25	20.5	-3.6	1.066	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	15	9	50	25	18.8	-3.1	1.066	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	15	10	0	25	20.5	-3.6	1.066	0.3	0.2	0	27.5	28.8	0	94	96	0	30	29
2022	1	15	10	10	25	20.1	-3.4	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	15	10	20	25	20	-2.7	1.067	0.3	0.2	0	31.4	32.3	0	104	105	0	31	30
2022	1	15	10	30	25	18.6	-2.6	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	10	40	25	19.6	-2.4	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	15	10	50	25	20.2	-3	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	15	11	0	25	19.1	-3.2	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	15	11	10	25	19.5	-3.3	1.067	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	15	11	20	25	19.7	-2.8	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	15	11	30	25	19.1	-2.3	1.067	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	15	11	40	25	19.2	-3.7	1.067	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	15	11	50	25	20.3	-2.5	1.068	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	12	0	25	19.5	-3.6	1.068	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	12	10	25	19.8	-3.1	1.068	0.5	0.4	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	12	20	25	19	-2.9	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	12	30	25	19.4	-3.8	1.067	0.4	0.3	0	29.2	30.1	0	98	101	0	30	31
2022	1	15	12	40	25	19.5	-2.5	1.067	0.5	0.4	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	12	50	25	19.2	-2.5	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	13	0	25	19.5	-3.2	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	13	10	25	20.3	-3.1	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	13	20	25	19.2	-3	1.067	0.3	0.2	0	29.7	30.1	0	98	100	0	29	30
2022	1	15	13	30	25	19.2	-3.3	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	13	40	25	19.7	-2.5	1.067	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	15	13	50	25	19.5	-3	1.068	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	15	14	0	25	19.8	-3.2	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	14	10	25	19.8	-3.4	1.067	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	15	14	20	25	19.8	-2.6	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	15	14	30	25	19.5	-2.7	1.067	0.4	0.3	0	30.5	31	0	101	102	0	30	30
2022	1	15	14	40	25	19.5	-2.6	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	15	14	50	25	19.2	-2.5	1.068	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	15	15	0	25	19.5	-2.8	1.067	0.3	0.2	0	28.8	29.7	0	98	99	0	31	30
2022	1	15	15	10	25	19.8	-2.5	1.067	0.3	0.2	0	29.2	29.7	0	98	100	0	30	31
2022	1	15	15	20	25	19.6	-3.4	1.067	0.3	0.2	0	28.4	29.7	0	97	99	0	31	30
2022	1	15	15	30	25	19.3	-3.4	1.067	0.3	0.2	0	29.7	30.1	0	98	100	0	29	30
2022	1	15	15	40	25	19.2	-2.7	1.067	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	15	15	50	25	20.3	-2.7	1.067	0.3	0.2	0	29.2	29.7	0	97	99	0	29	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	15	16	0	25	19.5	-2.1	1.067	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	15	16	10	25	19.4	-3.3	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	15	16	20	25	19	-3.5	1.067	0.3	0.2	0	29.2	29.2	0	97	98	0	29	30
2022	1	15	16	30	25	20.1	-3.1	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	15	16	40	25	19.5	-3.5	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	15	16	50	25	19.7	-3	1.068	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	15	17	0	25	19.7	-2.5	1.067	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	15	17	10	25	20.4	-2.8	1.067	0.3	0.2	0	28.8	30.1	0	97	100	0	30	30
2022	1	15	17	20	25	19.1	-3.3	1.068	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	15	17	30	25	19.8	-3.2	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	17	40	25	19.1	-2.7	1.068	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	15	17	50	25	19.1	-2.4	1.068	0.5	0.4	0	30.1	30.5	0	100	102	0	30	31
2022	1	15	18	0	25	19.8	-2.4	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	18	10	25	20	-3.2	1.068	0.3	0.2	0	29.7	31	0	99	101	0	30	29
2022	1	15	18	20	25	19.9	-4	1.068	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	15	18	30	25	19.5	-2.5	1.068	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	15	18	40	25	19.7	-2.7	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	18	50	25	20.2	-3	1.068	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	19	0	25	20.2	-2.7	1.068	0.3	0.2	0	29.2	30.5	0	99	101	0	31	30
2022	1	15	19	10	25	19.5	-3.2	1.068	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	19	20	25	19.8	-3.3	1.068	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	19	30	25	19.3	-2.8	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	19	40	25	19.6	-2.6	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	19	50	25	19.5	-2.5	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	20	0	25	19.2	-2.8	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	20	10	25	18.5	-3.4	1.068	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	15	20	20	25	19.6	-3.1	1.068	0.5	0.4	0	30.1	30.5	0	99	101	0	29	30
2022	1	15	20	30	25	19.9	-3.5	1.068	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	20	40	25	19.6	-3.1	1.068	0.3	0.2	0	30.5	30.5	0	100	101	0	29	30
2022	1	15	20	50	25	19.5	-3.1	1.068	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	15	21	0	25	19.7	-3.5	1.068	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	15	21	10	25	19.8	-2.8	1.068	0.5	0.5	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	21	20	25	19.1	-3.1	1.068	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	15	21	30	25	19.3	-3.9	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	21	40	25	19.2	-3	1.068	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	15	21	50	25	19.6	-3.3	1.068	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	22	0	25	19.9	-3.7	1.068	0.4	0.3	0	30.1	30.1	0	100	101	0	30	31
2022	1	15	22	10	25	18.9	-3.5	1.068	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	15	22	20	25	18.7	-3.3	1.068	0.3	0.2	0	30.1	30.5	0	100	102	0	30	31
2022	1	15	22	30	25	19.4	-2.5	1.068	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	22	40	25	19	-3.1	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	22	50	25	20.2	-2.8	1.068	0.4	0.3	0	30.1	30.1	0	99	101	0	29	31
2022	1	15	23	0	25	19.8	-2.6	1.068	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	15	23	10	25	20	-2.8	1.068	0.5	0.4	0	29.7	30.1	0	99	100	0	30	30
2022	1	15	23	20	25	19.5	-3	1.068	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	15	23	30	25	18.7	-2.8	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	23	40	25	20	-2.8	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	15	23	50	25	19.8	-3.9	1.068	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	16	0	0	25	19.5	-3.6	1.068	0.3	0.2	0	29.7	29.7	0	99	100	0	30	31
2022	1	16	0	10	25	18.5	-2.8	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	16	0	20	25	20	-2.5	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	16	0	30	25	19	-2.8	1.068	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	16	0	40	25	19.9	-3.7	1.067	0.3	0.2	0	30.1	30.1	0	99	101	0	29	31
2022	1	16	0	50	25	19.1	-2.4	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	16	1	0	25	19	-4	1.068	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	16	1	10	25	20	-2.8	1.068	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	16	1	20	25	19.8	-2.8	1.068	0.4	0.3	0	29.7	30.1	0	98	100	0	29	30
2022	1	16	1	30	25	19.8	-2.8	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	16	1	40	25	19.8	-2.6	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	1	50	25	18.6	-3	1.067	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	16	2	0	25	20.4	-3.1	1.067	0.3	0.2	0	29.2	29.7	0	98	100	0	30	31
2022	1	16	2	10	25	19.8	-2.5	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	2	20	25	20.2	-3.5	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	16	2	30	25	19.8	-3.2	1.067	0.3	0.2	0	29.2	30.1	0	98	101	0	30	31
2022	1	16	2	40	25	19.6	-2	1.067	0.4	0.3	0	29.2	30.1	0	99	100	0	31	30
2022	1	16	2	50	25	19.3	-3.1	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	3	0	25	19.5	-4.3	1.067	0.3	0.2	0	29.7	29.7	0	99	100	0	30	31
2022	1	16	3	10	25	19.3	-2.9	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	3	20	25	19.8	-2.8	1.067	0.3	0.2	0	30.1	30.1	0	99	100	0	29	30
2022	1	16	3	30	25	19.3	-3.2	1.067	0.3	0.2	0	29.7	29.7	0	99	100	0	30	31
2022	1	16	3	40	25	19.3	-3.9	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	16	3	50	25	19	-3.2	1.067	0.3	0.2	0	30.1	30.1	0	100	101	0	30	31
2022	1	16	4	0	25	19.2	-3	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	4	10	25	19	-2.6	1.067	0.3	0.2	0	29.7	30.1	0	99	101	0	30	31
2022	1	16	4	20	25	20.2	-3.2	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	16	4	30	25	19.3	-2.8	1.067	0.3	0.2	0	29.2	29.7	0	98	100	0	30	31
2022	1	16	4	40	25	18.7	-3.7	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	16	4	50	25	19.4	-3.2	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	16	5	0	25	20.2	-3.2	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	5	10	25	19.8	-4.6	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	5	20	25	18.6	-2.6	1.067	0.3	0.2	0	29.7	29.7	0	98	99	0	29	30
2022	1	16	5	30	25	19.4	-2.9	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	5	40	25	19.5	-3.3	1.067	0.3	0.2	0	29.7	29.2	0	98	99	0	29	31
2022	1	16	5	50	25	19.5	-3.3	1.067	0.3	0.2	0	28.4	29.2	0	97	99	0	31	31
2022	1	16	6	0	25	19.7	-3.2	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	6	10	25	19.4	-2.8	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	6	20	25	19.6	-2.9	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	6	30	25	18.6	-3.3	1.067	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	6	40	25	19.2	-3.3	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	6	50	25	18.9	-2.4	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	16	7	0	25	19.3	-3.4	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	7	10	25	19.2	-2.7	1.067	0.5	0.4	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	7	20	25	19	-3.3	1.067	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	16	7	30	25	19.3	-3.6	1.067	0.4	0.3	0	29.2	28.8	0	97	98	0	29	31
2022	1	16	7	40	25	19.6	-2	1.067	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	16	7	50	25	19.9	-3.1	1.067	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	16	8	0	25	20.3	-3	1.067	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	16	8	10	25	19.1	-2.4	1.067	0.3	0.2	0	28.8	28.8	0	96	98	0	29	31
2022	1	16	8	20	25	20.4	-3.1	1.067	0.3	0.2	0	28.4	28.8	0	97	98	0	31	31
2022	1	16	8	30	25	18.6	-4	1.067	0.3	0.2	0	28.8	29.2	0	96	98	0	29	30
2022	1	16	8	40	25	18.8	-3.3	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	16	8	50	25	18	-2.9	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	9	0	25	19.8	-3.6	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	16	9	10	25	18.9	-3.6	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	16	9	20	25	18.5	-3.3	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	9	30	25	19.5	-3.8	1.067	0.3	0.2	0	29.2	29.2	0	97	98	0	29	30
2022	1	16	9	40	25	19	-4.3	1.068	0.5	0.4	0	28.8	29.2	0	97	97	0	30	29
2022	1	16	9	50	25	19.1	-3.7	1.068	0.3	0.2	0	28.8	28.8	0	97	97	0	30	30
2022	1	16	10	0	25	19.6	-2.4	1.068	0.4	0.3	0	28.8	29.7	0	97	98	0	30	29
2022	1	16	10	10	25	19.5	-4	1.068	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	16	10	20	25	19.8	-3	1.068	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	16	10	30	25	19.6	-3.9	1.068	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	16	10	40	25	18.7	-4	1.068	0.4	0.3	0	28.4	28.8	0	97	98	0	31	31
2022	1	16	10	50	25	19.1	-3.4	1.068	0.5	0.4	0	28.8	28.8	0	97	97	0	30	30
2022	1	16	11	0	25	19.7	-3.4	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	11	10	25	19.7	-3.8	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	11	20	25	18.4	-3.3	1.068	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	16	11	30	25	20.2	-3.4	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	11	40	25	18.7	-2.7	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	11	50	25	19.1	-3.1	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	12	0	25	20.2	-2.4	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	12	10	25	19.4	-3.2	1.069	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	12	20	25	19.3	-3.4	1.069	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	12	30	25	19.1	-3.9	1.069	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	12	40	25	19.6	-2.9	1.068	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	12	50	25	19.8	-3	1.069	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	13	0	25	19.6	-3.6	1.068	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	16	13	10	25	19.4	-2.8	1.069	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	16	13	20	25	19.8	-2.9	1.069	0.3	0.2	0	28.4	29.7	0	97	99	0	31	30
2022	1	16	13	30	25	19.4	-3.3	1.069	0.5	0.4	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	13	40	25	19.5	-2.7	1.068	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	13	50	25	19.2	-3.3	1.069	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	14	0	25	19	-2.4	1.068	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	14	10	25	19.6	-2.9	1.068	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	16	14	20	25	19.4	-2.6	1.068	0.5	0.4	0	29.7	30.5	0	99	101	0	30	30
2022	1	16	14	30	25	20	-2.5	1.068	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	16	14	40	25	19.6	-2.6	1.069	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	16	14	50	25	19.8	-4.1	1.068	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	15	0	25	19.2	-2.7	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	16	15	10	25	19.3	-4.5	1.068	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	16	15	20	25	18.9	-3	1.068	0.3	0.2	0	29.7	30.1	0	98	100	0	29	30
2022	1	16	15	30	25	19.8	-3.2	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	15	40	25	19.7	-3.3	1.068	0.3	0.2	0	28.8	28.8	0	96	98	0	29	31
2022	1	16	15	50	25	20.1	-3.7	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	16	16	0	25	18.9	-3.6	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	16	16	10	25	19.1	-3.1	1.068	0.3	0.2	0	28.4	28.4	0	96	96	0	30	30
2022	1	16	16	20	25	19.9	-3.9	1.068	0.5	0.4	0	28	28	0	95	96	0	30	31
2022	1	16	16	30	25	19.3	-2.8	1.068	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	16	16	40	25	19.4	-3.2	1.068	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	16	16	50	25	19.9	-3.4	1.068	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	16	17	0	25	20	-2.5	1.068	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	16	17	10	25	18.5	-3.9	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	16	17	20	25	20.2	-3.2	1.068	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	16	17	30	25	19.7	-2.6	1.068	0.4	0.3	0	28.4	29.2	0	96	97	0	30	29
2022	1	16	17	40	25	19.1	-3.1	1.068	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	16	17	50	25	19.9	-3.2	1.068	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	16	18	0	25	20.2	-1.8	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	16	18	10	25	19.9	-3.1	1.068	0.4	0.3	0	28	29.2	0	96	98	0	31	30
2022	1	16	18	20	25	19.4	-3.3	1.068	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	16	18	30	25	19.1	-3.6	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	18	40	25	19	-3.3	1.068	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	16	18	50	25	19.5	-3.5	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	19	0	25	19	-3.2	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	19	10	25	18.9	-3.2	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	19	20	25	19.5	-3.6	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	16	19	30	25	19.9	-2.9	1.068	0.3	0.2	0	29.2	29.2	0	97	98	0	29	30
2022	1	16	19	40	25	18.9	-3.3	1.068	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	16	19	50	25	19.1	-2.6	1.068	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	20	0	25	18.9	-3.6	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	20	10	25	18.6	-3.3	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	20	20	25	19.8	-2.6	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	20	30	25	19.5	-2.8	1.068	0.3	0.2	0	28.8	30.1	0	97	99	0	30	29
2022	1	16	20	40	25	19.6	-3.2	1.068	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	20	50	25	21.2	-2.9	1.068	0.3	0.2	0	29.2	29.2	0	97	98	0	29	30
2022	1	16	21	0	25	20.2	-2.6	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	16	21	10	25	19.4	-2.3	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	21	20	25	20.2	-2.8	1.068	0.5	0.5	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	21	30	25	20.6	-2.5	1.068	0.3	0.2	0	29.2	29.2	0	97	98	0	29	30
2022	1	16	21	40	25	20.5	-3	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	16	21	50	25	19.1	-3.4	1.068	0.3	0.2	0	29.7	29.7	0	98	99	0	29	30
2022	1	16	22	0	25	19.3	-4.1	1.068	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	22	10	25	19.5	-3.3	1.068	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	22	20	25	19.3	-4	1.068	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	22	30	25	19.6	-2.3	1.068	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	22	40	25	19.5	-3.3	1.068	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	16	22	50	25	19.4	-3.1	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	23	0	25	18.1	-2.8	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	23	10	25	18.9	-2.7	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	23	20	25	20.1	-3.3	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	23	30	25	19.9	-3.6	1.068	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	16	23	40	25	20.4	-2.4	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	16	23	50	25	19.4	-2.4	1.068	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30



### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	17	0	0	25	20.4	-1.8	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	0	10	25	18.6	-2.9	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	17	0	20	25	19.9	-2.6	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	17	0	30	25	19.8	-3.8	1.068	0.5	0.4	0	28.8	29.2	0	97	98	0	30	30
2022	1	17	0	40	25	19.7	-2.6	1.068	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	17	0	50	25	19.2	-3.2	1.068	0.3	0.2	0	28.8	28.8	0	96	98	0	29	31
2022	1	17	1	0	25	19.1	-3.2	1.068	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	17	1	10	25	19.6	-2.8	1.068	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	17	1	20	25	20.1	-3.3	1.068	0.3	0.2	0	28.8	28.4	0	96	97	0	29	31
2022	1	17	1	30	25	19.3	-2.5	1.068	0.3	0.2	0	28.8	29.2	0	96	98	0	29	30
2022	1	17	1	40	25	20.5	-3.6	1.068	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	17	1	50	25	20	-3.2	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	2	0	25	19.7	-3.2	1.068	0.4	0.3	0	28.8	29.2	0	96	98	0	29	30
2022	1	17	2	10	25	19.7	-2.9	1.068	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	17	2	20	25	20.3	-3	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	2	30	25	19.6	-3.5	1.068	0.4	0.3	0	28	29.7	0	96	98	0	31	29
2022	1	17	2	40	25	20.6	-2.8	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	2	50	25	19.5	-3.6	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	3	0	25	19.5	-3.2	1.068	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	17	3	10	25	19.9	-2.8	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	3	20	25	19.3	-3.2	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	3	30	25	19.2	-3.1	1.068	0.4	0.3	0	28	28.8	0	96	97	0	31	30
2022	1	17	3	40	25	19.6	-2.5	1.068	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	17	3	50	25	19.6	-3	1.068	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	17	4	0	25	19.3	-3.2	1.068	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	4	10	25	19.8	-2.7	1.068	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	17	4	20	25	20	-2.8	1.068	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	17	4	30	25	19.5	-2.5	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	4	40	25	19.4	-3.4	1.068	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31
2022	1	17	4	50	25	19.9	-3.1	1.067	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	17	5	0	25	19.3	-3.3	1.068	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	17	5	10	25	19.7	-3.1	1.068	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	17	5	20	25	19.4	-2.9	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	5	30	25	19.5	-2.8	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	17	5	40	25	19.7	-2.1	1.068	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	5	50	25	19.1	-2.8	1.067	0.3	0.2	0	27.5	28.8	0	95	98	0	31	31
2022	1	17	6	0	25	19.5	-3.9	1.068	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	17	6	10	25	19.6	-2	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	17	6	20	25	19.7	-2.6	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	17	6	30	25	20	-3.2	1.068	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	17	6	40	25	20.2	-2.8	1.068	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	17	6	50	25	19.1	-2.4	1.068	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	17	7	0	25	19	-3.5	1.068	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	17	7	10	25	19.7	-2.8	1.068	0.5	0.4	0	28	28.4	0	95	97	0	30	31
2022	1	17	7	20	25	19.8	-3.5	1.068	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	17	7	30	25	19.7	-2.6	1.069	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	17	7	40	25	19.3	-4	1.069	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	17	7	50	25	19.2	-3.2	1.069	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	17	8	0	25	18.2	-3.3	1.07	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	17	8	10	25	19.7	-2.6	1.069	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	17	8	20	25	20.3	-3.4	1.069	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	17	8	30	25	19.8	-3.3	1.07	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	17	8	40	25	19.4	-2.5	1.069	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	17	8	50	25	18.6	-4.5	1.07	0.4	0.3	0	26.7	28	0	93	95	0	31	30
2022	1	17	9	0	25	19.4	-3.9	1.07	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	17	9	10	25	19.3	-4.4	1.07	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	17	9	20	25	19.3	-4	1.07	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	17	9	30	25	19.1	-3.1	1.07	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	17	9	40	25	19.8	-2.8	1.07	0.5	0.4	0	27.1	28	0	93	95	0	30	30
2022	1	17	9	50	25	19.1	-2.4	1.07	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	17	10	0	25	20.2	-3.4	1.07	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	17	10	10	25	19.5	-3.6	1.071	0.3	0.2	0	26.2	28	0	92	95	0	31	30
2022	1	17	10	20	25	19.7	-2.8	1.07	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	17	10	30	25	18.7	-3.6	1.07	0.3	0.2	0	26.7	28	0	92	95	0	30	30
2022	1	17	10	40	25	19	-2.7	1.071	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	17	10	50	25	20.6	-3.3	1.07	0.4	0.3	0	26.7	28	0	92	95	0	30	30
2022	1	17	11	0	25	19.2	-2.8	1.071	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	17	11	10	25	19.5	-2.9	1.071	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	17	11	20	25	19.6	-3.3	1.071	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	17	11	30	25	19.1	-3.8	1.071	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	17	11	40	25	19.2	-2.8	1.071	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	17	11	50	25	19.7	-2.6	1.071	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	17	12	0	25	19.4	-2.4	1.071	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	17	12	10	25	20.5	-3.6	1.072	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	12	20	25	20.8	-3.1	1.072	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	12	30	25	19.4	-3.2	1.072	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	17	12	40	25	19.6	-2.2	1.072	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	17	12	50	25	20.4	-2.8	1.072	0.3	0.2	0	28.4	29.2	0	96	99	0	30	31
2022	1	17	13	0	25	19.6	-3.5	1.072	0.4	0.3	0	29.2	29.2	0	98	99	0	30	31
2022	1	17	13	10	25	19.3	-3.2	1.072	0.5	0.4	0	28.4	28.8	0	96	98	0	30	31
2022	1	17	13	20	25	19.9	-3.9	1.072	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	17	13	30	25	20	-3.2	1.072	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	17	13	40	25	19.4	-2.8	1.072	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	13	50	25	20.3	-3.2	1.072	0.5	0.4	0	28.8	29.2	0	97	98	0	30	30
2022	1	17	14	0	25	20.2	-2.4	1.072	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	17	14	10	25	19.9	-3.4	1.072	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	14	20	25	20.1	-3.2	1.072	0.4	0.3	0	28	29.2	0	96	98	0	31	30
2022	1	17	14	30	25	19.4	-2.6	1.071	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	17	14	40	25	20.6	-3	1.071	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	14	50	25	19.3	-3.3	1.071	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	17	15	0	25	19.2	-3.2	1.071	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	17	15	10	25	19.1	-3.4	1.071	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	17	15	20	25	20.2	-3.1	1.071	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	17	15	30	25	19.7	-2.3	1.071	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	17	15	40	25	20.2	-3.2	1.071	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	17	15	50	25	19.5	-3.1	1.071	0.3	0.2	0	28	28.8	0	95	97	0	30	30

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	17	16	0	25	18.9	-2.1	1.071	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	17	16	10	25	19.4	-4.2	1.071	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	17	16	20	25	19.4	-3	1.071	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	17	16	30	25	20.2	-2.6	1.071	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	17	16	40	25	20.3	-2.9	1.071	0.5	0.4	0	27.1	27.5	0	93	94	0	30	30
2022	1	17	16	50	25	19.2	-2.8	1.071	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	17	17	0	25	19.9	-3.2	1.071	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	17	17	10	25	19.8	-2.2	1.071	0.5	0.4	0	27.1	28	0	93	95	0	30	30
2022	1	17	17	20	25	20	-3.4	1.071	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	17	17	30	25	19.5	-3	1.071	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	17	17	40	25	20.9	-3	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	17	17	50	25	19.2	-3.1	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	17	18	0	25	20.6	-3.6	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	17	18	10	25	19.1	-2.5	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	17	18	20	25	20.2	-2.9	1.07	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	17	18	30	25	20	-4.2	1.071	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	17	18	40	25	19.4	-2.4	1.07	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	17	18	50	25	19	-2.8	1.07	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	17	19	0	25	20.4	-2.7	1.07	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	17	19	10	25	18.8	-3	1.07	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	17	19	20	25	19.9	-3.9	1.07	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	17	19	30	25	19.1	-2.4	1.069	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	17	19	40	25	19.5	-3.1	1.069	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	17	19	50	25	18.7	-2.7	1.069	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	17	20	0	25	20	-3.6	1.068	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	17	20	10	25	19.9	-3.4	1.069	0.5	0.4	0	28	28.4	0	95	96	0	30	30
2022	1	17	20	20	25	20.2	-3.4	1.069	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	17	20	30	25	19	-3.3	1.068	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	17	20	40	25	19.3	-3	1.068	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	17	20	50	25	20	-2.3	1.068	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	17	21	0	25	19.2	-3.5	1.068	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	17	21	10	25	19.7	-3.2	1.068	0.3	0.2	0	27.5	28.8	0	94	97	0	30	30
2022	1	17	21	20	25	19.5	-3.1	1.068	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	17	21	30	25	19.6	-2.8	1.068	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	17	21	40	25	20.5	-3.2	1.068	0.5	0.4	0	28	28.8	0	95	97	0	30	30
2022	1	17	21	50	25	20.2	-2.9	1.068	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	17	22	0	25	19.4	-2.8	1.068	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	17	22	10	25	19.8	-2.7	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	17	22	20	25	19.3	-3.2	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	17	22	30	25	20	-2.3	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	17	22	40	25	20.2	-3.2	1.068	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	17	22	50	25	19.7	-2.8	1.068	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	17	23	0	25	19.7	-3.1	1.068	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	17	23	10	25	19.7	-3.9	1.068	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	17	23	20	25	20.4	-2.7	1.068	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	17	23	30	25	20.2	-2.8	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	17	23	40	25	20.2	-3.7	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	17	23	50	25	20.1	-3.3	1.068	0.4	0.3	0	28	28.4	0	95	97	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	18	0	0	25	18.9	-3.1	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	0	10	25	20.3	-3.1	1.068	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	18	0	20	25	19.5	-3.7	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	0	30	25	19.5	-3	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	0	40	25	19.5	-3.6	1.068	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	18	0	50	25	18.7	-3.3	1.068	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	18	1	0	25	19.7	-3.4	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	1	10	25	18.9	-2.6	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	1	20	25	19.8	-2.2	1.069	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	18	1	30	25	20.7	-3.1	1.069	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	18	1	40	25	19.8	-2.3	1.069	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	1	50	25	19.4	-3.2	1.069	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	2	0	25	20.1	-2.7	1.069	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	18	2	10	25	19.4	-3.1	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	2	20	25	19.4	-2.8	1.069	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	2	30	25	19.8	-3.2	1.069	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	18	2	40	25	19	-3.2	1.069	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	18	2	50	25	19.3	-3	1.069	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	3	0	25	19.5	-3.2	1.069	0.4	0.3	0	27.1	28.4	0	94	96	0	31	30
2022	1	18	3	10	25	19.5	-3.4	1.069	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	3	20	25	19.9	-3	1.07	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	3	30	25	19.5	-2	1.07	0.5	0.4	0	27.5	28	0	94	96	0	30	31
2022	1	18	3	40	25	19.8	-3	1.07	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	3	50	25	19.8	-2.3	1.07	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	4	0	25	18.7	-3.7	1.07	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	4	10	25	19.5	-3.9	1.07	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	4	20	25	19.7	-3.4	1.07	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	18	4	30	25	19.6	-3.8	1.07	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	4	40	25	20.4	-3.5	1.07	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	18	4	50	25	20.4	-2.3	1.07	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	5	0	25	19.9	-3.5	1.07	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	18	5	10	25	19.4	-3.4	1.07	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	5	20	25	18.8	-2.7	1.07	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	18	5	30	25	19.7	-4.2	1.07	0.5	0.4	0	27.5	28	0	94	96	0	30	31
2022	1	18	5	40	25	20.2	-2.5	1.07	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	18	5	50	25	19.4	-3.3	1.07	0.4	0.3	0	27.1	28.4	0	94	96	0	31	30
2022	1	18	6	0	25	19.7	-3	1.07	0.5	0.4	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	6	10	25	20.2	-2.7	1.07	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	18	6	20	25	19.6	-2.8	1.07	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	18	6	30	25	19.7	-3.4	1.07	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	18	6	40	25	20	-2.6	1.07	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	6	50	25	20.1	-3.5	1.07	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	18	7	0	25	19.3	-4.1	1.07	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	18	7	10	25	19.9	-3	1.07	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	18	7	20	25	19.2	-2.9	1.07	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	18	7	30	25	20.3	-3.1	1.07	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	18	7	40	25	20.1	-3.9	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	18	7	50	25	20.5	-3.1	1.07	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	18	8	0	25	19	-3.4	1.07	0.5	0.4	0	26.7	27.1	0	92	94	0	30	31
2022	1	18	8	10	25	19.3	-4	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	18	8	20	25	19.4	-3.3	1.07	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	18	8	30	25	19.6	-3	1.07	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	18	8	40	25	19.1	-2.8	1.07	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	18	8	50	25	19.2	-3.7	1.07	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	18	9	0	25	19.8	-2.9	1.07	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	18	9	10	25	19.9	-3	1.07	0.3	0.2	0	26.7	28	0	92	95	0	30	30
2022	1	18	9	20	25	19.2	-2.9	1.07	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	18	9	30	25	19	-3.5	1.071	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	18	9	40	25	20	-3.4	1.071	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	18	9	50	25	19.6	-3	1.071	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	18	10	0	25	18.7	-3.2	1.071	0.4	0.3	0	27.5	27.5	0	93	95	0	29	31
2022	1	18	10	10	25	19.4	-3.8	1.071	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	18	10	20	25	19.5	-3.4	1.071	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	18	10	30	25	20.1	-2.8	1.071	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	18	10	40	25	20	-3.7	1.071	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	18	10	50	25	19.3	-3	1.071	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	18	11	0	25	20.7	-2.8	1.071	0.3	0.2	0	27.1	28.4	0	93	96	0	30	30
2022	1	18	11	10	25	19.8	-2.8	1.071	0.3	0.2	0	28	28	0	94	95	0	29	30
2022	1	18	11	20	25	20.4	-3.5	1.071	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	18	11	30	25	19.1	-3.1	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	18	11	40	25	19.5	-2.8	1.071	0.3	0.2	0	27.5	28.8	0	94	97	0	30	30
2022	1	18	11	50	25	19.5	-3.5	1.071	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	18	12	0	25	20.8	-3.6	1.071	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	18	12	10	25	18.7	-2.8	1.071	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	18	12	20	25	18.7	-2.4	1.071	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	18	12	30	25	20.1	-2.5	1.071	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	18	12	40	25	19.7	-3.4	1.071	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	18	12	50	25	19.6	-3	1.071	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	13	0	25	19.7	-2.3	1.071	0.3	0.2	0	28.4	29.2	0	97	98	0	31	30
2022	1	18	13	10	25	19.9	-3.2	1.071	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	13	20	25	20.1	-2.3	1.07	0.3	0.2	0	29.2	29.2	0	97	99	0	29	31
2022	1	18	13	30	25	19.9	-3.2	1.07	0.4	0.3	0	28.8	29.7	0	97	100	0	30	31
2022	1	18	13	40	25	20.5	-2.6	1.071	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	18	13	50	25	19.9	-3.2	1.07	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	18	14	0	25	19.1	-3.4	1.07	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	18	14	10	25	19.3	-2.7	1.07	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	18	14	20	25	20.3	-3.2	1.069	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	14	30	25	19.6	-2.8	1.07	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	14	40	25	19	-2.7	1.069	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	18	14	50	25	20.4	-3.2	1.069	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31
2022	1	18	15	0	25	19.7	-2.8	1.069	0.3	0.2	0	28.4	28.8	0	95	97	0	29	30
2022	1	18	15	10	25	19.9	-3	1.069	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	15	20	25	19.9	-2.7	1.068	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	18	15	30	25	18.9	-2.4	1.068	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	18	15	40	25	20.4	-3.2	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	15	50	25	18.6	-2.9	1.068	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	18	16	0	25	20.2	-3.2	1.068	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	16	10	25	19.9	-3.1	1.068	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	16	20	25	19.2	-2.9	1.067	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	18	16	30	25	18.8	-2.8	1.067	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	18	16	40	25	19	-3.8	1.067	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	18	16	50	25	19.5	-2.4	1.067	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	18	17	0	25	19.7	-2.3	1.067	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	18	17	10	25	19.2	-3.6	1.068	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	18	17	20	25	19.6	-3	1.067	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	18	17	30	25	19.9	-2.9	1.067	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	18	17	40	25	20	-4.2	1.067	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	18	17	50	25	20.1	-3.3	1.068	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	18	18	0	25	19.4	-2.9	1.067	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	18	10	25	19.9	-3.6	1.067	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	18	18	20	25	20.2	-3.1	1.067	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	18	30	25	20.4	-2.7	1.067	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	18	40	25	20	-2.8	1.067	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	18	50	25	18.9	-3.9	1.067	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	18	19	0	25	19.9	-3.1	1.067	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	18	19	10	25	19.7	-3.1	1.067	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31
2022	1	18	19	20	25	20.2	-3.4	1.067	0.5	0.4	0	28	28.8	0	96	98	0	31	31
2022	1	18	19	30	25	20.4	-3.6	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	19	40	25	18.4	-2.6	1.067	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	18	19	50	25	19.3	-3.2	1.067	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	20	0	25	19.8	-3.5	1.067	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	18	20	10	25	18.8	-2.6	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	20	20	25	20.2	-2.6	1.067	0.5	0.4	0	28.4	28.8	0	96	97	0	30	30
2022	1	18	20	30	25	19.9	-2.8	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	18	20	40	25	19.1	-2.9	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	18	20	50	25	20.1	-3.9	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	18	21	0	25	19.1	-2.8	1.067	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	18	21	10	25	18.6	-3.1	1.067	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	21	20	25	19.5	-2.5	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	18	21	30	25	19.4	-3.2	1.067	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	18	21	40	25	19.9	-2.4	1.067	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	21	50	25	19.9	-2.4	1.067	0.4	0.3	0	28.8	28.8	0	97	98	0	30	31
2022	1	18	22	0	25	19.8	-2.7	1.067	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	22	10	25	19	-2.5	1.067	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31
2022	1	18	22	20	25	19.7	-2.9	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	18	22	30	25	18.1	-2.1	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	22	40	25	19.6	-3.5	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	22	50	25	20.1	-3.9	1.067	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	18	23	0	25	19.8	-3.2	1.067	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	18	23	10	25	19.7	-3.6	1.067	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	18	23	20	25	19	-2	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	23	30	25	20.3	-2.4	1.067	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	18	23	40	25	20.7	-3.1	1.067	0.3	0.2	0	28.8	28.8	0	96	97	0	29	30
2022	1	18	23	50	25	19.9	-3.2	1.067	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	19	0	0	25	19.5	-3.3	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	19	0	10	25	19.8	-2.7	1.067	0.5	0.4	0	28.8	28.8	0	96	97	0	29	30
2022	1	19	0	20	25	20.4	-2.6	1.067	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31
2022	1	19	0	30	25	19.2	-2.8	1.067	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	19	0	40	25	19.8	-3.3	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	19	0	50	25	19.3	-3.2	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	19	1	0	25	19.8	-3.2	1.067	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	19	1	10	25	19.6	-3.2	1.067	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	1	20	25	19.2	-2.9	1.067	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	19	1	30	25	18.9	-2.8	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	1	40	25	18.3	-3.5	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	1	50	25	18.4	-3	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	2	0	25	19.2	-2.9	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	2	10	25	19	-2.7	1.066	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	19	2	20	25	20	-3.2	1.066	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	19	2	30	25	20	-3.6	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	19	2	40	25	20.3	-3.2	1.066	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	19	2	50	25	18.8	-2	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	19	3	0	25	19	-3.3	1.066	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	19	3	10	25	19.7	-4	1.066	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	19	3	20	25	20	-2.9	1.066	0.5	0.4	0	28	28.8	0	95	97	0	30	30
2022	1	19	3	30	25	19.4	-3.2	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	19	3	40	25	19.5	-2	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	3	50	25	18.8	-2	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	4	0	25	20.3	-3.2	1.066	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	19	4	10	25	19.7	-2.6	1.066	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	19	4	20	25	19.4	-3.7	1.066	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	19	4	30	25	20	-4	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	4	40	25	19.7	-2.6	1.066	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	19	4	50	25	20.3	-3.4	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	5	0	25	19.1	-2.9	1.066	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	19	5	10	25	19.6	-3.5	1.066	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	19	5	20	25	20.3	-3.3	1.066	0.5	0.4	0	28	28.8	0	95	97	0	30	30
2022	1	19	5	30	25	19.6	-2.8	1.066	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	19	5	40	25	20.9	-2.3	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	19	5	50	25	19.8	-3.9	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	6	0	25	18.9	-2.9	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	6	10	25	19.2	-3.1	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	6	20	25	19.6	-2.2	1.066	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	19	6	30	25	19.2	-2.8	1.066	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	19	6	40	25	19.1	-3	1.066	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	19	6	50	25	18.9	-2.4	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	7	0	25	19.6	-2.8	1.066	0.4	0.3	0	28	29.2	0	95	98	0	30	30
2022	1	19	7	10	25	19.4	-2.4	1.066	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	19	7	20	25	19.7	-2.9	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	19	7	30	25	20	-4.3	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	19	7	40	25	19.5	-2.3	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	7	50	25	19.9	-3.2	1.066	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	19	8	0	25	19.8	-3.5	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	19	8	10	25	19.5	-3.4	1.066	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	19	8	20	25	19.5	-2.9	1.066	0.3	0.2	0	29.2	29.7	0	98	100	0	30	31
2022	1	19	8	30	25	19.6	-3	1.066	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	19	8	40	25	19.5	-3.6	1.066	0.4	0.3	0	27.1	28.4	0	94	96	0	31	30
2022	1	19	8	50	25	19.5	-3.6	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	19	9	0	25	19.1	-2.9	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	19	9	10	25	19.1	-3.6	1.066	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	19	9	20	25	20.9	-3	1.066	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	19	9	30	25	18.8	-2.7	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	19	9	40	25	19.9	-3.1	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	19	9	50	25	18.7	-3.5	1.066	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	19	10	0	25	20	-3.6	1.067	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	19	10	10	25	19.5	-3.5	1.067	0.5	0.4	0	28	28.4	0	94	96	0	29	30
2022	1	19	10	20	25	19.4	-2.8	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	19	10	30	25	20	-2.7	1.067	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	19	10	40	25	19.3	-2.4	1.067	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	19	10	50	25	19.6	-2	1.068	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	19	11	0	25	20.4	-2.2	1.068	0.3	0.2	0	30.1	30.5	0	101	102	0	31	31
2022	1	19	11	10	25	19.9	-2.4	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	19	11	20	25	20.9	-2.3	1.068	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	19	11	30	25	19.6	-2.9	1.068	0.3	0.2	0	29.7	29.7	0	99	100	0	30	31
2022	1	19	11	40	25	19.7	-2.4	1.068	0.3	0.2	0	29.2	29.7	0	98	100	0	30	31
2022	1	19	11	50	25	21.2	-2.2	1.068	0.5	0.4	0	29.2	29.7	0	99	100	0	31	31
2022	1	19	12	0	25	19.2	-2	1.068	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	12	10	25	21	-2.4	1.068	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	12	20	25	19.8	-2.4	1.069	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	19	12	30	25	20.3	-1.7	1.068	0.4	0.3	0	28.8	29.7	0	98	100	0	31	31
2022	1	19	12	40	25	21.1	-3.3	1.068	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	19	12	50	25	19	-1.4	1.068	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	19	13	0	25	20.3	-2.2	1.068	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	19	13	10	25	19.3	-2.9	1.068	0.5	0.5	0	30.5	30.5	0	101	102	0	30	31
2022	1	19	13	20	25	19.6	-2.5	1.068	0.3	0.2	0	29.2	29.7	0	98	100	0	30	31
2022	1	19	13	30	25	20	-2.5	1.068	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	19	13	40	25	19.6	-3.4	1.068	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	13	50	25	19.5	-2.8	1.068	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	19	14	0	25	20.6	-2.5	1.068	0.4	0.3	0	28.8	29.2	0	98	99	0	31	31
2022	1	19	14	10	25	20.7	-2.4	1.067	0.3	0.2	0	29.7	29.2	0	98	99	0	29	31
2022	1	19	14	20	25	21.1	-1.6	1.068	0.3	0.2	0	31.4	31.4	0	103	104	0	30	31
2022	1	19	14	30	25	19.3	-2.5	1.067	0.5	0.4	0	30.5	31	0	101	102	0	30	30
2022	1	19	14	40	25	20.1	-2	1.068	0.3	0.2	0	30.1	30.1	0	100	101	0	30	31
2022	1	19	14	50	25	20.6	-1.7	1.067	0.3	0.2	0	30.5	30.5	0	100	101	0	29	30
2022	1	19	15	0	25	19.3	-3	1.067	0.3	0.2	0	31.8	31.8	0	104	105	0	30	31
2022	1	19	15	10	25	19.9	-2	1.067	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	19	15	20	25	19.4	-3.1	1.067	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	19	15	30	25	20	-2.8	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	19	15	40	25	20.6	-2.4	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	19	15	50	25	19.7	-2	1.067	0.3	0.2	0	29.2	29.7	0	99	100	0	31	31



### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	19	16	0	25	18.9	-2.1	1.067	0.3	0.2	0	29.2	29.7	0	98	100	0	30	31
2022	1	19	16	10	25	20.6	-2.7	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	19	16	20	25	19.6	-3.2	1.066	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	19	16	30	25	19.4	-3.2	1.066	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	19	16	40	25	20.1	-2.4	1.067	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	19	16	50	25	19.8	-3.6	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	19	17	0	25	20.5	-2.4	1.066	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	19	17	10	25	18.9	-3.4	1.066	0.3	0.2	0	28	29.2	0	95	97	0	30	29
2022	1	19	17	20	25	20.8	-2.2	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	17	30	25	19.7	-3.2	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	19	17	40	25	19.7	-2.7	1.067	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	19	17	50	25	18.9	-2	1.067	0.3	0.2	0	29.2	29.2	0	97	98	0	29	30
2022	1	19	18	0	25	19.8	-2.5	1.067	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	19	18	10	25	20.2	-2.6	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	19	18	20	25	20	-2.8	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	19	18	30	25	20.2	-2.2	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	19	18	40	25	19.7	-2.8	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	19	18	50	25	19.8	-3	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	19	19	0	25	19.6	-2.6	1.067	0.4	0.3	0	28.8	29.2	0	97	99	0	30	31
2022	1	19	19	10	25	19.3	-2.4	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	19	19	20	25	19.5	-3.3	1.067	0.4	0.3	0	30.1	30.5	0	99	101	0	29	30
2022	1	19	19	30	25	19	-2.9	1.067	0.4	0.3	0	29.7	31	0	99	101	0	30	29
2022	1	19	19	40	25	19.3	-2.1	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	19	19	50	25	19.7	-1.9	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	19	20	0	25	19.5	-3	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	20	10	25	19.6	-3.6	1.067	0.5	0.4	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	20	20	25	19.5	-2.2	1.067	0.3	0.2	0	29.2	30.5	0	98	100	0	30	29
2022	1	19	20	30	25	19.8	-2.7	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	20	40	25	19.5	-3.5	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	20	50	25	19.6	-2.8	1.067	0.3	0.2	0	29.7	29.7	0	98	100	0	29	31
2022	1	19	21	0	25	19.5	-2	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	19	21	10	25	19	-1.8	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	21	20	25	19.8	-2.4	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	21	30	25	19.9	-2	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	21	40	25	19.5	-2.3	1.067	0.5	0.5	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	21	50	25	20.1	-2.4	1.067	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	19	22	0	25	19.6	-2.8	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	22	10	25	19.1	-2.9	1.067	0.4	0.3	0	29.2	30.5	0	98	100	0	30	29
2022	1	19	22	20	25	19.5	-2.7	1.067	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	19	22	30	25	20.7	-2.8	1.067	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	19	22	40	25	19.5	-2.7	1.067	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	19	22	50	25	19	-1.8	1.067	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	19	23	0	25	19.3	-2.9	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	23	10	25	19.1	-2.8	1.067	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	19	23	20	25	20.2	-3	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	23	30	25	19.5	-3.1	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	23	40	25	19.8	-2.4	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	19	23	50	25	19.4	-2.8	1.067	0.4	0.3	0	29.7	30.1	0	99	101	0	30	31

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	20	0	0	25	20	-2.8	1.067	0.5	0.5	0	29.2	29.7	0	98	99	0	30	30
2022	1	20	0	10	25	19.7	-3.2	1.067	0.3	0.2	0	29.7	29.7	0	98	100	0	29	31
2022	1	20	0	20	25	20.1	-2.9	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	0	30	25	19.3	-2.8	1.067	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	20	0	40	25	20.5	-3	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	0	50	25	19.8	-3	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	1	0	25	19.3	-2.6	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	1	10	25	20.5	-2.7	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	1	20	25	19.9	-2.8	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	1	30	25	20.1	-2.8	1.066	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	1	40	25	19.4	-2.4	1.066	0.3	0.2	0	29.7	30.1	0	98	100	0	29	30
2022	1	20	1	50	25	20.4	-2.9	1.066	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	2	0	25	19.2	-2.8	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	2	10	25	19.5	-2.6	1.067	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	20	2	20	25	19.4	-2.4	1.066	0.3	0.2	0	29.2	29.7	0	98	100	0	30	31
2022	1	20	2	30	25	19.8	-3.2	1.066	0.3	0.2	0	29.7	30.1	0	98	100	0	29	30
2022	1	20	2	40	25	20	-2	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	2	50	25	20	-3.3	1.066	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	3	0	25	19.6	-3.2	1.066	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	3	10	25	20.6	-2.6	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	3	20	25	19	-2.1	1.066	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	20	3	30	25	20.3	-2.1	1.066	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	3	40	25	17.7	-2.8	1.066	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	3	50	25	20.7	-2.5	1.066	0.4	0.3	0	30.1	30.5	0	99	101	0	29	30
2022	1	20	4	0	25	20	-2.4	1.066	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	4	10	25	19.7	-1.7	1.066	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	20	4	20	25	18.7	-2.2	1.066	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	4	30	25	19.5	-3.3	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	4	40	25	20	-3.3	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	4	50	25	19.1	-1.9	1.066	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	20	5	0	25	19.5	-2.9	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	5	10	25	19.4	-3.2	1.066	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	20	5	20	25	20.5	-2.8	1.066	0.3	0.2	0	29.7	30.1	0	98	100	0	29	30
2022	1	20	5	30	25	20.1	-2.9	1.066	0.4	0.3	0	29.7	30.1	0	98	100	0	29	30
2022	1	20	5	40	25	19.8	-2.4	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	5	50	25	19.5	-3	1.066	0.4	0.3	0	29.7	30.1	0	98	100	0	29	30
2022	1	20	6	0	25	19.4	-2.4	1.066	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	6	10	25	19.2	-3.3	1.066	0.4	0.3	0	29.2	29.7	0	98	100	0	30	31
2022	1	20	6	20	25	19.1	-1.9	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	6	30	25	19.1	-2.5	1.066	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	6	40	25	19.4	-2.4	1.066	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	20	6	50	25	19.3	-2.3	1.066	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	20	7	0	25	20.8	-3.3	1.066	0.3	0.2	0	29.2	30.5	0	98	100	0	30	29
2022	1	20	7	10	25	19.6	-2.8	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	7	20	25	19.2	-3.7	1.066	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	20	7	30	25	19.1	-2.7	1.066	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	20	7	40	25	20.4	-4.5	1.066	0.5	0.4	0	28.4	29.2	0	96	98	0	30	30
2022	1	20	7	50	25	18.8	-3.3	1.066	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	20	8	0	25	20.1	-2.9	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	20	8	10	25	19.6	-3.4	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	20	8	20	25	19.9	-3.2	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	20	8	30	25	18.8	-3.4	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	20	8	40	25	19.5	-2.4	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	20	8	50	25	18.3	-3.3	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	20	9	0	25	20.1	-4.4	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	20	9	10	25	19.5	-2.4	1.067	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	20	9	20	25	19.5	-3.9	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	20	9	30	25	19.3	-3.6	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	20	9	40	25	19.5	-2.8	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	20	9	50	25	19.6	-2.6	1.067	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	20	10	0	25	18.9	-3.3	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	20	10	10	25	19.7	-4	1.067	0.4	0.3	0	29.2	30.1	0	97	99	0	29	29
2022	1	20	10	20	25	18.8	-3.2	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	20	10	30	25	19.6	-2.4	1.067	0.3	0.2	0	28.8	30.1	0	98	100	0	31	30
2022	1	20	10	40	25	19.2	-3.3	1.068	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	10	50	25	18.8	-3.3	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	20	11	0	25	19.3	-2.9	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	11	10	25	20.6	-2.9	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	11	20	25	19	-3.3	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	11	30	25	19.6	-3.2	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	11	40	25	19.3	-2.6	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	11	50	25	19.2	-3.1	1.067	0.3	0.2	0	29.7	31	0	99	102	0	30	30
2022	1	20	12	0	25	18.8	-3	1.068	0.5	0.4	0	29.7	31	0	99	101	0	30	29
2022	1	20	12	10	25	19.6	-3.3	1.068	0.5	0.4	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	12	20	25	19.7	-2.4	1.068	0.4	0.3	0	30.1	30.5	0	99	101	0	29	30
2022	1	20	12	30	25	20.2	-2.7	1.068	0.5	0.4	0	30.5	30.5	0	100	101	0	29	30
2022	1	20	12	40	25	19.1	-2.7	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	12	50	25	19.9	-3	1.068	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	20	13	0	25	18.9	-3	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	13	10	25	20.1	-2.8	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	13	20	25	19.3	-2.2	1.068	0.5	0.4	0	29.7	31	0	100	102	0	31	30
2022	1	20	13	30	25	20.2	-2.4	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	13	40	25	19.1	-3	1.067	0.5	0.4	0	30.1	31	0	100	102	0	30	30
2022	1	20	13	50	25	19.7	-4.1	1.067	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	20	14	0	25	19.6	-2.5	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	14	10	25	18.8	-2.7	1.067	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	20	14	20	25	19.9	-2.4	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	14	30	25	20.1	-2.8	1.068	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	14	40	25	19	-2.5	1.067	0.3	0.2	0	30.5	31	0	100	102	0	29	30
2022	1	20	14	50	25	19.3	-2.8	1.067	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	20	15	0	25	18.9	-3.8	1.067	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	20	15	10	25	20.1	-3.1	1.067	0.4	0.3	0	30.5	30.5	0	101	102	0	30	31
2022	1	20	15	20	25	19.1	-3.7	1.067	0.4	0.3	0	31	31.4	0	101	103	0	29	30
2022	1	20	15	30	25	20.7	-2.4	1.067	0.4	0.3	0	30.5	31	0	100	102	0	29	30
2022	1	20	15	40	25	19.9	-3.8	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	15	50	25	19.6	-3.1	1.067	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	20	16	0	25	19.4	-3	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	16	10	25	20.1	-3.7	1.066	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	16	20	25	18.8	-3.4	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	20	16	30	25	20	-3.3	1.067	0.4	0.3	0	29.2	29.2	0	98	99	0	30	31
2022	1	20	16	40	25	20.8	-3.1	1.067	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	20	16	50	25	19.7	-2.2	1.067	0.3	0.2	0	29.7	29.7	0	98	99	0	29	30
2022	1	20	17	0	25	19.9	-3.2	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	20	17	10	25	19	-2.6	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	20	17	20	25	19.3	-2	1.067	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	20	17	30	25	19.3	-2.5	1.067	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	20	17	40	25	19.1	-3.3	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	17	50	25	18.8	-2.4	1.067	0.4	0.3	0	30.1	30.5	0	99	101	0	29	30
2022	1	20	18	0	25	19.1	-2.7	1.067	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	20	18	10	25	19.5	-3.3	1.067	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	20	18	20	25	19.8	-2.8	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	18	30	25	20	-2.4	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	18	40	25	18.7	-2.8	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	18	50	25	18.8	-3.7	1.067	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	20	19	0	25	19.3	-3.7	1.067	0.3	0.2	0	29.7	31	0	99	101	0	30	29
2022	1	20	19	10	25	18.3	-2.7	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	19	20	25	20.1	-3.3	1.067	0.4	0.3	0	30.5	30.5	0	100	101	0	29	30
2022	1	20	19	30	25	20.1	-3.3	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	19	40	25	20.6	-2.9	1.067	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	20	19	50	25	19.2	-3.3	1.067	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	20	20	0	25	19.1	-2.9	1.067	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	20	20	10	25	19.7	-2.3	1.067	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	20	20	20	25	19.3	-2.9	1.066	0.5	0.5	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	20	30	25	19.4	-2.3	1.067	0.3	0.2	0	30.5	30.5	0	100	101	0	29	30
2022	1	20	20	40	25	20.5	-3.1	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	20	20	50	25	19.5	-2.5	1.067	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	20	21	0	25	19.4	-3.5	1.067	0.5	0.4	0	30.1	30.5	0	100	101	0	30	30
2022	1	20	21	10	25	19	-2.6	1.067	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	20	21	20	25	19.2	-3.9	1.066	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	20	21	30	25	20.1	-3.2	1.066	0.3	0.2	0	30.5	31	0	100	102	0	29	30
2022	1	20	21	40	25	19.8	-3.7	1.067	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	20	21	50	25	19.4	-3.2	1.066	0.3	0.2	0	30.5	31	0	100	101	0	29	29
2022	1	20	22	0	25	19.3	-2.5	1.067	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	20	22	10	25	20.2	-1.3	1.067	0.5	0.4	0	30.1	31	0	100	102	0	30	30
2022	1	20	22	20	25	19.3	-3.9	1.066	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	22	30	25	18.9	-2.5	1.067	0.5	0.4	0	31	31	0	101	102	0	29	30
2022	1	20	22	40	25	19.1	-3.3	1.067	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	20	22	50	25	19	-2.8	1.067	0.4	0.3	0	30.1	30.5	0	101	102	0	31	31
2022	1	20	23	0	25	20.5	-2.9	1.067	0.3	0.2	0	31	31.4	0	101	102	0	29	29
2022	1	20	23	10	25	19.3	-3.3	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	23	20	25	19.6	-3.5	1.067	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	20	23	30	25	19.5	-3.1	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	20	23	40	25	20	-2.6	1.067	0.5	0.4	0	30.5	31	0	100	102	0	29	30
2022	1	20	23	50	25	19.2	-3.4	1.067	0.4	0.3	0	30.1	30.5	0	99	101	0	29	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	21	0	0	25	19	-3.4	1.067	0.3	0.2	0	30.1	31.4	0	100	102	0	30	29
2022	1	21	0	10	25	18.7	-2.8	1.067	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	21	0	20	25	19.7	-3.2	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	21	0	30	25	18.6	-3.3	1.067	0.3	0.2	0	30.5	30.5	0	100	101	0	29	30
2022	1	21	0	40	25	19.6	-2.7	1.067	0.3	0.2	0	30.5	31	0	100	102	0	29	30
2022	1	21	0	50	25	18.9	-2.8	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	21	1	0	25	19.8	-3.6	1.067	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	21	1	10	25	19.7	-3.1	1.067	0.3	0.2	0	30.5	31	0	100	102	0	29	30
2022	1	21	1	20	25	19.3	-3.3	1.067	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	21	1	30	25	20.2	-3.7	1.067	0.3	0.2	0	30.1	31.4	0	100	102	0	30	29
2022	1	21	1	40	25	20.1	-3.3	1.067	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	21	1	50	25	20	-2.8	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	2	0	25	19.7	-2.2	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	2	10	25	19.9	-3	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	2	20	25	19.4	-2.5	1.067	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	21	2	30	25	20.4	-3.7	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	2	40	25	20.1	-2.4	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	2	50	25	19.4	-3.2	1.067	0.3	0.2	0	31	31.4	0	101	103	0	29	30
2022	1	21	3	0	25	20.4	-3.3	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	3	10	25	19.2	-3.3	1.067	0.4	0.3	0	30.1	30.5	0	99	101	0	29	30
2022	1	21	3	20	25	18.9	-3.8	1.067	0.4	0.3	0	30.1	31	0	100	101	0	30	29
2022	1	21	3	30	25	19.3	-2.6	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	3	40	25	19	-3.3	1.066	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	3	50	25	19.7	-2.2	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	4	0	25	21.2	-3.6	1.067	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	4	10	25	19.6	-2.5	1.067	0.5	0.4	0	29.7	30.1	0	99	100	0	30	30
2022	1	21	4	20	25	20.5	-3.5	1.067	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	21	4	30	25	19.7	-2.4	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	4	40	25	19.5	-2.4	1.066	0.4	0.3	0	30.1	30.1	0	99	100	0	29	30
2022	1	21	4	50	25	19.3	-2.8	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	5	0	25	19.7	-3.8	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	5	10	25	19.8	-3.1	1.067	0.5	0.4	0	29.7	30.1	0	99	100	0	30	30
2022	1	21	5	20	25	19.5	-3.3	1.067	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	21	5	30	25	19.5	-3.5	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	5	40	25	19.8	-2.6	1.066	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	5	50	25	19.8	-4	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	6	0	25	20.1	-3.4	1.067	0.3	0.2	0	29.7	29.7	0	99	100	0	30	31
2022	1	21	6	10	25	19.9	-2.2	1.067	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	21	6	20	25	18.4	-2.4	1.067	0.3	0.2	0	29.7	31	0	99	101	0	30	29
2022	1	21	6	30	25	19.2	-3	1.067	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	21	6	40	25	19.9	-3.4	1.066	0.3	0.2	0	29.7	30.1	0	99	101	0	30	31
2022	1	21	6	50	25	19.5	-3.4	1.067	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	7	0	25	20.1	-3.3	1.067	0.3	0.2	0	29.7	30.1	0	98	100	0	29	30
2022	1	21	7	10	25	19.7	-2.8	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	21	7	20	25	20.3	-2.8	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	21	7	30	25	18.8	-3.4	1.067	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	21	7	40	25	18.6	-2.5	1.067	0.4	0.3	0	28.8	29.2	0	97	99	0	30	31
2022	1	21	7	50	25	19.2	-3.7	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	21	8	0	25	19.9	-3.2	1.067	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	21	8	10	25	20.7	-2	1.066	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	21	8	20	25	18.7	-2	1.067	0.3	0.2	0	31	31.8	0	102	104	0	30	30
2022	1	21	8	30	25	20.2	-1.7	1.067	0.5	0.5	0	31.8	32.3	0	104	105	0	30	30
2022	1	21	8	40	25	20.7	-2.6	1.066	0.3	0.2	0	33.5	34.4	0	108	110	0	30	30
2022	1	21	8	50	25	19.1	-1.3	1.066	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2022	1	21	9	0	25	19.3	-2.1	1.066	0.3	0.2	0	39.6	40	0	122	123	0	30	30
2022	1	21	9	10	25	19.5	-4	1.066	0.4	0.3	0	43.9	44.7	0	132	134	0	30	30
2022	1	21	9	20	25	19	-2.6	1.067	0.4	0.3	0	44.3	44.7	0	133	134	0	30	30
2022	1	21	9	30	25	18.7	-2.1	1.067	0.5	0.4	0	43.4	44.3	0	131	133	0	30	30
2022	1	21	9	40	25	19.7	-2.8	1.067	0.5	0.5	0	41.3	41.7	0	125	127	0	29	30
2022	1	21	9	50	25	19.2	-2.5	1.067	0.3	0.2	0	40.9	40.9	0	124	125	0	29	30
2022	1	21	10	0	25	20.4	-3.3	1.067	0.3	0.2	0	39.6	40	0	122	123	0	30	30
2022	1	21	10	10	25	19	-2.8	1.068	0.3	0.2	0	37.8	38.7	0	118	120	0	30	30
2022	1	21	10	20	25	20.1	-2.4	1.066	0.4	0.3	0	37	37.4	0	116	117	0	30	30
2022	1	21	10	30	25	19.6	-2.2	1.068	0.5	0.4	0	37.8	38.3	0	118	119	0	30	30
2022	1	21	10	40	25	19.7	-1.7	1.066	0.4	0.3	0	40.4	40.9	0	124	125	0	30	30
2022	1	21	10	50	25	19.3	-2.6	1.068	0.4	0.3	0	40.9	41.7	0	125	127	0	30	30
2022	1	21	11	0	25	18.3	-2.7	1.067	0.3	0.2	0	41.7	42.6	0	127	129	0	30	30
2022	1	21	11	10	25	19.9	-2.4	1.067	0.4	0.3	0	40.9	41.7	0	125	127	0	30	30
2022	1	21	11	20	25	19.6	-2.5	1.067	0.3	0.2	0	41.7	42.1	0	126	128	0	29	30
2022	1	21	11	30	25	20.3	-2.4	1.067	0.4	0.3	0	40.9	41.7	0	125	127	0	30	30
2022	1	21	11	40	25	19.2	-2	1.068	0.4	0.3	0	40.4	40.9	0	124	125	0	30	30
2022	1	21	11	50	25	21.1	-2	1.067	0.4	0.3	0	39.6	40.4	0	122	124	0	30	30
2022	1	21	12	0	25	20	-2.7	1.068	0.5	0.4	0	39.6	40.4	0	122	124	0	30	30
2022	1	21	12	10	25	19	-1.8	1.068	0.5	0.4	0	38.7	39.6	0	120	122	0	30	30
2022	1	21	12	20	25	20.1	-2	1.068	0.3	0.2	0	37.8	38.3	0	118	119	0	30	30
2022	1	21	12	30	25	19.7	-2	1.068	0.5	0.4	0	37.8	38.3	0	118	119	0	30	30
2022	1	21	12	40	25	19.8	-2.5	1.067	0.5	0.5	0	39.1	39.6	0	121	122	0	30	30
2022	1	21	12	50	25	20.8	-2.8	1.068	0.4	0.3	0	38.3	39.6	0	120	122	0	31	30
2022	1	21	13	0	25	19.9	-1.6	1.068	0.3	0.2	0	38.7	39.6	0	120	122	0	30	30
2022	1	21	13	10	25	19.7	-2.5	1.067	0.3	0.2	0	38.3	39.1	0	119	121	0	30	30
2022	1	21	13	20	25	19.1	-2.1	1.067	0.4	0.3	0	37.8	38.7	0	118	120	0	30	30
2022	1	21	13	30	25	19.8	-2.3	1.068	0.4	0.3	0	38.3	39.1	0	119	121	0	30	30
2022	1	21	13	40	25	19.3	-2.9	1.067	0.3	0.2	0	37.4	38.7	0	117	119	0	30	29
2022	1	21	13	50	25	19.8	-1.2	1.068	0.3	0.2	0	37	37.4	0	116	117	0	30	30
2022	1	21	14	0	25	19.5	-2	1.067	0.3	0.2	0	36.1	37	0	114	116	0	30	30
2022	1	21	14	10	25	21.3	-1.6	1.069	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2022	1	21	14	20	25	20.3	-2.1	1.068	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2022	1	21	14	30	25	19.4	-1.9	1.068	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2022	1	21	14	40	25	19.9	-2.2	1.067	0.4	0.3	0	35.3	35.7	0	112	113	0	30	30
2022	1	21	14	50	25	20.4	-2.3	1.069	0.3	0.2	0	34.8	35.3	0	111	112	0	30	30
2022	1	21	15	0	25	19.4	-2.5	1.069	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2022	1	21	15	10	25	19	-1.6	1.068	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2022	1	21	15	20	25	20.1	-2.9	1.068	0.3	0.2	0	34.4	35.3	0	110	112	0	30	30
2022	1	21	15	30	25	18.7	-2.4	1.068	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2022	1	21	15	40	25	19.6	-2.4	1.068	0.4	0.3	0	34.4	35.3	0	110	112	0	30	30
2022	1	21	15	50	25	18.6	-3.3	1.067	0.3	0.2	0	34.4	35.3	0	110	112	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	21	16	0	25	19.1	-2.4	1.068	0.3	0.2	0	34	34.8	0	109	111	0	30	30
2022	1	21	16	10	25	19.9	-2.6	1.069	0.3	0.2	0	33.5	34	0	108	110	0	30	31
2022	1	21	16	20	25	19.9	-2.7	1.068	0.3	0.2	0	32.7	33.5	0	106	108	0	30	30
2022	1	21	16	30	25	18.8	-1.3	1.068	0.3	0.2	0	32.7	33.1	0	106	107	0	30	30
2022	1	21	16	40	25	19.9	-1.7	1.068	0.3	0.2	0	32.7	32.7	0	105	106	0	29	30
2022	1	21	16	50	25	20.8	-1.9	1.068	0.3	0.2	0	32.3	32.7	0	105	106	0	30	30
2022	1	21	17	0	25	19.1	-1.8	1.069	0.3	0.2	0	31.8	32.7	0	104	106	0	30	30
2022	1	21	17	10	25	19.6	-2	1.068	0.4	0.3	0	31.8	32.7	0	104	106	0	30	30
2022	1	21	17	20	25	19.9	-2.5	1.068	0.4	0.3	0	32.3	32.7	0	105	106	0	30	30
2022	1	21	17	30	25	19.2	-2.7	1.069	0.3	0.2	0	32.3	32.7	0	105	106	0	30	30
2022	1	21	17	40	25	19.5	-2	1.069	0.4	0.3	0	32.7	33.1	0	105	107	0	29	30
2022	1	21	17	50	25	20.4	-2.4	1.069	0.3	0.2	0	32.7	33.1	0	106	107	0	30	30
2022	1	21	18	0	25	20.4	-1.8	1.068	0.3	0.2	0	32.7	33.5	0	107	108	0	31	30
2022	1	21	18	10	25	19.9	-2.2	1.068	0.3	0.2	0	32.7	33.5	0	106	108	0	30	30
2022	1	21	18	20	25	19.9	-2.2	1.069	0.3	0.2	0	32.7	33.5	0	106	108	0	30	30
2022	1	21	18	30	25	19.6	-2.8	1.069	0.3	0.2	0	33.1	33.5	0	107	108	0	30	30
2022	1	21	18	40	25	19.4	-1.7	1.069	0.3	0.2	0	33.1	33.5	0	106	108	0	29	30
2022	1	21	18	50	25	19.9	-3.2	1.069	0.4	0.3	0	32.3	33.1	0	105	107	0	30	30
2022	1	21	19	0	25	20.3	-2.9	1.069	0.3	0.2	0	32.7	33.1	0	106	107	0	30	30
2022	1	21	19	10	25	19	-2.5	1.069	0.3	0.2	0	33.1	33.5	0	106	108	0	29	30
2022	1	21	19	20	25	19.3	-1.6	1.069	0.3	0.2	0	33.1	33.5	0	107	108	0	30	30
2022	1	21	19	30	25	19.6	-2.3	1.069	0.3	0.2	0	33.1	34	0	107	109	0	30	30
2022	1	21	19	40	25	20	-2.5	1.069	0.3	0.2	0	33.1	33.1	0	107	108	0	30	31
2022	1	21	19	50	25	19.9	-2.4	1.069	0.3	0.2	0	32.7	33.5	0	106	108	0	30	30
2022	1	21	20	0	25	19.1	-2.2	1.069	0.4	0.3	0	32.3	33.1	0	105	107	0	30	30
2022	1	21	20	10	25	19.3	-1.4	1.069	0.3	0.2	0	32.3	32.7	0	105	106	0	30	30
2022	1	21	20	20	25	19.6	-2.5	1.069	0.4	0.3	0	31.8	33.1	0	104	106	0	30	29
2022	1	21	20	30	25	19.3	-2.9	1.069	0.4	0.3	0	31.8	32.7	0	104	106	0	30	30
2022	1	21	20	40	25	19.7	-2	1.069	0.4	0.3	0	31.8	32.7	0	104	106	0	30	30
2022	1	21	20	50	25	19.4	-3	1.069	0.4	0.3	0	31.8	33.1	0	104	106	0	30	29
2022	1	21	21	0	25	19.6	-2.6	1.069	0.3	0.2	0	31.8	33.1	0	104	106	0	30	29
2022	1	21	21	10	25	19	-2	1.069	0.3	0.2	0	31.8	32.7	0	104	106	0	30	30
2022	1	21	21	20	25	19	-3.1	1.069	0.3	0.2	0	31.8	32.7	0	104	106	0	30	30
2022	1	21	21	30	25	18.8	-2.6	1.069	0.4	0.3	0	32.3	32.7	0	105	106	0	30	30
2022	1	21	21	40	25	20.9	-2.9	1.069	0.3	0.2	0	31.4	32.3	0	103	105	0	30	30
2022	1	21	21	50	25	19.2	-2.8	1.069	0.3	0.2	0	31.4	32.3	0	103	105	0	30	30
2022	1	21	22	0	25	19.1	-2.8	1.069	0.4	0.3	0	31.4	31.8	0	103	105	0	30	31
2022	1	21	22	10	25	20.4	-3.3	1.069	0.5	0.4	0	31.4	32.3	0	103	105	0	30	30
2022	1	21	22	20	25	19.1	-2.7	1.069	0.4	0.3	0	31.4	32.3	0	103	105	0	30	30
2022	1	21	22	30	25	19.2	-2.7	1.069	0.4	0.3	0	31.4	31.4	0	103	104	0	30	31
2022	1	21	22	40	25	19.2	-2	1.069	0.3	0.2	0	31.4	32.3	0	103	105	0	30	30
2022	1	21	22	50	25	19.1	-2.5	1.069	0.4	0.3	0	31.8	32.3	0	103	105	0	29	30
2022	1	21	23	0	25	19.6	-2.8	1.069	0.3	0.2	0	31	32.3	0	103	105	0	31	30
2022	1	21	23	10	25	20	-3	1.069	0.4	0.3	0	31	31.8	0	102	104	0	30	30
2022	1	21	23	20	25	19.1	-2.5	1.069	0.3	0.2	0	31.4	32.3	0	103	105	0	30	30
2022	1	21	23	30	25	20.4	-2.4	1.069	0.3	0.2	0	31	31.8	0	102	104	0	30	30
2022	1	21	23	40	25	20	-2.8	1.069	0.4	0.3	0	31	31.8	0	102	104	0	30	30
2022	1	21	23	50	25	18.8	-2.3	1.068	0.4	0.3	0	31.4	31.8	0	102	104	0	29	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	22	0	0	25	19.6	-2.6	1.069	0.3	0.2	0	31	31.8	0	102	104	0	30	30
2022	1	22	0	10	25	19.5	-2	1.069	0.5	0.4	0	31	31.4	0	102	104	0	30	31
2022	1	22	0	20	25	20.4	-1.9	1.069	0.4	0.3	0	31	31.4	0	102	103	0	30	30
2022	1	22	0	30	25	19.6	-2.3	1.069	0.4	0.3	0	31	31.8	0	102	104	0	30	30
2022	1	22	0	40	25	19.2	-3.1	1.069	0.3	0.2	0	31.8	31.8	0	103	104	0	29	30
2022	1	22	0	50	25	20	-2.5	1.069	0.3	0.2	0	31	31.4	0	102	103	0	30	30
2022	1	22	1	0	25	21.2	-3.6	1.068	0.5	0.5	0	31.4	31.8	0	102	104	0	29	30
2022	1	22	1	10	25	20.1	-2.9	1.069	0.4	0.3	0	31	31.8	0	102	104	0	30	30
2022	1	22	1	20	25	20.1	-2.9	1.069	0.3	0.2	0	31.4	31.8	0	103	104	0	30	30
2022	1	22	1	30	25	20	-1.3	1.069	0.3	0.2	0	31.4	31.4	0	103	104	0	30	31
2022	1	22	1	40	25	20.2	-2.4	1.069	0.4	0.3	0	31	31.8	0	102	104	0	30	30
2022	1	22	1	50	25	20.3	-3.2	1.069	0.3	0.2	0	31.4	31.4	0	102	103	0	29	30
2022	1	22	2	0	25	19.1	-1.8	1.068	0.3	0.2	0	31	31.4	0	102	103	0	30	30
2022	1	22	2	10	25	19.4	-2.8	1.068	0.4	0.3	0	31	31.4	0	102	103	0	30	30
2022	1	22	2	20	25	19.2	-3.3	1.068	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	2	30	25	19.1	-3.1	1.068	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	2	40	25	19.6	-3.6	1.068	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	2	50	25	19.7	-2.7	1.068	0.3	0.2	0	31	31.4	0	101	103	0	29	30
2022	1	22	3	0	25	19.3	-2.4	1.068	0.5	0.4	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	3	10	25	20.4	-2.6	1.069	0.4	0.3	0	31	31.8	0	102	104	0	30	30
2022	1	22	3	20	25	19.8	-2.1	1.068	0.4	0.3	0	31.4	31.4	0	102	103	0	29	30
2022	1	22	3	30	25	19.1	-3.3	1.069	0.5	0.5	0	30.5	31	0	101	103	0	30	31
2022	1	22	3	40	25	19.5	-2.4	1.068	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	3	50	25	20.4	-2.4	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	4	0	25	19.8	-2.6	1.069	0.5	0.4	0	31	31.8	0	102	104	0	30	30
2022	1	22	4	10	25	20	-2.7	1.068	0.3	0.2	0	31.4	31.8	0	102	104	0	29	30
2022	1	22	4	20	25	20.2	-2.8	1.069	0.4	0.3	0	31	32.3	0	102	104	0	30	29
2022	1	22	4	30	25	19.4	-2.2	1.068	0.3	0.2	0	31	31.4	0	102	103	0	30	30
2022	1	22	4	40	25	19.4	-1.6	1.068	0.3	0.2	0	31	31.4	0	102	103	0	30	30
2022	1	22	4	50	25	20.5	-2.8	1.068	0.3	0.2	0	31	31.4	0	102	103	0	30	30
2022	1	22	5	0	25	20.6	-3.1	1.068	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	5	10	25	19.8	-2.9	1.068	0.5	0.4	0	31	31.4	0	102	103	0	30	30
2022	1	22	5	20	25	20.1	-3.1	1.068	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	5	30	25	19.5	-3.3	1.068	0.5	0.4	0	31	31.4	0	102	103	0	30	30
2022	1	22	5	40	25	19.8	-2.7	1.068	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	5	50	25	19.6	-2.1	1.068	0.5	0.4	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	6	0	25	19.6	-2.6	1.068	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	6	10	25	19.3	-3.1	1.068	0.3	0.2	0	30.5	31.8	0	101	103	0	30	29
2022	1	22	6	20	25	18.3	-2.4	1.068	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	6	30	25	19.3	-2.8	1.068	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	6	40	25	20.3	-2.4	1.068	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	6	50	25	19.3	-2.3	1.068	0.3	0.2	0	30.5	31.8	0	101	103	0	30	29
2022	1	22	7	0	25	20	-3	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	7	10	25	19.4	-1.7	1.068	0.5	0.4	0	31.4	32.7	0	103	105	0	30	29
2022	1	22	7	20	25	20.2	-2.8	1.068	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	22	7	30	25	20.3	-2.7	1.068	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	22	7	40	25	20.1	-1.5	1.068	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	22	7	50	25	19.1	-2	1.068	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	22	8	0	25	19.3	-2.4	1.068	0.3	0.2	0	30.1	30.5	0	100	102	0	30	31
2022	1	22	8	10	25	20.6	-2.3	1.068	0.5	0.4	0	30.1	31	0	100	102	0	30	30
2022	1	22	8	20	25	19.7	-2.5	1.069	0.4	0.3	0	31.4	32.3	0	102	104	0	29	29
2022	1	22	8	30	25	19.6	-2.6	1.068	0.4	0.3	0	31	31.8	0	102	104	0	30	30
2022	1	22	8	40	25	20.5	-1.9	1.069	0.5	0.4	0	31.4	32.3	0	102	104	0	29	29
2022	1	22	8	50	25	19	-2.1	1.069	0.3	0.2	0	33.1	33.5	0	107	108	0	30	30
2022	1	22	9	0	25	20.4	-2.4	1.068	0.3	0.2	0	32.3	32.7	0	106	107	0	31	31
2022	1	22	9	10	25	19.7	-2.2	1.069	0.5	0.4	0	33.1	34	0	107	109	0	30	30
2022	1	22	9	20	25	20.2	-2.8	1.07	0.3	0.2	0	32.7	33.5	0	106	108	0	30	30
2022	1	22	9	30	25	18.9	-1.4	1.069	0.3	0.2	0	33.1	34	0	107	109	0	30	30
2022	1	22	9	40	25	20.7	-2.5	1.069	0.4	0.3	0	33.1	34	0	107	109	0	30	30
2022	1	22	9	50	25	19.9	-2.6	1.07	0.4	0.3	0	32.7	33.1	0	106	107	0	30	30
2022	1	22	10	0	25	19.8	-2.4	1.07	0.4	0.3	0	33.1	33.1	0	107	108	0	30	31
2022	1	22	10	10	25	19	-2.1	1.069	0.3	0.2	0	33.5	34.4	0	108	110	0	30	30
2022	1	22	10	20	25	19.7	-2.7	1.071	0.4	0.3	0	33.5	34.4	0	108	110	0	30	30
2022	1	22	10	30	25	19.7	-1.9	1.07	0.3	0.2	0	34	34.4	0	109	110	0	30	30
2022	1	22	10	40	25	20.6	-2.6	1.068	0.3	0.2	0	34.4	34.8	0	110	111	0	30	30
2022	1	22	10	50	25	20	-1.8	1.07	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2022	1	22	11	0	25	19.5	-2.3	1.07	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2022	1	22	11	10	25	19.7	-2.5	1.071	0.3	0.2	0	36.5	37	0	115	116	0	30	30
2022	1	22	11	20	25	21.5	-3	1.069	0.3	0.2	0	36.1	36.5	0	114	115	0	30	30
2022	1	22	11	30	25	19.2	-2.6	1.07	0.5	0.4	0	36.5	37	0	114	116	0	29	30
2022	1	22	11	40	25	20.6	-2.1	1.07	0.3	0.2	0	35.7	36.1	0	113	114	0	30	30
2022	1	22	11	50	25	20.9	-2.4	1.071	0.4	0.3	0	34.4	35.3	0	110	112	0	30	30
2022	1	22	12	0	25	19.1	-3.3	1.07	0.3	0.2	0	34.8	35.3	0	111	112	0	30	30
2022	1	22	12	10	25	19.5	-2.3	1.07	0.3	0.2	0	34.4	34.8	0	110	111	0	30	30
2022	1	22	12	20	25	20.1	-2	1.07	0.3	0.2	0	34	34.8	0	109	111	0	30	30
2022	1	22	12	30	25	20.1	-1.7	1.07	0.4	0.3	0	34.4	34.8	0	110	111	0	30	30
2022	1	22	12	40	25	20.4	-2.4	1.069	0.3	0.2	0	34	34.8	0	109	111	0	30	30
2022	1	22	12	50	25	20.2	-2.5	1.071	0.3	0.2	0	33.5	34.4	0	108	110	0	30	30
2022	1	22	13	0	25	19.7	-2.2	1.07	0.4	0.3	0	33.5	34.4	0	108	110	0	30	30
2022	1	22	13	10	25	20.3	-2.3	1.071	0.3	0.2	0	33.1	33.5	0	107	108	0	30	30
2022	1	22	13	20	25	20.1	-2.4	1.07	0.3	0.2	0	33.1	33.5	0	107	108	0	30	30
2022	1	22	13	30	25	19.8	-2.5	1.069	0.4	0.3	0	33.1	33.5	0	107	108	0	30	30
2022	1	22	13	40	25	20.8	-1.8	1.07	0.3	0.2	0	32.7	33.1	0	106	108	0	30	31
2022	1	22	13	50	25	20.5	-2.6	1.071	0.3	0.2	0	32.3	33.1	0	105	107	0	30	30
2022	1	22	14	0	25	20	-1.9	1.07	0.5	0.4	0	32.7	33.1	0	106	107	0	30	30
2022	1	22	14	10	25	19.7	-2	1.07	0.3	0.2	0	32.7	33.1	0	106	107	0	30	30
2022	1	22	14	20	25	20.6	-2.1	1.07	0.4	0.3	0	33.1	33.1	0	106	107	0	29	30
2022	1	22	14	30	25	20.2	-2.4	1.07	0.5	0.4	0	32.7	33.1	0	106	107	0	30	30
2022	1	22	14	40	25	20	-2	1.07	0.4	0.3	0	32.7	33.1	0	106	107	0	30	30
2022	1	22	14	50	25	21.3	-2.7	1.07	0.3	0.2	0	31.8	32.7	0	104	106	0	30	30
2022	1	22	15	0	25	19.3	-3.1	1.069	0.3	0.2	0	32.3	32.7	0	105	106	0	30	30
2022	1	22	15	10	25	19.5	-2.8	1.07	0.4	0.3	0	31.8	33.1	0	104	106	0	30	29
2022	1	22	15	20	25	19.9	-2.4	1.07	0.4	0.3	0	31.4	32.3	0	103	105	0	30	30
2022	1	22	15	30	25	19.2	-2.2	1.069	0.3	0.2	0	31.8	32.3	0	104	105	0	30	30
2022	1	22	15	40	25	19	-3.1	1.069	0.3	0.2	0	31.8	32.3	0	103	105	0	29	30
2022	1	22	15	50	25	19.5	-2.4	1.069	0.4	0.3	0	31.4	32.3	0	103	104	0	30	29

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	22	16	0	25	19.2	-2.7	1.069	0.3	0.2	0	31	31.8	0	102	104	0	30	30
2022	1	22	16	10	25	20.3	-3.4	1.069	0.5	0.4	0	31	31.8	0	102	104	0	30	30
2022	1	22	16	20	25	19.5	-2.8	1.069	0.5	0.4	0	30.5	30.5	0	100	102	0	29	31
2022	1	22	16	30	25	18.7	-2.2	1.069	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	22	16	40	25	19	-2.8	1.069	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	22	16	50	25	20.3	-3	1.069	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	22	17	0	25	19.9	-2.4	1.069	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	22	17	10	25	19.3	-2.8	1.069	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	22	17	20	25	19.9	-2.7	1.069	0.5	0.4	0	29.7	30.5	0	99	101	0	30	30
2022	1	22	17	30	25	20.2	-2.7	1.069	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	22	17	40	25	20.4	-1.9	1.069	0.6	0.5	0	30.1	31	0	100	102	0	30	30
2022	1	22	17	50	25	19.4	-1.9	1.069	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	18	0	25	20.6	-2.8	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	18	10	25	18.9	-2.7	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	18	20	25	19.5	-2.4	1.069	0.5	0.4	0	30.1	31.4	0	101	103	0	31	30
2022	1	22	18	30	25	19.5	-2.7	1.069	0.4	0.3	0	30.5	31	0	101	103	0	30	31
2022	1	22	18	40	25	20.8	-2.9	1.069	0.4	0.3	0	30.1	31.4	0	101	103	0	31	30
2022	1	22	18	50	25	18.4	-3	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	19	0	25	19.6	-2.9	1.069	0.4	0.3	0	30.5	31	0	101	102	0	30	30
2022	1	22	19	10	25	19.2	-2.8	1.069	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	22	19	20	25	19.3	-2.3	1.069	0.4	0.3	0	31	31.4	0	101	103	0	29	30
2022	1	22	19	30	25	19.6	-3.3	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	19	40	25	19.2	-3.3	1.069	0.5	0.4	0	30.5	31.4	0	100	103	0	29	30
2022	1	22	19	50	25	19.5	-3.4	1.069	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	22	20	0	25	19.2	-2.1	1.069	0.3	0.2	0	30.5	30.5	0	101	102	0	30	31
2022	1	22	20	10	25	20.1	-2.8	1.069	0.3	0.2	0	30.1	31.4	0	100	103	0	30	30
2022	1	22	20	20	25	19.9	-1.7	1.069	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	20	30	25	20.5	-2.4	1.069	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	20	40	25	19.8	-2.9	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	20	50	25	19.2	-2.1	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	21	0	25	20.1	-2.6	1.069	0.4	0.3	0	30.5	31	0	101	102	0	30	30
2022	1	22	21	10	25	19.1	-2.4	1.069	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	21	20	25	19.7	-2.4	1.069	0.4	0.3	0	30.5	31	0	101	102	0	30	30
2022	1	22	21	30	25	19.5	-2.9	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	21	40	25	19	-3.3	1.069	0.4	0.3	0	31	31.4	0	101	103	0	29	30
2022	1	22	21	50	25	19.6	-2.5	1.069	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	22	22	0	25	19.3	-3.7	1.069	0.5	0.4	0	30.5	31	0	101	102	0	30	30
2022	1	22	22	10	25	19.3	-2.9	1.069	0.4	0.3	0	30.5	31	0	101	103	0	30	31
2022	1	22	22	20	25	20	-2.3	1.069	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	22	22	30	25	19.6	-2.2	1.069	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	22	40	25	19.8	-2.6	1.069	0.3	0.2	0	31.4	31.8	0	102	104	0	29	30
2022	1	22	22	50	25	20.7	-2.8	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	23	0	25	21.4	-3.1	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	23	10	25	20.4	-2.7	1.069	0.3	0.2	0	31	31.4	0	101	103	0	29	30
2022	1	22	23	20	25	19.3	-2.9	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	23	30	25	20.6	-2.9	1.068	0.4	0.3	0	30.5	31	0	101	102	0	30	30
2022	1	22	23	40	25	19.6	-2.2	1.069	0.3	0.2	0	30.5	31.4	0	101	103	0	30	30
2022	1	22	23	50	25	19	-2.6	1.068	0.3	0.2	0	30.1	31.4	0	100	103	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	23	0	0	25	20.3	-3.1	1.069	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	23	0	10	25	19.3	-3.1	1.068	0.3	0.2	0	30.1	31	0	101	102	0	31	30
2022	1	23	0	20	25	19.9	-3.3	1.068	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	23	0	30	25	19.1	-2.1	1.069	0.4	0.3	0	30.5	30.5	0	101	102	0	30	31
2022	1	23	0	40	25	20.4	-3.4	1.069	0.4	0.3	0	30.5	31.4	0	101	103	0	30	30
2022	1	23	0	50	25	19.5	-3.2	1.069	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	23	1	0	25	19.3	-1.8	1.069	0.4	0.3	0	31	31.4	0	101	102	0	29	29
2022	1	23	1	10	25	19.5	-2.7	1.069	0.5	0.4	0	30.5	31	0	101	102	0	30	30
2022	1	23	1	20	25	19.2	-1.5	1.069	0.5	0.4	0	30.5	31.8	0	101	103	0	30	29
2022	1	23	1	30	25	19.4	-2.4	1.069	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	23	1	40	25	20.2	-2.4	1.068	0.3	0.2	0	31	31	0	101	102	0	29	30
2022	1	23	1	50	25	19.8	-2	1.069	0.5	0.4	0	30.1	31	0	100	102	0	30	30
2022	1	23	2	0	25	19.2	-2.5	1.069	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	23	2	10	25	19.8	-2.9	1.068	0.4	0.3	0	30.5	31	0	100	102	0	29	30
2022	1	23	2	20	25	19.5	-3.1	1.068	0.4	0.3	0	31	31	0	101	102	0	29	30
2022	1	23	2	30	25	19.1	-2.9	1.068	0.5	0.4	0	30.1	31	0	100	102	0	30	30
2022	1	23	2	40	25	19.5	-2.1	1.068	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	23	2	50	25	19.4	-3.9	1.068	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	23	3	0	25	19.6	-2.8	1.068	0.3	0.2	0	30.5	31	0	100	102	0	29	30
2022	1	23	3	10	25	19.2	-1.7	1.068	0.5	0.4	0	30.1	30.5	0	100	101	0	30	30
2022	1	23	3	20	25	20.7	-3.5	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	3	30	25	19.6	-3.4	1.068	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	23	3	40	25	20.5	-3.3	1.068	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	23	3	50	25	20.3	-2.5	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	4	0	25	18.9	-2.7	1.068	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	23	4	10	25	19.8	-2.8	1.068	0.5	0.4	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	4	20	25	19.4	-3.3	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	4	30	25	19.7	-2.7	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	4	40	25	19.5	-2.4	1.068	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	4	50	25	18.6	-2.8	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	5	0	25	20.8	-3.8	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	5	10	25	18.8	-2.8	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	5	20	25	19.8	-2.4	1.068	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	5	30	25	19.7	-2.8	1.068	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	23	5	40	25	20.3	-2.9	1.069	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	5	50	25	19.4	-2.3	1.068	0.3	0.2	0	28.8	30.5	0	98	101	0	31	30
2022	1	23	6	0	25	19.9	-1.8	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	6	10	25	19.4	-3.2	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	6	20	25	19.4	-2.8	1.068	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	23	6	30	25	19.7	-3.8	1.068	0.5	0.4	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	6	40	25	19.8	-3.3	1.068	0.4	0.3	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	6	50	25	19.8	-3.3	1.068	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	7	0	25	20	-3	1.068	0.4	0.3	0	29.7	30.1	0	99	101	0	30	31
2022	1	23	7	10	25	19.1	-2.6	1.068	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	23	7	20	25	18.1	-2.4	1.068	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	23	7	30	25	19.3	-2.3	1.068	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	23	7	40	25	19.5	-4	1.068	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	23	7	50	25	19.4	-3.1	1.068	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	23	8	0	25	19.8	-3.4	1.068	0.3	0.2	0	28.8	30.1	0	98	100	0	31	30
2022	1	23	8	10	25	19.4	-2.4	1.068	0.4	0.3	0	28.8	30.1	0	98	100	0	31	30
2022	1	23	8	20	25	19.8	-2	1.068	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	23	8	30	25	19.2	-3.8	1.068	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	23	8	40	25	20.3	-2.9	1.068	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	23	8	50	25	19.4	-2.7	1.068	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	23	9	0	25	19.8	-3.6	1.068	0.3	0.2	0	29.7	30.1	0	98	100	0	29	30
2022	1	23	9	10	25	19.5	-2.9	1.069	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	23	9	20	25	19.5	-2.8	1.069	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	23	9	30	25	19.9	-3.3	1.069	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	23	9	40	25	19.9	-2.9	1.069	0.4	0.3	0	29.2	29.7	0	98	100	0	30	31
2022	1	23	9	50	25	20.4	-3.3	1.069	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	23	10	0	25	19.7	-3	1.069	0.5	0.4	0	29.2	29.7	0	98	99	0	30	30
2022	1	23	10	10	25	19.2	-2.8	1.069	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	23	10	20	25	20.4	-2.7	1.07	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	23	10	30	25	19.9	-3.5	1.07	0.3	0.2	0	30.1	30.1	0	99	100	0	29	30
2022	1	23	10	40	25	19.2	-3.4	1.07	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	23	10	50	25	20.4	-3	1.07	0.4	0.3	0	29.2	30.1	0	98	100	0	30	30
2022	1	23	11	0	25	19.6	-3.4	1.07	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	23	11	10	25	18.8	-1.8	1.07	0.3	0.2	0	29.7	30.1	0	99	100	0	30	30
2022	1	23	11	20	25	19.8	-3.6	1.07	0.4	0.3	0	30.1	30.5	0	99	101	0	29	30
2022	1	23	11	30	25	18.8	-2.7	1.071	0.3	0.2	0	30.1	30.5	0	99	101	0	29	30
2022	1	23	11	40	25	19.6	-2.6	1.07	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	23	11	50	25	20.9	-2.8	1.071	0.4	0.3	0	30.1	31	0	100	101	0	30	29
2022	1	23	12	0	25	19.3	-3.1	1.071	0.3	0.2	0	29.7	30.1	0	99	101	0	30	31
2022	1	23	12	10	25	18.9	-2.6	1.071	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	23	12	20	25	20.5	-2.8	1.071	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	23	12	30	25	18.5	-2.1	1.071	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	23	12	40	25	19.6	-3.7	1.071	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	23	12	50	25	20.2	-2.2	1.07	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	23	13	0	25	18.9	-3.5	1.07	0.5	0.4	0	30.1	30.5	0	100	101	0	30	30
2022	1	23	13	10	25	19.5	-3.3	1.07	0.4	0.3	0	30.1	31.4	0	100	102	0	30	29
2022	1	23	13	20	25	19.1	-3.5	1.07	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	23	13	30	25	18.7	-3.1	1.07	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	23	13	40	25	19.8	-3.1	1.07	0.5	0.4	0	30.1	31.4	0	100	102	0	30	29
2022	1	23	13	50	25	19.9	-2.8	1.07	0.4	0.3	0	31	31.4	0	102	103	0	30	30
2022	1	23	14	0	25	19.7	-3.5	1.07	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	23	14	10	25	20.7	-3.2	1.07	0.3	0.2	0	30.5	31	0	100	102	0	29	30
2022	1	23	14	20	25	18.6	-2.8	1.07	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	23	14	30	25	19.3	-3.4	1.07	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	23	14	40	25	19.3	-2.9	1.07	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	23	14	50	25	19.1	-2.8	1.07	0.4	0.3	0	30.5	31	0	101	102	0	30	30
2022	1	23	15	0	25	20	-2.9	1.07	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	23	15	10	25	20	-3.3	1.069	0.4	0.3	0	29.7	30.1	0	99	101	0	30	31
2022	1	23	15	20	25	19.6	-3.2	1.069	0.3	0.2	0	30.1	31	0	100	101	0	30	29
2022	1	23	15	30	25	19.5	-3	1.069	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	23	15	40	25	18.7	-3.8	1.069	0.3	0.2	0	29.7	31	0	99	101	0	30	29
2022	1	23	15	50	25	18.5	-3.9	1.069	0.3	0.2	0	29.2	30.5	0	98	100	0	30	29

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	23	16	0	25	19.1	-3.8	1.069	0.3	0.2	0	29.2	30.5	0	98	101	0	30	30
2022	1	23	16	10	25	19.5	-2.8	1.069	0.3	0.2	0	29.7	30.5	0	98	101	0	29	30
2022	1	23	16	20	25	20	-3.5	1.069	0.4	0.3	0	28.8	30.1	0	97	100	0	30	30
2022	1	23	16	30	25	19.4	-3.6	1.069	0.3	0.2	0	29.7	29.2	0	98	99	0	29	31
2022	1	23	16	40	25	18.8	-3.3	1.069	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	23	16	50	25	19	-3.7	1.069	0.3	0.2	0	29.2	28.8	0	98	98	0	30	31
2022	1	23	17	0	25	19.7	-4.5	1.069	0.4	0.3	0	29.7	29.7	0	98	99	0	29	30
2022	1	23	17	10	25	19.1	-4.4	1.069	0.4	0.3	0	30.1	29.7	0	100	99	0	30	30
2022	1	23	17	20	25	18.2	-4.2	1.069	0.4	0.3	0	30.1	30.1	0	100	100	0	30	30
2022	1	23	17	30	25	18.1	-3.3	1.069	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	23	17	40	25	18.7	-3.7	1.069	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	23	17	50	25	18.3	-3.8	1.069	0.4	0.3	0	31.4	31	0	103	102	0	30	30
2022	1	23	18	0	25	19.1	-4.1	1.069	0.3	0.2	0	31.4	31.4	0	103	102	0	30	29
2022	1	23	18	10	25	18.4	-5.1	1.069	0.3	0.2	0	31.4	31	0	103	103	0	30	31
2022	1	23	18	20	25	17.7	-3.9	1.069	0.4	0.3	0	31.4	31	0	102	102	0	29	30
2022	1	23	18	30	25	19.6	-3.7	1.069	0.3	0.2	0	31	31	0	102	101	0	30	29
2022	1	23	18	40	25	18.5	-4.7	1.069	0.4	0.3	0	31.4	31	0	102	102	0	29	30
2022	1	23	18	50	25	19.4	-4	1.069	0.3	0.2	0	31.4	31	0	102	102	0	29	30
2022	1	23	19	0	25	18.5	-4.2	1.069	0.3	0.2	0	31.4	31	0	103	102	0	30	30
2022	1	23	19	10	25	19.3	-4.2	1.069	0.4	0.3	0	31.4	31	0	103	102	0	30	30
2022	1	23	19	20	25	18.6	-4	1.069	0.3	0.2	0	31	31	0	102	102	0	30	30
2022	1	23	19	30	25	18.6	-3.7	1.069	0.3	0.2	0	31	31	0	102	102	0	30	30
2022	1	23	19	40	25	18.8	-4.1	1.069	0.3	0.2	0	31	31	0	102	102	0	30	30
2022	1	23	19	50	25	18.9	-3.8	1.069	0.4	0.3	0	31	30.5	0	102	101	0	30	30
2022	1	23	20	0	25	19.6	-3.5	1.069	0.4	0.3	0	31	31	0	102	102	0	30	30
2022	1	23	20	10	25	18.5	-5	1.069	0.4	0.3	0	31	31	0	102	102	0	30	30
2022	1	23	20	20	25	18.4	-4.5	1.069	0.3	0.2	0	31	31	0	102	102	0	30	30
2022	1	23	20	30	25	18.4	-4.3	1.069	0.3	0.2	0	31	30.5	0	102	101	0	30	30
2022	1	23	20	40	25	17.5	-3.9	1.069	0.4	0.3	0	31	31	0	102	102	0	30	30
2022	1	23	20	50	25	18	-3.9	1.069	0.3	0.2	0	31	30.5	0	102	101	0	30	30
2022	1	23	21	0	25	18	-4.1	1.069	0.3	0.2	0	31	31	0	102	102	0	30	30
2022	1	23	21	10	25	19.1	-4.4	1.069	0.3	0.2	0	31	31	0	102	102	0	30	30
2022	1	23	21	20	25	18.3	-4	1.069	0.5	0.4	0	31	30.5	0	102	102	0	30	31
2022	1	23	21	30	25	19.4	-4.1	1.069	0.3	0.2	0	31	31	0	102	102	0	30	30
2022	1	23	21	40	25	18.8	-4.1	1.069	0.4	0.3	0	31	31	0	102	102	0	30	30
2022	1	23	21	50	25	18.7	-3.9	1.069	0.4	0.3	0	30.5	31	0	102	102	0	31	30
2022	1	23	22	0	25	18.6	-4.5	1.069	0.4	0.3	0	31.4	30.1	0	102	101	0	29	31
2022	1	23	22	10	25	19.3	-4.2	1.069	0.4	0.3	0	31	30.5	0	102	101	0	30	30
2022	1	23	22	20	25	19.5	-4.4	1.069	0.3	0.2	0	31	30.5	0	102	102	0	30	31
2022	1	23	22	30	25	18.6	-3.5	1.069	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	23	22	40	25	19	-3.4	1.069	0.3	0.2	0	31	31	0	102	102	0	30	30
2022	1	23	22	50	25	18.3	-4.4	1.069	0.4	0.3	0	31	31	0	102	102	0	30	30
2022	1	23	23	0	25	19.3	-3.7	1.069	0.3	0.2	0	31	30.5	0	102	101	0	30	30
2022	1	23	23	10	25	19.1	-4.5	1.069	0.4	0.3	0	31	30.5	0	102	101	0	30	30
2022	1	23	23	20	25	18.3	-3.3	1.069	0.3	0.2	0	30.5	30.1	0	101	101	0	30	31
2022	1	23	23	30	25	18.5	-3.3	1.069	0.3	0.2	0	31	30.5	0	101	101	0	29	30
2022	1	23	23	40	25	17.7	-3.6	1.069	0.3	0.2	0	30.5	31	0	101	102	0	30	30
2022	1	23	23	50	25	19.6	-3.6	1.069	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	24	0	0	25	19.1	-3.6	1.069	0.5	0.4	0	30.5	30.1	0	101	101	0	30	31
2022	1	24	0	10	25	17.9	-3.8	1.069	0.4	0.3	0	30.5	31	0	101	102	0	30	30
2022	1	24	0	20	25	19	-3.7	1.069	0.5	0.4	0	31	30.5	0	101	101	0	29	30
2022	1	24	0	30	25	19.4	-3.5	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	24	0	40	25	18.9	-4.3	1.068	0.3	0.2	0	31	30.5	0	101	101	0	29	30
2022	1	24	0	50	25	19.6	-2.8	1.068	0.3	0.2	0	31	30.5	0	101	101	0	29	30
2022	1	24	1	0	25	19.1	-4.5	1.068	0.5	0.4	0	30.5	30.5	0	101	101	0	30	30
2022	1	24	1	10	25	19.2	-3.2	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	24	1	20	25	18.4	-3.8	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	24	1	30	25	18.8	-3.9	1.068	0.4	0.3	0	30.5	30.5	0	101	101	0	30	30
2022	1	24	1	40	25	18.4	-3.5	1.068	0.3	0.2	0	31	31.4	0	102	103	0	30	30
2022	1	24	1	50	25	18.8	-3.7	1.068	0.3	0.2	0	30.5	30.1	0	101	101	0	30	31
2022	1	24	2	0	25	18.4	-4.1	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	24	2	10	25	18.8	-4.2	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	2	20	25	18.6	-3.8	1.068	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30
2022	1	24	2	30	25	18.2	-3.4	1.068	0.4	0.3	0	30.1	30.5	0	101	101	0	31	30
2022	1	24	2	40	25	17.9	-4.9	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	2	50	25	18.5	-3.6	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	24	3	0	25	19.5	-4.3	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	3	10	25	18.6	-4.6	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	3	20	25	18.9	-3.2	1.068	0.5	0.4	0	30.5	30.1	0	101	101	0	30	31
2022	1	24	3	30	25	18.8	-3.7	1.068	0.3	0.2	0	30.5	29.7	0	101	100	0	30	31
2022	1	24	3	40	25	18.8	-4.2	1.068	0.4	0.3	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	3	50	25	18.2	-4.4	1.068	0.3	0.2	0	31	30.5	0	102	101	0	30	30
2022	1	24	4	0	25	18.6	-4	1.068	0.4	0.3	0	29.7	30.1	0	100	100	0	31	30
2022	1	24	4	10	25	18	-3.4	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	4	20	25	18.2	-3.5	1.068	0.4	0.3	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	4	30	25	18.6	-3.4	1.068	0.3	0.2	0	31	30.1	0	101	100	0	29	30
2022	1	24	4	40	25	18.9	-3.8	1.068	0.3	0.2	0	30.5	29.7	0	101	100	0	30	31
2022	1	24	4	50	25	19	-4	1.068	0.3	0.2	0	30.1	30.1	0	101	100	0	31	30
2022	1	24	5	0	25	18.2	-4.6	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	5	10	25	18.1	-4	1.067	0.4	0.3	0	30.5	29.7	0	101	100	0	30	31
2022	1	24	5	20	25	19.8	-4.7	1.068	0.4	0.3	0	30.1	30.1	0	100	100	0	30	30
2022	1	24	5	30	25	18.9	-4	1.067	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30
2022	1	24	5	40	25	18.3	-4.7	1.067	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30
2022	1	24	5	50	25	19.3	-4.1	1.067	0.3	0.2	0	29.7	29.7	0	99	99	0	30	30
2022	1	24	6	0	25	19.1	-3.7	1.067	0.3	0.2	0	29.7	29.7	0	99	99	0	30	30
2022	1	24	6	10	25	17.9	-4	1.067	0.3	0.2	0	29.7	29.7	0	99	99	0	30	30
2022	1	24	6	20	25	18.5	-4.3	1.067	0.3	0.2	0	29.7	29.7	0	99	99	0	30	30
2022	1	24	6	30	25	19.3	-4.7	1.067	0.3	0.2	0	30.1	29.7	0	100	99	0	30	30
2022	1	24	6	40	25	18.5	-4.5	1.067	0.3	0.2	0	29.7	29.7	0	99	99	0	30	30
2022	1	24	6	50	25	18.5	-4.2	1.067	0.5	0.4	0	29.7	29.7	0	99	99	0	30	30
2022	1	24	7	0	25	18.4	-4	1.067	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	24	7	10	25	17.8	-4.4	1.067	0.3	0.2	0	30.1	28.8	0	99	98	0	29	31
2022	1	24	7	20	25	18	-4.3	1.067	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	24	7	30	25	18.6	-3.6	1.067	0.3	0.2	0	29.2	28.8	0	97	97	0	29	30
2022	1	24	7	40	25	19.3	-3.9	1.067	0.4	0.3	0	28.8	28.4	0	97	97	0	30	31
2022	1	24	7	50	25	18.5	-3.4	1.067	0.3	0.2	0	29.2	28.4	0	98	97	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	24	8	0	25	18.8	-4	1.067	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	24	8	10	25	19.3	-3.9	1.068	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	24	8	20	25	18.8	-3.6	1.068	0.4	0.3	0	29.2	28.8	0	98	98	0	30	31
2022	1	24	8	30	25	18.5	-2.9	1.067	0.4	0.3	0	29.7	29.2	0	99	98	0	30	30
2022	1	24	8	40	25	18.2	-4.6	1.068	0.4	0.3	0	29.7	29.2	0	99	98	0	30	30
2022	1	24	8	50	25	18.4	-4.5	1.068	0.4	0.3	0	29.7	29.2	0	99	98	0	30	30
2022	1	24	9	0	25	18.9	-4.7	1.068	0.4	0.3	0	30.1	28.8	0	99	98	0	29	31
2022	1	24	9	10	25	18.2	-4.6	1.068	0.3	0.2	0	30.1	29.7	0	100	99	0	30	30
2022	1	24	9	20	25	18.7	-4.5	1.068	0.4	0.3	0	29.7	29.2	0	99	98	0	30	30
2022	1	24	9	30	25	19	-4.3	1.068	0.3	0.2	0	30.1	29.2	0	100	98	0	30	30
2022	1	24	9	40	25	18.8	-4.9	1.069	0.4	0.3	0	30.1	29.2	0	99	98	0	29	30
2022	1	24	9	50	25	18.6	-4.4	1.068	0.4	0.3	0	30.1	29.2	0	100	99	0	30	31
2022	1	24	10	0	25	18.6	-4.1	1.069	0.5	0.5	0	30.1	29.2	0	100	98	0	30	30
2022	1	24	10	10	25	19	-4.1	1.069	0.4	0.3	0	30.1	29.7	0	100	99	0	30	30
2022	1	24	10	20	25	18.6	-4	1.069	0.4	0.3	0	30.5	29.7	0	101	99	0	30	30
2022	1	24	10	30	25	18.1	-4.3	1.069	0.4	0.3	0	30.5	29.7	0	101	99	0	30	30
2022	1	24	10	40	25	18.4	-4.6	1.069	0.3	0.2	0	30.5	29.7	0	101	99	0	30	30
2022	1	24	10	50	25	19.3	-4.4	1.069	0.3	0.2	0	30.5	29.7	0	101	99	0	30	30
2022	1	24	11	0	25	18.1	-3.7	1.069	0.3	0.2	0	31	30.1	0	102	100	0	30	30
2022	1	24	11	10	25	18.9	-4	1.069	0.4	0.3	0	31	30.1	0	102	100	0	30	30
2022	1	24	11	20	25	18.1	-3.2	1.07	0.3	0.2	0	31	30.5	0	102	101	0	30	30
2022	1	24	11	30	25	18.3	-4.5	1.07	0.4	0.3	0	31	30.1	0	102	100	0	30	30
2022	1	24	11	40	25	17.5	-4.2	1.07	0.4	0.3	0	31	30.1	0	102	100	0	30	30
2022	1	24	11	50	25	18.3	-3.7	1.07	0.5	0.4	0	30.5	30.1	0	101	101	0	30	31
2022	1	24	12	0	25	19.2	-3.8	1.07	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	12	10	25	18.8	-4.5	1.07	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	24	12	20	25	18.5	-4.1	1.07	0.5	0.4	0	31.8	30.5	0	103	101	0	29	30
2022	1	24	12	30	25	18.6	-4.1	1.07	0.3	0.2	0	31.4	31	0	103	102	0	30	30
2022	1	24	12	40	25	18	-4.4	1.07	0.5	0.4	0	31.4	30.5	0	103	101	0	30	30
2022	1	24	12	50	25	18.9	-4.1	1.07	0.4	0.3	0	31	30.5	0	102	101	0	30	30
2022	1	24	13	0	25	18.3	-4.5	1.07	0.3	0.2	0	31.4	30.5	0	103	102	0	30	31
2022	1	24	13	10	25	18.6	-4.1	1.07	0.5	0.4	0	31.4	31	0	103	101	0	30	29
2022	1	24	13	20	25	18.3	-3.8	1.07	0.3	0.2	0	31	30.5	0	102	101	0	30	30
2022	1	24	13	30	25	18.4	-3.8	1.069	0.4	0.3	0	31.4	30.1	0	102	100	0	29	30
2022	1	24	13	40	25	17.5	-4.4	1.069	0.4	0.3	0	31.8	31	0	104	102	0	30	30
2022	1	24	13	50	25	18.6	-4.9	1.07	0.4	0.3	0	31	30.5	0	102	101	0	30	30
2022	1	24	14	0	25	19.5	-3.5	1.069	0.4	0.3	0	31	30.1	0	102	101	0	30	31
2022	1	24	14	10	25	17.8	-3.7	1.069	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	24	14	20	25	18.9	-3.5	1.069	0.4	0.3	0	30.5	30.5	0	101	101	0	30	30
2022	1	24	14	30	25	19.4	-4.3	1.069	0.3	0.2	0	31.4	31	0	102	102	0	29	30
2022	1	24	14	40	25	18.8	-4.7	1.069	0.3	0.2	0	31	30.5	0	101	101	0	29	30
2022	1	24	14	50	25	17.8	-3.3	1.069	0.4	0.3	0	31.4	31	0	103	102	0	30	30
2022	1	24	15	0	25	19.8	-4	1.069	0.4	0.3	0	31.8	31	0	104	102	0	30	30
2022	1	24	15	10	25	19	-3.7	1.069	0.3	0.2	0	30.5	30.1	0	101	101	0	30	31
2022	1	24	15	20	25	19.1	-3.7	1.069	0.3	0.2	0	30.1	29.7	0	101	100	0	31	31
2022	1	24	15	30	25	19.2	-4.1	1.068	0.3	0.2	0	30.1	30.1	0	101	100	0	31	30
2022	1	24	15	40	25	18.9	-5.1	1.068	0.4	0.3	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	15	50	25	18.9	-4	1.068	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	24	16	0	25	18.5	-4.4	1.068	0.3	0.2	0	29.7	29.7	0	99	99	0	30	30
2022	1	24	16	10	25	19.2	-3.5	1.068	0.4	0.3	0	29.7	30.1	0	99	100	0	30	30
2022	1	24	16	20	25	17.6	-4.1	1.068	0.3	0.2	0	29.2	29.2	0	98	98	0	30	30
2022	1	24	16	30	25	18.5	-4.9	1.068	0.3	0.2	0	28.8	29.2	0	98	98	0	31	30
2022	1	24	16	40	25	19.2	-4	1.068	0.4	0.3	0	29.7	28.8	0	98	97	0	29	30
2022	1	24	16	50	25	17.8	-4.1	1.068	0.5	0.5	0	29.2	28.8	0	98	97	0	30	30
2022	1	24	17	0	25	19.3	-4.7	1.068	0.3	0.2	0	29.2	28.8	0	98	97	0	30	30
2022	1	24	17	10	25	18.9	-4.5	1.068	0.5	0.4	0	29.2	28.4	0	98	97	0	30	31
2022	1	24	17	20	25	18.1	-4	1.068	0.4	0.3	0	30.1	29.2	0	99	98	0	29	30
2022	1	24	17	30	25	18.5	-4.4	1.068	0.4	0.3	0	29.7	29.2	0	99	98	0	30	30
2022	1	24	17	40	25	18	-3.6	1.068	0.4	0.3	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	17	50	25	18.8	-4.4	1.068	0.3	0.2	0	30.1	29.2	0	100	98	0	30	30
2022	1	24	18	0	25	19.5	-4.1	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	18	10	25	17.9	-3.8	1.068	0.3	0.2	0	31	30.5	0	102	101	0	30	30
2022	1	24	18	20	25	18.6	-3.9	1.068	0.4	0.3	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	18	30	25	19.3	-4.7	1.068	0.3	0.2	0	31	30.5	0	101	101	0	29	30
2022	1	24	18	40	25	18.5	-4.7	1.068	0.3	0.2	0	30.5	29.7	0	101	100	0	30	31
2022	1	24	18	50	25	18.8	-3.6	1.068	0.5	0.4	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	19	0	25	18.6	-4.5	1.068	0.3	0.2	0	31	30.1	0	102	100	0	30	30
2022	1	24	19	10	25	18	-3.7	1.068	0.4	0.3	0	30.5	29.7	0	101	100	0	30	31
2022	1	24	19	20	25	18.2	-3.5	1.068	0.3	0.2	0	31	30.1	0	102	100	0	30	30
2022	1	24	19	30	25	18.6	-3.6	1.068	0.4	0.3	0	30.5	29.7	0	101	100	0	30	31
2022	1	24	19	40	25	17.6	-4.1	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	19	50	25	18.8	-5	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	20	0	25	18.3	-4.5	1.068	0.4	0.3	0	31	30.1	0	102	100	0	30	30
2022	1	24	20	10	25	18.1	-4	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	20	20	25	17.9	-4.8	1.068	0.3	0.2	0	31	30.1	0	102	100	0	30	30
2022	1	24	20	30	25	19.4	-3.6	1.068	0.4	0.3	0	31.4	30.1	0	102	100	0	29	30
2022	1	24	20	40	25	19	-4	1.068	0.4	0.3	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	20	50	25	18.6	-4.3	1.068	0.3	0.2	0	31	30.1	0	101	100	0	29	30
2022	1	24	21	0	25	17.8	-3.7	1.068	0.5	0.4	0	31	30.1	0	102	100	0	30	30
2022	1	24	21	10	25	19.2	-4.1	1.068	0.3	0.2	0	30.5	29.7	0	101	100	0	30	31
2022	1	24	21	20	25	17.7	-3.9	1.068	0.3	0.2	0	31.4	29.7	0	102	100	0	29	31
2022	1	24	21	30	25	18.1	-3.8	1.068	0.3	0.2	0	30.5	30.5	0	101	100	0	30	29
2022	1	24	21	40	25	18.2	-4.1	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	21	50	25	19	-4.5	1.068	0.4	0.3	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	22	0	25	18.9	-4	1.068	0.4	0.3	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	22	10	25	17.7	-3.7	1.068	0.3	0.2	0	30.5	29.7	0	101	100	0	30	31
2022	1	24	22	20	25	19.4	-3.4	1.068	0.4	0.3	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	22	30	25	18.6	-4	1.068	0.4	0.3	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	22	40	25	17.8	-5	1.068	0.3	0.2	0	31	30.1	0	102	100	0	30	30
2022	1	24	22	50	25	18.4	-4.1	1.067	0.3	0.2	0	31	30.5	0	102	101	0	30	30
2022	1	24	23	0	25	18.4	-4.6	1.068	0.3	0.2	0	30.5	30.5	0	101	100	0	30	29
2022	1	24	23	10	25	18.2	-4.5	1.068	0.4	0.3	0	30.5	30.5	0	101	100	0	30	29
2022	1	24	23	20	25	18.6	-4.5	1.067	0.3	0.2	0	30.5	29.7	0	101	100	0	30	31
2022	1	24	23	30	25	18.6	-4	1.067	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	24	23	40	25	18.5	-4.6	1.068	0.4	0.3	0	30.5	29.7	0	101	99	0	30	30
2022	1	24	23	50	25	18.1	-4.6	1.068	0.3	0.2	0	30.1	29.7	0	100	99	0	30	30



### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	25	0	0	25	17.8	-4.1	1.067	0.3	0.2	0	30.5	29.2	0	100	98	0	29	30
2022	1	25	0	10	25	18.2	-4	1.067	0.3	0.2	0	30.1	29.7	0	100	99	0	30	30
2022	1	25	0	20	25	18	-3.9	1.067	0.4	0.3	0	30.1	29.7	0	100	99	0	30	30
2022	1	25	0	30	25	17.9	-3.7	1.067	0.3	0.2	0	30.1	29.7	0	100	99	0	30	30
2022	1	25	0	40	25	17.7	-4.5	1.067	0.4	0.3	0	30.5	29.2	0	100	98	0	29	30
2022	1	25	0	50	25	18.5	-4	1.067	0.3	0.2	0	30.1	29.2	0	100	98	0	30	30
2022	1	25	1	0	25	17.7	-3.9	1.067	0.3	0.2	0	30.1	29.7	0	100	99	0	30	30
2022	1	25	1	10	25	17.9	-4.1	1.067	0.3	0.2	0	30.1	28.8	0	100	98	0	30	31
2022	1	25	1	20	25	17.8	-3.7	1.067	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	1	30	25	17.8	-4.4	1.067	0.3	0.2	0	30.1	29.7	0	100	99	0	30	30
2022	1	25	1	40	25	18.5	-3.6	1.067	0.3	0.2	0	30.1	29.2	0	99	98	0	29	30
2022	1	25	1	50	25	18.5	-4.6	1.067	0.3	0.2	0	29.7	28.8	0	99	98	0	30	31
2022	1	25	2	0	25	18.2	-4.6	1.067	0.4	0.3	0	30.1	29.7	0	100	99	0	30	30
2022	1	25	2	10	25	17.2	-4.6	1.067	0.4	0.3	0	30.1	29.7	0	100	99	0	30	30
2022	1	25	2	20	25	18.4	-4	1.067	0.3	0.2	0	30.1	29.2	0	99	98	0	29	30
2022	1	25	2	30	25	18.8	-4	1.067	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	2	40	25	18.1	-4.2	1.067	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	2	50	25	17.6	-4.5	1.067	0.3	0.2	0	30.1	29.2	0	99	98	0	29	30
2022	1	25	3	0	25	18.8	-5.5	1.067	0.4	0.3	0	29.7	28.8	0	99	97	0	30	30
2022	1	25	3	10	25	18.6	-4	1.067	0.5	0.4	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	3	20	25	18.8	-5.6	1.067	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	3	30	25	18.2	-4.6	1.067	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	3	40	25	18.3	-4.2	1.067	0.3	0.2	0	30.1	29.2	0	99	98	0	29	30
2022	1	25	3	50	25	19.2	-3.5	1.067	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	4	0	25	18.3	-3.1	1.066	0.4	0.3	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	4	10	25	18.6	-4.2	1.066	0.3	0.2	0	29.2	28.8	0	98	97	0	30	30
2022	1	25	4	20	25	18.6	-4	1.066	0.3	0.2	0	29.7	28.8	0	99	97	0	30	30
2022	1	25	4	30	25	18.8	-4.1	1.066	0.3	0.2	0	29.7	28.8	0	99	97	0	30	30
2022	1	25	4	40	25	18.5	-4.1	1.066	0.4	0.3	0	29.7	28.8	0	99	97	0	30	30
2022	1	25	4	50	25	18.5	-4.1	1.066	0.4	0.3	0	29.2	28.8	0	98	97	0	30	30
2022	1	25	5	0	25	18.2	-4.6	1.066	0.3	0.2	0	28.8	28.4	0	98	96	0	31	30
2022	1	25	5	10	25	17	-3.6	1.066	0.4	0.3	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	5	20	25	18.9	-4	1.066	0.3	0.2	0	29.7	28.8	0	99	97	0	30	30
2022	1	25	5	30	25	18.3	-4.5	1.066	0.3	0.2	0	29.7	28.8	0	99	97	0	30	30
2022	1	25	5	40	25	17.9	-4.9	1.066	0.3	0.2	0	29.2	28.8	0	98	97	0	30	30
2022	1	25	5	50	25	19.9	-3.7	1.067	0.3	0.2	0	28.8	28	0	97	96	0	30	31
2022	1	25	6	0	25	19.4	-3.7	1.068	0.3	0.2	0	29.2	29.2	0	98	98	0	30	30
2022	1	25	6	10	25	19.2	-3.3	1.068	0.3	0.2	0	30.1	29.7	0	100	98	0	30	29
2022	1	25	6	20	25	19.5	-3.5	1.067	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30
2022	1	25	6	30	25	20.6	-2.8	1.068	0.3	0.2	0	30.5	30.1	0	101	101	0	30	31
2022	1	25	6	40	25	20.5	-2.8	1.068	0.3	0.2	0	31.8	31	0	104	103	0	30	31
2022	1	25	6	50	25	19.9	-2.1	1.067	0.3	0.2	0	33.5	33.1	0	107	107	0	29	30
2022	1	25	7	0	25	20.4	-2.7	1.068	0.3	0.2	0	34.8	35.3	0	111	112	0	30	30
2022	1	25	7	10	25	19.4	-3.2	1.067	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2022	1	25	7	20	25	20.4	-2.4	1.067	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2022	1	25	7	30	25	20.7	-2.9	1.067	0.3	0.2	0	33.1	33.1	0	107	108	0	30	31
2022	1	25	7	40	25	19.3	-3.5	1.068	0.5	0.5	0	32.3	32.3	0	105	105	0	30	30
2022	1	25	7	50	25	19.4	-3.2	1.067	0.3	0.2	0	31.8	31.4	0	104	103	0	30	30

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	25	8	0	25	19.3	-2.5	1.067	0.3	0.2	0	31.4	31	0	103	102	0	30	30
2022	1	25	8	10	25	19.4	-2.4	1.068	0.3	0.2	0	31	30.5	0	102	101	0	30	30
2022	1	25	8	20	25	20.4	-2.6	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	8	30	25	21.2	-3.2	1.068	0.5	0.4	0	30.5	30.1	0	101	100	0	30	30
2022	1	25	8	40	25	20.1	-2.8	1.068	0.4	0.3	0	31.4	30.5	0	102	101	0	29	30
2022	1	25	8	50	25	20.4	-2.1	1.068	0.4	0.3	0	31.8	31.4	0	104	103	0	30	30
2022	1	25	9	0	25	20.7	-2.9	1.069	0.3	0.2	0	32.7	31.8	0	106	105	0	30	31
2022	1	25	9	10	25	19.5	-2.7	1.068	0.4	0.3	0	34.4	34.4	0	110	110	0	30	30
2022	1	25	9	20	25	20.6	-2.7	1.069	0.4	0.3	0	36.5	36.5	0	115	116	0	30	31
2022	1	25	9	30	25	19.3	-1.8	1.069	0.3	0.2	0	36.1	37	0	115	116	0	31	30
2022	1	25	9	40	25	20.1	-2.8	1.069	0.3	0.2	0	36.1	36.5	0	114	115	0	30	30
2022	1	25	9	50	25	20.5	-2.7	1.068	0.3	0.2	0	34.8	35.3	0	111	112	0	30	30
2022	1	25	10	0	25	19	-1.9	1.068	0.5	0.5	0	35.3	35.7	0	112	113	0	30	30
2022	1	25	10	10	25	19.4	-2.6	1.069	0.4	0.3	0	35.3	35.3	0	112	112	0	30	30
2022	1	25	10	20	25	20.5	-2.7	1.069	0.3	0.2	0	35.7	35.7	0	113	113	0	30	30
2022	1	25	10	30	25	19.6	-3.1	1.069	0.4	0.3	0	34.8	35.3	0	111	112	0	30	30
2022	1	25	10	40	25	19.6	-3.7	1.069	0.3	0.2	0	34.8	34.8	0	111	111	0	30	30
2022	1	25	10	50	25	21.2	-2.8	1.069	0.4	0.3	0	34	33.1	0	109	108	0	30	31
2022	1	25	11	0	25	20.2	-2.8	1.069	0.4	0.3	0	34.8	35.3	0	111	112	0	30	30
2022	1	25	11	10	25	20.1	-2	1.069	0.4	0.3	0	34.8	34.8	0	111	111	0	30	30
2022	1	25	11	20	25	18.2	-2.1	1.069	0.4	0.3	0	34.8	34.8	0	111	111	0	30	30
2022	1	25	11	30	25	19	-3.4	1.07	0.3	0.2	0	34	34.4	0	109	110	0	30	30
2022	1	25	11	40	25	20.5	-2.4	1.07	0.4	0.3	0	34	33.5	0	109	108	0	30	30
2022	1	25	11	50	25	19.3	-3.4	1.07	0.4	0.3	0	34	33.5	0	109	108	0	30	30
2022	1	25	12	0	25	19.8	-3.4	1.07	0.4	0.3	0	34	33.5	0	109	109	0	30	31
2022	1	25	12	10	25	20.2	-3.3	1.07	0.3	0.2	0	33.5	33.5	0	108	108	0	30	30
2022	1	25	12	20	25	19.5	-2.8	1.07	0.4	0.3	0	33.5	32.7	0	108	107	0	30	31
2022	1	25	12	30	25	19.8	-3.3	1.07	0.4	0.3	0	33.5	33.1	0	108	107	0	30	30
2022	1	25	12	40	25	19.8	-2.5	1.071	0.4	0.3	0	33.1	33.1	0	107	107	0	30	30
2022	1	25	12	50	25	18.5	-3.3	1.07	0.3	0.2	0	33.1	33.1	0	107	107	0	30	30
2022	1	25	13	0	25	19.9	-1.9	1.069	0.5	0.4	0	33.1	32.7	0	107	106	0	30	30
2022	1	25	13	10	25	19.6	-2.8	1.07	0.4	0.3	0	33.1	32.7	0	107	106	0	30	30
2022	1	25	13	20	25	20.6	-3.5	1.07	0.4	0.3	0	32.7	32.3	0	106	106	0	30	31
2022	1	25	13	30	25	19.5	-4	1.07	0.4	0.3	0	32.3	32.3	0	105	105	0	30	30
2022	1	25	13	40	25	19.1	-2.8	1.07	0.3	0.2	0	32.7	32.3	0	106	105	0	30	30
2022	1	25	13	50	25	20	-2.4	1.069	0.3	0.2	0	32.3	31.8	0	105	105	0	30	31
2022	1	25	14	0	25	19.8	-2.3	1.07	0.3	0.2	0	32.3	31.8	0	105	104	0	30	30
2022	1	25	14	10	25	19.6	-3.4	1.069	0.3	0.2	0	32.7	31.8	0	106	104	0	30	30
2022	1	25	14	20	25	20	-3.2	1.07	0.3	0.2	0	32.3	31.4	0	105	104	0	30	31
2022	1	25	14	30	25	19.7	-2.7	1.07	0.3	0.2	0	32.7	32.3	0	106	105	0	30	30
2022	1	25	14	40	25	19.5	-3.2	1.069	0.4	0.3	0	31.8	31.8	0	104	104	0	30	30
2022	1	25	14	50	25	20.7	-2.9	1.069	0.4	0.3	0	31.4	31	0	103	102	0	30	30
2022	1	25	15	0	25	19.3	-2.6	1.069	0.4	0.3	0	31.8	31.4	0	104	103	0	30	30
2022	1	25	15	10	25	20.2	-2.6	1.069	0.3	0.2	0	31.4	31	0	103	102	0	30	30
2022	1	25	15	20	25	19.9	-2.9	1.069	0.3	0.2	0	31.4	30.5	0	103	101	0	30	30
2022	1	25	15	30	25	20.1	-2.4	1.068	0.3	0.2	0	30.5	30.5	0	102	101	0	31	30
2022	1	25	15	40	25	19.7	-3.2	1.068	0.3	0.2	0	31.4	30.5	0	103	101	0	30	30
2022	1	25	15	50	25	19.9	-3.1	1.068	0.3	0.2	0	31	30.5	0	102	101	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	25	16	0	25	19.9	-3.2	1.069	0.5	0.4	0	30.5	30.1	0	101	100	0	30	30
2022	1	25	16	10	25	19.3	-3.5	1.068	0.5	0.4	0	30.5	29.7	0	101	100	0	30	31
2022	1	25	16	20	25	20.1	-2.2	1.068	0.3	0.2	0	30.1	29.7	0	100	99	0	30	30
2022	1	25	16	30	25	18.5	-2.5	1.068	0.3	0.2	0	29.2	29.2	0	98	98	0	30	30
2022	1	25	16	40	25	18.3	-3.3	1.067	0.4	0.3	0	29.2	28.8	0	98	97	0	30	30
2022	1	25	16	50	25	19.2	-3.2	1.068	0.5	0.4	0	29.2	28.4	0	98	97	0	30	31
2022	1	25	17	0	25	18.2	-4.1	1.067	0.3	0.2	0	29.2	28.4	0	98	97	0	30	31
2022	1	25	17	10	25	17.9	-4	1.067	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	17	20	25	18.8	-4.4	1.067	0.3	0.2	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	17	30	25	19	-4.5	1.067	0.4	0.3	0	29.7	29.2	0	99	98	0	30	30
2022	1	25	17	40	25	19.4	-3.2	1.068	0.3	0.2	0	30.1	29.7	0	100	99	0	30	30
2022	1	25	17	50	25	18.5	-4.6	1.068	0.3	0.2	0	30.1	29.7	0	100	99	0	30	30
2022	1	25	18	0	25	19.1	-3.4	1.068	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30
2022	1	25	18	10	25	18.3	-3.7	1.067	0.4	0.3	0	30.5	30.1	0	101	100	0	30	30
2022	1	25	18	20	25	19.8	-3.2	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	25	18	30	25	19.6	-2.9	1.068	0.4	0.3	0	30.1	30.5	0	101	101	0	31	30
2022	1	25	18	40	25	19.7	-3	1.068	0.3	0.2	0	31.4	31	0	102	101	0	29	29
2022	1	25	18	50	25	18.4	-3.2	1.068	0.3	0.2	0	31	30.5	0	102	101	0	30	30
2022	1	25	19	0	25	19.3	-3.2	1.068	0.3	0.2	0	31	31	0	102	102	0	30	30
2022	1	25	19	10	25	19	-2.9	1.068	0.5	0.4	0	31	30.5	0	102	101	0	30	30
2022	1	25	19	20	25	18.8	-2.6	1.069	0.3	0.2	0	31	31	0	102	102	0	30	30
2022	1	25	19	30	25	19.6	-3.2	1.068	0.4	0.3	0	31	30.5	0	102	101	0	30	30
2022	1	25	19	40	25	18.2	-2.1	1.068	0.4	0.3	0	31	31	0	102	102	0	30	30
2022	1	25	19	50	25	19.1	-2.9	1.068	0.4	0.3	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	20	0	25	19	-3.2	1.068	0.3	0.2	0	31	30.1	0	102	101	0	30	31
2022	1	25	20	10	25	18.2	-3.2	1.068	0.3	0.2	0	30.5	30.1	0	101	101	0	30	31
2022	1	25	20	20	25	19	-3.7	1.068	0.3	0.2	0	31	30.5	0	102	101	0	30	30
2022	1	25	20	30	25	19.5	-2.7	1.069	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	20	40	25	18.8	-3.6	1.068	0.3	0.2	0	31	31	0	102	102	0	30	30
2022	1	25	20	50	25	18.1	-2.5	1.068	0.5	0.4	0	31	30.5	0	102	101	0	30	30
2022	1	25	21	0	25	18.2	-2.9	1.068	0.4	0.3	0	31	30.5	0	102	101	0	30	30
2022	1	25	21	10	25	18.6	-2.8	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	21	20	25	19	-3.7	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	21	30	25	19.2	-3.3	1.068	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	25	21	40	25	18.7	-3.3	1.068	0.4	0.3	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	21	50	25	18.1	-3	1.068	0.3	0.2	0	30.1	30.5	0	100	101	0	30	30
2022	1	25	22	0	25	19	-4.7	1.068	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30
2022	1	25	22	10	25	19.1	-4.2	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	22	20	25	19.3	-3.9	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	22	30	25	18.7	-3.3	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	22	40	25	19.3	-3.1	1.068	0.3	0.2	0	30.5	30.1	0	101	101	0	30	31
2022	1	25	22	50	25	19.9	-3.7	1.068	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	25	23	0	25	18.5	-3.6	1.068	0.4	0.3	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	23	10	25	18.5	-3.7	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	23	20	25	18.2	-2.7	1.068	0.5	0.4	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	23	30	25	17.8	-3.7	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	23	40	25	18.7	-2.7	1.068	0.4	0.3	0	30.5	30.5	0	101	101	0	30	30
2022	1	25	23	50	25	19	-3.5	1.068	0.3	0.2	0	30.5	30.5	0	101	101	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	26	0	0	25	19	-3.2	1.068	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30
2022	1	26	0	10	25	19	-4.1	1.068	0.3	0.2	0	30.5	30.1	0	101	100	0	30	30
2022	1	26	0	20	25	18.4	-4	1.067	0.4	0.3	0	30.1	30.1	0	100	100	0	30	30
2022	1	26	0	30	25	19	-4.5	1.067	0.3	0.2	0	30.5	30.5	0	100	101	0	29	30
2022	1	26	0	40	25	18.8	-3.7	1.068	0.3	0.2	0	30.1	29.7	0	100	100	0	30	31
2022	1	26	0	50	25	18.1	-3.5	1.067	0.4	0.3	0	30.1	30.1	0	100	100	0	30	30
2022	1	26	1	0	25	18.6	-3.7	1.067	0.4	0.3	0	30.1	30.5	0	100	100	0	30	29
2022	1	26	1	10	25	18.4	-3.5	1.067	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30
2022	1	26	1	20	25	18.5	-3.7	1.067	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30
2022	1	26	1	30	25	19	-3.1	1.067	0.4	0.3	0	30.1	30.1	0	100	100	0	30	30
2022	1	26	1	40	25	19.1	-3.2	1.067	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30
2022	1	26	1	50	25	19.4	-3.8	1.067	0.4	0.3	0	30.1	29.7	0	100	100	0	30	31
2022	1	26	2	0	25	19.4	-3.3	1.067	0.5	0.4	0	30.1	30.5	0	100	100	0	30	29
2022	1	26	2	10	25	19	-3.2	1.067	0.3	0.2	0	30.1	30.1	0	100	100	0	30	30
2022	1	26	2	20	25	19.1	-3.9	1.067	0.3	0.2	0	30.1	29.7	0	100	99	0	30	30
2022	1	26	2	30	25	19	-3.5	1.067	0.4	0.3	0	30.1	30.1	0	100	100	0	30	30
2022	1	26	2	40	25	19.5	-3.6	1.067	0.4	0.3	0	29.2	29.7	0	98	99	0	30	30
2022	1	26	2	50	25	19	-3.7	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	26	3	0	25	19.5	-4	1.067	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	26	3	10	25	18.9	-3.7	1.067	0.3	0.2	0	29.2	29.2	0	98	98	0	30	30
2022	1	26	3	20	25	19.3	-3.4	1.067	0.5	0.4	0	29.7	29.2	0	98	98	0	29	30
2022	1	26	3	30	25	18.5	-4.2	1.067	0.3	0.2	0	28.8	29.2	0	98	98	0	31	30
2022	1	26	3	40	25	18.6	-4.2	1.067	0.3	0.2	0	29.2	29.2	0	98	98	0	30	30
2022	1	26	3	50	25	19.5	-3.3	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	26	4	0	25	19.3	-4.4	1.066	0.3	0.2	0	29.2	29.2	0	98	98	0	30	30
2022	1	26	4	10	25	19.3	-3.8	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	4	20	25	19	-4.1	1.066	0.3	0.2	0	29.2	29.2	0	98	98	0	30	30
2022	1	26	4	30	25	18.6	-3.3	1.066	0.3	0.2	0	29.2	29.2	0	98	98	0	30	30
2022	1	26	4	40	25	18.5	-3.3	1.067	0.3	0.2	0	29.2	29.2	0	98	98	0	30	30
2022	1	26	4	50	25	19.8	-3.3	1.066	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	5	0	25	19.3	-4	1.066	0.3	0.2	0	29.2	28.8	0	98	98	0	30	31
2022	1	26	5	10	25	18.7	-4.6	1.066	0.4	0.3	0	29.2	29.2	0	98	98	0	30	30
2022	1	26	5	20	25	19.2	-3.8	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	5	30	25	18.5	-4.6	1.066	0.3	0.2	0	29.2	28.8	0	97	97	0	29	30
2022	1	26	5	40	25	18.4	-4	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	5	50	25	18.6	-4.2	1.066	0.3	0.2	0	28.8	28.8	0	97	97	0	30	30
2022	1	26	6	0	25	19.5	-4	1.066	0.3	0.2	0	28.8	28.8	0	97	97	0	30	30
2022	1	26	6	10	25	18.3	-4.2	1.066	0.4	0.3	0	28.8	28.8	0	97	97	0	30	30
2022	1	26	6	20	25	19.2	-3.9	1.066	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	26	6	30	25	18.4	-4.7	1.066	0.4	0.3	0	28.8	28.8	0	97	98	0	30	31
2022	1	26	6	40	25	19.6	-4	1.066	0.4	0.3	0	28.8	28.8	0	97	97	0	30	30
2022	1	26	6	50	25	20.3	-4.1	1.066	0.4	0.3	0	28.8	28.4	0	97	97	0	30	31
2022	1	26	7	0	25	18.8	-3.8	1.066	0.3	0.2	0	28.8	28.8	0	97	97	0	30	30
2022	1	26	7	10	25	19.6	-4.2	1.066	0.3	0.2	0	28.8	28	0	96	96	0	29	31
2022	1	26	7	20	25	18.3	-3.8	1.066	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	26	7	30	25	18.9	-3.9	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	7	40	25	18.3	-3.2	1.066	0.3	0.2	0	28.8	28.4	0	96	96	0	29	30
2022	1	26	7	50	25	19	-4.4	1.066	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	26	8	0	25	18.9	-3.9	1.066	0.3	0.2	0	28.8	28.8	0	97	97	0	30	30
2022	1	26	8	10	25	18.2	-3.6	1.066	0.3	0.2	0	28.8	28.4	0	97	97	0	30	31
2022	1	26	8	20	25	19.6	-4	1.066	0.3	0.2	0	28.8	28.4	0	97	97	0	30	31
2022	1	26	8	30	25	18.9	-4.2	1.066	0.3	0.2	0	28.4	28.4	0	96	96	0	30	30
2022	1	26	8	40	25	18.2	-3.8	1.066	0.3	0.2	0	28.8	28.4	0	97	97	0	30	31
2022	1	26	8	50	25	19	-4.4	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	9	0	25	18.8	-5.1	1.066	0.3	0.2	0	28.8	28.4	0	97	97	0	30	31
2022	1	26	9	10	25	18.1	-4	1.066	0.3	0.2	0	28.8	28.8	0	97	97	0	30	30
2022	1	26	9	20	25	19.1	-4.2	1.066	0.4	0.3	0	28.4	28.4	0	96	96	0	30	30
2022	1	26	9	30	25	18.6	-3.6	1.067	0.3	0.2	0	28.4	28.4	0	96	96	0	30	30
2022	1	26	9	40	25	18.7	-3.8	1.067	0.4	0.3	0	28.8	28.8	0	97	97	0	30	30
2022	1	26	9	50	25	20	-3.3	1.066	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	10	0	25	19.4	-2.3	1.066	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	26	10	10	25	20	-3.2	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	26	10	20	25	19.9	-2.9	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	10	30	25	20.7	-3.4	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	10	40	25	19.3	-3.3	1.067	0.5	0.5	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	10	50	25	19.3	-3	1.067	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	26	11	0	25	20.2	-3.6	1.067	0.5	0.4	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	11	10	25	19	-3.5	1.067	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	26	11	20	25	20.2	-3.2	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	11	30	25	18.8	-1.5	1.067	0.3	0.2	0	31	31.8	0	102	104	0	30	30
2022	1	26	11	40	25	20.8	-3.2	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	26	11	50	25	19.9	-3.2	1.067	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	26	12	0	25	20.1	-3.1	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	12	10	25	19.8	-3.2	1.067	0.5	0.5	0	28.8	29.2	0	97	99	0	30	31
2022	1	26	12	20	25	19.6	-3.4	1.067	0.3	0.2	0	30.5	30.5	0	100	101	0	29	30
2022	1	26	12	30	25	19.4	-3.2	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	26	12	40	25	19.7	-3.9	1.067	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	26	12	50	25	19.3	-2.5	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	26	13	0	25	19.9	-3.2	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	26	13	10	25	19.9	-3.6	1.067	0.4	0.3	0	28.4	29.7	0	96	99	0	30	30
2022	1	26	13	20	25	18.9	-3.9	1.067	0.3	0.2	0	28	29.7	0	96	99	0	31	30
2022	1	26	13	30	25	19.8	-3.2	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	13	40	25	20.1	-2.8	1.067	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	26	13	50	25	19.3	-3.6	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	14	0	25	20.3	-4.1	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	14	10	25	19.6	-3.4	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	14	20	25	20.2	-3.2	1.067	0.4	0.3	0	28.4	29.2	0	96	99	0	30	31
2022	1	26	14	30	25	20.6	-3.5	1.067	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	14	40	25	18.7	-3.3	1.067	0.4	0.3	0	29.2	29.2	0	97	98	0	29	30
2022	1	26	14	50	25	20.5	-2.9	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	26	15	0	25	20.2	-3.2	1.067	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	26	15	10	25	19.9	-3.6	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	15	20	25	19.6	-3.5	1.067	0.3	0.2	0	28.8	29.2	0	96	98	0	29	30
2022	1	26	15	30	25	19.6	-3.2	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	26	15	40	25	19.7	-3.9	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	26	15	50	25	19.2	-2.6	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	26	16	0	25	19.2	-3.3	1.066	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	26	16	10	25	19.2	-2.4	1.066	0.4	0.3	0	28.4	29.2	0	96	97	0	30	29
2022	1	26	16	20	25	19.6	-2.8	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	26	16	30	25	19.5	-2.5	1.066	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	26	16	40	25	19.2	-3.3	1.066	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	26	16	50	25	20.2	-2.9	1.066	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	26	17	0	25	18.5	-4.1	1.066	0.5	0.4	0	27.1	28	0	93	95	0	30	30
2022	1	26	17	10	25	20.7	-2.8	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	26	17	20	25	19.7	-2.3	1.066	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	26	17	30	25	19.5	-2.5	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	26	17	40	25	20.4	-2.6	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	17	50	25	19.8	-2.7	1.066	0.3	0.2	0	28	28.4	0	96	97	0	31	31
2022	1	26	18	0	25	19.7	-2.8	1.067	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	18	10	25	20.1	-2.6	1.066	0.5	0.4	0	32.3	33.1	0	105	107	0	30	30
2022	1	26	18	20	25	18.1	-2.6	1.066	0.5	0.4	0	29.2	30.1	0	98	100	0	30	30
2022	1	26	18	30	25	20.1	-3	1.066	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	26	18	40	25	20	-3.2	1.066	0.4	0.3	0	30.1	30.5	0	100	101	0	30	30
2022	1	26	18	50	25	18.8	-2	1.066	0.4	0.3	0	30.1	30.1	0	100	101	0	30	31
2022	1	26	19	0	25	19.8	-3.5	1.066	0.3	0.2	0	29.2	29.7	0	98	99	0	30	30
2022	1	26	19	10	25	19.8	-3.3	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	26	19	20	25	20.1	-2.9	1.066	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	19	30	25	20	-2.7	1.066	0.4	0.3	0	28.8	28.8	0	97	98	0	30	31
2022	1	26	19	40	25	19.3	-3	1.066	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	19	50	25	19.5	-2	1.066	0.3	0.2	0	28.8	29.2	0	97	99	0	30	31
2022	1	26	20	0	25	19.3	-3.6	1.066	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	20	10	25	19	-2.5	1.066	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	26	20	20	25	21.2	-2.9	1.066	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	26	20	30	25	19.1	-2.8	1.066	0.3	0.2	0	28.4	29.2	0	97	98	0	31	30
2022	1	26	20	40	25	19	-3.3	1.066	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	20	50	25	19.4	-2.9	1.066	0.3	0.2	0	29.2	30.1	0	98	100	0	30	30
2022	1	26	21	0	25	19.5	-2.8	1.066	0.4	0.3	0	29.2	28.8	0	97	98	0	29	31
2022	1	26	21	10	25	19.7	-2.8	1.066	0.5	0.4	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	21	20	25	20.7	-3.6	1.066	0.3	0.2	0	28.8	29.2	0	96	98	0	29	30
2022	1	26	21	30	25	19.7	-3.6	1.066	0.5	0.4	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	21	40	25	19.6	-2.9	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	21	50	25	19.9	-3.2	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	26	22	0	25	19.7	-2.6	1.066	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	26	22	10	25	19.3	-2.8	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	22	20	25	18.9	-2.6	1.066	0.4	0.3	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	22	30	25	20.2	-3.4	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	26	22	40	25	19.6	-2.8	1.066	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	26	22	50	25	18.6	-2.6	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	23	0	25	19.2	-3.1	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	26	23	10	25	19.8	-3.2	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	26	23	20	25	18.9	-3.2	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	26	23	30	25	19.4	-3.2	1.066	0.4	0.3	0	28.8	29.7	0	97	99	0	30	30
2022	1	26	23	40	25	19.4	-2.8	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	26	23	50	25	19.3	-3.3	1.066	0.5	0.4	0	28.8	29.2	0	97	98	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	27	0	0	25	19.1	-2.9	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	27	0	10	25	20.3	-2.3	1.065	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	27	0	20	25	19.5	-2.8	1.065	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	27	0	30	25	19.8	-3.3	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	0	40	25	19.4	-2.4	1.065	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	27	0	50	25	19.1	-2.4	1.065	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	1	0	25	19.6	-2.5	1.066	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	27	1	10	25	19.5	-3.2	1.065	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	27	1	20	25	20.5	-2.9	1.065	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	27	1	30	25	19.1	-2.3	1.065	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	27	1	40	25	19.9	-3.2	1.065	0.3	0.2	0	28.4	28.8	0	95	97	0	29	30
2022	1	27	1	50	25	20.1	-2.3	1.065	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	2	0	25	20.5	-2.3	1.065	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	27	2	10	25	19.4	-2.9	1.065	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	27	2	20	25	19.8	-2.5	1.065	0.5	0.4	0	28.4	28.4	0	96	97	0	30	31
2022	1	27	2	30	25	19.3	-3	1.065	0.4	0.3	0	27.5	28.4	0	95	96	0	31	30
2022	1	27	2	40	25	19.8	-2.9	1.065	0.5	0.4	0	27.5	28	0	95	96	0	31	31
2022	1	27	2	50	25	19.5	-3.4	1.065	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	27	3	0	25	19.1	-3.2	1.065	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	27	3	10	25	20	-2.3	1.065	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	3	20	25	20.2	-3.2	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	3	30	25	19.1	-2.8	1.065	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	27	3	40	25	20.1	-2.5	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	3	50	25	19.4	-3.3	1.065	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	27	4	0	25	20.6	-3.1	1.065	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	27	4	10	25	20.1	-3.5	1.065	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	27	4	20	25	19.6	-2.7	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	4	30	25	19.4	-3.2	1.065	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	27	4	40	25	19.8	-2.8	1.065	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	4	50	25	19.1	-3.2	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	5	0	25	19.9	-2.7	1.065	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	5	10	25	20.2	-2.5	1.065	0.5	0.4	0	27.5	28.4	0	95	97	0	31	31
2022	1	27	5	20	25	19.6	-3.8	1.065	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	27	5	30	25	19.7	-3.2	1.065	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	27	5	40	25	20.2	-2.8	1.065	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	27	5	50	25	19.3	-2.5	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	6	0	25	18.8	-3.3	1.064	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	27	6	10	25	19.5	-2.9	1.065	0.3	0.2	0	28	28	0	94	96	0	29	31
2022	1	27	6	20	25	19.5	-2.6	1.065	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	27	6	30	25	20.1	-3.3	1.065	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	27	6	40	25	18.8	-2.7	1.064	0.4	0.3	0	27.5	28.4	0	95	97	0	31	31
2022	1	27	6	50	25	18.8	-3.3	1.064	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	7	0	25	18.9	-3.8	1.065	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	27	7	10	25	18.4	-2.6	1.065	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	27	7	20	25	19.4	-3.3	1.065	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	27	7	30	25	20	-3.5	1.064	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	27	7	40	25	19.6	-3.5	1.065	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	27	7	50	25	20.2	-3.8	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	27	8	0	25	20	-2.6	1.065	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	27	8	10	25	19.8	-2.6	1.065	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	27	8	20	25	20.1	-3.5	1.065	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	27	8	30	25	19.7	-2.7	1.065	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	27	8	40	25	20.1	-3.5	1.065	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	27	8	50	25	20.1	-3.7	1.065	0.3	0.2	0	29.2	30.5	0	99	101	0	31	30
2022	1	27	9	0	25	20.2	-2.8	1.065	0.3	0.2	0	28.8	30.1	0	98	100	0	31	30
2022	1	27	9	10	25	20.4	-2	1.065	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	27	9	20	25	18.8	-3.5	1.065	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	27	9	30	25	19.7	-4.2	1.065	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	27	9	40	25	18.3	-2.8	1.065	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	9	50	25	19.4	-3.5	1.065	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	10	0	25	20	-3.9	1.066	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	10	10	25	19.3	-3.2	1.066	0.3	0.2	0	28	28.4	0	94	96	0	29	30
2022	1	27	10	20	25	19.9	-3	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	10	30	25	19.9	-3.6	1.066	0.4	0.3	0	29.2	30.5	0	98	101	0	30	30
2022	1	27	10	40	25	19.5	-2.8	1.066	0.4	0.3	0	28.8	29.2	0	98	99	0	31	31
2022	1	27	10	50	25	19.8	-2.8	1.066	0.3	0.2	0	28.8	29.2	0	97	98	0	30	30
2022	1	27	11	0	25	19	-3	1.067	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	11	10	25	20.3	-3.5	1.066	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	27	11	20	25	20.2	-3.4	1.067	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	11	30	25	20.5	-2.1	1.067	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	11	40	25	19.4	-2.2	1.066	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	27	11	50	25	19.9	-2.4	1.066	0.5	0.4	0	27.5	27.5	0	94	95	0	30	31
2022	1	27	12	0	25	20.1	-3.3	1.067	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	27	12	10	25	19.7	-2.6	1.067	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	12	20	25	20.4	-1.9	1.067	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	27	12	30	25	19.8	-2.8	1.068	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	12	40	25	19.8	-3.2	1.067	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	27	13	2	17	20.5	-3.4	1.066	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	27	13	12	17	19.7	-3.2	1.066	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	27	13	22	17	19.2	-2.8	1.067	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	27	13	32	17	20.7	-2.3	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	13	42	17	19.5	-3.8	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	13	52	17	19	-3.5	1.066	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	27	14	2	17	19.4	-3.2	1.066	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	27	14	12	17	19	-3.5	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	14	22	17	19.2	-3.2	1.066	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	27	14	32	17	19.9	-2.8	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	14	42	17	18.8	-4	1.066	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	27	14	52	17	19.3	-3.2	1.066	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	27	15	2	17	19.8	-3.6	1.066	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	15	12	17	19.2	-2.8	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	15	22	17	19.2	-2.4	1.066	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	27	15	32	17	19.7	-3.2	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	15	42	17	20.1	-3.2	1.065	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	27	15	52	17	20.6	-3.2	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	16	2	17	20.5	-3.2	1.065	0.3	0.2	0	27.5	28	0	94	95	0	30	30



## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	27	16	12	17	18.8	-3.8	1.066	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	27	16	22	17	19.8	-3.1	1.065	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	27	16	32	17	19.4	-3.4	1.066	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	27	16	42	17	20	-2.6	1.065	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	27	16	52	17	19.8	-3.7	1.065	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	27	17	2	17	19	-2.8	1.065	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	27	17	12	17	19.5	-3.6	1.065	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	27	17	22	17	19.1	-3.5	1.065	0.5	0.4	0	27.1	27.5	0	93	94	0	30	30
2022	1	27	17	32	17	18.7	-2.9	1.065	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	27	17	42	17	19.2	-3.2	1.066	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	27	17	52	17	19.9	-3.2	1.066	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	27	18	2	17	19.5	-3.7	1.066	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	27	18	12	17	19.5	-2.5	1.066	0.5	0.4	0	28	28.8	0	95	97	0	30	30
2022	1	27	18	22	17	20.4	-2.9	1.066	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	27	18	32	17	19.5	-3.9	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	27	18	42	17	19.5	-3.2	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	18	52	17	20.8	-2.5	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	27	19	2	17	20.4	-3.9	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	27	19	12	17	19.4	-2.6	1.066	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	27	19	22	17	20	-3.5	1.066	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	27	19	32	17	19.2	-2.1	1.066	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	27	19	42	17	20.3	-3.5	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	19	52	17	20.5	-2.4	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	27	20	2	17	20.1	-3	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	20	12	17	20.2	-3.6	1.066	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	27	20	22	17	20.3	-3	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	27	20	32	17	19.1	-2.6	1.066	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	27	20	42	17	18.9	-2.7	1.066	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	27	20	52	17	18.7	-2.8	1.066	0.5	0.4	0	28.4	28.4	0	96	97	0	30	31
2022	1	27	21	2	17	19	-3.2	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	21	12	17	19.7	-2.8	1.066	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	27	21	22	17	19.6	-2.6	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	21	32	17	20	-2.4	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	21	42	17	19.9	-2.8	1.066	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	27	21	52	17	19.8	-3	1.066	0.3	0.2	0	28.8	28.8	0	96	97	0	29	30
2022	1	27	22	2	17	19.5	-3	1.066	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	27	22	12	17	19.9	-2.9	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	22	22	17	19.2	-3.5	1.066	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	27	22	32	17	19.6	-2.9	1.066	0.4	0.3	0	28.4	29.7	0	96	98	0	30	29
2022	1	27	22	42	17	19.9	-3.6	1.066	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	22	52	17	20.2	-3.2	1.065	0.5	0.4	0	28.8	29.2	0	97	98	0	30	30
2022	1	27	23	2	17	19.2	-3.4	1.065	0.3	0.2	0	28.4	29.7	0	96	98	0	30	29
2022	1	27	23	12	17	18.9	-3.1	1.066	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	27	23	22	17	19.4	-3.9	1.065	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	27	23	32	17	19.9	-2.8	1.065	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	27	23	42	17	18.8	-2.8	1.065	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	27	23	52	17	20.4	-3.4	1.065	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	28	0	2	17	20.1	-2.2	1.065	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	28	0	12	17	20.2	-3.7	1.065	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	28	0	22	17	19.6	-2.9	1.065	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	28	0	32	17	20	-3.2	1.065	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	28	0	42	17	20.4	-3	1.065	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	28	0	52	17	19.8	-3	1.065	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	28	1	2	17	19.6	-3.5	1.065	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	28	1	12	17	20	-2.8	1.065	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	28	1	22	17	18.7	-2.7	1.065	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	28	1	32	17	18.1	-2.6	1.065	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	28	1	42	17	20.8	-2.5	1.065	0.5	0.4	0	28	28.8	0	95	97	0	30	30
2022	1	28	1	52	17	18.9	-2.8	1.065	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	28	2	2	17	19.2	-3.1	1.065	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	28	2	12	17	19.7	-3.4	1.065	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	28	2	22	17	19.5	-4	1.065	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	28	2	32	17	19.2	-2.3	1.065	0.4	0.3	0	27.5	28.4	0	94	97	0	30	31
2022	1	28	2	42	17	18.9	-2.9	1.065	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	28	2	52	17	21.1	-3.9	1.065	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	28	3	2	17	19	-3.2	1.065	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	28	3	12	17	20	-2.4	1.065	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	28	3	22	17	20.1	-3.3	1.065	0.3	0.2	0	28.4	28	0	95	96	0	29	31
2022	1	28	3	32	17	19.9	-2.8	1.065	0.3	0.2	0	28	28.8	0	95	96	0	30	29
2022	1	28	3	42	17	19.6	-2.8	1.065	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	28	3	52	17	20.1	-2.5	1.065	0.5	0.4	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	4	2	17	20.5	-3.4	1.065	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	28	4	12	17	19	-2.8	1.065	0.3	0.2	0	27.5	28.4	0	94	97	0	30	31
2022	1	28	4	22	17	19.8	-2.3	1.065	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	28	4	32	17	20.3	-3.6	1.064	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	28	4	42	17	19	-3.6	1.064	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	28	4	52	17	19.8	-2.3	1.065	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	28	5	2	17	20.3	-2.5	1.064	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	28	5	12	17	19.5	-3.8	1.064	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31
2022	1	28	5	22	17	19.5	-3.7	1.064	0.5	0.4	0	28	28.4	0	95	97	0	30	31
2022	1	28	5	32	17	19.8	-3.1	1.064	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	28	5	42	17	20.2	-3.3	1.064	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	28	5	52	17	19.8	-4.2	1.064	0.5	0.4	0	28	28.4	0	95	97	0	30	31
2022	1	28	6	2	17	19.7	-3.2	1.064	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	28	6	12	17	20.7	-4.1	1.064	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	28	6	22	17	19.1	-3.3	1.064	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	28	6	32	17	19.5	-3.4	1.064	0.5	0.4	0	28	28.4	0	95	97	0	30	31
2022	1	28	6	42	17	19.3	-3.6	1.064	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	28	6	52	17	19	-3.3	1.064	0.3	0.2	0	28.4	28	0	95	96	0	29	31
2022	1	28	7	2	17	19.6	-2.7	1.064	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	7	12	17	19.8	-2.7	1.064	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	28	7	22	17	19.8	-3.5	1.064	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	28	7	32	17	19.7	-3.3	1.064	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	28	7	42	17	19.7	-3	1.064	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	28	7	52	17	19.6	-2.5	1.064	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	28	8	2	17	19.5	-2.7	1.064	0.3	0.2	0	27.5	28	0	94	96	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	28	8	12	17	20.4	-2.5	1.064	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	8	22	17	19.2	-2.9	1.064	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	8	32	17	18.9	-3.4	1.064	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	28	8	42	17	19.2	-3.2	1.064	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	28	8	52	17	19.7	-3.5	1.064	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	28	9	2	17	20.7	-3.3	1.065	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	28	9	12	17	18.4	-3.4	1.065	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	28	9	22	17	20.2	-2.9	1.065	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	28	9	32	17	19	-2.7	1.064	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	28	9	42	17	18.8	-2.5	1.065	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	28	9	52	17	19.7	-3.5	1.065	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	28	10	2	17	19.8	-3.3	1.065	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	28	10	12	17	19.2	-2.9	1.065	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	28	10	22	17	20.1	-2.2	1.065	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	28	10	32	17	20.2	-4	1.065	0.5	0.4	0	27.1	27.5	0	93	94	0	30	30
2022	1	28	10	42	17	19	-3.5	1.065	0.3	0.2	0	27.5	27.5	0	94	94	0	30	30
2022	1	28	10	52	17	20.2	-3.4	1.065	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	28	11	2	17	20.2	-3.9	1.065	0.5	0.4	0	27.1	28	0	93	95	0	30	30
2022	1	28	11	12	17	20.7	-3.3	1.065	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	28	11	22	17	19	-3.9	1.065	0.4	0.3	0	26.7	27.5	0	93	95	0	31	31
2022	1	28	11	32	17	19.6	-3.9	1.065	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	28	11	42	17	19.5	-3.2	1.065	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	28	11	52	17	19.3	-3.2	1.065	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	28	12	2	17	19.9	-3.2	1.065	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	28	12	12	17	19.5	-3.6	1.065	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	28	12	22	17	19.5	-3.7	1.065	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	28	12	32	17	19.7	-3.4	1.065	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	28	12	42	17	20.3	-3.2	1.065	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	28	12	52	17	19.9	-3.2	1.065	0.5	0.4	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	13	2	17	19.9	-3.6	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	13	12	17	18.9	-2.9	1.066	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	28	13	22	17	19.8	-2.8	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	13	32	17	20.2	-3.5	1.065	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	28	13	42	17	19.8	-3.2	1.065	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	28	13	52	17	20.2	-3.9	1.065	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	28	14	2	17	19.6	-3	1.065	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	28	14	12	17	19.4	-3.6	1.065	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	28	14	22	17	19.3	-3	1.065	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	28	14	32	17	19	-3.7	1.065	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	28	14	42	17	19.4	-3.4	1.065	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	28	14	52	17	20.7	-3.6	1.065	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	28	15	2	17	19.5	-3.1	1.065	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	28	15	12	17	19.5	-2.7	1.065	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	28	15	22	17	19.9	-3.8	1.065	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	28	15	32	17	19.4	-3.3	1.065	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	28	15	42	17	19.4	-2.9	1.064	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	15	52	17	19	-3.3	1.065	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	28	16	2	17	19.4	-3.1	1.065	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	28	16	12	17	20.4	-3.9	1.065	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	28	16	22	17	19.9	-2.7	1.065	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	28	16	32	17	20.9	-3.3	1.065	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	28	16	42	17	19.6	-2.7	1.065	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	28	16	52	17	19.8	-3.1	1.065	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	28	17	2	17	19.5	-2.4	1.065	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	28	17	12	17	19.1	-3.2	1.065	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	28	17	22	17	19.7	-2.4	1.065	0.4	0.3	0	27.1	27.5	0	93	94	0	30	30
2022	1	28	17	32	17	19.9	-2.4	1.065	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	28	17	42	17	19.5	-1.8	1.064	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	28	17	52	17	19.4	-2.9	1.065	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	28	18	2	17	19.8	-3.3	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	18	12	17	20.7	-2.4	1.065	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	28	18	22	17	19.8	-2.9	1.065	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	28	18	32	17	20.4	-3.9	1.065	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	18	42	17	19.5	-3	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	18	52	17	20.3	-4.2	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	19	2	17	19.2	-3.1	1.065	0.5	0.5	0	27.5	28.4	0	95	96	0	31	30
2022	1	28	19	12	17	19.4	-2.4	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	19	22	17	20.2	-3.7	1.065	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	28	19	32	17	19.3	-2.2	1.065	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	28	19	42	17	20.3	-2.5	1.065	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	28	19	52	17	19.9	-2.9	1.065	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	28	20	2	17	19.7	-2.9	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	20	12	17	19.9	-3	1.065	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	28	20	22	17	19.5	-3.1	1.064	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	28	20	32	17	19.7	-3.6	1.065	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	28	20	42	17	20.9	-3.1	1.065	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	28	20	52	17	19.1	-3.6	1.065	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	21	2	17	19.7	-3.4	1.065	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	28	21	12	17	20.3	-3.8	1.065	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	28	21	22	17	20	-3.1	1.065	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	28	21	32	17	19.5	-2.3	1.065	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	28	21	42	17	20.1	-3.3	1.064	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	28	21	52	17	19	-3.5	1.064	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	28	22	2	17	19.2	-2	1.064	0.3	0.2	0	28	28.8	0	96	98	0	31	31
2022	1	28	22	12	17	20	-3.7	1.064	0.4	0.3	0	28.4	28.8	0	96	98	0	30	31
2022	1	28	22	22	17	19.2	-3.6	1.064	0.3	0.2	0	28.4	28.8	0	96	97	0	30	30
2022	1	28	22	32	17	20.3	-2.8	1.064	0.3	0.2	0	28	29.2	0	95	98	0	30	30
2022	1	28	22	42	17	19.5	-3.2	1.064	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	28	22	52	17	19.5	-2.8	1.064	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	28	23	2	17	20.6	-3.6	1.064	0.4	0.3	0	28.4	28.8	0	96	97	0	30	30
2022	1	28	23	12	17	19.7	-3.4	1.064	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31
2022	1	28	23	22	17	19	-3.1	1.064	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31
2022	1	28	23	32	17	19.7	-3.2	1.064	0.4	0.3	0	28.4	28.4	0	96	97	0	30	31
2022	1	28	23	42	17	19	-2.9	1.064	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	28	23	52	17	19.7	-3.2	1.064	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	29	0	2	17	19.8	-2.4	1.064	0.5	0.4	0	27.5	28.4	0	95	97	0	31	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	29	0	12	17	19.6	-3.6	1.064	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	29	0	22	17	19.2	-3.7	1.064	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	29	0	32	17	19.5	-2.4	1.064	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	29	0	42	17	19.4	-3.5	1.063	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	29	0	52	17	19.7	-3.2	1.064	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	29	1	2	17	20.1	-3	1.064	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	29	1	12	17	19.3	-2.8	1.063	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	29	1	22	17	20.1	-2.6	1.064	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	29	1	32	17	20.1	-2.7	1.063	0.4	0.3	0	27.5	28.4	0	95	96	0	31	30
2022	1	29	1	42	17	19.8	-3.1	1.064	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	29	1	52	17	20.1	-2.8	1.063	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	29	2	2	17	18.9	-4.2	1.063	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	29	2	12	17	19.8	-3.4	1.063	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	29	2	22	17	19.9	-3.3	1.063	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	29	2	32	17	19.6	-2.8	1.063	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	29	2	42	17	19	-3.1	1.063	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	29	2	52	17	19.7	-3	1.063	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	29	3	2	17	20.1	-3.2	1.063	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	29	3	12	17	18.7	-3.4	1.063	0.5	0.4	0	27.1	28.4	0	94	96	0	31	30
2022	1	29	3	22	17	21.1	-3.2	1.063	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	29	3	32	17	19.9	-3.3	1.063	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	29	3	42	17	20	-2.8	1.063	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	29	3	52	17	20.2	-2.7	1.063	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	29	4	2	17	19.3	-3.5	1.063	0.5	0.5	0	27.1	28.4	0	93	96	0	30	30
2022	1	29	4	12	17	18.9	-2.7	1.063	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	29	4	22	17	20	-3.2	1.063	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	29	4	32	17	20	-3.8	1.063	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	29	4	42	17	20.1	-3.7	1.063	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	29	4	52	17	18.9	-3.3	1.063	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	29	5	2	17	19.8	-4	1.063	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	29	5	12	17	19.7	-3.6	1.063	0.5	0.4	0	27.5	28	0	94	95	0	30	30
2022	1	29	5	22	17	19.4	-2.8	1.063	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	29	5	32	17	20	-3.4	1.062	0.3	0.2	0	26.7	27.5	0	92	95	0	30	31
2022	1	29	5	42	17	19.7	-3	1.062	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	29	5	52	17	19.2	-3.6	1.063	0.4	0.3	0	26.7	27.5	0	93	95	0	31	31
2022	1	29	6	2	17	19.7	-2.8	1.062	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	29	6	12	17	19.2	-3.2	1.062	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	29	6	22	17	19.1	-2.3	1.062	0.4	0.3	0	26.7	28	0	93	95	0	31	30
2022	1	29	6	32	17	18.7	-3.1	1.062	0.4	0.3	0	26.7	28	0	93	95	0	31	30
2022	1	29	6	42	17	18.5	-4	1.062	0.3	0.2	0	27.1	27.5	0	93	94	0	30	30
2022	1	29	6	52	17	18.9	-3.1	1.062	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	29	7	2	17	20.2	-2.7	1.062	0.4	0.3	0	26.7	27.1	0	92	94	0	30	31
2022	1	29	7	12	17	19.1	-3.5	1.062	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	29	7	22	17	20.2	-2.3	1.062	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	29	7	32	17	19	-2.6	1.062	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	29	7	42	17	19.5	-3.8	1.062	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	29	7	52	17	19.6	-3.8	1.062	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	29	8	2	17	19.1	-2.7	1.062	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	29	8	12	17	18.4	-3.1	1.062	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	29	8	22	17	19.9	-2.6	1.062	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	29	8	32	17	20.1	-3.1	1.062	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	29	8	42	17	19	-3.9	1.062	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	29	8	52	17	19.1	-3.3	1.062	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	29	9	2	17	19.8	-2.9	1.062	0.5	0.4	0	25.8	27.1	0	91	93	0	31	30
2022	1	29	9	12	17	19.4	-2.7	1.062	0.4	0.3	0	26.2	26.2	0	91	92	0	30	31
2022	1	29	9	22	17	18.8	-2.7	1.062	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	29	9	32	17	19.4	-4.7	1.062	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	29	9	42	17	19.4	-3.5	1.062	0.3	0.2	0	25.8	26.2	0	90	92	0	30	31
2022	1	29	9	52	17	19.5	-3.4	1.062	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	29	10	2	17	19	-2.7	1.063	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	29	10	12	17	19.6	-3.2	1.063	0.3	0.2	0	30.1	31.4	0	101	103	0	31	30
2022	1	29	10	22	17	19.3	-3.2	1.063	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	29	10	32	17	19.9	-3.3	1.063	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	29	10	42	17	18.6	-3.3	1.063	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	29	10	52	17	18.8	-2.4	1.063	0.5	0.4	0	26.7	27.1	0	92	94	0	30	31
2022	1	29	11	2	17	18.4	-4	1.063	0.4	0.3	0	28.4	30.1	0	97	100	0	31	30
2022	1	29	11	12	17	19.2	-2.2	1.064	0.3	0.2	0	32.3	32.7	0	105	106	0	30	30
2022	1	29	11	22	17	19	-2.7	1.063	0.3	0.2	0	30.5	31	0	101	103	0	30	31
2022	1	29	11	32	17	19.5	-3.7	1.063	0.3	0.2	0	27.5	28.4	0	95	97	0	31	31
2022	1	29	11	42	17	20	-3.5	1.064	0.3	0.2	0	29.7	30.5	0	99	101	0	30	30
2022	1	29	11	52	17	19.4	-2.8	1.064	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	29	12	2	17	19.2	-3.5	1.064	0.3	0.2	0	28.8	29.7	0	98	100	0	31	31
2022	1	29	12	12	17	19.5	-2.7	1.064	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	29	12	22	17	19.9	-2.7	1.064	0.3	0.2	0	27.1	27.1	0	94	95	0	31	32
2022	1	29	12	32	17	19.2	-2.6	1.064	0.3	0.2	0	33.1	33.5	0	107	109	0	30	31
2022	1	29	12	42	17	18.9	-2.9	1.064	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	29	12	52	17	20.3	-3.7	1.064	0.4	0.3	0	27.1	28.4	0	93	96	0	30	30
2022	1	29	13	2	17	20	-3.5	1.064	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	29	13	12	17	19.5	-1.9	1.064	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	29	13	22	17	19.5	-3.2	1.064	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	29	13	32	17	19.4	-2.7	1.064	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	29	13	42	17	19.6	-3.5	1.064	0.3	0.2	0	28.4	28.4	0	96	97	0	30	31
2022	1	29	13	52	17	19	-3.9	1.064	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	29	14	2	17	18.5	-3.1	1.064	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	29	14	12	17	19.2	-2.8	1.063	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	29	14	22	17	19.2	-3.4	1.064	0.3	0.2	0	27.5	28.4	0	95	96	0	31	30
2022	1	29	14	32	17	20	-4.2	1.064	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	29	14	42	17	19.1	-3	1.063	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	29	14	52	17	20.7	-3.5	1.063	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	29	15	2	17	19.7	-2.8	1.064	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	29	15	12	17	18.9	-3.1	1.063	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	29	15	22	17	18.3	-2.8	1.063	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	29	15	32	17	18.8	-3.5	1.063	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	29	15	42	17	18.8	-2.9	1.063	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	29	15	52	17	19	-3.9	1.063	0.4	0.3	0	27.1	27.5	0	93	94	0	30	30
2022	1	29	16	2	17	19.5	-2.7	1.063	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	29	16	12	17	18.8	-2.4	1.063	0.4	0.3	0	27.5	28	0	94	95	0	30	30
2022	1	29	16	22	17	18.7	-3.7	1.063	0.5	0.5	0	26.7	27.5	0	93	95	0	31	31
2022	1	29	16	32	17	18.9	-3.6	1.063	0.4	0.3	0	26.2	27.1	0	91	93	0	30	30
2022	1	29	16	42	17	19.2	-2.5	1.063	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	29	16	52	17	20.7	-3.7	1.063	0.3	0.2	0	26.2	26.7	0	91	92	0	30	30
2022	1	29	17	2	17	19.6	-4	1.063	0.5	0.4	0	26.2	26.7	0	91	93	0	30	31
2022	1	29	17	12	17	19.2	-3.1	1.063	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	29	17	22	17	19.6	-3.3	1.063	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	29	17	32	17	20.8	-3.4	1.063	0.4	0.3	0	26.2	27.1	0	91	93	0	30	30
2022	1	29	17	42	17	20.1	-3.5	1.063	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	29	17	52	17	18.8	-3.6	1.063	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	29	18	2	17	19.9	-2.7	1.063	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	29	18	12	17	19.4	-2.8	1.063	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	29	18	22	17	19.5	-3.7	1.063	0.4	0.3	0	27.1	28	0	94	95	0	31	30
2022	1	29	18	32	17	18.5	-3.6	1.063	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	29	18	42	17	19.9	-4.3	1.063	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	29	18	52	17	19.6	-3.4	1.063	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	29	19	2	17	18.9	-4.2	1.063	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	29	19	12	17	19.3	-2.4	1.063	0.5	0.4	0	27.5	28.8	0	95	97	0	31	30
2022	1	29	19	22	17	19.7	-3.6	1.063	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	29	19	32	17	18.9	-3.5	1.063	0.5	0.4	0	28	28.4	0	95	96	0	30	30
2022	1	29	19	42	17	20	-3.1	1.063	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	29	19	52	17	19.7	-3.2	1.063	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	29	20	2	17	19.7	-2.5	1.063	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	29	20	12	17	19.7	-3.4	1.063	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	29	20	22	17	20.1	-3.4	1.063	0.4	0.3	0	27.5	28.8	0	95	97	0	31	30
2022	1	29	20	32	17	19.4	-3.5	1.063	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	29	20	42	17	20.2	-3.3	1.063	0.4	0.3	0	27.5	28.8	0	95	97	0	31	30
2022	1	29	20	52	17	20.1	-2.8	1.063	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	29	21	2	17	18.8	-3.2	1.063	0.4	0.3	0	28	28.4	0	95	97	0	30	31
2022	1	29	21	12	17	20.3	-3.2	1.063	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	29	21	22	17	20	-3.4	1.063	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	29	21	32	17	20.1	-3.2	1.063	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	29	21	42	17	20	-2.6	1.063	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	29	21	52	17	19.9	-3.3	1.063	0.4	0.3	0	28	28.4	0	95	96	0	30	30
2022	1	29	22	2	17	19.2	-2.9	1.063	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	29	22	12	17	19.5	-2.7	1.063	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	29	22	22	17	18.5	-3.2	1.063	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	29	22	32	17	19.9	-4.3	1.063	0.3	0.2	0	29.7	30.1	0	99	101	0	30	31
2022	1	29	22	42	17	19.6	-2.7	1.063	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	29	22	52	17	19.5	-2.7	1.063	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	29	23	2	17	19.7	-3.2	1.063	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	29	23	12	17	19.5	-2.7	1.063	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	29	23	22	17	20	-3.5	1.063	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	29	23	32	17	19.8	-3.2	1.063	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	29	23	42	17	19.4	-3.6	1.063	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	29	23	52	17	19.2	-2.9	1.062	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	30	0	2	17	19.7	-3.2	1.062	0.3	0.2	0	27.1	28	0	94	96	0	31	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	30	0	12	17	19.3	-3.7	1.062	0.5	0.4	0	27.5	28.4	0	94	96	0	30	30
2022	1	30	0	22	17	19.7	-3	1.062	0.4	0.3	0	27.5	28.4	0	94	97	0	30	31
2022	1	30	0	32	17	19.4	-3.3	1.062	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	30	0	42	17	19.6	-2.8	1.062	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	30	0	52	17	18.6	-2.5	1.062	0.5	0.4	0	27.5	28.4	0	95	97	0	31	31
2022	1	30	1	2	17	19.3	-3.1	1.062	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	30	1	12	17	19.3	-3.4	1.062	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	30	1	22	17	19.6	-3.5	1.062	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	30	1	32	17	19.2	-4	1.062	0.5	0.4	0	27.5	28.4	0	94	96	0	30	30
2022	1	30	1	42	17	20.6	-3.7	1.062	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	30	1	52	17	19.7	-3.1	1.062	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	30	2	2	17	19.5	-3.1	1.062	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	30	2	12	17	19.3	-2.9	1.062	0.3	0.2	0	27.5	28.8	0	94	96	0	30	29
2022	1	30	2	22	17	19	-3.2	1.062	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	30	2	32	17	19.1	-3	1.062	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	30	2	42	17	20	-2.7	1.062	0.4	0.3	0	26.7	27.1	0	93	94	0	31	31
2022	1	30	2	52	17	18.1	-2.5	1.062	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	30	3	2	17	19.3	-2.1	1.062	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	30	3	12	17	19.8	-3.9	1.062	0.4	0.3	0	26.2	27.5	0	92	95	0	31	31
2022	1	30	3	22	17	20	-3.5	1.062	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	30	3	32	17	19.5	-3.2	1.062	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	30	3	42	17	19.4	-3.6	1.062	0.4	0.3	0	26.7	27.5	0	93	95	0	31	31
2022	1	30	3	52	17	19.9	-3.9	1.062	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	30	4	2	17	18.7	-3.2	1.062	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	30	4	12	17	18.6	-3.1	1.062	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	30	4	22	17	18.9	-3.9	1.062	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	30	4	32	17	19.7	-3.5	1.062	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	30	4	42	17	19.3	-2.1	1.062	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	30	4	52	17	19.6	-2.9	1.062	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	30	5	2	17	20.2	-3	1.062	0.5	0.4	0	26.7	27.1	0	92	94	0	30	31
2022	1	30	5	12	17	19.4	-2.8	1.062	0.4	0.3	0	26.2	27.1	0	92	94	0	31	31
2022	1	30	5	22	17	20.1	-3.4	1.062	0.5	0.4	0	26.7	26.7	0	92	93	0	30	31
2022	1	30	5	32	17	19.8	-3.4	1.062	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	30	5	42	17	20.4	-3.2	1.062	0.5	0.4	0	26.7	27.1	0	92	94	0	30	31
2022	1	30	5	52	17	19.3	-3.5	1.062	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	30	6	2	17	19.1	-2.9	1.062	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	30	6	12	17	19.4	-2.9	1.062	0.4	0.3	0	26.2	27.5	0	92	94	0	31	30
2022	1	30	6	22	17	19.1	-3.1	1.062	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	30	6	32	17	19.7	-2.3	1.062	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	30	6	42	17	19	-3.5	1.062	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	30	6	52	17	19.5	-3.1	1.062	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	30	7	2	17	20	-3.3	1.062	0.4	0.3	0	26.2	26.7	0	92	93	0	31	31
2022	1	30	7	12	17	19.7	-3.2	1.062	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	30	7	22	17	19.7	-3.1	1.063	0.3	0.2	0	28	28.8	0	96	97	0	31	30
2022	1	30	7	32	17	19.7	-3.2	1.063	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	30	7	42	17	20.2	-4	1.063	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	30	7	52	17	20.2	-2.8	1.064	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	30	8	2	17	18.9	-2.8	1.064	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	30	8	12	17	19.8	-3.6	1.065	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	30	8	22	17	19.9	-4	1.065	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	30	8	32	17	20.1	-2.9	1.065	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	30	8	42	17	18.4	-3.3	1.065	0.4	0.3	0	25.8	26.7	0	91	93	0	31	31
2022	1	30	8	52	17	19.8	-4.3	1.065	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	30	9	2	17	19.5	-3.3	1.065	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	30	9	12	17	20.4	-3.8	1.066	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	30	9	22	17	18.9	-3.8	1.066	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	30	9	32	17	19.8	-3.6	1.066	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	30	9	42	17	19.5	-2.5	1.066	0.4	0.3	0	25.4	26.2	0	90	92	0	31	31
2022	1	30	9	52	17	18.8	-2.7	1.066	0.3	0.2	0	25.4	26.2	0	89	91	0	30	30
2022	1	30	10	2	17	20.1	-3.5	1.066	0.3	0.2	0	25.4	25.8	0	90	91	0	31	31
2022	1	30	10	12	17	19.7	-2.5	1.066	0.4	0.3	0	25.4	25.8	0	90	91	0	31	31
2022	1	30	10	22	17	18.6	-3.9	1.067	0.3	0.2	0	25.8	26.2	0	90	92	0	30	31
2022	1	30	10	32	17	19.5	-3.1	1.067	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	30	10	42	17	19.9	-3.5	1.067	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	30	10	52	17	19.7	-3.8	1.067	0.3	0.2	0	30.1	30.5	0	100	102	0	30	31
2022	1	30	11	2	17	20.9	-3.2	1.067	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	30	11	12	17	19.3	-3.5	1.067	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	30	11	22	17	19.6	-2.3	1.067	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	30	11	32	17	19.9	-4.3	1.067	0.5	0.4	0	26.7	27.1	0	93	94	0	31	31
2022	1	30	11	42	17	19.5	-3.5	1.067	0.3	0.2	0	31.8	32.7	0	104	106	0	30	30
2022	1	30	11	52	17	19.6	-4.2	1.067	0.3	0.2	0	31	31	0	102	103	0	30	31
2022	1	30	12	2	17	20.3	-2.8	1.066	0.4	0.3	0	28	28.4	0	96	97	0	31	31
2022	1	30	12	12	17	19.5	-3.3	1.067	0.4	0.3	0	26.2	27.5	0	91	94	0	30	30
2022	1	30	12	22	17	18.4	-2.7	1.067	0.5	0.4	0	28.8	29.2	0	98	99	0	31	31
2022	1	30	12	32	17	20.5	-4.2	1.067	0.3	0.2	0	29.7	30.1	0	99	101	0	30	31
2022	1	30	12	42	17	19.5	-2.7	1.067	0.3	0.2	0	31	31.8	0	103	105	0	31	31
2022	1	30	12	52	17	20.3	-3.6	1.067	0.3	0.2	0	32.3	32.7	0	105	107	0	30	31
2022	1	30	13	2	17	20.1	-3.9	1.067	0.3	0.2	0	29.7	30.1	0	99	101	0	30	31
2022	1	30	13	12	17	19.1	-3.5	1.066	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	30	13	22	17	19.4	-3.6	1.066	0.5	0.4	0	27.1	28	0	94	96	0	31	31
2022	1	30	13	32	17	18.5	-3.1	1.066	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	30	13	42	17	20.1	-3.9	1.066	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	30	13	52	17	19.1	-2.3	1.067	0.3	0.2	0	30.1	31	0	100	102	0	30	30
2022	1	30	14	2	17	19.9	-2.6	1.066	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	30	14	12	17	18.8	-2.7	1.066	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	30	14	22	17	19.8	-3.4	1.067	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	30	14	32	17	19	-3.1	1.068	0.4	0.3	0	30.1	31	0	100	102	0	30	30
2022	1	30	14	42	17	18.7	-3.6	1.067	0.3	0.2	0	28.4	28.8	0	97	98	0	31	31
2022	1	30	14	52	17	20.8	-3.1	1.067	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	30	15	2	17	20.1	-3.4	1.067	0.4	0.3	0	28.4	29.2	0	96	98	0	30	30
2022	1	30	15	12	17	19.6	-3.7	1.067	0.3	0.2	0	28	28.4	0	95	96	0	30	30
2022	1	30	15	22	17	19.4	-2.8	1.067	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	30	15	32	17	19.8	-3.5	1.067	0.3	0.2	0	28.4	29.2	0	96	98	0	30	30
2022	1	30	15	42	17	19.6	-3.2	1.067	0.3	0.2	0	29.7	29.7	0	99	100	0	30	31
2022	1	30	15	52	17	20.1	-3.5	1.067	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	30	16	2	17	18.9	-3	1.067	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	30	16	12	17	20	-3.5	1.067	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	30	16	22	17	19.3	-2.7	1.067	0.4	0.3	0	26.7	28	0	93	95	0	31	30
2022	1	30	16	32	17	19.8	-3.5	1.067	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	30	16	42	17	19	-2.6	1.067	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	30	16	52	17	19.8	-3.9	1.067	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	30	17	2	17	20.1	-4	1.067	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	30	17	12	17	18.3	-2.9	1.067	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	30	17	22	17	19.8	-3.9	1.067	0.3	0.2	0	26.2	27.1	0	91	93	0	30	30
2022	1	30	17	32	17	18.6	-3	1.067	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	30	17	42	17	19.4	-2.8	1.068	0.4	0.3	0	26.2	27.1	0	91	93	0	30	30
2022	1	30	17	52	17	20.1	-4.3	1.068	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	30	18	2	17	19.5	-3.6	1.068	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	30	18	12	17	20	-3.1	1.068	0.4	0.3	0	26.7	28	0	92	95	0	30	30
2022	1	30	18	22	17	19.5	-3.1	1.068	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	30	18	32	17	19.3	-3.1	1.068	0.4	0.3	0	26.7	27.5	0	93	95	0	31	31
2022	1	30	18	42	17	19.2	-3.1	1.068	0.5	0.4	0	26.7	27.5	0	93	95	0	31	31
2022	1	30	18	52	17	20.3	-3.1	1.068	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	30	19	2	17	19.6	-4.2	1.068	0.3	0.2	0	26.7	28.4	0	93	96	0	31	30
2022	1	30	19	12	17	20.4	-3.7	1.068	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	30	19	22	17	20.2	-4.1	1.068	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	30	19	32	17	20.2	-3.6	1.068	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	30	19	42	17	19.4	-2	1.068	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	30	19	52	17	19.4	-3	1.068	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	30	20	2	17	20.5	-3.5	1.068	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	30	20	12	17	19.9	-3	1.068	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	30	20	22	17	20.2	-3.6	1.068	0.3	0.2	0	27.1	28	0	93	96	0	30	31
2022	1	30	20	32	17	19.6	-3.1	1.068	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	30	20	42	17	20.1	-2.7	1.068	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	30	20	52	17	19.8	-3.2	1.069	0.3	0.2	0	27.1	28	0	94	95	0	31	30
2022	1	30	21	2	17	19.1	-3.3	1.068	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	30	21	12	17	20.1	-3.1	1.068	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	30	21	22	17	19.6	-4	1.069	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	30	21	32	17	19.3	-3.1	1.069	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	30	21	42	17	19.6	-4	1.069	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	30	21	52	17	19.6	-3.1	1.069	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	30	22	2	17	20	-3.4	1.069	0.3	0.2	0	27.1	28.4	0	93	96	0	30	30
2022	1	30	22	12	17	19.2	-3.2	1.069	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	30	22	22	17	20.7	-3.5	1.069	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	30	22	32	17	20	-3.2	1.069	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	30	22	42	17	18.9	-2.7	1.069	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	30	22	52	17	19.8	-3.1	1.069	0.3	0.2	0	27.1	27.5	0	93	96	0	30	32
2022	1	30	23	2	17	19	-3.1	1.069	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	30	23	12	17	21.2	-2.7	1.069	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	30	23	22	17	20.5	-3	1.069	0.4	0.3	0	27.5	28.4	0	94	96	0	30	30
2022	1	30	23	32	17	18.8	-3.2	1.069	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	30	23	42	17	20.1	-3.4	1.069	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31
2022	1	30	23	52	17	19.8	-3.5	1.069	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	31	0	2	17	19.2	-3.1	1.069	0.3	0.2	0	26.7	27.5	0	93	95	0	31	31

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	31	0	12	17	19.5	-3.8	1.069	0.4	0.3	0	26.7	27.5	0	93	95	0	31	31
2022	1	31	0	22	17	20	-2.7	1.069	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	31	0	32	17	20.1	-3.2	1.069	0.3	0.2	0	27.1	28	0	94	96	0	31	31
2022	1	31	0	42	17	19.5	-2.5	1.069	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	31	0	52	17	19.9	-3.3	1.069	0.5	0.4	0	27.1	28	0	93	95	0	30	30
2022	1	31	1	2	17	20.3	-3.4	1.069	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	31	1	12	17	20	-3.1	1.069	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	31	1	22	17	20.7	-2.3	1.069	0.3	0.2	0	27.5	28	0	94	95	0	30	30
2022	1	31	1	32	17	19.5	-2.7	1.069	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	31	1	42	17	20.3	-2.9	1.069	0.4	0.3	0	27.5	27.5	0	94	95	0	30	31
2022	1	31	1	52	17	20.2	-2.8	1.069	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	31	2	2	17	20	-3	1.069	0.5	0.4	0	26.7	27.5	0	93	95	0	31	31
2022	1	31	2	12	17	19.8	-3	1.069	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	31	2	22	17	20.6	-2.9	1.069	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	31	2	32	17	20.3	-2.9	1.069	0.4	0.3	0	27.1	27.1	0	93	94	0	30	31
2022	1	31	2	42	17	19.8	-2.8	1.069	0.4	0.3	0	27.1	27.5	0	93	94	0	30	30
2022	1	31	2	52	17	19.5	-3.1	1.069	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	31	3	2	17	18.7	-3.8	1.069	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	31	3	12	17	19.4	-2.7	1.069	0.3	0.2	0	27.1	28	0	93	95	0	30	30
2022	1	31	3	22	17	19.8	-3.1	1.069	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	31	3	32	17	20.2	-3.9	1.069	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	31	3	42	17	20.4	-3.1	1.069	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	31	3	52	17	19.9	-1.8	1.069	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	31	4	2	17	20.1	-3.7	1.069	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	31	4	12	17	19.8	-3.4	1.069	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	31	4	22	17	19.4	-3.2	1.069	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	31	4	32	17	19.1	-2.6	1.069	0.4	0.3	0	27.1	28	0	93	95	0	30	30
2022	1	31	4	42	17	19	-2.6	1.069	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	31	4	52	17	19.6	-2.4	1.069	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	31	5	2	17	19.8	-3.6	1.069	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	31	5	12	17	19.7	-3	1.069	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	31	5	22	17	20.9	-3.4	1.069	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	31	5	32	17	20.6	-2.7	1.069	0.4	0.3	0	26.2	26.7	0	91	93	0	30	31
2022	1	31	5	42	17	19.2	-4.1	1.069	0.5	0.4	0	26.2	26.7	0	92	93	0	31	31
2022	1	31	5	52	17	19.3	-3.8	1.069	0.4	0.3	0	26.2	26.7	0	91	93	0	30	31
2022	1	31	6	2	17	20.3	-2.7	1.069	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	31	6	12	17	19.7	-3.4	1.069	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	31	6	22	17	19.9	-3.7	1.069	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	31	6	32	17	19.7	-2.3	1.069	0.3	0.2	0	26.7	27.5	0	92	94	0	30	30
2022	1	31	6	42	17	19.7	-3.1	1.069	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	31	6	52	17	19.5	-3	1.069	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	31	7	2	17	20.3	-3.6	1.069	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	31	7	12	17	18.9	-2.6	1.069	0.5	0.4	0	25.8	26.7	0	91	93	0	31	31
2022	1	31	7	22	17	18.5	-3.3	1.069	0.3	0.2	0	26.2	26.2	0	91	92	0	30	31
2022	1	31	7	32	17	20.2	-3.1	1.069	0.3	0.2	0	25.8	26.2	0	90	92	0	30	31
2022	1	31	7	42	17	19.6	-3.2	1.069	0.4	0.3	0	25.8	26.2	0	90	92	0	30	31
2022	1	31	7	52	17	18.8	-2.7	1.069	0.3	0.2	0	25.8	26.2	0	90	92	0	30	31
2022	1	31	8	2	17	20.4	-3.5	1.069	0.3	0.2	0	25.8	26.7	0	90	92	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	31	8	12	17	20.8	-3.7	1.069	0.3	0.2	0	25.8	26.2	0	91	92	0	31	31
2022	1	31	8	22	17	19.7	-3.6	1.069	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	31	8	32	17	20.3	-3.6	1.069	0.3	0.2	0	26.2	26.7	0	91	93	0	30	31
2022	1	31	8	42	17	20.5	-3	1.069	0.5	0.4	0	29.7	31	0	100	103	0	31	31
2022	1	31	8	52	17	19.1	-3.7	1.069	0.3	0.2	0	29.2	29.2	0	98	99	0	30	31
2022	1	31	9	2	17	20.5	-3.7	1.069	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	31	9	12	17	20	-3.1	1.069	0.3	0.2	0	25.4	26.2	0	90	92	0	31	31
2022	1	31	9	22	17	19.1	-2.7	1.069	0.3	0.2	0	25.8	26.2	0	90	92	0	30	31
2022	1	31	9	32	17	19.5	-3.5	1.069	0.4	0.3	0	25.8	25.8	0	90	91	0	30	31
2022	1	31	9	42	17	19.6	-3.2	1.07	0.3	0.2	0	25.8	26.2	0	90	92	0	30	31
2022	1	31	9	52	17	19.7	-3.7	1.07	0.3	0.2	0	25.8	26.2	0	90	91	0	30	30
2022	1	31	10	2	17	20.1	-4.5	1.07	0.3	0.2	0	24.9	25.8	0	89	91	0	31	31
2022	1	31	10	12	17	19.3	-2.9	1.069	0.3	0.2	0	24.9	25.8	0	89	91	0	31	31
2022	1	31	10	22	17	19	-3.1	1.07	0.3	0.2	0	25.8	25.8	0	90	91	0	30	31
2022	1	31	10	32	17	20	-3.6	1.07	0.3	0.2	0	25.4	25.8	0	89	91	0	30	31
2022	1	31	10	42	17	20.2	-4	1.07	0.3	0.2	0	25.4	25.8	0	89	91	0	30	31
2022	1	31	10	52	17	19.8	-3	1.07	0.4	0.3	0	28	28.8	0	95	98	0	30	31
2022	1	31	11	2	17	19.9	-4.3	1.07	0.4	0.3	0	29.7	29.7	0	99	100	0	30	31
2022	1	31	11	12	17	20.2	-3.1	1.07	0.3	0.2	0	28.8	28.8	0	97	98	0	30	31
2022	1	31	11	22	17	20	-3.9	1.071	0.3	0.2	0	27.5	28.8	0	95	97	0	31	30
2022	1	31	11	32	17	19.6	-3.7	1.071	0.4	0.3	0	27.1	28	0	94	95	0	31	30
2022	1	31	11	42	17	19.3	-3.2	1.07	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	31	11	52	17	19.2	-3.1	1.07	0.3	0.2	0	28	28.4	0	96	97	0	31	31
2022	1	31	12	2	17	19.2	-4.4	1.071	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	31	12	12	17	19.8	-3	1.071	0.5	0.4	0	26.7	27.5	0	93	95	0	31	31
2022	1	31	12	22	17	19.7	-3.8	1.071	0.3	0.2	0	28	28	0	95	96	0	30	31
2022	1	31	12	32	17	19.2	-3.1	1.071	0.3	0.2	0	28.8	29.7	0	97	99	0	30	30
2022	1	31	12	42	17	19.7	-4.3	1.071	0.3	0.2	0	28	29.2	0	96	98	0	31	30
2022	1	31	12	52	17	19.6	-3.1	1.071	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	31	13	2	17	19.5	-3.5	1.071	0.3	0.2	0	27.1	27.5	0	94	95	0	31	31
2022	1	31	13	12	17	19.8	-3.8	1.071	0.3	0.2	0	26.7	28	0	93	95	0	31	30
2022	1	31	13	22	17	19.1	-3.9	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	31	13	32	17	19.2	-4.1	1.07	0.3	0.2	0	26.7	27.1	0	93	94	0	31	31
2022	1	31	13	42	17	19.4	-3.1	1.07	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	31	13	52	17	19.2	-4.7	1.071	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	31	14	2	17	19.3	-3.7	1.071	0.3	0.2	0	26.2	27.5	0	92	94	0	31	30
2022	1	31	14	12	17	19.4	-3.8	1.071	0.3	0.2	0	26.2	27.1	0	92	94	0	31	31
2022	1	31	14	22	17	19.8	-3.2	1.07	0.3	0.2	0	26.7	27.5	0	93	94	0	31	30
2022	1	31	14	32	17	19.8	-3.7	1.071	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	31	14	42	17	19.8	-3.8	1.071	0.3	0.2	0	28.4	28.8	0	96	98	0	30	31
2022	1	31	14	52	17	19.2	-3.9	1.071	0.3	0.2	0	28.4	29.2	0	97	98	0	31	30
2022	1	31	15	2	17	19.8	-3.1	1.07	0.5	0.4	0	28	29.2	0	96	98	0	31	30
2022	1	31	15	12	17	19.4	-3.4	1.07	0.4	0.3	0	28	28.8	0	96	98	0	31	31
2022	1	31	15	22	17	19.8	-2.7	1.071	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	31	15	32	17	19.6	-4.2	1.071	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	31	15	42	17	19.7	-3	1.07	0.4	0.3	0	26.7	27.5	0	92	94	0	30	30
2022	1	31	15	52	17	19.5	-3.3	1.07	0.3	0.2	0	25.8	26.7	0	91	93	0	31	31
2022	1	31	16	2	17	19.2	-3.9	1.07	0.3	0.2	0	26.2	27.1	0	92	93	0	31	30

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2022	1	31	16	12	17	19.6	-3.5	1.07	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	31	16	22	17	20.1	-3.5	1.07	0.3	0.2	0	25.8	27.1	0	91	93	0	31	30
2022	1	31	16	32	17	19.3	-3.4	1.07	0.5	0.4	0	27.1	27.5	0	93	95	0	30	31
2022	1	31	16	42	17	20.6	-3.8	1.07	0.4	0.3	0	26.2	27.1	0	92	94	0	31	31
2022	1	31	16	52	17	20	-3.8	1.07	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	31	17	2	17	20.2	-3.7	1.07	0.3	0.2	0	26.7	27.1	0	92	93	0	30	30
2022	1	31	17	12	17	19.4	-3.9	1.07	0.3	0.2	0	26.7	26.7	0	92	93	0	30	31
2022	1	31	17	22	17	19.6	-4.2	1.07	0.3	0.2	0	26.2	26.7	0	92	93	0	31	31
2022	1	31	17	32	17	18.9	-3.3	1.071	0.3	0.2	0	26.7	27.1	0	92	94	0	30	31
2022	1	31	17	42	17	19.7	-3.5	1.07	0.3	0.2	0	27.1	27.1	0	93	94	0	30	31
2022	1	31	17	52	17	19	-2.9	1.071	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	31	18	2	17	19.1	-3.6	1.071	0.3	0.2	0	27.1	27.5	0	93	95	0	30	31
2022	1	31	18	12	17	19.6	-3.1	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	31	18	22	17	19.8	-3.9	1.071	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	31	18	32	17	19.6	-2.6	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	31	18	42	17	19.5	-3.5	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	31	18	52	17	19.4	-2.7	1.071	0.3	0.2	0	26.7	28.4	0	93	96	0	31	30
2022	1	31	19	2	17	19.3	-2.4	1.071	0.4	0.3	0	27.1	27.5	0	93	95	0	30	31
2022	1	31	19	12	17	19.8	-2.9	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	31	19	22	17	19.9	-2.6	1.071	0.4	0.3	0	27.5	28	0	94	96	0	30	31
2022	1	31	19	32	17	20.7	-3.1	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	31	19	42	17	18.8	-3.4	1.071	0.4	0.3	0	27.1	28	0	94	96	0	31	31
2022	1	31	19	52	17	20.3	-2.6	1.071	0.3	0.2	0	28	28.8	0	95	97	0	30	30
2022	1	31	20	2	17	20.1	-3.9	1.071	0.3	0.2	0	26.7	28	0	93	96	0	31	31
2022	1	31	20	12	17	19.9	-3.5	1.071	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	31	20	22	17	19.1	-3.1	1.071	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	31	20	32	17	18.4	-2.9	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	31	20	42	17	19.6	-2.8	1.071	0.3	0.2	0	27.1	28.4	0	94	96	0	31	30
2022	1	31	20	52	17	18.8	-3	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	31	21	2	17	19.6	-2.7	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	31	21	12	17	20.2	-3.3	1.071	0.4	0.3	0	27.1	28.4	0	94	96	0	31	30
2022	1	31	21	22	17	19.6	-2.9	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	31	21	32	17	19.6	-3.9	1.071	0.5	0.4	0	27.5	28.4	0	94	96	0	30	30
2022	1	31	21	42	17	19.3	-2.7	1.072	0.4	0.3	0	27.5	28.4	0	95	96	0	31	30
2022	1	31	21	52	17	19.7	-3.8	1.071	0.4	0.3	0	28	28	0	95	96	0	30	31
2022	1	31	22	2	17	19.6	-2.7	1.071	0.3	0.2	0	28	28.4	0	94	96	0	29	30
2022	1	31	22	12	17	20	-3.5	1.071	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	31	22	22	17	20	-3.9	1.071	0.3	0.2	0	27.5	27.5	0	94	95	0	30	31
2022	1	31	22	32	17	18.9	-2.6	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30
2022	1	31	22	42	17	19.3	-3.1	1.071	0.4	0.3	0	28	28.8	0	95	97	0	30	30
2022	1	31	22	52	17	20.2	-2.8	1.071	0.3	0.2	0	27.1	28.4	0	93	96	0	30	30
2022	1	31	23	2	17	18.9	-3	1.071	0.3	0.2	0	28	28.4	0	95	97	0	30	31
2022	1	31	23	12	17	20.5	-3.5	1.071	0.4	0.3	0	27.1	27.5	0	94	95	0	31	31
2022	1	31	23	22	17	18.7	-4.3	1.071	0.3	0.2	0	27.5	28	0	94	96	0	30	31
2022	1	31	23	32	17	19.6	-4.3	1.071	0.3	0.2	0	27.5	28	0	95	96	0	31	31
2022	1	31	23	42	17	19.2	-3.3	1.071	0.4	0.3	0	27.1	28.4	0	94	96	0	31	30
2022	1	31	23	52	17	20.1	-4	1.071	0.3	0.2	0	27.5	28.4	0	94	96	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	1	0	0	25	30	0	0	0	0	0	0	0	2.59	0	0
2022	1	1	0	10	25	29	0	0	0	0	0	0	0	2.57	0	0
2022	1	1	0	20	25	30	0	0	0	0	0	0	0	2.55	0	0
2022	1	1	0	30	25	30	0	0	0	0	0	0	0	2.54	0	0
2022	1	1	0	40	25	29	0	0	0	0	0	0	0	2.53	0	0
2022	1	1	0	50	25	30	0	0	0	0	0	0	0	2.51	0	0
2022	1	1	1	0	25	30	0	0	0	0	0	0	0	2.49	0	0
2022	1	1	1	10	25	29	0	0	0	0	0	0	0	2.48	0	0
2022	1	1	1	20	25	30	0	0	0	0	0	0	0	2.47	0	0
2022	1	1	1	30	25	29	0	0	0	0	0	0	0	2.45	0	0
2022	1	1	1	40	25	30	0	0	0	0	0	0	0	2.44	0	0
2022	1	1	1	50	25	30	0	0	0	0	0	0	0	2.42	0	0
2022	1	1	2	0	25	30	0	0	0	0	0	0	0	2.41	0	0
2022	1	1	2	10	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	1	2	20	25	30	0	0	0	0	0	0	0	2.38	0	0
2022	1	1	2	30	25	30	0	0	0	0	0	0	0	2.36	0	0
2022	1	1	2	40	25	30	0	0	0	0	0	0	0	2.34	0	0
2022	1	1	2	50	25	30	0	0	0	0	0	0	0	2.33	0	0
2022	1	1	3	0	25	30	0	0	0	0	0	0	0	2.31	0	0
2022	1	1	3	10	25	30	0	0	0	0	0	0	0	2.3	0	0
2022	1	1	3	20	25	30	0	0	0	0	0	0	0	2.29	0	0
2022	1	1	3	30	25	29	0	0	0	0	0	0	0	2.27	0	0
2022	1	1	3	40	25	29	0	0	0	0	0	0	0	2.25	0	0
2022	1	1	3	50	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	1	4	0	25	31	0	0	0	0	0	0	0	2.22	0	0
2022	1	1	4	10	25	30	0	0	0	0	0	0	0	2.2	0	0
2022	1	1	4	20	25	30	0	0	0	0	0	0	0	2.19	0	0
2022	1	1	4	30	25	31	0	0	0	0	0	0	0	2.18	0	0
2022	1	1	4	40	25	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	1	4	50	25	29	0	0	0	0	0	0	0	2.15	0	0
2022	1	1	5	0	25	30	0	0	0	0	0	0	0	2.14	0	0
2022	1	1	5	10	25	30	0	0	0	0	0	0	0	2.13	0	0
2022	1	1	5	20	25	29	0	0	0	0	0	0	0	2.11	0	0
2022	1	1	5	30	25	30	0	0	0	0	0	0	0	2.1	0	0
2022	1	1	5	40	25	30	0	0	0	0	0	0	0	2.09	0	0
2022	1	1	5	50	25	30	0	0	0	0	0	0	0	2.08	0	0
2022	1	1	6	0	25	30	0	0	0	0	0	0	0	2.06	0	0
2022	1	1	6	10	25	30	0	0	0	0	0	0	0	2.05	0	0
2022	1	1	6	20	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	1	6	30	25	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	1	6	40	25	30	0	0	0	0	0	0	0	2.01	0	0
2022	1	1	6	50	25	30	0	0	0	0	0	0	0	2	0	0
2022	1	1	7	0	25	30	0	0	0	0	0	0	0	2	0	0
2022	1	1	7	10	25	30	0	0	0	0	0	0	0	1.98	0	0
2022	1	1	7	20	25	30	0	0	0	0	0	0	0	1.97	0	0
2022	1	1	7	30	25	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	1	7	40	25	30	0	0	0	0	0	0	0	1.95	0	0
2022	1	1	7	50	25	30	0	0	0	0	0	0	0	1.95	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	1	8	0	25	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	1	8	10	25	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	1	8	20	25	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	1	8	30	25	30	0	0	0	0	0	0	0	1.97	0	0
2022	1	1	8	40	25	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	1	8	50	25	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	1	9	0	25	30	0	0	0	0	0	0	0	2	0	0
2022	1	1	9	10	25	30	0	0	0	0	0	0	0	2.01	0	0
2022	1	1	9	20	25	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	1	9	30	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	1	9	40	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	1	9	50	25	30	0	0	0	0	0	0	0	2.05	0	0
2022	1	1	10	0	25	29	0	0	0	0	0	0	0	2.06	0	0
2022	1	1	10	10	25	30	0	0	0	0	0	0	0	2.08	0	0
2022	1	1	10	20	25	30	0	0	0	0	0	0	0	2.1	0	0
2022	1	1	10	30	25	30	0	0	0	0	0	0	0	2.1	0	0
2022	1	1	10	40	25	29	0	0	0	0	0	0	0	2.12	0	0
2022	1	1	10	50	25	30	0	0	0	0	0	0	0	2.13	0	0
2022	1	1	11	0	25	29	0	0	0	0	0	0	0	2.14	0	0
2022	1	1	11	10	25	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	1	11	20	25	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	1	11	30	25	30	0	0	0	0	0	0	0	2.19	0	0
2022	1	1	11	40	25	31	0	0	0	0	0	0	0	2.19	0	0
2022	1	1	11	50	25	30	0	0	0	0	0	0	0	2.2	0	0
2022	1	1	12	0	25	30	0	0	0	0	0	0	0	2.21	0	0
2022	1	1	12	10	25	30	0	0	0	0	0	0	0	2.19	0	0
2022	1	1	12	20	25	29	0	0	0	0	0	0	0	2.2	0	0
2022	1	1	12	30	25	30	0	0	0	0	0	0	0	2.2	0	0
2022	1	1	12	40	25	30	0	0	0	0	0	0	0	2.21	0	0
2022	1	1	12	50	25	30	0	0	0	0	0	0	0	2.21	0	0
2022	1	1	13	0	25	30	0	0	0	0	0	0	0	2.21	0	0
2022	1	1	13	10	25	30	0	0	0	0	0	0	0	2.21	0	0
2022	1	1	13	20	25	30	0	0	0	0	0	0	0	2.2	0	0
2022	1	1	13	30	25	30	0	0	0	0	0	0	0	2.2	0	0
2022	1	1	13	40	25	30	0	0	0	0	0	0	0	2.18	0	0
2022	1	1	13	50	25	30	0	0	0	0	0	0	0	2.18	0	0
2022	1	1	14	0	25	29	0	0	0	0	0	0	0	2.17	0	0
2022	1	1	14	10	25	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	1	14	20	25	30	0	0	0	0	0	0	0	2.16	0	0
2022	1	1	14	30	25	29	0	0	0	0	0	0	0	2.15	0	0
2022	1	1	14	40	25	30	0	0	0	0	0	0	0	2.15	0	0
2022	1	1	14	50	25	30	0	0	0	0	0	0	0	2.14	0	0
2022	1	1	15	0	25	30	0	0	0	0	0	0	0	2.13	0	0
2022	1	1	15	10	25	31	0	0	0	0	0	0	0	2.1	0	0
2022	1	1	15	20	25	30	0	0	0	0	0	0	0	2.09	0	0
2022	1	1	15	30	25	30	0	0	0	0	0	0	0	2.09	0	0
2022	1	1	15	40	25	30	0	0	0	0	0	0	0	2.09	0	0
2022	1	1	15	50	25	29	0	0	0	0	0	0	0	2.1	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	1	16	0	25	30	0	0	0	0	0	0	0	2.1	0	0
2022	1	1	16	10	25	29	0	0	0	0	0	0	0	2.11	0	0
2022	1	1	16	20	25	30	0	0	0	0	0	0	0	2.12	0	0
2022	1	1	16	30	25	30	0	0	0	0	0	0	0	2.13	0	0
2022	1	1	16	40	25	30	0	0	0	0	0	0	0	2.13	0	0
2022	1	1	16	50	25	30	0	0	0	0	0	0	0	2.14	0	0
2022	1	1	17	0	25	30	0	0	0	0	0	0	0	2.15	0	0
2022	1	1	17	10	25	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	1	17	20	25	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	1	17	30	25	30	0	0	0	0	0	0	0	2.18	0	0
2022	1	1	17	40	25	30	0	0	0	0	0	0	0	2.2	0	0
2022	1	1	17	50	25	30	0	0	0	0	0	0	0	2.2	0	0
2022	1	1	18	0	25	29	0	0	0	0	0	0	0	2.22	0	0
2022	1	1	18	10	25	29	0	0	0	0	0	0	0	2.23	0	0
2022	1	1	18	20	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	1	18	30	25	30	0	0	0	0	0	0	0	2.26	0	0
2022	1	1	18	40	25	29	0	0	0	0	0	0	0	2.26	0	0
2022	1	1	18	50	25	30	0	0	0	0	0	0	0	2.27	0	0
2022	1	1	19	0	25	30	0	0	0	0	0	0	0	2.28	0	0
2022	1	1	19	10	25	29	0	0	0	0	0	0	0	2.28	0	0
2022	1	1	19	20	25	30	0	0	0	0	0	0	0	2.29	0	0
2022	1	1	19	30	25	30	0	0	0	0	0	0	0	2.29	0	0
2022	1	1	19	40	25	30	0	0	0	0	0	0	0	2.3	0	0
2022	1	1	19	50	25	30	0	0	0	0	0	0	0	2.3	0	0
2022	1	1	20	0	25	29	0	0	0	0	0	0	0	2.3	0	0
2022	1	1	20	10	25	29	0	0	0	0	0	0	0	2.29	0	0
2022	1	1	20	20	25	29	0	0	0	0	0	0	0	2.29	0	0
2022	1	1	20	30	25	30	0	0	0	0	0	0	0	2.29	0	0
2022	1	1	20	40	25	30	0	0	0	0	0	0	0	2.29	0	0
2022	1	1	20	50	25	30	0	0	0	0	0	0	0	2.28	0	0
2022	1	1	21	0	25	30	0	0	0	0	0	0	0	2.27	0	0
2022	1	1	21	10	25	30	0	0	0	0	0	0	0	2.26	0	0
2022	1	1	21	20	25	30	0	0	0	0	0	0	0	2.25	0	0
2022	1	1	21	30	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	1	21	40	25	30	0	0	0	0	0	0	0	2.22	0	0
2022	1	1	21	50	25	30	0	0	0	0	0	0	0	2.21	0	0
2022	1	1	22	0	25	30	0	0	0	0	0	0	0	2.19	0	0
2022	1	1	22	10	25	29	0	0	0	0	0	0	0	2.17	0	0
2022	1	1	22	20	25	30	0	0	0	0	0	0	0	2.16	0	0
2022	1	1	22	30	25	30	0	0	0	0	0	0	0	2.14	0	0
2022	1	1	22	40	25	29	0	0	0	0	0	0	0	2.12	0	0
2022	1	1	22	50	25	30	0	0	0	0	0	0	0	2.1	0	0
2022	1	1	23	0	25	30	0	0	0	0	0	0	0	2.08	0	0
2022	1	1	23	10	25	30	0	0	0	0	0	0	0	2.06	0	0
2022	1	1	23	20	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	1	23	30	25	29	0	0	0	0	0	0	0	2.02	0	0
2022	1	1	23	40	25	30	0	0	0	0	0	0	0	2	0	0
2022	1	1	23	50	25	30	0	0	0	0	0	0	0	1.98	0	0



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	2	0	0	25	29	0	0	0	0	0	0	0	1.96	0	0
2022	1	2	0	10	25	29	0	0	0	0	0	0	0	1.93	0	0
2022	1	2	0	20	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	2	0	30	25	30	0	0	0	0	0	0	0	1.88	0	0
2022	1	2	0	40	25	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	2	0	50	25	30	0	0	0	0	0	0	0	1.84	0	0
2022	1	2	1	0	25	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	2	1	10	25	30	0	0	0	0	0	0	0	1.8	0	0
2022	1	2	1	20	25	30	0	0	0	0	0	0	0	1.78	0	0
2022	1	2	1	30	25	30	0	0	0	0	0	0	0	1.76	0	0
2022	1	2	1	40	25	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	2	1	50	25	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	2	2	0	25	30	0	0	0	0	0	0	0	1.69	0	0
2022	1	2	2	10	25	30	0	0	0	0	0	0	0	1.67	0	0
2022	1	2	2	20	25	30	0	0	0	0	0	0	0	1.65	0	0
2022	1	2	2	30	25	30	0	0	0	0	0	0	0	1.63	0	0
2022	1	2	2	40	25	30	0	0	0	0	0	0	0	1.61	0	0
2022	1	2	2	50	25	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	2	3	0	25	30	0	0	0	0	0	0	0	1.56	0	0
2022	1	2	3	10	25	31	0	0	0	0	0	0	0	1.54	0	0
2022	1	2	3	20	25	30	0	0	0	0	0	0	0	1.52	0	0
2022	1	2	3	30	25	30	0	0	0	0	0	0	0	1.5	0	0
2022	1	2	3	40	25	31	0	0	0	0	0	0	0	1.48	0	0
2022	1	2	3	50	25	30	0	0	0	0	0	0	0	1.46	0	0
2022	1	2	4	0	25	29	0	0	0	0	0	0	0	1.43	0	0
2022	1	2	4	10	25	30	0	0	0	0	0	0	0	1.41	0	0
2022	1	2	4	20	25	30	0	0	0	0	0	0	0	1.39	0	0
2022	1	2	4	30	25	30	0	0	0	0	0	0	0	1.37	0	0
2022	1	2	4	40	25	30	0	0	0	0	0	0	0	1.35	0	0
2022	1	2	4	50	25	30	0	0	0	0	0	0	0	1.33	0	0
2022	1	2	5	0	25	30	0	0	0	0	0	0	0	1.31	0	0
2022	1	2	5	10	25	30	0	0	0	0	0	0	0	1.28	0	0
2022	1	2	5	20	25	30	0	0	0	0	0	0	0	1.26	0	0
2022	1	2	5	30	25	30	0	0	0	0	0	0	0	1.24	0	0
2022	1	2	5	40	25	30	0	0	0	0	0	0	0	1.22	0	0
2022	1	2	5	50	25	30	0	0	0	0	0	0	0	1.2	0	0
2022	1	2	6	0	25	30	0	0	0	0	0	0	0	1.18	0	0
2022	1	2	6	10	25	30	0	0	0	0	0	0	0	1.15	0	0
2022	1	2	6	20	25	30	0	0	0	0	0	0	0	1.13	0	0
2022	1	2	6	30	25	29	0	0	0	0	0	0	0	1.11	0	0
2022	1	2	6	40	25	30	0	0	0	0	0	0	0	1.08	0	0
2022	1	2	6	50	25	31	0	0	0	0	0	0	0	1.06	0	0
2022	1	2	7	0	25	30	0	0	0	0	0	0	0	1.04	0	0
2022	1	2	7	10	25	30	0	0	0	0	0	0	0	1.02	0	0
2022	1	2	7	20	25	30	0	0	0	0	0	0	0	1	0	0
2022	1	2	7	30	25	30	0	0	0	0	0	0	0	0.97	0	0
2022	1	2	7	40	25	30	0	0	0	0	0	0	0	0.95	0	0
2022	1	2	7	50	25	31	0	0	0	0	0	0	0	0.94	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	2	8	0	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	2	8	10	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	2	8	20	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	2	8	30	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	2	8	40	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	2	8	50	25	30	0	0	0	0	0	0	0	0.94	0	0
2022	1	2	9	0	25	30	0	0	0	0	0	0	0	0.95	0	0
2022	1	2	9	10	25	30	0	0	0	0	0	0	0	0.95	0	0
2022	1	2	9	20	25	30	0	0	0	0	0	0	0	0.95	0	0
2022	1	2	9	30	25	30	0	0	0	0	0	0	0	0.96	0	0
2022	1	2	9	40	25	30	0	0	0	0	0	0	0	0.98	0	0
2022	1	2	9	50	25	30	0	0	0	0	0	0	0	0.99	0	0
2022	1	2	10	0	25	30	0	0	0	0	0	0	0	1.01	0	0
2022	1	2	10	10	25	30	0	0	0	0	0	0	0	1.01	0	0
2022	1	2	10	20	25	29	0	0	0	0	0	0	0	1.02	0	0
2022	1	2	10	30	25	30	0	0	0	0	0	0	0	0.98	0	0
2022	1	2	10	40	25	30	0	0	0	0	0	0	0	0.97	0	0
2022	1	2	10	50	25	30	0	0	0	0	0	0	0	1	0	0
2022	1	2	11	0	25	30	0	0	0	0	0	0	0	1.06	0	0
2022	1	2	11	10	25	30	0	0	0	0	0	0	0	1.07	0	0
2022	1	2	11	20	25	30	0	0	0	0	0	0	0	1.08	0	0
2022	1	2	11	30	25	30	0	0	0	0	0	0	0	1.08	0	0
2022	1	2	11	40	25	30	0	0	0	0	0	0	0	1.1	0	0
2022	1	2	11	50	25	30	0	0	0	0	0	0	0	1.1	0	0
2022	1	2	12	0	25	30	0	0	0	0	0	0	0	1.11	0	0
2022	1	2	12	10	25	31	0	0	0	0	0	0	0	1.11	0	0
2022	1	2	12	20	25	30	0	0	0	0	0	0	0	1.12	0	0
2022	1	2	12	30	25	30	0	0	0	0	0	0	0	1.11	0	0
2022	1	2	12	40	25	30	0	0	0	0	0	0	0	1.12	0	0
2022	1	2	12	50	25	31	0	0	0	0	0	0	0	1.1	0	0
2022	1	2	13	0	25	30	0	0	0	0	0	0	0	1.1	0	0
2022	1	2	13	10	25	31	0	0	0	0	0	0	0	1.1	0	0
2022	1	2	13	20	25	30	0	0	0	0	0	0	0	1.09	0	0
2022	1	2	13	30	25	30	0	0	0	0	0	0	0	1.09	0	0
2022	1	2	13	40	25	30	0	0	0	0	0	0	0	1.09	0	0
2022	1	2	13	50	25	30	0	0	0	0	0	0	0	1.06	0	0
2022	1	2	14	0	25	30	0	0	0	0	0	0	0	1.06	0	0
2022	1	2	14	10	25	30	0	0	0	0	0	0	0	1.05	0	0
2022	1	2	14	20	25	30	0	0	0	0	0	0	0	1.03	0	0
2022	1	2	14	30	25	30	0	0	0	0	0	0	0	1.03	0	0
2022	1	2	14	40	25	30	0	0	0	0	0	0	0	1.02	0	0
2022	1	2	14	50	25	31	0	0	0	0	0	0	0	1	0	0
2022	1	2	15	0	25	30	0	0	0	0	0	0	0	0.99	0	0
2022	1	2	15	10	25	30	0	0	0	0	0	0	0	0.96	0	0
2022	1	2	15	20	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	2	15	30	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	2	15	40	25	31	0	0	0	0	0	0	0	0.93	0	0
2022	1	2	15	50	25	30	0	0	0	0	0	0	0	0.93	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	2	16	0	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	2	16	10	25	30	0	0	0	0	0	0	0	0.94	0	0
2022	1	2	16	20	25	30	0	0	0	0	0	0	0	0.94	0	0
2022	1	2	16	30	25	30	0	0	0	0	0	0	0	0.95	0	0
2022	1	2	16	40	25	30	0	0	0	0	0	0	0	0.95	0	0
2022	1	2	16	50	25	30	0	0	0	0	0	0	0	0.96	0	0
2022	1	2	17	0	25	30	0	0	0	0	0	0	0	0.97	0	0
2022	1	2	17	10	25	30	0	0	0	0	0	0	0	0.97	0	0
2022	1	2	17	20	25	30	0	0	0	0	0	0	0	0.98	0	0
2022	1	2	17	30	25	30	0	0	0	0	0	0	0	1	0	0
2022	1	2	17	40	25	30	0	0	0	0	0	0	0	1	0	0
2022	1	2	17	50	25	30	0	0	0	0	0	0	0	1.02	0	0
2022	1	2	18	0	25	30	0	0	0	0	0	0	0	1.03	0	0
2022	1	2	18	10	25	30	0	0	0	0	0	0	0	1.04	0	0
2022	1	2	18	20	25	30	0	0	0	0	0	0	0	1.05	0	0
2022	1	2	18	30	25	30	0	0	0	0	0	0	0	1.06	0	0
2022	1	2	18	40	25	31	0	0	0	0	0	0	0	1.07	0	0
2022	1	2	18	50	25	31	0	0	0	0	0	0	0	1.09	0	0
2022	1	2	19	0	25	30	0	0	0	0	0	0	0	1.1	0	0
2022	1	2	19	10	25	30	0	0	0	0	0	0	0	1.1	0	0
2022	1	2	19	20	25	30	0	0	0	0	0	0	0	1.11	0	0
2022	1	2	19	30	25	30	0	0	0	0	0	0	0	1.12	0	0
2022	1	2	19	40	25	29	0	0	0	0	0	0	0	1.12	0	0
2022	1	2	19	50	25	30	0	0	0	0	0	0	0	1.13	0	0
2022	1	2	20	0	25	30	0	0	0	0	0	0	0	1.13	0	0
2022	1	2	20	10	25	30	0	0	0	0	0	0	0	1.13	0	0
2022	1	2	20	20	25	30	0	0	0	0	0	0	0	1.13	0	0
2022	1	2	20	30	25	30	0	0	0	0	0	0	0	1.13	0	0
2022	1	2	20	40	25	30	0	0	0	0	0	0	0	1.13	0	0
2022	1	2	20	50	25	30	0	0	0	0	0	0	0	1.12	0	0
2022	1	2	21	0	25	30	0	0	0	0	0	0	0	1.12	0	0
2022	1	2	21	10	25	31	0	0	0	0	0	0	0	1.11	0	0
2022	1	2	21	20	25	30	0	0	0	0	0	0	0	1.11	0	0
2022	1	2	21	30	25	30	0	0	0	0	0	0	0	1.1	0	0
2022	1	2	21	40	25	31	0	0	0	0	0	0	0	1.09	0	0
2022	1	2	21	50	25	30	0	0	0	0	0	0	0	1.07	0	0
2022	1	2	22	0	25	30	0	0	0	0	0	0	0	1.06	0	0
2022	1	2	22	10	25	30	0	0	0	0	0	0	0	1.05	0	0
2022	1	2	22	20	25	30	0	0	0	0	0	0	0	1.03	0	0
2022	1	2	22	30	25	30	0	0	0	0	0	0	0	1.02	0	0
2022	1	2	22	40	25	30	0	0	0	0	0	0	0	1.01	0	0
2022	1	2	22	50	25	30	0	0	0	0	0	0	0	0.99	0	0
2022	1	2	23	0	25	30	0	0	0	0	0	0	0	0.97	0	0
2022	1	2	23	10	25	30	0	0	0	0	0	0	0	0.96	0	0
2022	1	2	23	20	25	30	0	0	0	0	0	0	0	0.94	0	0
2022	1	2	23	30	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	2	23	40	25	30	0	0	0	0	0	0	0	0.91	0	0
2022	1	2	23	50	25	30	0	0	0	0	0	0	0	0.89	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	3	0	0	25	30	0	0	0	0	0	0	0	0.87	0	0
2022	1	3	0	10	25	30	0	0	0	0	0	0	0	0.86	0	0
2022	1	3	0	20	25	30	0	0	0	0	0	0	0	0.85	0	0
2022	1	3	0	30	25	30	0	0	0	0	0	0	0	0.84	0	0
2022	1	3	0	40	25	31	0	0	0	0	0	0	0	0.82	0	0
2022	1	3	0	50	25	31	0	0	0	0	0	0	0	0.8	0	0
2022	1	3	1	0	25	30	0	0	0	0	0	0	0	0.79	0	0
2022	1	3	1	10	25	31	0	0	0	0	0	0	0	0.78	0	0
2022	1	3	1	20	25	30	0	0	0	0	0	0	0	0.77	0	0
2022	1	3	1	30	25	31	0	0	0	0	0	0	0	0.74	0	0
2022	1	3	1	40	25	30	0	0	0	0	0	0	0	0.73	0	0
2022	1	3	1	50	25	30	0	0	0	0	0	0	0	0.71	0	0
2022	1	3	2	0	25	30	0	0	0	0	0	0	0	0.7	0	0
2022	1	3	2	10	25	30	0	0	0	0	0	0	0	0.68	0	0
2022	1	3	2	20	25	30	0	0	0	0	0	0	0	0.67	0	0
2022	1	3	2	30	25	30	0	0	0	0	0	0	0	0.65	0	0
2022	1	3	2	40	25	30	0	0	0	0	0	0	0	0.64	0	0
2022	1	3	2	50	25	30	0	0	0	0	0	0	0	0.62	0	0
2022	1	3	3	0	25	30	0	0	0	0	0	0	0	0.61	0	0
2022	1	3	3	10	25	31	0	0	0	0	0	0	0	0.6	0	0
2022	1	3	3	20	25	31	0	0	0	0	0	0	0	0.58	0	0
2022	1	3	3	30	25	30	0	0	0	0	0	0	0	0.58	0	0
2022	1	3	3	40	25	30	0	0	0	0	0	0	0	0.56	0	0
2022	1	3	3	50	25	30	0	0	0	0	0	0	0	0.55	0	0
2022	1	3	4	0	25	31	0	0	0	0	0	0	0	0.54	0	0
2022	1	3	4	10	25	31	0	0	0	0	0	0	0	0.53	0	0
2022	1	3	4	20	25	30	0	0	0	0	0	0	0	0.52	0	0
2022	1	3	4	30	25	30	0	0	0	0	0	0	0	0.5	0	0
2022	1	3	4	40	25	30	0	0	0	0	0	0	0	0.5	0	0
2022	1	3	4	50	25	30	0	0	0	0	0	0	0	0.49	0	0
2022	1	3	5	0	25	31	0	0	0	0	0	0	0	0.47	0	0
2022	1	3	5	10	25	30	0	0	0	0	0	0	0	0.46	0	0
2022	1	3	5	20	25	30	0	0	0	0	0	0	0	0.45	0	0
2022	1	3	5	30	25	30	0	0	0	0	0	0	0	0.43	0	0
2022	1	3	5	40	25	30	0	0	0	0	0	0	0	0.42	0	0
2022	1	3	5	50	25	29	0	0	0	0	0	0	0	0.4	0	0
2022	1	3	6	0	25	30	0	0	0	0	0	0	0	0.39	0	0
2022	1	3	6	10	25	30	0	0	0	0	0	0	0	0.37	0	0
2022	1	3	6	20	25	30	0	0	0	0	0	0	0	0.36	0	0
2022	1	3	6	30	25	30	0	0	0	0	0	0	0	0.34	0	0
2022	1	3	6	40	25	30	0	0	0	0	0	0	0	0.32	0	0
2022	1	3	6	50	25	31	0	0	0	0	0	0	0	0.32	0	0
2022	1	3	7	0	25	30	0	0	0	0	0	0	0	0.3	0	0
2022	1	3	7	10	25	30	0	0	0	0	0	0	0	0.29	0	0
2022	1	3	7	20	25	30	0	0	0	0	0	0	0	0.28	0	0
2022	1	3	7	30	25	30	0	0	0	0	0	0	0	0.26	0	0
2022	1	3	7	40	25	31	0	0	0	0	0	0	0	0.26	0	0
2022	1	3	7	50	25	30	0	0	0	0	0	0	0	0.25	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	3	8	0	25	30	0	0	0	0	0	0	0	0.27	0	0
2022	1	3	8	10	25	30	0	0	0	0	0	0	0	0.27	0	0
2022	1	3	8	20	25	30	0	0	0	0	0	0	0	0.27	0	0
2022	1	3	8	30	25	30	0	0	0	0	0	0	0	0.25	0	0
2022	1	3	8	40	25	30	0	0	0	0	0	0	0	0.24	0	0
2022	1	3	8	50	25	30	0	0	0	0	0	0	0	0.24	0	0
2022	1	3	9	0	25	30	0	0	0	0	0	0	0	0.23	0	0
2022	1	3	9	10	25	31	0	0	0	0	0	0	0	0.22	0	0
2022	1	3	9	20	25	30	0	0	0	0	0	0	0	0.22	0	0
2022	1	3	9	30	25	30	0	0	0	0	0	0	0	0.27	0	0
2022	1	3	9	40	25	30	0	0	0	0	0	0	0	0.34	0	0
2022	1	3	9	50	25	30	0	0	0	0	0	0	0	0.38	0	0
2022	1	3	10	0	25	30	0	0	0	0	0	0	0	0.37	0	0
2022	1	3	10	10	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	3	10	20	25	31	0	0	0	0	0	0	0	0.42	0	0
2022	1	3	10	30	25	30	0	0	0	0	0	0	0	0.46	0	0
2022	1	3	10	40	25	30	0	0	0	0	0	0	0	0.44	0	0
2022	1	3	10	50	25	30	0	0	0	0	0	0	0	0.35	0	0
2022	1	3	11	0	25	30	0	0	0	0	0	0	0	0.31	0	0
2022	1	3	11	10	25	30	0	0	0	0	0	0	0	0.31	0	0
2022	1	3	11	20	25	30	0	0	0	0	0	0	0	0.31	0	0
2022	1	3	11	30	25	30	0	0	0	0	0	0	0	0.34	0	0
2022	1	3	11	40	25	30	0	0	0	0	0	0	0	0.34	0	0
2022	1	3	11	50	25	30	0	0	0	0	0	0	0	0.34	0	0
2022	1	3	12	0	25	30	0	0	0	0	0	0	0	0.36	0	0
2022	1	3	12	10	25	30	0	0	0	0	0	0	0	0.35	0	0
2022	1	3	12	20	25	30	0	0	0	0	0	0	0	0.35	0	0
2022	1	3	12	30	25	30	0	0	0	0	0	0	0	0.36	0	0
2022	1	3	12	40	25	30	0	0	0	0	0	0	0	0.37	0	0
2022	1	3	12	50	25	31	0	0	0	0	0	0	0	0.48	0	0
2022	1	3	13	0	25	30	0	0	0	0	0	0	0	0.56	0	0
2022	1	3	13	10	25	30	0	0	0	0	0	0	0	0.56	0	0
2022	1	3	13	20	25	30	0	0	0	0	0	0	0	0.55	0	0
2022	1	3	13	30	25	31	0	0	0	0	0	0	0	0.55	0	0
2022	1	3	13	40	25	30	0	0	0	0	0	0	0	0.56	0	0
2022	1	3	13	50	25	31	0	0	0	0	0	0	0	0.53	0	0
2022	1	3	14	0	25	30	0	0	0	0	0	0	0	0.53	0	0
2022	1	3	14	10	25	30	0	0	0	0	0	0	0	0.51	0	0
2022	1	3	14	20	25	30	0	0	0	0	0	0	0	0.5	0	0
2022	1	3	14	30	25	31	0	0	0	0	0	0	0	0.5	0	0
2022	1	3	14	40	25	30	0	0	0	0	0	0	0	0.47	0	0
2022	1	3	14	50	25	30	0	0	0	0	0	0	0	0.46	0	0
2022	1	3	15	0	25	30	0	0	0	0	0	0	0	0.43	0	0
2022	1	3	15	10	25	31	0	0	0	0	0	0	0	0.41	0	0
2022	1	3	15	20	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	3	15	30	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	3	15	40	25	31	0	0	0	0	0	0	0	0.39	0	0
2022	1	3	15	50	25	30	0	0	0	0	0	0	0	0.39	0	0

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	3	16	0	25	30	0	0	0	0	0	0	0	0.39	0	0
2022	1	3	16	10	25	31	0	0	0	0	0	0	0	0.4	0	0
2022	1	3	16	20	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	3	16	30	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	3	16	40	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	3	16	50	25	31	0	0	0	0	0	0	0	0.41	0	0
2022	1	3	17	0	25	30	0	0	0	0	0	0	0	0.41	0	0
2022	1	3	17	10	25	30	0	0	0	0	0	0	0	0.42	0	0
2022	1	3	17	20	25	31	0	0	0	0	0	0	0	0.43	0	0
2022	1	3	17	30	25	30	0	0	0	0	0	0	0	0.43	0	0
2022	1	3	17	40	25	30	0	0	0	0	0	0	0	0.44	0	0
2022	1	3	17	50	25	30	0	0	0	0	0	0	0	0.45	0	0
2022	1	3	18	0	25	30	0	0	0	0	0	0	0	0.46	0	0
2022	1	3	18	10	25	30	0	0	0	0	0	0	0	0.47	0	0
2022	1	3	18	20	25	30	0	0	0	0	0	0	0	0.48	0	0
2022	1	3	18	30	25	30	0	0	0	0	0	0	0	0.48	0	0
2022	1	3	18	40	25	30	0	0	0	0	0	0	0	0.49	0	0
2022	1	3	18	50	25	30	0	0	0	0	0	0	0	0.5	0	0
2022	1	3	19	0	25	30	0	0	0	0	0	0	0	0.5	0	0
2022	1	3	19	10	25	30	0	0	0	0	0	0	0	0.51	0	0
2022	1	3	19	20	25	30	0	0	0	0	0	0	0	0.52	0	0
2022	1	3	19	30	25	30	0	0	0	0	0	0	0	0.52	0	0
2022	1	3	19	40	25	31	0	0	0	0	0	0	0	0.52	0	0
2022	1	3	19	50	25	30	0	0	0	0	0	0	0	0.54	0	0
2022	1	3	20	0	25	30	0	0	0	0	0	0	0	0.53	0	0
2022	1	3	20	10	25	30	0	0	0	0	0	0	0	0.54	0	0
2022	1	3	20	20	25	30	0	0	0	0	0	0	0	0.54	0	0
2022	1	3	20	30	25	30	0	0	0	0	0	0	0	0.55	0	0
2022	1	3	20	40	25	31	0	0	0	0	0	0	0	0.54	0	0
2022	1	3	20	50	25	30	0	0	0	0	0	0	0	0.55	0	0
2022	1	3	21	0	25	30	0	0	0	0	0	0	0	0.55	0	0
2022	1	3	21	10	25	30	0	0	0	0	0	0	0	0.54	0	0
2022	1	3	21	20	25	30	0	0	0	0	0	0	0	0.54	0	0
2022	1	3	21	30	25	30	0	0	0	0	0	0	0	0.54	0	0
2022	1	3	21	40	25	30	0	0	0	0	0	0	0	0.53	0	0
2022	1	3	21	50	25	30	0	0	0	0	0	0	0	0.53	0	0
2022	1	3	22	0	25	30	0	0	0	0	0	0	0	0.52	0	0
2022	1	3	22	10	25	30	0	0	0	0	0	0	0	0.51	0	0
2022	1	3	22	20	25	31	0	0	0	0	0	0	0	0.51	0	0
2022	1	3	22	30	25	30	0	0	0	0	0	0	0	0.5	0	0
2022	1	3	22	40	25	30	0	0	0	0	0	0	0	0.49	0	0
2022	1	3	22	50	25	30	0	0	0	0	0	0	0	0.47	0	0
2022	1	3	23	0	25	30	0	0	0	0	0	0	0	0.47	0	0
2022	1	3	23	10	25	31	0	0	0	0	0	0	0	0.45	0	0
2022	1	3	23	20	25	30	0	0	0	0	0	0	0	0.44	0	0
2022	1	3	23	30	25	30	0	0	0	0	0	0	0	0.43	0	0
2022	1	3	23	40	25	30	0	0	0	0	0	0	0	0.41	0	0
2022	1	3	23	50	25	30	0	0	0	0	0	0	0	0.4	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	4	0	0	25	31	0	0	0	0	0	0	0	0.39	0	0
2022	1	4	0	10	25	30	0	0	0	0	0	0	0	0.38	0	0
2022	1	4	0	20	25	30	0	0	0	0	0	0	0	0.36	0	0
2022	1	4	0	30	25	30	0	0	0	0	0	0	0	0.35	0	0
2022	1	4	0	40	25	30	0	0	0	0	0	0	0	0.34	0	0
2022	1	4	0	50	25	31	0	0	0	0	0	0	0	0.33	0	0
2022	1	4	1	0	25	30	0	0	0	0	0	0	0	0.32	0	0
2022	1	4	1	10	25	30	0	0	0	0	0	0	0	0.31	0	0
2022	1	4	1	20	25	30	0	0	0	0	0	0	0	0.31	0	0
2022	1	4	1	30	25	30	0	0	0	0	0	0	0	0.29	0	0
2022	1	4	1	40	25	30	0	0	0	0	0	0	0	0.28	0	0
2022	1	4	1	50	25	31	0	0	0	0	0	0	0	0.27	0	0
2022	1	4	2	0	25	31	0	0	0	0	0	0	0	0.26	0	0
2022	1	4	2	10	25	30	0	0	0	0	0	0	0	0.25	0	0
2022	1	4	2	20	25	31	0	0	0	0	0	0	0	0.24	0	0
2022	1	4	2	30	25	31	0	0	0	0	0	0	0	0.23	0	0
2022	1	4	2	40	25	30	0	0	0	0	0	0	0	0.22	0	0
2022	1	4	2	50	25	30	0	0	0	0	0	0	0	0.22	0	0
2022	1	4	3	0	25	31	0	0	0	0	0	0	0	0.2	0	0
2022	1	4	3	10	25	30	0	0	0	0	0	0	0	0.19	0	0
2022	1	4	3	20	25	30	0	0	0	0	0	0	0	0.18	0	0
2022	1	4	3	30	25	30	0	0	0	0	0	0	0	0.17	0	0
2022	1	4	3	40	25	30	0	0	0	0	0	0	0	0.16	0	0
2022	1	4	3	50	25	30	0	0	0	0	0	0	0	0.15	0	0
2022	1	4	4	0	25	30	0	0	0	0	0	0	0	0.14	0	0
2022	1	4	4	10	25	31	0	0	0	0	0	0	0	0.14	0	0
2022	1	4	4	20	25	30	0	0	0	0	0	0	0	0.12	0	0
2022	1	4	4	30	25	30	0	0	0	0	0	0	0	0.12	0	0
2022	1	4	4	40	25	31	0	0	0	0	0	0	0	0.11	0	0
2022	1	4	4	50	25	30	0	0	0	0	0	0	0	0.1	0	0
2022	1	4	5	0	25	30	0	0	0	0	0	0	0	0.09	0	0
2022	1	4	5	10	25	30	0	0	0	0	0	0	0	0.08	0	0
2022	1	4	5	20	25	30	0	0	0	0	0	0	0	0.07	0	0
2022	1	4	5	30	25	31	0	0	0	0	0	0	0	0.07	0	0
2022	1	4	5	40	25	30	0	0	0	0	0	0	0	0.06	0	0
2022	1	4	5	50	25	30	0	0	0	0	0	0	0	0.05	0	0
2022	1	4	6	0	25	31	0	0	0	0	0	0	0	0.04	0	0
2022	1	4	6	10	25	30	0	0	0	0	0	0	0	0.03	0	0
2022	1	4	6	20	25	30	0	0	0	0	0	0	0	0.02	0	0
2022	1	4	6	30	25	31	0	0	0	0	0	0	0	0.01	0	0
2022	1	4	6	40	25	31	0	0	0	0	0	0	0	0	0	0
2022	1	4	6	50	25	30	0	0	0	0	0	0	0	-0.01	0	0
2022	1	4	7	0	25	30	0	0	0	0	0	0	0	-0.01	0	0
2022	1	4	7	10	25	30	0	0	0	0	0	0	0	-0.02	0	0
2022	1	4	7	20	25	30	0	0	0	0	0	0	0	-0.02	0	0
2022	1	4	7	30	25	30	0	0	0	0	0	0	0	-0.04	0	0
2022	1	4	7	40	25	31	0	0	0	0	0	0	0	-0.04	0	0
2022	1	4	7	50	25	30	0	0	0	0	0	0	0	-0.03	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	4	8	0	25	30	0	0	0	0	0	0	0	-0.03	0	0
2022	1	4	8	10	25	30	0	0	0	0	0	0	0	-0.02	0	0
2022	1	4	8	20	25	30	0	0	0	0	0	0	0	-0.01	0	0
2022	1	4	8	30	25	30	0	0	0	0	0	0	0	0	0	0
2022	1	4	8	40	25	30	0	0	0	0	0	0	0	0.03	0	0
2022	1	4	8	50	25	30	0	0	0	0	0	0	0	0.04	0	0
2022	1	4	9	0	25	30	0	0	0	0	0	0	0	0.06	0	0
2022	1	4	9	10	25	30	0	0	0	0	0	0	0	0.06	0	0
2022	1	4	9	20	25	31	0	0	0	0	0	0	0	0.09	0	0
2022	1	4	9	30	25	30	0	0	0	0	0	0	0	0.11	0	0
2022	1	4	9	40	25	30	0	0	0	0	0	0	0	0.13	0	0
2022	1	4	9	50	25	30	0	0	0	0	0	0	0	0.16	0	0
2022	1	4	10	0	25	30	0	0	0	0	0	0	0	0.16	0	0
2022	1	4	10	10	25	31	0	0	0	0	0	0	0	0.2	0	0
2022	1	4	10	20	25	31	0	0	0	0	0	0	0	0.2	0	0
2022	1	4	10	30	25	30	0	0	0	0	0	0	0	0.22	0	0
2022	1	4	10	40	25	31	0	0	0	0	0	0	0	0.24	0	0
2022	1	4	10	50	25	30	0	0	0	0	0	0	0	0.28	0	0
2022	1	4	11	0	25	30	0	0	0	0	0	0	0	0.3	0	0
2022	1	4	11	10	25	30	0	0	0	0	0	0	0	0.32	0	0
2022	1	4	11	20	25	31	0	0	0	0	0	0	0	0.32	0	0
2022	1	4	11	30	25	31	0	0	0	0	0	0	0	0.34	0	0
2022	1	4	11	40	25	30	0	0	0	0	0	0	0	0.35	0	0
2022	1	4	11	50	25	30	0	0	0	0	0	0	0	0.36	0	0
2022	1	4	12	0	25	30	0	0	0	0	0	0	0	0.39	0	0
2022	1	4	12	10	25	30	0	0	0	0	0	0	0	0.38	0	0
2022	1	4	12	20	25	31	0	0	0	0	0	0	0	0.4	0	0
2022	1	4	12	30	25	31	0	0	0	0	0	0	0	0.39	0	0
2022	1	4	12	40	25	30	0	0	0	0	0	0	0	0.39	0	0
2022	1	4	12	50	25	31	0	0	0	0	0	0	0	0.4	0	0
2022	1	4	13	0	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	4	13	10	25	30	0	0	0	0	0	0	0	0.42	0	0
2022	1	4	13	20	25	31	0	0	0	0	0	0	0	0.41	0	0
2022	1	4	13	30	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	4	13	40	25	30	0	0	0	0	0	0	0	0.39	0	0
2022	1	4	13	50	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	4	14	0	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	4	14	10	25	31	0	0	0	0	0	0	0	0.39	0	0
2022	1	4	14	20	25	30	0	0	0	0	0	0	0	0.38	0	0
2022	1	4	14	30	25	30	0	0	0	0	0	0	0	0.36	0	0
2022	1	4	14	40	25	30	0	0	0	0	0	0	0	0.36	0	0
2022	1	4	14	50	25	30	0	0	0	0	0	0	0	0.34	0	0
2022	1	4	15	0	25	31	0	0	0	0	0	0	0	0.33	0	0
2022	1	4	15	10	25	30	0	0	0	0	0	0	0	0.29	0	0
2022	1	4	15	20	25	30	0	0	0	0	0	0	0	0.29	0	0
2022	1	4	15	30	25	30	0	0	0	0	0	0	0	0.28	0	0
2022	1	4	15	40	25	30	0	0	0	0	0	0	0	0.29	0	0
2022	1	4	15	50	25	31	0	0	0	0	0	0	0	0.3	0	0



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	4	16	0	25	30	0	0	0	0	0	0	0	0.3	0	0
2022	1	4	16	10	25	31	0	0	0	0	0	0	0	0.31	0	0
2022	1	4	16	20	25	30	0	0	0	0	0	0	0	0.32	0	0
2022	1	4	16	30	25	30	0	0	0	0	0	0	0	0.32	0	0
2022	1	4	16	40	25	30	0	0	0	0	0	0	0	0.33	0	0
2022	1	4	16	50	25	30	0	0	0	0	0	0	0	0.34	0	0
2022	1	4	17	0	25	30	0	0	0	0	0	0	0	0.36	0	0
2022	1	4	17	10	25	31	0	0	0	0	0	0	0	0.37	0	0
2022	1	4	17	20	25	30	0	0	0	0	0	0	0	0.39	0	0
2022	1	4	17	30	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	4	17	40	25	30	0	0	0	0	0	0	0	0.41	0	0
2022	1	4	17	50	25	30	0	0	0	0	0	0	0	0.43	0	0
2022	1	4	18	0	25	30	0	0	0	0	0	0	0	0.44	0	0
2022	1	4	18	10	25	30	0	0	0	0	0	0	0	0.47	0	0
2022	1	4	18	20	25	30	0	0	0	0	0	0	0	0.48	0	0
2022	1	4	18	30	25	30	0	0	0	0	0	0	0	0.5	0	0
2022	1	4	18	40	25	30	0	0	0	0	0	0	0	0.52	0	0
2022	1	4	18	50	25	30	0	0	0	0	0	0	0	0.53	0	0
2022	1	4	19	0	25	31	0	0	0	0	0	0	0	0.55	0	0
2022	1	4	19	10	25	30	0	0	0	0	0	0	0	0.57	0	0
2022	1	4	19	20	25	31	0	0	0	0	0	0	0	0.58	0	0
2022	1	4	19	30	25	31	0	0	0	0	0	0	0	0.59	0	0
2022	1	4	19	40	25	30	0	0	0	0	0	0	0	0.61	0	0
2022	1	4	19	50	25	30	0	0	0	0	0	0	0	0.62	0	0
2022	1	4	20	0	25	30	0	0	0	0	0	0	0	0.63	0	0
2022	1	4	20	10	25	30	0	0	0	0	0	0	0	0.64	0	0
2022	1	4	20	20	25	30	0	0	0	0	0	0	0	0.65	0	0
2022	1	4	20	30	25	31	0	0	0	0	0	0	0	0.65	0	0
2022	1	4	20	40	25	30	0	0	0	0	0	0	0	0.66	0	0
2022	1	4	20	50	25	30	0	0	0	0	0	0	0	0.66	0	0
2022	1	4	21	0	25	30	0	0	0	0	0	0	0	0.67	0	0
2022	1	4	21	10	25	30	0	0	0	0	0	0	0	0.67	0	0
2022	1	4	21	20	25	30	0	0	0	0	0	0	0	0.67	0	0
2022	1	4	21	30	25	31	0	0	0	0	0	0	0	0.66	0	0
2022	1	4	21	40	25	30	0	0	0	0	0	0	0	0.67	0	0
2022	1	4	21	50	25	30	0	0	0	0	0	0	0	0.66	0	0
2022	1	4	22	0	25	31	0	0	0	0	0	0	0	0.66	0	0
2022	1	4	22	10	25	30	0	0	0	0	0	0	0	0.65	0	0
2022	1	4	22	20	25	30	0	0	0	0	0	0	0	0.65	0	0
2022	1	4	22	30	25	30	0	0	0	0	0	0	0	0.64	0	0
2022	1	4	22	40	25	30	0	0	0	0	0	0	0	0.64	0	0
2022	1	4	22	50	25	30	0	0	0	0	0	0	0	0.63	0	0
2022	1	4	23	0	25	30	0	0	0	0	0	0	0	0.62	0	0
2022	1	4	23	10	25	30	0	0	0	0	0	0	0	0.62	0	0
2022	1	4	23	20	25	30	0	0	0	0	0	0	0	0.61	0	0
2022	1	4	23	30	25	30	0	0	0	0	0	0	0	0.6	0	0
2022	1	4	23	40	25	30	0	0	0	0	0	0	0	0.59	0	0
2022	1	4	23	50	25	30	0	0	0	0	0	0	0	0.59	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	5	0	0	25	30	0	0	0	0	0	0	0	0.58	0	0
2022	1	5	0	10	25	30	0	0	0	0	0	0	0	0.57	0	0
2022	1	5	0	20	25	30	0	0	0	0	0	0	0	0.56	0	0
2022	1	5	0	30	25	30	0	0	0	0	0	0	0	0.55	0	0
2022	1	5	0	40	25	30	0	0	0	0	0	0	0	0.54	0	0
2022	1	5	0	50	25	30	0	0	0	0	0	0	0	0.53	0	0
2022	1	5	1	0	25	30	0	0	0	0	0	0	0	0.53	0	0
2022	1	5	1	10	25	30	0	0	0	0	0	0	0	0.52	0	0
2022	1	5	1	20	25	30	0	0	0	0	0	0	0	0.52	0	0
2022	1	5	1	30	25	30	0	0	0	0	0	0	0	0.51	0	0
2022	1	5	1	40	25	31	0	0	0	0	0	0	0	0.5	0	0
2022	1	5	1	50	25	31	0	0	0	0	0	0	0	0.5	0	0
2022	1	5	2	0	25	30	0	0	0	0	0	0	0	0.49	0	0
2022	1	5	2	10	25	30	0	0	0	0	0	0	0	0.49	0	0
2022	1	5	2	20	25	30	0	0	0	0	0	0	0	0.48	0	0
2022	1	5	2	30	25	30	0	0	0	0	0	0	0	0.47	0	0
2022	1	5	2	40	25	30	0	0	0	0	0	0	0	0.47	0	0
2022	1	5	2	50	25	30	0	0	0	0	0	0	0	0.46	0	0
2022	1	5	3	0	25	30	0	0	0	0	0	0	0	0.46	0	0
2022	1	5	3	10	25	30	0	0	0	0	0	0	0	0.44	0	0
2022	1	5	3	20	25	30	0	0	0	0	0	0	0	0.44	0	0
2022	1	5	3	30	25	31	0	0	0	0	0	0	0	0.43	0	0
2022	1	5	3	40	25	30	0	0	0	0	0	0	0	0.43	0	0
2022	1	5	3	50	25	31	0	0	0	0	0	0	0	0.42	0	0
2022	1	5	4	0	25	30	0	0	0	0	0	0	0	0.42	0	0
2022	1	5	4	10	25	30	0	0	0	0	0	0	0	0.4	0	0
2022	1	5	4	20	25	31	0	0	0	0	0	0	0	0.4	0	0
2022	1	5	4	30	25	30	0	0	0	0	0	0	0	0.39	0	0
2022	1	5	4	40	25	30	0	0	0	0	0	0	0	0.39	0	0
2022	1	5	4	50	25	30	0	0	0	0	0	0	0	0.38	0	0
2022	1	5	5	0	25	30	0	0	0	0	0	0	0	0.37	0	0
2022	1	5	5	10	25	30	0	0	0	0	0	0	0	0.37	0	0
2022	1	5	5	20	25	31	0	0	0	0	0	0	0	0.36	0	0
2022	1	5	5	30	25	30	0	0	0	0	0	0	0	0.36	0	0
2022	1	5	5	40	25	30	0	0	0	0	0	0	0	0.35	0	0
2022	1	5	5	50	25	30	0	0	0	0	0	0	0	0.34	0	0
2022	1	5	6	0	25	31	0	0	0	0	0	0	0	0.33	0	0
2022	1	5	6	10	25	30	0	0	0	0	0	0	0	0.32	0	0
2022	1	5	6	20	25	30	0	0	0	0	0	0	0	0.32	0	0
2022	1	5	6	30	25	30	0	0	0	0	0	0	0	0.31	0	0
2022	1	5	6	40	25	30	0	0	0	0	0	0	0	0.3	0	0
2022	1	5	6	50	25	29	0	0	0	0	0	0	0	0.29	0	0
2022	1	5	7	0	25	30	0	0	0	0	0	0	0	0.29	0	0
2022	1	5	7	10	25	30	0	0	0	0	0	0	0	0.27	0	0
2022	1	5	7	20	25	31	0	0	0	0	0	0	0	0.27	0	0
2022	1	5	7	30	25	30	0	0	0	0	0	0	0	0.27	0	0
2022	1	5	7	40	25	30	0	0	0	0	0	0	0	0.26	0	0
2022	1	5	7	50	25	30	0	0	0	0	0	0	0	0.25	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	5	8	0	25	30	0	0	0	0	0	0	0	0.27	0	0
2022	1	5	8	10	25	30	0	0	0	0	0	0	0	0.28	0	0
2022	1	5	8	20	25	30	0	0	0	0	0	0	0	0.29	0	0
2022	1	5	8	30	25	30	0	0	0	0	0	0	0	0.3	0	0
2022	1	5	8	40	25	30	0	0	0	0	0	0	0	0.32	0	0
2022	1	5	8	50	25	31	0	0	0	0	0	0	0	0.34	0	0
2022	1	5	9	0	25	31	0	0	0	0	0	0	0	0.35	0	0
2022	1	5	9	10	25	30	0	0	0	0	0	0	0	0.37	0	0
2022	1	5	9	20	25	31	0	0	0	0	0	0	0	0.38	0	0
2022	1	5	9	30	25	30	0	0	0	0	0	0	0	0.42	0	0
2022	1	5	9	40	25	30	0	0	0	0	0	0	0	0.44	0	0
2022	1	5	9	50	25	30	0	0	0	0	0	0	0	0.45	0	0
2022	1	5	10	0	25	30	0	0	0	0	0	0	0	0.48	0	0
2022	1	5	10	10	25	30	0	0	0	0	0	0	0	0.5	0	0
2022	1	5	10	20	25	30	0	0	0	0	0	0	0	0.51	0	0
2022	1	5	10	30	25	31	0	0	0	0	0	0	0	0.53	0	0
2022	1	5	10	40	25	30	0	0	0	0	0	0	0	0.56	0	0
2022	1	5	10	50	25	29	0	0	0	0	0	0	0	0.57	0	0
2022	1	5	11	0	25	31	0	0	0	0	0	0	0	0.59	0	0
2022	1	5	11	10	25	30	0	0	0	0	0	0	0	0.61	0	0
2022	1	5	11	20	25	30	0	0	0	0	0	0	0	0.62	0	0
2022	1	5	11	30	25	30	0	0	0	0	0	0	0	0.64	0	0
2022	1	5	11	40	25	30	0	0	0	0	0	0	0	0.66	0	0
2022	1	5	11	50	25	30	0	0	0	0	0	0	0	0.67	0	0
2022	1	5	12	0	25	30	0	0	0	0	0	0	0	0.68	0	0
2022	1	5	12	10	25	30	0	0	0	0	0	0	0	0.7	0	0
2022	1	5	12	20	25	30	0	0	0	0	0	0	0	0.72	0	0
2022	1	5	12	30	25	30	0	0	0	0	0	0	0	0.72	0	0
2022	1	5	12	40	25	30	0	0	0	0	0	0	0	0.73	0	0
2022	1	5	12	50	25	30	0	0	0	0	0	0	0	0.73	0	0
2022	1	5	13	0	25	30	0	0	0	0	0	0	0	0.75	0	0
2022	1	5	13	10	25	30	0	0	0	0	0	0	0	0.75	0	0
2022	1	5	13	20	25	30	0	0	0	0	0	0	0	0.74	0	0
2022	1	5	13	30	25	30	0	0	0	0	0	0	0	0.75	0	0
2022	1	5	13	40	25	30	0	0	0	0	0	0	0	0.75	0	0
2022	1	5	13	50	25	31	0	0	0	0	0	0	0	0.74	0	0
2022	1	5	14	0	25	30	0	0	0	0	0	0	0	0.75	0	0
2022	1	5	14	10	25	30	0	0	0	0	0	0	0	0.74	0	0
2022	1	5	14	20	25	30	0	0	0	0	0	0	0	0.75	0	0
2022	1	5	14	30	25	30	0	0	0	0	0	0	0	0.75	0	0
2022	1	5	14	40	25	30	0	0	0	0	0	0	0	0.75	0	0
2022	1	5	14	50	25	30	0	0	0	0	0	0	0	0.74	0	0
2022	1	5	15	0	25	29	0	0	0	0	0	0	0	0.73	0	0
2022	1	5	15	10	25	30	0	0	0	0	0	0	0	0.71	0	0
2022	1	5	15	20	25	30	0	0	0	0	0	0	0	0.7	0	0
2022	1	5	15	30	25	30	0	0	0	0	0	0	0	0.7	0	0
2022	1	5	15	40	25	30	0	0	0	0	0	0	0	0.71	0	0
2022	1	5	15	50	25	30	0	0	0	0	0	0	0	0.72	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	5	16	0	25	30	0	0	0	0	0	0	0	0.73	0	0
2022	1	5	16	10	25	30	0	0	0	0	0	0	0	0.74	0	0
2022	1	5	16	20	25	30	0	0	0	0	0	0	0	0.76	0	0
2022	1	5	16	30	25	30	0	0	0	0	0	0	0	0.77	0	0
2022	1	5	16	40	25	31	0	0	0	0	0	0	0	0.79	0	0
2022	1	5	16	50	25	30	0	0	0	0	0	0	0	0.8	0	0
2022	1	5	17	0	25	30	0	0	0	0	0	0	0	0.83	0	0
2022	1	5	17	10	25	30	0	0	0	0	0	0	0	0.84	0	0
2022	1	5	17	20	25	30	0	0	0	0	0	0	0	0.86	0	0
2022	1	5	17	30	25	30	0	0	0	0	0	0	0	0.88	0	0
2022	1	5	17	40	25	30	0	0	0	0	0	0	0	0.9	0	0
2022	1	5	17	50	25	30	0	0	0	0	0	0	0	0.92	0	0
2022	1	5	18	0	25	30	0	0	0	0	0	0	0	0.94	0	0
2022	1	5	18	10	25	30	0	0	0	0	0	0	0	0.96	0	0
2022	1	5	18	20	25	30	0	0	0	0	0	0	0	0.99	0	0
2022	1	5	18	30	25	30	0	0	0	0	0	0	0	1	0	0
2022	1	5	18	40	25	30	0	0	0	0	0	0	0	1.03	0	0
2022	1	5	18	50	25	30	0	0	0	0	0	0	0	1.05	0	0
2022	1	5	19	0	25	30	0	0	0	0	0	0	0	1.07	0	0
2022	1	5	19	10	25	31	0	0	0	0	0	0	0	1.09	0	0
2022	1	5	19	20	25	30	0	0	0	0	0	0	0	1.1	0	0
2022	1	5	19	30	25	30	0	0	0	0	0	0	0	1.12	0	0
2022	1	5	19	40	25	30	0	0	0	0	0	0	0	1.13	0	0
2022	1	5	19	50	25	30	0	0	0	0	0	0	0	1.15	0	0
2022	1	5	20	0	25	30	0	0	0	0	0	0	0	1.16	0	0
2022	1	5	20	10	25	30	0	0	0	0	0	0	0	1.17	0	0
2022	1	5	20	20	25	30	0	0	0	0	0	0	0	1.18	0	0
2022	1	5	20	30	25	30	0	0	0	0	0	0	0	1.2	0	0
2022	1	5	20	40	25	30	0	0	0	0	0	0	0	1.21	0	0
2022	1	5	20	50	25	30	0	0	0	0	0	0	0	1.21	0	0
2022	1	5	21	0	25	30	0	0	0	0	0	0	0	1.21	0	0
2022	1	5	21	10	25	30	0	0	0	0	0	0	0	1.21	0	0
2022	1	5	21	20	25	30	0	0	0	0	0	0	0	1.22	0	0
2022	1	5	21	30	25	30	0	0	0	0	0	0	0	1.22	0	0
2022	1	5	21	40	25	30	0	0	0	0	0	0	0	1.22	0	0
2022	1	5	21	50	25	30	0	0	0	0	0	0	0	1.22	0	0
2022	1	5	22	0	25	30	0	0	0	0	0	0	0	1.22	0	0
2022	1	5	22	10	25	31	0	0	0	0	0	0	0	1.22	0	0
2022	1	5	22	20	25	30	0	0	0	0	0	0	0	1.21	0	0
2022	1	5	22	30	25	30	0	0	0	0	0	0	0	1.21	0	0
2022	1	5	22	40	25	30	0	0	0	0	0	0	0	1.2	0	0
2022	1	5	22	50	25	30	0	0	0	0	0	0	0	1.2	0	0
2022	1	5	23	0	25	30	0	0	0	0	0	0	0	1.19	0	0
2022	1	5	23	10	25	30	0	0	0	0	0	0	0	1.19	0	0
2022	1	5	23	20	25	30	0	0	0	0	0	0	0	1.18	0	0
2022	1	5	23	30	25	30	0	0	0	0	0	0	0	1.18	0	0
2022	1	5	23	40	25	31	0	0	0	0	0	0	0	1.17	0	0
2022	1	5	23	50	25	30	0	0	0	0	0	0	0	1.16	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	6	0	0	25	30	0	0	0	0	0	0	0	1.15	0	0
2022	1	6	0	10	25	30	0	0	0	0	0	0	0	1.15	0	0
2022	1	6	0	20	25	30	0	0	0	0	0	0	0	1.14	0	0
2022	1	6	0	30	25	30	0	0	0	0	0	0	0	1.13	0	0
2022	1	6	0	40	25	30	0	0	0	0	0	0	0	1.13	0	0
2022	1	6	0	50	25	30	0	0	0	0	0	0	0	1.12	0	0
2022	1	6	1	0	25	30	0	0	0	0	0	0	0	1.12	0	0
2022	1	6	1	10	25	31	0	0	0	0	0	0	0	1.11	0	0
2022	1	6	1	20	25	30	0	0	0	0	0	0	0	1.11	0	0
2022	1	6	1	30	25	30	0	0	0	0	0	0	0	1.11	0	0
2022	1	6	1	40	25	31	0	0	0	0	0	0	0	1.1	0	0
2022	1	6	1	50	25	30	0	0	0	0	0	0	0	1.09	0	0
2022	1	6	2	0	25	30	0	0	0	0	0	0	0	1.09	0	0
2022	1	6	2	10	25	31	0	0	0	0	0	0	0	1.08	0	0
2022	1	6	2	20	25	30	0	0	0	0	0	0	0	1.08	0	0
2022	1	6	2	30	25	29	0	0	0	0	0	0	0	1.07	0	0
2022	1	6	2	40	25	30	0	0	0	0	0	0	0	1.06	0	0
2022	1	6	2	50	25	30	0	0	0	0	0	0	0	1.06	0	0
2022	1	6	3	0	25	30	0	0	0	0	0	0	0	1.05	0	0
2022	1	6	3	10	25	30	0	0	0	0	0	0	0	1.05	0	0
2022	1	6	3	20	25	30	0	0	0	0	0	0	0	1.05	0	0
2022	1	6	3	30	25	30	0	0	0	0	0	0	0	1.03	0	0
2022	1	6	3	40	25	30	0	0	0	0	0	0	0	1.03	0	0
2022	1	6	3	50	25	30	0	0	0	0	0	0	0	1.03	0	0
2022	1	6	4	0	25	30	0	0	0	0	0	0	0	1.02	0	0
2022	1	6	4	10	25	30	0	0	0	0	0	0	0	1.02	0	0
2022	1	6	4	20	25	30	0	0	0	0	0	0	0	1.01	0	0
2022	1	6	4	30	25	30	0	0	0	0	0	0	0	1	0	0
2022	1	6	4	40	25	30	0	0	0	0	0	0	0	1	0	0
2022	1	6	4	50	25	30	0	0	0	0	0	0	0	1	0	0
2022	1	6	5	0	25	30	0	0	0	0	0	0	0	0.99	0	0
2022	1	6	5	10	25	30	0	0	0	0	0	0	0	0.98	0	0
2022	1	6	5	20	25	31	0	0	0	0	0	0	0	0.98	0	0
2022	1	6	5	30	25	30	0	0	0	0	0	0	0	0.97	0	0
2022	1	6	5	40	25	30	0	0	0	0	0	0	0	0.96	0	0
2022	1	6	5	50	25	30	0	0	0	0	0	0	0	0.96	0	0
2022	1	6	6	0	25	30	0	0	0	0	0	0	0	0.96	0	0
2022	1	6	6	10	25	30	0	0	0	0	0	0	0	0.95	0	0
2022	1	6	6	20	25	30	0	0	0	0	0	0	0	0.95	0	0
2022	1	6	6	30	25	30	0	0	0	0	0	0	0	0.94	0	0
2022	1	6	6	40	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	6	6	50	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	6	7	0	25	31	0	0	0	0	0	0	0	0.93	0	0
2022	1	6	7	10	25	30	0	0	0	0	0	0	0	0.92	0	0
2022	1	6	7	20	25	30	0	0	0	0	0	0	0	0.92	0	0
2022	1	6	7	30	25	30	0	0	0	0	0	0	0	0.91	0	0
2022	1	6	7	40	25	30	0	0	0	0	0	0	0	0.9	0	0
2022	1	6	7	50	25	30	0	0	0	0	0	0	0	0.91	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	6	8	0	25	30	0	0	0	0	0	0	0	0.92	0	0
2022	1	6	8	10	25	30	0	0	0	0	0	0	0	0.93	0	0
2022	1	6	8	20	25	31	0	0	0	0	0	0	0	0.95	0	0
2022	1	6	8	30	25	30	0	0	0	0	0	0	0	0.96	0	0
2022	1	6	8	40	25	30	0	0	0	0	0	0	0	0.99	0	0
2022	1	6	8	50	25	30	0	0	0	0	0	0	0	1.01	0	0
2022	1	6	9	0	25	30	0	0	0	0	0	0	0	1.03	0	0
2022	1	6	9	10	25	30	0	0	0	0	0	0	0	1.04	0	0
2022	1	6	9	20	25	30	0	0	0	0	0	0	0	1.06	0	0
2022	1	6	9	30	25	30	0	0	0	0	0	0	0	1.09	0	0
2022	1	6	9	40	25	30	0	0	0	0	0	0	0	1.12	0	0
2022	1	6	9	50	25	30	0	0	0	0	0	0	0	1.14	0	0
2022	1	6	10	0	25	31	0	0	0	0	0	0	0	1.16	0	0
2022	1	6	10	10	25	30	0	0	0	0	0	0	0	1.17	0	0
2022	1	6	10	20	25	30	0	0	0	0	0	0	0	1.21	0	0
2022	1	6	10	30	25	31	0	0	0	0	0	0	0	1.21	0	0
2022	1	6	10	40	25	30	0	0	0	0	0	0	0	1.25	0	0
2022	1	6	10	50	25	30	0	0	0	0	0	0	0	1.28	0	0
2022	1	6	11	0	25	30	0	0	0	0	0	0	0	1.3	0	0
2022	1	6	11	10	25	30	0	0	0	0	0	0	0	1.31	0	0
2022	1	6	11	20	25	30	0	0	0	0	0	0	0	1.33	0	0
2022	1	6	11	30	25	30	0	0	0	0	0	0	0	1.33	0	0
2022	1	6	11	40	25	30	0	0	0	0	0	0	0	1.37	0	0
2022	1	6	11	50	25	30	0	0	0	0	0	0	0	1.38	0	0
2022	1	6	12	0	25	30	0	0	0	0	0	0	0	1.4	0	0
2022	1	6	12	10	25	30	0	0	0	0	0	0	0	1.41	0	0
2022	1	6	12	20	25	30	0	0	0	0	0	0	0	1.42	0	0
2022	1	6	12	30	25	30	0	0	0	0	0	0	0	1.42	0	0
2022	1	6	12	40	25	30	0	0	0	0	0	0	0	1.43	0	0
2022	1	6	12	50	25	30	0	0	0	0	0	0	0	1.44	0	0
2022	1	6	13	0	25	30	0	0	0	0	0	0	0	1.45	0	0
2022	1	6	13	10	25	29	0	0	0	0	0	0	0	1.46	0	0
2022	1	6	13	20	25	30	0	0	0	0	0	0	0	1.46	0	0
2022	1	6	13	30	25	30	0	0	0	0	0	0	0	1.47	0	0
2022	1	6	13	40	25	30	0	0	0	0	0	0	0	1.47	0	0
2022	1	6	13	50	25	30	0	0	0	0	0	0	0	1.48	0	0
2022	1	6	14	0	25	30	0	0	0	0	0	0	0	1.46	0	0
2022	1	6	14	10	25	30	0	0	0	0	0	0	0	1.47	0	0
2022	1	6	14	20	25	30	0	0	0	0	0	0	0	1.47	0	0
2022	1	6	14	30	25	30	0	0	0	0	0	0	0	1.47	0	0
2022	1	6	14	40	25	30	0	0	0	0	0	0	0	1.47	0	0
2022	1	6	14	50	25	30	0	0	0	0	0	0	0	1.47	0	0
2022	1	6	15	0	25	31	0	0	0	0	0	0	0	1.47	0	0
2022	1	6	15	10	25	30	0	0	0	0	0	0	0	1.46	0	0
2022	1	6	15	20	25	31	0	0	0	0	0	0	0	1.44	0	0
2022	1	6	15	30	25	30	0	0	0	0	0	0	0	1.44	0	0
2022	1	6	15	40	25	30	0	0	0	0	0	0	0	1.46	0	0
2022	1	6	15	50	25	30	0	0	0	0	0	0	0	1.47	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	6	16	0	25	30	0	0	0	0	0	0	0	1.48	0	0
2022	1	6	16	10	25	30	0	0	0	0	0	0	0	1.5	0	0
2022	1	6	16	20	25	30	0	0	0	0	0	0	0	1.52	0	0
2022	1	6	16	30	25	30	0	0	0	0	0	0	0	1.53	0	0
2022	1	6	16	40	25	30	0	0	0	0	0	0	0	1.56	0	0
2022	1	6	16	50	25	30	0	0	0	0	0	0	0	1.57	0	0
2022	1	6	17	0	25	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	6	17	10	25	30	0	0	0	0	0	0	0	1.62	0	0
2022	1	6	17	20	25	30	0	0	0	0	0	0	0	1.63	0	0
2022	1	6	17	30	25	31	0	0	0	0	0	0	0	1.66	0	0
2022	1	6	17	40	25	30	0	0	0	0	0	0	0	1.68	0	0
2022	1	6	17	50	25	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	6	18	0	25	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	6	18	10	25	30	0	0	0	0	0	0	0	1.75	0	0
2022	1	6	18	20	25	30	0	0	0	0	0	0	0	1.77	0	0
2022	1	6	18	30	25	30	0	0	0	0	0	0	0	1.8	0	0
2022	1	6	18	40	25	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	6	18	50	25	30	0	0	0	0	0	0	0	1.85	0	0
2022	1	6	19	0	25	29	0	0	0	0	0	0	0	1.86	0	0
2022	1	6	19	10	25	29	0	0	0	0	0	0	0	1.88	0	0
2022	1	6	19	20	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	6	19	30	25	30	0	0	0	0	0	0	0	1.93	0	0
2022	1	6	19	40	25	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	6	19	50	25	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	6	20	0	25	30	0	0	0	0	0	0	0	1.97	0	0
2022	1	6	20	10	25	30	0	0	0	0	0	0	0	1.98	0	0
2022	1	6	20	20	25	30	0	0	0	0	0	0	0	2	0	0
2022	1	6	20	30	25	30	0	0	0	0	0	0	0	2.01	0	0
2022	1	6	20	40	25	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	6	20	50	25	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	6	21	0	25	29	0	0	0	0	0	0	0	2.03	0	0
2022	1	6	21	10	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	6	21	20	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	6	21	30	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	6	21	40	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	6	21	50	25	29	0	0	0	0	0	0	0	2.04	0	0
2022	1	6	22	0	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	6	22	10	25	29	0	0	0	0	0	0	0	2.04	0	0
2022	1	6	22	20	25	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	6	22	30	25	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	6	22	40	25	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	6	22	50	25	29	0	0	0	0	0	0	0	2.01	0	0
2022	1	6	23	0	25	30	0	0	0	0	0	0	0	2	0	0
2022	1	6	23	10	25	30	0	0	0	0	0	0	0	2	0	0
2022	1	6	23	20	25	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	6	23	30	25	30	0	0	0	0	0	0	0	1.98	0	0
2022	1	6	23	40	25	31	0	0	0	0	0	0	0	1.97	0	0
2022	1	6	23	50	25	30	0	0	0	0	0	0	0	1.97	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	7	0	0	25	29	0	0	0	0	0	0	0	1.96	0	0
2022	1	7	0	10	25	29	0	0	0	0	0	0	0	1.95	0	0
2022	1	7	0	20	25	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	7	0	30	25	30	0	0	0	0	0	0	0	1.93	0	0
2022	1	7	0	40	25	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	7	0	50	25	29	0	0	0	0	0	0	0	1.91	0	0
2022	1	7	1	0	25	30	0	0	0	0	0	0	0	1.9	0	0
2022	1	7	1	10	25	31	0	0	0	0	0	0	0	1.89	0	0
2022	1	7	1	20	25	30	0	0	0	0	0	0	0	1.88	0	0
2022	1	7	1	30	25	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	7	1	40	25	30	0	0	0	0	0	0	0	1.86	0	0
2022	1	7	1	50	25	30	0	0	0	0	0	0	0	1.85	0	0
2022	1	7	2	0	25	30	0	0	0	0	0	0	0	1.84	0	0
2022	1	7	2	10	25	30	0	0	0	0	0	0	0	1.84	0	0
2022	1	7	2	20	25	30	0	0	0	0	0	0	0	1.83	0	0
2022	1	7	2	30	25	31	0	0	0	0	0	0	0	1.82	0	0
2022	1	7	2	40	25	30	0	0	0	0	0	0	0	1.81	0	0
2022	1	7	2	50	25	30	0	0	0	0	0	0	0	1.8	0	0
2022	1	7	3	0	25	30	0	0	0	0	0	0	0	1.8	0	0
2022	1	7	3	10	25	31	0	0	0	0	0	0	0	1.79	0	0
2022	1	7	3	20	25	30	0	0	0	0	0	0	0	1.78	0	0
2022	1	7	3	30	25	30	0	0	0	0	0	0	0	1.77	0	0
2022	1	7	3	40	25	30	0	0	0	0	0	0	0	1.76	0	0
2022	1	7	3	50	25	30	0	0	0	0	0	0	0	1.76	0	0
2022	1	7	4	0	25	30	0	0	0	0	0	0	0	1.75	0	0
2022	1	7	4	10	25	30	0	0	0	0	0	0	0	1.74	0	0
2022	1	7	4	20	25	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	7	4	30	25	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	7	4	40	25	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	7	4	50	25	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	7	5	0	25	30	0	0	0	0	0	0	0	1.71	0	0
2022	1	7	5	10	25	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	7	5	20	25	30	0	0	0	0	0	0	0	1.69	0	0
2022	1	7	5	30	25	30	0	0	0	0	0	0	0	1.68	0	0
2022	1	7	5	40	25	30	0	0	0	0	0	0	0	1.67	0	0
2022	1	7	5	50	25	29	0	0	0	0	0	0	0	1.66	0	0
2022	1	7	6	0	25	30	0	0	0	0	0	0	0	1.66	0	0
2022	1	7	6	10	25	30	0	0	0	0	0	0	0	1.65	0	0
2022	1	7	6	20	25	30	0	0	0	0	0	0	0	1.64	0	0
2022	1	7	6	30	25	30	0	0	0	0	0	0	0	1.63	0	0
2022	1	7	6	40	25	30	0	0	0	0	0	0	0	1.62	0	0
2022	1	7	6	50	25	30	0	0	0	0	0	0	0	1.61	0	0
2022	1	7	7	0	25	31	0	0	0	0	0	0	0	1.61	0	0
2022	1	7	7	10	25	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	7	7	20	25	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	7	7	30	25	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	7	7	40	25	30	0	0	0	0	0	0	0	1.58	0	0
2022	1	7	7	50	25	30	0	0	0	0	0	0	0	1.57	0	0



## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	7	8	0	25	30	0	0	0	0	0	0	0	1.58	0	0
2022	1	7	8	10	25	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	7	8	20	25	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	7	8	30	25	30	0	0	0	0	0	0	0	1.61	0	0
2022	1	7	8	40	25	30	0	0	0	0	0	0	0	1.63	0	0
2022	1	7	8	50	25	30	0	0	0	0	0	0	0	1.66	0	0
2022	1	7	9	0	25	30	0	0	0	0	0	0	0	1.67	0	0
2022	1	7	9	10	25	30	0	0	0	0	0	0	0	1.69	0	0
2022	1	7	9	20	25	30	0	0	0	0	0	0	0	1.69	0	0
2022	1	7	9	30	25	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	7	9	40	25	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	7	9	50	25	30	0	0	0	0	0	0	0	1.75	0	0
2022	1	7	10	0	25	29	0	0	0	0	0	0	0	1.78	0	0
2022	1	7	10	10	25	30	0	0	0	0	0	0	0	1.79	0	0
2022	1	7	10	20	25	30	0	0	0	0	0	0	0	1.81	0	0
2022	1	7	10	30	25	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	7	10	40	25	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	7	10	50	25	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	7	11	0	25	30	0	0	0	0	0	0	0	1.89	0	0
2022	1	7	11	10	25	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	7	11	20	25	30	0	0	0	0	0	0	0	1.93	0	0
2022	1	7	11	30	25	30	0	0	0	0	0	0	0	1.98	0	0
2022	1	7	11	40	25	30	0	0	0	0	0	0	0	1.97	0	0
2022	1	7	11	50	25	30	0	0	0	0	0	0	0	1.97	0	0
2022	1	7	12	0	25	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	7	12	10	25	29	0	0	0	0	0	0	0	1.99	0	0
2022	1	7	12	20	25	29	0	0	0	0	0	0	0	2.01	0	0
2022	1	7	12	30	25	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	7	12	40	25	29	0	0	0	0	0	0	0	2.03	0	0
2022	1	7	12	50	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	7	13	0	25	30	0	0	0	0	0	0	0	1.97	0	0
2022	1	7	13	10	25	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	7	13	20	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	7	13	30	25	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	7	13	40	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	7	13	50	25	30	0	0	0	0	0	0	0	2.05	0	0
2022	1	7	14	0	25	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	7	14	10	25	30	0	0	0	0	0	0	0	2.06	0	0
2022	1	7	14	20	25	30	0	0	0	0	0	0	0	2.06	0	0
2022	1	7	14	30	25	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	7	14	40	25	30	0	0	0	0	0	0	0	2.08	0	0
2022	1	7	14	50	25	30	0	0	0	0	0	0	0	2.06	0	0
2022	1	7	15	0	25	30	0	0	0	0	0	0	0	2.06	0	0
2022	1	7	15	10	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	7	15	20	25	30	0	0	0	0	0	0	0	2.01	0	0
2022	1	7	15	30	25	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	7	15	40	25	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	7	15	50	25	30	0	0	0	0	0	0	0	2.04	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	7	16	0	25	30	0	0	0	0	0	0	0	2.06	0	0
2022	1	7	16	10	25	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	7	16	20	25	29	0	0	0	0	0	0	0	2.09	0	0
2022	1	7	16	30	25	30	0	0	0	0	0	0	0	2.11	0	0
2022	1	7	16	40	25	29	0	0	0	0	0	0	0	2.13	0	0
2022	1	7	16	50	25	30	0	0	0	0	0	0	0	2.14	0	0
2022	1	7	17	0	25	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	7	17	10	25	30	0	0	0	0	0	0	0	2.19	0	0
2022	1	7	17	20	25	30	0	0	0	0	0	0	0	2.21	0	0
2022	1	7	17	30	25	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	7	17	40	25	30	0	0	0	0	0	0	0	2.26	0	0
2022	1	7	17	50	25	29	0	0	0	0	0	0	0	2.28	0	0
2022	1	7	18	0	25	30	0	0	0	0	0	0	0	2.3	0	0
2022	1	7	18	10	25	30	0	0	0	0	0	0	0	2.33	0	0
2022	1	7	18	20	25	30	0	0	0	0	0	0	0	2.36	0	0
2022	1	7	18	30	25	30	0	0	0	0	0	0	0	2.38	0	0
2022	1	7	18	40	25	30	0	0	0	0	0	0	0	2.4	0	0
2022	1	7	18	50	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	7	19	0	25	29	0	0	0	0	0	0	0	2.45	0	0
2022	1	7	19	10	25	30	0	0	0	0	0	0	0	2.48	0	0
2022	1	7	19	20	25	30	0	0	0	0	0	0	0	2.49	0	0
2022	1	7	19	30	25	30	0	0	0	0	0	0	0	2.52	0	0
2022	1	7	19	40	25	30	0	0	0	0	0	0	0	2.53	0	0
2022	1	7	19	50	25	30	0	0	0	0	0	0	0	2.55	0	0
2022	1	7	20	0	25	30	0	0	0	0	0	0	0	2.56	0	0
2022	1	7	20	10	25	29	0	0	0	0	0	0	0	2.58	0	0
2022	1	7	20	20	25	30	0	0	0	0	0	0	0	2.6	0	0
2022	1	7	20	30	25	29	0	0	0	0	0	0	0	2.61	0	0
2022	1	7	20	40	25	30	0	0	0	0	0	0	0	2.63	0	0
2022	1	7	20	50	25	30	0	0	0	0	0	0	0	2.64	0	0
2022	1	7	21	0	25	29	0	0	0	0	0	0	0	2.64	0	0
2022	1	7	21	10	25	30	0	0	0	0	0	0	0	2.65	0	0
2022	1	7	21	20	25	29	0	0	0	0	0	0	0	2.65	0	0
2022	1	7	21	30	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	7	21	40	25	29	0	0	0	0	0	0	0	2.67	0	0
2022	1	7	21	50	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	7	22	0	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	7	22	10	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	7	22	20	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	7	22	30	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	7	22	40	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	7	22	50	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	7	23	0	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	7	23	10	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	7	23	20	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	7	23	30	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	7	23	40	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	7	23	50	25	31	0	0	0	0	0	0	0	2.67	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	8	0	0	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	8	0	10	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	8	0	20	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	8	0	30	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	8	0	40	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	0	50	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	1	0	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	8	1	10	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	1	20	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	1	30	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	8	1	40	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	1	50	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	2	0	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	2	10	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	2	20	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	2	30	25	29	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	2	40	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	2	50	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	3	0	25	29	0	0	0	0	0	0	0	2.65	0	0
2022	1	8	3	10	25	30	0	0	0	0	0	0	0	2.65	0	0
2022	1	8	3	20	25	29	0	0	0	0	0	0	0	2.65	0	0
2022	1	8	3	30	25	30	0	0	0	0	0	0	0	2.65	0	0
2022	1	8	3	40	25	30	0	0	0	0	0	0	0	2.65	0	0
2022	1	8	3	50	25	30	0	0	0	0	0	0	0	2.64	0	0
2022	1	8	4	0	25	30	0	0	0	0	0	0	0	2.64	0	0
2022	1	8	4	10	25	30	0	0	0	0	0	0	0	2.63	0	0
2022	1	8	4	20	25	30	0	0	0	0	0	0	0	2.62	0	0
2022	1	8	4	30	25	30	0	0	0	0	0	0	0	2.61	0	0
2022	1	8	4	40	25	30	0	0	0	0	0	0	0	2.6	0	0
2022	1	8	4	50	25	30	0	0	0	0	0	0	0	2.59	0	0
2022	1	8	5	0	25	30	0	0	0	0	0	0	0	2.58	0	0
2022	1	8	5	10	25	30	0	0	0	0	0	0	0	2.58	0	0
2022	1	8	5	20	25	30	0	0	0	0	0	0	0	2.56	0	0
2022	1	8	5	30	25	29	0	0	0	0	0	0	0	2.55	0	0
2022	1	8	5	40	25	30	0	0	0	0	0	0	0	2.54	0	0
2022	1	8	5	50	25	30	0	0	0	0	0	0	0	2.53	0	0
2022	1	8	6	0	25	29	0	0	0	0	0	0	0	2.52	0	0
2022	1	8	6	10	25	30	0	0	0	0	0	0	0	2.51	0	0
2022	1	8	6	20	25	30	0	0	0	0	0	0	0	2.49	0	0
2022	1	8	6	30	25	30	0	0	0	0	0	0	0	2.48	0	0
2022	1	8	6	40	25	30	0	0	0	0	0	0	0	2.47	0	0
2022	1	8	6	50	25	29	0	0	0	0	0	0	0	2.45	0	0
2022	1	8	7	0	25	30	0	0	0	0	0	0	0	2.44	0	0
2022	1	8	7	10	25	29	0	0	0	0	0	0	0	2.43	0	0
2022	1	8	7	20	25	31	0	0	0	0	0	0	0	2.41	0	0
2022	1	8	7	30	25	30	0	0	0	0	0	0	0	2.4	0	0
2022	1	8	7	40	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	8	7	50	25	30	0	0	0	0	0	0	0	2.39	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	8	8	0	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	8	8	10	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	8	8	20	25	30	0	0	0	0	0	0	0	2.4	0	0
2022	1	8	8	30	25	30	0	0	0	0	0	0	0	2.41	0	0
2022	1	8	8	40	25	30	0	0	0	0	0	0	0	2.42	0	0
2022	1	8	8	50	25	30	0	0	0	0	0	0	0	2.44	0	0
2022	1	8	9	0	25	30	0	0	0	0	0	0	0	2.46	0	0
2022	1	8	9	10	25	30	0	0	0	0	0	0	0	2.48	0	0
2022	1	8	9	20	25	30	0	0	0	0	0	0	0	2.49	0	0
2022	1	8	9	30	25	29	0	0	0	0	0	0	0	2.5	0	0
2022	1	8	9	40	25	30	0	0	0	0	0	0	0	2.54	0	0
2022	1	8	9	50	25	30	0	0	0	0	0	0	0	2.55	0	0
2022	1	8	10	0	25	30	0	0	0	0	0	0	0	2.56	0	0
2022	1	8	10	10	25	30	0	0	0	0	0	0	0	2.58	0	0
2022	1	8	10	20	25	30	0	0	0	0	0	0	0	2.6	0	0
2022	1	8	10	30	25	29	0	0	0	0	0	0	0	2.62	0	0
2022	1	8	10	40	25	30	0	0	0	0	0	0	0	2.64	0	0
2022	1	8	10	50	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	8	11	0	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	8	11	10	25	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	8	11	20	25	29	0	0	0	0	0	0	0	2.72	0	0
2022	1	8	11	30	25	30	0	0	0	0	0	0	0	2.73	0	0
2022	1	8	11	40	25	30	0	0	0	0	0	0	0	2.76	0	0
2022	1	8	11	50	25	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	8	12	0	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	8	12	10	25	30	0	0	0	0	0	0	0	2.79	0	0
2022	1	8	12	20	25	30	0	0	0	0	0	0	0	2.8	0	0
2022	1	8	12	30	25	30	0	0	0	0	0	0	0	2.8	0	0
2022	1	8	12	40	25	30	0	0	0	0	0	0	0	2.81	0	0
2022	1	8	12	50	25	30	0	0	0	0	0	0	0	2.82	0	0
2022	1	8	13	0	25	30	0	0	0	0	0	0	0	2.84	0	0
2022	1	8	13	10	25	29	0	0	0	0	0	0	0	2.84	0	0
2022	1	8	13	20	25	30	0	0	0	0	0	0	0	2.83	0	0
2022	1	8	13	30	25	30	0	0	0	0	0	0	0	2.83	0	0
2022	1	8	13	40	25	29	0	0	0	0	0	0	0	2.85	0	0
2022	1	8	13	50	25	29	0	0	0	0	0	0	0	2.85	0	0
2022	1	8	14	0	25	30	0	0	0	0	0	0	0	2.84	0	0
2022	1	8	14	10	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	8	14	20	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	8	14	30	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	8	14	40	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	8	14	50	25	30	0	0	0	0	0	0	0	2.84	0	0
2022	1	8	15	0	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	8	15	10	25	30	0	0	0	0	0	0	0	2.83	0	0
2022	1	8	15	20	25	30	0	0	0	0	0	0	0	2.81	0	0
2022	1	8	15	30	25	29	0	0	0	0	0	0	0	2.81	0	0
2022	1	8	15	40	25	30	0	0	0	0	0	0	0	2.82	0	0
2022	1	8	15	50	25	30	0	0	0	0	0	0	0	2.84	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	8	16	0	25	30	0	0	0	0	0	0	0	2.84	0	0
2022	1	8	16	10	25	29	0	0	0	0	0	0	0	2.86	0	0
2022	1	8	16	20	25	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	8	16	30	25	30	0	0	0	0	0	0	0	2.89	0	0
2022	1	8	16	40	25	30	0	0	0	0	0	0	0	2.91	0	0
2022	1	8	16	50	25	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	8	17	0	25	29	0	0	0	0	0	0	0	2.94	0	0
2022	1	8	17	10	25	30	0	0	0	0	0	0	0	2.96	0	0
2022	1	8	17	20	25	30	0	0	0	0	0	0	0	2.98	0	0
2022	1	8	17	30	25	29	0	0	0	0	0	0	0	3	0	0
2022	1	8	17	40	25	30	0	0	0	0	0	0	0	3.01	0	0
2022	1	8	17	50	25	29	0	0	0	0	0	0	0	3.04	0	0
2022	1	8	18	0	25	30	0	0	0	0	0	0	0	3.05	0	0
2022	1	8	18	10	25	30	0	0	0	0	0	0	0	3.07	0	0
2022	1	8	18	20	25	29	0	0	0	0	0	0	0	3.09	0	0
2022	1	8	18	30	25	30	0	0	0	0	0	0	0	3.1	0	0
2022	1	8	18	40	25	29	0	0	0	0	0	0	0	3.13	0	0
2022	1	8	18	50	25	30	0	0	0	0	0	0	0	3.15	0	0
2022	1	8	19	0	25	30	0	0	0	0	0	0	0	3.16	0	0
2022	1	8	19	10	25	30	0	0	0	0	0	0	0	3.18	0	0
2022	1	8	19	20	25	30	0	0	0	0	0	0	0	3.2	0	0
2022	1	8	19	30	25	29	0	0	0	0	0	0	0	3.22	0	0
2022	1	8	19	40	25	29	0	0	0	0	0	0	0	3.23	0	0
2022	1	8	19	50	25	29	0	0	0	0	0	0	0	3.25	0	0
2022	1	8	20	0	25	30	0	0	0	0	0	0	0	3.26	0	0
2022	1	8	20	10	25	30	0	0	0	0	0	0	0	3.26	0	0
2022	1	8	20	20	25	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	8	20	30	25	30	0	0	0	0	0	0	0	3.28	0	0
2022	1	8	20	40	25	29	0	0	0	0	0	0	0	3.28	0	0
2022	1	8	20	50	25	30	0	0	0	0	0	0	0	3.29	0	0
2022	1	8	21	0	25	30	0	0	0	0	0	0	0	3.29	0	0
2022	1	8	21	10	25	29	0	0	0	0	0	0	0	3.29	0	0
2022	1	8	21	20	25	30	0	0	0	0	0	0	0	3.28	0	0
2022	1	8	21	30	25	29	0	0	0	0	0	0	0	3.28	0	0
2022	1	8	21	40	25	29	0	0	0	0	0	0	0	3.28	0	0
2022	1	8	21	50	25	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	8	22	0	25	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	8	22	10	25	30	0	0	0	0	0	0	0	3.26	0	0
2022	1	8	22	20	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	8	22	30	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	8	22	40	25	30	0	0	0	0	0	0	0	3.23	0	0
2022	1	8	22	50	25	29	0	0	0	0	0	0	0	3.21	0	0
2022	1	8	23	0	25	30	0	0	0	0	0	0	0	3.2	0	0
2022	1	8	23	10	25	30	0	0	0	0	0	0	0	3.18	0	0
2022	1	8	23	20	25	29	0	0	0	0	0	0	0	3.17	0	0
2022	1	8	23	30	25	30	0	0	0	0	0	0	0	3.15	0	0
2022	1	8	23	40	25	30	0	0	0	0	0	0	0	3.14	0	0
2022	1	8	23	50	25	30	0	0	0	0	0	0	0	3.12	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	9	0	0	25	30	0	0	0	0	0	0	0	3.1	0	0
2022	1	9	0	10	25	30	0	0	0	0	0	0	0	3.09	0	0
2022	1	9	0	20	25	30	0	0	0	0	0	0	0	3.07	0	0
2022	1	9	0	30	25	30	0	0	0	0	0	0	0	3.05	0	0
2022	1	9	0	40	25	30	0	0	0	0	0	0	0	3.04	0	0
2022	1	9	0	50	25	29	0	0	0	0	0	0	0	3.02	0	0
2022	1	9	1	0	25	30	0	0	0	0	0	0	0	3	0	0
2022	1	9	1	10	25	30	0	0	0	0	0	0	0	2.99	0	0
2022	1	9	1	20	25	30	0	0	0	0	0	0	0	2.97	0	0
2022	1	9	1	30	25	29	0	0	0	0	0	0	0	2.95	0	0
2022	1	9	1	40	25	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	9	1	50	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	9	2	0	25	30	0	0	0	0	0	0	0	2.91	0	0
2022	1	9	2	10	25	29	0	0	0	0	0	0	0	2.89	0	0
2022	1	9	2	20	25	30	0	0	0	0	0	0	0	2.87	0	0
2022	1	9	2	30	25	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	9	2	40	25	30	0	0	0	0	0	0	0	2.84	0	0
2022	1	9	2	50	25	30	0	0	0	0	0	0	0	2.82	0	0
2022	1	9	3	0	25	30	0	0	0	0	0	0	0	2.81	0	0
2022	1	9	3	10	25	29	0	0	0	0	0	0	0	2.8	0	0
2022	1	9	3	20	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	9	3	30	25	29	0	0	0	0	0	0	0	2.76	0	0
2022	1	9	3	40	25	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	9	3	50	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	9	4	0	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	9	4	10	25	29	0	0	0	0	0	0	0	2.71	0	0
2022	1	9	4	20	25	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	9	4	30	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	9	4	40	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	9	4	50	25	29	0	0	0	0	0	0	0	2.65	0	0
2022	1	9	5	0	25	30	0	0	0	0	0	0	0	2.64	0	0
2022	1	9	5	10	25	30	0	0	0	0	0	0	0	2.62	0	0
2022	1	9	5	20	25	30	0	0	0	0	0	0	0	2.61	0	0
2022	1	9	5	30	25	30	0	0	0	0	0	0	0	2.59	0	0
2022	1	9	5	40	25	30	0	0	0	0	0	0	0	2.58	0	0
2022	1	9	5	50	25	29	0	0	0	0	0	0	0	2.56	0	0
2022	1	9	6	0	25	29	0	0	0	0	0	0	0	2.55	0	0
2022	1	9	6	10	25	30	0	0	0	0	0	0	0	2.53	0	0
2022	1	9	6	20	25	30	0	0	0	0	0	0	0	2.51	0	0
2022	1	9	6	30	25	30	0	0	0	0	0	0	0	2.49	0	0
2022	1	9	6	40	25	30	0	0	0	0	0	0	0	2.47	0	0
2022	1	9	6	50	25	30	0	0	0	0	0	0	0	2.46	0	0
2022	1	9	7	0	25	30	0	0	0	0	0	0	0	2.44	0	0
2022	1	9	7	10	25	30	0	0	0	0	0	0	0	2.42	0	0
2022	1	9	7	20	25	30	0	0	0	0	0	0	0	2.41	0	0
2022	1	9	7	30	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	9	7	40	25	30	0	0	0	0	0	0	0	2.38	0	0
2022	1	9	7	50	25	30	0	0	0	0	0	0	0	2.36	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	9	8	0	25	29	0	0	0	0	0	0	0	2.36	0	0
2022	1	9	8	10	25	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	9	8	20	25	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	9	8	30	25	30	0	0	0	0	0	0	0	2.38	0	0
2022	1	9	8	40	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	9	8	50	25	29	0	0	0	0	0	0	0	2.41	0	0
2022	1	9	9	0	25	30	0	0	0	0	0	0	0	2.42	0	0
2022	1	9	9	10	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	9	9	20	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	9	9	30	25	30	0	0	0	0	0	0	0	2.46	0	0
2022	1	9	9	40	25	30	0	0	0	0	0	0	0	2.47	0	0
2022	1	9	9	50	25	30	0	0	0	0	0	0	0	2.49	0	0
2022	1	9	10	0	25	30	0	0	0	0	0	0	0	2.52	0	0
2022	1	9	10	10	25	30	0	0	0	0	0	0	0	2.53	0	0
2022	1	9	10	20	25	30	0	0	0	0	0	0	0	2.54	0	0
2022	1	9	10	30	25	30	0	0	0	0	0	0	0	2.56	0	0
2022	1	9	10	40	25	30	0	0	0	0	0	0	0	2.58	0	0
2022	1	9	10	50	25	30	0	0	0	0	0	0	0	2.6	0	0
2022	1	9	11	0	25	30	0	0	0	0	0	0	0	2.62	0	0
2022	1	9	11	10	25	30	0	0	0	0	0	0	0	2.62	0	0
2022	1	9	11	20	25	30	0	0	0	0	0	0	0	2.65	0	0
2022	1	9	11	30	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	9	11	40	25	29	0	0	0	0	0	0	0	2.66	0	0
2022	1	9	11	50	25	29	0	0	0	0	0	0	0	2.68	0	0
2022	1	9	12	0	25	30	0	0	0	0	0	0	0	2.69	0	0
2022	1	9	12	10	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	9	12	20	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	9	12	30	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	9	12	40	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	9	12	50	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	9	13	0	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	9	13	10	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	9	13	20	25	30	0	0	0	0	0	0	0	2.73	0	0
2022	1	9	13	30	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	9	13	40	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	9	13	50	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	9	14	0	25	29	0	0	0	0	0	0	0	2.7	0	0
2022	1	9	14	10	25	29	0	0	0	0	0	0	0	2.69	0	0
2022	1	9	14	20	25	30	0	0	0	0	0	0	0	2.69	0	0
2022	1	9	14	30	25	29	0	0	0	0	0	0	0	2.69	0	0
2022	1	9	14	40	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	9	14	50	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	9	15	0	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	9	15	10	25	30	0	0	0	0	0	0	0	2.64	0	0
2022	1	9	15	20	25	30	0	0	0	0	0	0	0	2.62	0	0
2022	1	9	15	30	25	30	0	0	0	0	0	0	0	2.62	0	0
2022	1	9	15	40	25	29	0	0	0	0	0	0	0	2.62	0	0
2022	1	9	15	50	25	30	0	0	0	0	0	0	0	2.62	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	9	16	0	25	30	0	0	0	0	0	0	0	2.63	0	0
2022	1	9	16	10	25	30	0	0	0	0	0	0	0	2.64	0	0
2022	1	9	16	20	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	9	16	30	25	29	0	0	0	0	0	0	0	2.66	0	0
2022	1	9	16	40	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	9	16	50	25	30	0	0	0	0	0	0	0	2.69	0	0
2022	1	9	17	0	25	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	9	17	10	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	9	17	20	25	29	0	0	0	0	0	0	0	2.72	0	0
2022	1	9	17	30	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	9	17	40	25	30	0	0	0	0	0	0	0	2.76	0	0
2022	1	9	17	50	25	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	9	18	0	25	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	9	18	10	25	30	0	0	0	0	0	0	0	2.8	0	0
2022	1	9	18	20	25	29	0	0	0	0	0	0	0	2.82	0	0
2022	1	9	18	30	25	30	0	0	0	0	0	0	0	2.84	0	0
2022	1	9	18	40	25	29	0	0	0	0	0	0	0	2.85	0	0
2022	1	9	18	50	25	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	9	19	0	25	29	0	0	0	0	0	0	0	2.88	0	0
2022	1	9	19	10	25	29	0	0	0	0	0	0	0	2.89	0	0
2022	1	9	19	20	25	29	0	0	0	0	0	0	0	2.9	0	0
2022	1	9	19	30	25	29	0	0	0	0	0	0	0	2.91	0	0
2022	1	9	19	40	25	30	0	0	0	0	0	0	0	2.91	0	0
2022	1	9	19	50	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	9	20	0	25	29	0	0	0	0	0	0	0	2.92	0	0
2022	1	9	20	10	25	29	0	0	0	0	0	0	0	2.93	0	0
2022	1	9	20	20	25	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	9	20	30	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	9	20	40	25	29	0	0	0	0	0	0	0	2.93	0	0
2022	1	9	20	50	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	9	21	0	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	9	21	10	25	29	0	0	0	0	0	0	0	2.91	0	0
2022	1	9	21	20	25	30	0	0	0	0	0	0	0	2.9	0	0
2022	1	9	21	30	25	30	0	0	0	0	0	0	0	2.9	0	0
2022	1	9	21	40	25	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	9	21	50	25	29	0	0	0	0	0	0	0	2.88	0	0
2022	1	9	22	0	25	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	9	22	10	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	9	22	20	25	30	0	0	0	0	0	0	0	2.83	0	0
2022	1	9	22	30	25	29	0	0	0	0	0	0	0	2.81	0	0
2022	1	9	22	40	25	29	0	0	0	0	0	0	0	2.8	0	0
2022	1	9	22	50	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	9	23	0	25	30	0	0	0	0	0	0	0	2.76	0	0
2022	1	9	23	10	25	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	9	23	20	25	30	0	0	0	0	0	0	0	2.73	0	0
2022	1	9	23	30	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	9	23	40	25	30	0	0	0	0	0	0	0	2.69	0	0
2022	1	9	23	50	25	30	0	0	0	0	0	0	0	2.67	0	0



## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	10	0	0	25	30	0	0	0	0	0	0	0	2.65	0	0
2022	1	10	0	10	25	29	0	0	0	0	0	0	0	2.63	0	0
2022	1	10	0	20	25	30	0	0	0	0	0	0	0	2.62	0	0
2022	1	10	0	30	25	29	0	0	0	0	0	0	0	2.6	0	0
2022	1	10	0	40	25	30	0	0	0	0	0	0	0	2.59	0	0
2022	1	10	0	50	25	29	0	0	0	0	0	0	0	2.56	0	0
2022	1	10	1	0	25	30	0	0	0	0	0	0	0	2.55	0	0
2022	1	10	1	10	25	30	0	0	0	0	0	0	0	2.53	0	0
2022	1	10	1	20	25	30	0	0	0	0	0	0	0	2.52	0	0
2022	1	10	1	30	25	30	0	0	0	0	0	0	0	2.49	0	0
2022	1	10	1	40	25	30	0	0	0	0	0	0	0	2.48	0	0
2022	1	10	1	50	25	30	0	0	0	0	0	0	0	2.46	0	0
2022	1	10	2	0	25	30	0	0	0	0	0	0	0	2.44	0	0
2022	1	10	2	10	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	10	2	20	25	30	0	0	0	0	0	0	0	2.4	0	0
2022	1	10	2	30	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	10	2	40	25	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	10	2	50	25	30	0	0	0	0	0	0	0	2.36	0	0
2022	1	10	3	0	25	30	0	0	0	0	0	0	0	2.33	0	0
2022	1	10	3	10	25	30	0	0	0	0	0	0	0	2.32	0	0
2022	1	10	3	20	25	30	0	0	0	0	0	0	0	2.3	0	0
2022	1	10	3	30	25	30	0	0	0	0	0	0	0	2.28	0	0
2022	1	10	3	40	25	30	0	0	0	0	0	0	0	2.26	0	0
2022	1	10	3	50	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	10	4	0	25	30	0	0	0	0	0	0	0	2.22	0	0
2022	1	10	4	10	25	30	0	0	0	0	0	0	0	2.21	0	0
2022	1	10	4	20	25	29	0	0	0	0	0	0	0	2.19	0	0
2022	1	10	4	30	25	29	0	0	0	0	0	0	0	2.17	0	0
2022	1	10	4	40	25	30	0	0	0	0	0	0	0	2.16	0	0
2022	1	10	4	50	25	29	0	0	0	0	0	0	0	2.14	0	0
2022	1	10	5	0	25	30	0	0	0	0	0	0	0	2.13	0	0
2022	1	10	5	10	25	30	0	0	0	0	0	0	0	2.11	0	0
2022	1	10	5	20	25	30	0	0	0	0	0	0	0	2.09	0	0
2022	1	10	5	30	25	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	10	5	40	25	31	0	0	0	0	0	0	0	2.05	0	0
2022	1	10	5	50	25	29	0	0	0	0	0	0	0	2.03	0	0
2022	1	10	6	0	25	30	0	0	0	0	0	0	0	2.01	0	0
2022	1	10	6	10	25	30	0	0	0	0	0	0	0	2	0	0
2022	1	10	6	20	25	30	0	0	0	0	0	0	0	1.98	0	0
2022	1	10	6	30	25	31	0	0	0	0	0	0	0	1.96	0	0
2022	1	10	6	40	25	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	10	6	50	25	30	0	0	0	0	0	0	0	1.93	0	0
2022	1	10	7	0	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	10	7	10	25	30	0	0	0	0	0	0	0	1.89	0	0
2022	1	10	7	20	25	30	0	0	0	0	0	0	0	1.88	0	0
2022	1	10	7	30	25	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	10	7	40	25	30	0	0	0	0	0	0	0	1.85	0	0
2022	1	10	7	50	25	30	0	0	0	0	0	0	0	1.85	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	10	8	0	25	31	0	0	0	0	0	0	0	1.84	0	0
2022	1	10	8	10	25	30	0	0	0	0	0	0	0	1.84	0	0
2022	1	10	8	20	25	30	0	0	0	0	0	0	0	1.84	0	0
2022	1	10	8	30	25	30	0	0	0	0	0	0	0	1.84	0	0
2022	1	10	8	40	25	30	0	0	0	0	0	0	0	1.86	0	0
2022	1	10	8	50	25	30	0	0	0	0	0	0	0	1.89	0	0
2022	1	10	9	0	25	30	0	0	0	0	0	0	0	1.9	0	0
2022	1	10	9	10	25	30	0	0	0	0	0	0	0	1.9	0	0
2022	1	10	9	20	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	10	9	30	25	31	0	0	0	0	0	0	0	1.93	0	0
2022	1	10	9	40	25	30	0	0	0	0	0	0	0	1.97	0	0
2022	1	10	9	50	25	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	10	10	0	25	31	0	0	0	0	0	0	0	1.95	0	0
2022	1	10	10	10	25	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	10	10	20	25	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	10	10	30	25	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	10	10	40	25	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	10	10	50	25	30	0	0	0	0	0	0	0	1.95	0	0
2022	1	10	11	0	25	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	10	11	10	25	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	10	11	20	25	30	0	0	0	0	0	0	0	1.95	0	0
2022	1	10	11	30	25	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	10	11	40	25	29	0	0	0	0	0	0	0	1.98	0	0
2022	1	10	11	50	25	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	10	12	0	25	29	0	0	0	0	0	0	0	1.97	0	0
2022	1	10	12	10	25	30	0	0	0	0	0	0	0	1.98	0	0
2022	1	10	12	20	25	30	0	0	0	0	0	0	0	1.98	0	0
2022	1	10	12	30	25	30	0	0	0	0	0	0	0	2.05	0	0
2022	1	10	12	40	25	30	0	0	0	0	0	0	0	2.1	0	0
2022	1	10	12	50	25	30	0	0	0	0	0	0	0	2.1	0	0
2022	1	10	13	0	25	30	0	0	0	0	0	0	0	2.14	0	0
2022	1	10	13	10	25	30	0	0	0	0	0	0	0	2.05	0	0
2022	1	10	13	20	25	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	10	13	30	25	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	10	13	40	25	30	0	0	0	0	0	0	0	1.98	0	0
2022	1	10	13	50	25	30	0	0	0	0	0	0	0	1.97	0	0
2022	1	10	14	0	25	30	0	0	0	0	0	0	0	1.98	0	0
2022	1	10	14	10	25	30	0	0	0	0	0	0	0	1.97	0	0
2022	1	10	14	20	25	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	10	14	30	25	30	0	0	0	0	0	0	0	2.05	0	0
2022	1	10	14	40	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	10	14	50	25	31	0	0	0	0	0	0	0	2.01	0	0
2022	1	10	15	0	25	29	0	0	0	0	0	0	0	2.01	0	0
2022	1	10	15	10	25	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	10	15	20	25	29	0	0	0	0	0	0	0	2.02	0	0
2022	1	10	15	30	25	30	0	0	0	0	0	0	0	2.01	0	0
2022	1	10	15	40	25	30	0	0	0	0	0	0	0	2.01	0	0
2022	1	10	15	50	25	30	0	0	0	0	0	0	0	2.02	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	10	16	0	25	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	10	16	10	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	10	16	20	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	10	16	30	25	30	0	0	0	0	0	0	0	2.05	0	0
2022	1	10	16	40	25	30	0	0	0	0	0	0	0	2.05	0	0
2022	1	10	16	50	25	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	10	17	0	25	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	10	17	10	25	30	0	0	0	0	0	0	0	2.09	0	0
2022	1	10	17	20	25	30	0	0	0	0	0	0	0	2.09	0	0
2022	1	10	17	30	25	30	0	0	0	0	0	0	0	2.1	0	0
2022	1	10	17	40	25	29	0	0	0	0	0	0	0	2.11	0	0
2022	1	10	17	50	25	30	0	0	0	0	0	0	0	2.12	0	0
2022	1	10	18	0	25	30	0	0	0	0	0	0	0	2.14	0	0
2022	1	10	18	10	25	30	0	0	0	0	0	0	0	2.15	0	0
2022	1	10	18	20	25	30	0	0	0	0	0	0	0	2.16	0	0
2022	1	10	18	30	25	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	10	18	40	25	30	0	0	0	0	0	0	0	2.19	0	0
2022	1	10	18	50	25	29	0	0	0	0	0	0	0	2.2	0	0
2022	1	10	19	0	25	30	0	0	0	0	0	0	0	2.21	0	0
2022	1	10	19	10	25	30	0	0	0	0	0	0	0	2.22	0	0
2022	1	10	19	20	25	30	0	0	0	0	0	0	0	2.22	0	0
2022	1	10	19	30	25	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	10	19	40	25	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	10	19	50	25	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	10	20	0	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	10	20	10	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	10	20	20	25	30	0	0	0	0	0	0	0	2.25	0	0
2022	1	10	20	30	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	10	20	40	25	29	0	0	0	0	0	0	0	2.24	0	0
2022	1	10	20	50	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	10	21	0	25	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	10	21	10	25	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	10	21	20	25	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	10	21	30	25	30	0	0	0	0	0	0	0	2.22	0	0
2022	1	10	21	40	25	29	0	0	0	0	0	0	0	2.21	0	0
2022	1	10	21	50	25	30	0	0	0	0	0	0	0	2.2	0	0
2022	1	10	22	0	25	30	0	0	0	0	0	0	0	2.19	0	0
2022	1	10	22	10	25	30	0	0	0	0	0	0	0	2.19	0	0
2022	1	10	22	20	25	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	10	22	30	25	30	0	0	0	0	0	0	0	2.16	0	0
2022	1	10	22	40	25	30	0	0	0	0	0	0	0	2.15	0	0
2022	1	10	22	50	25	30	0	0	0	0	0	0	0	2.14	0	0
2022	1	10	23	0	25	30	0	0	0	0	0	0	0	2.13	0	0
2022	1	10	23	10	25	30	0	0	0	0	0	0	0	2.11	0	0
2022	1	10	23	20	25	30	0	0	0	0	0	0	0	2.1	0	0
2022	1	10	23	30	25	29	0	0	0	0	0	0	0	2.08	0	0
2022	1	10	23	40	25	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	10	23	50	25	30	0	0	0	0	0	0	0	2.05	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	11	0	0	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	11	0	10	25	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	11	0	20	25	31	0	0	0	0	0	0	0	2.01	0	0
2022	1	11	0	30	25	30	0	0	0	0	0	0	0	2	0	0
2022	1	11	0	40	25	30	0	0	0	0	0	0	0	1.98	0	0
2022	1	11	0	50	25	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	11	1	0	25	29	0	0	0	0	0	0	0	1.95	0	0
2022	1	11	1	10	25	29	0	0	0	0	0	0	0	1.93	0	0
2022	1	11	1	20	25	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	11	1	30	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	11	1	40	25	30	0	0	0	0	0	0	0	1.88	0	0
2022	1	11	1	50	25	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	11	2	0	25	30	0	0	0	0	0	0	0	1.86	0	0
2022	1	11	2	10	25	30	0	0	0	0	0	0	0	1.84	0	0
2022	1	11	2	20	25	30	0	0	0	0	0	0	0	1.83	0	0
2022	1	11	2	30	25	30	0	0	0	0	0	0	0	1.81	0	0
2022	1	11	2	40	25	30	0	0	0	0	0	0	0	1.79	0	0
2022	1	11	2	50	25	30	0	0	0	0	0	0	0	1.78	0	0
2022	1	11	3	0	25	29	0	0	0	0	0	0	0	1.77	0	0
2022	1	11	3	10	25	30	0	0	0	0	0	0	0	1.75	0	0
2022	1	11	3	20	25	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	11	3	30	25	30	0	0	0	0	0	0	0	1.71	0	0
2022	1	11	3	40	25	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	11	3	50	25	30	0	0	0	0	0	0	0	1.68	0	0
2022	1	11	4	0	25	29	0	0	0	0	0	0	0	1.66	0	0
2022	1	11	4	10	25	30	0	0	0	0	0	0	0	1.65	0	0
2022	1	11	4	20	25	29	0	0	0	0	0	0	0	1.63	0	0
2022	1	11	4	30	25	30	0	0	0	0	0	0	0	1.62	0	0
2022	1	11	4	40	25	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	11	4	50	25	30	0	0	0	0	0	0	0	1.58	0	0
2022	1	11	5	0	25	31	0	0	0	0	0	0	0	1.57	0	0
2022	1	11	5	10	25	30	0	0	0	0	0	0	0	1.55	0	0
2022	1	11	5	20	25	30	0	0	0	0	0	0	0	1.54	0	0
2022	1	11	5	30	25	30	0	0	0	0	0	0	0	1.52	0	0
2022	1	11	5	40	25	30	0	0	0	0	0	0	0	1.5	0	0
2022	1	11	5	50	25	30	0	0	0	0	0	0	0	1.49	0	0
2022	1	11	6	0	25	30	0	0	0	0	0	0	0	1.47	0	0
2022	1	11	6	10	25	30	0	0	0	0	0	0	0	1.46	0	0
2022	1	11	6	20	25	30	0	0	0	0	0	0	0	1.44	0	0
2022	1	11	6	30	25	30	0	0	0	0	0	0	0	1.43	0	0
2022	1	11	6	40	25	30	0	0	0	0	0	0	0	1.41	0	0
2022	1	11	6	50	25	30	0	0	0	0	0	0	0	1.4	0	0
2022	1	11	7	0	25	30	0	0	0	0	0	0	0	1.38	0	0
2022	1	11	7	10	25	30	0	0	0	0	0	0	0	1.36	0	0
2022	1	11	7	20	25	30	0	0	0	0	0	0	0	1.35	0	0
2022	1	11	7	30	25	30	0	0	0	0	0	0	0	1.34	0	0
2022	1	11	7	40	25	30	0	0	0	0	0	0	0	1.32	0	0
2022	1	11	7	50	25	30	0	0	0	0	0	0	0	1.3	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	11	8	0	25	30	0	0	0	0	0	0	0	1.31	0	0
2022	1	11	8	10	25	30	0	0	0	0	0	0	0	1.32	0	0
2022	1	11	8	20	25	30	0	0	0	0	0	0	0	1.32	0	0
2022	1	11	8	30	25	31	0	0	0	0	0	0	0	1.34	0	0
2022	1	11	8	40	25	30	0	0	0	0	0	0	0	1.36	0	0
2022	1	11	8	50	25	30	0	0	0	0	0	0	0	1.37	0	0
2022	1	11	9	0	25	30	0	0	0	0	0	0	0	1.39	0	0
2022	1	11	9	10	25	30	0	0	0	0	0	0	0	1.41	0	0
2022	1	11	9	20	25	30	0	0	0	0	0	0	0	1.43	0	0
2022	1	11	9	30	25	31	0	0	0	0	0	0	0	1.45	0	0
2022	1	11	9	40	25	30	0	0	0	0	0	0	0	1.47	0	0
2022	1	11	9	50	25	30	0	0	0	0	0	0	0	1.49	0	0
2022	1	11	10	0	25	30	0	0	0	0	0	0	0	1.51	0	0
2022	1	11	10	10	25	30	0	0	0	0	0	0	0	1.53	0	0
2022	1	11	10	20	25	30	0	0	0	0	0	0	0	1.55	0	0
2022	1	11	10	30	25	30	0	0	0	0	0	0	0	1.57	0	0
2022	1	11	10	40	25	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	11	10	50	25	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	11	11	0	25	31	0	0	0	0	0	0	0	1.62	0	0
2022	1	11	11	10	25	30	0	0	0	0	0	0	0	1.65	0	0
2022	1	11	11	20	25	30	0	0	0	0	0	0	0	1.66	0	0
2022	1	11	11	30	25	30	0	0	0	0	0	0	0	1.67	0	0
2022	1	11	11	40	25	31	0	0	0	0	0	0	0	1.68	0	0
2022	1	11	11	50	25	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	11	12	0	25	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	11	12	10	25	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	11	12	20	25	29	0	0	0	0	0	0	0	1.71	0	0
2022	1	11	12	30	25	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	11	12	40	25	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	11	12	50	25	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	11	13	0	25	29	0	0	0	0	0	0	0	1.73	0	0
2022	1	11	13	10	25	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	11	13	20	25	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	11	13	30	25	30	0	0	0	0	0	0	0	1.71	0	0
2022	1	11	13	40	25	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	11	13	50	25	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	11	14	0	25	30	0	0	0	0	0	0	0	1.68	0	0
2022	1	11	14	10	25	29	0	0	0	0	0	0	0	1.67	0	0
2022	1	11	14	20	25	29	0	0	0	0	0	0	0	1.67	0	0
2022	1	11	14	30	25	30	0	0	0	0	0	0	0	1.66	0	0
2022	1	11	14	40	25	29	0	0	0	0	0	0	0	1.65	0	0
2022	1	11	14	50	25	30	0	0	0	0	0	0	0	1.64	0	0
2022	1	11	15	0	25	30	0	0	0	0	0	0	0	1.62	0	0
2022	1	11	15	10	25	31	0	0	0	0	0	0	0	1.6	0	0
2022	1	11	15	20	25	30	0	0	0	0	0	0	0	1.56	0	0
2022	1	11	15	30	25	30	0	0	0	0	0	0	0	1.55	0	0
2022	1	11	15	40	25	30	0	0	0	0	0	0	0	1.55	0	0
2022	1	11	15	50	25	30	0	0	0	0	0	0	0	1.55	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	11	16	0	25	30	0	0	0	0	0	0	0	1.56	0	0
2022	1	11	16	10	25	30	0	0	0	0	0	0	0	1.56	0	0
2022	1	11	16	20	25	30	0	0	0	0	0	0	0	1.57	0	0
2022	1	11	16	30	25	30	0	0	0	0	0	0	0	1.58	0	0
2022	1	11	16	40	25	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	11	16	50	25	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	11	17	0	25	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	11	17	10	25	30	0	0	0	0	0	0	0	1.62	0	0
2022	1	11	17	20	25	30	0	0	0	0	0	0	0	1.63	0	0
2022	1	11	17	30	25	30	0	0	0	0	0	0	0	1.64	0	0
2022	1	11	17	40	25	30	0	0	0	0	0	0	0	1.65	0	0
2022	1	11	17	50	25	31	0	0	0	0	0	0	0	1.67	0	0
2022	1	11	18	0	25	30	0	0	0	0	0	0	0	1.69	0	0
2022	1	11	18	10	25	29	0	0	0	0	0	0	0	1.71	0	0
2022	1	11	18	20	25	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	11	18	30	25	31	0	0	0	0	0	0	0	1.73	0	0
2022	1	11	18	40	25	29	0	0	0	0	0	0	0	1.75	0	0
2022	1	11	18	50	25	30	0	0	0	0	0	0	0	1.77	0	0
2022	1	11	19	0	25	30	0	0	0	0	0	0	0	1.79	0	0
2022	1	11	19	10	25	30	0	0	0	0	0	0	0	1.81	0	0
2022	1	11	19	20	25	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	11	19	30	25	30	0	0	0	0	0	0	0	1.83	0	0
2022	1	11	19	40	25	30	0	0	0	0	0	0	0	1.85	0	0
2022	1	11	19	50	25	30	0	0	0	0	0	0	0	1.86	0	0
2022	1	11	20	0	25	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	11	20	10	25	30	0	0	0	0	0	0	0	1.88	0	0
2022	1	11	20	20	25	30	0	0	0	0	0	0	0	1.89	0	0
2022	1	11	20	30	25	30	0	0	0	0	0	0	0	1.89	0	0
2022	1	11	20	40	25	30	0	0	0	0	0	0	0	1.9	0	0
2022	1	11	20	50	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	11	21	0	25	29	0	0	0	0	0	0	0	1.91	0	0
2022	1	11	21	10	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	11	21	20	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	11	21	30	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	11	21	40	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	11	21	50	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	11	22	0	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	11	22	10	25	31	0	0	0	0	0	0	0	1.9	0	0
2022	1	11	22	20	25	30	0	0	0	0	0	0	0	1.89	0	0
2022	1	11	22	30	25	30	0	0	0	0	0	0	0	1.89	0	0
2022	1	11	22	40	25	30	0	0	0	0	0	0	0	1.88	0	0
2022	1	11	22	50	25	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	11	23	0	25	30	0	0	0	0	0	0	0	1.86	0	0
2022	1	11	23	10	25	30	0	0	0	0	0	0	0	1.86	0	0
2022	1	11	23	20	25	30	0	0	0	0	0	0	0	1.85	0	0
2022	1	11	23	30	25	30	0	0	0	0	0	0	0	1.84	0	0
2022	1	11	23	40	25	30	0	0	0	0	0	0	0	1.83	0	0
2022	1	11	23	50	25	30	0	0	0	0	0	0	0	1.82	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	12	0	0	25	30	0	0	0	0	0	0	0	1.81	0	0
2022	1	12	0	10	25	31	0	0	0	0	0	0	0	1.8	0	0
2022	1	12	0	20	25	30	0	0	0	0	0	0	0	1.79	0	0
2022	1	12	0	30	25	30	0	0	0	0	0	0	0	1.79	0	0
2022	1	12	0	40	25	30	0	0	0	0	0	0	0	1.78	0	0
2022	1	12	0	50	25	30	0	0	0	0	0	0	0	1.77	0	0
2022	1	12	1	0	25	30	0	0	0	0	0	0	0	1.76	0	0
2022	1	12	1	10	25	29	0	0	0	0	0	0	0	1.75	0	0
2022	1	12	1	20	25	30	0	0	0	0	0	0	0	1.74	0	0
2022	1	12	1	30	25	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	12	1	40	25	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	12	1	50	25	30	0	0	0	0	0	0	0	1.71	0	0
2022	1	12	2	0	25	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	12	2	10	25	30	0	0	0	0	0	0	0	1.69	0	0
2022	1	12	2	20	25	30	0	0	0	0	0	0	0	1.68	0	0
2022	1	12	2	30	25	30	0	0	0	0	0	0	0	1.67	0	0
2022	1	12	2	40	25	30	0	0	0	0	0	0	0	1.66	0	0
2022	1	12	2	50	25	30	0	0	0	0	0	0	0	1.64	0	0
2022	1	12	3	0	25	30	0	0	0	0	0	0	0	1.64	0	0
2022	1	12	3	10	25	30	0	0	0	0	0	0	0	1.63	0	0
2022	1	12	3	20	25	29	0	0	0	0	0	0	0	1.62	0	0
2022	1	12	3	30	25	30	0	0	0	0	0	0	0	1.61	0	0
2022	1	12	3	40	25	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	12	3	50	25	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	12	4	0	25	30	0	0	0	0	0	0	0	1.58	0	0
2022	1	12	4	10	25	30	0	0	0	0	0	0	0	1.58	0	0
2022	1	12	4	20	25	30	0	0	0	0	0	0	0	1.56	0	0
2022	1	12	4	30	25	30	0	0	0	0	0	0	0	1.55	0	0
2022	1	12	4	40	25	30	0	0	0	0	0	0	0	1.54	0	0
2022	1	12	4	50	25	30	0	0	0	0	0	0	0	1.53	0	0
2022	1	12	5	0	25	30	0	0	0	0	0	0	0	1.53	0	0
2022	1	12	5	10	25	30	0	0	0	0	0	0	0	1.52	0	0
2022	1	12	5	20	25	30	0	0	0	0	0	0	0	1.51	0	0
2022	1	12	5	30	25	29	0	0	0	0	0	0	0	1.5	0	0
2022	1	12	5	40	25	31	0	0	0	0	0	0	0	1.48	0	0
2022	1	12	5	50	25	30	0	0	0	0	0	0	0	1.48	0	0
2022	1	12	6	0	25	30	0	0	0	0	0	0	0	1.47	0	0
2022	1	12	6	10	25	30	0	0	0	0	0	0	0	1.46	0	0
2022	1	12	6	20	25	30	0	0	0	0	0	0	0	1.45	0	0
2022	1	12	6	30	25	31	0	0	0	0	0	0	0	1.44	0	0
2022	1	12	6	40	25	30	0	0	0	0	0	0	0	1.43	0	0
2022	1	12	6	50	25	30	0	0	0	0	0	0	0	1.43	0	0
2022	1	12	7	0	25	30	0	0	0	0	0	0	0	1.41	0	0
2022	1	12	7	10	25	30	0	0	0	0	0	0	0	1.41	0	0
2022	1	12	7	20	25	30	0	0	0	0	0	0	0	1.4	0	0
2022	1	12	7	30	25	30	0	0	0	0	0	0	0	1.39	0	0
2022	1	12	7	40	25	30	0	0	0	0	0	0	0	1.39	0	0
2022	1	12	7	50	25	30	0	0	0	0	0	0	0	1.38	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	12	8	0	25	30	0	0	0	0	0	0	0	1.39	0	0
2022	1	12	8	10	25	30	0	0	0	0	0	0	0	1.41	0	0
2022	1	12	8	20	25	30	0	0	0	0	0	0	0	1.42	0	0
2022	1	12	8	30	25	30	0	0	0	0	0	0	0	1.45	0	0
2022	1	12	8	40	25	31	0	0	0	0	0	0	0	1.47	0	0
2022	1	12	8	50	25	29	0	0	0	0	0	0	0	1.49	0	0
2022	1	12	9	0	25	30	0	0	0	0	0	0	0	1.51	0	0
2022	1	12	9	10	25	30	0	0	0	0	0	0	0	1.53	0	0
2022	1	12	9	20	25	30	0	0	0	0	0	0	0	1.56	0	0
2022	1	12	9	30	25	29	0	0	0	0	0	0	0	1.59	0	0
2022	1	12	9	40	25	29	0	0	0	0	0	0	0	1.61	0	0
2022	1	12	9	50	25	30	0	0	0	0	0	0	0	1.63	0	0
2022	1	12	10	0	25	30	0	0	0	0	0	0	0	1.65	0	0
2022	1	12	10	10	25	30	0	0	0	0	0	0	0	1.68	0	0
2022	1	12	10	20	25	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	12	10	30	25	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	12	10	40	25	30	0	0	0	0	0	0	0	1.75	0	0
2022	1	12	10	50	25	30	0	0	0	0	0	0	0	1.78	0	0
2022	1	12	11	0	25	30	0	0	0	0	0	0	0	1.8	0	0
2022	1	12	11	10	25	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	12	11	20	25	30	0	0	0	0	0	0	0	1.85	0	0
2022	1	12	11	30	25	31	0	0	0	0	0	0	0	1.85	0	0
2022	1	12	11	40	25	30	0	0	0	0	0	0	0	1.88	0	0
2022	1	12	11	50	25	30	0	0	0	0	0	0	0	1.89	0	0
2022	1	12	12	0	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	12	12	10	25	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	12	12	20	25	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	12	12	30	25	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	12	12	40	25	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	12	12	50	25	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	12	13	0	25	31	0	0	0	0	0	0	0	1.95	0	0
2022	1	12	13	10	25	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	12	13	20	25	30	0	0	0	0	0	0	0	1.95	0	0
2022	1	12	13	30	25	29	0	0	0	0	0	0	0	1.95	0	0
2022	1	12	13	40	25	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	12	13	50	25	30	0	0	0	0	0	0	0	1.93	0	0
2022	1	12	14	0	25	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	12	14	10	25	30	0	0	0	0	0	0	0	1.86	0	0
2022	1	12	14	20	25	30	0	0	0	0	0	0	0	1.86	0	0
2022	1	12	14	30	25	31	0	0	0	0	0	0	0	1.84	0	0
2022	1	12	14	40	25	30	0	0	0	0	0	0	0	1.83	0	0
2022	1	12	14	50	25	30	0	0	0	0	0	0	0	1.83	0	0
2022	1	12	15	0	25	30	0	0	0	0	0	0	0	1.85	0	0
2022	1	12	15	10	25	31	0	0	0	0	0	0	0	1.82	0	0
2022	1	12	15	20	25	30	0	0	0	0	0	0	0	1.81	0	0
2022	1	12	15	30	25	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	12	15	40	25	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	12	15	50	25	30	0	0	0	0	0	0	0	1.84	0	0



## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	12	16	0	25	30	0	0	0	0	0	0	0	1.85	0	0
2022	1	12	16	10	25	31	0	0	0	0	0	0	0	1.86	0	0
2022	1	12	16	20	25	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	12	16	30	25	30	0	0	0	0	0	0	0	1.88	0	0
2022	1	12	16	40	25	30	0	0	0	0	0	0	0	1.9	0	0
2022	1	12	16	50	25	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	12	17	0	25	30	0	0	0	0	0	0	0	1.93	0	0
2022	1	12	17	10	25	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	12	17	20	25	29	0	0	0	0	0	0	0	1.98	0	0
2022	1	12	17	30	25	30	0	0	0	0	0	0	0	2	0	0
2022	1	12	17	40	25	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	12	17	50	25	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	12	18	0	25	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	12	18	10	25	30	0	0	0	0	0	0	0	2.09	0	0
2022	1	12	18	20	25	30	0	0	0	0	0	0	0	2.12	0	0
2022	1	12	18	30	25	30	0	0	0	0	0	0	0	2.14	0	0
2022	1	12	18	40	25	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	12	18	50	25	30	0	0	0	0	0	0	0	2.19	0	0
2022	1	12	19	0	25	30	0	0	0	0	0	0	0	2.22	0	0
2022	1	12	19	10	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	12	19	20	25	30	0	0	0	0	0	0	0	2.26	0	0
2022	1	12	19	30	25	29	0	0	0	0	0	0	0	2.29	0	0
2022	1	12	19	40	25	30	0	0	0	0	0	0	0	2.3	0	0
2022	1	12	19	50	25	29	0	0	0	0	0	0	0	2.31	0	0
2022	1	12	20	0	25	29	0	0	0	0	0	0	0	2.34	0	0
2022	1	12	20	10	25	30	0	0	0	0	0	0	0	2.35	0	0
2022	1	12	20	20	25	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	12	20	30	25	30	0	0	0	0	0	0	0	2.38	0	0
2022	1	12	20	40	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	12	20	50	25	30	0	0	0	0	0	0	0	2.4	0	0
2022	1	12	21	0	25	30	0	0	0	0	0	0	0	2.41	0	0
2022	1	12	21	10	25	30	0	0	0	0	0	0	0	2.41	0	0
2022	1	12	21	20	25	30	0	0	0	0	0	0	0	2.42	0	0
2022	1	12	21	30	25	30	0	0	0	0	0	0	0	2.42	0	0
2022	1	12	21	40	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	12	21	50	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	12	22	0	25	29	0	0	0	0	0	0	0	2.43	0	0
2022	1	12	22	10	25	29	0	0	0	0	0	0	0	2.44	0	0
2022	1	12	22	20	25	29	0	0	0	0	0	0	0	2.43	0	0
2022	1	12	22	30	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	12	22	40	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	12	22	50	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	12	23	0	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	12	23	10	25	30	0	0	0	0	0	0	0	2.42	0	0
2022	1	12	23	20	25	30	0	0	0	0	0	0	0	2.42	0	0
2022	1	12	23	30	25	30	0	0	0	0	0	0	0	2.42	0	0
2022	1	12	23	40	25	30	0	0	0	0	0	0	0	2.41	0	0
2022	1	12	23	50	25	30	0	0	0	0	0	0	0	2.41	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	13	0	0	25	30	0	0	0	0	0	0	0	2.4	0	0
2022	1	13	0	10	25	30	0	0	0	0	0	0	0	2.4	0	0
2022	1	13	0	20	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	13	0	30	25	29	0	0	0	0	0	0	0	2.39	0	0
2022	1	13	0	40	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	13	0	50	25	29	0	0	0	0	0	0	0	2.39	0	0
2022	1	13	1	0	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	13	1	10	25	30	0	0	0	0	0	0	0	2.38	0	0
2022	1	13	1	20	25	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	13	1	30	25	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	13	1	40	25	30	0	0	0	0	0	0	0	2.36	0	0
2022	1	13	1	50	25	30	0	0	0	0	0	0	0	2.36	0	0
2022	1	13	2	0	25	29	0	0	0	0	0	0	0	2.36	0	0
2022	1	13	2	10	25	30	0	0	0	0	0	0	0	2.35	0	0
2022	1	13	2	20	25	30	0	0	0	0	0	0	0	2.35	0	0
2022	1	13	2	30	25	30	0	0	0	0	0	0	0	2.34	0	0
2022	1	13	2	40	25	30	0	0	0	0	0	0	0	2.33	0	0
2022	1	13	2	50	25	30	0	0	0	0	0	0	0	2.33	0	0
2022	1	13	3	0	25	29	0	0	0	0	0	0	0	2.33	0	0
2022	1	13	3	10	25	30	0	0	0	0	0	0	0	2.33	0	0
2022	1	13	3	20	25	30	0	0	0	0	0	0	0	2.32	0	0
2022	1	13	3	30	25	30	0	0	0	0	0	0	0	2.31	0	0
2022	1	13	3	40	25	30	0	0	0	0	0	0	0	2.31	0	0
2022	1	13	3	50	25	30	0	0	0	0	0	0	0	2.31	0	0
2022	1	13	4	0	25	30	0	0	0	0	0	0	0	2.3	0	0
2022	1	13	4	10	25	29	0	0	0	0	0	0	0	2.3	0	0
2022	1	13	4	20	25	30	0	0	0	0	0	0	0	2.29	0	0
2022	1	13	4	30	25	30	0	0	0	0	0	0	0	2.28	0	0
2022	1	13	4	40	25	30	0	0	0	0	0	0	0	2.28	0	0
2022	1	13	4	50	25	29	0	0	0	0	0	0	0	2.28	0	0
2022	1	13	5	0	25	30	0	0	0	0	0	0	0	2.27	0	0
2022	1	13	5	10	25	29	0	0	0	0	0	0	0	2.27	0	0
2022	1	13	5	20	25	30	0	0	0	0	0	0	0	2.26	0	0
2022	1	13	5	30	25	30	0	0	0	0	0	0	0	2.26	0	0
2022	1	13	5	40	25	30	0	0	0	0	0	0	0	2.26	0	0
2022	1	13	5	50	25	29	0	0	0	0	0	0	0	2.26	0	0
2022	1	13	6	0	25	30	0	0	0	0	0	0	0	2.25	0	0
2022	1	13	6	10	25	30	0	0	0	0	0	0	0	2.25	0	0
2022	1	13	6	20	25	29	0	0	0	0	0	0	0	2.25	0	0
2022	1	13	6	30	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	13	6	40	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	13	6	50	25	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	13	7	0	25	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	13	7	10	25	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	13	7	20	25	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	13	7	30	25	29	0	0	0	0	0	0	0	2.23	0	0
2022	1	13	7	40	25	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	13	7	50	25	30	0	0	0	0	0	0	0	2.24	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	13	8	0	25	31	0	0	0	0	0	0	0	2.25	0	0
2022	1	13	8	10	25	29	0	0	0	0	0	0	0	2.26	0	0
2022	1	13	8	20	25	30	0	0	0	0	0	0	0	2.27	0	0
2022	1	13	8	30	25	29	0	0	0	0	0	0	0	2.28	0	0
2022	1	13	8	40	25	30	0	0	0	0	0	0	0	2.3	0	0
2022	1	13	8	50	25	30	0	0	0	0	0	0	0	2.31	0	0
2022	1	13	9	0	25	29	0	0	0	0	0	0	0	2.34	0	0
2022	1	13	9	10	25	29	0	0	0	0	0	0	0	2.35	0	0
2022	1	13	9	20	25	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	13	9	30	25	30	0	0	0	0	0	0	0	2.38	0	0
2022	1	13	9	40	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	13	9	50	25	30	0	0	0	0	0	0	0	2.38	0	0
2022	1	13	10	0	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	13	10	10	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	13	10	20	25	30	0	0	0	0	0	0	0	2.4	0	0
2022	1	13	10	30	25	29	0	0	0	0	0	0	0	2.42	0	0
2022	1	13	10	40	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	13	10	50	25	31	0	0	0	0	0	0	0	2.43	0	0
2022	1	13	11	0	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	13	11	10	25	30	0	0	0	0	0	0	0	2.44	0	0
2022	1	13	11	20	25	30	0	0	0	0	0	0	0	2.45	0	0
2022	1	13	11	30	25	30	0	0	0	0	0	0	0	2.55	0	0
2022	1	13	11	40	25	29	0	0	0	0	0	0	0	2.6	0	0
2022	1	13	11	50	25	30	0	0	0	0	0	0	0	2.6	0	0
2022	1	13	12	0	25	31	0	0	0	0	0	0	0	2.58	0	0
2022	1	13	12	10	25	30	0	0	0	0	0	0	0	2.65	0	0
2022	1	13	12	20	25	30	0	0	0	0	0	0	0	2.59	0	0
2022	1	13	12	30	25	31	0	0	0	0	0	0	0	2.53	0	0
2022	1	13	12	40	25	30	0	0	0	0	0	0	0	2.53	0	0
2022	1	13	12	50	25	30	0	0	0	0	0	0	0	2.58	0	0
2022	1	13	13	0	25	29	0	0	0	0	0	0	0	2.6	0	0
2022	1	13	13	10	25	29	0	0	0	0	0	0	0	2.61	0	0
2022	1	13	13	20	25	30	0	0	0	0	0	0	0	2.6	0	0
2022	1	13	13	30	25	30	0	0	0	0	0	0	0	2.58	0	0
2022	1	13	13	40	25	30	0	0	0	0	0	0	0	2.61	0	0
2022	1	13	13	50	25	30	0	0	0	0	0	0	0	2.65	0	0
2022	1	13	14	0	25	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	13	14	10	25	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	13	14	20	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	13	14	30	25	30	0	0	0	0	0	0	0	2.73	0	0
2022	1	13	14	40	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	13	14	50	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	13	15	0	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	13	15	10	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	13	15	20	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	13	15	30	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	13	15	40	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	13	15	50	25	30	0	0	0	0	0	0	0	2.74	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	13	16	0	25	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	13	16	10	25	30	0	0	0	0	0	0	0	2.76	0	0
2022	1	13	16	20	25	29	0	0	0	0	0	0	0	2.77	0	0
2022	1	13	16	30	25	30	0	0	0	0	0	0	0	2.79	0	0
2022	1	13	16	40	25	29	0	0	0	0	0	0	0	2.8	0	0
2022	1	13	16	50	25	29	0	0	0	0	0	0	0	2.81	0	0
2022	1	13	17	0	25	29	0	0	0	0	0	0	0	2.83	0	0
2022	1	13	17	10	25	29	0	0	0	0	0	0	0	2.85	0	0
2022	1	13	17	20	25	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	13	17	30	25	29	0	0	0	0	0	0	0	2.89	0	0
2022	1	13	17	40	25	30	0	0	0	0	0	0	0	2.91	0	0
2022	1	13	17	50	25	29	0	0	0	0	0	0	0	2.93	0	0
2022	1	13	18	0	25	29	0	0	0	0	0	0	0	2.95	0	0
2022	1	13	18	10	25	30	0	0	0	0	0	0	0	2.97	0	0
2022	1	13	18	20	25	30	0	0	0	0	0	0	0	2.99	0	0
2022	1	13	18	30	25	29	0	0	0	0	0	0	0	3.01	0	0
2022	1	13	18	40	25	30	0	0	0	0	0	0	0	3.03	0	0
2022	1	13	18	50	25	30	0	0	0	0	0	0	0	3.05	0	0
2022	1	13	19	0	25	30	0	0	0	0	0	0	0	3.07	0	0
2022	1	13	19	10	25	30	0	0	0	0	0	0	0	3.09	0	0
2022	1	13	19	20	25	30	0	0	0	0	0	0	0	3.1	0	0
2022	1	13	19	30	25	30	0	0	0	0	0	0	0	3.11	0	0
2022	1	13	19	40	25	29	0	0	0	0	0	0	0	3.13	0	0
2022	1	13	19	50	25	29	0	0	0	0	0	0	0	3.14	0	0
2022	1	13	20	0	25	29	0	0	0	0	0	0	0	3.15	0	0
2022	1	13	20	10	25	30	0	0	0	0	0	0	0	3.17	0	0
2022	1	13	20	20	25	29	0	0	0	0	0	0	0	3.18	0	0
2022	1	13	20	30	25	30	0	0	0	0	0	0	0	3.19	0	0
2022	1	13	20	40	25	29	0	0	0	0	0	0	0	3.21	0	0
2022	1	13	20	50	25	29	0	0	0	0	0	0	0	3.22	0	0
2022	1	13	21	0	25	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	13	21	10	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	13	21	20	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	13	21	30	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	13	21	40	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	13	21	50	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	13	22	0	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	13	22	10	25	29	0	0	0	0	0	0	0	3.25	0	0
2022	1	13	22	20	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	13	22	30	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	13	22	40	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	13	22	50	25	29	0	0	0	0	0	0	0	3.23	0	0
2022	1	13	23	0	25	28	0	0	0	0	0	0	0	3.23	0	0
2022	1	13	23	10	25	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	13	23	20	25	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	13	23	30	25	30	0	0	0	0	0	0	0	3.21	0	0
2022	1	13	23	40	25	30	0	0	0	0	0	0	0	3.21	0	0
2022	1	13	23	50	25	30	0	0	0	0	0	0	0	3.2	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	14	0	0	25	29	0	0	0	0	0	0	0	3.2	0	0
2022	1	14	0	10	25	30	0	0	0	0	0	0	0	3.19	0	0
2022	1	14	0	20	25	29	0	0	0	0	0	0	0	3.17	0	0
2022	1	14	0	30	25	30	0	0	0	0	0	0	0	3.16	0	0
2022	1	14	0	40	25	29	0	0	0	0	0	0	0	3.15	0	0
2022	1	14	0	50	25	29	0	0	0	0	0	0	0	3.15	0	0
2022	1	14	1	0	25	29	0	0	0	0	0	0	0	3.14	0	0
2022	1	14	1	10	25	30	0	0	0	0	0	0	0	3.12	0	0
2022	1	14	1	20	25	30	0	0	0	0	0	0	0	3.11	0	0
2022	1	14	1	30	25	30	0	0	0	0	0	0	0	3.1	0	0
2022	1	14	1	40	25	30	0	0	0	0	0	0	0	3.09	0	0
2022	1	14	1	50	25	30	0	0	0	0	0	0	0	3.08	0	0
2022	1	14	2	0	25	30	0	0	0	0	0	0	0	3.07	0	0
2022	1	14	2	10	25	30	0	0	0	0	0	0	0	3.06	0	0
2022	1	14	2	20	25	29	0	0	0	0	0	0	0	3.05	0	0
2022	1	14	2	30	25	30	0	0	0	0	0	0	0	3.04	0	0
2022	1	14	2	40	25	30	0	0	0	0	0	0	0	3.03	0	0
2022	1	14	2	50	25	30	0	0	0	0	0	0	0	3.01	0	0
2022	1	14	3	0	25	30	0	0	0	0	0	0	0	3.01	0	0
2022	1	14	3	10	25	30	0	0	0	0	0	0	0	2.99	0	0
2022	1	14	3	20	25	30	0	0	0	0	0	0	0	2.98	0	0
2022	1	14	3	30	25	30	0	0	0	0	0	0	0	2.97	0	0
2022	1	14	3	40	25	30	0	0	0	0	0	0	0	2.96	0	0
2022	1	14	3	50	25	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	14	4	0	25	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	14	4	10	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	14	4	20	25	30	0	0	0	0	0	0	0	2.9	0	0
2022	1	14	4	30	25	30	0	0	0	0	0	0	0	2.89	0	0
2022	1	14	4	40	25	29	0	0	0	0	0	0	0	2.88	0	0
2022	1	14	4	50	25	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	14	5	0	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	14	5	10	25	29	0	0	0	0	0	0	0	2.84	0	0
2022	1	14	5	20	25	30	0	0	0	0	0	0	0	2.83	0	0
2022	1	14	5	30	25	30	0	0	0	0	0	0	0	2.81	0	0
2022	1	14	5	40	25	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	14	5	50	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	14	6	0	25	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	14	6	10	25	29	0	0	0	0	0	0	0	2.76	0	0
2022	1	14	6	20	25	29	0	0	0	0	0	0	0	2.75	0	0
2022	1	14	6	30	25	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	14	6	40	25	29	0	0	0	0	0	0	0	2.75	0	0
2022	1	14	6	50	25	29	0	0	0	0	0	0	0	2.74	0	0
2022	1	14	7	0	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	14	7	10	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	14	7	20	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	14	7	30	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	14	7	40	25	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	14	7	50	25	31	0	0	0	0	0	0	0	2.75	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	14	8	0	25	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	14	8	10	25	30	0	0	0	0	0	0	0	2.8	0	0
2022	1	14	8	20	25	30	0	0	0	0	0	0	0	2.8	0	0
2022	1	14	8	30	25	30	0	0	0	0	0	0	0	2.83	0	0
2022	1	14	8	40	25	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	14	8	50	25	29	0	0	0	0	0	0	0	2.88	0	0
2022	1	14	9	0	25	30	0	0	0	0	0	0	0	2.9	0	0
2022	1	14	9	10	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	14	9	20	25	30	0	0	0	0	0	0	0	2.95	0	0
2022	1	14	9	30	25	30	0	0	0	0	0	0	0	2.98	0	0
2022	1	14	9	40	25	30	0	0	0	0	0	0	0	3	0	0
2022	1	14	9	50	25	30	0	0	0	0	0	0	0	3.03	0	0
2022	1	14	10	0	25	30	0	0	0	0	0	0	0	3.04	0	0
2022	1	14	10	10	25	30	0	0	0	0	0	0	0	3.1	0	0
2022	1	14	10	20	25	30	0	0	0	0	0	0	0	3.11	0	0
2022	1	14	10	30	25	30	0	0	0	0	0	0	0	3.13	0	0
2022	1	14	10	40	25	30	0	0	0	0	0	0	0	3.16	0	0
2022	1	14	10	50	25	29	0	0	0	0	0	0	0	3.22	0	0
2022	1	14	11	0	25	30	0	0	0	0	0	0	0	3.26	0	0
2022	1	14	11	10	25	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	14	11	20	25	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	14	11	30	25	30	0	0	0	0	0	0	0	3.25	0	0
2022	1	14	11	40	25	30	0	0	0	0	0	0	0	3.29	0	0
2022	1	14	11	50	25	29	0	0	0	0	0	0	0	3.35	0	0
2022	1	14	12	0	25	29	0	0	0	0	0	0	0	3.34	0	0
2022	1	14	12	10	25	30	0	0	0	0	0	0	0	3.32	0	0
2022	1	14	12	20	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	14	12	30	25	30	0	0	0	0	0	0	0	3.25	0	0
2022	1	14	12	40	25	30	0	0	0	0	0	0	0	3.29	0	0
2022	1	14	12	50	25	29	0	0	0	0	0	0	0	3.3	0	0
2022	1	14	13	0	25	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	14	13	10	25	30	0	0	0	0	0	0	0	3.29	0	0
2022	1	14	13	20	25	29	0	0	0	0	0	0	0	3.34	0	0
2022	1	14	13	30	25	30	0	0	0	0	0	0	0	3.36	0	0
2022	1	14	13	40	25	30	0	0	0	0	0	0	0	3.33	0	0
2022	1	14	13	50	25	30	0	0	0	0	0	0	0	3.3	0	0
2022	1	14	14	0	25	30	0	0	0	0	0	0	0	3.33	0	0
2022	1	14	14	10	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	14	14	20	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	14	14	30	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	14	14	40	25	30	0	0	0	0	0	0	0	3.32	0	0
2022	1	14	14	50	25	29	0	0	0	0	0	0	0	3.34	0	0
2022	1	14	15	0	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	14	15	10	25	30	0	0	0	0	0	0	0	3.34	0	0
2022	1	14	15	20	25	30	0	0	0	0	0	0	0	3.32	0	0
2022	1	14	15	30	25	30	0	0	0	0	0	0	0	3.31	0	0
2022	1	14	15	40	25	29	0	0	0	0	0	0	0	3.31	0	0
2022	1	14	15	50	25	30	0	0	0	0	0	0	0	3.32	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	14	16	0	25	30	0	0	0	0	0	0	0	3.33	0	0
2022	1	14	16	10	25	30	0	0	0	0	0	0	0	3.34	0	0
2022	1	14	16	20	25	29	0	0	0	0	0	0	0	3.36	0	0
2022	1	14	16	30	25	30	0	0	0	0	0	0	0	3.37	0	0
2022	1	14	16	40	25	29	0	0	0	0	0	0	0	3.38	0	0
2022	1	14	16	50	25	30	0	0	0	0	0	0	0	3.4	0	0
2022	1	14	17	0	25	29	0	0	0	0	0	0	0	3.42	0	0
2022	1	14	17	10	25	29	0	0	0	0	0	0	0	3.44	0	0
2022	1	14	17	20	25	30	0	0	0	0	0	0	0	3.45	0	0
2022	1	14	17	30	25	30	0	0	0	0	0	0	0	3.48	0	0
2022	1	14	17	40	25	30	0	0	0	0	0	0	0	3.5	0	0
2022	1	14	17	50	25	30	0	0	0	0	0	0	0	3.53	0	0
2022	1	14	18	0	25	30	0	0	0	0	0	0	0	3.55	0	0
2022	1	14	18	10	25	30	0	0	0	0	0	0	0	3.57	0	0
2022	1	14	18	20	25	29	0	0	0	0	0	0	0	3.6	0	0
2022	1	14	18	30	25	29	0	0	0	0	0	0	0	3.62	0	0
2022	1	14	18	40	25	30	0	0	0	0	0	0	0	3.64	0	0
2022	1	14	18	50	25	30	0	0	0	0	0	0	0	3.67	0	0
2022	1	14	19	0	25	30	0	0	0	0	0	0	0	3.69	0	0
2022	1	14	19	10	25	30	0	0	0	0	0	0	0	3.71	0	0
2022	1	14	19	20	25	30	0	0	0	0	0	0	0	3.73	0	0
2022	1	14	19	30	25	29	0	0	0	0	0	0	0	3.75	0	0
2022	1	14	19	40	25	29	0	0	0	0	0	0	0	3.77	0	0
2022	1	14	19	50	25	30	0	0	0	0	0	0	0	3.79	0	0
2022	1	14	20	0	25	29	0	0	0	0	0	0	0	3.8	0	0
2022	1	14	20	10	25	30	0	0	0	0	0	0	0	3.82	0	0
2022	1	14	20	20	25	30	0	0	0	0	0	0	0	3.84	0	0
2022	1	14	20	30	25	30	0	0	0	0	0	0	0	3.85	0	0
2022	1	14	20	40	25	29	0	0	0	0	0	0	0	3.87	0	0
2022	1	14	20	50	25	30	0	0	0	0	0	0	0	3.88	0	0
2022	1	14	21	0	25	29	0	0	0	0	0	0	0	3.9	0	0
2022	1	14	21	10	25	29	0	0	0	0	0	0	0	3.91	0	0
2022	1	14	21	20	25	30	0	0	0	0	0	0	0	3.92	0	0
2022	1	14	21	30	25	29	0	0	0	0	0	0	0	3.93	0	0
2022	1	14	21	40	25	29	0	0	0	0	0	0	0	3.94	0	0
2022	1	14	21	50	25	30	0	0	0	0	0	0	0	3.94	0	0
2022	1	14	22	0	25	30	0	0	0	0	0	0	0	3.95	0	0
2022	1	14	22	10	25	30	0	0	0	0	0	0	0	3.95	0	0
2022	1	14	22	20	25	30	0	0	0	0	0	0	0	3.95	0	0
2022	1	14	22	30	25	29	0	0	0	0	0	0	0	3.96	0	0
2022	1	14	22	40	25	30	0	0	0	0	0	0	0	3.96	0	0
2022	1	14	22	50	25	30	0	0	0	0	0	0	0	3.96	0	0
2022	1	14	23	0	25	30	0	0	0	0	0	0	0	3.96	0	0
2022	1	14	23	10	25	30	0	0	0	0	0	0	0	3.96	0	0
2022	1	14	23	20	25	29	0	0	0	0	0	0	0	3.96	0	0
2022	1	14	23	30	25	29	0	0	0	0	0	0	0	3.95	0	0
2022	1	14	23	40	25	29	0	0	0	0	0	0	0	3.95	0	0
2022	1	14	23	50	25	30	0	0	0	0	0	0	0	3.95	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	15	0	0	25	30	0	0	0	0	0	0	0	3.95	0	0
2022	1	15	0	10	25	30	0	0	0	0	0	0	0	3.94	0	0
2022	1	15	0	20	25	30	0	0	0	0	0	0	0	3.94	0	0
2022	1	15	0	30	25	30	0	0	0	0	0	0	0	3.93	0	0
2022	1	15	0	40	25	30	0	0	0	0	0	0	0	3.93	0	0
2022	1	15	0	50	25	30	0	0	0	0	0	0	0	3.93	0	0
2022	1	15	1	0	25	30	0	0	0	0	0	0	0	3.92	0	0
2022	1	15	1	10	25	30	0	0	0	0	0	0	0	3.91	0	0
2022	1	15	1	20	25	30	0	0	0	0	0	0	0	3.91	0	0
2022	1	15	1	30	25	29	0	0	0	0	0	0	0	3.91	0	0
2022	1	15	1	40	25	29	0	0	0	0	0	0	0	3.91	0	0
2022	1	15	1	50	25	30	0	0	0	0	0	0	0	3.9	0	0
2022	1	15	2	0	25	29	0	0	0	0	0	0	0	3.9	0	0
2022	1	15	2	10	25	30	0	0	0	0	0	0	0	3.9	0	0
2022	1	15	2	20	25	30	0	0	0	0	0	0	0	3.89	0	0
2022	1	15	2	30	25	29	0	0	0	0	0	0	0	3.9	0	0
2022	1	15	2	40	25	29	0	0	0	0	0	0	0	3.89	0	0
2022	1	15	2	50	25	30	0	0	0	0	0	0	0	3.89	0	0
2022	1	15	3	0	25	30	0	0	0	0	0	0	0	3.88	0	0
2022	1	15	3	10	25	30	0	0	0	0	0	0	0	3.88	0	0
2022	1	15	3	20	25	29	0	0	0	0	0	0	0	3.87	0	0
2022	1	15	3	30	25	30	0	0	0	0	0	0	0	3.87	0	0
2022	1	15	3	40	25	29	0	0	0	0	0	0	0	3.86	0	0
2022	1	15	3	50	25	30	0	0	0	0	0	0	0	3.85	0	0
2022	1	15	4	0	25	30	0	0	0	0	0	0	0	3.84	0	0
2022	1	15	4	10	25	30	0	0	0	0	0	0	0	3.83	0	0
2022	1	15	4	20	25	30	0	0	0	0	0	0	0	3.82	0	0
2022	1	15	4	30	25	29	0	0	0	0	0	0	0	3.81	0	0
2022	1	15	4	40	25	30	0	0	0	0	0	0	0	3.8	0	0
2022	1	15	4	50	25	30	0	0	0	0	0	0	0	3.78	0	0
2022	1	15	5	0	25	30	0	0	0	0	0	0	0	3.77	0	0
2022	1	15	5	10	25	29	0	0	0	0	0	0	0	3.76	0	0
2022	1	15	5	20	25	30	0	0	0	0	0	0	0	3.76	0	0
2022	1	15	5	30	25	30	0	0	0	0	0	0	0	3.74	0	0
2022	1	15	5	40	25	30	0	0	0	0	0	0	0	3.73	0	0
2022	1	15	5	50	25	30	0	0	0	0	0	0	0	3.72	0	0
2022	1	15	6	0	25	29	0	0	0	0	0	0	0	3.71	0	0
2022	1	15	6	10	25	29	0	0	0	0	0	0	0	3.69	0	0
2022	1	15	6	20	25	30	0	0	0	0	0	0	0	3.69	0	0
2022	1	15	6	30	25	30	0	0	0	0	0	0	0	3.68	0	0
2022	1	15	6	40	25	30	0	0	0	0	0	0	0	3.67	0	0
2022	1	15	6	50	25	30	0	0	0	0	0	0	0	3.66	0	0
2022	1	15	7	0	25	29	0	0	0	0	0	0	0	3.65	0	0
2022	1	15	7	10	25	29	0	0	0	0	0	0	0	3.64	0	0
2022	1	15	7	20	25	29	0	0	0	0	0	0	0	3.64	0	0
2022	1	15	7	30	25	29	0	0	0	0	0	0	0	3.63	0	0
2022	1	15	7	40	25	29	0	0	0	0	0	0	0	3.63	0	0
2022	1	15	7	50	25	29	0	0	0	0	0	0	0	3.62	0	0



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	15	8	0	25	30	0	0	0	0	0	0	0	3.62	0	0
2022	1	15	8	10	25	30	0	0	0	0	0	0	0	3.62	0	0
2022	1	15	8	20	25	29	0	0	0	0	0	0	0	3.62	0	0
2022	1	15	8	30	25	30	0	0	0	0	0	0	0	3.63	0	0
2022	1	15	8	40	25	30	0	0	0	0	0	0	0	3.63	0	0
2022	1	15	8	50	25	30	0	0	0	0	0	0	0	3.63	0	0
2022	1	15	9	0	25	30	0	0	0	0	0	0	0	3.64	0	0
2022	1	15	9	10	25	29	0	0	0	0	0	0	0	3.65	0	0
2022	1	15	9	20	25	29	0	0	0	0	0	0	0	3.65	0	0
2022	1	15	9	30	25	29	0	0	0	0	0	0	0	3.66	0	0
2022	1	15	9	40	25	29	0	0	0	0	0	0	0	3.66	0	0
2022	1	15	9	50	25	30	0	0	0	0	0	0	0	3.66	0	0
2022	1	15	10	0	25	29	0	0	0	0	0	0	0	3.68	0	0
2022	1	15	10	10	25	30	0	0	0	0	0	0	0	3.71	0	0
2022	1	15	10	20	25	29	0	0	0	0	0	0	0	3.76	0	0
2022	1	15	10	30	25	29	0	0	0	0	0	0	0	3.84	0	0
2022	1	15	10	40	25	30	0	0	0	0	0	0	0	3.83	0	0
2022	1	15	10	50	25	30	0	0	0	0	0	0	0	3.86	0	0
2022	1	15	11	0	25	30	0	0	0	0	0	0	0	3.86	0	0
2022	1	15	11	10	25	30	0	0	0	0	0	0	0	3.85	0	0
2022	1	15	11	20	25	29	0	0	0	0	0	0	0	3.89	0	0
2022	1	15	11	30	25	30	0	0	0	0	0	0	0	3.96	0	0
2022	1	15	11	40	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	15	11	50	25	30	0	0	0	0	0	0	0	4.09	0	0
2022	1	15	12	0	25	30	0	0	0	0	0	0	0	4.1	0	0
2022	1	15	12	10	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	15	12	20	25	30	0	0	0	0	0	0	0	4.02	0	0
2022	1	15	12	30	25	29	0	0	0	0	0	0	0	3.93	0	0
2022	1	15	12	40	25	29	0	0	0	0	0	0	0	4.05	0	0
2022	1	15	12	50	25	30	0	0	0	0	0	0	0	4.01	0	0
2022	1	15	13	0	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	15	13	10	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	15	13	20	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	15	13	30	25	30	0	0	0	0	0	0	0	3.99	0	0
2022	1	15	13	40	25	30	0	0	0	0	0	0	0	4.01	0	0
2022	1	15	13	50	25	29	0	0	0	0	0	0	0	4.09	0	0
2022	1	15	14	0	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	15	14	10	25	30	0	0	0	0	0	0	0	4.04	0	0
2022	1	15	14	20	25	30	0	0	0	0	0	0	0	4.03	0	0
2022	1	15	14	30	25	30	0	0	0	0	0	0	0	4.04	0	0
2022	1	15	14	40	25	29	0	0	0	0	0	0	0	4.08	0	0
2022	1	15	14	50	25	30	0	0	0	0	0	0	0	4.04	0	0
2022	1	15	15	0	25	29	0	0	0	0	0	0	0	4.01	0	0
2022	1	15	15	10	25	29	0	0	0	0	0	0	0	4	0	0
2022	1	15	15	20	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	15	15	30	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	15	15	40	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	15	15	50	25	29	0	0	0	0	0	0	0	4	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	15	16	0	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	15	16	10	25	29	0	0	0	0	0	0	0	4.01	0	0
2022	1	15	16	20	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	15	16	30	25	30	0	0	0	0	0	0	0	4.02	0	0
2022	1	15	16	40	25	30	0	0	0	0	0	0	0	4.03	0	0
2022	1	15	16	50	25	30	0	0	0	0	0	0	0	4.03	0	0
2022	1	15	17	0	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	15	17	10	25	30	0	0	0	0	0	0	0	4.05	0	0
2022	1	15	17	20	25	30	0	0	0	0	0	0	0	4.06	0	0
2022	1	15	17	30	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	15	17	40	25	30	0	0	0	0	0	0	0	4.09	0	0
2022	1	15	17	50	25	29	0	0	0	0	0	0	0	4.1	0	0
2022	1	15	18	0	25	30	0	0	0	0	0	0	0	4.11	0	0
2022	1	15	18	10	25	29	0	0	0	0	0	0	0	4.12	0	0
2022	1	15	18	20	25	29	0	0	0	0	0	0	0	4.14	0	0
2022	1	15	18	30	25	29	0	0	0	0	0	0	0	4.15	0	0
2022	1	15	18	40	25	29	0	0	0	0	0	0	0	4.16	0	0
2022	1	15	18	50	25	29	0	0	0	0	0	0	0	4.17	0	0
2022	1	15	19	0	25	29	0	0	0	0	0	0	0	4.18	0	0
2022	1	15	19	10	25	29	0	0	0	0	0	0	0	4.19	0	0
2022	1	15	19	20	25	29	0	0	0	0	0	0	0	4.2	0	0
2022	1	15	19	30	25	29	0	0	0	0	0	0	0	4.21	0	0
2022	1	15	19	40	25	29	0	0	0	0	0	0	0	4.22	0	0
2022	1	15	19	50	25	29	0	0	0	0	0	0	0	4.22	0	0
2022	1	15	20	0	25	29	0	0	0	0	0	0	0	4.23	0	0
2022	1	15	20	10	25	29	0	0	0	0	0	0	0	4.24	0	0
2022	1	15	20	20	25	29	0	0	0	0	0	0	0	4.24	0	0
2022	1	15	20	30	25	30	0	0	0	0	0	0	0	4.24	0	0
2022	1	15	20	40	25	29	0	0	0	0	0	0	0	4.24	0	0
2022	1	15	20	50	25	29	0	0	0	0	0	0	0	4.25	0	0
2022	1	15	21	0	25	30	0	0	0	0	0	0	0	4.24	0	0
2022	1	15	21	10	25	30	0	0	0	0	0	0	0	4.24	0	0
2022	1	15	21	20	25	29	0	0	0	0	0	0	0	4.24	0	0
2022	1	15	21	30	25	30	0	0	0	0	0	0	0	4.24	0	0
2022	1	15	21	40	25	29	0	0	0	0	0	0	0	4.23	0	0
2022	1	15	21	50	25	29	0	0	0	0	0	0	0	4.23	0	0
2022	1	15	22	0	25	29	0	0	0	0	0	0	0	4.22	0	0
2022	1	15	22	10	25	29	0	0	0	0	0	0	0	4.22	0	0
2022	1	15	22	20	25	30	0	0	0	0	0	0	0	4.21	0	0
2022	1	15	22	30	25	30	0	0	0	0	0	0	0	4.19	0	0
2022	1	15	22	40	25	30	0	0	0	0	0	0	0	4.19	0	0
2022	1	15	22	50	25	30	0	0	0	0	0	0	0	4.18	0	0
2022	1	15	23	0	25	30	0	0	0	0	0	0	0	4.17	0	0
2022	1	15	23	10	25	30	0	0	0	0	0	0	0	4.16	0	0
2022	1	15	23	20	25	29	0	0	0	0	0	0	0	4.15	0	0
2022	1	15	23	30	25	29	0	0	0	0	0	0	0	4.14	0	0
2022	1	15	23	40	25	30	0	0	0	0	0	0	0	4.12	0	0
2022	1	15	23	50	25	29	0	0	0	0	0	0	0	4.11	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	16	0	0	25	29	0	0	0	0	0	0	0	4.09	0	0
2022	1	16	0	10	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	16	0	20	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	16	0	30	25	30	0	0	0	0	0	0	0	4.06	0	0
2022	1	16	0	40	25	29	0	0	0	0	0	0	0	4.05	0	0
2022	1	16	0	50	25	30	0	0	0	0	0	0	0	4.04	0	0
2022	1	16	1	0	25	30	0	0	0	0	0	0	0	4.02	0	0
2022	1	16	1	10	25	29	0	0	0	0	0	0	0	4.01	0	0
2022	1	16	1	20	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	16	1	30	25	30	0	0	0	0	0	0	0	3.99	0	0
2022	1	16	1	40	25	30	0	0	0	0	0	0	0	3.97	0	0
2022	1	16	1	50	25	29	0	0	0	0	0	0	0	3.96	0	0
2022	1	16	2	0	25	30	0	0	0	0	0	0	0	3.95	0	0
2022	1	16	2	10	25	29	0	0	0	0	0	0	0	3.94	0	0
2022	1	16	2	20	25	29	0	0	0	0	0	0	0	3.93	0	0
2022	1	16	2	30	25	30	0	0	0	0	0	0	0	3.92	0	0
2022	1	16	2	40	25	29	0	0	0	0	0	0	0	3.92	0	0
2022	1	16	2	50	25	29	0	0	0	0	0	0	0	3.9	0	0
2022	1	16	3	0	25	29	0	0	0	0	0	0	0	3.89	0	0
2022	1	16	3	10	25	29	0	0	0	0	0	0	0	3.88	0	0
2022	1	16	3	20	25	29	0	0	0	0	0	0	0	3.87	0	0
2022	1	16	3	30	25	30	0	0	0	0	0	0	0	3.86	0	0
2022	1	16	3	40	25	29	0	0	0	0	0	0	0	3.85	0	0
2022	1	16	3	50	25	29	0	0	0	0	0	0	0	3.84	0	0
2022	1	16	4	0	25	29	0	0	0	0	0	0	0	3.82	0	0
2022	1	16	4	10	25	30	0	0	0	0	0	0	0	3.81	0	0
2022	1	16	4	20	25	29	0	0	0	0	0	0	0	3.79	0	0
2022	1	16	4	30	25	30	0	0	0	0	0	0	0	3.78	0	0
2022	1	16	4	40	25	29	0	0	0	0	0	0	0	3.76	0	0
2022	1	16	4	50	25	30	0	0	0	0	0	0	0	3.75	0	0
2022	1	16	5	0	25	29	0	0	0	0	0	0	0	3.73	0	0
2022	1	16	5	10	25	30	0	0	0	0	0	0	0	3.71	0	0
2022	1	16	5	20	25	29	0	0	0	0	0	0	0	3.7	0	0
2022	1	16	5	30	25	30	0	0	0	0	0	0	0	3.68	0	0
2022	1	16	5	40	25	30	0	0	0	0	0	0	0	3.66	0	0
2022	1	16	5	50	25	29	0	0	0	0	0	0	0	3.65	0	0
2022	1	16	6	0	25	30	0	0	0	0	0	0	0	3.63	0	0
2022	1	16	6	10	25	29	0	0	0	0	0	0	0	3.61	0	0
2022	1	16	6	20	25	30	0	0	0	0	0	0	0	3.6	0	0
2022	1	16	6	30	25	30	0	0	0	0	0	0	0	3.58	0	0
2022	1	16	6	40	25	29	0	0	0	0	0	0	0	3.56	0	0
2022	1	16	6	50	25	30	0	0	0	0	0	0	0	3.54	0	0
2022	1	16	7	0	25	29	0	0	0	0	0	0	0	3.51	0	0
2022	1	16	7	10	25	30	0	0	0	0	0	0	0	3.5	0	0
2022	1	16	7	20	25	29	0	0	0	0	0	0	0	3.48	0	0
2022	1	16	7	30	25	30	0	0	0	0	0	0	0	3.46	0	0
2022	1	16	7	40	25	30	0	0	0	0	0	0	0	3.45	0	0
2022	1	16	7	50	25	30	0	0	0	0	0	0	0	3.44	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	16	8	0	25	29	0	0	0	0	0	0	0	3.44	0	0
2022	1	16	8	10	25	30	0	0	0	0	0	0	0	3.45	0	0
2022	1	16	8	20	25	30	0	0	0	0	0	0	0	3.46	0	0
2022	1	16	8	30	25	29	0	0	0	0	0	0	0	3.47	0	0
2022	1	16	8	40	25	29	0	0	0	0	0	0	0	3.48	0	0
2022	1	16	8	50	25	30	0	0	0	0	0	0	0	3.5	0	0
2022	1	16	9	0	25	29	0	0	0	0	0	0	0	3.5	0	0
2022	1	16	9	10	25	30	0	0	0	0	0	0	0	3.52	0	0
2022	1	16	9	20	25	30	0	0	0	0	0	0	0	3.52	0	0
2022	1	16	9	30	25	29	0	0	0	0	0	0	0	3.54	0	0
2022	1	16	9	40	25	30	0	0	0	0	0	0	0	3.57	0	0
2022	1	16	9	50	25	30	0	0	0	0	0	0	0	3.59	0	0
2022	1	16	10	0	25	30	0	0	0	0	0	0	0	3.61	0	0
2022	1	16	10	10	25	30	0	0	0	0	0	0	0	3.63	0	0
2022	1	16	10	20	25	30	0	0	0	0	0	0	0	3.65	0	0
2022	1	16	10	30	25	30	0	0	0	0	0	0	0	3.64	0	0
2022	1	16	10	40	25	29	0	0	0	0	0	0	0	3.66	0	0
2022	1	16	10	50	25	30	0	0	0	0	0	0	0	3.69	0	0
2022	1	16	11	0	25	29	0	0	0	0	0	0	0	3.75	0	0
2022	1	16	11	10	25	30	0	0	0	0	0	0	0	3.75	0	0
2022	1	16	11	20	25	29	0	0	0	0	0	0	0	3.73	0	0
2022	1	16	11	30	25	29	0	0	0	0	0	0	0	3.7	0	0
2022	1	16	11	40	25	30	0	0	0	0	0	0	0	3.63	0	0
2022	1	16	11	50	25	29	0	0	0	0	0	0	0	3.67	0	0
2022	1	16	12	0	25	29	0	0	0	0	0	0	0	3.73	0	0
2022	1	16	12	10	25	30	0	0	0	0	0	0	0	3.81	0	0
2022	1	16	12	20	25	29	0	0	0	0	0	0	0	3.8	0	0
2022	1	16	12	30	25	30	0	0	0	0	0	0	0	3.82	0	0
2022	1	16	12	40	25	30	0	0	0	0	0	0	0	3.76	0	0
2022	1	16	12	50	25	29	0	0	0	0	0	0	0	3.74	0	0
2022	1	16	13	0	25	29	0	0	0	0	0	0	0	3.7	0	0
2022	1	16	13	10	25	30	0	0	0	0	0	0	0	3.74	0	0
2022	1	16	13	20	25	30	0	0	0	0	0	0	0	3.73	0	0
2022	1	16	13	30	25	30	0	0	0	0	0	0	0	3.69	0	0
2022	1	16	13	40	25	29	0	0	0	0	0	0	0	3.69	0	0
2022	1	16	13	50	25	29	0	0	0	0	0	0	0	3.75	0	0
2022	1	16	14	0	25	30	0	0	0	0	0	0	0	3.68	0	0
2022	1	16	14	10	25	29	0	0	0	0	0	0	0	3.66	0	0
2022	1	16	14	20	25	30	0	0	0	0	0	0	0	3.64	0	0
2022	1	16	14	30	25	29	0	0	0	0	0	0	0	3.68	0	0
2022	1	16	14	40	25	30	0	0	0	0	0	0	0	3.69	0	0
2022	1	16	14	50	25	30	0	0	0	0	0	0	0	3.62	0	0
2022	1	16	15	0	25	29	0	0	0	0	0	0	0	3.58	0	0
2022	1	16	15	10	25	30	0	0	0	0	0	0	0	3.59	0	0
2022	1	16	15	20	25	29	0	0	0	0	0	0	0	3.58	0	0
2022	1	16	15	30	25	29	0	0	0	0	0	0	0	3.58	0	0
2022	1	16	15	40	25	29	0	0	0	0	0	0	0	3.58	0	0
2022	1	16	15	50	25	29	0	0	0	0	0	0	0	3.59	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	16	16	0	25	29	0	0	0	0	0	0	0	3.59	0	0
2022	1	16	16	10	25	29	0	0	0	0	0	0	0	3.59	0	0
2022	1	16	16	20	25	30	0	0	0	0	0	0	0	3.6	0	0
2022	1	16	16	30	25	29	0	0	0	0	0	0	0	3.6	0	0
2022	1	16	16	40	25	29	0	0	0	0	0	0	0	3.61	0	0
2022	1	16	16	50	25	30	0	0	0	0	0	0	0	3.61	0	0
2022	1	16	17	0	25	30	0	0	0	0	0	0	0	3.62	0	0
2022	1	16	17	10	25	29	0	0	0	0	0	0	0	3.63	0	0
2022	1	16	17	20	25	30	0	0	0	0	0	0	0	3.63	0	0
2022	1	16	17	30	25	30	0	0	0	0	0	0	0	3.65	0	0
2022	1	16	17	40	25	30	0	0	0	0	0	0	0	3.66	0	0
2022	1	16	17	50	25	30	0	0	0	0	0	0	0	3.67	0	0
2022	1	16	18	0	25	29	0	0	0	0	0	0	0	3.67	0	0
2022	1	16	18	10	25	30	0	0	0	0	0	0	0	3.68	0	0
2022	1	16	18	20	25	30	0	0	0	0	0	0	0	3.69	0	0
2022	1	16	18	30	25	29	0	0	0	0	0	0	0	3.7	0	0
2022	1	16	18	40	25	29	0	0	0	0	0	0	0	3.71	0	0
2022	1	16	18	50	25	29	0	0	0	0	0	0	0	3.72	0	0
2022	1	16	19	0	25	29	0	0	0	0	0	0	0	3.73	0	0
2022	1	16	19	10	25	29	0	0	0	0	0	0	0	3.73	0	0
2022	1	16	19	20	25	29	0	0	0	0	0	0	0	3.73	0	0
2022	1	16	19	30	25	29	0	0	0	0	0	0	0	3.74	0	0
2022	1	16	19	40	25	30	0	0	0	0	0	0	0	3.73	0	0
2022	1	16	19	50	25	30	0	0	0	0	0	0	0	3.74	0	0
2022	1	16	20	0	25	29	0	0	0	0	0	0	0	3.74	0	0
2022	1	16	20	10	25	29	0	0	0	0	0	0	0	3.74	0	0
2022	1	16	20	20	25	30	0	0	0	0	0	0	0	3.72	0	0
2022	1	16	20	30	25	29	0	0	0	0	0	0	0	3.72	0	0
2022	1	16	20	40	25	30	0	0	0	0	0	0	0	3.72	0	0
2022	1	16	20	50	25	29	0	0	0	0	0	0	0	3.71	0	0
2022	1	16	21	0	25	30	0	0	0	0	0	0	0	3.7	0	0
2022	1	16	21	10	25	30	0	0	0	0	0	0	0	3.69	0	0
2022	1	16	21	20	25	29	0	0	0	0	0	0	0	3.68	0	0
2022	1	16	21	30	25	29	0	0	0	0	0	0	0	3.67	0	0
2022	1	16	21	40	25	29	0	0	0	0	0	0	0	3.66	0	0
2022	1	16	21	50	25	29	0	0	0	0	0	0	0	3.65	0	0
2022	1	16	22	0	25	30	0	0	0	0	0	0	0	3.64	0	0
2022	1	16	22	10	25	29	0	0	0	0	0	0	0	3.62	0	0
2022	1	16	22	20	25	30	0	0	0	0	0	0	0	3.61	0	0
2022	1	16	22	30	25	30	0	0	0	0	0	0	0	3.6	0	0
2022	1	16	22	40	25	30	0	0	0	0	0	0	0	3.58	0	0
2022	1	16	22	50	25	29	0	0	0	0	0	0	0	3.56	0	0
2022	1	16	23	0	25	29	0	0	0	0	0	0	0	3.56	0	0
2022	1	16	23	10	25	29	0	0	0	0	0	0	0	3.54	0	0
2022	1	16	23	20	25	29	0	0	0	0	0	0	0	3.52	0	0
2022	1	16	23	30	25	30	0	0	0	0	0	0	0	3.51	0	0
2022	1	16	23	40	25	29	0	0	0	0	0	0	0	3.49	0	0
2022	1	16	23	50	25	29	0	0	0	0	0	0	0	3.48	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	17	0	0	25	29	0	0	0	0	0	0	0	3.46	0	0
2022	1	17	0	10	25	30	0	0	0	0	0	0	0	3.45	0	0
2022	1	17	0	20	25	30	0	0	0	0	0	0	0	3.44	0	0
2022	1	17	0	30	25	30	0	0	0	0	0	0	0	3.42	0	0
2022	1	17	0	40	25	29	0	0	0	0	0	0	0	3.41	0	0
2022	1	17	0	50	25	30	0	0	0	0	0	0	0	3.4	0	0
2022	1	17	1	0	25	30	0	0	0	0	0	0	0	3.38	0	0
2022	1	17	1	10	25	30	0	0	0	0	0	0	0	3.37	0	0
2022	1	17	1	20	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	17	1	30	25	29	0	0	0	0	0	0	0	3.34	0	0
2022	1	17	1	40	25	29	0	0	0	0	0	0	0	3.32	0	0
2022	1	17	1	50	25	30	0	0	0	0	0	0	0	3.31	0	0
2022	1	17	2	0	25	29	0	0	0	0	0	0	0	3.3	0	0
2022	1	17	2	10	25	30	0	0	0	0	0	0	0	3.28	0	0
2022	1	17	2	20	25	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	17	2	30	25	30	0	0	0	0	0	0	0	3.26	0	0
2022	1	17	2	40	25	30	0	0	0	0	0	0	0	3.25	0	0
2022	1	17	2	50	25	30	0	0	0	0	0	0	0	3.23	0	0
2022	1	17	3	0	25	30	0	0	0	0	0	0	0	3.21	0	0
2022	1	17	3	10	25	29	0	0	0	0	0	0	0	3.2	0	0
2022	1	17	3	20	25	30	0	0	0	0	0	0	0	3.19	0	0
2022	1	17	3	30	25	29	0	0	0	0	0	0	0	3.18	0	0
2022	1	17	3	40	25	29	0	0	0	0	0	0	0	3.16	0	0
2022	1	17	3	50	25	29	0	0	0	0	0	0	0	3.15	0	0
2022	1	17	4	0	25	30	0	0	0	0	0	0	0	3.13	0	0
2022	1	17	4	10	25	30	0	0	0	0	0	0	0	3.11	0	0
2022	1	17	4	20	25	30	0	0	0	0	0	0	0	3.09	0	0
2022	1	17	4	30	25	30	0	0	0	0	0	0	0	3.08	0	0
2022	1	17	4	40	25	30	0	0	0	0	0	0	0	3.06	0	0
2022	1	17	4	50	25	30	0	0	0	0	0	0	0	3.04	0	0
2022	1	17	5	0	25	29	0	0	0	0	0	0	0	3.02	0	0
2022	1	17	5	10	25	30	0	0	0	0	0	0	0	3	0	0
2022	1	17	5	20	25	30	0	0	0	0	0	0	0	2.98	0	0
2022	1	17	5	30	25	29	0	0	0	0	0	0	0	2.97	0	0
2022	1	17	5	40	25	29	0	0	0	0	0	0	0	2.95	0	0
2022	1	17	5	50	25	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	17	6	0	25	29	0	0	0	0	0	0	0	2.92	0	0
2022	1	17	6	10	25	29	0	0	0	0	0	0	0	2.89	0	0
2022	1	17	6	20	25	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	17	6	30	25	29	0	0	0	0	0	0	0	2.86	0	0
2022	1	17	6	40	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	17	6	50	25	29	0	0	0	0	0	0	0	2.83	0	0
2022	1	17	7	0	25	30	0	0	0	0	0	0	0	2.81	0	0
2022	1	17	7	10	25	30	0	0	0	0	0	0	0	2.79	0	0
2022	1	17	7	20	25	30	0	0	0	0	0	0	0	2.79	0	0
2022	1	17	7	30	25	29	0	0	0	0	0	0	0	2.77	0	0
2022	1	17	7	40	25	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	17	7	50	25	30	0	0	0	0	0	0	0	2.75	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	17	8	0	25	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	17	8	10	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	17	8	20	25	30	0	0	0	0	0	0	0	2.73	0	0
2022	1	17	8	30	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	17	8	40	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	17	8	50	25	30	0	0	0	0	0	0	0	2.73	0	0
2022	1	17	9	0	25	29	0	0	0	0	0	0	0	2.72	0	0
2022	1	17	9	10	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	17	9	20	25	29	0	0	0	0	0	0	0	2.75	0	0
2022	1	17	9	30	25	30	0	0	0	0	0	0	0	2.76	0	0
2022	1	17	9	40	25	30	0	0	0	0	0	0	0	2.79	0	0
2022	1	17	9	50	25	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	17	10	0	25	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	17	10	10	25	29	0	0	0	0	0	0	0	2.78	0	0
2022	1	17	10	20	25	30	0	0	0	0	0	0	0	2.73	0	0
2022	1	17	10	30	25	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	17	10	40	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	17	10	50	25	29	0	0	0	0	0	0	0	2.76	0	0
2022	1	17	11	0	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	17	11	10	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	17	11	20	25	30	0	0	0	0	0	0	0	2.98	0	0
2022	1	17	11	30	25	30	0	0	0	0	0	0	0	3.07	0	0
2022	1	17	11	40	25	30	0	0	0	0	0	0	0	3.07	0	0
2022	1	17	11	50	25	30	0	0	0	0	0	0	0	3.08	0	0
2022	1	17	12	0	25	30	0	0	0	0	0	0	0	3.08	0	0
2022	1	17	12	10	25	30	0	0	0	0	0	0	0	3.08	0	0
2022	1	17	12	20	25	29	0	0	0	0	0	0	0	3.06	0	0
2022	1	17	12	30	25	30	0	0	0	0	0	0	0	3.06	0	0
2022	1	17	12	40	25	30	0	0	0	0	0	0	0	3.05	0	0
2022	1	17	12	50	25	30	0	0	0	0	0	0	0	3.05	0	0
2022	1	17	13	0	25	30	0	0	0	0	0	0	0	3.04	0	0
2022	1	17	13	10	25	30	0	0	0	0	0	0	0	3.03	0	0
2022	1	17	13	20	25	30	0	0	0	0	0	0	0	3.03	0	0
2022	1	17	13	30	25	30	0	0	0	0	0	0	0	3.01	0	0
2022	1	17	13	40	25	30	0	0	0	0	0	0	0	3.02	0	0
2022	1	17	13	50	25	30	0	0	0	0	0	0	0	3.01	0	0
2022	1	17	14	0	25	30	0	0	0	0	0	0	0	2.98	0	0
2022	1	17	14	10	25	29	0	0	0	0	0	0	0	2.97	0	0
2022	1	17	14	20	25	30	0	0	0	0	0	0	0	2.96	0	0
2022	1	17	14	30	25	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	17	14	40	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	17	14	50	25	30	0	0	0	0	0	0	0	2.9	0	0
2022	1	17	15	0	25	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	17	15	10	25	30	0	0	0	0	0	0	0	2.87	0	0
2022	1	17	15	20	25	30	0	0	0	0	0	0	0	2.79	0	0
2022	1	17	15	30	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	17	15	40	25	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	17	15	50	25	29	0	0	0	0	0	0	0	2.77	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	17	16	0	25	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	17	16	10	25	29	0	0	0	0	0	0	0	2.77	0	0
2022	1	17	16	20	25	29	0	0	0	0	0	0	0	2.77	0	0
2022	1	17	16	30	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	17	16	40	25	29	0	0	0	0	0	0	0	2.78	0	0
2022	1	17	16	50	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	17	17	0	25	30	0	0	0	0	0	0	0	2.79	0	0
2022	1	17	17	10	25	30	0	0	0	0	0	0	0	2.8	0	0
2022	1	17	17	20	25	29	0	0	0	0	0	0	0	2.8	0	0
2022	1	17	17	30	25	30	0	0	0	0	0	0	0	2.81	0	0
2022	1	17	17	40	25	30	0	0	0	0	0	0	0	2.82	0	0
2022	1	17	17	50	25	30	0	0	0	0	0	0	0	2.83	0	0
2022	1	17	18	0	25	29	0	0	0	0	0	0	0	2.84	0	0
2022	1	17	18	10	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	17	18	20	25	30	0	0	0	0	0	0	0	2.87	0	0
2022	1	17	18	30	25	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	17	18	40	25	29	0	0	0	0	0	0	0	2.89	0	0
2022	1	17	18	50	25	30	0	0	0	0	0	0	0	2.91	0	0
2022	1	17	19	0	25	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	17	19	10	25	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	17	19	20	25	30	0	0	0	0	0	0	0	2.95	0	0
2022	1	17	19	30	25	30	0	0	0	0	0	0	0	2.96	0	0
2022	1	17	19	40	25	30	0	0	0	0	0	0	0	2.97	0	0
2022	1	17	19	50	25	29	0	0	0	0	0	0	0	2.98	0	0
2022	1	17	20	0	25	29	0	0	0	0	0	0	0	2.98	0	0
2022	1	17	20	10	25	30	0	0	0	0	0	0	0	2.99	0	0
2022	1	17	20	20	25	30	0	0	0	0	0	0	0	3	0	0
2022	1	17	20	30	25	30	0	0	0	0	0	0	0	3	0	0
2022	1	17	20	40	25	31	0	0	0	0	0	0	0	3.01	0	0
2022	1	17	20	50	25	30	0	0	0	0	0	0	0	3.01	0	0
2022	1	17	21	0	25	29	0	0	0	0	0	0	0	3.01	0	0
2022	1	17	21	10	25	29	0	0	0	0	0	0	0	3.01	0	0
2022	1	17	21	20	25	30	0	0	0	0	0	0	0	3.01	0	0
2022	1	17	21	30	25	29	0	0	0	0	0	0	0	3.01	0	0
2022	1	17	21	40	25	30	0	0	0	0	0	0	0	3	0	0
2022	1	17	21	50	25	29	0	0	0	0	0	0	0	3	0	0
2022	1	17	22	0	25	30	0	0	0	0	0	0	0	3	0	0
2022	1	17	22	10	25	29	0	0	0	0	0	0	0	3	0	0
2022	1	17	22	20	25	30	0	0	0	0	0	0	0	2.98	0	0
2022	1	17	22	30	25	30	0	0	0	0	0	0	0	2.98	0	0
2022	1	17	22	40	25	29	0	0	0	0	0	0	0	2.97	0	0
2022	1	17	22	50	25	30	0	0	0	0	0	0	0	2.96	0	0
2022	1	17	23	0	25	30	0	0	0	0	0	0	0	2.95	0	0
2022	1	17	23	10	25	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	17	23	20	25	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	17	23	30	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	17	23	40	25	29	0	0	0	0	0	0	0	2.91	0	0
2022	1	17	23	50	25	29	0	0	0	0	0	0	0	2.9	0	0



## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	18	0	0	25	29	0	0	0	0	0	0	0	2.89	0	0
2022	1	18	0	10	25	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	18	0	20	25	30	0	0	0	0	0	0	0	2.87	0	0
2022	1	18	0	30	25	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	18	0	40	25	29	0	0	0	0	0	0	0	2.85	0	0
2022	1	18	0	50	25	30	0	0	0	0	0	0	0	2.84	0	0
2022	1	18	1	0	25	30	0	0	0	0	0	0	0	2.84	0	0
2022	1	18	1	10	25	30	0	0	0	0	0	0	0	2.83	0	0
2022	1	18	1	20	25	30	0	0	0	0	0	0	0	2.82	0	0
2022	1	18	1	30	25	30	0	0	0	0	0	0	0	2.81	0	0
2022	1	18	1	40	25	30	0	0	0	0	0	0	0	2.8	0	0
2022	1	18	1	50	25	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	18	2	0	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	18	2	10	25	29	0	0	0	0	0	0	0	2.77	0	0
2022	1	18	2	20	25	30	0	0	0	0	0	0	0	2.76	0	0
2022	1	18	2	30	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	18	2	40	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	18	2	50	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	18	3	0	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	18	3	10	25	30	0	0	0	0	0	0	0	2.69	0	0
2022	1	18	3	20	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	18	3	30	25	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	18	3	40	25	29	0	0	0	0	0	0	0	2.66	0	0
2022	1	18	3	50	25	30	0	0	0	0	0	0	0	2.64	0	0
2022	1	18	4	0	25	30	0	0	0	0	0	0	0	2.63	0	0
2022	1	18	4	10	25	29	0	0	0	0	0	0	0	2.62	0	0
2022	1	18	4	20	25	30	0	0	0	0	0	0	0	2.61	0	0
2022	1	18	4	30	25	30	0	0	0	0	0	0	0	2.6	0	0
2022	1	18	4	40	25	30	0	0	0	0	0	0	0	2.59	0	0
2022	1	18	4	50	25	30	0	0	0	0	0	0	0	2.58	0	0
2022	1	18	5	0	25	30	0	0	0	0	0	0	0	2.57	0	0
2022	1	18	5	10	25	29	0	0	0	0	0	0	0	2.55	0	0
2022	1	18	5	20	25	30	0	0	0	0	0	0	0	2.55	0	0
2022	1	18	5	30	25	31	0	0	0	0	0	0	0	2.54	0	0
2022	1	18	5	40	25	30	0	0	0	0	0	0	0	2.53	0	0
2022	1	18	5	50	25	30	0	0	0	0	0	0	0	2.51	0	0
2022	1	18	6	0	25	31	0	0	0	0	0	0	0	2.5	0	0
2022	1	18	6	10	25	29	0	0	0	0	0	0	0	2.49	0	0
2022	1	18	6	20	25	29	0	0	0	0	0	0	0	2.48	0	0
2022	1	18	6	30	25	29	0	0	0	0	0	0	0	2.47	0	0
2022	1	18	6	40	25	29	0	0	0	0	0	0	0	2.46	0	0
2022	1	18	6	50	25	30	0	0	0	0	0	0	0	2.45	0	0
2022	1	18	7	0	25	29	0	0	0	0	0	0	0	2.44	0	0
2022	1	18	7	10	25	30	0	0	0	0	0	0	0	2.43	0	0
2022	1	18	7	20	25	29	0	0	0	0	0	0	0	2.42	0	0
2022	1	18	7	30	25	30	0	0	0	0	0	0	0	2.41	0	0
2022	1	18	7	40	25	30	0	0	0	0	0	0	0	2.41	0	0
2022	1	18	7	50	25	30	0	0	0	0	0	0	0	2.4	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	18	8	0	25	30	0	0	0	0	0	0	0	2.41	0	0
2022	1	18	8	10	25	30	0	0	0	0	0	0	0	2.41	0	0
2022	1	18	8	20	25	29	0	0	0	0	0	0	0	2.42	0	0
2022	1	18	8	30	25	30	0	0	0	0	0	0	0	2.44	0	0
2022	1	18	8	40	25	30	0	0	0	0	0	0	0	2.45	0	0
2022	1	18	8	50	25	30	0	0	0	0	0	0	0	2.44	0	0
2022	1	18	9	0	25	29	0	0	0	0	0	0	0	2.5	0	0
2022	1	18	9	10	25	30	0	0	0	0	0	0	0	2.54	0	0
2022	1	18	9	20	25	30	0	0	0	0	0	0	0	2.57	0	0
2022	1	18	9	30	25	30	0	0	0	0	0	0	0	2.59	0	0
2022	1	18	9	40	25	29	0	0	0	0	0	0	0	2.62	0	0
2022	1	18	9	50	25	30	0	0	0	0	0	0	0	2.64	0	0
2022	1	18	10	0	25	30	0	0	0	0	0	0	0	2.64	0	0
2022	1	18	10	10	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	18	10	20	25	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	18	10	30	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	18	10	40	25	29	0	0	0	0	0	0	0	2.77	0	0
2022	1	18	10	50	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	18	11	0	25	30	0	0	0	0	0	0	0	2.83	0	0
2022	1	18	11	10	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	18	11	20	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	18	11	30	25	30	0	0	0	0	0	0	0	2.89	0	0
2022	1	18	11	40	25	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	18	11	50	25	30	0	0	0	0	0	0	0	2.91	0	0
2022	1	18	12	0	25	29	0	0	0	0	0	0	0	2.91	0	0
2022	1	18	12	10	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	18	12	20	25	29	0	0	0	0	0	0	0	2.94	0	0
2022	1	18	12	30	25	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	18	12	40	25	30	0	0	0	0	0	0	0	2.95	0	0
2022	1	18	12	50	25	29	0	0	0	0	0	0	0	2.96	0	0
2022	1	18	13	0	25	30	0	0	0	0	0	0	0	2.97	0	0
2022	1	18	13	10	25	30	0	0	0	0	0	0	0	2.95	0	0
2022	1	18	13	20	25	30	0	0	0	0	0	0	0	2.95	0	0
2022	1	18	13	30	25	30	0	0	0	0	0	0	0	2.95	0	0
2022	1	18	13	40	25	29	0	0	0	0	0	0	0	2.96	0	0
2022	1	18	13	50	25	30	0	0	0	0	0	0	0	2.96	0	0
2022	1	18	14	0	25	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	18	14	10	25	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	18	14	20	25	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	18	14	30	25	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	18	14	40	25	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	18	14	50	25	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	18	15	0	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	18	15	10	25	30	0	0	0	0	0	0	0	2.91	0	0
2022	1	18	15	20	25	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	18	15	30	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	18	15	40	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	18	15	50	25	30	0	0	0	0	0	0	0	2.86	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	18	16	0	25	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	18	16	10	25	30	0	0	0	0	0	0	0	2.89	0	0
2022	1	18	16	20	25	29	0	0	0	0	0	0	0	2.91	0	0
2022	1	18	16	30	25	29	0	0	0	0	0	0	0	2.93	0	0
2022	1	18	16	40	25	30	0	0	0	0	0	0	0	2.95	0	0
2022	1	18	16	50	25	30	0	0	0	0	0	0	0	2.97	0	0
2022	1	18	17	0	25	29	0	0	0	0	0	0	0	2.99	0	0
2022	1	18	17	10	25	30	0	0	0	0	0	0	0	3.01	0	0
2022	1	18	17	20	25	30	0	0	0	0	0	0	0	3.03	0	0
2022	1	18	17	30	25	29	0	0	0	0	0	0	0	3.05	0	0
2022	1	18	17	40	25	29	0	0	0	0	0	0	0	3.08	0	0
2022	1	18	17	50	25	30	0	0	0	0	0	0	0	3.1	0	0
2022	1	18	18	0	25	30	0	0	0	0	0	0	0	3.13	0	0
2022	1	18	18	10	25	29	0	0	0	0	0	0	0	3.15	0	0
2022	1	18	18	20	25	30	0	0	0	0	0	0	0	3.17	0	0
2022	1	18	18	30	25	30	0	0	0	0	0	0	0	3.2	0	0
2022	1	18	18	40	25	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	18	18	50	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	18	19	0	25	29	0	0	0	0	0	0	0	3.27	0	0
2022	1	18	19	10	25	29	0	0	0	0	0	0	0	3.29	0	0
2022	1	18	19	20	25	29	0	0	0	0	0	0	0	3.3	0	0
2022	1	18	19	30	25	30	0	0	0	0	0	0	0	3.32	0	0
2022	1	18	19	40	25	30	0	0	0	0	0	0	0	3.34	0	0
2022	1	18	19	50	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	18	20	0	25	29	0	0	0	0	0	0	0	3.37	0	0
2022	1	18	20	10	25	29	0	0	0	0	0	0	0	3.38	0	0
2022	1	18	20	20	25	29	0	0	0	0	0	0	0	3.4	0	0
2022	1	18	20	30	25	29	0	0	0	0	0	0	0	3.41	0	0
2022	1	18	20	40	25	29	0	0	0	0	0	0	0	3.41	0	0
2022	1	18	20	50	25	29	0	0	0	0	0	0	0	3.42	0	0
2022	1	18	21	0	25	30	0	0	0	0	0	0	0	3.43	0	0
2022	1	18	21	10	25	30	0	0	0	0	0	0	0	3.43	0	0
2022	1	18	21	20	25	29	0	0	0	0	0	0	0	3.44	0	0
2022	1	18	21	30	25	29	0	0	0	0	0	0	0	3.44	0	0
2022	1	18	21	40	25	30	0	0	0	0	0	0	0	3.43	0	0
2022	1	18	21	50	25	29	0	0	0	0	0	0	0	3.43	0	0
2022	1	18	22	0	25	30	0	0	0	0	0	0	0	3.43	0	0
2022	1	18	22	10	25	30	0	0	0	0	0	0	0	3.42	0	0
2022	1	18	22	20	25	30	0	0	0	0	0	0	0	3.42	0	0
2022	1	18	22	30	25	30	0	0	0	0	0	0	0	3.41	0	0
2022	1	18	22	40	25	30	0	0	0	0	0	0	0	3.4	0	0
2022	1	18	22	50	25	30	0	0	0	0	0	0	0	3.39	0	0
2022	1	18	23	0	25	29	0	0	0	0	0	0	0	3.38	0	0
2022	1	18	23	10	25	29	0	0	0	0	0	0	0	3.36	0	0
2022	1	18	23	20	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	18	23	30	25	29	0	0	0	0	0	0	0	3.34	0	0
2022	1	18	23	40	25	30	0	0	0	0	0	0	0	3.33	0	0
2022	1	18	23	50	25	30	0	0	0	0	0	0	0	3.32	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	19	0	0	25	29	0	0	0	0	0	0	0	3.31	0	0
2022	1	19	0	10	25	29	0	0	0	0	0	0	0	3.29	0	0
2022	1	19	0	20	25	30	0	0	0	0	0	0	0	3.28	0	0
2022	1	19	0	30	25	29	0	0	0	0	0	0	0	3.27	0	0
2022	1	19	0	40	25	29	0	0	0	0	0	0	0	3.27	0	0
2022	1	19	0	50	25	30	0	0	0	0	0	0	0	3.25	0	0
2022	1	19	1	0	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	19	1	10	25	30	0	0	0	0	0	0	0	3.23	0	0
2022	1	19	1	20	25	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	19	1	30	25	30	0	0	0	0	0	0	0	3.21	0	0
2022	1	19	1	40	25	30	0	0	0	0	0	0	0	3.2	0	0
2022	1	19	1	50	25	30	0	0	0	0	0	0	0	3.18	0	0
2022	1	19	2	0	25	29	0	0	0	0	0	0	0	3.18	0	0
2022	1	19	2	10	25	30	0	0	0	0	0	0	0	3.16	0	0
2022	1	19	2	20	25	30	0	0	0	0	0	0	0	3.15	0	0
2022	1	19	2	30	25	30	0	0	0	0	0	0	0	3.14	0	0
2022	1	19	2	40	25	30	0	0	0	0	0	0	0	3.13	0	0
2022	1	19	2	50	25	30	0	0	0	0	0	0	0	3.11	0	0
2022	1	19	3	0	25	29	0	0	0	0	0	0	0	3.11	0	0
2022	1	19	3	10	25	30	0	0	0	0	0	0	0	3.09	0	0
2022	1	19	3	20	25	30	0	0	0	0	0	0	0	3.08	0	0
2022	1	19	3	30	25	30	0	0	0	0	0	0	0	3.07	0	0
2022	1	19	3	40	25	30	0	0	0	0	0	0	0	3.06	0	0
2022	1	19	3	50	25	29	0	0	0	0	0	0	0	3.05	0	0
2022	1	19	4	0	25	30	0	0	0	0	0	0	0	3.03	0	0
2022	1	19	4	10	25	30	0	0	0	0	0	0	0	3.02	0	0
2022	1	19	4	20	25	30	0	0	0	0	0	0	0	3.01	0	0
2022	1	19	4	30	25	29	0	0	0	0	0	0	0	3	0	0
2022	1	19	4	40	25	30	0	0	0	0	0	0	0	2.99	0	0
2022	1	19	4	50	25	30	0	0	0	0	0	0	0	2.97	0	0
2022	1	19	5	0	25	31	0	0	0	0	0	0	0	2.95	0	0
2022	1	19	5	10	25	29	0	0	0	0	0	0	0	2.95	0	0
2022	1	19	5	20	25	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	19	5	30	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	19	5	40	25	30	0	0	0	0	0	0	0	2.91	0	0
2022	1	19	5	50	25	30	0	0	0	0	0	0	0	2.89	0	0
2022	1	19	6	0	25	29	0	0	0	0	0	0	0	2.88	0	0
2022	1	19	6	10	25	29	0	0	0	0	0	0	0	2.87	0	0
2022	1	19	6	20	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	19	6	30	25	31	0	0	0	0	0	0	0	2.84	0	0
2022	1	19	6	40	25	30	0	0	0	0	0	0	0	2.82	0	0
2022	1	19	6	50	25	30	0	0	0	0	0	0	0	2.81	0	0
2022	1	19	7	0	25	30	0	0	0	0	0	0	0	2.8	0	0
2022	1	19	7	10	25	30	0	0	0	0	0	0	0	2.79	0	0
2022	1	19	7	20	25	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	19	7	30	25	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	19	7	40	25	29	0	0	0	0	0	0	0	2.76	0	0
2022	1	19	7	50	25	30	0	0	0	0	0	0	0	2.75	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	19	8	0	25	30	0	0	0	0	0	0	0	2.76	0	0
2022	1	19	8	10	25	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	19	8	20	25	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	19	8	30	25	30	0	0	0	0	0	0	0	2.81	0	0
2022	1	19	8	40	25	30	0	0	0	0	0	0	0	2.83	0	0
2022	1	19	8	50	25	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	19	9	0	25	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	19	9	10	25	30	0	0	0	0	0	0	0	2.9	0	0
2022	1	19	9	20	25	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	19	9	30	25	30	0	0	0	0	0	0	0	2.97	0	0
2022	1	19	9	40	25	29	0	0	0	0	0	0	0	3	0	0
2022	1	19	9	50	25	30	0	0	0	0	0	0	0	3.02	0	0
2022	1	19	10	0	25	29	0	0	0	0	0	0	0	3.05	0	0
2022	1	19	10	10	25	30	0	0	0	0	0	0	0	3.04	0	0
2022	1	19	10	20	25	30	0	0	0	0	0	0	0	3.09	0	0
2022	1	19	10	30	25	30	0	0	0	0	0	0	0	3.09	0	0
2022	1	19	10	40	25	30	0	0	0	0	0	0	0	3.14	0	0
2022	1	19	10	50	25	29	0	0	0	0	0	0	0	3.19	0	0
2022	1	19	11	0	25	30	0	0	0	0	0	0	0	3.09	0	0
2022	1	19	11	10	25	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	19	11	20	25	29	0	0	0	0	0	0	0	3.24	0	0
2022	1	19	11	30	25	30	0	0	0	0	0	0	0	3.26	0	0
2022	1	19	11	40	25	29	0	0	0	0	0	0	0	3.28	0	0
2022	1	19	11	50	25	30	0	0	0	0	0	0	0	3.3	0	0
2022	1	19	12	0	25	29	0	0	0	0	0	0	0	3.31	0	0
2022	1	19	12	10	25	30	0	0	0	0	0	0	0	3.34	0	0
2022	1	19	12	20	25	30	0	0	0	0	0	0	0	3.36	0	0
2022	1	19	12	30	25	29	0	0	0	0	0	0	0	3.37	0	0
2022	1	19	12	40	25	29	0	0	0	0	0	0	0	3.37	0	0
2022	1	19	12	50	25	30	0	0	0	0	0	0	0	3.39	0	0
2022	1	19	13	0	25	30	0	0	0	0	0	0	0	3.39	0	0
2022	1	19	13	10	25	30	0	0	0	0	0	0	0	3.39	0	0
2022	1	19	13	20	25	30	0	0	0	0	0	0	0	3.38	0	0
2022	1	19	13	30	25	29	0	0	0	0	0	0	0	3.4	0	0
2022	1	19	13	40	25	29	0	0	0	0	0	0	0	3.4	0	0
2022	1	19	13	50	25	29	0	0	0	0	0	0	0	3.39	0	0
2022	1	19	14	0	25	30	0	0	0	0	0	0	0	3.38	0	0
2022	1	19	14	10	25	29	0	0	0	0	0	0	0	3.37	0	0
2022	1	19	14	20	25	30	0	0	0	0	0	0	0	3.37	0	0
2022	1	19	14	30	25	30	0	0	0	0	0	0	0	3.37	0	0
2022	1	19	14	40	25	30	0	0	0	0	0	0	0	3.37	0	0
2022	1	19	14	50	25	30	0	0	0	0	0	0	0	3.36	0	0
2022	1	19	15	0	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	19	15	10	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	19	15	20	25	29	0	0	0	0	0	0	0	3.3	0	0
2022	1	19	15	30	25	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	19	15	40	25	30	0	0	0	0	0	0	0	3.28	0	0
2022	1	19	15	50	25	29	0	0	0	0	0	0	0	3.29	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	19	16	0	25	30	0	0	0	0	0	0	0	3.31	0	0
2022	1	19	16	10	25	30	0	0	0	0	0	0	0	3.32	0	0
2022	1	19	16	20	25	29	0	0	0	0	0	0	0	3.35	0	0
2022	1	19	16	30	25	30	0	0	0	0	0	0	0	3.37	0	0
2022	1	19	16	40	25	30	0	0	0	0	0	0	0	3.39	0	0
2022	1	19	16	50	25	30	0	0	0	0	0	0	0	3.41	0	0
2022	1	19	17	0	25	30	0	0	0	0	0	0	0	3.44	0	0
2022	1	19	17	10	25	30	0	0	0	0	0	0	0	3.45	0	0
2022	1	19	17	20	25	30	0	0	0	0	0	0	0	3.48	0	0
2022	1	19	17	30	25	29	0	0	0	0	0	0	0	3.51	0	0
2022	1	19	17	40	25	30	0	0	0	0	0	0	0	3.54	0	0
2022	1	19	17	50	25	30	0	0	0	0	0	0	0	3.57	0	0
2022	1	19	18	0	25	30	0	0	0	0	0	0	0	3.59	0	0
2022	1	19	18	10	25	29	0	0	0	0	0	0	0	3.62	0	0
2022	1	19	18	20	25	30	0	0	0	0	0	0	0	3.66	0	0
2022	1	19	18	30	25	30	0	0	0	0	0	0	0	3.69	0	0
2022	1	19	18	40	25	29	0	0	0	0	0	0	0	3.72	0	0
2022	1	19	18	50	25	29	0	0	0	0	0	0	0	3.74	0	0
2022	1	19	19	0	25	29	0	0	0	0	0	0	0	3.77	0	0
2022	1	19	19	10	25	29	0	0	0	0	0	0	0	3.79	0	0
2022	1	19	19	20	25	29	0	0	0	0	0	0	0	3.83	0	0
2022	1	19	19	30	25	29	0	0	0	0	0	0	0	3.85	0	0
2022	1	19	19	40	25	29	0	0	0	0	0	0	0	3.87	0	0
2022	1	19	19	50	25	29	0	0	0	0	0	0	0	3.9	0	0
2022	1	19	20	0	25	30	0	0	0	0	0	0	0	3.92	0	0
2022	1	19	20	10	25	30	0	0	0	0	0	0	0	3.94	0	0
2022	1	19	20	20	25	30	0	0	0	0	0	0	0	3.96	0	0
2022	1	19	20	30	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	19	20	40	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	19	20	50	25	29	0	0	0	0	0	0	0	4.01	0	0
2022	1	19	21	0	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	19	21	10	25	29	0	0	0	0	0	0	0	4.03	0	0
2022	1	19	21	20	25	30	0	0	0	0	0	0	0	4.05	0	0
2022	1	19	21	30	25	29	0	0	0	0	0	0	0	4.06	0	0
2022	1	19	21	40	25	29	0	0	0	0	0	0	0	4.06	0	0
2022	1	19	21	50	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	19	22	0	25	30	0	0	0	0	0	0	0	4.07	0	0
2022	1	19	22	10	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	19	22	20	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	19	22	30	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	19	22	40	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	19	22	50	25	29	0	0	0	0	0	0	0	4.08	0	0
2022	1	19	23	0	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	19	23	10	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	19	23	20	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	19	23	30	25	30	0	0	0	0	0	0	0	4.07	0	0
2022	1	19	23	40	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	19	23	50	25	29	0	0	0	0	0	0	0	4.07	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	20	0	0	25	29	0	0	0	0	0	0	0	4.06	0	0
2022	1	20	0	10	25	29	0	0	0	0	0	0	0	4.06	0	0
2022	1	20	0	20	25	30	0	0	0	0	0	0	0	4.05	0	0
2022	1	20	0	30	25	30	0	0	0	0	0	0	0	4.05	0	0
2022	1	20	0	40	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	20	0	50	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	20	1	0	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	20	1	10	25	30	0	0	0	0	0	0	0	4.03	0	0
2022	1	20	1	20	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	20	1	30	25	29	0	0	0	0	0	0	0	4.03	0	0
2022	1	20	1	40	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	20	1	50	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	20	2	0	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	20	2	10	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	20	2	20	25	29	0	0	0	0	0	0	0	4.01	0	0
2022	1	20	2	30	25	29	0	0	0	0	0	0	0	4.01	0	0
2022	1	20	2	40	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	20	2	50	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	20	3	0	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	20	3	10	25	29	0	0	0	0	0	0	0	4	0	0
2022	1	20	3	20	25	29	0	0	0	0	0	0	0	4	0	0
2022	1	20	3	30	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	20	3	40	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	20	3	50	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	20	4	0	25	29	0	0	0	0	0	0	0	4	0	0
2022	1	20	4	10	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	20	4	20	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	20	4	30	25	30	0	0	0	0	0	0	0	3.99	0	0
2022	1	20	4	40	25	29	0	0	0	0	0	0	0	4	0	0
2022	1	20	4	50	25	29	0	0	0	0	0	0	0	4	0	0
2022	1	20	5	0	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	20	5	10	25	29	0	0	0	0	0	0	0	4	0	0
2022	1	20	5	20	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	20	5	30	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	20	5	40	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	20	5	50	25	30	0	0	0	0	0	0	0	3.98	0	0
2022	1	20	6	0	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	20	6	10	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	20	6	20	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	20	6	30	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	20	6	40	25	30	0	0	0	0	0	0	0	3.98	0	0
2022	1	20	6	50	25	30	0	0	0	0	0	0	0	3.98	0	0
2022	1	20	7	0	25	29	0	0	0	0	0	0	0	3.97	0	0
2022	1	20	7	10	25	29	0	0	0	0	0	0	0	3.97	0	0
2022	1	20	7	20	25	29	0	0	0	0	0	0	0	3.97	0	0
2022	1	20	7	30	25	29	0	0	0	0	0	0	0	3.97	0	0
2022	1	20	7	40	25	29	0	0	0	0	0	0	0	3.97	0	0
2022	1	20	7	50	25	29	0	0	0	0	0	0	0	3.97	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	20	8	0	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	20	8	10	25	30	0	0	0	0	0	0	0	4.02	0	0
2022	1	20	8	20	25	30	0	0	0	0	0	0	0	4.04	0	0
2022	1	20	8	30	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	20	8	40	25	29	0	0	0	0	0	0	0	4.09	0	0
2022	1	20	8	50	25	29	0	0	0	0	0	0	0	4.12	0	0
2022	1	20	9	0	25	29	0	0	0	0	0	0	0	4.15	0	0
2022	1	20	9	10	25	30	0	0	0	0	0	0	0	4.17	0	0
2022	1	20	9	20	25	29	0	0	0	0	0	0	0	4.22	0	0
2022	1	20	9	30	25	30	0	0	0	0	0	0	0	4.24	0	0
2022	1	20	9	40	25	30	0	0	0	0	0	0	0	4.27	0	0
2022	1	20	9	50	25	29	0	0	0	0	0	0	0	4.3	0	0
2022	1	20	10	0	25	29	0	0	0	0	0	0	0	4.34	0	0
2022	1	20	10	10	25	29	0	0	0	0	0	0	0	4.37	0	0
2022	1	20	10	20	25	29	0	0	0	0	0	0	0	4.42	0	0
2022	1	20	10	30	25	29	0	0	0	0	0	0	0	4.44	0	0
2022	1	20	10	40	25	29	0	0	0	0	0	0	0	4.47	0	0
2022	1	20	10	50	25	30	0	0	0	0	0	0	0	4.5	0	0
2022	1	20	11	0	25	29	0	0	0	0	0	0	0	4.52	0	0
2022	1	20	11	10	25	30	0	0	0	0	0	0	0	4.54	0	0
2022	1	20	11	20	25	30	0	0	0	0	0	0	0	4.58	0	0
2022	1	20	11	30	25	30	0	0	0	0	0	0	0	4.6	0	0
2022	1	20	11	40	25	29	0	0	0	0	0	0	0	4.62	0	0
2022	1	20	11	50	25	29	0	0	0	0	0	0	0	4.65	0	0
2022	1	20	12	0	25	30	0	0	0	0	0	0	0	4.67	0	0
2022	1	20	12	10	25	29	0	0	0	0	0	0	0	4.69	0	0
2022	1	20	12	20	25	30	0	0	0	0	0	0	0	4.7	0	0
2022	1	20	12	30	25	30	0	0	0	0	0	0	0	4.72	0	0
2022	1	20	12	40	25	29	0	0	0	0	0	0	0	4.73	0	0
2022	1	20	12	50	25	30	0	0	0	0	0	0	0	4.74	0	0
2022	1	20	13	0	25	29	0	0	0	0	0	0	0	4.74	0	0
2022	1	20	13	10	25	30	0	0	0	0	0	0	0	4.76	0	0
2022	1	20	13	20	25	29	0	0	0	0	0	0	0	4.76	0	0
2022	1	20	13	30	25	30	0	0	0	0	0	0	0	4.75	0	0
2022	1	20	13	40	25	29	0	0	0	0	0	0	0	4.74	0	0
2022	1	20	13	50	25	29	0	0	0	0	0	0	0	4.75	0	0
2022	1	20	14	0	25	29	0	0	0	0	0	0	0	4.74	0	0
2022	1	20	14	10	25	30	0	0	0	0	0	0	0	4.73	0	0
2022	1	20	14	20	25	29	0	0	0	0	0	0	0	4.73	0	0
2022	1	20	14	30	25	29	0	0	0	0	0	0	0	4.73	0	0
2022	1	20	14	40	25	29	0	0	0	0	0	0	0	4.72	0	0
2022	1	20	14	50	25	29	0	0	0	0	0	0	0	4.71	0	0
2022	1	20	15	0	25	29	0	0	0	0	0	0	0	4.71	0	0
2022	1	20	15	10	25	29	0	0	0	0	0	0	0	4.7	0	0
2022	1	20	15	20	25	29	0	0	0	0	0	0	0	4.65	0	0
2022	1	20	15	30	25	29	0	0	0	0	0	0	0	4.61	0	0
2022	1	20	15	40	25	29	0	0	0	0	0	0	0	4.6	0	0
2022	1	20	15	50	25	30	0	0	0	0	0	0	0	4.61	0	0



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	20	16	0	25	29	0	0	0	0	0	0	0	4.63	0	0
2022	1	20	16	10	25	29	0	0	0	0	0	0	0	4.65	0	0
2022	1	20	16	20	25	29	0	0	0	0	0	0	0	4.66	0	0
2022	1	20	16	30	25	29	0	0	0	0	0	0	0	4.68	0	0
2022	1	20	16	40	25	29	0	0	0	0	0	0	0	4.7	0	0
2022	1	20	16	50	25	29	0	0	0	0	0	0	0	4.72	0	0
2022	1	20	17	0	25	30	0	0	0	0	0	0	0	4.73	0	0
2022	1	20	17	10	25	29	0	0	0	0	0	0	0	4.75	0	0
2022	1	20	17	20	25	29	0	0	0	0	0	0	0	4.77	0	0
2022	1	20	17	30	25	29	0	0	0	0	0	0	0	4.78	0	0
2022	1	20	17	40	25	30	0	0	0	0	0	0	0	4.8	0	0
2022	1	20	17	50	25	29	0	0	0	0	0	0	0	4.82	0	0
2022	1	20	18	0	25	29	0	0	0	0	0	0	0	4.84	0	0
2022	1	20	18	10	25	29	0	0	0	0	0	0	0	4.86	0	0
2022	1	20	18	20	25	29	0	0	0	0	0	0	0	4.89	0	0
2022	1	20	18	30	25	29	0	0	0	0	0	0	0	4.91	0	0
2022	1	20	18	40	25	29	0	0	0	0	0	0	0	4.92	0	0
2022	1	20	18	50	25	29	0	0	0	0	0	0	0	4.93	0	0
2022	1	20	19	0	25	29	0	0	0	0	0	0	0	4.95	0	0
2022	1	20	19	10	25	29	0	0	0	0	0	0	0	4.97	0	0
2022	1	20	19	20	25	29	0	0	0	0	0	0	0	4.99	0	0
2022	1	20	19	30	25	29	0	0	0	0	0	0	0	5	0	0
2022	1	20	19	40	25	29	0	0	0	0	0	0	0	5	0	0
2022	1	20	19	50	25	29	0	0	0	0	0	0	0	5.02	0	0
2022	1	20	20	0	25	30	0	0	0	0	0	0	0	5.02	0	0
2022	1	20	20	10	25	28	0	0	0	0	0	0	0	5.03	0	0
2022	1	20	20	20	25	29	0	0	0	0	0	0	0	5.03	0	0
2022	1	20	20	30	25	29	0	0	0	0	0	0	0	5.04	0	0
2022	1	20	20	40	25	29	0	0	0	0	0	0	0	5.04	0	0
2022	1	20	20	50	25	30	0	0	0	0	0	0	0	5.04	0	0
2022	1	20	21	0	25	29	0	0	0	0	0	0	0	5.04	0	0
2022	1	20	21	10	25	29	0	0	0	0	0	0	0	5.04	0	0
2022	1	20	21	20	25	29	0	0	0	0	0	0	0	5.03	0	0
2022	1	20	21	30	25	29	0	0	0	0	0	0	0	5.03	0	0
2022	1	20	21	40	25	29	0	0	0	0	0	0	0	5.02	0	0
2022	1	20	21	50	25	30	0	0	0	0	0	0	0	5.01	0	0
2022	1	20	22	0	25	29	0	0	0	0	0	0	0	5	0	0
2022	1	20	22	10	25	30	0	0	0	0	0	0	0	4.99	0	0
2022	1	20	22	20	25	29	0	0	0	0	0	0	0	4.98	0	0
2022	1	20	22	30	25	29	0	0	0	0	0	0	0	4.97	0	0
2022	1	20	22	40	25	29	0	0	0	0	0	0	0	4.96	0	0
2022	1	20	22	50	25	29	0	0	0	0	0	0	0	4.94	0	0
2022	1	20	23	0	25	29	0	0	0	0	0	0	0	4.93	0	0
2022	1	20	23	10	25	30	0	0	0	0	0	0	0	4.91	0	0
2022	1	20	23	20	25	29	0	0	0	0	0	0	0	4.9	0	0
2022	1	20	23	30	25	29	0	0	0	0	0	0	0	4.88	0	0
2022	1	20	23	40	25	29	0	0	0	0	0	0	0	4.87	0	0
2022	1	20	23	50	25	30	0	0	0	0	0	0	0	4.85	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	21	0	0	25	29	0	0	0	0	0	0	0	4.84	0	0
2022	1	21	0	10	25	29	0	0	0	0	0	0	0	4.82	0	0
2022	1	21	0	20	25	29	0	0	0	0	0	0	0	4.81	0	0
2022	1	21	0	30	25	30	0	0	0	0	0	0	0	4.79	0	0
2022	1	21	0	40	25	30	0	0	0	0	0	0	0	4.77	0	0
2022	1	21	0	50	25	29	0	0	0	0	0	0	0	4.76	0	0
2022	1	21	1	0	25	30	0	0	0	0	0	0	0	4.74	0	0
2022	1	21	1	10	25	29	0	0	0	0	0	0	0	4.72	0	0
2022	1	21	1	20	25	29	0	0	0	0	0	0	0	4.71	0	0
2022	1	21	1	30	25	29	0	0	0	0	0	0	0	4.69	0	0
2022	1	21	1	40	25	29	0	0	0	0	0	0	0	4.68	0	0
2022	1	21	1	50	25	29	0	0	0	0	0	0	0	4.66	0	0
2022	1	21	2	0	25	29	0	0	0	0	0	0	0	4.64	0	0
2022	1	21	2	10	25	29	0	0	0	0	0	0	0	4.62	0	0
2022	1	21	2	20	25	29	0	0	0	0	0	0	0	4.6	0	0
2022	1	21	2	30	25	29	0	0	0	0	0	0	0	4.58	0	0
2022	1	21	2	40	25	30	0	0	0	0	0	0	0	4.57	0	0
2022	1	21	2	50	25	29	0	0	0	0	0	0	0	4.55	0	0
2022	1	21	3	0	25	30	0	0	0	0	0	0	0	4.53	0	0
2022	1	21	3	10	25	30	0	0	0	0	0	0	0	4.51	0	0
2022	1	21	3	20	25	29	0	0	0	0	0	0	0	4.49	0	0
2022	1	21	3	30	25	29	0	0	0	0	0	0	0	4.48	0	0
2022	1	21	3	40	25	29	0	0	0	0	0	0	0	4.46	0	0
2022	1	21	3	50	25	30	0	0	0	0	0	0	0	4.45	0	0
2022	1	21	4	0	25	29	0	0	0	0	0	0	0	4.43	0	0
2022	1	21	4	10	25	30	0	0	0	0	0	0	0	4.41	0	0
2022	1	21	4	20	25	29	0	0	0	0	0	0	0	4.39	0	0
2022	1	21	4	30	25	29	0	0	0	0	0	0	0	4.38	0	0
2022	1	21	4	40	25	29	0	0	0	0	0	0	0	4.36	0	0
2022	1	21	4	50	25	29	0	0	0	0	0	0	0	4.34	0	0
2022	1	21	5	0	25	29	0	0	0	0	0	0	0	4.33	0	0
2022	1	21	5	10	25	30	0	0	0	0	0	0	0	4.31	0	0
2022	1	21	5	20	25	29	0	0	0	0	0	0	0	4.29	0	0
2022	1	21	5	30	25	30	0	0	0	0	0	0	0	4.27	0	0
2022	1	21	5	40	25	29	0	0	0	0	0	0	0	4.26	0	0
2022	1	21	5	50	25	29	0	0	0	0	0	0	0	4.23	0	0
2022	1	21	6	0	25	30	0	0	0	0	0	0	0	4.22	0	0
2022	1	21	6	10	25	29	0	0	0	0	0	0	0	4.2	0	0
2022	1	21	6	20	25	30	0	0	0	0	0	0	0	4.19	0	0
2022	1	21	6	30	25	29	0	0	0	0	0	0	0	4.17	0	0
2022	1	21	6	40	25	29	0	0	0	0	0	0	0	4.16	0	0
2022	1	21	6	50	25	29	0	0	0	0	0	0	0	4.14	0	0
2022	1	21	7	0	25	29	0	0	0	0	0	0	0	4.12	0	0
2022	1	21	7	10	25	29	0	0	0	0	0	0	0	4.11	0	0
2022	1	21	7	20	25	29	0	0	0	0	0	0	0	4.1	0	0
2022	1	21	7	30	25	29	0	0	0	0	0	0	0	4.09	0	0
2022	1	21	7	40	25	29	0	0	0	0	0	0	0	4.08	0	0
2022	1	21	7	50	25	29	0	0	0	0	0	0	0	4.08	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	21	8	0	25	30	0	0	0	0	0	0	0	4.1	0	0
2022	1	21	8	10	25	30	0	0	0	0	0	0	0	4.12	0	0
2022	1	21	8	20	25	29	0	0	0	0	0	0	0	4.14	0	0
2022	1	21	8	30	25	29	0	0	0	0	0	0	0	4.16	0	0
2022	1	21	8	40	25	30	0	0	0	0	0	0	0	4.18	0	0
2022	1	21	8	50	25	30	0	0	0	0	0	0	0	4.2	0	0
2022	1	21	9	0	25	29	0	0	0	0	0	0	0	4.21	0	0
2022	1	21	9	10	25	29	0	0	0	0	0	0	0	4.21	0	0
2022	1	21	9	20	25	29	0	0	0	0	0	0	0	4.22	0	0
2022	1	21	9	30	25	29	0	0	0	0	0	0	0	4.23	0	0
2022	1	21	9	40	25	30	0	0	0	0	0	0	0	4.26	0	0
2022	1	21	9	50	25	30	0	0	0	0	0	0	0	4.29	0	0
2022	1	21	10	0	25	29	0	0	0	0	0	0	0	4.32	0	0
2022	1	21	10	10	25	29	0	0	0	0	0	0	0	4.35	0	0
2022	1	21	10	20	25	30	0	0	0	0	0	0	0	4.4	0	0
2022	1	21	10	30	25	29	0	0	0	0	0	0	0	4.44	0	0
2022	1	21	10	40	25	29	0	0	0	0	0	0	0	4.44	0	0
2022	1	21	10	50	25	29	0	0	0	0	0	0	0	4.46	0	0
2022	1	21	11	0	25	29	0	0	0	0	0	0	0	4.48	0	0
2022	1	21	11	10	25	29	0	0	0	0	0	0	0	4.48	0	0
2022	1	21	11	20	25	29	0	0	0	0	0	0	0	4.51	0	0
2022	1	21	11	30	25	29	0	0	0	0	0	0	0	4.52	0	0
2022	1	21	11	40	25	29	0	0	0	0	0	0	0	4.51	0	0
2022	1	21	11	50	25	29	0	0	0	0	0	0	0	4.54	0	0
2022	1	21	12	0	25	30	0	0	0	0	0	0	0	4.55	0	0
2022	1	21	12	10	25	30	0	0	0	0	0	0	0	4.56	0	0
2022	1	21	12	20	25	29	0	0	0	0	0	0	0	4.56	0	0
2022	1	21	12	30	25	29	0	0	0	0	0	0	0	4.57	0	0
2022	1	21	12	40	25	29	0	0	0	0	0	0	0	4.57	0	0
2022	1	21	12	50	25	29	0	0	0	0	0	0	0	4.57	0	0
2022	1	21	13	0	25	29	0	0	0	0	0	0	0	4.56	0	0
2022	1	21	13	10	25	29	0	0	0	0	0	0	0	4.57	0	0
2022	1	21	13	20	25	29	0	0	0	0	0	0	0	4.56	0	0
2022	1	21	13	30	25	30	0	0	0	0	0	0	0	4.55	0	0
2022	1	21	13	40	25	29	0	0	0	0	0	0	0	4.54	0	0
2022	1	21	13	50	25	29	0	0	0	0	0	0	0	4.52	0	0
2022	1	21	14	0	25	30	0	0	0	0	0	0	0	4.5	0	0
2022	1	21	14	10	25	29	0	0	0	0	0	0	0	4.49	0	0
2022	1	21	14	20	25	29	0	0	0	0	0	0	0	4.47	0	0
2022	1	21	14	30	25	29	0	0	0	0	0	0	0	4.43	0	0
2022	1	21	14	40	25	30	0	0	0	0	0	0	0	4.43	0	0
2022	1	21	14	50	25	29	0	0	0	0	0	0	0	4.4	0	0
2022	1	21	15	0	25	30	0	0	0	0	0	0	0	4.38	0	0
2022	1	21	15	10	25	30	0	0	0	0	0	0	0	4.36	0	0
2022	1	21	15	20	25	30	0	0	0	0	0	0	0	4.29	0	0
2022	1	21	15	30	25	29	0	0	0	0	0	0	0	4.23	0	0
2022	1	21	15	40	25	29	0	0	0	0	0	0	0	4.22	0	0
2022	1	21	15	50	25	29	0	0	0	0	0	0	0	4.22	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	21	16	0	25	30	0	0	0	0	0	0	0	4.22	0	0
2022	1	21	16	10	25	30	0	0	0	0	0	0	0	4.22	0	0
2022	1	21	16	20	25	29	0	0	0	0	0	0	0	4.22	0	0
2022	1	21	16	30	25	29	0	0	0	0	0	0	0	4.22	0	0
2022	1	21	16	40	25	29	0	0	0	0	0	0	0	4.23	0	0
2022	1	21	16	50	25	29	0	0	0	0	0	0	0	4.23	0	0
2022	1	21	17	0	25	29	0	0	0	0	0	0	0	4.24	0	0
2022	1	21	17	10	25	29	0	0	0	0	0	0	0	4.25	0	0
2022	1	21	17	20	25	29	0	0	0	0	0	0	0	4.25	0	0
2022	1	21	17	30	25	30	0	0	0	0	0	0	0	4.26	0	0
2022	1	21	17	40	25	29	0	0	0	0	0	0	0	4.28	0	0
2022	1	21	17	50	25	29	0	0	0	0	0	0	0	4.29	0	0
2022	1	21	18	0	25	29	0	0	0	0	0	0	0	4.31	0	0
2022	1	21	18	10	25	29	0	0	0	0	0	0	0	4.33	0	0
2022	1	21	18	20	25	29	0	0	0	0	0	0	0	4.34	0	0
2022	1	21	18	30	25	30	0	0	0	0	0	0	0	4.35	0	0
2022	1	21	18	40	25	29	0	0	0	0	0	0	0	4.37	0	0
2022	1	21	18	50	25	30	0	0	0	0	0	0	0	4.38	0	0
2022	1	21	19	0	25	29	0	0	0	0	0	0	0	4.4	0	0
2022	1	21	19	10	25	29	0	0	0	0	0	0	0	4.41	0	0
2022	1	21	19	20	25	30	0	0	0	0	0	0	0	4.42	0	0
2022	1	21	19	30	25	29	0	0	0	0	0	0	0	4.44	0	0
2022	1	21	19	40	25	30	0	0	0	0	0	0	0	4.45	0	0
2022	1	21	19	50	25	29	0	0	0	0	0	0	0	4.46	0	0
2022	1	21	20	0	25	29	0	0	0	0	0	0	0	4.47	0	0
2022	1	21	20	10	25	29	0	0	0	0	0	0	0	4.48	0	0
2022	1	21	20	20	25	29	0	0	0	0	0	0	0	4.49	0	0
2022	1	21	20	30	25	30	0	0	0	0	0	0	0	4.5	0	0
2022	1	21	20	40	25	29	0	0	0	0	0	0	0	4.5	0	0
2022	1	21	20	50	25	29	0	0	0	0	0	0	0	4.5	0	0
2022	1	21	21	0	25	29	0	0	0	0	0	0	0	4.5	0	0
2022	1	21	21	10	25	30	0	0	0	0	0	0	0	4.51	0	0
2022	1	21	21	20	25	30	0	0	0	0	0	0	0	4.51	0	0
2022	1	21	21	30	25	28	0	0	0	0	0	0	0	4.51	0	0
2022	1	21	21	40	25	30	0	0	0	0	0	0	0	4.51	0	0
2022	1	21	21	50	25	29	0	0	0	0	0	0	0	4.51	0	0
2022	1	21	22	0	25	29	0	0	0	0	0	0	0	4.5	0	0
2022	1	21	22	10	25	30	0	0	0	0	0	0	0	4.51	0	0
2022	1	21	22	20	25	29	0	0	0	0	0	0	0	4.5	0	0
2022	1	21	22	30	25	29	0	0	0	0	0	0	0	4.49	0	0
2022	1	21	22	40	25	30	0	0	0	0	0	0	0	4.49	0	0
2022	1	21	22	50	25	30	0	0	0	0	0	0	0	4.48	0	0
2022	1	21	23	0	25	29	0	0	0	0	0	0	0	4.48	0	0
2022	1	21	23	10	25	30	0	0	0	0	0	0	0	4.46	0	0
2022	1	21	23	20	25	29	0	0	0	0	0	0	0	4.45	0	0
2022	1	21	23	30	25	29	0	0	0	0	0	0	0	4.44	0	0
2022	1	21	23	40	25	30	0	0	0	0	0	0	0	4.43	0	0
2022	1	21	23	50	25	30	0	0	0	0	0	0	0	4.41	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	22	0	0	25	29	0	0	0	0	0	0	0	4.4	0	0
2022	1	22	0	10	25	29	0	0	0	0	0	0	0	4.39	0	0
2022	1	22	0	20	25	29	0	0	0	0	0	0	0	4.38	0	0
2022	1	22	0	30	25	29	0	0	0	0	0	0	0	4.37	0	0
2022	1	22	0	40	25	29	0	0	0	0	0	0	0	4.35	0	0
2022	1	22	0	50	25	29	0	0	0	0	0	0	0	4.34	0	0
2022	1	22	1	0	25	29	0	0	0	0	0	0	0	4.32	0	0
2022	1	22	1	10	25	29	0	0	0	0	0	0	0	4.31	0	0
2022	1	22	1	20	25	29	0	0	0	0	0	0	0	4.3	0	0
2022	1	22	1	30	25	30	0	0	0	0	0	0	0	4.29	0	0
2022	1	22	1	40	25	29	0	0	0	0	0	0	0	4.27	0	0
2022	1	22	1	50	25	30	0	0	0	0	0	0	0	4.26	0	0
2022	1	22	2	0	25	30	0	0	0	0	0	0	0	4.25	0	0
2022	1	22	2	10	25	30	0	0	0	0	0	0	0	4.24	0	0
2022	1	22	2	20	25	30	0	0	0	0	0	0	0	4.23	0	0
2022	1	22	2	30	25	30	0	0	0	0	0	0	0	4.22	0	0
2022	1	22	2	40	25	29	0	0	0	0	0	0	0	4.21	0	0
2022	1	22	2	50	25	29	0	0	0	0	0	0	0	4.2	0	0
2022	1	22	3	0	25	30	0	0	0	0	0	0	0	4.19	0	0
2022	1	22	3	10	25	30	0	0	0	0	0	0	0	4.18	0	0
2022	1	22	3	20	25	30	0	0	0	0	0	0	0	4.17	0	0
2022	1	22	3	30	25	30	0	0	0	0	0	0	0	4.16	0	0
2022	1	22	3	40	25	29	0	0	0	0	0	0	0	4.15	0	0
2022	1	22	3	50	25	30	0	0	0	0	0	0	0	4.14	0	0
2022	1	22	4	0	25	29	0	0	0	0	0	0	0	4.13	0	0
2022	1	22	4	10	25	30	0	0	0	0	0	0	0	4.12	0	0
2022	1	22	4	20	25	29	0	0	0	0	0	0	0	4.11	0	0
2022	1	22	4	30	25	29	0	0	0	0	0	0	0	4.1	0	0
2022	1	22	4	40	25	29	0	0	0	0	0	0	0	4.09	0	0
2022	1	22	4	50	25	29	0	0	0	0	0	0	0	4.08	0	0
2022	1	22	5	0	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	22	5	10	25	29	0	0	0	0	0	0	0	4.06	0	0
2022	1	22	5	20	25	29	0	0	0	0	0	0	0	4.05	0	0
2022	1	22	5	30	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	22	5	40	25	29	0	0	0	0	0	0	0	4.03	0	0
2022	1	22	5	50	25	30	0	0	0	0	0	0	0	4.02	0	0
2022	1	22	6	0	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	22	6	10	25	29	0	0	0	0	0	0	0	4.01	0	0
2022	1	22	6	20	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	22	6	30	25	30	0	0	0	0	0	0	0	3.99	0	0
2022	1	22	6	40	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	22	6	50	25	29	0	0	0	0	0	0	0	3.97	0	0
2022	1	22	7	0	25	29	0	0	0	0	0	0	0	3.97	0	0
2022	1	22	7	10	25	30	0	0	0	0	0	0	0	3.96	0	0
2022	1	22	7	20	25	29	0	0	0	0	0	0	0	3.96	0	0
2022	1	22	7	30	25	30	0	0	0	0	0	0	0	3.95	0	0
2022	1	22	7	40	25	29	0	0	0	0	0	0	0	3.94	0	0
2022	1	22	7	50	25	29	0	0	0	0	0	0	0	3.94	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	22	8	0	25	29	0	0	0	0	0	0	0	3.97	0	0
2022	1	22	8	10	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	22	8	20	25	30	0	0	0	0	0	0	0	4.03	0	0
2022	1	22	8	30	25	30	0	0	0	0	0	0	0	4.05	0	0
2022	1	22	8	40	25	30	0	0	0	0	0	0	0	4.07	0	0
2022	1	22	8	50	25	29	0	0	0	0	0	0	0	4.11	0	0
2022	1	22	9	0	25	30	0	0	0	0	0	0	0	4.14	0	0
2022	1	22	9	10	25	30	0	0	0	0	0	0	0	4.15	0	0
2022	1	22	9	20	25	30	0	0	0	0	0	0	0	4.18	0	0
2022	1	22	9	30	25	30	0	0	0	0	0	0	0	4.21	0	0
2022	1	22	9	40	25	29	0	0	0	0	0	0	0	4.24	0	0
2022	1	22	9	50	25	29	0	0	0	0	0	0	0	4.27	0	0
2022	1	22	10	0	25	30	0	0	0	0	0	0	0	4.29	0	0
2022	1	22	10	10	25	30	0	0	0	0	0	0	0	4.32	0	0
2022	1	22	10	20	25	30	0	0	0	0	0	0	0	4.35	0	0
2022	1	22	10	30	25	30	0	0	0	0	0	0	0	4.4	0	0
2022	1	22	10	40	25	30	0	0	0	0	0	0	0	4.41	0	0
2022	1	22	10	50	25	29	0	0	0	0	0	0	0	4.44	0	0
2022	1	22	11	0	25	29	0	0	0	0	0	0	0	4.46	0	0
2022	1	22	11	10	25	29	0	0	0	0	0	0	0	4.48	0	0
2022	1	22	11	20	25	30	0	0	0	0	0	0	0	4.51	0	0
2022	1	22	11	30	25	29	0	0	0	0	0	0	0	4.52	0	0
2022	1	22	11	40	25	29	0	0	0	0	0	0	0	4.55	0	0
2022	1	22	11	50	25	30	0	0	0	0	0	0	0	4.55	0	0
2022	1	22	12	0	25	30	0	0	0	0	0	0	0	4.56	0	0
2022	1	22	12	10	25	29	0	0	0	0	0	0	0	4.58	0	0
2022	1	22	12	20	25	29	0	0	0	0	0	0	0	4.58	0	0
2022	1	22	12	30	25	29	0	0	0	0	0	0	0	4.58	0	0
2022	1	22	12	40	25	30	0	0	0	0	0	0	0	4.58	0	0
2022	1	22	12	50	25	29	0	0	0	0	0	0	0	4.58	0	0
2022	1	22	13	0	25	29	0	0	0	0	0	0	0	4.56	0	0
2022	1	22	13	10	25	29	0	0	0	0	0	0	0	4.56	0	0
2022	1	22	13	20	25	29	0	0	0	0	0	0	0	4.54	0	0
2022	1	22	13	30	25	29	0	0	0	0	0	0	0	4.54	0	0
2022	1	22	13	40	25	30	0	0	0	0	0	0	0	4.52	0	0
2022	1	22	13	50	25	30	0	0	0	0	0	0	0	4.5	0	0
2022	1	22	14	0	25	29	0	0	0	0	0	0	0	4.47	0	0
2022	1	22	14	10	25	30	0	0	0	0	0	0	0	4.46	0	0
2022	1	22	14	20	25	30	0	0	0	0	0	0	0	4.43	0	0
2022	1	22	14	30	25	29	0	0	0	0	0	0	0	4.42	0	0
2022	1	22	14	40	25	30	0	0	0	0	0	0	0	4.38	0	0
2022	1	22	14	50	25	29	0	0	0	0	0	0	0	4.36	0	0
2022	1	22	15	0	25	29	0	0	0	0	0	0	0	4.3	0	0
2022	1	22	15	10	25	29	0	0	0	0	0	0	0	4.29	0	0
2022	1	22	15	20	25	30	0	0	0	0	0	0	0	4.22	0	0
2022	1	22	15	30	25	30	0	0	0	0	0	0	0	4.14	0	0
2022	1	22	15	40	25	29	0	0	0	0	0	0	0	4.12	0	0
2022	1	22	15	50	25	29	0	0	0	0	0	0	0	4.11	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	22	16	0	25	29	0	0	0	0	0	0	0	4.1	0	0
2022	1	22	16	10	25	29	0	0	0	0	0	0	0	4.11	0	0
2022	1	22	16	20	25	30	0	0	0	0	0	0	0	4.11	0	0
2022	1	22	16	30	25	29	0	0	0	0	0	0	0	4.11	0	0
2022	1	22	16	40	25	29	0	0	0	0	0	0	0	4.12	0	0
2022	1	22	16	50	25	30	0	0	0	0	0	0	0	4.13	0	0
2022	1	22	17	0	25	29	0	0	0	0	0	0	0	4.14	0	0
2022	1	22	17	10	25	29	0	0	0	0	0	0	0	4.15	0	0
2022	1	22	17	20	25	29	0	0	0	0	0	0	0	4.16	0	0
2022	1	22	17	30	25	30	0	0	0	0	0	0	0	4.17	0	0
2022	1	22	17	40	25	29	0	0	0	0	0	0	0	4.19	0	0
2022	1	22	17	50	25	29	0	0	0	0	0	0	0	4.2	0	0
2022	1	22	18	0	25	30	0	0	0	0	0	0	0	4.21	0	0
2022	1	22	18	10	25	29	0	0	0	0	0	0	0	4.24	0	0
2022	1	22	18	20	25	30	0	0	0	0	0	0	0	4.25	0	0
2022	1	22	18	30	25	30	0	0	0	0	0	0	0	4.27	0	0
2022	1	22	18	40	25	29	0	0	0	0	0	0	0	4.29	0	0
2022	1	22	18	50	25	29	0	0	0	0	0	0	0	4.31	0	0
2022	1	22	19	0	25	29	0	0	0	0	0	0	0	4.33	0	0
2022	1	22	19	10	25	29	0	0	0	0	0	0	0	4.34	0	0
2022	1	22	19	20	25	30	0	0	0	0	0	0	0	4.36	0	0
2022	1	22	19	30	25	29	0	0	0	0	0	0	0	4.38	0	0
2022	1	22	19	40	25	29	0	0	0	0	0	0	0	4.39	0	0
2022	1	22	19	50	25	29	0	0	0	0	0	0	0	4.41	0	0
2022	1	22	20	0	25	30	0	0	0	0	0	0	0	4.42	0	0
2022	1	22	20	10	25	30	0	0	0	0	0	0	0	4.43	0	0
2022	1	22	20	20	25	30	0	0	0	0	0	0	0	4.44	0	0
2022	1	22	20	30	25	30	0	0	0	0	0	0	0	4.45	0	0
2022	1	22	20	40	25	30	0	0	0	0	0	0	0	4.46	0	0
2022	1	22	20	50	25	29	0	0	0	0	0	0	0	4.47	0	0
2022	1	22	21	0	25	29	0	0	0	0	0	0	0	4.47	0	0
2022	1	22	21	10	25	29	0	0	0	0	0	0	0	4.47	0	0
2022	1	22	21	20	25	29	0	0	0	0	0	0	0	4.47	0	0
2022	1	22	21	30	25	30	0	0	0	0	0	0	0	4.48	0	0
2022	1	22	21	40	25	29	0	0	0	0	0	0	0	4.48	0	0
2022	1	22	21	50	25	30	0	0	0	0	0	0	0	4.47	0	0
2022	1	22	22	0	25	29	0	0	0	0	0	0	0	4.47	0	0
2022	1	22	22	10	25	29	0	0	0	0	0	0	0	4.47	0	0
2022	1	22	22	20	25	30	0	0	0	0	0	0	0	4.46	0	0
2022	1	22	22	30	25	29	0	0	0	0	0	0	0	4.45	0	0
2022	1	22	22	40	25	30	0	0	0	0	0	0	0	4.44	0	0
2022	1	22	22	50	25	29	0	0	0	0	0	0	0	4.43	0	0
2022	1	22	23	0	25	29	0	0	0	0	0	0	0	4.42	0	0
2022	1	22	23	10	25	29	0	0	0	0	0	0	0	4.4	0	0
2022	1	22	23	20	25	29	0	0	0	0	0	0	0	4.39	0	0
2022	1	22	23	30	25	29	0	0	0	0	0	0	0	4.38	0	0
2022	1	22	23	40	25	30	0	0	0	0	0	0	0	4.37	0	0
2022	1	22	23	50	25	30	0	0	0	0	0	0	0	4.36	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	23	0	0	25	30	0	0	0	0	0	0	0	4.34	0	0
2022	1	23	0	10	25	29	0	0	0	0	0	0	0	4.33	0	0
2022	1	23	0	20	25	30	0	0	0	0	0	0	0	4.31	0	0
2022	1	23	0	30	25	29	0	0	0	0	0	0	0	4.3	0	0
2022	1	23	0	40	25	30	0	0	0	0	0	0	0	4.29	0	0
2022	1	23	0	50	25	30	0	0	0	0	0	0	0	4.28	0	0
2022	1	23	1	0	25	29	0	0	0	0	0	0	0	4.26	0	0
2022	1	23	1	10	25	29	0	0	0	0	0	0	0	4.25	0	0
2022	1	23	1	20	25	30	0	0	0	0	0	0	0	4.23	0	0
2022	1	23	1	30	25	29	0	0	0	0	0	0	0	4.22	0	0
2022	1	23	1	40	25	30	0	0	0	0	0	0	0	4.21	0	0
2022	1	23	1	50	25	30	0	0	0	0	0	0	0	4.2	0	0
2022	1	23	2	0	25	29	0	0	0	0	0	0	0	4.18	0	0
2022	1	23	2	10	25	30	0	0	0	0	0	0	0	4.18	0	0
2022	1	23	2	20	25	30	0	0	0	0	0	0	0	4.16	0	0
2022	1	23	2	30	25	29	0	0	0	0	0	0	0	4.15	0	0
2022	1	23	2	40	25	29	0	0	0	0	0	0	0	4.14	0	0
2022	1	23	2	50	25	29	0	0	0	0	0	0	0	4.13	0	0
2022	1	23	3	0	25	29	0	0	0	0	0	0	0	4.12	0	0
2022	1	23	3	10	25	30	0	0	0	0	0	0	0	4.11	0	0
2022	1	23	3	20	25	29	0	0	0	0	0	0	0	4.1	0	0
2022	1	23	3	30	25	29	0	0	0	0	0	0	0	4.09	0	0
2022	1	23	3	40	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	23	3	50	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	23	4	0	25	30	0	0	0	0	0	0	0	4.06	0	0
2022	1	23	4	10	25	30	0	0	0	0	0	0	0	4.05	0	0
2022	1	23	4	20	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	23	4	30	25	29	0	0	0	0	0	0	0	4.03	0	0
2022	1	23	4	40	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	23	4	50	25	30	0	0	0	0	0	0	0	4.01	0	0
2022	1	23	5	0	25	29	0	0	0	0	0	0	0	4	0	0
2022	1	23	5	10	25	30	0	0	0	0	0	0	0	3.99	0	0
2022	1	23	5	20	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	23	5	30	25	30	0	0	0	0	0	0	0	3.97	0	0
2022	1	23	5	40	25	30	0	0	0	0	0	0	0	3.96	0	0
2022	1	23	5	50	25	30	0	0	0	0	0	0	0	3.95	0	0
2022	1	23	6	0	25	29	0	0	0	0	0	0	0	3.95	0	0
2022	1	23	6	10	25	30	0	0	0	0	0	0	0	3.94	0	0
2022	1	23	6	20	25	29	0	0	0	0	0	0	0	3.92	0	0
2022	1	23	6	30	25	29	0	0	0	0	0	0	0	3.91	0	0
2022	1	23	6	40	25	30	0	0	0	0	0	0	0	3.89	0	0
2022	1	23	6	50	25	29	0	0	0	0	0	0	0	3.88	0	0
2022	1	23	7	0	25	30	0	0	0	0	0	0	0	3.87	0	0
2022	1	23	7	10	25	29	0	0	0	0	0	0	0	3.86	0	0
2022	1	23	7	20	25	29	0	0	0	0	0	0	0	3.85	0	0
2022	1	23	7	30	25	29	0	0	0	0	0	0	0	3.84	0	0
2022	1	23	7	40	25	30	0	0	0	0	0	0	0	3.83	0	0
2022	1	23	7	50	25	30	0	0	0	0	0	0	0	3.83	0	0



## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	23	8	0	25	29	0	0	0	0	0	0	0	3.85	0	0
2022	1	23	8	10	25	30	0	0	0	0	0	0	0	3.88	0	0
2022	1	23	8	20	25	29	0	0	0	0	0	0	0	3.9	0	0
2022	1	23	8	30	25	29	0	0	0	0	0	0	0	3.93	0	0
2022	1	23	8	40	25	30	0	0	0	0	0	0	0	3.97	0	0
2022	1	23	8	50	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	23	9	0	25	30	0	0	0	0	0	0	0	4.04	0	0
2022	1	23	9	10	25	29	0	0	0	0	0	0	0	4.08	0	0
2022	1	23	9	20	25	29	0	0	0	0	0	0	0	4.12	0	0
2022	1	23	9	30	25	30	0	0	0	0	0	0	0	4.15	0	0
2022	1	23	9	40	25	29	0	0	0	0	0	0	0	4.18	0	0
2022	1	23	9	50	25	30	0	0	0	0	0	0	0	4.23	0	0
2022	1	23	10	0	25	29	0	0	0	0	0	0	0	4.26	0	0
2022	1	23	10	10	25	30	0	0	0	0	0	0	0	4.3	0	0
2022	1	23	10	20	25	30	0	0	0	0	0	0	0	4.34	0	0
2022	1	23	10	30	25	30	0	0	0	0	0	0	0	4.38	0	0
2022	1	23	10	40	25	29	0	0	0	0	0	0	0	4.42	0	0
2022	1	23	10	50	25	30	0	0	0	0	0	0	0	4.44	0	0
2022	1	23	11	0	25	29	0	0	0	0	0	0	0	4.48	0	0
2022	1	23	11	10	25	29	0	0	0	0	0	0	0	4.5	0	0
2022	1	23	11	20	25	30	0	0	0	0	0	0	0	4.55	0	0
2022	1	23	11	30	25	30	0	0	0	0	0	0	0	4.58	0	0
2022	1	23	11	40	25	29	0	0	0	0	0	0	0	4.6	0	0
2022	1	23	11	50	25	30	0	0	0	0	0	0	0	4.63	0	0
2022	1	23	12	0	25	30	0	0	0	0	0	0	0	4.64	0	0
2022	1	23	12	10	25	28	0	0	0	0	0	0	0	4.65	0	0
2022	1	23	12	20	25	29	0	0	0	0	0	0	0	4.67	0	0
2022	1	23	12	30	25	30	0	0	0	0	0	0	0	4.67	0	0
2022	1	23	12	40	25	29	0	0	0	0	0	0	0	4.67	0	0
2022	1	23	12	50	25	29	0	0	0	0	0	0	0	4.68	0	0
2022	1	23	13	0	25	29	0	0	0	0	0	0	0	4.68	0	0
2022	1	23	13	10	25	29	0	0	0	0	0	0	0	4.67	0	0
2022	1	23	13	20	25	30	0	0	0	0	0	0	0	4.67	0	0
2022	1	23	13	30	25	29	0	0	0	0	0	0	0	4.66	0	0
2022	1	23	13	40	25	29	0	0	0	0	0	0	0	4.64	0	0
2022	1	23	13	50	25	29	0	0	0	0	0	0	0	4.62	0	0
2022	1	23	14	0	25	29	0	0	0	0	0	0	0	4.6	0	0
2022	1	23	14	10	25	30	0	0	0	0	0	0	0	4.58	0	0
2022	1	23	14	20	25	29	0	0	0	0	0	0	0	4.57	0	0
2022	1	23	14	30	25	29	0	0	0	0	0	0	0	4.53	0	0
2022	1	23	14	40	25	29	0	0	0	0	0	0	0	4.51	0	0
2022	1	23	14	50	25	30	0	0	0	0	0	0	0	4.49	0	0
2022	1	23	15	0	25	30	0	0	0	0	0	0	0	4.46	0	0
2022	1	23	15	10	25	30	0	0	0	0	0	0	0	4.44	0	0
2022	1	23	15	20	25	30	0	0	0	0	0	0	0	4.38	0	0
2022	1	23	15	30	25	30	0	0	0	0	0	0	0	4.27	0	0
2022	1	23	15	40	25	29	0	0	0	0	0	0	0	4.24	0	0
2022	1	23	15	50	25	30	0	0	0	0	0	0	0	4.22	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	23	16	0	25	30	0	0	0	0	0	0	0	4.23	0	0
2022	1	23	16	10	25	29	0	0	0	0	0	0	0	4.24	0	0
2022	1	23	16	20	25	29	0	0	0	0	0	0	0	4.24	0	0
2022	1	23	16	30	25	29	0	0	0	0	0	0	0	4.25	0	0
2022	1	23	16	40	25	30	0	0	0	0	0	0	0	4.26	0	0
2022	1	23	16	50	25	29	0	0	0	0	0	0	0	4.27	0	0
2022	1	23	17	0	25	29	0	0	0	0	0	0	0	4.28	0	0
2022	1	23	17	10	25	29	0	0	0	0	0	0	0	4.3	0	0
2022	1	23	17	20	25	30	0	0	0	0	0	0	0	4.31	0	0
2022	1	23	17	30	25	29	0	0	0	0	0	0	0	4.32	0	0
2022	1	23	17	40	25	30	0	0	0	0	0	0	0	4.33	0	0
2022	1	23	17	50	25	30	0	0	0	0	0	0	0	4.34	0	0
2022	1	23	18	0	25	29	0	0	0	0	0	0	0	4.36	0	0
2022	1	23	18	10	25	30	0	0	0	0	0	0	0	4.37	0	0
2022	1	23	18	20	25	30	0	0	0	0	0	0	0	4.38	0	0
2022	1	23	18	30	25	29	0	0	0	0	0	0	0	4.39	0	0
2022	1	23	18	40	25	29	0	0	0	0	0	0	0	4.4	0	0
2022	1	23	18	50	25	29	0	0	0	0	0	0	0	4.42	0	0
2022	1	23	19	0	25	30	0	0	0	0	0	0	0	4.43	0	0
2022	1	23	19	10	25	29	0	0	0	0	0	0	0	4.44	0	0
2022	1	23	19	20	25	29	0	0	0	0	0	0	0	4.45	0	0
2022	1	23	19	30	25	30	0	0	0	0	0	0	0	4.46	0	0
2022	1	23	19	40	25	30	0	0	0	0	0	0	0	4.47	0	0
2022	1	23	19	50	25	29	0	0	0	0	0	0	0	4.48	0	0
2022	1	23	20	0	25	29	0	0	0	0	0	0	0	4.49	0	0
2022	1	23	20	10	25	30	0	0	0	0	0	0	0	4.49	0	0
2022	1	23	20	20	25	29	0	0	0	0	0	0	0	4.49	0	0
2022	1	23	20	30	25	29	0	0	0	0	0	0	0	4.49	0	0
2022	1	23	20	40	25	29	0	0	0	0	0	0	0	4.49	0	0
2022	1	23	20	50	25	29	0	0	0	0	0	0	0	4.49	0	0
2022	1	23	21	0	25	30	0	0	0	0	0	0	0	4.48	0	0
2022	1	23	21	10	25	29	0	0	0	0	0	0	0	4.47	0	0
2022	1	23	21	20	25	30	0	0	0	0	0	0	0	4.47	0	0
2022	1	23	21	30	25	30	0	0	0	0	0	0	0	4.46	0	0
2022	1	23	21	40	25	29	0	0	0	0	0	0	0	4.45	0	0
2022	1	23	21	50	25	30	0	0	0	0	0	0	0	4.44	0	0
2022	1	23	22	0	25	29	0	0	0	0	0	0	0	4.43	0	0
2022	1	23	22	10	25	29	0	0	0	0	0	0	0	4.42	0	0
2022	1	23	22	20	25	29	0	0	0	0	0	0	0	4.41	0	0
2022	1	23	22	30	25	29	0	0	0	0	0	0	0	4.4	0	0
2022	1	23	22	40	25	30	0	0	0	0	0	0	0	4.39	0	0
2022	1	23	22	50	25	30	0	0	0	0	0	0	0	4.38	0	0
2022	1	23	23	0	25	29	0	0	0	0	0	0	0	4.37	0	0
2022	1	23	23	10	25	29	0	0	0	0	0	0	0	4.35	0	0
2022	1	23	23	20	25	30	0	0	0	0	0	0	0	4.34	0	0
2022	1	23	23	30	25	29	0	0	0	0	0	0	0	4.33	0	0
2022	1	23	23	40	25	30	0	0	0	0	0	0	0	4.31	0	0
2022	1	23	23	50	25	29	0	0	0	0	0	0	0	4.29	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	24	0	0	25	29	0	0	0	0	0	0	0	4.27	0	0
2022	1	24	0	10	25	29	0	0	0	0	0	0	0	4.27	0	0
2022	1	24	0	20	25	29	0	0	0	0	0	0	0	4.25	0	0
2022	1	24	0	30	25	29	0	0	0	0	0	0	0	4.24	0	0
2022	1	24	0	40	25	30	0	0	0	0	0	0	0	4.23	0	0
2022	1	24	0	50	25	29	0	0	0	0	0	0	0	4.22	0	0
2022	1	24	1	0	25	29	0	0	0	0	0	0	0	4.21	0	0
2022	1	24	1	10	25	29	0	0	0	0	0	0	0	4.19	0	0
2022	1	24	1	20	25	30	0	0	0	0	0	0	0	4.18	0	0
2022	1	24	1	30	25	30	0	0	0	0	0	0	0	4.17	0	0
2022	1	24	1	40	25	30	0	0	0	0	0	0	0	4.15	0	0
2022	1	24	1	50	25	30	0	0	0	0	0	0	0	4.14	0	0
2022	1	24	2	0	25	29	0	0	0	0	0	0	0	4.12	0	0
2022	1	24	2	10	25	30	0	0	0	0	0	0	0	4.11	0	0
2022	1	24	2	20	25	30	0	0	0	0	0	0	0	4.1	0	0
2022	1	24	2	30	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	24	2	40	25	30	0	0	0	0	0	0	0	4.07	0	0
2022	1	24	2	50	25	30	0	0	0	0	0	0	0	4.05	0	0
2022	1	24	3	0	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	24	3	10	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	24	3	20	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	24	3	30	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	24	3	40	25	29	0	0	0	0	0	0	0	3.97	0	0
2022	1	24	3	50	25	29	0	0	0	0	0	0	0	3.95	0	0
2022	1	24	4	0	25	29	0	0	0	0	0	0	0	3.93	0	0
2022	1	24	4	10	25	30	0	0	0	0	0	0	0	3.92	0	0
2022	1	24	4	20	25	29	0	0	0	0	0	0	0	3.9	0	0
2022	1	24	4	30	25	29	0	0	0	0	0	0	0	3.88	0	0
2022	1	24	4	40	25	29	0	0	0	0	0	0	0	3.86	0	0
2022	1	24	4	50	25	29	0	0	0	0	0	0	0	3.84	0	0
2022	1	24	5	0	25	29	0	0	0	0	0	0	0	3.82	0	0
2022	1	24	5	10	25	30	0	0	0	0	0	0	0	3.81	0	0
2022	1	24	5	20	25	29	0	0	0	0	0	0	0	3.78	0	0
2022	1	24	5	30	25	30	0	0	0	0	0	0	0	3.77	0	0
2022	1	24	5	40	25	30	0	0	0	0	0	0	0	3.75	0	0
2022	1	24	5	50	25	30	0	0	0	0	0	0	0	3.73	0	0
2022	1	24	6	0	25	30	0	0	0	0	0	0	0	3.71	0	0
2022	1	24	6	10	25	29	0	0	0	0	0	0	0	3.69	0	0
2022	1	24	6	20	25	30	0	0	0	0	0	0	0	3.66	0	0
2022	1	24	6	30	25	30	0	0	0	0	0	0	0	3.64	0	0
2022	1	24	6	40	25	29	0	0	0	0	0	0	0	3.62	0	0
2022	1	24	6	50	25	29	0	0	0	0	0	0	0	3.6	0	0
2022	1	24	7	0	25	30	0	0	0	0	0	0	0	3.59	0	0
2022	1	24	7	10	25	30	0	0	0	0	0	0	0	3.57	0	0
2022	1	24	7	20	25	30	0	0	0	0	0	0	0	3.55	0	0
2022	1	24	7	30	25	29	0	0	0	0	0	0	0	3.53	0	0
2022	1	24	7	40	25	30	0	0	0	0	0	0	0	3.52	0	0
2022	1	24	7	50	25	30	0	0	0	0	0	0	0	3.51	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	24	8	0	25	29	0	0	0	0	0	0	0	3.52	0	0
2022	1	24	8	10	25	29	0	0	0	0	0	0	0	3.56	0	0
2022	1	24	8	20	25	30	0	0	0	0	0	0	0	3.57	0	0
2022	1	24	8	30	25	29	0	0	0	0	0	0	0	3.59	0	0
2022	1	24	8	40	25	29	0	0	0	0	0	0	0	3.62	0	0
2022	1	24	8	50	25	30	0	0	0	0	0	0	0	3.64	0	0
2022	1	24	9	0	25	30	0	0	0	0	0	0	0	3.68	0	0
2022	1	24	9	10	25	29	0	0	0	0	0	0	0	3.72	0	0
2022	1	24	9	20	25	29	0	0	0	0	0	0	0	3.75	0	0
2022	1	24	9	30	25	29	0	0	0	0	0	0	0	3.77	0	0
2022	1	24	9	40	25	30	0	0	0	0	0	0	0	3.81	0	0
2022	1	24	9	50	25	29	0	0	0	0	0	0	0	3.84	0	0
2022	1	24	10	0	25	30	0	0	0	0	0	0	0	3.88	0	0
2022	1	24	10	10	25	30	0	0	0	0	0	0	0	3.91	0	0
2022	1	24	10	20	25	29	0	0	0	0	0	0	0	3.94	0	0
2022	1	24	10	30	25	30	0	0	0	0	0	0	0	3.97	0	0
2022	1	24	10	40	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	24	10	50	25	29	0	0	0	0	0	0	0	4.03	0	0
2022	1	24	11	0	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	24	11	10	25	29	0	0	0	0	0	0	0	4.08	0	0
2022	1	24	11	20	25	30	0	0	0	0	0	0	0	4.11	0	0
2022	1	24	11	30	25	30	0	0	0	0	0	0	0	4.15	0	0
2022	1	24	11	40	25	30	0	0	0	0	0	0	0	4.17	0	0
2022	1	24	11	50	25	30	0	0	0	0	0	0	0	4.17	0	0
2022	1	24	12	0	25	30	0	0	0	0	0	0	0	4.18	0	0
2022	1	24	12	10	25	29	0	0	0	0	0	0	0	4.2	0	0
2022	1	24	12	20	25	29	0	0	0	0	0	0	0	4.2	0	0
2022	1	24	12	30	25	29	0	0	0	0	0	0	0	4.18	0	0
2022	1	24	12	40	25	30	0	0	0	0	0	0	0	4.19	0	0
2022	1	24	12	50	25	29	0	0	0	0	0	0	0	4.19	0	0
2022	1	24	13	0	25	30	0	0	0	0	0	0	0	4.2	0	0
2022	1	24	13	10	25	30	0	0	0	0	0	0	0	4.17	0	0
2022	1	24	13	20	25	29	0	0	0	0	0	0	0	4.16	0	0
2022	1	24	13	30	25	29	0	0	0	0	0	0	0	4.16	0	0
2022	1	24	13	40	25	29	0	0	0	0	0	0	0	4.12	0	0
2022	1	24	13	50	25	30	0	0	0	0	0	0	0	4.1	0	0
2022	1	24	14	0	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	24	14	10	25	29	0	0	0	0	0	0	0	4.06	0	0
2022	1	24	14	20	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	24	14	30	25	29	0	0	0	0	0	0	0	4	0	0
2022	1	24	14	40	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	24	14	50	25	30	0	0	0	0	0	0	0	3.94	0	0
2022	1	24	15	0	25	29	0	0	0	0	0	0	0	3.92	0	0
2022	1	24	15	10	25	30	0	0	0	0	0	0	0	3.9	0	0
2022	1	24	15	20	25	29	0	0	0	0	0	0	0	3.82	0	0
2022	1	24	15	30	25	30	0	0	0	0	0	0	0	3.71	0	0
2022	1	24	15	40	25	29	0	0	0	0	0	0	0	3.68	0	0
2022	1	24	15	50	25	30	0	0	0	0	0	0	0	3.68	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	24	16	0	25	30	0	0	0	0	0	0	0	3.68	0	0
2022	1	24	16	10	25	30	0	0	0	0	0	0	0	3.69	0	0
2022	1	24	16	20	25	29	0	0	0	0	0	0	0	3.7	0	0
2022	1	24	16	30	25	29	0	0	0	0	0	0	0	3.71	0	0
2022	1	24	16	40	25	29	0	0	0	0	0	0	0	3.72	0	0
2022	1	24	16	50	25	30	0	0	0	0	0	0	0	3.73	0	0
2022	1	24	17	0	25	29	0	0	0	0	0	0	0	3.74	0	0
2022	1	24	17	10	25	30	0	0	0	0	0	0	0	3.75	0	0
2022	1	24	17	20	25	30	0	0	0	0	0	0	0	3.76	0	0
2022	1	24	17	30	25	29	0	0	0	0	0	0	0	3.78	0	0
2022	1	24	17	40	25	29	0	0	0	0	0	0	0	3.8	0	0
2022	1	24	17	50	25	30	0	0	0	0	0	0	0	3.81	0	0
2022	1	24	18	0	25	29	0	0	0	0	0	0	0	3.82	0	0
2022	1	24	18	10	25	30	0	0	0	0	0	0	0	3.84	0	0
2022	1	24	18	20	25	30	0	0	0	0	0	0	0	3.85	0	0
2022	1	24	18	30	25	29	0	0	0	0	0	0	0	3.87	0	0
2022	1	24	18	40	25	29	0	0	0	0	0	0	0	3.88	0	0
2022	1	24	18	50	25	29	0	0	0	0	0	0	0	3.9	0	0
2022	1	24	19	0	25	30	0	0	0	0	0	0	0	3.92	0	0
2022	1	24	19	10	25	29	0	0	0	0	0	0	0	3.93	0	0
2022	1	24	19	20	25	30	0	0	0	0	0	0	0	3.94	0	0
2022	1	24	19	30	25	30	0	0	0	0	0	0	0	3.94	0	0
2022	1	24	19	40	25	29	0	0	0	0	0	0	0	3.95	0	0
2022	1	24	19	50	25	29	0	0	0	0	0	0	0	3.96	0	0
2022	1	24	20	0	25	29	0	0	0	0	0	0	0	3.97	0	0
2022	1	24	20	10	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	24	20	20	25	30	0	0	0	0	0	0	0	3.98	0	0
2022	1	24	20	30	25	30	0	0	0	0	0	0	0	3.99	0	0
2022	1	24	20	40	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	24	20	50	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	24	21	0	25	30	0	0	0	0	0	0	0	3.98	0	0
2022	1	24	21	10	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	24	21	20	25	30	0	0	0	0	0	0	0	3.98	0	0
2022	1	24	21	30	25	30	0	0	0	0	0	0	0	3.96	0	0
2022	1	24	21	40	25	30	0	0	0	0	0	0	0	3.96	0	0
2022	1	24	21	50	25	29	0	0	0	0	0	0	0	3.95	0	0
2022	1	24	22	0	25	29	0	0	0	0	0	0	0	3.94	0	0
2022	1	24	22	10	25	30	0	0	0	0	0	0	0	3.93	0	0
2022	1	24	22	20	25	30	0	0	0	0	0	0	0	3.92	0	0
2022	1	24	22	30	25	30	0	0	0	0	0	0	0	3.9	0	0
2022	1	24	22	40	25	29	0	0	0	0	0	0	0	3.88	0	0
2022	1	24	22	50	25	29	0	0	0	0	0	0	0	3.88	0	0
2022	1	24	23	0	25	30	0	0	0	0	0	0	0	3.86	0	0
2022	1	24	23	10	25	30	0	0	0	0	0	0	0	3.84	0	0
2022	1	24	23	20	25	29	0	0	0	0	0	0	0	3.83	0	0
2022	1	24	23	30	25	30	0	0	0	0	0	0	0	3.81	0	0
2022	1	24	23	40	25	30	0	0	0	0	0	0	0	3.79	0	0
2022	1	24	23	50	25	30	0	0	0	0	0	0	0	3.78	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	25	0	0	25	29	0	0	0	0	0	0	0	3.76	0	0
2022	1	25	0	10	25	29	0	0	0	0	0	0	0	3.74	0	0
2022	1	25	0	20	25	30	0	0	0	0	0	0	0	3.72	0	0
2022	1	25	0	30	25	29	0	0	0	0	0	0	0	3.7	0	0
2022	1	25	0	40	25	29	0	0	0	0	0	0	0	3.69	0	0
2022	1	25	0	50	25	30	0	0	0	0	0	0	0	3.67	0	0
2022	1	25	1	0	25	30	0	0	0	0	0	0	0	3.65	0	0
2022	1	25	1	10	25	30	0	0	0	0	0	0	0	3.64	0	0
2022	1	25	1	20	25	30	0	0	0	0	0	0	0	3.62	0	0
2022	1	25	1	30	25	30	0	0	0	0	0	0	0	3.6	0	0
2022	1	25	1	40	25	29	0	0	0	0	0	0	0	3.59	0	0
2022	1	25	1	50	25	30	0	0	0	0	0	0	0	3.57	0	0
2022	1	25	2	0	25	29	0	0	0	0	0	0	0	3.55	0	0
2022	1	25	2	10	25	30	0	0	0	0	0	0	0	3.53	0	0
2022	1	25	2	20	25	29	0	0	0	0	0	0	0	3.51	0	0
2022	1	25	2	30	25	28	0	0	0	0	0	0	0	3.49	0	0
2022	1	25	2	40	25	29	0	0	0	0	0	0	0	3.47	0	0
2022	1	25	2	50	25	29	0	0	0	0	0	0	0	3.46	0	0
2022	1	25	3	0	25	29	0	0	0	0	0	0	0	3.44	0	0
2022	1	25	3	10	25	29	0	0	0	0	0	0	0	3.42	0	0
2022	1	25	3	20	25	30	0	0	0	0	0	0	0	3.4	0	0
2022	1	25	3	30	25	30	0	0	0	0	0	0	0	3.38	0	0
2022	1	25	3	40	25	30	0	0	0	0	0	0	0	3.37	0	0
2022	1	25	3	50	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	25	4	0	25	30	0	0	0	0	0	0	0	3.33	0	0
2022	1	25	4	10	25	30	0	0	0	0	0	0	0	3.32	0	0
2022	1	25	4	20	25	29	0	0	0	0	0	0	0	3.3	0	0
2022	1	25	4	30	25	30	0	0	0	0	0	0	0	3.28	0	0
2022	1	25	4	40	25	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	25	4	50	25	30	0	0	0	0	0	0	0	3.25	0	0
2022	1	25	5	0	25	29	0	0	0	0	0	0	0	3.23	0	0
2022	1	25	5	10	25	30	0	0	0	0	0	0	0	3.21	0	0
2022	1	25	5	20	25	30	0	0	0	0	0	0	0	3.2	0	0
2022	1	25	5	30	25	30	0	0	0	0	0	0	0	3.18	0	0
2022	1	25	5	40	25	30	0	0	0	0	0	0	0	3.17	0	0
2022	1	25	5	50	25	30	0	0	0	0	0	0	0	3.15	0	0
2022	1	25	6	0	25	29	0	0	0	0	0	0	0	3.13	0	0
2022	1	25	6	10	25	30	0	0	0	0	0	0	0	3.12	0	0
2022	1	25	6	20	25	30	0	0	0	0	0	0	0	3.11	0	0
2022	1	25	6	30	25	29	0	0	0	0	0	0	0	3.11	0	0
2022	1	25	6	40	25	29	0	0	0	0	0	0	0	3.1	0	0
2022	1	25	6	50	25	30	0	0	0	0	0	0	0	3.1	0	0
2022	1	25	7	0	25	29	0	0	0	0	0	0	0	3.09	0	0
2022	1	25	7	10	25	30	0	0	0	0	0	0	0	3.09	0	0
2022	1	25	7	20	25	30	0	0	0	0	0	0	0	3.09	0	0
2022	1	25	7	30	25	30	0	0	0	0	0	0	0	3.09	0	0
2022	1	25	7	40	25	29	0	0	0	0	0	0	0	3.09	0	0
2022	1	25	7	50	25	29	0	0	0	0	0	0	0	3.1	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	25	8	0	25	29	0	0	0	0	0	0	0	3.13	0	0
2022	1	25	8	10	25	29	0	0	0	0	0	0	0	3.18	0	0
2022	1	25	8	20	25	30	0	0	0	0	0	0	0	3.21	0	0
2022	1	25	8	30	25	29	0	0	0	0	0	0	0	3.25	0	0
2022	1	25	8	40	25	30	0	0	0	0	0	0	0	3.28	0	0
2022	1	25	8	50	25	30	0	0	0	0	0	0	0	3.32	0	0
2022	1	25	9	0	25	30	0	0	0	0	0	0	0	3.36	0	0
2022	1	25	9	10	25	29	0	0	0	0	0	0	0	3.39	0	0
2022	1	25	9	20	25	29	0	0	0	0	0	0	0	3.43	0	0
2022	1	25	9	30	25	30	0	0	0	0	0	0	0	3.48	0	0
2022	1	25	9	40	25	30	0	0	0	0	0	0	0	3.52	0	0
2022	1	25	9	50	25	30	0	0	0	0	0	0	0	3.55	0	0
2022	1	25	10	0	25	29	0	0	0	0	0	0	0	3.59	0	0
2022	1	25	10	10	25	29	0	0	0	0	0	0	0	3.64	0	0
2022	1	25	10	20	25	30	0	0	0	0	0	0	0	3.68	0	0
2022	1	25	10	30	25	29	0	0	0	0	0	0	0	3.72	0	0
2022	1	25	10	40	25	30	0	0	0	0	0	0	0	3.75	0	0
2022	1	25	10	50	25	30	0	0	0	0	0	0	0	3.8	0	0
2022	1	25	11	0	25	30	0	0	0	0	0	0	0	3.82	0	0
2022	1	25	11	10	25	29	0	0	0	0	0	0	0	3.85	0	0
2022	1	25	11	20	25	29	0	0	0	0	0	0	0	3.88	0	0
2022	1	25	11	30	25	29	0	0	0	0	0	0	0	3.91	0	0
2022	1	25	11	40	25	29	0	0	0	0	0	0	0	3.94	0	0
2022	1	25	11	50	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	25	12	0	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	25	12	10	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	25	12	20	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	25	12	30	25	29	0	0	0	0	0	0	0	4	0	0
2022	1	25	12	40	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	25	12	50	25	30	0	0	0	0	0	0	0	4.02	0	0
2022	1	25	13	0	25	29	0	0	0	0	0	0	0	4	0	0
2022	1	25	13	10	25	30	0	0	0	0	0	0	0	3.98	0	0
2022	1	25	13	20	25	30	0	0	0	0	0	0	0	3.98	0	0
2022	1	25	13	30	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	25	13	40	25	29	0	0	0	0	0	0	0	3.96	0	0
2022	1	25	13	50	25	30	0	0	0	0	0	0	0	3.94	0	0
2022	1	25	14	0	25	30	0	0	0	0	0	0	0	3.91	0	0
2022	1	25	14	10	25	30	0	0	0	0	0	0	0	3.89	0	0
2022	1	25	14	20	25	29	0	0	0	0	0	0	0	3.88	0	0
2022	1	25	14	30	25	30	0	0	0	0	0	0	0	3.87	0	0
2022	1	25	14	40	25	30	0	0	0	0	0	0	0	3.83	0	0
2022	1	25	14	50	25	29	0	0	0	0	0	0	0	3.81	0	0
2022	1	25	15	0	25	30	0	0	0	0	0	0	0	3.79	0	0
2022	1	25	15	10	25	29	0	0	0	0	0	0	0	3.75	0	0
2022	1	25	15	20	25	29	0	0	0	0	0	0	0	3.68	0	0
2022	1	25	15	30	25	29	0	0	0	0	0	0	0	3.58	0	0
2022	1	25	15	40	25	29	0	0	0	0	0	0	0	3.56	0	0
2022	1	25	15	50	25	30	0	0	0	0	0	0	0	3.57	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	25	16	0	25	30	0	0	0	0	0	0	0	3.57	0	0
2022	1	25	16	10	25	30	0	0	0	0	0	0	0	3.57	0	0
2022	1	25	16	20	25	30	0	0	0	0	0	0	0	3.58	0	0
2022	1	25	16	30	25	30	0	0	0	0	0	0	0	3.59	0	0
2022	1	25	16	40	25	29	0	0	0	0	0	0	0	3.6	0	0
2022	1	25	16	50	25	30	0	0	0	0	0	0	0	3.62	0	0
2022	1	25	17	0	25	30	0	0	0	0	0	0	0	3.63	0	0
2022	1	25	17	10	25	29	0	0	0	0	0	0	0	3.64	0	0
2022	1	25	17	20	25	30	0	0	0	0	0	0	0	3.66	0	0
2022	1	25	17	30	25	30	0	0	0	0	0	0	0	3.67	0	0
2022	1	25	17	40	25	29	0	0	0	0	0	0	0	3.7	0	0
2022	1	25	17	50	25	30	0	0	0	0	0	0	0	3.72	0	0
2022	1	25	18	0	25	29	0	0	0	0	0	0	0	3.75	0	0
2022	1	25	18	10	25	30	0	0	0	0	0	0	0	3.77	0	0
2022	1	25	18	20	25	30	0	0	0	0	0	0	0	3.79	0	0
2022	1	25	18	30	25	30	0	0	0	0	0	0	0	3.81	0	0
2022	1	25	18	40	25	30	0	0	0	0	0	0	0	3.84	0	0
2022	1	25	18	50	25	29	0	0	0	0	0	0	0	3.86	0	0
2022	1	25	19	0	25	29	0	0	0	0	0	0	0	3.88	0	0
2022	1	25	19	10	25	30	0	0	0	0	0	0	0	3.9	0	0
2022	1	25	19	20	25	29	0	0	0	0	0	0	0	3.92	0	0
2022	1	25	19	30	25	30	0	0	0	0	0	0	0	3.95	0	0
2022	1	25	19	40	25	29	0	0	0	0	0	0	0	3.96	0	0
2022	1	25	19	50	25	29	0	0	0	0	0	0	0	3.98	0	0
2022	1	25	20	0	25	29	0	0	0	0	0	0	0	3.99	0	0
2022	1	25	20	10	25	30	0	0	0	0	0	0	0	4.01	0	0
2022	1	25	20	20	25	29	0	0	0	0	0	0	0	4.03	0	0
2022	1	25	20	30	25	30	0	0	0	0	0	0	0	4.04	0	0
2022	1	25	20	40	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	25	20	50	25	30	0	0	0	0	0	0	0	4.06	0	0
2022	1	25	21	0	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	25	21	10	25	29	0	0	0	0	0	0	0	4.08	0	0
2022	1	25	21	20	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	25	21	30	25	29	0	0	0	0	0	0	0	4.09	0	0
2022	1	25	21	40	25	29	0	0	0	0	0	0	0	4.09	0	0
2022	1	25	21	50	25	29	0	0	0	0	0	0	0	4.09	0	0
2022	1	25	22	0	25	29	0	0	0	0	0	0	0	4.09	0	0
2022	1	25	22	10	25	29	0	0	0	0	0	0	0	4.09	0	0
2022	1	25	22	20	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	25	22	30	25	30	0	0	0	0	0	0	0	4.08	0	0
2022	1	25	22	40	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	25	22	50	25	29	0	0	0	0	0	0	0	4.07	0	0
2022	1	25	23	0	25	29	0	0	0	0	0	0	0	4.06	0	0
2022	1	25	23	10	25	30	0	0	0	0	0	0	0	4.05	0	0
2022	1	25	23	20	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	25	23	30	25	29	0	0	0	0	0	0	0	4.04	0	0
2022	1	25	23	40	25	29	0	0	0	0	0	0	0	4.02	0	0
2022	1	25	23	50	25	29	0	0	0	0	0	0	0	4.02	0	0



## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	26	0	0	25	30	0	0	0	0	0	0	0	4	0	0
2022	1	26	0	10	25	30	0	0	0	0	0	0	0	3.99	0	0
2022	1	26	0	20	25	30	0	0	0	0	0	0	0	3.98	0	0
2022	1	26	0	30	25	30	0	0	0	0	0	0	0	3.97	0	0
2022	1	26	0	40	25	29	0	0	0	0	0	0	0	3.96	0	0
2022	1	26	0	50	25	29	0	0	0	0	0	0	0	3.94	0	0
2022	1	26	1	0	25	30	0	0	0	0	0	0	0	3.94	0	0
2022	1	26	1	10	25	29	0	0	0	0	0	0	0	3.93	0	0
2022	1	26	1	20	25	29	0	0	0	0	0	0	0	3.91	0	0
2022	1	26	1	30	25	30	0	0	0	0	0	0	0	3.9	0	0
2022	1	26	1	40	25	29	0	0	0	0	0	0	0	3.89	0	0
2022	1	26	1	50	25	29	0	0	0	0	0	0	0	3.88	0	0
2022	1	26	2	0	25	29	0	0	0	0	0	0	0	3.86	0	0
2022	1	26	2	10	25	30	0	0	0	0	0	0	0	3.85	0	0
2022	1	26	2	20	25	30	0	0	0	0	0	0	0	3.83	0	0
2022	1	26	2	30	25	29	0	0	0	0	0	0	0	3.82	0	0
2022	1	26	2	40	25	29	0	0	0	0	0	0	0	3.79	0	0
2022	1	26	2	50	25	29	0	0	0	0	0	0	0	3.78	0	0
2022	1	26	3	0	25	30	0	0	0	0	0	0	0	3.75	0	0
2022	1	26	3	10	25	29	0	0	0	0	0	0	0	3.74	0	0
2022	1	26	3	20	25	29	0	0	0	0	0	0	0	3.72	0	0
2022	1	26	3	30	25	30	0	0	0	0	0	0	0	3.7	0	0
2022	1	26	3	40	25	29	0	0	0	0	0	0	0	3.68	0	0
2022	1	26	3	50	25	30	0	0	0	0	0	0	0	3.66	0	0
2022	1	26	4	0	25	29	0	0	0	0	0	0	0	3.64	0	0
2022	1	26	4	10	25	30	0	0	0	0	0	0	0	3.62	0	0
2022	1	26	4	20	25	30	0	0	0	0	0	0	0	3.6	0	0
2022	1	26	4	30	25	30	0	0	0	0	0	0	0	3.57	0	0
2022	1	26	4	40	25	30	0	0	0	0	0	0	0	3.55	0	0
2022	1	26	4	50	25	30	0	0	0	0	0	0	0	3.54	0	0
2022	1	26	5	0	25	30	0	0	0	0	0	0	0	3.52	0	0
2022	1	26	5	10	25	29	0	0	0	0	0	0	0	3.49	0	0
2022	1	26	5	20	25	30	0	0	0	0	0	0	0	3.47	0	0
2022	1	26	5	30	25	30	0	0	0	0	0	0	0	3.45	0	0
2022	1	26	5	40	25	30	0	0	0	0	0	0	0	3.43	0	0
2022	1	26	5	50	25	30	0	0	0	0	0	0	0	3.4	0	0
2022	1	26	6	0	25	30	0	0	0	0	0	0	0	3.38	0	0
2022	1	26	6	10	25	29	0	0	0	0	0	0	0	3.36	0	0
2022	1	26	6	20	25	29	0	0	0	0	0	0	0	3.33	0	0
2022	1	26	6	30	25	29	0	0	0	0	0	0	0	3.31	0	0
2022	1	26	6	40	25	29	0	0	0	0	0	0	0	3.29	0	0
2022	1	26	6	50	25	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	26	7	0	25	30	0	0	0	0	0	0	0	3.25	0	0
2022	1	26	7	10	25	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	26	7	20	25	29	0	0	0	0	0	0	0	3.2	0	0
2022	1	26	7	30	25	29	0	0	0	0	0	0	0	3.19	0	0
2022	1	26	7	40	25	30	0	0	0	0	0	0	0	3.16	0	0
2022	1	26	7	50	25	30	0	0	0	0	0	0	0	3.15	0	0

### Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	26	8	0	25	30	0	0	0	0	0	0	0	3.16	0	0
2022	1	26	8	10	25	30	0	0	0	0	0	0	0	3.17	0	0
2022	1	26	8	20	25	29	0	0	0	0	0	0	0	3.18	0	0
2022	1	26	8	30	25	29	0	0	0	0	0	0	0	3.19	0	0
2022	1	26	8	40	25	29	0	0	0	0	0	0	0	3.21	0	0
2022	1	26	8	50	25	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	26	9	0	25	30	0	0	0	0	0	0	0	3.25	0	0
2022	1	26	9	10	25	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	26	9	20	25	29	0	0	0	0	0	0	0	3.29	0	0
2022	1	26	9	30	25	30	0	0	0	0	0	0	0	3.32	0	0
2022	1	26	9	40	25	29	0	0	0	0	0	0	0	3.35	0	0
2022	1	26	9	50	25	30	0	0	0	0	0	0	0	3.24	0	0
2022	1	26	10	0	25	29	0	0	0	0	0	0	0	3.3	0	0
2022	1	26	10	10	25	30	0	0	0	0	0	0	0	3.33	0	0
2022	1	26	10	20	25	29	0	0	0	0	0	0	0	3.33	0	0
2022	1	26	10	30	25	29	0	0	0	0	0	0	0	3.34	0	0
2022	1	26	10	40	25	30	0	0	0	0	0	0	0	3.37	0	0
2022	1	26	10	50	25	30	0	0	0	0	0	0	0	3.39	0	0
2022	1	26	11	0	25	30	0	0	0	0	0	0	0	3.42	0	0
2022	1	26	11	10	25	29	0	0	0	0	0	0	0	3.43	0	0
2022	1	26	11	20	25	29	0	0	0	0	0	0	0	3.45	0	0
2022	1	26	11	30	25	29	0	0	0	0	0	0	0	3.46	0	0
2022	1	26	11	40	25	30	0	0	0	0	0	0	0	3.46	0	0
2022	1	26	11	50	25	29	0	0	0	0	0	0	0	3.5	0	0
2022	1	26	12	0	25	29	0	0	0	0	0	0	0	3.5	0	0
2022	1	26	12	10	25	30	0	0	0	0	0	0	0	3.51	0	0
2022	1	26	12	20	25	30	0	0	0	0	0	0	0	3.53	0	0
2022	1	26	12	30	25	30	0	0	0	0	0	0	0	3.53	0	0
2022	1	26	12	40	25	30	0	0	0	0	0	0	0	3.52	0	0
2022	1	26	12	50	25	29	0	0	0	0	0	0	0	3.54	0	0
2022	1	26	13	0	25	30	0	0	0	0	0	0	0	3.53	0	0
2022	1	26	13	10	25	29	0	0	0	0	0	0	0	3.51	0	0
2022	1	26	13	20	25	30	0	0	0	0	0	0	0	3.52	0	0
2022	1	26	13	30	25	30	0	0	0	0	0	0	0	3.51	0	0
2022	1	26	13	40	25	29	0	0	0	0	0	0	0	3.52	0	0
2022	1	26	13	50	25	30	0	0	0	0	0	0	0	3.51	0	0
2022	1	26	14	0	25	30	0	0	0	0	0	0	0	3.5	0	0
2022	1	26	14	10	25	30	0	0	0	0	0	0	0	3.48	0	0
2022	1	26	14	20	25	29	0	0	0	0	0	0	0	3.47	0	0
2022	1	26	14	30	25	29	0	0	0	0	0	0	0	3.45	0	0
2022	1	26	14	40	25	29	0	0	0	0	0	0	0	3.44	0	0
2022	1	26	14	50	25	29	0	0	0	0	0	0	0	3.43	0	0
2022	1	26	15	0	25	29	0	0	0	0	0	0	0	3.4	0	0
2022	1	26	15	10	25	29	0	0	0	0	0	0	0	3.39	0	0
2022	1	26	15	20	25	29	0	0	0	0	0	0	0	3.33	0	0
2022	1	26	15	30	25	29	0	0	0	0	0	0	0	3.3	0	0
2022	1	26	15	40	25	29	0	0	0	0	0	0	0	3.3	0	0
2022	1	26	15	50	25	30	0	0	0	0	0	0	0	3.29	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	26	16	0	25	29	0	0	0	0	0	0	0	3.29	0	0
2022	1	26	16	10	25	30	0	0	0	0	0	0	0	3.3	0	0
2022	1	26	16	20	25	30	0	0	0	0	0	0	0	3.31	0	0
2022	1	26	16	30	25	30	0	0	0	0	0	0	0	3.31	0	0
2022	1	26	16	40	25	29	0	0	0	0	0	0	0	3.32	0	0
2022	1	26	16	50	25	29	0	0	0	0	0	0	0	3.33	0	0
2022	1	26	17	0	25	30	0	0	0	0	0	0	0	3.33	0	0
2022	1	26	17	10	25	29	0	0	0	0	0	0	0	3.33	0	0
2022	1	26	17	20	25	30	0	0	0	0	0	0	0	3.34	0	0
2022	1	26	17	30	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	26	17	40	25	29	0	0	0	0	0	0	0	3.36	0	0
2022	1	26	17	50	25	29	0	0	0	0	0	0	0	3.37	0	0
2022	1	26	18	0	25	29	0	0	0	0	0	0	0	3.38	0	0
2022	1	26	18	10	25	29	0	0	0	0	0	0	0	3.39	0	0
2022	1	26	18	20	25	29	0	0	0	0	0	0	0	3.4	0	0
2022	1	26	18	30	25	29	0	0	0	0	0	0	0	3.41	0	0
2022	1	26	18	40	25	30	0	0	0	0	0	0	0	3.43	0	0
2022	1	26	18	50	25	30	0	0	0	0	0	0	0	3.43	0	0
2022	1	26	19	0	25	29	0	0	0	0	0	0	0	3.44	0	0
2022	1	26	19	10	25	30	0	0	0	0	0	0	0	3.44	0	0
2022	1	26	19	20	25	29	0	0	0	0	0	0	0	3.45	0	0
2022	1	26	19	30	25	29	0	0	0	0	0	0	0	3.46	0	0
2022	1	26	19	40	25	29	0	0	0	0	0	0	0	3.45	0	0
2022	1	26	19	50	25	30	0	0	0	0	0	0	0	3.46	0	0
2022	1	26	20	0	25	29	0	0	0	0	0	0	0	3.46	0	0
2022	1	26	20	10	25	29	0	0	0	0	0	0	0	3.46	0	0
2022	1	26	20	20	25	29	0	0	0	0	0	0	0	3.46	0	0
2022	1	26	20	30	25	30	0	0	0	0	0	0	0	3.45	0	0
2022	1	26	20	40	25	30	0	0	0	0	0	0	0	3.45	0	0
2022	1	26	20	50	25	30	0	0	0	0	0	0	0	3.44	0	0
2022	1	26	21	0	25	29	0	0	0	0	0	0	0	3.43	0	0
2022	1	26	21	10	25	30	0	0	0	0	0	0	0	3.42	0	0
2022	1	26	21	20	25	30	0	0	0	0	0	0	0	3.4	0	0
2022	1	26	21	30	25	29	0	0	0	0	0	0	0	3.4	0	0
2022	1	26	21	40	25	29	0	0	0	0	0	0	0	3.39	0	0
2022	1	26	21	50	25	29	0	0	0	0	0	0	0	3.38	0	0
2022	1	26	22	0	25	30	0	0	0	0	0	0	0	3.36	0	0
2022	1	26	22	10	25	30	0	0	0	0	0	0	0	3.35	0	0
2022	1	26	22	20	25	29	0	0	0	0	0	0	0	3.33	0	0
2022	1	26	22	30	25	29	0	0	0	0	0	0	0	3.31	0	0
2022	1	26	22	40	25	30	0	0	0	0	0	0	0	3.29	0	0
2022	1	26	22	50	25	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	26	23	0	25	30	0	0	0	0	0	0	0	3.25	0	0
2022	1	26	23	10	25	29	0	0	0	0	0	0	0	3.23	0	0
2022	1	26	23	20	25	29	0	0	0	0	0	0	0	3.21	0	0
2022	1	26	23	30	25	29	0	0	0	0	0	0	0	3.18	0	0
2022	1	26	23	40	25	30	0	0	0	0	0	0	0	3.16	0	0
2022	1	26	23	50	25	29	0	0	0	0	0	0	0	3.15	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	27	0	0	25	30	0	0	0	0	0	0	0	3.12	0	0
2022	1	27	0	10	25	30	0	0	0	0	0	0	0	3.1	0	0
2022	1	27	0	20	25	30	0	0	0	0	0	0	0	3.08	0	0
2022	1	27	0	30	25	30	0	0	0	0	0	0	0	3.06	0	0
2022	1	27	0	40	25	30	0	0	0	0	0	0	0	3.04	0	0
2022	1	27	0	50	25	30	0	0	0	0	0	0	0	3.02	0	0
2022	1	27	1	0	25	30	0	0	0	0	0	0	0	3	0	0
2022	1	27	1	10	25	30	0	0	0	0	0	0	0	2.98	0	0
2022	1	27	1	20	25	29	0	0	0	0	0	0	0	2.95	0	0
2022	1	27	1	30	25	29	0	0	0	0	0	0	0	2.94	0	0
2022	1	27	1	40	25	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	27	1	50	25	30	0	0	0	0	0	0	0	2.9	0	0
2022	1	27	2	0	25	29	0	0	0	0	0	0	0	2.88	0	0
2022	1	27	2	10	25	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	27	2	20	25	29	0	0	0	0	0	0	0	2.84	0	0
2022	1	27	2	30	25	29	0	0	0	0	0	0	0	2.83	0	0
2022	1	27	2	40	25	29	0	0	0	0	0	0	0	2.81	0	0
2022	1	27	2	50	25	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	27	3	0	25	29	0	0	0	0	0	0	0	2.77	0	0
2022	1	27	3	10	25	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	27	3	20	25	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	27	3	30	25	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	27	3	40	25	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	27	3	50	25	29	0	0	0	0	0	0	0	2.68	0	0
2022	1	27	4	0	25	30	0	0	0	0	0	0	0	2.65	0	0
2022	1	27	4	10	25	30	0	0	0	0	0	0	0	2.64	0	0
2022	1	27	4	20	25	30	0	0	0	0	0	0	0	2.61	0	0
2022	1	27	4	30	25	30	0	0	0	0	0	0	0	2.59	0	0
2022	1	27	4	40	25	30	0	0	0	0	0	0	0	2.58	0	0
2022	1	27	4	50	25	30	0	0	0	0	0	0	0	2.56	0	0
2022	1	27	5	0	25	29	0	0	0	0	0	0	0	2.54	0	0
2022	1	27	5	10	25	30	0	0	0	0	0	0	0	2.53	0	0
2022	1	27	5	20	25	29	0	0	0	0	0	0	0	2.51	0	0
2022	1	27	5	30	25	30	0	0	0	0	0	0	0	2.49	0	0
2022	1	27	5	40	25	30	0	0	0	0	0	0	0	2.47	0	0
2022	1	27	5	50	25	29	0	0	0	0	0	0	0	2.46	0	0
2022	1	27	6	0	25	29	0	0	0	0	0	0	0	2.44	0	0
2022	1	27	6	10	25	29	0	0	0	0	0	0	0	2.42	0	0
2022	1	27	6	20	25	29	0	0	0	0	0	0	0	2.4	0	0
2022	1	27	6	30	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	27	6	40	25	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	27	6	50	25	30	0	0	0	0	0	0	0	2.35	0	0
2022	1	27	7	0	25	29	0	0	0	0	0	0	0	2.34	0	0
2022	1	27	7	10	25	30	0	0	0	0	0	0	0	2.33	0	0
2022	1	27	7	20	25	29	0	0	0	0	0	0	0	2.32	0	0
2022	1	27	7	30	25	29	0	0	0	0	0	0	0	2.31	0	0
2022	1	27	7	40	25	30	0	0	0	0	0	0	0	2.3	0	0
2022	1	27	7	50	25	30	0	0	0	0	0	0	0	2.29	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	27	8	0	25	30	0	0	0	0	0	0	0	2.31	0	0
2022	1	27	8	10	25	30	0	0	0	0	0	0	0	2.33	0	0
2022	1	27	8	20	25	29	0	0	0	0	0	0	0	2.34	0	0
2022	1	27	8	30	25	30	0	0	0	0	0	0	0	2.36	0	0
2022	1	27	8	40	25	29	0	0	0	0	0	0	0	2.37	0	0
2022	1	27	8	50	25	30	0	0	0	0	0	0	0	2.39	0	0
2022	1	27	9	0	25	30	0	0	0	0	0	0	0	2.41	0	0
2022	1	27	9	10	25	30	0	0	0	0	0	0	0	2.44	0	0
2022	1	27	9	20	25	30	0	0	0	0	0	0	0	2.46	0	0
2022	1	27	9	30	25	29	0	0	0	0	0	0	0	2.47	0	0
2022	1	27	9	40	25	29	0	0	0	0	0	0	0	2.5	0	0
2022	1	27	9	50	25	30	0	0	0	0	0	0	0	2.53	0	0
2022	1	27	10	0	25	29	0	0	0	0	0	0	0	2.54	0	0
2022	1	27	10	10	25	30	0	0	0	0	0	0	0	2.56	0	0
2022	1	27	10	20	25	29	0	0	0	0	0	0	0	2.59	0	0
2022	1	27	10	30	25	30	0	0	0	0	0	0	0	2.61	0	0
2022	1	27	10	40	25	29	0	0	0	0	0	0	0	2.64	0	0
2022	1	27	10	50	25	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	27	11	0	25	30	0	0	0	0	0	0	0	2.69	0	0
2022	1	27	11	10	25	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	27	11	20	25	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	27	11	30	25	29	0	0	0	0	0	0	0	2.72	0	0
2022	1	27	11	40	25	29	0	0	0	0	0	0	0	2.71	0	0
2022	1	27	11	50	25	30	0	0	0	0	0	0	0	2.76	0	0
2022	1	27	12	0	25	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	27	12	10	25	29	0	0	0	0	0	0	0	2.76	0	0
2022	1	27	12	20	25	30	0	0	0	0	0	0	0	2.76	0	0
2022	1	27	12	30	25	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	27	12	40	25	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	27	13	2	17	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	27	13	12	17	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	27	13	22	17	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	27	13	32	17	29	0	0	0	0	0	0	0	2.77	0	0
2022	1	27	13	42	17	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	27	13	52	17	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	27	14	2	17	29	0	0	0	0	0	0	0	2.75	0	0
2022	1	27	14	12	17	29	0	0	0	0	0	0	0	2.76	0	0
2022	1	27	14	22	17	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	27	14	32	17	29	0	0	0	0	0	0	0	2.75	0	0
2022	1	27	14	42	17	30	0	0	0	0	0	0	0	2.73	0	0
2022	1	27	14	52	17	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	27	15	2	17	29	0	0	0	0	0	0	0	2.72	0	0
2022	1	27	15	12	17	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	27	15	22	17	29	0	0	0	0	0	0	0	2.65	0	0
2022	1	27	15	32	17	29	0	0	0	0	0	0	0	2.63	0	0
2022	1	27	15	42	17	29	0	0	0	0	0	0	0	2.63	0	0
2022	1	27	15	52	17	29	0	0	0	0	0	0	0	2.65	0	0
2022	1	27	16	2	17	30	0	0	0	0	0	0	0	2.67	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	27	16	12	17	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	27	16	22	17	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	27	16	32	17	29	0	0	0	0	0	0	0	2.72	0	0
2022	1	27	16	42	17	29	0	0	0	0	0	0	0	2.74	0	0
2022	1	27	16	52	17	29	0	0	0	0	0	0	0	2.77	0	0
2022	1	27	17	2	17	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	27	17	12	17	29	0	0	0	0	0	0	0	2.81	0	0
2022	1	27	17	22	17	30	0	0	0	0	0	0	0	2.84	0	0
2022	1	27	17	32	17	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	27	17	42	17	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	27	17	52	17	30	0	0	0	0	0	0	0	2.91	0	0
2022	1	27	18	2	17	29	0	0	0	0	0	0	0	2.93	0	0
2022	1	27	18	12	17	30	0	0	0	0	0	0	0	2.97	0	0
2022	1	27	18	22	17	30	0	0	0	0	0	0	0	3	0	0
2022	1	27	18	32	17	29	0	0	0	0	0	0	0	3.03	0	0
2022	1	27	18	42	17	30	0	0	0	0	0	0	0	3.06	0	0
2022	1	27	18	52	17	28	0	0	0	0	0	0	0	3.08	0	0
2022	1	27	19	2	17	30	0	0	0	0	0	0	0	3.11	0	0
2022	1	27	19	12	17	30	0	0	0	0	0	0	0	3.14	0	0
2022	1	27	19	22	17	29	0	0	0	0	0	0	0	3.16	0	0
2022	1	27	19	32	17	30	0	0	0	0	0	0	0	3.18	0	0
2022	1	27	19	42	17	30	0	0	0	0	0	0	0	3.2	0	0
2022	1	27	19	52	17	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	27	20	2	17	30	0	0	0	0	0	0	0	3.23	0	0
2022	1	27	20	12	17	29	0	0	0	0	0	0	0	3.24	0	0
2022	1	27	20	22	17	29	0	0	0	0	0	0	0	3.25	0	0
2022	1	27	20	32	17	29	0	0	0	0	0	0	0	3.27	0	0
2022	1	27	20	42	17	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	27	20	52	17	29	0	0	0	0	0	0	0	3.28	0	0
2022	1	27	21	2	17	29	0	0	0	0	0	0	0	3.29	0	0
2022	1	27	21	12	17	29	0	0	0	0	0	0	0	3.29	0	0
2022	1	27	21	22	17	30	0	0	0	0	0	0	0	3.29	0	0
2022	1	27	21	32	17	29	0	0	0	0	0	0	0	3.3	0	0
2022	1	27	21	42	17	29	0	0	0	0	0	0	0	3.31	0	0
2022	1	27	21	52	17	29	0	0	0	0	0	0	0	3.31	0	0
2022	1	27	22	2	17	29	0	0	0	0	0	0	0	3.31	0	0
2022	1	27	22	12	17	30	0	0	0	0	0	0	0	3.3	0	0
2022	1	27	22	22	17	30	0	0	0	0	0	0	0	3.29	0	0
2022	1	27	22	32	17	29	0	0	0	0	0	0	0	3.28	0	0
2022	1	27	22	42	17	29	0	0	0	0	0	0	0	3.27	0	0
2022	1	27	22	52	17	30	0	0	0	0	0	0	0	3.27	0	0
2022	1	27	23	2	17	29	0	0	0	0	0	0	0	3.25	0	0
2022	1	27	23	12	17	29	0	0	0	0	0	0	0	3.24	0	0
2022	1	27	23	22	17	29	0	0	0	0	0	0	0	3.23	0	0
2022	1	27	23	32	17	30	0	0	0	0	0	0	0	3.22	0	0
2022	1	27	23	42	17	30	0	0	0	0	0	0	0	3.21	0	0
2022	1	27	23	52	17	29	0	0	0	0	0	0	0	3.2	0	0
2022	1	28	0	2	17	30	0	0	0	0	0	0	0	3.2	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	28	0	12	17	29	0	0	0	0	0	0	0	3.18	0	0
2022	1	28	0	22	17	29	0	0	0	0	0	0	0	3.17	0	0
2022	1	28	0	32	17	30	0	0	0	0	0	0	0	3.16	0	0
2022	1	28	0	42	17	29	0	0	0	0	0	0	0	3.15	0	0
2022	1	28	0	52	17	29	0	0	0	0	0	0	0	3.14	0	0
2022	1	28	1	2	17	30	0	0	0	0	0	0	0	3.12	0	0
2022	1	28	1	12	17	29	0	0	0	0	0	0	0	3.11	0	0
2022	1	28	1	22	17	29	0	0	0	0	0	0	0	3.1	0	0
2022	1	28	1	32	17	29	0	0	0	0	0	0	0	3.09	0	0
2022	1	28	1	42	17	30	0	0	0	0	0	0	0	3.08	0	0
2022	1	28	1	52	17	30	0	0	0	0	0	0	0	3.07	0	0
2022	1	28	2	2	17	30	0	0	0	0	0	0	0	3.06	0	0
2022	1	28	2	12	17	29	0	0	0	0	0	0	0	3.05	0	0
2022	1	28	2	22	17	29	0	0	0	0	0	0	0	3.04	0	0
2022	1	28	2	32	17	29	0	0	0	0	0	0	0	3.03	0	0
2022	1	28	2	42	17	30	0	0	0	0	0	0	0	3.02	0	0
2022	1	28	2	52	17	29	0	0	0	0	0	0	0	3.01	0	0
2022	1	28	3	2	17	29	0	0	0	0	0	0	0	3	0	0
2022	1	28	3	12	17	29	0	0	0	0	0	0	0	2.98	0	0
2022	1	28	3	22	17	30	0	0	0	0	0	0	0	2.96	0	0
2022	1	28	3	32	17	30	0	0	0	0	0	0	0	2.95	0	0
2022	1	28	3	42	17	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	28	3	52	17	29	0	0	0	0	0	0	0	2.92	0	0
2022	1	28	4	2	17	30	0	0	0	0	0	0	0	2.9	0	0
2022	1	28	4	12	17	29	0	0	0	0	0	0	0	2.89	0	0
2022	1	28	4	22	17	29	0	0	0	0	0	0	0	2.87	0	0
2022	1	28	4	32	17	29	0	0	0	0	0	0	0	2.85	0	0
2022	1	28	4	42	17	29	0	0	0	0	0	0	0	2.84	0	0
2022	1	28	4	52	17	29	0	0	0	0	0	0	0	2.82	0	0
2022	1	28	5	2	17	30	0	0	0	0	0	0	0	2.81	0	0
2022	1	28	5	12	17	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	28	5	22	17	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	28	5	32	17	29	0	0	0	0	0	0	0	2.75	0	0
2022	1	28	5	42	17	29	0	0	0	0	0	0	0	2.74	0	0
2022	1	28	5	52	17	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	28	6	2	17	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	28	6	12	17	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	28	6	22	17	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	28	6	32	17	29	0	0	0	0	0	0	0	2.64	0	0
2022	1	28	6	42	17	29	0	0	0	0	0	0	0	2.62	0	0
2022	1	28	6	52	17	29	0	0	0	0	0	0	0	2.6	0	0
2022	1	28	7	2	17	30	0	0	0	0	0	0	0	2.58	0	0
2022	1	28	7	12	17	30	0	0	0	0	0	0	0	2.56	0	0
2022	1	28	7	22	17	30	0	0	0	0	0	0	0	2.54	0	0
2022	1	28	7	32	17	30	0	0	0	0	0	0	0	2.52	0	0
2022	1	28	7	42	17	29	0	0	0	0	0	0	0	2.51	0	0
2022	1	28	7	52	17	29	0	0	0	0	0	0	0	2.49	0	0
2022	1	28	8	2	17	29	0	0	0	0	0	0	0	2.5	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	28	8	12	17	30	0	0	0	0	0	0	0	2.5	0	0
2022	1	28	8	22	17	30	0	0	0	0	0	0	0	2.52	0	0
2022	1	28	8	32	17	29	0	0	0	0	0	0	0	2.53	0	0
2022	1	28	8	42	17	30	0	0	0	0	0	0	0	2.53	0	0
2022	1	28	8	52	17	30	0	0	0	0	0	0	0	2.56	0	0
2022	1	28	9	2	17	29	0	0	0	0	0	0	0	2.58	0	0
2022	1	28	9	12	17	29	0	0	0	0	0	0	0	2.59	0	0
2022	1	28	9	22	17	30	0	0	0	0	0	0	0	2.6	0	0
2022	1	28	9	32	17	30	0	0	0	0	0	0	0	2.62	0	0
2022	1	28	9	42	17	30	0	0	0	0	0	0	0	2.63	0	0
2022	1	28	9	52	17	29	0	0	0	0	0	0	0	2.64	0	0
2022	1	28	10	2	17	30	0	0	0	0	0	0	0	2.65	0	0
2022	1	28	10	12	17	29	0	0	0	0	0	0	0	2.67	0	0
2022	1	28	10	22	17	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	28	10	32	17	29	0	0	0	0	0	0	0	2.75	0	0
2022	1	28	10	42	17	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	28	10	52	17	30	0	0	0	0	0	0	0	2.77	0	0
2022	1	28	11	2	17	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	28	11	12	17	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	28	11	22	17	29	0	0	0	0	0	0	0	2.81	0	0
2022	1	28	11	32	17	30	0	0	0	0	0	0	0	2.8	0	0
2022	1	28	11	42	17	29	0	0	0	0	0	0	0	2.82	0	0
2022	1	28	11	52	17	30	0	0	0	0	0	0	0	2.87	0	0
2022	1	28	12	2	17	30	0	0	0	0	0	0	0	2.87	0	0
2022	1	28	12	12	17	29	0	0	0	0	0	0	0	2.89	0	0
2022	1	28	12	22	17	29	0	0	0	0	0	0	0	2.89	0	0
2022	1	28	12	32	17	29	0	0	0	0	0	0	0	2.9	0	0
2022	1	28	12	42	17	30	0	0	0	0	0	0	0	2.86	0	0
2022	1	28	12	52	17	29	0	0	0	0	0	0	0	2.85	0	0
2022	1	28	13	2	17	29	0	0	0	0	0	0	0	2.88	0	0
2022	1	28	13	12	17	29	0	0	0	0	0	0	0	2.89	0	0
2022	1	28	13	22	17	29	0	0	0	0	0	0	0	2.75	0	0
2022	1	28	13	32	17	29	0	0	0	0	0	0	0	2.82	0	0
2022	1	28	13	42	17	30	0	0	0	0	0	0	0	2.84	0	0
2022	1	28	13	52	17	30	0	0	0	0	0	0	0	2.81	0	0
2022	1	28	14	2	17	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	28	14	12	17	30	0	0	0	0	0	0	0	2.8	0	0
2022	1	28	14	22	17	29	0	0	0	0	0	0	0	2.81	0	0
2022	1	28	14	32	17	29	0	0	0	0	0	0	0	2.78	0	0
2022	1	28	14	42	17	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	28	14	52	17	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	28	15	2	17	29	0	0	0	0	0	0	0	2.78	0	0
2022	1	28	15	12	17	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	28	15	22	17	30	0	0	0	0	0	0	0	2.7	0	0
2022	1	28	15	32	17	29	0	0	0	0	0	0	0	2.67	0	0
2022	1	28	15	42	17	29	0	0	0	0	0	0	0	2.66	0	0
2022	1	28	15	52	17	30	0	0	0	0	0	0	0	2.67	0	0
2022	1	28	16	2	17	29	0	0	0	0	0	0	0	2.68	0	0



## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	28	16	12	17	30	0	0	0	0	0	0	0	2.68	0	0
2022	1	28	16	22	17	30	0	0	0	0	0	0	0	2.69	0	0
2022	1	28	16	32	17	29	0	0	0	0	0	0	0	2.7	0	0
2022	1	28	16	42	17	29	0	0	0	0	0	0	0	2.71	0	0
2022	1	28	16	52	17	30	0	0	0	0	0	0	0	2.72	0	0
2022	1	28	17	2	17	30	0	0	0	0	0	0	0	2.73	0	0
2022	1	28	17	12	17	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	28	17	22	17	30	0	0	0	0	0	0	0	2.75	0	0
2022	1	28	17	32	17	29	0	0	0	0	0	0	0	2.76	0	0
2022	1	28	17	42	17	30	0	0	0	0	0	0	0	2.78	0	0
2022	1	28	17	52	17	29	0	0	0	0	0	0	0	2.79	0	0
2022	1	28	18	2	17	29	0	0	0	0	0	0	0	2.81	0	0
2022	1	28	18	12	17	29	0	0	0	0	0	0	0	2.82	0	0
2022	1	28	18	22	17	29	0	0	0	0	0	0	0	2.84	0	0
2022	1	28	18	32	17	30	0	0	0	0	0	0	0	2.85	0	0
2022	1	28	18	42	17	29	0	0	0	0	0	0	0	2.87	0	0
2022	1	28	18	52	17	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	28	19	2	17	29	0	0	0	0	0	0	0	2.89	0	0
2022	1	28	19	12	17	29	0	0	0	0	0	0	0	2.9	0	0
2022	1	28	19	22	17	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	28	19	32	17	29	0	0	0	0	0	0	0	2.92	0	0
2022	1	28	19	42	17	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	28	19	52	17	29	0	0	0	0	0	0	0	2.94	0	0
2022	1	28	20	2	17	29	0	0	0	0	0	0	0	2.94	0	0
2022	1	28	20	12	17	30	0	0	0	0	0	0	0	2.94	0	0
2022	1	28	20	22	17	29	0	0	0	0	0	0	0	2.94	0	0
2022	1	28	20	32	17	29	0	0	0	0	0	0	0	2.93	0	0
2022	1	28	20	42	17	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	28	20	52	17	30	0	0	0	0	0	0	0	2.93	0	0
2022	1	28	21	2	17	30	0	0	0	0	0	0	0	2.92	0	0
2022	1	28	21	12	17	29	0	0	0	0	0	0	0	2.92	0	0
2022	1	28	21	22	17	30	0	0	0	0	0	0	0	2.91	0	0
2022	1	28	21	32	17	30	0	0	0	0	0	0	0	2.89	0	0
2022	1	28	21	42	17	30	0	0	0	0	0	0	0	2.88	0	0
2022	1	28	21	52	17	29	0	0	0	0	0	0	0	2.87	0	0
2022	1	28	22	2	17	29	0	0	0	0	0	0	0	2.85	0	0
2022	1	28	22	12	17	30	0	0	0	0	0	0	0	2.83	0	0
2022	1	28	22	22	17	29	0	0	0	0	0	0	0	2.81	0	0
2022	1	28	22	32	17	30	0	0	0	0	0	0	0	2.8	0	0
2022	1	28	22	42	17	29	0	0	0	0	0	0	0	2.78	0	0
2022	1	28	22	52	17	29	0	0	0	0	0	0	0	2.75	0	0
2022	1	28	23	2	17	30	0	0	0	0	0	0	0	2.74	0	0
2022	1	28	23	12	17	30	0	0	0	0	0	0	0	2.71	0	0
2022	1	28	23	22	17	29	0	0	0	0	0	0	0	2.69	0	0
2022	1	28	23	32	17	30	0	0	0	0	0	0	0	2.66	0	0
2022	1	28	23	42	17	29	0	0	0	0	0	0	0	2.64	0	0
2022	1	28	23	52	17	29	0	0	0	0	0	0	0	2.62	0	0
2022	1	29	0	2	17	29	0	0	0	0	0	0	0	2.59	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	29	0	12	17	30	0	0	0	0	0	0	0	2.57	0	0
2022	1	29	0	22	17	30	0	0	0	0	0	0	0	2.53	0	0
2022	1	29	0	32	17	29	0	0	0	0	0	0	0	2.52	0	0
2022	1	29	0	42	17	30	0	0	0	0	0	0	0	2.49	0	0
2022	1	29	0	52	17	30	0	0	0	0	0	0	0	2.47	0	0
2022	1	29	1	2	17	30	0	0	0	0	0	0	0	2.45	0	0
2022	1	29	1	12	17	30	0	0	0	0	0	0	0	2.42	0	0
2022	1	29	1	22	17	29	0	0	0	0	0	0	0	2.4	0	0
2022	1	29	1	32	17	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	29	1	42	17	29	0	0	0	0	0	0	0	2.36	0	0
2022	1	29	1	52	17	30	0	0	0	0	0	0	0	2.34	0	0
2022	1	29	2	2	17	30	0	0	0	0	0	0	0	2.32	0	0
2022	1	29	2	12	17	29	0	0	0	0	0	0	0	2.3	0	0
2022	1	29	2	22	17	29	0	0	0	0	0	0	0	2.28	0	0
2022	1	29	2	32	17	30	0	0	0	0	0	0	0	2.26	0	0
2022	1	29	2	42	17	30	0	0	0	0	0	0	0	2.24	0	0
2022	1	29	2	52	17	30	0	0	0	0	0	0	0	2.21	0	0
2022	1	29	3	2	17	30	0	0	0	0	0	0	0	2.2	0	0
2022	1	29	3	12	17	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	29	3	22	17	29	0	0	0	0	0	0	0	2.15	0	0
2022	1	29	3	32	17	29	0	0	0	0	0	0	0	2.13	0	0
2022	1	29	3	42	17	29	0	0	0	0	0	0	0	2.1	0	0
2022	1	29	3	52	17	30	0	0	0	0	0	0	0	2.08	0	0
2022	1	29	4	2	17	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	29	4	12	17	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	29	4	22	17	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	29	4	32	17	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	29	4	42	17	29	0	0	0	0	0	0	0	1.98	0	0
2022	1	29	4	52	17	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	29	5	2	17	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	29	5	12	17	29	0	0	0	0	0	0	0	1.91	0	0
2022	1	29	5	22	17	29	0	0	0	0	0	0	0	1.89	0	0
2022	1	29	5	32	17	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	29	5	42	17	29	0	0	0	0	0	0	0	1.84	0	0
2022	1	29	5	52	17	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	29	6	2	17	31	0	0	0	0	0	0	0	1.8	0	0
2022	1	29	6	12	17	30	0	0	0	0	0	0	0	1.78	0	0
2022	1	29	6	22	17	30	0	0	0	0	0	0	0	1.76	0	0
2022	1	29	6	32	17	30	0	0	0	0	0	0	0	1.74	0	0
2022	1	29	6	42	17	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	29	6	52	17	30	0	0	0	0	0	0	0	1.69	0	0
2022	1	29	7	2	17	30	0	0	0	0	0	0	0	1.68	0	0
2022	1	29	7	12	17	29	0	0	0	0	0	0	0	1.66	0	0
2022	1	29	7	22	17	30	0	0	0	0	0	0	0	1.64	0	0
2022	1	29	7	32	17	30	0	0	0	0	0	0	0	1.63	0	0
2022	1	29	7	42	17	29	0	0	0	0	0	0	0	1.62	0	0
2022	1	29	7	52	17	30	0	0	0	0	0	0	0	1.62	0	0
2022	1	29	8	2	17	30	0	0	0	0	0	0	0	1.61	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	29	8	12	17	30	0	0	0	0	0	0	0	1.61	0	0
2022	1	29	8	22	17	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	29	8	32	17	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	29	8	42	17	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	29	8	52	17	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	29	9	2	17	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	29	9	12	17	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	29	9	22	17	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	29	9	32	17	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	29	9	42	17	30	0	0	0	0	0	0	0	1.62	0	0
2022	1	29	9	52	17	30	0	0	0	0	0	0	0	1.66	0	0
2022	1	29	10	2	17	30	0	0	0	0	0	0	0	1.67	0	0
2022	1	29	10	12	17	30	0	0	0	0	0	0	0	1.75	0	0
2022	1	29	10	22	17	29	0	0	0	0	0	0	0	1.79	0	0
2022	1	29	10	32	17	30	0	0	0	0	0	0	0	1.77	0	0
2022	1	29	10	42	17	30	0	0	0	0	0	0	0	1.85	0	0
2022	1	29	10	52	17	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	29	11	2	17	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	29	11	12	17	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	29	11	22	17	30	0	0	0	0	0	0	0	2	0	0
2022	1	29	11	32	17	30	0	0	0	0	0	0	0	1.95	0	0
2022	1	29	11	42	17	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	29	11	52	17	29	0	0	0	0	0	0	0	2.06	0	0
2022	1	29	12	2	17	30	0	0	0	0	0	0	0	2.1	0	0
2022	1	29	12	12	17	29	0	0	0	0	0	0	0	2.1	0	0
2022	1	29	12	22	17	29	0	0	0	0	0	0	0	2.12	0	0
2022	1	29	12	32	17	30	0	0	0	0	0	0	0	2.12	0	0
2022	1	29	12	42	17	30	0	0	0	0	0	0	0	2.11	0	0
2022	1	29	12	52	17	30	0	0	0	0	0	0	0	2.09	0	0
2022	1	29	13	2	17	30	0	0	0	0	0	0	0	2.09	0	0
2022	1	29	13	12	17	30	0	0	0	0	0	0	0	2.11	0	0
2022	1	29	13	22	17	29	0	0	0	0	0	0	0	2.1	0	0
2022	1	29	13	32	17	30	0	0	0	0	0	0	0	2.09	0	0
2022	1	29	13	42	17	30	0	0	0	0	0	0	0	2.12	0	0
2022	1	29	13	52	17	29	0	0	0	0	0	0	0	2.11	0	0
2022	1	29	14	2	17	30	0	0	0	0	0	0	0	2.11	0	0
2022	1	29	14	12	17	30	0	0	0	0	0	0	0	2.11	0	0
2022	1	29	14	22	17	29	0	0	0	0	0	0	0	2.08	0	0
2022	1	29	14	32	17	30	0	0	0	0	0	0	0	2.08	0	0
2022	1	29	14	42	17	30	0	0	0	0	0	0	0	2.05	0	0
2022	1	29	14	52	17	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	29	15	2	17	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	29	15	12	17	30	0	0	0	0	0	0	0	1.97	0	0
2022	1	29	15	22	17	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	29	15	32	17	30	0	0	0	0	0	0	0	1.9	0	0
2022	1	29	15	42	17	30	0	0	0	0	0	0	0	1.89	0	0
2022	1	29	15	52	17	30	0	0	0	0	0	0	0	1.9	0	0
2022	1	29	16	2	17	30	0	0	0	0	0	0	0	1.91	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	29	16	12	17	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	29	16	22	17	30	0	0	0	0	0	0	0	1.93	0	0
2022	1	29	16	32	17	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	29	16	42	17	30	0	0	0	0	0	0	0	1.95	0	0
2022	1	29	16	52	17	30	0	0	0	0	0	0	0	1.97	0	0
2022	1	29	17	2	17	29	0	0	0	0	0	0	0	1.98	0	0
2022	1	29	17	12	17	30	0	0	0	0	0	0	0	2	0	0
2022	1	29	17	22	17	30	0	0	0	0	0	0	0	2.01	0	0
2022	1	29	17	32	17	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	29	17	42	17	30	0	0	0	0	0	0	0	2.05	0	0
2022	1	29	17	52	17	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	29	18	2	17	30	0	0	0	0	0	0	0	2.1	0	0
2022	1	29	18	12	17	30	0	0	0	0	0	0	0	2.12	0	0
2022	1	29	18	22	17	30	0	0	0	0	0	0	0	2.14	0	0
2022	1	29	18	32	17	30	0	0	0	0	0	0	0	2.17	0	0
2022	1	29	18	42	17	30	0	0	0	0	0	0	0	2.19	0	0
2022	1	29	18	52	17	30	0	0	0	0	0	0	0	2.21	0	0
2022	1	29	19	2	17	30	0	0	0	0	0	0	0	2.23	0	0
2022	1	29	19	12	17	30	0	0	0	0	0	0	0	2.25	0	0
2022	1	29	19	22	17	29	0	0	0	0	0	0	0	2.27	0	0
2022	1	29	19	32	17	30	0	0	0	0	0	0	0	2.29	0	0
2022	1	29	19	42	17	30	0	0	0	0	0	0	0	2.31	0	0
2022	1	29	19	52	17	29	0	0	0	0	0	0	0	2.32	0	0
2022	1	29	20	2	17	30	0	0	0	0	0	0	0	2.33	0	0
2022	1	29	20	12	17	30	0	0	0	0	0	0	0	2.34	0	0
2022	1	29	20	22	17	30	0	0	0	0	0	0	0	2.35	0	0
2022	1	29	20	32	17	29	0	0	0	0	0	0	0	2.36	0	0
2022	1	29	20	42	17	29	0	0	0	0	0	0	0	2.36	0	0
2022	1	29	20	52	17	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	29	21	2	17	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	29	21	12	17	30	0	0	0	0	0	0	0	2.37	0	0
2022	1	29	21	22	17	29	0	0	0	0	0	0	0	2.36	0	0
2022	1	29	21	32	17	29	0	0	0	0	0	0	0	2.36	0	0
2022	1	29	21	42	17	29	0	0	0	0	0	0	0	2.36	0	0
2022	1	29	21	52	17	30	0	0	0	0	0	0	0	2.35	0	0
2022	1	29	22	2	17	30	0	0	0	0	0	0	0	2.34	0	0
2022	1	29	22	12	17	29	0	0	0	0	0	0	0	2.33	0	0
2022	1	29	22	22	17	30	0	0	0	0	0	0	0	2.31	0	0
2022	1	29	22	32	17	29	0	0	0	0	0	0	0	2.3	0	0
2022	1	29	22	42	17	30	0	0	0	0	0	0	0	2.28	0	0
2022	1	29	22	52	17	30	0	0	0	0	0	0	0	2.27	0	0
2022	1	29	23	2	17	30	0	0	0	0	0	0	0	2.25	0	0
2022	1	29	23	12	17	29	0	0	0	0	0	0	0	2.24	0	0
2022	1	29	23	22	17	30	0	0	0	0	0	0	0	2.22	0	0
2022	1	29	23	32	17	30	0	0	0	0	0	0	0	2.2	0	0
2022	1	29	23	42	17	29	0	0	0	0	0	0	0	2.18	0	0
2022	1	29	23	52	17	30	0	0	0	0	0	0	0	2.15	0	0
2022	1	30	0	2	17	30	0	0	0	0	0	0	0	2.13	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	30	0	12	17	29	0	0	0	0	0	0	0	2.11	0	0
2022	1	30	0	22	17	29	0	0	0	0	0	0	0	2.09	0	0
2022	1	30	0	32	17	30	0	0	0	0	0	0	0	2.07	0	0
2022	1	30	0	42	17	30	0	0	0	0	0	0	0	2.05	0	0
2022	1	30	0	52	17	30	0	0	0	0	0	0	0	2.04	0	0
2022	1	30	1	2	17	29	0	0	0	0	0	0	0	2.01	0	0
2022	1	30	1	12	17	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	30	1	22	17	29	0	0	0	0	0	0	0	1.98	0	0
2022	1	30	1	32	17	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	30	1	42	17	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	30	1	52	17	29	0	0	0	0	0	0	0	1.91	0	0
2022	1	30	2	2	17	29	0	0	0	0	0	0	0	1.9	0	0
2022	1	30	2	12	17	29	0	0	0	0	0	0	0	1.88	0	0
2022	1	30	2	22	17	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	30	2	32	17	30	0	0	0	0	0	0	0	1.85	0	0
2022	1	30	2	42	17	30	0	0	0	0	0	0	0	1.83	0	0
2022	1	30	2	52	17	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	30	3	2	17	30	0	0	0	0	0	0	0	1.8	0	0
2022	1	30	3	12	17	30	0	0	0	0	0	0	0	1.78	0	0
2022	1	30	3	22	17	31	0	0	0	0	0	0	0	1.77	0	0
2022	1	30	3	32	17	30	0	0	0	0	0	0	0	1.75	0	0
2022	1	30	3	42	17	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	30	3	52	17	30	0	0	0	0	0	0	0	1.71	0	0
2022	1	30	4	2	17	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	30	4	12	17	30	0	0	0	0	0	0	0	1.67	0	0
2022	1	30	4	22	17	30	0	0	0	0	0	0	0	1.65	0	0
2022	1	30	4	32	17	30	0	0	0	0	0	0	0	1.63	0	0
2022	1	30	4	42	17	30	0	0	0	0	0	0	0	1.62	0	0
2022	1	30	4	52	17	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	30	5	2	17	30	0	0	0	0	0	0	0	1.58	0	0
2022	1	30	5	12	17	30	0	0	0	0	0	0	0	1.56	0	0
2022	1	30	5	22	17	29	0	0	0	0	0	0	0	1.55	0	0
2022	1	30	5	32	17	30	0	0	0	0	0	0	0	1.52	0	0
2022	1	30	5	42	17	30	0	0	0	0	0	0	0	1.5	0	0
2022	1	30	5	52	17	30	0	0	0	0	0	0	0	1.49	0	0
2022	1	30	6	2	17	30	0	0	0	0	0	0	0	1.46	0	0
2022	1	30	6	12	17	29	0	0	0	0	0	0	0	1.45	0	0
2022	1	30	6	22	17	30	0	0	0	0	0	0	0	1.42	0	0
2022	1	30	6	32	17	30	0	0	0	0	0	0	0	1.4	0	0
2022	1	30	6	42	17	29	0	0	0	0	0	0	0	1.37	0	0
2022	1	30	6	52	17	30	0	0	0	0	0	0	0	1.36	0	0
2022	1	30	7	2	17	29	0	0	0	0	0	0	0	1.34	0	0
2022	1	30	7	12	17	30	0	0	0	0	0	0	0	1.32	0	0
2022	1	30	7	22	17	30	0	0	0	0	0	0	0	1.29	0	0
2022	1	30	7	32	17	30	0	0	0	0	0	0	0	1.28	0	0
2022	1	30	7	42	17	30	0	0	0	0	0	0	0	1.26	0	0
2022	1	30	7	52	17	30	0	0	0	0	0	0	0	1.26	0	0
2022	1	30	8	2	17	30	0	0	0	0	0	0	0	1.26	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	30	8	12	17	30	0	0	0	0	0	0	0	1.28	0	0
2022	1	30	8	22	17	30	0	0	0	0	0	0	0	1.3	0	0
2022	1	30	8	32	17	30	0	0	0	0	0	0	0	1.32	0	0
2022	1	30	8	42	17	30	0	0	0	0	0	0	0	1.33	0	0
2022	1	30	8	52	17	30	0	0	0	0	0	0	0	1.36	0	0
2022	1	30	9	2	17	29	0	0	0	0	0	0	0	1.37	0	0
2022	1	30	9	12	17	30	0	0	0	0	0	0	0	1.4	0	0
2022	1	30	9	22	17	30	0	0	0	0	0	0	0	1.43	0	0
2022	1	30	9	32	17	30	0	0	0	0	0	0	0	1.45	0	0
2022	1	30	9	42	17	30	0	0	0	0	0	0	0	1.48	0	0
2022	1	30	9	52	17	30	0	0	0	0	0	0	0	1.49	0	0
2022	1	30	10	2	17	30	0	0	0	0	0	0	0	1.52	0	0
2022	1	30	10	12	17	30	0	0	0	0	0	0	0	1.54	0	0
2022	1	30	10	22	17	29	0	0	0	0	0	0	0	1.58	0	0
2022	1	30	10	32	17	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	30	10	42	17	30	0	0	0	0	0	0	0	1.62	0	0
2022	1	30	10	52	17	30	0	0	0	0	0	0	0	1.65	0	0
2022	1	30	11	2	17	30	0	0	0	0	0	0	0	1.68	0	0
2022	1	30	11	12	17	30	0	0	0	0	0	0	0	1.69	0	0
2022	1	30	11	22	17	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	30	11	32	17	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	30	11	42	17	30	0	0	0	0	0	0	0	1.74	0	0
2022	1	30	11	52	17	30	0	0	0	0	0	0	0	1.76	0	0
2022	1	30	12	2	17	30	0	0	0	0	0	0	0	1.75	0	0
2022	1	30	12	12	17	29	0	0	0	0	0	0	0	1.79	0	0
2022	1	30	12	22	17	30	0	0	0	0	0	0	0	1.8	0	0
2022	1	30	12	32	17	29	0	0	0	0	0	0	0	1.8	0	0
2022	1	30	12	42	17	30	0	0	0	0	0	0	0	1.79	0	0
2022	1	30	12	52	17	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	30	13	2	17	30	0	0	0	0	0	0	0	1.81	0	0
2022	1	30	13	12	17	29	0	0	0	0	0	0	0	1.81	0	0
2022	1	30	13	22	17	30	0	0	0	0	0	0	0	1.8	0	0
2022	1	30	13	32	17	30	0	0	0	0	0	0	0	1.78	0	0
2022	1	30	13	42	17	30	0	0	0	0	0	0	0	1.79	0	0
2022	1	30	13	52	17	30	0	0	0	0	0	0	0	1.77	0	0
2022	1	30	14	2	17	30	0	0	0	0	0	0	0	1.76	0	0
2022	1	30	14	12	17	29	0	0	0	0	0	0	0	1.75	0	0
2022	1	30	14	22	17	30	0	0	0	0	0	0	0	1.74	0	0
2022	1	30	14	32	17	29	0	0	0	0	0	0	0	1.71	0	0
2022	1	30	14	42	17	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	30	14	52	17	30	0	0	0	0	0	0	0	1.69	0	0
2022	1	30	15	2	17	29	0	0	0	0	0	0	0	1.69	0	0
2022	1	30	15	12	17	29	0	0	0	0	0	0	0	1.64	0	0
2022	1	30	15	22	17	29	0	0	0	0	0	0	0	1.61	0	0
2022	1	30	15	32	17	30	0	0	0	0	0	0	0	1.56	0	0
2022	1	30	15	42	17	30	0	0	0	0	0	0	0	1.55	0	0
2022	1	30	15	52	17	30	0	0	0	0	0	0	0	1.55	0	0
2022	1	30	16	2	17	30	0	0	0	0	0	0	0	1.56	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	30	16	12	17	30	0	0	0	0	0	0	0	1.57	0	0
2022	1	30	16	22	17	30	0	0	0	0	0	0	0	1.57	0	0
2022	1	30	16	32	17	30	0	0	0	0	0	0	0	1.58	0	0
2022	1	30	16	42	17	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	30	16	52	17	30	0	0	0	0	0	0	0	1.61	0	0
2022	1	30	17	2	17	30	0	0	0	0	0	0	0	1.62	0	0
2022	1	30	17	12	17	29	0	0	0	0	0	0	0	1.63	0	0
2022	1	30	17	22	17	30	0	0	0	0	0	0	0	1.64	0	0
2022	1	30	17	32	17	30	0	0	0	0	0	0	0	1.66	0	0
2022	1	30	17	42	17	30	0	0	0	0	0	0	0	1.68	0	0
2022	1	30	17	52	17	30	0	0	0	0	0	0	0	1.69	0	0
2022	1	30	18	2	17	30	0	0	0	0	0	0	0	1.71	0	0
2022	1	30	18	12	17	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	30	18	22	17	30	0	0	0	0	0	0	0	1.75	0	0
2022	1	30	18	32	17	30	0	0	0	0	0	0	0	1.77	0	0
2022	1	30	18	42	17	30	0	0	0	0	0	0	0	1.78	0	0
2022	1	30	18	52	17	30	0	0	0	0	0	0	0	1.81	0	0
2022	1	30	19	2	17	29	0	0	0	0	0	0	0	1.82	0	0
2022	1	30	19	12	17	30	0	0	0	0	0	0	0	1.84	0	0
2022	1	30	19	22	17	29	0	0	0	0	0	0	0	1.86	0	0
2022	1	30	19	32	17	29	0	0	0	0	0	0	0	1.87	0	0
2022	1	30	19	42	17	29	0	0	0	0	0	0	0	1.89	0	0
2022	1	30	19	52	17	30	0	0	0	0	0	0	0	1.9	0	0
2022	1	30	20	2	17	29	0	0	0	0	0	0	0	1.91	0	0
2022	1	30	20	12	17	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	30	20	22	17	30	0	0	0	0	0	0	0	1.93	0	0
2022	1	30	20	32	17	30	0	0	0	0	0	0	0	1.93	0	0
2022	1	30	20	42	17	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	30	20	52	17	29	0	0	0	0	0	0	0	1.94	0	0
2022	1	30	21	2	17	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	30	21	12	17	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	30	21	22	17	29	0	0	0	0	0	0	0	1.94	0	0
2022	1	30	21	32	17	30	0	0	0	0	0	0	0	1.94	0	0
2022	1	30	21	42	17	29	0	0	0	0	0	0	0	1.93	0	0
2022	1	30	21	52	17	30	0	0	0	0	0	0	0	1.93	0	0
2022	1	30	22	2	17	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	30	22	12	17	30	0	0	0	0	0	0	0	1.91	0	0
2022	1	30	22	22	17	30	0	0	0	0	0	0	0	1.9	0	0
2022	1	30	22	32	17	29	0	0	0	0	0	0	0	1.89	0	0
2022	1	30	22	42	17	30	0	0	0	0	0	0	0	1.88	0	0
2022	1	30	22	52	17	30	0	0	0	0	0	0	0	1.87	0	0
2022	1	30	23	2	17	31	0	0	0	0	0	0	0	1.85	0	0
2022	1	30	23	12	17	30	0	0	0	0	0	0	0	1.83	0	0
2022	1	30	23	22	17	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	30	23	32	17	30	0	0	0	0	0	0	0	1.8	0	0
2022	1	30	23	42	17	30	0	0	0	0	0	0	0	1.79	0	0
2022	1	30	23	52	17	30	0	0	0	0	0	0	0	1.77	0	0
2022	1	31	0	2	17	30	0	0	0	0	0	0	0	1.77	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	31	0	12	17	30	0	0	0	0	0	0	0	1.75	0	0
2022	1	31	0	22	17	30	0	0	0	0	0	0	0	1.73	0	0
2022	1	31	0	32	17	31	0	0	0	0	0	0	0	1.72	0	0
2022	1	31	0	42	17	30	0	0	0	0	0	0	0	1.7	0	0
2022	1	31	0	52	17	30	0	0	0	0	0	0	0	1.68	0	0
2022	1	31	1	2	17	30	0	0	0	0	0	0	0	1.67	0	0
2022	1	31	1	12	17	30	0	0	0	0	0	0	0	1.65	0	0
2022	1	31	1	22	17	30	0	0	0	0	0	0	0	1.63	0	0
2022	1	31	1	32	17	30	0	0	0	0	0	0	0	1.62	0	0
2022	1	31	1	42	17	30	0	0	0	0	0	0	0	1.61	0	0
2022	1	31	1	52	17	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	31	2	2	17	30	0	0	0	0	0	0	0	1.58	0	0
2022	1	31	2	12	17	30	0	0	0	0	0	0	0	1.56	0	0
2022	1	31	2	22	17	30	0	0	0	0	0	0	0	1.54	0	0
2022	1	31	2	32	17	30	0	0	0	0	0	0	0	1.53	0	0
2022	1	31	2	42	17	30	0	0	0	0	0	0	0	1.51	0	0
2022	1	31	2	52	17	30	0	0	0	0	0	0	0	1.49	0	0
2022	1	31	3	2	17	30	0	0	0	0	0	0	0	1.47	0	0
2022	1	31	3	12	17	30	0	0	0	0	0	0	0	1.46	0	0
2022	1	31	3	22	17	30	0	0	0	0	0	0	0	1.45	0	0
2022	1	31	3	32	17	30	0	0	0	0	0	0	0	1.43	0	0
2022	1	31	3	42	17	30	0	0	0	0	0	0	0	1.41	0	0
2022	1	31	3	52	17	29	0	0	0	0	0	0	0	1.4	0	0
2022	1	31	4	2	17	30	0	0	0	0	0	0	0	1.38	0	0
2022	1	31	4	12	17	30	0	0	0	0	0	0	0	1.37	0	0
2022	1	31	4	22	17	30	0	0	0	0	0	0	0	1.35	0	0
2022	1	31	4	32	17	30	0	0	0	0	0	0	0	1.34	0	0
2022	1	31	4	42	17	30	0	0	0	0	0	0	0	1.32	0	0
2022	1	31	4	52	17	30	0	0	0	0	0	0	0	1.3	0	0
2022	1	31	5	2	17	30	0	0	0	0	0	0	0	1.29	0	0
2022	1	31	5	12	17	29	0	0	0	0	0	0	0	1.27	0	0
2022	1	31	5	22	17	30	0	0	0	0	0	0	0	1.25	0	0
2022	1	31	5	32	17	30	0	0	0	0	0	0	0	1.24	0	0
2022	1	31	5	42	17	30	0	0	0	0	0	0	0	1.22	0	0
2022	1	31	5	52	17	30	0	0	0	0	0	0	0	1.21	0	0
2022	1	31	6	2	17	30	0	0	0	0	0	0	0	1.19	0	0
2022	1	31	6	12	17	30	0	0	0	0	0	0	0	1.18	0	0
2022	1	31	6	22	17	30	0	0	0	0	0	0	0	1.16	0	0
2022	1	31	6	32	17	30	0	0	0	0	0	0	0	1.15	0	0
2022	1	31	6	42	17	30	0	0	0	0	0	0	0	1.13	0	0
2022	1	31	6	52	17	30	0	0	0	0	0	0	0	1.12	0	0
2022	1	31	7	2	17	30	0	0	0	0	0	0	0	1.11	0	0
2022	1	31	7	12	17	30	0	0	0	0	0	0	0	1.1	0	0
2022	1	31	7	22	17	30	0	0	0	0	0	0	0	1.09	0	0
2022	1	31	7	32	17	30	0	0	0	0	0	0	0	1.09	0	0
2022	1	31	7	42	17	30	0	0	0	0	0	0	0	1.08	0	0
2022	1	31	7	52	17	30	0	0	0	0	0	0	0	1.07	0	0
2022	1	31	8	2	17	29	0	0	0	0	0	0	0	1.08	0	0



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	31	8	12	17	30	0	0	0	0	0	0	0	1.07	0	0
2022	1	31	8	22	17	30	0	0	0	0	0	0	0	1.08	0	0
2022	1	31	8	32	17	30	0	0	0	0	0	0	0	1.07	0	0
2022	1	31	8	42	17	30	0	0	0	0	0	0	0	1.08	0	0
2022	1	31	8	52	17	29	0	0	0	0	0	0	0	1.09	0	0
2022	1	31	9	2	17	30	0	0	0	0	0	0	0	1.1	0	0
2022	1	31	9	12	17	30	0	0	0	0	0	0	0	1.1	0	0
2022	1	31	9	22	17	29	0	0	0	0	0	0	0	1.12	0	0
2022	1	31	9	32	17	29	0	0	0	0	0	0	0	1.14	0	0
2022	1	31	9	42	17	30	0	0	0	0	0	0	0	1.19	0	0
2022	1	31	9	52	17	30	0	0	0	0	0	0	0	1.17	0	0
2022	1	31	10	2	17	30	0	0	0	0	0	0	0	1.21	0	0
2022	1	31	10	12	17	30	0	0	0	0	0	0	0	1.19	0	0
2022	1	31	10	22	17	30	0	0	0	0	0	0	0	1.19	0	0
2022	1	31	10	32	17	30	0	0	0	0	0	0	0	1.17	0	0
2022	1	31	10	42	17	30	0	0	0	0	0	0	0	1.23	0	0
2022	1	31	10	52	17	30	0	0	0	0	0	0	0	1.23	0	0
2022	1	31	11	2	17	30	0	0	0	0	0	0	0	1.24	0	0
2022	1	31	11	12	17	30	0	0	0	0	0	0	0	1.37	0	0
2022	1	31	11	22	17	29	0	0	0	0	0	0	0	1.42	0	0
2022	1	31	11	32	17	30	0	0	0	0	0	0	0	1.41	0	0
2022	1	31	11	42	17	29	0	0	0	0	0	0	0	1.48	0	0
2022	1	31	11	52	17	30	0	0	0	0	0	0	0	1.49	0	0
2022	1	31	12	2	17	30	0	0	0	0	0	0	0	1.52	0	0
2022	1	31	12	12	17	30	0	0	0	0	0	0	0	1.55	0	0
2022	1	31	12	22	17	30	0	0	0	0	0	0	0	1.55	0	0
2022	1	31	12	32	17	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	31	12	42	17	30	0	0	0	0	0	0	0	1.59	0	0
2022	1	31	12	52	17	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	31	13	2	17	30	0	0	0	0	0	0	0	1.6	0	0
2022	1	31	13	12	17	30	0	0	0	0	0	0	0	1.55	0	0
2022	1	31	13	22	17	30	0	0	0	0	0	0	0	1.49	0	0
2022	1	31	13	32	17	30	0	0	0	0	0	0	0	1.46	0	0
2022	1	31	13	42	17	30	0	0	0	0	0	0	0	1.46	0	0
2022	1	31	13	52	17	29	0	0	0	0	0	0	0	1.48	0	0
2022	1	31	14	2	17	30	0	0	0	0	0	0	0	1.5	0	0
2022	1	31	14	12	17	30	0	0	0	0	0	0	0	1.51	0	0
2022	1	31	14	22	17	30	0	0	0	0	0	0	0	1.53	0	0
2022	1	31	14	32	17	30	0	0	0	0	0	0	0	1.51	0	0
2022	1	31	14	42	17	30	0	0	0	0	0	0	0	1.51	0	0
2022	1	31	14	52	17	30	0	0	0	0	0	0	0	1.51	0	0
2022	1	31	15	2	17	30	0	0	0	0	0	0	0	1.48	0	0
2022	1	31	15	12	17	30	0	0	0	0	0	0	0	1.48	0	0
2022	1	31	15	22	17	29	0	0	0	0	0	0	0	1.48	0	0
2022	1	31	15	32	17	29	0	0	0	0	0	0	0	1.47	0	0
2022	1	31	15	42	17	30	0	0	0	0	0	0	0	1.48	0	0
2022	1	31	15	52	17	30	0	0	0	0	0	0	0	1.49	0	0
2022	1	31	16	2	17	30	0	0	0	0	0	0	0	1.49	0	0

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2022	1	31	16	12	17	30	0	0	0	0	0	0	0	1.5	0	0
2022	1	31	16	22	17	30	0	0	0	0	0	0	0	1.51	0	0
2022	1	31	16	32	17	30	0	0	0	0	0	0	0	1.51	0	0
2022	1	31	16	42	17	30	0	0	0	0	0	0	0	1.53	0	0
2022	1	31	16	52	17	30	0	0	0	0	0	0	0	1.54	0	0
2022	1	31	17	2	17	30	0	0	0	0	0	0	0	1.55	0	0
2022	1	31	17	12	17	30	0	0	0	0	0	0	0	1.56	0	0
2022	1	31	17	22	17	30	0	0	0	0	0	0	0	1.58	0	0
2022	1	31	17	32	17	29	0	0	0	0	0	0	0	1.59	0	0
2022	1	31	17	42	17	30	0	0	0	0	0	0	0	1.61	0	0
2022	1	31	17	52	17	30	0	0	0	0	0	0	0	1.63	0	0
2022	1	31	18	2	17	30	0	0	0	0	0	0	0	1.65	0	0
2022	1	31	18	12	17	30	0	0	0	0	0	0	0	1.67	0	0
2022	1	31	18	22	17	29	0	0	0	0	0	0	0	1.7	0	0
2022	1	31	18	32	17	30	0	0	0	0	0	0	0	1.72	0	0
2022	1	31	18	42	17	30	0	0	0	0	0	0	0	1.74	0	0
2022	1	31	18	52	17	30	0	0	0	0	0	0	0	1.76	0	0
2022	1	31	19	2	17	30	0	0	0	0	0	0	0	1.79	0	0
2022	1	31	19	12	17	30	0	0	0	0	0	0	0	1.81	0	0
2022	1	31	19	22	17	30	0	0	0	0	0	0	0	1.82	0	0
2022	1	31	19	32	17	29	0	0	0	0	0	0	0	1.84	0	0
2022	1	31	19	42	17	30	0	0	0	0	0	0	0	1.86	0	0
2022	1	31	19	52	17	29	0	0	0	0	0	0	0	1.88	0	0
2022	1	31	20	2	17	30	0	0	0	0	0	0	0	1.9	0	0
2022	1	31	20	12	17	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	31	20	22	17	30	0	0	0	0	0	0	0	1.92	0	0
2022	1	31	20	32	17	31	0	0	0	0	0	0	0	1.95	0	0
2022	1	31	20	42	17	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	31	20	52	17	30	0	0	0	0	0	0	0	1.96	0	0
2022	1	31	21	2	17	30	0	0	0	0	0	0	0	1.98	0	0
2022	1	31	21	12	17	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	31	21	22	17	30	0	0	0	0	0	0	0	1.99	0	0
2022	1	31	21	32	17	29	0	0	0	0	0	0	0	2	0	0
2022	1	31	21	42	17	30	0	0	0	0	0	0	0	2	0	0
2022	1	31	21	52	17	29	0	0	0	0	0	0	0	2.01	0	0
2022	1	31	22	2	17	30	0	0	0	0	0	0	0	2.01	0	0
2022	1	31	22	12	17	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	31	22	22	17	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	31	22	32	17	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	31	22	42	17	29	0	0	0	0	0	0	0	2.03	0	0
2022	1	31	22	52	17	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	31	23	2	17	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	31	23	12	17	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	31	23	22	17	30	0	0	0	0	0	0	0	2.02	0	0
2022	1	31	23	32	17	30	0	0	0	0	0	0	0	2.03	0	0
2022	1	31	23	42	17	29	0	0	0	0	0	0	0	2.02	0	0
2022	1	31	23	52	17	30	0	0	0	0	0	0	0	2.02	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	1	0	0	25	11.8	0.1	1.1	19.93	96.6	7.1043	46.8347
2022	1	1	0	10	25	11.8	0.1	1.1	20.06	99.2	7.1043	46.8347
2022	1	1	0	20	25	11.8	0.1	1.1	19.97	97.5	7.1043	46.8347
2022	1	1	0	30	25	11.8	0.1	1.1	20.45	99	7.1043	47.7809
2022	1	1	0	40	25	11.8	0.1	1.1	20.75	98.9	7.1043	48.4905
2022	1	1	0	50	25	11.8	0.1	1.1	19.93	98.7	7.1043	46.5982
2022	1	1	1	0	25	11.6	0.1	1.1	19.88	97.8	7.1043	46.5982
2022	1	1	1	10	25	11.6	0.1	1.1	18.88	97.9	7.1043	44.2329
2022	1	1	1	20	25	11.6	0.1	1.1	20.24	98.8	7.1043	47.3079
2022	1	1	1	30	25	11.6	0.1	1.1	19.22	100.5	7.1043	44.706
2022	1	1	1	40	25	11.6	0.1	1.1	19.46	97.4	7.1043	45.6521
2022	1	1	1	50	25	11.6	0.1	1.1	21.09	97.6	7.1043	49.4368
2022	1	1	2	0	25	11.6	0.1	1.1	18.97	94.8	7.1043	44.706
2022	1	1	2	10	25	11.6	0.1	1.1	20.64	96.7	7.1043	48.4907
2022	1	1	2	20	25	11.6	0.1	1.1	19.58	99.7	7.1043	45.6522
2022	1	1	2	30	25	11.6	0.1	1.1	19.93	98.7	7.1043	46.5984
2022	1	1	2	40	25	11.6	0.1	1.1	19.47	97.7	7.1043	45.6522
2022	1	1	2	50	25	11.6	0.1	1.1	19.9	98.1	7.1043	46.5984
2022	1	1	3	0	25	11.6	0.1	1.1	19.91	98.4	7.1043	46.5984
2022	1	1	3	10	25	11.6	0.1	1.1	20.51	98.1	7.1043	48.0177
2022	1	1	3	20	25	11.6	0.1	1.1	20.16	94.6	7.1043	47.5446
2022	1	1	3	30	25	11.6	0.1	1.1	19.19	98.1	7.1043	44.9426
2022	1	1	3	40	25	11.6	0.1	1.1	20.06	99.2	7.1043	46.835
2022	1	1	3	50	25	11.6	0.1	1.1	20.24	98.8	7.1043	47.3081
2022	1	1	4	0	25	11.6	0.1	1.1	19.19	98.1	7.1043	44.9427
2022	1	1	4	10	25	11.6	0.1	1.1	19.8	95.8	7.1043	46.5985
2022	1	1	4	20	25	11.6	0.1	1.1	19.96	99.2	7.1043	46.5985
2022	1	1	4	30	25	11.6	0.1	1.1	20.67	99.2	7.1104	48.2974
2022	1	1	4	40	25	11.6	0.1	1.1	20.31	98.2	7.1043	47.5447
2022	1	1	4	50	25	11.6	0.1	1.1	19.42	96.5	7.1043	45.6524
2022	1	1	5	0	25	11.6	0.1	1.1	19.67	97.6	7.1104	46.1666
2022	1	1	5	10	25	11.6	0.1	1.1	20.88	99.4	7.1104	48.7709
2022	1	1	5	20	25	11.6	0.1	1.1	20.85	93.9	7.1043	49.2005
2022	1	1	5	30	25	11.6	0.1	1.1	20.11	96	7.1104	47.3504
2022	1	1	5	40	25	11.6	0.1	1.1	20.78	97.5	7.1104	48.771
2022	1	1	5	50	25	11.6	0.1	1.1	19.97	97.5	7.1043	46.8351
2022	1	1	6	0	25	11.6	0.1	1.1	20.1	98	7.1043	47.0717
2022	1	1	6	10	25	11.6	0.1	1.1	20.47	99.3	7.1043	47.7813
2022	1	1	6	20	25	11.6	0.1	1.1	19.83	98.7	7.1043	46.3621
2022	1	1	6	30	25	11.6	0.1	1.1	19.65	100.9	7.1043	45.6525
2022	1	1	6	40	25	11.6	0.1	1.1	19.94	98.9	7.1043	46.5987
2022	1	1	6	50	25	11.6	0.1	1.1	20.35	99	7.1043	47.5448
2022	1	1	7	0	25	11.6	0.1	1.1	19.69	97.9	7.1043	46.1256
2022	1	1	7	10	25	11.6	0.1	1.1	20.5	99.8	7.1043	47.7814
2022	1	1	7	20	25	11.6	0.1	1.1	21.23	98.4	7.1043	49.6737
2022	1	1	7	30	25	11.6	0.1	1.1	19.55	99.1	7.1043	45.6525
2022	1	1	7	40	25	11.6	0.1	1.1	20.23	96.5	7.1043	47.5449
2022	1	1	7	50	25	12	0.1	1.1	19.73	100.5	7.1043	45.8891

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	1	8	0	25	12.2	0.1	1.1	20.09	99.7	7.1043	46.8352
2022	1	1	8	10	25	12.4	0.1	1.1	20.06	97.2	7.1043	47.0718
2022	1	1	8	20	25	12.6	0.1	1.1	19.39	98	7.1043	45.416
2022	1	1	8	30	25	12.6	0.1	1.1	19.91	100.1	7.1043	46.3621
2022	1	1	8	40	25	12.8	0.1	1.1	19.47	97.7	7.1043	45.6525
2022	1	1	8	50	25	13.8	0.1	1.1	20.39	97.9	7.1043	47.7814
2022	1	1	9	0	25	13.8	0.1	1.1	19.3	98.3	7.1043	45.1794
2022	1	1	9	10	25	14	0.1	1.1	20.83	98.6	7.1043	48.7275
2022	1	1	9	20	25	14	0.1	1.1	19.71	100.2	7.1043	45.889
2022	1	1	9	30	25	14	0.1	1.1	19.46	102.5	7.1043	44.9428
2022	1	1	9	40	25	14	0.1	1.1	19.43	98.9	7.1104	45.4565
2022	1	1	9	50	25	14	0.1	1.1	20.67	99.2	7.1104	48.2975
2022	1	1	10	0	25	14	0.1	1.1	20.65	98.9	7.1104	48.2975
2022	1	1	10	10	25	14	0.1	1.1	20.26	100.8	7.1104	47.1137
2022	1	1	10	20	25	13.8	0.1	1.1	19.55	99.1	7.1104	45.6932
2022	1	1	10	30	25	13.8	0.1	1.1	19.27	99.6	7.1104	44.9829
2022	1	1	10	40	25	13.8	0.1	1.1	19.81	100.2	7.1104	46.1666
2022	1	1	10	50	25	13.8	0.1	1.1	19.88	97.8	7.1104	46.6401
2022	1	1	11	0	25	13.8	0.1	1.1	19.3	98.3	7.1104	45.2196
2022	1	1	11	10	25	13.8	0.1	1.1	19.95	102.2	7.1104	46.1666
2022	1	1	11	20	25	13.8	0.1	1.1	19.37	99.5	7.1104	45.2196
2022	1	1	11	30	25	13.8	0.1	1.1	20.29	99.6	7.1104	47.3503
2022	1	1	11	40	25	13.8	0.1	1.1	20.55	99	7.1104	48.0606
2022	1	1	11	50	25	13.8	0.1	1.1	19.09	98.1	7.1104	44.7461
2022	1	1	12	0	25	13.8	0.1	1.1	18.85	101	7.1104	43.7991
2022	1	1	12	10	25	13.8	0.1	1.1	19.86	99.3	7.1165	46.4447
2022	1	1	12	20	25	13.8	0.1	1.1	19.28	101.4	7.1104	44.7461
2022	1	1	12	30	25	13.8	0.1	1.1	19.81	100.2	7.1104	46.1666
2022	1	1	12	40	25	13.8	0.1	1.1	19.52	98.5	7.1104	45.6931
2022	1	1	12	50	25	13.8	0.1	1.1	19.5	100	7.1104	45.4563
2022	1	1	13	0	25	13.8	0.1	1.1	20.17	99.4	7.1104	47.1136
2022	1	1	13	10	25	13.8	0.1	1.1	19.27	99.6	7.1104	44.9828
2022	1	1	13	20	25	13.8	0.1	1.1	19.39	98	7.1104	45.4563
2022	1	1	13	30	25	13.8	0.1	1.1	19.09	100	7.1104	44.5093
2022	1	1	13	40	25	13.6	0.1	1.1	18.92	98.8	7.1104	44.2726
2022	1	1	13	50	25	13.6	0.1	1.1	19.93	100.4	7.1104	46.4034
2022	1	1	14	0	25	13.6	0.1	1.1	20.81	100	7.1104	48.5341
2022	1	1	14	10	25	13.6	0.1	1.1	20.04	98.9	7.1104	46.8769
2022	1	1	14	20	25	13.6	0.1	1.1	19.79	97.8	7.1104	46.4034
2022	1	1	14	30	25	13.6	0.1	1.1	19.81	100.2	7.1104	46.1666
2022	1	1	14	40	25	13.6	0.1	1.1	20.11	100	7.1104	46.8769
2022	1	1	14	50	25	13.6	0.1	1.1	19.86	99.3	7.1104	46.4034
2022	1	1	15	0	25	13.6	0.1	1.1	20.32	100.2	7.1104	47.3504
2022	1	1	15	10	25	13.6	0.1	1.1	19.38	97.7	7.1104	45.4564
2022	1	1	15	20	25	13.6	0.1	1.1	19.98	101.3	7.1104	46.4034
2022	1	1	15	30	25	13.2	0.1	1.1	19.22	98.7	7.1104	44.9829
2022	1	1	15	40	25	12.8	0.1	1.1	20.4	99.9	7.1104	47.5872
2022	1	1	15	50	25	12.6	0.1	1.1	20.06	100.9	7.1104	46.6402

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	1	16	0	25	12.4	0.1	1.1	20.36	102.2	7.1104	47.1137
2022	1	1	16	10	25	12	0.1	1.1	19.89	101.3	7.1104	46.1667
2022	1	1	16	20	25	12	0.1	1.1	19.55	100.9	7.1104	45.4564
2022	1	1	16	30	25	12	0.1	1.1	19.61	101.8	7.1104	45.4564
2022	1	1	16	40	25	12	0.1	1.1	20.4	101.3	7.1104	47.3504
2022	1	1	16	50	25	12	0.1	1.1	19.6	98.2	7.1104	45.9299
2022	1	1	17	0	25	11.8	0.1	1.1	20.14	96.8	7.1104	47.3504
2022	1	1	17	10	25	11.8	0.1	1.1	19.5	100	7.1104	45.4564
2022	1	1	17	20	25	11.8	0.1	1.1	19.96	101	7.1104	46.4034
2022	1	1	17	30	25	11.8	0.1	1.1	19.6	100	7.1104	45.6931
2022	1	1	17	40	25	11.8	0.1	1.1	20.02	101.8	7.1104	46.4033
2022	1	1	17	50	25	11.8	0.1	1.1	19.36	101	7.1104	44.9828
2022	1	1	18	0	25	11.8	0.1	1.1	20.35	99	7.1104	47.5871
2022	1	1	18	10	25	11.8	0.1	1.1	19.96	101	7.1104	46.4033
2022	1	1	18	20	25	11.8	0.1	1.1	19.63	100.6	7.1104	45.693
2022	1	1	18	30	25	11.8	0.1	1.1	19.86	99.3	7.1104	46.4033
2022	1	1	18	40	25	11.8	0.1	1.1	20.4	99.9	7.1104	47.587
2022	1	1	18	50	25	11.8	0.1	1.1	20.16	99.1	7.1104	47.1135
2022	1	1	19	0	25	11.8	0.1	1.1	19.12	98.7	7.1104	44.746
2022	1	1	19	10	25	11.8	0.1	1.1	20.67	100.9	7.1104	48.0605
2022	1	1	19	20	25	11.8	0.1	1.1	19.49	98	7.1104	45.693
2022	1	1	19	30	25	11.8	0.1	1.1	20.34	100.5	7.1104	47.3503
2022	1	1	19	40	25	11.8	0.1	1.1	19.49	101.5	7.1104	45.2195
2022	1	1	19	50	25	11.8	0.1	1.1	20.47	101	7.1104	47.587
2022	1	1	20	0	25	11.8	0.1	1.1	19.53	98.8	7.1104	45.693
2022	1	1	20	10	25	11.8	0.1	1.1	19.56	99.4	7.1104	45.693
2022	1	1	20	20	25	11.8	0.1	1.1	20.5	99.8	7.1104	47.8238
2022	1	1	20	30	25	11.8	0.1	1.1	20.25	97.1	7.1104	47.587
2022	1	1	20	40	25	11.8	0.1	1.1	19.61	100.3	7.1104	45.693
2022	1	1	20	50	25	11.8	0.1	1.1	19.86	99.3	7.1104	46.4033
2022	1	1	21	0	25	11.8	0.1	1.1	19.88	99.6	7.1104	46.4033
2022	1	1	21	10	25	11.8	0.1	1.1	20.18	101.1	7.1104	46.8768
2022	1	1	21	20	25	11.8	0.1	1.1	19.71	98.5	7.1104	46.1665
2022	1	1	21	30	25	11.8	0.1	1.1	19.67	97.6	7.1104	46.1665
2022	1	1	21	40	25	11.6	0.1	1.1	19.56	99.4	7.1104	45.6931
2022	1	1	21	50	25	11.6	0.1	1.1	19.61	100.3	7.1104	45.6931
2022	1	1	22	0	25	11.6	0.1	1.1	20.01	98.3	7.1104	46.8769
2022	1	1	22	10	25	11.6	0.1	1.1	20.69	97.8	7.1104	48.5341
2022	1	1	22	20	25	11.6	0.1	1.1	19.36	101	7.1104	44.9829
2022	1	1	22	30	25	11.6	0.1	1.1	19.69	97.9	7.1104	46.1666
2022	1	1	22	40	25	11.6	0.1	1.1	20.08	97.7	7.1104	47.1137
2022	1	1	22	50	25	11.6	0.1	1.1	20.18	101.1	7.1104	46.8769
2022	1	1	23	0	25	11.6	0.1	1.1	19.38	97.7	7.1104	45.4564
2022	1	1	23	10	25	11.6	0.1	1.1	20.51	98.1	7.1104	48.0607
2022	1	1	23	20	25	11.6	0.1	1.1	20.2	98	7.1104	47.3505
2022	1	1	23	30	25	11.6	0.1	1.1	19.72	96.4	7.1104	46.4035
2022	1	1	23	40	25	11.6	0.1	1.1	20.4	99.9	7.1104	47.5873
2022	1	1	23	50	25	11.6	0.1	1.1	20.6	99.8	7.1104	48.0608

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	2	0	0	25	11.6	0.1	1.1	20.27	99.4	7.1104	47.3505
2022	1	2	0	10	25	11.6	0.1	1.1	20.42	98.4	7.1104	47.8241
2022	1	2	0	20	25	11.6	0.1	1.1	19.3	100.1	7.1104	44.9831
2022	1	2	0	30	25	11.6	0.1	1.1	19.87	101	7.1104	46.1668
2022	1	2	0	40	25	11.6	0.1	1.1	20.68	99.5	7.1165	48.3407
2022	1	2	0	50	25	11.6	0.1	1.1	20.29	99.6	7.1104	47.3506
2022	1	2	1	0	25	11.6	0.1	1.1	19.9	98.1	7.1165	46.682
2022	1	2	1	10	25	11.6	0.1	1.1	19.6	98.2	7.1165	45.9711
2022	1	2	1	20	25	11.6	0.1	1.1	19.84	99	7.1226	46.4865
2022	1	2	1	30	25	11.6	0.1	1.1	20.27	99.4	7.1287	47.4774
2022	1	2	1	40	25	11.6	0.1	1.1	19.74	99	7.1287	46.2905
2022	1	2	1	50	25	11.6	0.1	1.1	19.68	99.7	7.1287	46.0531
2022	1	2	2	0	25	11.6	0.1	1.1	19.65	100.9	7.1287	45.8158
2022	1	2	2	10	25	11.6	0.1	1.1	18.88	97.9	7.1287	44.3915
2022	1	2	2	20	25	11.6	0.1	1.1	19.56	99.4	7.1287	45.8158
2022	1	2	2	30	25	11.6	0.1	1.1	19.29	98	7.1287	45.341
2022	1	2	2	40	25	11.6	0.1	1.1	20.2	101.4	7.1287	47.0028
2022	1	2	2	50	25	11.6	0.1	1.1	19.81	100.2	7.1287	46.2906
2022	1	2	3	0	25	11.6	0.1	1.1	19.81	100.2	7.1287	46.2906
2022	1	2	3	10	25	11.6	0.1	1.1	20.97	100.7	7.1287	48.9019
2022	1	2	3	20	25	11.6	0.1	1.1	19.81	98.4	7.1287	46.5281
2022	1	2	3	30	25	11.6	0.1	1.1	19.93	98.7	7.1287	46.7655
2022	1	2	3	40	25	11.6	0.1	1.1	20.16	100.9	7.1287	47.0029
2022	1	2	3	50	25	11.6	0.1	1.1	19.11	98.4	7.1287	44.8664
2022	1	2	4	0	25	11.6	0.1	1.1	19.87	101	7.1287	46.2908
2022	1	2	4	10	25	11.6	0.1	1.1	20.37	97.3	7.1287	47.9525
2022	1	2	4	20	25	11.6	0.1	1.1	20.14	100.6	7.1287	47.003
2022	1	2	4	30	25	11.6	0.1	1.1	19.97	99.5	7.1287	46.7656
2022	1	2	4	40	25	11.6	0.1	1.1	20.57	99.2	7.1287	48.1899
2022	1	2	4	50	25	11.6	0.1	1.1	20.69	97.8	7.1287	48.6647
2022	1	2	5	0	25	11.6	0.1	1.1	19.73	98.7	7.1287	46.2909
2022	1	2	5	10	25	11.6	0.1	1.1	19.94	98.9	7.1287	46.7657
2022	1	2	5	20	25	11.6	0.1	1.1	21.21	99.8	7.1287	49.6143
2022	1	2	5	30	25	11.6	0.1	1.1	19.69	101.4	7.1287	45.8161
2022	1	2	5	40	25	11.6	0.1	1.1	20.85	100.5	7.1287	48.6648
2022	1	2	5	50	25	11.6	0.1	1.1	20.52	98.4	7.1287	48.1901
2022	1	2	6	0	25	11.6	0.1	1.1	18.36	99.7	7.1287	42.9675
2022	1	2	6	10	25	11.6	0.1	1.1	19.66	97.3	7.1287	46.291
2022	1	2	6	20	25	11.6	0.1	1.1	20.37	99.3	7.1287	47.7154
2022	1	2	6	30	25	11.6	0.1	1.1	19.59	101.5	7.1287	45.5789
2022	1	2	6	40	25	11.6	0.1	1.1	20.07	99.5	7.1287	47.0032
2022	1	2	6	50	25	11.6	0.1	1.1	19.24	99	7.1287	45.1041
2022	1	2	7	0	25	11.6	0.1	1.1	20.07	99.5	7.1287	47.0033
2022	1	2	7	10	25	11.6	0.1	1.1	18.7	98.3	7.1287	43.9172
2022	1	2	7	20	25	11.6	0.1	1.1	19.96	101	7.1287	46.5285
2022	1	2	7	30	25	11.6	0.1	1.1	19.8	98.1	7.1287	46.5285
2022	1	2	7	40	25	11.6	0.1	1.1	19.25	97.2	7.1287	45.3416
2022	1	2	7	50	25	12	0.1	1.1	19.91	98.4	7.1287	46.766

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	2	8	0	25	12.4	0.1	1.1	21	101.3	7.1287	48.9025
2022	1	2	8	10	25	12.6	0.1	1.1	20.29	99.6	7.1287	47.4781
2022	1	2	8	20	25	12.8	0.1	1.1	19.84	99	7.1287	46.5286
2022	1	2	8	30	25	13	0.1	1.1	19.61	101.8	7.1287	45.579
2022	1	2	8	40	25	13.4	0.1	1.1	20.37	99.3	7.1287	47.7155
2022	1	2	8	50	25	14	0.1	1.1	19.88	99.6	7.1287	46.5286
2022	1	2	9	0	25	14	0.1	1.1	19.88	99.6	7.1287	46.5286
2022	1	2	9	10	25	14	0.1	1.1	19.62	98.5	7.1287	46.0538
2022	1	2	9	20	25	14	0.1	1.1	20.23	96.5	7.1348	47.758
2022	1	2	9	30	25	14	0.1	1.1	20.03	98.6	7.1287	47.0033
2022	1	2	9	40	25	14	0.1	1.1	19.66	99.4	7.1348	46.0947
2022	1	2	9	50	25	14	0.1	1.1	19.74	99	7.1348	46.3323
2022	1	2	10	0	25	14	0.1	1.1	19.96	99.2	7.1348	46.8075
2022	1	2	10	10	25	14	0.1	1.1	20.48	99.6	7.1348	47.9955
2022	1	2	10	20	25	13.8	0.1	1.1	19.32	100.4	7.1348	45.1443
2022	1	2	10	30	25	13.8	0.1	1.1	20.41	98.2	7.1348	47.9955
2022	1	2	10	40	25	13.8	0.1	1.1	18.93	100.7	7.1287	44.1546
2022	1	2	10	50	25	13.8	0.1	1.1	19.16	97.5	7.1348	45.1443
2022	1	2	11	0	25	14.2	0.1	1.1	19.75	97	7.1348	46.5699
2022	1	2	11	10	25	14.2	0.1	1.1	20.04	96.9	7.1348	47.2826
2022	1	2	11	20	25	14.2	0.1	1.1	19.94	98.9	7.1348	46.8074
2022	1	2	11	30	25	14.2	0.1	1.1	20.3	99.9	7.1348	47.5202
2022	1	2	11	40	25	14.2	0.1	1.1	19.98	97.8	7.1348	47.045
2022	1	2	11	50	25	14.2	0.1	1.1	19.95	100.7	7.1348	46.5698
2022	1	2	12	0	25	14.2	0.1	1.1	20.52	98.4	7.1348	48.233
2022	1	2	12	10	25	14.2	0.1	1.1	19.88	97.8	7.1348	46.8074
2022	1	2	12	20	25	14.2	0.1	1.1	20.19	99.7	7.1348	47.2826
2022	1	2	12	30	25	14.2	0.1	1.1	19.53	100.6	7.1348	45.6194
2022	1	2	12	40	25	14.2	0.1	1.1	19.74	99	7.1348	46.3322
2022	1	2	12	50	25	14.2	0.1	1.1	19.84	99	7.1348	46.5698
2022	1	2	13	0	25	14.2	0.1	1.1	19.37	99.5	7.1348	45.3818
2022	1	2	13	10	25	14.2	0.1	1.1	20.73	98.6	7.1348	48.7082
2022	1	2	13	20	25	14.2	0.1	1.1	19.93	98.7	7.1287	46.7658
2022	1	2	13	30	25	14.2	0.1	1.1	20.32	100.2	7.1348	47.5202
2022	1	2	13	40	25	14.2	0.1	1.1	18.99	98.2	7.1348	44.669
2022	1	2	13	50	25	14.2	0.1	1.1	20.4	99.9	7.1348	47.7579
2022	1	2	14	0	25	14.2	0.1	1.1	19.88	97.8	7.1287	46.7659
2022	1	2	14	10	25	14.2	0.1	1.1	20.27	97.4	7.1287	47.7154
2022	1	2	14	20	25	14.2	0.1	1.1	20.44	98.7	7.1287	47.9528
2022	1	2	14	30	25	14.2	0.1	1.1	19.88	99.6	7.1287	46.5285
2022	1	2	14	40	25	14.2	0.1	1.1	19.81	100.2	7.1287	46.2911
2022	1	2	14	50	25	14.2	0.1	1.1	18.61	98.7	7.1287	43.6798
2022	1	2	15	0	25	14.2	0.1	1.1	19.62	98.5	7.1287	46.0537
2022	1	2	15	10	25	13.6	0.1	1.1	19.22	100.5	7.1287	44.8668
2022	1	2	15	20	25	13.6	0.1	1.1	19.59	97.9	7.1287	46.0538
2022	1	2	15	30	25	13.6	0.1	1.1	20.16	100.9	7.1287	47.0034
2022	1	2	15	40	25	13.6	0.1	1.1	20.19	99.7	7.1287	47.2407
2022	1	2	15	50	25	13.4	0.1	1.1	20.26	100.8	7.1287	47.2407

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	2	16	0	25	12.6	0.1	1.1	20.38	101	7.1287	47.4781
2022	1	2	16	10	25	12	0.1	1.1	21.17	99.2	7.1287	49.6146
2022	1	2	16	20	25	12	0.1	1.1	19.81	98.4	7.1287	46.5286
2022	1	2	16	30	25	12	0.1	1.1	19.37	99.5	7.1287	45.3416
2022	1	2	16	40	25	12	0.1	1.1	20.24	98.8	7.1287	47.4781
2022	1	2	16	50	25	11.8	0.1	1.1	20.08	97.7	7.1287	47.2407
2022	1	2	17	0	25	11.8	0.1	1.1	19.73	98.7	7.1287	46.2911
2022	1	2	17	10	25	11.8	0.1	1.1	19.96	101	7.1287	46.5285
2022	1	2	17	20	25	11.8	0.1	1.1	19.83	100.5	7.1287	46.2911
2022	1	2	17	30	25	11.8	0.1	1.1	20.3	101.4	7.1287	47.2407
2022	1	2	17	40	25	11.8	0.1	1.1	18.99	98.2	7.1287	44.6294
2022	1	2	17	50	25	11.8	0.1	1.1	20.24	98.8	7.1287	47.4781
2022	1	2	18	0	25	11.8	0.1	1.1	21.33	98.4	7.1287	50.0893
2022	1	2	18	10	25	11.8	0.1	1.1	19.49	101.5	7.1287	45.3415
2022	1	2	18	20	25	11.8	0.1	1.1	19.84	99	7.1287	46.5285
2022	1	2	18	30	25	11.8	0.1	1.1	19.69	97.9	7.1287	46.2911
2022	1	2	18	40	25	11.8	0.1	1.1	20.21	96	7.1287	47.7154
2022	1	2	18	50	25	11.8	0.1	1.1	19.48	99.8	7.1287	45.5789
2022	1	2	19	0	25	11.8	0.1	1.1	20.2	98	7.1287	47.478
2022	1	2	19	10	25	11.8	0.1	1.1	19.59	101.5	7.1287	45.5789
2022	1	2	19	20	25	11.8	0.1	1.1	20.04	100.6	7.1226	46.7242
2022	1	2	19	30	25	11.8	0.1	1.1	20.5	99.8	7.1287	47.9528
2022	1	2	19	40	25	11.8	0.1	1.1	20.24	96.8	7.1287	47.7154
2022	1	2	19	50	25	11.8	0.1	1.1	19.42	100.4	7.1287	45.3415
2022	1	2	20	0	25	11.8	0.1	1.1	20.54	98.7	7.1287	48.1901
2022	1	2	20	10	25	11.8	0.1	1.1	20.11	98.3	7.1287	47.2406
2022	1	2	20	20	25	11.8	0.1	1.1	20.37	99.3	7.1287	47.7154
2022	1	2	20	30	25	11.8	0.1	1.1	20.46	100.7	7.1287	47.7154
2022	1	2	20	40	25	11.8	0.1	1.1	20.54	98.7	7.1287	48.1901
2022	1	2	20	50	25	11.8	0.1	1.1	20.7	99.7	7.1226	48.3845
2022	1	2	21	0	25	11.8	0.1	1.1	20.07	97.4	7.1226	47.1986
2022	1	2	21	10	25	11.8	0.1	1.1	20.11	100	7.1226	46.9614
2022	1	2	21	20	25	11.8	0.1	1.1	20.04	96.9	7.1226	47.1986
2022	1	2	21	30	25	11.8	0.1	1.1	21.07	97.4	7.1226	49.5704
2022	1	2	21	40	25	11.6	0.1	1.1	19.15	99.3	7.1226	44.8268
2022	1	2	21	50	25	11.6	0.1	1.1	19.53	98.8	7.1226	45.7755
2022	1	2	22	0	25	11.6	0.1	1.1	20.52	98.4	7.1226	48.1473
2022	1	2	22	10	25	11.6	0.1	1.1	20.04	98.9	7.1226	46.9614
2022	1	2	22	20	25	11.6	0.1	1.1	19.86	99.3	7.1226	46.4871
2022	1	2	22	30	25	11.6	0.1	1.1	18.94	99.1	7.1226	44.3525
2022	1	2	22	40	25	11.6	0.1	1.1	19.57	101.2	7.1226	45.5384
2022	1	2	22	50	25	11.6	0.1	1.1	19.53	100.6	7.1226	45.5384
2022	1	2	23	0	25	11.6	0.1	1.1	18.68	98	7.1226	43.8782
2022	1	2	23	10	25	11.6	0.1	1.1	20.46	100.7	7.1226	47.6731
2022	1	2	23	20	25	11.6	0.1	1.1	19.89	99.8	7.1226	46.4872
2022	1	2	23	30	25	11.6	0.1	1.1	20.3	101.4	7.1226	47.1987
2022	1	2	23	40	25	11.6	0.1	1.1	19.15	99.3	7.1226	44.8269
2022	1	2	23	50	25	11.6	0.1	1.1	20.7	99.7	7.1165	48.3416



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	3	0	0	25	11.6	0.1	1.1	21.2	97.9	7.1226	49.8078
2022	1	3	0	10	25	11.6	0.1	1.1	21.11	98.2	7.1165	49.5264
2022	1	3	0	20	25	11.6	0.1	1.1	19.4	100.1	7.1165	45.261
2022	1	3	0	30	25	11.6	0.1	1.1	20.37	99.3	7.1165	47.6307
2022	1	3	0	40	25	11.6	0.1	1.1	20.29	97.9	7.1165	47.6307
2022	1	3	0	50	25	11.6	0.1	1.1	20.26	100.8	7.1165	47.1568
2022	1	3	1	0	25	11.6	0.1	1.1	20.29	99.6	7.1165	47.3938
2022	1	3	1	10	25	11.6	0.1	1.1	20.75	100.6	7.1165	48.3417
2022	1	3	1	20	25	11.6	0.1	1.1	19.74	99	7.1165	46.209
2022	1	3	1	30	25	11.6	0.1	1.1	19.62	98.5	7.1165	45.972
2022	1	3	1	40	25	11.6	0.1	1.1	19.69	101.4	7.1165	45.7351
2022	1	3	1	50	25	11.6	0.1	1.1	19.95	102.2	7.1165	46.209
2022	1	3	2	0	25	11.6	0.1	1.1	20.14	98.9	7.1165	47.1569
2022	1	3	2	10	25	11.6	0.1	1.1	20.48	99.6	7.1165	47.8678
2022	1	3	2	20	25	11.6	0.1	1.1	20.54	100.4	7.1165	47.8678
2022	1	3	2	30	25	11.6	0.1	1.1	20.32	98.5	7.1165	47.6309
2022	1	3	2	40	25	11.6	0.1	1.1	19.78	99.6	7.1165	46.2091
2022	1	3	2	50	25	11.6	0.1	1.1	20.47	101	7.1165	47.6309
2022	1	3	3	0	25	11.6	0.1	1.1	19.71	98.5	7.1165	46.2091
2022	1	3	3	10	25	11.6	0.1	1.1	18.67	97.7	7.1165	43.8394
2022	1	3	3	20	25	11.6	0.1	1.1	20.12	100.3	7.1165	46.92
2022	1	3	3	30	25	11.6	0.1	1.1	19.37	99.5	7.1165	45.2612
2022	1	3	3	40	25	11.6	0.1	1.1	20.63	98.6	7.1165	48.3419
2022	1	3	3	50	25	11.6	0.1	1.1	19.5	100	7.1104	45.4577
2022	1	3	4	0	25	11.6	0.1	1.1	19.3	98.3	7.1104	45.221
2022	1	3	4	10	25	11.6	0.1	1.1	19.12	100.5	7.1104	44.5107
2022	1	3	4	20	25	11.6	0.1	1.1	19.74	99	7.1104	46.168
2022	1	3	4	30	25	11.6	0.1	1.1	19.3	98.3	7.1104	45.221
2022	1	3	4	40	25	11.6	0.1	1.1	20.41	98.2	7.1104	47.8253
2022	1	3	4	50	25	11.6	0.1	1.1	20.25	99.1	7.1104	47.3518
2022	1	3	5	0	25	11.6	0.1	1.1	20.6	99.8	7.1104	48.0621
2022	1	3	5	10	25	11.6	0.1	1.1	19.35	99.2	7.1104	45.221
2022	1	3	5	20	25	11.6	0.1	1.1	19.24	99	7.1104	44.9843
2022	1	3	5	30	25	11.6	0.1	1.1	20.29	97.9	7.1104	47.5886
2022	1	3	5	40	25	11.6	0.1	1.1	20.28	97.7	7.1104	47.5886
2022	1	3	5	50	25	11.6	0.1	1.1	19.69	97.9	7.1104	46.1681
2022	1	3	6	0	25	11.6	0.1	1.1	20.16	100.9	7.1104	46.8784
2022	1	3	6	10	25	11.6	0.1	1.1	20.22	100.3	7.1104	47.1152
2022	1	3	6	20	25	11.6	0.1	1.1	19.95	102.2	7.1104	46.1681
2022	1	3	6	30	25	11.6	0.1	1.1	20.01	100.1	7.1104	46.6417
2022	1	3	6	40	25	11.4	0.1	1.1	20.1	98	7.1104	47.1152
2022	1	3	6	50	25	11.4	0.1	1.1	20.55	100.7	7.1104	47.8255
2022	1	3	7	0	25	11.4	0.1	1.1	19.37	99.5	7.1104	45.2212
2022	1	3	7	10	25	11.4	0.1	1.1	19.66	99.4	7.1043	45.8905
2022	1	3	7	20	25	11.6	0.1	1.1	19.3	100.1	7.1043	44.9443
2022	1	3	7	30	25	11.6	0.1	1.1	20.63	101.7	7.1043	47.7829
2022	1	3	7	40	25	11.6	0.1	1.1	19.66	99.4	7.1043	45.8905
2022	1	3	7	50	25	12	0.1	1.1	20.02	101.8	7.1043	46.3636

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	3	8	0	25	12.4	0.1	1.1	19.48	102.8	7.1104	44.9844
2022	1	3	8	10	25	12.8	0.1	1.1	19.79	99.9	7.1043	46.127
2022	1	3	8	20	25	12.6	0.1	1.1	18.91	100.4	7.1104	44.0374
2022	1	3	8	30	25	12.4	0.1	1.1	19.35	99.2	7.1104	45.2212
2022	1	3	8	40	25	12.4	0.1	1.1	19.05	102.4	7.1043	43.9981
2022	1	3	8	50	25	12.2	0.1	1.1	18.96	101.3	7.1104	44.0374
2022	1	3	9	0	25	12.2	0.1	1.1	19.89	99.8	7.1104	46.405
2022	1	3	9	10	25	12.2	0.1	1.1	19.32	101.9	7.1043	44.7078
2022	1	3	9	20	25	12.2	0.1	1.1	19.76	99.3	7.1043	46.1271
2022	1	3	9	30	25	13	0.1	1.1	19.65	102.3	7.1043	45.4174
2022	1	3	9	40	25	14.2	0.1	1.1	19.35	99.2	7.1104	45.2211
2022	1	3	9	50	25	14.2	0.1	1.1	19.45	99.2	7.1104	45.4578
2022	1	3	10	0	25	14	0.1	1.1	19.12	100.5	7.1104	44.5108
2022	1	3	10	10	25	14.2	0.1	1.1	20.52	98.4	7.1104	48.0622
2022	1	3	10	20	25	14	0.1	1.1	19.94	98.9	7.1104	46.6416
2022	1	3	10	30	25	14	0.1	1.1	19.69	97.9	7.1104	46.1681
2022	1	3	10	40	25	14.2	0.1	1.1	19.33	98.9	7.1104	45.221
2022	1	3	10	50	25	13.6	0.1	1.1	19.63	100.6	7.1104	45.6946
2022	1	3	11	0	25	13	0.1	1.1	18.69	101.7	7.1104	43.3271
2022	1	3	11	10	25	13	0.1	1.1	20.22	100.3	7.1043	47.0732
2022	1	3	11	20	25	13.2	0.1	1.1	21.14	100.4	7.1043	49.2021
2022	1	3	11	30	25	14	0.1	1.1	20.47	99.3	7.1043	47.7828
2022	1	3	11	40	25	14	0.1	1.1	19.94	98.9	7.1043	46.6001
2022	1	3	11	50	25	14	0.1	1.1	19.74	103.5	7.1104	45.4579
2022	1	3	12	0	25	14	0.1	1.1	18.58	99.9	7.1104	43.327
2022	1	3	12	10	25	13.8	0.1	1.1	18.99	100	7.1104	44.2741
2022	1	3	12	20	25	13.8	0.1	1.1	20.11	100	7.1104	46.8784
2022	1	3	12	30	25	13.8	0.1	1.1	19.95	102.2	7.1104	46.1681
2022	1	3	12	40	25	13.8	0.1	1.1	20.25	99.1	7.1104	47.3519
2022	1	3	12	50	25	14	0.1	1.1	20.93	100.2	7.1104	48.7724
2022	1	3	13	0	25	14	0.1	1.1	19.58	99.7	7.1104	45.6945
2022	1	3	13	10	25	14.2	0.1	1.1	19.67	101.1	7.1104	45.6945
2022	1	3	13	20	25	14.2	0.1	1.1	19.85	100.7	7.1104	46.168
2022	1	3	13	30	25	14.2	0.1	1.1	20.78	99.4	7.1104	48.5356
2022	1	3	13	40	25	14.2	0.1	1.1	19.58	99.7	7.1104	45.6945
2022	1	3	13	50	25	14.2	0.1	1.1	19.38	101.3	7.1104	44.9842
2022	1	3	14	0	25	14.2	0.1	1.1	19.21	98.4	7.1104	44.9842
2022	1	3	14	10	25	14.2	0.1	1.1	19.73	98.7	7.1104	46.168
2022	1	3	14	20	25	14.2	0.1	1.1	20.47	97.3	7.1104	48.0621
2022	1	3	14	30	25	14	0.1	1.1	19.65	99.1	7.1104	45.9313
2022	1	3	14	40	25	13.8	0.1	1.1	19.24	96.9	7.1104	45.221
2022	1	3	14	50	25	13.8	0.1	1.1	20.14	98.9	7.1104	47.1151
2022	1	3	15	0	25	13.8	0.1	1.1	20.3	101.4	7.1104	47.1151
2022	1	3	15	10	25	13.4	0.1	1.1	20.49	95.3	7.1104	48.2989
2022	1	3	15	20	25	12.6	0.1	1.1	20.01	98.3	7.1104	46.8784
2022	1	3	15	30	25	12.4	0.1	1.1	20.36	100.8	7.1104	47.3519
2022	1	3	15	40	25	12.2	0.1	1.1	19.28	97.8	7.1104	45.2211
2022	1	3	15	50	25	11.6	0.1	1.1	20.44	98.7	7.1104	47.8254

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	3	16	0	25	11.6	0.1	1.1	19.22	100.5	7.1104	44.7476
2022	1	3	16	10	25	12	0.1	1.1	19.91	98.4	7.1104	46.6416
2022	1	3	16	20	25	12	0.1	1.1	19.7	99.9	7.1104	45.9313
2022	1	3	16	30	25	12	0.1	1.1	19.8	98.1	7.1104	46.4049
2022	1	3	16	40	25	11.8	0.1	1.1	20.11	100	7.1104	46.8784
2022	1	3	16	50	25	11.8	0.1	1.1	20.53	96.4	7.1104	48.2989
2022	1	3	17	0	25	11.8	0.1	1.1	19.85	100.7	7.1104	46.1681
2022	1	3	17	10	25	11.8	0.1	1.1	20.12	100.3	7.1104	46.8784
2022	1	3	17	20	25	11.8	0.1	1.1	19.96	101	7.1104	46.4048
2022	1	3	17	30	25	11.8	0.1	1.1	20.03	98.6	7.1104	46.8784
2022	1	3	17	40	25	11.8	0.1	1.1	19.87	97.5	7.1104	46.6416
2022	1	3	17	50	25	11.8	0.1	1.1	19.73	96.7	7.1104	46.4048
2022	1	3	18	0	25	11.8	0.1	1.1	19.83	98.7	7.1104	46.4048
2022	1	3	18	10	25	11.8	0.1	1.1	19.49	98	7.1104	45.6945
2022	1	3	18	20	25	11.8	0.1	1.1	20.11	98.3	7.1104	47.1151
2022	1	3	18	30	25	11.8	0.1	1.1	19.65	99.1	7.1104	45.9313
2022	1	3	18	40	25	11.8	0.1	1.1	19.29	98	7.1104	45.221
2022	1	3	18	50	25	11.8	0.1	1.1	20.42	100.2	7.1104	47.5886
2022	1	3	19	0	25	11.8	0.1	1.1	20.16	99.1	7.1104	47.1151
2022	1	3	19	10	25	11.8	0.1	1.1	20.03	96.6	7.1104	47.115
2022	1	3	19	20	25	11.8	0.1	1.1	20.25	99.1	7.1104	47.3518
2022	1	3	19	30	25	11.8	0.1	1.1	19.46	99.5	7.1104	45.4577
2022	1	3	19	40	25	11.8	0.1	1.1	20.51	98.1	7.1104	48.0621
2022	1	3	19	50	25	11.8	0.1	1.1	20	98	7.1104	46.8783
2022	1	3	20	0	25	11.8	0.1	1.1	19.12	98.7	7.1104	44.7474
2022	1	3	20	10	25	11.8	0.1	1.1	20.17	99.4	7.1104	47.115
2022	1	3	20	20	25	11.8	0.1	1.1	21.01	99.9	7.1104	49.0091
2022	1	3	20	30	25	11.8	0.1	1.1	20.66	97.2	7.1104	48.5356
2022	1	3	20	40	25	11.8	0.1	1.1	19.58	99.7	7.1104	45.6945
2022	1	3	20	50	25	11.8	0.1	1.1	20.03	98.6	7.1104	46.8783
2022	1	3	21	0	25	11.8	0.1	1.1	20.3	101.4	7.1104	47.115
2022	1	3	21	10	25	11.8	0.1	1.1	19.3	98.3	7.1104	45.221
2022	1	3	21	20	25	11.6	0.1	1.1	19.35	99.2	7.1104	45.221
2022	1	3	21	30	25	11.6	0.1	1.1	19.81	100.2	7.1104	46.168
2022	1	3	21	40	25	11.6	0.1	1.1	19.64	96.7	7.1104	46.168
2022	1	3	21	50	25	11.6	0.1	1.1	20.12	100.3	7.1104	46.8783
2022	1	3	22	0	25	11.6	0.1	1.1	19.79	99.9	7.1104	46.168
2022	1	3	22	10	25	11.6	0.1	1.1	19.4	100.1	7.1104	45.221
2022	1	3	22	20	25	11.6	0.1	1.1	19.87	97.5	7.1104	46.6415
2022	1	3	22	30	25	11.6	0.1	1.1	19.76	99.3	7.1104	46.168
2022	1	3	22	40	25	11.6	0.1	1.1	19.78	99.6	7.1104	46.168
2022	1	3	22	50	25	11.6	0.1	1.1	19.79	99.9	7.1043	46.1269
2022	1	3	23	0	25	11.6	0.1	1.1	20.29	97.9	7.1104	47.5886
2022	1	3	23	10	25	11.6	0.1	1.1	19.3	100.1	7.1104	44.9843
2022	1	3	23	20	25	11.6	0.1	1.1	19.87	101	7.1104	46.1681
2022	1	3	23	30	25	11.6	0.1	1.1	20.03	98.6	7.1104	46.8784
2022	1	3	23	40	25	11.6	0.1	1.1	19.76	97.3	7.1043	46.3635
2022	1	3	23	50	25	11.6	0.1	1.1	20.04	98.9	7.1043	46.8366

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	4	0	0	25	11.6	0.1	1.1	19.89	95.5	7.1043	46.8366
2022	1	4	0	10	25	11.6	0.1	1.1	20.52	98.4	7.1043	48.0193
2022	1	4	0	20	25	11.6	0.1	1.1	21.11	98.2	7.1043	49.4386
2022	1	4	0	30	25	11.6	0.1	1.1	20.49	97.9	7.1104	48.0622
2022	1	4	0	40	25	11.6	0.1	1.1	20.48	97.6	7.1043	48.0194
2022	1	4	0	50	25	11.6	0.1	1.1	21.31	99.7	7.1043	49.6752
2022	1	4	1	0	25	11.6	0.1	1.1	20.17	99.4	7.1043	47.0732
2022	1	4	1	10	25	11.6	0.1	1.1	20.04	98.9	7.1043	46.8367
2022	1	4	1	20	25	11.6	0.1	1.1	19.18	97.8	7.1043	44.9443
2022	1	4	1	30	25	11.6	0.1	1.1	20.12	100.3	7.1043	46.8367
2022	1	4	1	40	25	11.6	0.1	1.1	19.79	99.9	7.1043	46.127
2022	1	4	1	50	25	11.6	0.1	1.1	20.48	99.6	7.1043	47.7829
2022	1	4	2	0	25	11.6	0.1	1.1	21.05	100.4	7.1043	48.9656
2022	1	4	2	10	25	11.6	0.1	1.1	20.26	100.8	7.1043	47.0733
2022	1	4	2	20	25	11.6	0.1	1.1	20.46	100.7	7.1043	47.5464
2022	1	4	2	30	25	11.6	0.1	1.1	19.79	101.4	7.1043	45.8905
2022	1	4	2	40	25	11.6	0.1	1.1	19.24	99	7.1043	44.9443
2022	1	4	2	50	25	11.6	0.1	1.1	19.66	99.4	7.1043	45.8905
2022	1	4	3	0	25	11.6	0.1	1.1	20.41	98.2	7.1043	47.783
2022	1	4	3	10	25	11.6	0.1	1.1	19.5	100	7.1043	45.4175
2022	1	4	3	20	25	11.6	0.1	1.1	20.72	98.3	7.1043	48.4926
2022	1	4	3	30	25	11.6	0.1	1.1	20.28	101.1	7.1043	47.0733
2022	1	4	3	40	25	11.6	0.1	1.1	20.4	101.3	7.1043	47.3099
2022	1	4	3	50	25	11.6	0.1	1.1	20.03	98.6	7.1043	46.8368
2022	1	4	4	0	25	11.6	0.1	1.1	19.2	100.2	7.1043	44.7079
2022	1	4	4	10	25	11.6	0.1	1.1	19.96	99.2	7.1043	46.6003
2022	1	4	4	20	25	11.6	0.1	1.1	20.06	99.2	7.1043	46.8368
2022	1	4	4	30	25	11.6	0.1	1.1	20.78	99.4	7.1043	48.4927
2022	1	4	4	40	25	11.4	0.1	1.1	21.02	98.2	7.1043	49.2023
2022	1	4	4	50	25	11.4	0.1	1.1	19.6	98.2	7.1043	45.8906
2022	1	4	5	0	25	11.4	0.1	1.1	19.87	97.5	7.1043	46.6003
2022	1	4	5	10	25	11.4	0.1	1.1	19.39	98	7.1043	45.4176
2022	1	4	5	20	25	11.4	0.1	1.1	19.52	100.3	7.1043	45.4176
2022	1	4	5	30	25	11.4	0.1	1.1	19.25	99.3	7.1043	44.9445
2022	1	4	5	40	25	11.4	0.1	1.1	19.22	98.7	7.1043	44.9445
2022	1	4	5	50	25	11.4	0.1	1.1	20.16	100.9	7.1043	46.8369
2022	1	4	6	0	25	11.4	0.1	1.1	19.33	98.9	7.1043	45.181
2022	1	4	6	10	25	11.4	0.1	1.1	19.9	98.1	7.1043	46.6004
2022	1	4	6	20	25	11.4	0.1	1.1	19.73	100.5	7.1043	45.8907
2022	1	4	6	30	25	11.4	0.1	1.1	19.39	98	7.1043	45.4176
2022	1	4	6	40	25	11.4	0.1	1.1	20.34	100.5	7.1043	47.31
2022	1	4	6	50	25	11.4	0.1	1.1	19.46	97.4	7.1043	45.6542
2022	1	4	7	0	25	11.4	0.1	1.1	20.11	100	7.1043	46.8369
2022	1	4	7	10	25	11.4	0.1	1.1	19.65	102.3	7.1043	45.4176
2022	1	4	7	20	25	11.4	0.1	1.1	19.35	99.2	7.1043	45.1811
2022	1	4	7	30	25	11.6	0.1	1.1	20.98	101	7.1043	48.7294
2022	1	4	7	40	25	11.6	0.1	1.1	19.83	101.9	7.1043	45.8908
2022	1	4	7	50	25	11.8	0.1	1.1	20.34	100.5	7.1043	47.3101

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	4	8	0	25	12	0.1	1.1	19.97	102.4	7.1043	46.1273
2022	1	4	8	10	25	12.2	0.1	1.1	19.47	101.3	7.1043	45.1811
2022	1	4	8	20	25	12.4	0.1	1.1	19.38	101.3	7.1043	44.9445
2022	1	4	8	30	25	12.6	0.1	1.1	19.52	100.3	7.1043	45.4176
2022	1	4	8	40	25	12.8	0.1	1.1	19.56	99.4	7.1043	45.6542
2022	1	4	8	50	25	13	0.1	1.1	20.29	97.9	7.1043	47.5465
2022	1	4	9	0	25	13.4	0.1	1.1	18.98	97.9	7.1043	44.4714
2022	1	4	9	10	25	13.6	0.1	1.1	20.06	100.9	7.1043	46.6003
2022	1	4	9	20	25	13.8	0.1	1.1	19.05	102.4	7.1043	43.9983
2022	1	4	9	30	25	14	0.1	1.1	20.07	99.5	7.1043	46.8368
2022	1	4	9	40	25	13.8	0.1	1.1	19.96	97.2	7.1043	46.8368
2022	1	4	9	50	25	14.2	0.1	1.1	19.96	97.2	7.1043	46.8368
2022	1	4	10	0	25	14.2	0.1	1.1	20.29	97.9	7.1043	47.5464
2022	1	4	10	10	25	14.2	0.1	1.1	18.63	100.8	7.1043	43.2885
2022	1	4	10	20	25	14.2	0.1	1.1	18.96	99.4	7.1043	44.2347
2022	1	4	10	30	25	14.2	0.1	1.1	20.3	99.9	7.1043	47.3098
2022	1	4	10	40	25	14.2	0.1	1.1	19.4	100.1	7.1043	45.1809
2022	1	4	10	50	25	14.2	0.1	1.1	19.45	99.2	7.1043	45.4174
2022	1	4	11	0	25	14.2	0.1	1.1	19.46	99.5	7.1104	45.4579
2022	1	4	11	10	25	13.8	0.1	1.1	19.71	100.2	7.1104	45.9314
2022	1	4	11	20	25	13.8	0.1	1.1	19.12	100.5	7.1104	44.5109
2022	1	4	11	30	25	13.8	0.1	1.1	19.26	101.1	7.1104	44.7476
2022	1	4	11	40	25	13.8	0.1	1.1	20.16	100.9	7.1104	46.8784
2022	1	4	11	50	25	13.8	0.1	1.1	19.7	99.9	7.1104	45.9314
2022	1	4	12	0	25	13.8	0.1	1.1	19.9	95.8	7.1104	46.8784
2022	1	4	12	10	25	13.8	0.1	1.1	19.05	97.2	7.1104	44.7476
2022	1	4	12	20	25	13.8	0.1	1.1	19.3	98.3	7.1104	45.2211
2022	1	4	12	30	25	13.6	0.1	1.1	20.45	99	7.1043	47.7828
2022	1	4	12	40	25	13.8	0.1	1.1	20.95	100.5	7.1104	48.7725
2022	1	4	12	50	25	13.8	0.1	1.1	18.91	100.4	7.1104	44.0373
2022	1	4	13	0	25	13.8	0.1	1.1	20.24	102	7.1104	46.8784
2022	1	4	13	10	25	13.8	0.1	1.1	19.12	100.5	7.1104	44.5108
2022	1	4	13	20	25	13.6	0.1	1.1	19.28	99.9	7.1043	44.9442
2022	1	4	13	30	25	13.6	0.1	1.1	20.51	98.1	7.1043	48.0193
2022	1	4	13	40	25	13.8	0.1	1.1	20.93	98.5	7.1043	48.9655
2022	1	4	13	50	25	13.6	0.1	1.1	19.42	98.6	7.1043	45.4173
2022	1	4	14	0	25	13.8	0.1	1.1	19.77	101.1	7.1104	45.9313
2022	1	4	14	10	25	13.8	0.1	1.1	19.12	100.5	7.1043	44.4711
2022	1	4	14	20	25	13.6	0.1	1.1	19.08	101.5	7.1043	44.2346
2022	1	4	14	30	25	13.6	0.1	1.1	20.28	101.1	7.1043	47.0732
2022	1	4	14	40	25	14	0.1	1.1	19.5	98.3	7.1043	45.6539
2022	1	4	14	50	25	13.8	0.1	1.1	20.63	100.3	7.1043	48.0194
2022	1	4	15	0	25	13.6	0.1	1.1	20.36	100.8	7.1043	47.3097
2022	1	4	15	10	25	12.4	0.1	1.1	19.66	99.4	7.1043	45.8905
2022	1	4	15	20	25	12.6	0.1	1.1	20.12	100.3	7.1043	46.8367
2022	1	4	15	30	25	13.6	0.1	1.1	19.14	96.9	7.1043	44.9443
2022	1	4	15	40	25	13.6	0.1	1.1	19.33	98.9	7.1043	45.1808
2022	1	4	15	50	25	13.6	0.1	1.1	19.2	100.2	7.1043	44.7077

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	4	16	0	25	12.4	0.1	1.1	20.21	98.3	7.1043	47.3098
2022	1	4	16	10	25	12	0.1	1.1	19.35	99.2	7.1043	45.1808
2022	1	4	16	20	25	12	0.1	1.1	20.09	99.7	7.1043	46.8367
2022	1	4	16	30	25	12	0.1	1.1	19.79	99.9	7.1043	46.127
2022	1	4	16	40	25	12	0.1	1.1	19.47	101.3	7.1043	45.1808
2022	1	4	16	50	25	12	0.1	1.1	20.47	99.3	7.1043	47.7828
2022	1	4	17	0	25	12	0.1	1.1	19.81	100.2	7.1043	46.127
2022	1	4	17	10	25	11.8	0.1	1.1	20.83	98.6	7.1043	48.729
2022	1	4	17	20	25	11.8	0.1	1.1	19.81	100.2	7.1043	46.1269
2022	1	4	17	30	25	11.8	0.1	1.1	19.4	100.1	7.1043	45.1807
2022	1	4	17	40	25	11.8	0.1	1.1	20.52	100.1	7.1043	47.7828
2022	1	4	17	50	25	11.8	0.1	1.1	19.25	99.3	7.1043	44.9442
2022	1	4	18	0	25	11.8	0.1	1.1	20.91	99.9	7.1043	48.7289
2022	1	4	18	10	25	11.8	0.1	1.1	19.08	97.8	7.1043	44.7076
2022	1	4	18	20	25	11.8	0.1	1.1	20.26	100.8	7.1043	47.0731
2022	1	4	18	30	25	11.8	0.1	1.1	20.11	98.3	7.1043	47.073
2022	1	4	18	40	25	11.8	0.1	1.1	19.74	99	7.1043	46.1268
2022	1	4	18	50	25	11.8	0.1	1.1	18.96	99.4	7.1043	44.2344
2022	1	4	19	0	25	11.8	0.1	1.1	19.55	100.9	7.0982	45.3766
2022	1	4	19	10	25	11.8	0.1	1.1	20.24	100.5	7.0982	47.031
2022	1	4	19	20	25	11.8	0.1	1.1	19.79	99.9	7.0982	46.0856
2022	1	4	19	30	25	11.8	0.1	1.1	19.74	99	7.0921	46.0444
2022	1	4	19	40	25	11.8	0.1	1.1	19.12	98.7	7.0921	44.6277
2022	1	4	19	50	25	11.8	0.1	1.1	20.04	98.9	7.086	46.711
2022	1	4	20	0	25	11.8	0.1	1.1	20.11	98.3	7.0921	46.9889
2022	1	4	20	10	25	11.8	0.1	1.1	19.2	101.7	7.086	44.3518
2022	1	4	20	20	25	11.8	0.1	1.1	20.67	100.9	7.086	47.8905
2022	1	4	20	30	25	11.8	0.1	1.1	19.74	99	7.086	46.0032
2022	1	4	20	40	25	11.8	0.1	1.1	20.91	99.9	7.0799	48.5547
2022	1	4	20	50	25	11.8	0.1	1.1	20.28	97.7	7.086	47.4187
2022	1	4	21	0	25	11.8	0.1	1.1	19.48	99.8	7.086	45.2954
2022	1	4	21	10	25	11.8	0.1	1.1	19.3	100.1	7.086	44.8236
2022	1	4	21	20	25	11.8	0.1	1.1	19.83	98.7	7.086	46.2391
2022	1	4	21	30	25	11.8	0.1	1.1	20.06	97.2	7.0799	46.9048
2022	1	4	21	40	25	11.8	0.1	1.1	20.63	101.7	7.086	47.6546
2022	1	4	21	50	25	11.6	0.1	1.1	19.69	97.9	7.0799	45.962
2022	1	4	22	0	25	11.6	0.1	1.1	18.99	98.2	7.0799	44.3121
2022	1	4	22	10	25	11.6	0.1	1.1	20.7	98.1	7.0799	48.319
2022	1	4	22	20	25	11.6	0.1	1.1	20.29	99.6	7.0799	47.1405
2022	1	4	22	30	25	11.6	0.1	1.1	18.54	97.1	7.0799	43.3693
2022	1	4	22	40	25	11.6	0.1	1.1	20.18	101.1	7.0799	46.6691
2022	1	4	22	50	25	11.6	0.1	1.1	20.21	100	7.0799	46.9048
2022	1	4	23	0	25	11.6	0.1	1.1	19.73	96.7	7.0799	46.1977
2022	1	4	23	10	25	11.6	0.1	1.1	19.5	98.3	7.0799	45.4906
2022	1	4	23	20	25	11.6	0.1	1.1	20.42	100.2	7.0799	47.3763
2022	1	4	23	30	25	11.6	0.1	1.1	19.74	99	7.0799	45.9621
2022	1	4	23	40	25	11.6	0.1	1.1	20.34	98.8	7.0799	47.3763
2022	1	4	23	50	25	11.6	0.1	1.1	19.05	99.4	7.0799	44.3122

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	5	0	0	25	11.6	0.1	1.1	19.79	99.9	7.0799	45.9621
2022	1	5	0	10	25	11.6	0.1	1.1	20.6	99.8	7.0799	47.8477
2022	1	5	0	20	25	11.6	0.1	1.1	20.07	97.4	7.0799	46.9049
2022	1	5	0	30	25	11.6	0.1	1.1	20.42	100.2	7.0799	47.3763
2022	1	5	0	40	25	11.6	0.1	1.1	19.37	99.5	7.0799	45.0193
2022	1	5	0	50	25	11.6	0.1	1.1	20.36	100.8	7.0799	47.1406
2022	1	5	1	0	25	11.6	0.1	1.1	19.96	101	7.0799	46.1978
2022	1	5	1	10	25	11.6	0.1	1.1	20.02	101.8	7.0799	46.1978
2022	1	5	1	20	25	11.6	0.1	1.1	19.39	98	7.0799	45.255
2022	1	5	1	30	25	11.6	0.1	1.1	20.62	98.4	7.0799	48.0835
2022	1	5	1	40	25	11.6	0.1	1.1	20.46	100.7	7.0799	47.3764
2022	1	5	1	50	25	11.6	0.1	1.1	21.2	101.2	7.0799	49.0263
2022	1	5	2	0	25	11.6	0.1	1.1	20.19	99.7	7.0799	46.905
2022	1	5	2	10	25	11.6	0.1	1.1	20.12	100.3	7.0738	46.6275
2022	1	5	2	20	25	11.6	0.1	1.1	20.24	98.8	7.0738	47.0985
2022	1	5	2	30	25	11.6	0.1	1.1	19.74	99	7.0738	45.921
2022	1	5	2	40	25	11.6	0.1	1.1	20.44	98.7	7.0738	47.5695
2022	1	5	2	50	25	11.6	0.1	1.1	19.47	101.3	7.0738	44.979
2022	1	5	3	0	25	11.6	0.1	1.1	19.88	99.6	7.0738	46.1565
2022	1	5	3	10	25	11.6	0.1	1.1	19.12	100.5	7.0738	44.2726
2022	1	5	3	20	25	11.6	0.1	1.1	20.11	98.3	7.0738	46.863
2022	1	5	3	30	25	11.6	0.1	1.1	20.48	99.6	7.0738	47.5695
2022	1	5	3	40	25	11.6	0.1	1.1	19.4	100.1	7.0738	44.9791
2022	1	5	3	50	25	11.6	0.1	1.1	20.39	99.6	7.0738	47.334
2022	1	5	4	0	25	11.6	0.1	1.1	19.29	98	7.0738	44.9791
2022	1	5	4	10	25	11.6	0.1	1.1	19.46	97.4	7.0738	45.4501
2022	1	5	4	20	25	11.6	0.1	1.1	20.34	98.8	7.0738	47.334
2022	1	5	4	30	25	11.6	0.1	1.1	20.02	101.8	7.0738	46.1566
2022	1	5	4	40	25	11.6	0.1	1.1	20.04	100.6	7.0738	46.3921
2022	1	5	4	50	25	11.6	0.1	1.1	20.1	101.5	7.0738	46.3921
2022	1	5	5	0	25	11.6	0.1	1.1	19.93	100.4	7.0738	46.1566
2022	1	5	5	10	25	11.6	0.1	1.1	19.54	96.8	7.0738	45.6856
2022	1	5	5	20	25	11.6	0.1	1.1	19.91	98.4	7.0738	46.3921
2022	1	5	5	30	25	11.6	0.1	1.1	19.14	96.9	7.0738	44.7436
2022	1	5	5	40	25	11.6	0.1	1.1	18.94	97	7.0738	44.2727
2022	1	5	5	50	25	11.6	0.1	1.1	19.7	99.9	7.0738	45.6856
2022	1	5	6	0	25	11.6	0.1	1.1	20.68	99.5	7.0738	48.0406
2022	1	5	6	10	25	11.6	0.1	1.1	20.01	100.1	7.0738	46.3921
2022	1	5	6	20	25	11.6	0.1	1.1	20.54	100.4	7.0738	47.5696
2022	1	5	6	30	25	11.6	0.1	1.1	20.18	97.7	7.0738	47.0986
2022	1	5	6	40	25	11.6	0.1	1.1	20.01	98.3	7.0677	46.5858
2022	1	5	6	50	25	11.6	0.1	1.1	19.52	100.3	7.0677	45.1741
2022	1	5	7	0	25	11.6	0.1	1.1	19.08	101.5	7.0738	44.0372
2022	1	5	7	10	25	11.6	0.1	1.1	19.22	100.5	7.0738	44.5082
2022	1	5	7	20	25	11.6	0.1	1.1	19.2	100.2	7.0677	44.4683
2022	1	5	7	30	25	11.6	0.1	1.1	20.55	102.1	7.0738	47.3341
2022	1	5	7	40	25	11.6	0.1	1.1	18.82	98.9	7.0738	43.8017
2022	1	5	7	50	25	11.8	0.1	1.1	19.63	100.6	7.0738	45.4502

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	5	8	0	25	12.2	0.1	1.1	19.52	100.3	7.0677	45.1742
2022	1	5	8	10	25	12.4	0.1	1.1	19.96	99.2	7.0677	46.3506
2022	1	5	8	20	25	12.6	0.1	1.1	18.74	99.2	7.0738	43.5662
2022	1	5	8	30	25	12.8	0.1	1.1	20.12	100.3	7.0738	46.6276
2022	1	5	8	40	25	13	0.1	1.1	19.65	99.1	7.0738	45.6856
2022	1	5	8	50	25	13.2	0.1	1.1	19.23	96.6	7.0738	44.9791
2022	1	5	9	0	25	13.4	0.1	1.1	19.22	100.5	7.0738	44.5081
2022	1	5	9	10	25	13.6	0.1	1.1	18.85	97.3	7.0738	44.0371
2022	1	5	9	20	25	13.8	0.1	1.1	19.93	100.4	7.0738	46.1566
2022	1	5	9	30	25	13.8	0.1	1.1	19.8	98.1	7.0738	46.1565
2022	1	5	9	40	25	13.8	0.1	1.1	19.89	99.8	7.0738	46.1565
2022	1	5	9	50	25	13.8	0.1	1.1	20.12	100.3	7.0738	46.6275
2022	1	5	10	0	25	13.8	0.1	1.1	19.6	100	7.0738	45.45
2022	1	5	10	10	25	13.8	0.1	1.1	19.75	102.3	7.0738	45.45
2022	1	5	10	20	25	13.8	0.1	1.1	20.06	100.9	7.0738	46.392
2022	1	5	10	30	25	13.8	0.1	1.1	20.04	100.6	7.0738	46.3919
2022	1	5	10	40	25	13.6	0.1	1.1	19.04	99.1	7.0738	44.2725
2022	1	5	10	50	25	13.6	0.1	1.1	19.76	99.3	7.0738	45.9209
2022	1	5	11	0	25	13.6	0.1	1.1	20.02	101.8	7.0738	46.1564
2022	1	5	11	10	25	13.6	0.1	1.1	19.93	101.9	7.0738	45.9209
2022	1	5	11	20	25	13.6	0.1	1.1	19.89	101.3	7.0738	45.9209
2022	1	5	11	30	25	13.6	0.1	1.1	19.12	98.7	7.0738	44.5079
2022	1	5	11	40	25	13.6	0.1	1.1	18.86	99.5	7.0738	43.8014
2022	1	5	11	50	25	13.6	0.1	1.1	19.66	99.4	7.086	45.7673
2022	1	5	12	0	25	13.6	0.1	1.1	19.3	95.9	7.0921	45.336
2022	1	5	12	10	25	13.6	0.1	1.1	18.68	99.9	7.086	43.4081
2022	1	5	12	20	25	14	0.1	1.1	19.5	100	7.086	45.2954
2022	1	5	12	30	25	14.2	0.1	1.1	19.45	99.2	7.086	45.2954
2022	1	5	12	40	25	13.8	0.1	1.1	19.34	100.7	7.086	44.8236
2022	1	5	12	50	25	14.2	0.1	1.1	19.7	99.9	7.086	45.7672
2022	1	5	13	0	25	14.2	0.1	1.1	19.98	101.3	7.086	46.239
2022	1	5	13	10	25	14.2	0.1	1.1	19.67	101.1	7.086	45.5313
2022	1	5	13	20	25	14.2	0.1	1.1	19.55	99.1	7.086	45.5313
2022	1	5	13	30	25	14.2	0.1	1.1	20.32	98.5	7.086	47.4186
2022	1	5	13	40	25	14.2	0.1	1.1	20.68	99.5	7.086	48.1263
2022	1	5	13	50	25	13.4	0.1	1.1	19.87	101	7.086	46.0031
2022	1	5	14	0	25	13.4	0.1	1.1	19.7	98.2	7.0799	45.9619
2022	1	5	14	10	25	13.4	0.1	1.1	19.85	102.2	7.086	45.7672
2022	1	5	14	20	25	13.4	0.1	1.1	19.65	99.1	7.0799	45.7262
2022	1	5	14	30	25	13.4	0.1	1.1	18.77	101.4	7.086	43.4081
2022	1	5	14	40	25	13.4	0.1	1.1	20.24	100.5	7.0799	46.9047
2022	1	5	14	50	25	13.4	0.1	1.1	19.35	97.1	7.0799	45.2548
2022	1	5	15	0	25	13.4	0.1	1.1	19.24	99	7.0799	44.7834
2022	1	5	15	10	25	13.4	0.1	1.1	20.54	98.7	7.0799	47.8476
2022	1	5	15	20	25	13.4	0.1	1.1	19.74	99	7.0799	45.962
2022	1	5	15	30	25	13.4	0.1	1.1	19.81	101.7	7.0799	45.7263
2022	1	5	15	40	25	13.4	0.1	1.1	19.99	99.8	7.0799	46.4334
2022	1	5	15	50	25	12.8	0.1	1.1	19.05	99.4	7.0799	44.312



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	5	16	0	25	12.4	0.1	1.1	20.5	99.8	7.0799	47.6119
2022	1	5	16	10	25	12	0.1	1.1	19.37	99.5	7.0799	45.0191
2022	1	5	16	20	25	12	0.1	1.1	19.69	101.4	7.0799	45.4905
2022	1	5	16	30	25	12	0.1	1.1	19.6	100	7.0799	45.4905
2022	1	5	16	40	25	12	0.1	1.1	19.66	99.4	7.0799	45.7262
2022	1	5	16	50	25	12	0.1	1.1	18.94	99.1	7.0799	44.0763
2022	1	5	17	0	25	11.8	0.1	1.1	19.6	100	7.0799	45.4905
2022	1	5	17	10	25	11.8	0.1	1.1	19.93	100.4	7.0799	46.1976
2022	1	5	17	20	25	11.8	0.1	1.1	21.56	100.4	7.0799	49.9688
2022	1	5	17	30	25	11.8	0.1	1.1	20.03	98.6	7.0799	46.6689
2022	1	5	17	40	25	11.8	0.1	1.1	19.16	101.1	7.0799	44.3119
2022	1	5	17	50	25	11.8	0.1	1.1	19.89	101.3	7.0799	45.9618
2022	1	5	18	0	25	11.8	0.1	1.1	20.62	100.1	7.0799	47.8474
2022	1	5	18	10	25	11.8	0.1	1.1	19.17	99.6	7.0799	44.5475
2022	1	5	18	20	25	11.8	0.1	1.1	18.94	99.1	7.0799	44.0761
2022	1	5	18	30	25	11.8	0.1	1.1	19.89	99.8	7.0799	46.1974
2022	1	5	18	40	25	11.8	0.1	1.1	19.59	97.9	7.0799	45.726
2022	1	5	18	50	25	11.8	0.1	1.1	18.35	99.4	7.0799	42.6619
2022	1	5	19	0	25	11.8	0.1	1.1	20.54	98.7	7.0799	47.8473
2022	1	5	19	10	25	11.8	0.1	1.1	19.59	101.5	7.0799	45.2545
2022	1	5	19	20	25	11.8	0.1	1.1	18.82	98.9	7.0799	43.8403
2022	1	5	19	30	25	11.8	0.1	1.1	19.24	99	7.0799	44.7831
2022	1	5	19	40	25	11.8	0.1	1.1	18.87	101.3	7.0799	43.6046
2022	1	5	19	50	25	11.8	0.1	1.1	19.32	100.4	7.0799	44.7831
2022	1	5	20	0	25	11.8	0.1	1.1	19.19	98.1	7.0799	44.7831
2022	1	5	20	10	25	11.8	0.1	1.1	19.52	100.3	7.0799	45.2545
2022	1	5	20	20	25	11.8	0.1	1.1	20.87	100.8	7.0799	48.3186
2022	1	5	20	30	25	11.8	0.1	1.1	19.43	98.9	7.0799	45.2544
2022	1	5	20	40	25	11.8	0.1	1.1	18.56	99.6	7.0799	43.1331
2022	1	5	20	50	25	11.8	0.1	1.1	19.58	99.7	7.0799	45.4901
2022	1	5	21	0	25	11.8	0.1	1.1	19.6	100	7.0799	45.4901
2022	1	5	21	10	25	11.8	0.1	1.1	20.16	99.1	7.0799	46.9043
2022	1	5	21	20	25	11.8	0.1	1.1	19.32	98.6	7.0799	45.0187
2022	1	5	21	30	25	11.8	0.1	1.1	19.47	97.7	7.0799	45.4901
2022	1	5	21	40	25	11.8	0.1	1.1	19.21	98.4	7.0799	44.783
2022	1	5	21	50	25	11.8	0.1	1.1	19.63	100.6	7.0799	45.4901
2022	1	5	22	0	25	11.8	0.1	1.1	19.86	97.2	7.0799	46.4329
2022	1	5	22	10	25	11.6	0.1	1.1	19.57	97.6	7.0799	45.7258
2022	1	5	22	20	25	11.6	0.1	1.1	19.7	99.9	7.0799	45.7258
2022	1	5	22	30	25	11.6	0.1	1.1	19.97	99.5	7.0799	46.4329
2022	1	5	22	40	25	11.6	0.1	1.1	19.96	97.2	7.0799	46.6687
2022	1	5	22	50	25	11.6	0.1	1.1	19.96	99.2	7.0799	46.4329
2022	1	5	23	0	25	11.6	0.1	1.1	19.48	99.8	7.0799	45.2545
2022	1	5	23	10	25	11.6	0.1	1.1	20.01	100.1	7.0799	46.433
2022	1	5	23	20	25	11.6	0.1	1.1	19.88	97.8	7.0799	46.433
2022	1	5	23	30	25	11.6	0.1	1.1	19.19	98.1	7.0799	44.7831
2022	1	5	23	40	25	11.6	0.1	1.1	19.93	98.7	7.0799	46.433
2022	1	5	23	50	25	11.6	0.1	1.1	19.22	96.3	7.0799	45.0188

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	6	0	0	25	11.6	0.1	1.1	19.4	100.1	7.0799	45.0188
2022	1	6	0	10	25	11.6	0.1	1.1	20.04	98.9	7.0799	46.6687
2022	1	6	0	20	25	11.6	0.1	1.1	19.63	100.6	7.0799	45.4902
2022	1	6	0	30	25	11.6	0.1	1.1	19.75	100.8	7.0799	45.7259
2022	1	6	0	40	25	11.6	0.1	1.1	20.3	99.9	7.0799	47.1401
2022	1	6	0	50	25	11.6	0.1	1.1	20.14	98.9	7.0799	46.9044
2022	1	6	1	0	25	11.6	0.1	1.1	19.38	101.3	7.0799	44.7831
2022	1	6	1	10	25	11.6	0.1	1.1	20.24	100.5	7.0799	46.9044
2022	1	6	1	20	25	11.6	0.1	1.1	19.28	99.9	7.0799	44.7831
2022	1	6	1	30	25	11.6	0.1	1.1	20.34	98.8	7.0799	47.3758
2022	1	6	1	40	25	11.6	0.1	1.1	20.14	98.9	7.0799	46.9044
2022	1	6	1	50	25	11.6	0.1	1.1	19.11	98.4	7.0799	44.5474
2022	1	6	2	0	25	11.6	0.1	1.1	20.07	97.4	7.0799	46.9044
2022	1	6	2	10	25	11.6	0.1	1.1	19.56	99.4	7.0799	45.4902
2022	1	6	2	20	25	11.6	0.1	1.1	20.07	99.5	7.0799	46.6688
2022	1	6	2	30	25	11.6	0.1	1.1	19.52	100.3	7.0799	45.2546
2022	1	6	2	40	25	11.6	0.1	1.1	20.65	100.6	7.0799	47.8473
2022	1	6	2	50	25	11.6	0.1	1.1	19.68	102.6	7.0799	45.2546
2022	1	6	3	0	25	11.6	0.1	1.1	19.59	97.9	7.0799	45.726
2022	1	6	3	10	25	11.6	0.1	1.1	19.89	101.3	7.0799	45.9617
2022	1	6	3	20	25	11.6	0.1	1.1	19.44	96.8	7.0799	45.4903
2022	1	6	3	30	25	11.6	0.1	1.1	19.58	99.7	7.0738	45.4496
2022	1	6	3	40	25	11.6	0.1	1.1	19.85	96.9	7.0738	46.3915
2022	1	6	3	50	25	11.6	0.1	1.1	19.69	97.9	7.0738	45.9205
2022	1	6	4	0	25	11.6	0.1	1.1	20.24	98.8	7.0738	47.098
2022	1	6	4	10	25	11.6	0.1	1.1	20.43	96.5	7.0799	47.8473
2022	1	6	4	20	25	11.6	0.1	1.1	18.73	98.9	7.0799	43.6047
2022	1	6	4	30	25	11.6	0.1	1.1	19.88	99.6	7.0799	46.1974
2022	1	6	4	40	25	11.6	0.1	1.1	20.34	98.8	7.0799	47.3759
2022	1	6	4	50	25	11.6	0.1	1.1	20.38	101	7.0799	47.1402
2022	1	6	5	0	25	11.6	0.1	1.1	20.16	99.1	7.0738	46.8625
2022	1	6	5	10	25	11.6	0.1	1.1	20.24	98.8	7.0799	47.1402
2022	1	6	5	20	25	11.6	0.1	1.1	19.89	99.8	7.0799	46.1974
2022	1	6	5	30	25	11.6	0.1	1.1	19.02	100.6	7.0799	44.0761
2022	1	6	5	40	25	11.6	0.1	1.1	19.86	99.3	7.0738	46.1561
2022	1	6	5	50	25	11.6	0.1	1.1	19.24	96.9	7.0738	44.9786
2022	1	6	6	0	25	11.6	0.1	1.1	19.63	100.6	7.0799	45.4903
2022	1	6	6	10	25	11.6	0.1	1.1	19.48	99.8	7.0799	45.2547
2022	1	6	6	20	25	11.6	0.1	1.1	20.46	102.1	7.0738	47.098
2022	1	6	6	30	25	11.6	0.1	1.1	19.46	99.5	7.0738	45.2141
2022	1	6	6	40	25	11.6	0.1	1.1	18.64	99.3	7.0738	43.3302
2022	1	6	6	50	25	11.6	0.1	1.1	19.65	99.1	7.0738	45.6851
2022	1	6	7	0	25	11.6	0.1	1.1	19.21	98.4	7.0799	44.7833
2022	1	6	7	10	25	11.6	0.1	1.1	19.81	100.2	7.0799	45.9618
2022	1	6	7	20	25	11.6	0.1	1.1	19.78	99.6	7.0799	45.9618
2022	1	6	7	30	25	11.6	0.1	1.1	19.55	99.1	7.0799	45.4904
2022	1	6	7	40	25	11.6	0.1	1.1	19.45	99.2	7.0738	45.2142
2022	1	6	7	50	25	11.8	0.1	1.1	19.28	99.9	7.0799	44.7833

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	6	8	0	25	12.2	0.1	1.1	20.26	100.8	7.0738	46.8626
2022	1	6	8	10	25	12.4	0.1	1.1	19.79	99.9	7.0738	45.9206
2022	1	6	8	20	25	12.6	0.1	1.1	19.32	100.4	7.0799	44.7833
2022	1	6	8	30	25	12.8	0.1	1.1	20.12	100.3	7.0799	46.6689
2022	1	6	8	40	25	13	0.1	1.1	19.96	101	7.0799	46.1974
2022	1	6	8	50	25	13.2	0.1	1.1	19.75	100.8	7.0799	45.726
2022	1	6	9	0	25	13.8	0.1	1.1	19.73	98.7	7.0799	45.9617
2022	1	6	9	10	25	13.8	0.1	1.1	19.55	99.1	7.0799	45.4903
2022	1	6	9	20	25	13.8	0.1	1.1	18.73	98.9	7.0799	43.6047
2022	1	6	9	30	25	13.8	0.1	1.1	20.01	100.1	7.0799	46.433
2022	1	6	9	40	25	13.8	0.1	1.1	19.43	98.9	7.0799	45.2545
2022	1	6	9	50	25	13.8	0.1	1.1	19.3	101.7	7.0799	44.5474
2022	1	6	10	0	25	14.2	0.1	1.1	20.16	100.9	7.0799	46.6687
2022	1	6	10	10	25	14.2	0.1	1.1	21.16	100.6	7.0799	49.0257
2022	1	6	10	20	25	14.2	0.1	1.1	19.87	101	7.0799	45.9615
2022	1	6	10	30	25	14.2	0.1	1.1	21.16	100.6	7.0799	49.0256
2022	1	6	10	40	25	14.2	0.1	1.1	18.87	101.3	7.0799	43.6045
2022	1	6	10	50	25	14.2	0.1	1.1	19.45	99.2	7.0799	45.2544
2022	1	6	11	0	25	14.2	0.1	1.1	20.01	100.1	7.086	46.4745
2022	1	6	11	10	25	13.8	0.1	1.1	19.59	97.9	7.086	45.7667
2022	1	6	11	20	25	14.2	0.1	1.1	19.43	98.9	7.086	45.2949
2022	1	6	11	30	25	14.2	0.1	1.1	19.65	99.1	7.086	45.7667
2022	1	6	11	40	25	14.2	0.1	1.1	18.53	100.9	7.086	42.9357
2022	1	6	11	50	25	14.2	0.1	1.1	19.56	99.4	7.086	45.5308
2022	1	6	12	0	25	14	0.1	1.1	19.28	101.4	7.086	44.5871
2022	1	6	12	10	25	14	0.1	1.1	19.77	101.1	7.086	45.7666
2022	1	6	12	20	25	14	0.1	1.1	20.11	102.9	7.086	46.2385
2022	1	6	12	30	25	14	0.1	1.1	19.7	98.2	7.086	46.0025
2022	1	6	12	40	25	14	0.1	1.1	21.12	101.5	7.086	48.8335
2022	1	6	12	50	25	14	0.1	1.1	19.91	100.1	7.086	46.2384
2022	1	6	13	0	25	14	0.1	1.1	20.73	100.3	7.086	48.1257
2022	1	6	13	10	25	13.8	0.1	1.1	19.65	100.9	7.086	45.5307
2022	1	6	13	20	25	13.8	0.1	1.1	19.66	99.4	7.086	45.7666
2022	1	6	13	30	25	13.8	0.1	1.1	19.42	101.9	7.086	44.8229
2022	1	6	13	40	25	13.8	0.1	1.1	19.94	98.9	7.086	46.4743
2022	1	6	13	50	25	13.8	0.1	1.1	20.28	102.5	7.086	46.7102
2022	1	6	14	0	25	14	0.1	1.1	19.56	102.4	7.086	45.0589
2022	1	6	14	10	25	14	0.1	1.1	19.69	101.4	7.086	45.5307
2022	1	6	14	20	25	14	0.1	1.1	20.3	99.9	7.086	47.182
2022	1	6	14	30	25	14	0.1	1.1	20.36	102.2	7.086	46.9461
2022	1	6	14	40	25	14	0.1	1.1	19.68	99.7	7.086	45.7666
2022	1	6	14	50	25	13.8	0.1	1.1	20.97	100.7	7.086	48.5975
2022	1	6	15	0	25	13.8	0.1	1.1	20.01	100.1	7.086	46.4743
2022	1	6	15	10	25	13.8	0.1	1.1	19.74	99	7.086	46.0025
2022	1	6	15	20	25	13.6	0.1	1.1	19.42	100.4	7.0799	45.0186
2022	1	6	15	30	25	13.6	0.1	1.1	19.73	98.7	7.0799	45.9613
2022	1	6	15	40	25	13.6	0.1	1.1	19.5	103	7.0799	44.7828
2022	1	6	15	50	25	13.4	0.1	1.1	19.95	100.7	7.086	46.2384

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	6	16	0	25	13.4	0.1	1.1	19.48	99.8	7.0799	45.2542
2022	1	6	16	10	25	12	0.1	1.1	19.74	99	7.0799	45.9613
2022	1	6	16	20	25	12	0.1	1.1	19.09	98.1	7.086	44.587
2022	1	6	16	30	25	12	0.1	1.1	20.54	98.7	7.086	47.8897
2022	1	6	16	40	25	11.8	0.1	1.1	20.63	98.6	7.086	48.1256
2022	1	6	16	50	25	11.8	0.1	1.1	18.61	100.5	7.086	43.1715
2022	1	6	17	0	25	11.8	0.1	1.1	19.66	99.4	7.086	45.7665
2022	1	6	17	10	25	11.8	0.1	1.1	19.84	99	7.086	46.2383
2022	1	6	17	20	25	11.8	0.1	1.1	19.45	99.2	7.086	45.2946
2022	1	6	17	30	25	11.8	0.1	1.1	19.34	96.8	7.086	45.2946
2022	1	6	17	40	25	11.8	0.1	1.1	20.65	102	7.086	47.6537
2022	1	6	17	50	25	11.8	0.1	1.1	20.04	98.9	7.086	46.71
2022	1	6	18	0	25	11.8	0.1	1.1	20.14	98.9	7.086	46.9459
2022	1	6	18	10	25	11.8	0.1	1.1	20.44	98.7	7.086	47.6536
2022	1	6	18	20	25	11.8	0.1	1.1	19.42	100.4	7.086	45.0586
2022	1	6	18	30	25	11.8	0.1	1.1	19.55	99.1	7.086	45.5304
2022	1	6	18	40	25	11.8	0.1	1.1	19.63	98.8	7.086	45.7663
2022	1	6	18	50	25	11.8	0.1	1.1	19.87	101	7.086	46.0022
2022	1	6	19	0	25	11.8	0.1	1.1	18.88	97.9	7.086	44.1149
2022	1	6	19	10	25	11.8	0.1	1.1	20.08	97.7	7.086	46.9458
2022	1	6	19	20	25	11.8	0.1	1.1	19.76	99.3	7.086	46.0021
2022	1	6	19	30	25	11.8	0.1	1.1	19.04	100.9	7.086	44.1148
2022	1	6	19	40	25	11.8	0.1	1.1	19.76	99.3	7.086	46.0021
2022	1	6	19	50	25	11.8	0.1	1.1	19.89	101.3	7.086	46.0021
2022	1	6	20	0	25	11.8	0.1	1.1	20.32	101.6	7.086	46.9457
2022	1	6	20	10	25	11.8	0.1	1.1	20.21	98.3	7.086	47.1816
2022	1	6	20	20	25	11.8	0.1	1.1	19.59	97.9	7.086	45.7661
2022	1	6	20	30	25	11.8	0.1	1.1	20.85	98.8	7.086	48.597
2022	1	6	20	40	25	11.8	0.1	1.1	20.47	97.3	7.086	47.8893
2022	1	6	20	50	25	11.8	0.1	1.1	20.14	98.9	7.086	46.9457
2022	1	6	21	0	25	11.8	0.1	1.1	20.08	97.7	7.086	46.9457
2022	1	6	21	10	25	11.8	0.1	1.1	19.97	99.5	7.086	46.4738
2022	1	6	21	20	25	11.8	0.1	1.1	21.04	101.8	7.0921	48.6405
2022	1	6	21	30	25	11.8	0.1	1.1	20.58	97.5	7.086	48.1252
2022	1	6	21	40	25	11.8	0.1	1.1	20.25	99.1	7.086	47.1816
2022	1	6	21	50	25	11.6	0.1	1.1	18.91	96.1	7.086	44.3507
2022	1	6	22	0	25	11.6	0.1	1.1	19.98	97.8	7.086	46.7097
2022	1	6	22	10	25	11.6	0.1	1.1	19.05	99.4	7.086	44.3507
2022	1	6	22	20	25	11.6	0.1	1.1	20.5	99.8	7.086	47.6534
2022	1	6	22	30	25	11.6	0.1	1.1	19.71	100.2	7.086	45.7661
2022	1	6	22	40	25	11.6	0.1	1.1	20.2	98	7.086	47.1816
2022	1	6	22	50	25	11.6	0.1	1.1	19.22	98.7	7.086	44.8225
2022	1	6	23	0	25	11.6	0.1	1.1	19.61	100.3	7.086	45.5302
2022	1	6	23	10	25	11.6	0.1	1.1	19.19	98.1	7.086	44.8225
2022	1	6	23	20	25	11.6	0.1	1.1	19.71	98.5	7.086	46.0021
2022	1	6	23	30	25	11.6	0.1	1.1	20.39	99.6	7.086	47.4175
2022	1	6	23	40	25	11.6	0.1	1.1	20.32	100.2	7.086	47.1816
2022	1	6	23	50	25	11.6	0.1	1.1	19.45	97.1	7.086	45.5303

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	7	0	0	25	11.6	0.1	1.1	20.43	96.5	7.086	47.8894
2022	1	7	0	10	25	11.6	0.1	1.1	20.55	97	7.086	48.1253
2022	1	7	0	20	25	11.6	0.1	1.1	20.21	100	7.086	46.9457
2022	1	7	0	30	25	11.6	0.1	1.1	20.52	100.1	7.086	47.6535
2022	1	7	0	40	25	11.6	0.1	1.1	19.09	100	7.086	44.3508
2022	1	7	0	50	25	11.6	0.1	1.1	19.09	100	7.086	44.3508
2022	1	7	1	0	25	11.6	0.1	1.1	20.77	100.8	7.086	48.1253
2022	1	7	1	10	25	11.6	0.1	1.1	19.46	99.5	7.086	45.2944
2022	1	7	1	20	25	11.6	0.1	1.1	20.51	98.1	7.086	47.8894
2022	1	7	1	30	25	11.6	0.1	1.1	19.39	98	7.086	45.2944
2022	1	7	1	40	25	11.6	0.1	1.1	19.11	98.4	7.086	44.5867
2022	1	7	1	50	25	11.6	0.1	1.1	19.56	99.4	7.086	45.5304
2022	1	7	2	0	25	11.6	0.1	1.1	19.7	95.8	7.086	46.2381
2022	1	7	2	10	25	11.6	0.1	1.1	19.76	99.3	7.086	46.0022
2022	1	7	2	20	25	11.6	0.1	1.1	19.55	99.1	7.086	45.5304
2022	1	7	2	30	25	11.6	0.1	1.1	19.01	96	7.086	44.5868
2022	1	7	2	40	25	11.6	0.1	1.1	20.85	98.8	7.086	48.5972
2022	1	7	2	50	25	11.6	0.1	1.1	19.94	98.9	7.086	46.474
2022	1	7	3	0	25	11.6	0.1	1.1	20.26	100.8	7.086	46.9459
2022	1	7	3	10	25	11.6	0.1	1.1	20.14	98.9	7.086	46.9459
2022	1	7	3	20	25	11.6	0.1	1.1	19.74	99	7.086	46.0022
2022	1	7	3	30	25	11.6	0.1	1.1	19.93	96.6	7.086	46.71
2022	1	7	3	40	25	11.6	0.1	1.1	20.06	99.2	7.0799	46.6682
2022	1	7	3	50	25	11.6	0.1	1.1	19.76	99.3	7.0799	45.9611
2022	1	7	4	0	25	11.6	0.1	1.1	18.89	100.1	7.0799	43.8398
2022	1	7	4	10	25	11.6	0.1	1.1	19.25	99.3	7.0799	44.7826
2022	1	7	4	20	25	11.6	0.1	1.1	19.71	98.5	7.0799	45.9611
2022	1	7	4	30	25	11.6	0.1	1.1	20.44	98.7	7.0799	47.611
2022	1	7	4	40	25	11.6	0.1	1.1	18.92	96.4	7.0799	44.3112
2022	1	7	4	50	25	11.6	0.1	1.1	18.77	97.7	7.0799	43.8398
2022	1	7	5	0	25	11.6	0.1	1.1	19.45	99.2	7.0799	45.254
2022	1	7	5	10	25	11.6	0.1	1.1	19.28	101.4	7.0799	44.5469
2022	1	7	5	20	25	11.6	0.1	1.1	19.89	101.3	7.0799	45.9611
2022	1	7	5	30	25	11.6	0.1	1.1	19.22	98.7	7.0799	44.7827
2022	1	7	5	40	25	11.6	0.1	1.1	19.98	97.8	7.0799	46.6683
2022	1	7	5	50	25	11.6	0.1	1.1	19.98	101.3	7.0799	46.1969
2022	1	7	6	0	25	11.6	0.1	1.1	19.52	98.5	7.0799	45.4898
2022	1	7	6	10	25	11.6	0.1	1.1	19.33	98.9	7.0799	45.0184
2022	1	7	6	20	25	11.6	0.1	1.1	20.01	96	7.0799	46.904
2022	1	7	6	30	25	11.6	0.1	1.1	19.73	98.7	7.0799	45.9612
2022	1	7	6	40	25	11.6	0.1	1.1	19.25	99.3	7.0799	44.7827
2022	1	7	6	50	25	11.6	0.1	1.1	19.73	98.7	7.0799	45.9612
2022	1	7	7	0	25	11.6	0.1	1.1	19.76	99.3	7.0799	45.9612
2022	1	7	7	10	25	11.6	0.1	1.1	20.14	98.9	7.0799	46.904
2022	1	7	7	20	25	11.6	0.1	1.1	19.19	99.9	7.0799	44.547
2022	1	7	7	30	25	11.6	0.1	1.1	19.84	99	7.0799	46.1969
2022	1	7	7	40	25	11.6	0.1	1.1	19.52	100.3	7.0799	45.2541
2022	1	7	7	50	25	11.8	0.1	1.1	20.01	98.3	7.0799	46.6683

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	7	8	0	25	12.2	0.1	1.1	20.22	100.3	7.0799	46.904
2022	1	7	8	10	25	12.4	0.1	1.1	20.21	100	7.0799	46.904
2022	1	7	8	20	25	12.6	0.1	1.1	19.45	99.2	7.0799	45.2541
2022	1	7	8	30	25	12.8	0.1	1.1	20.21	100	7.0799	46.904
2022	1	7	8	40	25	13.2	0.1	1.1	20.68	99.5	7.0799	48.0825
2022	1	7	8	50	25	14	0.1	1.1	20.16	99.1	7.086	46.946
2022	1	7	9	0	25	14	0.1	1.1	19.83	100.5	7.086	46.0023
2022	1	7	9	10	25	13.8	0.1	1.1	19.73	100.5	7.0799	45.7254
2022	1	7	9	20	25	13.8	0.1	1.1	19.49	101.5	7.0799	45.0183
2022	1	7	9	30	25	14.2	0.1	1.1	20.24	102	7.086	46.71
2022	1	7	9	40	25	14.2	0.1	1.1	19.73	100.5	7.086	45.7664
2022	1	7	9	50	25	14.2	0.1	1.1	19.76	99.3	7.086	46.0023
2022	1	7	10	0	25	14.2	0.1	1.1	19.05	99.4	7.086	44.3509
2022	1	7	10	10	25	14.2	0.1	1.1	19.46	99.5	7.086	45.2945
2022	1	7	10	20	25	14.2	0.1	1.1	20.26	100.8	7.086	46.9458
2022	1	7	10	30	25	14.2	0.1	1.1	19.65	100.9	7.086	45.5304
2022	1	7	10	40	25	14.2	0.1	1.1	19.05	99.4	7.086	44.3508
2022	1	7	10	50	25	14.2	0.1	1.1	20.12	101.8	7.086	46.474
2022	1	7	11	0	25	14.2	0.1	1.1	20.6	99.8	7.086	47.8894
2022	1	7	11	10	25	14.2	0.1	1.1	19.55	99.1	7.086	45.5303
2022	1	7	11	20	25	14	0.1	1.1	20.04	98.9	7.086	46.7098
2022	1	7	11	30	25	13.8	0.1	1.1	19.06	97.5	7.086	44.5866
2022	1	7	11	40	25	14.2	0.1	1.1	19.65	100.9	7.0921	45.571
2022	1	7	11	50	25	14.2	0.1	1.1	20.26	100.8	7.086	46.9457
2022	1	7	12	0	25	14.2	0.1	1.1	19.45	99.2	7.086	45.2943
2022	1	7	12	10	25	13.6	0.1	1.1	20.8	99.7	7.086	48.3611
2022	1	7	12	20	25	13.6	0.1	1.1	19.79	99.9	7.086	46.002
2022	1	7	12	30	25	13.6	0.1	1.1	20.27	99.4	7.086	47.1816
2022	1	7	12	40	25	13.6	0.1	1.1	20.24	102	7.086	46.7098
2022	1	7	12	50	25	13.6	0.1	1.1	19.42	100.4	7.086	45.0584
2022	1	7	13	0	25	13.8	0.1	1.1	19.3	98.3	7.086	45.0584
2022	1	7	13	10	25	13.6	0.1	1.1	20.08	101.2	7.086	46.4738
2022	1	7	13	20	25	13.6	0.1	1.1	19.71	100.2	7.0921	45.8071
2022	1	7	13	30	25	13.6	0.1	1.1	19.71	100.2	7.086	45.7661
2022	1	7	13	40	25	13.6	0.1	1.1	20.17	99.4	7.086	46.9456
2022	1	7	13	50	25	13.6	0.1	1.1	19.14	100.8	7.086	44.3507
2022	1	7	14	0	25	13.6	0.1	1.1	19.55	99.1	7.086	45.5302
2022	1	7	14	10	25	13.4	0.1	1.1	19.94	96.9	7.0921	46.7515
2022	1	7	14	20	25	13.4	0.1	1.1	20.47	101	7.086	47.4175
2022	1	7	14	30	25	13.4	0.1	1.1	20.96	97.1	7.0921	49.1127
2022	1	7	14	40	25	13.4	0.1	1.1	19.72	96.4	7.0921	46.2793
2022	1	7	14	50	25	13.4	0.1	1.1	20.14	98.9	7.0921	46.9877
2022	1	7	15	0	25	13.4	0.1	1.1	19.89	99.8	7.086	46.2379
2022	1	7	15	10	25	13.4	0.1	1.1	19.12	98.7	7.0921	44.6265
2022	1	7	15	20	25	12.6	0.1	1.1	19.38	97.7	7.086	45.2943
2022	1	7	15	30	25	13.4	0.1	1.1	19.59	97.9	7.086	45.7661
2022	1	7	15	40	25	13.4	0.1	1.1	19.79	97.8	7.0921	46.2793
2022	1	7	15	50	25	12.2	0.1	1.1	20.63	98.6	7.086	48.1252

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	7	16	0	25	12	0.1	1.1	19.34	96.8	7.0921	45.3348
2022	1	7	16	10	25	12	0.1	1.1	19.77	101.1	7.0921	45.8071
2022	1	7	16	20	25	12	0.1	1.1	20.34	100.5	7.0921	47.2237
2022	1	7	16	30	25	12	0.1	1.1	20.21	98.3	7.0921	47.2237
2022	1	7	16	40	25	12	0.1	1.1	19.91	100.1	7.0921	46.2792
2022	1	7	16	50	25	11.8	0.1	1.1	20.32	98.5	7.0921	47.4598
2022	1	7	17	0	25	11.8	0.1	1.1	19.3	100.1	7.0921	44.8625
2022	1	7	17	10	25	11.8	0.1	1.1	20.25	99.1	7.0921	47.2237
2022	1	7	17	20	25	11.8	0.1	1.1	20.32	101.6	7.0921	46.9875
2022	1	7	17	30	25	11.8	0.1	1.1	19.71	100.2	7.0921	45.8069
2022	1	7	17	40	25	11.8	0.1	1.1	19.97	99.5	7.0921	46.5153
2022	1	7	17	50	25	11.8	0.1	1.1	19.98	97.8	7.0921	46.7514
2022	1	7	18	0	25	11.8	0.1	1.1	20.3	99.9	7.0921	47.2236
2022	1	7	18	10	25	11.8	0.1	1.1	19.88	99.6	7.0921	46.2791
2022	1	7	18	20	25	11.8	0.1	1.1	19.96	99.2	7.0921	46.5152
2022	1	7	18	30	25	11.8	0.1	1.1	19.94	98.9	7.0921	46.5152
2022	1	7	18	40	25	11.8	0.1	1.1	18.95	101	7.0982	43.9571
2022	1	7	18	50	25	11.8	0.1	1.1	20.6	99.8	7.0921	47.9318
2022	1	7	19	0	25	11.8	0.1	1.1	20.58	99.5	7.0982	47.9747
2022	1	7	19	10	25	11.8	0.1	1.1	20.01	100.1	7.0982	46.5567
2022	1	7	19	20	25	11.8	0.1	1.1	19.45	97.1	7.0982	45.6113
2022	1	7	19	30	25	11.8	0.1	1.1	19.96	99.2	7.0982	46.5566
2022	1	7	19	40	25	11.8	0.1	1.1	19.76	99.3	7.0982	46.084
2022	1	7	19	50	25	11.8	0.1	1.1	20.5	99.8	7.0982	47.7382
2022	1	7	20	0	25	11.8	0.1	1.1	20.29	97.9	7.0982	47.5019
2022	1	7	20	10	25	11.8	0.1	1.1	20.44	98.7	7.0982	47.7382
2022	1	7	20	20	25	11.8	0.1	1.1	19.68	99.7	7.0982	45.8476
2022	1	7	20	30	25	11.8	0.1	1.1	20	98	7.0982	46.7929
2022	1	7	20	40	25	11.8	0.1	1.1	20.4	99.9	7.0982	47.5019
2022	1	7	20	50	25	11.8	0.1	1.1	20.78	99.4	7.0982	48.4472
2022	1	7	21	0	25	11.8	0.1	1.1	20	98	7.0982	46.7929
2022	1	7	21	10	25	11.8	0.1	1.1	21.39	99.4	7.0982	49.8651
2022	1	7	21	20	25	11.8	0.1	1.1	20.34	100.5	7.0982	47.2655
2022	1	7	21	30	25	11.8	0.1	1.1	19.2	100.2	7.0982	44.6659
2022	1	7	21	40	25	11.8	0.1	1.1	19.96	101	7.0982	46.3202
2022	1	7	21	50	25	11.8	0.1	1.1	20.44	96.7	7.0982	47.9745
2022	1	7	22	0	25	11.8	0.1	1.1	20.79	97.7	7.0982	48.6834
2022	1	7	22	10	25	11.8	0.1	1.1	19.98	97.8	7.0982	46.7928
2022	1	7	22	20	25	11.8	0.1	1.1	19.59	97.9	7.0982	45.8475
2022	1	7	22	30	25	11.8	0.1	1.1	20.39	97.9	7.0982	47.7381
2022	1	7	22	40	25	11.8	0.1	1.1	19.38	101.3	7.0982	44.9022
2022	1	7	22	50	25	11.8	0.1	1.1	19.59	95.6	7.0982	46.0838
2022	1	7	23	0	25	11.6	0.1	1.1	19.65	99.1	7.0982	45.8475
2022	1	7	23	10	25	11.6	0.1	1.1	20.79	97.7	7.0982	48.6834
2022	1	7	23	20	25	11.6	0.1	1.1	20.03	98.6	7.0982	46.7928
2022	1	7	23	30	25	11.6	0.1	1.1	19.17	99.6	7.0982	44.6659
2022	1	7	23	40	25	11.6	0.1	1.1	19.73	100.5	7.0982	45.8475
2022	1	7	23	50	25	11.6	0.1	1.1	19.9	95.8	7.0982	46.7928

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	8	0	0	25	11.6	0.1	1.1	20.99	95.2	7.0982	49.3924
2022	1	8	0	10	25	11.6	0.1	1.1	19.83	96.7	7.0982	46.5565
2022	1	8	0	20	25	11.6	0.1	1.1	19.76	99.3	7.0982	46.0838
2022	1	8	0	30	25	11.6	0.1	1.1	19.5	98.3	7.0982	45.6112
2022	1	8	0	40	25	11.6	0.1	1.1	19.93	96.6	7.0982	46.7928
2022	1	8	0	50	25	11.6	0.1	1.1	19.83	96.7	7.0982	46.5565
2022	1	8	1	0	25	11.6	0.1	1.1	18.97	97.6	7.0982	44.4296
2022	1	8	1	10	25	11.6	0.1	1.1	20.26	94.5	7.0982	47.7382
2022	1	8	1	20	25	11.6	0.1	1.1	21.09	97.6	7.1043	49.4366
2022	1	8	1	30	25	11.6	0.1	1.1	19.9	98.1	7.0982	46.5565
2022	1	8	1	40	25	11.6	0.1	1.1	20.45	99	7.1043	47.7808
2022	1	8	1	50	25	11.6	0.1	1.1	19.96	97.2	7.0982	46.7928
2022	1	8	2	0	25	11.6	0.1	1.1	20.51	98.1	7.0982	47.9745
2022	1	8	2	10	25	11.6	0.1	1.1	19.86	99.3	7.0982	46.3202
2022	1	8	2	20	25	11.6	0.1	1.1	19.5	95.9	7.1043	45.8885
2022	1	8	2	30	25	11.6	0.1	1.1	20.25	99.1	7.1043	47.3077
2022	1	8	2	40	25	11.6	0.1	1.1	20.55	97	7.1043	48.2539
2022	1	8	2	50	25	11.6	0.1	1.1	19.38	97.7	7.1043	45.4154
2022	1	8	3	0	25	11.6	0.1	1.1	19.92	96.3	7.1043	46.8347
2022	1	8	3	10	25	11.6	0.1	1.1	20.78	99.4	7.1043	48.4904
2022	1	8	3	20	25	11.6	0.1	1.1	20.48	99.6	7.1043	47.7808
2022	1	8	3	30	25	11.6	0.1	1.1	19.99	99.8	7.1043	46.5981
2022	1	8	3	40	25	11.6	0.1	1.1	20	98	7.1043	46.8347
2022	1	8	3	50	25	11.6	0.1	1.1	20.55	99	7.1043	48.0174
2022	1	8	4	0	25	11.6	0.1	1.1	19.55	97.1	7.1043	45.8885
2022	1	8	4	10	25	11.6	0.1	1.1	20.18	101.1	7.1043	46.8347
2022	1	8	4	20	25	11.6	0.1	1.1	20.16	99.1	7.1043	47.0712
2022	1	8	4	30	25	11.6	0.1	1.1	20.46	100.7	7.1043	47.5443
2022	1	8	4	40	25	11.6	0.1	1.1	20.29	95.4	7.1043	47.7809
2022	1	8	4	50	25	11.6	0.1	1.1	20.4	99.9	7.1043	47.5443
2022	1	8	5	0	25	11.6	0.1	1.1	20.39	97.9	7.1043	47.7809
2022	1	8	5	10	25	11.6	0.1	1.1	20.26	100.8	7.1043	47.0713
2022	1	8	5	20	25	11.6	0.1	1.1	19.01	98.5	7.1043	44.4693
2022	1	8	5	30	25	11.6	0.1	1.1	20.29	97.9	7.0982	47.5019
2022	1	8	5	40	25	11.6	0.1	1.1	20.38	97.6	7.1043	47.7809
2022	1	8	5	50	25	11.6	0.1	1.1	19.19	98.1	7.0982	44.9023
2022	1	8	6	0	25	11.6	0.1	1.1	20.29	99.6	7.0982	47.2656
2022	1	8	6	10	25	11.6	0.1	1.1	20.16	99.1	7.0982	47.0293
2022	1	8	6	20	25	11.6	0.1	1.1	20.96	97.1	7.1043	49.2002
2022	1	8	6	30	25	11.6	0.1	1.1	21.11	98.2	7.0982	49.3926
2022	1	8	6	40	25	11.6	0.1	1.1	20.17	99.4	7.0982	47.0293
2022	1	8	6	50	25	11.6	0.1	1.1	19.86	97.2	7.0982	46.5567
2022	1	8	7	0	25	11.6	0.1	1.1	20.35	99	7.0982	47.502
2022	1	8	7	10	25	11.6	0.1	1.1	20.4	99.9	7.0982	47.502
2022	1	8	7	20	25	11.6	0.1	1.1	19.99	99.8	7.1043	46.5983
2022	1	8	7	30	25	11.6	0.1	1.1	19.45	99.2	7.0982	45.3751
2022	1	8	7	40	25	11.6	0.1	1.1	20.85	96.9	7.0982	48.92
2022	1	8	7	50	25	11.8	0.1	1.1	20.04	98.9	7.0982	46.7931



## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	8	8	0	25	12.2	0.1	1.1	19.71	98.5	7.0982	46.0841
2022	1	8	8	10	25	12.4	0.1	1.1	20.7	98.1	7.1043	48.4907
2022	1	8	8	20	25	12.6	0.1	1.1	19.6	98.2	7.1043	45.8887
2022	1	8	8	30	25	12.8	0.1	1.1	20.4	99.9	7.0982	47.502
2022	1	8	8	40	25	13	0.1	1.1	19.46	99.5	7.1043	45.4156
2022	1	8	8	50	25	13.6	0.1	1.1	20.12	98.6	7.1043	47.0714
2022	1	8	9	0	25	13.8	0.1	1.1	20.12	98.6	7.1043	47.0714
2022	1	8	9	10	25	13.8	0.1	1.1	20.02	96.3	7.1043	47.0713
2022	1	8	9	20	25	13.8	0.1	1.1	20.34	96.8	7.1043	47.7809
2022	1	8	9	30	25	13.8	0.1	1.1	20.57	100.9	7.1043	47.7809
2022	1	8	9	40	25	13.8	0.1	1.1	20.17	99.4	7.1043	47.0713
2022	1	8	9	50	25	13.8	0.1	1.1	20.11	100	7.1043	46.8347
2022	1	8	10	0	25	13.6	0.1	1.1	19.96	99.2	7.1043	46.5982
2022	1	8	10	10	25	13.6	0.1	1.1	19.55	100.9	7.1043	45.4155
2022	1	8	10	20	25	13.6	0.1	1.1	20.75	98.9	7.1043	48.4905
2022	1	8	10	30	25	13.6	0.1	1.1	19.31	96.2	7.1043	45.4155
2022	1	8	10	40	25	13.6	0.1	1.1	20.63	101.7	7.1043	47.7808
2022	1	8	10	50	25	14	0.1	1.1	19.33	98.9	7.1104	45.2192
2022	1	8	11	0	25	14.2	0.1	1.1	19.2	100.2	7.1104	44.7457
2022	1	8	11	10	25	13.8	0.1	1.1	20.06	99.2	7.1104	46.8764
2022	1	8	11	20	25	13.8	0.1	1.1	19.79	99.9	7.1104	46.1662
2022	1	8	11	30	25	13.8	0.1	1.1	20.69	97.8	7.1104	48.5336
2022	1	8	11	40	25	13.8	0.1	1.1	20.88	94.9	7.1104	49.2439
2022	1	8	11	50	25	13.6	0.1	1.1	20.2	98	7.1104	47.3499
2022	1	8	12	0	25	13.8	0.1	1.1	19.89	95.5	7.1104	46.8764
2022	1	8	12	10	25	13.8	0.1	1.1	20.35	99	7.1104	47.5866
2022	1	8	12	20	25	13.8	0.1	1.1	20.17	97.4	7.1104	47.3498
2022	1	8	12	30	25	13.8	0.1	1.1	20.06	97.2	7.1104	47.1131
2022	1	8	12	40	25	14.2	0.1	1.1	20.07	99.5	7.1104	46.8763
2022	1	8	12	50	25	14	0.1	1.1	19.65	99.1	7.1104	45.9293
2022	1	8	13	0	25	13.8	0.1	1.1	20.01	96	7.1104	47.113
2022	1	8	13	10	25	14	0.1	1.1	20.86	99.1	7.1104	48.7703
2022	1	8	13	20	25	14	0.1	1.1	19.76	99.3	7.1104	46.1661
2022	1	8	13	30	25	14	0.1	1.1	20.08	97.7	7.1104	47.1131
2022	1	8	13	40	25	14	0.1	1.1	19.42	96.5	7.1104	45.6926
2022	1	8	13	50	25	14.2	0.1	1.1	20.2	98	7.1104	47.3498
2022	1	8	14	0	25	14	0.1	1.1	21.07	97.4	7.1104	49.4805
2022	1	8	14	10	25	13.8	0.1	1.1	20.55	99	7.1104	48.06
2022	1	8	14	20	25	14	0.1	1.1	20.03	96.6	7.1104	47.113
2022	1	8	14	30	25	14	0.1	1.1	19.45	97.1	7.1104	45.6926
2022	1	8	14	40	25	14	0.1	1.1	20	95.7	7.1104	47.113
2022	1	8	14	50	25	14	0.1	1.1	19.62	98.5	7.1104	45.9293
2022	1	8	15	0	25	14	0.1	1.1	20.39	95.3	7.1104	48.06
2022	1	8	15	10	25	14	0.1	1.1	19.4	100.1	7.1104	45.2191
2022	1	8	15	20	25	13.8	0.1	1.1	20.03	96.6	7.1104	47.1131
2022	1	8	15	30	25	13.8	0.1	1.1	19.86	99.3	7.1104	46.4028
2022	1	8	15	40	25	13.8	0.1	1.1	19.92	96.3	7.1104	46.8763
2022	1	8	15	50	25	13.6	0.1	1.1	19.98	97.8	7.1104	46.8763

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	8	16	0	25	13.6	0.1	1.1	20.21	98.3	7.1104	47.3498
2022	1	8	16	10	25	12.2	0.1	1.1	20.47	97.3	7.1104	48.06
2022	1	8	16	20	25	12	0.1	1.1	20.03	98.6	7.1104	46.8763
2022	1	8	16	30	25	11.8	0.1	1.1	19.33	98.9	7.1104	45.219
2022	1	8	16	40	25	11.8	0.1	1.1	20.2	98	7.1104	47.3497
2022	1	8	16	50	25	11.8	0.1	1.1	19.79	99.9	7.1104	46.166
2022	1	8	17	0	25	11.8	0.1	1.1	19.79	99.9	7.1104	46.166
2022	1	8	17	10	25	11.8	0.1	1.1	18.54	99.3	7.1104	43.325
2022	1	8	17	20	25	11.8	0.1	1.1	19.65	97	7.1104	46.1659
2022	1	8	17	30	25	11.8	0.1	1.1	19.96	99.2	7.1104	46.6394
2022	1	8	17	40	25	11.8	0.1	1.1	20.17	97.4	7.1104	47.3497
2022	1	8	17	50	25	11.8	0.1	1.1	20.18	97.7	7.1104	47.3496
2022	1	8	18	0	25	11.8	0.1	1.1	20.29	99.6	7.1104	47.3496
2022	1	8	18	10	25	11.8	0.1	1.1	20.81	100	7.1104	48.5334
2022	1	8	18	20	25	11.8	0.1	1.1	20.32	100.2	7.1104	47.3496
2022	1	8	18	30	25	11.8	0.1	1.1	20.82	98.3	7.1104	48.7701
2022	1	8	18	40	25	11.8	0.1	1.1	21.19	95.4	7.1104	49.9538
2022	1	8	18	50	25	11.8	0.1	1.1	18.81	96.1	7.1104	44.2718
2022	1	8	19	0	25	11.8	0.1	1.1	19.76	99.3	7.1104	46.1658
2022	1	8	19	10	25	11.8	0.1	1.1	20.13	96.6	7.1104	47.3495
2022	1	8	19	20	25	11.8	0.1	1.1	19.66	99.4	7.1104	45.929
2022	1	8	19	30	25	11.8	0.1	1.1	19.53	98.8	7.1104	45.6923
2022	1	8	19	40	25	11.8	0.1	1.1	19.65	99.1	7.1104	45.929
2022	1	8	19	50	25	11.8	0.1	1.1	19.66	99.4	7.1104	45.929
2022	1	8	20	0	25	11.8	0.1	1.1	20.59	97.8	7.1104	48.2964
2022	1	8	20	10	25	11.8	0.1	1.1	19.19	98.1	7.1104	44.982
2022	1	8	20	20	25	11.8	0.1	1.1	19.91	98.4	7.1104	46.6392
2022	1	8	20	30	25	11.8	0.1	1.1	19.73	100.5	7.1104	45.929
2022	1	8	20	40	25	11.8	0.1	1.1	20.79	97.7	7.1104	48.7699
2022	1	8	20	50	25	11.8	0.1	1.1	21.03	98.5	7.1104	49.2434
2022	1	8	21	0	25	11.8	0.1	1.1	20.17	97.4	7.1104	47.3494
2022	1	8	21	10	25	11.8	0.1	1.1	20.18	97.7	7.1104	47.3494
2022	1	8	21	20	25	11.8	0.1	1.1	19.1	100.3	7.1104	44.5085
2022	1	8	21	30	25	11.8	0.1	1.1	20.75	98.9	7.1104	48.5332
2022	1	8	21	40	25	11.8	0.1	1.1	19.96	99.2	7.1104	46.6392
2022	1	8	21	50	25	11.8	0.1	1.1	19.58	99.7	7.1104	45.6922
2022	1	8	22	0	25	11.8	0.1	1.1	20.45	99	7.1104	47.8229
2022	1	8	22	10	25	11.8	0.1	1.1	20.07	99.5	7.1104	46.876
2022	1	8	22	20	25	11.6	0.1	1.1	20.16	99.1	7.1104	47.1127
2022	1	8	22	30	25	11.6	0.1	1.1	20.2	98	7.1104	47.3495
2022	1	8	22	40	25	11.6	0.1	1.1	19.39	98	7.1104	45.4555
2022	1	8	22	50	25	11.6	0.1	1.1	20.48	97.6	7.1104	48.0597
2022	1	8	23	0	25	11.6	0.1	1.1	19.94	96.9	7.1104	46.876
2022	1	8	23	10	25	11.6	0.1	1.1	20.48	97.6	7.1104	48.0598
2022	1	8	23	20	25	11.6	0.1	1.1	19.35	97.1	7.1104	45.4555
2022	1	8	23	30	25	11.6	0.1	1.1	19.19	98.1	7.1104	44.9821
2022	1	8	23	40	25	11.6	0.1	1.1	19.99	99.8	7.1104	46.6393
2022	1	8	23	50	25	11.6	0.1	1.1	20.4	99.9	7.1104	47.5863

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	9	0	0	25	11.6	0.1	1.1	20.11	98.3	7.1104	47.1128
2022	1	9	0	10	25	11.6	0.1	1.1	20.7	99.7	7.1104	48.2966
2022	1	9	0	20	25	11.6	0.1	1.1	19.93	100.4	7.1104	46.4026
2022	1	9	0	30	25	11.6	0.1	1.1	20.6	99.8	7.1104	48.0599
2022	1	9	0	40	25	11.6	0.1	1.1	20.35	99	7.1104	47.5864
2022	1	9	0	50	25	11.6	0.1	1.1	20.39	97.9	7.1104	47.8232
2022	1	9	1	0	25	11.6	0.1	1.1	19.62	98.5	7.1043	45.8882
2022	1	9	1	10	25	11.6	0.1	1.1	19.86	99.3	7.1043	46.3613
2022	1	9	1	20	25	11.6	0.1	1.1	19.71	98.5	7.1043	46.1248
2022	1	9	1	30	25	11.6	0.1	1.1	19.78	99.6	7.1043	46.1248
2022	1	9	1	40	25	11.6	0.1	1.1	20.28	97.7	7.1043	47.544
2022	1	9	1	50	25	11.6	0.1	1.1	19.9	98.1	7.1043	46.5979
2022	1	9	2	0	25	11.6	0.1	1.1	20.39	97.9	7.1043	47.7806
2022	1	9	2	10	25	11.6	0.1	1.1	19.99	99.8	7.1043	46.5979
2022	1	9	2	20	25	11.6	0.1	1.1	20.37	99.3	7.1043	47.5441
2022	1	9	2	30	25	11.6	0.1	1.1	20.03	98.6	7.1043	46.8345
2022	1	9	2	40	25	11.6	0.1	1.1	19.04	99.1	7.1043	44.4691
2022	1	9	2	50	25	11.6	0.1	1.1	18.99	100	7.1043	44.2326
2022	1	9	3	0	25	11.6	0.1	1.1	20.67	99.2	7.1043	48.2537
2022	1	9	3	10	25	11.6	0.1	1.1	19.53	98.8	7.1043	45.6518
2022	1	9	3	20	25	11.6	0.1	1.1	20.58	97.5	7.1043	48.2538
2022	1	9	3	30	25	11.6	0.1	1.1	18.6	100.2	7.1043	43.2865
2022	1	9	3	40	25	11.6	0.1	1.1	19.32	98.6	7.1043	45.1788
2022	1	9	3	50	25	11.6	0.1	1.1	19.53	98.8	7.1043	45.6519
2022	1	9	4	0	25	11.6	0.1	1.1	20.04	98.9	7.1043	46.8346
2022	1	9	4	10	25	11.6	0.1	1.1	20.07	99.5	7.1043	46.8346
2022	1	9	4	20	25	11.6	0.1	1.1	19.8	98.1	7.1043	46.3615
2022	1	9	4	30	25	11.6	0.1	1.1	19.6	95.9	7.1043	46.125
2022	1	9	4	40	25	11.6	0.1	1.1	19.26	97.5	7.1043	45.1789
2022	1	9	4	50	25	11.6	0.1	1.1	19.94	96.9	7.1043	46.8347
2022	1	9	5	0	25	11.6	0.1	1.1	20.33	96.5	7.1043	47.7808
2022	1	9	5	10	25	11.6	0.1	1.1	19.76	99.3	7.1043	46.1251
2022	1	9	5	20	25	11.6	0.1	1.1	20.07	99.5	7.1043	46.8347
2022	1	9	5	30	25	11.6	0.1	1.1	20.47	97.3	7.1043	48.0174
2022	1	9	5	40	25	11.4	0.1	1.1	19.21	98.4	7.1043	44.9424
2022	1	9	5	50	25	11.4	0.1	1.1	19.6	95.9	7.1043	46.1251
2022	1	9	6	0	25	11.4	0.1	1.1	20.67	100.9	7.0982	47.9746
2022	1	9	6	10	25	11.4	0.1	1.1	19.97	97.5	7.1043	46.8348
2022	1	9	6	20	25	11.4	0.1	1.1	20.39	97.9	7.0982	47.7383
2022	1	9	6	30	25	11.4	0.1	1.1	21.16	99	7.0982	49.3926
2022	1	9	6	40	25	11.4	0.1	1.1	20.04	98.9	7.1043	46.8348
2022	1	9	6	50	25	11.4	0.1	1.1	19.98	97.8	7.0982	46.793
2022	1	9	7	0	25	11.4	0.1	1.1	20.1	98	7.0982	47.0294
2022	1	9	7	10	25	11.4	0.1	1.1	19.49	98	7.0982	45.6114
2022	1	9	7	20	25	11.4	0.1	1.1	19.71	98.5	7.0982	46.0841
2022	1	9	7	30	25	11.4	0.1	1.1	20.75	98.9	7.0982	48.4474
2022	1	9	7	40	25	11.4	0.1	1.1	19.91	98.4	7.0982	46.5567
2022	1	9	7	50	25	11.8	0.1	1.1	20.9	99.6	7.0982	48.6837

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	9	8	0	25	12.4	0.1	1.1	19.76	99.3	7.0982	46.0841
2022	1	9	8	10	25	12.8	0.1	1.1	19.44	96.8	7.0982	45.6114
2022	1	9	8	20	25	13	0.1	1.1	19.6	100	7.0982	45.6114
2022	1	9	8	30	25	13.2	0.1	1.1	20.67	99.2	7.0982	48.211
2022	1	9	8	40	25	13.8	0.1	1.1	20.29	99.6	7.0982	47.2657
2022	1	9	8	50	25	14	0.1	1.1	20.93	100.2	7.0982	48.6837
2022	1	9	9	0	25	14	0.1	1.1	20.79	97.7	7.0982	48.6837
2022	1	9	9	10	25	14	0.1	1.1	19.88	99.6	7.0982	46.3204
2022	1	9	9	20	25	14	0.1	1.1	20.32	98.5	7.0982	47.502
2022	1	9	9	30	25	14.2	0.1	1.1	20.01	98.3	7.1043	46.8348
2022	1	9	9	40	25	14.2	0.1	1.1	20.03	96.6	7.1043	47.0713
2022	1	9	9	50	25	14.2	0.1	1.1	19.71	98.5	7.1043	46.1252
2022	1	9	10	0	25	14.2	0.1	1.1	19.87	97.5	7.1043	46.5982
2022	1	9	10	10	25	14.2	0.1	1.1	19.81	96.1	7.1043	46.5982
2022	1	9	10	20	25	14.2	0.1	1.1	19.67	101.1	7.1043	45.6521
2022	1	9	10	30	25	14.2	0.1	1.1	19.66	99.4	7.1043	45.8886
2022	1	9	10	40	25	14.2	0.1	1.1	19.38	97.7	7.1043	45.4155
2022	1	9	10	50	25	14.2	0.1	1.1	19.7	99.9	7.1043	45.8885
2022	1	9	11	0	25	14	0.1	1.1	18.68	99.9	7.1043	43.5231
2022	1	9	11	10	25	14	0.1	1.1	19.45	99.2	7.1043	45.4155
2022	1	9	11	20	25	14.2	0.1	1.1	20.44	98.7	7.1043	47.7808
2022	1	9	11	30	25	14	0.1	1.1	19.12	100.5	7.1043	44.4693
2022	1	9	11	40	25	14	0.1	1.1	19.88	99.6	7.1043	46.3616
2022	1	9	11	50	25	14	0.1	1.1	19.94	98.9	7.1043	46.5981
2022	1	9	12	0	25	14	0.1	1.1	20.75	102	7.1043	48.0173
2022	1	9	12	10	25	14	0.1	1.1	20.45	99	7.1043	47.7808
2022	1	9	12	20	25	14	0.1	1.1	19.38	99.8	7.1043	45.1788
2022	1	9	12	30	25	14	0.1	1.1	20.17	99.4	7.1043	47.0711
2022	1	9	12	40	25	14	0.1	1.1	20.54	98.7	7.1043	48.0173
2022	1	9	12	50	25	14	0.1	1.1	20.29	99.6	7.1043	47.3077
2022	1	9	13	0	25	14	0.1	1.1	19.08	95.1	7.1043	44.9423
2022	1	9	13	10	25	13.8	0.1	1.1	19.17	99.6	7.1043	44.7058
2022	1	9	13	20	25	13.8	0.1	1.1	19.56	99.4	7.1043	45.6519
2022	1	9	13	30	25	13.8	0.1	1.1	20.21	100	7.1043	47.0711
2022	1	9	13	40	25	13.8	0.1	1.1	19.46	102.5	7.1043	44.9423
2022	1	9	13	50	25	13.8	0.1	1.1	18.5	100.3	7.1043	43.05
2022	1	9	14	0	25	13.8	0.1	1.1	20.58	99.5	7.1043	48.0173
2022	1	9	14	10	25	13.6	0.1	1.1	20.38	101	7.1043	47.3077
2022	1	9	14	20	25	13.8	0.1	1.1	19.63	100.6	7.1043	45.6519
2022	1	9	14	30	25	13.8	0.1	1.1	20.54	100.4	7.1043	47.7808
2022	1	9	14	40	25	13.8	0.1	1.1	19.6	98.2	7.0982	45.8475
2022	1	9	14	50	25	13.8	0.1	1.1	20.51	98.1	7.0982	47.9745
2022	1	9	15	0	25	13.8	0.1	1.1	19.9	98.1	7.0982	46.5565
2022	1	9	15	10	25	13.8	0.1	1.1	20.1	101.5	7.0982	46.5565
2022	1	9	15	20	25	13.8	0.1	1.1	19.53	98.8	7.0982	45.6112
2022	1	9	15	30	25	13.6	0.1	1.1	18.96	99.4	7.0982	44.1933
2022	1	9	15	40	25	13.6	0.1	1.1	19.68	99.7	7.0982	45.8476
2022	1	9	15	50	25	13.6	0.1	1.1	19.83	98.7	7.0982	46.3202

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	9	16	0	25	13.6	0.1	1.1	19.76	99.3	7.0982	46.0839
2022	1	9	16	10	25	12.4	0.1	1.1	20.95	100.5	7.0982	48.6835
2022	1	9	16	20	25	11.4	0.1	1.1	20.07	99.5	7.0982	46.7928
2022	1	9	16	30	25	11.4	0.1	1.1	19.57	97.6	7.0982	45.8475
2022	1	9	16	40	25	11.2	0.1	1.1	19.68	99.7	7.0982	45.8475
2022	1	9	16	50	25	11.2	0.1	1.1	20.39	97.9	7.0982	47.7381
2022	1	9	17	0	25	11.2	0.1	1.1	19.65	97	7.0982	46.0838
2022	1	9	17	10	25	11.8	0.1	1.1	18.48	100	7.0982	43.0116
2022	1	9	17	20	25	11.8	0.1	1.1	19.73	100.5	7.0982	45.8475
2022	1	9	17	30	25	11.8	0.1	1.1	19.97	97.5	7.0982	46.7928
2022	1	9	17	40	25	11.8	0.1	1.1	19.45	99.2	7.0982	45.3748
2022	1	9	17	50	25	11.8	0.1	1.1	19.4	98.3	7.0982	45.3748
2022	1	9	18	0	25	11.8	0.1	1.1	20.48	99.6	7.0982	47.738
2022	1	9	18	10	25	11.8	0.1	1.1	20.52	98.4	7.0982	47.9744
2022	1	9	18	20	25	11.8	0.1	1.1	19.42	98.6	7.0982	45.3747
2022	1	9	18	30	25	11.8	0.1	1.1	20.79	97.7	7.0982	48.6833
2022	1	9	18	40	25	11.8	0.1	1.1	19.85	100.7	7.0982	46.0837
2022	1	9	18	50	25	11.8	0.1	1.1	19.76	99.3	7.0982	46.0837
2022	1	9	19	0	25	11.8	0.1	1.1	20.14	98.9	7.0982	47.029
2022	1	9	19	10	25	11.8	0.1	1.1	19.76	97.3	7.0982	46.32
2022	1	9	19	20	25	11.8	0.1	1.1	20.16	99.1	7.0982	47.029
2022	1	9	19	30	25	11.8	0.1	1.1	20.2	98	7.0982	47.2653
2022	1	9	19	40	25	11.8	0.1	1.1	20.44	96.7	7.0982	47.9743
2022	1	9	19	50	25	11.8	0.1	1.1	19.94	98.9	7.0982	46.5563
2022	1	9	20	0	25	11.8	0.1	1.1	20.06	99.2	7.0921	46.7508
2022	1	9	20	10	25	11.8	0.1	1.1	20.03	98.6	7.0982	46.7926
2022	1	9	20	20	25	11.8	0.1	1.1	19.32	98.6	7.0982	45.1383
2022	1	9	20	30	25	11.8	0.1	1.1	20.17	99.4	7.0982	47.0289
2022	1	9	20	40	25	11.8	0.1	1.1	21.34	98.6	7.0921	49.8203
2022	1	9	20	50	25	11.8	0.1	1.1	19.93	100.4	7.0921	46.2786
2022	1	9	21	0	25	11.8	0.1	1.1	19.5	98.3	7.0921	45.5702
2022	1	9	21	10	25	11.8	0.1	1.1	19.94	98.9	7.0921	46.5147
2022	1	9	21	20	25	11.6	0.1	1.1	20.6	99.8	7.0921	47.9314
2022	1	9	21	30	25	11.6	0.1	1.1	19.88	99.6	7.0921	46.2786
2022	1	9	21	40	25	11.6	0.1	1.1	20.21	100	7.0921	46.987
2022	1	9	21	50	25	11.6	0.1	1.1	19.83	98.7	7.0921	46.2786
2022	1	9	22	0	25	11.6	0.1	1.1	20.08	97.7	7.0921	46.987
2022	1	9	22	10	25	11.6	0.1	1.1	19.85	100.7	7.0921	46.0425
2022	1	9	22	20	25	11.6	0.1	1.1	20.48	97.6	7.0921	47.9315
2022	1	9	22	30	25	11.6	0.1	1.1	19.67	97.6	7.0921	46.0426
2022	1	9	22	40	25	11.6	0.1	1.1	20.91	99.9	7.086	48.5963
2022	1	9	22	50	25	11.6	0.1	1.1	19.26	97.5	7.086	45.0578
2022	1	9	23	0	25	11.6	0.1	1.1	19.42	100.4	7.086	45.0578
2022	1	9	23	10	25	11.6	0.1	1.1	19.76	99.3	7.086	46.0014
2022	1	9	23	20	25	11.6	0.1	1.1	19.76	99.3	7.086	46.0015
2022	1	9	23	30	25	11.6	0.1	1.1	19.15	99.3	7.086	44.586
2022	1	9	23	40	25	11.6	0.1	1.1	20.14	100.6	7.086	46.7092
2022	1	9	23	50	25	11.6	0.1	1.1	19.65	99.1	7.086	45.7656

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	10	0	0	25	11.6	0.1	1.1	20.21	98.3	7.086	47.181
2022	1	10	0	10	25	11.6	0.1	1.1	19.04	100.9	7.086	44.1143
2022	1	10	0	20	25	11.6	0.1	1.1	19.94	98.9	7.086	46.4734
2022	1	10	0	30	25	11.6	0.1	1.1	19.12	98.7	7.086	44.5861
2022	1	10	0	40	25	11.6	0.1	1.1	19.14	96.9	7.0799	44.7819
2022	1	10	0	50	25	11.6	0.1	1.1	20.93	96.3	7.0799	49.0244
2022	1	10	1	0	25	11.6	0.1	1.1	19.71	100.2	7.0799	45.7247
2022	1	10	1	10	25	11.6	0.1	1.1	18.84	97	7.086	44.1144
2022	1	10	1	20	25	11.6	0.1	1.1	19.25	99.3	7.086	44.8221
2022	1	10	1	30	25	11.6	0.1	1.1	18.92	98.8	7.0799	44.0749
2022	1	10	1	40	25	11.6	0.1	1.1	20.25	99.1	7.0799	47.139
2022	1	10	1	50	25	11.6	0.1	1.1	19.91	98.4	7.0799	46.4319
2022	1	10	2	0	25	11.6	0.1	1.1	19.94	98.9	7.0799	46.4319
2022	1	10	2	10	25	11.6	0.1	1.1	20.25	99.1	7.0799	47.139
2022	1	10	2	20	25	11.6	0.1	1.1	19.83	98.7	7.0799	46.1962
2022	1	10	2	30	25	11.6	0.1	1.1	19.01	98.5	7.0799	44.3107
2022	1	10	2	40	25	11.6	0.1	1.1	19.96	101	7.0799	46.1963
2022	1	10	2	50	25	11.6	0.1	1.1	20.4	99.9	7.0799	47.3748
2022	1	10	3	0	25	11.6	0.1	1.1	19.56	99.4	7.0799	45.4892
2022	1	10	3	10	25	11.6	0.1	1.1	19.61	100.3	7.0799	45.4892
2022	1	10	3	20	25	11.6	0.1	1.1	19.27	99.6	7.0799	44.7822
2022	1	10	3	30	25	11.6	0.1	1.1	19.45	99.2	7.0799	45.2536
2022	1	10	3	40	25	11.6	0.1	1.1	20.21	100	7.0799	46.9034
2022	1	10	3	50	25	11.6	0.1	1.1	19.47	97.7	7.0799	45.4893
2022	1	10	4	0	25	11.6	0.1	1.1	19.5	98.3	7.0799	45.4893
2022	1	10	4	10	25	11.4	0.1	1.1	20.14	100.6	7.0738	46.626
2022	1	10	4	20	25	11.4	0.1	1.1	20.7	98.1	7.0799	48.3177
2022	1	10	4	30	25	11.4	0.1	1.1	19.88	99.6	7.0799	46.1964
2022	1	10	4	40	25	11.4	0.1	1.1	19.63	98.8	7.0799	45.725
2022	1	10	4	50	25	11.4	0.1	1.1	19.6	100	7.0738	45.4486
2022	1	10	5	0	25	11.4	0.1	1.1	19.38	99.8	7.0738	44.9777
2022	1	10	5	10	25	11.4	0.1	1.1	19.06	101.2	7.0799	44.0752
2022	1	10	5	20	25	11.4	0.1	1.1	19.45	99.2	7.0738	45.2132
2022	1	10	5	30	25	11.4	0.1	1.1	19.52	100.3	7.0738	45.2132
2022	1	10	5	40	25	11.4	0.1	1.1	19.05	99.4	7.0738	44.2713
2022	1	10	5	50	25	11.4	0.1	1.1	20.99	97.7	7.0738	48.981
2022	1	10	6	0	25	11.4	0.1	1.1	20.06	99.2	7.0738	46.6262
2022	1	10	6	10	25	11.4	0.1	1.1	20.34	98.8	7.0738	47.3326
2022	1	10	6	20	25	11.4	0.1	1.1	19.63	98.8	7.0738	45.6842
2022	1	10	6	30	25	11.4	0.1	1.1	20.39	99.6	7.0738	47.3327
2022	1	10	6	40	25	11.4	0.1	1.1	20.18	97.7	7.0738	47.0972
2022	1	10	6	50	25	11.4	0.1	1.1	19.68	99.7	7.0738	45.6843
2022	1	10	7	0	25	11.4	0.1	1.1	19.73	98.7	7.0738	45.9198
2022	1	10	7	10	25	11.4	0.1	1.1	20.58	99.5	7.0738	47.8037
2022	1	10	7	20	25	11.4	0.1	1.1	19.74	99	7.0738	45.9198
2022	1	10	7	30	25	11.4	0.1	1.1	20.3	99.9	7.0738	47.0972
2022	1	10	7	40	25	11.6	0.1	1.1	19.42	98.6	7.0677	45.1728
2022	1	10	7	50	25	11.6	0.1	1.1	19.39	98	7.0738	45.2134

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	10	8	0	25	11.8	0.1	1.1	20.11	100	7.0677	46.5845
2022	1	10	8	10	25	12	0.1	1.1	18.32	98.8	7.0677	42.5848
2022	1	10	8	20	25	12.2	0.1	1.1	19.71	98.5	7.0738	45.9198
2022	1	10	8	30	25	12.4	0.1	1.1	19.89	101.3	7.0677	45.8787
2022	1	10	8	40	25	12.8	0.1	1.1	20.57	99.2	7.0677	47.7609
2022	1	10	8	50	25	13.2	0.1	1.1	20.31	98.2	7.0677	47.2903
2022	1	10	9	0	25	13.2	0.1	1.1	20.67	100.9	7.0677	47.7608
2022	1	10	9	10	25	13.2	0.1	1.1	20.08	101.2	7.0677	46.3492
2022	1	10	9	20	25	13.8	0.1	1.1	19.5	100	7.0677	45.1728
2022	1	10	9	30	25	14	0.1	1.1	19.22	98.7	7.0677	44.7022
2022	1	10	9	40	25	14.2	0.1	1.1	19.22	98.7	7.0677	44.7022
2022	1	10	9	50	25	14.2	0.1	1.1	19.02	96.3	7.0738	44.5068
2022	1	10	10	0	25	14.2	0.1	1.1	20.49	101.3	7.0677	47.2902
2022	1	10	10	10	25	14	0.1	1.1	19.63	98.8	7.0677	45.6433
2022	1	10	10	20	25	13.8	0.1	1.1	18.99	98.2	7.0677	44.2317
2022	1	10	10	30	25	13.8	0.1	1.1	19.55	97.1	7.0677	45.6433
2022	1	10	10	40	25	14	0.1	1.1	19.05	99.4	7.0677	44.2317
2022	1	10	10	50	25	14	0.1	1.1	20.54	98.7	7.0677	47.7608
2022	1	10	11	0	25	13.8	0.1	1.1	19.5	100	7.0677	45.1728
2022	1	10	11	10	25	14	0.1	1.1	20.34	100.5	7.0677	47.0549
2022	1	10	11	20	25	14	0.1	1.1	20.3	99.9	7.0677	47.055
2022	1	10	11	30	25	14	0.1	1.1	19.06	101.2	7.0677	43.9964
2022	1	10	11	40	25	14	0.1	1.1	19.02	98.8	7.0677	44.2316
2022	1	10	11	50	25	13.8	0.1	1.1	20	101.5	7.0677	46.1139
2022	1	10	12	0	25	14	0.1	1.1	19.42	100.4	7.0616	44.8971
2022	1	10	12	10	25	14	0.1	1.1	18.86	99.5	7.0677	43.7611
2022	1	10	12	20	25	14	0.1	1.1	19.14	99	7.0616	44.427
2022	1	10	12	30	25	14.2	0.1	1.1	19.61	100.3	7.0616	45.3672
2022	1	10	12	40	25	14	0.1	1.1	19.84	99	7.0616	46.0724
2022	1	10	12	50	25	14.2	0.1	1.1	19.93	98.7	7.0555	46.2658
2022	1	10	13	0	25	13.6	0.1	1.1	19.44	100.7	7.0555	44.8567
2022	1	10	13	10	25	14	0.1	1.1	19.68	99.7	7.0555	45.5613
2022	1	10	13	20	25	13.8	0.1	1.1	19.97	99.5	7.0555	46.2659
2022	1	10	13	30	25	13.6	0.1	1.1	19.38	97.7	7.0494	45.0511
2022	1	10	13	40	25	13.6	0.1	1.1	19.35	99.2	7.0494	44.8165
2022	1	10	13	50	25	13.6	0.1	1.1	19.48	99.8	7.0494	45.0511
2022	1	10	14	0	25	13.2	0.1	1.1	19.6	100	7.0494	45.2858
2022	1	10	14	10	25	13.2	0.1	1.1	20.38	101	7.0494	46.9283
2022	1	10	14	20	25	13.4	0.1	1.1	19.63	98.8	7.0494	45.5204
2022	1	10	14	30	25	14	0.1	1.1	19.52	100.3	7.0494	45.0511
2022	1	10	14	40	25	13.6	0.1	1.1	20.01	98.3	7.0494	46.4589
2022	1	10	14	50	25	12.6	0.1	1.1	20.17	99.4	7.0494	46.6936
2022	1	10	15	0	25	12.8	0.1	1	20.1	98	7.0433	46.6516
2022	1	10	15	10	25	13.8	0.1	1	19.91	100.1	7.0433	45.9483
2022	1	10	15	20	25	13.6	0.1	1	18.69	101.7	7.0433	42.9007
2022	1	10	15	30	25	12.2	0.1	1	18.81	100.4	7.0433	43.3696
2022	1	10	15	40	25	11.8	0.1	1	20.54	98.7	7.0433	47.5893
2022	1	10	15	50	25	11.8	0.1	1	19.17	99.6	7.0433	44.3073

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	10	16	0	25	11.8	0.1	1	21.39	99.4	7.0433	49.4647
2022	1	10	16	10	25	12	0.1	1	20.72	98.3	7.0433	48.0581
2022	1	10	16	20	25	12	0.1	1	19.6	100	7.0433	45.245
2022	1	10	16	30	25	12	0.1	1	19.59	101.5	7.0433	45.0105
2022	1	10	16	40	25	11.8	0.1	1	18.76	99.5	7.0433	43.3695
2022	1	10	16	50	25	11.8	0.1	1	18.81	98.6	7.0433	43.6039
2022	1	10	17	0	25	11.8	0.1	1	19.95	100.7	7.0433	45.9482
2022	1	10	17	10	25	11.8	0.1	1	19.45	99.2	7.0433	45.0105
2022	1	10	17	20	25	11.8	0.1	1	18.91	101.9	7.0433	43.3695
2022	1	10	17	30	25	11.8	0.1	1	19.09	98.1	7.0433	44.3072
2022	1	10	17	40	25	11.8	0.1	1	19.3	100.1	7.0433	44.5416
2022	1	10	17	50	25	11.8	0.1	1	20.51	98.1	7.0372	47.5463
2022	1	10	18	0	25	11.8	0.1	1	19.29	98	7.0372	44.7357
2022	1	10	18	10	25	11.8	0.1	1	19.63	102.1	7.0372	44.9699
2022	1	10	18	20	25	11.8	0.1	1	19.91	101.6	7.0372	45.6726
2022	1	10	18	30	25	11.8	0.1	1	20.06	99.2	7.0372	46.3752
2022	1	10	18	40	25	11.8	0.1	1	19.88	99.6	7.0372	45.9068
2022	1	10	18	50	25	11.8	0.1	1	19.89	99.8	7.0372	45.9067
2022	1	10	19	0	25	11.8	0.1	1	19.56	99.4	7.0372	45.2041
2022	1	10	19	10	25	11.8	0.1	1	20.32	98.5	7.0372	47.0778
2022	1	10	19	20	25	11.8	0.1	1	20.27	97.4	7.0372	47.0778
2022	1	10	19	30	25	11.8	0.1	1	19.14	99	7.0372	44.2672
2022	1	10	19	40	25	11.8	0.1	1	19.8	98.1	7.0372	45.9067
2022	1	10	19	50	25	11.8	0.1	1	19.97	99.5	7.0372	46.1409
2022	1	10	20	0	25	11.8	0.1	1	20.1	98	7.0372	46.6094
2022	1	10	20	10	25	11.8	0.1	1	19.6	100	7.0372	45.2041
2022	1	10	20	20	25	11.8	0.1	1	20	101.5	7.0372	45.9067
2022	1	10	20	30	25	11.8	0.1	1	20.35	99	7.0372	47.0778
2022	1	10	20	40	25	11.8	0.1	1	19.28	101.4	7.0372	44.2672
2022	1	10	20	50	25	11.6	0.1	1	19.52	100.3	7.0372	44.9698
2022	1	10	21	0	25	11.6	0.1	1	19.28	101.4	7.0372	44.2672
2022	1	10	21	10	25	11.6	0.1	1	20.17	99.4	7.0372	46.6094
2022	1	10	21	20	25	11.6	0.1	1	19.12	98.7	7.0372	44.2672
2022	1	10	21	30	25	11.6	0.1	1	20.17	99.4	7.0372	46.6094
2022	1	10	21	40	25	11.6	0.1	1	20.25	99.1	7.0311	46.8014
2022	1	10	21	50	25	11.6	0.1	1	19.84	99	7.0372	45.9067
2022	1	10	22	0	25	11.6	0.1	1	19.94	96.9	7.0311	46.3334
2022	1	10	22	10	25	11.6	0.1	1	19.06	97.5	7.0372	44.2672
2022	1	10	22	20	25	11.6	0.1	1	18.99	98.2	7.0372	44.033
2022	1	10	22	30	25	11.6	0.1	1	19.96	101	7.0311	45.8654
2022	1	10	22	40	25	11.6	0.1	1	20.34	98.8	7.0311	47.0354
2022	1	10	22	50	25	11.6	0.1	1	20.16	99.1	7.0311	46.5674
2022	1	10	23	0	25	11.6	0.1	1	19.79	101.4	7.0311	45.3974
2022	1	10	23	10	25	11.6	0.1	1	19.01	98.5	7.0311	43.9934
2022	1	10	23	20	25	11.6	0.1	1	19.86	99.3	7.0311	45.8655
2022	1	10	23	30	25	11.6	0.1	1	18.95	97.3	7.0311	43.9934
2022	1	10	23	40	25	11.6	0.1	1	21.13	98.4	7.0311	48.9076
2022	1	10	23	50	25	11.6	0.1	1	18.7	98.3	7.0311	43.2914



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	11	0	0	25	11.6	0.1	1	19.87	102.5	7.0311	45.3975
2022	1	11	0	10	25	11.6	0.1	1	19.6	98.2	7.0311	45.3975
2022	1	11	0	20	25	11.6	0.1	1	21.13	98.4	7.0311	48.9076
2022	1	11	0	30	25	11.6	0.1	1	20.11	100	7.0311	46.3336
2022	1	11	0	40	25	11.6	0.1	1	20.72	100	7.0311	47.7376
2022	1	11	0	50	25	11.6	0.1	1	19.84	99	7.0311	45.8656
2022	1	11	1	0	25	11.6	0.1	1	19.76	97.3	7.0311	45.8656
2022	1	11	1	10	25	11.6	0.1	1	19.91	100.1	7.0311	45.8656
2022	1	11	1	20	25	11.6	0.1	1	19.01	98.5	7.0311	43.9935
2022	1	11	1	30	25	11.6	0.1	1	19.15	99.3	7.025	44.1876
2022	1	11	1	40	25	11.6	0.1	1	20.63	100.3	7.025	47.4608
2022	1	11	1	50	25	11.6	0.1	1	20.39	97.9	7.0311	47.2697
2022	1	11	2	0	25	11.6	0.1	1	20.8	98	7.025	48.1622
2022	1	11	2	10	25	11.6	0.1	1	19.35	99.2	7.025	44.6553
2022	1	11	2	20	25	11.6	0.1	1	20.12	98.6	7.025	46.5257
2022	1	11	2	30	25	11.6	0.1	1	19.83	100.5	7.025	45.5905
2022	1	11	2	40	25	11.6	0.1	1	18.68	99.9	7.025	43.0188
2022	1	11	2	50	25	11.6	0.1	1	20.32	101.6	7.025	46.5257
2022	1	11	3	0	25	11.6	0.1	1	20.08	97.7	7.025	46.5257
2022	1	11	3	10	25	11.4	0.1	1	19.45	99.2	7.025	44.8892
2022	1	11	3	20	25	11.4	0.1	1	19.89	99.8	7.025	45.8244
2022	1	11	3	30	25	11.4	0.1	1	19.83	96.7	7.025	46.0582
2022	1	11	3	40	25	11.4	0.1	1	18.25	97.2	7.025	42.3174
2022	1	11	3	50	25	11.4	0.1	1	19.65	100.9	7.025	45.123
2022	1	11	4	0	25	11.4	0.1	1	19.93	98.7	7.025	46.0582
2022	1	11	4	10	25	11.4	0.1	1	19.33	98.9	7.025	44.6555
2022	1	11	4	20	25	11.4	0.1	1	19.77	97.6	7.025	45.8245
2022	1	11	4	30	25	11.4	0.1	1	19.7	98.2	7.025	45.5907
2022	1	11	4	40	25	11.4	0.1	1	19.15	99.3	7.025	44.1879
2022	1	11	4	50	25	11.4	0.1	1	19.53	100.6	7.025	44.8893
2022	1	11	5	0	25	11.4	0.1	1	20.11	100	7.025	46.2921
2022	1	11	5	10	25	11.4	0.1	1	20.44	98.7	7.025	47.2273
2022	1	11	5	20	25	11.4	0.1	1	19.4	100.1	7.025	44.6555
2022	1	11	5	30	25	11.4	0.1	1	19.74	99	7.0189	45.5496
2022	1	11	5	40	25	11.4	0.1	1	20.31	98.2	7.0189	46.9511
2022	1	11	5	50	25	11.4	0.1	1	19.6	100	7.025	45.1232
2022	1	11	6	0	25	11.4	0.1	1	19.4	100.1	7.0189	44.6153
2022	1	11	6	10	25	11.4	0.1	1	20.12	100.3	7.0189	46.2504
2022	1	11	6	20	25	11.4	0.1	1	20.76	97.2	7.0189	48.1191
2022	1	11	6	30	25	11.4	0.1	1	19.32	98.6	7.0189	44.6153
2022	1	11	6	40	25	11.4	0.1	1	19.2	101.7	7.0189	43.9146
2022	1	11	6	50	25	11.4	0.1	1	18.89	100.1	7.0189	43.4474
2022	1	11	7	0	25	11.4	0.1	1	20.27	97.4	7.0189	46.9512
2022	1	11	7	10	25	11.4	0.1	1	19.87	101	7.0189	45.5497
2022	1	11	7	20	25	11.4	0.1	1	19.56	99.4	7.0189	45.0826
2022	1	11	7	30	25	11.4	0.1	1	19.68	99.7	7.0189	45.3162
2022	1	11	7	40	25	11.4	0.1	1	19.24	99	7.0189	44.3818
2022	1	11	7	50	25	11.8	0.1	1	20	98	7.0189	46.2505

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	11	8	0	25	12.4	0.1	1	20.07	99.5	7.0189	46.2505
2022	1	11	8	10	25	12.8	0.1	1	20.01	100.1	7.0189	46.0169
2022	1	11	8	20	25	13	0.1	1	19.89	99.8	7.0189	45.7833
2022	1	11	8	30	25	13	0.1	1	20.41	98.2	7.0189	47.1849
2022	1	11	8	40	25	13.4	0.1	1	19.71	100.2	7.0189	45.3161
2022	1	11	8	50	25	13.8	0.1	1	19.39	98	7.0189	44.849
2022	1	11	9	0	25	13.8	0.1	1	19.63	102.1	7.0189	44.8489
2022	1	11	9	10	25	13.8	0.1	1	19.48	99.8	7.0189	44.8489
2022	1	11	9	20	25	13.8	0.1	1	19.52	98.5	7.0189	45.0825
2022	1	11	9	30	25	13.8	0.1	1	19.63	102.1	7.0189	44.8489
2022	1	11	9	40	25	13.8	0.1	1	20.6	102.6	7.0189	46.9512
2022	1	11	9	50	25	13.8	0.1	1	20.22	98.5	7.0189	46.7176
2022	1	11	10	0	25	13.8	0.1	1	18.88	97.9	7.0189	43.6809
2022	1	11	10	10	25	13.8	0.1	1	18.47	97.8	7.025	42.7852
2022	1	11	10	20	25	14	0.1	1	19.7	99.9	7.0189	45.316
2022	1	11	10	30	25	13.8	0.1	1	19.75	97	7.0189	45.7831
2022	1	11	10	40	25	14.2	0.1	1	19.52	98.5	7.0189	45.0824
2022	1	11	10	50	25	14.2	0.1	1	20.21	100	7.025	46.5259
2022	1	11	11	0	25	13.8	0.1	1	19.46	102.5	7.0189	44.3816
2022	1	11	11	10	25	14	0.1	1	19.32	98.6	7.025	44.6555
2022	1	11	11	20	25	14.2	0.1	1	19.3	98.3	7.025	44.6555
2022	1	11	11	30	25	14.2	0.1	1	18.61	102.1	7.025	42.5513
2022	1	11	11	40	25	14.2	0.1	1	19.4	98.3	7.025	44.8892
2022	1	11	11	50	25	14	0.1	1	19.42	100.4	7.025	44.6554
2022	1	11	12	0	25	14	0.1	1	19.24	100.8	7.025	44.1878
2022	1	11	12	10	25	13.8	0.1	1	19.73	98.7	7.0189	45.5494
2022	1	11	12	20	25	14	0.1	1	19.38	99.8	7.025	44.6554
2022	1	11	12	30	25	14	0.1	1	19.63	98.8	7.025	45.3568
2022	1	11	12	40	25	14	0.1	1	20.26	100.8	7.025	46.5258
2022	1	11	12	50	25	14	0.1	1	20.14	98.9	7.0189	46.4838
2022	1	11	13	0	25	14	0.1	1	19.12	100.5	7.025	43.954
2022	1	11	13	10	25	14	0.1	1	19.3	101.7	7.0189	44.1479
2022	1	11	13	20	25	14	0.1	1	20.48	97.6	7.025	47.461
2022	1	11	13	30	25	14	0.1	1	20.16	99.1	7.025	46.5258
2022	1	11	13	40	25	14	0.1	1	19.35	99.2	7.0189	44.6151
2022	1	11	13	50	25	14	0.1	1	19.52	98.5	7.0189	45.0823
2022	1	11	14	0	25	14	0.1	1	19.09	98.1	7.0189	44.1479
2022	1	11	14	10	25	14	0.1	1	18.91	98.5	7.0189	43.6808
2022	1	11	14	20	25	14	0.1	1	20.01	98.3	7.025	46.292
2022	1	11	14	30	25	14	0.1	1	18.81	100.4	7.0189	43.2136
2022	1	11	14	40	25	13.8	0.1	1	18.89	98.2	7.0189	43.6808
2022	1	11	14	50	25	13.8	0.1	1	19.36	97.4	7.0189	44.8487
2022	1	11	15	0	25	13.8	0.1	1	20.17	99.4	7.0189	46.4839
2022	1	11	15	10	25	13.8	0.1	1	20.65	100.6	7.0189	47.4182
2022	1	11	15	20	25	13.8	0.1	1	20.03	100.4	7.0189	46.0167
2022	1	11	15	30	25	13.6	0.1	1	19.59	97.9	7.0189	45.316
2022	1	11	15	40	25	13.6	0.1	1	19.19	98.1	7.0189	44.3816
2022	1	11	15	50	25	13.6	0.1	1	19.01	100.3	7.0189	43.6809

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	11	16	0	25	13.4	0.1	1	20.58	97.5	7.0189	47.6518
2022	1	11	16	10	25	12.8	0.1	1	20.27	97.4	7.0189	46.9511
2022	1	11	16	20	25	12	0.1	1	19.97	99.5	7.0189	46.0167
2022	1	11	16	30	25	12	0.1	1	18.53	99	7.0189	42.7465
2022	1	11	16	40	25	11.8	0.1	1	19.52	98.5	7.0189	45.0824
2022	1	11	16	50	25	11.8	0.1	1	20.28	101.1	7.0189	46.4839
2022	1	11	17	0	25	11.8	0.1	1	19.66	97.3	7.0189	45.5495
2022	1	11	17	10	25	11.8	0.1	1	19.87	101	7.0189	45.5495
2022	1	11	17	20	25	11.8	0.1	1	19.35	99.2	7.0189	44.6152
2022	1	11	17	30	25	11.8	0.1	1	19.93	98.7	7.0189	46.0167
2022	1	11	17	40	25	11.8	0.1	1	19.52	98.5	7.0189	45.0823
2022	1	11	17	50	25	11.8	0.1	1	19.97	99.5	7.0189	46.0166
2022	1	11	18	0	25	11.8	0.1	1	19.4	100.1	7.0189	44.6151
2022	1	11	18	10	25	11.8	0.1	1	19.45	99.2	7.0189	44.8487
2022	1	11	18	20	25	11.8	0.1	1	18.92	98.8	7.0189	43.6807
2022	1	11	18	30	25	11.8	0.1	1	19.41	96.2	7.0189	45.0822
2022	1	11	18	40	25	11.8	0.1	1	19.05	99.4	7.0189	43.9143
2022	1	11	18	50	25	11.8	0.1	1	20.69	97.8	7.0189	47.8852
2022	1	11	19	0	25	11.8	0.1	1	19.55	99.1	7.0189	45.0822
2022	1	11	19	10	25	11.8	0.1	1	19.65	100.9	7.0189	45.0822
2022	1	11	19	20	25	11.8	0.1	1	18.99	98.2	7.0189	43.9142
2022	1	11	19	30	25	11.8	0.1	1	19.03	96.6	7.0189	44.1478
2022	1	11	19	40	25	11.8	0.1	1	20.21	100	7.0189	46.4837
2022	1	11	19	50	25	11.8	0.1	1	19.18	97.8	7.0189	44.3814
2022	1	11	20	0	25	11.8	0.1	1	19.3	98.3	7.0189	44.615
2022	1	11	20	10	25	11.8	0.1	1	20.28	97.7	7.0189	46.9508
2022	1	11	20	20	25	11.8	0.1	1	19.65	99.1	7.0189	45.3157
2022	1	11	20	30	25	11.8	0.1	1	18.7	98.3	7.0189	43.2134
2022	1	11	20	40	25	11.8	0.1	1	19.09	100	7.0189	43.9142
2022	1	11	20	50	25	11.8	0.1	1	19.22	98.7	7.0189	44.3813
2022	1	11	21	0	25	11.8	0.1	1	20.8	99.7	7.0189	47.8851
2022	1	11	21	10	25	11.8	0.1	1	19.38	97.7	7.0189	44.8485
2022	1	11	21	20	25	11.8	0.1	1	19.22	98.7	7.0189	44.3813
2022	1	11	21	30	25	11.8	0.1	1	20.03	100.4	7.0189	46.0164
2022	1	11	21	40	25	11.6	0.1	1	19.71	98.5	7.0189	45.5493
2022	1	11	21	50	25	11.6	0.1	1	19.19	99.9	7.0189	44.1478
2022	1	11	22	0	25	11.6	0.1	1	18.81	102	7.0189	42.9798
2022	1	11	22	10	25	11.6	0.1	1	19.68	99.7	7.0189	45.3157
2022	1	11	22	20	25	11.6	0.1	1	19.79	99.9	7.0189	45.5493
2022	1	11	22	30	25	11.6	0.1	1	20.38	97.6	7.0189	47.1844
2022	1	11	22	40	25	11.6	0.1	1	19.45	99.2	7.0189	44.8485
2022	1	11	22	50	25	11.6	0.1	1	18.92	98.8	7.0189	43.6806
2022	1	11	23	0	25	11.6	0.1	1	19.35	99.2	7.0189	44.615
2022	1	11	23	10	25	11.6	0.1	1	19.18	97.8	7.0189	44.3814
2022	1	11	23	20	25	11.6	0.1	1	19.52	100.3	7.0189	44.8486
2022	1	11	23	30	25	11.6	0.1	1	19.79	97.8	7.0189	45.7829
2022	1	11	23	40	25	11.6	0.1	1	19.56	99.4	7.0189	45.0822
2022	1	11	23	50	25	11.6	0.1	1	18.81	98.6	7.0189	43.4471

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	12	0	0	25	11.6	0.1	1	20.7	99.7	7.0189	47.6516
2022	1	12	0	10	25	11.6	0.1	1	18.84	99.2	7.0189	43.4471
2022	1	12	0	20	25	11.6	0.1	1	19.39	98	7.0189	44.8486
2022	1	12	0	30	25	11.6	0.1	1	19.52	100.3	7.0128	44.8081
2022	1	12	0	40	25	11.6	0.1	1	19.25	99.3	7.0189	44.3814
2022	1	12	0	50	25	11.6	0.1	1	18.99	98.2	7.0189	43.9143
2022	1	12	1	0	25	11.6	0.1	1	19.19	99.9	7.0189	44.1479
2022	1	12	1	10	25	11.6	0.1	1	19.89	99.8	7.0189	45.783
2022	1	12	1	20	25	11.6	0.1	1	19.56	99.4	7.0189	45.0822
2022	1	12	1	30	25	11.6	0.1	1	20.19	99.7	7.0128	46.4418
2022	1	12	1	40	25	11.6	0.1	1	19.46	101	7.0128	44.5748
2022	1	12	1	50	25	11.6	0.1	1	19.55	99.1	7.0128	45.0415
2022	1	12	2	0	25	11.6	0.1	1	20.55	100.7	7.0128	47.1419
2022	1	12	2	10	25	11.6	0.1	1	19.76	99.3	7.0128	45.5083
2022	1	12	2	20	25	11.6	0.1	1	19.29	98	7.0128	44.5748
2022	1	12	2	30	25	11.6	0.1	1	20.13	96.6	7.0128	46.6752
2022	1	12	2	40	25	11.6	0.1	1	20.14	98.9	7.0128	46.4418
2022	1	12	2	50	25	11.6	0.1	1	19.42	100.4	7.0128	44.5748
2022	1	12	3	0	25	11.6	0.1	1	19.97	99.5	7.0128	45.9751
2022	1	12	3	10	25	11.6	0.1	1	20.36	100.8	7.0128	46.6752
2022	1	12	3	20	25	11.6	0.1	1	20.04	98.9	7.0128	46.2085
2022	1	12	3	30	25	11.6	0.1	1	20.2	98	7.0128	46.6752
2022	1	12	3	40	25	11.6	0.1	1	19.87	101	7.0128	45.5084
2022	1	12	3	50	25	11.6	0.1	1	18.43	99.1	7.0128	42.4745
2022	1	12	4	0	25	11.6	0.1	1	20.55	100.7	7.0128	47.142
2022	1	12	4	10	25	11.6	0.1	1	20.3	102.8	7.0128	46.2085
2022	1	12	4	20	25	11.6	0.1	1	19.34	100.7	7.0128	44.3415
2022	1	12	4	30	25	11.6	0.1	1	18.92	98.8	7.0128	43.6414
2022	1	12	4	40	25	11.6	0.1	1	19.79	97.8	7.0128	45.7418
2022	1	12	4	50	25	11.6	0.1	1	19.53	100.6	7.0128	44.8083
2022	1	12	5	0	25	11.6	0.1	1	19.34	102.2	7.0128	44.1082
2022	1	12	5	10	25	11.4	0.1	1	19.66	99.4	7.0128	45.2751
2022	1	12	5	20	25	11.4	0.1	1	18.89	98.2	7.0128	43.6414
2022	1	12	5	30	25	11.4	0.1	1	19.18	97.8	7.0128	44.3416
2022	1	12	5	40	25	11.4	0.1	1	19.4	100.1	7.0128	44.575
2022	1	12	5	50	25	11.4	0.1	1	20.57	97.3	7.0128	47.6089
2022	1	12	6	0	25	11.4	0.1	1	19.11	98.4	7.0128	44.1082
2022	1	12	6	10	25	11.4	0.1	1	18.86	99.5	7.0128	43.4081
2022	1	12	6	20	25	11.4	0.1	1	20.09	99.7	7.0067	46.1668
2022	1	12	6	30	25	11.4	0.1	1	19.27	99.6	7.0067	44.3015
2022	1	12	6	40	25	11.4	0.1	1	18.79	98.3	7.0128	43.4081
2022	1	12	6	50	25	11.4	0.1	1	20.04	98.9	7.0128	46.2086
2022	1	12	7	0	25	11.4	0.1	1	19.55	99.1	7.0128	45.0418
2022	1	12	7	10	25	11.4	0.1	1	19.32	98.6	7.0067	44.5347
2022	1	12	7	20	25	11.4	0.1	1	19.25	99.3	7.0067	44.3015
2022	1	12	7	30	25	11.4	0.1	1	19.37	99.5	7.0128	44.575
2022	1	12	7	40	25	11.4	0.1	1	20.36	102.2	7.0128	46.442
2022	1	12	7	50	25	11.8	0.1	1	19.04	100.9	7.0067	43.6021

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	12	8	0	25	12.4	0.1	1	20.44	98.7	7.0128	47.1422
2022	1	12	8	10	25	12.6	0.1	1	19.37	99.5	7.0067	44.5347
2022	1	12	8	20	25	12.8	0.1	1	19.25	99.3	7.0067	44.3015
2022	1	12	8	30	25	13	0.1	1	19.07	99.7	7.0128	43.8749
2022	1	12	8	40	25	13.2	0.1	1	19.4	98.3	7.0128	44.8083
2022	1	12	8	50	25	13.8	0.1	1	20.07	102.4	7.0128	45.7418
2022	1	12	9	0	25	13.8	0.1	1	19.46	101	7.0128	44.5749
2022	1	12	9	10	25	13.8	0.1	1	18.94	97	7.0128	43.8748
2022	1	12	9	20	25	13.8	0.1	1	18.84	99.2	7.0128	43.408
2022	1	12	9	30	25	14	0.1	1	19.35	99.2	7.0128	44.5749
2022	1	12	9	40	25	14	0.1	1	19.1	100.3	7.0128	43.8747
2022	1	12	9	50	25	14.2	0.1	1	19.42	101.9	7.0128	44.3415
2022	1	12	10	0	25	14.2	0.1	1	19.52	100.3	7.0128	44.8082
2022	1	12	10	10	25	14.2	0.1	1	19.4	100.1	7.0128	44.5748
2022	1	12	10	20	25	14	0.1	1	19.58	102.7	7.0189	44.6151
2022	1	12	10	30	25	14	0.1	1	18.73	98.9	7.0189	43.2136
2022	1	12	10	40	25	14	0.1	1	19.73	98.7	7.0189	45.5494
2022	1	12	10	50	25	14	0.1	1	19.19	99.9	7.0189	44.1479
2022	1	12	11	0	25	14	0.1	1	19.37	99.5	7.0189	44.615
2022	1	12	11	10	25	14	0.1	1	19.94	98.9	7.0189	46.0165
2022	1	12	11	20	25	14	0.1	1	19.28	101.4	7.0189	44.1478
2022	1	12	11	30	25	14	0.1	1	20.4	99.9	7.0189	46.9508
2022	1	12	11	40	25	14	0.1	1	20.06	99.2	7.0189	46.2501
2022	1	12	11	50	25	14	0.1	1	19.73	98.7	7.0189	45.5493
2022	1	12	12	0	25	14	0.1	1	19.83	96.7	7.0189	46.0164
2022	1	12	12	10	25	14	0.1	1	19.69	97.9	7.0189	45.5493
2022	1	12	12	20	25	14	0.1	1	19.97	97.5	7.0189	46.25
2022	1	12	12	30	25	14	0.1	1	19.56	99.4	7.0189	45.0821
2022	1	12	12	40	25	14	0.1	1	19.85	100.7	7.0189	45.5492
2022	1	12	12	50	25	13.8	0.1	1	18.34	97.2	7.0189	42.5126
2022	1	12	13	0	25	13.8	0.1	1	18.43	99.1	7.0189	42.5126
2022	1	12	13	10	25	13.8	0.1	1	20.04	102.1	7.0189	45.7828
2022	1	12	13	20	25	13.8	0.1	1	19.12	100.5	7.0189	43.9141
2022	1	12	13	30	25	13.8	0.1	1	19.22	100.5	7.0189	44.1477
2022	1	12	13	40	25	13.8	0.1	1	18.96	99.4	7.0189	43.6806
2022	1	12	13	50	25	13.8	0.1	1	19.81	100.2	7.0189	45.5492
2022	1	12	14	0	25	13.6	0.1	1	19.34	100.7	7.0189	44.3813
2022	1	12	14	10	25	13.4	0.1	1	19.76	99.3	7.0189	45.5493
2022	1	12	14	20	25	13.6	0.1	1	20.22	98.5	7.0189	46.7172
2022	1	12	14	30	25	13.4	0.1	1	20.03	100.4	7.0189	46.0165
2022	1	12	14	40	25	13.4	0.1	1	19.53	100.6	7.0189	44.8486
2022	1	12	14	50	25	13.6	0.1	1	18.89	98.2	7.0189	43.6806
2022	1	12	15	0	25	13.6	0.1	1	19.89	101.3	7.0189	45.5493
2022	1	12	15	10	25	12.8	0.1	1	20.24	98.8	7.0189	46.7173
2022	1	12	15	20	25	12.4	0.1	1	19.57	101.2	7.0189	44.8486
2022	1	12	15	30	25	12.4	0.1	1	19.45	99.2	7.0189	44.8486
2022	1	12	15	40	25	12.8	0.1	1	20.04	102.1	7.0189	45.7829
2022	1	12	15	50	25	12	0.1	1	18.63	99	7.0189	42.9799

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	12	16	0	25	11.8	0.1	1	19.83	96.7	7.0189	46.0165
2022	1	12	16	10	25	12	0.1	1	19.35	97.1	7.0189	44.8485
2022	1	12	16	20	25	12	0.1	1	19.83	101.9	7.0189	45.3157
2022	1	12	16	30	25	11.8	0.1	1	19.48	99.8	7.0189	44.8485
2022	1	12	16	40	25	11.8	0.1	1	20.01	100.1	7.0189	46.0164
2022	1	12	16	50	25	11.8	0.1	1	20.14	100.6	7.0189	46.25
2022	1	12	17	0	25	11.8	0.1	1	18.48	100	7.0189	42.5126
2022	1	12	17	10	25	11.8	0.1	1	19.48	99.8	7.025	44.889
2022	1	12	17	20	25	11.8	0.1	1	18.89	98.2	7.025	43.72
2022	1	12	17	30	25	11.8	0.1	1	19.59	101.5	7.025	44.889
2022	1	12	17	40	25	11.8	0.1	1	19.63	102.1	7.025	44.8889
2022	1	12	17	50	25	11.8	0.1	1	18.88	97.9	7.025	43.72
2022	1	12	18	0	25	11.8	0.1	1	19.55	99.1	7.025	45.1227
2022	1	12	18	10	25	11.8	0.1	1	19.71	100.2	7.025	45.3565
2022	1	12	18	20	25	11.8	0.1	1	20.47	99.3	7.025	47.2268
2022	1	12	18	30	25	11.8	0.1	1	19.45	99.2	7.025	44.8889
2022	1	12	18	40	25	11.8	0.1	1	20.25	99.1	7.025	46.7592
2022	1	12	18	50	25	11.8	0.1	1	19.74	99	7.025	45.5902
2022	1	12	19	0	25	11.6	0.1	1	19.15	97.2	7.025	44.4212
2022	1	12	19	10	25	11.8	0.1	1	19.9	98.1	7.025	46.0578
2022	1	12	19	20	25	11.8	0.1	1	19.56	94.4	7.025	45.5901
2022	1	12	19	30	25	11.8	0.1	1	20.16	99.1	7.0311	46.5673
2022	1	12	19	40	25	11.8	0.1	1	19.5	100	7.0311	44.9293
2022	1	12	19	50	25	11.8	0.1	1	19.71	98.5	7.0311	45.6313
2022	1	12	20	0	25	11.8	0.1	1	19.34	96.8	7.0311	44.9292
2022	1	12	20	10	25	11.8	0.1	1	18.71	98.6	7.0311	43.2912
2022	1	12	20	20	25	11.8	0.1	1	18.87	99.8	7.0311	43.5252
2022	1	12	20	30	25	11.8	0.1	1	19.86	99.3	7.0311	45.8652
2022	1	12	20	40	25	11.8	0.1	1	19.79	99.9	7.0311	45.6312
2022	1	12	20	50	25	11.8	0.1	1	19.27	99.6	7.0311	44.4612
2022	1	12	21	0	25	11.8	0.1	1	19.96	101	7.0311	45.8652
2022	1	12	21	10	25	11.8	0.1	1	19.19	98.1	7.0311	44.4612
2022	1	12	21	20	25	11.8	0.1	1	18.82	96.4	7.0311	43.7591
2022	1	12	21	30	25	11.8	0.1	1	18.66	97.4	7.0311	43.2911
2022	1	12	21	40	25	11.8	0.1	1	19.12	100.5	7.0311	43.9931
2022	1	12	21	50	25	11.8	0.1	1	19.45	99.2	7.0311	44.9292
2022	1	12	22	0	25	11.8	0.1	1	19.93	98.7	7.0311	46.0992
2022	1	12	22	10	25	11.8	0.1	1	19.5	95.9	7.0311	45.3972
2022	1	12	22	20	25	11.6	0.1	1	20.37	99.3	7.0311	47.0352
2022	1	12	22	30	25	11.6	0.1	1	19.85	96.9	7.0311	46.0992
2022	1	12	22	40	25	11.6	0.1	1	19.71	100.2	7.0311	45.3972
2022	1	12	22	50	25	11.6	0.1	1	18.43	99.1	7.0372	42.6275
2022	1	12	23	0	25	11.6	0.1	1	20.47	99.3	7.0311	47.2692
2022	1	12	23	10	25	11.6	0.1	1	20.42	100.2	7.0311	47.0352
2022	1	12	23	20	25	11.6	0.1	1	19.88	99.6	7.0311	45.8652
2022	1	12	23	30	25	11.6	0.1	1	18.88	97.9	7.0372	43.7986
2022	1	12	23	40	25	11.6	0.1	1	18.79	100.1	7.0311	43.2911
2022	1	12	23	50	25	11.6	0.1	1	19.96	99.2	7.0372	46.1408

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	13	0	0	25	11.6	0.1	1	19.52	98.5	7.0372	45.2039
2022	1	13	0	10	25	11.6	0.1	1	19.99	99.8	7.0372	46.1408
2022	1	13	0	20	25	11.6	0.1	1	19.88	97.8	7.0372	46.1408
2022	1	13	0	30	25	11.6	0.1	1	19.85	96.9	7.0372	46.1408
2022	1	13	0	40	25	11.6	0.1	1	19.77	101.1	7.0372	45.4382
2022	1	13	0	50	25	11.6	0.1	1	19.8	98.1	7.0372	45.9066
2022	1	13	1	0	25	11.6	0.1	1	20.04	98.9	7.0372	46.375
2022	1	13	1	10	25	11.6	0.1	1	20.73	98.6	7.0372	48.0146
2022	1	13	1	20	25	11.6	0.1	1	20.52	96.2	7.0372	47.7803
2022	1	13	1	30	25	11.6	0.1	1	20.35	99	7.0372	47.0777
2022	1	13	1	40	25	11.6	0.1	1	20.6	95.6	7.0372	48.0146
2022	1	13	1	50	25	11.6	0.1	1	19.99	99.8	7.0372	46.1408
2022	1	13	2	0	25	11.6	0.1	1	20.47	101	7.0372	47.0777
2022	1	13	2	10	25	11.6	0.1	1	19.21	98.4	7.0372	44.5013
2022	1	13	2	20	25	11.6	0.1	1	19.27	99.6	7.0372	44.5013
2022	1	13	2	30	25	11.6	0.1	1	19.96	99.2	7.0372	46.1408
2022	1	13	2	40	25	11.6	0.1	1	19.83	98.7	7.0372	45.9066
2022	1	13	2	50	25	11.6	0.1	1	20.01	98.3	7.0372	46.3751
2022	1	13	3	0	25	11.6	0.1	1	19.68	99.7	7.0372	45.4382
2022	1	13	3	10	25	11.6	0.1	1	19.91	100.1	7.0372	45.9066
2022	1	13	3	20	25	11.6	0.1	1	19.39	98	7.0372	44.9698
2022	1	13	3	30	25	11.6	0.1	1	20.24	98.8	7.0372	46.8435
2022	1	13	3	40	25	11.6	0.1	1	20.21	98.3	7.0372	46.8435
2022	1	13	3	50	25	11.6	0.1	1	20.39	97.9	7.0433	47.3546
2022	1	13	4	0	25	11.6	0.1	1	19.49	98	7.0433	45.2448
2022	1	13	4	10	25	11.6	0.1	1	19.79	99.9	7.0433	45.7136
2022	1	13	4	20	25	11.6	0.1	1	19.52	98.5	7.0433	45.2448
2022	1	13	4	30	25	11.6	0.1	1	19.83	98.7	7.0433	45.9481
2022	1	13	4	40	25	11.6	0.1	1	19.74	99	7.0433	45.7136
2022	1	13	4	50	25	11.6	0.1	1	19.45	97.1	7.0433	45.2448
2022	1	13	5	0	25	11.6	0.1	1	19.26	97.5	7.0433	44.7759
2022	1	13	5	10	25	11.6	0.1	1	20.13	96.6	7.0433	46.8858
2022	1	13	5	20	25	11.6	0.1	1	19.04	99.1	7.0433	44.0726
2022	1	13	5	30	25	11.6	0.1	1	19.71	98.5	7.0433	45.7136
2022	1	13	5	40	25	11.6	0.1	1	19.91	98.4	7.0433	46.1825
2022	1	13	5	50	25	11.6	0.1	1	19.46	97.4	7.0433	45.2448
2022	1	13	6	0	25	11.6	0.1	1	20.37	99.3	7.0433	47.1202
2022	1	13	6	10	25	11.6	0.1	1	19.59	97.9	7.0433	45.4792
2022	1	13	6	20	25	11.6	0.1	1	19.96	99.2	7.0433	46.1825
2022	1	13	6	30	25	11.6	0.1	1	19.09	98.1	7.0433	44.3071
2022	1	13	6	40	25	11.4	0.1	1	19.98	97.8	7.0433	46.417
2022	1	13	6	50	25	11.4	0.1	1	20.35	99	7.0433	47.1202
2022	1	13	7	0	25	11.4	0.1	1	19.67	97.6	7.0433	45.7137
2022	1	13	7	10	25	11.4	0.1	1	19.33	98.9	7.0433	44.776
2022	1	13	7	20	25	11.6	0.1	1	19.94	98.9	7.0433	46.1825
2022	1	13	7	30	25	11.6	0.1	1	20.38	97.6	7.0433	47.3547
2022	1	13	7	40	25	11.6	0.1	1	20.09	99.7	7.0433	46.417
2022	1	13	7	50	25	11.6	0.1	1.1	20.23	96.5	7.0494	47.1627

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	13	8	0	25	11.6	0.1	1	19.09	98.1	7.0433	44.3071
2022	1	13	8	10	25	11.6	0.1	1.1	20.35	99	7.0494	47.1627
2022	1	13	8	20	25	11.6	0.1	1.1	19.35	94.1	7.0494	45.2855
2022	1	13	8	30	25	11.8	0.1	1.1	19.76	99.3	7.0494	45.7548
2022	1	13	8	40	25	11.8	0.1	1.1	20.34	98.8	7.0494	47.1626
2022	1	13	8	50	25	12	0.1	1.1	20.42	98.4	7.0494	47.3973
2022	1	13	9	0	25	12.2	0.1	1.1	20.52	100.1	7.0494	47.3972
2022	1	13	9	10	25	12.2	0.1	1.1	20.35	99	7.0494	47.1626
2022	1	13	9	20	25	12.4	0.1	1.1	19.88	97.8	7.0494	46.224
2022	1	13	9	30	25	12.4	0.1	1.1	19.52	100.3	7.0494	45.0508
2022	1	13	9	40	25	12.4	0.1	1.1	19.93	98.7	7.0494	46.224
2022	1	13	9	50	25	12.4	0.1	1.1	19.74	99	7.0494	45.7547
2022	1	13	10	0	25	12.2	0.1	1.1	18.92	98.8	7.0494	43.8776
2022	1	13	10	10	25	12.2	0.1	1.1	19.49	98	7.0494	45.2854
2022	1	13	10	20	25	12.2	0.1	1.1	19.3	98.3	7.0494	44.8161
2022	1	13	10	30	25	12.4	0.1	1.1	20.49	101.3	7.0494	47.1625
2022	1	13	10	40	25	12.4	0.1	1.1	19.5	100	7.0494	45.0508
2022	1	13	10	50	25	12.4	0.1	1.1	21.07	97.4	7.0494	49.0396
2022	1	13	11	0	25	12.2	0.1	1.1	20.18	97.7	7.0494	46.9279
2022	1	13	11	10	25	12.4	0.1	1.1	20.1	98	7.0494	46.6932
2022	1	13	11	20	25	12.4	0.1	1.1	20.67	99.2	7.0555	47.9095
2022	1	13	11	30	25	13	0.1	1.1	20.67	100.9	7.0555	47.6745
2022	1	13	11	40	25	13.2	0.1	1.1	19.97	97.5	7.0555	46.5003
2022	1	13	11	50	25	13	0.1	1.1	19.54	96.8	7.0555	45.5609
2022	1	13	12	0	25	13	0.1	1.1	21.16	99	7.0555	49.0836
2022	1	13	12	10	25	13.4	0.1	1.1	20.5	99.8	7.0555	47.4396
2022	1	13	12	20	25	12.6	0.1	1.1	19.1	96	7.0555	44.6215
2022	1	13	12	30	25	12.2	0.1	1.1	19.74	99	7.0555	45.7958
2022	1	13	12	40	25	12.4	0.1	1.1	20.54	98.7	7.0555	47.6746
2022	1	13	12	50	25	12.8	0.1	1.1	19.67	101.1	7.0555	45.326
2022	1	13	13	0	25	12.8	0.1	1.1	20.01	100.1	7.0555	46.2654
2022	1	13	13	10	25	12.4	0.1	1.1	19.86	99.3	7.0555	46.0305
2022	1	13	13	20	25	12.4	0.1	1.1	19.86	99.3	7.0555	46.0306
2022	1	13	13	30	25	12.2	0.1	1.1	20.6	99.8	7.0555	47.6745
2022	1	13	13	40	25	12.4	0.1	1.1	20.01	98.3	7.0555	46.5002
2022	1	13	13	50	25	13	0.1	1.1	19.63	98.8	7.0555	45.5608
2022	1	13	14	0	25	13.4	0.1	1.1	19.79	99.9	7.0555	45.7956
2022	1	13	14	10	25	13.8	0.1	1.1	19.93	100.4	7.0616	46.0718
2022	1	13	14	20	25	13.6	0.1	1.1	20.62	100.1	7.0555	47.6744
2022	1	13	14	30	25	13.8	0.1	1.1	19.63	98.8	7.0555	45.5607
2022	1	13	14	40	25	13.6	0.1	1.1	19.42	98.6	7.0555	45.091
2022	1	13	14	50	25	12.8	0.1	1.1	19.67	97.6	7.0555	45.7956
2022	1	13	15	0	25	12.6	0.1	1.1	19.9	98.1	7.0555	46.2653
2022	1	13	15	10	25	12.4	0.1	1.1	20.48	99.6	7.0555	47.4396
2022	1	13	15	20	25	12.2	0.1	1.1	19.38	99.8	7.0555	44.8562
2022	1	13	15	30	25	12.2	0.1	1.1	20.2	95.7	7.0555	47.2047
2022	1	13	15	40	25	12	0.1	1.1	19.51	101.8	7.0555	44.8562
2022	1	13	15	50	25	12	0.1	1.1	19.5	98.3	7.0555	45.3259



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	13	16	0	25	12	0.1	1.1	19.74	99	7.0555	45.7956
2022	1	13	16	10	25	12	0.1	1.1	19.96	97.2	7.0555	46.5001
2022	1	13	16	20	25	12	0.1	1.1	19.66	99.4	7.0555	45.5607
2022	1	13	16	30	25	12	0.1	1.1	19.37	99.5	7.0555	44.8562
2022	1	13	16	40	25	11.8	0.1	1.1	20.03	100.4	7.0555	46.2652
2022	1	13	16	50	25	11.8	0.1	1.1	19.53	100.6	7.0555	45.091
2022	1	13	17	0	25	11.8	0.1	1.1	20.33	96.5	7.0555	47.4395
2022	1	13	17	10	25	11.8	0.1	1.1	20.52	98.4	7.0555	47.6743
2022	1	13	17	20	25	11.8	0.1	1.1	19.91	98.4	7.0555	46.2652
2022	1	13	17	30	25	11.8	0.1	1.1	19.96	99.2	7.0555	46.2652
2022	1	13	17	40	25	11.8	0.1	1.1	19.83	96.7	7.0555	46.2652
2022	1	13	17	50	25	11.8	0.1	1.1	19.37	99.5	7.0555	44.856
2022	1	13	18	0	25	11.8	0.1	1.1	20.23	96.5	7.0555	47.2045
2022	1	13	18	10	25	11.8	0.1	1.1	19.35	97.1	7.0555	45.0909
2022	1	13	18	20	25	11.8	0.1	1.1	19.35	97.1	7.0555	45.0908
2022	1	13	18	30	25	11.8	0.1	1.1	19.64	96.7	7.0555	45.7954
2022	1	13	18	40	25	11.8	0.1	1.1	20.03	98.6	7.0555	46.4999
2022	1	13	18	50	25	11.8	0.1	1.1	19.87	97.5	7.0555	46.265
2022	1	13	19	0	25	11.8	0.1	1.1	19.95	102.2	7.0555	45.7953
2022	1	13	19	10	25	11.8	0.1	1.1	20.64	96.7	7.0555	48.1438
2022	1	13	19	20	25	11.8	0.1	1.1	19.46	99.5	7.0555	45.0908
2022	1	13	19	30	25	11.8	0.1	1.1	19.46	101	7.0555	44.8559
2022	1	13	19	40	25	11.8	0.1	1.1	20.13	96.6	7.0555	46.9695
2022	1	13	19	50	25	11.8	0.1	1.1	19.43	98.9	7.0555	45.0907
2022	1	13	20	0	25	11.8	0.1	1.1	19.73	96.7	7.0555	46.0301
2022	1	13	20	10	25	11.8	0.1	1.1	19.55	97.1	7.0555	45.5604
2022	1	13	20	20	25	11.8	0.1	1.1	20.18	97.7	7.0555	46.9695
2022	1	13	20	30	25	11.8	0.1	1.1	19.96	97.2	7.0555	46.4998
2022	1	13	20	40	25	11.8	0.1	1.1	19.95	100.7	7.0555	46.0301
2022	1	13	20	50	25	11.8	0.1	1.1	19.79	97.8	7.0555	46.03
2022	1	13	21	0	25	11.8	0.1	1.1	19.8	98.1	7.0555	46.03
2022	1	13	21	10	25	11.6	0.1	1.1	21.14	98.7	7.0555	49.083
2022	1	13	21	20	25	11.6	0.1	1.1	19.35	97.1	7.0555	45.0906
2022	1	13	21	30	25	11.6	0.1	1.1	20.1	98	7.0555	46.7346
2022	1	13	21	40	25	11.6	0.1	1.1	19.34	96.8	7.0555	45.0906
2022	1	13	21	50	25	11.6	0.1	1.1	19.62	96.4	7.0555	45.7952
2022	1	13	22	0	25	11.6	0.1	1.1	19.99	99.8	7.0555	46.2649
2022	1	13	22	10	25	11.6	0.1	1.1	19.16	97.5	7.0555	44.6209
2022	1	13	22	20	25	11.6	0.1	1.1	20.03	98.6	7.0555	46.4997
2022	1	13	22	30	25	11.6	0.1	1.1	19.46	99.5	7.0555	45.0906
2022	1	13	22	40	25	11.6	0.1	1.1	19.94	98.9	7.0555	46.2649
2022	1	13	22	50	25	11.6	0.1	1.1	19.65	99.1	7.0555	45.5603
2022	1	13	23	0	25	11.6	0.1	1.1	18.97	97.6	7.0555	44.1513
2022	1	13	23	10	25	11.6	0.1	1.1	20.24	98.8	7.0555	46.9694
2022	1	13	23	20	25	11.6	0.1	1.1	19.42	98.6	7.0555	45.0907
2022	1	13	23	30	25	11.6	0.1	1.1	20.45	99	7.0555	47.4391
2022	1	13	23	40	25	11.6	0.1	1.1	20.22	98.5	7.0555	46.9694
2022	1	13	23	50	25	11.6	0.1	1.1	20.25	99.1	7.0555	46.9695

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	14	0	0	25	11.6	0.1	1.1	19.96	97.2	7.0555	46.4998
2022	1	14	0	10	25	11.6	0.1	1.1	18.6	98.3	7.0555	43.2119
2022	1	14	0	20	25	11.6	0.1	1.1	19.9	95.8	7.0555	46.4998
2022	1	14	0	30	25	11.6	0.1	1.1	20.3	99.9	7.0555	46.9695
2022	1	14	0	40	25	11.6	0.1	1.1	20.34	100.5	7.0555	46.9695
2022	1	14	0	50	25	11.6	0.1	1.1	20	95.7	7.0494	46.6926
2022	1	14	1	0	25	11.6	0.1	1.1	20.54	96.7	7.0494	47.8658
2022	1	14	1	10	25	11.6	0.1	1.1	20.22	100.3	7.0494	46.6927
2022	1	14	1	20	25	11.6	0.1	1.1	19.76	97.3	7.0494	45.9888
2022	1	14	1	30	25	11.6	0.1	1.1	19.93	100.4	7.0494	45.9888
2022	1	14	1	40	25	11.6	0.1	1.1	19.42	98.6	7.0494	45.0502
2022	1	14	1	50	25	11.6	0.1	1.1	19.24	100.8	7.0494	44.3463
2022	1	14	2	0	25	11.6	0.1	1.1	21.06	99	7.0494	48.8044
2022	1	14	2	10	25	11.6	0.1	1.1	19.15	99.3	7.0494	44.3463
2022	1	14	2	20	25	11.6	0.1	1.1	19.76	99.3	7.0494	45.7542
2022	1	14	2	30	25	11.6	0.1	1.1	19.96	97.2	7.0494	46.4581
2022	1	14	2	40	25	11.6	0.1	1.1	20.2	98	7.0494	46.9274
2022	1	14	2	50	25	11.6	0.1	1.1	19.75	97	7.0494	45.9888
2022	1	14	3	0	25	11.6	0.1	1.1	19.57	97.6	7.0494	45.5196
2022	1	14	3	10	25	11.6	0.1	1.1	19.42	98.6	7.0494	45.0503
2022	1	14	3	20	25	11.4	0.1	1.1	19.24	99	7.0494	44.581
2022	1	14	3	30	25	11.4	0.1	1.1	20.28	97.7	7.0494	47.1621
2022	1	14	3	40	25	11.4	0.1	1.1	20.72	100	7.0494	47.866
2022	1	14	3	50	25	11.4	0.1	1.1	19.7	99.9	7.0494	45.5196
2022	1	14	4	0	25	11.4	0.1	1.1	19.79	97.8	7.0494	45.9889
2022	1	14	4	10	25	11.4	0.1	1.1	19.4	95.9	7.0494	45.285
2022	1	14	4	20	25	11.4	0.1	1.1	19.5	98.3	7.0494	45.285
2022	1	14	4	30	25	11.4	0.1	1.1	19.7	99.9	7.0494	45.5197
2022	1	14	4	40	25	11.4	0.1	1.1	19.91	98.4	7.0494	46.2236
2022	1	14	4	50	25	11.4	0.1	1.1	20.16	99.1	7.0494	46.6929
2022	1	14	5	0	25	11.4	0.1	1.1	19.76	99.3	7.0494	45.7543
2022	1	14	5	10	25	11.4	0.1	1.1	20.04	100.6	7.0494	46.2236
2022	1	14	5	20	25	11.4	0.1	1.1	20.16	99.1	7.0494	46.6929
2022	1	14	5	30	25	11.4	0.1	1.1	19.78	99.6	7.0494	45.7544
2022	1	14	5	40	25	11.4	0.1	1.1	19.45	99.2	7.0494	45.0505
2022	1	14	5	50	25	11.4	0.1	1	18.96	101.3	7.0433	43.6034
2022	1	14	6	0	25	11.4	0.1	1.1	19.02	100.6	7.0494	43.8773
2022	1	14	6	10	25	11.4	0.1	1.1	19.21	98.4	7.0494	44.5812
2022	1	14	6	20	25	11.4	0.1	1.1	18.74	97	7.0494	43.6427
2022	1	14	6	30	25	11.4	0.1	1.1	20.02	96.3	7.0494	46.693
2022	1	14	6	40	25	11.4	0.1	1.1	19.99	95.5	7.0555	46.735
2022	1	14	6	50	25	11.4	0.1	1.1	21.26	98.9	7.0555	49.3183
2022	1	14	7	0	25	11.4	0.1	1.1	19.58	95.3	7.0494	45.7544
2022	1	14	7	10	25	11.4	0.1	1.1	20.2	95.7	7.0494	47.1623
2022	1	14	7	20	25	11.6	0.1	1.1	20.53	96.4	7.0555	47.9092
2022	1	14	7	30	25	11.6	0.1	1.1	19.87	97.5	7.0494	46.2237
2022	1	14	7	40	25	11.6	0.1	1.1	20.75	96.9	7.0494	48.3354
2022	1	14	7	50	25	11.8	0.1	1.1	19.89	95.5	7.0494	46.4583

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	14	8	0	25	12.2	0.1	1.1	20	95.7	7.0494	46.6929
2022	1	14	8	10	25	12.6	0.1	1.1	19.09	95.7	7.0494	44.5812
2022	1	14	8	20	25	12.4	0.1	1.1	20.19	95.4	7.0555	47.2046
2022	1	14	8	30	25	12.6	0.1	1.1	20.43	96.5	7.0555	47.6743
2022	1	14	8	40	25	12.8	0.1	1.1	20.03	96.6	7.0555	46.7349
2022	1	14	8	50	25	12.8	0.1	1.1	20.58	97.5	7.0494	47.866
2022	1	14	9	0	25	13	0.1	1.1	20.93	93	7.0555	49.0833
2022	1	14	9	10	25	13.2	0.1	1.1	20.01	96	7.0616	46.7769
2022	1	14	9	20	25	13.6	0.1	1.1	20.43	96.5	7.0555	47.6742
2022	1	14	9	30	25	13.8	0.1	1.1	20.06	94.3	7.0555	46.9696
2022	1	14	9	40	25	13.8	0.1	1.1	21.29	95.4	7.0555	49.7878
2022	1	14	9	50	25	13.8	0.1	1.1	20.25	97.1	7.0555	47.2044
2022	1	14	10	0	25	13.8	0.1	1.1	19.98	95.2	7.0555	46.7347
2022	1	14	10	10	25	14.2	0.1	1.1	19.83	98.7	7.0616	46.0715
2022	1	14	10	20	25	14.2	0.1	1.1	21.46	97	7.0555	50.0225
2022	1	14	10	30	25	14.2	0.1	1.1	19.55	94.1	7.0555	45.7953
2022	1	14	10	40	25	14.2	0.1	1.1	20.98	99.3	7.0616	48.6571
2022	1	14	10	50	25	14	0.1	1.1	20.66	97.2	7.0616	48.187
2022	1	14	11	0	25	14.2	0.1	1.1	20.6	95.6	7.0555	48.1436
2022	1	14	11	10	25	14.2	0.1	1.1	20.34	96.8	7.0555	47.4391
2022	1	14	11	20	25	14.2	0.1	1.1	20.31	95.9	7.0555	47.4391
2022	1	14	11	30	25	14.2	0.1	1.1	20.19	95.4	7.0555	47.2043
2022	1	14	11	40	25	14.2	0.1	1.1	20.94	96.6	7.0555	48.8482
2022	1	14	11	50	25	14.2	0.1	1.1	20.81	95.8	7.0616	48.657
2022	1	14	12	0	25	14.2	0.1	1.1	20.65	98.9	7.0616	47.9518
2022	1	14	12	10	25	14.2	0.1	1.1	20.09	95.4	7.0555	46.9694
2022	1	14	12	20	25	14.2	0.1	1.1	21.81	97.9	7.0555	50.7269
2022	1	14	12	30	25	14	0.1	1.1	20.47	94.8	7.0555	47.9088
2022	1	14	12	40	25	14.2	0.1	1.1	21.37	97.3	7.0555	49.7875
2022	1	14	12	50	25	14.2	0.1	1.1	19.82	96.4	7.0616	46.3064
2022	1	14	13	0	25	14.2	0.1	1.1	20.66	97.2	7.0555	48.1436
2022	1	14	13	10	25	14.2	0.1	1.1	19.47	94.7	7.0616	45.6013
2022	1	14	13	20	25	14.2	0.1	1.1	20.51	95.9	7.0555	47.9087
2022	1	14	13	30	25	14.2	0.1	1.1	20.54	93.4	7.0616	48.1868
2022	1	14	13	40	25	14.2	0.1	1.1	19.92	96.3	7.0555	46.4997
2022	1	14	13	50	25	14	0.1	1.1	20	95.7	7.0555	46.7345
2022	1	14	14	0	25	14	0.1	1.1	20.79	97.7	7.0555	48.3784
2022	1	14	14	10	25	13.8	0.1	1.1	20.28	95.1	7.0555	47.439
2022	1	14	14	20	25	14.2	0.1	1.1	18.95	97.3	7.0555	44.1512
2022	1	14	14	30	25	14.2	0.1	1.1	20.2	98	7.0555	46.9693
2022	1	14	14	40	25	13.6	0.1	1.1	20.27	97.4	7.0555	47.2042
2022	1	14	14	50	25	14.2	0.1	1.1	20.18	97.7	7.0555	46.9693
2022	1	14	15	0	25	14	0.1	1.1	20.1	98	7.0555	46.7345
2022	1	14	15	10	25	14	0.1	1.1	20.7	98.1	7.0555	48.1436
2022	1	14	15	20	25	13.8	0.1	1.1	20.24	98.8	7.0555	46.9694
2022	1	14	15	30	25	13	0.1	1.1	20.56	94.5	7.0555	48.1436
2022	1	14	15	40	25	13	0.1	1.1	20.91	95.8	7.0555	48.8481
2022	1	14	15	50	25	12	0.1	1.1	18.87	94.9	7.0555	44.1512

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	14	16	0	25	11.8	0.1	1.1	20	98	7.0555	46.4997
2022	1	14	16	10	25	12	0.1	1.1	19.7	98.2	7.0555	45.7951
2022	1	14	16	20	25	12	0.1	1.1	20.81	95.8	7.0555	48.6133
2022	1	14	16	30	25	11.8	0.1	1.1	20.16	97.1	7.0555	46.9693
2022	1	14	16	40	25	11.8	0.1	1.1	19.75	97	7.0555	46.0299
2022	1	14	16	50	25	11.6	0.1	1.1	20.35	99	7.0555	47.2041
2022	1	14	17	0	25	11.4	0.1	1.1	19.69	97.9	7.0555	45.795
2022	1	14	17	10	25	11.8	0.1	1.1	18.87	97.6	7.0555	43.9163
2022	1	14	17	20	25	11.8	0.1	1.1	20.31	98.2	7.0555	47.2041
2022	1	14	17	30	25	11.8	0.1	1.1	19.05	99.4	7.0555	44.1511
2022	1	14	17	40	25	11.8	0.1	1.1	19.3	98.3	7.0555	44.8556
2022	1	14	17	50	25	11.8	0.1	1.1	19.5	98.3	7.0555	45.3253
2022	1	14	18	0	25	11.8	0.1	1.1	17.94	101.2	7.0555	41.3329
2022	1	14	18	10	25	11.8	0.1	1.1	19.95	100.7	7.0555	46.0298
2022	1	14	18	20	25	11.8	0.1	1.1	19.03	96.6	7.0555	44.3858
2022	1	14	18	30	25	11.8	0.1	1.1	19.38	95.3	7.0555	45.3252
2022	1	14	18	40	25	11.8	0.1	1.1	20.2	98	7.0555	46.9691
2022	1	14	18	50	25	11.8	0.1	1.1	20.52	98.4	7.0555	47.6736
2022	1	14	19	0	25	11.8	0.1	1.1	20.57	97.3	7.0555	47.9084
2022	1	14	19	10	25	11.8	0.1	1.1	19.26	101.1	7.0555	44.3857
2022	1	14	19	20	25	11.8	0.1	1.1	19.22	96.3	7.0555	44.8554
2022	1	14	19	30	25	11.8	0.1	1.1	19.6	95.9	7.0616	45.8359
2022	1	14	19	40	25	11.8	0.1	1.1	20.35	93.9	7.0555	47.6735
2022	1	14	19	50	25	11.8	0.1	1.1	20.86	97.2	7.0616	48.6566
2022	1	14	20	0	25	11.8	0.1	1	18.84	99.2	7.0616	43.7204
2022	1	14	20	10	25	11.8	0.1	1	19.52	96.5	7.0555	45.5599
2022	1	14	20	20	25	11.8	0.1	1	20.82	98.3	7.0616	48.4215
2022	1	14	20	30	25	11.8	0.1	1	19.28	95.1	7.0616	45.1307
2022	1	14	20	40	25	11.8	0.1	1	20.04	96.9	7.0616	46.7761
2022	1	14	20	50	25	11.8	0.1	1	20.74	96.6	7.0616	48.4215
2022	1	14	21	0	25	11.8	0.1	1	18.48	98.1	7.0616	43.0152
2022	1	14	21	10	25	11.8	0.1	1	19.22	96.3	7.0616	44.8956
2022	1	14	21	20	25	11.8	0.1	1	19.03	96.6	7.0555	44.3856
2022	1	14	21	30	25	11.8	0.1	1	19.15	97.2	7.0555	44.6204
2022	1	14	21	40	25	11.8	0.1	1	19.6	98.2	7.0616	45.6007
2022	1	14	21	50	25	11.8	0.1	1	20.39	99.6	7.0616	47.2461
2022	1	14	22	0	25	11.8	0.1	1	20.64	93.6	7.0616	48.4214
2022	1	14	22	10	25	11.8	0.1	1	19.55	99.1	7.0616	45.3657
2022	1	14	22	20	25	11.8	0.1	1	19.55	99.1	7.0555	45.3249
2022	1	14	22	30	25	11.8	0.1	1	19.75	97	7.0616	46.0708
2022	1	14	22	40	25	11.8	0.1	1	20.14	98.9	7.0616	46.776
2022	1	14	22	50	25	11.8	0.1	1	20.3	99.9	7.0555	46.9688
2022	1	14	23	0	25	11.8	0.1	1	19.4	98.3	7.0616	45.1306
2022	1	14	23	10	25	11.8	0.1	1	19.36	101	7.0616	44.6605
2022	1	14	23	20	25	11.8	0.1	1	19.56	99.4	7.0616	45.3657
2022	1	14	23	30	25	11.8	0.1	1	20.06	99.2	7.0616	46.541
2022	1	14	23	40	25	11.6	0.1	1	20.37	97.3	7.0616	47.4812
2022	1	14	23	50	25	11.6	0.1	1	19.3	100.1	7.0616	44.6605

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	15	0	0	25	11.6	0.1	1	20.03	98.6	7.0616	46.541
2022	1	15	0	10	25	11.6	0.1	1	19.55	97.1	7.0616	45.6007
2022	1	15	0	20	25	11.6	0.1	1	19.9	98.1	7.0616	46.3059
2022	1	15	0	30	25	11.6	0.1	1	20.8	98	7.0616	48.4214
2022	1	15	0	40	25	11.6	0.1	1	19.08	95.1	7.0555	44.6204
2022	1	15	0	50	25	11.6	0.1	1	20.01	98.3	7.0616	46.541
2022	1	15	1	0	25	11.6	0.1	1	20.27	97.4	7.0616	47.2462
2022	1	15	1	10	25	11.6	0.1	1	19.37	99.5	7.0616	44.8956
2022	1	15	1	20	25	11.6	0.1	1	19.9	98.1	7.0616	46.3059
2022	1	15	1	30	25	11.6	0.1	1	21.13	98.4	7.0616	49.1266
2022	1	15	1	40	25	11.6	0.1	1	19.8	98.1	7.0555	46.0295
2022	1	15	1	50	25	11.6	0.1	1	20.06	99.2	7.0616	46.541
2022	1	15	2	0	25	11.6	0.1	1	19.55	97.1	7.0616	45.6008
2022	1	15	2	10	25	11.6	0.1	1	19.48	99.8	7.0616	45.1307
2022	1	15	2	20	25	11.6	0.1	1	19.62	98.5	7.0616	45.6008
2022	1	15	2	30	25	11.6	0.1	1	19.93	100.4	7.0616	46.0709
2022	1	15	2	40	25	11.6	0.1	1	19.57	94.7	7.0555	45.7947
2022	1	15	2	50	25	11.6	0.1	1	18.97	99.7	7.0616	43.9554
2022	1	15	3	0	25	11.6	0.1	1	19.27	99.6	7.0616	44.6606
2022	1	15	3	10	25	11.6	0.1	1	20.18	97.7	7.0616	47.0111
2022	1	15	3	20	25	11.6	0.1	1	19.56	97.3	7.0616	45.6008
2022	1	15	3	30	25	11.6	0.1	1	19.43	98.9	7.0616	45.1307
2022	1	15	3	40	25	11.6	0.1	1	19.71	100.2	7.0616	45.6008
2022	1	15	3	50	25	11.6	0.1	1	19.55	97.1	7.0616	45.6008
2022	1	15	4	0	25	11.6	0.1	1	19.65	99.1	7.0616	45.6008
2022	1	15	4	10	25	11.6	0.1	1	19.77	97.6	7.0616	46.0709
2022	1	15	4	20	25	11.6	0.1	1	20.36	100.8	7.0555	46.9689
2022	1	15	4	30	25	11.6	0.1	1	19.76	99.3	7.0616	45.8359
2022	1	15	4	40	25	11.6	0.1	1.1	19.6	98.2	7.0616	45.6008
2022	1	15	4	50	25	11.6	0.1	1	19.65	99.1	7.0555	45.5599
2022	1	15	5	0	25	11.6	0.1	1.1	20.39	97.9	7.0555	47.4387
2022	1	15	5	10	25	11.6	0.1	1.1	19.84	99	7.0555	46.0296
2022	1	15	5	20	25	11.6	0.1	1.1	18.98	97.9	7.0555	44.1509
2022	1	15	5	30	25	11.6	0.1	1.1	18.99	100	7.0555	43.916
2022	1	15	5	40	25	11.6	0.1	1.1	18.89	98.2	7.0555	43.916
2022	1	15	5	50	25	11.6	0.1	1.1	19.75	97	7.0555	46.0296
2022	1	15	6	0	25	11.6	0.1	1.1	20.8	98	7.0555	48.3781
2022	1	15	6	10	25	11.6	0.1	1.1	20.39	97.9	7.0555	47.4387
2022	1	15	6	20	25	11.6	0.1	1.1	19.52	98.5	7.0555	45.3251
2022	1	15	6	30	25	11.6	0.1	1.1	19.28	97.8	7.0555	44.8555
2022	1	15	6	40	25	11.6	0.1	1.1	20.39	97.9	7.0555	47.4388
2022	1	15	6	50	25	11.6	0.1	1.1	18.86	99.5	7.0555	43.6812
2022	1	15	7	0	25	11.6	0.1	1.1	19.75	97	7.0555	46.0297
2022	1	15	7	10	25	11.6	0.1	1.1	20.35	99	7.0555	47.2039
2022	1	15	7	20	25	11.6	0.1	1.1	19.98	97.8	7.0555	46.4994
2022	1	15	7	30	25	11.6	0.1	1.1	20.57	100.9	7.0555	47.4388
2022	1	15	7	40	25	11.6	0.1	1.1	20.03	98.6	7.0555	46.4994
2022	1	15	7	50	25	11.6	0.1	1.1	20.24	96.8	7.0555	47.204

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	15	8	0	25	11.6	0.1	1.1	19.6	100	7.0555	45.3252
2022	1	15	8	10	25	11.6	0.1	1.1	20.24	100.5	7.0555	46.7343
2022	1	15	8	20	25	11.6	0.1	1.1	19.98	97.8	7.0555	46.4994
2022	1	15	8	30	25	11.6	0.1	1.1	20.34	101.9	7.0555	46.7343
2022	1	15	8	40	25	11.6	0.1	1.1	19.81	98.4	7.0555	46.0297
2022	1	15	8	50	25	11.6	0.1	1.1	19.5	98.3	7.0555	45.3252
2022	1	15	9	0	25	11.6	0.1	1.1	19.46	99.5	7.0555	45.0903
2022	1	15	9	10	25	11.6	0.1	1.1	20.11	98.3	7.0555	46.7342
2022	1	15	9	20	25	11.8	0.1	1.1	19.94	96.9	7.0555	46.4994
2022	1	15	9	30	25	11.8	0.1	1.1	20.45	99	7.0555	47.4388
2022	1	15	9	40	25	11.8	0.1	1.1	20.81	100	7.0555	48.1433
2022	1	15	9	50	25	11.8	0.1	1.1	19.05	99.4	7.0555	44.1509
2022	1	15	10	0	25	12	0.1	1.1	20.81	100	7.0555	48.1433
2022	1	15	10	10	25	12	0.1	1.1	20.39	99.6	7.0555	47.2039
2022	1	15	10	20	25	12.4	0.1	1.1	20.18	97.7	7.0616	47.0112
2022	1	15	10	30	25	12.8	0.1	1	18.78	98	7.0616	43.7204
2022	1	15	10	40	25	12.8	0.1	1	19.75	97	7.0616	46.0709
2022	1	15	10	50	25	12.8	0.1	1	20.42	98.4	7.0616	47.4813
2022	1	15	11	0	25	12.8	0.1	1	19.37	99.5	7.0616	44.8956
2022	1	15	11	10	25	12.8	0.1	1	19.78	99.6	7.0616	45.8359
2022	1	15	11	20	25	13.6	0.1	1	19.9	98.1	7.0616	46.3059
2022	1	15	11	30	25	13.8	0.1	1	19.24	96.9	7.0616	44.8956
2022	1	15	11	40	25	14	0.1	1	19.55	100.9	7.0616	45.1306
2022	1	15	11	50	25	14.2	0.1	1	20.45	97	7.0677	47.759
2022	1	15	12	0	25	14.2	0.1	1	19.83	100.5	7.0677	45.8768
2022	1	15	12	10	25	14	0.1	1	20.04	98.9	7.0677	46.5827
2022	1	15	12	20	25	13.8	0.1	1	19.22	98.7	7.0616	44.6605
2022	1	15	12	30	25	13.2	0.1	1	19.77	101.1	7.0616	45.6007
2022	1	15	12	40	25	14.2	0.1	1	19.66	97.3	7.0616	45.8357
2022	1	15	12	50	25	14	0.1	1	19.36	97.4	7.0616	45.1306
2022	1	15	13	0	25	14	0.1	1	19.76	99.3	7.0616	45.8357
2022	1	15	13	10	25	13	0.1	1	20.54	98.7	7.0616	47.7162
2022	1	15	13	20	25	13.6	0.1	1	19.43	98.9	7.0616	45.1306
2022	1	15	13	30	25	13.2	0.1	1	19.48	99.8	7.0616	45.1306
2022	1	15	13	40	25	13.6	0.1	1	19.86	97.2	7.0616	46.3059
2022	1	15	13	50	25	14.2	0.1	1	19.73	98.7	7.0677	45.8768
2022	1	15	14	0	25	13.8	0.1	1	20.06	99.2	7.0677	46.5827
2022	1	15	14	10	25	13.6	0.1	1	20.09	99.7	7.0616	46.5409
2022	1	15	14	20	25	13.2	0.1	1	19.97	97.5	7.0616	46.5409
2022	1	15	14	30	25	13.6	0.1	1	19.69	97.9	7.0616	45.8357
2022	1	15	14	40	25	13.8	0.1	1	19.67	97.6	7.0616	45.8357
2022	1	15	14	50	25	13.6	0.1	1	19.36	97.4	7.0677	45.1711
2022	1	15	15	0	25	12.4	0.1	1	19.7	98.2	7.0616	45.8357
2022	1	15	15	10	25	12.2	0.1	1	19.96	97.2	7.0616	46.5409
2022	1	15	15	20	25	12	0.1	1	19.89	99.8	7.0616	46.0708
2022	1	15	15	30	25	12	0.1	1	19.6	100	7.0616	45.3657
2022	1	15	15	40	25	12	0.1	1	19.39	98	7.0616	45.1306
2022	1	15	15	50	25	12	0.1	1	20.48	97.6	7.0616	47.7162

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	15	16	0	25	12	0.1	1	19.61	96.1	7.0616	45.8358
2022	1	15	16	10	25	12	0.1	1	19.68	99.7	7.0616	45.6007
2022	1	15	16	20	25	12	0.1	1	19.32	100.4	7.0616	44.6605
2022	1	15	16	30	25	11.8	0.1	1	20.34	98.8	7.0616	47.2461
2022	1	15	16	40	25	11.8	0.1	1	19.81	100.2	7.0616	45.8357
2022	1	15	16	50	25	11.8	0.1	1	19.93	98.7	7.0677	46.3474
2022	1	15	17	0	25	11.8	0.1	1	19.86	97.2	7.0616	46.3058
2022	1	15	17	10	25	11.8	0.1	1	20.59	97.8	7.0616	47.9512
2022	1	15	17	20	25	11.8	0.1	1	19.38	99.8	7.0677	44.9358
2022	1	15	17	30	25	11.8	0.1	1	20.06	99.2	7.0616	46.5409
2022	1	15	17	40	25	11.8	0.1	1	19.29	98	7.0677	44.9358
2022	1	15	17	50	25	11.8	0.1	1	19.25	97.2	7.0677	44.9358
2022	1	15	18	0	25	11.8	0.1	1	19.94	96.9	7.0677	46.5826
2022	1	15	18	10	25	11.8	0.1	1	20.25	99.1	7.0677	47.0531
2022	1	15	18	20	25	11.8	0.1	1	20.3	101.4	7.0677	46.8179
2022	1	15	18	30	25	11.8	0.1	1	19.66	97.3	7.0677	45.8768
2022	1	15	18	40	25	11.8	0.1	1	19.88	97.8	7.0677	46.3473
2022	1	15	18	50	25	11.8	0.1	1	20.42	98.4	7.0677	47.5236
2022	1	15	19	0	25	11.8	0.1	1	20.38	97.6	7.0677	47.5236
2022	1	15	19	10	25	11.8	0.1	1	19.76	99.3	7.0677	45.8768
2022	1	15	19	20	25	11.8	0.1	1	20.07	99.5	7.0677	46.5826
2022	1	15	19	30	25	11.8	0.1	1	19.5	98.3	7.0677	45.4062
2022	1	15	19	40	25	11.8	0.1	1	19.77	97.6	7.0677	46.112
2022	1	15	19	50	25	11.8	0.1	1	19.66	97.3	7.0677	45.8767
2022	1	15	20	0	25	11.8	0.1	1	19.4	98.3	7.0677	45.1709
2022	1	15	20	10	25	11.8	0.1	1	18.81	100.4	7.0677	43.5241
2022	1	15	20	20	25	11.8	0.1	1	19.84	99	7.0677	46.112
2022	1	15	20	30	25	11.8	0.1	1	20.21	100	7.0677	46.8178
2022	1	15	20	40	25	11.6	0.1	1	19.84	99	7.0677	46.112
2022	1	15	20	50	25	11.6	0.1	1	19.74	99	7.0677	45.8767
2022	1	15	21	0	25	11.6	0.1	1	20.01	100.1	7.0677	46.3473
2022	1	15	21	10	25	11.6	0.1	1	20	98	7.0677	46.5825
2022	1	15	21	20	25	11.6	0.1	1	19.35	99.2	7.0677	44.9357
2022	1	15	21	30	25	11.6	0.1	1	19.69	101.4	7.0677	45.4062
2022	1	15	21	40	25	11.6	0.1	1	19.43	98.9	7.0677	45.1709
2022	1	15	21	50	25	11.6	0.1	1	19.88	99.6	7.0677	46.112
2022	1	15	22	0	25	11.6	0.1	1	20.24	100.5	7.0677	46.8178
2022	1	15	22	10	25	11.6	0.1	1	19.22	100.5	7.0677	44.4651
2022	1	15	22	20	25	11.6	0.1	1	18.99	100	7.0677	43.9946
2022	1	15	22	30	25	11.6	0.1	1	19.56	97.3	7.0677	45.6415
2022	1	15	22	40	25	11.6	0.1	1	19.25	99.3	7.0677	44.7004
2022	1	15	22	50	25	11.6	0.1	1	20.39	97.9	7.0677	47.5236
2022	1	15	23	0	25	11.6	0.1	1	19.97	97.5	7.0677	46.5826
2022	1	15	23	10	25	11.6	0.1	1	20.2	98	7.0677	47.0531
2022	1	15	23	20	25	11.6	0.1	1	19.73	98.7	7.0677	45.8768
2022	1	15	23	30	25	11.6	0.1	1	18.91	98.5	7.0677	43.9947
2022	1	15	23	40	25	11.6	0.1	1	20.2	98	7.0677	47.0531
2022	1	15	23	50	25	11.6	0.1	1	20.18	101.1	7.0677	46.5826

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	16	0	0	25	11.6	0.1	1	19.83	100.5	7.0677	45.8768
2022	1	16	0	10	25	11.6	0.1	1	18.71	98.6	7.0677	43.5242
2022	1	16	0	20	25	11.6	0.1	1	20.16	97.1	7.0677	47.0532
2022	1	16	0	30	25	11.6	0.1	1	19.21	98.4	7.0677	44.7005
2022	1	16	0	40	25	11.6	0.1	1	20.24	100.5	7.0616	46.7759
2022	1	16	0	50	25	11.6	0.1	1	19.25	97.2	7.0616	44.8955
2022	1	16	1	0	25	11.6	0.1	1	19.42	101.9	7.0677	44.7006
2022	1	16	1	10	25	11.6	0.1	1	20.2	98	7.0677	47.0532
2022	1	16	1	20	25	11.6	0.1	1	20	98	7.0677	46.5827
2022	1	16	1	30	25	11.6	0.1	1	20	98	7.0616	46.5409
2022	1	16	1	40	25	11.6	0.1	1	19.97	97.5	7.0616	46.5409
2022	1	16	1	50	25	11.6	0.1	1	18.84	99.2	7.0616	43.7203
2022	1	16	2	0	25	11.6	0.1	1	20.63	98.6	7.0616	47.9513
2022	1	16	2	10	25	11.6	0.1	1	19.96	97.2	7.0616	46.541
2022	1	16	2	20	25	11.6	0.1	1	20.5	99.8	7.0616	47.4812
2022	1	16	2	30	25	11.6	0.1	1	20.06	99.2	7.0616	46.541
2022	1	16	2	40	25	11.6	0.1	1	19.7	95.8	7.0616	46.0709
2022	1	16	2	50	25	11.4	0.1	1	19.55	99.1	7.0616	45.3657
2022	1	16	3	0	25	11.4	0.1	1	19.97	102.4	7.0616	45.8358
2022	1	16	3	10	25	11.4	0.1	1	19.52	98.5	7.0616	45.3657
2022	1	16	3	20	25	11.4	0.1	1	20	98	7.0616	46.541
2022	1	16	3	30	25	11.4	0.1	1	19.56	99.4	7.0616	45.3658
2022	1	16	3	40	25	11.4	0.1	1	19.69	101.4	7.0616	45.3658
2022	1	16	3	50	25	11.4	0.1	1	19.27	99.6	7.0616	44.6606
2022	1	16	4	0	25	11.4	0.1	1	19.43	98.9	7.0616	45.1307
2022	1	16	4	10	25	11.4	0.1	1	19.18	97.8	7.0616	44.6606
2022	1	16	4	20	25	11.4	0.1	1	20.45	99	7.0616	47.4813
2022	1	16	4	30	25	11.4	0.1	1.1	19.5	98.3	7.0616	45.3658
2022	1	16	4	40	25	11.4	0.1	1.1	19.06	101.2	7.0616	43.9555
2022	1	16	4	50	25	11.4	0.1	1.1	19.66	99.4	7.0616	45.6009
2022	1	16	5	0	25	11.4	0.1	1.1	20.45	99	7.0616	47.4814
2022	1	16	5	10	25	11.4	0.1	1.1	20.33	103.1	7.0616	46.5412
2022	1	16	5	20	25	11.4	0.1	1.1	18.78	98	7.0616	43.7205
2022	1	16	5	30	25	11.4	0.1	1.1	19.62	98.5	7.0616	45.6009
2022	1	16	5	40	25	11.4	0.1	1.1	19.78	99.6	7.0616	45.836
2022	1	16	5	50	25	11.4	0.1	1.1	19.78	99.6	7.0616	45.836
2022	1	16	6	0	25	11.4	0.1	1.1	19.96	99.2	7.0616	46.3062
2022	1	16	6	10	25	11.4	0.1	1.1	19.6	98.2	7.0616	45.601
2022	1	16	6	20	25	11.4	0.1	1.1	19.81	98.4	7.0616	46.0711
2022	1	16	6	30	25	11.4	0.1	1.1	18.89	100.1	7.0616	43.7206
2022	1	16	6	40	25	11.4	0.1	1.1	19.48	99.8	7.0616	45.1309
2022	1	16	6	50	25	11.4	0.1	1.1	19.05	97.2	7.0616	44.4258
2022	1	16	7	0	25	11.4	0.1	1.1	19.6	100	7.0616	45.366
2022	1	16	7	10	25	11.4	0.1	1.1	19.39	98	7.0616	45.131
2022	1	16	7	20	25	11.4	0.1	1.1	19.28	99.9	7.0616	44.6609
2022	1	16	7	30	25	11.4	0.1	1.1	19.63	100.6	7.0616	45.3661
2022	1	16	7	40	25	11.4	0.1	1.1	19.7	95.8	7.0616	46.0712
2022	1	16	7	50	25	11.8	0.1	1.1	20.14	98.9	7.0616	46.7764



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	16	8	0	25	12.4	0.1	1.1	20.52	98.4	7.0616	47.7167
2022	1	16	8	10	25	12.6	0.1	1.1	19.25	97.2	7.0616	44.896
2022	1	16	8	20	25	12.8	0.1	1.1	20.63	98.6	7.0616	47.9517
2022	1	16	8	30	25	13	0.1	1.1	19.03	102.1	7.0616	43.7207
2022	1	16	8	40	25	13.2	0.1	1.1	19.09	100	7.0616	44.1908
2022	1	16	8	50	25	13.4	0.1	1.1	18.23	99.2	7.0616	42.3103
2022	1	16	9	0	25	13.6	0.1	1.1	20.12	100.3	7.0616	46.5413
2022	1	16	9	10	25	13.8	0.1	1.1	19.24	100.8	7.0616	44.4258
2022	1	16	9	20	25	13.8	0.1	1.1	18.79	100.1	7.0616	43.4856
2022	1	16	9	30	25	14.2	0.1	1.1	19.87	101	7.0616	45.8361
2022	1	16	9	40	25	14.2	0.1	1.1	19.48	102.8	7.0677	44.7009
2022	1	16	9	50	25	14.2	0.1	1.1	19.46	101	7.0677	44.9362
2022	1	16	10	0	25	14.2	0.1	1.1	19.75	97	7.0677	46.1125
2022	1	16	10	10	25	14.2	0.1	1.1	19.91	101.6	7.0677	45.8772
2022	1	16	10	20	25	14.2	0.1	1.1	20.03	98.6	7.0677	46.583
2022	1	16	10	30	25	14.2	0.1	1.1	19.98	101.3	7.0677	46.1125
2022	1	16	10	40	25	14.2	0.1	1.1	19.12	102.1	7.0677	43.995
2022	1	16	10	50	25	14.2	0.1	1.1	19.4	100.1	7.0677	44.9361
2022	1	16	11	0	25	14.2	0.1	1.1	19.99	99.8	7.0677	46.3476
2022	1	16	11	10	25	14.2	0.1	1.1	20.06	100.9	7.0677	46.3476
2022	1	16	11	20	25	14.2	0.1	1.1	18.69	100.2	7.0677	43.2892
2022	1	16	11	30	25	14.2	0.1	1.1	20.48	99.6	7.0677	47.524
2022	1	16	11	40	25	14.2	0.1	1.1	18.89	98.2	7.0677	43.9951
2022	1	16	11	50	25	14.2	0.1	1.1	19.35	99.2	7.0677	44.9361
2022	1	16	12	0	25	14.2	0.1	1.1	20.34	96.8	7.0677	47.524
2022	1	16	12	10	25	14.2	0.1	1	19.66	99.4	7.0738	45.6828
2022	1	16	12	20	25	14.2	0.1	1	19.6	100	7.0738	45.4473
2022	1	16	12	30	25	14.2	0.1	1	19.49	101.5	7.0738	44.9763
2022	1	16	12	40	25	14.2	0.1	1	19.81	98.4	7.0677	46.1124
2022	1	16	12	50	25	14.2	0.1	1.1	20.03	98.6	7.0738	46.6247
2022	1	16	13	0	25	14.2	0.1	1.1	19.93	100.4	7.0677	46.1124
2022	1	16	13	10	25	14.2	0.1	1.1	19.6	98.2	7.0738	45.6828
2022	1	16	13	20	25	14.2	0.1	1.1	20.01	98.3	7.0738	46.6247
2022	1	16	13	30	25	14	0.1	1.1	19.68	99.7	7.0738	45.6829
2022	1	16	13	40	25	14.2	0.1	1.1	19.69	97.9	7.0677	45.8772
2022	1	16	13	50	25	14.2	0.1	1.1	19.48	99.8	7.0738	45.2119
2022	1	16	14	0	25	14	0.1	1.1	19.15	97.2	7.0677	44.7008
2022	1	16	14	10	25	14	0.1	1.1	19.81	98.4	7.0677	46.1125
2022	1	16	14	20	25	13.8	0.1	1.1	19.57	97.6	7.0677	45.6419
2022	1	16	14	30	25	14.2	0.1	1.1	20.16	97.1	7.0677	47.0535
2022	1	16	14	40	25	14.2	0.1	1.1	19.77	97.6	7.0738	46.1538
2022	1	16	14	50	25	13.4	0.1	1.1	20.22	101.7	7.0677	46.583
2022	1	16	15	0	25	12.4	0.1	1.1	19.39	98	7.0677	45.1714
2022	1	16	15	10	25	13.4	0.1	1.1	19.82	103.1	7.0677	45.4067
2022	1	16	15	20	25	14	0.1	1.1	19.14	99	7.0677	44.4656
2022	1	16	15	30	25	13.2	0.1	1.1	20.06	99.2	7.0677	46.5831
2022	1	16	15	40	25	12.2	0.1	1.1	19.97	99.5	7.0677	46.3478
2022	1	16	15	50	25	13.4	0.1	1.1	20.44	100.4	7.0677	47.2889

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	16	16	0	25	12.2	0.1	1.1	19.24	100.8	7.0677	44.4656
2022	1	16	16	10	25	12	0.1	1.1	19.35	99.2	7.0677	44.9362
2022	1	16	16	20	25	12	0.1	1.1	20.28	101.1	7.0677	46.8183
2022	1	16	16	30	25	12	0.1	1.1	19.5	98.3	7.0677	45.4067
2022	1	16	16	40	25	12	0.1	1.1	19.66	99.4	7.0677	45.642
2022	1	16	16	50	25	11.8	0.1	1.1	20.19	99.7	7.0677	46.8183
2022	1	16	17	0	25	11.8	0.1	1.1	20.16	97.1	7.0677	47.0536
2022	1	16	17	10	25	11.8	0.1	1.1	18.91	101.9	7.0677	43.5245
2022	1	16	17	20	25	11.8	0.1	1.1	20.45	99	7.0677	47.5241
2022	1	16	17	30	25	11.8	0.1	1.1	19.87	97.5	7.0677	46.3477
2022	1	16	17	40	25	11.8	0.1	1.1	19.35	99.2	7.0677	44.9361
2022	1	16	17	50	25	11.8	0.1	1.1	20.16	99.1	7.0677	46.8182
2022	1	16	18	0	25	11.8	0.1	1.1	20.28	95.1	7.0677	47.5241
2022	1	16	18	10	25	11.8	0.1	1.1	20.14	98.9	7.0677	46.8182
2022	1	16	18	20	25	11.8	0.1	1.1	19.68	99.7	7.0677	45.6419
2022	1	16	18	30	25	11.8	0.1	1.1	19.44	100.7	7.0677	44.9361
2022	1	16	18	40	25	11.8	0.1	1.1	19.28	99.9	7.0677	44.7008
2022	1	16	18	50	25	11.8	0.1	1.1	19.81	100.2	7.0677	45.8771
2022	1	16	19	0	25	11.8	0.1	1.1	19.27	99.6	7.0677	44.7008
2022	1	16	19	10	25	11.8	0.1	1.1	19.17	99.6	7.0677	44.4655
2022	1	16	19	20	25	11.8	0.1	1.1	19.83	100.5	7.0677	45.8771
2022	1	16	19	30	25	11.8	0.1	1.1	20.11	98.3	7.0677	46.8182
2022	1	16	19	40	25	11.8	0.1	1.1	19.19	99.9	7.0677	44.4655
2022	1	16	19	50	25	11.8	0.1	1.1	19.28	97.8	7.0677	44.9361
2022	1	16	20	0	25	11.8	0.1	1.1	19.24	100.8	7.0677	44.4655
2022	1	16	20	10	25	11.8	0.1	1.1	18.89	100.1	7.0677	43.7597
2022	1	16	20	20	25	11.8	0.1	1.1	19.97	97.5	7.0677	46.5829
2022	1	16	20	30	25	11.6	0.1	1.1	19.7	98.2	7.0677	45.8771
2022	1	16	20	40	25	11.6	0.1	1.1	19.86	99.3	7.0677	46.1124
2022	1	16	20	50	25	11.6	0.1	1.1	21.4	97.8	7.0677	49.8767
2022	1	16	21	0	25	11.6	0.1	1.1	20.37	97.3	7.0677	47.524
2022	1	16	21	10	25	11.6	0.1	1.1	19.54	96.8	7.0677	45.6419
2022	1	16	21	20	25	11.6	0.1	1.1	20.39	97.9	7.0677	47.524
2022	1	16	21	30	25	11.6	0.1	1.1	20.75	96.9	7.0677	48.4651
2022	1	16	21	40	25	11.6	0.1	1.1	20.72	98.3	7.0677	48.2299
2022	1	16	21	50	25	11.6	0.1	1.1	19.4	100.1	7.0677	44.9361
2022	1	16	22	0	25	11.6	0.1	1.1	19.73	102	7.0677	45.4067
2022	1	16	22	10	25	11.6	0.1	1.1	19.78	99.6	7.0677	45.8772
2022	1	16	22	20	25	11.6	0.1	1.1	19.71	101.7	7.0677	45.4067
2022	1	16	22	30	25	11.6	0.1	1.1	19.73	96.7	7.0677	46.1125
2022	1	16	22	40	25	11.6	0.1	1.1	19.78	99.6	7.0677	45.8773
2022	1	16	22	50	25	11.6	0.1	1.1	19.65	99.1	7.0677	45.642
2022	1	16	23	0	25	11.6	0.1	1.1	18.32	98.8	7.0677	42.5835
2022	1	16	23	10	25	11.6	0.1	1.1	19.09	98.1	7.0677	44.4657
2022	1	16	23	20	25	11.6	0.1	1.1	20.37	99.3	7.0677	47.2889
2022	1	16	23	30	25	11.6	0.1	1.1	20.22	100.3	7.0677	46.8184
2022	1	16	23	40	25	11.6	0.1	1.1	20.54	96.7	7.0677	47.9947
2022	1	16	23	50	25	11.6	0.1	1.1	19.55	97.1	7.0677	45.6421

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	17	0	0	25	11.6	0.1	1.1	20.48	95	7.0677	47.9948
2022	1	17	0	10	25	11.6	0.1	1.1	18.82	98.9	7.0677	43.7599
2022	1	17	0	20	25	11.6	0.1	1.1	20.07	97.4	7.0677	46.8184
2022	1	17	0	30	25	11.6	0.1	1.1	20.16	100.9	7.0677	46.5832
2022	1	17	0	40	25	11.6	0.1	1.1	19.87	97.5	7.0677	46.3479
2022	1	17	0	50	25	11.6	0.1	1.1	19.46	99.5	7.0677	45.1716
2022	1	17	1	0	25	11.6	0.1	1.1	19.37	99.5	7.0677	44.9363
2022	1	17	1	10	25	11.6	0.1	1.1	19.8	98.1	7.0677	46.1127
2022	1	17	1	20	25	11.6	0.1	1.1	20.37	99.3	7.0677	47.2891
2022	1	17	1	30	25	11.6	0.1	1.1	19.46	97.4	7.0677	45.4069
2022	1	17	1	40	25	11.6	0.1	1.1	20.81	100	7.0677	48.2302
2022	1	17	1	50	25	11.6	0.1	1.1	20.25	99.1	7.0677	47.0538
2022	1	17	2	0	25	11.6	0.1	1.1	19.96	99.2	7.0677	46.348
2022	1	17	2	10	25	11.6	0.1	1.1	19.91	98.4	7.0677	46.348
2022	1	17	2	20	25	11.6	0.1	1.1	20.52	98.4	7.0677	47.7597
2022	1	17	2	30	25	11.6	0.1	1.1	19.91	100.1	7.0677	46.1128
2022	1	17	2	40	25	11.6	0.1	1.1	20.79	97.7	7.0677	48.4655
2022	1	17	2	50	25	11.6	0.1	1.1	19.83	100.5	7.0677	45.8775
2022	1	17	3	0	25	11.6	0.1	1.1	19.76	99.3	7.0677	45.8775
2022	1	17	3	10	25	11.6	0.1	1.1	20.1	98	7.0677	46.8186
2022	1	17	3	20	25	11.6	0.1	1.1	19.56	99.4	7.0677	45.407
2022	1	17	3	30	25	11.6	0.1	1.1	19.45	99.2	7.0677	45.1718
2022	1	17	3	40	25	11.6	0.1	1.1	19.76	97.3	7.0677	46.1129
2022	1	17	3	50	25	11.6	0.1	1.1	19.83	98.7	7.0677	46.1129
2022	1	17	4	0	25	11.6	0.1	1.1	19.56	99.4	7.0677	45.4071
2022	1	17	4	10	25	11.6	0.1	1.1	19.98	97.8	7.0677	46.5834
2022	1	17	4	20	25	11.6	0.1	1.1	20.2	98	7.0677	47.054
2022	1	17	4	30	25	11.6	0.1	1.1	19.66	97.3	7.0677	45.8777
2022	1	17	4	40	25	11.6	0.1	1.1	19.7	99.9	7.0677	45.6424
2022	1	17	4	50	25	11.6	0.1	1.1	20.14	98.9	7.0616	46.7768
2022	1	17	5	0	25	11.6	0.1	1.1	19.58	99.7	7.0677	45.4072
2022	1	17	5	10	25	11.6	0.1	1.1	19.94	98.9	7.0677	46.3483
2022	1	17	5	20	25	11.6	0.1	1.1	19.62	98.5	7.0677	45.6425
2022	1	17	5	30	25	11.4	0.1	1.1	19.7	98.2	7.0677	45.8777
2022	1	17	5	40	25	11.4	0.1	1.1	19.81	96.1	7.0677	46.3483
2022	1	17	5	50	25	11.4	0.1	1.1	19.3	98.3	7.0616	44.8964
2022	1	17	6	0	25	11.4	0.1	1.1	19.89	101.3	7.0677	45.8778
2022	1	17	6	10	25	11.4	0.1	1.1	19.7	95.8	7.0616	46.0717
2022	1	17	6	20	25	11.4	0.1	1.1	19.87	97.5	7.0677	46.3484
2022	1	17	6	30	25	11.4	0.1	1.1	20.25	99.1	7.0677	47.0542
2022	1	17	6	40	25	11.4	0.1	1.1	20.39	97.9	7.0677	47.5247
2022	1	17	6	50	25	11.4	0.1	1.1	19.25	97.2	7.0677	44.9368
2022	1	17	7	0	25	11.4	0.1	1.1	19.32	100.4	7.0677	44.7015
2022	1	17	7	10	25	11.4	0.1	1.1	19.9	98.1	7.0677	46.3484
2022	1	17	7	20	25	11.4	0.1	1.1	20.11	100	7.0677	46.5837
2022	1	17	7	30	25	11.4	0.1	1.1	19.87	97.5	7.0738	46.39
2022	1	17	7	40	25	11.4	0.1	1.1	19.71	101.7	7.0738	45.4481
2022	1	17	7	50	25	11.6	0.1	1.1	19.46	99.5	7.0738	45.2127

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	17	8	0	25	11.6	0.1	1.1	18.5	100.3	7.0799	42.8962
2022	1	17	8	10	25	11.6	0.1	1.1	19.87	97.5	7.0738	46.3901
2022	1	17	8	20	25	11.6	0.1	1.1	20.58	99.5	7.0738	47.803
2022	1	17	8	30	25	11.6	0.1	1.1	20.07	99.5	7.0799	46.6674
2022	1	17	8	40	25	11.8	0.1	1.1	19.56	97.3	7.0738	45.6836
2022	1	17	8	50	25	11.8	0.1	1.1	19.14	103.6	7.0799	43.839
2022	1	17	9	0	25	12	0.1	1.1	19.79	101.4	7.0799	45.7246
2022	1	17	9	10	25	12.2	0.1	1.1	19.8	102.8	7.0799	45.4889
2022	1	17	9	20	25	12.4	0.1	1.1	19.71	101.7	7.0799	45.4889
2022	1	17	9	30	25	12.6	0.1	1.1	19.35	99.2	7.0799	45.0175
2022	1	17	9	40	25	13	0.1	1.1	20	98	7.0799	46.6673
2022	1	17	9	50	25	13.6	0.1	1.1	19.25	97.2	7.0799	45.0174
2022	1	17	10	0	25	13.2	0.1	1.1	20.48	99.6	7.0799	47.61
2022	1	17	10	10	25	12.6	0.1	1.1	19.83	100.5	7.086	46.0014
2022	1	17	10	20	25	12.4	0.1	1.1	19.9	98.1	7.0799	46.4317
2022	1	17	10	30	25	12.4	0.1	1.1	19.04	100.9	7.0799	44.0748
2022	1	17	10	40	25	12.4	0.1	1.1	19.19	98.1	7.086	44.8219
2022	1	17	10	50	25	12.6	0.1	1.1	20.86	99.1	7.0799	48.5529
2022	1	17	11	0	25	12.6	0.1	1.1	19.4	98.3	7.086	45.2937
2022	1	17	11	10	25	13.2	0.1	1.1	19.71	98.5	7.086	46.0014
2022	1	17	11	20	25	14.2	0.1	1.1	19.88	99.6	7.086	46.2372
2022	1	17	11	30	25	14.2	0.1	1.1	19.47	101.3	7.086	45.0576
2022	1	17	11	40	25	14.2	0.1	1.1	19.4	98.3	7.086	45.2935
2022	1	17	11	50	25	14.2	0.1	1.1	19.87	97.5	7.086	46.473
2022	1	17	12	0	25	14.2	0.1	1.1	19.55	97.1	7.086	45.7653
2022	1	17	12	10	25	14.2	0.1	1.1	20.81	100	7.0921	48.4035
2022	1	17	12	20	25	14.2	0.1	1.1	21.03	98.5	7.0921	49.1119
2022	1	17	12	30	25	14.2	0.1	1.1	19.66	99.4	7.0921	45.8062
2022	1	17	12	40	25	14.2	0.1	1.1	19.72	96.4	7.0921	46.2785
2022	1	17	12	50	25	14.2	0.1	1.1	20.59	97.8	7.0921	48.1674
2022	1	17	13	0	25	14.2	0.1	1.1	19.91	100.1	7.0921	46.2785
2022	1	17	13	10	25	13.6	0.1	1.1	19.56	99.4	7.0921	45.5702
2022	1	17	13	20	25	13.8	0.1	1.1	20.28	101.1	7.0921	46.9868
2022	1	17	13	30	25	14.2	0.1	1.1	20.25	99.1	7.0921	47.223
2022	1	17	13	40	25	13.4	0.1	1.1	19.6	98.2	7.0921	45.8063
2022	1	17	13	50	25	14.2	0.1	1.1	20.55	99	7.0921	47.9313
2022	1	17	14	0	25	14.2	0.1	1.1	20.34	96.8	7.0921	47.6952
2022	1	17	14	10	25	13.4	0.1	1.1	20.19	99.7	7.0921	46.9869
2022	1	17	14	20	25	13.4	0.1	1.1	20.35	99	7.0921	47.4591
2022	1	17	14	30	25	13.4	0.1	1.1	19.57	97.6	7.086	45.7654
2022	1	17	14	40	25	13.4	0.1	1.1	20.82	98.3	7.086	48.5962
2022	1	17	14	50	25	13.4	0.1	1.1	19.58	99.7	7.086	45.5295
2022	1	17	15	0	25	13.4	0.1	1.1	19.46	99.5	7.086	45.2936
2022	1	17	15	10	25	13.4	0.1	1.1	19.4	100.1	7.086	45.0577
2022	1	17	15	20	25	13.4	0.1	1.1	20.44	98.7	7.086	47.6527
2022	1	17	15	30	25	13.4	0.1	1.1	19.83	96.7	7.086	46.4732
2022	1	17	15	40	25	12.6	0.1	1.1	20.45	99	7.086	47.6528
2022	1	17	15	50	25	13.4	0.1	1.1	19.74	99	7.086	46.0014

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	17	16	0	25	12.6	0.1	1.1	19.02	96.3	7.086	44.586
2022	1	17	16	10	25	12.4	0.1	1.1	19.85	102.2	7.086	45.7655
2022	1	17	16	20	25	12	0.1	1.1	19.63	98.8	7.086	45.7655
2022	1	17	16	30	25	12	0.1	1.1	20.37	97.3	7.086	47.6528
2022	1	17	16	40	25	12	0.1	1.1	20.51	98.1	7.086	47.8887
2022	1	17	16	50	25	12	0.1	1.1	19.4	98.3	7.086	45.2937
2022	1	17	17	0	25	11.8	0.1	1.1	20.16	99.1	7.086	46.945
2022	1	17	17	10	25	11.8	0.1	1.1	19.92	96.3	7.086	46.7091
2022	1	17	17	20	25	11.8	0.1	1.1	20.29	99.6	7.086	47.1809
2022	1	17	17	30	25	11.8	0.1	1.1	19.73	98.7	7.086	46.0014
2022	1	17	17	40	25	11.8	0.1	1.1	21.11	98.2	7.086	49.304
2022	1	17	17	50	25	11.8	0.1	1.1	19.45	99.2	7.086	45.2937
2022	1	17	18	0	25	11.8	0.1	1.1	20.91	99.9	7.086	48.5963
2022	1	17	18	10	25	11.8	0.1	1.1	19.26	97.5	7.086	45.0577
2022	1	17	18	20	25	11.8	0.1	1.1	20.41	98.2	7.0799	47.61
2022	1	17	18	30	25	11.8	0.1	1.1	20.44	101.9	7.086	47.1809
2022	1	17	18	40	25	11.8	0.1	1.1	19.55	97.1	7.0799	45.7245
2022	1	17	18	50	25	11.8	0.1	1.1	19.21	98.4	7.0799	44.7817
2022	1	17	19	0	25	11.8	0.1	1.1	20.58	97.5	7.0799	48.0814
2022	1	17	19	10	25	11.8	0.1	1.1	19.04	99.1	7.0799	44.3103
2022	1	17	19	20	25	11.8	0.1	1.1	20.28	101.1	7.0799	46.9029
2022	1	17	19	30	25	11.8	0.1	1.1	19.25	97.2	7.0738	44.977
2022	1	17	19	40	25	11.8	0.1	1.1	19.74	99	7.0738	45.9189
2022	1	17	19	50	25	11.8	0.1	1.1	18.89	98.2	7.0738	44.0351
2022	1	17	20	0	25	11.8	0.1	1.1	20.32	100.2	7.0677	47.0541
2022	1	17	20	10	25	11.8	0.1	1.1	20.19	99.7	7.0738	46.8608
2022	1	17	20	20	25	11.8	0.1	1.1	20.48	99.6	7.0738	47.5673
2022	1	17	20	30	25	11.8	0.1	1.1	19.28	99.9	7.0677	44.7014
2022	1	17	20	40	25	11.8	0.1	1.1	19.53	98.8	7.0677	45.4072
2022	1	17	20	50	25	11.8	0.1	1.1	20.13	96.6	7.0677	47.0541
2022	1	17	21	0	25	11.8	0.1	1.1	19.52	100.3	7.0677	45.1719
2022	1	17	21	10	25	11.8	0.1	1.1	19.96	99.2	7.0677	46.3483
2022	1	17	21	20	25	11.8	0.1	1.1	19.74	99	7.0677	45.8777
2022	1	17	21	30	25	11.8	0.1	1.1	19.8	98.1	7.0677	46.113
2022	1	17	21	40	25	11.8	0.1	1.1	20.75	98.9	7.0677	48.2304
2022	1	17	21	50	25	11.6	0.1	1.1	20.41	98.2	7.0677	47.5246
2022	1	17	22	0	25	11.6	0.1	1.1	19.6	98.2	7.0677	45.6424
2022	1	17	22	10	25	11.6	0.1	1.1	19.98	97.8	7.0677	46.5835
2022	1	17	22	20	25	11.6	0.1	1.1	19.56	99.4	7.0677	45.4072
2022	1	17	22	30	25	11.6	0.1	1.1	20.13	96.6	7.0677	47.0541
2022	1	17	22	40	25	11.6	0.1	1.1	20.45	99	7.0677	47.5246
2022	1	17	22	50	25	11.6	0.1	1.1	19.9	98.1	7.0677	46.3483
2022	1	17	23	0	25	11.6	0.1	1.1	19.94	98.9	7.0677	46.3483
2022	1	17	23	10	25	11.6	0.1	1.1	20.08	101.2	7.0677	46.3483
2022	1	17	23	20	25	11.6	0.1	1.1	20.58	97.5	7.0677	47.9952
2022	1	17	23	30	25	11.6	0.1	1.1	20.39	97.9	7.0677	47.5247
2022	1	17	23	40	25	11.6	0.1	1.1	20.54	100.4	7.0677	47.5247
2022	1	17	23	50	25	11.6	0.1	1.1	20.37	99.3	7.0677	47.2894

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	18	0	0	25	11.6	0.1	1.1	19.15	99.3	7.0677	44.4662
2022	1	18	0	10	25	11.6	0.1	1.1	20.54	98.7	7.0677	47.76
2022	1	18	0	20	25	11.6	0.1	1.1	19.85	100.7	7.0677	45.8778
2022	1	18	0	30	25	11.6	0.1	1.1	19.73	98.7	7.0677	45.8778
2022	1	18	0	40	25	11.6	0.1	1.1	19.83	100.5	7.0677	45.8778
2022	1	18	0	50	25	11.6	0.1	1.1	18.99	100	7.0677	43.9957
2022	1	18	1	0	25	11.6	0.1	1.1	19.99	99.8	7.0677	46.3484
2022	1	18	1	10	25	11.6	0.1	1.1	19.08	97.8	7.0677	44.4662
2022	1	18	1	20	25	11.6	0.1	1.1	19.92	96.3	7.0738	46.6255
2022	1	18	1	30	25	11.6	0.1	1.1	20.93	98.5	7.0738	48.7448
2022	1	18	1	40	25	11.6	0.1	1.1	19.93	96.6	7.0738	46.6255
2022	1	18	1	50	25	11.6	0.1	1.1	19.66	99.4	7.0738	45.6836
2022	1	18	2	0	25	11.6	0.1	1.1	20.28	97.7	7.0738	47.332
2022	1	18	2	10	25	11.6	0.1	1.1	19.65	99.1	7.0677	45.6426
2022	1	18	2	20	25	11.6	0.1	1.1	19.6	98.2	7.0738	45.6836
2022	1	18	2	30	25	11.6	0.1	1.1	20.06	99.2	7.0738	46.6256
2022	1	18	2	40	25	11.6	0.1	1.1	19.27	99.6	7.0738	44.7417
2022	1	18	2	50	25	11.6	0.1	1.1	19.53	98.8	7.0738	45.4482
2022	1	18	3	0	25	11.6	0.1	1.1	19.76	99.3	7.0738	45.9191
2022	1	18	3	10	25	11.6	0.1	1.1	19.79	99.9	7.0738	45.9191
2022	1	18	3	20	25	11.6	0.1	1.1	20.12	98.6	7.0799	46.9031
2022	1	18	3	30	25	11.6	0.1	1.1	19.6	95.9	7.0799	45.9603
2022	1	18	3	40	25	11.6	0.1	1.1	20.03	98.6	7.0799	46.6674
2022	1	18	3	50	25	11.6	0.1	1.1	19.93	96.6	7.0799	46.6674
2022	1	18	4	0	25	11.6	0.1	1.1	19.06	101.2	7.0799	44.0748
2022	1	18	4	10	25	11.6	0.1	1.1	19.89	101.3	7.0799	45.9604
2022	1	18	4	20	25	11.6	0.1	1.1	19.99	99.8	7.0799	46.4318
2022	1	18	4	30	25	11.6	0.1	1.1	19.96	101	7.0799	46.1961
2022	1	18	4	40	25	11.6	0.1	1.1	20.7	99.7	7.0799	48.0816
2022	1	18	4	50	25	11.6	0.1	1.1	20.53	96.4	7.0799	48.0816
2022	1	18	5	0	25	11.6	0.1	1.1	20.21	100	7.0799	46.9032
2022	1	18	5	10	25	11.6	0.1	1.1	19.7	99.9	7.0799	45.7247
2022	1	18	5	20	25	11.4	0.1	1.1	18.99	98.2	7.0799	44.3106
2022	1	18	5	30	25	11.4	0.1	1.1	20.14	102	7.0799	46.4318
2022	1	18	5	40	25	11.4	0.1	1.1	20.35	97.1	7.0799	47.6103
2022	1	18	5	50	25	11.4	0.1	1.1	19.68	99.7	7.0799	45.7248
2022	1	18	6	0	25	11.4	0.1	1.1	19.93	98.7	7.0799	46.4319
2022	1	18	6	10	25	11.4	0.1	1.1	20.38	97.6	7.0799	47.6103
2022	1	18	6	20	25	11.4	0.1	1.1	19.8	98.1	7.0799	46.1962
2022	1	18	6	30	25	11.4	0.1	1.1	19.99	99.8	7.0799	46.4319
2022	1	18	6	40	25	11.4	0.1	1.1	20.17	97.4	7.0799	47.139
2022	1	18	6	50	25	11.4	0.1	1.1	20.4	99.9	7.0799	47.3747
2022	1	18	7	0	25	11.4	0.1	1.1	19.73	102	7.0799	45.4891
2022	1	18	7	10	25	11.4	0.1	1.1	20.12	98.6	7.0799	46.9033
2022	1	18	7	20	25	11.4	0.1	1.1	19.42	98.6	7.0799	45.2535
2022	1	18	7	30	25	11.4	0.1	1.1	20.54	98.7	7.0799	47.8461
2022	1	18	7	40	25	11.6	0.1	1.1	20.47	101	7.0799	47.3747
2022	1	18	7	50	25	11.6	0.1	1.1	20.73	98.6	7.0799	48.3175

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	18	8	0	25	11.6	0.1	1.1	19.3	100.1	7.0799	44.7821
2022	1	18	8	10	25	11.8	0.1	1.1	19.71	101.7	7.0799	45.4892
2022	1	18	8	20	25	12	0.1	1.1	19.68	99.7	7.0799	45.7248
2022	1	18	8	30	25	12.4	0.1	1.1	19.83	98.7	7.0799	46.1962
2022	1	18	8	40	25	12.4	0.1	1.1	19.3	98.3	7.0799	45.0177
2022	1	18	8	50	25	12.6	0.1	1.1	19.55	100.9	7.0799	45.2534
2022	1	18	9	0	25	13	0.1	1.1	20.01	98.3	7.0799	46.6676
2022	1	18	9	10	25	13.4	0.1	1.1	20.12	98.6	7.0799	46.9032
2022	1	18	9	20	25	13.8	0.1	1.1	19.42	98.6	7.0799	45.2533
2022	1	18	9	30	25	13.8	0.1	1.1	19.32	100.4	7.086	44.822
2022	1	18	9	40	25	13.8	0.1	1.1	20.29	99.6	7.086	47.1811
2022	1	18	9	50	25	13.6	0.1	1.1	19.83	98.7	7.086	46.2374
2022	1	18	10	0	25	13.6	0.1	1.1	18.97	99.7	7.086	44.1143
2022	1	18	10	10	25	13.6	0.1	1.1	19.77	101.1	7.086	45.7656
2022	1	18	10	20	25	13.6	0.1	1.1	19.79	99.9	7.086	46.0015
2022	1	18	10	30	25	13.6	0.1	1.1	20.29	97.9	7.086	47.4169
2022	1	18	10	40	25	13.6	0.1	1.1	20.34	100.5	7.086	47.1809
2022	1	18	10	50	25	13.6	0.1	1.1	19.53	98.8	7.086	45.5296
2022	1	18	11	0	25	13.6	0.1	1.1	20.89	97.7	7.086	48.8322
2022	1	18	11	10	25	13.6	0.1	1.1	20	98	7.086	46.7091
2022	1	18	11	20	25	13.6	0.1	1.1	20.7	99.7	7.086	48.1245
2022	1	18	11	30	25	14	0.1	1.1	19.35	99.2	7.086	45.0577
2022	1	18	11	40	25	14.2	0.1	1.1	19.7	98.2	7.086	46.0013
2022	1	18	11	50	25	14.2	0.1	1.1	19.81	100.2	7.086	46.0013
2022	1	18	12	0	25	14.2	0.1	1.1	21.11	99.8	7.086	49.0681
2022	1	18	12	10	25	14.2	0.1	1.1	18.91	98.5	7.086	44.1141
2022	1	18	12	20	25	14.2	0.1	1.1	18.85	97.3	7.086	44.1141
2022	1	18	12	30	25	14	0.1	1.1	20.25	97.1	7.086	47.4167
2022	1	18	12	40	25	13.6	0.1	1.1	19.99	99.8	7.086	46.4731
2022	1	18	12	50	25	14.2	0.1	1.1	19.83	98.7	7.086	46.2372
2022	1	18	13	0	25	14.2	0.1	1.1	19.83	96.7	7.086	46.4731
2022	1	18	13	10	25	14.2	0.1	1.1	20.16	99.1	7.086	46.9449
2022	1	18	13	20	25	14.2	0.1	1.1	20.23	96.5	7.0799	47.3743
2022	1	18	13	30	25	14.2	0.1	1.1	20.16	99.1	7.0799	46.9029
2022	1	18	13	40	25	14.2	0.1	1.1	20.66	97.2	7.086	48.3603
2022	1	18	13	50	25	14.2	0.1	1.1	20.16	99.1	7.0799	46.9029
2022	1	18	14	0	25	14.2	0.1	1.1	19.4	100.1	7.0799	45.0173
2022	1	18	14	10	25	14	0.1	1.1	19.49	98	7.0799	45.4887
2022	1	18	14	20	25	14	0.1	1.1	20.55	99	7.0738	47.8028
2022	1	18	14	30	25	14	0.1	1.1	19.8	98.1	7.0799	46.1958
2022	1	18	14	40	25	14	0.1	1.1	19.19	98.1	7.0738	44.7415
2022	1	18	14	50	25	14	0.1	1.1	20.65	98.9	7.0738	48.0383
2022	1	18	15	0	25	14	0.1	1.1	19.9	98.1	7.0738	46.3899
2022	1	18	15	10	25	13.8	0.1	1.1	20.12	98.6	7.0738	46.8609
2022	1	18	15	20	25	13.8	0.1	1.1	20.08	97.7	7.0677	46.8189
2022	1	18	15	30	25	13.8	0.1	1.1	19.05	97.2	7.0677	44.4662
2022	1	18	15	40	25	13.6	0.1	1.1	20.65	98.9	7.0677	47.9953
2022	1	18	15	50	25	13.6	0.1	1.1	18.82	98.9	7.0677	43.7604

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	18	16	0	25	13.6	0.1	1.1	20.45	99	7.0677	47.5247
2022	1	18	16	10	25	12.8	0.1	1.1	20.14	98.9	7.0677	46.8189
2022	1	18	16	20	25	12	0.1	1.1	19.42	98.6	7.0616	45.1314
2022	1	18	16	30	25	12	0.1	1.1	19.01	98.5	7.0616	44.1912
2022	1	18	16	40	25	11.8	0.1	1.1	19.38	101.3	7.0616	44.6613
2022	1	18	16	50	25	11.4	0.1	1.1	19.65	97	7.0616	45.8366
2022	1	18	17	0	25	11.4	0.1	1.1	19.83	96.7	7.0616	46.3067
2022	1	18	17	10	25	11.8	0.1	1.1	19.53	100.6	7.0677	45.1719
2022	1	18	17	20	25	11.8	0.1	1.1	19.83	98.7	7.0616	46.0716
2022	1	18	17	30	25	11.8	0.1	1.1	20.11	98.3	7.0616	46.7767
2022	1	18	17	40	25	11.8	0.1	1.1	20.44	101.9	7.0616	47.0118
2022	1	18	17	50	25	11.8	0.1	1.1	20.37	99.3	7.0677	47.2893
2022	1	18	18	0	25	11.8	0.1	1.1	19.62	98.5	7.0616	45.6014
2022	1	18	18	10	25	11.8	0.1	1.1	20.22	100.3	7.0616	46.7767
2022	1	18	18	20	25	11.8	0.1	1.1	20.44	98.7	7.0616	47.4818
2022	1	18	18	30	25	11.8	0.1	1.1	20.58	97.5	7.0616	47.9519
2022	1	18	18	40	25	11.8	0.1	1.1	20.2	98	7.0616	47.0117
2022	1	18	18	50	25	11.8	0.1	1.1	19.3	101.7	7.0616	44.426
2022	1	18	19	0	25	11.8	0.1	1.1	20.14	98.9	7.0616	46.7766
2022	1	18	19	10	25	11.8	0.1	1.1	19.94	98.9	7.0616	46.3064
2022	1	18	19	20	25	11.8	0.1	1.1	20.48	99.6	7.0616	47.4817
2022	1	18	19	30	25	11.8	0.1	1.1	20.72	100	7.0616	47.9518
2022	1	18	19	40	25	11.8	0.1	1.1	18.58	98	7.0616	43.2506
2022	1	18	19	50	25	11.8	0.1	1.1	19.56	99.4	7.0616	45.3662
2022	1	18	20	0	25	11.8	0.1	1.1	20.11	100	7.0616	46.5414
2022	1	18	20	10	25	11.8	0.1	1.1	18.98	97.9	7.0616	44.1908
2022	1	18	20	20	25	11.8	0.1	1.1	20.37	97.3	7.0616	47.4816
2022	1	18	20	30	25	11.8	0.1	1.1	20.1	98	7.0616	46.7764
2022	1	18	20	40	25	11.8	0.1	1.1	19.32	98.6	7.0616	44.896
2022	1	18	20	50	25	11.8	0.1	1.1	20.47	101	7.0616	47.2466
2022	1	18	21	0	25	11.8	0.1	1.1	19.3	98.3	7.0616	44.896
2022	1	18	21	10	25	11.8	0.1	1.1	18.86	99.5	7.0616	43.7207
2022	1	18	21	20	25	11.8	0.1	1.1	19.66	97.3	7.0616	45.8362
2022	1	18	21	30	25	11.8	0.1	1.1	19.66	99.4	7.0616	45.6011
2022	1	18	21	40	25	11.8	0.1	1.1	20.04	96.9	7.0616	46.7764
2022	1	18	21	50	25	11.8	0.1	1.1	20.04	96.9	7.0616	46.7764
2022	1	18	22	0	25	11.8	0.1	1.1	19.98	97.8	7.0616	46.5414
2022	1	18	22	10	25	11.6	0.1	1.1	19.16	97.5	7.0616	44.6609
2022	1	18	22	20	25	11.6	0.1	1.1	19.91	98.4	7.0616	46.3063
2022	1	18	22	30	25	11.6	0.1	1.1	18.22	96.6	7.0616	42.5454
2022	1	18	22	40	25	11.6	0.1	1.1	19.91	100.1	7.0616	46.0713
2022	1	18	22	50	25	11.6	0.1	1.1	20.47	101	7.0616	47.2466
2022	1	18	23	0	25	11.6	0.1	1.1	20.06	99.2	7.0616	46.5414
2022	1	18	23	10	25	11.6	0.1	1.1	20.03	100.4	7.0616	46.3064
2022	1	18	23	20	25	11.6	0.1	1.1	19.1	96	7.0616	44.661
2022	1	18	23	30	25	11.6	0.1	1.1	20.44	96.7	7.0616	47.7167
2022	1	18	23	40	25	11.6	0.1	1.1	20.93	98.5	7.0616	48.657
2022	1	18	23	50	25	11.6	0.1	1.1	20.16	99.1	7.0616	46.7765



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	19	0	0	25	11.6	0.1	1.1	19.78	99.6	7.0616	45.8363
2022	1	19	0	10	25	11.6	0.1	1.1	19.98	97.8	7.0616	46.5415
2022	1	19	0	20	25	11.6	0.1	1.1	20.57	97.3	7.0616	47.9518
2022	1	19	0	30	25	11.6	0.1	1.1	19.4	98.3	7.0616	45.1312
2022	1	19	0	40	25	11.6	0.1	1.1	20.07	99.5	7.0616	46.5415
2022	1	19	0	50	25	11.6	0.1	1.1	19.56	99.4	7.0616	45.3662
2022	1	19	1	0	25	11.6	0.1	1.1	20.06	99.2	7.0616	46.5415
2022	1	19	1	10	25	11.6	0.1	1.1	19.86	99.3	7.0616	46.0714
2022	1	19	1	20	25	11.6	0.1	1.1	19.42	98.6	7.0616	45.1312
2022	1	19	1	30	25	11.6	0.1	1.1	19.11	98.4	7.0555	44.3861
2022	1	19	1	40	25	11.6	0.1	1.1	18.63	100.8	7.0555	42.9771
2022	1	19	1	50	25	11.6	0.1	1.1	18.64	99.3	7.0555	43.2119
2022	1	19	2	0	25	11.6	0.1	1.1	19.42	98.6	7.0555	45.0907
2022	1	19	2	10	25	11.6	0.1	1.1	19.19	98.1	7.0555	44.621
2022	1	19	2	20	25	11.6	0.1	1.1	20.25	99.1	7.0555	46.9695
2022	1	19	2	30	25	11.6	0.1	1.1	20.32	100.2	7.0555	46.9695
2022	1	19	2	40	25	11.6	0.1	1.1	20.55	99	7.0555	47.6741
2022	1	19	2	50	25	11.6	0.1	1.1	18.91	96.1	7.0555	44.1514
2022	1	19	3	0	25	11.6	0.1	1.1	19.28	99.9	7.0555	44.6211
2022	1	19	3	10	25	11.6	0.1	1.1	20.1	101.5	7.0555	46.265
2022	1	19	3	20	25	11.6	0.1	1.1	20.21	98.3	7.0555	46.9696
2022	1	19	3	30	25	11.6	0.1	1.1	19.66	99.4	7.0555	45.5605
2022	1	19	3	40	25	11.6	0.1	1.1	19.6	95.9	7.0555	45.7953
2022	1	19	3	50	25	11.6	0.1	1.1	18.91	96.1	7.0555	44.1514
2022	1	19	4	0	25	11.6	0.1	1.1	20.55	99	7.0555	47.6741
2022	1	19	4	10	25	11.6	0.1	1.1	19.87	97.5	7.0555	46.2651
2022	1	19	4	20	25	11.6	0.1	1.1	19.75	100.8	7.0555	45.5605
2022	1	19	4	30	25	11.6	0.1	1.1	20.4	101.3	7.0555	46.9696
2022	1	19	4	40	25	11.6	0.1	1.1	19.87	97.5	7.0555	46.2651
2022	1	19	4	50	25	11.6	0.1	1.1	20.58	99.5	7.0555	47.6742
2022	1	19	5	0	25	11.6	0.1	1.1	19.32	98.6	7.0555	44.856
2022	1	19	5	10	25	11.6	0.1	1.1	19.91	100.1	7.0555	46.0303
2022	1	19	5	20	25	11.6	0.1	1.1	20.57	99.2	7.0555	47.6742
2022	1	19	5	30	25	11.4	0.1	1.1	19.8	98.1	7.0555	46.0303
2022	1	19	5	40	25	11.4	0.1	1.1	21.03	96.3	7.0555	49.0833
2022	1	19	5	50	25	11.4	0.1	1.1	20.18	101.1	7.0555	46.5
2022	1	19	6	0	25	11.4	0.1	1.1	19.12	98.7	7.0555	44.3864
2022	1	19	6	10	25	11.4	0.1	1.1	19.45	99.2	7.0555	45.0909
2022	1	19	6	20	25	11.4	0.1	1.1	19.72	96.4	7.0555	46.0303
2022	1	19	6	30	25	11.4	0.1	1.1	19.4	98.3	7.0555	45.091
2022	1	19	6	40	25	11.4	0.1	1.1	19.33	98.9	7.0555	44.8561
2022	1	19	6	50	25	11.4	0.1	1.1	19.05	97.2	7.0555	44.3864
2022	1	19	7	0	25	11.4	0.1	1.1	19.8	98.1	7.0555	46.0304
2022	1	19	7	10	25	11.4	0.1	1.1	19.55	97.1	7.0555	45.5607
2022	1	19	7	20	25	11.4	0.1	1.1	19.91	98.4	7.0555	46.2652
2022	1	19	7	30	25	11.4	0.1	1.1	20.46	102.1	7.0555	46.9698
2022	1	19	7	40	25	11.4	0.1	1.1	19.64	96.7	7.0555	45.7956
2022	1	19	7	50	25	11.6	0.1	1.1	20.16	99.1	7.0555	46.735

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	19	8	0	25	12.2	0.1	1.1	20.11	100	7.0555	46.5001
2022	1	19	8	10	25	12.6	0.1	1.1	19.79	99.9	7.0555	45.7956
2022	1	19	8	20	25	12.8	0.1	1.1	19.71	98.5	7.0555	45.7956
2022	1	19	8	30	25	13	0.1	1.1	19.83	98.7	7.0555	46.0304
2022	1	19	8	40	25	13.2	0.1	1.1	19.83	100.5	7.0555	45.7955
2022	1	19	8	50	25	13.2	0.1	1.1	19.83	100.5	7.0555	45.7955
2022	1	19	9	0	25	13.4	0.1	1.1	19.32	98.6	7.0555	44.8561
2022	1	19	9	10	25	13.6	0.1	1.1	19.44	100.7	7.0555	44.8561
2022	1	19	9	20	25	13.8	0.1	1.1	21.11	98.2	7.0555	49.0833
2022	1	19	9	30	25	14	0.1	1.1	18.99	98.2	7.0555	44.1515
2022	1	19	9	40	25	14	0.1	1.1	20.14	98.9	7.0555	46.7348
2022	1	19	9	50	25	14.2	0.1	1.1	19.02	100.6	7.0555	43.9166
2022	1	19	10	0	25	14.2	0.1	1.1	20.32	100.2	7.0616	47.0118
2022	1	19	10	10	25	14	0.1	1.1	19.81	100.2	7.0616	45.8365
2022	1	19	10	20	25	14	0.1	1.1	19.6	98.2	7.0616	45.6014
2022	1	19	10	30	25	14	0.1	1.1	20.18	97.7	7.0616	47.0118
2022	1	19	10	40	25	14	0.1	1.1	19.45	97.1	7.0616	45.3663
2022	1	19	10	50	25	14	0.1	1.1	19.7	95.8	7.0677	46.1128
2022	1	19	11	0	25	14	0.1	1.1	20.52	96.2	7.0677	47.9951
2022	1	19	11	10	25	14	0.1	1.1	20.04	96.9	7.0677	46.8186
2022	1	19	11	20	25	14	0.1	1.1	21.03	96.3	7.0677	49.1713
2022	1	19	11	30	25	14	0.1	1.1	19.81	98.4	7.0677	46.1128
2022	1	19	11	40	25	14	0.1	1.1	19.85	96.9	7.0677	46.348
2022	1	19	11	50	25	14	0.1	1.1	21.31	95.9	7.0677	49.8771
2022	1	19	12	0	25	14	0.1	1.1	19.3	95.9	7.0677	45.1717
2022	1	19	12	10	25	14	0.1	1.1	21.14	96.5	7.0677	49.4065
2022	1	19	12	20	25	14	0.1	1.1	19.94	96.9	7.0738	46.625
2022	1	19	12	30	25	14	0.1	1.1	20.37	94.8	7.0677	47.7596
2022	1	19	12	40	25	13.8	0.1	1.1	21.36	98.9	7.0677	49.6417
2022	1	19	12	50	25	13.8	0.1	1.1	19.05	94.2	7.0677	44.7011
2022	1	19	13	0	25	13.8	0.1	1.1	20.42	96.2	7.0677	47.7596
2022	1	19	13	10	25	14	0.1	1.1	19.52	98.5	7.0677	45.4069
2022	1	19	13	20	25	14	0.1	1.1	19.76	97.3	7.0677	46.1127
2022	1	19	13	30	25	14	0.1	1.1	20.16	97.1	7.0677	47.0537
2022	1	19	13	40	25	13.8	0.1	1.1	19.89	99.8	7.0677	46.1127
2022	1	19	13	50	25	13.8	0.1	1.1	19.7	98.2	7.0677	45.8774
2022	1	19	14	0	25	13.8	0.1	1.1	20.75	96.9	7.0677	48.4654
2022	1	19	14	10	25	13.8	0.1	1.1	20.84	96.6	7.0616	48.6569
2022	1	19	14	20	25	14	0.1	1.1	21.16	94.3	7.0677	49.6417
2022	1	19	14	30	25	14	0.1	1.1	19.46	97.4	7.0616	45.3661
2022	1	19	14	40	25	14	0.1	1.1	20.2	95.7	7.0677	47.289
2022	1	19	14	50	25	14	0.1	1.1	20.67	94.7	7.0616	48.4219
2022	1	19	15	0	25	14	0.1	1.1	19.53	98.8	7.0616	45.3662
2022	1	19	15	10	25	13.8	0.1	1.1	20	95.7	7.0616	46.7765
2022	1	19	15	20	25	13.8	0.1	1.1	19.65	99.1	7.0616	45.6012
2022	1	19	15	30	25	13.8	0.1	1.1	20.2	98	7.0616	47.0116
2022	1	19	15	40	25	13.8	0.1	1.1	20.74	96.6	7.0616	48.422
2022	1	19	15	50	25	13.6	0.1	1.1	19.8	95.8	7.0616	46.3064

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	19	16	0	25	13.6	0.1	1.1	19.02	96.3	7.0616	44.426
2022	1	19	16	10	25	13.4	0.1	1.1	20.78	97.5	7.0616	48.4219
2022	1	19	16	20	25	12	0.1	1.1	19.86	99.3	7.0555	46.0299
2022	1	19	16	30	25	11.8	0.1	1.1	19.66	99.4	7.0555	45.5602
2022	1	19	16	40	25	11.8	0.1	1.1	20.24	96.8	7.0616	47.2466
2022	1	19	16	50	25	11.6	0.1	1.1	20.12	100.3	7.0555	46.4996
2022	1	19	17	0	25	11.4	0.1	1.1	20.64	96.7	7.0555	48.1435
2022	1	19	17	10	25	11.8	0.1	1.1	19.2	100.2	7.0555	44.3859
2022	1	19	17	20	25	11.8	0.1	1.1	20.92	96	7.0555	48.848
2022	1	19	17	30	25	11.8	0.1	1.1	19.96	99.2	7.0555	46.2647
2022	1	19	17	40	25	11.8	0.1	1.1	19.88	97.8	7.0616	46.3062
2022	1	19	17	50	25	11.8	0.1	1.1	19.01	96	7.0616	44.4258
2022	1	19	18	0	25	11.8	0.1	1.1	19.96	97.2	7.0616	46.5413
2022	1	19	18	10	25	11.8	0.1	1.1	20.37	97.3	7.0616	47.4815
2022	1	19	18	20	25	11.8	0.1	1.1	20.2	98	7.0616	47.0113
2022	1	19	18	30	25	11.8	0.1	1.1	20.32	96.2	7.0616	47.4814
2022	1	19	18	40	25	11.8	0.1	1.1	19.9	98.1	7.0616	46.3061
2022	1	19	18	50	25	11.8	0.1	1.1	20.03	98.6	7.0616	46.5411
2022	1	19	19	0	25	11.8	0.1	1.1	19.77	97.6	7.0616	46.071
2022	1	19	19	10	25	11.8	0.1	1.1	19.45	97.1	7.0616	45.3658
2022	1	19	19	20	25	11.8	0.1	1	19.78	99.6	7.0616	45.8359
2022	1	19	19	30	25	11.8	0.1	1	19.22	98.7	7.0616	44.6606
2022	1	19	19	40	25	11.8	0.1	1	19.41	96.2	7.0616	45.3657
2022	1	19	19	50	25	11.8	0.1	1	19.79	95.5	7.0616	46.3059
2022	1	19	20	0	25	11.8	0.1	1	19.73	98.7	7.0616	45.8358
2022	1	19	20	10	25	11.8	0.1	1	19.93	100.4	7.0616	46.0709
2022	1	19	20	20	25	11.8	0.1	1	19.62	96.4	7.0616	45.8358
2022	1	19	20	30	25	11.8	0.1	1	19.98	97.8	7.0616	46.5409
2022	1	19	20	40	25	11.8	0.1	1	19.81	100.2	7.0616	45.8358
2022	1	19	20	50	25	11.8	0.1	1	19.8	98.1	7.0616	46.0708
2022	1	19	21	0	25	11.8	0.1	1	19.6	95.9	7.0616	45.8357
2022	1	19	21	10	25	11.8	0.1	1	19.09	95.4	7.0616	44.6605
2022	1	19	21	20	25	11.8	0.1	1	19.94	96.9	7.0616	46.5409
2022	1	19	21	30	25	11.8	0.1	1	20	95.7	7.0616	46.7759
2022	1	19	21	40	25	11.8	0.1	1	19.64	96.7	7.0616	45.8357
2022	1	19	21	50	25	11.8	0.1	1	20.24	96.8	7.0616	47.246
2022	1	19	22	0	25	11.8	0.1	1	19.8	98.1	7.0616	46.0708
2022	1	19	22	10	25	11.8	0.1	1	19.32	98.6	7.0616	44.8955
2022	1	19	22	20	25	11.8	0.1	1	19.69	97.9	7.0616	45.8357
2022	1	19	22	30	25	11.8	0.1	1	20.89	97.7	7.0616	48.6563
2022	1	19	22	40	25	11.8	0.1	1	19.69	97.9	7.0616	45.8357
2022	1	19	22	50	25	11.8	0.1	1	19.09	95.4	7.0616	44.6604
2022	1	19	23	0	25	11.8	0.1	1	19.52	98.5	7.0616	45.3656
2022	1	19	23	10	25	11.6	0.1	1	19.3	98.3	7.0616	44.8955
2022	1	19	23	20	25	11.6	0.1	1	20.42	98.4	7.0616	47.4811
2022	1	19	23	30	25	11.6	0.1	1	19.74	99	7.0616	45.8357
2022	1	19	23	40	25	11.6	0.1	1	19.94	96.9	7.0616	46.5409
2022	1	19	23	50	25	11.6	0.1	1	19.6	98.2	7.0616	45.6006

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	20	0	0	25	11.6	0.1	1	20.2	98	7.0616	47.011
2022	1	20	0	10	25	11.6	0.1	1	19.96	99.2	7.0616	46.3058
2022	1	20	0	20	25	11.6	0.1	1	20.31	98.2	7.0616	47.246
2022	1	20	0	30	25	11.6	0.1	1	19.5	98.3	7.0616	45.3656
2022	1	20	0	40	25	11.6	0.1	1	20.72	98.3	7.0616	48.1863
2022	1	20	0	50	25	11.6	0.1	1	20.03	98.6	7.0616	46.5409
2022	1	20	1	0	25	11.6	0.1	1	19.47	97.7	7.0555	45.3249
2022	1	20	1	10	25	11.6	0.1	1	20.68	97.5	7.0616	48.1863
2022	1	20	1	20	25	11.6	0.1	1	20.1	98	7.0616	46.776
2022	1	20	1	30	25	11.6	0.1	1	20.29	97.9	7.0555	47.2036
2022	1	20	1	40	25	11.6	0.1	1	19.55	97.1	7.0555	45.5597
2022	1	20	1	50	25	11.6	0.1	1	20.61	98.1	7.0555	47.9082
2022	1	20	2	0	25	11.6	0.1	1	19.4	98.3	7.0616	45.1306
2022	1	20	2	10	25	11.6	0.1	1	19.67	97.6	7.0616	45.8357
2022	1	20	2	20	25	11.6	0.1	1	19.55	97.1	7.0555	45.5597
2022	1	20	2	30	25	11.6	0.1	1	20.06	99.2	7.0555	46.4991
2022	1	20	2	40	25	11.6	0.1	1	20.1	95.7	7.0555	46.9688
2022	1	20	2	50	25	11.6	0.1	1	20.27	99.4	7.0555	46.9688
2022	1	20	3	0	25	11.6	0.1	1	19.86	99.3	7.0555	46.0294
2022	1	20	3	10	25	11.6	0.1	1	20.76	97.2	7.0555	48.3779
2022	1	20	3	20	25	11.6	0.1	1	19.12	96.3	7.0555	44.6204
2022	1	20	3	30	25	11.6	0.1	1	20.41	95.9	7.0555	47.6733
2022	1	20	3	40	25	11.6	0.1	1	17.92	99	7.0555	41.5674
2022	1	20	3	50	25	11.6	0.1	1	20.85	96.9	7.0555	48.6127
2022	1	20	4	0	25	11.6	0.1	1	20.14	96.8	7.0555	46.9688
2022	1	20	4	10	25	11.6	0.1	1	19.77	94.9	7.0555	46.2643
2022	1	20	4	20	25	11.6	0.1	1	18.83	96.7	7.0555	43.9158
2022	1	20	4	30	25	11.6	0.1	1	19.78	99.6	7.0555	45.7946
2022	1	20	4	40	25	11.6	0.1	1	20.27	99.4	7.0555	46.9688
2022	1	20	4	50	25	11.6	0.1	1	19.19	95.7	7.0555	44.8552
2022	1	20	5	0	25	11.6	0.1	1	19.71	98.5	7.0555	45.7946
2022	1	20	5	10	25	11.6	0.1	1	19.66	99.4	7.0555	45.5597
2022	1	20	5	20	25	11.6	0.1	1	20.69	97.8	7.0555	48.143
2022	1	20	5	30	25	11.6	0.1	1	20.31	98.2	7.0555	47.2037
2022	1	20	5	40	25	11.6	0.1	1	19.94	96.9	7.0555	46.4991
2022	1	20	5	50	25	11.6	0.1	1	19.73	98.7	7.0555	45.7946
2022	1	20	6	0	25	11.6	0.1	1	19.55	97.1	7.0555	45.5597
2022	1	20	6	10	25	11.6	0.1	1	19.48	99.8	7.0555	45.0901
2022	1	20	6	20	25	11.6	0.1	1	19.19	95.7	7.0555	44.8552
2022	1	20	6	30	25	11.6	0.1	1	19.26	97.5	7.0555	44.8552
2022	1	20	6	40	25	11.6	0.1	1	19.55	97.1	7.0555	45.5597
2022	1	20	6	50	25	11.6	0.1	1	19.44	96.8	7.0555	45.3249
2022	1	20	7	0	25	11.6	0.1	1	21.06	99	7.0555	48.8476
2022	1	20	7	10	25	11.6	0.1	1	19.8	98.1	7.0555	46.0294
2022	1	20	7	20	25	11.6	0.1	1	19.55	100.9	7.0555	45.0901
2022	1	20	7	30	25	11.6	0.1	1	19.29	98	7.0555	44.8552
2022	1	20	7	40	25	11.6	0.1	1	20.89	102.4	7.0555	47.9082
2022	1	20	7	50	25	12	0.1	1	19.09	100	7.0555	44.1507

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	20	8	0	25	12.2	0.1	1	20.31	98.2	7.0555	47.2037
2022	1	20	8	10	25	12.4	0.1	1	19.89	99.8	7.0555	46.0294
2022	1	20	8	20	25	12.6	0.1	1	20.16	99.1	7.0555	46.7339
2022	1	20	8	30	25	12.8	0.1	1	19.1	100.3	7.0555	44.1506
2022	1	20	8	40	25	12.8	0.1	1	19.65	97	7.0555	45.7945
2022	1	20	8	50	25	13	0.1	1	18.6	100.2	7.0616	43.015
2022	1	20	9	0	25	13.8	0.1	1	20.58	102.3	7.0616	47.246
2022	1	20	9	10	25	13.6	0.1	1	19.65	97	7.0616	45.8356
2022	1	20	9	20	25	13.6	0.1	1	19.89	101.3	7.0616	45.8356
2022	1	20	9	30	25	13.6	0.1	1	19.63	100.6	7.0616	45.3655
2022	1	20	9	40	25	13.6	0.1	1	19.7	98.2	7.0616	45.8355
2022	1	20	9	50	25	13.6	0.1	1	19.77	97.6	7.0616	46.0706
2022	1	20	10	0	25	13.6	0.1	1	19.19	99.9	7.0616	44.4252
2022	1	20	10	10	25	13.6	0.1	1	20.1	101.5	7.0616	46.3056
2022	1	20	10	20	25	13.6	0.1	1	19.07	99.7	7.0616	44.19
2022	1	20	10	30	25	13.8	0.1	1	19.75	97	7.0616	46.0705
2022	1	20	10	40	25	13.8	0.1	1	19.48	99.8	7.0677	45.1708
2022	1	20	10	50	25	14	0.1	1	19.09	100	7.0616	44.19
2022	1	20	11	0	25	13.8	0.1	1	19.52	98.5	7.0616	45.3652
2022	1	20	11	10	25	14	0.1	1	20.8	98	7.0616	48.4209
2022	1	20	11	20	25	14.2	0.1	1	19.28	99.9	7.0677	44.7001
2022	1	20	11	30	25	14.2	0.1	1	19.86	99.3	7.0616	46.0703
2022	1	20	11	40	25	14.2	0.1	1	19.47	97.7	7.0677	45.4059
2022	1	20	11	50	25	14.2	0.1	1	19.45	99.2	7.0616	45.1301
2022	1	20	12	0	25	14	0.1	1	19.04	99.1	7.0677	44.2295
2022	1	20	12	10	25	14	0.1	1	19.88	99.6	7.0677	46.1116
2022	1	20	12	20	25	14	0.1	1	19.85	96.9	7.0677	46.3469
2022	1	20	12	30	25	14.2	0.1	1	20.38	97.6	7.0677	47.5232
2022	1	20	12	40	25	14	0.1	1	19.29	98	7.0616	44.895
2022	1	20	12	50	25	14	0.1	1	20.12	98.6	7.0677	46.8174
2022	1	20	13	0	25	14.2	0.1	1	19.14	99	7.0616	44.4249
2022	1	20	13	10	25	14	0.1	1	20.29	97.9	7.0616	47.2455
2022	1	20	13	20	25	14	0.1	1	19.42	96.5	7.0677	45.4058
2022	1	20	13	30	25	14	0.1	1	20.34	96.8	7.0616	47.4805
2022	1	20	13	40	25	14	0.1	1	19.33	98.9	7.0616	44.895
2022	1	20	13	50	25	14	0.1	1	20.12	101.8	7.0616	46.3053
2022	1	20	14	0	25	14	0.1	1	19.76	97.3	7.0616	46.0702
2022	1	20	14	10	25	14	0.1	1	18.99	98.2	7.0616	44.1898
2022	1	20	14	20	25	13.8	0.1	1	20.04	96.9	7.0616	46.7754
2022	1	20	14	30	25	13.8	0.1	1	20.29	97.9	7.0677	47.2879
2022	1	20	14	40	25	13.8	0.1	1	19.16	97.5	7.0616	44.6599
2022	1	20	14	50	25	13.8	0.1	1	19.5	98.3	7.0616	45.3651
2022	1	20	15	0	25	13.8	0.1	1	19.28	101.4	7.0616	44.4249
2022	1	20	15	10	25	13.8	0.1	1	20.34	98.8	7.0616	47.2455
2022	1	20	15	20	25	13.6	0.1	1	19.46	101	7.0616	44.895
2022	1	20	15	30	25	13.6	0.1	1	20.84	96.6	7.0616	48.6559
2022	1	20	15	40	25	13.6	0.1	1	20.26	100.8	7.0616	46.7755
2022	1	20	15	50	25	13.4	0.1	1	19.84	99	7.0616	46.0703

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	20	16	0	25	13.4	0.1	1	19.63	98.8	7.0616	45.6002
2022	1	20	16	10	25	13.2	0.1	1	20.44	100.4	7.0555	47.2031
2022	1	20	16	20	25	12	0.1	1	19.1	100.3	7.0616	44.1899
2022	1	20	16	30	25	12	0.1	1	20.27	99.4	7.0616	47.0105
2022	1	20	16	40	25	11.8	0.1	1	21.03	98.5	7.0616	48.8909
2022	1	20	16	50	25	11.8	0.1	1	19.82	96.4	7.0616	46.3053
2022	1	20	17	0	25	11.8	0.1	1	20.16	99.1	7.0616	46.7754
2022	1	20	17	10	25	11.8	0.1	1	19.18	97.8	7.0616	44.6599
2022	1	20	17	20	25	11.8	0.1	1	19.4	95.9	7.0616	45.365
2022	1	20	17	30	25	11.8	0.1	1	19.46	97.4	7.0616	45.365
2022	1	20	17	40	25	11.8	0.1	1	19.38	99.8	7.0616	44.8949
2022	1	20	17	50	25	11.8	0.1	1	18.95	97.3	7.0616	44.1898
2022	1	20	18	0	25	11.8	0.1	1	19.29	98	7.0616	44.8949
2022	1	20	18	10	25	11.8	0.1	1	19.78	99.6	7.0616	45.8351
2022	1	20	18	20	25	11.8	0.1	1	20	98	7.0616	46.5402
2022	1	20	18	30	25	11.8	0.1	1	20.14	96.8	7.0616	47.0103
2022	1	20	18	40	25	11.8	0.1	1	18.91	98.5	7.0616	43.9546
2022	1	20	18	50	25	11.8	0.1	1	19.16	101.1	7.0616	44.1897
2022	1	20	19	0	25	11.8	0.1	1	19.65	100.9	7.0616	45.3649
2022	1	20	19	10	25	11.8	0.1	1	18.5	98.4	7.0616	43.0144
2022	1	20	19	20	25	11.8	0.1	1	20.37	99.3	7.0616	47.2453
2022	1	20	19	30	25	11.8	0.1	1	20.37	99.3	7.0616	47.2453
2022	1	20	19	40	25	11.8	0.1	1	20.8	98	7.0616	48.4205
2022	1	20	19	50	25	11.8	0.1	1	19.48	99.8	7.0616	45.1298
2022	1	20	20	0	25	11.8	0.1	1	19.32	98.6	7.0616	44.8948
2022	1	20	20	10	25	11.8	0.1	1	19.83	96.7	7.0616	46.305
2022	1	20	20	20	25	11.8	0.1	1	19.52	98.5	7.0555	45.3241
2022	1	20	20	30	25	11.8	0.1	1	19.54	96.8	7.0616	45.5999
2022	1	20	20	40	25	11.8	0.1	1	20.73	98.6	7.0616	48.1855
2022	1	20	20	50	25	11.8	0.1	1	19.66	97.3	7.0616	45.8349
2022	1	20	21	0	25	11.8	0.1	1	19.71	100.2	7.0616	45.5999
2022	1	20	21	10	25	11.8	0.1	1	19.18	97.8	7.0616	44.6597
2022	1	20	21	20	25	11.8	0.1	1	19.59	101.5	7.0555	45.0893
2022	1	20	21	30	25	11.6	0.1	1	20.35	99	7.0555	47.2028
2022	1	20	21	40	25	11.6	0.1	1	20.14	100.6	7.0616	46.5401
2022	1	20	21	50	25	11.6	0.1	1	19.66	99.4	7.0555	45.5589
2022	1	20	22	0	25	11.6	0.1	1	19.46	97.4	7.0616	45.3649
2022	1	20	22	10	25	11.6	0.1	1	20.24	93.7	7.0616	47.4803
2022	1	20	22	20	25	11.6	0.1	1	19.69	101.4	7.0555	45.3241
2022	1	20	22	30	25	11.6	0.1	1	19.06	97.5	7.0616	44.4247
2022	1	20	22	40	25	11.6	0.1	1	19.38	99.8	7.0616	44.8948
2022	1	20	22	50	25	11.6	0.1	1	19.21	98.4	7.0616	44.6598
2022	1	20	23	0	25	11.6	0.1	1	20.7	98.1	7.0616	48.1855
2022	1	20	23	10	25	11.6	0.1	1	19.58	99.7	7.0616	45.3649
2022	1	20	23	20	25	11.6	0.1	1	19.91	100.1	7.0616	46.0701
2022	1	20	23	30	25	11.6	0.1	1	19.74	99	7.0616	45.8351
2022	1	20	23	40	25	11.6	0.1	1	20.17	97.4	7.0616	47.0103
2022	1	20	23	50	25	11.6	0.1	1	19.5	100	7.0616	45.1299

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	21	0	0	25	11.6	0.1	1	19.3	100.1	7.0616	44.6598
2022	1	21	0	10	25	11.6	0.1	1	18.91	98.5	7.0616	43.9547
2022	1	21	0	20	25	11.6	0.1	1	19.96	99.2	7.0616	46.3052
2022	1	21	0	30	25	11.6	0.1	1	18.89	100.1	7.0616	43.7197
2022	1	21	0	40	25	11.6	0.1	1	19.79	97.8	7.0616	46.0702
2022	1	21	0	50	25	11.6	0.1	1	19.11	98.4	7.0616	44.4248
2022	1	21	1	0	25	11.6	0.1	1	20.12	100.3	7.0616	46.5403
2022	1	21	1	10	25	11.6	0.1	1	19.94	98.9	7.0616	46.3053
2022	1	21	1	20	25	11.6	0.1	1	19.58	99.7	7.0616	45.3651
2022	1	21	1	30	25	11.6	0.1	1	20.54	100.4	7.0616	47.4806
2022	1	21	1	40	25	11.6	0.1	1	20.37	99.3	7.0616	47.2455
2022	1	21	1	50	25	11.6	0.1	1	20.2	98	7.0616	47.0105
2022	1	21	2	0	25	11.6	0.1	1	19.82	96.4	7.0616	46.3054
2022	1	21	2	10	25	11.6	0.1	1	20.12	98.6	7.0616	46.7755
2022	1	21	2	20	25	11.6	0.1	1	19.56	97.3	7.0616	45.6002
2022	1	21	2	30	25	11.6	0.1	1	20.73	100.3	7.0616	47.9508
2022	1	21	2	40	25	11.6	0.1	1	20.24	96.8	7.0616	47.2456
2022	1	21	2	50	25	11.6	0.1	1	19.66	99.4	7.0616	45.6003
2022	1	21	3	0	25	11.6	0.1	1	20.67	99.2	7.0616	47.9508
2022	1	21	3	10	25	11.6	0.1	1	19.48	99.8	7.0616	45.1302
2022	1	21	3	20	25	11.6	0.1	1	19.28	101.4	7.0616	44.425
2022	1	21	3	30	25	11.6	0.1	1	19.47	97.7	7.0616	45.3653
2022	1	21	3	40	25	11.6	0.1	1	19.28	99.9	7.0555	44.62
2022	1	21	3	50	25	11.6	0.1	1	19.82	96.4	7.0616	46.3055
2022	1	21	4	0	25	11.6	0.1	1	21.5	99.6	7.0616	49.8313
2022	1	21	4	10	25	11.6	0.1	1	19.76	97.3	7.0616	46.0705
2022	1	21	4	20	25	11.6	0.1	1	20.8	99.7	7.0616	48.186
2022	1	21	4	30	25	11.6	0.1	1	19.85	96.9	7.0616	46.3056
2022	1	21	4	40	25	11.6	0.1	1	19.65	97	7.0555	45.7943
2022	1	21	4	50	25	11.6	0.1	1	19.5	98.3	7.0616	45.3654
2022	1	21	5	0	25	11.6	0.1	1	20.06	100.9	7.0616	46.3056
2022	1	21	5	10	25	11.6	0.1	1	20.04	98.9	7.0616	46.5407
2022	1	21	5	20	25	11.6	0.1	1	19.78	99.6	7.0616	45.8355
2022	1	21	5	30	25	11.6	0.1	1	19.81	100.2	7.0616	45.8355
2022	1	21	5	40	25	11.6	0.1	1	19.97	97.5	7.0555	46.4989
2022	1	21	5	50	25	11.4	0.1	1	20.2	101.4	7.0616	46.5407
2022	1	21	6	0	25	11.4	0.1	1	20.39	99.6	7.0616	47.2459
2022	1	21	6	10	25	11.4	0.1	1	20.02	96.3	7.0616	46.7758
2022	1	21	6	20	25	11.4	0.1	1	18.56	97.4	7.0616	43.25
2022	1	21	6	30	25	11.4	0.1	1	19.43	98.9	7.0616	45.1305
2022	1	21	6	40	25	11.4	0.1	1	20.19	99.7	7.0555	46.7338
2022	1	21	6	50	25	11.4	0.1	1	19.79	99.9	7.0616	45.8356
2022	1	21	7	0	25	11.4	0.1	1	20.37	99.3	7.0616	47.246
2022	1	21	7	10	25	11.4	0.1	1	19.9	98.1	7.0616	46.3058
2022	1	21	7	20	25	11.4	0.1	1	20.49	97.9	7.0555	47.6733
2022	1	21	7	30	25	11.4	0.1	1	19.1	100.3	7.0616	44.1903
2022	1	21	7	40	25	11.4	0.1	1	18.77	97.7	7.0616	43.7202
2022	1	21	7	50	25	12	0.1	1	19.55	100.9	7.0616	45.1305

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	21	8	0	25	12.4	0.1	1	20.16	99.1	7.0616	46.7759
2022	1	21	8	10	25	12.6	0.1	1	20.8	95.5	7.0555	48.6126
2022	1	21	8	20	25	12.8	0.1	1	18.81	96.1	7.0616	43.9552
2022	1	21	8	30	25	13	0.1	1	20.27	94.8	7.0616	47.481
2022	1	21	8	40	25	13	0.1	1	20.86	97.2	7.0555	48.6126
2022	1	21	8	50	25	13.6	0.1	1	19.14	93.9	7.0555	44.855
2022	1	21	9	0	25	13.6	0.1	1	19.41	96.2	7.0555	45.3247
2022	1	21	9	10	25	13.8	0.1	1	19.91	101.6	7.0555	45.7944
2022	1	21	9	20	25	14	0.1	1	19.18	97.8	7.0616	44.6603
2022	1	21	9	30	25	14.2	0.1	1	18.82	96.4	7.0616	43.9551
2022	1	21	9	40	25	14.2	0.1	1	19.9	98.1	7.0616	46.3057
2022	1	21	9	50	25	14	0.1	1	19.36	97.4	7.0616	45.1304
2022	1	21	10	0	25	14	0.1	1	20.67	99.2	7.0616	47.951
2022	1	21	10	10	25	14.2	0.1	1	19.21	98.4	7.0677	44.7003
2022	1	21	10	20	25	14.2	0.1	1	20.24	96.8	7.0555	47.2033
2022	1	21	10	30	25	14.2	0.1	1	19.72	96.4	7.0677	46.1118
2022	1	21	10	40	25	14.2	0.1	1	19.77	94.9	7.0555	46.2639
2022	1	21	10	50	25	14.2	0.1	1	19.47	97.7	7.0677	45.406
2022	1	21	11	0	25	14.2	0.1	1	18.5	98.4	7.0616	43.0147
2022	1	21	11	10	25	14.2	0.1	1	20.04	96.9	7.0616	46.7756
2022	1	21	11	20	25	14.2	0.1	1	19.76	97.3	7.0616	46.0704
2022	1	21	11	30	25	14.2	0.1	1	20.44	96.7	7.0616	47.7158
2022	1	21	11	40	25	14.2	0.1	1	19.3	95.9	7.0677	45.1707
2022	1	21	11	50	25	14.2	0.1	1	21.19	95.4	7.0616	49.5962
2022	1	21	12	0	25	14.2	0.1	1	20.18	97.7	7.0677	47.0528
2022	1	21	12	10	25	14.2	0.1	1	19.09	95.4	7.0677	44.7002
2022	1	21	12	20	25	14.2	0.1	1	20.2	95.7	7.0677	47.2881
2022	1	21	12	30	25	14.2	0.1	1	19.8	95.8	7.0677	46.347
2022	1	21	12	40	25	14.2	0.1	1	19.96	97.2	7.0616	46.5405
2022	1	21	12	50	25	14.2	0.1	1	20.99	97.7	7.0677	48.9349
2022	1	21	13	0	25	14.2	0.1	1	19.96	94.6	7.0677	46.8175
2022	1	21	13	10	25	14.2	0.1	1	19.86	97.2	7.0616	46.3054
2022	1	21	13	20	25	14.2	0.1	1	19.22	96.3	7.0616	44.8951
2022	1	21	13	30	25	14.2	0.1	1	19.93	96.6	7.0677	46.5823
2022	1	21	13	40	25	14.2	0.1	1	19.52	98.5	7.0616	45.3652
2022	1	21	13	50	25	14.2	0.1	1	19.84	93.5	7.0677	46.5823
2022	1	21	14	0	25	14.2	0.1	1	19.6	95.9	7.0616	45.8354
2022	1	21	14	10	25	13.6	0.1	1	21.36	94.3	7.0738	50.1563
2022	1	21	14	20	25	13.6	0.1	1	20.41	95.9	7.0677	47.7587
2022	1	21	14	30	25	13.6	0.1	1	19.49	95.6	7.0677	45.6413
2022	1	21	14	40	25	13.6	0.1	1	20.02	96.3	7.0616	46.7756
2022	1	21	14	50	25	13.6	0.1	1	20.53	96.4	7.0738	48.0371
2022	1	21	15	0	25	13.6	0.1	1	19.56	97.3	7.0738	45.6823
2022	1	21	15	10	25	13.6	0.1	1	19.07	94.8	7.0677	44.7003
2022	1	21	15	20	25	13.6	0.1	1	20.31	98.2	7.0677	47.2883
2022	1	21	15	30	25	13.6	0.1	1	18.85	97.3	7.0677	43.9946
2022	1	21	15	40	25	13.6	0.1	1	19.75	97	7.0677	46.112
2022	1	21	15	50	25	13.6	0.1	1	18.89	100.1	7.0616	43.7201



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	21	16	0	25	13.6	0.1	1	19.25	97.2	7.0677	44.9357
2022	1	21	16	10	25	13.6	0.1	1	20.07	97.4	7.0738	46.8598
2022	1	21	16	20	25	12.2	0.1	1	20.08	97.7	7.0677	46.8178
2022	1	21	16	30	25	12	0.1	1	18.84	94	7.0677	44.2299
2022	1	21	16	40	25	12	0.1	1	19.97	94.9	7.0677	46.8178
2022	1	21	16	50	25	12	0.1	1	20.89	95.2	7.0677	48.9352
2022	1	21	17	0	25	12	0.1	1	19.18	95.4	7.0738	44.976
2022	1	21	17	10	25	11.8	0.1	1	19.7	95.8	7.0677	46.112
2022	1	21	17	20	25	11.8	0.1	1	20.06	97.2	7.0677	46.8178
2022	1	21	17	30	25	11.8	0.1	1	19.39	98	7.0738	45.2115
2022	1	21	17	40	25	11.8	0.1	1	19.6	95.9	7.0738	45.9179
2022	1	21	17	50	25	11.8	0.1	1	20.54	96.7	7.0738	48.0371
2022	1	21	18	0	25	11.8	0.1	1	20.48	95	7.0677	47.9941
2022	1	21	18	10	25	11.8	0.1	1	20.02	96.3	7.0677	46.8177
2022	1	21	18	20	25	11.8	0.1	1	20.02	96.3	7.0738	46.8597
2022	1	21	18	30	25	11.8	0.1	1	19.8	98.1	7.0738	46.1533
2022	1	21	18	40	25	11.8	0.1	1	19.47	95	7.0738	45.6823
2022	1	21	18	50	25	11.8	0.1	1	20.16	99.1	7.0738	46.8597
2022	1	21	19	0	25	11.8	0.1	1	20.51	98.1	7.0738	47.8016
2022	1	21	19	10	25	11.8	0.1	1	19.16	97.5	7.0738	44.7404
2022	1	21	19	20	25	11.8	0.1	1	19.37	94.7	7.0738	45.4468
2022	1	21	19	30	25	11.8	0.1	1	19.73	96.7	7.0738	46.1532
2022	1	21	19	40	25	11.8	0.1	1	20.16	97.1	7.0738	47.0951
2022	1	21	19	50	25	11.8	0.1	1	20.04	96.9	7.0738	46.8596
2022	1	21	20	0	25	11.8	0.1	1	19.23	96.6	7.0738	44.9758
2022	1	21	20	10	25	11.8	0.1	1	19.35	94.1	7.0738	45.4468
2022	1	21	20	20	25	11.8	0.1	1	19.76	97.3	7.0738	46.1532
2022	1	21	20	30	25	11.8	0.1	1	19.52	98.5	7.0738	45.4468
2022	1	21	20	40	25	11.8	0.1	1	19.8	95.8	7.0738	46.3886
2022	1	21	20	50	25	11.8	0.1	1	19.63	98.8	7.0738	45.6822
2022	1	21	21	0	25	11.8	0.1	1	19.77	97.6	7.0738	46.1532
2022	1	21	21	10	25	11.8	0.1	1	19.1	96	7.0738	44.7403
2022	1	21	21	20	25	11.8	0.1	1	19.25	99.3	7.0738	44.7403
2022	1	21	21	30	25	11.8	0.1	1	18.98	97.9	7.0738	44.2694
2022	1	21	21	40	25	11.8	0.1	1	21.1	97.9	7.0738	49.2143
2022	1	21	21	50	25	11.8	0.1	1	19.4	98.3	7.0738	45.2113
2022	1	21	22	0	25	11.8	0.1	1	19.3	98.3	7.0738	44.9758
2022	1	21	22	10	25	11.8	0.1	1	20.67	99.2	7.0738	48.037
2022	1	21	22	20	25	11.8	0.1	1	19.29	98	7.0738	44.9758
2022	1	21	22	30	25	11.8	0.1	1	19.39	98	7.0738	45.2113
2022	1	21	22	40	25	11.8	0.1	1	19.3	95.9	7.0738	45.2113
2022	1	21	22	50	25	11.8	0.1	1	19.26	97.5	7.0738	44.9758
2022	1	21	23	0	25	11.8	0.1	1	19.8	98.1	7.0738	46.1532
2022	1	21	23	10	25	11.8	0.1	1	20.22	98.5	7.0738	47.0951
2022	1	21	23	20	25	11.8	0.1	1	19.26	97.5	7.0738	44.9758
2022	1	21	23	30	25	11.8	0.1	1	20.54	96.7	7.0738	48.037
2022	1	21	23	40	25	11.8	0.1	1	20.2	98	7.0738	47.0951
2022	1	21	23	50	25	11.8	0.1	1	18.94	97	7.0677	44.2297

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	22	0	0	25	11.8	0.1	1	19.77	97.6	7.0738	46.1532
2022	1	22	0	10	25	11.6	0.1	1	19.6	95.9	7.0738	45.9178
2022	1	22	0	20	25	11.6	0.1	1	20.49	95.3	7.0738	48.0371
2022	1	22	0	30	25	11.6	0.1	1	19.73	96.7	7.0738	46.1533
2022	1	22	0	40	25	11.6	0.1	1	19.45	99.2	7.0738	45.2114
2022	1	22	0	50	25	11.6	0.1	1	20.16	97.1	7.0738	47.0952
2022	1	22	1	0	25	11.6	0.1	1	21.5	99.6	7.0677	49.8762
2022	1	22	1	10	25	11.6	0.1	1	20.31	98.2	7.0738	47.3307
2022	1	22	1	20	25	11.6	0.1	1	20.31	98.2	7.0738	47.3307
2022	1	22	1	30	25	11.6	0.1	1	20.04	93.7	7.0738	47.0952
2022	1	22	1	40	25	11.6	0.1	1	20.34	96.8	7.0738	47.5662
2022	1	22	1	50	25	11.6	0.1	1	20.55	99	7.0738	47.8017
2022	1	22	2	0	25	11.6	0.1	1	19.18	95.4	7.0677	44.9357
2022	1	22	2	10	25	11.6	0.1	1	19.6	98.2	7.0677	45.6415
2022	1	22	2	20	25	11.6	0.1	1	19.48	99.8	7.0677	45.1709
2022	1	22	2	30	25	11.6	0.1	1	19.35	99.2	7.0677	44.9357
2022	1	22	2	40	25	11.6	0.1	1	19.93	100.4	7.0677	46.112
2022	1	22	2	50	25	11.6	0.1	1	19.88	97.8	7.0677	46.3473
2022	1	22	3	0	25	11.6	0.1	1	19.45	97.1	7.0677	45.4062
2022	1	22	3	10	25	11.6	0.1	1	20.57	97.3	7.0738	48.0372
2022	1	22	3	20	25	11.6	0.1	1	19.91	96.1	7.0677	46.5826
2022	1	22	3	30	25	11.6	0.1	1	19.38	99.8	7.0738	44.9761
2022	1	22	3	40	25	11.6	0.1	1	19.65	97	7.0677	45.8768
2022	1	22	3	50	25	11.6	0.1	1	20.54	96.7	7.0738	48.0373
2022	1	22	4	0	25	11.6	0.1	1	19.97	97.5	7.0738	46.6244
2022	1	22	4	10	25	11.6	0.1	1	20.18	97.7	7.0677	47.0531
2022	1	22	4	20	25	11.6	0.1	1	20.39	97.9	7.0738	47.5663
2022	1	22	4	30	25	11.6	0.1	1	19.52	96.5	7.0677	45.6416
2022	1	22	4	40	25	11.6	0.1	1	19.47	94.7	7.0677	45.6416
2022	1	22	4	50	25	11.6	0.1	1	20.69	97.8	7.0677	48.2295
2022	1	22	5	0	25	11.6	0.1	1	20.83	98.6	7.0677	48.4648
2022	1	22	5	10	25	11.6	0.1	1	20.01	98.3	7.0677	46.5827
2022	1	22	5	20	25	11.6	0.1	1	20.34	98.8	7.0677	47.2885
2022	1	22	5	30	25	11.6	0.1	1	19.78	99.6	7.0677	45.8769
2022	1	22	5	40	25	11.6	0.1	1	19.98	97.8	7.0677	46.5827
2022	1	22	5	50	25	11.6	0.1	1	19.71	96.1	7.0677	46.1122
2022	1	22	6	0	25	11.6	0.1	1	19.77	97.6	7.0677	46.1122
2022	1	22	6	10	25	11.6	0.1	1	19.55	99.1	7.0677	45.4064
2022	1	22	6	20	25	11.6	0.1	1	18.46	97.5	7.0677	43.0537
2022	1	22	6	30	25	11.6	0.1	1	19.5	98.3	7.0677	45.4064
2022	1	22	6	40	25	11.6	0.1	1	20.44	96.7	7.0677	47.7591
2022	1	22	6	50	25	11.6	0.1	1	19.44	96.8	7.0677	45.4064
2022	1	22	7	0	25	11.6	0.1	1	20.22	98.5	7.0738	47.0955
2022	1	22	7	10	25	11.6	0.1	1	19.47	95	7.0677	45.6417
2022	1	22	7	20	25	11.6	0.1	1	20.39	97.9	7.0677	47.5238
2022	1	22	7	30	25	11.6	0.1	1	20.48	97.6	7.0677	47.7591
2022	1	22	7	40	25	11.6	0.1	1	20.16	94.3	7.0677	47.2886
2022	1	22	7	50	25	12	0.1	1	19.2	96	7.0677	44.9359

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	22	8	0	25	12.4	0.1	1	19.45	97.1	7.0677	45.4064
2022	1	22	8	10	25	12.6	0.1	1	20.73	96.4	7.0677	48.4648
2022	1	22	8	20	25	12.6	0.1	1	19.86	97.2	7.0738	46.389
2022	1	22	8	30	25	12.8	0.1	1	19.77	97.6	7.0677	46.1121
2022	1	22	8	40	25	12.8	0.1	1	20.59	95.3	7.0738	48.2728
2022	1	22	8	50	25	13.2	0.1	1	19.12	96.3	7.0738	44.7406
2022	1	22	9	0	25	13.6	0.1	1	20.54	96.7	7.0677	47.9942
2022	1	22	9	10	25	13.8	0.1	1	19.82	96.4	7.0738	46.3889
2022	1	22	9	20	25	13.8	0.1	1	20.39	97.9	7.0799	47.6089
2022	1	22	9	30	25	13.8	0.1	1	18.95	94.2	7.0738	44.5051
2022	1	22	9	40	25	13.8	0.1	1	20.85	96.9	7.0738	48.7436
2022	1	22	9	50	25	13.8	0.1	1	20.07	97.4	7.0799	46.9018
2022	1	22	10	0	25	14.2	0.1	1	19.94	96.9	7.0799	46.6661
2022	1	22	10	10	25	14.2	0.1	1	19.12	96.3	7.0738	44.7405
2022	1	22	10	20	25	14.2	0.1	1	19.88	97.8	7.086	46.472
2022	1	22	10	30	25	14.2	0.1	1	19.79	95.5	7.0799	46.4303
2022	1	22	10	40	25	14.2	0.1	1	20.76	97.2	7.0677	48.4645
2022	1	22	10	50	25	14.2	0.1	1	20.08	95.1	7.0799	47.1373
2022	1	22	11	0	25	14.2	0.1	1	19.64	96.7	7.0799	45.9589
2022	1	22	11	10	25	14.2	0.1	1	19.86	97.2	7.086	46.4718
2022	1	22	11	20	25	14.2	0.1	1	21.71	97.9	7.0738	50.6272
2022	1	22	11	30	25	14.2	0.1	1	19.38	97.7	7.0799	45.2518
2022	1	22	11	40	25	14.2	0.1	1	20.71	95.8	7.0799	48.5514
2022	1	22	11	50	25	14.2	0.1	1	21.04	96.6	7.086	49.3026
2022	1	22	12	0	25	14.2	0.1	1	19.38	99.8	7.0799	45.0161
2022	1	22	12	10	25	14.2	0.1	1	19.64	96.7	7.0799	45.9588
2022	1	22	12	20	25	14.2	0.1	1	20.2	95.7	7.0799	47.3729
2022	1	22	12	30	25	14.2	0.1	1	20.17	94.8	7.0799	47.3729
2022	1	22	12	40	25	14.2	0.1	1	20.54	96.7	7.0738	48.0369
2022	1	22	12	50	25	14.2	0.1	1	20.35	97.1	7.086	47.6513
2022	1	22	13	0	25	14.2	0.1	1	19.82	96.4	7.0799	46.4302
2022	1	22	13	10	25	14.2	0.1	1	20.43	96.5	7.086	47.8872
2022	1	22	13	20	25	14.2	0.1	1	20.24	96.8	7.0799	47.373
2022	1	22	13	30	25	14.2	0.1	1	19.96	97.2	7.0738	46.6241
2022	1	22	13	40	25	14.2	0.1	1	20.88	94.9	7.0799	49.0228
2022	1	22	13	50	25	14.2	0.1	1	20.66	97.2	7.086	48.359
2022	1	22	14	0	25	14.2	0.1	1	20.09	95.4	7.0799	47.1373
2022	1	22	14	10	25	14.2	0.1	1	19.8	95.8	7.0799	46.4303
2022	1	22	14	20	25	14.2	0.1	1	20.71	95.8	7.0799	48.5515
2022	1	22	14	30	25	14.2	0.1	1	20.34	96.8	7.0799	47.6087
2022	1	22	14	40	25	14.2	0.1	1	20.1	95.7	7.0799	47.1374
2022	1	22	14	50	25	14.2	0.1	1	21.47	97.2	7.0799	50.2013
2022	1	22	15	0	25	14.2	0.1	1	19.55	99.1	7.0738	45.4469
2022	1	22	15	10	25	14.2	0.1	1	19.7	98.2	7.0799	45.959
2022	1	22	15	20	25	14	0.1	1	20.04	96.9	7.0799	46.9018
2022	1	22	15	30	25	14	0.1	1	19.33	96.5	7.0738	45.2116
2022	1	22	15	40	25	14	0.1	1	19.25	99.3	7.0738	44.7406
2022	1	22	15	50	25	14	0.1	1	19.65	97	7.0738	45.918

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	22	16	0	25	13.8	0.1	1	19.39	98	7.0738	45.2116
2022	1	22	16	10	25	13.6	0.1	1	20.58	99.5	7.0738	47.8018
2022	1	22	16	20	25	12.4	0.1	1	19.7	98.2	7.0738	45.918
2022	1	22	16	30	25	12	0.1	1	18.83	96.7	7.0738	44.0342
2022	1	22	16	40	25	11.6	0.1	1	19.21	98.4	7.0738	44.7406
2022	1	22	16	50	25	11.4	0.1	1	20.52	98.4	7.0738	47.8018
2022	1	22	17	0	25	11.4	0.1	1	20.04	96.9	7.0738	46.8599
2022	1	22	17	10	25	11.8	0.1	1	19.5	98.3	7.0738	45.447
2022	1	22	17	20	25	11.8	0.1	1	20.08	97.7	7.0738	46.8599
2022	1	22	17	30	25	11.8	0.1	1	20.38	97.6	7.0738	47.5663
2022	1	22	17	40	25	11.8	0.1	1	20.49	95.3	7.0738	48.0372
2022	1	22	17	50	25	11.8	0.1	1	19.49	95.6	7.0738	45.6825
2022	1	22	18	0	25	11.8	0.1	1	20.79	97.7	7.0738	48.5082
2022	1	22	18	10	25	11.8	0.1	1	19.09	98.1	7.0738	44.505
2022	1	22	18	20	25	11.8	0.1	1	19.65	97	7.0738	45.9179
2022	1	22	18	30	25	11.8	0.1	1	19.69	97.9	7.0738	45.9179
2022	1	22	18	40	25	11.8	0.1	1	21	97.9	7.0738	48.9791
2022	1	22	18	50	25	11.8	0.1	1	18.64	99.3	7.0738	43.3276
2022	1	22	19	0	25	11.8	0.1	1	19.81	98.4	7.0738	46.1533
2022	1	22	19	10	25	11.8	0.1	1	19.4	98.3	7.0738	45.2114
2022	1	22	19	20	25	11.8	0.1	1	19.44	96.8	7.0738	45.4469
2022	1	22	19	30	25	11.8	0.1	1	19.88	99.6	7.0738	46.1533
2022	1	22	19	40	25	11.8	0.1	1	19.48	99.8	7.0738	45.2114
2022	1	22	19	50	25	11.8	0.1	1	19.79	99.9	7.0738	45.9178
2022	1	22	20	0	25	11.8	0.1	1	19.31	96.2	7.0738	45.2113
2022	1	22	20	10	25	11.8	0.1	1	20.29	97.9	7.0738	47.3306
2022	1	22	20	20	25	11.8	0.1	1	19.97	94.9	7.0738	46.8596
2022	1	22	20	30	25	11.8	0.1	1	20.64	96.7	7.0738	48.2725
2022	1	22	20	40	25	11.8	0.1	1	20.01	98.3	7.0738	46.6242
2022	1	22	20	50	25	11.8	0.1	1	19.31	96.2	7.0738	45.2113
2022	1	22	21	0	25	11.8	0.1	1	20.27	97.4	7.0738	47.3306
2022	1	22	21	10	25	11.8	0.1	1	19.25	97.2	7.0738	44.9758
2022	1	22	21	20	25	11.8	0.1	1	19.85	96.9	7.0738	46.3887
2022	1	22	21	30	25	11.8	0.1	1	19.71	98.5	7.0738	45.9177
2022	1	22	21	40	25	11.8	0.1	1	19.28	99.9	7.0738	44.7403
2022	1	22	21	50	25	11.8	0.1	1	19.76	97.3	7.0738	46.1532
2022	1	22	22	0	25	11.8	0.1	1	19.65	100.9	7.0738	45.4468
2022	1	22	22	10	25	11.8	0.1	1	19.52	98.5	7.0738	45.4468
2022	1	22	22	20	25	11.8	0.1	1	20.13	96.6	7.0738	47.0951
2022	1	22	22	30	25	11.8	0.1	1	19.72	96.4	7.0738	46.1532
2022	1	22	22	40	25	11.8	0.1	1	19.97	97.5	7.0738	46.6242
2022	1	22	22	50	25	11.8	0.1	1	20.89	97.7	7.0738	48.7435
2022	1	22	23	0	25	11.8	0.1	1	21.62	98.2	7.0738	50.3918
2022	1	22	23	10	25	11.8	0.1	1	20.58	97.5	7.0738	48.0371
2022	1	22	23	20	25	11.8	0.1	1	19.52	98.5	7.0738	45.4468
2022	1	22	23	30	25	11.8	0.1	1	20.8	98	7.0677	48.4645
2022	1	22	23	40	25	11.8	0.1	1	19.72	96.4	7.0738	46.1533
2022	1	22	23	50	25	11.6	0.1	1	19.18	97.8	7.0677	44.7003

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	23	0	0	25	11.6	0.1	1	20.54	98.7	7.0738	47.8016
2022	1	23	0	10	25	11.6	0.1	1	19.55	99.1	7.0677	45.4061
2022	1	23	0	20	25	11.6	0.1	1	20.17	99.4	7.0677	46.8177
2022	1	23	0	30	25	11.6	0.1	1	19.22	96.3	7.0738	44.976
2022	1	23	0	40	25	11.6	0.1	1	20.68	99.5	7.0738	48.0371
2022	1	23	0	50	25	11.6	0.1	1	19.76	99.3	7.0738	45.9179
2022	1	23	1	0	25	11.6	0.1	1	19.38	95.3	7.0738	45.4469
2022	1	23	1	10	25	11.6	0.1	1	19.69	97.9	7.0738	45.9179
2022	1	23	1	20	25	11.6	0.1	1	19.26	94.5	7.0738	45.2115
2022	1	23	1	30	25	11.6	0.1	1	19.55	97.1	7.0738	45.6824
2022	1	23	1	40	25	11.6	0.1	1	20.34	96.8	7.0677	47.5236
2022	1	23	1	50	25	11.6	0.1	1	19.9	95.8	7.0738	46.6244
2022	1	23	2	0	25	11.6	0.1	1	19.36	97.4	7.0738	45.2115
2022	1	23	2	10	25	11.6	0.1	1	20.01	98.3	7.0677	46.5826
2022	1	23	2	20	25	11.6	0.1	1	19.74	99	7.0677	45.8768
2022	1	23	2	30	25	11.6	0.1	1	19.32	98.6	7.0677	44.9357
2022	1	23	2	40	25	11.6	0.1	1	19.61	96.1	7.0677	45.8768
2022	1	23	2	50	25	11.6	0.1	1	19.79	101.4	7.0677	45.6415
2022	1	23	3	0	25	11.6	0.1	1	19.8	98.1	7.0677	46.1121
2022	1	23	3	10	25	11.6	0.1	1	19.28	95.1	7.0677	45.171
2022	1	23	3	20	25	11.6	0.1	1	20.99	99.6	7.0677	48.7
2022	1	23	3	30	25	11.6	0.1	1	19.89	99.8	7.0677	46.1121
2022	1	23	3	40	25	11.6	0.1	1	20.76	99.1	7.0677	48.2295
2022	1	23	3	50	25	11.6	0.1	1	20.45	97	7.0677	47.759
2022	1	23	4	0	25	11.6	0.1	1	19.09	98.1	7.0677	44.4653
2022	1	23	4	10	25	11.6	0.1	1	20	98	7.0677	46.5827
2022	1	23	4	20	25	11.6	0.1	1	19.68	99.7	7.0677	45.6416
2022	1	23	4	30	25	11.6	0.1	1	19.88	97.8	7.0677	46.3474
2022	1	23	4	40	25	11.6	0.1	1	19.65	97	7.0677	45.8769
2022	1	23	4	50	25	11.6	0.1	1	18.81	98.6	7.0677	43.7595
2022	1	23	5	0	25	11.6	0.1	1	21.14	100.4	7.0677	48.9354
2022	1	23	5	10	25	11.6	0.1	1	19.01	98.5	7.0677	44.2301
2022	1	23	5	20	25	11.6	0.1	1	19.94	96.9	7.0677	46.5827
2022	1	23	5	30	25	11.6	0.1	1	19.9	98.1	7.0677	46.3475
2022	1	23	5	40	25	11.6	0.1	1	20.51	98.1	7.0738	47.8019
2022	1	23	5	50	25	11.6	0.1	1	19.54	96.8	7.0677	45.6417
2022	1	23	6	0	25	11.6	0.1	1	19.98	95.2	7.0677	46.818
2022	1	23	6	10	25	11.6	0.1	1	19.66	99.4	7.0677	45.6417
2022	1	23	6	20	25	11.6	0.1	1	19.6	98.2	7.0677	45.6417
2022	1	23	6	30	25	11.6	0.1	1	20.06	100.9	7.0677	46.3475
2022	1	23	6	40	25	11.6	0.1	1	20.07	99.5	7.0677	46.5828
2022	1	23	6	50	25	11.6	0.1	1	20.07	99.5	7.0677	46.5828
2022	1	23	7	0	25	11.6	0.1	1	20.22	98.5	7.0677	47.0534
2022	1	23	7	10	25	11.6	0.1	1	19.28	97.8	7.0677	44.936
2022	1	23	7	20	25	11.6	0.1	1	18.26	97.6	7.0677	42.5833
2022	1	23	7	30	25	11.6	0.1	1	19.44	96.8	7.0677	45.4065
2022	1	23	7	40	25	11.6	0.1	1	19.91	101.6	7.0677	45.877
2022	1	23	7	50	25	12	0.1	1	19.65	99.1	7.0677	45.6418

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	23	8	0	25	12.4	0.1	1	20.09	99.7	7.0677	46.5828
2022	1	23	8	10	25	12.6	0.1	1	19.55	97.1	7.0677	45.6417
2022	1	23	8	20	25	12.8	0.1	1	19.9	95.8	7.0677	46.5828
2022	1	23	8	30	25	12.8	0.1	1	19.57	101.2	7.0677	45.1712
2022	1	23	8	40	25	13.2	0.1	1	20.51	98.1	7.0677	47.7591
2022	1	23	8	50	25	13.8	0.1	1	19.59	97.9	7.0677	45.6416
2022	1	23	9	0	25	14	0.1	1	20.12	100.3	7.0677	46.5827
2022	1	23	9	10	25	14.2	0.1	1	19.71	98.5	7.0738	45.918
2022	1	23	9	20	25	14.2	0.1	1	19.7	98.2	7.0738	45.918
2022	1	23	9	30	25	14.2	0.1	1	20.17	99.4	7.0738	46.8599
2022	1	23	9	40	25	14.2	0.1	1	20.11	98.3	7.0738	46.8599
2022	1	23	9	50	25	14.2	0.1	1	20.67	99.2	7.0738	48.0372
2022	1	23	10	0	25	14.2	0.1	1	19.93	98.7	7.0738	46.3888
2022	1	23	10	10	25	14.2	0.1	1	19.4	98.3	7.0738	45.2114
2022	1	23	10	20	25	14.2	0.1	1	20.58	97.5	7.0799	48.0802
2022	1	23	10	30	25	14.2	0.1	1	20.21	100	7.0799	46.9017
2022	1	23	10	40	25	14	0.1	1	19.5	100	7.0799	45.2519
2022	1	23	10	50	25	14	0.1	1	20.62	98.4	7.0799	48.0801
2022	1	23	11	0	25	13.8	0.1	1	19.89	99.8	7.0799	46.1946
2022	1	23	11	10	25	13.8	0.1	1	18.89	95.5	7.0799	44.3091
2022	1	23	11	20	25	13.8	0.1	1	20.12	100.3	7.0799	46.6659
2022	1	23	11	30	25	13.8	0.1	1	18.99	98.2	7.086	44.3487
2022	1	23	11	40	25	13.8	0.1	1	19.77	97.6	7.0799	46.1945
2022	1	23	11	50	25	13.8	0.1	1	21.09	97.6	7.086	49.3025
2022	1	23	12	0	25	13.8	0.1	1	19.55	99.1	7.086	45.5281
2022	1	23	12	10	25	13.8	0.1	1	19.08	97.8	7.086	44.5845
2022	1	23	12	20	25	13.8	0.1	1	20.69	97.8	7.086	48.3589
2022	1	23	12	30	25	13.8	0.1	1	18.62	96.5	7.086	43.6409
2022	1	23	12	40	25	13.8	0.1	1	19.95	100.7	7.086	46.2358
2022	1	23	12	50	25	13.8	0.1	1	20.32	96.2	7.0799	47.6085
2022	1	23	13	0	25	13.8	0.1	1	19.22	100.5	7.0799	44.5446
2022	1	23	13	10	25	13.8	0.1	1	19.78	99.6	7.0799	45.9587
2022	1	23	13	20	25	13.8	0.1	1	19.42	100.4	7.0799	45.016
2022	1	23	13	30	25	13.6	0.1	1	18.96	99.4	7.0799	44.0733
2022	1	23	13	40	25	13.8	0.1	1	20.04	98.9	7.0799	46.6658
2022	1	23	13	50	25	13.8	0.1	1	20.1	98	7.0799	46.9015
2022	1	23	14	0	25	13.8	0.1	1	20.01	100.1	7.0799	46.4302
2022	1	23	14	10	25	13.6	0.1	1	20.95	98.8	7.0799	48.787
2022	1	23	14	20	25	13.8	0.1	1	18.81	98.6	7.0799	43.8376
2022	1	23	14	30	25	13.8	0.1	1	19.6	100	7.0799	45.4875
2022	1	23	14	40	25	14	0.1	1	19.52	98.5	7.0799	45.4875
2022	1	23	14	50	25	14	0.1	1	19.3	98.3	7.0799	45.0161
2022	1	23	15	0	25	14	0.1	1	20.21	98.3	7.0799	47.1373
2022	1	23	15	10	25	13.8	0.1	1	20.27	99.4	7.0738	47.0951
2022	1	23	15	20	25	13.8	0.1	1	19.86	99.3	7.0738	46.1533
2022	1	23	15	30	25	13.8	0.1	1	19.73	98.7	7.0738	45.9179
2022	1	23	15	40	25	13.6	0.1	1	19.08	101.5	7.0738	44.0341
2022	1	23	15	50	25	13.6	0.1	1	18.91	101.9	7.0738	43.5632

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	23	16	0	25	13.6	0.1	1	19.47	101.3	7.0738	44.976
2022	1	23	16	10	25	13.4	0.1	1	19.7	98.2	7.0738	45.9179
2022	1	23	16	20	25	12.2	0.1	1	20.3	99.9	7.0738	47.0953
2022	1	23	16	30	25	11.6	0.1	1	19.73	100.5	7.0738	45.6824
2022	1	23	16	40	25	11.6	0.1	1	19.09	100	7.0738	44.2696
2022	1	23	16	50	25	11.6	0.1	1	19.36	101	7.0738	44.7405
2022	1	23	17	0	25	11.4	0.1	1	20.21	102.9	7.0738	46.3888
2022	1	23	17	10	25	12	0.1	1	19.6	103	7.0738	44.976
2022	1	23	17	20	25	11.8	0.1	1	18.68	103	7.0738	42.8567
2022	1	23	17	30	25	11.8	0.1	1	18.4	100.3	7.0738	42.6212
2022	1	23	17	40	25	11.8	0.1	1	19.06	101.2	7.0738	44.034
2022	1	23	17	50	25	11.8	0.1	1	18.69	101.7	7.0738	43.0921
2022	1	23	18	0	25	11.8	0.1	1	19.54	102.1	7.0738	44.9759
2022	1	23	18	10	25	11.8	0.1	1	19.09	105.5	7.0738	43.3276
2022	1	23	18	20	25	11.8	0.1	1	18.12	102.4	7.0738	41.6792
2022	1	23	18	30	25	11.8	0.1	1	19.95	100.7	7.0738	46.1533
2022	1	23	18	40	25	11.8	0.1	1	19.09	104.3	7.0738	43.563
2022	1	23	18	50	25	11.8	0.1	1	19.81	101.7	7.0738	45.6823
2022	1	23	19	0	25	11.8	0.1	1	18.97	102.8	7.0738	43.563
2022	1	23	19	10	25	11.8	0.1	1	19.75	102.3	7.0738	45.4468
2022	1	23	19	20	25	11.8	0.1	1	19.03	102.1	7.0738	43.7985
2022	1	23	19	30	25	11.8	0.1	1	18.96	101.3	7.0738	43.7985
2022	1	23	19	40	25	11.8	0.1	1	19.24	102.3	7.0738	44.2694
2022	1	23	19	50	25	11.8	0.1	1	19.28	101.4	7.0738	44.5049
2022	1	23	20	0	25	11.8	0.1	1	19.91	100.1	7.0738	46.1532
2022	1	23	20	10	25	11.8	0.1	1	19.16	105.1	7.0738	43.563
2022	1	23	20	20	25	11.8	0.1	1	18.94	103.7	7.0738	43.3275
2022	1	23	20	30	25	11.8	0.1	1	18.9	103.2	7.0738	43.3275
2022	1	23	20	40	25	11.8	0.1	1	17.93	102.6	7.0738	41.2082
2022	1	23	20	50	25	11.8	0.1	1	18.42	102.2	7.0738	42.3856
2022	1	23	21	0	25	11.8	0.1	1	18.46	102.8	7.0738	42.3856
2022	1	23	21	10	25	11.8	0.1	1	19.6	103	7.0738	44.9758
2022	1	23	21	20	25	11.8	0.1	1	18.73	102.3	7.0738	43.092
2022	1	23	21	30	25	11.8	0.1	1	19.83	101.9	7.0738	45.6823
2022	1	23	21	40	25	11.8	0.1	1	19.24	102.3	7.0738	44.2694
2022	1	23	21	50	25	11.8	0.1	1	19.1	101.8	7.0738	44.0339
2022	1	23	22	0	25	11.8	0.1	1	19.14	103.6	7.0738	43.7985
2022	1	23	22	10	25	11.6	0.1	1	19.75	102.3	7.0738	45.4468
2022	1	23	22	20	25	11.6	0.1	1	19.99	102.7	7.0738	45.9178
2022	1	23	22	30	25	11.6	0.1	1	18.93	100.7	7.0738	43.7985
2022	1	23	22	40	25	11.6	0.1	1	19.3	100.1	7.0738	44.7404
2022	1	23	22	50	25	11.6	0.1	1	18.82	103.5	7.0738	43.0921
2022	1	23	23	0	25	11.6	0.1	1	19.65	100.9	7.0738	45.4468
2022	1	23	23	10	25	11.6	0.1	1	19.62	103.3	7.0738	44.9759
2022	1	23	23	20	25	11.6	0.1	1	18.6	100.2	7.0738	43.0921
2022	1	23	23	30	25	11.6	0.1	1	18.79	100.1	7.0738	43.5631
2022	1	23	23	40	25	11.6	0.1	1	18.06	101.5	7.0738	41.6793
2022	1	23	23	50	25	11.6	0.1	1	19.93	100.4	7.0738	46.1533

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	24	0	0	25	11.6	0.1	1	19.44	100.7	7.0738	44.976
2022	1	24	0	10	25	11.6	0.1	1	18.3	102	7.0738	42.1503
2022	1	24	0	20	25	11.6	0.1	1	19.36	101	7.0738	44.7405
2022	1	24	0	30	25	11.6	0.1	1	19.71	100.2	7.0677	45.6415
2022	1	24	0	40	25	11.6	0.1	1	19.38	102.8	7.0677	44.4651
2022	1	24	0	50	25	11.6	0.1	1	19.8	98.1	7.0677	46.112
2022	1	24	1	0	25	11.6	0.1	1	19.62	103.3	7.0677	44.9357
2022	1	24	1	10	25	11.6	0.1	1	19.46	99.5	7.0677	45.171
2022	1	24	1	20	25	11.6	0.1	1	18.79	101.7	7.0677	43.2888
2022	1	24	1	30	25	11.6	0.1	1	19.2	101.7	7.0677	44.2299
2022	1	24	1	40	25	11.6	0.1	1	18.73	100.8	7.0677	43.2889
2022	1	24	1	50	25	11.6	0.1	1	19.16	101.1	7.0677	44.2299
2022	1	24	2	0	25	11.6	0.1	1	18.85	102.6	7.0677	43.2889
2022	1	24	2	10	25	11.6	0.1	1	19.26	102.6	7.0677	44.23
2022	1	24	2	20	25	11.6	0.1	1	18.98	101.5	7.0677	43.7594
2022	1	24	2	30	25	11.6	0.1	1	18.51	100.6	7.0677	42.8184
2022	1	24	2	40	25	11.6	0.1	1	18.56	105.3	7.0677	42.1126
2022	1	24	2	50	25	11.6	0.1	1	18.85	101	7.0677	43.5242
2022	1	24	3	0	25	11.6	0.1	1	19.97	102.4	7.0677	45.8769
2022	1	24	3	10	25	11.6	0.1	1	19.16	103.9	7.0677	43.7595
2022	1	24	3	20	25	11.6	0.1	1	19.17	99.6	7.0677	44.4653
2022	1	24	3	30	25	11.6	0.1	1	19.16	101.1	7.0677	44.2301
2022	1	24	3	40	25	11.6	0.1	1	19.26	102.6	7.0677	44.2301
2022	1	24	3	50	25	11.6	0.1	1	18.72	103.6	7.0677	42.8185
2022	1	24	4	0	25	11.6	0.1	1	19.03	102.1	7.0677	43.7596
2022	1	24	4	10	25	11.6	0.1	1	18.32	100.7	7.0677	42.348
2022	1	24	4	20	25	11.6	0.1	1	18.53	100.9	7.0677	42.8185
2022	1	24	4	30	25	11.6	0.1	1	18.91	100.4	7.0677	43.7596
2022	1	24	4	40	25	11.6	0.1	1	19.28	101.4	7.0677	44.4654
2022	1	24	4	50	25	11.6	0.1	1	19.42	101.9	7.0677	44.7007
2022	1	24	5	0	25	11.6	0.1	1	18.77	104.2	7.0677	42.8186
2022	1	24	5	10	25	11.6	0.1	1	18.54	102.5	7.0616	42.5451
2022	1	24	5	20	25	11.6	0.1	1	20.35	103.4	7.0677	46.5829
2022	1	24	5	30	25	11.6	0.1	1.1	19.32	101.9	7.0616	44.4256
2022	1	24	5	40	25	11.6	0.1	1.1	18.89	104.4	7.0616	43.0153
2022	1	24	5	50	25	11.6	0.1	1.1	19.73	102	7.0616	45.3659
2022	1	24	6	0	25	11.6	0.1	1.1	19.46	101	7.0616	44.8958
2022	1	24	6	10	25	11.6	0.1	1.1	18.34	102.6	7.0616	42.0751
2022	1	24	6	20	25	11.6	0.1	1.1	18.99	103.1	7.0616	43.4855
2022	1	24	6	30	25	11.4	0.1	1.1	19.86	103.7	7.0616	45.3659
2022	1	24	6	40	25	11.4	0.1	1.1	19.04	103.7	7.0616	43.4855
2022	1	24	6	50	25	11.4	0.1	1.1	18.97	102.8	7.0616	43.4855
2022	1	24	7	0	25	11.4	0.1	1.1	18.83	102.3	7.0616	43.2504
2022	1	24	7	10	25	11.4	0.1	1.1	18.34	103.9	7.0616	41.8401
2022	1	24	7	20	25	11.4	0.1	1.1	18.51	103.4	7.0616	42.3103
2022	1	24	7	30	25	11.4	0.1	1.1	18.95	101	7.0616	43.7206
2022	1	24	7	40	25	11.4	0.1	1.1	19.69	101.4	7.0616	45.366
2022	1	24	7	50	25	12	0.1	1.1	18.81	100.4	7.0616	43.4856



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	24	8	0	25	12.4	0.1	1.1	19.22	102	7.0616	44.1907
2022	1	24	8	10	25	12.8	0.1	1.1	19.69	101.4	7.0677	45.4067
2022	1	24	8	20	25	13	0.1	1.1	19.14	100.8	7.0677	44.2304
2022	1	24	8	30	25	13	0.1	1.1	18.73	98.9	7.0616	43.4855
2022	1	24	8	40	25	13.4	0.1	1.1	18.77	104.2	7.0677	42.8187
2022	1	24	8	50	25	13.8	0.1	1.1	18.94	103.7	7.0677	43.2893
2022	1	24	9	0	25	13.8	0.1	1.1	19.48	104	7.0677	44.4656
2022	1	24	9	10	25	14	0.1	1.1	18.77	104.2	7.0677	42.8187
2022	1	24	9	20	25	14	0.1	1.1	19.23	103.5	7.0677	43.995
2022	1	24	9	30	25	14	0.1	1	19.48	102.8	7.0677	44.7008
2022	1	24	9	40	25	14	0.1	1	19.43	104.6	7.0738	44.2699
2022	1	24	9	50	25	14	0.1	1	19.11	103.3	7.0677	43.7596
2022	1	24	10	0	25	14.2	0.1	1	19.05	102.4	7.0738	43.7989
2022	1	24	10	10	25	14.2	0.1	1	19.44	102.2	7.0738	44.7408
2022	1	24	10	20	25	14.2	0.1	1	19.03	102.1	7.0738	43.7988
2022	1	24	10	30	25	14.2	0.1	1	18.6	103.4	7.0738	42.6214
2022	1	24	10	40	25	14.2	0.1	1	18.97	104	7.0738	43.3278
2022	1	24	10	50	25	14.2	0.1	1	19.8	102.8	7.0738	45.4471
2022	1	24	11	0	25	14.2	0.1	1	18.47	101.6	7.0738	42.6214
2022	1	24	11	10	25	14.2	0.1	1	19.32	101.9	7.0738	44.5052
2022	1	24	11	20	25	14.2	0.1	1	18.38	100	7.0799	42.6595
2022	1	24	11	30	25	14.2	0.1	1	18.85	103.8	7.0799	43.1309
2022	1	24	11	40	25	14.2	0.1	1	18	103.5	7.0799	41.2454
2022	1	24	11	50	25	14.2	0.1	1	18.67	101.4	7.0799	43.1309
2022	1	24	12	0	25	14.2	0.1	1	19.57	101.2	7.0799	45.2521
2022	1	24	12	10	25	14.2	0.1	1	19.33	103.5	7.0799	44.3093
2022	1	24	12	20	25	14.2	0.1	1	18.95	102.5	7.0799	43.6022
2022	1	24	12	30	25	14.2	0.1	1	19.05	102.4	7.0799	43.8379
2022	1	24	12	40	25	14.2	0.1	1	18.53	103.7	7.0799	42.4238
2022	1	24	12	50	25	13.6	0.1	1	19.34	102.2	7.0799	44.545
2022	1	24	13	0	25	14.2	0.1	1	18.85	103.8	7.0799	43.1309
2022	1	24	13	10	25	14.2	0.1	1	19.05	102.4	7.0799	43.8379
2022	1	24	13	20	25	14.2	0.1	1	18.69	101.7	7.0799	43.1309
2022	1	24	13	30	25	14.2	0.1	1	18.79	101.7	7.0738	43.3277
2022	1	24	13	40	25	14	0.1	1	18.04	104.1	7.0738	41.2085
2022	1	24	13	50	25	14	0.1	1	19.23	104.8	7.0799	43.838
2022	1	24	14	0	25	14	0.1	1	19.81	100.2	7.0738	45.918
2022	1	24	14	10	25	14	0.1	1	18.18	101.7	7.0738	41.9149
2022	1	24	14	20	25	14	0.1	1	19.22	100.5	7.0738	44.5052
2022	1	24	14	30	25	13.8	0.1	1	19.87	102.5	7.0738	45.6826
2022	1	24	14	40	25	13.8	0.1	1	19.38	104	7.0738	44.2698
2022	1	24	14	50	25	13.8	0.1	1	18.1	100.5	7.0738	41.915
2022	1	24	15	0	25	13.8	0.1	1	20.2	101.4	7.0738	46.6246
2022	1	24	15	10	25	13.6	0.1	1	19.36	101	7.0738	44.7408
2022	1	24	15	20	25	13.6	0.1	1	19.46	101	7.0738	44.9763
2022	1	24	15	30	25	13.6	0.1	1.1	19.63	102.1	7.0677	45.1713
2022	1	24	15	40	25	13.6	0.1	1.1	19.58	105.1	7.0677	44.4656
2022	1	24	15	50	25	13.4	0.1	1.1	19.32	101.9	7.0677	44.4656

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	24	16	0	25	13.4	0.1	1.1	19.02	103.4	7.0677	43.5245
2022	1	24	16	10	25	13.2	0.1	1.1	19.52	100.3	7.0677	45.1714
2022	1	24	16	20	25	12.4	0.1	1.1	18.07	103.1	7.0677	41.4071
2022	1	24	16	30	25	12	0.1	1.1	19.14	104.8	7.0677	43.5245
2022	1	24	16	40	25	12	0.1	1.1	19.61	101.8	7.0677	45.1713
2022	1	24	16	50	25	11.8	0.1	1.1	18.27	103	7.0677	41.8776
2022	1	24	17	0	25	11.8	0.1	1.1	19.86	103.7	7.0677	45.4066
2022	1	24	17	10	25	11.8	0.1	1.1	19.43	103.4	7.0677	44.4655
2022	1	24	17	20	25	11.8	0.1	1.1	18.54	102.5	7.0677	42.5834
2022	1	24	17	30	25	11.8	0.1	1.1	19.02	103.4	7.0677	43.5244
2022	1	24	17	40	25	11.8	0.1	1.1	18.36	101.3	7.0677	42.3481
2022	1	24	17	50	25	11.8	0.1	1.1	19.31	103.2	7.0677	44.2302
2022	1	24	18	0	25	11.8	0.1	1	19.93	101.9	7.0677	45.8771
2022	1	24	18	10	25	11.8	0.1	1	18.3	102	7.0677	42.1128
2022	1	24	18	20	25	11.8	0.1	1	19	101.8	7.0677	43.7596
2022	1	24	18	30	25	11.8	0.1	1	19.86	103.7	7.0677	45.4065
2022	1	24	18	40	25	11.8	0.1	1	19.09	104.3	7.0677	43.5243
2022	1	24	18	50	25	11.8	0.1	1	19.14	100.8	7.0677	44.2301
2022	1	24	19	0	25	11.8	0.1	1	19.14	103.6	7.0677	43.7596
2022	1	24	19	10	25	11.8	0.1	1	18.38	101.6	7.0677	42.348
2022	1	24	19	20	25	11.8	0.1	1	18.53	100.9	7.0677	42.8185
2022	1	24	19	30	25	11.8	0.1	1	18.95	101	7.0677	43.7596
2022	1	24	19	40	25	11.8	0.1	1	18.07	103.1	7.0677	41.4069
2022	1	24	19	50	25	11.8	0.1	1	19.45	104.9	7.0677	44.2301
2022	1	24	20	0	25	11.8	0.1	1	18.85	103.8	7.0677	43.0537
2022	1	24	20	10	25	11.8	0.1	1	18.54	102.5	7.0677	42.5832
2022	1	24	20	20	25	11.8	0.1	1	18.53	105	7.0677	42.1127
2022	1	24	20	30	25	11.8	0.1	1	19.73	100.5	7.0677	45.6417
2022	1	24	20	40	25	11.8	0.1	1	19.42	101.9	7.0677	44.7006
2022	1	24	20	50	25	11.8	0.1	1	19.09	103	7.0677	43.7595
2022	1	24	21	0	25	11.8	0.1	1	18.18	101.7	7.0677	41.8774
2022	1	24	21	10	25	11.8	0.1	1	19.63	102.1	7.0677	45.1711
2022	1	24	21	20	25	11.8	0.1	1	18.12	102.4	7.0677	41.6421
2022	1	24	21	30	25	11.8	0.1	1	18.49	101.9	7.0677	42.5832
2022	1	24	21	40	25	11.8	0.1	1	18.66	102.7	7.0677	42.8185
2022	1	24	21	50	25	11.8	0.1	1	19.53	103.3	7.0677	44.7006
2022	1	24	22	0	25	11.8	0.1	1	19.32	101.9	7.0677	44.4654
2022	1	24	22	10	25	11.8	0.1	1	18.08	101.8	7.0677	41.6422
2022	1	24	22	20	25	11.8	0.1	1	19.7	99.9	7.0677	45.6417
2022	1	24	22	30	25	11.6	0.1	1	19.03	102.1	7.0677	43.7596
2022	1	24	22	40	25	11.6	0.1	1	18.49	105.7	7.0677	41.8775
2022	1	24	22	50	25	11.6	0.1	1	18.85	102.6	7.0616	43.2502
2022	1	24	23	0	25	11.6	0.1	1	18.97	104	7.0677	43.2891
2022	1	24	23	10	25	11.6	0.1	1	18.75	103.9	7.0677	42.8186
2022	1	24	23	20	25	11.6	0.1	1	19.14	103.6	7.0616	43.7204
2022	1	24	23	30	25	11.6	0.1	1	19.03	102.1	7.0616	43.7204
2022	1	24	23	40	25	11.6	0.1	1	19.06	104	7.0677	43.5244
2022	1	24	23	50	25	11.6	0.1	1.1	18.68	104.3	7.0677	42.5834

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	25	0	0	25	11.6	0.1	1.1	18.27	103	7.0616	41.84
2022	1	25	0	10	25	11.6	0.1	1.1	18.63	102.4	7.0616	42.7802
2022	1	25	0	20	25	11.6	0.1	1.1	18.42	102.2	7.0616	42.3101
2022	1	25	0	30	25	11.6	0.1	1.1	18.28	101.7	7.0616	42.0751
2022	1	25	0	40	25	11.6	0.1	1.1	18.26	104.3	7.0616	41.605
2022	1	25	0	50	25	11.6	0.1	1.1	18.93	102.2	7.0616	43.4855
2022	1	25	1	0	25	11.6	0.1	1.1	18.12	102.4	7.0616	41.605
2022	1	25	1	10	25	11.6	0.1	1.1	18.36	102.9	7.0616	42.0751
2022	1	25	1	20	25	11.6	0.1	1.1	18.18	101.7	7.0616	41.8401
2022	1	25	1	30	25	11.6	0.1	1.1	18.34	103.9	7.0616	41.8401
2022	1	25	1	40	25	11.6	0.1	1.1	18.85	101	7.0616	43.4855
2022	1	25	1	50	25	11.6	0.1	1.1	19.06	104	7.0616	43.4855
2022	1	25	2	0	25	11.6	0.1	1.1	18.77	104.2	7.0616	42.7804
2022	1	25	2	10	25	11.6	0.1	1.1	17.8	105	7.0616	40.4298
2022	1	25	2	20	25	11.6	0.1	1.1	18.83	102.3	7.0616	43.2505
2022	1	25	2	30	25	11.6	0.1	1.1	19.22	102	7.0616	44.1908
2022	1	25	2	40	25	11.6	0.1	1.1	18.58	103.1	7.0616	42.5454
2022	1	25	2	50	25	11.6	0.1	1.1	18.17	104.3	7.0616	41.3701
2022	1	25	3	0	25	11.6	0.1	1.1	19.59	106.3	7.0616	44.1908
2022	1	25	3	10	25	11.6	0.1	1.1	19.03	102.1	7.0616	43.7207
2022	1	25	3	20	25	11.6	0.1	1.1	19.62	106.6	7.0616	44.1908
2022	1	25	3	30	25	11.6	0.1	1.1	18.77	104.2	7.0616	42.7805
2022	1	25	3	40	25	11.6	0.1	1.1	18.78	102.9	7.0616	43.0156
2022	1	25	3	50	25	11.6	0.1	1.1	19.52	100.3	7.0616	45.1311
2022	1	25	4	0	25	11.6	0.1	1.1	18.56	99.6	7.0555	42.977
2022	1	25	4	10	25	11.6	0.1	1.1	19.07	102.7	7.0555	43.6815
2022	1	25	4	20	25	11.6	0.1	1.1	19.03	102.1	7.0555	43.6815
2022	1	25	4	30	25	11.6	0.1	1.1	19.24	102.3	7.0555	44.1512
2022	1	25	4	40	25	11.6	0.1	1.1	18.95	102.5	7.0555	43.4467
2022	1	25	4	50	25	11.6	0.1	1.1	18.95	102.5	7.0555	43.4467
2022	1	25	5	0	25	11.6	0.1	1.1	18.77	104.2	7.0555	42.7422
2022	1	25	5	10	25	11.6	0.1	1.1	17.38	102	7.0555	39.924
2022	1	25	5	20	25	11.6	0.1	1.1	19.32	101.9	7.0555	44.3861
2022	1	25	5	30	25	11.6	0.1	1.1	18.85	103.8	7.0555	42.9771
2022	1	25	5	40	25	11.4	0.1	1.1	18.56	105.3	7.0555	42.0377
2022	1	25	5	50	25	11.4	0.1	1.1	20.24	100.5	7.0616	46.7767
2022	1	25	6	0	25	11.4	0.1	1.1	19.75	100.8	7.0677	45.6423
2022	1	25	6	10	25	11.4	0.1	1.1	19.48	99.8	7.0677	45.1718
2022	1	25	6	20	25	11.4	0.1	1.1	19.81	100.2	7.0616	45.8365
2022	1	25	6	30	25	11.4	0.1	1.1	20.79	97.7	7.0677	48.4656
2022	1	25	6	40	25	11.4	0.1	1.1	20.69	97.8	7.0677	48.2303
2022	1	25	6	50	25	11.4	0.1	1.1	20.01	96	7.0616	46.7767
2022	1	25	7	0	25	11.4	0.1	1.1	20.58	97.5	7.0677	47.9951
2022	1	25	7	10	25	11.4	0.1	1.1	19.66	99.4	7.0616	45.6014
2022	1	25	7	20	25	11.4	0.1	1.1	20.54	96.7	7.0616	47.952
2022	1	25	7	30	25	11.4	0.1	1.1	20.9	98	7.0616	48.6572
2022	1	25	7	40	25	11.4	0.1	1.1	19.61	100.3	7.0677	45.4071
2022	1	25	7	50	25	12	0.1	1.1	19.66	99.4	7.0616	45.6014

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	25	8	0	25	12.4	0.1	1.1	19.46	97.4	7.0616	45.3663
2022	1	25	8	10	25	12.6	0.1	1.1	19.55	97.1	7.0677	45.6423
2022	1	25	8	20	25	12.8	0.1	1.1	20.57	97.3	7.0677	47.995
2022	1	25	8	30	25	12.8	0.1	1.1	21.44	98.6	7.0677	49.8771
2022	1	25	8	40	25	13	0.1	1.1	20.29	97.9	7.0677	47.2891
2022	1	25	8	50	25	13.2	0.1	1.1	20.51	95.9	7.0677	47.9949
2022	1	25	9	0	25	13.2	0.1	1.1	20.9	98	7.0738	48.7444
2022	1	25	9	10	25	13.4	0.1	1.1	19.69	97.9	7.0677	45.8774
2022	1	25	9	20	25	13.6	0.1	1.1	20.78	97.5	7.0738	48.5088
2022	1	25	9	30	25	13.6	0.1	1.1	19.38	95.3	7.0738	45.4475
2022	1	25	9	40	25	13.6	0.1	1.1	20.29	97.9	7.0738	47.3313
2022	1	25	9	50	25	13.6	0.1	1.1	20.68	97.5	7.0677	48.23
2022	1	25	10	0	25	13.6	0.1	1.1	19.09	95.7	7.0677	44.7009
2022	1	25	10	10	25	14.2	0.1	1.1	19.57	97.6	7.0738	45.6829
2022	1	25	10	20	25	14.2	0.1	1.1	20.68	97.5	7.0738	48.2731
2022	1	25	10	30	25	14.2	0.1	1.1	19.84	99	7.0738	46.1538
2022	1	25	10	40	25	14.2	0.1	1.1	19.95	100.7	7.0738	46.1538
2022	1	25	10	50	25	14.2	0.1	1.1	21.38	97.5	7.0738	49.9214
2022	1	25	11	0	25	14.2	0.1	1	20.39	97.9	7.0738	47.5666
2022	1	25	11	10	25	14.2	0.1	1	20.2	95.7	7.0738	47.3311
2022	1	25	11	20	25	14.2	0.1	1	18.32	96.6	7.0738	42.857
2022	1	25	11	30	25	14.2	0.1	1	19.3	100.1	7.0799	44.7809
2022	1	25	11	40	25	14.2	0.1	1	20.64	96.7	7.0799	48.3162
2022	1	25	11	50	25	14.2	0.1	1	19.6	100	7.0799	45.4879
2022	1	25	12	0	25	14.2	0.1	1	20.09	99.7	7.0799	46.6663
2022	1	25	12	10	25	14.2	0.1	1	20.47	99.3	7.0799	47.6091
2022	1	25	12	20	25	14.2	0.1	1	19.7	98.2	7.0799	45.9593
2022	1	25	12	30	25	14.2	0.1	1	20.07	99.5	7.0799	46.6663
2022	1	25	12	40	25	14.2	0.1	1	19.96	97.2	7.086	46.7081
2022	1	25	12	50	25	14.2	0.1	1	18.79	100.1	7.0799	43.6024
2022	1	25	13	0	25	14.2	0.1	1	19.99	95.5	7.0738	46.86
2022	1	25	13	10	25	14.2	0.1	1	19.8	98.1	7.0799	46.195
2022	1	25	13	20	25	14.2	0.1	1	20.9	99.6	7.0799	48.5518
2022	1	25	13	30	25	14.2	0.1	1	19.91	101.6	7.0799	45.9593
2022	1	25	13	40	25	14.2	0.1	1	19.3	98.3	7.0799	45.0165
2022	1	25	13	50	25	14.2	0.1	1	20.14	96.8	7.0738	47.0955
2022	1	25	14	0	25	14.2	0.1	1	19.93	96.6	7.0799	46.6664
2022	1	25	14	10	25	14.2	0.1	1	19.89	99.8	7.0738	46.1537
2022	1	25	14	20	25	14.2	0.1	1	20.25	99.1	7.0799	47.1378
2022	1	25	14	30	25	14.2	0.1	1	19.88	97.8	7.0799	46.4307
2022	1	25	14	40	25	14.2	0.1	1	19.76	99.3	7.0738	45.9182
2022	1	25	14	50	25	14.2	0.1	1.1	20.9	98	7.0738	48.744
2022	1	25	15	0	25	14.2	0.1	1	19.47	97.7	7.0738	45.4473
2022	1	25	15	10	25	14.2	0.1	1.1	20.37	97.3	7.0738	47.5666
2022	1	25	15	20	25	14.2	0.1	1.1	20.11	98.3	7.0738	46.8603
2022	1	25	15	30	25	14.2	0.1	1.1	20.24	96.8	7.0677	47.2889
2022	1	25	15	40	25	14	0.1	1.1	19.96	99.2	7.0677	46.3478
2022	1	25	15	50	25	14	0.1	1.1	20.14	98.9	7.0677	46.8183

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	25	16	0	25	14	0.1	1.1	20.16	99.1	7.0738	46.8603
2022	1	25	16	10	25	13.8	0.1	1.1	19.61	100.3	7.0677	45.4067
2022	1	25	16	20	25	12.8	0.1	1.1	20.22	96.2	7.0677	47.2889
2022	1	25	16	30	25	11.4	0.1	1.1	18.67	97.7	7.0677	43.5246
2022	1	25	16	40	25	11.2	0.1	1.1	18.6	100.2	7.0616	43.0154
2022	1	25	16	50	25	11.2	0.1	1.1	19.46	99.5	7.0677	45.1714
2022	1	25	17	0	25	11.2	0.1	1.1	18.66	102.7	7.0616	42.7803
2022	1	25	17	10	25	11.8	0.1	1.1	18.34	102.6	7.0616	42.0751
2022	1	25	17	20	25	11.8	0.1	1.1	19.31	103.2	7.0616	44.1906
2022	1	25	17	30	25	11.8	0.1	1.1	19.53	103.3	7.0616	44.6607
2022	1	25	17	40	25	11.8	0.1	1.1	19.66	99.4	7.0677	45.6419
2022	1	25	17	50	25	11.8	0.1	1.1	19.06	104	7.0677	43.5245
2022	1	25	18	0	25	11.8	0.1	1.1	19.4	100.1	7.0677	44.936
2022	1	25	18	10	25	11.8	0.1	1.1	18.67	101.4	7.0616	43.0153
2022	1	25	18	20	25	11.8	0.1	1	20.06	99.2	7.0677	46.5829
2022	1	25	18	30	25	11.8	0.1	1	19.81	98.4	7.0677	46.1123
2022	1	25	18	40	25	11.8	0.1	1	19.93	98.7	7.0677	46.3476
2022	1	25	18	50	25	11.8	0.1	1	18.68	99.9	7.0677	43.2891
2022	1	25	19	0	25	11.8	0.1	1	19.56	99.4	7.0677	45.4065
2022	1	25	19	10	25	11.8	0.1	1	19.22	98.7	7.0677	44.7007
2022	1	25	19	20	25	11.8	0.1	1	18.98	97.9	7.0738	44.2698
2022	1	25	19	30	25	11.8	0.1	1	19.86	99.3	7.0677	46.1122
2022	1	25	19	40	25	11.8	0.1	1	18.32	96.6	7.0677	42.8185
2022	1	25	19	50	25	11.8	0.1	1	19.32	98.6	7.0677	44.9359
2022	1	25	20	0	25	11.8	0.1	1	19.27	99.6	7.0677	44.7006
2022	1	25	20	10	25	11.8	0.1	1	18.48	100	7.0677	42.8184
2022	1	25	20	20	25	11.8	0.1	1	19.36	101	7.0677	44.7006
2022	1	25	20	30	25	11.8	0.1	1	19.69	97.9	7.0738	45.9181
2022	1	25	20	40	25	11.8	0.1	1	19.14	100.8	7.0677	44.23
2022	1	25	20	50	25	11.8	0.1	1	18.27	97.9	7.0677	42.5831
2022	1	25	21	0	25	11.8	0.1	1	18.43	99.1	7.0677	42.8184
2022	1	25	21	10	25	11.8	0.1	1	18.81	98.6	7.0677	43.7595
2022	1	25	21	20	25	11.8	0.1	1	19.36	101	7.0677	44.7005
2022	1	25	21	30	25	11.8	0.1	1	19.48	99.8	7.0677	45.1711
2022	1	25	21	40	25	11.8	0.1	1	18.99	100	7.0677	43.9947
2022	1	25	21	50	25	11.8	0.1	1	18.35	99.4	7.0677	42.5831
2022	1	25	22	0	25	11.8	0.1	1	19.57	103.9	7.0677	44.7005
2022	1	25	22	10	25	11.8	0.1	1	19.56	102.4	7.0677	44.9358
2022	1	25	22	20	25	11.8	0.1	1	19.69	101.4	7.0677	45.4063
2022	1	25	22	30	25	11.8	0.1	1	18.99	100	7.0677	43.9947
2022	1	25	22	40	25	11.8	0.1	1	19.55	99.1	7.0677	45.4063
2022	1	25	22	50	25	11.8	0.1	1	20.24	100.5	7.0677	46.8179
2022	1	25	23	0	25	11.8	0.1	1	18.85	101	7.0677	43.5242
2022	1	25	23	10	25	11.8	0.1	1	18.87	101.3	7.0677	43.5242
2022	1	25	23	20	25	11.8	0.1	1	18.4	98.4	7.0677	42.8184
2022	1	25	23	30	25	11.8	0.1	1	18.18	101.7	7.0677	41.8774
2022	1	25	23	40	25	11.8	0.1	1	18.89	98.2	7.0677	43.9948
2022	1	25	23	50	25	11.6	0.1	1	19.32	100.4	7.0677	44.7006

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	26	0	0	25	11.6	0.1	1	19.27	99.6	7.0677	44.7006
2022	1	26	0	10	25	11.6	0.1	1	19.44	102.2	7.0677	44.7006
2022	1	26	0	20	25	11.6	0.1	1	18.83	102.3	7.0616	43.2502
2022	1	26	0	30	25	11.6	0.1	1	19.53	103.3	7.0616	44.6605
2022	1	26	0	40	25	11.6	0.1	1	19.16	101.1	7.0677	44.2301
2022	1	26	0	50	25	11.6	0.1	1	18.44	100.9	7.0616	42.545
2022	1	26	1	0	25	11.6	0.1	1	18.96	101.3	7.0616	43.7203
2022	1	26	1	10	25	11.6	0.1	1	18.73	100.8	7.0616	43.2502
2022	1	26	1	20	25	11.6	0.1	1	18.87	101.3	7.0616	43.4853
2022	1	26	1	30	25	11.6	0.1	1	19.25	99.3	7.0616	44.6606
2022	1	26	1	40	25	11.6	0.1	1	19.37	99.5	7.0616	44.8956
2022	1	26	1	50	25	11.6	0.1	1	19.77	101.1	7.0616	45.6008
2022	1	26	2	0	25	11.6	0.1	1	19.68	99.7	7.0616	45.6008
2022	1	26	2	10	25	11.6	0.1	1	19.27	99.6	7.0616	44.6606
2022	1	26	2	20	25	11.6	0.1	1	19.49	101.5	7.0616	44.8957
2022	1	26	2	30	25	11.6	0.1	1	19.32	100.4	7.0616	44.6606
2022	1	26	2	40	25	11.6	0.1	1.1	19.83	100.5	7.0616	45.8359
2022	1	26	2	50	25	11.6	0.1	1.1	19.36	101	7.0616	44.6606
2022	1	26	3	0	25	11.6	0.1	1.1	19.91	101.6	7.0616	45.8359
2022	1	26	3	10	25	11.6	0.1	1.1	19.26	101.1	7.0616	44.4256
2022	1	26	3	20	25	11.6	0.1	1.1	19.6	100	7.0616	45.3659
2022	1	26	3	30	25	11.6	0.1	1.1	18.97	102.8	7.0616	43.4854
2022	1	26	3	40	25	11.6	0.1	1.1	19.07	102.7	7.0616	43.7205
2022	1	26	3	50	25	11.6	0.1	1.1	19.78	99.6	7.0616	45.836
2022	1	26	4	0	25	11.6	0.1	1.1	19.8	102.8	7.0555	45.3252
2022	1	26	4	10	25	11.6	0.1	1.1	19.67	101.1	7.0616	45.3659
2022	1	26	4	20	25	11.6	0.1	1.1	19.44	102.2	7.0555	44.6207
2022	1	26	4	30	25	11.6	0.1	1.1	18.89	100.1	7.0555	43.6813
2022	1	26	4	40	25	11.6	0.1	1.1	18.79	100.1	7.0616	43.4855
2022	1	26	4	50	25	11.6	0.1	1.1	20.07	99.5	7.0555	46.4995
2022	1	26	5	0	25	11.6	0.1	1.1	19.71	101.7	7.0555	45.3253
2022	1	26	5	10	25	11.6	0.1	1.1	19.26	103.8	7.0555	43.9162
2022	1	26	5	20	25	11.6	0.1	1.1	19.57	101.2	7.0555	45.0905
2022	1	26	5	30	25	11.4	0.1	1.1	19.06	104	7.0555	43.4466
2022	1	26	5	40	25	11.4	0.1	1.1	18.83	102.3	7.0555	43.2117
2022	1	26	5	50	25	11.4	0.1	1.1	19.07	102.7	7.0555	43.6814
2022	1	26	6	0	25	11.4	0.1	1.1	19.91	101.6	7.0555	45.7951
2022	1	26	6	10	25	11.4	0.1	1.1	18.78	102.9	7.0555	42.9769
2022	1	26	6	20	25	11.4	0.1	1.1	19.59	101.5	7.0555	45.0906
2022	1	26	6	30	25	11.4	0.1	1.1	18.99	104.3	7.0555	43.2118
2022	1	26	6	40	25	11.4	0.1	1.1	20	101.5	7.0555	46.03
2022	1	26	6	50	25	11.4	0.1	1.1	20.71	101.4	7.0555	47.6739
2022	1	26	7	0	25	11.4	0.1	1.1	19.18	101.4	7.0555	44.1513
2022	1	26	7	10	25	11.4	0.1	1.1	20.04	102.1	7.0555	46.03
2022	1	26	7	20	25	11.4	0.1	1.1	18.69	101.7	7.0555	42.9771
2022	1	26	7	30	25	11.4	0.1	1.1	19.3	101.7	7.0555	44.3861
2022	1	26	7	40	25	11.4	0.1	1.1	18.58	99.9	7.0555	42.9771
2022	1	26	7	50	25	12	0.1	1.1	19.5	103	7.0555	44.621

## Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	26	8	0	25	12.6	0.1	1.1	19.3	101.7	7.0555	44.3862
2022	1	26	8	10	25	12.8	0.1	1.1	18.55	101.2	7.0555	42.7422
2022	1	26	8	20	25	13	0.1	1.1	20	101.5	7.0555	46.0301
2022	1	26	8	30	25	13.4	0.1	1.1	19.36	102.5	7.0555	44.3861
2022	1	26	8	40	25	14	0.1	1.1	18.59	101.8	7.0555	42.7422
2022	1	26	8	50	25	14	0.1	1.1	19.5	103	7.0555	44.621
2022	1	26	9	0	25	14.2	0.1	1.1	19.48	105.2	7.0555	44.1513
2022	1	26	9	10	25	14.2	0.1	1.1	18.54	102.5	7.0555	42.5073
2022	1	26	9	20	25	14.2	0.1	1.1	19.56	102.4	7.0555	44.8558
2022	1	26	9	30	25	14.2	0.1	1.1	18.95	101	7.0616	43.7208
2022	1	26	9	40	25	14.2	0.1	1.1	19.08	101.5	7.0616	43.9558
2022	1	26	9	50	25	14.2	0.1	1.1	20.27	99.4	7.0555	46.9694
2022	1	26	10	0	25	14.2	0.1	1.1	19.54	96.8	7.0555	45.5603
2022	1	26	10	10	25	14.2	0.1	1.1	20.25	99.1	7.0555	46.9693
2022	1	26	10	20	25	14.2	0.1	1.1	20.11	98.3	7.0616	46.7765
2022	1	26	10	30	25	14.2	0.1	1.1	20.98	99.3	7.0555	48.6133
2022	1	26	10	40	25	14.2	0.1	1.1	19.58	99.7	7.0616	45.3661
2022	1	26	10	50	25	14.2	0.1	1.1	19.53	98.8	7.0616	45.3661
2022	1	26	11	0	25	14.2	0.1	1.1	20.52	100.1	7.0616	47.4816
2022	1	26	11	10	25	14.2	0.1	1.1	19.32	100.4	7.0616	44.6609
2022	1	26	11	20	25	14.2	0.1	1.1	20.45	99	7.0616	47.4816
2022	1	26	11	30	25	14.2	0.1	1.1	18.86	94.6	7.0616	44.1908
2022	1	26	11	40	25	14.2	0.1	1.1	21.04	98.7	7.0616	48.8919
2022	1	26	11	50	25	14.2	0.1	1.1	20.16	99.1	7.0616	46.7764
2022	1	26	12	0	25	14.2	0.1	1.1	20.34	98.8	7.0616	47.2465
2022	1	26	12	10	25	14.2	0.1	1.1	20.06	99.2	7.0616	46.5413
2022	1	26	12	20	25	14.2	0.1	1.1	19.89	99.8	7.0616	46.0712
2022	1	26	12	30	25	14.2	0.1	1.1	19.66	99.4	7.0616	45.6011
2022	1	26	12	40	25	14.2	0.1	1.1	20.08	101.2	7.0616	46.3062
2022	1	26	12	50	25	14.2	0.1	1.1	19.46	97.4	7.0616	45.366
2022	1	26	13	0	25	14.2	0.1	1.1	20.16	99.1	7.0616	46.7764
2022	1	26	13	10	25	14.2	0.1	1.1	20.22	100.3	7.0616	46.7764
2022	1	26	13	20	25	14.2	0.1	1.1	19.3	101.7	7.0616	44.4258
2022	1	26	13	30	25	14.2	0.1	1.1	20.06	99.2	7.0616	46.5413
2022	1	26	13	40	25	14.2	0.1	1.1	20.29	97.9	7.0616	47.2465
2022	1	26	13	50	25	14.2	0.1	1.1	19.63	100.6	7.0616	45.366
2022	1	26	14	0	25	14.2	0.1	1.1	20.71	101.4	7.0616	47.7166
2022	1	26	14	10	25	13.6	0.1	1.1	19.89	99.8	7.0616	46.0712
2022	1	26	14	20	25	14.2	0.1	1.1	20.45	99	7.0616	47.4816
2022	1	26	14	30	25	14.2	0.1	1.1	20.9	99.6	7.0616	48.4218
2022	1	26	14	40	25	14.2	0.1	1.1	18.99	100	7.0616	43.9557
2022	1	26	14	50	25	14.2	0.1	1.1	20.7	98.1	7.0616	48.1868
2022	1	26	15	0	25	14.2	0.1	1.1	20.45	99	7.0616	47.4816
2022	1	26	15	10	25	14	0.1	1.1	20.22	100.3	7.0555	46.7345
2022	1	26	15	20	25	14	0.1	1.1	19.91	100.1	7.0616	46.0713
2022	1	26	15	30	25	14	0.1	1.1	19.86	99.3	7.0555	46.03
2022	1	26	15	40	25	13.8	0.1	1.1	20.08	101.2	7.0555	46.2648
2022	1	26	15	50	25	13.8	0.1	1.1	19.38	97.7	7.0555	45.0906

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	26	16	0	25	13.6	0.1	1.1	19.48	99.8	7.0555	45.0906
2022	1	26	16	10	25	13.6	0.1	1.1	19.35	97.1	7.0555	45.0906
2022	1	26	16	20	25	13	0.1	1.1	19.8	98.1	7.0555	46.03
2022	1	26	16	30	25	11.4	0.1	1.1	19.66	97.3	7.0555	45.7951
2022	1	26	16	40	25	11.2	0.1	1.1	19.48	99.8	7.0555	45.0906
2022	1	26	16	50	25	11.2	0.1	1.1	20.41	98.2	7.0555	47.439
2022	1	26	17	0	25	11.2	0.1	1.1	18.95	102.5	7.0555	43.4466
2022	1	26	17	10	25	12	0.1	1.1	20.89	97.7	7.0555	48.6133
2022	1	26	17	20	25	12	0.1	1.1	19.83	96.7	7.0555	46.2648
2022	1	26	17	30	25	11.8	0.1	1.1	19.66	97.3	7.0555	45.7951
2022	1	26	17	40	25	11.8	0.1	1.1	20.57	97.3	7.0555	47.9087
2022	1	26	17	50	25	11.8	0.1	1.1	19.98	97.8	7.0555	46.4996
2022	1	26	18	0	25	11.8	0.1	1.1	19.9	98.1	7.0616	46.3064
2022	1	26	18	10	25	11.8	0.1	1.1	20.27	97.4	7.0555	47.2041
2022	1	26	18	20	25	11.8	0.1	1.1	18.29	98.2	7.0555	42.5072
2022	1	26	18	30	25	11.8	0.1	1.1	20.32	98.5	7.0555	47.2041
2022	1	26	18	40	25	11.8	0.1	1.1	20.25	99.1	7.0555	46.9693
2022	1	26	18	50	25	11.8	0.1	1.1	18.91	96.1	7.0555	44.1511
2022	1	26	19	0	25	11.8	0.1	1.1	20.11	100	7.0555	46.4996
2022	1	26	19	10	25	11.8	0.1	1.1	20.07	99.5	7.0555	46.4996
2022	1	26	19	20	25	11.8	0.1	1.1	20.31	98.2	7.0555	47.2041
2022	1	26	19	30	25	11.8	0.1	1.1	20.18	97.7	7.0555	46.9692
2022	1	26	19	40	25	11.8	0.1	1.1	19.53	98.8	7.0555	45.3253
2022	1	26	19	50	25	11.8	0.1	1.1	19.6	95.9	7.0555	45.795
2022	1	26	20	0	25	11.8	0.1	1.1	19.63	100.6	7.0555	45.3253
2022	1	26	20	10	25	11.8	0.1	1.1	19.16	97.5	7.0555	44.6208
2022	1	26	20	20	25	11.8	0.1	1.1	21.4	97.8	7.0555	49.7874
2022	1	26	20	30	25	11.8	0.1	1.1	19.3	98.3	7.0555	44.8556
2022	1	26	20	40	25	11.8	0.1	1.1	19.28	99.9	7.0555	44.6208
2022	1	26	20	50	25	11.8	0.1	1.1	19.62	98.5	7.0555	45.5602
2022	1	26	21	0	25	11.8	0.1	1.1	19.7	98.2	7.0555	45.795
2022	1	26	21	10	25	11.8	0.1	1.1	19.9	98.1	7.0555	46.2647
2022	1	26	21	20	25	11.8	0.1	1.1	21.01	99.9	7.0555	48.6132
2022	1	26	21	30	25	11.8	0.1	1.1	20.03	100.4	7.0555	46.2648
2022	1	26	21	40	25	11.8	0.1	1.1	19.81	98.4	7.0555	46.0299
2022	1	26	21	50	25	11.6	0.1	1.1	20.16	99.1	7.0555	46.7345
2022	1	26	22	0	25	11.6	0.1	1.1	19.87	97.5	7.0555	46.2648
2022	1	26	22	10	25	11.6	0.1	1.1	19.5	98.3	7.0555	45.3254
2022	1	26	22	20	25	11.6	0.1	1.1	19.08	97.8	7.0555	44.386
2022	1	26	22	30	25	11.6	0.1	1.1	20.48	99.6	7.0555	47.4391
2022	1	26	22	40	25	11.6	0.1	1.1	19.8	98.1	7.0555	46.03
2022	1	26	22	50	25	11.6	0.1	1.1	18.78	98	7.0555	43.6815
2022	1	26	23	0	25	11.6	0.1	1.1	19.45	99.2	7.0555	45.0906
2022	1	26	23	10	25	11.6	0.1	1.1	20.06	99.2	7.0555	46.4997
2022	1	26	23	20	25	11.6	0.1	1.1	19.17	99.6	7.0555	44.3861
2022	1	26	23	30	25	11.6	0.1	1.1	19.66	99.4	7.0555	45.5604
2022	1	26	23	40	25	11.6	0.1	1.1	19.6	98.2	7.0555	45.5604
2022	1	26	23	50	25	11.6	0.1	1.1	19.58	99.7	7.0555	45.3256



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	27	0	0	25	11.6	0.1	1.1	19.32	98.6	7.0555	44.8559
2022	1	27	0	10	25	11.6	0.1	1.1	20.43	96.5	7.0494	47.6312
2022	1	27	0	20	25	11.6	0.1	1.1	19.7	98.2	7.0494	45.7541
2022	1	27	0	30	25	11.6	0.1	1.1	20.07	99.5	7.0555	46.4999
2022	1	27	0	40	25	11.6	0.1	1.1	19.55	97.1	7.0494	45.5195
2022	1	27	0	50	25	11.6	0.1	1.1	19.25	97.2	7.0494	44.8156
2022	1	27	1	0	25	11.6	0.1	1.1	19.76	97.3	7.0555	46.0302
2022	1	27	1	10	25	11.6	0.1	1.1	19.76	99.3	7.0494	45.7542
2022	1	27	1	20	25	11.6	0.1	1.1	20.7	98.1	7.0494	48.1006
2022	1	27	1	30	25	11.6	0.1	1.1	19.24	96.9	7.0494	44.8157
2022	1	27	1	40	25	11.6	0.1	1.1	20.16	99.1	7.0494	46.6928
2022	1	27	1	50	25	11.6	0.1	1.1	20.23	96.5	7.0494	47.1621
2022	1	27	2	0	25	11.6	0.1	1.1	20.63	96.4	7.0494	48.1007
2022	1	27	2	10	25	11.6	0.1	1.1	19.62	98.5	7.0494	45.5197
2022	1	27	2	20	25	11.6	0.1	1.1	19.96	97.2	7.0494	46.4583
2022	1	27	2	30	25	11.6	0.1	1.1	19.53	98.8	7.0494	45.2851
2022	1	27	2	40	25	11.6	0.1	1.1	20.01	98.3	7.0494	46.4583
2022	1	27	2	50	25	11.6	0.1	1.1	19.79	99.9	7.0494	45.7544
2022	1	27	3	0	25	11.6	0.1	1.1	19.37	99.5	7.0494	44.8158
2022	1	27	3	10	25	11.6	0.1	1.1	20.13	96.6	7.0494	46.9276
2022	1	27	3	20	25	11.6	0.1	1.1	20.45	99	7.0494	47.3969
2022	1	27	3	30	25	11.6	0.1	1.1	19.3	98.3	7.0494	44.8159
2022	1	27	3	40	25	11.6	0.1	1.1	20.25	97.1	7.0494	47.1623
2022	1	27	3	50	25	11.6	0.1	1.1	19.68	99.7	7.0494	45.5198
2022	1	27	4	0	25	11.6	0.1	1.1	20.83	98.6	7.0494	48.3355
2022	1	27	4	10	25	11.6	0.1	1.1	20.4	99.9	7.0494	47.1623
2022	1	27	4	20	25	11.6	0.1	1.1	19.79	97.8	7.0494	45.9892
2022	1	27	4	30	25	11.6	0.1	1.1	19.66	99.4	7.0494	45.5199
2022	1	27	4	40	25	11.6	0.1	1.1	20	98	7.0494	46.4585
2022	1	27	4	50	25	11.4	0.1	1.1	19.37	99.5	7.0494	44.816
2022	1	27	5	0	25	11.4	0.1	1.1	20.08	97.7	7.0494	46.6931
2022	1	27	5	10	25	11.4	0.1	1.1	20.35	97.1	7.0494	47.3971
2022	1	27	5	20	25	11.4	0.1	1.1	19.96	101	7.0494	45.9892
2022	1	27	5	30	25	11.4	0.1	1.1	19.96	99.2	7.0494	46.2239
2022	1	27	5	40	25	11.4	0.1	1.1	20.39	97.9	7.0494	47.3971
2022	1	27	5	50	25	11.4	0.1	1.1	19.46	97.4	7.0494	45.2854
2022	1	27	6	0	25	11.4	0.1	1	19.09	100	7.0433	44.0725
2022	1	27	6	10	25	11.4	0.1	1.1	19.71	98.5	7.0494	45.7547
2022	1	27	6	20	25	11.4	0.1	1.1	19.67	97.6	7.0494	45.7547
2022	1	27	6	30	25	11.4	0.1	1.1	20.37	99.3	7.0494	47.1625
2022	1	27	6	40	25	11.4	0.1	1	18.99	98.2	7.0433	44.0726
2022	1	27	6	50	25	11.4	0.1	1	19.09	100	7.0433	44.0726
2022	1	27	7	0	25	11.4	0.1	1.1	19.28	101.4	7.0494	44.3469
2022	1	27	7	10	25	11.4	0.1	1.1	18.58	98	7.0494	43.1737
2022	1	27	7	20	25	11.4	0.1	1.1	19.68	99.7	7.0494	45.5201
2022	1	27	7	30	25	11.4	0.1	1	20.3	99.9	7.0433	46.8857
2022	1	27	7	40	25	11.4	0.1	1.1	19.91	100.1	7.0494	45.9894
2022	1	27	7	50	25	12	0.1	1.1	20.55	100.7	7.0494	47.3973

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	27	8	0	25	12.6	0.1	1.1	20.17	97.4	7.0494	46.928
2022	1	27	8	10	25	12.8	0.1	1.1	19.97	97.5	7.0494	46.4587
2022	1	27	8	20	25	13	0.1	1.1	20.4	99.9	7.0494	47.1626
2022	1	27	8	30	25	13.2	0.1	1.1	19.88	97.8	7.0494	46.224
2022	1	27	8	40	25	13.2	0.1	1.1	20.4	99.9	7.0494	47.1626
2022	1	27	8	50	25	13.8	0.1	1.1	20.44	100.4	7.0494	47.1625
2022	1	27	9	0	25	13.6	0.1	1.1	20.39	97.9	7.0494	47.3972
2022	1	27	9	10	25	13.6	0.1	1.1	20.5	95.6	7.0494	47.8664
2022	1	27	9	20	25	13.8	0.1	1.1	19.12	100.5	7.0494	44.1122
2022	1	27	9	30	25	13.8	0.1	1.1	20.14	102	7.0494	46.2239
2022	1	27	9	40	25	13.8	0.1	1.1	18.51	98.7	7.0494	42.9389
2022	1	27	9	50	25	13.8	0.1	1.1	19.71	100.2	7.0494	45.52
2022	1	27	10	0	25	13.8	0.1	1.1	20.38	101	7.0555	46.97
2022	1	27	10	10	25	13.8	0.1	1.1	19.56	99.4	7.0555	45.326
2022	1	27	10	20	25	13.6	0.1	1.1	20.12	98.6	7.0555	46.7351
2022	1	27	10	30	25	13.6	0.1	1.1	20.22	100.3	7.0555	46.7351
2022	1	27	10	40	25	13.6	0.1	1.1	19.7	98.2	7.0555	45.7957
2022	1	27	10	50	25	13.8	0.1	1.1	20	98	7.0555	46.5002
2022	1	27	11	0	25	13.8	0.1	1.1	19.24	99	7.0616	44.6615
2022	1	27	11	10	25	13.8	0.1	1.1	20.6	99.8	7.0555	47.6744
2022	1	27	11	20	25	13.8	0.1	1.1	20.48	99.6	7.0616	47.4822
2022	1	27	11	30	25	13.6	0.1	1.1	20.61	95.8	7.0616	48.1874
2022	1	27	11	40	25	13.8	0.1	1.1	19.52	96.5	7.0555	45.5608
2022	1	27	11	50	25	13.8	0.1	1.1	20.04	96.9	7.0555	46.735
2022	1	27	12	0	25	13.8	0.1	1.1	20.37	99.3	7.0616	47.2471
2022	1	27	12	10	25	13.6	0.1	1.1	19.87	97.5	7.0616	46.3069
2022	1	27	12	20	25	13.6	0.1	1.1	20.49	95.3	7.0616	47.9523
2022	1	27	12	30	25	13.6	0.1	1.1	20	98	7.0677	46.5837
2022	1	27	12	40	25	13.6	0.1	1.1	20.06	99.2	7.0616	46.5419
2022	1	27	13	2	17	13.6	0.1	1.1	20.78	99.4	7.0555	48.1441
2022	1	27	13	12	17	13.6	0.1	1.1	19.96	99.2	7.0555	46.2653
2022	1	27	13	22	17	13.6	0.1	1.1	19.4	98.3	7.0616	45.1316
2022	1	27	13	32	17	13.6	0.1	1.1	20.83	96.3	7.0555	48.6138
2022	1	27	13	42	17	13.8	0.1	1.1	19.87	101	7.0555	45.7956
2022	1	27	13	52	17	14	0.1	1.1	19.32	100.4	7.0555	44.6213
2022	1	27	14	2	17	13.8	0.1	1.1	19.66	99.4	7.0555	45.5607
2022	1	27	14	12	17	13.6	0.1	1.1	19.32	100.4	7.0555	44.6213
2022	1	27	14	22	17	13.6	0.1	1.1	19.46	99.5	7.0555	45.091
2022	1	27	14	32	17	13.8	0.1	1.1	20.1	98	7.0555	46.735
2022	1	27	14	42	17	13.8	0.1	1.1	19.22	102	7.0555	44.1517
2022	1	27	14	52	17	13.8	0.1	1.1	19.56	99.4	7.0555	45.3259
2022	1	27	15	2	17	13.6	0.1	1.1	20.12	100.3	7.0555	46.5002
2022	1	27	15	12	17	13.8	0.1	1.1	19.4	98.3	7.0555	45.0911
2022	1	27	15	22	17	13.8	0.1	1.1	19.35	97.1	7.0555	45.0911
2022	1	27	15	32	17	13.6	0.1	1.1	19.96	99.2	7.0494	46.2238
2022	1	27	15	42	17	13.6	0.1	1.1	20.35	99	7.0494	47.1623
2022	1	27	15	52	17	13.6	0.1	1.1	20.85	98.8	7.0494	48.3355
2022	1	27	16	2	17	13.4	0.1	1.1	20.75	98.9	7.0494	48.1009

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	27	16	12	17	13.4	0.1	1.1	19.18	101.4	7.0555	44.1517
2022	1	27	16	22	17	12.4	0.1	1.1	20.04	98.9	7.0494	46.4584
2022	1	27	16	32	17	12	0.1	1.1	19.7	99.9	7.0555	45.5608
2022	1	27	16	42	17	12	0.1	1.1	20.17	97.4	7.0494	46.9276
2022	1	27	16	52	17	12	0.1	1.1	20.14	100.6	7.0494	46.4583
2022	1	27	17	2	17	12	0.1	1.1	19.21	98.4	7.0494	44.5812
2022	1	27	17	12	17	12	0.1	1.1	19.83	100.5	7.0494	45.7544
2022	1	27	17	22	17	12	0.1	1.1	19.42	100.4	7.0494	44.8158
2022	1	27	17	32	17	11.8	0.1	1.1	18.92	98.8	7.0494	43.8772
2022	1	27	17	42	17	11.8	0.1	1.1	19.46	99.5	7.0555	45.0909
2022	1	27	17	52	17	11.8	0.1	1.1	20.16	99.1	7.0555	46.7348
2022	1	27	18	2	17	11.8	0.1	1.1	19.85	100.7	7.0555	45.7954
2022	1	27	18	12	17	11.8	0.1	1.1	19.66	97.3	7.0555	45.7954
2022	1	27	18	22	17	11.8	0.1	1.1	20.61	98.1	7.0555	47.909
2022	1	27	18	32	17	11.8	0.1	1.1	19.89	101.3	7.0555	45.7954
2022	1	27	18	42	17	11.8	0.1	1.1	19.76	99.3	7.0555	45.7953
2022	1	27	18	52	17	11.8	0.1	1.1	20.95	96.9	7.0555	48.8483
2022	1	27	19	2	17	11.8	0.1	1.1	20.77	100.8	7.0555	47.9089
2022	1	27	19	12	17	11.8	0.1	1.1	19.57	97.6	7.0555	45.5604
2022	1	27	19	22	17	11.8	0.1	1.1	20.3	99.9	7.0555	46.9695
2022	1	27	19	32	17	11.8	0.1	1.1	19.31	96.2	7.0555	45.0907
2022	1	27	19	42	17	11.8	0.1	1.1	20.6	99.8	7.0555	47.674
2022	1	27	19	52	17	11.8	0.1	1.1	20.64	96.7	7.0555	48.1437
2022	1	27	20	2	17	11.8	0.1	1.1	20.32	98.5	7.0555	47.2043
2022	1	27	20	12	17	11.8	0.1	1.1	20.52	100.1	7.0555	47.4391
2022	1	27	20	22	17	11.8	0.1	1.1	20.52	98.4	7.0555	47.674
2022	1	27	20	32	17	11.8	0.1	1.1	19.28	97.8	7.0555	44.8558
2022	1	27	20	42	17	11.8	0.1	1.1	19.09	98.1	7.0555	44.3861
2022	1	27	20	52	17	11.8	0.1	1.1	18.91	98.5	7.0555	43.9164
2022	1	27	21	2	17	11.8	0.1	1.1	19.27	99.6	7.0555	44.6209
2022	1	27	21	12	17	11.8	0.1	1.1	19.9	98.1	7.0555	46.2648
2022	1	27	21	22	17	11.8	0.1	1.1	19.77	97.6	7.0555	46.03
2022	1	27	21	32	17	11.8	0.1	1.1	20.14	96.8	7.0555	46.9694
2022	1	27	21	42	17	11.8	0.1	1.1	20.1	98	7.0555	46.7345
2022	1	27	21	52	17	11.8	0.1	1.1	20.03	98.6	7.0555	46.4997
2022	1	27	22	2	17	11.8	0.1	1.1	19.73	98.7	7.0555	45.7951
2022	1	27	22	12	17	11.8	0.1	1.1	20.11	98.3	7.0555	46.7345
2022	1	27	22	22	17	11.8	0.1	1.1	19.52	100.3	7.0555	45.0906
2022	1	27	22	32	17	11.8	0.1	1.1	19.81	98.4	7.0555	46.03
2022	1	27	22	42	17	11.8	0.1	1.1	20.22	100.3	7.0555	46.7345
2022	1	27	22	52	17	11.8	0.1	1.1	20.45	99	7.0494	47.3964
2022	1	27	23	2	17	11.8	0.1	1.1	19.5	100	7.0494	45.0501
2022	1	27	23	12	17	11.8	0.1	1.1	19.15	99.3	7.0555	44.3861
2022	1	27	23	22	17	11.8	0.1	1.1	19.79	101.4	7.0494	45.5194
2022	1	27	23	32	17	11.8	0.1	1.1	20.1	98	7.0494	46.6926
2022	1	27	23	42	17	11.8	0.1	1.1	19.01	98.5	7.0494	44.1116
2022	1	27	23	52	17	11.8	0.1	1.1	20.68	99.5	7.0494	47.8658
2022	1	28	0	2	17	11.8	0.1	1.1	20.22	96.2	7.0494	47.1619

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	28	0	12	17	11.8	0.1	1.1	20.54	100.4	7.0494	47.3965
2022	1	28	0	22	17	11.8	0.1	1.1	19.81	98.4	7.0494	45.9887
2022	1	28	0	32	17	11.8	0.1	1.1	20.25	99.1	7.0494	46.9273
2022	1	28	0	42	17	11.6	0.1	1.1	20.62	98.4	7.0494	47.8658
2022	1	28	0	52	17	11.6	0.1	1.1	20.03	98.6	7.0494	46.458
2022	1	28	1	2	17	11.6	0.1	1.1	19.91	100.1	7.0494	45.9888
2022	1	28	1	12	17	11.6	0.1	1.1	20.2	98	7.0494	46.9273
2022	1	28	1	22	17	11.6	0.1	1.1	18.89	98.2	7.0494	43.877
2022	1	28	1	32	17	11.6	0.1	1.1	18.29	98.2	7.0494	42.4692
2022	1	28	1	42	17	11.6	0.1	1.1	20.95	96.9	7.0494	48.8044
2022	1	28	1	52	17	11.6	0.1	1.1	19.11	98.4	7.0494	44.3463
2022	1	28	2	2	17	11.6	0.1	1.1	19.45	99.2	7.0494	45.0503
2022	1	28	2	12	17	11.6	0.1	1.1	19.99	99.8	7.0494	46.2234
2022	1	28	2	22	17	11.6	0.1	1.1	19.91	101.6	7.0494	45.7542
2022	1	28	2	32	17	11.6	0.1	1.1	19.34	96.8	7.0494	45.0503
2022	1	28	2	42	17	11.6	0.1	1.1	19.12	98.7	7.0494	44.3464
2022	1	28	2	52	17	11.6	0.1	1.1	21.46	100.5	7.0494	49.5084
2022	1	28	3	2	17	11.6	0.1	1.1	19.27	99.6	7.0494	44.581
2022	1	28	3	12	17	11.6	0.1	1.1	20.14	96.8	7.0494	46.9274
2022	1	28	3	22	17	11.6	0.1	1.1	20.37	99.3	7.0494	47.1621
2022	1	28	3	32	17	11.6	0.1	1.1	20.1	98	7.0494	46.6928
2022	1	28	3	42	17	11.6	0.1	1.1	19.8	98.1	7.0494	45.9889
2022	1	28	3	52	17	11.6	0.1	1.1	20.25	97.1	7.0494	47.1621
2022	1	28	4	2	17	11.6	0.1	1.1	20.78	99.4	7.0494	48.1007
2022	1	28	4	12	17	11.6	0.1	1.1	19.21	98.4	7.0494	44.5811
2022	1	28	4	22	17	11.6	0.1	1.1	19.93	96.6	7.0494	46.4582
2022	1	28	4	32	17	11.6	0.1	1	20.62	100.1	7.0433	47.5886
2022	1	28	4	42	17	11.6	0.1	1	19.34	100.7	7.0433	44.541
2022	1	28	4	52	17	11.6	0.1	1.1	19.93	96.6	7.0494	46.4583
2022	1	28	5	2	17	11.6	0.1	1	20.45	97	7.0433	47.5886
2022	1	28	5	12	17	11.6	0.1	1	19.87	101	7.0433	45.7132
2022	1	28	5	22	17	11.6	0.1	1	19.85	100.7	7.0433	45.7132
2022	1	28	5	32	17	11.6	0.1	1	20.04	98.9	7.0433	46.4165
2022	1	28	5	42	17	11.6	0.1	1	20.47	99.3	7.0433	47.3542
2022	1	28	5	52	17	11.6	0.1	1	20.24	102	7.0433	46.4166
2022	1	28	6	2	17	11.6	0.1	1	19.96	99.2	7.0433	46.1821
2022	1	28	6	12	17	11.6	0.1	1	21.1	101.2	7.0433	48.5264
2022	1	28	6	22	17	11.6	0.1	1	19.38	99.8	7.0433	44.7756
2022	1	28	6	32	17	11.6	0.1	1	19.79	99.9	7.0433	45.7133
2022	1	28	6	42	17	11.6	0.1	1	19.63	100.6	7.0433	45.2445
2022	1	28	6	52	17	11.6	0.1	1	19.28	99.9	7.0433	44.5412
2022	1	28	7	2	17	11.6	0.1	1	19.79	97.8	7.0433	45.9478
2022	1	28	7	12	17	11.6	0.1	1	19.98	97.8	7.0433	46.4167
2022	1	28	7	22	17	11.6	0.1	1	20.11	100	7.0433	46.4167
2022	1	28	7	32	17	11.6	0.1	1	19.97	99.5	7.0433	46.1823
2022	1	28	7	42	17	11.6	0.1	1	19.93	98.7	7.0433	46.1823
2022	1	28	7	52	17	12.2	0.1	1	19.76	97.3	7.0433	45.9479
2022	1	28	8	2	17	12.4	0.1	1	19.69	97.9	7.0433	45.7135

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	28	8	12	17	12.6	0.1	1	20.55	97	7.0433	47.8233
2022	1	28	8	22	17	13	0.1	1	19.42	98.6	7.0433	45.0102
2022	1	28	8	32	17	13.2	0.1	1	19.2	100.2	7.0433	44.3069
2022	1	28	8	42	17	13.2	0.1	1	19.46	99.5	7.0433	45.0101
2022	1	28	8	52	17	13.2	0.1	1	20.01	100.1	7.0433	46.1823
2022	1	28	9	2	17	13.8	0.1	1.1	20.96	99.1	7.0494	48.5702
2022	1	28	9	12	17	14.2	0.1	1.1	18.71	100.5	7.0494	43.1735
2022	1	28	9	22	17	14	0.1	1.1	20.41	98.2	7.0494	47.397
2022	1	28	9	32	17	14	0.1	1	19.19	98.1	7.0433	44.5412
2022	1	28	9	42	17	13.8	0.1	1.1	18.97	97.6	7.0494	44.112
2022	1	28	9	52	17	14.2	0.1	1.1	20.01	100.1	7.0494	46.2238
2022	1	28	10	2	17	14	0.1	1.1	20.07	99.5	7.0494	46.4584
2022	1	28	10	12	17	14.2	0.1	1.1	19.42	98.6	7.0494	45.0506
2022	1	28	10	22	17	14.2	0.1	1.1	20.22	96.2	7.0494	47.1623
2022	1	28	10	32	17	14.2	0.1	1.1	20.59	101.2	7.0494	47.3969
2022	1	28	10	42	17	14.2	0.1	1.1	19.32	100.4	7.0494	44.5812
2022	1	28	10	52	17	14.2	0.1	1.1	20.48	99.6	7.0494	47.3969
2022	1	28	11	2	17	14.2	0.1	1.1	20.57	100.9	7.0494	47.3968
2022	1	28	11	12	17	14.2	0.1	1.1	20.96	99.1	7.0494	48.57
2022	1	28	11	22	17	14.2	0.1	1.1	19.4	101.6	7.0494	44.5812
2022	1	28	11	32	17	14.2	0.1	1.1	19.98	101.3	7.0494	45.989
2022	1	28	11	42	17	14.2	0.1	1.1	19.76	99.3	7.0494	45.7544
2022	1	28	11	52	17	14.2	0.1	1.1	19.56	99.4	7.0494	45.285
2022	1	28	12	2	17	13.6	0.1	1.1	20.16	99.1	7.0494	46.6929
2022	1	28	12	12	17	13.6	0.1	1.1	19.83	100.5	7.0494	45.7543
2022	1	28	12	22	17	13.6	0.1	1.1	19.85	100.7	7.0494	45.7543
2022	1	28	12	32	17	14.2	0.1	1.1	19.99	99.8	7.0494	46.2236
2022	1	28	12	42	17	14.2	0.1	1.1	20.55	99	7.0494	47.6314
2022	1	28	12	52	17	14.2	0.1	1.1	20.16	99.1	7.0494	46.6929
2022	1	28	13	2	17	14	0.1	1.1	20.22	100.3	7.0494	46.6929
2022	1	28	13	12	17	13.6	0.1	1.1	19.12	98.7	7.0555	44.3864
2022	1	28	13	22	17	13.8	0.1	1.1	20	98	7.0494	46.4583
2022	1	28	13	32	17	13.8	0.1	1.1	20.5	99.8	7.0494	47.3968
2022	1	28	13	42	17	14	0.1	1.1	20.06	99.2	7.0494	46.4583
2022	1	28	13	52	17	13.8	0.1	1.1	20.57	100.9	7.0494	47.3968
2022	1	28	14	2	17	13.8	0.1	1.1	19.83	98.7	7.0494	45.989
2022	1	28	14	12	17	14	0.1	1.1	19.73	100.5	7.0494	45.5197
2022	1	28	14	22	17	14	0.1	1.1	19.53	98.8	7.0494	45.2851
2022	1	28	14	32	17	13.8	0.1	1.1	19.36	101	7.0494	44.5812
2022	1	28	14	42	17	13.8	0.1	1.1	19.7	99.9	7.0494	45.5197
2022	1	28	14	52	17	13.8	0.1	1.1	21.01	99.9	7.0494	48.57
2022	1	28	15	2	17	13.8	0.1	1.1	19.74	99	7.0494	45.7544
2022	1	28	15	12	17	13.6	0.1	1.1	19.69	97.9	7.0494	45.7544
2022	1	28	15	22	17	13.6	0.1	1.1	20.26	100.8	7.0494	46.693
2022	1	28	15	32	17	13.6	0.1	1.1	19.68	99.7	7.0494	45.5198
2022	1	28	15	42	17	13.4	0.1	1	19.62	98.5	7.0433	45.4789
2022	1	28	15	52	17	13.4	0.1	1.1	19.28	99.9	7.0494	44.5813
2022	1	28	16	2	17	13.6	0.1	1.1	19.65	99.1	7.0494	45.5198

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	28	16	12	17	13.2	0.1	1.1	20.77	100.8	7.0494	47.8662
2022	1	28	16	22	17	12.4	0.1	1.1	20.08	97.7	7.0494	46.693
2022	1	28	16	32	17	12	0.1	1.1	21.16	99	7.0494	49.0394
2022	1	28	16	42	17	12	0.1	1.1	19.79	97.8	7.0494	45.9891
2022	1	28	16	52	17	12	0.1	1.1	20.04	98.9	7.0494	46.4584
2022	1	28	17	2	17	12	0.1	1.1	19.65	97	7.0494	45.7544
2022	1	28	17	12	17	12	0.1	1.1	19.37	99.5	7.0494	44.8159
2022	1	28	17	22	17	12	0.1	1.1	19.85	96.9	7.0494	46.2237
2022	1	28	17	32	17	11.8	0.1	1.1	20.04	96.9	7.0494	46.693
2022	1	28	17	42	17	11.8	0.1	1	19.58	95.3	7.0433	45.7132
2022	1	28	17	52	17	11.8	0.1	1.1	19.62	98.5	7.0494	45.5197
2022	1	28	18	2	17	11.8	0.1	1.1	20.07	99.5	7.0494	46.4583
2022	1	28	18	12	17	11.8	0.1	1.1	20.84	96.6	7.0494	48.57
2022	1	28	18	22	17	11.8	0.1	1.1	20.01	98.3	7.0494	46.4583
2022	1	28	18	32	17	11.8	0.1	1.1	20.77	100.8	7.0494	47.8661
2022	1	28	18	42	17	11.8	0.1	1.1	19.73	98.7	7.0494	45.7543
2022	1	28	18	52	17	11.8	0.1	1.1	20.73	101.7	7.0494	47.6314
2022	1	28	19	2	17	11.8	0.1	1.1	19.45	99.2	7.0494	45.0504
2022	1	28	19	12	17	11.8	0.1	1.1	19.55	97.1	7.0494	45.5196
2022	1	28	19	22	17	11.8	0.1	1.1	20.54	100.4	7.0494	47.3967
2022	1	28	19	32	17	11.8	0.1	1.1	19.42	96.5	7.0494	45.285
2022	1	28	19	42	17	11.8	0.1	1.1	20.45	97	7.0494	47.6314
2022	1	28	19	52	17	11.8	0.1	1.1	20.11	98.3	7.0494	46.6928
2022	1	28	20	2	17	11.8	0.1	1.1	19.91	98.4	7.0494	46.2235
2022	1	28	20	12	17	11.8	0.1	1.1	20.12	98.6	7.0494	46.6928
2022	1	28	20	22	17	11.8	0.1	1	19.74	99	7.0433	45.7131
2022	1	28	20	32	17	11.8	0.1	1.1	20.03	100.4	7.0494	46.2235
2022	1	28	20	42	17	11.8	0.1	1.1	21.13	98.4	7.0494	49.0392
2022	1	28	20	52	17	11.8	0.1	1.1	19.44	100.7	7.0494	44.8157
2022	1	28	21	2	17	11.8	0.1	1.1	19.99	99.8	7.0494	46.2235
2022	1	28	21	12	17	11.8	0.1	1.1	20.65	100.6	7.0494	47.6314
2022	1	28	21	22	17	11.6	0.1	1.1	20.24	98.8	7.0494	46.9275
2022	1	28	21	32	17	11.6	0.1	1.1	19.64	96.7	7.0494	45.7543
2022	1	28	21	42	17	11.6	0.1	1	20.37	99.3	7.0433	47.1197
2022	1	28	21	52	17	11.6	0.1	1	19.32	100.4	7.0433	44.541
2022	1	28	22	2	17	11.6	0.1	1	19.3	95.9	7.0433	45.0099
2022	1	28	22	12	17	11.6	0.1	1	20.34	100.5	7.0433	46.8853
2022	1	28	22	22	17	11.6	0.1	1	19.53	100.6	7.0433	45.0099
2022	1	28	22	32	17	11.6	0.1	1	20.49	97.9	7.0433	47.5886
2022	1	28	22	42	17	11.6	0.1	1	19.76	99.3	7.0433	45.7132
2022	1	28	22	52	17	11.6	0.1	1	19.7	98.2	7.0433	45.7132
2022	1	28	23	2	17	11.6	0.1	1	20.91	99.9	7.0433	48.292
2022	1	28	23	12	17	11.6	0.1	1	19.99	99.8	7.0433	46.1821
2022	1	28	23	22	17	11.6	0.1	1	19.25	99.3	7.0433	44.5412
2022	1	28	23	32	17	11.6	0.1	1	19.96	99.2	7.0433	46.1822
2022	1	28	23	42	17	11.6	0.1	1	19.22	98.7	7.0433	44.5412
2022	1	28	23	52	17	11.6	0.1	1	19.96	99.2	7.0433	46.1822
2022	1	29	0	2	17	11.6	0.1	1	19.94	96.9	7.0433	46.4167

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	29	0	12	17	11.6	0.1	1	19.93	100.4	7.0433	45.9478
2022	1	29	0	22	17	11.6	0.1	1	19.55	100.9	7.0433	45.0101
2022	1	29	0	32	17	11.6	0.1	1	19.65	97	7.0433	45.7134
2022	1	29	0	42	17	11.6	0.1	1	19.71	100.2	7.0372	45.4381
2022	1	29	0	52	17	11.6	0.1	1	19.96	99.2	7.0433	46.1823
2022	1	29	1	2	17	11.6	0.1	1	20.32	98.5	7.0433	47.1201
2022	1	29	1	12	17	11.6	0.1	1	19.5	98.3	7.0372	45.2039
2022	1	29	1	22	17	11.6	0.1	1	20.27	97.4	7.0433	47.1201
2022	1	29	1	32	17	11.6	0.1	1	20.28	97.7	7.0372	47.0777
2022	1	29	1	42	17	11.6	0.1	1	20.04	98.9	7.0433	46.4169
2022	1	29	1	52	17	11.6	0.1	1	20.29	97.9	7.0372	47.0777
2022	1	29	2	2	17	11.6	0.1	1	19.36	102.5	7.0372	44.2671
2022	1	29	2	12	17	11.6	0.1	1	20.09	99.7	7.0372	46.3751
2022	1	29	2	22	17	11.6	0.1	1	20.17	99.4	7.0372	46.6093
2022	1	29	2	32	17	11.6	0.1	1	19.8	98.1	7.0372	45.9067
2022	1	29	2	42	17	11.6	0.1	1	19.25	99.3	7.0372	44.5014
2022	1	29	2	52	17	11.6	0.1	1	19.93	98.7	7.0372	46.141
2022	1	29	3	2	17	11.6	0.1	1	20.35	99	7.0372	47.0778
2022	1	29	3	12	17	11.6	0.1	1	19.01	100.3	7.0372	43.7988
2022	1	29	3	22	17	11.6	0.1	1	21.34	98.6	7.0372	49.4201
2022	1	29	3	32	17	11.6	0.1	1	20.17	99.4	7.0372	46.6095
2022	1	29	3	42	17	11.6	0.1	1	20.2	98	7.0372	46.8437
2022	1	29	3	52	17	11.6	0.1	1	20.38	97.6	7.0372	47.3122
2022	1	29	4	2	17	11.6	0.1	1	19.61	100.3	7.0372	45.2042
2022	1	29	4	12	17	11.6	0.1	1	19.09	98.1	7.0372	44.2673
2022	1	29	4	22	17	11.4	0.1	1	20.25	99.1	7.0372	46.8438
2022	1	29	4	32	17	11.4	0.1	1	20.36	100.8	7.0372	46.8438
2022	1	29	4	42	17	11.4	0.1	1	20.44	100.4	7.0372	47.078
2022	1	29	4	52	17	11.4	0.1	1	19.19	99.9	7.0372	44.2674
2022	1	29	5	2	17	11.4	0.1	1	20.2	101.4	7.0372	46.3754
2022	1	29	5	12	17	11.4	0.1	1	20.03	100.4	7.0372	46.1412
2022	1	29	5	22	17	11.4	0.1	1	19.6	98.2	7.0372	45.4386
2022	1	29	5	32	17	11.4	0.1	1	20.29	99.6	7.0311	46.8017
2022	1	29	5	42	17	11.4	0.1	1	19.93	98.7	7.0311	46.0997
2022	1	29	5	52	17	11.4	0.1	1	19.53	100.6	7.0372	44.9702
2022	1	29	6	2	17	11.4	0.1	1	19.9	98.1	7.0311	46.0997
2022	1	29	6	12	17	11.4	0.1	1	19.46	99.5	7.0311	44.9297
2022	1	29	6	22	17	11.4	0.1	1	19.24	96.9	7.0311	44.6957
2022	1	29	6	32	17	11.4	0.1	1	18.96	99.4	7.0311	43.7597
2022	1	29	6	42	17	11.4	0.1	1	18.93	102.2	7.0311	43.2917
2022	1	29	6	52	17	11.4	0.1	1	19.15	99.3	7.0311	44.2277
2022	1	29	7	2	17	11.4	0.1	1	20.38	97.6	7.0311	47.2699
2022	1	29	7	12	17	11.4	0.1	1	19.42	100.4	7.0311	44.6958
2022	1	29	7	22	17	11.4	0.1	1	20.33	96.5	7.0311	47.2699
2022	1	29	7	32	17	11.4	0.1	1	19.18	97.8	7.0311	44.4618
2022	1	29	7	42	17	11.6	0.1	1	19.87	101	7.0311	45.6318
2022	1	29	7	52	17	11.6	0.1	1	19.96	101	7.0311	45.8659
2022	1	29	8	2	17	11.8	0.1	1	19.29	98	7.0311	44.6958

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	29	8	12	17	12	0.1	1	18.66	99.6	7.0311	43.0577
2022	1	29	8	22	17	12	0.1	1	20.07	97.4	7.0311	46.5679
2022	1	29	8	32	17	12.2	0.1	1	20.34	98.8	7.0311	47.0359
2022	1	29	8	42	17	12.4	0.1	1	19.4	101.6	7.0311	44.4618
2022	1	29	8	52	17	12.4	0.1	1	19.38	99.8	7.0311	44.6958
2022	1	29	9	2	17	12.4	0.1	1	20.01	98.3	7.0311	46.3339
2022	1	29	9	12	17	12.6	0.1	1	19.59	97.9	7.0311	45.3978
2022	1	29	9	22	17	12.6	0.1	1	18.99	98.2	7.0311	43.9938
2022	1	29	9	32	17	12.6	0.1	1	19.96	103.6	7.0311	45.3978
2022	1	29	9	42	17	12.8	0.1	1	19.71	100.2	7.0311	45.3978
2022	1	29	9	52	17	13	0.1	1	19.79	99.9	7.0311	45.6318
2022	1	29	10	2	17	13	0.1	1	19.19	98.1	7.0372	44.5019
2022	1	29	10	12	17	14.2	0.1	1	19.86	99.3	7.0372	45.9071
2022	1	29	10	22	17	14.2	0.1	1	19.56	99.4	7.0372	45.2044
2022	1	29	10	32	17	14	0.1	1	20.17	99.4	7.0372	46.6098
2022	1	29	10	42	17	14.2	0.1	1	18.89	100.1	7.0372	43.5648
2022	1	29	10	52	17	14.2	0.1	1	18.95	97.3	7.0372	44.0333
2022	1	29	11	2	17	14	0.1	1	18.83	102.3	7.0372	43.0963
2022	1	29	11	12	17	14	0.1	1	19.33	96.5	7.0433	45.0105
2022	1	29	11	22	17	13.8	0.1	1	19.19	98.1	7.0372	44.5016
2022	1	29	11	32	17	13.8	0.1	1	19.85	100.7	7.0372	45.6727
2022	1	29	11	42	17	13.8	0.1	1	20.3	99.9	7.0433	46.8859
2022	1	29	11	52	17	13.8	0.1	1	19.6	98.2	7.0433	45.4794
2022	1	29	12	2	17	13.8	0.1	1	19.52	100.3	7.0433	45.0105
2022	1	29	12	12	17	13.8	0.1	1	19.69	97.9	7.0433	45.7138
2022	1	29	12	22	17	13.8	0.1	1	20.08	97.7	7.0433	46.6515
2022	1	29	12	32	17	13.8	0.1	1	19.38	97.7	7.0433	45.0105
2022	1	29	12	42	17	13.8	0.1	1	19.12	98.7	7.0433	44.3072
2022	1	29	12	52	17	13.8	0.1	1	20.63	100.3	7.0433	47.5892
2022	1	29	13	2	17	13.8	0.1	1	20.3	99.9	7.0433	46.8859
2022	1	29	13	12	17	13.6	0.1	1	19.59	95.6	7.0433	45.7138
2022	1	29	13	22	17	13.6	0.1	1	19.76	99.3	7.0433	45.7138
2022	1	29	13	32	17	13.6	0.1	1	19.59	97.9	7.0433	45.4794
2022	1	29	13	42	17	13.6	0.1	1	19.91	100.1	7.0433	45.9482
2022	1	29	13	52	17	13.6	0.1	1	19.4	101.6	7.0433	44.5416
2022	1	29	14	2	17	13.6	0.1	1	18.76	99.5	7.0433	43.3695
2022	1	29	14	12	17	13.6	0.1	1	19.4	98.3	7.0372	44.9699
2022	1	29	14	22	17	13.8	0.1	1	19.5	100	7.0433	45.0105
2022	1	29	14	32	17	13.6	0.1	1	20.44	101.9	7.0433	46.8859
2022	1	29	14	42	17	13.6	0.1	1	19.33	98.9	7.0372	44.7358
2022	1	29	14	52	17	13.6	0.1	1	20.99	99.6	7.0372	48.4833
2022	1	29	15	2	17	13.4	0.1	1	19.9	98.1	7.0433	46.1827
2022	1	29	15	12	17	13.4	0.1	1	19.15	99.3	7.0372	44.2674
2022	1	29	15	22	17	13.4	0.1	1	18.51	98.7	7.0372	42.8621
2022	1	29	15	32	17	13.4	0.1	1	19.12	100.5	7.0372	44.0332
2022	1	29	15	42	17	13.4	0.1	1	19.02	98.8	7.0372	44.0332
2022	1	29	15	52	17	13.4	0.1	1	19.4	101.6	7.0372	44.5017
2022	1	29	16	2	17	13.4	0.1	1	19.69	97.9	7.0372	45.6728



Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	29	16	12	17	13.4	0.1	1	18.95	97.3	7.0372	44.0332
2022	1	29	16	22	17	13.4	0.1	1	19.06	101.2	7.0372	43.799
2022	1	29	16	32	17	12	0.1	1	19.24	100.8	7.0372	44.2674
2022	1	29	16	42	17	11.8	0.1	1	19.36	97.4	7.0372	44.9701
2022	1	29	16	52	17	11.8	0.1	1	21.03	100.1	7.0372	48.4833
2022	1	29	17	2	17	11.8	0.1	1	20	101.5	7.0372	45.9069
2022	1	29	17	12	17	11.8	0.1	1	19.45	99.2	7.0372	44.97
2022	1	29	17	22	17	11.8	0.1	1	19.88	99.6	7.0372	45.9069
2022	1	29	17	32	17	11.8	0.1	1	21.08	99.3	7.0372	48.7175
2022	1	29	17	42	17	11.8	0.1	1	20.4	99.9	7.0372	47.078
2022	1	29	17	52	17	11.8	0.1	1	19.14	100.8	7.0372	44.0331
2022	1	29	18	2	17	11.8	0.1	1	20.08	97.7	7.0372	46.6095
2022	1	29	18	12	17	11.8	0.1	1	19.6	98.2	7.0372	45.4384
2022	1	29	18	22	17	11.8	0.1	1	19.85	100.7	7.0372	45.6726
2022	1	29	18	32	17	11.8	0.1	1	18.85	101	7.0372	43.3304
2022	1	29	18	42	17	11.8	0.1	1	20.36	102.2	7.0372	46.6094
2022	1	29	18	52	17	11.8	0.1	1	19.89	99.8	7.0372	45.9067
2022	1	29	19	2	17	11.8	0.1	1	19.36	102.5	7.0372	44.2672
2022	1	29	19	12	17	11.8	0.1	1	19.45	97.1	7.0372	45.2041
2022	1	29	19	22	17	11.8	0.1	1	20.03	100.4	7.0372	46.1409
2022	1	29	19	32	17	11.8	0.1	1	19.22	100.5	7.0372	44.2671
2022	1	29	19	42	17	11.8	0.1	1	20.24	98.8	7.0372	46.8435
2022	1	29	19	52	17	11.8	0.1	1	19.96	99.2	7.0372	46.1409
2022	1	29	20	2	17	11.8	0.1	1	19.86	97.2	7.0372	46.1409
2022	1	29	20	12	17	11.8	0.1	1	19.99	99.8	7.0372	46.1408
2022	1	29	20	22	17	11.8	0.1	1	20.39	99.6	7.0372	47.0777
2022	1	29	20	32	17	11.8	0.1	1	19.71	100.2	7.0372	45.4382
2022	1	29	20	42	17	11.8	0.1	1	20.47	99.3	7.0372	47.3119
2022	1	29	20	52	17	11.8	0.1	1	20.29	97.9	7.0372	47.0777
2022	1	29	21	2	17	11.8	0.1	1	19.07	99.7	7.0372	44.0329
2022	1	29	21	12	17	11.8	0.1	1	20.55	99	7.0372	47.5461
2022	1	29	21	22	17	11.6	0.1	1	20.29	99.6	7.0372	46.8435
2022	1	29	21	32	17	11.6	0.1	1	20.35	99	7.0372	47.0777
2022	1	29	21	42	17	11.6	0.1	1	20.17	97.4	7.0372	46.8435
2022	1	29	21	52	17	11.6	0.1	1	20.17	99.4	7.0372	46.6093
2022	1	29	22	2	17	11.6	0.1	1	19.42	98.6	7.0372	44.9698
2022	1	29	22	12	17	11.6	0.1	1	19.69	97.9	7.0372	45.6724
2022	1	29	22	22	17	11.6	0.1	1	18.77	99.8	7.0372	43.3303
2022	1	29	22	32	17	11.6	0.1	1	20.36	102.2	7.0372	46.6093
2022	1	29	22	42	17	11.6	0.1	1	19.79	97.8	7.0372	45.9067
2022	1	29	22	52	17	11.6	0.1	1	19.69	97.9	7.0372	45.6725
2022	1	29	23	2	17	11.6	0.1	1	19.96	99.2	7.0372	46.1409
2022	1	29	23	12	17	11.6	0.1	1	19.69	97.9	7.0372	45.6725
2022	1	29	23	22	17	11.6	0.1	1	20.3	99.9	7.0372	46.8436
2022	1	29	23	32	17	11.6	0.1	1	20.06	99.2	7.0372	46.3752
2022	1	29	23	42	17	11.6	0.1	1	19.73	100.5	7.0372	45.4383
2022	1	29	23	52	17	11.6	0.1	1	19.42	98.6	7.0311	44.9294
2022	1	30	0	2	17	11.6	0.1	1	19.96	99.2	7.0311	46.0994

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	30	0	12	17	11.6	0.1	1	19.65	100.9	7.0311	45.1634
2022	1	30	0	22	17	11.6	0.1	1	19.93	98.7	7.0311	46.0995
2022	1	30	0	32	17	11.6	0.1	1	19.68	99.7	7.0311	45.3975
2022	1	30	0	42	17	11.6	0.1	1	19.8	98.1	7.0311	45.8655
2022	1	30	0	52	17	11.6	0.1	1	18.77	97.7	7.0311	43.5254
2022	1	30	1	2	17	11.6	0.1	1	19.55	99.1	7.0311	45.1635
2022	1	30	1	12	17	11.6	0.1	1	19.6	100	7.0311	45.1635
2022	1	30	1	22	17	11.6	0.1	1	19.91	100.1	7.0311	45.8656
2022	1	30	1	32	17	11.6	0.1	1	19.61	101.8	7.0311	44.9295
2022	1	30	1	42	17	11.6	0.1	1	20.93	100.2	7.0311	48.2057
2022	1	30	1	52	17	11.6	0.1	1	19.94	98.9	7.0311	46.0996
2022	1	30	2	2	17	11.6	0.1	1	19.74	99	7.0311	45.6316
2022	1	30	2	12	17	11.6	0.1	1	19.52	98.5	7.0311	45.1636
2022	1	30	2	22	17	11.6	0.1	1	19.27	99.6	7.0311	44.4616
2022	1	30	2	32	17	11.6	0.1	1	19.33	98.9	7.0311	44.6956
2022	1	30	2	42	17	11.6	0.1	1	20.18	97.7	7.0311	46.8017
2022	1	30	2	52	17	11.6	0.1	1	18.27	97.9	7.0311	42.3556
2022	1	30	3	2	17	11.6	0.1	1	19.41	96.2	7.0311	45.1637
2022	1	30	3	12	17	11.4	0.1	1	20.18	101.1	7.0311	46.3337
2022	1	30	3	22	17	11.4	0.1	1	20.3	99.9	7.0311	46.8018
2022	1	30	3	32	17	11.4	0.1	1	19.76	99.3	7.0311	45.6317
2022	1	30	3	42	17	11.4	0.1	1	19.73	100.5	7.0311	45.3978
2022	1	30	3	52	17	11.4	0.1	1	20.28	101.1	7.0311	46.5678
2022	1	30	4	2	17	11.4	0.1	1	18.97	99.7	7.0311	43.7597
2022	1	30	4	12	17	11.4	0.1	1	18.86	99.5	7.0311	43.5257
2022	1	30	4	22	17	11.4	0.1	1	19.3	101.7	7.0311	44.2278
2022	1	30	4	32	17	11.4	0.1	1	20.01	100.1	7.0311	46.0999
2022	1	30	4	42	17	11.4	0.1	1	19.41	96.2	7.0311	45.1638
2022	1	30	4	52	17	11.4	0.1	1	19.81	98.4	7.0311	45.8659
2022	1	30	5	2	17	11.4	0.1	1	20.42	98.4	7.0311	47.2699
2022	1	30	5	12	17	11.4	0.1	1	19.6	98.2	7.0311	45.3979
2022	1	30	5	22	17	11.4	0.1	1	20.39	99.6	7.0311	47.036
2022	1	30	5	32	17	11.4	0.1	1	20.09	99.7	7.0311	46.334
2022	1	30	5	42	17	11.4	0.1	1	20.65	98.9	7.0311	47.738
2022	1	30	5	52	17	11.4	0.1	1	19.61	100.3	7.0311	45.1639
2022	1	30	6	2	17	11.4	0.1	1	19.32	98.6	7.0311	44.6959
2022	1	30	6	12	17	11.2	0.1	1	19.62	98.5	7.0311	45.398
2022	1	30	6	22	17	11.2	0.1	1	19.35	99.2	7.0311	44.696
2022	1	30	6	32	17	11.2	0.1	1	19.83	96.7	7.0311	46.1
2022	1	30	6	42	17	11.2	0.1	1	19.32	100.4	7.0311	44.462
2022	1	30	6	52	17	11.2	0.1	1	19.74	99	7.0311	45.6321
2022	1	30	7	2	17	11.4	0.1	1	20.27	99.4	7.0311	46.8021
2022	1	30	7	12	17	11.4	0.1	1	19.96	99.2	7.0311	46.1001
2022	1	30	7	22	17	11.4	0.1	1	19.94	98.9	7.0372	46.1417
2022	1	30	7	32	17	11.4	0.1	1	19.96	99.2	7.0372	46.1417
2022	1	30	7	42	17	11.4	0.1	1	20.59	101.2	7.0372	47.3129
2022	1	30	7	52	17	12.2	0.1	1	20.39	97.9	7.0433	47.3555
2022	1	30	8	2	17	12.8	0.1	1	19.11	98.4	7.0433	44.3079

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	30	8	12	17	13.2	0.1	1.1	20.12	100.3	7.0494	46.4596
2022	1	30	8	22	17	13.4	0.1	1.1	20.3	101.4	7.0494	46.6942
2022	1	30	8	32	17	13.8	0.1	1.1	20.31	98.2	7.0494	47.1635
2022	1	30	8	42	17	13.8	0.1	1.1	18.69	100.2	7.0494	43.1745
2022	1	30	8	52	17	13.8	0.1	1.1	20.26	102.3	7.0494	46.4595
2022	1	30	9	2	17	13.8	0.1	1.1	19.78	99.6	7.0494	45.7556
2022	1	30	9	12	17	13.8	0.1	1.1	20.75	100.6	7.0555	47.9104
2022	1	30	9	22	17	13.8	0.1	1.1	19.28	101.4	7.0555	44.3875
2022	1	30	9	32	17	13.6	0.1	1.1	20.12	100.3	7.0555	46.5012
2022	1	30	9	42	17	13.6	0.1	1.1	19.66	97.3	7.0555	45.7966
2022	1	30	9	52	17	13.6	0.1	1.1	18.99	98.2	7.0555	44.1526
2022	1	30	10	2	17	13.8	0.1	1.1	20.4	99.9	7.0555	47.2057
2022	1	30	10	12	17	14	0.1	1.1	19.86	97.2	7.0555	46.2663
2022	1	30	10	22	17	13.8	0.1	1.1	19	101.8	7.0616	43.7221
2022	1	30	10	32	17	14	0.1	1.1	19.74	99	7.0616	45.8377
2022	1	30	10	42	17	14.2	0.1	1.1	20.21	100	7.0616	46.7779
2022	1	30	10	52	17	14.2	0.1	1.1	20.06	100.9	7.0616	46.3078
2022	1	30	11	2	17	14	0.1	1.1	21.14	98.7	7.0616	49.1285
2022	1	30	11	12	17	14.2	0.1	1.1	19.61	100.3	7.0616	45.3675
2022	1	30	11	22	17	14	0.1	1.1	19.73	96.7	7.0616	46.0727
2022	1	30	11	32	17	14	0.1	1.1	20.36	102.2	7.0616	46.7779
2022	1	30	11	42	17	14	0.1	1.1	19.81	100.2	7.0616	45.8376
2022	1	30	11	52	17	14	0.1	1.1	20.04	102.1	7.0616	46.0726
2022	1	30	12	2	17	14	0.1	1.1	20.49	97.9	7.0555	47.6752
2022	1	30	12	12	17	14	0.1	1.1	19.78	99.6	7.0616	45.8375
2022	1	30	12	22	17	13.8	0.1	1.1	18.6	98.3	7.0616	43.2518
2022	1	30	12	32	17	13.8	0.1	1.1	20.93	101.6	7.0616	48.1882
2022	1	30	12	42	17	13.8	0.1	1.1	19.69	97.9	7.0616	45.8375
2022	1	30	12	52	17	13.8	0.1	1.1	20.62	100.1	7.0616	47.718
2022	1	30	13	2	17	13.6	0.1	1.1	20.47	101	7.0616	47.2479
2022	1	30	13	12	17	13.6	0.1	1.1	19.42	100.4	7.0555	44.8569
2022	1	30	13	22	17	13.6	0.1	1.1	19.73	100.5	7.0555	45.5615
2022	1	30	13	32	17	13.6	0.1	1.1	18.76	99.5	7.0555	43.4479
2022	1	30	13	42	17	13.6	0.1	1.1	20.47	101	7.0555	47.2055
2022	1	30	13	52	17	13.6	0.1	1.1	19.24	96.9	7.0616	44.8973
2022	1	30	14	2	17	13.6	0.1	1.1	20.07	97.4	7.0555	46.7358
2022	1	30	14	12	17	13.6	0.1	1.1	18.99	98.2	7.0555	44.1524
2022	1	30	14	22	17	13.6	0.1	1.1	20.09	99.7	7.0616	46.5428
2022	1	30	14	32	17	13.4	0.1	1.1	19.25	99.3	7.0677	44.7024
2022	1	30	14	42	17	13.4	0.1	1.1	19.04	100.9	7.0616	43.9571
2022	1	30	14	52	17	13.4	0.1	1.1	21.03	98.5	7.0616	48.8935
2022	1	30	15	2	17	13.4	0.1	1.1	20.39	99.6	7.0616	47.248
2022	1	30	15	12	17	13.4	0.1	1.1	19.95	100.7	7.0616	46.0727
2022	1	30	15	22	17	13.4	0.1	1.1	19.6	98.2	7.0616	45.6026
2022	1	30	15	32	17	13.4	0.1	1.1	20.11	100	7.0616	46.5429
2022	1	30	15	42	17	13.4	0.1	1.1	19.86	99.3	7.0616	46.0728
2022	1	30	15	52	17	13.2	0.1	1.1	20.4	99.9	7.0616	47.2481
2022	1	30	16	2	17	13.2	0.1	1.1	19.14	99	7.0616	44.4273

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	30	16	12	17	13.2	0.1	1.1	20.3	99.9	7.0616	47.0131
2022	1	30	16	22	17	13.2	0.1	1.1	19.49	98	7.0616	45.3676
2022	1	30	16	32	17	12	0.1	1.1	20.11	100	7.0616	46.5429
2022	1	30	16	42	17	11.8	0.1	1.1	19.18	97.8	7.0616	44.6624
2022	1	30	16	52	17	11.8	0.1	1.1	20.18	101.1	7.0616	46.5429
2022	1	30	17	2	17	11.8	0.1	1.1	20.49	101.3	7.0616	47.2481
2022	1	30	17	12	17	11.8	0.1	1.1	18.53	99	7.0616	43.0169
2022	1	30	17	22	17	11.8	0.1	1.1	20.18	101.1	7.0616	46.5429
2022	1	30	17	32	17	11.8	0.1	1.1	18.84	99.2	7.0616	43.7221
2022	1	30	17	42	17	11.8	0.1	1.1	19.6	98.2	7.0677	45.6435
2022	1	30	17	52	17	11.8	0.1	1.1	20.55	102.1	7.0677	47.2905
2022	1	30	18	2	17	11.8	0.1	1.1	19.83	100.5	7.0677	45.8788
2022	1	30	18	12	17	11.8	0.1	1.1	20.24	98.8	7.0677	47.0551
2022	1	30	18	22	17	11.8	0.1	1.1	19.74	99	7.0677	45.8787
2022	1	30	18	32	17	11.8	0.1	1.1	19.55	99.1	7.0677	45.4082
2022	1	30	18	42	17	11.8	0.1	1.1	19.45	99.2	7.0677	45.1729
2022	1	30	18	52	17	11.8	0.1	1.1	20.54	98.7	7.0677	47.7609
2022	1	30	19	2	17	11.8	0.1	1.1	20.04	102.1	7.0677	46.114
2022	1	30	19	12	17	11.8	0.1	1.1	20.73	100.3	7.0677	47.9961
2022	1	30	19	22	17	11.8	0.1	1.1	20.61	101.5	7.0677	47.5256
2022	1	30	19	32	17	11.8	0.1	1.1	20.52	100.1	7.0677	47.5256
2022	1	30	19	42	17	11.8	0.1	1.1	19.5	95.9	7.0677	45.6434
2022	1	30	19	52	17	11.8	0.1	1.1	19.63	98.8	7.0677	45.6433
2022	1	30	20	2	17	11.8	0.1	1.1	20.8	99.7	7.0677	48.2314
2022	1	30	20	12	17	11.8	0.1	1.1	20.12	98.6	7.0677	46.8197
2022	1	30	20	22	17	11.8	0.1	1.1	20.52	100.1	7.0677	47.5255
2022	1	30	20	32	17	11.8	0.1	1.1	19.84	99	7.0677	46.1139
2022	1	30	20	42	17	11.8	0.1	1.1	20.28	97.7	7.0677	47.2902
2022	1	30	20	52	17	11.6	0.1	1.1	20.06	99.2	7.0738	46.6262
2022	1	30	21	2	17	11.8	0.1	1.1	19.38	99.8	7.0677	44.9375
2022	1	30	21	12	17	11.6	0.1	1.1	20.34	98.8	7.0677	47.2902
2022	1	30	21	22	17	11.6	0.1	1.1	20	101.5	7.0738	46.1552
2022	1	30	21	32	17	11.6	0.1	1.1	19.55	99.1	7.0738	45.4488
2022	1	30	21	42	17	11.6	0.1	1.1	20	101.5	7.0738	46.1553
2022	1	30	21	52	17	11.6	0.1	1.1	19.84	99	7.0738	46.1553
2022	1	30	22	2	17	11.6	0.1	1.1	20.29	99.6	7.0738	47.0972
2022	1	30	22	12	17	11.6	0.1	1.1	19.46	99.5	7.0738	45.2133
2022	1	30	22	22	17	11.6	0.1	1.1	20.99	99.6	7.0738	48.7456
2022	1	30	22	32	17	11.6	0.1	1.1	20.25	99.1	7.0738	47.0972
2022	1	30	22	42	17	11.6	0.1	1.1	19.09	98.1	7.0738	44.5069
2022	1	30	22	52	17	11.6	0.1	1.1	20.04	98.9	7.0738	46.6263
2022	1	30	23	2	17	11.6	0.1	1.1	19.25	99.3	7.0738	44.7424
2022	1	30	23	12	17	11.6	0.1	1.1	21.37	97.3	7.0738	49.9231
2022	1	30	23	22	17	11.6	0.1	1.1	20.72	98.3	7.0738	48.2747
2022	1	30	23	32	17	11.6	0.1	1.1	19.07	99.7	7.0738	44.2715
2022	1	30	23	42	17	11.6	0.1	1.1	20.39	99.6	7.0738	47.3328
2022	1	30	23	52	17	11.6	0.1	1.1	20.11	100	7.0738	46.6264
2022	1	31	0	2	17	11.6	0.1	1.1	19.45	99.2	7.0738	45.2134

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	31	0	12	17	11.6	0.1	1.1	19.87	101	7.0738	45.9199
2022	1	31	0	22	17	11.6	0.1	1.1	20.18	97.7	7.0738	47.0974
2022	1	31	0	32	17	11.6	0.1	1.1	20.35	99	7.0738	47.3329
2022	1	31	0	42	17	11.6	0.1	1.1	19.66	97.3	7.0738	45.92
2022	1	31	0	52	17	11.6	0.1	1.1	20.17	99.4	7.0738	46.8619
2022	1	31	1	2	17	11.6	0.1	1.1	20.58	99.5	7.0738	47.8039
2022	1	31	1	12	17	11.6	0.1	1.1	20.24	98.8	7.0738	47.0974
2022	1	31	1	22	17	11.6	0.1	1.1	20.83	96.3	7.0738	48.7459
2022	1	31	1	32	17	11.6	0.1	1.1	19.69	97.9	7.0738	45.92
2022	1	31	1	42	17	11.4	0.1	1.1	20.51	98.1	7.0738	47.8039
2022	1	31	1	52	17	11.4	0.1	1.1	20.39	97.9	7.0738	47.5685
2022	1	31	2	2	17	11.4	0.1	1.1	20.22	98.5	7.0738	47.0975
2022	1	31	2	12	17	11.4	0.1	1.1	20.03	98.6	7.0738	46.6265
2022	1	31	2	22	17	11.4	0.1	1.1	20.8	98	7.0738	48.5105
2022	1	31	2	32	17	11.4	0.1	1.1	20.51	98.1	7.0738	47.804
2022	1	31	2	42	17	11.4	0.1	1.1	20	98	7.0738	46.6266
2022	1	31	2	52	17	11.4	0.1	1.1	19.74	99	7.0738	45.9201
2022	1	31	3	2	17	11.4	0.1	1.1	19.08	101.5	7.0738	44.0363
2022	1	31	3	12	17	11.4	0.1	1.1	19.59	97.9	7.0738	45.6847
2022	1	31	3	22	17	11.4	0.1	1.1	20.04	98.9	7.0738	46.6266
2022	1	31	3	32	17	11.4	0.1	1.1	20.57	100.9	7.0738	47.5686
2022	1	31	3	42	17	11.4	0.1	1.1	20.63	98.6	7.0738	48.0396
2022	1	31	3	52	17	11.4	0.1	1.1	19.98	95.2	7.0738	46.8622
2022	1	31	4	2	17	11.4	0.1	1.1	20.44	100.4	7.0738	47.3332
2022	1	31	4	12	17	11.4	0.1	1.1	20.09	99.7	7.0738	46.6267
2022	1	31	4	22	17	11.4	0.1	1.1	19.66	99.4	7.0738	45.6848
2022	1	31	4	32	17	11.4	0.1	1.1	19.28	97.8	7.0738	44.9783
2022	1	31	4	42	17	11.4	0.1	1.1	19.18	97.8	7.0738	44.7428
2022	1	31	4	52	17	11.4	0.1	1.1	19.75	97	7.0738	46.1558
2022	1	31	5	2	17	11.4	0.1	1.1	20.12	100.3	7.0738	46.6268
2022	1	31	5	12	17	11.4	0.1	1.1	19.93	98.7	7.0738	46.3913
2022	1	31	5	22	17	11.4	0.1	1.1	21.17	99.2	7.0738	49.2172
2022	1	31	5	32	17	11.4	0.1	1.1	20.78	97.5	7.0738	48.5107
2022	1	31	5	42	17	11.4	0.1	1.1	19.63	102.1	7.0738	45.2139
2022	1	31	5	52	17	11.4	0.1	1.1	19.67	101.1	7.0738	45.4494
2022	1	31	6	2	17	11.4	0.1	1.1	20.48	97.6	7.0738	47.8043
2022	1	31	6	12	17	11.2	0.1	1.1	19.99	99.8	7.0738	46.3914
2022	1	31	6	22	17	11.2	0.1	1.1	20.24	100.5	7.0738	46.8624
2022	1	31	6	32	17	11.2	0.1	1.1	19.83	96.7	7.0738	46.3914
2022	1	31	6	42	17	11.2	0.1	1.1	19.94	98.9	7.0738	46.3914
2022	1	31	6	52	17	11.2	0.1	1.1	19.73	98.7	7.0738	45.9204
2022	1	31	7	2	17	11.2	0.1	1.1	20.62	100.1	7.0738	47.8044
2022	1	31	7	12	17	11.2	0.1	1.1	19.08	97.8	7.0738	44.5075
2022	1	31	7	22	17	11.4	0.1	1.1	18.79	100.1	7.0738	43.5656
2022	1	31	7	32	17	11.4	0.1	1.1	20.44	98.7	7.0738	47.5689
2022	1	31	7	42	17	11.4	0.1	1.1	19.86	99.3	7.0738	46.156
2022	1	31	7	52	17	11.4	0.1	1.1	18.99	98.2	7.0738	44.2721
2022	1	31	8	2	17	11.4	0.1	1.1	20.7	99.7	7.0738	48.0399

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	31	8	12	17	11.4	0.1	1.1	21.13	100.1	7.0738	48.9819
2022	1	31	8	22	17	11.4	0.1	1.1	20.03	100.4	7.0738	46.3915
2022	1	31	8	32	17	11.4	0.1	1.1	20.62	100.1	7.0738	47.8044
2022	1	31	8	42	17	11.6	0.1	1.1	20.72	98.3	7.0738	48.2754
2022	1	31	8	52	17	11.8	0.1	1.1	19.46	101	7.0738	44.9785
2022	1	31	9	2	17	12	0.1	1.1	20.83	100.2	7.0738	48.2754
2022	1	31	9	12	17	12.2	0.1	1.1	20.24	98.8	7.0738	47.0979
2022	1	31	9	22	17	12.4	0.1	1.1	19.29	98	7.0738	44.9785
2022	1	31	9	32	17	12.6	0.1	1.1	19.81	100.2	7.0738	45.9204
2022	1	31	9	42	17	12.8	0.1	1.1	19.86	99.3	7.0799	46.1973
2022	1	31	9	52	17	12.8	0.1	1.1	20.04	100.6	7.0799	46.433
2022	1	31	10	2	17	12.8	0.1	1.1	20.6	102.6	7.0799	47.3757
2022	1	31	10	12	17	12.6	0.1	1.1	19.52	98.5	7.0738	45.4494
2022	1	31	10	22	17	12.6	0.1	1.1	19.25	99.3	7.0799	44.7831
2022	1	31	10	32	17	12.6	0.1	1.1	20.32	100.2	7.0799	47.1401
2022	1	31	10	42	17	12.8	0.1	1.1	20.59	101.2	7.0799	47.6114
2022	1	31	10	52	17	12.8	0.1	1.1	20.03	98.6	7.0799	46.6686
2022	1	31	11	2	17	12.8	0.1	1.1	20.36	102.2	7.0799	46.9043
2022	1	31	11	12	17	14	0.1	1.1	20.44	98.7	7.0799	47.6113
2022	1	31	11	22	17	14.2	0.1	1.1	20.38	101	7.086	47.1821
2022	1	31	11	32	17	14.2	0.1	1.1	19.95	100.7	7.086	46.2385
2022	1	31	11	42	17	14	0.1	1.1	19.56	99.4	7.0799	45.4899
2022	1	31	11	52	17	14	0.1	1.1	19.45	99.2	7.0799	45.2542
2022	1	31	12	2	17	14	0.1	1.1	19.7	102.9	7.086	45.2947
2022	1	31	12	12	17	14	0.1	1.1	20.03	98.6	7.086	46.7102
2022	1	31	12	22	17	13.8	0.1	1.1	20.06	100.9	7.086	46.4742
2022	1	31	12	32	17	13.8	0.1	1.1	19.45	99.2	7.086	45.2947
2022	1	31	12	42	17	13.8	0.1	1.1	20.16	102.3	7.086	46.4742
2022	1	31	12	52	17	13.8	0.1	1.1	19.84	99	7.086	46.2383
2022	1	31	13	2	17	13.6	0.1	1.1	19.81	100.2	7.086	46.0024
2022	1	31	13	12	17	13.4	0.1	1.1	20.16	100.9	7.086	46.7102
2022	1	31	13	22	17	13.4	0.1	1.1	19.49	101.5	7.086	45.0588
2022	1	31	13	32	17	13.4	0.1	1.1	19.63	102.1	7.0799	45.2542
2022	1	31	13	42	17	13.4	0.1	1.1	19.65	99.1	7.0799	45.7256
2022	1	31	13	52	17	13.4	0.1	1.1	19.77	103.8	7.086	45.2948
2022	1	31	14	2	17	13.4	0.1	1.1	19.65	100.9	7.086	45.5307
2022	1	31	14	12	17	13.4	0.1	1.1	19.77	101.1	7.086	45.7666
2022	1	31	14	22	17	13.4	0.1	1.1	20.06	99.2	7.0799	46.6684
2022	1	31	14	32	17	13.6	0.1	1.1	20.14	100.6	7.086	46.7102
2022	1	31	14	42	17	13.6	0.1	1.1	20.16	100.9	7.086	46.7102
2022	1	31	14	52	17	13.6	0.1	1.1	19.59	101.5	7.086	45.2947
2022	1	31	15	2	17	12.6	0.1	1.1	20.04	98.9	7.0799	46.6684
2022	1	31	15	12	17	13	0.1	1.1	19.7	99.9	7.0799	45.7256
2022	1	31	15	22	17	12.4	0.1	1.1	19.98	97.8	7.086	46.7102
2022	1	31	15	32	17	12.2	0.1	1.1	20.04	102.1	7.086	46.2384
2022	1	31	15	42	17	12.2	0.1	1.1	19.93	98.7	7.0799	46.4327
2022	1	31	15	52	17	12.2	0.1	1.1	19.78	99.6	7.0799	45.9613
2022	1	31	16	2	17	12	0.1	1.1	19.59	101.5	7.0799	45.2542

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2022	1	31	16	12	17	12	0.1	1.1	19.91	100.1	7.0799	46.197
2022	1	31	16	22	17	12	0.1	1.1	20.4	99.9	7.0799	47.3755
2022	1	31	16	32	17	12	0.1	1.1	19.6	100	7.0799	45.4899
2022	1	31	16	42	17	12	0.1	1.1	20.95	100.5	7.0799	48.554
2022	1	31	16	52	17	11.8	0.1	1.1	20.36	100.8	7.0799	47.1398
2022	1	31	17	2	17	11.8	0.1	1.1	20.54	100.4	7.0799	47.6111
2022	1	31	17	12	17	11.8	0.1	1.1	19.79	101.4	7.0799	45.7255
2022	1	31	17	22	17	11.8	0.1	1.1	20.04	102.1	7.0799	46.1969
2022	1	31	17	32	17	11.8	0.1	1.1	19.19	99.9	7.086	44.5869
2022	1	31	17	42	17	11.8	0.1	1.1	20.01	100.1	7.0799	46.4326
2022	1	31	17	52	17	11.8	0.1	1.1	19.22	98.7	7.086	44.8228
2022	1	31	18	2	17	11.8	0.1	1.1	19.44	100.7	7.086	45.0587
2022	1	31	18	12	17	11.8	0.1	1.1	19.84	99	7.086	46.2382
2022	1	31	18	22	17	11.8	0.1	1.1	20.18	101.1	7.086	46.71
2022	1	31	18	32	17	11.8	0.1	1.1	19.77	97.6	7.086	46.2382
2022	1	31	18	42	17	11.8	0.1	1.1	19.81	100.2	7.086	46.0023
2022	1	31	18	52	17	11.8	0.1	1.1	19.59	97.9	7.086	45.7663
2022	1	31	19	2	17	11.8	0.1	1.1	19.45	97.1	7.086	45.5304
2022	1	31	19	12	17	11.8	0.1	1.1	20.01	98.3	7.086	46.7099
2022	1	31	19	22	17	11.8	0.1	1.1	20.07	97.4	7.086	46.9458
2022	1	31	19	32	17	11.8	0.1	1.1	20.93	98.5	7.086	48.8331
2022	1	31	19	42	17	11.6	0.1	1.1	19.1	100.3	7.086	44.3508
2022	1	31	19	52	17	11.6	0.1	1.1	20.47	97.3	7.086	47.8894
2022	1	31	20	2	17	11.6	0.1	1.1	20.47	101	7.086	47.4176
2022	1	31	20	12	17	11.6	0.1	1.1	20.21	100	7.086	46.9458
2022	1	31	20	22	17	11.6	0.1	1.1	19.35	99.2	7.086	45.0585
2022	1	31	20	32	17	11.6	0.1	1.1	18.63	99	7.086	43.4071
2022	1	31	20	42	17	11.6	0.1	1.1	19.8	98.1	7.086	46.238
2022	1	31	20	52	17	11.6	0.1	1.1	19.04	99.1	7.086	44.3507
2022	1	31	21	2	17	11.6	0.1	1.1	19.79	97.8	7.086	46.238
2022	1	31	21	12	17	11.6	0.1	1.1	20.47	99.3	7.086	47.6534
2022	1	31	21	22	17	11.6	0.1	1.1	19.81	98.4	7.086	46.238
2022	1	31	21	32	17	11.6	0.1	1.1	19.98	101.3	7.086	46.238
2022	1	31	21	42	17	11.6	0.1	1.1	19.49	98	7.0921	45.571
2022	1	31	21	52	17	11.6	0.1	1.1	20.06	100.9	7.086	46.4739
2022	1	31	22	2	17	11.6	0.1	1.1	19.79	97.8	7.086	46.238
2022	1	31	22	12	17	11.6	0.1	1.1	20.3	99.9	7.086	47.1816
2022	1	31	22	22	17	11.6	0.1	1.1	20.38	101	7.086	47.1816
2022	1	31	22	32	17	11.6	0.1	1.1	19.08	97.8	7.086	44.5866
2022	1	31	22	42	17	11.6	0.1	1.1	19.55	99.1	7.086	45.5302
2022	1	31	22	52	17	11.6	0.1	1.1	20.39	97.9	7.086	47.6534
2022	1	31	23	2	17	11.6	0.1	1.1	19.14	99	7.086	44.5866
2022	1	31	23	12	17	11.6	0.1	1.1	20.8	99.7	7.086	48.3611
2022	1	31	23	22	17	11.6	0.1	1.1	19.19	102.9	7.086	44.1148
2022	1	31	23	32	17	11.6	0.1	1.1	20.07	102.4	7.086	46.2379
2022	1	31	23	42	17	11.6	0.1	1.1	19.48	99.8	7.086	45.2943
2022	1	31	23	52	17	11.6	0.1	1.1	20.49	101.3	7.086	47.4175

Locust Ditch Return

Station

0215

Date	Flow (cfs)
1/1/2022	0.00
1/2/2022	0.00
1/3/2022	0.00
1/4/2022	0.00
1/5/2022	0.00
1/6/2022	0.00
1/7/2022	0.00
1/8/2022	0.00
1/9/2022	0.00
1/10/2022	0.00
1/11/2022	0.00
1/12/2022	0.00
1/13/2022	0.00
1/14/2022	0.00
1/15/2022	0.00
1/16/2022	0.00
1/17/2022	0.00
1/18/2022	0.00
1/19/2022	0.00
1/20/2022	0.00
1/21/2022	0.00
1/22/2022	0.00
1/23/2022	0.00
1/24/2022	0.00
1/25/2022	0.00
1/26/2022	0.00
1/27/2022	0.00
1/28/2022	0.00
1/29/2022	0.00
1/30/2022	0.00
1/31/2022	0.00



Locust Ditch Return Gage

DATE	TIME	GAGE
1/1/2022	12:00:00 AM	0
1/1/2022	12:15:00 AM	0
1/1/2022	12:30:00 AM	0
1/1/2022	12:45:00 AM	0
1/1/2022	1:00:00 AM	0
1/1/2022	1:15:00 AM	0
1/1/2022	1:30:00 AM	0
1/1/2022	1:45:00 AM	0
1/1/2022	2:00:00 AM	0
1/1/2022	2:15:00 AM	0
1/1/2022	2:30:00 AM	0
1/1/2022	2:45:00 AM	0
1/1/2022	3:00:00 AM	0
1/1/2022	3:15:00 AM	0
1/1/2022	3:30:00 AM	0
1/1/2022	3:45:00 AM	0
1/1/2022	4:00:00 AM	0
1/1/2022	4:15:00 AM	0
1/1/2022	4:30:00 AM	0
1/1/2022	4:45:00 AM	0
1/1/2022	5:00:00 AM	0
1/1/2022	5:15:00 AM	0
1/1/2022	5:30:00 AM	0
1/1/2022	5:45:00 AM	0
1/1/2022	6:00:00 AM	0
1/1/2022	6:15:00 AM	0
1/1/2022	6:30:00 AM	0
1/1/2022	6:45:00 AM	0
1/1/2022	7:00:00 AM	0
1/1/2022	7:15:00 AM	0
1/1/2022	7:30:00 AM	0
1/1/2022	7:45:00 AM	0
1/1/2022	8:00:00 AM	0
1/1/2022	8:15:00 AM	0
1/1/2022	8:30:00 AM	0
1/1/2022	8:45:00 AM	0
1/1/2022	9:00:00 AM	0
1/1/2022	9:15:00 AM	0
1/1/2022	9:30:00 AM	0
1/1/2022	9:45:00 AM	0
1/1/2022	10:00:00 AM	0
1/1/2022	10:15:00 AM	0
1/1/2022	10:30:00 AM	0
1/1/2022	10:45:00 AM	0
1/1/2022	11:00:00 AM	0
1/1/2022	11:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/1/2022	11:30:00 AM	0
1/1/2022	11:45:00 AM	0
1/1/2022	12:00:00 PM	0
1/1/2022	12:15:00 PM	0
1/1/2022	12:30:00 PM	0
1/1/2022	12:45:00 PM	0
1/1/2022	1:00:00 PM	0
1/1/2022	1:15:00 PM	0
1/1/2022	1:30:00 PM	0
1/1/2022	1:45:00 PM	0
1/1/2022	2:00:00 PM	0
1/1/2022	2:15:00 PM	0
1/1/2022	2:30:00 PM	0
1/1/2022	2:45:00 PM	0
1/1/2022	3:00:00 PM	0
1/1/2022	3:15:00 PM	0
1/1/2022	3:30:00 PM	0
1/1/2022	3:45:00 PM	0
1/1/2022	4:00:00 PM	0
1/1/2022	4:15:00 PM	0
1/1/2022	4:30:00 PM	0
1/1/2022	4:45:00 PM	0
1/1/2022	5:00:00 PM	0
1/1/2022	5:15:00 PM	0
1/1/2022	5:30:00 PM	0
1/1/2022	5:45:00 PM	0
1/1/2022	6:00:00 PM	0
1/1/2022	6:15:00 PM	0
1/1/2022	6:30:00 PM	0
1/1/2022	6:45:00 PM	0
1/1/2022	7:00:00 PM	0
1/1/2022	7:15:00 PM	0
1/1/2022	7:30:00 PM	0
1/1/2022	7:45:00 PM	0
1/1/2022	8:00:00 PM	0
1/1/2022	8:15:00 PM	0
1/1/2022	8:30:00 PM	0
1/1/2022	8:45:00 PM	0
1/1/2022	9:00:00 PM	0
1/1/2022	9:15:00 PM	0
1/1/2022	9:30:00 PM	0
1/1/2022	9:45:00 PM	0
1/1/2022	10:00:00 PM	0
1/1/2022	10:15:00 PM	0
1/1/2022	10:30:00 PM	0
1/1/2022	10:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/1/2022	11:00:00 PM	0
1/1/2022	11:15:00 PM	0
1/1/2022	11:30:00 PM	0
1/1/2022	11:45:00 PM	0
1/2/2022	12:00:00 AM	0
1/2/2022	12:15:00 AM	0
1/2/2022	12:30:00 AM	0
1/2/2022	12:45:00 AM	0
1/2/2022	1:00:00 AM	0
1/2/2022	1:15:00 AM	0
1/2/2022	1:30:00 AM	0
1/2/2022	1:45:00 AM	0
1/2/2022	2:00:00 AM	0
1/2/2022	2:15:00 AM	0
1/2/2022	2:30:00 AM	0
1/2/2022	2:45:00 AM	0
1/2/2022	3:00:00 AM	0
1/2/2022	3:15:00 AM	0
1/2/2022	3:30:00 AM	0
1/2/2022	3:45:00 AM	0
1/2/2022	4:00:00 AM	0
1/2/2022	4:15:00 AM	0
1/2/2022	4:30:00 AM	0
1/2/2022	4:45:00 AM	0
1/2/2022	5:00:00 AM	0
1/2/2022	5:15:00 AM	0
1/2/2022	5:30:00 AM	0
1/2/2022	5:45:00 AM	0
1/2/2022	6:00:00 AM	0
1/2/2022	6:15:00 AM	0
1/2/2022	6:30:00 AM	0
1/2/2022	6:45:00 AM	0
1/2/2022	7:00:00 AM	0
1/2/2022	7:15:00 AM	0
1/2/2022	7:30:00 AM	0
1/2/2022	7:45:00 AM	0
1/2/2022	8:00:00 AM	0
1/2/2022	8:15:00 AM	0
1/2/2022	8:30:00 AM	0
1/2/2022	8:45:00 AM	0
1/2/2022	9:00:00 AM	0
1/2/2022	9:15:00 AM	0
1/2/2022	9:30:00 AM	0
1/2/2022	9:45:00 AM	0
1/2/2022	10:00:00 AM	0
1/2/2022	10:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/2/2022	10:30:00 AM	0
1/2/2022	10:45:00 AM	0
1/2/2022	11:00:00 AM	0
1/2/2022	11:15:00 AM	0
1/2/2022	11:30:00 AM	0
1/2/2022	11:45:00 AM	0
1/2/2022	12:00:00 PM	0
1/2/2022	12:15:00 PM	0
1/2/2022	12:30:00 PM	0
1/2/2022	12:45:00 PM	0
1/2/2022	1:00:00 PM	0
1/2/2022	1:15:00 PM	0
1/2/2022	1:30:00 PM	0
1/2/2022	1:45:00 PM	0
1/2/2022	2:00:00 PM	0
1/2/2022	2:15:00 PM	0
1/2/2022	2:30:00 PM	0
1/2/2022	2:45:00 PM	0
1/2/2022	3:00:00 PM	0
1/2/2022	3:15:00 PM	0
1/2/2022	3:30:00 PM	0
1/2/2022	3:45:00 PM	0
1/2/2022	4:00:00 PM	0
1/2/2022	4:15:00 PM	0
1/2/2022	4:30:00 PM	0
1/2/2022	4:45:00 PM	0
1/2/2022	5:00:00 PM	0
1/2/2022	5:15:00 PM	0
1/2/2022	5:30:00 PM	0
1/2/2022	5:45:00 PM	0
1/2/2022	6:00:00 PM	0
1/2/2022	6:15:00 PM	0
1/2/2022	6:30:00 PM	0
1/2/2022	6:45:00 PM	0
1/2/2022	7:00:00 PM	0
1/2/2022	7:15:00 PM	0
1/2/2022	7:30:00 PM	0
1/2/2022	7:45:00 PM	0
1/2/2022	8:00:00 PM	0
1/2/2022	8:15:00 PM	0
1/2/2022	8:30:00 PM	0
1/2/2022	8:45:00 PM	0
1/2/2022	9:00:00 PM	0
1/2/2022	9:15:00 PM	0
1/2/2022	9:30:00 PM	0
1/2/2022	9:45:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/2/2022	10:00:00 PM	0
1/2/2022	10:15:00 PM	0
1/2/2022	10:30:00 PM	0
1/2/2022	10:45:00 PM	0
1/2/2022	11:00:00 PM	0
1/2/2022	11:15:00 PM	0
1/2/2022	11:30:00 PM	0
1/2/2022	11:45:00 PM	0
1/3/2022	12:00:00 AM	0
1/3/2022	12:15:00 AM	0
1/3/2022	12:30:00 AM	0
1/3/2022	12:45:00 AM	0
1/3/2022	1:00:00 AM	0
1/3/2022	1:15:00 AM	0
1/3/2022	1:30:00 AM	0
1/3/2022	1:45:00 AM	0
1/3/2022	2:00:00 AM	0
1/3/2022	2:15:00 AM	0
1/3/2022	2:30:00 AM	0
1/3/2022	2:45:00 AM	0
1/3/2022	3:00:00 AM	0
1/3/2022	3:15:00 AM	0
1/3/2022	3:30:00 AM	0
1/3/2022	3:45:00 AM	0
1/3/2022	4:00:00 AM	0
1/3/2022	4:15:00 AM	0
1/3/2022	4:30:00 AM	0
1/3/2022	4:45:00 AM	0
1/3/2022	5:00:00 AM	0
1/3/2022	5:15:00 AM	0
1/3/2022	5:30:00 AM	0
1/3/2022	5:45:00 AM	0
1/3/2022	6:00:00 AM	0
1/3/2022	6:15:00 AM	0
1/3/2022	6:30:00 AM	0
1/3/2022	6:45:00 AM	0
1/3/2022	7:00:00 AM	0
1/3/2022	7:15:00 AM	0
1/3/2022	7:30:00 AM	0
1/3/2022	7:45:00 AM	0
1/3/2022	8:00:00 AM	0
1/3/2022	8:15:00 AM	0
1/3/2022	8:30:00 AM	0
1/3/2022	8:45:00 AM	0
1/3/2022	9:00:00 AM	0
1/3/2022	9:15:00 AM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/3/2022	9:30:00 AM	0
1/3/2022	9:45:00 AM	0
1/3/2022	10:00:00 AM	0
1/3/2022	10:15:00 AM	0
1/3/2022	10:30:00 AM	0
1/3/2022	10:45:00 AM	0
1/3/2022	11:00:00 AM	0
1/3/2022	11:15:00 AM	0
1/3/2022	11:30:00 AM	0
1/3/2022	11:45:00 AM	0
1/3/2022	12:00:00 PM	0
1/3/2022	12:15:00 PM	0
1/3/2022	12:30:00 PM	0
1/3/2022	12:45:00 PM	0
1/3/2022	1:00:00 PM	0
1/3/2022	1:15:00 PM	0
1/3/2022	1:30:00 PM	0
1/3/2022	1:45:00 PM	0
1/3/2022	2:00:00 PM	0
1/3/2022	2:15:00 PM	0
1/3/2022	2:30:00 PM	0
1/3/2022	2:45:00 PM	0
1/3/2022	3:00:00 PM	0
1/3/2022	3:15:00 PM	0
1/3/2022	3:30:00 PM	0
1/3/2022	3:45:00 PM	0
1/3/2022	4:00:00 PM	0
1/3/2022	4:15:00 PM	0
1/3/2022	4:30:00 PM	0
1/3/2022	4:45:00 PM	0
1/3/2022	5:00:00 PM	0
1/3/2022	5:15:00 PM	0
1/3/2022	5:30:00 PM	0
1/3/2022	5:45:00 PM	0
1/3/2022	6:00:00 PM	0
1/3/2022	6:15:00 PM	0
1/3/2022	6:30:00 PM	0
1/3/2022	6:45:00 PM	0
1/3/2022	7:00:00 PM	0
1/3/2022	7:15:00 PM	0
1/3/2022	7:30:00 PM	0
1/3/2022	7:45:00 PM	0
1/3/2022	8:00:00 PM	0
1/3/2022	8:15:00 PM	0
1/3/2022	8:30:00 PM	0
1/3/2022	8:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/3/2022	9:00:00 PM	0
1/3/2022	9:15:00 PM	0
1/3/2022	9:30:00 PM	0
1/3/2022	9:45:00 PM	0
1/3/2022	10:00:00 PM	0
1/3/2022	10:15:00 PM	0
1/3/2022	10:30:00 PM	0
1/3/2022	10:45:00 PM	0
1/3/2022	11:00:00 PM	0
1/3/2022	11:15:00 PM	0
1/3/2022	11:30:00 PM	0
1/3/2022	11:45:00 PM	0
1/4/2022	12:00:00 AM	0
1/4/2022	12:15:00 AM	0
1/4/2022	12:30:00 AM	0
1/4/2022	12:45:00 AM	0
1/4/2022	1:00:00 AM	0
1/4/2022	1:15:00 AM	0
1/4/2022	1:30:00 AM	0
1/4/2022	1:45:00 AM	0
1/4/2022	2:00:00 AM	0
1/4/2022	2:15:00 AM	0
1/4/2022	2:30:00 AM	0
1/4/2022	2:45:00 AM	0
1/4/2022	3:00:00 AM	0
1/4/2022	3:15:00 AM	0
1/4/2022	3:30:00 AM	0
1/4/2022	3:45:00 AM	0
1/4/2022	4:00:00 AM	0
1/4/2022	4:15:00 AM	0
1/4/2022	4:30:00 AM	0
1/4/2022	4:45:00 AM	0
1/4/2022	5:00:00 AM	0
1/4/2022	5:15:00 AM	0
1/4/2022	5:30:00 AM	0
1/4/2022	5:45:00 AM	0
1/4/2022	6:00:00 AM	0
1/4/2022	6:15:00 AM	0
1/4/2022	6:30:00 AM	0
1/4/2022	6:45:00 AM	0
1/4/2022	7:00:00 AM	0
1/4/2022	7:15:00 AM	0
1/4/2022	7:30:00 AM	0
1/4/2022	7:45:00 AM	0
1/4/2022	8:00:00 AM	0
1/4/2022	8:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/4/2022	8:30:00 AM	0
1/4/2022	8:45:00 AM	0
1/4/2022	9:00:00 AM	0
1/4/2022	9:15:00 AM	0
1/4/2022	9:30:00 AM	0
1/4/2022	9:45:00 AM	0
1/4/2022	10:00:00 AM	0
1/4/2022	10:15:00 AM	0
1/4/2022	10:30:00 AM	0
1/4/2022	10:45:00 AM	0
1/4/2022	11:00:00 AM	0
1/4/2022	11:15:00 AM	0
1/4/2022	11:30:00 AM	0
1/4/2022	11:45:00 AM	0
1/4/2022	12:00:00 PM	0
1/4/2022	12:15:00 PM	0
1/4/2022	12:30:00 PM	0
1/4/2022	12:45:00 PM	0
1/4/2022	1:00:00 PM	0
1/4/2022	1:15:00 PM	0
1/4/2022	1:30:00 PM	0
1/4/2022	1:45:00 PM	0
1/4/2022	2:00:00 PM	0
1/4/2022	2:15:00 PM	0
1/4/2022	2:30:00 PM	0
1/4/2022	2:45:00 PM	0
1/4/2022	3:00:00 PM	0
1/4/2022	3:15:00 PM	0
1/4/2022	3:30:00 PM	0
1/4/2022	3:45:00 PM	0
1/4/2022	4:00:00 PM	0
1/4/2022	4:15:00 PM	0
1/4/2022	4:30:00 PM	0
1/4/2022	4:45:00 PM	0
1/4/2022	5:00:00 PM	0
1/4/2022	5:15:00 PM	0
1/4/2022	5:30:00 PM	0
1/4/2022	5:45:00 PM	0
1/4/2022	6:00:00 PM	0
1/4/2022	6:15:00 PM	0
1/4/2022	6:30:00 PM	0
1/4/2022	6:45:00 PM	0
1/4/2022	7:00:00 PM	0
1/4/2022	7:15:00 PM	0
1/4/2022	7:30:00 PM	0
1/4/2022	7:45:00 PM	0



# Locust Ditch Return Gage

DATE	TIME	GAGE
1/4/2022	8:00:00 PM	0
1/4/2022	8:15:00 PM	0
1/4/2022	8:30:00 PM	0
1/4/2022	8:45:00 PM	0
1/4/2022	9:00:00 PM	0
1/4/2022	9:15:00 PM	0
1/4/2022	9:30:00 PM	0
1/4/2022	9:45:00 PM	0
1/4/2022	10:00:00 PM	0
1/4/2022	10:15:00 PM	0
1/4/2022	10:30:00 PM	0
1/4/2022	10:45:00 PM	0
1/4/2022	11:00:00 PM	0
1/4/2022	11:15:00 PM	0
1/4/2022	11:30:00 PM	0
1/4/2022	11:45:00 PM	0
1/5/2022	12:00:00 AM	0
1/5/2022	12:15:00 AM	0
1/5/2022	12:30:00 AM	0
1/5/2022	12:45:00 AM	0
1/5/2022	1:00:00 AM	0
1/5/2022	1:15:00 AM	0
1/5/2022	1:30:00 AM	0
1/5/2022	1:45:00 AM	0
1/5/2022	2:00:00 AM	0
1/5/2022	2:15:00 AM	0
1/5/2022	2:30:00 AM	0
1/5/2022	2:45:00 AM	0
1/5/2022	3:00:00 AM	0
1/5/2022	3:15:00 AM	0
1/5/2022	3:30:00 AM	0
1/5/2022	3:45:00 AM	0
1/5/2022	4:00:00 AM	0
1/5/2022	4:15:00 AM	0
1/5/2022	4:30:00 AM	0
1/5/2022	4:45:00 AM	0
1/5/2022	5:00:00 AM	0
1/5/2022	5:15:00 AM	0
1/5/2022	5:30:00 AM	0
1/5/2022	5:45:00 AM	0
1/5/2022	6:00:00 AM	0
1/5/2022	6:15:00 AM	0
1/5/2022	6:30:00 AM	0
1/5/2022	6:45:00 AM	0
1/5/2022	7:00:00 AM	0
1/5/2022	7:15:00 AM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/5/2022	7:30:00 AM	0
1/5/2022	7:45:00 AM	0
1/5/2022	8:00:00 AM	0
1/5/2022	8:15:00 AM	0
1/5/2022	8:30:00 AM	0
1/5/2022	8:45:00 AM	0
1/5/2022	9:00:00 AM	0
1/5/2022	9:15:00 AM	0
1/5/2022	9:30:00 AM	0
1/5/2022	9:45:00 AM	0
1/5/2022	10:00:00 AM	0
1/5/2022	10:15:00 AM	0
1/5/2022	10:30:00 AM	0
1/5/2022	10:45:00 AM	0
1/5/2022	11:00:00 AM	0
1/5/2022	11:15:00 AM	0
1/5/2022	11:30:00 AM	0
1/5/2022	11:45:00 AM	0
1/5/2022	12:00:00 PM	0
1/5/2022	12:15:00 PM	0
1/5/2022	12:30:00 PM	0
1/5/2022	12:45:00 PM	0
1/5/2022	1:00:00 PM	0
1/5/2022	1:15:00 PM	0
1/5/2022	1:30:00 PM	0
1/5/2022	1:45:00 PM	0
1/5/2022	2:00:00 PM	0
1/5/2022	2:15:00 PM	0
1/5/2022	2:30:00 PM	0
1/5/2022	2:45:00 PM	0
1/5/2022	3:00:00 PM	0
1/5/2022	3:15:00 PM	0
1/5/2022	3:30:00 PM	0
1/5/2022	3:45:00 PM	0
1/5/2022	4:00:00 PM	0
1/5/2022	4:15:00 PM	0
1/5/2022	4:30:00 PM	0
1/5/2022	4:45:00 PM	0
1/5/2022	5:00:00 PM	0
1/5/2022	5:15:00 PM	0
1/5/2022	5:30:00 PM	0
1/5/2022	5:45:00 PM	0
1/5/2022	6:00:00 PM	0
1/5/2022	6:15:00 PM	0
1/5/2022	6:30:00 PM	0
1/5/2022	6:45:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/5/2022	7:00:00 PM	0
1/5/2022	7:15:00 PM	0
1/5/2022	7:30:00 PM	0
1/5/2022	7:45:00 PM	0
1/5/2022	8:00:00 PM	0
1/5/2022	8:15:00 PM	0
1/5/2022	8:30:00 PM	0
1/5/2022	8:45:00 PM	0
1/5/2022	9:00:00 PM	0
1/5/2022	9:15:00 PM	0
1/5/2022	9:30:00 PM	0
1/5/2022	9:45:00 PM	0
1/5/2022	10:00:00 PM	0
1/5/2022	10:15:00 PM	0
1/5/2022	10:30:00 PM	0
1/5/2022	10:45:00 PM	0
1/5/2022	11:00:00 PM	0
1/5/2022	11:15:00 PM	0
1/5/2022	11:30:00 PM	0
1/5/2022	11:45:00 PM	0
1/6/2022	12:00:00 AM	0
1/6/2022	12:15:00 AM	0
1/6/2022	12:30:00 AM	0
1/6/2022	12:45:00 AM	0
1/6/2022	1:00:00 AM	0
1/6/2022	1:15:00 AM	0
1/6/2022	1:30:00 AM	0
1/6/2022	1:45:00 AM	0
1/6/2022	2:00:00 AM	0
1/6/2022	2:15:00 AM	0
1/6/2022	2:30:00 AM	0
1/6/2022	2:45:00 AM	0
1/6/2022	3:00:00 AM	0
1/6/2022	3:15:00 AM	0
1/6/2022	3:30:00 AM	0
1/6/2022	3:45:00 AM	0
1/6/2022	4:00:00 AM	0
1/6/2022	4:15:00 AM	0
1/6/2022	4:30:00 AM	0
1/6/2022	4:45:00 AM	0
1/6/2022	5:00:00 AM	0
1/6/2022	5:15:00 AM	0
1/6/2022	5:30:00 AM	0
1/6/2022	5:45:00 AM	0
1/6/2022	6:00:00 AM	0
1/6/2022	6:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/6/2022	6:30:00 AM	0
1/6/2022	6:45:00 AM	0
1/6/2022	7:00:00 AM	0
1/6/2022	7:15:00 AM	0
1/6/2022	7:30:00 AM	0
1/6/2022	7:45:00 AM	0
1/6/2022	8:00:00 AM	0
1/6/2022	8:15:00 AM	0
1/6/2022	8:30:00 AM	0
1/6/2022	8:45:00 AM	0
1/6/2022	9:00:00 AM	0
1/6/2022	9:15:00 AM	0
1/6/2022	9:30:00 AM	0
1/6/2022	9:45:00 AM	0
1/6/2022	10:00:00 AM	0
1/6/2022	10:15:00 AM	0
1/6/2022	10:30:00 AM	0
1/6/2022	10:45:00 AM	0
1/6/2022	11:00:00 AM	0
1/6/2022	11:15:00 AM	0
1/6/2022	11:30:00 AM	0
1/6/2022	11:45:00 AM	0
1/6/2022	12:00:00 PM	0
1/6/2022	12:15:00 PM	0
1/6/2022	12:30:00 PM	0
1/6/2022	12:45:00 PM	0
1/6/2022	1:00:00 PM	0
1/6/2022	1:15:00 PM	0
1/6/2022	1:30:00 PM	0
1/6/2022	1:45:00 PM	0
1/6/2022	2:00:00 PM	0
1/6/2022	2:15:00 PM	0
1/6/2022	2:30:00 PM	0
1/6/2022	2:45:00 PM	0
1/6/2022	3:00:00 PM	0
1/6/2022	3:15:00 PM	0
1/6/2022	3:30:00 PM	0
1/6/2022	3:45:00 PM	0
1/6/2022	4:00:00 PM	0
1/6/2022	4:15:00 PM	0
1/6/2022	4:30:00 PM	0
1/6/2022	4:45:00 PM	0
1/6/2022	5:00:00 PM	0
1/6/2022	5:15:00 PM	0
1/6/2022	5:30:00 PM	0
1/6/2022	5:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/6/2022	6:00:00 PM	0
1/6/2022	6:15:00 PM	0
1/6/2022	6:30:00 PM	0
1/6/2022	6:45:00 PM	0
1/6/2022	7:00:00 PM	0
1/6/2022	7:15:00 PM	0
1/6/2022	7:30:00 PM	0
1/6/2022	7:45:00 PM	0
1/6/2022	8:00:00 PM	0
1/6/2022	8:15:00 PM	0
1/6/2022	8:30:00 PM	0
1/6/2022	8:45:00 PM	0
1/6/2022	9:00:00 PM	0
1/6/2022	9:15:00 PM	0
1/6/2022	9:30:00 PM	0
1/6/2022	9:45:00 PM	0
1/6/2022	10:00:00 PM	0
1/6/2022	10:15:00 PM	0
1/6/2022	10:30:00 PM	0
1/6/2022	10:45:00 PM	0
1/6/2022	11:00:00 PM	0
1/6/2022	11:15:00 PM	0
1/6/2022	11:30:00 PM	0
1/6/2022	11:45:00 PM	0
1/7/2022	12:00:00 AM	0
1/7/2022	12:15:00 AM	0
1/7/2022	12:30:00 AM	0
1/7/2022	12:45:00 AM	0
1/7/2022	1:00:00 AM	0
1/7/2022	1:15:00 AM	0
1/7/2022	1:30:00 AM	0
1/7/2022	1:45:00 AM	0
1/7/2022	2:00:00 AM	0
1/7/2022	2:15:00 AM	0
1/7/2022	2:30:00 AM	0
1/7/2022	2:45:00 AM	0
1/7/2022	3:00:00 AM	0
1/7/2022	3:15:00 AM	0
1/7/2022	3:30:00 AM	0
1/7/2022	3:45:00 AM	0
1/7/2022	4:00:00 AM	0
1/7/2022	4:15:00 AM	0
1/7/2022	4:30:00 AM	0
1/7/2022	4:45:00 AM	0
1/7/2022	5:00:00 AM	0
1/7/2022	5:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/7/2022	5:30:00 AM	0
1/7/2022	5:45:00 AM	0
1/7/2022	6:00:00 AM	0
1/7/2022	6:15:00 AM	0
1/7/2022	6:30:00 AM	0
1/7/2022	6:45:00 AM	0
1/7/2022	7:00:00 AM	0
1/7/2022	7:15:00 AM	0
1/7/2022	7:30:00 AM	0
1/7/2022	7:45:00 AM	0
1/7/2022	8:00:00 AM	0
1/7/2022	8:15:00 AM	0
1/7/2022	8:30:00 AM	0
1/7/2022	8:45:00 AM	0
1/7/2022	9:00:00 AM	0
1/7/2022	9:15:00 AM	0
1/7/2022	9:30:00 AM	0
1/7/2022	9:45:00 AM	0
1/7/2022	10:00:00 AM	0
1/7/2022	10:15:00 AM	0
1/7/2022	10:30:00 AM	0
1/7/2022	10:45:00 AM	0
1/7/2022	11:00:00 AM	0
1/7/2022	11:15:00 AM	0
1/7/2022	11:30:00 AM	0
1/7/2022	11:45:00 AM	0
1/7/2022	12:00:00 PM	0
1/7/2022	12:15:00 PM	0
1/7/2022	12:30:00 PM	0
1/7/2022	12:45:00 PM	0
1/7/2022	1:00:00 PM	0
1/7/2022	1:15:00 PM	0
1/7/2022	1:30:00 PM	0
1/7/2022	1:45:00 PM	0
1/7/2022	2:00:00 PM	0
1/7/2022	2:15:00 PM	0
1/7/2022	2:30:00 PM	0
1/7/2022	2:45:00 PM	0
1/7/2022	3:00:00 PM	0
1/7/2022	3:15:00 PM	0
1/7/2022	3:30:00 PM	0
1/7/2022	3:45:00 PM	0
1/7/2022	4:00:00 PM	0
1/7/2022	4:15:00 PM	0
1/7/2022	4:30:00 PM	0
1/7/2022	4:45:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/7/2022	5:00:00 PM	0
1/7/2022	5:15:00 PM	0
1/7/2022	5:30:00 PM	0
1/7/2022	5:45:00 PM	0
1/7/2022	6:00:00 PM	0
1/7/2022	6:15:00 PM	0
1/7/2022	6:30:00 PM	0
1/7/2022	6:45:00 PM	0
1/7/2022	7:00:00 PM	0
1/7/2022	7:15:00 PM	0
1/7/2022	7:30:00 PM	0
1/7/2022	7:45:00 PM	0
1/7/2022	8:00:00 PM	0
1/7/2022	8:15:00 PM	0
1/7/2022	8:30:00 PM	0
1/7/2022	8:45:00 PM	0
1/7/2022	9:00:00 PM	0
1/7/2022	9:15:00 PM	0
1/7/2022	9:30:00 PM	0
1/7/2022	9:45:00 PM	0
1/7/2022	10:00:00 PM	0
1/7/2022	10:15:00 PM	0
1/7/2022	10:30:00 PM	0
1/7/2022	10:45:00 PM	0
1/7/2022	11:00:00 PM	0
1/7/2022	11:15:00 PM	0
1/7/2022	11:30:00 PM	0
1/7/2022	11:45:00 PM	0
1/8/2022	12:00:00 AM	0
1/8/2022	12:15:00 AM	0
1/8/2022	12:30:00 AM	0
1/8/2022	12:45:00 AM	0
1/8/2022	1:00:00 AM	0
1/8/2022	1:15:00 AM	0
1/8/2022	1:30:00 AM	0
1/8/2022	1:45:00 AM	0
1/8/2022	2:00:00 AM	0
1/8/2022	2:15:00 AM	0
1/8/2022	2:30:00 AM	0
1/8/2022	2:45:00 AM	0
1/8/2022	3:00:00 AM	0
1/8/2022	3:15:00 AM	0
1/8/2022	3:30:00 AM	0
1/8/2022	3:45:00 AM	0
1/8/2022	4:00:00 AM	0
1/8/2022	4:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/8/2022	4:30:00 AM	0
1/8/2022	4:45:00 AM	0
1/8/2022	5:00:00 AM	0
1/8/2022	5:15:00 AM	0
1/8/2022	5:30:00 AM	0
1/8/2022	5:45:00 AM	0
1/8/2022	6:00:00 AM	0
1/8/2022	6:15:00 AM	0
1/8/2022	6:30:00 AM	0
1/8/2022	6:45:00 AM	0
1/8/2022	7:00:00 AM	0
1/8/2022	7:15:00 AM	0
1/8/2022	7:30:00 AM	0
1/8/2022	7:45:00 AM	0
1/8/2022	8:00:00 AM	0
1/8/2022	8:15:00 AM	0
1/8/2022	8:30:00 AM	0
1/8/2022	8:45:00 AM	0
1/8/2022	9:00:00 AM	0
1/8/2022	9:15:00 AM	0
1/8/2022	9:30:00 AM	0
1/8/2022	9:45:00 AM	0
1/8/2022	10:00:00 AM	0
1/8/2022	10:15:00 AM	0
1/8/2022	10:30:00 AM	0
1/8/2022	10:45:00 AM	0
1/8/2022	11:00:00 AM	0
1/8/2022	11:15:00 AM	0
1/8/2022	11:30:00 AM	0
1/8/2022	11:45:00 AM	0
1/8/2022	12:00:00 PM	0
1/8/2022	12:15:00 PM	0
1/8/2022	12:30:00 PM	0
1/8/2022	12:45:00 PM	0
1/8/2022	1:00:00 PM	0
1/8/2022	1:15:00 PM	0
1/8/2022	1:30:00 PM	0
1/8/2022	1:45:00 PM	0
1/8/2022	2:00:00 PM	0
1/8/2022	2:15:00 PM	0
1/8/2022	2:30:00 PM	0
1/8/2022	2:45:00 PM	0
1/8/2022	3:00:00 PM	0
1/8/2022	3:15:00 PM	0
1/8/2022	3:30:00 PM	0
1/8/2022	3:45:00 PM	0



Locust Ditch Return Gage

DATE	TIME	GAGE
1/8/2022	4:00:00 PM	0
1/8/2022	4:15:00 PM	0
1/8/2022	4:30:00 PM	0
1/8/2022	4:45:00 PM	0
1/8/2022	5:00:00 PM	0
1/8/2022	5:15:00 PM	0
1/8/2022	5:30:00 PM	0
1/8/2022	5:45:00 PM	0
1/8/2022	6:00:00 PM	0
1/8/2022	6:15:00 PM	0
1/8/2022	6:30:00 PM	0
1/8/2022	6:45:00 PM	0
1/8/2022	7:00:00 PM	0
1/8/2022	7:15:00 PM	0
1/8/2022	7:30:00 PM	0
1/8/2022	7:45:00 PM	0
1/8/2022	8:00:00 PM	0
1/8/2022	8:15:00 PM	0
1/8/2022	8:30:00 PM	0
1/8/2022	8:45:00 PM	0
1/8/2022	9:00:00 PM	0
1/8/2022	9:15:00 PM	0
1/8/2022	9:30:00 PM	0
1/8/2022	9:45:00 PM	0
1/8/2022	10:00:00 PM	0
1/8/2022	10:15:00 PM	0
1/8/2022	10:30:00 PM	0
1/8/2022	10:45:00 PM	0
1/8/2022	11:00:00 PM	0
1/8/2022	11:15:00 PM	0
1/8/2022	11:30:00 PM	0
1/8/2022	11:45:00 PM	0
1/9/2022	12:00:00 AM	0
1/9/2022	12:15:00 AM	0
1/9/2022	12:30:00 AM	0
1/9/2022	12:45:00 AM	0
1/9/2022	1:00:00 AM	0
1/9/2022	1:15:00 AM	0
1/9/2022	1:30:00 AM	0
1/9/2022	1:45:00 AM	0
1/9/2022	2:00:00 AM	0
1/9/2022	2:15:00 AM	0
1/9/2022	2:30:00 AM	0
1/9/2022	2:45:00 AM	0
1/9/2022	3:00:00 AM	0
1/9/2022	3:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/9/2022	3:30:00 AM	0
1/9/2022	3:45:00 AM	0
1/9/2022	4:00:00 AM	0
1/9/2022	4:15:00 AM	0
1/9/2022	4:30:00 AM	0
1/9/2022	4:45:00 AM	0
1/9/2022	5:00:00 AM	0
1/9/2022	5:15:00 AM	0
1/9/2022	5:30:00 AM	0
1/9/2022	5:45:00 AM	0
1/9/2022	6:00:00 AM	0
1/9/2022	6:15:00 AM	0
1/9/2022	6:30:00 AM	0
1/9/2022	6:45:00 AM	0
1/9/2022	7:00:00 AM	0
1/9/2022	7:15:00 AM	0
1/9/2022	7:30:00 AM	0
1/9/2022	7:45:00 AM	0
1/9/2022	8:00:00 AM	0
1/9/2022	8:15:00 AM	0
1/9/2022	8:30:00 AM	0
1/9/2022	8:45:00 AM	0
1/9/2022	9:00:00 AM	0
1/9/2022	9:15:00 AM	0
1/9/2022	9:30:00 AM	0
1/9/2022	9:45:00 AM	0
1/9/2022	10:00:00 AM	0
1/9/2022	10:15:00 AM	0
1/9/2022	10:30:00 AM	0
1/9/2022	10:45:00 AM	0
1/9/2022	11:00:00 AM	0
1/9/2022	11:15:00 AM	0
1/9/2022	11:30:00 AM	0
1/9/2022	11:45:00 AM	0
1/9/2022	12:00:00 PM	0
1/9/2022	12:15:00 PM	0
1/9/2022	12:30:00 PM	0
1/9/2022	12:45:00 PM	0
1/9/2022	1:00:00 PM	0
1/9/2022	1:15:00 PM	0
1/9/2022	1:30:00 PM	0
1/9/2022	1:45:00 PM	0
1/9/2022	2:00:00 PM	0
1/9/2022	2:15:00 PM	0
1/9/2022	2:30:00 PM	0
1/9/2022	2:45:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/9/2022	3:00:00 PM	0
1/9/2022	3:15:00 PM	0
1/9/2022	3:30:00 PM	0
1/9/2022	3:45:00 PM	0
1/9/2022	4:00:00 PM	0
1/9/2022	4:15:00 PM	0
1/9/2022	4:30:00 PM	0
1/9/2022	4:45:00 PM	0
1/9/2022	5:00:00 PM	0
1/9/2022	5:15:00 PM	0
1/9/2022	5:30:00 PM	0
1/9/2022	5:45:00 PM	0
1/9/2022	6:00:00 PM	0
1/9/2022	6:15:00 PM	0
1/9/2022	6:30:00 PM	0
1/9/2022	6:45:00 PM	0
1/9/2022	7:00:00 PM	0
1/9/2022	7:15:00 PM	0
1/9/2022	7:30:00 PM	0
1/9/2022	7:45:00 PM	0
1/9/2022	8:00:00 PM	0
1/9/2022	8:15:00 PM	0
1/9/2022	8:30:00 PM	0
1/9/2022	8:45:00 PM	0
1/9/2022	9:00:00 PM	0
1/9/2022	9:15:00 PM	0
1/9/2022	9:30:00 PM	0
1/9/2022	9:45:00 PM	0
1/9/2022	10:00:00 PM	0
1/9/2022	10:15:00 PM	0
1/9/2022	10:30:00 PM	0
1/9/2022	10:45:00 PM	0
1/9/2022	11:00:00 PM	0
1/9/2022	11:15:00 PM	0
1/9/2022	11:30:00 PM	0
1/9/2022	11:45:00 PM	0
1/10/2022	12:00:00 AM	0
1/10/2022	12:15:00 AM	0
1/10/2022	12:30:00 AM	0
1/10/2022	12:45:00 AM	0
1/10/2022	1:00:00 AM	0
1/10/2022	1:15:00 AM	0
1/10/2022	1:30:00 AM	0
1/10/2022	1:45:00 AM	0
1/10/2022	2:00:00 AM	0
1/10/2022	2:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/10/2022	2:30:00 AM	0
1/10/2022	2:45:00 AM	0
1/10/2022	3:00:00 AM	0
1/10/2022	3:15:00 AM	0
1/10/2022	3:30:00 AM	0
1/10/2022	3:45:00 AM	0
1/10/2022	4:00:00 AM	0
1/10/2022	4:15:00 AM	0
1/10/2022	4:30:00 AM	0
1/10/2022	4:45:00 AM	0
1/10/2022	5:00:00 AM	0
1/10/2022	5:15:00 AM	0
1/10/2022	5:30:00 AM	0
1/10/2022	5:45:00 AM	0
1/10/2022	6:00:00 AM	0
1/10/2022	6:15:00 AM	0
1/10/2022	6:30:00 AM	0
1/10/2022	6:45:00 AM	0
1/10/2022	7:00:00 AM	0
1/10/2022	7:15:00 AM	0
1/10/2022	7:30:00 AM	0
1/10/2022	7:45:00 AM	0
1/10/2022	8:00:00 AM	0
1/10/2022	8:15:00 AM	0
1/10/2022	8:30:00 AM	0
1/10/2022	8:45:00 AM	0
1/10/2022	9:00:00 AM	0
1/10/2022	9:15:00 AM	0
1/10/2022	9:30:00 AM	0
1/10/2022	9:45:00 AM	0
1/10/2022	10:00:00 AM	0
1/10/2022	10:15:00 AM	0
1/10/2022	10:30:00 AM	0
1/10/2022	10:45:00 AM	0
1/10/2022	11:00:00 AM	0
1/10/2022	11:15:00 AM	0
1/10/2022	11:30:00 AM	0
1/10/2022	11:45:00 AM	0
1/10/2022	12:00:00 PM	0
1/10/2022	12:15:00 PM	0
1/10/2022	12:30:00 PM	0
1/10/2022	12:45:00 PM	0
1/10/2022	1:00:00 PM	0
1/10/2022	1:15:00 PM	0
1/10/2022	1:30:00 PM	0
1/10/2022	1:45:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/10/2022	2:00:00 PM	0
1/10/2022	2:15:00 PM	0
1/10/2022	2:30:00 PM	0
1/10/2022	2:45:00 PM	0
1/10/2022	3:00:00 PM	0
1/10/2022	3:15:00 PM	0
1/10/2022	3:30:00 PM	0
1/10/2022	3:45:00 PM	0
1/10/2022	4:00:00 PM	0
1/10/2022	4:15:00 PM	0
1/10/2022	4:30:00 PM	0
1/10/2022	4:45:00 PM	0
1/10/2022	5:00:00 PM	0
1/10/2022	5:15:00 PM	0
1/10/2022	5:30:00 PM	0
1/10/2022	5:45:00 PM	0
1/10/2022	6:00:00 PM	0
1/10/2022	6:15:00 PM	0
1/10/2022	6:30:00 PM	0
1/10/2022	6:45:00 PM	0
1/10/2022	7:00:00 PM	0
1/10/2022	7:15:00 PM	0
1/10/2022	7:30:00 PM	0
1/10/2022	7:45:00 PM	0
1/10/2022	8:00:00 PM	0
1/10/2022	8:15:00 PM	0
1/10/2022	8:30:00 PM	0
1/10/2022	8:45:00 PM	0
1/10/2022	9:00:00 PM	0
1/10/2022	9:15:00 PM	0
1/10/2022	9:30:00 PM	0
1/10/2022	9:45:00 PM	0
1/10/2022	10:00:00 PM	0
1/10/2022	10:15:00 PM	0
1/10/2022	10:30:00 PM	0
1/10/2022	10:45:00 PM	0
1/10/2022	11:00:00 PM	0
1/10/2022	11:15:00 PM	0
1/10/2022	11:30:00 PM	0
1/10/2022	11:45:00 PM	0
1/11/2022	12:00:00 AM	0
1/11/2022	12:15:00 AM	0
1/11/2022	12:30:00 AM	0
1/11/2022	12:45:00 AM	0
1/11/2022	1:00:00 AM	0
1/11/2022	1:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/11/2022	1:30:00 AM	0
1/11/2022	1:45:00 AM	0
1/11/2022	2:00:00 AM	0
1/11/2022	2:15:00 AM	0
1/11/2022	2:30:00 AM	0
1/11/2022	2:45:00 AM	0
1/11/2022	3:00:00 AM	0
1/11/2022	3:15:00 AM	0
1/11/2022	3:30:00 AM	0
1/11/2022	3:45:00 AM	0
1/11/2022	4:00:00 AM	0
1/11/2022	4:15:00 AM	0
1/11/2022	4:30:00 AM	0
1/11/2022	4:45:00 AM	0
1/11/2022	5:00:00 AM	0
1/11/2022	5:15:00 AM	0
1/11/2022	5:30:00 AM	0
1/11/2022	5:45:00 AM	0
1/11/2022	6:00:00 AM	0
1/11/2022	6:15:00 AM	0
1/11/2022	6:30:00 AM	0
1/11/2022	6:45:00 AM	0
1/11/2022	7:00:00 AM	0
1/11/2022	7:15:00 AM	0
1/11/2022	7:30:00 AM	0
1/11/2022	7:45:00 AM	0
1/11/2022	8:00:00 AM	0
1/11/2022	8:15:00 AM	0
1/11/2022	8:30:00 AM	0
1/11/2022	8:45:00 AM	0
1/11/2022	9:00:00 AM	0
1/11/2022	9:15:00 AM	0
1/11/2022	9:30:00 AM	0
1/11/2022	9:45:00 AM	0
1/11/2022	10:00:00 AM	0
1/11/2022	10:15:00 AM	0
1/11/2022	10:30:00 AM	0
1/11/2022	10:45:00 AM	0
1/11/2022	11:00:00 AM	0
1/11/2022	11:15:00 AM	0
1/11/2022	11:30:00 AM	0
1/11/2022	11:45:00 AM	0
1/11/2022	12:00:00 PM	0
1/11/2022	12:15:00 PM	0
1/11/2022	12:30:00 PM	0
1/11/2022	12:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/11/2022	1:00:00 PM	0
1/11/2022	1:15:00 PM	0
1/11/2022	1:30:00 PM	0
1/11/2022	1:45:00 PM	0
1/11/2022	2:00:00 PM	0
1/11/2022	2:15:00 PM	0
1/11/2022	2:30:00 PM	0
1/11/2022	2:45:00 PM	0
1/11/2022	3:00:00 PM	0
1/11/2022	3:15:00 PM	0
1/11/2022	3:30:00 PM	0
1/11/2022	3:45:00 PM	0
1/11/2022	4:00:00 PM	0
1/11/2022	4:15:00 PM	0
1/11/2022	4:30:00 PM	0
1/11/2022	4:45:00 PM	0
1/11/2022	5:00:00 PM	0
1/11/2022	5:15:00 PM	0
1/11/2022	5:30:00 PM	0
1/11/2022	5:45:00 PM	0
1/11/2022	6:00:00 PM	0
1/11/2022	6:15:00 PM	0
1/11/2022	6:30:00 PM	0
1/11/2022	6:45:00 PM	0
1/11/2022	7:00:00 PM	0
1/11/2022	7:15:00 PM	0
1/11/2022	7:30:00 PM	0
1/11/2022	7:45:00 PM	0
1/11/2022	8:00:00 PM	0
1/11/2022	8:15:00 PM	0
1/11/2022	8:30:00 PM	0
1/11/2022	8:45:00 PM	0
1/11/2022	9:00:00 PM	0
1/11/2022	9:15:00 PM	0
1/11/2022	9:30:00 PM	0
1/11/2022	9:45:00 PM	0
1/11/2022	10:00:00 PM	0
1/11/2022	10:15:00 PM	0
1/11/2022	10:30:00 PM	0
1/11/2022	10:45:00 PM	0
1/11/2022	11:00:00 PM	0
1/11/2022	11:15:00 PM	0
1/11/2022	11:30:00 PM	0
1/11/2022	11:45:00 PM	0
1/12/2022	12:00:00 AM	0
1/12/2022	12:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/12/2022	12:30:00 AM	0
1/12/2022	12:45:00 AM	0
1/12/2022	1:00:00 AM	0
1/12/2022	1:15:00 AM	0
1/12/2022	1:30:00 AM	0
1/12/2022	1:45:00 AM	0
1/12/2022	2:00:00 AM	0
1/12/2022	2:15:00 AM	0
1/12/2022	2:30:00 AM	0
1/12/2022	2:45:00 AM	0
1/12/2022	3:00:00 AM	0
1/12/2022	3:15:00 AM	0
1/12/2022	3:30:00 AM	0
1/12/2022	3:45:00 AM	0
1/12/2022	4:00:00 AM	0
1/12/2022	4:15:00 AM	0
1/12/2022	4:30:00 AM	0
1/12/2022	4:45:00 AM	0
1/12/2022	5:00:00 AM	0
1/12/2022	5:15:00 AM	0
1/12/2022	5:30:00 AM	0
1/12/2022	5:45:00 AM	0
1/12/2022	6:00:00 AM	0
1/12/2022	6:15:00 AM	0
1/12/2022	6:30:00 AM	0
1/12/2022	6:45:00 AM	0
1/12/2022	7:00:00 AM	0
1/12/2022	7:15:00 AM	0
1/12/2022	7:30:00 AM	0
1/12/2022	7:45:00 AM	0
1/12/2022	8:00:00 AM	0
1/12/2022	8:15:00 AM	0
1/12/2022	8:30:00 AM	0
1/12/2022	8:45:00 AM	0
1/12/2022	9:00:00 AM	0
1/12/2022	9:15:00 AM	0
1/12/2022	9:30:00 AM	0
1/12/2022	9:45:00 AM	0
1/12/2022	10:00:00 AM	0
1/12/2022	10:15:00 AM	0
1/12/2022	10:30:00 AM	0
1/12/2022	10:45:00 AM	0
1/12/2022	11:00:00 AM	0
1/12/2022	11:15:00 AM	0
1/12/2022	11:30:00 AM	0
1/12/2022	11:45:00 AM	0



Locust Ditch Return Gage

DATE	TIME	GAGE
1/12/2022	12:00:00 PM	0
1/12/2022	12:15:00 PM	0
1/12/2022	12:30:00 PM	0
1/12/2022	12:45:00 PM	0
1/12/2022	1:00:00 PM	0
1/12/2022	1:15:00 PM	0
1/12/2022	1:30:00 PM	0
1/12/2022	1:45:00 PM	0
1/12/2022	2:00:00 PM	0
1/12/2022	2:15:00 PM	0
1/12/2022	2:30:00 PM	0
1/12/2022	2:45:00 PM	0
1/12/2022	3:00:00 PM	0
1/12/2022	3:15:00 PM	0
1/12/2022	3:30:00 PM	0
1/12/2022	3:45:00 PM	0
1/12/2022	4:00:00 PM	0
1/12/2022	4:15:00 PM	0
1/12/2022	4:30:00 PM	0
1/12/2022	4:45:00 PM	0
1/12/2022	5:00:00 PM	0
1/12/2022	5:15:00 PM	0
1/12/2022	5:30:00 PM	0
1/12/2022	5:45:00 PM	0
1/12/2022	6:00:00 PM	0
1/12/2022	6:15:00 PM	0
1/12/2022	6:30:00 PM	0
1/12/2022	6:45:00 PM	0
1/12/2022	7:00:00 PM	0
1/12/2022	7:15:00 PM	0
1/12/2022	7:30:00 PM	0
1/12/2022	7:45:00 PM	0
1/12/2022	8:00:00 PM	0
1/12/2022	8:15:00 PM	0
1/12/2022	8:30:00 PM	0
1/12/2022	8:45:00 PM	0
1/12/2022	9:00:00 PM	0
1/12/2022	9:15:00 PM	0
1/12/2022	9:30:00 PM	0
1/12/2022	9:45:00 PM	0
1/12/2022	10:00:00 PM	0
1/12/2022	10:15:00 PM	0
1/12/2022	10:30:00 PM	0
1/12/2022	10:45:00 PM	0
1/12/2022	11:00:00 PM	0
1/12/2022	11:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/12/2022	11:30:00 PM	0
1/12/2022	11:45:00 PM	0
1/13/2022	12:00:00 AM	0
1/13/2022	12:15:00 AM	0
1/13/2022	12:30:00 AM	0
1/13/2022	12:45:00 AM	0
1/13/2022	1:00:00 AM	0
1/13/2022	1:15:00 AM	0
1/13/2022	1:30:00 AM	0
1/13/2022	1:45:00 AM	0
1/13/2022	2:00:00 AM	0
1/13/2022	2:15:00 AM	0
1/13/2022	2:30:00 AM	0
1/13/2022	2:45:00 AM	0
1/13/2022	3:00:00 AM	0
1/13/2022	3:15:00 AM	0
1/13/2022	3:30:00 AM	0
1/13/2022	3:45:00 AM	0
1/13/2022	4:00:00 AM	0
1/13/2022	4:15:00 AM	0
1/13/2022	4:30:00 AM	0
1/13/2022	4:45:00 AM	0
1/13/2022	5:00:00 AM	0
1/13/2022	5:15:00 AM	0
1/13/2022	5:30:00 AM	0
1/13/2022	5:45:00 AM	0
1/13/2022	6:00:00 AM	0
1/13/2022	6:15:00 AM	0
1/13/2022	6:30:00 AM	0
1/13/2022	6:45:00 AM	0
1/13/2022	7:00:00 AM	0
1/13/2022	7:15:00 AM	0
1/13/2022	7:30:00 AM	0
1/13/2022	7:45:00 AM	0
1/13/2022	8:00:00 AM	0
1/13/2022	8:15:00 AM	0
1/13/2022	8:30:00 AM	0
1/13/2022	8:45:00 AM	0
1/13/2022	9:00:00 AM	0
1/13/2022	9:15:00 AM	0
1/13/2022	9:30:00 AM	0
1/13/2022	9:45:00 AM	0
1/13/2022	10:00:00 AM	0
1/13/2022	10:15:00 AM	0
1/13/2022	10:30:00 AM	0
1/13/2022	10:45:00 AM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/13/2022	11:00:00 AM	0
1/13/2022	11:15:00 AM	0
1/13/2022	11:30:00 AM	0
1/13/2022	11:45:00 AM	0
1/13/2022	12:00:00 PM	0
1/13/2022	12:15:00 PM	0
1/13/2022	12:30:00 PM	0
1/13/2022	12:45:00 PM	0
1/13/2022	1:00:00 PM	0
1/13/2022	1:15:00 PM	0
1/13/2022	1:30:00 PM	0
1/13/2022	1:45:00 PM	0
1/13/2022	2:00:00 PM	0
1/13/2022	2:15:00 PM	0
1/13/2022	2:30:00 PM	0
1/13/2022	2:45:00 PM	0
1/13/2022	3:00:00 PM	0
1/13/2022	3:15:00 PM	0
1/13/2022	3:30:00 PM	0
1/13/2022	3:45:00 PM	0
1/13/2022	4:00:00 PM	0
1/13/2022	4:15:00 PM	0
1/13/2022	4:30:00 PM	0
1/13/2022	4:45:00 PM	0
1/13/2022	5:00:00 PM	0
1/13/2022	5:15:00 PM	0
1/13/2022	5:30:00 PM	0
1/13/2022	5:45:00 PM	0
1/13/2022	6:00:00 PM	0
1/13/2022	6:15:00 PM	0
1/13/2022	6:30:00 PM	0
1/13/2022	6:45:00 PM	0
1/13/2022	7:00:00 PM	0
1/13/2022	7:15:00 PM	0
1/13/2022	7:30:00 PM	0
1/13/2022	7:45:00 PM	0
1/13/2022	8:00:00 PM	0
1/13/2022	8:15:00 PM	0
1/13/2022	8:30:00 PM	0
1/13/2022	8:45:00 PM	0
1/13/2022	9:00:00 PM	0
1/13/2022	9:15:00 PM	0
1/13/2022	9:30:00 PM	0
1/13/2022	9:45:00 PM	0
1/13/2022	10:00:00 PM	0
1/13/2022	10:15:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/13/2022	10:30:00 PM	0
1/13/2022	10:45:00 PM	0
1/13/2022	11:00:00 PM	0
1/13/2022	11:15:00 PM	0
1/13/2022	11:30:00 PM	0
1/13/2022	11:45:00 PM	0
1/14/2022	12:00:00 AM	0
1/14/2022	12:15:00 AM	0
1/14/2022	12:30:00 AM	0
1/14/2022	12:45:00 AM	0
1/14/2022	1:00:00 AM	0
1/14/2022	1:15:00 AM	0
1/14/2022	1:30:00 AM	0
1/14/2022	1:45:00 AM	0
1/14/2022	2:00:00 AM	0
1/14/2022	2:15:00 AM	0
1/14/2022	2:30:00 AM	0
1/14/2022	2:45:00 AM	0
1/14/2022	3:00:00 AM	0
1/14/2022	3:15:00 AM	0
1/14/2022	3:30:00 AM	0
1/14/2022	3:45:00 AM	0
1/14/2022	4:00:00 AM	0
1/14/2022	4:15:00 AM	0
1/14/2022	4:30:00 AM	0
1/14/2022	4:45:00 AM	0
1/14/2022	5:00:00 AM	0
1/14/2022	5:15:00 AM	0
1/14/2022	5:30:00 AM	0
1/14/2022	5:45:00 AM	0
1/14/2022	6:00:00 AM	0
1/14/2022	6:15:00 AM	0
1/14/2022	6:30:00 AM	0
1/14/2022	6:45:00 AM	0
1/14/2022	7:00:00 AM	0
1/14/2022	7:15:00 AM	0
1/14/2022	7:30:00 AM	0
1/14/2022	7:45:00 AM	0
1/14/2022	8:00:00 AM	0
1/14/2022	8:15:00 AM	0
1/14/2022	8:30:00 AM	0
1/14/2022	8:45:00 AM	0
1/14/2022	9:00:00 AM	0
1/14/2022	9:15:00 AM	0
1/14/2022	9:30:00 AM	0
1/14/2022	9:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/14/2022	10:00:00 AM	0
1/14/2022	10:15:00 AM	0
1/14/2022	10:30:00 AM	0
1/14/2022	10:45:00 AM	0
1/14/2022	11:00:00 AM	0
1/14/2022	11:15:00 AM	0
1/14/2022	11:30:00 AM	0
1/14/2022	11:45:00 AM	0
1/14/2022	12:00:00 PM	0
1/14/2022	12:15:00 PM	0
1/14/2022	12:30:00 PM	0
1/14/2022	12:45:00 PM	0
1/14/2022	1:00:00 PM	0
1/14/2022	1:15:00 PM	0
1/14/2022	1:30:00 PM	0
1/14/2022	1:45:00 PM	0
1/14/2022	2:00:00 PM	0
1/14/2022	2:15:00 PM	0
1/14/2022	2:30:00 PM	0
1/14/2022	2:45:00 PM	0
1/14/2022	3:00:00 PM	0
1/14/2022	3:15:00 PM	0
1/14/2022	3:30:00 PM	0
1/14/2022	3:45:00 PM	0
1/14/2022	4:00:00 PM	0
1/14/2022	4:15:00 PM	0
1/14/2022	4:30:00 PM	0
1/14/2022	4:45:00 PM	0
1/14/2022	5:00:00 PM	0
1/14/2022	5:15:00 PM	0
1/14/2022	5:30:00 PM	0
1/14/2022	5:45:00 PM	0
1/14/2022	6:00:00 PM	0
1/14/2022	6:15:00 PM	0
1/14/2022	6:30:00 PM	0
1/14/2022	6:45:00 PM	0
1/14/2022	7:00:00 PM	0
1/14/2022	7:15:00 PM	0
1/14/2022	7:30:00 PM	0
1/14/2022	7:45:00 PM	0
1/14/2022	8:00:00 PM	0
1/14/2022	8:15:00 PM	0
1/14/2022	8:30:00 PM	0
1/14/2022	8:45:00 PM	0
1/14/2022	9:00:00 PM	0
1/14/2022	9:15:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/14/2022	9:30:00 PM	0
1/14/2022	9:45:00 PM	0
1/14/2022	10:00:00 PM	0
1/14/2022	10:15:00 PM	0
1/14/2022	10:30:00 PM	0
1/14/2022	10:45:00 PM	0
1/14/2022	11:00:00 PM	0
1/14/2022	11:15:00 PM	0
1/14/2022	11:30:00 PM	0
1/14/2022	11:45:00 PM	0
1/15/2022	12:00:00 AM	0
1/15/2022	12:15:00 AM	0
1/15/2022	12:30:00 AM	0
1/15/2022	12:45:00 AM	0
1/15/2022	1:00:00 AM	0
1/15/2022	1:15:00 AM	0
1/15/2022	1:30:00 AM	0
1/15/2022	1:45:00 AM	0
1/15/2022	2:00:00 AM	0
1/15/2022	2:15:00 AM	0
1/15/2022	2:30:00 AM	0
1/15/2022	2:45:00 AM	0
1/15/2022	3:00:00 AM	0
1/15/2022	3:15:00 AM	0
1/15/2022	3:30:00 AM	0
1/15/2022	3:45:00 AM	0
1/15/2022	4:00:00 AM	0
1/15/2022	4:15:00 AM	0
1/15/2022	4:30:00 AM	0
1/15/2022	4:45:00 AM	0
1/15/2022	5:00:00 AM	0
1/15/2022	5:15:00 AM	0
1/15/2022	5:30:00 AM	0
1/15/2022	5:45:00 AM	0
1/15/2022	6:00:00 AM	0
1/15/2022	6:15:00 AM	0
1/15/2022	6:30:00 AM	0
1/15/2022	6:45:00 AM	0
1/15/2022	7:00:00 AM	0
1/15/2022	7:15:00 AM	0
1/15/2022	7:30:00 AM	0
1/15/2022	7:45:00 AM	0
1/15/2022	8:00:00 AM	0
1/15/2022	8:15:00 AM	0
1/15/2022	8:30:00 AM	0
1/15/2022	8:45:00 AM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/15/2022	9:00:00 AM	0
1/15/2022	9:15:00 AM	0
1/15/2022	9:30:00 AM	0
1/15/2022	9:45:00 AM	0
1/15/2022	10:00:00 AM	0
1/15/2022	10:15:00 AM	0
1/15/2022	10:30:00 AM	0
1/15/2022	10:45:00 AM	0
1/15/2022	11:00:00 AM	0
1/15/2022	11:15:00 AM	0
1/15/2022	11:30:00 AM	0
1/15/2022	11:45:00 AM	0
1/15/2022	12:00:00 PM	0
1/15/2022	12:15:00 PM	0
1/15/2022	12:30:00 PM	0
1/15/2022	12:45:00 PM	0
1/15/2022	1:00:00 PM	0
1/15/2022	1:15:00 PM	0
1/15/2022	1:30:00 PM	0
1/15/2022	1:45:00 PM	0
1/15/2022	2:00:00 PM	0
1/15/2022	2:15:00 PM	0
1/15/2022	2:30:00 PM	0
1/15/2022	2:45:00 PM	0
1/15/2022	3:00:00 PM	0
1/15/2022	3:15:00 PM	0
1/15/2022	3:30:00 PM	0
1/15/2022	3:45:00 PM	0
1/15/2022	4:00:00 PM	0
1/15/2022	4:15:00 PM	0
1/15/2022	4:30:00 PM	0
1/15/2022	4:45:00 PM	0
1/15/2022	5:00:00 PM	0
1/15/2022	5:15:00 PM	0
1/15/2022	5:30:00 PM	0
1/15/2022	5:45:00 PM	0
1/15/2022	6:00:00 PM	0
1/15/2022	6:15:00 PM	0
1/15/2022	6:30:00 PM	0
1/15/2022	6:45:00 PM	0
1/15/2022	7:00:00 PM	0
1/15/2022	7:15:00 PM	0
1/15/2022	7:30:00 PM	0
1/15/2022	7:45:00 PM	0
1/15/2022	8:00:00 PM	0
1/15/2022	8:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/15/2022	8:30:00 PM	0
1/15/2022	8:45:00 PM	0
1/15/2022	9:00:00 PM	0
1/15/2022	9:15:00 PM	0
1/15/2022	9:30:00 PM	0
1/15/2022	9:45:00 PM	0
1/15/2022	10:00:00 PM	0
1/15/2022	10:15:00 PM	0
1/15/2022	10:30:00 PM	0
1/15/2022	10:45:00 PM	0
1/15/2022	11:00:00 PM	0
1/15/2022	11:15:00 PM	0
1/15/2022	11:30:00 PM	0
1/15/2022	11:45:00 PM	0
1/16/2022	12:00:00 AM	0
1/16/2022	12:15:00 AM	0
1/16/2022	12:30:00 AM	0
1/16/2022	12:45:00 AM	0
1/16/2022	1:00:00 AM	0
1/16/2022	1:15:00 AM	0
1/16/2022	1:30:00 AM	0
1/16/2022	1:45:00 AM	0
1/16/2022	2:00:00 AM	0
1/16/2022	2:15:00 AM	0
1/16/2022	2:30:00 AM	0
1/16/2022	2:45:00 AM	0
1/16/2022	3:00:00 AM	0
1/16/2022	3:15:00 AM	0
1/16/2022	3:30:00 AM	0
1/16/2022	3:45:00 AM	0
1/16/2022	4:00:00 AM	0
1/16/2022	4:15:00 AM	0
1/16/2022	4:30:00 AM	0
1/16/2022	4:45:00 AM	0
1/16/2022	5:00:00 AM	0
1/16/2022	5:15:00 AM	0
1/16/2022	5:30:00 AM	0
1/16/2022	5:45:00 AM	0
1/16/2022	6:00:00 AM	0
1/16/2022	6:15:00 AM	0
1/16/2022	6:30:00 AM	0
1/16/2022	6:45:00 AM	0
1/16/2022	7:00:00 AM	0
1/16/2022	7:15:00 AM	0
1/16/2022	7:30:00 AM	0
1/16/2022	7:45:00 AM	0



Locust Ditch Return Gage

DATE	TIME	GAGE
1/16/2022	8:00:00 AM	0
1/16/2022	8:15:00 AM	0
1/16/2022	8:30:00 AM	0
1/16/2022	8:45:00 AM	0
1/16/2022	9:00:00 AM	0
1/16/2022	9:15:00 AM	0
1/16/2022	9:30:00 AM	0
1/16/2022	9:45:00 AM	0
1/16/2022	10:00:00 AM	0
1/16/2022	10:15:00 AM	0
1/16/2022	10:30:00 AM	0
1/16/2022	10:45:00 AM	0
1/16/2022	11:00:00 AM	0
1/16/2022	11:15:00 AM	0
1/16/2022	11:30:00 AM	0
1/16/2022	11:45:00 AM	0
1/16/2022	12:00:00 PM	0
1/16/2022	12:15:00 PM	0
1/16/2022	12:30:00 PM	0
1/16/2022	12:45:00 PM	0
1/16/2022	1:00:00 PM	0
1/16/2022	1:15:00 PM	0
1/16/2022	1:30:00 PM	0
1/16/2022	1:45:00 PM	0
1/16/2022	2:00:00 PM	0
1/16/2022	2:15:00 PM	0
1/16/2022	2:30:00 PM	0
1/16/2022	2:45:00 PM	0
1/16/2022	3:00:00 PM	0
1/16/2022	3:15:00 PM	0
1/16/2022	3:30:00 PM	0
1/16/2022	3:45:00 PM	0
1/16/2022	4:00:00 PM	0
1/16/2022	4:15:00 PM	0
1/16/2022	4:30:00 PM	0
1/16/2022	4:45:00 PM	0
1/16/2022	5:00:00 PM	0
1/16/2022	5:15:00 PM	0
1/16/2022	5:30:00 PM	0
1/16/2022	5:45:00 PM	0
1/16/2022	6:00:00 PM	0
1/16/2022	6:15:00 PM	0
1/16/2022	6:30:00 PM	0
1/16/2022	6:45:00 PM	0
1/16/2022	7:00:00 PM	0
1/16/2022	7:15:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/16/2022	7:30:00 PM	0
1/16/2022	7:45:00 PM	0
1/16/2022	8:00:00 PM	0
1/16/2022	8:15:00 PM	0
1/16/2022	8:30:00 PM	0
1/16/2022	8:45:00 PM	0
1/16/2022	9:00:00 PM	0
1/16/2022	9:15:00 PM	0
1/16/2022	9:30:00 PM	0
1/16/2022	9:45:00 PM	0
1/16/2022	10:00:00 PM	0
1/16/2022	10:15:00 PM	0
1/16/2022	10:30:00 PM	0
1/16/2022	10:45:00 PM	0
1/16/2022	11:00:00 PM	0
1/16/2022	11:15:00 PM	0
1/16/2022	11:30:00 PM	0
1/16/2022	11:45:00 PM	0
1/17/2022	12:00:00 AM	0
1/17/2022	12:15:00 AM	0
1/17/2022	12:30:00 AM	0
1/17/2022	12:45:00 AM	0
1/17/2022	1:00:00 AM	0
1/17/2022	1:15:00 AM	0
1/17/2022	1:30:00 AM	0
1/17/2022	1:45:00 AM	0
1/17/2022	2:00:00 AM	0
1/17/2022	2:15:00 AM	0
1/17/2022	2:30:00 AM	0
1/17/2022	2:45:00 AM	0
1/17/2022	3:00:00 AM	0
1/17/2022	3:15:00 AM	0
1/17/2022	3:30:00 AM	0
1/17/2022	3:45:00 AM	0
1/17/2022	4:00:00 AM	0
1/17/2022	4:15:00 AM	0
1/17/2022	4:30:00 AM	0
1/17/2022	4:45:00 AM	0
1/17/2022	5:00:00 AM	0
1/17/2022	5:15:00 AM	0
1/17/2022	5:30:00 AM	0
1/17/2022	5:45:00 AM	0
1/17/2022	6:00:00 AM	0
1/17/2022	6:15:00 AM	0
1/17/2022	6:30:00 AM	0
1/17/2022	6:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/17/2022	7:00:00 AM	0
1/17/2022	7:15:00 AM	0
1/17/2022	7:30:00 AM	0
1/17/2022	7:45:00 AM	0
1/17/2022	8:00:00 AM	0
1/17/2022	8:15:00 AM	0
1/17/2022	8:30:00 AM	0
1/17/2022	8:45:00 AM	0
1/17/2022	9:00:00 AM	0
1/17/2022	9:15:00 AM	0
1/17/2022	9:30:00 AM	0
1/17/2022	9:45:00 AM	0
1/17/2022	10:00:00 AM	0
1/17/2022	10:15:00 AM	0
1/17/2022	10:30:00 AM	0
1/17/2022	10:45:00 AM	0
1/17/2022	11:00:00 AM	0
1/17/2022	11:15:00 AM	0
1/17/2022	11:30:00 AM	0
1/17/2022	11:45:00 AM	0
1/17/2022	12:00:00 PM	0
1/17/2022	12:15:00 PM	0
1/17/2022	12:30:00 PM	0
1/17/2022	12:45:00 PM	0
1/17/2022	1:00:00 PM	0
1/17/2022	1:15:00 PM	0
1/17/2022	1:30:00 PM	0
1/17/2022	1:45:00 PM	0
1/17/2022	2:00:00 PM	0
1/17/2022	2:15:00 PM	0
1/17/2022	2:30:00 PM	0
1/17/2022	2:45:00 PM	0
1/17/2022	3:00:00 PM	0
1/17/2022	3:15:00 PM	0
1/17/2022	3:30:00 PM	0
1/17/2022	3:45:00 PM	0
1/17/2022	4:00:00 PM	0
1/17/2022	4:15:00 PM	0
1/17/2022	4:30:00 PM	0
1/17/2022	4:45:00 PM	0
1/17/2022	5:00:00 PM	0
1/17/2022	5:15:00 PM	0
1/17/2022	5:30:00 PM	0
1/17/2022	5:45:00 PM	0
1/17/2022	6:00:00 PM	0
1/17/2022	6:15:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/17/2022	6:30:00 PM	0
1/17/2022	6:45:00 PM	0
1/17/2022	7:00:00 PM	0
1/17/2022	7:15:00 PM	0
1/17/2022	7:30:00 PM	0
1/17/2022	7:45:00 PM	0
1/17/2022	8:00:00 PM	0
1/17/2022	8:15:00 PM	0
1/17/2022	8:30:00 PM	0
1/17/2022	8:45:00 PM	0
1/17/2022	9:00:00 PM	0
1/17/2022	9:15:00 PM	0
1/17/2022	9:30:00 PM	0
1/17/2022	9:45:00 PM	0
1/17/2022	10:00:00 PM	0
1/17/2022	10:15:00 PM	0
1/17/2022	10:30:00 PM	0
1/17/2022	10:45:00 PM	0
1/17/2022	11:00:00 PM	0
1/17/2022	11:15:00 PM	0
1/17/2022	11:30:00 PM	0
1/17/2022	11:45:00 PM	0
1/18/2022	12:00:00 AM	0
1/18/2022	12:15:00 AM	0
1/18/2022	12:30:00 AM	0
1/18/2022	12:45:00 AM	0
1/18/2022	1:00:00 AM	0
1/18/2022	1:15:00 AM	0
1/18/2022	1:30:00 AM	0
1/18/2022	1:45:00 AM	0
1/18/2022	2:00:00 AM	0
1/18/2022	2:15:00 AM	0
1/18/2022	2:30:00 AM	0
1/18/2022	2:45:00 AM	0
1/18/2022	3:00:00 AM	0
1/18/2022	3:15:00 AM	0
1/18/2022	3:30:00 AM	0
1/18/2022	3:45:00 AM	0
1/18/2022	4:00:00 AM	0
1/18/2022	4:15:00 AM	0
1/18/2022	4:30:00 AM	0
1/18/2022	4:45:00 AM	0
1/18/2022	5:00:00 AM	0
1/18/2022	5:15:00 AM	0
1/18/2022	5:30:00 AM	0
1/18/2022	5:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/18/2022	6:00:00 AM	0
1/18/2022	6:15:00 AM	0
1/18/2022	6:30:00 AM	0
1/18/2022	6:45:00 AM	0
1/18/2022	7:00:00 AM	0
1/18/2022	7:15:00 AM	0
1/18/2022	7:30:00 AM	0
1/18/2022	7:45:00 AM	0
1/18/2022	8:00:00 AM	0
1/18/2022	8:15:00 AM	0
1/18/2022	8:30:00 AM	0
1/18/2022	8:45:00 AM	0
1/18/2022	9:00:00 AM	0
1/18/2022	9:15:00 AM	0
1/18/2022	9:30:00 AM	0
1/18/2022	9:45:00 AM	0
1/18/2022	10:00:00 AM	0
1/18/2022	10:15:00 AM	0
1/18/2022	10:30:00 AM	0
1/18/2022	10:45:00 AM	0
1/18/2022	11:00:00 AM	0
1/18/2022	11:15:00 AM	0
1/18/2022	11:30:00 AM	0
1/18/2022	11:45:00 AM	0
1/18/2022	12:00:00 PM	0
1/18/2022	12:15:00 PM	0
1/18/2022	12:30:00 PM	0
1/18/2022	12:45:00 PM	0
1/18/2022	1:00:00 PM	0
1/18/2022	1:15:00 PM	0
1/18/2022	1:30:00 PM	0
1/18/2022	1:45:00 PM	0
1/18/2022	2:00:00 PM	0
1/18/2022	2:15:00 PM	0
1/18/2022	2:30:00 PM	0
1/18/2022	2:45:00 PM	0
1/18/2022	3:00:00 PM	0
1/18/2022	3:15:00 PM	0
1/18/2022	3:30:00 PM	0
1/18/2022	3:45:00 PM	0
1/18/2022	4:00:00 PM	0
1/18/2022	4:15:00 PM	0
1/18/2022	4:30:00 PM	0
1/18/2022	4:45:00 PM	0
1/18/2022	5:00:00 PM	0
1/18/2022	5:15:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/18/2022	5:30:00 PM	0
1/18/2022	5:45:00 PM	0
1/18/2022	6:00:00 PM	0
1/18/2022	6:15:00 PM	0
1/18/2022	6:30:00 PM	0
1/18/2022	6:45:00 PM	0
1/18/2022	7:00:00 PM	0
1/18/2022	7:15:00 PM	0
1/18/2022	7:30:00 PM	0
1/18/2022	7:45:00 PM	0
1/18/2022	8:00:00 PM	0
1/18/2022	8:15:00 PM	0
1/18/2022	8:30:00 PM	0
1/18/2022	8:45:00 PM	0
1/18/2022	9:00:00 PM	0
1/18/2022	9:15:00 PM	0
1/18/2022	9:30:00 PM	0
1/18/2022	9:45:00 PM	0
1/18/2022	10:00:00 PM	0
1/18/2022	10:15:00 PM	0
1/18/2022	10:30:00 PM	0
1/18/2022	10:45:00 PM	0
1/18/2022	11:00:00 PM	0
1/18/2022	11:15:00 PM	0
1/18/2022	11:30:00 PM	0
1/18/2022	11:45:00 PM	0
1/19/2022	12:00:00 AM	0
1/19/2022	12:15:00 AM	0
1/19/2022	12:30:00 AM	0
1/19/2022	12:45:00 AM	0
1/19/2022	1:00:00 AM	0
1/19/2022	1:15:00 AM	0
1/19/2022	1:30:00 AM	0
1/19/2022	1:45:00 AM	0
1/19/2022	2:00:00 AM	0
1/19/2022	2:15:00 AM	0
1/19/2022	2:30:00 AM	0
1/19/2022	2:45:00 AM	0
1/19/2022	3:00:00 AM	0
1/19/2022	3:15:00 AM	0
1/19/2022	3:30:00 AM	0
1/19/2022	3:45:00 AM	0
1/19/2022	4:00:00 AM	0
1/19/2022	4:15:00 AM	0
1/19/2022	4:30:00 AM	0
1/19/2022	4:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/19/2022	5:00:00 AM	0
1/19/2022	5:15:00 AM	0
1/19/2022	5:30:00 AM	0
1/19/2022	5:45:00 AM	0
1/19/2022	6:00:00 AM	0
1/19/2022	6:15:00 AM	0
1/19/2022	6:30:00 AM	0
1/19/2022	6:45:00 AM	0
1/19/2022	7:00:00 AM	0
1/19/2022	7:15:00 AM	0
1/19/2022	7:30:00 AM	0
1/19/2022	7:45:00 AM	0
1/19/2022	8:00:00 AM	0
1/19/2022	8:15:00 AM	0
1/19/2022	8:30:00 AM	0
1/19/2022	8:45:00 AM	0
1/19/2022	9:00:00 AM	0
1/19/2022	9:15:00 AM	0
1/19/2022	9:30:00 AM	0
1/19/2022	9:45:00 AM	0
1/19/2022	10:00:00 AM	0
1/19/2022	10:15:00 AM	0
1/19/2022	10:30:00 AM	0
1/19/2022	10:45:00 AM	0
1/19/2022	11:00:00 AM	0
1/19/2022	11:15:00 AM	0
1/19/2022	11:30:00 AM	0
1/19/2022	11:45:00 AM	0
1/19/2022	12:00:00 PM	0
1/19/2022	12:15:00 PM	0
1/19/2022	12:30:00 PM	0
1/19/2022	12:45:00 PM	0
1/19/2022	1:00:00 PM	0
1/19/2022	1:15:00 PM	0
1/19/2022	1:30:00 PM	0
1/19/2022	1:45:00 PM	0
1/19/2022	2:00:00 PM	0
1/19/2022	2:15:00 PM	0
1/19/2022	2:30:00 PM	0
1/19/2022	2:45:00 PM	0
1/19/2022	3:00:00 PM	0
1/19/2022	3:15:00 PM	0
1/19/2022	3:30:00 PM	0
1/19/2022	3:45:00 PM	0
1/19/2022	4:00:00 PM	0
1/19/2022	4:15:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/19/2022	4:30:00 PM	0
1/19/2022	4:45:00 PM	0
1/19/2022	5:00:00 PM	0
1/19/2022	5:15:00 PM	0
1/19/2022	5:30:00 PM	0
1/19/2022	5:45:00 PM	0
1/19/2022	6:00:00 PM	0
1/19/2022	6:15:00 PM	0
1/19/2022	6:30:00 PM	0
1/19/2022	6:45:00 PM	0
1/19/2022	7:00:00 PM	0
1/19/2022	7:15:00 PM	0
1/19/2022	7:30:00 PM	0
1/19/2022	7:45:00 PM	0
1/19/2022	8:00:00 PM	0
1/19/2022	8:15:00 PM	0
1/19/2022	8:30:00 PM	0
1/19/2022	8:45:00 PM	0
1/19/2022	9:00:00 PM	0
1/19/2022	9:15:00 PM	0
1/19/2022	9:30:00 PM	0
1/19/2022	9:45:00 PM	0
1/19/2022	10:00:00 PM	0
1/19/2022	10:15:00 PM	0
1/19/2022	10:30:00 PM	0
1/19/2022	10:45:00 PM	0
1/19/2022	11:00:00 PM	0
1/19/2022	11:15:00 PM	0
1/19/2022	11:30:00 PM	0
1/19/2022	11:45:00 PM	0
1/20/2022	12:00:00 AM	0
1/20/2022	12:15:00 AM	0
1/20/2022	12:30:00 AM	0
1/20/2022	12:45:00 AM	0
1/20/2022	1:00:00 AM	0
1/20/2022	1:15:00 AM	0
1/20/2022	1:30:00 AM	0
1/20/2022	1:45:00 AM	0
1/20/2022	2:00:00 AM	0
1/20/2022	2:15:00 AM	0
1/20/2022	2:30:00 AM	0
1/20/2022	2:45:00 AM	0
1/20/2022	3:00:00 AM	0
1/20/2022	3:15:00 AM	0
1/20/2022	3:30:00 AM	0
1/20/2022	3:45:00 AM	0



Locust Ditch Return Gage

DATE	TIME	GAGE
1/20/2022	4:00:00 AM	0
1/20/2022	4:15:00 AM	0
1/20/2022	4:30:00 AM	0
1/20/2022	4:45:00 AM	0
1/20/2022	5:00:00 AM	0
1/20/2022	5:15:00 AM	0
1/20/2022	5:30:00 AM	0
1/20/2022	5:45:00 AM	0
1/20/2022	6:00:00 AM	0
1/20/2022	6:15:00 AM	0
1/20/2022	6:30:00 AM	0
1/20/2022	6:45:00 AM	0
1/20/2022	7:00:00 AM	0
1/20/2022	7:15:00 AM	0
1/20/2022	7:30:00 AM	0
1/20/2022	7:45:00 AM	0
1/20/2022	8:00:00 AM	0
1/20/2022	8:15:00 AM	0
1/20/2022	8:30:00 AM	0
1/20/2022	8:45:00 AM	0
1/20/2022	9:00:00 AM	0
1/20/2022	9:15:00 AM	0
1/20/2022	9:30:00 AM	0
1/20/2022	9:45:00 AM	0
1/20/2022	10:00:00 AM	0
1/20/2022	10:15:00 AM	0
1/20/2022	10:30:00 AM	0
1/20/2022	10:45:00 AM	0
1/20/2022	11:00:00 AM	0
1/20/2022	11:15:00 AM	0
1/20/2022	11:30:00 AM	0
1/20/2022	11:45:00 AM	0
1/20/2022	12:00:00 PM	0
1/20/2022	12:15:00 PM	0
1/20/2022	12:30:00 PM	0
1/20/2022	12:45:00 PM	0
1/20/2022	1:00:00 PM	0
1/20/2022	1:15:00 PM	0
1/20/2022	1:30:00 PM	0
1/20/2022	1:45:00 PM	0
1/20/2022	2:00:00 PM	0
1/20/2022	2:15:00 PM	0
1/20/2022	2:30:00 PM	0
1/20/2022	2:45:00 PM	0
1/20/2022	3:00:00 PM	0
1/20/2022	3:15:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/20/2022	3:30:00 PM	0
1/20/2022	3:45:00 PM	0
1/20/2022	4:00:00 PM	0
1/20/2022	4:15:00 PM	0
1/20/2022	4:30:00 PM	0
1/20/2022	4:45:00 PM	0
1/20/2022	5:00:00 PM	0
1/20/2022	5:15:00 PM	0
1/20/2022	5:30:00 PM	0
1/20/2022	5:45:00 PM	0
1/20/2022	6:00:00 PM	0
1/20/2022	6:15:00 PM	0
1/20/2022	6:30:00 PM	0
1/20/2022	6:45:00 PM	0
1/20/2022	7:00:00 PM	0
1/20/2022	7:15:00 PM	0
1/20/2022	7:30:00 PM	0
1/20/2022	7:45:00 PM	0
1/20/2022	8:00:00 PM	0
1/20/2022	8:15:00 PM	0
1/20/2022	8:30:00 PM	0
1/20/2022	8:45:00 PM	0
1/20/2022	9:00:00 PM	0
1/20/2022	9:15:00 PM	0
1/20/2022	9:30:00 PM	0
1/20/2022	9:45:00 PM	0
1/20/2022	10:00:00 PM	0
1/20/2022	10:15:00 PM	0
1/20/2022	10:30:00 PM	0
1/20/2022	10:45:00 PM	0
1/20/2022	11:00:00 PM	0
1/20/2022	11:15:00 PM	0
1/20/2022	11:30:00 PM	0
1/20/2022	11:45:00 PM	0
1/21/2022	12:00:00 AM	0
1/21/2022	12:15:00 AM	0
1/21/2022	12:30:00 AM	0
1/21/2022	12:45:00 AM	0
1/21/2022	1:00:00 AM	0
1/21/2022	1:15:00 AM	0
1/21/2022	1:30:00 AM	0
1/21/2022	1:45:00 AM	0
1/21/2022	2:00:00 AM	0
1/21/2022	2:15:00 AM	0
1/21/2022	2:30:00 AM	0
1/21/2022	2:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/21/2022	3:00:00 AM	0
1/21/2022	3:15:00 AM	0
1/21/2022	3:30:00 AM	0
1/21/2022	3:45:00 AM	0
1/21/2022	4:00:00 AM	0
1/21/2022	4:15:00 AM	0
1/21/2022	4:30:00 AM	0
1/21/2022	4:45:00 AM	0
1/21/2022	5:00:00 AM	0
1/21/2022	5:15:00 AM	0
1/21/2022	5:30:00 AM	0
1/21/2022	5:45:00 AM	0
1/21/2022	6:00:00 AM	0
1/21/2022	6:15:00 AM	0
1/21/2022	6:30:00 AM	0
1/21/2022	6:45:00 AM	0
1/21/2022	7:00:00 AM	0
1/21/2022	7:15:00 AM	0
1/21/2022	7:30:00 AM	0
1/21/2022	7:45:00 AM	0
1/21/2022	8:00:00 AM	0
1/21/2022	8:15:00 AM	0
1/21/2022	8:30:00 AM	0
1/21/2022	8:45:00 AM	0
1/21/2022	9:00:00 AM	0
1/21/2022	9:15:00 AM	0
1/21/2022	9:30:00 AM	0
1/21/2022	9:45:00 AM	0
1/21/2022	10:00:00 AM	0
1/21/2022	10:15:00 AM	0
1/21/2022	10:30:00 AM	0
1/21/2022	10:45:00 AM	0
1/21/2022	11:00:00 AM	0
1/21/2022	11:15:00 AM	0
1/21/2022	11:30:00 AM	0
1/21/2022	11:45:00 AM	0
1/21/2022	12:00:00 PM	0
1/21/2022	12:15:00 PM	0
1/21/2022	12:30:00 PM	0
1/21/2022	12:45:00 PM	0
1/21/2022	1:00:00 PM	0
1/21/2022	1:15:00 PM	0
1/21/2022	1:30:00 PM	0
1/21/2022	1:45:00 PM	0
1/21/2022	2:00:00 PM	0
1/21/2022	2:15:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/21/2022	2:30:00 PM	0
1/21/2022	2:45:00 PM	0
1/21/2022	3:00:00 PM	0
1/21/2022	3:15:00 PM	0
1/21/2022	3:30:00 PM	0
1/21/2022	3:45:00 PM	0
1/21/2022	4:00:00 PM	0
1/21/2022	4:15:00 PM	0
1/21/2022	4:30:00 PM	0
1/21/2022	4:45:00 PM	0
1/21/2022	5:00:00 PM	0
1/21/2022	5:15:00 PM	0
1/21/2022	5:30:00 PM	0
1/21/2022	5:45:00 PM	0
1/21/2022	6:00:00 PM	0
1/21/2022	6:15:00 PM	0
1/21/2022	6:30:00 PM	0
1/21/2022	6:45:00 PM	0
1/21/2022	7:00:00 PM	0
1/21/2022	7:15:00 PM	0
1/21/2022	7:30:00 PM	0
1/21/2022	7:45:00 PM	0
1/21/2022	8:00:00 PM	0
1/21/2022	8:15:00 PM	0
1/21/2022	8:30:00 PM	0
1/21/2022	8:45:00 PM	0
1/21/2022	9:00:00 PM	0
1/21/2022	9:15:00 PM	0
1/21/2022	9:30:00 PM	0
1/21/2022	9:45:00 PM	0
1/21/2022	10:00:00 PM	0
1/21/2022	10:15:00 PM	0
1/21/2022	10:30:00 PM	0
1/21/2022	10:45:00 PM	0
1/21/2022	11:00:00 PM	0
1/21/2022	11:15:00 PM	0
1/21/2022	11:30:00 PM	0
1/21/2022	11:45:00 PM	0
1/22/2022	12:00:00 AM	0
1/22/2022	12:15:00 AM	0
1/22/2022	12:30:00 AM	0
1/22/2022	12:45:00 AM	0
1/22/2022	1:00:00 AM	0
1/22/2022	1:15:00 AM	0
1/22/2022	1:30:00 AM	0
1/22/2022	1:45:00 AM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/22/2022	2:00:00 AM	0
1/22/2022	2:15:00 AM	0
1/22/2022	2:30:00 AM	0
1/22/2022	2:45:00 AM	0
1/22/2022	3:00:00 AM	0
1/22/2022	3:15:00 AM	0
1/22/2022	3:30:00 AM	0
1/22/2022	3:45:00 AM	0
1/22/2022	4:00:00 AM	0
1/22/2022	4:15:00 AM	0
1/22/2022	4:30:00 AM	0
1/22/2022	4:45:00 AM	0
1/22/2022	5:00:00 AM	0
1/22/2022	5:15:00 AM	0
1/22/2022	5:30:00 AM	0
1/22/2022	5:45:00 AM	0
1/22/2022	6:00:00 AM	0
1/22/2022	6:15:00 AM	0
1/22/2022	6:30:00 AM	0
1/22/2022	6:45:00 AM	0
1/22/2022	7:00:00 AM	0
1/22/2022	7:15:00 AM	0
1/22/2022	7:30:00 AM	0
1/22/2022	7:45:00 AM	0
1/22/2022	8:00:00 AM	0
1/22/2022	8:15:00 AM	0
1/22/2022	8:30:00 AM	0
1/22/2022	8:45:00 AM	0
1/22/2022	9:00:00 AM	0
1/22/2022	9:15:00 AM	0
1/22/2022	9:30:00 AM	0
1/22/2022	9:45:00 AM	0
1/22/2022	10:00:00 AM	0
1/22/2022	10:15:00 AM	0
1/22/2022	10:30:00 AM	0
1/22/2022	10:45:00 AM	0
1/22/2022	11:00:00 AM	0
1/22/2022	11:15:00 AM	0
1/22/2022	11:30:00 AM	0
1/22/2022	11:45:00 AM	0
1/22/2022	12:00:00 PM	0
1/22/2022	12:15:00 PM	0
1/22/2022	12:30:00 PM	0
1/22/2022	12:45:00 PM	0
1/22/2022	1:00:00 PM	0
1/22/2022	1:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/22/2022	1:30:00 PM	0
1/22/2022	1:45:00 PM	0
1/22/2022	2:00:00 PM	0
1/22/2022	2:15:00 PM	0
1/22/2022	2:30:00 PM	0
1/22/2022	2:45:00 PM	0
1/22/2022	3:00:00 PM	0
1/22/2022	3:15:00 PM	0
1/22/2022	3:30:00 PM	0
1/22/2022	3:45:00 PM	0
1/22/2022	4:00:00 PM	0
1/22/2022	4:15:00 PM	0
1/22/2022	4:30:00 PM	0
1/22/2022	4:45:00 PM	0
1/22/2022	5:00:00 PM	0
1/22/2022	5:15:00 PM	0
1/22/2022	5:30:00 PM	0
1/22/2022	5:45:00 PM	0
1/22/2022	6:00:00 PM	0
1/22/2022	6:15:00 PM	0
1/22/2022	6:30:00 PM	0
1/22/2022	6:45:00 PM	0
1/22/2022	7:00:00 PM	0
1/22/2022	7:15:00 PM	0
1/22/2022	7:30:00 PM	0
1/22/2022	7:45:00 PM	0
1/22/2022	8:00:00 PM	0
1/22/2022	8:15:00 PM	0
1/22/2022	8:30:00 PM	0
1/22/2022	8:45:00 PM	0
1/22/2022	9:00:00 PM	0
1/22/2022	9:15:00 PM	0
1/22/2022	9:30:00 PM	0
1/22/2022	9:45:00 PM	0
1/22/2022	10:00:00 PM	0
1/22/2022	10:15:00 PM	0
1/22/2022	10:30:00 PM	0
1/22/2022	10:45:00 PM	0
1/22/2022	11:00:00 PM	0
1/22/2022	11:15:00 PM	0
1/22/2022	11:30:00 PM	0
1/22/2022	11:45:00 PM	0
1/23/2022	12:00:00 AM	0
1/23/2022	12:15:00 AM	0
1/23/2022	12:30:00 AM	0
1/23/2022	12:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/23/2022	1:00:00 AM	0
1/23/2022	1:15:00 AM	0
1/23/2022	1:30:00 AM	0
1/23/2022	1:45:00 AM	0
1/23/2022	2:00:00 AM	0
1/23/2022	2:15:00 AM	0
1/23/2022	2:30:00 AM	0
1/23/2022	2:45:00 AM	0
1/23/2022	3:00:00 AM	0
1/23/2022	3:15:00 AM	0
1/23/2022	3:30:00 AM	0
1/23/2022	3:45:00 AM	0
1/23/2022	4:00:00 AM	0
1/23/2022	4:15:00 AM	0
1/23/2022	4:30:00 AM	0
1/23/2022	4:45:00 AM	0
1/23/2022	5:00:00 AM	0
1/23/2022	5:15:00 AM	0
1/23/2022	5:30:00 AM	0
1/23/2022	5:45:00 AM	0
1/23/2022	6:00:00 AM	0
1/23/2022	6:15:00 AM	0
1/23/2022	6:30:00 AM	0
1/23/2022	6:45:00 AM	0
1/23/2022	7:00:00 AM	0
1/23/2022	7:15:00 AM	0
1/23/2022	7:30:00 AM	0
1/23/2022	7:45:00 AM	0
1/23/2022	8:00:00 AM	0
1/23/2022	8:15:00 AM	0
1/23/2022	8:30:00 AM	0
1/23/2022	8:45:00 AM	0
1/23/2022	9:00:00 AM	0
1/23/2022	9:15:00 AM	0
1/23/2022	9:30:00 AM	0
1/23/2022	9:45:00 AM	0
1/23/2022	10:00:00 AM	0
1/23/2022	10:15:00 AM	0
1/23/2022	10:30:00 AM	0
1/23/2022	10:45:00 AM	0
1/23/2022	11:00:00 AM	0
1/23/2022	11:15:00 AM	0
1/23/2022	11:30:00 AM	0
1/23/2022	11:45:00 AM	0
1/23/2022	12:00:00 PM	0
1/23/2022	12:15:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/23/2022	12:30:00 PM	0
1/23/2022	12:45:00 PM	0
1/23/2022	1:00:00 PM	0
1/23/2022	1:15:00 PM	0
1/23/2022	1:30:00 PM	0
1/23/2022	1:45:00 PM	0
1/23/2022	2:00:00 PM	0
1/23/2022	2:15:00 PM	0
1/23/2022	2:30:00 PM	0
1/23/2022	2:45:00 PM	0
1/23/2022	3:00:00 PM	0
1/23/2022	3:15:00 PM	0
1/23/2022	3:30:00 PM	0
1/23/2022	3:45:00 PM	0
1/23/2022	4:00:00 PM	0
1/23/2022	4:15:00 PM	0
1/23/2022	4:30:00 PM	0
1/23/2022	4:45:00 PM	0
1/23/2022	5:00:00 PM	0
1/23/2022	5:15:00 PM	0
1/23/2022	5:30:00 PM	0
1/23/2022	5:45:00 PM	0
1/23/2022	6:00:00 PM	0
1/23/2022	6:15:00 PM	0
1/23/2022	6:30:00 PM	0
1/23/2022	6:45:00 PM	0
1/23/2022	7:00:00 PM	0
1/23/2022	7:15:00 PM	0
1/23/2022	7:30:00 PM	0
1/23/2022	7:45:00 PM	0
1/23/2022	8:00:00 PM	0
1/23/2022	8:15:00 PM	0
1/23/2022	8:30:00 PM	0
1/23/2022	8:45:00 PM	0
1/23/2022	9:00:00 PM	0
1/23/2022	9:15:00 PM	0
1/23/2022	9:30:00 PM	0
1/23/2022	9:45:00 PM	0
1/23/2022	10:00:00 PM	0
1/23/2022	10:15:00 PM	0
1/23/2022	10:30:00 PM	0
1/23/2022	10:45:00 PM	0
1/23/2022	11:00:00 PM	0
1/23/2022	11:15:00 PM	0
1/23/2022	11:30:00 PM	0
1/23/2022	11:45:00 PM	0



Locust Ditch Return Gage

DATE	TIME	GAGE
1/24/2022	12:00:00 AM	0
1/24/2022	12:15:00 AM	0
1/24/2022	12:30:00 AM	0
1/24/2022	12:45:00 AM	0
1/24/2022	1:00:00 AM	0
1/24/2022	1:15:00 AM	0
1/24/2022	1:30:00 AM	0
1/24/2022	1:45:00 AM	0
1/24/2022	2:00:00 AM	0
1/24/2022	2:15:00 AM	0
1/24/2022	2:30:00 AM	0
1/24/2022	2:45:00 AM	0
1/24/2022	3:00:00 AM	0
1/24/2022	3:15:00 AM	0
1/24/2022	3:30:00 AM	0
1/24/2022	3:45:00 AM	0
1/24/2022	4:00:00 AM	0
1/24/2022	4:15:00 AM	0
1/24/2022	4:30:00 AM	0
1/24/2022	4:45:00 AM	0
1/24/2022	5:00:00 AM	0
1/24/2022	5:15:00 AM	0
1/24/2022	5:30:00 AM	0
1/24/2022	5:45:00 AM	0
1/24/2022	6:00:00 AM	0
1/24/2022	6:15:00 AM	0
1/24/2022	6:30:00 AM	0
1/24/2022	6:45:00 AM	0
1/24/2022	7:00:00 AM	0
1/24/2022	7:15:00 AM	0
1/24/2022	7:30:00 AM	0
1/24/2022	7:45:00 AM	0
1/24/2022	8:00:00 AM	0
1/24/2022	8:15:00 AM	0
1/24/2022	8:30:00 AM	0
1/24/2022	8:45:00 AM	0
1/24/2022	9:00:00 AM	0
1/24/2022	9:15:00 AM	0
1/24/2022	9:30:00 AM	0
1/24/2022	9:45:00 AM	0
1/24/2022	10:00:00 AM	0
1/24/2022	10:15:00 AM	0
1/24/2022	10:30:00 AM	0
1/24/2022	10:45:00 AM	0
1/24/2022	11:00:00 AM	0
1/24/2022	11:15:00 AM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/24/2022	11:30:00 AM	0
1/24/2022	11:45:00 AM	0
1/24/2022	12:00:00 PM	0
1/24/2022	12:15:00 PM	0
1/24/2022	12:30:00 PM	0
1/24/2022	12:45:00 PM	0
1/24/2022	1:00:00 PM	0
1/24/2022	1:15:00 PM	0
1/24/2022	1:30:00 PM	0
1/24/2022	1:45:00 PM	0
1/24/2022	2:00:00 PM	0
1/24/2022	2:15:00 PM	0
1/24/2022	2:30:00 PM	0
1/24/2022	2:45:00 PM	0
1/24/2022	3:00:00 PM	0
1/24/2022	3:15:00 PM	0
1/24/2022	3:30:00 PM	0
1/24/2022	3:45:00 PM	0
1/24/2022	4:00:00 PM	0
1/24/2022	4:15:00 PM	0
1/24/2022	4:30:00 PM	0
1/24/2022	4:45:00 PM	0
1/24/2022	5:00:00 PM	0
1/24/2022	5:15:00 PM	0
1/24/2022	5:30:00 PM	0
1/24/2022	5:45:00 PM	0
1/24/2022	6:00:00 PM	0
1/24/2022	6:15:00 PM	0
1/24/2022	6:30:00 PM	0
1/24/2022	6:45:00 PM	0
1/24/2022	7:00:00 PM	0
1/24/2022	7:15:00 PM	0
1/24/2022	7:30:00 PM	0
1/24/2022	7:45:00 PM	0
1/24/2022	8:00:00 PM	0
1/24/2022	8:15:00 PM	0
1/24/2022	8:30:00 PM	0
1/24/2022	8:45:00 PM	0
1/24/2022	9:00:00 PM	0
1/24/2022	9:15:00 PM	0
1/24/2022	9:30:00 PM	0
1/24/2022	9:45:00 PM	0
1/24/2022	10:00:00 PM	0
1/24/2022	10:15:00 PM	0
1/24/2022	10:30:00 PM	0
1/24/2022	10:45:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/24/2022	11:00:00 PM	0
1/24/2022	11:15:00 PM	0
1/24/2022	11:30:00 PM	0
1/24/2022	11:45:00 PM	0
1/25/2022	12:00:00 AM	0
1/25/2022	12:15:00 AM	0
1/25/2022	12:30:00 AM	0
1/25/2022	12:45:00 AM	0
1/25/2022	1:00:00 AM	0
1/25/2022	1:15:00 AM	0
1/25/2022	1:30:00 AM	0
1/25/2022	1:45:00 AM	0
1/25/2022	2:00:00 AM	0
1/25/2022	2:15:00 AM	0
1/25/2022	2:30:00 AM	0
1/25/2022	2:45:00 AM	0
1/25/2022	3:00:00 AM	0
1/25/2022	3:15:00 AM	0
1/25/2022	3:30:00 AM	0
1/25/2022	3:45:00 AM	0
1/25/2022	4:00:00 AM	0
1/25/2022	4:15:00 AM	0
1/25/2022	4:30:00 AM	0
1/25/2022	4:45:00 AM	0
1/25/2022	5:00:00 AM	0
1/25/2022	5:15:00 AM	0
1/25/2022	5:30:00 AM	0
1/25/2022	5:45:00 AM	0
1/25/2022	6:00:00 AM	0
1/25/2022	6:15:00 AM	0
1/25/2022	6:30:00 AM	0
1/25/2022	6:45:00 AM	0
1/25/2022	7:00:00 AM	0
1/25/2022	7:15:00 AM	0
1/25/2022	7:30:00 AM	0
1/25/2022	7:45:00 AM	0
1/25/2022	8:00:00 AM	0
1/25/2022	8:15:00 AM	0
1/25/2022	8:30:00 AM	0
1/25/2022	8:45:00 AM	0
1/25/2022	9:00:00 AM	0
1/25/2022	9:15:00 AM	0
1/25/2022	9:30:00 AM	0
1/25/2022	9:45:00 AM	0
1/25/2022	10:00:00 AM	0
1/25/2022	10:15:00 AM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/25/2022	10:30:00 AM	0
1/25/2022	10:45:00 AM	0
1/25/2022	11:00:00 AM	0
1/25/2022	11:15:00 AM	0
1/25/2022	11:30:00 AM	0
1/25/2022	11:45:00 AM	0
1/25/2022	12:00:00 PM	0
1/25/2022	12:15:00 PM	0
1/25/2022	12:30:00 PM	0
1/25/2022	12:45:00 PM	0
1/25/2022	1:00:00 PM	0
1/25/2022	1:15:00 PM	0
1/25/2022	1:30:00 PM	0
1/25/2022	1:45:00 PM	0
1/25/2022	2:00:00 PM	0
1/25/2022	2:15:00 PM	0
1/25/2022	2:30:00 PM	0
1/25/2022	2:45:00 PM	0
1/25/2022	3:00:00 PM	0
1/25/2022	3:15:00 PM	0
1/25/2022	3:30:00 PM	0
1/25/2022	3:45:00 PM	0
1/25/2022	4:00:00 PM	0
1/25/2022	4:15:00 PM	0
1/25/2022	4:30:00 PM	0
1/25/2022	4:45:00 PM	0
1/25/2022	5:00:00 PM	0
1/25/2022	5:15:00 PM	0
1/25/2022	5:30:00 PM	0
1/25/2022	5:45:00 PM	0
1/25/2022	6:00:00 PM	0
1/25/2022	6:15:00 PM	0
1/25/2022	6:30:00 PM	0
1/25/2022	6:45:00 PM	0
1/25/2022	7:00:00 PM	0
1/25/2022	7:15:00 PM	0
1/25/2022	7:30:00 PM	0
1/25/2022	7:45:00 PM	0
1/25/2022	8:00:00 PM	0
1/25/2022	8:15:00 PM	0
1/25/2022	8:30:00 PM	0
1/25/2022	8:45:00 PM	0
1/25/2022	9:00:00 PM	0
1/25/2022	9:15:00 PM	0
1/25/2022	9:30:00 PM	0
1/25/2022	9:45:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/25/2022	10:00:00 PM	0
1/25/2022	10:15:00 PM	0
1/25/2022	10:30:00 PM	0
1/25/2022	10:45:00 PM	0
1/25/2022	11:00:00 PM	0
1/25/2022	11:15:00 PM	0
1/25/2022	11:30:00 PM	0
1/25/2022	11:45:00 PM	0
1/26/2022	12:00:00 AM	0
1/26/2022	12:15:00 AM	0
1/26/2022	12:30:00 AM	0
1/26/2022	12:45:00 AM	0
1/26/2022	1:00:00 AM	0
1/26/2022	1:15:00 AM	0
1/26/2022	1:30:00 AM	0
1/26/2022	1:45:00 AM	0
1/26/2022	2:00:00 AM	0
1/26/2022	2:15:00 AM	0
1/26/2022	2:30:00 AM	0
1/26/2022	2:45:00 AM	0
1/26/2022	3:00:00 AM	0
1/26/2022	3:15:00 AM	0
1/26/2022	3:30:00 AM	0
1/26/2022	3:45:00 AM	0
1/26/2022	4:00:00 AM	0
1/26/2022	4:15:00 AM	0
1/26/2022	4:30:00 AM	0
1/26/2022	4:45:00 AM	0
1/26/2022	5:00:00 AM	0
1/26/2022	5:15:00 AM	0
1/26/2022	5:30:00 AM	0
1/26/2022	5:45:00 AM	0
1/26/2022	6:00:00 AM	0
1/26/2022	6:15:00 AM	0
1/26/2022	6:30:00 AM	0
1/26/2022	6:45:00 AM	0
1/26/2022	7:00:00 AM	0
1/26/2022	7:15:00 AM	0
1/26/2022	7:30:00 AM	0
1/26/2022	7:45:00 AM	0
1/26/2022	8:00:00 AM	0
1/26/2022	8:15:00 AM	0
1/26/2022	8:30:00 AM	0
1/26/2022	8:45:00 AM	0
1/26/2022	9:00:00 AM	0
1/26/2022	9:15:00 AM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/26/2022	9:30:00 AM	0
1/26/2022	9:45:00 AM	0
1/26/2022	10:00:00 AM	0
1/26/2022	10:15:00 AM	0
1/26/2022	10:30:00 AM	0
1/26/2022	10:45:00 AM	0
1/26/2022	11:00:00 AM	0
1/26/2022	11:15:00 AM	0
1/26/2022	11:30:00 AM	0
1/26/2022	11:45:00 AM	0
1/26/2022	12:00:00 PM	0
1/26/2022	12:15:00 PM	0
1/26/2022	12:30:00 PM	0
1/26/2022	12:45:00 PM	0
1/26/2022	1:00:00 PM	0
1/26/2022	1:15:00 PM	0
1/26/2022	1:30:00 PM	0
1/26/2022	1:45:00 PM	0
1/26/2022	2:00:00 PM	0
1/26/2022	2:15:00 PM	0
1/26/2022	2:30:00 PM	0
1/26/2022	2:45:00 PM	0
1/26/2022	3:00:00 PM	0
1/26/2022	3:15:00 PM	0
1/26/2022	3:30:00 PM	0
1/26/2022	3:45:00 PM	0
1/26/2022	4:00:00 PM	0
1/26/2022	4:15:00 PM	0
1/26/2022	4:30:00 PM	0
1/26/2022	4:45:00 PM	0
1/26/2022	5:00:00 PM	0
1/26/2022	5:15:00 PM	0
1/26/2022	5:30:00 PM	0
1/26/2022	5:45:00 PM	0
1/26/2022	6:00:00 PM	0
1/26/2022	6:15:00 PM	0
1/26/2022	6:30:00 PM	0
1/26/2022	6:45:00 PM	0
1/26/2022	7:00:00 PM	0
1/26/2022	7:15:00 PM	0
1/26/2022	7:30:00 PM	0
1/26/2022	7:45:00 PM	0
1/26/2022	8:00:00 PM	0
1/26/2022	8:15:00 PM	0
1/26/2022	8:30:00 PM	0
1/26/2022	8:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/26/2022	9:00:00 PM	0
1/26/2022	9:15:00 PM	0
1/26/2022	9:30:00 PM	0
1/26/2022	9:45:00 PM	0
1/26/2022	10:00:00 PM	0
1/26/2022	10:15:00 PM	0
1/26/2022	10:30:00 PM	0
1/26/2022	10:45:00 PM	0
1/26/2022	11:00:00 PM	0
1/26/2022	11:15:00 PM	0
1/26/2022	11:30:00 PM	0
1/26/2022	11:45:00 PM	0
1/27/2022	12:00:00 AM	0
1/27/2022	12:15:00 AM	0
1/27/2022	12:30:00 AM	0
1/27/2022	12:45:00 AM	0
1/27/2022	1:00:00 AM	0
1/27/2022	1:15:00 AM	0
1/27/2022	1:30:00 AM	0
1/27/2022	1:45:00 AM	0
1/27/2022	2:00:00 AM	0
1/27/2022	2:15:00 AM	0
1/27/2022	2:30:00 AM	0
1/27/2022	2:45:00 AM	0
1/27/2022	3:00:00 AM	0
1/27/2022	3:15:00 AM	0
1/27/2022	3:30:00 AM	0
1/27/2022	3:45:00 AM	0
1/27/2022	4:00:00 AM	0
1/27/2022	4:15:00 AM	0
1/27/2022	4:30:00 AM	0
1/27/2022	4:45:00 AM	0
1/27/2022	5:00:00 AM	0
1/27/2022	5:15:00 AM	0
1/27/2022	5:30:00 AM	0
1/27/2022	5:45:00 AM	0
1/27/2022	6:00:00 AM	0
1/27/2022	6:15:00 AM	0
1/27/2022	6:30:00 AM	0
1/27/2022	6:45:00 AM	0
1/27/2022	7:00:00 AM	0
1/27/2022	7:15:00 AM	0
1/27/2022	7:30:00 AM	0
1/27/2022	7:45:00 AM	0
1/27/2022	8:00:00 AM	0
1/27/2022	8:15:00 AM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/27/2022	8:30:00 AM	0
1/27/2022	8:45:00 AM	0
1/27/2022	9:00:00 AM	0
1/27/2022	9:15:00 AM	0
1/27/2022	9:30:00 AM	0
1/27/2022	9:45:00 AM	0
1/27/2022	10:00:00 AM	0
1/27/2022	10:15:00 AM	0
1/27/2022	10:30:00 AM	0
1/27/2022	10:45:00 AM	0
1/27/2022	11:00:00 AM	0
1/27/2022	11:15:00 AM	0
1/27/2022	11:30:00 AM	0
1/27/2022	11:45:00 AM	0
1/27/2022	12:00:00 PM	0
1/27/2022	12:15:00 PM	0
1/27/2022	12:30:00 PM	0
1/27/2022	12:45:00 PM	0
1/27/2022	1:00:00 PM	0
1/27/2022	1:15:00 PM	0
1/27/2022	1:30:00 PM	0
1/27/2022	1:45:00 PM	0
1/27/2022	2:00:00 PM	0
1/27/2022	2:15:00 PM	0
1/27/2022	2:30:00 PM	0
1/27/2022	2:45:00 PM	0
1/27/2022	3:00:00 PM	0
1/27/2022	3:15:00 PM	0
1/27/2022	3:30:00 PM	0
1/27/2022	3:45:00 PM	0
1/27/2022	4:00:00 PM	0
1/27/2022	4:15:00 PM	0
1/27/2022	4:30:00 PM	0
1/27/2022	4:45:00 PM	0
1/27/2022	5:00:00 PM	0
1/27/2022	5:15:00 PM	0
1/27/2022	5:30:00 PM	0
1/27/2022	5:45:00 PM	0
1/27/2022	6:00:00 PM	0
1/27/2022	6:15:00 PM	0
1/27/2022	6:30:00 PM	0
1/27/2022	6:45:00 PM	0
1/27/2022	7:00:00 PM	0
1/27/2022	7:15:00 PM	0
1/27/2022	7:30:00 PM	0
1/27/2022	7:45:00 PM	0



# Locust Ditch Return Gage

DATE	TIME	GAGE
1/27/2022	8:00:00 PM	0
1/27/2022	8:15:00 PM	0
1/27/2022	8:30:00 PM	0
1/27/2022	8:45:00 PM	0
1/27/2022	9:00:00 PM	0
1/27/2022	9:15:00 PM	0
1/27/2022	9:30:00 PM	0
1/27/2022	9:45:00 PM	0
1/27/2022	10:00:00 PM	0
1/27/2022	10:15:00 PM	0
1/27/2022	10:30:00 PM	0
1/27/2022	10:45:00 PM	0
1/27/2022	11:00:00 PM	0
1/27/2022	11:15:00 PM	0
1/27/2022	11:30:00 PM	0
1/27/2022	11:45:00 PM	0
1/28/2022	12:00:00 AM	0
1/28/2022	12:15:00 AM	0
1/28/2022	12:30:00 AM	0
1/28/2022	12:45:00 AM	0
1/28/2022	1:00:00 AM	0
1/28/2022	1:15:00 AM	0
1/28/2022	1:30:00 AM	0
1/28/2022	1:45:00 AM	0
1/28/2022	2:00:00 AM	0
1/28/2022	2:15:00 AM	0
1/28/2022	2:30:00 AM	0
1/28/2022	2:45:00 AM	0
1/28/2022	3:00:00 AM	0
1/28/2022	3:15:00 AM	0
1/28/2022	3:30:00 AM	0
1/28/2022	3:45:00 AM	0
1/28/2022	4:00:00 AM	0
1/28/2022	4:15:00 AM	0
1/28/2022	4:30:00 AM	0
1/28/2022	4:45:00 AM	0
1/28/2022	5:00:00 AM	0
1/28/2022	5:15:00 AM	0
1/28/2022	5:30:00 AM	0
1/28/2022	5:45:00 AM	0
1/28/2022	6:00:00 AM	0
1/28/2022	6:15:00 AM	0
1/28/2022	6:30:00 AM	0
1/28/2022	6:45:00 AM	0
1/28/2022	7:00:00 AM	0
1/28/2022	7:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/28/2022	7:30:00 AM	0
1/28/2022	7:45:00 AM	0
1/28/2022	8:00:00 AM	0
1/28/2022	8:15:00 AM	0
1/28/2022	8:30:00 AM	0
1/28/2022	8:45:00 AM	0
1/28/2022	9:00:00 AM	0
1/28/2022	9:15:00 AM	0
1/28/2022	9:30:00 AM	0
1/28/2022	9:45:00 AM	0
1/28/2022	10:00:00 AM	0
1/28/2022	10:15:00 AM	0
1/28/2022	10:30:00 AM	0
1/28/2022	10:45:00 AM	0
1/28/2022	11:00:00 AM	0
1/28/2022	11:15:00 AM	0
1/28/2022	11:30:00 AM	0
1/28/2022	11:45:00 AM	0
1/28/2022	12:00:00 PM	0
1/28/2022	12:15:00 PM	0
1/28/2022	12:30:00 PM	0
1/28/2022	12:45:00 PM	0
1/28/2022	1:00:00 PM	0
1/28/2022	1:15:00 PM	0
1/28/2022	1:30:00 PM	0
1/28/2022	1:45:00 PM	0
1/28/2022	2:00:00 PM	0
1/28/2022	2:15:00 PM	0
1/28/2022	2:30:00 PM	0
1/28/2022	2:45:00 PM	0
1/28/2022	3:00:00 PM	0
1/28/2022	3:15:00 PM	0
1/28/2022	3:30:00 PM	0
1/28/2022	3:45:00 PM	0
1/28/2022	4:00:00 PM	0
1/28/2022	4:15:00 PM	0
1/28/2022	4:30:00 PM	0
1/28/2022	4:45:00 PM	0
1/28/2022	5:00:00 PM	0
1/28/2022	5:15:00 PM	0
1/28/2022	5:30:00 PM	0
1/28/2022	5:45:00 PM	0
1/28/2022	6:00:00 PM	0
1/28/2022	6:15:00 PM	0
1/28/2022	6:30:00 PM	0
1/28/2022	6:45:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/28/2022	7:00:00 PM	0
1/28/2022	7:15:00 PM	0
1/28/2022	7:30:00 PM	0
1/28/2022	7:45:00 PM	0
1/28/2022	8:00:00 PM	0
1/28/2022	8:15:00 PM	0
1/28/2022	8:30:00 PM	0
1/28/2022	8:45:00 PM	0
1/28/2022	9:00:00 PM	0
1/28/2022	9:15:00 PM	0
1/28/2022	9:30:00 PM	0
1/28/2022	9:45:00 PM	0
1/28/2022	10:00:00 PM	0
1/28/2022	10:15:00 PM	0
1/28/2022	10:30:00 PM	0
1/28/2022	10:45:00 PM	0
1/28/2022	11:00:00 PM	0
1/28/2022	11:15:00 PM	0
1/28/2022	11:30:00 PM	0
1/28/2022	11:45:00 PM	0
1/29/2022	12:00:00 AM	0
1/29/2022	12:15:00 AM	0
1/29/2022	12:30:00 AM	0
1/29/2022	12:45:00 AM	0
1/29/2022	1:00:00 AM	0
1/29/2022	1:15:00 AM	0
1/29/2022	1:30:00 AM	0
1/29/2022	1:45:00 AM	0
1/29/2022	2:00:00 AM	0
1/29/2022	2:15:00 AM	0
1/29/2022	2:30:00 AM	0
1/29/2022	2:45:00 AM	0
1/29/2022	3:00:00 AM	0
1/29/2022	3:15:00 AM	0
1/29/2022	3:30:00 AM	0
1/29/2022	3:45:00 AM	0
1/29/2022	4:00:00 AM	0
1/29/2022	4:15:00 AM	0
1/29/2022	4:30:00 AM	0
1/29/2022	4:45:00 AM	0
1/29/2022	5:00:00 AM	0
1/29/2022	5:15:00 AM	0
1/29/2022	5:30:00 AM	0
1/29/2022	5:45:00 AM	0
1/29/2022	6:00:00 AM	0
1/29/2022	6:15:00 AM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/29/2022	6:30:00 AM	0
1/29/2022	6:45:00 AM	0
1/29/2022	7:00:00 AM	0
1/29/2022	7:15:00 AM	0
1/29/2022	7:30:00 AM	0
1/29/2022	7:45:00 AM	0
1/29/2022	8:00:00 AM	0
1/29/2022	8:15:00 AM	0
1/29/2022	8:30:00 AM	0
1/29/2022	8:45:00 AM	0
1/29/2022	9:00:00 AM	0
1/29/2022	9:15:00 AM	0
1/29/2022	9:30:00 AM	0
1/29/2022	9:45:00 AM	0
1/29/2022	10:00:00 AM	0
1/29/2022	10:15:00 AM	0
1/29/2022	10:30:00 AM	0
1/29/2022	10:45:00 AM	0
1/29/2022	11:00:00 AM	0
1/29/2022	11:15:00 AM	0
1/29/2022	11:30:00 AM	0
1/29/2022	11:45:00 AM	0
1/29/2022	12:00:00 PM	0
1/29/2022	12:15:00 PM	0
1/29/2022	12:30:00 PM	0
1/29/2022	12:45:00 PM	0
1/29/2022	1:00:00 PM	0
1/29/2022	1:15:00 PM	0
1/29/2022	1:30:00 PM	0
1/29/2022	1:45:00 PM	0
1/29/2022	2:00:00 PM	0
1/29/2022	2:15:00 PM	0
1/29/2022	2:30:00 PM	0
1/29/2022	2:45:00 PM	0
1/29/2022	3:00:00 PM	0
1/29/2022	3:15:00 PM	0
1/29/2022	3:30:00 PM	0
1/29/2022	3:45:00 PM	0
1/29/2022	4:00:00 PM	0
1/29/2022	4:15:00 PM	0
1/29/2022	4:30:00 PM	0
1/29/2022	4:45:00 PM	0
1/29/2022	5:00:00 PM	0
1/29/2022	5:15:00 PM	0
1/29/2022	5:30:00 PM	0
1/29/2022	5:45:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/29/2022	6:00:00 PM	0
1/29/2022	6:15:00 PM	0
1/29/2022	6:30:00 PM	0
1/29/2022	6:45:00 PM	0
1/29/2022	7:00:00 PM	0
1/29/2022	7:15:00 PM	0
1/29/2022	7:30:00 PM	0
1/29/2022	7:45:00 PM	0
1/29/2022	8:00:00 PM	0
1/29/2022	8:15:00 PM	0
1/29/2022	8:30:00 PM	0
1/29/2022	8:45:00 PM	0
1/29/2022	9:00:00 PM	0
1/29/2022	9:15:00 PM	0
1/29/2022	9:30:00 PM	0
1/29/2022	9:45:00 PM	0
1/29/2022	10:00:00 PM	0
1/29/2022	10:15:00 PM	0
1/29/2022	10:30:00 PM	0
1/29/2022	10:45:00 PM	0
1/29/2022	11:00:00 PM	0
1/29/2022	11:15:00 PM	0
1/29/2022	11:30:00 PM	0
1/29/2022	11:45:00 PM	0
1/30/2022	12:00:00 AM	0
1/30/2022	12:15:00 AM	0
1/30/2022	12:30:00 AM	0
1/30/2022	12:45:00 AM	0
1/30/2022	1:00:00 AM	0
1/30/2022	1:15:00 AM	0
1/30/2022	1:30:00 AM	0
1/30/2022	1:45:00 AM	0
1/30/2022	2:00:00 AM	0
1/30/2022	2:15:00 AM	0
1/30/2022	2:30:00 AM	0
1/30/2022	2:45:00 AM	0
1/30/2022	3:00:00 AM	0
1/30/2022	3:15:00 AM	0
1/30/2022	3:30:00 AM	0
1/30/2022	3:45:00 AM	0
1/30/2022	4:00:00 AM	0
1/30/2022	4:15:00 AM	0
1/30/2022	4:30:00 AM	0
1/30/2022	4:45:00 AM	0
1/30/2022	5:00:00 AM	0
1/30/2022	5:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
1/30/2022	5:30:00 AM	0
1/30/2022	5:45:00 AM	0
1/30/2022	6:00:00 AM	0
1/30/2022	6:15:00 AM	0
1/30/2022	6:30:00 AM	0
1/30/2022	6:45:00 AM	0
1/30/2022	7:00:00 AM	0
1/30/2022	7:15:00 AM	0
1/30/2022	7:30:00 AM	0
1/30/2022	7:45:00 AM	0
1/30/2022	8:00:00 AM	0
1/30/2022	8:15:00 AM	0
1/30/2022	8:30:00 AM	0
1/30/2022	8:45:00 AM	0
1/30/2022	9:00:00 AM	0
1/30/2022	9:15:00 AM	0
1/30/2022	9:30:00 AM	0
1/30/2022	9:45:00 AM	0
1/30/2022	10:00:00 AM	0
1/30/2022	10:15:00 AM	0
1/30/2022	10:30:00 AM	0
1/30/2022	10:45:00 AM	0
1/30/2022	11:00:00 AM	0
1/30/2022	11:15:00 AM	0
1/30/2022	11:30:00 AM	0
1/30/2022	11:45:00 AM	0
1/30/2022	12:00:00 PM	0
1/30/2022	12:15:00 PM	0
1/30/2022	12:30:00 PM	0
1/30/2022	12:45:00 PM	0
1/30/2022	1:00:00 PM	0
1/30/2022	1:15:00 PM	0
1/30/2022	1:30:00 PM	0
1/30/2022	1:45:00 PM	0
1/30/2022	2:00:00 PM	0
1/30/2022	2:15:00 PM	0
1/30/2022	2:30:00 PM	0
1/30/2022	2:45:00 PM	0
1/30/2022	3:00:00 PM	0
1/30/2022	3:15:00 PM	0
1/30/2022	3:30:00 PM	0
1/30/2022	3:45:00 PM	0
1/30/2022	4:00:00 PM	0
1/30/2022	4:15:00 PM	0
1/30/2022	4:30:00 PM	0
1/30/2022	4:45:00 PM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/30/2022	5:00:00 PM	0
1/30/2022	5:15:00 PM	0
1/30/2022	5:30:00 PM	0
1/30/2022	5:45:00 PM	0
1/30/2022	6:00:00 PM	0
1/30/2022	6:15:00 PM	0
1/30/2022	6:30:00 PM	0
1/30/2022	6:45:00 PM	0
1/30/2022	7:00:00 PM	0
1/30/2022	7:15:00 PM	0
1/30/2022	7:30:00 PM	0
1/30/2022	7:45:00 PM	0
1/30/2022	8:00:00 PM	0
1/30/2022	8:15:00 PM	0
1/30/2022	8:30:00 PM	0
1/30/2022	8:45:00 PM	0
1/30/2022	9:00:00 PM	0
1/30/2022	9:15:00 PM	0
1/30/2022	9:30:00 PM	0
1/30/2022	9:45:00 PM	0
1/30/2022	10:00:00 PM	0
1/30/2022	10:15:00 PM	0
1/30/2022	10:30:00 PM	0
1/30/2022	10:45:00 PM	0
1/30/2022	11:00:00 PM	0
1/30/2022	11:15:00 PM	0
1/30/2022	11:30:00 PM	0
1/30/2022	11:45:00 PM	0
1/31/2022	12:00:00 AM	0
1/31/2022	12:15:00 AM	0
1/31/2022	12:30:00 AM	0
1/31/2022	12:45:00 AM	0
1/31/2022	1:00:00 AM	0
1/31/2022	1:15:00 AM	0
1/31/2022	1:30:00 AM	0
1/31/2022	1:45:00 AM	0
1/31/2022	2:00:00 AM	0
1/31/2022	2:15:00 AM	0
1/31/2022	2:30:00 AM	0
1/31/2022	2:45:00 AM	0
1/31/2022	3:00:00 AM	0
1/31/2022	3:15:00 AM	0
1/31/2022	3:30:00 AM	0
1/31/2022	3:45:00 AM	0
1/31/2022	4:00:00 AM	0
1/31/2022	4:15:00 AM	0

# Locust Ditch Return Gage

DATE	TIME	GAGE
1/31/2022	4:30:00 AM	0
1/31/2022	4:45:00 AM	0
1/31/2022	5:00:00 AM	0
1/31/2022	5:15:00 AM	0
1/31/2022	5:30:00 AM	0
1/31/2022	5:45:00 AM	0
1/31/2022	6:00:00 AM	0
1/31/2022	6:15:00 AM	0
1/31/2022	6:30:00 AM	0
1/31/2022	6:45:00 AM	0
1/31/2022	7:00:00 AM	0
1/31/2022	7:15:00 AM	0
1/31/2022	7:30:00 AM	0
1/31/2022	7:45:00 AM	0
1/31/2022	8:00:00 AM	0
1/31/2022	8:15:00 AM	0
1/31/2022	8:30:00 AM	0
1/31/2022	8:45:00 AM	0
1/31/2022	9:00:00 AM	0
1/31/2022	9:15:00 AM	0
1/31/2022	9:30:00 AM	0
1/31/2022	9:45:00 AM	0
1/31/2022	10:00:00 AM	0
1/31/2022	10:15:00 AM	0
1/31/2022	10:30:00 AM	0
1/31/2022	10:45:00 AM	0
1/31/2022	11:00:00 AM	0
1/31/2022	11:15:00 AM	0
1/31/2022	11:30:00 AM	0
1/31/2022	11:45:00 AM	0
1/31/2022	12:00:00 PM	0
1/31/2022	12:15:00 PM	0
1/31/2022	12:30:00 PM	0
1/31/2022	12:45:00 PM	0
1/31/2022	1:00:00 PM	0
1/31/2022	1:15:00 PM	0
1/31/2022	1:30:00 PM	0
1/31/2022	1:45:00 PM	0
1/31/2022	2:00:00 PM	0
1/31/2022	2:15:00 PM	0
1/31/2022	2:30:00 PM	0
1/31/2022	2:45:00 PM	0
1/31/2022	3:00:00 PM	0
1/31/2022	3:15:00 PM	0
1/31/2022	3:30:00 PM	0
1/31/2022	3:45:00 PM	0



Locust Ditch Return Gage

DATE	TIME	GAGE
1/31/2022	4:00:00 PM	0
1/31/2022	4:15:00 PM	0
1/31/2022	4:30:00 PM	0
1/31/2022	4:45:00 PM	0
1/31/2022	5:00:00 PM	0
1/31/2022	5:15:00 PM	0
1/31/2022	5:30:00 PM	0
1/31/2022	5:45:00 PM	0
1/31/2022	6:00:00 PM	0
1/31/2022	6:15:00 PM	0
1/31/2022	6:30:00 PM	0
1/31/2022	6:45:00 PM	0
1/31/2022	7:00:00 PM	0
1/31/2022	7:15:00 PM	0
1/31/2022	7:30:00 PM	0
1/31/2022	7:45:00 PM	0
1/31/2022	8:00:00 PM	0
1/31/2022	8:15:00 PM	0
1/31/2022	8:30:00 PM	0
1/31/2022	8:45:00 PM	0
1/31/2022	9:00:00 PM	0
1/31/2022	9:15:00 PM	0
1/31/2022	9:30:00 PM	0
1/31/2022	9:45:00 PM	0
1/31/2022	10:00:00 PM	0
1/31/2022	10:15:00 PM	0
1/31/2022	10:30:00 PM	0
1/31/2022	10:45:00 PM	0
1/31/2022	11:00:00 PM	0
1/31/2022	11:15:00 PM	0
1/31/2022	11:30:00 PM	0
1/31/2022	11:45:00 PM	0

Georges Ditch Return

Station 0217

Date	Flow (cfs)
1/1/2022	0.26
1/2/2022	0.22
1/3/2022	0.20
1/4/2022	0.19
1/5/2022	0.24
1/6/2022	0.31
1/7/2022	0.31
1/8/2022	0.42
1/9/2022	0.43
1/10/2022	0.39
1/11/2022	0.38
1/12/2022	0.36
1/13/2022	0.32
1/14/2022	0.31
1/15/2022	0.31
1/16/2022	0.31
1/17/2022	0.31
1/18/2022	0.31
1/19/2022	0.37
1/20/2022	0.45
1/21/2022	0.43
1/22/2022	0.38
1/23/2022	0.38
1/24/2022	0.38
1/25/2022	0.38
1/26/2022	0.39
1/27/2022	0.38
1/28/2022	0.38
1/29/2022	0.37
1/30/2022	0.32
1/31/2022	0.33

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/1/2022	12:00:00 AM	0.07
1/1/2022	12:15:00 AM	0.07
1/1/2022	12:30:00 AM	0.07
1/1/2022	12:45:00 AM	0.07
1/1/2022	1:00:00 AM	0.07
1/1/2022	1:15:00 AM	0.07
1/1/2022	1:30:00 AM	0.07
1/1/2022	1:45:00 AM	0.07
1/1/2022	2:00:00 AM	0.07
1/1/2022	2:15:00 AM	0.06
1/1/2022	2:30:00 AM	0.05
1/1/2022	2:45:00 AM	0.05
1/1/2022	3:00:00 AM	0.05
1/1/2022	3:15:00 AM	0.05
1/1/2022	3:30:00 AM	0.04
1/1/2022	3:45:00 AM	0.04
1/1/2022	4:00:00 AM	0.04
1/1/2022	4:15:00 AM	0.04
1/1/2022	4:30:00 AM	0.04
1/1/2022	4:45:00 AM	0.05
1/1/2022	5:00:00 AM	0.05
1/1/2022	5:15:00 AM	0.05
1/1/2022	5:30:00 AM	0.05
1/1/2022	5:45:00 AM	0.05
1/1/2022	6:00:00 AM	0.05
1/1/2022	6:15:00 AM	0.05
1/1/2022	6:30:00 AM	0.05
1/1/2022	6:45:00 AM	0.05
1/1/2022	7:00:00 AM	0.05
1/1/2022	7:15:00 AM	0.05
1/1/2022	7:30:00 AM	0.05
1/1/2022	7:45:00 AM	0.05
1/1/2022	8:00:00 AM	0.05
1/1/2022	8:15:00 AM	0.06
1/1/2022	8:30:00 AM	0.06
1/1/2022	8:45:00 AM	0.06
1/1/2022	9:00:00 AM	0.06
1/1/2022	9:15:00 AM	0.06
1/1/2022	9:30:00 AM	0.06
1/1/2022	9:45:00 AM	0.06
1/1/2022	10:00:00 AM	0.06
1/1/2022	10:15:00 AM	0.07
1/1/2022	10:30:00 AM	0.07
1/1/2022	10:45:00 AM	0.08
1/1/2022	11:00:00 AM	0.08
1/1/2022	11:15:00 AM	0.09

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/1/2022	11:30:00 AM	0.1
1/1/2022	11:45:00 AM	0.09
1/1/2022	12:00:00 PM	0.09
1/1/2022	12:15:00 PM	0.08
1/1/2022	12:30:00 PM	0.08
1/1/2022	12:45:00 PM	0.08
1/1/2022	1:00:00 PM	0.08
1/1/2022	1:15:00 PM	0.07
1/1/2022	1:30:00 PM	0.07
1/1/2022	1:45:00 PM	0.07
1/1/2022	2:00:00 PM	0.07
1/1/2022	2:15:00 PM	0.07
1/1/2022	2:30:00 PM	0.07
1/1/2022	2:45:00 PM	0.06
1/1/2022	3:00:00 PM	0.07
1/1/2022	3:15:00 PM	0.06
1/1/2022	3:30:00 PM	0.06
1/1/2022	3:45:00 PM	0.06
1/1/2022	4:00:00 PM	0.06
1/1/2022	4:15:00 PM	0.06
1/1/2022	4:30:00 PM	0.06
1/1/2022	4:45:00 PM	0.06
1/1/2022	5:00:00 PM	0.06
1/1/2022	5:15:00 PM	0.06
1/1/2022	5:30:00 PM	0.06
1/1/2022	5:45:00 PM	0.06
1/1/2022	6:00:00 PM	0.06
1/1/2022	6:15:00 PM	0.06
1/1/2022	6:30:00 PM	0.06
1/1/2022	6:45:00 PM	0.06
1/1/2022	7:00:00 PM	0.06
1/1/2022	7:15:00 PM	0.06
1/1/2022	7:30:00 PM	0.06
1/1/2022	7:45:00 PM	0.06
1/1/2022	8:00:00 PM	0.06
1/1/2022	8:15:00 PM	0.06
1/1/2022	8:30:00 PM	0.06
1/1/2022	8:45:00 PM	0.06
1/1/2022	9:00:00 PM	0.06
1/1/2022	9:15:00 PM	0.06
1/1/2022	9:30:00 PM	0.06
1/1/2022	9:45:00 PM	0.06
1/1/2022	10:00:00 PM	0.06
1/1/2022	10:15:00 PM	0.06
1/1/2022	10:30:00 PM	0.06
1/1/2022	10:45:00 PM	0.06

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/1/2022	11:00:00 PM	0.06
1/1/2022	11:15:00 PM	0.06
1/1/2022	11:30:00 PM	0.06
1/1/2022	11:45:00 PM	0.06
1/2/2022	12:00:00 AM	0.06
1/2/2022	12:15:00 AM	0.06
1/2/2022	12:30:00 AM	0.06
1/2/2022	12:45:00 AM	0.06
1/2/2022	1:00:00 AM	0.05
1/2/2022	1:15:00 AM	0.05
1/2/2022	1:30:00 AM	0.05
1/2/2022	1:45:00 AM	0.04
1/2/2022	2:00:00 AM	0.04
1/2/2022	2:15:00 AM	0.04
1/2/2022	2:30:00 AM	0.04
1/2/2022	2:45:00 AM	0.04
1/2/2022	3:00:00 AM	0.04
1/2/2022	3:15:00 AM	0.04
1/2/2022	3:30:00 AM	0.04
1/2/2022	3:45:00 AM	0.04
1/2/2022	4:00:00 AM	0.04
1/2/2022	4:15:00 AM	0.04
1/2/2022	4:30:00 AM	0.04
1/2/2022	4:45:00 AM	0.04
1/2/2022	5:00:00 AM	0.04
1/2/2022	5:15:00 AM	0.04
1/2/2022	5:30:00 AM	0.04
1/2/2022	5:45:00 AM	0.04
1/2/2022	6:00:00 AM	0.04
1/2/2022	6:15:00 AM	0.04
1/2/2022	6:30:00 AM	0.04
1/2/2022	6:45:00 AM	0.04
1/2/2022	7:00:00 AM	0.04
1/2/2022	7:15:00 AM	0.05
1/2/2022	7:30:00 AM	0.05
1/2/2022	7:45:00 AM	0.05
1/2/2022	8:00:00 AM	0.05
1/2/2022	8:15:00 AM	0.05
1/2/2022	8:30:00 AM	0.05
1/2/2022	8:45:00 AM	0.05
1/2/2022	9:00:00 AM	0.05
1/2/2022	9:15:00 AM	0.05
1/2/2022	9:30:00 AM	0.05
1/2/2022	9:45:00 AM	0.05
1/2/2022	10:00:00 AM	0.05
1/2/2022	10:15:00 AM	0.05

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/2/2022	10:30:00 AM	0.06
1/2/2022	10:45:00 AM	0.06
1/2/2022	11:00:00 AM	0.07
1/2/2022	11:15:00 AM	0.08
1/2/2022	11:30:00 AM	0.08
1/2/2022	11:45:00 AM	0.09
1/2/2022	12:00:00 PM	0.09
1/2/2022	12:15:00 PM	0.08
1/2/2022	12:30:00 PM	0.09
1/2/2022	12:45:00 PM	0.08
1/2/2022	1:00:00 PM	0.08
1/2/2022	1:15:00 PM	0.08
1/2/2022	1:30:00 PM	0.08
1/2/2022	1:45:00 PM	0.08
1/2/2022	2:00:00 PM	0.07
1/2/2022	2:15:00 PM	0.07
1/2/2022	2:30:00 PM	0.07
1/2/2022	2:45:00 PM	0.07
1/2/2022	3:00:00 PM	0.06
1/2/2022	3:15:00 PM	0.06
1/2/2022	3:30:00 PM	0.06
1/2/2022	3:45:00 PM	0.06
1/2/2022	4:00:00 PM	0.06
1/2/2022	4:15:00 PM	0.06
1/2/2022	4:30:00 PM	0.06
1/2/2022	4:45:00 PM	0.06
1/2/2022	5:00:00 PM	0.06
1/2/2022	5:15:00 PM	0.06
1/2/2022	5:30:00 PM	0.06
1/2/2022	5:45:00 PM	0.06
1/2/2022	6:00:00 PM	0.06
1/2/2022	6:15:00 PM	0.06
1/2/2022	6:30:00 PM	0.06
1/2/2022	6:45:00 PM	0.05
1/2/2022	7:00:00 PM	0.05
1/2/2022	7:15:00 PM	0.05
1/2/2022	7:30:00 PM	0.05
1/2/2022	7:45:00 PM	0.05
1/2/2022	8:00:00 PM	0.05
1/2/2022	8:15:00 PM	0.05
1/2/2022	8:30:00 PM	0.05
1/2/2022	8:45:00 PM	0.05
1/2/2022	9:00:00 PM	0.05
1/2/2022	9:15:00 PM	0.05
1/2/2022	9:30:00 PM	0.05
1/2/2022	9:45:00 PM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
1/2/2022	10:00:00 PM	0.05
1/2/2022	10:15:00 PM	0.05
1/2/2022	10:30:00 PM	0.05
1/2/2022	10:45:00 PM	0.05
1/2/2022	11:00:00 PM	0.05
1/2/2022	11:15:00 PM	0.06
1/2/2022	11:30:00 PM	0.06
1/2/2022	11:45:00 PM	0.06
1/3/2022	12:00:00 AM	0.05
1/3/2022	12:15:00 AM	0.05
1/3/2022	12:30:00 AM	0.05
1/3/2022	12:45:00 AM	0.05
1/3/2022	1:00:00 AM	0.05
1/3/2022	1:15:00 AM	0.05
1/3/2022	1:30:00 AM	0.05
1/3/2022	1:45:00 AM	0.04
1/3/2022	2:00:00 AM	0.04
1/3/2022	2:15:00 AM	0.03
1/3/2022	2:30:00 AM	0.03
1/3/2022	2:45:00 AM	0.03
1/3/2022	3:00:00 AM	0.03
1/3/2022	3:15:00 AM	0.03
1/3/2022	3:30:00 AM	0.03
1/3/2022	3:45:00 AM	0.03
1/3/2022	4:00:00 AM	0.03
1/3/2022	4:15:00 AM	0.03
1/3/2022	4:30:00 AM	0.03
1/3/2022	4:45:00 AM	0.03
1/3/2022	5:00:00 AM	0.03
1/3/2022	5:15:00 AM	0.03
1/3/2022	5:30:00 AM	0.03
1/3/2022	5:45:00 AM	0.03
1/3/2022	6:00:00 AM	0.03
1/3/2022	6:15:00 AM	0.03
1/3/2022	6:30:00 AM	0.03
1/3/2022	6:45:00 AM	0.04
1/3/2022	7:00:00 AM	0.04
1/3/2022	7:15:00 AM	0.04
1/3/2022	7:30:00 AM	0.04
1/3/2022	7:45:00 AM	0.04
1/3/2022	8:00:00 AM	0.04
1/3/2022	8:15:00 AM	0.04
1/3/2022	8:30:00 AM	0.04
1/3/2022	8:45:00 AM	0.04
1/3/2022	9:00:00 AM	0.05
1/3/2022	9:15:00 AM	0.05

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/3/2022	9:30:00 AM	0.05
1/3/2022	9:45:00 AM	0.05
1/3/2022	10:00:00 AM	0.05
1/3/2022	10:15:00 AM	0.05
1/3/2022	10:30:00 AM	0.06
1/3/2022	10:45:00 AM	0.06
1/3/2022	11:00:00 AM	0.07
1/3/2022	11:15:00 AM	0.07
1/3/2022	11:30:00 AM	0.08
1/3/2022	11:45:00 AM	0.08
1/3/2022	12:00:00 PM	0.08
1/3/2022	12:15:00 PM	0.08
1/3/2022	12:30:00 PM	0.08
1/3/2022	12:45:00 PM	0.08
1/3/2022	1:00:00 PM	0.08
1/3/2022	1:15:00 PM	0.08
1/3/2022	1:30:00 PM	0.08
1/3/2022	1:45:00 PM	0.07
1/3/2022	2:00:00 PM	0.07
1/3/2022	2:15:00 PM	0.07
1/3/2022	2:30:00 PM	0.07
1/3/2022	2:45:00 PM	0.07
1/3/2022	3:00:00 PM	0.06
1/3/2022	3:15:00 PM	0.06
1/3/2022	3:30:00 PM	0.06
1/3/2022	3:45:00 PM	0.06
1/3/2022	4:00:00 PM	0.06
1/3/2022	4:15:00 PM	0.06
1/3/2022	4:30:00 PM	0.06
1/3/2022	4:45:00 PM	0.06
1/3/2022	5:00:00 PM	0.06
1/3/2022	5:15:00 PM	0.06
1/3/2022	5:30:00 PM	0.06
1/3/2022	5:45:00 PM	0.05
1/3/2022	6:00:00 PM	0.05
1/3/2022	6:15:00 PM	0.05
1/3/2022	6:30:00 PM	0.05
1/3/2022	6:45:00 PM	0.05
1/3/2022	7:00:00 PM	0.05
1/3/2022	7:15:00 PM	0.05
1/3/2022	7:30:00 PM	0.05
1/3/2022	7:45:00 PM	0.05
1/3/2022	8:00:00 PM	0.05
1/3/2022	8:15:00 PM	0.05
1/3/2022	8:30:00 PM	0.05
1/3/2022	8:45:00 PM	0.05



Georges Ditch Return Gage

DATE	TIME	GAGE
1/3/2022	9:00:00 PM	0.05
1/3/2022	9:15:00 PM	0.05
1/3/2022	9:30:00 PM	0.05
1/3/2022	9:45:00 PM	0.05
1/3/2022	10:00:00 PM	0.05
1/3/2022	10:15:00 PM	0.05
1/3/2022	10:30:00 PM	0.05
1/3/2022	10:45:00 PM	0.05
1/3/2022	11:00:00 PM	0.05
1/3/2022	11:15:00 PM	0.05
1/3/2022	11:30:00 PM	0.05
1/3/2022	11:45:00 PM	0.05
1/4/2022	12:00:00 AM	0.05
1/4/2022	12:15:00 AM	0.05
1/4/2022	12:30:00 AM	0.05
1/4/2022	12:45:00 AM	0.05
1/4/2022	1:00:00 AM	0.05
1/4/2022	1:15:00 AM	0.05
1/4/2022	1:30:00 AM	0.05
1/4/2022	1:45:00 AM	0.05
1/4/2022	2:00:00 AM	0.05
1/4/2022	2:15:00 AM	0.04
1/4/2022	2:30:00 AM	0.04
1/4/2022	2:45:00 AM	0.04
1/4/2022	3:00:00 AM	0.04
1/4/2022	3:15:00 AM	0.04
1/4/2022	3:30:00 AM	0.03
1/4/2022	3:45:00 AM	0.03
1/4/2022	4:00:00 AM	0.03
1/4/2022	4:15:00 AM	0.03
1/4/2022	4:30:00 AM	0.03
1/4/2022	4:45:00 AM	0.03
1/4/2022	5:00:00 AM	0.03
1/4/2022	5:15:00 AM	0.03
1/4/2022	5:30:00 AM	0.03
1/4/2022	5:45:00 AM	0.03
1/4/2022	6:00:00 AM	0.03
1/4/2022	6:15:00 AM	0.03
1/4/2022	6:30:00 AM	0.03
1/4/2022	6:45:00 AM	0.03
1/4/2022	7:00:00 AM	0.04
1/4/2022	7:15:00 AM	0.04
1/4/2022	7:30:00 AM	0.04
1/4/2022	7:45:00 AM	0.04
1/4/2022	8:00:00 AM	0.04
1/4/2022	8:15:00 AM	0.04

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/4/2022	8:30:00 AM	0.04
1/4/2022	8:45:00 AM	0.04
1/4/2022	9:00:00 AM	0.04
1/4/2022	9:15:00 AM	0.04
1/4/2022	9:30:00 AM	0.04
1/4/2022	9:45:00 AM	0.05
1/4/2022	10:00:00 AM	0.05
1/4/2022	10:15:00 AM	0.05
1/4/2022	10:30:00 AM	0.06
1/4/2022	10:45:00 AM	0.06
1/4/2022	11:00:00 AM	0.07
1/4/2022	11:15:00 AM	0.07
1/4/2022	11:30:00 AM	0.07
1/4/2022	11:45:00 AM	0.08
1/4/2022	12:00:00 PM	0.08
1/4/2022	12:15:00 PM	0.08
1/4/2022	12:30:00 PM	0.08
1/4/2022	12:45:00 PM	0.08
1/4/2022	1:00:00 PM	0.07
1/4/2022	1:15:00 PM	0.07
1/4/2022	1:30:00 PM	0.07
1/4/2022	1:45:00 PM	0.06
1/4/2022	2:00:00 PM	0.06
1/4/2022	2:15:00 PM	0.06
1/4/2022	2:30:00 PM	0.06
1/4/2022	2:45:00 PM	0.06
1/4/2022	3:00:00 PM	0.06
1/4/2022	3:15:00 PM	0.06
1/4/2022	3:30:00 PM	0.05
1/4/2022	3:45:00 PM	0.05
1/4/2022	4:00:00 PM	0.05
1/4/2022	4:15:00 PM	0.05
1/4/2022	4:30:00 PM	0.05
1/4/2022	4:45:00 PM	0.05
1/4/2022	5:00:00 PM	0.05
1/4/2022	5:15:00 PM	0.05
1/4/2022	5:30:00 PM	0.05
1/4/2022	5:45:00 PM	0.05
1/4/2022	6:00:00 PM	0.05
1/4/2022	6:15:00 PM	0.05
1/4/2022	6:30:00 PM	0.05
1/4/2022	6:45:00 PM	0.05
1/4/2022	7:00:00 PM	0.05
1/4/2022	7:15:00 PM	0.05
1/4/2022	7:30:00 PM	0.05
1/4/2022	7:45:00 PM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
1/4/2022	8:00:00 PM	0.05
1/4/2022	8:15:00 PM	0.05
1/4/2022	8:30:00 PM	0.05
1/4/2022	8:45:00 PM	0.05
1/4/2022	9:00:00 PM	0.05
1/4/2022	9:15:00 PM	0.05
1/4/2022	9:30:00 PM	0.05
1/4/2022	9:45:00 PM	0.05
1/4/2022	10:00:00 PM	0.05
1/4/2022	10:15:00 PM	0.05
1/4/2022	10:30:00 PM	0.05
1/4/2022	10:45:00 PM	0.05
1/4/2022	11:00:00 PM	0.05
1/4/2022	11:15:00 PM	0.05
1/4/2022	11:30:00 PM	0.05
1/4/2022	11:45:00 PM	0.05
1/5/2022	12:00:00 AM	0.05
1/5/2022	12:15:00 AM	0.05
1/5/2022	12:30:00 AM	0.05
1/5/2022	12:45:00 AM	0.05
1/5/2022	1:00:00 AM	0.05
1/5/2022	1:15:00 AM	0.05
1/5/2022	1:30:00 AM	0.05
1/5/2022	1:45:00 AM	0.05
1/5/2022	2:00:00 AM	0.05
1/5/2022	2:15:00 AM	0.05
1/5/2022	2:30:00 AM	0.05
1/5/2022	2:45:00 AM	0.04
1/5/2022	3:00:00 AM	0.04
1/5/2022	3:15:00 AM	0.04
1/5/2022	3:30:00 AM	0.04
1/5/2022	3:45:00 AM	0.04
1/5/2022	4:00:00 AM	0.04
1/5/2022	4:15:00 AM	0.04
1/5/2022	4:30:00 AM	0.04
1/5/2022	4:45:00 AM	0.04
1/5/2022	5:00:00 AM	0.03
1/5/2022	5:15:00 AM	0.03
1/5/2022	5:30:00 AM	0.03
1/5/2022	5:45:00 AM	0.03
1/5/2022	6:00:00 AM	0.03
1/5/2022	6:15:00 AM	0.03
1/5/2022	6:30:00 AM	0.03
1/5/2022	6:45:00 AM	0.03
1/5/2022	7:00:00 AM	0.03
1/5/2022	7:15:00 AM	0.03

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/5/2022	7:30:00 AM	0.03
1/5/2022	7:45:00 AM	0.03
1/5/2022	8:00:00 AM	0.03
1/5/2022	8:15:00 AM	0.03
1/5/2022	8:30:00 AM	0.04
1/5/2022	8:45:00 AM	0.04
1/5/2022	9:00:00 AM	0.04
1/5/2022	9:15:00 AM	0.04
1/5/2022	9:30:00 AM	0.04
1/5/2022	9:45:00 AM	0.04
1/5/2022	10:00:00 AM	0.05
1/5/2022	10:15:00 AM	0.06
1/5/2022	10:30:00 AM	0.06
1/5/2022	10:45:00 AM	0.07
1/5/2022	11:00:00 AM	0.07
1/5/2022	11:15:00 AM	0.07
1/5/2022	11:30:00 AM	0.07
1/5/2022	11:45:00 AM	0.07
1/5/2022	12:00:00 PM	0.07
1/5/2022	12:15:00 PM	0.06
1/5/2022	12:30:00 PM	0.08
1/5/2022	12:45:00 PM	0.08
1/5/2022	1:00:00 PM	0.08
1/5/2022	1:15:00 PM	0.08
1/5/2022	1:30:00 PM	0.08
1/5/2022	1:45:00 PM	0.08
1/5/2022	2:00:00 PM	0.08
1/5/2022	2:15:00 PM	0.07
1/5/2022	2:30:00 PM	0.07
1/5/2022	2:45:00 PM	0.07
1/5/2022	3:00:00 PM	0.07
1/5/2022	3:15:00 PM	0.07
1/5/2022	3:30:00 PM	0.07
1/5/2022	3:45:00 PM	0.07
1/5/2022	4:00:00 PM	0.07
1/5/2022	4:15:00 PM	0.07
1/5/2022	4:30:00 PM	0.07
1/5/2022	4:45:00 PM	0.07
1/5/2022	5:00:00 PM	0.07
1/5/2022	5:15:00 PM	0.07
1/5/2022	5:30:00 PM	0.07
1/5/2022	5:45:00 PM	0.07
1/5/2022	6:00:00 PM	0.07
1/5/2022	6:15:00 PM	0.07
1/5/2022	6:30:00 PM	0.07
1/5/2022	6:45:00 PM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/5/2022	7:00:00 PM	0.07
1/5/2022	7:15:00 PM	0.07
1/5/2022	7:30:00 PM	0.07
1/5/2022	7:45:00 PM	0.07
1/5/2022	8:00:00 PM	0.07
1/5/2022	8:15:00 PM	0.07
1/5/2022	8:30:00 PM	0.07
1/5/2022	8:45:00 PM	0.07
1/5/2022	9:00:00 PM	0.07
1/5/2022	9:15:00 PM	0.07
1/5/2022	9:30:00 PM	0.07
1/5/2022	9:45:00 PM	0.07
1/5/2022	10:00:00 PM	0.07
1/5/2022	10:15:00 PM	0.07
1/5/2022	10:30:00 PM	0.07
1/5/2022	10:45:00 PM	0.07
1/5/2022	11:00:00 PM	0.07
1/5/2022	11:15:00 PM	0.07
1/5/2022	11:30:00 PM	0.07
1/5/2022	11:45:00 PM	0.07
1/6/2022	12:00:00 AM	0.07
1/6/2022	12:15:00 AM	0.07
1/6/2022	12:30:00 AM	0.07
1/6/2022	12:45:00 AM	0.07
1/6/2022	1:00:00 AM	0.07
1/6/2022	1:15:00 AM	0.07
1/6/2022	1:30:00 AM	0.07
1/6/2022	1:45:00 AM	0.07
1/6/2022	2:00:00 AM	0.07
1/6/2022	2:15:00 AM	0.07
1/6/2022	2:30:00 AM	0.07
1/6/2022	2:45:00 AM	0.07
1/6/2022	3:00:00 AM	0.07
1/6/2022	3:15:00 AM	0.07
1/6/2022	3:30:00 AM	0.07
1/6/2022	3:45:00 AM	0.07
1/6/2022	4:00:00 AM	0.07
1/6/2022	4:15:00 AM	0.07
1/6/2022	4:30:00 AM	0.07
1/6/2022	4:45:00 AM	0.07
1/6/2022	5:00:00 AM	0.07
1/6/2022	5:15:00 AM	0.07
1/6/2022	5:30:00 AM	0.07
1/6/2022	5:45:00 AM	0.07
1/6/2022	6:00:00 AM	0.07
1/6/2022	6:15:00 AM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/6/2022	6:30:00 AM	0.07
1/6/2022	6:45:00 AM	0.07
1/6/2022	7:00:00 AM	0.07
1/6/2022	7:15:00 AM	0.07
1/6/2022	7:30:00 AM	0.07
1/6/2022	7:45:00 AM	0.07
1/6/2022	8:00:00 AM	0.07
1/6/2022	8:15:00 AM	0.07
1/6/2022	8:30:00 AM	0.07
1/6/2022	8:45:00 AM	0.07
1/6/2022	9:00:00 AM	0.07
1/6/2022	9:15:00 AM	0.07
1/6/2022	9:30:00 AM	0.07
1/6/2022	9:45:00 AM	0.07
1/6/2022	10:00:00 AM	0.08
1/6/2022	10:15:00 AM	0.08
1/6/2022	10:30:00 AM	0.07
1/6/2022	10:45:00 AM	0.07
1/6/2022	11:00:00 AM	0.07
1/6/2022	11:15:00 AM	0.07
1/6/2022	11:30:00 AM	0.07
1/6/2022	11:45:00 AM	0.07
1/6/2022	12:00:00 PM	0.07
1/6/2022	12:15:00 PM	0.07
1/6/2022	12:30:00 PM	0.07
1/6/2022	12:45:00 PM	0.07
1/6/2022	1:00:00 PM	0.07
1/6/2022	1:15:00 PM	0.07
1/6/2022	1:30:00 PM	0.07
1/6/2022	1:45:00 PM	0.07
1/6/2022	2:00:00 PM	0.07
1/6/2022	2:15:00 PM	0.07
1/6/2022	2:30:00 PM	0.07
1/6/2022	2:45:00 PM	0.07
1/6/2022	3:00:00 PM	0.07
1/6/2022	3:15:00 PM	0.07
1/6/2022	3:30:00 PM	0.07
1/6/2022	3:45:00 PM	0.07
1/6/2022	4:00:00 PM	0.07
1/6/2022	4:15:00 PM	0.07
1/6/2022	4:30:00 PM	0.07
1/6/2022	4:45:00 PM	0.07
1/6/2022	5:00:00 PM	0.07
1/6/2022	5:15:00 PM	0.07
1/6/2022	5:30:00 PM	0.07
1/6/2022	5:45:00 PM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/6/2022	6:00:00 PM	0.07
1/6/2022	6:15:00 PM	0.07
1/6/2022	6:30:00 PM	0.07
1/6/2022	6:45:00 PM	0.07
1/6/2022	7:00:00 PM	0.07
1/6/2022	7:15:00 PM	0.07
1/6/2022	7:30:00 PM	0.07
1/6/2022	7:45:00 PM	0.07
1/6/2022	8:00:00 PM	0.07
1/6/2022	8:15:00 PM	0.07
1/6/2022	8:30:00 PM	0.07
1/6/2022	8:45:00 PM	0.07
1/6/2022	9:00:00 PM	0.07
1/6/2022	9:15:00 PM	0.07
1/6/2022	9:30:00 PM	0.07
1/6/2022	9:45:00 PM	0.07
1/6/2022	10:00:00 PM	0.07
1/6/2022	10:15:00 PM	0.07
1/6/2022	10:30:00 PM	0.07
1/6/2022	10:45:00 PM	0.07
1/6/2022	11:00:00 PM	0.07
1/6/2022	11:15:00 PM	0.07
1/6/2022	11:30:00 PM	0.07
1/6/2022	11:45:00 PM	0.07
1/7/2022	12:00:00 AM	0.07
1/7/2022	12:15:00 AM	0.07
1/7/2022	12:30:00 AM	0.07
1/7/2022	12:45:00 AM	0.07
1/7/2022	1:00:00 AM	0.07
1/7/2022	1:15:00 AM	0.07
1/7/2022	1:30:00 AM	0.07
1/7/2022	1:45:00 AM	0.07
1/7/2022	2:00:00 AM	0.07
1/7/2022	2:15:00 AM	0.07
1/7/2022	2:30:00 AM	0.07
1/7/2022	2:45:00 AM	0.07
1/7/2022	3:00:00 AM	0.07
1/7/2022	3:15:00 AM	0.07
1/7/2022	3:30:00 AM	0.07
1/7/2022	3:45:00 AM	0.07
1/7/2022	4:00:00 AM	0.07
1/7/2022	4:15:00 AM	0.07
1/7/2022	4:30:00 AM	0.07
1/7/2022	4:45:00 AM	0.07
1/7/2022	5:00:00 AM	0.07
1/7/2022	5:15:00 AM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/7/2022	5:30:00 AM	0.07
1/7/2022	5:45:00 AM	0.07
1/7/2022	6:00:00 AM	0.07
1/7/2022	6:15:00 AM	0.07
1/7/2022	6:30:00 AM	0.07
1/7/2022	6:45:00 AM	0.07
1/7/2022	7:00:00 AM	0.07
1/7/2022	7:15:00 AM	0.07
1/7/2022	7:30:00 AM	0.07
1/7/2022	7:45:00 AM	0.07
1/7/2022	8:00:00 AM	0.07
1/7/2022	8:15:00 AM	0.06
1/7/2022	8:30:00 AM	0.06
1/7/2022	8:45:00 AM	0.06
1/7/2022	9:00:00 AM	0.07
1/7/2022	9:15:00 AM	0.07
1/7/2022	9:30:00 AM	0.07
1/7/2022	9:45:00 AM	0.07
1/7/2022	10:00:00 AM	0.07
1/7/2022	10:15:00 AM	0.07
1/7/2022	10:30:00 AM	0.07
1/7/2022	10:45:00 AM	0.07
1/7/2022	11:00:00 AM	0.07
1/7/2022	11:15:00 AM	0.07
1/7/2022	11:30:00 AM	0.07
1/7/2022	11:45:00 AM	0.07
1/7/2022	12:00:00 PM	0.07
1/7/2022	12:15:00 PM	0.07
1/7/2022	12:30:00 PM	0.07
1/7/2022	12:45:00 PM	0.07
1/7/2022	1:00:00 PM	0.07
1/7/2022	1:15:00 PM	0.07
1/7/2022	1:30:00 PM	0.07
1/7/2022	1:45:00 PM	0.07
1/7/2022	2:00:00 PM	0.07
1/7/2022	2:15:00 PM	0.07
1/7/2022	2:30:00 PM	0.07
1/7/2022	2:45:00 PM	0.07
1/7/2022	3:00:00 PM	0.07
1/7/2022	3:15:00 PM	0.07
1/7/2022	3:30:00 PM	0.07
1/7/2022	3:45:00 PM	0.07
1/7/2022	4:00:00 PM	0.07
1/7/2022	4:15:00 PM	0.07
1/7/2022	4:30:00 PM	0.07
1/7/2022	4:45:00 PM	0.07



# Georges Ditch Return Gage

DATE	TIME	GAGE
1/7/2022	5:00:00 PM	0.07
1/7/2022	5:15:00 PM	0.07
1/7/2022	5:30:00 PM	0.07
1/7/2022	5:45:00 PM	0.07
1/7/2022	6:00:00 PM	0.07
1/7/2022	6:15:00 PM	0.07
1/7/2022	6:30:00 PM	0.07
1/7/2022	6:45:00 PM	0.07
1/7/2022	7:00:00 PM	0.07
1/7/2022	7:15:00 PM	0.07
1/7/2022	7:30:00 PM	0.07
1/7/2022	7:45:00 PM	0.07
1/7/2022	8:00:00 PM	0.07
1/7/2022	8:15:00 PM	0.07
1/7/2022	8:30:00 PM	0.07
1/7/2022	8:45:00 PM	0.07
1/7/2022	9:00:00 PM	0.07
1/7/2022	9:15:00 PM	0.07
1/7/2022	9:30:00 PM	0.07
1/7/2022	9:45:00 PM	0.07
1/7/2022	10:00:00 PM	0.07
1/7/2022	10:15:00 PM	0.07
1/7/2022	10:30:00 PM	0.07
1/7/2022	10:45:00 PM	0.07
1/7/2022	11:00:00 PM	0.07
1/7/2022	11:15:00 PM	0.07
1/7/2022	11:30:00 PM	0.07
1/7/2022	11:45:00 PM	0.07
1/8/2022	12:00:00 AM	0.07
1/8/2022	12:15:00 AM	0.07
1/8/2022	12:30:00 AM	0.07
1/8/2022	12:45:00 AM	0.08
1/8/2022	1:00:00 AM	0.08
1/8/2022	1:15:00 AM	0.08
1/8/2022	1:30:00 AM	0.08
1/8/2022	1:45:00 AM	0.08
1/8/2022	2:00:00 AM	0.08
1/8/2022	2:15:00 AM	0.08
1/8/2022	2:30:00 AM	0.08
1/8/2022	2:45:00 AM	0.08
1/8/2022	3:00:00 AM	0.08
1/8/2022	3:15:00 AM	0.08
1/8/2022	3:30:00 AM	0.08
1/8/2022	3:45:00 AM	0.08
1/8/2022	4:00:00 AM	0.09
1/8/2022	4:15:00 AM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/8/2022	4:30:00 AM	0.08
1/8/2022	4:45:00 AM	0.08
1/8/2022	5:00:00 AM	0.08
1/8/2022	5:15:00 AM	0.08
1/8/2022	5:30:00 AM	0.08
1/8/2022	5:45:00 AM	0.08
1/8/2022	6:00:00 AM	0.08
1/8/2022	6:15:00 AM	0.08
1/8/2022	6:30:00 AM	0.08
1/8/2022	6:45:00 AM	0.08
1/8/2022	7:00:00 AM	0.08
1/8/2022	7:15:00 AM	0.08
1/8/2022	7:30:00 AM	0.08
1/8/2022	7:45:00 AM	0.08
1/8/2022	8:00:00 AM	0.08
1/8/2022	8:15:00 AM	0.08
1/8/2022	8:30:00 AM	0.08
1/8/2022	8:45:00 AM	0.08
1/8/2022	9:00:00 AM	0.08
1/8/2022	9:15:00 AM	0.08
1/8/2022	9:30:00 AM	0.08
1/8/2022	9:45:00 AM	0.08
1/8/2022	10:00:00 AM	0.09
1/8/2022	10:15:00 AM	0.09
1/8/2022	10:30:00 AM	0.09
1/8/2022	10:45:00 AM	0.09
1/8/2022	11:00:00 AM	0.09
1/8/2022	11:15:00 AM	0.09
1/8/2022	11:30:00 AM	0.09
1/8/2022	11:45:00 AM	0.09
1/8/2022	12:00:00 PM	0.09
1/8/2022	12:15:00 PM	0.09
1/8/2022	12:30:00 PM	0.09
1/8/2022	12:45:00 PM	0.09
1/8/2022	1:00:00 PM	0.09
1/8/2022	1:15:00 PM	0.09
1/8/2022	1:30:00 PM	0.09
1/8/2022	1:45:00 PM	0.09
1/8/2022	2:00:00 PM	0.09
1/8/2022	2:15:00 PM	0.09
1/8/2022	2:30:00 PM	0.09
1/8/2022	2:45:00 PM	0.09
1/8/2022	3:00:00 PM	0.09
1/8/2022	3:15:00 PM	0.09
1/8/2022	3:30:00 PM	0.09
1/8/2022	3:45:00 PM	0.09

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/8/2022	4:00:00 PM	0.09
1/8/2022	4:15:00 PM	0.09
1/8/2022	4:30:00 PM	0.09
1/8/2022	4:45:00 PM	0.09
1/8/2022	5:00:00 PM	0.09
1/8/2022	5:15:00 PM	0.09
1/8/2022	5:30:00 PM	0.09
1/8/2022	5:45:00 PM	0.09
1/8/2022	6:00:00 PM	0.09
1/8/2022	6:15:00 PM	0.09
1/8/2022	6:30:00 PM	0.09
1/8/2022	6:45:00 PM	0.09
1/8/2022	7:00:00 PM	0.09
1/8/2022	7:15:00 PM	0.09
1/8/2022	7:30:00 PM	0.09
1/8/2022	7:45:00 PM	0.09
1/8/2022	8:00:00 PM	0.09
1/8/2022	8:15:00 PM	0.09
1/8/2022	8:30:00 PM	0.09
1/8/2022	8:45:00 PM	0.09
1/8/2022	9:00:00 PM	0.09
1/8/2022	9:15:00 PM	0.09
1/8/2022	9:30:00 PM	0.09
1/8/2022	9:45:00 PM	0.09
1/8/2022	10:00:00 PM	0.09
1/8/2022	10:15:00 PM	0.09
1/8/2022	10:30:00 PM	0.09
1/8/2022	10:45:00 PM	0.09
1/8/2022	11:00:00 PM	0.09
1/8/2022	11:15:00 PM	0.09
1/8/2022	11:30:00 PM	0.09
1/8/2022	11:45:00 PM	0.09
1/9/2022	12:00:00 AM	0.09
1/9/2022	12:15:00 AM	0.09
1/9/2022	12:30:00 AM	0.09
1/9/2022	12:45:00 AM	0.09
1/9/2022	1:00:00 AM	0.09
1/9/2022	1:15:00 AM	0.09
1/9/2022	1:30:00 AM	0.09
1/9/2022	1:45:00 AM	0.09
1/9/2022	2:00:00 AM	0.09
1/9/2022	2:15:00 AM	0.09
1/9/2022	2:30:00 AM	0.09
1/9/2022	2:45:00 AM	0.09
1/9/2022	3:00:00 AM	0.09
1/9/2022	3:15:00 AM	0.09

## Georges Ditch Return Gage

DATE	TIME	GAGE
1/9/2022	3:30:00 AM	0.08
1/9/2022	3:45:00 AM	0.08
1/9/2022	4:00:00 AM	0.08
1/9/2022	4:15:00 AM	0.08
1/9/2022	4:30:00 AM	0.08
1/9/2022	4:45:00 AM	0.08
1/9/2022	5:00:00 AM	0.08
1/9/2022	5:15:00 AM	0.08
1/9/2022	5:30:00 AM	0.08
1/9/2022	5:45:00 AM	0.07
1/9/2022	6:00:00 AM	0.07
1/9/2022	6:15:00 AM	0.07
1/9/2022	6:30:00 AM	0.07
1/9/2022	6:45:00 AM	0.07
1/9/2022	7:00:00 AM	0.07
1/9/2022	7:15:00 AM	0.07
1/9/2022	7:30:00 AM	0.07
1/9/2022	7:45:00 AM	0.07
1/9/2022	8:00:00 AM	0.07
1/9/2022	8:15:00 AM	0.07
1/9/2022	8:30:00 AM	0.07
1/9/2022	8:45:00 AM	0.07
1/9/2022	9:00:00 AM	0.07
1/9/2022	9:15:00 AM	0.07
1/9/2022	9:30:00 AM	0.07
1/9/2022	9:45:00 AM	0.08
1/9/2022	10:00:00 AM	0.08
1/9/2022	10:15:00 AM	0.08
1/9/2022	10:30:00 AM	0.09
1/9/2022	10:45:00 AM	0.1
1/9/2022	11:00:00 AM	0.11
1/9/2022	11:15:00 AM	0.11
1/9/2022	11:30:00 AM	0.11
1/9/2022	11:45:00 AM	0.11
1/9/2022	12:00:00 PM	0.1
1/9/2022	12:15:00 PM	0.1
1/9/2022	12:30:00 PM	0.1
1/9/2022	12:45:00 PM	0.09
1/9/2022	1:00:00 PM	0.09
1/9/2022	1:15:00 PM	0.09
1/9/2022	1:30:00 PM	0.09
1/9/2022	1:45:00 PM	0.09
1/9/2022	2:00:00 PM	0.09
1/9/2022	2:15:00 PM	0.09
1/9/2022	2:30:00 PM	0.09
1/9/2022	2:45:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
1/9/2022	3:00:00 PM	0.09
1/9/2022	3:15:00 PM	0.09
1/9/2022	3:30:00 PM	0.09
1/9/2022	3:45:00 PM	0.09
1/9/2022	4:00:00 PM	0.09
1/9/2022	4:15:00 PM	0.09
1/9/2022	4:30:00 PM	0.09
1/9/2022	4:45:00 PM	0.09
1/9/2022	5:00:00 PM	0.09
1/9/2022	5:15:00 PM	0.09
1/9/2022	5:30:00 PM	0.09
1/9/2022	5:45:00 PM	0.09
1/9/2022	6:00:00 PM	0.09
1/9/2022	6:15:00 PM	0.09
1/9/2022	6:30:00 PM	0.09
1/9/2022	6:45:00 PM	0.09
1/9/2022	7:00:00 PM	0.09
1/9/2022	7:15:00 PM	0.09
1/9/2022	7:30:00 PM	0.09
1/9/2022	7:45:00 PM	0.09
1/9/2022	8:00:00 PM	0.09
1/9/2022	8:15:00 PM	0.09
1/9/2022	8:30:00 PM	0.09
1/9/2022	8:45:00 PM	0.09
1/9/2022	9:00:00 PM	0.09
1/9/2022	9:15:00 PM	0.09
1/9/2022	9:30:00 PM	0.09
1/9/2022	9:45:00 PM	0.09
1/9/2022	10:00:00 PM	0.09
1/9/2022	10:15:00 PM	0.09
1/9/2022	10:30:00 PM	0.09
1/9/2022	10:45:00 PM	0.08
1/9/2022	11:00:00 PM	0.08
1/9/2022	11:15:00 PM	0.08
1/9/2022	11:30:00 PM	0.08
1/9/2022	11:45:00 PM	0.08
1/10/2022	12:00:00 AM	0.08
1/10/2022	12:15:00 AM	0.08
1/10/2022	12:30:00 AM	0.08
1/10/2022	12:45:00 AM	0.08
1/10/2022	1:00:00 AM	0.08
1/10/2022	1:15:00 AM	0.08
1/10/2022	1:30:00 AM	0.08
1/10/2022	1:45:00 AM	0.08
1/10/2022	2:00:00 AM	0.08
1/10/2022	2:15:00 AM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/10/2022	2:30:00 AM	0.08
1/10/2022	2:45:00 AM	0.08
1/10/2022	3:00:00 AM	0.08
1/10/2022	3:15:00 AM	0.08
1/10/2022	3:30:00 AM	0.08
1/10/2022	3:45:00 AM	0.07
1/10/2022	4:00:00 AM	0.07
1/10/2022	4:15:00 AM	0.07
1/10/2022	4:30:00 AM	0.07
1/10/2022	4:45:00 AM	0.07
1/10/2022	5:00:00 AM	0.07
1/10/2022	5:15:00 AM	0.07
1/10/2022	5:30:00 AM	0.07
1/10/2022	5:45:00 AM	0.07
1/10/2022	6:00:00 AM	0.07
1/10/2022	6:15:00 AM	0.07
1/10/2022	6:30:00 AM	0.07
1/10/2022	6:45:00 AM	0.07
1/10/2022	7:00:00 AM	0.07
1/10/2022	7:15:00 AM	0.07
1/10/2022	7:30:00 AM	0.07
1/10/2022	7:45:00 AM	0.07
1/10/2022	8:00:00 AM	0.07
1/10/2022	8:15:00 AM	0.07
1/10/2022	8:30:00 AM	0.07
1/10/2022	8:45:00 AM	0.07
1/10/2022	9:00:00 AM	0.07
1/10/2022	9:15:00 AM	0.07
1/10/2022	9:30:00 AM	0.07
1/10/2022	9:45:00 AM	0.08
1/10/2022	10:00:00 AM	0.08
1/10/2022	10:15:00 AM	0.09
1/10/2022	10:30:00 AM	0.1
1/10/2022	10:45:00 AM	0.11
1/10/2022	11:00:00 AM	0.11
1/10/2022	11:15:00 AM	0.11
1/10/2022	11:30:00 AM	0.11
1/10/2022	11:45:00 AM	0.11
1/10/2022	12:00:00 PM	0.1
1/10/2022	12:15:00 PM	0.1
1/10/2022	12:30:00 PM	0.1
1/10/2022	12:45:00 PM	0.09
1/10/2022	1:00:00 PM	0.09
1/10/2022	1:15:00 PM	0.09
1/10/2022	1:30:00 PM	0.09
1/10/2022	1:45:00 PM	0.09

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/10/2022	2:00:00 PM	0.09
1/10/2022	2:15:00 PM	0.09
1/10/2022	2:30:00 PM	0.09
1/10/2022	2:45:00 PM	0.09
1/10/2022	3:00:00 PM	0.08
1/10/2022	3:15:00 PM	0.09
1/10/2022	3:30:00 PM	0.08
1/10/2022	3:45:00 PM	0.09
1/10/2022	4:00:00 PM	0.09
1/10/2022	4:15:00 PM	0.08
1/10/2022	4:30:00 PM	0.08
1/10/2022	4:45:00 PM	0.09
1/10/2022	5:00:00 PM	0.08
1/10/2022	5:15:00 PM	0.08
1/10/2022	5:30:00 PM	0.08
1/10/2022	5:45:00 PM	0.08
1/10/2022	6:00:00 PM	0.08
1/10/2022	6:15:00 PM	0.08
1/10/2022	6:30:00 PM	0.08
1/10/2022	6:45:00 PM	0.08
1/10/2022	7:00:00 PM	0.08
1/10/2022	7:15:00 PM	0.08
1/10/2022	7:30:00 PM	0.08
1/10/2022	7:45:00 PM	0.08
1/10/2022	8:00:00 PM	0.08
1/10/2022	8:15:00 PM	0.08
1/10/2022	8:30:00 PM	0.08
1/10/2022	8:45:00 PM	0.08
1/10/2022	9:00:00 PM	0.08
1/10/2022	9:15:00 PM	0.08
1/10/2022	9:30:00 PM	0.08
1/10/2022	9:45:00 PM	0.08
1/10/2022	10:00:00 PM	0.08
1/10/2022	10:15:00 PM	0.08
1/10/2022	10:30:00 PM	0.08
1/10/2022	10:45:00 PM	0.08
1/10/2022	11:00:00 PM	0.08
1/10/2022	11:15:00 PM	0.08
1/10/2022	11:30:00 PM	0.08
1/10/2022	11:45:00 PM	0.08
1/11/2022	12:00:00 AM	0.08
1/11/2022	12:15:00 AM	0.08
1/11/2022	12:30:00 AM	0.08
1/11/2022	12:45:00 AM	0.08
1/11/2022	1:00:00 AM	0.08
1/11/2022	1:15:00 AM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/11/2022	1:30:00 AM	0.08
1/11/2022	1:45:00 AM	0.08
1/11/2022	2:00:00 AM	0.08
1/11/2022	2:15:00 AM	0.08
1/11/2022	2:30:00 AM	0.08
1/11/2022	2:45:00 AM	0.08
1/11/2022	3:00:00 AM	0.08
1/11/2022	3:15:00 AM	0.08
1/11/2022	3:30:00 AM	0.07
1/11/2022	3:45:00 AM	0.07
1/11/2022	4:00:00 AM	0.07
1/11/2022	4:15:00 AM	0.07
1/11/2022	4:30:00 AM	0.06
1/11/2022	4:45:00 AM	0.06
1/11/2022	5:00:00 AM	0.06
1/11/2022	5:15:00 AM	0.06
1/11/2022	5:30:00 AM	0.06
1/11/2022	5:45:00 AM	0.06
1/11/2022	6:00:00 AM	0.06
1/11/2022	6:15:00 AM	0.06
1/11/2022	6:30:00 AM	0.06
1/11/2022	6:45:00 AM	0.06
1/11/2022	7:00:00 AM	0.06
1/11/2022	7:15:00 AM	0.06
1/11/2022	7:30:00 AM	0.06
1/11/2022	7:45:00 AM	0.06
1/11/2022	8:00:00 AM	0.06
1/11/2022	8:15:00 AM	0.07
1/11/2022	8:30:00 AM	0.07
1/11/2022	8:45:00 AM	0.07
1/11/2022	9:00:00 AM	0.07
1/11/2022	9:15:00 AM	0.07
1/11/2022	9:30:00 AM	0.07
1/11/2022	9:45:00 AM	0.07
1/11/2022	10:00:00 AM	0.07
1/11/2022	10:15:00 AM	0.08
1/11/2022	10:30:00 AM	0.09
1/11/2022	10:45:00 AM	0.09
1/11/2022	11:00:00 AM	0.11
1/11/2022	11:15:00 AM	0.11
1/11/2022	11:30:00 AM	0.11
1/11/2022	11:45:00 AM	0.11
1/11/2022	12:00:00 PM	0.11
1/11/2022	12:15:00 PM	0.11
1/11/2022	12:30:00 PM	0.1
1/11/2022	12:45:00 PM	0.1



# Georges Ditch Return Gage

DATE	TIME	GAGE
1/11/2022	1:00:00 PM	0.1
1/11/2022	1:15:00 PM	0.1
1/11/2022	1:30:00 PM	0.09
1/11/2022	1:45:00 PM	0.09
1/11/2022	2:00:00 PM	0.09
1/11/2022	2:15:00 PM	0.09
1/11/2022	2:30:00 PM	0.09
1/11/2022	2:45:00 PM	0.09
1/11/2022	3:00:00 PM	0.09
1/11/2022	3:15:00 PM	0.08
1/11/2022	3:30:00 PM	0.08
1/11/2022	3:45:00 PM	0.08
1/11/2022	4:00:00 PM	0.08
1/11/2022	4:15:00 PM	0.08
1/11/2022	4:30:00 PM	0.09
1/11/2022	4:45:00 PM	0.08
1/11/2022	5:00:00 PM	0.08
1/11/2022	5:15:00 PM	0.08
1/11/2022	5:30:00 PM	0.08
1/11/2022	5:45:00 PM	0.08
1/11/2022	6:00:00 PM	0.08
1/11/2022	6:15:00 PM	0.08
1/11/2022	6:30:00 PM	0.08
1/11/2022	6:45:00 PM	0.08
1/11/2022	7:00:00 PM	0.08
1/11/2022	7:15:00 PM	0.08
1/11/2022	7:30:00 PM	0.08
1/11/2022	7:45:00 PM	0.08
1/11/2022	8:00:00 PM	0.08
1/11/2022	8:15:00 PM	0.08
1/11/2022	8:30:00 PM	0.08
1/11/2022	8:45:00 PM	0.08
1/11/2022	9:00:00 PM	0.08
1/11/2022	9:15:00 PM	0.08
1/11/2022	9:30:00 PM	0.08
1/11/2022	9:45:00 PM	0.08
1/11/2022	10:00:00 PM	0.08
1/11/2022	10:15:00 PM	0.08
1/11/2022	10:30:00 PM	0.08
1/11/2022	10:45:00 PM	0.08
1/11/2022	11:00:00 PM	0.08
1/11/2022	11:15:00 PM	0.08
1/11/2022	11:30:00 PM	0.08
1/11/2022	11:45:00 PM	0.08
1/12/2022	12:00:00 AM	0.08
1/12/2022	12:15:00 AM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/12/2022	12:30:00 AM	0.08
1/12/2022	12:45:00 AM	0.08
1/12/2022	1:00:00 AM	0.08
1/12/2022	1:15:00 AM	0.08
1/12/2022	1:30:00 AM	0.08
1/12/2022	1:45:00 AM	0.08
1/12/2022	2:00:00 AM	0.08
1/12/2022	2:15:00 AM	0.08
1/12/2022	2:30:00 AM	0.08
1/12/2022	2:45:00 AM	0.08
1/12/2022	3:00:00 AM	0.07
1/12/2022	3:15:00 AM	0.07
1/12/2022	3:30:00 AM	0.07
1/12/2022	3:45:00 AM	0.07
1/12/2022	4:00:00 AM	0.07
1/12/2022	4:15:00 AM	0.07
1/12/2022	4:30:00 AM	0.07
1/12/2022	4:45:00 AM	0.07
1/12/2022	5:00:00 AM	0.07
1/12/2022	5:15:00 AM	0.07
1/12/2022	5:30:00 AM	0.06
1/12/2022	5:45:00 AM	0.06
1/12/2022	6:00:00 AM	0.06
1/12/2022	6:15:00 AM	0.06
1/12/2022	6:30:00 AM	0.06
1/12/2022	6:45:00 AM	0.06
1/12/2022	7:00:00 AM	0.06
1/12/2022	7:15:00 AM	0.06
1/12/2022	7:30:00 AM	0.06
1/12/2022	7:45:00 AM	0.06
1/12/2022	8:00:00 AM	0.06
1/12/2022	8:15:00 AM	0.06
1/12/2022	8:30:00 AM	0.06
1/12/2022	8:45:00 AM	0.07
1/12/2022	9:00:00 AM	0.07
1/12/2022	9:15:00 AM	0.07
1/12/2022	9:30:00 AM	0.07
1/12/2022	9:45:00 AM	0.07
1/12/2022	10:00:00 AM	0.08
1/12/2022	10:15:00 AM	0.08
1/12/2022	10:30:00 AM	0.09
1/12/2022	10:45:00 AM	0.09
1/12/2022	11:00:00 AM	0.1
1/12/2022	11:15:00 AM	0.1
1/12/2022	11:30:00 AM	0.1
1/12/2022	11:45:00 AM	0.1

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/12/2022	12:00:00 PM	0.09
1/12/2022	12:15:00 PM	0.09
1/12/2022	12:30:00 PM	0.09
1/12/2022	12:45:00 PM	0.08
1/12/2022	1:00:00 PM	0.08
1/12/2022	1:15:00 PM	0.08
1/12/2022	1:30:00 PM	0.08
1/12/2022	1:45:00 PM	0.08
1/12/2022	2:00:00 PM	0.08
1/12/2022	2:15:00 PM	0.08
1/12/2022	2:30:00 PM	0.08
1/12/2022	2:45:00 PM	0.08
1/12/2022	3:00:00 PM	0.08
1/12/2022	3:15:00 PM	0.08
1/12/2022	3:30:00 PM	0.08
1/12/2022	3:45:00 PM	0.08
1/12/2022	4:00:00 PM	0.08
1/12/2022	4:15:00 PM	0.08
1/12/2022	4:30:00 PM	0.08
1/12/2022	4:45:00 PM	0.08
1/12/2022	5:00:00 PM	0.08
1/12/2022	5:15:00 PM	0.08
1/12/2022	5:30:00 PM	0.08
1/12/2022	5:45:00 PM	0.08
1/12/2022	6:00:00 PM	0.08
1/12/2022	6:15:00 PM	0.08
1/12/2022	6:30:00 PM	0.08
1/12/2022	6:45:00 PM	0.08
1/12/2022	7:00:00 PM	0.08
1/12/2022	7:15:00 PM	0.08
1/12/2022	7:30:00 PM	0.08
1/12/2022	7:45:00 PM	0.08
1/12/2022	8:00:00 PM	0.08
1/12/2022	8:15:00 PM	0.08
1/12/2022	8:30:00 PM	0.08
1/12/2022	8:45:00 PM	0.08
1/12/2022	9:00:00 PM	0.08
1/12/2022	9:15:00 PM	0.08
1/12/2022	9:30:00 PM	0.08
1/12/2022	9:45:00 PM	0.08
1/12/2022	10:00:00 PM	0.08
1/12/2022	10:15:00 PM	0.08
1/12/2022	10:30:00 PM	0.08
1/12/2022	10:45:00 PM	0.08
1/12/2022	11:00:00 PM	0.08
1/12/2022	11:15:00 PM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/12/2022	11:30:00 PM	0.08
1/12/2022	11:45:00 PM	0.08
1/13/2022	12:00:00 AM	0.08
1/13/2022	12:15:00 AM	0.08
1/13/2022	12:30:00 AM	0.08
1/13/2022	12:45:00 AM	0.07
1/13/2022	1:00:00 AM	0.08
1/13/2022	1:15:00 AM	0.07
1/13/2022	1:30:00 AM	0.07
1/13/2022	1:45:00 AM	0.08
1/13/2022	2:00:00 AM	0.08
1/13/2022	2:15:00 AM	0.07
1/13/2022	2:30:00 AM	0.07
1/13/2022	2:45:00 AM	0.07
1/13/2022	3:00:00 AM	0.07
1/13/2022	3:15:00 AM	0.07
1/13/2022	3:30:00 AM	0.07
1/13/2022	3:45:00 AM	0.07
1/13/2022	4:00:00 AM	0.07
1/13/2022	4:15:00 AM	0.07
1/13/2022	4:30:00 AM	0.07
1/13/2022	4:45:00 AM	0.07
1/13/2022	5:00:00 AM	0.07
1/13/2022	5:15:00 AM	0.07
1/13/2022	5:30:00 AM	0.07
1/13/2022	5:45:00 AM	0.07
1/13/2022	6:00:00 AM	0.07
1/13/2022	6:15:00 AM	0.07
1/13/2022	6:30:00 AM	0.07
1/13/2022	6:45:00 AM	0.07
1/13/2022	7:00:00 AM	0.07
1/13/2022	7:15:00 AM	0.07
1/13/2022	7:30:00 AM	0.07
1/13/2022	7:45:00 AM	0.07
1/13/2022	8:00:00 AM	0.07
1/13/2022	8:15:00 AM	0.07
1/13/2022	8:30:00 AM	0.07
1/13/2022	8:45:00 AM	0.07
1/13/2022	9:00:00 AM	0.07
1/13/2022	9:15:00 AM	0.07
1/13/2022	9:30:00 AM	0.07
1/13/2022	9:45:00 AM	0.07
1/13/2022	10:00:00 AM	0.07
1/13/2022	10:15:00 AM	0.07
1/13/2022	10:30:00 AM	0.07
1/13/2022	10:45:00 AM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/13/2022	11:00:00 AM	0.07
1/13/2022	11:15:00 AM	0.07
1/13/2022	11:30:00 AM	0.07
1/13/2022	11:45:00 AM	0.07
1/13/2022	12:00:00 PM	0.07
1/13/2022	12:15:00 PM	0.07
1/13/2022	12:30:00 PM	0.07
1/13/2022	12:45:00 PM	0.07
1/13/2022	1:00:00 PM	0.07
1/13/2022	1:15:00 PM	0.07
1/13/2022	1:30:00 PM	0.08
1/13/2022	1:45:00 PM	0.07
1/13/2022	2:00:00 PM	0.07
1/13/2022	2:15:00 PM	0.08
1/13/2022	2:30:00 PM	0.07
1/13/2022	2:45:00 PM	0.07
1/13/2022	3:00:00 PM	0.07
1/13/2022	3:15:00 PM	0.07
1/13/2022	3:30:00 PM	0.07
1/13/2022	3:45:00 PM	0.07
1/13/2022	4:00:00 PM	0.07
1/13/2022	4:15:00 PM	0.07
1/13/2022	4:30:00 PM	0.07
1/13/2022	4:45:00 PM	0.07
1/13/2022	5:00:00 PM	0.07
1/13/2022	5:15:00 PM	0.07
1/13/2022	5:30:00 PM	0.07
1/13/2022	5:45:00 PM	0.07
1/13/2022	6:00:00 PM	0.07
1/13/2022	6:15:00 PM	0.07
1/13/2022	6:30:00 PM	0.07
1/13/2022	6:45:00 PM	0.07
1/13/2022	7:00:00 PM	0.07
1/13/2022	7:15:00 PM	0.07
1/13/2022	7:30:00 PM	0.07
1/13/2022	7:45:00 PM	0.07
1/13/2022	8:00:00 PM	0.07
1/13/2022	8:15:00 PM	0.07
1/13/2022	8:30:00 PM	0.07
1/13/2022	8:45:00 PM	0.07
1/13/2022	9:00:00 PM	0.07
1/13/2022	9:15:00 PM	0.07
1/13/2022	9:30:00 PM	0.07
1/13/2022	9:45:00 PM	0.07
1/13/2022	10:00:00 PM	0.07
1/13/2022	10:15:00 PM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/13/2022	10:30:00 PM	0.07
1/13/2022	10:45:00 PM	0.07
1/13/2022	11:00:00 PM	0.07
1/13/2022	11:15:00 PM	0.07
1/13/2022	11:30:00 PM	0.07
1/13/2022	11:45:00 PM	0.07
1/14/2022	12:00:00 AM	0.07
1/14/2022	12:15:00 AM	0.07
1/14/2022	12:30:00 AM	0.07
1/14/2022	12:45:00 AM	0.07
1/14/2022	1:00:00 AM	0.07
1/14/2022	1:15:00 AM	0.07
1/14/2022	1:30:00 AM	0.07
1/14/2022	1:45:00 AM	0.07
1/14/2022	2:00:00 AM	0.07
1/14/2022	2:15:00 AM	0.07
1/14/2022	2:30:00 AM	0.07
1/14/2022	2:45:00 AM	0.07
1/14/2022	3:00:00 AM	0.07
1/14/2022	3:15:00 AM	0.07
1/14/2022	3:30:00 AM	0.07
1/14/2022	3:45:00 AM	0.07
1/14/2022	4:00:00 AM	0.07
1/14/2022	4:15:00 AM	0.07
1/14/2022	4:30:00 AM	0.07
1/14/2022	4:45:00 AM	0.07
1/14/2022	5:00:00 AM	0.07
1/14/2022	5:15:00 AM	0.07
1/14/2022	5:30:00 AM	0.07
1/14/2022	5:45:00 AM	0.07
1/14/2022	6:00:00 AM	0.07
1/14/2022	6:15:00 AM	0.07
1/14/2022	6:30:00 AM	0.07
1/14/2022	6:45:00 AM	0.07
1/14/2022	7:00:00 AM	0.07
1/14/2022	7:15:00 AM	0.07
1/14/2022	7:30:00 AM	0.07
1/14/2022	7:45:00 AM	0.07
1/14/2022	8:00:00 AM	0.07
1/14/2022	8:15:00 AM	0.07
1/14/2022	8:30:00 AM	0.07
1/14/2022	8:45:00 AM	0.07
1/14/2022	9:00:00 AM	0.07
1/14/2022	9:15:00 AM	0.07
1/14/2022	9:30:00 AM	0.07
1/14/2022	9:45:00 AM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/14/2022	10:00:00 AM	0.07
1/14/2022	10:15:00 AM	0.07
1/14/2022	10:30:00 AM	0.07
1/14/2022	10:45:00 AM	0.07
1/14/2022	11:00:00 AM	0.07
1/14/2022	11:15:00 AM	0.07
1/14/2022	11:30:00 AM	0.07
1/14/2022	11:45:00 AM	0.08
1/14/2022	12:00:00 PM	0.07
1/14/2022	12:15:00 PM	0.07
1/14/2022	12:30:00 PM	0.07
1/14/2022	12:45:00 PM	0.07
1/14/2022	1:00:00 PM	0.07
1/14/2022	1:15:00 PM	0.07
1/14/2022	1:30:00 PM	0.07
1/14/2022	1:45:00 PM	0.07
1/14/2022	2:00:00 PM	0.07
1/14/2022	2:15:00 PM	0.07
1/14/2022	2:30:00 PM	0.07
1/14/2022	2:45:00 PM	0.07
1/14/2022	3:00:00 PM	0.07
1/14/2022	3:15:00 PM	0.07
1/14/2022	3:30:00 PM	0.07
1/14/2022	3:45:00 PM	0.07
1/14/2022	4:00:00 PM	0.07
1/14/2022	4:15:00 PM	0.07
1/14/2022	4:30:00 PM	0.07
1/14/2022	4:45:00 PM	0.07
1/14/2022	5:00:00 PM	0.07
1/14/2022	5:15:00 PM	0.07
1/14/2022	5:30:00 PM	0.07
1/14/2022	5:45:00 PM	0.07
1/14/2022	6:00:00 PM	0.07
1/14/2022	6:15:00 PM	0.07
1/14/2022	6:30:00 PM	0.07
1/14/2022	6:45:00 PM	0.07
1/14/2022	7:00:00 PM	0.07
1/14/2022	7:15:00 PM	0.07
1/14/2022	7:30:00 PM	0.07
1/14/2022	7:45:00 PM	0.07
1/14/2022	8:00:00 PM	0.07
1/14/2022	8:15:00 PM	0.07
1/14/2022	8:30:00 PM	0.07
1/14/2022	8:45:00 PM	0.07
1/14/2022	9:00:00 PM	0.07
1/14/2022	9:15:00 PM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/14/2022	9:30:00 PM	0.07
1/14/2022	9:45:00 PM	0.07
1/14/2022	10:00:00 PM	0.07
1/14/2022	10:15:00 PM	0.07
1/14/2022	10:30:00 PM	0.07
1/14/2022	10:45:00 PM	0.07
1/14/2022	11:00:00 PM	0.07
1/14/2022	11:15:00 PM	0.07
1/14/2022	11:30:00 PM	0.07
1/14/2022	11:45:00 PM	0.07
1/15/2022	12:00:00 AM	0.07
1/15/2022	12:15:00 AM	0.07
1/15/2022	12:30:00 AM	0.07
1/15/2022	12:45:00 AM	0.07
1/15/2022	1:00:00 AM	0.07
1/15/2022	1:15:00 AM	0.07
1/15/2022	1:30:00 AM	0.07
1/15/2022	1:45:00 AM	0.07
1/15/2022	2:00:00 AM	0.07
1/15/2022	2:15:00 AM	0.07
1/15/2022	2:30:00 AM	0.07
1/15/2022	2:45:00 AM	0.07
1/15/2022	3:00:00 AM	0.07
1/15/2022	3:15:00 AM	0.07
1/15/2022	3:30:00 AM	0.07
1/15/2022	3:45:00 AM	0.07
1/15/2022	4:00:00 AM	0.07
1/15/2022	4:15:00 AM	0.07
1/15/2022	4:30:00 AM	0.07
1/15/2022	4:45:00 AM	0.07
1/15/2022	5:00:00 AM	0.07
1/15/2022	5:15:00 AM	0.07
1/15/2022	5:30:00 AM	0.07
1/15/2022	5:45:00 AM	0.07
1/15/2022	6:00:00 AM	0.07
1/15/2022	6:15:00 AM	0.07
1/15/2022	6:30:00 AM	0.07
1/15/2022	6:45:00 AM	0.07
1/15/2022	7:00:00 AM	0.07
1/15/2022	7:15:00 AM	0.07
1/15/2022	7:30:00 AM	0.07
1/15/2022	7:45:00 AM	0.07
1/15/2022	8:00:00 AM	0.07
1/15/2022	8:15:00 AM	0.07
1/15/2022	8:30:00 AM	0.07
1/15/2022	8:45:00 AM	0.07



# Georges Ditch Return Gage

DATE	TIME	GAGE
1/15/2022	9:00:00 AM	0.07
1/15/2022	9:15:00 AM	0.07
1/15/2022	9:30:00 AM	0.07
1/15/2022	9:45:00 AM	0.07
1/15/2022	10:00:00 AM	0.07
1/15/2022	10:15:00 AM	0.07
1/15/2022	10:30:00 AM	0.07
1/15/2022	10:45:00 AM	0.07
1/15/2022	11:00:00 AM	0.07
1/15/2022	11:15:00 AM	0.07
1/15/2022	11:30:00 AM	0.07
1/15/2022	11:45:00 AM	0.07
1/15/2022	12:00:00 PM	0.07
1/15/2022	12:15:00 PM	0.07
1/15/2022	12:30:00 PM	0.07
1/15/2022	12:45:00 PM	0.07
1/15/2022	1:00:00 PM	0.07
1/15/2022	1:15:00 PM	0.07
1/15/2022	1:30:00 PM	0.07
1/15/2022	1:45:00 PM	0.07
1/15/2022	2:00:00 PM	0.07
1/15/2022	2:15:00 PM	0.07
1/15/2022	2:30:00 PM	0.07
1/15/2022	2:45:00 PM	0.07
1/15/2022	3:00:00 PM	0.07
1/15/2022	3:15:00 PM	0.07
1/15/2022	3:30:00 PM	0.07
1/15/2022	3:45:00 PM	0.07
1/15/2022	4:00:00 PM	0.07
1/15/2022	4:15:00 PM	0.07
1/15/2022	4:30:00 PM	0.07
1/15/2022	4:45:00 PM	0.07
1/15/2022	5:00:00 PM	0.07
1/15/2022	5:15:00 PM	0.07
1/15/2022	5:30:00 PM	0.07
1/15/2022	5:45:00 PM	0.07
1/15/2022	6:00:00 PM	0.07
1/15/2022	6:15:00 PM	0.07
1/15/2022	6:30:00 PM	0.07
1/15/2022	6:45:00 PM	0.07
1/15/2022	7:00:00 PM	0.07
1/15/2022	7:15:00 PM	0.07
1/15/2022	7:30:00 PM	0.07
1/15/2022	7:45:00 PM	0.07
1/15/2022	8:00:00 PM	0.07
1/15/2022	8:15:00 PM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/15/2022	8:30:00 PM	0.07
1/15/2022	8:45:00 PM	0.07
1/15/2022	9:00:00 PM	0.07
1/15/2022	9:15:00 PM	0.07
1/15/2022	9:30:00 PM	0.07
1/15/2022	9:45:00 PM	0.07
1/15/2022	10:00:00 PM	0.07
1/15/2022	10:15:00 PM	0.07
1/15/2022	10:30:00 PM	0.07
1/15/2022	10:45:00 PM	0.07
1/15/2022	11:00:00 PM	0.07
1/15/2022	11:15:00 PM	0.07
1/15/2022	11:30:00 PM	0.07
1/15/2022	11:45:00 PM	0.07
1/16/2022	12:00:00 AM	0.07
1/16/2022	12:15:00 AM	0.07
1/16/2022	12:30:00 AM	0.07
1/16/2022	12:45:00 AM	0.07
1/16/2022	1:00:00 AM	0.07
1/16/2022	1:15:00 AM	0.07
1/16/2022	1:30:00 AM	0.07
1/16/2022	1:45:00 AM	0.07
1/16/2022	2:00:00 AM	0.07
1/16/2022	2:15:00 AM	0.07
1/16/2022	2:30:00 AM	0.07
1/16/2022	2:45:00 AM	0.07
1/16/2022	3:00:00 AM	0.07
1/16/2022	3:15:00 AM	0.07
1/16/2022	3:30:00 AM	0.07
1/16/2022	3:45:00 AM	0.07
1/16/2022	4:00:00 AM	0.07
1/16/2022	4:15:00 AM	0.07
1/16/2022	4:30:00 AM	0.07
1/16/2022	4:45:00 AM	0.07
1/16/2022	5:00:00 AM	0.07
1/16/2022	5:15:00 AM	0.07
1/16/2022	5:30:00 AM	0.07
1/16/2022	5:45:00 AM	0.07
1/16/2022	6:00:00 AM	0.07
1/16/2022	6:15:00 AM	0.07
1/16/2022	6:30:00 AM	0.07
1/16/2022	6:45:00 AM	0.07
1/16/2022	7:00:00 AM	0.07
1/16/2022	7:15:00 AM	0.07
1/16/2022	7:30:00 AM	0.07
1/16/2022	7:45:00 AM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/16/2022	8:00:00 AM	0.07
1/16/2022	8:15:00 AM	0.07
1/16/2022	8:30:00 AM	0.07
1/16/2022	8:45:00 AM	0.07
1/16/2022	9:00:00 AM	0.07
1/16/2022	9:15:00 AM	0.07
1/16/2022	9:30:00 AM	0.07
1/16/2022	9:45:00 AM	0.07
1/16/2022	10:00:00 AM	0.07
1/16/2022	10:15:00 AM	0.07
1/16/2022	10:30:00 AM	0.07
1/16/2022	10:45:00 AM	0.07
1/16/2022	11:00:00 AM	0.07
1/16/2022	11:15:00 AM	0.07
1/16/2022	11:30:00 AM	0.07
1/16/2022	11:45:00 AM	0.07
1/16/2022	12:00:00 PM	0.07
1/16/2022	12:15:00 PM	0.07
1/16/2022	12:30:00 PM	0.07
1/16/2022	12:45:00 PM	0.07
1/16/2022	1:00:00 PM	0.07
1/16/2022	1:15:00 PM	0.07
1/16/2022	1:30:00 PM	0.07
1/16/2022	1:45:00 PM	0.07
1/16/2022	2:00:00 PM	0.07
1/16/2022	2:15:00 PM	0.07
1/16/2022	2:30:00 PM	0.07
1/16/2022	2:45:00 PM	0.07
1/16/2022	3:00:00 PM	0.07
1/16/2022	3:15:00 PM	0.07
1/16/2022	3:30:00 PM	0.07
1/16/2022	3:45:00 PM	0.07
1/16/2022	4:00:00 PM	0.07
1/16/2022	4:15:00 PM	0.07
1/16/2022	4:30:00 PM	0.07
1/16/2022	4:45:00 PM	0.07
1/16/2022	5:00:00 PM	0.07
1/16/2022	5:15:00 PM	0.07
1/16/2022	5:30:00 PM	0.07
1/16/2022	5:45:00 PM	0.07
1/16/2022	6:00:00 PM	0.07
1/16/2022	6:15:00 PM	0.07
1/16/2022	6:30:00 PM	0.07
1/16/2022	6:45:00 PM	0.07
1/16/2022	7:00:00 PM	0.07
1/16/2022	7:15:00 PM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/16/2022	7:30:00 PM	0.07
1/16/2022	7:45:00 PM	0.07
1/16/2022	8:00:00 PM	0.07
1/16/2022	8:15:00 PM	0.07
1/16/2022	8:30:00 PM	0.07
1/16/2022	8:45:00 PM	0.07
1/16/2022	9:00:00 PM	0.07
1/16/2022	9:15:00 PM	0.07
1/16/2022	9:30:00 PM	0.07
1/16/2022	9:45:00 PM	0.07
1/16/2022	10:00:00 PM	0.07
1/16/2022	10:15:00 PM	0.07
1/16/2022	10:30:00 PM	0.07
1/16/2022	10:45:00 PM	0.07
1/16/2022	11:00:00 PM	0.07
1/16/2022	11:15:00 PM	0.07
1/16/2022	11:30:00 PM	0.07
1/16/2022	11:45:00 PM	0.07
1/17/2022	12:00:00 AM	0.07
1/17/2022	12:15:00 AM	0.07
1/17/2022	12:30:00 AM	0.07
1/17/2022	12:45:00 AM	0.07
1/17/2022	1:00:00 AM	0.07
1/17/2022	1:15:00 AM	0.07
1/17/2022	1:30:00 AM	0.07
1/17/2022	1:45:00 AM	0.07
1/17/2022	2:00:00 AM	0.07
1/17/2022	2:15:00 AM	0.07
1/17/2022	2:30:00 AM	0.07
1/17/2022	2:45:00 AM	0.07
1/17/2022	3:00:00 AM	0.07
1/17/2022	3:15:00 AM	0.07
1/17/2022	3:30:00 AM	0.07
1/17/2022	3:45:00 AM	0.07
1/17/2022	4:00:00 AM	0.07
1/17/2022	4:15:00 AM	0.07
1/17/2022	4:30:00 AM	0.07
1/17/2022	4:45:00 AM	0.07
1/17/2022	5:00:00 AM	0.07
1/17/2022	5:15:00 AM	0.07
1/17/2022	5:30:00 AM	0.07
1/17/2022	5:45:00 AM	0.07
1/17/2022	6:00:00 AM	0.07
1/17/2022	6:15:00 AM	0.07
1/17/2022	6:30:00 AM	0.07
1/17/2022	6:45:00 AM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/17/2022	7:00:00 AM	0.07
1/17/2022	7:15:00 AM	0.07
1/17/2022	7:30:00 AM	0.07
1/17/2022	7:45:00 AM	0.07
1/17/2022	8:00:00 AM	0.07
1/17/2022	8:15:00 AM	0.07
1/17/2022	8:30:00 AM	0.07
1/17/2022	8:45:00 AM	0.07
1/17/2022	9:00:00 AM	0.07
1/17/2022	9:15:00 AM	0.07
1/17/2022	9:30:00 AM	0.07
1/17/2022	9:45:00 AM	0.07
1/17/2022	10:00:00 AM	0.07
1/17/2022	10:15:00 AM	0.07
1/17/2022	10:30:00 AM	0.07
1/17/2022	10:45:00 AM	0.07
1/17/2022	11:00:00 AM	0.07
1/17/2022	11:15:00 AM	0.07
1/17/2022	11:30:00 AM	0.07
1/17/2022	11:45:00 AM	0.07
1/17/2022	12:00:00 PM	0.07
1/17/2022	12:15:00 PM	0.07
1/17/2022	12:30:00 PM	0.07
1/17/2022	12:45:00 PM	0.07
1/17/2022	1:00:00 PM	0.07
1/17/2022	1:15:00 PM	0.07
1/17/2022	1:30:00 PM	0.07
1/17/2022	1:45:00 PM	0.07
1/17/2022	2:00:00 PM	0.07
1/17/2022	2:15:00 PM	0.07
1/17/2022	2:30:00 PM	0.07
1/17/2022	2:45:00 PM	0.07
1/17/2022	3:00:00 PM	0.07
1/17/2022	3:15:00 PM	0.07
1/17/2022	3:30:00 PM	0.07
1/17/2022	3:45:00 PM	0.07
1/17/2022	4:00:00 PM	0.07
1/17/2022	4:15:00 PM	0.07
1/17/2022	4:30:00 PM	0.07
1/17/2022	4:45:00 PM	0.07
1/17/2022	5:00:00 PM	0.07
1/17/2022	5:15:00 PM	0.07
1/17/2022	5:30:00 PM	0.07
1/17/2022	5:45:00 PM	0.07
1/17/2022	6:00:00 PM	0.07
1/17/2022	6:15:00 PM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/17/2022	6:30:00 PM	0.07
1/17/2022	6:45:00 PM	0.07
1/17/2022	7:00:00 PM	0.07
1/17/2022	7:15:00 PM	0.07
1/17/2022	7:30:00 PM	0.07
1/17/2022	7:45:00 PM	0.07
1/17/2022	8:00:00 PM	0.07
1/17/2022	8:15:00 PM	0.07
1/17/2022	8:30:00 PM	0.07
1/17/2022	8:45:00 PM	0.07
1/17/2022	9:00:00 PM	0.07
1/17/2022	9:15:00 PM	0.07
1/17/2022	9:30:00 PM	0.07
1/17/2022	9:45:00 PM	0.07
1/17/2022	10:00:00 PM	0.07
1/17/2022	10:15:00 PM	0.07
1/17/2022	10:30:00 PM	0.07
1/17/2022	10:45:00 PM	0.07
1/17/2022	11:00:00 PM	0.07
1/17/2022	11:15:00 PM	0.07
1/17/2022	11:30:00 PM	0.07
1/17/2022	11:45:00 PM	0.07
1/18/2022	12:00:00 AM	0.07
1/18/2022	12:15:00 AM	0.07
1/18/2022	12:30:00 AM	0.07
1/18/2022	12:45:00 AM	0.07
1/18/2022	1:00:00 AM	0.07
1/18/2022	1:15:00 AM	0.07
1/18/2022	1:30:00 AM	0.07
1/18/2022	1:45:00 AM	0.07
1/18/2022	2:00:00 AM	0.07
1/18/2022	2:15:00 AM	0.07
1/18/2022	2:30:00 AM	0.07
1/18/2022	2:45:00 AM	0.07
1/18/2022	3:00:00 AM	0.07
1/18/2022	3:15:00 AM	0.07
1/18/2022	3:30:00 AM	0.07
1/18/2022	3:45:00 AM	0.07
1/18/2022	4:00:00 AM	0.07
1/18/2022	4:15:00 AM	0.07
1/18/2022	4:30:00 AM	0.07
1/18/2022	4:45:00 AM	0.07
1/18/2022	5:00:00 AM	0.07
1/18/2022	5:15:00 AM	0.07
1/18/2022	5:30:00 AM	0.07
1/18/2022	5:45:00 AM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/18/2022	6:00:00 AM	0.07
1/18/2022	6:15:00 AM	0.07
1/18/2022	6:30:00 AM	0.07
1/18/2022	6:45:00 AM	0.07
1/18/2022	7:00:00 AM	0.07
1/18/2022	7:15:00 AM	0.07
1/18/2022	7:30:00 AM	0.07
1/18/2022	7:45:00 AM	0.07
1/18/2022	8:00:00 AM	0.07
1/18/2022	8:15:00 AM	0.07
1/18/2022	8:30:00 AM	0.07
1/18/2022	8:45:00 AM	0.07
1/18/2022	9:00:00 AM	0.07
1/18/2022	9:15:00 AM	0.07
1/18/2022	9:30:00 AM	0.07
1/18/2022	9:45:00 AM	0.07
1/18/2022	10:00:00 AM	0.07
1/18/2022	10:15:00 AM	0.07
1/18/2022	10:30:00 AM	0.07
1/18/2022	10:45:00 AM	0.07
1/18/2022	11:00:00 AM	0.07
1/18/2022	11:15:00 AM	0.07
1/18/2022	11:30:00 AM	0.07
1/18/2022	11:45:00 AM	0.07
1/18/2022	12:00:00 PM	0.07
1/18/2022	12:15:00 PM	0.07
1/18/2022	12:30:00 PM	0.07
1/18/2022	12:45:00 PM	0.07
1/18/2022	1:00:00 PM	0.07
1/18/2022	1:15:00 PM	0.07
1/18/2022	1:30:00 PM	0.07
1/18/2022	1:45:00 PM	0.07
1/18/2022	2:00:00 PM	0.07
1/18/2022	2:15:00 PM	0.07
1/18/2022	2:30:00 PM	0.07
1/18/2022	2:45:00 PM	0.07
1/18/2022	3:00:00 PM	0.07
1/18/2022	3:15:00 PM	0.07
1/18/2022	3:30:00 PM	0.07
1/18/2022	3:45:00 PM	0.07
1/18/2022	4:00:00 PM	0.07
1/18/2022	4:15:00 PM	0.07
1/18/2022	4:30:00 PM	0.07
1/18/2022	4:45:00 PM	0.07
1/18/2022	5:00:00 PM	0.07
1/18/2022	5:15:00 PM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/18/2022	5:30:00 PM	0.07
1/18/2022	5:45:00 PM	0.07
1/18/2022	6:00:00 PM	0.07
1/18/2022	6:15:00 PM	0.07
1/18/2022	6:30:00 PM	0.07
1/18/2022	6:45:00 PM	0.07
1/18/2022	7:00:00 PM	0.07
1/18/2022	7:15:00 PM	0.07
1/18/2022	7:30:00 PM	0.07
1/18/2022	7:45:00 PM	0.07
1/18/2022	8:00:00 PM	0.07
1/18/2022	8:15:00 PM	0.07
1/18/2022	8:30:00 PM	0.07
1/18/2022	8:45:00 PM	0.07
1/18/2022	9:00:00 PM	0.07
1/18/2022	9:15:00 PM	0.07
1/18/2022	9:30:00 PM	0.07
1/18/2022	9:45:00 PM	0.07
1/18/2022	10:00:00 PM	0.07
1/18/2022	10:15:00 PM	0.07
1/18/2022	10:30:00 PM	0.07
1/18/2022	10:45:00 PM	0.07
1/18/2022	11:00:00 PM	0.07
1/18/2022	11:15:00 PM	0.07
1/18/2022	11:30:00 PM	0.07
1/18/2022	11:45:00 PM	0.07
1/19/2022	12:00:00 AM	0.07
1/19/2022	12:15:00 AM	0.07
1/19/2022	12:30:00 AM	0.07
1/19/2022	12:45:00 AM	0.07
1/19/2022	1:00:00 AM	0.07
1/19/2022	1:15:00 AM	0.07
1/19/2022	1:30:00 AM	0.07
1/19/2022	1:45:00 AM	0.07
1/19/2022	2:00:00 AM	0.07
1/19/2022	2:15:00 AM	0.07
1/19/2022	2:30:00 AM	0.07
1/19/2022	2:45:00 AM	0.07
1/19/2022	3:00:00 AM	0.07
1/19/2022	3:15:00 AM	0.07
1/19/2022	3:30:00 AM	0.07
1/19/2022	3:45:00 AM	0.07
1/19/2022	4:00:00 AM	0.07
1/19/2022	4:15:00 AM	0.07
1/19/2022	4:30:00 AM	0.07
1/19/2022	4:45:00 AM	0.07



# Georges Ditch Return Gage

DATE	TIME	GAGE
1/19/2022	5:00:00 AM	0.07
1/19/2022	5:15:00 AM	0.07
1/19/2022	5:30:00 AM	0.07
1/19/2022	5:45:00 AM	0.07
1/19/2022	6:00:00 AM	0.07
1/19/2022	6:15:00 AM	0.07
1/19/2022	6:30:00 AM	0.07
1/19/2022	6:45:00 AM	0.07
1/19/2022	7:00:00 AM	0.07
1/19/2022	7:15:00 AM	0.07
1/19/2022	7:30:00 AM	0.07
1/19/2022	7:45:00 AM	0.07
1/19/2022	8:00:00 AM	0.07
1/19/2022	8:15:00 AM	0.07
1/19/2022	8:30:00 AM	0.07
1/19/2022	8:45:00 AM	0.07
1/19/2022	9:00:00 AM	0.07
1/19/2022	9:15:00 AM	0.07
1/19/2022	9:30:00 AM	0.07
1/19/2022	9:45:00 AM	0.07
1/19/2022	10:00:00 AM	0.07
1/19/2022	10:15:00 AM	0.07
1/19/2022	10:30:00 AM	0.07
1/19/2022	10:45:00 AM	0.07
1/19/2022	11:00:00 AM	0.07
1/19/2022	11:15:00 AM	0.07
1/19/2022	11:30:00 AM	0.07
1/19/2022	11:45:00 AM	0.07
1/19/2022	12:00:00 PM	0.07
1/19/2022	12:15:00 PM	0.07
1/19/2022	12:30:00 PM	0.07
1/19/2022	12:45:00 PM	0.07
1/19/2022	1:00:00 PM	0.07
1/19/2022	1:15:00 PM	0.07
1/19/2022	1:30:00 PM	0.07
1/19/2022	1:45:00 PM	0.07
1/19/2022	2:00:00 PM	0.09
1/19/2022	2:15:00 PM	0.08
1/19/2022	2:30:00 PM	0.09
1/19/2022	2:45:00 PM	0.09
1/19/2022	3:00:00 PM	0.09
1/19/2022	3:15:00 PM	0.09
1/19/2022	3:30:00 PM	0.09
1/19/2022	3:45:00 PM	0.08
1/19/2022	4:00:00 PM	0.09
1/19/2022	4:15:00 PM	0.09

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/19/2022	4:30:00 PM	0.09
1/19/2022	4:45:00 PM	0.09
1/19/2022	5:00:00 PM	0.09
1/19/2022	5:15:00 PM	0.09
1/19/2022	5:30:00 PM	0.09
1/19/2022	5:45:00 PM	0.09
1/19/2022	6:00:00 PM	0.09
1/19/2022	6:15:00 PM	0.09
1/19/2022	6:30:00 PM	0.09
1/19/2022	6:45:00 PM	0.09
1/19/2022	7:00:00 PM	0.09
1/19/2022	7:15:00 PM	0.09
1/19/2022	7:30:00 PM	0.09
1/19/2022	7:45:00 PM	0.09
1/19/2022	8:00:00 PM	0.09
1/19/2022	8:15:00 PM	0.09
1/19/2022	8:30:00 PM	0.09
1/19/2022	8:45:00 PM	0.09
1/19/2022	9:00:00 PM	0.09
1/19/2022	9:15:00 PM	0.09
1/19/2022	9:30:00 PM	0.09
1/19/2022	9:45:00 PM	0.09
1/19/2022	10:00:00 PM	0.08
1/19/2022	10:15:00 PM	0.09
1/19/2022	10:30:00 PM	0.09
1/19/2022	10:45:00 PM	0.09
1/19/2022	11:00:00 PM	0.09
1/19/2022	11:15:00 PM	0.09
1/19/2022	11:30:00 PM	0.09
1/19/2022	11:45:00 PM	0.09
1/20/2022	12:00:00 AM	0.09
1/20/2022	12:15:00 AM	0.09
1/20/2022	12:30:00 AM	0.09
1/20/2022	12:45:00 AM	0.09
1/20/2022	1:00:00 AM	0.09
1/20/2022	1:15:00 AM	0.09
1/20/2022	1:30:00 AM	0.09
1/20/2022	1:45:00 AM	0.09
1/20/2022	2:00:00 AM	0.09
1/20/2022	2:15:00 AM	0.09
1/20/2022	2:30:00 AM	0.09
1/20/2022	2:45:00 AM	0.09
1/20/2022	3:00:00 AM	0.09
1/20/2022	3:15:00 AM	0.09
1/20/2022	3:30:00 AM	0.09
1/20/2022	3:45:00 AM	0.09

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/20/2022	4:00:00 AM	0.09
1/20/2022	4:15:00 AM	0.09
1/20/2022	4:30:00 AM	0.09
1/20/2022	4:45:00 AM	0.09
1/20/2022	5:00:00 AM	0.09
1/20/2022	5:15:00 AM	0.09
1/20/2022	5:30:00 AM	0.09
1/20/2022	5:45:00 AM	0.09
1/20/2022	6:00:00 AM	0.09
1/20/2022	6:15:00 AM	0.09
1/20/2022	6:30:00 AM	0.08
1/20/2022	6:45:00 AM	0.09
1/20/2022	7:00:00 AM	0.08
1/20/2022	7:15:00 AM	0.08
1/20/2022	7:30:00 AM	0.09
1/20/2022	7:45:00 AM	0.09
1/20/2022	8:00:00 AM	0.08
1/20/2022	8:15:00 AM	0.09
1/20/2022	8:30:00 AM	0.09
1/20/2022	8:45:00 AM	0.09
1/20/2022	9:00:00 AM	0.09
1/20/2022	9:15:00 AM	0.09
1/20/2022	9:30:00 AM	0.09
1/20/2022	9:45:00 AM	0.08
1/20/2022	10:00:00 AM	0.09
1/20/2022	10:15:00 AM	0.09
1/20/2022	10:30:00 AM	0.09
1/20/2022	10:45:00 AM	0.09
1/20/2022	11:00:00 AM	0.09
1/20/2022	11:15:00 AM	0.09
1/20/2022	11:30:00 AM	0.09
1/20/2022	11:45:00 AM	0.09
1/20/2022	12:00:00 PM	0.09
1/20/2022	12:15:00 PM	0.09
1/20/2022	12:30:00 PM	0.09
1/20/2022	12:45:00 PM	0.09
1/20/2022	1:00:00 PM	0.09
1/20/2022	1:15:00 PM	0.09
1/20/2022	1:30:00 PM	0.09
1/20/2022	1:45:00 PM	0.09
1/20/2022	2:00:00 PM	0.09
1/20/2022	2:15:00 PM	0.09
1/20/2022	2:30:00 PM	0.09
1/20/2022	2:45:00 PM	0.09
1/20/2022	3:00:00 PM	0.09
1/20/2022	3:15:00 PM	0.09

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/20/2022	3:30:00 PM	0.09
1/20/2022	3:45:00 PM	0.09
1/20/2022	4:00:00 PM	0.09
1/20/2022	4:15:00 PM	0.09
1/20/2022	4:30:00 PM	0.09
1/20/2022	4:45:00 PM	0.09
1/20/2022	5:00:00 PM	0.09
1/20/2022	5:15:00 PM	0.09
1/20/2022	5:30:00 PM	0.09
1/20/2022	5:45:00 PM	0.09
1/20/2022	6:00:00 PM	0.09
1/20/2022	6:15:00 PM	0.09
1/20/2022	6:30:00 PM	0.09
1/20/2022	6:45:00 PM	0.09
1/20/2022	7:00:00 PM	0.09
1/20/2022	7:15:00 PM	0.09
1/20/2022	7:30:00 PM	0.09
1/20/2022	7:45:00 PM	0.09
1/20/2022	8:00:00 PM	0.09
1/20/2022	8:15:00 PM	0.09
1/20/2022	8:30:00 PM	0.09
1/20/2022	8:45:00 PM	0.09
1/20/2022	9:00:00 PM	0.09
1/20/2022	9:15:00 PM	0.09
1/20/2022	9:30:00 PM	0.09
1/20/2022	9:45:00 PM	0.09
1/20/2022	10:00:00 PM	0.09
1/20/2022	10:15:00 PM	0.09
1/20/2022	10:30:00 PM	0.09
1/20/2022	10:45:00 PM	0.09
1/20/2022	11:00:00 PM	0.09
1/20/2022	11:15:00 PM	0.09
1/20/2022	11:30:00 PM	0.09
1/20/2022	11:45:00 PM	0.09
1/21/2022	12:00:00 AM	0.09
1/21/2022	12:15:00 AM	0.09
1/21/2022	12:30:00 AM	0.09
1/21/2022	12:45:00 AM	0.09
1/21/2022	1:00:00 AM	0.09
1/21/2022	1:15:00 AM	0.09
1/21/2022	1:30:00 AM	0.09
1/21/2022	1:45:00 AM	0.09
1/21/2022	2:00:00 AM	0.09
1/21/2022	2:15:00 AM	0.09
1/21/2022	2:30:00 AM	0.09
1/21/2022	2:45:00 AM	0.09

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/21/2022	3:00:00 AM	0.09
1/21/2022	3:15:00 AM	0.09
1/21/2022	3:30:00 AM	0.09
1/21/2022	3:45:00 AM	0.09
1/21/2022	4:00:00 AM	0.09
1/21/2022	4:15:00 AM	0.09
1/21/2022	4:30:00 AM	0.09
1/21/2022	4:45:00 AM	0.09
1/21/2022	5:00:00 AM	0.09
1/21/2022	5:15:00 AM	0.09
1/21/2022	5:30:00 AM	0.09
1/21/2022	5:45:00 AM	0.09
1/21/2022	6:00:00 AM	0.09
1/21/2022	6:15:00 AM	0.09
1/21/2022	6:30:00 AM	0.09
1/21/2022	6:45:00 AM	0.09
1/21/2022	7:00:00 AM	0.09
1/21/2022	7:15:00 AM	0.09
1/21/2022	7:30:00 AM	0.09
1/21/2022	7:45:00 AM	0.09
1/21/2022	8:00:00 AM	0.09
1/21/2022	8:15:00 AM	0.09
1/21/2022	8:30:00 AM	0.09
1/21/2022	8:45:00 AM	0.09
1/21/2022	9:00:00 AM	0.09
1/21/2022	9:15:00 AM	0.09
1/21/2022	9:30:00 AM	0.09
1/21/2022	9:45:00 AM	0.09
1/21/2022	10:00:00 AM	0.09
1/21/2022	10:15:00 AM	0.09
1/21/2022	10:30:00 AM	0.09
1/21/2022	10:45:00 AM	0.09
1/21/2022	11:00:00 AM	0.09
1/21/2022	11:15:00 AM	0.09
1/21/2022	11:30:00 AM	0.09
1/21/2022	11:45:00 AM	0.09
1/21/2022	12:00:00 PM	0.09
1/21/2022	12:15:00 PM	0.09
1/21/2022	12:30:00 PM	0.08
1/21/2022	12:45:00 PM	0.09
1/21/2022	1:00:00 PM	0.09
1/21/2022	1:15:00 PM	0.09
1/21/2022	1:30:00 PM	0.09
1/21/2022	1:45:00 PM	0.08
1/21/2022	2:00:00 PM	0.09
1/21/2022	2:15:00 PM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/21/2022	2:30:00 PM	0.09
1/21/2022	2:45:00 PM	0.08
1/21/2022	3:00:00 PM	0.08
1/21/2022	3:15:00 PM	0.08
1/21/2022	3:30:00 PM	0.09
1/21/2022	3:45:00 PM	0.08
1/21/2022	4:00:00 PM	0.08
1/21/2022	4:15:00 PM	0.08
1/21/2022	4:30:00 PM	0.08
1/21/2022	4:45:00 PM	0.09
1/21/2022	5:00:00 PM	0.08
1/21/2022	5:15:00 PM	0.08
1/21/2022	5:30:00 PM	0.08
1/21/2022	5:45:00 PM	0.08
1/21/2022	6:00:00 PM	0.08
1/21/2022	6:15:00 PM	0.08
1/21/2022	6:30:00 PM	0.08
1/21/2022	6:45:00 PM	0.08
1/21/2022	7:00:00 PM	0.08
1/21/2022	7:15:00 PM	0.08
1/21/2022	7:30:00 PM	0.08
1/21/2022	7:45:00 PM	0.08
1/21/2022	8:00:00 PM	0.08
1/21/2022	8:15:00 PM	0.08
1/21/2022	8:30:00 PM	0.08
1/21/2022	8:45:00 PM	0.08
1/21/2022	9:00:00 PM	0.08
1/21/2022	9:15:00 PM	0.08
1/21/2022	9:30:00 PM	0.08
1/21/2022	9:45:00 PM	0.08
1/21/2022	10:00:00 PM	0.08
1/21/2022	10:15:00 PM	0.08
1/21/2022	10:30:00 PM	0.08
1/21/2022	10:45:00 PM	0.08
1/21/2022	11:00:00 PM	0.08
1/21/2022	11:15:00 PM	0.08
1/21/2022	11:30:00 PM	0.08
1/21/2022	11:45:00 PM	0.08
1/22/2022	12:00:00 AM	0.08
1/22/2022	12:15:00 AM	0.09
1/22/2022	12:30:00 AM	0.08
1/22/2022	12:45:00 AM	0.08
1/22/2022	1:00:00 AM	0.08
1/22/2022	1:15:00 AM	0.08
1/22/2022	1:30:00 AM	0.08
1/22/2022	1:45:00 AM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/22/2022	2:00:00 AM	0.08
1/22/2022	2:15:00 AM	0.08
1/22/2022	2:30:00 AM	0.08
1/22/2022	2:45:00 AM	0.08
1/22/2022	3:00:00 AM	0.08
1/22/2022	3:15:00 AM	0.08
1/22/2022	3:30:00 AM	0.08
1/22/2022	3:45:00 AM	0.08
1/22/2022	4:00:00 AM	0.08
1/22/2022	4:15:00 AM	0.08
1/22/2022	4:30:00 AM	0.08
1/22/2022	4:45:00 AM	0.08
1/22/2022	5:00:00 AM	0.08
1/22/2022	5:15:00 AM	0.08
1/22/2022	5:30:00 AM	0.08
1/22/2022	5:45:00 AM	0.08
1/22/2022	6:00:00 AM	0.08
1/22/2022	6:15:00 AM	0.08
1/22/2022	6:30:00 AM	0.08
1/22/2022	6:45:00 AM	0.08
1/22/2022	7:00:00 AM	0.08
1/22/2022	7:15:00 AM	0.08
1/22/2022	7:30:00 AM	0.08
1/22/2022	7:45:00 AM	0.08
1/22/2022	8:00:00 AM	0.08
1/22/2022	8:15:00 AM	0.08
1/22/2022	8:30:00 AM	0.08
1/22/2022	8:45:00 AM	0.08
1/22/2022	9:00:00 AM	0.08
1/22/2022	9:15:00 AM	0.08
1/22/2022	9:30:00 AM	0.08
1/22/2022	9:45:00 AM	0.08
1/22/2022	10:00:00 AM	0.08
1/22/2022	10:15:00 AM	0.08
1/22/2022	10:30:00 AM	0.08
1/22/2022	10:45:00 AM	0.08
1/22/2022	11:00:00 AM	0.08
1/22/2022	11:15:00 AM	0.08
1/22/2022	11:30:00 AM	0.08
1/22/2022	11:45:00 AM	0.08
1/22/2022	12:00:00 PM	0.08
1/22/2022	12:15:00 PM	0.08
1/22/2022	12:30:00 PM	0.08
1/22/2022	12:45:00 PM	0.08
1/22/2022	1:00:00 PM	0.08
1/22/2022	1:15:00 PM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/22/2022	1:30:00 PM	0.08
1/22/2022	1:45:00 PM	0.08
1/22/2022	2:00:00 PM	0.08
1/22/2022	2:15:00 PM	0.08
1/22/2022	2:30:00 PM	0.08
1/22/2022	2:45:00 PM	0.08
1/22/2022	3:00:00 PM	0.08
1/22/2022	3:15:00 PM	0.08
1/22/2022	3:30:00 PM	0.08
1/22/2022	3:45:00 PM	0.08
1/22/2022	4:00:00 PM	0.08
1/22/2022	4:15:00 PM	0.08
1/22/2022	4:30:00 PM	0.08
1/22/2022	4:45:00 PM	0.08
1/22/2022	5:00:00 PM	0.08
1/22/2022	5:15:00 PM	0.08
1/22/2022	5:30:00 PM	0.08
1/22/2022	5:45:00 PM	0.08
1/22/2022	6:00:00 PM	0.08
1/22/2022	6:15:00 PM	0.08
1/22/2022	6:30:00 PM	0.08
1/22/2022	6:45:00 PM	0.08
1/22/2022	7:00:00 PM	0.08
1/22/2022	7:15:00 PM	0.08
1/22/2022	7:30:00 PM	0.08
1/22/2022	7:45:00 PM	0.08
1/22/2022	8:00:00 PM	0.08
1/22/2022	8:15:00 PM	0.08
1/22/2022	8:30:00 PM	0.08
1/22/2022	8:45:00 PM	0.08
1/22/2022	9:00:00 PM	0.08
1/22/2022	9:15:00 PM	0.08
1/22/2022	9:30:00 PM	0.08
1/22/2022	9:45:00 PM	0.08
1/22/2022	10:00:00 PM	0.08
1/22/2022	10:15:00 PM	0.08
1/22/2022	10:30:00 PM	0.08
1/22/2022	10:45:00 PM	0.08
1/22/2022	11:00:00 PM	0.08
1/22/2022	11:15:00 PM	0.08
1/22/2022	11:30:00 PM	0.08
1/22/2022	11:45:00 PM	0.08
1/23/2022	12:00:00 AM	0.08
1/23/2022	12:15:00 AM	0.08
1/23/2022	12:30:00 AM	0.08
1/23/2022	12:45:00 AM	0.08



# Georges Ditch Return Gage

DATE	TIME	GAGE
1/23/2022	1:00:00 AM	0.08
1/23/2022	1:15:00 AM	0.08
1/23/2022	1:30:00 AM	0.08
1/23/2022	1:45:00 AM	0.08
1/23/2022	2:00:00 AM	0.08
1/23/2022	2:15:00 AM	0.08
1/23/2022	2:30:00 AM	0.08
1/23/2022	2:45:00 AM	0.08
1/23/2022	3:00:00 AM	0.08
1/23/2022	3:15:00 AM	0.08
1/23/2022	3:30:00 AM	0.08
1/23/2022	3:45:00 AM	0.08
1/23/2022	4:00:00 AM	0.08
1/23/2022	4:15:00 AM	0.08
1/23/2022	4:30:00 AM	0.08
1/23/2022	4:45:00 AM	0.08
1/23/2022	5:00:00 AM	0.08
1/23/2022	5:15:00 AM	0.08
1/23/2022	5:30:00 AM	0.08
1/23/2022	5:45:00 AM	0.08
1/23/2022	6:00:00 AM	0.08
1/23/2022	6:15:00 AM	0.08
1/23/2022	6:30:00 AM	0.08
1/23/2022	6:45:00 AM	0.08
1/23/2022	7:00:00 AM	0.08
1/23/2022	7:15:00 AM	0.08
1/23/2022	7:30:00 AM	0.08
1/23/2022	7:45:00 AM	0.08
1/23/2022	8:00:00 AM	0.08
1/23/2022	8:15:00 AM	0.08
1/23/2022	8:30:00 AM	0.08
1/23/2022	8:45:00 AM	0.08
1/23/2022	9:00:00 AM	0.08
1/23/2022	9:15:00 AM	0.08
1/23/2022	9:30:00 AM	0.08
1/23/2022	9:45:00 AM	0.08
1/23/2022	10:00:00 AM	0.08
1/23/2022	10:15:00 AM	0.08
1/23/2022	10:30:00 AM	0.08
1/23/2022	10:45:00 AM	0.08
1/23/2022	11:00:00 AM	0.08
1/23/2022	11:15:00 AM	0.08
1/23/2022	11:30:00 AM	0.08
1/23/2022	11:45:00 AM	0.08
1/23/2022	12:00:00 PM	0.08
1/23/2022	12:15:00 PM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/23/2022	12:30:00 PM	0.08
1/23/2022	12:45:00 PM	0.08
1/23/2022	1:00:00 PM	0.08
1/23/2022	1:15:00 PM	0.08
1/23/2022	1:30:00 PM	0.08
1/23/2022	1:45:00 PM	0.08
1/23/2022	2:00:00 PM	0.08
1/23/2022	2:15:00 PM	0.08
1/23/2022	2:30:00 PM	0.08
1/23/2022	2:45:00 PM	0.08
1/23/2022	3:00:00 PM	0.08
1/23/2022	3:15:00 PM	0.08
1/23/2022	3:30:00 PM	0.08
1/23/2022	3:45:00 PM	0.08
1/23/2022	4:00:00 PM	0.08
1/23/2022	4:15:00 PM	0.08
1/23/2022	4:30:00 PM	0.08
1/23/2022	4:45:00 PM	0.08
1/23/2022	5:00:00 PM	0.08
1/23/2022	5:15:00 PM	0.08
1/23/2022	5:30:00 PM	0.08
1/23/2022	5:45:00 PM	0.08
1/23/2022	6:00:00 PM	0.08
1/23/2022	6:15:00 PM	0.08
1/23/2022	6:30:00 PM	0.08
1/23/2022	6:45:00 PM	0.08
1/23/2022	7:00:00 PM	0.08
1/23/2022	7:15:00 PM	0.08
1/23/2022	7:30:00 PM	0.08
1/23/2022	7:45:00 PM	0.08
1/23/2022	8:00:00 PM	0.08
1/23/2022	8:15:00 PM	0.08
1/23/2022	8:30:00 PM	0.08
1/23/2022	8:45:00 PM	0.08
1/23/2022	9:00:00 PM	0.08
1/23/2022	9:15:00 PM	0.08
1/23/2022	9:30:00 PM	0.08
1/23/2022	9:45:00 PM	0.08
1/23/2022	10:00:00 PM	0.08
1/23/2022	10:15:00 PM	0.08
1/23/2022	10:30:00 PM	0.08
1/23/2022	10:45:00 PM	0.08
1/23/2022	11:00:00 PM	0.08
1/23/2022	11:15:00 PM	0.08
1/23/2022	11:30:00 PM	0.08
1/23/2022	11:45:00 PM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/24/2022	12:00:00 AM	0.08
1/24/2022	12:15:00 AM	0.08
1/24/2022	12:30:00 AM	0.08
1/24/2022	12:45:00 AM	0.08
1/24/2022	1:00:00 AM	0.08
1/24/2022	1:15:00 AM	0.08
1/24/2022	1:30:00 AM	0.08
1/24/2022	1:45:00 AM	0.08
1/24/2022	2:00:00 AM	0.08
1/24/2022	2:15:00 AM	0.08
1/24/2022	2:30:00 AM	0.08
1/24/2022	2:45:00 AM	0.08
1/24/2022	3:00:00 AM	0.08
1/24/2022	3:15:00 AM	0.08
1/24/2022	3:30:00 AM	0.08
1/24/2022	3:45:00 AM	0.08
1/24/2022	4:00:00 AM	0.08
1/24/2022	4:15:00 AM	0.08
1/24/2022	4:30:00 AM	0.08
1/24/2022	4:45:00 AM	0.08
1/24/2022	5:00:00 AM	0.08
1/24/2022	5:15:00 AM	0.08
1/24/2022	5:30:00 AM	0.08
1/24/2022	5:45:00 AM	0.08
1/24/2022	6:00:00 AM	0.08
1/24/2022	6:15:00 AM	0.08
1/24/2022	6:30:00 AM	0.08
1/24/2022	6:45:00 AM	0.08
1/24/2022	7:00:00 AM	0.08
1/24/2022	7:15:00 AM	0.08
1/24/2022	7:30:00 AM	0.08
1/24/2022	7:45:00 AM	0.08
1/24/2022	8:00:00 AM	0.08
1/24/2022	8:15:00 AM	0.08
1/24/2022	8:30:00 AM	0.08
1/24/2022	8:45:00 AM	0.08
1/24/2022	9:00:00 AM	0.08
1/24/2022	9:15:00 AM	0.08
1/24/2022	9:30:00 AM	0.08
1/24/2022	9:45:00 AM	0.08
1/24/2022	10:00:00 AM	0.08
1/24/2022	10:15:00 AM	0.08
1/24/2022	10:30:00 AM	0.08
1/24/2022	10:45:00 AM	0.08
1/24/2022	11:00:00 AM	0.08
1/24/2022	11:15:00 AM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/24/2022	11:30:00 AM	0.08
1/24/2022	11:45:00 AM	0.08
1/24/2022	12:00:00 PM	0.08
1/24/2022	12:15:00 PM	0.08
1/24/2022	12:30:00 PM	0.08
1/24/2022	12:45:00 PM	0.08
1/24/2022	1:00:00 PM	0.08
1/24/2022	1:15:00 PM	0.08
1/24/2022	1:30:00 PM	0.08
1/24/2022	1:45:00 PM	0.08
1/24/2022	2:00:00 PM	0.08
1/24/2022	2:15:00 PM	0.08
1/24/2022	2:30:00 PM	0.08
1/24/2022	2:45:00 PM	0.08
1/24/2022	3:00:00 PM	0.08
1/24/2022	3:15:00 PM	0.08
1/24/2022	3:30:00 PM	0.08
1/24/2022	3:45:00 PM	0.08
1/24/2022	4:00:00 PM	0.08
1/24/2022	4:15:00 PM	0.08
1/24/2022	4:30:00 PM	0.08
1/24/2022	4:45:00 PM	0.08
1/24/2022	5:00:00 PM	0.08
1/24/2022	5:15:00 PM	0.08
1/24/2022	5:30:00 PM	0.08
1/24/2022	5:45:00 PM	0.08
1/24/2022	6:00:00 PM	0.08
1/24/2022	6:15:00 PM	0.08
1/24/2022	6:30:00 PM	0.08
1/24/2022	6:45:00 PM	0.08
1/24/2022	7:00:00 PM	0.08
1/24/2022	7:15:00 PM	0.08
1/24/2022	7:30:00 PM	0.08
1/24/2022	7:45:00 PM	0.08
1/24/2022	8:00:00 PM	0.08
1/24/2022	8:15:00 PM	0.08
1/24/2022	8:30:00 PM	0.08
1/24/2022	8:45:00 PM	0.08
1/24/2022	9:00:00 PM	0.08
1/24/2022	9:15:00 PM	0.08
1/24/2022	9:30:00 PM	0.08
1/24/2022	9:45:00 PM	0.08
1/24/2022	10:00:00 PM	0.08
1/24/2022	10:15:00 PM	0.08
1/24/2022	10:30:00 PM	0.08
1/24/2022	10:45:00 PM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/24/2022	11:00:00 PM	0.08
1/24/2022	11:15:00 PM	0.08
1/24/2022	11:30:00 PM	0.08
1/24/2022	11:45:00 PM	0.08
1/25/2022	12:00:00 AM	0.08
1/25/2022	12:15:00 AM	0.08
1/25/2022	12:30:00 AM	0.08
1/25/2022	12:45:00 AM	0.08
1/25/2022	1:00:00 AM	0.08
1/25/2022	1:15:00 AM	0.08
1/25/2022	1:30:00 AM	0.08
1/25/2022	1:45:00 AM	0.08
1/25/2022	2:00:00 AM	0.08
1/25/2022	2:15:00 AM	0.08
1/25/2022	2:30:00 AM	0.08
1/25/2022	2:45:00 AM	0.08
1/25/2022	3:00:00 AM	0.08
1/25/2022	3:15:00 AM	0.08
1/25/2022	3:30:00 AM	0.08
1/25/2022	3:45:00 AM	0.08
1/25/2022	4:00:00 AM	0.08
1/25/2022	4:15:00 AM	0.08
1/25/2022	4:30:00 AM	0.08
1/25/2022	4:45:00 AM	0.08
1/25/2022	5:00:00 AM	0.08
1/25/2022	5:15:00 AM	0.08
1/25/2022	5:30:00 AM	0.08
1/25/2022	5:45:00 AM	0.08
1/25/2022	6:00:00 AM	0.08
1/25/2022	6:15:00 AM	0.08
1/25/2022	6:30:00 AM	0.08
1/25/2022	6:45:00 AM	0.08
1/25/2022	7:00:00 AM	0.08
1/25/2022	7:15:00 AM	0.08
1/25/2022	7:30:00 AM	0.08
1/25/2022	7:45:00 AM	0.08
1/25/2022	8:00:00 AM	0.08
1/25/2022	8:15:00 AM	0.08
1/25/2022	8:30:00 AM	0.08
1/25/2022	8:45:00 AM	0.08
1/25/2022	9:00:00 AM	0.08
1/25/2022	9:15:00 AM	0.08
1/25/2022	9:30:00 AM	0.08
1/25/2022	9:45:00 AM	0.08
1/25/2022	10:00:00 AM	0.08
1/25/2022	10:15:00 AM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/25/2022	10:30:00 AM	0.08
1/25/2022	10:45:00 AM	0.08
1/25/2022	11:00:00 AM	0.08
1/25/2022	11:15:00 AM	0.08
1/25/2022	11:30:00 AM	0.08
1/25/2022	11:45:00 AM	0.08
1/25/2022	12:00:00 PM	0.08
1/25/2022	12:15:00 PM	0.08
1/25/2022	12:30:00 PM	0.08
1/25/2022	12:45:00 PM	0.08
1/25/2022	1:00:00 PM	0.08
1/25/2022	1:15:00 PM	0.08
1/25/2022	1:30:00 PM	0.08
1/25/2022	1:45:00 PM	0.08
1/25/2022	2:00:00 PM	0.08
1/25/2022	2:15:00 PM	0.08
1/25/2022	2:30:00 PM	0.08
1/25/2022	2:45:00 PM	0.08
1/25/2022	3:00:00 PM	0.08
1/25/2022	3:15:00 PM	0.08
1/25/2022	3:30:00 PM	0.08
1/25/2022	3:45:00 PM	0.08
1/25/2022	4:00:00 PM	0.08
1/25/2022	4:15:00 PM	0.08
1/25/2022	4:30:00 PM	0.08
1/25/2022	4:45:00 PM	0.08
1/25/2022	5:00:00 PM	0.08
1/25/2022	5:15:00 PM	0.08
1/25/2022	5:30:00 PM	0.08
1/25/2022	5:45:00 PM	0.08
1/25/2022	6:00:00 PM	0.08
1/25/2022	6:15:00 PM	0.08
1/25/2022	6:30:00 PM	0.08
1/25/2022	6:45:00 PM	0.08
1/25/2022	7:00:00 PM	0.08
1/25/2022	7:15:00 PM	0.08
1/25/2022	7:30:00 PM	0.08
1/25/2022	7:45:00 PM	0.08
1/25/2022	8:00:00 PM	0.08
1/25/2022	8:15:00 PM	0.08
1/25/2022	8:30:00 PM	0.08
1/25/2022	8:45:00 PM	0.08
1/25/2022	9:00:00 PM	0.08
1/25/2022	9:15:00 PM	0.08
1/25/2022	9:30:00 PM	0.08
1/25/2022	9:45:00 PM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/25/2022	10:00:00 PM	0.08
1/25/2022	10:15:00 PM	0.08
1/25/2022	10:30:00 PM	0.08
1/25/2022	10:45:00 PM	0.08
1/25/2022	11:00:00 PM	0.08
1/25/2022	11:15:00 PM	0.08
1/25/2022	11:30:00 PM	0.08
1/25/2022	11:45:00 PM	0.08
1/26/2022	12:00:00 AM	0.08
1/26/2022	12:15:00 AM	0.08
1/26/2022	12:30:00 AM	0.08
1/26/2022	12:45:00 AM	0.08
1/26/2022	1:00:00 AM	0.08
1/26/2022	1:15:00 AM	0.08
1/26/2022	1:30:00 AM	0.08
1/26/2022	1:45:00 AM	0.08
1/26/2022	2:00:00 AM	0.08
1/26/2022	2:15:00 AM	0.08
1/26/2022	2:30:00 AM	0.08
1/26/2022	2:45:00 AM	0.08
1/26/2022	3:00:00 AM	0.08
1/26/2022	3:15:00 AM	0.08
1/26/2022	3:30:00 AM	0.08
1/26/2022	3:45:00 AM	0.08
1/26/2022	4:00:00 AM	0.08
1/26/2022	4:15:00 AM	0.08
1/26/2022	4:30:00 AM	0.08
1/26/2022	4:45:00 AM	0.08
1/26/2022	5:00:00 AM	0.08
1/26/2022	5:15:00 AM	0.08
1/26/2022	5:30:00 AM	0.08
1/26/2022	5:45:00 AM	0.08
1/26/2022	6:00:00 AM	0.07
1/26/2022	6:15:00 AM	0.07
1/26/2022	6:30:00 AM	0.07
1/26/2022	6:45:00 AM	0.07
1/26/2022	7:00:00 AM	0.07
1/26/2022	7:15:00 AM	0.07
1/26/2022	7:30:00 AM	0.07
1/26/2022	7:45:00 AM	0.07
1/26/2022	8:00:00 AM	0.07
1/26/2022	8:15:00 AM	0.07
1/26/2022	8:30:00 AM	0.07
1/26/2022	8:45:00 AM	0.07
1/26/2022	9:00:00 AM	0.07
1/26/2022	9:15:00 AM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/26/2022	9:30:00 AM	0.07
1/26/2022	9:45:00 AM	0.08
1/26/2022	10:00:00 AM	0.08
1/26/2022	10:15:00 AM	0.08
1/26/2022	10:30:00 AM	0.09
1/26/2022	10:45:00 AM	0.09
1/26/2022	11:00:00 AM	0.09
1/26/2022	11:15:00 AM	0.1
1/26/2022	11:30:00 AM	0.1
1/26/2022	11:45:00 AM	0.1
1/26/2022	12:00:00 PM	0.1
1/26/2022	12:15:00 PM	0.09
1/26/2022	12:30:00 PM	0.09
1/26/2022	12:45:00 PM	0.09
1/26/2022	1:00:00 PM	0.09
1/26/2022	1:15:00 PM	0.09
1/26/2022	1:30:00 PM	0.09
1/26/2022	1:45:00 PM	0.09
1/26/2022	2:00:00 PM	0.09
1/26/2022	2:15:00 PM	0.08
1/26/2022	2:30:00 PM	0.08
1/26/2022	2:45:00 PM	0.08
1/26/2022	3:00:00 PM	0.08
1/26/2022	3:15:00 PM	0.08
1/26/2022	3:30:00 PM	0.08
1/26/2022	3:45:00 PM	0.08
1/26/2022	4:00:00 PM	0.08
1/26/2022	4:15:00 PM	0.08
1/26/2022	4:30:00 PM	0.08
1/26/2022	4:45:00 PM	0.08
1/26/2022	5:00:00 PM	0.08
1/26/2022	5:15:00 PM	0.08
1/26/2022	5:30:00 PM	0.08
1/26/2022	5:45:00 PM	0.08
1/26/2022	6:00:00 PM	0.08
1/26/2022	6:15:00 PM	0.08
1/26/2022	6:30:00 PM	0.08
1/26/2022	6:45:00 PM	0.08
1/26/2022	7:00:00 PM	0.08
1/26/2022	7:15:00 PM	0.08
1/26/2022	7:30:00 PM	0.08
1/26/2022	7:45:00 PM	0.08
1/26/2022	8:00:00 PM	0.08
1/26/2022	8:15:00 PM	0.08
1/26/2022	8:30:00 PM	0.08
1/26/2022	8:45:00 PM	0.08



# Georges Ditch Return Gage

DATE	TIME	GAGE
1/26/2022	9:00:00 PM	0.08
1/26/2022	9:15:00 PM	0.08
1/26/2022	9:30:00 PM	0.08
1/26/2022	9:45:00 PM	0.08
1/26/2022	10:00:00 PM	0.08
1/26/2022	10:15:00 PM	0.08
1/26/2022	10:30:00 PM	0.08
1/26/2022	10:45:00 PM	0.08
1/26/2022	11:00:00 PM	0.08
1/26/2022	11:15:00 PM	0.08
1/26/2022	11:30:00 PM	0.08
1/26/2022	11:45:00 PM	0.08
1/27/2022	12:00:00 AM	0.08
1/27/2022	12:15:00 AM	0.08
1/27/2022	12:30:00 AM	0.08
1/27/2022	12:45:00 AM	0.08
1/27/2022	1:00:00 AM	0.08
1/27/2022	1:15:00 AM	0.08
1/27/2022	1:30:00 AM	0.08
1/27/2022	1:45:00 AM	0.08
1/27/2022	2:00:00 AM	0.08
1/27/2022	2:15:00 AM	0.08
1/27/2022	2:30:00 AM	0.08
1/27/2022	2:45:00 AM	0.08
1/27/2022	3:00:00 AM	0.07
1/27/2022	3:15:00 AM	0.07
1/27/2022	3:30:00 AM	0.07
1/27/2022	3:45:00 AM	0.07
1/27/2022	4:00:00 AM	0.07
1/27/2022	4:15:00 AM	0.07
1/27/2022	4:30:00 AM	0.07
1/27/2022	4:45:00 AM	0.07
1/27/2022	5:00:00 AM	0.07
1/27/2022	5:15:00 AM	0.07
1/27/2022	5:30:00 AM	0.07
1/27/2022	5:45:00 AM	0.07
1/27/2022	6:00:00 AM	0.07
1/27/2022	6:15:00 AM	0.07
1/27/2022	6:30:00 AM	0.07
1/27/2022	6:45:00 AM	0.07
1/27/2022	7:00:00 AM	0.07
1/27/2022	7:15:00 AM	0.07
1/27/2022	7:30:00 AM	0.07
1/27/2022	7:45:00 AM	0.07
1/27/2022	8:00:00 AM	0.07
1/27/2022	8:15:00 AM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/27/2022	8:30:00 AM	0.08
1/27/2022	8:45:00 AM	0.08
1/27/2022	9:00:00 AM	0.08
1/27/2022	9:15:00 AM	0.08
1/27/2022	9:30:00 AM	0.08
1/27/2022	9:45:00 AM	0.08
1/27/2022	10:00:00 AM	0.09
1/27/2022	10:15:00 AM	0.09
1/27/2022	10:30:00 AM	0.09
1/27/2022	10:45:00 AM	0.1
1/27/2022	11:00:00 AM	0.09
1/27/2022	11:15:00 AM	0.1
1/27/2022	11:30:00 AM	0.1
1/27/2022	11:45:00 AM	0.1
1/27/2022	12:00:00 PM	0.09
1/27/2022	12:15:00 PM	0.09
1/27/2022	12:30:00 PM	0.09
1/27/2022	12:45:00 PM	0.09
1/27/2022	1:00:00 PM	0.09
1/27/2022	1:15:00 PM	0.09
1/27/2022	1:30:00 PM	0.09
1/27/2022	1:45:00 PM	0.09
1/27/2022	2:00:00 PM	0.09
1/27/2022	2:15:00 PM	0.08
1/27/2022	2:30:00 PM	0.08
1/27/2022	2:45:00 PM	0.08
1/27/2022	3:00:00 PM	0.08
1/27/2022	3:15:00 PM	0.08
1/27/2022	3:30:00 PM	0.08
1/27/2022	3:45:00 PM	0.08
1/27/2022	4:00:00 PM	0.08
1/27/2022	4:15:00 PM	0.08
1/27/2022	4:30:00 PM	0.08
1/27/2022	4:45:00 PM	0.08
1/27/2022	5:00:00 PM	0.08
1/27/2022	5:15:00 PM	0.08
1/27/2022	5:30:00 PM	0.08
1/27/2022	5:45:00 PM	0.08
1/27/2022	6:00:00 PM	0.08
1/27/2022	6:15:00 PM	0.08
1/27/2022	6:30:00 PM	0.08
1/27/2022	6:45:00 PM	0.08
1/27/2022	7:00:00 PM	0.08
1/27/2022	7:15:00 PM	0.08
1/27/2022	7:30:00 PM	0.08
1/27/2022	7:45:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
1/27/2022	8:00:00 PM	0.08
1/27/2022	8:15:00 PM	0.08
1/27/2022	8:30:00 PM	0.08
1/27/2022	8:45:00 PM	0.08
1/27/2022	9:00:00 PM	0.08
1/27/2022	9:15:00 PM	0.08
1/27/2022	9:30:00 PM	0.08
1/27/2022	9:45:00 PM	0.08
1/27/2022	10:00:00 PM	0.08
1/27/2022	10:15:00 PM	0.08
1/27/2022	10:30:00 PM	0.08
1/27/2022	10:45:00 PM	0.08
1/27/2022	11:00:00 PM	0.08
1/27/2022	11:15:00 PM	0.08
1/27/2022	11:30:00 PM	0.08
1/27/2022	11:45:00 PM	0.08
1/28/2022	12:00:00 AM	0.08
1/28/2022	12:15:00 AM	0.08
1/28/2022	12:30:00 AM	0.08
1/28/2022	12:45:00 AM	0.08
1/28/2022	1:00:00 AM	0.08
1/28/2022	1:15:00 AM	0.08
1/28/2022	1:30:00 AM	0.08
1/28/2022	1:45:00 AM	0.08
1/28/2022	2:00:00 AM	0.08
1/28/2022	2:15:00 AM	0.08
1/28/2022	2:30:00 AM	0.08
1/28/2022	2:45:00 AM	0.08
1/28/2022	3:00:00 AM	0.08
1/28/2022	3:15:00 AM	0.08
1/28/2022	3:30:00 AM	0.08
1/28/2022	3:45:00 AM	0.08
1/28/2022	4:00:00 AM	0.08
1/28/2022	4:15:00 AM	0.08
1/28/2022	4:30:00 AM	0.08
1/28/2022	4:45:00 AM	0.08
1/28/2022	5:00:00 AM	0.07
1/28/2022	5:15:00 AM	0.07
1/28/2022	5:30:00 AM	0.07
1/28/2022	5:45:00 AM	0.08
1/28/2022	6:00:00 AM	0.08
1/28/2022	6:15:00 AM	0.07
1/28/2022	6:30:00 AM	0.07
1/28/2022	6:45:00 AM	0.07
1/28/2022	7:00:00 AM	0.07
1/28/2022	7:15:00 AM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/28/2022	7:30:00 AM	0.07
1/28/2022	7:45:00 AM	0.07
1/28/2022	8:00:00 AM	0.07
1/28/2022	8:15:00 AM	0.07
1/28/2022	8:30:00 AM	0.07
1/28/2022	8:45:00 AM	0.07
1/28/2022	9:00:00 AM	0.07
1/28/2022	9:15:00 AM	0.07
1/28/2022	9:30:00 AM	0.07
1/28/2022	9:45:00 AM	0.07
1/28/2022	10:00:00 AM	0.08
1/28/2022	10:15:00 AM	0.08
1/28/2022	10:30:00 AM	0.09
1/28/2022	10:45:00 AM	0.09
1/28/2022	11:00:00 AM	0.1
1/28/2022	11:15:00 AM	0.09
1/28/2022	11:30:00 AM	0.09
1/28/2022	11:45:00 AM	0.09
1/28/2022	12:00:00 PM	0.09
1/28/2022	12:15:00 PM	0.09
1/28/2022	12:30:00 PM	0.09
1/28/2022	12:45:00 PM	0.08
1/28/2022	1:00:00 PM	0.08
1/28/2022	1:15:00 PM	0.08
1/28/2022	1:30:00 PM	0.08
1/28/2022	1:45:00 PM	0.08
1/28/2022	2:00:00 PM	0.08
1/28/2022	2:15:00 PM	0.08
1/28/2022	2:30:00 PM	0.08
1/28/2022	2:45:00 PM	0.08
1/28/2022	3:00:00 PM	0.08
1/28/2022	3:15:00 PM	0.08
1/28/2022	3:30:00 PM	0.08
1/28/2022	3:45:00 PM	0.08
1/28/2022	4:00:00 PM	0.08
1/28/2022	4:15:00 PM	0.08
1/28/2022	4:30:00 PM	0.08
1/28/2022	4:45:00 PM	0.08
1/28/2022	5:00:00 PM	0.08
1/28/2022	5:15:00 PM	0.08
1/28/2022	5:30:00 PM	0.08
1/28/2022	5:45:00 PM	0.08
1/28/2022	6:00:00 PM	0.08
1/28/2022	6:15:00 PM	0.08
1/28/2022	6:30:00 PM	0.08
1/28/2022	6:45:00 PM	0.08

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/28/2022	7:00:00 PM	0.08
1/28/2022	7:15:00 PM	0.08
1/28/2022	7:30:00 PM	0.08
1/28/2022	7:45:00 PM	0.08
1/28/2022	8:00:00 PM	0.08
1/28/2022	8:15:00 PM	0.08
1/28/2022	8:30:00 PM	0.08
1/28/2022	8:45:00 PM	0.08
1/28/2022	9:00:00 PM	0.08
1/28/2022	9:15:00 PM	0.08
1/28/2022	9:30:00 PM	0.08
1/28/2022	9:45:00 PM	0.08
1/28/2022	10:00:00 PM	0.08
1/28/2022	10:15:00 PM	0.08
1/28/2022	10:30:00 PM	0.08
1/28/2022	10:45:00 PM	0.08
1/28/2022	11:00:00 PM	0.08
1/28/2022	11:15:00 PM	0.08
1/28/2022	11:30:00 PM	0.08
1/28/2022	11:45:00 PM	0.08
1/29/2022	12:00:00 AM	0.08
1/29/2022	12:15:00 AM	0.08
1/29/2022	12:30:00 AM	0.08
1/29/2022	12:45:00 AM	0.08
1/29/2022	1:00:00 AM	0.08
1/29/2022	1:15:00 AM	0.08
1/29/2022	1:30:00 AM	0.08
1/29/2022	1:45:00 AM	0.08
1/29/2022	2:00:00 AM	0.08
1/29/2022	2:15:00 AM	0.08
1/29/2022	2:30:00 AM	0.08
1/29/2022	2:45:00 AM	0.08
1/29/2022	3:00:00 AM	0.08
1/29/2022	3:15:00 AM	0.07
1/29/2022	3:30:00 AM	0.07
1/29/2022	3:45:00 AM	0.07
1/29/2022	4:00:00 AM	0.07
1/29/2022	4:15:00 AM	0.07
1/29/2022	4:30:00 AM	0.06
1/29/2022	4:45:00 AM	0.06
1/29/2022	5:00:00 AM	0.06
1/29/2022	5:15:00 AM	0.06
1/29/2022	5:30:00 AM	0.06
1/29/2022	5:45:00 AM	0.06
1/29/2022	6:00:00 AM	0.06
1/29/2022	6:15:00 AM	0.06

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/29/2022	6:30:00 AM	0.06
1/29/2022	6:45:00 AM	0.07
1/29/2022	7:00:00 AM	0.07
1/29/2022	7:15:00 AM	0.07
1/29/2022	7:30:00 AM	0.07
1/29/2022	7:45:00 AM	0.07
1/29/2022	8:00:00 AM	0.07
1/29/2022	8:15:00 AM	0.07
1/29/2022	8:30:00 AM	0.07
1/29/2022	8:45:00 AM	0.07
1/29/2022	9:00:00 AM	0.07
1/29/2022	9:15:00 AM	0.07
1/29/2022	9:30:00 AM	0.07
1/29/2022	9:45:00 AM	0.08
1/29/2022	10:00:00 AM	0.08
1/29/2022	10:15:00 AM	0.09
1/29/2022	10:30:00 AM	0.09
1/29/2022	10:45:00 AM	0.09
1/29/2022	11:00:00 AM	0.09
1/29/2022	11:15:00 AM	0.09
1/29/2022	11:30:00 AM	0.09
1/29/2022	11:45:00 AM	0.09
1/29/2022	12:00:00 PM	0.09
1/29/2022	12:15:00 PM	0.09
1/29/2022	12:30:00 PM	0.09
1/29/2022	12:45:00 PM	0.09
1/29/2022	1:00:00 PM	0.09
1/29/2022	1:15:00 PM	0.09
1/29/2022	1:30:00 PM	0.09
1/29/2022	1:45:00 PM	0.09
1/29/2022	2:00:00 PM	0.09
1/29/2022	2:15:00 PM	0.09
1/29/2022	2:30:00 PM	0.08
1/29/2022	2:45:00 PM	0.08
1/29/2022	3:00:00 PM	0.08
1/29/2022	3:15:00 PM	0.08
1/29/2022	3:30:00 PM	0.08
1/29/2022	3:45:00 PM	0.08
1/29/2022	4:00:00 PM	0.08
1/29/2022	4:15:00 PM	0.08
1/29/2022	4:30:00 PM	0.08
1/29/2022	4:45:00 PM	0.08
1/29/2022	5:00:00 PM	0.08
1/29/2022	5:15:00 PM	0.08
1/29/2022	5:30:00 PM	0.08
1/29/2022	5:45:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
1/29/2022	6:00:00 PM	0.08
1/29/2022	6:15:00 PM	0.08
1/29/2022	6:30:00 PM	0.08
1/29/2022	6:45:00 PM	0.08
1/29/2022	7:00:00 PM	0.08
1/29/2022	7:15:00 PM	0.08
1/29/2022	7:30:00 PM	0.08
1/29/2022	7:45:00 PM	0.08
1/29/2022	8:00:00 PM	0.08
1/29/2022	8:15:00 PM	0.08
1/29/2022	8:30:00 PM	0.08
1/29/2022	8:45:00 PM	0.08
1/29/2022	9:00:00 PM	0.08
1/29/2022	9:15:00 PM	0.08
1/29/2022	9:30:00 PM	0.08
1/29/2022	9:45:00 PM	0.08
1/29/2022	10:00:00 PM	0.08
1/29/2022	10:15:00 PM	0.08
1/29/2022	10:30:00 PM	0.08
1/29/2022	10:45:00 PM	0.08
1/29/2022	11:00:00 PM	0.08
1/29/2022	11:15:00 PM	0.08
1/29/2022	11:30:00 PM	0.08
1/29/2022	11:45:00 PM	0.07
1/30/2022	12:00:00 AM	0.07
1/30/2022	12:15:00 AM	0.07
1/30/2022	12:30:00 AM	0.07
1/30/2022	12:45:00 AM	0.07
1/30/2022	1:00:00 AM	0.07
1/30/2022	1:15:00 AM	0.07
1/30/2022	1:30:00 AM	0.07
1/30/2022	1:45:00 AM	0.07
1/30/2022	2:00:00 AM	0.07
1/30/2022	2:15:00 AM	0.07
1/30/2022	2:30:00 AM	0.07
1/30/2022	2:45:00 AM	0.07
1/30/2022	3:00:00 AM	0.07
1/30/2022	3:15:00 AM	0.07
1/30/2022	3:30:00 AM	0.06
1/30/2022	3:45:00 AM	0.06
1/30/2022	4:00:00 AM	0.06
1/30/2022	4:15:00 AM	0.06
1/30/2022	4:30:00 AM	0.06
1/30/2022	4:45:00 AM	0.06
1/30/2022	5:00:00 AM	0.06
1/30/2022	5:15:00 AM	0.06

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/30/2022	5:30:00 AM	0.06
1/30/2022	5:45:00 AM	0.06
1/30/2022	6:00:00 AM	0.06
1/30/2022	6:15:00 AM	0.06
1/30/2022	6:30:00 AM	0.06
1/30/2022	6:45:00 AM	0.06
1/30/2022	7:00:00 AM	0.06
1/30/2022	7:15:00 AM	0.06
1/30/2022	7:30:00 AM	0.06
1/30/2022	7:45:00 AM	0.06
1/30/2022	8:00:00 AM	0.06
1/30/2022	8:15:00 AM	0.06
1/30/2022	8:30:00 AM	0.06
1/30/2022	8:45:00 AM	0.06
1/30/2022	9:00:00 AM	0.06
1/30/2022	9:15:00 AM	0.07
1/30/2022	9:30:00 AM	0.07
1/30/2022	9:45:00 AM	0.07
1/30/2022	10:00:00 AM	0.07
1/30/2022	10:15:00 AM	0.07
1/30/2022	10:30:00 AM	0.08
1/30/2022	10:45:00 AM	0.08
1/30/2022	11:00:00 AM	0.08
1/30/2022	11:15:00 AM	0.08
1/30/2022	11:30:00 AM	0.08
1/30/2022	11:45:00 AM	0.08
1/30/2022	12:00:00 PM	0.08
1/30/2022	12:15:00 PM	0.08
1/30/2022	12:30:00 PM	0.08
1/30/2022	12:45:00 PM	0.08
1/30/2022	1:00:00 PM	0.08
1/30/2022	1:15:00 PM	0.08
1/30/2022	1:30:00 PM	0.08
1/30/2022	1:45:00 PM	0.08
1/30/2022	2:00:00 PM	0.08
1/30/2022	2:15:00 PM	0.08
1/30/2022	2:30:00 PM	0.08
1/30/2022	2:45:00 PM	0.08
1/30/2022	3:00:00 PM	0.08
1/30/2022	3:15:00 PM	0.08
1/30/2022	3:30:00 PM	0.08
1/30/2022	3:45:00 PM	0.08
1/30/2022	4:00:00 PM	0.08
1/30/2022	4:15:00 PM	0.08
1/30/2022	4:30:00 PM	0.08
1/30/2022	4:45:00 PM	0.08



Georges Ditch Return Gage

DATE	TIME	GAGE
1/30/2022	5:00:00 PM	0.08
1/30/2022	5:15:00 PM	0.08
1/30/2022	5:30:00 PM	0.07
1/30/2022	5:45:00 PM	0.07
1/30/2022	6:00:00 PM	0.07
1/30/2022	6:15:00 PM	0.07
1/30/2022	6:30:00 PM	0.07
1/30/2022	6:45:00 PM	0.07
1/30/2022	7:00:00 PM	0.07
1/30/2022	7:15:00 PM	0.07
1/30/2022	7:30:00 PM	0.07
1/30/2022	7:45:00 PM	0.07
1/30/2022	8:00:00 PM	0.07
1/30/2022	8:15:00 PM	0.07
1/30/2022	8:30:00 PM	0.07
1/30/2022	8:45:00 PM	0.07
1/30/2022	9:00:00 PM	0.07
1/30/2022	9:15:00 PM	0.07
1/30/2022	9:30:00 PM	0.07
1/30/2022	9:45:00 PM	0.07
1/30/2022	10:00:00 PM	0.07
1/30/2022	10:15:00 PM	0.07
1/30/2022	10:30:00 PM	0.07
1/30/2022	10:45:00 PM	0.07
1/30/2022	11:00:00 PM	0.07
1/30/2022	11:15:00 PM	0.07
1/30/2022	11:30:00 PM	0.07
1/30/2022	11:45:00 PM	0.07
1/31/2022	12:00:00 AM	0.07
1/31/2022	12:15:00 AM	0.07
1/31/2022	12:30:00 AM	0.07
1/31/2022	12:45:00 AM	0.07
1/31/2022	1:00:00 AM	0.07
1/31/2022	1:15:00 AM	0.07
1/31/2022	1:30:00 AM	0.07
1/31/2022	1:45:00 AM	0.07
1/31/2022	2:00:00 AM	0.07
1/31/2022	2:15:00 AM	0.07
1/31/2022	2:30:00 AM	0.07
1/31/2022	2:45:00 AM	0.06
1/31/2022	3:00:00 AM	0.07
1/31/2022	3:15:00 AM	0.06
1/31/2022	3:30:00 AM	0.06
1/31/2022	3:45:00 AM	0.06
1/31/2022	4:00:00 AM	0.06
1/31/2022	4:15:00 AM	0.06

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/31/2022	4:30:00 AM	0.06
1/31/2022	4:45:00 AM	0.06
1/31/2022	5:00:00 AM	0.06
1/31/2022	5:15:00 AM	0.06
1/31/2022	5:30:00 AM	0.06
1/31/2022	5:45:00 AM	0.06
1/31/2022	6:00:00 AM	0.06
1/31/2022	6:15:00 AM	0.06
1/31/2022	6:30:00 AM	0.06
1/31/2022	6:45:00 AM	0.06
1/31/2022	7:00:00 AM	0.06
1/31/2022	7:15:00 AM	0.06
1/31/2022	7:30:00 AM	0.06
1/31/2022	7:45:00 AM	0.06
1/31/2022	8:00:00 AM	0.06
1/31/2022	8:15:00 AM	0.06
1/31/2022	8:30:00 AM	0.06
1/31/2022	8:45:00 AM	0.06
1/31/2022	9:00:00 AM	0.06
1/31/2022	9:15:00 AM	0.07
1/31/2022	9:30:00 AM	0.06
1/31/2022	9:45:00 AM	0.07
1/31/2022	10:00:00 AM	0.07
1/31/2022	10:15:00 AM	0.07
1/31/2022	10:30:00 AM	0.07
1/31/2022	10:45:00 AM	0.07
1/31/2022	11:00:00 AM	0.07
1/31/2022	11:15:00 AM	0.07
1/31/2022	11:30:00 AM	0.07
1/31/2022	11:45:00 AM	0.07
1/31/2022	12:00:00 PM	0.07
1/31/2022	12:15:00 PM	0.07
1/31/2022	12:30:00 PM	0.07
1/31/2022	12:45:00 PM	0.07
1/31/2022	1:00:00 PM	0.07
1/31/2022	1:15:00 PM	0.07
1/31/2022	1:30:00 PM	0.07
1/31/2022	1:45:00 PM	0.07
1/31/2022	2:00:00 PM	0.08
1/31/2022	2:15:00 PM	0.07
1/31/2022	2:30:00 PM	0.07
1/31/2022	2:45:00 PM	0.07
1/31/2022	3:00:00 PM	0.07
1/31/2022	3:15:00 PM	0.07
1/31/2022	3:30:00 PM	0.07
1/31/2022	3:45:00 PM	0.07

# Georges Ditch Return Gage

DATE	TIME	GAGE
1/31/2022	4:00:00 PM	0.07
1/31/2022	4:15:00 PM	0.07
1/31/2022	4:30:00 PM	0.07
1/31/2022	4:45:00 PM	0.07
1/31/2022	5:00:00 PM	0.07
1/31/2022	5:15:00 PM	0.07
1/31/2022	5:30:00 PM	0.07
1/31/2022	5:45:00 PM	0.07
1/31/2022	6:00:00 PM	0.07
1/31/2022	6:15:00 PM	0.07
1/31/2022	6:30:00 PM	0.07
1/31/2022	6:45:00 PM	0.07
1/31/2022	7:00:00 PM	0.07
1/31/2022	7:15:00 PM	0.07
1/31/2022	7:30:00 PM	0.08
1/31/2022	7:45:00 PM	0.09
1/31/2022	8:00:00 PM	0.09
1/31/2022	8:15:00 PM	0.09
1/31/2022	8:30:00 PM	0.09
1/31/2022	8:45:00 PM	0.1
1/31/2022	9:00:00 PM	0.1
1/31/2022	9:15:00 PM	0.1
1/31/2022	9:30:00 PM	0.1
1/31/2022	9:45:00 PM	0.1
1/31/2022	10:00:00 PM	0.1
1/31/2022	10:15:00 PM	0.1
1/31/2022	10:30:00 PM	0.1
1/31/2022	10:45:00 PM	0.1
1/31/2022	11:00:00 PM	0.1
1/31/2022	11:15:00 PM	0.1
1/31/2022	11:30:00 PM	0.1
1/31/2022	11:45:00 PM	0.1

Party: BLP/CBR	Width: 21.2 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 78.1 ft <sup>2</sup>	Mean Velocity: 0.538 ft/s
Gage Height: 4.04 ft	G.H.Change: 0.000 ft	Discharge: 41.6 ft <sup>3</sup> /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.0°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft <sup>2</sup>	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:	ADCP:
BT 3-Beam Solution: NO	Type/Freq.: StreamPro / 2000 kHz
WT 3-Beam Solution: NO	Serial #:                      Firmware: 31.12
BT Error Vel.: 32.81 ft/s	Bin Size: 10 cm              Blank: 3 cm
WT Error Vel.: 32.81 ft/s	BT Mode: 10                  BT Pings: 2
BT Up Vel.: 32.81 ft/s	WT Mode: 12                  WT Pings: 6
WT Up Vel.: 32.81 ft/s	WV : 0                          WO : 1, 4
Use Weighted Mean Depth: NO	
	Max. Vel.: 3.13 ft/s
	Max. Depth: 6.06 ft
	Mean Depth: 3.68 ft
	% Meas.: 73.72
	Water Temp.: None
	ADCP Temp.: 40.1 °F

Performed Diag. Test: NO  
 Performed Moving Bed Test: NO  
 Performed Compass Calibration: NO    Evaluation: NO  
 Meas. Location: BRIDGE

Project Name: 220126 LOR @ REINHACKLE  
 Software: 2.20

Tr.#		Edge Distance		#Ens.	Discharge					Width	Area	Time		Mean Vel.		% Bad		
		L	R		Top	Middle	Bottom	Left	Right			Total	Start	End	Boat	Water	Ens.	Bins
001	R	2	2	69	6.25	31.4	4.63	0.883	0.494	43.6	21	81	09:01	09:02	0.30	0.54	26	1
008	L	2	2	70	6.46	31.8	4.70	0.636	-0.777	42.8	24	88	09:18	09:19	0.31	0.49	23	1
009	R	2	2	73	6.07	30.3	3.99	0.777	-0.777	40.4	19	67	09:20	09:21	0.26	0.60	25	2
010	L	2	2	63	5.93	29.4	4.10	0.848	-0.424	39.8	21	76	09:22	09:23	0.28	0.52	8	1
<b>Mean</b>		2	2	68	6.18	30.7	4.35	0.786	-0.371	41.6	21	78	<b>Total</b>	00:22	0.28	0.54	20	1
<b>SDev</b>		0	0	4	0.229	1.08	0.361	0.109	0.600	1.85	2.2	8.7			0.02	0.05		
<b>SD/M</b>		0.0%	0.0%	6.3%	3.7%	3.5%	8.3%	13.9%	161.9%	4.5%	10.4%	11.2%			7.5%	9.2%		

Remarks:

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	1	0	2	45	20.4	-4.1	1.184	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	1	0	12	45	19.8	-4.1	1.184	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	1	0	22	45	21.9	-3.5	1.184	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	1	0	32	45	20	-2.8	1.184	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	1	0	42	45	20.9	-4.2	1.183	0.3	0.2	0	23.6	17.6	0	93	77	0	38	36	36
2022	1	1	0	52	45	20.8	-3.6	1.184	0.3	0.2	0	23.2	17.2	0	92	76	0	38	36	36
2022	1	1	1	2	45	20.2	-3.4	1.183	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	1	1	12	45	20.1	-3.5	1.183	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	37
2022	1	1	1	22	45	20.1	-3.8	1.183	0.3	0.2	0	23.6	17.6	0	93	77	0	38	36	35
2022	1	1	1	32	45	20.5	-4	1.183	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	1	1	42	45	20.4	-3.9	1.183	0.4	0.3	0	24.1	17.6	0	92	76	0	36	35	36
2022	1	1	1	52	45	19.2	-2.8	1.183	0.4	0.3	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	1	2	2	45	19.6	-3.4	1.183	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	2	12	45	20.2	-3.2	1.183	0.3	0.2	0	23.2	17.6	0	92	76	0	38	35	37
2022	1	1	2	22	45	19.9	-3.4	1.183	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	1	2	32	45	20.2	-3.1	1.183	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	1	2	42	45	20.7	-4	1.182	0.3	0.2	0	23.6	17.6	0	92	76	0	37	35	37
2022	1	1	2	52	45	19.9	-4.3	1.182	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	37
2022	1	1	3	2	45	20.4	-3.7	1.182	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	3	12	45	20.3	-3.9	1.182	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	3	22	45	20.8	-4.1	1.182	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	3	32	45	19.9	-3.8	1.182	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	1	3	42	45	18.3	-3.5	1.182	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	1	3	52	45	20.2	-3.4	1.182	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	1	4	2	45	20.7	-3	1.182	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	4	12	45	20.9	-4.4	1.182	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	4	22	45	20.9	-3.6	1.181	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	4	32	45	20.5	-3.5	1.181	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	4	42	45	18.6	-3.5	1.181	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	4	52	45	20.2	-3.2	1.181	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	5	2	45	20.2	-3.7	1.181	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	1	5	12	45	20.7	-4	1.181	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	1	5	22	45	20.8	-2.8	1.181	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	37
2022	1	1	5	32	45	20	-3.5	1.181	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	1	5	42	45	20.1	-3.8	1.181	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	37
2022	1	1	5	52	45	21.1	-4.1	1.181	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	37
2022	1	1	6	2	45	19.9	-3.4	1.18	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	37
2022	1	1	6	12	45	21.2	-4.1	1.181	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	6	22	45	20.6	-3.9	1.18	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	6	32	45	20.2	-3.5	1.18	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	1	6	42	45	20.5	-3.5	1.181	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	1	6	52	45	19.9	-3.4	1.18	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	1	7	2	45	20.1	-4.5	1.18	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	1	7	12	45	20.2	-4	1.18	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	1	7	22	45	20	-3.5	1.18	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	1	7	32	45	20.1	-3.1	1.18	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	1	7	42	45	20.6	-3.8	1.18	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	1	7	52	45	20.8	-3.5	1.18	0.3	0.2	0	23.6	17.6	0	92	77	0	37	36	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	1	8	2	45	20.4	-3.2	1.18	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	1	8	12	45	18.8	-3.6	1.18	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	35
2022	1	1	8	22	45	19.7	-3.5	1.18	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	1	8	32	45	21.2	-3.6	1.18	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	1	8	42	45	20.2	-2.6	1.18	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	1	8	52	45	19.6	-3.7	1.18	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	1	9	2	45	20.1	-3.9	1.18	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	9	12	45	20.3	-3.1	1.18	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	9	22	45	19.8	-3.1	1.18	0.3	0.2	0	23.2	17.2	0	91	76	0	37	36	36
2022	1	1	9	32	45	20.4	-3	1.18	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	9	42	45	21.1	-4.1	1.18	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	1	9	52	45	20.1	-2.7	1.18	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	1	10	2	45	20.5	-3.2	1.18	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	1	10	12	45	20.6	-3.9	1.18	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	1	10	22	45	19.4	-4.2	1.18	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	1	10	32	45	20.7	-4.2	1.18	0.3	0.2	0	21.5	16.3	0	88	73	0	38	35	36
2022	1	1	10	42	45	18.8	-3.4	1.18	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	1	10	52	45	20.8	-4.1	1.18	0.3	0.2	0	21.5	15.9	0	88	73	0	38	36	36
2022	1	1	11	2	45	20.1	-4	1.18	0.3	0.2	0	21.5	15.9	0	88	73	0	38	36	36
2022	1	1	11	12	45	19.9	-3.8	1.18	0.3	0.2	0	21.9	16.8	0	88	74	0	37	35	37
2022	1	1	11	22	45	19.3	-3.4	1.179	0.3	0.2	0	21.5	15.9	0	87	72	0	37	35	36
2022	1	1	11	32	45	19.6	-4	1.179	0.3	0.2	0	21.1	15.9	0	88	72	0	39	35	36
2022	1	1	11	42	45	18.6	-4.2	1.179	0.3	0.2	0	21.5	15.9	0	87	72	0	37	35	36
2022	1	1	11	52	45	19.4	-3.5	1.179	0.3	0.2	0	20.6	15.5	0	86	71	0	38	35	36
2022	1	1	12	2	45	19.1	-4.3	1.179	0.3	0.2	0	20.6	15.5	0	86	71	0	38	35	36
2022	1	1	12	12	45	18.8	-4.2	1.179	0.3	0.2	0	21.5	16.8	0	87	74	0	37	35	36
2022	1	1	12	22	45	18.3	-5.1	1.178	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	35
2022	1	1	12	32	45	18	-3.9	1.178	0.3	0.2	0	21.5	16.3	0	87	73	0	37	35	36
2022	1	1	12	42	45	19.4	-4.2	1.178	0.3	0.2	0	21.9	16.3	0	88	73	0	37	35	36
2022	1	1	12	52	45	18.8	-4.2	1.177	0.3	0.2	0	21.5	16.3	0	88	73	0	38	35	36
2022	1	1	13	2	45	18.7	-4.4	1.177	0.3	0.2	0	21.5	16.8	0	88	73	0	38	34	36
2022	1	1	13	12	45	20.4	-4.7	1.177	0.3	0.2	0	21.1	15.9	0	87	72	0	38	35	36
2022	1	1	13	22	45	20.1	-4.3	1.177	0.3	0.2	0	21.1	15.9	0	87	73	0	38	36	35
2022	1	1	13	32	45	19	-3.7	1.177	0.3	0.2	0	21.9	15.9	0	88	73	0	37	36	37
2022	1	1	13	42	45	19.2	-3.9	1.176	0.4	0.3	0	21.9	16.8	0	88	74	0	37	35	37
2022	1	1	13	52	45	20.5	-4.7	1.176	0.3	0.2	0	21.5	16.3	0	88	73	0	38	35	36
2022	1	1	14	2	45	19.5	-3.9	1.176	0.3	0.2	0	21.5	16.8	0	88	73	0	38	34	37
2022	1	1	14	12	45	18.5	-4.3	1.175	0.4	0.3	0	21.9	16.3	0	88	73	0	37	35	36
2022	1	1	14	22	45	19.3	-3.9	1.175	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	1	14	32	45	19.5	-4.6	1.174	0.3	0.2	0	21.5	16.3	0	88	73	0	38	35	36
2022	1	1	14	42	45	19.6	-4	1.174	0.3	0.2	0	21.1	15.9	0	87	72	0	38	35	36
2022	1	1	14	52	45	19	-3.9	1.175	0.3	0.2	0	21.1	15.9	0	87	72	0	38	35	36
2022	1	1	15	2	45	18.4	-4.4	1.174	0.3	0.2	0	21.1	15.9	0	87	72	0	38	35	36
2022	1	1	15	12	45	19.4	-4.7	1.175	0.3	0.2	0	21.1	15.9	0	87	72	0	38	35	36
2022	1	1	15	22	45	18.4	-6.2	1.173	0.3	0.2	0	21.1	15.9	0	87	72	0	38	35	36
2022	1	1	15	32	45	18.8	-4.7	1.173	0.3	0.2	0	21.5	15.9	0	87	72	0	37	35	36
2022	1	1	15	42	45	18.9	-3.9	1.173	0.3	0.2	0	21.9	16.8	0	88	74	0	37	35	37
2022	1	1	15	52	45	19.3	-3.8	1.173	0.3	0.2	0	21.5	16.3	0	87	73	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	1	16	2	45	19.6	-4.2	1.173	0.4	0.3	0	21.1	15.9	0	87	73	0	38	36	36
2022	1	1	16	12	45	20.3	-3.8	1.173	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	36
2022	1	1	16	22	45	20	-4.4	1.173	0.3	0.2	0	21.5	16.3	0	88	73	0	38	35	36
2022	1	1	16	32	45	21.2	-4.1	1.173	0.4	0.3	0	21.9	16.3	0	88	73	0	37	35	36
2022	1	1	16	42	45	19.5	-3.6	1.173	0.3	0.2	0	21.5	15.9	0	87	73	0	37	36	37
2022	1	1	16	52	45	20.4	-4.3	1.173	0.3	0.2	0	21.5	16.3	0	87	73	0	37	35	36
2022	1	1	17	2	45	20.1	-3.6	1.173	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	1	17	12	45	20.7	-3.2	1.173	0.3	0.2	0	21.5	16.3	0	88	73	0	38	35	37
2022	1	1	17	22	45	20.1	-3.6	1.173	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	36
2022	1	1	17	32	45	20.5	-3.8	1.172	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	36
2022	1	1	17	42	45	19.5	-3.5	1.173	0.4	0.3	0	22.4	16.8	0	89	75	0	37	36	36
2022	1	1	17	52	45	20.7	-3.1	1.172	0.3	0.2	0	22.8	17.2	0	90	75	0	37	35	36
2022	1	1	18	2	45	19.7	-4.2	1.172	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	1	18	12	45	20.2	-4.3	1.172	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	35
2022	1	1	18	22	45	20.5	-3.7	1.172	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	18	32	45	19.3	-3.5	1.172	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	1	18	42	45	21.2	-3.6	1.172	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	18	52	45	19.3	-3.1	1.172	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	37
2022	1	1	19	2	45	21.9	-3.4	1.172	0.3	0.2	0	22.8	17.2	0	90	75	0	37	35	36
2022	1	1	19	12	45	20.8	-3.8	1.172	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	1	19	22	45	19.7	-3.4	1.172	0.3	0.2	0	23.2	17.6	0	91	77	0	37	36	36
2022	1	1	19	32	45	19.3	-3.9	1.172	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	1	19	42	45	19.9	-2.9	1.172	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	1	19	52	45	20.7	-3	1.172	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	1	20	2	45	20.8	-3.4	1.172	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	1	20	12	45	20.1	-4.4	1.172	0.3	0.2	0	22.4	18.1	0	91	77	0	39	35	36
2022	1	1	20	22	45	19	-4.2	1.172	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	1	20	32	45	20.3	-3.1	1.172	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	1	20	42	45	20.2	-4.2	1.171	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	36
2022	1	1	20	52	45	20.6	-3.3	1.171	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	1	21	2	45	19.9	-4	1.171	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	1	21	12	45	19.2	-3.6	1.171	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	1	21	22	45	19.5	-4.4	1.171	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	1	21	32	45	19.4	-3.5	1.171	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	1	21	42	45	19.7	-3.4	1.171	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	1	21	52	45	20.6	-3.6	1.171	0.4	0.3	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	1	22	2	45	20.1	-3.4	1.171	0.3	0.2	0	22.4	17.6	0	91	76	0	39	35	37
2022	1	1	22	12	45	18.8	-3.9	1.171	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	1	22	22	45	20.3	-4.1	1.171	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	22	32	45	20.8	-3.3	1.171	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	1	22	42	45	20	-3.9	1.171	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	1	22	52	45	20.5	-3.5	1.171	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	1	23	2	45	19.4	-3.8	1.171	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	1	23	12	45	18.9	-3.7	1.171	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	1	23	22	45	19.2	-4	1.171	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	1	23	32	45	19.7	-4.5	1.171	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	1	23	42	45	19.9	-3.4	1.17	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	1	23	52	45	20.9	-3.8	1.17	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	38

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	2	0	2	45	20	-3.4	1.17	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	2	0	12	45	19.4	-4.5	1.17	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	2	0	22	45	20.7	-4.5	1.17	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	2	0	32	45	20.4	-2.5	1.17	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	2	0	42	45	21	-3.7	1.17	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	2	0	52	45	20.3	-3.8	1.17	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	2	1	2	45	20.7	-3.4	1.17	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	2	1	12	45	20.2	-3.2	1.17	0.3	0.2	0	23.2	17.2	0	91	76	0	37	36	37
2022	1	2	1	22	45	19.7	-3.2	1.17	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	2	1	32	45	20.7	-3.9	1.17	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	2	1	42	45	19.3	-3.6	1.17	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	2	1	52	45	19.8	-3.4	1.17	0.3	0.2	0	23.2	17.2	0	91	76	0	37	36	36
2022	1	2	2	2	45	20	-4.5	1.17	0.3	0.2	0	22.8	18.5	0	91	77	0	38	34	36
2022	1	2	2	12	45	21.1	-3.7	1.169	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	2	2	22	45	19.8	-3.8	1.169	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	2	2	32	45	19.8	-2.8	1.169	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	2	2	42	45	19.9	-3.5	1.169	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	2	2	52	45	20.3	-3.8	1.169	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	2	3	2	45	19.1	-4	1.169	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	36
2022	1	2	3	12	45	20.7	-4.2	1.169	0.3	0.2	0	23.2	17.2	0	91	76	0	37	36	37
2022	1	2	3	22	45	20.1	-3	1.169	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	2	3	32	45	20.4	-3.3	1.169	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	36
2022	1	2	3	42	45	20.1	-3	1.169	0.5	0.4	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	2	3	52	45	20.2	-3.1	1.169	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	2	4	2	45	20.1	-4.1	1.169	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	36
2022	1	2	4	12	45	19.9	-2.4	1.168	0.3	0.2	0	22.4	17.6	0	91	76	0	39	35	37
2022	1	2	4	22	45	19.9	-4.1	1.169	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	2	4	32	45	19.8	-4.2	1.168	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	2	4	42	45	20	-3.5	1.168	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	2	4	52	45	20.6	-3.7	1.168	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	2	5	2	45	20	-4.2	1.168	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	2	5	12	45	20.9	-3.4	1.168	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	2	5	22	45	19.9	-3.6	1.168	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	2	5	32	45	19.3	-3.9	1.168	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	37
2022	1	2	5	42	45	19.8	-3.8	1.168	0.3	0.2	0	22.8	17.2	0	90	76	0	37	36	37
2022	1	2	5	52	45	19.8	-3.5	1.168	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	2	6	2	45	20.9	-4.9	1.168	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	2	6	12	45	20.5	-3.5	1.168	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	2	6	22	45	19.8	-3.2	1.168	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	2	6	32	45	20.6	-3.7	1.168	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	2	6	42	45	20	-3.2	1.168	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	36
2022	1	2	6	52	45	19.4	-3.8	1.168	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	2	7	2	45	19.5	-3.4	1.167	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	37
2022	1	2	7	12	45	20.2	-2.6	1.167	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	37
2022	1	2	7	22	45	19.7	-3.2	1.167	0.3	0.2	0	28	22.4	0	103	88	0	38	36	36
2022	1	2	7	32	45	20.2	-3.4	1.167	0.4	0.3	0	26.2	20.6	0	99	84	0	38	36	36
2022	1	2	7	42	45	19.2	-3.5	1.167	0.3	0.2	0	27.5	22.4	0	102	87	0	38	35	36
2022	1	2	7	52	45	20.5	-3.5	1.167	0.3	0.2	0	28	22.8	0	103	88	0	38	35	36



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	2	8	2	45	19.4	-4.4	1.167	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	37
2022	1	2	8	12	45	19.6	-3.3	1.167	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	2	8	22	45	19.5	-4	1.167	0.3	0.2	0	22.8	18.5	0	91	78	0	38	35	36
2022	1	2	8	32	45	20.7	-3.6	1.167	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	2	8	42	45	19.1	-3.4	1.167	0.3	0.2	0	22.4	18.1	0	91	77	0	39	35	37
2022	1	2	8	52	45	19.4	-4.9	1.167	0.3	0.2	0	22.4	18.1	0	91	77	0	39	35	36
2022	1	2	9	2	45	18.8	-3.8	1.167	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	2	9	12	45	19.7	-3.8	1.167	0.3	0.2	0	27.5	21.5	0	102	87	0	38	37	36
2022	1	2	9	22	45	19.5	-3.7	1.167	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	2	9	32	45	20.1	-4.1	1.167	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	2	9	42	45	19.6	-3.9	1.167	0.3	0.2	0	21.5	17.2	0	89	75	0	39	35	37
2022	1	2	9	52	45	20.6	-3.4	1.167	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	2	10	2	45	19.5	-3.6	1.167	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	2	10	12	45	21	-3.6	1.167	0.3	0.2	0	28.4	22.4	0	104	88	0	38	36	37
2022	1	2	10	22	45	20.1	-4.2	1.167	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	2	10	32	45	20	-3.7	1.167	0.4	0.3	0	28	21.9	0	102	87	0	37	36	36
2022	1	2	10	42	45	18.9	-3.2	1.167	0.3	0.2	0	22.4	17.2	0	89	75	0	37	35	37
2022	1	2	10	52	45	18.8	-2.7	1.168	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	2	11	2	45	20.1	-3.9	1.167	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	36
2022	1	2	11	12	45	20.1	-3.8	1.167	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36
2022	1	2	11	22	45	19.7	-3.8	1.168	0.3	0.2	0	26.2	20.2	0	98	83	0	37	36	37
2022	1	2	11	32	45	19	-3.4	1.167	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	2	11	42	45	19.1	-3.5	1.167	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	2	11	52	45	20.5	-3.8	1.167	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	2	12	2	45	19.4	-4.6	1.167	0.3	0.2	0	23.6	18.1	0	92	78	0	37	36	36
2022	1	2	12	12	45	19.5	-4.1	1.167	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	2	12	22	45	19.8	-3.3	1.167	0.3	0.2	0	21.9	17.6	0	89	76	0	38	35	36
2022	1	2	12	32	45	19.5	-4.5	1.167	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	2	12	42	45	19	-3.1	1.167	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	2	12	52	45	19.6	-3.4	1.167	0.3	0.2	0	25.8	20.2	0	98	83	0	38	36	36
2022	1	2	13	2	45	20.5	-3.4	1.167	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	2	13	12	45	20.3	-3.8	1.167	0.3	0.2	0	21.9	17.6	0	89	76	0	38	35	36
2022	1	2	13	22	45	19.9	-3.8	1.167	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	36
2022	1	2	13	32	45	18.1	-3.8	1.167	0.3	0.2	0	21.5	16.8	0	88	75	0	38	36	36
2022	1	2	13	42	45	19.1	-3.8	1.167	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	2	13	52	45	18.6	-4.3	1.167	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	2	14	2	45	18	-4.1	1.167	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	2	14	12	45	18.8	-5.4	1.167	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	2	14	22	45	19.9	-3.9	1.167	0.3	0.2	0	22.8	18.5	0	91	78	0	38	35	36
2022	1	2	14	32	45	20.3	-4.6	1.167	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	2	14	42	45	19.6	-4.1	1.166	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	2	14	52	45	18	-4.2	1.166	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	2	15	2	45	18.1	-4.3	1.166	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	2	15	12	45	18.7	-4.9	1.166	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	2	15	22	45	20.2	-3.8	1.166	0.3	0.2	0	21.1	16.8	0	87	74	0	38	35	37
2022	1	2	15	32	45	19.1	-4.8	1.166	0.3	0.2	0	20.6	15.9	0	86	72	0	38	35	36
2022	1	2	15	42	45	19.7	-4.5	1.166	0.3	0.2	0	21.1	15.9	0	86	72	0	37	35	36
2022	1	2	15	52	45	19.3	-4.1	1.166	0.3	0.2	0	20.6	15.9	0	85	72	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	2	16	2	45	18.3	-4.1	1.166	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	35
2022	1	2	16	12	45	19.5	-3.9	1.166	0.3	0.2	0	22.4	17.2	0	89	76	0	37	36	36
2022	1	2	16	22	45	19.4	-3.1	1.166	0.3	0.2	0	24.1	19.4	0	95	80	0	39	35	36
2022	1	2	16	32	45	20	-4.3	1.166	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	2	16	42	45	20	-4.3	1.166	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	36
2022	1	2	16	52	45	20	-3.5	1.166	0.3	0.2	0	20.6	15.9	0	86	72	0	38	35	36
2022	1	2	17	2	45	19.5	-4.1	1.166	0.3	0.2	0	20.6	15.5	0	86	71	0	38	35	36
2022	1	2	17	12	45	20.6	-3.6	1.166	0.3	0.2	0	21.1	15.9	0	86	72	0	37	35	37
2022	1	2	17	22	45	19.9	-4.2	1.165	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	36
2022	1	2	17	32	45	19.2	-4.6	1.166	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	36
2022	1	2	17	42	45	19.5	-4.6	1.166	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	36
2022	1	2	17	52	45	20.6	-4.2	1.166	0.3	0.2	0	21.5	16.3	0	88	73	0	38	35	37
2022	1	2	18	2	45	19.1	-3.4	1.166	0.3	0.2	0	21.9	16.3	0	88	74	0	37	36	36
2022	1	2	18	12	45	18.6	-3.8	1.165	0.4	0.3	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	2	18	22	45	19.5	-4.2	1.165	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	36
2022	1	2	18	32	45	20.4	-3.6	1.166	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	2	18	42	45	19.5	-3.4	1.166	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	36
2022	1	2	18	52	45	20	-4.2	1.165	0.3	0.2	0	22.4	17.2	0	89	75	0	37	35	37
2022	1	2	19	2	45	19.8	-3.6	1.165	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	2	19	12	45	19.4	-4.2	1.165	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	36
2022	1	2	19	22	45	19.5	-3.8	1.165	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	37
2022	1	2	19	32	45	19.8	-3.4	1.165	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	2	19	42	45	20.2	-4.2	1.165	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	36
2022	1	2	19	52	45	19.5	-2.8	1.165	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	2	20	2	45	20.6	-4.9	1.165	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	37
2022	1	2	20	12	45	19.5	-3.2	1.165	0.4	0.3	0	22.8	17.2	0	90	75	0	37	35	36
2022	1	2	20	22	45	19.8	-4	1.165	0.3	0.2	0	22.4	16.8	0	89	75	0	37	36	37
2022	1	2	20	32	45	19.8	-3.6	1.165	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	2	20	42	45	20.2	-4.3	1.165	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	2	20	52	45	20	-3.8	1.165	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	2	21	2	45	18.5	-3.8	1.165	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	36
2022	1	2	21	12	45	20.2	-3.1	1.165	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	2	21	22	45	20.9	-4.2	1.165	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	2	21	32	45	19.8	-3.8	1.164	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	2	21	42	45	20.2	-3.4	1.165	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	2	21	52	45	20	-3.4	1.164	0.3	0.2	0	21.9	17.2	0	90	75	0	39	35	36
2022	1	2	22	2	45	19.4	-4.9	1.165	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	2	22	12	45	19.3	-3	1.165	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	2	22	22	45	20.2	-4.2	1.164	0.4	0.3	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	2	22	32	45	20.1	-3	1.165	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	2	22	42	45	19.8	-3.7	1.164	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	2	22	52	45	19.9	-3.8	1.164	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	2	23	2	45	19.1	-3.1	1.164	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	37
2022	1	2	23	12	45	19.9	-3.1	1.164	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	2	23	22	45	19.4	-3.3	1.164	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	37
2022	1	2	23	32	45	19.2	-3.8	1.164	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	2	23	42	45	20.5	-3.2	1.164	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	2	23	52	45	20.8	-3.8	1.164	0.3	0.2	0	22.8	17.2	0	90	75	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	3	0	2	45	19.7	-2.4	1.164	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	3	0	12	45	19	-3.1	1.164	0.3	0.2	0	21.9	17.2	0	90	75	0	39	35	36
2022	1	3	0	22	45	20.9	-4.3	1.164	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	3	0	32	45	19.9	-4.1	1.164	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	3	0	42	45	19.8	-4.8	1.164	0.3	0.2	0	22.8	16.8	0	91	75	0	38	36	37
2022	1	3	0	52	45	19.8	-4.3	1.164	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	3	1	2	45	20.8	-4.5	1.164	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	3	1	12	45	20.4	-4.7	1.163	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	37
2022	1	3	1	22	45	20.1	-4.2	1.163	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	1	32	45	19.6	-4.1	1.163	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	3	1	42	45	19.2	-3.2	1.163	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	3	1	52	45	19.3	-3.9	1.163	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	3	2	2	45	20.2	-4.2	1.163	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	2	12	45	19.7	-3.9	1.163	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	3	2	22	45	20.2	-3.6	1.163	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	2	32	45	19.6	-4.2	1.163	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	3	2	42	45	20.1	-3.5	1.163	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	2	52	45	19.1	-3.4	1.163	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	3	3	2	45	18.9	-4.6	1.163	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	3	3	12	45	20.2	-3.3	1.163	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	3	22	45	19.4	-3.7	1.162	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	3	32	45	20.2	-4.5	1.162	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	3	42	45	19.6	-3.2	1.162	0.3	0.2	0	22.8	16.8	0	90	75	0	37	36	37
2022	1	3	3	52	45	20.7	-3.4	1.162	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	3	4	2	45	20.5	-4.2	1.162	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	3	4	12	45	19.2	-4.2	1.162	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	4	22	45	20.3	-4.3	1.162	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	36
2022	1	3	4	32	45	19.4	-4.1	1.162	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	4	42	45	19.8	-3.7	1.162	0.4	0.3	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	3	4	52	45	19.6	-3.9	1.162	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	3	5	2	45	19.8	-4.3	1.162	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	5	12	45	19.1	-3.3	1.162	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	3	5	22	45	19.9	-4.6	1.162	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	5	32	45	19	-4.6	1.162	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	5	42	45	20.2	-3.4	1.161	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	3	5	52	45	19.1	-3.8	1.161	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	3	6	2	45	18.2	-3.5	1.161	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	3	6	12	45	19.4	-4.1	1.161	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	3	6	22	45	20.3	-2.9	1.161	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	3	6	32	45	18.4	-3.5	1.161	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	37
2022	1	3	6	42	45	18.6	-5	1.161	0.3	0.2	0	26.2	20.6	0	99	83	0	38	35	37
2022	1	3	6	52	45	19.2	-3.4	1.161	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	3	7	2	45	19.9	-3.7	1.16	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	3	7	12	45	19.6	-3.9	1.161	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	3	7	22	45	19.2	-3.8	1.161	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	3	7	32	45	18.3	-4.7	1.161	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	3	7	42	45	19.5	-3.8	1.161	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	37
2022	1	3	7	52	45	18.9	-3.8	1.16	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	3	8	2	45	19.6	-3.2	1.16	0.3	0.2	0	24.5	18.5	0	94	79	0	37	36	36
2022	1	3	8	12	45	18.9	-3.7	1.159	0.3	0.2	0	24.9	20.2	0	97	82	0	39	35	36
2022	1	3	8	22	45	19.6	-3	1.159	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	3	8	32	45	20.3	-3.8	1.158	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	3	8	42	45	19.3	-2.6	1.159	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	37
2022	1	3	8	52	45	20.4	-3.4	1.159	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	3	9	2	45	20.3	-4.3	1.158	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	3	9	12	45	19.5	-3	1.157	0.3	0.2	0	27.1	22.4	0	101	87	0	38	35	36
2022	1	3	9	22	45	19.2	-3.4	1.157	0.3	0.2	0	26.2	20.6	0	99	84	0	38	36	36
2022	1	3	9	32	45	19.9	-3.4	1.157	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	37
2022	1	3	9	42	45	20.1	-4.1	1.157	0.3	0.2	0	24.1	19.8	0	95	81	0	39	35	37
2022	1	3	9	52	45	20.3	-3.7	1.158	0.3	0.2	0	27.1	21.9	0	101	87	0	38	36	36
2022	1	3	10	2	45	19.8	-3.9	1.158	0.3	0.2	0	26.2	21.1	0	99	85	0	38	36	37
2022	1	3	10	12	45	19.1	-4.1	1.158	0.3	0.2	0	25.4	20.2	0	97	83	0	38	36	36
2022	1	3	10	22	45	20.1	-3.5	1.158	0.3	0.2	0	24.1	18.5	0	93	79	0	37	36	36
2022	1	3	10	32	45	19.7	-4.2	1.158	0.3	0.2	0	22.8	17.6	0	92	77	0	39	36	37
2022	1	3	10	42	45	19.8	-3.7	1.158	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	3	10	52	45	19.7	-2.9	1.157	0.3	0.2	0	26.2	21.1	0	100	85	0	39	36	36
2022	1	3	11	2	45	19.6	-3	1.157	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	37
2022	1	3	11	12	45	19.9	-4.1	1.157	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	3	11	22	45	18.8	-3.6	1.157	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	3	11	32	45	19.9	-3.9	1.157	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	3	11	42	45	19.3	-4.3	1.157	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	3	11	52	45	19	-4.2	1.157	0.5	0.4	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	3	12	2	45	20	-4.6	1.157	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	3	12	12	45	18.9	-4	1.157	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	3	12	22	45	18.6	-3.2	1.157	0.3	0.2	0	21.5	17.2	0	88	75	0	38	35	35
2022	1	3	12	32	45	19.5	-4.2	1.158	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	3	12	42	45	19.9	-4.7	1.157	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36
2022	1	3	12	52	45	19.9	-3.6	1.157	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	37
2022	1	3	13	2	45	19.7	-4.6	1.157	0.4	0.3	0	21.1	16.3	0	87	73	0	38	35	36
2022	1	3	13	12	45	19.4	-4.8	1.157	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	37
2022	1	3	13	22	45	19	-4.7	1.158	0.3	0.2	0	20.6	15.5	0	86	72	0	38	36	36
2022	1	3	13	32	45	19.5	-4.2	1.157	0.3	0.2	0	21.1	15.9	0	87	73	0	38	36	37
2022	1	3	13	42	45	19.9	-4.5	1.157	0.3	0.2	0	21.1	15.9	0	87	73	0	38	36	37
2022	1	3	13	52	45	20.1	-4.3	1.157	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	37
2022	1	3	14	2	45	19.9	-3.3	1.157	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	37
2022	1	3	14	12	45	19.7	-3.5	1.157	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	37
2022	1	3	14	22	45	19.8	-3.8	1.157	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	3	14	32	45	19.2	-3.7	1.157	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	36
2022	1	3	14	42	45	20.1	-3	1.157	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	37
2022	1	3	14	52	45	19.8	-3.8	1.157	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	3	15	2	45	18.6	-3.5	1.157	0.3	0.2	0	26.2	20.6	0	99	84	0	38	36	36
2022	1	3	15	12	45	19.3	-3.8	1.157	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	3	15	22	45	19.6	-3.8	1.157	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36
2022	1	3	15	32	45	19.3	-2.8	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	3	15	42	45	19.7	-3.8	1.156	0.3	0.2	0	23.2	18.1	0	93	78	0	39	36	36
2022	1	3	15	52	45	20.4	-4	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	3	16	2	45	18.9	-3.5	1.156	0.3	0.2	0	20.6	15.9	0	87	73	0	39	36	37
2022	1	3	16	12	45	19.2	-4.6	1.156	0.3	0.2	0	21.1	15.5	0	87	72	0	38	36	37
2022	1	3	16	22	45	18.7	-3	1.156	0.3	0.2	0	21.9	17.2	0	89	76	0	38	36	36
2022	1	3	16	32	45	18.8	-4.1	1.156	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	3	16	42	45	18.9	-3.2	1.156	0.3	0.2	0	21.1	16.3	0	88	74	0	39	36	37
2022	1	3	16	52	45	18.4	-3	1.156	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	37
2022	1	3	17	2	45	19.6	-3.4	1.156	0.3	0.2	0	21.5	15.5	0	87	72	0	37	36	36
2022	1	3	17	12	45	19.5	-3.8	1.156	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	37
2022	1	3	17	22	45	20	-4.2	1.156	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	37
2022	1	3	17	32	45	20.1	-3.6	1.156	0.3	0.2	0	21.1	16.3	0	88	73	0	39	35	37
2022	1	3	17	42	45	20.2	-2.6	1.157	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	3	17	52	45	19.3	-3.7	1.156	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	3	18	2	45	19.9	-3.9	1.157	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36
2022	1	3	18	12	45	19	-3.3	1.156	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	36
2022	1	3	18	22	45	19	-4	1.156	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	3	18	32	45	20	-3.7	1.156	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	36
2022	1	3	18	42	45	18.4	-4.2	1.156	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	3	18	52	45	19.9	-3.3	1.157	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	37
2022	1	3	19	2	45	20.5	-3.9	1.156	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	37
2022	1	3	19	12	45	19.9	-3.3	1.156	0.3	0.2	0	21.9	17.2	0	90	75	0	39	35	36
2022	1	3	19	22	45	18.8	-4.1	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	19	32	45	20.4	-3.5	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	3	19	42	45	21	-3.9	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	19	52	45	19.3	-4.3	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	20	2	45	19.7	-3.8	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	3	20	12	45	19.5	-3.7	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	20	22	45	20.4	-4	1.156	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	37
2022	1	3	20	32	45	19.5	-4.2	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	3	20	42	45	19.1	-3.8	1.156	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	3	20	52	45	20	-3.7	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	3	21	2	45	18.6	-4.2	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	3	21	12	45	20.4	-3.7	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	3	21	22	45	19.3	-3.4	1.156	0.3	0.2	0	22.4	18.1	0	90	77	0	38	35	36
2022	1	3	21	32	45	19.6	-4.1	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	3	21	42	45	20.1	-3.5	1.156	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	3	21	52	45	19.9	-3.4	1.156	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	3	22	2	45	20.1	-3.5	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	3	22	12	45	19.9	-3.7	1.156	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	3	22	22	45	19.7	-4.3	1.156	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	37
2022	1	3	22	32	45	19.9	-4.4	1.156	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	3	22	42	45	18.9	-3.3	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	3	22	52	45	20.3	-4.4	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	3	23	2	45	19.1	-4.7	1.156	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	3	23	12	45	19.2	-4	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	3	23	22	45	18.9	-3.4	1.156	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	3	23	32	45	19.1	-3.6	1.156	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	37
2022	1	3	23	42	45	19.2	-3.5	1.156	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	3	23	52	45	20	-4.2	1.156	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	4	0	2	45	19.6	-3.7	1.156	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	4	0	12	45	20	-4.5	1.156	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	4	0	22	45	18.2	-4.3	1.156	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	4	0	32	45	19	-3.5	1.156	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	37
2022	1	4	0	42	45	19.6	-4.2	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	4	0	52	45	20.2	-4.4	1.156	0.3	0.2	0	22.4	17.6	0	91	76	0	39	35	37
2022	1	4	1	2	45	19.6	-3.4	1.156	0.3	0.2	0	22.4	17.2	0	91	76	0	39	36	36
2022	1	4	1	12	45	18.5	-3.3	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	4	1	22	45	19.7	-4.9	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	4	1	32	45	19.6	-3.6	1.156	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	4	1	42	45	19.3	-3.8	1.156	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	4	1	52	45	18.9	-4.2	1.156	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	4	2	2	45	19.6	-3.9	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	4	2	12	45	19.6	-3.7	1.156	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	4	2	22	45	19.4	-3.4	1.156	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	4	2	32	45	20	-3.3	1.156	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	4	2	42	45	20	-4.5	1.156	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	37
2022	1	4	2	52	45	19.2	-3.4	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	4	3	2	45	18.5	-3.6	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	4	3	12	45	19.6	-4.3	1.156	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	37
2022	1	4	3	22	45	19.4	-3.4	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	4	3	32	45	20.4	-4.6	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	4	3	42	45	19.6	-3.7	1.156	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	4	3	52	45	19.6	-3.7	1.156	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	4	4	2	45	20	-3.2	1.156	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	4	4	12	45	20	-3.8	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	4	4	22	45	18.9	-3.4	1.156	0.4	0.3	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	4	4	32	45	19.2	-4.6	1.156	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	4	4	42	45	19	-4	1.156	0.3	0.2	0	21.9	17.2	0	90	75	0	39	35	37
2022	1	4	4	52	45	18.6	-3.9	1.156	0.3	0.2	0	21.5	17.2	0	89	75	0	39	35	37
2022	1	4	5	2	45	19.7	-4.5	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	4	5	12	45	19.6	-3.8	1.156	0.3	0.2	0	22.8	17.2	0	90	76	0	37	36	37
2022	1	4	5	22	45	19.5	-4.3	1.156	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	36
2022	1	4	5	32	45	19.3	-4.5	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	4	5	42	45	19.2	-3.4	1.156	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	4	5	52	45	19.1	-3.9	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	4	6	2	45	19.4	-4.2	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	4	6	12	45	18.5	-3.6	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	4	6	22	45	19.2	-4.2	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	4	6	32	45	18.1	-3.6	1.156	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	4	6	42	45	18.4	-4.8	1.156	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	4	6	52	45	19.5	-3.8	1.156	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	4	7	2	45	19.6	-4	1.157	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	4	7	12	45	18.8	-4.9	1.157	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	4	7	22	45	18.3	-3.4	1.156	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	4	7	32	45	18.2	-3.5	1.157	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	4	7	42	45	18.9	-4	1.157	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	4	7	52	45	19.1	-3.6	1.157	0.3	0.2	0	25.8	20.2	0	98	83	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	4	8	2	45	18.5	-3.3	1.157	0.3	0.2	0	26.2	21.5	0	99	85	0	38	35	36
2022	1	4	8	12	45	19.6	-4.1	1.157	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	37
2022	1	4	8	22	45	18.3	-4.1	1.157	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	4	8	32	45	19.1	-4.6	1.157	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	37
2022	1	4	8	42	45	19.5	-3.8	1.157	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	4	8	52	45	19.3	-3.3	1.157	0.3	0.2	0	25.8	21.1	0	98	84	0	38	35	37
2022	1	4	9	2	45	19.5	-4.3	1.157	0.4	0.3	0	26.2	21.5	0	99	85	0	38	35	36
2022	1	4	9	12	45	19.6	-4.6	1.157	0.3	0.2	0	23.6	19.4	0	94	80	0	39	35	37
2022	1	4	9	22	45	20.1	-4.5	1.157	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	4	9	32	45	19.5	-4.6	1.157	0.3	0.2	0	27.1	21.5	0	101	86	0	38	36	37
2022	1	4	9	42	45	18.9	-3.9	1.157	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	4	9	52	45	19.2	-3.5	1.157	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	4	10	2	45	19.1	-4.1	1.157	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	4	10	12	45	18.2	-4.3	1.157	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	4	10	22	45	19.4	-4	1.157	0.3	0.2	0	28	23.2	0	103	89	0	38	35	37
2022	1	4	10	32	45	19	-3.5	1.157	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	4	10	42	45	18.7	-4	1.157	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	36
2022	1	4	10	52	45	19.5	-4.3	1.157	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	4	11	2	45	19.4	-4	1.157	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	4	11	12	45	18.2	-4.3	1.157	0.3	0.2	0	23.2	18.5	0	93	79	0	39	36	37
2022	1	4	11	22	45	19.7	-4.2	1.157	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	37
2022	1	4	11	32	45	20	-5.2	1.157	0.3	0.2	0	25.4	20.2	0	97	83	0	38	36	37
2022	1	4	11	42	45	18.1	-4.5	1.157	0.3	0.2	0	24.1	18.5	0	93	79	0	37	36	37
2022	1	4	11	52	45	19.7	-4	1.157	0.3	0.2	0	22.4	18.1	0	90	77	0	38	35	36
2022	1	4	12	2	45	19.1	-4.4	1.157	0.3	0.2	0	21.9	17.2	0	89	76	0	38	36	37
2022	1	4	12	12	45	19.2	-4.3	1.157	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	4	12	22	45	19.8	-4.6	1.157	0.3	0.2	0	21.5	16.8	0	88	75	0	38	36	36
2022	1	4	12	32	45	20.6	-5.3	1.157	0.3	0.2	0	21.5	16.8	0	88	75	0	38	36	36
2022	1	4	12	42	45	19.8	-4.2	1.157	0.3	0.2	0	21.5	16.8	0	88	75	0	38	36	36
2022	1	4	12	52	45	20.3	-4.1	1.157	0.3	0.2	0	22.4	18.1	0	91	78	0	39	36	37
2022	1	4	13	2	45	19.7	-3.8	1.156	0.4	0.3	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	4	13	12	45	19.6	-3.6	1.157	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	37
2022	1	4	13	22	45	19.4	-4.2	1.157	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	4	13	32	45	19.1	-4.9	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	4	13	42	45	19.7	-4.8	1.156	0.3	0.2	0	21.1	16.8	0	87	74	0	38	35	36
2022	1	4	13	52	45	19.4	-3.3	1.156	0.3	0.2	0	21.1	15.9	0	87	73	0	38	36	36
2022	1	4	14	2	45	18.3	-4.2	1.156	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	4	14	12	45	19.6	-4.6	1.156	0.3	0.2	0	21.1	17.2	0	88	75	0	39	35	37
2022	1	4	14	22	45	19.5	-4	1.156	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	37
2022	1	4	14	32	45	19.7	-4.9	1.156	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	37
2022	1	4	14	42	45	20	-3.7	1.156	0.3	0.2	0	20.6	15.9	0	87	73	0	39	36	37
2022	1	4	14	52	45	19.5	-3.7	1.156	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	35
2022	1	4	15	2	45	20	-4.5	1.156	0.3	0.2	0	25.8	19.8	0	98	82	0	38	36	37
2022	1	4	15	12	45	20.6	-4.1	1.156	0.3	0.2	0	23.6	17.6	0	92	77	0	37	36	36
2022	1	4	15	22	45	19.2	-3.7	1.155	0.3	0.2	0	21.9	16.8	0	88	74	0	37	35	37
2022	1	4	15	32	45	19.9	-5.3	1.155	0.3	0.2	0	20.6	15.9	0	86	72	0	38	35	37
2022	1	4	15	42	45	19.5	-3.7	1.155	0.3	0.2	0	20.6	15.5	0	86	71	0	38	35	37
2022	1	4	15	52	45	19.3	-3.1	1.156	0.3	0.2	0	21.5	15.9	0	88	73	0	38	36	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	4	16	2	45	18.9	-3.1	1.155	0.3	0.2	0	20.6	15.5	0	86	72	0	38	36	36
2022	1	4	16	12	45	19.8	-3.7	1.156	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	4	16	22	45	20.1	-3	1.155	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	37
2022	1	4	16	32	45	18.7	-4.5	1.155	0.3	0.2	0	27.5	21.5	0	101	86	0	37	36	37
2022	1	4	16	42	45	19.4	-3	1.155	0.4	0.3	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	4	16	52	45	19.3	-3.8	1.155	0.3	0.2	0	26.7	20.6	0	100	84	0	38	36	37
2022	1	4	17	2	45	18.3	-3.1	1.155	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	4	17	12	45	20.4	-3.7	1.155	0.4	0.3	0	21.9	17.2	0	89	75	0	38	35	37
2022	1	4	17	22	45	18.7	-4	1.155	0.5	0.4	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	4	17	32	45	19	-2.9	1.155	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	36
2022	1	4	17	42	45	19.7	-3	1.155	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	37
2022	1	4	17	52	45	19.5	-4	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	4	18	2	45	19.3	-3.7	1.155	0.4	0.3	0	21.9	16.8	0	89	75	0	38	36	37
2022	1	4	18	12	45	19.5	-4.2	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	4	18	22	45	19.4	-3	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	4	18	32	45	19.7	-4.3	1.156	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	4	18	42	45	19.3	-4.2	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	4	18	52	45	19.5	-4.3	1.156	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	4	19	2	45	19.2	-3.9	1.155	0.3	0.2	0	22.8	17.2	0	90	75	0	37	35	37
2022	1	4	19	12	45	19.7	-4.1	1.156	0.3	0.2	0	21.9	16.3	0	89	74	0	38	36	36
2022	1	4	19	22	45	18.6	-3.1	1.156	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	4	19	32	45	19.5	-4.3	1.155	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	37
2022	1	4	19	42	45	20.2	-4.2	1.156	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	4	19	52	45	19.9	-3.3	1.155	0.3	0.2	0	22.8	17.2	0	90	75	0	37	35	36
2022	1	4	20	2	45	18.8	-3.6	1.156	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	37
2022	1	4	20	12	45	20	-3.7	1.156	0.3	0.2	0	22.8	17.2	0	90	75	0	37	35	36
2022	1	4	20	22	45	20.8	-3.7	1.156	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	4	20	32	45	20.3	-4.5	1.155	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	4	20	42	45	19.7	-3.1	1.156	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	36
2022	1	4	20	52	45	20.7	-2.6	1.156	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	4	21	2	45	19.3	-3.4	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	4	21	12	45	20.2	-4.9	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	4	21	22	45	19.6	-3.9	1.156	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	36
2022	1	4	21	32	45	19.9	-3.7	1.156	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	4	21	42	45	20.3	-4.6	1.156	0.5	0.4	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	4	21	52	45	21.1	-4	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	4	22	2	45	19.6	-4.2	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	4	22	12	45	19.3	-3.5	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	4	22	22	45	19.2	-5.1	1.156	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	4	22	32	45	19.2	-4.2	1.156	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	4	22	42	45	20	-3.3	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	4	22	52	45	20	-3.9	1.156	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	37
2022	1	4	23	2	45	18.9	-4.2	1.156	0.4	0.3	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	4	23	12	45	19.5	-4	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	4	23	22	45	21	-3.7	1.156	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	37
2022	1	4	23	32	45	18.7	-4.1	1.156	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	36
2022	1	4	23	42	45	18.7	-3.2	1.155	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	37
2022	1	4	23	52	45	19.8	-3.7	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	5	0	2	45	19.5	-3.4	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	5	0	12	45	19.8	-4	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	5	0	22	45	20.1	-3.8	1.156	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	36
2022	1	5	0	32	45	19.6	-4.5	1.156	0.4	0.3	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	5	0	42	45	19.9	-3.9	1.155	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	36
2022	1	5	0	52	45	19.9	-3.4	1.156	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	5	1	2	45	19.5	-4.3	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	5	1	12	45	19.2	-3.4	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	5	1	22	45	20	-4.7	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	5	1	32	45	19.6	-3.5	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	5	1	42	45	20	-4.1	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	5	1	52	45	19.1	-3.6	1.156	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	36
2022	1	5	2	2	45	21	-4.2	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	5	2	12	45	19.1	-4.1	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	5	2	22	45	19.5	-3.5	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	5	2	32	45	20	-4	1.156	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	5	2	42	45	19.1	-3.6	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	5	2	52	45	18.5	-3.6	1.156	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	37
2022	1	5	3	2	45	18.9	-4.2	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	5	3	12	45	19.3	-3.7	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	5	3	22	45	19.6	-4.1	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	5	3	32	45	19.9	-4.2	1.155	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	37
2022	1	5	3	42	45	19.7	-4.2	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	5	3	52	45	19.6	-4.6	1.156	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	5	4	2	45	19	-3.4	1.156	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	5	4	12	45	19.3	-4.5	1.156	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	5	4	22	45	20	-3.8	1.156	0.3	0.2	0	22.8	16.8	0	90	75	0	37	36	36
2022	1	5	4	32	45	19.4	-2.6	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	5	4	42	45	18.9	-4.3	1.156	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	5	4	52	45	20.4	-3.9	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	5	5	2	45	19.5	-3.8	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	5	5	12	45	19.3	-4.3	1.156	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	36
2022	1	5	5	22	45	19.1	-3.6	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	5	5	32	45	19.6	-3.7	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	5	5	42	45	20.1	-3.4	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	5	5	52	45	19.7	-4.2	1.156	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	36
2022	1	5	6	2	45	18.9	-4.9	1.156	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	36
2022	1	5	6	12	45	19.6	-4.1	1.156	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	5	6	22	45	20.2	-4.2	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	5	6	32	45	19.2	-3.8	1.156	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	5	6	42	45	19.4	-3.7	1.156	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	5	6	52	45	20.7	-4.3	1.156	0.3	0.2	0	23.2	18.1	0	93	78	0	39	36	37
2022	1	5	7	2	45	19.4	-4.1	1.156	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	5	7	12	45	19.6	-3.7	1.156	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	37
2022	1	5	7	22	45	18.7	-3.8	1.156	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	5	7	32	45	19.6	-4.5	1.156	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	5	7	42	45	19.3	-4.1	1.156	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	5	7	52	45	18.7	-3.4	1.156	0.4	0.3	0	24.9	19.4	0	95	81	0	37	36	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	5	8	2	45	20	-4	1.156	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	5	8	12	45	19.3	-4.3	1.156	0.3	0.2	0	23.2	18.9	0	93	79	0	39	35	36
2022	1	5	8	22	45	19.4	-3.1	1.156	0.3	0.2	0	24.9	19.8	0	95	81	0	37	35	37
2022	1	5	8	32	45	20.2	-4.1	1.156	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	5	8	42	45	19	-3.8	1.156	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	37
2022	1	5	8	52	45	19.8	-4.2	1.156	0.4	0.3	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	5	9	2	45	19.8	-4.3	1.156	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	5	9	12	45	19.5	-4.6	1.156	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	5	9	22	45	20.1	-3.7	1.157	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	5	9	32	45	19.4	-4.4	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	5	9	42	45	18.4	-3.7	1.156	0.3	0.2	0	22.4	17.2	0	89	76	0	37	36	36
2022	1	5	9	52	45	18.6	-5.7	1.156	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	37
2022	1	5	10	2	45	17.8	-3.6	1.156	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	37
2022	1	5	10	12	45	19.2	-4	1.156	0.3	0.2	0	21.5	17.2	0	88	75	0	38	35	36
2022	1	5	10	22	45	19.4	-3.5	1.156	0.3	0.2	0	22.4	17.2	0	89	75	0	37	35	37
2022	1	5	10	32	45	18.9	-4.3	1.157	0.3	0.2	0	21.9	17.2	0	90	75	0	39	35	36
2022	1	5	10	42	45	19.3	-4.9	1.156	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	5	10	52	45	18.5	-3	1.157	0.3	0.2	0	26.2	21.5	0	100	85	0	39	35	36
2022	1	5	11	2	45	19.4	-3.7	1.157	0.3	0.2	0	24.1	19.8	0	94	81	0	38	35	37
2022	1	5	11	12	45	20.2	-3.8	1.157	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	5	11	22	45	20.1	-2.8	1.156	0.4	0.3	0	24.5	19.4	0	95	81	0	38	36	37
2022	1	5	11	32	45	18.3	-3.5	1.156	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	5	11	42	45	19.9	-4.7	1.157	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	36
2022	1	5	11	52	45	19.8	-4.2	1.157	0.3	0.2	0	22.4	18.1	0	90	77	0	38	35	37
2022	1	5	12	2	45	19	-4.2	1.156	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	5	12	12	45	19.3	-4.2	1.157	0.3	0.2	0	21.9	17.6	0	89	76	0	38	35	37
2022	1	5	12	22	45	18.6	-3.8	1.157	0.4	0.3	0	21.5	17.2	0	89	75	0	39	35	36
2022	1	5	12	32	45	19.4	-3.5	1.157	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	37
2022	1	5	12	42	45	19.1	-4.6	1.156	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	36
2022	1	5	12	52	45	20	-3.4	1.156	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	5	13	2	45	18.6	-4.3	1.156	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36
2022	1	5	13	12	45	19.4	-4.7	1.156	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	37
2022	1	5	13	22	45	19.7	-4.2	1.156	0.3	0.2	0	21.5	16.8	0	88	75	0	38	36	37
2022	1	5	13	32	45	18	-4.9	1.156	0.3	0.2	0	21.9	16.8	0	88	74	0	37	35	36
2022	1	5	13	42	45	19	-4.9	1.156	0.3	0.2	0	20.6	16.8	0	87	74	0	39	35	36
2022	1	5	13	52	45	19.6	-4.1	1.156	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	5	14	2	45	18.4	-4.6	1.156	0.3	0.2	0	21.1	16.8	0	88	74	0	39	35	37
2022	1	5	14	12	45	20	-4	1.156	0.3	0.2	0	21.5	17.2	0	89	75	0	39	35	37
2022	1	5	14	22	45	19	-4.5	1.156	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	37
2022	1	5	14	32	45	18.3	-3.9	1.156	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	5	14	42	45	18.4	-4.3	1.156	0.4	0.3	0	21.9	17.6	0	90	76	0	39	35	37
2022	1	5	14	52	45	19.5	-4.6	1.156	0.3	0.2	0	22.4	16.3	0	89	74	0	37	36	36
2022	1	5	15	2	45	18.2	-4.6	1.156	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36
2022	1	5	15	12	45	18.3	-4.9	1.155	0.3	0.2	0	21.1	15.9	0	87	73	0	38	36	35
2022	1	5	15	22	45	19.3	-4	1.155	0.3	0.2	0	21.9	16.3	0	89	74	0	38	36	36
2022	1	5	15	32	45	18.6	-4.1	1.155	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	5	15	42	45	19.2	-3.7	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	5	15	52	45	20.1	-3.5	1.155	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	5	16	2	45	19.3	-3.9	1.155	0.5	0.4	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	5	16	12	45	19.7	-3.4	1.155	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	5	16	22	45	18.9	-4.5	1.155	0.3	0.2	0	22.4	16.3	0	89	74	0	37	36	36
2022	1	5	16	32	45	20.8	-4.1	1.155	0.3	0.2	0	21.9	16.8	0	90	75	0	39	36	37
2022	1	5	16	42	45	18.8	-4.4	1.155	0.3	0.2	0	28	21.5	0	103	86	0	38	36	36
2022	1	5	16	52	45	19.9	-3.8	1.155	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	5	17	2	45	19.2	-4.3	1.155	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	5	17	12	45	20.1	-4.5	1.156	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	5	17	22	45	19.5	-3.7	1.156	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	5	17	32	45	19.7	-3.1	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	5	17	42	45	19.2	-3.2	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	5	17	52	45	19.8	-3.5	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	35
2022	1	5	18	2	45	20.1	-4.1	1.156	0.4	0.3	0	22.8	17.2	0	90	75	0	37	35	36
2022	1	5	18	12	45	19.7	-4.3	1.156	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	5	18	22	45	19.5	-3.7	1.155	0.3	0.2	0	23.2	17.2	0	91	76	0	37	36	37
2022	1	5	18	32	45	18.6	-4.2	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	5	18	42	45	19.3	-3.9	1.156	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	5	18	52	45	19.3	-3.4	1.156	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	36
2022	1	5	19	2	45	18.1	-4.2	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	5	19	12	45	19.8	-3.4	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	5	19	22	45	19.2	-4.3	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	5	19	32	45	20	-4.6	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	5	19	42	45	18.8	-4.4	1.155	0.3	0.2	0	22.8	17.2	0	90	76	0	37	36	37
2022	1	5	19	52	45	20.8	-4.2	1.155	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	5	20	2	45	19.1	-3.3	1.155	0.4	0.3	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	5	20	12	45	20.1	-3.5	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	5	20	22	45	19.3	-3.5	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	5	20	32	45	19.4	-4.2	1.155	0.3	0.2	0	23.2	16.8	0	91	75	0	37	36	37
2022	1	5	20	42	45	19.8	-4.6	1.155	0.3	0.2	0	21.9	17.2	0	90	75	0	39	35	37
2022	1	5	20	52	45	19.9	-3.9	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	5	21	2	45	20	-4.3	1.155	0.3	0.2	0	22.8	16.8	0	90	75	0	37	36	36
2022	1	5	21	12	45	20.1	-3.3	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	5	21	22	45	19.5	-4	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	5	21	32	45	19.3	-3.2	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	5	21	42	45	20	-4.3	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	5	21	52	45	19.6	-2.8	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	5	22	2	45	19.8	-3.7	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	5	22	12	45	18.9	-3.4	1.155	0.3	0.2	0	22.8	17.2	0	90	76	0	37	36	37
2022	1	5	22	22	45	19.6	-4.2	1.155	0.5	0.4	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	5	22	32	45	19.8	-2.9	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	5	22	42	45	20.1	-3.9	1.155	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	37
2022	1	5	22	52	45	20	-3.5	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	5	23	2	45	18.9	-3.1	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	5	23	12	45	20.8	-4.1	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	5	23	22	45	20.2	-3.6	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	5	23	32	45	19.3	-3	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	5	23	42	45	18.8	-3.4	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	5	23	52	45	19.6	-3.3	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	6	0	2	45	19	-3.5	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	6	0	12	45	19.7	-4.1	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	6	0	22	45	19.3	-3.1	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	6	0	32	45	19.9	-4.4	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	6	0	42	45	19.2	-3.4	1.155	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	37
2022	1	6	0	52	45	19.8	-4.2	1.155	0.3	0.2	0	23.6	19.4	0	94	80	0	39	35	37
2022	1	6	1	2	45	20.1	-3.5	1.155	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	6	1	12	45	20	-3.6	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	6	1	22	45	19.4	-3.3	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	6	1	32	45	18.5	-3.8	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	6	1	42	45	20.8	-4.1	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	6	1	52	45	19.4	-4.6	1.155	0.3	0.2	0	22.4	18.1	0	91	77	0	39	35	36
2022	1	6	2	2	45	19.6	-4.6	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	6	2	12	45	19.6	-3.3	1.155	0.3	0.2	0	22.4	18.1	0	91	77	0	39	35	36
2022	1	6	2	22	45	19.6	-3	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	6	2	32	45	19.2	-4.6	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	6	2	42	45	20	-3.6	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	6	2	52	45	18.9	-3.3	1.155	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	6	3	2	45	20	-4.3	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	6	3	12	45	19.6	-4.1	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	6	3	22	45	19.9	-3.7	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	6	3	32	45	19.4	-3.7	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	6	3	42	45	18.7	-4.3	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	6	3	52	45	19.3	-2.9	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	6	4	2	45	20	-3.8	1.155	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	36
2022	1	6	4	12	45	18.4	-3.2	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	6	4	22	45	20.1	-4.8	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	6	4	32	45	20.4	-3.4	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	6	4	42	45	19.9	-4.1	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	6	4	52	45	20.2	-3.4	1.155	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	37
2022	1	6	5	2	45	19.6	-4.1	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	6	5	12	45	19.8	-4.3	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	6	5	22	45	19.6	-3.8	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	6	5	32	45	20.1	-4	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	6	5	42	45	19.7	-3.6	1.155	0.3	0.2	0	22.4	18.1	0	91	77	0	39	35	36
2022	1	6	5	52	45	19	-4	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	6	6	2	45	18.1	-4.6	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	6	6	12	45	19.6	-4	1.155	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	6	6	22	45	20	-3.8	1.155	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	6	6	32	45	19.6	-3.4	1.155	0.5	0.4	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	6	6	42	45	19.1	-3.4	1.155	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	6	6	52	45	19.4	-4.4	1.155	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	6	7	2	45	20.4	-4.1	1.155	0.3	0.2	0	24.1	18.1	0	93	78	0	37	36	36
2022	1	6	7	12	45	19.7	-3.9	1.155	0.4	0.3	0	24.1	18.5	0	93	79	0	37	36	36
2022	1	6	7	22	45	19.6	-4.4	1.155	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	6	7	32	45	19.5	-4.3	1.155	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	6	7	42	45	19.5	-3.7	1.155	0.3	0.2	0	25.4	20.6	0	98	83	0	39	35	37
2022	1	6	7	52	45	19.7	-3.7	1.155	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	6	8	2	45	18.3	-4.7	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	6	8	12	45	20.2	-3.6	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	6	8	22	45	19.2	-2.9	1.155	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	6	8	32	45	19.6	-2.8	1.155	0.3	0.2	0	24.1	19.4	0	94	81	0	38	36	36
2022	1	6	8	42	45	19.5	-4.2	1.155	0.3	0.2	0	25.8	21.1	0	98	84	0	38	35	37
2022	1	6	8	52	45	19	-2.9	1.155	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	6	9	2	45	19.2	-3.4	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	6	9	12	45	19.6	-3	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	6	9	22	45	19.2	-3.8	1.155	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	37
2022	1	6	9	32	45	20	-4.2	1.156	0.3	0.2	0	28.4	23.2	0	104	89	0	38	35	36
2022	1	6	9	42	45	20	-3.2	1.156	0.3	0.2	0	27.5	22.4	0	103	88	0	39	36	37
2022	1	6	9	52	45	19	-3.5	1.156	0.3	0.2	0	26.7	21.1	0	100	85	0	38	36	36
2022	1	6	10	2	45	20.9	-3	1.156	0.5	0.4	0	26.7	21.1	0	100	85	0	38	36	36
2022	1	6	10	12	45	19.3	-4.1	1.156	0.3	0.2	0	28	22.4	0	103	88	0	38	36	36
2022	1	6	10	22	45	19.8	-4.2	1.156	0.3	0.2	0	26.2	21.1	0	100	85	0	39	36	36
2022	1	6	10	32	45	20.4	-4	1.156	0.4	0.3	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	6	10	42	45	19.2	-3.2	1.156	0.3	0.2	0	22.4	18.1	0	90	77	0	38	35	36
2022	1	6	10	52	45	19.9	-4.5	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	6	11	2	45	19.4	-3.8	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	6	11	12	45	20	-4.5	1.156	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	6	11	22	45	18.9	-3.8	1.156	0.3	0.2	0	21.9	17.6	0	89	76	0	38	35	36
2022	1	6	11	32	45	19.3	-4.1	1.156	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	6	11	42	45	19.9	-3.9	1.156	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	6	11	52	45	19.1	-3.9	1.156	0.3	0.2	0	22.4	18.1	0	90	77	0	38	35	36
2022	1	6	12	2	45	19.8	-3.1	1.156	0.3	0.2	0	22.4	17.6	0	89	75	0	37	34	37
2022	1	6	12	12	45	20.3	-4.3	1.156	0.3	0.2	0	21.5	16.8	0	88	75	0	38	36	36
2022	1	6	12	22	45	18.3	-4.7	1.156	0.3	0.2	0	21.5	16.8	0	88	75	0	38	36	36
2022	1	6	12	32	45	19	-4.6	1.156	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	6	12	42	45	18.8	-3.9	1.156	0.3	0.2	0	21.1	16.3	0	88	74	0	39	36	36
2022	1	6	12	52	45	18.9	-4.2	1.156	0.3	0.2	0	21.5	17.2	0	88	75	0	38	35	37
2022	1	6	13	2	45	18.8	-4.4	1.156	0.3	0.2	0	21.9	16.3	0	89	74	0	38	36	36
2022	1	6	13	12	45	20	-4.2	1.156	0.4	0.3	0	21.1	16.3	0	87	74	0	38	36	37
2022	1	6	13	22	45	17.7	-4.9	1.156	0.3	0.2	0	21.5	16.8	0	89	75	0	39	36	36
2022	1	6	13	32	45	19.3	-4.9	1.156	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	36
2022	1	6	13	42	45	18.6	-4.9	1.156	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	6	13	52	45	19.5	-4.2	1.156	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	37
2022	1	6	14	2	45	18.9	-4.2	1.156	0.3	0.2	0	21.1	16.8	0	87	74	0	38	35	36
2022	1	6	14	12	45	18.2	-3.8	1.156	0.3	0.2	0	21.5	17.2	0	88	75	0	38	35	37
2022	1	6	14	22	45	18.7	-3.5	1.156	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36
2022	1	6	14	32	45	18.8	-3.9	1.156	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	37
2022	1	6	14	42	45	19.2	-4.8	1.156	0.4	0.3	0	21.1	16.3	0	87	73	0	38	35	36
2022	1	6	14	52	45	19.3	-3.6	1.155	0.3	0.2	0	21.5	16.8	0	87	74	0	37	35	36
2022	1	6	15	2	45	19.1	-3.2	1.156	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	6	15	12	45	19.4	-4.2	1.156	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	36
2022	1	6	15	22	45	19.2	-3.8	1.156	0.3	0.2	0	24.1	19.4	0	95	80	0	39	35	36
2022	1	6	15	32	45	19.9	-3.4	1.155	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	6	15	42	45	20.6	-3.4	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	6	15	52	45	19.2	-4	1.155	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	6	16	2	45	18.6	-3.9	1.155	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	6	16	12	45	19.3	-3.6	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	6	16	22	45	20.1	-3	1.156	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	6	16	32	45	20.1	-3.4	1.155	0.3	0.2	0	24.1	18.9	0	95	79	0	39	35	37
2022	1	6	16	42	45	19.4	-3.8	1.155	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	6	16	52	45	19.3	-5.2	1.155	0.3	0.2	0	21.9	16.3	0	89	74	0	38	36	37
2022	1	6	17	2	45	19.3	-3.4	1.155	0.3	0.2	0	21.1	16.3	0	87	74	0	38	36	36
2022	1	6	17	12	45	19.5	-3.8	1.155	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	36
2022	1	6	17	22	45	19.6	-4.1	1.155	0.4	0.3	0	21.1	16.3	0	87	73	0	38	35	36
2022	1	6	17	32	45	19.3	-3.8	1.156	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	36
2022	1	6	17	42	45	19.2	-3.5	1.155	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	37
2022	1	6	17	52	45	19.4	-3.4	1.155	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	37
2022	1	6	18	2	45	19.3	-4.4	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	6	18	12	45	18.8	-3.8	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	6	18	22	45	19.1	-3.4	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	6	18	32	45	19.3	-3.1	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	6	18	42	45	18.5	-3.6	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	6	18	52	45	20	-3.5	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	6	19	2	45	19.8	-3	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	6	19	12	45	19.4	-3.4	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	6	19	22	45	18.9	-4.2	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	6	19	32	45	19.8	-3.4	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	6	19	42	45	19.4	-3.8	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	6	19	52	45	19.5	-3.2	1.155	0.5	0.4	0	24.9	19.4	0	96	81	0	38	36	37
2022	1	6	20	2	45	19.5	-3.2	1.155	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	6	20	12	45	20.5	-3.3	1.155	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	6	20	22	45	19	-3.3	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	6	20	32	45	19	-3.4	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	6	20	42	45	20.4	-3.6	1.155	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	6	20	52	45	19.6	-2.6	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	6	21	2	45	19.5	-4.8	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	6	21	12	45	19.3	-3.6	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	6	21	22	45	19.8	-4.2	1.155	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	6	21	32	45	18.4	-3.4	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	6	21	42	45	19	-3.5	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	6	21	52	45	20.3	-3.7	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	6	22	2	45	19.9	-3.9	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	6	22	12	45	20.1	-3.9	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	6	22	22	45	20.2	-3.1	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	6	22	32	45	19.8	-3.5	1.155	0.3	0.2	0	23.2	17.2	0	91	76	0	37	36	37
2022	1	6	22	42	45	19.2	-3.7	1.155	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	37
2022	1	6	22	52	45	18.5	-3.3	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	6	23	2	45	18.8	-3.8	1.155	0.3	0.2	0	22.8	17.2	0	90	76	0	37	36	36
2022	1	6	23	12	45	19.2	-4.3	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	6	23	22	45	19	-4.2	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	6	23	32	45	19.4	-3.8	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	6	23	42	45	19.6	-4.6	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	6	23	52	45	18.9	-3.6	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	7	0	2	45	18.4	-3.4	1.155	0.3	0.2	0	22.8	17.2	0	91	77	0	38	37	36
2022	1	7	0	12	45	19.3	-3.6	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	7	0	22	45	20.1	-3.7	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	7	0	32	45	20.1	-3.6	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	7	0	42	45	19.4	-4.7	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	7	0	52	45	21.2	-4.7	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	7	1	2	45	20.2	-4.4	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	7	1	12	45	20.1	-3.8	1.155	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	7	1	22	45	20.1	-3	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	7	1	32	45	20.1	-2.6	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	7	1	42	45	20.1	-3.3	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	7	1	52	45	19.3	-4.2	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	7	2	2	45	20.1	-3.5	1.155	0.3	0.2	0	23.2	17.6	0	91	77	0	37	36	37
2022	1	7	2	12	45	19.4	-2.8	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	7	2	22	45	19.2	-3.9	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	7	2	32	45	20	-3.9	1.154	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	7	2	42	45	19	-4	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	7	2	52	45	20.7	-3.7	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	7	3	2	45	18.8	-4.6	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	7	3	12	45	19.7	-4	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	7	3	22	45	19.8	-3.2	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	7	3	32	45	21.4	-4	1.155	0.3	0.2	0	23.2	17.6	0	91	77	0	37	36	36
2022	1	7	3	42	45	19.6	-3.2	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	7	3	52	45	20.9	-3.8	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	7	4	2	45	19.7	-3.7	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	7	4	12	45	20	-3.7	1.154	0.4	0.3	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	7	4	22	45	19.7	-3.6	1.154	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	7	4	32	45	20.2	-3.4	1.155	0.3	0.2	0	22.8	17.2	0	90	76	0	37	36	36
2022	1	7	4	42	45	19.9	-4.7	1.155	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	35
2022	1	7	4	52	45	19.9	-3	1.154	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	36
2022	1	7	5	2	45	20	-4	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	7	5	12	45	19.1	-4.4	1.154	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	7	5	22	45	18.6	-3.4	1.155	0.3	0.2	0	22.4	17.6	0	91	76	0	39	35	36
2022	1	7	5	32	45	19.6	-3.7	1.154	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	7	5	42	45	20.8	-3.4	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	7	5	52	45	19.6	-4	1.154	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	7	6	2	45	19.5	-3.4	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	7	6	12	45	19.2	-4.1	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	7	6	22	45	18.8	-4.4	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	7	6	32	45	18.9	-3.7	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	7	6	42	45	18.3	-4.1	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	7	6	52	45	18.5	-3.1	1.154	0.4	0.3	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	7	7	2	45	19.6	-3.4	1.155	0.3	0.2	0	23.6	18.9	0	94	79	0	39	35	36
2022	1	7	7	12	45	20.1	-4.3	1.154	0.4	0.3	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	7	7	22	45	18.5	-3.4	1.154	0.3	0.2	0	25.4	20.6	0	98	83	0	39	35	37
2022	1	7	7	32	45	19.2	-3.8	1.154	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	37
2022	1	7	7	42	45	19.3	-3.5	1.154	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	37
2022	1	7	7	52	45	20	-3.6	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	7	8	2	45	19.9	-4.4	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	7	8	12	45	20.1	-3.8	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	7	8	22	45	19.6	-3.8	1.155	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	7	8	32	45	18.9	-3.9	1.155	0.3	0.2	0	25.8	20.6	0	98	84	0	38	36	36
2022	1	7	8	42	45	18.7	-2.4	1.155	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	7	8	52	45	19.4	-3.6	1.155	0.3	0.2	0	24.1	18.9	0	95	80	0	39	36	37
2022	1	7	9	2	45	19.4	-3.9	1.155	0.3	0.2	0	27.1	21.9	0	101	86	0	38	35	37
2022	1	7	9	12	45	19.8	-3.4	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	7	9	22	45	19.7	-3.8	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	7	9	32	45	19.3	-3.6	1.155	0.5	0.4	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	7	9	42	45	18.2	-3.3	1.155	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36
2022	1	7	9	52	45	19.9	-4.2	1.155	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	37
2022	1	7	10	2	45	18.5	-3.9	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	7	10	12	45	19	-3.2	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	7	10	22	45	20.2	-3.1	1.155	0.3	0.2	0	22.4	18.1	0	90	77	0	38	35	36
2022	1	7	10	32	45	19.7	-4.7	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	7	10	42	45	19.8	-3.1	1.156	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	7	10	52	45	18.6	-3.5	1.156	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	7	11	2	45	19.4	-3.3	1.156	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	37
2022	1	7	11	12	45	19.3	-3.1	1.156	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	7	11	22	45	18.4	-3.7	1.156	0.3	0.2	0	27.5	22.4	0	102	87	0	38	35	37
2022	1	7	11	32	45	19.2	-3.8	1.156	0.3	0.2	0	24.1	19.4	0	94	81	0	38	36	37
2022	1	7	11	42	45	20.2	-4.5	1.156	0.4	0.3	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	7	11	52	45	18.9	-3.4	1.156	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	36
2022	1	7	12	2	45	19.4	-4.4	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	7	12	12	45	18.1	-4.6	1.156	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	7	12	22	45	18.3	-4.7	1.156	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	7	12	32	45	18.8	-3.8	1.156	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	7	12	42	45	18.4	-3.5	1.156	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	36
2022	1	7	12	52	45	19.1	-4.4	1.157	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	7	13	2	45	19	-4.6	1.156	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	7	13	12	45	18.1	-4	1.156	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	37
2022	1	7	13	22	45	18.6	-4.3	1.156	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	36
2022	1	7	13	32	45	18.3	-4.5	1.156	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	7	13	42	45	17.7	-3.9	1.156	0.3	0.2	0	22.8	17.6	0	92	77	0	39	36	36
2022	1	7	13	52	45	19	-3.3	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	7	14	2	45	19	-4.6	1.156	0.3	0.2	0	21.5	17.2	0	89	75	0	39	35	37
2022	1	7	14	12	45	19.6	-4.4	1.156	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	36
2022	1	7	14	22	45	18.5	-3.1	1.156	0.3	0.2	0	27.5	21.9	0	102	87	0	38	36	36
2022	1	7	14	32	45	18.5	-3.5	1.156	0.4	0.3	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	7	14	42	45	18.7	-4.2	1.156	0.3	0.2	0	22.8	18.5	0	91	78	0	38	35	36
2022	1	7	14	52	45	18.8	-3.8	1.156	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	7	15	2	45	19.4	-4	1.155	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	7	15	12	45	19.6	-3.8	1.155	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	7	15	22	45	19	-3.4	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	7	15	32	45	19.8	-4.2	1.155	0.3	0.2	0	21.1	15.9	0	87	73	0	38	36	36
2022	1	7	15	42	45	18.3	-3.9	1.155	0.3	0.2	0	21.1	15.9	0	87	73	0	38	36	36
2022	1	7	15	52	45	18.8	-5	1.155	0.3	0.2	0	20.2	15.5	0	86	71	0	39	35	36



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	7	16	2	45	20.2	-3.4	1.155	0.3	0.2	0	20.6	15.5	0	86	71	0	38	35	36
2022	1	7	16	12	45	19.2	-4.6	1.155	0.3	0.2	0	21.9	16.3	0	89	74	0	38	36	36
2022	1	7	16	22	45	19.3	-3.9	1.155	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	37
2022	1	7	16	32	45	20.2	-3.8	1.155	0.4	0.3	0	21.1	15.9	0	87	73	0	38	36	37
2022	1	7	16	42	45	20.5	-3.7	1.156	0.3	0.2	0	21.1	15.5	0	87	72	0	38	36	37
2022	1	7	16	52	45	19.8	-4.2	1.156	0.3	0.2	0	20.6	15.5	0	86	71	0	38	35	36
2022	1	7	17	2	45	18.1	-3.2	1.155	0.3	0.2	0	20.6	15.5	0	86	71	0	38	35	36
2022	1	7	17	12	45	20.2	-2.9	1.155	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	36
2022	1	7	17	22	45	19.7	-3.5	1.155	0.3	0.2	0	24.5	18.9	0	94	80	0	37	36	37
2022	1	7	17	32	45	19.8	-3.5	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	7	17	42	45	19.5	-3.4	1.155	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	7	17	52	45	19.6	-3.8	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	7	18	2	45	20.9	-3.9	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	7	18	12	45	19.1	-3.5	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	7	18	22	45	19.4	-3.8	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	7	18	32	45	20	-3.5	1.155	0.3	0.2	0	21.9	16.8	0	90	75	0	39	36	36
2022	1	7	18	42	45	19.1	-3.4	1.155	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	37
2022	1	7	18	52	45	19	-3.6	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	7	19	2	45	19.4	-3.1	1.155	0.3	0.2	0	23.6	18.9	0	94	79	0	39	35	36
2022	1	7	19	12	45	19.9	-3.4	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	7	19	22	45	19.8	-3.4	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	7	19	32	45	18.6	-3.8	1.155	0.4	0.3	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	7	19	42	45	20.5	-4.2	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	7	19	52	45	19.5	-3.8	1.155	0.3	0.2	0	22.4	17.2	0	91	76	0	39	36	36
2022	1	7	20	2	45	19.8	-4.3	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	7	20	12	45	19.4	-3.4	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	7	20	22	45	20.8	-3.7	1.155	0.3	0.2	0	21.9	17.2	0	90	75	0	39	35	37
2022	1	7	20	32	45	20.1	-3.1	1.155	0.3	0.2	0	22.8	16.8	0	91	75	0	38	36	37
2022	1	7	20	42	45	19.8	-3.8	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	7	20	52	45	18.2	-2.8	1.155	0.4	0.3	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	7	21	2	45	20.4	-4.5	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	7	21	12	45	20.5	-4.3	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	7	21	22	45	18.8	-3.6	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	7	21	32	45	19.7	-4	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	7	21	42	45	20.2	-3.4	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	7	21	52	45	19.3	-3.9	1.155	0.3	0.2	0	22.4	16.8	0	90	74	0	38	35	36
2022	1	7	22	2	45	18.9	-3.8	1.155	0.3	0.2	0	22.4	16.8	0	90	74	0	38	35	37
2022	1	7	22	12	45	20.3	-4.5	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	7	22	22	45	20.8	-3.5	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	7	22	32	45	19.6	-3	1.155	0.3	0.2	0	21.9	16.8	0	90	75	0	39	36	36
2022	1	7	22	42	45	19.6	-4.2	1.155	0.3	0.2	0	21.9	16.3	0	89	74	0	38	36	36
2022	1	7	22	52	45	19.6	-3.9	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	7	23	2	45	20.6	-3.1	1.155	0.3	0.2	0	22.8	17.2	0	91	75	0	38	35	36
2022	1	7	23	12	45	20	-3.2	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	7	23	22	45	19.1	-3.4	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	7	23	32	45	18.6	-4.1	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	7	23	42	45	19.6	-3.4	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	7	23	52	45	20.5	-3.4	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	8	0	2	45	19.6	-3.6	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	8	0	12	45	20.5	-3.5	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	8	0	22	45	20	-4.3	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	8	0	32	45	20.3	-2.9	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	8	0	42	45	19	-2.9	1.155	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	8	0	52	45	19.3	-3.4	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	8	1	2	45	19.6	-3.1	1.154	0.3	0.2	0	24.1	18.1	0	92	77	0	36	35	36
2022	1	8	1	12	45	20.1	-3.4	1.155	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	8	1	22	45	19.9	-3.6	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	8	1	32	45	19.4	-2.4	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	8	1	42	45	18.9	-3.5	1.155	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	37
2022	1	8	1	52	45	20.7	-3.8	1.155	0.4	0.3	0	22.8	18.1	0	91	78	0	38	36	36
2022	1	8	2	2	45	20.2	-3.5	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	8	2	12	45	19.4	-4	1.155	0.5	0.4	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	8	2	22	45	19.8	-3.3	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	8	2	32	45	19.4	-3.5	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	8	2	42	45	19.7	-3.1	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	8	2	52	45	19.2	-3.5	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	8	3	2	45	20	-3.7	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	8	3	12	45	20.2	-3.3	1.155	0.3	0.2	0	22.8	17.6	0	92	77	0	39	36	36
2022	1	8	3	22	45	19.7	-4	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	8	3	32	45	18.9	-3.5	1.155	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	8	3	42	45	19	-3.4	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	8	3	52	45	19.8	-3.7	1.154	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	8	4	2	45	20.1	-3.6	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	8	4	12	45	19.9	-3.6	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	8	4	22	45	19.9	-3.4	1.154	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	37
2022	1	8	4	32	45	20.2	-3.3	1.155	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	37
2022	1	8	4	42	45	19.2	-3.8	1.154	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	36
2022	1	8	4	52	45	20.1	-3.8	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	8	5	2	45	20.1	-3.5	1.154	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	8	5	12	45	18.8	-3.5	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	8	5	22	45	19.8	-4.1	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	8	5	32	45	19.3	-3.3	1.154	0.4	0.3	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	8	5	42	45	19.2	-3.2	1.154	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	8	5	52	45	19.8	-3.4	1.154	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	8	6	2	45	18.9	-2.9	1.154	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	8	6	12	45	19.7	-3.7	1.154	0.3	0.2	0	23.2	17.6	0	91	77	0	37	36	37
2022	1	8	6	22	45	20.5	-4.1	1.154	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	37
2022	1	8	6	32	45	19	-3.8	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	8	6	42	45	19.7	-3.5	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	8	6	52	45	18.9	-3.7	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	8	7	2	45	19	-3.3	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	8	7	12	45	19.8	-4.2	1.154	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	8	7	22	45	19.7	-4.6	1.154	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	8	7	32	45	20	-3.4	1.154	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	8	7	42	45	18.9	-4	1.154	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	8	7	52	45	18.7	-2.7	1.154	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	8	8	2	45	19.4	-3.3	1.154	0.3	0.2	0	27.5	22.4	0	102	87	0	38	35	37
2022	1	8	8	12	45	19.3	-3.9	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	8	8	22	45	19	-4	1.154	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	8	8	32	45	19.3	-3.9	1.154	0.4	0.3	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	8	8	42	45	19.5	-4.3	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	8	8	52	45	19.2	-3.2	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	8	9	2	45	18.5	-2.8	1.155	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	36
2022	1	8	9	12	45	19.2	-3.4	1.155	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	36
2022	1	8	9	22	45	20.2	-3.2	1.155	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	8	9	32	45	17.9	-3.9	1.155	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	8	9	42	45	19.3	-3.3	1.155	0.4	0.3	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	8	9	52	45	20.4	-4.2	1.155	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	8	10	2	45	19.5	-3.5	1.155	0.4	0.3	0	27.5	22.8	0	103	88	0	39	35	36
2022	1	8	10	12	45	19	-4.6	1.155	0.3	0.2	0	25.8	21.1	0	98	84	0	38	35	37
2022	1	8	10	22	45	19.7	-3.7	1.155	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	8	10	32	45	19.1	-3.8	1.156	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	8	10	42	45	18.7	-3.8	1.156	0.4	0.3	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	8	10	52	45	19.9	-3.8	1.156	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	36
2022	1	8	11	2	45	20.1	-4.1	1.156	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	8	11	12	45	19	-3.9	1.155	0.3	0.2	0	23.6	18.9	0	94	80	0	39	36	36
2022	1	8	11	22	45	18.3	-3.8	1.156	0.3	0.2	0	26.2	21.5	0	99	85	0	38	35	36
2022	1	8	11	32	45	19.2	-3.5	1.156	0.3	0.2	0	26.7	21.9	0	100	86	0	38	35	36
2022	1	8	11	42	45	19.5	-3.6	1.156	0.3	0.2	0	29.2	23.2	0	105	90	0	37	36	36
2022	1	8	11	52	45	19.5	-2.7	1.156	0.3	0.2	0	28.8	24.1	0	105	91	0	38	35	36
2022	1	8	12	2	45	19.9	-3.9	1.156	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	37
2022	1	8	12	12	45	18.9	-3.8	1.156	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	8	12	22	45	19.5	-4.3	1.156	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	8	12	32	45	19.1	-3.2	1.156	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	37
2022	1	8	12	42	45	19	-3.9	1.156	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	36
2022	1	8	12	52	45	19.9	-3.1	1.156	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	8	13	2	45	19.2	-4.2	1.156	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	8	13	12	45	19.9	-4.2	1.156	0.3	0.2	0	22.4	18.1	0	90	77	0	38	35	37
2022	1	8	13	22	45	19.5	-3.6	1.156	0.3	0.2	0	26.2	21.1	0	99	85	0	38	36	37
2022	1	8	13	32	45	20.1	-3.1	1.156	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	8	13	42	45	20	-3.7	1.156	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	8	13	52	45	19.7	-3.5	1.156	0.3	0.2	0	27.5	22.8	0	102	88	0	38	35	36
2022	1	8	14	2	45	20.3	-3.1	1.156	0.3	0.2	0	28	21.5	0	102	86	0	37	36	36
2022	1	8	14	12	45	19.4	-3.7	1.156	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	8	14	22	45	20.4	-3.4	1.155	0.3	0.2	0	25.8	20.2	0	98	83	0	38	36	36
2022	1	8	14	32	45	19.6	-2.8	1.156	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	8	14	42	45	19.5	-4	1.156	0.3	0.2	0	22.8	18.1	0	92	78	0	39	36	37
2022	1	8	14	52	45	20.2	-3.1	1.155	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	8	15	2	45	20.6	-4	1.155	0.4	0.3	0	25.8	20.2	0	98	82	0	38	35	37
2022	1	8	15	12	45	19.9	-3.7	1.155	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	8	15	22	45	20.6	-3.3	1.155	0.3	0.2	0	29.7	23.2	0	107	90	0	38	36	36
2022	1	8	15	32	45	19.3	-3.4	1.155	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	37
2022	1	8	15	42	45	19	-3	1.155	0.3	0.2	0	27.1	21.1	0	101	85	0	38	36	36
2022	1	8	15	52	45	20.4	-3.8	1.155	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	8	16	2	45	19.3	-3.3	1.155	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	8	16	12	45	18.6	-3.5	1.155	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	8	16	22	45	19.9	-3.8	1.155	0.3	0.2	0	27.5	21.1	0	102	86	0	38	37	36
2022	1	8	16	32	45	19.8	-3.1	1.155	0.3	0.2	0	27.1	21.9	0	101	86	0	38	35	36
2022	1	8	16	42	45	18.7	-3.8	1.155	0.3	0.2	0	25.8	19.8	0	97	82	0	37	36	36
2022	1	8	16	52	45	19.8	-3.1	1.155	0.3	0.2	0	30.1	24.5	0	108	92	0	38	35	35
2022	1	8	17	2	45	20.2	-3.7	1.155	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	8	17	12	45	19.6	-3.3	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	8	17	22	45	20	-2.9	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	8	17	32	45	20	-3.4	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	8	17	42	45	19.5	-3.8	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	8	17	52	45	18.8	-3.5	1.155	0.4	0.3	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	8	18	2	45	19.8	-3.3	1.155	0.4	0.3	0	22.4	17.2	0	90	76	0	38	36	35
2022	1	8	18	12	45	18.8	-3.9	1.155	0.3	0.2	0	21.9	17.2	0	90	76	0	39	36	36
2022	1	8	18	22	45	18.9	-3.5	1.155	0.3	0.2	0	24.5	19.4	0	96	81	0	39	36	36
2022	1	8	18	32	45	19.6	-3.1	1.155	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	8	18	42	45	19.1	-3.7	1.155	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	8	18	52	45	20.3	-3.7	1.155	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	8	19	2	45	19.1	-3.3	1.155	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	8	19	12	45	19.9	-4.2	1.155	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	8	19	22	45	19.1	-3.9	1.155	0.4	0.3	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	8	19	32	45	20.2	-4	1.155	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	8	19	42	45	19.8	-4.1	1.155	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	8	19	52	45	18.7	-3.6	1.155	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	8	20	2	45	19.5	-3.4	1.155	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	8	20	12	45	19.6	-3.1	1.155	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	8	20	22	45	18.9	-4	1.155	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	8	20	32	45	19.1	-2.5	1.155	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	8	20	42	45	20	-3.8	1.155	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	8	20	52	45	19.5	-4.3	1.155	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	8	21	2	45	20.2	-3.6	1.155	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	8	21	12	45	19	-3.9	1.155	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	8	21	22	45	20.2	-4	1.155	0.3	0.2	0	24.1	18.1	0	93	78	0	37	36	36
2022	1	8	21	32	45	19.4	-3.7	1.155	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	8	21	42	45	19.5	-4.5	1.155	0.4	0.3	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	8	21	52	45	20.2	-4	1.155	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	8	22	2	45	19.9	-3.8	1.155	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	8	22	12	45	20.6	-3.8	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	8	22	22	45	19.7	-3.5	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	8	22	32	45	19.9	-4.3	1.155	0.3	0.2	0	22.8	18.1	0	92	78	0	39	36	36
2022	1	8	22	42	45	19.9	-3.8	1.155	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	8	22	52	45	19.5	-3.2	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	8	23	2	45	18.7	-4.2	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	8	23	12	45	20.3	-3.2	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	8	23	22	45	19.7	-3.5	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	8	23	32	45	19	-2.3	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	8	23	42	45	19	-3.8	1.155	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	8	23	52	45	19.8	-3.6	1.155	0.3	0.2	0	22.8	18.1	0	92	78	0	39	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	9	0	2	45	19.4	-3.1	1.155	0.3	0.2	0	22.8	18.1	0	92	77	0	39	35	37
2022	1	9	0	12	45	18.7	-3.6	1.155	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	36
2022	1	9	0	22	45	20.1	-4.3	1.155	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	9	0	32	45	20	-3.4	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	9	0	42	45	19.4	-4.4	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	9	0	52	45	19.3	-3.4	1.155	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	9	1	2	45	19.6	-3.9	1.155	0.4	0.3	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	9	1	12	45	19.6	-3.3	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	9	1	22	45	20.1	-3.4	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	9	1	32	45	20	-3.8	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	9	1	42	45	20.1	-3.9	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	9	1	52	45	19.4	-2.7	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	9	2	2	45	19.6	-4.1	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	9	2	12	45	18.2	-3.6	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	9	2	22	45	19.4	-4	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	9	2	32	45	19.6	-3.6	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	9	2	42	45	19.4	-3.6	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	9	2	52	45	20.3	-4.1	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	9	3	2	45	19	-3.2	1.154	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	37
2022	1	9	3	12	45	18.7	-3.2	1.155	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	9	3	22	45	19.4	-3.5	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	9	3	32	45	20.2	-4.5	1.154	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	9	3	42	45	19.5	-2.9	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	9	3	52	45	20.2	-4.2	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	9	4	2	45	18.9	-3.8	1.154	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	9	4	12	45	19.1	-4.9	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	9	4	22	45	18.6	-4	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	9	4	32	45	20.1	-4.1	1.154	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	37
2022	1	9	4	42	45	19.3	-3.6	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	9	4	52	45	19.4	-3.4	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	9	5	2	45	19.7	-4.2	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	9	5	12	45	20.4	-3.6	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	9	5	22	45	19.6	-4.1	1.154	0.3	0.2	0	22.8	18.1	0	92	78	0	39	36	36
2022	1	9	5	32	45	19.6	-3.6	1.154	0.3	0.2	0	22.8	18.5	0	92	78	0	39	35	36
2022	1	9	5	42	45	19.3	-3.4	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	9	5	52	45	20.2	-4.1	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	9	6	2	45	19.4	-3.9	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	9	6	12	45	19.3	-3.5	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	9	6	22	45	18.9	-4	1.154	0.3	0.2	0	24.9	19.8	0	96	82	0	38	36	36
2022	1	9	6	32	45	19.1	-4.1	1.154	0.3	0.2	0	25.8	20.6	0	99	83	0	39	35	36
2022	1	9	6	42	45	19.7	-4.3	1.154	0.3	0.2	0	26.2	21.1	0	100	84	0	39	35	36
2022	1	9	6	52	45	18.8	-3.8	1.154	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	37
2022	1	9	7	2	45	19.7	-3.5	1.154	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	9	7	12	45	19	-4	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	9	7	22	45	19.6	-4.7	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	9	7	32	45	19.7	-3.8	1.154	0.3	0.2	0	25.8	21.1	0	99	84	0	39	35	36
2022	1	9	7	42	45	20	-3.2	1.154	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36
2022	1	9	7	52	45	19.3	-4.4	1.154	0.3	0.2	0	28	22.8	0	103	89	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	9	8	2	45	19.3	-3.7	1.154	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	37
2022	1	9	8	12	45	20.1	-3.2	1.154	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	37
2022	1	9	8	22	45	19.7	-3.4	1.154	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	37
2022	1	9	8	32	45	19.4	-3.8	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	9	8	42	45	19.8	-3.7	1.154	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	36
2022	1	9	8	52	45	19.7	-3.8	1.154	0.3	0.2	0	24.1	19.4	0	95	81	0	39	36	37
2022	1	9	9	2	45	19.4	-4	1.154	0.3	0.2	0	28.4	23.2	0	104	89	0	38	35	37
2022	1	9	9	12	45	19.7	-4.2	1.154	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	9	9	22	45	19.4	-3.7	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	9	9	32	45	18.5	-3.9	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	9	9	42	45	20	-3.8	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	9	9	52	45	19.8	-3.4	1.155	0.4	0.3	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	9	10	2	45	20.2	-4	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	9	10	12	45	19.5	-4.6	1.155	0.3	0.2	0	27.1	21.5	0	100	86	0	37	36	36
2022	1	9	10	22	45	20.6	-4	1.155	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	9	10	32	45	19.3	-4.1	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	9	10	42	45	19.9	-4.2	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	9	10	52	45	19.4	-3.4	1.155	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	9	11	2	45	19.9	-3.7	1.155	0.4	0.3	0	24.9	20.2	0	97	83	0	39	36	36
2022	1	9	11	12	45	19.4	-4.1	1.155	0.3	0.2	0	24.5	19.4	0	94	81	0	37	36	36
2022	1	9	11	22	45	19.5	-3.5	1.155	0.5	0.4	0	22.4	18.1	0	91	77	0	39	35	36
2022	1	9	11	32	45	19	-3.6	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	9	11	42	45	20.1	-4.1	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	9	11	52	45	19.4	-3.5	1.155	0.3	0.2	0	21.9	17.2	0	89	76	0	38	36	37
2022	1	9	12	2	45	19.5	-3.8	1.155	0.3	0.2	0	22.4	17.2	0	89	76	0	37	36	36
2022	1	9	12	12	45	19.1	-4.2	1.156	0.3	0.2	0	21.9	17.6	0	89	76	0	38	35	37
2022	1	9	12	22	45	19.6	-4.6	1.156	0.3	0.2	0	21.5	17.2	0	88	75	0	38	35	36
2022	1	9	12	32	45	19.5	-3.7	1.155	0.3	0.2	0	21.5	16.8	0	88	75	0	38	36	37
2022	1	9	12	42	45	20.5	-3.7	1.155	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	9	12	52	45	19.6	-4.6	1.155	0.3	0.2	0	21.9	17.6	0	89	76	0	38	35	37
2022	1	9	13	2	45	19.4	-4.5	1.156	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	36
2022	1	9	13	12	45	19.9	-3.3	1.155	0.3	0.2	0	25.8	21.1	0	98	84	0	38	35	37
2022	1	9	13	22	45	19.3	-4.2	1.155	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	9	13	32	45	19.4	-4.6	1.156	0.3	0.2	0	25.8	20.2	0	98	83	0	38	36	36
2022	1	9	13	42	45	19.6	-4.1	1.155	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	9	13	52	45	18.3	-5.2	1.155	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	9	14	2	45	19.3	-3	1.155	0.3	0.2	0	25.8	21.1	0	98	84	0	38	35	36
2022	1	9	14	12	45	19.2	-4.6	1.155	0.3	0.2	0	27.5	22.4	0	102	88	0	38	36	37
2022	1	9	14	22	45	19.5	-3.7	1.155	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	37
2022	1	9	14	32	45	19.9	-4.5	1.155	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	9	14	42	45	19.2	-3.5	1.155	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	9	14	52	45	19.4	-3.2	1.155	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	9	15	2	45	19.2	-3.4	1.155	0.3	0.2	0	25.4	20.2	0	97	83	0	38	36	36
2022	1	9	15	12	45	19.4	-3.7	1.155	0.4	0.3	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	9	15	22	45	19.1	-4.2	1.155	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	37
2022	1	9	15	32	45	19.5	-4.7	1.154	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36
2022	1	9	15	42	45	19.3	-4.2	1.154	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	37
2022	1	9	15	52	45	19.9	-3.8	1.155	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	9	16	2	45	20.2	-4.4	1.154	0.3	0.2	0	21.1	16.3	0	87	73	0	38	35	37
2022	1	9	16	12	45	18.9	-3.2	1.154	0.3	0.2	0	21.5	15.9	0	88	73	0	38	36	37
2022	1	9	16	22	45	18.9	-3.5	1.154	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	37
2022	1	9	16	32	45	20	-2.9	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	9	16	42	45	19.7	-2.9	1.154	0.3	0.2	0	28.4	22.4	0	104	88	0	38	36	37
2022	1	9	16	52	45	19.5	-4.6	1.155	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	9	17	2	45	20.1	-3.6	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	9	17	12	45	19.6	-4.1	1.154	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	9	17	22	45	19	-4	1.154	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	9	17	32	45	20	-3.8	1.154	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	9	17	42	45	19.8	-4.2	1.154	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	9	17	52	45	20.2	-4	1.154	0.4	0.3	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	9	18	2	45	20.6	-3.8	1.154	0.3	0.2	0	22.4	18.5	0	91	78	0	39	35	37
2022	1	9	18	12	45	18.9	-3.7	1.154	0.3	0.2	0	22.8	18.1	0	92	78	0	39	36	36
2022	1	9	18	22	45	19.5	-3.3	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	9	18	32	45	19.5	-3.4	1.154	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	9	18	42	45	18.8	-3.3	1.154	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	9	18	52	45	20.1	-4.1	1.154	0.3	0.2	0	23.6	17.6	0	92	77	0	37	36	37
2022	1	9	19	2	45	20	-3.8	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	9	19	12	45	19.4	-4.2	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	9	19	22	45	19.5	-3.5	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	9	19	32	45	18.4	-2.9	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	9	19	42	45	18.3	-2.9	1.154	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	9	19	52	45	18.4	-4.3	1.154	0.4	0.3	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	9	20	2	45	19.8	-3.8	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	9	20	12	45	20.8	-4.1	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	9	20	22	45	19.7	-3.5	1.154	0.3	0.2	0	23.2	18.5	0	93	78	0	39	35	36
2022	1	9	20	32	45	19.7	-4	1.154	0.3	0.2	0	23.6	18.1	0	92	78	0	37	36	35
2022	1	9	20	42	45	19.9	-4.1	1.154	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	9	20	52	45	19	-4.2	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	9	21	2	45	19.8	-4.2	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	9	21	12	45	19.8	-4.6	1.154	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	9	21	22	45	18.1	-2.7	1.154	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	9	21	32	45	19.7	-4.2	1.154	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	9	21	42	45	20.1	-2.8	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	9	21	52	45	18.7	-3.1	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	9	22	2	45	20.5	-3	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	9	22	12	45	20.1	-3.6	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	9	22	22	45	19.4	-4	1.154	0.3	0.2	0	23.2	18.1	0	93	78	0	39	36	36
2022	1	9	22	32	45	19.7	-3.4	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	9	22	42	45	18.1	-3.8	1.154	0.3	0.2	0	23.2	18.9	0	93	79	0	39	35	37
2022	1	9	22	52	45	19.2	-3.5	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	9	23	2	45	20.2	-3.4	1.154	0.5	0.4	0	24.1	18.9	0	93	79	0	37	35	37
2022	1	9	23	12	45	19.6	-4.1	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	35
2022	1	9	23	22	45	20.1	-3.4	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	9	23	32	45	19.3	-3.6	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	9	23	42	45	19.5	-4.9	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	9	23	52	45	19.5	-4	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	10	0	2	45	19.6	-3.4	1.154	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	10	0	12	45	19.1	-3.4	1.154	0.4	0.3	0	23.2	18.5	0	93	78	0	39	35	36
2022	1	10	0	22	45	19.1	-3.8	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	10	0	32	45	19.9	-4.7	1.154	0.3	0.2	0	23.2	18.5	0	93	79	0	39	36	36
2022	1	10	0	42	45	19.3	-3.3	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	10	0	52	45	19.1	-4.2	1.154	0.3	0.2	0	23.2	18.9	0	93	79	0	39	35	36
2022	1	10	1	2	45	19.2	-4	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	10	1	12	45	19.5	-3.7	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	10	1	22	45	19.1	-3.4	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	10	1	32	45	18.6	-3.1	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	10	1	42	45	19.4	-3.8	1.153	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	10	1	52	45	19.2	-3.7	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	10	2	2	45	20	-3.8	1.153	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	10	2	12	45	19.8	-3.8	1.154	0.4	0.3	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	10	2	22	45	20.1	-4.2	1.153	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	10	2	32	45	19.4	-3.4	1.153	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	10	2	42	45	19.4	-2.8	1.153	0.3	0.2	0	23.2	18.5	0	93	79	0	39	36	36
2022	1	10	2	52	45	20.7	-4.2	1.153	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	10	3	2	45	18.9	-3.8	1.153	0.3	0.2	0	23.6	19.4	0	93	79	0	38	34	37
2022	1	10	3	12	45	19.2	-3.4	1.153	0.3	0.2	0	23.2	18.9	0	93	79	0	39	35	36
2022	1	10	3	22	45	19.4	-2.6	1.153	0.3	0.2	0	23.2	18.9	0	93	79	0	39	35	37
2022	1	10	3	32	45	19.4	-4.4	1.153	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	10	3	42	45	19.4	-3.4	1.153	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	10	3	52	45	19.5	-3.7	1.153	0.3	0.2	0	23.2	18.9	0	93	79	0	39	35	37
2022	1	10	4	2	45	19.8	-3.5	1.153	0.3	0.2	0	23.2	18.5	0	93	78	0	39	35	36
2022	1	10	4	12	45	19.6	-4.2	1.153	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	10	4	22	45	18.7	-3.5	1.153	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	10	4	32	45	19.2	-3.4	1.153	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	35
2022	1	10	4	42	45	19.3	-3.7	1.153	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	10	4	52	45	19.5	-3.8	1.153	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	10	5	2	45	19.3	-3	1.153	0.3	0.2	0	23.2	18.1	0	93	78	0	39	36	37
2022	1	10	5	12	45	19	-3.5	1.153	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	10	5	22	45	19.2	-3.5	1.153	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	10	5	32	45	19.3	-3.6	1.153	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	10	5	42	45	19.7	-4.1	1.153	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	10	5	52	45	20.1	-4.5	1.153	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	10	6	2	45	19.8	-3.7	1.153	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	10	6	12	45	19.9	-4.5	1.153	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	10	6	22	45	18.9	-2.7	1.153	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	37
2022	1	10	6	32	45	19	-4	1.153	0.3	0.2	0	24.9	19.8	0	96	82	0	38	36	37
2022	1	10	6	42	45	19.2	-3.8	1.153	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	36
2022	1	10	6	52	45	19.3	-2.6	1.153	0.3	0.2	0	25.4	20.6	0	98	84	0	39	36	37
2022	1	10	7	2	45	18.9	-3.8	1.153	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	10	7	12	45	19.4	-4.2	1.153	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	37
2022	1	10	7	22	45	19.1	-3.4	1.153	0.4	0.3	0	24.5	20.2	0	96	82	0	39	35	37
2022	1	10	7	32	45	19.3	-3.7	1.153	0.3	0.2	0	26.2	20.6	0	99	84	0	38	36	37
2022	1	10	7	42	45	19.6	-4.5	1.153	0.4	0.3	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	10	7	52	45	19.8	-3.8	1.153	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	10	8	2	45	20.6	-4.1	1.153	0.3	0.2	0	24.9	19.8	0	96	82	0	38	36	37
2022	1	10	8	12	45	19.9	-3.6	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	10	8	22	45	20.1	-3.5	1.153	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	10	8	32	45	19.8	-3.8	1.154	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	38
2022	1	10	8	42	45	20.5	-4.2	1.153	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	10	8	52	45	19.5	-3.8	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	10	9	2	45	19.8	-3.4	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	10	9	12	45	20	-3	1.154	0.4	0.3	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	10	9	22	45	20	-4	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	10	9	32	45	19.4	-3.4	1.154	0.3	0.2	0	22.8	18.5	0	92	78	0	39	35	37
2022	1	10	9	42	45	19.7	-3.5	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	10	9	52	45	18.9	-3.8	1.154	0.3	0.2	0	23.2	18.9	0	93	79	0	39	35	37
2022	1	10	10	2	45	20.5	-4.1	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	10	10	12	45	19.7	-4.2	1.154	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	10	10	22	45	19.6	-4.1	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	10	10	32	45	19.4	-3.6	1.154	0.4	0.3	0	24.5	19.8	0	96	82	0	39	36	36
2022	1	10	10	42	45	19.1	-3.6	1.154	0.3	0.2	0	23.2	18.9	0	93	80	0	39	36	37
2022	1	10	10	52	45	19.7	-3.8	1.154	0.4	0.3	0	23.2	18.5	0	93	79	0	39	36	36
2022	1	10	11	2	45	19.4	-4	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	10	11	12	45	19.1	-4.2	1.154	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	10	11	22	45	20.5	-3.5	1.154	0.3	0.2	0	26.2	20.6	0	99	84	0	38	36	36
2022	1	10	11	32	45	19	-3.2	1.155	0.3	0.2	0	26.7	21.5	0	100	85	0	38	35	37
2022	1	10	11	42	45	19.1	-3.9	1.154	0.3	0.2	0	26.7	21.1	0	100	85	0	38	36	36
2022	1	10	11	52	45	18.9	-4.2	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	10	12	2	45	19.2	-3	1.154	0.3	0.2	0	21.9	16.3	0	89	74	0	38	36	36
2022	1	10	12	12	45	18.4	-3.7	1.154	0.3	0.2	0	21.9	16.8	0	90	75	0	39	36	36
2022	1	10	12	22	45	19.9	-3.8	1.154	0.4	0.3	0	24.1	18.1	0	94	78	0	38	36	37
2022	1	10	12	32	45	19.6	-4.1	1.154	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	10	12	42	45	18.6	-3.7	1.155	0.4	0.3	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	10	12	52	45	19.8	-3	1.155	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	10	13	2	45	18.8	-3.6	1.154	0.4	0.3	0	24.9	18.9	0	96	80	0	38	36	36
2022	1	10	13	12	45	19.4	-3.5	1.154	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	10	13	22	45	19.3	-3.4	1.154	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	10	13	32	45	20.1	-4.6	1.154	0.3	0.2	0	27.1	21.9	0	102	87	0	39	36	36
2022	1	10	13	42	45	18.9	-3.7	1.154	0.3	0.2	0	26.2	21.9	0	100	86	0	39	35	36
2022	1	10	13	52	45	19.1	-4.4	1.154	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	10	14	2	45	20.1	-2.6	1.154	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	10	14	12	45	19.6	-3.9	1.154	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	10	14	22	45	19.7	-3.5	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	10	14	32	45	20	-3.2	1.154	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	37
2022	1	10	14	42	45	19.1	-3.1	1.154	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	10	14	52	45	19.4	-4.3	1.154	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	10	15	2	45	19.5	-2.7	1.154	0.5	0.4	0	26.7	21.9	0	100	86	0	38	35	36
2022	1	10	15	12	45	19.8	-3.1	1.154	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	10	15	22	45	20.4	-3.9	1.154	0.3	0.2	0	28	22.8	0	103	88	0	38	35	37
2022	1	10	15	32	45	19.7	-3.7	1.154	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	10	15	42	45	19.2	-3.5	1.154	0.4	0.3	0	29.2	23.6	0	106	90	0	38	35	36
2022	1	10	15	52	45	18.6	-3.9	1.154	0.3	0.2	0	27.1	21.5	0	101	86	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	10	16	2	45	19.8	-4.3	1.154	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	10	16	12	45	20.2	-3.4	1.154	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	37
2022	1	10	16	22	45	19.3	-4.4	1.154	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	10	16	32	45	20.1	-3.8	1.154	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	37
2022	1	10	16	42	45	19.4	-4.1	1.154	0.3	0.2	0	26.2	21.5	0	99	85	0	38	35	36
2022	1	10	16	52	45	18.6	-3.4	1.154	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	10	17	2	45	19.8	-4.5	1.154	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	10	17	12	45	18.1	-3.4	1.154	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	10	17	22	45	19.6	-4.1	1.154	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	10	17	32	45	18.6	-3.5	1.154	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	10	17	42	45	19.4	-3.4	1.154	0.5	0.4	0	22.8	18.5	0	92	78	0	39	35	36
2022	1	10	17	52	45	19.5	-2.9	1.154	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	10	18	2	45	20.2	-4.1	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	10	18	12	45	18.5	-3.3	1.154	0.3	0.2	0	22.8	18.5	0	92	78	0	39	35	36
2022	1	10	18	22	45	19.6	-4.6	1.154	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	10	18	32	45	19.4	-4.6	1.154	0.3	0.2	0	22.8	18.1	0	92	77	0	39	35	36
2022	1	10	18	42	45	18.9	-3.5	1.154	0.3	0.2	0	27.1	21.9	0	101	86	0	38	35	36
2022	1	10	18	52	45	19	-4.3	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	10	19	2	45	20.7	-3.4	1.154	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	10	19	12	45	19.8	-3.7	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	10	19	22	45	20.1	-3.9	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	10	19	32	45	20.1	-4	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	10	19	42	45	20	-4	1.154	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	10	19	52	45	20.6	-4.6	1.154	0.3	0.2	0	26.2	20.6	0	99	84	0	38	36	36
2022	1	10	20	2	45	19.4	-3.3	1.154	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	10	20	12	45	19.6	-3.8	1.154	0.3	0.2	0	25.4	20.2	0	97	83	0	38	36	36
2022	1	10	20	22	45	19.3	-3.3	1.154	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	10	20	32	45	19.3	-3.9	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	10	20	42	45	19	-3.8	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	10	20	52	45	20.5	-2.9	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	10	21	2	45	20.4	-3.9	1.154	0.3	0.2	0	24.1	18.1	0	93	78	0	37	36	36
2022	1	10	21	12	45	19.8	-2.8	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	10	21	22	45	18.7	-3.2	1.154	0.4	0.3	0	23.2	18.5	0	93	78	0	39	35	36
2022	1	10	21	32	45	19.5	-4.2	1.154	0.4	0.3	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	10	21	42	45	19.8	-3.8	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	10	21	52	45	19.1	-3.9	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	10	22	2	45	18.8	-3.9	1.154	0.3	0.2	0	23.2	18.5	0	93	79	0	39	36	36
2022	1	10	22	12	45	19.5	-3.2	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	10	22	22	45	19.2	-3.2	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	10	22	32	45	19.4	-3.9	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	10	22	42	45	18.6	-3.5	1.154	0.3	0.2	0	23.6	18.9	0	94	79	0	39	35	36
2022	1	10	22	52	45	19.6	-3.3	1.154	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	10	23	2	45	19.5	-3.5	1.154	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	37
2022	1	10	23	12	45	19.2	-4.2	1.154	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	37
2022	1	10	23	22	45	19.5	-3.4	1.154	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	10	23	32	45	19.1	-4.9	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	10	23	42	45	19.4	-3.4	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	10	23	52	45	19.7	-3.3	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	11	0	2	45	19.7	-3.8	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	11	0	12	45	19.7	-3.1	1.154	0.3	0.2	0	23.2	18.5	0	93	79	0	39	36	36
2022	1	11	0	22	45	18.9	-3.2	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	11	0	32	45	19.3	-3.4	1.154	0.3	0.2	0	23.2	18.1	0	93	78	0	39	36	36
2022	1	11	0	42	45	20	-3	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	11	0	52	45	19.6	-3.8	1.154	0.3	0.2	0	23.2	18.9	0	93	79	0	39	35	37
2022	1	11	1	2	45	18.4	-4.2	1.154	0.4	0.3	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	11	1	12	45	18	-3.9	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	11	1	22	45	19.6	-3.1	1.154	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	11	1	32	45	20.2	-3.6	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	11	1	42	45	19.6	-3.7	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	11	1	52	45	19	-3.4	1.154	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	11	2	2	45	19.5	-3.7	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	11	2	12	45	19.6	-3.6	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	11	2	22	45	20	-4.3	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	11	2	32	45	19.4	-3.7	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	11	2	42	45	19.7	-3.7	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	11	2	52	45	20	-3.4	1.154	0.3	0.2	0	23.2	18.9	0	93	79	0	39	35	36
2022	1	11	3	2	45	20.1	-3.8	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	11	3	12	45	20	-3.7	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	11	3	22	45	18.9	-4.6	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	11	3	32	45	18.4	-3.7	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	11	3	42	45	19.3	-3.4	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	11	3	52	45	18.8	-3.1	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	11	4	2	45	18.9	-4	1.154	0.3	0.2	0	22.8	18.5	0	91	78	0	38	35	37
2022	1	11	4	12	45	19.6	-3.9	1.154	0.3	0.2	0	24.1	18.5	0	93	79	0	37	36	37
2022	1	11	4	22	45	19.7	-5.2	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	11	4	32	45	20.3	-4.1	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	11	4	42	45	19.9	-4.4	1.154	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	11	4	52	45	18.8	-3.6	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	11	5	2	45	18.9	-3.8	1.154	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	37
2022	1	11	5	12	45	20.2	-3.1	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	11	5	22	45	19.3	-3.6	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	11	5	32	45	20.1	-4	1.154	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	11	5	42	45	20.1	-3	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	11	5	52	45	19.2	-3	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	11	6	2	45	19.2	-3.4	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	11	6	12	45	19.3	-3.8	1.154	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	11	6	22	45	18.8	-3.4	1.154	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	11	6	32	45	18.6	-3.1	1.154	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	11	6	42	45	19	-3.5	1.154	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	36
2022	1	11	6	52	45	20	-3.2	1.155	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	37
2022	1	11	7	2	45	20	-4.1	1.155	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	11	7	12	45	19.1	-3.4	1.155	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	37
2022	1	11	7	22	45	20	-3.7	1.155	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	11	7	32	45	19.1	-4.5	1.155	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	11	7	42	45	19.2	-4.6	1.156	0.3	0.2	0	22.8	18.1	0	92	78	0	39	36	37
2022	1	11	7	52	45	19.4	-4.2	1.156	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	11	8	2	45	19.7	-4.8	1.156	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	36
2022	1	11	8	12	45	18.6	-3.9	1.156	0.3	0.2	0	25.4	20.2	0	97	83	0	38	36	37
2022	1	11	8	22	45	18.5	-3.9	1.156	0.3	0.2	0	26.2	20.6	0	99	83	0	38	35	37
2022	1	11	8	32	45	19.4	-4.1	1.156	0.3	0.2	0	23.6	18.9	0	94	80	0	39	36	37
2022	1	11	8	42	45	18.9	-3.5	1.156	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	11	8	52	45	19.6	-3.7	1.156	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	11	9	2	45	19.7	-4.4	1.156	0.3	0.2	0	27.5	22.4	0	102	87	0	38	35	37
2022	1	11	9	12	45	18.7	-4.2	1.156	0.3	0.2	0	26.7	21.1	0	101	85	0	39	36	36
2022	1	11	9	22	45	20.1	-4	1.156	0.3	0.2	0	23.2	17.6	0	92	76	0	38	35	36
2022	1	11	9	32	45	20	-3.5	1.156	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	37
2022	1	11	9	42	45	18.5	-3.1	1.156	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	11	9	52	45	19.3	-4.1	1.156	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	11	10	2	45	19.5	-3.8	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	11	10	12	45	20	-4.3	1.156	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	37
2022	1	11	10	22	45	18.9	-4.2	1.156	0.3	0.2	0	25.8	21.5	0	99	85	0	39	35	36
2022	1	11	10	32	45	18.2	-3.7	1.156	0.3	0.2	0	23.6	18.9	0	94	79	0	39	35	37
2022	1	11	10	42	45	19.1	-4.2	1.156	0.3	0.2	0	25.4	20.2	0	97	83	0	38	36	36
2022	1	11	10	52	45	19.4	-3.3	1.157	0.4	0.3	0	25.4	20.6	0	98	83	0	39	35	36
2022	1	11	11	2	45	18.9	-4.2	1.157	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	11	11	12	45	18.9	-5.4	1.156	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	37
2022	1	11	11	22	45	18.6	-3.8	1.156	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	11	11	32	45	19.6	-3.6	1.156	0.3	0.2	0	25.8	20.6	0	98	84	0	38	36	36
2022	1	11	11	42	45	18.7	-3.5	1.157	0.3	0.2	0	27.5	21.9	0	102	86	0	38	35	36
2022	1	11	11	52	45	18.5	-3.6	1.156	0.4	0.3	0	24.5	19.4	0	95	81	0	38	36	36
2022	1	11	12	2	45	19.5	-3.5	1.156	0.3	0.2	0	27.5	22.8	0	102	88	0	38	35	36
2022	1	11	12	12	45	19.2	-3.4	1.156	0.4	0.3	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	11	12	22	45	19.8	-3.9	1.156	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	11	12	32	45	18.2	-4.2	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	11	12	42	45	19.7	-2.9	1.156	0.3	0.2	0	24.9	19.8	0	96	82	0	38	36	37
2022	1	11	12	52	45	19.9	-3.6	1.156	0.3	0.2	0	26.2	20.6	0	99	84	0	38	36	36
2022	1	11	13	2	45	19.5	-3.7	1.156	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	11	13	12	45	18.6	-3.6	1.156	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	11	13	22	45	18.5	-3.5	1.156	0.3	0.2	0	27.1	21.9	0	101	86	0	38	35	36
2022	1	11	13	32	45	18.3	-3.8	1.156	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	11	13	42	45	19.9	-3.8	1.156	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	37
2022	1	11	13	52	45	19.6	-4.2	1.156	0.3	0.2	0	23.6	19.4	0	93	80	0	38	35	36
2022	1	11	14	2	45	18.4	-2.9	1.156	0.3	0.2	0	25.8	21.1	0	98	84	0	38	35	36
2022	1	11	14	12	45	19.4	-4.6	1.155	0.3	0.2	0	25.4	20.2	0	98	83	0	39	36	36
2022	1	11	14	22	45	19.9	-3.3	1.155	0.3	0.2	0	26.7	21.1	0	100	85	0	38	36	36
2022	1	11	14	32	45	20.1	-3.1	1.155	0.3	0.2	0	24.5	18.9	0	94	80	0	37	36	36
2022	1	11	14	42	45	19	-4.2	1.155	0.5	0.4	0	22.4	17.6	0	90	77	0	38	36	37
2022	1	11	14	52	45	19.4	-4.9	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	11	15	2	45	19.8	-5.1	1.155	0.3	0.2	0	22.4	18.1	0	90	77	0	38	35	36
2022	1	11	15	12	45	20.3	-4.5	1.155	0.3	0.2	0	21.9	16.8	0	89	74	0	38	35	37
2022	1	11	15	22	45	19.5	-4.2	1.155	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36
2022	1	11	15	32	45	19	-4	1.155	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	36
2022	1	11	15	42	45	19.7	-3.8	1.155	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36
2022	1	11	15	52	45	19.1	-5.2	1.155	0.4	0.3	0	21.9	16.8	0	89	75	0	38	36	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	11	16	2	45	19.5	-4.2	1.155	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	37
2022	1	11	16	12	45	19.4	-3.3	1.155	0.3	0.2	0	21.9	16.8	0	89	75	0	38	36	36
2022	1	11	16	22	45	19.5	-3.8	1.155	0.3	0.2	0	21.9	16.3	0	89	74	0	38	36	37
2022	1	11	16	32	45	18.9	-3.8	1.155	0.3	0.2	0	21.5	16.8	0	88	74	0	38	35	36
2022	1	11	16	42	45	20.1	-3.8	1.155	0.3	0.2	0	27.1	21.5	0	101	86	0	38	36	36
2022	1	11	16	52	45	19.3	-3.8	1.155	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	11	17	2	45	18.2	-3.2	1.155	0.3	0.2	0	23.6	18.5	0	94	79	0	39	36	36
2022	1	11	17	12	45	19.7	-3.2	1.155	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	11	17	22	45	19.7	-4.4	1.154	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	36
2022	1	11	17	32	45	18.7	-4.2	1.155	0.4	0.3	0	22.4	16.8	0	90	75	0	38	36	37
2022	1	11	17	42	45	19.4	-4.1	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	11	17	52	45	19.5	-3.2	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	11	18	2	45	19	-3.3	1.154	0.3	0.2	0	22.8	18.1	0	92	77	0	39	35	36
2022	1	11	18	12	45	19.1	-3.4	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	11	18	22	45	19.4	-3.8	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	11	18	32	45	19.2	-3.4	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	11	18	42	45	21.2	-3.8	1.155	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	11	18	52	45	19.4	-3.9	1.155	0.4	0.3	0	24.5	18.9	0	95	80	0	38	36	37
2022	1	11	19	2	45	19.5	-4.3	1.155	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	11	19	12	45	20.3	-3.8	1.155	0.3	0.2	0	22.8	18.5	0	92	78	0	39	35	36
2022	1	11	19	22	45	20.5	-3.8	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	11	19	32	45	19	-3.2	1.155	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	11	19	42	45	19	-3.3	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	11	19	52	45	18.7	-3.5	1.154	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	11	20	2	45	19.8	-3.7	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	11	20	12	45	19.3	-3.7	1.154	0.3	0.2	0	26.2	20.2	0	99	83	0	38	36	37
2022	1	11	20	22	45	19.8	-3.4	1.155	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	11	20	32	45	18.1	-4.1	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	11	20	42	45	20.1	-4.2	1.155	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	11	20	52	45	19.3	-4.3	1.154	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	11	21	2	45	19.4	-3	1.154	0.3	0.2	0	24.5	18.9	0	96	80	0	39	36	36
2022	1	11	21	12	45	19.3	-3	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	11	21	22	45	18.5	-3.4	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	11	21	32	45	18.4	-3.5	1.154	0.3	0.2	0	23.6	17.6	0	93	77	0	38	36	36
2022	1	11	21	42	45	18.2	-3.7	1.154	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	11	21	52	45	20.5	-2.9	1.154	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	37
2022	1	11	22	2	45	18.4	-4	1.154	0.3	0.2	0	23.2	18.5	0	93	78	0	39	35	36
2022	1	11	22	12	45	19.5	-3.4	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	11	22	22	45	18.5	-3.8	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	11	22	32	45	19.2	-4.3	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	11	22	42	45	18.9	-4.2	1.154	0.4	0.3	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	11	22	52	45	19.4	-4.2	1.154	0.3	0.2	0	23.6	17.6	0	92	77	0	37	36	37
2022	1	11	23	2	45	20.4	-4.3	1.154	0.3	0.2	0	23.6	17.6	0	92	77	0	37	36	37
2022	1	11	23	12	45	19.3	-3.3	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	11	23	22	45	19.1	-4.6	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	11	23	32	45	18.4	-3.2	1.154	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	11	23	42	45	20.9	-3.3	1.154	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	37
2022	1	11	23	52	45	19.4	-3.7	1.154	0.3	0.2	0	22.8	18.5	0	92	78	0	39	35	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	12	0	2	45	18.5	-3.8	1.154	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	12	0	12	45	19.7	-2.7	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	12	0	22	45	19.5	-4.2	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	12	0	32	45	18.1	-4.5	1.154	0.3	0.2	0	23.6	17.6	0	93	77	0	38	36	37
2022	1	12	0	42	45	19.6	-3.5	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	12	0	52	45	20.3	-4.5	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	12	1	2	45	19.3	-3.7	1.154	0.3	0.2	0	22.8	17.6	0	92	77	0	39	36	36
2022	1	12	1	12	45	19.2	-3.7	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	12	1	22	45	20.1	-4.2	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	12	1	32	45	19.2	-4.2	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	12	1	42	45	18.6	-3.6	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	12	1	52	45	18.9	-4.1	1.154	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	37
2022	1	12	2	2	45	19.3	-3.8	1.154	0.4	0.3	0	22.8	18.1	0	92	77	0	39	35	37
2022	1	12	2	12	45	19.6	-3.2	1.154	0.4	0.3	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	12	2	22	45	18.9	-3.1	1.154	0.3	0.2	0	22.8	18.1	0	92	77	0	39	35	37
2022	1	12	2	32	45	19.4	-4.7	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	12	2	42	45	20	-3.5	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	12	2	52	45	18.9	-3.6	1.154	0.3	0.2	0	22.8	17.6	0	92	77	0	39	36	36
2022	1	12	3	2	45	20.5	-3.4	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	12	3	12	45	19.7	-3.6	1.154	0.3	0.2	0	23.2	17.2	0	92	76	0	38	36	37
2022	1	12	3	22	45	20	-2.9	1.154	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	36
2022	1	12	3	32	45	20.4	-4.1	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	12	3	42	45	20.2	-4.5	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	12	3	52	45	19.1	-4.1	1.154	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	12	4	2	45	18.5	-3.8	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	12	4	12	45	18.9	-4.3	1.154	0.3	0.2	0	22.8	18.1	0	92	77	0	39	35	37
2022	1	12	4	22	45	20	-3.7	1.154	0.3	0.2	0	23.2	17.6	0	92	76	0	38	35	36
2022	1	12	4	32	45	19.4	-3.3	1.154	0.3	0.2	0	22.8	18.1	0	92	77	0	39	35	36
2022	1	12	4	42	45	18.5	-4	1.154	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	12	4	52	45	20	-3.7	1.154	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	12	5	2	45	20.6	-4.4	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	12	5	12	45	19.8	-4.9	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	12	5	22	45	20	-3.7	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	12	5	32	45	19.3	-4.1	1.154	0.3	0.2	0	22.4	17.6	0	91	76	0	39	35	36
2022	1	12	5	42	45	19.7	-4.4	1.154	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	12	5	52	45	20.4	-4.1	1.154	0.3	0.2	0	22.8	17.6	0	92	77	0	39	36	36
2022	1	12	6	2	45	19.4	-3.9	1.154	0.3	0.2	0	22.8	17.6	0	92	77	0	39	36	37
2022	1	12	6	12	45	20.4	-3.9	1.154	0.4	0.3	0	24.1	18.1	0	93	78	0	37	36	36
2022	1	12	6	22	45	19.4	-3.9	1.154	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	12	6	32	45	20.5	-4.1	1.154	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	12	6	42	45	19.1	-4.1	1.154	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	12	6	52	45	19.4	-4.2	1.154	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	12	7	2	45	19.4	-3.6	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	12	7	12	45	19.5	-4.8	1.154	0.3	0.2	0	23.6	17.6	0	93	77	0	38	36	36
2022	1	12	7	22	45	19.3	-3	1.154	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	37
2022	1	12	7	32	45	19.2	-4	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	12	7	42	45	19.3	-3.3	1.154	0.3	0.2	0	23.2	17.6	0	91	77	0	37	36	37
2022	1	12	7	52	45	19.1	-4.1	1.155	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	12	8	2	45	18.9	-3.4	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	12	8	12	45	19.2	-4	1.155	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	37
2022	1	12	8	22	45	18.7	-2.9	1.155	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	12	8	32	45	19.2	-4	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	12	8	42	45	18.9	-3.6	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	12	8	52	45	17.5	-3.3	1.155	0.3	0.2	0	22.4	17.2	0	91	76	0	39	36	36
2022	1	12	9	2	45	19.6	-3.7	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	12	9	12	45	18.9	-4.3	1.155	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	12	9	22	45	20.4	-4	1.155	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	12	9	32	45	19.7	-3.8	1.155	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	12	9	42	45	19.6	-3.6	1.155	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	12	9	52	45	19.3	-3.5	1.155	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	12	10	2	45	19.2	-3.7	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	12	10	12	45	18.8	-3.8	1.155	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	37
2022	1	12	10	22	45	18.6	-3.8	1.155	0.4	0.3	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	12	10	32	45	18.7	-3.4	1.155	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	12	10	42	45	18.7	-3.1	1.156	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	37
2022	1	12	10	52	45	19.5	-3.5	1.155	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	12	11	2	45	20.1	-3.8	1.155	0.5	0.4	0	22.4	17.6	0	91	77	0	39	36	37
2022	1	12	11	12	45	19.8	-4	1.155	0.3	0.2	0	21.9	16.8	0	90	75	0	39	36	36
2022	1	12	11	22	45	19.8	-4.3	1.155	0.4	0.3	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	12	11	32	45	19.4	-4.7	1.156	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	12	11	42	45	19	-4.2	1.155	0.3	0.2	0	27.1	21.9	0	101	86	0	38	35	36
2022	1	12	11	52	45	19.2	-3.2	1.155	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	37
2022	1	12	12	2	45	19.8	-4.2	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	12	12	12	45	19	-3.6	1.156	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	12	12	22	45	18.2	-3.9	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	35
2022	1	12	12	32	45	19.3	-4.1	1.156	0.3	0.2	0	22.4	17.2	0	89	75	0	37	35	36
2022	1	12	12	42	45	19	-4.6	1.155	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	12	12	52	45	20	-3.2	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	12	13	2	45	19.6	-3.8	1.155	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	12	13	12	45	18.9	-3.2	1.155	0.3	0.2	0	21.5	17.2	0	89	75	0	39	35	37
2022	1	12	13	22	45	18.5	-2.8	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	12	13	32	45	19.3	-4.2	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	12	13	42	45	18.9	-3.7	1.155	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	12	13	52	45	18.9	-3.7	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	37
2022	1	12	14	2	45	19.5	-4	1.155	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	12	14	12	45	19.3	-3.6	1.155	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	12	14	22	45	18.8	-3	1.155	0.3	0.2	0	22.4	16.8	0	90	75	0	38	36	36
2022	1	12	14	32	45	19	-4.1	1.155	0.3	0.2	0	21.5	16.3	0	88	74	0	38	36	36
2022	1	12	14	42	45	19	-4.4	1.155	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	12	14	52	45	19	-3.1	1.154	0.3	0.2	0	25.8	21.1	0	99	84	0	39	35	37
2022	1	12	15	2	45	19.2	-4	1.154	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	12	15	12	45	19	-4.6	1.154	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	37
2022	1	12	15	22	45	19	-4	1.154	0.3	0.2	0	26.2	20.2	0	99	83	0	38	36	37
2022	1	12	15	32	45	18.7	-3.5	1.154	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	12	15	42	45	19.2	-3.5	1.154	0.3	0.2	0	22.4	17.2	0	89	75	0	37	35	36
2022	1	12	15	52	45	19.5	-4.6	1.154	0.3	0.2	0	21.9	17.2	0	89	75	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	12	16	2	45	19.5	-4	1.154	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	12	16	12	45	19.8	-4	1.154	0.4	0.3	0	27.5	21.5	0	101	86	0	37	36	37
2022	1	12	16	22	45	19.3	-4.1	1.154	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	12	16	32	45	19.4	-2.7	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	12	16	42	45	19.5	-3.1	1.154	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	12	16	52	45	19.3	-3.1	1.154	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	12	17	2	45	19.3	-4.7	1.154	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	12	17	12	45	19.5	-4	1.154	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	12	17	22	45	19.3	-3.4	1.154	0.4	0.3	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	12	17	32	45	20.3	-4.1	1.154	0.4	0.3	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	12	17	42	45	19.4	-3.7	1.154	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	12	17	52	45	19.1	-3.4	1.154	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	12	18	2	45	18.8	-3.8	1.154	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	12	18	12	45	19.3	-2.5	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	12	18	22	45	19.1	-3.4	1.154	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	12	18	32	45	18	-3.8	1.154	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	12	18	42	45	19.5	-2.9	1.154	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	37
2022	1	12	18	52	45	20.3	-3.7	1.154	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	12	19	2	45	19	-3.6	1.154	0.3	0.2	0	23.2	18.9	0	93	79	0	39	35	36
2022	1	12	19	12	45	19.7	-3.1	1.154	0.3	0.2	0	26.2	20.6	0	99	84	0	38	36	37
2022	1	12	19	22	45	19.8	-3.4	1.154	0.3	0.2	0	26.2	21.1	0	99	85	0	38	36	36
2022	1	12	19	32	45	19.5	-3.2	1.154	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	12	19	42	45	19	-3.3	1.154	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	12	19	52	45	18.5	-3.1	1.154	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	12	20	2	45	19.4	-3.4	1.153	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	12	20	12	45	18.7	-3.2	1.153	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	12	20	22	45	19.6	-3.1	1.154	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	12	20	32	45	19	-3.3	1.153	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	12	20	42	45	20.2	-2.9	1.153	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	12	20	52	45	19.4	-4.8	1.154	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	12	21	2	45	19.7	-4	1.153	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	12	21	12	45	19.8	-3.4	1.153	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	12	21	22	45	19.9	-2.6	1.153	0.3	0.2	0	24.9	19.8	0	97	82	0	39	36	37
2022	1	12	21	32	45	19.4	-3.8	1.153	0.3	0.2	0	26.2	20.6	0	99	83	0	38	35	37
2022	1	12	21	42	45	18.7	-3.8	1.154	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	37
2022	1	12	21	52	45	20.5	-3	1.153	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	12	22	2	45	19.7	-3.7	1.153	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	12	22	12	45	18.6	-3.7	1.153	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	12	22	22	45	19.8	-2.9	1.153	0.3	0.2	0	23.6	18.5	0	94	79	0	39	36	37
2022	1	12	22	32	45	19.3	-3.6	1.153	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	12	22	42	45	19.4	-4.5	1.153	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	37
2022	1	12	22	52	45	19.8	-3.7	1.153	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	12	23	2	45	20.1	-4.2	1.153	0.4	0.3	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	12	23	12	45	18.2	-3.4	1.153	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	12	23	22	45	19.8	-3.9	1.153	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	12	23	32	45	19	-3.6	1.153	0.3	0.2	0	25.8	20.2	0	98	83	0	38	36	36
2022	1	12	23	42	45	19.5	-3.7	1.153	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	12	23	52	45	19.2	-4.2	1.153	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	37



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	13	0	2	45	19.7	-4.5	1.153	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	13	0	12	45	19.5	-3.8	1.153	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	13	0	22	45	19.3	-4.2	1.153	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	37
2022	1	13	0	32	45	18.7	-3.7	1.153	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	13	0	42	45	18.8	-3.8	1.153	0.5	0.4	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	13	0	52	45	19.8	-3.6	1.153	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	13	1	2	45	19.9	-3.6	1.153	0.4	0.3	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	13	1	12	45	18.6	-4.1	1.153	0.3	0.2	0	23.2	18.1	0	93	79	0	39	37	37
2022	1	13	1	22	45	19.6	-3.6	1.152	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	13	1	32	45	19.2	-4.2	1.153	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	13	1	42	45	20.1	-4	1.153	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	13	1	52	45	19.3	-3.6	1.152	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	13	2	2	45	19.5	-3.4	1.153	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	13	2	12	45	19.3	-2.9	1.152	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	13	2	22	45	18.6	-3.5	1.152	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	13	2	32	45	19	-3.4	1.152	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	13	2	42	45	18.6	-3.7	1.152	0.5	0.4	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	13	2	52	45	19.2	-2.7	1.152	0.3	0.2	0	24.1	18.5	0	93	79	0	37	36	37
2022	1	13	3	2	45	19.4	-4.7	1.152	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	13	3	12	45	19.3	-4.9	1.152	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	13	3	22	45	19.3	-4.9	1.152	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	13	3	32	45	20.1	-3.9	1.152	0.3	0.2	0	23.2	18.5	0	93	79	0	39	36	36
2022	1	13	3	42	45	19.4	-3.2	1.152	0.4	0.3	0	24.1	18.5	0	93	78	0	37	35	37
2022	1	13	3	52	45	20.2	-3.6	1.152	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	13	4	2	45	19.8	-4.1	1.152	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	13	4	12	45	19.2	-3.8	1.152	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	13	4	22	45	20.4	-3.8	1.152	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	13	4	32	45	20.9	-3.8	1.152	0.4	0.3	0	23.2	18.5	0	93	78	0	39	35	37
2022	1	13	4	42	45	19	-2.6	1.152	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	13	4	52	45	19.6	-4.4	1.152	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	13	5	2	45	19	-3.8	1.152	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	13	5	12	45	20.1	-3.4	1.152	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	13	5	22	45	19.4	-3.8	1.152	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	13	5	32	45	19.7	-3.7	1.152	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	13	5	42	45	18.6	-3.1	1.151	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	13	5	52	45	19.8	-3.1	1.152	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	13	6	2	45	19.5	-4	1.152	0.3	0.2	0	23.2	18.5	0	93	78	0	39	35	36
2022	1	13	6	12	45	19	-3.2	1.152	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	13	6	22	45	20.2	-4.5	1.152	0.4	0.3	0	23.6	18.9	0	94	79	0	39	35	36
2022	1	13	6	32	45	19.3	-3.6	1.151	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	13	6	42	45	19.5	-3.2	1.151	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	13	6	52	45	19.9	-3.3	1.152	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	37
2022	1	13	7	2	45	19.3	-3.4	1.151	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	13	7	12	45	19.2	-3.2	1.151	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	13	7	22	45	19.7	-3.9	1.151	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	13	7	32	45	19	-4.2	1.151	0.4	0.3	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	13	7	42	45	19.8	-3.4	1.151	0.3	0.2	0	22.8	18.5	0	92	78	0	39	35	37
2022	1	13	7	52	45	18.6	-3.5	1.151	0.4	0.3	0	23.2	18.5	0	92	78	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	13	8	2	45	20.1	-3.6	1.151	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	37
2022	1	13	8	12	45	18.3	-3.1	1.151	0.3	0.2	0	22.4	17.2	0	91	76	0	39	36	37
2022	1	13	8	22	45	19.4	-3.8	1.151	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	13	8	32	45	19.4	-3.8	1.151	0.3	0.2	0	23.6	17.6	0	93	77	0	38	36	37
2022	1	13	8	42	45	19.9	-3.8	1.151	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	13	8	52	45	19.5	-3.1	1.151	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	13	9	2	45	19.5	-3.5	1.15	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	13	9	12	45	19.4	-4	1.151	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	13	9	22	45	19.1	-4.1	1.151	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	13	9	32	45	19.3	-4.4	1.15	0.3	0.2	0	21.9	17.2	0	90	75	0	39	35	36
2022	1	13	9	42	45	19.1	-3.1	1.15	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	13	9	52	45	19.1	-3.9	1.15	0.4	0.3	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	13	10	2	45	19.1	-3.8	1.149	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	13	10	12	45	19.7	-2.4	1.149	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	36
2022	1	13	10	22	45	19.4	-3.8	1.149	0.3	0.2	0	25.8	21.1	0	98	84	0	38	35	36
2022	1	13	10	32	45	18.8	-3.5	1.149	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	13	10	42	45	19.6	-3.3	1.149	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	13	10	52	45	18.2	-4.2	1.148	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	13	11	2	45	19.9	-3.7	1.149	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	13	11	12	45	19.5	-4.3	1.148	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	13	11	22	45	19.4	-3.2	1.148	0.3	0.2	0	23.2	18.1	0	93	78	0	39	36	36
2022	1	13	11	32	45	19.7	-3.7	1.148	0.4	0.3	0	22.8	17.2	0	91	76	0	38	36	37
2022	1	13	11	42	45	19.1	-3.8	1.148	0.3	0.2	0	22.8	16.8	0	90	75	0	37	36	36
2022	1	13	11	52	45	19.5	-4.3	1.148	0.3	0.2	0	21.5	17.2	0	89	75	0	39	35	37
2022	1	13	12	2	45	18.7	-3.5	1.148	0.3	0.2	0	21.5	16.8	0	89	75	0	39	36	36
2022	1	13	12	12	45	19.8	-3.8	1.148	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	13	12	22	45	18.7	-3.5	1.148	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	13	12	32	45	18.3	-3.8	1.148	0.3	0.2	0	22.4	17.6	0	91	76	0	39	35	36
2022	1	13	12	42	45	20	-3.8	1.148	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	13	12	52	45	18.8	-3.5	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	13	13	2	45	19.9	-3.3	1.148	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	13	13	12	45	19.4	-3.7	1.148	0.3	0.2	0	22.8	17.2	0	90	75	0	37	35	37
2022	1	13	13	22	45	19.7	-3.2	1.148	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	13	13	32	45	19.3	-4.1	1.148	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	13	13	42	45	19.9	-4.4	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	13	13	52	45	19.5	-3.3	1.148	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	13	14	2	45	18.6	-3.5	1.148	0.3	0.2	0	28	23.2	0	103	89	0	38	35	36
2022	1	13	14	12	45	19.4	-3.4	1.148	0.4	0.3	0	28.4	23.2	0	105	90	0	39	36	37
2022	1	13	14	22	45	19.9	-3.4	1.148	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	13	14	32	45	19.4	-3.7	1.147	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	13	14	42	45	20.7	-3.4	1.147	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	13	14	52	45	19.8	-3.3	1.147	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	35
2022	1	13	15	2	45	20	-4.2	1.147	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	13	15	12	45	19.4	-3.8	1.147	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	37
2022	1	13	15	22	45	18.4	-3	1.147	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	13	15	32	45	20.6	-3.4	1.147	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	13	15	42	45	19.1	-4.1	1.147	0.3	0.2	0	26.2	21.5	0	100	85	0	39	35	36
2022	1	13	15	52	45	20	-4	1.147	0.3	0.2	0	26.7	20.6	0	100	84	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	13	16	2	45	18.9	-3.2	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	13	16	12	45	19.3	-3.4	1.147	0.3	0.2	0	27.1	21.1	0	100	84	0	37	35	36
2022	1	13	16	22	45	19.7	-3.2	1.147	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	13	16	32	45	19.5	-4.1	1.147	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	37
2022	1	13	16	42	45	19	-3.8	1.147	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	36
2022	1	13	16	52	45	19.2	-2.7	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	13	17	2	45	19.6	-4.7	1.147	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	13	17	12	45	19.3	-4.2	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	13	17	22	45	19.8	-3.3	1.147	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	13	17	32	45	19	-3.9	1.147	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	13	17	42	45	20.7	-3.2	1.147	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	13	17	52	45	20	-3.7	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	13	18	2	45	19.6	-3.4	1.146	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	13	18	12	45	19.8	-3.6	1.147	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	13	18	22	45	19.3	-3.3	1.147	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	13	18	32	45	19.6	-4.4	1.146	0.4	0.3	0	23.6	18.1	0	93	78	0	38	36	37
2022	1	13	18	42	45	19.9	-3.8	1.146	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	13	18	52	45	20.3	-3.5	1.146	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	13	19	2	45	20.2	-3.8	1.146	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	37
2022	1	13	19	12	45	19.5	-3.6	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	13	19	22	45	18.4	-3.1	1.146	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	13	19	32	45	19.4	-2.9	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	13	19	42	45	19.5	-3.3	1.146	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	13	19	52	45	19.3	-2.7	1.146	0.3	0.2	0	29.2	23.2	0	105	89	0	37	35	36
2022	1	13	20	2	45	17.8	-4.3	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	13	20	12	45	18.7	-4	1.146	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	13	20	22	45	19.8	-4.9	1.146	0.3	0.2	0	26.7	21.5	0	100	85	0	38	35	36
2022	1	13	20	32	45	19	-3.8	1.146	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	13	20	42	45	19.5	-3.8	1.146	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	37
2022	1	13	20	52	45	19.6	-3.3	1.146	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	13	21	2	45	19.3	-3.9	1.146	0.4	0.3	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	13	21	12	45	19.3	-4.1	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	13	21	22	45	19.6	-4.4	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	13	21	32	45	18.8	-4.2	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	13	21	42	45	19.8	-3	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	13	21	52	45	19.4	-3.5	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	13	22	2	45	19.7	-4	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	13	22	12	45	19.1	-3.9	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	35
2022	1	13	22	22	45	19.5	-4.6	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	13	22	32	45	20.7	-3.4	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	13	22	42	45	19.5	-3.8	1.146	0.3	0.2	0	23.6	18.9	0	94	79	0	39	35	36
2022	1	13	22	52	45	19.6	-3.4	1.146	0.3	0.2	0	23.6	18.5	0	94	79	0	39	36	36
2022	1	13	23	2	45	18.9	-4	1.146	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	13	23	12	45	18.3	-3.4	1.146	0.3	0.2	0	25.4	20.2	0	98	83	0	39	36	36
2022	1	13	23	22	45	19	-2.5	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	13	23	32	45	19.1	-3.8	1.145	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	13	23	42	45	18.8	-3.9	1.145	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	13	23	52	45	19.5	-4.5	1.145	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	14	0	2	45	19.5	-3.2	1.145	0.3	0.2	0	25.8	20.6	0	99	83	0	39	35	36
2022	1	14	0	12	45	20.1	-3.8	1.145	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	37
2022	1	14	0	22	45	18.8	-3.5	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	0	32	45	19.1	-3.3	1.145	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	37
2022	1	14	0	42	45	18.2	-3.5	1.145	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	14	0	52	45	19.3	-3.6	1.145	0.4	0.3	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	14	1	2	45	21	-3.6	1.145	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	14	1	12	45	20.1	-3.8	1.145	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	14	1	22	45	19.7	-3.8	1.145	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	14	1	32	45	18.9	-4.2	1.145	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	14	1	42	45	19	-4.2	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	14	1	52	45	19.1	-3.3	1.145	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	14	2	2	45	19.3	-3.9	1.145	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	37
2022	1	14	2	12	45	18.7	-3.7	1.145	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	14	2	22	45	19.2	-3.7	1.145	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	14	2	32	45	19.8	-3.6	1.145	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	37
2022	1	14	2	42	45	19.4	-3.2	1.145	0.3	0.2	0	23.6	18.5	0	94	79	0	39	36	36
2022	1	14	2	52	45	19.5	-4.4	1.145	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	14	3	2	45	18.7	-3.8	1.144	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	14	3	12	45	20.1	-3.9	1.144	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	14	3	22	45	19.4	-3.8	1.144	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	14	3	32	45	20.5	-4.1	1.144	0.3	0.2	0	23.6	18.5	0	94	79	0	39	36	36
2022	1	14	3	42	45	18.6	-3.5	1.144	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	14	3	52	45	19	-3.4	1.144	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	14	4	2	45	19.7	-3.7	1.144	0.3	0.2	0	23.6	18.9	0	94	79	0	39	35	36
2022	1	14	4	12	45	19.2	-2.4	1.144	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	14	4	22	45	19.8	-3.1	1.144	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	14	4	32	45	19.1	-3.6	1.144	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	14	4	42	45	20.3	-3.7	1.144	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	14	4	52	45	19.4	-3.1	1.144	0.3	0.2	0	23.6	18.5	0	94	79	0	39	36	36
2022	1	14	5	2	45	19	-4.2	1.144	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	14	5	12	45	19.7	-4.6	1.144	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	14	5	22	45	18.7	-4.1	1.144	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	14	5	32	45	19.2	-3.8	1.144	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	14	5	42	45	19.8	-4	1.144	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	14	5	52	45	20	-3.2	1.144	0.4	0.3	0	23.6	18.5	0	93	79	0	38	36	36
2022	1	14	6	2	45	19.4	-3.9	1.143	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	14	6	12	45	19.8	-3.2	1.143	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	14	6	22	45	20.2	-3.6	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	14	6	32	45	19.4	-3.5	1.143	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	14	6	42	45	19.8	-3.9	1.143	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	14	6	52	45	19.7	-3.8	1.143	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	14	7	2	45	18.9	-3.4	1.143	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	14	7	12	45	19.1	-3.1	1.143	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	14	7	22	45	19.4	-3.8	1.143	0.4	0.3	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	14	7	32	45	19.6	-4.1	1.143	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	14	7	42	45	19.8	-3.8	1.143	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	14	7	52	45	19.4	-4.5	1.143	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	14	8	2	45	18.6	-2.6	1.143	0.3	0.2	0	22.8	18.1	0	92	78	0	39	36	36
2022	1	14	8	12	45	19.7	-4.3	1.143	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	14	8	22	45	19.7	-3.8	1.143	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	36
2022	1	14	8	32	45	19.5	-3	1.143	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	37
2022	1	14	8	42	45	20.1	-2.8	1.143	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	14	8	52	45	20.3	-2.6	1.143	0.3	0.2	0	24.9	18.9	0	96	80	0	38	36	36
2022	1	14	9	2	45	19.8	-2.7	1.143	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	14	9	12	45	21.2	-3.4	1.142	0.3	0.2	0	24.9	18.5	0	96	79	0	38	36	36
2022	1	14	9	22	45	20.6	-2.2	1.143	0.4	0.3	0	24.9	19.8	0	97	81	0	39	35	37
2022	1	14	9	32	45	21.4	-3.1	1.143	0.3	0.2	0	26.2	19.8	0	99	81	0	38	35	35
2022	1	14	9	42	45	20.9	-3.1	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	37
2022	1	14	9	52	45	19.6	-2.8	1.143	0.5	0.4	0	26.2	20.2	0	99	82	0	38	35	36
2022	1	14	10	2	45	21.6	-3.2	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	37
2022	1	14	10	12	45	20	-2.2	1.143	0.3	0.2	0	26.2	19.8	0	98	81	0	37	35	36
2022	1	14	10	22	45	20.2	-2.4	1.143	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	14	10	32	45	20.5	-2.6	1.143	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	14	10	42	45	20.8	-2.4	1.143	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	37
2022	1	14	10	52	45	20.7	-2.9	1.143	0.3	0.2	0	24.9	18.9	0	96	80	0	38	36	37
2022	1	14	11	2	45	19.9	-2.4	1.143	0.3	0.2	0	25.4	18.5	0	96	79	0	37	36	36
2022	1	14	11	12	45	21	-3.4	1.143	0.3	0.2	0	25.4	19.4	0	97	80	0	38	35	36
2022	1	14	11	22	45	20.3	-2.5	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	37
2022	1	14	11	32	45	21.6	-2.7	1.143	0.3	0.2	0	24.9	20.2	0	97	82	0	39	35	37
2022	1	14	11	42	45	20.5	-3.2	1.143	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	14	11	52	45	20.6	-2.3	1.143	0.3	0.2	0	25.4	18.9	0	97	80	0	38	36	36
2022	1	14	12	2	45	20.2	-2.6	1.143	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	14	12	12	45	21.5	-2.1	1.143	0.3	0.2	0	25.4	19.4	0	97	80	0	38	35	37
2022	1	14	12	22	45	20.2	-1.9	1.142	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	37
2022	1	14	12	32	45	20.5	-3.2	1.142	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	14	12	42	45	21.2	-2.9	1.143	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	14	12	52	45	19.3	-2.8	1.142	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	14	13	2	45	21.6	-2.5	1.143	0.3	0.2	0	25.4	19.4	0	97	80	0	38	35	36
2022	1	14	13	12	45	20.3	-3	1.143	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	14	13	22	45	21.2	-1.8	1.142	0.3	0.2	0	24.9	18.9	0	96	79	0	38	35	35
2022	1	14	13	32	45	18.4	-3	1.142	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	14	13	42	45	19	-3.6	1.142	0.3	0.2	0	24.1	18.1	0	94	78	0	38	36	36
2022	1	14	13	52	45	19.7	-3.2	1.142	0.3	0.2	0	24.5	18.5	0	95	78	0	38	35	36
2022	1	14	14	2	45	20.2	-3.8	1.142	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	14	14	12	45	19.6	-2.4	1.142	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	14	14	22	45	20.3	-3.3	1.142	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	14	14	32	45	20	-2.7	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	14	42	45	19.9	-2.9	1.141	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	37
2022	1	14	14	52	45	20.7	-3	1.141	0.3	0.2	0	24.5	18.1	0	95	78	0	38	36	37
2022	1	14	15	2	45	19.7	-3.4	1.141	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	37
2022	1	14	15	12	45	18.6	-3.2	1.141	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	14	15	22	45	19.8	-3.6	1.14	0.3	0.2	0	23.2	18.5	0	92	77	0	38	34	36
2022	1	14	15	32	45	18.5	-3.6	1.14	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	14	15	42	45	18.5	-3.3	1.14	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	37
2022	1	14	15	52	45	18.4	-3.6	1.14	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	14	16	2	45	20.1	-4.1	1.14	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	14	16	12	45	20	-3.8	1.141	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	14	16	22	45	19	-3.5	1.14	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	14	16	32	45	19.1	-4	1.141	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	14	16	42	45	18.5	-3.5	1.14	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	14	16	52	45	19.6	-4	1.141	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	14	17	2	45	19.5	-3.8	1.141	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	14	17	12	45	18.5	-3.6	1.141	0.4	0.3	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	14	17	22	45	18.4	-2.8	1.141	0.5	0.4	0	23.2	18.1	0	92	78	0	38	36	37
2022	1	14	17	32	45	20.3	-4.2	1.141	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	14	17	42	45	17.8	-3.2	1.141	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	14	17	52	45	20	-3.9	1.141	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	14	18	2	45	19.4	-4.2	1.141	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	18	12	45	18.4	-2.8	1.142	0.3	0.2	0	24.1	19.4	0	95	80	0	39	35	36
2022	1	14	18	22	45	20.2	-3.8	1.141	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	36
2022	1	14	18	32	45	19.3	-4.2	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	18	42	45	18.5	-2.8	1.141	0.4	0.3	0	24.9	19.4	0	95	80	0	37	35	35
2022	1	14	18	52	45	19.7	-3.3	1.141	0.4	0.3	0	25.8	20.6	0	99	83	0	39	35	36
2022	1	14	19	2	45	19.8	-4.1	1.141	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	14	19	12	45	19	-3.8	1.141	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	36
2022	1	14	19	22	45	19.9	-3.5	1.141	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	19	32	45	18.5	-2.4	1.141	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	14	19	42	45	18.5	-4	1.142	0.4	0.3	0	24.5	18.9	0	95	79	0	38	35	37
2022	1	14	19	52	45	18.5	-3.8	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	20	2	45	18.9	-4.4	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	20	12	45	19.2	-3.9	1.143	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	14	20	22	45	19.1	-3.9	1.143	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	37
2022	1	14	20	32	45	19.7	-3.7	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	20	42	45	20.4	-4.2	1.143	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	14	20	52	45	19.2	-4.4	1.142	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	37
2022	1	14	21	2	45	20.5	-3.8	1.141	0.3	0.2	0	25.4	18.9	0	96	80	0	37	36	36
2022	1	14	21	12	45	19.9	-3.7	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	21	22	45	19.4	-4.2	1.143	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	36
2022	1	14	21	32	45	18.9	-2.9	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	21	42	45	18.1	-3.5	1.142	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	14	21	52	45	18.5	-4	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	14	22	2	45	18.7	-3.6	1.143	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	14	22	12	45	18.9	-3.1	1.143	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	14	22	22	45	18.8	-3.4	1.143	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	35
2022	1	14	22	32	45	19.9	-3.4	1.143	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	14	22	42	45	19.7	-3.8	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	22	52	45	18.5	-3.3	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	14	23	2	45	19.9	-3.5	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	23	12	45	18.2	-3.5	1.143	0.5	0.4	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	23	22	45	19.3	-3.3	1.143	0.3	0.2	0	24.1	19.4	0	95	80	0	39	35	36
2022	1	14	23	32	45	20.3	-3.3	1.143	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	14	23	42	45	18.8	-3.4	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	14	23	52	45	18.4	-3.9	1.143	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	15	0	2	45	18.9	-3.7	1.143	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	15	0	12	45	18.5	-2.5	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	15	0	22	45	18.9	-3.1	1.143	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	15	0	32	45	19	-3.3	1.144	0.3	0.2	0	24.1	19.4	0	95	80	0	39	35	36
2022	1	15	0	42	45	19.5	-3.1	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	15	0	52	45	19.3	-3	1.143	0.3	0.2	0	24.1	19.4	0	95	80	0	39	35	36
2022	1	15	1	2	45	18.3	-3.5	1.143	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	1	12	45	18.9	-3.8	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	1	22	45	19.2	-3.6	1.143	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	37
2022	1	15	1	32	45	19.2	-4.1	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	1	42	45	19.4	-4.6	1.143	0.3	0.2	0	23.6	19.4	0	94	80	0	39	35	35
2022	1	15	1	52	45	18.9	-3.2	1.143	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	15	2	2	45	19.6	-3.3	1.143	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	15	2	12	45	19.1	-3.4	1.143	0.5	0.4	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	15	2	22	45	19.1	-3.9	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	2	32	45	19.1	-3.7	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	2	42	45	19.6	-4.2	1.143	0.4	0.3	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	15	2	52	45	18.5	-3.1	1.143	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	15	3	2	45	19.6	-4.3	1.143	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	15	3	12	45	19.9	-4.9	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	15	3	22	45	19	-3.9	1.143	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	15	3	32	45	19.6	-3.4	1.143	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	15	3	42	45	19.5	-3.4	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	3	52	45	19.6	-3.4	1.143	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	37
2022	1	15	4	2	45	18.7	-3.6	1.143	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	15	4	12	45	19.2	-3.9	1.143	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	15	4	22	45	19	-3.8	1.143	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	15	4	32	45	19.5	-3.5	1.143	0.3	0.2	0	23.6	18.5	0	94	78	0	39	35	37
2022	1	15	4	42	45	19.2	-3.9	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	15	4	52	45	19	-3.3	1.143	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	15	5	2	45	18.1	-5	1.143	0.3	0.2	0	23.6	18.5	0	94	78	0	39	35	36
2022	1	15	5	12	45	19.7	-4	1.143	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	15	5	22	45	19.2	-4.1	1.142	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	15	5	32	45	19.2	-5.1	1.143	0.3	0.2	0	23.2	18.9	0	93	79	0	39	35	36
2022	1	15	5	42	45	19.2	-3.4	1.143	0.3	0.2	0	24.1	17.6	0	93	77	0	37	36	36
2022	1	15	5	52	45	17.5	-2.9	1.143	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	15	6	2	45	19.2	-3.8	1.143	0.3	0.2	0	24.1	18.1	0	93	77	0	37	35	36
2022	1	15	6	12	45	18.6	-4.6	1.143	0.3	0.2	0	23.6	17.6	0	93	77	0	38	36	36
2022	1	15	6	22	45	19.2	-4.2	1.143	0.5	0.4	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	15	6	32	45	19.6	-3.7	1.143	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	15	6	42	45	18.8	-3.8	1.142	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	15	6	52	45	19.6	-3.8	1.142	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	15	7	2	45	18.9	-3	1.142	0.3	0.2	0	23.6	17.6	0	93	77	0	38	36	37
2022	1	15	7	12	45	18.6	-3.9	1.142	0.3	0.2	0	24.1	18.1	0	94	78	0	38	36	37
2022	1	15	7	22	45	19.4	-3.5	1.142	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	15	7	32	45	19.2	-4.2	1.143	0.3	0.2	0	25.8	19.8	0	98	82	0	38	36	37
2022	1	15	7	42	45	18.6	-3.5	1.142	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	15	7	52	45	19.1	-2.7	1.142	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	15	8	2	45	18.8	-3.6	1.142	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	15	8	12	45	17.9	-3.6	1.143	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	37
2022	1	15	8	22	45	18.9	-3.5	1.142	0.3	0.2	0	26.2	20.6	0	99	83	0	38	35	37
2022	1	15	8	32	45	18.8	-2.7	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	15	8	42	45	19.2	-3.7	1.142	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	37
2022	1	15	8	52	45	18.3	-4.2	1.142	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	15	9	2	45	18.9	-3.7	1.143	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	15	9	12	45	19.3	-3.1	1.142	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	15	9	22	45	17.6	-3.9	1.143	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	15	9	32	45	19.9	-3.4	1.142	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	15	9	42	45	18.5	-4.3	1.143	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	35
2022	1	15	9	52	45	19.2	-3.9	1.143	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	15	10	2	45	19.6	-3.8	1.142	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	15	10	12	45	18.9	-3.5	1.143	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	15	10	22	45	19.3	-3.4	1.142	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	36
2022	1	15	10	32	45	19.1	-3.9	1.143	0.3	0.2	0	22.4	18.1	0	90	77	0	38	35	37
2022	1	15	10	42	45	19.7	-4.7	1.142	0.3	0.2	0	21.9	17.6	0	90	76	0	39	35	36
2022	1	15	10	52	45	19.5	-4.1	1.142	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	15	11	2	45	19.8	-4.6	1.142	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	37
2022	1	15	11	12	45	18.9	-3	1.142	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	15	11	22	45	19.7	-3.5	1.142	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	15	11	32	45	18.2	-4.2	1.141	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	36
2022	1	15	11	42	45	19.5	-3.9	1.142	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	35
2022	1	15	11	52	45	20	-3.9	1.142	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	36
2022	1	15	12	2	45	19.5	-3	1.142	0.3	0.2	0	22.4	17.2	0	90	76	0	38	36	36
2022	1	15	12	12	45	19.7	-4.1	1.142	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	15	12	22	45	19.3	-3.2	1.142	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	15	12	32	45	19.2	-3.6	1.142	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	15	12	42	45	19.1	-3.5	1.141	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	15	12	52	45	19.2	-3.5	1.142	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	15	13	2	45	19.3	-3.9	1.142	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	15	13	12	45	20.1	-2.9	1.142	0.3	0.2	0	22.8	17.2	0	90	75	0	37	35	36
2022	1	15	13	22	45	19.4	-3.4	1.143	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	36
2022	1	15	13	32	45	20	-3.8	1.142	0.3	0.2	0	22.8	17.2	0	90	76	0	37	36	36
2022	1	15	13	42	45	19	-4.1	1.142	0.3	0.2	0	22.4	17.2	0	90	75	0	38	35	37
2022	1	15	13	52	45	20	-3.8	1.142	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	15	14	2	45	19.9	-4.3	1.142	0.4	0.3	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	15	14	12	45	19.5	-4.3	1.142	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	15	14	22	45	19.7	-3.1	1.142	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	15	14	32	45	19.2	-4.1	1.142	0.4	0.3	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	15	14	42	45	20.1	-3.3	1.142	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	15	14	52	45	18	-3.5	1.142	0.3	0.2	0	22.4	17.6	0	91	77	0	39	36	35
2022	1	15	15	2	45	19.3	-4.3	1.142	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	37
2022	1	15	15	12	45	19.3	-4.2	1.142	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	15	15	22	45	18.5	-4.2	1.143	0.5	0.5	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	15	15	32	45	19.2	-3.6	1.142	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	15	15	42	45	19.2	-3.9	1.142	0.3	0.2	0	24.1	18.1	0	93	77	0	37	35	37
2022	1	15	15	52	45	18.9	-4.2	1.142	0.4	0.3	0	24.1	18.9	0	93	78	0	37	34	36



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	15	16	2	45	18	-3.4	1.143	0.3	0.2	0	24.1	18.1	0	93	77	0	37	35	36
2022	1	15	16	12	45	19.4	-3.6	1.142	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	15	16	22	45	19.6	-3.4	1.142	0.3	0.2	0	27.1	21.9	0	101	86	0	38	35	36
2022	1	15	16	32	45	19.7	-3.7	1.143	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	15	16	42	45	20.1	-4.5	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	15	16	52	45	19.1	-4.3	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	17	2	45	19.6	-3.1	1.143	0.3	0.2	0	24.1	18.1	0	93	78	0	37	36	36
2022	1	15	17	12	45	19.4	-3.5	1.143	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	15	17	22	45	19	-3	1.143	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	15	17	32	45	19.1	-4	1.144	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	15	17	42	45	19.7	-3.5	1.144	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	15	17	52	45	17.8	-3.2	1.144	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	15	18	2	45	18.2	-4.2	1.144	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	18	12	45	18.6	-3.9	1.144	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	15	18	22	45	19	-3.8	1.144	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	15	18	32	45	18.5	-3.7	1.144	0.5	0.4	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	18	42	45	19.9	-3.8	1.144	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	15	18	52	45	18.6	-4	1.144	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	15	19	2	45	19.4	-3.5	1.144	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	15	19	12	45	18.4	-3.1	1.145	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	15	19	22	45	18.9	-3.8	1.144	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	19	32	45	19.6	-3.2	1.144	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	19	42	45	18.9	-3.9	1.145	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	35
2022	1	15	19	52	45	19.2	-3	1.145	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	15	20	2	45	19.3	-5.2	1.145	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	15	20	12	45	18.6	-3.8	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	20	22	45	19	-3.2	1.145	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	15	20	32	45	19.9	-4	1.145	0.4	0.3	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	15	20	42	45	19.7	-3.1	1.145	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	15	20	52	45	19.4	-3.8	1.145	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	15	21	2	45	18.7	-4.1	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	21	12	45	19.3	-3.7	1.145	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	36
2022	1	15	21	22	45	19.5	-3.9	1.145	0.3	0.2	0	24.9	18.9	0	96	80	0	38	36	36
2022	1	15	21	32	45	19.5	-3.9	1.145	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	21	42	45	18.6	-3.2	1.145	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	15	21	52	45	18.4	-4.1	1.145	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	15	22	2	45	20.1	-2.9	1.145	0.4	0.3	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	15	22	12	45	19	-3.5	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	22	22	45	19.9	-3.5	1.145	0.5	0.4	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	15	22	32	45	18.5	-3.4	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	22	42	45	18.6	-2.8	1.145	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	35
2022	1	15	22	52	45	19.1	-3.2	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	23	2	45	20.1	-4.2	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	23	12	45	19.3	-4.4	1.145	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	15	23	22	45	18.5	-3.7	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	23	32	45	18.6	-3.2	1.145	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	15	23	42	45	18.7	-3	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	15	23	52	45	19.4	-3.6	1.145	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	16	0	2	45	19.7	-3.9	1.145	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	0	12	45	18.7	-3.6	1.145	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	16	0	22	45	18.8	-3.1	1.145	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	37
2022	1	16	0	32	45	19.6	-4.8	1.145	0.4	0.3	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	16	0	42	45	19.3	-4	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	0	52	45	19.2	-2.7	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	1	2	45	19.4	-3.1	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	16	1	12	45	19.2	-2.3	1.145	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	16	1	22	45	19.4	-4.3	1.145	0.4	0.3	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	16	1	32	45	20.4	-2.9	1.146	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	16	1	42	45	19	-3.3	1.146	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	16	1	52	45	18.2	-4.4	1.146	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	37
2022	1	16	2	2	45	19.1	-4.2	1.146	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	37
2022	1	16	2	12	45	18.9	-3.6	1.146	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	2	22	45	18.4	-3.3	1.146	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	16	2	32	45	19.9	-3.4	1.146	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	35
2022	1	16	2	42	45	19.2	-4.6	1.146	0.3	0.2	0	24.5	18.5	0	94	78	0	37	35	36
2022	1	16	2	52	45	19.8	-4.4	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	16	3	2	45	19.9	-3.8	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	16	3	12	45	19.1	-3.4	1.146	0.3	0.2	0	24.1	18.1	0	94	78	0	38	36	36
2022	1	16	3	22	45	18.8	-3.9	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	16	3	32	45	19.6	-3.8	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	16	3	42	45	19.1	-4.7	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	16	3	52	45	19.4	-3.7	1.146	0.3	0.2	0	24.5	18.1	0	94	78	0	37	36	36
2022	1	16	4	2	45	18.2	-3.9	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	16	4	12	45	19.5	-3.9	1.146	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	16	4	22	45	19.4	-3.8	1.146	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	16	4	32	45	19.6	-3.8	1.146	0.3	0.2	0	24.5	18.5	0	94	78	0	37	35	36
2022	1	16	4	42	45	18.6	-4	1.146	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	16	4	52	45	19.3	-3.6	1.146	0.3	0.2	0	24.5	18.5	0	94	78	0	37	35	36
2022	1	16	5	2	45	18.9	-3.6	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	37
2022	1	16	5	12	45	17.8	-3.5	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	37
2022	1	16	5	22	45	19.8	-4.6	1.146	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	35
2022	1	16	5	32	45	18.6	-4	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	16	5	42	45	19.1	-3.2	1.146	0.3	0.2	0	24.5	18.5	0	94	78	0	37	35	36
2022	1	16	5	52	45	19.7	-3.9	1.146	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	16	6	2	45	18.6	-4.5	1.146	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	16	6	12	45	19.1	-2.9	1.146	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	16	6	22	45	19	-4.7	1.146	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	16	6	32	45	19.6	-3.2	1.146	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	16	6	42	45	19.2	-3.9	1.146	0.5	0.4	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	16	6	52	45	19	-3.6	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	37
2022	1	16	7	2	45	17.7	-3.5	1.146	0.3	0.2	0	24.5	19.4	0	96	80	0	39	35	36
2022	1	16	7	12	45	18.9	-2.8	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	16	7	22	45	19.3	-2.9	1.146	0.3	0.2	0	23.6	18.9	0	94	79	0	39	35	36
2022	1	16	7	32	45	18.9	-3.3	1.146	0.4	0.3	0	24.5	18.9	0	94	79	0	37	35	35
2022	1	16	7	42	45	18.7	-3.9	1.146	0.4	0.3	0	24.5	18.1	0	94	78	0	37	36	36
2022	1	16	7	52	45	19.7	-4.2	1.146	0.3	0.2	0	24.1	18.1	0	93	78	0	37	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	16	8	2	45	20.1	-4	1.146	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	16	8	12	45	18.7	-3.9	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	16	8	22	45	20.1	-3.6	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	16	8	32	45	19.4	-3.7	1.146	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	37
2022	1	16	8	42	45	19.7	-3.8	1.146	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	16	8	52	45	17.5	-3.2	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	16	9	2	45	19	-3.3	1.147	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	16	9	12	45	19.4	-3.7	1.147	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	16	9	22	45	18.6	-3.8	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	16	9	32	45	20.2	-3.4	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	16	9	42	45	18.9	-3.5	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	16	9	52	45	19.5	-3	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	16	10	2	45	19.2	-3.5	1.147	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	16	10	12	45	18.9	-3.3	1.148	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	16	10	22	45	18.3	-3.7	1.147	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	16	10	32	45	19.4	-3.8	1.148	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	16	10	42	45	19.3	-3.7	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	16	10	52	45	19.5	-4.3	1.148	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	16	11	2	45	18.4	-4.1	1.148	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	16	11	12	45	18	-4	1.148	0.3	0.2	0	22.8	18.1	0	92	77	0	39	35	36
2022	1	16	11	22	45	19	-4.9	1.148	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	16	11	32	45	19.5	-4.1	1.147	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	16	11	42	45	19.3	-3.9	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	16	11	52	45	18.5	-4.3	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	16	12	2	45	18.7	-4	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	16	12	12	45	19.1	-3.3	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	37
2022	1	16	12	22	45	19	-3.6	1.148	0.3	0.2	0	23.6	17.6	0	92	77	0	37	36	36
2022	1	16	12	32	45	20.5	-4.6	1.148	0.3	0.2	0	22.8	17.2	0	91	75	0	38	35	36
2022	1	16	12	42	45	18.4	-3.9	1.148	0.3	0.2	0	23.6	18.5	0	92	77	0	37	34	36
2022	1	16	12	52	45	19.5	-3.8	1.148	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	35
2022	1	16	13	2	45	19.2	-3.3	1.148	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	16	13	12	45	18.9	-3.9	1.148	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	16	13	22	45	18.4	-3.8	1.148	0.3	0.2	0	22.8	17.6	0	90	76	0	37	35	37
2022	1	16	13	32	45	19.3	-4	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	16	13	42	45	19	-3.6	1.148	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	16	13	52	45	19	-3.2	1.148	0.5	0.4	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	16	14	2	45	18.7	-4.3	1.148	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	16	14	12	45	18.3	-4.4	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	16	14	22	45	18.8	-3.4	1.148	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	16	14	32	45	19.9	-4.1	1.148	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	16	14	42	45	19.4	-4.1	1.148	0.3	0.2	0	22.4	18.1	0	90	76	0	38	34	36
2022	1	16	14	52	45	18.9	-3.9	1.148	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	16	15	2	45	18.6	-3.8	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	35
2022	1	16	15	12	45	19.3	-4.7	1.148	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	36
2022	1	16	15	22	45	19.1	-4.5	1.148	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	16	15	32	45	18.7	-3.8	1.147	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	16	15	42	45	19.9	-3.4	1.148	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	36
2022	1	16	15	52	45	19	-3.8	1.147	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	16	16	2	45	19	-4.1	1.147	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	16	16	12	45	19.9	-3.4	1.148	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	16	16	22	45	20.5	-3.1	1.148	0.3	0.2	0	22.8	17.2	0	91	75	0	38	35	36
2022	1	16	16	32	45	19.8	-4	1.148	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	16	16	42	45	18.9	-3.6	1.147	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	35
2022	1	16	16	52	45	18.8	-3.7	1.147	0.3	0.2	0	23.2	17.6	0	92	76	0	38	35	37
2022	1	16	17	2	45	19.6	-3.2	1.147	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	16	17	12	45	18.7	-3.9	1.148	0.3	0.2	0	23.6	17.6	0	92	76	0	37	35	36
2022	1	16	17	22	45	19.8	-4	1.147	0.4	0.3	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	16	17	32	45	19.3	-4.7	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	16	17	42	45	18.2	-3.5	1.148	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	16	17	52	45	20.6	-3.5	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	16	18	2	45	20.2	-4.1	1.147	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	16	18	12	45	17.9	-4.3	1.147	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	36
2022	1	16	18	22	45	19.4	-2.8	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	18	32	45	19.5	-2.7	1.148	0.4	0.3	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	16	18	42	45	18.8	-3.2	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	18	52	45	18.8	-4.2	1.148	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	35
2022	1	16	19	2	45	20.2	-4.5	1.147	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	16	19	12	45	18.3	-3.4	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	19	22	45	18.4	-2.7	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	19	32	45	19.5	-3.3	1.147	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	16	19	42	45	19.3	-3.9	1.147	0.3	0.2	0	24.9	18.5	0	95	79	0	37	36	36
2022	1	16	19	52	45	18.8	-4.2	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	16	20	2	45	19	-3.1	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	37
2022	1	16	20	12	45	18.2	-3.1	1.147	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	16	20	22	45	19.4	-4.5	1.147	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	16	20	32	45	19.4	-3.2	1.147	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	16	20	42	45	18.9	-4	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	20	52	45	20.1	-3.7	1.147	0.5	0.4	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	16	21	2	45	20	-2.7	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	21	12	45	18.6	-3.3	1.147	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	16	21	22	45	19.5	-3.5	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	21	32	45	19.7	-3.8	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	16	21	42	45	19.7	-3.6	1.147	0.5	0.4	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	21	52	45	19.4	-3.8	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	16	22	2	45	19.6	-2.9	1.147	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	16	22	12	45	19.3	-3.5	1.147	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	16	22	22	45	19.2	-3.5	1.147	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	36
2022	1	16	22	32	45	18.1	-3.8	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	35
2022	1	16	22	42	45	19.3	-3.3	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	16	22	52	45	20.4	-3.4	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	16	23	2	45	19	-3.1	1.147	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	35
2022	1	16	23	12	45	19.6	-3.5	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	23	22	45	20.5	-3.3	1.147	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	16	23	32	45	19.9	-3.5	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	16	23	42	45	19.7	-3.8	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	16	23	52	45	19.7	-3.9	1.147	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	17	0	2	45	18.9	-3.9	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	17	0	12	45	19.7	-3.8	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	17	0	22	45	20.2	-3.4	1.147	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	17	0	32	45	18.8	-3.9	1.147	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	35
2022	1	17	0	42	45	19	-3.3	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	17	0	52	45	19.8	-2	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	17	1	2	45	18.8	-3.7	1.147	0.4	0.3	0	24.1	18.5	0	95	79	0	39	36	36
2022	1	17	1	12	45	19	-3.3	1.147	0.4	0.3	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	17	1	22	45	19.8	-3.6	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	17	1	32	45	20.1	-4.2	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	37
2022	1	17	1	42	45	19.7	-3	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	35
2022	1	17	1	52	45	20.1	-3.6	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	2	2	45	19.1	-4.2	1.147	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	17	2	12	45	19.7	-3.3	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	2	22	45	18.9	-3.6	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	17	2	32	45	19.4	-4	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	2	42	45	19.2	-3.9	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	17	2	52	45	19.2	-3.8	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	3	2	45	19.2	-4	1.147	0.3	0.2	0	23.6	18.5	0	94	79	0	39	36	36
2022	1	17	3	12	45	20.3	-4.1	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	3	22	45	18.7	-3.9	1.146	0.3	0.2	0	23.6	18.9	0	94	79	0	39	35	37
2022	1	17	3	32	45	19.6	-4.2	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	3	42	45	19.2	-3.3	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	17	3	52	45	19.3	-3.5	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	4	2	45	19.3	-3.7	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	17	4	12	45	19.8	-2.5	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	4	22	45	19.5	-3.6	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	4	32	45	18.8	-3.6	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	4	42	45	19.7	-3.2	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	4	52	45	20	-3.4	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	17	5	2	45	17.9	-4.3	1.147	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	17	5	12	45	19.2	-3.4	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	17	5	22	45	19.6	-3.6	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	5	32	45	17.8	-3.2	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	5	42	45	19.5	-3.8	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	17	5	52	45	17.7	-3.5	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	37
2022	1	17	6	2	45	19.3	-3.8	1.146	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	17	6	12	45	19.2	-4.6	1.147	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	37
2022	1	17	6	22	45	19.4	-3.1	1.146	0.3	0.2	0	24.1	18.1	0	94	78	0	38	36	36
2022	1	17	6	32	45	19.8	-3.4	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	6	42	45	19.2	-3.6	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	6	52	45	19.1	-4.2	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	17	7	2	45	19.6	-3.7	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	7	12	45	19.2	-3.7	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	17	7	22	45	19.5	-3.8	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	17	7	32	45	19.2	-4.1	1.146	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	17	7	42	45	19	-4.1	1.146	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	17	7	52	45	18.8	-3.2	1.146	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	17	8	2	45	18.9	-4	1.146	0.3	0.2	0	22.8	17.6	0	92	77	0	39	36	36
2022	1	17	8	12	45	19.6	-3.6	1.147	0.3	0.2	0	23.6	17.6	0	92	77	0	37	36	37
2022	1	17	8	22	45	19.3	-3.7	1.147	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	36
2022	1	17	8	32	45	18.7	-3.9	1.147	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	17	8	42	45	19.6	-3.9	1.147	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	17	8	52	45	18.5	-4	1.147	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	17	9	2	45	19.1	-3.2	1.147	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	17	9	12	45	19.3	-3.7	1.147	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	17	9	22	45	18.7	-3.8	1.147	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	17	9	32	45	19.2	-4.2	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	17	9	42	45	18.3	-3.9	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	17	9	52	45	19.6	-3.5	1.147	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	17	10	2	45	19.5	-4.2	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	17	10	12	45	19.2	-3.1	1.147	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	10	22	45	18.4	-4.2	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	17	10	32	45	20	-3.8	1.147	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	17	10	42	45	18.7	-3.6	1.147	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	36
2022	1	17	10	52	45	18.6	-3.1	1.148	0.3	0.2	0	23.6	17.6	0	92	77	0	37	36	36
2022	1	17	11	2	45	19.3	-3.1	1.148	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	17	11	12	45	19.3	-3.2	1.148	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	17	11	22	45	19.1	-4	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	17	11	32	45	18.6	-3.6	1.148	0.3	0.2	0	22.4	17.6	0	91	76	0	39	35	35
2022	1	17	11	42	45	18.6	-3.7	1.148	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	17	11	52	45	19	-4.3	1.148	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	37
2022	1	17	12	2	45	19.3	-4.2	1.148	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	17	12	12	45	19.4	-3.5	1.148	0.5	0.4	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	17	12	22	45	20.2	-4	1.148	0.4	0.3	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	17	12	32	45	19.3	-3.7	1.148	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	17	12	42	45	19	-3.7	1.148	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	17	12	52	45	19.2	-3.5	1.148	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	36
2022	1	17	13	2	45	19.4	-3.5	1.148	0.3	0.2	0	23.2	17.6	0	91	77	0	37	36	37
2022	1	17	13	12	45	17.9	-3	1.148	0.3	0.2	0	23.6	18.1	0	92	78	0	37	36	37
2022	1	17	13	22	45	20.4	-3.5	1.148	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	17	13	32	45	18.7	-3.6	1.148	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	17	13	42	45	18.9	-3.8	1.148	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	13	52	45	18.5	-4.7	1.148	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	37
2022	1	17	14	2	45	18.1	-2.7	1.148	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	17	14	12	45	19	-4.7	1.148	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	17	14	22	45	18.8	-3.4	1.148	0.3	0.2	0	24.1	18.9	0	93	78	0	37	34	36
2022	1	17	14	32	45	19	-3.4	1.148	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	17	14	42	45	18.3	-4.2	1.148	0.3	0.2	0	23.6	18.5	0	92	78	0	37	35	37
2022	1	17	14	52	45	19.1	-3.5	1.148	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	17	15	2	45	19	-3.4	1.148	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	35
2022	1	17	15	12	45	18.6	-3	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	17	15	22	45	17.8	-3.2	1.148	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	17	15	32	45	19	-3.4	1.148	0.4	0.3	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	17	15	42	45	19.3	-3.5	1.147	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	17	15	52	45	19.6	-3.7	1.148	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	17	16	2	45	18.7	-3.6	1.147	0.4	0.3	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	17	16	12	45	20	-2.8	1.147	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	17	16	22	45	19.4	-3.4	1.148	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	17	16	32	45	20.1	-3.8	1.147	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	17	16	42	45	19.4	-3.5	1.147	0.3	0.2	0	22.4	18.1	0	91	77	0	39	35	35
2022	1	17	16	52	45	19	-3.9	1.147	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	17	17	2	45	18.6	-3.9	1.147	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	17	17	12	45	19.3	-3.2	1.147	0.5	0.4	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	17	22	45	19.8	-4.3	1.147	0.3	0.2	0	23.6	18.5	0	94	79	0	39	36	36
2022	1	17	17	32	45	20	-3.5	1.147	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	17	17	42	45	20.2	-3.9	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	17	17	52	45	19.9	-4	1.148	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	17	18	2	45	19	-3.5	1.147	0.3	0.2	0	24.5	18.1	0	94	78	0	37	36	36
2022	1	17	18	12	45	19	-2.7	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	35
2022	1	17	18	22	45	19.4	-3.5	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	17	18	32	45	19.3	-3.5	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	17	18	42	45	19	-3.8	1.147	0.3	0.2	0	24.5	19.8	0	95	80	0	38	34	37
2022	1	17	18	52	45	18.8	-3.4	1.147	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	17	19	2	45	19.7	-3.8	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	17	19	12	45	19.1	-3.1	1.147	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	17	19	22	45	20	-3.6	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	17	19	32	45	18.4	-3.1	1.147	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	17	19	42	45	19	-3.2	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	17	19	52	45	19.8	-3.6	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	17	20	2	45	20.1	-4.6	1.147	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	37
2022	1	17	20	12	45	20.2	-3.5	1.147	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	17	20	22	45	18.9	-3.5	1.147	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	37
2022	1	17	20	32	45	20.1	-3.2	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	17	20	42	45	19	-3.6	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	17	20	52	45	18.8	-2.9	1.147	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	17	21	2	45	19.5	-3.9	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	17	21	12	45	19.5	-3.1	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	17	21	22	45	19.4	-3.6	1.147	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	17	21	32	45	19.5	-3.3	1.147	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	17	21	42	45	19.5	-3.8	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	17	21	52	45	19.6	-3.8	1.147	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	17	22	2	45	19.1	-3.2	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	17	22	12	45	19.9	-3.5	1.147	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	17	22	22	45	19.6	-3.5	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	17	22	32	45	19.5	-2.3	1.147	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	17	22	42	45	19.3	-3.7	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	17	22	52	45	20.2	-3.4	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	17	23	2	45	20.2	-2.8	1.147	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	17	23	12	45	20.1	-3.5	1.147	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	17	23	22	45	18.5	-3.9	1.147	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	17	23	32	45	18.7	-3.1	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	17	23	42	45	19.7	-3.8	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	17	23	52	45	18.5	-3.4	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	18	0	2	45	18.5	-3.3	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	18	0	12	45	20.1	-3.3	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	18	0	22	45	18.6	-3.5	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	37
2022	1	18	0	32	45	18.7	-4.7	1.147	0.3	0.2	0	24.1	18.1	0	94	78	0	38	36	36
2022	1	18	0	42	45	19.6	-3.1	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	18	0	52	45	20.1	-3.8	1.147	0.3	0.2	0	24.1	18.9	0	94	78	0	38	34	36
2022	1	18	1	2	45	20.1	-3.8	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	37
2022	1	18	1	12	45	18.7	-3.5	1.147	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	18	1	22	45	19	-3.5	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	18	1	32	45	18.5	-3.3	1.147	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	18	1	42	45	19.7	-3.2	1.147	0.3	0.2	0	24.5	18.5	0	94	78	0	37	35	36
2022	1	18	1	52	45	18.7	-3.8	1.147	0.3	0.2	0	24.5	18.5	0	94	78	0	37	35	37
2022	1	18	2	2	45	18.9	-3.6	1.147	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	18	2	12	45	19.1	-3.4	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	18	2	22	45	19.1	-3.9	1.147	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	37
2022	1	18	2	32	45	18.5	-3.4	1.147	0.4	0.3	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	18	2	42	45	19	-3.5	1.147	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	18	2	52	45	19.3	-4	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	18	3	2	45	20.1	-3.8	1.147	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	18	3	12	45	18.8	-3.9	1.146	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	18	3	22	45	19.7	-4.2	1.147	0.3	0.2	0	24.1	18.9	0	95	80	0	39	36	36
2022	1	18	3	32	45	19.2	-4.4	1.147	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	18	3	42	45	19.8	-3.5	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	18	3	52	45	19.3	-3.3	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	18	4	2	45	19.7	-4.1	1.147	0.4	0.3	0	24.9	18.9	0	95	79	0	37	35	36
2022	1	18	4	12	45	18.7	-3.6	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	37
2022	1	18	4	22	45	20.2	-3.5	1.147	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	18	4	32	45	19.7	-3.2	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	18	4	42	45	20.5	-3.5	1.146	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	18	4	52	45	19.1	-3.4	1.146	0.4	0.3	0	24.5	18.9	0	94	79	0	37	35	37
2022	1	18	5	2	45	20.2	-3.1	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	18	5	12	45	18.9	-3.5	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	18	5	22	45	18.9	-4.2	1.147	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	18	5	32	45	19.4	-3.8	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	18	5	42	45	19.9	-3.5	1.146	0.3	0.2	0	24.5	18.5	0	94	78	0	37	35	36
2022	1	18	5	52	45	19.4	-4.2	1.147	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	18	6	2	45	18.6	-2.7	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	18	6	12	45	19.4	-4	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	18	6	22	45	18.4	-3.3	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	18	6	32	45	18.8	-3.4	1.146	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	18	6	42	45	19	-3.1	1.147	0.5	0.4	0	23.6	18.9	0	94	79	0	39	35	36
2022	1	18	6	52	45	18.6	-2.9	1.147	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	18	7	2	45	19.2	-3.9	1.147	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	18	7	12	45	19.1	-4	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	18	7	22	45	17.7	-2.3	1.147	0.3	0.2	0	24.9	18.9	0	96	80	0	38	36	36
2022	1	18	7	32	45	20.1	-3.5	1.146	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	18	7	42	45	19.3	-3.8	1.147	0.3	0.2	0	24.5	18.1	0	94	78	0	37	36	37
2022	1	18	7	52	45	19.3	-3.4	1.147	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	36



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	18	8	2	45	18.8	-5.1	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	18	8	12	45	19.8	-3.3	1.147	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	18	8	22	45	20	-3.2	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	18	8	32	45	18.9	-3.4	1.147	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	35
2022	1	18	8	42	45	19.6	-3.5	1.147	0.4	0.3	0	22.8	17.6	0	92	77	0	39	36	36
2022	1	18	8	52	45	19.3	-3.7	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	18	9	2	45	19.5	-3.9	1.147	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	18	9	12	45	19.1	-3.9	1.147	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	18	9	22	45	19.1	-3.5	1.147	0.3	0.2	0	23.2	18.5	0	93	78	0	39	35	36
2022	1	18	9	32	45	19.7	-2.8	1.148	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	18	9	42	45	19.7	-4.2	1.147	0.3	0.2	0	23.6	17.6	0	92	77	0	37	36	36
2022	1	18	9	52	45	18.6	-3.5	1.148	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	18	10	2	45	19.2	-4.4	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	18	10	12	45	17.8	-3.1	1.148	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	18	10	22	45	19.8	-3.1	1.148	0.3	0.2	0	23.2	17.2	0	91	75	0	37	35	36
2022	1	18	10	32	45	19	-3.4	1.148	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	36
2022	1	18	10	42	45	17.8	-4.4	1.148	0.4	0.3	0	22.4	17.6	0	90	76	0	38	35	36
2022	1	18	10	52	45	19.6	-3.2	1.148	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	18	11	2	45	17.8	-3.6	1.148	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	18	11	12	45	19	-4.3	1.148	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	18	11	22	45	19.9	-3.8	1.149	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	36
2022	1	18	11	32	45	19.4	-3.7	1.148	0.5	0.4	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	18	11	42	45	19.4	-3.5	1.148	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	35
2022	1	18	11	52	45	19.1	-3.1	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	18	12	2	45	19.6	-4.2	1.149	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	18	12	12	45	19.5	-3.4	1.149	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	18	12	22	45	19.3	-3.1	1.149	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	18	12	32	45	20.3	-3.1	1.149	0.3	0.2	0	22.8	18.1	0	92	77	0	39	35	36
2022	1	18	12	42	45	20.2	-3.7	1.149	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	18	12	52	45	19.1	-4.7	1.149	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	18	13	2	45	20	-3.6	1.149	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	18	13	12	45	19.2	-3.6	1.149	0.3	0.2	0	23.2	18.1	0	91	77	0	37	35	36
2022	1	18	13	22	45	19.3	-4	1.149	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	35
2022	1	18	13	32	45	19.3	-2.7	1.149	0.3	0.2	0	22.4	18.1	0	91	77	0	39	35	37
2022	1	18	13	42	45	19.5	-3.9	1.148	0.4	0.3	0	23.2	17.6	0	92	77	0	38	36	37
2022	1	18	13	52	45	18.6	-4.1	1.148	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	18	14	2	45	20.7	-4.2	1.148	0.4	0.3	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	18	14	12	45	19.9	-3.1	1.148	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	37
2022	1	18	14	22	45	19.3	-4.2	1.148	0.3	0.2	0	22.8	18.1	0	92	77	0	39	35	37
2022	1	18	14	32	45	19.7	-3.8	1.148	0.3	0.2	0	23.6	18.1	0	92	77	0	37	35	37
2022	1	18	14	42	45	18.7	-3.6	1.148	0.5	0.4	0	23.6	18.5	0	92	78	0	37	35	36
2022	1	18	14	52	45	19.4	-2.8	1.149	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	18	15	2	45	20	-3.9	1.148	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	18	15	12	45	18.7	-4.2	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	18	15	22	45	19	-4.2	1.148	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	18	15	32	45	19.4	-3.8	1.148	0.4	0.3	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	18	15	42	45	19.3	-3.2	1.148	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	36
2022	1	18	15	52	45	19.4	-3.8	1.148	0.3	0.2	0	22.4	17.6	0	90	76	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	18	16	2	45	19.5	-4.6	1.148	0.3	0.2	0	22.8	17.2	0	91	76	0	38	36	35
2022	1	18	16	12	45	19.1	-3.7	1.148	0.4	0.3	0	22.8	17.6	0	91	76	0	38	35	37
2022	1	18	16	22	45	18.4	-3.5	1.148	0.4	0.3	0	22.8	17.2	0	91	76	0	38	36	36
2022	1	18	16	32	45	18.9	-3.5	1.148	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	18	16	42	45	18.8	-4	1.148	0.3	0.2	0	23.2	17.2	0	91	75	0	37	35	36
2022	1	18	16	52	45	19	-4.3	1.148	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	36
2022	1	18	17	2	45	19.5	-4.3	1.148	0.3	0.2	0	23.6	17.6	0	92	76	0	37	35	36
2022	1	18	17	12	45	19.3	-4	1.148	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	18	17	22	45	18.4	-3.5	1.148	0.3	0.2	0	23.6	17.6	0	92	77	0	37	36	36
2022	1	18	17	32	45	19.4	-3.6	1.148	0.4	0.3	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	18	17	42	45	18.1	-4.1	1.148	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	18	17	52	45	19.5	-3.9	1.148	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	37
2022	1	18	18	2	45	19.4	-3.3	1.148	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	18	18	12	45	19.8	-3.8	1.148	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	18	18	22	45	19	-4.2	1.148	0.3	0.2	0	24.1	18.1	0	94	78	0	38	36	36
2022	1	18	18	32	45	19.3	-3.5	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	18	18	42	45	19.7	-3.3	1.148	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	36
2022	1	18	18	52	45	19.9	-4	1.148	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	18	19	2	45	19.4	-2.6	1.148	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	18	19	12	45	19.7	-3	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	18	19	22	45	20.2	-3.9	1.148	0.3	0.2	0	24.9	19.8	0	95	81	0	37	35	36
2022	1	18	19	32	45	19.1	-3.2	1.148	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	36
2022	1	18	19	42	45	19.1	-3	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	18	19	52	45	19.2	-3.6	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	18	20	2	45	19.9	-3.8	1.148	0.4	0.3	0	24.5	18.9	0	95	79	0	38	35	37
2022	1	18	20	12	45	18.9	-3.8	1.148	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	18	20	22	45	20.1	-2.7	1.148	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	36
2022	1	18	20	32	45	19.4	-3.5	1.148	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	37
2022	1	18	20	42	45	20.1	-2.6	1.148	0.4	0.3	0	24.9	19.4	0	95	80	0	37	35	35
2022	1	18	20	52	45	18.4	-2.7	1.148	0.4	0.3	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	18	21	2	45	19.1	-3.3	1.148	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	18	21	12	45	19.4	-3.5	1.148	0.4	0.3	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	18	21	22	45	19.5	-2.5	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	18	21	32	45	18.1	-2.8	1.148	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	36
2022	1	18	21	42	45	18.9	-3.8	1.148	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	18	21	52	45	20.2	-3.3	1.148	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	18	22	2	45	19.5	-3.5	1.148	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	18	22	12	45	19	-4.2	1.148	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	18	22	22	45	18.9	-3.5	1.148	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	18	22	32	45	18.1	-2.7	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	18	22	42	45	20	-3.5	1.148	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	18	22	52	45	20.4	-2.9	1.148	0.4	0.3	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	18	23	2	45	19.7	-3.9	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	18	23	12	45	19	-4.1	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	18	23	22	45	19.4	-3	1.148	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	18	23	32	45	18.6	-4	1.148	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	18	23	42	45	19.1	-3.9	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	18	23	52	45	19.8	-3.3	1.148	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	19	0	2	45	19.4	-3.5	1.148	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	19	0	12	45	19.4	-3.4	1.148	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	19	0	22	45	19.2	-3.3	1.148	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	19	0	32	45	19.1	-3.5	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	19	0	42	45	19.6	-3.4	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	19	0	52	45	19.4	-3.5	1.148	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	19	1	2	45	19.5	-3.5	1.148	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	19	1	12	45	19.6	-3.1	1.148	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	19	1	22	45	18.8	-4.2	1.148	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	19	1	32	45	19.3	-3.7	1.148	0.3	0.2	0	24.5	18.5	0	94	79	0	37	36	36
2022	1	19	1	42	45	19.8	-4.1	1.148	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	19	1	52	45	19.6	-2.9	1.148	0.4	0.3	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	19	2	2	45	19.2	-3.8	1.148	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	35
2022	1	19	2	12	45	19.6	-3.7	1.148	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	19	2	22	45	19.6	-3.5	1.148	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	19	2	32	45	19.6	-3.2	1.148	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	37
2022	1	19	2	42	45	18.5	-3.2	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	19	2	52	45	19.1	-3.5	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	19	3	2	45	20	-3.3	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	19	3	12	45	19.8	-3.8	1.148	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	19	3	22	45	18.8	-3.2	1.148	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	19	3	32	45	19.6	-4.5	1.148	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	19	3	42	45	19.4	-3.8	1.148	0.4	0.3	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	19	3	52	45	19	-3.5	1.147	0.4	0.3	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	19	4	2	45	18.9	-4.1	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	19	4	12	45	19.4	-3.8	1.148	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	19	4	22	45	19.8	-3.6	1.147	0.3	0.2	0	23.6	18.9	0	94	79	0	39	35	36
2022	1	19	4	32	45	19	-3.5	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	19	4	42	45	19.3	-4	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	19	4	52	45	19.6	-3.1	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	19	5	2	45	19.9	-3.7	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	19	5	12	45	18.9	-3.3	1.147	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	19	5	22	45	19.7	-4.2	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	19	5	32	45	19.4	-3.2	1.148	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	19	5	42	45	19.3	-4.2	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	19	5	52	45	19.3	-3.5	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	19	6	2	45	18.7	-4.7	1.147	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	19	6	12	45	19.2	-3.5	1.147	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	19	6	22	45	18.5	-3.5	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	19	6	32	45	19.3	-3.1	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	19	6	42	45	18.9	-3.5	1.147	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	19	6	52	45	18.7	-3.6	1.147	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	19	7	2	45	19.8	-3.3	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	19	7	12	45	18.1	-4.3	1.147	0.4	0.3	0	24.9	19.8	0	95	81	0	37	35	36
2022	1	19	7	22	45	19.1	-3.4	1.147	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	19	7	32	45	18.9	-2.5	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	19	7	42	45	18.7	-3.1	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	19	7	52	45	17.8	-3.5	1.147	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	19	8	2	45	20	-3.1	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	19	8	12	45	18.6	-3.5	1.147	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	19	8	22	45	20.4	-3.6	1.147	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	19	8	32	45	19.7	-3.8	1.148	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	19	8	42	45	19	-3.5	1.148	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	35
2022	1	19	8	52	45	19.3	-3.7	1.148	0.5	0.5	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	19	9	2	45	19.4	-3.7	1.148	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	19	9	12	45	19.5	-4.2	1.148	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	19	9	22	45	19	-3.4	1.148	0.3	0.2	0	23.6	18.1	0	92	78	0	37	36	36
2022	1	19	9	32	45	19.3	-4.2	1.148	0.4	0.3	0	22.8	18.5	0	92	78	0	39	35	36
2022	1	19	9	42	45	19.4	-3.4	1.148	0.4	0.3	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	19	9	52	45	18.7	-4.1	1.148	0.4	0.3	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	19	10	2	45	19.3	-3.7	1.149	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	35
2022	1	19	10	12	45	19.5	-3.5	1.148	0.3	0.2	0	22.4	17.6	0	91	76	0	39	35	37
2022	1	19	10	22	45	18.3	-3.4	1.149	0.3	0.2	0	23.6	18.1	0	92	78	0	37	36	37
2022	1	19	10	32	45	20.5	-3.5	1.149	0.3	0.2	0	22.8	17.6	0	91	76	0	38	35	36
2022	1	19	10	42	45	19.4	-4.3	1.149	0.3	0.2	0	23.2	18.5	0	92	77	0	38	34	37
2022	1	19	10	52	45	18.9	-4.3	1.149	0.3	0.2	0	22.8	17.6	0	91	77	0	38	36	36
2022	1	19	11	2	45	20.1	-3.7	1.149	0.3	0.2	0	23.2	17.6	0	91	76	0	37	35	36
2022	1	19	11	12	45	19.6	-4.3	1.149	0.3	0.2	0	22.8	18.1	0	91	77	0	38	35	36
2022	1	19	11	22	45	20.6	-3.8	1.149	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	19	11	32	45	19.5	-3.3	1.149	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	19	11	42	45	20.5	-2.7	1.149	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	19	11	52	45	20	-2.3	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	19	12	2	45	19.5	-2.9	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	19	12	12	45	19.8	-2.1	1.149	0.3	0.2	0	28.4	22.4	0	103	87	0	37	35	36
2022	1	19	12	22	45	21	-3.3	1.149	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	19	12	32	45	19.6	-2.9	1.149	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	37
2022	1	19	12	42	45	20.6	-2.9	1.149	0.3	0.2	0	28.8	22.8	0	104	88	0	37	35	36
2022	1	19	12	52	45	19.4	-3.6	1.149	0.3	0.2	0	27.5	22.8	0	102	87	0	38	34	36
2022	1	19	13	2	45	20	-3.3	1.149	0.4	0.3	0	29.2	22.8	0	105	89	0	37	36	36
2022	1	19	13	12	45	19.5	-3.2	1.149	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	19	13	22	45	18.4	-3.3	1.149	0.3	0.2	0	28	22.8	0	103	88	0	38	35	36
2022	1	19	13	32	45	20.2	-3.3	1.149	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	19	13	42	45	21.8	-3.4	1.149	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	37
2022	1	19	13	52	45	19.6	-3.4	1.149	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	19	14	2	45	19.4	-3.8	1.149	0.3	0.2	0	31.4	25.4	0	110	94	0	37	35	36
2022	1	19	14	12	45	19.2	-2.7	1.149	0.4	0.3	0	29.2	23.2	0	105	89	0	37	35	36
2022	1	19	14	22	45	20.3	-3.5	1.149	0.3	0.2	0	28	21.9	0	103	86	0	38	35	36
2022	1	19	14	32	45	20.3	-3.7	1.149	0.4	0.3	0	26.2	20.2	0	99	83	0	38	36	36
2022	1	19	14	42	45	20	-2.9	1.149	0.3	0.2	0	26.2	20.6	0	99	83	0	38	35	36
2022	1	19	14	52	45	20	-3.4	1.149	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	35
2022	1	19	15	2	45	19.4	-2.5	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	19	15	12	45	19.8	-3.2	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	19	15	22	45	19.5	-4.2	1.148	0.3	0.2	0	24.5	19.4	0	95	79	0	38	34	36
2022	1	19	15	32	45	20.3	-3.9	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	19	15	42	45	19.5	-4	1.149	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	19	15	52	45	19.9	-3.1	1.149	0.3	0.2	0	24.5	19.4	0	94	79	0	37	34	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	19	16	2	45	19.8	-3.9	1.149	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	19	16	12	45	18.2	-3.2	1.149	0.3	0.2	0	23.2	18.5	0	92	78	0	38	35	36
2022	1	19	16	22	45	18.8	-2.9	1.149	0.5	0.4	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	19	16	32	45	20.1	-3.5	1.149	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	19	16	42	45	19.3	-3.4	1.149	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	19	16	52	45	19.9	-3.6	1.149	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	19	17	2	45	20.2	-3.5	1.149	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	19	17	12	45	19.5	-4.1	1.149	0.5	0.4	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	19	17	22	45	19.6	-3.7	1.149	0.3	0.2	0	24.5	18.5	0	94	78	0	37	35	35
2022	1	19	17	32	45	19.5	-3.6	1.149	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	19	17	42	45	18.7	-4.1	1.149	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	37
2022	1	19	17	52	45	19.5	-3.6	1.149	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	19	18	2	45	21	-3.9	1.149	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	19	18	12	45	19.5	-2.8	1.149	0.3	0.2	0	27.5	21.5	0	101	85	0	37	35	36
2022	1	19	18	22	45	20	-3.5	1.149	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	19	18	32	45	19.5	-4.3	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	19	18	42	45	19.8	-4	1.149	0.3	0.2	0	25.4	19.8	0	96	80	0	37	34	36
2022	1	19	18	52	45	19.5	-3.5	1.149	0.3	0.2	0	24.9	18.9	0	96	80	0	38	36	36
2022	1	19	19	2	45	19.4	-3.9	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	19	19	12	45	19.6	-4.5	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	37
2022	1	19	19	22	45	18.4	-2.8	1.149	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	37
2022	1	19	19	32	45	18.6	-3.5	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	19	19	42	45	19.6	-3.7	1.149	0.4	0.3	0	24.9	19.8	0	95	81	0	37	35	36
2022	1	19	19	52	45	18.7	-3.4	1.149	0.3	0.2	0	25.4	19.8	0	96	80	0	37	34	36
2022	1	19	20	2	45	18.6	-3.9	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	19	20	12	45	18.3	-3.1	1.149	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	19	20	22	45	18.7	-3.5	1.149	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	19	20	32	45	19.8	-2.4	1.149	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	19	20	42	45	18.4	-3.4	1.149	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	19	20	52	45	19.9	-3	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	19	21	2	45	19.4	-3.5	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	19	21	12	45	19.8	-3.9	1.149	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	19	21	22	45	19.2	-3.6	1.149	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	19	21	32	45	19	-3.4	1.149	0.3	0.2	0	25.4	18.9	0	96	80	0	37	36	36
2022	1	19	21	42	45	19.9	-3.5	1.149	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	19	21	52	45	19.3	-2.9	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	19	22	2	45	19.2	-3.5	1.149	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	19	22	12	45	19.6	-3.9	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	19	22	22	45	19	-2.7	1.149	0.3	0.2	0	24.9	18.9	0	96	80	0	38	36	36
2022	1	19	22	32	45	20.8	-4.4	1.149	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	19	22	42	45	18.8	-3.2	1.149	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	19	22	52	45	20.4	-3.1	1.149	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	19	23	2	45	20.5	-3.8	1.149	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	19	23	12	45	19.1	-3.2	1.149	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	19	23	22	45	18.7	-3	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	19	23	32	45	20.2	-3.1	1.149	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	19	23	42	45	19.7	-3.8	1.149	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	19	23	52	45	19.8	-3.7	1.148	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	20	0	2	45	19.5	-3.2	1.149	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	20	0	12	45	18	-3.2	1.149	0.3	0.2	0	24.9	19.8	0	97	81	0	39	35	36
2022	1	20	0	22	45	19.6	-3.7	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	20	0	32	45	18.6	-3.6	1.149	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	20	0	42	45	19.9	-3.2	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	20	0	52	45	19.9	-4.1	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	20	1	2	45	18.9	-3.6	1.149	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	35
2022	1	20	1	12	45	18.8	-3.7	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	37
2022	1	20	1	22	45	19.4	-4.1	1.148	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	35
2022	1	20	1	32	45	19.6	-4.2	1.148	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	20	1	42	45	18.8	-3.5	1.149	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	20	1	52	45	19	-3.9	1.149	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	20	2	2	45	19.4	-3.3	1.149	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	20	2	12	45	19.8	-4.3	1.148	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	20	2	22	45	19.1	-3.9	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	20	2	32	45	18.8	-3.7	1.148	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	20	2	42	45	18.8	-3.4	1.148	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	20	2	52	45	18.7	-3.5	1.149	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	20	3	2	45	19.4	-3.3	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	20	3	12	45	20.5	-4.8	1.148	0.4	0.3	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	20	3	22	45	19.5	-3.7	1.148	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	20	3	32	45	18.7	-4.1	1.148	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	37
2022	1	20	3	42	45	18.3	-2.9	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	20	3	52	45	18.8	-3.4	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	37
2022	1	20	4	2	45	20.2	-3.3	1.149	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	20	4	12	45	19.2	-2.8	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	20	4	22	45	18.7	-3.6	1.148	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	20	4	32	45	20.2	-3.6	1.148	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	20	4	42	45	20.3	-3.1	1.148	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	20	4	52	45	19.5	-3.9	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	20	5	2	45	19.2	-2.7	1.149	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	20	5	12	45	19.1	-3.7	1.148	0.4	0.3	0	24.9	18.9	0	96	80	0	38	36	36
2022	1	20	5	22	45	20.1	-3.9	1.149	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	20	5	32	45	19.4	-3.9	1.149	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	20	5	42	45	19.9	-4.3	1.149	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	20	5	52	45	18.7	-3.5	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	20	6	2	45	19.9	-3.4	1.149	0.3	0.2	0	25.8	20.6	0	98	82	0	38	34	36
2022	1	20	6	12	45	18.6	-3.8	1.149	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	36
2022	1	20	6	22	45	19.3	-3.9	1.148	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	20	6	32	45	19.3	-3.1	1.149	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	20	6	42	45	19.6	-2.7	1.148	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	20	6	52	45	17.9	-3	1.148	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	20	7	2	45	20.2	-3.7	1.149	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	20	7	12	45	18.4	-3.6	1.149	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	37
2022	1	20	7	22	45	19.2	-4.3	1.149	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	37
2022	1	20	7	32	45	19.5	-3.3	1.149	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	20	7	42	45	18.6	-4.1	1.148	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	20	7	52	45	19.2	-3.8	1.149	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	20	8	2	45	18.7	-3.8	1.149	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	20	8	12	45	17.7	-3.9	1.148	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	20	8	22	45	19.3	-2.6	1.149	0.3	0.2	0	26.7	21.1	0	99	84	0	37	35	36
2022	1	20	8	32	45	19.1	-2.6	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	20	8	42	45	20.2	-3.8	1.149	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	20	8	52	45	17.9	-2.9	1.149	0.3	0.2	0	26.7	21.1	0	99	84	0	37	35	37
2022	1	20	9	2	45	19.4	-3	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	20	9	12	45	20.5	-3.3	1.149	0.3	0.2	0	24.9	18.5	0	95	79	0	37	36	36
2022	1	20	9	22	45	19.9	-3.8	1.149	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	20	9	32	45	19.3	-3.4	1.149	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	20	9	42	45	18.8	-3.5	1.149	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	20	9	52	45	18.8	-3.9	1.149	0.3	0.2	0	23.2	18.1	0	92	78	0	38	36	36
2022	1	20	10	2	45	19.5	-4.5	1.15	0.4	0.3	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	20	10	12	45	19.2	-3.4	1.15	0.3	0.2	0	24.5	18.5	0	94	79	0	37	36	36
2022	1	20	10	22	45	19.6	-4.1	1.15	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	35
2022	1	20	10	32	45	18	-3.6	1.15	0.3	0.2	0	24.1	19.4	0	94	79	0	38	34	36
2022	1	20	10	42	45	18.8	-3.5	1.15	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	20	10	52	45	18.4	-3.4	1.15	0.4	0.3	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	20	11	2	45	18.5	-3.7	1.15	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	35
2022	1	20	11	12	45	18.8	-3.2	1.15	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	20	11	22	45	18.5	-3.6	1.15	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	20	11	32	45	19.7	-3.8	1.15	0.5	0.4	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	20	11	42	45	18.9	-2.9	1.15	0.3	0.2	0	27.1	21.5	0	100	85	0	37	35	36
2022	1	20	11	52	45	18.9	-3.4	1.15	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36
2022	1	20	12	2	45	19.3	-2.7	1.15	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	20	12	12	45	19	-4.2	1.15	0.3	0.2	0	25.8	19.8	0	98	82	0	38	36	37
2022	1	20	12	22	45	19.4	-2.5	1.15	0.3	0.2	0	24.9	20.2	0	95	81	0	37	34	35
2022	1	20	12	32	45	18.6	-3.8	1.15	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	20	12	42	45	19.7	-2.9	1.15	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	35
2022	1	20	12	52	45	19.7	-3.6	1.15	0.3	0.2	0	28.8	23.2	0	104	89	0	37	35	36
2022	1	20	13	2	45	18.6	-3.5	1.15	0.3	0.2	0	25.8	21.5	0	99	84	0	39	34	35
2022	1	20	13	12	45	18.9	-3.1	1.15	0.4	0.3	0	25.4	20.6	0	96	82	0	37	34	36
2022	1	20	13	22	45	19.4	-3.2	1.15	0.3	0.2	0	24.5	19.4	0	95	81	0	38	36	36
2022	1	20	13	32	45	18.5	-3.9	1.15	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	20	13	42	45	18.8	-5	1.15	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	20	13	52	45	18.9	-3.2	1.15	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	20	14	2	45	18.5	-4	1.15	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	35
2022	1	20	14	12	45	18.5	-5.2	1.15	0.5	0.4	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	20	14	22	45	18.5	-3.5	1.15	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	35
2022	1	20	14	32	45	19.5	-3.5	1.15	0.3	0.2	0	24.1	19.8	0	94	80	0	38	34	37
2022	1	20	14	42	45	19.5	-3.5	1.15	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	35
2022	1	20	14	52	45	19.7	-2.2	1.15	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	20	15	2	45	19.4	-3.9	1.15	0.3	0.2	0	25.8	20.2	0	98	83	0	38	36	36
2022	1	20	15	12	45	18.1	-3.8	1.15	0.3	0.2	0	26.7	21.5	0	100	85	0	38	35	36
2022	1	20	15	22	45	19.3	-3.8	1.149	0.3	0.2	0	26.7	21.1	0	99	83	0	37	34	36
2022	1	20	15	32	45	17.8	-3.5	1.149	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	20	15	42	45	17.8	-2.5	1.149	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	35
2022	1	20	15	52	45	18.7	-3.7	1.149	0.3	0.2	0	24.9	20.2	0	97	82	0	39	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	20	16	2	45	18.3	-3.8	1.149	0.3	0.2	0	26.2	20.6	0	99	83	0	38	35	36
2022	1	20	16	12	45	19	-4	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	20	16	22	45	19	-3.4	1.149	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	20	16	32	45	19.1	-2.8	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	20	16	42	45	18.9	-3	1.149	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	20	16	52	45	19.2	-3.7	1.149	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	20	17	2	45	20.1	-3.9	1.149	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	35
2022	1	20	17	12	45	19.9	-4.6	1.149	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	20	17	22	45	19.7	-3.9	1.149	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	20	17	32	45	20.3	-4.3	1.149	0.3	0.2	0	27.5	22.4	0	102	87	0	38	35	36
2022	1	20	17	42	45	20.3	-2.6	1.15	0.3	0.2	0	27.5	21.9	0	101	86	0	37	35	36
2022	1	20	17	52	45	20.2	-3.5	1.149	0.3	0.2	0	26.7	21.1	0	99	84	0	37	35	36
2022	1	20	18	2	45	19.5	-3.4	1.149	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	20	18	12	45	19.8	-3.4	1.149	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	20	18	22	45	18.7	-2.9	1.149	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	20	18	32	45	19.2	-3.4	1.15	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	35
2022	1	20	18	42	45	18.6	-3.5	1.149	0.3	0.2	0	27.1	21.1	0	100	84	0	37	35	36
2022	1	20	18	52	45	19.1	-3.9	1.149	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	20	19	2	45	18.9	-2.2	1.149	0.4	0.3	0	34.4	28	0	117	100	0	37	35	37
2022	1	20	19	12	45	17.7	-3.1	1.149	0.3	0.2	0	34.8	28.4	0	118	101	0	37	35	36
2022	1	20	19	22	45	18	-2.8	1.149	0.4	0.3	0	34	28	0	116	100	0	37	35	36
2022	1	20	19	32	45	18.5	-1.4	1.149	0.4	0.3	0	34	27.5	0	116	99	0	37	35	35
2022	1	20	19	42	45	19.2	-2.8	1.149	0.3	0.2	0	31.4	25.4	0	111	94	0	38	35	36
2022	1	20	19	52	45	18.9	-3.1	1.149	0.3	0.2	0	29.2	23.2	0	106	89	0	38	35	36
2022	1	20	20	2	45	19.6	-3.1	1.149	0.3	0.2	0	28.4	22.4	0	103	87	0	37	35	37
2022	1	20	20	12	45	18.5	-3.9	1.149	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	20	20	22	45	19.3	-2.7	1.15	0.3	0.2	0	27.5	21.5	0	101	85	0	37	35	35
2022	1	20	20	32	45	20.1	-4.3	1.149	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	20	20	42	45	20	-3.4	1.149	0.4	0.3	0	26.2	20.6	0	99	83	0	38	35	36
2022	1	20	20	52	45	18.6	-3.1	1.15	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	35
2022	1	20	21	2	45	18.2	-4.5	1.149	0.4	0.3	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	20	21	12	45	19.3	-4	1.149	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	20	21	22	45	18.4	-3.9	1.149	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	20	21	32	45	19.3	-3.2	1.149	0.4	0.3	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	20	21	42	45	19.1	-3.8	1.149	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	20	21	52	45	18	-3.5	1.149	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	20	22	2	45	19.2	-3.5	1.149	0.3	0.2	0	26.2	20.2	0	99	82	0	38	35	36
2022	1	20	22	12	45	18.4	-3.7	1.149	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	20	22	22	45	19.2	-3.5	1.149	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	20	22	32	45	19.3	-2.9	1.149	0.3	0.2	0	26.7	21.1	0	99	83	0	37	34	36
2022	1	20	22	42	45	18	-3	1.149	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	20	22	52	45	20.5	-3.9	1.149	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	20	23	2	45	19.9	-3.3	1.149	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	20	23	12	45	19.1	-3.8	1.149	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	20	23	22	45	19.5	-3.2	1.149	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	20	23	32	45	19.8	-4.2	1.149	0.3	0.2	0	25.8	19.8	0	98	81	0	38	35	37
2022	1	20	23	42	45	19.6	-3.4	1.149	0.4	0.3	0	26.2	19.8	0	98	81	0	37	35	36
2022	1	20	23	52	45	19.6	-3.8	1.149	0.3	0.2	0	26.2	20.2	0	98	81	0	37	34	37



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	21	0	2	45	19.6	-3.4	1.149	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	21	0	12	45	19.4	-3.8	1.149	0.4	0.3	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	21	0	22	45	18.8	-3.1	1.149	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	21	0	32	45	19.3	-3.1	1.149	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	21	0	42	45	19.8	-3.7	1.149	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	37
2022	1	21	0	52	45	18.8	-4.3	1.149	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	21	1	2	45	18.9	-3.5	1.149	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	21	1	12	45	18.8	-3.9	1.149	0.3	0.2	0	25.8	19.4	0	97	80	0	37	35	35
2022	1	21	1	22	45	20	-4	1.149	0.3	0.2	0	25.8	19.4	0	97	80	0	37	35	36
2022	1	21	1	32	45	19.9	-2.9	1.149	0.3	0.2	0	25.4	19.4	0	97	80	0	38	35	36
2022	1	21	1	42	45	19.9	-3.6	1.149	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	21	1	52	45	19	-3.5	1.149	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	21	2	2	45	20.3	-3.1	1.149	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	21	2	12	45	19.8	-3.1	1.149	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	21	2	22	45	19.9	-2.5	1.149	0.3	0.2	0	25.8	21.1	0	98	83	0	38	34	36
2022	1	21	2	32	45	19.9	-3.8	1.149	0.3	0.2	0	26.2	19.8	0	98	82	0	37	36	36
2022	1	21	2	42	45	18.3	-3.3	1.149	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	21	2	52	45	20	-2.7	1.149	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	21	3	2	45	19.9	-3.4	1.149	0.3	0.2	0	27.1	21.1	0	100	84	0	37	35	36
2022	1	21	3	12	45	19	-3.1	1.149	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	21	3	22	45	18.8	-4.2	1.149	0.3	0.2	0	27.1	21.1	0	100	85	0	37	36	36
2022	1	21	3	32	45	19.6	-2.7	1.148	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	21	3	42	45	18.8	-3.7	1.148	0.3	0.2	0	25.8	20.2	0	98	83	0	38	36	35
2022	1	21	3	52	45	19.1	-3.3	1.148	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	35
2022	1	21	4	2	45	19	-4.5	1.148	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	21	4	12	45	19.5	-3.3	1.148	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	21	4	22	45	18.7	-3.5	1.148	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	21	4	32	45	19.1	-4.2	1.148	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	21	4	42	45	20.2	-3.5	1.148	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	21	4	52	45	20.5	-3.5	1.148	0.3	0.2	0	24.9	20.2	0	97	82	0	39	35	36
2022	1	21	5	2	45	19.7	-3.3	1.149	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	21	5	12	45	18.7	-4.1	1.148	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	21	5	22	45	19.2	-3.6	1.148	0.3	0.2	0	25.8	19.8	0	97	82	0	37	36	36
2022	1	21	5	32	45	19.2	-2.8	1.148	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	21	5	42	45	20	-3.5	1.148	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	21	5	52	45	18.3	-3.8	1.148	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	21	6	2	45	19.5	-3.8	1.148	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	21	6	12	45	18.4	-3.6	1.148	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	21	6	22	45	19	-3.5	1.148	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	21	6	32	45	18.2	-4	1.148	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	37
2022	1	21	6	42	45	19.9	-4.5	1.148	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	37
2022	1	21	6	52	45	19.3	-3.1	1.148	0.3	0.2	0	26.7	20.2	0	99	83	0	37	36	36
2022	1	21	7	2	45	18.9	-3.5	1.148	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	21	7	12	45	20.1	-4.6	1.148	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	21	7	22	45	19.1	-3.2	1.148	0.3	0.2	0	25.8	20.6	0	98	82	0	38	34	37
2022	1	21	7	32	45	19	-3.9	1.148	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	21	7	42	45	18.7	-4	1.148	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	21	7	52	45	18.7	-4	1.148	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	21	8	2	45	18.9	-4.1	1.148	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	21	8	12	45	17.9	-2.8	1.148	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	21	8	22	45	19.5	-2.8	1.148	0.3	0.2	0	28	22.4	0	103	87	0	38	35	36
2022	1	21	8	32	45	19.3	-3.2	1.148	0.3	0.2	0	27.1	21.9	0	102	86	0	39	35	36
2022	1	21	8	42	45	20.7	-2.7	1.148	0.3	0.2	0	27.5	21.1	0	101	84	0	37	35	36
2022	1	21	8	52	45	19.3	-3.2	1.148	0.3	0.2	0	28.4	22.4	0	103	87	0	37	35	36
2022	1	21	9	2	45	19.5	-3.5	1.147	0.3	0.2	0	31	25.4	0	110	94	0	38	35	35
2022	1	21	9	12	45	20	-2.7	1.147	0.3	0.2	0	34	27.5	0	116	99	0	37	35	36
2022	1	21	9	22	45	20.1	-3.1	1.147	0.3	0.2	0	34	28.4	0	117	101	0	38	35	37
2022	1	21	9	32	45	18.7	-2.4	1.147	0.3	0.2	0	34	28	0	117	100	0	38	35	37
2022	1	21	9	42	45	20.4	-2.7	1.147	0.4	0.3	0	34	28	0	117	100	0	38	35	36
2022	1	21	9	52	45	19.7	-1.9	1.147	0.3	0.2	0	36.5	31	0	123	107	0	38	35	36
2022	1	21	10	2	45	19.4	-2.7	1.147	0.3	0.2	0	39.6	33.5	0	130	113	0	38	35	36
2022	1	21	10	12	45	21	-2.8	1.147	0.3	0.2	0	39.6	34	0	129	113	0	37	34	36
2022	1	21	10	22	45	20	-2.6	1.147	0.3	0.2	0	38.7	33.1	0	128	112	0	38	35	36
2022	1	21	10	32	45	20.7	-2.7	1.148	0.3	0.2	0	37	31	0	124	108	0	38	36	35
2022	1	21	10	42	45	19.8	-2.4	1.147	0.4	0.3	0	36.5	30.5	0	122	106	0	37	35	37
2022	1	21	10	52	45	19.9	-1.4	1.147	0.3	0.2	0	36.5	31	0	123	107	0	38	35	35
2022	1	21	11	2	45	21.3	-2.7	1.148	0.4	0.3	0	36.1	30.5	0	122	106	0	38	35	36
2022	1	21	11	12	45	20.5	-1.8	1.148	0.5	0.4	0	37	31	0	124	107	0	38	35	35
2022	1	21	11	22	45	19.7	-2.2	1.148	0.4	0.3	0	37.4	31.4	0	124	108	0	37	35	36
2022	1	21	11	32	45	21	-2.8	1.147	0.3	0.2	0	36.5	31	0	123	107	0	38	35	36
2022	1	21	11	42	45	20.4	-2.2	1.147	0.4	0.3	0	36.5	30.1	0	122	105	0	37	35	36
2022	1	21	11	52	45	20.4	-2.5	1.148	0.3	0.2	0	35.7	29.7	0	121	104	0	38	35	36
2022	1	21	12	2	45	21.1	-1.3	1.148	0.3	0.2	0	35.3	28.8	0	119	103	0	37	36	36
2022	1	21	12	12	45	21.3	-1.7	1.147	0.3	0.2	0	34.8	28.8	0	119	102	0	38	35	36
2022	1	21	12	22	45	20.9	-1.8	1.148	0.3	0.2	0	34	28	0	117	100	0	38	35	36
2022	1	21	12	32	45	21.1	-2.1	1.147	0.3	0.2	0	33.5	27.1	0	115	98	0	37	35	36
2022	1	21	12	42	45	21.6	-2.1	1.147	0.3	0.2	0	32.7	26.7	0	114	97	0	38	35	36
2022	1	21	12	52	45	21.5	-2.2	1.147	0.3	0.2	0	33.1	26.7	0	114	97	0	37	35	36
2022	1	21	13	2	45	20.4	-3	1.147	0.5	0.4	0	32.7	26.7	0	114	97	0	38	35	36
2022	1	21	13	12	45	20.6	-2	1.148	0.3	0.2	0	32.3	26.7	0	113	97	0	38	35	36
2022	1	21	13	22	45	21.8	-2.8	1.147	0.3	0.2	0	31.8	25.8	0	112	95	0	38	35	36
2022	1	21	13	32	45	20.1	-2.3	1.147	0.3	0.2	0	31.4	24.9	0	111	94	0	38	36	36
2022	1	21	13	42	45	19.7	-2.3	1.146	0.4	0.3	0	31.8	25.4	0	111	94	0	37	35	36
2022	1	21	13	52	45	20.3	-3.1	1.147	0.3	0.2	0	31.8	25.4	0	111	94	0	37	35	36
2022	1	21	14	2	45	21.4	-2.7	1.148	0.3	0.2	0	31	24.5	0	109	92	0	37	35	36
2022	1	21	14	12	45	19.1	-2.4	1.147	0.3	0.2	0	30.5	24.1	0	108	91	0	37	35	36
2022	1	21	14	22	45	20.1	-1.3	1.147	0.3	0.2	0	29.7	23.6	0	107	90	0	38	35	36
2022	1	21	14	32	45	20.6	-2	1.147	0.3	0.2	0	29.2	23.2	0	106	89	0	38	35	36
2022	1	21	14	42	45	20.3	-1.6	1.147	0.3	0.2	0	29.2	23.2	0	106	89	0	38	35	36
2022	1	21	14	52	45	21.2	-2.7	1.147	0.3	0.2	0	29.2	22.8	0	105	88	0	37	35	37
2022	1	21	15	2	45	21.6	-3.1	1.147	0.3	0.2	0	28.8	22.8	0	105	88	0	38	35	36
2022	1	21	15	12	45	20.9	-2	1.147	0.3	0.2	0	28.8	22.8	0	104	88	0	37	35	37
2022	1	21	15	22	45	20.5	-1.8	1.147	0.3	0.2	0	28.8	22.8	0	105	88	0	38	35	36
2022	1	21	15	32	45	21.5	-1.9	1.146	0.3	0.2	0	28.8	22.4	0	104	87	0	37	35	36
2022	1	21	15	42	45	21.3	-2.4	1.147	0.3	0.2	0	29.7	23.6	0	106	90	0	37	35	36
2022	1	21	15	52	45	21.6	-2.7	1.147	0.5	0.4	0	28.4	22.8	0	104	88	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	21	16	2	45	20.1	-2.4	1.146	0.3	0.2	0	28.4	22.4	0	104	87	0	38	35	35
2022	1	21	16	12	45	19.9	-2.5	1.147	0.3	0.2	0	28	21.9	0	103	86	0	38	35	35
2022	1	21	16	22	45	21.3	-2.7	1.146	0.3	0.2	0	28	21.9	0	102	86	0	37	35	35
2022	1	21	16	32	45	21.2	-2.5	1.146	0.3	0.2	0	28	21.5	0	102	85	0	37	35	36
2022	1	21	16	42	45	20.1	-3.6	1.146	0.3	0.2	0	27.1	21.1	0	101	84	0	38	35	36
2022	1	21	16	52	45	19.3	-3.6	1.146	0.4	0.3	0	27.1	20.6	0	100	84	0	37	36	36
2022	1	21	17	2	45	18.9	-3.2	1.145	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	35
2022	1	21	17	12	45	19.7	-3.2	1.145	0.3	0.2	0	26.2	20.6	0	99	83	0	38	35	36
2022	1	21	17	22	45	18.9	-3.6	1.146	0.3	0.2	0	27.1	20.2	0	100	83	0	37	36	36
2022	1	21	17	32	45	19	-3.1	1.146	0.3	0.2	0	26.7	20.6	0	100	83	0	38	35	35
2022	1	21	17	42	45	19	-2.9	1.146	0.3	0.2	0	27.5	21.1	0	101	84	0	37	35	36
2022	1	21	17	52	45	20.3	-2.1	1.146	0.4	0.3	0	28	21.5	0	102	85	0	37	35	35
2022	1	21	18	2	45	20.1	-3.3	1.146	0.3	0.2	0	27.5	21.1	0	101	84	0	37	35	36
2022	1	21	18	12	45	20.1	-3.5	1.146	0.4	0.3	0	27.1	21.1	0	101	84	0	38	35	36
2022	1	21	18	22	45	20.3	-3.7	1.146	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	21	18	32	45	19.3	-2.4	1.146	0.3	0.2	0	27.5	21.5	0	102	85	0	38	35	36
2022	1	21	18	42	45	19.3	-3.5	1.146	0.3	0.2	0	28	21.5	0	102	85	0	37	35	35
2022	1	21	18	52	45	20.2	-3.3	1.146	0.3	0.2	0	27.5	21.5	0	102	85	0	38	35	36
2022	1	21	19	2	45	19.7	-2.6	1.146	0.3	0.2	0	28	22.4	0	102	86	0	37	34	36
2022	1	21	19	12	45	20.9	-4.2	1.146	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	21	19	22	45	19.8	-2.9	1.146	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	35
2022	1	21	19	32	45	20	-3.7	1.145	0.4	0.3	0	27.1	21.9	0	101	85	0	38	34	36
2022	1	21	19	42	45	19.3	-3.5	1.145	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	21	19	52	45	19.4	-3.5	1.145	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	21	20	2	45	19.2	-2.9	1.145	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	21	20	12	45	20.1	-3.2	1.145	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	21	20	22	45	19.7	-3.9	1.145	0.4	0.3	0	27.1	21.5	0	100	85	0	37	35	36
2022	1	21	20	32	45	18.9	-4.3	1.145	0.4	0.3	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	21	20	42	45	18.9	-3.4	1.145	0.3	0.2	0	27.1	20.6	0	100	84	0	37	36	36
2022	1	21	20	52	45	19.3	-2.4	1.146	0.3	0.2	0	27.5	21.1	0	101	84	0	37	35	35
2022	1	21	21	2	45	19.6	-3.8	1.145	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	21	21	12	45	19.2	-3.1	1.146	0.3	0.2	0	27.1	21.5	0	100	84	0	37	34	36
2022	1	21	21	22	45	18.9	-4.7	1.145	0.3	0.2	0	26.2	21.5	0	99	84	0	38	34	36
2022	1	21	21	32	45	18.7	-3.6	1.145	0.4	0.3	0	26.7	21.1	0	99	84	0	37	35	36
2022	1	21	21	42	45	18.8	-3.9	1.145	0.3	0.2	0	27.1	21.1	0	100	84	0	37	35	36
2022	1	21	21	52	45	20.5	-1.9	1.146	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	21	22	2	45	19.1	-3.3	1.145	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	21	22	12	45	18.9	-3.6	1.145	0.3	0.2	0	26.2	20.2	0	99	83	0	38	36	36
2022	1	21	22	22	45	19.9	-3.5	1.145	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	21	22	32	45	18.9	-1.9	1.145	0.3	0.2	0	27.1	21.1	0	100	84	0	37	35	36
2022	1	21	22	42	45	19	-2.3	1.145	0.3	0.2	0	27.1	21.1	0	101	84	0	38	35	36
2022	1	21	22	52	45	18.5	-3.7	1.145	0.3	0.2	0	27.1	21.1	0	101	84	0	38	35	35
2022	1	21	23	2	45	21.6	-2.6	1.146	0.3	0.2	0	27.5	21.5	0	102	85	0	38	35	36
2022	1	21	23	12	45	20.2	-2.5	1.144	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	21	23	22	45	18	-3	1.144	0.3	0.2	0	27.1	21.5	0	100	85	0	37	35	35
2022	1	21	23	32	45	19.1	-3.5	1.145	0.3	0.2	0	26.2	20.2	0	99	83	0	38	36	36
2022	1	21	23	42	45	18.9	-2.9	1.144	0.3	0.2	0	27.1	21.1	0	100	84	0	37	35	36
2022	1	21	23	52	45	18	-2.8	1.145	0.3	0.2	0	27.1	21.1	0	100	84	0	37	35	35

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	22	0	2	45	19.7	-2.3	1.146	0.3	0.2	0	26.7	20.6	0	100	83	0	38	35	36
2022	1	22	0	12	45	20.5	-2.6	1.145	0.3	0.2	0	27.5	21.1	0	101	84	0	37	35	36
2022	1	22	0	22	45	19.6	-2.5	1.146	0.3	0.2	0	27.1	21.1	0	101	84	0	38	35	36
2022	1	22	0	32	45	19.2	-2.7	1.145	0.4	0.3	0	27.1	21.1	0	100	84	0	37	35	36
2022	1	22	0	42	45	20.4	-3.5	1.145	0.4	0.3	0	26.2	20.6	0	99	83	0	38	35	36
2022	1	22	0	52	45	19.5	-3.4	1.144	0.4	0.3	0	26.2	20.6	0	98	83	0	37	35	35
2022	1	22	1	2	45	19	-2.7	1.145	0.3	0.2	0	27.5	20.6	0	100	83	0	36	35	36
2022	1	22	1	12	45	20	-3.5	1.145	0.3	0.2	0	27.5	21.1	0	101	84	0	37	35	36
2022	1	22	1	22	45	19.2	-2.9	1.145	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	22	1	32	45	18.8	-3.6	1.144	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	22	1	42	45	20.9	-3.7	1.144	0.3	0.2	0	26.7	20.2	0	99	82	0	37	35	36
2022	1	22	1	52	45	20.8	-3.9	1.144	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	22	2	2	45	19.8	-3.4	1.144	0.3	0.2	0	27.1	21.1	0	100	84	0	37	35	36
2022	1	22	2	12	45	19.5	-2.6	1.144	0.3	0.2	0	27.5	21.1	0	101	84	0	37	35	36
2022	1	22	2	22	45	18.5	-3.3	1.144	0.3	0.2	0	27.1	21.1	0	100	84	0	37	35	36
2022	1	22	2	32	45	18.5	-4.2	1.144	0.3	0.2	0	27.1	20.6	0	100	84	0	37	36	36
2022	1	22	2	42	45	21	-3.6	1.144	0.4	0.3	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	22	2	52	45	19.6	-2.5	1.145	0.3	0.2	0	26.7	20.6	0	100	84	0	38	36	37
2022	1	22	3	2	45	19.6	-3.8	1.144	0.3	0.2	0	27.1	20.6	0	100	83	0	37	35	36
2022	1	22	3	12	45	18.2	-2	1.144	0.4	0.3	0	26.7	20.2	0	99	82	0	37	35	36
2022	1	22	3	22	45	19.2	-3.2	1.143	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	37
2022	1	22	3	32	45	19.8	-3.2	1.143	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	22	3	42	45	18.4	-3.1	1.144	0.3	0.2	0	25.8	19.8	0	98	81	0	38	35	36
2022	1	22	3	52	45	19.1	-4.1	1.144	0.3	0.2	0	26.2	19.8	0	98	81	0	37	35	36
2022	1	22	4	2	45	19.2	-3.5	1.143	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	22	4	12	45	17.7	-3.7	1.143	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	22	4	22	45	19.6	-3.9	1.143	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	22	4	32	45	19.1	-3.9	1.143	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	22	4	42	45	20.1	-3.5	1.144	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	22	4	52	45	18.4	-3.5	1.143	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	22	5	2	45	18	-1.9	1.144	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	22	5	12	45	19.6	-2.7	1.144	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	5	22	45	18.8	-3.6	1.144	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	5	32	45	18.8	-3.2	1.143	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	35
2022	1	22	5	42	45	19	-3.4	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	5	52	45	18.9	-2.8	1.143	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	22	6	2	45	18.4	-2.9	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	6	12	45	18.4	-4.8	1.143	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	22	6	22	45	19.4	-3.8	1.143	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	22	6	32	45	19.4	-3.9	1.143	0.3	0.2	0	25.8	19.8	0	98	81	0	38	35	36
2022	1	22	6	42	45	20.5	-3.3	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	6	52	45	21.2	-3.7	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	7	2	45	18.4	-3.4	1.143	0.4	0.3	0	26.2	20.2	0	98	82	0	37	35	37
2022	1	22	7	12	45	19.3	-3.1	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	7	22	45	19.2	-2.1	1.143	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	22	7	32	45	19.6	-3.1	1.143	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	35
2022	1	22	7	42	45	19.6	-3.5	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	22	7	52	45	18.8	-2.9	1.143	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	22	8	2	45	20.4	-3.1	1.144	0.3	0.2	0	27.5	21.1	0	101	84	0	37	35	37
2022	1	22	8	12	45	20	-2.3	1.144	0.3	0.2	0	25.8	20.2	0	99	82	0	39	35	36
2022	1	22	8	22	45	19.5	-1.8	1.144	0.3	0.2	0	26.2	20.2	0	99	83	0	38	36	36
2022	1	22	8	32	45	20.1	-3.1	1.144	0.3	0.2	0	26.2	20.6	0	99	83	0	38	35	36
2022	1	22	8	42	45	18.9	-1.9	1.145	0.4	0.3	0	26.2	20.6	0	99	83	0	38	35	37
2022	1	22	8	52	45	20.8	-2.5	1.145	0.3	0.2	0	26.2	20.2	0	99	82	0	38	35	36
2022	1	22	9	2	45	22	-1.6	1.145	0.3	0.2	0	27.1	20.6	0	100	83	0	37	35	37
2022	1	22	9	12	45	21.5	-3.9	1.144	0.4	0.3	0	26.7	20.6	0	100	84	0	38	36	36
2022	1	22	9	22	45	22.2	-3	1.145	0.3	0.2	0	27.5	20.6	0	101	84	0	37	36	36
2022	1	22	9	32	45	19.3	-2.3	1.145	0.3	0.2	0	28	21.5	0	102	85	0	37	35	36
2022	1	22	9	42	45	21.3	-3.1	1.145	0.3	0.2	0	28.8	22.4	0	104	87	0	37	35	36
2022	1	22	9	52	45	21.2	-2.6	1.145	0.4	0.3	0	28.4	22.4	0	104	87	0	38	35	36
2022	1	22	10	2	45	19.2	-2.1	1.145	0.3	0.2	0	28.8	22.8	0	104	88	0	37	35	36
2022	1	22	10	12	45	22.2	-2.1	1.145	0.3	0.2	0	28.4	21.9	0	103	86	0	37	35	35
2022	1	22	10	22	45	20.8	-2.4	1.145	0.3	0.2	0	28.4	21.9	0	103	86	0	37	35	36
2022	1	22	10	32	45	21	-2.8	1.145	0.3	0.2	0	28	21.9	0	102	86	0	37	35	35
2022	1	22	10	42	45	21.3	-3.3	1.146	0.3	0.2	0	28	21.5	0	102	85	0	37	35	36
2022	1	22	10	52	45	20	-2.4	1.145	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	22	11	2	45	21.2	-2	1.145	0.4	0.3	0	27.5	21.1	0	102	84	0	38	35	36
2022	1	22	11	12	45	21.5	-2.8	1.145	0.4	0.3	0	27.5	21.1	0	101	84	0	37	35	36
2022	1	22	11	22	45	22.8	-2	1.145	0.3	0.2	0	28	22.4	0	103	87	0	38	35	36
2022	1	22	11	32	45	20.9	-2.8	1.145	0.3	0.2	0	28.4	21.9	0	103	86	0	37	35	36
2022	1	22	11	42	45	21.4	-2.7	1.145	0.4	0.3	0	28	21.1	0	102	85	0	37	36	36
2022	1	22	11	52	45	19.4	-1.8	1.145	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	35
2022	1	22	12	2	45	20.7	-2	1.145	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	22	12	12	45	21.1	-2.4	1.145	0.3	0.2	0	27.5	21.1	0	101	84	0	37	35	36
2022	1	22	12	22	45	19.4	-3	1.144	0.5	0.4	0	27.5	21.5	0	101	85	0	37	35	36
2022	1	22	12	32	45	20.5	-2	1.145	0.3	0.2	0	27.5	21.5	0	101	85	0	37	35	36
2022	1	22	12	42	45	20.5	-3.4	1.144	0.3	0.2	0	27.1	20.6	0	100	83	0	37	35	36
2022	1	22	12	52	45	20.1	-2.5	1.144	0.3	0.2	0	27.1	20.6	0	101	83	0	38	35	36
2022	1	22	13	2	45	20.5	-2	1.144	0.3	0.2	0	27.1	21.1	0	101	84	0	38	35	35
2022	1	22	13	12	45	21.6	-3.2	1.145	0.3	0.2	0	27.1	21.1	0	101	84	0	38	35	36
2022	1	22	13	22	45	19.8	-2.7	1.144	0.3	0.2	0	26.7	20.6	0	100	83	0	38	35	36
2022	1	22	13	32	45	20.3	-2.9	1.144	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	22	13	42	45	19.9	-2.3	1.144	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	22	13	52	45	20.2	-2.7	1.144	0.4	0.3	0	26.2	20.6	0	99	83	0	38	35	36
2022	1	22	14	2	45	19.9	-2.8	1.144	0.3	0.2	0	26.2	20.2	0	99	82	0	38	35	35
2022	1	22	14	12	45	20.7	-3.6	1.144	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	35
2022	1	22	14	22	45	19.2	-2.9	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	14	32	45	19.8	-2.1	1.144	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	14	42	45	21.3	-2.6	1.144	0.3	0.2	0	25.8	20.6	0	98	82	0	38	34	36
2022	1	22	14	52	45	20.2	-3.2	1.144	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	22	15	2	45	20.7	-3.6	1.143	0.3	0.2	0	26.7	20.2	0	99	82	0	37	35	36
2022	1	22	15	12	45	20.4	-2.5	1.144	0.3	0.2	0	26.7	20.2	0	99	82	0	37	35	36
2022	1	22	15	22	45	20	-2.7	1.143	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	22	15	32	45	18.9	-2.7	1.143	0.3	0.2	0	26.2	20.6	0	99	83	0	38	35	35
2022	1	22	15	42	45	20.1	-2.1	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	15	52	45	20.5	-3.1	1.143	0.3	0.2	0	25.8	19.4	0	97	80	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	22	16	2	45	20.1	-3	1.143	0.3	0.2	0	25.4	19.4	0	97	80	0	38	35	35
2022	1	22	16	12	45	21.3	-2.3	1.143	0.3	0.2	0	25.8	19.4	0	97	80	0	37	35	35
2022	1	22	16	22	45	19.9	-3.2	1.143	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	22	16	32	45	19.9	-2.8	1.142	0.3	0.2	0	25.4	18.9	0	96	79	0	37	35	36
2022	1	22	16	42	45	19.7	-4	1.142	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	22	16	52	45	19.3	-4.2	1.142	0.4	0.3	0	24.9	18.9	0	95	79	0	37	35	35
2022	1	22	17	2	45	18.5	-4.1	1.142	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	35
2022	1	22	17	12	45	19.8	-4.2	1.142	0.4	0.3	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	22	17	22	45	18.8	-2.4	1.142	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	22	17	32	45	20.1	-3.5	1.142	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	22	17	42	45	18.8	-3	1.143	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	22	17	52	45	20.3	-2.4	1.143	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	22	18	2	45	19.7	-3.6	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	18	12	45	20.1	-4.2	1.143	0.4	0.3	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	22	18	22	45	20.2	-3.3	1.143	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	35
2022	1	22	18	32	45	19.3	-4.1	1.142	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	22	18	42	45	20.1	-3.8	1.143	0.3	0.2	0	26.2	20.2	0	97	82	0	36	35	36
2022	1	22	18	52	45	18.9	-3.5	1.143	0.4	0.3	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	19	2	45	19.3	-3.6	1.143	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	22	19	12	45	19.6	-3.9	1.142	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	35
2022	1	22	19	22	45	18.5	-3.3	1.143	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	22	19	32	45	18.2	-3.9	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	19	42	45	19.6	-2.8	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	22	19	52	45	19	-2.3	1.142	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	22	20	2	45	19.5	-2.9	1.143	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	22	20	12	45	19.2	-5	1.143	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	22	20	22	45	18.9	-3.7	1.143	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	35
2022	1	22	20	32	45	18.5	-3.9	1.143	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	35
2022	1	22	20	42	45	18.1	-3.6	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	22	20	52	45	19.3	-4	1.143	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	22	21	2	45	18.1	-4	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	22	21	12	45	19.1	-3	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	22	21	22	45	19.7	-2.9	1.142	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	22	21	32	45	20.3	-3.2	1.143	0.3	0.2	0	26.2	19.8	0	98	81	0	37	35	36
2022	1	22	21	42	45	19.9	-3	1.142	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	21	52	45	19.2	-2.7	1.142	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	35
2022	1	22	22	2	45	21.1	-3.7	1.142	0.4	0.3	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	22	22	12	45	18.5	-3.2	1.142	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	22	22	22	45	18.7	-3.9	1.142	0.5	0.5	0	26.2	20.6	0	99	83	0	38	35	36
2022	1	22	22	32	45	18.5	-2	1.142	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	22	22	42	45	20.2	-3.6	1.142	0.4	0.3	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	22	52	45	18.8	-2.8	1.142	0.3	0.2	0	26.7	20.2	0	99	82	0	37	35	36
2022	1	22	23	2	45	19.5	-2.9	1.142	0.5	0.4	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	23	12	45	20.1	-3.2	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	23	22	45	19.8	-3.5	1.142	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	22	23	32	45	19.1	-2.8	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	22	23	42	45	19.1	-3.2	1.142	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	22	23	52	45	19.5	-3.7	1.142	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	23	0	2	45	19.3	-3	1.142	0.3	0.2	0	26.2	19.8	0	98	81	0	37	35	36
2022	1	23	0	12	45	19.3	-3.6	1.142	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	23	0	22	45	18.8	-3	1.142	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	23	0	32	45	18.4	-3.6	1.142	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	23	0	42	45	19.6	-1.9	1.142	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	23	0	52	45	19	-3.7	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	23	1	2	45	18.9	-3	1.142	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	1	12	45	19.7	-3.9	1.142	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	1	22	45	20.5	-3	1.142	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	23	1	32	45	18.4	-2.9	1.142	0.3	0.2	0	25.4	20.2	0	97	81	0	38	34	36
2022	1	23	1	42	45	19.5	-3.7	1.142	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	23	1	52	45	19	-4	1.142	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	35
2022	1	23	2	2	45	19.2	-3.8	1.142	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	23	2	12	45	19	-3.9	1.142	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	2	22	45	19.6	-4.2	1.142	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	23	2	32	45	19.3	-3.6	1.142	0.3	0.2	0	28.4	21.9	0	103	86	0	37	35	36
2022	1	23	2	42	45	19.7	-3	1.142	0.4	0.3	0	26.7	21.5	0	100	84	0	38	34	36
2022	1	23	2	52	45	19.5	-4.3	1.142	0.4	0.3	0	26.2	19.8	0	98	82	0	37	36	36
2022	1	23	3	2	45	19.5	-3.9	1.142	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	23	3	12	45	19.3	-3.4	1.142	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	23	3	22	45	18.9	-3.4	1.142	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	23	3	32	45	18.1	-3	1.141	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	23	3	42	45	18.1	-2.8	1.141	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	3	52	45	18.4	-3.2	1.141	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	4	2	45	18.9	-3.6	1.141	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	4	12	45	19.3	-4.2	1.141	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	35
2022	1	23	4	22	45	19	-3.2	1.141	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	23	4	32	45	17.7	-2.8	1.141	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	23	4	42	45	18.6	-3.1	1.141	0.3	0.2	0	25.8	19.8	0	97	82	0	37	36	36
2022	1	23	4	52	45	20.2	-2.8	1.141	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	23	5	2	45	19.2	-3.5	1.141	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	23	5	12	45	19.5	-3.9	1.141	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	23	5	22	45	18.3	-3.5	1.141	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	5	32	45	20	-3.1	1.141	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	23	5	42	45	19.6	-3.9	1.141	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	5	52	45	19.9	-3.1	1.141	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	23	6	2	45	19.2	-3.5	1.141	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	6	12	45	19.1	-3.6	1.141	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	6	22	45	19.1	-3.8	1.141	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	35
2022	1	23	6	32	45	19	-3.2	1.141	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	6	42	45	18.2	-3.4	1.141	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	6	52	45	18.4	-2.9	1.141	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	23	7	2	45	18.5	-4	1.141	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	23	7	12	45	18.4	-3.2	1.141	0.4	0.3	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	23	7	22	45	19.3	-3.1	1.141	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	23	7	32	45	18.8	-3.4	1.141	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	23	7	42	45	19.1	-3.1	1.141	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	23	7	52	45	19.1	-3.6	1.141	0.4	0.3	0	25.4	19.8	0	96	81	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	23	8	2	45	18.5	-3.6	1.141	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	37
2022	1	23	8	12	45	19.6	-3.4	1.141	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	23	8	22	45	19.2	-4.3	1.141	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	23	8	32	45	19.3	-3	1.141	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	23	8	42	45	19.8	-3.5	1.141	0.3	0.2	0	28.4	22.4	0	103	87	0	37	35	36
2022	1	23	8	52	45	19.4	-2.5	1.141	0.3	0.2	0	25.8	19.8	0	97	82	0	37	36	36
2022	1	23	9	2	45	18.9	-3.1	1.141	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	23	9	12	45	19.5	-3.7	1.141	0.4	0.3	0	24.9	19.4	0	95	80	0	37	35	37
2022	1	23	9	22	45	19.7	-3.7	1.141	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	35
2022	1	23	9	32	45	19.2	-3.1	1.141	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	23	9	42	45	18.9	-3.4	1.142	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	23	9	52	45	19	-3.2	1.142	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	23	10	2	45	18.5	-3.5	1.141	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	23	10	12	45	18.4	-2.7	1.142	0.4	0.3	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	23	10	22	45	19.8	-3.5	1.142	0.4	0.3	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	23	10	32	45	19.3	-3.9	1.142	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	35
2022	1	23	10	42	45	18.5	-4	1.142	0.3	0.2	0	23.6	19.4	0	93	79	0	38	34	36
2022	1	23	10	52	45	18.5	-4	1.142	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	23	11	2	45	19.3	-3.9	1.142	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	35
2022	1	23	11	12	45	18.7	-2.6	1.142	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	23	11	22	45	18.6	-3.8	1.142	0.3	0.2	0	24.5	19.4	0	94	79	0	37	34	35
2022	1	23	11	32	45	19.9	-3.3	1.142	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	23	11	42	45	19	-4	1.142	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	23	11	52	45	19	-3.7	1.142	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	23	12	2	45	20	-3.6	1.142	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	23	12	12	45	18.8	-3.5	1.142	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	23	12	22	45	19.8	-3.5	1.142	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	23	12	32	45	19.1	-3.5	1.142	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	23	12	42	45	18.7	-3.4	1.142	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	23	12	52	45	19	-3.3	1.142	0.3	0.2	0	24.1	19.4	0	94	79	0	38	34	36
2022	1	23	13	2	45	19.2	-3.7	1.142	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	23	13	12	45	17.9	-3.8	1.142	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	23	13	22	45	18.1	-3.6	1.143	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	35
2022	1	23	13	32	45	19.9	-3.2	1.142	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	35
2022	1	23	13	42	45	18	-4.3	1.142	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	23	13	52	45	18.7	-3.1	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	23	14	2	45	17.6	-3.1	1.142	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	23	14	12	45	18.9	-4.5	1.142	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	23	14	22	45	19.7	-3.2	1.142	0.3	0.2	0	24.9	19.8	0	95	81	0	37	35	36
2022	1	23	14	32	45	19.5	-3.2	1.142	0.3	0.2	0	26.7	21.1	0	99	84	0	37	35	36
2022	1	23	14	42	45	18.6	-3.7	1.142	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	23	14	52	45	19.4	-3.2	1.142	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36
2022	1	23	15	2	45	19.9	-3.6	1.142	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	35
2022	1	23	15	12	45	18.7	-4.4	1.142	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	23	15	22	45	17.2	-4.1	1.142	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	23	15	32	45	17.4	-4.1	1.142	0.3	0.2	0	24.9	20.2	0	96	81	0	38	34	36
2022	1	23	15	42	45	18.6	-3.6	1.142	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	36
2022	1	23	15	52	45	19.2	-3.4	1.142	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	23	16	2	45	18.7	-4	1.142	0.3	0.2	0	24.9	19.4	0	95	79	0	37	34	36
2022	1	23	16	12	45	19.9	-3.9	1.142	0.3	0.2	0	24.1	19.4	0	94	79	0	38	34	35
2022	1	23	16	22	45	19.1	-3.5	1.142	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	35
2022	1	23	16	32	45	18.1	-4.4	1.142	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	35
2022	1	23	16	42	45	19.1	-3.5	1.142	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	35
2022	1	23	16	52	45	19	-3.6	1.142	0.4	0.3	0	24.5	18.9	0	94	79	0	37	35	35
2022	1	23	17	2	45	19	-3.8	1.142	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	37
2022	1	23	17	12	45	18.3	-3.3	1.142	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	23	17	22	45	18.5	-3.3	1.142	0.4	0.3	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	23	17	32	45	17.2	-3.2	1.142	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	37
2022	1	23	17	42	45	18.9	-2.9	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	23	17	52	45	18.5	-3.6	1.142	0.3	0.2	0	24.9	19.8	0	95	81	0	37	35	35
2022	1	23	18	2	45	18	-3.2	1.142	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	23	18	12	45	18.6	-3.6	1.142	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	23	18	22	45	18.8	-2.8	1.142	0.4	0.3	0	25.8	20.2	0	96	82	0	36	35	36
2022	1	23	18	32	45	19.4	-4.3	1.142	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	23	18	42	45	18.5	-3	1.142	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	23	18	52	45	18.8	-4	1.142	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	23	19	2	45	19.8	-4.3	1.142	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	23	19	12	45	18.9	-3.6	1.142	0.4	0.3	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	23	19	22	45	19.1	-3.3	1.142	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	23	19	32	45	18.6	-3.2	1.142	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	23	19	42	45	19.4	-3.2	1.142	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	23	19	52	45	19.4	-3.9	1.142	0.3	0.2	0	24.9	19.8	0	95	81	0	37	35	35
2022	1	23	20	2	45	18.5	-3.6	1.142	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	23	20	12	45	20	-4	1.142	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	23	20	22	45	19.4	-3.1	1.142	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	35
2022	1	23	20	32	45	18.6	-3.5	1.142	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	23	20	42	45	19.3	-4	1.142	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	35
2022	1	23	20	52	45	19.8	-3.2	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	23	21	2	45	18.8	-1.9	1.142	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	23	21	12	45	18.2	-4	1.142	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36
2022	1	23	21	22	45	19	-3.2	1.142	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	23	21	32	45	18.6	-3.8	1.142	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36
2022	1	23	21	42	45	19.2	-3.5	1.142	0.3	0.2	0	25.8	20.2	0	97	83	0	37	36	36
2022	1	23	21	52	45	19.3	-3.5	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	23	22	2	45	19.4	-3.6	1.142	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	23	22	12	45	19	-3.2	1.141	0.3	0.2	0	25.4	20.6	0	96	82	0	37	34	36
2022	1	23	22	22	45	18.6	-3.7	1.142	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	23	22	32	45	18	-2.7	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	23	22	42	45	19.4	-3.1	1.142	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	23	22	52	45	19.4	-3.3	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	23	23	2	45	18.6	-3.2	1.141	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	23	23	12	45	18.7	-2.9	1.141	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	23	23	22	45	18.8	-3.3	1.141	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	23	23	32	45	19.3	-4.3	1.141	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	23	23	42	45	19.2	-4.2	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	23	23	52	45	18.8	-4.3	1.141	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	24	0	2	45	18.7	-3.2	1.141	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	24	0	12	45	19.4	-3	1.141	0.3	0.2	0	25.8	20.6	0	97	82	0	37	34	36
2022	1	24	0	22	45	20.2	-3.9	1.141	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	37
2022	1	24	0	32	45	19.4	-3.5	1.141	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	24	0	42	45	19.3	-4.4	1.141	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	24	0	52	45	18.5	-4	1.141	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	24	1	2	45	19	-4.3	1.141	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	24	1	12	45	18.2	-3.6	1.141	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	24	1	22	45	19.4	-1.8	1.141	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	24	1	32	45	18.9	-3.6	1.141	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	24	1	42	45	19	-3.2	1.141	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	24	1	52	45	19.4	-3.3	1.141	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	24	2	2	45	18.8	-3.8	1.141	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	24	2	12	45	19.2	-4.3	1.141	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	24	2	22	45	19.6	-4.4	1.141	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	24	2	32	45	18.5	-3	1.141	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	24	2	42	45	18.3	-2.7	1.141	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	24	2	52	45	18.5	-4.4	1.141	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	24	3	2	45	20.4	-4.1	1.141	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	24	3	12	45	18.6	-3.9	1.141	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	24	3	22	45	19.5	-3.4	1.141	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	24	3	32	45	19.4	-3	1.141	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	36
2022	1	24	3	42	45	18.8	-4.5	1.141	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	37
2022	1	24	3	52	45	18.5	-3.9	1.141	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	37
2022	1	24	4	2	45	19.3	-3.4	1.141	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	24	4	12	45	18.9	-4.1	1.141	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	24	4	22	45	19.7	-4.3	1.141	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	24	4	32	45	19.3	-2.7	1.141	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	24	4	42	45	18.8	-4	1.141	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	24	4	52	45	18.9	-3	1.141	0.4	0.3	0	24.9	20.2	0	96	81	0	38	34	36
2022	1	24	5	2	45	19.4	-4.1	1.141	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	24	5	12	45	18.3	-3.8	1.141	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	35
2022	1	24	5	22	45	18.3	-3	1.141	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	24	5	32	45	18.6	-3.8	1.141	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	24	5	42	45	19.9	-3.6	1.141	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	24	5	52	45	19.1	-2.8	1.141	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	24	6	2	45	18.8	-4	1.141	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	24	6	12	45	19.5	-2.9	1.141	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	24	6	22	45	19.2	-3.9	1.141	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	24	6	32	45	19.3	-3.2	1.141	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	24	6	42	45	18.4	-4.3	1.141	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	24	6	52	45	19.5	-3.2	1.141	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	24	7	2	45	18.5	-3.4	1.141	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	24	7	12	45	18.8	-3.3	1.141	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	24	7	22	45	19.7	-3.9	1.141	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	24	7	32	45	18.8	-3.8	1.141	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	24	7	42	45	18.9	-3.1	1.141	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	24	7	52	45	20.3	-4.6	1.141	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	24	8	2	45	19.1	-3.9	1.141	0.3	0.2	0	24.5	20.2	0	95	81	0	38	34	36
2022	1	24	8	12	45	18.4	-3.4	1.141	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	24	8	22	45	18.5	-4	1.141	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	24	8	32	45	18.4	-4.2	1.141	0.4	0.3	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	24	8	42	45	19.4	-3.6	1.141	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	24	8	52	45	18.8	-3.9	1.141	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	24	9	2	45	19.2	-4.3	1.141	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	24	9	12	45	19	-3.9	1.141	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	24	9	22	45	19.3	-3.4	1.141	0.5	0.4	0	23.6	18.1	0	93	78	0	38	36	36
2022	1	24	9	32	45	20.1	-4.2	1.141	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	35
2022	1	24	9	42	45	20.2	-3.6	1.141	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	24	9	52	45	18.8	-2.8	1.142	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	24	10	2	45	18.9	-4.3	1.142	0.3	0.2	0	24.9	20.6	0	96	82	0	38	34	36
2022	1	24	10	12	45	19	-3.4	1.142	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	24	10	22	45	19.2	-2.9	1.142	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	24	10	32	45	19.7	-3.2	1.142	0.5	0.4	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	24	10	42	45	18.8	-4.6	1.142	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	24	10	52	45	19.3	-4	1.142	0.3	0.2	0	27.5	21.9	0	101	86	0	37	35	36
2022	1	24	11	2	45	19.3	-4.8	1.142	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36
2022	1	24	11	12	45	19	-3.6	1.142	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	24	11	22	45	18.2	-4	1.142	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	24	11	32	45	18.6	-3.5	1.142	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	35
2022	1	24	11	42	45	18.2	-3.5	1.142	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	24	11	52	45	18.9	-3.6	1.142	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	24	12	2	45	19.8	-3.7	1.142	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	24	12	12	45	18.3	-3.3	1.142	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	24	12	22	45	19.8	-4.3	1.142	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	35
2022	1	24	12	32	45	19.2	-3.9	1.143	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	36
2022	1	24	12	42	45	19.4	-4.2	1.142	0.3	0.2	0	23.6	19.4	0	93	79	0	38	34	35
2022	1	24	12	52	45	18.2	-4	1.142	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	24	13	2	45	18.7	-3.9	1.143	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	37
2022	1	24	13	12	45	19.1	-4.3	1.142	0.3	0.2	0	24.1	19.4	0	93	80	0	37	35	35
2022	1	24	13	22	45	19.6	-3.8	1.143	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	24	13	32	45	17.9	-3.4	1.143	0.4	0.3	0	24.5	19.4	0	93	80	0	36	35	35
2022	1	24	13	42	45	18.3	-4.3	1.143	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	24	13	52	45	18.6	-4.2	1.143	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	35
2022	1	24	14	2	45	18.8	-4.9	1.143	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	24	14	12	45	19.4	-3.1	1.142	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	24	14	22	45	19.4	-3.8	1.143	0.3	0.2	0	24.1	19.4	0	93	79	0	37	34	37
2022	1	24	14	32	45	19	-4.2	1.143	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	24	14	42	45	18.6	-3.7	1.143	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	24	14	52	45	17.8	-4.3	1.143	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	24	15	2	45	17.6	-3.2	1.142	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	24	15	12	45	19	-4.3	1.143	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	24	15	22	45	17.9	-4.4	1.143	0.3	0.2	0	24.9	19.8	0	95	81	0	37	35	36
2022	1	24	15	32	45	17.3	-4.7	1.142	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	24	15	42	45	18	-4	1.143	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	24	15	52	45	18.2	-4.1	1.142	0.4	0.3	0	24.9	19.4	0	95	80	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	24	16	2	45	18.1	-4.2	1.142	0.4	0.3	0	24.5	18.9	0	94	79	0	37	35	35
2022	1	24	16	12	45	18.4	-4.2	1.142	0.3	0.2	0	24.5	18.5	0	93	78	0	36	35	36
2022	1	24	16	22	45	18.8	-3.5	1.142	0.4	0.3	0	24.1	18.9	0	93	78	0	37	34	36
2022	1	24	16	32	45	19.4	-3.4	1.143	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	24	16	42	45	19.2	-3.7	1.143	0.5	0.4	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	24	16	52	45	18.7	-3.6	1.142	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	24	17	2	45	18.8	-3.3	1.143	0.3	0.2	0	24.9	19.8	0	95	81	0	37	35	36
2022	1	24	17	12	45	18.7	-4.5	1.143	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	35
2022	1	24	17	22	45	18.1	-5	1.142	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	24	17	32	45	18.1	-4	1.142	0.3	0.2	0	24.9	19.8	0	95	81	0	37	35	36
2022	1	24	17	42	45	18.6	-3.7	1.143	0.3	0.2	0	25.4	20.6	0	96	82	0	37	34	36
2022	1	24	17	52	45	18.7	-3.6	1.143	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	35
2022	1	24	18	2	45	19.5	-2.9	1.143	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	35
2022	1	24	18	12	45	19	-3.2	1.143	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	24	18	22	45	20	-4.2	1.143	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36
2022	1	24	18	32	45	18.9	-3.9	1.143	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36
2022	1	24	18	42	45	18.7	-3.4	1.143	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36
2022	1	24	18	52	45	19	-3.6	1.142	0.5	0.5	0	25.8	20.6	0	97	83	0	37	35	35
2022	1	24	19	2	45	20.3	-3.7	1.143	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	24	19	12	45	18.6	-3.7	1.143	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	24	19	22	45	19.5	-3.4	1.143	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	24	19	32	45	19	-3.3	1.143	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	24	19	42	45	19.1	-4	1.143	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	24	19	52	45	19	-4	1.143	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	24	20	2	45	18.6	-3.7	1.143	0.3	0.2	0	25.4	20.2	0	97	83	0	38	36	36
2022	1	24	20	12	45	18.7	-3.2	1.143	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	24	20	22	45	20.2	-3.8	1.143	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	24	20	32	45	19.4	-3.6	1.143	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	24	20	42	45	20.2	-3.2	1.142	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	24	20	52	45	20.3	-3.5	1.143	0.4	0.3	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	24	21	2	45	18.2	-3.8	1.143	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36
2022	1	24	21	12	45	19	-4.2	1.143	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	35
2022	1	24	21	22	45	18.2	-3.2	1.143	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	24	21	32	45	18.8	-3	1.143	0.4	0.3	0	25.8	20.6	0	97	83	0	37	35	35
2022	1	24	21	42	45	18.3	-4	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	24	21	52	45	19.2	-3.2	1.143	0.4	0.3	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	24	22	2	45	19.1	-3.5	1.143	0.5	0.4	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	24	22	12	45	19	-3.4	1.143	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	24	22	22	45	19.6	-3.8	1.143	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	35
2022	1	24	22	32	45	19.3	-4	1.143	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	24	22	42	45	20	-4.5	1.143	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	24	22	52	45	19.3	-4	1.143	0.5	0.4	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	24	23	2	45	18.9	-3.7	1.143	0.4	0.3	0	26.2	20.6	0	98	83	0	37	35	35
2022	1	24	23	12	45	19	-4.2	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	24	23	22	45	19	-3.2	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	24	23	32	45	18.5	-3.1	1.143	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	35
2022	1	24	23	42	45	18.7	-4.3	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	24	23	52	45	19.2	-3.5	1.143	0.3	0.2	0	25.8	20.2	0	97	83	0	37	36	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	25	0	2	45	19	-4	1.143	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	25	0	12	45	18.3	-3.2	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	25	0	22	45	18.9	-3.6	1.143	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	25	0	32	45	19.3	-4.1	1.143	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	25	0	42	45	18.8	-3.2	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	25	0	52	45	20.1	-4.4	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	25	1	2	45	18.8	-3.2	1.143	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	25	1	12	45	19.2	-4.1	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	25	1	22	45	19	-3.6	1.143	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	36
2022	1	25	1	32	45	18.1	-2.9	1.142	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	37
2022	1	25	1	42	45	19.2	-3.4	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	25	1	52	45	18.2	-3.6	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	25	2	2	45	18.4	-3.2	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	25	2	12	45	18.8	-3.6	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	25	2	22	45	19.4	-3.6	1.142	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	25	2	32	45	20.1	-3.7	1.143	0.4	0.3	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	25	2	42	45	19.3	-4.2	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	25	2	52	45	19.6	-3.9	1.142	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	25	3	2	45	18.5	-3.4	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	25	3	12	45	19.9	-3.5	1.143	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	25	3	22	45	18.8	-3.9	1.143	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	25	3	32	45	19.6	-3.3	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	25	3	42	45	19.2	-3.6	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	25	3	52	45	18.9	-2.7	1.143	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	25	4	2	45	19.4	-3.1	1.143	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	25	4	12	45	20	-4.3	1.143	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	25	4	22	45	19.1	-4.3	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	25	4	32	45	20	-3.5	1.143	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	25	4	42	45	19.6	-3.2	1.143	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	37
2022	1	25	4	52	45	18.4	-2.5	1.143	0.3	0.2	0	24.9	19.8	0	97	82	0	39	36	36
2022	1	25	5	2	45	18.5	-2.6	1.142	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	25	5	12	45	20.3	-3.9	1.143	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	25	5	22	45	17.3	-3.6	1.142	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	25	5	32	45	19.7	-3	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	25	5	42	45	18.4	-4.2	1.143	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	25	5	52	45	19.3	-3.7	1.143	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	25	6	2	45	19.2	-3.1	1.143	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	25	6	12	45	18.4	-3.3	1.143	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	25	6	22	45	20.3	-3.9	1.143	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	35
2022	1	25	6	32	45	20	-3.3	1.143	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	35
2022	1	25	6	42	45	20.3	-3.7	1.143	0.3	0.2	0	26.7	21.1	0	99	84	0	37	35	36
2022	1	25	6	52	45	19	-3.7	1.143	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	25	7	2	45	18.4	-2.7	1.144	0.3	0.2	0	25.8	19.8	0	97	82	0	37	36	36
2022	1	25	7	12	45	19.7	-3.5	1.143	0.5	0.4	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	25	7	22	45	18.7	-3.9	1.144	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	25	7	32	45	19	-2.9	1.143	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	25	7	42	45	20.7	-4.7	1.144	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	25	7	52	45	19.8	-2.9	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	25	8	2	45	19.8	-3.2	1.144	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	25	8	12	45	20.4	-2.4	1.144	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	35
2022	1	25	8	22	45	21.3	-2	1.144	0.4	0.3	0	26.2	20.2	0	99	82	0	38	35	36
2022	1	25	8	32	45	21.8	-2.3	1.144	0.3	0.2	0	28.8	22.8	0	105	88	0	38	35	36
2022	1	25	8	42	45	20.6	-1.9	1.145	0.3	0.2	0	30.1	24.5	0	108	92	0	38	35	37
2022	1	25	8	52	45	21.4	-1.6	1.145	0.3	0.2	0	31	24.5	0	109	92	0	37	35	36
2022	1	25	9	2	45	20.8	-1.6	1.144	0.3	0.2	0	31.4	25.4	0	110	94	0	37	35	36
2022	1	25	9	12	45	20.8	-2.9	1.145	0.3	0.2	0	32.3	25.8	0	112	95	0	37	35	36
2022	1	25	9	22	45	21	-2.7	1.145	0.3	0.2	0	32.3	26.2	0	113	96	0	38	35	35
2022	1	25	9	32	45	20.8	-2.4	1.145	0.4	0.3	0	32.3	25.8	0	112	95	0	37	35	37
2022	1	25	9	42	45	20.6	-2.3	1.145	0.3	0.2	0	31.4	25.4	0	110	94	0	37	35	36
2022	1	25	9	52	45	20.5	-2.4	1.144	0.3	0.2	0	31	24.5	0	109	92	0	37	35	36
2022	1	25	10	2	45	20.7	-3.1	1.145	0.3	0.2	0	29.2	23.6	0	106	90	0	38	35	36
2022	1	25	10	12	45	21.4	-2.1	1.144	0.4	0.3	0	29.7	23.6	0	107	90	0	38	35	36
2022	1	25	10	22	45	20.1	-2.7	1.146	0.3	0.2	0	30.1	23.6	0	107	90	0	37	35	36
2022	1	25	10	32	45	20.6	-2.7	1.146	0.3	0.2	0	30.1	23.6	0	107	90	0	37	35	36
2022	1	25	10	42	45	21.7	-2.3	1.146	0.3	0.2	0	29.7	23.2	0	106	89	0	37	35	36
2022	1	25	10	52	45	21.7	-1.6	1.146	0.3	0.2	0	29.2	23.2	0	106	89	0	38	35	36
2022	1	25	11	2	45	19.7	-2.4	1.145	0.3	0.2	0	28.8	23.2	0	105	89	0	38	35	36
2022	1	25	11	12	45	22.4	-2.7	1.146	0.3	0.2	0	28.8	22.8	0	105	88	0	38	35	36
2022	1	25	11	22	45	20.9	-2.3	1.145	0.3	0.2	0	29.7	22.8	0	106	89	0	37	36	35
2022	1	25	11	32	45	21.5	-1.6	1.146	0.3	0.2	0	28.8	23.2	0	105	88	0	38	34	35
2022	1	25	11	42	45	22.6	-2.8	1.146	0.4	0.3	0	29.2	22.8	0	106	88	0	38	35	36
2022	1	25	11	52	45	21.4	-2.3	1.146	0.3	0.2	0	29.2	22.8	0	106	88	0	38	35	35
2022	1	25	12	2	45	21	-1.7	1.146	0.3	0.2	0	28.4	22.4	0	104	87	0	38	35	36
2022	1	25	12	12	45	19.2	-2.4	1.145	0.3	0.2	0	28.4	22.4	0	103	86	0	37	34	35
2022	1	25	12	22	45	21.7	-2.3	1.146	0.3	0.2	0	28	21.9	0	103	86	0	38	35	36
2022	1	25	12	32	45	21.3	-2.6	1.145	0.3	0.2	0	28	21.9	0	103	86	0	38	35	36
2022	1	25	12	42	45	21.1	-2.8	1.146	0.4	0.3	0	28.4	21.9	0	103	86	0	37	35	36
2022	1	25	12	52	45	20.4	-2.7	1.146	0.3	0.2	0	28.4	21.9	0	103	86	0	37	35	36
2022	1	25	13	2	45	21	-3.1	1.146	0.3	0.2	0	28.4	21.5	0	103	85	0	37	35	36
2022	1	25	13	12	45	21.4	-2.9	1.145	0.4	0.3	0	27.5	21.5	0	102	85	0	38	35	36
2022	1	25	13	22	45	21.4	-3.4	1.145	0.3	0.2	0	28	21.5	0	102	85	0	37	35	36
2022	1	25	13	32	45	21.4	-2.3	1.145	0.3	0.2	0	28	21.5	0	102	85	0	37	35	36
2022	1	25	13	42	45	21.6	-2.4	1.145	0.3	0.2	0	28	21.5	0	102	85	0	37	35	36
2022	1	25	13	52	45	20.6	-2.2	1.146	0.3	0.2	0	28	21.9	0	103	86	0	38	35	37
2022	1	25	14	2	45	21	-3	1.146	0.3	0.2	0	28	21.5	0	102	85	0	37	35	35
2022	1	25	14	12	45	21.5	-2.5	1.145	0.3	0.2	0	28	21.5	0	102	85	0	37	35	36
2022	1	25	14	22	45	22	-1.7	1.146	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	25	14	32	45	20.7	-2.7	1.145	0.3	0.2	0	27.1	21.1	0	101	84	0	38	35	35
2022	1	25	14	42	45	22.3	-2.2	1.146	0.3	0.2	0	27.5	21.1	0	102	84	0	38	35	36
2022	1	25	14	52	45	20.1	-3	1.146	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	25	15	2	45	19.5	-3.1	1.145	0.3	0.2	0	27.1	20.6	0	100	83	0	37	35	36
2022	1	25	15	12	45	19.7	-3.2	1.145	0.3	0.2	0	26.7	20.6	0	100	83	0	38	35	36
2022	1	25	15	22	45	21.3	-2.8	1.145	0.3	0.2	0	26.7	20.6	0	100	83	0	38	35	35
2022	1	25	15	32	45	19.8	-2.6	1.145	0.3	0.2	0	26.7	20.6	0	100	83	0	38	35	36
2022	1	25	15	42	45	20	-1.8	1.145	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	36
2022	1	25	15	52	45	21.5	-3.1	1.145	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	25	16	2	45	20	-3.5	1.145	0.3	0.2	0	24.9	20.2	0	97	81	0	39	34	36
2022	1	25	16	12	45	20.2	-3.4	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	25	16	22	45	20.2	-2.9	1.144	0.3	0.2	0	25.8	19.4	0	97	80	0	37	35	36
2022	1	25	16	32	45	18.6	-2.7	1.144	0.3	0.2	0	25.4	20.2	0	96	81	0	37	34	36
2022	1	25	16	42	45	19.3	-3.3	1.144	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	25	16	52	45	19.4	-3.7	1.144	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	25	17	2	45	19.8	-3.6	1.144	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	25	17	12	45	18.2	-3.5	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	25	17	22	45	19	-3.1	1.144	0.4	0.3	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	25	17	32	45	19.6	-3	1.144	0.3	0.2	0	25.4	20.2	0	97	81	0	38	34	36
2022	1	25	17	42	45	20.1	-4.1	1.144	0.3	0.2	0	25.8	20.2	0	98	81	0	38	34	36
2022	1	25	17	52	45	19.9	-4.3	1.144	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	25	18	2	45	17.9	-2.8	1.144	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	25	18	12	45	18.7	-3.1	1.144	0.4	0.3	0	26.7	21.1	0	99	83	0	37	34	36
2022	1	25	18	22	45	19.5	-3.2	1.144	0.3	0.2	0	26.2	21.1	0	98	83	0	37	34	36
2022	1	25	18	32	45	18.1	-3.2	1.144	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	25	18	42	45	18.6	-3.2	1.144	0.3	0.2	0	26.2	21.1	0	98	84	0	37	35	36
2022	1	25	18	52	45	18.6	-4.1	1.144	0.3	0.2	0	26.2	20.6	0	99	83	0	38	35	36
2022	1	25	19	2	45	19.8	-3.4	1.144	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	25	19	12	45	18.8	-3	1.144	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	35
2022	1	25	19	22	45	20.2	-3.5	1.144	0.3	0.2	0	26.2	20.6	0	98	82	0	37	34	36
2022	1	25	19	32	45	19.4	-3.5	1.144	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	25	19	42	45	18.5	-4.1	1.144	0.3	0.2	0	26.7	20.6	0	99	83	0	37	35	37
2022	1	25	19	52	45	18.3	-3.6	1.144	0.3	0.2	0	25.8	19.8	0	98	82	0	38	36	36
2022	1	25	20	2	45	18.3	-2.7	1.144	0.5	0.4	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	25	20	12	45	19.3	-4.2	1.144	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	35
2022	1	25	20	22	45	19.8	-3.9	1.144	0.3	0.2	0	26.2	20.6	0	98	82	0	37	34	36
2022	1	25	20	32	45	19	-3.6	1.144	0.3	0.2	0	26.2	20.6	0	98	82	0	37	34	36
2022	1	25	20	42	45	20.3	-4.2	1.144	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	25	20	52	45	18.6	-3.2	1.144	0.3	0.2	0	25.8	20.6	0	98	82	0	38	34	36
2022	1	25	21	2	45	19.4	-3.2	1.144	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	25	21	12	45	19	-3.7	1.144	0.3	0.2	0	25.8	20.6	0	98	82	0	38	34	36
2022	1	25	21	22	45	19.4	-3.8	1.144	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	25	21	32	45	19.1	-2.7	1.144	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	35
2022	1	25	21	42	45	19	-3.1	1.144	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	25	21	52	45	19.3	-2.9	1.144	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	37
2022	1	25	22	2	45	18.5	-3.2	1.144	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	25	22	12	45	19.2	-3.5	1.144	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	25	22	22	45	19.7	-3	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	25	22	32	45	19.3	-3.5	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	25	22	42	45	19.2	-3.5	1.144	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	25	22	52	45	18.9	-4.3	1.144	0.4	0.3	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	25	23	2	45	19.2	-3.2	1.144	0.5	0.4	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	25	23	12	45	19	-3.6	1.144	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	25	23	22	45	19.1	-3.3	1.144	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	25	23	32	45	19.3	-2.7	1.144	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	25	23	42	45	19.2	-3.4	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	25	23	52	45	19.1	-3.2	1.144	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	35

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	26	0	2	45	19.4	-3	1.144	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	26	0	12	45	18.8	-4.1	1.144	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	26	0	22	45	19.5	-3.7	1.144	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	26	0	32	45	19.9	-3.5	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	0	42	45	18.3	-4.3	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	26	0	52	45	18.9	-3.5	1.144	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	26	1	2	45	19.1	-4.3	1.144	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	26	1	12	45	18.4	-3.6	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	1	22	45	19.9	-2.3	1.144	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	26	1	32	45	18.6	-3.2	1.145	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	26	1	42	45	19.3	-3.5	1.145	0.4	0.3	0	25.8	19.8	0	97	81	0	37	35	35
2022	1	26	1	52	45	18.5	-3.8	1.145	0.3	0.2	0	25.8	20.2	0	97	81	0	37	34	35
2022	1	26	2	2	45	19.2	-3.8	1.145	0.4	0.3	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	26	2	12	45	19.2	-4.1	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	2	22	45	18.5	-3.2	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	35
2022	1	26	2	32	45	20.4	-3.2	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	2	42	45	19.4	-3	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	26	2	52	45	18.8	-3.4	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	26	3	2	45	18.9	-3	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	3	12	45	19.4	-3.8	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	3	22	45	20.2	-2.8	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	26	3	32	45	19.3	-3.9	1.147	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	26	3	42	45	19	-3.9	1.147	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	26	3	52	45	19.6	-2.9	1.147	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	26	4	2	45	18.9	-2.4	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	4	12	45	18	-3.3	1.147	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	26	4	22	45	19.6	-3.3	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	4	32	45	20	-3.7	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	26	4	42	45	17.6	-3.3	1.147	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	26	4	52	45	18.9	-3.6	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	5	2	45	18.7	-3.4	1.147	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	35
2022	1	26	5	12	45	19.2	-3.8	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	5	22	45	19.4	-3.8	1.147	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	26	5	32	45	19.5	-3.6	1.147	0.5	0.4	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	5	42	45	19.6	-3.1	1.147	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	26	5	52	45	19.2	-3.5	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	26	6	2	45	19.1	-3.1	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	26	6	12	45	18.6	-3	1.147	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	26	6	22	45	18.7	-4.2	1.147	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	26	6	32	45	20.7	-3.1	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	6	42	45	19.6	-4	1.147	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	35
2022	1	26	6	52	45	19.5	-3.7	1.147	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	26	7	2	45	20.3	-2.7	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	7	12	45	19.1	-3.1	1.147	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	36
2022	1	26	7	22	45	19.3	-4.3	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	7	32	45	19.2	-2.3	1.147	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	26	7	42	45	19.1	-3.5	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	26	7	52	45	18.8	-3.9	1.147	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	26	8	2	45	19.1	-2.6	1.147	0.4	0.3	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	26	8	12	45	19.5	-2.6	1.147	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	26	8	22	45	18.3	-3.1	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	26	8	32	45	19.5	-4.3	1.147	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	26	8	42	45	19.5	-3.1	1.147	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	26	8	52	45	18	-3.9	1.147	0.4	0.3	0	24.1	19.8	0	95	81	0	39	35	36
2022	1	26	9	2	45	19.7	-3	1.147	0.3	0.2	0	24.9	19.4	0	95	81	0	37	36	38
2022	1	26	9	12	45	16.9	-5.6	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	9	22	45	17.9	-5.5	1.147	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	26	9	32	45	17.9	-5	1.148	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	26	9	42	45	17.4	-4.5	1.148	0.5	0.4	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	26	9	52	45	17.9	-4.6	1.147	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	26	10	2	45	18	-5.6	1.148	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	26	10	12	45	18.1	-4.4	1.148	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	26	10	22	45	17.7	-3.9	1.148	0.3	0.2	0	24.1	19.4	0	93	80	0	37	35	36
2022	1	26	10	32	45	18.6	-4.3	1.148	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	36
2022	1	26	10	42	45	18.3	-4.1	1.148	0.3	0.2	0	23.6	19.4	0	93	80	0	38	35	36
2022	1	26	10	52	45	17.4	-4	1.148	0.3	0.2	0	24.1	19.4	0	93	80	0	37	35	36
2022	1	26	11	2	45	18.8	-4.4	1.148	0.3	0.2	0	25.8	20.6	0	97	83	0	37	35	36
2022	1	26	11	12	45	20.1	-3.7	1.148	0.3	0.2	0	28	23.2	0	103	89	0	38	35	35
2022	1	26	11	22	45	17.7	-6.1	1.148	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	36
2022	1	26	11	32	45	17.9	-4.5	1.148	0.3	0.2	0	24.1	19.8	0	94	81	0	38	35	36
2022	1	26	11	42	45	18.6	-5.1	1.148	0.4	0.3	0	23.6	19.4	0	93	79	0	38	34	36
2022	1	26	11	52	45	17.3	-3.9	1.148	0.3	0.2	0	23.6	19.4	0	93	80	0	38	35	35
2022	1	26	12	2	45	18.3	-4.4	1.148	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	26	12	12	45	18	-5.1	1.148	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	26	12	22	45	17.8	-4.8	1.148	0.3	0.2	0	23.2	18.9	0	92	79	0	38	35	36
2022	1	26	12	32	45	16.8	-4.8	1.148	0.4	0.3	0	24.5	18.9	0	94	79	0	37	35	37
2022	1	26	12	42	45	18.3	-5.5	1.147	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	35
2022	1	26	12	52	45	18.4	-4.8	1.148	0.3	0.2	0	23.6	19.4	0	93	80	0	38	35	35
2022	1	26	13	2	45	18.8	-5.5	1.148	0.4	0.3	0	23.6	18.9	0	92	79	0	37	35	36
2022	1	26	13	12	45	17.8	-4.6	1.147	0.3	0.2	0	23.6	19.4	0	92	79	0	37	34	36
2022	1	26	13	22	45	18.3	-4.8	1.147	0.3	0.2	0	23.6	18.9	0	92	79	0	37	35	36
2022	1	26	13	32	45	18	-5.4	1.147	0.4	0.3	0	23.2	19.4	0	92	79	0	38	34	36
2022	1	26	13	42	45	20	-4.3	1.147	0.3	0.2	0	23.6	18.9	0	92	79	0	37	35	35
2022	1	26	13	52	45	17.7	-3.8	1.147	0.3	0.2	0	24.1	19.4	0	93	80	0	37	35	36
2022	1	26	14	2	45	18.9	-4.3	1.147	0.3	0.2	0	24.5	20.2	0	95	82	0	38	35	36
2022	1	26	14	12	45	18.5	-5.1	1.147	0.3	0.2	0	24.5	19.8	0	94	81	0	37	35	35
2022	1	26	14	22	45	17.9	-4.2	1.147	0.3	0.2	0	24.1	19.8	0	93	80	0	37	34	36
2022	1	26	14	32	45	18.8	-5.3	1.146	0.3	0.2	0	24.1	19.8	0	94	81	0	38	35	36
2022	1	26	14	42	45	18.9	-4.2	1.146	0.3	0.2	0	24.5	19.8	0	94	81	0	37	35	36
2022	1	26	14	52	45	18	-3.5	1.146	0.3	0.2	0	25.4	20.6	0	96	83	0	37	35	36
2022	1	26	15	2	45	18.8	-4.9	1.146	0.3	0.2	0	24.5	20.2	0	95	82	0	38	35	36
2022	1	26	15	12	45	18.4	-5.3	1.146	0.3	0.2	0	24.9	20.6	0	95	82	0	37	34	36
2022	1	26	15	22	45	19.9	-4.7	1.146	0.3	0.2	0	24.5	20.2	0	95	82	0	38	35	36
2022	1	26	15	32	45	18	-3.8	1.146	0.3	0.2	0	25.4	20.6	0	97	83	0	38	35	35
2022	1	26	15	42	45	18.4	-4.8	1.145	0.3	0.2	0	24.9	19.8	0	95	81	0	37	35	37
2022	1	26	15	52	45	18	-4.4	1.146	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	35

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	26	16	2	45	18.7	-5.1	1.145	0.3	0.2	0	24.9	19.4	0	95	79	0	37	34	36
2022	1	26	16	12	45	18.8	-5.4	1.145	0.3	0.2	0	24.5	19.4	0	95	79	0	38	34	36
2022	1	26	16	22	45	17.2	-4.9	1.146	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	35
2022	1	26	16	32	45	18.4	-5.5	1.145	0.4	0.3	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	26	16	42	45	17.2	-5.6	1.145	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	26	16	52	45	16.6	-5.2	1.146	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	26	17	2	45	16.8	-5.4	1.146	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	26	17	12	45	17.6	-5.7	1.146	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	26	17	22	45	17.1	-5.5	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	26	17	32	45	17.2	-6.6	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	26	17	42	45	16.4	-5.8	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	35
2022	1	26	17	52	45	17.5	-6	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	26	18	2	45	17.2	-5.2	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	26	18	12	45	17.7	-5.5	1.147	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	26	18	22	45	17.3	-4.8	1.147	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	37
2022	1	26	18	32	45	16.8	-5.3	1.147	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	26	18	42	45	18	-4.7	1.147	0.4	0.3	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	26	18	52	45	18.9	-5.4	1.147	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	26	19	2	45	18.9	-4.9	1.147	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	26	19	12	45	18	-4.4	1.147	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	26	19	22	45	18.4	-4.8	1.147	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	26	19	32	45	18.2	-4.3	1.147	0.3	0.2	0	26.2	19.8	0	98	82	0	37	36	36
2022	1	26	19	42	45	17.2	-5.2	1.147	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	26	19	52	45	18.2	-5.3	1.147	0.3	0.2	0	26.2	20.6	0	98	82	0	37	34	36
2022	1	26	20	2	45	17.7	-5.6	1.147	0.5	0.4	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	26	20	12	45	18.3	-4.8	1.147	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	26	20	22	45	18	-4.7	1.147	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	26	20	32	45	18	-5.1	1.147	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	26	20	42	45	18.1	-5.1	1.147	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	26	20	52	45	17.5	-5.2	1.147	0.4	0.3	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	26	21	2	45	17.9	-5	1.147	0.3	0.2	0	26.2	19.8	0	98	82	0	37	36	36
2022	1	26	21	12	45	17.9	-4.3	1.147	0.3	0.2	0	25.8	19.8	0	97	82	0	37	36	35
2022	1	26	21	22	45	17.8	-4.8	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	26	21	32	45	18.2	-5.6	1.147	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	26	21	42	45	16.8	-5.3	1.147	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	26	21	52	45	18.7	-5.1	1.147	0.3	0.2	0	26.2	19.8	0	98	82	0	37	36	36
2022	1	26	22	2	45	18.2	-4.7	1.147	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	26	22	12	45	17.7	-4	1.147	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	35
2022	1	26	22	22	45	18.7	-4.8	1.147	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	26	22	32	45	18.4	-4.6	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	26	22	42	45	18.7	-5.4	1.147	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	26	22	52	45	18.8	-4.5	1.147	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	26	23	2	45	17.6	-3.8	1.147	0.4	0.3	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	26	23	12	45	18.2	-5	1.147	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	26	23	22	45	19.4	-4.7	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	26	23	32	45	17.9	-5.2	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	26	23	42	45	18	-4.2	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	26	23	52	45	17.5	-4.6	1.147	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	27	0	2	45	18.5	-3.9	1.147	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	35
2022	1	27	0	12	45	18.4	-4.7	1.147	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	27	0	22	45	18.1	-4.3	1.147	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	27	0	32	45	18.3	-4.7	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	0	42	45	17.9	-4.9	1.147	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	27	0	52	45	18.7	-4.3	1.147	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	27	1	2	45	18.2	-4.6	1.147	0.4	0.3	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	27	1	12	45	18.3	-5.1	1.147	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	35
2022	1	27	1	22	45	17.3	-4.6	1.147	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	27	1	32	45	19.3	-4.7	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	1	42	45	18.3	-4.3	1.147	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	27	1	52	45	18.8	-4.8	1.147	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	27	2	2	45	18.2	-4.2	1.147	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	27	2	12	45	18.4	-4.4	1.147	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	27	2	22	45	18.6	-4	1.147	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	27	2	32	45	18.6	-4.8	1.147	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	27	2	42	45	17.5	-4.3	1.147	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	27	2	52	45	18	-4	1.147	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	27	3	2	45	19	-4.4	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	27	3	12	45	19.4	-4.5	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	27	3	22	45	18.3	-3.7	1.147	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	27	3	32	45	18.4	-4.4	1.147	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	27	3	42	45	18.2	-4.2	1.147	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	36
2022	1	27	3	52	45	17.7	-4.3	1.147	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	27	4	2	45	18.1	-3.1	1.147	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	27	4	12	45	18.2	-3.5	1.147	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	36
2022	1	27	4	22	45	19	-4.6	1.147	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	27	4	32	45	17.9	-4.6	1.147	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	27	4	42	45	18.1	-4.5	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	27	4	52	45	18.8	-3.9	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	27	5	2	45	17.5	-4.2	1.147	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	27	5	12	45	17.7	-2.9	1.147	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	37
2022	1	27	5	22	45	19.3	-4.8	1.147	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	36
2022	1	27	5	32	45	17.7	-3.5	1.147	0.3	0.2	0	24.5	19.4	0	96	80	0	39	35	36
2022	1	27	5	42	45	19	-4.1	1.146	0.4	0.3	0	25.4	19.4	0	96	80	0	37	35	37
2022	1	27	5	52	45	17	-5.1	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	27	6	2	45	18.5	-5.3	1.147	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	27	6	12	45	17.6	-4.4	1.146	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	35
2022	1	27	6	22	45	17	-4.2	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	37
2022	1	27	6	32	45	18.5	-3.9	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	27	6	42	45	18.1	-4.6	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	27	6	52	45	18.5	-3.5	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	27	7	2	45	18.2	-4.4	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	27	7	12	45	18.9	-4	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	27	7	22	45	18.1	-4.4	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	7	32	45	19.3	-4.2	1.147	0.5	0.4	0	25.4	18.9	0	96	80	0	37	36	36
2022	1	27	7	42	45	18.4	-3.9	1.146	0.3	0.2	0	27.5	22.4	0	102	87	0	38	35	36
2022	1	27	7	52	45	18.4	-4.4	1.146	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	27	8	2	45	18.2	-4.4	1.146	0.3	0.2	0	25.4	20.2	0	96	82	0	37	35	36
2022	1	27	8	12	45	18.8	-4.5	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	8	22	45	18.6	-4.2	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	27	8	32	45	18.3	-4.5	1.147	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	27	8	42	45	18.3	-3.9	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	27	8	52	45	17.8	-4.3	1.147	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	27	9	2	45	18.5	-5	1.147	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	27	9	12	45	19.1	-4.8	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	27	9	22	45	17	-3.5	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	37
2022	1	27	9	32	45	18.7	-4.6	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	27	9	42	45	17.7	-3.7	1.147	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	27	9	52	45	18	-3.5	1.147	0.3	0.2	0	25.4	19.4	0	95	80	0	36	35	36
2022	1	27	10	2	45	17.8	-4.3	1.148	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	27	10	12	45	17.6	-4.1	1.147	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	27	10	22	45	19.3	-4.3	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	27	10	32	45	19.6	-3.5	1.147	0.4	0.3	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	27	10	42	45	20.6	-3.7	1.147	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	27	10	52	45	20.8	-2.7	1.147	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	27	11	2	45	19.2	-3.8	1.147	0.3	0.2	0	27.1	21.9	0	101	86	0	38	35	36
2022	1	27	11	12	45	19.4	-3.5	1.147	0.3	0.2	0	26.7	21.1	0	99	84	0	37	35	36
2022	1	27	11	22	45	18.2	-3.1	1.147	0.5	0.4	0	27.5	21.9	0	103	87	0	39	36	36
2022	1	27	11	32	45	18.5	-3.7	1.147	0.4	0.3	0	27.1	21.5	0	100	85	0	37	35	35
2022	1	27	11	42	45	19.1	-4.3	1.147	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	11	52	45	18.8	-3.9	1.148	0.3	0.2	0	25.8	21.1	0	98	84	0	38	35	36
2022	1	27	12	2	45	19.1	-4.2	1.147	0.5	0.4	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	27	12	12	45	19.9	-3.5	1.147	0.3	0.2	0	28.4	22.4	0	103	88	0	37	36	36
2022	1	27	12	22	45	18.4	-3.9	1.147	0.3	0.2	0	29.7	23.6	0	106	90	0	37	35	36
2022	1	27	12	32	45	18.7	-3.7	1.148	0.3	0.2	0	30.1	24.5	0	107	92	0	37	35	35
2022	1	27	12	42	45	18.3	-4.3	1.147	0.3	0.2	0	27.1	22.4	0	101	87	0	38	35	36
2022	1	27	12	52	45	17.1	-4.6	1.147	0.4	0.3	0	30.1	24.1	0	107	92	0	37	36	36
2022	1	27	13	2	45	17.8	-4.1	1.147	0.3	0.2	0	28.4	23.2	0	104	89	0	38	35	36
2022	1	27	13	12	45	18.4	-5.7	1.147	0.3	0.2	0	28	22.8	0	103	88	0	38	35	36
2022	1	27	13	22	45	17.8	-4.6	1.147	0.3	0.2	0	29.2	23.6	0	105	90	0	37	35	36
2022	1	27	13	40	36	18.1	-4.3	1.147	0.3	0.2	0	26.7	21.1	0	99	84	0	37	35	36
2022	1	27	13	50	36	17.4	-4.3	1.147	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	37
2022	1	27	14	0	36	18	-3.6	1.147	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	27	14	10	36	17.9	-4.3	1.147	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	27	14	20	36	17.7	-4.3	1.147	0.3	0.2	0	25.4	20.2	0	97	83	0	38	36	35
2022	1	27	14	30	36	17.5	-4.1	1.147	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	27	14	40	36	18	-3.9	1.147	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	27	14	50	36	17.9	-5.3	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	27	15	0	36	18.4	-4.3	1.147	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	27	15	10	36	18.1	-4.1	1.147	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	27	15	20	36	17.7	-6.1	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	27	15	30	36	17.1	-5.1	1.147	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	27	15	40	36	17.9	-4.8	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	27	15	50	36	17.2	-4.5	1.146	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	27	16	0	36	16.4	-5	1.146	0.4	0.3	0	24.5	18.9	0	95	79	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	27	16	10	36	18	-5.1	1.146	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	27	16	20	36	17.3	-5.2	1.147	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	36
2022	1	27	16	30	36	19	-5.2	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	27	16	40	36	17.9	-5.1	1.147	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	27	16	50	36	18.5	-4.8	1.146	0.3	0.2	0	24.5	18.5	0	94	78	0	37	35	36
2022	1	27	17	0	36	18.5	-5.5	1.146	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	27	17	10	36	17.7	-4.8	1.147	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	27	17	20	36	18.3	-5.1	1.146	0.3	0.2	0	24.9	18.9	0	96	80	0	38	36	36
2022	1	27	17	30	36	17.6	-4.9	1.146	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	27	17	40	36	18.4	-4.4	1.146	0.3	0.2	0	24.9	19.8	0	96	80	0	38	34	35
2022	1	27	17	50	36	18.5	-5	1.146	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	27	18	0	36	17.7	-5.3	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	35
2022	1	27	18	10	36	17.5	-5.3	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	27	18	20	36	19.2	-5.4	1.147	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	27	18	30	36	17.7	-5.2	1.147	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	35
2022	1	27	18	40	36	17.7	-4.7	1.146	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	27	18	50	36	18.1	-4.7	1.146	0.3	0.2	0	26.2	20.6	0	98	82	0	37	34	36
2022	1	27	19	0	36	17.7	-3.5	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	27	19	10	36	16.9	-5.3	1.146	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	27	19	20	36	17.9	-5	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	27	19	30	36	18.5	-4.3	1.146	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	27	19	40	36	17.9	-4.8	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	27	19	50	36	17.9	-4.8	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	20	0	36	17.3	-4.9	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	27	20	10	36	17.9	-5.1	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	20	20	36	18.9	-5.2	1.146	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	27	20	30	36	17.4	-5.1	1.146	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	27	20	40	36	18.5	-4.5	1.146	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	27	20	50	36	17.9	-4.7	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	27	21	0	36	17.6	-4.3	1.146	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	27	21	10	36	18	-4.3	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	21	20	36	17.2	-4.2	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	27	21	30	36	17.8	-4.6	1.146	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	27	21	40	36	18.1	-5.5	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	27	21	50	36	18.9	-5.4	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	22	0	36	19	-4.2	1.146	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	22	10	36	18.6	-4.8	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	27	22	20	36	19	-5.4	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	27	22	30	36	17.2	-4.2	1.146	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	22	40	36	18.7	-3.6	1.146	0.4	0.3	0	25.8	19.8	0	97	82	0	37	36	36
2022	1	27	22	50	36	18.6	-5.5	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	27	23	0	36	18.6	-5.1	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	27	23	10	36	17.2	-4.7	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	27	23	20	36	17.8	-4.5	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	27	23	30	36	17.3	-4.4	1.146	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	27	23	40	36	17.8	-4.9	1.146	0.5	0.4	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	27	23	50	36	18.2	-4.5	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	28	0	0	36	18.7	-4.7	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	35

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	28	0	10	36	19	-4.7	1.146	0.4	0.3	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	28	0	20	36	17.4	-4.1	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	35
2022	1	28	0	30	36	18.1	-3.6	1.146	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	28	0	40	36	18.5	-4.8	1.146	0.4	0.3	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	28	0	50	36	18.3	-4.2	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	28	1	0	36	19	-4.5	1.146	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	1	10	36	17.8	-5.1	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	28	1	20	36	17.4	-3.5	1.146	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	28	1	30	36	18.2	-4.3	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	35
2022	1	28	1	40	36	18.5	-4.5	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	35
2022	1	28	1	50	36	18.5	-5.1	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	2	0	36	17.4	-4.5	1.146	0.3	0.2	0	24.9	19.8	0	97	81	0	39	35	35
2022	1	28	2	10	36	17.8	-4.7	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	2	20	36	17.6	-4.3	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	28	2	30	36	19.2	-4.6	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	28	2	40	36	17.9	-4.9	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	28	2	50	36	19	-5	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	28	3	0	36	17.8	-3.9	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	28	3	10	36	18.2	-4.3	1.146	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	28	3	20	36	19.2	-4.4	1.146	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	28	3	30	36	18.6	-4.3	1.146	0.4	0.3	0	24.5	19.8	0	96	81	0	39	35	35
2022	1	28	3	40	36	18.1	-3.4	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	28	3	50	36	18.8	-5.3	1.146	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	28	4	0	36	18.1	-3.9	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	28	4	10	36	18.8	-4	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	35
2022	1	28	4	20	36	18.8	-5.8	1.146	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	35
2022	1	28	4	30	36	19.2	-4.7	1.146	0.3	0.2	0	24.9	18.9	0	96	80	0	38	36	36
2022	1	28	4	40	36	17.6	-3.9	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	28	4	50	36	18	-4.2	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	28	5	0	36	18.6	-4.5	1.146	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	28	5	10	36	18.5	-4.6	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	35
2022	1	28	5	20	36	18.5	-3.9	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	28	5	30	36	18.8	-5	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	28	5	40	36	18.1	-4.2	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	28	5	50	36	17.7	-4.5	1.146	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	28	6	0	36	18	-3.5	1.146	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	28	6	10	36	19.7	-4.2	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	28	6	20	36	18.6	-4	1.146	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	28	6	30	36	18.1	-3.6	1.145	0.4	0.3	0	26.2	21.5	0	100	85	0	39	35	36
2022	1	28	6	40	36	19.1	-3.9	1.146	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	28	6	50	36	18.9	-3.3	1.146	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36
2022	1	28	7	0	36	17.5	-4	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	28	7	10	36	17.5	-4.3	1.146	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	28	7	20	36	18.2	-4.2	1.146	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	28	7	30	36	18.4	-4.1	1.146	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	28	7	40	36	18.1	-4.3	1.145	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	37
2022	1	28	7	50	36	18.3	-3.9	1.146	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	37
2022	1	28	8	0	36	18.8	-4	1.146	0.3	0.2	0	26.7	21.1	0	100	84	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	28	8	10	36	17.8	-4.3	1.146	0.3	0.2	0	27.1	21.5	0	101	85	0	38	35	36
2022	1	28	8	20	36	17.7	-3.6	1.146	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	28	8	30	36	17.6	-3.6	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	35
2022	1	28	8	40	36	17.5	-4.6	1.146	0.3	0.2	0	24.5	19.8	0	96	81	0	39	35	36
2022	1	28	8	50	36	17.2	-4	1.146	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	28	9	0	36	18.8	-3.9	1.146	0.4	0.3	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	28	9	10	36	18.2	-4.7	1.146	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	28	9	20	36	18.1	-4.6	1.146	0.3	0.2	0	24.1	18.9	0	95	79	0	39	35	36
2022	1	28	9	30	36	18.9	-4.5	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	28	9	40	36	17.6	-3.8	1.146	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	28	9	50	36	18.4	-4.6	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	28	10	0	36	19.1	-4.7	1.147	0.3	0.2	0	24.9	18.5	0	95	79	0	37	36	36
2022	1	28	10	10	36	18	-3.9	1.147	0.5	0.4	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	28	10	20	36	19.6	-4.5	1.147	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	28	10	30	36	18.6	-4.6	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	35
2022	1	28	10	40	36	19.2	-5	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	28	10	50	36	17.6	-3.8	1.147	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	37
2022	1	28	11	0	36	18.4	-4.6	1.147	0.4	0.3	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	28	11	10	36	17.8	-5.1	1.147	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	28	11	20	36	17.7	-4.8	1.147	0.3	0.2	0	23.6	18.5	0	94	78	0	39	35	37
2022	1	28	11	30	36	18.2	-4.3	1.147	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	28	11	40	36	18.6	-4.8	1.147	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	28	11	50	36	16.7	-5.5	1.147	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	28	12	0	36	17.9	-4.1	1.147	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	28	12	10	36	18.3	-5.4	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	35
2022	1	28	12	20	36	17.3	-4.4	1.147	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	28	12	30	36	18	-5.1	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	28	12	40	36	17.2	-5.2	1.147	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	28	12	50	36	17.9	-4.7	1.147	0.3	0.2	0	27.5	22.4	0	102	87	0	38	35	36
2022	1	28	13	0	36	17.8	-5.7	1.146	0.3	0.2	0	26.2	20.2	0	98	82	0	37	35	36
2022	1	28	13	10	36	18.2	-4.6	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	28	13	20	36	17.6	-4.9	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	35
2022	1	28	13	30	36	17.4	-4.3	1.147	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	28	13	40	36	18	-5.5	1.147	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	36
2022	1	28	13	50	36	16.8	-4.4	1.147	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	28	14	0	36	17.8	-4.4	1.147	0.4	0.3	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	28	14	10	36	17.9	-4.8	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	28	14	20	36	18.2	-5.1	1.146	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	28	14	30	36	18	-6.1	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	28	14	40	36	17.5	-5	1.146	0.3	0.2	0	24.5	18.5	0	94	79	0	37	36	36
2022	1	28	14	50	36	17.1	-4.1	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	28	15	0	36	17.4	-5	1.146	0.3	0.2	0	24.5	18.5	0	94	78	0	37	35	36
2022	1	28	15	10	36	18	-5.1	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	28	15	20	36	18.2	-5.6	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	28	15	30	36	17.6	-5.2	1.146	0.3	0.2	0	23.6	18.1	0	93	77	0	38	35	36
2022	1	28	15	40	36	18.6	-4.4	1.146	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	28	15	50	36	17.7	-5.8	1.146	0.4	0.3	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	28	16	0	36	18	-4.2	1.145	0.3	0.2	0	23.6	18.1	0	93	78	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	28	16	10	36	17.8	-5.1	1.146	0.3	0.2	0	24.1	18.5	0	94	78	0	38	35	36
2022	1	28	16	20	36	17.2	-5.6	1.146	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	28	16	30	36	17.5	-4.5	1.145	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	37
2022	1	28	16	40	36	18.8	-4.2	1.146	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	28	16	50	36	18.3	-4.5	1.146	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	35
2022	1	28	17	0	36	18.2	-4.6	1.146	0.3	0.2	0	25.8	19.8	0	98	82	0	38	36	36
2022	1	28	17	10	36	18.7	-3.9	1.146	0.3	0.2	0	27.1	21.1	0	100	84	0	37	35	36
2022	1	28	17	20	36	18.2	-4.3	1.146	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	28	17	30	36	18.4	-4.9	1.146	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	37
2022	1	28	17	40	36	17.9	-3.9	1.146	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	28	17	50	36	19.3	-5	1.146	0.3	0.2	0	25.4	18.9	0	96	80	0	37	36	36
2022	1	28	18	0	36	17.1	-4.3	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	28	18	10	36	19.4	-5.6	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	35
2022	1	28	18	20	36	18.2	-5.4	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	28	18	30	36	17.3	-3.8	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	18	40	36	16.9	-3.9	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	37
2022	1	28	18	50	36	18.9	-5.5	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	35
2022	1	28	19	0	36	19	-4.4	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	28	19	10	36	16.7	-4.1	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	28	19	20	36	18	-3.9	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	19	30	36	18.1	-5.1	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	28	19	40	36	17.6	-4.3	1.146	0.3	0.2	0	25.4	20.2	0	97	81	0	38	34	36
2022	1	28	19	50	36	18.2	-4.3	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	28	20	0	36	18.2	-4.3	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	20	10	36	17.4	-3.5	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	20	20	36	18.3	-4	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	20	30	36	18.5	-4.7	1.146	0.4	0.3	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	28	20	40	36	18	-5.3	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	35
2022	1	28	20	50	36	18.6	-4.7	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	28	21	0	36	18	-4.2	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	21	10	36	18.2	-4.9	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	28	21	20	36	17.7	-4.2	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	21	30	36	18.1	-4.1	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	28	21	40	36	19	-4.9	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	21	50	36	19.3	-4.7	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	28	22	0	36	19.2	-4.7	1.145	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	22	10	36	18.9	-5.1	1.146	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	22	20	36	19	-4.2	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	28	22	30	36	18.6	-3.5	1.146	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	28	22	40	36	17.9	-3.5	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	28	22	50	36	17.6	-3.9	1.146	0.4	0.3	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	28	23	0	36	18.1	-4.7	1.146	0.3	0.2	0	25.8	19.8	0	97	82	0	37	36	35
2022	1	28	23	10	36	19.2	-5.5	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	28	23	20	36	18	-4.7	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	35
2022	1	28	23	30	36	18.4	-4.2	1.146	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	28	23	40	36	19.3	-4	1.145	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	36
2022	1	28	23	50	36	17.7	-4.7	1.146	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	0	0	36	18.1	-4.2	1.145	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	29	0	10	36	18.7	-4.1	1.146	0.3	0.2	0	25.8	20.2	0	97	82	0	37	35	35
2022	1	29	0	20	36	18.4	-4.4	1.145	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	29	0	30	36	18.9	-3.9	1.145	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	37
2022	1	29	0	40	36	18.2	-3.6	1.146	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	29	0	50	36	18	-3.9	1.145	0.3	0.2	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	29	1	0	36	18	-4.3	1.145	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	29	1	10	36	18	-3.7	1.145	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	1	20	36	18.4	-3.8	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	1	30	36	18.5	-4.2	1.146	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	29	1	40	36	18.8	-4.5	1.145	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	1	50	36	19.5	-4.4	1.145	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	2	0	36	18	-4.2	1.145	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	2	10	36	18.5	-3.6	1.145	0.5	0.4	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	2	20	36	19.2	-3.9	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	2	30	36	19.3	-3.9	1.145	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	29	2	40	36	18.1	-4.6	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	2	50	36	19.4	-3.7	1.145	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	29	3	0	36	18.8	-4.2	1.145	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	36
2022	1	29	3	10	36	19.9	-4.3	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	3	20	36	18.8	-4.2	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	3	30	36	19.9	-5.4	1.145	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	29	3	40	36	17.9	-3	1.145	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	29	3	50	36	18.1	-3.4	1.145	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	36
2022	1	29	4	0	36	18.8	-4.2	1.145	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	35
2022	1	29	4	10	36	18	-3.6	1.145	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	29	4	20	36	18.3	-3.8	1.145	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	29	4	30	36	19.1	-4	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	4	40	36	18.3	-3.1	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	29	4	50	36	18.8	-4.6	1.145	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	36
2022	1	29	5	0	36	17.9	-4.4	1.145	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	5	10	36	18.6	-4.8	1.145	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	5	20	36	19.1	-4.4	1.145	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	29	5	30	36	18.9	-4.2	1.145	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	29	5	40	36	18.2	-3.9	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	29	5	50	36	19.2	-3.7	1.145	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	29	6	0	36	18.1	-4.8	1.145	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	29	6	10	36	19.4	-5.1	1.145	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	29	6	20	36	19.1	-4.8	1.145	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	29	6	30	36	18.4	-3.6	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	6	40	36	19.1	-3.9	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	35
2022	1	29	6	50	36	19.6	-4.2	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	29	7	0	36	17.5	-4.4	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	29	7	10	36	18.6	-4.2	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	29	7	20	36	18.5	-3.9	1.144	0.3	0.2	0	24.5	19.4	0	94	80	0	37	35	37
2022	1	29	7	30	36	19	-4.2	1.144	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	29	7	40	36	18.5	-4.1	1.144	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	29	7	50	36	19	-3.8	1.144	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	29	8	0	36	18.1	-4.5	1.145	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	29	8	10	36	19.5	-5.4	1.144	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	29	8	20	36	18.5	-3.6	1.145	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	29	8	30	36	18.3	-4.2	1.145	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	29	8	40	36	19	-3.4	1.145	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	29	8	50	36	18	-3.5	1.145	0.3	0.2	0	27.1	21.9	0	101	86	0	38	35	36
2022	1	29	9	0	36	19.8	-4.1	1.145	0.3	0.2	0	24.9	19.8	0	96	80	0	38	34	36
2022	1	29	9	10	36	18.8	-4.4	1.145	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	29	9	20	36	20.2	-3.8	1.145	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	9	30	36	19.2	-4.8	1.145	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	29	9	40	36	19.6	-3.6	1.145	0.4	0.3	0	24.5	18.9	0	95	79	0	38	35	37
2022	1	29	9	50	36	19.2	-4.4	1.145	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	29	10	0	36	18.2	-4.6	1.145	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	29	10	10	36	16.9	-3.3	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	29	10	20	36	19.1	-4.5	1.146	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	29	10	30	36	19.1	-4	1.146	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	35
2022	1	29	10	40	36	19.7	-4.5	1.146	0.3	0.2	0	26.7	21.5	0	100	85	0	38	35	36
2022	1	29	10	50	36	18.1	-4.3	1.146	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	29	11	0	36	18.1	-4.4	1.146	0.3	0.2	0	24.9	18.9	0	96	80	0	38	36	36
2022	1	29	11	10	36	18.5	-5.4	1.146	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	29	11	20	36	18.6	-4.3	1.147	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	29	11	30	36	18.2	-4.7	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	29	11	40	36	18.1	-4.4	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	37
2022	1	29	11	50	36	18.4	-4.9	1.146	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	29	12	0	36	19	-5	1.147	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	29	12	10	36	18.6	-3.9	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	29	12	20	36	18.9	-3.9	1.146	0.3	0.2	0	24.1	18.9	0	93	79	0	37	35	36
2022	1	29	12	30	36	18.7	-5.4	1.147	0.3	0.2	0	24.1	18.5	0	93	78	0	37	35	37
2022	1	29	12	40	36	18.1	-4.5	1.146	0.3	0.2	0	26.2	20.6	0	99	84	0	38	36	36
2022	1	29	12	50	36	18.4	-4.6	1.147	0.3	0.2	0	27.5	21.5	0	101	86	0	37	36	36
2022	1	29	13	0	36	17.4	-3.5	1.146	0.3	0.2	0	27.5	21.5	0	102	86	0	38	36	36
2022	1	29	13	10	36	18.2	-4.4	1.146	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	29	13	20	36	19.1	-4.8	1.147	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	29	13	30	36	19.3	-5	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	37
2022	1	29	13	40	36	18.9	-4.4	1.146	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36
2022	1	29	13	50	36	18.2	-4.7	1.146	0.3	0.2	0	24.5	18.9	0	94	79	0	37	35	36
2022	1	29	14	0	36	17.4	-4.7	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	29	14	10	36	18.1	-5.1	1.146	0.4	0.3	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	29	14	20	36	17.6	-4.1	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	29	14	30	36	18	-5.1	1.146	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	37
2022	1	29	14	40	36	18.5	-4.3	1.146	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	29	14	50	36	17.8	-4.3	1.146	0.3	0.2	0	26.2	20.6	0	98	83	0	37	35	36
2022	1	29	15	0	36	19.7	-5.3	1.146	0.3	0.2	0	27.5	21.1	0	101	85	0	37	36	36
2022	1	29	15	10	36	18.2	-4.7	1.146	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	15	20	36	17.6	-4.1	1.145	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	37
2022	1	29	15	30	36	18.9	-3.9	1.145	0.3	0.2	0	27.1	21.9	0	100	86	0	37	35	36
2022	1	29	15	40	36	17.1	-3.8	1.145	0.3	0.2	0	26.7	21.9	0	100	86	0	38	35	36
2022	1	29	15	50	36	17.5	-4.5	1.145	0.4	0.3	0	27.5	22.4	0	102	87	0	38	35	36
2022	1	29	16	0	36	18.1	-4.1	1.145	0.3	0.2	0	24.1	19.4	0	94	80	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	29	16	10	36	18.5	-4.3	1.145	0.4	0.3	0	24.1	18.5	0	93	78	0	37	35	36
2022	1	29	16	20	36	18.5	-3.4	1.145	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	29	16	30	36	17.3	-3.8	1.145	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	29	16	40	36	18.1	-5.1	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	16	50	36	16.8	-4.6	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	35
2022	1	29	17	0	36	17.4	-4.7	1.146	0.3	0.2	0	24.9	18.9	0	95	79	0	37	35	36
2022	1	29	17	10	36	17.3	-5	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	29	17	20	36	18	-3.1	1.146	0.3	0.2	0	27.1	21.1	0	100	84	0	37	35	36
2022	1	29	17	30	36	18.2	-5.2	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	17	40	36	18.1	-4	1.146	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	35
2022	1	29	17	50	36	19.4	-5	1.146	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	29	18	0	36	17.9	-4.3	1.146	0.4	0.3	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	29	18	10	36	18.3	-4.8	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	37
2022	1	29	18	20	36	18.1	-4.7	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	18	30	36	18.9	-4.4	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	18	40	36	18.1	-4.5	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	18	50	36	18.9	-4.7	1.146	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	19	0	36	18	-3.5	1.146	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	29	19	10	36	18.3	-5.1	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	29	19	20	36	18.3	-4.2	1.146	0.4	0.3	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	29	19	30	36	17.3	-4.6	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	19	40	36	18.5	-3.6	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	19	50	36	18.3	-3.5	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	20	0	36	18.3	-4	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	29	20	10	36	18.9	-4	1.146	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	29	20	20	36	18.5	-3.9	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	35
2022	1	29	20	30	36	17.7	-4.9	1.146	0.4	0.3	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	29	20	40	36	20	-4.9	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	20	50	36	19	-3.6	1.146	0.4	0.3	0	25.8	19.8	0	97	81	0	37	35	37
2022	1	29	21	0	36	17.6	-4.1	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	21	10	36	17.4	-4.7	1.146	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	29	21	20	36	18.3	-4.2	1.146	0.4	0.3	0	25.8	19.4	0	97	81	0	37	36	36
2022	1	29	21	30	36	19	-4.9	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	21	40	36	18.6	-4.3	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	21	50	36	19.1	-4.6	1.146	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	29	22	0	36	19.2	-4.2	1.145	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	22	10	36	19.1	-3.2	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	22	20	36	19.2	-4	1.146	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	29	22	30	36	18.4	-4.2	1.146	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	22	40	36	18.5	-3.7	1.145	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	22	50	36	17.3	-3.9	1.146	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	23	0	36	18.7	-4.4	1.146	0.4	0.3	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	29	23	10	36	18.3	-4.5	1.146	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	29	23	20	36	19	-4.2	1.145	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	29	23	30	36	19.9	-4.2	1.145	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	29	23	40	36	18.4	-4.1	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	29	23	50	36	18.5	-3.6	1.145	0.3	0.2	0	24.9	19.8	0	96	82	0	38	36	36
2022	1	30	0	0	36	18.8	-3.9	1.145	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	30	0	10	36	17.5	-3.5	1.145	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	30	0	20	36	19.9	-4.3	1.145	0.3	0.2	0	25.8	19.8	0	97	82	0	37	36	36
2022	1	30	0	30	36	18.6	-4.5	1.145	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	30	0	40	36	19.1	-3.7	1.145	0.3	0.2	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	30	0	50	36	18.4	-4.2	1.145	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	30	1	0	36	17.9	-4.7	1.145	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	30	1	10	36	18.6	-3.8	1.145	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	30	1	20	36	18.8	-4.1	1.145	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	30	1	30	36	19	-3.9	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	30	1	40	36	19.4	-4	1.145	0.4	0.3	0	25.4	19.4	0	96	81	0	37	36	36
2022	1	30	1	50	36	17.2	-3.6	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	30	2	0	36	18.3	-4	1.145	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	35
2022	1	30	2	10	36	19.1	-4	1.145	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	30	2	20	36	19.4	-3.4	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	30	2	30	36	18.9	-5	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	30	2	40	36	18.1	-5	1.145	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	36
2022	1	30	2	50	36	18.3	-3.9	1.145	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	30	3	0	36	18.7	-4.2	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	30	3	10	36	18.1	-4.6	1.145	0.3	0.2	0	25.4	19.4	0	96	81	0	37	36	37
2022	1	30	3	20	36	19	-4.2	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	30	3	30	36	18.9	-4	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	30	3	40	36	19.9	-4.2	1.144	0.3	0.2	0	24.1	19.8	0	95	81	0	39	35	36
2022	1	30	3	50	36	19.7	-3.8	1.144	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	30	4	0	36	19.6	-3.4	1.144	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	30	4	10	36	18.9	-4.3	1.144	0.3	0.2	0	24.5	19.4	0	96	81	0	39	36	36
2022	1	30	4	20	36	18	-3.8	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	30	4	30	36	19.4	-5.1	1.144	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	30	4	40	36	19	-4.5	1.144	0.4	0.3	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	30	4	50	36	17.6	-3.9	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	30	5	0	36	18.4	-4.2	1.144	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	30	5	10	36	18.9	-3.7	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	30	5	20	36	19.7	-4.5	1.144	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	30	5	30	36	17.3	-4.2	1.144	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	37
2022	1	30	5	40	36	18.5	-4.4	1.144	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	30	5	50	36	17.8	-4.3	1.144	0.3	0.2	0	24.9	18.9	0	95	80	0	37	36	36
2022	1	30	6	0	36	19.3	-4.4	1.144	0.4	0.3	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	30	6	10	36	19.3	-4.6	1.144	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	30	6	20	36	19.2	-5.1	1.144	0.3	0.2	0	27.1	21.9	0	101	86	0	38	35	36
2022	1	30	6	30	36	18	-4.7	1.144	0.3	0.2	0	28.4	22.8	0	104	88	0	38	35	37
2022	1	30	6	40	36	18.6	-3.5	1.144	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	30	6	50	36	19.5	-3.7	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	30	7	0	36	18.1	-4.6	1.144	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	30	7	10	36	18.8	-4.1	1.144	0.4	0.3	0	24.9	19.4	0	96	81	0	38	36	37
2022	1	30	7	20	36	18.4	-4.5	1.144	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	30	7	30	36	18.4	-4.3	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	30	7	40	36	19.5	-4.2	1.144	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	30	7	50	36	18.7	-3.8	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	30	8	0	36	18.6	-3.8	1.144	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	30	8	10	36	17.8	-3.9	1.144	0.4	0.3	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	30	8	20	36	18.5	-4.2	1.144	0.3	0.2	0	26.7	21.5	0	100	85	0	38	35	36
2022	1	30	8	30	36	19.3	-3.6	1.144	0.4	0.3	0	27.1	21.5	0	101	86	0	38	36	36
2022	1	30	8	40	36	18.7	-3.8	1.144	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	37
2022	1	30	8	50	36	19	-2.7	1.144	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	30	9	0	36	16.9	-4.4	1.144	0.4	0.3	0	25.4	20.6	0	98	83	0	39	35	36
2022	1	30	9	10	36	18.7	-4.6	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	30	9	20	36	18.3	-3.6	1.145	0.5	0.4	0	24.9	19.4	0	96	81	0	38	36	37
2022	1	30	9	30	36	18.3	-4.2	1.145	0.3	0.2	0	26.7	21.1	0	100	85	0	38	36	36
2022	1	30	9	40	36	18.7	-4.2	1.145	0.3	0.2	0	27.5	22.4	0	102	87	0	38	35	35
2022	1	30	9	50	36	18.3	-3.1	1.145	0.3	0.2	0	26.2	21.9	0	100	86	0	39	35	37
2022	1	30	10	0	36	18.4	-4.3	1.145	0.3	0.2	0	28.4	23.2	0	104	89	0	38	35	36
2022	1	30	10	10	36	18.6	-4.5	1.145	0.3	0.2	0	27.5	22.4	0	102	87	0	38	35	36
2022	1	30	10	20	36	18.8	-3.8	1.145	0.3	0.2	0	28	22.8	0	103	88	0	38	35	36
2022	1	30	10	30	36	19.1	-3.8	1.145	0.3	0.2	0	29.2	24.1	0	106	91	0	38	35	37
2022	1	30	10	40	36	17.8	-4	1.145	0.3	0.2	0	27.1	21.5	0	101	86	0	38	36	36
2022	1	30	10	50	36	17.6	-4.6	1.145	0.4	0.3	0	26.7	20.6	0	100	84	0	38	36	36
2022	1	30	11	0	36	18.7	-4.4	1.146	0.3	0.2	0	27.1	21.5	0	101	86	0	38	36	36
2022	1	30	11	10	36	18.6	-4	1.145	0.3	0.2	0	29.7	24.1	0	107	92	0	38	36	36
2022	1	30	11	20	36	17.7	-4.1	1.146	0.3	0.2	0	27.1	21.1	0	101	85	0	38	36	36
2022	1	30	11	30	36	19.6	-4.6	1.146	0.3	0.2	0	25.8	20.6	0	99	84	0	39	36	36
2022	1	30	11	40	36	17.6	-4.3	1.146	0.3	0.2	0	28	22.8	0	103	88	0	38	35	36
2022	1	30	11	50	36	18.8	-3.8	1.146	0.3	0.2	0	27.5	22.4	0	102	87	0	38	35	36
2022	1	30	12	0	36	18.3	-3.7	1.146	0.4	0.3	0	27.5	21.9	0	102	86	0	38	35	36
2022	1	30	12	10	36	18.2	-4.1	1.146	0.3	0.2	0	28	21.9	0	103	87	0	38	36	36
2022	1	30	12	20	36	19.5	-3.8	1.146	0.3	0.2	0	31.4	27.1	0	112	98	0	39	35	36
2022	1	30	12	30	36	18.3	-4	1.146	0.3	0.2	0	31.8	26.7	0	112	97	0	38	35	37
2022	1	30	12	40	36	19.2	-4	1.146	0.3	0.2	0	28.8	23.2	0	105	90	0	38	36	36
2022	1	30	12	50	36	18.5	-4	1.146	0.3	0.2	0	27.5	22.4	0	102	87	0	38	35	36
2022	1	30	13	0	36	17.9	-4.3	1.146	0.3	0.2	0	28	22.8	0	103	89	0	38	36	36
2022	1	30	13	10	36	18.3	-3.9	1.146	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	37
2022	1	30	13	20	36	18.5	-3.7	1.146	0.3	0.2	0	25.8	19.4	0	97	82	0	37	37	37
2022	1	30	13	30	36	18.1	-3.7	1.146	0.4	0.3	0	25.8	20.6	0	98	83	0	38	35	37
2022	1	30	13	40	36	17.2	-4.2	1.145	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	30	13	50	36	18.4	-4.6	1.146	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	37
2022	1	30	14	0	36	18	-3.5	1.146	0.3	0.2	0	24.9	19.4	0	95	80	0	37	35	37
2022	1	30	14	10	36	17.9	-4.7	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	30	14	20	36	18	-3.8	1.145	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	30	14	30	36	17.9	-3.9	1.145	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	30	14	40	36	17.4	-4.7	1.145	0.3	0.2	0	25.4	19.4	0	96	80	0	37	35	37
2022	1	30	14	50	36	17.9	-4.4	1.146	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	30	15	0	36	18	-3.1	1.145	0.3	0.2	0	24.5	18.9	0	95	80	0	38	36	36
2022	1	30	15	10	36	18	-3.8	1.145	0.4	0.3	0	28	22.4	0	102	87	0	37	35	36
2022	1	30	15	20	36	18.2	-3.8	1.145	0.3	0.2	0	28	22.4	0	103	87	0	38	35	36
2022	1	30	15	30	36	18.4	-4.2	1.145	0.4	0.3	0	28	22.4	0	103	88	0	38	36	36
2022	1	30	15	40	36	18	-3.7	1.145	0.3	0.2	0	31	25.4	0	109	94	0	37	35	37
2022	1	30	15	50	36	17.4	-4.9	1.145	0.3	0.2	0	28.4	22.4	0	104	88	0	38	36	36
2022	1	30	16	0	36	18.4	-3.7	1.145	0.4	0.3	0	29.7	24.1	0	107	91	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	30	16	10	36	19.6	-3.6	1.145	0.4	0.3	0	27.5	22.4	0	103	87	0	39	35	36
2022	1	30	16	20	36	18.6	-4.2	1.145	0.3	0.2	0	32.7	27.1	0	114	99	0	38	36	36
2022	1	30	16	30	36	19.1	-4.6	1.145	0.3	0.2	0	27.1	21.1	0	101	85	0	38	36	36
2022	1	30	16	40	36	17.9	-3.5	1.145	0.3	0.2	0	27.1	21.1	0	101	85	0	38	36	35
2022	1	30	16	50	36	17.6	-3.7	1.145	0.3	0.2	0	26.2	20.6	0	99	83	0	38	35	37
2022	1	30	17	0	36	18.9	-4.3	1.145	0.4	0.3	0	28.8	23.6	0	105	90	0	38	35	36
2022	1	30	17	10	36	19.2	-4.3	1.145	0.3	0.2	0	27.5	21.9	0	102	86	0	38	35	36
2022	1	30	17	20	36	19	-4.1	1.145	0.5	0.4	0	30.1	24.9	0	108	93	0	38	35	37
2022	1	30	17	30	36	19.1	-3.5	1.145	0.3	0.2	0	28.4	22.4	0	104	88	0	38	36	37
2022	1	30	17	40	36	18.4	-4.6	1.145	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	37
2022	1	30	17	50	36	18.6	-4	1.145	0.3	0.2	0	24.5	19.8	0	96	81	0	39	35	36
2022	1	30	18	0	36	18.4	-4.4	1.145	0.4	0.3	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	30	18	10	36	18.4	-3.8	1.145	0.3	0.2	0	24.5	18.9	0	96	80	0	39	36	36
2022	1	30	18	20	36	18.2	-4.4	1.145	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	37
2022	1	30	18	30	36	18	-3.9	1.145	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	30	18	40	36	18.9	-3.5	1.145	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	30	18	50	36	18.3	-3.8	1.145	0.3	0.2	0	25.8	19.8	0	97	82	0	37	36	36
2022	1	30	19	0	36	19.2	-4.2	1.145	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	30	19	10	36	18.9	-4	1.145	0.3	0.2	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	30	19	20	36	18.1	-4.2	1.145	0.3	0.2	0	24.9	20.2	0	97	82	0	39	35	37
2022	1	30	19	30	36	18.2	-4.6	1.145	0.3	0.2	0	25.4	20.6	0	97	82	0	38	34	37
2022	1	30	19	40	36	18.4	-4.3	1.145	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	37
2022	1	30	19	50	36	18.2	-5	1.145	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	30	20	0	36	19.1	-4.6	1.145	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	30	20	10	36	18.4	-4.8	1.145	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	37
2022	1	30	20	20	36	17.9	-3.8	1.145	0.4	0.3	0	25.8	19.8	0	97	81	0	37	35	36
2022	1	30	20	30	36	19.6	-4.7	1.145	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	30	20	40	36	18.7	-4.5	1.145	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	30	20	50	36	18.8	-4.4	1.144	0.4	0.3	0	25.4	19.8	0	97	81	0	38	35	37
2022	1	30	21	0	36	19.2	-4	1.145	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	35
2022	1	30	21	10	36	18.9	-3.7	1.145	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	30	21	20	36	18.3	-4.6	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	30	21	30	36	19	-4.2	1.145	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	30	21	40	36	19.5	-4.9	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	30	21	50	36	18.4	-3.8	1.144	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	37
2022	1	30	22	0	36	18.5	-4.1	1.145	0.3	0.2	0	25.8	19.8	0	97	82	0	37	36	36
2022	1	30	22	10	36	18.3	-4.8	1.145	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	37
2022	1	30	22	20	36	19.2	-3.5	1.144	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	30	22	30	36	18.3	-4.6	1.144	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	30	22	40	36	18.3	-3.5	1.144	0.3	0.2	0	24.9	19.8	0	97	82	0	39	36	37
2022	1	30	22	50	36	18.3	-5.1	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	30	23	0	36	18.9	-3.8	1.144	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	30	23	10	36	17.2	-3.8	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	30	23	20	36	18.7	-4.4	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	30	23	30	36	18.1	-3.1	1.144	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	37
2022	1	30	23	40	36	18.7	-4.2	1.144	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	30	23	50	36	19	-3.1	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	31	0	0	36	19.4	-3.8	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	31	0	10	36	18.8	-4.1	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	31	0	20	36	19.7	-3.7	1.144	0.4	0.3	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	31	0	30	36	19.7	-3.8	1.144	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	31	0	40	36	18.5	-3.8	1.144	0.4	0.3	0	25.4	19.8	0	97	82	0	38	36	37
2022	1	31	0	50	36	17.9	-3.6	1.144	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	31	1	0	36	17.7	-3.9	1.144	0.3	0.2	0	24.9	20.2	0	96	82	0	38	35	36
2022	1	31	1	10	36	20	-4.8	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	31	1	20	36	18.1	-3.7	1.144	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	31	1	30	36	18.3	-4.2	1.144	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	31	1	40	36	18.5	-3.6	1.144	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	37
2022	1	31	1	50	36	18.7	-3.5	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	31	2	0	36	17.9	-3.8	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	37
2022	1	31	2	10	36	18.1	-3.8	1.143	0.3	0.2	0	24.5	19.8	0	96	81	0	39	35	36
2022	1	31	2	20	36	18.1	-3	1.143	0.3	0.2	0	24.9	20.2	0	97	82	0	39	35	37
2022	1	31	2	30	36	18.8	-4.7	1.143	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	31	2	40	36	19.4	-5	1.144	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	37
2022	1	31	2	50	36	19.3	-4.2	1.143	0.3	0.2	0	24.1	19.8	0	94	81	0	38	35	36
2022	1	31	3	0	36	18.9	-4.6	1.144	0.3	0.2	0	24.9	19.8	0	96	82	0	38	36	37
2022	1	31	3	10	36	17.9	-3.4	1.143	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	31	3	20	36	18.2	-4.4	1.143	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	31	3	30	36	18.7	-3.7	1.143	0.3	0.2	0	24.9	19.8	0	96	82	0	38	36	37
2022	1	31	3	40	36	18.7	-4.3	1.143	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	37
2022	1	31	3	50	36	19	-4	1.143	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	31	4	0	36	18.1	-4.5	1.143	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	31	4	10	36	19.3	-4.7	1.143	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	31	4	20	36	17.3	-3.9	1.143	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	37
2022	1	31	4	30	36	18.2	-4.6	1.143	0.3	0.2	0	24.9	19.4	0	97	81	0	39	36	36
2022	1	31	4	40	36	17.6	-4.3	1.143	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	31	4	50	36	19.3	-3.5	1.143	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	31	5	0	36	18.6	-4.1	1.143	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	37
2022	1	31	5	10	36	19.8	-4.6	1.143	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	31	5	20	36	17.7	-4.2	1.143	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	31	5	30	36	19.8	-4.3	1.143	0.4	0.3	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	31	5	40	36	18.1	-5	1.143	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	31	5	50	36	17.7	-3.9	1.143	0.4	0.3	0	25.4	19.8	0	96	81	0	37	35	36
2022	1	31	6	0	36	18.5	-3.5	1.143	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	31	6	10	36	19.7	-3.9	1.143	0.4	0.3	0	24.9	19.4	0	96	81	0	38	36	37
2022	1	31	6	20	36	18.9	-4.3	1.143	0.4	0.3	0	24.5	19.4	0	96	81	0	39	36	37
2022	1	31	6	30	36	18.2	-3	1.143	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	31	6	40	36	18.1	-3.9	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	31	6	50	36	18.7	-3.8	1.143	0.3	0.2	0	26.7	20.6	0	100	84	0	38	36	37
2022	1	31	7	0	36	18.9	-4.1	1.143	0.4	0.3	0	24.5	20.2	0	96	82	0	39	35	37
2022	1	31	7	10	36	17.7	-3.1	1.143	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	31	7	20	36	17.8	-3.6	1.143	0.3	0.2	0	24.5	19.4	0	95	80	0	38	35	36
2022	1	31	7	30	36	18.6	-5	1.143	0.3	0.2	0	24.1	18.9	0	94	80	0	38	36	37
2022	1	31	7	40	36	18.7	-3.7	1.143	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	31	7	50	36	18.2	-3.8	1.143	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	31	8	0	36	17.3	-4.9	1.143	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	31	8	10	36	17.8	-5.2	1.143	0.3	0.2	0	25.8	20.2	0	98	83	0	38	36	36
2022	1	31	8	20	36	17.9	-3.8	1.143	0.3	0.2	0	24.1	19.4	0	95	80	0	39	35	37
2022	1	31	8	30	36	19.5	-3.4	1.143	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	37
2022	1	31	8	40	36	17.9	-4	1.143	0.3	0.2	0	25.8	20.2	0	98	83	0	38	36	36
2022	1	31	8	50	36	19.2	-2.9	1.143	0.3	0.2	0	26.2	21.5	0	100	85	0	39	35	36
2022	1	31	9	0	36	17.8	-4.6	1.144	0.3	0.2	0	24.5	19.8	0	96	81	0	39	35	37
2022	1	31	9	10	36	17.8	-3.3	1.143	0.3	0.2	0	26.2	20.6	0	99	84	0	38	36	37
2022	1	31	9	20	36	18.9	-4.4	1.143	0.3	0.2	0	26.7	21.5	0	100	85	0	38	35	36
2022	1	31	9	30	36	19.2	-4.3	1.143	0.3	0.2	0	24.1	18.9	0	95	80	0	39	36	36
2022	1	31	9	40	36	18.4	-3.8	1.144	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	31	9	50	36	18.9	-4.5	1.143	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	37
2022	1	31	10	0	36	16.8	-4.2	1.144	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	31	10	10	36	19	-3.7	1.143	0.3	0.2	0	27.1	21.5	0	101	86	0	38	36	35
2022	1	31	10	20	36	18.4	-3.5	1.143	0.3	0.2	0	30.5	24.9	0	108	93	0	37	35	36
2022	1	31	10	30	36	18.1	-3.5	1.144	0.3	0.2	0	27.1	21.9	0	101	86	0	38	35	36
2022	1	31	10	40	36	18.5	-4.2	1.144	0.3	0.2	0	28	22.8	0	103	88	0	38	35	36
2022	1	31	10	50	36	17.8	-4.2	1.144	0.3	0.2	0	25.4	20.2	0	97	83	0	38	36	37
2022	1	31	11	0	36	18.6	-4.4	1.144	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	37
2022	1	31	11	10	36	18.9	-4.9	1.144	0.3	0.2	0	26.7	21.5	0	100	85	0	38	35	36
2022	1	31	11	20	36	17.9	-3.5	1.144	0.3	0.2	0	26.2	20.6	0	99	84	0	38	36	37
2022	1	31	11	30	36	18.5	-4.9	1.144	0.3	0.2	0	24.1	18.9	0	94	79	0	38	35	36
2022	1	31	11	40	36	18.1	-4.6	1.144	0.3	0.2	0	23.2	18.5	0	93	78	0	39	35	37
2022	1	31	11	50	36	18.1	-3.7	1.144	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	37
2022	1	31	12	0	36	18.9	-4.8	1.145	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	31	12	10	36	18.7	-4.2	1.144	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	31	12	20	36	18.5	-3.3	1.145	0.5	0.4	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	31	12	30	36	18.9	-4.2	1.145	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	31	12	40	36	17.9	-3.9	1.144	0.3	0.2	0	24.1	18.5	0	94	79	0	38	36	36
2022	1	31	12	50	36	18.4	-4.3	1.144	0.3	0.2	0	24.5	18.9	0	95	79	0	38	35	36
2022	1	31	13	0	36	18.7	-4	1.144	0.3	0.2	0	26.7	21.5	0	100	85	0	38	35	36
2022	1	31	13	10	36	18.5	-4.2	1.144	0.3	0.2	0	25.4	20.2	0	97	82	0	38	35	36
2022	1	31	13	20	36	18.7	-4.7	1.144	0.3	0.2	0	24.5	19.8	0	95	81	0	38	35	36
2022	1	31	13	30	36	18.1	-4.3	1.144	0.3	0.2	0	26.2	21.1	0	99	84	0	38	35	36
2022	1	31	13	40	36	18.4	-4	1.144	0.3	0.2	0	26.7	21.5	0	100	86	0	38	36	36
2022	1	31	13	50	36	18.4	-4.5	1.144	0.3	0.2	0	27.1	21.9	0	101	86	0	38	35	37
2022	1	31	14	0	36	18	-4.1	1.144	0.3	0.2	0	25.8	20.6	0	98	83	0	38	35	36
2022	1	31	14	10	36	18	-3.9	1.144	0.3	0.2	0	25.8	19.8	0	98	82	0	38	36	37
2022	1	31	14	20	36	17.5	-4.4	1.144	0.3	0.2	0	25.4	19.8	0	97	82	0	38	36	36
2022	1	31	14	30	36	17.1	-3.8	1.144	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	31	14	40	36	18.6	-3.8	1.145	0.3	0.2	0	23.6	18.9	0	93	79	0	38	35	36
2022	1	31	14	50	36	17.3	-3.9	1.144	0.3	0.2	0	24.1	18.5	0	93	79	0	37	36	35
2022	1	31	15	0	36	18.5	-4.6	1.144	0.3	0.2	0	23.6	18.5	0	93	79	0	38	36	35
2022	1	31	15	10	36	17.2	-3.9	1.144	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	31	15	20	36	17.4	-4.2	1.144	0.4	0.3	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	31	15	30	36	16.7	-4.5	1.144	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36
2022	1	31	15	40	36	18	-4.7	1.144	0.3	0.2	0	23.2	17.6	0	92	77	0	38	36	36
2022	1	31	15	50	36	18.2	-4.2	1.144	0.3	0.2	0	23.2	18.5	0	93	78	0	39	35	36
2022	1	31	16	0	36	17.5	-4.2	1.144	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	36



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2022	1	31	16	10	36	19	-4.8	1.144	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	31	16	20	36	17.5	-4.8	1.144	0.3	0.2	0	23.2	18.1	0	92	77	0	38	35	37
2022	1	31	16	30	36	17.2	-3.6	1.144	0.3	0.2	0	25.8	20.2	0	98	82	0	38	35	36
2022	1	31	16	40	36	17.2	-4.1	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	31	16	50	36	18.3	-5	1.144	0.3	0.2	0	24.5	18.5	0	95	79	0	38	36	36
2022	1	31	17	0	36	17.2	-5	1.144	0.3	0.2	0	24.1	18.1	0	94	78	0	38	36	36
2022	1	31	17	10	36	18.8	-3.9	1.144	0.3	0.2	0	24.5	18.5	0	94	78	0	37	35	37
2022	1	31	17	20	36	19	-4.6	1.144	0.3	0.2	0	23.6	18.5	0	93	78	0	38	35	36
2022	1	31	17	30	36	17.7	-5	1.144	0.3	0.2	0	25.4	18.9	0	96	79	0	37	35	36
2022	1	31	17	40	36	18.8	-4.6	1.144	0.4	0.3	0	24.5	19.4	0	95	80	0	38	35	37
2022	1	31	17	50	36	17.9	-4.2	1.144	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	37
2022	1	31	18	0	36	18.5	-3.8	1.144	0.3	0.2	0	24.5	18.9	0	96	80	0	39	36	37
2022	1	31	18	10	36	19.5	-4.2	1.144	0.3	0.2	0	24.9	18.9	0	96	80	0	38	36	36
2022	1	31	18	20	36	17.7	-4.1	1.144	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	31	18	30	36	18.6	-4.2	1.144	0.3	0.2	0	24.9	19.4	0	96	80	0	38	35	36
2022	1	31	18	40	36	18.1	-4.3	1.144	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	31	18	50	36	17.9	-4.2	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	31	19	0	36	18.2	-4.7	1.144	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	31	19	10	36	19	-4.6	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	31	19	20	36	18.4	-3.5	1.144	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	37
2022	1	31	19	30	36	17.9	-3.9	1.144	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	37
2022	1	31	19	40	36	19	-4.1	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	31	19	50	36	18.6	-4.6	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	37
2022	1	31	20	0	36	19	-4.2	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	37
2022	1	31	20	10	36	17.9	-4.3	1.144	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	31	20	20	36	16.4	-3.9	1.144	0.4	0.3	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	31	20	30	36	19.2	-4.3	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	31	20	40	36	18.5	-4.4	1.144	0.3	0.2	0	24.5	19.8	0	96	81	0	39	35	36
2022	1	31	20	50	36	18.4	-4.3	1.144	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	31	21	0	36	18.3	-4.2	1.144	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	31	21	10	36	18.5	-4.6	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	31	21	20	36	18	-4.7	1.144	0.3	0.2	0	24.9	19.8	0	97	81	0	39	35	36
2022	1	31	21	30	36	18.4	-4.5	1.144	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	36
2022	1	31	21	40	36	18.1	-4	1.144	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	37
2022	1	31	21	50	36	18.9	-3.8	1.143	0.4	0.3	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	31	22	0	36	19.1	-3.8	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	31	22	10	36	18.4	-3.4	1.144	0.3	0.2	0	25.8	19.8	0	97	82	0	37	36	36
2022	1	31	22	20	36	17.8	-4.3	1.144	0.3	0.2	0	25.4	19.4	0	97	81	0	38	36	37
2022	1	31	22	30	36	19.4	-4.2	1.144	0.3	0.2	0	24.9	19.8	0	96	81	0	38	35	36
2022	1	31	22	40	36	18.1	-3.5	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	31	22	50	36	19	-4.2	1.144	0.3	0.2	0	24.9	19.8	0	97	81	0	39	35	36
2022	1	31	23	0	36	18.6	-4.6	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	31	23	10	36	18.2	-4.6	1.143	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	31	23	20	36	18.8	-4.9	1.144	0.3	0.2	0	24.9	19.4	0	96	81	0	38	36	36
2022	1	31	23	30	36	19	-4.1	1.144	0.3	0.2	0	24.9	19.8	0	97	81	0	39	35	37
2022	1	31	23	40	36	18.6	-4.7	1.143	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	36
2022	1	31	23	50	36	18.3	-4.7	1.144	0.3	0.2	0	25.4	19.8	0	97	81	0	38	35	37

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	1	0	2	45	0	0	0	0	0	0	0	1.19	0	0	10.2	0.1	1.2
2022	1	1	0	12	45	0	0	0	0	0	0	0	1.19	0	0	10.4	0.1	1.2
2022	1	1	0	22	45	0	0	0	0	0	0	0	1.18	0	0	10.4	0.1	1.2
2022	1	1	0	32	45	0	0	0	0	0	0	0	1.18	0	0	10.2	0.1	1.2
2022	1	1	0	42	45	0	0	0	0	0	0	0	1.17	0	0	10.2	0.1	1.2
2022	1	1	0	52	45	0	0	0	0	0	0	0	1.17	0	0	10.2	0.1	1.2
2022	1	1	1	2	45	0	0	0	0	0	0	0	1.16	0	0	10.2	0.1	1.2
2022	1	1	1	12	45	0	0	0	0	0	0	0	1.15	0	0	10.4	0.1	1.2
2022	1	1	1	22	45	0	0	0	0	0	0	0	1.15	0	0	10.4	0.1	1.2
2022	1	1	1	32	45	0	0	0	0	0	0	0	1.14	0	0	10.2	0.1	1.2
2022	1	1	1	42	45	0	0	0	0	0	0	0	1.13	0	0	10.4	0.1	1.2
2022	1	1	1	52	45	0	0	0	0	0	0	0	1.13	0	0	10.2	0.1	1.2
2022	1	1	2	2	45	0	0	0	0	0	0	0	1.13	0	0	9.8	0.1	1.2
2022	1	1	2	12	45	0	0	0	0	0	0	0	1.12	0	0	10.2	0.1	1.2
2022	1	1	2	22	45	0	0	0	0	0	0	0	1.11	0	0	11	0.1	1.2
2022	1	1	2	32	45	0	0	0	0	0	0	0	1.11	0	0	10.4	0.1	1.2
2022	1	1	2	42	45	0	0	0	0	0	0	0	1.1	0	0	10.4	0.1	1.2
2022	1	1	2	52	45	0	0	0	0	0	0	0	1.1	0	0	10.2	0.1	1.2
2022	1	1	3	2	45	0	0	0	0	0	0	0	1.09	0	0	10.2	0.1	1.2
2022	1	1	3	12	45	0	0	0	0	0	0	0	1.09	0	0	10.2	0.1	1.2
2022	1	1	3	22	45	0	0	0	0	0	0	0	1.08	0	0	10.2	0.1	1.2
2022	1	1	3	32	45	0	0	0	0	0	0	0	1.07	0	0	10.2	0.1	1.2
2022	1	1	3	42	45	0	0	0	0	0	0	0	1.07	0	0	10.2	0.1	1.2
2022	1	1	3	52	45	0	0	0	0	0	0	0	1.06	0	0	10.2	0.1	1.2
2022	1	1	4	2	45	0	0	0	0	0	0	0	1.05	0	0	10.2	0.1	1.2
2022	1	1	4	12	45	0	0	0	0	0	0	0	1.05	0	0	10.2	0.1	1.2
2022	1	1	4	22	45	0	0	0	0	0	0	0	1.04	0	0	10.4	0.1	1.2
2022	1	1	4	32	45	0	0	0	0	0	0	0	1.04	0	0	10.2	0.1	1.2
2022	1	1	4	42	45	0	0	0	0	0	0	0	1.03	0	0	10.2	0.1	1.2
2022	1	1	4	52	45	0	0	0	0	0	0	0	1.03	0	0	10.8	0.1	1.2
2022	1	1	5	2	45	0	0	0	0	0	0	0	1.02	0	0	11	0.1	1.2
2022	1	1	5	12	45	0	0	0	0	0	0	0	1.01	0	0	11	0.1	1.2
2022	1	1	5	22	45	0	0	0	0	0	0	0	1.01	0	0	11	0.1	1.2
2022	1	1	5	32	45	0	0	0	0	0	0	0	1.01	0	0	11	0.1	1.2
2022	1	1	5	42	45	0	0	0	0	0	0	0	1	0	0	11	0.1	1.2
2022	1	1	5	52	45	0	0	0	0	0	0	0	1	0	0	11	0.1	1.2
2022	1	1	6	2	45	0	0	0	0	0	0	0	1	0	0	11	0.1	1.2
2022	1	1	6	12	45	0	0	0	0	0	0	0	0.99	0	0	11	0.1	1.2
2022	1	1	6	22	45	0	0	0	0	0	0	0	0.99	0	0	11	0.1	1.2
2022	1	1	6	32	45	0	0	0	0	0	0	0	0.98	0	0	11	0.1	1.2
2022	1	1	6	42	45	0	0	0	0	0	0	0	0.98	0	0	11	0.1	1.2
2022	1	1	6	52	45	0	0	0	0	0	0	0	0.97	0	0	11	0.1	1.2
2022	1	1	7	2	45	0	0	0	0	0	0	0	0.97	0	0	11	0.1	1.2
2022	1	1	7	12	45	0	0	0	0	0	0	0	0.97	0	0	11	0.1	1.2
2022	1	1	7	22	45	0	0	0	0	0	0	0	0.96	0	0	11	0.1	1.2
2022	1	1	7	32	45	0	0	0	0	0	0	0	0.96	0	0	11.2	0.1	1.2
2022	1	1	7	42	45	0	0	0	0	0	0	0	0.95	0	0	11.4	0.1	1.2
2022	1	1	7	52	45	0	0	0	0	0	0	0	0.95	0	0	11.6	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	1	8	2	45	0	0	0	0	0	0	0	0.95	0	0	11.6	0.1	1.2
2022	1	1	8	12	45	0	0	0	0	0	0	0	0.95	0	0	11.8	0.1	1.2
2022	1	1	8	22	45	0	0	0	0	0	0	0	0.97	0	0	11.8	0.1	1.2
2022	1	1	8	32	45	0	0	0	0	0	0	0	0.99	0	0	11.6	0.1	1.2
2022	1	1	8	42	45	0	0	0	0	0	0	0	1.01	0	0	11.6	0.1	1.2
2022	1	1	8	52	45	0	0	0	0	0	0	0	1.04	0	0	11.6	0.1	1.2
2022	1	1	9	2	45	0	0	0	0	0	0	0	1.05	0	0	11.4	0.1	1.2
2022	1	1	9	12	45	0	0	0	0	0	0	0	1.07	0	0	11.4	0.1	1.2
2022	1	1	9	22	45	0	0	0	0	0	0	0	1.09	0	0	11.2	0.1	1.2
2022	1	1	9	32	45	0	0	0	0	0	0	0	1.1	0	0	11.4	0.1	1.2
2022	1	1	9	42	45	0	0	0	0	0	0	0	1.12	0	0	11.8	0.1	1.2
2022	1	1	9	52	45	0	0	0	0	0	0	0	1.14	0	0	12.4	0.1	1.2
2022	1	1	10	2	45	0	0	0	0	0	0	0	1.15	0	0	12.4	0.1	1.2
2022	1	1	10	12	45	0	0	0	0	0	0	0	1.18	0	0	12.2	0.1	1.2
2022	1	1	10	22	45	0	0	0	0	0	0	0	1.19	0	0	11.6	0.1	1.2
2022	1	1	10	32	45	0	0	0	0	0	0	0	1.22	0	0	11.2	0.1	1.2
2022	1	1	10	42	45	0	0	0	0	0	0	0	1.23	0	0	11.2	0.1	1.2
2022	1	1	10	52	45	0	0	0	0	0	0	0	1.25	0	0	11	0.1	1.2
2022	1	1	11	2	45	0	0	0	0	0	0	0	1.26	0	0	11	0.1	1.2
2022	1	1	11	12	45	0	0	0	0	0	0	0	1.26	0	0	11.2	0.1	1.2
2022	1	1	11	22	45	0	0	0	0	0	0	0	1.28	0	0	10.8	0.1	1.2
2022	1	1	11	32	45	0	0	0	0	0	0	0	1.3	0	0	10.6	0.1	1.2
2022	1	1	11	42	45	0	0	0	0	0	0	0	1.3	0	0	10.6	0.1	1.2
2022	1	1	11	52	45	0	0	0	0	0	0	0	1.32	0	0	10.6	0.1	1.2
2022	1	1	12	2	45	0	0	0	0	0	0	0	1.33	0	0	10.6	0.1	1.2
2022	1	1	12	12	45	0	0	0	0	0	0	0	1.33	0	0	11.8	0.1	1.2
2022	1	1	12	22	45	0	0	0	0	0	0	0	1.35	0	0	11.8	0.1	1.2
2022	1	1	12	32	45	0	0	0	0	0	0	0	1.34	0	0	11.6	0.1	1.2
2022	1	1	12	42	45	0	0	0	0	0	0	0	1.34	0	0	11.6	0.1	1.2
2022	1	1	12	52	45	0	0	0	0	0	0	0	1.36	0	0	11.8	0.1	1.2
2022	1	1	13	2	45	0	0	0	0	0	0	0	1.36	0	0	11.4	0.1	1.2
2022	1	1	13	12	45	0	0	0	0	0	0	0	1.36	0	0	11.4	0.1	1.2
2022	1	1	13	22	45	0	0	0	0	0	0	0	1.36	0	0	11.4	0.1	1.2
2022	1	1	13	32	45	0	0	0	0	0	0	0	1.35	0	0	11	0.1	1.2
2022	1	1	13	42	45	0	0	0	0	0	0	0	1.36	0	0	11.4	0.1	1.2
2022	1	1	13	52	45	0	0	0	0	0	0	0	1.36	0	0	11.4	0.1	1.2
2022	1	1	14	2	45	0	0	0	0	0	0	0	1.35	0	0	11.6	0.1	1.2
2022	1	1	14	12	45	0	0	0	0	0	0	0	1.36	0	0	11.4	0.1	1.2
2022	1	1	14	22	45	0	0	0	0	0	0	0	1.35	0	0	11.4	0.1	1.2
2022	1	1	14	32	45	0	0	0	0	0	0	0	1.35	0	0	11.2	0.1	1.2
2022	1	1	14	42	45	0	0	0	0	0	0	0	1.34	0	0	11.2	0.1	1.2
2022	1	1	14	52	45	0	0	0	0	0	0	0	1.32	0	0	11	0.1	1.2
2022	1	1	15	2	45	0	0	0	0	0	0	0	1.32	0	0	10.8	0.1	1.2
2022	1	1	15	12	45	0	0	0	0	0	0	0	1.31	0	0	10.6	0.1	1.2
2022	1	1	15	22	45	0	0	0	0	0	0	0	1.28	0	0	11.2	0.1	1.2
2022	1	1	15	32	45	0	0	0	0	0	0	0	1.28	0	0	11.2	0.1	1.2
2022	1	1	15	42	45	0	0	0	0	0	0	0	1.27	0	0	11.4	0.1	1.2
2022	1	1	15	52	45	0	0	0	0	0	0	0	1.28	0	0	11.4	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	1	16	2	45	0	0	0	0	0	0	0	1.28	0	0	11.4	0.1	1.2
2022	1	1	16	12	45	0	0	0	0	0	0	0	1.28	0	0	11.4	0.1	1.2
2022	1	1	16	22	45	0	0	0	0	0	0	0	1.28	0	0	11.2	0.1	1.2
2022	1	1	16	32	45	0	0	0	0	0	0	0	1.27	0	0	10.8	0.1	1.2
2022	1	1	16	42	45	0	0	0	0	0	0	0	1.27	0	0	10.6	0.1	1.2
2022	1	1	16	52	45	0	0	0	0	0	0	0	1.27	0	0	10.6	0.1	1.2
2022	1	1	17	2	45	0	0	0	0	0	0	0	1.26	0	0	10.6	0.1	1.2
2022	1	1	17	12	45	0	0	0	0	0	0	0	1.26	0	0	10.6	0.1	1.2
2022	1	1	17	22	45	0	0	0	0	0	0	0	1.25	0	0	10.4	0.1	1.2
2022	1	1	17	32	45	0	0	0	0	0	0	0	1.25	0	0	10.4	0.1	1.2
2022	1	1	17	42	45	0	0	0	0	0	0	0	1.24	0	0	10.2	0.1	1.2
2022	1	1	17	52	45	0	0	0	0	0	0	0	1.23	0	0	10.2	0.1	1.2
2022	1	1	18	2	45	0	0	0	0	0	0	0	1.22	0	0	10.2	0.1	1.2
2022	1	1	18	12	45	0	0	0	0	0	0	0	1.22	0	0	10.2	0.1	1.2
2022	1	1	18	22	45	0	0	0	0	0	0	0	1.21	0	0	10.8	0.1	1.2
2022	1	1	18	32	45	0	0	0	0	0	0	0	1.2	0	0	10.4	0.1	1.2
2022	1	1	18	42	45	0	0	0	0	0	0	0	1.19	0	0	11	0.1	1.2
2022	1	1	18	52	45	0	0	0	0	0	0	0	1.18	0	0	10.8	0.1	1.2
2022	1	1	19	2	45	0	0	0	0	0	0	0	1.17	0	0	10.6	0.1	1.2
2022	1	1	19	12	45	0	0	0	0	0	0	0	1.16	0	0	10.8	0.1	1.2
2022	1	1	19	22	45	0	0	0	0	0	0	0	1.15	0	0	11.4	0.1	1.2
2022	1	1	19	32	45	0	0	0	0	0	0	0	1.14	0	0	11.2	0.1	1.2
2022	1	1	19	42	45	0	0	0	0	0	0	0	1.13	0	0	11.2	0.1	1.2
2022	1	1	19	52	45	0	0	0	0	0	0	0	1.12	0	0	11.2	0.1	1.2
2022	1	1	20	2	45	0	0	0	0	0	0	0	1.11	0	0	11.4	0.1	1.2
2022	1	1	20	12	45	0	0	0	0	0	0	0	1.1	0	0	11.4	0.1	1.2
2022	1	1	20	22	45	0	0	0	0	0	0	0	1.09	0	0	11.4	0.1	1.2
2022	1	1	20	32	45	0	0	0	0	0	0	0	1.08	0	0	11.4	0.1	1.2
2022	1	1	20	42	45	0	0	0	0	0	0	0	1.07	0	0	11.4	0.1	1.2
2022	1	1	20	52	45	0	0	0	0	0	0	0	1.06	0	0	11.4	0.1	1.2
2022	1	1	21	2	45	0	0	0	0	0	0	0	1.05	0	0	11.4	0.1	1.2
2022	1	1	21	12	45	0	0	0	0	0	0	0	1.04	0	0	11.4	0.1	1.2
2022	1	1	21	22	45	0	0	0	0	0	0	0	1.03	0	0	11.4	0.1	1.2
2022	1	1	21	32	45	0	0	0	0	0	0	0	1.01	0	0	11.4	0.1	1.2
2022	1	1	21	42	45	0	0	0	0	0	0	0	1	0	0	11.4	0.1	1.2
2022	1	1	21	52	45	0	0	0	0	0	0	0	1	0	0	11.2	0.1	1.2
2022	1	1	22	2	45	0	0	0	0	0	0	0	0.99	0	0	11.2	0.1	1.2
2022	1	1	22	12	45	0	0	0	0	0	0	0	0.98	0	0	11	0.1	1.2
2022	1	1	22	22	45	0	0	0	0	0	0	0	0.97	0	0	11	0.1	1.2
2022	1	1	22	32	45	0	0	0	0	0	0	0	0.96	0	0	11	0.1	1.2
2022	1	1	22	42	45	0	0	0	0	0	0	0	0.95	0	0	11	0.1	1.2
2022	1	1	22	52	45	0	0	0	0	0	0	0	0.94	0	0	11	0.1	1.2
2022	1	1	23	2	45	0	0	0	0	0	0	0	0.92	0	0	11	0.1	1.2
2022	1	1	23	12	45	0	0	0	0	0	0	0	0.92	0	0	11.2	0.1	1.2
2022	1	1	23	22	45	0	0	0	0	0	0	0	0.9	0	0	11.2	0.1	1.2
2022	1	1	23	32	45	0	0	0	0	0	0	0	0.88	0	0	11	0.1	1.2
2022	1	1	23	42	45	0	0	0	0	0	0	0	0.87	0	0	11	0.1	1.2
2022	1	1	23	52	45	0	0	0	0	0	0	0	0.86	0	0	11	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	2	0	2	45	0	0	0	0	0	0	0	0.84	0	0	11	0.1	1.2
2022	1	2	0	12	45	0	0	0	0	0	0	0	0.83	0	0	11	0.1	1.2
2022	1	2	0	22	45	0	0	0	0	0	0	0	0.82	0	0	11	0.1	1.2
2022	1	2	0	32	45	0	0	0	0	0	0	0	0.8	0	0	11	0.1	1.2
2022	1	2	0	42	45	0	0	0	0	0	0	0	0.79	0	0	11	0.1	1.2
2022	1	2	0	52	45	0	0	0	0	0	0	0	0.77	0	0	11	0.1	1.2
2022	1	2	1	2	45	0	0	0	0	0	0	0	0.76	0	0	11	0.1	1.2
2022	1	2	1	12	45	0	0	0	0	0	0	0	0.75	0	0	11	0.1	1.2
2022	1	2	1	22	45	0	0	0	0	0	0	0	0.73	0	0	11	0.1	1.2
2022	1	2	1	32	45	0	0	0	0	0	0	0	0.72	0	0	11	0.1	1.2
2022	1	2	1	42	45	0	0	0	0	0	0	0	0.7	0	0	11	0.1	1.2
2022	1	2	1	52	45	0	0	0	0	0	0	0	0.69	0	0	11.4	0.1	1.2
2022	1	2	2	2	45	0	0	0	0	0	0	0	0.67	0	0	11.4	0.1	1.2
2022	1	2	2	12	45	0	0	0	0	0	0	0	0.66	0	0	11.4	0.1	1.2
2022	1	2	2	22	45	0	0	0	0	0	0	0	0.65	0	0	11.4	0.1	1.2
2022	1	2	2	32	45	0	0	0	0	0	0	0	0.63	0	0	11.4	0.1	1.2
2022	1	2	2	42	45	0	0	0	0	0	0	0	0.61	0	0	11.4	0.1	1.2
2022	1	2	2	52	45	0	0	0	0	0	0	0	0.6	0	0	11.4	0.1	1.2
2022	1	2	3	2	45	0	0	0	0	0	0	0	0.59	0	0	11.4	0.1	1.2
2022	1	2	3	12	45	0	0	0	0	0	0	0	0.57	0	0	11.4	0.1	1.2
2022	1	2	3	22	45	0	0	0	0	0	0	0	0.56	0	0	11.2	0.1	1.2
2022	1	2	3	32	45	0	0	0	0	0	0	0	0.55	0	0	11.2	0.1	1.2
2022	1	2	3	42	45	0	0	0	0	0	0	0	0.54	0	0	11.2	0.1	1.2
2022	1	2	3	52	45	0	0	0	0	0	0	0	0.52	0	0	11.2	0.1	1.2
2022	1	2	4	2	45	0	0	0	0	0	0	0	0.51	0	0	11.2	0.1	1.2
2022	1	2	4	12	45	0	0	0	0	0	0	0	0.5	0	0	11.2	0.1	1.2
2022	1	2	4	22	45	0	0	0	0	0	0	0	0.49	0	0	11.2	0.1	1.2
2022	1	2	4	32	45	0	0	0	0	0	0	0	0.47	0	0	11.2	0.1	1.2
2022	1	2	4	42	45	0	0	0	0	0	0	0	0.46	0	0	11.2	0.1	1.2
2022	1	2	4	52	45	0	0	0	0	0	0	0	0.44	0	0	11.2	0.1	1.2
2022	1	2	5	2	45	0	0	0	0	0	0	0	0.43	0	0	11.2	0.1	1.2
2022	1	2	5	12	45	0	0	0	0	0	0	0	0.42	0	0	11.2	0.1	1.2
2022	1	2	5	22	45	0	0	0	0	0	0	0	0.41	0	0	11.2	0.1	1.2
2022	1	2	5	32	45	0	0	0	0	0	0	0	0.4	0	0	11.2	0.1	1.2
2022	1	2	5	42	45	0	0	0	0	0	0	0	0.38	0	0	11.2	0.1	1.2
2022	1	2	5	52	45	0	0	0	0	0	0	0	0.37	0	0	11.2	0.1	1.2
2022	1	2	6	2	45	0	0	0	0	0	0	0	0.36	0	0	11.2	0.1	1.2
2022	1	2	6	12	45	0	0	0	0	0	0	0	0.34	0	0	11.2	0.1	1.2
2022	1	2	6	22	45	0	0	0	0	0	0	0	0.33	0	0	11.2	0.1	1.2
2022	1	2	6	32	45	0	0	0	0	0	0	0	0.32	0	0	11.2	0.1	1.2
2022	1	2	6	42	45	0	0	0	0	0	0	0	0.31	0	0	11.2	0.1	1.2
2022	1	2	6	52	45	0	0	0	0	0	0	0	0.3	0	0	11.2	0.1	1.2
2022	1	2	7	2	45	0	0	0	0	0	0	0	0.29	0	0	11.2	0.1	1.2
2022	1	2	7	12	45	0	0	0	0	0	0	0	0.28	0	0	11.2	0.1	1.2
2022	1	2	7	22	45	0	0	0	0	0	0	0	0.26	0	0	11.2	0.1	1.2
2022	1	2	7	32	45	0	0	0	0	0	0	0	0.26	0	0	11.4	0.1	1.2
2022	1	2	7	42	45	0	0	0	0	0	0	0	0.25	0	0	11.6	0.1	1.2
2022	1	2	7	52	45	0	0	0	0	0	0	0	0.25	0	0	11.8	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	2	8	2	45	0	0	0	0	0	0	0	0.24	0	0	12	0.1	1.2
2022	1	2	8	12	45	0	0	0	0	0	0	0	0.23	0	0	12	0.1	1.2
2022	1	2	8	22	45	0	0	0	0	0	0	0	0.26	0	0	12	0.1	1.2
2022	1	2	8	32	45	0	0	0	0	0	0	0	0.28	0	0	12	0.1	1.2
2022	1	2	8	42	45	0	0	0	0	0	0	0	0.3	0	0	12	0.1	1.2
2022	1	2	8	52	45	0	0	0	0	0	0	0	0.32	0	0	12	0.1	1.2
2022	1	2	9	2	45	0	0	0	0	0	0	0	0.34	0	0	12	0.1	1.2
2022	1	2	9	12	45	0	0	0	0	0	0	0	0.36	0	0	11.8	0.1	1.2
2022	1	2	9	22	45	0	0	0	0	0	0	0	0.37	0	0	11.8	0.1	1.2
2022	1	2	9	32	45	0	0	0	0	0	0	0	0.39	0	0	12	0.1	1.2
2022	1	2	9	42	45	0	0	0	0	0	0	0	0.4	0	0	11.8	0.1	1.2
2022	1	2	9	52	45	0	0	0	0	0	0	0	0.42	0	0	11.6	0.1	1.2
2022	1	2	10	2	45	0	0	0	0	0	0	0	0.45	0	0	11.4	0.1	1.2
2022	1	2	10	12	45	0	0	0	0	0	0	0	0.46	0	0	11.2	0.1	1.2
2022	1	2	10	22	45	0	0	0	0	0	0	0	0.49	0	0	11.6	0.1	1.2
2022	1	2	10	32	45	0	0	0	0	0	0	0	0.52	0	0	11.6	0.1	1.2
2022	1	2	10	42	45	0	0	0	0	0	0	0	0.53	0	0	11.6	0.1	1.2
2022	1	2	10	52	45	0	0	0	0	0	0	0	0.55	0	0	11.6	0.1	1.2
2022	1	2	11	2	45	0	0	0	0	0	0	0	0.56	0	0	11.6	0.1	1.2
2022	1	2	11	12	45	0	0	0	0	0	0	0	0.58	0	0	11.4	0.1	1.2
2022	1	2	11	22	45	0	0	0	0	0	0	0	0.57	0	0	12	0.1	1.2
2022	1	2	11	32	45	0	0	0	0	0	0	0	0.58	0	0	13	0.1	1.2
2022	1	2	11	42	45	0	0	0	0	0	0	0	0.62	0	0	13.2	0.1	1.2
2022	1	2	11	52	45	0	0	0	0	0	0	0	0.61	0	0	13.8	0.1	1.2
2022	1	2	12	2	45	0	0	0	0	0	0	0	0.6	0	0	13.4	0.1	1.2
2022	1	2	12	12	45	0	0	0	0	0	0	0	0.62	0	0	13.4	0.1	1.2
2022	1	2	12	22	45	0	0	0	0	0	0	0	0.62	0	0	13	0.1	1.2
2022	1	2	12	32	45	0	0	0	0	0	0	0	0.64	0	0	13	0.1	1.2
2022	1	2	12	42	45	0	0	0	0	0	0	0	0.64	0	0	13.2	0.1	1.2
2022	1	2	12	52	45	0	0	0	0	0	0	0	0.65	0	0	13.4	0.1	1.2
2022	1	2	13	2	45	0	0	0	0	0	0	0	0.65	0	0	13.6	0.1	1.2
2022	1	2	13	12	45	0	0	0	0	0	0	0	0.65	0	0	13.4	0.1	1.2
2022	1	2	13	22	45	0	0	0	0	0	0	0	0.65	0	0	13.4	0.1	1.2
2022	1	2	13	32	45	0	0	0	0	0	0	0	0.64	0	0	13.4	0.1	1.2
2022	1	2	13	42	45	0	0	0	0	0	0	0	0.64	0	0	13.4	0.1	1.2
2022	1	2	13	52	45	0	0	0	0	0	0	0	0.64	0	0	13.4	0.1	1.2
2022	1	2	14	2	45	0	0	0	0	0	0	0	0.63	0	0	13.4	0.1	1.2
2022	1	2	14	12	45	0	0	0	0	0	0	0	0.63	0	0	13.2	0.1	1.2
2022	1	2	14	22	45	0	0	0	0	0	0	0	0.62	0	0	12	0.1	1.2
2022	1	2	14	32	45	0	0	0	0	0	0	0	0.62	0	0	12	0.1	1.2
2022	1	2	14	42	45	0	0	0	0	0	0	0	0.62	0	0	11.8	0.1	1.2
2022	1	2	14	52	45	0	0	0	0	0	0	0	0.58	0	0	11.8	0.1	1.2
2022	1	2	15	2	45	0	0	0	0	0	0	0	0.59	0	0	11.8	0.1	1.2
2022	1	2	15	12	45	0	0	0	0	0	0	0	0.58	0	0	11.8	0.1	1.2
2022	1	2	15	22	45	0	0	0	0	0	0	0	0.54	0	0	11.6	0.1	1.2
2022	1	2	15	32	45	0	0	0	0	0	0	0	0.54	0	0	11.6	0.1	1.2
2022	1	2	15	42	45	0	0	0	0	0	0	0	0.54	0	0	11.6	0.1	1.2
2022	1	2	15	52	45	0	0	0	0	0	0	0	0.55	0	0	11.4	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	2	16	2	45	0	0	0	0	0	0	0	0.55	0	0	11.2	0.1	1.2
2022	1	2	16	12	45	4	0	0	0	0	0	0	0.55	0	0	11.2	0.1	1.2
2022	1	2	16	22	45	0	0	0	0	0	0	0	0.55	0	0	11	0.1	1.2
2022	1	2	16	32	45	0	0	0	0	0	0	0	0.56	0	0	10.8	0.1	1.2
2022	1	2	16	42	45	0	0	0	0	0	0	0	0.55	0	0	10.4	0.1	1.2
2022	1	2	16	52	45	0	0	0	0	0	0	0	0.55	0	0	10.4	0.1	1.2
2022	1	2	17	2	45	0	0	0	0	0	0	0	0.55	0	0	10.2	0.1	1.2
2022	1	2	17	12	45	0	0	0	0	0	0	0	0.55	0	0	10.2	0.1	1.2
2022	1	2	17	22	45	0	0	0	0	0	0	0	0.55	0	0	10.4	0.1	1.2
2022	1	2	17	32	45	0	0	0	0	0	0	0	0.54	0	0	10.2	0.1	1.2
2022	1	2	17	42	45	0	0	0	0	0	0	0	0.54	0	0	10.2	0.1	1.2
2022	1	2	17	52	45	0	0	0	0	0	0	0	0.54	0	0	10.2	0.1	1.2
2022	1	2	18	2	45	0	0	0	0	0	0	0	0.53	0	0	10.2	0.1	1.2
2022	1	2	18	12	45	0	0	0	0	0	0	0	0.53	0	0	10.2	0.1	1.2
2022	1	2	18	22	45	0	0	0	0	0	0	0	0.53	0	0	10	0.1	1.2
2022	1	2	18	32	45	0	0	0	0	0	0	0	0.52	0	0	10	0.1	1.2
2022	1	2	18	42	45	0	0	0	0	0	0	0	0.51	0	0	10	0.1	1.2
2022	1	2	18	52	45	0	0	0	0	0	0	0	0.5	0	0	10.8	0.1	1.2
2022	1	2	19	2	45	0	0	0	0	0	0	0	0.5	0	0	10.8	0.1	1.2
2022	1	2	19	12	45	0	0	0	0	0	0	0	0.49	0	0	10.6	0.1	1.2
2022	1	2	19	22	45	0	0	0	0	0	0	0	0.48	0	0	10.8	0.1	1.2
2022	1	2	19	32	45	0	0	0	0	0	0	0	0.47	0	0	10.4	0.1	1.2
2022	1	2	19	42	45	0	0	0	0	0	0	0	0.47	0	0	10.4	0.1	1.2
2022	1	2	19	52	45	0	0	0	0	0	0	0	0.45	0	0	10.4	0.1	1.2
2022	1	2	20	2	45	0	0	0	0	0	0	0	0.45	0	0	10.4	0.1	1.2
2022	1	2	20	12	45	0	0	0	0	0	0	0	0.44	0	0	10.4	0.1	1.2
2022	1	2	20	22	45	0	0	0	0	0	0	0	0.43	0	0	10.4	0.1	1.2
2022	1	2	20	32	45	0	0	0	0	0	0	0	0.42	0	0	10.4	0.1	1.2
2022	1	2	20	42	45	0	0	0	0	0	0	0	0.41	0	0	10.6	0.1	1.2
2022	1	2	20	52	45	0	0	0	0	0	0	0	0.4	0	0	10.4	0.1	1.2
2022	1	2	21	2	45	0	0	0	0	0	0	0	0.4	0	0	10.8	0.1	1.2
2022	1	2	21	12	45	0	0	0	0	0	0	0	0.39	0	0	11.2	0.1	1.2
2022	1	2	21	22	45	0	0	0	0	0	0	0	0.38	0	0	11.2	0.1	1.2
2022	1	2	21	32	45	0	0	0	0	0	0	0	0.37	0	0	11.2	0.1	1.2
2022	1	2	21	42	45	0	0	0	0	0	0	0	0.36	0	0	11	0.1	1.2
2022	1	2	21	52	45	0	0	0	0	0	0	0	0.35	0	0	11	0.1	1.2
2022	1	2	22	2	45	0	0	0	0	0	0	0	0.34	0	0	10.8	0.1	1.2
2022	1	2	22	12	45	0	0	0	0	0	0	0	0.33	0	0	10.6	0.1	1.2
2022	1	2	22	22	45	0	0	0	0	0	0	0	0.32	0	0	10.4	0.1	1.2
2022	1	2	22	32	45	0	0	0	0	0	0	0	0.31	0	0	10.6	0.1	1.2
2022	1	2	22	42	45	0	0	0	0	0	0	0	0.3	0	0	10.6	0.1	1.2
2022	1	2	22	52	45	0	0	0	0	0	0	0	0.29	0	0	11	0.1	1.2
2022	1	2	23	2	45	0	0	0	0	0	0	0	0.27	0	0	11	0.1	1.2
2022	1	2	23	12	45	0	0	0	0	0	0	0	0.26	0	0	11	0.1	1.2
2022	1	2	23	22	45	0	0	0	0	0	0	0	0.25	0	0	10.8	0.1	1.2
2022	1	2	23	32	45	0	0	0	0	0	0	0	0.24	0	0	10.8	0.1	1.2
2022	1	2	23	42	45	0	0	0	0	0	0	0	0.22	0	0	10.8	0.1	1.2
2022	1	2	23	52	45	0	0	0	0	0	0	0	0.21	0	0	10.6	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	3	0	2	45	0	0	0	0	0	0	0	0.2	0	0	10.6	0.1	1.2
2022	1	3	0	12	45	0	0	0	0	0	0	0	0.18	0	0	10.6	0.1	1.2
2022	1	3	0	22	45	0	0	0	0	0	0	0	0.17	0	0	10.6	0.1	1.2
2022	1	3	0	32	45	0	0	0	0	0	0	0	0.16	0	0	10.6	0.1	1.2
2022	1	3	0	42	45	0	0	0	0	0	0	0	0.15	0	0	10.6	0.1	1.2
2022	1	3	0	52	45	0	0	0	0	0	0	0	0.13	0	0	10.8	0.1	1.2
2022	1	3	1	2	45	0	0	0	0	0	0	0	0.12	0	0	10.8	0.1	1.2
2022	1	3	1	12	45	0	0	0	0	0	0	0	0.1	0	0	10.8	0.1	1.2
2022	1	3	1	22	45	0	0	0	0	0	0	0	0.09	0	0	10.8	0.1	1.2
2022	1	3	1	32	45	0	0	0	0	0	0	0	0.08	0	0	10.8	0.1	1.2
2022	1	3	1	42	45	0	0	0	0	0	0	0	0.07	0	0	10.8	0.1	1.2
2022	1	3	1	52	45	0	0	0	0	0	0	0	0.05	0	0	10.8	0.1	1.2
2022	1	3	2	2	45	0	0	0	0	0	0	0	0.04	0	0	10.8	0.1	1.2
2022	1	3	2	12	45	0	0	0	0	0	0	0	0.03	0	0	10.8	0.1	1.2
2022	1	3	2	22	45	0	0	0	0	0	0	0	0.02	0	0	10.8	0.1	1.2
2022	1	3	2	32	45	0	0	0	0	0	0	0	0	0	0	10.8	0.1	1.2
2022	1	3	2	42	45	0	0	0	0	0	0	0	-0.01	0	0	10.8	0.1	1.2
2022	1	3	2	52	45	0	0	0	0	0	0	0	-0.01	0	0	10.8	0.1	1.2
2022	1	3	3	2	45	0	0	0	0	0	0	0	-0.03	0	0	10.8	0.1	1.2
2022	1	3	3	12	45	0	0	0	0	0	0	0	-0.03	0	0	10.8	0.1	1.2
2022	1	3	3	22	45	0	0	0	0	0	0	0	-0.04	0	0	10.8	0.1	1.2
2022	1	3	3	32	45	0	0	0	0	0	0	0	-0.05	0	0	10.8	0.1	1.2
2022	1	3	3	42	45	0	0	0	0	0	0	0	-0.05	0	0	10.8	0.1	1.2
2022	1	3	3	52	45	0	0	0	0	0	0	0	-0.06	0	0	10.8	0.1	1.2
2022	1	3	4	2	45	0	0	0	0	0	0	0	-0.07	0	0	10.6	0.1	1.2
2022	1	3	4	12	45	0	0	0	0	0	0	0	-0.08	0	0	10.6	0.1	1.2
2022	1	3	4	22	45	0	0	0	0	0	0	0	-0.08	0	0	10.6	0.1	1.2
2022	1	3	4	32	45	0	0	0	0	0	0	0	-0.09	0	0	10.6	0.1	1.2
2022	1	3	4	42	45	0	0	0	0	0	0	0	-0.09	0	0	10.6	0.1	1.2
2022	1	3	4	52	45	0	0	0	0	0	0	0	-0.1	0	0	10.6	0.1	1.2
2022	1	3	5	2	45	0	0	0	0	0	0	0	-0.1	0	0	10.6	0.1	1.2
2022	1	3	5	12	45	0	0	0	0	0	0	0	-0.11	0	0	10.6	0.1	1.2
2022	1	3	5	22	45	0	0	0	0	0	0	0	-0.11	0	0	10.6	0.1	1.2
2022	1	3	5	32	45	0	0	0	0	0	0	0	-0.12	0	0	10.8	0.1	1.2
2022	1	3	5	42	45	0	0	0	0	0	0	0	-0.12	0	0	10.8	0.1	1.2
2022	1	3	5	52	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	3	6	2	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	3	6	12	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	3	6	22	45	0	0	0	0	0	0	0	-0.14	0	0	10.8	0.1	1.2
2022	1	3	6	32	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	3	6	42	45	0	0	0	0	0	0	0	-0.14	0	0	10.8	0.1	1.2
2022	1	3	6	52	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	3	7	2	45	0	0	0	0	0	0	0	-0.16	0	0	10.8	0.1	1.2
2022	1	3	7	12	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	3	7	22	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	3	7	32	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	3	7	42	45	0	0	0	0	0	0	0	-0.15	0	0	11.2	0.1	1.2
2022	1	3	7	52	45	0	0	0	0	0	0	0	-0.13	0	0	11.4	0.1	1.2



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	3	8	2	45	0	0	0	0	0	0	0	-0.12	0	0	11.6	0.1	1.2
2022	1	3	8	12	45	0	0	0	0	0	0	0	-0.11	0	0	11.8	0.1	1.2
2022	1	3	8	22	45	0	0	0	0	0	0	0	-0.1	0	0	11.6	0.1	1.2
2022	1	3	8	32	45	0	0	0	0	0	0	0	-0.1	0	0	11.2	0.1	1.2
2022	1	3	8	42	45	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.2
2022	1	3	8	52	45	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.2
2022	1	3	9	2	45	0	0	0	0	0	0	0	-0.09	0	0	11	0.1	1.2
2022	1	3	9	12	45	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.2
2022	1	3	9	22	45	0	0	0	0	0	0	0	-0.09	0	0	11	0.1	1.2
2022	1	3	9	32	45	0	0	0	0	0	0	0	-0.07	0	0	11.2	0.1	1.2
2022	1	3	9	42	45	0	0	0	0	0	0	0	0.03	0	0	12	0.1	1.2
2022	1	3	9	52	45	0	0	0	0	0	0	0	0.09	0	0	12	0.1	1.2
2022	1	3	10	2	45	0	0	0	0	0	0	0	0.12	0	0	12	0.1	1.2
2022	1	3	10	12	45	0	0	0	0	0	0	0	0.13	0	0	11.8	0.1	1.2
2022	1	3	10	22	45	0	0	0	0	0	0	0	0.16	0	0	11.8	0.1	1.2
2022	1	3	10	32	45	0	0	0	0	0	0	0	0.15	0	0	11.8	0.1	1.2
2022	1	3	10	42	45	0	0	0	0	0	0	0	0.18	0	0	11.6	0.1	1.2
2022	1	3	10	52	45	0	0	0	0	0	0	0	0.1	0	0	11.4	0.1	1.2
2022	1	3	11	2	45	0	0	0	0	0	0	0	0.07	0	0	11.2	0.1	1.2
2022	1	3	11	12	45	0	0	0	0	0	0	0	0.07	0	0	11.2	0.1	1.2
2022	1	3	11	22	45	0	0	0	0	0	0	0	0.07	0	0	11.2	0.1	1.2
2022	1	3	11	32	45	0	0	0	0	0	0	0	0.08	0	0	11.2	0.1	1.2
2022	1	3	11	42	45	0	0	0	0	0	0	0	0.09	0	0	11.2	0.1	1.2
2022	1	3	11	52	45	0	0	0	0	0	0	0	0.09	0	0	11.2	0.1	1.2
2022	1	3	12	2	45	0	0	0	0	0	0	0	0.1	0	0	11.2	0.1	1.2
2022	1	3	12	12	45	0	0	0	0	0	0	0	0.12	0	0	11.2	0.1	1.2
2022	1	3	12	22	45	0	0	0	0	0	0	0	0.13	0	0	11.2	0.1	1.2
2022	1	3	12	32	45	0	0	0	0	0	0	0	0.24	0	0	12	0.1	1.2
2022	1	3	12	42	45	0	0	0	0	0	0	0	0.26	0	0	12.2	0.1	1.2
2022	1	3	12	52	45	0	0	0	0	0	0	0	0.26	0	0	12	0.1	1.2
2022	1	3	13	2	45	0	0	0	0	0	0	0	0.29	0	0	12.2	0.1	1.2
2022	1	3	13	12	45	0	0	0	0	0	0	0	0.31	0	0	13	0.1	1.2
2022	1	3	13	22	45	0	0	0	0	0	0	0	0.29	0	0	11.6	0.1	1.2
2022	1	3	13	32	45	0	0	0	0	0	0	0	0.31	0	0	12.4	0.1	1.2
2022	1	3	13	42	45	0	0	0	0	0	0	0	0.3	0	0	12.6	0.1	1.2
2022	1	3	13	52	45	0	0	0	0	0	0	0	0.28	0	0	12.8	0.1	1.2
2022	1	3	14	2	45	0	0	0	0	0	0	0	0.27	0	0	12.8	0.1	1.2
2022	1	3	14	12	45	0	0	0	0	0	0	0	0.25	0	0	12.8	0.1	1.2
2022	1	3	14	22	45	0	0	0	0	0	0	0	0.24	0	0	13	0.1	1.2
2022	1	3	14	32	45	0	0	0	0	0	0	0	0.22	0	0	11.8	0.1	1.2
2022	1	3	14	42	45	0	0	0	0	0	0	0	0.2	0	0	11.6	0.1	1.2
2022	1	3	14	52	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.2
2022	1	3	15	2	45	0	0	0	0	0	0	0	0.17	0	0	11.2	0.1	1.2
2022	1	3	15	12	45	0	0	0	0	0	0	0	0.14	0	0	11.2	0.1	1.2
2022	1	3	15	22	45	0	0	0	0	0	0	0	0.11	0	0	11	0.1	1.2
2022	1	3	15	32	45	0	0	0	0	0	0	0	0.1	0	0	11	0.1	1.2
2022	1	3	15	42	45	0	0	0	0	0	0	0	0.1	0	0	11	0.1	1.2
2022	1	3	15	52	45	0	0	0	0	0	0	0	0.1	0	0	10.8	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	3	16	2	45	0	0	0	0	0	0	0	0.1	0	0	10.8	0.1	1.2
2022	1	3	16	12	45	0	0	0	0	0	0	0	0.1	0	0	10.6	0.1	1.2
2022	1	3	16	22	45	0	0	0	0	0	0	0	0.1	0	0	10.8	0.1	1.2
2022	1	3	16	32	45	0	0	0	0	0	0	0	0.09	0	0	10.6	0.1	1.2
2022	1	3	16	42	45	0	0	0	0	0	0	0	0.09	0	0	10.6	0.1	1.2
2022	1	3	16	52	45	0	0	0	0	0	0	0	0.09	0	0	10.6	0.1	1.2
2022	1	3	17	2	45	0	0	0	0	0	0	0	0.09	0	0	10.2	0.1	1.2
2022	1	3	17	12	45	0	0	0	0	0	0	0	0.08	0	0	10.6	0.1	1.2
2022	1	3	17	22	45	0	0	0	0	0	0	0	0.08	0	0	10.6	0.1	1.2
2022	1	3	17	32	45	0	0	0	0	0	0	0	0.08	0	0	10.4	0.1	1.2
2022	1	3	17	42	45	0	0	0	0	0	0	0	0.08	0	0	10.4	0.1	1.2
2022	1	3	17	52	45	0	0	0	0	0	0	0	0.07	0	0	10.2	0.1	1.2
2022	1	3	18	2	45	0	0	0	0	0	0	0	0.07	0	0	10.2	0.1	1.2
2022	1	3	18	12	45	0	0	0	0	0	0	0	0.07	0	0	10.2	0.1	1.2
2022	1	3	18	22	45	0	0	0	0	0	0	0	0.06	0	0	10.2	0.1	1.2
2022	1	3	18	32	45	0	0	0	0	0	0	0	0.06	0	0	10.4	0.1	1.2
2022	1	3	18	42	45	0	0	0	0	0	0	0	0.06	0	0	10.2	0.1	1.2
2022	1	3	18	52	45	0	0	0	0	0	0	0	0.05	0	0	10.2	0.1	1.2
2022	1	3	19	2	45	0	0	0	0	0	0	0	0.05	0	0	10.4	0.1	1.2
2022	1	3	19	12	45	0	0	0	0	0	0	0	0.04	0	0	10.8	0.1	1.2
2022	1	3	19	22	45	0	0	0	0	0	0	0	0.03	0	0	11	0.1	1.2
2022	1	3	19	32	45	0	0	0	0	0	0	0	0.03	0	0	11	0.1	1.2
2022	1	3	19	42	45	0	0	0	0	0	0	0	0.03	0	0	11	0.1	1.2
2022	1	3	19	52	45	0	0	0	0	0	0	0	0.02	0	0	11	0.1	1.2
2022	1	3	20	2	45	0	0	0	0	0	0	0	0.01	0	0	11	0.1	1.2
2022	1	3	20	12	45	0	0	0	0	0	0	0	0	0	0	11	0.1	1.2
2022	1	3	20	22	45	0	0	0	0	0	0	0	0	0	0	11	0.1	1.2
2022	1	3	20	32	45	0	0	0	0	0	0	0	-0.01	0	0	11	0.1	1.2
2022	1	3	20	42	45	0	0	0	0	0	0	0	-0.01	0	0	11.2	0.1	1.2
2022	1	3	20	52	45	2	0	0	0	0	0	0	-0.02	0	0	11.2	0.1	1.2
2022	1	3	21	2	45	0	0	0	0	0	0	0	-0.02	0	0	11.2	0.1	1.2
2022	1	3	21	12	45	0	0	0	0	0	0	0	-0.03	0	0	11.2	0.1	1.2
2022	1	3	21	22	45	0	0	0	0	0	0	0	-0.03	0	0	11	0.1	1.2
2022	1	3	21	32	45	0	0	0	0	0	0	0	-0.04	0	0	11	0.1	1.2
2022	1	3	21	42	45	0	0	0	0	0	0	0	-0.04	0	0	11	0.1	1.2
2022	1	3	21	52	45	0	0	0	0	0	0	0	-0.04	0	0	11	0.1	1.2
2022	1	3	22	2	45	0	0	0	0	0	0	0	-0.05	0	0	11	0.1	1.2
2022	1	3	22	12	45	0	0	0	0	0	0	0	-0.05	0	0	11	0.1	1.2
2022	1	3	22	22	45	0	0	0	0	0	0	0	-0.06	0	0	11	0.1	1.2
2022	1	3	22	32	45	0	0	0	0	0	0	0	-0.06	0	0	10.8	0.1	1.2
2022	1	3	22	42	45	0	0	0	0	0	0	0	-0.07	0	0	11	0.1	1.2
2022	1	3	22	52	45	0	0	0	0	0	0	0	-0.07	0	0	11	0.1	1.2
2022	1	3	23	2	45	0	0	0	0	0	0	0	-0.08	0	0	11	0.1	1.2
2022	1	3	23	12	45	0	0	0	0	0	0	0	-0.08	0	0	11	0.1	1.2
2022	1	3	23	22	45	0	0	0	0	0	0	0	-0.08	0	0	11	0.1	1.2
2022	1	3	23	32	45	0	0	0	0	0	0	0	-0.09	0	0	11	0.1	1.2
2022	1	3	23	42	45	0	0	0	0	0	0	0	-0.09	0	0	11	0.1	1.2
2022	1	3	23	52	45	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	4	0	2	45	0	0	0	0	0	0	0	-0.11	0	0	11	0.1	1.2
2022	1	4	0	12	45	0	0	0	0	0	0	0	-0.11	0	0	11	0.1	1.2
2022	1	4	0	22	45	0	0	0	0	0	0	0	-0.12	0	0	11	0.1	1.2
2022	1	4	0	32	45	0	0	0	0	0	0	0	-0.12	0	0	10.8	0.1	1.2
2022	1	4	0	42	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	4	0	52	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	4	1	2	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	4	1	12	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	4	1	22	45	0	0	0	0	0	0	0	-0.14	0	0	10.8	0.1	1.2
2022	1	4	1	32	45	0	0	0	0	0	0	0	-0.14	0	0	10.8	0.1	1.2
2022	1	4	1	42	45	0	0	0	0	0	0	0	-0.14	0	0	10.8	0.1	1.2
2022	1	4	1	52	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	4	2	2	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	4	2	12	45	0	0	0	0	0	0	0	-0.16	0	0	10.8	0.1	1.2
2022	1	4	2	22	45	0	0	0	0	0	0	0	-0.16	0	0	10.8	0.1	1.2
2022	1	4	2	32	45	0	0	0	0	0	0	0	-0.16	0	0	10.8	0.1	1.2
2022	1	4	2	42	45	0	0	0	0	0	0	0	-0.17	0	0	10.8	0.1	1.2
2022	1	4	2	52	45	0	0	0	0	0	0	0	-0.17	0	0	10.8	0.1	1.2
2022	1	4	3	2	45	0	0	0	0	0	0	0	-0.17	0	0	10.8	0.1	1.2
2022	1	4	3	12	45	0	0	0	0	0	0	0	-0.17	0	0	10.8	0.1	1.2
2022	1	4	3	22	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.2
2022	1	4	3	32	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.2
2022	1	4	3	42	45	0	0	0	0	0	0	0	-0.18	0	0	10.6	0.1	1.2
2022	1	4	3	52	45	0	0	0	0	0	0	0	-0.18	0	0	10.6	0.1	1.2
2022	1	4	4	2	45	0	0	0	0	0	0	0	-0.19	0	0	10.6	0.1	1.2
2022	1	4	4	12	45	0	0	0	0	0	0	0	-0.18	0	0	10.6	0.1	1.2
2022	1	4	4	22	45	0	0	0	0	0	0	0	-0.19	0	0	10.4	0.1	1.2
2022	1	4	4	32	45	0	0	0	0	0	0	0	-0.18	0	0	10.4	0.1	1.2
2022	1	4	4	42	45	0	0	0	0	0	0	0	-0.19	0	0	10.2	0.1	1.2
2022	1	4	4	52	45	0	0	0	0	0	0	0	-0.19	0	0	10.2	0.1	1.2
2022	1	4	5	2	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	4	5	12	45	0	0	0	0	0	0	0	-0.2	0	0	10.8	0.1	1.2
2022	1	4	5	22	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	4	5	32	45	0	0	0	0	0	0	0	-0.19	0	0	11.2	0.1	1.2
2022	1	4	5	42	45	0	0	0	0	0	0	0	-0.19	0	0	11.2	0.1	1.2
2022	1	4	5	52	45	0	0	0	0	0	0	0	-0.2	0	0	11	0.1	1.2
2022	1	4	6	2	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	4	6	12	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	4	6	22	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	4	6	32	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	4	6	42	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	4	6	52	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	4	7	2	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	4	7	12	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	4	7	22	45	0	0	0	0	0	0	0	-0.18	0	0	11	0.1	1.2
2022	1	4	7	32	45	0	0	0	0	0	0	0	-0.17	0	0	11	0.1	1.2
2022	1	4	7	42	45	0	0	0	0	0	0	0	-0.18	0	0	11.2	0.1	1.2
2022	1	4	7	52	45	0	0	0	0	0	0	0	-0.17	0	0	11.4	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	4	8	2	45	0	0	0	0	0	0	0	-0.17	0	0	11.4	0.1	1.2
2022	1	4	8	12	45	0	0	0	0	0	0	0	-0.16	0	0	11.4	0.1	1.2
2022	1	4	8	22	45	0	0	0	0	0	0	0	-0.14	0	0	11.8	0.1	1.2
2022	1	4	8	32	45	0	0	0	0	0	0	0	-0.1	0	0	11.8	0.1	1.2
2022	1	4	8	42	45	0	0	0	0	0	0	0	-0.08	0	0	11.8	0.1	1.2
2022	1	4	8	52	45	0	0	0	0	0	0	0	-0.05	0	0	11.8	0.1	1.2
2022	1	4	9	2	45	0	0	0	0	0	0	0	-0.03	0	0	11.8	0.1	1.2
2022	1	4	9	12	45	0	0	0	0	0	0	0	-0.02	0	0	11.6	0.1	1.2
2022	1	4	9	22	45	0	0	0	0	0	0	0	0.01	0	0	11.6	0.1	1.2
2022	1	4	9	32	45	0	0	0	0	0	0	0	0.03	0	0	11.8	0.1	1.2
2022	1	4	9	42	45	0	0	0	0	0	0	0	0.05	0	0	12.4	0.1	1.2
2022	1	4	9	52	45	0	0	0	0	0	0	0	0.09	0	0	12.4	0.1	1.2
2022	1	4	10	2	45	0	0	0	0	0	0	0	0.09	0	0	12.6	0.1	1.2
2022	1	4	10	12	45	0	0	0	0	0	0	0	0.12	0	0	13.2	0.1	1.2
2022	1	4	10	22	45	0	0	0	0	0	0	0	0.16	0	0	13.2	0.1	1.2
2022	1	4	10	32	45	0	0	0	0	0	0	0	0.16	0	0	13	0.1	1.2
2022	1	4	10	42	45	0	0	0	0	0	0	0	0.15	0	0	13	0.1	1.2
2022	1	4	10	52	45	0	0	0	0	0	0	0	0.17	0	0	13.2	0.1	1.2
2022	1	4	11	2	45	0	0	0	0	0	0	0	0.21	0	0	13.8	0.1	1.2
2022	1	4	11	12	45	0	0	0	0	0	0	0	0.22	0	0	14.2	0.1	1.2
2022	1	4	11	22	45	0	0	0	0	0	0	0	0.23	0	0	14.2	0.1	1.2
2022	1	4	11	32	45	0	0	0	0	0	0	0	0.22	0	0	14.2	0.1	1.2
2022	1	4	11	42	45	0	0	0	0	0	0	0	0.24	0	0	14.2	0.1	1.2
2022	1	4	11	52	45	0	0	0	0	0	0	0	0.25	0	0	14.2	0.1	1.2
2022	1	4	12	2	45	0	0	0	0	0	0	0	0.26	0	0	13.8	0.1	1.2
2022	1	4	12	12	45	0	0	0	0	0	0	0	0.26	0	0	13.4	0.1	1.2
2022	1	4	12	22	45	0	0	0	0	0	0	0	0.26	0	0	13.4	0.1	1.2
2022	1	4	12	32	45	0	0	0	0	0	0	0	0.25	0	0	13.6	0.1	1.2
2022	1	4	12	42	45	0	0	0	0	0	0	0	0.27	0	0	13.2	0.1	1.2
2022	1	4	12	52	45	0	0	0	0	0	0	0	0.26	0	0	12.8	0.1	1.2
2022	1	4	13	2	45	0	0	0	0	0	0	0	0.25	0	0	13.4	0.1	1.2
2022	1	4	13	12	45	0	0	0	0	0	0	0	0.25	0	0	13	0.1	1.2
2022	1	4	13	22	45	0	0	0	0	0	0	0	0.24	0	0	12	0.1	1.2
2022	1	4	13	32	45	0	0	0	0	0	0	0	0.23	0	0	11.8	0.1	1.2
2022	1	4	13	42	45	0	0	0	0	0	0	0	0.22	0	0	11.6	0.1	1.2
2022	1	4	13	52	45	0	0	0	0	0	0	0	0.21	0	0	11.6	0.1	1.2
2022	1	4	14	2	45	0	0	0	0	0	0	0	0.19	0	0	11.6	0.1	1.2
2022	1	4	14	12	45	0	0	0	0	0	0	0	0.19	0	0	11.8	0.1	1.2
2022	1	4	14	22	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.2
2022	1	4	14	32	45	0	0	0	0	0	0	0	0.17	0	0	11.2	0.1	1.2
2022	1	4	14	42	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.2
2022	1	4	14	52	45	0	0	0	0	0	0	0	0.12	0	0	11.2	0.1	1.2
2022	1	4	15	2	45	0	0	0	0	0	0	0	0.12	0	0	11	0.1	1.2
2022	1	4	15	12	45	0	0	0	0	0	0	0	0.1	0	0	11	0.1	1.2
2022	1	4	15	22	45	0	0	0	0	0	0	0	0.05	0	0	10.8	0.1	1.2
2022	1	4	15	32	45	0	0	0	0	0	0	0	0.04	0	0	10.6	0.1	1.2
2022	1	4	15	42	45	0	0	0	0	0	0	0	0.04	0	0	10.6	0.1	1.2
2022	1	4	15	52	45	0	0	0	0	0	0	0	0.03	0	0	10.4	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	4	16	2	45	0	0	0	0	0	0	0	0.02	0	0	10.4	0.1	1.2
2022	1	4	16	12	45	0	0	0	0	0	0	0	0.03	0	0	10.2	0.1	1.2
2022	1	4	16	22	45	0	0	0	0	0	0	0	0.02	0	0	10.2	0.1	1.2
2022	1	4	16	32	45	0	0	0	0	0	0	0	0.02	0	0	10.8	0.1	1.2
2022	1	4	16	42	45	0	0	0	0	0	0	0	0.01	0	0	10.2	0.1	1.2
2022	1	4	16	52	45	0	0	0	0	0	0	0	0.01	0	0	10.4	0.1	1.2
2022	1	4	17	2	45	0	0	0	0	0	0	0	0	0	0	10.2	0.1	1.2
2022	1	4	17	12	45	0	0	0	0	0	0	0	0	0	0	11.2	0.1	1.2
2022	1	4	17	22	45	0	0	0	0	0	0	0	0	0	0	11.2	0.1	1.2
2022	1	4	17	32	45	0	0	0	0	0	0	0	-0.01	0	0	11	0.1	1.2
2022	1	4	17	42	45	0	0	0	0	0	0	0	-0.01	0	0	10.6	0.1	1.2
2022	1	4	17	52	45	0	0	0	0	0	0	0	-0.02	0	0	10.6	0.1	1.2
2022	1	4	18	2	45	0	0	0	0	0	0	0	-0.02	0	0	10.4	0.1	1.2
2022	1	4	18	12	45	0	0	0	0	0	0	0	-0.03	0	0	10.6	0.1	1.2
2022	1	4	18	22	45	0	0	0	0	0	0	0	-0.03	0	0	11	0.1	1.2
2022	1	4	18	32	45	0	0	0	0	0	0	0	-0.03	0	0	11.6	0.1	1.2
2022	1	4	18	42	45	0	0	0	0	0	0	0	-0.04	0	0	11.2	0.1	1.2
2022	1	4	18	52	45	0	0	0	0	0	0	0	-0.04	0	0	10.6	0.1	1.2
2022	1	4	19	2	45	0	0	0	0	0	0	0	-0.05	0	0	10.4	0.1	1.2
2022	1	4	19	12	45	0	0	0	0	0	0	0	-0.05	0	0	10.4	0.1	1.2
2022	1	4	19	22	45	0	0	0	0	0	0	0	-0.06	0	0	10.4	0.1	1.2
2022	1	4	19	32	45	0	0	0	0	0	0	0	-0.07	0	0	10.4	0.1	1.2
2022	1	4	19	42	45	0	0	0	0	0	0	0	-0.06	0	0	10.4	0.1	1.2
2022	1	4	19	52	45	0	0	0	0	0	0	0	-0.07	0	0	10.4	0.1	1.2
2022	1	4	20	2	45	0	0	0	0	0	0	0	-0.07	0	0	10.4	0.1	1.2
2022	1	4	20	12	45	0	0	0	0	0	0	0	-0.07	0	0	10.4	0.1	1.2
2022	1	4	20	22	45	0	0	0	0	0	0	0	-0.08	0	0	10.4	0.1	1.2
2022	1	4	20	32	45	0	0	0	0	0	0	0	-0.08	0	0	10.6	0.1	1.2
2022	1	4	20	42	45	0	0	0	0	0	0	0	-0.09	0	0	10.8	0.1	1.2
2022	1	4	20	52	45	0	0	0	0	0	0	0	-0.08	0	0	11	0.1	1.2
2022	1	4	21	2	45	0	0	0	0	0	0	0	-0.08	0	0	11	0.1	1.2
2022	1	4	21	12	45	0	0	0	0	0	0	0	-0.09	0	0	11	0.1	1.2
2022	1	4	21	22	45	0	0	0	0	0	0	0	-0.09	0	0	11	0.1	1.2
2022	1	4	21	32	45	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.2
2022	1	4	21	42	45	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.2
2022	1	4	21	52	45	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.2
2022	1	4	22	2	45	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.2
2022	1	4	22	12	45	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.2
2022	1	4	22	22	45	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.2
2022	1	4	22	32	45	0	0	0	0	0	0	0	-0.11	0	0	11	0.1	1.2
2022	1	4	22	42	45	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.2
2022	1	4	22	52	45	0	0	0	0	0	0	0	-0.11	0	0	11	0.1	1.2
2022	1	4	23	2	45	0	0	0	0	0	0	0	-0.11	0	0	11	0.1	1.2
2022	1	4	23	12	45	0	0	0	0	0	0	0	-0.11	0	0	10.8	0.1	1.2
2022	1	4	23	22	45	0	0	0	0	0	0	0	-0.11	0	0	10.8	0.1	1.2
2022	1	4	23	32	45	0	0	0	0	0	0	0	-0.11	0	0	10.8	0.1	1.2
2022	1	4	23	42	45	0	0	0	0	0	0	0	-0.12	0	0	10.8	0.1	1.2
2022	1	4	23	52	45	0	0	0	0	0	0	0	-0.12	0	0	10.8	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	5	0	2	45	0	0	0	0	0	0	0	-0.12	0	0	10.8	0.1	1.2
2022	1	5	0	12	45	0	0	0	0	0	0	0	-0.12	0	0	10.8	0.1	1.2
2022	1	5	0	22	45	0	0	0	0	0	0	0	-0.12	0	0	10.8	0.1	1.2
2022	1	5	0	32	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	5	0	42	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	5	0	52	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	5	1	2	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	5	1	12	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	5	1	22	45	0	0	0	0	0	0	0	-0.14	0	0	10.8	0.1	1.2
2022	1	5	1	32	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	5	1	42	45	0	0	0	0	0	0	0	-0.13	0	0	10.8	0.1	1.2
2022	1	5	1	52	45	0	0	0	0	0	0	0	-0.14	0	0	10.8	0.1	1.2
2022	1	5	2	2	45	0	0	0	0	0	0	0	-0.14	0	0	10.8	0.1	1.2
2022	1	5	2	12	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	5	2	22	45	0	0	0	0	0	0	0	-0.14	0	0	10.8	0.1	1.2
2022	1	5	2	32	45	0	0	0	0	0	0	0	-0.14	0	0	10.8	0.1	1.2
2022	1	5	2	42	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	5	2	52	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	5	3	2	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	5	3	12	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	5	3	22	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	5	3	32	45	0	0	0	0	0	0	0	-0.15	0	0	10.8	0.1	1.2
2022	1	5	3	42	45	0	0	0	0	0	0	0	-0.16	0	0	10.8	0.1	1.2
2022	1	5	3	52	45	0	0	0	0	0	0	0	-0.16	0	0	10.8	0.1	1.2
2022	1	5	4	2	45	0	0	0	0	0	0	0	-0.16	0	0	10.8	0.1	1.2
2022	1	5	4	12	45	0	0	0	0	0	0	0	-0.16	0	0	10.8	0.1	1.2
2022	1	5	4	22	45	0	0	0	0	0	0	0	-0.16	0	0	10.8	0.1	1.2
2022	1	5	4	32	45	0	0	0	0	0	0	0	-0.17	0	0	10.8	0.1	1.2
2022	1	5	4	42	45	0	0	0	0	0	0	0	-0.17	0	0	10.8	0.1	1.2
2022	1	5	4	52	45	0	0	0	0	0	0	0	-0.17	0	0	10.8	0.1	1.2
2022	1	5	5	2	45	0	0	0	0	0	0	0	-0.17	0	0	10.8	0.1	1.2
2022	1	5	5	12	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.2
2022	1	5	5	22	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.2
2022	1	5	5	32	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.2
2022	1	5	5	42	45	0	0	0	0	0	0	0	-0.17	0	0	10.8	0.1	1.2
2022	1	5	5	52	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.2
2022	1	5	6	2	45	0	0	0	0	0	0	0	-0.18	0	0	10.6	0.1	1.2
2022	1	5	6	12	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.2
2022	1	5	6	22	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.2
2022	1	5	6	32	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.2
2022	1	5	6	42	45	0	0	0	0	0	0	0	-0.19	0	0	10.8	0.1	1.2
2022	1	5	6	52	45	0	0	0	0	0	0	0	-0.19	0	0	10.8	0.1	1.2
2022	1	5	7	2	45	0	0	0	0	0	0	0	-0.19	0	0	10.8	0.1	1.2
2022	1	5	7	12	45	0	0	0	0	0	0	0	-0.19	0	0	10.8	0.1	1.2
2022	1	5	7	22	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.2
2022	1	5	7	32	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.2
2022	1	5	7	42	45	0	0	0	0	0	0	0	-0.18	0	0	11.2	0.1	1.2
2022	1	5	7	52	45	0	0	0	0	0	0	0	-0.17	0	0	11.2	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	5	8	2	45	0	0	0	0	0	0	0	-0.17	0	0	11.4	0.1	1.2
2022	1	5	8	12	45	0	0	0	0	0	0	0	-0.16	0	0	11.6	0.1	1.2
2022	1	5	8	22	45	0	0	0	0	0	0	0	-0.14	0	0	11.6	0.1	1.2
2022	1	5	8	32	45	0	0	0	0	0	0	0	-0.1	0	0	11.6	0.1	1.2
2022	1	5	8	42	45	0	0	0	0	0	0	0	-0.07	0	0	11.6	0.1	1.2
2022	1	5	8	52	45	0	0	0	0	0	0	0	-0.05	0	0	11	0.1	1.2
2022	1	5	9	2	45	0	0	0	0	0	0	0	-0.03	0	0	11.2	0.1	1.2
2022	1	5	9	12	45	0	0	0	0	0	0	0	-0.01	0	0	11	0.1	1.2
2022	1	5	9	22	45	0	0	0	0	0	0	0	0.02	0	0	12.2	0.1	1.2
2022	1	5	9	32	45	0	0	0	0	0	0	0	0.05	0	0	12.2	0.1	1.2
2022	1	5	9	42	45	0	0	0	0	0	0	0	0.06	0	0	12.2	0.1	1.2
2022	1	5	9	52	45	0	0	0	0	0	0	0	0.08	0	0	12.2	0.1	1.2
2022	1	5	10	2	45	0	0	0	0	0	0	0	0.11	0	0	12	0.1	1.2
2022	1	5	10	12	45	0	0	0	0	0	0	0	0.12	0	0	12.4	0.1	1.2
2022	1	5	10	22	45	0	0	0	0	0	0	0	0.14	0	0	12.8	0.1	1.2
2022	1	5	10	32	45	0	0	0	0	0	0	0	0.16	0	0	12.6	0.1	1.2
2022	1	5	10	42	45	0	0	0	0	0	0	0	0.17	0	0	13.2	0.1	1.2
2022	1	5	10	52	45	0	0	0	0	0	0	0	0.2	0	0	13.2	0.1	1.2
2022	1	5	11	2	45	0	0	0	0	0	0	0	0.22	0	0	13	0.1	1.2
2022	1	5	11	12	45	0	0	0	0	0	0	0	0.24	0	0	13.2	0.1	1.2
2022	1	5	11	22	45	0	0	0	0	0	0	0	0.24	0	0	13.2	0.1	1.2
2022	1	5	11	32	45	0	0	0	0	0	0	0	0.24	0	0	13.4	0.1	1.2
2022	1	5	11	42	45	0	0	0	0	0	0	0	0.27	0	0	13	0.1	1.2
2022	1	5	11	52	45	0	0	0	0	0	0	0	0.28	0	0	13	0.1	1.2
2022	1	5	12	2	45	0	0	0	0	0	0	0	0.28	0	0	12.8	0.1	1.2
2022	1	5	12	12	45	0	0	0	0	0	0	0	0.3	0	0	13.6	0.1	1.2
2022	1	5	12	22	45	0	0	0	0	0	0	0	0.29	0	0	12.8	0.1	1.2
2022	1	5	12	32	45	0	0	0	0	0	0	0	0.3	0	0	12.6	0.1	1.2
2022	1	5	12	42	45	0	0	0	0	0	0	0	0.3	0	0	13.6	0.1	1.2
2022	1	5	12	52	45	0	0	0	0	0	0	0	0.3	0	0	13.2	0.1	1.2
2022	1	5	13	2	45	0	0	0	0	0	0	0	0.3	0	0	13	0.1	1.2
2022	1	5	13	12	45	0	0	0	0	0	0	0	0.28	0	0	13	0.1	1.2
2022	1	5	13	22	45	0	0	0	0	0	0	0	0.28	0	0	12.8	0.1	1.2
2022	1	5	13	32	45	0	0	0	0	0	0	0	0.28	0	0	12.8	0.1	1.2
2022	1	5	13	42	45	0	0	0	0	0	0	0	0.28	0	0	12.8	0.1	1.2
2022	1	5	13	52	45	0	0	0	0	0	0	0	0.27	0	0	12.8	0.1	1.2
2022	1	5	14	2	45	0	0	0	0	0	0	0	0.25	0	0	12.8	0.1	1.2
2022	1	5	14	12	45	0	0	0	0	0	0	0	0.25	0	0	13.2	0.1	1.2
2022	1	5	14	22	45	0	0	0	0	0	0	0	0.23	0	0	13	0.1	1.2
2022	1	5	14	32	45	0	0	0	0	0	0	0	0.22	0	0	13	0.1	1.2
2022	1	5	14	42	45	0	0	0	0	0	0	0	0.21	0	0	12.8	0.1	1.2
2022	1	5	14	52	45	0	0	0	0	0	0	0	0.18	0	0	12.6	0.1	1.2
2022	1	5	15	2	45	0	0	0	0	0	0	0	0.18	0	0	12.2	0.1	1.2
2022	1	5	15	12	45	0	0	0	0	0	0	0	0.16	0	0	11.8	0.1	1.2
2022	1	5	15	22	45	0	0	0	0	0	0	0	0.12	0	0	11.2	0.1	1.2
2022	1	5	15	32	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.2
2022	1	5	15	42	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.2
2022	1	5	15	52	45	0	0	0	0	0	0	0	0.11	0	0	11	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	5	16	2	45	0	0	0	0	0	0	0	0.1	0	0	10.8	0.1	1.2
2022	1	5	16	12	45	0	0	0	0	0	0	0	0.09	0	0	11.2	0.1	1.2
2022	1	5	16	22	45	0	0	0	0	0	0	0	0.09	0	0	11	0.1	1.2
2022	1	5	16	32	45	0	0	0	0	0	0	0	0.08	0	0	10.4	0.1	1.2
2022	1	5	16	42	45	0	0	0	0	0	0	0	0.08	0	0	10.4	0.1	1.2
2022	1	5	16	52	45	0	0	0	0	0	0	0	0.08	0	0	10.4	0.1	1.2
2022	1	5	17	2	45	0	0	0	0	0	0	0	0.07	0	0	10.4	0.1	1.2
2022	1	5	17	12	45	0	0	0	0	0	0	0	0.07	0	0	10.2	0.1	1.2
2022	1	5	17	22	45	0	0	0	0	0	0	0	0.06	0	0	10.2	0.1	1.2
2022	1	5	17	32	45	0	0	0	0	0	0	0	0.06	0	0	10.2	0.1	1.2
2022	1	5	17	42	45	0	0	0	0	0	0	0	0.05	0	0	10.2	0.1	1.2
2022	1	5	17	52	45	0	0	0	0	0	0	0	0.05	0	0	10.4	0.1	1.2
2022	1	5	18	2	45	0	0	0	0	0	0	0	0.04	0	0	10.4	0.1	1.2
2022	1	5	18	12	45	0	0	0	0	0	0	0	0.04	0	0	10.4	0.1	1.2
2022	1	5	18	22	45	0	0	0	0	0	0	0	0.04	0	0	10.4	0.1	1.2
2022	1	5	18	32	45	0	0	0	0	0	0	0	0.03	0	0	10.6	0.1	1.2
2022	1	5	18	42	45	0	0	0	0	0	0	0	0.02	0	0	10.6	0.1	1.2
2022	1	5	18	52	45	0	0	0	0	0	0	0	0.02	0	0	10.6	0.1	1.2
2022	1	5	19	2	45	0	0	0	0	0	0	0	0.02	0	0	10.6	0.1	1.2
2022	1	5	19	12	45	0	0	0	0	0	0	0	0.01	0	0	10.6	0.1	1.2
2022	1	5	19	22	45	0	0	0	0	0	0	0	0	0	0	10.4	0.1	1.2
2022	1	5	19	32	45	0	0	0	0	0	0	0	0	0	0	10.4	0.1	1.2
2022	1	5	19	42	45	0	0	0	0	0	0	0	0	0	0	10.4	0.1	1.2
2022	1	5	19	52	45	0	0	0	0	0	0	0	0	0	0	10.4	0.1	1.2
2022	1	5	20	2	45	0	0	0	0	0	0	0	-0.01	0	0	10.4	0.1	1.2
2022	1	5	20	12	45	0	0	0	0	0	0	0	-0.01	0	0	10.4	0.1	1.2
2022	1	5	20	22	45	0	0	0	0	0	0	0	-0.01	0	0	10.4	0.1	1.2
2022	1	5	20	32	45	0	0	0	0	0	0	0	-0.01	0	0	10.4	0.1	1.2
2022	1	5	20	42	45	0	0	0	0	0	0	0	-0.02	0	0	10.4	0.1	1.2
2022	1	5	20	52	45	0	0	0	0	0	0	0	-0.02	0	0	10.2	0.1	1.2
2022	1	5	21	2	45	0	0	0	0	0	0	0	-0.02	0	0	10.2	0.1	1.2
2022	1	5	21	12	45	0	0	0	0	0	0	0	-0.03	0	0	10.2	0.1	1.2
2022	1	5	21	22	45	0	0	0	0	0	0	0	-0.02	0	0	10.2	0.1	1.2
2022	1	5	21	32	45	0	0	0	0	0	0	0	-0.03	0	0	10.2	0.1	1.2
2022	1	5	21	42	45	0	0	0	0	0	0	0	-0.03	0	0	10.2	0.1	1.2
2022	1	5	21	52	45	0	0	0	0	0	0	0	-0.03	0	0	10.2	0.1	1.2
2022	1	5	22	2	45	0	0	0	0	0	0	0	-0.03	0	0	10.2	0.1	1.2
2022	1	5	22	12	45	0	0	0	0	0	0	0	-0.04	0	0	10.2	0.1	1.2
2022	1	5	22	22	45	0	0	0	0	0	0	0	-0.03	0	0	10.2	0.1	1.2
2022	1	5	22	32	45	0	0	0	0	0	0	0	-0.04	0	0	10	0.1	1.2
2022	1	5	22	42	45	0	0	0	0	0	0	0	-0.03	0	0	10.6	0.1	1.2
2022	1	5	22	52	45	0	0	0	0	0	0	0	-0.04	0	0	11.2	0.1	1.2
2022	1	5	23	2	45	0	0	0	0	0	0	0	-0.04	0	0	11.4	0.1	1.2
2022	1	5	23	12	45	0	0	0	0	0	0	0	-0.05	0	0	11.4	0.1	1.2
2022	1	5	23	22	45	0	0	0	0	0	0	0	-0.04	0	0	11.4	0.1	1.2
2022	1	5	23	32	45	0	0	0	0	0	0	0	-0.05	0	0	11.4	0.1	1.2
2022	1	5	23	42	45	0	0	0	0	0	0	0	-0.05	0	0	11.2	0.1	1.2
2022	1	5	23	52	45	0	0	0	0	0	0	0	-0.05	0	0	11.2	0.1	1.2



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	6	0	2	45	0	0	0	0	0	0	0	-0.05	0	0	11.4	0.1	1.2
2022	1	6	0	12	45	0	0	0	0	0	0	0	-0.06	0	0	11.4	0.1	1.2
2022	1	6	0	22	45	0	0	0	0	0	0	0	-0.06	0	0	11.4	0.1	1.2
2022	1	6	0	32	45	0	0	0	0	0	0	0	-0.06	0	0	11.4	0.1	1.2
2022	1	6	0	42	45	0	0	0	0	0	0	0	-0.06	0	0	11.2	0.1	1.2
2022	1	6	0	52	45	0	0	0	0	0	0	0	-0.06	0	0	11.2	0.1	1.2
2022	1	6	1	2	45	0	0	0	0	0	0	0	-0.06	0	0	11.2	0.1	1.2
2022	1	6	1	12	45	0	0	0	0	0	0	0	-0.07	0	0	11.2	0.1	1.2
2022	1	6	1	22	45	0	0	0	0	0	0	0	-0.07	0	0	11.2	0.1	1.2
2022	1	6	1	32	45	0	0	0	0	0	0	0	-0.07	0	0	11.2	0.1	1.2
2022	1	6	1	42	45	0	0	0	0	0	0	0	-0.07	0	0	11.2	0.1	1.2
2022	1	6	1	52	45	0	0	0	0	0	0	0	-0.08	0	0	11.2	0.1	1.2
2022	1	6	2	2	45	0	0	0	0	0	0	0	-0.08	0	0	11.2	0.1	1.2
2022	1	6	2	12	45	0	0	0	0	0	0	0	-0.08	0	0	11.2	0.1	1.2
2022	1	6	2	22	45	0	0	0	0	0	0	0	-0.09	0	0	11.2	0.1	1.2
2022	1	6	2	32	45	0	0	0	0	0	0	0	-0.09	0	0	11.2	0.1	1.2
2022	1	6	2	42	45	0	0	0	0	0	0	0	-0.09	0	0	11.2	0.1	1.2
2022	1	6	2	52	45	0	0	0	0	0	0	0	-0.09	0	0	11.2	0.1	1.2
2022	1	6	3	2	45	0	0	0	0	0	0	0	-0.09	0	0	11.2	0.1	1.2
2022	1	6	3	12	45	0	0	0	0	0	0	0	-0.1	0	0	11.2	0.1	1.2
2022	1	6	3	22	45	0	0	0	0	0	0	0	-0.1	0	0	11.2	0.1	1.2
2022	1	6	3	32	45	0	0	0	0	0	0	0	-0.1	0	0	11.2	0.1	1.2
2022	1	6	3	42	45	0	0	0	0	0	0	0	-0.11	0	0	11.2	0.1	1.2
2022	1	6	3	52	45	0	0	0	0	0	0	0	-0.11	0	0	11.2	0.1	1.2
2022	1	6	4	2	45	0	0	0	0	0	0	0	-0.11	0	0	11.2	0.1	1.2
2022	1	6	4	12	45	0	0	0	0	0	0	0	-0.11	0	0	11.2	0.1	1.2
2022	1	6	4	22	45	0	0	0	0	0	0	0	-0.11	0	0	11.2	0.1	1.2
2022	1	6	4	32	45	0	0	0	0	0	0	0	-0.12	0	0	11.2	0.1	1.2
2022	1	6	4	42	45	0	0	0	0	0	0	0	-0.12	0	0	11.2	0.1	1.2
2022	1	6	4	52	45	0	0	0	0	0	0	0	-0.12	0	0	11.2	0.1	1.2
2022	1	6	5	2	45	0	0	0	0	0	0	0	-0.12	0	0	11.2	0.1	1.2
2022	1	6	5	12	45	0	0	0	0	0	0	0	-0.12	0	0	11.2	0.1	1.2
2022	1	6	5	22	45	0	0	0	0	0	0	0	-0.13	0	0	11.2	0.1	1.2
2022	1	6	5	32	45	0	0	0	0	0	0	0	-0.13	0	0	11.2	0.1	1.2
2022	1	6	5	42	45	0	0	0	0	0	0	0	-0.13	0	0	11.2	0.1	1.2
2022	1	6	5	52	45	0	0	0	0	0	0	0	-0.13	0	0	11.2	0.1	1.2
2022	1	6	6	2	45	0	0	0	0	0	0	0	-0.13	0	0	11.2	0.1	1.2
2022	1	6	6	12	45	0	0	0	0	0	0	0	-0.14	0	0	11.2	0.1	1.2
2022	1	6	6	22	45	0	0	0	0	0	0	0	-0.13	0	0	11.2	0.1	1.2
2022	1	6	6	32	45	0	0	0	0	0	0	0	-0.14	0	0	11.2	0.1	1.2
2022	1	6	6	42	45	0	0	0	0	0	0	0	-0.14	0	0	11.2	0.1	1.2
2022	1	6	6	52	45	0	0	0	0	0	0	0	-0.14	0	0	11.2	0.1	1.2
2022	1	6	7	2	45	0	0	0	0	0	0	0	-0.14	0	0	11.2	0.1	1.2
2022	1	6	7	12	45	0	0	0	0	0	0	0	-0.15	0	0	11.2	0.1	1.2
2022	1	6	7	22	45	0	0	0	0	0	0	0	-0.14	0	0	11.2	0.1	1.2
2022	1	6	7	32	45	0	0	0	0	0	0	0	-0.15	0	0	11.4	0.1	1.2
2022	1	6	7	42	45	0	0	0	0	0	0	0	-0.14	0	0	11.6	0.1	1.2
2022	1	6	7	52	45	0	0	0	0	0	0	0	-0.14	0	0	11.6	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	6	8	2	45	0	0	0	0	0	0	0	-0.13	0	0	11.8	0.1	1.2
2022	1	6	8	12	45	0	0	0	0	0	0	0	-0.13	0	0	12	0.1	1.2
2022	1	6	8	22	45	0	0	0	0	0	0	0	-0.11	0	0	12	0.1	1.2
2022	1	6	8	32	45	0	0	0	0	0	0	0	-0.06	0	0	12	0.1	1.2
2022	1	6	8	42	45	0	0	0	0	0	0	0	-0.04	0	0	12	0.1	1.2
2022	1	6	8	52	45	0	0	0	0	0	0	0	-0.01	0	0	12	0.1	1.2
2022	1	6	9	2	45	0	0	0	0	0	0	0	0.01	0	0	12	0.1	1.2
2022	1	6	9	12	45	0	0	0	0	0	0	0	0.04	0	0	11.4	0.1	1.2
2022	1	6	9	22	45	0	0	0	0	0	0	0	0.06	0	0	11	0.1	1.2
2022	1	6	9	32	45	0	0	0	0	0	0	0	0.08	0	0	11.2	0.1	1.2
2022	1	6	9	42	45	0	0	0	0	0	0	0	0.1	0	0	11.2	0.1	1.2
2022	1	6	9	52	45	0	0	0	0	0	0	0	0.12	0	0	11.6	0.1	1.2
2022	1	6	10	2	45	0	0	0	0	0	0	0	0.15	0	0	11.6	0.1	1.2
2022	1	6	10	12	45	0	0	0	0	0	0	0	0.17	0	0	12.6	0.1	1.2
2022	1	6	10	22	45	0	0	0	0	0	0	0	0.19	0	0	12.2	0.1	1.2
2022	1	6	10	32	45	0	0	0	0	0	0	0	0.21	0	0	11.8	0.1	1.2
2022	1	6	10	42	45	0	0	0	0	0	0	0	0.22	0	0	13	0.1	1.2
2022	1	6	10	52	45	0	0	0	0	0	0	0	0.25	0	0	13	0.1	1.2
2022	1	6	11	2	45	0	0	0	0	0	0	0	0.28	0	0	13.2	0.1	1.2
2022	1	6	11	12	45	0	0	0	0	0	0	0	0.3	0	0	13	0.1	1.2
2022	1	6	11	22	45	0	0	0	0	0	0	0	0.31	0	0	13.2	0.1	1.2
2022	1	6	11	32	45	0	0	0	0	0	0	0	0.32	0	0	13	0.1	1.2
2022	1	6	11	42	45	0	0	0	0	0	0	0	0.34	0	0	13	0.1	1.2
2022	1	6	11	52	45	0	0	0	0	0	0	0	0.36	0	0	12.8	0.1	1.2
2022	1	6	12	2	45	0	0	0	0	0	0	0	0.34	0	0	12.6	0.1	1.2
2022	1	6	12	12	45	0	0	0	0	0	0	0	0.35	0	0	12.8	0.1	1.2
2022	1	6	12	22	45	0	0	0	0	0	0	0	0.36	0	0	12.6	0.1	1.2
2022	1	6	12	32	45	0	0	0	0	0	0	0	0.37	0	0	12.8	0.1	1.2
2022	1	6	12	42	45	0	0	0	0	0	0	0	0.38	0	0	12.8	0.1	1.2
2022	1	6	12	52	45	0	0	0	0	0	0	0	0.37	0	0	13.2	0.1	1.2
2022	1	6	13	2	45	0	0	0	0	0	0	0	0.38	0	0	13	0.1	1.2
2022	1	6	13	12	45	0	0	0	0	0	0	0	0.37	0	0	13	0.1	1.2
2022	1	6	13	22	45	0	0	0	0	0	0	0	0.37	0	0	13	0.1	1.2
2022	1	6	13	32	45	0	0	0	0	0	0	0	0.39	0	0	13.2	0.1	1.2
2022	1	6	13	42	45	0	0	0	0	0	0	0	0.38	0	0	12.8	0.1	1.2
2022	1	6	13	52	45	0	0	0	0	0	0	0	0.37	0	0	12.8	0.1	1.2
2022	1	6	14	2	45	0	0	0	0	0	0	0	0.36	0	0	13	0.1	1.2
2022	1	6	14	12	45	0	0	0	0	0	0	0	0.36	0	0	13	0.1	1.2
2022	1	6	14	22	45	0	0	0	0	0	0	0	0.35	0	0	12.8	0.1	1.2
2022	1	6	14	32	45	0	0	0	0	0	0	0	0.34	0	0	12.8	0.1	1.2
2022	1	6	14	42	45	0	0	0	0	0	0	0	0.32	0	0	12.4	0.1	1.2
2022	1	6	14	52	45	0	0	0	0	0	0	0	0.28	0	0	12.8	0.1	1.2
2022	1	6	15	2	45	0	0	0	0	0	0	0	0.3	0	0	13	0.1	1.2
2022	1	6	15	12	45	0	0	0	0	0	0	0	0.27	0	0	12.6	0.1	1.2
2022	1	6	15	22	45	0	0	0	0	0	0	0	0.24	0	0	11.6	0.1	1.2
2022	1	6	15	32	45	0	0	0	0	0	0	0	0.22	0	0	11.2	0.1	1.2
2022	1	6	15	42	45	0	0	0	0	0	0	0	0.21	0	0	11.2	0.1	1.2
2022	1	6	15	52	45	0	0	0	0	0	0	0	0.21	0	0	11.2	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	6	16	2	45	0	0	0	0	0	0	0	0.21	0	0	10.6	0.1	1.2
2022	1	6	16	12	45	0	0	0	0	0	0	0	0.21	0	0	10.2	0.1	1.2
2022	1	6	16	22	45	0	0	0	0	0	0	0	0.21	0	0	10.4	0.1	1.2
2022	1	6	16	32	45	0	0	0	0	0	0	0	0.2	0	0	10	0.1	1.2
2022	1	6	16	42	45	0	0	0	0	0	0	0	0.2	0	0	10.6	0.1	1.2
2022	1	6	16	52	45	0	0	0	0	0	0	0	0.2	0	0	10.6	0.1	1.2
2022	1	6	17	2	45	0	0	0	0	0	0	0	0.19	0	0	10.6	0.1	1.2
2022	1	6	17	12	45	0	0	0	0	0	0	0	0.19	0	0	10.4	0.1	1.2
2022	1	6	17	22	45	0	0	0	0	0	0	0	0.19	0	0	10.4	0.1	1.2
2022	1	6	17	32	45	0	0	0	0	0	0	0	0.18	0	0	11	0.1	1.2
2022	1	6	17	42	45	0	0	0	0	0	0	0	0.18	0	0	11	0.1	1.2
2022	1	6	17	52	45	0	0	0	0	0	0	0	0.18	0	0	10.8	0.1	1.2
2022	1	6	18	2	45	0	0	0	0	0	0	0	0.18	0	0	10.6	0.1	1.2
2022	1	6	18	12	45	0	0	0	0	0	0	0	0.17	0	0	10.6	0.1	1.2
2022	1	6	18	22	45	0	0	0	0	0	0	0	0.17	0	0	10.6	0.1	1.2
2022	1	6	18	32	45	0	0	0	0	0	0	0	0.17	0	0	10.6	0.1	1.2
2022	1	6	18	42	45	0	0	0	0	0	0	0	0.16	0	0	10.8	0.1	1.2
2022	1	6	18	52	45	0	0	0	0	0	0	0	0.16	0	0	11.2	0.1	1.2
2022	1	6	19	2	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.2
2022	1	6	19	12	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.2
2022	1	6	19	22	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.2
2022	1	6	19	32	45	0	0	0	0	0	0	0	0.14	0	0	11.2	0.1	1.2
2022	1	6	19	42	45	0	0	0	0	0	0	0	0.14	0	0	11	0.1	1.2
2022	1	6	19	52	45	0	0	0	0	0	0	0	0.13	0	0	11	0.1	1.2
2022	1	6	20	2	45	0	0	0	0	0	0	0	0.13	0	0	11	0.1	1.2
2022	1	6	20	12	45	0	0	0	0	0	0	0	0.13	0	0	11	0.1	1.2
2022	1	6	20	22	45	0	0	0	0	0	0	0	0.13	0	0	11.2	0.1	1.2
2022	1	6	20	32	45	0	0	0	0	0	0	0	0.12	0	0	11	0.1	1.2
2022	1	6	20	42	45	0	0	0	0	0	0	0	0.12	0	0	10.8	0.1	1.2
2022	1	6	20	52	45	0	0	0	0	0	0	0	0.12	0	0	10.8	0.1	1.2
2022	1	6	21	2	45	0	0	0	0	0	0	0	0.12	0	0	10.6	0.1	1.2
2022	1	6	21	12	45	0	0	0	0	0	0	0	0.11	0	0	10.6	0.1	1.2
2022	1	6	21	22	45	0	0	0	0	0	0	0	0.11	0	0	10.6	0.1	1.2
2022	1	6	21	32	45	0	0	0	0	0	0	0	0.11	0	0	10.4	0.1	1.2
2022	1	6	21	42	45	0	0	0	0	0	0	0	0.1	0	0	10.4	0.1	1.2
2022	1	6	21	52	45	0	0	0	0	0	0	0	0.11	0	0	10.6	0.1	1.2
2022	1	6	22	2	45	0	0	0	0	0	0	0	0.1	0	0	10.6	0.1	1.2
2022	1	6	22	12	45	0	0	0	0	0	0	0	0.1	0	0	10.6	0.1	1.2
2022	1	6	22	22	45	0	0	0	0	0	0	0	0.1	0	0	10.4	0.1	1.2
2022	1	6	22	32	45	0	0	0	0	0	0	0	0.09	0	0	10.6	0.1	1.2
2022	1	6	22	42	45	0	0	0	0	0	0	0	0.09	0	0	10.6	0.1	1.2
2022	1	6	22	52	45	0	0	0	0	0	0	0	0.08	0	0	10.8	0.1	1.2
2022	1	6	23	2	45	0	0	0	0	0	0	0	0.08	0	0	10.6	0.1	1.2
2022	1	6	23	12	45	0	0	0	0	0	0	0	0.08	0	0	11	0.1	1.2
2022	1	6	23	22	45	0	0	0	0	0	0	0	0.07	0	0	11	0.1	1.2
2022	1	6	23	32	45	0	0	0	0	0	0	0	0.07	0	0	11	0.1	1.2
2022	1	6	23	42	45	0	0	0	0	0	0	0	0.06	0	0	11	0.1	1.2
2022	1	6	23	52	45	0	0	0	0	0	0	0	0.05	0	0	11	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	7	0	2	45	0	0	0	0	0	0	0	0.05	0	0	11	0.1	1.2
2022	1	7	0	12	45	0	0	0	0	0	0	0	0.04	0	0	11	0.1	1.2
2022	1	7	0	22	45	0	0	0	0	0	0	0	0.04	0	0	11	0.1	1.2
2022	1	7	0	32	45	0	0	0	0	0	0	0	0.03	0	0	10.8	0.1	1.2
2022	1	7	0	42	45	0	0	0	0	0	0	0	0.02	0	0	10.8	0.1	1.2
2022	1	7	0	52	45	0	0	0	0	0	0	0	0.02	0	0	10.8	0.1	1.2
2022	1	7	1	2	45	0	0	0	0	0	0	0	0.01	0	0	10.8	0.1	1.2
2022	1	7	1	12	45	0	0	0	0	0	0	0	0	0	0	10.8	0.1	1.2
2022	1	7	1	22	45	0	0	0	0	0	0	0	0	0	0	10.8	0.1	1.2
2022	1	7	1	32	45	0	0	0	0	0	0	0	0	0	0	11	0.1	1.2
2022	1	7	1	42	45	0	0	0	0	0	0	0	-0.01	0	0	10.8	0.1	1.2
2022	1	7	1	52	45	0	0	0	0	0	0	0	-0.01	0	0	10.8	0.1	1.2
2022	1	7	2	2	45	0	0	0	0	0	0	0	-0.01	0	0	11	0.1	1.2
2022	1	7	2	12	45	0	0	0	0	0	0	0	-0.02	0	0	11	0.1	1.2
2022	1	7	2	22	45	0	0	0	0	0	0	0	-0.03	0	0	11	0.1	1.2
2022	1	7	2	32	45	0	0	0	0	0	0	0	-0.03	0	0	11	0.1	1.1
2022	1	7	2	42	45	0	0	0	0	0	0	0	-0.03	0	0	11	0.1	1.1
2022	1	7	2	52	45	0	0	0	0	0	0	0	-0.03	0	0	11	0.1	1.2
2022	1	7	3	2	45	0	0	0	0	0	0	0	-0.04	0	0	11	0.1	1.2
2022	1	7	3	12	45	0	0	0	0	0	0	0	-0.05	0	0	10.8	0.1	1.2
2022	1	7	3	22	45	0	0	0	0	0	0	0	-0.05	0	0	11	0.1	1.2
2022	1	7	3	32	45	0	0	0	0	0	0	0	-0.05	0	0	11	0.1	1.2
2022	1	7	3	42	45	0	0	0	0	0	0	0	-0.06	0	0	11	0.1	1.1
2022	1	7	3	52	45	0	0	0	0	0	0	0	-0.06	0	0	10.8	0.1	1.1
2022	1	7	4	2	45	0	0	0	0	0	0	0	-0.07	0	0	10.8	0.1	1.2
2022	1	7	4	12	45	0	0	0	0	0	0	0	-0.07	0	0	10.8	0.1	1.1
2022	1	7	4	22	45	0	0	0	0	0	0	0	-0.07	0	0	10.8	0.1	1.1
2022	1	7	4	32	45	0	0	0	0	0	0	0	-0.07	0	0	10.8	0.1	1.2
2022	1	7	4	42	45	0	0	0	0	0	0	0	-0.08	0	0	10.8	0.1	1.2
2022	1	7	4	52	45	0	0	0	0	0	0	0	-0.08	0	0	10.8	0.1	1.1
2022	1	7	5	2	45	0	0	0	0	0	0	0	-0.08	0	0	10.8	0.1	1.1
2022	1	7	5	12	45	0	0	0	0	0	0	0	-0.09	0	0	10.8	0.1	1.1
2022	1	7	5	22	45	0	0	0	0	0	0	0	-0.09	0	0	10.8	0.1	1.2
2022	1	7	5	32	45	0	0	0	0	0	0	0	-0.09	0	0	10.8	0.1	1.1
2022	1	7	5	42	45	0	0	0	0	0	0	0	-0.1	0	0	10.8	0.1	1.2
2022	1	7	5	52	45	0	0	0	0	0	0	0	-0.1	0	0	10.8	0.1	1.1
2022	1	7	6	2	45	0	0	0	0	0	0	0	-0.1	0	0	10.8	0.1	1.1
2022	1	7	6	12	45	0	0	0	0	0	0	0	-0.11	0	0	10.8	0.1	1.2
2022	1	7	6	22	45	0	0	0	0	0	0	0	-0.11	0	0	10.8	0.1	1.1
2022	1	7	6	32	45	0	0	0	0	0	0	0	-0.11	0	0	10.8	0.1	1.1
2022	1	7	6	42	45	0	0	0	0	0	0	0	-0.11	0	0	10.8	0.1	1.2
2022	1	7	6	52	45	0	0	0	0	0	0	0	-0.12	0	0	10.8	0.1	1.1
2022	1	7	7	2	45	0	0	0	0	0	0	0	-0.11	0	0	10.8	0.1	1.2
2022	1	7	7	12	45	0	0	0	0	0	0	0	-0.11	0	0	10.8	0.1	1.1
2022	1	7	7	22	45	0	0	0	0	0	0	0	-0.11	0	0	10.8	0.1	1.1
2022	1	7	7	32	45	0	0	0	0	0	0	0	-0.12	0	0	11	0.1	1.1
2022	1	7	7	42	45	0	0	0	0	0	0	0	-0.12	0	0	11.2	0.1	1.1
2022	1	7	7	52	45	0	0	0	0	0	0	0	-0.11	0	0	11.4	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	7	8	2	45	0	0	0	0	0	0	0	-0.11	0	0	11.6	0.1	1.1
2022	1	7	8	12	45	0	0	0	0	0	0	0	-0.11	0	0	11.8	0.1	1.1
2022	1	7	8	22	45	0	0	0	0	0	0	0	-0.07	0	0	11.8	0.1	1.2
2022	1	7	8	32	45	0	0	0	0	0	0	0	-0.03	0	0	12	0.1	1.2
2022	1	7	8	42	45	0	0	0	0	0	0	0	-0.01	0	0	11.8	0.1	1.2
2022	1	7	8	52	45	0	0	0	0	0	0	0	0.02	0	0	11.6	0.1	1.2
2022	1	7	9	2	45	0	0	0	0	0	0	0	0.04	0	0	11.4	0.1	1.2
2022	1	7	9	12	45	0	0	0	0	0	0	0	0.05	0	0	11.4	0.1	1.2
2022	1	7	9	22	45	0	0	0	0	0	0	0	0.08	0	0	11.4	0.1	1.2
2022	1	7	9	32	45	0	0	0	0	0	0	0	0.09	0	0	11	0.1	1.2
2022	1	7	9	42	45	0	0	0	0	0	0	0	0.07	0	0	11	0.1	1.2
2022	1	7	9	52	45	0	0	0	0	0	0	0	0.15	0	0	11.4	0.1	1.2
2022	1	7	10	2	45	0	0	0	0	0	0	0	0.19	0	0	13.6	0.1	1.2
2022	1	7	10	12	45	0	0	0	0	0	0	0	0.21	0	0	13.4	0.1	1.2
2022	1	7	10	22	45	0	0	0	0	0	0	0	0.23	0	0	14.2	0.1	1.2
2022	1	7	10	32	45	0	0	0	0	0	0	0	0.25	0	0	14.2	0.1	1.2
2022	1	7	10	42	45	0	0	0	0	0	0	0	0.28	0	0	14.2	0.1	1.2
2022	1	7	10	52	45	0	0	0	0	0	0	0	0.3	0	0	14.2	0.1	1.2
2022	1	7	11	2	45	0	0	0	0	0	0	0	0.33	0	0	14.2	0.1	1.2
2022	1	7	11	12	45	0	0	0	0	0	0	0	0.34	0	0	13.4	0.1	1.2
2022	1	7	11	22	45	0	0	0	0	0	0	0	0.36	0	0	13.6	0.1	1.2
2022	1	7	11	32	45	0	0	0	0	0	0	0	0.37	0	0	13.2	0.1	1.2
2022	1	7	11	42	45	0	0	0	0	0	0	0	0.39	0	0	13.2	0.1	1.2
2022	1	7	11	52	45	0	0	0	0	0	0	0	0.4	0	0	13.2	0.1	1.2
2022	1	7	12	2	45	0	0	0	0	0	0	0	0.41	0	0	13.2	0.1	1.2
2022	1	7	12	12	45	0	0	0	0	0	0	0	0.43	0	0	13.4	0.1	1.2
2022	1	7	12	22	45	0	0	0	0	0	0	0	0.44	0	0	13.2	0.1	1.2
2022	1	7	12	32	45	0	0	0	0	0	0	0	0.44	0	0	13.2	0.1	1.2
2022	1	7	12	42	45	0	0	0	0	0	0	0	0.46	0	0	13.4	0.1	1.2
2022	1	7	12	52	45	0	0	0	0	0	0	0	0.45	0	0	13.2	0.1	1.2
2022	1	7	13	2	45	0	0	0	0	0	0	0	0.37	0	0	12.8	0.1	1.2
2022	1	7	13	12	45	0	0	0	0	0	0	0	0.38	0	0	12.4	0.1	1.2
2022	1	7	13	22	45	0	0	0	0	0	0	0	0.43	0	0	13.2	0.1	1.2
2022	1	7	13	32	45	0	0	0	0	0	0	0	0.45	0	0	13	0.1	1.2
2022	1	7	13	42	45	0	0	0	0	0	0	0	0.46	0	0	13	0.1	1.2
2022	1	7	13	52	45	0	0	0	0	0	0	0	0.45	0	0	12.8	0.1	1.2
2022	1	7	14	2	45	0	0	0	0	0	0	0	0.44	0	0	13	0.1	1.2
2022	1	7	14	12	45	0	0	0	0	0	0	0	0.46	0	0	13	0.1	1.2
2022	1	7	14	22	45	0	0	0	0	0	0	0	0.45	0	0	13.2	0.1	1.2
2022	1	7	14	32	45	0	0	0	0	0	0	0	0.43	0	0	12.4	0.1	1.2
2022	1	7	14	42	45	0	0	0	0	0	0	0	0.43	0	0	13	0.1	1.2
2022	1	7	14	52	45	0	0	0	0	0	0	0	0.4	0	0	13	0.1	1.2
2022	1	7	15	2	45	0	0	0	0	0	0	0	0.39	0	0	12.6	0.1	1.2
2022	1	7	15	12	45	0	0	0	0	0	0	0	0.39	0	0	12.6	0.1	1.2
2022	1	7	15	22	45	0	0	0	0	0	0	0	0.36	0	0	12	0.1	1.2
2022	1	7	15	32	45	0	0	0	0	0	0	0	0.35	0	0	11.2	0.1	1.2
2022	1	7	15	42	45	0	0	0	0	0	0	0	0.35	0	0	11.2	0.1	1.2
2022	1	7	15	52	45	0	0	0	0	0	0	0	0.35	0	0	10.6	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	7	16	2	45	0	0	0	0	0	0	0	0.34	0	0	10.2	0.1	1.2
2022	1	7	16	12	45	0	0	0	0	0	0	0	0.35	0	0	10	0.1	1.2
2022	1	7	16	22	45	0	0	0	0	0	0	0	0.35	0	0	10.6	0.1	1.2
2022	1	7	16	32	45	0	0	0	0	0	0	0	0.35	0	0	11	0.1	1.2
2022	1	7	16	42	45	0	0	0	0	0	0	0	0.35	0	0	10.4	0.1	1.2
2022	1	7	16	52	45	0	0	0	0	0	0	0	0.34	0	0	9.8	0.1	1.2
2022	1	7	17	2	45	0	0	0	0	0	0	0	0.34	0	0	9.6	0.1	1.2
2022	1	7	17	12	45	0	0	0	0	0	0	0	0.34	0	0	10.8	0.1	1.2
2022	1	7	17	22	45	0	0	0	0	0	0	0	0.34	0	0	11.4	0.1	1.2
2022	1	7	17	32	45	0	0	0	0	0	0	0	0.35	0	0	11.2	0.1	1.2
2022	1	7	17	42	45	0	0	0	0	0	0	0	0.34	0	0	11	0.1	1.2
2022	1	7	17	52	45	0	0	0	0	0	0	0	0.34	0	0	11	0.1	1.2
2022	1	7	18	2	45	0	0	0	0	0	0	0	0.34	0	0	11.6	0.1	1.2
2022	1	7	18	12	45	0	0	0	0	0	0	0	0.34	0	0	11	0.1	1.2
2022	1	7	18	22	45	0	0	0	0	0	0	0	0.33	0	0	10.6	0.1	1.2
2022	1	7	18	32	45	0	0	0	0	0	0	0	0.33	0	0	10.4	0.1	1.2
2022	1	7	18	42	45	0	0	0	0	0	0	0	0.33	0	0	10.2	0.1	1.2
2022	1	7	18	52	45	0	0	0	0	0	0	0	0.33	0	0	10.6	0.1	1.2
2022	1	7	19	2	45	0	0	0	0	0	0	0	0.32	0	0	10.4	0.1	1.2
2022	1	7	19	12	45	0	0	0	0	0	0	0	0.32	0	0	10.4	0.1	1.2
2022	1	7	19	22	45	0	0	0	0	0	0	0	0.32	0	0	10.2	0.1	1.2
2022	1	7	19	32	45	0	0	0	0	0	0	0	0.32	0	0	10.2	0.1	1.2
2022	1	7	19	42	45	0	0	0	0	0	0	0	0.32	0	0	10.4	0.1	1.2
2022	1	7	19	52	45	0	0	0	0	0	0	0	0.32	0	0	10.2	0.1	1.2
2022	1	7	20	2	45	0	0	0	0	0	0	0	0.32	0	0	10.2	0.1	1.2
2022	1	7	20	12	45	0	0	0	0	0	0	0	0.31	0	0	10.2	0.1	1.2
2022	1	7	20	22	45	0	0	0	0	0	0	0	0.3	0	0	10.2	0.1	1.2
2022	1	7	20	32	45	0	0	0	0	0	0	0	0.3	0	0	10.2	0.1	1.2
2022	1	7	20	42	45	0	0	0	0	0	0	0	0.3	0	0	10	0.1	1.2
2022	1	7	20	52	45	0	0	0	0	0	0	0	0.3	0	0	10	0.1	1.2
2022	1	7	21	2	45	0	0	0	0	0	0	0	0.3	0	0	10	0.1	1.2
2022	1	7	21	12	45	0	0	0	0	0	0	0	0.3	0	0	10	0.1	1.2
2022	1	7	21	22	45	0	0	0	0	0	0	0	0.3	0	0	9.8	0.1	1.2
2022	1	7	21	32	45	0	0	0	0	0	0	0	0.29	0	0	9.8	0.1	1.2
2022	1	7	21	42	45	0	0	0	0	0	0	0	0.29	0	0	9.8	0.1	1.2
2022	1	7	21	52	45	0	0	0	0	0	0	0	0.29	0	0	9.8	0.1	1.2
2022	1	7	22	2	45	0	0	0	0	0	0	0	0.28	0	0	9.8	0.1	1.2
2022	1	7	22	12	45	0	0	0	0	0	0	0	0.29	0	0	10	0.1	1.2
2022	1	7	22	22	45	0	0	0	0	0	0	0	0.28	0	0	9.8	0.1	1.2
2022	1	7	22	32	45	0	0	0	0	0	0	0	0.28	0	0	9.8	0.1	1.2
2022	1	7	22	42	45	0	0	0	0	0	0	0	0.28	0	0	9.6	0.1	1.2
2022	1	7	22	52	45	0	0	0	0	0	0	0	0.28	0	0	9.8	0.1	1.2
2022	1	7	23	2	45	0	0	0	0	0	0	0	0.28	0	0	9.8	0.1	1.2
2022	1	7	23	12	45	0	0	0	0	0	0	0	0.28	0	0	9.6	0.1	1.2
2022	1	7	23	22	45	0	0	0	0	0	0	0	0.28	0	0	10.2	0.1	1.2
2022	1	7	23	32	45	0	0	0	0	0	0	0	0.27	0	0	10.6	0.1	1.2
2022	1	7	23	42	45	0	0	0	0	0	0	0	0.27	0	0	10.4	0.1	1.2
2022	1	7	23	52	45	0	0	0	0	0	0	0	0.27	0	0	10.6	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	8	0	2	45	0	0	0	0	0	0	0	0.27	0	0	10.6	0.1	1.2
2022	1	8	0	12	45	0	0	0	0	0	0	0	0.26	0	0	10.6	0.1	1.2
2022	1	8	0	22	45	0	0	0	0	0	0	0	0.25	0	0	10.6	0.1	1.2
2022	1	8	0	32	45	0	0	0	0	0	0	0	0.25	0	0	10.4	0.1	1.2
2022	1	8	0	42	45	0	0	0	0	0	0	0	0.24	0	0	10.2	0.1	1.2
2022	1	8	0	52	45	0	0	0	0	0	0	0	0.24	0	0	10.4	0.1	1.1
2022	1	8	1	2	45	0	0	0	0	0	0	0	0.24	0	0	10.2	0.1	1.1
2022	1	8	1	12	45	0	0	0	0	0	0	0	0.24	0	0	10.2	0.1	1.2
2022	1	8	1	22	45	0	0	0	0	0	0	0	0.23	0	0	10	0.1	1.2
2022	1	8	1	32	45	0	0	0	0	0	0	0	0.23	0	0	10	0.1	1.2
2022	1	8	1	42	45	0	0	0	0	0	0	0	0.23	0	0	10.2	0.1	1.2
2022	1	8	1	52	45	0	0	0	0	0	0	0	0.22	0	0	11.4	0.1	1.2
2022	1	8	2	2	45	0	0	0	0	0	0	0	0.22	0	0	11.4	0.1	1.2
2022	1	8	2	12	45	0	0	0	0	0	0	0	0.22	0	0	11.4	0.1	1.2
2022	1	8	2	22	45	0	0	0	0	0	0	0	0.22	0	0	11.4	0.1	1.2
2022	1	8	2	32	45	0	0	0	0	0	0	0	0.22	0	0	11.4	0.1	1.1
2022	1	8	2	42	45	0	0	0	0	0	0	0	0.21	0	0	11.4	0.1	1.2
2022	1	8	2	52	45	0	0	0	0	0	0	0	0.22	0	0	11.4	0.1	1.2
2022	1	8	3	2	45	0	0	0	0	0	0	0	0.21	0	0	11.4	0.1	1.2
2022	1	8	3	12	45	0	0	0	0	0	0	0	0.21	0	0	11.4	0.1	1.2
2022	1	8	3	22	45	0	0	0	0	0	0	0	0.21	0	0	11.4	0.1	1.2
2022	1	8	3	32	45	0	0	0	0	0	0	0	0.21	0	0	11.4	0.1	1.2
2022	1	8	3	42	45	0	0	0	0	0	0	0	0.21	0	0	11.4	0.1	1.2
2022	1	8	3	52	45	0	0	0	0	0	0	0	0.2	0	0	11.4	0.1	1.1
2022	1	8	4	2	45	0	0	0	0	0	0	0	0.2	0	0	11.4	0.1	1.2
2022	1	8	4	12	45	0	0	0	0	0	0	0	0.2	0	0	11.4	0.1	1.2
2022	1	8	4	22	45	0	0	0	0	0	0	0	0.2	0	0	11.4	0.1	1.1
2022	1	8	4	32	45	0	0	0	0	0	0	0	0.2	0	0	11.4	0.1	1.2
2022	1	8	4	42	45	0	0	0	0	0	0	0	0.19	0	0	11.4	0.1	1.1
2022	1	8	4	52	45	0	0	0	0	0	0	0	0.2	0	0	11.4	0.1	1.1
2022	1	8	5	2	45	0	0	0	0	0	0	0	0.2	0	0	11.4	0.1	1.1
2022	1	8	5	12	45	0	0	0	0	0	0	0	0.2	0	0	11.4	0.1	1.1
2022	1	8	5	22	45	0	0	0	0	0	0	0	0.19	0	0	11.4	0.1	1.1
2022	1	8	5	32	45	0	0	0	0	0	0	0	0.18	0	0	11.4	0.1	1.1
2022	1	8	5	42	45	0	0	0	0	0	0	0	0.18	0	0	11.4	0.1	1.1
2022	1	8	5	52	45	0	0	0	0	0	0	0	0.18	0	0	10.2	0.1	1.1
2022	1	8	6	2	45	0	0	0	0	0	0	0	0.18	0	0	10.2	0.1	1.1
2022	1	8	6	12	45	0	0	0	0	0	0	0	0.17	0	0	10.4	0.1	1.1
2022	1	8	6	22	45	0	0	0	0	0	0	0	0.17	0	0	10.4	0.1	1.1
2022	1	8	6	32	45	0	0	0	0	0	0	0	0.17	0	0	10.4	0.1	1.2
2022	1	8	6	42	45	0	0	0	0	0	0	0	0.16	0	0	10.2	0.1	1.1
2022	1	8	6	52	45	0	0	0	0	0	0	0	0.16	0	0	10.2	0.1	1.1
2022	1	8	7	2	45	0	0	0	0	0	0	0	0.15	0	0	10.2	0.1	1.1
2022	1	8	7	12	45	0	0	0	0	0	0	0	0.15	0	0	10.2	0.1	1.1
2022	1	8	7	22	45	0	0	0	0	0	0	0	0.15	0	0	10.8	0.1	1.1
2022	1	8	7	32	45	0	0	0	0	0	0	0	0.15	0	0	10.8	0.1	1.1
2022	1	8	7	42	45	0	0	0	0	0	0	0	0.15	0	0	11	0.1	1.1
2022	1	8	7	52	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	8	8	2	45	0	0	0	0	0	0	0	0.15	0	0	11.4	0.1	1.1
2022	1	8	8	12	45	0	0	0	0	0	0	0	0.16	0	0	12	0.1	1.1
2022	1	8	8	22	45	0	0	0	0	0	0	0	0.18	0	0	12	0.1	1.1
2022	1	8	8	32	45	0	0	0	0	0	0	0	0.22	0	0	11.4	0.1	1.1
2022	1	8	8	42	45	0	0	0	0	0	0	0	0.25	0	0	11	0.1	1.2
2022	1	8	8	52	45	0	0	0	0	0	0	0	0.28	0	0	11.8	0.1	1.2
2022	1	8	9	2	45	0	0	0	0	0	0	0	0.31	0	0	11.6	0.1	1.2
2022	1	8	9	12	45	0	0	0	0	0	0	0	0.33	0	0	11.6	0.1	1.2
2022	1	8	9	22	45	0	0	0	0	0	0	0	0.36	0	0	11.8	0.1	1.2
2022	1	8	9	32	45	0	0	0	0	0	0	0	0.38	0	0	12	0.1	1.2
2022	1	8	9	42	45	0	0	0	0	0	0	0	0.42	0	0	12.2	0.1	1.2
2022	1	8	9	52	45	0	0	0	0	0	0	0	0.43	0	0	12.2	0.1	1.2
2022	1	8	10	2	45	0	0	0	0	0	0	0	0.46	0	0	12.8	0.1	1.2
2022	1	8	10	12	45	0	0	0	0	0	0	0	0.48	0	0	13.6	0.1	1.2
2022	1	8	10	22	45	0	0	0	0	0	0	0	0.51	0	0	13.2	0.1	1.2
2022	1	8	10	32	45	0	0	0	0	0	0	0	0.53	0	0	13.4	0.1	1.2
2022	1	8	10	42	45	0	0	0	0	0	0	0	0.56	0	0	13.6	0.1	1.2
2022	1	8	10	52	45	0	0	0	0	0	0	0	0.56	0	0	13.4	0.1	1.2
2022	1	8	11	2	45	0	0	0	0	0	0	0	0.58	0	0	13.4	0.1	1.2
2022	1	8	11	12	45	0	0	0	0	0	0	0	0.6	0	0	13.4	0.1	1.2
2022	1	8	11	22	45	0	0	0	0	0	0	0	0.62	0	0	13	0.1	1.2
2022	1	8	11	32	45	0	0	0	0	0	0	0	0.64	0	0	13	0.1	1.2
2022	1	8	11	42	45	0	0	0	0	0	0	0	0.65	0	0	13	0.1	1.2
2022	1	8	11	52	45	0	0	0	0	0	0	0	0.66	0	0	13	0.1	1.2
2022	1	8	12	2	45	0	0	0	0	0	0	0	0.67	0	0	13	0.1	1.2
2022	1	8	12	12	45	0	0	0	0	0	0	0	0.68	0	0	13.4	0.1	1.2
2022	1	8	12	22	45	0	0	0	0	0	0	0	0.7	0	0	13	0.1	1.2
2022	1	8	12	32	45	0	0	0	0	0	0	0	0.71	0	0	12.8	0.1	1.2
2022	1	8	12	42	45	0	0	0	0	0	0	0	0.71	0	0	12.8	0.1	1.2
2022	1	8	12	52	45	0	0	0	0	0	0	0	0.72	0	0	12.6	0.1	1.2
2022	1	8	13	2	45	0	0	0	0	0	0	0	0.71	0	0	12.6	0.1	1.2
2022	1	8	13	12	45	0	0	0	0	0	0	0	0.72	0	0	12.6	0.1	1.2
2022	1	8	13	22	45	0	0	0	0	0	0	0	0.72	0	0	12.6	0.1	1.2
2022	1	8	13	32	45	0	0	0	0	0	0	0	0.72	0	0	12.6	0.1	1.2
2022	1	8	13	42	45	0	0	0	0	0	0	0	0.71	0	0	12.6	0.1	1.2
2022	1	8	13	52	45	0	0	0	0	0	0	0	0.7	0	0	12.6	0.1	1.2
2022	1	8	14	2	45	0	0	0	0	0	0	0	0.7	0	0	12.6	0.1	1.2
2022	1	8	14	12	45	0	0	0	0	0	0	0	0.71	0	0	12.6	0.1	1.2
2022	1	8	14	22	45	0	0	0	0	0	0	0	0.7	0	0	12.6	0.1	1.2
2022	1	8	14	32	45	0	0	0	0	0	0	0	0.68	0	0	12.8	0.1	1.2
2022	1	8	14	42	45	0	0	0	0	0	0	0	0.68	0	0	12.2	0.1	1.2
2022	1	8	14	52	45	0	0	0	0	0	0	0	0.63	0	0	11.8	0.1	1.2
2022	1	8	15	2	45	0	0	0	0	0	0	0	0.65	0	0	11.6	0.1	1.2
2022	1	8	15	12	45	0	0	0	0	0	0	0	0.61	0	0	11.4	0.1	1.2
2022	1	8	15	22	45	0	0	0	0	0	0	0	0.6	0	0	11.4	0.1	1.2
2022	1	8	15	32	45	0	0	0	0	0	0	0	0.59	0	0	11.2	0.1	1.2
2022	1	8	15	42	45	0	0	0	0	0	0	0	0.58	0	0	11.2	0.1	1.2
2022	1	8	15	52	45	0	0	0	0	0	0	0	0.58	0	0	11	0.1	1.2



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	8	16	2	45	0	0	0	0	0	0	0	0.58	0	0	10.8	0.1	1.2
2022	1	8	16	12	45	0	0	0	0	0	0	0	0.59	0	0	10.8	0.1	1.2
2022	1	8	16	22	45	0	0	0	0	0	0	0	0.59	0	0	10.8	0.1	1.2
2022	1	8	16	32	45	0	0	0	0	0	0	0	0.58	0	0	10.8	0.1	1.2
2022	1	8	16	42	45	0	0	0	0	0	0	0	0.58	0	0	10.4	0.1	1.2
2022	1	8	16	52	45	0	0	0	0	0	0	0	0.58	0	0	10.8	0.1	1.2
2022	1	8	17	2	45	0	0	0	0	0	0	0	0.58	0	0	11	0.1	1.2
2022	1	8	17	12	45	0	0	0	0	0	0	0	0.58	0	0	10.8	0.1	1.2
2022	1	8	17	22	45	0	0	0	0	0	0	0	0.58	0	0	10.8	0.1	1.2
2022	1	8	17	32	45	0	0	0	0	0	0	0	0.58	0	0	11	0.1	1.2
2022	1	8	17	42	45	0	0	0	0	0	0	0	0.58	0	0	11	0.1	1.2
2022	1	8	17	52	45	0	0	0	0	0	0	0	0.58	0	0	10.6	0.1	1.2
2022	1	8	18	2	45	0	0	0	0	0	0	0	0.57	0	0	10.4	0.1	1.2
2022	1	8	18	12	45	0	0	0	0	0	0	0	0.57	0	0	10.4	0.1	1.2
2022	1	8	18	22	45	0	0	0	0	0	0	0	0.57	0	0	10.2	0.1	1.2
2022	1	8	18	32	45	0	0	0	0	0	0	0	0.56	0	0	10.2	0.1	1.2
2022	1	8	18	42	45	0	0	0	0	0	0	0	0.56	0	0	11.4	0.1	1.2
2022	1	8	18	52	45	0	0	0	0	0	0	0	0.57	0	0	11.6	0.1	1.2
2022	1	8	19	2	45	0	0	0	0	0	0	0	0.56	0	0	11.6	0.1	1.2
2022	1	8	19	12	45	0	0	0	0	0	0	0	0.55	0	0	11.6	0.1	1.2
2022	1	8	19	22	45	0	0	0	0	0	0	0	0.54	0	0	11.6	0.1	1.2
2022	1	8	19	32	45	0	0	0	0	0	0	0	0.54	0	0	11.6	0.1	1.2
2022	1	8	19	42	45	0	0	0	0	0	0	0	0.53	0	0	11.6	0.1	1.2
2022	1	8	19	52	45	0	0	0	0	0	0	0	0.54	0	0	11.6	0.1	1.2
2022	1	8	20	2	45	0	0	0	0	0	0	0	0.52	0	0	11.6	0.1	1.2
2022	1	8	20	12	45	0	0	0	0	0	0	0	0.53	0	0	11.6	0.1	1.2
2022	1	8	20	22	45	0	0	0	0	0	0	0	0.52	0	0	11.6	0.1	1.2
2022	1	8	20	32	45	0	0	0	0	0	0	0	0.52	0	0	11.6	0.1	1.2
2022	1	8	20	42	45	0	0	0	0	0	0	0	0.52	0	0	11.6	0.1	1.2
2022	1	8	20	52	45	0	0	0	0	0	0	0	0.51	0	0	11.6	0.1	1.2
2022	1	8	21	2	45	0	0	0	0	0	0	0	0.51	0	0	11.6	0.1	1.2
2022	1	8	21	12	45	0	0	0	0	0	0	0	0.5	0	0	11.6	0.1	1.2
2022	1	8	21	22	45	0	0	0	0	0	0	0	0.5	0	0	11.6	0.1	1.2
2022	1	8	21	32	45	0	0	0	0	0	0	0	0.5	0	0	11.6	0.1	1.2
2022	1	8	21	42	45	0	0	0	0	0	0	0	0.49	0	0	11.6	0.1	1.2
2022	1	8	21	52	45	0	0	0	0	0	0	0	0.49	0	0	11.4	0.1	1.2
2022	1	8	22	2	45	0	0	0	0	0	0	0	0.48	0	0	11.4	0.1	1.2
2022	1	8	22	12	45	0	0	0	0	0	0	0	0.48	0	0	11.4	0.1	1.2
2022	1	8	22	22	45	0	0	0	0	0	0	0	0.47	0	0	11.4	0.1	1.2
2022	1	8	22	32	45	0	0	0	0	0	0	0	0.47	0	0	11.4	0.1	1.2
2022	1	8	22	42	45	0	0	0	0	0	0	0	0.46	0	0	11.4	0.1	1.2
2022	1	8	22	52	45	0	0	0	0	0	0	0	0.46	0	0	11.2	0.1	1.2
2022	1	8	23	2	45	0	0	0	0	0	0	0	0.45	0	0	11.4	0.1	1.2
2022	1	8	23	12	45	0	0	0	0	0	0	0	0.44	0	0	11.4	0.1	1.2
2022	1	8	23	22	45	0	0	0	0	0	0	0	0.43	0	0	11.4	0.1	1.2
2022	1	8	23	32	45	0	0	0	0	0	0	0	0.43	0	0	11.2	0.1	1.2
2022	1	8	23	42	45	0	0	0	0	0	0	0	0.42	0	0	11.2	0.1	1.2
2022	1	8	23	52	45	0	0	0	0	0	0	0	0.41	0	0	11.2	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	9	0	2	45	0	0	0	0	0	0	0	0.41	0	0	11.2	0.1	1.2
2022	1	9	0	12	45	0	0	0	0	0	0	0	0.4	0	0	11.2	0.1	1.2
2022	1	9	0	22	45	0	0	0	0	0	0	0	0.38	0	0	11.2	0.1	1.2
2022	1	9	0	32	45	0	0	0	0	0	0	0	0.38	0	0	11.2	0.1	1.2
2022	1	9	0	42	45	0	0	0	0	0	0	0	0.36	0	0	11.2	0.1	1.2
2022	1	9	0	52	45	0	0	0	0	0	0	0	0.36	0	0	11.2	0.1	1.2
2022	1	9	1	2	45	0	0	0	0	0	0	0	0.35	0	0	11.2	0.1	1.2
2022	1	9	1	12	45	0	0	0	0	0	0	0	0.34	0	0	11.2	0.1	1.2
2022	1	9	1	22	45	0	0	0	0	0	0	0	0.33	0	0	11.4	0.1	1.2
2022	1	9	1	32	45	0	0	0	0	0	0	0	0.32	0	0	11.4	0.1	1.2
2022	1	9	1	42	45	0	0	0	0	0	0	0	0.31	0	0	11.4	0.1	1.2
2022	1	9	1	52	45	0	0	0	0	0	0	0	0.3	0	0	11.4	0.1	1.2
2022	1	9	2	2	45	0	0	0	0	0	0	0	0.29	0	0	11.4	0.1	1.2
2022	1	9	2	12	45	0	0	0	0	0	0	0	0.28	0	0	11.2	0.1	1.2
2022	1	9	2	22	45	0	0	0	0	0	0	0	0.28	0	0	11.2	0.1	1.2
2022	1	9	2	32	45	0	0	0	0	0	0	0	0.26	0	0	11.2	0.1	1.2
2022	1	9	2	42	45	0	0	0	0	0	0	0	0.25	0	0	11.2	0.1	1.2
2022	1	9	2	52	45	0	0	0	0	0	0	0	0.24	0	0	11.2	0.1	1.2
2022	1	9	3	2	45	0	0	0	0	0	0	0	0.24	0	0	11.2	0.1	1.1
2022	1	9	3	12	45	0	0	0	0	0	0	0	0.23	0	0	11	0.1	1.2
2022	1	9	3	22	45	0	0	0	0	0	0	0	0.22	0	0	11	0.1	1.1
2022	1	9	3	32	45	0	0	0	0	0	0	0	0.2	0	0	11	0.1	1.1
2022	1	9	3	42	45	0	0	0	0	0	0	0	0.2	0	0	11	0.1	1.1
2022	1	9	3	52	45	0	0	0	0	0	0	0	0.19	0	0	11	0.1	1.1
2022	1	9	4	2	45	0	0	0	0	0	0	0	0.18	0	0	11	0.1	1.1
2022	1	9	4	12	45	0	0	0	0	0	0	0	0.17	0	0	11.2	0.1	1.1
2022	1	9	4	22	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	9	4	32	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	9	4	42	45	0	0	0	0	0	0	0	0.15	0	0	11.4	0.1	1.1
2022	1	9	4	52	45	0	0	0	0	0	0	0	0.14	0	0	11.4	0.1	1.1
2022	1	9	5	2	45	0	0	0	0	0	0	0	0.13	0	0	11.4	0.1	1.1
2022	1	9	5	12	45	0	0	0	0	0	0	0	0.13	0	0	11.4	0.1	1.1
2022	1	9	5	22	45	0	0	0	0	0	0	0	0.12	0	0	11.4	0.1	1.1
2022	1	9	5	32	45	0	0	0	0	0	0	0	0.11	0	0	11.4	0.1	1.1
2022	1	9	5	42	45	0	0	0	0	0	0	0	0.11	0	0	11.4	0.1	1.1
2022	1	9	5	52	45	0	0	0	0	0	0	0	0.1	0	0	11.4	0.1	1.1
2022	1	9	6	2	45	0	0	0	0	0	0	0	0.1	0	0	11.4	0.1	1.1
2022	1	9	6	12	45	0	0	0	0	0	0	0	0.08	0	0	11.2	0.1	1.1
2022	1	9	6	22	45	0	0	0	0	0	0	0	0.08	0	0	11.2	0.1	1.1
2022	1	9	6	32	45	0	0	0	0	0	0	0	0.08	0	0	11.2	0.1	1.1
2022	1	9	6	42	45	0	0	0	0	0	0	0	0.07	0	0	11.2	0.1	1.1
2022	1	9	6	52	45	0	0	0	0	0	0	0	0.06	0	0	11.2	0.1	1.1
2022	1	9	7	2	45	0	0	0	0	0	0	0	0.05	0	0	11.2	0.1	1.1
2022	1	9	7	12	45	0	0	0	0	0	0	0	0.05	0	0	11.2	0.1	1.1
2022	1	9	7	22	45	0	0	0	0	0	0	0	0.04	0	0	11.2	0.1	1.1
2022	1	9	7	32	45	0	0	0	0	0	0	0	0.04	0	0	11.4	0.1	1.1
2022	1	9	7	42	45	0	0	0	0	0	0	0	0.04	0	0	11.8	0.1	1.1
2022	1	9	7	52	45	0	0	0	0	0	0	0	0.03	0	0	12	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	9	8	2	45	0	0	0	0	0	0	0	0.03	0	0	12	0.1	1.1
2022	1	9	8	12	45	0	0	0	0	0	0	0	0.03	0	0	12.2	0.1	1.1
2022	1	9	8	22	45	0	0	0	0	0	0	0	0.05	0	0	12.2	0.1	1.1
2022	1	9	8	32	45	0	0	0	0	0	0	0	0.1	0	0	12.4	0.1	1.1
2022	1	9	8	42	45	0	0	0	0	0	0	0	0.13	0	0	12.6	0.1	1.1
2022	1	9	8	52	45	0	0	0	0	0	0	0	0.15	0	0	12.6	0.1	1.1
2022	1	9	9	2	45	0	0	0	0	0	0	0	0.17	0	0	12.6	0.1	1.1
2022	1	9	9	12	45	0	0	0	0	0	0	0	0.19	0	0	12.6	0.1	1.1
2022	1	9	9	22	45	0	0	0	0	0	0	0	0.22	0	0	12.6	0.1	1.2
2022	1	9	9	32	45	0	0	0	0	0	0	0	0.24	0	0	13.2	0.1	1.2
2022	1	9	9	42	45	0	0	0	0	0	0	0	0.27	0	0	13.4	0.1	1.2
2022	1	9	9	52	45	0	0	0	0	0	0	0	0.3	0	0	13.6	0.1	1.2
2022	1	9	10	2	45	0	0	0	0	0	0	0	0.33	0	0	13.4	0.1	1.2
2022	1	9	10	12	45	0	0	0	0	0	0	0	0.35	0	0	13.6	0.1	1.2
2022	1	9	10	22	45	0	0	0	0	0	0	0	0.36	0	0	13.6	0.1	1.2
2022	1	9	10	32	45	0	0	0	0	0	0	0	0.4	0	0	13.2	0.1	1.2
2022	1	9	10	42	45	0	0	0	0	0	0	0	0.41	0	0	13.2	0.1	1.2
2022	1	9	10	52	45	0	0	0	0	0	0	0	0.45	0	0	13.4	0.1	1.2
2022	1	9	11	2	45	0	0	0	0	0	0	0	0.44	0	0	13.4	0.1	1.2
2022	1	9	11	12	45	0	0	0	0	0	0	0	0.47	0	0	13.4	0.1	1.2
2022	1	9	11	22	45	0	0	0	0	0	0	0	0.49	0	0	13.2	0.1	1.2
2022	1	9	11	32	45	0	0	0	0	0	0	0	0.51	0	0	13.2	0.1	1.2
2022	1	9	11	42	45	0	0	0	0	0	0	0	0.51	0	0	13	0.1	1.2
2022	1	9	11	52	45	0	0	0	0	0	0	0	0.53	0	0	13	0.1	1.2
2022	1	9	12	2	45	0	0	0	0	0	0	0	0.54	0	0	13.2	0.1	1.2
2022	1	9	12	12	45	0	0	0	0	0	0	0	0.55	0	0	13.4	0.1	1.2
2022	1	9	12	22	45	0	0	0	0	0	0	0	0.56	0	0	13.2	0.1	1.2
2022	1	9	12	32	45	0	0	0	0	0	0	0	0.57	0	0	13.4	0.1	1.2
2022	1	9	12	42	45	0	0	0	0	0	0	0	0.56	0	0	13.2	0.1	1.2
2022	1	9	12	52	45	0	0	0	0	0	0	0	0.57	0	0	13.8	0.1	1.2
2022	1	9	13	2	45	0	0	0	0	0	0	0	0.58	0	0	13.2	0.1	1.2
2022	1	9	13	12	45	0	0	0	0	0	0	0	0.57	0	0	13.2	0.1	1.2
2022	1	9	13	22	45	0	0	0	0	0	0	0	0.58	0	0	13.6	0.1	1.2
2022	1	9	13	32	45	0	0	0	0	0	0	0	0.58	0	0	13.2	0.1	1.2
2022	1	9	13	42	45	0	0	0	0	0	0	0	0.57	0	0	13.4	0.1	1.2
2022	1	9	13	52	45	0	0	0	0	0	0	0	0.57	0	0	13	0.1	1.2
2022	1	9	14	2	45	0	0	0	0	0	0	0	0.57	0	0	12.8	0.1	1.2
2022	1	9	14	12	45	0	0	0	0	0	0	0	0.56	0	0	12.8	0.1	1.2
2022	1	9	14	22	45	0	0	0	0	0	0	0	0.55	0	0	13	0.1	1.2
2022	1	9	14	32	45	0	0	0	0	0	0	0	0.56	0	0	13	0.1	1.2
2022	1	9	14	42	45	0	0	0	0	0	0	0	0.55	0	0	13	0.1	1.2
2022	1	9	14	52	45	0	0	0	0	0	0	0	0.49	0	0	12.6	0.1	1.2
2022	1	9	15	2	45	0	0	0	0	0	0	0	0.53	0	0	12.8	0.1	1.2
2022	1	9	15	12	45	0	0	0	0	0	0	0	0.5	0	0	13	0.1	1.2
2022	1	9	15	22	45	0	0	0	0	0	0	0	0.5	0	0	12	0.1	1.2
2022	1	9	15	32	45	0	0	0	0	0	0	0	0.47	0	0	11.6	0.1	1.1
2022	1	9	15	42	45	0	0	0	0	0	0	0	0.47	0	0	12	0.1	1.1
2022	1	9	15	52	45	0	0	0	0	0	0	0	0.48	0	0	12.2	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	9	16	2	45	0	0	0	0	0	0	0	0.48	0	0	11.4	0.1	1.1
2022	1	9	16	12	45	0	0	0	0	0	0	0	0.48	0	0	11.4	0.1	1.1
2022	1	9	16	22	45	0	0	0	0	0	0	0	0.48	0	0	11.8	0.1	1.1
2022	1	9	16	32	45	0	0	0	0	0	0	0	0.48	0	0	11.8	0.1	1.1
2022	1	9	16	42	45	0	0	0	0	0	0	0	0.48	0	0	11.2	0.1	1.1
2022	1	9	16	52	45	0	0	0	0	0	0	0	0.48	0	0	11	0.1	1.2
2022	1	9	17	2	45	0	0	0	0	0	0	0	0.48	0	0	11	0.1	1.2
2022	1	9	17	12	45	0	0	0	0	0	0	0	0.49	0	0	11.2	0.1	1.1
2022	1	9	17	22	45	0	0	0	0	0	0	0	0.49	0	0	11.6	0.1	1.1
2022	1	9	17	32	45	0	0	0	0	0	0	0	0.48	0	0	11.6	0.1	1.1
2022	1	9	17	42	45	0	0	0	0	0	0	0	0.48	0	0	11.6	0.1	1.1
2022	1	9	17	52	45	0	0	0	0	0	0	0	0.48	0	0	11.6	0.1	1.1
2022	1	9	18	2	45	0	0	0	0	0	0	0	0.48	0	0	11.6	0.1	1.1
2022	1	9	18	12	45	0	0	0	0	0	0	0	0.48	0	0	11.6	0.1	1.1
2022	1	9	18	22	45	0	0	0	0	0	0	0	0.47	0	0	11.6	0.1	1.2
2022	1	9	18	32	45	0	0	0	0	0	0	0	0.46	0	0	11.6	0.1	1.1
2022	1	9	18	42	45	0	0	0	0	0	0	0	0.46	0	0	11.6	0.1	1.1
2022	1	9	18	52	45	0	0	0	0	0	0	0	0.45	0	0	11.6	0.1	1.1
2022	1	9	19	2	45	0	0	0	0	0	0	0	0.45	0	0	11.4	0.1	1.1
2022	1	9	19	12	45	0	0	0	0	0	0	0	0.45	0	0	11.6	0.1	1.1
2022	1	9	19	22	45	0	0	0	0	0	0	0	0.43	0	0	11.4	0.1	1.1
2022	1	9	19	32	45	0	0	0	0	0	0	0	0.43	0	0	11.4	0.1	1.1
2022	1	9	19	42	45	0	0	0	0	0	0	0	0.43	0	0	11.4	0.1	1.1
2022	1	9	19	52	45	0	0	0	0	0	0	0	0.42	0	0	11.4	0.1	1.1
2022	1	9	20	2	45	0	0	0	0	0	0	0	0.41	0	0	11.4	0.1	1.1
2022	1	9	20	12	45	0	0	0	0	0	0	0	0.4	0	0	11.4	0.1	1.1
2022	1	9	20	22	45	0	0	0	0	0	0	0	0.39	0	0	11.4	0.1	1.1
2022	1	9	20	32	45	0	0	0	0	0	0	0	0.39	0	0	11.4	0.1	1.1
2022	1	9	20	42	45	0	0	0	0	0	0	0	0.38	0	0	11.4	0.1	1.1
2022	1	9	20	52	45	0	0	0	0	0	0	0	0.37	0	0	11.4	0.1	1.1
2022	1	9	21	2	45	0	0	0	0	0	0	0	0.36	0	0	11.4	0.1	1.1
2022	1	9	21	12	45	0	0	0	0	0	0	0	0.36	0	0	11.4	0.1	1.1
2022	1	9	21	22	45	0	0	0	0	0	0	0	0.35	0	0	11.4	0.1	1.1
2022	1	9	21	32	45	0	0	0	0	0	0	0	0.34	0	0	11.4	0.1	1.1
2022	1	9	21	42	45	0	0	0	0	0	0	0	0.33	0	0	11.4	0.1	1.1
2022	1	9	21	52	45	0	0	0	0	0	0	0	0.33	0	0	11.4	0.1	1.1
2022	1	9	22	2	45	0	0	0	0	0	0	0	0.31	0	0	11.4	0.1	1.1
2022	1	9	22	12	45	0	0	0	0	0	0	0	0.3	0	0	11.4	0.1	1.1
2022	1	9	22	22	45	0	0	0	0	0	0	0	0.29	0	0	11.4	0.1	1.1
2022	1	9	22	32	45	0	0	0	0	0	0	0	0.29	0	0	11.4	0.1	1.1
2022	1	9	22	42	45	0	0	0	0	0	0	0	0.28	0	0	11.4	0.1	1.1
2022	1	9	22	52	45	0	0	0	0	0	0	0	0.26	0	0	11.4	0.1	1.1
2022	1	9	23	2	45	0	0	0	0	0	0	0	0.26	0	0	11.4	0.1	1.1
2022	1	9	23	12	45	0	0	0	0	0	0	0	0.24	0	0	11.4	0.1	1.1
2022	1	9	23	22	45	0	0	0	0	0	0	0	0.23	0	0	11.4	0.1	1.1
2022	1	9	23	32	45	0	0	0	0	0	0	0	0.22	0	0	11.4	0.1	1.1
2022	1	9	23	42	45	0	0	0	0	0	0	0	0.21	0	0	11.4	0.1	1.1
2022	1	9	23	52	45	0	0	0	0	0	0	0	0.19	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	10	0	2	45	0	0	0	0	0	0	0	0.18	0	0	11.4	0.1	1.1
2022	1	10	0	12	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	10	0	22	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	10	0	32	45	0	0	0	0	0	0	0	0.15	0	0	11.4	0.1	1.1
2022	1	10	0	42	45	0	0	0	0	0	0	0	0.14	0	0	11.4	0.1	1.1
2022	1	10	0	52	45	0	0	0	0	0	0	0	0.12	0	0	11.4	0.1	1.1
2022	1	10	1	2	45	0	0	0	0	0	0	0	0.11	0	0	11.4	0.1	1.1
2022	1	10	1	12	45	0	0	0	0	0	0	0	0.1	0	0	11.4	0.1	1.1
2022	1	10	1	22	45	0	0	0	0	0	0	0	0.09	0	0	11.4	0.1	1.1
2022	1	10	1	32	45	0	0	0	0	0	0	0	0.08	0	0	11.4	0.1	1.1
2022	1	10	1	42	45	0	0	0	0	0	0	0	0.07	0	0	11.4	0.1	1.1
2022	1	10	1	52	45	0	0	0	0	0	0	0	0.06	0	0	11.4	0.1	1.1
2022	1	10	2	2	45	0	0	0	0	0	0	0	0.05	0	0	11.4	0.1	1.1
2022	1	10	2	12	45	0	0	0	0	0	0	0	0.04	0	0	11.4	0.1	1.1
2022	1	10	2	22	45	0	0	0	0	0	0	0	0.03	0	0	11.4	0.1	1.1
2022	1	10	2	32	45	0	0	0	0	0	0	0	0.02	0	0	11.4	0.1	1.1
2022	1	10	2	42	45	0	0	0	0	0	0	0	0.01	0	0	11.4	0.1	1.1
2022	1	10	2	52	45	0	0	0	0	0	0	0	0	0	0	11.4	0.1	1.1
2022	1	10	3	2	45	0	0	0	0	0	0	0	-0.01	0	0	11.4	0.1	1.1
2022	1	10	3	12	45	0	0	0	0	0	0	0	-0.02	0	0	11.4	0.1	1.1
2022	1	10	3	22	45	0	0	0	0	0	0	0	-0.03	0	0	11.4	0.1	1.1
2022	1	10	3	32	45	0	0	0	0	0	0	0	-0.04	0	0	11.4	0.1	1.1
2022	1	10	3	42	45	0	0	0	0	0	0	0	-0.04	0	0	11.4	0.1	1.1
2022	1	10	3	52	45	0	0	0	0	0	0	0	-0.05	0	0	11.4	0.1	1.1
2022	1	10	4	2	45	0	0	0	0	0	0	0	-0.06	0	0	11.4	0.1	1.1
2022	1	10	4	12	45	0	0	0	0	0	0	0	-0.06	0	0	11.4	0.1	1.1
2022	1	10	4	22	45	0	0	0	0	0	0	0	-0.07	0	0	11.4	0.1	1.1
2022	1	10	4	32	45	0	0	0	0	0	0	0	-0.08	0	0	11.4	0.1	1.1
2022	1	10	4	42	45	0	0	0	0	0	0	0	-0.08	0	0	11.4	0.1	1.1
2022	1	10	4	52	45	0	0	0	0	0	0	0	-0.08	0	0	11.4	0.1	1.1
2022	1	10	5	2	45	0	0	0	0	0	0	0	-0.09	0	0	11.4	0.1	1.1
2022	1	10	5	12	45	0	0	0	0	0	0	0	-0.1	0	0	11.4	0.1	1.1
2022	1	10	5	22	45	0	0	0	0	0	0	0	-0.1	0	0	11.4	0.1	1.1
2022	1	10	5	32	45	0	0	0	0	0	0	0	-0.11	0	0	11.4	0.1	1.1
2022	1	10	5	42	45	0	0	0	0	0	0	0	-0.11	0	0	11.2	0.1	1.1
2022	1	10	5	52	45	0	0	0	0	0	0	0	-0.11	0	0	11.2	0.1	1.1
2022	1	10	6	2	45	0	0	0	0	0	0	0	-0.12	0	0	11.2	0.1	1.1
2022	1	10	6	12	45	0	0	0	0	0	0	0	-0.12	0	0	11.2	0.1	1.1
2022	1	10	6	22	45	0	0	0	0	0	0	0	-0.12	0	0	11.2	0.1	1.1
2022	1	10	6	32	45	0	0	0	0	0	0	0	-0.13	0	0	11.2	0.1	1.1
2022	1	10	6	42	45	0	0	0	0	0	0	0	-0.13	0	0	11.2	0.1	1.1
2022	1	10	6	52	45	0	0	0	0	0	0	0	-0.14	0	0	11.2	0.1	1.1
2022	1	10	7	2	45	0	0	0	0	0	0	0	-0.14	0	0	11.2	0.1	1.1
2022	1	10	7	12	45	0	0	0	0	0	0	0	-0.14	0	0	11.2	0.1	1.1
2022	1	10	7	22	45	0	0	0	0	0	0	0	-0.13	0	0	11.4	0.1	1.1
2022	1	10	7	32	45	0	0	0	0	0	0	0	-0.13	0	0	11.4	0.1	1.1
2022	1	10	7	42	45	0	0	0	0	0	0	0	-0.13	0	0	11.4	0.1	1.1
2022	1	10	7	52	45	0	0	0	0	0	0	0	-0.12	0	0	11.6	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	10	8	2	45	0	0	0	0	0	0	0	-0.12	0	0	11.6	0.1	1.1
2022	1	10	8	12	45	0	0	0	0	0	0	0	-0.1	0	0	11.8	0.1	1.1
2022	1	10	8	22	45	0	0	0	0	0	0	0	-0.1	0	0	11.8	0.1	1.1
2022	1	10	8	32	45	0	0	0	0	0	0	0	-0.06	0	0	12	0.1	1.1
2022	1	10	8	42	45	0	0	0	0	0	0	0	-0.04	0	0	11.8	0.1	1.1
2022	1	10	8	52	45	0	0	0	0	0	0	0	-0.03	0	0	12	0.1	1.1
2022	1	10	9	2	45	0	0	0	0	0	0	0	-0.01	0	0	11.8	0.1	1.1
2022	1	10	9	12	45	0	0	0	0	0	0	0	0.02	0	0	11.4	0.1	1.1
2022	1	10	9	22	45	0	0	0	0	0	0	0	0.03	0	0	11.8	0.1	1.1
2022	1	10	9	32	45	0	0	0	0	0	0	0	0.08	0	0	11.4	0.1	1.1
2022	1	10	9	42	45	0	0	0	0	0	0	0	0.08	0	0	12.2	0.1	1.1
2022	1	10	9	52	45	0	0	0	0	0	0	0	0.13	0	0	13.4	0.1	1.1
2022	1	10	10	2	45	0	0	0	0	0	0	0	0.1	0	0	12.8	0.1	1.1
2022	1	10	10	12	45	0	0	0	0	0	0	0	0.08	0	0	12.8	0.1	1.1
2022	1	10	10	22	45	0	0	0	0	0	0	0	0.05	0	0	12.2	0.1	1.1
2022	1	10	10	32	45	0	0	0	0	0	0	0	0.11	0	0	12.6	0.1	1.1
2022	1	10	10	42	45	0	0	0	0	0	0	0	0.15	0	0	12.6	0.1	1.1
2022	1	10	10	52	45	0	0	0	0	0	0	0	0.09	0	0	12.2	0.1	1.1
2022	1	10	11	2	45	0	0	0	0	0	0	0	0.18	0	0	12	0.1	1.1
2022	1	10	11	12	45	0	0	0	0	0	0	0	0.2	0	0	12	0.1	1.1
2022	1	10	11	22	45	0	0	0	0	0	0	0	0.2	0	0	12.2	0.1	1.1
2022	1	10	11	32	45	0	0	0	0	0	0	0	0.24	0	0	11.8	0.1	1.2
2022	1	10	11	42	45	0	0	0	0	0	0	0	0.16	0	0	11.2	0.1	1.1
2022	1	10	11	52	45	0	0	0	0	0	0	0	0.15	0	0	10.8	0.1	1.1
2022	1	10	12	2	45	0	0	0	0	0	0	0	0.18	0	0	10.6	0.1	1.1
2022	1	10	12	12	45	0	0	0	0	0	0	0	0.18	0	0	10.6	0.1	1.1
2022	1	10	12	22	45	0	0	0	0	0	0	0	0.17	0	0	10.4	0.1	1.1
2022	1	10	12	32	45	0	0	0	0	0	0	0	0.25	0	0	11.4	0.1	1.1
2022	1	10	12	42	45	0	0	0	0	0	0	0	0.25	0	0	10.8	0.1	1.2
2022	1	10	12	52	45	0	0	0	0	0	0	0	0.28	0	0	12	0.1	1.2
2022	1	10	13	2	45	0	0	0	0	0	0	0	0.21	0	0	10.4	0.1	1.1
2022	1	10	13	12	45	0	0	0	0	0	0	0	0.21	0	0	10.8	0.1	1.1
2022	1	10	13	22	45	0	0	0	0	0	0	0	0.22	0	0	11	0.1	1.1
2022	1	10	13	32	45	0	0	0	0	0	0	0	0.22	0	0	12.4	0.1	1.1
2022	1	10	13	42	45	0	0	0	0	0	0	0	0.21	0	0	12.2	0.1	1.1
2022	1	10	13	52	45	0	0	0	0	0	0	0	0.21	0	0	12.2	0.1	1.1
2022	1	10	14	2	45	0	0	0	0	0	0	0	0.24	0	0	12.2	0.1	1.1
2022	1	10	14	12	45	0	0	0	0	0	0	0	0.25	0	0	12.2	0.1	1.1
2022	1	10	14	22	45	0	0	0	0	0	0	0	0.26	0	0	12.8	0.1	1.1
2022	1	10	14	32	45	0	0	0	0	0	0	0	0.28	0	0	13.4	0.1	1.1
2022	1	10	14	42	45	0	0	0	0	0	0	0	0.35	0	0	14	0.1	1.1
2022	1	10	14	52	45	0	0	0	0	0	0	0	0.3	0	0	13.6	0.1	1.1
2022	1	10	15	2	45	0	0	0	0	0	0	0	0.33	0	0	14	0.1	1.1
2022	1	10	15	12	45	0	0	0	0	0	0	0	0.29	0	0	13.8	0.1	1.1
2022	1	10	15	22	45	0	0	0	0	0	0	0	0.26	0	0	12	0.1	1.1
2022	1	10	15	32	45	0	0	0	0	0	0	0	0.24	0	0	11.8	0.1	1.1
2022	1	10	15	42	45	0	0	0	0	0	0	0	0.24	0	0	11.8	0.1	1.1
2022	1	10	15	52	45	0	0	0	0	0	0	0	0.23	0	0	11.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	10	16	2	45	0	0	0	0	0	0	0	0.24	0	0	11.8	0.1	1.1
2022	1	10	16	12	45	0	0	0	0	0	0	0	0.23	0	0	11.6	0.1	1.1
2022	1	10	16	22	45	0	0	0	0	0	0	0	0.23	0	0	11.6	0.1	1.1
2022	1	10	16	32	45	0	0	0	0	0	0	0	0.22	0	0	11.6	0.1	1.1
2022	1	10	16	42	45	0	0	0	0	0	0	0	0.22	0	0	11.6	0.1	1.1
2022	1	10	16	52	45	0	0	0	0	0	0	0	0.23	0	0	11.6	0.1	1.1
2022	1	10	17	2	45	0	0	0	0	0	0	0	0.22	0	0	11.6	0.1	1.1
2022	1	10	17	12	45	0	0	0	0	0	0	0	0.22	0	0	11.6	0.1	1.1
2022	1	10	17	22	45	0	0	0	0	0	0	0	0.23	0	0	11.6	0.1	1.1
2022	1	10	17	32	45	0	0	0	0	0	0	0	0.23	0	0	11.6	0.1	1.1
2022	1	10	17	42	45	0	0	0	0	0	0	0	0.22	0	0	11.6	0.1	1.1
2022	1	10	17	52	45	0	0	0	0	0	0	0	0.22	0	0	11.2	0.1	1.1
2022	1	10	18	2	45	0	0	0	0	0	0	0	0.23	0	0	11	0.1	1.1
2022	1	10	18	12	45	0	0	0	0	0	0	0	0.22	0	0	11	0.1	1.1
2022	1	10	18	22	45	0	0	0	0	0	0	0	0.22	0	0	11	0.1	1.1
2022	1	10	18	32	45	0	0	0	0	0	0	0	0.22	0	0	10.8	0.1	1.1
2022	1	10	18	42	45	0	0	0	0	0	0	0	0.22	0	0	11.2	0.1	1.1
2022	1	10	18	52	45	0	0	0	0	0	0	0	0.22	0	0	11.2	0.1	1.1
2022	1	10	19	2	45	0	0	0	0	0	0	0	0.22	0	0	11	0.1	1.1
2022	1	10	19	12	45	0	0	0	0	0	0	0	0.21	0	0	11	0.1	1.1
2022	1	10	19	22	45	0	0	0	0	0	0	0	0.21	0	0	11.2	0.1	1.1
2022	1	10	19	32	45	0	0	0	0	0	0	0	0.21	0	0	11.2	0.1	1.1
2022	1	10	19	42	45	0	0	0	0	0	0	0	0.2	0	0	11.2	0.1	1.1
2022	1	10	19	52	45	0	0	0	0	0	0	0	0.2	0	0	11.4	0.1	1.1
2022	1	10	20	2	45	0	0	0	0	0	0	0	0.2	0	0	11.4	0.1	1.1
2022	1	10	20	12	45	0	0	0	0	0	0	0	0.2	0	0	11.4	0.1	1.1
2022	1	10	20	22	45	0	0	0	0	0	0	0	0.19	0	0	11.4	0.1	1.1
2022	1	10	20	32	45	0	0	0	0	0	0	0	0.18	0	0	11.4	0.1	1.1
2022	1	10	20	42	45	0	0	0	0	0	0	0	0.18	0	0	11.4	0.1	1.1
2022	1	10	20	52	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	10	21	2	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	10	21	12	45	0	0	0	0	0	0	0	0.16	0	0	11.2	0.1	1.1
2022	1	10	21	22	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.1
2022	1	10	21	32	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.1
2022	1	10	21	42	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.1
2022	1	10	21	52	45	0	0	0	0	0	0	0	0.14	0	0	11.2	0.1	1.1
2022	1	10	22	2	45	0	0	0	0	0	0	0	0.13	0	0	11.2	0.1	1.1
2022	1	10	22	12	45	0	0	0	0	0	0	0	0.12	0	0	11.2	0.1	1.1
2022	1	10	22	22	45	0	0	0	0	0	0	0	0.12	0	0	11.2	0.1	1.1
2022	1	10	22	32	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	10	22	42	45	0	0	0	0	0	0	0	0.1	0	0	11.2	0.1	1.1
2022	1	10	22	52	45	0	0	0	0	0	0	0	0.09	0	0	11.2	0.1	1.1
2022	1	10	23	2	45	0	0	0	0	0	0	0	0.08	0	0	11.2	0.1	1.1
2022	1	10	23	12	45	0	0	0	0	0	0	0	0.08	0	0	11.2	0.1	1.1
2022	1	10	23	22	45	0	0	0	0	0	0	0	0.08	0	0	11.2	0.1	1.1
2022	1	10	23	32	45	0	0	0	0	0	0	0	0.06	0	0	11.2	0.1	1.1
2022	1	10	23	42	45	0	0	0	0	0	0	0	0.05	0	0	11.2	0.1	1.1
2022	1	10	23	52	45	0	0	0	0	0	0	0	0.05	0	0	11.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	11	0	2	45	0	0	0	0	0	0	0	0.04	0	0	11.2	0.1	1.1
2022	1	11	0	12	45	0	0	0	0	0	0	0	0.02	0	0	11.2	0.1	1.1
2022	1	11	0	22	45	0	0	0	0	0	0	0	0.02	0	0	11	0.1	1.1
2022	1	11	0	32	45	0	0	0	0	0	0	0	0.01	0	0	11	0.1	1.1
2022	1	11	0	42	45	0	0	0	0	0	0	0	0	0	0	11	0.1	1.1
2022	1	11	0	52	45	0	0	0	0	0	0	0	-0.01	0	0	11	0.1	1.1
2022	1	11	1	2	45	0	0	0	0	0	0	0	-0.02	0	0	11	0.1	1.1
2022	1	11	1	12	45	0	0	0	0	0	0	0	-0.03	0	0	11	0.1	1.1
2022	1	11	1	22	45	0	0	0	0	0	0	0	-0.04	0	0	11.2	0.1	1.1
2022	1	11	1	32	45	0	0	0	0	0	0	0	-0.05	0	0	11.4	0.1	1.1
2022	1	11	1	42	45	0	0	0	0	0	0	0	-0.06	0	0	11.2	0.1	1.1
2022	1	11	1	52	45	0	0	0	0	0	0	0	-0.06	0	0	11.2	0.1	1.1
2022	1	11	2	2	45	0	0	0	0	0	0	0	-0.08	0	0	11.2	0.1	1.1
2022	1	11	2	12	45	0	0	0	0	0	0	0	-0.08	0	0	11.2	0.1	1.1
2022	1	11	2	22	45	0	0	0	0	0	0	0	-0.09	0	0	11.2	0.1	1.1
2022	1	11	2	32	45	0	0	0	0	0	0	0	-0.1	0	0	11.2	0.1	1.1
2022	1	11	2	42	45	0	0	0	0	0	0	0	-0.11	0	0	11.2	0.1	1.1
2022	1	11	2	52	45	0	0	0	0	0	0	0	-0.11	0	0	11.2	0.1	1.1
2022	1	11	3	2	45	0	0	0	0	0	0	0	-0.13	0	0	11.2	0.1	1.1
2022	1	11	3	12	45	0	0	0	0	0	0	0	-0.13	0	0	11.2	0.1	1.1
2022	1	11	3	22	45	0	0	0	0	0	0	0	-0.14	0	0	11.2	0.1	1.1
2022	1	11	3	32	45	0	0	0	0	0	0	0	-0.14	0	0	11.2	0.1	1.1
2022	1	11	3	42	45	0	0	0	0	0	0	0	-0.15	0	0	11.2	0.1	1.1
2022	1	11	3	52	45	0	0	0	0	0	0	0	-0.15	0	0	11.2	0.1	1.1
2022	1	11	4	2	45	0	0	0	0	0	0	0	-0.16	0	0	11.2	0.1	1.1
2022	1	11	4	12	45	0	0	0	0	0	0	0	-0.17	0	0	11.2	0.1	1.1
2022	1	11	4	22	45	0	0	0	0	0	0	0	-0.17	0	0	11.2	0.1	1.1
2022	1	11	4	32	45	0	0	0	0	0	0	0	-0.17	0	0	11.2	0.1	1.1
2022	1	11	4	42	45	0	0	0	0	0	0	0	-0.18	0	0	11	0.1	1.1
2022	1	11	4	52	45	0	0	0	0	0	0	0	-0.18	0	0	11	0.1	1.1
2022	1	11	5	2	45	0	0	0	0	0	0	0	-0.18	0	0	11	0.1	1.1
2022	1	11	5	12	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.1
2022	1	11	5	22	45	0	0	0	0	0	0	0	-0.18	0	0	11	0.1	1.1
2022	1	11	5	32	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.1
2022	1	11	5	42	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.1
2022	1	11	5	52	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.1
2022	1	11	6	2	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.1
2022	1	11	6	12	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.1
2022	1	11	6	22	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.1
2022	1	11	6	32	45	0	0	0	0	0	0	0	-0.2	0	0	11	0.1	1.1
2022	1	11	6	42	45	0	0	0	0	0	0	0	-0.2	0	0	11	0.1	1.1
2022	1	11	6	52	45	0	0	0	0	0	0	0	-0.2	0	0	11	0.1	1.2
2022	1	11	7	2	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	11	7	12	45	0	0	0	0	0	0	0	-0.2	0	0	11	0.1	1.2
2022	1	11	7	22	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.2
2022	1	11	7	32	45	0	0	0	0	0	0	0	-0.19	0	0	11.2	0.1	1.2
2022	1	11	7	42	45	0	0	0	0	0	0	0	-0.19	0	0	11.4	0.1	1.2
2022	1	11	7	52	45	0	0	0	0	0	0	0	-0.18	0	0	11.8	0.1	1.2



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	11	8	2	45	0	0	0	0	0	0	0	-0.18	0	0	12	0.1	1.2
2022	1	11	8	12	45	0	0	0	0	0	0	0	-0.17	0	0	12	0.1	1.2
2022	1	11	8	22	45	0	0	0	0	0	0	0	-0.15	0	0	12.2	0.1	1.2
2022	1	11	8	32	45	0	0	0	0	0	0	0	-0.1	0	0	12.2	0.1	1.2
2022	1	11	8	42	45	0	0	0	0	0	0	0	-0.07	0	0	12.6	0.1	1.2
2022	1	11	8	52	45	0	0	0	0	0	0	0	-0.04	0	0	12.6	0.1	1.2
2022	1	11	9	2	45	0	0	0	0	0	0	0	-0.01	0	0	12.6	0.1	1.2
2022	1	11	9	12	45	0	0	0	0	0	0	0	0.01	0	0	10.8	0.1	1.2
2022	1	11	9	22	45	0	0	0	0	0	0	0	0.05	0	0	10.8	0.1	1.2
2022	1	11	9	32	45	0	0	0	0	0	0	0	0.07	0	0	12	0.1	1.2
2022	1	11	9	42	45	0	0	0	0	0	0	0	0.08	0	0	12.8	0.1	1.2
2022	1	11	9	52	45	0	0	0	0	0	0	0	0.11	0	0	13	0.1	1.2
2022	1	11	10	2	45	0	0	0	0	0	0	0	0.12	0	0	12.2	0.1	1.2
2022	1	11	10	12	45	0	0	0	0	0	0	0	0.15	0	0	12.8	0.1	1.2
2022	1	11	10	22	45	0	0	0	0	0	0	0	0.17	0	0	13.2	0.1	1.2
2022	1	11	10	32	45	0	0	0	0	0	0	0	0.17	0	0	13.4	0.1	1.2
2022	1	11	10	42	45	0	0	0	0	0	0	0	0.2	0	0	13.4	0.1	1.2
2022	1	11	10	52	45	0	0	0	0	0	0	0	0.22	0	0	13.4	0.1	1.2
2022	1	11	11	2	45	0	0	0	0	0	0	0	0.23	0	0	13.2	0.1	1.2
2022	1	11	11	12	45	0	0	0	0	0	0	0	0.24	0	0	13.2	0.1	1.2
2022	1	11	11	22	45	0	0	0	0	0	0	0	0.27	0	0	13.4	0.1	1.2
2022	1	11	11	32	45	0	0	0	0	0	0	0	0.27	0	0	13.2	0.1	1.2
2022	1	11	11	42	45	0	0	0	0	0	0	0	0.3	0	0	13.2	0.1	1.2
2022	1	11	11	52	45	0	0	0	0	0	0	0	0.3	0	0	13.4	0.1	1.2
2022	1	11	12	2	45	0	0	0	0	0	0	0	0.3	0	0	13	0.1	1.2
2022	1	11	12	12	45	0	0	0	0	0	0	0	0.31	0	0	12.8	0.1	1.2
2022	1	11	12	22	45	0	0	0	0	0	0	0	0.3	0	0	13	0.1	1.2
2022	1	11	12	32	45	0	0	0	0	0	0	0	0.29	0	0	12.8	0.1	1.2
2022	1	11	12	42	45	0	0	0	0	0	0	0	0.3	0	0	12.6	0.1	1.2
2022	1	11	12	52	45	0	0	0	0	0	0	0	0.3	0	0	12.6	0.1	1.2
2022	1	11	13	2	45	0	0	0	0	0	0	0	0.31	0	0	13	0.1	1.2
2022	1	11	13	12	45	0	0	0	0	0	0	0	0.3	0	0	12.8	0.1	1.2
2022	1	11	13	22	45	0	0	0	0	0	0	0	0.3	0	0	13.2	0.1	1.2
2022	1	11	13	32	45	0	0	0	0	0	0	0	0.29	0	0	13.2	0.1	1.2
2022	1	11	13	42	45	0	0	0	0	0	0	0	0.29	0	0	13	0.1	1.2
2022	1	11	13	52	45	0	0	0	0	0	0	0	0.27	0	0	13	0.1	1.2
2022	1	11	14	2	45	0	0	0	0	0	0	0	0.26	0	0	13	0.1	1.2
2022	1	11	14	12	45	0	0	0	0	0	0	0	0.25	0	0	12.8	0.1	1.2
2022	1	11	14	22	45	0	0	0	0	0	0	0	0.25	0	0	12.6	0.1	1.2
2022	1	11	14	32	45	0	0	0	0	0	0	0	0.23	0	0	12.4	0.1	1.2
2022	1	11	14	42	45	0	0	0	0	0	0	0	0.22	0	0	12.6	0.1	1.2
2022	1	11	14	52	45	0	0	0	0	0	0	0	0.16	0	0	12.6	0.1	1.2
2022	1	11	15	2	45	0	0	0	0	0	0	0	0.18	0	0	12.6	0.1	1.2
2022	1	11	15	12	45	0	0	0	0	0	0	0	0.14	0	0	11.4	0.1	1.2
2022	1	11	15	22	45	0	0	0	0	0	0	0	0.16	0	0	11	0.1	1.2
2022	1	11	15	32	45	0	0	0	0	0	0	0	0.1	0	0	12.2	0.1	1.2
2022	1	11	15	42	45	0	0	0	0	0	0	0	0.09	0	0	12.2	0.1	1.2
2022	1	11	15	52	45	0	0	0	0	0	0	0	0.09	0	0	12.2	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	11	16	2	45	0	0	0	0	0	0	0	0.09	0	0	12	0.1	1.2
2022	1	11	16	12	45	0	0	0	0	0	0	0	0.09	0	0	11.8	0.1	1.2
2022	1	11	16	22	45	0	0	0	0	0	0	0	0.08	0	0	11.8	0.1	1.2
2022	1	11	16	32	45	0	0	0	0	0	0	0	0.08	0	0	11.8	0.1	1.2
2022	1	11	16	42	45	0	0	0	0	0	0	0	0.08	0	0	11.8	0.1	1.2
2022	1	11	16	52	45	0	0	0	0	0	0	0	0.08	0	0	11.8	0.1	1.2
2022	1	11	17	2	45	0	0	0	0	0	0	0	0.08	0	0	11.6	0.1	1.2
2022	1	11	17	12	45	0	0	0	0	0	0	0	0.07	0	0	11.6	0.1	1.2
2022	1	11	17	22	45	0	0	0	0	0	0	0	0.08	0	0	10.6	0.1	1.1
2022	1	11	17	32	45	0	0	0	0	0	0	0	0.08	0	0	10.8	0.1	1.2
2022	1	11	17	42	45	0	0	0	0	0	0	0	0.07	0	0	10.8	0.1	1.2
2022	1	11	17	52	45	0	0	0	0	0	0	0	0.07	0	0	10.8	0.1	1.2
2022	1	11	18	2	45	0	0	0	0	0	0	0	0.06	0	0	11	0.1	1.1
2022	1	11	18	12	45	0	0	0	0	0	0	0	0.06	0	0	11.2	0.1	1.2
2022	1	11	18	22	45	0	0	0	0	0	0	0	0.06	0	0	10.8	0.1	1.1
2022	1	11	18	32	45	0	0	0	0	0	0	0	0.05	0	0	11.2	0.1	1.1
2022	1	11	18	42	45	0	0	0	0	0	0	0	0.06	0	0	11	0.1	1.2
2022	1	11	18	52	45	0	0	0	0	0	0	0	0.05	0	0	11.2	0.1	1.2
2022	1	11	19	2	45	0	0	0	0	0	0	0	0.05	0	0	11.4	0.1	1.2
2022	1	11	19	12	45	0	0	0	0	0	0	0	0.05	0	0	11.4	0.1	1.2
2022	1	11	19	22	45	0	0	0	0	0	0	0	0.04	0	0	11.2	0.1	1.1
2022	1	11	19	32	45	0	0	0	0	0	0	0	0.04	0	0	11	0.1	1.2
2022	1	11	19	42	45	0	0	0	0	0	0	0	0.03	0	0	10.6	0.1	1.1
2022	1	11	19	52	45	0	0	0	0	0	0	0	0.03	0	0	10.6	0.1	1.1
2022	1	11	20	2	45	0	0	0	0	0	0	0	0.03	0	0	10.6	0.1	1.2
2022	1	11	20	12	45	0	0	0	0	0	0	0	0.03	0	0	10.6	0.1	1.1
2022	1	11	20	22	45	0	0	0	0	0	0	0	0.02	0	0	10.6	0.1	1.2
2022	1	11	20	32	45	0	0	0	0	0	0	0	0.02	0	0	10.6	0.1	1.1
2022	1	11	20	42	45	0	0	0	0	0	0	0	0.01	0	0	10.6	0.1	1.2
2022	1	11	20	52	45	0	0	0	0	0	0	0	0.01	0	0	10.6	0.1	1.1
2022	1	11	21	2	45	0	0	0	0	0	0	0	0.01	0	0	10.6	0.1	1.1
2022	1	11	21	12	45	0	0	0	0	0	0	0	0.01	0	0	10.6	0.1	1.1
2022	1	11	21	22	45	0	0	0	0	0	0	0	0	0	0	10.6	0.1	1.2
2022	1	11	21	32	45	0	0	0	0	0	0	0	0	0	0	10.6	0.1	1.1
2022	1	11	21	42	45	0	0	0	0	0	0	0	0	0	0	10.6	0.1	1.1
2022	1	11	21	52	45	0	0	0	0	0	0	0	0	0	0	10.6	0.1	1.1
2022	1	11	22	2	45	0	0	0	0	0	0	0	-0.01	0	0	11	0.1	1.1
2022	1	11	22	12	45	0	0	0	0	0	0	0	-0.01	0	0	10.8	0.1	1.1
2022	1	11	22	22	45	0	0	0	0	0	0	0	-0.01	0	0	10.4	0.1	1.1
2022	1	11	22	32	45	0	0	0	0	0	0	0	-0.02	0	0	10.6	0.1	1.1
2022	1	11	22	42	45	0	0	0	0	0	0	0	-0.02	0	0	10.4	0.1	1.1
2022	1	11	22	52	45	0	0	0	0	0	0	0	-0.02	0	0	10.4	0.1	1.1
2022	1	11	23	2	45	0	0	0	0	0	0	0	-0.02	0	0	10.4	0.1	1.1
2022	1	11	23	12	45	0	0	0	0	0	0	0	-0.03	0	0	10.6	0.1	1.1
2022	1	11	23	22	45	0	0	0	0	0	0	0	-0.03	0	0	10.8	0.1	1.1
2022	1	11	23	32	45	0	0	0	0	0	0	0	-0.04	0	0	10.6	0.1	1.1
2022	1	11	23	42	45	0	0	0	0	0	0	0	-0.04	0	0	10.6	0.1	1.1
2022	1	11	23	52	45	0	0	0	0	0	0	0	-0.04	0	0	10.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	12	0	2	45	0	0	0	0	0	0	0	-0.05	0	0	10.4	0.1	1.1
2022	1	12	0	12	45	0	0	0	0	0	0	0	-0.05	0	0	10.4	0.1	1.1
2022	1	12	0	22	45	0	0	0	0	0	0	0	-0.06	0	0	10.4	0.1	1.1
2022	1	12	0	32	45	0	0	0	0	0	0	0	-0.06	0	0	10.4	0.1	1.1
2022	1	12	0	42	45	0	0	0	0	0	0	0	-0.07	0	0	10.4	0.1	1.1
2022	1	12	0	52	45	0	0	0	0	0	0	0	-0.07	0	0	10.4	0.1	1.1
2022	1	12	1	2	45	0	0	0	0	0	0	0	-0.08	0	0	10.2	0.1	1.1
2022	1	12	1	12	45	0	0	0	0	0	0	0	-0.08	0	0	10.2	0.1	1.1
2022	1	12	1	22	45	0	0	0	0	0	0	0	-0.09	0	0	10.2	0.1	1.1
2022	1	12	1	32	45	0	0	0	0	0	0	0	-0.09	0	0	10.2	0.1	1.1
2022	1	12	1	42	45	0	0	0	0	0	0	0	-0.1	0	0	10.2	0.1	1.1
2022	1	12	1	52	45	0	0	0	0	0	0	0	-0.11	0	0	10.2	0.1	1.1
2022	1	12	2	2	45	0	0	0	0	0	0	0	-0.11	0	0	10.2	0.1	1.1
2022	1	12	2	12	45	0	0	0	0	0	0	0	-0.11	0	0	10.4	0.1	1.1
2022	1	12	2	22	45	0	0	0	0	0	0	0	-0.12	0	0	10.2	0.1	1.1
2022	1	12	2	32	45	0	0	0	0	0	0	0	-0.13	0	0	10.4	0.1	1.1
2022	1	12	2	42	45	0	0	0	0	0	0	0	-0.13	0	0	10.4	0.1	1.1
2022	1	12	2	52	45	0	0	0	0	0	0	0	-0.14	0	0	10.4	0.1	1.1
2022	1	12	3	2	45	0	0	0	0	0	0	0	-0.14	0	0	10.2	0.1	1.1
2022	1	12	3	12	45	0	0	0	0	0	0	0	-0.15	0	0	10.2	0.1	1.1
2022	1	12	3	22	45	0	0	0	0	0	0	0	-0.15	0	0	10.4	0.1	1.1
2022	1	12	3	32	45	0	0	0	0	0	0	0	-0.15	0	0	10.4	0.1	1.1
2022	1	12	3	42	45	0	0	0	0	0	0	0	-0.16	0	0	10.4	0.1	1.1
2022	1	12	3	52	45	0	0	0	0	0	0	0	-0.16	0	0	10.4	0.1	1.1
2022	1	12	4	2	45	0	0	0	0	0	0	0	-0.17	0	0	10.4	0.1	1.1
2022	1	12	4	12	45	0	0	0	0	0	0	0	-0.16	0	0	10.4	0.1	1.1
2022	1	12	4	22	45	0	0	0	0	0	0	0	-0.17	0	0	10.4	0.1	1.1
2022	1	12	4	32	45	0	0	0	0	0	0	0	-0.17	0	0	10.4	0.1	1.1
2022	1	12	4	42	45	0	0	0	0	0	0	0	-0.17	0	0	10.4	0.1	1.1
2022	1	12	4	52	45	0	0	0	0	0	0	0	-0.17	0	0	10.2	0.1	1.1
2022	1	12	5	2	45	0	0	0	0	0	0	0	-0.17	0	0	10.4	0.1	1.1
2022	1	12	5	12	45	0	0	0	0	0	0	0	-0.18	0	0	10.4	0.1	1.1
2022	1	12	5	22	45	0	0	0	0	0	0	0	-0.18	0	0	10.4	0.1	1.1
2022	1	12	5	32	45	0	0	0	0	0	0	0	-0.18	0	0	10.2	0.1	1.1
2022	1	12	5	42	45	0	0	0	0	0	0	0	-0.18	0	0	10.6	0.1	1.1
2022	1	12	5	52	45	0	0	0	0	0	0	0	-0.19	0	0	10.6	0.1	1.1
2022	1	12	6	2	45	0	0	0	0	0	0	0	-0.19	0	0	10.8	0.1	1.1
2022	1	12	6	12	45	0	0	0	0	0	0	0	-0.18	0	0	11	0.1	1.1
2022	1	12	6	22	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.1
2022	1	12	6	32	45	0	0	0	0	0	0	0	-0.19	0	0	11	0.1	1.1
2022	1	12	6	42	45	0	0	0	0	0	0	0	-0.19	0	0	10.8	0.1	1.1
2022	1	12	6	52	45	0	0	0	0	0	0	0	-0.19	0	0	10.8	0.1	1.1
2022	1	12	7	2	45	0	0	0	0	0	0	0	-0.18	0	0	10.6	0.1	1.1
2022	1	12	7	12	45	0	0	0	0	0	0	0	-0.19	0	0	10.6	0.1	1.1
2022	1	12	7	22	45	0	0	0	0	0	0	0	-0.18	0	0	10.6	0.1	1.1
2022	1	12	7	32	45	0	0	0	0	0	0	0	-0.18	0	0	10.6	0.1	1.1
2022	1	12	7	42	45	0	0	0	0	0	0	0	-0.18	0	0	10.8	0.1	1.1
2022	1	12	7	52	45	0	0	0	0	0	0	0	-0.18	0	0	11.4	0.1	1.2

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	12	8	2	45	0	0	0	0	0	0	0	-0.17	0	0	11.8	0.1	1.2
2022	1	12	8	12	45	0	0	0	0	0	0	0	-0.16	0	0	12	0.1	1.2
2022	1	12	8	22	45	0	0	0	0	0	0	0	-0.14	0	0	12	0.1	1.2
2022	1	12	8	32	45	0	0	0	0	0	0	0	-0.09	0	0	12.2	0.1	1.2
2022	1	12	8	42	45	0	0	0	0	0	0	0	-0.05	0	0	11.2	0.1	1.2
2022	1	12	8	52	45	0	0	0	0	0	0	0	-0.03	0	0	12.4	0.1	1.2
2022	1	12	9	2	45	0	0	0	0	0	0	0	0	0	0	12.2	0.1	1.2
2022	1	12	9	12	45	0	0	0	0	0	0	0	0.03	0	0	12	0.1	1.2
2022	1	12	9	22	45	0	0	0	0	0	0	0	0.05	0	0	12	0.1	1.2
2022	1	12	9	32	45	0	0	0	0	0	0	0	0.07	0	0	11.6	0.1	1.2
2022	1	12	9	42	45	0	0	0	0	0	0	0	0.1	0	0	11.6	0.1	1.2
2022	1	12	9	52	45	0	0	0	0	0	0	0	0.12	0	0	11.8	0.1	1.2
2022	1	12	10	2	45	0	0	0	0	0	0	0	0.15	0	0	12.2	0.1	1.2
2022	1	12	10	12	45	0	0	0	0	0	0	0	0.17	0	0	12.4	0.1	1.2
2022	1	12	10	22	45	0	0	0	0	0	0	0	0.21	0	0	12.8	0.1	1.2
2022	1	12	10	32	45	0	0	0	0	0	0	0	0.21	0	0	12.8	0.1	1.2
2022	1	12	10	42	45	0	0	0	0	0	0	0	0.25	0	0	13.4	0.1	1.2
2022	1	12	10	52	45	0	0	0	0	0	0	0	0.26	0	0	13.6	0.1	1.2
2022	1	12	11	2	45	0	0	0	0	0	0	0	0.28	0	0	13.6	0.1	1.2
2022	1	12	11	12	45	0	0	0	0	0	0	0	0.29	0	0	12.8	0.1	1.2
2022	1	12	11	22	45	0	0	0	0	0	0	0	0.3	0	0	12.8	0.1	1.2
2022	1	12	11	32	45	0	0	0	0	0	0	0	0.32	0	0	13	0.1	1.2
2022	1	12	11	42	45	0	0	0	0	0	0	0	0.32	0	0	13.4	0.1	1.2
2022	1	12	11	52	45	0	0	0	0	0	0	0	0.33	0	0	13.4	0.1	1.2
2022	1	12	12	2	45	0	0	0	0	0	0	0	0.34	0	0	13.2	0.1	1.2
2022	1	12	12	12	45	0	0	0	0	0	0	0	0.36	0	0	12.8	0.1	1.2
2022	1	12	12	22	45	0	0	0	0	0	0	0	0.36	0	0	13	0.1	1.2
2022	1	12	12	32	45	0	0	0	0	0	0	0	0.36	0	0	12.4	0.1	1.2
2022	1	12	12	42	45	0	0	0	0	0	0	0	0.37	0	0	12.6	0.1	1.2
2022	1	12	12	52	45	0	0	0	0	0	0	0	0.37	0	0	12.8	0.1	1.2
2022	1	12	13	2	45	0	0	0	0	0	0	0	0.37	0	0	12.4	0.1	1.2
2022	1	12	13	12	45	0	0	0	0	0	0	0	0.37	0	0	12.4	0.1	1.2
2022	1	12	13	22	45	0	0	0	0	0	0	0	0.39	0	0	12.6	0.1	1.2
2022	1	12	13	32	45	0	0	0	0	0	0	0	0.37	0	0	12.6	0.1	1.2
2022	1	12	13	42	45	0	0	0	0	0	0	0	0.36	0	0	13	0.1	1.2
2022	1	12	13	52	45	0	0	0	0	0	0	0	0.37	0	0	13	0.1	1.2
2022	1	12	14	2	45	0	0	0	0	0	0	0	0.3	0	0	13	0.1	1.2
2022	1	12	14	12	45	0	0	0	0	0	0	0	0.33	0	0	13	0.1	1.2
2022	1	12	14	22	45	0	0	0	0	0	0	0	0.31	0	0	13.2	0.1	1.2
2022	1	12	14	32	45	0	0	0	0	0	0	0	0.25	0	0	11.8	0.1	1.2
2022	1	12	14	42	45	0	0	0	0	0	0	0	0.25	0	0	11.8	0.1	1.2
2022	1	12	14	52	45	0	0	0	0	0	0	0	0.27	0	0	12.2	0.1	1.1
2022	1	12	15	2	45	0	0	0	0	0	0	0	0.23	0	0	11.6	0.1	1.1
2022	1	12	15	12	45	0	0	0	0	0	0	0	0.22	0	0	11.6	0.1	1.1
2022	1	12	15	22	45	0	0	0	0	0	0	0	0.23	0	0	11.6	0.1	1.1
2022	1	12	15	32	45	0	0	0	0	0	0	0	0.22	0	0	11.4	0.1	1.1
2022	1	12	15	42	45	0	0	0	0	0	0	0	0.22	0	0	11.4	0.1	1.1
2022	1	12	15	52	45	0	0	0	0	0	0	0	0.21	0	0	11.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	12	16	2	45	0	0	0	0	0	0	0	0.22	0	0	11	0.1	1.1
2022	1	12	16	12	45	0	0	0	0	0	0	0	0.22	0	0	11	0.1	1.1
2022	1	12	16	22	45	0	0	0	0	0	0	0	0.21	0	0	10.8	0.1	1.1
2022	1	12	16	32	45	0	0	0	0	0	0	0	0.21	0	0	10.6	0.1	1.1
2022	1	12	16	42	45	0	0	0	0	0	0	0	0.21	0	0	10.6	0.1	1.1
2022	1	12	16	52	45	0	0	0	0	0	0	0	0.2	0	0	11	0.1	1.1
2022	1	12	17	2	45	0	0	0	0	0	0	0	0.2	0	0	11	0.1	1.1
2022	1	12	17	12	45	0	0	0	0	0	0	0	0.2	0	0	11	0.1	1.1
2022	1	12	17	22	45	0	0	0	0	0	0	0	0.19	0	0	11	0.1	1.1
2022	1	12	17	32	45	0	0	0	0	0	0	0	0.2	0	0	10.8	0.1	1.1
2022	1	12	17	42	45	0	0	0	0	0	0	0	0.2	0	0	10.8	0.1	1.1
2022	1	12	17	52	45	0	0	0	0	0	0	0	0.2	0	0	10.8	0.1	1.1
2022	1	12	18	2	45	0	0	0	0	0	0	0	0.19	0	0	11	0.1	1.1
2022	1	12	18	12	45	0	0	0	0	0	0	0	0.19	0	0	11	0.1	1.1
2022	1	12	18	22	45	0	0	0	0	0	0	0	0.19	0	0	11	0.1	1.1
2022	1	12	18	32	45	0	0	0	0	0	0	0	0.19	0	0	10.8	0.1	1.1
2022	1	12	18	42	45	0	0	0	0	0	0	0	0.19	0	0	11.2	0.1	1.1
2022	1	12	18	52	45	0	0	0	0	0	0	0	0.18	0	0	11.4	0.1	1.1
2022	1	12	19	2	45	0	0	0	0	0	0	0	0.18	0	0	11.6	0.1	1.1
2022	1	12	19	12	45	0	0	0	0	0	0	0	0.18	0	0	11.6	0.1	1.1
2022	1	12	19	22	45	0	0	0	0	0	0	0	0.18	0	0	11.6	0.1	1.1
2022	1	12	19	32	45	0	0	0	0	0	0	0	0.18	0	0	11.6	0.1	1.1
2022	1	12	19	42	45	0	0	0	0	0	0	0	0.18	0	0	11.4	0.1	1.1
2022	1	12	19	52	45	0	0	0	0	0	0	0	0.18	0	0	11.4	0.1	1.1
2022	1	12	20	2	45	0	0	0	0	0	0	0	0.18	0	0	11.4	0.1	1.1
2022	1	12	20	12	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	12	20	22	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	12	20	32	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	12	20	42	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	12	20	52	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	12	21	2	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	12	21	12	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	12	21	22	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	12	21	32	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	12	21	42	45	0	0	0	0	0	0	0	0.17	0	0	11.4	0.1	1.1
2022	1	12	21	52	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	12	22	2	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	12	22	12	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	12	22	22	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	12	22	32	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	12	22	42	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	12	22	52	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	12	23	2	45	0	0	0	0	0	0	0	0.16	0	0	11.4	0.1	1.1
2022	1	12	23	12	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.1
2022	1	12	23	22	45	0	0	0	0	0	0	0	0.15	0	0	11.4	0.1	1.1
2022	1	12	23	32	45	0	0	0	0	0	0	0	0.15	0	0	11.4	0.1	1.1
2022	1	12	23	42	45	0	0	0	0	0	0	0	0.15	0	0	11.4	0.1	1.1
2022	1	12	23	52	45	0	0	0	0	0	0	0	0.15	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	13	0	2	45	0	0	0	0	0	0	0	0.15	0	0	11.4	0.1	1.1
2022	1	13	0	12	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.1
2022	1	13	0	22	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.1
2022	1	13	0	32	45	0	0	0	0	0	0	0	0.14	0	0	11.2	0.1	1.1
2022	1	13	0	42	45	0	0	0	0	0	0	0	0.14	0	0	11.2	0.1	1.1
2022	1	13	0	52	45	0	0	0	0	0	0	0	0.14	0	0	11.2	0.1	1.1
2022	1	13	1	2	45	0	0	0	0	0	0	0	0.14	0	0	11.2	0.1	1.1
2022	1	13	1	12	45	0	0	0	0	0	0	0	0.13	0	0	11.2	0.1	1.1
2022	1	13	1	22	45	0	0	0	0	0	0	0	0.13	0	0	11.2	0.1	1.1
2022	1	13	1	32	45	0	0	0	0	0	0	0	0.13	0	0	11.2	0.1	1.1
2022	1	13	1	42	45	0	0	0	0	0	0	0	0.12	0	0	11.2	0.1	1.1
2022	1	13	1	52	45	0	0	0	0	0	0	0	0.13	0	0	11.2	0.1	1.1
2022	1	13	2	2	45	0	0	0	0	0	0	0	0.12	0	0	11.2	0.1	1.1
2022	1	13	2	12	45	0	0	0	0	0	0	0	0.12	0	0	11.2	0.1	1.1
2022	1	13	2	22	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	2	32	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	2	42	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	2	52	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	3	2	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	3	12	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	3	22	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	3	32	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	3	42	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	3	52	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	4	2	45	0	0	0	0	0	0	0	0.1	0	0	11.2	0.1	1.1
2022	1	13	4	12	45	0	0	0	0	0	0	0	0.1	0	0	11.2	0.1	1.1
2022	1	13	4	22	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	4	32	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	4	42	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	4	52	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	5	2	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	5	12	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	5	22	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	5	32	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	5	42	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	5	52	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	6	2	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	6	12	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	6	22	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	6	32	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	6	42	45	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	13	6	52	45	0	0	0	0	0	0	0	0.12	0	0	11.2	0.1	1.1
2022	1	13	7	2	45	0	0	0	0	0	0	0	0.12	0	0	11.2	0.1	1.1
2022	1	13	7	12	45	0	0	0	0	0	0	0	0.13	0	0	11.2	0.1	1.1
2022	1	13	7	22	45	0	0	0	0	0	0	0	0.13	0	0	11.2	0.1	1.1
2022	1	13	7	32	45	0	0	0	0	0	0	0	0.13	0	0	11.2	0.1	1.1
2022	1	13	7	42	45	0	0	0	0	0	0	0	0.14	0	0	11.2	0.1	1.1
2022	1	13	7	52	45	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	13	8	2	45	0	0	0	0	0	0	0	0.16	0	0	11.2	0.1	1.1
2022	1	13	8	12	45	0	0	0	0	0	0	0	0.17	0	0	11.2	0.1	1.1
2022	1	13	8	22	45	0	0	0	0	0	0	0	0.19	0	0	11.2	0.1	1.1
2022	1	13	8	32	45	0	0	0	0	0	0	0	0.2	0	0	11.2	0.1	1.1
2022	1	13	8	42	45	0	0	0	0	0	0	0	0.21	0	0	11.2	0.1	1.1
2022	1	13	8	52	45	0	0	0	0	0	0	0	0.23	0	0	11.4	0.1	1.1
2022	1	13	9	2	45	0	0	0	0	0	0	0	0.25	0	0	11.4	0.1	1.1
2022	1	13	9	12	45	0	0	0	0	0	0	0	0.26	0	0	11.4	0.1	1.1
2022	1	13	9	22	45	0	0	0	0	0	0	0	0.26	0	0	11.4	0.1	1.1
2022	1	13	9	32	45	0	0	0	0	0	0	0	0.28	0	0	11.4	0.1	1.1
2022	1	13	9	42	45	0	0	0	0	0	0	0	0.31	0	0	11.4	0.1	1.1
2022	1	13	9	52	45	0	0	0	0	0	0	0	0.31	0	0	11.4	0.1	1.1
2022	1	13	10	2	45	0	0	0	0	0	0	0	0.32	0	0	11.6	0.1	1.1
2022	1	13	10	12	45	0	0	0	0	0	0	0	0.35	0	0	11.6	0.1	1.1
2022	1	13	10	22	45	0	0	0	0	0	0	0	0.36	0	0	11.6	0.1	1.1
2022	1	13	10	32	45	0	0	0	0	0	0	0	0.37	0	0	11.8	0.1	1.1
2022	1	13	10	42	45	0	0	0	0	0	0	0	0.41	0	0	11.8	0.1	1.1
2022	1	13	10	52	45	0	0	0	0	0	0	0	0.44	0	0	12	0.1	1.1
2022	1	13	11	2	45	0	0	0	0	0	0	0	0.47	0	0	12	0.1	1.1
2022	1	13	11	12	45	0	0	0	0	0	0	0	0.48	0	0	12	0.1	1.1
2022	1	13	11	22	45	0	0	0	0	0	0	0	0.49	0	0	12	0.1	1.1
2022	1	13	11	32	45	0	0	0	0	0	0	0	0.58	0	0	12.2	0.1	1.1
2022	1	13	11	42	45	0	0	0	0	0	0	0	0.51	0	0	12	0.1	1.1
2022	1	13	11	52	45	0	0	0	0	0	0	0	0.48	0	0	11.8	0.1	1.1
2022	1	13	12	2	45	0	0	0	0	0	0	0	0.48	0	0	11.8	0.1	1.1
2022	1	13	12	12	45	0	0	0	0	0	0	0	0.49	0	0	11.8	0.1	1.1
2022	1	13	12	22	45	0	0	0	0	0	0	0	0.48	0	0	11.6	0.1	1.1
2022	1	13	12	32	45	0	0	0	0	0	0	0	0.47	0	0	11.6	0.1	1.1
2022	1	13	12	42	45	0	0	0	0	0	0	0	0.48	0	0	11.6	0.1	1.1
2022	1	13	12	52	45	0	0	0	0	0	0	0	0.49	0	0	11.6	0.1	1.1
2022	1	13	13	2	45	0	0	0	0	0	0	0	0.5	0	0	11.6	0.1	1.1
2022	1	13	13	12	45	0	0	0	0	0	0	0	0.51	0	0	11.6	0.1	1.1
2022	1	13	13	22	45	0	0	0	0	0	0	0	0.51	0	0	11.6	0.1	1.1
2022	1	13	13	32	45	0	0	0	0	0	0	0	0.52	0	0	11.6	0.1	1.1
2022	1	13	13	42	45	0	0	0	0	0	0	0	0.53	0	0	11.6	0.1	1.1
2022	1	13	13	52	45	0	0	0	0	0	0	0	0.56	0	0	11.6	0.1	1.1
2022	1	13	14	2	45	0	0	0	0	0	0	0	0.63	0	0	11.8	0.1	1.1
2022	1	13	14	12	45	0	0	0	0	0	0	0	0.62	0	0	11.8	0.1	1.1
2022	1	13	14	22	45	0	0	0	0	0	0	0	0.59	0	0	11.6	0.1	1.1
2022	1	13	14	32	45	0	0	0	0	0	0	0	0.63	0	0	11.8	0.1	1.1
2022	1	13	14	42	45	0	0	0	0	0	0	0	0.65	0	0	11.6	0.1	1.1
2022	1	13	14	52	45	0	0	0	0	0	0	0	0.62	0	0	11.6	0.1	1.1
2022	1	13	15	2	45	0	0	0	0	0	0	0	0.61	0	0	11.6	0.1	1.1
2022	1	13	15	12	45	0	0	0	0	0	0	0	0.6	0	0	11.4	0.1	1.1
2022	1	13	15	22	45	0	0	0	0	0	0	0	0.61	0	0	11.4	0.1	1.1
2022	1	13	15	32	45	0	0	0	0	0	0	0	0.6	0	0	11.4	0.1	1.1
2022	1	13	15	42	45	0	0	0	0	0	0	0	0.6	0	0	11.4	0.1	1.1
2022	1	13	15	52	45	0	0	0	0	0	0	0	0.59	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	13	16	2	45	0	0	0	0	0	0	0	0.59	0	0	11.2	0.1	1.1
2022	1	13	16	12	45	0	0	0	0	0	0	0	0.6	0	0	11.2	0.1	1.1
2022	1	13	16	22	45	0	0	0	0	0	0	0	0.6	0	0	11.2	0.1	1.1
2022	1	13	16	32	45	0	0	0	0	0	0	0	0.6	0	0	11.2	0.1	1.1
2022	1	13	16	42	45	0	0	0	0	0	0	0	0.6	0	0	11.2	0.1	1.1
2022	1	13	16	52	45	0	0	0	0	0	0	0	0.6	0	0	11.2	0.1	1.1
2022	1	13	17	2	45	0	0	0	0	0	0	0	0.59	0	0	11.2	0.1	1.1
2022	1	13	17	12	45	0	0	0	0	0	0	0	0.6	0	0	11.2	0.1	1.1
2022	1	13	17	22	45	0	0	0	0	0	0	0	0.6	0	0	11.2	0.1	1.1
2022	1	13	17	32	45	0	0	0	0	0	0	0	0.6	0	0	11.2	0.1	1.1
2022	1	13	17	42	45	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	13	17	52	45	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	13	18	2	45	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	13	18	12	45	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	13	18	22	45	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	13	18	32	45	0	0	0	0	0	0	0	0.62	0	0	11	0.1	1.1
2022	1	13	18	42	45	0	0	0	0	0	0	0	0.62	0	0	11	0.1	1.1
2022	1	13	18	52	45	0	0	0	0	0	0	0	0.61	0	0	11	0.1	1.1
2022	1	13	19	2	45	0	0	0	0	0	0	0	0.61	0	0	11	0.1	1.1
2022	1	13	19	12	45	0	0	0	0	0	0	0	0.62	0	0	11	0.1	1.1
2022	1	13	19	22	45	0	0	0	0	0	0	0	0.61	0	0	11	0.1	1.1
2022	1	13	19	32	45	0	0	0	0	0	0	0	0.62	0	0	11.2	0.1	1.1
2022	1	13	19	42	45	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	13	19	52	45	0	0	0	0	0	0	0	0.62	0	0	11.2	0.1	1.1
2022	1	13	20	2	45	0	0	0	0	0	0	0	0.61	0	0	11	0.1	1.1
2022	1	13	20	12	45	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	13	20	22	45	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	13	20	32	45	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	13	20	42	45	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	13	20	52	45	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	13	21	2	45	0	0	0	0	0	0	0	0.6	0	0	11.2	0.1	1.1
2022	1	13	21	12	45	0	0	0	0	0	0	0	0.6	0	0	11	0.1	1.1
2022	1	13	21	22	45	0	0	0	0	0	0	0	0.6	0	0	11	0.1	1.1
2022	1	13	21	32	45	0	0	0	0	0	0	0	0.59	0	0	11	0.1	1.1
2022	1	13	21	42	45	0	0	0	0	0	0	0	0.59	0	0	11	0.1	1.1
2022	1	13	21	52	45	0	0	0	0	0	0	0	0.59	0	0	11	0.1	1.1
2022	1	13	22	2	45	0	0	0	0	0	0	0	0.59	0	0	11.2	0.1	1.1
2022	1	13	22	12	45	0	0	0	0	0	0	0	0.59	0	0	11.2	0.1	1.1
2022	1	13	22	22	45	0	0	0	0	0	0	0	0.58	0	0	11.2	0.1	1.1
2022	1	13	22	32	45	0	0	0	0	0	0	0	0.57	0	0	11.2	0.1	1.1
2022	1	13	22	42	45	0	0	0	0	0	0	0	0.57	0	0	11	0.1	1.1
2022	1	13	22	52	45	0	0	0	0	0	0	0	0.56	0	0	11	0.1	1.1
2022	1	13	23	2	45	0	0	0	0	0	0	0	0.56	0	0	11	0.1	1.1
2022	1	13	23	12	45	0	0	0	0	0	0	0	0.56	0	0	11	0.1	1.1
2022	1	13	23	22	45	0	0	0	0	0	0	0	0.55	0	0	11	0.1	1.1
2022	1	13	23	32	45	0	0	0	0	0	0	0	0.54	0	0	11	0.1	1.1
2022	1	13	23	42	45	0	0	0	0	0	0	0	0.55	0	0	11	0.1	1.1
2022	1	13	23	52	45	0	0	0	0	0	0	0	0.54	0	0	11	0.1	1.1



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	14	0	2	45	0	0	0	0	0	0	0	0.53	0	0	11	0.1	1.1
2022	1	14	0	12	45	0	0	0	0	0	0	0	0.53	0	0	11	0.1	1.1
2022	1	14	0	22	45	0	0	0	0	0	0	0	0.53	0	0	11	0.1	1.1
2022	1	14	0	32	45	0	0	0	0	0	0	0	0.52	0	0	11	0.1	1.1
2022	1	14	0	42	45	0	0	0	0	0	0	0	0.52	0	0	11	0.1	1.1
2022	1	14	0	52	45	0	0	0	0	0	0	0	0.51	0	0	11	0.1	1.1
2022	1	14	1	2	45	0	0	0	0	0	0	0	0.51	0	0	11	0.1	1.1
2022	1	14	1	12	45	0	0	0	0	0	0	0	0.51	0	0	11	0.1	1.1
2022	1	14	1	22	45	0	0	0	0	0	0	0	0.5	0	0	11	0.1	1.1
2022	1	14	1	32	45	0	0	0	0	0	0	0	0.5	0	0	11	0.1	1.1
2022	1	14	1	42	45	0	0	0	0	0	0	0	0.49	0	0	11	0.1	1.1
2022	1	14	1	52	45	0	0	0	0	0	0	0	0.49	0	0	11	0.1	1.1
2022	1	14	2	2	45	0	0	0	0	0	0	0	0.48	0	0	11	0.1	1.1
2022	1	14	2	12	45	0	0	0	0	0	0	0	0.47	0	0	11	0.1	1.1
2022	1	14	2	22	45	0	0	0	0	0	0	0	0.47	0	0	11	0.1	1.1
2022	1	14	2	32	45	0	0	0	0	0	0	0	0.47	0	0	11	0.1	1.1
2022	1	14	2	42	45	0	0	0	0	0	0	0	0.46	0	0	11	0.1	1.1
2022	1	14	2	52	45	0	0	0	0	0	0	0	0.45	0	0	11	0.1	1.1
2022	1	14	3	2	45	0	0	0	0	0	0	0	0.45	0	0	11	0.1	1.1
2022	1	14	3	12	45	0	0	0	0	0	0	0	0.44	0	0	11	0.1	1.1
2022	1	14	3	22	45	0	0	0	0	0	0	0	0.43	0	0	11	0.1	1.1
2022	1	14	3	32	45	0	0	0	0	0	0	0	0.43	0	0	11	0.1	1.1
2022	1	14	3	42	45	0	0	0	0	0	0	0	0.42	0	0	11	0.1	1.1
2022	1	14	3	52	45	0	0	0	0	0	0	0	0.42	0	0	11	0.1	1.1
2022	1	14	4	2	45	0	0	0	0	0	0	0	0.41	0	0	11	0.1	1.1
2022	1	14	4	12	45	0	0	0	0	0	0	0	0.4	0	0	11	0.1	1.1
2022	1	14	4	22	45	0	0	0	0	0	0	0	0.39	0	0	11	0.1	1.1
2022	1	14	4	32	45	0	0	0	0	0	0	0	0.39	0	0	11	0.1	1.1
2022	1	14	4	42	45	9	0	0	0	0	0	0	0.39	0	0	11	0.1	1.1
2022	1	14	4	52	45	0	0	0	0	0	0	0	0.38	0	0	11	0.1	1.1
2022	1	14	5	2	45	0	0	0	0	0	0	0	0.38	0	0	11	0.1	1.1
2022	1	14	5	12	45	0	0	0	0	0	0	0	0.37	0	0	11	0.1	1.1
2022	1	14	5	22	45	0	0	0	0	0	0	0	0.37	0	0	11	0.1	1.1
2022	1	14	5	32	45	0	0	0	0	0	0	0	0.36	0	0	11	0.1	1.1
2022	1	14	5	42	45	0	0	0	0	0	0	0	0.36	0	0	11	0.1	1.1
2022	1	14	5	52	45	0	0	0	0	0	0	0	0.36	0	0	11	0.1	1.1
2022	1	14	6	2	45	0	0	0	0	0	0	0	0.36	0	0	11	0.1	1.1
2022	1	14	6	12	45	0	0	0	0	0	0	0	0.36	0	0	11	0.1	1.1
2022	1	14	6	22	45	0	0	0	0	0	0	0	0.36	0	0	11	0.1	1.1
2022	1	14	6	32	45	0	0	0	0	0	0	0	0.36	0	0	11	0.1	1.1
2022	1	14	6	42	45	0	0	0	0	0	0	0	0.36	0	0	11	0.1	1.1
2022	1	14	6	52	45	0	0	0	0	0	0	0	0.36	0	0	11	0.1	1.1
2022	1	14	7	2	45	0	0	0	0	0	0	0	0.37	0	0	11	0.1	1.1
2022	1	14	7	12	45	0	0	0	0	0	0	0	0.37	0	0	11	0.1	1.1
2022	1	14	7	22	45	0	0	0	0	0	0	0	0.38	0	0	11	0.1	1.1
2022	1	14	7	32	45	0	0	0	0	0	0	0	0.38	0	0	11.2	0.1	1.1
2022	1	14	7	42	45	0	0	0	0	0	0	0	0.39	0	0	11.4	0.1	1.1
2022	1	14	7	52	45	0	0	0	0	0	0	0	0.39	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	14	8	2	45	0	0	0	0	0	0	0	0.39	0	0	11.6	0.1	1.1
2022	1	14	8	12	45	0	0	0	0	0	0	0	0.41	0	0	11.8	0.1	1.1
2022	1	14	8	22	45	0	0	0	0	0	0	0	0.43	0	0	12	0.1	1.1
2022	1	14	8	32	45	0	0	0	0	0	0	0	0.48	0	0	12	0.1	1.1
2022	1	14	8	42	45	0	0	0	0	0	0	0	0.52	0	0	12	0.1	1.1
2022	1	14	8	52	45	0	0	0	0	0	0	0	0.57	0	0	12.2	0.1	1.1
2022	1	14	9	2	45	0	0	0	0	0	0	0	0.59	0	0	12	0.1	1.1
2022	1	14	9	12	45	0	0	0	0	0	0	0	0.59	0	0	12	0.1	1.1
2022	1	14	9	22	45	0	0	0	0	0	0	0	0.65	0	0	12.2	0.1	1.1
2022	1	14	9	32	45	0	0	0	0	0	0	0	0.67	0	0	12.2	0.1	1.1
2022	1	14	9	42	45	0	0	0	0	0	0	0	0.69	0	0	12.2	0.1	1.1
2022	1	14	9	52	45	0	0	0	0	0	0	0	0.72	0	0	12.2	0.1	1.1
2022	1	14	10	2	45	0	0	0	0	0	0	0	0.77	0	0	12.2	0.1	1.1
2022	1	14	10	12	45	0	0	0	0	0	0	0	0.81	0	0	12.4	0.1	1.1
2022	1	14	10	22	45	0	0	0	0	0	0	0	0.81	0	0	12.2	0.1	1.1
2022	1	14	10	32	45	0	0	0	0	0	0	0	0.84	0	0	12.2	0.1	1.1
2022	1	14	10	42	45	0	0	0	0	0	0	0	0.87	0	0	12.4	0.1	1.1
2022	1	14	10	52	45	0	0	0	0	0	0	0	0.88	0	0	12.2	0.1	1.1
2022	1	14	11	2	45	0	0	0	0	0	0	0	0.9	0	0	12.2	0.1	1.1
2022	1	14	11	12	45	0	0	0	0	0	0	0	0.91	0	0	12.2	0.1	1.1
2022	1	14	11	22	45	0	0	0	0	0	0	0	0.88	0	0	12.2	0.1	1.1
2022	1	14	11	32	45	0	0	0	0	0	0	0	0.93	0	0	12.2	0.1	1.1
2022	1	14	11	42	45	0	0	0	0	0	0	0	0.93	0	0	12.2	0.1	1.1
2022	1	14	11	52	45	0	0	0	0	0	0	0	0.93	0	0	12.2	0.1	1.1
2022	1	14	12	2	45	0	0	0	0	0	0	0	0.94	0	0	12.2	0.1	1.1
2022	1	14	12	12	45	0	0	0	0	0	0	0	1.01	0	0	12.4	0.1	1.1
2022	1	14	12	22	45	0	0	0	0	0	0	0	1.05	0	0	12.4	0.1	1.1
2022	1	14	12	32	45	0	0	0	0	0	0	0	1.05	0	0	12.2	0.1	1.1
2022	1	14	12	42	45	0	0	0	0	0	0	0	1.11	0	0	12.4	0.1	1.1
2022	1	14	12	52	45	0	0	0	0	0	0	0	1.06	0	0	12.2	0.1	1.1
2022	1	14	13	2	45	0	0	0	0	0	0	0	1.14	0	0	12.2	0.1	1.1
2022	1	14	13	12	45	0	0	0	0	0	0	0	1.13	0	0	12.2	0.1	1.1
2022	1	14	13	22	45	0	0	0	0	0	0	0	1.09	0	0	12	0.1	1.1
2022	1	14	13	32	45	0	0	0	0	0	0	0	1.18	0	0	12.4	0.1	1.1
2022	1	14	13	42	45	0	0	0	0	0	0	0	1.12	0	0	11.8	0.1	1.1
2022	1	14	13	52	45	0	0	0	0	0	0	0	1.16	0	0	12.2	0.1	1.1
2022	1	14	14	2	45	0	0	0	0	0	0	0	1.2	0	0	12.6	0.1	1.1
2022	1	14	14	12	45	0	0	0	0	0	0	0	1.19	0	0	12.2	0.1	1.1
2022	1	14	14	22	45	0	0	0	0	0	0	0	1.21	0	0	12.4	0.1	1.1
2022	1	14	14	32	45	0	0	0	0	0	0	0	1.24	0	0	12.4	0.1	1.1
2022	1	14	14	42	45	0	0	0	0	0	0	0	1.2	0	0	12	0.1	1.1
2022	1	14	14	52	45	0	0	0	0	0	0	0	1.2	0	0	12.2	0.1	1.1
2022	1	14	15	2	45	0	0	0	0	0	0	0	1.21	0	0	12.2	0.1	1.1
2022	1	14	15	12	45	0	0	0	0	0	0	0	1.19	0	0	12	0.1	1.1
2022	1	14	15	22	45	0	0	0	0	0	0	0	1.19	0	0	11.8	0.1	1.1
2022	1	14	15	32	45	0	0	0	0	0	0	0	1.16	0	0	11.8	0.1	1.1
2022	1	14	15	42	45	0	0	0	0	0	0	0	1.16	0	0	11.8	0.1	1.1
2022	1	14	15	52	45	0	0	0	0	0	0	0	1.16	0	0	11.6	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	14	16	2	45	0	0	0	0	0	0	0	1.16	0	0	11.6	0.1	1.1
2022	1	14	16	12	45	0	0	0	0	0	0	0	1.17	0	0	11.6	0.1	1.1
2022	1	14	16	22	45	0	0	0	0	0	0	0	1.17	0	0	11.4	0.1	1.1
2022	1	14	16	32	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	16	42	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	16	52	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	17	2	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	17	12	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	17	22	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	17	32	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	17	42	45	0	0	0	0	0	0	0	1.17	0	0	11.4	0.1	1.1
2022	1	14	17	52	45	0	0	0	0	0	0	0	1.17	0	0	11.4	0.1	1.1
2022	1	14	18	2	45	0	0	0	0	0	0	0	1.17	0	0	11.4	0.1	1.1
2022	1	14	18	12	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	18	22	45	0	0	0	0	0	0	0	1.17	0	0	11.4	0.1	1.1
2022	1	14	18	32	45	0	0	0	0	0	0	0	1.16	0	0	11.2	0.1	1.1
2022	1	14	18	42	45	0	0	0	0	0	0	0	1.16	0	0	11.2	0.1	1.1
2022	1	14	18	52	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	19	2	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	19	12	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	19	22	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	19	32	45	0	0	0	0	0	0	0	1.16	0	0	11.4	0.1	1.1
2022	1	14	19	42	45	0	0	0	0	0	0	0	1.15	0	0	11.4	0.1	1.1
2022	1	14	19	52	45	0	0	0	0	0	0	0	1.15	0	0	11.2	0.1	1.1
2022	1	14	20	2	45	0	0	0	0	0	0	0	1.14	0	0	11.2	0.1	1.1
2022	1	14	20	12	45	0	0	0	0	0	0	0	1.14	0	0	11.2	0.1	1.1
2022	1	14	20	22	45	0	0	0	0	0	0	0	1.13	0	0	11.2	0.1	1.1
2022	1	14	20	32	45	0	0	0	0	0	0	0	1.14	0	0	11.2	0.1	1.1
2022	1	14	20	42	45	0	0	0	0	0	0	0	1.13	0	0	11.2	0.1	1.1
2022	1	14	20	52	45	0	0	0	0	0	0	0	1.12	0	0	11.2	0.1	1.1
2022	1	14	21	2	45	0	0	0	0	0	0	0	1.12	0	0	11.2	0.1	1.1
2022	1	14	21	12	45	0	0	0	0	0	0	0	1.12	0	0	11.2	0.1	1.1
2022	1	14	21	22	45	0	0	0	0	0	0	0	1.12	0	0	11.2	0.1	1.1
2022	1	14	21	32	45	0	0	0	0	0	0	0	1.12	0	0	11.2	0.1	1.1
2022	1	14	21	42	45	0	0	0	0	0	0	0	1.11	0	0	11.2	0.1	1.1
2022	1	14	21	52	45	0	0	0	0	0	0	0	1.11	0	0	11.2	0.1	1.1
2022	1	14	22	2	45	0	0	0	0	0	0	0	1.1	0	0	11.2	0.1	1.1
2022	1	14	22	12	45	0	0	0	0	0	0	0	1.1	0	0	11.2	0.1	1.1
2022	1	14	22	22	45	0	0	0	0	0	0	0	1.1	0	0	11.2	0.1	1.1
2022	1	14	22	32	45	0	0	0	0	0	0	0	1.1	0	0	11.2	0.1	1.1
2022	1	14	22	42	45	0	0	0	0	0	0	0	1.1	0	0	11.2	0.1	1.1
2022	1	14	22	52	45	0	0	0	0	0	0	0	1.1	0	0	11.2	0.1	1.1
2022	1	14	23	2	45	0	0	0	0	0	0	0	1.09	0	0	11.2	0.1	1.1
2022	1	14	23	12	45	0	0	0	0	0	0	0	1.09	0	0	11.2	0.1	1.1
2022	1	14	23	22	45	0	0	0	0	0	0	0	1.08	0	0	11.2	0.1	1.1
2022	1	14	23	32	45	0	0	0	0	0	0	0	1.08	0	0	11.2	0.1	1.1
2022	1	14	23	42	45	0	0	0	0	0	0	0	1.08	0	0	11.2	0.1	1.1
2022	1	14	23	52	45	0	0	0	0	0	0	0	1.08	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	15	0	2	45	0	0	0	0	0	0	0	1.07	0	0	11.4	0.1	1.1
2022	1	15	0	12	45	0	0	0	0	0	0	0	1.07	0	0	11.2	0.1	1.1
2022	1	15	0	22	45	0	0	0	0	0	0	0	1.06	0	0	11.2	0.1	1.1
2022	1	15	0	32	45	0	0	0	0	0	0	0	1.05	0	0	11.2	0.1	1.1
2022	1	15	0	42	45	0	0	0	0	0	0	0	1.05	0	0	11.2	0.1	1.1
2022	1	15	0	52	45	0	0	0	0	0	0	0	1.04	0	0	11.2	0.1	1.1
2022	1	15	1	2	45	0	0	0	0	0	0	0	1.05	0	0	11.2	0.1	1.1
2022	1	15	1	12	45	0	0	0	0	0	0	0	1.03	0	0	11.2	0.1	1.1
2022	1	15	1	22	45	0	0	0	0	0	0	0	1.03	0	0	11.2	0.1	1.1
2022	1	15	1	32	45	0	0	0	0	0	0	0	1.03	0	0	11.2	0.1	1.1
2022	1	15	1	42	45	0	0	0	0	0	0	0	1.02	0	0	11.2	0.1	1.1
2022	1	15	1	52	45	0	0	0	0	0	0	0	1.02	0	0	11.2	0.1	1.1
2022	1	15	2	2	45	0	0	0	0	0	0	0	1.01	0	0	11.2	0.1	1.1
2022	1	15	2	12	45	0	0	0	0	0	0	0	1.01	0	0	11.2	0.1	1.1
2022	1	15	2	22	45	0	0	0	0	0	0	0	1	0	0	11.2	0.1	1.1
2022	1	15	2	32	45	0	0	0	0	0	0	0	1	0	0	11.2	0.1	1.1
2022	1	15	2	42	45	0	0	0	0	0	0	0	0.99	0	0	11.2	0.1	1.1
2022	1	15	2	52	45	0	0	0	0	0	0	0	0.99	0	0	11.2	0.1	1.1
2022	1	15	3	2	45	0	0	0	0	0	0	0	0.97	0	0	11.2	0.1	1.1
2022	1	15	3	12	45	0	0	0	0	0	0	0	0.98	0	0	11.2	0.1	1.1
2022	1	15	3	22	45	0	0	0	0	0	0	0	0.96	0	0	10.8	0.1	1.1
2022	1	15	3	32	45	0	0	0	0	0	0	0	0.96	0	0	10.8	0.1	1.1
2022	1	15	3	42	45	0	0	0	0	0	0	0	0.96	0	0	10.8	0.1	1.1
2022	1	15	3	52	45	0	0	0	0	0	0	0	0.95	0	0	11	0.1	1.1
2022	1	15	4	2	45	0	0	0	0	0	0	0	0.95	0	0	11	0.1	1.1
2022	1	15	4	12	45	0	0	0	0	0	0	0	0.95	0	0	10.6	0.1	1.1
2022	1	15	4	22	45	0	0	0	0	0	0	0	0.94	0	0	10.4	0.1	1.1
2022	1	15	4	32	45	0	0	0	0	0	0	0	0.93	0	0	10.2	0.1	1.1
2022	1	15	4	42	45	0	0	0	0	0	0	0	0.93	0	0	11.2	0.1	1.1
2022	1	15	4	52	45	0	0	0	0	0	0	0	0.93	0	0	10.6	0.1	1.1
2022	1	15	5	2	45	0	0	0	0	0	0	0	0.92	0	0	10.4	0.1	1.1
2022	1	15	5	12	45	0	0	0	0	0	0	0	0.92	0	0	10	0.1	1.1
2022	1	15	5	22	45	0	0	0	0	0	0	0	0.92	0	0	11	0.1	1.1
2022	1	15	5	32	45	0	0	0	0	0	0	0	0.92	0	0	11	0.1	1.1
2022	1	15	5	42	45	0	0	0	0	0	0	0	0.92	0	0	10.2	0.1	1.1
2022	1	15	5	52	45	0	0	0	0	0	0	0	0.91	0	0	10	0.1	1.1
2022	1	15	6	2	45	0	0	0	0	0	0	0	0.91	0	0	10	0.1	1.1
2022	1	15	6	12	45	0	0	0	0	0	0	0	0.91	0	0	10	0.1	1.1
2022	1	15	6	22	45	0	0	0	0	0	0	0	0.9	0	0	9.8	0.1	1.1
2022	1	15	6	32	45	0	0	0	0	0	0	0	0.9	0	0	10	0.1	1.1
2022	1	15	6	42	45	0	0	0	0	0	0	0	0.9	0	0	10	0.1	1.1
2022	1	15	6	52	45	0	0	0	0	0	0	0	0.89	0	0	9.8	0.1	1.1
2022	1	15	7	2	45	0	0	0	0	0	0	0	0.9	0	0	9.8	0.1	1.1
2022	1	15	7	12	45	0	0	0	0	0	0	0	0.89	0	0	10	0.1	1.1
2022	1	15	7	22	45	0	0	0	0	0	0	0	0.89	0	0	9.8	0.1	1.1
2022	1	15	7	32	45	0	0	0	0	0	0	0	0.89	0	0	10.2	0.1	1.1
2022	1	15	7	42	45	0	0	0	0	0	0	0	0.9	0	0	10.2	0.1	1.1
2022	1	15	7	52	45	0	0	0	0	0	0	0	0.9	0	0	10	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	15	8	2	45	0	0	0	0	0	0	0	0.9	0	0	10	0.1	1.1
2022	1	15	8	12	45	0	0	0	0	0	0	0	0.9	0	0	10.2	0.1	1.1
2022	1	15	8	22	45	0	0	0	0	0	0	0	0.91	0	0	10.6	0.1	1.1
2022	1	15	8	32	45	0	0	0	0	0	0	0	0.92	0	0	10.6	0.1	1.1
2022	1	15	8	42	45	0	0	0	0	0	0	0	0.92	0	0	10.6	0.1	1.1
2022	1	15	8	52	45	0	0	0	0	0	0	0	0.93	0	0	11	0.1	1.1
2022	1	15	9	2	45	0	0	0	0	0	0	0	0.93	0	0	11	0.1	1.1
2022	1	15	9	12	45	0	0	0	0	0	0	0	0.95	0	0	11.2	0.1	1.1
2022	1	15	9	22	45	0	0	0	0	0	0	0	0.96	0	0	11.2	0.1	1.1
2022	1	15	9	32	45	0	0	0	0	0	0	0	0.97	0	0	11.2	0.1	1.1
2022	1	15	9	42	45	0	0	0	0	0	0	0	0.99	0	0	11.4	0.1	1.1
2022	1	15	9	52	45	0	0	0	0	0	0	0	1.01	0	0	11.4	0.1	1.1
2022	1	15	10	2	45	0	0	0	0	0	0	0	1.03	0	0	11.6	0.1	1.1
2022	1	15	10	12	45	0	0	0	0	0	0	0	1.14	0	0	12	0.1	1.1
2022	1	15	10	22	45	0	0	0	0	0	0	0	1.21	0	0	12.4	0.1	1.1
2022	1	15	10	32	45	0	0	0	0	0	0	0	1.28	0	0	12.4	0.1	1.1
2022	1	15	10	42	45	0	0	0	0	0	0	0	1.26	0	0	12.2	0.1	1.1
2022	1	15	10	52	45	0	0	0	0	0	0	0	1.27	0	0	12.2	0.1	1.1
2022	1	15	11	2	45	0	0	0	0	0	0	0	1.31	0	0	12.4	0.1	1.1
2022	1	15	11	12	45	0	0	0	0	0	0	0	1.38	0	0	12.6	0.1	1.1
2022	1	15	11	22	45	0	0	0	0	0	0	0	1.42	0	0	12.4	0.1	1.1
2022	1	15	11	32	45	0	0	0	0	0	0	0	1.33	0	0	12.2	0.1	1.1
2022	1	15	11	42	45	0	0	0	0	0	0	0	1.38	0	0	12.2	0.1	1.1
2022	1	15	11	52	45	0	0	0	0	0	0	0	1.28	0	0	11.8	0.1	1.1
2022	1	15	12	2	45	0	0	0	0	0	0	0	1.24	0	0	11.6	0.1	1.1
2022	1	15	12	12	45	0	0	0	0	0	0	0	1.22	0	0	11.6	0.1	1.1
2022	1	15	12	22	45	0	0	0	0	0	0	0	1.26	0	0	11.6	0.1	1.1
2022	1	15	12	32	45	0	0	0	0	0	0	0	1.29	0	0	11.8	0.1	1.1
2022	1	15	12	42	45	0	0	0	0	0	0	0	1.27	0	0	11.6	0.1	1.1
2022	1	15	12	52	45	0	0	0	0	0	0	0	1.29	0	0	11.6	0.1	1.1
2022	1	15	13	2	45	0	0	0	0	0	0	0	1.3	0	0	11.8	0.1	1.1
2022	1	15	13	12	45	0	0	0	0	0	0	0	1.29	0	0	11.6	0.1	1.1
2022	1	15	13	22	45	0	0	0	0	0	0	0	1.32	0	0	11.8	0.1	1.1
2022	1	15	13	32	45	0	0	0	0	0	0	0	1.34	0	0	11.8	0.1	1.1
2022	1	15	13	42	45	0	0	0	0	0	0	0	1.31	0	0	11.6	0.1	1.1
2022	1	15	13	52	45	0	0	0	0	0	0	0	1.33	0	0	11.6	0.1	1.1
2022	1	15	14	2	45	0	0	0	0	0	0	0	1.36	0	0	11.6	0.1	1.1
2022	1	15	14	12	45	0	0	0	0	0	0	0	1.41	0	0	12	0.1	1.1
2022	1	15	14	22	45	0	0	0	0	0	0	0	1.4	0	0	11.6	0.1	1.1
2022	1	15	14	32	45	0	0	0	0	0	0	0	1.39	0	0	11.6	0.1	1.1
2022	1	15	14	42	45	0	0	0	0	0	0	0	1.37	0	0	11.4	0.1	1.1
2022	1	15	14	52	45	0	0	0	0	0	0	0	1.35	0	0	11.4	0.1	1.1
2022	1	15	15	2	45	0	0	0	0	0	0	0	1.34	0	0	11.2	0.1	1.1
2022	1	15	15	12	45	0	0	0	0	0	0	0	1.34	0	0	11.2	0.1	1.1
2022	1	15	15	22	45	0	0	0	0	0	0	0	1.34	0	0	11.2	0.1	1.1
2022	1	15	15	32	45	0	0	0	0	0	0	0	1.35	0	0	11.2	0.1	1.1
2022	1	15	15	42	45	0	0	0	0	0	0	0	1.35	0	0	11.2	0.1	1.1
2022	1	15	15	52	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	15	16	2	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	16	12	45	0	0	0	0	0	0	0	1.37	0	0	11	0.1	1.1
2022	1	15	16	22	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	16	32	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	16	42	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	16	52	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	17	2	45	0	0	0	0	0	0	0	1.36	0	0	10.8	0.1	1.1
2022	1	15	17	12	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	17	22	45	0	0	0	0	0	0	0	1.37	0	0	11	0.1	1.1
2022	1	15	17	32	45	0	0	0	0	0	0	0	1.37	0	0	10.8	0.1	1.1
2022	1	15	17	42	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	17	52	45	0	0	0	0	0	0	0	1.37	0	0	11.2	0.1	1.1
2022	1	15	18	2	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	18	12	45	0	0	0	0	0	0	0	1.36	0	0	10.8	0.1	1.1
2022	1	15	18	22	45	0	0	0	0	0	0	0	1.36	0	0	10.8	0.1	1.1
2022	1	15	18	32	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	18	42	45	0	0	0	0	0	0	0	1.37	0	0	10.8	0.1	1.1
2022	1	15	18	52	45	0	0	0	0	0	0	0	1.36	0	0	10.8	0.1	1.1
2022	1	15	19	2	45	0	0	0	0	0	0	0	1.37	0	0	11	0.1	1.1
2022	1	15	19	12	45	0	0	0	0	0	0	0	1.36	0	0	10.4	0.1	1.1
2022	1	15	19	22	45	0	0	0	0	0	0	0	1.36	0	0	10.4	0.1	1.1
2022	1	15	19	32	45	0	0	0	0	0	0	0	1.36	0	0	10.4	0.1	1.1
2022	1	15	19	42	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	19	52	45	0	0	0	0	0	0	0	1.36	0	0	10.6	0.1	1.1
2022	1	15	20	2	45	0	0	0	0	0	0	0	1.36	0	0	10.4	0.1	1.1
2022	1	15	20	12	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	20	22	45	0	0	0	0	0	0	0	1.36	0	0	11.2	0.1	1.1
2022	1	15	20	32	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	15	20	42	45	0	0	0	0	0	0	0	1.36	0	0	10.8	0.1	1.1
2022	1	15	20	52	45	0	0	0	0	0	0	0	1.36	0	0	10.8	0.1	1.1
2022	1	15	21	2	45	0	0	0	0	0	0	0	1.36	0	0	10.8	0.1	1.1
2022	1	15	21	12	45	0	0	0	0	0	0	0	1.37	0	0	11.2	0.1	1.1
2022	1	15	21	22	45	0	0	0	0	0	0	0	1.37	0	0	11.2	0.1	1.1
2022	1	15	21	32	45	0	0	0	0	0	0	0	1.36	0	0	11.2	0.1	1.1
2022	1	15	21	42	45	0	0	0	0	0	0	0	1.37	0	0	11	0.1	1.1
2022	1	15	21	52	45	0	0	0	0	0	0	0	1.37	0	0	11	0.1	1.1
2022	1	15	22	2	45	0	0	0	0	0	0	0	1.36	0	0	10.8	0.1	1.1
2022	1	15	22	12	45	0	0	0	0	0	0	0	1.37	0	0	10.6	0.1	1.1
2022	1	15	22	22	45	0	0	0	0	0	0	0	1.36	0	0	10.6	0.1	1.1
2022	1	15	22	32	45	0	0	0	0	0	0	0	1.36	0	0	10.6	0.1	1.1
2022	1	15	22	42	45	0	0	0	0	0	0	0	1.36	0	0	10.6	0.1	1.1
2022	1	15	22	52	45	0	0	0	0	0	0	0	1.36	0	0	10.6	0.1	1.1
2022	1	15	23	2	45	0	0	0	0	0	0	0	1.36	0	0	10.6	0.1	1.1
2022	1	15	23	12	45	0	0	0	0	0	0	0	1.35	0	0	10.6	0.1	1.1
2022	1	15	23	22	45	0	0	0	0	0	0	0	1.34	0	0	10.6	0.1	1.1
2022	1	15	23	32	45	0	0	0	0	0	0	0	1.34	0	0	10.8	0.1	1.1
2022	1	15	23	42	45	0	0	0	0	0	0	0	1.33	0	0	10.8	0.1	1.1
2022	1	15	23	52	45	0	0	0	0	0	0	0	1.33	0	0	10.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	16	0	2	45	0	0	0	0	0	0	0	1.32	0	0	10.8	0.1	1.1
2022	1	16	0	12	45	0	0	0	0	0	0	0	1.31	0	0	10.8	0.1	1.1
2022	1	16	0	22	45	0	0	0	0	0	0	0	1.3	0	0	10.8	0.1	1.1
2022	1	16	0	32	45	0	0	0	0	0	0	0	1.29	0	0	10.8	0.1	1.1
2022	1	16	0	42	45	0	0	0	0	0	0	0	1.29	0	0	10.8	0.1	1.1
2022	1	16	0	52	45	0	0	0	0	0	0	0	1.28	0	0	10.8	0.1	1.1
2022	1	16	1	2	45	0	0	0	0	0	0	0	1.27	0	0	10.8	0.1	1.1
2022	1	16	1	12	45	0	0	0	0	0	0	0	1.27	0	0	10.8	0.1	1.1
2022	1	16	1	22	45	0	0	0	0	0	0	0	1.26	0	0	10.8	0.1	1.1
2022	1	16	1	32	45	0	0	0	0	0	0	0	1.26	0	0	10.8	0.1	1.1
2022	1	16	1	42	45	0	0	0	0	0	0	0	1.25	0	0	10.8	0.1	1.1
2022	1	16	1	52	45	0	0	0	0	0	0	0	1.25	0	0	10.8	0.1	1.1
2022	1	16	2	2	45	0	0	0	0	0	0	0	1.24	0	0	10.8	0.1	1.1
2022	1	16	2	12	45	0	0	0	0	0	0	0	1.24	0	0	10.8	0.1	1.1
2022	1	16	2	22	45	0	0	0	0	0	0	0	1.23	0	0	10.6	0.1	1.1
2022	1	16	2	32	45	0	0	0	0	0	0	0	1.24	0	0	10.2	0.1	1.1
2022	1	16	2	42	45	0	0	0	0	0	0	0	1.23	0	0	10.2	0.1	1.1
2022	1	16	2	52	45	0	0	0	0	0	0	0	1.23	0	0	10.4	0.1	1.1
2022	1	16	3	2	45	0	0	0	0	0	0	0	1.23	0	0	10.2	0.1	1.1
2022	1	16	3	12	45	0	0	0	0	0	0	0	1.23	0	0	10.2	0.1	1.1
2022	1	16	3	22	45	0	0	0	0	0	0	0	1.22	0	0	10.2	0.1	1.1
2022	1	16	3	32	45	0	0	0	0	0	0	0	1.22	0	0	10.2	0.1	1.1
2022	1	16	3	42	45	0	0	0	0	0	0	0	1.21	0	0	10.2	0.1	1.1
2022	1	16	3	52	45	0	0	0	0	0	0	0	1.2	0	0	10.2	0.1	1.1
2022	1	16	4	2	45	0	0	0	0	0	0	0	1.2	0	0	10.2	0.1	1.1
2022	1	16	4	12	45	0	0	0	0	0	0	0	1.19	0	0	10	0.1	1.1
2022	1	16	4	22	45	0	0	0	0	0	0	0	1.19	0	0	10	0.1	1.1
2022	1	16	4	32	45	0	0	0	0	0	0	0	1.18	0	0	10	0.1	1.1
2022	1	16	4	42	45	0	0	0	0	0	0	0	1.17	0	0	10	0.1	1.1
2022	1	16	4	52	45	0	0	0	0	0	0	0	1.16	0	0	10	0.1	1.1
2022	1	16	5	2	45	0	0	0	0	0	0	0	1.16	0	0	10	0.1	1.1
2022	1	16	5	12	45	0	0	0	0	0	0	0	1.15	0	0	10	0.1	1.1
2022	1	16	5	22	45	0	0	0	0	0	0	0	1.14	0	0	10.4	0.1	1.1
2022	1	16	5	32	45	0	0	0	0	0	0	0	1.14	0	0	10.2	0.1	1.1
2022	1	16	5	42	45	0	0	0	0	0	0	0	1.13	0	0	10	0.1	1.1
2022	1	16	5	52	45	0	0	0	0	0	0	0	1.13	0	0	10	0.1	1.1
2022	1	16	6	2	45	0	0	0	0	0	0	0	1.12	0	0	10.2	0.1	1.1
2022	1	16	6	12	45	0	0	0	0	0	0	0	1.12	0	0	10.2	0.1	1.1
2022	1	16	6	22	45	0	0	0	0	0	0	0	1.11	0	0	10.2	0.1	1.1
2022	1	16	6	32	45	0	0	0	0	0	0	0	1.12	0	0	10	0.1	1.1
2022	1	16	6	42	45	0	0	0	0	0	0	0	1.11	0	0	10	0.1	1.1
2022	1	16	6	52	45	0	0	0	0	0	0	0	1.1	0	0	10.2	0.1	1.1
2022	1	16	7	2	45	0	0	0	0	0	0	0	1.1	0	0	10.2	0.1	1.1
2022	1	16	7	12	45	0	0	0	0	0	0	0	1.1	0	0	10.2	0.1	1.1
2022	1	16	7	22	45	0	0	0	0	0	0	0	1.09	0	0	10.2	0.1	1.1
2022	1	16	7	32	45	0	0	0	0	0	0	0	1.09	0	0	10.2	0.1	1.1
2022	1	16	7	42	45	0	0	0	0	0	0	0	1.09	0	0	10.4	0.1	1.1
2022	1	16	7	52	45	0	0	0	0	0	0	0	1.09	0	0	10.6	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	16	8	2	45	0	0	0	0	0	0	0	1.09	0	0	10.8	0.1	1.1
2022	1	16	8	12	45	0	0	0	0	0	0	0	1.09	0	0	11	0.1	1.1
2022	1	16	8	22	45	0	0	0	0	0	0	0	1.1	0	0	11	0.1	1.1
2022	1	16	8	32	45	0	0	0	0	0	0	0	1.15	0	0	11.2	0.1	1.1
2022	1	16	8	42	45	0	0	0	0	0	0	0	1.18	0	0	11.4	0.1	1.1
2022	1	16	8	52	45	0	0	0	0	0	0	0	1.21	0	0	11.6	0.1	1.1
2022	1	16	9	2	45	0	0	0	0	0	0	0	1.22	0	0	11.6	0.1	1.1
2022	1	16	9	12	45	0	0	0	0	0	0	0	1.25	0	0	11.8	0.1	1.1
2022	1	16	9	22	45	0	0	0	0	0	0	0	1.29	0	0	11.8	0.1	1.1
2022	1	16	9	32	45	0	0	0	0	0	0	0	1.32	0	0	11.8	0.1	1.1
2022	1	16	9	42	45	0	0	0	0	0	0	0	1.35	0	0	11.6	0.1	1.1
2022	1	16	9	52	45	0	0	0	0	0	0	0	1.38	0	0	11.6	0.1	1.1
2022	1	16	10	2	45	0	0	0	0	0	0	0	1.41	0	0	12	0.1	1.1
2022	1	16	10	12	45	0	0	0	0	0	0	0	1.41	0	0	11.8	0.1	1.1
2022	1	16	10	22	45	0	0	0	0	0	0	0	1.44	0	0	12	0.1	1.1
2022	1	16	10	32	45	0	0	0	0	0	0	0	1.49	0	0	12	0.1	1.1
2022	1	16	10	42	45	0	0	0	0	0	0	0	1.49	0	0	12.4	0.1	1.1
2022	1	16	10	52	45	0	0	0	0	0	0	0	1.53	0	0	12.6	0.1	1.1
2022	1	16	11	2	45	0	0	0	0	0	0	0	1.55	0	0	12.8	0.1	1.1
2022	1	16	11	12	45	0	0	0	0	0	0	0	1.55	0	0	13	0.1	1.1
2022	1	16	11	22	45	0	0	0	0	0	0	0	1.5	0	0	12.8	0.1	1.1
2022	1	16	11	32	45	0	0	0	0	0	0	0	1.51	0	0	13	0.1	1.1
2022	1	16	11	42	45	0	0	0	0	0	0	0	1.6	0	0	13.4	0.1	1.1
2022	1	16	11	52	45	0	0	0	0	0	0	0	1.63	0	0	13.2	0.1	1.1
2022	1	16	12	2	45	0	0	0	0	0	0	0	1.6	0	0	13.2	0.1	1.1
2022	1	16	12	12	45	0	0	0	0	0	0	0	1.59	0	0	12.6	0.1	1.1
2022	1	16	12	22	45	0	0	0	0	0	0	0	1.6	0	0	13	0.1	1.1
2022	1	16	12	32	45	0	0	0	0	0	0	0	1.56	0	0	12	0.1	1.1
2022	1	16	12	42	45	0	0	0	0	0	0	0	1.6	0	0	13	0.1	1.1
2022	1	16	12	52	45	0	0	0	0	0	0	0	1.63	0	0	13	0.1	1.1
2022	1	16	13	2	45	0	0	0	0	0	0	0	1.6	0	0	12.6	0.1	1.1
2022	1	16	13	12	45	0	0	0	0	0	0	0	1.57	0	0	12	0.1	1.1
2022	1	16	13	22	45	0	0	0	0	0	0	0	1.61	0	0	12.6	0.1	1.1
2022	1	16	13	32	45	0	0	0	0	0	0	0	1.66	0	0	12.4	0.1	1.1
2022	1	16	13	42	45	0	0	0	0	0	0	0	1.61	0	0	12	0.1	1.1
2022	1	16	13	52	45	0	0	0	0	0	0	0	1.6	0	0	12.2	0.1	1.1
2022	1	16	14	2	45	0	0	0	0	0	0	0	1.61	0	0	12	0.1	1.1
2022	1	16	14	12	45	0	0	0	0	0	0	0	1.64	0	0	12.4	0.1	1.1
2022	1	16	14	22	45	0	0	0	0	0	0	0	1.69	0	0	13	0.1	1.1
2022	1	16	14	32	45	0	0	0	0	0	0	0	1.63	0	0	12.8	0.1	1.1
2022	1	16	14	42	45	0	0	0	0	0	0	0	1.55	0	0	11.6	0.1	1.1
2022	1	16	14	52	45	0	0	0	0	0	0	0	1.57	0	0	12	0.1	1.1
2022	1	16	15	2	45	0	0	0	0	0	0	0	1.58	0	0	12.4	0.1	1.1
2022	1	16	15	12	45	0	0	0	0	0	0	0	1.6	0	0	12	0.1	1.1
2022	1	16	15	22	45	0	0	0	0	0	0	0	1.57	0	0	11.8	0.1	1.1
2022	1	16	15	32	45	0	0	0	0	0	0	0	1.55	0	0	11.8	0.1	1.1
2022	1	16	15	42	45	0	0	0	0	0	0	0	1.55	0	0	11.8	0.1	1.1
2022	1	16	15	52	45	0	0	0	0	0	0	0	1.55	0	0	11.6	0.1	1.1



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	16	16	2	45	0	0	0	0	0	0	0	1.55	0	0	11.4	0.1	1.1
2022	1	16	16	12	45	0	0	0	0	0	0	0	1.55	0	0	11.4	0.1	1.1
2022	1	16	16	22	45	0	0	0	0	0	0	0	1.56	0	0	11.2	0.1	1.1
2022	1	16	16	32	45	0	0	0	0	0	0	0	1.55	0	0	11.2	0.1	1.1
2022	1	16	16	42	45	0	0	0	0	0	0	0	1.55	0	0	11.2	0.1	1.1
2022	1	16	16	52	45	0	0	0	0	0	0	0	1.55	0	0	11	0.1	1.1
2022	1	16	17	2	45	0	0	0	0	0	0	0	1.55	0	0	10.6	0.1	1.1
2022	1	16	17	12	45	0	0	0	0	0	0	0	1.54	0	0	10.8	0.1	1.1
2022	1	16	17	22	45	0	0	0	0	0	0	0	1.54	0	0	10.8	0.1	1.1
2022	1	16	17	32	45	0	0	0	0	0	0	0	1.53	0	0	11	0.1	1.1
2022	1	16	17	42	45	0	0	0	0	0	0	0	1.53	0	0	11	0.1	1.1
2022	1	16	17	52	45	0	0	0	0	0	0	0	1.52	0	0	11	0.1	1.1
2022	1	16	18	2	45	0	0	0	0	0	0	0	1.52	0	0	10.8	0.1	1.1
2022	1	16	18	12	45	0	0	0	0	0	0	0	1.51	0	0	11	0.1	1.1
2022	1	16	18	22	45	0	0	0	0	0	0	0	1.49	0	0	10.8	0.1	1.1
2022	1	16	18	32	45	0	0	0	0	0	0	0	1.49	0	0	10.8	0.1	1.1
2022	1	16	18	42	45	0	0	0	0	0	0	0	1.48	0	0	10.8	0.1	1.1
2022	1	16	18	52	45	0	0	0	0	0	0	0	1.48	0	0	10.4	0.1	1.1
2022	1	16	19	2	45	0	0	0	0	0	0	0	1.47	0	0	11	0.1	1.1
2022	1	16	19	12	45	0	0	0	0	0	0	0	1.46	0	0	11	0.1	1.1
2022	1	16	19	22	45	0	0	0	0	0	0	0	1.45	0	0	11	0.1	1.1
2022	1	16	19	32	45	0	0	0	0	0	0	0	1.44	0	0	11	0.1	1.1
2022	1	16	19	42	45	0	0	0	0	0	0	0	1.43	0	0	10.8	0.1	1.1
2022	1	16	19	52	45	0	0	0	0	0	0	0	1.42	0	0	10.6	0.1	1.1
2022	1	16	20	2	45	0	0	0	0	0	0	0	1.41	0	0	10.6	0.1	1.1
2022	1	16	20	12	45	0	0	0	0	0	0	0	1.4	0	0	10.8	0.1	1.1
2022	1	16	20	22	45	0	0	0	0	0	0	0	1.4	0	0	11	0.1	1.1
2022	1	16	20	32	45	0	0	0	0	0	0	0	1.39	0	0	11	0.1	1.1
2022	1	16	20	42	45	0	0	0	0	0	0	0	1.38	0	0	11	0.1	1.1
2022	1	16	20	52	45	0	0	0	0	0	0	0	1.37	0	0	11	0.1	1.1
2022	1	16	21	2	45	0	0	0	0	0	0	0	1.36	0	0	11	0.1	1.1
2022	1	16	21	12	45	0	0	0	0	0	0	0	1.35	0	0	10.8	0.1	1.1
2022	1	16	21	22	45	0	0	0	0	0	0	0	1.34	0	0	10.8	0.1	1.1
2022	1	16	21	32	45	0	0	0	0	0	0	0	1.34	0	0	10.8	0.1	1.1
2022	1	16	21	42	45	0	0	0	0	0	0	0	1.33	0	0	10.8	0.1	1.1
2022	1	16	21	52	45	0	0	0	0	0	0	0	1.32	0	0	10.8	0.1	1.1
2022	1	16	22	2	45	0	0	0	0	0	0	0	1.31	0	0	10.8	0.1	1.1
2022	1	16	22	12	45	0	0	0	0	0	0	0	1.31	0	0	10.8	0.1	1.1
2022	1	16	22	22	45	0	0	0	0	0	0	0	1.3	0	0	10.8	0.1	1.1
2022	1	16	22	32	45	0	0	0	0	0	0	0	1.3	0	0	10.6	0.1	1.1
2022	1	16	22	42	45	0	0	0	0	0	0	0	1.29	0	0	10.4	0.1	1.1
2022	1	16	22	52	45	0	0	0	0	0	0	0	1.28	0	0	10.8	0.1	1.1
2022	1	16	23	2	45	0	0	0	0	0	0	0	1.27	0	0	11	0.1	1.1
2022	1	16	23	12	45	0	0	0	0	0	0	0	1.26	0	0	11	0.1	1.1
2022	1	16	23	22	45	0	0	0	0	0	0	0	1.25	0	0	11	0.1	1.1
2022	1	16	23	32	45	0	0	0	0	0	0	0	1.24	0	0	10.8	0.1	1.1
2022	1	16	23	42	45	0	0	0	0	0	0	0	1.23	0	0	11	0.1	1.1
2022	1	16	23	52	45	0	0	0	0	0	0	0	1.22	0	0	10.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	17	0	2	45	0	0	0	0	0	0	0	1.21	0	0	10.8	0.1	1.1
2022	1	17	0	12	45	0	0	0	0	0	0	0	1.2	0	0	10.8	0.1	1.1
2022	1	17	0	22	45	0	0	0	0	0	0	0	1.19	0	0	10.8	0.1	1.1
2022	1	17	0	32	45	0	0	0	0	0	0	0	1.19	0	0	10.8	0.1	1.1
2022	1	17	0	42	45	0	0	0	0	0	0	0	1.18	0	0	10.8	0.1	1.1
2022	1	17	0	52	45	0	0	0	0	0	0	0	1.17	0	0	10.8	0.1	1.1
2022	1	17	1	2	45	0	0	0	0	0	0	0	1.15	0	0	10.8	0.1	1.1
2022	1	17	1	12	45	0	0	0	0	0	0	0	1.15	0	0	10.8	0.1	1.1
2022	1	17	1	22	45	0	0	0	0	0	0	0	1.14	0	0	10.8	0.1	1.1
2022	1	17	1	32	45	0	0	0	0	0	0	0	1.14	0	0	10.8	0.1	1.1
2022	1	17	1	42	45	0	0	0	0	0	0	0	1.13	0	0	10.8	0.1	1.1
2022	1	17	1	52	45	0	0	0	0	0	0	0	1.12	0	0	10.8	0.1	1.1
2022	1	17	2	2	45	0	0	0	0	0	0	0	1.11	0	0	10.8	0.1	1.1
2022	1	17	2	12	45	0	0	0	0	0	0	0	1.1	0	0	10.6	0.1	1.1
2022	1	17	2	22	45	0	0	0	0	0	0	0	1.1	0	0	10.8	0.1	1.1
2022	1	17	2	32	45	0	0	0	0	0	0	0	1.09	0	0	10.6	0.1	1.1
2022	1	17	2	42	45	0	0	0	0	0	0	0	1.09	0	0	10.6	0.1	1.1
2022	1	17	2	52	45	0	0	0	0	0	0	0	1.07	0	0	10.4	0.1	1.1
2022	1	17	3	2	45	0	0	0	0	0	0	0	1.07	0	0	10.8	0.1	1.1
2022	1	17	3	12	45	0	0	0	0	0	0	0	1.06	0	0	10.8	0.1	1.1
2022	1	17	3	22	45	0	0	0	0	0	0	0	1.05	0	0	10.8	0.1	1.1
2022	1	17	3	32	45	0	0	0	0	0	0	0	1.05	0	0	10.8	0.1	1.1
2022	1	17	3	42	45	0	0	0	0	0	0	0	1.04	0	0	10.8	0.1	1.1
2022	1	17	3	52	45	0	0	0	0	0	0	0	1.03	0	0	10.8	0.1	1.1
2022	1	17	4	2	45	0	0	0	0	0	0	0	1.02	0	0	10.8	0.1	1.1
2022	1	17	4	12	45	0	0	0	0	0	0	0	1.02	0	0	10.8	0.1	1.1
2022	1	17	4	22	45	0	0	0	0	0	0	0	1.01	0	0	10.8	0.1	1.1
2022	1	17	4	32	45	0	0	0	0	0	0	0	1	0	0	10.8	0.1	1.1
2022	1	17	4	42	45	0	0	0	0	0	0	0	1	0	0	10.8	0.1	1.1
2022	1	17	4	52	45	0	0	0	0	0	0	0	0.99	0	0	10.8	0.1	1.1
2022	1	17	5	2	45	0	0	0	0	0	0	0	0.99	0	0	10.8	0.1	1.1
2022	1	17	5	12	45	0	0	0	0	0	0	0	0.98	0	0	10.8	0.1	1.1
2022	1	17	5	22	45	0	0	0	0	0	0	0	0.98	0	0	10.8	0.1	1.1
2022	1	17	5	32	45	0	0	0	0	0	0	0	0.97	0	0	10.8	0.1	1.1
2022	1	17	5	42	45	0	0	0	0	0	0	0	0.96	0	0	10.8	0.1	1.1
2022	1	17	5	52	45	0	0	0	0	0	0	0	0.96	0	0	10.8	0.1	1.1
2022	1	17	6	2	45	0	0	0	0	0	0	0	0.95	0	0	10.8	0.1	1.1
2022	1	17	6	12	45	0	0	0	0	0	0	0	0.95	0	0	10.8	0.1	1.1
2022	1	17	6	22	45	0	0	0	0	0	0	0	0.95	0	0	10.8	0.1	1.1
2022	1	17	6	32	45	0	0	0	0	0	0	0	0.95	0	0	10.8	0.1	1.1
2022	1	17	6	42	45	0	0	0	0	0	0	0	0.94	0	0	10.8	0.1	1.1
2022	1	17	6	52	45	0	0	0	0	0	0	0	0.94	0	0	10.8	0.1	1.1
2022	1	17	7	2	45	0	0	0	0	0	0	0	0.94	0	0	10.8	0.1	1.1
2022	1	17	7	12	45	0	0	0	0	0	0	0	0.94	0	0	10.8	0.1	1.1
2022	1	17	7	22	45	0	0	0	0	0	0	0	0.93	0	0	10.8	0.1	1.1
2022	1	17	7	32	45	0	0	0	0	0	0	0	0.94	0	0	11	0.1	1.1
2022	1	17	7	42	45	0	0	0	0	0	0	0	0.95	0	0	10.8	0.1	1.1
2022	1	17	7	52	45	0	0	0	0	0	0	0	0.96	0	0	10.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	17	8	2	45	0	0	0	0	0	0	0	0.96	0	0	10.8	0.1	1.1
2022	1	17	8	12	45	0	0	0	0	0	0	0	0.97	0	0	11	0.1	1.1
2022	1	17	8	22	45	0	0	0	0	0	0	0	0.98	0	0	11	0.1	1.1
2022	1	17	8	32	45	0	0	0	0	0	0	0	1	0	0	11	0.1	1.1
2022	1	17	8	42	45	0	0	0	0	0	0	0	1	0	0	11	0.1	1.1
2022	1	17	8	52	45	0	0	0	0	0	0	0	1.03	0	0	11.2	0.1	1.1
2022	1	17	9	2	45	0	0	0	0	0	0	0	1.05	0	0	11.4	0.1	1.1
2022	1	17	9	12	45	0	0	0	0	0	0	0	1.08	0	0	11.4	0.1	1.1
2022	1	17	9	22	45	0	0	0	0	0	0	0	1.11	0	0	11.6	0.1	1.1
2022	1	17	9	32	45	0	0	0	0	0	0	0	1.1	0	0	11.6	0.1	1.1
2022	1	17	9	42	45	0	0	0	0	0	0	0	1.13	0	0	11.8	0.1	1.1
2022	1	17	9	52	45	0	0	0	0	0	0	0	1.1	0	0	11.6	0.1	1.1
2022	1	17	10	2	45	0	0	0	0	0	0	0	1.09	0	0	11.4	0.1	1.1
2022	1	17	10	12	45	0	0	0	0	0	0	0	1.09	0	0	11.4	0.1	1.1
2022	1	17	10	22	45	0	0	0	0	0	0	0	1.12	0	0	11.6	0.1	1.1
2022	1	17	10	32	45	0	0	0	0	0	0	0	1.16	0	0	11.6	0.1	1.1
2022	1	17	10	42	45	0	0	0	0	0	0	0	1.15	0	0	11.6	0.1	1.1
2022	1	17	10	52	45	0	0	0	0	0	0	0	1.34	0	0	12.4	0.1	1.1
2022	1	17	11	2	45	0	0	0	0	0	0	0	1.43	0	0	12.4	0.1	1.1
2022	1	17	11	12	45	0	0	0	0	0	0	0	1.48	0	0	12.4	0.1	1.1
2022	1	17	11	22	45	0	0	0	0	0	0	0	1.49	0	0	12.2	0.1	1.1
2022	1	17	11	32	45	0	0	0	0	0	0	0	1.51	0	0	12	0.1	1.1
2022	1	17	11	42	45	0	0	0	0	0	0	0	1.52	0	0	12.4	0.1	1.1
2022	1	17	11	52	45	0	0	0	0	0	0	0	1.54	0	0	12.6	0.1	1.1
2022	1	17	12	2	45	0	0	0	0	0	0	0	1.53	0	0	12.8	0.1	1.1
2022	1	17	12	12	45	0	0	0	0	0	0	0	1.56	0	0	13.2	0.1	1.1
2022	1	17	12	22	45	0	0	0	0	0	0	0	1.57	0	0	13	0.1	1.1
2022	1	17	12	32	45	0	0	0	0	0	0	0	1.57	0	0	13.2	0.1	1.1
2022	1	17	12	42	45	0	0	0	0	0	0	0	1.57	0	0	13.2	0.1	1.1
2022	1	17	12	52	45	0	0	0	0	0	0	0	1.59	0	0	13	0.1	1.1
2022	1	17	13	2	45	0	0	0	0	0	0	0	1.6	0	0	13	0.1	1.1
2022	1	17	13	12	45	0	0	0	0	0	0	0	1.6	0	0	13	0.1	1.1
2022	1	17	13	22	45	0	0	0	0	0	0	0	1.59	0	0	13	0.1	1.1
2022	1	17	13	32	45	0	0	0	0	0	0	0	1.59	0	0	13	0.1	1.1
2022	1	17	13	42	45	0	0	0	0	0	0	0	1.58	0	0	12.8	0.1	1.1
2022	1	17	13	52	45	0	0	0	0	0	0	0	1.58	0	0	12.8	0.1	1.1
2022	1	17	14	2	45	0	0	0	0	0	0	0	1.59	0	0	12.8	0.1	1.1
2022	1	17	14	12	45	0	0	0	0	0	0	0	1.57	0	0	13	0.1	1.1
2022	1	17	14	22	45	0	0	0	0	0	0	0	1.57	0	0	12.8	0.1	1.1
2022	1	17	14	32	45	0	0	0	0	0	0	0	1.57	0	0	12.6	0.1	1.1
2022	1	17	14	42	45	0	0	0	0	0	0	0	1.54	0	0	12.2	0.1	1.1
2022	1	17	14	52	45	0	0	0	0	0	0	0	1.54	0	0	12.2	0.1	1.1
2022	1	17	15	2	45	0	0	0	0	0	0	0	1.52	0	0	12	0.1	1.1
2022	1	17	15	12	45	0	0	0	0	0	0	0	1.5	0	0	11.4	0.1	1.1
2022	1	17	15	22	45	0	0	0	0	0	0	0	1.48	0	0	11	0.1	1.1
2022	1	17	15	32	45	0	0	0	0	0	0	0	1.45	0	0	11	0.1	1.1
2022	1	17	15	42	45	0	0	0	0	0	0	0	1.45	0	0	11.2	0.1	1.1
2022	1	17	15	52	45	0	0	0	0	0	0	0	1.45	0	0	11.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	17	16	2	45	0	0	0	0	0	0	0	1.46	0	0	11	0.1	1.1
2022	1	17	16	12	45	0	0	0	0	0	0	0	1.46	0	0	10.8	0.1	1.1
2022	1	17	16	22	45	0	0	0	0	0	0	0	1.46	0	0	11	0.1	1.1
2022	1	17	16	32	45	0	0	0	0	0	0	0	1.46	0	0	11.2	0.1	1.1
2022	1	17	16	42	45	0	0	0	0	0	0	0	1.46	0	0	11	0.1	1.1
2022	1	17	16	52	45	0	0	0	0	0	0	0	1.46	0	0	11.2	0.1	1.1
2022	1	17	17	2	45	0	0	0	0	0	0	0	1.46	0	0	10.8	0.1	1.1
2022	1	17	17	12	45	0	0	0	0	0	0	0	1.45	0	0	10.6	0.1	1.1
2022	1	17	17	22	45	0	0	0	0	0	0	0	1.45	0	0	11.2	0.1	1.1
2022	1	17	17	32	45	0	0	0	0	0	0	0	1.44	0	0	11.2	0.1	1.1
2022	1	17	17	42	45	0	0	0	0	0	0	0	1.44	0	0	10.8	0.1	1.1
2022	1	17	17	52	45	0	0	0	0	0	0	0	1.44	0	0	11	0.1	1.1
2022	1	17	18	2	45	0	0	0	0	0	0	0	1.43	0	0	10.2	0.1	1.1
2022	1	17	18	12	45	0	0	0	0	0	0	0	1.43	0	0	10.6	0.1	1.1
2022	1	17	18	22	45	0	0	0	0	0	0	0	1.42	0	0	10.6	0.1	1.1
2022	1	17	18	32	45	0	0	0	0	0	0	0	1.41	0	0	11	0.1	1.1
2022	1	17	18	42	45	0	0	0	0	0	0	0	1.41	0	0	10.8	0.1	1.1
2022	1	17	18	52	45	0	0	0	0	0	0	0	1.4	0	0	11	0.1	1.1
2022	1	17	19	2	45	0	0	0	0	0	0	0	1.39	0	0	11.2	0.1	1.1
2022	1	17	19	12	45	0	0	0	0	0	0	0	1.38	0	0	11.6	0.1	1.1
2022	1	17	19	22	45	0	0	0	0	0	0	0	1.37	0	0	11.6	0.1	1.1
2022	1	17	19	32	45	0	0	0	0	0	0	0	1.37	0	0	11.6	0.1	1.1
2022	1	17	19	42	45	0	0	0	0	0	0	0	1.37	0	0	11.6	0.1	1.1
2022	1	17	19	52	45	0	0	0	0	0	0	0	1.36	0	0	11.6	0.1	1.1
2022	1	17	20	2	45	0	0	0	0	0	0	0	1.35	0	0	11.6	0.1	1.1
2022	1	17	20	12	45	0	0	0	0	0	0	0	1.34	0	0	11.6	0.1	1.1
2022	1	17	20	22	45	0	0	0	0	0	0	0	1.34	0	0	11.6	0.1	1.1
2022	1	17	20	32	45	0	0	0	0	0	0	0	1.33	0	0	11.6	0.1	1.1
2022	1	17	20	42	45	0	0	0	0	0	0	0	1.32	0	0	11.6	0.1	1.1
2022	1	17	20	52	45	0	0	0	0	0	0	0	1.32	0	0	11.6	0.1	1.1
2022	1	17	21	2	45	0	0	0	0	0	0	0	1.31	0	0	11.6	0.1	1.1
2022	1	17	21	12	45	0	0	0	0	0	0	0	1.31	0	0	11.6	0.1	1.1
2022	1	17	21	22	45	0	0	0	0	0	0	0	1.31	0	0	11.6	0.1	1.1
2022	1	17	21	32	45	0	0	0	0	0	0	0	1.31	0	0	11.6	0.1	1.1
2022	1	17	21	42	45	0	0	0	0	0	0	0	1.3	0	0	11.6	0.1	1.1
2022	1	17	21	52	45	0	0	0	0	0	0	0	1.3	0	0	11.6	0.1	1.1
2022	1	17	22	2	45	0	0	0	0	0	0	0	1.3	0	0	11.6	0.1	1.1
2022	1	17	22	12	45	0	0	0	0	0	0	0	1.29	0	0	11.6	0.1	1.1
2022	1	17	22	22	45	0	0	0	0	0	0	0	1.29	0	0	11.4	0.1	1.1
2022	1	17	22	32	45	0	0	0	0	0	0	0	1.28	0	0	11.4	0.1	1.1
2022	1	17	22	42	45	0	0	0	0	0	0	0	1.28	0	0	11.4	0.1	1.1
2022	1	17	22	52	45	0	0	0	0	0	0	0	1.27	0	0	11.4	0.1	1.1
2022	1	17	23	2	45	0	0	0	0	0	0	0	1.27	0	0	10.4	0.1	1.1
2022	1	17	23	12	45	0	0	0	0	0	0	0	1.26	0	0	10.8	0.1	1.1
2022	1	17	23	22	45	0	0	0	0	0	0	0	1.26	0	0	11	0.1	1.1
2022	1	17	23	32	45	0	0	0	0	0	0	0	1.25	0	0	11	0.1	1.1
2022	1	17	23	42	45	0	0	0	0	0	0	0	1.25	0	0	10.8	0.1	1.1
2022	1	17	23	52	45	0	0	0	0	0	0	0	1.25	0	0	10.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	18	0	2	45	0	0	0	0	0	0	0	1.24	0	0	10.6	0.1	1.1
2022	1	18	0	12	45	0	0	0	0	0	0	0	1.24	0	0	10.6	0.1	1.1
2022	1	18	0	22	45	0	0	0	0	0	0	0	1.23	0	0	10.6	0.1	1.1
2022	1	18	0	32	45	0	0	0	0	0	0	0	1.22	0	0	10.4	0.1	1.1
2022	1	18	0	42	45	0	0	0	0	0	0	0	1.22	0	0	10.2	0.1	1.1
2022	1	18	0	52	45	0	0	0	0	0	0	0	1.21	0	0	10	0.1	1.1
2022	1	18	1	2	45	0	0	0	0	0	0	0	1.21	0	0	10.4	0.1	1.1
2022	1	18	1	12	45	0	0	0	0	0	0	0	1.2	0	0	10.8	0.1	1.1
2022	1	18	1	22	45	0	0	0	0	0	0	0	1.2	0	0	10.6	0.1	1.1
2022	1	18	1	32	45	0	0	0	0	0	0	0	1.2	0	0	10.2	0.1	1.1
2022	1	18	1	42	45	0	0	0	0	0	0	0	1.19	0	0	10.2	0.1	1.1
2022	1	18	1	52	45	0	0	0	0	0	0	0	1.18	0	0	10.2	0.1	1.1
2022	1	18	2	2	45	0	0	0	0	0	0	0	1.18	0	0	10.6	0.1	1.1
2022	1	18	2	12	45	0	0	0	0	0	0	0	1.18	0	0	10.6	0.1	1.1
2022	1	18	2	22	45	0	0	0	0	0	0	0	1.17	0	0	10.6	0.1	1.1
2022	1	18	2	32	45	0	0	0	0	0	0	0	1.16	0	0	10.6	0.1	1.1
2022	1	18	2	42	45	0	0	0	0	0	0	0	1.15	0	0	10.6	0.1	1.1
2022	1	18	2	52	45	0	0	0	0	0	0	0	1.15	0	0	10.4	0.1	1.1
2022	1	18	3	2	45	0	0	0	0	0	0	0	1.14	0	0	11.2	0.1	1.1
2022	1	18	3	12	45	0	0	0	0	0	0	0	1.13	0	0	11.2	0.1	1.1
2022	1	18	3	22	45	0	0	0	0	0	0	0	1.13	0	0	11	0.1	1.1
2022	1	18	3	32	45	0	0	0	0	0	0	0	1.12	0	0	11	0.1	1.1
2022	1	18	3	42	45	0	0	0	0	0	0	0	1.12	0	0	11	0.1	1.1
2022	1	18	3	52	45	0	0	0	0	0	0	0	1.11	0	0	11	0.1	1.1
2022	1	18	4	2	45	0	0	0	0	0	0	0	1.11	0	0	11	0.1	1.1
2022	1	18	4	12	45	0	0	0	0	0	0	0	1.1	0	0	11	0.1	1.1
2022	1	18	4	22	45	0	0	0	0	0	0	0	1.1	0	0	10.8	0.1	1.1
2022	1	18	4	32	45	0	0	0	0	0	0	0	1.1	0	0	10.8	0.1	1.1
2022	1	18	4	42	45	0	0	0	0	0	0	0	1.09	0	0	10.8	0.1	1.1
2022	1	18	4	52	45	0	0	0	0	0	0	0	1.09	0	0	10.8	0.1	1.1
2022	1	18	5	2	45	0	0	0	0	0	0	0	1.08	0	0	10.8	0.1	1.1
2022	1	18	5	12	45	0	0	0	0	0	0	0	1.09	0	0	10.8	0.1	1.1
2022	1	18	5	22	45	0	0	0	0	0	0	0	1.08	0	0	10.8	0.1	1.1
2022	1	18	5	32	45	0	0	0	0	0	0	0	1.09	0	0	10.8	0.1	1.1
2022	1	18	5	42	45	0	0	0	0	0	0	0	1.08	0	0	10.8	0.1	1.1
2022	1	18	5	52	45	0	0	0	0	0	0	0	1.07	0	0	10.8	0.1	1.1
2022	1	18	6	2	45	0	0	0	0	0	0	0	1.07	0	0	10.8	0.1	1.1
2022	1	18	6	12	45	0	0	0	0	0	0	0	1.07	0	0	10.8	0.1	1.1
2022	1	18	6	22	45	0	0	0	0	0	0	0	1.05	0	0	10.8	0.1	1.1
2022	1	18	6	32	45	0	0	0	0	0	0	0	1.05	0	0	10.6	0.1	1.1
2022	1	18	6	42	45	0	0	0	0	0	0	0	1.05	0	0	10.6	0.1	1.1
2022	1	18	6	52	45	0	0	0	0	0	0	0	1.04	0	0	10.4	0.1	1.1
2022	1	18	7	2	45	0	0	0	0	0	0	0	1.04	0	0	10.4	0.1	1.1
2022	1	18	7	12	45	0	0	0	0	0	0	0	1.04	0	0	10.4	0.1	1.1
2022	1	18	7	22	45	0	0	0	0	0	0	0	1.04	0	0	10.4	0.1	1.1
2022	1	18	7	32	45	0	0	0	0	0	0	0	1.04	0	0	10.4	0.1	1.1
2022	1	18	7	42	45	0	0	0	0	0	0	0	1.04	0	0	10.4	0.1	1.1
2022	1	18	7	52	45	0	0	0	0	0	0	0	1.04	0	0	10.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	18	8	2	45	0	0	0	0	0	0	0	1.05	0	0	10.4	0.1	1.1
2022	1	18	8	12	45	0	0	0	0	0	0	0	1.06	0	0	10.6	0.1	1.1
2022	1	18	8	22	45	0	0	0	0	0	0	0	1.07	0	0	10.8	0.1	1.1
2022	1	18	8	32	45	0	0	0	0	0	0	0	1.08	0	0	11	0.1	1.1
2022	1	18	8	42	45	0	0	0	0	0	0	0	1.12	0	0	11	0.1	1.1
2022	1	18	8	52	45	0	0	0	0	0	0	0	1.15	0	0	11.4	0.1	1.1
2022	1	18	9	2	45	0	0	0	0	0	0	0	1.16	0	0	11.6	0.1	1.1
2022	1	18	9	12	45	0	0	0	0	0	0	0	1.2	0	0	11.6	0.1	1.1
2022	1	18	9	22	45	0	0	0	0	0	0	0	1.26	0	0	11.8	0.1	1.1
2022	1	18	9	32	45	0	0	0	0	0	0	0	1.29	0	0	11.8	0.1	1.1
2022	1	18	9	42	45	0	0	0	0	0	0	0	1.33	0	0	11.6	0.1	1.1
2022	1	18	9	52	45	0	0	0	0	0	0	0	1.35	0	0	12	0.1	1.1
2022	1	18	10	2	45	0	0	0	0	0	0	0	1.38	0	0	12	0.1	1.1
2022	1	18	10	12	45	0	0	0	0	0	0	0	1.38	0	0	11.8	0.1	1.1
2022	1	18	10	22	45	0	0	0	0	0	0	0	1.43	0	0	11.6	0.1	1.1
2022	1	18	10	32	45	0	0	0	0	0	0	0	1.45	0	0	12	0.1	1.1
2022	1	18	10	42	45	0	0	0	0	0	0	0	1.48	0	0	12	0.1	1.1
2022	1	18	10	52	45	0	0	0	0	0	0	0	1.5	0	0	12.4	0.1	1.1
2022	1	18	11	2	45	0	0	0	0	0	0	0	1.54	0	0	12.8	0.1	1.1
2022	1	18	11	12	45	0	0	0	0	0	0	0	1.55	0	0	13	0.1	1.1
2022	1	18	11	22	45	0	0	0	0	0	0	0	1.58	0	0	13	0.1	1.1
2022	1	18	11	32	45	0	0	0	0	0	0	0	1.6	0	0	13	0.1	1.1
2022	1	18	11	42	45	0	0	0	0	0	0	0	1.61	0	0	13.2	0.1	1.1
2022	1	18	11	52	45	0	0	0	0	0	0	0	1.62	0	0	13	0.1	1.1
2022	1	18	12	2	45	0	0	0	0	0	0	0	1.64	0	0	13	0.1	1.1
2022	1	18	12	12	45	0	0	0	0	0	0	0	1.65	0	0	13	0.1	1.1
2022	1	18	12	22	45	0	0	0	0	0	0	0	1.68	0	0	13	0.1	1.1
2022	1	18	12	32	45	0	0	0	0	0	0	0	1.67	0	0	13	0.1	1.1
2022	1	18	12	42	45	0	0	0	0	0	0	0	1.69	0	0	13	0.1	1.1
2022	1	18	12	52	45	0	0	0	0	0	0	0	1.7	0	0	13.2	0.1	1.1
2022	1	18	13	2	45	0	0	0	0	0	0	0	1.7	0	0	13	0.1	1.1
2022	1	18	13	12	45	0	0	0	0	0	0	0	1.7	0	0	13	0.1	1.1
2022	1	18	13	22	45	0	0	0	0	0	0	0	1.7	0	0	13	0.1	1.1
2022	1	18	13	32	45	0	0	0	0	0	0	0	1.71	0	0	13	0.1	1.1
2022	1	18	13	42	45	0	0	0	0	0	0	0	1.71	0	0	13	0.1	1.1
2022	1	18	13	52	45	0	0	0	0	0	0	0	1.71	0	0	13	0.1	1.1
2022	1	18	14	2	45	0	0	0	0	0	0	0	1.71	0	0	13	0.1	1.1
2022	1	18	14	12	45	0	0	0	0	0	0	0	1.71	0	0	13	0.1	1.1
2022	1	18	14	22	45	0	0	0	0	0	0	0	1.71	0	0	13	0.1	1.1
2022	1	18	14	32	45	0	0	0	0	0	0	0	1.71	0	0	13	0.1	1.1
2022	1	18	14	42	45	0	0	0	0	0	0	0	1.7	0	0	13	0.1	1.1
2022	1	18	14	52	45	0	0	0	0	0	0	0	1.69	0	0	13	0.1	1.1
2022	1	18	15	2	45	0	0	0	0	0	0	0	1.68	0	0	12.4	0.1	1.1
2022	1	18	15	12	45	0	0	0	0	0	0	0	1.67	0	0	12.2	0.1	1.1
2022	1	18	15	22	45	0	0	0	0	0	0	0	1.65	0	0	12	0.1	1.1
2022	1	18	15	32	45	0	0	0	0	0	0	0	1.6	0	0	11.8	0.1	1.1
2022	1	18	15	42	45	0	0	0	0	0	0	0	1.6	0	0	11.8	0.1	1.1
2022	1	18	15	52	45	0	0	0	0	0	0	0	1.6	0	0	11.6	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	18	16	2	45	0	0	0	0	0	0	0	1.6	0	0	11.6	0.1	1.1
2022	1	18	16	12	45	0	0	0	0	0	0	0	1.61	0	0	11.4	0.1	1.1
2022	1	18	16	22	45	0	0	0	0	0	0	0	1.61	0	0	11.2	0.1	1.1
2022	1	18	16	32	45	0	0	0	0	0	0	0	1.61	0	0	11.2	0.1	1.1
2022	1	18	16	42	45	0	0	0	0	0	0	0	1.62	0	0	10.8	0.1	1.1
2022	1	18	16	52	45	0	0	0	0	0	0	0	1.62	0	0	10.8	0.1	1.1
2022	1	18	17	2	45	0	0	0	0	0	0	0	1.62	0	0	11	0.1	1.1
2022	1	18	17	12	45	0	0	0	0	0	0	0	1.62	0	0	11	0.1	1.1
2022	1	18	17	22	45	0	0	0	0	0	0	0	1.62	0	0	11	0.1	1.1
2022	1	18	17	32	45	0	0	0	0	0	0	0	1.62	0	0	10.8	0.1	1.1
2022	1	18	17	42	45	0	0	0	0	0	0	0	1.62	0	0	11.2	0.1	1.1
2022	1	18	17	52	45	0	0	0	0	0	0	0	1.62	0	0	10.6	0.1	1.1
2022	1	18	18	2	45	0	0	0	0	0	0	0	1.62	0	0	10.6	0.1	1.1
2022	1	18	18	12	45	0	0	0	0	0	0	0	1.62	0	0	10.6	0.1	1.1
2022	1	18	18	22	45	0	0	0	0	0	0	0	1.62	0	0	10.8	0.1	1.1
2022	1	18	18	32	45	0	0	0	0	0	0	0	1.61	0	0	11.2	0.1	1.1
2022	1	18	18	42	45	0	0	0	0	0	0	0	1.61	0	0	10.8	0.1	1.1
2022	1	18	18	52	45	0	0	0	0	0	0	0	1.61	0	0	11	0.1	1.1
2022	1	18	19	2	45	0	0	0	0	0	0	0	1.6	0	0	11	0.1	1.1
2022	1	18	19	12	45	0	0	0	0	0	0	0	1.6	0	0	11.4	0.1	1.1
2022	1	18	19	22	45	0	0	0	0	0	0	0	1.59	0	0	11.4	0.1	1.1
2022	1	18	19	32	45	0	0	0	0	0	0	0	1.58	0	0	11	0.1	1.1
2022	1	18	19	42	45	0	0	0	0	0	0	0	1.58	0	0	11	0.1	1.1
2022	1	18	19	52	45	0	0	0	0	0	0	0	1.57	0	0	10.8	0.1	1.1
2022	1	18	20	2	45	0	0	0	0	0	0	0	1.57	0	0	10.8	0.1	1.1
2022	1	18	20	12	45	0	0	0	0	0	0	0	1.57	0	0	10.8	0.1	1.1
2022	1	18	20	22	45	0	0	0	0	0	0	0	1.56	0	0	10.8	0.1	1.1
2022	1	18	20	32	45	0	0	0	0	0	0	0	1.56	0	0	10.8	0.1	1.1
2022	1	18	20	42	45	0	0	0	0	0	0	0	1.56	0	0	11.2	0.1	1.1
2022	1	18	20	52	45	0	0	0	0	0	0	0	1.55	0	0	11	0.1	1.1
2022	1	18	21	2	45	0	0	0	0	0	0	0	1.55	0	0	11.2	0.1	1.1
2022	1	18	21	12	45	0	0	0	0	0	0	0	1.54	0	0	11	0.1	1.1
2022	1	18	21	22	45	0	0	0	0	0	0	0	1.54	0	0	10.8	0.1	1.1
2022	1	18	21	32	45	0	0	0	0	0	0	0	1.54	0	0	10.8	0.1	1.1
2022	1	18	21	42	45	0	0	0	0	0	0	0	1.53	0	0	10.8	0.1	1.1
2022	1	18	21	52	45	0	0	0	0	0	0	0	1.53	0	0	11.4	0.1	1.1
2022	1	18	22	2	45	0	0	0	0	0	0	0	1.52	0	0	11.4	0.1	1.1
2022	1	18	22	12	45	0	0	0	0	0	0	0	1.52	0	0	11.4	0.1	1.1
2022	1	18	22	22	45	0	0	0	0	0	0	0	1.52	0	0	11.4	0.1	1.1
2022	1	18	22	32	45	0	0	0	0	0	0	0	1.51	0	0	11.2	0.1	1.1
2022	1	18	22	42	45	0	0	0	0	0	0	0	1.5	0	0	11.2	0.1	1.1
2022	1	18	22	52	45	0	0	0	0	0	0	0	1.5	0	0	11.2	0.1	1.1
2022	1	18	23	2	45	0	0	0	0	0	0	0	1.5	0	0	11.2	0.1	1.1
2022	1	18	23	12	45	0	0	0	0	0	0	0	1.49	0	0	11.4	0.1	1.1
2022	1	18	23	22	45	0	0	0	0	0	0	0	1.48	0	0	11.4	0.1	1.1
2022	1	18	23	32	45	0	0	0	0	0	0	0	1.48	0	0	11.4	0.1	1.1
2022	1	18	23	42	45	0	0	0	0	0	0	0	1.47	0	0	11.4	0.1	1.1
2022	1	18	23	52	45	0	0	0	0	0	0	0	1.46	0	0	11.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	19	0	2	45	0	0	0	0	0	0	0	1.46	0	0	11.2	0.1	1.1
2022	1	19	0	12	45	0	0	0	0	0	0	0	1.44	0	0	11.2	0.1	1.1
2022	1	19	0	22	45	0	0	0	0	0	0	0	1.45	0	0	11.2	0.1	1.1
2022	1	19	0	32	45	0	0	0	0	0	0	0	1.43	0	0	11.2	0.1	1.1
2022	1	19	0	42	45	0	0	0	0	0	0	0	1.42	0	0	11	0.1	1.1
2022	1	19	0	52	45	0	0	0	0	0	0	0	1.42	0	0	11	0.1	1.1
2022	1	19	1	2	45	0	0	0	0	0	0	0	1.41	0	0	10.8	0.1	1.1
2022	1	19	1	12	45	0	0	0	0	0	0	0	1.4	0	0	10.8	0.1	1.1
2022	1	19	1	22	45	0	0	0	0	0	0	0	1.39	0	0	10.8	0.1	1.1
2022	1	19	1	32	45	0	0	0	0	0	0	0	1.39	0	0	10.8	0.1	1.1
2022	1	19	1	42	45	0	0	0	0	0	0	0	1.37	0	0	10.8	0.1	1.1
2022	1	19	1	52	45	0	0	0	0	0	0	0	1.37	0	0	10.8	0.1	1.1
2022	1	19	2	2	45	0	0	0	0	0	0	0	1.36	0	0	10.8	0.1	1.1
2022	1	19	2	12	45	0	0	0	0	0	0	0	1.35	0	0	10.8	0.1	1.1
2022	1	19	2	22	45	0	0	0	0	0	0	0	1.34	0	0	11.2	0.1	1.1
2022	1	19	2	32	45	0	0	0	0	0	0	0	1.33	0	0	11.2	0.1	1.1
2022	1	19	2	42	45	0	0	0	0	0	0	0	1.32	0	0	11.2	0.1	1.1
2022	1	19	2	52	45	0	0	0	0	0	0	0	1.32	0	0	11.2	0.1	1.1
2022	1	19	3	2	45	0	0	0	0	0	0	0	1.31	0	0	11.2	0.1	1.1
2022	1	19	3	12	45	0	0	0	0	0	0	0	1.3	0	0	11.2	0.1	1.1
2022	1	19	3	22	45	0	0	0	0	0	0	0	1.29	0	0	11.2	0.1	1.1
2022	1	19	3	32	45	0	0	0	0	0	0	0	1.28	0	0	11	0.1	1.1
2022	1	19	3	42	45	0	0	0	0	0	0	0	1.27	0	0	11	0.1	1.1
2022	1	19	3	52	45	0	0	0	0	0	0	0	1.26	0	0	11	0.1	1.1
2022	1	19	4	2	45	0	0	0	0	0	0	0	1.26	0	0	11	0.1	1.1
2022	1	19	4	12	45	0	0	0	0	0	0	0	1.25	0	0	11.2	0.1	1.1
2022	1	19	4	22	45	0	0	0	0	0	0	0	1.24	0	0	11	0.1	1.1
2022	1	19	4	32	45	0	0	0	0	0	0	0	1.23	0	0	11	0.1	1.1
2022	1	19	4	42	45	0	0	0	0	0	0	0	1.22	0	0	11	0.1	1.1
2022	1	19	4	52	45	0	0	0	0	0	0	0	1.22	0	0	11	0.1	1.1
2022	1	19	5	2	45	0	0	0	0	0	0	0	1.21	0	0	11	0.1	1.1
2022	1	19	5	12	45	0	0	0	0	0	0	0	1.21	0	0	11	0.1	1.1
2022	1	19	5	22	45	0	0	0	0	0	0	0	1.2	0	0	11	0.1	1.1
2022	1	19	5	32	45	0	0	0	0	0	0	0	1.19	0	0	11	0.1	1.1
2022	1	19	5	42	45	0	0	0	0	0	0	0	1.18	0	0	11	0.1	1.1
2022	1	19	5	52	45	0	0	0	0	0	0	0	1.17	0	0	11	0.1	1.1
2022	1	19	6	2	45	0	0	0	0	0	0	0	1.17	0	0	11.2	0.1	1.1
2022	1	19	6	12	45	0	0	0	0	0	0	0	1.16	0	0	11.2	0.1	1.1
2022	1	19	6	22	45	0	0	0	0	0	0	0	1.16	0	0	11	0.1	1.1
2022	1	19	6	32	45	0	0	0	0	0	0	0	1.15	0	0	10.8	0.1	1.1
2022	1	19	6	42	45	0	0	0	0	0	0	0	1.14	0	0	11	0.1	1.1
2022	1	19	6	52	45	0	0	0	0	0	0	0	1.14	0	0	11	0.1	1.1
2022	1	19	7	2	45	0	0	0	0	0	0	0	1.14	0	0	11.2	0.1	1.1
2022	1	19	7	12	45	0	0	0	0	0	0	0	1.13	0	0	11.2	0.1	1.1
2022	1	19	7	22	45	0	0	0	0	0	0	0	1.14	0	0	11.2	0.1	1.1
2022	1	19	7	32	45	0	0	0	0	0	0	0	1.13	0	0	11.2	0.1	1.1
2022	1	19	7	42	45	0	0	0	0	0	0	0	1.13	0	0	11.4	0.1	1.1
2022	1	19	7	52	45	0	0	0	0	0	0	0	1.13	0	0	11.2	0.1	1.1



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	19	8	2	45	0	0	0	0	0	0	0	1.13	0	0	11.6	0.1	1.1
2022	1	19	8	12	45	0	0	0	0	0	0	0	1.14	0	0	11.8	0.1	1.1
2022	1	19	8	22	45	0	0	0	0	0	0	0	1.15	0	0	12.2	0.1	1.1
2022	1	19	8	32	45	0	0	0	0	0	0	0	1.2	0	0	12.2	0.1	1.1
2022	1	19	8	42	45	0	0	0	0	0	0	0	1.24	0	0	12.4	0.1	1.1
2022	1	19	8	52	45	0	0	0	0	0	0	0	1.26	0	0	12.4	0.1	1.1
2022	1	19	9	2	45	0	0	0	0	0	0	0	1.29	0	0	12.4	0.1	1.1
2022	1	19	9	12	45	0	0	0	0	0	0	0	1.33	0	0	12.4	0.1	1.1
2022	1	19	9	22	45	0	0	0	0	0	0	0	1.35	0	0	12.4	0.1	1.1
2022	1	19	9	32	45	0	0	0	0	0	0	0	1.39	0	0	12.4	0.1	1.1
2022	1	19	9	42	45	0	0	0	0	0	0	0	1.42	0	0	12.6	0.1	1.1
2022	1	19	9	52	45	0	0	0	0	0	0	0	1.47	0	0	12.4	0.1	1.1
2022	1	19	10	2	45	0	0	0	0	0	0	0	1.49	0	0	12.4	0.1	1.1
2022	1	19	10	12	45	0	0	0	0	0	0	0	1.51	0	0	12.6	0.1	1.1
2022	1	19	10	22	45	0	0	0	0	0	0	0	1.55	0	0	13.2	0.1	1.1
2022	1	19	10	32	45	0	0	0	0	0	0	0	1.58	0	0	12.8	0.1	1.1
2022	1	19	10	42	45	0	0	0	0	0	0	0	1.58	0	0	13	0.1	1.1
2022	1	19	10	52	45	0	0	0	0	0	0	0	1.64	0	0	13	0.1	1.1
2022	1	19	11	2	45	0	0	0	0	0	0	0	1.64	0	0	12.4	0.1	1.1
2022	1	19	11	12	45	0	0	0	0	0	0	0	1.66	0	0	12.6	0.1	1.1
2022	1	19	11	22	45	0	0	0	0	0	0	0	1.69	0	0	13.2	0.1	1.1
2022	1	19	11	32	45	0	0	0	0	0	0	0	1.73	0	0	13.4	0.1	1.1
2022	1	19	11	42	45	0	0	0	0	0	0	0	1.74	0	0	13.4	0.1	1.1
2022	1	19	11	52	45	0	0	0	0	0	0	0	1.76	0	0	13.6	0.1	1.1
2022	1	19	12	2	45	0	0	0	0	0	0	0	1.78	0	0	13.6	0.1	1.1
2022	1	19	12	12	45	0	0	0	0	0	0	0	1.8	0	0	13.4	0.1	1.1
2022	1	19	12	22	45	0	0	0	0	0	0	0	1.82	0	0	13.4	0.1	1.1
2022	1	19	12	32	45	0	0	0	0	0	0	0	1.82	0	0	13.4	0.1	1.1
2022	1	19	12	42	45	0	0	0	0	0	0	0	1.84	0	0	13.6	0.1	1.1
2022	1	19	12	52	45	0	0	0	0	0	0	0	1.86	0	0	13.6	0.1	1.1
2022	1	19	13	2	45	0	0	0	0	0	0	0	1.85	0	0	13.4	0.1	1.1
2022	1	19	13	12	45	0	0	0	0	0	0	0	1.87	0	0	13.4	0.1	1.1
2022	1	19	13	22	45	0	0	0	0	0	0	0	1.87	0	0	13.4	0.1	1.1
2022	1	19	13	32	45	0	0	0	0	0	0	0	1.89	0	0	13.4	0.1	1.1
2022	1	19	13	42	45	0	0	0	0	0	0	0	1.88	0	0	13.2	0.1	1.1
2022	1	19	13	52	45	0	0	0	0	0	0	0	1.89	0	0	13.4	0.1	1.1
2022	1	19	14	2	45	0	0	0	0	0	0	0	1.9	0	0	13.4	0.1	1.1
2022	1	19	14	12	45	0	0	0	0	0	0	0	1.9	0	0	13.4	0.1	1.1
2022	1	19	14	22	45	0	0	0	0	0	0	0	1.9	0	0	13.4	0.1	1.1
2022	1	19	14	32	45	0	0	0	0	0	0	0	1.9	0	0	13.4	0.1	1.1
2022	1	19	14	42	45	0	0	0	0	0	0	0	1.89	0	0	13.4	0.1	1.1
2022	1	19	14	52	45	0	0	0	0	0	0	0	1.89	0	0	13.4	0.1	1.1
2022	1	19	15	2	45	0	0	0	0	0	0	0	1.87	0	0	13.4	0.1	1.1
2022	1	19	15	12	45	0	0	0	0	0	0	0	1.87	0	0	12.6	0.1	1.1
2022	1	19	15	22	45	0	0	0	0	0	0	0	1.85	0	0	12	0.1	1.1
2022	1	19	15	32	45	0	0	0	0	0	0	0	1.82	0	0	11.8	0.1	1.1
2022	1	19	15	42	45	0	0	0	0	0	0	0	1.81	0	0	11.8	0.1	1.1
2022	1	19	15	52	45	0	0	0	0	0	0	0	1.82	0	0	11.6	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	19	16	2	45	0	0	0	0	0	0	0	1.82	0	0	11.6	0.1	1.1
2022	1	19	16	12	45	0	0	0	0	0	0	0	1.82	0	0	11.4	0.1	1.1
2022	1	19	16	22	45	0	0	0	0	0	0	0	1.83	0	0	11.2	0.1	1.1
2022	1	19	16	32	45	0	0	0	0	0	0	0	1.84	0	0	11.2	0.1	1.1
2022	1	19	16	42	45	0	0	0	0	0	0	0	1.84	0	0	11.2	0.1	1.1
2022	1	19	16	52	45	0	0	0	0	0	0	0	1.84	0	0	11.2	0.1	1.1
2022	1	19	17	2	45	0	0	0	0	0	0	0	1.84	0	0	10.8	0.1	1.1
2022	1	19	17	12	45	12	0	0	0	0	0	0	1.84	0	0	11	0.1	1.1
2022	1	19	17	22	45	0	0	0	0	0	0	0	1.84	0	0	11	0.1	1.1
2022	1	19	17	32	45	0	0	0	0	0	0	0	1.84	0	0	10.8	0.1	1.1
2022	1	19	17	42	45	0	0	0	0	0	0	0	1.84	0	0	10.8	0.1	1.1
2022	1	19	17	52	45	0	0	0	0	0	0	0	1.84	0	0	10.8	0.1	1.1
2022	1	19	18	2	45	0	0	0	0	0	0	0	1.83	0	0	10	0.1	1.1
2022	1	19	18	12	45	0	0	0	0	0	0	0	1.83	0	0	10.4	0.1	1.1
2022	1	19	18	22	45	0	0	0	0	0	0	0	1.82	0	0	10.8	0.1	1.1
2022	1	19	18	32	45	0	0	0	0	0	0	0	1.82	0	0	11	0.1	1.1
2022	1	19	18	42	45	0	0	0	0	0	0	0	1.82	0	0	11.2	0.1	1.1
2022	1	19	18	52	45	0	0	0	0	0	0	0	1.82	0	0	11.2	0.1	1.1
2022	1	19	19	2	45	0	0	0	0	0	0	0	1.81	0	0	11.2	0.1	1.1
2022	1	19	19	12	45	0	0	0	0	0	0	0	1.81	0	0	11.2	0.1	1.1
2022	1	19	19	22	45	0	0	0	0	0	0	0	1.8	0	0	11	0.1	1.1
2022	1	19	19	32	45	0	0	0	0	0	0	0	1.8	0	0	11.2	0.1	1.1
2022	1	19	19	42	45	0	0	0	0	0	0	0	1.8	0	0	11.2	0.1	1.1
2022	1	19	19	52	45	0	0	0	0	0	0	0	1.8	0	0	11.2	0.1	1.1
2022	1	19	20	2	45	0	0	0	0	0	0	0	1.8	0	0	11.2	0.1	1.1
2022	1	19	20	12	45	0	0	0	0	0	0	0	1.79	0	0	11	0.1	1.1
2022	1	19	20	22	45	0	0	0	0	0	0	0	1.78	0	0	10.8	0.1	1.1
2022	1	19	20	32	45	0	0	0	0	0	0	0	1.78	0	0	10.6	0.1	1.1
2022	1	19	20	42	45	0	0	0	0	0	0	0	1.78	0	0	11	0.1	1.1
2022	1	19	20	52	45	0	0	0	0	0	0	0	1.78	0	0	11	0.1	1.1
2022	1	19	21	2	45	0	0	0	0	0	0	0	1.77	0	0	11	0.1	1.1
2022	1	19	21	12	45	0	0	0	0	0	0	0	1.77	0	0	11	0.1	1.1
2022	1	19	21	22	45	0	0	0	0	0	0	0	1.77	0	0	11	0.1	1.1
2022	1	19	21	32	45	0	0	0	0	0	0	0	1.77	0	0	11	0.1	1.1
2022	1	19	21	42	45	0	0	0	0	0	0	0	1.77	0	0	11	0.1	1.1
2022	1	19	21	52	45	0	0	0	0	0	0	0	1.77	0	0	11	0.1	1.1
2022	1	19	22	2	45	0	0	0	0	0	0	0	1.77	0	0	11	0.1	1.1
2022	1	19	22	12	45	0	0	0	0	0	0	0	1.77	0	0	11	0.1	1.1
2022	1	19	22	22	45	0	0	0	0	0	0	0	1.77	0	0	11	0.1	1.1
2022	1	19	22	32	45	0	0	0	0	0	0	0	1.77	0	0	11	0.1	1.1
2022	1	19	22	42	45	0	0	0	0	0	0	0	1.77	0	0	11	0.1	1.1
2022	1	19	22	52	45	0	0	0	0	0	0	0	1.75	0	0	11	0.1	1.1
2022	1	19	23	2	45	0	0	0	0	0	0	0	1.75	0	0	11	0.1	1.1
2022	1	19	23	12	45	0	0	0	0	0	0	0	1.75	0	0	11	0.1	1.1
2022	1	19	23	22	45	0	0	0	0	0	0	0	1.74	0	0	11	0.1	1.1
2022	1	19	23	32	45	0	0	0	0	0	0	0	1.73	0	0	10.8	0.1	1.1
2022	1	19	23	42	45	0	0	0	0	0	0	0	1.73	0	0	10.8	0.1	1.1
2022	1	19	23	52	45	0	0	0	0	0	0	0	1.73	0	0	10.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	20	0	2	45	0	0	0	0	0	0	0	1.73	0	0	10.8	0.1	1.1
2022	1	20	0	12	45	0	0	0	0	0	0	0	1.72	0	0	11	0.1	1.1
2022	1	20	0	22	45	0	0	0	0	0	0	0	1.71	0	0	10.8	0.1	1.1
2022	1	20	0	32	45	0	0	0	0	0	0	0	1.71	0	0	10.8	0.1	1.1
2022	1	20	0	42	45	0	0	0	0	0	0	0	1.7	0	0	10.8	0.1	1.1
2022	1	20	0	52	45	0	0	0	0	0	0	0	1.7	0	0	10.8	0.1	1.1
2022	1	20	1	2	45	0	0	0	0	0	0	0	1.69	0	0	10.8	0.1	1.1
2022	1	20	1	12	45	0	0	0	0	0	0	0	1.68	0	0	10.8	0.1	1.1
2022	1	20	1	22	45	0	0	0	0	0	0	0	1.69	0	0	10.8	0.1	1.1
2022	1	20	1	32	45	0	0	0	0	0	0	0	1.67	0	0	10.8	0.1	1.1
2022	1	20	1	42	45	0	0	0	0	0	0	0	1.67	0	0	10.8	0.1	1.1
2022	1	20	1	52	45	0	0	0	0	0	0	0	1.67	0	0	10.8	0.1	1.1
2022	1	20	2	2	45	0	0	0	0	0	0	0	1.67	0	0	10.8	0.1	1.1
2022	1	20	2	12	45	0	0	0	0	0	0	0	1.67	0	0	11	0.1	1.1
2022	1	20	2	22	45	0	0	0	0	0	0	0	1.67	0	0	11	0.1	1.1
2022	1	20	2	32	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	2	42	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	2	52	45	0	0	0	0	0	0	0	1.66	0	0	11	0.1	1.1
2022	1	20	3	2	45	0	0	0	0	0	0	0	1.65	0	0	11	0.1	1.1
2022	1	20	3	12	45	0	0	0	0	0	0	0	1.66	0	0	11	0.1	1.1
2022	1	20	3	22	45	0	0	0	0	0	0	0	1.66	0	0	11	0.1	1.1
2022	1	20	3	32	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	3	42	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	3	52	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	4	2	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	4	12	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	4	22	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	4	32	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	4	42	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	4	52	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	5	2	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	5	12	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	5	22	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	5	32	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	5	42	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	5	52	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	6	2	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	6	12	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	6	22	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	6	32	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	6	42	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	6	52	45	0	0	0	0	0	0	0	1.66	0	0	10.6	0.1	1.1
2022	1	20	7	2	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	7	12	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	7	22	45	0	0	0	0	0	0	0	1.66	0	0	10.8	0.1	1.1
2022	1	20	7	32	45	0	0	0	0	0	0	0	1.65	0	0	10.8	0.1	1.1
2022	1	20	7	42	45	0	0	0	0	0	0	0	1.66	0	0	11.2	0.1	1.1
2022	1	20	7	52	45	0	0	0	0	0	0	0	1.66	0	0	11.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	20	8	2	45	0	0	0	0	0	0	0	1.67	0	0	11.4	0.1	1.1
2022	1	20	8	12	45	0	0	0	0	0	0	0	1.68	0	0	11.6	0.1	1.1
2022	1	20	8	22	45	0	0	0	0	0	0	0	1.71	0	0	11.6	0.1	1.1
2022	1	20	8	32	45	0	0	0	0	0	0	0	1.75	0	0	11.8	0.1	1.1
2022	1	20	8	42	45	0	0	0	0	0	0	0	1.77	0	0	11.8	0.1	1.1
2022	1	20	8	52	45	0	0	0	0	0	0	0	1.81	0	0	11.6	0.1	1.1
2022	1	20	9	2	45	0	0	0	0	0	0	0	1.85	0	0	11.4	0.1	1.1
2022	1	20	9	12	45	0	0	0	0	0	0	0	1.89	0	0	11.6	0.1	1.1
2022	1	20	9	22	45	0	0	0	0	0	0	0	1.91	0	0	11.6	0.1	1.1
2022	1	20	9	32	45	0	0	0	0	0	0	0	1.96	0	0	11.6	0.1	1.1
2022	1	20	9	42	45	0	0	0	0	0	0	0	1.99	0	0	11.6	0.1	1.1
2022	1	20	9	52	45	0	0	0	0	0	0	0	2.01	0	0	11.8	0.1	1.1
2022	1	20	10	2	45	0	0	0	0	0	0	0	2.04	0	0	12	0.1	1.1
2022	1	20	10	12	45	0	0	0	0	0	0	0	2.08	0	0	12.4	0.1	1.1
2022	1	20	10	22	45	0	0	0	0	0	0	0	2.1	0	0	12.6	0.1	1.1
2022	1	20	10	32	45	0	0	0	0	0	0	0	2.14	0	0	12.8	0.1	1.1
2022	1	20	10	42	45	0	0	0	0	0	0	0	2.17	0	0	13	0.1	1.1
2022	1	20	10	52	45	0	0	0	0	0	0	0	2.22	0	0	13	0.1	1.1
2022	1	20	11	2	45	0	0	0	0	0	0	0	2.22	0	0	13	0.1	1.1
2022	1	20	11	12	45	0	0	0	0	0	0	0	2.24	0	0	13.2	0.1	1.1
2022	1	20	11	22	45	0	0	0	0	0	0	0	2.27	0	0	13	0.1	1.1
2022	1	20	11	32	45	0	0	0	0	0	0	0	2.29	0	0	13.2	0.1	1.1
2022	1	20	11	42	45	0	0	0	0	0	0	0	2.32	0	0	13.2	0.1	1.1
2022	1	20	11	52	45	0	0	0	0	0	0	0	2.33	0	0	13.2	0.1	1.1
2022	1	20	12	2	45	0	0	0	0	0	0	0	2.33	0	0	13.2	0.1	1.1
2022	1	20	12	12	45	0	0	0	0	0	0	0	2.37	0	0	13.2	0.1	1.1
2022	1	20	12	22	45	0	0	0	0	0	0	0	2.36	0	0	13.2	0.1	1.1
2022	1	20	12	32	45	0	0	0	0	0	0	0	2.38	0	0	13.2	0.1	1.1
2022	1	20	12	42	45	0	0	0	0	0	0	0	2.4	0	0	13.2	0.1	1.1
2022	1	20	12	52	45	0	0	0	0	0	0	0	2.41	0	0	13.2	0.1	1.1
2022	1	20	13	2	45	0	0	0	0	0	0	0	2.4	0	0	13	0.1	1.1
2022	1	20	13	12	45	0	0	0	0	0	0	0	2.42	0	0	13	0.1	1.1
2022	1	20	13	22	45	0	0	0	0	0	0	0	2.41	0	0	13.2	0.1	1.1
2022	1	20	13	32	45	0	0	0	0	0	0	0	2.41	0	0	13.2	0.1	1.1
2022	1	20	13	42	45	0	0	0	0	0	0	0	2.41	0	0	13.2	0.1	1.1
2022	1	20	13	52	45	0	0	0	0	0	0	0	2.41	0	0	13.2	0.1	1.1
2022	1	20	14	2	45	0	0	0	0	0	0	0	2.41	0	0	13.2	0.1	1.1
2022	1	20	14	12	45	0	0	0	0	0	0	0	2.41	0	0	13.2	0.1	1.1
2022	1	20	14	22	45	0	0	0	0	0	0	0	2.41	0	0	13	0.1	1.1
2022	1	20	14	32	45	0	0	0	0	0	0	0	2.39	0	0	13	0.1	1.1
2022	1	20	14	42	45	0	0	0	0	0	0	0	2.39	0	0	13	0.1	1.1
2022	1	20	14	52	45	0	0	0	0	0	0	0	2.38	0	0	13	0.1	1.1
2022	1	20	15	2	45	0	0	0	0	0	0	0	2.36	0	0	13	0.1	1.1
2022	1	20	15	12	45	0	0	0	0	0	0	0	2.36	0	0	12.6	0.1	1.1
2022	1	20	15	22	45	0	0	0	0	0	0	0	2.32	0	0	12.2	0.1	1.1
2022	1	20	15	32	45	0	0	0	0	0	0	0	2.31	0	0	12	0.1	1.1
2022	1	20	15	42	45	0	0	0	0	0	0	0	2.29	0	0	12	0.1	1.1
2022	1	20	15	52	45	0	0	0	0	0	0	0	2.28	0	0	11.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	20	16	2	45	0	0	0	0	0	0	0	2.28	0	0	11.8	0.1	1.1
2022	1	20	16	12	45	0	0	0	0	0	0	0	2.29	0	0	11.6	0.1	1.1
2022	1	20	16	22	45	0	0	0	0	0	0	0	2.29	0	0	11.4	0.1	1.1
2022	1	20	16	32	45	0	0	0	0	0	0	0	2.29	0	0	11.4	0.1	1.1
2022	1	20	16	42	45	0	0	0	0	0	0	0	2.29	0	0	11.4	0.1	1.1
2022	1	20	16	52	45	0	0	0	0	0	0	0	2.28	0	0	11.2	0.1	1.1
2022	1	20	17	2	45	0	0	0	0	0	0	0	2.28	0	0	11.2	0.1	1.1
2022	1	20	17	12	45	0	0	0	0	0	0	0	2.28	0	0	11.2	0.1	1.1
2022	1	20	17	22	45	0	0	0	0	0	0	0	2.28	0	0	11.2	0.1	1.1
2022	1	20	17	32	45	0	0	0	0	0	0	0	2.28	0	0	11.2	0.1	1.1
2022	1	20	17	42	45	0	0	0	0	0	0	0	2.27	0	0	11.2	0.1	1.1
2022	1	20	17	52	45	0	0	0	0	0	0	0	2.27	0	0	11.2	0.1	1.1
2022	1	20	18	2	45	0	0	0	0	0	0	0	2.26	0	0	11	0.1	1.1
2022	1	20	18	12	45	0	0	0	0	0	0	0	2.26	0	0	11	0.1	1.1
2022	1	20	18	22	45	0	0	0	0	0	0	0	2.25	0	0	10.8	0.1	1.1
2022	1	20	18	32	45	0	0	0	0	0	0	0	2.24	0	0	10.4	0.1	1.1
2022	1	20	18	42	45	0	0	0	0	0	0	0	2.23	0	0	10.2	0.1	1.1
2022	1	20	18	52	45	0	0	0	0	0	0	0	2.22	0	0	10.4	0.1	1.1
2022	1	20	19	2	45	0	0	0	0	0	0	0	2.21	0	0	10.4	0.1	1.1
2022	1	20	19	12	45	0	0	0	0	0	0	0	2.2	0	0	10.2	0.1	1.1
2022	1	20	19	22	45	0	0	0	0	0	0	0	2.19	0	0	10.4	0.1	1.1
2022	1	20	19	32	45	0	0	0	0	0	0	0	2.18	0	0	10.8	0.1	1.1
2022	1	20	19	42	45	0	0	0	0	0	0	0	2.17	0	0	10.8	0.1	1.1
2022	1	20	19	52	45	0	0	0	0	0	0	0	2.17	0	0	10.6	0.1	1.1
2022	1	20	20	2	45	0	0	0	0	0	0	0	2.16	0	0	10.6	0.1	1.1
2022	1	20	20	12	45	0	0	0	0	0	0	0	2.15	0	0	10.4	0.1	1.1
2022	1	20	20	22	45	0	0	0	0	0	0	0	2.14	0	0	10.4	0.1	1.1
2022	1	20	20	32	45	0	0	0	0	0	0	0	2.13	0	0	10.6	0.1	1.1
2022	1	20	20	42	45	0	0	0	0	0	0	0	2.12	0	0	10.6	0.1	1.1
2022	1	20	20	52	45	0	0	0	0	0	0	0	2.12	0	0	10.6	0.1	1.1
2022	1	20	21	2	45	0	0	0	0	0	0	0	2.11	0	0	10.6	0.1	1.1
2022	1	20	21	12	45	0	0	0	0	0	0	0	2.1	0	0	10.4	0.1	1.1
2022	1	20	21	22	45	0	0	0	0	0	0	0	2.09	0	0	10.4	0.1	1.1
2022	1	20	21	32	45	0	0	0	0	0	0	0	2.09	0	0	10.4	0.1	1.1
2022	1	20	21	42	45	0	0	0	0	0	0	0	2.08	0	0	10.4	0.1	1.1
2022	1	20	21	52	45	0	0	0	0	0	0	0	2.07	0	0	10.4	0.1	1.1
2022	1	20	22	2	45	0	0	0	0	0	0	0	2.06	0	0	10.4	0.1	1.1
2022	1	20	22	12	45	0	0	0	0	0	0	0	2.06	0	0	10.4	0.1	1.1
2022	1	20	22	22	45	0	0	0	0	0	0	0	2.05	0	0	10.6	0.1	1.1
2022	1	20	22	32	45	0	0	0	0	0	0	0	2.04	0	0	10.6	0.1	1.1
2022	1	20	22	42	45	0	0	0	0	0	0	0	2.02	0	0	10.6	0.1	1.1
2022	1	20	22	52	45	0	0	0	0	0	0	0	2.02	0	0	10.6	0.1	1.1
2022	1	20	23	2	45	0	0	0	0	0	0	0	2.01	0	0	10.6	0.1	1.1
2022	1	20	23	12	45	0	0	0	0	0	0	0	2	0	0	10.6	0.1	1.1
2022	1	20	23	22	45	0	0	0	0	0	0	0	1.99	0	0	10.6	0.1	1.1
2022	1	20	23	32	45	0	0	0	0	0	0	0	1.99	0	0	10.4	0.1	1.1
2022	1	20	23	42	45	0	0	0	0	0	0	0	1.97	0	0	10.2	0.1	1.1
2022	1	20	23	52	45	0	0	0	0	0	0	0	1.96	0	0	10.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	21	0	2	45	0	0	0	0	0	0	0	1.95	0	0	10.2	0.1	1.1
2022	1	21	0	12	45	0	0	0	0	0	0	0	1.94	0	0	10.2	0.1	1.1
2022	1	21	0	22	45	0	0	0	0	0	0	0	1.93	0	0	10.2	0.1	1.1
2022	1	21	0	32	45	0	0	0	0	0	0	0	1.92	0	0	10.2	0.1	1.1
2022	1	21	0	42	45	0	0	0	0	0	0	0	1.91	0	0	10	0.1	1.1
2022	1	21	0	52	45	0	0	0	0	0	0	0	1.88	0	0	10	0.1	1.1
2022	1	21	1	2	45	0	0	0	0	0	0	0	1.88	0	0	10	0.1	1.1
2022	1	21	1	12	45	0	0	0	0	0	0	0	1.87	0	0	10	0.1	1.1
2022	1	21	1	22	45	0	0	0	0	0	0	0	1.85	0	0	10.2	0.1	1.1
2022	1	21	1	32	45	0	0	0	0	0	0	0	1.84	0	0	10.2	0.1	1.1
2022	1	21	1	42	45	0	0	0	0	0	0	0	1.83	0	0	10	0.1	1.1
2022	1	21	1	52	45	0	0	0	0	0	0	0	1.82	0	0	10	0.1	1.1
2022	1	21	2	2	45	0	0	0	0	0	0	0	1.81	0	0	10.8	0.1	1.1
2022	1	21	2	12	45	0	0	0	0	0	0	0	1.8	0	0	11.4	0.1	1.1
2022	1	21	2	22	45	0	0	0	0	0	0	0	1.79	0	0	11.4	0.1	1.1
2022	1	21	2	32	45	0	0	0	0	0	0	0	1.78	0	0	11.4	0.1	1.1
2022	1	21	2	42	45	0	0	0	0	0	0	0	1.77	0	0	11.4	0.1	1.1
2022	1	21	2	52	45	0	0	0	0	0	0	0	1.76	0	0	11.4	0.1	1.1
2022	1	21	3	2	45	0	0	0	0	0	0	0	1.75	0	0	11.4	0.1	1.1
2022	1	21	3	12	45	0	0	0	0	0	0	0	1.74	0	0	11.4	0.1	1.1
2022	1	21	3	22	45	0	0	0	0	0	0	0	1.73	0	0	11.4	0.1	1.1
2022	1	21	3	32	45	0	0	0	0	0	0	0	1.72	0	0	11.4	0.1	1.1
2022	1	21	3	42	45	0	0	0	0	0	0	0	1.72	0	0	11.4	0.1	1.1
2022	1	21	3	52	45	0	0	0	0	0	0	0	1.71	0	0	11.4	0.1	1.1
2022	1	21	4	2	45	0	0	0	0	0	0	0	1.7	0	0	11.4	0.1	1.1
2022	1	21	4	12	45	0	0	0	0	0	0	0	1.7	0	0	11.4	0.1	1.1
2022	1	21	4	22	45	0	0	0	0	0	0	0	1.69	0	0	11.4	0.1	1.1
2022	1	21	4	32	45	0	0	0	0	0	0	0	1.69	0	0	11.2	0.1	1.1
2022	1	21	4	42	45	0	0	0	0	0	0	0	1.68	0	0	11.2	0.1	1.1
2022	1	21	4	52	45	0	0	0	0	0	0	0	1.68	0	0	11.2	0.1	1.1
2022	1	21	5	2	45	0	0	0	0	0	0	0	1.67	0	0	11.2	0.1	1.1
2022	1	21	5	12	45	0	0	0	0	0	0	0	1.67	0	0	11.2	0.1	1.1
2022	1	21	5	22	45	0	0	0	0	0	0	0	1.66	0	0	11.2	0.1	1.1
2022	1	21	5	32	45	0	0	0	0	0	0	0	1.66	0	0	11.2	0.1	1.1
2022	1	21	5	42	45	0	0	0	0	0	0	0	1.65	0	0	11.2	0.1	1.1
2022	1	21	5	52	45	0	0	0	0	0	0	0	1.65	0	0	11.2	0.1	1.1
2022	1	21	6	2	45	0	0	0	0	0	0	0	1.65	0	0	11.2	0.1	1.1
2022	1	21	6	12	45	0	0	0	0	0	0	0	1.64	0	0	11.2	0.1	1.1
2022	1	21	6	22	45	0	0	0	0	0	0	0	1.64	0	0	11.2	0.1	1.1
2022	1	21	6	32	45	0	0	0	0	0	0	0	1.64	0	0	11.2	0.1	1.1
2022	1	21	6	42	45	0	0	0	0	0	0	0	1.63	0	0	11.2	0.1	1.1
2022	1	21	6	52	45	0	0	0	0	0	0	0	1.63	0	0	11.2	0.1	1.1
2022	1	21	7	2	45	0	0	0	0	0	0	0	1.63	0	0	11.2	0.1	1.1
2022	1	21	7	12	45	0	0	0	0	0	0	0	1.63	0	0	11.2	0.1	1.1
2022	1	21	7	22	45	0	0	0	0	0	0	0	1.62	0	0	11.2	0.1	1.1
2022	1	21	7	32	45	0	0	0	0	0	0	0	1.62	0	0	11.4	0.1	1.1
2022	1	21	7	42	45	0	0	0	0	0	0	0	1.62	0	0	11.6	0.1	1.1
2022	1	21	7	52	45	0	0	0	0	0	0	0	1.63	0	0	11.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	21	8	2	45	0	0	0	0	0	0	0	1.64	0	0	12.2	0.1	1.1
2022	1	21	8	12	45	0	0	0	0	0	0	0	1.65	0	0	10.6	0.1	1.1
2022	1	21	8	22	45	0	0	0	0	0	0	0	1.68	0	0	11.6	0.1	1.1
2022	1	21	8	32	45	0	0	0	0	0	0	0	1.72	0	0	11.8	0.1	1.1
2022	1	21	8	42	45	0	0	0	0	0	0	0	1.76	0	0	12.2	0.1	1.1
2022	1	21	8	52	45	0	0	0	0	0	0	0	1.8	0	0	12.4	0.1	1.1
2022	1	21	9	2	45	0	0	0	0	0	0	0	1.82	0	0	12.8	0.1	1.1
2022	1	21	9	12	45	0	0	0	0	0	0	0	1.83	0	0	12.4	0.1	1.1
2022	1	21	9	22	45	0	0	0	0	0	0	0	1.87	0	0	12	0.1	1.1
2022	1	21	9	32	45	0	0	0	0	0	0	0	1.91	0	0	11.6	0.1	1.1
2022	1	21	9	42	45	0	0	0	0	0	0	0	1.95	0	0	11.8	0.1	1.1
2022	1	21	9	52	45	0	0	0	0	0	0	0	1.97	0	0	12	0.1	1.1
2022	1	21	10	2	45	0	0	0	0	0	0	0	2	0	0	12	0.1	1.1
2022	1	21	10	12	45	4	0	0	0	0	0	0	2.02	0	0	12.6	0.1	1.1
2022	1	21	10	22	45	0	0	0	0	0	0	0	2.06	0	0	12.6	0.1	1.1
2022	1	21	10	32	45	0	0	0	0	0	0	0	2.08	0	0	12.6	0.1	1.1
2022	1	21	10	42	45	0	0	0	0	0	0	0	2.12	0	0	12.8	0.1	1.1
2022	1	21	10	52	45	0	0	0	0	0	0	0	2.14	0	0	12.6	0.1	1.1
2022	1	21	11	2	45	0	0	0	0	0	0	0	2.17	0	0	12.8	0.1	1.1
2022	1	21	11	12	45	0	0	0	0	0	0	0	2.22	0	0	13.2	0.1	1.1
2022	1	21	11	22	45	0	0	0	0	0	0	0	2.25	0	0	13.4	0.1	1.1
2022	1	21	11	32	45	0	0	0	0	0	0	0	2.25	0	0	13.4	0.1	1.1
2022	1	21	11	42	45	0	0	0	0	0	0	0	2.27	0	0	13.2	0.1	1.1
2022	1	21	11	52	45	0	0	0	0	0	0	0	2.3	0	0	13.2	0.1	1.1
2022	1	21	12	2	45	0	0	0	0	0	0	0	2.33	0	0	13.2	0.1	1.1
2022	1	21	12	12	45	0	0	0	0	0	0	0	2.34	0	0	13	0.1	1.1
2022	1	21	12	22	45	0	0	0	0	0	0	0	2.36	0	0	13	0.1	1.1
2022	1	21	12	32	45	0	0	0	0	0	0	0	2.39	0	0	12.4	0.1	1.1
2022	1	21	12	42	45	0	0	0	0	0	0	0	2.37	0	0	12.8	0.1	1.1
2022	1	21	12	52	45	0	0	0	0	0	0	0	2.41	0	0	12.8	0.1	1.1
2022	1	21	13	2	45	0	0	0	0	0	0	0	2.41	0	0	12.8	0.1	1.1
2022	1	21	13	12	45	0	0	0	0	0	0	0	2.43	0	0	13	0.1	1.1
2022	1	21	13	22	45	0	0	0	0	0	0	0	2.44	0	0	13	0.1	1.1
2022	1	21	13	32	45	0	0	0	0	0	0	0	2.46	0	0	13	0.1	1.1
2022	1	21	13	42	45	0	0	0	0	0	0	0	2.46	0	0	13	0.1	1.1
2022	1	21	13	52	45	0	0	0	0	0	0	0	2.48	0	0	13	0.1	1.1
2022	1	21	14	2	45	0	0	0	0	0	0	0	2.47	0	0	13	0.1	1.1
2022	1	21	14	12	45	0	0	0	0	0	0	0	2.47	0	0	13	0.1	1.1
2022	1	21	14	22	45	0	0	0	0	0	0	0	2.46	0	0	13	0.1	1.1
2022	1	21	14	32	45	0	0	0	0	0	0	0	2.46	0	0	13	0.1	1.1
2022	1	21	14	42	45	0	0	0	0	0	0	0	2.45	0	0	13	0.1	1.1
2022	1	21	14	52	45	0	0	0	0	0	0	0	2.44	0	0	12.8	0.1	1.1
2022	1	21	15	2	45	0	0	0	0	0	0	0	2.43	0	0	12.8	0.1	1.1
2022	1	21	15	12	45	0	0	0	0	0	0	0	2.42	0	0	12.8	0.1	1.1
2022	1	21	15	22	45	0	0	0	0	0	0	0	2.4	0	0	12.6	0.1	1.1
2022	1	21	15	32	45	0	0	0	0	0	0	0	2.37	0	0	12.4	0.1	1.1
2022	1	21	15	42	45	0	0	0	0	0	0	0	2.36	0	0	11.8	0.1	1.1
2022	1	21	15	52	45	0	0	0	0	0	0	0	2.36	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	21	16	2	45	0	0	0	0	0	0	0	2.35	0	0	11.4	0.1	1.1
2022	1	21	16	12	45	0	0	0	0	0	0	0	2.36	0	0	11.2	0.1	1.1
2022	1	21	16	22	45	0	0	0	0	0	0	0	2.36	0	0	11	0.1	1.1
2022	1	21	16	32	45	0	0	0	0	0	0	0	2.36	0	0	11	0.1	1.1
2022	1	21	16	42	45	0	0	0	0	0	0	0	2.36	0	0	11	0.1	1.1
2022	1	21	16	52	45	0	0	0	0	0	0	0	2.36	0	0	11	0.1	1.1
2022	1	21	17	2	45	0	0	0	0	0	0	0	2.36	0	0	10.6	0.1	1.1
2022	1	21	17	12	45	0	0	0	0	0	0	0	2.36	0	0	11	0.1	1.1
2022	1	21	17	22	45	0	0	0	0	0	0	0	2.36	0	0	11	0.1	1.1
2022	1	21	17	32	45	0	0	0	0	0	0	0	2.36	0	0	11	0.1	1.1
2022	1	21	17	42	45	0	0	0	0	0	0	0	2.36	0	0	10.8	0.1	1.1
2022	1	21	17	52	45	0	0	0	0	0	0	0	2.35	0	0	10.6	0.1	1.1
2022	1	21	18	2	45	0	0	0	0	0	0	0	2.36	0	0	10.6	0.1	1.1
2022	1	21	18	12	45	0	0	0	0	0	0	0	2.36	0	0	10.6	0.1	1.1
2022	1	21	18	22	45	0	0	0	0	0	0	0	2.36	0	0	11	0.1	1.1
2022	1	21	18	32	45	0	0	0	0	0	0	0	2.35	0	0	11	0.1	1.1
2022	1	21	18	42	45	0	0	0	0	0	0	0	2.35	0	0	11	0.1	1.1
2022	1	21	18	52	45	0	0	0	0	0	0	0	2.35	0	0	11.2	0.1	1.1
2022	1	21	19	2	45	0	0	0	0	0	0	0	2.34	0	0	11.2	0.1	1.1
2022	1	21	19	12	45	0	0	0	0	0	0	0	2.33	0	0	11.2	0.1	1.1
2022	1	21	19	22	45	0	0	0	0	0	0	0	2.33	0	0	11.2	0.1	1.1
2022	1	21	19	32	45	0	0	0	0	0	0	0	2.33	0	0	11.2	0.1	1.1
2022	1	21	19	42	45	0	0	0	0	0	0	0	2.33	0	0	11.2	0.1	1.1
2022	1	21	19	52	45	0	0	0	0	0	0	0	2.32	0	0	11.2	0.1	1.1
2022	1	21	20	2	45	0	0	0	0	0	0	0	2.31	0	0	11.2	0.1	1.1
2022	1	21	20	12	45	0	0	0	0	0	0	0	2.31	0	0	11.2	0.1	1.1
2022	1	21	20	22	45	0	0	0	0	0	0	0	2.3	0	0	11.2	0.1	1.1
2022	1	21	20	32	45	0	0	0	0	0	0	0	2.3	0	0	11.2	0.1	1.1
2022	1	21	20	42	45	0	0	0	0	0	0	0	2.3	0	0	11.2	0.1	1.1
2022	1	21	20	52	45	0	0	0	0	0	0	0	2.28	0	0	11	0.1	1.1
2022	1	21	21	2	45	0	0	0	0	0	0	0	2.28	0	0	11	0.1	1.1
2022	1	21	21	12	45	0	0	0	0	0	0	0	2.28	0	0	11	0.1	1.1
2022	1	21	21	22	45	0	0	0	0	0	0	0	2.27	0	0	11	0.1	1.1
2022	1	21	21	32	45	0	0	0	0	0	0	0	2.26	0	0	11	0.1	1.1
2022	1	21	21	42	45	0	0	0	0	0	0	0	2.26	0	0	11	0.1	1.1
2022	1	21	21	52	45	0	0	0	0	0	0	0	2.25	0	0	11	0.1	1.1
2022	1	21	22	2	45	0	0	0	0	0	0	0	2.25	0	0	11	0.1	1.1
2022	1	21	22	12	45	0	0	0	0	0	0	0	2.24	0	0	11	0.1	1.1
2022	1	21	22	22	45	0	0	0	0	0	0	0	2.23	0	0	11	0.1	1.1
2022	1	21	22	32	45	0	0	0	0	0	0	0	2.23	0	0	11	0.1	1.1
2022	1	21	22	42	45	0	0	0	0	0	0	0	2.22	0	0	11	0.1	1.1
2022	1	21	22	52	45	0	0	0	0	0	0	0	2.21	0	0	11	0.1	1.1
2022	1	21	23	2	45	0	0	0	0	0	0	0	2.21	0	0	11	0.1	1.1
2022	1	21	23	12	45	0	0	0	0	0	0	0	2.2	0	0	11	0.1	1.1
2022	1	21	23	22	45	0	0	0	0	0	0	0	2.2	0	0	11	0.1	1.1
2022	1	21	23	32	45	0	0	0	0	0	0	0	2.19	0	0	11	0.1	1.1
2022	1	21	23	42	45	0	0	0	0	0	0	0	2.18	0	0	11	0.1	1.1
2022	1	21	23	52	45	0	0	0	0	0	0	0	2.19	0	0	11	0.1	1.1



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	22	0	2	45	0	0	0	0	0	0	0	2.17	0	0	11	0.1	1.1
2022	1	22	0	12	45	0	0	0	0	0	0	0	2.17	0	0	11	0.1	1.1
2022	1	22	0	22	45	0	0	0	0	0	0	0	2.16	0	0	11	0.1	1.1
2022	1	22	0	32	45	0	0	0	0	0	0	0	2.16	0	0	11	0.1	1.1
2022	1	22	0	42	45	0	0	0	0	0	0	0	2.15	0	0	11	0.1	1.1
2022	1	22	0	52	45	0	0	0	0	0	0	0	2.14	0	0	11	0.1	1.1
2022	1	22	1	2	45	0	0	0	0	0	0	0	2.14	0	0	10.8	0.1	1.1
2022	1	22	1	12	45	0	0	0	0	0	0	0	2.13	0	0	10.8	0.1	1.1
2022	1	22	1	22	45	0	0	0	0	0	0	0	2.12	0	0	10.8	0.1	1.1
2022	1	22	1	32	45	0	0	0	0	0	0	0	2.12	0	0	10.6	0.1	1.1
2022	1	22	1	42	45	0	0	0	0	0	0	0	2.11	0	0	10.6	0.1	1.1
2022	1	22	1	52	45	0	0	0	0	0	0	0	2.11	0	0	11	0.1	1.1
2022	1	22	2	2	45	0	0	0	0	0	0	0	2.1	0	0	11.4	0.1	1.1
2022	1	22	2	12	45	0	0	0	0	0	0	0	2.09	0	0	11.4	0.1	1.1
2022	1	22	2	22	45	0	0	0	0	0	0	0	2.09	0	0	11.4	0.1	1.1
2022	1	22	2	32	45	0	0	0	0	0	0	0	2.08	0	0	11.4	0.1	1.1
2022	1	22	2	42	45	0	0	0	0	0	0	0	2.07	0	0	11.4	0.1	1.1
2022	1	22	2	52	45	0	0	0	0	0	0	0	2.07	0	0	11.4	0.1	1.1
2022	1	22	3	2	45	0	0	0	0	0	0	0	2.06	0	0	11.2	0.1	1.1
2022	1	22	3	12	45	0	0	0	0	0	0	0	2.06	0	0	10.8	0.1	1.1
2022	1	22	3	22	45	0	0	0	0	0	0	0	2.05	0	0	10.4	0.1	1.1
2022	1	22	3	32	45	0	0	0	0	0	0	0	2.05	0	0	10.4	0.1	1.1
2022	1	22	3	42	45	0	0	0	0	0	0	0	2.05	0	0	10.4	0.1	1.1
2022	1	22	3	52	45	0	0	0	0	0	0	0	2.04	0	0	10.4	0.1	1.1
2022	1	22	4	2	45	0	0	0	0	0	0	0	2.04	0	0	10.4	0.1	1.1
2022	1	22	4	12	45	0	0	0	0	0	0	0	2.03	0	0	10.2	0.1	1.1
2022	1	22	4	22	45	0	0	0	0	0	0	0	2.03	0	0	10.4	0.1	1.1
2022	1	22	4	32	45	0	0	0	0	0	0	0	2.03	0	0	10.4	0.1	1.1
2022	1	22	4	42	45	0	0	0	0	0	0	0	2.02	0	0	10.2	0.1	1.1
2022	1	22	4	52	45	0	0	0	0	0	0	0	2.01	0	0	10.6	0.1	1.1
2022	1	22	5	2	45	0	0	0	0	0	0	0	2.01	0	0	10.6	0.1	1.1
2022	1	22	5	12	45	0	0	0	0	0	0	0	2.01	0	0	10.4	0.1	1.1
2022	1	22	5	22	45	0	0	0	0	0	0	0	2	0	0	10.6	0.1	1.1
2022	1	22	5	32	45	0	0	0	0	0	0	0	2	0	0	10.4	0.1	1.1
2022	1	22	5	42	45	0	0	0	0	0	0	0	1.99	0	0	10.4	0.1	1.1
2022	1	22	5	52	45	0	0	0	0	0	0	0	1.99	0	0	10.6	0.1	1.1
2022	1	22	6	2	45	0	0	0	0	0	0	0	1.99	0	0	10.8	0.1	1.1
2022	1	22	6	12	45	0	0	0	0	0	0	0	1.98	0	0	10.4	0.1	1.1
2022	1	22	6	22	45	0	0	0	0	0	0	0	1.98	0	0	10.4	0.1	1.1
2022	1	22	6	32	45	0	0	0	0	0	0	0	1.97	0	0	10.4	0.1	1.1
2022	1	22	6	42	45	0	0	0	0	0	0	0	1.97	0	0	10.4	0.1	1.1
2022	1	22	6	52	45	0	0	0	0	0	0	0	1.97	0	0	10.4	0.1	1.1
2022	1	22	7	2	45	0	0	0	0	0	0	0	1.96	0	0	10.4	0.1	1.1
2022	1	22	7	12	45	0	0	0	0	0	0	0	1.96	0	0	10.6	0.1	1.1
2022	1	22	7	22	45	0	0	0	0	0	0	0	1.96	0	0	10.6	0.1	1.1
2022	1	22	7	32	45	0	0	0	0	0	0	0	1.96	0	0	10.6	0.1	1.1
2022	1	22	7	42	45	0	0	0	0	0	0	0	1.96	0	0	11	0.1	1.1
2022	1	22	7	52	45	0	0	0	0	0	0	0	1.96	0	0	11	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	22	8	2	45	0	0	0	0	0	0	0	1.97	0	0	11.2	0.1	1.1
2022	1	22	8	12	45	0	0	0	0	0	0	0	1.98	0	0	11.4	0.1	1.1
2022	1	22	8	22	45	0	0	0	0	0	0	0	2.02	0	0	11.4	0.1	1.1
2022	1	22	8	32	45	0	0	0	0	0	0	0	2.05	0	0	11.6	0.1	1.1
2022	1	22	8	42	45	0	0	0	0	0	0	0	2.08	0	0	12	0.1	1.1
2022	1	22	8	52	45	0	0	0	0	0	0	0	2.11	0	0	11.8	0.1	1.1
2022	1	22	9	2	45	0	0	0	0	0	0	0	2.13	0	0	11.8	0.1	1.1
2022	1	22	9	12	45	0	0	0	0	0	0	0	2.15	0	0	12	0.1	1.1
2022	1	22	9	22	45	0	0	0	0	0	0	0	2.19	0	0	11.6	0.1	1.1
2022	1	22	9	32	45	0	0	0	0	0	0	0	2.21	0	0	12.2	0.1	1.1
2022	1	22	9	42	45	0	0	0	0	0	0	0	2.25	0	0	12.8	0.1	1.1
2022	1	22	9	52	45	0	0	0	0	0	0	0	2.27	0	0	13	0.1	1.1
2022	1	22	10	2	45	0	0	0	0	0	0	0	2.3	0	0	13.2	0.1	1.1
2022	1	22	10	12	45	0	0	0	0	0	0	0	2.33	0	0	13.4	0.1	1.1
2022	1	22	10	22	45	0	0	0	0	0	0	0	2.35	0	0	13.2	0.1	1.1
2022	1	22	10	32	45	0	0	0	0	0	0	0	2.37	0	0	13.4	0.1	1.1
2022	1	22	10	42	45	0	0	0	0	0	0	0	2.41	0	0	13.4	0.1	1.1
2022	1	22	10	52	45	0	0	0	0	0	0	0	2.43	0	0	13	0.1	1.1
2022	1	22	11	2	45	0	0	0	0	0	0	0	2.45	0	0	13.4	0.1	1.1
2022	1	22	11	12	45	9	0	0	0	0	0	0	2.47	0	0	13.4	0.1	1.1
2022	1	22	11	22	45	0	0	0	0	0	0	0	2.5	0	0	13.4	0.1	1.1
2022	1	22	11	32	45	0	0	0	0	0	0	0	2.53	0	0	13.4	0.1	1.1
2022	1	22	11	42	45	0	0	0	0	0	0	0	2.54	0	0	13.4	0.1	1.1
2022	1	22	11	52	45	5	0	0	0	0	0	0	2.55	0	0	13.4	0.1	1.1
2022	1	22	12	2	45	0	0	0	0	0	0	0	2.58	0	0	13.4	0.1	1.1
2022	1	22	12	12	45	0	0	0	0	0	0	0	2.6	0	0	13.4	0.1	1.1
2022	1	22	12	22	45	0	0	0	0	0	0	0	2.62	0	0	13.4	0.1	1.1
2022	1	22	12	32	45	0	0	0	0	0	0	0	2.63	0	0	13.4	0.1	1.1
2022	1	22	12	42	45	0	0	0	0	0	0	0	2.64	0	0	13	0.1	1.1
2022	1	22	12	52	45	0	0	0	0	0	0	0	2.65	0	0	12.8	0.1	1.1
2022	1	22	13	2	45	0	0	0	0	0	0	0	2.66	0	0	13.8	0.1	1.1
2022	1	22	13	12	45	0	0	0	0	0	0	0	2.64	0	0	13.8	0.1	1.1
2022	1	22	13	22	45	0	0	0	0	0	0	0	2.67	0	0	13.8	0.1	1.1
2022	1	22	13	32	45	0	0	0	0	0	0	0	2.66	0	0	13.6	0.1	1.1
2022	1	22	13	42	45	0	0	0	0	0	0	0	2.66	0	0	13.6	0.1	1.1
2022	1	22	13	52	45	0	0	0	0	0	0	0	2.67	0	0	13.6	0.1	1.1
2022	1	22	14	2	45	0	0	0	0	0	0	0	2.66	0	0	13.4	0.1	1.1
2022	1	22	14	12	45	0	0	0	0	0	0	0	2.66	0	0	13.4	0.1	1.1
2022	1	22	14	22	45	0	0	0	0	0	0	0	2.65	0	0	13.4	0.1	1.1
2022	1	22	14	32	45	0	0	0	0	0	0	0	2.65	0	0	13.4	0.1	1.1
2022	1	22	14	42	45	0	0	0	0	0	0	0	2.64	0	0	13.4	0.1	1.1
2022	1	22	14	52	45	0	0	0	0	0	0	0	2.63	0	0	13.4	0.1	1.1
2022	1	22	15	2	45	0	0	0	0	0	0	0	2.6	0	0	13.4	0.1	1.1
2022	1	22	15	12	45	0	0	0	0	0	0	0	2.6	0	0	13.4	0.1	1.1
2022	1	22	15	22	45	0	0	0	0	0	0	0	2.57	0	0	13.4	0.1	1.1
2022	1	22	15	32	45	0	0	0	0	0	0	0	2.56	0	0	13.4	0.1	1.1
2022	1	22	15	42	45	0	0	0	0	0	0	0	2.52	0	0	12.2	0.1	1.1
2022	1	22	15	52	45	0	0	0	0	0	0	0	2.52	0	0	11.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	22	16	2	45	0	0	0	0	0	0	0	2.52	0	0	11.6	0.1	1.1
2022	1	22	16	12	45	0	0	0	0	0	0	0	2.53	0	0	11.4	0.1	1.1
2022	1	22	16	22	45	0	0	0	0	0	0	0	2.52	0	0	11.2	0.1	1.1
2022	1	22	16	32	45	0	0	0	0	0	0	0	2.53	0	0	11.2	0.1	1.1
2022	1	22	16	42	45	0	0	0	0	0	0	0	2.53	0	0	11	0.1	1.1
2022	1	22	16	52	45	0	0	0	0	0	0	0	2.52	0	0	11	0.1	1.1
2022	1	22	17	2	45	0	0	0	0	0	0	0	2.52	0	0	11	0.1	1.1
2022	1	22	17	12	45	0	0	0	0	0	0	0	2.53	0	0	11	0.1	1.1
2022	1	22	17	22	45	0	0	0	0	0	0	0	2.52	0	0	11	0.1	1.1
2022	1	22	17	32	45	0	0	0	0	0	0	0	2.52	0	0	11	0.1	1.1
2022	1	22	17	42	45	0	0	0	0	0	0	0	2.52	0	0	11	0.1	1.1
2022	1	22	17	52	45	0	0	0	0	0	0	0	2.51	0	0	11	0.1	1.1
2022	1	22	18	2	45	0	0	0	0	0	0	0	2.52	0	0	11	0.1	1.1
2022	1	22	18	12	45	0	0	0	0	0	0	0	2.51	0	0	11	0.1	1.1
2022	1	22	18	22	45	0	0	0	0	0	0	0	2.51	0	0	11	0.1	1.1
2022	1	22	18	32	45	0	0	0	0	0	0	0	2.5	0	0	11.2	0.1	1.1
2022	1	22	18	42	45	0	0	0	0	0	0	0	2.5	0	0	11	0.1	1.1
2022	1	22	18	52	45	0	0	0	0	0	0	0	2.49	0	0	11	0.1	1.1
2022	1	22	19	2	45	0	0	0	0	0	0	0	2.49	0	0	11	0.1	1.1
2022	1	22	19	12	45	0	0	0	0	0	0	0	2.48	0	0	11	0.1	1.1
2022	1	22	19	22	45	0	0	0	0	0	0	0	2.48	0	0	11	0.1	1.1
2022	1	22	19	32	45	0	0	0	0	0	0	0	2.47	0	0	10.8	0.1	1.1
2022	1	22	19	42	45	0	0	0	0	0	0	0	2.47	0	0	10.6	0.1	1.1
2022	1	22	19	52	45	0	0	0	0	0	0	0	2.46	0	0	10.4	0.1	1.1
2022	1	22	20	2	45	0	0	0	0	0	0	0	2.45	0	0	10.4	0.1	1.1
2022	1	22	20	12	45	0	0	0	0	0	0	0	2.44	0	0	10.6	0.1	1.1
2022	1	22	20	22	45	0	0	0	0	0	0	0	2.44	0	0	10.6	0.1	1.1
2022	1	22	20	32	45	0	0	0	0	0	0	0	2.43	0	0	10.4	0.1	1.1
2022	1	22	20	42	45	0	0	0	0	0	0	0	2.42	0	0	10.6	0.1	1.1
2022	1	22	20	52	45	0	0	0	0	0	0	0	2.41	0	0	10.8	0.1	1.1
2022	1	22	21	2	45	0	0	0	0	0	0	0	2.41	0	0	10.6	0.1	1.1
2022	1	22	21	12	45	0	0	0	0	0	0	0	2.4	0	0	10.8	0.1	1.1
2022	1	22	21	22	45	0	0	0	0	0	0	0	2.4	0	0	10.8	0.1	1.1
2022	1	22	21	32	45	0	0	0	0	0	0	0	2.39	0	0	10.6	0.1	1.1
2022	1	22	21	42	45	0	0	0	0	0	0	0	2.39	0	0	10.6	0.1	1.1
2022	1	22	21	52	45	0	0	0	0	0	0	0	2.39	0	0	11	0.1	1.1
2022	1	22	22	2	45	0	0	0	0	0	0	0	2.38	0	0	11	0.1	1.1
2022	1	22	22	12	45	0	0	0	0	0	0	0	2.38	0	0	11	0.1	1.1
2022	1	22	22	22	45	0	0	0	0	0	0	0	2.38	0	0	11	0.1	1.1
2022	1	22	22	32	45	0	0	0	0	0	0	0	2.38	0	0	11	0.1	1.1
2022	1	22	22	42	45	0	0	0	0	0	0	0	2.37	0	0	10.8	0.1	1.1
2022	1	22	22	52	45	0	0	0	0	0	0	0	2.37	0	0	10.8	0.1	1.1
2022	1	22	23	2	45	0	0	0	0	0	0	0	2.37	0	0	10.8	0.1	1.1
2022	1	22	23	12	45	0	0	0	0	0	0	0	2.36	0	0	10.8	0.1	1.1
2022	1	22	23	22	45	0	0	0	0	0	0	0	2.36	0	0	11	0.1	1.1
2022	1	22	23	32	45	0	0	0	0	0	0	0	2.36	0	0	11	0.1	1.1
2022	1	22	23	42	45	0	0	0	0	0	0	0	2.36	0	0	11	0.1	1.1
2022	1	22	23	52	45	0	0	0	0	0	0	0	2.35	0	0	11	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	23	0	2	45	0	0	0	0	0	0	0	2.35	0	0	10.6	0.1	1.1
2022	1	23	0	12	45	0	0	0	0	0	0	0	2.34	0	0	10.6	0.1	1.1
2022	1	23	0	22	45	0	0	0	0	0	0	0	2.34	0	0	10.6	0.1	1.1
2022	1	23	0	32	45	0	0	0	0	0	0	0	2.33	0	0	10.8	0.1	1.1
2022	1	23	0	42	45	0	0	0	0	0	0	0	2.33	0	0	10.8	0.1	1.1
2022	1	23	0	52	45	0	0	0	0	0	0	0	2.32	0	0	10.8	0.1	1.1
2022	1	23	1	2	45	0	0	0	0	0	0	0	2.31	0	0	10.8	0.1	1.1
2022	1	23	1	12	45	0	0	0	0	0	0	0	2.3	0	0	10.8	0.1	1.1
2022	1	23	1	22	45	0	0	0	0	0	0	0	2.3	0	0	10.8	0.1	1.1
2022	1	23	1	32	45	0	0	0	0	0	0	0	2.29	0	0	10.8	0.1	1.1
2022	1	23	1	42	45	0	0	0	0	0	0	0	2.28	0	0	10.8	0.1	1.1
2022	1	23	1	52	45	0	0	0	0	0	0	0	2.27	0	0	10.8	0.1	1.1
2022	1	23	2	2	45	0	0	0	0	0	0	0	2.26	0	0	10.8	0.1	1.1
2022	1	23	2	12	45	0	0	0	0	0	0	0	2.25	0	0	10.8	0.1	1.1
2022	1	23	2	22	45	0	0	0	0	0	0	0	2.24	0	0	10.8	0.1	1.1
2022	1	23	2	32	45	0	0	0	0	0	0	0	2.23	0	0	10.8	0.1	1.1
2022	1	23	2	42	45	0	0	0	0	0	0	0	2.23	0	0	10.8	0.1	1.1
2022	1	23	2	52	45	0	0	0	0	0	0	0	2.22	0	0	10.8	0.1	1.1
2022	1	23	3	2	45	0	0	0	0	0	0	0	2.21	0	0	10.8	0.1	1.1
2022	1	23	3	12	45	0	0	0	0	0	0	0	2.2	0	0	10.8	0.1	1.1
2022	1	23	3	22	45	0	0	0	0	0	0	0	2.21	0	0	10.8	0.1	1.1
2022	1	23	3	32	45	0	0	0	0	0	0	0	2.2	0	0	10.8	0.1	1.1
2022	1	23	3	42	45	0	0	0	0	0	0	0	2.19	0	0	10.8	0.1	1.1
2022	1	23	3	52	45	0	0	0	0	0	0	0	2.19	0	0	10.8	0.1	1.1
2022	1	23	4	2	45	0	0	0	0	0	0	0	2.18	0	0	10.8	0.1	1.1
2022	1	23	4	12	45	0	0	0	0	0	0	0	2.18	0	0	10.8	0.1	1.1
2022	1	23	4	22	45	0	0	0	0	0	0	0	2.17	0	0	10.8	0.1	1.1
2022	1	23	4	32	45	0	0	0	0	0	0	0	2.17	0	0	10.8	0.1	1.1
2022	1	23	4	42	45	0	0	0	0	0	0	0	2.17	0	0	10.8	0.1	1.1
2022	1	23	4	52	45	0	0	0	0	0	0	0	2.17	0	0	10.8	0.1	1.1
2022	1	23	5	2	45	0	0	0	0	0	0	0	2.16	0	0	10.8	0.1	1.1
2022	1	23	5	12	45	0	0	0	0	0	0	0	2.16	0	0	10.8	0.1	1.1
2022	1	23	5	22	45	0	0	0	0	0	0	0	2.16	0	0	10.8	0.1	1.1
2022	1	23	5	32	45	0	0	0	0	0	0	0	2.15	0	0	10.8	0.1	1.1
2022	1	23	5	42	45	0	0	0	0	0	0	0	2.15	0	0	10.8	0.1	1.1
2022	1	23	5	52	45	0	0	0	0	0	0	0	2.16	0	0	10.8	0.1	1.1
2022	1	23	6	2	45	0	0	0	0	0	0	0	2.15	0	0	10.8	0.1	1.1
2022	1	23	6	12	45	0	0	0	0	0	0	0	2.14	0	0	10.8	0.1	1.1
2022	1	23	6	22	45	0	0	0	0	0	0	0	2.15	0	0	10.8	0.1	1.1
2022	1	23	6	32	45	0	0	0	0	0	0	0	2.14	0	0	10.8	0.1	1.1
2022	1	23	6	42	45	0	0	0	0	0	0	0	2.14	0	0	10.8	0.1	1.1
2022	1	23	6	52	45	0	0	0	0	0	0	0	2.14	0	0	10.8	0.1	1.1
2022	1	23	7	2	45	0	0	0	0	0	0	0	2.13	0	0	10.8	0.1	1.1
2022	1	23	7	12	45	0	0	0	0	0	0	0	2.13	0	0	10.8	0.1	1.1
2022	1	23	7	22	45	0	0	0	0	0	0	0	2.14	0	0	10.8	0.1	1.1
2022	1	23	7	32	45	0	0	0	0	0	0	0	2.14	0	0	11	0.1	1.1
2022	1	23	7	42	45	0	0	0	0	0	0	0	2.13	0	0	11.2	0.1	1.1
2022	1	23	7	52	45	0	0	0	0	0	0	0	2.14	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	23	8	2	45	0	0	0	0	0	0	0	2.14	0	0	11.6	0.1	1.1
2022	1	23	8	12	45	0	0	0	0	0	0	0	2.15	0	0	11.8	0.1	1.1
2022	1	23	8	22	45	0	0	0	0	0	0	0	2.19	0	0	11.8	0.1	1.1
2022	1	23	8	32	45	0	0	0	0	0	0	0	2.23	0	0	12	0.1	1.1
2022	1	23	8	42	45	0	0	0	0	0	0	0	2.26	0	0	12	0.1	1.1
2022	1	23	8	52	45	0	0	0	0	0	0	0	2.28	0	0	12	0.1	1.1
2022	1	23	9	2	45	0	0	0	0	0	0	0	2.31	0	0	12	0.1	1.1
2022	1	23	9	12	45	0	0	0	0	0	0	0	2.35	0	0	12	0.1	1.1
2022	1	23	9	22	45	0	0	0	0	0	0	0	2.36	0	0	12	0.1	1.1
2022	1	23	9	32	45	0	0	0	0	0	0	0	2.41	0	0	12	0.1	1.1
2022	1	23	9	42	45	0	0	0	0	0	0	0	2.43	0	0	12.2	0.1	1.1
2022	1	23	9	52	45	0	0	0	0	0	0	0	2.46	0	0	12.2	0.1	1.1
2022	1	23	10	2	45	0	0	0	0	0	0	0	2.49	0	0	12.4	0.1	1.1
2022	1	23	10	12	45	0	0	0	0	0	0	0	2.52	0	0	13	0.1	1.1
2022	1	23	10	22	45	0	0	0	0	0	0	0	2.54	0	0	12.8	0.1	1.1
2022	1	23	10	32	45	0	0	0	0	0	0	0	2.57	0	0	12.8	0.1	1.1
2022	1	23	10	42	45	0	0	0	0	0	0	0	2.58	0	0	12.8	0.1	1.1
2022	1	23	10	52	45	0	0	0	0	0	0	0	2.64	0	0	12.8	0.1	1.1
2022	1	23	11	2	45	0	0	0	0	0	0	0	2.65	0	0	12.8	0.1	1.1
2022	1	23	11	12	45	0	0	0	0	0	0	0	2.68	0	0	12.8	0.1	1.1
2022	1	23	11	22	45	0	0	0	0	0	0	0	2.69	0	0	12.8	0.1	1.1
2022	1	23	11	32	45	0	0	0	0	0	0	0	2.73	0	0	12.8	0.1	1.1
2022	1	23	11	42	45	0	0	0	0	0	0	0	2.75	0	0	12.8	0.1	1.1
2022	1	23	11	52	45	0	0	0	0	0	0	0	2.76	0	0	12.8	0.1	1.1
2022	1	23	12	2	45	0	0	0	0	0	0	0	2.77	0	0	12.6	0.1	1.1
2022	1	23	12	12	45	0	0	0	0	0	0	0	2.79	0	0	12.8	0.1	1.1
2022	1	23	12	22	45	0	0	0	0	0	0	0	2.8	0	0	12.4	0.1	1.1
2022	1	23	12	32	45	0	0	0	0	0	0	0	2.81	0	0	12.2	0.1	1.1
2022	1	23	12	42	45	0	0	0	0	0	0	0	2.83	0	0	12.2	0.1	1.1
2022	1	23	12	52	45	0	0	0	0	0	0	0	2.85	0	0	12.4	0.1	1.1
2022	1	23	13	2	45	0	0	0	0	0	0	0	2.84	0	0	12.6	0.1	1.1
2022	1	23	13	12	45	0	0	0	0	0	0	0	2.85	0	0	12.6	0.1	1.1
2022	1	23	13	22	45	0	0	0	0	0	0	0	2.87	0	0	12.8	0.1	1.1
2022	1	23	13	32	45	0	0	0	0	0	0	0	2.88	0	0	12.8	0.1	1.1
2022	1	23	13	42	45	0	0	0	0	0	0	0	2.89	0	0	12.8	0.1	1.1
2022	1	23	13	52	45	0	0	0	0	0	0	0	2.88	0	0	13	0.1	1.1
2022	1	23	14	2	45	0	0	0	0	0	0	0	2.89	0	0	13	0.1	1.1
2022	1	23	14	12	45	0	0	0	0	0	0	0	2.89	0	0	13	0.1	1.1
2022	1	23	14	22	45	0	0	0	0	0	0	0	2.88	0	0	13	0.1	1.1
2022	1	23	14	32	45	0	0	0	0	0	0	0	2.88	0	0	13	0.1	1.1
2022	1	23	14	42	45	0	0	0	0	0	0	0	2.88	0	0	13	0.1	1.1
2022	1	23	14	52	45	0	0	0	0	0	0	0	2.86	0	0	13	0.1	1.1
2022	1	23	15	2	45	0	0	0	0	0	0	0	2.83	0	0	13	0.1	1.1
2022	1	23	15	12	45	0	0	0	0	0	0	0	2.85	0	0	13	0.1	1.1
2022	1	23	15	22	45	0	0	0	0	0	0	0	2.8	0	0	13	0.1	1.1
2022	1	23	15	32	45	0	0	0	0	0	0	0	2.8	0	0	12.8	0.1	1.1
2022	1	23	15	42	45	0	0	0	0	0	0	0	2.77	0	0	12	0.1	1.1
2022	1	23	15	52	45	0	0	0	0	0	0	0	2.78	0	0	11.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	23	16	2	45	0	0	0	0	0	0	0	2.78	0	0	11.6	0.1	1.1
2022	1	23	16	12	45	0	0	0	0	0	0	0	2.78	0	0	11.6	0.1	1.1
2022	1	23	16	22	45	0	0	0	0	0	0	0	2.78	0	0	11.4	0.1	1.1
2022	1	23	16	32	45	0	0	0	0	0	0	0	2.78	0	0	11.2	0.1	1.1
2022	1	23	16	42	45	0	0	0	0	0	0	0	2.78	0	0	11	0.1	1.1
2022	1	23	16	52	45	0	0	0	0	0	0	0	2.78	0	0	11	0.1	1.1
2022	1	23	17	2	45	0	0	0	0	0	0	0	2.78	0	0	11	0.1	1.1
2022	1	23	17	12	45	0	0	0	0	0	0	0	2.78	0	0	10.8	0.1	1.1
2022	1	23	17	22	45	0	0	0	0	0	0	0	2.78	0	0	10.8	0.1	1.1
2022	1	23	17	32	45	0	0	0	0	0	0	0	2.78	0	0	10.6	0.1	1.1
2022	1	23	17	42	45	0	0	0	0	0	0	0	2.77	0	0	10.8	0.1	1.1
2022	1	23	17	52	45	0	0	0	0	0	0	0	2.77	0	0	10.4	0.1	1.1
2022	1	23	18	2	45	0	0	0	0	0	0	0	2.76	0	0	10.6	0.1	1.1
2022	1	23	18	12	45	0	0	0	0	0	0	0	2.75	0	0	10.4	0.1	1.1
2022	1	23	18	22	45	0	0	0	0	0	0	0	2.75	0	0	10.6	0.1	1.1
2022	1	23	18	32	45	0	0	0	0	0	0	0	2.75	0	0	10.4	0.1	1.1
2022	1	23	18	42	45	0	0	0	0	0	0	0	2.73	0	0	10.4	0.1	1.1
2022	1	23	18	52	45	0	0	0	0	0	0	0	2.72	0	0	10.4	0.1	1.1
2022	1	23	19	2	45	0	0	0	0	0	0	0	2.71	0	0	10.2	0.1	1.1
2022	1	23	19	12	45	0	0	0	0	0	0	0	2.7	0	0	10.2	0.1	1.1
2022	1	23	19	22	45	0	0	0	0	0	0	0	2.69	0	0	10.2	0.1	1.1
2022	1	23	19	32	45	0	0	0	0	0	0	0	2.68	0	0	10.2	0.1	1.1
2022	1	23	19	42	45	0	0	0	0	0	0	0	2.67	0	0	10.2	0.1	1.1
2022	1	23	19	52	45	0	0	0	0	0	0	0	2.66	0	0	10.2	0.1	1.1
2022	1	23	20	2	45	0	0	0	0	0	0	0	2.65	0	0	10.6	0.1	1.1
2022	1	23	20	12	45	0	0	0	0	0	0	0	2.64	0	0	11.4	0.1	1.1
2022	1	23	20	22	45	0	0	0	0	0	0	0	2.63	0	0	11.4	0.1	1.1
2022	1	23	20	32	45	0	0	0	0	0	0	0	2.62	0	0	11.4	0.1	1.1
2022	1	23	20	42	45	0	0	0	0	0	0	0	2.6	0	0	11.4	0.1	1.1
2022	1	23	20	52	45	0	0	0	0	0	0	0	2.59	0	0	11.4	0.1	1.1
2022	1	23	21	2	45	0	0	0	0	0	0	0	2.58	0	0	11.4	0.1	1.1
2022	1	23	21	12	45	0	0	0	0	0	0	0	2.57	0	0	11.4	0.1	1.1
2022	1	23	21	22	45	0	0	0	0	0	0	0	2.56	0	0	11.4	0.1	1.1
2022	1	23	21	32	45	0	0	0	0	0	0	0	2.56	0	0	11.4	0.1	1.1
2022	1	23	21	42	45	0	0	0	0	0	0	0	2.55	0	0	11.4	0.1	1.1
2022	1	23	21	52	45	0	0	0	0	0	0	0	2.54	0	0	11.4	0.1	1.1
2022	1	23	22	2	45	0	0	0	0	0	0	0	2.54	0	0	11.4	0.1	1.1
2022	1	23	22	12	45	0	0	0	0	0	0	0	2.53	0	0	11.4	0.1	1.1
2022	1	23	22	22	45	0	0	0	0	0	0	0	2.52	0	0	11.4	0.1	1.1
2022	1	23	22	32	45	0	0	0	0	0	0	0	2.51	0	0	11.4	0.1	1.1
2022	1	23	22	42	45	0	0	0	0	0	0	0	2.51	0	0	11.4	0.1	1.1
2022	1	23	22	52	45	0	0	0	0	0	0	0	2.49	0	0	11.4	0.1	1.1
2022	1	23	23	2	45	0	0	0	0	0	0	0	2.49	0	0	11.4	0.1	1.1
2022	1	23	23	12	45	0	0	0	0	0	0	0	2.48	0	0	11.4	0.1	1.1
2022	1	23	23	22	45	0	0	0	0	0	0	0	2.47	0	0	11.4	0.1	1.1
2022	1	23	23	32	45	0	0	0	0	0	0	0	2.46	0	0	11.4	0.1	1.1
2022	1	23	23	42	45	0	0	0	0	0	0	0	2.45	0	0	11.4	0.1	1.1
2022	1	23	23	52	45	0	0	0	0	0	0	0	2.44	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	24	0	2	45	0	0	0	0	0	0	0	2.43	0	0	11.4	0.1	1.1
2022	1	24	0	12	45	0	0	0	0	0	0	0	2.42	0	0	11.4	0.1	1.1
2022	1	24	0	22	45	0	0	0	0	0	0	0	2.41	0	0	11.4	0.1	1.1
2022	1	24	0	32	45	0	0	0	0	0	0	0	2.4	0	0	11.2	0.1	1.1
2022	1	24	0	42	45	0	0	0	0	0	0	0	2.39	0	0	11.2	0.1	1.1
2022	1	24	0	52	45	0	0	0	0	0	0	0	2.37	0	0	11.2	0.1	1.1
2022	1	24	1	2	45	0	0	0	0	0	0	0	2.36	0	0	11.2	0.1	1.1
2022	1	24	1	12	45	0	0	0	0	0	0	0	2.35	0	0	11.2	0.1	1.1
2022	1	24	1	22	45	0	0	0	0	0	0	0	2.34	0	0	11.2	0.1	1.1
2022	1	24	1	32	45	0	0	0	0	0	0	0	2.33	0	0	11.2	0.1	1.1
2022	1	24	1	42	45	0	0	0	0	0	0	0	2.31	0	0	11.2	0.1	1.1
2022	1	24	1	52	45	0	0	0	0	0	0	0	2.3	0	0	11.2	0.1	1.1
2022	1	24	2	2	45	0	0	0	0	0	0	0	2.28	0	0	11.2	0.1	1.1
2022	1	24	2	12	45	0	0	0	0	0	0	0	2.28	0	0	11.2	0.1	1.1
2022	1	24	2	22	45	0	0	0	0	0	0	0	2.27	0	0	11.2	0.1	1.1
2022	1	24	2	32	45	0	0	0	0	0	0	0	2.25	0	0	11.2	0.1	1.1
2022	1	24	2	42	45	0	0	0	0	0	0	0	2.24	0	0	11.2	0.1	1.1
2022	1	24	2	52	45	0	0	0	0	0	0	0	2.23	0	0	11.2	0.1	1.1
2022	1	24	3	2	45	0	0	0	0	0	0	0	2.23	0	0	11.2	0.1	1.1
2022	1	24	3	12	45	0	0	0	0	0	0	0	2.21	0	0	11.2	0.1	1.1
2022	1	24	3	22	45	0	0	0	0	0	0	0	2.21	0	0	11.2	0.1	1.1
2022	1	24	3	32	45	0	0	0	0	0	0	0	2.2	0	0	11.2	0.1	1.1
2022	1	24	3	42	45	0	0	0	0	0	0	0	2.2	0	0	11.2	0.1	1.1
2022	1	24	3	52	45	0	0	0	0	0	0	0	2.19	0	0	11.2	0.1	1.1
2022	1	24	4	2	45	0	0	0	0	0	0	0	2.19	0	0	11.2	0.1	1.1
2022	1	24	4	12	45	0	0	0	0	0	0	0	2.18	0	0	11.4	0.1	1.1
2022	1	24	4	22	45	0	0	0	0	0	0	0	2.17	0	0	11.4	0.1	1.1
2022	1	24	4	32	45	0	0	0	0	0	0	0	2.17	0	0	11.2	0.1	1.1
2022	1	24	4	42	45	0	0	0	0	0	0	0	2.17	0	0	11.2	0.1	1.1
2022	1	24	4	52	45	0	0	0	0	0	0	0	2.16	0	0	11.2	0.1	1.1
2022	1	24	5	2	45	0	0	0	0	0	0	0	2.16	0	0	11.2	0.1	1.1
2022	1	24	5	12	45	0	0	0	0	0	0	0	2.15	0	0	11.2	0.1	1.1
2022	1	24	5	22	45	0	0	0	0	0	0	0	2.15	0	0	11.2	0.1	1.1
2022	1	24	5	32	45	0	0	0	0	0	0	0	2.15	0	0	11.2	0.1	1.1
2022	1	24	5	42	45	0	0	0	0	0	0	0	2.13	0	0	11.2	0.1	1.1
2022	1	24	5	52	45	0	0	0	0	0	0	0	2.13	0	0	11.2	0.1	1.1
2022	1	24	6	2	45	0	0	0	0	0	0	0	2.12	0	0	11	0.1	1.1
2022	1	24	6	12	45	0	0	0	0	0	0	0	2.12	0	0	11	0.1	1.1
2022	1	24	6	22	45	0	0	0	0	0	0	0	2.11	0	0	11.2	0.1	1.1
2022	1	24	6	32	45	0	0	0	0	0	0	0	2.11	0	0	11.2	0.1	1.1
2022	1	24	6	42	45	0	0	0	0	0	0	0	2.1	0	0	11.2	0.1	1.1
2022	1	24	6	52	45	0	0	0	0	0	0	0	2.1	0	0	11.2	0.1	1.1
2022	1	24	7	2	45	0	0	0	0	0	0	0	2.09	0	0	11.2	0.1	1.1
2022	1	24	7	12	45	0	0	0	0	0	0	0	2.09	0	0	11.2	0.1	1.1
2022	1	24	7	22	45	0	0	0	0	0	0	0	2.09	0	0	11.2	0.1	1.1
2022	1	24	7	32	45	0	0	0	0	0	0	0	2.08	0	0	11.4	0.1	1.1
2022	1	24	7	42	45	0	0	0	0	0	0	0	2.08	0	0	11.6	0.1	1.1
2022	1	24	7	52	45	0	0	0	0	0	0	0	2.08	0	0	11.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	24	8	2	45	0	0	0	0	0	0	0	2.09	0	0	12	0.1	1.1
2022	1	24	8	12	45	0	0	0	0	0	0	0	2.09	0	0	12.2	0.1	1.1
2022	1	24	8	22	45	0	0	0	0	0	0	0	2.12	0	0	12.2	0.1	1.1
2022	1	24	8	32	45	0	0	0	0	0	0	0	2.15	0	0	11.8	0.1	1.1
2022	1	24	8	42	45	0	0	0	0	0	0	0	2.17	0	0	11.4	0.1	1.1
2022	1	24	8	52	45	0	0	0	0	0	0	0	2.2	0	0	11.2	0.1	1.1
2022	1	24	9	2	45	0	0	0	0	0	0	0	2.22	0	0	11.6	0.1	1.1
2022	1	24	9	12	45	0	0	0	0	0	0	0	2.26	0	0	11.6	0.1	1.1
2022	1	24	9	22	45	0	0	0	0	0	0	0	2.28	0	0	11.8	0.1	1.1
2022	1	24	9	32	45	0	0	0	0	0	0	0	2.31	0	0	12.2	0.1	1.1
2022	1	24	9	42	45	0	0	0	0	0	0	0	2.34	0	0	12.2	0.1	1.1
2022	1	24	9	52	45	0	0	0	0	0	0	0	2.37	0	0	12.6	0.1	1.1
2022	1	24	10	2	45	0	0	0	0	0	0	0	2.4	0	0	12.8	0.1	1.1
2022	1	24	10	12	45	0	0	0	0	0	0	0	2.43	0	0	13	0.1	1.1
2022	1	24	10	22	45	0	0	0	0	0	0	0	2.45	0	0	13	0.1	1.1
2022	1	24	10	32	45	0	0	0	0	0	0	0	2.48	0	0	13	0.1	1.1
2022	1	24	10	42	45	0	0	0	0	0	0	0	2.51	0	0	13.2	0.1	1.1
2022	1	24	10	52	45	0	0	0	0	0	0	0	2.52	0	0	13.4	0.1	1.1
2022	1	24	11	2	45	0	0	0	0	0	0	0	2.54	0	0	13.4	0.1	1.1
2022	1	24	11	12	45	0	0	0	0	0	0	0	2.59	0	0	13.4	0.1	1.1
2022	1	24	11	22	45	0	0	0	0	0	0	0	2.59	0	0	13	0.1	1.1
2022	1	24	11	32	45	0	0	0	0	0	0	0	2.62	0	0	13.2	0.1	1.1
2022	1	24	11	42	45	0	0	0	0	0	0	0	2.63	0	0	13	0.1	1.1
2022	1	24	11	52	45	0	0	0	0	0	0	0	2.64	0	0	13	0.1	1.1
2022	1	24	12	2	45	0	0	0	0	0	0	0	2.67	0	0	12.6	0.1	1.1
2022	1	24	12	12	45	0	0	0	0	0	0	0	2.68	0	0	12.4	0.1	1.1
2022	1	24	12	22	45	0	0	0	0	0	0	0	2.68	0	0	12.2	0.1	1.1
2022	1	24	12	32	45	0	0	0	0	0	0	0	2.71	0	0	13.4	0.1	1.1
2022	1	24	12	42	45	0	0	0	0	0	0	0	2.73	0	0	13	0.1	1.1
2022	1	24	12	52	45	0	0	0	0	0	0	0	2.72	0	0	12.8	0.1	1.1
2022	1	24	13	2	45	0	0	0	0	0	0	0	2.73	0	0	12.6	0.1	1.1
2022	1	24	13	12	45	0	0	0	0	0	0	0	2.73	0	0	13.2	0.1	1.1
2022	1	24	13	22	45	0	0	0	0	0	0	0	2.74	0	0	12.8	0.1	1.1
2022	1	24	13	32	45	0	0	0	0	0	0	0	2.75	0	0	13	0.1	1.1
2022	1	24	13	42	45	0	0	0	0	0	0	0	2.77	0	0	12.6	0.1	1.1
2022	1	24	13	52	45	0	0	0	0	0	0	0	2.79	0	0	12.6	0.1	1.1
2022	1	24	14	2	45	0	0	0	0	0	0	0	2.79	0	0	12.6	0.1	1.1
2022	1	24	14	12	45	0	0	0	0	0	0	0	2.79	0	0	12.6	0.1	1.1
2022	1	24	14	22	45	0	0	0	0	0	0	0	2.79	0	0	12.4	0.1	1.1
2022	1	24	14	32	45	0	0	0	0	0	0	0	2.8	0	0	12.8	0.1	1.1
2022	1	24	14	42	45	0	0	0	0	0	0	0	2.78	0	0	12.6	0.1	1.1
2022	1	24	14	52	45	0	0	0	0	0	0	0	2.78	0	0	13.2	0.1	1.1
2022	1	24	15	2	45	0	0	0	0	0	0	0	2.76	0	0	13.2	0.1	1.1
2022	1	24	15	12	45	0	0	0	0	0	0	0	2.78	0	0	13.2	0.1	1.1
2022	1	24	15	22	45	0	0	0	0	0	0	0	2.75	0	0	13.2	0.1	1.1
2022	1	24	15	32	45	0	0	0	0	0	0	0	2.75	0	0	13	0.1	1.1
2022	1	24	15	42	45	0	0	0	0	0	0	0	2.73	0	0	12.4	0.1	1.1
2022	1	24	15	52	45	0	0	0	0	0	0	0	2.73	0	0	12.2	0.1	1.1



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	24	16	2	45	0	0	0	0	0	0	0	2.74	0	0	12	0.1	1.1
2022	1	24	16	12	45	0	0	0	0	0	0	0	2.73	0	0	11.2	0.1	1.1
2022	1	24	16	22	45	0	0	0	0	0	0	0	2.74	0	0	10.8	0.1	1.1
2022	1	24	16	32	45	0	0	0	0	0	0	0	2.73	0	0	10.8	0.1	1.1
2022	1	24	16	42	45	0	0	0	0	0	0	0	2.74	0	0	11.4	0.1	1.1
2022	1	24	16	52	45	0	0	0	0	0	0	0	2.74	0	0	11.6	0.1	1.1
2022	1	24	17	2	45	0	0	0	0	0	0	0	2.74	0	0	11.6	0.1	1.1
2022	1	24	17	12	45	0	0	0	0	0	0	0	2.74	0	0	11.2	0.1	1.1
2022	1	24	17	22	45	0	0	0	0	0	0	0	2.74	0	0	11.6	0.1	1.1
2022	1	24	17	32	45	0	0	0	0	0	0	0	2.74	0	0	11.6	0.1	1.1
2022	1	24	17	42	45	0	0	0	0	0	0	0	2.74	0	0	11.6	0.1	1.1
2022	1	24	17	52	45	0	0	0	0	0	0	0	2.74	0	0	11.6	0.1	1.1
2022	1	24	18	2	45	0	0	0	0	0	0	0	2.74	0	0	11.6	0.1	1.1
2022	1	24	18	12	45	0	0	0	0	0	0	0	2.74	0	0	11.6	0.1	1.1
2022	1	24	18	22	45	0	0	0	0	0	0	0	2.73	0	0	11.6	0.1	1.1
2022	1	24	18	32	45	0	0	0	0	0	0	0	2.73	0	0	11.6	0.1	1.1
2022	1	24	18	42	45	0	0	0	0	0	0	0	2.72	0	0	11.6	0.1	1.1
2022	1	24	18	52	45	0	0	0	0	0	0	0	2.72	0	0	11.6	0.1	1.1
2022	1	24	19	2	45	0	0	0	0	0	0	0	2.71	0	0	11.6	0.1	1.1
2022	1	24	19	12	45	0	0	0	0	0	0	0	2.71	0	0	11.6	0.1	1.1
2022	1	24	19	22	45	0	0	0	0	0	0	0	2.7	0	0	11.6	0.1	1.1
2022	1	24	19	32	45	0	0	0	0	0	0	0	2.69	0	0	11.6	0.1	1.1
2022	1	24	19	42	45	0	0	0	0	0	0	0	2.68	0	0	11.6	0.1	1.1
2022	1	24	19	52	45	0	0	0	0	0	0	0	2.67	0	0	11.6	0.1	1.1
2022	1	24	20	2	45	0	0	0	0	0	0	0	2.65	0	0	11.6	0.1	1.1
2022	1	24	20	12	45	0	0	0	0	0	0	0	2.64	0	0	11.6	0.1	1.1
2022	1	24	20	22	45	0	0	0	0	0	0	0	2.63	0	0	11.6	0.1	1.1
2022	1	24	20	32	45	0	0	0	0	0	0	0	2.62	0	0	11.6	0.1	1.1
2022	1	24	20	42	45	0	0	0	0	0	0	0	2.61	0	0	11.6	0.1	1.1
2022	1	24	20	52	45	0	0	0	0	0	0	0	2.6	0	0	11.6	0.1	1.1
2022	1	24	21	2	45	0	0	0	0	0	0	0	2.59	0	0	11.6	0.1	1.1
2022	1	24	21	12	45	0	0	0	0	0	0	0	2.58	0	0	11.4	0.1	1.1
2022	1	24	21	22	45	0	0	0	0	0	0	0	2.57	0	0	11.4	0.1	1.1
2022	1	24	21	32	45	0	0	0	0	0	0	0	2.56	0	0	11.4	0.1	1.1
2022	1	24	21	42	45	0	0	0	0	0	0	0	2.55	0	0	11.4	0.1	1.1
2022	1	24	21	52	45	0	0	0	0	0	0	0	2.54	0	0	11.4	0.1	1.1
2022	1	24	22	2	45	0	0	0	0	0	0	0	2.53	0	0	11.4	0.1	1.1
2022	1	24	22	12	45	0	0	0	0	0	0	0	2.52	0	0	11.4	0.1	1.1
2022	1	24	22	22	45	0	0	0	0	0	0	0	2.51	0	0	11.4	0.1	1.1
2022	1	24	22	32	45	0	0	0	0	0	0	0	2.5	0	0	11.4	0.1	1.1
2022	1	24	22	42	45	0	0	0	0	0	0	0	2.49	0	0	11.4	0.1	1.1
2022	1	24	22	52	45	0	0	0	0	0	0	0	2.48	0	0	11.4	0.1	1.1
2022	1	24	23	2	45	0	0	0	0	0	0	0	2.47	0	0	11.4	0.1	1.1
2022	1	24	23	12	45	0	0	0	0	0	0	0	2.45	0	0	11.4	0.1	1.1
2022	1	24	23	22	45	0	0	0	0	0	0	0	2.44	0	0	11.4	0.1	1.1
2022	1	24	23	32	45	0	0	0	0	0	0	0	2.44	0	0	11.4	0.1	1.1
2022	1	24	23	42	45	0	0	0	0	0	0	0	2.42	0	0	11.4	0.1	1.1
2022	1	24	23	52	45	0	0	0	0	0	0	0	2.41	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	25	0	2	45	0	0	0	0	0	0	0	2.4	0	0	11.4	0.1	1.1
2022	1	25	0	12	45	0	0	0	0	0	0	0	2.38	0	0	11.4	0.1	1.1
2022	1	25	0	22	45	0	0	0	0	0	0	0	2.37	0	0	11.4	0.1	1.1
2022	1	25	0	32	45	0	0	0	0	0	0	0	2.36	0	0	11.4	0.1	1.1
2022	1	25	0	42	45	0	0	0	0	0	0	0	2.34	0	0	11.4	0.1	1.1
2022	1	25	0	52	45	0	0	0	0	0	0	0	2.32	0	0	11.4	0.1	1.1
2022	1	25	1	2	45	0	0	0	0	0	0	0	2.31	0	0	11.2	0.1	1.1
2022	1	25	1	12	45	0	0	0	0	0	0	0	2.29	0	0	11	0.1	1.1
2022	1	25	1	22	45	0	0	0	0	0	0	0	2.28	0	0	11	0.1	1.1
2022	1	25	1	32	45	0	0	0	0	0	0	0	2.26	0	0	11	0.1	1.1
2022	1	25	1	42	45	0	0	0	0	0	0	0	2.25	0	0	11.4	0.1	1.1
2022	1	25	1	52	45	0	0	0	0	0	0	0	2.24	0	0	11.4	0.1	1.1
2022	1	25	2	2	45	0	0	0	0	0	0	0	2.23	0	0	11.4	0.1	1.1
2022	1	25	2	12	45	0	0	0	0	0	0	0	2.21	0	0	11.4	0.1	1.1
2022	1	25	2	22	45	0	0	0	0	0	0	0	2.19	0	0	11.4	0.1	1.1
2022	1	25	2	32	45	0	0	0	0	0	0	0	2.18	0	0	11.4	0.1	1.1
2022	1	25	2	42	45	0	0	0	0	0	0	0	2.17	0	0	11.4	0.1	1.1
2022	1	25	2	52	45	0	0	0	0	0	0	0	2.15	0	0	11.4	0.1	1.1
2022	1	25	3	2	45	0	0	0	0	0	0	0	2.14	0	0	11.4	0.1	1.1
2022	1	25	3	12	45	0	0	0	0	0	0	0	2.12	0	0	11.4	0.1	1.1
2022	1	25	3	22	45	0	0	0	0	0	0	0	2.11	0	0	11.4	0.1	1.1
2022	1	25	3	32	45	0	0	0	0	0	0	0	2.1	0	0	11.4	0.1	1.1
2022	1	25	3	42	45	0	0	0	0	0	0	0	2.07	0	0	11.4	0.1	1.1
2022	1	25	3	52	45	0	0	0	0	0	0	0	2.06	0	0	11.4	0.1	1.1
2022	1	25	4	2	45	0	0	0	0	0	0	0	2.05	0	0	11.4	0.1	1.1
2022	1	25	4	12	45	0	0	0	0	0	0	0	2.03	0	0	11.4	0.1	1.1
2022	1	25	4	22	45	0	0	0	0	0	0	0	2.02	0	0	11.4	0.1	1.1
2022	1	25	4	32	45	0	0	0	0	0	0	0	2.01	0	0	11.4	0.1	1.1
2022	1	25	4	42	45	0	0	0	0	0	0	0	1.99	0	0	11.4	0.1	1.1
2022	1	25	4	52	45	0	0	0	0	0	0	0	1.98	0	0	11.4	0.1	1.1
2022	1	25	5	2	45	0	0	0	0	0	0	0	1.97	0	0	11.4	0.1	1.1
2022	1	25	5	12	45	0	0	0	0	0	0	0	1.96	0	0	11.4	0.1	1.1
2022	1	25	5	22	45	0	0	0	0	0	0	0	1.95	0	0	11.4	0.1	1.1
2022	1	25	5	32	45	0	0	0	0	0	0	0	1.94	0	0	11.4	0.1	1.1
2022	1	25	5	42	45	0	0	0	0	0	0	0	1.93	0	0	11.4	0.1	1.1
2022	1	25	5	52	45	0	0	0	0	0	0	0	1.92	0	0	11.4	0.1	1.1
2022	1	25	6	2	45	0	0	0	0	0	0	0	1.91	0	0	11.4	0.1	1.1
2022	1	25	6	12	45	0	0	0	0	0	0	0	1.9	0	0	11.4	0.1	1.1
2022	1	25	6	22	45	0	0	0	0	0	0	0	1.9	0	0	11.4	0.1	1.1
2022	1	25	6	32	45	0	0	0	0	0	0	0	1.89	0	0	11.4	0.1	1.1
2022	1	25	6	42	45	0	0	0	0	0	0	0	1.89	0	0	11.4	0.1	1.1
2022	1	25	6	52	45	0	0	0	0	0	0	0	1.88	0	0	11.2	0.1	1.1
2022	1	25	7	2	45	0	0	0	0	0	0	0	1.88	0	0	11	0.1	1.1
2022	1	25	7	12	45	0	0	0	0	0	0	0	1.89	0	0	11	0.1	1.1
2022	1	25	7	22	45	0	0	0	0	0	0	0	1.89	0	0	11	0.1	1.1
2022	1	25	7	32	45	0	0	0	0	0	0	0	1.89	0	0	11.2	0.1	1.1
2022	1	25	7	42	45	0	0	0	0	0	0	0	1.9	0	0	11.4	0.1	1.1
2022	1	25	7	52	45	0	0	0	0	0	0	0	1.9	0	0	11.6	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	25	8	2	45	0	0	0	0	0	0	0	1.91	0	0	11.8	0.1	1.1
2022	1	25	8	12	45	0	0	0	0	0	0	0	1.93	0	0	12	0.1	1.1
2022	1	25	8	22	45	0	0	0	0	0	0	0	1.96	0	0	12.2	0.1	1.1
2022	1	25	8	32	45	0	0	0	0	0	0	0	1.98	0	0	12.4	0.1	1.1
2022	1	25	8	42	45	0	0	0	0	0	0	0	2.01	0	0	12.6	0.1	1.1
2022	1	25	8	52	45	0	0	0	0	0	0	0	2.04	0	0	12.6	0.1	1.1
2022	1	25	9	2	45	0	0	0	0	0	0	0	2.07	0	0	12.6	0.1	1.1
2022	1	25	9	12	45	0	0	0	0	0	0	0	2.1	0	0	12.6	0.1	1.1
2022	1	25	9	22	45	1	0	0	0	0	0	0	2.12	0	0	12.8	0.1	1.1
2022	1	25	9	32	45	0	0	0	0	0	0	0	2.14	0	0	12.8	0.1	1.1
2022	1	25	9	42	45	0	0	0	0	0	0	0	2.16	0	0	13	0.1	1.1
2022	1	25	9	52	45	0	0	0	0	0	0	0	2.2	0	0	13.2	0.1	1.1
2022	1	25	10	2	45	0	0	0	0	0	0	0	2.23	0	0	13.4	0.1	1.1
2022	1	25	10	12	45	0	0	0	0	0	0	0	2.27	0	0	13.6	0.1	1.1
2022	1	25	10	22	45	0	0	0	0	0	0	0	2.31	0	0	13.6	0.1	1.1
2022	1	25	10	32	45	0	0	0	0	0	0	0	2.32	0	0	13.6	0.1	1.1
2022	1	25	10	42	45	0	0	0	0	0	0	0	2.35	0	0	13.6	0.1	1.1
2022	1	25	10	52	45	0	0	0	0	0	0	0	2.38	0	0	13.6	0.1	1.1
2022	1	25	11	2	45	0	0	0	0	0	0	0	2.4	0	0	13.6	0.1	1.1
2022	1	25	11	12	45	9	0	0	0	0	0	0	2.44	0	0	13.6	0.1	1.1
2022	1	25	11	22	45	0	0	0	0	0	0	0	2.44	0	0	14	0.1	1.1
2022	1	25	11	32	45	0	0	0	0	0	0	0	2.51	0	0	13.6	0.1	1.1
2022	1	25	11	42	45	0	0	0	0	0	0	0	2.55	0	0	14	0.1	1.1
2022	1	25	11	52	45	0	0	0	0	0	0	0	2.56	0	0	14	0.1	1.1
2022	1	25	12	2	45	0	0	0	0	0	0	0	2.57	0	0	14	0.1	1.1
2022	1	25	12	12	45	0	0	0	0	0	0	0	2.61	0	0	14	0.1	1.1
2022	1	25	12	22	45	0	0	0	0	0	0	0	2.59	0	0	13.6	0.1	1.1
2022	1	25	12	32	45	0	0	0	0	0	0	0	2.58	0	0	13.6	0.1	1.1
2022	1	25	12	42	45	0	0	0	0	0	0	0	2.65	0	0	13.6	0.1	1.1
2022	1	25	12	52	45	0	0	0	0	0	0	0	2.65	0	0	13.6	0.1	1.1
2022	1	25	13	2	45	0	0	0	0	0	0	0	2.65	0	0	13.8	0.1	1.1
2022	1	25	13	12	45	0	0	0	0	0	0	0	2.67	0	0	14	0.1	1.1
2022	1	25	13	22	45	0	0	0	0	0	0	0	2.68	0	0	14	0.1	1.1
2022	1	25	13	32	45	0	0	0	0	0	0	0	2.71	0	0	14	0.1	1.1
2022	1	25	13	42	45	0	0	0	0	0	0	0	2.7	0	0	14	0.1	1.1
2022	1	25	13	52	45	4	0	0	0	0	0	0	2.71	0	0	13.8	0.1	1.1
2022	1	25	14	2	45	0	0	0	0	0	0	0	2.73	0	0	13.8	0.1	1.1
2022	1	25	14	12	45	0	0	0	0	0	0	0	2.73	0	0	13.8	0.1	1.1
2022	1	25	14	22	45	0	0	0	0	0	0	0	2.73	0	0	13.6	0.1	1.1
2022	1	25	14	32	45	0	0	0	0	0	0	0	2.73	0	0	13.6	0.1	1.1
2022	1	25	14	42	45	0	0	0	0	0	0	0	2.7	0	0	13.6	0.1	1.1
2022	1	25	14	52	45	0	0	0	0	0	0	0	2.71	0	0	13.6	0.1	1.1
2022	1	25	15	2	45	0	0	0	0	0	0	0	2.67	0	0	13.6	0.1	1.1
2022	1	25	15	12	45	0	0	0	0	0	0	0	2.7	0	0	13.6	0.1	1.1
2022	1	25	15	22	45	0	0	0	0	0	0	0	2.68	0	0	13.4	0.1	1.1
2022	1	25	15	32	45	0	0	0	0	0	0	0	2.68	0	0	13.4	0.1	1.1
2022	1	25	15	42	45	0	0	0	0	0	0	0	2.67	0	0	13.4	0.1	1.1
2022	1	25	15	52	45	0	0	0	0	0	0	0	2.66	0	0	12.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	25	16	2	45	0	0	0	0	0	0	0	2.67	0	0	12	0.1	1.1
2022	1	25	16	12	45	0	0	0	0	0	0	0	2.68	0	0	11.8	0.1	1.1
2022	1	25	16	22	45	0	0	0	0	0	0	0	2.68	0	0	11.6	0.1	1.1
2022	1	25	16	32	45	0	0	0	0	0	0	0	2.68	0	0	11.4	0.1	1.1
2022	1	25	16	42	45	0	0	0	0	0	0	0	2.68	0	0	11.4	0.1	1.1
2022	1	25	16	52	45	0	0	0	0	0	0	0	2.68	0	0	11.4	0.1	1.1
2022	1	25	17	2	45	0	0	0	0	0	0	0	2.69	0	0	11.4	0.1	1.1
2022	1	25	17	12	45	0	0	0	0	0	0	0	2.68	0	0	11.4	0.1	1.1
2022	1	25	17	22	45	0	0	0	0	0	0	0	2.69	0	0	11.4	0.1	1.1
2022	1	25	17	32	45	0	0	0	0	0	0	0	2.68	0	0	11.4	0.1	1.1
2022	1	25	17	42	45	0	0	0	0	0	0	0	2.68	0	0	11.6	0.1	1.1
2022	1	25	17	52	45	0	0	0	0	0	0	0	2.68	0	0	11.4	0.1	1.1
2022	1	25	18	2	45	0	0	0	0	0	0	0	2.68	0	0	11.4	0.1	1.1
2022	1	25	18	12	45	0	0	0	0	0	0	0	2.67	0	0	11.4	0.1	1.1
2022	1	25	18	22	45	0	0	0	0	0	0	0	2.66	0	0	11.4	0.1	1.1
2022	1	25	18	32	45	0	0	0	0	0	0	0	2.65	0	0	11.4	0.1	1.1
2022	1	25	18	42	45	0	0	0	0	0	0	0	2.64	0	0	11.4	0.1	1.1
2022	1	25	18	52	45	0	0	0	0	0	0	0	2.63	0	0	11.4	0.1	1.1
2022	1	25	19	2	45	0	0	0	0	0	0	0	2.62	0	0	11	0.1	1.1
2022	1	25	19	12	45	0	0	0	0	0	0	0	2.61	0	0	11	0.1	1.1
2022	1	25	19	22	45	0	0	0	0	0	0	0	2.6	0	0	11	0.1	1.1
2022	1	25	19	32	45	0	0	0	0	0	0	0	2.59	0	0	11	0.1	1.1
2022	1	25	19	42	45	0	0	0	0	0	0	0	2.58	0	0	10.8	0.1	1.1
2022	1	25	19	52	45	0	0	0	0	0	0	0	2.58	0	0	10.8	0.1	1.1
2022	1	25	20	2	45	0	0	0	0	0	0	0	2.57	0	0	11	0.1	1.1
2022	1	25	20	12	45	0	0	0	0	0	0	0	2.56	0	0	11	0.1	1.1
2022	1	25	20	22	45	0	0	0	0	0	0	0	2.54	0	0	11	0.1	1.1
2022	1	25	20	32	45	0	0	0	0	0	0	0	2.54	0	0	10.8	0.1	1.1
2022	1	25	20	42	45	0	0	0	0	0	0	0	2.52	0	0	11	0.1	1.1
2022	1	25	20	52	45	0	0	0	0	0	0	0	2.51	0	0	11	0.1	1.1
2022	1	25	21	2	45	0	0	0	0	0	0	0	2.5	0	0	11	0.1	1.1
2022	1	25	21	12	45	0	0	0	0	0	0	0	2.49	0	0	11	0.1	1.1
2022	1	25	21	22	45	0	0	0	0	0	0	0	2.48	0	0	11	0.1	1.1
2022	1	25	21	32	45	0	0	0	0	0	0	0	2.47	0	0	10.8	0.1	1.1
2022	1	25	21	42	45	0	0	0	0	0	0	0	2.46	0	0	10.8	0.1	1.1
2022	1	25	21	52	45	0	0	0	0	0	0	0	2.46	0	0	10.8	0.1	1.1
2022	1	25	22	2	45	0	0	0	0	0	0	0	2.45	0	0	11	0.1	1.1
2022	1	25	22	12	45	0	0	0	0	0	0	0	2.44	0	0	10.6	0.1	1.1
2022	1	25	22	22	45	0	0	0	0	0	0	0	2.43	0	0	10.8	0.1	1.1
2022	1	25	22	32	45	0	0	0	0	0	0	0	2.42	0	0	10.6	0.1	1.1
2022	1	25	22	42	45	0	0	0	0	0	0	0	2.41	0	0	10.6	0.1	1.1
2022	1	25	22	52	45	0	0	0	0	0	0	0	2.4	0	0	10.6	0.1	1.1
2022	1	25	23	2	45	0	0	0	0	0	0	0	2.39	0	0	10.4	0.1	1.1
2022	1	25	23	12	45	0	0	0	0	0	0	0	2.38	0	0	10.4	0.1	1.1
2022	1	25	23	22	45	0	0	0	0	0	0	0	2.36	0	0	10.6	0.1	1.1
2022	1	25	23	32	45	0	0	0	0	0	0	0	2.36	0	0	10.4	0.1	1.1
2022	1	25	23	42	45	0	0	0	0	0	0	0	2.35	0	0	10.4	0.1	1.1
2022	1	25	23	52	45	0	0	0	0	0	0	0	2.34	0	0	10.6	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	26	0	2	45	0	0	0	0	0	0	0	2.33	0	0	10.6	0.1	1.1
2022	1	26	0	12	45	0	0	0	0	0	0	0	2.31	0	0	10.4	0.1	1.1
2022	1	26	0	22	45	0	0	0	0	0	0	0	2.3	0	0	10.4	0.1	1.1
2022	1	26	0	32	45	0	0	0	0	0	0	0	2.29	0	0	10.4	0.1	1.1
2022	1	26	0	42	45	0	0	0	0	0	0	0	2.27	0	0	10.4	0.1	1.1
2022	1	26	0	52	45	0	0	0	0	0	0	0	2.26	0	0	10.4	0.1	1.1
2022	1	26	1	2	45	0	0	0	0	0	0	0	2.24	0	0	10.4	0.1	1.1
2022	1	26	1	12	45	0	0	0	0	0	0	0	2.23	0	0	10.4	0.1	1.1
2022	1	26	1	22	45	0	0	0	0	0	0	0	2.21	0	0	10.4	0.1	1.1
2022	1	26	1	32	45	0	0	0	0	0	0	0	2.2	0	0	10.6	0.1	1.1
2022	1	26	1	42	45	0	0	0	0	0	0	0	2.17	0	0	11	0.1	1.1
2022	1	26	1	52	45	0	0	0	0	0	0	0	2.16	0	0	11	0.1	1.1
2022	1	26	2	2	45	0	0	0	0	0	0	0	2.15	0	0	11	0.1	1.1
2022	1	26	2	12	45	0	0	0	0	0	0	0	2.14	0	0	10.8	0.1	1.1
2022	1	26	2	22	45	0	0	0	0	0	0	0	2.12	0	0	10.8	0.1	1.1
2022	1	26	2	32	45	0	0	0	0	0	0	0	2.1	0	0	10.8	0.1	1.1
2022	1	26	2	42	45	0	0	0	0	0	0	0	2.09	0	0	11	0.1	1.1
2022	1	26	2	52	45	0	0	0	0	0	0	0	2.08	0	0	11	0.1	1.1
2022	1	26	3	2	45	0	0	0	0	0	0	0	2.07	0	0	11	0.1	1.1
2022	1	26	3	12	45	0	0	0	0	0	0	0	2.05	0	0	11	0.1	1.1
2022	1	26	3	22	45	0	0	0	0	0	0	0	2.04	0	0	11	0.1	1.1
2022	1	26	3	32	45	0	0	0	0	0	0	0	2.03	0	0	11	0.1	1.1
2022	1	26	3	42	45	0	0	0	0	0	0	0	2.02	0	0	11	0.1	1.1
2022	1	26	3	52	45	0	0	0	0	0	0	0	2	0	0	11	0.1	1.1
2022	1	26	4	2	45	0	0	0	0	0	0	0	1.99	0	0	11	0.1	1.1
2022	1	26	4	12	45	0	0	0	0	0	0	0	1.98	0	0	11	0.1	1.1
2022	1	26	4	22	45	0	0	0	0	0	0	0	1.96	0	0	11	0.1	1.1
2022	1	26	4	32	45	0	0	0	0	0	0	0	1.95	0	0	11	0.1	1.1
2022	1	26	4	42	45	0	0	0	0	0	0	0	1.94	0	0	11	0.1	1.1
2022	1	26	4	52	45	0	0	0	0	0	0	0	1.92	0	0	11	0.1	1.1
2022	1	26	5	2	45	0	0	0	0	0	0	0	1.91	0	0	11	0.1	1.1
2022	1	26	5	12	45	0	0	0	0	0	0	0	1.89	0	0	11	0.1	1.1
2022	1	26	5	22	45	0	0	0	0	0	0	0	1.88	0	0	10.8	0.1	1.1
2022	1	26	5	32	45	0	0	0	0	0	0	0	1.87	0	0	10.8	0.1	1.1
2022	1	26	5	42	45	0	0	0	0	0	0	0	1.86	0	0	10.8	0.1	1.1
2022	1	26	5	52	45	0	0	0	0	0	0	0	1.85	0	0	10.6	0.1	1.1
2022	1	26	6	2	45	0	0	0	0	0	0	0	1.83	0	0	10.8	0.1	1.1
2022	1	26	6	12	45	0	0	0	0	0	0	0	1.82	0	0	11.2	0.1	1.1
2022	1	26	6	22	45	0	0	0	0	0	0	0	1.81	0	0	11.2	0.1	1.1
2022	1	26	6	32	45	0	0	0	0	0	0	0	1.79	0	0	11.2	0.1	1.1
2022	1	26	6	42	45	0	0	0	0	0	0	0	1.78	0	0	11.2	0.1	1.1
2022	1	26	6	52	45	0	0	0	0	0	0	0	1.77	0	0	11.2	0.1	1.1
2022	1	26	7	2	45	0	0	0	0	0	0	0	1.76	0	0	11.2	0.1	1.1
2022	1	26	7	12	45	0	0	0	0	0	0	0	1.75	0	0	11.2	0.1	1.1
2022	1	26	7	22	45	0	0	0	0	0	0	0	1.73	0	0	11.2	0.1	1.1
2022	1	26	7	32	45	0	0	0	0	0	0	0	1.72	0	0	11.4	0.1	1.1
2022	1	26	7	42	45	0	0	0	0	0	0	0	1.71	0	0	11.8	0.1	1.1
2022	1	26	7	52	45	0	0	0	0	0	0	0	1.7	0	0	12	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	26	8	2	45	0	0	0	0	0	0	0	1.71	0	0	12.2	0.1	1.1
2022	1	26	8	12	45	0	0	0	0	0	0	0	1.71	0	0	12.4	0.1	1.1
2022	1	26	8	22	45	0	0	0	0	0	0	0	1.72	0	0	12.6	0.1	1.1
2022	1	26	8	32	45	0	0	0	0	0	0	0	1.75	0	0	12.6	0.1	1.1
2022	1	26	8	42	45	0	0	0	0	0	0	0	1.77	0	0	12.8	0.1	1.1
2022	1	26	8	52	45	0	0	0	0	0	0	0	1.78	0	0	12.6	0.1	1.1
2022	1	26	9	2	45	0	0	0	0	0	0	0	1.8	0	0	12.8	0.1	1.1
2022	1	26	9	12	45	0	0	0	0	0	0	0	1.87	0	0	12.8	0.1	1.1
2022	1	26	9	22	45	0	0	0	0	0	0	0	1.91	0	0	13	0.1	1.1
2022	1	26	9	32	45	0	0	0	0	0	0	0	1.93	0	0	13	0.1	1.1
2022	1	26	9	42	45	0	0	0	0	0	0	0	1.97	0	0	13.2	0.1	1.1
2022	1	26	9	52	45	0	0	0	0	0	0	0	2	0	0	13.6	0.1	1.1
2022	1	26	10	2	45	0	0	0	0	0	0	0	2.02	0	0	13.6	0.1	1.1
2022	1	26	10	12	45	0	0	0	0	0	0	0	2.04	0	0	13	0.1	1.1
2022	1	26	10	22	45	0	0	0	0	0	0	0	2.07	0	0	13.2	0.1	1.1
2022	1	26	10	32	45	0	0	0	0	0	0	0	2.11	0	0	13	0.1	1.1
2022	1	26	10	42	45	0	0	0	0	0	0	0	2.12	0	0	13	0.1	1.1
2022	1	26	10	52	45	0	0	0	0	0	0	0	2.14	0	0	13.4	0.1	1.1
2022	1	26	11	2	45	0	0	0	0	0	0	0	2.16	0	0	13.6	0.1	1.1
2022	1	26	11	12	45	0	0	0	0	0	0	0	2.18	0	0	13.2	0.1	1.1
2022	1	26	11	22	45	0	0	0	0	0	0	0	2.19	0	0	13	0.1	1.1
2022	1	26	11	32	45	0	0	0	0	0	0	0	2.21	0	0	13	0.1	1.1
2022	1	26	11	42	45	0	0	0	0	0	0	0	2.22	0	0	13.2	0.1	1.1
2022	1	26	11	52	45	0	0	0	0	0	0	0	2.25	0	0	13.2	0.1	1.1
2022	1	26	12	2	45	0	0	0	0	0	0	0	2.26	0	0	13	0.1	1.1
2022	1	26	12	12	45	0	0	0	0	0	0	0	2.26	0	0	13	0.1	1.1
2022	1	26	12	22	45	0	0	0	0	0	0	0	2.29	0	0	13	0.1	1.1
2022	1	26	12	32	45	0	0	0	0	0	0	0	2.3	0	0	13.4	0.1	1.1
2022	1	26	12	42	45	0	0	0	0	0	0	0	2.29	0	0	13.4	0.1	1.1
2022	1	26	12	52	45	0	0	0	0	0	0	0	2.3	0	0	13.4	0.1	1.1
2022	1	26	13	2	45	0	0	0	0	0	0	0	2.3	0	0	13.4	0.1	1.1
2022	1	26	13	12	45	0	0	0	0	0	0	0	2.31	0	0	13.4	0.1	1.1
2022	1	26	13	22	45	0	0	0	0	0	0	0	2.3	0	0	13.4	0.1	1.1
2022	1	26	13	32	45	0	0	0	0	0	0	0	2.3	0	0	13.4	0.1	1.1
2022	1	26	13	42	45	0	0	0	0	0	0	0	2.32	0	0	13.4	0.1	1.1
2022	1	26	13	52	45	0	0	0	0	0	0	0	2.3	0	0	13.4	0.1	1.1
2022	1	26	14	2	45	0	0	0	0	0	0	0	2.3	0	0	13.4	0.1	1.1
2022	1	26	14	12	45	0	0	0	0	0	0	0	2.3	0	0	13.4	0.1	1.1
2022	1	26	14	22	45	0	0	0	0	0	0	0	2.3	0	0	13.4	0.1	1.1
2022	1	26	14	32	45	0	0	0	0	0	0	0	2.29	0	0	13.4	0.1	1.1
2022	1	26	14	42	45	0	0	0	0	0	0	0	2.28	0	0	13.4	0.1	1.1
2022	1	26	14	52	45	0	0	0	0	0	0	0	2.27	0	0	13.2	0.1	1.1
2022	1	26	15	2	45	0	0	0	0	0	0	0	2.21	0	0	13.4	0.1	1.1
2022	1	26	15	12	45	0	0	0	0	0	0	0	2.25	0	0	13.4	0.1	1.1
2022	1	26	15	22	45	0	0	0	0	0	0	0	2.18	0	0	13.2	0.1	1.1
2022	1	26	15	32	45	0	0	0	0	0	0	0	2.22	0	0	13.2	0.1	1.1
2022	1	26	15	42	45	0	0	0	0	0	0	0	2.17	0	0	13.2	0.1	1.1
2022	1	26	15	52	45	0	0	0	0	0	0	0	2.17	0	0	12.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	26	16	2	45	0	0	0	0	0	0	0	2.17	0	0	12	0.1	1.1
2022	1	26	16	12	45	0	0	0	0	0	0	0	2.18	0	0	12	0.1	1.1
2022	1	26	16	22	45	0	0	0	0	0	0	0	2.18	0	0	11.8	0.1	1.1
2022	1	26	16	32	45	0	0	0	0	0	0	0	2.18	0	0	11.6	0.1	1.1
2022	1	26	16	42	45	0	0	0	0	0	0	0	2.18	0	0	11.6	0.1	1.1
2022	1	26	16	52	45	0	0	0	0	0	0	0	2.18	0	0	11.6	0.1	1.1
2022	1	26	17	2	45	0	0	0	0	0	0	0	2.17	0	0	11.6	0.1	1.1
2022	1	26	17	12	45	0	0	0	0	0	0	0	2.18	0	0	11.6	0.1	1.1
2022	1	26	17	22	45	0	0	0	0	0	0	0	2.17	0	0	11.6	0.1	1.1
2022	1	26	17	32	45	0	0	0	0	0	0	0	2.17	0	0	11.6	0.1	1.1
2022	1	26	17	42	45	0	0	0	0	0	0	0	2.16	0	0	11.6	0.1	1.1
2022	1	26	17	52	45	0	0	0	0	0	0	0	2.16	0	0	11.4	0.1	1.1
2022	1	26	18	2	45	0	0	0	0	0	0	0	2.15	0	0	11.4	0.1	1.1
2022	1	26	18	12	45	0	0	0	0	0	0	0	2.14	0	0	11.4	0.1	1.1
2022	1	26	18	22	45	0	0	0	0	0	0	0	2.13	0	0	11.6	0.1	1.1
2022	1	26	18	32	45	0	0	0	0	0	0	0	2.13	0	0	11.6	0.1	1.1
2022	1	26	18	42	45	0	0	0	0	0	0	0	2.12	0	0	11.6	0.1	1.1
2022	1	26	18	52	45	0	0	0	0	0	0	0	2.12	0	0	11.6	0.1	1.1
2022	1	26	19	2	45	0	0	0	0	0	0	0	2.1	0	0	11.6	0.1	1.1
2022	1	26	19	12	45	0	0	0	0	0	0	0	2.09	0	0	11	0.1	1.1
2022	1	26	19	22	45	0	0	0	0	0	0	0	2.09	0	0	10.6	0.1	1.1
2022	1	26	19	32	45	0	0	0	0	0	0	0	2.08	0	0	10.8	0.1	1.1
2022	1	26	19	42	45	0	0	0	0	0	0	0	2.06	0	0	11.2	0.1	1.1
2022	1	26	19	52	45	0	0	0	0	0	0	0	2.06	0	0	11.2	0.1	1.1
2022	1	26	20	2	45	0	0	0	0	0	0	0	2.05	0	0	11.2	0.1	1.1
2022	1	26	20	12	45	0	0	0	0	0	0	0	2.03	0	0	11.2	0.1	1.1
2022	1	26	20	22	45	0	0	0	0	0	0	0	2.02	0	0	11.2	0.1	1.1
2022	1	26	20	32	45	0	0	0	0	0	0	0	2.01	0	0	11.4	0.1	1.1
2022	1	26	20	42	45	0	0	0	0	0	0	0	2	0	0	11.4	0.1	1.1
2022	1	26	20	52	45	0	0	0	0	0	0	0	2	0	0	11.4	0.1	1.1
2022	1	26	21	2	45	0	0	0	0	0	0	0	1.98	0	0	11.4	0.1	1.1
2022	1	26	21	12	45	0	0	0	0	0	0	0	1.97	0	0	11.4	0.1	1.1
2022	1	26	21	22	45	0	0	0	0	0	0	0	1.96	0	0	11.4	0.1	1.1
2022	1	26	21	32	45	0	0	0	0	0	0	0	1.95	0	0	11.4	0.1	1.1
2022	1	26	21	42	45	0	0	0	0	0	0	0	1.93	0	0	11.4	0.1	1.1
2022	1	26	21	52	45	0	0	0	0	0	0	0	1.92	0	0	11.4	0.1	1.1
2022	1	26	22	2	45	0	0	0	0	0	0	0	1.9	0	0	11.4	0.1	1.1
2022	1	26	22	12	45	0	0	0	0	0	0	0	1.89	0	0	11.4	0.1	1.1
2022	1	26	22	22	45	0	0	0	0	0	0	0	1.88	0	0	11.4	0.1	1.1
2022	1	26	22	32	45	0	0	0	0	0	0	0	1.86	0	0	11.4	0.1	1.1
2022	1	26	22	42	45	0	0	0	0	0	0	0	1.85	0	0	11.4	0.1	1.1
2022	1	26	22	52	45	0	0	0	0	0	0	0	1.83	0	0	11.4	0.1	1.1
2022	1	26	23	2	45	0	0	0	0	0	0	0	1.82	0	0	11.4	0.1	1.1
2022	1	26	23	12	45	0	0	0	0	0	0	0	1.8	0	0	11.4	0.1	1.1
2022	1	26	23	22	45	0	0	0	0	0	0	0	1.78	0	0	11.4	0.1	1.1
2022	1	26	23	32	45	0	0	0	0	0	0	0	1.77	0	0	11.4	0.1	1.1
2022	1	26	23	42	45	0	0	0	0	0	0	0	1.76	0	0	11.4	0.1	1.1
2022	1	26	23	52	45	0	0	0	0	0	0	0	1.74	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	27	0	2	45	0	0	0	0	0	0	0	1.72	0	0	11.4	0.1	1.1
2022	1	27	0	12	45	0	0	0	0	0	0	0	1.7	0	0	11.4	0.1	1.1
2022	1	27	0	22	45	0	0	0	0	0	0	0	1.68	0	0	11.4	0.1	1.1
2022	1	27	0	32	45	0	0	0	0	0	0	0	1.66	0	0	11.4	0.1	1.1
2022	1	27	0	42	45	0	0	0	0	0	0	0	1.65	0	0	11.4	0.1	1.1
2022	1	27	0	52	45	0	0	0	0	0	0	0	1.63	0	0	11.4	0.1	1.1
2022	1	27	1	2	45	0	0	0	0	0	0	0	1.6	0	0	11.4	0.1	1.1
2022	1	27	1	12	45	0	0	0	0	0	0	0	1.58	0	0	11.4	0.1	1.1
2022	1	27	1	22	45	0	0	0	0	0	0	0	1.57	0	0	11.4	0.1	1.1
2022	1	27	1	32	45	0	0	0	0	0	0	0	1.55	0	0	11.2	0.1	1.1
2022	1	27	1	42	45	0	0	0	0	0	0	0	1.53	0	0	11.2	0.1	1.1
2022	1	27	1	52	45	0	0	0	0	0	0	0	1.51	0	0	11.2	0.1	1.1
2022	1	27	2	2	45	0	0	0	0	0	0	0	1.49	0	0	11.2	0.1	1.1
2022	1	27	2	12	45	0	0	0	0	0	0	0	1.47	0	0	11.2	0.1	1.1
2022	1	27	2	22	45	0	0	0	0	0	0	0	1.46	0	0	11.2	0.1	1.1
2022	1	27	2	32	45	0	0	0	0	0	0	0	1.45	0	0	11.2	0.1	1.1
2022	1	27	2	42	45	0	0	0	0	0	0	0	1.43	0	0	11.2	0.1	1.1
2022	1	27	2	52	45	0	0	0	0	0	0	0	1.41	0	0	11.2	0.1	1.1
2022	1	27	3	2	45	0	0	0	0	0	0	0	1.4	0	0	11.2	0.1	1.1
2022	1	27	3	12	45	0	0	0	0	0	0	0	1.38	0	0	11.2	0.1	1.1
2022	1	27	3	22	45	0	0	0	0	0	0	0	1.36	0	0	11.2	0.1	1.1
2022	1	27	3	32	45	0	0	0	0	0	0	0	1.35	0	0	11.2	0.1	1.1
2022	1	27	3	42	45	0	0	0	0	0	0	0	1.33	0	0	11.2	0.1	1.1
2022	1	27	3	52	45	0	0	0	0	0	0	0	1.32	0	0	11.2	0.1	1.1
2022	1	27	4	2	45	0	0	0	0	0	0	0	1.3	0	0	11.2	0.1	1.1
2022	1	27	4	12	45	0	0	0	0	0	0	0	1.29	0	0	11.2	0.1	1.1
2022	1	27	4	22	45	0	0	0	0	0	0	0	1.28	0	0	11.2	0.1	1.1
2022	1	27	4	32	45	0	0	0	0	0	0	0	1.26	0	0	11.2	0.1	1.1
2022	1	27	4	42	45	0	0	0	0	0	0	0	1.25	0	0	11.2	0.1	1.1
2022	1	27	4	52	45	0	0	0	0	0	0	0	1.24	0	0	11.2	0.1	1.1
2022	1	27	5	2	45	0	0	0	0	0	0	0	1.23	0	0	11.2	0.1	1.1
2022	1	27	5	12	45	0	0	0	0	0	0	0	1.22	0	0	11.2	0.1	1.1
2022	1	27	5	22	45	0	0	0	0	0	0	0	1.22	0	0	11.2	0.1	1.1
2022	1	27	5	32	45	0	0	0	0	0	0	0	1.21	0	0	11.2	0.1	1.1
2022	1	27	5	42	45	0	0	0	0	0	0	0	1.2	0	0	11.2	0.1	1.1
2022	1	27	5	52	45	0	0	0	0	0	0	0	1.2	0	0	11.2	0.1	1.1
2022	1	27	6	2	45	0	0	0	0	0	0	0	1.19	0	0	11.2	0.1	1.1
2022	1	27	6	12	45	0	0	0	0	0	0	0	1.18	0	0	11.2	0.1	1.1
2022	1	27	6	22	45	0	0	0	0	0	0	0	1.18	0	0	11.2	0.1	1.1
2022	1	27	6	32	45	0	0	0	0	0	0	0	1.16	0	0	11.2	0.1	1.1
2022	1	27	6	42	45	0	0	0	0	0	0	0	1.15	0	0	11.2	0.1	1.1
2022	1	27	6	52	45	0	0	0	0	0	0	0	1.14	0	0	11.2	0.1	1.1
2022	1	27	7	2	45	0	0	0	0	0	0	0	1.14	0	0	11.2	0.1	1.1
2022	1	27	7	12	45	0	0	0	0	0	0	0	1.13	0	0	11.2	0.1	1.1
2022	1	27	7	22	45	0	0	0	0	0	0	0	1.12	0	0	11.2	0.1	1.1
2022	1	27	7	32	45	0	0	0	0	0	0	0	1.12	0	0	11.4	0.1	1.1
2022	1	27	7	42	45	0	0	0	0	0	0	0	1.11	0	0	11.8	0.1	1.1
2022	1	27	7	52	45	0	0	0	0	0	0	0	1.11	0	0	12	0.1	1.1



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	27	8	2	45	0	0	0	0	0	0	0	1.12	0	0	12.2	0.1	1.1
2022	1	27	8	12	45	0	0	0	0	0	0	0	1.13	0	0	12.4	0.1	1.1
2022	1	27	8	22	45	0	0	0	0	0	0	0	1.17	0	0	12.4	0.1	1.1
2022	1	27	8	32	45	0	0	0	0	0	0	0	1.2	0	0	12.2	0.1	1.1
2022	1	27	8	42	45	0	0	0	0	0	0	0	1.24	0	0	11.8	0.1	1.1
2022	1	27	8	52	45	0	0	0	0	0	0	0	1.26	0	0	12.2	0.1	1.1
2022	1	27	9	2	45	0	0	0	0	0	0	0	1.3	0	0	12.2	0.1	1.1
2022	1	27	9	12	45	0	0	0	0	0	0	0	1.32	0	0	12.4	0.1	1.1
2022	1	27	9	22	45	0	0	0	0	0	0	0	1.35	0	0	12.4	0.1	1.1
2022	1	27	9	32	45	0	0	0	0	0	0	0	1.38	0	0	12.6	0.1	1.1
2022	1	27	9	42	45	0	0	0	0	0	0	0	1.43	0	0	13	0.1	1.1
2022	1	27	9	52	45	0	0	0	0	0	0	0	1.46	0	0	13.2	0.1	1.1
2022	1	27	10	2	45	0	0	0	0	0	0	0	1.49	0	0	13.4	0.1	1.1
2022	1	27	10	12	45	0	0	0	0	0	0	0	1.53	0	0	13.6	0.1	1.1
2022	1	27	10	22	45	0	0	0	0	0	0	0	1.56	0	0	13.4	0.1	1.1
2022	1	27	10	32	45	0	0	0	0	0	0	0	1.58	0	0	13.4	0.1	1.1
2022	1	27	10	42	45	0	0	0	0	0	0	0	1.6	0	0	13.4	0.1	1.1
2022	1	27	10	52	45	0	0	0	0	0	0	0	1.66	0	0	13.4	0.1	1.1
2022	1	27	11	2	45	0	0	0	0	0	0	0	1.68	0	0	13.4	0.1	1.1
2022	1	27	11	12	45	0	0	0	0	0	0	0	1.71	0	0	13.4	0.1	1.1
2022	1	27	11	22	45	0	0	0	0	0	0	0	1.72	0	0	13.4	0.1	1.1
2022	1	27	11	32	45	0	0	0	0	0	0	0	1.76	0	0	13.4	0.1	1.1
2022	1	27	11	42	45	0	0	0	0	0	0	0	1.77	0	0	13.4	0.1	1.1
2022	1	27	11	52	45	0	0	0	0	0	0	0	1.8	0	0	13.4	0.1	1.1
2022	1	27	12	2	45	0	0	0	0	0	0	0	1.83	0	0	13.4	0.1	1.1
2022	1	27	12	12	45	0	0	0	0	0	0	0	1.84	0	0	13.4	0.1	1.1
2022	1	27	12	22	45	0	0	0	0	0	0	0	1.85	0	0	13.4	0.1	1.1
2022	1	27	12	32	45	0	0	0	0	0	0	0	1.86	0	0	13.4	0.1	1.1
2022	1	27	12	42	45	0	0	0	0	0	0	0	1.89	0	0	13.4	0.1	1.1
2022	1	27	12	52	45	0	0	0	0	0	0	0	1.91	0	0	13.4	0.1	1.1
2022	1	27	13	2	45	0	0	0	0	0	0	0	1.92	0	0	13.4	0.1	1.1
2022	1	27	13	12	45	0	0	0	0	0	0	0	1.93	0	0	13.4	0.1	1.1
2022	1	27	13	22	45	0	0	0	0	0	0	0	1.91	0	0	13.4	0.1	1.1
2022	1	27	13	40	36	0	0	0	0	0	0	0	1.95	0	0	13.4	0.1	1.1
2022	1	27	13	50	36	0	0	0	0	0	0	0	1.96	0	0	13.4	0.1	1.1
2022	1	27	14	0	36	0	0	0	0	0	0	0	1.95	0	0	13.4	0.1	1.1
2022	1	27	14	10	36	0	0	0	0	0	0	0	1.95	0	0	13.4	0.1	1.1
2022	1	27	14	20	36	0	0	0	0	0	0	0	1.96	0	0	13.6	0.1	1.1
2022	1	27	14	30	36	0	0	0	0	0	0	0	1.94	0	0	13.6	0.1	1.1
2022	1	27	14	40	36	0	0	0	0	0	0	0	1.95	0	0	13.6	0.1	1.1
2022	1	27	14	50	36	0	0	0	0	0	0	0	1.94	0	0	13.6	0.1	1.1
2022	1	27	15	0	36	0	0	0	0	0	0	0	1.91	0	0	13.6	0.1	1.1
2022	1	27	15	10	36	0	0	0	0	0	0	0	1.92	0	0	13.6	0.1	1.1
2022	1	27	15	20	36	0	0	0	0	0	0	0	1.84	0	0	13.6	0.1	1.1
2022	1	27	15	30	36	0	0	0	0	0	0	0	1.9	0	0	13.4	0.1	1.1
2022	1	27	15	40	36	0	0	0	0	0	0	0	1.86	0	0	13.4	0.1	1.1
2022	1	27	15	50	36	0	0	0	0	0	0	0	1.83	0	0	12.4	0.1	1.1
2022	1	27	16	0	36	0	0	0	0	0	0	0	1.84	0	0	12.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	27	16	10	36	0	0	0	0	0	0	0	1.84	0	0	12	0.1	1.1
2022	1	27	16	20	36	0	0	0	0	0	0	0	1.84	0	0	11.8	0.1	1.1
2022	1	27	16	30	36	0	0	0	0	0	0	0	1.84	0	0	11.8	0.1	1.1
2022	1	27	16	40	36	0	0	0	0	0	0	0	1.84	0	0	11.6	0.1	1.1
2022	1	27	16	50	36	0	0	0	0	0	0	0	1.84	0	0	11.6	0.1	1.1
2022	1	27	17	0	36	0	0	0	0	0	0	0	1.83	0	0	11.6	0.1	1.1
2022	1	27	17	10	36	0	0	0	0	0	0	0	1.84	0	0	11.6	0.1	1.1
2022	1	27	17	20	36	0	0	0	0	0	0	0	1.83	0	0	11.6	0.1	1.1
2022	1	27	17	30	36	0	0	0	0	0	0	0	1.83	0	0	11.6	0.1	1.1
2022	1	27	17	40	36	0	0	0	0	0	0	0	1.82	0	0	11.4	0.1	1.1
2022	1	27	17	50	36	0	0	0	0	0	0	0	1.82	0	0	11.4	0.1	1.1
2022	1	27	18	0	36	0	0	0	0	0	0	0	1.81	0	0	11.4	0.1	1.1
2022	1	27	18	10	36	0	0	0	0	0	0	0	1.81	0	0	11.4	0.1	1.1
2022	1	27	18	20	36	0	0	0	0	0	0	0	1.8	0	0	11.4	0.1	1.1
2022	1	27	18	30	36	0	0	0	0	0	0	0	1.8	0	0	11.4	0.1	1.1
2022	1	27	18	40	36	0	0	0	0	0	0	0	1.79	0	0	11.4	0.1	1.1
2022	1	27	18	50	36	0	0	0	0	0	0	0	1.78	0	0	11.4	0.1	1.1
2022	1	27	19	0	36	0	0	0	0	0	0	0	1.78	0	0	11.4	0.1	1.1
2022	1	27	19	10	36	0	0	0	0	0	0	0	1.77	0	0	11.4	0.1	1.1
2022	1	27	19	20	36	0	0	0	0	0	0	0	1.76	0	0	11.6	0.1	1.1
2022	1	27	19	30	36	0	0	0	0	0	0	0	1.75	0	0	11.6	0.1	1.1
2022	1	27	19	40	36	0	0	0	0	0	0	0	1.75	0	0	11.6	0.1	1.1
2022	1	27	19	50	36	0	0	0	0	0	0	0	1.74	0	0	11.6	0.1	1.1
2022	1	27	20	0	36	0	0	0	0	0	0	0	1.74	0	0	11.4	0.1	1.1
2022	1	27	20	10	36	0	0	0	0	0	0	0	1.73	0	0	11.4	0.1	1.1
2022	1	27	20	20	36	0	0	0	0	0	0	0	1.72	0	0	11.4	0.1	1.1
2022	1	27	20	30	36	0	0	0	0	0	0	0	1.71	0	0	11.4	0.1	1.1
2022	1	27	20	40	36	0	0	0	0	0	0	0	1.7	0	0	11.4	0.1	1.1
2022	1	27	20	50	36	0	0	0	0	0	0	0	1.68	0	0	11.4	0.1	1.1
2022	1	27	21	0	36	0	0	0	0	0	0	0	1.68	0	0	11.4	0.1	1.1
2022	1	27	21	10	36	0	0	0	0	0	0	0	1.67	0	0	11.4	0.1	1.1
2022	1	27	21	20	36	0	0	0	0	0	0	0	1.66	0	0	11.4	0.1	1.1
2022	1	27	21	30	36	0	0	0	0	0	0	0	1.65	0	0	11.4	0.1	1.1
2022	1	27	21	40	36	0	0	0	0	0	0	0	1.64	0	0	11.4	0.1	1.1
2022	1	27	21	50	36	0	0	0	0	0	0	0	1.64	0	0	11.4	0.1	1.1
2022	1	27	22	0	36	0	0	0	0	0	0	0	1.63	0	0	11.4	0.1	1.1
2022	1	27	22	10	36	0	0	0	0	0	0	0	1.62	0	0	11.4	0.1	1.1
2022	1	27	22	20	36	0	0	0	0	0	0	0	1.6	0	0	11.4	0.1	1.1
2022	1	27	22	30	36	0	0	0	0	0	0	0	1.6	0	0	11.4	0.1	1.1
2022	1	27	22	40	36	0	0	0	0	0	0	0	1.6	0	0	11.4	0.1	1.1
2022	1	27	22	50	36	0	0	0	0	0	0	0	1.59	0	0	11.4	0.1	1.1
2022	1	27	23	0	36	0	0	0	0	0	0	0	1.58	0	0	11.4	0.1	1.1
2022	1	27	23	10	36	0	0	0	0	0	0	0	1.57	0	0	11.4	0.1	1.1
2022	1	27	23	20	36	0	0	0	0	0	0	0	1.57	0	0	11.4	0.1	1.1
2022	1	27	23	30	36	0	0	0	0	0	0	0	1.56	0	0	11.4	0.1	1.1
2022	1	27	23	40	36	0	0	0	0	0	0	0	1.55	0	0	11.4	0.1	1.1
2022	1	27	23	50	36	0	0	0	0	0	0	0	1.55	0	0	11.4	0.1	1.1
2022	1	28	0	0	36	0	0	0	0	0	0	0	1.53	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	28	0	10	36	0	0	0	0	0	0	0	1.53	0	0	11.4	0.1	1.1
2022	1	28	0	20	36	0	0	0	0	0	0	0	1.51	0	0	11.4	0.1	1.1
2022	1	28	0	30	36	0	0	0	0	0	0	0	1.51	0	0	11.4	0.1	1.1
2022	1	28	0	40	36	0	0	0	0	0	0	0	1.5	0	0	11.4	0.1	1.1
2022	1	28	0	50	36	0	0	0	0	0	0	0	1.49	0	0	11.4	0.1	1.1
2022	1	28	1	0	36	0	0	0	0	0	0	0	1.48	0	0	11.4	0.1	1.1
2022	1	28	1	10	36	0	0	0	0	0	0	0	1.47	0	0	11.4	0.1	1.1
2022	1	28	1	20	36	0	0	0	0	0	0	0	1.46	0	0	11.4	0.1	1.1
2022	1	28	1	30	36	0	0	0	0	0	0	0	1.45	0	0	11.4	0.1	1.1
2022	1	28	1	40	36	0	0	0	0	0	0	0	1.44	0	0	11.4	0.1	1.1
2022	1	28	1	50	36	0	0	0	0	0	0	0	1.42	0	0	11.4	0.1	1.1
2022	1	28	2	0	36	0	0	0	0	0	0	0	1.41	0	0	11.2	0.1	1.1
2022	1	28	2	10	36	0	0	0	0	0	0	0	1.4	0	0	11.2	0.1	1.1
2022	1	28	2	20	36	0	0	0	0	0	0	0	1.37	0	0	11.2	0.1	1.1
2022	1	28	2	30	36	0	0	0	0	0	0	0	1.37	0	0	11.2	0.1	1.1
2022	1	28	2	40	36	0	0	0	0	0	0	0	1.35	0	0	11.2	0.1	1.1
2022	1	28	2	50	36	0	0	0	0	0	0	0	1.34	0	0	11	0.1	1.1
2022	1	28	3	0	36	0	0	0	0	0	0	0	1.33	0	0	11.2	0.1	1.1
2022	1	28	3	10	36	0	0	0	0	0	0	0	1.31	0	0	11.2	0.1	1.1
2022	1	28	3	20	36	0	0	0	0	0	0	0	1.3	0	0	11	0.1	1.1
2022	1	28	3	30	36	0	0	0	0	0	0	0	1.29	0	0	11.2	0.1	1.1
2022	1	28	3	40	36	0	0	0	0	0	0	0	1.27	0	0	11.2	0.1	1.1
2022	1	28	3	50	36	0	0	0	0	0	0	0	1.27	0	0	11.2	0.1	1.1
2022	1	28	4	0	36	0	0	0	0	0	0	0	1.26	0	0	11.2	0.1	1.1
2022	1	28	4	10	36	0	0	0	0	0	0	0	1.24	0	0	11	0.1	1.1
2022	1	28	4	20	36	0	0	0	0	0	0	0	1.24	0	0	11	0.1	1.1
2022	1	28	4	30	36	0	0	0	0	0	0	0	1.23	0	0	11	0.1	1.1
2022	1	28	4	40	36	0	0	0	0	0	0	0	1.22	0	0	11	0.1	1.1
2022	1	28	4	50	36	0	0	0	0	0	0	0	1.21	0	0	11	0.1	1.1
2022	1	28	5	0	36	0	0	0	0	0	0	0	1.19	0	0	11	0.1	1.1
2022	1	28	5	10	36	0	0	0	0	0	0	0	1.19	0	0	11	0.1	1.1
2022	1	28	5	20	36	0	0	0	0	0	0	0	1.18	0	0	11	0.1	1.1
2022	1	28	5	30	36	0	0	0	0	0	0	0	1.17	0	0	11	0.1	1.1
2022	1	28	5	40	36	0	0	0	0	0	0	0	1.15	0	0	11	0.1	1.1
2022	1	28	5	50	36	0	0	0	0	0	0	0	1.15	0	0	11.2	0.1	1.1
2022	1	28	6	0	36	0	0	0	0	0	0	0	1.13	0	0	11.2	0.1	1.1
2022	1	28	6	10	36	0	0	0	0	0	0	0	1.13	0	0	11.2	0.1	1.1
2022	1	28	6	20	36	0	0	0	0	0	0	0	1.11	0	0	11.2	0.1	1.1
2022	1	28	6	30	36	0	0	0	0	0	0	0	1.1	0	0	11.2	0.1	1.1
2022	1	28	6	40	36	0	0	0	0	0	0	0	1.09	0	0	11.2	0.1	1.1
2022	1	28	6	50	36	0	0	0	0	0	0	0	1.08	0	0	11.2	0.1	1.1
2022	1	28	7	0	36	0	0	0	0	0	0	0	1.07	0	0	11.2	0.1	1.1
2022	1	28	7	10	36	0	0	0	0	0	0	0	1.06	0	0	11.2	0.1	1.1
2022	1	28	7	20	36	0	0	0	0	0	0	0	1.05	0	0	11.2	0.1	1.1
2022	1	28	7	30	36	0	0	0	0	0	0	0	1.05	0	0	11.4	0.1	1.1
2022	1	28	7	40	36	0	0	0	0	0	0	0	1.04	0	0	11.4	0.1	1.1
2022	1	28	7	50	36	0	0	0	0	0	0	0	1.04	0	0	11.6	0.1	1.1
2022	1	28	8	0	36	0	0	0	0	0	0	0	1.04	0	0	11.8	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	28	8	10	36	0	0	0	0	0	0	0	1.06	0	0	12	0.1	1.1
2022	1	28	8	20	36	0	0	0	0	0	0	0	1.07	0	0	12.4	0.1	1.1
2022	1	28	8	30	36	0	0	0	0	0	0	0	1.11	0	0	12.4	0.1	1.1
2022	1	28	8	40	36	0	0	0	0	0	0	0	1.15	0	0	12.4	0.1	1.1
2022	1	28	8	50	36	0	0	0	0	0	0	0	1.18	0	0	12.2	0.1	1.1
2022	1	28	9	0	36	0	0	0	0	0	0	0	1.2	0	0	12.4	0.1	1.1
2022	1	28	9	10	36	0	0	0	0	0	0	0	1.22	0	0	12.6	0.1	1.1
2022	1	28	9	20	36	0	0	0	0	0	0	0	1.22	0	0	12.6	0.1	1.1
2022	1	28	9	30	36	0	0	0	0	0	0	0	1.25	0	0	12.6	0.1	1.1
2022	1	28	9	40	36	0	0	0	0	0	0	0	1.28	0	0	12.8	0.1	1.1
2022	1	28	9	50	36	0	0	0	0	0	0	0	1.32	0	0	13	0.1	1.1
2022	1	28	10	0	36	0	0	0	0	0	0	0	1.34	0	0	13.4	0.1	1.1
2022	1	28	10	10	36	0	0	0	0	0	0	0	1.36	0	0	13.6	0.1	1.1
2022	1	28	10	20	36	0	0	0	0	0	0	0	1.41	0	0	13.6	0.1	1.1
2022	1	28	10	30	36	0	0	0	0	0	0	0	1.45	0	0	13.4	0.1	1.1
2022	1	28	10	40	36	0	0	0	0	0	0	0	1.47	0	0	13.4	0.1	1.1
2022	1	28	10	50	36	0	0	0	0	0	0	0	1.5	0	0	13.4	0.1	1.1
2022	1	28	11	0	36	0	0	0	0	0	0	0	1.48	0	0	13.4	0.1	1.1
2022	1	28	11	10	36	0	0	0	0	0	0	0	1.5	0	0	13.4	0.1	1.1
2022	1	28	11	20	36	0	0	0	0	0	0	0	1.52	0	0	13.4	0.1	1.1
2022	1	28	11	30	36	0	0	0	0	0	0	0	1.55	0	0	13.4	0.1	1.1
2022	1	28	11	40	36	0	0	0	0	0	0	0	1.57	0	0	13.4	0.1	1.1
2022	1	28	11	50	36	0	0	0	0	0	0	0	1.6	0	0	13.4	0.1	1.1
2022	1	28	12	0	36	0	0	0	0	0	0	0	1.62	0	0	13.4	0.1	1.1
2022	1	28	12	10	36	0	0	0	0	0	0	0	1.64	0	0	13.2	0.1	1.1
2022	1	28	12	20	36	0	0	0	0	0	0	0	1.62	0	0	13.2	0.1	1.1
2022	1	28	12	30	36	0	0	0	0	0	0	0	1.65	0	0	13.2	0.1	1.1
2022	1	28	12	40	36	0	0	0	0	0	0	0	1.64	0	0	13.2	0.1	1.1
2022	1	28	12	50	36	0	0	0	0	0	0	0	1.62	0	0	13.2	0.1	1.1
2022	1	28	13	0	36	0	0	0	0	0	0	0	1.56	0	0	13.2	0.1	1.1
2022	1	28	13	10	36	0	0	0	0	0	0	0	1.6	0	0	13.2	0.1	1.1
2022	1	28	13	20	36	0	0	0	0	0	0	0	1.6	0	0	13.2	0.1	1.1
2022	1	28	13	30	36	0	0	0	0	0	0	0	1.61	0	0	13.2	0.1	1.1
2022	1	28	13	40	36	0	0	0	0	0	0	0	1.59	0	0	13.2	0.1	1.1
2022	1	28	13	50	36	0	0	0	0	0	0	0	1.64	0	0	13.2	0.1	1.1
2022	1	28	14	0	36	0	0	0	0	0	0	0	1.66	0	0	13.2	0.1	1.1
2022	1	28	14	10	36	0	0	0	0	0	0	0	1.65	0	0	13.2	0.1	1.1
2022	1	28	14	20	36	0	0	0	0	0	0	0	1.66	0	0	13.2	0.1	1.1
2022	1	28	14	30	36	0	0	0	0	0	0	0	1.62	0	0	13	0.1	1.1
2022	1	28	14	40	36	0	0	0	0	0	0	0	1.61	0	0	13.2	0.1	1.1
2022	1	28	14	50	36	0	0	0	0	0	0	0	1.64	0	0	13.2	0.1	1.1
2022	1	28	15	0	36	0	0	0	0	0	0	0	1.61	0	0	13.2	0.1	1.1
2022	1	28	15	10	36	0	0	0	0	0	0	0	1.6	0	0	13.2	0.1	1.1
2022	1	28	15	20	36	0	0	0	0	0	0	0	1.55	0	0	13.2	0.1	1.1
2022	1	28	15	30	36	0	0	0	0	0	0	0	1.57	0	0	12	0.1	1.1
2022	1	28	15	40	36	0	0	0	0	0	0	0	1.55	0	0	11.8	0.1	1.1
2022	1	28	15	50	36	0	0	0	0	0	0	0	1.54	0	0	11.8	0.1	1.1
2022	1	28	16	0	36	0	0	0	0	0	0	0	1.54	0	0	12	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	28	16	10	36	0	0	0	0	0	0	0	1.54	0	0	11.8	0.1	1.1
2022	1	28	16	20	36	0	0	0	0	0	0	0	1.55	0	0	11.6	0.1	1.1
2022	1	28	16	30	36	0	0	0	0	0	0	0	1.55	0	0	11.6	0.1	1.1
2022	1	28	16	40	36	0	0	0	0	0	0	0	1.55	0	0	11.6	0.1	1.1
2022	1	28	16	50	36	0	0	0	0	0	0	0	1.56	0	0	11.4	0.1	1.1
2022	1	28	17	0	36	0	0	0	0	0	0	0	1.56	0	0	11.4	0.1	1.1
2022	1	28	17	10	36	0	0	0	0	0	0	0	1.55	0	0	11.4	0.1	1.1
2022	1	28	17	20	36	0	0	0	0	0	0	0	1.56	0	0	11.4	0.1	1.1
2022	1	28	17	30	36	0	0	0	0	0	0	0	1.55	0	0	11.4	0.1	1.1
2022	1	28	17	40	36	0	0	0	0	0	0	0	1.55	0	0	11.4	0.1	1.1
2022	1	28	17	50	36	0	0	0	0	0	0	0	1.55	0	0	11.4	0.1	1.1
2022	1	28	18	0	36	0	0	0	0	0	0	0	1.55	0	0	11.4	0.1	1.1
2022	1	28	18	10	36	0	0	0	0	0	0	0	1.54	0	0	11.4	0.1	1.1
2022	1	28	18	20	36	0	0	0	0	0	0	0	1.54	0	0	11.2	0.1	1.1
2022	1	28	18	30	36	0	0	0	0	0	0	0	1.53	0	0	11.2	0.1	1.1
2022	1	28	18	40	36	0	0	0	0	0	0	0	1.53	0	0	11.2	0.1	1.1
2022	1	28	18	50	36	0	0	0	0	0	0	0	1.52	0	0	11.2	0.1	1.1
2022	1	28	19	0	36	0	0	0	0	0	0	0	1.52	0	0	11.2	0.1	1.1
2022	1	28	19	10	36	0	0	0	0	0	0	0	1.51	0	0	11.2	0.1	1.1
2022	1	28	19	20	36	0	0	0	0	0	0	0	1.5	0	0	11.2	0.1	1.1
2022	1	28	19	30	36	0	0	0	0	0	0	0	1.5	0	0	11.2	0.1	1.1
2022	1	28	19	40	36	0	0	0	0	0	0	0	1.5	0	0	11	0.1	1.1
2022	1	28	19	50	36	0	0	0	0	0	0	0	1.48	0	0	11	0.1	1.1
2022	1	28	20	0	36	0	0	0	0	0	0	0	1.47	0	0	11	0.1	1.1
2022	1	28	20	10	36	0	0	0	0	0	0	0	1.46	0	0	11	0.1	1.1
2022	1	28	20	20	36	0	0	0	0	0	0	0	1.46	0	0	11	0.1	1.1
2022	1	28	20	30	36	0	0	0	0	0	0	0	1.45	0	0	11	0.1	1.1
2022	1	28	20	40	36	0	0	0	0	0	0	0	1.44	0	0	11	0.1	1.1
2022	1	28	20	50	36	0	0	0	0	0	0	0	1.43	0	0	11.4	0.1	1.1
2022	1	28	21	0	36	0	0	0	0	0	0	0	1.41	0	0	11.4	0.1	1.1
2022	1	28	21	10	36	0	0	0	0	0	0	0	1.41	0	0	11.4	0.1	1.1
2022	1	28	21	20	36	0	0	0	0	0	0	0	1.39	0	0	11.4	0.1	1.1
2022	1	28	21	30	36	0	0	0	0	0	0	0	1.38	0	0	11.4	0.1	1.1
2022	1	28	21	40	36	0	0	0	0	0	0	0	1.37	0	0	11.4	0.1	1.1
2022	1	28	21	50	36	0	0	0	0	0	0	0	1.36	0	0	11.4	0.1	1.1
2022	1	28	22	0	36	0	0	0	0	0	0	0	1.35	0	0	11.4	0.1	1.1
2022	1	28	22	10	36	0	0	0	0	0	0	0	1.34	0	0	11.4	0.1	1.1
2022	1	28	22	20	36	0	0	0	0	0	0	0	1.33	0	0	11.4	0.1	1.1
2022	1	28	22	30	36	0	0	0	0	0	0	0	1.31	0	0	11.4	0.1	1.1
2022	1	28	22	40	36	0	0	0	0	0	0	0	1.31	0	0	11.4	0.1	1.1
2022	1	28	22	50	36	0	0	0	0	0	0	0	1.29	0	0	11.4	0.1	1.1
2022	1	28	23	0	36	0	0	0	0	0	0	0	1.28	0	0	11.4	0.1	1.1
2022	1	28	23	10	36	0	0	0	0	0	0	0	1.26	0	0	11.4	0.1	1.1
2022	1	28	23	20	36	0	0	0	0	0	0	0	1.25	0	0	11.4	0.1	1.1
2022	1	28	23	30	36	0	0	0	0	0	0	0	1.23	0	0	11.4	0.1	1.1
2022	1	28	23	40	36	0	0	0	0	0	0	0	1.22	0	0	11.4	0.1	1.1
2022	1	28	23	50	36	0	0	0	0	0	0	0	1.2	0	0	11.4	0.1	1.1
2022	1	29	0	0	36	0	0	0	0	0	0	0	1.19	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	29	0	10	36	0	0	0	0	0	0	0	1.17	0	0	11.4	0.1	1.1
2022	1	29	0	20	36	0	0	0	0	0	0	0	1.15	0	0	11.4	0.1	1.1
2022	1	29	0	30	36	0	0	0	0	0	0	0	1.13	0	0	11.4	0.1	1.1
2022	1	29	0	40	36	0	0	0	0	0	0	0	1.12	0	0	11.4	0.1	1.1
2022	1	29	0	50	36	0	0	0	0	0	0	0	1.1	0	0	11.4	0.1	1.1
2022	1	29	1	0	36	0	0	0	0	0	0	0	1.09	0	0	11.4	0.1	1.1
2022	1	29	1	10	36	0	0	0	0	0	0	0	1.07	0	0	11.4	0.1	1.1
2022	1	29	1	20	36	0	0	0	0	0	0	0	1.05	0	0	11.4	0.1	1.1
2022	1	29	1	30	36	0	0	0	0	0	0	0	1.03	0	0	11.4	0.1	1.1
2022	1	29	1	40	36	0	0	0	0	0	0	0	1.02	0	0	11.4	0.1	1.1
2022	1	29	1	50	36	0	0	0	0	0	0	0	1	0	0	11.4	0.1	1.1
2022	1	29	2	0	36	0	0	0	0	0	0	0	0.99	0	0	11.4	0.1	1.1
2022	1	29	2	10	36	0	0	0	0	0	0	0	0.96	0	0	11.2	0.1	1.1
2022	1	29	2	20	36	0	0	0	0	0	0	0	0.95	0	0	11.2	0.1	1.1
2022	1	29	2	30	36	0	0	0	0	0	0	0	0.93	0	0	11.2	0.1	1.1
2022	1	29	2	40	36	0	0	0	0	0	0	0	0.91	0	0	11.2	0.1	1.1
2022	1	29	2	50	36	0	0	0	0	0	0	0	0.89	0	0	11.2	0.1	1.1
2022	1	29	3	0	36	0	0	0	0	0	0	0	0.88	0	0	11.2	0.1	1.1
2022	1	29	3	10	36	0	0	0	0	0	0	0	0.86	0	0	11.2	0.1	1.1
2022	1	29	3	20	36	0	0	0	0	0	0	0	0.85	0	0	11.2	0.1	1.1
2022	1	29	3	30	36	0	0	0	0	0	0	0	0.83	0	0	11.2	0.1	1.1
2022	1	29	3	40	36	0	0	0	0	0	0	0	0.82	0	0	11.2	0.1	1.1
2022	1	29	3	50	36	0	0	0	0	0	0	0	0.8	0	0	11.2	0.1	1.1
2022	1	29	4	0	36	0	0	0	0	0	0	0	0.78	0	0	11.2	0.1	1.1
2022	1	29	4	10	36	0	0	0	0	0	0	0	0.77	0	0	11.2	0.1	1.1
2022	1	29	4	20	36	0	0	0	0	0	0	0	0.76	0	0	11.2	0.1	1.1
2022	1	29	4	30	36	0	0	0	0	0	0	0	0.75	0	0	11.2	0.1	1.1
2022	1	29	4	40	36	0	0	0	0	0	0	0	0.73	0	0	11.2	0.1	1.1
2022	1	29	4	50	36	0	0	0	0	0	0	0	0.71	0	0	11.2	0.1	1.1
2022	1	29	5	0	36	0	0	0	0	0	0	0	0.71	0	0	11.2	0.1	1.1
2022	1	29	5	10	36	0	0	0	0	0	0	0	0.69	0	0	11.2	0.1	1.1
2022	1	29	5	20	36	0	0	0	0	0	0	0	0.68	0	0	11.2	0.1	1.1
2022	1	29	5	30	36	0	0	0	0	0	0	0	0.67	0	0	11.2	0.1	1.1
2022	1	29	5	40	36	0	0	0	0	0	0	0	0.66	0	0	11.2	0.1	1.1
2022	1	29	5	50	36	0	0	0	0	0	0	0	0.65	0	0	11.2	0.1	1.1
2022	1	29	6	0	36	0	0	0	0	0	0	0	0.63	0	0	11.2	0.1	1.1
2022	1	29	6	10	36	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	29	6	20	36	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	29	6	30	36	0	0	0	0	0	0	0	0.6	0	0	11.2	0.1	1.1
2022	1	29	6	40	36	0	0	0	0	0	0	0	0.59	0	0	11.2	0.1	1.1
2022	1	29	6	50	36	0	0	0	0	0	0	0	0.57	0	0	11.2	0.1	1.1
2022	1	29	7	0	36	0	0	0	0	0	0	0	0.57	0	0	11.2	0.1	1.1
2022	1	29	7	10	36	0	0	0	0	0	0	0	0.57	0	0	11.2	0.1	1.1
2022	1	29	7	20	36	0	0	0	0	0	0	0	0.57	0	0	11.2	0.1	1.1
2022	1	29	7	30	36	0	0	0	0	0	0	0	0.56	0	0	11.2	0.1	1.1
2022	1	29	7	40	36	0	0	0	0	0	0	0	0.56	0	0	11.6	0.1	1.1
2022	1	29	7	50	36	0	0	0	0	0	0	0	0.56	0	0	11.4	0.1	1.1
2022	1	29	8	0	36	0	0	0	0	0	0	0	0.57	0	0	11.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	29	8	10	36	0	0	0	0	0	0	0	0.57	0	0	11.4	0.1	1.1
2022	1	29	8	20	36	0	0	0	0	0	0	0	0.59	0	0	11.8	0.1	1.1
2022	1	29	8	30	36	0	0	0	0	0	0	0	0.59	0	0	11.6	0.1	1.1
2022	1	29	8	40	36	0	0	0	0	0	0	0	0.61	0	0	11.8	0.1	1.1
2022	1	29	8	50	36	0	0	0	0	0	0	0	0.61	0	0	11.8	0.1	1.1
2022	1	29	9	0	36	0	0	0	0	0	0	0	0.62	0	0	11.8	0.1	1.1
2022	1	29	9	10	36	0	0	0	0	0	0	0	0.65	0	0	11.8	0.1	1.1
2022	1	29	9	20	36	0	0	0	0	0	0	0	0.67	0	0	11.8	0.1	1.1
2022	1	29	9	30	36	0	0	0	0	0	0	0	0.71	0	0	12	0.1	1.1
2022	1	29	9	40	36	0	0	0	0	0	0	0	0.75	0	0	12.2	0.1	1.1
2022	1	29	9	50	36	0	0	0	0	0	0	0	0.83	0	0	12.6	0.1	1.1
2022	1	29	10	0	36	0	0	0	0	0	0	0	0.84	0	0	12.6	0.1	1.1
2022	1	29	10	10	36	0	0	0	0	0	0	0	0.93	0	0	12.8	0.1	1.1
2022	1	29	10	20	36	0	0	0	0	0	0	0	0.92	0	0	12.6	0.1	1.1
2022	1	29	10	30	36	0	0	0	0	0	0	0	0.99	0	0	13.2	0.1	1.1
2022	1	29	10	40	36	0	0	0	0	0	0	0	1.1	0	0	13.6	0.1	1.1
2022	1	29	10	50	36	0	0	0	0	0	0	0	1.11	0	0	13.6	0.1	1.1
2022	1	29	11	0	36	0	0	0	0	0	0	0	1.1	0	0	13.4	0.1	1.1
2022	1	29	11	10	36	0	0	0	0	0	0	0	1.14	0	0	13.4	0.1	1.1
2022	1	29	11	20	36	0	0	0	0	0	0	0	1.2	0	0	13.4	0.1	1.1
2022	1	29	11	30	36	0	0	0	0	0	0	0	1.22	0	0	13.4	0.1	1.1
2022	1	29	11	40	36	0	0	0	0	0	0	0	1.2	0	0	13.4	0.1	1.1
2022	1	29	11	50	36	0	0	0	0	0	0	0	1.23	0	0	13.4	0.1	1.1
2022	1	29	12	0	36	0	0	0	0	0	0	0	1.24	0	0	13.2	0.1	1.1
2022	1	29	12	10	36	0	0	0	0	0	0	0	1.26	0	0	13.2	0.1	1.1
2022	1	29	12	20	36	0	0	0	0	0	0	0	1.25	0	0	13.2	0.1	1.1
2022	1	29	12	30	36	0	0	0	0	0	0	0	1.28	0	0	13.2	0.1	1.1
2022	1	29	12	40	36	0	0	0	0	0	0	0	1.27	0	0	13.2	0.1	1.1
2022	1	29	12	50	36	0	0	0	0	0	0	0	1.3	0	0	13.2	0.1	1.1
2022	1	29	13	0	36	0	0	0	0	0	0	0	1.31	0	0	13.2	0.1	1.1
2022	1	29	13	10	36	0	0	0	0	0	0	0	1.33	0	0	13.2	0.1	1.1
2022	1	29	13	20	36	0	0	0	0	0	0	0	1.37	0	0	13.2	0.1	1.1
2022	1	29	13	30	36	0	0	0	0	0	0	0	1.34	0	0	13	0.1	1.1
2022	1	29	13	40	36	0	0	0	0	0	0	0	1.35	0	0	13.2	0.1	1.1
2022	1	29	13	50	36	0	0	0	0	0	0	0	1.35	0	0	13	0.1	1.1
2022	1	29	14	0	36	0	0	0	0	0	0	0	1.31	0	0	13	0.1	1.1
2022	1	29	14	10	36	0	0	0	0	0	0	0	1.3	0	0	13	0.1	1.1
2022	1	29	14	20	36	0	0	0	0	0	0	0	1.32	0	0	13	0.1	1.1
2022	1	29	14	30	36	0	0	0	0	0	0	0	1.33	0	0	13	0.1	1.1
2022	1	29	14	40	36	0	0	0	0	0	0	0	1.33	0	0	13	0.1	1.1
2022	1	29	14	50	36	0	0	0	0	0	0	0	1.32	0	0	13	0.1	1.1
2022	1	29	15	0	36	0	0	0	0	0	0	0	1.32	0	0	13	0.1	1.1
2022	1	29	15	10	36	0	0	0	0	0	0	0	1.31	0	0	13	0.1	1.1
2022	1	29	15	20	36	0	0	0	0	0	0	0	1.26	0	0	13	0.1	1.1
2022	1	29	15	30	36	0	0	0	0	0	0	0	1.3	0	0	13	0.1	1.1
2022	1	29	15	40	36	0	0	0	0	0	0	0	1.28	0	0	13.2	0.1	1.1
2022	1	29	15	50	36	0	0	0	0	0	0	0	1.24	0	0	13	0.1	1.1
2022	1	29	16	0	36	0	0	0	0	0	0	0	1.24	0	0	12	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	29	16	10	36	0	0	0	0	0	0	0	1.24	0	0	11.8	0.1	1.1
2022	1	29	16	20	36	0	0	0	0	0	0	0	1.25	0	0	11.6	0.1	1.1
2022	1	29	16	30	36	0	0	0	0	0	0	0	1.26	0	0	11.4	0.1	1.1
2022	1	29	16	40	36	0	0	0	0	0	0	0	1.26	0	0	11.4	0.1	1.1
2022	1	29	16	50	36	0	0	0	0	0	0	0	1.25	0	0	11.4	0.1	1.1
2022	1	29	17	0	36	0	0	0	0	0	0	0	1.26	0	0	11.2	0.1	1.1
2022	1	29	17	10	36	0	0	0	0	0	0	0	1.25	0	0	11.2	0.1	1.1
2022	1	29	17	20	36	0	0	0	0	0	0	0	1.25	0	0	11.2	0.1	1.1
2022	1	29	17	30	36	0	0	0	0	0	0	0	1.25	0	0	11.2	0.1	1.1
2022	1	29	17	40	36	0	0	0	0	0	0	0	1.26	0	0	11.2	0.1	1.1
2022	1	29	17	50	36	0	0	0	0	0	0	0	1.25	0	0	11.2	0.1	1.1
2022	1	29	18	0	36	0	0	0	0	0	0	0	1.25	0	0	11.2	0.1	1.1
2022	1	29	18	10	36	0	0	0	0	0	0	0	1.25	0	0	11.2	0.1	1.1
2022	1	29	18	20	36	0	0	0	0	0	0	0	1.24	0	0	11.2	0.1	1.1
2022	1	29	18	30	36	0	0	0	0	0	0	0	1.23	0	0	11.2	0.1	1.1
2022	1	29	18	40	36	0	0	0	0	0	0	0	1.22	0	0	11.2	0.1	1.1
2022	1	29	18	50	36	0	0	0	0	0	0	0	1.22	0	0	11.2	0.1	1.1
2022	1	29	19	0	36	0	0	0	0	0	0	0	1.21	0	0	11.2	0.1	1.1
2022	1	29	19	10	36	0	0	0	0	0	0	0	1.2	0	0	11.2	0.1	1.1
2022	1	29	19	20	36	0	0	0	0	0	0	0	1.19	0	0	11.2	0.1	1.1
2022	1	29	19	30	36	0	0	0	0	0	0	0	1.18	0	0	11.2	0.1	1.1
2022	1	29	19	40	36	0	0	0	0	0	0	0	1.17	0	0	11.2	0.1	1.1
2022	1	29	19	50	36	0	0	0	0	0	0	0	1.16	0	0	11.2	0.1	1.1
2022	1	29	20	0	36	0	0	0	0	0	0	0	1.15	0	0	11.2	0.1	1.1
2022	1	29	20	10	36	0	0	0	0	0	0	0	1.14	0	0	11.2	0.1	1.1
2022	1	29	20	20	36	0	0	0	0	0	0	0	1.13	0	0	11.2	0.1	1.1
2022	1	29	20	30	36	0	0	0	0	0	0	0	1.12	0	0	11.2	0.1	1.1
2022	1	29	20	40	36	0	0	0	0	0	0	0	1.1	0	0	11	0.1	1.1
2022	1	29	20	50	36	0	0	0	0	0	0	0	1.1	0	0	11	0.1	1.1
2022	1	29	21	0	36	0	0	0	0	0	0	0	1.08	0	0	11	0.1	1.1
2022	1	29	21	10	36	0	0	0	0	0	0	0	1.07	0	0	11	0.1	1.1
2022	1	29	21	20	36	0	0	0	0	0	0	0	1.05	0	0	11	0.1	1.1
2022	1	29	21	30	36	0	0	0	0	0	0	0	1.04	0	0	11.4	0.1	1.1
2022	1	29	21	40	36	0	0	0	0	0	0	0	1.03	0	0	11.4	0.1	1.1
2022	1	29	21	50	36	0	0	0	0	0	0	0	1.01	0	0	11.4	0.1	1.1
2022	1	29	22	0	36	0	0	0	0	0	0	0	1	0	0	11.4	0.1	1.1
2022	1	29	22	10	36	0	0	0	0	0	0	0	0.98	0	0	11.4	0.1	1.1
2022	1	29	22	20	36	0	0	0	0	0	0	0	0.97	0	0	11.4	0.1	1.1
2022	1	29	22	30	36	0	0	0	0	0	0	0	0.95	0	0	11.4	0.1	1.1
2022	1	29	22	40	36	0	0	0	0	0	0	0	0.93	0	0	11.4	0.1	1.1
2022	1	29	22	50	36	0	0	0	0	0	0	0	0.92	0	0	11.4	0.1	1.1
2022	1	29	23	0	36	0	0	0	0	0	0	0	0.91	0	0	11.4	0.1	1.1
2022	1	29	23	10	36	0	0	0	0	0	0	0	0.89	0	0	11.4	0.1	1.1
2022	1	29	23	20	36	0	0	0	0	0	0	0	0.87	0	0	11.4	0.1	1.1
2022	1	29	23	30	36	0	0	0	0	0	0	0	0.86	0	0	11.2	0.1	1.1
2022	1	29	23	40	36	0	0	0	0	0	0	0	0.84	0	0	11.2	0.1	1.1
2022	1	29	23	50	36	0	0	0	0	0	0	0	0.83	0	0	11.2	0.1	1.1
2022	1	30	0	0	36	0	0	0	0	0	0	0	0.8	0	0	11.2	0.1	1.1



### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	30	0	10	36	0	0	0	0	0	0	0	0.79	0	0	11.2	0.1	1.1
2022	1	30	0	20	36	0	0	0	0	0	0	0	0.77	0	0	11.2	0.1	1.1
2022	1	30	0	30	36	0	0	0	0	0	0	0	0.75	0	0	11.2	0.1	1.1
2022	1	30	0	40	36	0	0	0	0	0	0	0	0.73	0	0	11.2	0.1	1.1
2022	1	30	0	50	36	0	0	0	0	0	0	0	0.71	0	0	11.2	0.1	1.1
2022	1	30	1	0	36	0	0	0	0	0	0	0	0.69	0	0	11.2	0.1	1.1
2022	1	30	1	10	36	0	0	0	0	0	0	0	0.67	0	0	11.2	0.1	1.1
2022	1	30	1	20	36	0	0	0	0	0	0	0	0.66	0	0	11.2	0.1	1.1
2022	1	30	1	30	36	0	0	0	0	0	0	0	0.63	0	0	11.2	0.1	1.1
2022	1	30	1	40	36	0	0	0	0	0	0	0	0.61	0	0	11.2	0.1	1.1
2022	1	30	1	50	36	0	0	0	0	0	0	0	0.59	0	0	11.2	0.1	1.1
2022	1	30	2	0	36	0	0	0	0	0	0	0	0.58	0	0	11.2	0.1	1.1
2022	1	30	2	10	36	0	0	0	0	0	0	0	0.56	0	0	11.2	0.1	1.1
2022	1	30	2	20	36	0	0	0	0	0	0	0	0.55	0	0	11.2	0.1	1.1
2022	1	30	2	30	36	0	0	0	0	0	0	0	0.53	0	0	11.2	0.1	1.1
2022	1	30	2	40	36	0	0	0	0	0	0	0	0.51	0	0	11.2	0.1	1.1
2022	1	30	2	50	36	0	0	0	0	0	0	0	0.5	0	0	11.2	0.1	1.1
2022	1	30	3	0	36	0	0	0	0	0	0	0	0.48	0	0	11.2	0.1	1.1
2022	1	30	3	10	36	0	0	0	0	0	0	0	0.46	0	0	11.2	0.1	1.1
2022	1	30	3	20	36	0	0	0	0	0	0	0	0.44	0	0	11.2	0.1	1.1
2022	1	30	3	30	36	0	0	0	0	0	0	0	0.42	0	0	11.2	0.1	1.1
2022	1	30	3	40	36	0	0	0	0	0	0	0	0.41	0	0	11.2	0.1	1.1
2022	1	30	3	50	36	0	0	0	0	0	0	0	0.38	0	0	11.2	0.1	1.1
2022	1	30	4	0	36	0	0	0	0	0	0	0	0.37	0	0	11.2	0.1	1.1
2022	1	30	4	10	36	0	0	0	0	0	0	0	0.36	0	0	11.2	0.1	1.1
2022	1	30	4	20	36	0	0	0	0	0	0	0	0.34	0	0	11.2	0.1	1.1
2022	1	30	4	30	36	0	0	0	0	0	0	0	0.33	0	0	11.2	0.1	1.1
2022	1	30	4	40	36	0	0	0	0	0	0	0	0.31	0	0	11.2	0.1	1.1
2022	1	30	4	50	36	0	0	0	0	0	0	0	0.3	0	0	11.2	0.1	1.1
2022	1	30	5	0	36	0	0	0	0	0	0	0	0.29	0	0	11.2	0.1	1.1
2022	1	30	5	10	36	0	0	0	0	0	0	0	0.27	0	0	11.2	0.1	1.1
2022	1	30	5	20	36	0	0	0	0	0	0	0	0.26	0	0	11.2	0.1	1.1
2022	1	30	5	30	36	0	0	0	0	0	0	0	0.25	0	0	11.2	0.1	1.1
2022	1	30	5	40	36	0	0	0	0	0	0	0	0.24	0	0	11	0.1	1.1
2022	1	30	5	50	36	0	0	0	0	0	0	0	0.22	0	0	11	0.1	1.1
2022	1	30	6	0	36	0	0	0	0	0	0	0	0.21	0	0	11	0.1	1.1
2022	1	30	6	10	36	0	0	0	0	0	0	0	0.2	0	0	11	0.1	1.1
2022	1	30	6	20	36	0	0	0	0	0	0	0	0.18	0	0	11	0.1	1.1
2022	1	30	6	30	36	0	0	0	0	0	0	0	0.17	0	0	11	0.1	1.1
2022	1	30	6	40	36	0	0	0	0	0	0	0	0.16	0	0	11	0.1	1.1
2022	1	30	6	50	36	0	0	0	0	0	0	0	0.15	0	0	11	0.1	1.1
2022	1	30	7	0	36	0	0	0	0	0	0	0	0.14	0	0	11	0.1	1.1
2022	1	30	7	10	36	0	0	0	0	0	0	0	0.13	0	0	11	0.1	1.1
2022	1	30	7	20	36	0	0	0	0	0	0	0	0.13	0	0	11	0.1	1.1
2022	1	30	7	30	36	0	0	0	0	0	0	0	0.11	0	0	11.4	0.1	1.1
2022	1	30	7	40	36	0	0	0	0	0	0	0	0.11	0	0	11.6	0.1	1.1
2022	1	30	7	50	36	0	0	0	0	0	0	0	0.11	0	0	12	0.1	1.1
2022	1	30	8	0	36	0	0	0	0	0	0	0	0.13	0	0	12.4	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	30	8	10	36	0	0	0	0	0	0	0	0.15	0	0	12.6	0.1	1.1
2022	1	30	8	20	36	0	0	0	0	0	0	0	0.17	0	0	12.6	0.1	1.1
2022	1	30	8	30	36	0	0	0	0	0	0	0	0.21	0	0	12.6	0.1	1.1
2022	1	30	8	40	36	0	0	0	0	0	0	0	0.24	0	0	12.4	0.1	1.1
2022	1	30	8	50	36	0	0	0	0	0	0	0	0.27	0	0	12.6	0.1	1.1
2022	1	30	9	0	36	0	0	0	0	0	0	0	0.31	0	0	12.6	0.1	1.1
2022	1	30	9	10	36	0	0	0	0	0	0	0	0.34	0	0	12.6	0.1	1.1
2022	1	30	9	20	36	0	0	0	0	0	0	0	0.37	0	0	12.8	0.1	1.1
2022	1	30	9	30	36	0	0	0	0	0	0	0	0.4	0	0	12.8	0.1	1.1
2022	1	30	9	40	36	0	0	0	0	0	0	0	0.43	0	0	13	0.1	1.1
2022	1	30	9	50	36	0	0	0	0	0	0	0	0.46	0	0	13.2	0.1	1.1
2022	1	30	10	0	36	0	0	0	0	0	0	0	0.5	0	0	13.4	0.1	1.1
2022	1	30	10	10	36	0	0	0	0	0	0	0	0.54	0	0	13.4	0.1	1.1
2022	1	30	10	20	36	0	0	0	0	0	0	0	0.54	0	0	13.2	0.1	1.1
2022	1	30	10	30	36	0	0	0	0	0	0	0	0.58	0	0	13.2	0.1	1.1
2022	1	30	10	40	36	0	0	0	0	0	0	0	0.61	0	0	13.2	0.1	1.1
2022	1	30	10	50	36	0	0	0	0	0	0	0	0.64	0	0	13.2	0.1	1.1
2022	1	30	11	0	36	0	0	0	0	0	0	0	0.65	0	0	13.2	0.1	1.1
2022	1	30	11	10	36	0	0	0	0	0	0	0	0.69	0	0	13.2	0.1	1.1
2022	1	30	11	20	36	0	0	0	0	0	0	0	0.72	0	0	13.2	0.1	1.1
2022	1	30	11	30	36	0	0	0	0	0	0	0	0.75	0	0	13.2	0.1	1.1
2022	1	30	11	40	36	0	0	0	0	0	0	0	0.76	0	0	13.2	0.1	1.1
2022	1	30	11	50	36	0	0	0	0	0	0	0	0.78	0	0	13.2	0.1	1.1
2022	1	30	12	0	36	0	0	0	0	0	0	0	0.81	0	0	13.2	0.1	1.1
2022	1	30	12	10	36	0	0	0	0	0	0	0	0.82	0	0	13.2	0.1	1.1
2022	1	30	12	20	36	0	0	0	0	0	0	0	0.82	0	0	13.2	0.1	1.1
2022	1	30	12	30	36	0	0	0	0	0	0	0	0.82	0	0	13.2	0.1	1.1
2022	1	30	12	40	36	0	0	0	0	0	0	0	0.84	0	0	13.2	0.1	1.1
2022	1	30	12	50	36	0	0	0	0	0	0	0	0.86	0	0	13.2	0.1	1.1
2022	1	30	13	0	36	0	0	0	0	0	0	0	0.86	0	0	13.2	0.1	1.1
2022	1	30	13	10	36	0	0	0	0	0	0	0	0.89	0	0	13.2	0.1	1.1
2022	1	30	13	20	36	0	0	0	0	0	0	0	0.89	0	0	13.2	0.1	1.1
2022	1	30	13	30	36	0	0	0	0	0	0	0	0.87	0	0	13.2	0.1	1.1
2022	1	30	13	40	36	0	0	0	0	0	0	0	0.87	0	0	13.2	0.1	1.1
2022	1	30	13	50	36	0	0	0	0	0	0	0	0.9	0	0	13.2	0.1	1.1
2022	1	30	14	0	36	0	0	0	0	0	0	0	0.89	0	0	13.2	0.1	1.1
2022	1	30	14	10	36	0	0	0	0	0	0	0	0.88	0	0	13.2	0.1	1.1
2022	1	30	14	20	36	0	0	0	0	0	0	0	0.87	0	0	13.2	0.1	1.1
2022	1	30	14	30	36	0	0	0	0	0	0	0	0.88	0	0	13	0.1	1.1
2022	1	30	14	40	36	0	0	0	0	0	0	0	0.86	0	0	13	0.1	1.1
2022	1	30	14	50	36	0	0	0	0	0	0	0	0.86	0	0	13	0.1	1.1
2022	1	30	15	0	36	0	0	0	0	0	0	0	0.86	0	0	13	0.1	1.1
2022	1	30	15	10	36	0	0	0	0	0	0	0	0.83	0	0	13	0.1	1.1
2022	1	30	15	20	36	0	0	0	0	0	0	0	0.76	0	0	13	0.1	1.1
2022	1	30	15	30	36	0	0	0	0	0	0	0	0.82	0	0	13	0.1	1.1
2022	1	30	15	40	36	0	0	0	0	0	0	0	0.8	0	0	13	0.1	1.1
2022	1	30	15	50	36	0	0	0	0	0	0	0	0.75	0	0	12.8	0.1	1.1
2022	1	30	16	0	36	0	0	0	0	0	0	0	0.74	0	0	12	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	30	16	10	36	0	0	0	0	0	0	0	0.74	0	0	11.6	0.1	1.1
2022	1	30	16	20	36	0	0	0	0	0	0	0	0.75	0	0	11.6	0.1	1.1
2022	1	30	16	30	36	0	0	0	0	0	0	0	0.75	0	0	11.4	0.1	1.1
2022	1	30	16	40	36	0	0	0	0	0	0	0	0.76	0	0	11.4	0.1	1.1
2022	1	30	16	50	36	0	0	0	0	0	0	0	0.76	0	0	11.4	0.1	1.1
2022	1	30	17	0	36	0	0	0	0	0	0	0	0.76	0	0	11.4	0.1	1.1
2022	1	30	17	10	36	0	0	0	0	0	0	0	0.76	0	0	11.4	0.1	1.1
2022	1	30	17	20	36	0	0	0	0	0	0	0	0.75	0	0	11.2	0.1	1.1
2022	1	30	17	30	36	0	0	0	0	0	0	0	0.75	0	0	11	0.1	1.1
2022	1	30	17	40	36	0	0	0	0	0	0	0	0.75	0	0	11	0.1	1.1
2022	1	30	17	50	36	0	0	0	0	0	0	0	0.74	0	0	11	0.1	1.1
2022	1	30	18	0	36	0	0	0	0	0	0	0	0.75	0	0	10.8	0.1	1.1
2022	1	30	18	10	36	0	0	0	0	0	0	0	0.75	0	0	10.8	0.1	1.1
2022	1	30	18	20	36	0	0	0	0	0	0	0	0.74	0	0	11.2	0.1	1.1
2022	1	30	18	30	36	0	0	0	0	0	0	0	0.73	0	0	11.4	0.1	1.1
2022	1	30	18	40	36	0	0	0	0	0	0	0	0.73	0	0	11	0.1	1.1
2022	1	30	18	50	36	0	0	0	0	0	0	0	0.73	0	0	11.4	0.1	1.1
2022	1	30	19	0	36	0	0	0	0	0	0	0	0.72	0	0	11.4	0.1	1.1
2022	1	30	19	10	36	0	0	0	0	0	0	0	0.71	0	0	11.4	0.1	1.1
2022	1	30	19	20	36	0	0	0	0	0	0	0	0.7	0	0	11.4	0.1	1.1
2022	1	30	19	30	36	0	0	0	0	0	0	0	0.7	0	0	11.4	0.1	1.1
2022	1	30	19	40	36	0	0	0	0	0	0	0	0.69	0	0	11.4	0.1	1.1
2022	1	30	19	50	36	0	0	0	0	0	0	0	0.67	0	0	11.4	0.1	1.1
2022	1	30	20	0	36	2	0	0	0	0	0	0	0.66	0	0	11.4	0.1	1.1
2022	1	30	20	10	36	0	0	0	0	0	0	0	0.65	0	0	11.4	0.1	1.1
2022	1	30	20	20	36	0	0	0	0	0	0	0	0.64	0	0	11.4	0.1	1.1
2022	1	30	20	30	36	0	0	0	0	0	0	0	0.63	0	0	11.4	0.1	1.1
2022	1	30	20	40	36	0	0	0	0	0	0	0	0.62	0	0	11.4	0.1	1.1
2022	1	30	20	50	36	0	0	0	0	0	0	0	0.61	0	0	11.4	0.1	1.1
2022	1	30	21	0	36	0	0	0	0	0	0	0	0.6	0	0	11.4	0.1	1.1
2022	1	30	21	10	36	0	0	0	0	0	0	0	0.59	0	0	11.4	0.1	1.1
2022	1	30	21	20	36	0	0	0	0	0	0	0	0.58	0	0	11.4	0.1	1.1
2022	1	30	21	30	36	0	0	0	0	0	0	0	0.56	0	0	11.4	0.1	1.1
2022	1	30	21	40	36	0	0	0	0	0	0	0	0.55	0	0	11.4	0.1	1.1
2022	1	30	21	50	36	0	0	0	0	0	0	0	0.54	0	0	11.4	0.1	1.1
2022	1	30	22	0	36	0	0	0	0	0	0	0	0.53	0	0	11.4	0.1	1.1
2022	1	30	22	10	36	0	0	0	0	0	0	0	0.52	0	0	11.4	0.1	1.1
2022	1	30	22	20	36	0	0	0	0	0	0	0	0.5	0	0	11.4	0.1	1.1
2022	1	30	22	30	36	0	0	0	0	0	0	0	0.49	0	0	11.4	0.1	1.1
2022	1	30	22	40	36	0	0	0	0	0	0	0	0.48	0	0	11.4	0.1	1.1
2022	1	30	22	50	36	0	0	0	0	0	0	0	0.46	0	0	11.4	0.1	1.1
2022	1	30	23	0	36	0	0	0	0	0	0	0	0.45	0	0	11.4	0.1	1.1
2022	1	30	23	10	36	0	0	0	0	0	0	0	0.43	0	0	11.4	0.1	1.1
2022	1	30	23	20	36	0	0	0	0	0	0	0	0.42	0	0	11.4	0.1	1.1
2022	1	30	23	30	36	0	0	0	0	0	0	0	0.41	0	0	11.4	0.1	1.1
2022	1	30	23	40	36	0	0	0	0	0	0	0	0.39	0	0	11.4	0.1	1.1
2022	1	30	23	50	36	0	0	0	0	0	0	0	0.37	0	0	11.4	0.1	1.1
2022	1	31	0	0	36	0	0	0	0	0	0	0	0.36	0	0	11.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	31	0	10	36	0	0	0	0	0	0	0	0.34	0	0	11.2	0.1	1.1
2022	1	31	0	20	36	0	0	0	0	0	0	0	0.33	0	0	11.2	0.1	1.1
2022	1	31	0	30	36	0	0	0	0	0	0	0	0.31	0	0	11.2	0.1	1.1
2022	1	31	0	40	36	0	0	0	0	0	0	0	0.3	0	0	11.2	0.1	1.1
2022	1	31	0	50	36	0	0	0	0	0	0	0	0.28	0	0	11.2	0.1	1.1
2022	1	31	1	0	36	0	0	0	0	0	0	0	0.27	0	0	11.2	0.1	1.1
2022	1	31	1	10	36	0	0	0	0	0	0	0	0.25	0	0	11.2	0.1	1.1
2022	1	31	1	20	36	0	0	0	0	0	0	0	0.23	0	0	11.2	0.1	1.1
2022	1	31	1	30	36	0	0	0	0	0	0	0	0.21	0	0	11.2	0.1	1.1
2022	1	31	1	40	36	0	0	0	0	0	0	0	0.2	0	0	11.2	0.1	1.1
2022	1	31	1	50	36	0	0	0	0	0	0	0	0.19	0	0	11.2	0.1	1.1
2022	1	31	2	0	36	0	0	0	0	0	0	0	0.17	0	0	11.2	0.1	1.1
2022	1	31	2	10	36	0	0	0	0	0	0	0	0.15	0	0	11.2	0.1	1.1
2022	1	31	2	20	36	0	0	0	0	0	0	0	0.14	0	0	11.2	0.1	1.1
2022	1	31	2	30	36	0	0	0	0	0	0	0	0.12	0	0	11.2	0.1	1.1
2022	1	31	2	40	36	0	0	0	0	0	0	0	0.11	0	0	11.2	0.1	1.1
2022	1	31	2	50	36	0	0	0	0	0	0	0	0.1	0	0	11.2	0.1	1.1
2022	1	31	3	0	36	0	0	0	0	0	0	0	0.08	0	0	11.2	0.1	1.1
2022	1	31	3	10	36	0	0	0	0	0	0	0	0.08	0	0	11.2	0.1	1.1
2022	1	31	3	20	36	0	0	0	0	0	0	0	0.07	0	0	11.2	0.1	1.1
2022	1	31	3	30	36	0	0	0	0	0	0	0	0.05	0	0	11.2	0.1	1.1
2022	1	31	3	40	36	0	0	0	0	0	0	0	0.04	0	0	11.2	0.1	1.1
2022	1	31	3	50	36	0	0	0	0	0	0	0	0.03	0	0	11.2	0.1	1.1
2022	1	31	4	0	36	0	0	0	0	0	0	0	0.01	0	0	11.2	0.1	1.1
2022	1	31	4	10	36	0	0	0	0	0	0	0	0.01	0	0	11.2	0.1	1.1
2022	1	31	4	20	36	0	0	0	0	0	0	0	0	0	0	11.2	0.1	1.1
2022	1	31	4	30	36	0	0	0	0	0	0	0	-0.01	0	0	11.2	0.1	1.1
2022	1	31	4	40	36	0	0	0	0	0	0	0	-0.03	0	0	11.2	0.1	1.1
2022	1	31	4	50	36	0	0	0	0	0	0	0	-0.03	0	0	11.2	0.1	1.1
2022	1	31	5	0	36	0	0	0	0	0	0	0	-0.04	0	0	11.2	0.1	1.1
2022	1	31	5	10	36	0	0	0	0	0	0	0	-0.05	0	0	11.2	0.1	1.1
2022	1	31	5	20	36	0	0	0	0	0	0	0	-0.06	0	0	11.2	0.1	1.1
2022	1	31	5	30	36	0	0	0	0	0	0	0	-0.06	0	0	11	0.1	1.1
2022	1	31	5	40	36	0	0	0	0	0	0	0	-0.07	0	0	11	0.1	1.1
2022	1	31	5	50	36	0	0	0	0	0	0	0	-0.08	0	0	11	0.1	1.1
2022	1	31	6	0	36	0	0	0	0	0	0	0	-0.08	0	0	11	0.1	1.1
2022	1	31	6	10	36	0	0	0	0	0	0	0	-0.09	0	0	11	0.1	1.1
2022	1	31	6	20	36	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.1
2022	1	31	6	30	36	0	0	0	0	0	0	0	-0.09	0	0	11	0.1	1.1
2022	1	31	6	40	36	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.1
2022	1	31	6	50	36	0	0	0	0	0	0	0	-0.11	0	0	11	0.1	1.1
2022	1	31	7	0	36	0	0	0	0	0	0	0	-0.11	0	0	11	0.1	1.1
2022	1	31	7	10	36	0	0	0	0	0	0	0	-0.11	0	0	11	0.1	1.1
2022	1	31	7	20	36	0	0	0	0	0	0	0	-0.11	0	0	11	0.1	1.1
2022	1	31	7	30	36	0	0	0	0	0	0	0	-0.1	0	0	11	0.1	1.1
2022	1	31	7	40	36	0	0	0	0	0	0	0	-0.09	0	0	11	0.1	1.1
2022	1	31	7	50	36	0	0	0	0	0	0	0	-0.09	0	0	11	0.1	1.1
2022	1	31	8	0	36	0	0	0	0	0	0	0	-0.08	0	0	11.2	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	31	8	10	36	0	0	0	0	0	0	0	-0.08	0	0	11.2	0.1	1.1
2022	1	31	8	20	36	0	0	0	0	0	0	0	-0.06	0	0	11.2	0.1	1.1
2022	1	31	8	30	36	0	0	0	0	0	0	0	-0.05	0	0	11.2	0.1	1.1
2022	1	31	8	40	36	0	0	0	0	0	0	0	-0.04	0	0	11.2	0.1	1.1
2022	1	31	8	50	36	0	0	0	0	0	0	0	-0.02	0	0	11.2	0.1	1.1
2022	1	31	9	0	36	0	0	0	0	0	0	0	0	0	0	11.4	0.1	1.1
2022	1	31	9	10	36	0	0	0	0	0	0	0	0.03	0	0	11.6	0.1	1.1
2022	1	31	9	20	36	0	0	0	0	0	0	0	0.03	0	0	11.6	0.1	1.1
2022	1	31	9	30	36	0	0	0	0	0	0	0	0.02	0	0	11.6	0.1	1.1
2022	1	31	9	40	36	0	0	0	0	0	0	0	0.04	0	0	11.4	0.1	1.1
2022	1	31	9	50	36	0	0	0	0	0	0	0	0.09	0	0	11.8	0.1	1.1
2022	1	31	10	0	36	0	0	0	0	0	0	0	0.08	0	0	11.8	0.1	1.1
2022	1	31	10	10	36	0	0	0	0	0	0	0	0.1	0	0	11.8	0.1	1.1
2022	1	31	10	20	36	0	0	0	0	0	0	0	0.11	0	0	11.8	0.1	1.1
2022	1	31	10	30	36	0	0	0	0	0	0	0	0.13	0	0	12.2	0.1	1.1
2022	1	31	10	40	36	0	0	0	0	0	0	0	0.13	0	0	12.2	0.1	1.1
2022	1	31	10	50	36	0	0	0	0	0	0	0	0.18	0	0	12.4	0.1	1.1
2022	1	31	11	0	36	0	0	0	0	0	0	0	0.19	0	0	11.6	0.1	1.1
2022	1	31	11	10	36	0	0	0	0	0	0	0	0.27	0	0	12.2	0.1	1.1
2022	1	31	11	20	36	0	0	0	0	0	0	0	0.24	0	0	12	0.1	1.1
2022	1	31	11	30	36	0	0	0	0	0	0	0	0.29	0	0	12	0.1	1.1
2022	1	31	11	40	36	0	0	0	0	0	0	0	0.28	0	0	11.8	0.1	1.1
2022	1	31	11	50	36	0	0	0	0	0	0	0	0.36	0	0	12.2	0.1	1.1
2022	1	31	12	0	36	0	0	0	0	0	0	0	0.39	0	0	12	0.1	1.1
2022	1	31	12	10	36	0	0	0	0	0	0	0	0.39	0	0	12.2	0.1	1.1
2022	1	31	12	20	36	0	0	0	0	0	0	0	0.48	0	0	12.2	0.1	1.1
2022	1	31	12	30	36	0	0	0	0	0	0	0	0.42	0	0	12.4	0.1	1.1
2022	1	31	12	40	36	0	0	0	0	0	0	0	0.39	0	0	12.2	0.1	1.1
2022	1	31	12	50	36	0	0	0	0	0	0	0	0.46	0	0	12.4	0.1	1.1
2022	1	31	13	0	36	0	0	0	0	0	0	0	0.38	0	0	12	0.1	1.1
2022	1	31	13	10	36	0	0	0	0	0	0	0	0.39	0	0	12	0.1	1.1
2022	1	31	13	20	36	0	0	0	0	0	0	0	0.37	0	0	11.6	0.1	1.1
2022	1	31	13	30	36	0	0	0	0	0	0	0	0.36	0	0	11.8	0.1	1.1
2022	1	31	13	40	36	0	0	0	0	0	0	0	0.39	0	0	11.8	0.1	1.1
2022	1	31	13	50	36	0	0	0	0	0	0	0	0.37	0	0	11.8	0.1	1.1
2022	1	31	14	0	36	0	0	0	0	0	0	0	0.39	0	0	11.8	0.1	1.1
2022	1	31	14	10	36	0	0	0	0	0	0	0	0.42	0	0	11.8	0.1	1.1
2022	1	31	14	20	36	0	0	0	0	0	0	0	0.44	0	0	11.8	0.1	1.1
2022	1	31	14	30	36	0	0	0	0	0	0	0	0.43	0	0	11.8	0.1	1.1
2022	1	31	14	40	36	0	0	0	0	0	0	0	0.41	0	0	11.8	0.1	1.1
2022	1	31	14	50	36	0	0	0	0	0	0	0	0.46	0	0	12	0.1	1.1
2022	1	31	15	0	36	0	0	0	0	0	0	0	0.43	0	0	11.6	0.1	1.1
2022	1	31	15	10	36	0	0	0	0	0	0	0	0.4	0	0	11.4	0.1	1.1
2022	1	31	15	20	36	0	0	0	0	0	0	0	0.41	0	0	11.4	0.1	1.1
2022	1	31	15	30	36	0	0	0	0	0	0	0	0.39	0	0	11.2	0.1	1.1
2022	1	31	15	40	36	0	0	0	0	0	0	0	0.38	0	0	11.2	0.1	1.1
2022	1	31	15	50	36	0	0	0	0	0	0	0	0.38	0	0	11.2	0.1	1.1
2022	1	31	16	0	36	0	0	0	0	0	0	0	0.38	0	0	11	0.1	1.1

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2022	1	31	16	10	36	0	0	0	0	0	0	0	0.38	0	0	11	0.1	1.1
2022	1	31	16	20	36	0	0	0	0	0	0	0	0.38	0	0	11.2	0.1	1.1
2022	1	31	16	30	36	0	0	0	0	0	0	0	0.38	0	0	11.2	0.1	1.1
2022	1	31	16	40	36	0	0	0	0	0	0	0	0.38	0	0	11	0.1	1.1
2022	1	31	16	50	36	0	0	0	0	0	0	0	0.37	0	0	11	0.1	1.1
2022	1	31	17	0	36	0	0	0	0	0	0	0	0.38	0	0	11	0.1	1.1
2022	1	31	17	10	36	0	0	0	0	0	0	0	0.37	0	0	11	0.1	1.1
2022	1	31	17	20	36	0	0	0	0	0	0	0	0.37	0	0	11	0.1	1.1
2022	1	31	17	30	36	0	0	0	0	0	0	0	0.38	0	0	11.2	0.1	1.1
2022	1	31	17	40	36	0	0	0	0	0	0	0	0.38	0	0	11.4	0.1	1.1
2022	1	31	17	50	36	0	0	0	0	0	0	0	0.37	0	0	11.4	0.1	1.1
2022	1	31	18	0	36	0	0	0	0	0	0	0	0.38	0	0	11.4	0.1	1.1
2022	1	31	18	10	36	0	0	0	0	0	0	0	0.38	0	0	11.4	0.1	1.1
2022	1	31	18	20	36	0	0	0	0	0	0	0	0.37	0	0	11.4	0.1	1.1
2022	1	31	18	30	36	0	0	0	0	0	0	0	0.37	0	0	11.2	0.1	1.1
2022	1	31	18	40	36	0	0	0	0	0	0	0	0.37	0	0	11.4	0.1	1.1
2022	1	31	18	50	36	0	0	0	0	0	0	0	0.37	0	0	11.4	0.1	1.1
2022	1	31	19	0	36	0	0	0	0	0	0	0	0.36	0	0	11.4	0.1	1.1
2022	1	31	19	10	36	0	0	0	0	0	0	0	0.36	0	0	11.4	0.1	1.1
2022	1	31	19	20	36	0	0	0	0	0	0	0	0.36	0	0	11.4	0.1	1.1
2022	1	31	19	30	36	0	0	0	0	0	0	0	0.36	0	0	11.4	0.1	1.1
2022	1	31	19	40	36	0	0	0	0	0	0	0	0.35	0	0	11.4	0.1	1.1
2022	1	31	19	50	36	0	0	0	0	0	0	0	0.35	0	0	11.4	0.1	1.1
2022	1	31	20	0	36	0	0	0	0	0	0	0	0.34	0	0	11.4	0.1	1.1
2022	1	31	20	10	36	0	0	0	0	0	0	0	0.34	0	0	11.4	0.1	1.1
2022	1	31	20	20	36	0	0	0	0	0	0	0	0.33	0	0	11.4	0.1	1.1
2022	1	31	20	30	36	0	0	0	0	0	0	0	0.33	0	0	11.4	0.1	1.1
2022	1	31	20	40	36	0	0	0	0	0	0	0	0.32	0	0	11.4	0.1	1.1
2022	1	31	20	50	36	0	0	0	0	0	0	0	0.32	0	0	11.4	0.1	1.1
2022	1	31	21	0	36	0	0	0	0	0	0	0	0.31	0	0	11.4	0.1	1.1
2022	1	31	21	10	36	0	0	0	0	0	0	0	0.31	0	0	11.4	0.1	1.1
2022	1	31	21	20	36	0	0	0	0	0	0	0	0.31	0	0	11.4	0.1	1.1
2022	1	31	21	30	36	0	0	0	0	0	0	0	0.3	0	0	11.4	0.1	1.1
2022	1	31	21	40	36	0	0	0	0	0	0	0	0.3	0	0	11.4	0.1	1.1
2022	1	31	21	50	36	0	0	0	0	0	0	0	0.3	0	0	11.4	0.1	1.1
2022	1	31	22	0	36	0	0	0	0	0	0	0	0.29	0	0	11.4	0.1	1.1
2022	1	31	22	10	36	0	0	0	0	0	0	0	0.29	0	0	11.4	0.1	1.1
2022	1	31	22	20	36	0	0	0	0	0	0	0	0.29	0	0	11.4	0.1	1.1
2022	1	31	22	30	36	0	0	0	0	0	0	0	0.28	0	0	11.4	0.1	1.1
2022	1	31	22	40	36	0	0	0	0	0	0	0	0.28	0	0	11.4	0.1	1.1
2022	1	31	22	50	36	0	0	0	0	0	0	0	0.28	0	0	11.4	0.1	1.1
2022	1	31	23	0	36	0	0	0	0	0	0	0	0.27	0	0	11.4	0.1	1.1
2022	1	31	23	10	36	0	0	0	0	0	0	0	0.27	0	0	11.4	0.1	1.1
2022	1	31	23	20	36	0	0	0	0	0	0	0	0.26	0	0	11.4	0.1	1.1
2022	1	31	23	30	36	0	0	0	0	0	0	0	0.25	0	0	11.4	0.1	1.1
2022	1	31	23	40	36	0	0	0	0	0	0	0	0.26	0	0	11.4	0.1	1.1
2022	1	31	23	50	36	0	0	0	0	0	0	0	0.24	0	0	11.2	0.1	1.1

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	1	0	2	45	20.81	101.4	7.7748	53.2933
2022	1	1	0	12	45	20.22	101.7	7.7748	51.7258
2022	1	1	0	22	45	22.18	99.1	7.7748	57.2119
2022	1	1	0	32	45	20.2	98	7.7748	52.2483
2022	1	1	0	42	45	21.32	101.4	7.7687	54.5548
2022	1	1	0	52	45	21.11	99.8	7.7748	54.3382
2022	1	1	1	2	45	20.48	99.6	7.7687	52.7276
2022	1	1	1	12	45	20.4	99.9	7.7687	52.4666
2022	1	1	1	22	45	20.46	100.7	7.7687	52.4666
2022	1	1	1	32	45	20.89	101	7.7687	53.5107
2022	1	1	1	42	45	20.77	100.8	7.7687	53.2497
2022	1	1	1	52	45	19.4	98.3	7.7687	50.1174
2022	1	1	2	2	45	19.89	99.8	7.7687	51.1615
2022	1	1	2	12	45	20.45	99	7.7687	52.7276
2022	1	1	2	22	45	20.19	99.7	7.7687	51.9446
2022	1	1	2	32	45	20.44	98.7	7.7687	52.7277
2022	1	1	2	42	45	21.08	100.9	7.7626	53.9885
2022	1	1	2	52	45	20.36	102.2	7.7626	51.902
2022	1	1	3	2	45	20.73	100.3	7.7626	53.2061
2022	1	1	3	12	45	20.67	100.9	7.7626	52.9453
2022	1	1	3	22	45	21.2	101.2	7.7626	54.2494
2022	1	1	3	32	45	20.26	100.8	7.7626	51.902
2022	1	1	3	42	45	18.63	100.8	7.7626	47.729
2022	1	1	3	52	45	20.48	99.6	7.7626	52.6845
2022	1	1	4	2	45	20.92	98.2	7.7626	53.9886
2022	1	1	4	12	45	21.36	101.9	7.7626	54.5102
2022	1	1	4	22	45	21.21	99.8	7.7565	54.4655
2022	1	1	4	32	45	20.8	99.7	7.7565	53.4231
2022	1	1	4	42	45	18.93	100.7	7.7565	48.4717
2022	1	1	4	52	45	20.45	99	7.7565	52.6413
2022	1	1	5	2	45	20.54	100.4	7.7565	52.6413
2022	1	1	5	12	45	21.08	100.9	7.7565	53.9444
2022	1	1	5	22	45	20.99	97.7	7.7565	54.205
2022	1	1	5	32	45	20.3	99.9	7.7565	52.1201
2022	1	1	5	42	45	20.46	100.7	7.7565	52.3808
2022	1	1	5	52	45	21.49	101	7.7565	54.9868
2022	1	1	6	2	45	20.19	99.7	7.7505	51.817
2022	1	1	6	12	45	21.59	100.9	7.7565	55.2474
2022	1	1	6	22	45	20.97	100.7	7.7505	53.6397
2022	1	1	6	32	45	20.5	99.8	7.7505	52.5982
2022	1	1	6	42	45	20.8	99.7	7.7565	53.4232
2022	1	1	6	52	45	20.19	99.7	7.7505	51.817
2022	1	1	7	2	45	20.6	102.6	7.7505	52.3378
2022	1	1	7	12	45	20.59	101.2	7.7505	52.5982
2022	1	1	7	22	45	20.3	99.9	7.7505	52.0774
2022	1	1	7	32	45	20.34	98.8	7.7505	52.3378
2022	1	1	7	42	45	20.95	100.5	7.7505	53.6398
2022	1	1	7	52	45	21.09	99.6	7.7505	54.1605

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	1	8	2	45	20.65	98.9	7.7505	53.119
2022	1	1	8	12	45	19.14	100.8	7.7505	48.9528
2022	1	1	8	22	45	20.01	100.1	7.7505	51.2963
2022	1	1	8	32	45	21.5	99.6	7.7505	55.202
2022	1	1	8	42	45	20.37	97.3	7.7505	52.5982
2022	1	1	8	52	45	19.95	100.7	7.7505	51.0358
2022	1	1	9	2	45	20.47	101	7.7505	52.3377
2022	1	1	9	12	45	20.54	98.7	7.7505	52.8585
2022	1	1	9	22	45	20.04	98.9	7.7505	51.5565
2022	1	1	9	32	45	20.62	98.4	7.7505	53.1188
2022	1	1	9	42	45	21.49	101	7.7505	54.9415
2022	1	1	9	52	45	20.28	97.7	7.7505	52.3376
2022	1	1	10	2	45	20.75	98.9	7.7505	53.3792
2022	1	1	10	12	45	20.97	100.7	7.7505	53.6395
2022	1	1	10	22	45	19.85	102.2	7.7505	50.5149
2022	1	1	10	32	45	21.12	101.5	7.7505	53.8999
2022	1	1	10	42	45	19.1	100.3	7.7505	48.9525
2022	1	1	10	52	45	21.2	101.2	7.7505	54.1602
2022	1	1	11	2	45	20.49	101.3	7.7505	52.3375
2022	1	1	11	12	45	20.26	100.8	7.7505	51.8167
2022	1	1	11	22	45	19.6	100	7.7444	50.2131
2022	1	1	11	32	45	20	101.5	7.7444	50.9936
2022	1	1	11	42	45	19.07	102.7	7.7444	48.3919
2022	1	1	11	52	45	19.71	100.2	7.7444	50.4733
2022	1	1	12	2	45	19.58	102.7	7.7444	49.6927
2022	1	1	12	12	45	19.26	102.6	7.7444	48.9122
2022	1	1	12	22	45	19	105.6	7.7383	47.5722
2022	1	1	12	32	45	18.42	102.2	7.7383	46.7923
2022	1	1	12	42	45	19.85	102.2	7.7383	50.4317
2022	1	1	12	52	45	19.26	102.6	7.7322	48.8318
2022	1	1	13	2	45	19.21	103.2	7.7322	48.572
2022	1	1	13	12	45	20.93	103	7.7322	52.9877
2022	1	1	13	22	45	20.55	102.1	7.7322	52.2084
2022	1	1	13	32	45	19.36	101	7.7322	49.3513
2022	1	1	13	42	45	19.59	101.5	7.7261	49.8297
2022	1	1	13	52	45	21.03	102.9	7.7261	53.2036
2022	1	1	14	2	45	19.89	101.3	7.7261	50.6083
2022	1	1	14	12	45	18.99	103.1	7.72	47.9734
2022	1	1	14	22	45	19.69	101.4	7.72	50.048
2022	1	1	14	32	45	20.04	103.3	7.7139	50.5249
2022	1	1	14	42	45	20	101.5	7.7139	50.784
2022	1	1	14	52	45	19.4	101.6	7.72	49.27
2022	1	1	15	2	45	18.92	103.4	7.7139	47.6748
2022	1	1	15	12	45	19.96	103.6	7.72	50.3073
2022	1	1	15	22	45	19.42	108.6	7.7078	47.6355
2022	1	1	15	32	45	19.38	104	7.7078	48.6711
2022	1	1	15	42	45	19.3	101.7	7.7078	48.9299
2022	1	1	15	52	45	19.67	101.1	7.7078	49.9655



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	1	16	2	45	20.04	102.1	7.7078	50.7422
2022	1	1	16	12	45	20.65	100.6	7.7078	52.5544
2022	1	1	16	22	45	20.48	102.4	7.7078	51.7777
2022	1	1	16	32	45	21.59	100.9	7.7078	54.8844
2022	1	1	16	42	45	19.83	100.5	7.7078	50.4833
2022	1	1	16	52	45	20.85	101.9	7.7078	52.8133
2022	1	1	17	2	45	20.42	100.2	7.7078	52.0366
2022	1	1	17	12	45	20.95	98.8	7.7078	53.59
2022	1	1	17	22	45	20.42	100.2	7.7078	52.0366
2022	1	1	17	32	45	20.85	100.5	7.7017	53.0284
2022	1	1	17	42	45	19.81	100.2	7.7078	50.4833
2022	1	1	17	52	45	20.93	98.5	7.7017	53.5457
2022	1	1	18	2	45	20.14	102	7.7017	50.959
2022	1	1	18	12	45	20.65	102	7.7017	52.2524
2022	1	1	18	22	45	20.83	100.2	7.7017	53.0284
2022	1	1	18	32	45	19.61	100.3	7.7017	49.9243
2022	1	1	18	42	45	21.5	99.6	7.7017	54.8391
2022	1	1	18	52	45	19.55	99.1	7.7017	49.9243
2022	1	1	19	2	45	22.16	98.8	7.7017	56.6499
2022	1	1	19	12	45	21.14	100.4	7.7017	53.8045
2022	1	1	19	22	45	19.99	99.8	7.7017	50.9591
2022	1	1	19	32	45	19.69	101.4	7.7017	49.9244
2022	1	1	19	42	45	20.11	98.3	7.7017	51.4764
2022	1	1	19	52	45	20.92	98.2	7.7017	53.5458
2022	1	1	20	2	45	21.08	99.3	7.7017	53.8045
2022	1	1	20	12	45	20.58	102.3	7.7017	51.9938
2022	1	1	20	22	45	19.46	102.5	7.7017	49.1484
2022	1	1	20	32	45	20.54	98.7	7.7017	52.5112
2022	1	1	20	42	45	20.63	101.7	7.6956	52.2093
2022	1	1	20	52	45	20.86	99.1	7.6956	53.2432
2022	1	1	21	2	45	20.3	101.4	7.6956	51.434
2022	1	1	21	12	45	19.53	100.6	7.6956	49.6247
2022	1	1	21	22	45	19.99	102.7	7.6956	50.4001
2022	1	1	21	32	45	19.71	100.2	7.6956	50.1417
2022	1	1	21	42	45	19.99	99.8	7.6956	50.9171
2022	1	1	21	52	45	20.91	99.9	7.6956	53.2432
2022	1	1	22	2	45	20.39	99.6	7.6956	51.9509
2022	1	1	22	12	45	19.2	101.7	7.6956	48.5909
2022	1	1	22	22	45	20.71	101.4	7.6956	52.4679
2022	1	1	22	32	45	21.06	99	7.6956	53.7602
2022	1	1	22	42	45	20.38	101	7.6956	51.6925
2022	1	1	22	52	45	20.8	99.7	7.6956	52.9848
2022	1	1	23	2	45	19.77	101.1	7.6956	50.1418
2022	1	1	23	12	45	19.26	101.1	7.6956	48.8495
2022	1	1	23	22	45	19.61	101.8	7.6956	49.6249
2022	1	1	23	32	45	20.21	102.9	7.6956	50.9172
2022	1	1	23	42	45	20.19	99.7	7.6895	51.3916
2022	1	1	23	52	45	21.24	100.3	7.6895	53.9741

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	2	0	2	45	20.29	99.6	7.6895	51.6499
2022	1	2	0	12	45	19.92	103.1	7.6895	50.1004
2022	1	2	0	22	45	21.18	102.3	7.6895	53.4576
2022	1	2	0	32	45	20.55	97	7.6895	52.6829
2022	1	2	0	42	45	21.32	100	7.6895	54.2324
2022	1	2	0	52	45	20.65	100.6	7.6895	52.4247
2022	1	2	1	2	45	20.98	99.3	7.6895	53.4577
2022	1	2	1	12	45	20.45	99	7.6895	52.1665
2022	1	2	1	22	45	19.96	99.2	7.6895	50.8752
2022	1	2	1	32	45	21.06	100.7	7.6895	53.4578
2022	1	2	1	42	45	19.63	100.6	7.6895	49.8423
2022	1	2	1	52	45	20.09	99.7	7.6895	51.1335
2022	1	2	2	2	45	20.5	102.7	7.6895	51.6501
2022	1	2	2	12	45	21.42	99.9	7.6834	54.4457
2022	1	2	2	22	45	20.16	100.9	7.6834	51.0912
2022	1	2	2	32	45	20	98	7.6834	51.0913
2022	1	2	2	42	45	20.21	100	7.6834	51.3493
2022	1	2	2	52	45	20.65	100.6	7.6834	52.3815
2022	1	2	3	2	45	19.51	101.8	7.6834	49.285
2022	1	2	3	12	45	21.12	101.5	7.6834	53.4137
2022	1	2	3	22	45	20.32	98.5	7.6834	51.8654
2022	1	2	3	32	45	20.67	99.2	7.6834	52.6396
2022	1	2	3	42	45	20.32	98.5	7.6834	51.8655
2022	1	2	3	52	45	20.44	98.7	7.6834	52.1235
2022	1	2	4	2	45	20.51	101.5	7.6834	51.8655
2022	1	2	4	12	45	20.04	96.9	7.6773	51.3069
2022	1	2	4	22	45	20.32	101.6	7.6834	51.3494
2022	1	2	4	32	45	20.24	102	7.6773	51.0491
2022	1	2	4	42	45	20.3	99.9	7.6773	51.5648
2022	1	2	4	52	45	20.93	100.2	7.6773	53.1117
2022	1	2	5	2	45	20.44	101.9	7.6773	51.5648
2022	1	2	5	12	45	21.17	99.2	7.6773	53.8852
2022	1	2	5	22	45	20.22	100.3	7.6773	51.307
2022	1	2	5	32	45	19.69	101.4	7.6773	49.7601
2022	1	2	5	42	45	20.16	100.9	7.6773	51.0492
2022	1	2	5	52	45	20.11	100	7.6773	51.0492
2022	1	2	6	2	45	21.47	103.2	7.6773	53.8853
2022	1	2	6	12	45	20.8	99.7	7.6773	52.854
2022	1	2	6	22	45	20.06	99.2	7.6773	51.0492
2022	1	2	6	32	45	20.93	100.2	7.6773	53.1119
2022	1	2	6	42	45	20.25	99.1	7.6773	51.5649
2022	1	2	6	52	45	19.77	101.1	7.6773	50.018
2022	1	2	7	2	45	19.79	99.9	7.6712	50.2341
2022	1	2	7	12	45	20.37	97.3	7.6712	52.0374
2022	1	2	7	22	45	19.96	99.2	7.6712	50.7494
2022	1	2	7	32	45	20.48	99.6	7.6712	52.0374
2022	1	2	7	42	45	19.52	100.3	7.6712	49.4613
2022	1	2	7	52	45	20.8	99.7	7.6712	52.8103

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	2	8	2	45	19.89	102.8	7.6712	49.9766
2022	1	2	8	12	45	19.88	99.6	7.6712	50.4918
2022	1	2	8	22	45	19.91	101.6	7.6712	50.2341
2022	1	2	8	32	45	21.01	99.9	7.6712	53.3255
2022	1	2	8	42	45	19.4	100.1	7.6712	49.2037
2022	1	2	8	52	45	20.01	104.2	7.6712	49.9765
2022	1	2	9	2	45	19.18	101.4	7.6712	48.4308
2022	1	2	9	12	45	20.06	100.9	7.6712	50.7493
2022	1	2	9	22	45	19.85	100.7	7.6712	50.234
2022	1	2	9	32	45	20.51	101.5	7.6712	51.7797
2022	1	2	9	42	45	19.98	101.3	7.6712	50.4916
2022	1	2	9	52	45	20.88	99.4	7.6712	53.0677
2022	1	2	10	2	45	19.83	100.5	7.6712	50.2339
2022	1	2	10	12	45	21.31	99.7	7.6712	54.0981
2022	1	2	10	22	45	20.53	101.8	7.6712	51.7796
2022	1	2	10	32	45	20.34	100.5	7.6712	51.5219
2022	1	2	10	42	45	19.17	99.6	7.6712	48.6882
2022	1	2	10	52	45	18.99	98.2	7.6773	48.4708
2022	1	2	11	2	45	20.47	101	7.6712	51.7795
2022	1	2	11	12	45	20.46	100.7	7.6712	51.7795
2022	1	2	11	22	45	20.06	100.9	7.6773	50.7912
2022	1	2	11	32	45	19.3	100.1	7.6712	48.9458
2022	1	2	11	42	45	19.42	100.4	7.6712	49.2033
2022	1	2	11	52	45	20.85	100.5	7.6712	52.8099
2022	1	2	12	2	45	19.94	103.3	7.6712	49.9762
2022	1	2	12	12	45	19.93	101.9	7.6712	50.2338
2022	1	2	12	22	45	20.07	99.5	7.6712	51.0066
2022	1	2	12	32	45	20.01	103	7.6712	50.2338
2022	1	2	12	42	45	19.25	99.3	7.6712	48.9457
2022	1	2	12	52	45	19.89	99.8	7.6712	50.4914
2022	1	2	13	2	45	20.78	99.4	7.6712	52.8098
2022	1	2	13	12	45	20.65	100.6	7.6712	52.2946
2022	1	2	13	22	45	20.26	100.8	7.6712	51.2642
2022	1	2	13	32	45	18.49	101.9	7.6712	46.6272
2022	1	2	13	42	45	19.47	101.3	7.6712	49.2033
2022	1	2	13	52	45	19.09	103	7.6712	47.9153
2022	1	2	14	2	45	18.46	102.8	7.6712	46.3696
2022	1	2	14	12	45	19.56	106	7.6712	48.4305
2022	1	2	14	22	45	20.28	101.1	7.6712	51.2642
2022	1	2	14	32	45	20.81	102.8	7.6712	52.2947
2022	1	2	14	42	45	20.02	101.8	7.6651	50.4495
2022	1	2	14	52	45	18.48	103.1	7.6651	46.3312
2022	1	2	15	2	45	18.6	103.4	7.6651	46.5886
2022	1	2	15	12	45	19.33	104.7	7.6651	48.133
2022	1	2	15	22	45	20.55	100.7	7.6651	51.9939
2022	1	2	15	32	45	19.69	104.1	7.6651	49.1626
2022	1	2	15	42	45	20.21	102.9	7.6651	50.707
2022	1	2	15	52	45	19.73	102	7.6651	49.6774

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	2	16	2	45	18.75	102.6	7.6651	47.1034
2022	1	2	16	12	45	19.89	101.3	7.6651	50.1922
2022	1	2	16	22	45	19.65	99.1	7.6651	49.9348
2022	1	2	16	32	45	20.46	102.1	7.6651	51.4791
2022	1	2	16	42	45	20.46	102.1	7.6651	51.4791
2022	1	2	16	52	45	20.3	99.9	7.6651	51.4791
2022	1	2	17	2	45	19.93	101.9	7.6651	50.1922
2022	1	2	17	12	45	20.91	99.9	7.6651	53.0235
2022	1	2	17	22	45	20.34	101.9	7.659	51.1792
2022	1	2	17	32	45	19.74	103.5	7.6651	49.42
2022	1	2	17	42	45	20.04	103.3	7.6651	50.1922
2022	1	2	17	52	45	21.02	101.5	7.6651	53.0235
2022	1	2	18	2	45	19.4	100.1	7.6651	49.1626
2022	1	2	18	12	45	18.98	101.5	7.659	47.8358
2022	1	2	18	22	45	19.95	102.2	7.659	50.1505
2022	1	2	18	32	45	20.72	100	7.6651	52.5088
2022	1	2	18	42	45	19.79	99.9	7.6651	50.1922
2022	1	2	18	52	45	20.44	101.9	7.659	51.4364
2022	1	2	19	2	45	20.12	100.3	7.659	50.9221
2022	1	2	19	12	45	19.85	102.2	7.659	49.8933
2022	1	2	19	22	45	19.87	101	7.659	50.1505
2022	1	2	19	32	45	20.09	99.7	7.659	50.9221
2022	1	2	19	42	45	20.63	101.7	7.659	51.9508
2022	1	2	19	52	45	19.7	98.2	7.659	50.1506
2022	1	2	20	2	45	21.17	103.4	7.659	52.9796
2022	1	2	20	12	45	19.76	99.3	7.659	50.1506
2022	1	2	20	22	45	20.2	101.4	7.659	50.9221
2022	1	2	20	32	45	20.12	100.3	7.659	50.9221
2022	1	2	20	42	45	20.65	102	7.659	51.9509
2022	1	2	20	52	45	20.36	100.8	7.659	51.4365
2022	1	2	21	2	45	18.89	101.6	7.659	47.5788
2022	1	2	21	12	45	20.44	98.7	7.659	51.9509
2022	1	2	21	22	45	21.32	101.4	7.659	53.7512
2022	1	2	21	32	45	20.16	100.9	7.6529	50.8799
2022	1	2	21	42	45	20.48	99.6	7.659	51.9509
2022	1	2	21	52	45	20.29	99.6	7.6529	51.3938
2022	1	2	22	2	45	20.01	104.2	7.659	49.8935
2022	1	2	22	12	45	19.53	98.8	7.659	49.6363
2022	1	2	22	22	45	20.63	101.7	7.6529	51.9078
2022	1	2	22	32	45	20.32	98.5	7.659	51.6938
2022	1	2	22	42	45	20.14	100.6	7.6529	50.8799
2022	1	2	22	52	45	20.26	100.8	7.6529	51.1369
2022	1	2	23	2	45	19.35	99.2	7.6529	49.0812
2022	1	2	23	12	45	20.14	98.9	7.6529	51.137
2022	1	2	23	22	45	19.68	99.7	7.6529	49.8521
2022	1	2	23	32	45	19.57	101.2	7.6529	49.3382
2022	1	2	23	42	45	20.75	98.9	7.6529	52.6788
2022	1	2	23	52	45	21.14	100.4	7.6529	53.4497

### Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	3	0	2	45	19.85	96.9	7.6529	50.6231
2022	1	3	0	12	45	19.25	99.3	7.6529	48.8243
2022	1	3	0	22	45	21.34	101.6	7.6529	53.7067
2022	1	3	0	32	45	20.32	101.6	7.6529	51.1371
2022	1	3	0	42	45	20.37	103.6	7.6529	50.8801
2022	1	3	0	52	45	20.26	102.3	7.6529	50.8801
2022	1	3	1	2	45	21.28	102.2	7.6529	53.4498
2022	1	3	1	12	45	20.93	103	7.6468	52.3784
2022	1	3	1	22	45	20.53	101.8	7.6468	51.6081
2022	1	3	1	32	45	20.02	101.8	7.6468	50.3243
2022	1	3	1	42	45	19.46	99.5	7.6468	49.2973
2022	1	3	1	52	45	19.69	101.4	7.6468	49.5541
2022	1	3	2	2	45	20.63	101.7	7.6468	51.8649
2022	1	3	2	12	45	20.08	101.2	7.6468	50.5811
2022	1	3	2	22	45	20.52	100.1	7.6468	51.8649
2022	1	3	2	32	45	20.04	102.1	7.6468	50.3244
2022	1	3	2	42	45	20.4	99.9	7.6468	51.6082
2022	1	3	2	52	45	19.4	100.1	7.6468	49.0406
2022	1	3	3	2	45	19.45	103.7	7.6468	48.5271
2022	1	3	3	12	45	20.47	99.3	7.6468	51.865
2022	1	3	3	22	45	19.75	100.8	7.6407	49.7695
2022	1	3	3	32	45	20.7	102.6	7.6407	51.8218
2022	1	3	3	42	45	19.86	99.3	7.6407	50.2826
2022	1	3	3	52	45	20.98	99.3	7.6407	53.1046
2022	1	3	4	2	45	20.93	101.6	7.6407	52.5915
2022	1	3	4	12	45	19.65	102.3	7.6407	49.2564
2022	1	3	4	22	45	20.75	102	7.6407	52.0784
2022	1	3	4	32	45	19.83	101.9	7.6407	49.7695
2022	1	3	4	42	45	20.14	100.6	7.6407	50.7957
2022	1	3	4	52	45	19.98	101.3	7.6407	50.2826
2022	1	3	5	2	45	20.26	102.3	7.6407	50.7957
2022	1	3	5	12	45	19.38	99.8	7.6407	48.9999
2022	1	3	5	22	45	20.42	103	7.6407	51.0523
2022	1	3	5	32	45	19.55	103.6	7.6407	48.7434
2022	1	3	5	42	45	20.48	99.6	7.6346	51.7787
2022	1	3	5	52	45	19.47	101.3	7.6346	48.9591
2022	1	3	6	2	45	18.53	100.9	7.6346	46.6521
2022	1	3	6	12	45	19.83	101.9	7.6346	49.7281
2022	1	3	6	22	45	20.51	98.1	7.6346	52.0351
2022	1	3	6	32	45	18.73	100.8	7.6346	47.1648
2022	1	3	6	42	45	19.26	105	7.6346	47.6775
2022	1	3	6	52	45	19.5	100	7.6346	49.2154
2022	1	3	7	2	45	20.24	100.5	7.6285	50.9672
2022	1	3	7	12	45	19.98	101.3	7.6346	50.2408
2022	1	3	7	22	45	19.57	101.2	7.6346	49.2154
2022	1	3	7	32	45	18.89	104.4	7.6346	46.9085
2022	1	3	7	42	45	19.87	101	7.6346	49.9844
2022	1	3	7	52	45	19.28	101.4	7.6285	48.406

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	3	8	2	45	19.86	99.3	7.6285	50.1988
2022	1	3	8	12	45	19.26	101.1	7.6224	48.3656
2022	1	3	8	22	45	19.83	98.7	7.6224	50.1569
2022	1	3	8	32	45	20.65	100.6	7.6163	51.9048
2022	1	3	8	42	45	19.47	97.7	7.6224	49.3892
2022	1	3	8	52	45	20.68	99.5	7.6224	52.2041
2022	1	3	9	2	45	20.75	102	7.6163	51.9048
2022	1	3	9	12	45	19.73	98.7	7.6102	49.8176
2022	1	3	9	22	45	19.5	100	7.6102	49.0512
2022	1	3	9	32	45	20.19	99.7	7.6102	50.8395
2022	1	3	9	42	45	20.51	101.5	7.6102	51.3504
2022	1	3	9	52	45	20.63	100.3	7.6163	51.9046
2022	1	3	10	2	45	20.18	101.1	7.6163	50.6262
2022	1	3	10	12	45	19.54	102.1	7.6163	48.8363
2022	1	3	10	22	45	20.4	99.9	7.6163	51.3932
2022	1	3	10	32	45	20.14	102	7.6163	50.3704
2022	1	3	10	42	45	20.14	100.6	7.6163	50.6261
2022	1	3	10	52	45	19.91	98.4	7.6102	50.3284
2022	1	3	11	2	45	19.83	98.7	7.6102	50.0729
2022	1	3	11	12	45	20.32	101.6	7.6102	50.8394
2022	1	3	11	22	45	19.14	100.8	7.6102	48.0291
2022	1	3	11	32	45	20.28	101.1	7.6102	50.8393
2022	1	3	11	42	45	19.77	102.6	7.6102	49.3065
2022	1	3	11	52	45	19.46	102.5	7.6102	48.5401
2022	1	3	12	2	45	20.52	103	7.6102	51.0948
2022	1	3	12	12	45	19.32	101.9	7.6102	48.2846
2022	1	3	12	22	45	18.87	99.8	7.6102	47.5181
2022	1	3	12	32	45	19.95	102.2	7.6163	49.859
2022	1	3	12	42	45	20.45	103.3	7.6102	50.8392
2022	1	3	12	52	45	20.22	100.3	7.6102	50.8392
2022	1	3	13	2	45	20.23	103.1	7.6102	50.3282
2022	1	3	13	12	45	19.98	103.9	7.6102	49.5617
2022	1	3	13	22	45	19.57	103.9	7.6163	48.5805
2022	1	3	13	32	45	19.95	102.2	7.6102	49.8172
2022	1	3	13	42	45	20.4	102.7	7.6102	50.8391
2022	1	3	13	52	45	20.55	102.1	7.6102	51.3501
2022	1	3	14	2	45	20.17	99.4	7.6102	50.8391
2022	1	3	14	12	45	20.01	100.1	7.6102	50.3282
2022	1	3	14	22	45	20.16	100.9	7.6102	50.5837
2022	1	3	14	32	45	19.55	100.9	7.6102	49.0509
2022	1	3	14	42	45	20.32	98.5	7.6102	51.3502
2022	1	3	14	52	45	20.16	100.9	7.6102	50.5838
2022	1	3	15	2	45	18.93	100.7	7.6102	47.5181
2022	1	3	15	12	45	19.67	101.1	7.6102	49.3064
2022	1	3	15	22	45	19.96	101	7.6102	50.0729
2022	1	3	15	32	45	19.5	98.3	7.6041	49.2652
2022	1	3	15	42	45	20.06	100.9	7.6041	50.2863
2022	1	3	15	52	45	20.79	101.1	7.6041	52.0731

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	3	16	2	45	19.22	100.5	7.6041	48.2442
2022	1	3	16	12	45	19.74	103.5	7.6041	49.01
2022	1	3	16	22	45	18.94	99.1	7.6041	47.7337
2022	1	3	16	32	45	19.24	102.3	7.6041	47.9889
2022	1	3	16	42	45	19.17	99.6	7.6041	48.2442
2022	1	3	16	52	45	18.64	99.3	7.6041	46.9679
2022	1	3	17	2	45	19.89	99.8	7.6041	50.031
2022	1	3	17	12	45	19.87	101	7.6041	49.7758
2022	1	3	17	22	45	20.44	101.9	7.6041	51.0521
2022	1	3	17	32	45	20.42	100.2	7.6041	51.3073
2022	1	3	17	42	45	20.37	97.3	7.6102	51.6058
2022	1	3	17	52	45	19.65	100.9	7.6041	49.2653
2022	1	3	18	2	45	20.28	101.1	7.6102	50.8394
2022	1	3	18	12	45	19.28	99.9	7.6041	48.4995
2022	1	3	18	22	45	19.42	101.9	7.6041	48.4995
2022	1	3	18	32	45	20.34	100.5	7.6041	51.0521
2022	1	3	18	42	45	18.87	102.9	7.6041	46.9679
2022	1	3	18	52	45	20.17	99.4	7.6102	50.8394
2022	1	3	19	2	45	20.87	100.8	7.6041	52.3284
2022	1	3	19	12	45	20.17	99.4	7.6041	50.7968
2022	1	3	19	22	45	19.24	102.3	7.6041	47.989
2022	1	3	19	32	45	20.7	99.7	7.6041	52.0732
2022	1	3	19	42	45	21.36	100.5	7.6041	53.6047
2022	1	3	19	52	45	19.77	102.6	7.6041	49.2653
2022	1	3	20	2	45	20.06	100.9	7.6041	50.2864
2022	1	3	20	12	45	19.85	100.7	7.6041	49.7759
2022	1	3	20	22	45	20.79	101.1	7.6041	52.0732
2022	1	3	20	32	45	19.95	102.2	7.6041	49.7759
2022	1	3	20	42	45	19.47	101.3	7.6041	48.7548
2022	1	3	20	52	45	20.34	100.5	7.6041	51.0522
2022	1	3	21	2	45	19.07	102.7	7.6041	47.4785
2022	1	3	21	12	45	20.73	100.3	7.6041	52.0732
2022	1	3	21	22	45	19.6	100	7.6041	49.2654
2022	1	3	21	32	45	20.02	101.8	7.6041	50.0312
2022	1	3	21	42	45	20.4	99.9	7.6041	51.3075
2022	1	3	21	52	45	20.19	99.7	7.6041	50.7969
2022	1	3	22	2	45	20.4	99.9	7.6041	51.3075
2022	1	3	22	12	45	20.24	100.5	7.6041	50.7969
2022	1	3	22	22	45	20.16	102.3	7.6041	50.2864
2022	1	3	22	32	45	20.38	102.5	7.6041	50.797
2022	1	3	22	42	45	19.19	99.9	7.6041	48.2444
2022	1	3	22	52	45	20.77	102.2	7.6041	51.818
2022	1	3	23	2	45	19.67	103.8	7.6041	48.7549
2022	1	3	23	12	45	19.61	101.8	7.6041	49.0101
2022	1	3	23	22	45	19.2	100.2	7.6041	48.2444
2022	1	3	23	32	45	19.44	100.7	7.6041	48.7549
2022	1	3	23	42	45	19.52	100.3	7.6041	49.0102
2022	1	3	23	52	45	20.44	101.9	7.6041	51.0523

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	4	0	2	45	19.95	100.7	7.6041	50.0312
2022	1	4	0	12	45	20.5	102.7	7.6041	51.0523
2022	1	4	0	22	45	18.7	103.3	7.6041	46.4576
2022	1	4	0	32	45	19.32	100.4	7.6041	48.4997
2022	1	4	0	42	45	20.04	102.1	7.6041	50.0312
2022	1	4	0	52	45	20.67	102.3	7.6041	51.5628
2022	1	4	1	2	45	19.89	99.8	7.6041	50.0312
2022	1	4	1	12	45	18.79	100.1	7.6041	47.2234
2022	1	4	1	22	45	20.3	104	7.6041	50.2865
2022	1	4	1	32	45	19.93	100.4	7.6041	50.0313
2022	1	4	1	42	45	19.67	101.1	7.6041	49.2655
2022	1	4	1	52	45	19.36	102.5	7.6041	48.2444
2022	1	4	2	2	45	19.98	101.3	7.6041	50.0313
2022	1	4	2	12	45	19.95	100.7	7.6041	50.0313
2022	1	4	2	22	45	19.7	99.9	7.6041	49.5208
2022	1	4	2	32	45	20.27	99.4	7.6041	51.0523
2022	1	4	2	42	45	20.5	102.7	7.6041	51.0523
2022	1	4	2	52	45	19.5	100	7.6041	49.0102
2022	1	4	3	2	45	18.85	101	7.6041	47.2234
2022	1	4	3	12	45	20.07	102.4	7.6041	50.0313
2022	1	4	3	22	45	19.7	99.9	7.6041	49.5208
2022	1	4	3	32	45	20.91	102.7	7.6041	52.0734
2022	1	4	3	42	45	19.95	100.7	7.6041	50.0313
2022	1	4	3	52	45	19.95	100.7	7.6041	50.0313
2022	1	4	4	2	45	20.25	99.1	7.6041	51.0524
2022	1	4	4	12	45	20.36	100.8	7.6041	51.0523
2022	1	4	4	22	45	19.2	100.2	7.6041	48.2445
2022	1	4	4	32	45	19.74	103.5	7.6041	49.0103
2022	1	4	4	42	45	19.42	101.9	7.6041	48.4997
2022	1	4	4	52	45	19	101.8	7.6041	47.4787
2022	1	4	5	2	45	20.21	102.9	7.6041	50.2866
2022	1	4	5	12	45	19.96	101	7.6041	50.0313
2022	1	4	5	22	45	19.97	102.4	7.6041	49.7761
2022	1	4	5	32	45	19.82	103.1	7.6041	49.2655
2022	1	4	5	42	45	19.5	100	7.6041	49.0103
2022	1	4	5	52	45	19.49	101.5	7.6041	48.755
2022	1	4	6	2	45	19.85	102.2	7.6041	49.5208
2022	1	4	6	12	45	18.85	101	7.6041	47.2234
2022	1	4	6	22	45	19.65	102.3	7.6041	49.0103
2022	1	4	6	32	45	18.45	101.2	7.6041	46.2024
2022	1	4	6	42	45	19.02	104.6	7.6041	46.9682
2022	1	4	6	52	45	19.87	101	7.6041	49.7761
2022	1	4	7	2	45	20	101.5	7.6102	50.0732
2022	1	4	7	12	45	19.43	104.6	7.6102	48.0294
2022	1	4	7	22	45	18.61	100.5	7.6041	46.7129
2022	1	4	7	32	45	18.53	100.9	7.6102	46.4965
2022	1	4	7	42	45	19.32	101.9	7.6102	48.2849
2022	1	4	7	52	45	19.44	100.7	7.6102	48.7958



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	4	8	2	45	18.79	100.1	7.6102	47.263
2022	1	4	8	12	45	20.02	101.8	7.6102	50.0732
2022	1	4	8	22	45	18.75	102.6	7.6102	46.752
2022	1	4	8	32	45	19.65	103.5	7.6102	48.7957
2022	1	4	8	42	45	19.87	101	7.6102	49.8176
2022	1	4	8	52	45	19.58	99.7	7.6102	49.3066
2022	1	4	9	2	45	19.97	102.4	7.6102	49.8176
2022	1	4	9	12	45	20.13	103.2	7.6102	50.073
2022	1	4	9	22	45	20.6	102.6	7.6102	51.3504
2022	1	4	9	32	45	20.04	103.3	7.6102	49.8175
2022	1	4	9	42	45	19.3	101.7	7.6102	48.2846
2022	1	4	9	52	45	19.52	100.3	7.6102	49.051
2022	1	4	10	2	45	19.54	102.1	7.6102	48.7955
2022	1	4	10	12	45	18.7	103.3	7.6102	46.4963
2022	1	4	10	22	45	19.81	101.7	7.6102	49.5619
2022	1	4	10	32	45	19.32	100.4	7.6102	48.54
2022	1	4	10	42	45	19.12	102.1	7.6102	47.7736
2022	1	4	10	52	45	19.97	102.4	7.6102	49.8174
2022	1	4	11	2	45	19.81	101.7	7.6102	49.5618
2022	1	4	11	12	45	18.7	103.3	7.6102	46.4962
2022	1	4	11	22	45	20.14	102	7.6102	50.3282
2022	1	4	11	32	45	20.66	104.6	7.6102	51.0947
2022	1	4	11	42	45	18.65	104	7.6102	46.2407
2022	1	4	11	52	45	20.1	101.5	7.6102	50.3282
2022	1	4	12	2	45	19.6	103	7.6102	48.7954
2022	1	4	12	12	45	19.68	102.6	7.6102	49.0508
2022	1	4	12	22	45	20.33	103.1	7.6102	50.5837
2022	1	4	12	32	45	21.27	104.4	7.6102	52.6275
2022	1	4	12	42	45	20.24	102	7.6102	50.5837
2022	1	4	12	52	45	20.71	101.4	7.6102	51.8611
2022	1	4	13	2	45	20.06	100.9	7.6041	50.2861
2022	1	4	13	12	45	19.93	100.4	7.6102	50.0728
2022	1	4	13	22	45	19.85	102.2	7.6102	49.5618
2022	1	4	13	32	45	19.72	104.4	7.6041	48.7546
2022	1	4	13	42	45	20.28	103.7	7.6041	50.2861
2022	1	4	13	52	45	19.68	99.7	7.6041	49.5204
2022	1	4	14	2	45	18.78	102.9	7.6041	46.7125
2022	1	4	14	12	45	20.13	103.2	7.6041	50.0309
2022	1	4	14	22	45	19.91	101.6	7.6041	49.7757
2022	1	4	14	32	45	20.3	104	7.6041	50.2862
2022	1	4	14	42	45	20.34	100.5	7.6041	51.052
2022	1	4	14	52	45	19.85	100.7	7.6041	49.7757
2022	1	4	15	2	45	20.5	102.7	7.6041	51.052
2022	1	4	15	12	45	21	101.3	7.6041	52.5836
2022	1	4	15	22	45	19.55	100.9	7.5981	48.969
2022	1	4	15	32	45	20.59	104.9	7.5981	50.7543
2022	1	4	15	42	45	19.85	100.7	7.5981	49.7341
2022	1	4	15	52	45	19.55	99.1	7.6041	49.2653

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	4	16	2	45	19.15	99.3	7.5981	48.2039
2022	1	4	16	12	45	20.14	100.6	7.6041	50.5416
2022	1	4	16	22	45	20.32	98.5	7.5981	51.2644
2022	1	4	16	32	45	19.23	103.5	7.5981	47.6938
2022	1	4	16	42	45	19.63	98.8	7.5981	49.4791
2022	1	4	16	52	45	19.67	101.1	7.5981	49.2241
2022	1	4	17	2	45	18.56	99.6	7.5981	46.6736
2022	1	4	17	12	45	20.73	100.3	7.5981	52.0296
2022	1	4	17	22	45	19.12	102.1	7.5981	47.6938
2022	1	4	17	32	45	19.22	98.7	7.5981	48.4589
2022	1	4	17	42	45	19.93	98.7	7.5981	50.2443
2022	1	4	17	52	45	19.91	101.6	7.5981	49.7342
2022	1	4	18	2	45	19.65	100.9	7.5981	49.2241
2022	1	4	18	12	45	19.95	102.2	7.5981	49.7342
2022	1	4	18	22	45	19.63	98.8	7.5981	49.4792
2022	1	4	18	32	45	20.16	102.3	7.6041	50.2864
2022	1	4	18	42	45	19.75	102.3	7.6041	49.2654
2022	1	4	18	52	45	19.97	102.4	7.6041	49.7759
2022	1	4	19	2	45	19.59	101.5	7.5981	48.9691
2022	1	4	19	12	45	20.12	101.8	7.6041	50.2864
2022	1	4	19	22	45	18.86	99.5	7.6041	47.4786
2022	1	4	19	32	45	19.97	102.4	7.5981	49.7342
2022	1	4	19	42	45	20.63	101.7	7.6041	51.5627
2022	1	4	19	52	45	20.17	99.4	7.5981	50.7544
2022	1	4	20	2	45	19.14	100.8	7.6041	47.9891
2022	1	4	20	12	45	20.34	100.5	7.6041	51.0522
2022	1	4	20	22	45	21.13	100.1	7.6041	53.0943
2022	1	4	20	32	45	20.79	102.5	7.5981	51.7746
2022	1	4	20	42	45	19.94	98.9	7.6041	50.2865
2022	1	4	20	52	45	20.86	97.2	7.6041	52.8391
2022	1	4	21	2	45	19.6	100	7.6041	49.2654
2022	1	4	21	12	45	20.79	103.6	7.5981	51.5196
2022	1	4	21	22	45	19.98	101.3	7.6041	50.0312
2022	1	4	21	32	45	20.24	100.5	7.6041	50.797
2022	1	4	21	42	45	20.81	102.8	7.6041	51.818
2022	1	4	21	52	45	21.48	100.7	7.6041	53.8601
2022	1	4	22	2	45	20.04	102.1	7.6041	50.0312
2022	1	4	22	12	45	19.61	100.3	7.6041	49.2654
2022	1	4	22	22	45	19.87	104.9	7.6041	49.0102
2022	1	4	22	32	45	19.65	102.3	7.6041	49.0102
2022	1	4	22	42	45	20.27	99.4	7.6041	51.0523
2022	1	4	22	52	45	20.38	101	7.6041	51.0523
2022	1	4	23	2	45	19.36	102.5	7.6041	48.2444
2022	1	4	23	12	45	19.91	101.6	7.6041	49.776
2022	1	4	23	22	45	21.32	100	7.6041	53.6049
2022	1	4	23	32	45	19.14	102.4	7.6041	47.7339
2022	1	4	23	42	45	18.97	99.7	7.5981	47.6939
2022	1	4	23	52	45	20.14	100.6	7.6041	50.5418

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	5	0	2	45	19.79	99.9	7.6041	49.776
2022	1	5	0	12	45	20.2	101.4	7.6041	50.5418
2022	1	5	0	22	45	20.46	100.7	7.6041	51.3075
2022	1	5	0	32	45	20.11	102.9	7.6041	50.0312
2022	1	5	0	42	45	20.28	101.1	7.5981	50.7545
2022	1	5	0	52	45	20.19	99.7	7.6041	50.797
2022	1	5	1	2	45	19.97	102.4	7.6041	49.776
2022	1	5	1	12	45	19.5	100	7.6041	49.0102
2022	1	5	1	22	45	20.54	103.2	7.5981	51.0096
2022	1	5	1	32	45	19.91	100.1	7.5981	49.9894
2022	1	5	1	42	45	20.42	101.6	7.6041	51.0523
2022	1	5	1	52	45	19.44	100.7	7.6041	48.7549
2022	1	5	2	2	45	21.42	101.3	7.6041	53.6049
2022	1	5	2	12	45	19.54	102.1	7.6041	48.755
2022	1	5	2	22	45	19.81	100.2	7.6041	49.776
2022	1	5	2	32	45	20.4	101.3	7.6041	51.0523
2022	1	5	2	42	45	19.44	100.7	7.5981	48.7141
2022	1	5	2	52	45	18.85	101	7.6041	47.2234
2022	1	5	3	2	45	19.36	102.5	7.6041	48.2444
2022	1	5	3	12	45	19.65	100.9	7.5981	49.2242
2022	1	5	3	22	45	20.02	101.8	7.6041	50.0313
2022	1	5	3	32	45	20.34	101.9	7.5981	50.7545
2022	1	5	3	42	45	20.14	102	7.5981	50.2444
2022	1	5	3	52	45	20.13	103.2	7.6041	50.0313
2022	1	5	4	2	45	19.3	100.1	7.6041	48.4997
2022	1	5	4	12	45	19.82	103.1	7.6041	49.2655
2022	1	5	4	22	45	20.36	100.8	7.6041	51.0523
2022	1	5	4	32	45	19.57	97.6	7.6041	49.5208
2022	1	5	4	42	45	19.38	102.8	7.6041	48.2445
2022	1	5	4	52	45	20.77	100.8	7.5981	52.0298
2022	1	5	5	2	45	19.87	101	7.6041	49.776
2022	1	5	5	12	45	19.77	102.6	7.6041	49.2655
2022	1	5	5	22	45	19.44	100.7	7.5981	48.7142
2022	1	5	5	32	45	19.95	100.7	7.6041	50.0313
2022	1	5	5	42	45	20.39	99.6	7.5981	51.2646
2022	1	5	5	52	45	20.14	102	7.6041	50.2866
2022	1	5	6	2	45	19.52	104.5	7.6041	48.2445
2022	1	5	6	12	45	20.02	101.8	7.6041	50.0313
2022	1	5	6	22	45	20.63	101.7	7.5981	51.5197
2022	1	5	6	32	45	19.57	101.2	7.6041	49.0103
2022	1	5	6	42	45	19.75	100.8	7.6041	49.5208
2022	1	5	6	52	45	21.14	101.7	7.6041	52.8392
2022	1	5	7	2	45	19.83	101.9	7.6041	49.5208
2022	1	5	7	12	45	19.95	100.7	7.6041	50.0313
2022	1	5	7	22	45	19.08	101.5	7.6041	47.7339
2022	1	5	7	32	45	20.11	102.9	7.6041	50.0313
2022	1	5	7	42	45	19.73	102	7.6041	49.2655
2022	1	5	7	52	45	19.01	100.3	7.6041	47.7339

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	5	8	2	45	20.4	101.3	7.6041	51.0523
2022	1	5	8	12	45	19.77	102.6	7.6041	49.2655
2022	1	5	8	22	45	19.65	99.1	7.6041	49.5207
2022	1	5	8	32	45	20.61	101.5	7.6041	51.5628
2022	1	5	8	42	45	19.38	101.3	7.6041	48.4996
2022	1	5	8	52	45	20.24	102	7.6041	50.5417
2022	1	5	9	2	45	20.26	102.3	7.6041	50.5417
2022	1	5	9	12	45	20.04	103.3	7.6041	49.7759
2022	1	5	9	22	45	20.44	100.4	7.6102	51.3504
2022	1	5	9	32	45	19.89	102.8	7.6041	49.5205
2022	1	5	9	42	45	18.77	101.4	7.6041	46.9679
2022	1	5	9	52	45	19.45	107	7.6041	47.4784
2022	1	5	10	2	45	18.16	101.4	7.6041	45.4363
2022	1	5	10	12	45	19.61	101.8	7.6041	49.0099
2022	1	5	10	22	45	19.71	100.2	7.6041	49.5204
2022	1	5	10	32	45	19.38	102.8	7.6102	48.2845
2022	1	5	10	42	45	19.91	104.2	7.6041	49.2652
2022	1	5	10	52	45	18.74	99.2	7.6102	47.2626
2022	1	5	11	2	45	19.75	100.8	7.6102	49.5618
2022	1	5	11	12	45	20.55	100.7	7.6102	51.6056
2022	1	5	11	22	45	20.29	97.9	7.6041	51.3072
2022	1	5	11	32	45	18.63	100.8	7.6041	46.7125
2022	1	5	11	42	45	20.45	103.3	7.6102	50.8391
2022	1	5	11	52	45	20.24	102	7.6102	50.5837
2022	1	5	12	2	45	19.46	102.5	7.6041	48.4993
2022	1	5	12	12	45	19.75	102.3	7.6102	49.3063
2022	1	5	12	22	45	18.98	101.5	7.6102	47.518
2022	1	5	12	32	45	19.71	100.2	7.6102	49.5618
2022	1	5	12	42	45	19.65	103.5	7.6041	48.7545
2022	1	5	12	52	45	20.29	99.6	7.6041	51.0518
2022	1	5	13	2	45	19.09	103	7.6041	47.4782
2022	1	5	13	12	45	19.96	103.6	7.6041	49.5203
2022	1	5	13	22	45	20.14	102	7.6041	50.2861
2022	1	5	13	32	45	18.66	105.2	7.6041	45.9467
2022	1	5	13	42	45	19.62	104.5	7.6041	48.4993
2022	1	5	13	52	45	20.02	101.8	7.6041	50.0308
2022	1	5	14	2	45	18.97	104	7.6041	46.9677
2022	1	5	14	12	45	20.4	101.3	7.6041	51.0519
2022	1	5	14	22	45	19.53	103.3	7.6041	48.4993
2022	1	5	14	32	45	18.71	102	7.6041	46.7125
2022	1	5	14	42	45	18.9	103.2	7.6041	46.9678
2022	1	5	14	52	45	20.04	103.3	7.6041	49.7757
2022	1	5	15	2	45	18.77	104.2	7.6041	46.4573
2022	1	5	15	12	45	18.94	105	7.5981	46.6735
2022	1	5	15	22	45	19.71	101.7	7.5981	49.224
2022	1	5	15	32	45	19.05	102.4	7.5981	47.4386
2022	1	5	15	42	45	19.55	100.9	7.5981	48.9689
2022	1	5	15	52	45	20.4	99.9	7.5981	51.2643

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	5	16	2	45	19.69	101.4	7.5981	49.224
2022	1	5	16	12	45	19.99	99.8	7.5981	50.2442
2022	1	5	16	22	45	19.43	103.4	7.5981	48.2038
2022	1	5	16	32	45	21.2	101.2	7.5981	53.0497
2022	1	5	16	42	45	19.31	103.2	7.5981	47.9488
2022	1	5	16	52	45	20.26	100.8	7.5981	50.7543
2022	1	5	17	2	45	19.68	102.6	7.5981	48.969
2022	1	5	17	12	45	20.6	102.6	7.6041	51.3073
2022	1	5	17	22	45	19.85	100.7	7.6041	49.7758
2022	1	5	17	32	45	19.94	98.9	7.5981	50.2442
2022	1	5	17	42	45	19.46	99.5	7.5981	48.969
2022	1	5	17	52	45	20.11	100	7.5981	50.4993
2022	1	5	18	2	45	20.51	101.5	7.6041	51.3074
2022	1	5	18	12	45	20.16	102.3	7.6041	50.2863
2022	1	5	18	22	45	19.85	100.7	7.5981	49.7341
2022	1	5	18	32	45	19.07	102.7	7.5981	47.4387
2022	1	5	18	42	45	19.69	101.4	7.6041	49.2653
2022	1	5	18	52	45	19.6	100	7.6041	49.2653
2022	1	5	19	2	45	18.58	103.1	7.5981	46.1635
2022	1	5	19	12	45	20.09	99.7	7.5981	50.4993
2022	1	5	19	22	45	19.68	102.6	7.5981	48.969
2022	1	5	19	32	45	20.52	103	7.5981	51.0094
2022	1	5	19	42	45	19.31	103.2	7.5981	47.9488
2022	1	5	19	52	45	21.22	101.4	7.5981	53.0498
2022	1	5	20	2	45	19.38	99.8	7.5981	48.714
2022	1	5	20	12	45	20.4	99.9	7.5981	51.2645
2022	1	5	20	22	45	19.61	100.3	7.5981	49.2241
2022	1	5	20	32	45	19.85	102.2	7.5981	49.4791
2022	1	5	20	42	45	20.33	103.1	7.5981	50.4993
2022	1	5	20	52	45	20.28	101.1	7.5981	50.7544
2022	1	5	21	2	45	20.46	102.1	7.5981	51.0094
2022	1	5	21	12	45	20.37	99.3	7.5981	51.2645
2022	1	5	21	22	45	19.91	101.6	7.5981	49.7342
2022	1	5	21	32	45	19.56	99.4	7.5981	49.2241
2022	1	5	21	42	45	20.46	102.1	7.5981	51.0094
2022	1	5	21	52	45	19.8	98.1	7.5981	49.9892
2022	1	5	22	2	45	20.14	100.6	7.5981	50.4993
2022	1	5	22	12	45	19.2	100.2	7.5981	48.2039
2022	1	5	22	22	45	20.04	102.1	7.5981	49.9892
2022	1	5	22	32	45	20.01	98.3	7.5981	50.4994
2022	1	5	22	42	45	20.47	101	7.5981	51.2645
2022	1	5	22	52	45	20.3	99.9	7.5981	51.0094
2022	1	5	23	2	45	19.15	99.3	7.5981	48.2039
2022	1	5	23	12	45	21.2	101.2	7.5981	53.0498
2022	1	5	23	22	45	20.52	100.1	7.5981	51.5195
2022	1	5	23	32	45	19.53	98.8	7.5981	49.2241
2022	1	5	23	42	45	19.1	100.3	7.5981	47.9489
2022	1	5	23	52	45	19.88	99.6	7.5981	49.9893

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	6	0	2	45	19.32	100.4	7.5981	48.459
2022	1	6	0	12	45	20.12	101.8	7.5981	50.2443
2022	1	6	0	22	45	19.55	99.1	7.5981	49.2241
2022	1	6	0	32	45	20.38	102.5	7.5981	50.7544
2022	1	6	0	42	45	19.5	100	7.5981	48.9691
2022	1	6	0	52	45	20.24	102	7.5981	50.4994
2022	1	6	1	2	45	20.4	99.9	7.5981	51.2645
2022	1	6	1	12	45	20.32	100.2	7.5981	51.0095
2022	1	6	1	22	45	19.68	99.7	7.5981	49.4792
2022	1	6	1	32	45	18.89	101.6	7.5981	47.1838
2022	1	6	1	42	45	21.2	101.2	7.5981	53.0499
2022	1	6	1	52	45	19.94	103.3	7.5981	49.4792
2022	1	6	2	2	45	20.13	103.2	7.5981	49.9893
2022	1	6	2	12	45	19.88	99.6	7.5981	49.9893
2022	1	6	2	22	45	19.83	98.7	7.5981	49.9893
2022	1	6	2	32	45	19.74	103.5	7.5981	48.9691
2022	1	6	2	42	45	20.32	100.2	7.5981	51.0095
2022	1	6	2	52	45	19.19	99.9	7.5981	48.204
2022	1	6	3	2	45	20.46	102.1	7.5981	51.0095
2022	1	6	3	12	45	20.02	101.8	7.5981	49.9893
2022	1	6	3	22	45	20.24	100.5	7.5981	50.7545
2022	1	6	3	32	45	19.75	100.8	7.5981	49.4792
2022	1	6	3	42	45	19.19	102.9	7.5981	47.6939
2022	1	6	3	52	45	19.52	98.5	7.5981	49.2242
2022	1	6	4	2	45	20.36	100.8	7.5981	51.0095
2022	1	6	4	12	45	18.68	99.9	7.5981	46.9288
2022	1	6	4	22	45	20.67	103.4	7.5981	51.2646
2022	1	6	4	32	45	20.68	99.5	7.5981	52.0297
2022	1	6	4	42	45	20.32	101.6	7.5981	50.7545
2022	1	6	4	52	45	20.48	99.6	7.5981	51.5196
2022	1	6	5	2	45	20.02	101.8	7.5981	49.9893
2022	1	6	5	12	45	20.26	102.3	7.5981	50.4994
2022	1	6	5	22	45	19.96	101	7.5981	49.9894
2022	1	6	5	32	45	20.49	101.3	7.5981	51.2646
2022	1	6	5	42	45	20.03	100.4	7.5981	50.2444
2022	1	6	5	52	45	19.42	101.9	7.5981	48.4591
2022	1	6	6	2	45	18.68	104.3	7.5981	46.1636
2022	1	6	6	12	45	20	101.5	7.5981	49.9894
2022	1	6	6	22	45	20.36	100.8	7.5981	51.0095
2022	1	6	6	32	45	19.89	99.8	7.5981	49.9894
2022	1	6	6	42	45	19.4	100.1	7.5981	48.7141
2022	1	6	6	52	45	19.89	102.8	7.5981	49.4793
2022	1	6	7	2	45	20.81	101.4	7.5981	52.0297
2022	1	6	7	12	45	20.08	101.2	7.5981	50.2444
2022	1	6	7	22	45	20.09	102.7	7.5981	49.9894
2022	1	6	7	32	45	19.97	102.4	7.5981	49.7343
2022	1	6	7	42	45	19.85	100.7	7.5981	49.7343
2022	1	6	7	52	45	20.04	100.6	7.5981	50.2444

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	6	8	2	45	18.89	104.4	7.5981	46.6737
2022	1	6	8	12	45	20.52	100.1	7.5981	51.5196
2022	1	6	8	22	45	19.42	98.6	7.5981	48.9691
2022	1	6	8	32	45	19.8	98.1	7.5981	49.9893
2022	1	6	8	42	45	19.95	102.2	7.5981	49.7342
2022	1	6	8	52	45	19.22	98.7	7.5981	48.4589
2022	1	6	9	2	45	19.5	100	7.5981	48.969
2022	1	6	9	12	45	19.83	98.7	7.5981	49.9892
2022	1	6	9	22	45	19.57	101.2	7.5981	48.969
2022	1	6	9	32	45	20.44	101.9	7.6041	51.0521
2022	1	6	9	42	45	20.25	99.1	7.6041	51.052
2022	1	6	9	52	45	19.32	100.4	7.6041	48.4994
2022	1	6	10	2	45	21.11	98.2	7.6041	53.3493
2022	1	6	10	12	45	19.73	102	7.6041	49.2652
2022	1	6	10	22	45	20.24	102	7.6041	50.5414
2022	1	6	10	32	45	20.79	101.1	7.6041	52.073
2022	1	6	10	42	45	19.46	99.5	7.6041	49.0098
2022	1	6	10	52	45	20.4	102.7	7.6041	50.7966
2022	1	6	11	2	45	19.77	101.1	7.6041	49.5203
2022	1	6	11	12	45	20.5	102.7	7.6041	51.0518
2022	1	6	11	22	45	19.28	101.4	7.6041	48.244
2022	1	6	11	32	45	19.73	102	7.6041	49.265
2022	1	6	11	42	45	20.28	101.1	7.6041	50.7965
2022	1	6	11	52	45	19.49	101.5	7.6041	48.7544
2022	1	6	12	2	45	20.04	98.9	7.6041	50.5413
2022	1	6	12	12	45	20.75	102	7.6041	51.8176
2022	1	6	12	22	45	18.89	104.4	7.6041	46.7124
2022	1	6	12	32	45	19.55	103.6	7.6041	48.4992
2022	1	6	12	42	45	19.2	101.7	7.6041	47.9886
2022	1	6	12	52	45	19.36	102.5	7.6041	48.2439
2022	1	6	13	2	45	19.31	103.2	7.6041	47.9886
2022	1	6	13	12	45	20.44	101.9	7.6041	51.0518
2022	1	6	13	22	45	18.37	105.5	7.6041	45.1808
2022	1	6	13	32	45	19.91	104.2	7.6041	49.2649
2022	1	6	13	42	45	19.23	104.8	7.6041	47.4781
2022	1	6	13	52	45	19.95	102.2	7.6041	49.7755
2022	1	6	14	2	45	19.36	102.5	7.6041	48.2439
2022	1	6	14	12	45	18.59	101.8	7.6041	46.4571
2022	1	6	14	22	45	19.02	100.6	7.6041	47.7334
2022	1	6	14	32	45	19.2	101.7	7.6041	47.9887
2022	1	6	14	42	45	19.79	104	7.6041	49.0097
2022	1	6	14	52	45	19.63	100.6	7.5981	49.2238
2022	1	6	15	2	45	19.37	99.5	7.6041	48.7545
2022	1	6	15	12	45	19.85	102.2	7.6041	49.5203
2022	1	6	15	22	45	19.57	101.2	7.6041	49.0098
2022	1	6	15	32	45	20.19	99.7	7.5981	50.7541
2022	1	6	15	42	45	20.88	99.4	7.5981	52.5395
2022	1	6	15	52	45	19.61	101.8	7.5981	48.9688

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	6	16	2	45	19	101.8	7.5981	47.4385
2022	1	6	16	12	45	19.63	100.6	7.5981	49.2239
2022	1	6	16	22	45	20.32	98.5	7.6041	51.3072
2022	1	6	16	32	45	20.39	99.6	7.5981	51.2642
2022	1	6	16	42	45	19.77	101.1	7.5981	49.4789
2022	1	6	16	52	45	19.99	105.1	7.5981	49.2239
2022	1	6	17	2	45	19.6	100	7.5981	49.2239
2022	1	6	17	12	45	19.87	101	7.5981	49.734
2022	1	6	17	22	45	20.02	101.8	7.5981	49.989
2022	1	6	17	32	45	19.67	101.1	7.6041	49.2651
2022	1	6	17	42	45	19.52	100.3	7.5981	48.9688
2022	1	6	17	52	45	19.7	99.9	7.5981	49.4789
2022	1	6	18	2	45	19.8	102.8	7.5981	49.2239
2022	1	6	18	12	45	19.18	101.4	7.5981	47.9487
2022	1	6	18	22	45	19.4	100.1	7.5981	48.7138
2022	1	6	18	32	45	19.55	99.1	7.5981	49.2239
2022	1	6	18	42	45	18.85	101	7.5981	47.1835
2022	1	6	18	52	45	20.3	99.9	7.5981	51.0092
2022	1	6	19	2	45	20.03	98.6	7.5981	50.4992
2022	1	6	19	12	45	19.7	99.9	7.5981	49.479
2022	1	6	19	22	45	19.36	102.5	7.5981	48.2037
2022	1	6	19	32	45	20.09	99.7	7.5981	50.4992
2022	1	6	19	42	45	19.77	101.1	7.5981	49.479
2022	1	6	19	52	45	19.76	99.3	7.5981	49.734
2022	1	6	20	2	45	19.76	99.3	7.5981	49.734
2022	1	6	20	12	45	20.76	99.1	7.5981	52.2845
2022	1	6	20	22	45	19.28	99.9	7.5981	48.4588
2022	1	6	20	32	45	19.3	100.1	7.5981	48.4588
2022	1	6	20	42	45	20.72	100	7.5981	52.0295
2022	1	6	20	52	45	19.77	97.6	7.5981	49.9891
2022	1	6	21	2	45	20.08	103.8	7.5981	49.734
2022	1	6	21	12	45	19.63	100.6	7.5981	49.224
2022	1	6	21	22	45	20.24	102	7.5981	50.4992
2022	1	6	21	32	45	18.71	100.5	7.5981	46.9285
2022	1	6	21	42	45	19.32	100.4	7.5981	48.4588
2022	1	6	21	52	45	20.63	100.3	7.5981	51.7744
2022	1	6	22	2	45	20.28	101.1	7.5981	50.7542
2022	1	6	22	12	45	20.47	101	7.5981	51.2643
2022	1	6	22	22	45	20.44	98.7	7.5981	51.5194
2022	1	6	22	32	45	20.11	100	7.5981	50.4992
2022	1	6	22	42	45	19.55	100.9	7.5981	48.9689
2022	1	6	22	52	45	18.79	100.1	7.5981	47.1836
2022	1	6	23	2	45	19.18	101.4	7.5981	47.9488
2022	1	6	23	12	45	19.68	102.6	7.5981	48.9689
2022	1	6	23	22	45	19.46	102.5	7.5981	48.4589
2022	1	6	23	32	45	19.77	101.1	7.5981	49.479
2022	1	6	23	42	45	20.13	103.2	7.5981	49.9892
2022	1	6	23	52	45	19.24	100.8	7.5981	48.2038



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	7	0	2	45	18.71	100.5	7.5981	46.9286
2022	1	7	0	12	45	19.63	100.6	7.5981	49.224
2022	1	7	0	22	45	20.44	100.4	7.5981	51.2644
2022	1	7	0	32	45	20.42	100.2	7.5981	51.2644
2022	1	7	0	42	45	19.96	103.6	7.5981	49.4791
2022	1	7	0	52	45	21.71	102.5	7.5981	54.0699
2022	1	7	1	2	45	20.67	102.3	7.5981	51.5195
2022	1	7	1	12	45	20.46	100.7	7.5981	51.2645
2022	1	7	1	22	45	20.32	98.5	7.5981	51.2645
2022	1	7	1	32	45	20.27	97.4	7.5981	51.2645
2022	1	7	1	42	45	20.37	99.3	7.5981	51.2645
2022	1	7	1	52	45	19.75	102.3	7.5981	49.2241
2022	1	7	2	2	45	20.4	99.9	7.5981	51.2645
2022	1	7	2	12	45	19.6	98.2	7.5981	49.4791
2022	1	7	2	22	45	19.59	101.5	7.5981	48.9691
2022	1	7	2	32	45	20.38	101	7.592	50.9667
2022	1	7	2	42	45	19.42	101.9	7.592	48.4184
2022	1	7	2	52	45	21.03	100.1	7.5981	52.7948
2022	1	7	3	2	45	19.35	103.7	7.5981	47.9489
2022	1	7	3	12	45	20.1	101.5	7.5981	50.2443
2022	1	7	3	22	45	20.06	99.2	7.5981	50.4994
2022	1	7	3	32	45	21.77	100.6	7.5981	54.5801
2022	1	7	3	42	45	19.86	99.3	7.592	49.9474
2022	1	7	3	52	45	21.24	100.3	7.592	53.2602
2022	1	7	4	2	45	20.04	100.6	7.5981	50.2443
2022	1	7	4	12	45	20.34	100.5	7.592	50.9667
2022	1	7	4	22	45	20.03	100.4	7.592	50.2022
2022	1	7	4	32	45	20.48	99.6	7.5981	51.5196
2022	1	7	4	42	45	20.45	103.3	7.5981	50.7544
2022	1	7	4	52	45	20.12	98.6	7.592	50.7119
2022	1	7	5	2	45	20.4	101.3	7.592	50.9667
2022	1	7	5	12	45	19.6	103	7.592	48.6732
2022	1	7	5	22	45	18.91	100.4	7.5981	47.4388
2022	1	7	5	32	45	19.95	100.7	7.592	49.9474
2022	1	7	5	42	45	21.08	99.3	7.5981	53.0499
2022	1	7	5	52	45	20	101.5	7.592	49.9474
2022	1	7	6	2	45	19.79	99.9	7.592	49.6926
2022	1	7	6	12	45	19.63	102.1	7.5981	48.9691
2022	1	7	6	22	45	19.31	103.2	7.592	47.9088
2022	1	7	6	32	45	19.26	101.1	7.592	48.1636
2022	1	7	6	42	45	18.75	102.6	7.5981	46.6737
2022	1	7	6	52	45	18.76	99.5	7.592	47.1443
2022	1	7	7	2	45	19.89	99.8	7.5981	49.9893
2022	1	7	7	12	45	20.55	102.1	7.592	51.2216
2022	1	7	7	22	45	18.81	100.4	7.592	47.1443
2022	1	7	7	32	45	19.57	101.2	7.592	48.9281
2022	1	7	7	42	45	19.61	100.3	7.592	49.1829
2022	1	7	7	52	45	20.32	100.2	7.5981	51.0095

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	7	8	2	45	20.38	102.5	7.592	50.7119
2022	1	7	8	12	45	20.46	100.7	7.592	51.2216
2022	1	7	8	22	45	19.96	101	7.5981	49.9893
2022	1	7	8	32	45	19.3	101.7	7.5981	48.2039
2022	1	7	8	42	45	18.85	97.3	7.5981	47.6938
2022	1	7	8	52	45	19.73	100.5	7.5981	49.4791
2022	1	7	9	2	45	19.79	101.4	7.5981	49.4791
2022	1	7	9	12	45	20.09	99.7	7.5981	50.4993
2022	1	7	9	22	45	20.06	100.9	7.5981	50.2442
2022	1	7	9	32	45	19.63	100.6	7.5981	49.224
2022	1	7	9	42	45	18.5	100.3	7.5981	46.4185
2022	1	7	9	52	45	20.34	101.9	7.5981	50.7542
2022	1	7	10	2	45	18.91	101.9	7.5981	47.1835
2022	1	7	10	12	45	19.27	99.6	7.5981	48.4587
2022	1	7	10	22	45	20.44	98.7	7.5981	51.5193
2022	1	7	10	32	45	20.25	103.4	7.6041	50.2861
2022	1	7	10	42	45	20.04	98.9	7.6041	50.5413
2022	1	7	10	52	45	18.93	100.7	7.6041	47.4782
2022	1	7	11	2	45	19.68	99.7	7.6041	49.5202
2022	1	7	11	12	45	19.55	99.1	7.6041	49.265
2022	1	7	11	22	45	18.77	101.4	7.6041	46.9676
2022	1	7	11	32	45	19.57	101.2	7.6041	49.0097
2022	1	7	11	42	45	20.7	102.6	7.6041	51.5623
2022	1	7	11	52	45	19.2	100.2	7.6041	48.2439
2022	1	7	12	2	45	19.89	102.8	7.6041	49.5202
2022	1	7	12	12	45	18.68	104.3	7.6041	46.2018
2022	1	7	12	22	45	18.89	104.4	7.6041	46.7123
2022	1	7	12	32	45	19.18	101.4	7.6041	47.9886
2022	1	7	12	42	45	18.73	100.8	7.6041	46.9675
2022	1	7	12	52	45	19.6	103	7.6102	48.7952
2022	1	7	13	2	45	19.55	103.6	7.6041	48.4992
2022	1	7	13	12	45	18.54	102.5	7.6041	46.2018
2022	1	7	13	22	45	19.09	103	7.6041	47.4781
2022	1	7	13	32	45	18.85	103.8	7.6041	46.7123
2022	1	7	13	42	45	18.12	102.4	7.6041	45.1807
2022	1	7	13	52	45	19.28	99.9	7.6041	48.4991
2022	1	7	14	2	45	19.55	103.6	7.6041	48.4991
2022	1	7	14	12	45	20.09	102.7	7.6041	50.0306
2022	1	7	14	22	45	18.76	99.5	7.6041	47.2228
2022	1	7	14	32	45	18.83	100.7	7.6041	47.2228
2022	1	7	14	42	45	19.17	102.7	7.6041	47.7333
2022	1	7	14	52	45	19.18	101.4	7.6041	47.9886
2022	1	7	15	2	45	19.81	101.7	7.5981	49.4787
2022	1	7	15	12	45	19.96	101	7.5981	49.9888
2022	1	7	15	22	45	19.3	100.1	7.5981	48.4586
2022	1	7	15	32	45	20.24	102	7.5981	50.499
2022	1	7	15	42	45	18.71	102	7.5981	46.6733
2022	1	7	15	52	45	19.45	104.9	7.5981	47.9485

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	7	16	2	45	20.48	99.6	7.5981	51.5191
2022	1	7	16	12	45	19.74	103.5	7.5981	48.9687
2022	1	7	16	22	45	19.69	101.4	7.5981	49.2237
2022	1	7	16	32	45	20.55	100.7	7.5981	51.5191
2022	1	7	16	42	45	20.83	100.2	7.6041	52.3281
2022	1	7	16	52	45	20.24	102	7.6041	50.5413
2022	1	7	17	2	45	18.38	100	7.5981	46.1632
2022	1	7	17	12	45	20.41	98.2	7.5981	51.5191
2022	1	7	17	22	45	20.01	100.1	7.5981	50.2439
2022	1	7	17	32	45	20.11	100	7.5981	50.499
2022	1	7	17	42	45	19.79	99.9	7.5981	49.7338
2022	1	7	17	52	45	19.96	101	7.5981	49.9889
2022	1	7	18	2	45	21.26	100.6	7.5981	53.3045
2022	1	7	18	12	45	19.42	100.4	7.5981	48.7136
2022	1	7	18	22	45	19.77	101.1	7.5981	49.4788
2022	1	7	18	32	45	20.3	99.9	7.5981	51.0091
2022	1	7	18	42	45	19.4	100.1	7.5981	48.7136
2022	1	7	18	52	45	19.34	100.7	7.5981	48.4586
2022	1	7	19	2	45	19.65	99.1	7.5981	49.4788
2022	1	7	19	12	45	20.19	99.7	7.5981	50.754
2022	1	7	19	22	45	20.09	99.7	7.5981	50.499
2022	1	7	19	32	45	18.98	101.5	7.5981	47.4384
2022	1	7	19	42	45	20.93	101.6	7.5981	52.2843
2022	1	7	19	52	45	19.87	101	7.5981	49.7338
2022	1	7	20	2	45	20.26	102.3	7.5981	50.499
2022	1	7	20	12	45	19.7	99.9	7.5981	49.4788
2022	1	7	20	22	45	21.13	100.1	7.5981	53.0495
2022	1	7	20	32	45	20.34	98.8	7.5981	51.2641
2022	1	7	20	42	45	20.16	100.9	7.5981	50.499
2022	1	7	20	52	45	18.41	98.7	7.5981	46.4183
2022	1	7	21	2	45	20.89	102.4	7.5981	52.0293
2022	1	7	21	12	45	20.95	101.8	7.5981	52.2843
2022	1	7	21	22	45	19.14	100.8	7.5981	47.9485
2022	1	7	21	32	45	20.1	101.5	7.5981	50.244
2022	1	7	21	42	45	20.48	99.6	7.5981	51.5192
2022	1	7	21	52	45	19.69	101.4	7.5981	49.2238
2022	1	7	22	2	45	19.28	101.4	7.5981	48.2036
2022	1	7	22	12	45	20.79	102.5	7.5981	51.7742
2022	1	7	22	22	45	21.09	99.6	7.5981	53.0495
2022	1	7	22	32	45	19.83	98.7	7.5981	49.9889
2022	1	7	22	42	45	20.04	102.1	7.5981	49.9889
2022	1	7	22	52	45	19.98	101.3	7.5981	49.9889
2022	1	7	23	2	45	20.83	98.6	7.5981	52.5394
2022	1	7	23	12	45	20.25	99.1	7.5981	51.0091
2022	1	7	23	22	45	19.4	100.1	7.5981	48.7137
2022	1	7	23	32	45	19.05	102.4	7.5981	47.4385
2022	1	7	23	42	45	19.89	99.8	7.5981	49.9889
2022	1	7	23	52	45	20.78	99.4	7.5981	52.2843

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	8	0	2	45	19.93	100.4	7.5981	49.9889
2022	1	8	0	12	45	20.8	99.7	7.5981	52.2844
2022	1	8	0	22	45	20.46	102.1	7.5981	51.0091
2022	1	8	0	32	45	20.51	98.1	7.5981	51.7743
2022	1	8	0	42	45	19.22	98.7	7.5981	48.4587
2022	1	8	0	52	45	19.6	100	7.592	49.1826
2022	1	8	1	2	45	19.84	99	7.592	49.9471
2022	1	8	1	12	45	20.39	99.6	7.5981	51.2642
2022	1	8	1	22	45	20.22	100.3	7.5981	50.7541
2022	1	8	1	32	45	19.55	97.1	7.5981	49.4789
2022	1	8	1	42	45	19.22	100.5	7.5981	48.2037
2022	1	8	1	52	45	21.05	100.4	7.5981	52.7945
2022	1	8	2	2	45	20.5	99.8	7.5981	51.5193
2022	1	8	2	12	45	19.81	101.7	7.5981	49.4789
2022	1	8	2	22	45	20.07	99.5	7.5981	50.4991
2022	1	8	2	32	45	19.71	100.2	7.592	49.4374
2022	1	8	2	42	45	19.94	98.9	7.5981	50.244
2022	1	8	2	52	45	19.52	100.3	7.5981	48.9688
2022	1	8	3	2	45	20.34	100.5	7.5981	51.0092
2022	1	8	3	12	45	20.47	99.3	7.5981	51.5193
2022	1	8	3	22	45	20.1	101.5	7.5981	50.244
2022	1	8	3	32	45	19.22	100.5	7.5981	48.2037
2022	1	8	3	42	45	19.3	100.1	7.5981	48.4587
2022	1	8	3	52	45	20.14	100.6	7.592	50.4568
2022	1	8	4	2	45	20.42	100.2	7.5981	51.2642
2022	1	8	4	12	45	20.22	100.3	7.5981	50.7541
2022	1	8	4	22	45	20.19	99.7	7.592	50.7116
2022	1	8	4	32	45	20.47	99.3	7.5981	51.5193
2022	1	8	4	42	45	19.57	101.2	7.592	48.9278
2022	1	8	4	52	45	20.46	100.7	7.592	51.2213
2022	1	8	5	2	45	20.4	99.9	7.592	51.2213
2022	1	8	5	12	45	19.12	100.5	7.592	47.9085
2022	1	8	5	22	45	20.22	101.7	7.592	50.4568
2022	1	8	5	32	45	19.58	99.7	7.592	49.1826
2022	1	8	5	42	45	19.46	99.5	7.592	48.9278
2022	1	8	5	52	45	20.09	99.7	7.592	50.4568
2022	1	8	6	2	45	19.12	98.7	7.592	48.1633
2022	1	8	6	12	45	20.04	100.6	7.592	50.202
2022	1	8	6	22	45	20.91	101.3	7.592	52.2406
2022	1	8	6	32	45	19.38	101.3	7.5981	48.4588
2022	1	8	6	42	45	20.01	100.1	7.592	50.202
2022	1	8	6	52	45	19.26	101.1	7.592	48.1633
2022	1	8	7	2	45	19.28	99.9	7.592	48.4182
2022	1	8	7	12	45	20.24	102	7.592	50.4568
2022	1	8	7	22	45	20.23	103.1	7.592	50.202
2022	1	8	7	32	45	20.29	99.6	7.592	50.9665
2022	1	8	7	42	45	19.32	101.9	7.592	48.1633
2022	1	8	7	52	45	18.89	98.2	7.592	47.6537

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	8	8	2	45	19.68	99.7	7.592	49.4375
2022	1	8	8	12	45	19.69	101.4	7.592	49.1827
2022	1	8	8	22	45	19.42	101.9	7.592	48.4181
2022	1	8	8	32	45	19.69	101.4	7.592	49.1826
2022	1	8	8	42	45	19.97	102.4	7.5981	49.7339
2022	1	8	8	52	45	19.46	99.5	7.5981	48.9687
2022	1	8	9	2	45	18.71	98.6	7.5981	47.1834
2022	1	8	9	12	45	19.5	100	7.5981	48.9687
2022	1	8	9	22	45	20.45	99	7.5981	51.5191
2022	1	8	9	32	45	18.32	102.3	7.5981	45.6531
2022	1	8	9	42	45	19.58	99.7	7.5981	49.2236
2022	1	8	9	52	45	20.83	101.6	7.5981	52.0291
2022	1	8	10	2	45	19.81	100.2	7.5981	49.7337
2022	1	8	10	12	45	19.55	103.6	7.5981	48.4585
2022	1	8	10	22	45	20.04	100.6	7.5981	50.2437
2022	1	8	10	32	45	19.47	101.3	7.6041	48.7543
2022	1	8	10	42	45	19.08	101.5	7.6041	47.7332
2022	1	8	10	52	45	20.26	100.8	7.6041	50.7963
2022	1	8	11	2	45	20.51	101.5	7.6041	51.3068
2022	1	8	11	12	45	19.4	101.6	7.5981	48.4583
2022	1	8	11	22	45	18.69	101.7	7.6041	46.7121
2022	1	8	11	32	45	19.52	100.3	7.6041	49.0094
2022	1	8	11	42	45	19.83	100.5	7.6041	49.7752
2022	1	8	11	52	45	19.69	97.9	7.6041	49.7752
2022	1	8	12	2	45	20.28	101.1	7.6041	50.7962
2022	1	8	12	12	45	19.28	101.4	7.6041	48.2436
2022	1	8	12	22	45	19.97	102.4	7.6041	49.7751
2022	1	8	12	32	45	19.37	99.5	7.6041	48.7541
2022	1	8	12	42	45	19.4	101.6	7.6041	48.4988
2022	1	8	12	52	45	20.14	98.9	7.6041	50.7961
2022	1	8	13	2	45	19.65	102.3	7.6041	49.0093
2022	1	8	13	12	45	20.34	101.9	7.6041	50.7961
2022	1	8	13	22	45	19.83	100.5	7.6041	49.7751
2022	1	8	13	32	45	20.34	98.8	7.6041	51.3066
2022	1	8	13	42	45	20.34	100.5	7.6041	51.0514
2022	1	8	13	52	45	20.01	100.1	7.6041	50.2856
2022	1	8	14	2	45	20.54	98.7	7.6041	51.8172
2022	1	8	14	12	45	19.75	100.8	7.6041	49.5199
2022	1	8	14	22	45	20.68	99.5	7.5981	52.0288
2022	1	8	14	32	45	19.8	98.1	7.6041	50.0304
2022	1	8	14	42	45	19.91	101.6	7.6041	49.7751
2022	1	8	14	52	45	20.44	98.7	7.5981	51.5188
2022	1	8	15	2	45	20.98	101	7.5981	52.539
2022	1	8	15	12	45	20.24	100.5	7.5981	50.7537
2022	1	8	15	22	45	20.86	99.1	7.5981	52.539
2022	1	8	15	32	45	19.6	100	7.5981	49.2235
2022	1	8	15	42	45	19.24	99	7.5981	48.4584
2022	1	8	15	52	45	20.75	100.6	7.5981	52.029

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	8	16	2	45	19.58	99.7	7.5981	49.2235
2022	1	8	16	12	45	18.93	100.7	7.5981	47.4382
2022	1	8	16	22	45	20.26	100.8	7.5981	50.7537
2022	1	8	16	32	45	20.04	98.9	7.5981	50.4987
2022	1	8	16	42	45	19.08	101.5	7.5981	47.6932
2022	1	8	16	52	45	20.04	98.9	7.5981	50.4987
2022	1	8	17	2	45	20.54	100.4	7.5981	51.5189
2022	1	8	17	12	45	19.88	99.6	7.5981	49.9886
2022	1	8	17	22	45	20.21	98.3	7.5981	51.0088
2022	1	8	17	32	45	20.29	99.6	7.5981	51.0088
2022	1	8	17	42	45	19.87	101	7.5981	49.7336
2022	1	8	17	52	45	19.12	100.5	7.5981	47.9483
2022	1	8	18	2	45	20.07	99.5	7.5981	50.4987
2022	1	8	18	12	45	19.2	101.7	7.5981	47.9483
2022	1	8	18	22	45	19.22	100.5	7.5981	48.2033
2022	1	8	18	32	45	19.84	99	7.5981	49.9886
2022	1	8	18	42	45	19.46	101	7.5981	48.7134
2022	1	8	18	52	45	20.63	100.3	7.5981	51.7739
2022	1	8	19	2	45	19.38	99.8	7.5981	48.7134
2022	1	8	19	12	45	20.34	101.9	7.5981	50.7538
2022	1	8	19	22	45	19.49	101.5	7.5981	48.7134
2022	1	8	19	32	45	20.59	101.2	7.5981	51.5189
2022	1	8	19	42	45	20.22	101.7	7.5981	50.4988
2022	1	8	19	52	45	19.04	100.9	7.5981	47.6933
2022	1	8	20	2	45	19.79	99.9	7.5981	49.7336
2022	1	8	20	12	45	19.84	99	7.5981	49.9887
2022	1	8	20	22	45	19.32	101.9	7.5981	48.2034
2022	1	8	20	32	45	19.26	97.5	7.5981	48.7135
2022	1	8	20	42	45	20.36	100.8	7.5981	51.0089
2022	1	8	20	52	45	19.97	102.4	7.5981	49.7336
2022	1	8	21	2	45	20.52	100.1	7.5981	51.519
2022	1	8	21	12	45	19.4	101.6	7.5981	48.4584
2022	1	8	21	22	45	20.59	101.2	7.5981	51.519
2022	1	8	21	32	45	19.75	100.8	7.5981	49.4786
2022	1	8	21	42	45	20.01	103	7.5981	49.7337
2022	1	8	21	52	45	20.59	101.2	7.5981	51.519
2022	1	8	22	2	45	20.26	100.8	7.5981	50.7538
2022	1	8	22	12	45	20.95	100.5	7.5981	52.5392
2022	1	8	22	22	45	20.01	100.1	7.5981	50.2438
2022	1	8	22	32	45	20.36	102.2	7.5981	50.7539
2022	1	8	22	42	45	20.26	100.8	7.5981	50.7539
2022	1	8	22	52	45	19.76	99.3	7.5981	49.7337
2022	1	8	23	2	45	19.17	102.7	7.5981	47.6933
2022	1	8	23	12	45	20.55	99	7.5981	51.7741
2022	1	8	23	22	45	20.01	100.1	7.5981	50.2438
2022	1	8	23	32	45	19.14	96.9	7.5981	48.4585
2022	1	8	23	42	45	19.38	101.3	7.5981	48.4585
2022	1	8	23	52	45	20.12	100.3	7.5981	50.4989

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	9	0	2	45	19.65	99.1	7.5981	49.4787
2022	1	9	0	12	45	19.04	100.9	7.5981	47.6934
2022	1	9	0	22	45	20.55	102.1	7.5981	51.264
2022	1	9	0	32	45	20.29	99.6	7.5981	51.009
2022	1	9	0	42	45	19.89	102.8	7.5981	49.4787
2022	1	9	0	52	45	19.6	100	7.5981	49.2237
2022	1	9	1	2	45	19.98	101.3	7.5981	49.9889
2022	1	9	1	12	45	19.88	99.6	7.5981	49.9889
2022	1	9	1	22	45	20.39	99.6	7.5981	51.2641
2022	1	9	1	32	45	20.36	100.8	7.5981	51.0091
2022	1	9	1	42	45	20.47	101	7.5981	51.2641
2022	1	9	1	52	45	19.59	97.9	7.5981	49.4788
2022	1	9	2	2	45	20.02	101.8	7.5981	49.9889
2022	1	9	2	12	45	18.55	101.2	7.5981	46.4183
2022	1	9	2	22	45	19.81	101.7	7.5981	49.4788
2022	1	9	2	32	45	19.93	100.4	7.5981	49.9889
2022	1	9	2	42	45	19.73	100.5	7.5981	49.4789
2022	1	9	2	52	45	20.71	101.4	7.5981	51.7743
2022	1	9	3	2	45	19.27	99.6	7.592	48.4181
2022	1	9	3	12	45	18.97	99.7	7.5981	47.6936
2022	1	9	3	22	45	19.71	100.2	7.592	49.4374
2022	1	9	3	32	45	20.7	102.6	7.592	51.4761
2022	1	9	3	42	45	19.71	98.5	7.592	49.6923
2022	1	9	3	52	45	20.63	101.7	7.592	51.4761
2022	1	9	4	2	45	19.28	101.4	7.592	48.1633
2022	1	9	4	12	45	19.72	104.4	7.592	48.673
2022	1	9	4	22	45	19.03	102.1	7.592	47.3988
2022	1	9	4	32	45	20.51	101.5	7.592	51.2213
2022	1	9	4	42	45	19.63	100.6	7.592	49.1827
2022	1	9	4	52	45	19.7	99.9	7.592	49.4375
2022	1	9	5	2	45	20.14	102	7.592	50.202
2022	1	9	5	12	45	20.72	100	7.592	51.9858
2022	1	9	5	22	45	20.02	101.8	7.592	49.9472
2022	1	9	5	32	45	19.93	100.4	7.592	49.9472
2022	1	9	5	42	45	19.6	100	7.592	49.1827
2022	1	9	5	52	45	20.61	101.5	7.592	51.4762
2022	1	9	6	2	45	19.79	101.4	7.592	49.4375
2022	1	9	6	12	45	19.61	100.3	7.592	49.1827
2022	1	9	6	22	45	19.32	101.9	7.592	48.1634
2022	1	9	6	32	45	19.54	102.1	7.592	48.6731
2022	1	9	6	42	45	20.16	102.3	7.592	50.2021
2022	1	9	6	52	45	19.18	101.4	7.592	47.9086
2022	1	9	7	2	45	20.01	100.1	7.592	50.2021
2022	1	9	7	12	45	19.42	101.9	7.592	48.4183
2022	1	9	7	22	45	20.16	103.5	7.592	49.9473
2022	1	9	7	32	45	20.06	100.9	7.592	50.2021
2022	1	9	7	42	45	20.25	99.1	7.592	50.9666
2022	1	9	7	52	45	19.8	102.8	7.592	49.1828

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	9	8	2	45	19.65	100.9	7.592	49.1828
2022	1	9	8	12	45	20.35	99	7.592	51.2215
2022	1	9	8	22	45	19.99	99.8	7.592	50.2021
2022	1	9	8	32	45	19.77	101.1	7.592	49.4375
2022	1	9	8	42	45	20.14	100.6	7.592	50.4569
2022	1	9	8	52	45	20.06	100.9	7.592	50.202
2022	1	9	9	2	45	19.81	101.7	7.592	49.4375
2022	1	9	9	12	45	20.14	102	7.592	50.202
2022	1	9	9	22	45	19.75	100.8	7.5981	49.4789
2022	1	9	9	32	45	18.91	101.9	7.5981	47.1835
2022	1	9	9	42	45	20.36	100.8	7.5981	51.0091
2022	1	9	9	52	45	20.09	99.7	7.5981	50.499
2022	1	9	10	2	45	20.59	101.2	7.5981	51.5191
2022	1	9	10	12	45	20.04	103.3	7.5981	49.7338
2022	1	9	10	22	45	20.98	101	7.5981	52.5393
2022	1	9	10	32	45	19.73	102	7.5981	49.2237
2022	1	9	10	42	45	20.34	101.9	7.5981	50.7539
2022	1	9	10	52	45	19.7	99.9	7.5981	49.4787
2022	1	9	11	2	45	20.24	100.5	7.5981	50.7539
2022	1	9	11	12	45	19.83	101.9	7.5981	49.4786
2022	1	9	11	22	45	19.81	100.2	7.5981	49.7337
2022	1	9	11	32	45	19.34	100.7	7.5981	48.4584
2022	1	9	11	42	45	20.51	101.5	7.5981	51.2639
2022	1	9	11	52	45	19.71	100.2	7.5981	49.4786
2022	1	9	12	2	45	19.87	101	7.5981	49.7336
2022	1	9	12	12	45	19.56	102.4	7.6041	48.7542
2022	1	9	12	22	45	20.13	103.2	7.6041	50.0305
2022	1	9	12	32	45	19.85	100.7	7.5981	49.7336
2022	1	9	12	42	45	20.83	100.2	7.5981	52.284
2022	1	9	12	52	45	20.13	103.2	7.5981	49.9886
2022	1	9	13	2	45	19.92	103.1	7.6041	49.52
2022	1	9	13	12	45	20.17	99.4	7.5981	50.7538
2022	1	9	13	22	45	19.75	102.3	7.5981	49.2235
2022	1	9	13	32	45	19.94	103.3	7.6041	49.52
2022	1	9	13	42	45	20.02	101.8	7.5981	49.9886
2022	1	9	13	52	45	19.02	105.9	7.5981	46.6731
2022	1	9	14	2	45	19.53	98.8	7.5981	49.2235
2022	1	9	14	12	45	19.74	103.5	7.5981	48.9685
2022	1	9	14	22	45	19.85	100.7	7.5981	49.7336
2022	1	9	14	32	45	20.4	102.7	7.5981	50.7538
2022	1	9	14	42	45	19.52	100.3	7.5981	48.9685
2022	1	9	14	52	45	19.66	99.4	7.5981	49.4786
2022	1	9	15	2	45	19.5	100	7.5981	48.9685
2022	1	9	15	12	45	19.75	100.8	7.5981	49.4786
2022	1	9	15	22	45	19.56	102.4	7.5981	48.7135
2022	1	9	15	32	45	20.06	103.6	7.592	49.692
2022	1	9	15	42	45	19.75	102.3	7.592	49.1823
2022	1	9	15	52	45	20.26	100.8	7.5981	50.7538



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	9	16	2	45	20.67	102.3	7.592	51.4758
2022	1	9	16	12	45	19.17	99.6	7.592	48.163
2022	1	9	16	22	45	19.22	100.5	7.592	48.163
2022	1	9	16	32	45	20.21	98.3	7.592	50.9661
2022	1	9	16	42	45	19.91	98.4	7.592	50.2016
2022	1	9	16	52	45	20.04	103.3	7.5981	49.7337
2022	1	9	17	2	45	20.42	100.2	7.5981	51.2639
2022	1	9	17	12	45	20.02	101.8	7.592	49.9468
2022	1	9	17	22	45	19.42	101.9	7.592	48.4178
2022	1	9	17	32	45	20.36	100.8	7.592	50.9661
2022	1	9	17	42	45	20.24	102	7.592	50.4565
2022	1	9	17	52	45	20.59	101.2	7.592	51.4758
2022	1	9	18	2	45	20.95	100.5	7.592	52.4951
2022	1	9	18	12	45	19.26	101.1	7.592	48.163
2022	1	9	18	22	45	19.78	99.6	7.5981	49.7337
2022	1	9	18	32	45	19.79	99.9	7.592	49.692
2022	1	9	18	42	45	19.09	100	7.592	47.9082
2022	1	9	18	52	45	20.51	101.5	7.592	51.221
2022	1	9	19	2	45	20.36	100.8	7.592	50.9662
2022	1	9	19	12	45	19.85	102.2	7.592	49.4372
2022	1	9	19	22	45	19.81	100.2	7.592	49.692
2022	1	9	19	32	45	18.63	99	7.592	46.8889
2022	1	9	19	42	45	18.53	99	7.592	46.6341
2022	1	9	19	52	45	18.9	103.2	7.592	46.8889
2022	1	9	20	2	45	20.16	100.9	7.592	50.4566
2022	1	9	20	12	45	21.2	101.2	7.592	53.0049
2022	1	9	20	22	45	20.01	100.1	7.592	50.2017
2022	1	9	20	32	45	20.1	101.5	7.592	50.2017
2022	1	9	20	42	45	20.32	101.6	7.592	50.7114
2022	1	9	20	52	45	19.46	102.5	7.592	48.4179
2022	1	9	21	2	45	20.24	102	7.592	50.4566
2022	1	9	21	12	45	20.33	103.1	7.592	50.4566
2022	1	9	21	22	45	18.3	98.5	7.592	46.1245
2022	1	9	21	32	45	20.14	102	7.592	50.2018
2022	1	9	21	42	45	20.29	97.9	7.592	51.2211
2022	1	9	21	52	45	18.96	99.4	7.592	47.6535
2022	1	9	22	2	45	20.72	98.3	7.592	52.2405
2022	1	9	22	12	45	20.42	100.2	7.592	51.2212
2022	1	9	22	22	45	19.81	101.7	7.592	49.4374
2022	1	9	22	32	45	19.99	99.8	7.592	50.2018
2022	1	9	22	42	45	18.49	101.9	7.592	46.1245
2022	1	9	22	52	45	19.52	100.3	7.592	48.9277
2022	1	9	23	2	45	20.48	99.6	7.592	51.476
2022	1	9	23	12	45	20.02	101.8	7.592	49.9471
2022	1	9	23	22	45	20.39	99.6	7.592	51.2212
2022	1	9	23	32	45	19.63	100.6	7.592	49.1826
2022	1	9	23	42	45	20.11	104.1	7.592	49.6923
2022	1	9	23	52	45	19.91	101.6	7.592	49.6923

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	10	0	2	45	19.89	99.8	7.592	49.9471
2022	1	10	0	12	45	19.4	100.1	7.592	48.673
2022	1	10	0	22	45	19.47	101.3	7.592	48.673
2022	1	10	0	32	45	20.45	103.3	7.592	50.7117
2022	1	10	0	42	45	19.58	99.7	7.592	49.1827
2022	1	10	0	52	45	19.56	102.4	7.592	48.673
2022	1	10	1	2	45	19.61	101.8	7.592	48.9279
2022	1	10	1	12	45	19.85	100.7	7.592	49.6924
2022	1	10	1	22	45	19.4	100.1	7.592	48.6731
2022	1	10	1	32	45	18.86	99.5	7.592	47.3989
2022	1	10	1	42	45	19.77	101.1	7.5859	49.3961
2022	1	10	1	52	45	19.55	100.9	7.592	48.9279
2022	1	10	2	2	45	20.36	100.8	7.5859	50.9239
2022	1	10	2	12	45	20.16	100.9	7.592	50.4569
2022	1	10	2	22	45	20.53	101.8	7.5859	51.1785
2022	1	10	2	32	45	19.7	99.9	7.5859	49.3962
2022	1	10	2	42	45	19.6	98.2	7.5859	49.3962
2022	1	10	2	52	45	21.12	101.5	7.5859	52.7062
2022	1	10	3	2	45	19.28	101.4	7.5859	48.1231
2022	1	10	3	12	45	19.5	100	7.5859	48.887
2022	1	10	3	22	45	19.57	97.6	7.5859	49.3962
2022	1	10	3	32	45	19.89	102.8	7.5859	49.3962
2022	1	10	3	42	45	19.7	99.9	7.5859	49.3962
2022	1	10	3	52	45	19.85	100.7	7.5859	49.6509
2022	1	10	4	2	45	20.11	100	7.5859	50.4147
2022	1	10	4	12	45	20.04	102.1	7.5859	49.9055
2022	1	10	4	22	45	19.02	100.6	7.5859	47.6139
2022	1	10	4	32	45	19.5	100	7.5859	48.887
2022	1	10	4	42	45	19.65	100.9	7.5859	49.1417
2022	1	10	4	52	45	19.87	101	7.5859	49.6509
2022	1	10	5	2	45	19.53	98.8	7.5859	49.1417
2022	1	10	5	12	45	19.32	100.4	7.5859	48.3778
2022	1	10	5	22	45	19.52	100.3	7.5859	48.8871
2022	1	10	5	32	45	19.63	100.6	7.5859	49.1417
2022	1	10	5	42	45	20.12	101.8	7.5859	50.1602
2022	1	10	5	52	45	20.6	102.6	7.5859	51.1786
2022	1	10	6	2	45	20.14	100.6	7.5859	50.4148
2022	1	10	6	12	45	20.4	102.7	7.5859	50.6694
2022	1	10	6	22	45	19.09	98.1	7.5859	48.1232
2022	1	10	6	32	45	19.42	101.9	7.5859	48.3778
2022	1	10	6	42	45	19.57	101.2	7.5859	48.8871
2022	1	10	6	52	45	19.47	97.7	7.5859	49.1417
2022	1	10	7	2	45	19.28	101.4	7.5859	48.1232
2022	1	10	7	12	45	19.85	102.2	7.5859	49.3963
2022	1	10	7	22	45	19.4	100.1	7.5859	48.6325
2022	1	10	7	32	45	19.65	100.9	7.5859	49.1417
2022	1	10	7	42	45	20.11	102.9	7.5859	49.9056
2022	1	10	7	52	45	20.16	100.9	7.5859	50.4148

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	10	8	2	45	21	101.3	7.5859	52.4518
2022	1	10	8	12	45	20.22	100.3	7.592	50.7119
2022	1	10	8	22	45	20.4	99.9	7.5859	51.1786
2022	1	10	8	32	45	20.16	100.9	7.592	50.4571
2022	1	10	8	42	45	20.93	101.6	7.5859	52.197
2022	1	10	8	52	45	19.87	101	7.592	49.6925
2022	1	10	9	2	45	20.09	99.7	7.592	50.457
2022	1	10	9	12	45	20.22	98.5	7.592	50.9666
2022	1	10	9	22	45	20.4	101.3	7.592	50.9666
2022	1	10	9	32	45	19.7	99.9	7.592	49.4376
2022	1	10	9	42	45	20.01	100.1	7.592	50.2021
2022	1	10	9	52	45	19.28	101.4	7.592	48.1634
2022	1	10	10	2	45	20.91	101.3	7.592	52.2407
2022	1	10	10	12	45	20.14	102	7.592	50.2021
2022	1	10	10	22	45	20.02	101.8	7.592	49.9473
2022	1	10	10	32	45	19.73	100.5	7.592	49.4375
2022	1	10	10	42	45	19.44	100.7	7.592	48.673
2022	1	10	10	52	45	20.06	100.9	7.592	50.2021
2022	1	10	11	2	45	19.81	101.7	7.592	49.4375
2022	1	10	11	12	45	19.56	102.4	7.592	48.673
2022	1	10	11	22	45	20.8	99.7	7.592	52.2406
2022	1	10	11	32	45	19.27	99.6	7.5981	48.4587
2022	1	10	11	42	45	19.49	101.5	7.592	48.673
2022	1	10	11	52	45	19.36	102.5	7.592	48.1633
2022	1	10	12	2	45	19.43	98.9	7.592	48.9278
2022	1	10	12	12	45	18.77	101.4	7.592	46.8891
2022	1	10	12	22	45	20.26	100.8	7.592	50.7116
2022	1	10	12	32	45	20.02	101.8	7.592	49.9471
2022	1	10	12	42	45	18.96	101.3	7.5981	47.4385
2022	1	10	12	52	45	20.03	98.6	7.5981	50.499
2022	1	10	13	2	45	19.14	100.8	7.592	47.9084
2022	1	10	13	12	45	19.71	100.2	7.592	49.4374
2022	1	10	13	22	45	19.6	100	7.592	49.1826
2022	1	10	13	32	45	20.62	102.9	7.592	51.2213
2022	1	10	13	42	45	19.26	101.1	7.592	48.1633
2022	1	10	13	52	45	19.6	103	7.592	48.6729
2022	1	10	14	2	45	20.27	97.4	7.592	51.2212
2022	1	10	14	12	45	19.98	101.3	7.592	49.9471
2022	1	10	14	22	45	20.01	100.1	7.592	50.2019
2022	1	10	14	32	45	20.25	99.1	7.592	50.9664
2022	1	10	14	42	45	19.35	99.2	7.592	48.6728
2022	1	10	14	52	45	19.87	102.5	7.592	49.4373
2022	1	10	15	2	45	19.69	97.9	7.592	49.6921
2022	1	10	15	12	45	20.04	98.9	7.592	50.4567
2022	1	10	15	22	45	20.77	100.8	7.592	51.9857
2022	1	10	15	32	45	20.04	100.6	7.592	50.2019
2022	1	10	15	42	45	19.52	100.3	7.592	48.9277
2022	1	10	15	52	45	19	101.8	7.592	47.3988

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	10	16	2	45	20.26	102.3	7.592	50.4567
2022	1	10	16	12	45	20.48	99.6	7.592	51.4761
2022	1	10	16	22	45	19.8	102.8	7.592	49.1826
2022	1	10	16	32	45	20.46	100.7	7.592	51.2213
2022	1	10	16	42	45	19.83	101.9	7.592	49.4374
2022	1	10	16	52	45	18.91	100.4	7.592	47.3988
2022	1	10	17	2	45	20.3	102.8	7.592	50.4568
2022	1	10	17	12	45	18.42	100.6	7.592	46.1246
2022	1	10	17	22	45	20.02	101.8	7.592	49.9471
2022	1	10	17	32	45	18.93	100.7	7.592	47.3988
2022	1	10	17	42	45	19.7	99.9	7.592	49.4374
2022	1	10	17	52	45	19.71	98.5	7.592	49.6923
2022	1	10	18	2	45	20.61	101.5	7.592	51.4761
2022	1	10	18	12	45	18.79	100.1	7.592	47.1439
2022	1	10	18	22	45	20.13	103.2	7.592	49.9471
2022	1	10	18	32	45	19.94	103.3	7.592	49.4374
2022	1	10	18	42	45	19.22	100.5	7.592	48.1633
2022	1	10	18	52	45	19.48	102.8	7.592	48.4181
2022	1	10	19	2	45	20.98	99.3	7.592	52.7502
2022	1	10	19	12	45	20.14	100.6	7.592	50.4568
2022	1	10	19	22	45	20.47	101	7.592	51.2213
2022	1	10	19	32	45	20.49	101.3	7.592	51.2213
2022	1	10	19	42	45	20.4	101.3	7.592	50.9664
2022	1	10	19	52	45	21.11	102.6	7.592	52.4954
2022	1	10	20	2	45	19.68	99.7	7.592	49.4374
2022	1	10	20	12	45	19.96	101	7.592	49.9471
2022	1	10	20	22	45	19.58	99.7	7.592	49.1826
2022	1	10	20	32	45	19.69	101.4	7.592	49.1826
2022	1	10	20	42	45	19.38	101.3	7.592	48.4181
2022	1	10	20	52	45	20.7	98.1	7.592	52.2406
2022	1	10	21	2	45	20.77	100.8	7.592	51.9858
2022	1	10	21	12	45	20	98	7.592	50.4568
2022	1	10	21	22	45	18.97	99.7	7.592	47.6537
2022	1	10	21	32	45	19.95	102.2	7.592	49.6923
2022	1	10	21	42	45	20.16	100.9	7.592	50.4568
2022	1	10	21	52	45	19.49	101.5	7.592	48.673
2022	1	10	22	2	45	19.2	101.7	7.592	47.9085
2022	1	10	22	12	45	19.76	99.3	7.592	49.6924
2022	1	10	22	22	45	19.46	99.5	7.592	48.9279
2022	1	10	22	32	45	19.79	101.4	7.592	49.4375
2022	1	10	22	42	45	18.93	100.7	7.592	47.3989
2022	1	10	22	52	45	19.88	99.6	7.592	49.9472
2022	1	10	23	2	45	19.81	100.2	7.592	49.6924
2022	1	10	23	12	45	19.65	102.3	7.592	48.9279
2022	1	10	23	22	45	19.79	99.9	7.592	49.6924
2022	1	10	23	32	45	19.72	104.4	7.592	48.6731
2022	1	10	23	42	45	19.7	99.9	7.592	49.4376
2022	1	10	23	52	45	19.97	99.5	7.592	50.2021

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	11	0	2	45	20.06	100.9	7.592	50.2021
2022	1	11	0	12	45	19.94	98.9	7.592	50.2021
2022	1	11	0	22	45	19.17	99.6	7.592	48.1635
2022	1	11	0	32	45	19.6	100	7.592	49.1828
2022	1	11	0	42	45	20.22	98.5	7.592	50.9666
2022	1	11	0	52	45	19.96	101	7.592	49.9473
2022	1	11	1	2	45	18.87	102.9	7.592	46.8893
2022	1	11	1	12	45	18.42	102.2	7.592	45.87
2022	1	11	1	22	45	19.84	99	7.592	49.9474
2022	1	11	1	32	45	20.52	100.1	7.592	51.4764
2022	1	11	1	42	45	19.95	100.7	7.592	49.9474
2022	1	11	1	52	45	19.3	100.1	7.592	48.4184
2022	1	11	2	2	45	19.85	100.7	7.592	49.6926
2022	1	11	2	12	45	19.93	100.4	7.592	49.9474
2022	1	11	2	22	45	20.46	102.1	7.592	50.9667
2022	1	11	2	32	45	19.75	100.8	7.592	49.4378
2022	1	11	2	42	45	20.04	100.6	7.592	50.2023
2022	1	11	2	52	45	20.29	99.6	7.592	50.9668
2022	1	11	3	2	45	20.46	100.7	7.592	51.2216
2022	1	11	3	12	45	20.34	100.5	7.592	50.9668
2022	1	11	3	22	45	19.45	103.7	7.592	48.1636
2022	1	11	3	32	45	18.77	101.4	7.592	46.8895
2022	1	11	3	42	45	19.6	100	7.592	49.183
2022	1	11	3	52	45	19.05	99.4	7.592	47.9088
2022	1	11	4	2	45	19.32	101.9	7.592	48.1636
2022	1	11	4	12	45	19.98	101.3	7.592	49.9475
2022	1	11	4	22	45	20.37	104.8	7.592	50.2023
2022	1	11	4	32	45	20.71	101.4	7.592	51.7313
2022	1	11	4	42	45	20.38	102.5	7.592	50.712
2022	1	11	4	52	45	19.14	100.8	7.592	47.9088
2022	1	11	5	2	45	19.28	101.4	7.592	48.1637
2022	1	11	5	12	45	20.44	98.7	7.592	51.4765
2022	1	11	5	22	45	19.63	100.6	7.592	49.183
2022	1	11	5	32	45	20.49	101.3	7.592	51.2217
2022	1	11	5	42	45	20.32	98.5	7.592	51.2217
2022	1	11	5	52	45	19.43	98.9	7.592	48.9282
2022	1	11	6	2	45	19.5	100	7.592	48.9282
2022	1	11	6	12	45	19.67	101.1	7.592	49.183
2022	1	11	6	22	45	19.1	100.3	7.592	47.9088
2022	1	11	6	32	45	18.86	99.5	7.592	47.3992
2022	1	11	6	42	45	19.32	100.4	7.592	48.4185
2022	1	11	6	52	45	20.25	99.1	7.5981	51.0096
2022	1	11	7	2	45	20.42	101.6	7.5981	51.0096
2022	1	11	7	12	45	19.4	100.1	7.5981	48.7142
2022	1	11	7	22	45	20.34	100.5	7.5981	51.0096
2022	1	11	7	32	45	19.62	103.3	7.5981	48.7142
2022	1	11	7	42	45	19.74	103.5	7.6041	49.0103
2022	1	11	7	52	45	19.85	102.2	7.6041	49.5208

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	11	8	2	45	20.28	103.7	7.6041	50.2866
2022	1	11	8	12	45	19	101.8	7.6041	47.4787
2022	1	11	8	22	45	18.91	101.9	7.6041	47.2234
2022	1	11	8	32	45	19.83	101.9	7.6041	49.5207
2022	1	11	8	42	45	19.22	100.5	7.6041	48.2444
2022	1	11	8	52	45	19.95	100.7	7.6041	50.0312
2022	1	11	9	2	45	20.19	102.6	7.6041	50.2864
2022	1	11	9	12	45	19.17	102.7	7.6041	47.7338
2022	1	11	9	22	45	20.49	101.3	7.6041	51.3074
2022	1	11	9	32	45	20.3	99.9	7.6041	51.0521
2022	1	11	9	42	45	18.76	99.5	7.6041	47.2232
2022	1	11	9	52	45	19.73	102	7.6041	49.2652
2022	1	11	10	2	45	19.87	101	7.6041	49.7757
2022	1	11	10	12	45	20.46	102.1	7.6041	51.052
2022	1	11	10	22	45	19.36	102.5	7.6041	48.2441
2022	1	11	10	32	45	18.57	101.5	7.6041	46.4573
2022	1	11	10	42	45	19.56	102.4	7.6041	48.7546
2022	1	11	10	52	45	19.68	99.7	7.6102	49.5618
2022	1	11	11	2	45	19.36	102.5	7.6102	48.2845
2022	1	11	11	12	45	19.66	105.9	7.6041	48.244
2022	1	11	11	22	45	18.98	101.5	7.6041	47.4782
2022	1	11	11	32	45	19.93	100.4	7.6041	50.0308
2022	1	11	11	42	45	19.02	100.6	7.6102	47.7734
2022	1	11	11	52	45	18.85	101	7.6041	47.2229
2022	1	11	12	2	45	19.81	100.2	7.6041	49.7755
2022	1	11	12	12	45	19.5	100	7.6041	49.0098
2022	1	11	12	22	45	20.18	101.1	7.6041	50.5413
2022	1	11	12	32	45	18.68	103	7.6041	46.4572
2022	1	11	12	42	45	19.91	98.4	7.6041	50.2861
2022	1	11	12	52	45	20.22	100.3	7.6041	50.7966
2022	1	11	13	2	45	19.85	100.7	7.6041	49.7755
2022	1	11	13	12	45	18.95	101	7.6041	47.4782
2022	1	11	13	22	45	18.83	100.7	7.6041	47.2229
2022	1	11	13	32	45	18.69	101.7	7.6041	46.7124
2022	1	11	13	42	45	20.26	100.8	7.6041	50.7966
2022	1	11	13	52	45	20.04	102.1	7.6041	50.0308
2022	1	11	14	2	45	18.63	99	7.6041	46.9677
2022	1	11	14	12	45	19.94	103.3	7.5981	49.4789
2022	1	11	14	22	45	20.17	99.4	7.5981	50.7541
2022	1	11	14	32	45	20.34	98.8	7.5981	51.2642
2022	1	11	14	42	45	19.46	102.5	7.5981	48.4587
2022	1	11	14	52	45	20.01	104.2	7.5981	49.479
2022	1	11	15	2	45	20.45	104.4	7.5981	50.4991
2022	1	11	15	12	45	20.79	102.5	7.5981	51.7744
2022	1	11	15	22	45	19.95	102.2	7.5981	49.734
2022	1	11	15	32	45	19.42	101.9	7.5981	48.4588
2022	1	11	15	42	45	20.06	100.9	7.5981	50.2442
2022	1	11	15	52	45	19.8	105.2	7.5981	48.7139

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	11	16	2	45	19.95	102.2	7.5981	49.7341
2022	1	11	16	12	45	19.68	99.7	7.5981	49.479
2022	1	11	16	22	45	19.87	101	7.5981	49.7341
2022	1	11	16	32	45	19.28	101.4	7.5981	48.2038
2022	1	11	16	42	45	20.46	100.7	7.5981	51.2644
2022	1	11	16	52	45	19.67	101.1	7.5981	49.224
2022	1	11	17	2	45	18.48	100	7.5981	46.4185
2022	1	11	17	12	45	19.96	99.2	7.5981	50.2442
2022	1	11	17	22	45	20.19	102.6	7.592	50.2021
2022	1	11	17	32	45	19.17	102.7	7.5981	47.6937
2022	1	11	17	42	45	19.83	101.9	7.5981	49.479
2022	1	11	17	52	45	19.76	99.3	7.5981	49.7341
2022	1	11	18	2	45	19.28	99.9	7.592	48.4183
2022	1	11	18	12	45	19.4	100.1	7.5981	48.7139
2022	1	11	18	22	45	19.77	101.1	7.592	49.4376
2022	1	11	18	32	45	19.5	100	7.592	48.9279
2022	1	11	18	42	45	21.54	100.2	7.5981	54.0699
2022	1	11	18	52	45	19.79	101.4	7.5981	49.4791
2022	1	11	19	2	45	19.97	102.4	7.5981	49.7341
2022	1	11	19	12	45	20.65	100.6	7.5981	51.7745
2022	1	11	19	22	45	20.85	100.5	7.592	52.2408
2022	1	11	19	32	45	19.27	99.6	7.5981	48.4589
2022	1	11	19	42	45	19.28	99.9	7.592	48.4183
2022	1	11	19	52	45	19.02	100.6	7.592	47.6538
2022	1	11	20	2	45	20.14	100.6	7.5981	50.4993
2022	1	11	20	12	45	19.65	100.9	7.592	49.1828
2022	1	11	20	22	45	20.09	99.7	7.5981	50.4993
2022	1	11	20	32	45	18.56	102.8	7.592	46.1248
2022	1	11	20	42	45	20.53	101.8	7.5981	51.2644
2022	1	11	20	52	45	19.77	102.6	7.592	49.1828
2022	1	11	21	2	45	19.63	98.8	7.592	49.4376
2022	1	11	21	12	45	19.53	98.8	7.592	49.1828
2022	1	11	21	22	45	18.81	100.4	7.5981	47.1837
2022	1	11	21	32	45	18.73	100.8	7.592	46.8893
2022	1	11	21	42	45	18.57	101.5	7.592	46.3797
2022	1	11	21	52	45	20.7	98.1	7.592	52.2408
2022	1	11	22	2	45	18.83	102.3	7.592	46.8893
2022	1	11	22	12	45	19.79	99.9	7.592	49.6925
2022	1	11	22	22	45	18.89	101.6	7.592	47.1442
2022	1	11	22	32	45	19.68	102.6	7.592	48.928
2022	1	11	22	42	45	19.36	102.5	7.592	48.1635
2022	1	11	22	52	45	19.85	102.2	7.592	49.4377
2022	1	11	23	2	45	20.85	101.9	7.592	51.986
2022	1	11	23	12	45	19.58	99.7	7.592	49.1829
2022	1	11	23	22	45	19.65	103.5	7.592	48.6732
2022	1	11	23	32	45	18.68	99.9	7.592	46.8894
2022	1	11	23	42	45	21.16	99	7.592	53.2602
2022	1	11	23	52	45	19.75	100.8	7.592	49.4377

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	12	0	2	45	18.89	101.6	7.592	47.1442
2022	1	12	0	12	45	19.88	97.8	7.592	50.2022
2022	1	12	0	22	45	19.95	102.2	7.592	49.6925
2022	1	12	0	32	45	18.65	104	7.592	46.1249
2022	1	12	0	42	45	19.91	100.1	7.592	49.9474
2022	1	12	0	52	45	20.79	102.5	7.592	51.7312
2022	1	12	1	2	45	19.65	100.9	7.592	49.1829
2022	1	12	1	12	45	19.55	100.9	7.592	48.9281
2022	1	12	1	22	45	20.53	101.8	7.592	51.2216
2022	1	12	1	32	45	19.65	102.3	7.592	48.9281
2022	1	12	1	42	45	18.95	101	7.592	47.3991
2022	1	12	1	52	45	19.34	102.2	7.592	48.1636
2022	1	12	2	2	45	19.67	101.1	7.592	49.1829
2022	1	12	2	12	45	19.86	99.3	7.592	49.9474
2022	1	12	2	22	45	19.15	99.3	7.592	48.1636
2022	1	12	2	32	45	19.96	103.6	7.592	49.4378
2022	1	12	2	42	45	20.3	99.9	7.592	50.9668
2022	1	12	2	52	45	19.24	100.8	7.592	48.1636
2022	1	12	3	2	45	20.78	99.4	7.592	52.241
2022	1	12	3	12	45	20.03	100.4	7.592	50.2023
2022	1	12	3	22	45	20.21	98.3	7.592	50.9668
2022	1	12	3	32	45	20.81	101.4	7.592	51.9861
2022	1	12	3	42	45	20.7	102.6	7.592	51.4765
2022	1	12	3	52	45	19.54	102.1	7.592	48.6733
2022	1	12	4	2	45	18.89	101.6	7.592	47.1443
2022	1	12	4	12	45	19.38	102.8	7.592	48.1636
2022	1	12	4	22	45	20.34	100.5	7.592	50.9668
2022	1	12	4	32	45	19.68	99.7	7.592	49.4378
2022	1	12	4	42	45	18.93	102.2	7.592	47.1443
2022	1	12	4	52	45	20.34	100.5	7.592	50.9668
2022	1	12	5	2	45	21.06	102.1	7.592	52.4958
2022	1	12	5	12	45	20.4	103.9	7.592	50.4572
2022	1	12	5	22	45	20.34	100.5	7.592	50.9668
2022	1	12	5	32	45	19.73	102	7.592	49.183
2022	1	12	5	42	45	20.19	102.6	7.592	50.2023
2022	1	12	5	52	45	20.81	101.4	7.592	51.9862
2022	1	12	6	2	45	19.79	101.4	7.592	49.4378
2022	1	12	6	12	45	20.77	100.8	7.592	51.9862
2022	1	12	6	22	45	19.79	101.4	7.592	49.4378
2022	1	12	6	32	45	20.91	101.3	7.592	52.241
2022	1	12	6	42	45	19.54	102.1	7.592	48.6733
2022	1	12	6	52	45	19.85	102.2	7.592	49.4378
2022	1	12	7	2	45	19.73	100.5	7.592	49.4378
2022	1	12	7	12	45	20.08	103.8	7.592	49.6927
2022	1	12	7	22	45	19.53	98.8	7.592	49.183
2022	1	12	7	32	45	19.61	101.8	7.592	48.9282
2022	1	12	7	42	45	19.58	99.7	7.592	49.183
2022	1	12	7	52	45	19.54	102.1	7.5981	48.7142



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	12	8	2	45	19.2	100.2	7.5981	48.2041
2022	1	12	8	12	45	19.61	101.8	7.5981	48.9692
2022	1	12	8	22	45	18.92	98.8	7.5981	47.6939
2022	1	12	8	32	45	19.61	101.8	7.5981	48.9691
2022	1	12	8	42	45	19.24	100.8	7.5981	48.2039
2022	1	12	8	52	45	17.81	100.7	7.5981	44.6333
2022	1	12	9	2	45	19.95	100.7	7.5981	49.9892
2022	1	12	9	12	45	19.38	102.8	7.5981	48.2039
2022	1	12	9	22	45	20.79	101.1	7.5981	52.0295
2022	1	12	9	32	45	20.06	100.9	7.5981	50.2442
2022	1	12	9	42	45	19.93	100.4	7.5981	49.9891
2022	1	12	9	52	45	19.61	100.3	7.5981	49.224
2022	1	12	10	2	45	19.55	100.9	7.5981	48.9689
2022	1	12	10	12	45	19.18	101.4	7.5981	47.9487
2022	1	12	10	22	45	18.98	101.5	7.5981	47.4385
2022	1	12	10	32	45	19.01	100.3	7.5981	47.6936
2022	1	12	10	42	45	18.96	99.4	7.6041	47.7335
2022	1	12	10	52	45	19.81	100.2	7.5981	49.7339
2022	1	12	11	2	45	20.46	100.7	7.5981	51.2642
2022	1	12	11	12	45	20.2	101.4	7.5981	50.499
2022	1	12	11	22	45	20.26	102.3	7.5981	50.499
2022	1	12	11	32	45	19.96	103.6	7.6041	49.5203
2022	1	12	11	42	45	19.46	102.5	7.5981	48.4586
2022	1	12	11	52	45	19.46	99.5	7.5981	48.9687
2022	1	12	12	2	45	20.24	102	7.5981	50.499
2022	1	12	12	12	45	19.34	100.7	7.6041	48.4992
2022	1	12	12	22	45	18.61	102.1	7.5981	46.4182
2022	1	12	12	32	45	19.73	102	7.6041	49.265
2022	1	12	12	42	45	19.55	103.6	7.5981	48.4586
2022	1	12	12	52	45	20.25	99.1	7.5981	51.009
2022	1	12	13	2	45	19.96	101	7.5981	49.9888
2022	1	12	13	12	45	19.17	99.6	7.5981	48.2035
2022	1	12	13	22	45	18.71	98.6	7.5981	47.1833
2022	1	12	13	32	45	19.75	102.3	7.5981	49.2237
2022	1	12	13	42	45	19.26	101.1	7.5981	48.2035
2022	1	12	13	52	45	19.26	101.1	7.5981	48.2035
2022	1	12	14	2	45	19.91	101.6	7.5981	49.7339
2022	1	12	14	12	45	19.63	100.6	7.5981	49.2237
2022	1	12	14	22	45	19.04	99.1	7.5981	47.9485
2022	1	12	14	32	45	19.44	102.2	7.5981	48.4587
2022	1	12	14	42	45	19.5	103	7.5981	48.4587
2022	1	12	14	52	45	19.25	99.3	7.592	48.418
2022	1	12	15	2	45	19.61	101.8	7.592	48.9278
2022	1	12	15	12	45	19.55	103.6	7.592	48.4181
2022	1	12	15	22	45	19.42	101.9	7.592	48.4181
2022	1	12	15	32	45	19.02	100.6	7.592	47.6536
2022	1	12	15	42	45	19.52	100.3	7.592	48.9278
2022	1	12	15	52	45	20.04	103.3	7.592	49.6923

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	12	16	2	45	19.91	101.6	7.592	49.6923
2022	1	12	16	12	45	20.2	101.4	7.592	50.4568
2022	1	12	16	22	45	19.73	102	7.592	49.1826
2022	1	12	16	32	45	19.59	97.9	7.592	49.4374
2022	1	12	16	42	45	19.74	99	7.592	49.6923
2022	1	12	16	52	45	19.55	99.1	7.592	49.1826
2022	1	12	17	2	45	19.86	103.7	7.592	49.1826
2022	1	12	17	12	45	19.91	101.6	7.592	49.6923
2022	1	12	17	22	45	19.6	100	7.592	49.1826
2022	1	12	17	32	45	20.71	101.4	7.592	51.7309
2022	1	12	17	42	45	19.75	100.8	7.592	49.4374
2022	1	12	17	52	45	19.4	100.1	7.592	48.673
2022	1	12	18	2	45	19.18	101.4	7.592	47.9085
2022	1	12	18	12	45	19.46	97.4	7.592	49.1826
2022	1	12	18	22	45	19.4	100.1	7.592	48.673
2022	1	12	18	32	45	18.4	101.9	7.592	45.8698
2022	1	12	18	42	45	19.71	98.5	7.592	49.6923
2022	1	12	18	52	45	20.63	100.3	7.592	51.731
2022	1	12	19	2	45	19.34	100.7	7.592	48.4181
2022	1	12	19	12	45	19.94	98.9	7.592	50.202
2022	1	12	19	22	45	20.09	99.7	7.592	50.4568
2022	1	12	19	32	45	19.76	99.3	7.592	49.6923
2022	1	12	19	42	45	19.28	99.9	7.592	48.4181
2022	1	12	19	52	45	18.76	99.5	7.592	47.144
2022	1	12	20	2	45	19.7	99.9	7.5859	49.396
2022	1	12	20	12	45	18.97	99.7	7.5859	47.6137
2022	1	12	20	22	45	19.84	99	7.592	49.9471
2022	1	12	20	32	45	19.28	99.9	7.5859	48.3775
2022	1	12	20	42	45	20.41	98.2	7.5859	51.433
2022	1	12	20	52	45	19.98	103.9	7.592	49.4375
2022	1	12	21	2	45	20.1	101.5	7.5859	50.1599
2022	1	12	21	12	45	20.09	99.7	7.5859	50.4145
2022	1	12	21	22	45	20.07	97.4	7.5859	50.6691
2022	1	12	21	32	45	19.77	101.1	7.5859	49.396
2022	1	12	21	42	45	19.08	101.5	7.592	47.6537
2022	1	12	21	52	45	20.72	98.3	7.5859	52.1968
2022	1	12	22	2	45	20.04	100.6	7.5859	50.1599
2022	1	12	22	12	45	18.96	101.3	7.5859	47.3591
2022	1	12	22	22	45	20.01	98.3	7.5859	50.4145
2022	1	12	22	32	45	19.63	100.6	7.5859	49.1414
2022	1	12	22	42	45	19.92	103.1	7.5859	49.396
2022	1	12	22	52	45	20.14	100.6	7.5859	50.4145
2022	1	12	23	2	45	20.53	101.8	7.5859	51.1784
2022	1	12	23	12	45	18.51	100.6	7.5859	46.3406
2022	1	12	23	22	45	20.18	101.1	7.5859	50.4145
2022	1	12	23	32	45	19.34	100.7	7.5859	48.3776
2022	1	12	23	42	45	19.85	100.7	7.5859	49.6507
2022	1	12	23	52	45	19.65	102.3	7.5859	48.8868

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	13	0	2	45	20.21	102.9	7.5859	50.1599
2022	1	13	0	12	45	19.87	101	7.5859	49.6507
2022	1	13	0	22	45	19.75	102.3	7.5859	49.1414
2022	1	13	0	32	45	19.06	101.2	7.5859	47.6137
2022	1	13	0	42	45	19.18	101.4	7.5859	47.8683
2022	1	13	0	52	45	20.12	100.3	7.5859	50.4145
2022	1	13	1	2	45	20.22	100.3	7.5859	50.6691
2022	1	13	1	12	45	19.05	102.4	7.5859	47.3591
2022	1	13	1	22	45	19.93	100.4	7.5798	49.8634
2022	1	13	1	32	45	19.65	102.3	7.5859	48.8868
2022	1	13	1	42	45	20.49	101.3	7.5859	51.1784
2022	1	13	1	52	45	19.63	100.6	7.5798	49.1002
2022	1	13	2	2	45	19.79	99.9	7.5859	49.6507
2022	1	13	2	12	45	19.52	98.5	7.5798	49.1002
2022	1	13	2	22	45	18.93	100.7	7.5798	47.3194
2022	1	13	2	32	45	19.3	100.1	7.5798	48.337
2022	1	13	2	42	45	18.96	101.3	7.5798	47.3194
2022	1	13	2	52	45	19.39	98	7.5798	48.8458
2022	1	13	3	2	45	19.96	103.6	7.5798	49.3546
2022	1	13	3	12	45	19.91	104.2	7.5798	49.1002
2022	1	13	3	22	45	19.91	104.2	7.5798	49.1002
2022	1	13	3	32	45	20.47	101	7.5798	51.1354
2022	1	13	3	42	45	19.66	99.4	7.5798	49.3546
2022	1	13	3	52	45	20.52	100.1	7.5798	51.3899
2022	1	13	4	2	45	20.22	101.7	7.5798	50.3722
2022	1	13	4	12	45	19.57	101.2	7.5798	48.8458
2022	1	13	4	22	45	20.75	100.6	7.5798	51.8987
2022	1	13	4	32	45	21.24	100.3	7.5798	53.1707
2022	1	13	4	42	45	19.18	97.8	7.5798	48.337
2022	1	13	4	52	45	20.09	102.7	7.5798	49.8634
2022	1	13	5	2	45	19.38	101.3	7.5798	48.337
2022	1	13	5	12	45	20.39	99.6	7.5798	51.1354
2022	1	13	5	22	45	19.77	101.1	7.5798	49.3546
2022	1	13	5	32	45	20.04	100.6	7.5798	50.1178
2022	1	13	5	42	45	18.86	99.5	7.5737	47.2796
2022	1	13	5	52	45	20.04	98.9	7.5798	50.3722
2022	1	13	6	2	45	19.91	101.6	7.5798	49.609
2022	1	13	6	12	45	19.27	99.6	7.5798	48.337
2022	1	13	6	22	45	20.7	102.6	7.5798	51.3899
2022	1	13	6	32	45	19.63	100.6	7.5737	49.0589
2022	1	13	6	42	45	19.76	99.3	7.5737	49.5673
2022	1	13	6	52	45	20.17	99.4	7.5798	50.6266
2022	1	13	7	2	45	19.6	100	7.5737	49.0589
2022	1	13	7	12	45	19.46	99.5	7.5737	48.8047
2022	1	13	7	22	45	20.08	101.2	7.5737	50.0757
2022	1	13	7	32	45	19.46	102.5	7.5737	48.2964
2022	1	13	7	42	45	20.09	99.7	7.5737	50.3299
2022	1	13	7	52	45	18.93	100.7	7.5737	47.2796

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	13	8	2	45	20.42	100.2	7.5737	51.0924
2022	1	13	8	12	45	18.56	99.6	7.5737	46.517
2022	1	13	8	22	45	19.77	101.1	7.5737	49.3131
2022	1	13	8	32	45	19.77	101.1	7.5737	49.313
2022	1	13	8	42	45	20.26	100.8	7.5737	50.584
2022	1	13	8	52	45	19.74	99	7.5737	49.5672
2022	1	13	9	2	45	19.81	100.2	7.5676	49.5255
2022	1	13	9	12	45	19.81	101.7	7.5737	49.313
2022	1	13	9	22	45	19.54	102.1	7.5737	48.5504
2022	1	13	9	32	45	19.8	102.8	7.5676	49.0175
2022	1	13	9	42	45	19.35	99.2	7.5676	48.5095
2022	1	13	9	52	45	19.49	101.5	7.5676	48.5095
2022	1	13	10	2	45	19.47	101.3	7.5615	48.4687
2022	1	13	10	12	45	19.85	96.9	7.5615	49.9913
2022	1	13	10	22	45	19.77	101.1	7.5615	49.23
2022	1	13	10	32	45	19.12	100.5	7.5615	47.7074
2022	1	13	10	42	45	19.88	99.6	7.5615	49.7374
2022	1	13	10	52	45	18.68	103	7.5554	46.1458
2022	1	13	11	2	45	20.24	100.5	7.5615	50.4986
2022	1	13	11	12	45	19.97	102.4	7.5554	49.4419
2022	1	13	11	22	45	19.66	99.4	7.5554	49.1884
2022	1	13	11	32	45	20.04	100.6	7.5554	49.9489
2022	1	13	11	42	45	19.47	101.3	7.5554	48.4277
2022	1	13	11	52	45	19.97	102.4	7.5554	49.4419
2022	1	13	12	2	45	19.02	100.6	7.5554	47.4135
2022	1	13	12	12	45	20.16	100.9	7.5554	50.2026
2022	1	13	12	22	45	19.02	100.6	7.5554	47.4135
2022	1	13	12	32	45	18.69	101.7	7.5554	46.3994
2022	1	13	12	42	45	20.36	100.8	7.5554	50.7097
2022	1	13	12	52	45	19.12	100.5	7.5554	47.6671
2022	1	13	13	2	45	20.17	99.4	7.5554	50.4561
2022	1	13	13	12	45	19.75	100.8	7.5554	49.1883
2022	1	13	13	22	45	19.96	99.2	7.5554	49.949
2022	1	13	13	32	45	19.73	102	7.5554	48.9348
2022	1	13	13	42	45	20.38	102.5	7.5493	50.4135
2022	1	13	13	52	45	19.78	99.6	7.5554	49.4418
2022	1	13	14	2	45	18.93	100.7	7.5554	47.1598
2022	1	13	14	12	45	19.7	99.9	7.5554	49.1882
2022	1	13	14	22	45	20.19	99.7	7.5554	50.456
2022	1	13	14	32	45	19.75	100.8	7.5493	49.1468
2022	1	13	14	42	45	20.98	99.3	7.5493	52.4401
2022	1	13	14	52	45	20.07	99.5	7.5493	50.1601
2022	1	13	15	2	45	20.44	101.9	7.5493	50.6668
2022	1	13	15	12	45	19.77	101.1	7.5493	49.1468
2022	1	13	15	22	45	18.64	99.3	7.5493	46.6134
2022	1	13	15	32	45	20.88	99.4	7.5493	52.1868
2022	1	13	15	42	45	19.54	102.1	7.5493	48.3868
2022	1	13	15	52	45	20.4	101.3	7.5493	50.6668

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	13	16	2	45	19.17	99.6	7.5493	47.8801
2022	1	13	16	12	45	19.6	100	7.5493	48.8935
2022	1	13	16	22	45	19.96	99.2	7.5493	49.9068
2022	1	13	16	32	45	19.93	101.9	7.5493	49.4001
2022	1	13	16	42	45	19.38	101.3	7.5493	48.1334
2022	1	13	16	52	45	19.39	98	7.5493	48.6401
2022	1	13	17	2	45	20.16	103.5	7.5493	49.6535
2022	1	13	17	12	45	19.75	102.3	7.5493	48.8935
2022	1	13	17	22	45	20.07	99.5	7.5493	50.1601
2022	1	13	17	32	45	19.4	101.6	7.5493	48.1334
2022	1	13	17	42	45	20.95	98.8	7.5493	52.4401
2022	1	13	17	52	45	20.34	100.5	7.5493	50.6668
2022	1	13	18	2	45	19.89	99.8	7.5432	49.6115
2022	1	13	18	12	45	20.12	100.3	7.5493	50.1601
2022	1	13	18	22	45	19.58	99.7	7.5493	48.8934
2022	1	13	18	32	45	20.09	102.7	7.5432	49.6115
2022	1	13	18	42	45	20.26	100.8	7.5432	50.3709
2022	1	13	18	52	45	20.6	99.8	7.5432	51.3834
2022	1	13	19	2	45	20.55	100.7	7.5432	51.1303
2022	1	13	19	12	45	19.83	100.5	7.5432	49.3584
2022	1	13	19	22	45	18.66	99.6	7.5432	46.5741
2022	1	13	19	32	45	19.62	98.5	7.5432	49.1053
2022	1	13	19	42	45	19.78	99.6	7.5432	49.3584
2022	1	13	19	52	45	19.49	98	7.5432	48.8522
2022	1	13	20	2	45	18.31	103.6	7.5432	45.0554
2022	1	13	20	12	45	19.12	102.1	7.5432	47.3335
2022	1	13	20	22	45	20.4	103.9	7.5432	50.1178
2022	1	13	20	32	45	19.38	101.3	7.5432	48.0928
2022	1	13	20	42	45	19.87	101	7.5432	49.3584
2022	1	13	20	52	45	19.88	99.6	7.5432	49.6115
2022	1	13	21	2	45	19.69	101.4	7.5432	48.8522
2022	1	13	21	12	45	19.73	102	7.5432	48.8522
2022	1	13	21	22	45	20.09	102.7	7.5432	49.6116
2022	1	13	21	32	45	19.26	102.6	7.5432	47.5866
2022	1	13	21	42	45	20.03	98.6	7.5432	50.1178
2022	1	13	21	52	45	19.71	100.2	7.5432	49.1053
2022	1	13	22	2	45	20.1	101.5	7.5432	49.8647
2022	1	13	22	12	45	19.49	101.5	7.5432	48.346
2022	1	13	22	22	45	20.04	103.3	7.5432	49.3585
2022	1	13	22	32	45	20.98	99.3	7.5432	52.3959
2022	1	13	22	42	45	19.87	101	7.5432	49.3585
2022	1	13	22	52	45	19.89	99.8	7.5432	49.6116
2022	1	13	23	2	45	19.32	101.9	7.5432	47.8398
2022	1	13	23	12	45	18.61	100.5	7.5432	46.321
2022	1	13	23	22	45	19.16	97.5	7.5371	48.0523
2022	1	13	23	32	45	19.47	101.3	7.5371	48.3052
2022	1	13	23	42	45	19.2	101.7	7.5371	47.5465
2022	1	13	23	52	45	20.01	103	7.5371	49.3168

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	14	0	2	45	19.76	99.3	7.5371	49.3168
2022	1	14	0	12	45	20.46	100.7	7.5371	50.8343
2022	1	14	0	22	45	19.12	100.5	7.5371	47.5465
2022	1	14	0	32	45	19.38	99.8	7.5371	48.3052
2022	1	14	0	42	45	18.53	100.9	7.5371	46.0291
2022	1	14	0	52	45	19.63	100.6	7.5371	48.8111
2022	1	14	1	2	45	21.31	99.7	7.5371	53.1105
2022	1	14	1	12	45	20.46	100.7	7.5371	50.8343
2022	1	14	1	22	45	20.06	100.9	7.5371	49.8227
2022	1	14	1	32	45	19.36	102.5	7.5371	47.7994
2022	1	14	1	42	45	19.46	102.5	7.5371	48.0523
2022	1	14	1	52	45	19.38	99.8	7.5371	48.3053
2022	1	14	2	2	45	19.69	101.4	7.5371	48.8111
2022	1	14	2	12	45	19.06	101.2	7.5371	47.2937
2022	1	14	2	22	45	19.55	100.9	7.5371	48.5582
2022	1	14	2	32	45	20.12	100.3	7.5371	50.0756
2022	1	14	2	42	45	19.66	99.4	7.5371	49.064
2022	1	14	2	52	45	19.99	102.7	7.5371	49.3169
2022	1	14	3	2	45	19.08	101.5	7.531	47.2537
2022	1	14	3	12	45	20.47	101	7.531	50.7914
2022	1	14	3	22	45	19.77	101.1	7.531	49.0226
2022	1	14	3	32	45	20.91	101.3	7.531	51.8022
2022	1	14	3	42	45	18.93	100.7	7.531	47.001
2022	1	14	3	52	45	19.3	100.1	7.531	48.0118
2022	1	14	4	2	45	20.04	100.6	7.531	49.7807
2022	1	14	4	12	45	19.35	97.1	7.531	48.5172
2022	1	14	4	22	45	20.04	98.9	7.531	50.0334
2022	1	14	4	32	45	19.44	100.7	7.531	48.2645
2022	1	14	4	42	45	20.63	100.3	7.531	51.2969
2022	1	14	4	52	45	19.65	99.1	7.531	49.0226
2022	1	14	5	2	45	19.46	102.5	7.531	48.0118
2022	1	14	5	12	45	20.23	103.1	7.531	49.7807
2022	1	14	5	22	45	19.14	102.4	7.531	47.2538
2022	1	14	5	32	45	19.57	101.2	7.531	48.5173
2022	1	14	5	42	45	20.2	101.4	7.531	50.0334
2022	1	14	5	52	45	20.25	99.1	7.531	50.5388
2022	1	14	6	2	45	19.79	101.4	7.5249	48.9812
2022	1	14	6	12	45	20.06	99.2	7.5249	49.9911
2022	1	14	6	22	45	20.52	100.1	7.5249	51.001
2022	1	14	6	32	45	19.71	100.2	7.5249	48.9812
2022	1	14	6	42	45	20.18	101.1	7.5249	49.9911
2022	1	14	6	52	45	20.06	100.9	7.5249	49.7386
2022	1	14	7	2	45	19.2	100.2	7.5249	47.7188
2022	1	14	7	12	45	19.35	99.2	7.5249	48.2237
2022	1	14	7	22	45	19.77	101.1	7.5249	48.9812
2022	1	14	7	32	45	20.02	101.8	7.5249	49.4861
2022	1	14	7	42	45	20.16	100.9	7.5249	49.9911
2022	1	14	7	52	45	19.92	103.1	7.5249	48.9812

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	14	8	2	45	18.78	98	7.5249	46.9613
2022	1	14	8	12	45	20.16	102.3	7.5249	49.7386
2022	1	14	8	22	45	20.06	100.9	7.5249	49.7386
2022	1	14	8	32	45	19.73	98.7	7.5249	49.2335
2022	1	14	8	42	45	20.29	97.9	7.5249	50.7484
2022	1	14	8	52	45	20.47	97.3	7.5249	51.2533
2022	1	14	9	2	45	19.98	97.8	7.5249	49.9909
2022	1	14	9	12	45	21.47	99.1	7.5188	53.4803
2022	1	14	9	22	45	20.72	96.1	7.5249	52.0106
2022	1	14	9	32	45	21.62	98.2	7.5249	54.0304
2022	1	14	9	42	45	21.13	98.4	7.5249	52.768
2022	1	14	9	52	45	19.8	98.1	7.5249	49.4858
2022	1	14	10	2	45	21.84	98.4	7.5249	54.5353
2022	1	14	10	12	45	20.12	96.3	7.5249	50.4956
2022	1	14	10	22	45	20.34	96.8	7.5249	51.0006
2022	1	14	10	32	45	20.66	97.2	7.5249	51.758
2022	1	14	10	42	45	20.94	96.6	7.5249	52.5154
2022	1	14	10	52	45	20.9	98	7.5249	52.2629
2022	1	14	11	2	45	20.04	96.9	7.5249	50.243
2022	1	14	11	12	45	21.27	99.2	7.5249	53.0203
2022	1	14	11	22	45	20.45	97	7.5249	51.253
2022	1	14	11	32	45	21.77	97.1	7.5249	54.5351
2022	1	14	11	42	45	20.75	98.9	7.5249	51.7579
2022	1	14	11	52	45	20.73	96.4	7.5249	52.0103
2022	1	14	12	2	45	20.37	97.3	7.5249	51.0004
2022	1	14	12	12	45	21.6	95.6	7.5249	54.2825
2022	1	14	12	22	45	20.29	95.4	7.5188	50.9571
2022	1	14	12	32	45	20.75	98.9	7.5188	51.7139
2022	1	14	12	42	45	21.4	97.8	7.5249	53.525
2022	1	14	12	52	45	19.5	98.3	7.5188	48.6868
2022	1	14	13	2	45	21.74	96.6	7.5249	54.5349
2022	1	14	13	12	45	20.52	98.4	7.5249	51.2527
2022	1	14	13	22	45	21.28	94.9	7.5188	53.4797
2022	1	14	13	32	45	18.64	99.3	7.5188	46.4163
2022	1	14	13	42	45	19.34	100.7	7.5188	47.9299
2022	1	14	13	52	45	19.96	99.2	7.5188	49.6957
2022	1	14	14	2	45	20.55	100.7	7.5188	50.957
2022	1	14	14	12	45	19.75	97	7.5188	49.4434
2022	1	14	14	22	45	20.57	99.2	7.5188	51.2092
2022	1	14	14	32	45	20.18	97.7	7.5188	50.4524
2022	1	14	14	42	45	20.11	98.3	7.5127	50.1577
2022	1	14	14	52	45	20.92	98.2	7.5127	52.1741
2022	1	14	15	2	45	19.99	99.8	7.5127	49.6536
2022	1	14	15	12	45	18.87	99.8	7.5127	46.881
2022	1	14	15	22	45	20.12	100.3	7.5066	49.8633
2022	1	14	15	32	45	18.85	101	7.5066	46.5895
2022	1	14	15	42	45	18.79	100.1	7.5066	46.5895
2022	1	14	15	52	45	18.75	101.1	7.5066	46.3377

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	14	16	2	45	20.51	101.5	7.5066	50.6189
2022	1	14	16	12	45	20.36	100.8	7.5127	50.4097
2022	1	14	16	22	45	19.32	100.4	7.5066	47.8487
2022	1	14	16	32	45	19.51	101.8	7.5127	48.1413
2022	1	14	16	42	45	18.83	100.7	7.5066	46.5895
2022	1	14	16	52	45	20	101.5	7.5127	49.4016
2022	1	14	17	2	45	19.87	101	7.5127	49.1495
2022	1	14	17	12	45	18.85	101	7.5127	46.629
2022	1	14	17	22	45	18.61	98.7	7.5127	46.377
2022	1	14	17	32	45	20.73	101.7	7.5127	51.1659
2022	1	14	17	42	45	18.09	100.2	7.5127	44.8647
2022	1	14	17	52	45	20.38	101	7.5127	50.4097
2022	1	14	18	2	45	19.85	102.2	7.5127	48.8975
2022	1	14	18	12	45	18.61	98.7	7.5188	46.4163
2022	1	14	18	22	45	20.55	100.7	7.5127	50.9138
2022	1	14	18	32	45	19.75	102.3	7.5188	48.6867
2022	1	14	18	42	45	18.71	98.6	7.5127	46.629
2022	1	14	18	52	45	19.97	99.5	7.5127	49.6536
2022	1	14	19	2	45	20.22	101.7	7.5127	49.9057
2022	1	14	19	12	45	19.38	101.3	7.5127	47.8893
2022	1	14	19	22	45	20.21	100	7.5127	50.1577
2022	1	14	19	32	45	18.66	97.4	7.5127	46.629
2022	1	14	19	42	45	18.93	102.2	7.5188	46.6686
2022	1	14	19	52	45	18.89	101.6	7.5188	46.6686
2022	1	14	20	2	45	19.41	103.1	7.5188	47.6776
2022	1	14	20	12	45	19.59	101.5	7.5249	48.4755
2022	1	14	20	22	45	19.49	101.5	7.5249	48.223
2022	1	14	20	32	45	20.04	100.6	7.5188	49.6957
2022	1	14	20	42	45	20.83	101.6	7.5249	51.5052
2022	1	14	20	52	45	19.7	102.9	7.5188	48.4344
2022	1	14	21	2	45	20.85	100.5	7.5127	51.67
2022	1	14	21	12	45	20.24	100.5	7.5188	50.2003
2022	1	14	21	22	45	19.85	102.2	7.5249	48.9804
2022	1	14	21	32	45	19.12	98.7	7.5188	47.6777
2022	1	14	21	42	45	18.44	100.9	7.5188	45.6596
2022	1	14	21	52	45	18.93	102.2	7.5249	46.7081
2022	1	14	22	2	45	19.04	100.9	7.5249	47.2131
2022	1	14	22	12	45	19.15	99.3	7.5249	47.7181
2022	1	14	22	22	45	19.1	100.3	7.5249	47.4656
2022	1	14	22	32	45	20.19	99.7	7.5249	50.2428
2022	1	14	22	42	45	20.06	100.9	7.5249	49.7379
2022	1	14	22	52	45	18.79	100.1	7.5249	46.7082
2022	1	14	23	2	45	20.21	100	7.5249	50.2428
2022	1	14	23	12	45	18.53	100.9	7.5249	45.9507
2022	1	14	23	22	45	19.58	99.7	7.5249	48.728
2022	1	14	23	32	45	20.57	99.2	7.5249	51.2528
2022	1	14	23	42	45	19.1	100.3	7.5249	47.4656
2022	1	14	23	52	45	18.81	102	7.5249	46.4557



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	15	0	2	45	19.26	101.1	7.5249	47.7181
2022	1	15	0	12	45	18.67	97.7	7.5249	46.7082
2022	1	15	0	22	45	19.15	99.3	7.5249	47.7181
2022	1	15	0	32	45	19.28	99.9	7.531	48.0112
2022	1	15	0	42	45	19.74	99	7.5249	49.233
2022	1	15	0	52	45	19.53	98.8	7.5249	48.728
2022	1	15	1	2	45	18.63	100.8	7.5249	46.2033
2022	1	15	1	12	45	19.28	101.4	7.5249	47.7181
2022	1	15	1	22	45	19.53	100.6	7.5249	48.4756
2022	1	15	1	32	45	19.63	102.1	7.5249	48.4756
2022	1	15	1	42	45	19.94	103.3	7.5249	48.9805
2022	1	15	1	52	45	19.17	99.6	7.5249	47.7181
2022	1	15	2	2	45	19.88	99.6	7.5249	49.4855
2022	1	15	2	12	45	19.4	100.1	7.5249	48.2231
2022	1	15	2	22	45	19.49	101.5	7.5249	48.2231
2022	1	15	2	32	45	19.46	101	7.5249	48.2231
2022	1	15	2	42	45	20.04	102.1	7.5249	49.4855
2022	1	15	2	52	45	18.76	99.5	7.5249	46.7083
2022	1	15	3	2	45	20.07	102.4	7.5249	49.4855
2022	1	15	3	12	45	20.49	103.8	7.5249	50.2429
2022	1	15	3	22	45	19.4	101.6	7.5249	47.9707
2022	1	15	3	32	45	19.89	99.8	7.5249	49.4855
2022	1	15	3	42	45	19.79	99.9	7.5249	49.2331
2022	1	15	3	52	45	19.89	99.8	7.5249	49.4855
2022	1	15	4	2	45	19.04	100.9	7.5249	47.2133
2022	1	15	4	12	45	19.59	101.5	7.5249	48.4756
2022	1	15	4	22	45	19.38	101.3	7.5249	47.9707
2022	1	15	4	32	45	19.81	100.2	7.5249	49.2331
2022	1	15	4	42	45	19.59	101.5	7.5249	48.4757
2022	1	15	4	52	45	19.28	99.9	7.5249	47.9707
2022	1	15	5	2	45	18.78	105.4	7.5249	45.6984
2022	1	15	5	12	45	20.1	101.5	7.5249	49.7381
2022	1	15	5	22	45	19.63	102.1	7.5188	48.4346
2022	1	15	5	32	45	19.87	104.9	7.5249	48.4757
2022	1	15	5	42	45	19.5	100	7.5249	48.4757
2022	1	15	5	52	45	17.74	99.4	7.5249	44.1836
2022	1	15	6	2	45	19.57	101.2	7.5249	48.4757
2022	1	15	6	12	45	19.16	103.9	7.5249	46.9608
2022	1	15	6	22	45	19.65	102.3	7.5249	48.4757
2022	1	15	6	32	45	19.95	100.7	7.5249	49.4856
2022	1	15	6	42	45	19.18	101.4	7.5188	47.4256
2022	1	15	6	52	45	19.96	101	7.5188	49.4437
2022	1	15	7	2	45	19.14	99	7.5188	47.6779
2022	1	15	7	12	45	19	101.8	7.5188	46.9211
2022	1	15	7	22	45	19.71	100.2	7.5188	48.9392
2022	1	15	7	32	45	19.65	102.3	7.5249	48.4757
2022	1	15	7	42	45	18.93	100.7	7.5188	46.9211
2022	1	15	7	52	45	19.29	98	7.5188	48.1824

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	15	8	2	45	19.14	100.8	7.5188	47.4256
2022	1	15	8	12	45	18.26	101.4	7.5249	45.1935
2022	1	15	8	22	45	19.22	100.5	7.5188	47.6779
2022	1	15	8	32	45	18.99	98.2	7.5188	47.4256
2022	1	15	8	42	45	19.55	100.9	7.5188	48.4346
2022	1	15	8	52	45	18.78	102.9	7.5188	46.1643
2022	1	15	9	2	45	19.26	101.1	7.5249	47.7182
2022	1	15	9	12	45	19.55	99.1	7.5188	48.6869
2022	1	15	9	22	45	18.03	102.5	7.5249	44.436
2022	1	15	9	32	45	20.19	99.7	7.5188	50.2004
2022	1	15	9	42	45	18.99	103.1	7.5249	46.7083
2022	1	15	9	52	45	19.59	101.5	7.5249	48.4756
2022	1	15	10	2	45	19.96	101	7.5188	49.4436
2022	1	15	10	12	45	19.22	100.5	7.5249	47.718
2022	1	15	10	22	45	19.6	100	7.5188	48.6866
2022	1	15	10	32	45	19.49	101.5	7.5249	48.2228
2022	1	15	10	42	45	20.25	103.4	7.5188	49.6956
2022	1	15	10	52	45	19.93	101.9	7.5188	49.1911
2022	1	15	11	2	45	20.33	103.1	7.5188	49.9478
2022	1	15	11	12	45	19.14	99	7.5188	47.6774
2022	1	15	11	22	45	20.01	100.1	7.5188	49.6954
2022	1	15	11	32	45	18.68	103	7.5127	45.8727
2022	1	15	11	42	45	19.89	101.3	7.5188	49.191
2022	1	15	11	52	45	20.38	101	7.5188	50.4524
2022	1	15	12	2	45	19.73	98.7	7.5188	49.1911
2022	1	15	12	12	45	20.12	101.8	7.5188	49.6956
2022	1	15	12	22	45	19.56	99.4	7.5188	48.6866
2022	1	15	12	32	45	19.53	100.6	7.5188	48.4343
2022	1	15	12	42	45	19.42	100.4	7.5127	48.1412
2022	1	15	12	52	45	19.52	100.3	7.5188	48.4343
2022	1	15	13	2	45	19.69	101.4	7.5188	48.6865
2022	1	15	13	12	45	20.31	98.2	7.5188	50.7046
2022	1	15	13	22	45	19.7	99.9	7.5249	48.9802
2022	1	15	13	32	45	20.36	100.8	7.5188	50.4523
2022	1	15	13	42	45	19.44	102.2	7.5188	47.9297
2022	1	15	13	52	45	20.36	100.8	7.5188	50.4523
2022	1	15	14	2	45	20.36	102.2	7.5188	50.2
2022	1	15	14	12	45	19.97	102.4	7.5188	49.1909
2022	1	15	14	22	45	19.94	98.9	7.5188	49.6955
2022	1	15	14	32	45	19.63	102.1	7.5188	48.4342
2022	1	15	14	42	45	20.37	99.3	7.5188	50.7045
2022	1	15	14	52	45	18.34	101	7.5188	45.4071
2022	1	15	15	2	45	19.77	102.6	7.5188	48.6865
2022	1	15	15	12	45	19.75	102.3	7.5188	48.6865
2022	1	15	15	22	45	18.97	102.8	7.5249	46.7079
2022	1	15	15	32	45	19.53	100.6	7.5188	48.4342
2022	1	15	15	42	45	19.59	101.5	7.5188	48.4342
2022	1	15	15	52	45	19.36	102.5	7.5188	47.6774

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	15	16	2	45	18.32	100.7	7.5249	45.4455
2022	1	15	16	12	45	19.73	100.5	7.5188	48.9387
2022	1	15	16	22	45	19.89	99.8	7.5188	49.4432
2022	1	15	16	32	45	20.04	100.6	7.5249	49.7376
2022	1	15	16	42	45	20.6	102.6	7.5249	50.7475
2022	1	15	16	52	45	19.58	102.7	7.5188	48.1819
2022	1	15	17	2	45	19.84	99	7.5249	49.4851
2022	1	15	17	12	45	19.71	100.2	7.5249	48.9802
2022	1	15	17	22	45	19.24	99	7.5249	47.9703
2022	1	15	17	32	45	19.51	101.8	7.531	48.2636
2022	1	15	17	42	45	20.01	100.1	7.531	49.7797
2022	1	15	17	52	45	18.09	100.2	7.531	44.9786
2022	1	15	18	2	45	18.68	103	7.531	45.9894
2022	1	15	18	12	45	19	101.8	7.531	47.0001
2022	1	15	18	22	45	19.38	101.3	7.531	48.0109
2022	1	15	18	32	45	18.87	101.3	7.531	46.7474
2022	1	15	18	42	45	20.26	100.8	7.531	50.2851
2022	1	15	18	52	45	19.03	102.1	7.531	47.0001
2022	1	15	19	2	45	19.71	100.2	7.531	49.0216
2022	1	15	19	12	45	18.66	99.6	7.5371	46.5341
2022	1	15	19	22	45	19.28	101.4	7.531	47.7582
2022	1	15	19	32	45	19.86	99.3	7.531	49.527
2022	1	15	19	42	45	19.3	101.7	7.5371	47.7986
2022	1	15	19	52	45	19.43	98.9	7.5371	48.5573
2022	1	15	20	2	45	19.99	105.1	7.5371	48.8102
2022	1	15	20	12	45	18.98	101.5	7.5371	47.0399
2022	1	15	20	22	45	19.27	99.6	7.5371	48.0515
2022	1	15	20	32	45	20.3	101.4	7.5371	50.3276
2022	1	15	20	42	45	19.94	98.9	7.5371	49.8218
2022	1	15	20	52	45	19.77	101.1	7.5371	49.0631
2022	1	15	21	2	45	19.14	102.4	7.5371	47.2928
2022	1	15	21	12	45	19.65	100.9	7.5371	48.8102
2022	1	15	21	22	45	19.89	101.3	7.5371	49.316
2022	1	15	21	32	45	19.89	101.3	7.5371	49.316
2022	1	15	21	42	45	18.87	99.8	7.5371	47.0399
2022	1	15	21	52	45	18.85	102.6	7.5371	46.5341
2022	1	15	22	2	45	20.31	98.2	7.5371	50.8334
2022	1	15	22	12	45	19.32	100.4	7.5371	48.0515
2022	1	15	22	22	45	20.21	100	7.5371	50.3276
2022	1	15	22	32	45	18.81	100.4	7.5371	46.787
2022	1	15	22	42	45	18.81	98.6	7.5371	47.0399
2022	1	15	22	52	45	19.37	99.5	7.5371	48.3044
2022	1	15	23	2	45	20.53	101.8	7.5371	50.8334
2022	1	15	23	12	45	19.8	102.8	7.5371	48.8102
2022	1	15	23	22	45	18.87	101.3	7.5371	46.787
2022	1	15	23	32	45	18.87	99.8	7.5371	47.0399
2022	1	15	23	42	45	18.94	99.1	7.5371	47.2928
2022	1	15	23	52	45	19.73	100.5	7.5371	49.0631

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	16	0	2	45	20.08	101.2	7.5371	49.8218
2022	1	16	0	12	45	19.04	100.9	7.5371	47.2928
2022	1	16	0	22	45	19.05	99.4	7.5371	47.5457
2022	1	16	0	32	45	20.18	103.8	7.5371	49.569
2022	1	16	0	42	45	19.71	101.7	7.5371	48.8103
2022	1	16	0	52	45	19.39	98	7.5371	48.5574
2022	1	16	1	2	45	19.65	99.1	7.5371	49.0632
2022	1	16	1	12	45	19.34	96.8	7.5371	48.5574
2022	1	16	1	22	45	19.87	102.5	7.5371	49.0632
2022	1	16	1	32	45	20.61	98.1	7.5432	51.6358
2022	1	16	1	42	45	19.28	99.9	7.5432	48.0922
2022	1	16	1	52	45	18.72	103.6	7.5432	46.0673
2022	1	16	2	2	45	19.56	102.4	7.5432	48.3453
2022	1	16	2	12	45	19.24	100.8	7.5432	47.8391
2022	1	16	2	22	45	18.69	100.2	7.5432	46.5735
2022	1	16	2	32	45	20.19	99.7	7.5432	50.3703
2022	1	16	2	42	45	19.74	103.5	7.5432	48.5985
2022	1	16	2	52	45	20.28	102.5	7.5432	50.1172
2022	1	16	3	2	45	20.26	100.8	7.5432	50.3703
2022	1	16	3	12	45	19.4	100.1	7.5432	48.3453
2022	1	16	3	22	45	19.2	101.7	7.5432	47.586
2022	1	16	3	32	45	19.96	101	7.5432	49.6109
2022	1	16	3	42	45	19.67	103.8	7.5432	48.3454
2022	1	16	3	52	45	19.75	100.8	7.5432	49.1047
2022	1	16	4	2	45	18.61	102.1	7.5432	46.0673
2022	1	16	4	12	45	19.89	101.3	7.5432	49.3578
2022	1	16	4	22	45	19.77	101.1	7.5432	49.1047
2022	1	16	4	32	45	19.96	101	7.5432	49.611
2022	1	16	4	42	45	19.03	102.1	7.5432	47.0798
2022	1	16	4	52	45	19.63	100.6	7.5432	48.8516
2022	1	16	5	2	45	19.24	100.8	7.5432	47.8392
2022	1	16	5	12	45	18.14	101.1	7.5432	45.0549
2022	1	16	5	22	45	20.33	103.1	7.5432	50.1172
2022	1	16	5	32	45	19.03	102.1	7.5432	47.0798
2022	1	16	5	42	45	19.37	99.5	7.5432	48.3454
2022	1	16	5	52	45	20.08	101.2	7.5432	49.8641
2022	1	16	6	2	45	19.14	103.6	7.5432	47.0799
2022	1	16	6	12	45	19.32	98.6	7.5432	48.3454
2022	1	16	6	22	45	19.57	103.9	7.5432	48.0923
2022	1	16	6	32	45	19.86	99.3	7.5432	49.611
2022	1	16	6	42	45	19.59	101.5	7.5432	48.5986
2022	1	16	6	52	45	19.34	100.7	7.5432	48.0923
2022	1	16	7	2	45	18.04	101.2	7.5432	44.8018
2022	1	16	7	12	45	19.11	98.4	7.5432	47.8392
2022	1	16	7	22	45	19.52	98.5	7.5432	48.8517
2022	1	16	7	32	45	19.19	99.9	7.5432	47.8392
2022	1	16	7	42	45	19.1	101.8	7.5432	47.333
2022	1	16	7	52	45	20.14	102	7.5432	49.8642

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	16	8	2	45	20.49	101.3	7.5432	50.8767
2022	1	16	8	12	45	19.1	101.8	7.5432	47.333
2022	1	16	8	22	45	20.42	100.2	7.5432	50.8766
2022	1	16	8	32	45	19.75	100.8	7.5432	49.1048
2022	1	16	8	42	45	20.06	100.9	7.5432	49.8641
2022	1	16	8	52	45	17.79	100.4	7.5493	44.3329
2022	1	16	9	2	45	19.28	99.9	7.5493	48.1328
2022	1	16	9	12	45	19.75	100.8	7.5493	49.1461
2022	1	16	9	22	45	18.98	101.5	7.5493	47.1194
2022	1	16	9	32	45	20.48	99.6	7.5493	51.1727
2022	1	16	9	42	45	19.22	100.5	7.5493	47.8794
2022	1	16	9	52	45	19.73	98.7	7.5493	49.3993
2022	1	16	10	2	45	19.52	100.3	7.5493	48.6393
2022	1	16	10	12	45	19.19	99.9	7.5554	47.9197
2022	1	16	10	22	45	18.67	101.4	7.5493	46.3593
2022	1	16	10	32	45	19.77	101.1	7.5554	49.1874
2022	1	16	10	42	45	19.65	100.9	7.5554	48.9338
2022	1	16	10	52	45	19.97	102.4	7.5554	49.4409
2022	1	16	11	2	45	18.85	102.6	7.5554	46.6519
2022	1	16	11	12	45	18.44	102.5	7.5554	45.6377
2022	1	16	11	22	45	19.62	104.5	7.5554	48.1732
2022	1	16	11	32	45	19.93	101.9	7.5493	49.3992
2022	1	16	11	42	45	19.69	101.4	7.5554	48.9337
2022	1	16	11	52	45	18.99	103.1	7.5554	46.9053
2022	1	16	12	2	45	19.12	102.1	7.5554	47.4124
2022	1	16	12	12	45	19.38	99.8	7.5554	48.4266
2022	1	16	12	22	45	19.34	100.7	7.5554	48.1731
2022	1	16	12	32	45	21.01	102.6	7.5554	51.9763
2022	1	16	12	42	45	18.81	102	7.5554	46.6518
2022	1	16	12	52	45	19.87	101	7.5554	49.4408
2022	1	16	13	2	45	19.48	99.8	7.5554	48.6802
2022	1	16	13	12	45	19.3	101.7	7.5554	47.9196
2022	1	16	13	22	45	18.79	101.7	7.5554	46.6518
2022	1	16	13	32	45	19.71	101.7	7.5554	48.9336
2022	1	16	13	42	45	19.34	100.7	7.5554	48.1731
2022	1	16	13	52	45	19.27	99.6	7.5554	48.1731
2022	1	16	14	2	45	19.19	102.9	7.5554	47.4124
2022	1	16	14	12	45	18.82	103.5	7.5554	46.3982
2022	1	16	14	22	45	19.1	100.3	7.5554	47.6659
2022	1	16	14	32	45	20.32	101.6	7.5554	50.4549
2022	1	16	14	42	45	19.83	101.9	7.5554	49.1873
2022	1	16	14	52	45	19.3	101.7	7.5554	47.9196
2022	1	16	15	2	45	18.98	101.5	7.5554	47.1589
2022	1	16	15	12	45	19.86	103.7	7.5554	48.9337
2022	1	16	15	22	45	19.62	103.3	7.5554	48.4266
2022	1	16	15	32	45	19.08	101.5	7.5493	47.3725
2022	1	16	15	42	45	20.19	99.7	7.5554	50.455
2022	1	16	15	52	45	19.38	101.3	7.5493	48.1325

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	16	16	2	45	19.44	102.2	7.5493	48.1325
2022	1	16	16	12	45	20.19	99.7	7.5554	50.455
2022	1	16	16	22	45	20.73	98.6	7.5554	51.9763
2022	1	16	16	32	45	20.2	101.4	7.5554	50.2015
2022	1	16	16	42	45	19.24	100.8	7.5493	47.8792
2022	1	16	16	52	45	19.16	101.1	7.5493	47.6259
2022	1	16	17	2	45	19.86	99.3	7.5493	49.6525
2022	1	16	17	12	45	19.1	101.8	7.5554	47.4125
2022	1	16	17	22	45	20.2	101.4	7.5493	50.1592
2022	1	16	17	32	45	19.86	103.7	7.5493	48.8925
2022	1	16	17	42	45	18.53	100.9	7.5554	46.1448
2022	1	16	17	52	45	20.9	99.6	7.5493	52.1858
2022	1	16	18	2	45	20.61	101.5	7.5493	51.1725
2022	1	16	18	12	45	18.41	103.5	7.5493	45.3459
2022	1	16	18	22	45	19.6	98.2	7.5493	49.1459
2022	1	16	18	32	45	19.69	97.9	7.5554	49.4409
2022	1	16	18	42	45	19.07	99.7	7.5493	47.6259
2022	1	16	18	52	45	19.26	102.6	7.5554	47.6661
2022	1	16	19	2	45	20.7	102.6	7.5493	51.1726
2022	1	16	19	12	45	18.61	100.5	7.5493	46.3593
2022	1	16	19	22	45	18.6	98.3	7.5493	46.6126
2022	1	16	19	32	45	19.78	99.6	7.5493	49.3993
2022	1	16	19	42	45	19.69	101.4	7.5493	48.8926
2022	1	16	19	52	45	19.26	102.6	7.5493	47.626
2022	1	16	20	2	45	19.25	99.3	7.5493	48.1327
2022	1	16	20	12	45	18.46	99.7	7.5493	46.106
2022	1	16	20	22	45	19.92	103.1	7.5493	49.146
2022	1	16	20	32	45	19.66	99.4	7.5493	49.146
2022	1	16	20	42	45	19.32	101.9	7.5493	47.8793
2022	1	16	20	52	45	20.44	100.4	7.5493	50.9193
2022	1	16	21	2	45	20.18	97.7	7.5493	50.666
2022	1	16	21	12	45	18.89	100.1	7.5493	47.1194
2022	1	16	21	22	45	19.81	100.2	7.5493	49.3994
2022	1	16	21	32	45	20.06	100.9	7.5493	49.906
2022	1	16	21	42	45	20.03	100.4	7.5493	49.906
2022	1	16	21	52	45	19.77	101.1	7.5493	49.1461
2022	1	16	22	2	45	19.81	98.4	7.5493	49.6527
2022	1	16	22	12	45	19.61	100.3	7.5493	48.8927
2022	1	16	22	22	45	19.52	100.3	7.5493	48.6394
2022	1	16	22	32	45	18.49	101.9	7.5493	45.8528
2022	1	16	22	42	45	19.58	99.7	7.5493	48.8928
2022	1	16	22	52	45	20.68	99.5	7.5493	51.6794
2022	1	16	23	2	45	19.25	99.3	7.5493	48.1328
2022	1	16	23	12	45	19.91	100.1	7.5493	49.6528
2022	1	16	23	22	45	20.76	99.1	7.5493	51.9328
2022	1	16	23	32	45	20.21	100	7.5493	50.4128
2022	1	16	23	42	45	20.06	100.9	7.5493	49.9061
2022	1	16	23	52	45	20.08	101.2	7.5493	49.9062

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	17	0	2	45	19.3	101.7	7.5493	47.8795
2022	1	17	0	12	45	20.06	100.9	7.5493	49.9062
2022	1	17	0	22	45	20.48	99.6	7.5493	51.1728
2022	1	17	0	32	45	19.2	101.7	7.5493	47.6262
2022	1	17	0	42	45	19.28	99.9	7.5493	48.1329
2022	1	17	0	52	45	19.9	95.8	7.5493	50.1595
2022	1	17	1	2	45	19.16	101.1	7.5493	47.6262
2022	1	17	1	12	45	19.28	99.9	7.5493	48.1329
2022	1	17	1	22	45	20.12	100.3	7.5493	50.1596
2022	1	17	1	32	45	20.53	101.8	7.5493	50.9196
2022	1	17	1	42	45	19.93	98.7	7.5493	49.9062
2022	1	17	1	52	45	20.42	100.2	7.5493	50.9196
2022	1	17	2	2	45	19.56	102.4	7.5493	48.3863
2022	1	17	2	12	45	19.97	99.5	7.5493	49.9063
2022	1	17	2	22	45	19.24	100.8	7.5432	47.8392
2022	1	17	2	32	45	19.81	101.7	7.5432	49.1048
2022	1	17	2	42	45	19.59	101.5	7.5432	48.5986
2022	1	17	2	52	45	19.57	101.2	7.5493	48.6396
2022	1	17	3	2	45	19.61	101.8	7.5493	48.6396
2022	1	17	3	12	45	20.71	101.4	7.5493	51.4263
2022	1	17	3	22	45	19.1	101.8	7.5432	47.333
2022	1	17	3	32	45	20.04	102.1	7.5432	49.6111
2022	1	17	3	42	45	19.48	99.8	7.5432	48.5986
2022	1	17	3	52	45	19.61	100.3	7.5493	48.893
2022	1	17	4	2	45	19.65	100.9	7.5432	48.8518
2022	1	17	4	12	45	19.96	97.2	7.5493	50.1597
2022	1	17	4	22	45	19.83	100.5	7.5432	49.358
2022	1	17	4	32	45	19.14	100.8	7.5432	47.5862
2022	1	17	4	42	45	19.96	99.2	7.5493	49.9064
2022	1	17	4	52	45	20.29	99.6	7.5493	50.6664
2022	1	17	5	2	45	18.41	103.5	7.5493	45.3464
2022	1	17	5	12	45	19.5	100	7.5432	48.5987
2022	1	17	5	22	45	19.93	100.4	7.5432	49.6112
2022	1	17	5	32	45	18.09	100.2	7.5432	45.0551
2022	1	17	5	42	45	19.87	101	7.5432	49.3581
2022	1	17	5	52	45	18.04	101.2	7.5432	44.8019
2022	1	17	6	2	45	19.67	101.1	7.5432	48.8519
2022	1	17	6	12	45	19.74	103.5	7.5493	48.6398
2022	1	17	6	22	45	19.65	99.1	7.5432	49.105
2022	1	17	6	32	45	20.09	99.7	7.5432	50.1174
2022	1	17	6	42	45	19.53	100.6	7.5432	48.5987
2022	1	17	6	52	45	19.56	102.4	7.5432	48.3456
2022	1	17	7	2	45	19.95	100.7	7.5432	49.6112
2022	1	17	7	12	45	19.55	100.9	7.5432	48.5987
2022	1	17	7	22	45	19.87	101	7.5432	49.3581
2022	1	17	7	32	45	19.63	102.1	7.5432	48.5987
2022	1	17	7	42	45	19.44	102.2	7.5432	48.0925
2022	1	17	7	52	45	19.07	99.7	7.5432	47.5863

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	17	8	2	45	19.32	101.9	7.5432	47.8394
2022	1	17	8	12	45	19.93	100.4	7.5493	49.6531
2022	1	17	8	22	45	19.65	100.9	7.5493	48.8931
2022	1	17	8	32	45	19.1	101.8	7.5493	47.3731
2022	1	17	8	42	45	19.98	101.3	7.5493	49.653
2022	1	17	8	52	45	18.93	102.2	7.5493	46.8664
2022	1	17	9	2	45	19.37	99.5	7.5493	48.3863
2022	1	17	9	12	45	19.65	100.9	7.5493	48.893
2022	1	17	9	22	45	19.08	101.5	7.5493	47.373
2022	1	17	9	32	45	19.65	102.3	7.5493	48.6396
2022	1	17	9	42	45	18.71	102	7.5493	46.3596
2022	1	17	9	52	45	19.91	100.1	7.5493	49.6529
2022	1	17	10	2	45	19.95	102.2	7.5493	49.3996
2022	1	17	10	12	45	19.45	99.2	7.5493	48.6396
2022	1	17	10	22	45	18.87	102.9	7.5493	46.6129
2022	1	17	10	32	45	20.36	100.8	7.5493	50.6662
2022	1	17	10	42	45	19.04	100.9	7.5493	47.3729
2022	1	17	10	52	45	18.86	99.5	7.5554	47.1592
2022	1	17	11	2	45	19.55	99.1	7.5554	48.9339
2022	1	17	11	12	45	19.56	99.4	7.5554	48.9338
2022	1	17	11	22	45	19.51	101.8	7.5554	48.4267
2022	1	17	11	32	45	18.95	101	7.5554	47.159
2022	1	17	11	42	45	18.96	101.3	7.5554	47.159
2022	1	17	11	52	45	19.48	102.8	7.5554	48.1731
2022	1	17	12	2	45	19.75	102.3	7.5554	48.9338
2022	1	17	12	12	45	19.71	100.2	7.5554	49.1873
2022	1	17	12	22	45	20.59	101.2	7.5554	51.2156
2022	1	17	12	32	45	19.65	100.9	7.5554	48.9337
2022	1	17	12	42	45	19.36	101	7.5554	48.1731
2022	1	17	12	52	45	19.52	100.3	7.5554	48.6802
2022	1	17	13	2	45	19.71	100.2	7.5554	49.1872
2022	1	17	13	12	45	18.15	99.5	7.5554	45.3841
2022	1	17	13	22	45	20.7	99.7	7.5554	51.7227
2022	1	17	13	32	45	19.04	100.9	7.5554	47.4125
2022	1	17	13	42	45	19.28	101.4	7.5554	47.9196
2022	1	17	13	52	45	19.09	104.3	7.5554	46.9054
2022	1	17	14	2	45	18.3	98.5	7.5554	45.8912
2022	1	17	14	12	45	19.57	103.9	7.5554	48.1731
2022	1	17	14	22	45	19.1	100.3	7.5554	47.666
2022	1	17	14	32	45	19.3	100.1	7.5554	48.1731
2022	1	17	14	42	45	18.78	102.9	7.5554	46.3983
2022	1	17	14	52	45	19.42	100.4	7.5554	48.4267
2022	1	17	15	2	45	19.3	100.1	7.5554	48.1732
2022	1	17	15	12	45	18.84	99.2	7.5554	47.159
2022	1	17	15	22	45	18.09	100.2	7.5554	45.1307
2022	1	17	15	32	45	19.3	100.1	7.5554	48.1732
2022	1	17	15	42	45	19.61	100.3	7.5493	48.8926
2022	1	17	15	52	45	19.95	100.7	7.5554	49.6945



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	17	16	2	45	19.04	100.9	7.5493	47.3726
2022	1	17	16	12	45	20.2	98	7.5493	50.6659
2022	1	17	16	22	45	19.7	99.9	7.5554	49.1874
2022	1	17	16	32	45	20.46	100.7	7.5493	50.9192
2022	1	17	16	42	45	19.71	100.2	7.5493	49.1459
2022	1	17	16	52	45	19.4	101.6	7.5493	48.1326
2022	1	17	17	2	45	19	101.8	7.5493	47.1193
2022	1	17	17	12	45	19.56	99.4	7.5493	48.8926
2022	1	17	17	22	45	20.26	102.3	7.5493	50.1593
2022	1	17	17	32	45	20.3	99.9	7.5493	50.6659
2022	1	17	17	42	45	20.57	100.9	7.5493	51.1726
2022	1	17	17	52	45	20.3	101.4	7.5554	50.4551
2022	1	17	18	2	45	19.32	100.4	7.5493	48.1326
2022	1	17	18	12	45	19.19	98.1	7.5493	48.1326
2022	1	17	18	22	45	19.71	100.2	7.5493	49.146
2022	1	17	18	32	45	19.61	100.3	7.5493	48.8926
2022	1	17	18	42	45	19.38	101.3	7.5493	48.1327
2022	1	17	18	52	45	19.1	100.3	7.5493	47.626
2022	1	17	19	2	45	20.06	100.9	7.5493	49.906
2022	1	17	19	12	45	19.35	99.2	7.5493	48.386
2022	1	17	19	22	45	20.32	100.2	7.5493	50.666
2022	1	17	19	32	45	18.66	99.6	7.5493	46.6127
2022	1	17	19	42	45	19.27	99.6	7.5493	48.1327
2022	1	17	19	52	45	20.12	100.3	7.5493	50.1593
2022	1	17	20	2	45	20.62	102.9	7.5493	50.9193
2022	1	17	20	12	45	20.5	99.8	7.5493	51.1727
2022	1	17	20	22	45	19.22	100.5	7.5493	47.8794
2022	1	17	20	32	45	20.35	99	7.5493	50.9194
2022	1	17	20	42	45	19.34	100.7	7.5493	48.1327
2022	1	17	20	52	45	19.02	98.8	7.5493	47.6261
2022	1	17	21	2	45	19.89	101.3	7.5493	49.3994
2022	1	17	21	12	45	19.74	99	7.5493	49.3994
2022	1	17	21	22	45	19.73	100.5	7.5493	49.1461
2022	1	17	21	32	45	19.78	99.6	7.5493	49.3994
2022	1	17	21	42	45	19.87	101	7.5493	49.3994
2022	1	17	21	52	45	19.96	101	7.5493	49.6527
2022	1	17	22	2	45	19.37	99.5	7.5493	48.3861
2022	1	17	22	12	45	20.21	100	7.5493	50.4127
2022	1	17	22	22	45	19.91	100.1	7.5493	49.6528
2022	1	17	22	32	45	19.64	96.7	7.5493	49.3994
2022	1	17	22	42	45	19.65	100.9	7.5493	48.8928
2022	1	17	22	52	45	20.48	99.6	7.5493	51.1728
2022	1	17	23	2	45	20.39	97.9	7.5493	51.1728
2022	1	17	23	12	45	20.4	99.9	7.5493	50.9194
2022	1	17	23	22	45	18.91	101.9	7.5493	46.8661
2022	1	17	23	32	45	18.96	99.4	7.5493	47.3728
2022	1	17	23	42	45	20.06	100.9	7.5493	49.9061
2022	1	17	23	52	45	18.81	100.4	7.5493	46.8662

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	18	0	2	45	18.79	100.1	7.5493	46.8662
2022	1	18	0	12	45	20.37	99.3	7.5493	50.9195
2022	1	18	0	22	45	18.93	100.7	7.5493	47.1195
2022	1	18	0	32	45	19.28	104.1	7.5493	47.3728
2022	1	18	0	42	45	19.84	99	7.5493	49.6528
2022	1	18	0	52	45	20.46	100.7	7.5493	50.9195
2022	1	18	1	2	45	20.46	100.7	7.5493	50.9195
2022	1	18	1	12	45	19.02	100.6	7.5493	47.3729
2022	1	18	1	22	45	19.32	100.4	7.5493	48.1329
2022	1	18	1	32	45	18.79	100.1	7.5493	46.8662
2022	1	18	1	42	45	19.96	99.2	7.5493	49.9062
2022	1	18	1	52	45	19.08	101.5	7.5493	47.3729
2022	1	18	2	2	45	19.24	100.8	7.5493	47.8795
2022	1	18	2	12	45	19.4	100.1	7.5493	48.3862
2022	1	18	2	22	45	19.49	101.5	7.5493	48.3862
2022	1	18	2	32	45	18.81	100.4	7.5493	46.8662
2022	1	18	2	42	45	19.32	100.4	7.5493	48.1329
2022	1	18	2	52	45	19.71	101.7	7.5493	48.8929
2022	1	18	3	2	45	20.46	100.7	7.5493	50.9196
2022	1	18	3	12	45	19.2	101.7	7.5432	47.5861
2022	1	18	3	22	45	20.14	102	7.5493	49.9062
2022	1	18	3	32	45	19.7	102.9	7.5493	48.6396
2022	1	18	3	42	45	20.11	100	7.5493	50.1596
2022	1	18	3	52	45	19.58	99.7	7.5432	48.8517
2022	1	18	4	2	45	20.12	101.8	7.5493	49.9063
2022	1	18	4	12	45	19.04	100.9	7.5493	47.373
2022	1	18	4	22	45	20.5	99.8	7.5493	51.1729
2022	1	18	4	32	45	19.96	99.2	7.5493	49.9063
2022	1	18	4	42	45	20.8	99.7	7.5432	51.8891
2022	1	18	4	52	45	19.4	100.1	7.5432	48.3455
2022	1	18	5	2	45	20.44	98.7	7.5432	51.1298
2022	1	18	5	12	45	19.22	100.5	7.5493	47.8796
2022	1	18	5	22	45	19.36	102.5	7.5493	47.8796
2022	1	18	5	32	45	19.77	101.1	7.5493	49.1463
2022	1	18	5	42	45	20.21	100	7.5432	50.3704
2022	1	18	5	52	45	19.85	102.2	7.5493	49.1463
2022	1	18	6	2	45	18.79	98.3	7.5493	47.1197
2022	1	18	6	12	45	19.81	101.7	7.5493	49.1463
2022	1	18	6	22	45	18.69	100.2	7.5493	46.613
2022	1	18	6	32	45	19.1	100.3	7.5432	47.5862
2022	1	18	6	42	45	19.25	99.3	7.5493	48.133
2022	1	18	6	52	45	18.82	98.9	7.5493	47.1197
2022	1	18	7	2	45	19.59	101.5	7.5493	48.6397
2022	1	18	7	12	45	19.51	101.8	7.5493	48.3863
2022	1	18	7	22	45	17.85	97.4	7.5493	44.8397
2022	1	18	7	32	45	20.4	99.9	7.5432	50.8767
2022	1	18	7	42	45	19.67	101.1	7.5493	48.893
2022	1	18	7	52	45	19.6	100	7.5493	48.893

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	18	8	2	45	19.48	105.2	7.5493	47.6263
2022	1	18	8	12	45	20.07	99.5	7.5493	50.1596
2022	1	18	8	22	45	20.25	99.1	7.5432	50.6236
2022	1	18	8	32	45	19.2	100.2	7.5493	47.8796
2022	1	18	8	42	45	19.91	100.1	7.5493	49.6529
2022	1	18	8	52	45	19.65	100.9	7.5493	48.8929
2022	1	18	9	2	45	19.89	101.3	7.5493	49.3996
2022	1	18	9	12	45	19.49	101.5	7.5493	48.3862
2022	1	18	9	22	45	19.42	100.4	7.5493	48.3861
2022	1	18	9	32	45	19.9	98.1	7.5554	49.9482
2022	1	18	9	42	45	20.14	102	7.5493	49.906
2022	1	18	9	52	45	18.93	100.7	7.5554	47.1591
2022	1	18	10	2	45	19.7	102.9	7.5554	48.6804
2022	1	18	10	12	45	18.07	99.9	7.5554	45.1308
2022	1	18	10	22	45	20.04	98.9	7.5554	50.2016
2022	1	18	10	32	45	19.3	100.1	7.5554	48.1732
2022	1	18	10	42	45	18.34	103.9	7.5554	45.1307
2022	1	18	10	52	45	19.86	99.3	7.5554	49.6944
2022	1	18	11	2	45	18.16	101.4	7.5554	45.1306
2022	1	18	11	12	45	19.48	102.8	7.5554	48.1731
2022	1	18	11	22	45	20.26	100.8	7.5615	50.4975
2022	1	18	11	32	45	19.75	100.8	7.5554	49.1872
2022	1	18	11	42	45	19.71	100.2	7.5554	49.1872
2022	1	18	11	52	45	19.35	99.2	7.5554	48.4266
2022	1	18	12	2	45	20.04	102.1	7.5615	49.7362
2022	1	18	12	12	45	19.79	99.9	7.5615	49.4824
2022	1	18	12	22	45	19.55	99.1	7.5615	48.9749
2022	1	18	12	32	45	20.54	98.7	7.5615	51.5124
2022	1	18	12	42	45	20.54	100.4	7.5615	51.2587
2022	1	18	12	52	45	19.67	103.8	7.5615	48.4673
2022	1	18	13	2	45	20.32	100.2	7.5615	50.7511
2022	1	18	13	12	45	19.53	100.6	7.5615	48.7211
2022	1	18	13	22	45	19.71	101.7	7.5615	48.9748
2022	1	18	13	32	45	19.49	98	7.5615	48.9748
2022	1	18	13	42	45	19.89	101.3	7.5554	49.4407
2022	1	18	13	52	45	19.05	102.4	7.5554	47.1588
2022	1	18	14	2	45	21.12	101.5	7.5554	52.4832
2022	1	18	14	12	45	20.14	98.9	7.5554	50.4548
2022	1	18	14	22	45	19.75	102.3	7.5554	48.9336
2022	1	18	14	32	45	20.06	100.9	7.5554	49.9478
2022	1	18	14	42	45	19.04	100.9	7.5554	47.4124
2022	1	18	14	52	45	19.6	98.2	7.5615	49.2286
2022	1	18	15	2	45	20.38	101	7.5554	50.7084
2022	1	18	15	12	45	19.17	102.7	7.5554	47.4124
2022	1	18	15	22	45	19.46	102.5	7.5554	48.173
2022	1	18	15	32	45	19.77	101.1	7.5554	49.1872
2022	1	18	15	42	45	19.56	99.4	7.5554	48.9337
2022	1	18	15	52	45	19.77	101.1	7.5554	49.1872

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	18	16	2	45	20.04	103.3	7.5554	49.4408
2022	1	18	16	12	45	19.46	101	7.5554	48.4266
2022	1	18	16	22	45	18.73	100.8	7.5554	46.6518
2022	1	18	16	32	45	19.22	100.5	7.5554	47.9195
2022	1	18	16	42	45	19.22	102	7.5554	47.666
2022	1	18	16	52	45	19.48	102.8	7.5554	48.1731
2022	1	18	17	2	45	19.97	102.4	7.5554	49.4408
2022	1	18	17	12	45	19.71	101.7	7.5554	48.9337
2022	1	18	17	22	45	18.73	100.8	7.5554	46.6518
2022	1	18	17	32	45	19.73	100.5	7.5554	49.1872
2022	1	18	17	42	45	18.56	102.8	7.5554	45.8912
2022	1	18	17	52	45	19.89	101.3	7.5554	49.4408
2022	1	18	18	2	45	19.68	99.7	7.5554	49.1872
2022	1	18	18	12	45	20.16	100.9	7.5554	50.2014
2022	1	18	18	22	45	19.46	102.5	7.5554	48.1731
2022	1	18	18	32	45	19.61	100.3	7.5554	48.9337
2022	1	18	18	42	45	19.97	99.5	7.5554	49.9479
2022	1	18	18	52	45	20.3	101.4	7.5554	50.4549
2022	1	18	19	2	45	19.57	97.6	7.5554	49.1872
2022	1	18	19	12	45	19.93	98.7	7.5554	49.9479
2022	1	18	19	22	45	20.57	100.9	7.5554	51.2156
2022	1	18	19	32	45	19.37	99.5	7.5554	48.4266
2022	1	18	19	42	45	19.33	98.9	7.5554	48.4266
2022	1	18	19	52	45	19.53	100.6	7.5554	48.6802
2022	1	18	20	2	45	20.26	100.8	7.5554	50.455
2022	1	18	20	12	45	19.28	101.4	7.5554	47.9196
2022	1	18	20	22	45	20.28	97.7	7.5554	50.9621
2022	1	18	20	32	45	19.71	100.2	7.5554	49.1873
2022	1	18	20	42	45	20.27	97.4	7.5554	50.9621
2022	1	18	20	52	45	18.6	98.3	7.5554	46.6519
2022	1	18	21	2	45	19.38	99.8	7.5554	48.4267
2022	1	18	21	12	45	19.71	100.2	7.5554	49.1873
2022	1	18	21	22	45	19.66	97.3	7.5554	49.4408
2022	1	18	21	32	45	18.32	98.8	7.5554	45.8912
2022	1	18	21	42	45	19.28	101.4	7.5554	47.9196
2022	1	18	21	52	45	20.47	99.3	7.5554	51.2157
2022	1	18	22	2	45	19.81	100.2	7.5554	49.4409
2022	1	18	22	12	45	19.46	102.5	7.5554	48.1732
2022	1	18	22	22	45	19.22	100.5	7.5554	47.9196
2022	1	18	22	32	45	18.3	98.5	7.5554	45.8913
2022	1	18	22	42	45	20.3	99.9	7.5554	50.7086
2022	1	18	22	52	45	20.61	98.1	7.5554	51.7228
2022	1	18	23	2	45	20.08	101.2	7.5554	49.948
2022	1	18	23	12	45	19.44	102.2	7.5554	48.1732
2022	1	18	23	22	45	19.63	98.8	7.5554	49.1874
2022	1	18	23	32	45	19.03	102.1	7.5554	47.159
2022	1	18	23	42	45	19.49	101.5	7.5554	48.4267
2022	1	18	23	52	45	20.07	99.5	7.5554	50.2016

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	19	0	2	45	19.71	100.2	7.5554	49.1874
2022	1	19	0	12	45	19.7	99.9	7.5554	49.1874
2022	1	19	0	22	45	19.48	99.8	7.5554	48.6803
2022	1	19	0	32	45	19.42	100.4	7.5554	48.4268
2022	1	19	0	42	45	19.89	99.8	7.5554	49.6945
2022	1	19	0	52	45	19.71	100.2	7.5554	49.1874
2022	1	19	1	2	45	19.81	100.2	7.5554	49.441
2022	1	19	1	12	45	19.84	99	7.5554	49.6945
2022	1	19	1	22	45	19.26	102.6	7.5554	47.6662
2022	1	19	1	32	45	19.65	100.9	7.5554	48.9339
2022	1	19	1	42	45	20.22	101.7	7.5554	50.2017
2022	1	19	1	52	45	19.81	98.4	7.5554	49.6946
2022	1	19	2	2	45	19.57	101.2	7.5554	48.6804
2022	1	19	2	12	45	19.95	100.7	7.5554	49.6946
2022	1	19	2	22	45	19.91	100.1	7.5554	49.6946
2022	1	19	2	32	45	19.86	99.3	7.5554	49.6946
2022	1	19	2	42	45	18.77	99.8	7.5493	46.8661
2022	1	19	2	52	45	19.42	100.4	7.5554	48.4269
2022	1	19	3	2	45	20.27	99.4	7.5554	50.7088
2022	1	19	3	12	45	20.16	100.9	7.5554	50.2017
2022	1	19	3	22	45	19.07	99.7	7.5554	47.6663
2022	1	19	3	32	45	20.11	102.9	7.5554	49.6947
2022	1	19	3	42	45	19.77	101.1	7.5554	49.1876
2022	1	19	3	52	45	19.32	100.4	7.5493	48.1328
2022	1	19	4	2	45	19.34	102.2	7.5554	47.9199
2022	1	19	4	12	45	19.77	101.1	7.5554	49.1876
2022	1	19	4	22	45	20.12	100.3	7.5493	50.1595
2022	1	19	4	32	45	19.32	100.4	7.5493	48.1328
2022	1	19	4	42	45	19.71	101.7	7.5493	48.8928
2022	1	19	4	52	45	19.84	99	7.5493	49.6528
2022	1	19	5	2	45	20.24	100.5	7.5493	50.4128
2022	1	19	5	12	45	19.19	99.9	7.5493	47.8795
2022	1	19	5	22	45	20.14	102	7.5493	49.9062
2022	1	19	5	32	45	19.66	99.4	7.5554	49.1877
2022	1	19	5	42	45	19.75	102.3	7.5493	48.8929
2022	1	19	5	52	45	19.61	100.3	7.5493	48.8929
2022	1	19	6	2	45	19.28	104.1	7.5493	47.3729
2022	1	19	6	12	45	19.52	100.3	7.5493	48.6396
2022	1	19	6	22	45	18.83	100.7	7.5493	46.8662
2022	1	19	6	32	45	19.55	99.1	7.5493	48.8929
2022	1	19	6	42	45	19.22	100.5	7.5493	47.8796
2022	1	19	6	52	45	19.04	100.9	7.5493	47.3729
2022	1	19	7	2	45	20.07	99.5	7.5493	50.1596
2022	1	19	7	12	45	18.6	103.4	7.5493	45.8529
2022	1	19	7	22	45	19.4	100.1	7.5493	48.3862
2022	1	19	7	32	45	19.06	97.5	7.5493	47.8796
2022	1	19	7	42	45	18.96	99.4	7.5493	47.3729
2022	1	19	7	52	45	18.14	101.1	7.5493	45.0929

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	19	8	2	45	20.24	98.8	7.5493	50.6662
2022	1	19	8	12	45	18.93	100.7	7.5493	47.1196
2022	1	19	8	22	45	20.72	100	7.5493	51.6795
2022	1	19	8	32	45	20.06	100.9	7.5554	49.9483
2022	1	19	8	42	45	19.32	100.4	7.5554	48.1734
2022	1	19	8	52	45	19.65	100.9	7.5554	48.934
2022	1	19	9	2	45	19.75	100.8	7.5554	49.1875
2022	1	19	9	12	45	19.95	102.2	7.5554	49.4411
2022	1	19	9	22	45	19.3	100.1	7.5554	48.1733
2022	1	19	9	32	45	19.75	102.3	7.5554	48.9339
2022	1	19	9	42	45	19.7	99.9	7.5554	49.1874
2022	1	19	9	52	45	19.14	102.4	7.5554	47.4126
2022	1	19	10	2	45	19.65	100.9	7.5615	48.9751
2022	1	19	10	12	45	19.81	100.2	7.5554	49.4409
2022	1	19	10	22	45	18.61	100.5	7.5615	46.4374
2022	1	19	10	32	45	20.8	99.7	7.5615	52.02
2022	1	19	10	42	45	19.87	102.5	7.5615	49.2287
2022	1	19	10	52	45	19.38	102.8	7.5615	47.9599
2022	1	19	11	2	45	20.44	100.4	7.5615	51.005
2022	1	19	11	12	45	20.07	102.4	7.5615	49.7362
2022	1	19	11	22	45	20.95	100.5	7.5615	52.2737
2022	1	19	11	32	45	19.78	99.6	7.5615	49.4823
2022	1	19	11	42	45	20.68	97.5	7.5615	52.0199
2022	1	19	11	52	45	20.13	96.6	7.5615	50.7511
2022	1	19	12	2	45	19.71	98.5	7.5615	49.4823
2022	1	19	12	12	45	19.91	96.1	7.5615	50.2435
2022	1	19	12	22	45	21.26	98.9	7.5615	53.2886
2022	1	19	12	32	45	19.81	98.4	7.5615	49.736
2022	1	19	12	42	45	20.8	98	7.5615	52.2735
2022	1	19	12	52	45	19.73	100.5	7.5615	49.2284
2022	1	19	13	2	45	20.27	99.4	7.5615	50.751
2022	1	19	13	12	45	19.76	99.3	7.5615	49.4822
2022	1	19	13	22	45	18.69	100.2	7.5615	46.6909
2022	1	19	13	32	45	20.47	99.3	7.5615	51.2585
2022	1	19	13	42	45	22.06	98.9	7.5615	55.3185
2022	1	19	13	52	45	19.89	99.8	7.5615	49.7359
2022	1	19	14	2	45	19.77	101.1	7.5615	49.2284
2022	1	19	14	12	45	19.39	98	7.5615	48.7209
2022	1	19	14	22	45	20.6	99.8	7.5615	51.5122
2022	1	19	14	32	45	20.63	100.3	7.5615	51.5122
2022	1	19	14	42	45	20.21	98.3	7.5615	50.7509
2022	1	19	14	52	45	20.29	99.6	7.5615	50.7509
2022	1	19	15	2	45	19.56	97.3	7.5615	49.2284
2022	1	19	15	12	45	20.06	99.2	7.5615	50.2435
2022	1	19	15	22	45	19.95	102.2	7.5554	49.4405
2022	1	19	15	32	45	20.67	100.9	7.5615	51.5123
2022	1	19	15	42	45	19.91	101.6	7.5615	49.4823
2022	1	19	15	52	45	20.14	98.9	7.5615	50.4973

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	19	16	2	45	20.18	101.1	7.5615	50.2435
2022	1	19	16	12	45	18.48	100	7.5615	46.1834
2022	1	19	16	22	45	19.02	98.8	7.5615	47.706
2022	1	19	16	32	45	20.4	99.9	7.5615	51.0048
2022	1	19	16	42	45	19.6	100	7.5615	48.9747
2022	1	19	16	52	45	20.22	100.3	7.5615	50.4972
2022	1	19	17	2	45	20.5	99.8	7.5615	51.2585
2022	1	19	17	12	45	19.93	101.9	7.5615	49.4822
2022	1	19	17	22	45	19.95	100.7	7.5615	49.736
2022	1	19	17	32	45	19.83	100.5	7.5615	49.4822
2022	1	19	17	42	45	19.14	102.4	7.5615	47.4522
2022	1	19	17	52	45	19.83	100.5	7.5615	49.4822
2022	1	19	18	2	45	21.36	100.5	7.5615	53.2886
2022	1	19	18	12	45	19.7	98.2	7.5615	49.4822
2022	1	19	18	22	45	20.3	99.9	7.5615	50.751
2022	1	19	18	32	45	19.97	102.4	7.5615	49.4822
2022	1	19	18	42	45	20.2	101.4	7.5615	50.2435
2022	1	19	18	52	45	19.81	100.2	7.5615	49.4822
2022	1	19	19	2	45	19.79	101.4	7.5615	49.2285
2022	1	19	19	12	45	20.11	102.9	7.5615	49.736
2022	1	19	19	22	45	18.61	98.7	7.5615	46.6909
2022	1	19	19	32	45	18.93	100.7	7.5615	47.1985
2022	1	19	19	42	45	19.95	100.7	7.5615	49.736
2022	1	19	19	52	45	19.01	100.3	7.5615	47.4522
2022	1	19	20	2	45	19	101.8	7.5615	47.1985
2022	1	19	20	12	45	18.56	99.6	7.5615	46.4372
2022	1	19	20	22	45	19.02	100.6	7.5615	47.4522
2022	1	19	20	32	45	19.94	96.9	7.5615	50.2435
2022	1	19	20	42	45	18.71	100.5	7.5615	46.691
2022	1	19	20	52	45	20.12	98.6	7.5615	50.4973
2022	1	19	21	2	45	19.71	100.2	7.5615	49.2285
2022	1	19	21	12	45	20.18	101.1	7.5615	50.2436
2022	1	19	21	22	45	19.53	100.6	7.5615	48.721
2022	1	19	21	32	45	19.3	100.1	7.5615	48.2135
2022	1	19	21	42	45	20.21	100	7.5615	50.4973
2022	1	19	21	52	45	19.52	98.5	7.5615	48.9748
2022	1	19	22	2	45	19.52	100.3	7.5615	48.721
2022	1	19	22	12	45	19.98	101.3	7.5615	49.736
2022	1	19	22	22	45	19.19	98.1	7.5615	48.2135
2022	1	19	22	32	45	21.26	101.9	7.5615	52.7811
2022	1	19	22	42	45	19.07	99.7	7.5615	47.706
2022	1	19	22	52	45	20.63	98.6	7.5615	51.7661
2022	1	19	23	2	45	20.85	100.5	7.5615	52.0199
2022	1	19	23	12	45	19.37	99.5	7.5615	48.4673
2022	1	19	23	22	45	18.94	99.1	7.5615	47.4523
2022	1	19	23	32	45	20.44	98.7	7.5615	51.2586
2022	1	19	23	42	45	20.06	100.9	7.5615	49.9898
2022	1	19	23	52	45	20.14	100.6	7.5554	50.2013

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	20	0	2	45	19.76	99.3	7.5615	49.4823
2022	1	20	0	12	45	18.28	100.1	7.5615	45.676
2022	1	20	0	22	45	19.95	100.7	7.5615	49.7361
2022	1	20	0	32	45	18.95	101	7.5615	47.1986
2022	1	20	0	42	45	20.16	99.1	7.5615	50.4974
2022	1	20	0	52	45	20.32	101.6	7.5615	50.4974
2022	1	20	1	2	45	19.24	100.8	7.5615	47.9598
2022	1	20	1	12	45	19.16	101.1	7.5615	47.7061
2022	1	20	1	22	45	19.83	101.9	7.5554	49.1872
2022	1	20	1	32	45	20.04	102.1	7.5554	49.6943
2022	1	20	1	42	45	19.12	100.5	7.5615	47.7061
2022	1	20	1	52	45	19.4	101.6	7.5615	48.2136
2022	1	20	2	2	45	19.68	99.7	7.5615	49.2286
2022	1	20	2	12	45	20.26	102.3	7.5554	50.2013
2022	1	20	2	22	45	19.49	101.5	7.5615	48.4674
2022	1	20	2	32	45	19.16	101.1	7.5554	47.6659
2022	1	20	2	42	45	19.1	100.3	7.5554	47.6659
2022	1	20	2	52	45	19.02	100.6	7.5615	47.4524
2022	1	20	3	2	45	19.68	99.7	7.5615	49.2287
2022	1	20	3	12	45	21.05	103.2	7.5554	51.9761
2022	1	20	3	22	45	19.85	100.7	7.5554	49.4407
2022	1	20	3	32	45	19.14	102.4	7.5554	47.4124
2022	1	20	3	42	45	18.53	99	7.5615	46.4373
2022	1	20	3	52	45	19.1	100.3	7.5615	47.7061
2022	1	20	4	2	45	20.47	99.3	7.5615	51.2587
2022	1	20	4	12	45	19.4	98.3	7.5554	48.6801
2022	1	20	4	22	45	19.04	100.9	7.5554	47.4124
2022	1	20	4	32	45	20.52	100.1	7.5554	51.2155
2022	1	20	4	42	45	20.54	98.7	7.5554	51.4691
2022	1	20	4	52	45	19.89	101.3	7.5554	49.4407
2022	1	20	5	2	45	19.39	98	7.5615	48.7211
2022	1	20	5	12	45	19.46	101	7.5554	48.4266
2022	1	20	5	22	45	20.47	101	7.5615	51.0049
2022	1	20	5	32	45	19.79	101.4	7.5615	49.2286
2022	1	20	5	42	45	20.36	102.2	7.5615	50.4974
2022	1	20	5	52	45	19.02	100.6	7.5615	47.4524
2022	1	20	6	2	45	20.19	99.7	7.5615	50.4974
2022	1	20	6	12	45	18.98	101.5	7.5615	47.1986
2022	1	20	6	22	45	19.69	101.4	7.5554	48.9336
2022	1	20	6	32	45	19.55	99.1	7.5615	48.9749
2022	1	20	6	42	45	19.79	97.8	7.5554	49.6943
2022	1	20	6	52	45	18.15	99.5	7.5554	45.384
2022	1	20	7	2	45	20.54	100.4	7.5615	51.2587
2022	1	20	7	12	45	18.75	101.1	7.5615	46.6911
2022	1	20	7	22	45	19.68	102.6	7.5615	48.7211
2022	1	20	7	32	45	19.78	99.6	7.5615	49.4824
2022	1	20	7	42	45	19.05	102.4	7.5554	47.1588
2022	1	20	7	52	45	19.57	101.2	7.5615	48.7211



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	20	8	2	45	19.08	101.5	7.5615	47.4523
2022	1	20	8	12	45	18.12	102.4	7.5554	44.877
2022	1	20	8	22	45	19.47	97.7	7.5615	48.9748
2022	1	20	8	32	45	19.28	97.8	7.5615	48.4673
2022	1	20	8	42	45	20.55	100.7	7.5615	51.2586
2022	1	20	8	52	45	18.13	99.2	7.5615	45.4222
2022	1	20	9	2	45	19.63	98.8	7.5615	49.2285
2022	1	20	9	12	45	20.76	99.1	7.5615	52.0197
2022	1	20	9	22	45	20.26	100.8	7.5615	50.4972
2022	1	20	9	32	45	19.6	100	7.5615	48.9746
2022	1	20	9	42	45	19.12	100.5	7.5615	47.7058
2022	1	20	9	52	45	19.2	101.7	7.5615	47.7058
2022	1	20	10	2	45	20.01	103	7.5676	49.5237
2022	1	20	10	12	45	19.5	100	7.5676	48.7618
2022	1	20	10	22	45	20.02	101.8	7.5676	49.7776
2022	1	20	10	32	45	18.36	101.3	7.5676	45.7141
2022	1	20	10	42	45	19.12	100.5	7.5676	47.7458
2022	1	20	10	52	45	18.71	100.5	7.5676	46.7299
2022	1	20	11	2	45	18.87	101.3	7.5676	46.9839
2022	1	20	11	12	45	19.07	99.7	7.5676	47.7457
2022	1	20	11	22	45	18.85	101	7.5676	46.9838
2022	1	20	11	32	45	20.06	100.9	7.5676	50.0314
2022	1	20	11	42	45	19.12	98.7	7.5676	47.9996
2022	1	20	11	52	45	19.2	100.2	7.5676	47.9996
2022	1	20	12	2	45	19.49	98	7.5676	49.0155
2022	1	20	12	12	45	19.46	102.5	7.5676	48.2535
2022	1	20	12	22	45	19.56	97.3	7.5676	49.2694
2022	1	20	12	32	45	18.98	101.5	7.5676	47.2377
2022	1	20	12	42	45	19.91	98.4	7.5676	50.0313
2022	1	20	12	52	45	20.03	100.4	7.5676	50.0313
2022	1	20	13	2	45	18.93	100.7	7.5676	47.2377
2022	1	20	13	12	45	19.15	99.3	7.5676	47.9995
2022	1	20	13	22	45	19.66	99.4	7.5676	49.2694
2022	1	20	13	32	45	18.91	101.9	7.5676	46.9837
2022	1	20	13	42	45	19.45	104.9	7.5676	47.7456
2022	1	20	13	52	45	19.17	99.6	7.5676	47.9995
2022	1	20	14	2	45	18.93	102.2	7.5676	46.9837
2022	1	20	14	12	45	19.22	105.7	7.5676	46.9837
2022	1	20	14	22	45	18.83	100.7	7.5676	46.9837
2022	1	20	14	32	45	19.81	100.2	7.5676	49.5234
2022	1	20	14	42	45	19.81	100.2	7.5676	49.5234
2022	1	20	14	52	45	19.82	96.4	7.5676	50.0313
2022	1	20	15	2	45	19.79	101.4	7.5676	49.2694
2022	1	20	15	12	45	18.49	101.9	7.5676	45.9679
2022	1	20	15	22	45	19.67	101.1	7.5615	48.9742
2022	1	20	15	32	45	18.14	101.1	7.5615	45.168
2022	1	20	15	42	45	17.97	98	7.5615	45.168
2022	1	20	15	52	45	19.06	101.2	7.5615	47.4518

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	20	16	2	45	18.69	101.7	7.5615	46.4368
2022	1	20	16	12	45	19.42	101.9	7.5615	48.213
2022	1	20	16	22	45	19.3	100.1	7.5615	48.213
2022	1	20	16	32	45	19.3	98.3	7.5615	48.4668
2022	1	20	16	42	45	19.14	99	7.5615	47.9593
2022	1	20	16	52	45	19.55	100.9	7.5615	48.7205
2022	1	20	17	2	45	20.47	101	7.5615	51.0043
2022	1	20	17	12	45	20.42	103	7.5615	50.4968
2022	1	20	17	22	45	20.08	101.2	7.5615	49.9893
2022	1	20	17	32	45	20.75	102	7.5615	51.5118
2022	1	20	17	42	45	20.47	97.3	7.5676	51.5552
2022	1	20	17	52	45	20.5	99.8	7.5615	51.2581
2022	1	20	18	2	45	19.79	99.9	7.5615	49.4818
2022	1	20	18	12	45	20.09	99.7	7.5615	50.2431
2022	1	20	18	22	45	18.92	98.8	7.5615	47.4518
2022	1	20	18	32	45	19.5	100	7.5676	48.7616
2022	1	20	18	42	45	18.93	100.7	7.5615	47.1981
2022	1	20	18	52	45	19.49	101.5	7.5615	48.4668
2022	1	20	19	2	45	19.03	96.6	7.5615	47.9593
2022	1	20	19	12	45	17.97	99.9	7.5615	44.9143
2022	1	20	19	22	45	18.22	98.8	7.5615	45.6756
2022	1	20	19	32	45	18.55	94.3	7.5615	46.9444
2022	1	20	19	42	45	19.4	98.3	7.5615	48.7206
2022	1	20	19	52	45	19.15	99.3	7.5615	47.9594
2022	1	20	20	2	45	19.84	99	7.5615	49.7357
2022	1	20	20	12	45	18.91	101.9	7.5615	46.9444
2022	1	20	20	22	45	19.49	98	7.5676	49.0157
2022	1	20	20	32	45	20.55	102.1	7.5615	51.0045
2022	1	20	20	42	45	20.29	99.6	7.5615	50.7507
2022	1	20	20	52	45	18.86	99.5	7.5676	47.2379
2022	1	20	21	2	45	18.75	103.9	7.5615	46.1832
2022	1	20	21	12	45	19.71	101.7	7.5615	48.9745
2022	1	20	21	22	45	18.81	102	7.5615	46.6907
2022	1	20	21	32	45	19.56	99.4	7.5615	48.9745
2022	1	20	21	42	45	19.47	101.3	7.5615	48.467
2022	1	20	21	52	45	18.34	101	7.5615	45.6757
2022	1	20	22	2	45	19.52	100.3	7.5615	48.7207
2022	1	20	22	12	45	18.77	101.4	7.5615	46.6907
2022	1	20	22	22	45	19.52	100.3	7.5615	48.7208
2022	1	20	22	32	45	19.52	98.5	7.5615	48.9745
2022	1	20	22	42	45	18.25	99.5	7.5615	45.6757
2022	1	20	22	52	45	20.87	100.8	7.5615	52.0196
2022	1	20	23	2	45	20.17	99.4	7.5615	50.4971
2022	1	20	23	12	45	19.47	101.3	7.5615	48.467
2022	1	20	23	22	45	19.76	99.3	7.5615	49.4821
2022	1	20	23	32	45	20.24	102	7.5615	50.2433
2022	1	20	23	42	45	19.89	99.8	7.5615	49.7358
2022	1	20	23	52	45	19.96	101	7.5615	49.7359

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	21	0	2	45	19.89	99.8	7.5615	49.7359
2022	1	21	0	12	45	19.77	101.1	7.5615	49.2284
2022	1	21	0	22	45	19.05	99.4	7.5615	47.7059
2022	1	21	0	32	45	19.55	99.1	7.5615	48.9746
2022	1	21	0	42	45	20.14	100.6	7.5615	50.2434
2022	1	21	0	52	45	19.29	102.9	7.5615	47.7059
2022	1	21	1	2	45	19.22	100.5	7.5615	47.9597
2022	1	21	1	12	45	19.2	101.7	7.5615	47.7059
2022	1	21	1	22	45	20.4	101.3	7.5615	50.751
2022	1	21	1	32	45	20.11	98.3	7.5615	50.4972
2022	1	21	1	42	45	20.22	100.3	7.5615	50.4972
2022	1	21	1	52	45	19.32	100.4	7.5615	48.2135
2022	1	21	2	2	45	20.54	98.7	7.5615	51.5123
2022	1	21	2	12	45	20.04	98.9	7.5615	50.2435
2022	1	21	2	22	45	20.06	97.2	7.5615	50.4973
2022	1	21	2	32	45	20.26	100.8	7.5615	50.4973
2022	1	21	2	42	45	18.6	100.2	7.5615	46.4372
2022	1	21	2	52	45	20.18	97.7	7.5615	50.7511
2022	1	21	3	2	45	20.19	99.7	7.5615	50.4973
2022	1	21	3	12	45	19.25	99.3	7.5615	48.2135
2022	1	21	3	22	45	19.26	102.6	7.5615	47.706
2022	1	21	3	32	45	19.79	97.8	7.5554	49.6942
2022	1	21	3	42	45	19.16	101.1	7.5554	47.6659
2022	1	21	3	52	45	19.38	99.8	7.5554	48.4265
2022	1	21	4	2	45	19.53	103.3	7.5554	48.173
2022	1	21	4	12	45	19.78	99.6	7.5554	49.4407
2022	1	21	4	22	45	19.02	100.6	7.5554	47.4124
2022	1	21	4	32	45	19.56	102.4	7.5554	48.4265
2022	1	21	4	42	45	20.5	99.8	7.5554	51.2155
2022	1	21	4	52	45	20.8	99.7	7.5554	51.9761
2022	1	21	5	2	45	19.97	99.5	7.5615	49.9899
2022	1	21	5	12	45	19.14	102.4	7.5554	47.4124
2022	1	21	5	22	45	19.53	100.6	7.5554	48.6801
2022	1	21	5	32	45	19.4	98.3	7.5554	48.6801
2022	1	21	5	42	45	20.3	99.9	7.5554	50.7084
2022	1	21	5	52	45	18.69	101.7	7.5554	46.3982
2022	1	21	6	2	45	19.87	101	7.5554	49.4407
2022	1	21	6	12	45	18.75	101.1	7.5554	46.6518
2022	1	21	6	22	45	19.32	100.4	7.5554	48.173
2022	1	21	6	32	45	18.63	102.4	7.5554	46.1447
2022	1	21	6	42	45	20.4	102.7	7.5554	50.4549
2022	1	21	6	52	45	19.55	99.1	7.5554	48.9337
2022	1	21	7	2	45	19.22	100.5	7.5554	47.9195
2022	1	21	7	12	45	20.62	102.9	7.5554	50.962
2022	1	21	7	22	45	19.37	99.5	7.5554	48.4266
2022	1	21	7	32	45	19.4	101.6	7.5554	48.1731
2022	1	21	7	42	45	19.12	102.1	7.5554	47.4124
2022	1	21	7	52	45	19.12	102.1	7.5554	47.4124

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	21	8	2	45	19.34	102.2	7.5554	47.9195
2022	1	21	8	12	45	18.12	98.9	7.5554	45.3841
2022	1	21	8	22	45	19.7	98.2	7.5554	49.4407
2022	1	21	8	32	45	19.56	99.4	7.5554	48.9336
2022	1	21	8	42	45	20.88	97.4	7.5554	52.4831
2022	1	21	8	52	45	19.56	99.4	7.5554	48.9335
2022	1	21	9	2	45	19.81	100.2	7.5493	49.3989
2022	1	21	9	12	45	20.18	97.7	7.5493	50.6655
2022	1	21	9	22	45	20.34	98.8	7.5493	50.9188
2022	1	21	9	32	45	18.85	97.3	7.5493	47.3722
2022	1	21	9	42	45	20.58	97.5	7.5493	51.6787
2022	1	21	9	52	45	19.79	95.5	7.5493	49.9054
2022	1	21	10	2	45	19.59	97.9	7.5493	49.1454
2022	1	21	10	12	45	21.19	97.6	7.5493	53.1986
2022	1	21	10	22	45	20.17	97.4	7.5493	50.6653
2022	1	21	10	32	45	20.88	97.4	7.5554	52.4828
2022	1	21	10	42	45	19.94	96.9	7.5493	50.1586
2022	1	21	10	52	45	19.95	94	7.5493	50.4119
2022	1	21	11	2	45	21.47	97.2	7.5554	54.0039
2022	1	21	11	12	45	20.58	95	7.5554	51.9756
2022	1	21	11	22	45	19.82	96.4	7.5554	49.9472
2022	1	21	11	32	45	21.19	97.6	7.5493	53.1983
2022	1	21	11	42	45	20.52	96.2	7.5493	51.6784
2022	1	21	11	52	45	20.55	97	7.5554	51.7219
2022	1	21	12	2	45	21.14	93.5	7.5554	53.4967
2022	1	21	12	12	45	21.37	94.6	7.5493	53.9582
2022	1	21	12	22	45	20.98	94.9	7.5554	52.9896
2022	1	21	12	32	45	21.2	95.7	7.5493	53.4515
2022	1	21	12	42	45	21.7	95.6	7.5493	54.7182
2022	1	21	12	52	45	21.61	95.8	7.5493	54.4648
2022	1	21	13	2	45	20.62	98.4	7.5493	51.6782
2022	1	21	13	12	45	20.7	95.5	7.5554	52.2289
2022	1	21	13	22	45	21.98	97.3	7.5493	55.2247
2022	1	21	13	32	45	20.23	96.5	7.5493	50.9182
2022	1	21	13	42	45	19.83	96.7	7.5432	49.8628
2022	1	21	13	52	45	20.54	98.7	7.5493	51.4248
2022	1	21	14	2	45	21.57	97.2	7.5554	54.2571
2022	1	21	14	12	45	19.25	97.2	7.5493	48.385
2022	1	21	14	22	45	20.14	93.7	7.5493	50.9182
2022	1	21	14	32	45	20.7	95.5	7.5493	52.1848
2022	1	21	14	42	45	20.36	94.5	7.5493	51.4249
2022	1	21	14	52	45	21.37	97.3	7.5493	53.7048
2022	1	21	15	2	45	21.82	98.2	7.5493	54.7181
2022	1	21	15	12	45	21	95.5	7.5493	52.9448
2022	1	21	15	22	45	20.58	95	7.5493	51.9316
2022	1	21	15	32	45	21.58	95.1	7.5432	54.4189
2022	1	21	15	42	45	21.43	96.4	7.5493	53.9582
2022	1	21	15	52	45	21.77	97.1	7.5493	54.7182

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	21	16	2	45	20.24	96.8	7.5432	50.8754
2022	1	21	16	12	45	20.06	97.2	7.5493	50.4117
2022	1	21	16	22	45	21.47	97.2	7.5432	53.9127
2022	1	21	16	32	45	21.35	96.7	7.5432	53.6596
2022	1	21	16	42	45	20.42	100.2	7.5432	50.8754
2022	1	21	16	52	45	19.63	100.6	7.5432	48.8505
2022	1	21	17	2	45	19.17	99.6	7.5371	47.7976
2022	1	21	17	12	45	19.96	99.2	7.5371	49.8208
2022	1	21	17	22	45	19.24	100.8	7.5432	47.838
2022	1	21	17	32	45	19.25	99.3	7.5432	48.0911
2022	1	21	17	42	45	19.22	98.7	7.5432	48.0911
2022	1	21	17	52	45	20.41	95.9	7.5432	51.3816
2022	1	21	18	2	45	20.37	99.3	7.5432	50.8754
2022	1	21	18	12	45	20.4	99.9	7.5432	50.8754
2022	1	21	18	22	45	20.63	100.3	7.5432	51.3816
2022	1	21	18	32	45	19.45	97.1	7.5432	48.8505
2022	1	21	18	42	45	19.61	100.3	7.5432	48.8505
2022	1	21	18	52	45	20.47	99.3	7.5432	51.1285
2022	1	21	19	2	45	19.87	97.5	7.5432	49.8629
2022	1	21	19	12	45	21.32	101.4	7.5432	52.9003
2022	1	21	19	22	45	20.01	98.3	7.5432	50.116
2022	1	21	19	32	45	20.34	100.5	7.5371	50.5795
2022	1	21	19	42	45	19.61	100.3	7.5371	48.8092
2022	1	21	19	52	45	19.71	100.2	7.5371	49.0621
2022	1	21	20	2	45	19.42	98.6	7.5371	48.5564
2022	1	21	20	12	45	20.35	99	7.5371	50.8324
2022	1	21	20	22	45	20.08	101.2	7.5371	49.8209
2022	1	21	20	32	45	19.38	102.8	7.5371	47.7977
2022	1	21	20	42	45	19.2	100.2	7.5371	47.7977
2022	1	21	20	52	45	19.45	97.1	7.5432	48.8505
2022	1	21	21	2	45	19.96	101	7.5371	49.568
2022	1	21	21	12	45	19.45	99.2	7.5432	48.5974
2022	1	21	21	22	45	19.48	104	7.5371	47.7977
2022	1	21	21	32	45	19.04	100.9	7.5371	47.2919
2022	1	21	21	42	45	19.2	101.7	7.5371	47.5448
2022	1	21	21	52	45	20.59	95.3	7.5432	51.8879
2022	1	21	22	2	45	19.38	99.8	7.5371	48.3035
2022	1	21	22	12	45	19.24	100.8	7.5371	47.7977
2022	1	21	22	22	45	20.21	100	7.5371	50.3267
2022	1	21	22	32	45	19	95.7	7.5371	47.7977
2022	1	21	22	42	45	19.14	96.9	7.5371	48.0507
2022	1	21	22	52	45	18.87	101.3	7.5371	46.7862
2022	1	21	23	2	45	21.76	96.9	7.5432	54.6722
2022	1	21	23	12	45	20.35	97.1	7.531	51.0423
2022	1	21	23	22	45	18.25	99.5	7.531	45.4832
2022	1	21	23	32	45	19.42	100.4	7.5371	48.3036
2022	1	21	23	42	45	19.12	98.7	7.531	47.7574
2022	1	21	23	52	45	18.22	98.8	7.5371	45.5217

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	22	0	2	45	19.83	96.7	7.5432	49.8631
2022	1	22	0	12	45	20.66	97.2	7.5371	51.8442
2022	1	22	0	22	45	19.76	97.3	7.5432	49.61
2022	1	22	0	32	45	19.39	98	7.5371	48.5565
2022	1	22	0	42	45	20.7	99.7	7.5371	51.5913
2022	1	22	0	52	45	19.79	99.9	7.531	49.2735
2022	1	22	1	2	45	19.19	98.1	7.5371	48.0507
2022	1	22	1	12	45	20.3	99.9	7.5371	50.5797
2022	1	22	1	22	45	19.42	98.6	7.5371	48.5566
2022	1	22	1	32	45	19.14	100.8	7.531	47.5048
2022	1	22	1	42	45	21.22	100	7.531	52.8112
2022	1	22	1	52	45	21.16	100.6	7.531	52.5585
2022	1	22	2	2	45	20.09	99.7	7.531	50.0317
2022	1	22	2	12	45	19.67	97.6	7.531	49.2736
2022	1	22	2	22	45	18.79	100.1	7.531	46.7467
2022	1	22	2	32	45	18.97	102.8	7.531	46.7468
2022	1	22	2	42	45	21.31	99.7	7.531	53.0639
2022	1	22	2	52	45	19.76	97.3	7.5371	49.5682
2022	1	22	3	2	45	19.96	101	7.531	49.5263
2022	1	22	3	12	45	18.31	96.3	7.531	45.9887
2022	1	22	3	22	45	19.46	99.5	7.5249	48.4746
2022	1	22	3	32	45	20.06	99.2	7.5249	49.9894
2022	1	22	3	42	45	18.66	99.6	7.531	46.4941
2022	1	22	3	52	45	19.54	102.1	7.531	48.2629
2022	1	22	4	2	45	19.52	100.3	7.5249	48.4746
2022	1	22	4	12	45	18.08	101.8	7.5249	44.6875
2022	1	22	4	22	45	19.98	101.3	7.5249	49.4845
2022	1	22	4	32	45	19.49	101.5	7.5249	48.2221
2022	1	22	4	42	45	20.4	99.9	7.531	50.7898
2022	1	22	4	52	45	18.73	100.8	7.5249	46.4548
2022	1	22	5	2	45	18.1	96	7.531	45.4834
2022	1	22	5	12	45	19.79	97.8	7.531	49.5264
2022	1	22	5	22	45	19.14	100.8	7.531	47.5049
2022	1	22	5	32	45	19.07	99.7	7.5249	47.4647
2022	1	22	5	42	45	19.3	100.1	7.5249	47.9697
2022	1	22	5	52	45	19.11	98.4	7.5249	47.7172
2022	1	22	6	2	45	18.63	99	7.5249	46.4548
2022	1	22	6	12	45	19.02	104.6	7.5249	46.4548
2022	1	22	6	22	45	19.77	101.1	7.5249	48.9796
2022	1	22	6	32	45	19.79	101.4	7.5249	48.9796
2022	1	22	6	42	45	20.76	99.1	7.5249	51.7568
2022	1	22	6	52	45	21.52	99.9	7.5249	53.5241
2022	1	22	7	2	45	18.71	100.5	7.5249	46.4549
2022	1	22	7	12	45	19.55	99.1	7.5249	48.7271
2022	1	22	7	22	45	19.31	96.2	7.5249	48.4746
2022	1	22	7	32	45	19.84	99	7.5249	49.4845
2022	1	22	7	42	45	19.91	100.1	7.531	49.5264
2022	1	22	7	52	45	19.02	98.8	7.5249	47.4648

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	22	8	2	45	20.63	98.6	7.531	51.5479
2022	1	22	8	12	45	20.13	96.6	7.531	50.5371
2022	1	22	8	22	45	19.58	95.3	7.531	49.2737
2022	1	22	8	32	45	20.34	98.8	7.531	50.7898
2022	1	22	8	42	45	19	95.7	7.5371	47.7979
2022	1	22	8	52	45	20.95	96.9	7.5371	52.6029
2022	1	22	9	2	45	22.06	94.2	7.5371	55.6377
2022	1	22	9	12	45	21.85	100.3	7.531	54.3272
2022	1	22	9	22	45	22.4	97.7	7.5371	56.1434
2022	1	22	9	32	45	19.44	96.8	7.5371	48.8094
2022	1	22	9	42	45	21.52	98.3	7.5371	53.8673
2022	1	22	9	52	45	21.36	97	7.5371	53.6144
2022	1	22	10	2	45	19.31	96.2	7.5371	48.5564
2022	1	22	10	12	45	22.3	95.4	7.5371	56.1433
2022	1	22	10	22	45	20.94	96.6	7.5371	52.6027
2022	1	22	10	32	45	21.19	97.6	7.5371	53.1085
2022	1	22	10	42	45	21.55	98.8	7.5432	53.9126
2022	1	22	10	52	45	20.14	96.8	7.5371	50.5794
2022	1	22	11	2	45	21.29	95.4	7.5371	53.6142
2022	1	22	11	12	45	21.68	97.4	7.5371	54.3728
2022	1	22	11	22	45	22.89	95	7.5371	57.6605
2022	1	22	11	32	45	21.09	97.6	7.5371	52.8554
2022	1	22	11	42	45	21.57	97.2	7.5371	54.1199
2022	1	22	11	52	45	19.48	95.3	7.5371	49.0619
2022	1	22	12	2	45	20.8	95.5	7.5371	52.3496
2022	1	22	12	12	45	21.24	96.5	7.5371	53.3611
2022	1	22	12	22	45	19.63	98.8	7.531	49.0204
2022	1	22	12	32	45	20.6	95.6	7.5371	51.8437
2022	1	22	12	42	45	20.78	99.4	7.531	51.7999
2022	1	22	12	52	45	20.25	97.1	7.531	50.7892
2022	1	22	13	2	45	20.6	95.6	7.531	51.7999
2022	1	22	13	12	45	21.84	98.4	7.5371	54.6256
2022	1	22	13	22	45	19.98	97.8	7.531	50.0311
2022	1	22	13	32	45	20.51	98.1	7.531	51.2945
2022	1	22	13	42	45	20.03	96.6	7.531	50.2838
2022	1	22	13	52	45	20.38	97.6	7.531	51.0418
2022	1	22	14	2	45	20.1	98	7.531	50.2838
2022	1	22	14	12	45	21.01	99.9	7.531	52.3052
2022	1	22	14	22	45	19.42	98.6	7.5249	48.474
2022	1	22	14	32	45	19.91	96.1	7.531	50.0311
2022	1	22	14	42	45	21.46	97	7.531	53.8213
2022	1	22	14	52	45	20.45	99	7.531	51.0419
2022	1	22	15	2	45	21.01	99.9	7.5249	52.2611
2022	1	22	15	12	45	20.55	97	7.531	51.5472
2022	1	22	15	22	45	20.18	97.7	7.5249	50.4938
2022	1	22	15	32	45	19.09	98.1	7.5249	47.7167
2022	1	22	15	42	45	20.21	96	7.5249	50.7463
2022	1	22	15	52	45	20.73	98.6	7.5249	51.7562

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	22	16	2	45	20.32	98.5	7.5249	50.7463
2022	1	22	16	12	45	21.42	96.2	7.5249	53.7759
2022	1	22	16	22	45	20.16	99.1	7.5249	50.2414
2022	1	22	16	32	45	20.1	98	7.5188	50.1988
2022	1	22	16	42	45	20.1	101.5	7.5188	49.6943
2022	1	22	16	52	45	19.75	102.3	7.5188	48.6853
2022	1	22	17	2	45	18.95	102.5	7.5188	46.6673
2022	1	22	17	12	45	20.24	102	7.5188	49.9466
2022	1	22	17	22	45	18.95	97.3	7.5188	47.424
2022	1	22	17	32	45	20.4	99.9	7.5188	50.7034
2022	1	22	17	42	45	19.04	99.1	7.5249	47.4642
2022	1	22	17	52	45	20.44	96.7	7.5249	51.2513
2022	1	22	18	2	45	20.03	100.4	7.5249	49.7365
2022	1	22	18	12	45	20.53	101.8	7.5249	50.7463
2022	1	22	18	22	45	20.47	99.3	7.5249	50.9988
2022	1	22	18	32	45	19.73	102	7.5188	48.6853
2022	1	22	18	42	45	20.46	100.7	7.5249	50.7463
2022	1	22	18	52	45	19.22	100.5	7.5249	47.7167
2022	1	22	19	2	45	19.63	100.6	7.5249	48.7266
2022	1	22	19	12	45	19.98	101.3	7.5188	49.4421
2022	1	22	19	22	45	18.79	100.1	7.5249	46.7069
2022	1	22	19	32	45	18.61	102.1	7.5249	45.9495
2022	1	22	19	42	45	19.8	98.1	7.5249	49.484
2022	1	22	19	52	45	19.14	96.9	7.5188	47.9286
2022	1	22	20	2	45	19.71	98.5	7.5249	49.2316
2022	1	22	20	12	45	19.84	104.6	7.5249	48.4742
2022	1	22	20	22	45	19.26	101.1	7.5249	47.7168
2022	1	22	20	32	45	18.91	101.9	7.5249	46.7069
2022	1	22	20	42	45	18.45	101.2	7.5249	45.697
2022	1	22	20	52	45	19.71	101.7	7.5249	48.7267
2022	1	22	21	2	45	18.54	102.5	7.5188	45.6584
2022	1	22	21	12	45	19.33	98.9	7.5188	48.1809
2022	1	22	21	22	45	19.91	98.4	7.5188	49.6945
2022	1	22	21	32	45	20.55	99	7.5249	51.2514
2022	1	22	21	42	45	20.12	98.6	7.5188	50.199
2022	1	22	21	52	45	19.39	98	7.5188	48.4332
2022	1	22	22	2	45	21.42	99.9	7.5188	53.2261
2022	1	22	22	12	45	18.77	99.8	7.5188	46.6674
2022	1	22	22	22	45	19.1	101.8	7.5188	47.1719
2022	1	22	22	32	45	18.61	96.2	7.5188	46.6674
2022	1	22	22	42	45	20.52	100.1	7.5188	50.9558
2022	1	22	22	52	45	19.01	98.5	7.5188	47.4242
2022	1	22	23	2	45	19.71	98.5	7.5188	49.19
2022	1	22	23	12	45	20.35	99	7.5249	50.7465
2022	1	22	23	22	45	20.11	100	7.5188	49.9468
2022	1	22	23	32	45	19.3	98.3	7.5188	48.181
2022	1	22	23	42	45	19.37	99.5	7.5188	48.181
2022	1	22	23	52	45	19.85	100.7	7.5188	49.19



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	23	0	2	45	19.53	98.8	7.5188	48.6855
2022	1	23	0	12	45	19.63	100.6	7.5188	48.6855
2022	1	23	0	22	45	19.04	99.1	7.5188	47.4242
2022	1	23	0	32	45	18.75	101.1	7.5188	46.4152
2022	1	23	0	42	45	19.69	95.5	7.5188	49.4423
2022	1	23	0	52	45	19.36	101	7.5188	47.9288
2022	1	23	1	2	45	19.14	99	7.5188	47.6765
2022	1	23	1	12	45	20.08	101.2	7.5188	49.6946
2022	1	23	1	22	45	20.72	98.3	7.5188	51.7126
2022	1	23	1	32	45	18.63	99	7.5188	46.4152
2022	1	23	1	42	45	19.85	100.7	7.5188	49.1901
2022	1	23	1	52	45	19.42	101.9	7.5188	47.9288
2022	1	23	2	2	45	19.57	101.2	7.5188	48.4333
2022	1	23	2	12	45	19.4	101.6	7.5188	47.9288
2022	1	23	2	22	45	20.04	102.1	7.5188	49.4424
2022	1	23	2	32	45	19.63	100.6	7.5188	48.6856
2022	1	23	2	42	45	19.93	98.7	7.5188	49.6946
2022	1	23	2	52	45	19.97	102.4	7.5188	49.1901
2022	1	23	3	2	45	19.89	101.3	7.5188	49.1901
2022	1	23	3	12	45	19.6	100	7.5188	48.6856
2022	1	23	3	22	45	19.2	100.2	7.5188	47.6766
2022	1	23	3	32	45	18.35	99.4	7.5127	45.6199
2022	1	23	3	42	45	18.32	98.8	7.5127	45.6199
2022	1	23	3	52	45	18.68	99.9	7.5127	46.376
2022	1	23	4	2	45	19.24	100.8	7.5127	47.6362
2022	1	23	4	12	45	19.75	102.3	7.5127	48.6444
2022	1	23	4	22	45	19.27	99.6	7.5127	47.8883
2022	1	23	4	32	45	17.92	99	7.5127	44.6117
2022	1	23	4	42	45	18.86	99.5	7.5127	46.8801
2022	1	23	4	52	45	20.39	97.9	7.5127	50.9128
2022	1	23	5	2	45	19.52	100.3	7.5127	48.3924
2022	1	23	5	12	45	19.89	101.3	7.5127	49.1485
2022	1	23	5	22	45	18.63	100.8	7.5127	46.124
2022	1	23	5	32	45	20.24	98.8	7.5127	50.4087
2022	1	23	5	42	45	19.98	101.3	7.5127	49.4006
2022	1	23	5	52	45	20.14	98.9	7.5127	50.1567
2022	1	23	6	2	45	19.52	100.3	7.5127	48.3924
2022	1	23	6	12	45	19.44	100.7	7.5127	48.1404
2022	1	23	6	22	45	19.47	101.3	7.5127	48.1404
2022	1	23	6	32	45	19.27	99.6	7.5127	47.8883
2022	1	23	6	42	45	18.51	100.6	7.5127	45.872
2022	1	23	6	52	45	18.63	99	7.5127	46.3761
2022	1	23	7	2	45	18.93	102.2	7.5127	46.6281
2022	1	23	7	12	45	18.68	99.9	7.5127	46.3761
2022	1	23	7	22	45	19.55	99.1	7.5127	48.6445
2022	1	23	7	32	45	19.1	100.3	7.5127	47.3842
2022	1	23	7	42	45	19.35	99.2	7.5127	48.1404
2022	1	23	7	52	45	19.44	100.7	7.5127	48.1404

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	23	8	2	45	18.85	101	7.5127	46.6281
2022	1	23	8	12	45	19.89	99.8	7.5127	49.4006
2022	1	23	8	22	45	19.68	102.6	7.5127	48.3924
2022	1	23	8	32	45	19.53	98.8	7.5127	48.6444
2022	1	23	8	42	45	20.11	100	7.5127	49.9046
2022	1	23	8	52	45	19.56	97.3	7.5127	48.8964
2022	1	23	9	2	45	19.15	99.3	7.5127	47.6361
2022	1	23	9	12	45	19.85	100.7	7.5127	49.1483
2022	1	23	9	22	45	20.04	100.6	7.5127	49.6524
2022	1	23	9	32	45	19.45	99.2	7.5127	48.3922
2022	1	23	9	42	45	19.2	100.2	7.5188	47.6764
2022	1	23	9	52	45	19.27	99.6	7.5188	47.9286
2022	1	23	10	2	45	18.83	100.7	7.5127	46.6278
2022	1	23	10	12	45	18.6	98.3	7.5188	46.415
2022	1	23	10	22	45	20.11	100	7.5188	49.9466
2022	1	23	10	32	45	19.69	101.4	7.5188	48.6853
2022	1	23	10	42	45	18.93	102.2	7.5188	46.6672
2022	1	23	10	52	45	18.93	102.2	7.5188	46.6672
2022	1	23	11	2	45	19.69	101.4	7.5188	48.6852
2022	1	23	11	12	45	18.88	97.9	7.5188	47.1716
2022	1	23	11	22	45	18.98	101.5	7.5188	46.9194
2022	1	23	11	32	45	20.17	99.4	7.5188	50.1987
2022	1	23	11	42	45	19.42	101.9	7.5188	47.9283
2022	1	23	11	52	45	19.36	101	7.5188	47.9283
2022	1	23	12	2	45	20.32	100.2	7.5188	50.4509
2022	1	23	12	12	45	19.12	100.5	7.5188	47.4238
2022	1	23	12	22	45	20.11	100	7.5188	49.9463
2022	1	23	12	32	45	19.42	100.4	7.5188	48.1805
2022	1	23	12	42	45	19.01	100.3	7.5188	47.1715
2022	1	23	12	52	45	19.28	99.9	7.5188	47.9282
2022	1	23	13	2	45	19.55	100.9	7.5188	48.4328
2022	1	23	13	12	45	18.3	102	7.5188	45.1535
2022	1	23	13	22	45	18.45	101.2	7.5249	45.6966
2022	1	23	13	32	45	20.16	99.1	7.5188	50.1985
2022	1	23	13	42	45	18.51	103.4	7.5188	45.4057
2022	1	23	13	52	45	18.96	99.4	7.5188	47.1715
2022	1	23	14	2	45	17.87	100	7.5188	44.3967
2022	1	23	14	12	45	19.43	103.4	7.5188	47.676
2022	1	23	14	22	45	19.96	99.2	7.5188	49.694
2022	1	23	14	32	45	19.76	99.3	7.5188	49.1895
2022	1	23	14	42	45	18.96	101.3	7.5188	46.9192
2022	1	23	14	52	45	19.66	99.4	7.5188	48.9373
2022	1	23	15	2	45	20.22	100.3	7.5188	50.1986
2022	1	23	15	12	45	19.21	103.2	7.5188	47.1715
2022	1	23	15	22	45	17.68	103.4	7.5188	43.3877
2022	1	23	15	32	45	17.88	103.3	7.5188	43.8922
2022	1	23	15	42	45	18.95	101	7.5188	46.9193
2022	1	23	15	52	45	19.5	100	7.5188	48.4328

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	23	16	2	45	19.12	102.1	7.5188	47.1716
2022	1	23	16	12	45	20.28	101.1	7.5188	50.1986
2022	1	23	16	22	45	19.42	100.4	7.5188	48.1806
2022	1	23	16	32	45	18.63	103.7	7.5188	45.658
2022	1	23	16	42	45	19.42	100.4	7.5188	48.1806
2022	1	23	16	52	45	19.34	100.7	7.5188	47.9283
2022	1	23	17	2	45	19.38	101.3	7.5188	47.9283
2022	1	23	17	12	45	18.6	100.2	7.5188	46.1625
2022	1	23	17	22	45	18.79	100.1	7.5188	46.667
2022	1	23	17	32	45	17.5	100.5	7.5188	43.3877
2022	1	23	17	42	45	19.12	98.7	7.5188	47.6761
2022	1	23	17	52	45	18.85	101	7.5188	46.6671
2022	1	23	18	2	45	18.28	100.1	7.5188	45.4058
2022	1	23	18	12	45	18.95	101	7.5188	46.9193
2022	1	23	18	22	45	19.01	98.5	7.5188	47.4238
2022	1	23	18	32	45	19.87	102.5	7.5188	48.9374
2022	1	23	18	42	45	18.74	99.2	7.5188	46.6671
2022	1	23	18	52	45	19.22	102	7.5188	47.4239
2022	1	23	19	2	45	20.26	102.3	7.5188	49.9464
2022	1	23	19	12	45	19.24	100.8	7.5188	47.6761
2022	1	23	19	22	45	19.38	99.8	7.5188	48.1807
2022	1	23	19	32	45	18.87	99.8	7.5188	46.9194
2022	1	23	19	42	45	19.66	99.4	7.5188	48.9374
2022	1	23	19	52	45	19.79	101.4	7.5188	48.9374
2022	1	23	20	2	45	18.85	101	7.5188	46.6672
2022	1	23	20	12	45	20.4	101.3	7.5188	50.451
2022	1	23	20	22	45	19.65	99.1	7.5188	48.9375
2022	1	23	20	32	45	18.93	100.7	7.5188	46.9194
2022	1	23	20	42	45	19.71	101.7	7.5188	48.6852
2022	1	23	20	52	45	20.06	99.2	7.5188	49.9465
2022	1	23	21	2	45	18.9	95.8	7.5188	47.424
2022	1	23	21	12	45	18.63	102.4	7.5188	45.9105
2022	1	23	21	22	45	19.27	99.6	7.5188	47.9285
2022	1	23	21	32	45	18.98	101.5	7.5188	46.9195
2022	1	23	21	42	45	19.52	100.3	7.5188	48.433
2022	1	23	21	52	45	19.61	100.3	7.5188	48.6853
2022	1	23	22	2	45	19.73	100.5	7.5188	48.9376
2022	1	23	22	12	45	19.27	99.6	7.5127	47.8879
2022	1	23	22	22	45	18.96	101.3	7.5188	46.9195
2022	1	23	22	32	45	18.2	98.5	7.5188	45.406
2022	1	23	22	42	45	19.65	99.1	7.5188	48.9376
2022	1	23	22	52	45	19.68	99.7	7.5188	48.9376
2022	1	23	23	2	45	18.87	99.8	7.5127	46.8798
2022	1	23	23	12	45	18.92	98.8	7.5127	47.1319
2022	1	23	23	22	45	19.09	100	7.5127	47.3839
2022	1	23	23	32	45	19.77	102.6	7.5127	48.6441
2022	1	23	23	42	45	19.65	102.3	7.5188	48.4331
2022	1	23	23	52	45	19.29	102.9	7.5127	47.384

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	24	0	2	45	18.97	99.7	7.5127	47.1319
2022	1	24	0	12	45	19.63	98.8	7.5127	48.8962
2022	1	24	0	22	45	20.57	100.9	7.5127	50.9126
2022	1	24	0	32	45	19.71	100.2	7.5127	48.8962
2022	1	24	0	42	45	19.8	102.8	7.5127	48.6442
2022	1	24	0	52	45	18.93	102.2	7.5127	46.6279
2022	1	24	1	2	45	19.48	102.8	7.5127	47.8881
2022	1	24	1	12	45	18.55	101.2	7.5127	45.8718
2022	1	24	1	22	45	19.48	95.3	7.5127	48.8963
2022	1	24	1	32	45	19.24	100.8	7.5127	47.6361
2022	1	24	1	42	45	19.27	99.6	7.5127	47.8882
2022	1	24	1	52	45	19.68	99.7	7.5127	48.8963
2022	1	24	2	2	45	19.18	101.4	7.5127	47.3841
2022	1	24	2	12	45	19.68	102.6	7.5127	48.3923
2022	1	24	2	22	45	20.09	102.7	7.5127	49.4005
2022	1	24	2	32	45	18.74	99.2	7.5127	46.628
2022	1	24	2	42	45	18.5	98.4	7.5127	46.1239
2022	1	24	2	52	45	19.02	103.4	7.5127	46.628
2022	1	24	3	2	45	20.81	101.4	7.5127	51.4168
2022	1	24	3	12	45	19	101.8	7.5127	46.8801
2022	1	24	3	22	45	19.79	99.9	7.5127	49.1485
2022	1	24	3	32	45	19.63	98.8	7.5127	48.8964
2022	1	24	3	42	45	19.33	103.5	7.5127	47.3842
2022	1	24	3	52	45	18.91	101.9	7.5127	46.6281
2022	1	24	4	2	45	19.6	100	7.5127	48.6444
2022	1	24	4	12	45	19.34	102.2	7.5127	47.6362
2022	1	24	4	22	45	20.16	102.3	7.5127	49.6526
2022	1	24	4	32	45	19.49	98	7.5127	48.6444
2022	1	24	4	42	45	19.22	102	7.5127	47.3842
2022	1	24	4	52	45	19.14	99	7.5127	47.6363
2022	1	24	5	2	45	19.83	101.9	7.5127	48.8965
2022	1	24	5	12	45	18.69	101.7	7.5127	46.124
2022	1	24	5	22	45	18.54	99.3	7.5127	46.124
2022	1	24	5	32	45	18.98	101.5	7.5127	46.8801
2022	1	24	5	42	45	20.22	100.3	7.5127	50.1567
2022	1	24	5	52	45	19.3	98.3	7.5127	48.1404
2022	1	24	6	2	45	19.22	102	7.5127	47.3843
2022	1	24	6	12	45	19.71	98.5	7.5127	49.1486
2022	1	24	6	22	45	19.59	101.5	7.5127	48.3924
2022	1	24	6	32	45	19.56	99.4	7.5127	48.6445
2022	1	24	6	42	45	18.9	103.2	7.5127	46.3761
2022	1	24	6	52	45	19.76	99.3	7.5127	49.1486
2022	1	24	7	2	45	18.81	100.4	7.5127	46.6281
2022	1	24	7	12	45	19.09	100	7.5127	47.3843
2022	1	24	7	22	45	20.08	101.2	7.5127	49.6527
2022	1	24	7	32	45	19.18	101.4	7.5127	47.3843
2022	1	24	7	42	45	19.15	99.3	7.5127	47.6363
2022	1	24	7	52	45	20.81	102.8	7.5127	51.165

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	24	8	2	45	19.49	101.5	7.5127	48.1404
2022	1	24	8	12	45	18.71	100.5	7.5127	46.3761
2022	1	24	8	22	45	18.93	102.2	7.5127	46.6281
2022	1	24	8	32	45	18.87	102.9	7.5127	46.376
2022	1	24	8	42	45	19.73	100.5	7.5127	48.8965
2022	1	24	8	52	45	19.2	101.7	7.5127	47.3842
2022	1	24	9	2	45	19.68	102.6	7.5127	48.3923
2022	1	24	9	12	45	19.4	101.6	7.5127	47.8882
2022	1	24	9	22	45	19.6	100	7.5127	48.6443
2022	1	24	9	32	45	20.53	101.8	7.5127	50.6606
2022	1	24	9	42	45	20.52	100.1	7.5127	50.9126
2022	1	24	9	52	45	19.01	98.5	7.5188	47.4242
2022	1	24	10	2	45	19.38	102.8	7.5188	47.6764
2022	1	24	10	12	45	19.3	100.1	7.5188	47.9286
2022	1	24	10	22	45	19.42	98.6	7.5188	48.4331
2022	1	24	10	32	45	19.96	99.2	7.5188	49.6944
2022	1	24	10	42	45	19.35	103.7	7.5188	47.4241
2022	1	24	10	52	45	19.71	101.7	7.5188	48.6853
2022	1	24	11	2	45	19.89	104	7.5188	48.6853
2022	1	24	11	12	45	19.34	100.7	7.5188	47.9285
2022	1	24	11	22	45	18.63	102.4	7.5188	45.9104
2022	1	24	11	32	45	18.93	100.7	7.5188	46.9194
2022	1	24	11	42	45	18.53	100.9	7.5188	45.9104
2022	1	24	11	52	45	19.24	100.8	7.5188	47.6762
2022	1	24	12	2	45	20.14	100.6	7.5188	49.9465
2022	1	24	12	12	45	18.6	100.2	7.5188	46.1626
2022	1	24	12	22	45	20.26	102.3	7.5188	49.9464
2022	1	24	12	32	45	19.59	101.5	7.5249	48.4739
2022	1	24	12	42	45	19.85	102.2	7.5188	48.9374
2022	1	24	12	52	45	18.63	102.4	7.5188	45.9103
2022	1	24	13	2	45	19.1	101.8	7.5249	47.2116
2022	1	24	13	12	45	19.58	102.7	7.5188	48.1806
2022	1	24	13	22	45	19.96	101	7.5249	49.4838
2022	1	24	13	32	45	18.22	100.8	7.5249	45.1918
2022	1	24	13	42	45	18.8	103.2	7.5249	46.2017
2022	1	24	13	52	45	19.07	102.7	7.5249	46.959
2022	1	24	14	2	45	19.43	104.6	7.5249	47.464
2022	1	24	14	12	45	19.65	99.1	7.5188	48.9373
2022	1	24	14	22	45	19.77	101.1	7.5249	48.9788
2022	1	24	14	32	45	19.46	102.5	7.5249	47.9689
2022	1	24	14	42	45	18.96	101.3	7.5249	46.959
2022	1	24	14	52	45	18.31	103.6	7.5249	44.9393
2022	1	24	15	2	45	17.89	100.3	7.5188	44.3968
2022	1	24	15	12	45	19.48	102.8	7.5249	47.9689
2022	1	24	15	22	45	18.43	103.8	7.5249	45.1918
2022	1	24	15	32	45	17.93	105.2	7.5188	43.64
2022	1	24	15	42	45	18.44	102.5	7.5249	45.4443
2022	1	24	15	52	45	18.66	102.7	7.5188	45.9103

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	24	16	2	45	18.58	103.1	7.5188	45.6581
2022	1	24	16	12	45	18.87	102.9	7.5188	46.4148
2022	1	24	16	22	45	19.12	100.5	7.5188	47.4238
2022	1	24	16	32	45	19.7	99.9	7.5249	48.9788
2022	1	24	16	42	45	19.55	100.9	7.5249	48.4739
2022	1	24	16	52	45	19.04	100.9	7.5188	47.1716
2022	1	24	17	2	45	19.09	100	7.5249	47.464
2022	1	24	17	12	45	19.23	103.5	7.5249	47.2116
2022	1	24	17	22	45	18.78	105.4	7.5188	45.6581
2022	1	24	17	32	45	18.54	102.5	7.5188	45.6581
2022	1	24	17	42	45	18.96	101.3	7.5249	46.9591
2022	1	24	17	52	45	19.04	100.9	7.5249	47.2116
2022	1	24	18	2	45	19.71	98.5	7.5249	49.2313
2022	1	24	18	12	45	19.27	99.6	7.5249	47.969
2022	1	24	18	22	45	20.44	101.9	7.5249	50.4936
2022	1	24	18	32	45	19.3	101.7	7.5249	47.7165
2022	1	24	18	42	45	19.01	100.3	7.5249	47.2116
2022	1	24	18	52	45	19.34	100.7	7.5188	47.9284
2022	1	24	19	2	45	20.63	100.3	7.5249	51.2511
2022	1	24	19	12	45	18.96	101.3	7.5249	46.9591
2022	1	24	19	22	45	19.79	99.9	7.5249	49.2313
2022	1	24	19	32	45	19.28	99.9	7.5249	47.969
2022	1	24	19	42	45	19.51	101.8	7.5249	48.2215
2022	1	24	19	52	45	19.42	101.9	7.5249	47.969
2022	1	24	20	2	45	18.96	101.3	7.5249	46.9592
2022	1	24	20	12	45	18.97	99.7	7.5249	47.2116
2022	1	24	20	22	45	20.55	100.7	7.5249	50.9987
2022	1	24	20	32	45	19.73	100.5	7.5249	48.9789
2022	1	24	20	42	45	20.45	99	7.5188	50.9555
2022	1	24	20	52	45	20.6	99.8	7.5249	51.2512
2022	1	24	21	2	45	18.59	101.8	7.5249	45.9493
2022	1	24	21	12	45	19.46	102.5	7.5249	47.9691
2022	1	24	21	22	45	18.48	100	7.5249	45.9494
2022	1	24	21	32	45	19.04	99.1	7.5249	47.4642
2022	1	24	21	42	45	18.73	102.3	7.5249	46.2019
2022	1	24	21	52	45	19.46	99.5	7.5249	48.4741
2022	1	24	22	2	45	19.42	100.4	7.5249	48.2216
2022	1	24	22	12	45	19.3	100.1	7.5249	47.9692
2022	1	24	22	22	45	19.96	101	7.5249	49.484
2022	1	24	22	32	45	19.71	101.7	7.5249	48.7266
2022	1	24	22	42	45	20.5	102.7	7.5249	50.4939
2022	1	24	22	52	45	19.71	101.7	7.5249	48.7266
2022	1	24	23	2	45	19.26	101.1	7.5249	47.7167
2022	1	24	23	12	45	19.46	102.5	7.5249	47.9692
2022	1	24	23	22	45	19.27	99.6	7.5249	47.9692
2022	1	24	23	32	45	18.76	99.5	7.5249	46.7069
2022	1	24	23	42	45	19.19	102.9	7.5249	47.2119
2022	1	24	23	52	45	19.52	100.3	7.5249	48.4742

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	25	0	2	45	19.42	101.9	7.5249	47.9693
2022	1	25	0	12	45	18.58	99.9	7.5249	46.202
2022	1	25	0	22	45	19.24	100.8	7.5249	47.7168
2022	1	25	0	32	45	19.73	102	7.5249	48.7267
2022	1	25	0	42	45	19.07	99.7	7.5249	47.4644
2022	1	25	0	52	45	20.58	102.3	7.5188	50.7036
2022	1	25	1	2	45	19.07	99.7	7.5249	47.4644
2022	1	25	1	12	45	19.63	102.1	7.5249	48.4743
2022	1	25	1	22	45	19.34	100.7	7.5249	47.9694
2022	1	25	1	32	45	18.33	99.1	7.5188	45.6585
2022	1	25	1	42	45	19.5	100	7.5249	48.4744
2022	1	25	1	52	45	18.55	101.2	7.5249	45.9497
2022	1	25	2	2	45	18.68	99.9	7.5249	46.4546
2022	1	25	2	12	45	19.14	100.8	7.5249	47.4645
2022	1	25	2	22	45	19.73	100.5	7.5188	48.9379
2022	1	25	2	32	45	20.44	100.4	7.5249	50.7467
2022	1	25	2	42	45	19.75	102.3	7.5249	48.7269
2022	1	25	2	52	45	19.98	101.3	7.5188	49.4425
2022	1	25	3	2	45	18.81	100.4	7.5188	46.6676
2022	1	25	3	12	45	20.21	100	7.5249	50.2418
2022	1	25	3	22	45	19.2	101.7	7.5249	47.4646
2022	1	25	3	32	45	19.88	99.6	7.5188	49.4425
2022	1	25	3	42	45	19.53	100.6	7.5249	48.4745
2022	1	25	3	52	45	19.09	98.1	7.5249	47.7171
2022	1	25	4	2	45	19.65	99.1	7.5249	48.9795
2022	1	25	4	12	45	20.46	102.1	7.5249	50.4943
2022	1	25	4	22	45	19.58	102.7	7.5249	48.2221
2022	1	25	4	32	45	20.3	99.9	7.5249	50.4944
2022	1	25	4	42	45	19.86	99.3	7.5249	49.4845
2022	1	25	4	52	45	18.57	97.7	7.5249	46.4548
2022	1	25	5	2	45	18.68	98	7.5188	46.6678
2022	1	25	5	12	45	20.67	100.9	7.5249	51.2518
2022	1	25	5	22	45	17.67	101.8	7.5188	43.6407
2022	1	25	5	32	45	19.93	98.7	7.5249	49.737
2022	1	25	5	42	45	18.87	102.9	7.5249	46.4549
2022	1	25	5	52	45	19.65	100.9	7.5249	48.7272
2022	1	25	6	2	45	19.45	99.2	7.5249	48.4747
2022	1	25	6	12	45	18.69	100.2	7.5249	46.4549
2022	1	25	6	22	45	20.67	100.9	7.5249	51.2519
2022	1	25	6	32	45	20.27	99.4	7.5249	50.4945
2022	1	25	6	42	45	20.63	100.3	7.5249	51.2519
2022	1	25	6	52	45	19.36	101	7.5249	47.9698
2022	1	25	7	2	45	18.6	98.3	7.531	46.4943
2022	1	25	7	12	45	20.01	100.1	7.5249	49.7371
2022	1	25	7	22	45	19.1	101.8	7.531	47.2523
2022	1	25	7	32	45	19.22	98.7	7.5249	47.9698
2022	1	25	7	42	45	21.23	102.8	7.531	52.306
2022	1	25	7	52	45	20.01	98.3	7.5249	49.9895

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	25	8	2	45	20.06	99.2	7.531	50.0318
2022	1	25	8	12	45	20.54	96.7	7.531	51.5479
2022	1	25	8	22	45	21.39	95.4	7.531	53.8221
2022	1	25	8	32	45	21.92	96	7.531	55.0855
2022	1	25	8	42	45	20.69	95.3	7.5371	52.0972
2022	1	25	8	52	45	21.46	94.3	7.5371	54.1204
2022	1	25	9	2	45	20.86	94.4	7.531	52.5585
2022	1	25	9	12	45	21	97.9	7.5371	52.603
2022	1	25	9	22	45	21.17	97.3	7.5371	53.1087
2022	1	25	9	32	45	20.94	96.6	7.5371	52.6029
2022	1	25	9	42	45	20.73	96.4	7.5371	52.0971
2022	1	25	9	52	45	20.64	96.7	7.531	51.8003
2022	1	25	10	2	45	20.93	98.5	7.5371	52.3499
2022	1	25	10	12	45	21.5	95.6	7.531	54.0744
2022	1	25	10	22	45	20.28	97.7	7.5432	50.8754
2022	1	25	10	32	45	20.78	97.5	7.5432	52.1409
2022	1	25	10	42	45	21.82	96.1	7.5432	54.9251
2022	1	25	10	52	45	21.76	94.2	7.5432	54.9251
2022	1	25	11	2	45	19.85	96.9	7.5371	49.8208
2022	1	25	11	12	45	22.56	96.9	7.5432	56.6968
2022	1	25	11	22	45	21.03	96.3	7.5371	52.8555
2022	1	25	11	32	45	21.56	94.3	7.5432	54.4187
2022	1	25	11	42	45	22.77	97.1	7.5432	57.2029
2022	1	25	11	52	45	21.52	96.1	7.5432	54.1656
2022	1	25	12	2	45	21.07	94.6	7.5432	53.1531
2022	1	25	12	12	45	19.35	97.1	7.5371	48.5561
2022	1	25	12	22	45	21.82	96.1	7.5432	54.9249
2022	1	25	12	32	45	21.46	97	7.5371	53.8669
2022	1	25	12	42	45	21.28	97.6	7.5432	53.4062
2022	1	25	12	52	45	20.58	97.5	7.5432	51.6344
2022	1	25	13	2	45	21.23	98.4	7.5432	53.153
2022	1	25	13	12	45	21.6	97.7	7.5371	54.1197
2022	1	25	13	22	45	21.67	99	7.5371	54.1197
2022	1	25	13	32	45	21.52	96.1	7.5371	54.1197
2022	1	25	13	42	45	21.73	96.3	7.5371	54.6255
2022	1	25	13	52	45	20.72	96.1	7.5432	52.1405
2022	1	25	14	2	45	21.21	98.1	7.5432	53.153
2022	1	25	14	12	45	21.64	96.6	7.5371	54.3726
2022	1	25	14	22	45	22.07	94.4	7.5432	55.6841
2022	1	25	14	32	45	20.88	97.4	7.5371	52.3494
2022	1	25	14	42	45	22.41	95.6	7.5432	56.4434
2022	1	25	14	52	45	20.32	98.5	7.5432	50.875
2022	1	25	15	2	45	19.74	99	7.5371	49.3147
2022	1	25	15	12	45	19.96	99.2	7.5371	49.8205
2022	1	25	15	22	45	21.48	97.5	7.5371	53.8668
2022	1	25	15	32	45	19.97	97.5	7.5371	50.0734
2022	1	25	15	42	45	20.08	95.1	7.5371	50.5792
2022	1	25	15	52	45	21.72	98.2	7.5371	54.3726



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	25	16	2	45	20.3	99.9	7.5371	50.5792
2022	1	25	16	12	45	20.48	99.6	7.531	51.0418
2022	1	25	16	22	45	20.41	98.2	7.531	51.0418
2022	1	25	16	32	45	18.79	98.3	7.531	46.9989
2022	1	25	16	42	45	19.58	99.7	7.531	48.7677
2022	1	25	16	52	45	19.75	100.8	7.531	49.0203
2022	1	25	17	2	45	20.12	100.3	7.531	50.0311
2022	1	25	17	12	45	18.53	100.9	7.531	45.9882
2022	1	25	17	22	45	19.25	99.3	7.531	48.0096
2022	1	25	17	32	45	19.83	98.7	7.531	49.5257
2022	1	25	17	42	45	20.51	101.5	7.531	50.7891
2022	1	25	17	52	45	20.36	102.2	7.531	50.2838
2022	1	25	18	2	45	18.12	98.9	7.531	45.2301
2022	1	25	18	12	45	18.96	99.4	7.531	47.2516
2022	1	25	18	22	45	19.76	99.3	7.531	49.273
2022	1	25	18	32	45	18.38	100	7.531	45.7355
2022	1	25	18	42	45	18.87	99.8	7.531	46.9989
2022	1	25	18	52	45	19.05	102.4	7.531	46.9989
2022	1	25	19	2	45	20.09	99.7	7.531	50.0311
2022	1	25	19	12	45	19.04	99.1	7.531	47.5043
2022	1	25	19	22	45	20.5	99.8	7.531	51.0419
2022	1	25	19	32	45	19.71	100.2	7.531	49.0204
2022	1	25	19	42	45	18.95	102.5	7.531	46.7463
2022	1	25	19	52	45	18.65	101.1	7.531	46.2409
2022	1	25	20	2	45	18.5	98.4	7.531	46.2409
2022	1	25	20	12	45	19.75	102.3	7.531	48.7678
2022	1	25	20	22	45	20.18	101.1	7.531	50.0312
2022	1	25	20	32	45	19.34	100.7	7.531	48.0097
2022	1	25	20	42	45	20.73	101.7	7.531	51.2946
2022	1	25	20	52	45	18.87	99.8	7.531	46.999
2022	1	25	21	2	45	19.66	99.4	7.531	49.0205
2022	1	25	21	12	45	19.36	101	7.531	48.0098
2022	1	25	21	22	45	19.77	101.1	7.531	49.0205
2022	1	25	21	32	45	19.29	98	7.531	48.2625
2022	1	25	21	42	45	19.25	99.3	7.531	48.0098
2022	1	25	21	52	45	19.52	98.5	7.531	48.7679
2022	1	25	22	2	45	18.77	99.8	7.531	46.7464
2022	1	25	22	12	45	19.52	100.3	7.531	48.5152
2022	1	25	22	22	45	19.93	98.7	7.531	49.7786
2022	1	25	22	32	45	19.61	100.3	7.531	48.7679
2022	1	25	22	42	45	19.52	100.3	7.531	48.5152
2022	1	25	22	52	45	19.38	102.8	7.531	47.7572
2022	1	25	23	2	45	19.46	99.5	7.531	48.5153
2022	1	25	23	12	45	19.34	100.7	7.531	48.0099
2022	1	25	23	22	45	19.38	99.8	7.531	48.2626
2022	1	25	23	32	45	19.49	98	7.531	48.768
2022	1	25	23	42	45	19.5	100	7.531	48.5153
2022	1	25	23	52	45	19.37	99.5	7.531	48.2626

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	26	0	2	45	19.63	98.8	7.531	49.0207
2022	1	26	0	12	45	19.24	102.3	7.531	47.5046
2022	1	26	0	22	45	19.85	100.7	7.531	49.2734
2022	1	26	0	32	45	20.21	100	7.531	50.2841
2022	1	26	0	42	45	18.8	103.2	7.5371	46.2803
2022	1	26	0	52	45	19.22	100.5	7.531	47.7573
2022	1	26	1	2	45	19.58	102.7	7.531	48.2627
2022	1	26	1	12	45	18.75	101.1	7.531	46.4939
2022	1	26	1	22	45	20.03	96.6	7.531	50.2842
2022	1	26	1	32	45	18.87	99.8	7.5371	47.0391
2022	1	26	1	42	45	19.61	100.3	7.5371	48.8094
2022	1	26	1	52	45	18.89	101.6	7.5371	46.7862
2022	1	26	2	2	45	19.57	101.2	7.5371	48.5565
2022	1	26	2	12	45	19.63	102.1	7.5432	48.5976
2022	1	26	2	22	45	18.77	99.8	7.5432	46.8258
2022	1	26	2	32	45	20.65	98.9	7.5432	51.6349
2022	1	26	2	42	45	19.63	98.8	7.5432	49.1038
2022	1	26	2	52	45	19.1	100.3	7.5432	47.5852
2022	1	26	3	2	45	19.14	99	7.5432	47.8383
2022	1	26	3	12	45	19.77	101.1	7.5432	49.1039
2022	1	26	3	22	45	20.39	97.9	7.5432	51.1288
2022	1	26	3	32	45	19.69	101.4	7.5493	48.892
2022	1	26	3	42	45	19.4	101.6	7.5493	48.1321
2022	1	26	3	52	45	19.81	98.4	7.5493	49.652
2022	1	26	4	2	45	19.05	97.2	7.5493	47.8788
2022	1	26	4	12	45	18.3	100.4	7.5493	45.5988
2022	1	26	4	22	45	19.88	99.6	7.5493	49.6521
2022	1	26	4	32	45	20.34	100.5	7.5493	50.6654
2022	1	26	4	42	45	17.91	100.6	7.5493	44.5856
2022	1	26	4	52	45	19.24	100.8	7.5432	47.8384
2022	1	26	5	2	45	19.01	100.3	7.5493	47.3722
2022	1	26	5	12	45	19.57	101.2	7.5493	48.6388
2022	1	26	5	22	45	19.77	101.1	7.5493	49.1455
2022	1	26	5	32	45	19.83	100.5	7.5493	49.3988
2022	1	26	5	42	45	19.84	99	7.5493	49.6522
2022	1	26	5	52	45	19.52	100.3	7.5493	48.6389
2022	1	26	6	2	45	19.35	99.2	7.5493	48.3856
2022	1	26	6	12	45	18.84	99.2	7.5493	47.1189
2022	1	26	6	22	45	19.17	102.7	7.5493	47.3723
2022	1	26	6	32	45	20.93	98.5	7.5493	52.4389
2022	1	26	6	42	45	20	101.5	7.5493	49.6523
2022	1	26	6	52	45	19.85	100.7	7.5493	49.3989
2022	1	26	7	2	45	20.48	97.6	7.5432	51.3822
2022	1	26	7	12	45	19.35	99.2	7.5493	48.3857
2022	1	26	7	22	45	19.77	102.6	7.5493	48.8923
2022	1	26	7	32	45	19.34	96.8	7.5493	48.639
2022	1	26	7	42	45	19.42	100.4	7.5432	48.3449
2022	1	26	7	52	45	19.2	101.7	7.5493	47.6257

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	26	8	2	45	19.28	97.8	7.5493	48.3857
2022	1	26	8	12	45	19.67	97.6	7.5493	49.399
2022	1	26	8	22	45	18.56	99.6	7.5493	46.3591
2022	1	26	8	32	45	19.97	102.4	7.5493	49.399
2022	1	26	8	42	45	19.74	99	7.5493	49.3989
2022	1	26	8	52	45	18.42	102.2	7.5493	45.599
2022	1	26	9	2	45	19.93	98.7	7.5493	49.9056
2022	1	26	9	12	45	17.8	108.3	7.5493	42.8123
2022	1	26	9	22	45	18.73	107.1	7.5493	45.3456
2022	1	26	9	32	45	18.59	105.6	7.5554	45.3838
2022	1	26	9	42	45	17.97	104.5	7.5554	44.1161
2022	1	26	9	52	45	18.48	104.4	7.5493	45.3455
2022	1	26	10	2	45	18.85	107.3	7.5554	45.6373
2022	1	26	10	12	45	18.63	103.7	7.5554	45.8908
2022	1	26	10	22	45	18.12	102.4	7.5554	44.8766
2022	1	26	10	32	45	19.09	103	7.5554	47.1584
2022	1	26	10	42	45	18.75	102.6	7.5554	46.3978
2022	1	26	10	52	45	17.85	102.9	7.5554	44.1159
2022	1	26	11	2	45	19.31	103.2	7.5554	47.6655
2022	1	26	11	12	45	20.44	100.4	7.5554	50.9614
2022	1	26	11	22	45	18.72	109	7.5554	44.8765
2022	1	26	11	32	45	18.46	104.1	7.5554	45.3836
2022	1	26	11	42	45	19.29	105.3	7.5554	47.1583
2022	1	26	11	52	45	17.73	102.7	7.5554	43.8623
2022	1	26	12	2	45	18.82	103.5	7.5554	46.3977
2022	1	26	12	12	45	18.71	105.8	7.5554	45.637
2022	1	26	12	22	45	18.44	105.1	7.5554	45.1299
2022	1	26	12	32	45	17.47	105.9	7.5554	42.5945
2022	1	26	12	42	45	19.11	106.7	7.5493	46.3585
2022	1	26	12	52	45	19.02	104.6	7.5554	46.6512
2022	1	26	13	2	45	19.59	106.3	7.5554	47.6653
2022	1	26	13	12	45	18.38	104.5	7.5493	45.0919
2022	1	26	13	22	45	18.92	104.7	7.5493	46.3585
2022	1	26	13	32	45	18.79	106.7	7.5493	45.5985
2022	1	26	13	42	45	20.46	102.1	7.5493	50.665
2022	1	26	13	52	45	18.1	102.1	7.5493	44.8386
2022	1	26	14	2	45	19.38	102.8	7.5493	47.8785
2022	1	26	14	12	45	19.19	105.4	7.5493	46.8652
2022	1	26	14	22	45	18.39	103.2	7.5493	45.3452
2022	1	26	14	32	45	19.53	105.7	7.5432	47.585
2022	1	26	14	42	45	19.36	102.5	7.5432	47.8381
2022	1	26	14	52	45	18.34	101	7.5432	45.5601
2022	1	26	15	2	45	19.43	104.6	7.5432	47.585
2022	1	26	15	12	45	19.15	106.1	7.5432	46.5726
2022	1	26	15	22	45	20.45	103.3	7.5432	50.3693
2022	1	26	15	32	45	18.4	101.9	7.5432	45.5601
2022	1	26	15	42	45	19.02	104.6	7.5371	46.5333
2022	1	26	15	52	45	18.53	103.7	7.5432	45.5602

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	26	16	2	45	19.38	105.3	7.5371	47.292
2022	1	26	16	12	45	19.56	106	7.5371	47.5449
2022	1	26	16	22	45	17.88	105.9	7.5432	43.5353
2022	1	26	16	32	45	19.2	106.6	7.5371	46.5333
2022	1	26	16	42	45	18.09	108	7.5371	43.4985
2022	1	26	16	52	45	17.4	107.4	7.5432	42.0166
2022	1	26	17	2	45	17.65	107.8	7.5432	42.5228
2022	1	26	17	12	45	18.5	107.9	7.5432	44.5477
2022	1	26	17	22	45	17.96	107.8	7.5432	43.2822
2022	1	26	17	32	45	18.42	111	7.5432	43.5353
2022	1	26	17	42	45	17.4	109.5	7.5432	41.5104
2022	1	26	17	52	45	18.5	108.9	7.5432	44.2946
2022	1	26	18	2	45	17.97	106.8	7.5493	43.5721
2022	1	26	18	12	45	18.53	107.3	7.5493	44.8387
2022	1	26	18	22	45	17.95	105.5	7.5493	43.8254
2022	1	26	18	32	45	17.62	107.5	7.5493	42.5588
2022	1	26	18	42	45	18.6	104.6	7.5493	45.5987
2022	1	26	18	52	45	19.66	105.9	7.5493	47.8786
2022	1	26	19	2	45	19.52	104.5	7.5493	47.8787
2022	1	26	19	12	45	18.53	103.7	7.5493	45.5987
2022	1	26	19	22	45	19.02	104.6	7.5493	46.612
2022	1	26	19	32	45	18.7	103.3	7.5493	46.1054
2022	1	26	19	42	45	17.97	106.8	7.5493	43.5721
2022	1	26	19	52	45	18.96	106.2	7.5493	46.1054
2022	1	26	20	2	45	18.56	107.6	7.5493	44.8388
2022	1	26	20	12	45	18.92	104.7	7.5493	46.3588
2022	1	26	20	22	45	18.6	104.6	7.5493	45.5988
2022	1	26	20	32	45	18.71	105.8	7.5493	45.5988
2022	1	26	20	42	45	18.8	105.7	7.5493	45.8521
2022	1	26	20	52	45	18.26	106.5	7.5493	44.3322
2022	1	26	21	2	45	18.59	105.6	7.5493	45.3455
2022	1	26	21	12	45	18.41	103.5	7.5493	45.3455
2022	1	26	21	22	45	18.44	105.1	7.5493	45.0922
2022	1	26	21	32	45	19.04	107.1	7.5493	46.1055
2022	1	26	21	42	45	17.62	107.5	7.5493	42.559
2022	1	26	21	52	45	19.38	105.3	7.5493	47.3722
2022	1	26	22	2	45	18.8	104.5	7.5493	46.1056
2022	1	26	22	12	45	18.15	102.7	7.5493	44.8389
2022	1	26	22	22	45	19.31	104.4	7.5493	47.3722
2022	1	26	22	32	45	18.97	104	7.5493	46.6122
2022	1	26	22	42	45	19.46	106.1	7.5493	47.3722
2022	1	26	22	52	45	19.33	103.5	7.5493	47.6256
2022	1	26	23	2	45	18.01	102.2	7.5493	44.5857
2022	1	26	23	12	45	18.87	105.4	7.5493	46.1056
2022	1	26	23	22	45	19.96	103.6	7.5493	49.1456
2022	1	26	23	32	45	18.64	106.2	7.5493	45.3457
2022	1	26	23	42	45	18.48	103.1	7.5493	45.599
2022	1	26	23	52	45	18.09	104.7	7.5493	44.3324

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	27	0	2	45	18.91	101.9	7.5493	46.8657
2022	1	27	0	12	45	18.99	104.3	7.5493	46.6124
2022	1	27	0	22	45	18.6	103.4	7.5493	45.8524
2022	1	27	0	32	45	18.89	104.4	7.5493	46.3591
2022	1	27	0	42	45	18.56	105.3	7.5493	45.3458
2022	1	27	0	52	45	19.19	102.9	7.5493	47.3725
2022	1	27	1	2	45	18.77	104.2	7.5493	46.1058
2022	1	27	1	12	45	19	105.6	7.5493	46.3592
2022	1	27	1	22	45	17.9	104.9	7.5493	43.8259
2022	1	27	1	32	45	19.86	103.7	7.5493	48.8925
2022	1	27	1	42	45	18.8	103.2	7.5493	46.3592
2022	1	27	1	52	45	19.4	104.3	7.5493	47.6259
2022	1	27	2	2	45	18.68	103	7.5493	46.1059
2022	1	27	2	12	45	18.92	103.4	7.5493	46.6126
2022	1	27	2	22	45	19.03	102.1	7.5493	47.1193
2022	1	27	2	32	45	19.21	104.5	7.5493	47.1193
2022	1	27	2	42	45	18.02	103.8	7.5493	44.3327
2022	1	27	2	52	45	18.44	102.5	7.5493	45.5993
2022	1	27	3	2	45	19.5	103	7.5493	48.1327
2022	1	27	3	12	45	19.92	103.1	7.5493	49.146
2022	1	27	3	22	45	18.67	101.4	7.5493	46.3594
2022	1	27	3	32	45	18.92	103.4	7.5493	46.6127
2022	1	27	3	42	45	18.68	103	7.5493	46.1061
2022	1	27	3	52	45	18.21	103.7	7.5493	44.8394
2022	1	27	4	2	45	18.36	99.7	7.5493	45.8528
2022	1	27	4	12	45	18.53	100.9	7.5493	46.1061
2022	1	27	4	22	45	19.55	103.6	7.5493	48.1328
2022	1	27	4	32	45	18.48	104.4	7.5493	45.3462
2022	1	27	4	42	45	18.65	104	7.5493	45.8528
2022	1	27	4	52	45	19.2	101.7	7.5432	47.586
2022	1	27	5	2	45	18	103.5	7.5493	44.3329
2022	1	27	5	12	45	17.94	99.3	7.5493	44.8395
2022	1	27	5	22	45	19.89	104	7.5493	48.8928
2022	1	27	5	32	45	18.04	101.2	7.5493	44.8395
2022	1	27	5	42	45	19.44	102.2	7.5432	48.0922
2022	1	27	5	52	45	17.75	106.7	7.5432	43.0299
2022	1	27	6	2	45	19.24	106	7.5493	46.8662
2022	1	27	6	12	45	18.14	104	7.5432	44.5486
2022	1	27	6	22	45	17.51	103.9	7.5432	43.0299
2022	1	27	6	32	45	18.91	101.9	7.5432	46.8267
2022	1	27	6	42	45	18.68	104.3	7.5432	45.8142
2022	1	27	6	52	45	18.83	100.7	7.5432	46.8267
2022	1	27	7	2	45	18.72	103.6	7.5432	46.0674
2022	1	27	7	12	45	19.32	101.9	7.5493	47.8796
2022	1	27	7	22	45	18.63	103.7	7.5432	45.8143
2022	1	27	7	32	45	19.75	102.3	7.5493	48.8929
2022	1	27	7	42	45	18.81	102	7.5432	46.5736
2022	1	27	7	52	45	18.92	103.4	7.5432	46.5736

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	27	8	2	45	18.72	103.6	7.5432	46.0674
2022	1	27	8	12	45	19.33	103.5	7.5432	47.5861
2022	1	27	8	22	45	19.07	102.7	7.5432	47.0798
2022	1	27	8	32	45	18.85	103.8	7.5493	46.3595
2022	1	27	8	42	45	18.71	102	7.5493	46.3595
2022	1	27	8	52	45	18.31	103.6	7.5493	45.0928
2022	1	27	9	2	45	19.16	105.1	7.5493	46.8661
2022	1	27	9	12	45	19.69	104.1	7.5493	48.3861
2022	1	27	9	22	45	17.36	101.6	7.5493	43.0661
2022	1	27	9	32	45	19.26	103.8	7.5493	47.3727
2022	1	27	9	42	45	18.08	101.8	7.5493	44.8393
2022	1	27	9	52	45	18.34	101	7.5493	45.5993
2022	1	27	10	2	45	18.31	103.6	7.5554	45.1307
2022	1	27	10	12	45	18.07	103.1	7.5493	44.5859
2022	1	27	10	22	45	19.77	102.6	7.5493	48.8925
2022	1	27	10	32	45	19.91	100.1	7.5493	49.6525
2022	1	27	10	42	45	20.93	100.2	7.5493	52.1857
2022	1	27	10	52	45	20.97	97.4	7.5493	52.6923
2022	1	27	11	2	45	19.57	101.2	7.5493	48.639
2022	1	27	11	12	45	19.71	100.2	7.5493	49.1457
2022	1	27	11	22	45	18.46	99.7	7.5493	46.1057
2022	1	27	11	32	45	18.87	101.3	7.5493	46.8657
2022	1	27	11	42	45	19.58	102.7	7.5493	48.3856
2022	1	27	11	52	45	19.2	101.7	7.5554	47.6658
2022	1	27	12	2	45	19.56	102.4	7.5493	48.3856
2022	1	27	12	12	45	20.21	100	7.5493	50.4122
2022	1	27	12	22	45	18.81	102	7.5493	46.6123
2022	1	27	12	32	45	19.06	101.2	7.5554	47.4122
2022	1	27	12	42	45	18.8	103.2	7.5493	46.3589
2022	1	27	12	52	45	17.71	105.1	7.5493	43.319
2022	1	27	13	2	45	18.27	103	7.5493	45.0922
2022	1	27	13	12	45	19.26	107.2	7.5493	46.6122
2022	1	27	13	22	45	18.38	104.5	7.5493	45.0922
2022	1	27	13	40	36	18.6	103.4	7.5493	45.8522
2022	1	27	13	50	36	17.92	103.9	7.5493	44.0789
2022	1	27	14	0	36	18.36	101.3	7.5493	45.5989
2022	1	27	14	10	36	18.41	103.5	7.5493	45.3455
2022	1	27	14	20	36	18.21	103.7	7.5493	44.8389
2022	1	27	14	30	36	17.97	103.2	7.5493	44.3322
2022	1	27	14	40	36	18.42	102.2	7.5493	45.5989
2022	1	27	14	50	36	18.67	106.5	7.5493	45.3455
2022	1	27	15	0	36	18.9	103.2	7.5493	46.6122
2022	1	27	15	10	36	18.56	102.8	7.5493	45.8522
2022	1	27	15	20	36	18.72	109	7.5432	44.8011
2022	1	27	15	30	36	17.84	106.6	7.5493	43.319
2022	1	27	15	40	36	18.53	105	7.5432	45.3074
2022	1	27	15	50	36	17.78	104.7	7.5432	43.5356
2022	1	27	16	0	36	17.15	107	7.5432	41.5107

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	27	16	10	36	18.71	105.8	7.5432	45.5605
2022	1	27	16	20	36	18.06	106.7	7.5493	43.8257
2022	1	27	16	30	36	19.7	105.3	7.5493	48.1322
2022	1	27	16	40	36	18.61	105.9	7.5493	45.3456
2022	1	27	16	50	36	19.11	104.5	7.5432	46.8261
2022	1	27	17	0	36	19.3	106.6	7.5432	46.8261
2022	1	27	17	10	36	18.34	105.2	7.5493	44.839
2022	1	27	17	20	36	19	105.6	7.5432	46.3198
2022	1	27	17	30	36	18.27	105.6	7.5432	44.548
2022	1	27	17	40	36	18.92	103.4	7.5432	46.573
2022	1	27	17	50	36	19.16	105.1	7.5432	46.8261
2022	1	27	18	0	36	18.48	106.7	7.5432	44.8012
2022	1	27	18	10	36	18.28	106.8	7.5432	44.2949
2022	1	27	18	20	36	19.94	105.7	7.5493	48.6389
2022	1	27	18	30	36	18.45	106.4	7.5493	44.839
2022	1	27	18	40	36	18.31	104.9	7.5432	44.8012
2022	1	27	18	50	36	18.7	104.6	7.5432	45.8137
2022	1	27	19	0	36	18.04	101.2	7.5432	44.8012
2022	1	27	19	10	36	17.71	107.4	7.5432	42.7763
2022	1	27	19	20	36	18.59	105.6	7.5432	45.3074
2022	1	27	19	30	36	18.99	103.1	7.5432	46.8261
2022	1	27	19	40	36	18.53	105	7.5432	45.3075
2022	1	27	19	50	36	18.53	105	7.5432	45.3075
2022	1	27	20	0	36	17.98	105.8	7.5432	43.7888
2022	1	27	20	10	36	18.61	105.9	7.5432	45.3075
2022	1	27	20	20	36	19.6	105.4	7.5432	47.8386
2022	1	27	20	30	36	18.13	106.3	7.5432	44.0419
2022	1	27	20	40	36	19.04	103.7	7.5432	46.8262
2022	1	27	20	50	36	18.51	104.7	7.5432	45.3075
2022	1	27	21	0	36	18.12	103.7	7.5432	44.5482
2022	1	27	21	10	36	18.51	103.4	7.5432	45.5606
2022	1	27	21	20	36	17.71	103.7	7.5432	43.5357
2022	1	27	21	30	36	18.38	104.5	7.5432	45.0544
2022	1	27	21	40	36	18.92	106.9	7.5432	45.8138
2022	1	27	21	50	36	19.66	105.9	7.5432	47.8387
2022	1	27	22	0	36	19.46	102.5	7.5432	48.0918
2022	1	27	22	10	36	19.21	104.5	7.5432	47.0794
2022	1	27	22	20	36	19.75	105.9	7.5432	48.0919
2022	1	27	22	30	36	17.71	103.7	7.5432	43.5358
2022	1	27	22	40	36	19.04	100.9	7.5432	47.3325
2022	1	27	22	50	36	19.4	106.5	7.5432	47.0794
2022	1	27	23	0	36	19.29	105.3	7.5432	47.0794
2022	1	27	23	10	36	17.83	105.3	7.5432	43.5358
2022	1	27	23	20	36	18.36	104.2	7.5432	45.0545
2022	1	27	23	30	36	17.85	104.3	7.5432	43.7889
2022	1	27	23	40	36	18.46	105.4	7.5432	45.0545
2022	1	27	23	50	36	18.75	103.9	7.5432	46.067
2022	1	28	0	0	36	19.28	104.1	7.5432	47.3326

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	28	0	10	36	19.57	103.9	7.5432	48.0919
2022	1	28	0	20	36	17.88	103.3	7.5432	44.0421
2022	1	28	0	30	36	18.45	101.2	7.5432	45.8139
2022	1	28	0	40	36	19.11	104.5	7.5432	46.8264
2022	1	28	0	50	36	18.78	102.9	7.5432	46.3202
2022	1	28	1	0	36	19.53	103.3	7.5432	48.092
2022	1	28	1	10	36	18.52	106	7.5432	45.0546
2022	1	28	1	20	36	17.75	101.4	7.5432	44.0421
2022	1	28	1	30	36	18.7	103.3	7.5432	46.0671
2022	1	28	1	40	36	19.04	103.7	7.5432	46.8264
2022	1	28	1	50	36	19.19	105.4	7.5432	46.8265
2022	1	28	2	0	36	17.97	104.5	7.5432	44.0422
2022	1	28	2	10	36	18.41	104.8	7.5432	45.0547
2022	1	28	2	20	36	18.12	103.7	7.5432	44.5485
2022	1	28	2	30	36	19.74	103.5	7.5432	48.5983
2022	1	28	2	40	36	18.56	105.3	7.5432	45.3078
2022	1	28	2	50	36	19.65	104.7	7.5432	48.0921
2022	1	28	3	0	36	18.22	102.4	7.5432	45.0547
2022	1	28	3	10	36	18.7	103.3	7.5432	46.0672
2022	1	28	3	20	36	19.7	102.9	7.5432	48.5984
2022	1	28	3	30	36	19.09	103	7.5432	47.0797
2022	1	28	3	40	36	18.42	100.6	7.5432	45.8141
2022	1	28	3	50	36	19.53	105.7	7.5432	47.5859
2022	1	28	4	0	36	18.52	102.2	7.5432	45.8141
2022	1	28	4	10	36	19.22	102	7.5432	47.586
2022	1	28	4	20	36	19.67	107.1	7.5432	47.586
2022	1	28	4	30	36	19.77	103.8	7.5432	48.5985
2022	1	28	4	40	36	18.03	102.5	7.5432	44.5486
2022	1	28	4	50	36	18.48	103.1	7.5432	45.5611
2022	1	28	5	0	36	19.14	103.6	7.5432	47.0798
2022	1	28	5	10	36	19.06	104	7.5432	46.8267
2022	1	28	5	20	36	18.91	101.9	7.5432	46.8267
2022	1	28	5	30	36	19.45	104.9	7.5432	47.586
2022	1	28	5	40	36	18.58	103.1	7.5432	45.8142
2022	1	28	5	50	36	18.26	104.3	7.5432	44.8018
2022	1	28	6	0	36	18.34	101	7.5432	45.5611
2022	1	28	6	10	36	20.14	102	7.5432	49.8641
2022	1	28	6	20	36	19.03	102.1	7.5432	47.0799
2022	1	28	6	30	36	18.45	101.2	7.5371	45.7756
2022	1	28	6	40	36	19.49	101.5	7.5432	48.3455
2022	1	28	6	50	36	19.19	99.9	7.5432	47.8392
2022	1	28	7	0	36	17.95	102.9	7.5432	44.2956
2022	1	28	7	10	36	18.02	103.8	7.5432	44.2956
2022	1	28	7	20	36	18.68	103	7.5432	46.0675
2022	1	28	7	30	36	18.85	102.6	7.5432	46.5737
2022	1	28	7	40	36	18.6	103.4	7.5371	45.7757
2022	1	28	7	50	36	18.71	102	7.5432	46.3206
2022	1	28	8	0	36	19.22	102	7.5432	47.5862



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	28	8	10	36	18.31	103.6	7.5432	45.055
2022	1	28	8	20	36	18.06	101.5	7.5432	44.8018
2022	1	28	8	30	36	17.96	101.6	7.5432	44.5487
2022	1	28	8	40	36	18.09	104.7	7.5432	44.2955
2022	1	28	8	50	36	17.66	103.1	7.5432	43.5362
2022	1	28	9	0	36	19.2	101.7	7.5432	47.586
2022	1	28	9	10	36	18.8	104.5	7.5432	46.0673
2022	1	28	9	20	36	18.68	104.3	7.5432	45.8142
2022	1	28	9	30	36	19.43	103.4	7.5493	47.8795
2022	1	28	9	40	36	18.01	102.2	7.5432	44.5485
2022	1	28	9	50	36	18.97	104	7.5493	46.6128
2022	1	28	10	0	36	19.67	103.8	7.5493	48.386
2022	1	28	10	10	36	18.42	102.2	7.5493	45.5994
2022	1	28	10	20	36	20.11	102.9	7.5493	49.6526
2022	1	28	10	30	36	19.16	103.9	7.5493	47.1193
2022	1	28	10	40	36	19.84	104.6	7.5493	48.6393
2022	1	28	10	50	36	18.01	102.2	7.5493	44.586
2022	1	28	11	0	36	18.97	104	7.5493	46.6126
2022	1	28	11	10	36	18.52	106	7.5493	45.0926
2022	1	28	11	20	36	18.34	105.2	7.5493	44.8393
2022	1	28	11	30	36	18.7	103.3	7.5493	46.1059
2022	1	28	11	40	36	19.21	104.5	7.5493	47.1192
2022	1	28	11	50	36	17.58	108.2	7.5493	42.3059
2022	1	28	12	0	36	18.36	102.9	7.5493	45.3458
2022	1	28	12	10	36	19.08	106.4	7.5493	46.3591
2022	1	28	12	20	36	17.85	104.3	7.5493	43.8259
2022	1	28	12	30	36	18.71	105.8	7.5493	45.5991
2022	1	28	12	40	36	17.97	106.8	7.5493	43.5725
2022	1	28	12	50	36	18.51	104.7	7.5493	45.3458
2022	1	28	13	0	36	18.69	107.8	7.5432	45.0545
2022	1	28	13	10	36	18.77	104.2	7.5432	46.0669
2022	1	28	13	20	36	18.27	105.6	7.5493	44.5859
2022	1	28	13	30	36	17.92	103.9	7.5493	44.0792
2022	1	28	13	40	36	18.82	107	7.5493	45.5992
2022	1	28	13	50	36	17.37	104.7	7.5493	42.5592
2022	1	28	14	0	36	18.34	103.9	7.5493	45.0925
2022	1	28	14	10	36	18.53	105	7.5493	45.3458
2022	1	28	14	20	36	18.9	105.7	7.5432	46.0669
2022	1	28	14	30	36	19.01	108.7	7.5432	45.5607
2022	1	28	14	40	36	18.2	105.9	7.5432	44.2951
2022	1	28	14	50	36	17.58	103.5	7.5493	43.3192
2022	1	28	15	0	36	18.1	106	7.5432	44.042
2022	1	28	15	10	36	18.71	105.8	7.5432	45.5607
2022	1	28	15	20	36	19.04	107.1	7.5432	46.067
2022	1	28	15	30	36	18.35	106.5	7.5432	44.5483
2022	1	28	15	40	36	19.11	103.3	7.5432	47.0794
2022	1	28	15	50	36	18.63	108.1	7.5432	44.8014
2022	1	28	16	0	36	18.48	103.1	7.5371	45.5223

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	28	16	10	36	18.52	106	7.5432	45.0545
2022	1	28	16	20	36	18.09	108	7.5432	43.5358
2022	1	28	16	30	36	18.07	104.4	7.5371	44.2578
2022	1	28	16	40	36	19.26	102.6	7.5432	47.5857
2022	1	28	16	50	36	18.85	103.8	7.5432	46.3201
2022	1	28	17	0	36	18.77	104.2	7.5432	46.067
2022	1	28	17	10	36	19.1	101.8	7.5432	47.3326
2022	1	28	17	20	36	18.7	103.3	7.5432	46.067
2022	1	28	17	30	36	19.04	104.9	7.5432	46.5732
2022	1	28	17	40	36	18.32	102.3	7.5432	45.3076
2022	1	28	17	50	36	19.94	104.5	7.5432	48.8513
2022	1	28	18	0	36	17.63	104.1	7.5432	43.2827
2022	1	28	18	10	36	20.19	106.1	7.5432	49.1044
2022	1	28	18	20	36	18.98	106.5	7.5432	46.067
2022	1	28	18	30	36	17.71	102.4	7.5432	43.789
2022	1	28	18	40	36	17.34	103	7.5432	42.7765
2022	1	28	18	50	36	19.68	106.2	7.5432	47.8388
2022	1	28	19	0	36	19.5	103	7.5432	48.0919
2022	1	28	19	10	36	17.2	103.8	7.5432	42.2703
2022	1	28	19	20	36	18.42	102.2	7.5432	45.5608
2022	1	28	19	30	36	18.8	105.7	7.5432	45.8139
2022	1	28	19	40	36	18.12	103.7	7.5432	44.5483
2022	1	28	19	50	36	18.7	103.3	7.5432	46.067
2022	1	28	20	0	36	18.7	103.3	7.5432	46.0671
2022	1	28	20	10	36	17.75	101.4	7.5432	44.0421
2022	1	28	20	20	36	18.73	102.3	7.5432	46.3202
2022	1	28	20	30	36	19.09	104.3	7.5432	46.8264
2022	1	28	20	40	36	18.76	106.4	7.5432	45.5609
2022	1	28	20	50	36	19.18	104.2	7.5432	47.0796
2022	1	28	21	0	36	18.48	103.1	7.5432	45.5609
2022	1	28	21	10	36	18.85	105.1	7.5432	46.0671
2022	1	28	21	20	36	18.19	103.3	7.5432	44.8016
2022	1	28	21	30	36	18.56	102.8	7.5432	45.814
2022	1	28	21	40	36	19.62	104.5	7.5432	48.0921
2022	1	28	21	50	36	19.86	103.7	7.5432	48.8514
2022	1	28	22	0	36	19.77	103.8	7.5371	48.5573
2022	1	28	22	10	36	19.58	105.1	7.5432	47.839
2022	1	28	22	20	36	19.46	102.5	7.5432	48.0921
2022	1	28	22	30	36	18.93	100.7	7.5432	47.0797
2022	1	28	22	40	36	18.24	101.1	7.5432	45.3079
2022	1	28	22	50	36	18.03	102.5	7.5432	44.5485
2022	1	28	23	0	36	18.7	104.6	7.5432	45.8141
2022	1	28	23	10	36	19.97	106	7.5432	48.5984
2022	1	28	23	20	36	18.6	104.6	7.5432	45.561
2022	1	28	23	30	36	18.87	102.9	7.5432	46.5735
2022	1	28	23	40	36	19.71	101.7	7.5371	48.8103
2022	1	28	23	50	36	18.31	104.9	7.5432	44.8017
2022	1	29	0	0	36	18.58	103.1	7.5371	45.7755

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	29	0	10	36	19.14	102.4	7.5432	47.3329
2022	1	29	0	20	36	18.92	103.4	7.5371	46.5343
2022	1	29	0	30	36	19.3	101.7	7.5371	47.7988
2022	1	29	0	40	36	18.55	101.2	7.5432	46.0674
2022	1	29	0	50	36	18.42	102.2	7.5371	45.5227
2022	1	29	1	0	36	18.51	103.4	7.5371	45.5227
2022	1	29	1	10	36	18.38	101.6	7.5371	45.5227
2022	1	29	1	20	36	18.79	101.7	7.5432	46.5737
2022	1	29	1	30	36	18.97	102.8	7.5432	46.8268
2022	1	29	1	40	36	19.33	103.5	7.5371	47.546
2022	1	29	1	50	36	19.99	102.7	7.5371	49.3164
2022	1	29	2	0	36	18.48	103.1	7.5371	45.5228
2022	1	29	2	10	36	18.85	101	7.5371	46.7874
2022	1	29	2	20	36	19.59	101.5	7.5371	48.5577
2022	1	29	2	30	36	19.69	101.4	7.5371	48.8106
2022	1	29	2	40	36	18.68	104.3	7.5371	45.7758
2022	1	29	2	50	36	19.75	100.8	7.5371	49.0636
2022	1	29	3	0	36	19.26	102.6	7.5371	47.5462
2022	1	29	3	10	36	20.36	102.2	7.5371	50.3281
2022	1	29	3	20	36	19.26	102.6	7.5371	47.5462
2022	1	29	3	30	36	20.62	105.2	7.5371	50.3282
2022	1	29	3	40	36	18.15	99.5	7.5371	45.2701
2022	1	29	3	50	36	18.42	100.6	7.5371	45.7759
2022	1	29	4	0	36	19.26	102.6	7.5371	47.5462
2022	1	29	4	10	36	18.36	101.3	7.5371	45.523
2022	1	29	4	20	36	18.69	101.7	7.5371	46.2817
2022	1	29	4	30	36	19.51	101.8	7.5371	48.305
2022	1	29	4	40	36	18.56	99.6	7.5371	46.2818
2022	1	29	4	50	36	19.35	103.7	7.5371	47.5463
2022	1	29	5	0	36	18.43	103.8	7.5371	45.2702
2022	1	29	5	10	36	19.21	104.5	7.5371	47.0405
2022	1	29	5	20	36	19.6	103	7.5371	48.3051
2022	1	29	5	30	36	19.36	102.5	7.5371	47.7993
2022	1	29	5	40	36	18.61	102.1	7.5371	46.0289
2022	1	29	5	50	36	19.55	100.9	7.5371	48.558
2022	1	29	6	0	36	18.73	104.9	7.5371	45.7761
2022	1	29	6	10	36	20.06	104.7	7.5371	49.0639
2022	1	29	6	20	36	19.69	104.1	7.5371	48.3051
2022	1	29	6	30	36	18.75	101.1	7.5371	46.5348
2022	1	29	6	40	36	19.49	101.5	7.5371	48.3052
2022	1	29	6	50	36	20.04	102.1	7.5371	49.5697
2022	1	29	7	0	36	18.04	104.1	7.5371	44.2587
2022	1	29	7	10	36	19.07	102.7	7.5371	47.0406
2022	1	29	7	20	36	18.91	101.9	7.531	46.7482
2022	1	29	7	30	36	19.46	102.5	7.531	48.0117
2022	1	29	7	40	36	18.95	102.5	7.531	46.7482
2022	1	29	7	50	36	19.38	101.3	7.531	48.0117
2022	1	29	8	0	36	18.65	104	7.5371	45.7761

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	29	8	10	36	20.23	105.5	7.531	49.2751
2022	1	29	8	20	36	18.85	101	7.5371	46.7877
2022	1	29	8	30	36	18.78	102.9	7.5371	46.2819
2022	1	29	8	40	36	19.3	100.1	7.5371	48.0522
2022	1	29	8	50	36	18.34	101	7.5371	45.5232
2022	1	29	9	0	36	20.22	101.7	7.5371	50.0755
2022	1	29	9	10	36	19.31	103.2	7.5371	47.5464
2022	1	29	9	20	36	20.55	100.7	7.5371	51.087
2022	1	29	9	30	36	19.79	104	7.5371	48.5579
2022	1	29	9	40	36	19.93	100.4	7.5371	49.5695
2022	1	29	9	50	36	19.7	102.9	7.5371	48.5578
2022	1	29	10	0	36	18.77	104.2	7.5371	46.0288
2022	1	29	10	10	36	17.22	101	7.5432	42.777
2022	1	29	10	20	36	19.62	103.3	7.5432	48.3456
2022	1	29	10	30	36	19.51	101.8	7.5432	48.3456
2022	1	29	10	40	36	20.21	102.9	7.5432	49.8642
2022	1	29	10	50	36	18.6	103.4	7.5432	45.8143
2022	1	29	11	0	36	18.63	103.7	7.5432	45.8143
2022	1	29	11	10	36	19.27	106.3	7.5432	46.8267
2022	1	29	11	20	36	19.09	103	7.5493	47.1195
2022	1	29	11	30	36	18.8	104.5	7.5432	46.0673
2022	1	29	11	40	36	18.63	103.7	7.5493	45.8529
2022	1	29	11	50	36	19.04	104.9	7.5432	46.5735
2022	1	29	12	0	36	19.65	104.7	7.5493	48.1328
2022	1	29	12	10	36	19	101.8	7.5432	47.0797
2022	1	29	12	20	36	19.3	101.7	7.5432	47.8391
2022	1	29	12	30	36	19.46	106.1	7.5493	47.3728
2022	1	29	12	40	36	18.65	104	7.5432	45.8141
2022	1	29	12	50	36	18.97	104	7.5493	46.6128
2022	1	29	13	0	36	17.75	101.4	7.5432	44.0423
2022	1	29	13	10	36	18.72	103.6	7.5432	46.0672
2022	1	29	13	20	36	19.69	104.1	7.5493	48.386
2022	1	29	13	30	36	19.94	104.5	7.5432	48.8515
2022	1	29	13	40	36	19.41	103.1	7.5432	47.839
2022	1	29	13	50	36	18.8	104.5	7.5432	46.0672
2022	1	29	14	0	36	18.02	105.1	7.5432	44.0423
2022	1	29	14	10	36	18.8	105.7	7.5432	45.8141
2022	1	29	14	20	36	18.07	103.1	7.5432	44.5485
2022	1	29	14	30	36	18.71	105.8	7.5432	45.561
2022	1	29	14	40	36	18.99	103.1	7.5432	46.8265
2022	1	29	14	50	36	18.31	103.6	7.5432	45.0547
2022	1	29	15	0	36	20.4	105.1	7.5432	49.8639
2022	1	29	15	10	36	18.8	104.5	7.5432	46.0672
2022	1	29	15	20	36	18.07	103.1	7.5371	44.5109
2022	1	29	15	30	36	19.3	101.7	7.5371	47.7986
2022	1	29	15	40	36	17.52	102.5	7.5371	43.2464
2022	1	29	15	50	36	18.07	104.4	7.5371	44.2581
2022	1	29	16	0	36	18.56	102.8	7.5371	45.7755

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	29	16	10	36	18.99	103.1	7.5371	46.7871
2022	1	29	16	20	36	18.81	100.4	7.5371	46.7871
2022	1	29	16	30	36	17.71	102.4	7.5371	43.7522
2022	1	29	16	40	36	18.8	105.7	7.5432	45.8141
2022	1	29	16	50	36	17.42	105.3	7.5432	42.5236
2022	1	29	17	0	36	18.02	105.1	7.5432	44.0423
2022	1	29	17	10	36	18.01	106.1	7.5432	43.7892
2022	1	29	17	20	36	18.26	99.8	7.5432	45.561
2022	1	29	17	30	36	18.93	105.9	7.5432	46.0673
2022	1	29	17	40	36	18.54	102.5	7.5432	45.8141
2022	1	29	17	50	36	20.03	104.5	7.5432	49.1047
2022	1	29	18	0	36	18.41	103.5	7.5432	45.3079
2022	1	29	18	10	36	18.92	104.7	7.5432	46.3204
2022	1	29	18	20	36	18.7	104.6	7.5432	45.8142
2022	1	29	18	30	36	19.41	103.1	7.5432	47.8391
2022	1	29	18	40	36	18.65	104	7.5432	45.8142
2022	1	29	18	50	36	19.48	104	7.5432	47.8391
2022	1	29	19	0	36	18.34	101	7.5432	45.5611
2022	1	29	19	10	36	19	105.6	7.5432	46.3204
2022	1	29	19	20	36	18.78	102.9	7.5432	46.3204
2022	1	29	19	30	36	17.9	104.9	7.5432	43.7893
2022	1	29	19	40	36	18.85	101	7.5432	46.8267
2022	1	29	19	50	36	18.63	100.8	7.5432	46.3205
2022	1	29	20	0	36	18.73	102.3	7.5432	46.3205
2022	1	29	20	10	36	19.32	101.9	7.5432	47.8392
2022	1	29	20	20	36	18.91	101.9	7.5432	46.8267
2022	1	29	20	30	36	18.37	105.5	7.5432	44.8018
2022	1	29	20	40	36	20.59	103.8	7.5432	50.6235
2022	1	29	20	50	36	19.34	100.7	7.5432	48.0923
2022	1	29	21	0	36	18.07	103.1	7.5432	44.5487
2022	1	29	21	10	36	18.02	105.1	7.5432	44.0425
2022	1	29	21	20	36	18.78	102.9	7.5432	46.3206
2022	1	29	21	30	36	19.62	104.5	7.5432	48.0924
2022	1	29	21	40	36	19.09	103	7.5432	47.0799
2022	1	29	21	50	36	19.65	103.5	7.5432	48.3456
2022	1	29	22	0	36	19.65	102.3	7.5371	48.5577
2022	1	29	22	10	36	19.37	99.5	7.5432	48.3456
2022	1	29	22	20	36	19.61	101.8	7.5432	48.5987
2022	1	29	22	30	36	18.87	102.9	7.5432	46.5738
2022	1	29	22	40	36	18.87	101.3	7.5371	46.7874
2022	1	29	22	50	36	17.73	102.7	7.5432	43.7895
2022	1	29	23	0	36	19.21	103.2	7.5432	47.3332
2022	1	29	23	10	36	18.85	103.8	7.5432	46.3207
2022	1	29	23	20	36	19.46	102.5	7.5371	48.052
2022	1	29	23	30	36	20.34	101.9	7.5371	50.3281
2022	1	29	23	40	36	18.85	102.6	7.5371	46.5346
2022	1	29	23	50	36	18.85	101	7.5371	46.7875
2022	1	30	0	0	36	19.2	101.7	7.5371	47.5462

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	30	0	10	36	17.85	101.3	7.5371	44.2585
2022	1	30	0	20	36	20.36	102.2	7.5371	50.3282
2022	1	30	0	30	36	19.14	103.6	7.5371	47.0405
2022	1	30	0	40	36	19.46	101	7.5371	48.305
2022	1	30	0	50	36	18.87	102.9	7.5371	46.5347
2022	1	30	1	0	36	18.51	104.7	7.5371	45.2702
2022	1	30	1	10	36	18.98	101.5	7.5371	47.0405
2022	1	30	1	20	36	19.24	102.3	7.5371	47.5464
2022	1	30	1	30	36	19.4	101.6	7.5371	48.0522
2022	1	30	1	40	36	19.81	101.7	7.5371	49.0639
2022	1	30	1	50	36	17.57	101.8	7.5371	43.4999
2022	1	30	2	0	36	18.73	102.3	7.5371	46.2819
2022	1	30	2	10	36	19.51	101.8	7.5371	48.3052
2022	1	30	2	20	36	19.7	99.9	7.5371	49.0639
2022	1	30	2	30	36	19.55	104.8	7.5371	47.7994
2022	1	30	2	40	36	18.78	105.4	7.5371	45.7762
2022	1	30	2	50	36	18.71	102	7.5371	46.282
2022	1	30	3	0	36	19.17	102.7	7.531	47.2537
2022	1	30	3	10	36	18.68	104.3	7.5371	45.7762
2022	1	30	3	20	36	19.46	102.5	7.5371	48.0524
2022	1	30	3	30	36	19.32	101.9	7.5371	47.7995
2022	1	30	3	40	36	20.34	101.9	7.531	50.2861
2022	1	30	3	50	36	20.06	100.9	7.531	49.7807
2022	1	30	4	0	36	19.89	99.8	7.531	49.528
2022	1	30	4	10	36	19.38	102.8	7.531	47.7592
2022	1	30	4	20	36	18.4	101.9	7.531	45.485
2022	1	30	4	30	36	20.06	104.7	7.531	49.0227
2022	1	30	4	40	36	19.53	103.3	7.531	48.0119
2022	1	30	4	50	36	18.03	102.5	7.531	44.4742
2022	1	30	5	0	36	18.87	102.9	7.531	46.4958
2022	1	30	5	10	36	19.26	101.1	7.531	47.7593
2022	1	30	5	20	36	20.21	102.9	7.531	49.7808
2022	1	30	5	30	36	17.8	103.6	7.531	43.7162
2022	1	30	5	40	36	19.02	103.4	7.531	46.7485
2022	1	30	5	50	36	18.31	103.6	7.531	44.9797
2022	1	30	6	0	36	19.8	102.8	7.531	48.7701
2022	1	30	6	10	36	19.84	103.4	7.531	48.7701
2022	1	30	6	20	36	19.87	104.9	7.531	48.5174
2022	1	30	6	30	36	18.6	104.6	7.531	45.4851
2022	1	30	6	40	36	18.93	100.7	7.531	47.0013
2022	1	30	6	50	36	19.85	100.7	7.531	49.2756
2022	1	30	7	0	36	18.68	104.3	7.531	45.7378
2022	1	30	7	10	36	19.24	102.3	7.531	47.5067
2022	1	30	7	20	36	18.94	103.7	7.531	46.4959
2022	1	30	7	30	36	18.9	103.2	7.531	46.4959
2022	1	30	7	40	36	19.95	102.2	7.531	49.2756
2022	1	30	7	50	36	19.08	101.5	7.531	47.254
2022	1	30	8	0	36	18.98	101.5	7.531	47.0013

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	30	8	10	36	18.22	102.4	7.531	44.9797
2022	1	30	8	20	36	18.97	102.8	7.531	46.7486
2022	1	30	8	30	36	19.63	100.6	7.531	48.7701
2022	1	30	8	40	36	19.08	101.5	7.531	47.2539
2022	1	30	8	50	36	19.19	98.1	7.531	48.012
2022	1	30	9	0	36	17.46	104.6	7.531	42.7053
2022	1	30	9	10	36	19.26	103.8	7.5371	47.2938
2022	1	30	9	20	36	18.65	101.1	7.5371	46.2821
2022	1	30	9	30	36	18.78	102.9	7.5371	46.2821
2022	1	30	9	40	36	19.17	102.7	7.5371	47.2937
2022	1	30	9	50	36	18.56	99.6	7.5371	46.282
2022	1	30	10	0	36	18.9	103.2	7.5371	46.5349
2022	1	30	10	10	36	19.14	103.6	7.5371	47.0407
2022	1	30	10	20	36	19.18	101.4	7.5371	47.5465
2022	1	30	10	30	36	19.47	101.3	7.5371	48.3052
2022	1	30	10	40	36	18.24	102.7	7.5371	45.0174
2022	1	30	10	50	36	18.19	104.6	7.5371	44.5115
2022	1	30	11	0	36	19.21	103.2	7.5432	47.3334
2022	1	30	11	10	36	19.03	102.1	7.5371	47.0405
2022	1	30	11	20	36	18.17	103	7.5432	44.8022
2022	1	30	11	30	36	20.13	103.2	7.5432	49.6114
2022	1	30	11	40	36	18.12	103.7	7.5432	44.549
2022	1	30	11	50	36	19.18	101.4	7.5432	47.5864
2022	1	30	12	0	36	18.67	101.4	7.5432	46.3208
2022	1	30	12	10	36	18.66	102.7	7.5432	46.0677
2022	1	30	12	20	36	19.87	101	7.5432	49.3582
2022	1	30	12	30	36	18.73	102.3	7.5432	46.3208
2022	1	30	12	40	36	19.61	101.8	7.5432	48.5988
2022	1	30	12	50	36	18.93	102.2	7.5432	46.827
2022	1	30	13	0	36	18.41	103.5	7.5432	45.3083
2022	1	30	13	10	36	18.71	102	7.5432	46.3207
2022	1	30	13	20	36	18.87	101.3	7.5432	46.827
2022	1	30	13	30	36	18.47	101.6	7.5432	45.8145
2022	1	30	13	40	36	17.71	103.7	7.5371	43.4997
2022	1	30	13	50	36	18.97	104	7.5432	46.5738
2022	1	30	14	0	36	18.34	101	7.5432	45.5614
2022	1	30	14	10	36	18.51	104.7	7.5371	45.27
2022	1	30	14	20	36	18.4	101.9	7.5371	45.5229
2022	1	30	14	30	36	18.32	102.3	7.5371	45.27
2022	1	30	14	40	36	18.02	105.1	7.5371	44.0055
2022	1	30	14	50	36	18.43	103.8	7.5432	45.3083
2022	1	30	15	0	36	18.26	99.8	7.5371	45.5229
2022	1	30	15	10	36	18.4	101.9	7.5371	45.523
2022	1	30	15	20	36	18.59	101.8	7.5371	46.0288
2022	1	30	15	30	36	18.87	102.9	7.5371	46.5346
2022	1	30	15	40	36	18.38	101.6	7.5371	45.523
2022	1	30	15	50	36	18.08	105.7	7.5371	44.0056
2022	1	30	16	0	36	18.77	101.4	7.5371	46.5347

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	30	16	10	36	19.93	100.4	7.5371	49.5695
2022	1	30	16	20	36	19.07	102.7	7.5371	47.0405
2022	1	30	16	30	36	19.65	103.5	7.5371	48.305
2022	1	30	16	40	36	18.24	101.1	7.5371	45.2701
2022	1	30	16	50	36	17.98	101.9	7.5371	44.5114
2022	1	30	17	0	36	19.38	102.8	7.5371	47.7992
2022	1	30	17	10	36	19.68	102.6	7.5371	48.5579
2022	1	30	17	20	36	19.44	102.2	7.5371	48.0521
2022	1	30	17	30	36	19.42	100.4	7.5371	48.305
2022	1	30	17	40	36	18.97	104	7.5371	46.5347
2022	1	30	17	50	36	19.03	102.1	7.5371	47.0405
2022	1	30	18	0	36	18.92	103.4	7.5371	46.5347
2022	1	30	18	10	36	18.79	101.7	7.5371	46.5347
2022	1	30	18	20	36	18.72	103.6	7.5371	46.0289
2022	1	30	18	30	36	18.42	102.2	7.5371	45.523
2022	1	30	18	40	36	19.22	100.5	7.5371	47.7992
2022	1	30	18	50	36	18.69	101.7	7.5371	46.2818
2022	1	30	19	0	36	19.65	102.3	7.5371	48.5579
2022	1	30	19	10	36	19.32	101.9	7.5371	47.7992
2022	1	30	19	20	36	18.58	103.1	7.5371	45.776
2022	1	30	19	30	36	18.77	104.2	7.5371	46.0289
2022	1	30	19	40	36	18.9	103.2	7.5371	46.5347
2022	1	30	19	50	36	18.87	105.4	7.5371	46.0289
2022	1	30	20	0	36	19.65	103.5	7.5371	48.3051
2022	1	30	20	10	36	19.02	104.6	7.5371	46.5347
2022	1	30	20	20	36	18.3	102	7.5371	45.2702
2022	1	30	20	30	36	20.16	103.5	7.5371	49.5696
2022	1	30	20	40	36	19.23	103.5	7.5371	47.2935
2022	1	30	20	50	36	19.31	103.2	7.531	47.5062
2022	1	30	21	0	36	19.61	101.8	7.5371	48.5581
2022	1	30	21	10	36	19.26	101.1	7.5371	47.7993
2022	1	30	21	20	36	18.87	104.1	7.531	46.2428
2022	1	30	21	30	36	19.46	102.5	7.5371	48.0523
2022	1	30	21	40	36	20.11	104.1	7.531	49.2751
2022	1	30	21	50	36	18.79	101.7	7.531	46.4955
2022	1	30	22	0	36	18.95	102.5	7.5371	46.7878
2022	1	30	22	10	36	18.92	104.7	7.5371	46.282
2022	1	30	22	20	36	19.52	100.3	7.531	48.5171
2022	1	30	22	30	36	18.87	104.1	7.531	46.2429
2022	1	30	22	40	36	18.63	100.8	7.531	46.2429
2022	1	30	22	50	36	19	105.6	7.531	46.2429
2022	1	30	23	0	36	19.28	101.4	7.531	47.7591
2022	1	30	23	10	36	17.61	102.5	7.531	43.4633
2022	1	30	23	20	36	19.21	103.2	7.531	47.2537
2022	1	30	23	30	36	18.36	99.7	7.531	45.7376
2022	1	30	23	40	36	19.17	102.7	7.531	47.2538
2022	1	30	23	50	36	19.25	99.3	7.531	48.0119
2022	1	31	0	0	36	19.77	101.1	7.531	49.0226



## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	31	0	10	36	19.24	102.3	7.531	47.5065
2022	1	31	0	20	36	20.04	100.6	7.531	49.7808
2022	1	31	0	30	36	20.06	100.9	7.531	49.7808
2022	1	31	0	40	36	18.89	101.6	7.531	46.7485
2022	1	31	0	50	36	18.26	101.4	7.531	45.2323
2022	1	31	1	0	36	18.12	102.4	7.531	44.7269
2022	1	31	1	10	36	20.57	103.5	7.531	50.5389
2022	1	31	1	20	36	18.47	101.6	7.531	45.7377
2022	1	31	1	30	36	18.78	102.9	7.531	46.2432
2022	1	31	1	40	36	18.85	101	7.531	46.7486
2022	1	31	1	50	36	19.02	100.6	7.531	47.254
2022	1	31	2	0	36	18.3	102	7.531	45.2324
2022	1	31	2	10	36	18.49	101.9	7.5249	45.6991
2022	1	31	2	20	36	18.35	99.4	7.5249	45.6992
2022	1	31	2	30	36	19.38	104	7.5249	47.4665
2022	1	31	2	40	36	20.03	104.5	7.531	49.0229
2022	1	31	2	50	36	19.75	102.3	7.5249	48.729
2022	1	31	3	0	36	19.45	103.7	7.531	47.7595
2022	1	31	3	10	36	18.22	100.8	7.5249	45.1942
2022	1	31	3	20	36	18.72	103.6	7.5249	45.9517
2022	1	31	3	30	36	19.06	101.2	7.5249	47.2141
2022	1	31	3	40	36	19.19	102.9	7.5249	47.2141
2022	1	31	3	50	36	19.42	101.9	7.5249	47.9716
2022	1	31	4	0	36	18.65	104	7.5249	45.6993
2022	1	31	4	10	36	19.86	103.7	7.5249	48.7291
2022	1	31	4	20	36	17.73	102.7	7.5249	43.6794
2022	1	31	4	30	36	18.77	104.2	7.5249	45.9518
2022	1	31	4	40	36	18.12	103.7	7.5249	44.4369
2022	1	31	4	50	36	19.61	100.3	7.5249	48.7291
2022	1	31	5	0	36	19.05	102.4	7.5249	46.9617
2022	1	31	5	10	36	20.33	103.1	7.5249	49.9915
2022	1	31	5	20	36	18.19	103.3	7.5249	44.6894
2022	1	31	5	30	36	20.26	102.3	7.5249	49.9916
2022	1	31	5	40	36	18.78	105.4	7.5249	45.6994
2022	1	31	5	50	36	18.12	102.4	7.5249	44.6894
2022	1	31	6	0	36	18.83	100.7	7.5249	46.7093
2022	1	31	6	10	36	20.08	101.2	7.5249	49.7391
2022	1	31	6	20	36	19.38	102.8	7.5249	47.7192
2022	1	31	6	30	36	18.45	99.4	7.5249	45.9519
2022	1	31	6	40	36	18.52	102.2	7.5249	45.6994
2022	1	31	6	50	36	19.08	101.5	7.5249	47.2143
2022	1	31	7	0	36	19.34	102.2	7.5249	47.7193
2022	1	31	7	10	36	17.97	99.9	7.5249	44.6895
2022	1	31	7	20	36	18.16	101.4	7.5249	44.942
2022	1	31	7	30	36	19.26	105	7.5249	46.9618
2022	1	31	7	40	36	19.06	101.2	7.5249	47.2143
2022	1	31	7	50	36	18.59	101.8	7.5249	45.9519
2022	1	31	8	0	36	17.98	105.8	7.5249	43.6795

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	31	8	10	36	18.54	106.3	7.5249	44.9419
2022	1	31	8	20	36	18.3	102	7.5249	45.1944
2022	1	31	8	30	36	19.79	99.9	7.5249	49.2341
2022	1	31	8	40	36	18.34	102.6	7.5249	45.1944
2022	1	31	8	50	36	19.42	98.6	7.5249	48.4766
2022	1	31	9	0	36	18.38	104.5	7.531	44.9799
2022	1	31	9	10	36	18.1	100.5	7.5249	44.9418
2022	1	31	9	20	36	19.41	103.1	7.5249	47.7191
2022	1	31	9	30	36	19.68	102.6	7.5249	48.4766
2022	1	31	9	40	36	18.79	101.7	7.531	46.496
2022	1	31	9	50	36	19.43	103.4	7.5249	47.7191
2022	1	31	10	0	36	17.32	104	7.531	42.4529
2022	1	31	10	10	36	19.36	101	7.5249	47.9715
2022	1	31	10	20	36	18.73	100.8	7.5249	46.4566
2022	1	31	10	30	36	18.44	100.9	7.531	45.7378
2022	1	31	10	40	36	18.97	102.8	7.531	46.7486
2022	1	31	10	50	36	18.29	103.3	7.531	44.9797
2022	1	31	11	0	36	19.11	103.3	7.531	47.0013
2022	1	31	11	10	36	19.52	104.5	7.531	47.7593
2022	1	31	11	20	36	18.24	101.1	7.531	45.2323
2022	1	31	11	30	36	19.14	104.8	7.531	46.7485
2022	1	31	11	40	36	18.68	104.3	7.531	45.7377
2022	1	31	11	50	36	18.47	101.6	7.531	45.7376
2022	1	31	12	0	36	19.5	104.3	7.5371	47.7995
2022	1	31	12	10	36	19.17	102.7	7.531	47.2538
2022	1	31	12	20	36	18.79	100.1	7.5371	46.7878
2022	1	31	12	30	36	19.36	102.5	7.5371	47.7995
2022	1	31	12	40	36	18.32	102.3	7.531	45.2322
2022	1	31	12	50	36	18.9	103.2	7.531	46.4956
2022	1	31	13	0	36	19.12	102.1	7.531	47.2538
2022	1	31	13	10	36	18.97	102.8	7.531	46.7484
2022	1	31	13	20	36	19.28	104.1	7.531	47.2538
2022	1	31	13	30	36	18.6	103.4	7.531	45.7376
2022	1	31	13	40	36	18.83	102.3	7.531	46.4957
2022	1	31	13	50	36	18.94	103.7	7.531	46.4957
2022	1	31	14	0	36	18.46	102.8	7.531	45.4849
2022	1	31	14	10	36	18.42	102.2	7.531	45.4849
2022	1	31	14	20	36	18.04	104.1	7.531	44.2214
2022	1	31	14	30	36	17.52	102.5	7.531	43.2106
2022	1	31	14	40	36	18.98	101.5	7.5371	47.0408
2022	1	31	14	50	36	17.73	102.7	7.531	43.716
2022	1	31	15	0	36	19.06	104	7.531	46.7483
2022	1	31	15	10	36	17.64	102.8	7.531	43.4633
2022	1	31	15	20	36	17.9	103.6	7.531	43.9687
2022	1	31	15	30	36	17.3	105.1	7.531	42.1999
2022	1	31	15	40	36	18.6	104.6	7.531	45.4849
2022	1	31	15	50	36	18.68	103	7.531	45.9903
2022	1	31	16	0	36	18	103.5	7.531	44.2214

## Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2022	1	31	16	10	36	19.6	104.2	7.531	48.0118
2022	1	31	16	20	36	18.15	105.3	7.531	44.2214
2022	1	31	16	30	36	17.57	101.8	7.531	43.4634
2022	1	31	16	40	36	17.68	103.4	7.531	43.4634
2022	1	31	16	50	36	18.97	105.3	7.531	46.243
2022	1	31	17	0	36	17.91	106.2	7.531	43.4634
2022	1	31	17	10	36	19.2	101.7	7.531	47.5065
2022	1	31	17	20	36	19.55	103.6	7.531	48.0119
2022	1	31	17	30	36	18.39	105.8	7.531	44.7268
2022	1	31	17	40	36	19.35	103.7	7.531	47.5065
2022	1	31	17	50	36	18.39	103.2	7.531	45.2322
2022	1	31	18	0	36	18.89	101.6	7.531	46.7484
2022	1	31	18	10	36	19.95	102.2	7.531	49.2753
2022	1	31	18	20	36	18.17	103	7.531	44.7268
2022	1	31	18	30	36	19.07	102.7	7.531	47.0011
2022	1	31	18	40	36	18.6	103.4	7.531	45.7376
2022	1	31	18	50	36	18.39	103.2	7.531	45.2322
2022	1	31	19	0	36	18.8	104.5	7.531	45.9903
2022	1	31	19	10	36	19.55	103.6	7.531	48.0119
2022	1	31	19	20	36	18.73	100.8	7.531	46.4957
2022	1	31	19	30	36	18.32	102.3	7.531	45.2322
2022	1	31	19	40	36	19.44	102.2	7.531	48.0119
2022	1	31	19	50	36	19.16	103.9	7.531	47.0011
2022	1	31	20	0	36	19.46	102.5	7.531	48.0119
2022	1	31	20	10	36	18.41	103.5	7.531	45.2323
2022	1	31	20	20	36	16.86	103.4	7.531	41.4418
2022	1	31	20	30	36	19.68	102.6	7.531	48.5173
2022	1	31	20	40	36	19.02	103.4	7.531	46.7484
2022	1	31	20	50	36	18.9	103.2	7.531	46.4957
2022	1	31	21	0	36	18.78	102.9	7.531	46.2431
2022	1	31	21	10	36	19.06	104	7.531	46.7485
2022	1	31	21	20	36	18.6	104.6	7.531	45.485
2022	1	31	21	30	36	18.94	103.7	7.531	46.4958
2022	1	31	21	40	36	18.54	102.5	7.531	45.7377
2022	1	31	21	50	36	19.28	101.4	7.5249	47.7188
2022	1	31	22	0	36	19.47	101.3	7.531	48.2646
2022	1	31	22	10	36	18.71	100.5	7.531	46.4958
2022	1	31	22	20	36	18.31	103.6	7.531	44.9796
2022	1	31	22	30	36	19.85	102.2	7.531	49.0227
2022	1	31	22	40	36	18.44	100.9	7.531	45.7377
2022	1	31	22	50	36	19.46	102.5	7.531	48.012
2022	1	31	23	0	36	19.16	103.9	7.531	47.0012
2022	1	31	23	10	36	18.77	104.2	7.5249	45.9515
2022	1	31	23	20	36	19.43	104.6	7.531	47.5066
2022	1	31	23	30	36	19.44	102.2	7.531	48.012
2022	1	31	23	40	36	19.18	104.2	7.5249	46.9614
2022	1	31	23	50	36	18.89	104.4	7.531	46.2431

Alabama Gates Release

Station 0087

Date	Flow (cfs)
1/1/2022	0.10
1/2/2022	0.10
1/3/2022	0.10
1/4/2022	0.10
1/5/2022	0.10
1/6/2022	0.10
1/7/2022	0.09
1/8/2022	0.09
1/9/2022	0.09
1/10/2022	0.08
1/11/2022	0.08
1/12/2022	0.07
1/13/2022	0.07
1/14/2022	0.07
1/15/2022	0.06
1/16/2022	0.06
1/17/2022	0.06
1/18/2022	0.05
1/19/2022	0.05
1/20/2022	0.04
1/21/2022	0.04
1/22/2022	0.04
1/23/2022	0.03
1/24/2022	0.03
1/25/2022	0.02
1/26/2022	0.02
1/27/2022	0.02
1/28/2022	0.01
1/29/2022	0.01
1/30/2022	0.01
1/31/2022	0.00

Langemann Gate to Delta Weir to Delta Pumpback Station Discharge

DATE	FLOW (CFS)	FLOW (CFS)	FLOW (CFS)
1/1/2022	6	0	47
1/2/2022	6	0	48
1/3/2022	6	0	48
1/4/2022	6	0	48
1/5/2022	6	0	48
1/6/2022	6	0	48
1/7/2022	6	0	47
1/8/2022	6	0	46
1/9/2022	6	0	46
1/10/2022	6	0	46
1/11/2022	6	0	46
1/12/2022	6	0	46
1/13/2022	6	0	45
1/14/2022	6	0	45
1/15/2022	6	0	45
1/16/2022	6	0	45
1/17/2022	6	0	46
1/18/2022	6	0	47
1/19/2022	6	0	46
1/20/2022	6	0	46
1/21/2022	6	0	46
1/22/2022	6	0	45
1/23/2022	6	0	46
1/24/2022	6	0	46
1/25/2022	6	0	46
1/26/2022	6	0	46
1/27/2022	6	0	45
1/28/2022	6	0	45
1/29/2022	6	0	45
1/30/2022	6	0	45
1/31/2022	6	0	44

### Pumpback Station Discharge (0364)

1/1/22 0:00 == 48	1/1/22 0:05 == 47.6	1/1/22 0:10 == 47.7	1/1/22 0:15 == 47.9	1/1/22 0:20 == 47.9	1/1/22 0:25 == 47.9	1/1/22 0:30 == 48	1/1/22 0:35 == 47.9	1/1/22 0:40 == 47.9	1/1/22 0:45 == 48	1/1/22 0:50 == 47.9	1/1/22 0:55 == 47.8	1/1/22 1:00 == 47.9	1/1/22 1:05 == 48	1/1/22 1:10 == 47.9	1/1/22 1:15 == 48	1/1/22 1:20 == 48	1/1/22 1:25 == 48	1/1/22 1:30 == 47.9	1/1/22 1:35 == 48.1	1/1/22 1:40 == 47.9	1/1/22 1:45 == 47.9	1/1/22 1:50 == 47.8	1/1/22 1:55 == 47.9	1/1/22 2:00 == 48	1/1/22 2:05 == 48	1/1/22 2:10 == 47.8	1/1/22 2:15 == 48	1/1/22 2:20 == 48	1/1/22 2:25 == 47.9	1/1/22 2:30 == 47.9	1/1/22 2:35 == 47.9	1/1/22 2:40 == 47.9	1/1/22 2:45 == 47.9	1/1/22 2:50 == 48	1/1/22 2:55 == 48	1/1/22 3:00 == 47.8	1/1/22 3:05 == 48	1/1/22 3:10 == 48	1/1/22 3:15 == 47.9	1/1/22 3:20 == 47.9	1/1/22 3:25 == 47.9	1/1/22 3:30 == 47.8	1/1/22 3:35 == 47.5	1/1/22 3:40 == 47.8	1/1/22 3:45 == 47.9	
1/1/22 3:50 == 47.9	1/1/22 4:00 == 48.1	1/1/22 4:05 == 47.9	1/1/22 4:10 == 48	1/1/22 4:15 == 48	1/1/22 4:20 == 47.9	1/1/22 4:25 == 47.9	1/1/22 4:30 == 48	1/1/22 4:35 == 47.8	1/1/22 4:40 == 47.9	1/1/22 4:45 == 47.9	1/1/22 4:50 == 47.9	1/1/22 4:55 == 47.3	1/1/22 5:00 == 47.6	1/1/22 5:05 == 47.9	1/1/22 5:10 == 48	1/1/22 5:15 == 48	1/1/22 5:20 == 47.9	1/1/22 5:25 == 47.9	1/1/22 5:30 == 47.9	1/1/22 5:35 == 47.9	1/1/22 5:40 == 47.9	1/1/22 5:45 == 48	1/1/22 5:50 == 48	1/1/22 5:55 == 48	1/1/22 6:00 == 47.5	1/1/22 6:05 == 43.9	1/1/22 6:10 == 33.9	1/1/22 6:15 == 34.1	1/1/22 6:20 == 33.9	1/1/22 6:25 == 33.9	1/1/22 6:30 == 33.9	1/1/22 6:35 == 35.3	1/1/22 6:40 == 47.5	1/1/22 6:45 == 47.9	1/1/22 6:50 == 47.9	1/1/22 6:55 == 47.3	1/1/22 7:00 == 47.8	1/1/22 7:05 == 48	1/1/22 7:10 == 48	1/1/22 7:15 == 47.9	1/1/22 7:20 == 48	1/1/22 7:25 == 47.9	1/1/22 7:30 == 47.9	1/1/22 7:35 == 48	1/1/22 7:40 == 48	
1/1/22 7:45 == 48	1/1/22 7:50 == 48.1	1/1/22 7:55 == 48	1/1/22 8:00 == 47.9	1/1/22 8:05 == 47.9	1/1/22 8:10 == 48	1/1/22 8:15 == 48.1	1/1/22 8:20 == 48	1/1/22 8:25 == 47.9	1/1/22 8:30 == 47.8	1/1/22 8:35 == 48	1/1/22 8:40 == 48	1/1/22 8:45 == 47.9	1/1/22 8:50 == 48	1/1/22 8:55 == 47.1	1/1/22 9:00 == 48	1/1/22 9:05 == 48	1/1/22 9:10 == 47.8	1/1/22 9:15 == 48.1	1/1/22 9:20 == 48	1/1/22 9:25 == 48	1/1/22 9:30 == 48.1	1/1/22 9:35 == 48	1/1/22 9:40 == 47.9	1/1/22 9:45 == 47.8	1/1/22 9:50 == 47.9	1/1/22 9:55 == 47.4	1/1/22 10:00 == 47.8	1/1/22 10:05 == 48.1	1/1/22 10:10 == 48	1/1/22 10:15 == 47.9	1/1/22 10:20 == 48	1/1/22 10:25 == 47.9	1/1/22 10:30 == 47.9	1/1/22 10:35 == 48.1	1/1/22 10:40 == 48	1/1/22 10:45 == 48	1/1/22 10:50 == 48	1/1/22 10:55 == 47.9	1/1/22 11:00 == 47.9	1/1/22 11:05 == 48	1/1/22 11:10 == 47.9	1/1/22 11:15 == 47.9	1/1/22 11:20 == 48	1/1/22 11:25 == 47.9	1/1/22 11:30 == 48	1/1/22 11:35 == 47.8
1/1/22 11:40 == 47.9	1/1/22 11:45 == 48	1/1/22 11:50 == 47.9	1/1/22 11:55 == 47.9	1/1/22 12:00 == 47.9	1/1/22 12:05 == 48.1	1/1/22 12:10 == 48.1	1/1/22 12:15 == 48	1/1/22 12:20 == 48	1/1/22 12:25 == 47.9	1/1/22 12:30 == 48	1/1/22 12:35 == 48	1/1/22 12:40 == 47.9	1/1/22 12:45 == 47.9	1/1/22 12:50 == 48	1/1/22 12:55 == 47.8	1/1/22 13:00 == 47.9	1/1/22 13:05 == 47.9	1/1/22 13:10 == 47.9	1/1/22 13:15 == 47.9	1/1/22 13:20 == 47.9	1/1/22 13:25 == 48	1/1/22 13:30 == 47.9	1/1/22 13:35 == 47.9	1/1/22 13:40 == 47.8	1/1/22 13:45 == 47.9	1/1/22 13:50 == 47.9	1/1/22 13:55 == 47.8	1/1/22 14:00 == 48	1/1/22 14:05 == 47.9	1/1/22 14:10 == 47.9	1/1/22 14:15 == 47.9	1/1/22 14:20 == 47.9	1/1/22 14:25 == 48	1/1/22 14:30 == 47.9	1/1/22 14:35 == 47.9	1/1/22 14:40 == 47.9	1/1/22 14:45 == 47.8	1/1/22 14:50 == 47.9	1/1/22 14:55 == 47.9	1/1/22 15:00 == 48	1/1/22 15:05 == 48	1/1/22 15:10 == 47.9	1/1/22 15:15 == 47.9	1/1/22 15:20 == 47.9	1/1/22 15:25 == 47.9	1/1/22 15:30 == 48

### Pumpback Station Discharge (0364)

1/1/22 15:35 == 47.9	1/1/22 19:30 == 47.9	1/1/22 23:25 == 48	1/2/22 3:20 == 48
1/1/22 15:40 == 48	1/1/22 19:35 == 48	1/1/22 23:30 == 47.9	1/2/22 3:25 == 48
1/1/22 15:45 == 48	1/1/22 19:40 == 47.9	1/1/22 23:35 == 47.9	1/2/22 3:30 == 47.9
1/1/22 15:50 == 48.1	1/1/22 19:45 == 47.9	1/1/22 23:40 == 48	1/2/22 3:35 == 47.9
1/1/22 15:55 == 48	1/1/22 19:50 == 48	1/1/22 23:45 == 48	1/2/22 3:40 == 47.8
1/1/22 16:00 == 48	1/1/22 19:55 == 47.9	1/1/22 23:50 == 48	1/2/22 3:45 == 47.9
1/1/22 16:05 == 47.8	1/1/22 20:00 == 48	1/1/22 23:55 == 48	1/2/22 3:50 == 48
1/1/22 16:10 == 47.9	1/1/22 20:05 == 47.9	1/2/22 0:00 == 48	1/2/22 3:55 == 48
1/1/22 16:15 == 47.9	1/1/22 20:10 == 47.9	1/2/22 0:05 == 47.9	1/2/22 4:00 == 48
1/1/22 16:20 == 47.7	1/1/22 20:15 == 48	1/2/22 0:10 == 47.9	1/2/22 4:05 == 48.1
1/1/22 16:25 == 47.3	1/1/22 20:20 == 47.9	1/2/22 0:15 == 48	1/2/22 4:10 == 48.1
1/1/22 16:30 == 47.9	1/1/22 20:25 == 47.9	1/2/22 0:20 == 48	1/2/22 4:15 == 47.9
1/1/22 16:35 == 48	1/1/22 20:30 == 47.9	1/2/22 0:25 == 47.8	1/2/22 4:20 == 47.8
1/1/22 16:40 == 48	1/1/22 20:35 == 47.9	1/2/22 0:30 == 47.9	1/2/22 4:25 == 47.9
1/1/22 16:45 == 48.1	1/1/22 20:40 == 47.9	1/2/22 0:35 == 47.9	1/2/22 4:30 == 48
1/1/22 16:50 == 48	1/1/22 20:45 == 48	1/2/22 0:40 == 46.8	1/2/22 4:35 == 47.9
1/1/22 16:55 == 47.8	1/1/22 20:50 == 48	1/2/22 0:45 == 48	1/2/22 4:40 == 47.9
1/1/22 17:00 == 47.8	1/1/22 20:55 == 47.9	1/2/22 0:50 == 47.8	1/2/22 4:45 == 48
1/1/22 17:05 == 48.3	1/1/22 21:00 == 47.9	1/2/22 0:55 == 47.9	1/2/22 4:50 == 47.9
1/1/22 17:10 == 48	1/1/22 21:05 == 47.8	1/2/22 1:00 == 47.9	1/2/22 4:55 == 47.9
1/1/22 17:15 == 47.9	1/1/22 21:10 == 47.6	1/2/22 1:05 == 48	1/2/22 5:00 == 47.8
1/1/22 17:20 == 47.4	1/1/22 21:15 == 47.9	1/2/22 1:10 == 48.1	1/2/22 5:05 == 47.8
1/1/22 17:25 == 47.3	1/1/22 21:20 == 48	1/2/22 1:15 == 48	1/2/22 5:10 == 47.4
1/1/22 17:30 == 47.8	1/1/22 21:25 == 47.9	1/2/22 1:20 == 48	1/2/22 5:15 == 47.9
1/1/22 17:35 == 47.9	1/1/22 21:30 == 48	1/2/22 1:25 == 47.2	1/2/22 5:20 == 47.9
1/1/22 17:40 == 47.8	1/1/22 21:35 == 48	1/2/22 1:30 == 47.6	1/2/22 5:25 == 47.4
1/1/22 17:45 == 47.8	1/1/22 21:40 == 47.9	1/2/22 1:35 == 48	1/2/22 5:30 == 48
1/1/22 17:50 == 47.8	1/1/22 21:45 == 48	1/2/22 1:40 == 47.5	1/2/22 5:35 == 47.9
1/1/22 17:55 == 47.5	1/1/22 21:50 == 48.1	1/2/22 1:45 == 47.7	1/2/22 5:40 == 47.3
1/1/22 18:00 == 47.6	1/1/22 21:55 == 47.9	1/2/22 1:50 == 47.9	1/2/22 5:45 == 47.9
1/1/22 18:05 == 47.9	1/1/22 22:00 == 47.9	1/2/22 1:55 == 47.8	1/2/22 5:50 == 48.1
1/1/22 18:10 == 47.9	1/1/22 22:05 == 48	1/2/22 2:00 == 47.9	1/2/22 5:55 == 47
1/1/22 18:15 == 47.9	1/1/22 22:10 == 47.4	1/2/22 2:05 == 48	1/2/22 6:00 == 47.6
1/1/22 18:20 == 47.9	1/1/22 22:15 == 47.9	1/2/22 2:10 == 47.9	1/2/22 6:05 == 47.8
1/1/22 18:25 == 48	1/1/22 22:20 == 48	1/2/22 2:15 == 47.8	1/2/22 6:10 == 47.1
1/1/22 18:30 == 48	1/1/22 22:25 == 47.7	1/2/22 2:20 == 48	1/2/22 6:15 == 47.7
1/1/22 18:35 == 48	1/1/22 22:30 == 47.7	1/2/22 2:25 == 47.9	1/2/22 6:20 == 47.9
1/1/22 18:40 == 47.9	1/1/22 22:35 == 48	1/2/22 2:30 == 48	1/2/22 6:25 == 47.8
1/1/22 18:45 == 47.9	1/1/22 22:40 == 47.9	1/2/22 2:35 == 48	1/2/22 6:30 == 47.8
1/1/22 18:50 == 47.9	1/1/22 22:45 == 47.9	1/2/22 2:40 == 47.9	1/2/22 6:35 == 47.9
1/1/22 18:55 == 47.9	1/1/22 22:50 == 47.9	1/2/22 2:45 == 47.8	1/2/22 6:40 == 48
1/1/22 19:00 == 47.9	1/1/22 22:55 == 47.8	1/2/22 2:50 == 47.9	1/2/22 6:45 == 47.9
1/1/22 19:05 == 48	1/1/22 23:00 == 48	1/2/22 2:55 == 47.8	1/2/22 6:50 == 48
1/1/22 19:10 == 48	1/1/22 23:05 == 48	1/2/22 3:00 == 47.9	1/2/22 6:55 == 47.9
1/1/22 19:15 == 48.1	1/1/22 23:10 == 48	1/2/22 3:05 == 47.9	1/2/22 7:00 == 47.9
1/1/22 19:20 == 48	1/1/22 23:15 == 48	1/2/22 3:10 == 48	1/2/22 7:05 == 48
1/1/22 19:25 == 48.1	1/1/22 23:20 == 48	1/2/22 3:15 == 48	1/2/22 7:10 == 48.1

### Pumpback Station Discharge (0364)

1/2/22 7:15 == 47.9	1/2/22 11:10 == 47.2	1/2/22 15:05 == 47.3	1/2/22 19:00 == 48
1/2/22 7:20 == 47.8	1/2/22 11:15 == 47.9	1/2/22 15:10 == 47.5	1/2/22 19:05 == 48
1/2/22 7:25 == 48	1/2/22 11:20 == 47.4	1/2/22 15:15 == 47.9	1/2/22 19:10 == 47.6
1/2/22 7:30 == 48	1/2/22 11:25 == 47.8	1/2/22 15:20 == 48	1/2/22 19:15 == 47.7
1/2/22 7:35 == 47.9	1/2/22 11:30 == 47.9	1/2/22 15:25 == 48	1/2/22 19:20 == 48
1/2/22 7:40 == 47.8	1/2/22 11:35 == 47.9	1/2/22 15:30 == 48.1	1/2/22 19:25 == 47.1
1/2/22 7:45 == 47.9	1/2/22 11:40 == 47.7	1/2/22 15:35 == 48	1/2/22 19:30 == 47.5
1/2/22 7:50 == 48	1/2/22 11:45 == 48	1/2/22 15:40 == 47.9	1/2/22 19:35 == 47.9
1/2/22 7:55 == 47.8	1/2/22 11:50 == 48	1/2/22 15:45 == 48	1/2/22 19:40 == 47.7
1/2/22 8:00 == 47.8	1/2/22 11:55 == 48.1	1/2/22 15:50 == 47.9	1/2/22 19:45 == 47.8
1/2/22 8:05 == 47.9	1/2/22 12:00 == 48	1/2/22 15:55 == 47.8	1/2/22 19:50 == 48
1/2/22 8:10 == 48	1/2/22 12:05 == 47.9	1/2/22 16:00 == 48	1/2/22 19:55 == 47.8
1/2/22 8:15 == 47.8	1/2/22 12:10 == 48	1/2/22 16:05 == 48.1	1/2/22 20:00 == 47.7
1/2/22 8:20 == 47.9	1/2/22 12:15 == 48	1/2/22 16:10 == 46.9	1/2/22 20:05 == 47.6
1/2/22 8:25 == 47.7	1/2/22 12:20 == 48	1/2/22 16:15 == 47.5	1/2/22 20:10 == 47.6
1/2/22 8:30 == 48	1/2/22 12:25 == 48	1/2/22 16:20 == 48	1/2/22 20:15 == 47.9
1/2/22 8:35 == 48.1	1/2/22 12:30 == 47.9	1/2/22 16:25 == 46.5	1/2/22 20:20 == 48.1
1/2/22 8:40 == 48	1/2/22 12:35 == 48.1	1/2/22 16:30 == 47.5	1/2/22 20:25 == 48
1/2/22 8:45 == 48.1	1/2/22 12:40 == 48	1/2/22 16:35 == 48	1/2/22 20:30 == 47.8
1/2/22 8:50 == 48	1/2/22 12:45 == 48	1/2/22 16:40 == 48	1/2/22 20:35 == 47.9
1/2/22 8:55 == 47.2	1/2/22 12:50 == 48	1/2/22 16:45 == 48	1/2/22 20:40 == 47.9
1/2/22 9:00 == 47.7	1/2/22 12:55 == 48	1/2/22 16:50 == 47.9	1/2/22 20:45 == 48
1/2/22 9:05 == 47.9	1/2/22 13:00 == 48	1/2/22 16:55 == 47.4	1/2/22 20:50 == 47.9
1/2/22 9:10 == 48	1/2/22 13:05 == 48.1	1/2/22 17:00 == 47.6	1/2/22 20:55 == 47.8
1/2/22 9:15 == 47.8	1/2/22 13:10 == 48	1/2/22 17:05 == 47.7	1/2/22 21:00 == 48.1
1/2/22 9:20 == 47.3	1/2/22 13:15 == 48.1	1/2/22 17:10 == 47.4	1/2/22 21:05 == 47.9
1/2/22 9:25 == 46.8	1/2/22 13:20 == 48.1	1/2/22 17:15 == 47.7	1/2/22 21:10 == 47.4
1/2/22 9:30 == 47.1	1/2/22 13:25 == 48.1	1/2/22 17:20 == 47.8	1/2/22 21:15 == 48.1
1/2/22 9:35 == 47.7	1/2/22 13:30 == 48.2	1/2/22 17:25 == 47.7	1/2/22 21:20 == 47.9
1/2/22 9:40 == 47.9	1/2/22 13:35 == 48	1/2/22 17:30 == 47.6	1/2/22 21:25 == 47.4
1/2/22 9:45 == 47.7	1/2/22 13:40 == 48.1	1/2/22 17:35 == 47.6	1/2/22 21:30 == 47.9
1/2/22 9:50 == 47.5	1/2/22 13:45 == 48	1/2/22 17:40 == 48	1/2/22 21:35 == 48
1/2/22 9:55 == 47.7	1/2/22 13:50 == 48	1/2/22 17:45 == 48	1/2/22 21:40 == 47.1
1/2/22 10:00 == 47.8	1/2/22 13:55 == 47.9	1/2/22 17:50 == 47.9	1/2/22 21:45 == 47.6
1/2/22 10:05 == 47.6	1/2/22 14:00 == 47.8	1/2/22 17:55 == 47.8	1/2/22 21:50 == 47.9
1/2/22 10:10 == 47.1	1/2/22 14:05 == 48	1/2/22 18:00 == 48.1	1/2/22 21:55 == 47.8
1/2/22 10:15 == 47.5	1/2/22 14:10 == 47.3	1/2/22 18:05 == 48	1/2/22 22:00 == 48.1
1/2/22 10:20 == 47.8	1/2/22 14:15 == 47.8	1/2/22 18:10 == 47.8	1/2/22 22:05 == 48.4
1/2/22 10:25 == 47.4	1/2/22 14:20 == 48	1/2/22 18:15 == 47.6	1/2/22 22:10 == 47.2
1/2/22 10:30 == 48.1	1/2/22 14:25 == 47.8	1/2/22 18:20 == 48.1	1/2/22 22:15 == 47.5
1/2/22 10:35 == 48	1/2/22 14:30 == 47.9	1/2/22 18:25 == 47.9	1/2/22 22:20 == 48.1
1/2/22 10:40 == 47.2	1/2/22 14:35 == 48.1	1/2/22 18:30 == 47.9	1/2/22 22:25 == 47.3
1/2/22 10:45 == 48	1/2/22 14:40 == 48.1	1/2/22 18:35 == 48	1/2/22 22:30 == 47.5
1/2/22 10:50 == 48	1/2/22 14:45 == 48	1/2/22 18:40 == 47.9	1/2/22 22:35 == 48.1
1/2/22 10:55 == 47	1/2/22 14:50 == 47.9	1/2/22 18:45 == 47.8	1/2/22 22:40 == 48
1/2/22 11:00 == 46.9	1/2/22 14:55 == 47.9	1/2/22 18:50 == 48.1	1/2/22 22:45 == 48
1/2/22 11:05 == 48	1/2/22 15:00 == 47.6	1/2/22 18:55 == 47.9	1/2/22 22:50 == 48



### Pumpback Station Discharge (0364)

1/2/22 22:55 == 48	1/3/22 2:50 == 48	1/3/22 6:45 == 47.9	1/3/22 10:40 == 48
1/2/22 23:00 == 48	1/3/22 2:55 == 47.6	1/3/22 6:50 == 47.8	1/3/22 10:45 == 48.1
1/2/22 23:05 == 48	1/3/22 3:00 == 47.9	1/3/22 6:55 == 47.3	1/3/22 10:50 == 48.1
1/2/22 23:10 == 48	1/3/22 3:05 == 48	1/3/22 7:00 == 47.4	1/3/22 10:55 == 47.1
1/2/22 23:15 == 48	1/3/22 3:10 == 47.5	1/3/22 7:05 == 47.8	1/3/22 11:00 == 47.5
1/2/22 23:20 == 47.9	1/3/22 3:15 == 47.8	1/3/22 7:10 == 47.4	1/3/22 11:05 == 48
1/2/22 23:25 == 47.9	1/3/22 3:20 == 48.1	1/3/22 7:15 == 47.5	1/3/22 11:10 == 47.9
1/2/22 23:30 == 48	1/3/22 3:25 == 48	1/3/22 7:20 == 48	1/3/22 11:15 == 48
1/2/22 23:35 == 48.1	1/3/22 3:30 == 48	1/3/22 7:25 == 48.1	1/3/22 11:20 == 48
1/2/22 23:40 == 48	1/3/22 3:35 == 47.7	1/3/22 7:30 == 47.9	1/3/22 11:25 == 47.5
1/2/22 23:45 == 48	1/3/22 3:40 == 47.7	1/3/22 7:35 == 48	1/3/22 11:30 == 47.5
1/2/22 23:50 == 48	1/3/22 3:45 == 48	1/3/22 7:40 == 48	1/3/22 11:35 == 48.1
1/2/22 23:55 == 48	1/3/22 3:50 == 48	1/3/22 7:45 == 47.4	1/3/22 11:40 == 47.6
1/3/22 0:00 == 48	1/3/22 3:55 == 47.8	1/3/22 7:50 == 47.9	1/3/22 11:45 == 47.5
1/3/22 0:05 == 48	1/3/22 4:00 == 48	1/3/22 7:55 == 47.4	1/3/22 11:50 == 47.9
1/3/22 0:10 == 47.2	1/3/22 4:05 == 48	1/3/22 8:00 == 47.8	1/3/22 11:55 == 47.8
1/3/22 0:15 == 47.8	1/3/22 4:10 == 48	1/3/22 8:05 == 48	1/3/22 12:00 == 47.7
1/3/22 0:20 == 48	1/3/22 4:15 == 48.1	1/3/22 8:10 == 47.7	1/3/22 12:05 == 47.7
1/3/22 0:25 == 48	1/3/22 4:20 == 48	1/3/22 8:15 == 47.8	1/3/22 12:10 == 48
1/3/22 0:30 == 48	1/3/22 4:25 == 48	1/3/22 8:20 == 48	1/3/22 12:15 == 48.2
1/3/22 0:35 == 48	1/3/22 4:30 == 48	1/3/22 8:25 == 48	1/3/22 12:20 == 48
1/3/22 0:40 == 47.5	1/3/22 4:35 == 47.9	1/3/22 8:30 == 48	1/3/22 12:25 == 47.9
1/3/22 0:45 == 47.6	1/3/22 4:40 == 47.9	1/3/22 8:35 == 48	1/3/22 12:30 == 47.9
1/3/22 0:50 == 48	1/3/22 4:45 == 48.2	1/3/22 8:40 == 47.6	1/3/22 12:35 == 48
1/3/22 0:55 == 48	1/3/22 4:50 == 47.9	1/3/22 8:45 == 47.7	1/3/22 12:40 == 48.1
1/3/22 1:00 == 48	1/3/22 4:55 == 47.9	1/3/22 8:50 == 47.8	1/3/22 12:45 == 47.9
1/3/22 1:05 == 47.7	1/3/22 5:00 == 48.1	1/3/22 8:55 == 47.6	1/3/22 12:50 == 48
1/3/22 1:10 == 47.6	1/3/22 5:05 == 48	1/3/22 9:00 == 47.8	1/3/22 12:55 == 48
1/3/22 1:15 == 47.9	1/3/22 5:10 == 46.9	1/3/22 9:05 == 48.1	1/3/22 13:00 == 48
1/3/22 1:20 == 48	1/3/22 5:15 == 47.9	1/3/22 9:10 == 48	1/3/22 13:05 == 48
1/3/22 1:25 == 48	1/3/22 5:20 == 48	1/3/22 9:15 == 48.1	1/3/22 13:10 == 48
1/3/22 1:30 == 47.9	1/3/22 5:25 == 47.2	1/3/22 9:20 == 48	1/3/22 13:15 == 47.8
1/3/22 1:35 == 47.9	1/3/22 5:30 == 47.9	1/3/22 9:25 == 47.8	1/3/22 13:20 == 47.9
1/3/22 1:40 == 47.5	1/3/22 5:35 == 48	1/3/22 9:30 == 47.5	1/3/22 13:25 == 47.9
1/3/22 1:45 == 47.9	1/3/22 5:40 == 46.4	1/3/22 9:35 == 47.7	1/3/22 13:30 == 47.9
1/3/22 1:50 == 48	1/3/22 5:45 == 47.4	1/3/22 9:40 == 47.5	1/3/22 13:35 == 48.1
1/3/22 1:55 == 47.9	1/3/22 5:50 == 48.1	1/3/22 9:45 == 47.9	1/3/22 13:40 == 47.6
1/3/22 2:00 == 47.8	1/3/22 5:55 == 47.8	1/3/22 9:50 == 48	1/3/22 13:45 == 47.7
1/3/22 2:05 == 48	1/3/22 6:00 == 48	1/3/22 9:55 == 47.9	1/3/22 13:50 == 48.1
1/3/22 2:10 == 47.9	1/3/22 6:05 == 48	1/3/22 10:00 == 48	1/3/22 13:55 == 48
1/3/22 2:15 == 48	1/3/22 6:10 == 47.4	1/3/22 10:05 == 48	1/3/22 14:00 == 47.8
1/3/22 2:20 == 48	1/3/22 6:15 == 47.6	1/3/22 10:10 == 47	1/3/22 14:05 == 47.7
1/3/22 2:25 == 48.2	1/3/22 6:20 == 48	1/3/22 10:15 == 47.9	1/3/22 14:10 == 47.3
1/3/22 2:30 == 47.9	1/3/22 6:25 == 47.9	1/3/22 10:20 == 47.5	1/3/22 14:15 == 47.3
1/3/22 2:35 == 48	1/3/22 6:30 == 48	1/3/22 10:25 == 47.3	1/3/22 14:20 == 47.9
1/3/22 2:40 == 48.1	1/3/22 6:35 == 48	1/3/22 10:30 == 47.9	1/3/22 14:25 == 47.8
1/3/22 2:45 == 48	1/3/22 6:40 == 48	1/3/22 10:35 == 48	1/3/22 14:30 == 48

### Pumpback Station Discharge (0364)

1/3/22 14:35 == 48	1/3/22 18:30 == 47.9	1/3/22 22:25 == 47.6	1/4/22 2:20 == 48.1
1/3/22 14:40 == 47.9	1/3/22 18:35 == 48.1	1/3/22 22:30 == 47.6	1/4/22 2:25 == 48.1
1/3/22 14:45 == 48.1	1/3/22 18:40 == 47.5	1/3/22 22:35 == 48	1/4/22 2:30 == 48
1/3/22 14:50 == 48.1	1/3/22 18:45 == 47.7	1/3/22 22:40 == 48	1/4/22 2:35 == 48
1/3/22 14:55 == 47.8	1/3/22 18:50 == 48	1/3/22 22:45 == 48	1/4/22 2:40 == 48.1
1/3/22 15:00 == 48	1/3/22 18:55 == 48	1/3/22 22:50 == 48	1/4/22 2:45 == 48.1
1/3/22 15:05 == 48.1	1/3/22 19:00 == 48	1/3/22 22:55 == 47.9	1/4/22 2:50 == 48
1/3/22 15:10 == 47.3	1/3/22 19:05 == 47.8	1/3/22 23:00 == 47.4	1/4/22 2:55 == 48
1/3/22 15:15 == 48	1/3/22 19:10 == 47.5	1/3/22 23:05 == 47.9	1/4/22 3:00 == 48
1/3/22 15:20 == 48.1	1/3/22 19:15 == 47.7	1/3/22 23:10 == 48.1	1/4/22 3:05 == 47.9
1/3/22 15:25 == 47.9	1/3/22 19:20 == 47.8	1/3/22 23:15 == 47.9	1/4/22 3:10 == 47.7
1/3/22 15:30 == 47.5	1/3/22 19:25 == 47.4	1/3/22 23:20 == 48	1/4/22 3:15 == 47.8
1/3/22 15:35 == 47.9	1/3/22 19:30 == 47.4	1/3/22 23:25 == 48	1/4/22 3:20 == 48
1/3/22 15:40 == 47.9	1/3/22 19:35 == 47.9	1/3/22 23:30 == 48	1/4/22 3:25 == 48.1
1/3/22 15:45 == 48	1/3/22 19:40 == 47.9	1/3/22 23:35 == 47.9	1/4/22 3:30 == 48.1
1/3/22 15:50 == 48	1/3/22 19:45 == 48	1/3/22 23:40 == 48	1/4/22 3:35 == 48
1/3/22 15:55 == 47.8	1/3/22 19:50 == 48	1/3/22 23:45 == 48	1/4/22 3:40 == 48
1/3/22 16:00 == 47.9	1/3/22 19:55 == 48	1/3/22 23:50 == 48	1/4/22 3:45 == 48.1
1/3/22 16:05 == 48.2	1/3/22 20:00 == 48	1/3/22 23:55 == 47.9	1/4/22 3:50 == 48
1/3/22 16:10 == 47	1/3/22 20:05 == 47.9	1/4/22 0:00 == 47.9	1/4/22 3:55 == 47.8
1/3/22 16:15 == 47.1	1/3/22 20:10 == 47.3	1/4/22 0:05 == 48	1/4/22 4:00 == 47.9
1/3/22 16:20 == 47.4	1/3/22 20:15 == 48	1/4/22 0:10 == 47.6	1/4/22 4:05 == 48.3
1/3/22 16:25 == 46.8	1/3/22 20:20 == 47.9	1/4/22 0:15 == 47.7	1/4/22 4:10 == 48
1/3/22 16:30 == 46.9	1/3/22 20:25 == 48.1	1/4/22 0:20 == 47.9	1/4/22 4:15 == 48
1/3/22 16:35 == 47.5	1/3/22 20:30 == 48.1	1/4/22 0:25 == 48	1/4/22 4:20 == 48.1
1/3/22 16:40 == 47.7	1/3/22 20:35 == 48	1/4/22 0:30 == 48.1	1/4/22 4:25 == 47.9
1/3/22 16:45 == 47.9	1/3/22 20:40 == 47.5	1/4/22 0:35 == 47.8	1/4/22 4:30 == 48
1/3/22 16:50 == 47.9	1/3/22 20:45 == 47.7	1/4/22 0:40 == 47.4	1/4/22 4:35 == 48
1/3/22 16:55 == 48	1/3/22 20:50 == 48	1/4/22 0:45 == 47.7	1/4/22 4:40 == 48.1
1/3/22 17:00 == 48	1/3/22 20:55 == 48	1/4/22 0:50 == 48.1	1/4/22 4:45 == 48.1
1/3/22 17:05 == 47.6	1/3/22 21:00 == 47.5	1/4/22 0:55 == 48.1	1/4/22 4:50 == 48
1/3/22 17:10 == 47.3	1/3/22 21:05 == 47.8	1/4/22 1:00 == 48.1	1/4/22 4:55 == 48.1
1/3/22 17:15 == 47.4	1/3/22 21:10 == 47.4	1/4/22 1:05 == 48.1	1/4/22 5:00 == 48.1
1/3/22 17:20 == 47.8	1/3/22 21:15 == 47.7	1/4/22 1:10 == 48.1	1/4/22 5:05 == 47.9
1/3/22 17:25 == 47.2	1/3/22 21:20 == 48.1	1/4/22 1:15 == 48	1/4/22 5:10 == 47.1
1/3/22 17:30 == 46.7	1/3/22 21:25 == 47.6	1/4/22 1:20 == 47.9	1/4/22 5:15 == 47.5
1/3/22 17:35 == 47.4	1/3/22 21:30 == 47.7	1/4/22 1:25 == 47.3	1/4/22 5:20 == 47.8
1/3/22 17:40 == 47.9	1/3/22 21:35 == 47.8	1/4/22 1:30 == 47.4	1/4/22 5:25 == 47.6
1/3/22 17:45 == 48	1/3/22 21:40 == 47.3	1/4/22 1:35 == 48	1/4/22 5:30 == 47.9
1/3/22 17:50 == 47.9	1/3/22 21:45 == 47.1	1/4/22 1:40 == 47.2	1/4/22 5:35 == 47.5
1/3/22 17:55 == 48.1	1/3/22 21:50 == 47.6	1/4/22 1:45 == 48	1/4/22 5:40 == 47.1
1/3/22 18:00 == 47.9	1/3/22 21:55 == 47.9	1/4/22 1:50 == 48.1	1/4/22 5:45 == 47.5
1/3/22 18:05 == 48	1/3/22 22:00 == 48	1/4/22 1:55 == 48	1/4/22 5:50 == 47.7
1/3/22 18:10 == 47.2	1/3/22 22:05 == 47.9	1/4/22 2:00 == 48	1/4/22 5:55 == 47.9
1/3/22 18:15 == 47.5	1/3/22 22:10 == 47.5	1/4/22 2:05 == 48.1	1/4/22 6:00 == 47.8
1/3/22 18:20 == 48	1/3/22 22:15 == 47.8	1/4/22 2:10 == 47.6	1/4/22 6:05 == 47.2
1/3/22 18:25 == 47.9	1/3/22 22:20 == 47.8	1/4/22 2:15 == 47.8	1/4/22 6:10 == 47.3

### Pumpback Station Discharge (0364)

1/4/22 6:15 == 47.4	1/4/22 10:10 == 46.9	1/4/22 14:05 == 47.9	1/4/22 18:00 == 48
1/4/22 6:20 == 48	1/4/22 10:15 == 47.4	1/4/22 14:10 == 47.7	1/4/22 18:05 == 48.1
1/4/22 6:25 == 47.9	1/4/22 10:20 == 48	1/4/22 14:15 == 47.4	1/4/22 18:10 == 48
1/4/22 6:30 == 47.9	1/4/22 10:25 == 47.7	1/4/22 14:20 == 47.8	1/4/22 18:15 == 47.9
1/4/22 6:35 == 48.1	1/4/22 10:30 == 47.8	1/4/22 14:25 == 47.9	1/4/22 18:20 == 48
1/4/22 6:40 == 48	1/4/22 10:35 == 47.7	1/4/22 14:30 == 48.1	1/4/22 18:25 == 47.9
1/4/22 6:45 == 48	1/4/22 10:40 == 47.6	1/4/22 14:35 == 48.1	1/4/22 18:30 == 48
1/4/22 6:50 == 48	1/4/22 10:45 == 47.9	1/4/22 14:40 == 48.2	1/4/22 18:35 == 48.1
1/4/22 6:55 == 47.9	1/4/22 10:50 == 47.8	1/4/22 14:45 == 47.9	1/4/22 18:40 == 47.8
1/4/22 7:00 == 47.9	1/4/22 10:55 == 47.4	1/4/22 14:50 == 48	1/4/22 18:45 == 47.6
1/4/22 7:05 == 47.9	1/4/22 11:00 == 47.5	1/4/22 14:55 == 47.8	1/4/22 18:50 == 48
1/4/22 7:10 == 47.9	1/4/22 11:05 == 47.8	1/4/22 15:00 == 48	1/4/22 18:55 == 48.1
1/4/22 7:15 == 48	1/4/22 11:10 == 47.3	1/4/22 15:05 == 48	1/4/22 19:00 == 48.1
1/4/22 7:20 == 47.9	1/4/22 11:15 == 47.5	1/4/22 15:10 == 47.4	1/4/22 19:05 == 47.9
1/4/22 7:25 == 48	1/4/22 11:20 == 48	1/4/22 15:15 == 47.8	1/4/22 19:10 == 47.2
1/4/22 7:30 == 48.1	1/4/22 11:25 == 47.9	1/4/22 15:20 == 48.1	1/4/22 19:15 == 47.1
1/4/22 7:35 == 48	1/4/22 11:30 == 48.1	1/4/22 15:25 == 47.8	1/4/22 19:20 == 47.6
1/4/22 7:40 == 47.5	1/4/22 11:35 == 47.9	1/4/22 15:30 == 47.3	1/4/22 19:25 == 47.9
1/4/22 7:45 == 47.6	1/4/22 11:40 == 47.9	1/4/22 15:35 == 47.4	1/4/22 19:30 == 47.2
1/4/22 7:50 == 48	1/4/22 11:45 == 47.3	1/4/22 15:40 == 47.9	1/4/22 19:35 == 47.9
1/4/22 7:55 == 48	1/4/22 11:50 == 48	1/4/22 15:45 == 48	1/4/22 19:40 == 47.6
1/4/22 8:00 == 47.9	1/4/22 11:55 == 47.9	1/4/22 15:50 == 47.7	1/4/22 19:45 == 47.9
1/4/22 8:05 == 47.8	1/4/22 12:00 == 48	1/4/22 15:55 == 47.3	1/4/22 19:50 == 47.5
1/4/22 8:10 == 47.7	1/4/22 12:05 == 48	1/4/22 16:00 == 47.4	1/4/22 19:55 == 47.8
1/4/22 8:15 == 47.8	1/4/22 12:10 == 47.4	1/4/22 16:05 == 47.7	1/4/22 20:00 == 48
1/4/22 8:20 == 48	1/4/22 12:15 == 47.9	1/4/22 16:10 == 47.2	1/4/22 20:05 == 48
1/4/22 8:25 == 48	1/4/22 12:20 == 47.9	1/4/22 16:15 == 47.4	1/4/22 20:10 == 47.9
1/4/22 8:30 == 47.9	1/4/22 12:25 == 48	1/4/22 16:20 == 47.6	1/4/22 20:15 == 47.9
1/4/22 8:35 == 47.9	1/4/22 12:30 == 48	1/4/22 16:25 == 46.8	1/4/22 20:20 == 48
1/4/22 8:40 == 48	1/4/22 12:35 == 47.9	1/4/22 16:30 == 47.5	1/4/22 20:25 == 48
1/4/22 8:45 == 47.9	1/4/22 12:40 == 47.6	1/4/22 16:35 == 48	1/4/22 20:30 == 48
1/4/22 8:50 == 47.8	1/4/22 12:45 == 47.9	1/4/22 16:40 == 47.9	1/4/22 20:35 == 48
1/4/22 8:55 == 47.1	1/4/22 12:50 == 48.1	1/4/22 16:45 == 47.9	1/4/22 20:40 == 47.6
1/4/22 9:00 == 47.9	1/4/22 12:55 == 48	1/4/22 16:50 == 48.1	1/4/22 20:45 == 47.7
1/4/22 9:05 == 47.9	1/4/22 13:00 == 48	1/4/22 16:55 == 47.6	1/4/22 20:50 == 48
1/4/22 9:10 == 48	1/4/22 13:05 == 48.1	1/4/22 17:00 == 48.1	1/4/22 20:55 == 48
1/4/22 9:15 == 48	1/4/22 13:10 == 48	1/4/22 17:05 == 48	1/4/22 21:00 == 48
1/4/22 9:20 == 48	1/4/22 13:15 == 48	1/4/22 17:10 == 46.9	1/4/22 21:05 == 47.6
1/4/22 9:25 == 48.1	1/4/22 13:20 == 48	1/4/22 17:15 == 47.4	1/4/22 21:10 == 47.4
1/4/22 9:30 == 48.1	1/4/22 13:25 == 47.9	1/4/22 17:20 == 48	1/4/22 21:15 == 48
1/4/22 9:35 == 48	1/4/22 13:30 == 47.9	1/4/22 17:25 == 47.2	1/4/22 21:20 == 48.1
1/4/22 9:40 == 47.6	1/4/22 13:35 == 47.9	1/4/22 17:30 == 47	1/4/22 21:25 == 47.8
1/4/22 9:45 == 47.8	1/4/22 13:40 == 48	1/4/22 17:35 == 47.5	1/4/22 21:30 == 47.7
1/4/22 9:50 == 48.1	1/4/22 13:45 == 48.1	1/4/22 17:40 == 48	1/4/22 21:35 == 47.9
1/4/22 9:55 == 46.9	1/4/22 13:50 == 48	1/4/22 17:45 == 47.9	1/4/22 21:40 == 47.4
1/4/22 10:00 == 47.5	1/4/22 13:55 == 48	1/4/22 17:50 == 47.9	1/4/22 21:45 == 48.1
1/4/22 10:05 == 48.1	1/4/22 14:00 == 48	1/4/22 17:55 == 47.9	1/4/22 21:50 == 48

Pumpback Station Discharge (0364)

1/4/22 21:55 == 48	1/5/22 1:50 == 47.9	1/5/22 5:45 == 47.8	1/5/22 9:40 == 47.5
1/4/22 22:00 == 48	1/5/22 1:55 == 47.7	1/5/22 5:50 == 48	1/5/22 9:45 == 47.7
1/4/22 22:05 == 48	1/5/22 2:00 == 47.8	1/5/22 5:55 == 47.1	1/5/22 9:50 == 48
1/4/22 22:10 == 46.5	1/5/22 2:05 == 48	1/5/22 6:00 == 47.3	1/5/22 9:55 == 47.7
1/4/22 22:15 == 47.3	1/5/22 2:10 == 48.1	1/5/22 6:05 == 47.9	1/5/22 10:00 == 47.4
1/4/22 22:20 == 48	1/5/22 2:15 == 48	1/5/22 6:10 == 47.1	1/5/22 10:05 == 47.7
1/4/22 22:25 == 47.6	1/5/22 2:20 == 47.9	1/5/22 6:15 == 47.9	1/5/22 10:10 == 47.1
1/4/22 22:30 == 47.6	1/5/22 2:25 == 47.9	1/5/22 6:20 == 48	1/5/22 10:15 == 47.3
1/4/22 22:35 == 47.9	1/5/22 2:30 == 48.1	1/5/22 6:25 == 48	1/5/22 10:20 == 47.9
1/4/22 22:40 == 48	1/5/22 2:35 == 47.9	1/5/22 6:30 == 47.9	1/5/22 10:25 == 47.5
1/4/22 22:45 == 48	1/5/22 2:40 == 48	1/5/22 6:35 == 48	1/5/22 10:30 == 48.1
1/4/22 22:50 == 48	1/5/22 2:45 == 47.9	1/5/22 6:40 == 48	1/5/22 10:35 == 48
1/4/22 22:55 == 48	1/5/22 2:50 == 48	1/5/22 6:45 == 47.9	1/5/22 10:40 == 47.4
1/4/22 23:00 == 47.9	1/5/22 2:55 == 48	1/5/22 6:50 == 47.9	1/5/22 10:45 == 48
1/4/22 23:05 == 47.9	1/5/22 3:00 == 47.9	1/5/22 6:55 == 47.7	1/5/22 10:50 == 48.1
1/4/22 23:10 == 47.7	1/5/22 3:05 == 48	1/5/22 7:00 == 47.7	1/5/22 10:55 == 47.3
1/4/22 23:15 == 47.7	1/5/22 3:10 == 47.4	1/5/22 7:05 == 47.8	1/5/22 11:00 == 46.5
1/4/22 23:20 == 47.9	1/5/22 3:15 == 47.9	1/5/22 7:10 == 47.8	1/5/22 11:05 == 48
1/4/22 23:25 == 47.9	1/5/22 3:20 == 47.3	1/5/22 7:15 == 47.9	1/5/22 11:10 == 47.5
1/4/22 23:30 == 48	1/5/22 3:25 == 47.4	1/5/22 7:20 == 48	1/5/22 11:15 == 47.8
1/4/22 23:35 == 48	1/5/22 3:30 == 47.8	1/5/22 7:25 == 48	1/5/22 11:20 == 48
1/4/22 23:40 == 48	1/5/22 3:35 == 48.1	1/5/22 7:30 == 47.9	1/5/22 11:25 == 48
1/4/22 23:45 == 48	1/5/22 3:40 == 47.3	1/5/22 7:35 == 48	1/5/22 11:30 == 48.1
1/4/22 23:50 == 47.9	1/5/22 3:45 == 47.7	1/5/22 7:40 == 47.9	1/5/22 11:35 == 48
1/4/22 23:55 == 48	1/5/22 3:50 == 47.5	1/5/22 7:45 == 48	1/5/22 11:40 == 47.4
1/5/22 0:00 == 48	1/5/22 3:55 == 47.3	1/5/22 7:50 == 48	1/5/22 11:45 == 47.7
1/5/22 0:05 == 47.8	1/5/22 4:00 == 47.8	1/5/22 7:55 == 47.9	1/5/22 11:50 == 48
1/5/22 0:10 == 47.2	1/5/22 4:05 == 48.1	1/5/22 8:00 == 47.9	1/5/22 11:55 == 47.6
1/5/22 0:15 == 47.9	1/5/22 4:10 == 47.6	1/5/22 8:05 == 47.8	1/5/22 12:00 == 47.6
1/5/22 0:20 == 48	1/5/22 4:15 == 47.7	1/5/22 8:10 == 47.3	1/5/22 12:05 == 48
1/5/22 0:25 == 47.9	1/5/22 4:20 == 48	1/5/22 8:15 == 48	1/5/22 12:10 == 47.6
1/5/22 0:30 == 48	1/5/22 4:25 == 48	1/5/22 8:20 == 48	1/5/22 12:15 == 47.7
1/5/22 0:35 == 48	1/5/22 4:30 == 47.9	1/5/22 8:25 == 47.5	1/5/22 12:20 == 48
1/5/22 0:40 == 47	1/5/22 4:35 == 48	1/5/22 8:30 == 48	1/5/22 12:25 == 47.9
1/5/22 0:45 == 47.4	1/5/22 4:40 == 48	1/5/22 8:35 == 48.1	1/5/22 12:30 == 48
1/5/22 0:50 == 47.7	1/5/22 4:45 == 47.9	1/5/22 8:40 == 48	1/5/22 12:35 == 47.9
1/5/22 0:55 == 47.5	1/5/22 4:50 == 47.9	1/5/22 8:45 == 47.9	1/5/22 12:40 == 47.9
1/5/22 1:00 == 47.8	1/5/22 4:55 == 47.9	1/5/22 8:50 == 48	1/5/22 12:45 == 47.9
1/5/22 1:05 == 47.9	1/5/22 5:00 == 47.9	1/5/22 8:55 == 47.3	1/5/22 12:50 == 47.9
1/5/22 1:10 == 47.2	1/5/22 5:05 == 47.8	1/5/22 9:00 == 47.8	1/5/22 12:55 == 48
1/5/22 1:15 == 47.5	1/5/22 5:10 == 47.5	1/5/22 9:05 == 48.1	1/5/22 13:00 == 47.9
1/5/22 1:20 == 48	1/5/22 5:15 == 48.1	1/5/22 9:10 == 48	1/5/22 13:05 == 48
1/5/22 1:25 == 48	1/5/22 5:20 == 47.9	1/5/22 9:15 == 48	1/5/22 13:10 == 48
1/5/22 1:30 == 48	1/5/22 5:25 == 47.3	1/5/22 9:20 == 47.9	1/5/22 13:15 == 48
1/5/22 1:35 == 48.1	1/5/22 5:30 == 48	1/5/22 9:25 == 47.6	1/5/22 13:20 == 48
1/5/22 1:40 == 47.7	1/5/22 5:35 == 48	1/5/22 9:30 == 47.8	1/5/22 13:25 == 48.1
1/5/22 1:45 == 47.7	1/5/22 5:40 == 47	1/5/22 9:35 == 47.8	1/5/22 13:30 == 48.1

### Pumpback Station Discharge (0364)

1/5/22 13:35 == 47.9	1/5/22 17:30 == 47.2	1/5/22 21:25 == 48	1/6/22 1:20 == 47.8
1/5/22 13:40 == 48.1	1/5/22 17:35 == 46.9	1/5/22 21:30 == 47.3	1/6/22 1:25 == 47.6
1/5/22 13:45 == 48	1/5/22 17:40 == 47.5	1/5/22 21:35 == 47.8	1/6/22 1:30 == 47.8
1/5/22 13:50 == 47.9	1/5/22 17:45 == 47.8	1/5/22 21:40 == 48.1	1/6/22 1:35 == 47.8
1/5/22 13:55 == 48	1/5/22 17:50 == 47.9	1/5/22 21:45 == 48	1/6/22 1:40 == 47.6
1/5/22 14:00 == 48	1/5/22 17:55 == 47.8	1/5/22 21:50 == 48	1/6/22 1:45 == 47.9
1/5/22 14:05 == 48	1/5/22 18:00 == 47.6	1/5/22 21:55 == 47.5	1/6/22 1:50 == 47.9
1/5/22 14:10 == 47.4	1/5/22 18:05 == 48.1	1/5/22 22:00 == 47.8	1/6/22 1:55 == 47.8
1/5/22 14:15 == 47.6	1/5/22 18:10 == 48	1/5/22 22:05 == 47.7	1/6/22 2:00 == 47.3
1/5/22 14:20 == 48	1/5/22 18:15 == 48.1	1/5/22 22:10 == 46.6	1/6/22 2:05 == 48
1/5/22 14:25 == 47.2	1/5/22 18:20 == 48.1	1/5/22 22:15 == 47.3	1/6/22 2:10 == 48.1
1/5/22 14:30 == 47.5	1/5/22 18:25 == 47.8	1/5/22 22:20 == 48	1/6/22 2:15 == 48.2
1/5/22 14:35 == 48	1/5/22 18:30 == 48	1/5/22 22:25 == 47.7	1/6/22 2:20 == 48.1
1/5/22 14:40 == 48	1/5/22 18:35 == 48	1/5/22 22:30 == 47.8	1/6/22 2:25 == 48
1/5/22 14:45 == 47.9	1/5/22 18:40 == 48	1/5/22 22:35 == 48	1/6/22 2:30 == 48.1
1/5/22 14:50 == 47.8	1/5/22 18:45 == 48	1/5/22 22:40 == 48	1/6/22 2:35 == 48.1
1/5/22 14:55 == 47.9	1/5/22 18:50 == 48	1/5/22 22:45 == 47.9	1/6/22 2:40 == 48
1/5/22 15:00 == 48	1/5/22 18:55 == 47.9	1/5/22 22:50 == 48	1/6/22 2:45 == 48.1
1/5/22 15:05 == 47.7	1/5/22 19:00 == 47.9	1/5/22 22:55 == 47.9	1/6/22 2:50 == 47.5
1/5/22 15:10 == 47.3	1/5/22 19:05 == 48.1	1/5/22 23:00 == 47.9	1/6/22 2:55 == 47.8
1/5/22 15:15 == 47.5	1/5/22 19:10 == 47.3	1/5/22 23:05 == 47.8	1/6/22 3:00 == 47.9
1/5/22 15:20 == 48	1/5/22 19:15 == 47.7	1/5/22 23:10 == 47.6	1/6/22 3:05 == 47.9
1/5/22 15:25 == 48	1/5/22 19:20 == 48.1	1/5/22 23:15 == 48	1/6/22 3:10 == 47.2
1/5/22 15:30 == 48	1/5/22 19:25 == 47.2	1/5/22 23:20 == 48	1/6/22 3:15 == 47.5
1/5/22 15:35 == 47.9	1/5/22 19:30 == 47.6	1/5/22 23:25 == 48	1/6/22 3:20 == 47.9
1/5/22 15:40 == 48	1/5/22 19:35 == 48	1/5/22 23:30 == 48.1	1/6/22 3:25 == 47.9
1/5/22 15:45 == 48	1/5/22 19:40 == 47.9	1/5/22 23:35 == 48	1/6/22 3:30 == 47.9
1/5/22 15:50 == 47.9	1/5/22 19:45 == 48	1/5/22 23:40 == 48	1/6/22 3:35 == 47.6
1/5/22 15:55 == 47.9	1/5/22 19:50 == 48	1/5/22 23:45 == 48	1/6/22 3:40 == 47.3
1/5/22 16:00 == 48.1	1/5/22 19:55 == 48	1/5/22 23:50 == 48.1	1/6/22 3:45 == 47.6
1/5/22 16:05 == 48	1/5/22 20:00 == 48	1/5/22 23:55 == 47.8	1/6/22 3:50 == 48
1/5/22 16:10 == 47	1/5/22 20:05 == 47.8	1/6/22 0:00 == 47.9	1/6/22 3:55 == 48
1/5/22 16:15 == 47.4	1/5/22 20:10 == 47.7	1/6/22 0:05 == 47.9	1/6/22 4:00 == 48
1/5/22 16:20 == 48	1/5/22 20:15 == 47.9	1/6/22 0:10 == 47.3	1/6/22 4:05 == 47.7
1/5/22 16:25 == 47	1/5/22 20:20 == 47.9	1/6/22 0:15 == 47.9	1/6/22 4:10 == 47.3
1/5/22 16:30 == 47.7	1/5/22 20:25 == 48	1/6/22 0:20 == 48	1/6/22 4:15 == 47.5
1/5/22 16:35 == 48.1	1/5/22 20:30 == 47.9	1/6/22 0:25 == 48	1/6/22 4:20 == 48
1/5/22 16:40 == 47.2	1/5/22 20:35 == 48	1/6/22 0:30 == 48.1	1/6/22 4:25 == 48
1/5/22 16:45 == 47.8	1/5/22 20:40 == 48	1/6/22 0:35 == 48	1/6/22 4:30 == 48
1/5/22 16:50 == 48	1/5/22 20:45 == 48	1/6/22 0:40 == 47.4	1/6/22 4:35 == 48
1/5/22 16:55 == 46.9	1/5/22 20:50 == 48.1	1/6/22 0:45 == 47.8	1/6/22 4:40 == 48
1/5/22 17:00 == 47.4	1/5/22 20:55 == 48	1/6/22 0:50 == 48.1	1/6/22 4:45 == 48
1/5/22 17:05 == 47.7	1/5/22 21:00 == 48.1	1/6/22 0:55 == 47.6	1/6/22 4:50 == 48
1/5/22 17:10 == 46.8	1/5/22 21:05 == 48.1	1/6/22 1:00 == 47.7	1/6/22 4:55 == 47.9
1/5/22 17:15 == 47.2	1/5/22 21:10 == 48.1	1/6/22 1:05 == 47.8	1/6/22 5:00 == 47.8
1/5/22 17:20 == 47.9	1/5/22 21:15 == 48.1	1/6/22 1:10 == 47.6	1/6/22 5:05 == 47.9
1/5/22 17:25 == 47.9	1/5/22 21:20 == 47.9	1/6/22 1:15 == 47.8	1/6/22 5:10 == 47

### Pumpback Station Discharge (0364)

1/6/22 5:15 == 47.7	1/6/22 9:10 == 47.6	1/6/22 13:05 == 47.9	1/6/22 17:00 == 47.7
1/6/22 5:20 == 48	1/6/22 9:15 == 47.8	1/6/22 13:10 == 48	1/6/22 17:05 == 47.7
1/6/22 5:25 == 46.5	1/6/22 9:20 == 47.7	1/6/22 13:15 == 48	1/6/22 17:10 == 47.2
1/6/22 5:30 == 47	1/6/22 9:25 == 47.4	1/6/22 13:20 == 47.9	1/6/22 17:15 == 47.5
1/6/22 5:35 == 47.8	1/6/22 9:30 == 48	1/6/22 13:25 == 48	1/6/22 17:20 == 47.5
1/6/22 5:40 == 46.7	1/6/22 9:35 == 48.1	1/6/22 13:30 == 48	1/6/22 17:25 == 47.9
1/6/22 5:45 == 46.9	1/6/22 9:40 == 48	1/6/22 13:35 == 48	1/6/22 17:30 == 47.5
1/6/22 5:50 == 47.8	1/6/22 9:45 == 48.1	1/6/22 13:40 == 48	1/6/22 17:35 == 48
1/6/22 5:55 == 47.8	1/6/22 9:50 == 48	1/6/22 13:45 == 48.1	1/6/22 17:40 == 48
1/6/22 6:00 == 47.8	1/6/22 9:55 == 47.9	1/6/22 13:50 == 48.1	1/6/22 17:45 == 48
1/6/22 6:05 == 48	1/6/22 10:00 == 47.5	1/6/22 13:55 == 48	1/6/22 17:50 == 47.8
1/6/22 6:10 == 47.7	1/6/22 10:05 == 48.1	1/6/22 14:00 == 47.9	1/6/22 17:55 == 47.4
1/6/22 6:15 == 47.7	1/6/22 10:10 == 46.7	1/6/22 14:05 == 47.8	1/6/22 18:00 == 48.1
1/6/22 6:20 == 48	1/6/22 10:15 == 47.1	1/6/22 14:10 == 47.5	1/6/22 18:05 == 47.9
1/6/22 6:25 == 48	1/6/22 10:20 == 48	1/6/22 14:15 == 47.6	1/6/22 18:10 == 47.6
1/6/22 6:30 == 48	1/6/22 10:25 == 47.3	1/6/22 14:20 == 47.9	1/6/22 18:15 == 48
1/6/22 6:35 == 48.1	1/6/22 10:30 == 47.3	1/6/22 14:25 == 47.9	1/6/22 18:20 == 48
1/6/22 6:40 == 47.9	1/6/22 10:35 == 48	1/6/22 14:30 == 48	1/6/22 18:25 == 47.9
1/6/22 6:45 == 47.8	1/6/22 10:40 == 47.7	1/6/22 14:35 == 47.9	1/6/22 18:30 == 48
1/6/22 6:50 == 47.7	1/6/22 10:45 == 47.9	1/6/22 14:40 == 47.9	1/6/22 18:35 == 47.9
1/6/22 6:55 == 47.4	1/6/22 10:50 == 47.9	1/6/22 14:45 == 48.1	1/6/22 18:40 == 48
1/6/22 7:00 == 48	1/6/22 10:55 == 47.5	1/6/22 14:50 == 48	1/6/22 18:45 == 47.9
1/6/22 7:05 == 47.8	1/6/22 11:00 == 47.8	1/6/22 14:55 == 48	1/6/22 18:50 == 48
1/6/22 7:10 == 47.4	1/6/22 11:05 == 48.2	1/6/22 15:00 == 48	1/6/22 18:55 == 48
1/6/22 7:15 == 48.1	1/6/22 11:10 == 47.5	1/6/22 15:05 == 48.1	1/6/22 19:00 == 48
1/6/22 7:20 == 47.9	1/6/22 11:15 == 47.5	1/6/22 15:10 == 47.4	1/6/22 19:05 == 47.9
1/6/22 7:25 == 48	1/6/22 11:20 == 47.6	1/6/22 15:15 == 47.9	1/6/22 19:10 == 47.6
1/6/22 7:30 == 48	1/6/22 11:25 == 47.7	1/6/22 15:20 == 48	1/6/22 19:15 == 47.7
1/6/22 7:35 == 47.4	1/6/22 11:30 == 48.1	1/6/22 15:25 == 48.1	1/6/22 19:20 == 48.1
1/6/22 7:40 == 47.9	1/6/22 11:35 == 48	1/6/22 15:30 == 46.8	1/6/22 19:25 == 47.7
1/6/22 7:45 == 47.9	1/6/22 11:40 == 47.9	1/6/22 15:35 == 47.3	1/6/22 19:30 == 47.5
1/6/22 7:50 == 47.9	1/6/22 11:45 == 48	1/6/22 15:40 == 47.4	1/6/22 19:35 == 47.9
1/6/22 7:55 == 48	1/6/22 11:50 == 48	1/6/22 15:45 == 48	1/6/22 19:40 == 47.9
1/6/22 8:00 == 47.9	1/6/22 11:55 == 48.1	1/6/22 15:50 == 48.1	1/6/22 19:45 == 48
1/6/22 8:05 == 47.4	1/6/22 12:00 == 48	1/6/22 15:55 == 47.6	1/6/22 19:50 == 47.9
1/6/22 8:10 == 47.6	1/6/22 12:05 == 47.9	1/6/22 16:00 == 47.7	1/6/22 19:55 == 48
1/6/22 8:15 == 47.8	1/6/22 12:10 == 47.9	1/6/22 16:05 == 48	1/6/22 20:00 == 48
1/6/22 8:20 == 47.8	1/6/22 12:15 == 47.9	1/6/22 16:10 == 47.4	1/6/22 20:05 == 47.9
1/6/22 8:25 == 47.5	1/6/22 12:20 == 48.1	1/6/22 16:15 == 47.6	1/6/22 20:10 == 47.6
1/6/22 8:30 == 47.8	1/6/22 12:25 == 48.2	1/6/22 16:20 == 47.8	1/6/22 20:15 == 48
1/6/22 8:35 == 47.9	1/6/22 12:30 == 48	1/6/22 16:25 == 46.9	1/6/22 20:20 == 47.8
1/6/22 8:40 == 47.6	1/6/22 12:35 == 47.9	1/6/22 16:30 == 47.3	1/6/22 20:25 == 48
1/6/22 8:45 == 47.7	1/6/22 12:40 == 47.9	1/6/22 16:35 == 47.8	1/6/22 20:30 == 48
1/6/22 8:50 == 48	1/6/22 12:45 == 47.9	1/6/22 16:40 == 47.5	1/6/22 20:35 == 48
1/6/22 8:55 == 47.8	1/6/22 12:50 == 48	1/6/22 16:45 == 47.7	1/6/22 20:40 == 47.9
1/6/22 9:00 == 47.8	1/6/22 12:55 == 47.4	1/6/22 16:50 == 47.7	1/6/22 20:45 == 47.9
1/6/22 9:05 == 47.8	1/6/22 13:00 == 47.8	1/6/22 16:55 == 47.5	1/6/22 20:50 == 47.8

Pumpback Station Discharge (0364)

1/6/22 20:55 == 48	1/7/22 0:50 == 47.7	1/7/22 4:45 == 47.9	1/7/22 8:40 == 47.5
1/6/22 21:00 == 48	1/7/22 0:55 == 47.5	1/7/22 4:50 == 48	1/7/22 8:45 == 47.9
1/6/22 21:05 == 48.1	1/7/22 1:00 == 48	1/7/22 4:55 == 48.1	1/7/22 8:50 == 47.8
1/6/22 21:10 == 47.9	1/7/22 1:05 == 48	1/7/22 5:00 == 48	1/7/22 8:55 == 47.2
1/6/22 21:15 == 47.9	1/7/22 1:10 == 47.8	1/7/22 5:05 == 47.9	1/7/22 9:00 == 47.4
1/6/22 21:20 == 48	1/7/22 1:15 == 47.9	1/7/22 5:10 == 47	1/7/22 9:05 == 48
1/6/22 21:25 == 47.6	1/7/22 1:20 == 47.8	1/7/22 5:15 == 47.4	1/7/22 9:10 == 48
1/6/22 21:30 == 47.7	1/7/22 1:25 == 47.4	1/7/22 5:20 == 47.8	1/7/22 9:15 == 48
1/6/22 21:35 == 47.9	1/7/22 1:30 == 47.9	1/7/22 5:25 == 47.5	1/7/22 9:20 == 48
1/6/22 21:40 == 48	1/7/22 1:35 == 48	1/7/22 5:30 == 47.7	1/7/22 9:25 == 47.6
1/6/22 21:45 == 48.1	1/7/22 1:40 == 47.4	1/7/22 5:35 == 47.7	1/7/22 9:30 == 43
1/6/22 21:50 == 47.9	1/7/22 1:45 == 47.9	1/7/22 5:40 == 47.2	1/7/22 9:35 == 34.8
1/6/22 21:55 == 47.6	1/7/22 1:50 == 48	1/7/22 5:45 == 47.3	1/7/22 9:40 == 34.1
1/6/22 22:00 == 47.7	1/7/22 1:55 == 47.9	1/7/22 5:50 == 47.7	1/7/22 9:45 == 34.1
1/6/22 22:05 == 47.7	1/7/22 2:00 == 47.9	1/7/22 5:55 == 47.2	1/7/22 9:50 == 34.1
1/6/22 22:10 == 47.3	1/7/22 2:05 == 47.9	1/7/22 6:00 == 47.2	1/7/22 9:55 == 34.1
1/6/22 22:15 == 47.5	1/7/22 2:10 == 47.8	1/7/22 6:05 == 47.2	1/7/22 10:00 == 38.1
1/6/22 22:20 == 47.8	1/7/22 2:15 == 48.1	1/7/22 6:10 == 47.1	1/7/22 10:05 == 45.6
1/6/22 22:25 == 47.7	1/7/22 2:20 == 48	1/7/22 6:15 == 47.9	1/7/22 10:10 == 46.6
1/6/22 22:30 == 47.9	1/7/22 2:25 == 47.9	1/7/22 6:20 == 48	1/7/22 10:15 == 47.2
1/6/22 22:35 == 47.9	1/7/22 2:30 == 48	1/7/22 6:25 == 47.9	1/7/22 10:20 == 48
1/6/22 22:40 == 47.9	1/7/22 2:35 == 47.9	1/7/22 6:30 == 47.7	1/7/22 10:25 == 47.2
1/6/22 22:45 == 48	1/7/22 2:40 == 47.8	1/7/22 6:35 == 48.1	1/7/22 10:30 == 47.4
1/6/22 22:50 == 48.2	1/7/22 2:45 == 47.8	1/7/22 6:40 == 48.1	1/7/22 10:35 == 48.1
1/6/22 22:55 == 47.9	1/7/22 2:50 == 47.9	1/7/22 6:45 == 48	1/7/22 10:40 == 48
1/6/22 23:00 == 48	1/7/22 2:55 == 48	1/7/22 6:50 == 48	1/7/22 10:45 == 47.8
1/6/22 23:05 == 48	1/7/22 3:00 == 48.1	1/7/22 6:55 == 47.3	1/7/22 10:50 == 47.7
1/6/22 23:10 == 47.2	1/7/22 3:05 == 47.9	1/7/22 7:00 == 47.9	1/7/22 10:55 == 47.6
1/6/22 23:15 == 48	1/7/22 3:10 == 47.5	1/7/22 7:05 == 47.9	1/7/22 11:00 == 47.8
1/6/22 23:20 == 48	1/7/22 3:15 == 47.8	1/7/22 7:10 == 47.2	1/7/22 11:05 == 47.8
1/6/22 23:25 == 48	1/7/22 3:20 == 48	1/7/22 7:15 == 47.1	1/7/22 11:10 == 47.6
1/6/22 23:30 == 48.1	1/7/22 3:25 == 47.9	1/7/22 7:20 == 47.8	1/7/22 11:15 == 48
1/6/22 23:35 == 48.1	1/7/22 3:30 == 48	1/7/22 7:25 == 47.9	1/7/22 11:20 == 48.1
1/6/22 23:40 == 48	1/7/22 3:35 == 48	1/7/22 7:30 == 48	1/7/22 11:25 == 48.1
1/6/22 23:45 == 48	1/7/22 3:40 == 47.9	1/7/22 7:35 == 47.6	1/7/22 11:30 == 48.1
1/6/22 23:50 == 47.9	1/7/22 3:45 == 48	1/7/22 7:40 == 47.3	1/7/22 11:35 == 48
1/6/22 23:55 == 47.8	1/7/22 3:50 == 48	1/7/22 7:45 == 47.7	1/7/22 11:40 == 48.1
1/7/22 0:00 == 47.9	1/7/22 3:55 == 48	1/7/22 7:50 == 48	1/7/22 11:45 == 48.1
1/7/22 0:05 == 47.9	1/7/22 4:00 == 48	1/7/22 7:55 == 47.5	1/7/22 11:50 == 47.9
1/7/22 0:10 == 47.2	1/7/22 4:05 == 47.9	1/7/22 8:00 == 47.5	1/7/22 11:55 == 48
1/7/22 0:15 == 47.4	1/7/22 4:10 == 47.2	1/7/22 8:05 == 48	1/7/22 12:00 == 48
1/7/22 0:20 == 47.9	1/7/22 4:15 == 48	1/7/22 8:10 == 47.9	1/7/22 12:05 == 48
1/7/22 0:25 == 47.9	1/7/22 4:20 == 48	1/7/22 8:15 == 47.8	1/7/22 12:10 == 47.9
1/7/22 0:30 == 47.7	1/7/22 4:25 == 48	1/7/22 8:20 == 47.7	1/7/22 12:15 == 47.8
1/7/22 0:35 == 47.3	1/7/22 4:30 == 48	1/7/22 8:25 == 47.8	1/7/22 12:20 == 47.9
1/7/22 0:40 == 47.3	1/7/22 4:35 == 48	1/7/22 8:30 == 48	1/7/22 12:25 == 48.1
1/7/22 0:45 == 47.4	1/7/22 4:40 == 47.9	1/7/22 8:35 == 47.9	1/7/22 12:30 == 48.1

### Pumpback Station Discharge (0364)

1/7/22 12:35 == 48	1/7/22 16:30 == 47.9	1/7/22 20:25 == 48	1/8/22 0:20 == 48.1
1/7/22 12:40 == 47.9	1/7/22 16:35 == 47.7	1/7/22 20:30 == 48.1	1/8/22 0:25 == 48
1/7/22 12:45 == 48	1/7/22 16:40 == 46.6	1/7/22 20:35 == 48	1/8/22 0:30 == 48
1/7/22 12:50 == 47.9	1/7/22 16:45 == 44.5	1/7/22 20:40 == 47.9	1/8/22 0:35 == 47.9
1/7/22 12:55 == 47.9	1/7/22 16:50 == 34.2	1/7/22 20:45 == 48	1/8/22 0:40 == 47.5
1/7/22 13:00 == 47.8	1/7/22 16:55 == 34.3	1/7/22 20:50 == 48	1/8/22 0:45 == 48
1/7/22 13:05 == 47.9	1/7/22 17:00 == 34.1	1/7/22 20:55 == 47.9	1/8/22 0:50 == 48
1/7/22 13:10 == 48	1/7/22 17:05 == 34	1/7/22 21:00 == 48	1/8/22 0:55 == 47.1
1/7/22 13:15 == 48	1/7/22 17:10 == 34.2	1/7/22 21:05 == 48	1/8/22 1:00 == 47.8
1/7/22 13:20 == 48.1	1/7/22 17:15 == 35.4	1/7/22 21:10 == 48	1/8/22 1:05 == 47.8
1/7/22 13:25 == 48	1/7/22 17:20 == 46	1/7/22 21:15 == 48	1/8/22 1:10 == 47.1
1/7/22 13:30 == 43.2	1/7/22 17:25 == 47.8	1/7/22 21:20 == 48	1/8/22 1:15 == 47.8
1/7/22 13:35 == 34.9	1/7/22 17:30 == 47.5	1/7/22 21:25 == 47.7	1/8/22 1:20 == 48
1/7/22 13:40 == 34.1	1/7/22 17:35 == 47.8	1/7/22 21:30 == 47.4	1/8/22 1:25 == 47
1/7/22 13:45 == 34.1	1/7/22 17:40 == 47.8	1/7/22 21:35 == 47.9	1/8/22 1:30 == 47.2
1/7/22 13:50 == 34	1/7/22 17:45 == 48	1/7/22 21:40 == 48	1/8/22 1:35 == 47.8
1/7/22 13:55 == 34.1	1/7/22 17:50 == 48	1/7/22 21:45 == 45.8	1/8/22 1:40 == 47.6
1/7/22 14:00 == 36.1	1/7/22 17:55 == 48	1/7/22 21:50 == 34.3	1/8/22 1:45 == 47.8
1/7/22 14:05 == 45.8	1/7/22 18:00 == 48	1/7/22 21:55 == 34	1/8/22 1:50 == 48.1
1/7/22 14:10 == 47.1	1/7/22 18:05 == 47.9	1/7/22 22:00 == 34.1	1/8/22 1:55 == 48
1/7/22 14:15 == 46.8	1/7/22 18:10 == 47.7	1/7/22 22:05 == 34.1	1/8/22 2:00 == 43.7
1/7/22 14:20 == 47.8	1/7/22 18:15 == 47.8	1/7/22 22:10 == 34.3	1/8/22 2:05 == 37.1
1/7/22 14:25 == 47.9	1/7/22 18:20 == 47.8	1/7/22 22:15 == 34.1	1/8/22 2:10 == 34.1
1/7/22 14:30 == 47.8	1/7/22 18:25 == 47.7	1/7/22 22:20 == 45.4	1/8/22 2:15 == 34.1
1/7/22 14:35 == 47.8	1/7/22 18:30 == 47.9	1/7/22 22:25 == 46.8	1/8/22 2:20 == 34.1
1/7/22 14:40 == 47.9	1/7/22 18:35 == 48	1/7/22 22:30 == 47	1/8/22 2:25 == 34.1
1/7/22 14:45 == 48.1	1/7/22 18:40 == 48	1/7/22 22:35 == 47.7	1/8/22 2:30 == 36.6
1/7/22 14:50 == 48	1/7/22 18:45 == 48	1/7/22 22:40 == 47.9	1/8/22 2:35 == 43.3
1/7/22 14:55 == 47.9	1/7/22 18:50 == 47.9	1/7/22 22:45 == 48.1	1/8/22 2:40 == 47.7
1/7/22 15:00 == 48	1/7/22 18:55 == 47.6	1/7/22 22:50 == 47.9	1/8/22 2:45 == 48.1
1/7/22 15:05 == 47.9	1/7/22 19:00 == 47.5	1/7/22 22:55 == 47.9	1/8/22 2:50 == 48
1/7/22 15:10 == 47.8	1/7/22 19:05 == 47.9	1/7/22 23:00 == 48	1/8/22 2:55 == 48
1/7/22 15:15 == 47.9	1/7/22 19:10 == 47.3	1/7/22 23:05 == 47.9	1/8/22 3:00 == 48.2
1/7/22 15:20 == 48.1	1/7/22 19:15 == 48	1/7/22 23:10 == 47.6	1/8/22 3:05 == 48.1
1/7/22 15:25 == 47.3	1/7/22 19:20 == 47.9	1/7/22 23:15 == 47.8	1/8/22 3:10 == 47.6
1/7/22 15:30 == 47.4	1/7/22 19:25 == 47.2	1/7/22 23:20 == 48.1	1/8/22 3:15 == 47.5
1/7/22 15:35 == 47.9	1/7/22 19:30 == 47.9	1/7/22 23:25 == 47.9	1/8/22 3:20 == 48
1/7/22 15:40 == 48	1/7/22 19:35 == 48	1/7/22 23:30 == 47.9	1/8/22 3:25 == 47.4
1/7/22 15:45 == 48	1/7/22 19:40 == 48	1/7/22 23:35 == 48	1/8/22 3:30 == 48
1/7/22 15:50 == 47.9	1/7/22 19:45 == 48	1/7/22 23:40 == 48	1/8/22 3:35 == 47.9
1/7/22 15:55 == 47.8	1/7/22 19:50 == 48	1/7/22 23:45 == 47.9	1/8/22 3:40 == 47.9
1/7/22 16:00 == 48	1/7/22 19:55 == 48	1/7/22 23:50 == 48	1/8/22 3:45 == 47.9
1/7/22 16:05 == 47.7	1/7/22 20:00 == 48	1/7/22 23:55 == 48	1/8/22 3:50 == 48
1/7/22 16:10 == 47.1	1/7/22 20:05 == 48.1	1/8/22 0:00 == 48.1	1/8/22 3:55 == 47.9
1/7/22 16:15 == 47.3	1/7/22 20:10 == 48	1/8/22 0:05 == 47.9	1/8/22 4:00 == 47.9
1/7/22 16:20 == 47.7	1/7/22 20:15 == 47.9	1/8/22 0:10 == 47.9	1/8/22 4:05 == 48
1/7/22 16:25 == 47.4	1/7/22 20:20 == 48	1/8/22 0:15 == 48	1/8/22 4:10 == 47.4



### Pumpback Station Discharge (0364)

1/8/22 4:15 == 47.2	1/8/22 8:10 == 48	1/8/22 12:05 == 48.1	1/8/22 16:00 == 48
1/8/22 4:20 == 47.6	1/8/22 8:15 == 48.1	1/8/22 12:10 == 48	1/8/22 16:05 == 47.9
1/8/22 4:25 == 48	1/8/22 8:20 == 48	1/8/22 12:15 == 48	1/8/22 16:10 == 47.2
1/8/22 4:30 == 48.1	1/8/22 8:25 == 48.2	1/8/22 12:20 == 48.1	1/8/22 16:15 == 47.3
1/8/22 4:35 == 48.1	1/8/22 8:30 == 47.9	1/8/22 12:25 == 48	1/8/22 16:20 == 48
1/8/22 4:40 == 48	1/8/22 8:35 == 47.9	1/8/22 12:30 == 48	1/8/22 16:25 == 47.4
1/8/22 4:45 == 48	1/8/22 8:40 == 47.1	1/8/22 12:35 == 48	1/8/22 16:30 == 47.8
1/8/22 4:50 == 48	1/8/22 8:45 == 46.9	1/8/22 12:40 == 48.1	1/8/22 16:35 == 48.1
1/8/22 4:55 == 48	1/8/22 8:50 == 47.7	1/8/22 12:45 == 48.1	1/8/22 16:40 == 46.7
1/8/22 5:00 == 44.4	1/8/22 8:55 == 47	1/8/22 12:50 == 48.1	1/8/22 16:45 == 47.5
1/8/22 5:05 == 36.6	1/8/22 9:00 == 47.6	1/8/22 12:55 == 47.9	1/8/22 16:50 == 48.1
1/8/22 5:10 == 34.3	1/8/22 9:05 == 48	1/8/22 13:00 == 47.7	1/8/22 16:55 == 48
1/8/22 5:15 == 34.2	1/8/22 9:10 == 47.6	1/8/22 13:05 == 48	1/8/22 17:00 == 47.9
1/8/22 5:20 == 34.3	1/8/22 9:15 == 44.6	1/8/22 13:10 == 48.2	1/8/22 17:05 == 48.1
1/8/22 5:25 == 34.5	1/8/22 9:20 == 37.1	1/8/22 13:15 == 48	1/8/22 17:10 == 47.2
1/8/22 5:30 == 35.7	1/8/22 9:25 == 34	1/8/22 13:20 == 48.1	1/8/22 17:15 == 44.6
1/8/22 5:35 == 44.1	1/8/22 9:30 == 34.1	1/8/22 13:25 == 47.9	1/8/22 17:20 == 38
1/8/22 5:40 == 46.9	1/8/22 9:35 == 34.5	1/8/22 13:30 == 47.9	1/8/22 17:25 == 34.1
1/8/22 5:45 == 47.9	1/8/22 9:40 == 34.3	1/8/22 13:35 == 47.9	1/8/22 17:30 == 34
1/8/22 5:50 == 47.8	1/8/22 9:45 == 34.2	1/8/22 13:40 == 48.1	1/8/22 17:35 == 34.1
1/8/22 5:55 == 47.1	1/8/22 9:50 == 34.3	1/8/22 13:45 == 47.9	1/8/22 17:40 == 34.1
1/8/22 6:00 == 47.4	1/8/22 9:55 == 34.2	1/8/22 13:50 == 48	1/8/22 17:45 == 34.1
1/8/22 6:05 == 47.7	1/8/22 10:00 == 36.4	1/8/22 13:55 == 47	1/8/22 17:50 == 34.2
1/8/22 6:10 == 47.5	1/8/22 10:05 == 42.5	1/8/22 14:00 == 47.6	1/8/22 17:55 == 34.2
1/8/22 6:15 == 47.8	1/8/22 10:10 == 47.4	1/8/22 14:05 == 48	1/8/22 18:00 == 35.8
1/8/22 6:20 == 48	1/8/22 10:15 == 48	1/8/22 14:10 == 46.7	1/8/22 18:05 == 41.5
1/8/22 6:25 == 47.3	1/8/22 10:20 == 47.7	1/8/22 14:15 == 47	1/8/22 18:10 == 46.7
1/8/22 6:30 == 47.8	1/8/22 10:25 == 46.9	1/8/22 14:20 == 47.9	1/8/22 18:15 == 48
1/8/22 6:35 == 48.1	1/8/22 10:30 == 46.9	1/8/22 14:25 == 47.1	1/8/22 18:20 == 47.9
1/8/22 6:40 == 47.9	1/8/22 10:35 == 47.9	1/8/22 14:30 == 44.9	1/8/22 18:25 == 47
1/8/22 6:45 == 47.9	1/8/22 10:40 == 48.1	1/8/22 14:35 == 37.6	1/8/22 18:30 == 47.9
1/8/22 6:50 == 48.1	1/8/22 10:45 == 48.1	1/8/22 14:40 == 34	1/8/22 18:35 == 47.5
1/8/22 6:55 == 47.3	1/8/22 10:50 == 47.9	1/8/22 14:45 == 34.1	1/8/22 18:40 == 48
1/8/22 7:00 == 47.5	1/8/22 10:55 == 46.9	1/8/22 14:50 == 34.2	1/8/22 18:45 == 48
1/8/22 7:05 == 48	1/8/22 11:00 == 48	1/8/22 14:55 == 34.1	1/8/22 18:50 == 48
1/8/22 7:10 == 47.7	1/8/22 11:05 == 48	1/8/22 15:00 == 35.7	1/8/22 18:55 == 47.8
1/8/22 7:15 == 47.5	1/8/22 11:10 == 48.1	1/8/22 15:05 == 41.7	1/8/22 19:00 == 47.9
1/8/22 7:20 == 47.9	1/8/22 11:15 == 48	1/8/22 15:10 == 47.2	1/8/22 19:05 == 47.9
1/8/22 7:25 == 48	1/8/22 11:20 == 47.5	1/8/22 15:15 == 47.9	1/8/22 19:10 == 47.3
1/8/22 7:30 == 48	1/8/22 11:25 == 47.8	1/8/22 15:20 == 47.9	1/8/22 19:15 == 47.8
1/8/22 7:35 == 48	1/8/22 11:30 == 48	1/8/22 15:25 == 47.7	1/8/22 19:20 == 47.9
1/8/22 7:40 == 47.6	1/8/22 11:35 == 47.9	1/8/22 15:30 == 47.4	1/8/22 19:25 == 47
1/8/22 7:45 == 47.2	1/8/22 11:40 == 47.5	1/8/22 15:35 == 47.6	1/8/22 19:30 == 47.6
1/8/22 7:50 == 47.4	1/8/22 11:45 == 47.8	1/8/22 15:40 == 47.8	1/8/22 19:35 == 48.1
1/8/22 7:55 == 48	1/8/22 11:50 == 48	1/8/22 15:45 == 48	1/8/22 19:40 == 47.8
1/8/22 8:00 == 48	1/8/22 11:55 == 47.9	1/8/22 15:50 == 48	1/8/22 19:45 == 47.8
1/8/22 8:05 == 48.1	1/8/22 12:00 == 48	1/8/22 15:55 == 47.7	1/8/22 19:50 == 48

Pumpback Station Discharge (0364)

1/8/22 19:55 == 47.9	1/8/22 23:50 == 34	1/9/22 3:45 == 47.9	1/9/22 7:40 == 47.9
1/8/22 20:00 == 47.9	1/8/22 23:55 == 34	1/9/22 3:50 == 47.6	1/9/22 7:45 == 48
1/8/22 20:05 == 47.7	1/9/22 0:00 == 34	1/9/22 3:55 == 47.6	1/9/22 7:50 == 37.7
1/8/22 20:10 == 47.7	1/9/22 0:05 == 42.4	1/9/22 4:00 == 48	1/9/22 7:55 == 34.3
1/8/22 20:15 == 48	1/9/22 0:10 == 47.3	1/9/22 4:05 == 47.9	1/9/22 8:00 == 34.1
1/8/22 20:20 == 48.1	1/9/22 0:15 == 47.9	1/9/22 4:10 == 47.6	1/9/22 8:05 == 34.2
1/8/22 20:25 == 48.1	1/9/22 0:20 == 47.9	1/9/22 4:15 == 45.6	1/9/22 8:10 == 34.3
1/8/22 20:30 == 48	1/9/22 0:25 == 47.9	1/9/22 4:20 == 39.2	1/9/22 8:15 == 34.1
1/8/22 20:35 == 47.9	1/9/22 0:30 == 48	1/9/22 4:25 == 34	1/9/22 8:20 == 40.5
1/8/22 20:40 == 47.9	1/9/22 0:35 == 48	1/9/22 4:30 == 34	1/9/22 8:25 == 46.4
1/8/22 20:45 == 47.9	1/9/22 0:40 == 47.3	1/9/22 4:35 == 34	1/9/22 8:30 == 47.9
1/8/22 20:50 == 47.9	1/9/22 0:45 == 47.7	1/9/22 4:40 == 34	1/9/22 8:35 == 47.8
1/8/22 20:55 == 48	1/9/22 0:50 == 48.1	1/9/22 4:45 == 34.8	1/9/22 8:40 == 47.4
1/8/22 21:00 == 48	1/9/22 0:55 == 47.7	1/9/22 4:50 == 41.2	1/9/22 8:45 == 47.6
1/8/22 21:05 == 48	1/9/22 1:00 == 47.7	1/9/22 4:55 == 47.5	1/9/22 8:50 == 48
1/8/22 21:10 == 47.9	1/9/22 1:05 == 47.9	1/9/22 5:00 == 48.1	1/9/22 8:55 == 48
1/8/22 21:15 == 48.1	1/9/22 1:10 == 47.2	1/9/22 5:05 == 48	1/9/22 9:00 == 48
1/8/22 21:20 == 48	1/9/22 1:15 == 47.3	1/9/22 5:10 == 48	1/9/22 9:05 == 48
1/8/22 21:25 == 47.9	1/9/22 1:20 == 47.8	1/9/22 5:15 == 47.3	1/9/22 9:10 == 48.1
1/8/22 21:30 == 47.3	1/9/22 1:25 == 47.3	1/9/22 5:20 == 47.9	1/9/22 9:15 == 48
1/8/22 21:35 == 47.9	1/9/22 1:30 == 47.4	1/9/22 5:25 == 47.3	1/9/22 9:20 == 47.9
1/8/22 21:40 == 47.9	1/9/22 1:35 == 47.8	1/9/22 5:30 == 47.8	1/9/22 9:25 == 47.2
1/8/22 21:45 == 47.9	1/9/22 1:40 == 47.6	1/9/22 5:35 == 48	1/9/22 9:30 == 46.9
1/8/22 21:50 == 48.1	1/9/22 1:45 == 47.9	1/9/22 5:40 == 46.4	1/9/22 9:35 == 47.4
1/8/22 21:55 == 47.9	1/9/22 1:50 == 47.9	1/9/22 5:45 == 47.4	1/9/22 9:40 == 47.2
1/8/22 22:00 == 47.9	1/9/22 1:55 == 47.8	1/9/22 5:50 == 48	1/9/22 9:45 == 47.4
1/8/22 22:05 == 48.1	1/9/22 2:00 == 48.1	1/9/22 5:55 == 46.9	1/9/22 9:50 == 47.5
1/8/22 22:10 == 47.3	1/9/22 2:05 == 48	1/9/22 6:00 == 47.3	1/9/22 9:55 == 47.9
1/8/22 22:15 == 47.6	1/9/22 2:10 == 47.8	1/9/22 6:05 == 47.8	1/9/22 10:00 == 47.4
1/8/22 22:20 == 48	1/9/22 2:15 == 47.9	1/9/22 6:10 == 47.4	1/9/22 10:05 == 48
1/8/22 22:25 == 46.9	1/9/22 2:20 == 47.9	1/9/22 6:15 == 47.6	1/9/22 10:10 == 47.2
1/8/22 22:30 == 47.2	1/9/22 2:25 == 47	1/9/22 6:20 == 47.9	1/9/22 10:15 == 47.8
1/8/22 22:35 == 48	1/9/22 2:30 == 47.3	1/9/22 6:25 == 47.8	1/9/22 10:20 == 47.9
1/8/22 22:40 == 47.9	1/9/22 2:35 == 48	1/9/22 6:30 == 47.8	1/9/22 10:25 == 46.4
1/8/22 22:45 == 47.9	1/9/22 2:40 == 47.9	1/9/22 6:35 == 47.9	1/9/22 10:30 == 47.3
1/8/22 22:50 == 47.8	1/9/22 2:45 == 47.9	1/9/22 6:40 == 48.1	1/9/22 10:35 == 48
1/8/22 22:55 == 47.3	1/9/22 2:50 == 47.9	1/9/22 6:45 == 48.1	1/9/22 10:40 == 47.9
1/8/22 23:00 == 47.3	1/9/22 2:55 == 47.9	1/9/22 6:50 == 47.8	1/9/22 10:45 == 48.2
1/8/22 23:05 == 47.6	1/9/22 3:00 == 48.1	1/9/22 6:55 == 46.9	1/9/22 10:50 == 48.2
1/8/22 23:10 == 47.3	1/9/22 3:05 == 48.2	1/9/22 7:00 == 47.2	1/9/22 10:55 == 47.5
1/8/22 23:15 == 47.8	1/9/22 3:10 == 47.5	1/9/22 7:05 == 47.8	1/9/22 11:00 == 47.9
1/8/22 23:20 == 48	1/9/22 3:15 == 47.1	1/9/22 7:10 == 47.4	1/9/22 11:05 == 48
1/8/22 23:25 == 48	1/9/22 3:20 == 47.8	1/9/22 7:15 == 47.9	1/9/22 11:10 == 47.9
1/8/22 23:30 == 46.5	1/9/22 3:25 == 47.6	1/9/22 7:20 == 47.9	1/9/22 11:15 == 47.1
1/8/22 23:35 == 37.9	1/9/22 3:30 == 47.8	1/9/22 7:25 == 47.9	1/9/22 11:20 == 39.6
1/8/22 23:40 == 33.9	1/9/22 3:35 == 48.2	1/9/22 7:30 == 48	1/9/22 11:25 == 34.1
1/8/22 23:45 == 34	1/9/22 3:40 == 48	1/9/22 7:35 == 47.9	1/9/22 11:30 == 34

### Pumpback Station Discharge (0364)

1/9/22 11:35 == 34.1	1/9/22 15:30 == 46.9	1/9/22 19:25 == 34.1	1/9/22 23:20 == 48
1/9/22 11:40 == 34.2	1/9/22 15:35 == 47.8	1/9/22 19:30 == 34.2	1/9/22 23:25 == 48
1/9/22 11:45 == 34.6	1/9/22 15:40 == 47.8	1/9/22 19:35 == 38.7	1/9/22 23:30 == 47.8
1/9/22 11:50 == 39.7	1/9/22 15:45 == 47.9	1/9/22 19:40 == 47	1/9/22 23:35 == 47.9
1/9/22 11:55 == 47.5	1/9/22 15:50 == 39	1/9/22 19:45 == 47.8	1/9/22 23:40 == 47.4
1/9/22 12:00 == 48	1/9/22 15:55 == 34.6	1/9/22 19:50 == 48	1/9/22 23:45 == 47.7
1/9/22 12:05 == 48	1/9/22 16:00 == 34	1/9/22 19:55 == 47.9	1/9/22 23:50 == 48
1/9/22 12:10 == 47.9	1/9/22 16:05 == 34.1	1/9/22 20:00 == 47.6	1/9/22 23:55 == 48
1/9/22 12:15 == 48	1/9/22 16:10 == 34.3	1/9/22 20:05 == 47.9	1/10/22 0:00 == 48
1/9/22 12:20 == 48	1/9/22 16:15 == 34.3	1/9/22 20:10 == 47.5	1/10/22 0:05 == 40.4
1/9/22 12:25 == 48.1	1/9/22 16:20 == 40.6	1/9/22 20:15 == 48	1/10/22 0:10 == 34.7
1/9/22 12:30 == 48	1/9/22 16:25 == 46.4	1/9/22 20:20 == 48	1/10/22 0:15 == 34.1
1/9/22 12:35 == 47.5	1/9/22 16:30 == 47.9	1/9/22 20:25 == 48	1/10/22 0:20 == 34.1
1/9/22 12:40 == 47.3	1/9/22 16:35 == 47.9	1/9/22 20:30 == 48	1/10/22 0:25 == 34.1
1/9/22 12:45 == 48	1/9/22 16:40 == 46.8	1/9/22 20:35 == 48.1	1/10/22 0:30 == 34.1
1/9/22 12:50 == 47.8	1/9/22 16:45 == 46.8	1/9/22 20:40 == 47.8	1/10/22 0:35 == 38.2
1/9/22 12:55 == 47.4	1/9/22 16:50 == 47.9	1/9/22 20:45 == 47.9	1/10/22 0:40 == 45.4
1/9/22 13:00 == 47.9	1/9/22 16:55 == 47.9	1/9/22 20:50 == 48	1/10/22 0:45 == 47.8
1/9/22 13:05 == 47.5	1/9/22 17:00 == 48	1/9/22 20:55 == 48.1	1/10/22 0:50 == 47.9
1/9/22 13:10 == 47.9	1/9/22 17:05 == 47.8	1/9/22 21:00 == 48	1/10/22 0:55 == 47.6
1/9/22 13:15 == 47.8	1/9/22 17:10 == 47.4	1/9/22 21:05 == 48	1/10/22 1:00 == 47.9
1/9/22 13:20 == 48	1/9/22 17:15 == 47.9	1/9/22 21:10 == 48	1/10/22 1:05 == 47.8
1/9/22 13:25 == 48	1/9/22 17:20 == 47.9	1/9/22 21:15 == 48	1/10/22 1:10 == 47.4
1/9/22 13:30 == 48	1/9/22 17:25 == 47.3	1/9/22 21:20 == 48	1/10/22 1:15 == 48.1
1/9/22 13:35 == 48.2	1/9/22 17:30 == 47.5	1/9/22 21:25 == 47.6	1/10/22 1:20 == 48
1/9/22 13:40 == 47.6	1/9/22 17:35 == 47.8	1/9/22 21:30 == 47.6	1/10/22 1:25 == 47.1
1/9/22 13:45 == 47.7	1/9/22 17:40 == 48.1	1/9/22 21:35 == 47.9	1/10/22 1:30 == 47.9
1/9/22 13:50 == 48	1/9/22 17:45 == 47.9	1/9/22 21:40 == 48	1/10/22 1:35 == 48
1/9/22 13:55 == 46.9	1/9/22 17:50 == 48	1/9/22 21:45 == 48	1/10/22 1:40 == 47.9
1/9/22 14:00 == 47.1	1/9/22 17:55 == 47.9	1/9/22 21:50 == 48	1/10/22 1:45 == 48
1/9/22 14:05 == 47.5	1/9/22 18:00 == 48.1	1/9/22 21:55 == 48	1/10/22 1:50 == 47.9
1/9/22 14:10 == 46.8	1/9/22 18:05 == 47.9	1/9/22 22:00 == 48	1/10/22 1:55 == 48
1/9/22 14:15 == 47.1	1/9/22 18:10 == 47.8	1/9/22 22:05 == 47.6	1/10/22 2:00 == 47.9
1/9/22 14:20 == 47.6	1/9/22 18:15 == 47.5	1/9/22 22:10 == 47.2	1/10/22 2:05 == 48.1
1/9/22 14:25 == 47.3	1/9/22 18:20 == 47.9	1/9/22 22:15 == 47.8	1/10/22 2:10 == 48
1/9/22 14:30 == 47.8	1/9/22 18:25 == 47.2	1/9/22 22:20 == 47.6	1/10/22 2:15 == 48
1/9/22 14:35 == 47.9	1/9/22 18:30 == 47.8	1/9/22 22:25 == 47.1	1/10/22 2:20 == 48
1/9/22 14:40 == 48	1/9/22 18:35 == 47.9	1/9/22 22:30 == 47.8	1/10/22 2:25 == 47.4
1/9/22 14:45 == 47.9	1/9/22 18:40 == 48	1/9/22 22:35 == 48	1/10/22 2:30 == 47.7
1/9/22 14:50 == 47.8	1/9/22 18:45 == 48.1	1/9/22 22:40 == 47.8	1/10/22 2:35 == 48
1/9/22 14:55 == 47.8	1/9/22 18:50 == 48.1	1/9/22 22:45 == 47.4	1/10/22 2:40 == 47.9
1/9/22 15:00 == 48	1/9/22 18:55 == 47.9	1/9/22 22:50 == 47.8	1/10/22 2:45 == 48
1/9/22 15:05 == 48.1	1/9/22 19:00 == 47.8	1/9/22 22:55 == 47.2	1/10/22 2:50 == 48
1/9/22 15:10 == 48	1/9/22 19:05 == 40.6	1/9/22 23:00 == 48	1/10/22 2:55 == 47.8
1/9/22 15:15 == 48	1/9/22 19:10 == 34.3	1/9/22 23:05 == 48	1/10/22 3:00 == 47.8
1/9/22 15:20 == 48	1/9/22 19:15 == 34.1	1/9/22 23:10 == 47.4	1/10/22 3:05 == 48
1/9/22 15:25 == 47.9	1/9/22 19:20 == 34.2	1/9/22 23:15 == 47.8	1/10/22 3:10 == 47.7

Pumpback Station Discharge (0364)

1/10/22 3:15 == 47.5	1/10/22 7:10 == 47.9	1/10/22 11:05 == 47.8	1/10/22 15:00 == 47.9
1/10/22 3:20 == 47.7	1/10/22 7:15 == 47.8	1/10/22 11:10 == 47.9	1/10/22 15:05 == 48
1/10/22 3:25 == 47.5	1/10/22 7:20 == 48.1	1/10/22 11:15 == 47.6	1/10/22 15:10 == 47.5
1/10/22 3:30 == 47.9	1/10/22 7:25 == 48	1/10/22 11:20 == 43.6	1/10/22 15:15 == 47.8
1/10/22 3:35 == 48	1/10/22 7:30 == 48	1/10/22 11:25 == 33.9	1/10/22 15:20 == 48
1/10/22 3:40 == 47.7	1/10/22 7:35 == 48	1/10/22 11:30 == 34.1	1/10/22 15:25 == 47.1
1/10/22 3:45 == 47.5	1/10/22 7:40 == 47.3	1/10/22 11:35 == 34.1	1/10/22 15:30 == 47.4
1/10/22 3:50 == 48.1	1/10/22 7:45 == 47.6	1/10/22 11:40 == 34	1/10/22 15:35 == 48
1/10/22 3:55 == 48	1/10/22 7:50 == 47.9	1/10/22 11:45 == 34.2	1/10/22 15:40 == 47.9
1/10/22 4:00 == 47.6	1/10/22 7:55 == 47.8	1/10/22 11:50 == 35.7	1/10/22 15:45 == 47.9
1/10/22 4:05 == 42.5	1/10/22 8:00 == 47.8	1/10/22 11:55 == 47.5	1/10/22 15:50 == 48
1/10/22 4:10 == 33.8	1/10/22 8:05 == 41.8	1/10/22 12:00 == 47.9	1/10/22 15:55 == 47.9
1/10/22 4:15 == 34	1/10/22 8:10 == 34.9	1/10/22 12:05 == 47.9	1/10/22 16:00 == 47.8
1/10/22 4:20 == 34	1/10/22 8:15 == 34	1/10/22 12:10 == 48	1/10/22 16:05 == 43.1
1/10/22 4:25 == 34.1	1/10/22 8:20 == 34	1/10/22 12:15 == 48	1/10/22 16:10 == 35.3
1/10/22 4:30 == 34.2	1/10/22 8:25 == 34	1/10/22 12:20 == 47.9	1/10/22 16:15 == 34
1/10/22 4:35 == 38.6	1/10/22 8:30 == 34.1	1/10/22 12:25 == 48	1/10/22 16:20 == 34.3
1/10/22 4:40 == 46.2	1/10/22 8:35 == 37.6	1/10/22 12:30 == 47.9	1/10/22 16:25 == 34.3
1/10/22 4:45 == 47.8	1/10/22 8:40 == 46	1/10/22 12:35 == 47.5	1/10/22 16:30 == 34.3
1/10/22 4:50 == 48	1/10/22 8:45 == 48	1/10/22 12:40 == 47.8	1/10/22 16:35 == 36.4
1/10/22 4:55 == 47.6	1/10/22 8:50 == 47.9	1/10/22 12:45 == 47.9	1/10/22 16:40 == 45.3
1/10/22 5:00 == 47.8	1/10/22 8:55 == 47.4	1/10/22 12:50 == 47.9	1/10/22 16:45 == 47.1
1/10/22 5:05 == 48	1/10/22 9:00 == 48	1/10/22 12:55 == 47.8	1/10/22 16:50 == 48
1/10/22 5:10 == 47.5	1/10/22 9:05 == 48	1/10/22 13:00 == 47.5	1/10/22 16:55 == 47.9
1/10/22 5:15 == 47.7	1/10/22 9:10 == 48	1/10/22 13:05 == 47.7	1/10/22 17:00 == 47.8
1/10/22 5:20 == 47.9	1/10/22 9:15 == 48.1	1/10/22 13:10 == 47.6	1/10/22 17:05 == 48
1/10/22 5:25 == 47.4	1/10/22 9:20 == 48	1/10/22 13:15 == 47.7	1/10/22 17:10 == 47.1
1/10/22 5:30 == 47.6	1/10/22 9:25 == 47.7	1/10/22 13:20 == 47.9	1/10/22 17:15 == 47.2
1/10/22 5:35 == 47.7	1/10/22 9:30 == 47.3	1/10/22 13:25 == 47.7	1/10/22 17:20 == 48
1/10/22 5:40 == 47.3	1/10/22 9:35 == 48	1/10/22 13:30 == 47.8	1/10/22 17:25 == 47.9
1/10/22 5:45 == 47.6	1/10/22 9:40 == 47.1	1/10/22 13:35 == 47.8	1/10/22 17:30 == 47.1
1/10/22 5:50 == 47.7	1/10/22 9:45 == 47.5	1/10/22 13:40 == 47.6	1/10/22 17:35 == 47.6
1/10/22 5:55 == 47.2	1/10/22 9:50 == 47.9	1/10/22 13:45 == 47.9	1/10/22 17:40 == 47.9
1/10/22 6:00 == 47.1	1/10/22 9:55 == 47.9	1/10/22 13:50 == 47.7	1/10/22 17:45 == 47.9
1/10/22 6:05 == 47.2	1/10/22 10:00 == 48.1	1/10/22 13:55 == 47.5	1/10/22 17:50 == 48.1
1/10/22 6:10 == 47.5	1/10/22 10:05 == 48.1	1/10/22 14:00 == 47.6	1/10/22 17:55 == 47.9
1/10/22 6:15 == 48	1/10/22 10:10 == 47.3	1/10/22 14:05 == 47.7	1/10/22 18:00 == 47.9
1/10/22 6:20 == 47.9	1/10/22 10:15 == 47.7	1/10/22 14:10 == 46.9	1/10/22 18:05 == 48
1/10/22 6:25 == 47.5	1/10/22 10:20 == 48.2	1/10/22 14:15 == 46.7	1/10/22 18:10 == 48
1/10/22 6:30 == 47.7	1/10/22 10:25 == 46.6	1/10/22 14:20 == 47.6	1/10/22 18:15 == 47.9
1/10/22 6:35 == 47.9	1/10/22 10:30 == 46.8	1/10/22 14:25 == 47.1	1/10/22 18:20 == 47.7
1/10/22 6:40 == 48	1/10/22 10:35 == 47.8	1/10/22 14:30 == 47	1/10/22 18:25 == 47.5
1/10/22 6:45 == 47.8	1/10/22 10:40 == 47.6	1/10/22 14:35 == 48	1/10/22 18:30 == 47.7
1/10/22 6:50 == 48	1/10/22 10:45 == 47.6	1/10/22 14:40 == 47.9	1/10/22 18:35 == 48
1/10/22 6:55 == 47.2	1/10/22 10:50 == 47.8	1/10/22 14:45 == 47.9	1/10/22 18:40 == 48
1/10/22 7:00 == 47.6	1/10/22 10:55 == 47.4	1/10/22 14:50 == 48.1	1/10/22 18:45 == 48
1/10/22 7:05 == 48	1/10/22 11:00 == 47.3	1/10/22 14:55 == 47.8	1/10/22 18:50 == 48

Pumpback Station Discharge (0364)

1/10/22 18:55 == 47.9	1/10/22 22:50 == 48	1/11/22 2:45 == 48	1/11/22 6:40 == 34.2
1/10/22 19:00 == 47.8	1/10/22 22:55 == 47.5	1/11/22 2:50 == 48	1/11/22 6:45 == 34.2
1/10/22 19:05 == 47.8	1/10/22 23:00 == 47.9	1/11/22 2:55 == 47.8	1/11/22 6:50 == 36.5
1/10/22 19:10 == 47.3	1/10/22 23:05 == 48.1	1/11/22 3:00 == 47.9	1/11/22 6:55 == 43.5
1/10/22 19:15 == 48.1	1/10/22 23:10 == 47.6	1/11/22 3:05 == 47.9	1/11/22 7:00 == 47
1/10/22 19:20 == 47.9	1/10/22 23:15 == 47.7	1/11/22 3:10 == 48.1	1/11/22 7:05 == 47.6
1/10/22 19:25 == 47.8	1/10/22 23:20 == 47.9	1/11/22 3:15 == 48	1/11/22 7:10 == 47.6
1/10/22 19:30 == 47.8	1/10/22 23:25 == 48	1/11/22 3:20 == 47.9	1/11/22 7:15 == 47.6
1/10/22 19:35 == 47.8	1/10/22 23:30 == 47.9	1/11/22 3:25 == 47.2	1/11/22 7:20 == 48
1/10/22 19:40 == 47.2	1/10/22 23:35 == 48	1/11/22 3:30 == 48	1/11/22 7:25 == 48.1
1/10/22 19:45 == 47.9	1/10/22 23:40 == 48	1/11/22 3:35 == 48.1	1/11/22 7:30 == 48
1/10/22 19:50 == 48	1/10/22 23:45 == 47.9	1/11/22 3:40 == 47.7	1/11/22 7:35 == 48
1/10/22 19:55 == 48	1/10/22 23:50 == 47.8	1/11/22 3:45 == 47.9	1/11/22 7:40 == 47.8
1/10/22 20:00 == 47.9	1/10/22 23:55 == 47.8	1/11/22 3:50 == 48	1/11/22 7:45 == 47.6
1/10/22 20:05 == 48	1/11/22 0:00 == 47.8	1/11/22 3:55 == 47.9	1/11/22 7:50 == 48
1/10/22 20:10 == 47.9	1/11/22 0:05 == 47.9	1/11/22 4:00 == 47.9	1/11/22 7:55 == 48
1/10/22 20:15 == 48	1/11/22 0:10 == 47.8	1/11/22 4:05 == 47.9	1/11/22 8:00 == 48
1/10/22 20:20 == 48.1	1/11/22 0:15 == 47.9	1/11/22 4:10 == 47.8	1/11/22 8:05 == 48
1/10/22 20:25 == 48	1/11/22 0:20 == 47.8	1/11/22 4:15 == 47.4	1/11/22 8:10 == 48
1/10/22 20:30 == 48	1/11/22 0:25 == 48	1/11/22 4:20 == 47.7	1/11/22 8:15 == 48
1/10/22 20:35 == 48	1/11/22 0:30 == 47.4	1/11/22 4:25 == 48	1/11/22 8:20 == 47.9
1/10/22 20:40 == 47.9	1/11/22 0:35 == 47.9	1/11/22 4:30 == 48	1/11/22 8:25 == 47.4
1/10/22 20:45 == 48	1/11/22 0:40 == 47.3	1/11/22 4:35 == 47.8	1/11/22 8:30 == 47.8
1/10/22 20:50 == 42.8	1/11/22 0:45 == 47.9	1/11/22 4:40 == 47.7	1/11/22 8:35 == 47.5
1/10/22 20:55 == 36.3	1/11/22 0:50 == 48	1/11/22 4:45 == 47.9	1/11/22 8:40 == 47.3
1/10/22 21:00 == 34.1	1/11/22 0:55 == 47.3	1/11/22 4:50 == 48	1/11/22 8:45 == 47.4
1/10/22 21:05 == 34.1	1/11/22 1:00 == 48	1/11/22 4:55 == 48	1/11/22 8:50 == 47.9
1/10/22 21:10 == 34.1	1/11/22 1:05 == 48.1	1/11/22 5:00 == 48	1/11/22 8:55 == 47.4
1/10/22 21:15 == 34	1/11/22 1:10 == 47.3	1/11/22 5:05 == 47.8	1/11/22 9:00 == 47.8
1/10/22 21:20 == 37	1/11/22 1:15 == 48	1/11/22 5:10 == 47.5	1/11/22 9:05 == 47.7
1/10/22 21:25 == 44	1/11/22 1:20 == 43.9	1/11/22 5:15 == 47.7	1/11/22 9:10 == 47.8
1/10/22 21:30 == 47.1	1/11/22 1:25 == 35.8	1/11/22 5:20 == 47.9	1/11/22 9:15 == 47.8
1/10/22 21:35 == 47.6	1/11/22 1:30 == 34	1/11/22 5:25 == 47.3	1/11/22 9:20 == 48
1/10/22 21:40 == 48	1/11/22 1:35 == 34.2	1/11/22 5:30 == 48.1	1/11/22 9:25 == 47.4
1/10/22 21:45 == 48	1/11/22 1:40 == 34.2	1/11/22 5:35 == 48	1/11/22 9:30 == 47.6
1/10/22 21:50 == 47.8	1/11/22 1:45 == 34.1	1/11/22 5:40 == 47.1	1/11/22 9:35 == 44.3
1/10/22 21:55 == 47.2	1/11/22 1:50 == 37.2	1/11/22 5:45 == 47.7	1/11/22 9:40 == 37.4
1/10/22 22:00 == 47.9	1/11/22 1:55 == 44.1	1/11/22 5:50 == 47.8	1/11/22 9:45 == 34.2
1/10/22 22:05 == 47.6	1/11/22 2:00 == 47.8	1/11/22 5:55 == 47.2	1/11/22 9:50 == 34.3
1/10/22 22:10 == 46.7	1/11/22 2:05 == 47.9	1/11/22 6:00 == 47.1	1/11/22 9:55 == 34.3
1/10/22 22:15 == 47.9	1/11/22 2:10 == 47.9	1/11/22 6:05 == 47.4	1/11/22 10:00 == 34.2
1/10/22 22:20 == 48	1/11/22 2:15 == 47.9	1/11/22 6:10 == 47.5	1/11/22 10:05 == 36.8
1/10/22 22:25 == 46.4	1/11/22 2:20 == 47.7	1/11/22 6:15 == 48	1/11/22 10:10 == 43.1
1/10/22 22:30 == 47.5	1/11/22 2:25 == 47.5	1/11/22 6:20 == 44.9	1/11/22 10:15 == 47.5
1/10/22 22:35 == 47.9	1/11/22 2:30 == 47.8	1/11/22 6:25 == 35.5	1/11/22 10:20 == 47.6
1/10/22 22:40 == 48	1/11/22 2:35 == 48	1/11/22 6:30 == 34.1	1/11/22 10:25 == 46.7
1/10/22 22:45 == 48	1/11/22 2:40 == 48.1	1/11/22 6:35 == 34.1	1/11/22 10:30 == 47.4

Pumpback Station Discharge (0364)

1/11/22 10:35 == 48	1/11/22 14:30 == 47.7	1/11/22 18:25 == 47.8	1/11/22 22:20 == 35.1
1/11/22 10:40 == 48	1/11/22 14:35 == 48.1	1/11/22 18:30 == 48	1/11/22 22:25 == 42.2
1/11/22 10:45 == 48	1/11/22 14:40 == 48.1	1/11/22 18:35 == 47.9	1/11/22 22:30 == 47.4
1/11/22 10:50 == 47.9	1/11/22 14:45 == 48	1/11/22 18:40 == 48	1/11/22 22:35 == 47.9
1/11/22 10:55 == 47.3	1/11/22 14:50 == 48	1/11/22 18:45 == 48	1/11/22 22:40 == 48
1/11/22 11:00 == 47.5	1/11/22 14:55 == 47.9	1/11/22 18:50 == 48	1/11/22 22:45 == 48
1/11/22 11:05 == 48.1	1/11/22 15:00 == 47.8	1/11/22 18:55 == 47.8	1/11/22 22:50 == 47.9
1/11/22 11:10 == 47.9	1/11/22 15:05 == 47.7	1/11/22 19:00 == 47.4	1/11/22 22:55 == 47.7
1/11/22 11:15 == 47.5	1/11/22 15:10 == 47.7	1/11/22 19:05 == 48	1/11/22 23:00 == 47.7
1/11/22 11:20 == 47.9	1/11/22 15:15 == 47.8	1/11/22 19:10 == 48	1/11/22 23:05 == 47.9
1/11/22 11:25 == 47.4	1/11/22 15:20 == 47.8	1/11/22 19:15 == 48	1/11/22 23:10 == 47.9
1/11/22 11:30 == 47.7	1/11/22 15:25 == 47.5	1/11/22 19:20 == 48	1/11/22 23:15 == 47.9
1/11/22 11:35 == 48.2	1/11/22 15:30 == 47.6	1/11/22 19:25 == 47.2	1/11/22 23:20 == 47.9
1/11/22 11:40 == 48	1/11/22 15:35 == 47.6	1/11/22 19:30 == 46.8	1/11/22 23:25 == 48
1/11/22 11:45 == 48	1/11/22 15:40 == 47.9	1/11/22 19:35 == 47.5	1/11/22 23:30 == 48.2
1/11/22 11:50 == 48	1/11/22 15:45 == 48	1/11/22 19:40 == 47.7	1/11/22 23:35 == 48
1/11/22 11:55 == 47.8	1/11/22 15:50 == 47.9	1/11/22 19:45 == 47.8	1/11/22 23:40 == 47.8
1/11/22 12:00 == 47.8	1/11/22 15:55 == 47.9	1/11/22 19:50 == 48	1/11/22 23:45 == 47.9
1/11/22 12:05 == 47.9	1/11/22 16:00 == 48.2	1/11/22 19:55 == 47.9	1/11/22 23:50 == 47.9
1/11/22 12:10 == 47.9	1/11/22 16:05 == 47.9	1/11/22 20:00 == 47.9	1/11/22 23:55 == 48.1
1/11/22 12:15 == 47.9	1/11/22 16:10 == 47.1	1/11/22 20:05 == 47.6	1/12/22 0:00 == 47.9
1/11/22 12:20 == 48	1/11/22 16:15 == 48	1/11/22 20:10 == 47.6	1/12/22 0:05 == 47.8
1/11/22 12:25 == 48	1/11/22 16:20 == 47.9	1/11/22 20:15 == 48	1/12/22 0:10 == 47.3
1/11/22 12:30 == 48	1/11/22 16:25 == 47.5	1/11/22 20:20 == 48	1/12/22 0:15 == 47.9
1/11/22 12:35 == 48	1/11/22 16:30 == 47.9	1/11/22 20:25 == 48	1/12/22 0:20 == 47.9
1/11/22 12:40 == 47.9	1/11/22 16:35 == 47.9	1/11/22 20:30 == 48	1/12/22 0:25 == 48.1
1/11/22 12:45 == 48.1	1/11/22 16:40 == 46.5	1/11/22 20:35 == 48	1/12/22 0:30 == 48
1/11/22 12:50 == 48	1/11/22 16:45 == 47.5	1/11/22 20:40 == 47.8	1/12/22 0:35 == 48.1
1/11/22 12:55 == 47.9	1/11/22 16:50 == 45.9	1/11/22 20:45 == 47.8	1/12/22 0:40 == 47.3
1/11/22 13:00 == 47.8	1/11/22 16:55 == 37	1/11/22 20:50 == 48	1/12/22 0:45 == 47.7
1/11/22 13:05 == 47.9	1/11/22 17:00 == 34.2	1/11/22 20:55 == 47.9	1/12/22 0:50 == 48
1/11/22 13:10 == 47.9	1/11/22 17:05 == 34.2	1/11/22 21:00 == 48	1/12/22 0:55 == 47.2
1/11/22 13:15 == 47.9	1/11/22 17:10 == 34.1	1/11/22 21:05 == 47.9	1/12/22 1:00 == 47.4
1/11/22 13:20 == 48	1/11/22 17:15 == 34.1	1/11/22 21:10 == 47.1	1/12/22 1:05 == 48
1/11/22 13:25 == 48	1/11/22 17:20 == 35.7	1/11/22 21:15 == 48.1	1/12/22 1:10 == 47.3
1/11/22 13:30 == 47.9	1/11/22 17:25 == 42.5	1/11/22 21:20 == 47.8	1/12/22 1:15 == 47.3
1/11/22 13:35 == 47.7	1/11/22 17:30 == 47.3	1/11/22 21:25 == 48	1/12/22 1:20 == 47.7
1/11/22 13:40 == 34.3	1/11/22 17:35 == 47.6	1/11/22 21:30 == 47.2	1/12/22 1:25 == 47.4
1/11/22 13:45 == 34	1/11/22 17:40 == 47.9	1/11/22 21:35 == 48	1/12/22 1:30 == 47.6
1/11/22 13:50 == 34	1/11/22 17:45 == 47.9	1/11/22 21:40 == 48.1	1/12/22 1:35 == 47.9
1/11/22 13:55 == 34.4	1/11/22 17:50 == 48	1/11/22 21:45 == 48	1/12/22 1:40 == 47.9
1/11/22 14:00 == 34.2	1/11/22 17:55 == 47.7	1/11/22 21:50 == 47.1	1/12/22 1:45 == 47.9
1/11/22 14:05 == 34.2	1/11/22 18:00 == 47.3	1/11/22 21:55 == 36.7	1/12/22 1:50 == 45.8
1/11/22 14:10 == 43.7	1/11/22 18:05 == 47.8	1/11/22 22:00 == 34.2	1/12/22 1:55 == 38.5
1/11/22 14:15 == 47.5	1/11/22 18:10 == 48	1/11/22 22:05 == 34.2	1/12/22 2:00 == 34.1
1/11/22 14:20 == 48	1/11/22 18:15 == 48	1/11/22 22:10 == 34.2	1/12/22 2:05 == 34
1/11/22 14:25 == 47.2	1/11/22 18:20 == 48	1/11/22 22:15 == 34.3	1/12/22 2:10 == 34

### Pumpback Station Discharge (0364)

1/12/22 2:15 == 34.1	1/12/22 6:10 == 47.1	1/12/22 10:05 == 34.5	1/12/22 14:00 == 47.5
1/12/22 2:20 == 34.6	1/12/22 6:15 == 47.3	1/12/22 10:10 == 40.5	1/12/22 14:05 == 47.6
1/12/22 2:25 == 42	1/12/22 6:20 == 47.7	1/12/22 10:15 == 46.6	1/12/22 14:10 == 47.2
1/12/22 2:30 == 47.4	1/12/22 6:25 == 47.7	1/12/22 10:20 == 48.1	1/12/22 14:15 == 47.3
1/12/22 2:35 == 48	1/12/22 6:30 == 47.8	1/12/22 10:25 == 46.8	1/12/22 14:20 == 46.3
1/12/22 2:40 == 47.8	1/12/22 6:35 == 48	1/12/22 10:30 == 47.7	1/12/22 14:25 == 40.3
1/12/22 2:45 == 48	1/12/22 6:40 == 48	1/12/22 10:35 == 48	1/12/22 14:30 == 34.2
1/12/22 2:50 == 48	1/12/22 6:45 == 47.9	1/12/22 10:40 == 47.9	1/12/22 14:35 == 34.2
1/12/22 2:55 == 47.3	1/12/22 6:50 == 47.7	1/12/22 10:45 == 48	1/12/22 14:40 == 34.2
1/12/22 3:00 == 47.9	1/12/22 6:55 == 47.6	1/12/22 10:50 == 48	1/12/22 14:45 == 34.1
1/12/22 3:05 == 48	1/12/22 7:00 == 47.8	1/12/22 10:55 == 46.6	1/12/22 14:50 == 34.6
1/12/22 3:10 == 47.7	1/12/22 7:05 == 48	1/12/22 11:00 == 47.4	1/12/22 14:55 == 38.3
1/12/22 3:15 == 47.7	1/12/22 7:10 == 48	1/12/22 11:05 == 48	1/12/22 15:00 == 47.9
1/12/22 3:20 == 48	1/12/22 7:15 == 47.9	1/12/22 11:10 == 47.9	1/12/22 15:05 == 47.9
1/12/22 3:25 == 48	1/12/22 7:20 == 47.9	1/12/22 11:15 == 48	1/12/22 15:10 == 47.2
1/12/22 3:30 == 48	1/12/22 7:25 == 47.9	1/12/22 11:20 == 48.1	1/12/22 15:15 == 48
1/12/22 3:35 == 48	1/12/22 7:30 == 48	1/12/22 11:25 == 48	1/12/22 15:20 == 48.1
1/12/22 3:40 == 47.9	1/12/22 7:35 == 47.9	1/12/22 11:30 == 47.9	1/12/22 15:25 == 47.2
1/12/22 3:45 == 47.8	1/12/22 7:40 == 48	1/12/22 11:35 == 48	1/12/22 15:30 == 47
1/12/22 3:50 == 47.9	1/12/22 7:45 == 48	1/12/22 11:40 == 47.9	1/12/22 15:35 == 47.8
1/12/22 3:55 == 48	1/12/22 7:50 == 47.9	1/12/22 11:45 == 47.9	1/12/22 15:40 == 47.2
1/12/22 4:00 == 48	1/12/22 7:55 == 48	1/12/22 11:50 == 48	1/12/22 15:45 == 47.8
1/12/22 4:05 == 47.9	1/12/22 8:00 == 47.9	1/12/22 11:55 == 47.9	1/12/22 15:50 == 48
1/12/22 4:10 == 47.7	1/12/22 8:05 == 48	1/12/22 12:00 == 47.9	1/12/22 15:55 == 47.4
1/12/22 4:15 == 47.5	1/12/22 8:10 == 48	1/12/22 12:05 == 48	1/12/22 16:00 == 47.6
1/12/22 4:20 == 47.9	1/12/22 8:15 == 47.9	1/12/22 12:10 == 48	1/12/22 16:05 == 48
1/12/22 4:25 == 47.9	1/12/22 8:20 == 47.9	1/12/22 12:15 == 48	1/12/22 16:10 == 47.1
1/12/22 4:30 == 48	1/12/22 8:25 == 47.9	1/12/22 12:20 == 48	1/12/22 16:15 == 47.6
1/12/22 4:35 == 48.1	1/12/22 8:30 == 48.1	1/12/22 12:25 == 48	1/12/22 16:20 == 47.8
1/12/22 4:40 == 48.1	1/12/22 8:35 == 48	1/12/22 12:30 == 48	1/12/22 16:25 == 47.6
1/12/22 4:45 == 48.1	1/12/22 8:40 == 47.7	1/12/22 12:35 == 48	1/12/22 16:30 == 47.8
1/12/22 4:50 == 47	1/12/22 8:45 == 47.3	1/12/22 12:40 == 48.1	1/12/22 16:35 == 47.7
1/12/22 4:55 == 37.8	1/12/22 8:50 == 47.4	1/12/22 12:45 == 48	1/12/22 16:40 == 46.9
1/12/22 5:00 == 34.2	1/12/22 8:55 == 47.3	1/12/22 12:50 == 47.1	1/12/22 16:45 == 46.8
1/12/22 5:05 == 34.1	1/12/22 9:00 == 47.4	1/12/22 12:55 == 47.9	1/12/22 16:50 == 46.3
1/12/22 5:10 == 34	1/12/22 9:05 == 47.9	1/12/22 13:00 == 48	1/12/22 16:55 == 40.4
1/12/22 5:15 == 34.1	1/12/22 9:10 == 47.9	1/12/22 13:05 == 47.9	1/12/22 17:00 == 34.1
1/12/22 5:20 == 34.1	1/12/22 9:15 == 47.9	1/12/22 13:10 == 47.9	1/12/22 17:05 == 34.2
1/12/22 5:25 == 42.3	1/12/22 9:20 == 46	1/12/22 13:15 == 47.9	1/12/22 17:10 == 34.2
1/12/22 5:30 == 47.2	1/12/22 9:25 == 39.8	1/12/22 13:20 == 48.1	1/12/22 17:15 == 34.2
1/12/22 5:35 == 48	1/12/22 9:30 == 34.1	1/12/22 13:25 == 47.7	1/12/22 17:20 == 34.9
1/12/22 5:40 == 46.9	1/12/22 9:35 == 34.2	1/12/22 13:30 == 47.7	1/12/22 17:25 == 39
1/12/22 5:45 == 47.6	1/12/22 9:40 == 34.3	1/12/22 13:35 == 47.5	1/12/22 17:30 == 47.5
1/12/22 5:50 == 48.1	1/12/22 9:45 == 34.2	1/12/22 13:40 == 47.8	1/12/22 17:35 == 48.1
1/12/22 5:55 == 47.3	1/12/22 9:50 == 34.2	1/12/22 13:45 == 47.9	1/12/22 17:40 == 47.9
1/12/22 6:00 == 47.1	1/12/22 9:55 == 34.2	1/12/22 13:50 == 48	1/12/22 17:45 == 48.1
1/12/22 6:05 == 47.5	1/12/22 10:00 == 34.2	1/12/22 13:55 == 47.5	1/12/22 17:50 == 48

### Pumpback Station Discharge (0364)

1/12/22 17:55 == 47.8	1/12/22 21:50 == 48.1	1/13/22 1:45 == 47.5	1/13/22 5:40 == 47
1/12/22 18:00 == 47.3	1/12/22 21:55 == 47.9	1/13/22 1:50 == 48	1/13/22 5:45 == 47.1
1/12/22 18:05 == 47.9	1/12/22 22:00 == 47.9	1/13/22 1:55 == 48.2	1/13/22 5:50 == 47.6
1/12/22 18:10 == 47.4	1/12/22 22:05 == 47.5	1/13/22 2:00 == 48.2	1/13/22 5:55 == 47.1
1/12/22 18:15 == 48	1/12/22 22:10 == 47.1	1/13/22 2:05 == 47.9	1/13/22 6:00 == 47.2
1/12/22 18:20 == 47.9	1/12/22 22:15 == 47.7	1/13/22 2:10 == 47.9	1/13/22 6:05 == 47.4
1/12/22 18:25 == 47.1	1/12/22 22:20 == 47.5	1/13/22 2:15 == 48.1	1/13/22 6:10 == 47.3
1/12/22 18:30 == 47.4	1/12/22 22:25 == 47	1/13/22 2:20 == 48	1/13/22 6:15 == 47.4
1/12/22 18:35 == 47.9	1/12/22 22:30 == 48	1/13/22 2:25 == 47	1/13/22 6:20 == 47.3
1/12/22 18:40 == 47.9	1/12/22 22:35 == 48	1/13/22 2:30 == 47.5	1/13/22 6:25 == 47.9
1/12/22 18:45 == 47.9	1/12/22 22:40 == 48	1/13/22 2:35 == 48	1/13/22 6:30 == 47.9
1/12/22 18:50 == 48	1/12/22 22:45 == 48.1	1/13/22 2:40 == 48	1/13/22 6:35 == 47.9
1/12/22 18:55 == 47.9	1/12/22 22:50 == 48	1/13/22 2:45 == 48.2	1/13/22 6:40 == 47.9
1/12/22 19:00 == 47.9	1/12/22 22:55 == 47.9	1/13/22 2:50 == 48.2	1/13/22 6:45 == 48
1/12/22 19:05 == 48	1/12/22 23:00 == 47.5	1/13/22 2:55 == 48	1/13/22 6:50 == 48.1
1/12/22 19:10 == 47.5	1/12/22 23:05 == 48	1/13/22 3:00 == 47.9	1/13/22 6:55 == 46.9
1/12/22 19:15 == 47.5	1/12/22 23:10 == 47.8	1/13/22 3:05 == 47.9	1/13/22 7:00 == 47.5
1/12/22 19:20 == 47.9	1/12/22 23:15 == 47.8	1/13/22 3:10 == 47.4	1/13/22 7:05 == 48
1/12/22 19:25 == 47.3	1/12/22 23:20 == 47.9	1/13/22 3:15 == 47.3	1/13/22 7:10 == 40.3
1/12/22 19:30 == 47.3	1/12/22 23:25 == 47.9	1/13/22 3:20 == 47.5	1/13/22 7:15 == 34.8
1/12/22 19:35 == 47.9	1/12/22 23:30 == 48	1/13/22 3:25 == 47.7	1/13/22 7:20 == 34.1
1/12/22 19:40 == 47.9	1/12/22 23:35 == 48.1	1/13/22 3:30 == 48	1/13/22 7:25 == 34
1/12/22 19:45 == 48	1/12/22 23:40 == 47.5	1/13/22 3:35 == 47.9	1/13/22 7:30 == 34.1
1/12/22 19:50 == 48	1/12/22 23:45 == 47.8	1/13/22 3:40 == 47.9	1/13/22 7:35 == 34.2
1/12/22 19:55 == 47.9	1/12/22 23:50 == 48.1	1/13/22 3:45 == 48	1/13/22 7:40 == 38.6
1/12/22 20:00 == 48	1/12/22 23:55 == 48	1/13/22 3:50 == 47.3	1/13/22 7:45 == 44.7
1/12/22 20:05 == 47.8	1/13/22 0:00 == 47.9	1/13/22 3:55 == 41.9	1/13/22 7:50 == 47.5
1/12/22 20:10 == 47.4	1/13/22 0:05 == 47.9	1/13/22 4:00 == 34.2	1/13/22 7:55 == 48
1/12/22 20:15 == 48	1/13/22 0:10 == 47.9	1/13/22 4:05 == 34	1/13/22 8:00 == 48
1/12/22 20:20 == 47.8	1/13/22 0:15 == 47.6	1/13/22 4:10 == 34.1	1/13/22 8:05 == 48.1
1/12/22 20:25 == 47.9	1/13/22 0:20 == 47.6	1/13/22 4:15 == 34.4	1/13/22 8:10 == 48
1/12/22 20:30 == 48	1/13/22 0:25 == 47.7	1/13/22 4:20 == 34.2	1/13/22 8:15 == 47.8
1/12/22 20:35 == 48.1	1/13/22 0:30 == 47.7	1/13/22 4:25 == 39	1/13/22 8:20 == 47.9
1/12/22 20:40 == 39	1/13/22 0:35 == 46.6	1/13/22 4:30 == 46.7	1/13/22 8:25 == 47.9
1/12/22 20:45 == 34.5	1/13/22 0:40 == 40.7	1/13/22 4:35 == 48	1/13/22 8:30 == 47.7
1/12/22 20:50 == 34.1	1/13/22 0:45 == 34.1	1/13/22 4:40 == 47.9	1/13/22 8:35 == 47.3
1/12/22 20:55 == 34.2	1/13/22 0:50 == 34.2	1/13/22 4:45 == 48	1/13/22 8:40 == 47
1/12/22 21:00 == 34.2	1/13/22 0:55 == 34.2	1/13/22 4:50 == 48	1/13/22 8:45 == 47.2
1/12/22 21:05 == 34.2	1/13/22 1:00 == 34.2	1/13/22 4:55 == 48	1/13/22 8:50 == 47.7
1/12/22 21:10 == 40.3	1/13/22 1:05 == 34.6	1/13/22 5:00 == 48.1	1/13/22 8:55 == 47.2
1/12/22 21:15 == 46.2	1/13/22 1:10 == 38	1/13/22 5:05 == 47.7	1/13/22 9:00 == 47.1
1/12/22 21:20 == 47.9	1/13/22 1:15 == 47.2	1/13/22 5:10 == 47.4	1/13/22 9:05 == 47.8
1/12/22 21:25 == 47.5	1/13/22 1:20 == 47.8	1/13/22 5:15 == 47.4	1/13/22 9:10 == 47.9
1/12/22 21:30 == 47.7	1/13/22 1:25 == 47.2	1/13/22 5:20 == 47.6	1/13/22 9:15 == 48
1/12/22 21:35 == 48	1/13/22 1:30 == 47.3	1/13/22 5:25 == 47.6	1/13/22 9:20 == 48
1/12/22 21:40 == 48	1/13/22 1:35 == 47.9	1/13/22 5:30 == 47.7	1/13/22 9:25 == 47.8
1/12/22 21:45 == 48.1	1/13/22 1:40 == 47.5	1/13/22 5:35 == 47.7	1/13/22 9:30 == 47.1



### Pumpback Station Discharge (0364)

1/13/22 9:35 == 48.1	1/13/22 13:30 == 48	1/13/22 17:25 == 48	1/13/22 21:20 == 34.1
1/13/22 9:40 == 47.4	1/13/22 13:35 == 48	1/13/22 17:30 == 47.9	1/13/22 21:25 == 37.4
1/13/22 9:45 == 47.3	1/13/22 13:40 == 48	1/13/22 17:35 == 48	1/13/22 21:30 == 45.2
1/13/22 9:50 == 47.9	1/13/22 13:45 == 48.1	1/13/22 17:40 == 48	1/13/22 21:35 == 47.8
1/13/22 9:55 == 47.3	1/13/22 13:50 == 48.1	1/13/22 17:45 == 48.1	1/13/22 21:40 == 47.9
1/13/22 10:00 == 47.8	1/13/22 13:55 == 48	1/13/22 17:50 == 47.9	1/13/22 21:45 == 47.9
1/13/22 10:05 == 47.9	1/13/22 14:00 == 48.1	1/13/22 17:55 == 42.1	1/13/22 21:50 == 47.9
1/13/22 10:10 == 40.5	1/13/22 14:05 == 47.9	1/13/22 18:00 == 36	1/13/22 21:55 == 47.8
1/13/22 10:15 == 35.4	1/13/22 14:10 == 47.2	1/13/22 18:05 == 34.1	1/13/22 22:00 == 48
1/13/22 10:20 == 34.7	1/13/22 14:15 == 48	1/13/22 18:10 == 34.1	1/13/22 22:05 == 47.9
1/13/22 10:25 == 34.6	1/13/22 14:20 == 48.1	1/13/22 18:15 == 34.2	1/13/22 22:10 == 48.1
1/13/22 10:30 == 34.6	1/13/22 14:25 == 47.8	1/13/22 18:20 == 34.2	1/13/22 22:15 == 47.9
1/13/22 10:35 == 34.6	1/13/22 14:30 == 47.9	1/13/22 18:25 == 38.1	1/13/22 22:20 == 48.1
1/13/22 10:40 == 39.2	1/13/22 14:35 == 47.9	1/13/22 18:30 == 44.7	1/13/22 22:25 == 48
1/13/22 10:45 == 45.7	1/13/22 14:40 == 48	1/13/22 18:35 == 47.8	1/13/22 22:30 == 48
1/13/22 10:50 == 47.6	1/13/22 14:45 == 48	1/13/22 18:40 == 47.8	1/13/22 22:35 == 48.1
1/13/22 10:55 == 47.3	1/13/22 14:50 == 48	1/13/22 18:45 == 47.9	1/13/22 22:40 == 47.9
1/13/22 11:00 == 47.4	1/13/22 14:55 == 48	1/13/22 18:50 == 48	1/13/22 22:45 == 48.1
1/13/22 11:05 == 47.9	1/13/22 15:00 == 47.9	1/13/22 18:55 == 48	1/13/22 22:50 == 48
1/13/22 11:10 == 48	1/13/22 15:05 == 48	1/13/22 19:00 == 48	1/13/22 22:55 == 48
1/13/22 11:15 == 47.9	1/13/22 15:10 == 47.5	1/13/22 19:05 == 48	1/13/22 23:00 == 48
1/13/22 11:20 == 47.9	1/13/22 15:15 == 47.8	1/13/22 19:10 == 47.9	1/13/22 23:05 == 48.1
1/13/22 11:25 == 47.7	1/13/22 15:20 == 48.1	1/13/22 19:15 == 48	1/13/22 23:10 == 47.5
1/13/22 11:30 == 48	1/13/22 15:25 == 47.5	1/13/22 19:20 == 47.9	1/13/22 23:15 == 47.7
1/13/22 11:35 == 47.9	1/13/22 15:30 == 47.7	1/13/22 19:25 == 47.4	1/13/22 23:20 == 47.9
1/13/22 11:40 == 48.1	1/13/22 15:35 == 48	1/13/22 19:30 == 47.4	1/13/22 23:25 == 42.6
1/13/22 11:45 == 48	1/13/22 15:40 == 48	1/13/22 19:35 == 48.2	1/13/22 23:30 == 36.2
1/13/22 11:50 == 48.1	1/13/22 15:45 == 47.9	1/13/22 19:40 == 47.8	1/13/22 23:35 == 34.2
1/13/22 11:55 == 48	1/13/22 15:50 == 48	1/13/22 19:45 == 47.9	1/13/22 23:40 == 34.1
1/13/22 12:00 == 48.1	1/13/22 15:55 == 42.3	1/13/22 19:50 == 47.9	1/13/22 23:45 == 34.1
1/13/22 12:05 == 48	1/13/22 16:00 == 35.1	1/13/22 19:55 == 47.9	1/13/22 23:50 == 34.1
1/13/22 12:10 == 47.7	1/13/22 16:05 == 34.2	1/13/22 20:00 == 47.8	1/13/22 23:55 == 37.5
1/13/22 12:15 == 47.7	1/13/22 16:10 == 34.2	1/13/22 20:05 == 47.9	1/14/22 0:00 == 44.9
1/13/22 12:20 == 48	1/13/22 16:15 == 34.1	1/13/22 20:10 == 48	1/14/22 0:05 == 47.7
1/13/22 12:25 == 41.2	1/13/22 16:20 == 34.2	1/13/22 20:15 == 48	1/14/22 0:10 == 47.6
1/13/22 12:30 == 35.2	1/13/22 16:25 == 37.4	1/13/22 20:20 == 48.1	1/14/22 0:15 == 48
1/13/22 12:35 == 34.1	1/13/22 16:30 == 46.2	1/13/22 20:25 == 48.1	1/14/22 0:20 == 47.9
1/13/22 12:40 == 34	1/13/22 16:35 == 47.8	1/13/22 20:30 == 48	1/14/22 0:25 == 48
1/13/22 12:45 == 34.2	1/13/22 16:40 == 46.8	1/13/22 20:35 == 48	1/14/22 0:30 == 48
1/13/22 12:50 == 34.2	1/13/22 16:45 == 47.3	1/13/22 20:40 == 48	1/14/22 0:35 == 48
1/13/22 12:55 == 38.9	1/13/22 16:50 == 48.1	1/13/22 20:45 == 48	1/14/22 0:40 == 47.3
1/13/22 13:00 == 45.2	1/13/22 16:55 == 47.4	1/13/22 20:50 == 48	1/14/22 0:45 == 47.8
1/13/22 13:05 == 47.8	1/13/22 17:00 == 48.1	1/13/22 20:55 == 42.2	1/14/22 0:50 == 48
1/13/22 13:10 == 48	1/13/22 17:05 == 47.9	1/13/22 21:00 == 35.7	1/14/22 0:55 == 48
1/13/22 13:15 == 47.8	1/13/22 17:10 == 47.4	1/13/22 21:05 == 34.1	1/14/22 1:00 == 48
1/13/22 13:20 == 48	1/13/22 17:15 == 47.9	1/13/22 21:10 == 34	1/14/22 1:05 == 48
1/13/22 13:25 == 48.1	1/13/22 17:20 == 48	1/13/22 21:15 == 34	1/14/22 1:10 == 47.5

### Pumpback Station Discharge (0364)

1/14/22 1:15 == 47.8	1/14/22 5:10 == 34.2	1/14/22 9:05 == 48	1/14/22 13:00 == 34.2
1/14/22 1:20 == 47.7	1/14/22 5:15 == 34.1	1/14/22 9:10 == 48	1/14/22 13:05 == 34.2
1/14/22 1:25 == 47.5	1/14/22 5:20 == 34.2	1/14/22 9:15 == 47.9	1/14/22 13:10 == 36
1/14/22 1:30 == 47.8	1/14/22 5:25 == 36.4	1/14/22 9:20 == 48.1	1/14/22 13:15 == 43.8
1/14/22 1:35 == 48.1	1/14/22 5:30 == 44.7	1/14/22 9:25 == 47.9	1/14/22 13:20 == 47.9
1/14/22 1:40 == 48	1/14/22 5:35 == 47.8	1/14/22 9:30 == 47.9	1/14/22 13:25 == 48.1
1/14/22 1:45 == 47.9	1/14/22 5:40 == 47.1	1/14/22 9:35 == 47.9	1/14/22 13:30 == 48
1/14/22 1:50 == 48	1/14/22 5:45 == 47.9	1/14/22 9:40 == 43.2	1/14/22 13:35 == 48
1/14/22 1:55 == 48	1/14/22 5:50 == 48	1/14/22 9:45 == 36.8	1/14/22 13:40 == 47.7
1/14/22 2:00 == 48	1/14/22 5:55 == 47.5	1/14/22 9:50 == 34.3	1/14/22 13:45 == 48
1/14/22 2:05 == 48	1/14/22 6:00 == 47.9	1/14/22 9:55 == 34.2	1/14/22 13:50 == 48
1/14/22 2:10 == 48.1	1/14/22 6:05 == 47.8	1/14/22 10:00 == 34.2	1/14/22 13:55 == 48.1
1/14/22 2:15 == 48.1	1/14/22 6:10 == 47.3	1/14/22 10:05 == 34.2	1/14/22 14:00 == 47.9
1/14/22 2:20 == 48	1/14/22 6:15 == 47.9	1/14/22 10:10 == 34.1	1/14/22 14:05 == 48
1/14/22 2:25 == 43.6	1/14/22 6:20 == 48.1	1/14/22 10:15 == 34.1	1/14/22 14:10 == 47.1
1/14/22 2:30 == 35.9	1/14/22 6:25 == 47.9	1/14/22 10:20 == 34.3	1/14/22 14:15 == 47.7
1/14/22 2:35 == 34	1/14/22 6:30 == 47.8	1/14/22 10:25 == 36.8	1/14/22 14:20 == 47.5
1/14/22 2:40 == 34.1	1/14/22 6:35 == 47.9	1/14/22 10:30 == 43.4	1/14/22 14:25 == 47.7
1/14/22 2:45 == 34	1/14/22 6:40 == 47.9	1/14/22 10:35 == 47.2	1/14/22 14:30 == 47.6
1/14/22 2:50 == 34.1	1/14/22 6:45 == 48	1/14/22 10:40 == 47.5	1/14/22 14:35 == 47.7
1/14/22 2:55 == 36.1	1/14/22 6:50 == 48	1/14/22 10:45 == 47.9	1/14/22 14:40 == 48
1/14/22 3:00 == 44.9	1/14/22 6:55 == 47.8	1/14/22 10:50 == 47.9	1/14/22 14:45 == 48.1
1/14/22 3:05 == 47.9	1/14/22 7:00 == 47.9	1/14/22 10:55 == 47.6	1/14/22 14:50 == 48.1
1/14/22 3:10 == 48.1	1/14/22 7:05 == 48.1	1/14/22 11:00 == 48	1/14/22 14:55 == 48.1
1/14/22 3:15 == 47.9	1/14/22 7:10 == 47.9	1/14/22 11:05 == 48.2	1/14/22 15:00 == 48
1/14/22 3:20 == 48	1/14/22 7:15 == 47.8	1/14/22 11:10 == 48	1/14/22 15:05 == 47.9
1/14/22 3:25 == 47.9	1/14/22 7:20 == 48	1/14/22 11:15 == 47.9	1/14/22 15:10 == 47.7
1/14/22 3:30 == 48	1/14/22 7:25 == 48.1	1/14/22 11:20 == 48	1/14/22 15:15 == 47.9
1/14/22 3:35 == 48	1/14/22 7:30 == 48.1	1/14/22 11:25 == 48	1/14/22 15:20 == 48.1
1/14/22 3:40 == 47.9	1/14/22 7:35 == 48	1/14/22 11:30 == 48.1	1/14/22 15:25 == 44.9
1/14/22 3:45 == 47.9	1/14/22 7:40 == 47.9	1/14/22 11:35 == 48	1/14/22 15:30 == 37.4
1/14/22 3:50 == 47.9	1/14/22 7:45 == 48.1	1/14/22 11:40 == 47.9	1/14/22 15:35 == 34.2
1/14/22 3:55 == 48.1	1/14/22 7:50 == 48	1/14/22 11:45 == 48	1/14/22 15:40 == 34
1/14/22 4:00 == 48	1/14/22 7:55 == 45	1/14/22 11:50 == 47.9	1/14/22 15:45 == 34.2
1/14/22 4:05 == 47.9	1/14/22 8:00 == 35.5	1/14/22 11:55 == 48	1/14/22 15:50 == 34.1
1/14/22 4:10 == 48	1/14/22 8:05 == 34.1	1/14/22 12:00 == 48	1/14/22 15:55 == 35.4
1/14/22 4:15 == 47.9	1/14/22 8:10 == 34.1	1/14/22 12:05 == 48	1/14/22 16:00 == 43.9
1/14/22 4:20 == 47.9	1/14/22 8:15 == 34.2	1/14/22 12:10 == 48	1/14/22 16:05 == 48.1
1/14/22 4:25 == 47.9	1/14/22 8:20 == 34.2	1/14/22 12:15 == 47.9	1/14/22 16:10 == 48
1/14/22 4:30 == 48	1/14/22 8:25 == 34.5	1/14/22 12:20 == 48	1/14/22 16:15 == 48.1
1/14/22 4:35 == 48.1	1/14/22 8:30 == 44.2	1/14/22 12:25 == 48	1/14/22 16:20 == 47.9
1/14/22 4:40 == 48	1/14/22 8:35 == 47.8	1/14/22 12:30 == 47.9	1/14/22 16:25 == 48
1/14/22 4:45 == 47.9	1/14/22 8:40 == 48	1/14/22 12:35 == 48	1/14/22 16:30 == 48.1
1/14/22 4:50 == 48	1/14/22 8:45 == 48	1/14/22 12:40 == 44.2	1/14/22 16:35 == 47.9
1/14/22 4:55 == 43.5	1/14/22 8:50 == 47.9	1/14/22 12:45 == 37	1/14/22 16:40 == 46.5
1/14/22 5:00 == 36	1/14/22 8:55 == 46.9	1/14/22 12:50 == 34.2	1/14/22 16:45 == 47.6
1/14/22 5:05 == 34.1	1/14/22 9:00 == 47.6	1/14/22 12:55 == 34.2	1/14/22 16:50 == 48

### Pumpback Station Discharge (0364)

1/14/22 16:55 == 47.5	1/14/22 20:50 == 34.2	1/15/22 0:45 == 47.6	1/15/22 4:40 == 35.3
1/14/22 17:00 == 47.8	1/14/22 20:55 == 35.6	1/15/22 0:50 == 48.1	1/15/22 4:45 == 41.9
1/14/22 17:05 == 48.2	1/14/22 21:00 == 42.7	1/15/22 0:55 == 47.6	1/15/22 4:50 == 47.8
1/14/22 17:10 == 47.5	1/14/22 21:05 == 47.6	1/15/22 1:00 == 47.8	1/15/22 4:55 == 47.5
1/14/22 17:15 == 47.7	1/14/22 21:10 == 48	1/15/22 1:05 == 47.8	1/15/22 5:00 == 48
1/14/22 17:20 == 48	1/14/22 21:15 == 48	1/15/22 1:10 == 47.5	1/15/22 5:05 == 48
1/14/22 17:25 == 47.7	1/14/22 21:20 == 48	1/15/22 1:15 == 47.7	1/15/22 5:10 == 47.9
1/14/22 17:30 == 47.7	1/14/22 21:25 == 47.3	1/15/22 1:20 == 47.7	1/15/22 5:15 == 48
1/14/22 17:35 == 48	1/14/22 21:30 == 48	1/15/22 1:25 == 44.6	1/15/22 5:20 == 48
1/14/22 17:40 == 44.3	1/14/22 21:35 == 48	1/15/22 1:30 == 38.3	1/15/22 5:25 == 47.4
1/14/22 17:45 == 37.6	1/14/22 21:40 == 47.9	1/15/22 1:35 == 34.3	1/15/22 5:30 == 47.9
1/14/22 17:50 == 34.2	1/14/22 21:45 == 47.8	1/15/22 1:40 == 34.3	1/15/22 5:35 == 48
1/14/22 17:55 == 34.1	1/14/22 21:50 == 48	1/15/22 1:45 == 34.2	1/15/22 5:40 == 47.6
1/14/22 18:00 == 34.1	1/14/22 21:55 == 48.1	1/15/22 1:50 == 34.2	1/15/22 5:45 == 47.9
1/14/22 18:05 == 34.1	1/14/22 22:00 == 47.9	1/15/22 1:55 == 35.8	1/15/22 5:50 == 48.2
1/14/22 18:10 == 36.2	1/14/22 22:05 == 48	1/15/22 2:00 == 41.9	1/15/22 5:55 == 47.5
1/14/22 18:15 == 43.1	1/14/22 22:10 == 47.7	1/15/22 2:05 == 47.3	1/15/22 6:00 == 47.3
1/14/22 18:20 == 47.5	1/14/22 22:15 == 47.9	1/15/22 2:10 == 48	1/15/22 6:05 == 47.6
1/14/22 18:25 == 48	1/14/22 22:20 == 48	1/15/22 2:15 == 47.9	1/15/22 6:10 == 47.2
1/14/22 18:30 == 48	1/14/22 22:25 == 47.9	1/15/22 2:20 == 48	1/15/22 6:15 == 47.5
1/14/22 18:35 == 48	1/14/22 22:30 == 48	1/15/22 2:25 == 48	1/15/22 6:20 == 47.8
1/14/22 18:40 == 48.1	1/14/22 22:35 == 47.9	1/15/22 2:30 == 48.1	1/15/22 6:25 == 48
1/14/22 18:45 == 48.2	1/14/22 22:40 == 47.9	1/15/22 2:35 == 48.1	1/15/22 6:30 == 48
1/14/22 18:50 == 47.9	1/14/22 22:45 == 48	1/15/22 2:40 == 48	1/15/22 6:35 == 48
1/14/22 18:55 == 48.1	1/14/22 22:50 == 48	1/15/22 2:45 == 47.8	1/15/22 6:40 == 48
1/14/22 19:00 == 48	1/14/22 22:55 == 45	1/15/22 2:50 == 47.8	1/15/22 6:45 == 47.9
1/14/22 19:05 == 48	1/14/22 23:00 == 38.5	1/15/22 2:55 == 48	1/15/22 6:50 == 47.9
1/14/22 19:10 == 48.1	1/14/22 23:05 == 34.3	1/15/22 3:00 == 47.9	1/15/22 6:55 == 47.8
1/14/22 19:15 == 48	1/14/22 23:10 == 34.2	1/15/22 3:05 == 47.9	1/15/22 7:00 == 47.8
1/14/22 19:20 == 48.1	1/14/22 23:15 == 34.2	1/15/22 3:10 == 48	1/15/22 7:05 == 47.9
1/14/22 19:25 == 47.5	1/14/22 23:20 == 34.2	1/15/22 3:15 == 48.1	1/15/22 7:10 == 48
1/14/22 19:30 == 47.9	1/14/22 23:25 == 35.6	1/15/22 3:20 == 48.1	1/15/22 7:15 == 48
1/14/22 19:35 == 47.9	1/14/22 23:30 == 41.9	1/15/22 3:25 == 48	1/15/22 7:20 == 48
1/14/22 19:40 == 47.8	1/14/22 23:35 == 47.4	1/15/22 3:30 == 48	1/15/22 7:25 == 47
1/14/22 19:45 == 47.8	1/14/22 23:40 == 47.9	1/15/22 3:35 == 48.1	1/15/22 7:30 == 38.1
1/14/22 19:50 == 48	1/14/22 23:45 == 48	1/15/22 3:40 == 47.7	1/15/22 7:35 == 34.3
1/14/22 19:55 == 48	1/14/22 23:50 == 47.9	1/15/22 3:45 == 47.7	1/15/22 7:40 == 34.2
1/14/22 20:00 == 47.9	1/14/22 23:55 == 48	1/15/22 3:50 == 47.9	1/15/22 7:45 == 34.1
1/14/22 20:05 == 48	1/15/22 0:00 == 48	1/15/22 3:55 == 45.3	1/15/22 7:50 == 34.2
1/14/22 20:10 == 48.1	1/15/22 0:05 == 48	1/15/22 4:00 == 38.7	1/15/22 7:55 == 34.3
1/14/22 20:15 == 48	1/15/22 0:10 == 48.1	1/15/22 4:05 == 34	1/15/22 8:00 == 42.4
1/14/22 20:20 == 48.1	1/15/22 0:15 == 48	1/15/22 4:10 == 34.2	1/15/22 8:05 == 47.3
1/14/22 20:25 == 44.8	1/15/22 0:20 == 48	1/15/22 4:15 == 34.2	1/15/22 8:10 == 48
1/14/22 20:30 == 37.8	1/15/22 0:25 == 48	1/15/22 4:20 == 34.2	1/15/22 8:15 == 47.9
1/14/22 20:35 == 34.2	1/15/22 0:30 == 47.9	1/15/22 4:25 == 34.2	1/15/22 8:20 == 48.1
1/14/22 20:40 == 34.1	1/15/22 0:35 == 48.1	1/15/22 4:30 == 34.1	1/15/22 8:25 == 48.1
1/14/22 20:45 == 34.1	1/15/22 0:40 == 46.9	1/15/22 4:35 == 34.1	1/15/22 8:30 == 48

Pumpback Station Discharge (0364)

1/15/22 8:35 == 48.1	1/15/22 12:30 == 39.1	1/15/22 16:25 == 48	1/15/22 20:20 == 48.1
1/15/22 8:40 == 47.9	1/15/22 12:35 == 34.2	1/15/22 16:30 == 47.9	1/15/22 20:25 == 47.5
1/15/22 8:45 == 47.8	1/15/22 12:40 == 34.1	1/15/22 16:35 == 47.8	1/15/22 20:30 == 39.8
1/15/22 8:50 == 47.7	1/15/22 12:45 == 34.2	1/15/22 16:40 == 47.1	1/15/22 20:35 == 34.2
1/15/22 8:55 == 47.3	1/15/22 12:50 == 34.1	1/15/22 16:45 == 47.3	1/15/22 20:40 == 34.1
1/15/22 9:00 == 47.5	1/15/22 12:55 == 34.2	1/15/22 16:50 == 47.7	1/15/22 20:45 == 34.1
1/15/22 9:05 == 48	1/15/22 13:00 == 41.9	1/15/22 16:55 == 47.6	1/15/22 20:50 == 34.1
1/15/22 9:10 == 48	1/15/22 13:05 == 47.5	1/15/22 17:00 == 47.9	1/15/22 20:55 == 34.2
1/15/22 9:15 == 48	1/15/22 13:10 == 48.1	1/15/22 17:05 == 47.9	1/15/22 21:00 == 40.5
1/15/22 9:20 == 47.9	1/15/22 13:15 == 48	1/15/22 17:10 == 46.1	1/15/22 21:05 == 46.5
1/15/22 9:25 == 47.9	1/15/22 13:20 == 48	1/15/22 17:15 == 40.2	1/15/22 21:10 == 47.8
1/15/22 9:30 == 48.1	1/15/22 13:25 == 48	1/15/22 17:20 == 34.1	1/15/22 21:15 == 48
1/15/22 9:35 == 47.7	1/15/22 13:30 == 48	1/15/22 17:25 == 34.2	1/15/22 21:20 == 48
1/15/22 9:40 == 45.1	1/15/22 13:35 == 48	1/15/22 17:30 == 34.2	1/15/22 21:25 == 47.6
1/15/22 9:45 == 38.8	1/15/22 13:40 == 48.1	1/15/22 17:35 == 34.2	1/15/22 21:30 == 47.4
1/15/22 9:50 == 34.2	1/15/22 13:45 == 48	1/15/22 17:40 == 34.8	1/15/22 21:35 == 47.8
1/15/22 9:55 == 34.1	1/15/22 13:50 == 48	1/15/22 17:45 == 40	1/15/22 21:40 == 48
1/15/22 10:00 == 34.3	1/15/22 13:55 == 47.2	1/15/22 17:50 == 47.5	1/15/22 21:45 == 48
1/15/22 10:05 == 34.1	1/15/22 14:00 == 47.4	1/15/22 17:55 == 48	1/15/22 21:50 == 48
1/15/22 10:10 == 34.5	1/15/22 14:05 == 47.8	1/15/22 18:00 == 47.3	1/15/22 21:55 == 47.9
1/15/22 10:15 == 41.9	1/15/22 14:10 == 47.2	1/15/22 18:05 == 47.9	1/15/22 22:00 == 48
1/15/22 10:20 == 47.4	1/15/22 14:15 == 47.1	1/15/22 18:10 == 48	1/15/22 22:05 == 47.8
1/15/22 10:25 == 47.1	1/15/22 14:20 == 47.7	1/15/22 18:15 == 48	1/15/22 22:10 == 47.6
1/15/22 10:30 == 47	1/15/22 14:25 == 47.7	1/15/22 18:20 == 48	1/15/22 22:15 == 48
1/15/22 10:35 == 47.8	1/15/22 14:30 == 47.9	1/15/22 18:25 == 48	1/15/22 22:20 == 48
1/15/22 10:40 == 47.7	1/15/22 14:35 == 47.8	1/15/22 18:30 == 48.1	1/15/22 22:25 == 47.9
1/15/22 10:45 == 47.9	1/15/22 14:40 == 46.2	1/15/22 18:35 == 48	1/15/22 22:30 == 47.9
1/15/22 10:50 == 48	1/15/22 14:45 == 40	1/15/22 18:40 == 48	1/15/22 22:35 == 48
1/15/22 10:55 == 47.4	1/15/22 14:50 == 34.1	1/15/22 18:45 == 48	1/15/22 22:40 == 48
1/15/22 11:00 == 47.6	1/15/22 14:55 == 34.1	1/15/22 18:50 == 48	1/15/22 22:45 == 47.9
1/15/22 11:05 == 47.9	1/15/22 15:00 == 34.1	1/15/22 18:55 == 48	1/15/22 22:50 == 48
1/15/22 11:10 == 48	1/15/22 15:05 == 34.1	1/15/22 19:00 == 48	1/15/22 22:55 == 47.3
1/15/22 11:15 == 48	1/15/22 15:10 == 34.7	1/15/22 19:05 == 48.1	1/15/22 23:00 == 40.2
1/15/22 11:20 == 48	1/15/22 15:15 == 40.5	1/15/22 19:10 == 47.7	1/15/22 23:05 == 34.3
1/15/22 11:25 == 48	1/15/22 15:20 == 47.3	1/15/22 19:15 == 47.7	1/15/22 23:10 == 34.1
1/15/22 11:30 == 48	1/15/22 15:25 == 48	1/15/22 19:20 == 48	1/15/22 23:15 == 34.1
1/15/22 11:35 == 48	1/15/22 15:30 == 47	1/15/22 19:25 == 47.6	1/15/22 23:20 == 34.2
1/15/22 11:40 == 47.9	1/15/22 15:35 == 47.9	1/15/22 19:30 == 47.4	1/15/22 23:25 == 34.1
1/15/22 11:45 == 47.9	1/15/22 15:40 == 47.8	1/15/22 19:35 == 47.9	1/15/22 23:30 == 40.4
1/15/22 11:50 == 47.9	1/15/22 15:45 == 47.9	1/15/22 19:40 == 47.9	1/15/22 23:35 == 46.6
1/15/22 11:55 == 47.9	1/15/22 15:50 == 47.9	1/15/22 19:45 == 48.1	1/15/22 23:40 == 47.2
1/15/22 12:00 == 48	1/15/22 15:55 == 47.4	1/15/22 19:50 == 48.1	1/15/22 23:45 == 47.8
1/15/22 12:05 == 48	1/15/22 16:00 == 47.7	1/15/22 19:55 == 48	1/15/22 23:50 == 48
1/15/22 12:10 == 48	1/15/22 16:05 == 47.9	1/15/22 20:00 == 48.1	1/15/22 23:55 == 48.1
1/15/22 12:15 == 47.9	1/15/22 16:10 == 48	1/15/22 20:05 == 48	1/16/22 0:00 == 48
1/15/22 12:20 == 47.9	1/15/22 16:15 == 48	1/15/22 20:10 == 47.9	1/16/22 0:05 == 48
1/15/22 12:25 == 46.5	1/15/22 16:20 == 48.1	1/15/22 20:15 == 48	1/16/22 0:10 == 48

### Pumpback Station Discharge (0364)

1/16/22 0:15 == 48	1/16/22 4:10 == 48.1	1/16/22 8:05 == 34.2	1/16/22 12:00 == 48
1/16/22 0:20 == 48	1/16/22 4:15 == 47.4	1/16/22 8:10 == 34.2	1/16/22 12:05 == 48
1/16/22 0:25 == 47.9	1/16/22 4:20 == 48	1/16/22 8:15 == 39	1/16/22 12:10 == 47.9
1/16/22 0:30 == 47.9	1/16/22 4:25 == 48.1	1/16/22 8:20 == 46.1	1/16/22 12:15 == 48.1
1/16/22 0:35 == 47.6	1/16/22 4:30 == 48	1/16/22 8:25 == 47.9	1/16/22 12:20 == 48.1
1/16/22 0:40 == 47.5	1/16/22 4:35 == 48	1/16/22 8:30 == 48	1/16/22 12:25 == 47.9
1/16/22 0:45 == 47.8	1/16/22 4:40 == 47.9	1/16/22 8:35 == 47.7	1/16/22 12:30 == 48
1/16/22 0:50 == 47.9	1/16/22 4:45 == 39.9	1/16/22 8:40 == 47.6	1/16/22 12:35 == 48.1
1/16/22 0:55 == 47.7	1/16/22 4:50 == 34.9	1/16/22 8:45 == 48	1/16/22 12:40 == 48.2
1/16/22 1:00 == 48.1	1/16/22 4:55 == 34.2	1/16/22 8:50 == 47.8	1/16/22 12:45 == 48.1
1/16/22 1:05 == 47.8	1/16/22 5:00 == 34.2	1/16/22 8:55 == 47.3	1/16/22 12:50 == 48.1
1/16/22 1:10 == 47.4	1/16/22 5:05 == 34.3	1/16/22 9:00 == 47.7	1/16/22 12:55 == 48
1/16/22 1:15 == 47.9	1/16/22 5:10 == 34.2	1/16/22 9:05 == 47.9	1/16/22 13:00 == 48
1/16/22 1:20 == 47.8	1/16/22 5:15 == 39.7	1/16/22 9:10 == 47.9	1/16/22 13:05 == 48.1
1/16/22 1:25 == 47.4	1/16/22 5:20 == 45.6	1/16/22 9:15 == 48	1/16/22 13:10 == 48
1/16/22 1:30 == 48	1/16/22 5:25 == 47.4	1/16/22 9:20 == 47.8	1/16/22 13:15 == 48
1/16/22 1:35 == 47.9	1/16/22 5:30 == 47.8	1/16/22 9:25 == 47.8	1/16/22 13:20 == 48.1
1/16/22 1:40 == 47.4	1/16/22 5:35 == 47.8	1/16/22 9:30 == 47.3	1/16/22 13:25 == 48
1/16/22 1:45 == 47.9	1/16/22 5:40 == 47.6	1/16/22 9:35 == 48.1	1/16/22 13:30 == 48
1/16/22 1:50 == 47.8	1/16/22 5:45 == 47.8	1/16/22 9:40 == 47.3	1/16/22 13:35 == 48
1/16/22 1:55 == 48	1/16/22 5:50 == 47.7	1/16/22 9:45 == 47.4	1/16/22 13:40 == 48
1/16/22 2:00 == 47.9	1/16/22 5:55 == 47.4	1/16/22 9:50 == 47.2	1/16/22 13:45 == 48
1/16/22 2:05 == 47.8	1/16/22 6:00 == 47.9	1/16/22 9:55 == 48	1/16/22 13:50 == 47.9
1/16/22 2:10 == 47.9	1/16/22 6:05 == 47.7	1/16/22 10:00 == 47.7	1/16/22 13:55 == 47.7
1/16/22 2:15 == 39.3	1/16/22 6:10 == 47.5	1/16/22 10:05 == 48	1/16/22 14:00 == 48
1/16/22 2:20 == 34.8	1/16/22 6:15 == 48.1	1/16/22 10:10 == 47.2	1/16/22 14:05 == 47.7
1/16/22 2:25 == 34.2	1/16/22 6:20 == 48.1	1/16/22 10:15 == 47.3	1/16/22 14:10 == 47
1/16/22 2:30 == 34.1	1/16/22 6:25 == 48	1/16/22 10:20 == 48.1	1/16/22 14:15 == 47.3
1/16/22 2:35 == 34.2	1/16/22 6:30 == 47.9	1/16/22 10:25 == 46.8	1/16/22 14:20 == 47.9
1/16/22 2:40 == 34.1	1/16/22 6:35 == 47.9	1/16/22 10:30 == 47.2	1/16/22 14:25 == 47.9
1/16/22 2:45 == 40.3	1/16/22 6:40 == 47.9	1/16/22 10:35 == 48	1/16/22 14:30 == 48
1/16/22 2:50 == 46.4	1/16/22 6:45 == 48.1	1/16/22 10:40 == 47.9	1/16/22 14:35 == 48.1
1/16/22 2:55 == 48	1/16/22 6:50 == 48	1/16/22 10:45 == 41.3	1/16/22 14:40 == 48
1/16/22 3:00 == 48.1	1/16/22 6:55 == 47.2	1/16/22 10:50 == 34.6	1/16/22 14:45 == 41.7
1/16/22 3:05 == 48	1/16/22 7:00 == 47.9	1/16/22 10:55 == 34.2	1/16/22 14:50 == 34.6
1/16/22 3:10 == 47.7	1/16/22 7:05 == 48	1/16/22 11:00 == 33.9	1/16/22 14:55 == 34.1
1/16/22 3:15 == 47.8	1/16/22 7:10 == 47.4	1/16/22 11:05 == 34.2	1/16/22 15:00 == 34.1
1/16/22 3:20 == 48	1/16/22 7:15 == 47.8	1/16/22 11:10 == 34.2	1/16/22 15:05 == 34.1
1/16/22 3:25 == 48.1	1/16/22 7:20 == 48	1/16/22 11:15 == 34.1	1/16/22 15:10 == 34.1
1/16/22 3:30 == 48	1/16/22 7:25 == 48	1/16/22 11:20 == 34.2	1/16/22 15:15 == 39
1/16/22 3:35 == 47.9	1/16/22 7:30 == 47.9	1/16/22 11:25 == 34.4	1/16/22 15:20 == 45.3
1/16/22 3:40 == 47.6	1/16/22 7:35 == 48	1/16/22 11:30 == 37.7	1/16/22 15:25 == 47.4
1/16/22 3:45 == 47.3	1/16/22 7:40 == 48.1	1/16/22 11:35 == 47.5	1/16/22 15:30 == 47.8
1/16/22 3:50 == 47.9	1/16/22 7:45 == 40.5	1/16/22 11:40 == 47.5	1/16/22 15:35 == 48
1/16/22 3:55 == 48	1/16/22 7:50 == 35.1	1/16/22 11:45 == 48	1/16/22 15:40 == 47.8
1/16/22 4:00 == 48	1/16/22 7:55 == 34.2	1/16/22 11:50 == 48	1/16/22 15:45 == 47.9
1/16/22 4:05 == 48.1	1/16/22 8:00 == 34.2	1/16/22 11:55 == 48	1/16/22 15:50 == 48.1

Pumpback Station Discharge (0364)

1/16/22 15:55 == 48	1/16/22 19:50 == 48	1/16/22 23:45 == 47.9	1/17/22 3:40 == 47.9
1/16/22 16:00 == 47.9	1/16/22 19:55 == 47.9	1/16/22 23:50 == 48	1/17/22 3:45 == 47.9
1/16/22 16:05 == 47.6	1/16/22 20:00 == 48.1	1/16/22 23:55 == 48	1/17/22 3:50 == 47.8
1/16/22 16:10 == 47.2	1/16/22 20:05 == 47.4	1/17/22 0:00 == 48.1	1/17/22 3:55 == 47.9
1/16/22 16:15 == 47.4	1/16/22 20:10 == 47.4	1/17/22 0:05 == 47.9	1/17/22 4:00 == 47.9
1/16/22 16:20 == 47.7	1/16/22 20:15 == 47.8	1/17/22 0:10 == 47.9	1/17/22 4:05 == 48
1/16/22 16:25 == 47.4	1/16/22 20:20 == 48	1/17/22 0:15 == 47.9	1/17/22 4:10 == 48
1/16/22 16:30 == 48	1/16/22 20:25 == 48	1/17/22 0:20 == 47.9	1/17/22 4:15 == 47.5
1/16/22 16:35 == 47.8	1/16/22 20:30 == 47.9	1/17/22 0:25 == 47.9	1/17/22 4:20 == 47.8
1/16/22 16:40 == 47	1/16/22 20:35 == 48	1/17/22 0:30 == 47.9	1/17/22 4:25 == 47.9
1/16/22 16:45 == 47.2	1/16/22 20:40 == 48	1/17/22 0:35 == 48	1/17/22 4:30 == 48
1/16/22 16:50 == 47.9	1/16/22 20:45 == 48.1	1/17/22 0:40 == 47.3	1/17/22 4:35 == 48
1/16/22 16:55 == 47.6	1/16/22 20:50 == 48.1	1/17/22 0:45 == 47.9	1/17/22 4:40 == 47.7
1/16/22 17:00 == 43.7	1/16/22 20:55 == 48	1/17/22 0:50 == 47.9	1/17/22 4:45 == 47.8
1/16/22 17:05 == 34.1	1/16/22 21:00 == 48	1/17/22 0:55 == 47.4	1/17/22 4:50 == 48
1/16/22 17:10 == 34.1	1/16/22 21:05 == 48	1/17/22 1:00 == 47.3	1/17/22 4:55 == 48
1/16/22 17:15 == 33.9	1/16/22 21:10 == 48	1/17/22 1:05 == 47.9	1/17/22 5:00 == 48
1/16/22 17:20 == 34.2	1/16/22 21:15 == 48	1/17/22 1:10 == 47.5	1/17/22 5:05 == 47.8
1/16/22 17:25 == 34	1/16/22 21:20 == 47.9	1/17/22 1:15 == 47.8	1/17/22 5:10 == 47.6
1/16/22 17:30 == 34.1	1/16/22 21:25 == 47.6	1/17/22 1:20 == 48.1	1/17/22 5:15 == 47.9
1/16/22 17:35 == 34.3	1/16/22 21:30 == 47.9	1/17/22 1:25 == 47.3	1/17/22 5:20 == 47.8
1/16/22 17:40 == 34.2	1/16/22 21:35 == 48.1	1/17/22 1:30 == 47.8	1/17/22 5:25 == 47.3
1/16/22 17:45 == 38.3	1/16/22 21:40 == 48.1	1/17/22 1:35 == 48	1/17/22 5:30 == 47.7
1/16/22 17:50 == 45	1/16/22 21:45 == 48	1/17/22 1:40 == 47.5	1/17/22 5:35 == 47.7
1/16/22 17:55 == 47.6	1/16/22 21:50 == 47.8	1/17/22 1:45 == 47.8	1/17/22 5:40 == 47.3
1/16/22 18:00 == 47.9	1/16/22 21:55 == 47.9	1/17/22 1:50 == 48	1/17/22 5:45 == 47.9
1/16/22 18:05 == 47.8	1/16/22 22:00 == 47.7	1/17/22 1:55 == 47.9	1/17/22 5:50 == 47.9
1/16/22 18:10 == 47.7	1/16/22 22:05 == 47.5	1/17/22 2:00 == 48	1/17/22 5:55 == 47.3
1/16/22 18:15 == 47.8	1/16/22 22:10 == 47.3	1/17/22 2:05 == 48	1/17/22 6:00 == 47.6
1/16/22 18:20 == 47.9	1/16/22 22:15 == 47.8	1/17/22 2:10 == 48.1	1/17/22 6:05 == 47.5
1/16/22 18:25 == 48	1/16/22 22:20 == 47.9	1/17/22 2:15 == 48	1/17/22 6:10 == 47.2
1/16/22 18:30 == 48.1	1/16/22 22:25 == 48	1/17/22 2:20 == 47.7	1/17/22 6:15 == 47.4
1/16/22 18:35 == 48.1	1/16/22 22:30 == 48	1/17/22 2:25 == 47.7	1/17/22 6:20 == 47.9
1/16/22 18:40 == 48.1	1/16/22 22:35 == 47.9	1/17/22 2:30 == 43.5	1/17/22 6:25 == 47.9
1/16/22 18:45 == 48.1	1/16/22 22:40 == 48	1/17/22 2:35 == 35.3	1/17/22 6:30 == 43.7
1/16/22 18:50 == 48	1/16/22 22:45 == 47.9	1/17/22 2:40 == 34.1	1/17/22 6:35 == 35.7
1/16/22 18:55 == 47.9	1/16/22 22:50 == 47.9	1/17/22 2:45 == 34.1	1/17/22 6:40 == 34.1
1/16/22 19:00 == 48	1/16/22 22:55 == 47.9	1/17/22 2:50 == 34.1	1/17/22 6:45 == 34.2
1/16/22 19:05 == 48	1/16/22 23:00 == 42.1	1/17/22 2:55 == 34.1	1/17/22 6:50 == 34.2
1/16/22 19:10 == 47.5	1/16/22 23:05 == 35.9	1/17/22 3:00 == 36.1	1/17/22 6:55 == 34.2
1/16/22 19:15 == 47.7	1/16/22 23:10 == 34	1/17/22 3:05 == 45.8	1/17/22 7:00 == 37.4
1/16/22 19:20 == 47.9	1/16/22 23:15 == 34.1	1/17/22 3:10 == 47.8	1/17/22 7:05 == 44
1/16/22 19:25 == 47.2	1/16/22 23:20 == 34.1	1/17/22 3:15 == 46.6	1/17/22 7:10 == 47.3
1/16/22 19:30 == 46.8	1/16/22 23:25 == 34	1/17/22 3:20 == 47.4	1/17/22 7:15 == 47.8
1/16/22 19:35 == 47.8	1/16/22 23:30 == 38.3	1/17/22 3:25 == 47.3	1/17/22 7:20 == 48
1/16/22 19:40 == 47.8	1/16/22 23:35 == 45.1	1/17/22 3:30 == 47.9	1/17/22 7:25 == 47.9
1/16/22 19:45 == 48	1/16/22 23:40 == 48	1/17/22 3:35 == 48	1/17/22 7:30 == 47.9

### Pumpback Station Discharge (0364)

1/17/22 7:35 == 47.9	1/17/22 11:30 == 35.4	1/17/22 15:25 == 47.8	1/17/22 19:20 == 48
1/17/22 7:40 == 47.5	1/17/22 11:35 == 45.5	1/17/22 15:30 == 47.4	1/17/22 19:25 == 46.7
1/17/22 7:45 == 47.3	1/17/22 11:40 == 47.5	1/17/22 15:35 == 47.5	1/17/22 19:30 == 46.8
1/17/22 7:50 == 47.9	1/17/22 11:45 == 47.9	1/17/22 15:40 == 47.9	1/17/22 19:35 == 47.8
1/17/22 7:55 == 48	1/17/22 11:50 == 47.9	1/17/22 15:45 == 48	1/17/22 19:40 == 47.9
1/17/22 8:00 == 48.2	1/17/22 11:55 == 48	1/17/22 15:50 == 48.1	1/17/22 19:45 == 47.9
1/17/22 8:05 == 48.2	1/17/22 12:00 == 47.9	1/17/22 15:55 == 47.9	1/17/22 19:50 == 48
1/17/22 8:10 == 47.9	1/17/22 12:05 == 47.9	1/17/22 16:00 == 47.4	1/17/22 19:55 == 47.9
1/17/22 8:15 == 47.6	1/17/22 12:10 == 47.9	1/17/22 16:05 == 48	1/17/22 20:00 == 47.9
1/17/22 8:20 == 47.9	1/17/22 12:15 == 47.9	1/17/22 16:10 == 47	1/17/22 20:05 == 48
1/17/22 8:25 == 47.9	1/17/22 12:20 == 48.1	1/17/22 16:15 == 46.6	1/17/22 20:10 == 48
1/17/22 8:30 == 48.1	1/17/22 12:25 == 48	1/17/22 16:20 == 34.5	1/17/22 20:15 == 48
1/17/22 8:35 == 48	1/17/22 12:30 == 47.9	1/17/22 16:25 == 34.3	1/17/22 20:20 == 48
1/17/22 8:40 == 47.3	1/17/22 12:35 == 48	1/17/22 16:30 == 34.2	1/17/22 20:25 == 47.9
1/17/22 8:45 == 47.5	1/17/22 12:40 == 47.9	1/17/22 16:35 == 34.3	1/17/22 20:30 == 48
1/17/22 8:50 == 48	1/17/22 12:45 == 47.9	1/17/22 16:40 == 34.5	1/17/22 20:35 == 48
1/17/22 8:55 == 47.3	1/17/22 12:50 == 47.9	1/17/22 16:45 == 34.1	1/17/22 20:40 == 48
1/17/22 9:00 == 47.8	1/17/22 12:55 == 48	1/17/22 16:50 == 34.2	1/17/22 20:45 == 48.1
1/17/22 9:05 == 47.8	1/17/22 13:00 == 47.9	1/17/22 16:55 == 34.3	1/17/22 20:50 == 48
1/17/22 9:10 == 47.4	1/17/22 13:05 == 48	1/17/22 17:00 == 35.4	1/17/22 20:55 == 47.9
1/17/22 9:15 == 47.8	1/17/22 13:10 == 48	1/17/22 17:05 == 44	1/17/22 21:00 == 48
1/17/22 9:20 == 48	1/17/22 13:15 == 48	1/17/22 17:10 == 46.9	1/17/22 21:05 == 48
1/17/22 9:25 == 47.5	1/17/22 13:20 == 48	1/17/22 17:15 == 47.3	1/17/22 21:10 == 48
1/17/22 9:30 == 47.7	1/17/22 13:25 == 47.9	1/17/22 17:20 == 47.8	1/17/22 21:15 == 47.9
1/17/22 9:35 == 47.5	1/17/22 13:30 == 48.1	1/17/22 17:25 == 47.3	1/17/22 21:20 == 48
1/17/22 9:40 == 46.9	1/17/22 13:35 == 48	1/17/22 17:30 == 47.3	1/17/22 21:25 == 48.1
1/17/22 9:45 == 47	1/17/22 13:40 == 48	1/17/22 17:35 == 47.9	1/17/22 21:30 == 48
1/17/22 9:50 == 47.4	1/17/22 13:45 == 48	1/17/22 17:40 == 48	1/17/22 21:35 == 48.1
1/17/22 9:55 == 47.3	1/17/22 13:50 == 47.9	1/17/22 17:45 == 48	1/17/22 21:40 == 48
1/17/22 10:00 == 47.4	1/17/22 13:55 == 47.2	1/17/22 17:50 == 47.9	1/17/22 21:45 == 48
1/17/22 10:05 == 47.7	1/17/22 14:00 == 47.4	1/17/22 17:55 == 47.7	1/17/22 21:50 == 48
1/17/22 10:10 == 47.5	1/17/22 14:05 == 48	1/17/22 18:00 == 47.7	1/17/22 21:55 == 47.2
1/17/22 10:15 == 47.7	1/17/22 14:10 == 46.6	1/17/22 18:05 == 48	1/17/22 22:00 == 47.6
1/17/22 10:20 == 47.5	1/17/22 14:15 == 47.5	1/17/22 18:10 == 48	1/17/22 22:05 == 47.5
1/17/22 10:25 == 47	1/17/22 14:20 == 47.9	1/17/22 18:15 == 47.9	1/17/22 22:10 == 46.9
1/17/22 10:30 == 47.5	1/17/22 14:25 == 47.8	1/17/22 18:20 == 47.9	1/17/22 22:15 == 47.6
1/17/22 10:35 == 47.9	1/17/22 14:30 == 47.7	1/17/22 18:25 == 47.9	1/17/22 22:20 == 48
1/17/22 10:40 == 47.9	1/17/22 14:35 == 47.7	1/17/22 18:30 == 48	1/17/22 22:25 == 47.8
1/17/22 10:45 == 45.9	1/17/22 14:40 == 48	1/17/22 18:35 == 48	1/17/22 22:30 == 48
1/17/22 10:50 == 34.8	1/17/22 14:45 == 48	1/17/22 18:40 == 48	1/17/22 22:35 == 48.1
1/17/22 10:55 == 34	1/17/22 14:50 == 48	1/17/22 18:45 == 47.8	1/17/22 22:40 == 48
1/17/22 11:00 == 34.2	1/17/22 14:55 == 48	1/17/22 18:50 == 48.1	1/17/22 22:45 == 48
1/17/22 11:05 == 34.2	1/17/22 15:00 == 48	1/17/22 18:55 == 48	1/17/22 22:50 == 48
1/17/22 11:10 == 34.2	1/17/22 15:05 == 48.1	1/17/22 19:00 == 48.1	1/17/22 22:55 == 48
1/17/22 11:15 == 34.3	1/17/22 15:10 == 47.9	1/17/22 19:05 == 47.9	1/17/22 23:00 == 44.7
1/17/22 11:20 == 34.1	1/17/22 15:15 == 47.9	1/17/22 19:10 == 47.3	1/17/22 23:05 == 37.7
1/17/22 11:25 == 34.3	1/17/22 15:20 == 48	1/17/22 19:15 == 47.9	1/17/22 23:10 == 34.2

Pumpback Station Discharge (0364)

1/17/22 23:15 == 34.2	1/18/22 3:10 == 47.4	1/18/22 7:05 == 47.8	1/18/22 11:00 == 48
1/17/22 23:20 == 34.2	1/18/22 3:15 == 47.4	1/18/22 7:10 == 47.5	1/18/22 11:05 == 47.5
1/17/22 23:25 == 34.2	1/18/22 3:20 == 48	1/18/22 7:15 == 47.7	1/18/22 11:10 == 47.8
1/17/22 23:30 == 35.9	1/18/22 3:25 == 47.5	1/18/22 7:20 == 47.5	1/18/22 11:15 == 48
1/17/22 23:35 == 42.8	1/18/22 3:30 == 47.8	1/18/22 7:25 == 47.8	1/18/22 11:20 == 48
1/17/22 23:40 == 46.9	1/18/22 3:35 == 48	1/18/22 7:30 == 48.1	1/18/22 11:25 == 47.9
1/17/22 23:45 == 48	1/18/22 3:40 == 47.8	1/18/22 7:35 == 47.9	1/18/22 11:30 == 47.9
1/17/22 23:50 == 48.1	1/18/22 3:45 == 47.8	1/18/22 7:40 == 47.2	1/18/22 11:35 == 48
1/17/22 23:55 == 47.5	1/18/22 3:50 == 48	1/18/22 7:45 == 47.4	1/18/22 11:40 == 48
1/18/22 0:00 == 48.1	1/18/22 3:55 == 48	1/18/22 7:50 == 36	1/18/22 11:45 == 47.9
1/18/22 0:05 == 47.9	1/18/22 4:00 == 45	1/18/22 7:55 == 34.4	1/18/22 11:50 == 48
1/18/22 0:10 == 48.1	1/18/22 4:05 == 38.3	1/18/22 8:00 == 34.3	1/18/22 11:55 == 48
1/18/22 0:15 == 48	1/18/22 4:10 == 34.2	1/18/22 8:05 == 34.2	1/18/22 12:00 == 47.9
1/18/22 0:20 == 48.1	1/18/22 4:15 == 34.2	1/18/22 8:10 == 34.2	1/18/22 12:05 == 48
1/18/22 0:25 == 48	1/18/22 4:20 == 34.3	1/18/22 8:15 == 34.2	1/18/22 12:10 == 47.9
1/18/22 0:30 == 47.9	1/18/22 4:25 == 34.3	1/18/22 8:20 == 43.2	1/18/22 12:15 == 48
1/18/22 0:35 == 48.2	1/18/22 4:30 == 36	1/18/22 8:25 == 47.3	1/18/22 12:20 == 48
1/18/22 0:40 == 47.5	1/18/22 4:35 == 42.3	1/18/22 8:30 == 47.8	1/18/22 12:25 == 48.1
1/18/22 0:45 == 47.6	1/18/22 4:40 == 47.3	1/18/22 8:35 == 47.9	1/18/22 12:30 == 47.9
1/18/22 0:50 == 48	1/18/22 4:45 == 48	1/18/22 8:40 == 47.1	1/18/22 12:35 == 48
1/18/22 0:55 == 47.2	1/18/22 4:50 == 48	1/18/22 8:45 == 47.5	1/18/22 12:40 == 47.5
1/18/22 1:00 == 47.6	1/18/22 4:55 == 48.1	1/18/22 8:50 == 47.9	1/18/22 12:45 == 47.9
1/18/22 1:05 == 48.1	1/18/22 5:00 == 47.9	1/18/22 8:55 == 47.7	1/18/22 12:50 == 48
1/18/22 1:10 == 48	1/18/22 5:05 == 48	1/18/22 9:00 == 47.8	1/18/22 12:55 == 47.7
1/18/22 1:15 == 48	1/18/22 5:10 == 47.5	1/18/22 9:05 == 48	1/18/22 13:00 == 47.9
1/18/22 1:20 == 48	1/18/22 5:15 == 48	1/18/22 9:10 == 47.7	1/18/22 13:05 == 48.1
1/18/22 1:25 == 47.7	1/18/22 5:20 == 48	1/18/22 9:15 == 47.6	1/18/22 13:10 == 47.9
1/18/22 1:30 == 47.6	1/18/22 5:25 == 47.2	1/18/22 9:20 == 47.9	1/18/22 13:15 == 48.1
1/18/22 1:35 == 47.7	1/18/22 5:30 == 47.9	1/18/22 9:25 == 47.7	1/18/22 13:20 == 48
1/18/22 1:40 == 47.5	1/18/22 5:35 == 48	1/18/22 9:30 == 47.6	1/18/22 13:25 == 48.1
1/18/22 1:45 == 47.9	1/18/22 5:40 == 47.3	1/18/22 9:35 == 47.6	1/18/22 13:30 == 47.5
1/18/22 1:50 == 47.9	1/18/22 5:45 == 47.8	1/18/22 9:40 == 46.6	1/18/22 13:35 == 37.6
1/18/22 1:55 == 47.9	1/18/22 5:50 == 48	1/18/22 9:45 == 47.1	1/18/22 13:40 == 34.2
1/18/22 2:00 == 48	1/18/22 5:55 == 47.1	1/18/22 9:50 == 47.5	1/18/22 13:45 == 34.1
1/18/22 2:05 == 48	1/18/22 6:00 == 47.6	1/18/22 9:55 == 47.2	1/18/22 13:50 == 34.2
1/18/22 2:10 == 48	1/18/22 6:05 == 47.9	1/18/22 10:00 == 47.6	1/18/22 13:55 == 34.2
1/18/22 2:15 == 48.2	1/18/22 6:10 == 47.2	1/18/22 10:05 == 47.9	1/18/22 14:00 == 34.3
1/18/22 2:20 == 48	1/18/22 6:15 == 47.4	1/18/22 10:10 == 47.5	1/18/22 14:05 == 41.4
1/18/22 2:25 == 48	1/18/22 6:20 == 48	1/18/22 10:15 == 47.4	1/18/22 14:10 == 47.3
1/18/22 2:30 == 48.1	1/18/22 6:25 == 48	1/18/22 10:20 == 48	1/18/22 14:15 == 47.6
1/18/22 2:35 == 48	1/18/22 6:30 == 48	1/18/22 10:25 == 47	1/18/22 14:20 == 47.8
1/18/22 2:40 == 48	1/18/22 6:35 == 48	1/18/22 10:30 == 47.8	1/18/22 14:25 == 47.8
1/18/22 2:45 == 47.9	1/18/22 6:40 == 48	1/18/22 10:35 == 48.1	1/18/22 14:30 == 48
1/18/22 2:50 == 48.1	1/18/22 6:45 == 48	1/18/22 10:40 == 48	1/18/22 14:35 == 48
1/18/22 2:55 == 48.1	1/18/22 6:50 == 47.7	1/18/22 10:45 == 48	1/18/22 14:40 == 48
1/18/22 3:00 == 47.9	1/18/22 6:55 == 47.2	1/18/22 10:50 == 48.1	1/18/22 14:45 == 48.1
1/18/22 3:05 == 48.1	1/18/22 7:00 == 47.4	1/18/22 10:55 == 47.6	1/18/22 14:50 == 48.1



### Pumpback Station Discharge (0364)

1/18/22 14:55 == 47.9	1/18/22 18:50 == 48	1/18/22 22:45 == 47.9	1/19/22 2:40 == 47.9
1/18/22 15:00 == 47.9	1/18/22 18:55 == 47.9	1/18/22 22:50 == 48	1/19/22 2:45 == 47.9
1/18/22 15:05 == 47.9	1/18/22 19:00 == 48	1/18/22 22:55 == 47.9	1/19/22 2:50 == 48.1
1/18/22 15:10 == 47.4	1/18/22 19:05 == 48	1/18/22 23:00 == 47.4	1/19/22 2:55 == 47.9
1/18/22 15:15 == 48	1/18/22 19:10 == 47.8	1/18/22 23:05 == 39.6	1/19/22 3:00 == 47.7
1/18/22 15:20 == 48	1/18/22 19:15 == 47.7	1/18/22 23:10 == 34.1	1/19/22 3:05 == 47.7
1/18/22 15:25 == 47.9	1/18/22 19:20 == 47.8	1/18/22 23:15 == 34.1	1/19/22 3:10 == 47.4
1/18/22 15:30 == 46.8	1/18/22 19:25 == 47.3	1/18/22 23:20 == 34.1	1/19/22 3:15 == 47.1
1/18/22 15:35 == 47.9	1/18/22 19:30 == 47	1/18/22 23:25 == 34.1	1/19/22 3:20 == 47.4
1/18/22 15:40 == 47.7	1/18/22 19:35 == 47.4	1/18/22 23:30 == 34.2	1/19/22 3:25 == 47.6
1/18/22 15:45 == 48	1/18/22 19:40 == 47.7	1/18/22 23:35 == 40.9	1/19/22 3:30 == 46.6
1/18/22 15:50 == 47.9	1/18/22 19:45 == 48	1/18/22 23:40 == 46.4	1/19/22 3:35 == 41.2
1/18/22 15:55 == 47.9	1/18/22 19:50 == 47.9	1/18/22 23:45 == 47.9	1/19/22 3:40 == 33.9
1/18/22 16:00 == 47.9	1/18/22 19:55 == 47.9	1/18/22 23:50 == 47.9	1/19/22 3:45 == 34.2
1/18/22 16:05 == 48.1	1/18/22 20:00 == 48.1	1/18/22 23:55 == 48	1/19/22 3:50 == 34.2
1/18/22 16:10 == 46.9	1/18/22 20:05 == 48	1/19/22 0:00 == 48.1	1/19/22 3:55 == 34.1
1/18/22 16:15 == 47.4	1/18/22 20:10 == 47.8	1/19/22 0:05 == 48.1	1/19/22 4:00 == 34.7
1/18/22 16:20 == 48	1/18/22 20:15 == 48	1/19/22 0:10 == 48	1/19/22 4:05 == 38.6
1/18/22 16:25 == 48	1/18/22 20:20 == 48	1/19/22 0:15 == 47.9	1/19/22 4:10 == 47.3
1/18/22 16:30 == 47.9	1/18/22 20:25 == 47.9	1/19/22 0:20 == 47.9	1/19/22 4:15 == 47
1/18/22 16:35 == 47.9	1/18/22 20:30 == 47.8	1/19/22 0:25 == 48	1/19/22 4:20 == 47.9
1/18/22 16:40 == 47.3	1/18/22 20:35 == 48.1	1/19/22 0:30 == 48	1/19/22 4:25 == 48.2
1/18/22 16:45 == 47.5	1/18/22 20:40 == 48	1/19/22 0:35 == 47.8	1/19/22 4:30 == 47.5
1/18/22 16:50 == 47.8	1/18/22 20:45 == 48	1/19/22 0:40 == 47.6	1/19/22 4:35 == 47.9
1/18/22 16:55 == 47.6	1/18/22 20:50 == 48.1	1/19/22 0:45 == 47.9	1/19/22 4:40 == 48
1/18/22 17:00 == 45.8	1/18/22 20:55 == 48	1/19/22 0:50 == 47.7	1/19/22 4:45 == 48
1/18/22 17:05 == 39.7	1/18/22 21:00 == 48	1/19/22 0:55 == 47.5	1/19/22 4:50 == 48
1/18/22 17:10 == 34.1	1/18/22 21:05 == 48	1/19/22 1:00 == 47.9	1/19/22 4:55 == 48
1/18/22 17:15 == 34.1	1/18/22 21:10 == 48	1/19/22 1:05 == 47.7	1/19/22 5:00 == 48
1/18/22 17:20 == 34.1	1/18/22 21:15 == 48	1/19/22 1:10 == 47.3	1/19/22 5:05 == 47.7
1/18/22 17:25 == 34.2	1/18/22 21:20 == 48	1/19/22 1:15 == 48	1/19/22 5:10 == 47.8
1/18/22 17:30 == 35.1	1/18/22 21:25 == 48	1/19/22 1:20 == 47.9	1/19/22 5:15 == 48.1
1/18/22 17:35 == 40.1	1/18/22 21:30 == 48	1/19/22 1:25 == 47.4	1/19/22 5:20 == 48.1
1/18/22 17:40 == 47.1	1/18/22 21:35 == 48	1/19/22 1:30 == 48.1	1/19/22 5:25 == 47.6
1/18/22 17:45 == 48	1/18/22 21:40 == 48	1/19/22 1:35 == 47.9	1/19/22 5:30 == 47.7
1/18/22 17:50 == 47.9	1/18/22 21:45 == 48.1	1/19/22 1:40 == 47.9	1/19/22 5:35 == 47.8
1/18/22 17:55 == 47.3	1/18/22 21:50 == 47.9	1/19/22 1:45 == 47.6	1/19/22 5:40 == 47.5
1/18/22 18:00 == 47.3	1/18/22 21:55 == 47.6	1/19/22 1:50 == 48	1/19/22 5:45 == 47.7
1/18/22 18:05 == 48.1	1/18/22 22:00 == 47.7	1/19/22 1:55 == 47.5	1/19/22 5:50 == 47.8
1/18/22 18:10 == 47.4	1/18/22 22:05 == 47.5	1/19/22 2:00 == 47.4	1/19/22 5:55 == 47.5
1/18/22 18:15 == 47.8	1/18/22 22:10 == 47.1	1/19/22 2:05 == 48	1/19/22 6:00 == 47.8
1/18/22 18:20 == 47.9	1/18/22 22:15 == 47.4	1/19/22 2:10 == 48.1	1/19/22 6:05 == 47.8
1/18/22 18:25 == 47.6	1/18/22 22:20 == 47.8	1/19/22 2:15 == 48.1	1/19/22 6:10 == 47.5
1/18/22 18:30 == 47.5	1/18/22 22:25 == 48	1/19/22 2:20 == 48	1/19/22 6:15 == 47.4
1/18/22 18:35 == 47.9	1/18/22 22:30 == 47.9	1/19/22 2:25 == 47.6	1/19/22 6:20 == 47.6
1/18/22 18:40 == 48	1/18/22 22:35 == 47.9	1/19/22 2:30 == 47.7	1/19/22 6:25 == 47.9
1/18/22 18:45 == 48	1/18/22 22:40 == 47.9	1/19/22 2:35 == 48	1/19/22 6:30 == 48

### Pumpback Station Discharge (0364)

1/19/22 6:35 == 47.9	1/19/22 10:30 == 47.3	1/19/22 14:25 == 48	1/19/22 18:20 == 48
1/19/22 6:40 == 47.9	1/19/22 10:35 == 48	1/19/22 14:30 == 47.8	1/19/22 18:25 == 48
1/19/22 6:45 == 47.9	1/19/22 10:40 == 48	1/19/22 14:35 == 47.9	1/19/22 18:30 == 48.1
1/19/22 6:50 == 47.9	1/19/22 10:45 == 48	1/19/22 14:40 == 47.8	1/19/22 18:35 == 48
1/19/22 6:55 == 47.2	1/19/22 10:50 == 47.9	1/19/22 14:45 == 48	1/19/22 18:40 == 47.8
1/19/22 7:00 == 48	1/19/22 10:55 == 47.7	1/19/22 14:50 == 48	1/19/22 18:45 == 47.9
1/19/22 7:05 == 47.9	1/19/22 11:00 == 47.7	1/19/22 14:55 == 47.9	1/19/22 18:50 == 47.8
1/19/22 7:10 == 47.3	1/19/22 11:05 == 48	1/19/22 15:00 == 48	1/19/22 18:55 == 47.6
1/19/22 7:15 == 47.9	1/19/22 11:10 == 48	1/19/22 15:05 == 48	1/19/22 19:00 == 48
1/19/22 7:20 == 48	1/19/22 11:15 == 48.1	1/19/22 15:10 == 48	1/19/22 19:05 == 47.7
1/19/22 7:25 == 47.8	1/19/22 11:20 == 48	1/19/22 15:15 == 48	1/19/22 19:10 == 47.5
1/19/22 7:30 == 47.9	1/19/22 11:25 == 48	1/19/22 15:20 == 48.1	1/19/22 19:15 == 47.9
1/19/22 7:35 == 48	1/19/22 11:30 == 48	1/19/22 15:25 == 47.5	1/19/22 19:20 == 47.8
1/19/22 7:40 == 48	1/19/22 11:35 == 47.9	1/19/22 15:30 == 47.8	1/19/22 19:25 == 47.3
1/19/22 7:45 == 47.9	1/19/22 11:40 == 48	1/19/22 15:35 == 48	1/19/22 19:30 == 46.9
1/19/22 7:50 == 48	1/19/22 11:45 == 48	1/19/22 15:40 == 47.7	1/19/22 19:35 == 47.9
1/19/22 7:55 == 48	1/19/22 11:50 == 48.1	1/19/22 15:45 == 47.4	1/19/22 19:40 == 47.8
1/19/22 8:00 == 48	1/19/22 11:55 == 47.9	1/19/22 15:50 == 47.8	1/19/22 19:45 == 47.6
1/19/22 8:05 == 48	1/19/22 12:00 == 48	1/19/22 15:55 == 47.6	1/19/22 19:50 == 48
1/19/22 8:10 == 47.6	1/19/22 12:05 == 48	1/19/22 16:00 == 47.6	1/19/22 19:55 == 47.7
1/19/22 8:15 == 47.6	1/19/22 12:10 == 48	1/19/22 16:05 == 47.8	1/19/22 20:00 == 47.8
1/19/22 8:20 == 47.9	1/19/22 12:15 == 48	1/19/22 16:10 == 47.4	1/19/22 20:05 == 47.3
1/19/22 8:25 == 47.9	1/19/22 12:20 == 48	1/19/22 16:15 == 47.5	1/19/22 20:10 == 47.7
1/19/22 8:30 == 47.9	1/19/22 12:25 == 48.1	1/19/22 16:20 == 48	1/19/22 20:15 == 47.9
1/19/22 8:35 == 47.9	1/19/22 12:30 == 48	1/19/22 16:25 == 48.1	1/19/22 20:20 == 47.9
1/19/22 8:40 == 47.4	1/19/22 12:35 == 47.9	1/19/22 16:30 == 47.3	1/19/22 20:25 == 48.1
1/19/22 8:45 == 47.5	1/19/22 12:40 == 47.6	1/19/22 16:35 == 42.9	1/19/22 20:30 == 48.1
1/19/22 8:50 == 47.8	1/19/22 12:45 == 47.9	1/19/22 16:40 == 34.6	1/19/22 20:35 == 47.9
1/19/22 8:55 == 47.3	1/19/22 12:50 == 48	1/19/22 16:45 == 34.5	1/19/22 20:40 == 47.9
1/19/22 9:00 == 48	1/19/22 12:55 == 48	1/19/22 16:50 == 34.5	1/19/22 20:45 == 48
1/19/22 9:05 == 48	1/19/22 13:00 == 48.1	1/19/22 16:55 == 34.5	1/19/22 20:50 == 41.7
1/19/22 9:10 == 48.1	1/19/22 13:05 == 40.7	1/19/22 17:00 == 34.7	1/19/22 20:55 == 35.6
1/19/22 9:15 == 47.6	1/19/22 13:10 == 35.1	1/19/22 17:05 == 37.1	1/19/22 21:00 == 34.2
1/19/22 9:20 == 41.1	1/19/22 13:15 == 34.3	1/19/22 17:10 == 47.1	1/19/22 21:05 == 34.3
1/19/22 9:25 == 34.1	1/19/22 13:20 == 34.2	1/19/22 17:15 == 47.9	1/19/22 21:10 == 34.3
1/19/22 9:30 == 34.1	1/19/22 13:25 == 34.2	1/19/22 17:20 == 47.9	1/19/22 21:15 == 34.3
1/19/22 9:35 == 34.1	1/19/22 13:30 == 34.3	1/19/22 17:25 == 47.4	1/19/22 21:20 == 38.3
1/19/22 9:40 == 34.5	1/19/22 13:35 == 38.9	1/19/22 17:30 == 46.9	1/19/22 21:25 == 45.5
1/19/22 9:45 == 34.2	1/19/22 13:40 == 46.2	1/19/22 17:35 == 47.9	1/19/22 21:30 == 47.9
1/19/22 9:50 == 39.8	1/19/22 13:45 == 47.6	1/19/22 17:40 == 48	1/19/22 21:35 == 47.9
1/19/22 9:55 == 45.7	1/19/22 13:50 == 47.7	1/19/22 17:45 == 48.1	1/19/22 21:40 == 47.9
1/19/22 10:00 == 47.8	1/19/22 13:55 == 47.4	1/19/22 17:50 == 48	1/19/22 21:45 == 48.1
1/19/22 10:05 == 47.7	1/19/22 14:00 == 47.4	1/19/22 17:55 == 47.4	1/19/22 21:50 == 48
1/19/22 10:10 == 47.4	1/19/22 14:05 == 47.9	1/19/22 18:00 == 47.7	1/19/22 21:55 == 47.9
1/19/22 10:15 == 47.8	1/19/22 14:10 == 47.8	1/19/22 18:05 == 48	1/19/22 22:00 == 48.1
1/19/22 10:20 == 47.8	1/19/22 14:15 == 48.1	1/19/22 18:10 == 48	1/19/22 22:05 == 47.9
1/19/22 10:25 == 46.7	1/19/22 14:20 == 47.9	1/19/22 18:15 == 48	1/19/22 22:10 == 47.3

### Pumpback Station Discharge (0364)

1/19/22 22:15 == 47.3	1/20/22 2:10 == 48	1/20/22 6:05 == 47.9	1/20/22 10:00 == 47.7
1/19/22 22:20 == 48	1/20/22 2:15 == 48	1/20/22 6:10 == 47.4	1/20/22 10:05 == 48
1/19/22 22:25 == 48	1/20/22 2:20 == 48	1/20/22 6:15 == 47.5	1/20/22 10:10 == 48
1/19/22 22:30 == 47.5	1/20/22 2:25 == 48	1/20/22 6:20 == 47.9	1/20/22 10:15 == 47.8
1/19/22 22:35 == 47.8	1/20/22 2:30 == 48	1/20/22 6:25 == 47.9	1/20/22 10:20 == 47.2
1/19/22 22:40 == 48	1/20/22 2:35 == 48.1	1/20/22 6:30 == 48	1/20/22 10:25 == 47.3
1/19/22 22:45 == 47.2	1/20/22 2:40 == 47.8	1/20/22 6:35 == 47.9	1/20/22 10:30 == 47.8
1/19/22 22:50 == 47.9	1/20/22 2:45 == 47.6	1/20/22 6:40 == 47.9	1/20/22 10:35 == 47.9
1/19/22 22:55 == 47.9	1/20/22 2:50 == 47.8	1/20/22 6:45 == 47.9	1/20/22 10:40 == 47.5
1/19/22 23:00 == 48	1/20/22 2:55 == 47.6	1/20/22 6:50 == 48	1/20/22 10:45 == 48.2
1/19/22 23:05 == 48	1/20/22 3:00 == 48.1	1/20/22 6:55 == 47.9	1/20/22 10:50 == 48.1
1/19/22 23:10 == 47.9	1/20/22 3:05 == 48	1/20/22 7:00 == 48	1/20/22 10:55 == 47.7
1/19/22 23:15 == 47.9	1/20/22 3:10 == 47.8	1/20/22 7:05 == 47.7	1/20/22 11:00 == 48
1/19/22 23:20 == 47.9	1/20/22 3:15 == 46.5	1/20/22 7:10 == 47	1/20/22 11:05 == 48
1/19/22 23:25 == 47.9	1/20/22 3:20 == 46.9	1/20/22 7:15 == 47.4	1/20/22 11:10 == 48
1/19/22 23:30 == 48	1/20/22 3:25 == 47.2	1/20/22 7:20 == 48	1/20/22 11:15 == 48.1
1/19/22 23:35 == 47.9	1/20/22 3:30 == 48	1/20/22 7:25 == 48	1/20/22 11:20 == 48
1/19/22 23:40 == 48	1/20/22 3:35 == 47.9	1/20/22 7:30 == 48	1/20/22 11:25 == 47.6
1/19/22 23:45 == 48.1	1/20/22 3:40 == 48	1/20/22 7:35 == 43.4	1/20/22 11:30 == 47.7
1/19/22 23:50 == 48	1/20/22 3:45 == 47.5	1/20/22 7:40 == 35.9	1/20/22 11:35 == 44.4
1/19/22 23:55 == 48	1/20/22 3:50 == 48	1/20/22 7:45 == 34.3	1/20/22 11:40 == 35.7
1/20/22 0:00 == 48	1/20/22 3:55 == 48	1/20/22 7:50 == 34.4	1/20/22 11:45 == 34.2
1/20/22 0:05 == 43.5	1/20/22 4:00 == 47.9	1/20/22 7:55 == 34.4	1/20/22 11:50 == 34.3
1/20/22 0:10 == 34.5	1/20/22 4:05 == 47.9	1/20/22 8:00 == 34.4	1/20/22 11:55 == 34.3
1/20/22 0:15 == 34.3	1/20/22 4:10 == 47.7	1/20/22 8:05 == 34.4	1/20/22 12:00 == 34.3
1/20/22 0:20 == 34.3	1/20/22 4:15 == 47.4	1/20/22 8:10 == 34.5	1/20/22 12:05 == 36.9
1/20/22 0:25 == 34.3	1/20/22 4:20 == 42.2	1/20/22 8:15 == 34.6	1/20/22 12:10 == 44
1/20/22 0:30 == 34.3	1/20/22 4:25 == 36.4	1/20/22 8:20 == 35.7	1/20/22 12:15 == 47.7
1/20/22 0:35 == 35.8	1/20/22 4:30 == 34.4	1/20/22 8:25 == 46	1/20/22 12:20 == 47.9
1/20/22 0:40 == 46.7	1/20/22 4:35 == 34.4	1/20/22 8:30 == 48.1	1/20/22 12:25 == 48
1/20/22 0:45 == 47.3	1/20/22 4:40 == 34.3	1/20/22 8:35 == 48	1/20/22 12:30 == 48
1/20/22 0:50 == 47.8	1/20/22 4:45 == 34.3	1/20/22 8:40 == 47.9	1/20/22 12:35 == 47.9
1/20/22 0:55 == 47.2	1/20/22 4:50 == 37.9	1/20/22 8:45 == 47.9	1/20/22 12:40 == 47.7
1/20/22 1:00 == 47.5	1/20/22 4:55 == 44.5	1/20/22 8:50 == 48	1/20/22 12:45 == 47.7
1/20/22 1:05 == 47.9	1/20/22 5:00 == 47.9	1/20/22 8:55 == 47.2	1/20/22 12:50 == 48
1/20/22 1:10 == 47.4	1/20/22 5:05 == 48	1/20/22 9:00 == 47	1/20/22 12:55 == 48
1/20/22 1:15 == 47.9	1/20/22 5:10 == 47.9	1/20/22 9:05 == 47.8	1/20/22 13:00 == 48
1/20/22 1:20 == 48.1	1/20/22 5:15 == 47.7	1/20/22 9:10 == 47.9	1/20/22 13:05 == 47.8
1/20/22 1:25 == 47.6	1/20/22 5:20 == 47.8	1/20/22 9:15 == 48	1/20/22 13:10 == 47.9
1/20/22 1:30 == 47.9	1/20/22 5:25 == 47.5	1/20/22 9:20 == 48	1/20/22 13:15 == 48
1/20/22 1:35 == 48	1/20/22 5:30 == 48	1/20/22 9:25 == 47.8	1/20/22 13:20 == 48
1/20/22 1:40 == 47.9	1/20/22 5:35 == 47.8	1/20/22 9:30 == 47.9	1/20/22 13:25 == 48
1/20/22 1:45 == 48	1/20/22 5:40 == 47.4	1/20/22 9:35 == 47.9	1/20/22 13:30 == 47.9
1/20/22 1:50 == 48	1/20/22 5:45 == 47.9	1/20/22 9:40 == 47.1	1/20/22 13:35 == 48.1
1/20/22 1:55 == 47.6	1/20/22 5:50 == 47.9	1/20/22 9:45 == 47	1/20/22 13:40 == 47.3
1/20/22 2:00 == 47.7	1/20/22 5:55 == 47.2	1/20/22 9:50 == 47.7	1/20/22 13:45 == 48
1/20/22 2:05 == 48	1/20/22 6:00 == 47.6	1/20/22 9:55 == 47.7	1/20/22 13:50 == 48

Pumpback Station Discharge (0364)

1/20/22 13:55 == 47.5	1/20/22 17:50 == 47.9	1/20/22 21:45 == 48.1	1/21/22 1:40 == 48
1/20/22 14:00 == 47.7	1/20/22 17:55 == 47.9	1/20/22 21:50 == 47.9	1/21/22 1:45 == 48.1
1/20/22 14:05 == 47.6	1/20/22 18:00 == 47.9	1/20/22 21:55 == 47.1	1/21/22 1:50 == 48
1/20/22 14:10 == 46.6	1/20/22 18:05 == 47.6	1/20/22 22:00 == 47.4	1/21/22 1:55 == 48
1/20/22 14:15 == 47.6	1/20/22 18:10 == 47.4	1/20/22 22:05 == 47.4	1/21/22 2:00 == 48.1
1/20/22 14:20 == 48	1/20/22 18:15 == 47.5	1/20/22 22:10 == 47	1/21/22 2:05 == 47.9
1/20/22 14:25 == 48	1/20/22 18:20 == 48	1/20/22 22:15 == 47.5	1/21/22 2:10 == 48
1/20/22 14:30 == 47.6	1/20/22 18:25 == 48	1/20/22 22:20 == 48.1	1/21/22 2:15 == 48
1/20/22 14:35 == 47.8	1/20/22 18:30 == 48	1/20/22 22:25 == 48	1/21/22 2:20 == 48.1
1/20/22 14:40 == 47.9	1/20/22 18:35 == 46.1	1/20/22 22:30 == 47.5	1/21/22 2:25 == 48
1/20/22 14:45 == 48	1/20/22 18:40 == 34.9	1/20/22 22:35 == 43.9	1/21/22 2:30 == 48.1
1/20/22 14:50 == 48.1	1/20/22 18:45 == 34.2	1/20/22 22:40 == 37.5	1/21/22 2:35 == 48
1/20/22 14:55 == 48.1	1/20/22 18:50 == 34.3	1/20/22 22:45 == 34.3	1/21/22 2:40 == 47.9
1/20/22 15:00 == 48	1/20/22 18:55 == 34.2	1/20/22 22:50 == 34.3	1/21/22 2:45 == 48.2
1/20/22 15:05 == 48	1/20/22 19:00 == 34.3	1/20/22 22:55 == 34.3	1/21/22 2:50 == 48
1/20/22 15:10 == 47.9	1/20/22 19:05 == 34.2	1/20/22 23:00 == 34.3	1/21/22 2:55 == 48
1/20/22 15:15 == 47.9	1/20/22 19:10 == 45.6	1/20/22 23:05 == 36.8	1/21/22 3:00 == 48
1/20/22 15:20 == 47.9	1/20/22 19:15 == 47.1	1/20/22 23:10 == 43.1	1/21/22 3:05 == 48.1
1/20/22 15:25 == 47.8	1/20/22 19:20 == 47.9	1/20/22 23:15 == 47.6	1/21/22 3:10 == 48
1/20/22 15:30 == 47.7	1/20/22 19:25 == 46.7	1/20/22 23:20 == 48	1/21/22 3:15 == 47.5
1/20/22 15:35 == 47.2	1/20/22 19:30 == 47	1/20/22 23:25 == 48	1/21/22 3:20 == 45.3
1/20/22 15:40 == 47	1/20/22 19:35 == 47.8	1/20/22 23:30 == 48	1/21/22 3:25 == 37.1
1/20/22 15:45 == 48	1/20/22 19:40 == 47.6	1/20/22 23:35 == 48	1/21/22 3:30 == 34.2
1/20/22 15:50 == 48.1	1/20/22 19:45 == 47.9	1/20/22 23:40 == 48.1	1/21/22 3:35 == 34.3
1/20/22 15:55 == 48.1	1/20/22 19:50 == 48	1/20/22 23:45 == 48.1	1/21/22 3:40 == 34.2
1/20/22 16:00 == 47.2	1/20/22 19:55 == 48	1/20/22 23:50 == 48	1/21/22 3:45 == 34.1
1/20/22 16:05 == 47.3	1/20/22 20:00 == 48	1/20/22 23:55 == 47.9	1/21/22 3:50 == 36
1/20/22 16:10 == 47.1	1/20/22 20:05 == 47.8	1/21/22 0:00 == 47.8	1/21/22 3:55 == 42.6
1/20/22 16:15 == 47.3	1/20/22 20:10 == 47.9	1/21/22 0:05 == 47.2	1/21/22 4:00 == 47.6
1/20/22 16:20 == 46.8	1/20/22 20:15 == 48	1/21/22 0:10 == 48	1/21/22 4:05 == 47.9
1/20/22 16:25 == 34.5	1/20/22 20:20 == 47.9	1/21/22 0:15 == 48.2	1/21/22 4:10 == 47.9
1/20/22 16:30 == 34.4	1/20/22 20:25 == 48	1/21/22 0:20 == 48	1/21/22 4:15 == 47.8
1/20/22 16:35 == 34.3	1/20/22 20:30 == 48	1/21/22 0:25 == 47.9	1/21/22 4:20 == 47.7
1/20/22 16:40 == 34.7	1/20/22 20:35 == 48	1/21/22 0:30 == 48	1/21/22 4:25 == 47.9
1/20/22 16:45 == 34.4	1/20/22 20:40 == 48	1/21/22 0:35 == 48.1	1/21/22 4:30 == 48.1
1/20/22 16:50 == 35.4	1/20/22 20:45 == 48.1	1/21/22 0:40 == 47	1/21/22 4:35 == 48
1/20/22 16:55 == 45.6	1/20/22 20:50 == 48.1	1/21/22 0:45 == 47.5	1/21/22 4:40 == 48
1/20/22 17:00 == 48	1/20/22 20:55 == 47.9	1/21/22 0:50 == 48.2	1/21/22 4:45 == 48.1
1/20/22 17:05 == 48	1/20/22 21:00 == 48	1/21/22 0:55 == 47.6	1/21/22 4:50 == 48.1
1/20/22 17:10 == 47.1	1/20/22 21:05 == 47.9	1/21/22 1:00 == 47.8	1/21/22 4:55 == 48
1/20/22 17:15 == 47.2	1/20/22 21:10 == 47.9	1/21/22 1:05 == 47.9	1/21/22 5:00 == 47.9
1/20/22 17:20 == 47.7	1/20/22 21:15 == 48	1/21/22 1:10 == 47.5	1/21/22 5:05 == 48
1/20/22 17:25 == 47.4	1/20/22 21:20 == 47.9	1/21/22 1:15 == 47.8	1/21/22 5:10 == 48
1/20/22 17:30 == 47.5	1/20/22 21:25 == 47.5	1/21/22 1:20 == 47.9	1/21/22 5:15 == 47.9
1/20/22 17:35 == 47.9	1/20/22 21:30 == 47.9	1/21/22 1:25 == 47.7	1/21/22 5:20 == 47.9
1/20/22 17:40 == 48	1/20/22 21:35 == 48	1/21/22 1:30 == 47.6	1/21/22 5:25 == 47.3
1/20/22 17:45 == 47.9	1/20/22 21:40 == 48	1/21/22 1:35 == 47.8	1/21/22 5:30 == 48

Pumpback Station Discharge (0364)

1/21/22 5:35 == 48	1/21/22 9:30 == 34.3	1/21/22 13:25 == 42.5	1/21/22 17:20 == 48
1/21/22 5:40 == 47.5	1/21/22 9:35 == 34.3	1/21/22 13:30 == 47.2	1/21/22 17:25 == 48
1/21/22 5:45 == 47.8	1/21/22 9:40 == 34.4	1/21/22 13:35 == 47.9	1/21/22 17:30 == 48
1/21/22 5:50 == 48.1	1/21/22 9:45 == 34.4	1/21/22 13:40 == 48	1/21/22 17:35 == 47.9
1/21/22 5:55 == 47.2	1/21/22 9:50 == 34.4	1/21/22 13:45 == 47.1	1/21/22 17:40 == 47.9
1/21/22 6:00 == 47.7	1/21/22 9:55 == 34.4	1/21/22 13:50 == 47.4	1/21/22 17:45 == 48
1/21/22 6:05 == 48	1/21/22 10:00 == 34.5	1/21/22 13:55 == 47.2	1/21/22 17:50 == 47.9
1/21/22 6:10 == 47.1	1/21/22 10:05 == 35.2	1/21/22 14:00 == 47.5	1/21/22 17:55 == 47.5
1/21/22 6:15 == 47.4	1/21/22 10:10 == 42.4	1/21/22 14:05 == 48	1/21/22 18:00 == 47.5
1/21/22 6:20 == 48	1/21/22 10:15 == 47.5	1/21/22 14:10 == 47.3	1/21/22 18:05 == 48.1
1/21/22 6:25 == 48	1/21/22 10:20 == 48	1/21/22 14:15 == 47.3	1/21/22 18:10 == 47.9
1/21/22 6:30 == 47.6	1/21/22 10:25 == 47.1	1/21/22 14:20 == 48	1/21/22 18:15 == 47.9
1/21/22 6:35 == 47.5	1/21/22 10:30 == 47.9	1/21/22 14:25 == 47.5	1/21/22 18:20 == 47.9
1/21/22 6:40 == 47.9	1/21/22 10:35 == 47.9	1/21/22 14:30 == 47.3	1/21/22 18:25 == 47.9
1/21/22 6:45 == 48	1/21/22 10:40 == 47.8	1/21/22 14:35 == 48	1/21/22 18:30 == 47.9
1/21/22 6:50 == 45	1/21/22 10:45 == 47.6	1/21/22 14:40 == 47.8	1/21/22 18:35 == 47.8
1/21/22 6:55 == 38.1	1/21/22 10:50 == 48	1/21/22 14:45 == 47.6	1/21/22 18:40 == 48
1/21/22 7:00 == 34.2	1/21/22 10:55 == 47.7	1/21/22 14:50 == 48	1/21/22 18:45 == 48.1
1/21/22 7:05 == 34.1	1/21/22 11:00 == 47.4	1/21/22 14:55 == 47.9	1/21/22 18:50 == 48
1/21/22 7:10 == 34.3	1/21/22 11:05 == 48	1/21/22 15:00 == 47.7	1/21/22 18:55 == 47.8
1/21/22 7:15 == 34.3	1/21/22 11:10 == 48	1/21/22 15:05 == 47.7	1/21/22 19:00 == 48
1/21/22 7:20 == 35.7	1/21/22 11:15 == 48	1/21/22 15:10 == 47.5	1/21/22 19:05 == 48
1/21/22 7:25 == 42.5	1/21/22 11:20 == 47.6	1/21/22 15:15 == 47.9	1/21/22 19:10 == 47.5
1/21/22 7:30 == 47.6	1/21/22 11:25 == 47.1	1/21/22 15:20 == 48	1/21/22 19:15 == 47.7
1/21/22 7:35 == 47.9	1/21/22 11:30 == 47.2	1/21/22 15:25 == 47.7	1/21/22 19:20 == 47.8
1/21/22 7:40 == 48	1/21/22 11:35 == 47.7	1/21/22 15:30 == 47.7	1/21/22 19:25 == 47.4
1/21/22 7:45 == 47.6	1/21/22 11:40 == 47.9	1/21/22 15:35 == 47.3	1/21/22 19:30 == 47.2
1/21/22 7:50 == 48	1/21/22 11:45 == 47.9	1/21/22 15:40 == 47.4	1/21/22 19:35 == 47.3
1/21/22 7:55 == 47.9	1/21/22 11:50 == 48	1/21/22 15:45 == 47.9	1/21/22 19:40 == 47.5
1/21/22 8:00 == 48	1/21/22 11:55 == 48	1/21/22 15:50 == 47.8	1/21/22 19:45 == 48
1/21/22 8:05 == 47.9	1/21/22 12:00 == 48.1	1/21/22 15:55 == 36.8	1/21/22 19:50 == 46.1
1/21/22 8:10 == 47.7	1/21/22 12:05 == 47.8	1/21/22 16:00 == 34.4	1/21/22 19:55 == 39.6
1/21/22 8:15 == 47.6	1/21/22 12:10 == 47.7	1/21/22 16:05 == 34.3	1/21/22 20:00 == 34.3
1/21/22 8:20 == 47.6	1/21/22 12:15 == 47.9	1/21/22 16:10 == 34.6	1/21/22 20:05 == 34.3
1/21/22 8:25 == 47.8	1/21/22 12:20 == 47.9	1/21/22 16:15 == 34.4	1/21/22 20:10 == 34.2
1/21/22 8:30 == 48	1/21/22 12:25 == 47.9	1/21/22 16:20 == 34.5	1/21/22 20:15 == 34.3
1/21/22 8:35 == 47.6	1/21/22 12:30 == 48	1/21/22 16:25 == 34.4	1/21/22 20:20 == 34.8
1/21/22 8:40 == 47	1/21/22 12:35 == 48	1/21/22 16:30 == 34.4	1/21/22 20:25 == 39.7
1/21/22 8:45 == 47.1	1/21/22 12:40 == 47.3	1/21/22 16:35 == 35.1	1/21/22 20:30 == 46.5
1/21/22 8:50 == 47.3	1/21/22 12:45 == 47.1	1/21/22 16:40 == 41.6	1/21/22 20:35 == 47.5
1/21/22 8:55 == 47.3	1/21/22 12:50 == 47.5	1/21/22 16:45 == 47.3	1/21/22 20:40 == 47.7
1/21/22 9:00 == 47.4	1/21/22 12:55 == 37.2	1/21/22 16:50 == 48.1	1/21/22 20:45 == 46.9
1/21/22 9:05 == 47.7	1/21/22 13:00 == 34.2	1/21/22 16:55 == 48	1/21/22 20:50 == 47.7
1/21/22 9:10 == 47.7	1/21/22 13:05 == 34.2	1/21/22 17:00 == 47.9	1/21/22 20:55 == 47.4
1/21/22 9:15 == 47.7	1/21/22 13:10 == 34.3	1/21/22 17:05 == 47.8	1/21/22 21:00 == 47.8
1/21/22 9:20 == 45.3	1/21/22 13:15 == 34.3	1/21/22 17:10 == 47.4	1/21/22 21:05 == 47.8
1/21/22 9:25 == 38.7	1/21/22 13:20 == 34.2	1/21/22 17:15 == 47.6	1/21/22 21:10 == 48

### Pumpback Station Discharge (0364)

1/21/22 21:15 == 48.1	1/22/22 1:10 == 47.9	1/22/22 5:05 == 48.1	1/22/22 9:00 == 47.1
1/21/22 21:20 == 47.5	1/22/22 1:15 == 47.8	1/22/22 5:10 == 39.4	1/22/22 9:05 == 45.7
1/21/22 21:25 == 47.5	1/22/22 1:20 == 47	1/22/22 5:15 == 35	1/22/22 9:10 == 41.5
1/21/22 21:30 == 47.9	1/22/22 1:25 == 48	1/22/22 5:20 == 34.6	1/22/22 9:15 == 34.6
1/21/22 21:35 == 47.9	1/22/22 1:30 == 48	1/22/22 5:25 == 34.5	1/22/22 9:20 == 34.8
1/21/22 21:40 == 47.9	1/22/22 1:35 == 48.1	1/22/22 5:30 == 34.4	1/22/22 9:25 == 34.7
1/21/22 21:45 == 47.9	1/22/22 1:40 == 47.4	1/22/22 5:35 == 34.5	1/22/22 9:30 == 34.5
1/21/22 21:50 == 48	1/22/22 1:45 == 48.1	1/22/22 5:40 == 34.4	1/22/22 9:35 == 34.5
1/21/22 21:55 == 48	1/22/22 1:50 == 48.1	1/22/22 5:45 == 34.4	1/22/22 9:40 == 35
1/21/22 22:00 == 47.9	1/22/22 1:55 == 38.9	1/22/22 5:50 == 34.7	1/22/22 9:45 == 34.8
1/21/22 22:05 == 47.8	1/22/22 2:00 == 34.7	1/22/22 5:55 == 39.7	1/22/22 9:50 == 34.7
1/21/22 22:10 == 47.6	1/22/22 2:05 == 34.3	1/22/22 6:00 == 47.3	1/22/22 9:55 == 40.5
1/21/22 22:15 == 47.8	1/22/22 2:10 == 34.5	1/22/22 6:05 == 48	1/22/22 10:00 == 46.4
1/21/22 22:20 == 47.9	1/22/22 2:15 == 34.4	1/22/22 6:10 == 47.7	1/22/22 10:05 == 47.9
1/21/22 22:25 == 47.7	1/22/22 2:20 == 34.4	1/22/22 6:15 == 47.1	1/22/22 10:10 == 47.9
1/21/22 22:30 == 47.3	1/22/22 2:25 == 41.3	1/22/22 6:20 == 47.8	1/22/22 10:15 == 48.1
1/21/22 22:35 == 47.9	1/22/22 2:30 == 46.1	1/22/22 6:25 == 47.9	1/22/22 10:20 == 48.2
1/21/22 22:40 == 47.9	1/22/22 2:35 == 47.8	1/22/22 6:30 == 48	1/22/22 10:25 == 47.5
1/21/22 22:45 == 48	1/22/22 2:40 == 48.1	1/22/22 6:35 == 48	1/22/22 10:30 == 47.7
1/21/22 22:50 == 47.6	1/22/22 2:45 == 48	1/22/22 6:40 == 47.9	1/22/22 10:35 == 48.1
1/21/22 22:55 == 47	1/22/22 2:50 == 48	1/22/22 6:45 == 47.9	1/22/22 10:40 == 47.9
1/21/22 23:00 == 47.7	1/22/22 2:55 == 47.7	1/22/22 6:50 == 48	1/22/22 10:45 == 47.7
1/21/22 23:05 == 47.5	1/22/22 3:00 == 47.7	1/22/22 6:55 == 47.2	1/22/22 10:50 == 47.7
1/21/22 23:10 == 38.6	1/22/22 3:05 == 47.9	1/22/22 7:00 == 47.9	1/22/22 10:55 == 47.8
1/21/22 23:15 == 34.3	1/22/22 3:10 == 48	1/22/22 7:05 == 47.9	1/22/22 11:00 == 47.9
1/21/22 23:20 == 34.3	1/22/22 3:15 == 47.7	1/22/22 7:10 == 47.5	1/22/22 11:05 == 47.7
1/21/22 23:25 == 34.2	1/22/22 3:20 == 47.3	1/22/22 7:15 == 47.5	1/22/22 11:10 == 47.5
1/21/22 23:30 == 34.3	1/22/22 3:25 == 47.4	1/22/22 7:20 == 47.8	1/22/22 11:15 == 47.8
1/21/22 23:35 == 34.3	1/22/22 3:30 == 47.6	1/22/22 7:25 == 47.7	1/22/22 11:20 == 47.5
1/21/22 23:40 == 41.6	1/22/22 3:35 == 47.6	1/22/22 7:30 == 47.7	1/22/22 11:25 == 47.8
1/21/22 23:45 == 46.5	1/22/22 3:40 == 47.2	1/22/22 7:35 == 47.9	1/22/22 11:30 == 47.8
1/21/22 23:50 == 47.8	1/22/22 3:45 == 47.6	1/22/22 7:40 == 47.6	1/22/22 11:35 == 47.1
1/21/22 23:55 == 47.9	1/22/22 3:50 == 47.8	1/22/22 7:45 == 47.3	1/22/22 11:40 == 46.8
1/22/22 0:00 == 47.9	1/22/22 3:55 == 48	1/22/22 7:50 == 47.6	1/22/22 11:45 == 48.1
1/22/22 0:05 == 47.9	1/22/22 4:00 == 47.9	1/22/22 7:55 == 48	1/22/22 11:50 == 48
1/22/22 0:10 == 48	1/22/22 4:05 == 48.1	1/22/22 8:00 == 48	1/22/22 11:55 == 48
1/22/22 0:15 == 48	1/22/22 4:10 == 48	1/22/22 8:05 == 47.8	1/22/22 12:00 == 47.9
1/22/22 0:20 == 47.7	1/22/22 4:15 == 47.3	1/22/22 8:10 == 47.3	1/22/22 12:05 == 48.2
1/22/22 0:25 == 47.7	1/22/22 4:20 == 48.1	1/22/22 8:15 == 47.4	1/22/22 12:10 == 47.9
1/22/22 0:30 == 48	1/22/22 4:25 == 47.3	1/22/22 8:20 == 48	1/22/22 12:15 == 48
1/22/22 0:35 == 47.7	1/22/22 4:30 == 47.9	1/22/22 8:25 == 47.7	1/22/22 12:20 == 48.1
1/22/22 0:40 == 47.1	1/22/22 4:35 == 48	1/22/22 8:30 == 47.3	1/22/22 12:25 == 40
1/22/22 0:45 == 47.1	1/22/22 4:40 == 47.3	1/22/22 8:35 == 47.3	1/22/22 12:30 == 35.3
1/22/22 0:50 == 47.6	1/22/22 4:45 == 47.4	1/22/22 8:40 == 47.6	1/22/22 12:35 == 34.7
1/22/22 0:55 == 47.5	1/22/22 4:50 == 47.8	1/22/22 8:45 == 48	1/22/22 12:40 == 34.5
1/22/22 1:00 == 46.9	1/22/22 4:55 == 47.6	1/22/22 8:50 == 47.8	1/22/22 12:45 == 34.5
1/22/22 1:05 == 47.3	1/22/22 5:00 == 47.9	1/22/22 8:55 == 47.3	1/22/22 12:50 == 34.6

### Pumpback Station Discharge (0364)

1/22/22 12:55 == 40.1	1/22/22 16:50 == 47.6	1/22/22 20:45 == 48	1/23/22 0:40 == 47.3
1/22/22 13:00 == 45.4	1/22/22 16:55 == 48.1	1/22/22 20:50 == 48	1/23/22 0:45 == 47.4
1/22/22 13:05 == 47.7	1/22/22 17:00 == 48	1/22/22 20:55 == 48.1	1/23/22 0:50 == 48
1/22/22 13:10 == 47.2	1/22/22 17:05 == 47.9	1/22/22 21:00 == 48	1/23/22 0:55 == 47.4
1/22/22 13:15 == 47.4	1/22/22 17:10 == 47.4	1/22/22 21:05 == 48.1	1/23/22 1:00 == 47.9
1/22/22 13:20 == 48	1/22/22 17:15 == 47.5	1/22/22 21:10 == 48.1	1/23/22 1:05 == 48.1
1/22/22 13:25 == 47.9	1/22/22 17:20 == 48	1/22/22 21:15 == 47.9	1/23/22 1:10 == 47.8
1/22/22 13:30 == 47.9	1/22/22 17:25 == 47.4	1/22/22 21:20 == 48	1/23/22 1:15 == 47.9
1/22/22 13:35 == 48	1/22/22 17:30 == 46.9	1/22/22 21:25 == 47.8	1/23/22 1:20 == 48
1/22/22 13:40 == 48	1/22/22 17:35 == 47.9	1/22/22 21:30 == 47.5	1/23/22 1:25 == 47.6
1/22/22 13:45 == 48.1	1/22/22 17:40 == 47.9	1/22/22 21:35 == 48	1/23/22 1:30 == 47.8
1/22/22 13:50 == 47.9	1/22/22 17:45 == 48	1/22/22 21:40 == 48	1/23/22 1:35 == 48
1/22/22 13:55 == 47.4	1/22/22 17:50 == 48	1/22/22 21:45 == 47.9	1/23/22 1:40 == 47.4
1/22/22 14:00 == 47.3	1/22/22 17:55 == 47.7	1/22/22 21:50 == 47.9	1/23/22 1:45 == 47.8
1/22/22 14:05 == 47.3	1/22/22 18:00 == 47.8	1/22/22 21:55 == 48	1/23/22 1:50 == 48.1
1/22/22 14:10 == 47	1/22/22 18:05 == 48	1/22/22 22:00 == 48	1/23/22 1:55 == 48
1/22/22 14:15 == 47.5	1/22/22 18:10 == 47.4	1/22/22 22:05 == 47.3	1/23/22 2:00 == 48.1
1/22/22 14:20 == 47.7	1/22/22 18:15 == 47.6	1/22/22 22:10 == 46.9	1/23/22 2:05 == 48.2
1/22/22 14:25 == 47.4	1/22/22 18:20 == 48	1/22/22 22:15 == 48.1	1/23/22 2:10 == 48
1/22/22 14:30 == 48	1/22/22 18:25 == 48	1/22/22 22:20 == 48.1	1/23/22 2:15 == 48
1/22/22 14:35 == 47.9	1/22/22 18:30 == 47.9	1/22/22 22:25 == 48.2	1/23/22 2:20 == 48
1/22/22 14:40 == 48	1/22/22 18:35 == 47.9	1/22/22 22:30 == 47.6	1/23/22 2:25 == 42.6
1/22/22 14:45 == 47.9	1/22/22 18:40 == 48	1/22/22 22:35 == 47.9	1/23/22 2:30 == 35.5
1/22/22 14:50 == 48.2	1/22/22 18:45 == 48	1/22/22 22:40 == 48.1	1/23/22 2:35 == 34.5
1/22/22 14:55 == 47.4	1/22/22 18:50 == 47.9	1/22/22 22:45 == 48.1	1/23/22 2:40 == 34.4
1/22/22 15:00 == 47.9	1/22/22 18:55 == 47.9	1/22/22 22:50 == 47.9	1/23/22 2:45 == 34.3
1/22/22 15:05 == 48	1/22/22 19:00 == 48.1	1/22/22 22:55 == 47.2	1/23/22 2:50 == 34.5
1/22/22 15:10 == 47.6	1/22/22 19:05 == 47.2	1/22/22 23:00 == 47.6	1/23/22 2:55 == 37.2
1/22/22 15:15 == 47.6	1/22/22 19:10 == 42.5	1/22/22 23:05 == 48	1/23/22 3:00 == 46.2
1/22/22 15:20 == 48	1/22/22 19:15 == 34.5	1/22/22 23:10 == 47.9	1/23/22 3:05 == 47.7
1/22/22 15:25 == 40.5	1/22/22 19:20 == 34.6	1/22/22 23:15 == 48	1/23/22 3:10 == 47.9
1/22/22 15:30 == 35.6	1/22/22 19:25 == 34.6	1/22/22 23:20 == 48.1	1/23/22 3:15 == 47.3
1/22/22 15:35 == 34.8	1/22/22 19:30 == 34.6	1/22/22 23:25 == 48.1	1/23/22 3:20 == 48
1/22/22 15:40 == 34.5	1/22/22 19:35 == 34.5	1/22/22 23:30 == 48	1/23/22 3:25 == 48.1
1/22/22 15:45 == 34.4	1/22/22 19:40 == 34.5	1/22/22 23:35 == 48	1/23/22 3:30 == 47.3
1/22/22 15:50 == 34.5	1/22/22 19:45 == 34.5	1/22/22 23:40 == 42	1/23/22 3:35 == 48
1/22/22 15:55 == 34.4	1/22/22 19:50 == 34.5	1/22/22 23:45 == 35.3	1/23/22 3:40 == 47.7
1/22/22 16:00 == 34.4	1/22/22 19:55 == 38	1/22/22 23:50 == 34.4	1/23/22 3:45 == 47.7
1/22/22 16:05 == 34.7	1/22/22 20:00 == 47.5	1/22/22 23:55 == 34.3	1/23/22 3:50 == 48
1/22/22 16:10 == 39.7	1/22/22 20:05 == 47.4	1/23/22 0:00 == 34.3	1/23/22 3:55 == 47.9
1/22/22 16:15 == 46.8	1/22/22 20:10 == 48.1	1/23/22 0:05 == 34.4	1/23/22 4:00 == 48
1/22/22 16:20 == 48	1/22/22 20:15 == 48.1	1/23/22 0:10 == 37.9	1/23/22 4:05 == 48
1/22/22 16:25 == 48	1/22/22 20:20 == 48.1	1/23/22 0:15 == 46.4	1/23/22 4:10 == 47.9
1/22/22 16:30 == 48.1	1/22/22 20:25 == 48	1/23/22 0:20 == 48.1	1/23/22 4:15 == 47.3
1/22/22 16:35 == 47.7	1/22/22 20:30 == 47.9	1/23/22 0:25 == 47.9	1/23/22 4:20 == 47.2
1/22/22 16:40 == 47.3	1/22/22 20:35 == 48	1/23/22 0:30 == 48	1/23/22 4:25 == 47.7
1/22/22 16:45 == 47.3	1/22/22 20:40 == 48	1/23/22 0:35 == 48	1/23/22 4:30 == 47.9

Pumpback Station Discharge (0364)

1/23/22 4:35 == 47.9	1/23/22 8:30 == 48	1/23/22 12:25 == 48	1/23/22 16:20 == 47.9
1/23/22 4:40 == 47.6	1/23/22 8:35 == 47.4	1/23/22 12:30 == 48	1/23/22 16:25 == 48
1/23/22 4:45 == 47.7	1/23/22 8:40 == 47.3	1/23/22 12:35 == 48.1	1/23/22 16:30 == 47.9
1/23/22 4:50 == 48	1/23/22 8:45 == 46.5	1/23/22 12:40 == 47.8	1/23/22 16:35 == 47.9
1/23/22 4:55 == 47.9	1/23/22 8:50 == 47.5	1/23/22 12:45 == 47.7	1/23/22 16:40 == 46.8
1/23/22 5:00 == 47.9	1/23/22 8:55 == 47.2	1/23/22 12:50 == 48.2	1/23/22 16:45 == 47.2
1/23/22 5:05 == 47.9	1/23/22 9:00 == 48	1/23/22 12:55 == 48	1/23/22 16:50 == 47.9
1/23/22 5:10 == 47.3	1/23/22 9:05 == 48	1/23/22 13:00 == 48	1/23/22 16:55 == 44
1/23/22 5:15 == 47.2	1/23/22 9:10 == 47.6	1/23/22 13:05 == 47.9	1/23/22 17:00 == 36.1
1/23/22 5:20 == 47.8	1/23/22 9:15 == 47.7	1/23/22 13:10 == 47.6	1/23/22 17:05 == 34.3
1/23/22 5:25 == 47.2	1/23/22 9:20 == 47.8	1/23/22 13:15 == 48.1	1/23/22 17:10 == 34.1
1/23/22 5:30 == 47.9	1/23/22 9:25 == 42.5	1/23/22 13:20 == 47.9	1/23/22 17:15 == 34.2
1/23/22 5:35 == 47.3	1/23/22 9:30 == 36.3	1/23/22 13:25 == 48.1	1/23/22 17:20 == 34.4
1/23/22 5:40 == 43.8	1/23/22 9:35 == 34.6	1/23/22 13:30 == 48.1	1/23/22 17:25 == 37.3
1/23/22 5:45 == 34.6	1/23/22 9:40 == 34.7	1/23/22 13:35 == 48	1/23/22 17:30 == 43.8
1/23/22 5:50 == 34.6	1/23/22 9:45 == 34.7	1/23/22 13:40 == 47.9	1/23/22 17:35 == 47.7
1/23/22 5:55 == 34.6	1/23/22 9:50 == 34.8	1/23/22 13:45 == 48	1/23/22 17:40 == 48
1/23/22 6:00 == 34.5	1/23/22 9:55 == 34.7	1/23/22 13:50 == 47.9	1/23/22 17:45 == 48
1/23/22 6:05 == 34.7	1/23/22 10:00 == 34.6	1/23/22 13:55 == 47.4	1/23/22 17:50 == 47.8
1/23/22 6:10 == 34.7	1/23/22 10:05 == 34.8	1/23/22 14:00 == 47.4	1/23/22 17:55 == 47.3
1/23/22 6:15 == 34.6	1/23/22 10:10 == 38.2	1/23/22 14:05 == 48	1/23/22 18:00 == 47.4
1/23/22 6:20 == 34.7	1/23/22 10:15 == 44.6	1/23/22 14:10 == 43.6	1/23/22 18:05 == 47.8
1/23/22 6:25 == 36.8	1/23/22 10:20 == 47.5	1/23/22 14:15 == 35.5	1/23/22 18:10 == 47.5
1/23/22 6:30 == 45.5	1/23/22 10:25 == 47.4	1/23/22 14:20 == 34.3	1/23/22 18:15 == 47.9
1/23/22 6:35 == 47.6	1/23/22 10:30 == 47.8	1/23/22 14:25 == 34.2	1/23/22 18:20 == 47.8
1/23/22 6:40 == 48	1/23/22 10:35 == 48	1/23/22 14:30 == 34.3	1/23/22 18:25 == 47.5
1/23/22 6:45 == 47.9	1/23/22 10:40 == 47.9	1/23/22 14:35 == 34.3	1/23/22 18:30 == 47.7
1/23/22 6:50 == 47.9	1/23/22 10:45 == 48	1/23/22 14:40 == 36.9	1/23/22 18:35 == 47.9
1/23/22 6:55 == 47	1/23/22 10:50 == 47.8	1/23/22 14:45 == 44.3	1/23/22 18:40 == 48
1/23/22 7:00 == 47.5	1/23/22 10:55 == 47.3	1/23/22 14:50 == 48	1/23/22 18:45 == 48
1/23/22 7:05 == 47.9	1/23/22 11:00 == 48.1	1/23/22 14:55 == 47.6	1/23/22 18:50 == 47.9
1/23/22 7:10 == 47.5	1/23/22 11:05 == 47.9	1/23/22 15:00 == 47.7	1/23/22 18:55 == 47.2
1/23/22 7:15 == 47.8	1/23/22 11:10 == 47.3	1/23/22 15:05 == 47.9	1/23/22 19:00 == 47.2
1/23/22 7:20 == 48	1/23/22 11:15 == 47.5	1/23/22 15:10 == 47.4	1/23/22 19:05 == 48
1/23/22 7:25 == 47.7	1/23/22 11:20 == 47.8	1/23/22 15:15 == 47.5	1/23/22 19:10 == 47.5
1/23/22 7:30 == 47.8	1/23/22 11:25 == 47.5	1/23/22 15:20 == 48	1/23/22 19:15 == 48
1/23/22 7:35 == 47.9	1/23/22 11:30 == 47.7	1/23/22 15:25 == 47.7	1/23/22 19:20 == 48
1/23/22 7:40 == 47.5	1/23/22 11:35 == 48	1/23/22 15:30 == 47.6	1/23/22 19:25 == 47
1/23/22 7:45 == 47.4	1/23/22 11:40 == 47.5	1/23/22 15:35 == 47.6	1/23/22 19:30 == 47.3
1/23/22 7:50 == 47.9	1/23/22 11:45 == 47.8	1/23/22 15:40 == 47.3	1/23/22 19:35 == 47.7
1/23/22 7:55 == 47.9	1/23/22 11:50 == 48	1/23/22 15:45 == 47.6	1/23/22 19:40 == 47.4
1/23/22 8:00 == 47.9	1/23/22 11:55 == 47.6	1/23/22 15:50 == 48	1/23/22 19:45 == 47.8
1/23/22 8:05 == 47.7	1/23/22 12:00 == 47.8	1/23/22 15:55 == 47.9	1/23/22 19:50 == 48.1
1/23/22 8:10 == 47.1	1/23/22 12:05 == 48	1/23/22 16:00 == 47.4	1/23/22 19:55 == 43.8
1/23/22 8:15 == 47.3	1/23/22 12:10 == 47.5	1/23/22 16:05 == 47.4	1/23/22 20:00 == 37.1
1/23/22 8:20 == 48	1/23/22 12:15 == 47.7	1/23/22 16:10 == 47.5	1/23/22 20:05 == 34.3
1/23/22 8:25 == 48	1/23/22 12:20 == 48	1/23/22 16:15 == 47.5	1/23/22 20:10 == 34.3



### Pumpback Station Discharge (0364)

1/23/22 20:15 == 34.3	1/24/22 0:10 == 34.4	1/24/22 4:05 == 47.9	1/24/22 8:00 == 44.2
1/23/22 20:20 == 34.3	1/24/22 0:15 == 34.3	1/24/22 4:10 == 47.8	1/24/22 8:05 == 47.7
1/23/22 20:25 == 37.1	1/24/22 0:20 == 34.3	1/24/22 4:15 == 47.6	1/24/22 8:10 == 46.8
1/23/22 20:30 == 43.2	1/24/22 0:25 == 34.2	1/24/22 4:20 == 47.9	1/24/22 8:15 == 47.6
1/23/22 20:35 == 47.2	1/24/22 0:30 == 44.1	1/24/22 4:25 == 48	1/24/22 8:20 == 48.1
1/23/22 20:40 == 47.7	1/24/22 0:35 == 47.5	1/24/22 4:30 == 48	1/24/22 8:25 == 48.1
1/23/22 20:45 == 47.4	1/24/22 0:40 == 46.7	1/24/22 4:35 == 47.9	1/24/22 8:30 == 48.1
1/23/22 20:50 == 47.7	1/24/22 0:45 == 47.5	1/24/22 4:40 == 47.8	1/24/22 8:35 == 47.9
1/23/22 20:55 == 47.4	1/24/22 0:50 == 47.9	1/24/22 4:45 == 47.5	1/24/22 8:40 == 47
1/23/22 21:00 == 48	1/24/22 0:55 == 47.4	1/24/22 4:50 == 47.7	1/24/22 8:45 == 47.6
1/23/22 21:05 == 48.1	1/24/22 1:00 == 47.7	1/24/22 4:55 == 47.7	1/24/22 8:50 == 48
1/23/22 21:10 == 48.2	1/24/22 1:05 == 48	1/24/22 5:00 == 48.1	1/24/22 8:55 == 47.2
1/23/22 21:15 == 48	1/24/22 1:10 == 47.7	1/24/22 5:05 == 47.9	1/24/22 9:00 == 47.5
1/23/22 21:20 == 48.1	1/24/22 1:15 == 47.9	1/24/22 5:10 == 47.5	1/24/22 9:05 == 47.9
1/23/22 21:25 == 48	1/24/22 1:20 == 48.2	1/24/22 5:15 == 47.9	1/24/22 9:10 == 47.7
1/23/22 21:30 == 48	1/24/22 1:25 == 48	1/24/22 5:20 == 48	1/24/22 9:15 == 47.8
1/23/22 21:35 == 48.1	1/24/22 1:30 == 47.6	1/24/22 5:25 == 47.1	1/24/22 9:20 == 47.9
1/23/22 21:40 == 48.1	1/24/22 1:35 == 47.3	1/24/22 5:30 == 47.2	1/24/22 9:25 == 47.9
1/23/22 21:45 == 48	1/24/22 1:40 == 47.5	1/24/22 5:35 == 48	1/24/22 9:30 == 47.9
1/23/22 21:50 == 48.1	1/24/22 1:45 == 47.6	1/24/22 5:40 == 47.3	1/24/22 9:35 == 47.8
1/23/22 21:55 == 47.9	1/24/22 1:50 == 47.5	1/24/22 5:45 == 47.8	1/24/22 9:40 == 47.6
1/23/22 22:00 == 48	1/24/22 1:55 == 47.9	1/24/22 5:50 == 48.1	1/24/22 9:45 == 48.1
1/23/22 22:05 == 48	1/24/22 2:00 == 48	1/24/22 5:55 == 46.7	1/24/22 9:50 == 47.9
1/23/22 22:10 == 46.8	1/24/22 2:05 == 48	1/24/22 6:00 == 47.4	1/24/22 9:55 == 46.1
1/23/22 22:15 == 47.5	1/24/22 2:10 == 47.6	1/24/22 6:05 == 48	1/24/22 10:00 == 37.3
1/23/22 22:20 == 48.1	1/24/22 2:15 == 48.1	1/24/22 6:10 == 48	1/24/22 10:05 == 34.2
1/23/22 22:25 == 47.9	1/24/22 2:20 == 47.9	1/24/22 6:15 == 48	1/24/22 10:10 == 34.2
1/23/22 22:30 == 47.5	1/24/22 2:25 == 48	1/24/22 6:20 == 48.1	1/24/22 10:15 == 34.1
1/23/22 22:35 == 47.7	1/24/22 2:30 == 48.1	1/24/22 6:25 == 47.7	1/24/22 10:20 == 34.1
1/23/22 22:40 == 48	1/24/22 2:35 == 47.9	1/24/22 6:30 == 47.6	1/24/22 10:25 == 35.2
1/23/22 22:45 == 48	1/24/22 2:40 == 47.9	1/24/22 6:35 == 47.8	1/24/22 10:30 == 44.8
1/23/22 22:50 == 47.7	1/24/22 2:45 == 48	1/24/22 6:40 == 47.9	1/24/22 10:35 == 47.8
1/23/22 22:55 == 47.2	1/24/22 2:50 == 48	1/24/22 6:45 == 48	1/24/22 10:40 == 48
1/23/22 23:00 == 47.3	1/24/22 2:55 == 46.8	1/24/22 6:50 == 47.6	1/24/22 10:45 == 48.1
1/23/22 23:05 == 47.9	1/24/22 3:00 == 35.4	1/24/22 6:55 == 47.2	1/24/22 10:50 == 47.9
1/23/22 23:10 == 48.1	1/24/22 3:05 == 34.2	1/24/22 7:00 == 47.3	1/24/22 10:55 == 47.6
1/23/22 23:15 == 48	1/24/22 3:10 == 34.2	1/24/22 7:05 == 47.7	1/24/22 11:00 == 47.9
1/23/22 23:20 == 48	1/24/22 3:15 == 34.3	1/24/22 7:10 == 47.7	1/24/22 11:05 == 48
1/23/22 23:25 == 48	1/24/22 3:20 == 34.3	1/24/22 7:15 == 48	1/24/22 11:10 == 47.9
1/23/22 23:30 == 48.1	1/24/22 3:25 == 34.3	1/24/22 7:20 == 48	1/24/22 11:15 == 48.1
1/23/22 23:35 == 48.1	1/24/22 3:30 == 34.3	1/24/22 7:25 == 46.1	1/24/22 11:20 == 47.4
1/23/22 23:40 == 48	1/24/22 3:35 == 34.4	1/24/22 7:30 == 36.5	1/24/22 11:25 == 47.6
1/23/22 23:45 == 48	1/24/22 3:40 == 35.6	1/24/22 7:35 == 34.3	1/24/22 11:30 == 47.9
1/23/22 23:50 == 48	1/24/22 3:45 == 42.6	1/24/22 7:40 == 34.1	1/24/22 11:35 == 47.8
1/23/22 23:55 == 47	1/24/22 3:50 == 47.5	1/24/22 7:45 == 34.2	1/24/22 11:40 == 47.6
1/24/22 0:00 == 34.5	1/24/22 3:55 == 47.9	1/24/22 7:50 == 34.3	1/24/22 11:45 == 47.7
1/24/22 0:05 == 34.3	1/24/22 4:00 == 47.8	1/24/22 7:55 == 34.2	1/24/22 11:50 == 47.9

Pumpback Station Discharge (0364)

1/24/22 11:55 == 47.9	1/24/22 15:50 == 48	1/24/22 19:45 == 47.7	1/24/22 23:40 == 47.9
1/24/22 12:00 == 48	1/24/22 15:55 == 47.9	1/24/22 19:50 == 48	1/24/22 23:45 == 47.9
1/24/22 12:05 == 48	1/24/22 16:00 == 47.8	1/24/22 19:55 == 48	1/24/22 23:50 == 47.9
1/24/22 12:10 == 47.9	1/24/22 16:05 == 47.8	1/24/22 20:00 == 48	1/24/22 23:55 == 47.9
1/24/22 12:15 == 47.9	1/24/22 16:10 == 47.1	1/24/22 20:05 == 47.8	1/25/22 0:00 == 47.9
1/24/22 12:20 == 48	1/24/22 16:15 == 47.7	1/24/22 20:10 == 47.8	1/25/22 0:05 == 48
1/24/22 12:25 == 48	1/24/22 16:20 == 48.2	1/24/22 20:15 == 48	1/25/22 0:10 == 46.8
1/24/22 12:30 == 47.9	1/24/22 16:25 == 48	1/24/22 20:20 == 48	1/25/22 0:15 == 38.6
1/24/22 12:35 == 47.9	1/24/22 16:30 == 48	1/24/22 20:25 == 47.9	1/25/22 0:20 == 34
1/24/22 12:40 == 47.9	1/24/22 16:35 == 47.9	1/24/22 20:30 == 48.1	1/25/22 0:25 == 34
1/24/22 12:45 == 48.1	1/24/22 16:40 == 47	1/24/22 20:35 == 47.9	1/25/22 0:30 == 34
1/24/22 12:50 == 47.9	1/24/22 16:45 == 47.2	1/24/22 20:40 == 47.8	1/25/22 0:35 == 34.3
1/24/22 12:55 == 48.1	1/24/22 16:50 == 47.8	1/24/22 20:45 == 37.1	1/25/22 0:40 == 34.7
1/24/22 13:00 == 48	1/24/22 16:55 == 45.3	1/24/22 20:50 == 34	1/25/22 0:45 == 40.1
1/24/22 13:05 == 47.8	1/24/22 17:00 == 38.9	1/24/22 20:55 == 34.1	1/25/22 0:50 == 47.4
1/24/22 13:10 == 47.9	1/24/22 17:05 == 34.1	1/24/22 21:00 == 34	1/25/22 0:55 == 47.7
1/24/22 13:15 == 47.9	1/24/22 17:10 == 34.1	1/24/22 21:05 == 34	1/25/22 1:00 == 47.5
1/24/22 13:20 == 48	1/24/22 17:15 == 34	1/24/22 21:10 == 34	1/25/22 1:05 == 47.9
1/24/22 13:25 == 47.9	1/24/22 17:20 == 34.1	1/24/22 21:15 == 41.9	1/25/22 1:10 == 47.9
1/24/22 13:30 == 48	1/24/22 17:25 == 35.5	1/24/22 21:20 == 46.9	1/25/22 1:15 == 48
1/24/22 13:35 == 47.9	1/24/22 17:30 == 41.2	1/24/22 21:25 == 47.8	1/25/22 1:20 == 47.9
1/24/22 13:40 == 47.9	1/24/22 17:35 == 47.8	1/24/22 21:30 == 47.7	1/25/22 1:25 == 47.3
1/24/22 13:45 == 48	1/24/22 17:40 == 47.5	1/24/22 21:35 == 47.8	1/25/22 1:30 == 48
1/24/22 13:50 == 48.1	1/24/22 17:45 == 47.7	1/24/22 21:40 == 48	1/25/22 1:35 == 47.9
1/24/22 13:55 == 47.2	1/24/22 17:50 == 47.9	1/24/22 21:45 == 48	1/25/22 1:40 == 47.1
1/24/22 14:00 == 46.9	1/24/22 17:55 == 47.5	1/24/22 21:50 == 48.1	1/25/22 1:45 == 48
1/24/22 14:05 == 47.2	1/24/22 18:00 == 47.3	1/24/22 21:55 == 47.4	1/25/22 1:50 == 47.9
1/24/22 14:10 == 46.8	1/24/22 18:05 == 48.2	1/24/22 22:00 == 47.2	1/25/22 1:55 == 47.2
1/24/22 14:15 == 47.2	1/24/22 18:10 == 48	1/24/22 22:05 == 47.5	1/25/22 2:00 == 47.8
1/24/22 14:20 == 47.9	1/24/22 18:15 == 48	1/24/22 22:10 == 47.6	1/25/22 2:05 == 48.1
1/24/22 14:25 == 44.9	1/24/22 18:20 == 48.2	1/24/22 22:15 == 47.9	1/25/22 2:10 == 47.8
1/24/22 14:30 == 38.3	1/24/22 18:25 == 48	1/24/22 22:20 == 47.9	1/25/22 2:15 == 48.1
1/24/22 14:35 == 34	1/24/22 18:30 == 48	1/24/22 22:25 == 47.9	1/25/22 2:20 == 48.2
1/24/22 14:40 == 34.2	1/24/22 18:35 == 47.9	1/24/22 22:30 == 47.8	1/25/22 2:25 == 48
1/24/22 14:45 == 34.2	1/24/22 18:40 == 47.9	1/24/22 22:35 == 47.9	1/25/22 2:30 == 47.9
1/24/22 14:50 == 34.2	1/24/22 18:45 == 47.9	1/24/22 22:40 == 47.9	1/25/22 2:35 == 47.9
1/24/22 14:55 == 35.5	1/24/22 18:50 == 48	1/24/22 22:45 == 47.9	1/25/22 2:40 == 48
1/24/22 15:00 == 41.3	1/24/22 18:55 == 48	1/24/22 22:50 == 47.7	1/25/22 2:45 == 48
1/24/22 15:05 == 47.4	1/24/22 19:00 == 47.9	1/24/22 22:55 == 46.9	1/25/22 2:50 == 48.1
1/24/22 15:10 == 48	1/24/22 19:05 == 48	1/24/22 23:00 == 47.2	1/25/22 2:55 == 47.8
1/24/22 15:15 == 47.9	1/24/22 19:10 == 47.6	1/24/22 23:05 == 48	1/25/22 3:00 == 47.7
1/24/22 15:20 == 47.9	1/24/22 19:15 == 47.6	1/24/22 23:10 == 48	1/25/22 3:05 == 47.9
1/24/22 15:25 == 47.6	1/24/22 19:20 == 47.8	1/24/22 23:15 == 47.9	1/25/22 3:10 == 47.9
1/24/22 15:30 == 47.9	1/24/22 19:25 == 47.6	1/24/22 23:20 == 47.9	1/25/22 3:15 == 48
1/24/22 15:35 == 48	1/24/22 19:30 == 47.8	1/24/22 23:25 == 48	1/25/22 3:20 == 48
1/24/22 15:40 == 47.6	1/24/22 19:35 == 48	1/24/22 23:30 == 48	1/25/22 3:25 == 47.8
1/24/22 15:45 == 47.7	1/24/22 19:40 == 47.8	1/24/22 23:35 == 47.9	1/25/22 3:30 == 47.7

### Pumpback Station Discharge (0364)

1/25/22 3:35 == 47.9	1/25/22 7:30 == 47.9	1/25/22 11:25 == 48	1/25/22 15:20 == 34.9
1/25/22 3:40 == 47.9	1/25/22 7:35 == 47.9	1/25/22 11:30 == 48.1	1/25/22 15:25 == 34.1
1/25/22 3:45 == 48	1/25/22 7:40 == 47.8	1/25/22 11:35 == 48	1/25/22 15:30 == 34.2
1/25/22 3:50 == 47.9	1/25/22 7:45 == 38.8	1/25/22 11:40 == 46.6	1/25/22 15:35 == 34.3
1/25/22 3:55 == 47.8	1/25/22 7:50 == 34.5	1/25/22 11:45 == 40.9	1/25/22 15:40 == 34.2
1/25/22 4:00 == 47.6	1/25/22 7:55 == 34.2	1/25/22 11:50 == 34.2	1/25/22 15:45 == 39.9
1/25/22 4:05 == 47.8	1/25/22 8:00 == 34.2	1/25/22 11:55 == 34.2	1/25/22 15:50 == 46.1
1/25/22 4:10 == 47.8	1/25/22 8:05 == 34.3	1/25/22 12:00 == 34.3	1/25/22 15:55 == 47.9
1/25/22 4:15 == 47.3	1/25/22 8:10 == 34.2	1/25/22 12:05 == 34.3	1/25/22 16:00 == 48
1/25/22 4:20 == 48	1/25/22 8:15 == 34.1	1/25/22 12:10 == 34.3	1/25/22 16:05 == 47.8
1/25/22 4:25 == 48	1/25/22 8:20 == 34.2	1/25/22 12:15 == 39.5	1/25/22 16:10 == 47.5
1/25/22 4:30 == 48.1	1/25/22 8:25 == 34.3	1/25/22 12:20 == 47	1/25/22 16:15 == 47.8
1/25/22 4:35 == 47.9	1/25/22 8:30 == 39.5	1/25/22 12:25 == 47.5	1/25/22 16:20 == 48.1
1/25/22 4:40 == 47.9	1/25/22 8:35 == 46.9	1/25/22 12:30 == 47.8	1/25/22 16:25 == 48
1/25/22 4:45 == 48	1/25/22 8:40 == 47.3	1/25/22 12:35 == 47.9	1/25/22 16:30 == 48.1
1/25/22 4:50 == 48.1	1/25/22 8:45 == 47.8	1/25/22 12:40 == 47.8	1/25/22 16:35 == 47.8
1/25/22 4:55 == 48	1/25/22 8:50 == 47.8	1/25/22 12:45 == 47.9	1/25/22 16:40 == 47.1
1/25/22 5:00 == 48	1/25/22 8:55 == 47.2	1/25/22 12:50 == 48	1/25/22 16:45 == 47.3
1/25/22 5:05 == 47.9	1/25/22 9:00 == 47.5	1/25/22 12:55 == 47.9	1/25/22 16:50 == 48
1/25/22 5:10 == 47.2	1/25/22 9:05 == 48	1/25/22 13:00 == 48	1/25/22 16:55 == 47.9
1/25/22 5:15 == 38.3	1/25/22 9:10 == 48.1	1/25/22 13:05 == 48.1	1/25/22 17:00 == 48.1
1/25/22 5:20 == 34.5	1/25/22 9:15 == 47.9	1/25/22 13:10 == 47.9	1/25/22 17:05 == 47.9
1/25/22 5:25 == 34.2	1/25/22 9:20 == 47.6	1/25/22 13:15 == 47.9	1/25/22 17:10 == 47.3
1/25/22 5:30 == 34.2	1/25/22 9:25 == 47.8	1/25/22 13:20 == 47.9	1/25/22 17:15 == 47.8
1/25/22 5:35 == 34.4	1/25/22 9:30 == 46.9	1/25/22 13:25 == 48	1/25/22 17:20 == 48
1/25/22 5:40 == 34.2	1/25/22 9:35 == 48	1/25/22 13:30 == 48	1/25/22 17:25 == 47.2
1/25/22 5:45 == 40.1	1/25/22 9:40 == 47.3	1/25/22 13:35 == 48	1/25/22 17:30 == 47.1
1/25/22 5:50 == 47	1/25/22 9:45 == 47.8	1/25/22 13:40 == 48	1/25/22 17:35 == 47.7
1/25/22 5:55 == 47.1	1/25/22 9:50 == 47.9	1/25/22 13:45 == 47.9	1/25/22 17:40 == 47.7
1/25/22 6:00 == 47.2	1/25/22 9:55 == 47	1/25/22 13:50 == 47.7	1/25/22 17:45 == 47.5
1/25/22 6:05 == 47.8	1/25/22 10:00 == 47.7	1/25/22 13:55 == 47.3	1/25/22 17:50 == 47.5
1/25/22 6:10 == 47.7	1/25/22 10:05 == 48	1/25/22 14:00 == 47.5	1/25/22 17:55 == 47.1
1/25/22 6:15 == 47.9	1/25/22 10:10 == 47.2	1/25/22 14:05 == 47.7	1/25/22 18:00 == 47.6
1/25/22 6:20 == 48	1/25/22 10:15 == 47.7	1/25/22 14:10 == 47.1	1/25/22 18:05 == 48
1/25/22 6:25 == 47.9	1/25/22 10:20 == 48.1	1/25/22 14:15 == 47.5	1/25/22 18:10 == 47.8
1/25/22 6:30 == 47.9	1/25/22 10:25 == 47	1/25/22 14:20 == 47.4	1/25/22 18:15 == 48
1/25/22 6:35 == 47.8	1/25/22 10:30 == 47	1/25/22 14:25 == 47.6	1/25/22 18:20 == 48
1/25/22 6:40 == 48.1	1/25/22 10:35 == 47.7	1/25/22 14:30 == 47.4	1/25/22 18:25 == 47.6
1/25/22 6:45 == 48	1/25/22 10:40 == 48	1/25/22 14:35 == 48	1/25/22 18:30 == 47.6
1/25/22 6:50 == 47.8	1/25/22 10:45 == 48	1/25/22 14:40 == 47.9	1/25/22 18:35 == 47.8
1/25/22 6:55 == 46.6	1/25/22 10:50 == 47.7	1/25/22 14:45 == 48	1/25/22 18:40 == 47.9
1/25/22 7:00 == 47	1/25/22 10:55 == 47.2	1/25/22 14:50 == 48	1/25/22 18:45 == 48
1/25/22 7:05 == 47.9	1/25/22 11:00 == 47.1	1/25/22 14:55 == 48	1/25/22 18:50 == 47.9
1/25/22 7:10 == 47.6	1/25/22 11:05 == 47.6	1/25/22 15:00 == 48.1	1/25/22 18:55 == 47.1
1/25/22 7:15 == 47.8	1/25/22 11:10 == 47.9	1/25/22 15:05 == 48.1	1/25/22 19:00 == 41.9
1/25/22 7:20 == 48	1/25/22 11:15 == 47.7	1/25/22 15:10 == 48	1/25/22 19:05 == 34.1
1/25/22 7:25 == 47.7	1/25/22 11:20 == 47.4	1/25/22 15:15 == 39.7	1/25/22 19:10 == 34.2

### Pumpback Station Discharge (0364)

1/25/22 19:15 == 34.2	1/25/22 23:10 == 47.4	1/26/22 3:05 == 48	1/26/22 7:00 == 47.6
1/25/22 19:20 == 34.2	1/25/22 23:15 == 48	1/26/22 3:10 == 48.1	1/26/22 7:05 == 48.1
1/25/22 19:25 == 34.5	1/25/22 23:20 == 47.9	1/26/22 3:15 == 47.8	1/26/22 7:10 == 47.6
1/25/22 19:30 == 37.3	1/25/22 23:25 == 48	1/26/22 3:20 == 47.1	1/26/22 7:15 == 47.6
1/25/22 19:35 == 47.2	1/25/22 23:30 == 48	1/26/22 3:25 == 47.4	1/26/22 7:20 == 48
1/25/22 19:40 == 47.9	1/25/22 23:35 == 48.1	1/26/22 3:30 == 47.9	1/26/22 7:25 == 48
1/25/22 19:45 == 47.9	1/25/22 23:40 == 48.1	1/26/22 3:35 == 48.1	1/26/22 7:30 == 42.3
1/25/22 19:50 == 47.9	1/25/22 23:45 == 48	1/26/22 3:40 == 47.9	1/26/22 7:35 == 35.2
1/25/22 19:55 == 48	1/25/22 23:50 == 48	1/26/22 3:45 == 48	1/26/22 7:40 == 34
1/25/22 20:00 == 48.1	1/25/22 23:55 == 48	1/26/22 3:50 == 48	1/26/22 7:45 == 34.1
1/25/22 20:05 == 47.2	1/26/22 0:00 == 47.9	1/26/22 3:55 == 48	1/26/22 7:50 == 34.1
1/25/22 20:10 == 47.9	1/26/22 0:05 == 47.9	1/26/22 4:00 == 48	1/26/22 7:55 == 34.2
1/25/22 20:15 == 47.9	1/26/22 0:10 == 48	1/26/22 4:05 == 47.9	1/26/22 8:00 == 37
1/25/22 20:20 == 48	1/26/22 0:15 == 47.9	1/26/22 4:10 == 47.7	1/26/22 8:05 == 45.1
1/25/22 20:25 == 47.9	1/26/22 0:20 == 48	1/26/22 4:15 == 47.1	1/26/22 8:10 == 47.8
1/25/22 20:30 == 48	1/26/22 0:25 == 48	1/26/22 4:20 == 47.6	1/26/22 8:15 == 48.1
1/25/22 20:35 == 48.1	1/26/22 0:30 == 48	1/26/22 4:25 == 47.9	1/26/22 8:20 == 48
1/25/22 20:40 == 47.9	1/26/22 0:35 == 47.9	1/26/22 4:30 == 48	1/26/22 8:25 == 48
1/25/22 20:45 == 47.9	1/26/22 0:40 == 47.2	1/26/22 4:35 == 48	1/26/22 8:30 == 48
1/25/22 20:50 == 48	1/26/22 0:45 == 48	1/26/22 4:40 == 47.9	1/26/22 8:35 == 48
1/25/22 20:55 == 47.8	1/26/22 0:50 == 48.1	1/26/22 4:45 == 42	1/26/22 8:40 == 47.9
1/25/22 21:00 == 47.8	1/26/22 0:55 == 48	1/26/22 4:50 == 35.6	1/26/22 8:45 == 48
1/25/22 21:05 == 47.9	1/26/22 1:00 == 48	1/26/22 4:55 == 34.1	1/26/22 8:50 == 48
1/25/22 21:10 == 48	1/26/22 1:05 == 48	1/26/22 5:00 == 34.1	1/26/22 8:55 == 47.5
1/25/22 21:15 == 48.1	1/26/22 1:10 == 47.9	1/26/22 5:05 == 34.1	1/26/22 9:00 == 47.8
1/25/22 21:20 == 48	1/26/22 1:15 == 48.1	1/26/22 5:10 == 34.1	1/26/22 9:05 == 48
1/25/22 21:25 == 47.9	1/26/22 1:20 == 48	1/26/22 5:15 == 37.6	1/26/22 9:10 == 47.9
1/25/22 21:30 == 47.9	1/26/22 1:25 == 47.9	1/26/22 5:20 == 45.3	1/26/22 9:15 == 47.9
1/25/22 21:35 == 48	1/26/22 1:30 == 41.4	1/26/22 5:25 == 47.2	1/26/22 9:20 == 48
1/25/22 21:40 == 48	1/26/22 1:35 == 35.5	1/26/22 5:30 == 47.5	1/26/22 9:25 == 47.5
1/25/22 21:45 == 48	1/26/22 1:40 == 34.2	1/26/22 5:35 == 47.8	1/26/22 9:30 == 47.8
1/25/22 21:50 == 47.8	1/26/22 1:45 == 34.2	1/26/22 5:40 == 47.6	1/26/22 9:35 == 47.9
1/25/22 21:55 == 47.6	1/26/22 1:50 == 34.2	1/26/22 5:45 == 47.9	1/26/22 9:40 == 47.3
1/25/22 22:00 == 47.9	1/26/22 1:55 == 34.2	1/26/22 5:50 == 47.9	1/26/22 9:45 == 47.6
1/25/22 22:05 == 47.4	1/26/22 2:00 == 38.2	1/26/22 5:55 == 47.2	1/26/22 9:50 == 48
1/25/22 22:10 == 47.2	1/26/22 2:05 == 44.7	1/26/22 6:00 == 47.5	1/26/22 9:55 == 47.3
1/25/22 22:15 == 47.9	1/26/22 2:10 == 47.8	1/26/22 6:05 == 48.1	1/26/22 10:00 == 47.1
1/25/22 22:20 == 48.1	1/26/22 2:15 == 48	1/26/22 6:10 == 47.4	1/26/22 10:05 == 47.7
1/25/22 22:25 == 47.9	1/26/22 2:20 == 48	1/26/22 6:15 == 48.1	1/26/22 10:10 == 47.9
1/25/22 22:30 == 41	1/26/22 2:25 == 47.6	1/26/22 6:20 == 48.1	1/26/22 10:15 == 47.8
1/25/22 22:35 == 34.5	1/26/22 2:30 == 47.5	1/26/22 6:25 == 47.8	1/26/22 10:20 == 47.7
1/25/22 22:40 == 34.1	1/26/22 2:35 == 47.8	1/26/22 6:30 == 47.9	1/26/22 10:25 == 47.1
1/25/22 22:45 == 34.2	1/26/22 2:40 == 47.8	1/26/22 6:35 == 48.1	1/26/22 10:30 == 47.2
1/25/22 22:50 == 34.2	1/26/22 2:45 == 47.9	1/26/22 6:40 == 48	1/26/22 10:35 == 47.6
1/25/22 22:55 == 34.3	1/26/22 2:50 == 47.9	1/26/22 6:45 == 48	1/26/22 10:40 == 47.9
1/25/22 23:00 == 39	1/26/22 2:55 == 48.1	1/26/22 6:50 == 48	1/26/22 10:45 == 48
1/25/22 23:05 == 45	1/26/22 3:00 == 48	1/26/22 6:55 == 47	1/26/22 10:50 == 47.8

### Pumpback Station Discharge (0364)

1/26/22 10:55 == 46.8	1/26/22 14:50 == 34.3	1/26/22 18:45 == 48.1	1/26/22 22:40 == 48
1/26/22 11:00 == 44.4	1/26/22 14:55 == 34.2	1/26/22 18:50 == 48.1	1/26/22 22:45 == 48
1/26/22 11:05 == 34.2	1/26/22 15:00 == 37.8	1/26/22 18:55 == 47.9	1/26/22 22:50 == 47.7
1/26/22 11:10 == 34.3	1/26/22 15:05 == 44.2	1/26/22 19:00 == 48	1/26/22 22:55 == 47.1
1/26/22 11:15 == 34.1	1/26/22 15:10 == 47.6	1/26/22 19:05 == 48	1/26/22 23:00 == 47.3
1/26/22 11:20 == 34.2	1/26/22 15:15 == 48	1/26/22 19:10 == 47.4	1/26/22 23:05 == 48
1/26/22 11:25 == 34.1	1/26/22 15:20 == 47.8	1/26/22 19:15 == 47.8	1/26/22 23:10 == 48.1
1/26/22 11:30 == 36.4	1/26/22 15:25 == 47.4	1/26/22 19:20 == 48	1/26/22 23:15 == 48.1
1/26/22 11:35 == 46.7	1/26/22 15:30 == 47.5	1/26/22 19:25 == 47.4	1/26/22 23:20 == 48
1/26/22 11:40 == 48.1	1/26/22 15:35 == 48	1/26/22 19:30 == 47.8	1/26/22 23:25 == 48
1/26/22 11:45 == 48	1/26/22 15:40 == 47.9	1/26/22 19:35 == 48	1/26/22 23:30 == 48.1
1/26/22 11:50 == 47.9	1/26/22 15:45 == 48	1/26/22 19:40 == 48	1/26/22 23:35 == 48
1/26/22 11:55 == 47.9	1/26/22 15:50 == 47.8	1/26/22 19:45 == 48	1/26/22 23:40 == 48.1
1/26/22 12:00 == 48	1/26/22 15:55 == 47.5	1/26/22 19:50 == 48	1/26/22 23:45 == 46.1
1/26/22 12:05 == 48.1	1/26/22 16:00 == 47.9	1/26/22 19:55 == 48	1/26/22 23:50 == 34.5
1/26/22 12:10 == 48	1/26/22 16:05 == 47.8	1/26/22 20:00 == 47.9	1/26/22 23:55 == 34.2
1/26/22 12:15 == 47.9	1/26/22 16:10 == 47	1/26/22 20:05 == 48	1/27/22 0:00 == 34
1/26/22 12:20 == 47.9	1/26/22 16:15 == 47.3	1/26/22 20:10 == 48	1/27/22 0:05 == 34.2
1/26/22 12:25 == 48	1/26/22 16:20 == 48	1/26/22 20:15 == 43.3	1/27/22 0:10 == 34.1
1/26/22 12:30 == 48	1/26/22 16:25 == 48	1/26/22 20:20 == 36.7	1/27/22 0:15 == 34.2
1/26/22 12:35 == 47.9	1/26/22 16:30 == 47.9	1/26/22 20:25 == 34.2	1/27/22 0:20 == 46.2
1/26/22 12:40 == 48	1/26/22 16:35 == 48.1	1/26/22 20:30 == 34.1	1/27/22 0:25 == 47.8
1/26/22 12:45 == 48	1/26/22 16:40 == 47.2	1/26/22 20:35 == 34.1	1/27/22 0:30 == 48
1/26/22 12:50 == 47.9	1/26/22 16:45 == 43.3	1/26/22 20:40 == 34.1	1/27/22 0:35 == 47.9
1/26/22 12:55 == 48	1/26/22 16:50 == 35.4	1/26/22 20:45 == 36.5	1/27/22 0:40 == 47.2
1/26/22 13:00 == 48.1	1/26/22 16:55 == 34.3	1/26/22 20:50 == 43.3	1/27/22 0:45 == 47.5
1/26/22 13:05 == 48	1/26/22 17:00 == 34.2	1/26/22 20:55 == 47.4	1/27/22 0:50 == 47.8
1/26/22 13:10 == 47.9	1/26/22 17:05 == 34.2	1/26/22 21:00 == 47.6	1/27/22 0:55 == 47.3
1/26/22 13:15 == 48	1/26/22 17:10 == 34	1/26/22 21:05 == 48	1/27/22 1:00 == 47.7
1/26/22 13:20 == 47.8	1/26/22 17:15 == 36.7	1/26/22 21:10 == 47.9	1/27/22 1:05 == 48
1/26/22 13:25 == 47.9	1/26/22 17:20 == 44.6	1/26/22 21:15 == 48	1/27/22 1:10 == 48
1/26/22 13:30 == 48	1/26/22 17:25 == 47.1	1/26/22 21:20 == 47.9	1/27/22 1:15 == 47.9
1/26/22 13:35 == 48	1/26/22 17:30 == 47	1/26/22 21:25 == 47.9	1/27/22 1:20 == 47.8
1/26/22 13:40 == 48.2	1/26/22 17:35 == 47.6	1/26/22 21:30 == 48.1	1/27/22 1:25 == 47.7
1/26/22 13:45 == 48.1	1/26/22 17:40 == 48	1/26/22 21:35 == 47.9	1/27/22 1:30 == 47.7
1/26/22 13:50 == 48	1/26/22 17:45 == 48.1	1/26/22 21:40 == 48.1	1/27/22 1:35 == 47.7
1/26/22 13:55 == 47.3	1/26/22 17:50 == 47.8	1/26/22 21:45 == 48	1/27/22 1:40 == 47.5
1/26/22 14:00 == 47.4	1/26/22 17:55 == 47.5	1/26/22 21:50 == 48	1/27/22 1:45 == 47.9
1/26/22 14:05 == 47.9	1/26/22 18:00 == 47.5	1/26/22 21:55 == 47.3	1/27/22 1:50 == 47.9
1/26/22 14:10 == 46.5	1/26/22 18:05 == 47.8	1/26/22 22:00 == 47.7	1/27/22 1:55 == 47.4
1/26/22 14:15 == 47.5	1/26/22 18:10 == 47.6	1/26/22 22:05 == 48.1	1/27/22 2:00 == 47.5
1/26/22 14:20 == 47.9	1/26/22 18:15 == 47.9	1/26/22 22:10 == 47	1/27/22 2:05 == 47.9
1/26/22 14:25 == 47.2	1/26/22 18:20 == 48	1/26/22 22:15 == 47.6	1/27/22 2:10 == 48
1/26/22 14:30 == 42.7	1/26/22 18:25 == 48.1	1/26/22 22:20 == 47.9	1/27/22 2:15 == 47.9
1/26/22 14:35 == 36.2	1/26/22 18:30 == 48.2	1/26/22 22:25 == 47.9	1/27/22 2:20 == 48
1/26/22 14:40 == 34.2	1/26/22 18:35 == 48	1/26/22 22:30 == 47.6	1/27/22 2:25 == 47.9
1/26/22 14:45 == 34.1	1/26/22 18:40 == 48	1/26/22 22:35 == 47.8	1/27/22 2:30 == 47.9

### Pumpback Station Discharge (0364)

1/27/22 2:35 == 47.9	1/27/22 6:30 == 36.1	1/27/22 10:25 == 48.4	1/27/22 14:20 == 47.9
1/27/22 2:40 == 47.5	1/27/22 6:35 == 42.7	1/27/22 10:30 == 47.4	1/27/22 14:25 == 47.4
1/27/22 2:45 == 46.7	1/27/22 6:40 == 47.6	1/27/22 10:35 == 48.1	1/27/22 14:30 == 47.3
1/27/22 2:50 == 34.3	1/27/22 6:45 == 47.9	1/27/22 10:40 == 48	1/27/22 14:35 == 47.9
1/27/22 2:55 == 34.2	1/27/22 6:50 == 47.6	1/27/22 10:45 == 47.9	1/27/22 14:40 == 47.9
1/27/22 3:00 == 34.1	1/27/22 6:55 == 47.3	1/27/22 10:50 == 47.9	1/27/22 14:45 == 47.9
1/27/22 3:05 == 34.2	1/27/22 7:00 == 47.8	1/27/22 10:55 == 47.9	1/27/22 14:50 == 48.1
1/27/22 3:10 == 34.2	1/27/22 7:05 == 48	1/27/22 11:00 == 48	1/27/22 14:55 == 47.9
1/27/22 3:15 == 35.1	1/27/22 7:10 == 48	1/27/22 11:05 == 48	1/27/22 15:00 == 47.9
1/27/22 3:20 == 44.5	1/27/22 7:15 == 48	1/27/22 11:10 == 48	1/27/22 15:05 == 47.9
1/27/22 3:25 == 47.7	1/27/22 7:20 == 47.9	1/27/22 11:15 == 48	1/27/22 15:10 == 47.9
1/27/22 3:30 == 48	1/27/22 7:25 == 48	1/27/22 11:20 == 48	1/27/22 15:15 == 47.9
1/27/22 3:35 == 48.1	1/27/22 7:30 == 48	1/27/22 11:25 == 47.9	1/27/22 15:20 == 48
1/27/22 3:40 == 47.9	1/27/22 7:35 == 48	1/27/22 11:30 == 47.9	1/27/22 15:25 == 48.2
1/27/22 3:45 == 47.9	1/27/22 7:40 == 48	1/27/22 11:35 == 48	1/27/22 15:30 == 48
1/27/22 3:50 == 48.1	1/27/22 7:45 == 47.4	1/27/22 11:40 == 47.9	1/27/22 15:35 == 47.4
1/27/22 3:55 == 48	1/27/22 7:50 == 47.9	1/27/22 11:45 == 48	1/27/22 15:40 == 48
1/27/22 4:00 == 48	1/27/22 7:55 == 47.9	1/27/22 11:50 == 47.2	1/27/22 15:45 == 48
1/27/22 4:05 == 48	1/27/22 8:00 == 47.9	1/27/22 11:55 == 41.4	1/27/22 15:50 == 48
1/27/22 4:10 == 48	1/27/22 8:05 == 48.1	1/27/22 12:00 == 34.7	1/27/22 15:55 == 47.3
1/27/22 4:15 == 48	1/27/22 8:10 == 48.1	1/27/22 12:05 == 34.2	1/27/22 16:00 == 47.9
1/27/22 4:20 == 48	1/27/22 8:15 == 48	1/27/22 12:10 == 36.4	1/27/22 16:05 == 47.6
1/27/22 4:25 == 48.1	1/27/22 8:20 == 48	1/27/22 12:15 == 43.4	1/27/22 16:10 == 46.8
1/27/22 4:30 == 48.1	1/27/22 8:25 == 48.1	1/27/22 12:20 == 48.9	1/27/22 16:15 == 45.8
1/27/22 4:35 == 47.9	1/27/22 8:30 == 48	1/27/22 12:25 == 45.6	1/27/22 16:20 == 37.5
1/27/22 4:40 == 47.9	1/27/22 8:35 == 48	1/27/22 12:30 == 35.4	1/27/22 16:25 == 34.2
1/27/22 4:45 == 48.1	1/27/22 8:40 == 47.4	1/27/22 12:35 == 34.2	1/27/22 16:30 == 34.3
1/27/22 4:50 == 48	1/27/22 8:45 == 47.7	1/27/22 12:40 == 34.1	1/27/22 16:35 == 34.6
1/27/22 4:55 == 48	1/27/22 8:50 == 47.5	1/27/22 12:45 == 35.1	1/27/22 16:40 == 34.3
1/27/22 5:00 == 47.9	1/27/22 8:55 == 47.3	1/27/22 12:50 == 43.3	1/27/22 16:45 == 34.2
1/27/22 5:05 == 48	1/27/22 9:00 == 44.7	1/27/22 12:55 == 48	1/27/22 16:50 == 34.4
1/27/22 5:10 == 48	1/27/22 9:05 == 38.2	1/27/22 13:00 == 48	1/27/22 16:55 == 34.4
1/27/22 5:15 == 48	1/27/22 9:10 == 34.1	1/27/22 13:05 == 48.1	1/27/22 17:00 == 35.8
1/27/22 5:20 == 48	1/27/22 9:15 == 34.1	1/27/22 13:10 == 48	1/27/22 17:05 == 41.5
1/27/22 5:25 == 47.3	1/27/22 9:20 == 34.1	1/27/22 13:15 == 47.9	1/27/22 17:10 == 47.1
1/27/22 5:30 == 47.8	1/27/22 9:25 == 34.1	1/27/22 13:20 == 48	1/27/22 17:15 == 47.4
1/27/22 5:35 == 47.9	1/27/22 9:30 == 34.3	1/27/22 13:25 == 47.9	1/27/22 17:20 == 47.4
1/27/22 5:40 == 47.5	1/27/22 9:35 == 34.2	1/27/22 13:30 == 48.1	1/27/22 17:25 == 47.3
1/27/22 5:45 == 45.7	1/27/22 9:40 == 34.4	1/27/22 13:35 == 48.1	1/27/22 17:30 == 47
1/27/22 5:50 == 36.3	1/27/22 9:45 == 36.7	1/27/22 13:40 == 48	1/27/22 17:35 == 47.4
1/27/22 5:55 == 34.1	1/27/22 9:50 == 44.1	1/27/22 13:45 == 48.1	1/27/22 17:40 == 48
1/27/22 6:00 == 34.2	1/27/22 9:55 == 47.4	1/27/22 13:50 == 48.1	1/27/22 17:45 == 48
1/27/22 6:05 == 34.3	1/27/22 10:00 == 47.9	1/27/22 13:55 == 47	1/27/22 17:50 == 48
1/27/22 6:10 == 34.2	1/27/22 10:05 == 48.1	1/27/22 14:00 == 47	1/27/22 17:55 == 47.8
1/27/22 6:15 == 34.2	1/27/22 10:10 == 47.9	1/27/22 14:05 == 47.6	1/27/22 18:00 == 47.4
1/27/22 6:20 == 34.4	1/27/22 10:15 == 48.1	1/27/22 14:10 == 47	1/27/22 18:05 == 48.1
1/27/22 6:25 == 34.2	1/27/22 10:20 == 48.1	1/27/22 14:15 == 47.1	1/27/22 18:10 == 48

### Pumpback Station Discharge (0364)

1/27/22 18:15 == 47.9	1/27/22 22:10 == 47.4	1/28/22 2:05 == 47.9	1/28/22 6:00 == 34.1
1/27/22 18:20 == 48	1/27/22 22:15 == 45.6	1/28/22 2:10 == 47.9	1/28/22 6:05 == 34.4
1/27/22 18:25 == 48	1/27/22 22:20 == 39.5	1/28/22 2:15 == 47.9	1/28/22 6:10 == 34.4
1/27/22 18:30 == 48	1/27/22 22:25 == 34.2	1/28/22 2:20 == 47.9	1/28/22 6:15 == 34.4
1/27/22 18:35 == 47.9	1/27/22 22:30 == 34.1	1/28/22 2:25 == 47.8	1/28/22 6:20 == 34.4
1/27/22 18:40 == 47.8	1/27/22 22:35 == 34.3	1/28/22 2:30 == 47.9	1/28/22 6:25 == 34.4
1/27/22 18:45 == 48	1/27/22 22:40 == 34.2	1/28/22 2:35 == 48	1/28/22 6:30 == 35.1
1/27/22 18:50 == 48	1/27/22 22:45 == 35.3	1/28/22 2:40 == 48	1/28/22 6:35 == 39.8
1/27/22 18:55 == 47.8	1/27/22 22:50 == 40.6	1/28/22 2:45 == 48	1/28/22 6:40 == 47.5
1/27/22 19:00 == 47.9	1/27/22 22:55 == 46.6	1/28/22 2:50 == 48.1	1/28/22 6:45 == 48
1/27/22 19:05 == 48.1	1/27/22 23:00 == 47.5	1/28/22 2:55 == 48.1	1/28/22 6:50 == 47.8
1/27/22 19:10 == 47.6	1/27/22 23:05 == 48	1/28/22 3:00 == 46.7	1/28/22 6:55 == 46.8
1/27/22 19:15 == 47.7	1/27/22 23:10 == 48	1/28/22 3:05 == 39.4	1/28/22 7:00 == 46.9
1/27/22 19:20 == 48	1/27/22 23:15 == 48	1/28/22 3:10 == 34.1	1/28/22 7:05 == 48
1/27/22 19:25 == 47.7	1/27/22 23:20 == 48.1	1/28/22 3:15 == 34.3	1/28/22 7:10 == 47.4
1/27/22 19:30 == 47.6	1/27/22 23:25 == 48.1	1/28/22 3:20 == 34.2	1/28/22 7:15 == 47.9
1/27/22 19:35 == 47.9	1/27/22 23:30 == 47.9	1/28/22 3:25 == 34.3	1/28/22 7:20 == 48
1/27/22 19:40 == 48	1/27/22 23:35 == 48	1/28/22 3:30 == 35.2	1/28/22 7:25 == 47.6
1/27/22 19:45 == 45.4	1/27/22 23:40 == 48.1	1/28/22 3:35 == 40.2	1/28/22 7:30 == 47.9
1/27/22 19:50 == 38.9	1/27/22 23:45 == 48	1/28/22 3:40 == 47.6	1/28/22 7:35 == 47.9
1/27/22 19:55 == 34.3	1/27/22 23:50 == 48	1/28/22 3:45 == 48.1	1/28/22 7:40 == 47.9
1/27/22 20:00 == 34.2	1/27/22 23:55 == 47.9	1/28/22 3:50 == 48	1/28/22 7:45 == 48.1
1/27/22 20:05 == 34.3	1/28/22 0:00 == 48	1/28/22 3:55 == 48	1/28/22 7:50 == 48
1/27/22 20:10 == 34.1	1/28/22 0:05 == 48	1/28/22 4:00 == 47.9	1/28/22 7:55 == 48
1/27/22 20:15 == 35.4	1/28/22 0:10 == 47.9	1/28/22 4:05 == 47.9	1/28/22 8:00 == 48
1/27/22 20:20 == 41.7	1/28/22 0:15 == 48	1/28/22 4:10 == 47.8	1/28/22 8:05 == 47.9
1/27/22 20:25 == 47.4	1/28/22 0:20 == 48.1	1/28/22 4:15 == 47	1/28/22 8:10 == 47.9
1/27/22 20:30 == 48	1/28/22 0:25 == 48.1	1/28/22 4:20 == 47.8	1/28/22 8:15 == 46.8
1/27/22 20:35 == 47.9	1/28/22 0:30 == 46.1	1/28/22 4:25 == 47.3	1/28/22 8:20 == 40
1/27/22 20:40 == 47.9	1/28/22 0:35 == 39.4	1/28/22 4:30 == 48	1/28/22 8:25 == 34.2
1/27/22 20:45 == 48	1/28/22 0:40 == 34.2	1/28/22 4:35 == 48	1/28/22 8:30 == 34.2
1/27/22 20:50 == 47.9	1/28/22 0:45 == 34.1	1/28/22 4:40 == 48.1	1/28/22 8:35 == 34.2
1/27/22 20:55 == 48	1/28/22 0:50 == 34.3	1/28/22 4:45 == 48	1/28/22 8:40 == 34.2
1/27/22 21:00 == 47.9	1/28/22 0:55 == 34.3	1/28/22 4:50 == 48	1/28/22 8:45 == 35
1/27/22 21:05 == 48	1/28/22 1:00 == 35.1	1/28/22 4:55 == 47.9	1/28/22 8:50 == 39.8
1/27/22 21:10 == 47.4	1/28/22 1:05 == 39.7	1/28/22 5:00 == 47.9	1/28/22 8:55 == 47.7
1/27/22 21:15 == 47.8	1/28/22 1:10 == 47.4	1/28/22 5:05 == 48.1	1/28/22 9:00 == 48
1/27/22 21:20 == 48.1	1/28/22 1:15 == 48.1	1/28/22 5:10 == 47.5	1/28/22 9:05 == 47.8
1/27/22 21:25 == 47.5	1/28/22 1:20 == 47.8	1/28/22 5:15 == 47.6	1/28/22 9:10 == 47.4
1/27/22 21:30 == 47.8	1/28/22 1:25 == 47.2	1/28/22 5:20 == 48	1/28/22 9:15 == 47.9
1/27/22 21:35 == 48.1	1/28/22 1:30 == 48	1/28/22 5:25 == 47.4	1/28/22 9:20 == 48
1/27/22 21:40 == 48	1/28/22 1:35 == 48	1/28/22 5:30 == 47.6	1/28/22 9:25 == 47.9
1/27/22 21:45 == 48	1/28/22 1:40 == 47	1/28/22 5:35 == 48	1/28/22 9:30 == 47.9
1/27/22 21:50 == 48	1/28/22 1:45 == 48.2	1/28/22 5:40 == 47.6	1/28/22 9:35 == 47.9
1/27/22 21:55 == 47.4	1/28/22 1:50 == 48	1/28/22 5:45 == 46.4	1/28/22 9:40 == 47.2
1/27/22 22:00 == 47.4	1/28/22 1:55 == 47.4	1/28/22 5:50 == 40.4	1/28/22 9:45 == 48
1/27/22 22:05 == 47.7	1/28/22 2:00 == 47.5	1/28/22 5:55 == 34.3	1/28/22 9:50 == 47.9

### Pumpback Station Discharge (0364)

1/28/22 9:55 == 47.2	1/28/22 13:50 == 39.4	1/28/22 17:45 == 47.9	1/28/22 21:40 == 47.9
1/28/22 10:00 == 47.5	1/28/22 13:55 == 47.4	1/28/22 17:50 == 48	1/28/22 21:45 == 48
1/28/22 10:05 == 48	1/28/22 14:00 == 48	1/28/22 17:55 == 47.7	1/28/22 21:50 == 47.9
1/28/22 10:10 == 47.5	1/28/22 14:05 == 47.7	1/28/22 18:00 == 47.8	1/28/22 21:55 == 48
1/28/22 10:15 == 47.6	1/28/22 14:10 == 47.1	1/28/22 18:05 == 48.1	1/28/22 22:00 == 48
1/28/22 10:20 == 39.3	1/28/22 14:15 == 47.6	1/28/22 18:10 == 47.9	1/28/22 22:05 == 47.5
1/28/22 10:25 == 35.3	1/28/22 14:20 == 47.8	1/28/22 18:15 == 47.9	1/28/22 22:10 == 47.6
1/28/22 10:30 == 35	1/28/22 14:25 == 47.7	1/28/22 18:20 == 40.3	1/28/22 22:15 == 47.9
1/28/22 10:35 == 35.1	1/28/22 14:30 == 47.5	1/28/22 18:25 == 34.7	1/28/22 22:20 == 48
1/28/22 10:40 == 35	1/28/22 14:35 == 48	1/28/22 18:30 == 34.2	1/28/22 22:25 == 48
1/28/22 10:45 == 35.1	1/28/22 14:40 == 47.9	1/28/22 18:35 == 34.2	1/28/22 22:30 == 48
1/28/22 10:50 == 41.1	1/28/22 14:45 == 47.8	1/28/22 18:40 == 34.3	1/28/22 22:35 == 47.8
1/28/22 10:55 == 47	1/28/22 14:50 == 47.9	1/28/22 18:45 == 34.3	1/28/22 22:40 == 48
1/28/22 11:00 == 47.6	1/28/22 14:55 == 47.6	1/28/22 18:50 == 39	1/28/22 22:45 == 48
1/28/22 11:05 == 47.9	1/28/22 15:00 == 47.6	1/28/22 18:55 == 46.6	1/28/22 22:50 == 47.9
1/28/22 11:10 == 47.8	1/28/22 15:05 == 48	1/28/22 19:00 == 48	1/28/22 22:55 == 46.7
1/28/22 11:15 == 47.6	1/28/22 15:10 == 47.9	1/28/22 19:05 == 47.9	1/28/22 23:00 == 47.7
1/28/22 11:20 == 47.9	1/28/22 15:15 == 48	1/28/22 19:10 == 47.6	1/28/22 23:05 == 48
1/28/22 11:25 == 48.1	1/28/22 15:20 == 48	1/28/22 19:15 == 47.8	1/28/22 23:10 == 47.9
1/28/22 11:30 == 48	1/28/22 15:25 == 47.5	1/28/22 19:20 == 47.7	1/28/22 23:15 == 48
1/28/22 11:35 == 48	1/28/22 15:30 == 47.3	1/28/22 19:25 == 47.8	1/28/22 23:20 == 47.9
1/28/22 11:40 == 48	1/28/22 15:35 == 39.7	1/28/22 19:30 == 47.2	1/28/22 23:25 == 48
1/28/22 11:45 == 47.9	1/28/22 15:40 == 34.9	1/28/22 19:35 == 48	1/28/22 23:30 == 48.1
1/28/22 11:50 == 48	1/28/22 15:45 == 34.1	1/28/22 19:40 == 48	1/28/22 23:35 == 48.1
1/28/22 11:55 == 48.1	1/28/22 15:50 == 34.2	1/28/22 19:45 == 47.9	1/28/22 23:40 == 48
1/28/22 12:00 == 47.9	1/28/22 15:55 == 34.2	1/28/22 19:50 == 48.1	1/28/22 23:45 == 47.9
1/28/22 12:05 == 48	1/28/22 16:00 == 34.2	1/28/22 19:55 == 48	1/28/22 23:50 == 41.6
1/28/22 12:10 == 48	1/28/22 16:05 == 34.4	1/28/22 20:00 == 47.5	1/28/22 23:55 == 34.3
1/28/22 12:15 == 48	1/28/22 16:10 == 34.4	1/28/22 20:05 == 47.4	1/29/22 0:00 == 34.3
1/28/22 12:20 == 48.1	1/28/22 16:15 == 34.2	1/28/22 20:10 == 47.9	1/29/22 0:05 == 34.3
1/28/22 12:25 == 48	1/28/22 16:20 == 39.3	1/28/22 20:15 == 48	1/29/22 0:10 == 34.2
1/28/22 12:30 == 48	1/28/22 16:25 == 47.7	1/28/22 20:20 == 48.1	1/29/22 0:15 == 34.2
1/28/22 12:35 == 48	1/28/22 16:30 == 48	1/28/22 20:25 == 48	1/29/22 0:20 == 37.6
1/28/22 12:40 == 48	1/28/22 16:35 == 47.7	1/28/22 20:30 == 47.9	1/29/22 0:25 == 47.2
1/28/22 12:45 == 48	1/28/22 16:40 == 47.3	1/28/22 20:35 == 48.1	1/29/22 0:30 == 48
1/28/22 12:50 == 48	1/28/22 16:45 == 47.5	1/28/22 20:40 == 47.9	1/29/22 0:35 == 47.9
1/28/22 12:55 == 47.5	1/28/22 16:50 == 48	1/28/22 20:45 == 48	1/29/22 0:40 == 47.1
1/28/22 13:00 == 47.6	1/28/22 16:55 == 47.9	1/28/22 20:50 == 40.5	1/29/22 0:45 == 47
1/28/22 13:05 == 47.9	1/28/22 17:00 == 48.1	1/28/22 20:55 == 34.9	1/29/22 0:50 == 47.8
1/28/22 13:10 == 48	1/28/22 17:05 == 48	1/28/22 21:00 == 34.2	1/29/22 0:55 == 48.2
1/28/22 13:15 == 46.9	1/28/22 17:10 == 47.9	1/28/22 21:05 == 34.3	1/29/22 1:00 == 48
1/28/22 13:20 == 39.8	1/28/22 17:15 == 47.9	1/28/22 21:10 == 34.3	1/29/22 1:05 == 48
1/28/22 13:25 == 34.3	1/28/22 17:20 == 48	1/28/22 21:15 == 34.3	1/29/22 1:10 == 47.9
1/28/22 13:30 == 34.2	1/28/22 17:25 == 47	1/28/22 21:20 == 39.2	1/29/22 1:15 == 48.1
1/28/22 13:35 == 34.2	1/28/22 17:30 == 46.8	1/28/22 21:25 == 46.6	1/29/22 1:20 == 48
1/28/22 13:40 == 34.3	1/28/22 17:35 == 47.9	1/28/22 21:30 == 48	1/29/22 1:25 == 47.4
1/28/22 13:45 == 34.7	1/28/22 17:40 == 48	1/28/22 21:35 == 47.9	1/29/22 1:30 == 47.3



Pumpback Station Discharge (0364)

1/29/22 1:35 == 48	1/29/22 5:30 == 34.4	1/29/22 9:25 == 47.9	1/29/22 13:20 == 48
1/29/22 1:40 == 47	1/29/22 5:35 == 37.1	1/29/22 9:30 == 48	1/29/22 13:25 == 47.9
1/29/22 1:45 == 47.6	1/29/22 5:40 == 46.9	1/29/22 9:35 == 41.9	1/29/22 13:30 == 48.1
1/29/22 1:50 == 47.9	1/29/22 5:45 == 47.5	1/29/22 9:40 == 36.2	1/29/22 13:35 == 48
1/29/22 1:55 == 47.2	1/29/22 5:50 == 47.8	1/29/22 9:45 == 34.5	1/29/22 13:40 == 48
1/29/22 2:00 == 47.6	1/29/22 5:55 == 47.2	1/29/22 9:50 == 34.6	1/29/22 13:45 == 48.1
1/29/22 2:05 == 48	1/29/22 6:00 == 47	1/29/22 9:55 == 34.5	1/29/22 13:50 == 47.9
1/29/22 2:10 == 48	1/29/22 6:05 == 47.8	1/29/22 10:00 == 34.5	1/29/22 13:55 == 47.3
1/29/22 2:15 == 47.9	1/29/22 6:10 == 47.3	1/29/22 10:05 == 34.6	1/29/22 14:00 == 47.4
1/29/22 2:20 == 41.5	1/29/22 6:15 == 47.9	1/29/22 10:10 == 34.5	1/29/22 14:05 == 47.9
1/29/22 2:25 == 34.5	1/29/22 6:20 == 47.9	1/29/22 10:15 == 34.3	1/29/22 14:10 == 46.7
1/29/22 2:30 == 34.2	1/29/22 6:25 == 47.5	1/29/22 10:20 == 38	1/29/22 14:15 == 47.4
1/29/22 2:35 == 34.3	1/29/22 6:30 == 47.3	1/29/22 10:25 == 45	1/29/22 14:20 == 47.9
1/29/22 2:40 == 34.2	1/29/22 6:35 == 47.8	1/29/22 10:30 == 47.3	1/29/22 14:25 == 47.5
1/29/22 2:45 == 34.2	1/29/22 6:40 == 47.9	1/29/22 10:35 == 47.9	1/29/22 14:30 == 47.9
1/29/22 2:50 == 34.2	1/29/22 6:45 == 48	1/29/22 10:40 == 47.9	1/29/22 14:35 == 48.1
1/29/22 2:55 == 34.2	1/29/22 6:50 == 48	1/29/22 10:45 == 48	1/29/22 14:40 == 48
1/29/22 3:00 == 34.5	1/29/22 6:55 == 47.3	1/29/22 10:50 == 47.9	1/29/22 14:45 == 47.9
1/29/22 3:05 == 37.2	1/29/22 7:00 == 47.8	1/29/22 10:55 == 47.8	1/29/22 14:50 == 42.3
1/29/22 3:10 == 47.6	1/29/22 7:05 == 48	1/29/22 11:00 == 48.1	1/29/22 14:55 == 36
1/29/22 3:15 == 47.9	1/29/22 7:10 == 47.8	1/29/22 11:05 == 47.9	1/29/22 15:00 == 34.1
1/29/22 3:20 == 47.9	1/29/22 7:15 == 48	1/29/22 11:10 == 48.2	1/29/22 15:05 == 34.3
1/29/22 3:25 == 48	1/29/22 7:20 == 48.1	1/29/22 11:15 == 48	1/29/22 15:10 == 34.3
1/29/22 3:30 == 47.7	1/29/22 7:25 == 47.7	1/29/22 11:20 == 48.2	1/29/22 15:15 == 34.2
1/29/22 3:35 == 48	1/29/22 7:30 == 47.6	1/29/22 11:25 == 48	1/29/22 15:20 == 37.7
1/29/22 3:40 == 48	1/29/22 7:35 == 42.5	1/29/22 11:30 == 48	1/29/22 15:25 == 44.3
1/29/22 3:45 == 48	1/29/22 7:40 == 35.2	1/29/22 11:35 == 48.1	1/29/22 15:30 == 47.6
1/29/22 3:50 == 48.2	1/29/22 7:45 == 34.3	1/29/22 11:40 == 48	1/29/22 15:35 == 47.8
1/29/22 3:55 == 48.1	1/29/22 7:50 == 34.3	1/29/22 11:45 == 48.1	1/29/22 15:40 == 47.5
1/29/22 4:00 == 48	1/29/22 7:55 == 34.3	1/29/22 11:50 == 47.9	1/29/22 15:45 == 48.1
1/29/22 4:05 == 48	1/29/22 8:00 == 34.3	1/29/22 11:55 == 48	1/29/22 15:50 == 48
1/29/22 4:10 == 48.1	1/29/22 8:05 == 37.2	1/29/22 12:00 == 48	1/29/22 15:55 == 47.6
1/29/22 4:15 == 47.9	1/29/22 8:10 == 46	1/29/22 12:05 == 48	1/29/22 16:00 == 46.9
1/29/22 4:20 == 47.9	1/29/22 8:15 == 47.5	1/29/22 12:10 == 47.9	1/29/22 16:05 == 47.8
1/29/22 4:25 == 48.1	1/29/22 8:20 == 47.9	1/29/22 12:15 == 48	1/29/22 16:10 == 47.2
1/29/22 4:30 == 48	1/29/22 8:25 == 48	1/29/22 12:20 == 42.4	1/29/22 16:15 == 47.5
1/29/22 4:35 == 48	1/29/22 8:30 == 48.1	1/29/22 12:25 == 36.2	1/29/22 16:20 == 48
1/29/22 4:40 == 48	1/29/22 8:35 == 47.9	1/29/22 12:30 == 34.3	1/29/22 16:25 == 48
1/29/22 4:45 == 48.1	1/29/22 8:40 == 47.2	1/29/22 12:35 == 34.3	1/29/22 16:30 == 47.8
1/29/22 4:50 == 48.1	1/29/22 8:45 == 47.9	1/29/22 12:40 == 34.3	1/29/22 16:35 == 48
1/29/22 4:55 == 48	1/29/22 8:50 == 48	1/29/22 12:45 == 34.3	1/29/22 16:40 == 46.8
1/29/22 5:00 == 48	1/29/22 8:55 == 47.3	1/29/22 12:50 == 37.9	1/29/22 16:45 == 47.5
1/29/22 5:05 == 42.4	1/29/22 9:00 == 47.5	1/29/22 12:55 == 44.6	1/29/22 16:50 == 43.5
1/29/22 5:10 == 34.5	1/29/22 9:05 == 47.9	1/29/22 13:00 == 47.3	1/29/22 16:55 == 35.8
1/29/22 5:15 == 34.3	1/29/22 9:10 == 48.1	1/29/22 13:05 == 48	1/29/22 17:00 == 34.4
1/29/22 5:20 == 34.4	1/29/22 9:15 == 48	1/29/22 13:10 == 48	1/29/22 17:05 == 34.4
1/29/22 5:25 == 34.5	1/29/22 9:20 == 48	1/29/22 13:15 == 48	1/29/22 17:10 == 34.3

Pumpback Station Discharge (0364)

1/29/22 17:15 == 34.3	1/29/22 21:10 == 47.9	1/30/22 1:05 == 47.8	1/30/22 5:00 == 47.9
1/29/22 17:20 == 37.6	1/29/22 21:15 == 47.9	1/30/22 1:10 == 47.9	1/30/22 5:05 == 48
1/29/22 17:25 == 43.7	1/29/22 21:20 == 45.6	1/30/22 1:15 == 47.8	1/30/22 5:10 == 48.2
1/29/22 17:30 == 47.1	1/29/22 21:25 == 34.3	1/30/22 1:20 == 47.8	1/30/22 5:15 == 47.9
1/29/22 17:35 == 47.8	1/29/22 21:30 == 34.3	1/30/22 1:25 == 47.3	1/30/22 5:20 == 48
1/29/22 17:40 == 48	1/29/22 21:35 == 34.1	1/30/22 1:30 == 47.5	1/30/22 5:25 == 47.1
1/29/22 17:45 == 48.1	1/29/22 21:40 == 34.3	1/30/22 1:35 == 47.8	1/30/22 5:30 == 47.9
1/29/22 17:50 == 47.9	1/29/22 21:45 == 34.3	1/30/22 1:40 == 47.4	1/30/22 5:35 == 48
1/29/22 17:55 == 47.2	1/29/22 21:50 == 35.5	1/30/22 1:45 == 47.6	1/30/22 5:40 == 48
1/29/22 18:00 == 47.3	1/29/22 21:55 == 45.6	1/30/22 1:50 == 44.3	1/30/22 5:45 == 47.9
1/29/22 18:05 == 48	1/29/22 22:00 == 47.2	1/30/22 1:55 == 36.4	1/30/22 5:50 == 48.1
1/29/22 18:10 == 48	1/29/22 22:05 == 47.9	1/30/22 2:00 == 34.3	1/30/22 5:55 == 47
1/29/22 18:15 == 48	1/29/22 22:10 == 47.2	1/30/22 2:05 == 34.3	1/30/22 6:00 == 47.6
1/29/22 18:20 == 47.9	1/29/22 22:15 == 47.9	1/30/22 2:10 == 34.4	1/30/22 6:05 == 48.2
1/29/22 18:25 == 47.7	1/29/22 22:20 == 48.1	1/30/22 2:15 == 34.4	1/30/22 6:10 == 47.7
1/29/22 18:30 == 47.6	1/29/22 22:25 == 47.9	1/30/22 2:20 == 35.9	1/30/22 6:15 == 47.9
1/29/22 18:35 == 48	1/29/22 22:30 == 48	1/30/22 2:25 == 45.2	1/30/22 6:20 == 44.1
1/29/22 18:40 == 48.1	1/29/22 22:35 == 48.1	1/30/22 2:30 == 48.2	1/30/22 6:25 == 37.4
1/29/22 18:45 == 48	1/29/22 22:40 == 48	1/30/22 2:35 == 47.9	1/30/22 6:30 == 34.3
1/29/22 18:50 == 48	1/29/22 22:45 == 48	1/30/22 2:40 == 47.9	1/30/22 6:35 == 34.3
1/29/22 18:55 == 48	1/29/22 22:50 == 47.8	1/30/22 2:45 == 47.9	1/30/22 6:40 == 34.4
1/29/22 19:00 == 48	1/29/22 22:55 == 47.1	1/30/22 2:50 == 47.9	1/30/22 6:45 == 34.4
1/29/22 19:05 == 45.1	1/29/22 23:00 == 47.2	1/30/22 2:55 == 48	1/30/22 6:50 == 34.4
1/29/22 19:10 == 34.7	1/29/22 23:05 == 48	1/30/22 3:00 == 47.8	1/30/22 6:55 == 34.4
1/29/22 19:15 == 34.3	1/29/22 23:10 == 47.9	1/30/22 3:05 == 47.9	1/30/22 7:00 == 34.3
1/29/22 19:20 == 34.2	1/29/22 23:15 == 47.9	1/30/22 3:10 == 48	1/30/22 7:05 == 36.6
1/29/22 19:25 == 34.4	1/29/22 23:20 == 48	1/30/22 3:15 == 48	1/30/22 7:10 == 43.4
1/29/22 19:30 == 34.4	1/29/22 23:25 == 48	1/30/22 3:20 == 48	1/30/22 7:15 == 47.9
1/29/22 19:35 == 36.5	1/29/22 23:30 == 48	1/30/22 3:25 == 48	1/30/22 7:20 == 48.1
1/29/22 19:40 == 45.1	1/29/22 23:35 == 45.1	1/30/22 3:30 == 48.1	1/30/22 7:25 == 47.9
1/29/22 19:45 == 47.8	1/29/22 23:40 == 35.3	1/30/22 3:35 == 47.6	1/30/22 7:30 == 48.1
1/29/22 19:50 == 48	1/29/22 23:45 == 34.3	1/30/22 3:40 == 47.6	1/30/22 7:35 == 48.1
1/29/22 19:55 == 48	1/29/22 23:50 == 34.3	1/30/22 3:45 == 47.9	1/30/22 7:40 == 48
1/29/22 20:00 == 48.1	1/29/22 23:55 == 34.3	1/30/22 3:50 == 48	1/30/22 7:45 == 48
1/29/22 20:05 == 48	1/30/22 0:00 == 34.3	1/30/22 3:55 == 48	1/30/22 7:50 == 47.9
1/29/22 20:10 == 47.7	1/30/22 0:05 == 34.6	1/30/22 4:00 == 48	1/30/22 7:55 == 48.2
1/29/22 20:15 == 47.7	1/30/22 0:10 == 45.9	1/30/22 4:05 == 44	1/30/22 8:00 == 48
1/29/22 20:20 == 47.9	1/30/22 0:15 == 48	1/30/22 4:10 == 37.3	1/30/22 8:05 == 48.1
1/29/22 20:25 == 48	1/30/22 0:20 == 48.1	1/30/22 4:15 == 34.2	1/30/22 8:10 == 47.8
1/29/22 20:30 == 48.1	1/30/22 0:25 == 47.9	1/30/22 4:20 == 34.2	1/30/22 8:15 == 47.5
1/29/22 20:35 == 48	1/30/22 0:30 == 48	1/30/22 4:25 == 34.3	1/30/22 8:20 == 45.8
1/29/22 20:40 == 48	1/30/22 0:35 == 48.1	1/30/22 4:30 == 34.3	1/30/22 8:25 == 36.4
1/29/22 20:45 == 48	1/30/22 0:40 == 47	1/30/22 4:35 == 36.3	1/30/22 8:30 == 34.3
1/29/22 20:50 == 48	1/30/22 0:45 == 47.2	1/30/22 4:40 == 43	1/30/22 8:35 == 34.4
1/29/22 20:55 == 47.9	1/30/22 0:50 == 47.9	1/30/22 4:45 == 47.5	1/30/22 8:40 == 34.2
1/29/22 21:00 == 48	1/30/22 0:55 == 47.4	1/30/22 4:50 == 47.9	1/30/22 8:45 == 34.2
1/29/22 21:05 == 48	1/30/22 1:00 == 47.2	1/30/22 4:55 == 48.1	1/30/22 8:50 == 36.1

### Pumpback Station Discharge (0364)

1/30/22 8:55 == 43.3	1/30/22 12:50 == 48	1/30/22 16:45 == 34.5	1/30/22 20:40 == 48
1/30/22 9:00 == 47.8	1/30/22 12:55 == 48.1	1/30/22 16:50 == 36.3	1/30/22 20:45 == 48
1/30/22 9:05 == 48.1	1/30/22 13:00 == 47.8	1/30/22 16:55 == 42.7	1/30/22 20:50 == 47.9
1/30/22 9:10 == 48	1/30/22 13:05 == 47.9	1/30/22 17:00 == 47.8	1/30/22 20:55 == 48.1
1/30/22 9:15 == 47.9	1/30/22 13:10 == 47.4	1/30/22 17:05 == 48	1/30/22 21:00 == 48.1
1/30/22 9:20 == 48	1/30/22 13:15 == 47.9	1/30/22 17:10 == 48	1/30/22 21:05 == 48.1
1/30/22 9:25 == 47.9	1/30/22 13:20 == 47.5	1/30/22 17:15 == 47.9	1/30/22 21:10 == 48
1/30/22 9:30 == 47.7	1/30/22 13:25 == 47.6	1/30/22 17:20 == 47.9	1/30/22 21:15 == 47.9
1/30/22 9:35 == 47.7	1/30/22 13:30 == 47.5	1/30/22 17:25 == 47.7	1/30/22 21:20 == 47.9
1/30/22 9:40 == 47.4	1/30/22 13:35 == 47.9	1/30/22 17:30 == 47.3	1/30/22 21:25 == 47.2
1/30/22 9:45 == 48	1/30/22 13:40 == 47.5	1/30/22 17:35 == 47.5	1/30/22 21:30 == 47.5
1/30/22 9:50 == 47.8	1/30/22 13:45 == 47.9	1/30/22 17:40 == 47.9	1/30/22 21:35 == 47.9
1/30/22 9:55 == 47.5	1/30/22 13:50 == 45.6	1/30/22 17:45 == 48	1/30/22 21:40 == 48
1/30/22 10:00 == 47.6	1/30/22 13:55 == 37.9	1/30/22 17:50 == 48	1/30/22 21:45 == 48
1/30/22 10:05 == 48	1/30/22 14:00 == 34.4	1/30/22 17:55 == 47.2	1/30/22 21:50 == 46
1/30/22 10:10 == 47.8	1/30/22 14:05 == 34.7	1/30/22 18:00 == 47.4	1/30/22 21:55 == 38.9
1/30/22 10:15 == 47.3	1/30/22 14:10 == 34.5	1/30/22 18:05 == 47.9	1/30/22 22:00 == 34.3
1/30/22 10:20 == 47.9	1/30/22 14:15 == 34.4	1/30/22 18:10 == 48	1/30/22 22:05 == 34.5
1/30/22 10:25 == 47.2	1/30/22 14:20 == 36.2	1/30/22 18:15 == 48.1	1/30/22 22:10 == 34.6
1/30/22 10:30 == 48	1/30/22 14:25 == 42.1	1/30/22 18:20 == 48	1/30/22 22:15 == 34.6
1/30/22 10:35 == 47	1/30/22 14:30 == 47.1	1/30/22 18:25 == 47.6	1/30/22 22:20 == 36
1/30/22 10:40 == 35.9	1/30/22 14:35 == 47.6	1/30/22 18:30 == 47.8	1/30/22 22:25 == 41.2
1/30/22 10:45 == 34.8	1/30/22 14:40 == 48	1/30/22 18:35 == 47.2	1/30/22 22:30 == 47.1
1/30/22 10:50 == 35	1/30/22 14:45 == 48.1	1/30/22 18:40 == 36.7	1/30/22 22:35 == 47.9
1/30/22 10:55 == 34.4	1/30/22 14:50 == 48	1/30/22 18:45 == 34.4	1/30/22 22:40 == 48
1/30/22 11:00 == 34.4	1/30/22 14:55 == 47.6	1/30/22 18:50 == 34.4	1/30/22 22:45 == 48
1/30/22 11:05 == 34.5	1/30/22 15:00 == 47.1	1/30/22 18:55 == 34.3	1/30/22 22:50 == 47.8
1/30/22 11:10 == 34.3	1/30/22 15:05 == 47.7	1/30/22 19:00 == 34.3	1/30/22 22:55 == 47.2
1/30/22 11:15 == 34.3	1/30/22 15:10 == 47.9	1/30/22 19:05 == 34.4	1/30/22 23:00 == 47.9
1/30/22 11:20 == 35.2	1/30/22 15:15 == 48.1	1/30/22 19:10 == 34.5	1/30/22 23:05 == 48
1/30/22 11:25 == 42.8	1/30/22 15:20 == 48	1/30/22 19:15 == 34.5	1/30/22 23:10 == 48.1
1/30/22 11:30 == 47.1	1/30/22 15:25 == 48	1/30/22 19:20 == 35.2	1/30/22 23:15 == 48
1/30/22 11:35 == 47.8	1/30/22 15:30 == 48	1/30/22 19:25 == 41.6	1/30/22 23:20 == 48.1
1/30/22 11:40 == 48	1/30/22 15:35 == 47.3	1/30/22 19:30 == 47.3	1/30/22 23:25 == 47.9
1/30/22 11:45 == 48	1/30/22 15:40 == 48	1/30/22 19:35 == 47.6	1/30/22 23:30 == 47.9
1/30/22 11:50 == 48.1	1/30/22 15:45 == 47.9	1/30/22 19:40 == 47.9	1/30/22 23:35 == 47.9
1/30/22 11:55 == 48	1/30/22 15:50 == 48.1	1/30/22 19:45 == 48.1	1/30/22 23:40 == 47.5
1/30/22 12:00 == 48	1/30/22 15:55 == 48.1	1/30/22 19:50 == 48	1/30/22 23:45 == 47.8
1/30/22 12:05 == 48.1	1/30/22 16:00 == 47.9	1/30/22 19:55 == 48	1/30/22 23:50 == 48
1/30/22 12:10 == 48.1	1/30/22 16:05 == 46.3	1/30/22 20:00 == 48	1/30/22 23:55 == 47.9
1/30/22 12:15 == 48	1/30/22 16:10 == 37.1	1/30/22 20:05 == 48	1/31/22 0:00 == 48
1/30/22 12:20 == 48	1/30/22 16:15 == 34.6	1/30/22 20:10 == 48.1	1/31/22 0:05 == 46.4
1/30/22 12:25 == 48	1/30/22 16:20 == 34.6	1/30/22 20:15 == 48.1	1/31/22 0:10 == 38.1
1/30/22 12:30 == 48.1	1/30/22 16:25 == 34.5	1/30/22 20:20 == 48	1/31/22 0:15 == 34.4
1/30/22 12:35 == 48	1/30/22 16:30 == 34.5	1/30/22 20:25 == 47.9	1/31/22 0:20 == 34.3
1/30/22 12:40 == 47.9	1/30/22 16:35 == 34.7	1/30/22 20:30 == 47.9	1/31/22 0:25 == 34.3
1/30/22 12:45 == 47.5	1/30/22 16:40 == 34.7	1/30/22 20:35 == 48	1/31/22 0:30 == 34.4

Pumpback Station Discharge (0364)

1/31/22 0:35 == 35.5	1/31/22 4:30 == 48	1/31/22 8:25 == 48.1	1/31/22 12:20 == 34.4
1/31/22 0:40 == 41.6	1/31/22 4:35 == 48	1/31/22 8:30 == 48.2	1/31/22 12:25 == 34.3
1/31/22 0:45 == 47.3	1/31/22 4:40 == 48.1	1/31/22 8:35 == 47.8	1/31/22 12:30 == 34.4
1/31/22 0:50 == 47.6	1/31/22 4:45 == 48.1	1/31/22 8:40 == 47.3	1/31/22 12:35 == 34.4
1/31/22 0:55 == 47.8	1/31/22 4:50 == 48	1/31/22 8:45 == 47.6	1/31/22 12:40 == 34.3
1/31/22 1:00 == 47.5	1/31/22 4:55 == 47.9	1/31/22 8:50 == 47.8	1/31/22 12:45 == 34.3
1/31/22 1:05 == 47.7	1/31/22 5:00 == 48	1/31/22 8:55 == 47.1	1/31/22 12:50 == 34.4
1/31/22 1:10 == 47.8	1/31/22 5:05 == 47.8	1/31/22 9:00 == 47.5	1/31/22 12:55 == 41.1
1/31/22 1:15 == 47.6	1/31/22 5:10 == 38.2	1/31/22 9:05 == 48	1/31/22 13:00 == 46.6
1/31/22 1:20 == 47.9	1/31/22 5:15 == 34.4	1/31/22 9:10 == 48	1/31/22 13:05 == 47.9
1/31/22 1:25 == 47	1/31/22 5:20 == 34.6	1/31/22 9:15 == 48.1	1/31/22 13:10 == 47.6
1/31/22 1:30 == 47	1/31/22 5:25 == 34.6	1/31/22 9:20 == 47.9	1/31/22 13:15 == 47.7
1/31/22 1:35 == 47.8	1/31/22 5:30 == 34.5	1/31/22 9:25 == 47.9	1/31/22 13:20 == 48
1/31/22 1:40 == 47.2	1/31/22 5:35 == 34.9	1/31/22 9:30 == 47.7	1/31/22 13:25 == 48
1/31/22 1:45 == 47.6	1/31/22 5:40 == 41.4	1/31/22 9:35 == 48.1	1/31/22 13:30 == 47.9
1/31/22 1:50 == 48	1/31/22 5:45 == 47.2	1/31/22 9:40 == 38.8	1/31/22 13:35 == 48
1/31/22 1:55 == 47.4	1/31/22 5:50 == 47.4	1/31/22 9:45 == 34.8	1/31/22 13:40 == 48
1/31/22 2:00 == 48.1	1/31/22 5:55 == 47.3	1/31/22 9:50 == 34.6	1/31/22 13:45 == 48
1/31/22 2:05 == 48.1	1/31/22 6:00 == 47.2	1/31/22 9:55 == 34.7	1/31/22 13:50 == 47.8
1/31/22 2:10 == 47.9	1/31/22 6:05 == 47.6	1/31/22 10:00 == 34.7	1/31/22 13:55 == 47.4
1/31/22 2:15 == 48	1/31/22 6:10 == 48	1/31/22 10:05 == 34.6	1/31/22 14:00 == 47.5
1/31/22 2:20 == 48	1/31/22 6:15 == 48	1/31/22 10:10 == 34.5	1/31/22 14:05 == 47.7
1/31/22 2:25 == 47.9	1/31/22 6:20 == 47.7	1/31/22 10:15 == 34.5	1/31/22 14:10 == 47
1/31/22 2:30 == 48	1/31/22 6:25 == 47.5	1/31/22 10:20 == 34.9	1/31/22 14:15 == 47.6
1/31/22 2:35 == 47.2	1/31/22 6:30 == 48	1/31/22 10:25 == 41.8	1/31/22 14:20 == 47.9
1/31/22 2:40 == 38.1	1/31/22 6:35 == 48	1/31/22 10:30 == 46.9	1/31/22 14:25 == 47.4
1/31/22 2:45 == 34.3	1/31/22 6:40 == 48	1/31/22 10:35 == 47.9	1/31/22 14:30 == 47.4
1/31/22 2:50 == 34.5	1/31/22 6:45 == 48	1/31/22 10:40 == 47.9	1/31/22 14:35 == 47.9
1/31/22 2:55 == 34.4	1/31/22 6:50 == 48.1	1/31/22 10:45 == 47.9	1/31/22 14:40 == 48
1/31/22 3:00 == 34.2	1/31/22 6:55 == 46.7	1/31/22 10:50 == 47.9	1/31/22 14:45 == 48
1/31/22 3:05 == 34.3	1/31/22 7:00 == 46.5	1/31/22 10:55 == 47.5	1/31/22 14:50 == 48
1/31/22 3:10 == 34.4	1/31/22 7:05 == 47.8	1/31/22 11:00 == 47.5	1/31/22 14:55 == 39.2
1/31/22 3:15 == 34.3	1/31/22 7:10 == 48.1	1/31/22 11:05 == 48	1/31/22 15:00 == 34.6
1/31/22 3:20 == 35.4	1/31/22 7:15 == 47.3	1/31/22 11:10 == 48	1/31/22 15:05 == 34.3
1/31/22 3:25 == 41	1/31/22 7:20 == 48	1/31/22 11:15 == 47.8	1/31/22 15:10 == 34.3
1/31/22 3:30 == 47.7	1/31/22 7:25 == 48	1/31/22 11:20 == 47.5	1/31/22 15:15 == 34.3
1/31/22 3:35 == 47.9	1/31/22 7:30 == 48	1/31/22 11:25 == 47.7	1/31/22 15:20 == 34.4
1/31/22 3:40 == 47.6	1/31/22 7:35 == 47.9	1/31/22 11:30 == 47.6	1/31/22 15:25 == 41
1/31/22 3:45 == 47.3	1/31/22 7:40 == 37.9	1/31/22 11:35 == 47.8	1/31/22 15:30 == 46.4
1/31/22 3:50 == 47.6	1/31/22 7:45 == 34.5	1/31/22 11:40 == 47.5	1/31/22 15:35 == 47.9
1/31/22 3:55 == 48	1/31/22 7:50 == 34.4	1/31/22 11:45 == 47.9	1/31/22 15:40 == 47.4
1/31/22 4:00 == 48	1/31/22 7:55 == 34.4	1/31/22 11:50 == 48	1/31/22 15:45 == 47.7
1/31/22 4:05 == 47.8	1/31/22 8:00 == 34.4	1/31/22 11:55 == 48	1/31/22 15:50 == 47.9
1/31/22 4:10 == 47.4	1/31/22 8:05 == 34.4	1/31/22 12:00 == 48.1	1/31/22 15:55 == 47.4
1/31/22 4:15 == 48.1	1/31/22 8:10 == 41.3	1/31/22 12:05 == 47.9	1/31/22 16:00 == 47.6
1/31/22 4:20 == 47.9	1/31/22 8:15 == 47.4	1/31/22 12:10 == 38.9	1/31/22 16:05 == 47.9
1/31/22 4:25 == 48.1	1/31/22 8:20 == 48	1/31/22 12:15 == 34.4	1/31/22 16:10 == 47.3

### Pumpback Station Discharge (0364)

1/31/22 16:15 == 47.3	1/31/22 20:10 == 34.3
1/31/22 16:20 == 47.8	1/31/22 20:15 == 34.2
1/31/22 16:25 == 47.7	1/31/22 20:20 == 34.3
1/31/22 16:30 == 47.9	1/31/22 20:25 == 40.3
1/31/22 16:35 == 47.7	1/31/22 20:30 == 46.4
1/31/22 16:40 == 47.1	1/31/22 20:35 == 48.1
1/31/22 16:45 == 47.3	1/31/22 20:40 == 48.1
1/31/22 16:50 == 46.8	1/31/22 20:45 == 48.1
1/31/22 16:55 == 40.6	1/31/22 20:50 == 48.1
1/31/22 17:00 == 34.4	1/31/22 20:55 == 48
1/31/22 17:05 == 34.4	1/31/22 21:00 == 48
1/31/22 17:10 == 34.5	1/31/22 21:05 == 48.1
1/31/22 17:15 == 34.2	1/31/22 21:10 == 48
1/31/22 17:20 == 34.4	1/31/22 21:15 == 47.9
1/31/22 17:25 == 34.5	1/31/22 21:20 == 47.8
1/31/22 17:30 == 34.2	1/31/22 21:25 == 47.5
1/31/22 17:35 == 34.5	1/31/22 21:30 == 47.5
1/31/22 17:40 == 40.5	1/31/22 21:35 == 47.9
1/31/22 17:45 == 46.5	1/31/22 21:40 == 47.9
1/31/22 17:50 == 47.9	1/31/22 21:45 == 47.9
1/31/22 17:55 == 47	1/31/22 21:50 == 47.8
1/31/22 18:00 == 47.6	1/31/22 21:55 == 47.2
1/31/22 18:05 == 48.1	1/31/22 22:00 == 46.9
1/31/22 18:10 == 48	1/31/22 22:05 == 46.5
1/31/22 18:15 == 47.9	1/31/22 22:10 == 41.5
1/31/22 18:20 == 48	1/31/22 22:15 == 34.4
1/31/22 18:25 == 48	1/31/22 22:20 == 34.4
1/31/22 18:30 == 48.1	1/31/22 22:25 == 34.4
1/31/22 18:35 == 48.1	1/31/22 22:30 == 34.4
1/31/22 18:40 == 48	1/31/22 22:35 == 34.4
1/31/22 18:45 == 48	1/31/22 22:40 == 39.3
1/31/22 18:50 == 48	1/31/22 22:45 == 46.5
1/31/22 18:55 == 47.9	1/31/22 22:50 == 47.9
1/31/22 19:00 == 48.1	1/31/22 22:55 == 46.9
1/31/22 19:05 == 47.8	1/31/22 23:00 == 47.7
1/31/22 19:10 == 47.3	1/31/22 23:05 == 47.9
1/31/22 19:15 == 47.6	1/31/22 23:10 == 47.9
1/31/22 19:20 == 47.9	1/31/22 23:15 == 48
1/31/22 19:25 == 47.4	1/31/22 23:20 == 48
1/31/22 19:30 == 48	1/31/22 23:25 == 48
1/31/22 19:35 == 47.9	1/31/22 23:30 == 48
1/31/22 19:40 == 48	1/31/22 23:35 == 48
1/31/22 19:45 == 47.8	1/31/22 23:40 == 47.9
1/31/22 19:50 == 48	1/31/22 23:45 == 47.9
1/31/22 19:55 == 40.1	1/31/22 23:50 == 47.9
1/31/22 20:00 == 34.6	1/31/22 23:55 == 47.9
1/31/22 20:05 == 34.3	