LORP Synopsis for November 2019

Compliance Comments

Flows were above the minimum flow for the month.

Maintenance

Activities for the month on the Lower Owens River included the following:

- Current metering continues the development of discharge curves at all in-river flow monitoring sites and are used to develop velocity indexing tables.
- Some in-river station measurements have fluctuated as a result of shifting and increased sedimentation in the river, requiring additional indexing to increase the accuracy of measurements.
- Instrumentation at the Goose Lake Return station was removed.

Operations

There were no flow changes during the month of November.

Waterfowl Area Monthly Report – November 2019

Synopsis (for Runoff Year 2019-20)

The runoff forecast for runoff year 2019-20 is greater than 100%, therefore the waterfowl acreage goal for this year is 500 acres.

On April 16, Drew Unit was set to 3.7 cfs, Winterton Unit was set to 3.4 cfs, and Thibaut Unit was set to 3.5 cfs.

On May 9, wetted acreage surveys for the spring season were completed. Drew Unit measured at 295 acres, Winterton Unit measured at 156 acres, and Thibaut Unit measured at 57 acres.

On June 1, flow rates for the summer season were set. Flow to Winterton Unit was reduced from 3.4 cfs to 3.0 cfs. Flows to Thibaut and Drew Units remained at 3.5 cfs and 3.7 cfs respectively.

On August 16, flow rates for the fall season were set. Flow to Winterton Unit remained at 3.0 cfs, Thibaut Unit was reduced from 3.5 cfs to 1.8 cfs, and Drew Unit was reduced from 3.7 cfs to 3.3 cfs.

A wetted acreage survey was performed by Inyo County via remote sensing during the month of September. Drew Unit measured at 253 acres, Winterton Unit measured at 238 acres, and Thibaut Unit measured at 176 acres.

On October 16, flow rates for the winter season were set. Flow to Winterton Unit was reduced from 3.0 cfs to 0.9 cfs, Thibaut Unit was reduced from 1.8 cfs to 1.1 cfs, and Drew Unit was reduced from 3.3 cfs to 1.2 cfs.

No flow changes or wetted acreage measurements were completed in the month of November.

Flow Rates and Wetted Acreage Summary (for Runoff Year 2019-20)

	Inflow (cfs)	Date Set	Wetted Acreage	Date of Measurement
Drew Unit	3.7	4/16/2019	295	5/9/2019
	3.3	8/16/2019	253	September 2019
	1.2	10/16/2019		
Waggoner Unit	off			
Winterton Unit	3.4	4/16/2019	156	5/9/2019
	3.0	6/1/2019	238	September 2019
	0.9	10/16/2019		
Thibaut Unit	3.5	4/16/2019	57	5/9/2019
	1.8	8/16/2019	176	September 2019
	1.1	10/16/2019		
Thibaut Pond	0	03/15/2019		

November 2019 IN-RIVER STATION CURRENT METERING SUMMARY

Station	Date	Metered Flow	Station Begin Flow	Station End Flow	Shift Applied	Notes	
LORP Intake	11/5/2019	45.81	46.20	46.20	0	gage height	4.00
At Mazourka Canyon Road	11/5/2019	40.56	35.20	41.00	2	gage height	3.35
At Reinhackle Springs	11/5/2019	45.84	44.30	48.20	0	gage height	3.85

Month: November
Year: 2019

Date	Intake			Blackrock Ditch Return		Billy Lake Return		Mazourka Canyon Road			Locust Ditch Return		Georges Ditch Return		Reinhackle Springs			Alabama Gates Release		Above Pumpstation			Pumpback Discharge				
	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Flow	Avg Month to Date	Lange-mann Release to Delta	Weir to Delta	**River Daily Avg**
11/01/19	46	47	15	1	1	1	1	42	47	15	0	0	0	0	42	46	15	0	0	50	49	15	46	46	4	0	**45**
11/02/20	46	47	15	1	1	1	1	42	47	15	0	0	0	0	43	45	15	0	0	50	49	15	46	46	4	0	**45**
11/03/20	46	47	15	1	1	1	1	41	46	15	0	0	0	0	43	45	15	0	0	49	49	15	45	46	4	0	**45**
11/04/20	46	47	15	1	1	1	1	40	46	15	0	0	0	0	42	45	15	0	0	48	49	15	44	45	4	0	**44**
11/05/20	46	46	15	1	1	1	1	40	45	15	0	0	0	0	48	45	15	0	0	48	49	15	44	45	4	0	**46**
11/06/20	46	46	15	1	1	1	1	45	45	15	0	0	0	0	47	45	15	0	0	48	49	15	44	45	4	0	**47**
11/07/20	46	46	15	1	1	1	1	47	44	15	0	0	0	0	46	45	15	0	0	49	49	15	45	45	4	0	**47**
11/08/20	46	46	15	1	1	1	1	47	44	15	0	0	0	0	46	45	15	0	0	49	49	15	45	45	4	0	**47**
11/09/20	46	46	15	1	1	1	1	47	44	15	0	0	0	0	47	45	15	0	0	49	49	15	45	45	4	0	**47**
11/10/20	46	46	15	1	1	1	1	47	44	15	0	0	0	0	49	45	15	0	0	48	49	15	44	45	4	0	**48**
11/11/20	46	46	15	1	1	1	1	47	44	15	0	0	0	0	49	45	15	0	0	48	49	15	44	45	4	0	**48**
11/12/20	46	46	15	1	1	1	1	47	44	15	0	0	0	0	49	45	15	0	0	48	49	15	44	45	4	0	**48**
11/13/20	46	46	15	1	1	1	1	46	44	15	0	0	0	0	50	46	15	0	0	48	49	15	44	45	4	0	**48**
11/14/20	45	46	15	1	1	1	1	47	45	15	0	0	0	0	49	46	15	0	0	50	49	15	46	45	4	0	**48**
11/15/20	46	46	15	1	1	1	1	48	45	15	0	0	0	0	49	47	15	0	0	50	49	15	46	45	4	0	**48**
11/16/20	47	46	15	1	1	1	1	47	45	15	0	0	0	0	49	47	15	0	0	51	49	15	47	45	4	0	**49**
11/17/20	46	46	15	1	1	1	1	47	46	15	0	0	0	0	49	47	15	0	0	51	49	15	47	45	4	0	**48**
11/18/20	46	46	15	1	1	1	1	47	46	15	0	0	0	0	49	48	15	0	0	51	49	15	47	45	4	0	**48**
11/19/20	44	46	15	1	1	1	1	47	46	15	0	0	0	0	49	48	15	0	0	51	49	15	47	45	4	0	**48**
11/20/20	44	46	15	1	1	1	1	48	47	15	0	0	0	0	51	49	15	0	0	51	49	15	47	45	4	0	**49**
11/21/20	44	46	15	1	1	1	1	49	47	15	0	0	0	0	52	49	15	0	0	49	50	15	45	45	4	0	**49**
11/22/20	42	45	15	1	1	1	1	47	47	15	0	0	0	0	52	49	15	0	0	52	50	15	47	45	4	1	**48**
11/23/20	43	45	15	1	1	1	1	45	47	15	0	0	0	0	53	50	15	0	0	56	50	15	47	45	4	5	**49**
11/24/20	44	45	15	1	1	1	1	45	47	15	0	0	0	0	52	50	15	0	0	58	51	15	47	46	4	7	**50**
11/25/20	43	45	15	1	1	1	1	46	47	15	0	0	0	0	51	50	15	0	0	56	51	15	47	46	4	5	**49**
11/26/20	43	45	15	1	1	1	1	45	47	15	0	0	0	0	48	50	15	0	0	55	52	15	47	46	4	4	**48**
11/27/20	43	44	15	1	1	1	1	45	47	15	0	0	0	0	46	50	15	0	0	54	52	15	47	46	4	3	**47**
11/28/20	42	44	15	1	1	1	1	46	47	15	0	0	0	0	48	50	15	0	0	54	53	15	47	46	4	3	**48**
11/29/20	43	44	15	1	1	1	1	46	47	15	0	0	0	0	48	50	15	0	0	53	53	15	47	46	4	2	**48**
11/30/20	42	44	15	1	1	1	1	45	46	15	0	0	0	0	47	50	15	0	0	53	53	15	44	46	4	5	**47**
Monthly Avg	45							46							48					51							47

Lower Owens River Project Flow Report for 11/01/2019

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			**46**	**47**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			**42**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**42**	**46**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**50**	**49**	15
Pump Station			46	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**45**	**47**	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/02/2019

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			**46**	**47**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			**42**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**43**	**45**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**50**	**49**	15
Pump Station			46	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**45**	**47**	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/03/2019

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			**46**	**47**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.9	1			
Mazourka Canyon Road			**41**	**46**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**43**	**45**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**49**	**49**	15
Pump Station			45	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**45**	**47**	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/04/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**46**	**47**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.7	1			
Mazourka Canyon Road			**40**	**46**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**42**	**45**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**48**	**45**	14
Pump Station			44	42	
Langemann Gate to Delta			4	3	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**44**	**46**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/05/2019

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.9	1			
Mazourka Canyon Road			**40**	**45**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**48**	**45**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**48**	**49**	15
Pump Station			44	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**46**	**46**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/06/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			**45**	**45**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**47**	**45**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**48**	**49**	15
Pump Station			44	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**47**	**46**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/07/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			**47**	**44**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**46**	**45**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**49**	**49**	15
Pump Station			45	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**47**	**46**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/08/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**47**	**44**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**46**	**45**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**49**	**49**	15
Pump Station			45	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**47**	**46**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/09/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			**47**	**44**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**47**	**45**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**49**	**49**	15
Pump Station			45	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**47**	**46**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/10/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			**47**	**44**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**49**	**45**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**48**	**49**	15
Pump Station			44	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**48**	**46**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/11/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**47**	**44**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**49**	**45**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**48**	**49**	15
Pump Station			44	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**48**	**46**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/12/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**47**	**44**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**49**	**45**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**48**	**49**	15
Pump Station			44	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**48**	**46**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 10/30/2019)
Lower Twin Lake Gage Read	2.28 ft	
Goose Lake Gage Read	2.52 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/13/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**46**	**44**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**50**	**46**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**48**	**49**	15
Pump Station			44	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**48**	**46**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/14/2019

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			**45**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**47**	**45**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**49**	**46**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**50**	**49**	15
Pump Station			46	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**48**	**47**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/15/2019

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**48**	**45**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**49**	**47**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**50**	**49**	15
Pump Station			46	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**48**	**47**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/16/2019

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			**47**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**47**	**45**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**49**	**47**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**51**	**49**	15
Pump Station			47	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**49**	**47**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/17/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			**47**	**46**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**49**	**47**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**51**	**49**	15
Pump Station			47	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**48**	**47**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/18/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**46**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			**47**	**46**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**49**	**48**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**51**	**49**	15
Pump Station			47	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**48**	**47**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/19/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**44**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			**47**	**46**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**49**	**48**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**51**	**49**	15
Pump Station			47	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**48**	**47**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/20/2019

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			**44**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			**48**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**51**	**49**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**51**	**49**	15
Pump Station			47	45	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**49**	**48**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/21/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**44**	**46**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			**49**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**52**	**49**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**49**	**50**	15
Pump Station			45	46	
Langemann Gate to Delta			4	4	
Weir to Delta			0	0	
LORP In Channel Average Flow [2]			**49**	**48**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/22/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**42**	**45**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			**47**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**52**	**49**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**52**	**50**	15
Pump Station			47	46	
Langemann Gate to Delta			4	4	
Weir to Delta			1	0	
LORP In Channel Average Flow [2]			**48**	**48**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/23/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**43**	**45**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			**45**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**53**	**50**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**56**	**50**	15
Pump Station			47	46	
Langemann Gate to Delta			4	4	
Weir to Delta			5	0	
LORP In Channel Average Flow [2]			**49**	**48**	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/24/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**44**	**45**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			**45**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**52**	**50**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**58**	**51**	15
Pump Station			47	46	
Langemann Gate to Delta			4	4	
Weir to Delta			7	1	
LORP In Channel Average Flow [2]			**50**	**48**	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/25/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**43**	**45**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			**46**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**51**	**50**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**56**	**51**	15
Pump Station			47	46	
Langemann Gate to Delta			4	4	
Weir to Delta			5	1	
LORP In Channel Average Flow [2]			**49**	**48**	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/26/2019

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			**43**	**45**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**45**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**48**	**50**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**55**	**52**	15
Pump Station			47	46	
Langemann Gate to Delta			4	4	
Weir to Delta			4	1	
LORP In Channel Average Flow [2]			**48**	**48**	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/27/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**43**	**44**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**45**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**46**	**50**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**54**	**52**	15
Pump Station			47	47	
Langemann Gate to Delta			4	4	
Weir to Delta			3	2	
LORP In Channel Average Flow [2]			**47**	**49**	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/28/2019

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			**42**	**44**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**46**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**48**	**50**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**54**	**53**	15
Pump Station			47	47	
Langemann Gate to Delta			4	4	
Weir to Delta			3	2	
LORP In Channel Average Flow [2]			**48**	**49**	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/29/2019

LORP Measuring Station	Augmenting Flows: Daily Avg Flow(cfs)	Augmenting Flows: 15 Day Avg Flow(cfs)	Owens River Flows: Daily Avg Flow(cfs)	Owens River Flows: 15 Day Avg Flow(cfs)	Owens River Flows: # Days of last 15 at 40+ cfs
Below River Intake			**43**	**44**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**46**	**47**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**48**	**50**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**53**	**53**	15
Pump Station			47	47	
Langemann Gate to Delta			4	4	
Weir to Delta			2	2	
LORP In Channel Average Flow [2]			**48**	**49**	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Lower Owens River Project Flow Report for 11/30/2019

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			**42**	**44**	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			**45**	**46**	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			**47**	**50**	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station [1]			**53**	**53**	15
Pump Station			44	47	
Langemann Gate to Delta			4	4	
Weir to Delta			5	2	
LORP In Channel Average Flow [2]			**47**	**48**	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	57 Acres	05/09/2019	1.1 cfs	10/16/2019
Winterton	156 Acres	05/09/2019	0.9 cfs	10/16/2019
Drew	295 Acres	05/09/2019	1.2 cfs	10/16/2019
Waggoner	0 Acres	05/31/2011	0 cfs	04/15/2011
Total Flooded Area	508 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.42 ft	(Last Collected: 11/13/2019)
Lower Twin Lake Gage Read	2.13 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	0 Acres	(Last Collected: 05/09/2019)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.
2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.
Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer: http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm

Quality Assurance and Calibration Procedures

The Los Angeles Department of Water and Power has a set standard to assure quality of all hydrological data collected. Procedures used to QA data vary based on the type of data collected and the device used to measure flow.
Data collected from sites utilizing area velocity flow meters are electronically monitored continuously. Sites are physically visited most days of the week to assure debris or vandalism hasn't affected the reading. Errors in the data collected may arise from several sources:

1. The transducers which detect the stage height and velocities have a tendency to drift.
2. Power outages occur occasionally thereby preventing the recording of data to the data loggers.
3. Occasionally the data loggers themselves malfunction.
4. Data can be lost or corrupted when it is transferred from the data loggers to the laptop.

Errors in discharge can originate from the instability of the relationship between velocity and stage height. This relationship varies temporally. It is affected by changes in the streambed that results from the flow of water over the bed, such as scour and fill, aquatic growth, ice, debris, or bed roughness.

To compensate for changes in the constantly shifting conditions multiple current meter measurements at each location per USGS standards are conducted per month. The current meter shots are taken at 2 foot intervals horizontally across the lined sections or 1 foot intervals at the sites where the measurements are taken in culverts. In each vertical section two separate measurements are taken (0.2 and 0.8) of the depth to achieve the best velocity average in the vertical. These vertical discharges are then added together to obtain a total flow in the section. The current meter data is logged in an on-board computer tracking the measurements as taken. That data is then extracted from the on-board computer to a PC using the FlowPack software that allows analysis of the data for erroneous measurements and is then converted to an Excel spreadsheet for ease of storage and printing. See Examples 1 – 3 for printout of software used to validate the current meter data.

Current meter data is used to develop velocity index tables. The tables require a minimum of 6 meter shots. After a table has been developed it is then downloaded into the on-site SonTek software which takes into account any variables within the meter section and applies any shifts to the discharge.

Data is collected and logged every 10 minutes utilizing SonTek area velocity flow meters. The data is downloaded from the meters once per month utilizing software provided by SonTek. The software "ViewArgonaut" gives us the ability to check items relevant to the performance of the meter. Battery voltage, beam strength, noise ratios, depth, and cell distance. (See Example 4) The software provides a trend of the data collected and displays it for quick comparisons, flagging discrepancies, one day at a time. Utilizing the ViewArgonaut software monthly reports are generated and the data is

reviewed. Using the current meter data collected during the month shifts are applied to the discharge to assure accuracy.

Augmentation Flows

Flows at several of the augmentation points are measured using weirs and flumes at sites that were pre-existing. Billy Lake has a one foot Parshall flume, Locust and Georges Returns have three foot weirs installed. All have stilling wells with dataloggers installed. The water surface elevation in the stillwell is measured each time the site is visited and verified it matches the staff gage for correct water depth through the measuring device. The still wells are flushed once every two months to assure the communication line is open and free of debris. The gage height data is logged on a module every 15 minutes. The modules are changed and processed every two weeks. Software used to process the data gives an hourly average gage and converts it to flow. It also gives the maximum and minimum flows for each day and time stamps it. The data is reviewed for any discrepancies which can be caused as a result of debris plugging the measuring device, a plugged stillwell, low batteries, etc.

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

Open a FlowTracker file

Open many FlowTracker files/folders

The current export settings are:

- [x] Show Discharge Summary Report
- [x] Export ASCII Discharge file (DIS)
- [x] Export ASCII Control file (CTL)
- [x] Export ASCII Summary file (SUM)
- [x] Export ASCII Data file (DAT)
- [x] Export FlowPack file (FPX)
- [x] Put Headers on ASCII files

Connect to a FlowTracker

To download data and run diagnostics

Program Settings

Quality Control Settings

Show User's Manual

Show Technical Manual

Show Quick Start

About FlowTracker

English

SonTek
A YSI Environmental Company

070706.ORABR.LOR.WAD

Discharge Measurement Summary

Date Generated: Thu Sep 27 2007

File Information	
File Name	070706.ORABR.LOR.WAD
Start Date and Time	2007/07/06 07:48:17

Site Details	
Site Name	ORABR
Operator(s)	DJT

System Information	
Sensor Type	FlowTracker
Serial #	P1685
CPU Firmware Version	3.2
Software Ver	2.11

Units	(English Units)
Distance	ft
Velocity	ft/s
Area	ft^2
Discharge	cfs

Summary			
Averaging Int.	40	# Stations	32
Start Edge	REW	Total Width	48.100
Mean SNR	18.7 dB	Total Area	69.016
Mean Temp	73.68 °F	Mean Depth	1.435
Disch. Equation	Mid-Section	Mean Velocity	0.6419
		Total Discharge	**44.3025**

Discharge Uncertainty		
Category	**ISO**	**Stats**
Accuracy	1.0%	1.0%
Depth	0.1%	0.5%
Velocity	0.3%	1.4%
Width	0.1%	0.1%
Method	0.8%	-
# Stations	1.6%	-
Overall	**2.1%**	**1.8%**

Measurement Results

St	Clock	Loc	Method	Depth	%Dep	MeasD	Vel	CorrFact	MeanV	Area	Flow	%Q
0	07:48	23.60	None	0.000	0.0	0.0	0.0000	1.00	0.0000	0.000	0.0000	0.0
1	07:48	24.60	0.6	0.360	0.6	0.144	0.2762	1.00	0.2762	0.360	0.0994	0.2
2	07:50	25.60	0.6	0.640	0.6	0.256	0.5102	1.00	0.5102	0.640	0.3266	0.7
3	07:51	26.60	0.6	0.880	0.6	0.352	0.5938	1.00	0.5938	0.880	0.5225	1.2
4	07:52	27.60	0.6	1.180	0.6	0.472	0.6257	1.00	0.6257	1.180	0.7383	1.7
5	07:54	28.60	0.6	1.390	0.6	0.556	0.6302	1.00	0.6302	1.390	0.8761	2.0
6	07:55	29.60	0.2/0.8	1.520	0.2	1.216	0.8130	1.00	0.7078	1.520	1.0759	2.4
6	07:56	29.60	0.2/0.8	1.520	0.8	0.304	0.6027					
7	07:58	30.60	0.8/0.2	1.690	0.2	1.352	0.8468	1.00	0.7664	1.690	1.2952	2.9
7	07:57	30.60	0.8/0.2	1.690	0.8	0.338	0.6860					
8	07:59	31.60	0.2/0.8	1.700	0.2	1.360	0.8146	1.00	0.7037	2.040	1.4357	3.2
8	08:00	31.60	0.2/0.8	1.700	0.8	0.340	0.5928					
9	08:03	33.00	0.8/0.2	1.680	0.2	1.344	0.8383	1.00	0.7408	2.016	1.4935	3.4
9	08:01	33.00	0.8/0.2	1.680	0.8	0.336	0.6434					
10	08:05	34.00	0.2/0.8	1.600	0.2	1.280	0.8724	1.00	0.7398	2.400	1.7757	4.0
10	08:06	34.00	0.2/0.8	1.600	0.8	0.320	0.6073					
11	08:08	36.00	0.8/0.2	1.520	0.2	1.216	0.8186	1.00	0.6995	3.040	2.1264	4.8
11	08:07	36.00	0.8/0.2	1.520	0.8	0.304	0.5804					
12	08:09	38.00	0.2/0.8	1.500	0.2	1.200	0.8957	1.00	0.7461	3.000	2.2382	5.1
12	08:11	38.00	0.2/0.8	1.500	0.8	0.300	0.5965					
13	*08:12*	*40.00*	*0.2/0.8*	*1.490*	*0.2*	*1.192*	*0.8245*	*1.00*	*0.6321*	*2.980*	*1.8837*	*4.3*
13	*08:13*	*40.00*	*0.2/0.8*	*1.490*	*0.8*	*0.298*	*0.4396*					
14	08:15	42.00	0.2/0.8	1.510	0.2	1.208	0.8514	1.00	0.7548	3.020	2.2791	5.1
14	08:16	42.00	0.2/0.8	1.510	0.8	0.302	0.6581					
15	08:18	44.00	0.8/0.2	1.600	0.2	1.280	0.8278	1.00	0.7026	3.200	2.2484	5.1
15	08:17	44.00	0.8/0.2	1.600	0.8	0.320	0.5774					
16	08:19	46.00	0.2/0.8	1.620	0.2	1.296	0.8018	1.00	0.6916	3.240	2.2409	5.1
16	08:20	46.00	0.2/0.8	1.620	0.8	0.324	0.5814					
17	08:22	48.00	0.8/0.2	1.700	0.2	1.360	0.8396	1.00	0.7756	3.400	2.6372	6.0
17	08:21	48.00	0.8/0.2	1.700	0.8	0.340	0.7116					
18	08:23	50.00	0.2/0.8	1.800	0.2	1.440	0.9016	1.00	0.8251	3.600	2.9703	6.7
18	08:24	50.00	0.2/0.8	1.800	0.8	0.360	0.7487					
19	08:26	52.00	0.8/0.2	1.680	0.2	1.344	0.8271	1.00	0.7269	3.360	2.4425	5.5
19	08:25	52.00	0.8/0.2	1.680	0.8	0.336	0.6266					
20	08:27	54.00	0.2/0.8	1.780	0.2	1.424	0.7795	1.00	0.6763	3.560	2.4076	5.4
20	08:28	54.00	0.2/0.8	1.780	0.8	0.356	0.5732					
21	08:30	56.00	0.8/0.2	1.820	0.2	1.456	0.7329	1.00	0.6097	3.640	2.2193	5.0
21	08:29	56.00	0.8/0.2	1.820	0.8	0.364	0.4865					
22	08:32	58.00	0.2/0.8	1.820	0.2	1.456	0.7123	1.00	0.5540	3.640	2.0163	4.6
22	08:34	58.00	0.2/0.8	1.820	0.8	0.364	0.3957					
23	08:36	60.00	0.8/0.2	1.800	0.2	1.440	0.6949	1.00	0.6017	3.600	2.1660	4.9
23	08:35	60.00	0.8/0.2	1.800	0.8	0.360	0.5085					

SonTek FlowTracker v2.11

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

Open a FlowTracker file

Open many FlowTracker files/folders

The current export settings are:

- [x] Show Discharge Summary Report
- [x] Export ASCII Discharge file (DIS)
- [x] Export ASCII Control file (CTL)
- [x] Export ASCII Summary file (SUM)
- [x] Export ASCII Data file (DAT)
- [x] Export FlowPack file (FPX)
- [x] Put Headers on ASCII files

Connect to a FlowTracker

To download data and run diagnostics

Program Settings

Quality Control Settings

Show User's Manual

Show Technical Manual

Show Quick Start

About FlowTracker

English

SonTek
A YSI Environmental Company

070706.ORABR.LOR.WAD







Quality Control

St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

Automatic Quality Control Test (BeamCheck)

start | Inbox - Microsoft Out... | Document2 - Microsof... | SonTek FlowTracker ... | 2:44 PM

SonTek FlowTracker v2.11

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

Open a FlowTracker file

Open many FlowTracker files/folders

The current export settings are:

- [x] Show Discharge Summary Report
- [x] Export ASCII Discharge file (DIS)
- [x] Export ASCII Control file (CTL)
- [x] Export ASCII Summary file (SUM)
- [x] Export ASCII Data file (DAT)
- [x] Export FlowPack file (FPX)
- [x] Put Headers on ASCII files

Connect to a FlowTracker

To download data and run diagnostics

Program Settings

Quality Control Settings

Show User's Manual

Show Technical Manual

Show Quick Start

About FlowTracker

English

SonTek
A YSI Environmental Company

070706.ORABR.LOR.WAD







Quality Control

St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

Automatic Quality Control Test (BeamCheck)



- Noise level check - Pass
- SNR check - Pass
- Peak location check - Pass
- Peak shape check - Pass

start | Inbox - Microsoft Out... | Document2 - Microsof... | SonTek FlowTracker ... | 2:44 PM

SonTek Argonaut Data Processing - [FileName: BROR_070801_a.arg (Argonaut- SW 3000 kHz)]

File Edit View Processing Argonaut Config Window Help

FileName: BROR_070801_a.arg (Argonaut- SW 3000 kHz)



System	Argonaut-SW
Frequency	3000 kHz
File	BROR_070801_a
File Size	65.18 kB
Sample No	1
Sample Date	02/07/2007
Sample Time	13:28:38
Time Interval	180

Velocity Data:

V1/X/E(cm/s)	27.8
V2/Y/N(cm/s)	2.4
V3/Z/U(cm/s)	--
Speed (cm/s)	27.9
Direction(deg)	85.1

Discharge Summary:

V Beam (m)	0.426
Stage (m)	1.304 V
VMean (cm/s)	22.7
Flow (cfs)	50.21
Area (m2)	6.26
Vol (acre-ft)	0.7

Diagnostic Data:

SNR1 (dB)	61
SNR2 (dB)	61
SNR3 (dB)	--
StErr1 (cm/s)	0.9
StErr2 (cm/s)	0.8
StErr3 (cm/s)	--
Mean StDev	0.9
Battery (V)	12.4

start | Inbox - Microsoft Out... | Document2 - Microsof... | SonTek Argonaut Dat... | 2:49 PM

Station Number: 0088 Meas. No: 004

Station Name: LOR @ INTAKE Date: 11/05/2019

Party: BLP/CBR	Width: 29.2 ft	Processed by: BLP
Boat/Motor: BOAT	Area: 143 ft²	Mean Velocity: 0.322 ft/s
Gage Height: 5.15 ft	G.H.Change: 0.000 ft	Discharge: 45.8 ft³/s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.0°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft²	Diff.: 0.000%
Depth Sounder: Not Used	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:

BT 3-Beam Solution: NO	Max. Vel.: 2.49 ft/s	ADCP:
WT 3-Beam Solution: NO	Max. Depth: 5.55 ft	Type/Freq.: StreamPro / 2000 kHz
BT Error Vel.: 32.81 ft/s	Mean Depth: 4.88 ft	Serial #: Firmware: 31.12
WT Error Vel.: 32.81 ft/s	% Meas.: 70.51	Bin Size: 10 cm Blank: 3 cm
BT Up Vel.: 32.81 ft/s	Water Temp.: None	BT Mode: 10 BT Pings: 2
WT Up Vel.: 32.81 ft/s	ADCP Temp.: 61.2 °F	WT Mode: 12 WT Pings: 6
Use Weighted Mean Depth: NO		WV : 0 WO : 1, 4

Performed Diag. Test: NO Project Name: 191105 LOR @ INTAKE000r.m

Performed Moving Bed Test: NO Software: 2.11

Performed Compass Calibration: NO Evaluation: NO

Meas. Location: BRIDGE

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
001	R	2	2	58	5.12	32.7	7.03	0.494	1.73	47.1	28	137	14:13	14:14	0.41	0.34	28	0
002	L	2	2	60	5.05	32.5	6.25	0.953	1.38	46.1	30	148	14:15	14:16	0.45	0.31	27	1
003	R	2	2	62	5.01	33.1	6.07	0.671	1.38	46.2	29	141	14:16	14:17	0.40	0.33	19	0
004	L	2	2	50	4.91	31.0	6.64	0.600	0.777	43.9	30	144	14:18	14:19	0.50	0.31	12	1
Mean		2	2	57	5.02	32.3	6.50	0.680	1.32	45.8	29	143	**Total**	00:05	0.44	0.32	21	0
SDev		0	0	5	0.088	0.934	0.425	0.196	0.396	1.36	1.0	4.4			0.05	0.02		
SD/M		0.00	0.00	0.09	0.02	0.03	0.07	0.29	0.30	0.03	0.03	0.03			0.11	0.05		

Remarks:

Blackrock Return Ditch
Station 0208

Date	Flow (cfs)
11/1/2019	1.058
11/2/2019	0.953
11/3/2019	0.987
11/4/2019	1.095
11/5/2019	1.098
11/6/2019	1.12
11/7/2019	1.15
11/8/2019	1.155
11/9/2019	1.058
11/10/2019	0.942
11/11/2019	1.044
11/12/2019	1.262
11/13/2019	1.227
11/14/2019	1.21
11/15/2019	1.195
11/16/2019	1.181
11/17/2019	1.166
11/18/2019	1.151
11/19/2019	1.136
11/20/2019	1.122
11/21/2019	1.107
11/22/2019	1.092
11/23/2019	1.078
11/24/2019	1.063
11/25/2019	1.048
11/26/2019	1.033
11/27/2019	1.019
11/28/2019	1.004
11/29/2019	0.989
11/30/2019	1.081

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/1/2019	12:00:00 AM	0.48
11/1/2019	12:15:00 AM	0.48
11/1/2019	12:30:00 AM	0.48
11/1/2019	12:45:00 AM	0.48
11/1/2019	1:00:00 AM	0.48
11/1/2019	1:15:00 AM	0.48
11/1/2019	1:30:00 AM	0.48
11/1/2019	1:45:00 AM	0.48
11/1/2019	2:00:00 AM	0.48
11/1/2019	2:15:00 AM	0.48
11/1/2019	2:30:00 AM	0.48
11/1/2019	2:45:00 AM	0.48
11/1/2019	3:00:00 AM	0.48
11/1/2019	3:15:00 AM	0.48
11/1/2019	3:30:00 AM	0.48
11/1/2019	3:45:00 AM	0.48
11/1/2019	4:00:00 AM	0.48
11/1/2019	4:15:00 AM	0.48
11/1/2019	4:30:00 AM	0.48
11/1/2019	4:45:00 AM	0.47
11/1/2019	5:00:00 AM	0.47
11/1/2019	5:15:00 AM	0.47
11/1/2019	5:30:00 AM	0.47
11/1/2019	5:45:00 AM	0.47
11/1/2019	6:00:00 AM	0.47
11/1/2019	6:15:00 AM	0.47
11/1/2019	6:30:00 AM	0.47
11/1/2019	6:45:00 AM	0.47
11/1/2019	7:00:00 AM	0.47
11/1/2019	7:15:00 AM	0.47
11/1/2019	7:30:00 AM	0.47
11/1/2019	7:45:00 AM	0.47
11/1/2019	8:00:00 AM	0.47
11/1/2019	8:15:00 AM	0.47
11/1/2019	8:30:00 AM	0.47
11/1/2019	8:45:00 AM	0.47
11/1/2019	9:00:00 AM	0.47
11/1/2019	9:15:00 AM	0.47
11/1/2019	9:30:00 AM	0.47
11/1/2019	9:45:00 AM	0.47
11/1/2019	10:00:00 AM	0.47
11/1/2019	10:15:00 AM	0.47
11/1/2019	10:30:00 AM	0.47
11/1/2019	10:45:00 AM	0.47
11/1/2019	11:00:00 AM	0.47
11/1/2019	11:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/1/2019	11:30:00 AM	0.47
11/1/2019	11:45:00 AM	0.46
11/1/2019	12:00:00 PM	0.47
11/1/2019	12:15:00 PM	0.46
11/1/2019	12:30:00 PM	0.46
11/1/2019	12:45:00 PM	0.46
11/1/2019	1:00:00 PM	0.46
11/1/2019	1:15:00 PM	0.46
11/1/2019	1:30:00 PM	0.46
11/1/2019	1:45:00 PM	0.46
11/1/2019	2:00:00 PM	0.46
11/1/2019	2:15:00 PM	0.46
11/1/2019	2:30:00 PM	0.46
11/1/2019	2:45:00 PM	0.46
11/1/2019	3:00:00 PM	0.46
11/1/2019	3:15:00 PM	0.46
11/1/2019	3:30:00 PM	0.45
11/1/2019	3:45:00 PM	0.45
11/1/2019	4:00:00 PM	0.45
11/1/2019	4:15:00 PM	0.45
11/1/2019	4:30:00 PM	0.45
11/1/2019	4:45:00 PM	0.45
11/1/2019	5:00:00 PM	0.45
11/1/2019	5:15:00 PM	0.45
11/1/2019	5:30:00 PM	0.45
11/1/2019	5:45:00 PM	0.45
11/1/2019	6:00:00 PM	0.45
11/1/2019	6:15:00 PM	0.45
11/1/2019	6:30:00 PM	0.45
11/1/2019	6:45:00 PM	0.45
11/1/2019	7:00:00 PM	0.45
11/1/2019	7:15:00 PM	0.45
11/1/2019	7:30:00 PM	0.45
11/1/2019	7:45:00 PM	0.45
11/1/2019	8:00:00 PM	0.45
11/1/2019	8:15:00 PM	0.45
11/1/2019	8:30:00 PM	0.45
11/1/2019	8:45:00 PM	0.44
11/1/2019	9:00:00 PM	0.44
11/1/2019	9:15:00 PM	0.45
11/1/2019	9:30:00 PM	0.44
11/1/2019	9:45:00 PM	0.44
11/1/2019	10:00:00 PM	0.44
11/1/2019	10:15:00 PM	0.44
11/1/2019	10:30:00 PM	0.44
11/1/2019	10:45:00 PM	0.44

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/1/2019	11:00:00 PM	0.44
11/1/2019	11:15:00 PM	0.44
11/1/2019	11:30:00 PM	0.44
11/1/2019	11:45:00 PM	0.44
11/2/2019	12:00:00 AM	0.44
11/2/2019	12:15:00 AM	0.44
11/2/2019	12:30:00 AM	0.44
11/2/2019	12:45:00 AM	0.44
11/2/2019	1:00:00 AM	0.44
11/2/2019	1:15:00 AM	0.44
11/2/2019	1:30:00 AM	0.44
11/2/2019	1:45:00 AM	0.44
11/2/2019	2:00:00 AM	0.45
11/2/2019	2:15:00 AM	0.45
11/2/2019	2:30:00 AM	0.45
11/2/2019	2:45:00 AM	0.45
11/2/2019	3:00:00 AM	0.45
11/2/2019	3:15:00 AM	0.45
11/2/2019	3:30:00 AM	0.45
11/2/2019	3:45:00 AM	0.45
11/2/2019	4:00:00 AM	0.45
11/2/2019	4:15:00 AM	0.45
11/2/2019	4:30:00 AM	0.45
11/2/2019	4:45:00 AM	0.45
11/2/2019	5:00:00 AM	0.45
11/2/2019	5:15:00 AM	0.45
11/2/2019	5:30:00 AM	0.45
11/2/2019	5:45:00 AM	0.45
11/2/2019	6:00:00 AM	0.45
11/2/2019	6:15:00 AM	0.45
11/2/2019	6:30:00 AM	0.45
11/2/2019	6:45:00 AM	0.45
11/2/2019	7:00:00 AM	0.45
11/2/2019	7:15:00 AM	0.45
11/2/2019	7:30:00 AM	0.45
11/2/2019	7:45:00 AM	0.45
11/2/2019	8:00:00 AM	0.45
11/2/2019	8:15:00 AM	0.45
11/2/2019	8:30:00 AM	0.45
11/2/2019	8:45:00 AM	0.45
11/2/2019	9:00:00 AM	0.45
11/2/2019	9:15:00 AM	0.45
11/2/2019	9:30:00 AM	0.45
11/2/2019	9:45:00 AM	0.45
11/2/2019	10:00:00 AM	0.45
11/2/2019	10:15:00 AM	0.44

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/2/2019	10:30:00 AM	0.44
11/2/2019	10:45:00 AM	0.44
11/2/2019	11:00:00 AM	0.44
11/2/2019	11:15:00 AM	0.44
11/2/2019	11:30:00 AM	0.44
11/2/2019	11:45:00 AM	0.44
11/2/2019	12:00:00 PM	0.44
11/2/2019	12:15:00 PM	0.44
11/2/2019	12:30:00 PM	0.44
11/2/2019	12:45:00 PM	0.43
11/2/2019	1:00:00 PM	0.43
11/2/2019	1:15:00 PM	0.43
11/2/2019	1:30:00 PM	0.43
11/2/2019	1:45:00 PM	0.43
11/2/2019	2:00:00 PM	0.43
11/2/2019	2:15:00 PM	0.43
11/2/2019	2:30:00 PM	0.43
11/2/2019	2:45:00 PM	0.42
11/2/2019	3:00:00 PM	0.42
11/2/2019	3:15:00 PM	0.42
11/2/2019	3:30:00 PM	0.42
11/2/2019	3:45:00 PM	0.42
11/2/2019	4:00:00 PM	0.42
11/2/2019	4:15:00 PM	0.42
11/2/2019	4:30:00 PM	0.42
11/2/2019	4:45:00 PM	0.42
11/2/2019	5:00:00 PM	0.42
11/2/2019	5:15:00 PM	0.42
11/2/2019	5:30:00 PM	0.41
11/2/2019	5:45:00 PM	0.41
11/2/2019	6:00:00 PM	0.41
11/2/2019	6:15:00 PM	0.41
11/2/2019	6:30:00 PM	0.41
11/2/2019	6:45:00 PM	0.41
11/2/2019	7:00:00 PM	0.41
11/2/2019	7:15:00 PM	0.41
11/2/2019	7:30:00 PM	0.41
11/2/2019	7:45:00 PM	0.41
11/2/2019	8:00:00 PM	0.41
11/2/2019	8:15:00 PM	0.41
11/2/2019	8:30:00 PM	0.41
11/2/2019	8:45:00 PM	0.41
11/2/2019	9:00:00 PM	0.41
11/2/2019	9:15:00 PM	0.41
11/2/2019	9:30:00 PM	0.41
11/2/2019	9:45:00 PM	0.4

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/2/2019	10:00:00 PM	0.4
11/2/2019	10:15:00 PM	0.4
11/2/2019	10:30:00 PM	0.4
11/2/2019	10:45:00 PM	0.4
11/2/2019	11:00:00 PM	0.4
11/2/2019	11:15:00 PM	0.4
11/2/2019	11:30:00 PM	0.4
11/2/2019	11:45:00 PM	0.4
11/3/2019	12:00:00 AM	0.4
11/3/2019	12:15:00 AM	0.4
11/3/2019	12:30:00 AM	0.4
11/3/2019	12:45:00 AM	0.4
11/3/2019	1:00:00 AM	0.4
11/3/2019	1:15:00 AM	0.4
11/3/2019	1:30:00 AM	0.4
11/3/2019	1:45:00 AM	0.41
11/3/2019	2:00:00 AM	0.41
11/3/2019	2:15:00 AM	0.41
11/3/2019	2:30:00 AM	0.41
11/3/2019	2:45:00 AM	0.41
11/3/2019	3:00:00 AM	0.41
11/3/2019	3:15:00 AM	0.41
11/3/2019	3:30:00 AM	0.41
11/3/2019	3:45:00 AM	0.41
11/3/2019	4:00:00 AM	0.41
11/3/2019	4:15:00 AM	0.41
11/3/2019	4:30:00 AM	0.41
11/3/2019	4:45:00 AM	0.41
11/3/2019	5:00:00 AM	0.41
11/3/2019	5:15:00 AM	0.41
11/3/2019	5:30:00 AM	0.41
11/3/2019	5:45:00 AM	0.41
11/3/2019	6:00:00 AM	0.41
11/3/2019	6:15:00 AM	0.41
11/3/2019	6:30:00 AM	0.41
11/3/2019	6:45:00 AM	0.41
11/3/2019	7:00:00 AM	0.41
11/3/2019	7:15:00 AM	0.41
11/3/2019	7:30:00 AM	0.41
11/3/2019	7:45:00 AM	0.41
11/3/2019	8:00:00 AM	0.41
11/3/2019	8:15:00 AM	0.41
11/3/2019	8:30:00 AM	0.41
11/3/2019	8:45:00 AM	0.41
11/3/2019	9:00:00 AM	0.41
11/3/2019	9:15:00 AM	0.41

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/3/2019	9:30:00 AM	0.41
11/3/2019	9:45:00 AM	0.41
11/3/2019	10:00:00 AM	0.41
11/3/2019	10:15:00 AM	0.42
11/3/2019	10:30:00 AM	0.42
11/3/2019	10:45:00 AM	0.42
11/3/2019	11:00:00 AM	0.42
11/3/2019	11:15:00 AM	0.43
11/3/2019	11:30:00 AM	0.43
11/3/2019	11:45:00 AM	0.43
11/3/2019	12:00:00 PM	0.44
11/3/2019	12:15:00 PM	0.44
11/3/2019	12:30:00 PM	0.44
11/3/2019	12:45:00 PM	0.45
11/3/2019	1:00:00 PM	0.45
11/3/2019	1:15:00 PM	0.45
11/3/2019	1:30:00 PM	0.45
11/3/2019	1:45:00 PM	0.46
11/3/2019	2:00:00 PM	0.46
11/3/2019	2:15:00 PM	0.46
11/3/2019	2:30:00 PM	0.46
11/3/2019	2:45:00 PM	0.47
11/3/2019	3:00:00 PM	0.47
11/3/2019	3:15:00 PM	0.47
11/3/2019	3:30:00 PM	0.47
11/3/2019	3:45:00 PM	0.47
11/3/2019	4:00:00 PM	0.47
11/3/2019	4:15:00 PM	0.47
11/3/2019	4:30:00 PM	0.47
11/3/2019	4:45:00 PM	0.47
11/3/2019	5:00:00 PM	0.47
11/3/2019	5:15:00 PM	0.47
11/3/2019	5:30:00 PM	0.47
11/3/2019	5:45:00 PM	0.47
11/3/2019	6:00:00 PM	0.47
11/3/2019	6:15:00 PM	0.47
11/3/2019	6:30:00 PM	0.47
11/3/2019	6:45:00 PM	0.48
11/3/2019	7:00:00 PM	0.48
11/3/2019	7:15:00 PM	0.48
11/3/2019	7:30:00 PM	0.48
11/3/2019	7:45:00 PM	0.48
11/3/2019	8:00:00 PM	0.48
11/3/2019	8:15:00 PM	0.48
11/3/2019	8:30:00 PM	0.48
11/3/2019	8:45:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/3/2019	9:00:00 PM	0.48
11/3/2019	9:15:00 PM	0.48
11/3/2019	9:30:00 PM	0.48
11/3/2019	9:45:00 PM	0.48
11/3/2019	10:00:00 PM	0.48
11/3/2019	10:15:00 PM	0.48
11/3/2019	10:30:00 PM	0.48
11/3/2019	10:45:00 PM	0.48
11/3/2019	11:00:00 PM	0.48
11/3/2019	11:15:00 PM	0.48
11/3/2019	11:30:00 PM	0.48
11/3/2019	11:45:00 PM	0.48
11/4/2019	12:00:00 AM	0.48
11/4/2019	12:15:00 AM	0.48
11/4/2019	12:30:00 AM	0.48
11/4/2019	12:45:00 AM	0.48
11/4/2019	1:00:00 AM	0.48
11/4/2019	1:15:00 AM	0.48
11/4/2019	1:30:00 AM	0.48
11/4/2019	1:45:00 AM	0.48
11/4/2019	2:00:00 AM	0.48
11/4/2019	2:15:00 AM	0.48
11/4/2019	2:30:00 AM	0.48
11/4/2019	2:45:00 AM	0.48
11/4/2019	3:00:00 AM	0.48
11/4/2019	3:15:00 AM	0.48
11/4/2019	3:30:00 AM	0.48
11/4/2019	3:45:00 AM	0.48
11/4/2019	4:00:00 AM	0.48
11/4/2019	4:15:00 AM	0.48
11/4/2019	4:30:00 AM	0.48
11/4/2019	4:45:00 AM	0.48
11/4/2019	5:00:00 AM	0.48
11/4/2019	5:15:00 AM	0.48
11/4/2019	5:30:00 AM	0.48
11/4/2019	5:45:00 AM	0.48
11/4/2019	6:00:00 AM	0.48
11/4/2019	6:15:00 AM	0.48
11/4/2019	6:30:00 AM	0.47
11/4/2019	6:45:00 AM	0.47
11/4/2019	7:00:00 AM	0.48
11/4/2019	7:15:00 AM	0.47
11/4/2019	7:30:00 AM	0.47
11/4/2019	7:45:00 AM	0.47
11/4/2019	8:00:00 AM	0.47
11/4/2019	8:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/4/2019	8:30:00 AM	0.47
11/4/2019	8:45:00 AM	0.47
11/4/2019	9:00:00 AM	0.47
11/4/2019	9:15:00 AM	0.47
11/4/2019	9:30:00 AM	0.47
11/4/2019	9:45:00 AM	0.47
11/4/2019	10:00:00 AM	0.47
11/4/2019	10:15:00 AM	0.47
11/4/2019	10:30:00 AM	0.47
11/4/2019	10:45:00 AM	0.47
11/4/2019	11:00:00 AM	0.47
11/4/2019	11:15:00 AM	0.47
11/4/2019	11:30:00 AM	0.47
11/4/2019	11:45:00 AM	0.47
11/4/2019	12:00:00 PM	0.47
11/4/2019	12:15:00 PM	0.47
11/4/2019	12:30:00 PM	0.47
11/4/2019	12:45:00 PM	0.47
11/4/2019	1:00:00 PM	0.47
11/4/2019	1:15:00 PM	0.47
11/4/2019	1:30:00 PM	0.47
11/4/2019	1:45:00 PM	0.47
11/4/2019	2:00:00 PM	0.47
11/4/2019	2:15:00 PM	0.47
11/4/2019	2:30:00 PM	0.47
11/4/2019	2:45:00 PM	0.47
11/4/2019	3:00:00 PM	0.47
11/4/2019	3:15:00 PM	0.47
11/4/2019	3:30:00 PM	0.47
11/4/2019	3:45:00 PM	0.47
11/4/2019	4:00:00 PM	0.47
11/4/2019	4:15:00 PM	0.47
11/4/2019	4:30:00 PM	0.47
11/4/2019	4:45:00 PM	0.47
11/4/2019	5:00:00 PM	0.47
11/4/2019	5:15:00 PM	0.47
11/4/2019	5:30:00 PM	0.47
11/4/2019	5:45:00 PM	0.47
11/4/2019	6:00:00 PM	0.47
11/4/2019	6:15:00 PM	0.47
11/4/2019	6:30:00 PM	0.47
11/4/2019	6:45:00 PM	0.47
11/4/2019	7:00:00 PM	0.47
11/4/2019	7:15:00 PM	0.47
11/4/2019	7:30:00 PM	0.47
11/4/2019	7:45:00 PM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/4/2019	8:00:00 PM	0.47
11/4/2019	8:15:00 PM	0.47
11/4/2019	8:30:00 PM	0.47
11/4/2019	8:45:00 PM	0.47
11/4/2019	9:00:00 PM	0.47
11/4/2019	9:15:00 PM	0.47
11/4/2019	9:30:00 PM	0.47
11/4/2019	9:45:00 PM	0.47
11/4/2019	10:00:00 PM	0.47
11/4/2019	10:15:00 PM	0.47
11/4/2019	10:30:00 PM	0.47
11/4/2019	10:45:00 PM	0.47
11/4/2019	11:00:00 PM	0.47
11/4/2019	11:15:00 PM	0.47
11/4/2019	11:30:00 PM	0.47
11/4/2019	11:45:00 PM	0.47
11/5/2019	12:00:00 AM	0.47
11/5/2019	12:15:00 AM	0.47
11/5/2019	12:30:00 AM	0.47
11/5/2019	12:45:00 AM	0.47
11/5/2019	1:00:00 AM	0.47
11/5/2019	1:15:00 AM	0.47
11/5/2019	1:30:00 AM	0.47
11/5/2019	1:45:00 AM	0.47
11/5/2019	2:00:00 AM	0.47
11/5/2019	2:15:00 AM	0.47
11/5/2019	2:30:00 AM	0.47
11/5/2019	2:45:00 AM	0.47
11/5/2019	3:00:00 AM	0.47
11/5/2019	3:15:00 AM	0.47
11/5/2019	3:30:00 AM	0.47
11/5/2019	3:45:00 AM	0.47
11/5/2019	4:00:00 AM	0.47
11/5/2019	4:15:00 AM	0.47
11/5/2019	4:30:00 AM	0.47
11/5/2019	4:45:00 AM	0.47
11/5/2019	5:00:00 AM	0.47
11/5/2019	5:15:00 AM	0.47
11/5/2019	5:30:00 AM	0.47
11/5/2019	5:45:00 AM	0.47
11/5/2019	6:00:00 AM	0.47
11/5/2019	6:15:00 AM	0.47
11/5/2019	6:30:00 AM	0.47
11/5/2019	6:45:00 AM	0.47
11/5/2019	7:00:00 AM	0.47
11/5/2019	7:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/5/2019	7:30:00 AM	0.47
11/5/2019	7:45:00 AM	0.47
11/5/2019	8:00:00 AM	0.47
11/5/2019	8:15:00 AM	0.47
11/5/2019	8:30:00 AM	0.48
11/5/2019	8:45:00 AM	0.48
11/5/2019	9:00:00 AM	0.48
11/5/2019	9:15:00 AM	0.48
11/5/2019	9:30:00 AM	0.48
11/5/2019	9:45:00 AM	0.48
11/5/2019	10:00:00 AM	0.48
11/5/2019	10:15:00 AM	0.48
11/5/2019	10:30:00 AM	0.48
11/5/2019	10:45:00 AM	0.48
11/5/2019	11:00:00 AM	0.47
11/5/2019	11:15:00 AM	0.47
11/5/2019	11:30:00 AM	0.47
11/5/2019	11:45:00 AM	0.47
11/5/2019	12:00:00 PM	0.47
11/5/2019	12:15:00 PM	0.47
11/5/2019	12:30:00 PM	0.47
11/5/2019	12:45:00 PM	0.47
11/5/2019	1:00:00 PM	0.47
11/5/2019	1:15:00 PM	0.47
11/5/2019	1:30:00 PM	0.48
11/5/2019	1:45:00 PM	0.47
11/5/2019	2:00:00 PM	0.47
11/5/2019	2:15:00 PM	0.48
11/5/2019	2:30:00 PM	0.47
11/5/2019	2:45:00 PM	0.48
11/5/2019	3:00:00 PM	0.48
11/5/2019	3:15:00 PM	0.48
11/5/2019	3:30:00 PM	0.47
11/5/2019	3:45:00 PM	0.47
11/5/2019	4:00:00 PM	0.47
11/5/2019	4:15:00 PM	0.48
11/5/2019	4:30:00 PM	0.47
11/5/2019	4:45:00 PM	0.47
11/5/2019	5:00:00 PM	0.47
11/5/2019	5:15:00 PM	0.47
11/5/2019	5:30:00 PM	0.47
11/5/2019	5:45:00 PM	0.48
11/5/2019	6:00:00 PM	0.47
11/5/2019	6:15:00 PM	0.47
11/5/2019	6:30:00 PM	0.47
11/5/2019	6:45:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/5/2019	7:00:00 PM	0.47
11/5/2019	7:15:00 PM	0.47
11/5/2019	7:30:00 PM	0.48
11/5/2019	7:45:00 PM	0.48
11/5/2019	8:00:00 PM	0.48
11/5/2019	8:15:00 PM	0.48
11/5/2019	8:30:00 PM	0.47
11/5/2019	8:45:00 PM	0.48
11/5/2019	9:00:00 PM	0.48
11/5/2019	9:15:00 PM	0.48
11/5/2019	9:30:00 PM	0.48
11/5/2019	9:45:00 PM	0.48
11/5/2019	10:00:00 PM	0.48
11/5/2019	10:15:00 PM	0.48
11/5/2019	10:30:00 PM	0.48
11/5/2019	10:45:00 PM	0.48
11/5/2019	11:00:00 PM	0.48
11/5/2019	11:15:00 PM	0.48
11/5/2019	11:30:00 PM	0.48
11/5/2019	11:45:00 PM	0.48
11/6/2019	12:00:00 AM	0.48
11/6/2019	12:15:00 AM	0.48
11/6/2019	12:30:00 AM	0.48
11/6/2019	12:45:00 AM	0.48
11/6/2019	1:00:00 AM	0.48
11/6/2019	1:15:00 AM	0.48
11/6/2019	1:30:00 AM	0.48
11/6/2019	1:45:00 AM	0.48
11/6/2019	2:00:00 AM	0.48
11/6/2019	2:15:00 AM	0.48
11/6/2019	2:30:00 AM	0.48
11/6/2019	2:45:00 AM	0.48
11/6/2019	3:00:00 AM	0.48
11/6/2019	3:15:00 AM	0.48
11/6/2019	3:30:00 AM	0.48
11/6/2019	3:45:00 AM	0.48
11/6/2019	4:00:00 AM	0.48
11/6/2019	4:15:00 AM	0.48
11/6/2019	4:30:00 AM	0.48
11/6/2019	4:45:00 AM	0.48
11/6/2019	5:00:00 AM	0.48
11/6/2019	5:15:00 AM	0.48
11/6/2019	5:30:00 AM	0.48
11/6/2019	5:45:00 AM	0.48
11/6/2019	6:00:00 AM	0.48
11/6/2019	6:15:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/6/2019	6:30:00 AM	0.48
11/6/2019	6:45:00 AM	0.48
11/6/2019	7:00:00 AM	0.48
11/6/2019	7:15:00 AM	0.48
11/6/2019	7:30:00 AM	0.48
11/6/2019	7:45:00 AM	0.48
11/6/2019	8:00:00 AM	0.48
11/6/2019	8:15:00 AM	0.48
11/6/2019	8:30:00 AM	0.48
11/6/2019	8:45:00 AM	0.48
11/6/2019	9:00:00 AM	0.48
11/6/2019	9:15:00 AM	0.48
11/6/2019	9:30:00 AM	0.48
11/6/2019	9:45:00 AM	0.48
11/6/2019	10:00:00 AM	0.48
11/6/2019	10:15:00 AM	0.48
11/6/2019	10:30:00 AM	0.48
11/6/2019	10:45:00 AM	0.48
11/6/2019	11:00:00 AM	0.48
11/6/2019	11:15:00 AM	0.48
11/6/2019	11:30:00 AM	0.48
11/6/2019	11:45:00 AM	0.48
11/6/2019	12:00:00 PM	0.48
11/6/2019	12:15:00 PM	0.48
11/6/2019	12:30:00 PM	0.48
11/6/2019	12:45:00 PM	0.48
11/6/2019	1:00:00 PM	0.48
11/6/2019	1:15:00 PM	0.48
11/6/2019	1:30:00 PM	0.48
11/6/2019	1:45:00 PM	0.48
11/6/2019	2:00:00 PM	0.48
11/6/2019	2:15:00 PM	0.48
11/6/2019	2:30:00 PM	0.48
11/6/2019	2:45:00 PM	0.48
11/6/2019	3:00:00 PM	0.48
11/6/2019	3:15:00 PM	0.48
11/6/2019	3:30:00 PM	0.48
11/6/2019	3:45:00 PM	0.48
11/6/2019	4:00:00 PM	0.48
11/6/2019	4:15:00 PM	0.48
11/6/2019	4:30:00 PM	0.48
11/6/2019	4:45:00 PM	0.48
11/6/2019	5:00:00 PM	0.48
11/6/2019	5:15:00 PM	0.48
11/6/2019	5:30:00 PM	0.48
11/6/2019	5:45:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/6/2019	6:00:00 PM	0.48
11/6/2019	6:15:00 PM	0.48
11/6/2019	6:30:00 PM	0.48
11/6/2019	6:45:00 PM	0.48
11/6/2019	7:00:00 PM	0.48
11/6/2019	7:15:00 PM	0.48
11/6/2019	7:30:00 PM	0.48
11/6/2019	7:45:00 PM	0.48
11/6/2019	8:00:00 PM	0.48
11/6/2019	8:15:00 PM	0.48
11/6/2019	8:30:00 PM	0.48
11/6/2019	8:45:00 PM	0.48
11/6/2019	9:00:00 PM	0.48
11/6/2019	9:15:00 PM	0.48
11/6/2019	9:30:00 PM	0.48
11/6/2019	9:45:00 PM	0.48
11/6/2019	10:00:00 PM	0.48
11/6/2019	10:15:00 PM	0.48
11/6/2019	10:30:00 PM	0.48
11/6/2019	10:45:00 PM	0.48
11/6/2019	11:00:00 PM	0.48
11/6/2019	11:15:00 PM	0.48
11/6/2019	11:30:00 PM	0.48
11/6/2019	11:45:00 PM	0.48
11/7/2019	12:00:00 AM	0.48
11/7/2019	12:15:00 AM	0.48
11/7/2019	12:30:00 AM	0.48
11/7/2019	12:45:00 AM	0.48
11/7/2019	1:00:00 AM	0.48
11/7/2019	1:15:00 AM	0.48
11/7/2019	1:30:00 AM	0.48
11/7/2019	1:45:00 AM	0.48
11/7/2019	2:00:00 AM	0.48
11/7/2019	2:15:00 AM	0.48
11/7/2019	2:30:00 AM	0.48
11/7/2019	2:45:00 AM	0.48
11/7/2019	3:00:00 AM	0.48
11/7/2019	3:15:00 AM	0.49
11/7/2019	3:30:00 AM	0.48
11/7/2019	3:45:00 AM	0.49
11/7/2019	4:00:00 AM	0.49
11/7/2019	4:15:00 AM	0.49
11/7/2019	4:30:00 AM	0.49
11/7/2019	4:45:00 AM	0.49
11/7/2019	5:00:00 AM	0.49
11/7/2019	5:15:00 AM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/7/2019	5:30:00 AM	0.49
11/7/2019	5:45:00 AM	0.49
11/7/2019	6:00:00 AM	0.49
11/7/2019	6:15:00 AM	0.49
11/7/2019	6:30:00 AM	0.49
11/7/2019	6:45:00 AM	0.49
11/7/2019	7:00:00 AM	0.49
11/7/2019	7:15:00 AM	0.49
11/7/2019	7:30:00 AM	0.49
11/7/2019	7:45:00 AM	0.49
11/7/2019	8:00:00 AM	0.49
11/7/2019	8:15:00 AM	0.49
11/7/2019	8:30:00 AM	0.49
11/7/2019	8:45:00 AM	0.49
11/7/2019	9:00:00 AM	0.49
11/7/2019	9:15:00 AM	0.49
11/7/2019	9:30:00 AM	0.49
11/7/2019	9:45:00 AM	0.49
11/7/2019	10:00:00 AM	0.49
11/7/2019	10:15:00 AM	0.49
11/7/2019	10:30:00 AM	0.49
11/7/2019	10:45:00 AM	0.49
11/7/2019	11:00:00 AM	0.49
11/7/2019	11:15:00 AM	0.49
11/7/2019	11:30:00 AM	0.49
11/7/2019	11:45:00 AM	0.49
11/7/2019	12:00:00 PM	0.49
11/7/2019	12:15:00 PM	0.49
11/7/2019	12:30:00 PM	0.49
11/7/2019	12:45:00 PM	0.49
11/7/2019	1:00:00 PM	0.49
11/7/2019	1:15:00 PM	0.49
11/7/2019	1:30:00 PM	0.49
11/7/2019	1:45:00 PM	0.49
11/7/2019	2:00:00 PM	0.49
11/7/2019	2:15:00 PM	0.49
11/7/2019	2:30:00 PM	0.49
11/7/2019	2:45:00 PM	0.49
11/7/2019	3:00:00 PM	0.49
11/7/2019	3:15:00 PM	0.49
11/7/2019	3:30:00 PM	0.49
11/7/2019	3:45:00 PM	0.49
11/7/2019	4:00:00 PM	0.49
11/7/2019	4:15:00 PM	0.49
11/7/2019	4:30:00 PM	0.49
11/7/2019	4:45:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/7/2019	5:00:00 PM	0.49
11/7/2019	5:15:00 PM	0.49
11/7/2019	5:30:00 PM	0.49
11/7/2019	5:45:00 PM	0.49
11/7/2019	6:00:00 PM	0.49
11/7/2019	6:15:00 PM	0.49
11/7/2019	6:30:00 PM	0.49
11/7/2019	6:45:00 PM	0.49
11/7/2019	7:00:00 PM	0.49
11/7/2019	7:15:00 PM	0.49
11/7/2019	7:30:00 PM	0.49
11/7/2019	7:45:00 PM	0.49
11/7/2019	8:00:00 PM	0.49
11/7/2019	8:15:00 PM	0.49
11/7/2019	8:30:00 PM	0.49
11/7/2019	8:45:00 PM	0.49
11/7/2019	9:00:00 PM	0.49
11/7/2019	9:15:00 PM	0.49
11/7/2019	9:30:00 PM	0.49
11/7/2019	9:45:00 PM	0.49
11/7/2019	10:00:00 PM	0.49
11/7/2019	10:15:00 PM	0.49
11/7/2019	10:30:00 PM	0.49
11/7/2019	10:45:00 PM	0.49
11/7/2019	11:00:00 PM	0.49
11/7/2019	11:15:00 PM	0.49
11/7/2019	11:30:00 PM	0.49
11/7/2019	11:45:00 PM	0.49
11/8/2019	12:00:00 AM	0.49
11/8/2019	12:15:00 AM	0.49
11/8/2019	12:30:00 AM	0.49
11/8/2019	12:45:00 AM	0.49
11/8/2019	1:00:00 AM	0.49
11/8/2019	1:15:00 AM	0.49
11/8/2019	1:30:00 AM	0.49
11/8/2019	1:45:00 AM	0.49
11/8/2019	2:00:00 AM	0.49
11/8/2019	2:15:00 AM	0.49
11/8/2019	2:30:00 AM	0.49
11/8/2019	2:45:00 AM	0.49
11/8/2019	3:00:00 AM	0.49
11/8/2019	3:15:00 AM	0.49
11/8/2019	3:30:00 AM	0.49
11/8/2019	3:45:00 AM	0.49
11/8/2019	4:00:00 AM	0.49
11/8/2019	4:15:00 AM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/8/2019	4:30:00 AM	0.49
11/8/2019	4:45:00 AM	0.49
11/8/2019	5:00:00 AM	0.49
11/8/2019	5:15:00 AM	0.49
11/8/2019	5:30:00 AM	0.49
11/8/2019	5:45:00 AM	0.49
11/8/2019	6:00:00 AM	0.49
11/8/2019	6:15:00 AM	0.49
11/8/2019	6:30:00 AM	0.49
11/8/2019	6:45:00 AM	0.49
11/8/2019	7:00:00 AM	0.49
11/8/2019	7:15:00 AM	0.49
11/8/2019	7:30:00 AM	0.49
11/8/2019	7:45:00 AM	0.49
11/8/2019	8:00:00 AM	0.49
11/8/2019	8:15:00 AM	0.49
11/8/2019	8:30:00 AM	0.49
11/8/2019	8:45:00 AM	0.49
11/8/2019	9:00:00 AM	0.49
11/8/2019	9:15:00 AM	0.49
11/8/2019	9:30:00 AM	0.49
11/8/2019	9:45:00 AM	0.49
11/8/2019	10:00:00 AM	0.49
11/8/2019	10:15:00 AM	0.49
11/8/2019	10:30:00 AM	0.49
11/8/2019	10:45:00 AM	0.49
11/8/2019	11:00:00 AM	0.49
11/8/2019	11:15:00 AM	0.49
11/8/2019	11:30:00 AM	0.49
11/8/2019	11:45:00 AM	0.49
11/8/2019	12:00:00 PM	0.49
11/8/2019	12:15:00 PM	0.49
11/8/2019	12:30:00 PM	0.49
11/8/2019	12:45:00 PM	0.49
11/8/2019	1:00:00 PM	0.49
11/8/2019	1:15:00 PM	0.49
11/8/2019	1:30:00 PM	0.49
11/8/2019	1:45:00 PM	0.49
11/8/2019	2:00:00 PM	0.49
11/8/2019	2:15:00 PM	0.49
11/8/2019	2:30:00 PM	0.49
11/8/2019	2:45:00 PM	0.49
11/8/2019	3:00:00 PM	0.49
11/8/2019	3:15:00 PM	0.49
11/8/2019	3:30:00 PM	0.49
11/8/2019	3:45:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/8/2019	4:00:00 PM	0.49
11/8/2019	4:15:00 PM	0.49
11/8/2019	4:30:00 PM	0.49
11/8/2019	4:45:00 PM	0.49
11/8/2019	5:00:00 PM	0.49
11/8/2019	5:15:00 PM	0.49
11/8/2019	5:30:00 PM	0.49
11/8/2019	5:45:00 PM	0.49
11/8/2019	6:00:00 PM	0.49
11/8/2019	6:15:00 PM	0.49
11/8/2019	6:30:00 PM	0.49
11/8/2019	6:45:00 PM	0.49
11/8/2019	7:00:00 PM	0.49
11/8/2019	7:15:00 PM	0.49
11/8/2019	7:30:00 PM	0.49
11/8/2019	7:45:00 PM	0.49
11/8/2019	8:00:00 PM	0.49
11/8/2019	8:15:00 PM	0.49
11/8/2019	8:30:00 PM	0.49
11/8/2019	8:45:00 PM	0.49
11/8/2019	9:00:00 PM	0.49
11/8/2019	9:15:00 PM	0.49
11/8/2019	9:30:00 PM	0.49
11/8/2019	9:45:00 PM	0.49
11/8/2019	10:00:00 PM	0.49
11/8/2019	10:15:00 PM	0.49
11/8/2019	10:30:00 PM	0.49
11/8/2019	10:45:00 PM	0.49
11/8/2019	11:00:00 PM	0.49
11/8/2019	11:15:00 PM	0.49
11/8/2019	11:30:00 PM	0.49
11/8/2019	11:45:00 PM	0.49
11/9/2019	12:00:00 AM	0.49
11/9/2019	12:15:00 AM	0.49
11/9/2019	12:30:00 AM	0.49
11/9/2019	12:45:00 AM	0.49
11/9/2019	1:00:00 AM	0.49
11/9/2019	1:15:00 AM	0.49
11/9/2019	1:30:00 AM	0.49
11/9/2019	1:45:00 AM	0.49
11/9/2019	2:00:00 AM	0.49
11/9/2019	2:15:00 AM	0.49
11/9/2019	2:30:00 AM	0.49
11/9/2019	2:45:00 AM	0.49
11/9/2019	3:00:00 AM	0.49
11/9/2019	3:15:00 AM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/9/2019	3:30:00 AM	0.49
11/9/2019	3:45:00 AM	0.49
11/9/2019	4:00:00 AM	0.49
11/9/2019	4:15:00 AM	0.49
11/9/2019	4:30:00 AM	0.49
11/9/2019	4:45:00 AM	0.49
11/9/2019	5:00:00 AM	0.49
11/9/2019	5:15:00 AM	0.49
11/9/2019	5:30:00 AM	0.49
11/9/2019	5:45:00 AM	0.49
11/9/2019	6:00:00 AM	0.49
11/9/2019	6:15:00 AM	0.49
11/9/2019	6:30:00 AM	0.49
11/9/2019	6:45:00 AM	0.49
11/9/2019	7:00:00 AM	0.49
11/9/2019	7:15:00 AM	0.49
11/9/2019	7:30:00 AM	0.49
11/9/2019	7:45:00 AM	0.49
11/9/2019	8:00:00 AM	0.49
11/9/2019	8:15:00 AM	0.49
11/9/2019	8:30:00 AM	0.49
11/9/2019	8:45:00 AM	0.49
11/9/2019	9:00:00 AM	0.49
11/9/2019	9:15:00 AM	0.49
11/9/2019	9:30:00 AM	0.49
11/9/2019	9:45:00 AM	0.48
11/9/2019	10:00:00 AM	0.48
11/9/2019	10:15:00 AM	0.48
11/9/2019	10:30:00 AM	0.48
11/9/2019	10:45:00 AM	0.48
11/9/2019	11:00:00 AM	0.48
11/9/2019	11:15:00 AM	0.47
11/9/2019	11:30:00 AM	0.47
11/9/2019	11:45:00 AM	0.47
11/9/2019	12:00:00 PM	0.47
11/9/2019	12:15:00 PM	0.46
11/9/2019	12:30:00 PM	0.46
11/9/2019	12:45:00 PM	0.46
11/9/2019	1:00:00 PM	0.45
11/9/2019	1:15:00 PM	0.45
11/9/2019	1:30:00 PM	0.45
11/9/2019	1:45:00 PM	0.45
11/9/2019	2:00:00 PM	0.45
11/9/2019	2:15:00 PM	0.45
11/9/2019	2:30:00 PM	0.44
11/9/2019	2:45:00 PM	0.44

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/9/2019	3:00:00 PM	0.44
11/9/2019	3:15:00 PM	0.44
11/9/2019	3:30:00 PM	0.44
11/9/2019	3:45:00 PM	0.44
11/9/2019	4:00:00 PM	0.44
11/9/2019	4:15:00 PM	0.44
11/9/2019	4:30:00 PM	0.43
11/9/2019	4:45:00 PM	0.43
11/9/2019	5:00:00 PM	0.43
11/9/2019	5:15:00 PM	0.43
11/9/2019	5:30:00 PM	0.43
11/9/2019	5:45:00 PM	0.43
11/9/2019	6:00:00 PM	0.43
11/9/2019	6:15:00 PM	0.43
11/9/2019	6:30:00 PM	0.43
11/9/2019	6:45:00 PM	0.43
11/9/2019	7:00:00 PM	0.43
11/9/2019	7:15:00 PM	0.43
11/9/2019	7:30:00 PM	0.43
11/9/2019	7:45:00 PM	0.43
11/9/2019	8:00:00 PM	0.43
11/9/2019	8:15:00 PM	0.43
11/9/2019	8:30:00 PM	0.43
11/9/2019	8:45:00 PM	0.43
11/9/2019	9:00:00 PM	0.43
11/9/2019	9:15:00 PM	0.43
11/9/2019	9:30:00 PM	0.43
11/9/2019	9:45:00 PM	0.43
11/9/2019	10:00:00 PM	0.43
11/9/2019	10:15:00 PM	0.43
11/9/2019	10:30:00 PM	0.43
11/9/2019	10:45:00 PM	0.43
11/9/2019	11:00:00 PM	0.43
11/9/2019	11:15:00 PM	0.43
11/9/2019	11:30:00 PM	0.43
11/9/2019	11:45:00 PM	0.43
11/10/2019	12:00:00 AM	0.43
11/10/2019	12:15:00 AM	0.43
11/10/2019	12:30:00 AM	0.43
11/10/2019	12:45:00 AM	0.43
11/10/2019	1:00:00 AM	0.43
11/10/2019	1:15:00 AM	0.43
11/10/2019	1:30:00 AM	0.43
11/10/2019	1:45:00 AM	0.43
11/10/2019	2:00:00 AM	0.43
11/10/2019	2:15:00 AM	0.43

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/10/2019	2:30:00 AM	0.43
11/10/2019	2:45:00 AM	0.43
11/10/2019	3:00:00 AM	0.43
11/10/2019	3:15:00 AM	0.43
11/10/2019	3:30:00 AM	0.43
11/10/2019	3:45:00 AM	0.43
11/10/2019	4:00:00 AM	0.43
11/10/2019	4:15:00 AM	0.43
11/10/2019	4:30:00 AM	0.43
11/10/2019	4:45:00 AM	0.43
11/10/2019	5:00:00 AM	0.43
11/10/2019	5:15:00 AM	0.43
11/10/2019	5:30:00 AM	0.43
11/10/2019	5:45:00 AM	0.43
11/10/2019	6:00:00 AM	0.43
11/10/2019	6:15:00 AM	0.43
11/10/2019	6:30:00 AM	0.43
11/10/2019	6:45:00 AM	0.43
11/10/2019	7:00:00 AM	0.43
11/10/2019	7:15:00 AM	0.43
11/10/2019	7:30:00 AM	0.43
11/10/2019	7:45:00 AM	0.43
11/10/2019	8:00:00 AM	0.43
11/10/2019	8:15:00 AM	0.43
11/10/2019	8:30:00 AM	0.43
11/10/2019	8:45:00 AM	0.43
11/10/2019	9:00:00 AM	0.43
11/10/2019	9:15:00 AM	0.43
11/10/2019	9:30:00 AM	0.43
11/10/2019	9:45:00 AM	0.43
11/10/2019	10:00:00 AM	0.43
11/10/2019	10:15:00 AM	0.43
11/10/2019	10:30:00 AM	0.43
11/10/2019	10:45:00 AM	0.43
11/10/2019	11:00:00 AM	0.43
11/10/2019	11:15:00 AM	0.43
11/10/2019	11:30:00 AM	0.43
11/10/2019	11:45:00 AM	0.43
11/10/2019	12:00:00 PM	0.43
11/10/2019	12:15:00 PM	0.43
11/10/2019	12:30:00 PM	0.43
11/10/2019	12:45:00 PM	0.43
11/10/2019	1:00:00 PM	0.43
11/10/2019	1:15:00 PM	0.43
11/10/2019	1:30:00 PM	0.43
11/10/2019	1:45:00 PM	0.43

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/10/2019	2:00:00 PM	0.43
11/10/2019	2:15:00 PM	0.43
11/10/2019	2:30:00 PM	0.43
11/10/2019	2:45:00 PM	0.43
11/10/2019	3:00:00 PM	0.43
11/10/2019	3:15:00 PM	0.43
11/10/2019	3:30:00 PM	0.43
11/10/2019	3:45:00 PM	0.43
11/10/2019	4:00:00 PM	0.43
11/10/2019	4:15:00 PM	0.43
11/10/2019	4:30:00 PM	0.43
11/10/2019	4:45:00 PM	0.43
11/10/2019	5:00:00 PM	0.43
11/10/2019	5:15:00 PM	0.43
11/10/2019	5:30:00 PM	0.42
11/10/2019	5:45:00 PM	0.42
11/10/2019	6:00:00 PM	0.42
11/10/2019	6:15:00 PM	0.42
11/10/2019	6:30:00 PM	0.42
11/10/2019	6:45:00 PM	0.42
11/10/2019	7:00:00 PM	0.42
11/10/2019	7:15:00 PM	0.42
11/10/2019	7:30:00 PM	0.42
11/10/2019	7:45:00 PM	0.43
11/10/2019	8:00:00 PM	0.42
11/10/2019	8:15:00 PM	0.42
11/10/2019	8:30:00 PM	0.42
11/10/2019	8:45:00 PM	0.42
11/10/2019	9:00:00 PM	0.42
11/10/2019	9:15:00 PM	0.43
11/10/2019	9:30:00 PM	0.43
11/10/2019	9:45:00 PM	0.42
11/10/2019	10:00:00 PM	0.42
11/10/2019	10:15:00 PM	0.42
11/10/2019	10:30:00 PM	0.42
11/10/2019	10:45:00 PM	0.42
11/10/2019	11:00:00 PM	0.42
11/10/2019	11:15:00 PM	0.43
11/10/2019	11:30:00 PM	0.42
11/10/2019	11:45:00 PM	0.42
11/11/2019	12:00:00 AM	0.42
11/11/2019	12:15:00 AM	0.42
11/11/2019	12:30:00 AM	0.42
11/11/2019	12:45:00 AM	0.42
11/11/2019	1:00:00 AM	0.42
11/11/2019	1:15:00 AM	0.42

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/11/2019	1:30:00 AM	0.42
11/11/2019	1:45:00 AM	0.42
11/11/2019	2:00:00 AM	0.42
11/11/2019	2:15:00 AM	0.42
11/11/2019	2:30:00 AM	0.42
11/11/2019	2:45:00 AM	0.42
11/11/2019	3:00:00 AM	0.43
11/11/2019	3:15:00 AM	0.42
11/11/2019	3:30:00 AM	0.42
11/11/2019	3:45:00 AM	0.42
11/11/2019	4:00:00 AM	0.42
11/11/2019	4:15:00 AM	0.42
11/11/2019	4:30:00 AM	0.42
11/11/2019	4:45:00 AM	0.42
11/11/2019	5:00:00 AM	0.42
11/11/2019	5:15:00 AM	0.42
11/11/2019	5:30:00 AM	0.42
11/11/2019	5:45:00 AM	0.42
11/11/2019	6:00:00 AM	0.42
11/11/2019	6:15:00 AM	0.42
11/11/2019	6:30:00 AM	0.42
11/11/2019	6:45:00 AM	0.42
11/11/2019	7:00:00 AM	0.42
11/11/2019	7:15:00 AM	0.42
11/11/2019	7:30:00 AM	0.42
11/11/2019	7:45:00 AM	0.42
11/11/2019	8:00:00 AM	0.42
11/11/2019	8:15:00 AM	0.42
11/11/2019	8:30:00 AM	0.42
11/11/2019	8:45:00 AM	0.42
11/11/2019	9:00:00 AM	0.42
11/11/2019	9:15:00 AM	0.42
11/11/2019	9:30:00 AM	0.42
11/11/2019	9:45:00 AM	0.43
11/11/2019	10:00:00 AM	0.43
11/11/2019	10:15:00 AM	0.43
11/11/2019	10:30:00 AM	0.44
11/11/2019	10:45:00 AM	0.44
11/11/2019	11:00:00 AM	0.44
11/11/2019	11:15:00 AM	0.44
11/11/2019	11:30:00 AM	0.45
11/11/2019	11:45:00 AM	0.45
11/11/2019	12:00:00 PM	0.45
11/11/2019	12:15:00 PM	0.45
11/11/2019	12:30:00 PM	0.46
11/11/2019	12:45:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/11/2019	1:00:00 PM	0.46
11/11/2019	1:15:00 PM	0.47
11/11/2019	1:30:00 PM	0.47
11/11/2019	1:45:00 PM	0.47
11/11/2019	2:00:00 PM	0.47
11/11/2019	2:15:00 PM	0.47
11/11/2019	2:30:00 PM	0.48
11/11/2019	2:45:00 PM	0.48
11/11/2019	3:00:00 PM	0.48
11/11/2019	3:15:00 PM	0.48
11/11/2019	3:30:00 PM	0.48
11/11/2019	3:45:00 PM	0.49
11/11/2019	4:00:00 PM	0.49
11/11/2019	4:15:00 PM	0.49
11/11/2019	4:30:00 PM	0.49
11/11/2019	4:45:00 PM	0.49
11/11/2019	5:00:00 PM	0.49
11/11/2019	5:15:00 PM	0.49
11/11/2019	5:30:00 PM	0.49
11/11/2019	5:45:00 PM	0.49
11/11/2019	6:00:00 PM	0.5
11/11/2019	6:15:00 PM	0.5
11/11/2019	6:30:00 PM	0.5
11/11/2019	6:45:00 PM	0.5
11/11/2019	7:00:00 PM	0.5
11/11/2019	7:15:00 PM	0.5
11/11/2019	7:30:00 PM	0.5
11/11/2019	7:45:00 PM	0.5
11/11/2019	8:00:00 PM	0.5
11/11/2019	8:15:00 PM	0.5
11/11/2019	8:30:00 PM	0.5
11/11/2019	8:45:00 PM	0.5
11/11/2019	9:00:00 PM	0.5
11/11/2019	9:15:00 PM	0.5
11/11/2019	9:30:00 PM	0.5
11/11/2019	9:45:00 PM	0.51
11/11/2019	10:00:00 PM	0.51
11/11/2019	10:15:00 PM	0.51
11/11/2019	10:30:00 PM	0.51
11/11/2019	10:45:00 PM	0.51
11/11/2019	11:00:00 PM	0.51
11/11/2019	11:15:00 PM	0.51
11/11/2019	11:30:00 PM	0.51
11/11/2019	11:45:00 PM	0.51
11/12/2019	12:00:00 AM	0.51
11/12/2019	12:15:00 AM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/12/2019	12:30:00 AM	0.51
11/12/2019	12:45:00 AM	0.51
11/12/2019	1:00:00 AM	0.51
11/12/2019	1:15:00 AM	0.51
11/12/2019	1:30:00 AM	0.51
11/12/2019	1:45:00 AM	0.51
11/12/2019	2:00:00 AM	0.51
11/12/2019	2:15:00 AM	0.51
11/12/2019	2:30:00 AM	0.51
11/12/2019	2:45:00 AM	0.51
11/12/2019	3:00:00 AM	0.51
11/12/2019	3:15:00 AM	0.52
11/12/2019	3:30:00 AM	0.52
11/12/2019	3:45:00 AM	0.52
11/12/2019	4:00:00 AM	0.52
11/12/2019	4:15:00 AM	0.52
11/12/2019	4:30:00 AM	0.52
11/12/2019	4:45:00 AM	0.52
11/12/2019	5:00:00 AM	0.52
11/12/2019	5:15:00 AM	0.52
11/12/2019	5:30:00 AM	0.52
11/12/2019	5:45:00 AM	0.52
11/12/2019	6:00:00 AM	0.52
11/12/2019	6:15:00 AM	0.52
11/12/2019	6:30:00 AM	0.52
11/12/2019	6:45:00 AM	0.52
11/12/2019	7:00:00 AM	0.52
11/12/2019	7:15:00 AM	0.52
11/12/2019	7:30:00 AM	0.52
11/12/2019	7:45:00 AM	0.52
11/12/2019	8:00:00 AM	0.53
11/12/2019	8:15:00 AM	0.53
11/12/2019	8:30:00 AM	0.53
11/12/2019	8:45:00 AM	0.53
11/12/2019	9:00:00 AM	0.53
11/12/2019	9:15:00 AM	0.53
11/12/2019	9:30:00 AM	0.53
11/12/2019	9:45:00 AM	0.53
11/12/2019	10:00:00 AM	0.53
11/12/2019	10:15:00 AM	0.53
11/12/2019	10:30:00 AM	0.53
11/12/2019	10:45:00 AM	0.52
11/12/2019	11:00:00 AM	0.53
11/12/2019	11:15:00 AM	0.52
11/12/2019	11:30:00 AM	0.52
11/12/2019	11:45:00 AM	0.52

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/12/2019	12:00:00 PM	0.52
11/12/2019	12:15:00 PM	0.52
11/12/2019	12:30:00 PM	0.52
11/12/2019	12:45:00 PM	0.52
11/12/2019	1:00:00 PM	0.52
11/12/2019	1:15:00 PM	0.52
11/12/2019	1:30:00 PM	0.52
11/12/2019	1:45:00 PM	0.52
11/12/2019	2:00:00 PM	0.52
11/12/2019	2:15:00 PM	0.52
11/12/2019	2:30:00 PM	0.52
11/12/2019	2:45:00 PM	0.52
11/12/2019	3:00:00 PM	0.52
11/12/2019	3:15:00 PM	0.52
11/12/2019	3:30:00 PM	0.52
11/12/2019	3:45:00 PM	0.52
11/12/2019	4:00:00 PM	0.52
11/12/2019	4:15:00 PM	0.52
11/12/2019	4:30:00 PM	0.52
11/12/2019	4:45:00 PM	0.52
11/12/2019	5:00:00 PM	0.52
11/12/2019	5:15:00 PM	0.52
11/12/2019	5:30:00 PM	0.52
11/12/2019	5:45:00 PM	0.52
11/12/2019	6:00:00 PM	0.52
11/12/2019	6:15:00 PM	0.52
11/12/2019	6:30:00 PM	0.52
11/12/2019	6:45:00 PM	0.52
11/12/2019	7:00:00 PM	0.52
11/12/2019	7:15:00 PM	0.52
11/12/2019	7:30:00 PM	0.52
11/12/2019	7:45:00 PM	0.52
11/12/2019	8:00:00 PM	0.52
11/12/2019	8:15:00 PM	0.52
11/12/2019	8:30:00 PM	0.52
11/12/2019	8:45:00 PM	0.52
11/12/2019	9:00:00 PM	0.52
11/12/2019	9:15:00 PM	0.52
11/12/2019	9:30:00 PM	0.52
11/12/2019	9:45:00 PM	0.52
11/12/2019	10:00:00 PM	0.52
11/12/2019	10:15:00 PM	0.52
11/12/2019	10:30:00 PM	0.52
11/12/2019	10:45:00 PM	0.52
11/12/2019	11:00:00 PM	0.52
11/12/2019	11:15:00 PM	0.52

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/12/2019	11:30:00 PM	0.52
11/12/2019	11:45:00 PM	0.52
11/13/2019	12:00:00 AM	0.52
11/13/2019	12:15:00 AM	0.52
11/13/2019	12:30:00 AM	0.52
11/13/2019	12:45:00 AM	0.52
11/13/2019	1:00:00 AM	0.51
11/13/2019	1:15:00 AM	0.52
11/13/2019	1:30:00 AM	0.51
11/13/2019	1:45:00 AM	0.51
11/13/2019	2:00:00 AM	0.52
11/13/2019	2:15:00 AM	0.51
11/13/2019	2:30:00 AM	0.51
11/13/2019	2:45:00 AM	0.51
11/13/2019	3:00:00 AM	0.51
11/13/2019	3:15:00 AM	0.51
11/13/2019	3:30:00 AM	0.52
11/13/2019	3:45:00 AM	0.51
11/13/2019	4:00:00 AM	0.51
11/13/2019	4:15:00 AM	0.52
11/13/2019	4:30:00 AM	0.52
11/13/2019	4:45:00 AM	0.51
11/13/2019	5:00:00 AM	0.51
11/13/2019	5:15:00 AM	0.51
11/13/2019	5:30:00 AM	0.51
11/13/2019	5:45:00 AM	0.51
11/13/2019	6:00:00 AM	0.51
11/13/2019	6:15:00 AM	0.51
11/13/2019	6:30:00 AM	0.51
11/13/2019	6:45:00 AM	0.51
11/13/2019	7:00:00 AM	0.51
11/13/2019	7:15:00 AM	0.51
11/13/2019	7:30:00 AM	0.51
11/13/2019	7:45:00 AM	0.51
11/13/2019	8:00:00 AM	0.51
11/13/2019	8:15:00 AM	0.51
11/13/2019	8:30:00 AM	0.51
11/13/2019	8:45:00 AM	0.51
11/13/2019	9:00:00 AM	0.51
11/13/2019	9:15:00 AM	0.51
11/13/2019	9:30:00 AM	0.51
11/29/2019	10:30:00 PM	0.44
11/29/2019	10:45:00 PM	0.44
11/29/2019	11:00:00 PM	0.44
11/29/2019	11:15:00 PM	0.44
11/29/2019	11:30:00 PM	0.44

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/29/2019	11:45:00 PM	0.44
11/30/2019	12:00:00 AM	0.44
11/30/2019	12:15:00 AM	0.44
11/30/2019	12:30:00 AM	0.44
11/30/2019	12:45:00 AM	0.44
11/30/2019	1:00:00 AM	0.44
11/30/2019	1:15:00 AM	0.44
11/30/2019	1:30:00 AM	0.44
11/30/2019	1:45:00 AM	0.44
11/30/2019	2:00:00 AM	0.44
11/30/2019	2:15:00 AM	0.44
11/30/2019	2:30:00 AM	0.44
11/30/2019	2:45:00 AM	0.44
11/30/2019	3:00:00 AM	0.44
11/30/2019	3:15:00 AM	0.44
11/30/2019	3:30:00 AM	0.44
11/30/2019	3:45:00 AM	0.44
11/30/2019	4:00:00 AM	0.44
11/30/2019	4:15:00 AM	0.44
11/30/2019	4:30:00 AM	0.44
11/30/2019	4:45:00 AM	0.44
11/30/2019	5:00:00 AM	0.44
11/30/2019	5:15:00 AM	0.44
11/30/2019	5:30:00 AM	0.44
11/30/2019	5:45:00 AM	0.44
11/30/2019	6:00:00 AM	0.44
11/30/2019	6:15:00 AM	0.44
11/30/2019	6:30:00 AM	0.44
11/30/2019	6:45:00 AM	0.44
11/30/2019	7:00:00 AM	0.44
11/30/2019	7:15:00 AM	0.44
11/30/2019	7:30:00 AM	0.44
11/30/2019	7:45:00 AM	0.44
11/30/2019	8:00:00 AM	0.44
11/30/2019	8:15:00 AM	0.44
11/30/2019	8:30:00 AM	0.44
11/30/2019	8:45:00 AM	0.44
11/30/2019	9:00:00 AM	0.44
11/30/2019	9:15:00 AM	0.44
11/30/2019	9:30:00 AM	0.44
11/30/2019	9:45:00 AM	0.44
11/30/2019	10:00:00 AM	0.44
11/30/2019	10:15:00 AM	0.44
11/30/2019	10:30:00 AM	0.44
11/30/2019	10:45:00 AM	0.44
11/30/2019	11:00:00 AM	0.44

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/30/2019	11:15:00 AM	0.44
11/30/2019	11:30:00 AM	0.44
11/30/2019	11:45:00 AM	0.44
11/30/2019	12:00:00 PM	0.45
11/30/2019	12:15:00 PM	0.45
11/30/2019	12:30:00 PM	0.46
11/30/2019	12:45:00 PM	0.46
11/30/2019	1:00:00 PM	0.46
11/30/2019	1:15:00 PM	0.47
11/30/2019	1:30:00 PM	0.47
11/30/2019	1:45:00 PM	0.47
11/30/2019	2:00:00 PM	0.48
11/30/2019	2:15:00 PM	0.48
11/30/2019	2:30:00 PM	0.48
11/30/2019	2:45:00 PM	0.48
11/30/2019	3:00:00 PM	0.49
11/30/2019	3:15:00 PM	0.49
11/30/2019	3:30:00 PM	0.49
11/30/2019	3:45:00 PM	0.49
11/30/2019	4:00:00 PM	0.49
11/30/2019	4:15:00 PM	0.5
11/30/2019	4:30:00 PM	0.5
11/30/2019	4:45:00 PM	0.5
11/30/2019	5:00:00 PM	0.5
11/30/2019	5:15:00 PM	0.5
11/30/2019	5:30:00 PM	0.5
11/30/2019	5:45:00 PM	0.5
11/30/2019	6:00:00 PM	0.51
11/30/2019	6:15:00 PM	0.51
11/30/2019	6:30:00 PM	0.51
11/30/2019	6:45:00 PM	0.51
11/30/2019	7:00:00 PM	0.51
11/30/2019	7:15:00 PM	0.51
11/30/2019	7:30:00 PM	0.51
11/30/2019	7:45:00 PM	0.51
11/30/2019	8:00:00 PM	0.51
11/30/2019	8:15:00 PM	0.51
11/30/2019	8:30:00 PM	0.51
11/30/2019	8:45:00 PM	0.51
11/30/2019	9:00:00 PM	0.51
11/30/2019	9:15:00 PM	0.51
11/30/2019	9:30:00 PM	0.51
11/30/2019	9:45:00 PM	0.51
11/30/2019	10:00:00 PM	0.51
11/30/2019	10:15:00 PM	0.51
11/30/2019	10:30:00 PM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
11/30/2019	10:45:00 PM	0.51
11/30/2019	11:00:00 PM	0.51
11/30/2019	11:15:00 PM	0.51
11/30/2019	11:30:00 PM	0.51
11/30/2019	11:45:00 PM	0.51

Billy Lake Return
Station 0213

Date	Flow (cfs)
11/1/2019	1.051
11/2/2019	1.041
11/3/2019	0.901
11/4/2019	0.732
11/5/2019	0.852
11/6/2019	1.077
11/7/2019	1.152
11/8/2019	1.174
11/9/2019	1.174
11/10/2019	1.127
11/11/2019	1.013
11/12/2019	1.02
11/13/2019	0.981
11/14/2019	0.964
11/15/2019	0.992
11/16/2019	1.018
11/17/2019	1.084
11/18/2019	1.112
11/19/2019	1.173
11/20/2019	1.257
11/21/2019	1.368
11/22/2019	1.368
11/23/2019	1.368
11/24/2019	1.308
11/25/2019	1.115
11/26/2019	1.024
11/27/2019	0.992
11/28/2019	0.992
11/29/2019	0.992
11/30/2019	0.992

Billy Lake Return Gage

DATE	TIME	GAGE
11/1/2019	12:00:00 AM	0.27
11/1/2019	12:15:00 AM	0.27
11/1/2019	12:30:00 AM	0.27
11/1/2019	12:45:00 AM	0.27
11/1/2019	1:00:00 AM	0.27
11/1/2019	1:15:00 AM	0.27
11/1/2019	1:30:00 AM	0.27
11/1/2019	1:45:00 AM	0.27
11/1/2019	2:00:00 AM	0.27
11/1/2019	2:15:00 AM	0.27
11/1/2019	2:30:00 AM	0.27
11/1/2019	2:45:00 AM	0.27
11/1/2019	3:00:00 AM	0.27
11/1/2019	3:15:00 AM	0.27
11/1/2019	3:30:00 AM	0.27
11/1/2019	3:45:00 AM	0.27
11/1/2019	4:00:00 AM	0.27
11/1/2019	4:15:00 AM	0.27
11/1/2019	4:30:00 AM	0.27
11/1/2019	4:45:00 AM	0.27
11/1/2019	5:00:00 AM	0.27
11/1/2019	5:15:00 AM	0.27
11/1/2019	5:30:00 AM	0.27
11/1/2019	5:45:00 AM	0.27
11/1/2019	6:00:00 AM	0.27
11/1/2019	6:15:00 AM	0.27
11/1/2019	6:30:00 AM	0.27
11/1/2019	6:45:00 AM	0.27
11/1/2019	7:00:00 AM	0.27
11/1/2019	7:15:00 AM	0.27
11/1/2019	7:30:00 AM	0.27
11/1/2019	7:45:00 AM	0.27
11/1/2019	8:00:00 AM	0.27
11/1/2019	8:15:00 AM	0.27
11/1/2019	8:30:00 AM	0.27
11/1/2019	8:45:00 AM	0.27
11/1/2019	9:00:00 AM	0.27
11/1/2019	9:15:00 AM	0.27
11/1/2019	9:30:00 AM	0.27
11/1/2019	9:45:00 AM	0.27
11/1/2019	10:00:00 AM	0.27
11/1/2019	10:15:00 AM	0.27
11/1/2019	10:30:00 AM	0.27
11/1/2019	10:45:00 AM	0.27
11/1/2019	11:00:00 AM	0.27
11/1/2019	11:15:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
11/1/2019	11:30:00 AM	0.27
11/1/2019	11:45:00 AM	0.27
11/1/2019	12:00:00 PM	0.27
11/1/2019	12:15:00 PM	0.27
11/1/2019	12:30:00 PM	0.27
11/1/2019	12:45:00 PM	0.27
11/1/2019	1:00:00 PM	0.27
11/1/2019	1:15:00 PM	0.27
11/1/2019	1:30:00 PM	0.27
11/1/2019	1:45:00 PM	0.27
11/1/2019	2:00:00 PM	0.27
11/1/2019	2:15:00 PM	0.27
11/1/2019	2:30:00 PM	0.27
11/1/2019	2:45:00 PM	0.27
11/1/2019	3:00:00 PM	0.27
11/1/2019	3:15:00 PM	0.27
11/1/2019	3:30:00 PM	0.27
11/1/2019	3:45:00 PM	0.27
11/1/2019	4:00:00 PM	0.27
11/1/2019	4:15:00 PM	0.27
11/1/2019	4:30:00 PM	0.27
11/1/2019	4:45:00 PM	0.27
11/1/2019	5:00:00 PM	0.27
11/1/2019	5:15:00 PM	0.27
11/1/2019	5:30:00 PM	0.27
11/1/2019	5:45:00 PM	0.27
11/1/2019	6:00:00 PM	0.27
11/1/2019	6:15:00 PM	0.27
11/1/2019	6:30:00 PM	0.27
11/1/2019	6:45:00 PM	0.27
11/1/2019	7:00:00 PM	0.27
11/1/2019	7:15:00 PM	0.27
11/1/2019	7:30:00 PM	0.27
11/1/2019	7:45:00 PM	0.27
11/1/2019	8:00:00 PM	0.27
11/1/2019	8:15:00 PM	0.27
11/1/2019	8:30:00 PM	0.27
11/1/2019	8:45:00 PM	0.27
11/1/2019	9:00:00 PM	0.27
11/1/2019	9:15:00 PM	0.27
11/1/2019	9:30:00 PM	0.27
11/1/2019	9:45:00 PM	0.27
11/1/2019	10:00:00 PM	0.27
11/1/2019	10:15:00 PM	0.27
11/1/2019	10:30:00 PM	0.27
11/1/2019	10:45:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
11/1/2019	11:00:00 PM	0.27
11/1/2019	11:15:00 PM	0.27
11/1/2019	11:30:00 PM	0.27
11/1/2019	11:45:00 PM	0.27
11/2/2019	12:00:00 AM	0.27
11/2/2019	12:15:00 AM	0.27
11/2/2019	12:30:00 AM	0.27
11/2/2019	12:45:00 AM	0.27
11/2/2019	1:00:00 AM	0.27
11/2/2019	1:15:00 AM	0.27
11/2/2019	1:30:00 AM	0.27
11/2/2019	1:45:00 AM	0.27
11/2/2019	2:00:00 AM	0.27
11/2/2019	2:15:00 AM	0.27
11/2/2019	2:30:00 AM	0.27
11/2/2019	2:45:00 AM	0.27
11/2/2019	3:00:00 AM	0.27
11/2/2019	3:15:00 AM	0.27
11/2/2019	3:30:00 AM	0.27
11/2/2019	3:45:00 AM	0.27
11/2/2019	4:00:00 AM	0.27
11/2/2019	4:15:00 AM	0.27
11/2/2019	4:30:00 AM	0.27
11/2/2019	4:45:00 AM	0.27
11/2/2019	5:00:00 AM	0.27
11/2/2019	5:15:00 AM	0.27
11/2/2019	5:30:00 AM	0.27
11/2/2019	5:45:00 AM	0.27
11/2/2019	6:00:00 AM	0.27
11/2/2019	6:15:00 AM	0.27
11/2/2019	6:30:00 AM	0.27
11/2/2019	6:45:00 AM	0.27
11/2/2019	7:00:00 AM	0.27
11/2/2019	7:15:00 AM	0.27
11/2/2019	7:30:00 AM	0.27
11/2/2019	7:45:00 AM	0.27
11/2/2019	8:00:00 AM	0.27
11/2/2019	8:15:00 AM	0.27
11/2/2019	8:30:00 AM	0.27
11/2/2019	8:45:00 AM	0.27
11/2/2019	9:00:00 AM	0.27
11/2/2019	9:15:00 AM	0.27
11/2/2019	9:30:00 AM	0.27
11/2/2019	9:45:00 AM	0.27
11/2/2019	10:00:00 AM	0.27
11/2/2019	10:15:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
11/2/2019	10:30:00 AM	0.27
11/2/2019	10:45:00 AM	0.27
11/2/2019	11:00:00 AM	0.27
11/2/2019	11:15:00 AM	0.27
11/2/2019	11:30:00 AM	0.27
11/2/2019	11:45:00 AM	0.27
11/2/2019	12:00:00 PM	0.27
11/2/2019	12:15:00 PM	0.27
11/2/2019	12:30:00 PM	0.27
11/2/2019	12:45:00 PM	0.27
11/2/2019	1:00:00 PM	0.27
11/2/2019	1:15:00 PM	0.27
11/2/2019	1:30:00 PM	0.27
11/2/2019	1:45:00 PM	0.27
11/2/2019	2:00:00 PM	0.27
11/2/2019	2:15:00 PM	0.27
11/2/2019	2:30:00 PM	0.27
11/2/2019	2:45:00 PM	0.27
11/2/2019	3:00:00 PM	0.27
11/2/2019	3:15:00 PM	0.27
11/2/2019	3:30:00 PM	0.27
11/2/2019	3:45:00 PM	0.27
11/2/2019	4:00:00 PM	0.27
11/2/2019	4:15:00 PM	0.27
11/2/2019	4:30:00 PM	0.27
11/2/2019	4:45:00 PM	0.27
11/2/2019	5:00:00 PM	0.27
11/2/2019	5:15:00 PM	0.27
11/2/2019	5:30:00 PM	0.27
11/2/2019	5:45:00 PM	0.27
11/2/2019	6:00:00 PM	0.27
11/2/2019	6:15:00 PM	0.27
11/2/2019	6:30:00 PM	0.27
11/2/2019	6:45:00 PM	0.27
11/2/2019	7:00:00 PM	0.27
11/2/2019	7:15:00 PM	0.27
11/2/2019	7:30:00 PM	0.27
11/2/2019	7:45:00 PM	0.27
11/2/2019	8:00:00 PM	0.26
11/2/2019	8:15:00 PM	0.26
11/2/2019	8:30:00 PM	0.26
11/2/2019	8:45:00 PM	0.26
11/2/2019	9:00:00 PM	0.26
11/2/2019	9:15:00 PM	0.26
11/2/2019	9:30:00 PM	0.26
11/2/2019	9:45:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/2/2019	10:00:00 PM	0.26
11/2/2019	10:15:00 PM	0.26
11/2/2019	10:30:00 PM	0.26
11/2/2019	10:45:00 PM	0.26
11/2/2019	11:00:00 PM	0.26
11/2/2019	11:15:00 PM	0.26
11/2/2019	11:30:00 PM	0.26
11/2/2019	11:45:00 PM	0.26
11/3/2019	12:00:00 AM	0.26
11/3/2019	12:15:00 AM	0.26
11/3/2019	12:30:00 AM	0.26
11/3/2019	12:45:00 AM	0.26
11/3/2019	1:00:00 AM	0.26
11/3/2019	1:15:00 AM	0.26
11/3/2019	1:30:00 AM	0.26
11/3/2019	1:45:00 AM	0.26
11/3/2019	2:00:00 AM	0.26
11/3/2019	2:15:00 AM	0.26
11/3/2019	2:30:00 AM	0.26
11/3/2019	2:45:00 AM	0.26
11/3/2019	3:00:00 AM	0.26
11/3/2019	3:15:00 AM	0.26
11/3/2019	3:30:00 AM	0.25
11/3/2019	3:45:00 AM	0.25
11/3/2019	4:00:00 AM	0.25
11/3/2019	4:15:00 AM	0.25
11/3/2019	4:30:00 AM	0.25
11/3/2019	4:45:00 AM	0.25
11/3/2019	5:00:00 AM	0.25
11/3/2019	5:15:00 AM	0.25
11/3/2019	5:30:00 AM	0.25
11/3/2019	5:45:00 AM	0.25
11/3/2019	6:00:00 AM	0.25
11/3/2019	6:15:00 AM	0.25
11/3/2019	6:30:00 AM	0.25
11/3/2019	6:45:00 AM	0.25
11/3/2019	7:00:00 AM	0.25
11/3/2019	7:15:00 AM	0.25
11/3/2019	7:30:00 AM	0.25
11/3/2019	7:45:00 AM	0.25
11/3/2019	8:00:00 AM	0.25
11/3/2019	8:15:00 AM	0.25
11/3/2019	8:30:00 AM	0.25
11/3/2019	8:45:00 AM	0.25
11/3/2019	9:00:00 AM	0.25
11/3/2019	9:15:00 AM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
11/3/2019	9:30:00 AM	0.25
11/3/2019	9:45:00 AM	0.25
11/3/2019	10:00:00 AM	0.25
11/3/2019	10:15:00 AM	0.24
11/3/2019	10:30:00 AM	0.24
11/3/2019	10:45:00 AM	0.24
11/3/2019	11:00:00 AM	0.24
11/3/2019	11:15:00 AM	0.24
11/3/2019	11:30:00 AM	0.24
11/3/2019	11:45:00 AM	0.24
11/3/2019	12:00:00 PM	0.24
11/3/2019	12:15:00 PM	0.24
11/3/2019	12:30:00 PM	0.24
11/3/2019	12:45:00 PM	0.24
11/3/2019	1:00:00 PM	0.24
11/3/2019	1:15:00 PM	0.24
11/3/2019	1:30:00 PM	0.24
11/3/2019	1:45:00 PM	0.24
11/3/2019	2:00:00 PM	0.24
11/3/2019	2:15:00 PM	0.24
11/3/2019	2:30:00 PM	0.24
11/3/2019	2:45:00 PM	0.24
11/3/2019	3:00:00 PM	0.24
11/3/2019	3:15:00 PM	0.24
11/3/2019	3:30:00 PM	0.24
11/3/2019	3:45:00 PM	0.24
11/3/2019	4:00:00 PM	0.24
11/3/2019	4:15:00 PM	0.24
11/3/2019	4:30:00 PM	0.24
11/3/2019	4:45:00 PM	0.24
11/3/2019	5:00:00 PM	0.24
11/3/2019	5:15:00 PM	0.24
11/3/2019	5:30:00 PM	0.24
11/3/2019	5:45:00 PM	0.24
11/3/2019	6:00:00 PM	0.24
11/3/2019	6:15:00 PM	0.24
11/3/2019	6:30:00 PM	0.24
11/3/2019	6:45:00 PM	0.24
11/3/2019	7:00:00 PM	0.24
11/3/2019	7:15:00 PM	0.24
11/3/2019	7:30:00 PM	0.24
11/3/2019	7:45:00 PM	0.24
11/3/2019	8:00:00 PM	0.24
11/3/2019	8:15:00 PM	0.24
11/3/2019	8:30:00 PM	0.24
11/3/2019	8:45:00 PM	0.24

Billy Lake Return Gage

DATE	TIME	GAGE
11/3/2019	9:00:00 PM	0.24
11/3/2019	9:15:00 PM	0.23
11/3/2019	9:30:00 PM	0.23
11/3/2019	9:45:00 PM	0.23
11/3/2019	10:00:00 PM	0.23
11/3/2019	10:15:00 PM	0.23
11/3/2019	10:30:00 PM	0.23
11/3/2019	10:45:00 PM	0.23
11/3/2019	11:00:00 PM	0.23
11/3/2019	11:15:00 PM	0.23
11/3/2019	11:30:00 PM	0.23
11/3/2019	11:45:00 PM	0.23
11/4/2019	12:00:00 AM	0.23
11/4/2019	12:15:00 AM	0.23
11/4/2019	12:30:00 AM	0.23
11/4/2019	12:45:00 AM	0.23
11/4/2019	1:00:00 AM	0.23
11/4/2019	1:15:00 AM	0.23
11/4/2019	1:30:00 AM	0.23
11/4/2019	1:45:00 AM	0.23
11/4/2019	2:00:00 AM	0.23
11/4/2019	2:15:00 AM	0.23
11/4/2019	2:30:00 AM	0.23
11/4/2019	2:45:00 AM	0.23
11/4/2019	3:00:00 AM	0.23
11/4/2019	3:15:00 AM	0.23
11/4/2019	3:30:00 AM	0.22
11/4/2019	3:45:00 AM	0.22
11/4/2019	4:00:00 AM	0.22
11/4/2019	4:15:00 AM	0.22
11/4/2019	4:30:00 AM	0.22
11/4/2019	4:45:00 AM	0.22
11/4/2019	5:00:00 AM	0.22
11/4/2019	5:15:00 AM	0.22
11/4/2019	5:30:00 AM	0.22
11/4/2019	5:45:00 AM	0.22
11/4/2019	6:00:00 AM	0.22
11/4/2019	6:15:00 AM	0.22
11/4/2019	6:30:00 AM	0.22
11/4/2019	6:45:00 AM	0.22
11/4/2019	7:00:00 AM	0.22
11/4/2019	7:15:00 AM	0.22
11/4/2019	7:30:00 AM	0.22
11/4/2019	7:45:00 AM	0.22
11/4/2019	8:00:00 AM	0.22
11/4/2019	8:15:00 AM	0.22

Billy Lake Return Gage

DATE	TIME	GAGE
11/4/2019	8:30:00 AM	0.22
11/4/2019	8:45:00 AM	0.22
11/4/2019	9:00:00 AM	0.22
11/4/2019	9:15:00 AM	0.22
11/4/2019	9:30:00 AM	0.22
11/4/2019	9:45:00 AM	0.21
11/4/2019	10:00:00 AM	0.21
11/4/2019	10:15:00 AM	0.21
11/4/2019	10:30:00 AM	0.21
11/4/2019	10:45:00 AM	0.21
11/4/2019	11:00:00 AM	0.21
11/4/2019	11:15:00 AM	0.21
11/4/2019	11:30:00 AM	0.21
11/4/2019	11:45:00 AM	0.21
11/4/2019	12:00:00 PM	0.21
11/4/2019	12:15:00 PM	0.21
11/4/2019	12:30:00 PM	0.21
11/4/2019	12:45:00 PM	0.21
11/4/2019	1:00:00 PM	0.21
11/4/2019	1:15:00 PM	0.21
11/4/2019	1:30:00 PM	0.21
11/4/2019	1:45:00 PM	0.21
11/4/2019	2:00:00 PM	0.21
11/4/2019	2:15:00 PM	0.21
11/4/2019	2:30:00 PM	0.21
11/4/2019	2:45:00 PM	0.21
11/4/2019	3:00:00 PM	0.21
11/4/2019	3:15:00 PM	0.21
11/4/2019	3:30:00 PM	0.21
11/4/2019	3:45:00 PM	0.21
11/4/2019	4:00:00 PM	0.21
11/4/2019	4:15:00 PM	0.21
11/4/2019	4:30:00 PM	0.21
11/4/2019	4:45:00 PM	0.21
11/4/2019	5:00:00 PM	0.21
11/4/2019	5:15:00 PM	0.21
11/4/2019	5:30:00 PM	0.21
11/4/2019	5:45:00 PM	0.21
11/4/2019	6:00:00 PM	0.21
11/4/2019	6:15:00 PM	0.21
11/4/2019	6:30:00 PM	0.21
11/4/2019	6:45:00 PM	0.21
11/4/2019	7:00:00 PM	0.21
11/4/2019	7:15:00 PM	0.21
11/4/2019	7:30:00 PM	0.21
11/4/2019	7:45:00 PM	0.2

Billy Lake Return Gage

DATE	TIME	GAGE
11/4/2019	8:00:00 PM	0.2
11/4/2019	8:15:00 PM	0.2
11/4/2019	8:30:00 PM	0.2
11/4/2019	8:45:00 PM	0.2
11/4/2019	9:00:00 PM	0.2
11/4/2019	9:15:00 PM	0.2
11/4/2019	9:30:00 PM	0.2
11/4/2019	9:45:00 PM	0.2
11/4/2019	10:00:00 PM	0.2
11/4/2019	10:15:00 PM	0.2
11/4/2019	10:30:00 PM	0.2
11/4/2019	10:45:00 PM	0.2
11/4/2019	11:00:00 PM	0.2
11/4/2019	11:15:00 PM	0.2
11/4/2019	11:30:00 PM	0.2
11/4/2019	11:45:00 PM	0.2
11/5/2019	12:00:00 AM	0.2
11/5/2019	12:15:00 AM	0.2
11/5/2019	12:30:00 AM	0.2
11/5/2019	12:45:00 AM	0.2
11/5/2019	1:00:00 AM	0.2
11/5/2019	1:15:00 AM	0.2
11/5/2019	1:30:00 AM	0.21
11/5/2019	1:45:00 AM	0.21
11/5/2019	2:00:00 AM	0.21
11/5/2019	2:15:00 AM	0.21
11/5/2019	2:30:00 AM	0.21
11/5/2019	2:45:00 AM	0.21
11/5/2019	3:00:00 AM	0.21
11/5/2019	3:15:00 AM	0.21
11/5/2019	3:30:00 AM	0.21
11/5/2019	3:45:00 AM	0.21
11/5/2019	4:00:00 AM	0.21
11/5/2019	4:15:00 AM	0.21
11/5/2019	4:30:00 AM	0.21
11/5/2019	4:45:00 AM	0.21
11/5/2019	5:00:00 AM	0.22
11/5/2019	5:15:00 AM	0.22
11/5/2019	5:30:00 AM	0.22
11/5/2019	5:45:00 AM	0.22
11/5/2019	6:00:00 AM	0.22
11/5/2019	6:15:00 AM	0.22
11/5/2019	6:30:00 AM	0.22
11/5/2019	6:45:00 AM	0.22
11/5/2019	7:00:00 AM	0.22
11/5/2019	7:15:00 AM	0.22

Billy Lake Return Gage

DATE	TIME	GAGE
11/5/2019	7:30:00 AM	0.22
11/5/2019	7:45:00 AM	0.22
11/5/2019	8:00:00 AM	0.22
11/5/2019	8:15:00 AM	0.23
11/5/2019	8:30:00 AM	0.23
11/5/2019	8:45:00 AM	0.23
11/5/2019	9:00:00 AM	0.23
11/5/2019	9:15:00 AM	0.23
11/5/2019	9:30:00 AM	0.23
11/5/2019	9:45:00 AM	0.23
11/5/2019	10:00:00 AM	0.23
11/5/2019	10:15:00 AM	0.23
11/5/2019	10:30:00 AM	0.23
11/5/2019	10:45:00 AM	0.23
11/5/2019	11:00:00 AM	0.23
11/5/2019	11:15:00 AM	0.23
11/5/2019	11:30:00 AM	0.24
11/5/2019	11:45:00 AM	0.24
11/5/2019	12:00:00 PM	0.24
11/5/2019	12:15:00 PM	0.24
11/5/2019	12:30:00 PM	0.24
11/5/2019	12:45:00 PM	0.24
11/5/2019	1:00:00 PM	0.24
11/5/2019	1:15:00 PM	0.24
11/5/2019	1:30:00 PM	0.24
11/5/2019	1:45:00 PM	0.24
11/5/2019	2:00:00 PM	0.24
11/5/2019	2:15:00 PM	0.25
11/5/2019	2:30:00 PM	0.25
11/5/2019	2:45:00 PM	0.25
11/5/2019	3:00:00 PM	0.25
11/5/2019	3:15:00 PM	0.25
11/5/2019	3:30:00 PM	0.25
11/5/2019	3:45:00 PM	0.25
11/5/2019	4:00:00 PM	0.25
11/5/2019	4:15:00 PM	0.25
11/5/2019	4:30:00 PM	0.25
11/5/2019	4:45:00 PM	0.25
11/5/2019	5:00:00 PM	0.25
11/5/2019	5:15:00 PM	0.25
11/5/2019	5:30:00 PM	0.25
11/5/2019	5:45:00 PM	0.25
11/5/2019	6:00:00 PM	0.25
11/5/2019	6:15:00 PM	0.25
11/5/2019	6:30:00 PM	0.25
11/5/2019	6:45:00 PM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
11/5/2019	7:00:00 PM	0.25
11/5/2019	7:15:00 PM	0.26
11/5/2019	7:30:00 PM	0.26
11/5/2019	7:45:00 PM	0.26
11/5/2019	8:00:00 PM	0.26
11/5/2019	8:15:00 PM	0.26
11/5/2019	8:30:00 PM	0.26
11/5/2019	8:45:00 PM	0.26
11/5/2019	9:00:00 PM	0.26
11/5/2019	9:15:00 PM	0.26
11/5/2019	9:30:00 PM	0.26
11/5/2019	9:45:00 PM	0.26
11/5/2019	10:00:00 PM	0.26
11/5/2019	10:15:00 PM	0.26
11/5/2019	10:30:00 PM	0.26
11/5/2019	10:45:00 PM	0.26
11/5/2019	11:00:00 PM	0.26
11/5/2019	11:15:00 PM	0.26
11/5/2019	11:30:00 PM	0.26
11/5/2019	11:45:00 PM	0.26
11/6/2019	12:00:00 AM	0.26
11/6/2019	12:15:00 AM	0.26
11/6/2019	12:30:00 AM	0.26
11/6/2019	12:45:00 AM	0.26
11/6/2019	1:00:00 AM	0.26
11/6/2019	1:15:00 AM	0.26
11/6/2019	1:30:00 AM	0.27
11/6/2019	1:45:00 AM	0.27
11/6/2019	2:00:00 AM	0.27
11/6/2019	2:15:00 AM	0.27
11/6/2019	2:30:00 AM	0.27
11/6/2019	2:45:00 AM	0.27
11/6/2019	3:00:00 AM	0.27
11/6/2019	3:15:00 AM	0.27
11/6/2019	3:30:00 AM	0.27
11/6/2019	3:45:00 AM	0.27
11/6/2019	4:00:00 AM	0.27
11/6/2019	4:15:00 AM	0.27
11/6/2019	4:30:00 AM	0.27
11/6/2019	4:45:00 AM	0.27
11/6/2019	5:00:00 AM	0.27
11/6/2019	5:15:00 AM	0.27
11/6/2019	5:30:00 AM	0.27
11/6/2019	5:45:00 AM	0.27
11/6/2019	6:00:00 AM	0.27
11/6/2019	6:15:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
11/6/2019	6:30:00 AM	0.27
11/6/2019	6:45:00 AM	0.27
11/6/2019	7:00:00 AM	0.27
11/6/2019	7:15:00 AM	0.27
11/6/2019	7:30:00 AM	0.27
11/6/2019	7:45:00 AM	0.27
11/6/2019	8:00:00 AM	0.27
11/6/2019	8:15:00 AM	0.27
11/6/2019	8:30:00 AM	0.27
11/6/2019	8:45:00 AM	0.27
11/6/2019	9:00:00 AM	0.27
11/6/2019	9:15:00 AM	0.27
11/6/2019	9:30:00 AM	0.27
11/6/2019	9:45:00 AM	0.27
11/6/2019	10:00:00 AM	0.27
11/6/2019	10:15:00 AM	0.27
11/6/2019	10:30:00 AM	0.27
11/6/2019	10:45:00 AM	0.27
11/6/2019	11:00:00 AM	0.27
11/6/2019	11:15:00 AM	0.27
11/6/2019	11:30:00 AM	0.27
11/6/2019	11:45:00 AM	0.27
11/6/2019	12:00:00 PM	0.27
11/6/2019	12:15:00 PM	0.27
11/6/2019	12:30:00 PM	0.28
11/6/2019	12:45:00 PM	0.28
11/6/2019	1:00:00 PM	0.28
11/6/2019	1:15:00 PM	0.28
11/6/2019	1:30:00 PM	0.28
11/6/2019	1:45:00 PM	0.28
11/6/2019	2:00:00 PM	0.28
11/6/2019	2:15:00 PM	0.28
11/6/2019	2:30:00 PM	0.28
11/6/2019	2:45:00 PM	0.28
11/6/2019	3:00:00 PM	0.28
11/6/2019	3:15:00 PM	0.28
11/6/2019	3:30:00 PM	0.28
11/6/2019	3:45:00 PM	0.28
11/6/2019	4:00:00 PM	0.28
11/6/2019	4:15:00 PM	0.28
11/6/2019	4:30:00 PM	0.28
11/6/2019	4:45:00 PM	0.28
11/6/2019	5:00:00 PM	0.28
11/6/2019	5:15:00 PM	0.28
11/6/2019	5:30:00 PM	0.28
11/6/2019	5:45:00 PM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
11/6/2019	6:00:00 PM	0.28
11/6/2019	6:15:00 PM	0.28
11/6/2019	6:30:00 PM	0.28
11/6/2019	6:45:00 PM	0.28
11/6/2019	7:00:00 PM	0.28
11/6/2019	7:15:00 PM	0.28
11/6/2019	7:30:00 PM	0.28
11/6/2019	7:45:00 PM	0.28
11/6/2019	8:00:00 PM	0.28
11/6/2019	8:15:00 PM	0.28
11/6/2019	8:30:00 PM	0.28
11/6/2019	8:45:00 PM	0.28
11/6/2019	9:00:00 PM	0.28
11/6/2019	9:15:00 PM	0.28
11/6/2019	9:30:00 PM	0.28
11/6/2019	9:45:00 PM	0.28
11/6/2019	10:00:00 PM	0.28
11/6/2019	10:15:00 PM	0.28
11/6/2019	10:30:00 PM	0.28
11/6/2019	10:45:00 PM	0.28
11/6/2019	11:00:00 PM	0.28
11/6/2019	11:15:00 PM	0.28
11/6/2019	11:30:00 PM	0.28
11/6/2019	11:45:00 PM	0.28
11/7/2019	12:00:00 AM	0.28
11/7/2019	12:15:00 AM	0.28
11/7/2019	12:30:00 AM	0.28
11/7/2019	12:45:00 AM	0.28
11/7/2019	1:00:00 AM	0.28
11/7/2019	1:15:00 AM	0.28
11/7/2019	1:30:00 AM	0.28
11/7/2019	1:45:00 AM	0.28
11/7/2019	2:00:00 AM	0.28
11/7/2019	2:15:00 AM	0.28
11/7/2019	2:30:00 AM	0.28
11/7/2019	2:45:00 AM	0.28
11/7/2019	3:00:00 AM	0.28
11/7/2019	3:15:00 AM	0.28
11/7/2019	3:30:00 AM	0.28
11/7/2019	3:45:00 AM	0.28
11/7/2019	4:00:00 AM	0.28
11/7/2019	4:15:00 AM	0.28
11/7/2019	4:30:00 AM	0.28
11/7/2019	4:45:00 AM	0.28
11/7/2019	5:00:00 AM	0.28
11/7/2019	5:15:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
11/7/2019	5:30:00 AM	0.28
11/7/2019	5:45:00 AM	0.28
11/7/2019	6:00:00 AM	0.28
11/7/2019	6:15:00 AM	0.28
11/7/2019	6:30:00 AM	0.28
11/7/2019	6:45:00 AM	0.28
11/7/2019	7:00:00 AM	0.28
11/7/2019	7:15:00 AM	0.28
11/7/2019	7:30:00 AM	0.28
11/7/2019	7:45:00 AM	0.28
11/7/2019	8:00:00 AM	0.28
11/7/2019	8:15:00 AM	0.28
11/7/2019	8:30:00 AM	0.28
11/7/2019	8:45:00 AM	0.29
11/7/2019	9:00:00 AM	0.29
11/7/2019	9:15:00 AM	0.29
11/7/2019	9:30:00 AM	0.29
11/7/2019	9:45:00 AM	0.29
11/7/2019	10:00:00 AM	0.29
11/7/2019	10:15:00 AM	0.29
11/7/2019	10:30:00 AM	0.29
11/7/2019	10:45:00 AM	0.29
11/7/2019	11:00:00 AM	0.29
11/7/2019	11:15:00 AM	0.29
11/7/2019	11:30:00 AM	0.29
11/7/2019	11:45:00 AM	0.29
11/7/2019	12:00:00 PM	0.29
11/7/2019	12:15:00 PM	0.29
11/7/2019	12:30:00 PM	0.29
11/7/2019	12:45:00 PM	0.29
11/7/2019	1:00:00 PM	0.29
11/7/2019	1:15:00 PM	0.29
11/7/2019	1:30:00 PM	0.29
11/7/2019	1:45:00 PM	0.29
11/7/2019	2:00:00 PM	0.29
11/7/2019	2:15:00 PM	0.29
11/7/2019	2:30:00 PM	0.29
11/7/2019	2:45:00 PM	0.29
11/7/2019	3:00:00 PM	0.29
11/7/2019	3:15:00 PM	0.29
11/7/2019	3:30:00 PM	0.29
11/7/2019	3:45:00 PM	0.29
11/7/2019	4:00:00 PM	0.29
11/7/2019	4:15:00 PM	0.29
11/7/2019	4:30:00 PM	0.29
11/7/2019	4:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
11/7/2019	5:00:00 PM	0.29
11/7/2019	5:15:00 PM	0.29
11/7/2019	5:30:00 PM	0.29
11/7/2019	5:45:00 PM	0.29
11/7/2019	6:00:00 PM	0.29
11/7/2019	6:15:00 PM	0.29
11/7/2019	6:30:00 PM	0.29
11/7/2019	6:45:00 PM	0.29
11/7/2019	7:00:00 PM	0.29
11/7/2019	7:15:00 PM	0.29
11/7/2019	7:30:00 PM	0.29
11/7/2019	7:45:00 PM	0.29
11/7/2019	8:00:00 PM	0.29
11/7/2019	8:15:00 PM	0.29
11/7/2019	8:30:00 PM	0.29
11/7/2019	8:45:00 PM	0.29
11/7/2019	9:00:00 PM	0.29
11/7/2019	9:15:00 PM	0.29
11/7/2019	9:30:00 PM	0.29
11/7/2019	9:45:00 PM	0.29
11/7/2019	10:00:00 PM	0.29
11/7/2019	10:15:00 PM	0.29
11/7/2019	10:30:00 PM	0.29
11/7/2019	10:45:00 PM	0.29
11/7/2019	11:00:00 PM	0.29
11/7/2019	11:15:00 PM	0.29
11/7/2019	11:30:00 PM	0.29
11/7/2019	11:45:00 PM	0.29
11/8/2019	12:00:00 AM	0.29
11/8/2019	12:15:00 AM	0.29
11/8/2019	12:30:00 AM	0.29
11/8/2019	12:45:00 AM	0.29
11/8/2019	1:00:00 AM	0.29
11/8/2019	1:15:00 AM	0.29
11/8/2019	1:30:00 AM	0.29
11/8/2019	1:45:00 AM	0.29
11/8/2019	2:00:00 AM	0.29
11/8/2019	2:15:00 AM	0.29
11/8/2019	2:30:00 AM	0.29
11/8/2019	2:45:00 AM	0.29
11/8/2019	3:00:00 AM	0.29
11/8/2019	3:15:00 AM	0.29
11/8/2019	3:30:00 AM	0.29
11/8/2019	3:45:00 AM	0.29
11/8/2019	4:00:00 AM	0.29
11/8/2019	4:15:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
11/8/2019	4:30:00 AM	0.29
11/8/2019	4:45:00 AM	0.29
11/8/2019	5:00:00 AM	0.29
11/8/2019	5:15:00 AM	0.29
11/8/2019	5:30:00 AM	0.29
11/8/2019	5:45:00 AM	0.29
11/8/2019	6:00:00 AM	0.29
11/8/2019	6:15:00 AM	0.29
11/8/2019	6:30:00 AM	0.29
11/8/2019	6:45:00 AM	0.29
11/8/2019	7:00:00 AM	0.29
11/8/2019	7:15:00 AM	0.29
11/8/2019	7:30:00 AM	0.29
11/8/2019	7:45:00 AM	0.29
11/8/2019	8:00:00 AM	0.29
11/8/2019	8:15:00 AM	0.29
11/8/2019	8:30:00 AM	0.29
11/8/2019	8:45:00 AM	0.29
11/8/2019	9:00:00 AM	0.29
11/8/2019	9:15:00 AM	0.29
11/8/2019	9:30:00 AM	0.29
11/8/2019	9:45:00 AM	0.29
11/8/2019	10:00:00 AM	0.29
11/8/2019	10:15:00 AM	0.29
11/8/2019	10:30:00 AM	0.29
11/8/2019	10:45:00 AM	0.29
11/8/2019	11:00:00 AM	0.29
11/8/2019	11:15:00 AM	0.29
11/8/2019	11:30:00 AM	0.29
11/8/2019	11:45:00 AM	0.29
11/8/2019	12:00:00 PM	0.29
11/8/2019	12:15:00 PM	0.29
11/8/2019	12:30:00 PM	0.29
11/8/2019	12:45:00 PM	0.29
11/8/2019	1:00:00 PM	0.29
11/8/2019	1:15:00 PM	0.29
11/8/2019	1:30:00 PM	0.29
11/8/2019	1:45:00 PM	0.29
11/8/2019	2:00:00 PM	0.29
11/8/2019	2:15:00 PM	0.29
11/8/2019	2:30:00 PM	0.29
11/8/2019	2:45:00 PM	0.29
11/8/2019	3:00:00 PM	0.29
11/8/2019	3:15:00 PM	0.29
11/8/2019	3:30:00 PM	0.29
11/8/2019	3:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
11/8/2019	4:00:00 PM	0.29
11/8/2019	4:15:00 PM	0.29
11/8/2019	4:30:00 PM	0.29
11/8/2019	4:45:00 PM	0.29
11/8/2019	5:00:00 PM	0.29
11/8/2019	5:15:00 PM	0.29
11/8/2019	5:30:00 PM	0.29
11/8/2019	5:45:00 PM	0.29
11/8/2019	6:00:00 PM	0.29
11/8/2019	6:15:00 PM	0.29
11/8/2019	6:30:00 PM	0.29
11/8/2019	6:45:00 PM	0.29
11/8/2019	7:00:00 PM	0.29
11/8/2019	7:15:00 PM	0.29
11/8/2019	7:30:00 PM	0.29
11/8/2019	7:45:00 PM	0.29
11/8/2019	8:00:00 PM	0.29
11/8/2019	8:15:00 PM	0.29
11/8/2019	8:30:00 PM	0.29
11/8/2019	8:45:00 PM	0.29
11/8/2019	9:00:00 PM	0.29
11/8/2019	9:15:00 PM	0.29
11/8/2019	9:30:00 PM	0.29
11/8/2019	9:45:00 PM	0.29
11/8/2019	10:00:00 PM	0.29
11/8/2019	10:15:00 PM	0.29
11/8/2019	10:30:00 PM	0.29
11/8/2019	10:45:00 PM	0.29
11/8/2019	11:00:00 PM	0.29
11/8/2019	11:15:00 PM	0.29
11/8/2019	11:30:00 PM	0.29
11/8/2019	11:45:00 PM	0.29
11/9/2019	12:00:00 AM	0.29
11/9/2019	12:15:00 AM	0.29
11/9/2019	12:30:00 AM	0.29
11/9/2019	12:45:00 AM	0.29
11/9/2019	1:00:00 AM	0.29
11/9/2019	1:15:00 AM	0.29
11/9/2019	1:30:00 AM	0.29
11/9/2019	1:45:00 AM	0.29
11/9/2019	2:00:00 AM	0.29
11/9/2019	2:15:00 AM	0.29
11/9/2019	2:30:00 AM	0.29
11/9/2019	2:45:00 AM	0.29
11/9/2019	3:00:00 AM	0.29
11/9/2019	3:15:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
11/9/2019	3:30:00 AM	0.29
11/9/2019	3:45:00 AM	0.29
11/9/2019	4:00:00 AM	0.29
11/9/2019	4:15:00 AM	0.29
11/9/2019	4:30:00 AM	0.29
11/9/2019	4:45:00 AM	0.29
11/9/2019	5:00:00 AM	0.29
11/9/2019	5:15:00 AM	0.29
11/9/2019	5:30:00 AM	0.29
11/9/2019	5:45:00 AM	0.29
11/9/2019	6:00:00 AM	0.29
11/9/2019	6:15:00 AM	0.29
11/9/2019	6:30:00 AM	0.29
11/9/2019	6:45:00 AM	0.29
11/9/2019	7:00:00 AM	0.29
11/9/2019	7:15:00 AM	0.29
11/9/2019	7:30:00 AM	0.29
11/9/2019	7:45:00 AM	0.29
11/9/2019	8:00:00 AM	0.29
11/9/2019	8:15:00 AM	0.29
11/9/2019	8:30:00 AM	0.29
11/9/2019	8:45:00 AM	0.29
11/9/2019	9:00:00 AM	0.29
11/9/2019	9:15:00 AM	0.29
11/9/2019	9:30:00 AM	0.29
11/9/2019	9:45:00 AM	0.29
11/9/2019	10:00:00 AM	0.29
11/9/2019	10:15:00 AM	0.29
11/9/2019	10:30:00 AM	0.29
11/9/2019	10:45:00 AM	0.29
11/9/2019	11:00:00 AM	0.29
11/9/2019	11:15:00 AM	0.29
11/9/2019	11:30:00 AM	0.29
11/9/2019	11:45:00 AM	0.29
11/9/2019	12:00:00 PM	0.29
11/9/2019	12:15:00 PM	0.29
11/9/2019	12:30:00 PM	0.29
11/9/2019	12:45:00 PM	0.29
11/9/2019	1:00:00 PM	0.29
11/9/2019	1:15:00 PM	0.29
11/9/2019	1:30:00 PM	0.29
11/9/2019	1:45:00 PM	0.29
11/9/2019	2:00:00 PM	0.29
11/9/2019	2:15:00 PM	0.29
11/9/2019	2:30:00 PM	0.29
11/9/2019	2:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
11/9/2019	3:00:00 PM	0.29
11/9/2019	3:15:00 PM	0.29
11/9/2019	3:30:00 PM	0.29
11/9/2019	3:45:00 PM	0.29
11/9/2019	4:00:00 PM	0.29
11/9/2019	4:15:00 PM	0.29
11/9/2019	4:30:00 PM	0.29
11/9/2019	4:45:00 PM	0.29
11/9/2019	5:00:00 PM	0.29
11/9/2019	5:15:00 PM	0.29
11/9/2019	5:30:00 PM	0.29
11/9/2019	5:45:00 PM	0.29
11/9/2019	6:00:00 PM	0.29
11/9/2019	6:15:00 PM	0.29
11/9/2019	6:30:00 PM	0.29
11/9/2019	6:45:00 PM	0.29
11/9/2019	7:00:00 PM	0.29
11/9/2019	7:15:00 PM	0.29
11/9/2019	7:30:00 PM	0.29
11/9/2019	7:45:00 PM	0.29
11/9/2019	8:00:00 PM	0.29
11/9/2019	8:15:00 PM	0.29
11/9/2019	8:30:00 PM	0.29
11/9/2019	8:45:00 PM	0.29
11/9/2019	9:00:00 PM	0.29
11/9/2019	9:15:00 PM	0.29
11/9/2019	9:30:00 PM	0.29
11/9/2019	9:45:00 PM	0.29
11/9/2019	10:00:00 PM	0.29
11/9/2019	10:15:00 PM	0.29
11/9/2019	10:30:00 PM	0.29
11/9/2019	10:45:00 PM	0.29
11/9/2019	11:00:00 PM	0.29
11/9/2019	11:15:00 PM	0.29
11/9/2019	11:30:00 PM	0.29
11/9/2019	11:45:00 PM	0.29
11/10/2019	12:00:00 AM	0.29
11/10/2019	12:15:00 AM	0.29
11/10/2019	12:30:00 AM	0.29
11/10/2019	12:45:00 AM	0.29
11/10/2019	1:00:00 AM	0.29
11/10/2019	1:15:00 AM	0.29
11/10/2019	1:30:00 AM	0.29
11/10/2019	1:45:00 AM	0.29
11/10/2019	2:00:00 AM	0.29
11/10/2019	2:15:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
11/10/2019	2:30:00 AM	0.29
11/10/2019	2:45:00 AM	0.29
11/10/2019	3:00:00 AM	0.29
11/10/2019	3:15:00 AM	0.29
11/10/2019	3:30:00 AM	0.29
11/10/2019	3:45:00 AM	0.29
11/10/2019	4:00:00 AM	0.29
11/10/2019	4:15:00 AM	0.29
11/10/2019	4:30:00 AM	0.29
11/10/2019	4:45:00 AM	0.29
11/10/2019	5:00:00 AM	0.29
11/10/2019	5:15:00 AM	0.29
11/10/2019	5:30:00 AM	0.29
11/10/2019	5:45:00 AM	0.29
11/10/2019	6:00:00 AM	0.29
11/10/2019	6:15:00 AM	0.29
11/10/2019	6:30:00 AM	0.29
11/10/2019	6:45:00 AM	0.29
11/10/2019	7:00:00 AM	0.29
11/10/2019	7:15:00 AM	0.29
11/10/2019	7:30:00 AM	0.29
11/10/2019	7:45:00 AM	0.29
11/10/2019	8:00:00 AM	0.29
11/10/2019	8:15:00 AM	0.28
11/10/2019	8:30:00 AM	0.28
11/10/2019	8:45:00 AM	0.28
11/10/2019	9:00:00 AM	0.28
11/10/2019	9:15:00 AM	0.28
11/10/2019	9:30:00 AM	0.28
11/10/2019	9:45:00 AM	0.28
11/10/2019	10:00:00 AM	0.28
11/10/2019	10:15:00 AM	0.28
11/10/2019	10:30:00 AM	0.28
11/10/2019	10:45:00 AM	0.28
11/10/2019	11:00:00 AM	0.28
11/10/2019	11:15:00 AM	0.28
11/10/2019	11:30:00 AM	0.28
11/10/2019	11:45:00 AM	0.28
11/10/2019	12:00:00 PM	0.28
11/10/2019	12:15:00 PM	0.28
11/10/2019	12:30:00 PM	0.28
11/10/2019	12:45:00 PM	0.28
11/10/2019	1:00:00 PM	0.28
11/10/2019	1:15:00 PM	0.28
11/10/2019	1:30:00 PM	0.28
11/10/2019	1:45:00 PM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
11/10/2019	2:00:00 PM	0.28
11/10/2019	2:15:00 PM	0.28
11/10/2019	2:30:00 PM	0.28
11/10/2019	2:45:00 PM	0.28
11/10/2019	3:00:00 PM	0.28
11/10/2019	3:15:00 PM	0.28
11/10/2019	3:30:00 PM	0.28
11/10/2019	3:45:00 PM	0.28
11/10/2019	4:00:00 PM	0.28
11/10/2019	4:15:00 PM	0.28
11/10/2019	4:30:00 PM	0.28
11/10/2019	4:45:00 PM	0.28
11/10/2019	5:00:00 PM	0.28
11/10/2019	5:15:00 PM	0.28
11/10/2019	5:30:00 PM	0.28
11/10/2019	5:45:00 PM	0.28
11/10/2019	6:00:00 PM	0.28
11/10/2019	6:15:00 PM	0.28
11/10/2019	6:30:00 PM	0.28
11/10/2019	6:45:00 PM	0.28
11/10/2019	7:00:00 PM	0.28
11/10/2019	7:15:00 PM	0.28
11/10/2019	7:30:00 PM	0.28
11/10/2019	7:45:00 PM	0.28
11/10/2019	8:00:00 PM	0.28
11/10/2019	8:15:00 PM	0.28
11/10/2019	8:30:00 PM	0.28
11/10/2019	8:45:00 PM	0.28
11/10/2019	9:00:00 PM	0.28
11/10/2019	9:15:00 PM	0.28
11/10/2019	9:30:00 PM	0.28
11/10/2019	9:45:00 PM	0.27
11/10/2019	10:00:00 PM	0.27
11/10/2019	10:15:00 PM	0.27
11/10/2019	10:30:00 PM	0.27
11/10/2019	10:45:00 PM	0.27
11/10/2019	11:00:00 PM	0.27
11/10/2019	11:15:00 PM	0.27
11/10/2019	11:30:00 PM	0.27
11/10/2019	11:45:00 PM	0.27
11/11/2019	12:00:00 AM	0.27
11/11/2019	12:15:00 AM	0.27
11/11/2019	12:30:00 AM	0.27
11/11/2019	12:45:00 AM	0.27
11/11/2019	1:00:00 AM	0.27
11/11/2019	1:15:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
11/11/2019	1:30:00 AM	0.27
11/11/2019	1:45:00 AM	0.27
11/11/2019	2:00:00 AM	0.27
11/11/2019	2:15:00 AM	0.27
11/11/2019	2:30:00 AM	0.27
11/11/2019	2:45:00 AM	0.27
11/11/2019	3:00:00 AM	0.27
11/11/2019	3:15:00 AM	0.27
11/11/2019	3:30:00 AM	0.27
11/11/2019	3:45:00 AM	0.27
11/11/2019	4:00:00 AM	0.27
11/11/2019	4:15:00 AM	0.27
11/11/2019	4:30:00 AM	0.27
11/11/2019	4:45:00 AM	0.27
11/11/2019	5:00:00 AM	0.27
11/11/2019	5:15:00 AM	0.27
11/11/2019	5:30:00 AM	0.27
11/11/2019	5:45:00 AM	0.27
11/11/2019	6:00:00 AM	0.27
11/11/2019	6:15:00 AM	0.27
11/11/2019	6:30:00 AM	0.27
11/11/2019	6:45:00 AM	0.27
11/11/2019	7:00:00 AM	0.27
11/11/2019	7:15:00 AM	0.27
11/11/2019	7:30:00 AM	0.27
11/11/2019	7:45:00 AM	0.27
11/11/2019	8:00:00 AM	0.27
11/11/2019	8:15:00 AM	0.27
11/11/2019	8:30:00 AM	0.27
11/11/2019	8:45:00 AM	0.26
11/11/2019	9:00:00 AM	0.26
11/11/2019	9:15:00 AM	0.26
11/11/2019	9:30:00 AM	0.26
11/11/2019	9:45:00 AM	0.26
11/11/2019	10:00:00 AM	0.26
11/11/2019	10:15:00 AM	0.26
11/11/2019	10:30:00 AM	0.26
11/11/2019	10:45:00 AM	0.26
11/11/2019	11:00:00 AM	0.26
11/11/2019	11:15:00 AM	0.26
11/11/2019	11:30:00 AM	0.26
11/11/2019	11:45:00 AM	0.26
11/11/2019	12:00:00 PM	0.26
11/11/2019	12:15:00 PM	0.26
11/11/2019	12:30:00 PM	0.26
11/11/2019	12:45:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/11/2019	1:00:00 PM	0.26
11/11/2019	1:15:00 PM	0.26
11/11/2019	1:30:00 PM	0.26
11/11/2019	1:45:00 PM	0.26
11/11/2019	2:00:00 PM	0.26
11/11/2019	2:15:00 PM	0.26
11/11/2019	2:30:00 PM	0.26
11/11/2019	2:45:00 PM	0.26
11/11/2019	3:00:00 PM	0.26
11/11/2019	3:15:00 PM	0.26
11/11/2019	3:30:00 PM	0.26
11/11/2019	3:45:00 PM	0.26
11/11/2019	4:00:00 PM	0.26
11/11/2019	4:15:00 PM	0.26
11/11/2019	4:30:00 PM	0.26
11/11/2019	4:45:00 PM	0.26
11/11/2019	5:00:00 PM	0.26
11/11/2019	5:15:00 PM	0.26
11/11/2019	5:30:00 PM	0.26
11/11/2019	5:45:00 PM	0.26
11/11/2019	6:00:00 PM	0.26
11/11/2019	6:15:00 PM	0.26
11/11/2019	6:30:00 PM	0.26
11/11/2019	6:45:00 PM	0.26
11/11/2019	7:00:00 PM	0.26
11/11/2019	7:15:00 PM	0.26
11/11/2019	7:30:00 PM	0.26
11/11/2019	7:45:00 PM	0.26
11/11/2019	8:00:00 PM	0.26
11/11/2019	8:15:00 PM	0.26
11/11/2019	8:30:00 PM	0.26
11/11/2019	8:45:00 PM	0.26
11/11/2019	9:00:00 PM	0.26
11/11/2019	9:15:00 PM	0.26
11/11/2019	9:30:00 PM	0.26
11/11/2019	9:45:00 PM	0.26
11/11/2019	10:00:00 PM	0.26
11/11/2019	10:15:00 PM	0.26
11/11/2019	10:30:00 PM	0.26
11/11/2019	10:45:00 PM	0.26
11/11/2019	11:00:00 PM	0.26
11/11/2019	11:15:00 PM	0.26
11/11/2019	11:30:00 PM	0.26
11/11/2019	11:45:00 PM	0.26
11/12/2019	12:00:00 AM	0.26
11/12/2019	12:15:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/12/2019	12:30:00 AM	0.26
11/12/2019	12:45:00 AM	0.26
11/12/2019	1:00:00 AM	0.26
11/12/2019	1:15:00 AM	0.26
11/12/2019	1:30:00 AM	0.26
11/12/2019	1:45:00 AM	0.26
11/12/2019	2:00:00 AM	0.26
11/12/2019	2:15:00 AM	0.26
11/12/2019	2:30:00 AM	0.26
11/12/2019	2:45:00 AM	0.26
11/12/2019	3:00:00 AM	0.26
11/12/2019	3:15:00 AM	0.26
11/12/2019	3:30:00 AM	0.26
11/12/2019	3:45:00 AM	0.26
11/12/2019	4:00:00 AM	0.26
11/12/2019	4:15:00 AM	0.26
11/12/2019	4:30:00 AM	0.26
11/12/2019	4:45:00 AM	0.26
11/12/2019	5:00:00 AM	0.26
11/12/2019	5:15:00 AM	0.26
11/12/2019	5:30:00 AM	0.26
11/12/2019	5:45:00 AM	0.26
11/12/2019	6:00:00 AM	0.26
11/12/2019	6:15:00 AM	0.26
11/12/2019	6:30:00 AM	0.26
11/12/2019	6:45:00 AM	0.26
11/12/2019	7:00:00 AM	0.26
11/12/2019	7:15:00 AM	0.26
11/12/2019	7:30:00 AM	0.26
11/12/2019	7:45:00 AM	0.26
11/12/2019	8:00:00 AM	0.26
11/12/2019	8:15:00 AM	0.26
11/12/2019	8:30:00 AM	0.26
11/12/2019	8:45:00 AM	0.26
11/12/2019	9:00:00 AM	0.26
11/12/2019	9:15:00 AM	0.26
11/12/2019	9:30:00 AM	0.26
11/12/2019	9:45:00 AM	0.26
11/12/2019	10:00:00 AM	0.26
11/12/2019	10:15:00 AM	0.26
11/12/2019	10:30:00 AM	0.26
11/12/2019	10:45:00 AM	0.26
11/12/2019	11:00:00 AM	0.26
11/12/2019	11:15:00 AM	0.26
11/12/2019	11:30:00 AM	0.26
11/12/2019	11:45:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/12/2019	12:00:00 PM	0.26
11/12/2019	12:15:00 PM	0.26
11/12/2019	12:30:00 PM	0.26
11/12/2019	12:45:00 PM	0.27
11/12/2019	1:00:00 PM	0.27
11/12/2019	1:15:00 PM	0.27
11/12/2019	1:30:00 PM	0.27
11/12/2019	1:45:00 PM	0.27
11/12/2019	2:00:00 PM	0.27
11/12/2019	2:15:00 PM	0.27
11/12/2019	2:30:00 PM	0.27
11/12/2019	2:45:00 PM	0.27
11/12/2019	3:00:00 PM	0.27
11/12/2019	3:15:00 PM	0.27
11/12/2019	3:30:00 PM	0.27
11/12/2019	3:45:00 PM	0.27
11/12/2019	4:00:00 PM	0.27
11/12/2019	4:15:00 PM	0.27
11/12/2019	4:30:00 PM	0.27
11/12/2019	4:45:00 PM	0.27
11/12/2019	5:00:00 PM	0.27
11/12/2019	5:15:00 PM	0.27
11/12/2019	5:30:00 PM	0.27
11/12/2019	5:45:00 PM	0.27
11/12/2019	6:00:00 PM	0.27
11/12/2019	6:15:00 PM	0.27
11/12/2019	6:30:00 PM	0.27
11/12/2019	6:45:00 PM	0.27
11/12/2019	7:00:00 PM	0.27
11/12/2019	7:15:00 PM	0.27
11/12/2019	7:30:00 PM	0.27
11/12/2019	7:45:00 PM	0.27
11/12/2019	8:00:00 PM	0.27
11/12/2019	8:15:00 PM	0.27
11/12/2019	8:30:00 PM	0.27
11/12/2019	8:45:00 PM	0.27
11/12/2019	9:00:00 PM	0.27
11/12/2019	9:15:00 PM	0.27
11/12/2019	9:30:00 PM	0.27
11/12/2019	9:45:00 PM	0.27
11/12/2019	10:00:00 PM	0.27
11/12/2019	10:15:00 PM	0.27
11/12/2019	10:30:00 PM	0.27
11/12/2019	10:45:00 PM	0.27
11/12/2019	11:00:00 PM	0.27
11/12/2019	11:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
11/12/2019	11:30:00 PM	0.27
11/12/2019	11:45:00 PM	0.27
11/13/2019	12:00:00 AM	0.27
11/13/2019	12:15:00 AM	0.27
11/13/2019	12:30:00 AM	0.27
11/13/2019	12:45:00 AM	0.27
11/13/2019	1:00:00 AM	0.27
11/13/2019	1:15:00 AM	0.27
11/13/2019	1:30:00 AM	0.27
11/13/2019	1:45:00 AM	0.27
11/13/2019	2:00:00 AM	0.27
11/13/2019	2:15:00 AM	0.27
11/13/2019	2:30:00 AM	0.27
11/13/2019	2:45:00 AM	0.27
11/13/2019	3:00:00 AM	0.27
11/13/2019	3:15:00 AM	0.27
11/13/2019	3:30:00 AM	0.27
11/13/2019	3:45:00 AM	0.26
11/13/2019	4:00:00 AM	0.26
11/13/2019	4:15:00 AM	0.26
11/13/2019	4:30:00 AM	0.26
11/13/2019	4:45:00 AM	0.26
11/13/2019	5:00:00 AM	0.26
11/13/2019	5:15:00 AM	0.26
11/13/2019	5:30:00 AM	0.26
11/13/2019	5:45:00 AM	0.26
11/13/2019	6:00:00 AM	0.26
11/13/2019	6:15:00 AM	0.26
11/13/2019	6:30:00 AM	0.26
11/13/2019	6:45:00 AM	0.26
11/13/2019	7:00:00 AM	0.26
11/13/2019	7:15:00 AM	0.26
11/13/2019	7:30:00 AM	0.26
11/13/2019	7:45:00 AM	0.26
11/13/2019	8:00:00 AM	0.26
11/13/2019	8:15:00 AM	0.26
11/13/2019	8:30:00 AM	0.26
11/13/2019	8:45:00 AM	0.26
11/13/2019	9:00:00 AM	0.26
11/13/2019	9:15:00 AM	0.26
11/13/2019	9:30:00 AM	0.26
11/13/2019	9:45:00 AM	0.26
11/13/2019	10:00:00 AM	0.26
11/13/2019	10:15:00 AM	0.26
11/13/2019	10:30:00 AM	0.26
11/13/2019	10:45:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/13/2019	11:00:00 AM	0.26
11/13/2019	11:15:00 AM	0.26
11/13/2019	11:30:00 AM	0.26
11/13/2019	11:45:00 AM	0.26
11/13/2019	12:00:00 PM	0.26
11/13/2019	12:15:00 PM	0.26
11/13/2019	12:30:00 PM	0.26
11/13/2019	12:45:00 PM	0.26
11/13/2019	1:00:00 PM	0.26
11/13/2019	1:15:00 PM	0.26
11/13/2019	1:30:00 PM	0.26
11/13/2019	1:45:00 PM	0.26
11/13/2019	2:00:00 PM	0.26
11/13/2019	2:15:00 PM	0.26
11/13/2019	2:30:00 PM	0.26
11/13/2019	2:45:00 PM	0.26
11/13/2019	3:00:00 PM	0.26
11/13/2019	3:15:00 PM	0.26
11/13/2019	3:30:00 PM	0.26
11/13/2019	3:45:00 PM	0.26
11/13/2019	4:00:00 PM	0.25
11/13/2019	4:15:00 PM	0.25
11/13/2019	4:30:00 PM	0.25
11/13/2019	4:45:00 PM	0.25
11/13/2019	5:00:00 PM	0.25
11/13/2019	5:15:00 PM	0.25
11/13/2019	5:30:00 PM	0.25
11/13/2019	5:45:00 PM	0.25
11/13/2019	6:00:00 PM	0.25
11/13/2019	6:15:00 PM	0.25
11/13/2019	6:30:00 PM	0.25
11/13/2019	6:45:00 PM	0.25
11/13/2019	7:00:00 PM	0.25
11/13/2019	7:15:00 PM	0.25
11/13/2019	7:30:00 PM	0.25
11/13/2019	7:45:00 PM	0.25
11/13/2019	8:00:00 PM	0.25
11/13/2019	8:15:00 PM	0.25
11/13/2019	8:30:00 PM	0.25
11/13/2019	8:45:00 PM	0.25
11/13/2019	9:00:00 PM	0.25
11/13/2019	9:15:00 PM	0.25
11/13/2019	9:30:00 PM	0.25
11/13/2019	9:45:00 PM	0.25
11/13/2019	10:00:00 PM	0.25
11/13/2019	10:15:00 PM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
11/13/2019	10:30:00 PM	0.25
11/13/2019	10:45:00 PM	0.25
11/13/2019	11:00:00 PM	0.25
11/13/2019	11:15:00 PM	0.25
11/13/2019	11:30:00 PM	0.25
11/13/2019	11:45:00 PM	0.25
11/14/2019	12:00:00 AM	0.25
11/14/2019	12:15:00 AM	0.25
11/14/2019	12:30:00 AM	0.25
11/14/2019	12:45:00 AM	0.25
11/14/2019	1:00:00 AM	0.25
11/14/2019	1:15:00 AM	0.25
11/14/2019	1:30:00 AM	0.25
11/14/2019	1:45:00 AM	0.25
11/14/2019	2:00:00 AM	0.25
11/14/2019	2:15:00 AM	0.25
11/14/2019	2:30:00 AM	0.25
11/14/2019	2:45:00 AM	0.25
11/14/2019	3:00:00 AM	0.25
11/14/2019	3:15:00 AM	0.25
11/14/2019	3:30:00 AM	0.25
11/14/2019	3:45:00 AM	0.25
11/14/2019	4:00:00 AM	0.25
11/14/2019	4:15:00 AM	0.25
11/14/2019	4:30:00 AM	0.25
11/14/2019	4:45:00 AM	0.25
11/14/2019	5:00:00 AM	0.25
11/14/2019	5:15:00 AM	0.25
11/14/2019	5:30:00 AM	0.25
11/14/2019	5:45:00 AM	0.25
11/14/2019	6:00:00 AM	0.25
11/14/2019	6:15:00 AM	0.25
11/14/2019	6:30:00 AM	0.25
11/14/2019	6:45:00 AM	0.25
11/14/2019	7:00:00 AM	0.25
11/14/2019	7:15:00 AM	0.25
11/14/2019	7:30:00 AM	0.25
11/14/2019	7:45:00 AM	0.25
11/14/2019	8:00:00 AM	0.25
11/14/2019	8:15:00 AM	0.25
11/14/2019	8:30:00 AM	0.25
11/14/2019	8:45:00 AM	0.25
11/14/2019	9:00:00 AM	0.25
11/14/2019	9:15:00 AM	0.25
11/14/2019	9:30:00 AM	0.25
11/14/2019	9:45:00 AM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
11/14/2019	10:00:00 AM	0.25
11/14/2019	10:15:00 AM	0.25
11/14/2019	10:30:00 AM	0.25
11/14/2019	10:45:00 AM	0.25
11/14/2019	11:00:00 AM	0.25
11/14/2019	11:15:00 AM	0.25
11/14/2019	11:30:00 AM	0.26
11/14/2019	11:45:00 AM	0.26
11/14/2019	12:00:00 PM	0.26
11/14/2019	12:15:00 PM	0.26
11/14/2019	12:30:00 PM	0.26
11/14/2019	12:45:00 PM	0.26
11/14/2019	1:00:00 PM	0.26
11/14/2019	1:15:00 PM	0.26
11/14/2019	1:30:00 PM	0.26
11/14/2019	1:45:00 PM	0.26
11/14/2019	2:00:00 PM	0.26
11/14/2019	2:15:00 PM	0.26
11/14/2019	2:30:00 PM	0.26
11/14/2019	2:45:00 PM	0.26
11/14/2019	3:00:00 PM	0.26
11/14/2019	3:15:00 PM	0.26
11/14/2019	3:30:00 PM	0.26
11/14/2019	3:45:00 PM	0.26
11/14/2019	4:00:00 PM	0.26
11/14/2019	4:15:00 PM	0.26
11/14/2019	4:30:00 PM	0.26
11/14/2019	4:45:00 PM	0.26
11/14/2019	5:00:00 PM	0.26
11/14/2019	5:15:00 PM	0.26
11/14/2019	5:30:00 PM	0.26
11/14/2019	5:45:00 PM	0.26
11/14/2019	6:00:00 PM	0.26
11/14/2019	6:15:00 PM	0.26
11/14/2019	6:30:00 PM	0.26
11/14/2019	6:45:00 PM	0.26
11/14/2019	7:00:00 PM	0.26
11/14/2019	7:15:00 PM	0.26
11/14/2019	7:30:00 PM	0.26
11/14/2019	7:45:00 PM	0.26
11/14/2019	8:00:00 PM	0.26
11/14/2019	8:15:00 PM	0.26
11/14/2019	8:30:00 PM	0.26
11/14/2019	8:45:00 PM	0.26
11/14/2019	9:00:00 PM	0.26
11/14/2019	9:15:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/14/2019	9:30:00 PM	0.26
11/14/2019	9:45:00 PM	0.26
11/14/2019	10:00:00 PM	0.26
11/14/2019	10:15:00 PM	0.26
11/14/2019	10:30:00 PM	0.26
11/14/2019	10:45:00 PM	0.26
11/14/2019	11:00:00 PM	0.26
11/14/2019	11:15:00 PM	0.26
11/14/2019	11:30:00 PM	0.26
11/14/2019	11:45:00 PM	0.26
11/15/2019	12:00:00 AM	0.26
11/15/2019	12:15:00 AM	0.26
11/15/2019	12:30:00 AM	0.26
11/15/2019	12:45:00 AM	0.26
11/15/2019	1:00:00 AM	0.26
11/15/2019	1:15:00 AM	0.26
11/15/2019	1:30:00 AM	0.26
11/15/2019	1:45:00 AM	0.26
11/15/2019	2:00:00 AM	0.26
11/15/2019	2:15:00 AM	0.26
11/15/2019	2:30:00 AM	0.26
11/15/2019	2:45:00 AM	0.26
11/15/2019	3:00:00 AM	0.26
11/15/2019	3:15:00 AM	0.26
11/15/2019	3:30:00 AM	0.26
11/15/2019	3:45:00 AM	0.26
11/15/2019	4:00:00 AM	0.26
11/15/2019	4:15:00 AM	0.26
11/15/2019	4:30:00 AM	0.26
11/15/2019	4:45:00 AM	0.26
11/15/2019	5:00:00 AM	0.26
11/15/2019	5:15:00 AM	0.26
11/15/2019	5:30:00 AM	0.26
11/15/2019	5:45:00 AM	0.26
11/15/2019	6:00:00 AM	0.26
11/15/2019	6:15:00 AM	0.26
11/15/2019	6:30:00 AM	0.26
11/15/2019	6:45:00 AM	0.26
11/15/2019	7:00:00 AM	0.26
11/15/2019	7:15:00 AM	0.26
11/15/2019	7:30:00 AM	0.26
11/15/2019	7:45:00 AM	0.26
11/15/2019	8:00:00 AM	0.26
11/15/2019	8:15:00 AM	0.26
11/15/2019	8:30:00 AM	0.26
11/15/2019	8:45:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/15/2019	9:00:00 AM	0.26
11/15/2019	9:15:00 AM	0.26
11/15/2019	9:30:00 AM	0.26
11/15/2019	9:45:00 AM	0.26
11/15/2019	10:00:00 AM	0.26
11/15/2019	10:15:00 AM	0.26
11/15/2019	10:30:00 AM	0.26
11/15/2019	10:45:00 AM	0.26
11/15/2019	11:00:00 AM	0.26
11/15/2019	11:15:00 AM	0.26
11/15/2019	11:30:00 AM	0.26
11/15/2019	11:45:00 AM	0.26
11/15/2019	12:00:00 PM	0.26
11/15/2019	12:15:00 PM	0.26
11/15/2019	12:30:00 PM	0.26
11/15/2019	12:45:00 PM	0.26
11/15/2019	1:00:00 PM	0.26
11/15/2019	1:15:00 PM	0.26
11/15/2019	1:30:00 PM	0.26
11/15/2019	1:45:00 PM	0.26
11/15/2019	2:00:00 PM	0.26
11/15/2019	2:15:00 PM	0.26
11/15/2019	2:30:00 PM	0.26
11/15/2019	2:45:00 PM	0.26
11/15/2019	3:00:00 PM	0.26
11/15/2019	3:15:00 PM	0.26
11/15/2019	3:30:00 PM	0.26
11/15/2019	3:45:00 PM	0.26
11/15/2019	4:00:00 PM	0.26
11/15/2019	4:15:00 PM	0.26
11/15/2019	4:30:00 PM	0.26
11/15/2019	4:45:00 PM	0.26
11/15/2019	5:00:00 PM	0.26
11/15/2019	5:15:00 PM	0.26
11/15/2019	5:30:00 PM	0.26
11/15/2019	5:45:00 PM	0.26
11/15/2019	6:00:00 PM	0.26
11/15/2019	6:15:00 PM	0.26
11/15/2019	6:30:00 PM	0.26
11/15/2019	6:45:00 PM	0.26
11/15/2019	7:00:00 PM	0.26
11/15/2019	7:15:00 PM	0.26
11/15/2019	7:30:00 PM	0.26
11/15/2019	7:45:00 PM	0.26
11/15/2019	8:00:00 PM	0.26
11/15/2019	8:15:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/15/2019	8:30:00 PM	0.26
11/15/2019	8:45:00 PM	0.26
11/15/2019	9:00:00 PM	0.26
11/15/2019	9:15:00 PM	0.26
11/15/2019	9:30:00 PM	0.26
11/15/2019	9:45:00 PM	0.26
11/15/2019	10:00:00 PM	0.26
11/15/2019	10:15:00 PM	0.26
11/15/2019	10:30:00 PM	0.26
11/15/2019	10:45:00 PM	0.26
11/15/2019	11:00:00 PM	0.26
11/15/2019	11:15:00 PM	0.26
11/15/2019	11:30:00 PM	0.26
11/15/2019	11:45:00 PM	0.26
11/16/2019	12:00:00 AM	0.26
11/16/2019	12:15:00 AM	0.26
11/16/2019	12:30:00 AM	0.26
11/16/2019	12:45:00 AM	0.26
11/16/2019	1:00:00 AM	0.26
11/16/2019	1:15:00 AM	0.26
11/16/2019	1:30:00 AM	0.26
11/16/2019	1:45:00 AM	0.26
11/16/2019	2:00:00 AM	0.26
11/16/2019	2:15:00 AM	0.26
11/16/2019	2:30:00 AM	0.26
11/16/2019	2:45:00 AM	0.26
11/16/2019	3:00:00 AM	0.26
11/16/2019	3:15:00 AM	0.26
11/16/2019	3:30:00 AM	0.26
11/16/2019	3:45:00 AM	0.26
11/16/2019	4:00:00 AM	0.26
11/16/2019	4:15:00 AM	0.26
11/16/2019	4:30:00 AM	0.26
11/16/2019	4:45:00 AM	0.26
11/16/2019	5:00:00 AM	0.26
11/16/2019	5:15:00 AM	0.26
11/16/2019	5:30:00 AM	0.26
11/16/2019	5:45:00 AM	0.26
11/16/2019	6:00:00 AM	0.26
11/16/2019	6:15:00 AM	0.26
11/16/2019	6:30:00 AM	0.26
11/16/2019	6:45:00 AM	0.26
11/16/2019	7:00:00 AM	0.26
11/16/2019	7:15:00 AM	0.26
11/16/2019	7:30:00 AM	0.26
11/16/2019	7:45:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/16/2019	8:00:00 AM	0.26
11/16/2019	8:15:00 AM	0.26
11/16/2019	8:30:00 AM	0.26
11/16/2019	8:45:00 AM	0.26
11/16/2019	9:00:00 AM	0.26
11/16/2019	9:15:00 AM	0.26
11/16/2019	9:30:00 AM	0.26
11/16/2019	9:45:00 AM	0.26
11/16/2019	10:00:00 AM	0.26
11/16/2019	10:15:00 AM	0.26
11/16/2019	10:30:00 AM	0.26
11/16/2019	10:45:00 AM	0.26
11/16/2019	11:00:00 AM	0.26
11/16/2019	11:15:00 AM	0.26
11/16/2019	11:30:00 AM	0.26
11/16/2019	11:45:00 AM	0.26
11/16/2019	12:00:00 PM	0.26
11/16/2019	12:15:00 PM	0.26
11/16/2019	12:30:00 PM	0.26
11/16/2019	12:45:00 PM	0.26
11/16/2019	1:00:00 PM	0.26
11/16/2019	1:15:00 PM	0.26
11/16/2019	1:30:00 PM	0.27
11/16/2019	1:45:00 PM	0.27
11/16/2019	2:00:00 PM	0.27
11/16/2019	2:15:00 PM	0.27
11/16/2019	2:30:00 PM	0.27
11/16/2019	2:45:00 PM	0.27
11/16/2019	3:00:00 PM	0.27
11/16/2019	3:15:00 PM	0.27
11/16/2019	3:30:00 PM	0.27
11/16/2019	3:45:00 PM	0.27
11/16/2019	4:00:00 PM	0.27
11/16/2019	4:15:00 PM	0.27
11/16/2019	4:30:00 PM	0.27
11/16/2019	4:45:00 PM	0.27
11/16/2019	5:00:00 PM	0.27
11/16/2019	5:15:00 PM	0.27
11/16/2019	5:30:00 PM	0.27
11/16/2019	5:45:00 PM	0.27
11/16/2019	6:00:00 PM	0.27
11/16/2019	6:15:00 PM	0.27
11/16/2019	6:30:00 PM	0.27
11/16/2019	6:45:00 PM	0.27
11/16/2019	7:00:00 PM	0.27
11/16/2019	7:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
11/16/2019	7:30:00 PM	0.27
11/16/2019	7:45:00 PM	0.27
11/16/2019	8:00:00 PM	0.27
11/16/2019	8:15:00 PM	0.27
11/16/2019	8:30:00 PM	0.27
11/16/2019	8:45:00 PM	0.27
11/16/2019	9:00:00 PM	0.27
11/16/2019	9:15:00 PM	0.27
11/16/2019	9:30:00 PM	0.27
11/16/2019	9:45:00 PM	0.27
11/16/2019	10:00:00 PM	0.27
11/16/2019	10:15:00 PM	0.27
11/16/2019	10:30:00 PM	0.27
11/16/2019	10:45:00 PM	0.27
11/16/2019	11:00:00 PM	0.27
11/16/2019	11:15:00 PM	0.27
11/16/2019	11:30:00 PM	0.27
11/16/2019	11:45:00 PM	0.27
11/17/2019	12:00:00 AM	0.27
11/17/2019	12:15:00 AM	0.27
11/17/2019	12:30:00 AM	0.27
11/17/2019	12:45:00 AM	0.27
11/17/2019	1:00:00 AM	0.27
11/17/2019	1:15:00 AM	0.27
11/17/2019	1:30:00 AM	0.27
11/17/2019	1:45:00 AM	0.27
11/17/2019	2:00:00 AM	0.27
11/17/2019	2:15:00 AM	0.27
11/17/2019	2:30:00 AM	0.27
11/17/2019	2:45:00 AM	0.27
11/17/2019	3:00:00 AM	0.27
11/17/2019	3:15:00 AM	0.27
11/17/2019	3:30:00 AM	0.27
11/17/2019	3:45:00 AM	0.27
11/17/2019	4:00:00 AM	0.27
11/17/2019	4:15:00 AM	0.27
11/17/2019	4:30:00 AM	0.27
11/17/2019	4:45:00 AM	0.27
11/17/2019	5:00:00 AM	0.27
11/17/2019	5:15:00 AM	0.27
11/17/2019	5:30:00 AM	0.27
11/17/2019	5:45:00 AM	0.27
11/17/2019	6:00:00 AM	0.27
11/17/2019	6:15:00 AM	0.27
11/17/2019	6:30:00 AM	0.27
11/17/2019	6:45:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
11/17/2019	7:00:00 AM	0.27
11/17/2019	7:15:00 AM	0.27
11/17/2019	7:30:00 AM	0.27
11/17/2019	7:45:00 AM	0.27
11/17/2019	8:00:00 AM	0.27
11/17/2019	8:15:00 AM	0.27
11/17/2019	8:30:00 AM	0.27
11/17/2019	8:45:00 AM	0.27
11/17/2019	9:00:00 AM	0.27
11/17/2019	9:15:00 AM	0.27
11/17/2019	9:30:00 AM	0.27
11/17/2019	9:45:00 AM	0.27
11/17/2019	10:00:00 AM	0.27
11/17/2019	10:15:00 AM	0.27
11/17/2019	10:30:00 AM	0.27
11/17/2019	10:45:00 AM	0.27
11/17/2019	11:00:00 AM	0.27
11/17/2019	11:15:00 AM	0.28
11/17/2019	11:30:00 AM	0.28
11/17/2019	11:45:00 AM	0.28
11/17/2019	12:00:00 PM	0.28
11/17/2019	12:15:00 PM	0.28
11/17/2019	12:30:00 PM	0.28
11/17/2019	12:45:00 PM	0.28
11/17/2019	1:00:00 PM	0.28
11/17/2019	1:15:00 PM	0.28
11/17/2019	1:30:00 PM	0.28
11/17/2019	1:45:00 PM	0.28
11/17/2019	2:00:00 PM	0.28
11/17/2019	2:15:00 PM	0.28
11/17/2019	2:30:00 PM	0.28
11/17/2019	2:45:00 PM	0.28
11/17/2019	3:00:00 PM	0.28
11/17/2019	3:15:00 PM	0.28
11/17/2019	3:30:00 PM	0.28
11/17/2019	3:45:00 PM	0.28
11/17/2019	4:00:00 PM	0.28
11/17/2019	4:15:00 PM	0.28
11/17/2019	4:30:00 PM	0.28
11/17/2019	4:45:00 PM	0.28
11/17/2019	5:00:00 PM	0.28
11/17/2019	5:15:00 PM	0.28
11/17/2019	5:30:00 PM	0.28
11/17/2019	5:45:00 PM	0.28
11/17/2019	6:00:00 PM	0.28
11/17/2019	6:15:00 PM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
11/17/2019	6:30:00 PM	0.28
11/17/2019	6:45:00 PM	0.28
11/17/2019	7:00:00 PM	0.28
11/17/2019	7:15:00 PM	0.28
11/17/2019	7:30:00 PM	0.28
11/17/2019	7:45:00 PM	0.28
11/17/2019	8:00:00 PM	0.28
11/17/2019	8:15:00 PM	0.28
11/17/2019	8:30:00 PM	0.28
11/17/2019	8:45:00 PM	0.28
11/17/2019	9:00:00 PM	0.28
11/17/2019	9:15:00 PM	0.28
11/17/2019	9:30:00 PM	0.28
11/17/2019	9:45:00 PM	0.28
11/17/2019	10:00:00 PM	0.28
11/17/2019	10:15:00 PM	0.28
11/17/2019	10:30:00 PM	0.28
11/17/2019	10:45:00 PM	0.28
11/17/2019	11:00:00 PM	0.28
11/17/2019	11:15:00 PM	0.28
11/17/2019	11:30:00 PM	0.28
11/17/2019	11:45:00 PM	0.28
11/18/2019	12:00:00 AM	0.28
11/18/2019	12:15:00 AM	0.28
11/18/2019	12:30:00 AM	0.28
11/18/2019	12:45:00 AM	0.28
11/18/2019	1:00:00 AM	0.28
11/18/2019	1:15:00 AM	0.28
11/18/2019	1:30:00 AM	0.28
11/18/2019	1:45:00 AM	0.28
11/18/2019	2:00:00 AM	0.28
11/18/2019	2:15:00 AM	0.28
11/18/2019	2:30:00 AM	0.28
11/18/2019	2:45:00 AM	0.28
11/18/2019	3:00:00 AM	0.28
11/18/2019	3:15:00 AM	0.28
11/18/2019	3:30:00 AM	0.28
11/18/2019	3:45:00 AM	0.28
11/18/2019	4:00:00 AM	0.28
11/18/2019	4:15:00 AM	0.28
11/18/2019	4:30:00 AM	0.28
11/18/2019	4:45:00 AM	0.28
11/18/2019	5:00:00 AM	0.28
11/18/2019	5:15:00 AM	0.28
11/18/2019	5:30:00 AM	0.28
11/18/2019	5:45:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
11/18/2019	6:00:00 AM	0.28
11/18/2019	6:15:00 AM	0.28
11/18/2019	6:30:00 AM	0.28
11/18/2019	6:45:00 AM	0.28
11/18/2019	7:00:00 AM	0.28
11/18/2019	7:15:00 AM	0.28
11/18/2019	7:30:00 AM	0.28
11/18/2019	7:45:00 AM	0.28
11/18/2019	8:00:00 AM	0.28
11/18/2019	8:15:00 AM	0.28
11/18/2019	8:30:00 AM	0.28
11/18/2019	8:45:00 AM	0.28
11/18/2019	9:00:00 AM	0.28
11/18/2019	9:15:00 AM	0.28
11/18/2019	9:30:00 AM	0.28
11/18/2019	9:45:00 AM	0.28
11/18/2019	10:00:00 AM	0.28
11/18/2019	10:15:00 AM	0.28
11/18/2019	10:30:00 AM	0.28
11/18/2019	10:45:00 AM	0.28
11/18/2019	11:00:00 AM	0.28
11/18/2019	11:15:00 AM	0.28
11/18/2019	11:30:00 AM	0.28
11/18/2019	11:45:00 AM	0.28
11/18/2019	12:00:00 PM	0.28
11/18/2019	12:15:00 PM	0.28
11/18/2019	12:30:00 PM	0.28
11/18/2019	12:45:00 PM	0.28
11/18/2019	1:00:00 PM	0.28
11/18/2019	1:15:00 PM	0.28
11/18/2019	1:30:00 PM	0.28
11/18/2019	1:45:00 PM	0.28
11/18/2019	2:00:00 PM	0.28
11/18/2019	2:15:00 PM	0.28
11/18/2019	2:30:00 PM	0.28
11/18/2019	2:45:00 PM	0.28
11/18/2019	3:00:00 PM	0.28
11/18/2019	3:15:00 PM	0.28
11/18/2019	3:30:00 PM	0.28
11/18/2019	3:45:00 PM	0.28
11/18/2019	4:00:00 PM	0.28
11/18/2019	4:15:00 PM	0.28
11/18/2019	4:30:00 PM	0.28
11/18/2019	4:45:00 PM	0.28
11/18/2019	5:00:00 PM	0.28
11/18/2019	5:15:00 PM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
11/18/2019	5:30:00 PM	0.28
11/18/2019	5:45:00 PM	0.28
11/18/2019	6:00:00 PM	0.28
11/18/2019	6:15:00 PM	0.28
11/18/2019	6:30:00 PM	0.28
11/18/2019	6:45:00 PM	0.28
11/18/2019	7:00:00 PM	0.28
11/18/2019	7:15:00 PM	0.28
11/18/2019	7:30:00 PM	0.28
11/18/2019	7:45:00 PM	0.28
11/18/2019	8:00:00 PM	0.28
11/18/2019	8:15:00 PM	0.28
11/18/2019	8:30:00 PM	0.28
11/18/2019	8:45:00 PM	0.28
11/18/2019	9:00:00 PM	0.28
11/18/2019	9:15:00 PM	0.28
11/18/2019	9:30:00 PM	0.28
11/18/2019	9:45:00 PM	0.28
11/18/2019	10:00:00 PM	0.28
11/18/2019	10:15:00 PM	0.28
11/18/2019	10:30:00 PM	0.28
11/18/2019	10:45:00 PM	0.28
11/18/2019	11:00:00 PM	0.28
11/18/2019	11:15:00 PM	0.28
11/18/2019	11:30:00 PM	0.28
11/18/2019	11:45:00 PM	0.28
11/19/2019	12:00:00 AM	0.28
11/19/2019	12:15:00 AM	0.28
11/19/2019	12:30:00 AM	0.28
11/19/2019	12:45:00 AM	0.29
11/19/2019	1:00:00 AM	0.29
11/19/2019	1:15:00 AM	0.29
11/19/2019	1:30:00 AM	0.29
11/19/2019	1:45:00 AM	0.29
11/19/2019	2:00:00 AM	0.29
11/19/2019	2:15:00 AM	0.29
11/19/2019	2:30:00 AM	0.29
11/19/2019	2:45:00 AM	0.29
11/19/2019	3:00:00 AM	0.29
11/19/2019	3:15:00 AM	0.29
11/19/2019	3:30:00 AM	0.29
11/19/2019	3:45:00 AM	0.29
11/19/2019	4:00:00 AM	0.29
11/19/2019	4:15:00 AM	0.29
11/19/2019	4:30:00 AM	0.29
11/19/2019	4:45:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
11/19/2019	5:00:00 AM	0.29
11/19/2019	5:15:00 AM	0.29
11/19/2019	5:30:00 AM	0.29
11/19/2019	5:45:00 AM	0.29
11/19/2019	6:00:00 AM	0.29
11/19/2019	6:15:00 AM	0.29
11/19/2019	6:30:00 AM	0.29
11/19/2019	6:45:00 AM	0.29
11/19/2019	7:00:00 AM	0.29
11/19/2019	7:15:00 AM	0.29
11/19/2019	7:30:00 AM	0.29
11/19/2019	7:45:00 AM	0.29
11/19/2019	8:00:00 AM	0.29
11/19/2019	8:15:00 AM	0.29
11/19/2019	8:30:00 AM	0.29
11/19/2019	8:45:00 AM	0.29
11/19/2019	9:00:00 AM	0.29
11/19/2019	9:15:00 AM	0.29
11/19/2019	9:30:00 AM	0.29
11/19/2019	9:45:00 AM	0.29
11/19/2019	10:00:00 AM	0.29
11/19/2019	10:15:00 AM	0.29
11/19/2019	10:30:00 AM	0.29
11/19/2019	10:45:00 AM	0.29
11/19/2019	11:00:00 AM	0.29
11/19/2019	11:15:00 AM	0.29
11/19/2019	11:30:00 AM	0.29
11/19/2019	11:45:00 AM	0.29
11/19/2019	12:00:00 PM	0.29
11/19/2019	12:15:00 PM	0.29
11/19/2019	12:30:00 PM	0.29
11/19/2019	12:45:00 PM	0.29
11/19/2019	1:00:00 PM	0.29
11/19/2019	1:15:00 PM	0.29
11/19/2019	1:30:00 PM	0.29
11/19/2019	1:45:00 PM	0.29
11/19/2019	2:00:00 PM	0.29
11/19/2019	2:15:00 PM	0.29
11/19/2019	2:30:00 PM	0.29
11/19/2019	2:45:00 PM	0.29
11/19/2019	3:00:00 PM	0.29
11/19/2019	3:15:00 PM	0.29
11/19/2019	3:30:00 PM	0.29
11/19/2019	3:45:00 PM	0.29
11/19/2019	4:00:00 PM	0.29
11/19/2019	4:15:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
11/19/2019	4:30:00 PM	0.29
11/19/2019	4:45:00 PM	0.29
11/19/2019	5:00:00 PM	0.29
11/19/2019	5:15:00 PM	0.29
11/19/2019	5:30:00 PM	0.29
11/19/2019	5:45:00 PM	0.29
11/19/2019	6:00:00 PM	0.29
11/19/2019	6:15:00 PM	0.29
11/19/2019	6:30:00 PM	0.29
11/19/2019	6:45:00 PM	0.29
11/19/2019	7:00:00 PM	0.29
11/19/2019	7:15:00 PM	0.29
11/19/2019	7:30:00 PM	0.29
11/19/2019	7:45:00 PM	0.29
11/19/2019	8:00:00 PM	0.29
11/19/2019	8:15:00 PM	0.29
11/19/2019	8:30:00 PM	0.29
11/19/2019	8:45:00 PM	0.29
11/19/2019	9:00:00 PM	0.29
11/19/2019	9:15:00 PM	0.29
11/19/2019	9:30:00 PM	0.29
11/19/2019	9:45:00 PM	0.29
11/19/2019	10:00:00 PM	0.29
11/19/2019	10:15:00 PM	0.29
11/19/2019	10:30:00 PM	0.29
11/19/2019	10:45:00 PM	0.29
11/19/2019	11:00:00 PM	0.29
11/19/2019	11:15:00 PM	0.29
11/19/2019	11:30:00 PM	0.29
11/19/2019	11:45:00 PM	0.29
11/20/2019	12:00:00 AM	0.29
11/20/2019	12:15:00 AM	0.29
11/20/2019	12:30:00 AM	0.29
11/20/2019	12:45:00 AM	0.29
11/20/2019	1:00:00 AM	0.29
11/20/2019	1:15:00 AM	0.29
11/20/2019	1:30:00 AM	0.29
11/20/2019	1:45:00 AM	0.29
11/20/2019	2:00:00 AM	0.29
11/20/2019	2:15:00 AM	0.29
11/20/2019	2:30:00 AM	0.29
11/20/2019	2:45:00 AM	0.29
11/20/2019	3:00:00 AM	0.29
11/20/2019	3:15:00 AM	0.29
11/20/2019	3:30:00 AM	0.29
11/20/2019	3:45:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
11/20/2019	4:00:00 AM	0.29
11/20/2019	4:15:00 AM	0.29
11/20/2019	4:30:00 AM	0.29
11/20/2019	4:45:00 AM	0.29
11/20/2019	5:00:00 AM	0.29
11/20/2019	5:15:00 AM	0.29
11/20/2019	5:30:00 AM	0.29
11/20/2019	5:45:00 AM	0.29
11/20/2019	6:00:00 AM	0.29
11/20/2019	6:15:00 AM	0.29
11/20/2019	6:30:00 AM	0.29
11/20/2019	6:45:00 AM	0.29
11/20/2019	7:00:00 AM	0.29
11/20/2019	7:15:00 AM	0.29
11/20/2019	7:30:00 AM	0.29
11/20/2019	7:45:00 AM	0.29
11/20/2019	8:00:00 AM	0.29
11/20/2019	8:15:00 AM	0.29
11/20/2019	8:30:00 AM	0.3
11/20/2019	8:45:00 AM	0.3
11/20/2019	9:00:00 AM	0.3
11/20/2019	9:15:00 AM	0.3
11/20/2019	9:30:00 AM	0.3
11/20/2019	9:45:00 AM	0.3
11/20/2019	10:00:00 AM	0.3
11/20/2019	10:15:00 AM	0.3
11/20/2019	10:30:00 AM	0.3
11/20/2019	10:45:00 AM	0.3
11/20/2019	11:00:00 AM	0.3
11/20/2019	11:15:00 AM	0.3
11/20/2019	11:30:00 AM	0.3
11/20/2019	11:45:00 AM	0.3
11/20/2019	12:00:00 PM	0.3
11/20/2019	12:15:00 PM	0.3
11/20/2019	12:30:00 PM	0.3
11/20/2019	12:45:00 PM	0.3
11/20/2019	1:00:00 PM	0.3
11/20/2019	1:15:00 PM	0.3
11/20/2019	1:30:00 PM	0.3
11/20/2019	1:45:00 PM	0.3
11/20/2019	2:00:00 PM	0.3
11/20/2019	2:15:00 PM	0.3
11/20/2019	2:30:00 PM	0.3
11/20/2019	2:45:00 PM	0.3
11/20/2019	3:00:00 PM	0.3
11/20/2019	3:15:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
11/20/2019	3:30:00 PM	0.3
11/20/2019	3:45:00 PM	0.3
11/20/2019	4:00:00 PM	0.3
11/20/2019	4:15:00 PM	0.31
11/20/2019	4:30:00 PM	0.31
11/20/2019	4:45:00 PM	0.32
11/20/2019	5:00:00 PM	0.32
11/20/2019	5:15:00 PM	0.32
11/20/2019	5:30:00 PM	0.32
11/20/2019	5:45:00 PM	0.32
11/20/2019	6:00:00 PM	0.32
11/20/2019	6:15:00 PM	0.32
11/20/2019	6:30:00 PM	0.32
11/20/2019	6:45:00 PM	0.32
11/20/2019	7:00:00 PM	0.32
11/20/2019	7:15:00 PM	0.32
11/20/2019	7:30:00 PM	0.32
11/20/2019	7:45:00 PM	0.32
11/20/2019	8:00:00 PM	0.32
11/20/2019	8:15:00 PM	0.32
11/20/2019	8:30:00 PM	0.32
11/20/2019	8:45:00 PM	0.32
11/20/2019	9:00:00 PM	0.32
11/20/2019	9:15:00 PM	0.32
11/20/2019	9:30:00 PM	0.32
11/20/2019	9:45:00 PM	0.32
11/20/2019	10:00:00 PM	0.32
11/20/2019	10:15:00 PM	0.32
11/20/2019	10:30:00 PM	0.32
11/20/2019	10:45:00 PM	0.32
11/20/2019	11:00:00 PM	0.32
11/20/2019	11:15:00 PM	0.32
11/20/2019	11:30:00 PM	0.32
11/20/2019	11:45:00 PM	0.32
11/21/2019	12:00:00 AM	0.32
11/21/2019	12:15:00 AM	0.32
11/21/2019	12:30:00 AM	0.32
11/21/2019	12:45:00 AM	0.32
11/21/2019	1:00:00 AM	0.32
11/21/2019	1:15:00 AM	0.32
11/21/2019	1:30:00 AM	0.32
11/21/2019	1:45:00 AM	0.32
11/21/2019	2:00:00 AM	0.32
11/21/2019	2:15:00 AM	0.32
11/21/2019	2:30:00 AM	0.32
11/21/2019	2:45:00 AM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
11/21/2019	3:00:00 AM	0.32
11/21/2019	3:15:00 AM	0.32
11/21/2019	3:30:00 AM	0.32
11/21/2019	3:45:00 AM	0.32
11/21/2019	4:00:00 AM	0.32
11/21/2019	4:15:00 AM	0.32
11/21/2019	4:30:00 AM	0.32
11/21/2019	4:45:00 AM	0.32
11/21/2019	5:00:00 AM	0.32
11/21/2019	5:15:00 AM	0.32
11/21/2019	5:30:00 AM	0.32
11/21/2019	5:45:00 AM	0.32
11/21/2019	6:00:00 AM	0.32
11/21/2019	6:15:00 AM	0.32
11/21/2019	6:30:00 AM	0.32
11/21/2019	6:45:00 AM	0.32
11/21/2019	7:00:00 AM	0.32
11/21/2019	7:15:00 AM	0.32
11/21/2019	7:30:00 AM	0.32
11/21/2019	7:45:00 AM	0.32
11/21/2019	8:00:00 AM	0.32
11/21/2019	8:15:00 AM	0.32
11/21/2019	8:30:00 AM	0.32
11/21/2019	8:45:00 AM	0.32
11/21/2019	9:00:00 AM	0.32
11/21/2019	9:15:00 AM	0.32
11/21/2019	9:30:00 AM	0.32
11/21/2019	9:45:00 AM	0.32
11/21/2019	10:00:00 AM	0.32
11/21/2019	10:15:00 AM	0.32
11/21/2019	10:30:00 AM	0.32
11/21/2019	10:45:00 AM	0.32
11/21/2019	11:00:00 AM	0.32
11/21/2019	11:15:00 AM	0.32
11/21/2019	11:30:00 AM	0.32
11/21/2019	11:45:00 AM	0.32
11/21/2019	12:00:00 PM	0.32
11/21/2019	12:15:00 PM	0.32
11/21/2019	12:30:00 PM	0.32
11/21/2019	12:45:00 PM	0.32
11/21/2019	1:00:00 PM	0.32
11/21/2019	1:15:00 PM	0.32
11/21/2019	1:30:00 PM	0.32
11/21/2019	1:45:00 PM	0.32
11/21/2019	2:00:00 PM	0.32
11/21/2019	2:15:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
11/21/2019	2:30:00 PM	0.32
11/21/2019	2:45:00 PM	0.32
11/21/2019	3:00:00 PM	0.32
11/21/2019	3:15:00 PM	0.32
11/21/2019	3:30:00 PM	0.32
11/21/2019	3:45:00 PM	0.32
11/21/2019	4:00:00 PM	0.32
11/21/2019	4:15:00 PM	0.32
11/21/2019	4:30:00 PM	0.32
11/21/2019	4:45:00 PM	0.32
11/21/2019	5:00:00 PM	0.32
11/21/2019	5:15:00 PM	0.32
11/21/2019	5:30:00 PM	0.32
11/21/2019	5:45:00 PM	0.32
11/21/2019	6:00:00 PM	0.32
11/21/2019	6:15:00 PM	0.32
11/21/2019	6:30:00 PM	0.32
11/21/2019	6:45:00 PM	0.32
11/21/2019	7:00:00 PM	0.32
11/21/2019	7:15:00 PM	0.32
11/21/2019	7:30:00 PM	0.32
11/21/2019	7:45:00 PM	0.32
11/21/2019	8:00:00 PM	0.32
11/21/2019	8:15:00 PM	0.32
11/21/2019	8:30:00 PM	0.32
11/21/2019	8:45:00 PM	0.32
11/21/2019	9:00:00 PM	0.32
11/21/2019	9:15:00 PM	0.32
11/21/2019	9:30:00 PM	0.32
11/21/2019	9:45:00 PM	0.32
11/21/2019	10:00:00 PM	0.32
11/21/2019	10:15:00 PM	0.32
11/21/2019	10:30:00 PM	0.32
11/21/2019	10:45:00 PM	0.32
11/21/2019	11:00:00 PM	0.32
11/21/2019	11:15:00 PM	0.32
11/21/2019	11:30:00 PM	0.32
11/21/2019	11:45:00 PM	0.32
11/22/2019	12:00:00 AM	0.32
11/22/2019	12:15:00 AM	0.32
11/22/2019	12:30:00 AM	0.32
11/22/2019	12:45:00 AM	0.32
11/22/2019	1:00:00 AM	0.32
11/22/2019	1:15:00 AM	0.32
11/22/2019	1:30:00 AM	0.32
11/22/2019	1:45:00 AM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
11/22/2019	2:00:00 AM	0.32
11/22/2019	2:15:00 AM	0.32
11/22/2019	2:30:00 AM	0.32
11/22/2019	2:45:00 AM	0.32
11/22/2019	3:00:00 AM	0.32
11/22/2019	3:15:00 AM	0.32
11/22/2019	3:30:00 AM	0.32
11/22/2019	3:45:00 AM	0.32
11/22/2019	4:00:00 AM	0.32
11/22/2019	4:15:00 AM	0.32
11/22/2019	4:30:00 AM	0.32
11/22/2019	4:45:00 AM	0.32
11/22/2019	5:00:00 AM	0.32
11/22/2019	5:15:00 AM	0.32
11/22/2019	5:30:00 AM	0.32
11/22/2019	5:45:00 AM	0.32
11/22/2019	6:00:00 AM	0.32
11/22/2019	6:15:00 AM	0.32
11/22/2019	6:30:00 AM	0.32
11/22/2019	6:45:00 AM	0.32
11/22/2019	7:00:00 AM	0.32
11/22/2019	7:15:00 AM	0.32
11/22/2019	7:30:00 AM	0.32
11/22/2019	7:45:00 AM	0.32
11/22/2019	8:00:00 AM	0.32
11/22/2019	8:15:00 AM	0.32
11/22/2019	8:30:00 AM	0.32
11/22/2019	8:45:00 AM	0.32
11/22/2019	9:00:00 AM	0.32
11/22/2019	9:15:00 AM	0.32
11/22/2019	9:30:00 AM	0.32
11/22/2019	9:45:00 AM	0.32
11/22/2019	10:00:00 AM	0.32
11/22/2019	10:15:00 AM	0.32
11/22/2019	10:30:00 AM	0.32
11/22/2019	10:45:00 AM	0.32
11/22/2019	11:00:00 AM	0.32
11/22/2019	11:15:00 AM	0.32
11/22/2019	11:30:00 AM	0.32
11/22/2019	11:45:00 AM	0.32
11/22/2019	12:00:00 PM	0.32
11/22/2019	12:15:00 PM	0.32
11/22/2019	12:30:00 PM	0.32
11/22/2019	12:45:00 PM	0.32
11/22/2019	1:00:00 PM	0.32
11/22/2019	1:15:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
11/22/2019	1:30:00 PM	0.32
11/22/2019	1:45:00 PM	0.32
11/22/2019	2:00:00 PM	0.32
11/22/2019	2:15:00 PM	0.32
11/22/2019	2:30:00 PM	0.32
11/22/2019	2:45:00 PM	0.32
11/22/2019	3:00:00 PM	0.32
11/22/2019	3:15:00 PM	0.32
11/22/2019	3:30:00 PM	0.32
11/22/2019	3:45:00 PM	0.32
11/22/2019	4:00:00 PM	0.32
11/22/2019	4:15:00 PM	0.32
11/22/2019	4:30:00 PM	0.32
11/22/2019	4:45:00 PM	0.32
11/22/2019	5:00:00 PM	0.32
11/22/2019	5:15:00 PM	0.32
11/22/2019	5:30:00 PM	0.32
11/22/2019	5:45:00 PM	0.32
11/22/2019	6:00:00 PM	0.32
11/22/2019	6:15:00 PM	0.32
11/22/2019	6:30:00 PM	0.32
11/22/2019	6:45:00 PM	0.32
11/22/2019	7:00:00 PM	0.32
11/22/2019	7:15:00 PM	0.32
11/22/2019	7:30:00 PM	0.32
11/22/2019	7:45:00 PM	0.32
11/22/2019	8:00:00 PM	0.32
11/22/2019	8:15:00 PM	0.32
11/22/2019	8:30:00 PM	0.32
11/22/2019	8:45:00 PM	0.32
11/22/2019	9:00:00 PM	0.32
11/22/2019	9:15:00 PM	0.32
11/22/2019	9:30:00 PM	0.32
11/22/2019	9:45:00 PM	0.32
11/22/2019	10:00:00 PM	0.32
11/22/2019	10:15:00 PM	0.32
11/22/2019	10:30:00 PM	0.32
11/22/2019	10:45:00 PM	0.32
11/22/2019	11:00:00 PM	0.32
11/22/2019	11:15:00 PM	0.32
11/22/2019	11:30:00 PM	0.32
11/22/2019	11:45:00 PM	0.32
11/23/2019	12:00:00 AM	0.32
11/23/2019	12:15:00 AM	0.32
11/23/2019	12:30:00 AM	0.32
11/23/2019	12:45:00 AM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
11/23/2019	1:00:00 AM	0.32
11/23/2019	1:15:00 AM	0.32
11/23/2019	1:30:00 AM	0.32
11/23/2019	1:45:00 AM	0.32
11/23/2019	2:00:00 AM	0.32
11/23/2019	2:15:00 AM	0.32
11/23/2019	2:30:00 AM	0.32
11/23/2019	2:45:00 AM	0.32
11/23/2019	3:00:00 AM	0.32
11/23/2019	3:15:00 AM	0.32
11/23/2019	3:30:00 AM	0.32
11/23/2019	3:45:00 AM	0.32
11/23/2019	4:00:00 AM	0.32
11/23/2019	4:15:00 AM	0.32
11/23/2019	4:30:00 AM	0.32
11/23/2019	4:45:00 AM	0.32
11/23/2019	5:00:00 AM	0.32
11/23/2019	5:15:00 AM	0.32
11/23/2019	5:30:00 AM	0.32
11/23/2019	5:45:00 AM	0.32
11/23/2019	6:00:00 AM	0.32
11/23/2019	6:15:00 AM	0.32
11/23/2019	6:30:00 AM	0.32
11/23/2019	6:45:00 AM	0.32
11/23/2019	7:00:00 AM	0.32
11/23/2019	7:15:00 AM	0.32
11/23/2019	7:30:00 AM	0.32
11/23/2019	7:45:00 AM	0.32
11/23/2019	8:00:00 AM	0.32
11/23/2019	8:15:00 AM	0.32
11/23/2019	8:30:00 AM	0.32
11/23/2019	8:45:00 AM	0.32
11/23/2019	9:00:00 AM	0.32
11/23/2019	9:15:00 AM	0.32
11/23/2019	9:30:00 AM	0.32
11/23/2019	9:45:00 AM	0.32
11/23/2019	10:00:00 AM	0.32
11/23/2019	10:15:00 AM	0.32
11/23/2019	10:30:00 AM	0.32
11/23/2019	10:45:00 AM	0.32
11/23/2019	11:00:00 AM	0.32
11/23/2019	11:15:00 AM	0.32
11/23/2019	11:30:00 AM	0.32
11/23/2019	11:45:00 AM	0.32
11/23/2019	12:00:00 PM	0.32
11/23/2019	12:15:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
11/23/2019	12:30:00 PM	0.32
11/23/2019	12:45:00 PM	0.32
11/23/2019	1:00:00 PM	0.32
11/23/2019	1:15:00 PM	0.32
11/23/2019	1:30:00 PM	0.32
11/23/2019	1:45:00 PM	0.32
11/23/2019	2:00:00 PM	0.32
11/23/2019	2:15:00 PM	0.32
11/23/2019	2:30:00 PM	0.32
11/23/2019	2:45:00 PM	0.32
11/23/2019	3:00:00 PM	0.32
11/23/2019	3:15:00 PM	0.32
11/23/2019	3:30:00 PM	0.32
11/23/2019	3:45:00 PM	0.32
11/23/2019	4:00:00 PM	0.32
11/23/2019	4:15:00 PM	0.32
11/23/2019	4:30:00 PM	0.32
11/23/2019	4:45:00 PM	0.32
11/23/2019	5:00:00 PM	0.32
11/23/2019	5:15:00 PM	0.32
11/23/2019	5:30:00 PM	0.32
11/23/2019	5:45:00 PM	0.32
11/23/2019	6:00:00 PM	0.32
11/23/2019	6:15:00 PM	0.32
11/23/2019	6:30:00 PM	0.32
11/23/2019	6:45:00 PM	0.32
11/23/2019	7:00:00 PM	0.32
11/23/2019	7:15:00 PM	0.32
11/23/2019	7:30:00 PM	0.32
11/23/2019	7:45:00 PM	0.32
11/23/2019	8:00:00 PM	0.32
11/23/2019	8:15:00 PM	0.32
11/23/2019	8:30:00 PM	0.32
11/23/2019	8:45:00 PM	0.32
11/23/2019	9:00:00 PM	0.32
11/23/2019	9:15:00 PM	0.32
11/23/2019	9:30:00 PM	0.32
11/23/2019	9:45:00 PM	0.32
11/23/2019	10:00:00 PM	0.32
11/23/2019	10:15:00 PM	0.32
11/23/2019	10:30:00 PM	0.32
11/23/2019	10:45:00 PM	0.32
11/23/2019	11:00:00 PM	0.32
11/23/2019	11:15:00 PM	0.32
11/23/2019	11:30:00 PM	0.32
11/23/2019	11:45:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
11/24/2019	12:00:00 AM	0.32
11/24/2019	12:15:00 AM	0.32
11/24/2019	12:30:00 AM	0.32
11/24/2019	12:45:00 AM	0.32
11/24/2019	1:00:00 AM	0.32
11/24/2019	1:15:00 AM	0.32
11/24/2019	1:30:00 AM	0.32
11/24/2019	1:45:00 AM	0.32
11/24/2019	2:00:00 AM	0.32
11/24/2019	2:15:00 AM	0.32
11/24/2019	2:30:00 AM	0.32
11/24/2019	2:45:00 AM	0.32
11/24/2019	3:00:00 AM	0.32
11/24/2019	3:15:00 AM	0.32
11/24/2019	3:30:00 AM	0.32
11/24/2019	3:45:00 AM	0.32
11/24/2019	4:00:00 AM	0.32
11/24/2019	4:15:00 AM	0.32
11/24/2019	4:30:00 AM	0.32
11/24/2019	4:45:00 AM	0.32
11/24/2019	5:00:00 AM	0.32
11/24/2019	5:15:00 AM	0.32
11/24/2019	5:30:00 AM	0.32
11/24/2019	5:45:00 AM	0.32
11/24/2019	6:00:00 AM	0.32
11/24/2019	6:15:00 AM	0.32
11/24/2019	6:30:00 AM	0.32
11/24/2019	6:45:00 AM	0.32
11/24/2019	7:00:00 AM	0.32
11/24/2019	7:15:00 AM	0.32
11/24/2019	7:30:00 AM	0.32
11/24/2019	7:45:00 AM	0.32
11/24/2019	8:00:00 AM	0.32
11/24/2019	8:15:00 AM	0.32
11/24/2019	8:30:00 AM	0.31
11/24/2019	8:45:00 AM	0.31
11/24/2019	9:00:00 AM	0.31
11/24/2019	9:15:00 AM	0.31
11/24/2019	9:30:00 AM	0.31
11/24/2019	9:45:00 AM	0.31
11/24/2019	10:00:00 AM	0.31
11/24/2019	10:15:00 AM	0.31
11/24/2019	10:30:00 AM	0.31
11/24/2019	10:45:00 AM	0.31
11/24/2019	11:00:00 AM	0.31
11/24/2019	11:15:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
11/24/2019	11:30:00 AM	0.31
11/24/2019	11:45:00 AM	0.31
11/24/2019	12:00:00 PM	0.31
11/24/2019	12:15:00 PM	0.31
11/24/2019	12:30:00 PM	0.31
11/24/2019	12:45:00 PM	0.31
11/24/2019	1:00:00 PM	0.31
11/24/2019	1:15:00 PM	0.31
11/24/2019	1:30:00 PM	0.31
11/24/2019	1:45:00 PM	0.31
11/24/2019	2:00:00 PM	0.31
11/24/2019	2:15:00 PM	0.31
11/24/2019	2:30:00 PM	0.31
11/24/2019	2:45:00 PM	0.31
11/24/2019	3:00:00 PM	0.31
11/24/2019	3:15:00 PM	0.31
11/24/2019	3:30:00 PM	0.31
11/24/2019	3:45:00 PM	0.31
11/24/2019	4:00:00 PM	0.31
11/24/2019	4:15:00 PM	0.31
11/24/2019	4:30:00 PM	0.31
11/24/2019	4:45:00 PM	0.31
11/24/2019	5:00:00 PM	0.31
11/24/2019	5:15:00 PM	0.31
11/24/2019	5:30:00 PM	0.31
11/24/2019	5:45:00 PM	0.31
11/24/2019	6:00:00 PM	0.3
11/24/2019	6:15:00 PM	0.3
11/24/2019	6:30:00 PM	0.3
11/24/2019	6:45:00 PM	0.3
11/24/2019	7:00:00 PM	0.3
11/24/2019	7:15:00 PM	0.3
11/24/2019	7:30:00 PM	0.3
11/24/2019	7:45:00 PM	0.3
11/24/2019	8:00:00 PM	0.3
11/24/2019	8:15:00 PM	0.3
11/24/2019	8:30:00 PM	0.3
11/24/2019	8:45:00 PM	0.3
11/24/2019	9:00:00 PM	0.3
11/24/2019	9:15:00 PM	0.3
11/24/2019	9:30:00 PM	0.3
11/24/2019	9:45:00 PM	0.3
11/24/2019	10:00:00 PM	0.3
11/24/2019	10:15:00 PM	0.3
11/24/2019	10:30:00 PM	0.3
11/24/2019	10:45:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
11/24/2019	11:00:00 PM	0.3
11/24/2019	11:15:00 PM	0.3
11/24/2019	11:30:00 PM	0.3
11/24/2019	11:45:00 PM	0.29
11/25/2019	12:00:00 AM	0.29
11/25/2019	12:15:00 AM	0.29
11/25/2019	12:30:00 AM	0.29
11/25/2019	12:45:00 AM	0.29
11/25/2019	1:00:00 AM	0.29
11/25/2019	1:15:00 AM	0.29
11/25/2019	1:30:00 AM	0.29
11/25/2019	1:45:00 AM	0.29
11/25/2019	2:00:00 AM	0.29
11/25/2019	2:15:00 AM	0.29
11/25/2019	2:30:00 AM	0.29
11/25/2019	2:45:00 AM	0.29
11/25/2019	3:00:00 AM	0.29
11/25/2019	3:15:00 AM	0.29
11/25/2019	3:30:00 AM	0.29
11/25/2019	3:45:00 AM	0.29
11/25/2019	4:00:00 AM	0.29
11/25/2019	4:15:00 AM	0.29
11/25/2019	4:30:00 AM	0.29
11/25/2019	4:45:00 AM	0.29
11/25/2019	5:00:00 AM	0.29
11/25/2019	5:15:00 AM	0.29
11/25/2019	5:30:00 AM	0.29
11/25/2019	5:45:00 AM	0.29
11/25/2019	6:00:00 AM	0.29
11/25/2019	6:15:00 AM	0.29
11/25/2019	6:30:00 AM	0.29
11/25/2019	6:45:00 AM	0.29
11/25/2019	7:00:00 AM	0.29
11/25/2019	7:15:00 AM	0.29
11/25/2019	7:30:00 AM	0.29
11/25/2019	7:45:00 AM	0.29
11/25/2019	8:00:00 AM	0.29
11/25/2019	8:15:00 AM	0.29
11/25/2019	8:30:00 AM	0.29
11/25/2019	8:45:00 AM	0.29
11/25/2019	9:00:00 AM	0.29
11/25/2019	9:15:00 AM	0.29
11/25/2019	9:30:00 AM	0.29
11/25/2019	9:45:00 AM	0.29
11/25/2019	10:00:00 AM	0.29
11/25/2019	10:15:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
11/25/2019	10:30:00 AM	0.29
11/25/2019	10:45:00 AM	0.29
11/25/2019	11:00:00 AM	0.29
11/25/2019	11:15:00 AM	0.29
11/25/2019	11:30:00 AM	0.29
11/25/2019	11:45:00 AM	0.29
11/25/2019	12:00:00 PM	0.29
11/25/2019	12:15:00 PM	0.29
11/25/2019	12:30:00 PM	0.27
11/25/2019	12:45:00 PM	0.27
11/25/2019	1:00:00 PM	0.27
11/25/2019	1:15:00 PM	0.27
11/25/2019	1:30:00 PM	0.27
11/25/2019	1:45:00 PM	0.27
11/25/2019	2:00:00 PM	0.27
11/25/2019	2:15:00 PM	0.27
11/25/2019	2:30:00 PM	0.27
11/25/2019	2:45:00 PM	0.27
11/25/2019	3:00:00 PM	0.27
11/25/2019	3:15:00 PM	0.27
11/25/2019	3:30:00 PM	0.27
11/25/2019	3:45:00 PM	0.27
11/25/2019	4:00:00 PM	0.27
11/25/2019	4:15:00 PM	0.27
11/25/2019	4:30:00 PM	0.27
11/25/2019	4:45:00 PM	0.27
11/25/2019	5:00:00 PM	0.27
11/25/2019	5:15:00 PM	0.27
11/25/2019	5:30:00 PM	0.27
11/25/2019	5:45:00 PM	0.27
11/25/2019	6:00:00 PM	0.27
11/25/2019	6:15:00 PM	0.27
11/25/2019	6:30:00 PM	0.27
11/25/2019	6:45:00 PM	0.27
11/25/2019	7:00:00 PM	0.27
11/25/2019	7:15:00 PM	0.27
11/25/2019	7:30:00 PM	0.27
11/25/2019	7:45:00 PM	0.27
11/25/2019	8:00:00 PM	0.27
11/25/2019	8:15:00 PM	0.27
11/25/2019	8:30:00 PM	0.27
11/25/2019	8:45:00 PM	0.27
11/25/2019	9:00:00 PM	0.27
11/25/2019	9:15:00 PM	0.27
11/25/2019	9:30:00 PM	0.27
11/25/2019	9:45:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
11/25/2019	10:00:00 PM	0.27
11/25/2019	10:15:00 PM	0.27
11/25/2019	10:30:00 PM	0.27
11/25/2019	10:45:00 PM	0.27
11/25/2019	11:00:00 PM	0.27
11/25/2019	11:15:00 PM	0.27
11/25/2019	11:30:00 PM	0.27
11/25/2019	11:45:00 PM	0.27
11/26/2019	12:00:00 AM	0.27
11/26/2019	12:15:00 AM	0.27
11/26/2019	12:30:00 AM	0.27
11/26/2019	12:45:00 AM	0.27
11/26/2019	1:00:00 AM	0.27
11/26/2019	1:15:00 AM	0.27
11/26/2019	1:30:00 AM	0.27
11/26/2019	1:45:00 AM	0.27
11/26/2019	2:00:00 AM	0.27
11/26/2019	2:15:00 AM	0.27
11/26/2019	2:30:00 AM	0.27
11/26/2019	2:45:00 AM	0.27
11/26/2019	3:00:00 AM	0.27
11/26/2019	3:15:00 AM	0.27
11/26/2019	3:30:00 AM	0.27
11/26/2019	3:45:00 AM	0.27
11/26/2019	4:00:00 AM	0.27
11/26/2019	4:15:00 AM	0.27
11/26/2019	4:30:00 AM	0.27
11/26/2019	4:45:00 AM	0.27
11/26/2019	5:00:00 AM	0.27
11/26/2019	5:15:00 AM	0.27
11/26/2019	5:30:00 AM	0.27
11/26/2019	5:45:00 AM	0.27
11/26/2019	6:00:00 AM	0.27
11/26/2019	6:15:00 AM	0.27
11/26/2019	6:30:00 AM	0.27
11/26/2019	6:45:00 AM	0.27
11/26/2019	7:00:00 AM	0.27
11/26/2019	7:15:00 AM	0.27
11/26/2019	7:30:00 AM	0.27
11/26/2019	7:45:00 AM	0.27
11/26/2019	8:00:00 AM	0.27
11/26/2019	8:15:00 AM	0.27
11/26/2019	8:30:00 AM	0.27
11/26/2019	8:45:00 AM	0.27
11/26/2019	9:00:00 AM	0.27
11/26/2019	9:15:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
11/26/2019	9:30:00 AM	0.27
11/26/2019	9:45:00 AM	0.27
11/26/2019	10:00:00 AM	0.27
11/26/2019	10:15:00 AM	0.27
11/26/2019	10:30:00 AM	0.27
11/26/2019	10:45:00 AM	0.27
11/26/2019	11:00:00 AM	0.27
11/26/2019	11:15:00 AM	0.27
11/26/2019	11:30:00 AM	0.27
11/26/2019	11:45:00 AM	0.27
11/26/2019	12:00:00 PM	0.27
11/26/2019	12:15:00 PM	0.27
11/26/2019	12:30:00 PM	0.27
11/26/2019	12:45:00 PM	0.27
11/26/2019	1:00:00 PM	0.26
11/26/2019	1:15:00 PM	0.26
11/26/2019	1:30:00 PM	0.26
11/26/2019	1:45:00 PM	0.26
11/26/2019	2:00:00 PM	0.26
11/26/2019	2:15:00 PM	0.26
11/26/2019	2:30:00 PM	0.26
11/26/2019	2:45:00 PM	0.26
11/26/2019	3:00:00 PM	0.26
11/26/2019	3:15:00 PM	0.26
11/26/2019	3:30:00 PM	0.26
11/26/2019	3:45:00 PM	0.26
11/26/2019	4:00:00 PM	0.26
11/26/2019	4:15:00 PM	0.26
11/26/2019	4:30:00 PM	0.26
11/26/2019	4:45:00 PM	0.26
11/26/2019	5:00:00 PM	0.26
11/26/2019	5:15:00 PM	0.26
11/26/2019	5:30:00 PM	0.26
11/26/2019	5:45:00 PM	0.26
11/26/2019	6:00:00 PM	0.26
11/26/2019	6:15:00 PM	0.26
11/26/2019	6:30:00 PM	0.26
11/26/2019	6:45:00 PM	0.26
11/26/2019	7:00:00 PM	0.26
11/26/2019	7:15:00 PM	0.26
11/26/2019	7:30:00 PM	0.26
11/26/2019	7:45:00 PM	0.26
11/26/2019	8:00:00 PM	0.26
11/26/2019	8:15:00 PM	0.26
11/26/2019	8:30:00 PM	0.26
11/26/2019	8:45:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/26/2019	9:00:00 PM	0.26
11/26/2019	9:15:00 PM	0.26
11/26/2019	9:30:00 PM	0.26
11/26/2019	9:45:00 PM	0.26
11/26/2019	10:00:00 PM	0.26
11/26/2019	10:15:00 PM	0.26
11/26/2019	10:30:00 PM	0.26
11/26/2019	10:45:00 PM	0.26
11/26/2019	11:00:00 PM	0.26
11/26/2019	11:15:00 PM	0.26
11/26/2019	11:30:00 PM	0.26
11/26/2019	11:45:00 PM	0.26
11/27/2019	12:00:00 AM	0.26
11/27/2019	12:15:00 AM	0.26
11/27/2019	12:30:00 AM	0.26
11/27/2019	12:45:00 AM	0.26
11/27/2019	1:00:00 AM	0.26
11/27/2019	1:15:00 AM	0.26
11/27/2019	1:30:00 AM	0.26
11/27/2019	1:45:00 AM	0.26
11/27/2019	2:00:00 AM	0.26
11/27/2019	2:15:00 AM	0.26
11/27/2019	2:30:00 AM	0.26
11/27/2019	2:45:00 AM	0.26
11/27/2019	3:00:00 AM	0.26
11/27/2019	3:15:00 AM	0.26
11/27/2019	3:30:00 AM	0.26
11/27/2019	3:45:00 AM	0.26
11/27/2019	4:00:00 AM	0.26
11/27/2019	4:15:00 AM	0.26
11/27/2019	4:30:00 AM	0.26
11/27/2019	4:45:00 AM	0.26
11/27/2019	5:00:00 AM	0.26
11/27/2019	5:15:00 AM	0.26
11/27/2019	5:30:00 AM	0.26
11/27/2019	5:45:00 AM	0.26
11/27/2019	6:00:00 AM	0.26
11/27/2019	6:15:00 AM	0.26
11/27/2019	6:30:00 AM	0.26
11/27/2019	6:45:00 AM	0.26
11/27/2019	7:00:00 AM	0.26
11/27/2019	7:15:00 AM	0.26
11/27/2019	7:30:00 AM	0.26
11/27/2019	7:45:00 AM	0.26
11/27/2019	8:00:00 AM	0.26
11/27/2019	8:15:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/27/2019	8:30:00 AM	0.26
11/27/2019	8:45:00 AM	0.26
11/27/2019	9:00:00 AM	0.26
11/27/2019	9:15:00 AM	0.26
11/27/2019	9:30:00 AM	0.26
11/27/2019	9:45:00 AM	0.26
11/27/2019	10:00:00 AM	0.26
11/27/2019	10:15:00 AM	0.26
11/27/2019	10:30:00 AM	0.26
11/27/2019	10:45:00 AM	0.26
11/27/2019	11:00:00 AM	0.26
11/27/2019	11:15:00 AM	0.26
11/27/2019	11:30:00 AM	0.26
11/27/2019	11:45:00 AM	0.26
11/27/2019	12:00:00 PM	0.26
11/27/2019	12:15:00 PM	0.26
11/27/2019	12:30:00 PM	0.26
11/27/2019	12:45:00 PM	0.26
11/27/2019	1:00:00 PM	0.26
11/27/2019	1:15:00 PM	0.26
11/27/2019	1:30:00 PM	0.26
11/27/2019	1:45:00 PM	0.26
11/27/2019	2:00:00 PM	0.26
11/27/2019	2:15:00 PM	0.26
11/27/2019	2:30:00 PM	0.26
11/27/2019	2:45:00 PM	0.26
11/27/2019	3:00:00 PM	0.26
11/27/2019	3:15:00 PM	0.26
11/27/2019	3:30:00 PM	0.26
11/27/2019	3:45:00 PM	0.26
11/27/2019	4:00:00 PM	0.26
11/27/2019	4:15:00 PM	0.26
11/27/2019	4:30:00 PM	0.26
11/27/2019	4:45:00 PM	0.26
11/27/2019	5:00:00 PM	0.26
11/27/2019	5:15:00 PM	0.26
11/27/2019	5:30:00 PM	0.26
11/27/2019	5:45:00 PM	0.26
11/27/2019	6:00:00 PM	0.26
11/27/2019	6:15:00 PM	0.26
11/27/2019	6:30:00 PM	0.26
11/27/2019	6:45:00 PM	0.26
11/27/2019	7:00:00 PM	0.26
11/27/2019	7:15:00 PM	0.26
11/27/2019	7:30:00 PM	0.26
11/27/2019	7:45:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/27/2019	8:00:00 PM	0.26
11/27/2019	8:15:00 PM	0.26
11/27/2019	8:30:00 PM	0.26
11/27/2019	8:45:00 PM	0.26
11/27/2019	9:00:00 PM	0.26
11/27/2019	9:15:00 PM	0.26
11/27/2019	9:30:00 PM	0.26
11/27/2019	9:45:00 PM	0.26
11/27/2019	10:00:00 PM	0.26
11/27/2019	10:15:00 PM	0.26
11/27/2019	10:30:00 PM	0.26
11/27/2019	10:45:00 PM	0.26
11/27/2019	11:00:00 PM	0.26
11/27/2019	11:15:00 PM	0.26
11/27/2019	11:30:00 PM	0.26
11/27/2019	11:45:00 PM	0.26
11/28/2019	12:00:00 AM	0.26
11/28/2019	12:15:00 AM	0.26
11/28/2019	12:30:00 AM	0.26
11/28/2019	12:45:00 AM	0.26
11/28/2019	1:00:00 AM	0.26
11/28/2019	1:15:00 AM	0.26
11/28/2019	1:30:00 AM	0.26
11/28/2019	1:45:00 AM	0.26
11/28/2019	2:00:00 AM	0.26
11/28/2019	2:15:00 AM	0.26
11/28/2019	2:30:00 AM	0.26
11/28/2019	2:45:00 AM	0.26
11/28/2019	3:00:00 AM	0.26
11/28/2019	3:15:00 AM	0.26
11/28/2019	3:30:00 AM	0.26
11/28/2019	3:45:00 AM	0.26
11/28/2019	4:00:00 AM	0.26
11/28/2019	4:15:00 AM	0.26
11/28/2019	4:30:00 AM	0.26
11/28/2019	4:45:00 AM	0.26
11/28/2019	5:00:00 AM	0.26
11/28/2019	5:15:00 AM	0.26
11/28/2019	5:30:00 AM	0.26
11/28/2019	5:45:00 AM	0.26
11/28/2019	6:00:00 AM	0.26
11/28/2019	6:15:00 AM	0.26
11/28/2019	6:30:00 AM	0.26
11/28/2019	6:45:00 AM	0.26
11/28/2019	7:00:00 AM	0.26
11/28/2019	7:15:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/28/2019	7:30:00 AM	0.26
11/28/2019	7:45:00 AM	0.26
11/28/2019	8:00:00 AM	0.26
11/28/2019	8:15:00 AM	0.26
11/28/2019	8:30:00 AM	0.26
11/28/2019	8:45:00 AM	0.26
11/28/2019	9:00:00 AM	0.26
11/28/2019	9:15:00 AM	0.26
11/28/2019	9:30:00 AM	0.26
11/28/2019	9:45:00 AM	0.26
11/28/2019	10:00:00 AM	0.26
11/28/2019	10:15:00 AM	0.26
11/28/2019	10:30:00 AM	0.26
11/28/2019	10:45:00 AM	0.26
11/28/2019	11:00:00 AM	0.26
11/28/2019	11:15:00 AM	0.26
11/28/2019	11:30:00 AM	0.26
11/28/2019	11:45:00 AM	0.26
11/28/2019	12:00:00 PM	0.26
11/28/2019	12:15:00 PM	0.26
11/28/2019	12:30:00 PM	0.26
11/28/2019	12:45:00 PM	0.26
11/28/2019	1:00:00 PM	0.26
11/28/2019	1:15:00 PM	0.26
11/28/2019	1:30:00 PM	0.26
11/28/2019	1:45:00 PM	0.26
11/28/2019	2:00:00 PM	0.26
11/28/2019	2:15:00 PM	0.26
11/28/2019	2:30:00 PM	0.26
11/28/2019	2:45:00 PM	0.26
11/28/2019	3:00:00 PM	0.26
11/28/2019	3:15:00 PM	0.26
11/28/2019	3:30:00 PM	0.26
11/28/2019	3:45:00 PM	0.26
11/28/2019	4:00:00 PM	0.26
11/28/2019	4:15:00 PM	0.26
11/28/2019	4:30:00 PM	0.26
11/28/2019	4:45:00 PM	0.26
11/28/2019	5:00:00 PM	0.26
11/28/2019	5:15:00 PM	0.26
11/28/2019	5:30:00 PM	0.26
11/28/2019	5:45:00 PM	0.26
11/28/2019	6:00:00 PM	0.26
11/28/2019	6:15:00 PM	0.26
11/28/2019	6:30:00 PM	0.26
11/28/2019	6:45:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/28/2019	7:00:00 PM	0.26
11/28/2019	7:15:00 PM	0.26
11/28/2019	7:30:00 PM	0.26
11/28/2019	7:45:00 PM	0.26
11/28/2019	8:00:00 PM	0.26
11/28/2019	8:15:00 PM	0.26
11/28/2019	8:30:00 PM	0.26
11/28/2019	8:45:00 PM	0.26
11/28/2019	9:00:00 PM	0.26
11/28/2019	9:15:00 PM	0.26
11/28/2019	9:30:00 PM	0.26
11/28/2019	9:45:00 PM	0.26
11/28/2019	10:00:00 PM	0.26
11/28/2019	10:15:00 PM	0.26
11/28/2019	10:30:00 PM	0.26
11/28/2019	10:45:00 PM	0.26
11/28/2019	11:00:00 PM	0.26
11/28/2019	11:15:00 PM	0.26
11/28/2019	11:30:00 PM	0.26
11/28/2019	11:45:00 PM	0.26
11/29/2019	12:00:00 AM	0.26
11/29/2019	12:15:00 AM	0.26
11/29/2019	12:30:00 AM	0.26
11/29/2019	12:45:00 AM	0.26
11/29/2019	1:00:00 AM	0.26
11/29/2019	1:15:00 AM	0.26
11/29/2019	1:30:00 AM	0.26
11/29/2019	1:45:00 AM	0.26
11/29/2019	2:00:00 AM	0.26
11/29/2019	2:15:00 AM	0.26
11/29/2019	2:30:00 AM	0.26
11/29/2019	2:45:00 AM	0.26
11/29/2019	3:00:00 AM	0.26
11/29/2019	3:15:00 AM	0.26
11/29/2019	3:30:00 AM	0.26
11/29/2019	3:45:00 AM	0.26
11/29/2019	4:00:00 AM	0.26
11/29/2019	4:15:00 AM	0.26
11/29/2019	4:30:00 AM	0.26
11/29/2019	4:45:00 AM	0.26
11/29/2019	5:00:00 AM	0.26
11/29/2019	5:15:00 AM	0.26
11/29/2019	5:30:00 AM	0.26
11/29/2019	5:45:00 AM	0.26
11/29/2019	6:00:00 AM	0.26
11/29/2019	6:15:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/29/2019	6:30:00 AM	0.26
11/29/2019	6:45:00 AM	0.26
11/29/2019	7:00:00 AM	0.26
11/29/2019	7:15:00 AM	0.26
11/29/2019	7:30:00 AM	0.26
11/29/2019	7:45:00 AM	0.26
11/29/2019	8:00:00 AM	0.26
11/29/2019	8:15:00 AM	0.26
11/29/2019	8:30:00 AM	0.26
11/29/2019	8:45:00 AM	0.26
11/29/2019	9:00:00 AM	0.26
11/29/2019	9:15:00 AM	0.26
11/29/2019	9:30:00 AM	0.26
11/29/2019	9:45:00 AM	0.26
11/29/2019	10:00:00 AM	0.26
11/29/2019	10:15:00 AM	0.26
11/29/2019	10:30:00 AM	0.26
11/29/2019	10:45:00 AM	0.26
11/29/2019	11:00:00 AM	0.26
11/29/2019	11:15:00 AM	0.26
11/29/2019	11:30:00 AM	0.26
11/29/2019	11:45:00 AM	0.26
11/29/2019	12:00:00 PM	0.26
11/29/2019	12:15:00 PM	0.26
11/29/2019	12:30:00 PM	0.26
11/29/2019	12:45:00 PM	0.26
11/29/2019	1:00:00 PM	0.26
11/29/2019	1:15:00 PM	0.26
11/29/2019	1:30:00 PM	0.26
11/29/2019	1:45:00 PM	0.26
11/29/2019	2:00:00 PM	0.26
11/29/2019	2:15:00 PM	0.26
11/29/2019	2:30:00 PM	0.26
11/29/2019	2:45:00 PM	0.26
11/29/2019	3:00:00 PM	0.26
11/29/2019	3:15:00 PM	0.26
11/29/2019	3:30:00 PM	0.26
11/29/2019	3:45:00 PM	0.26
11/29/2019	4:00:00 PM	0.26
11/29/2019	4:15:00 PM	0.26
11/29/2019	4:30:00 PM	0.26
11/29/2019	4:45:00 PM	0.26
11/29/2019	5:00:00 PM	0.26
11/29/2019	5:15:00 PM	0.26
11/29/2019	5:30:00 PM	0.26
11/29/2019	5:45:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/29/2019	6:00:00 PM	0.26
11/29/2019	6:15:00 PM	0.26
11/29/2019	6:30:00 PM	0.26
11/29/2019	6:45:00 PM	0.26
11/29/2019	7:00:00 PM	0.26
11/29/2019	7:15:00 PM	0.26
11/29/2019	7:30:00 PM	0.26
11/29/2019	7:45:00 PM	0.26
11/29/2019	8:00:00 PM	0.26
11/29/2019	8:15:00 PM	0.26
11/29/2019	8:30:00 PM	0.26
11/29/2019	8:45:00 PM	0.26
11/29/2019	9:00:00 PM	0.26
11/29/2019	9:15:00 PM	0.26
11/29/2019	9:30:00 PM	0.26
11/29/2019	9:45:00 PM	0.26
11/29/2019	10:00:00 PM	0.26
11/29/2019	10:15:00 PM	0.26
11/29/2019	10:30:00 PM	0.26
11/29/2019	10:45:00 PM	0.26
11/29/2019	11:00:00 PM	0.26
11/29/2019	11:15:00 PM	0.26
11/29/2019	11:30:00 PM	0.26
11/29/2019	11:45:00 PM	0.26
11/30/2019	12:00:00 AM	0.26
11/30/2019	12:15:00 AM	0.26
11/30/2019	12:30:00 AM	0.26
11/30/2019	12:45:00 AM	0.26
11/30/2019	1:00:00 AM	0.26
11/30/2019	1:15:00 AM	0.26
11/30/2019	1:30:00 AM	0.26
11/30/2019	1:45:00 AM	0.26
11/30/2019	2:00:00 AM	0.26
11/30/2019	2:15:00 AM	0.26
11/30/2019	2:30:00 AM	0.26
11/30/2019	2:45:00 AM	0.26
11/30/2019	3:00:00 AM	0.26
11/30/2019	3:15:00 AM	0.26
11/30/2019	3:30:00 AM	0.26
11/30/2019	3:45:00 AM	0.26
11/30/2019	4:00:00 AM	0.26
11/30/2019	4:15:00 AM	0.26
11/30/2019	4:30:00 AM	0.26
11/30/2019	4:45:00 AM	0.26
11/30/2019	5:00:00 AM	0.26
11/30/2019	5:15:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/30/2019	5:30:00 AM	0.26
11/30/2019	5:45:00 AM	0.26
11/30/2019	6:00:00 AM	0.26
11/30/2019	6:15:00 AM	0.26
11/30/2019	6:30:00 AM	0.26
11/30/2019	6:45:00 AM	0.26
11/30/2019	7:00:00 AM	0.26
11/30/2019	7:15:00 AM	0.26
11/30/2019	7:30:00 AM	0.26
11/30/2019	7:45:00 AM	0.26
11/30/2019	8:00:00 AM	0.26
11/30/2019	8:15:00 AM	0.26
11/30/2019	8:30:00 AM	0.26
11/30/2019	8:45:00 AM	0.26
11/30/2019	9:00:00 AM	0.26
11/30/2019	9:15:00 AM	0.26
11/30/2019	9:30:00 AM	0.26
11/30/2019	9:45:00 AM	0.26
11/30/2019	10:00:00 AM	0.26
11/30/2019	10:15:00 AM	0.26
11/30/2019	10:30:00 AM	0.26
11/30/2019	10:45:00 AM	0.26
11/30/2019	11:00:00 AM	0.26
11/30/2019	11:15:00 AM	0.26
11/30/2019	11:30:00 AM	0.26
11/30/2019	11:45:00 AM	0.26
11/30/2019	12:00:00 PM	0.26
11/30/2019	12:15:00 PM	0.26
11/30/2019	12:30:00 PM	0.26
11/30/2019	12:45:00 PM	0.26
11/30/2019	1:00:00 PM	0.26
11/30/2019	1:15:00 PM	0.26
11/30/2019	1:30:00 PM	0.26
11/30/2019	1:45:00 PM	0.26
11/30/2019	2:00:00 PM	0.26
11/30/2019	2:15:00 PM	0.26
11/30/2019	2:30:00 PM	0.26
11/30/2019	2:45:00 PM	0.26
11/30/2019	3:00:00 PM	0.26
11/30/2019	3:15:00 PM	0.26
11/30/2019	3:30:00 PM	0.26
11/30/2019	3:45:00 PM	0.26
11/30/2019	4:00:00 PM	0.26
11/30/2019	4:15:00 PM	0.26
11/30/2019	4:30:00 PM	0.26
11/30/2019	4:45:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
11/30/2019	5:00:00 PM	0.26
11/30/2019	5:15:00 PM	0.26
11/30/2019	5:30:00 PM	0.26
11/30/2019	5:45:00 PM	0.26
11/30/2019	6:00:00 PM	0.26
11/30/2019	6:15:00 PM	0.26
11/30/2019	6:30:00 PM	0.26
11/30/2019	6:45:00 PM	0.26
11/30/2019	7:00:00 PM	0.26
11/30/2019	7:15:00 PM	0.26
11/30/2019	7:30:00 PM	0.26
11/30/2019	7:45:00 PM	0.26
11/30/2019	8:00:00 PM	0.26
11/30/2019	8:15:00 PM	0.26
11/30/2019	8:30:00 PM	0.26
11/30/2019	8:45:00 PM	0.26
11/30/2019	9:00:00 PM	0.26
11/30/2019	9:15:00 PM	0.26
11/30/2019	9:30:00 PM	0.26
11/30/2019	9:45:00 PM	0.26
11/30/2019	10:00:00 PM	0.26
11/30/2019	10:15:00 PM	0.26
11/30/2019	10:30:00 PM	0.26
11/30/2019	10:45:00 PM	0.26
11/30/2019	11:00:00 PM	0.26
11/30/2019	11:15:00 PM	0.26
11/30/2019	11:30:00 PM	0.26
11/30/2019	11:45:00 PM	0.26

Station Number: 0354 Meas. No: 005

Station Name: LOR @ MAZOURKA Date: 11/05/2019

Party: BLP/CBR	Width: 21.4 ft	Processed by: BLP
Boat/Motor: BOAT	Area: 66.1 ft²	Mean Velocity: 0.614 ft/s
Gage Height: 3.35 ft	G.H.Change: 0.000 ft	Discharge: 40.6 ft³/s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.0°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft²	Diff.: 0.000%
Depth Sounder: Not Used	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:

BT 3-Beam Solution: NO	Max. Vel.: 1.80 ft/s	Type/Freq.: StreamPro / 2000 kHz
WT 3-Beam Solution: NO	Max. Depth: 5.99 ft	Serial #: Firmware: 31.12
BT Error Vel.: 32.81 ft/s	Mean Depth: 3.08 ft	Bin Size: 10 cm Blank: 3 cm
WT Error Vel.: 32.81 ft/s	% Meas.: 66.12	BT Mode: 10 BT Pings: 2
BT Up Vel.: 32.81 ft/s	Water Temp.: None	WT Mode: 12 WT Pings: 6
WT Up Vel.: 32.81 ft/s	ADCP Temp.: 60.7 °F	WV : 0 WO : 1, 4
Use Weighted Mean Depth: NO		

ADCP:

Performed Diag. Test: NO Project Name: 191105 LOR @ MAZOURKA00

Performed Moving Bed Test: NO Software: 2.11

Performed Compass Calibration: NO Evaluation: NO

Meas. Location: BRIDGE

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	41	6.78	26.6	5.16	1.45	1.20	41.2	22	68	13:25	13:26	0.44	0.61	5	0
001	*R*	*2*	*2*	*41*	*7.13*	*27.9*	*5.09*	*1.31*	*1.45*	*42.9*	*22*	*67*	*13:26*	*13:27*	*0.42*	*0.64*	*5*	*0*
002	*L*	*2*	*2*	*57*	*6.25*	*25.1*	*4.10*	*1.24*	*0.671*	*37.4*	*20*	*61*	*13:27*	*13:29*	*0.34*	*0.62*	*30*	*0*
003	R	*2*	*2*	*54*	*6.71*	*26.2*	*4.52*	*0.671*	*1.02*	*39.2*	*21*	*66*	*13:29*	*13:30*	*0.34*	*0.59*	*7*	*0*
004	L	*2*	*2*	*42*	*7.24*	*28.3*	*4.84*	*0.953*	*1.17*	*42.4*	*22*	*68*	*13:30*	*13:31*	*0.42*	*0.63*	*5*	*1*
005	R	*2*	*2*	*45*	*6.89*	*26.8*	*4.73*	*0.918*	*0.989*	*40.4*	*22*	*68*	*13:32*	*13:32*	*0.39*	*0.59*	*7*	*0*
Mean		2	2	46	6.83	26.8	4.74	1.09	1.08	40.6	21	66	**Total**	00:07	0.39	0.61	10	0
SDev		0	0	7	0.351	1.15	0.391	0.290	0.259	2.09	0.9	2.7			0.04	0.02		
SD/M		0.00	0.00	0.15	0.05	0.04	0.08	0.27	0.24	0.05	0.04	0.04			0.11	0.03		

Remarks:

Discharge for transects in *italics* have a total Q more than 5% from the mean

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	1	0	8	1	0.65	-0.066	3.202	0.013	0.01	0	33.1	21.5	48.2	108	80	0	31	30
2019	11	1	0	18	1	0.65	-0.069	3.202	0.01	0.007	0	33.5	21.5	48.6	108	80	0	30	30
2019	11	1	0	28	1	0.676	-0.066	3.202	0.016	0.013	0	33.1	21.9	48.2	108	81	0	31	30
2019	11	1	0	38	1	0.676	-0.03	3.202	0.013	0.01	0	33.5	21.5	48.6	108	81	0	30	31
2019	11	1	0	48	1	0.666	-0.069	3.202	0.016	0.013	0	34	21.9	48.2	109	81	0	30	30
2019	11	1	0	58	1	0.646	-0.026	3.202	0.01	0.007	0	34	21.9	48.2	109	82	0	30	31
2019	11	1	1	8	1	0.669	-0.066	3.202	0.016	0.013	0	34	21.5	48.6	109	81	0	30	31
2019	11	1	1	18	1	0.623	-0.052	3.202	0.016	0.013	0	33.5	21.9	48.2	109	81	0	31	30
2019	11	1	1	28	1	0.636	-0.03	3.202	0.01	0.007	0	33.5	21.5	48.2	108	81	0	30	31
2019	11	1	1	38	1	0.627	-0.02	3.202	0.013	0.01	0	33.5	21.1	49	108	80	0	30	31
2019	11	1	1	48	1	0.627	-0.036	3.202	0.013	0.01	0	34	21.5	48.6	108	80	0	29	30
2019	11	1	1	58	1	0.604	0.02	3.202	0.013	0.01	0	33.5	21.1	49.5	108	80	0	30	31
2019	11	1	2	8	1	0.633	-0.036	3.202	0.013	0.01	0	33.5	21.5	49.5	108	80	0	30	30
2019	11	1	2	18	1	0.6	-0.026	3.202	0.01	0.007	0	34	21.9	48.6	109	81	0	30	30
2019	11	1	2	28	1	0.643	-0.036	3.202	0.01	0.007	0	34.4	21.9	48.6	110	82	0	30	31
2019	11	1	2	38	1	0.64	-0.026	3.202	0.01	0.007	0	35.3	23.6	49	112	85	0	30	30
2019	11	1	2	48	1	0.62	-0.03	3.202	0.01	0.007	0	35.3	23.2	49.5	112	84	0	30	30
2019	11	1	2	58	1	0.604	-0.013	3.202	0.013	0.01	0	34.4	22.4	49	110	82	0	30	30
2019	11	1	3	8	1	0.604	0.01	3.202	0.01	0.007	0	34.4	21.5	49	110	81	0	30	31
2019	11	1	3	18	1	0.617	-0.013	3.202	0.01	0.007	0	34	21.9	49	109	81	0	30	30
2019	11	1	3	28	1	0.574	-0.043	3.202	0.01	0.007	0	34	21.9	49.5	109	82	0	30	31
2019	11	1	3	38	1	0.623	-0.039	3.202	0.01	0.007	0	34.4	22.4	49.5	110	82	0	30	30
2019	11	1	3	48	1	0.633	-0.043	3.202	0.013	0.01	0	34	21.5	49	109	81	0	30	31
2019	11	1	3	58	1	0.62	-0.013	3.202	0.01	0.007	0	33.5	21.9	49.5	108	81	0	30	30
2019	11	1	4	8	1	0.627	-0.039	3.202	0.016	0.016	0	33.5	21.9	49.9	109	81	0	31	30
2019	11	1	4	18	1	0.643	-0.026	3.202	0.013	0.01	0	33.1	21.5	49.5	108	80	0	31	30
2019	11	1	4	28	1	0.6	-0.043	3.202	0.016	0.013	0	34	21.5	49.9	109	80	0	30	30
2019	11	1	4	38	1	0.6	-0.007	3.202	0.013	0.01	0	34	21.1	49.9	109	80	0	30	31
2019	11	1	4	48	1	0.62	-0.056	3.202	0.013	0.01	0	33.5	21.5	49.5	108	80	0	30	30
2019	11	1	4	58	1	0.617	-0.013	3.202	0.01	0.007	0	33.5	21.5	49.5	108	80	0	30	30
2019	11	1	5	8	1	0.64	-0.052	3.202	0.013	0.01	0	33.5	21.1	49.9	108	80	0	30	31
2019	11	1	5	18	1	0.623	0	3.202	0.016	0.013	0	33.1	21.1	49.5	108	80	0	31	31
2019	11	1	5	28	1	0.604	-0.03	3.202	0.013	0.01	0	34	21.5	49.5	109	80	0	30	30
2019	11	1	5	38	1	0.594	0.003	3.202	0.01	0.007	0	33.5	21.1	49.5	108	80	0	30	31
2019	11	1	5	48	1	0.643	-0.023	3.202	0.016	0.013	0	33.1	21.5	49.5	108	80	0	31	30
2019	11	1	5	58	1	0.607	-0.023	3.202	0.016	0.013	0	33.1	21.1	49.5	108	79	0	31	30
2019	11	1	6	8	1	0.584	-0.056	3.202	0.013	0.01	0	33.1	20.6	49	108	79	0	31	31
2019	11	1	6	18	1	0.62	-0.01	3.202	0.013	0.01	0	33.1	21.1	48.6	107	79	0	30	30
2019	11	1	6	28	1	0.623	-0.023	3.202	0.01	0.007	0	33.1	21.1	49.5	107	79	0	30	30
2019	11	1	6	38	1	0.604	-0.039	3.202	0.02	0.016	0	33.1	21.1	48.6	107	79	0	30	30
2019	11	1	6	48	1	0.666	-0.036	3.202	0.013	0.01	0	33.1	21.1	49	107	79	0	30	30
2019	11	1	6	58	1	0.656	-0.013	3.202	0.01	0.007	0	33.5	21.1	49	108	80	0	30	31
2019	11	1	7	8	1	0.623	-0.026	3.202	0.013	0.01	0	34	21.1	48.6	109	80	0	30	31
2019	11	1	7	18	1	0.643	-0.059	3.202	0.013	0.01	0	34	21.1	48.6	108	80	0	29	31
2019	11	1	7	28	1	0.65	-0.066	3.202	0.016	0.016	0	33.5	21.5	48.6	109	80	0	31	30
2019	11	1	7	38	1	0.636	-0.043	3.202	0.01	0.007	0	33.5	21.1	46.4	109	80	0	31	31
2019	11	1	7	48	1	0.646	-0.049	3.202	0.013	0.01	0	34	21.1	48.6	109	80	0	30	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	1	7	58	1	0.64	-0.046	3.202	0.01	0.007	0	34	21.1	47.7	109	80	0	30	31
2019	11	1	8	8	1	0.633	-0.039	3.202	0.01	0.007	0	33.5	21.5	48.6	109	81	0	31	31
2019	11	1	8	18	1	0.659	-0.043	3.202	0.01	0.007	0	34.8	22.4	46.9	111	83	0	30	31
2019	11	1	8	28	1	0.643	-0.052	3.202	0.013	0.01	0	35.3	22.4	49	112	83	0	30	31
2019	11	1	8	38	1	0.682	-0.056	3.202	0.01	0.007	0	35.3	22.8	49	113	84	0	31	31
2019	11	1	8	48	1	0.607	-0.072	3.202	0.016	0.013	0	35.3	22.4	49.5	111	83	0	29	31
2019	11	1	8	58	1	0.673	-0.085	3.202	0.016	0.013	0	35.7	23.2	48.2	113	85	0	30	31
2019	11	1	9	8	1	0.666	-0.092	3.202	0.013	0.01	0	34	21.5	48.6	110	82	0	31	32
2019	11	1	9	18	1	0.65	-0.066	3.202	0.013	0.01	0	35.3	22.8	49.5	112	84	0	30	31
2019	11	1	9	28	1	0.614	-0.079	3.202	0.016	0.013	0	34	22.4	48.6	109	82	0	30	30
2019	11	1	9	38	1	0.666	-0.052	3.202	0.01	0.007	0	33.1	22.4	48.2	108	82	0	31	30
2019	11	1	9	48	1	0.659	-0.056	3.202	0.013	0.01	0	33.1	21.5	48.6	108	80	0	31	30
2019	11	1	9	58	1	0.62	-0.016	3.205	0.016	0.013	0	33.5	21.1	48.6	108	80	0	30	31
2019	11	1	10	8	1	0.646	-0.052	3.205	0.01	0.007	0	33.1	21.1	48.6	107	80	0	30	31
2019	11	1	10	18	1	0.676	-0.069	3.205	0.013	0.01	0	33.1	21.5	48.2	107	80	0	30	30
2019	11	1	10	28	1	0.689	-0.079	3.205	0.013	0.01	0	32.7	21.5	47.7	106	80	0	30	30
2019	11	1	10	38	1	0.653	-0.059	3.205	0.013	0.01	0	32.7	21.1	47.3	106	80	0	30	31
2019	11	1	10	48	1	0.627	-0.075	3.205	0.013	0.01	0	33.1	21.1	48.2	107	80	0	30	31
2019	11	1	10	58	1	0.623	-0.036	3.205	0.013	0.01	0	32.7	21.9	48.6	107	81	0	31	30
2019	11	1	11	8	1	0.614	-0.046	3.205	0.016	0.013	0	33.5	21.9	48.6	108	81	0	30	30
2019	11	1	11	18	1	0.646	-0.036	3.205	0.01	0.007	0	33.1	21.9	48.6	108	82	0	31	31
2019	11	1	11	28	1	0.636	-0.026	3.205	0.01	0.007	0	34	22.4	48.6	110	82	0	31	30
2019	11	1	11	38	1	0.614	-0.026	3.209	0.013	0.01	0	34.8	22.8	48.2	111	83	0	30	30
2019	11	1	11	48	1	0.666	-0.046	3.209	0.01	0.007	0	33.5	21.9	48.6	108	81	0	30	30
2019	11	1	11	58	1	0.633	-0.075	3.209	0.013	0.01	0	34	21.9	48.6	109	82	0	30	31
2019	11	1	12	8	1	0.692	-0.079	3.209	0.013	0.01	0	34	22.4	47.7	110	83	0	31	31
2019	11	1	12	18	1	0.663	-0.066	3.209	0.016	0.013	0	34.8	23.6	44.3	111	85	0	30	30
2019	11	1	12	28	1	0.663	-0.052	3.209	0.013	0.01	0	33.5	21.5	49	108	81	0	30	31
2019	11	1	12	38	1	0.636	-0.105	3.209	0.016	0.013	0	33.1	20.6	48.2	107	79	0	30	31
2019	11	1	12	48	1	0.604	-0.056	3.209	0.013	0.01	0	32.7	21.1	48.6	106	79	0	30	30
2019	11	1	12	58	1	0.663	-0.085	3.209	0.013	0.01	0	32.3	20.6	48.2	106	79	0	31	31
2019	11	1	13	8	1	0.656	-0.056	3.209	0.01	0.007	0	32.3	21.1	47.7	105	79	0	30	30
2019	11	1	13	18	1	0.653	-0.066	3.209	0.013	0.01	0	32.7	20.6	44.3	106	79	0	30	31
2019	11	1	13	28	1	0.633	-0.052	3.209	0.013	0.01	0	32.7	21.1	39.6	106	79	0	30	30
2019	11	1	13	38	1	0.64	-0.046	3.209	0.013	0.01	0	33.1	21.5	44.7	107	80	0	30	30
2019	11	1	13	48	1	0.63	-0.052	3.209	0.016	0.013	0	32.7	20.6	47.3	107	79	0	31	31
2019	11	1	13	58	1	0.646	-0.079	3.209	0.01	0.007	0	32.7	21.1	47.7	107	79	0	31	30
2019	11	1	14	8	1	0.666	-0.059	3.209	0.013	0.01	0	33.1	20.6	48.6	107	79	0	30	31
2019	11	1	14	18	1	0.659	-0.059	3.209	0.016	0.013	0	33.5	21.5	48.6	109	81	0	31	31
2019	11	1	14	28	1	0.666	-0.079	3.209	0.01	0.007	0	33.5	21.1	48.2	108	79	0	30	30
2019	11	1	14	38	1	0.617	-0.069	3.209	0.01	0.007	0	33.5	21.5	48.6	108	80	0	30	30
2019	11	1	14	48	1	0.679	-0.072	3.209	0.013	0.01	0	33.1	20.6	48.6	107	79	0	30	31
2019	11	1	14	58	1	0.633	-0.049	3.209	0.016	0.013	0	33.5	21.1	46	108	80	0	30	31
2019	11	1	15	8	1	0.666	-0.102	3.209	0.013	0.01	0	33.1	21.5	48.2	108	80	0	31	30
2019	11	1	15	18	1	0.614	-0.056	3.212	0.01	0.007	0	34	21.5	45.6	109	81	0	30	31
2019	11	1	15	28	1	0.643	-0.046	3.212	0.016	0.013	0	34	22.4	42.1	109	82	0	30	30
2019	11	1	15	38	1	0.656	-0.052	3.212	0.013	0.01	0	34	22.4	42.6	109	82	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	1	15	48	1	0.633	-0.039	3.209	0.016	0.016	0	34	21.9	46.4	109	81	0	30	30
2019	11	1	15	58	1	0.666	-0.052	3.212	0.01	0.007	0	34.4	21.5	48.2	110	81	0	30	31
2019	11	1	16	8	1	0.646	-0.079	3.209	0.016	0.013	0	35.3	23.2	49	112	84	0	30	30
2019	11	1	16	18	1	0.663	-0.056	3.212	0.013	0.01	0	34.4	21.9	47.7	110	82	0	30	31
2019	11	1	16	28	1	0.643	-0.059	3.212	0.016	0.013	0	34.4	22.4	48.2	110	82	0	30	30
2019	11	1	16	38	1	0.633	-0.043	3.209	0.02	0.016	0	33.5	21.1	49	108	80	0	30	31
2019	11	1	16	48	1	0.561	0.013	3.212	0.013	0.01	0	33.1	21.5	49	108	81	0	31	31
2019	11	1	16	58	1	0.663	-0.052	3.212	0.01	0.007	0	33.5	21.5	49.5	109	81	0	31	31
2019	11	1	17	8	1	0.604	-0.023	3.212	0.01	0.007	0	33.5	21.9	49.5	108	81	0	30	30
2019	11	1	17	18	1	0.614	-0.023	3.212	0.01	0.007	0	32.3	21.5	49	106	80	0	31	30
2019	11	1	17	28	1	0.653	-0.052	3.212	0.013	0.01	0	32.7	20.6	48.6	106	79	0	30	31
2019	11	1	17	38	1	0.623	-0.059	3.212	0.01	0.007	0	32.7	21.1	48.6	106	79	0	30	30
2019	11	1	17	48	1	0.623	-0.059	3.212	0.01	0.007	0	32.7	21.1	48.6	106	79	0	30	30
2019	11	1	17	58	1	0.656	-0.069	3.212	0.016	0.013	0	31.8	21.1	48.6	105	79	0	31	30
2019	11	1	18	8	1	0.62	-0.026	3.212	0.013	0.01	0	32.3	21.1	49	105	79	0	30	30
2019	11	1	18	18	1	0.6	-0.069	3.215	0.013	0.01	0	32.3	21.1	49	105	79	0	30	30
2019	11	1	18	28	1	0.614	-0.033	3.212	0.013	0.01	0	34	21.9	49	108	81	0	29	30
2019	11	1	18	38	1	0.64	-0.052	3.212	0.013	0.01	0	34	22.4	48.6	109	82	0	30	30
2019	11	1	18	48	1	0.633	-0.066	3.215	0.013	0.01	0	33.5	22.4	48.6	108	82	0	30	30
2019	11	1	18	58	1	0.633	-0.049	3.215	0.013	0.01	0	33.1	22.4	49	108	82	0	31	30
2019	11	1	19	8	1	0.659	-0.046	3.215	0.01	0.007	0	33.1	21.9	49.5	107	81	0	30	30
2019	11	1	19	18	1	0.643	-0.036	3.215	0.01	0.007	0	33.1	22.4	49	107	82	0	30	30
2019	11	1	19	28	1	0.643	-0.026	3.215	0.01	0.007	0	33.1	21.5	49.5	107	81	0	30	31
2019	11	1	19	38	1	0.64	-0.066	3.215	0.01	0.007	0	32.7	21.5	49.5	106	81	0	30	31
2019	11	1	19	48	1	0.597	-0.033	3.215	0.016	0.013	0	33.1	21.9	49	107	81	0	30	30
2019	11	1	19	58	1	0.646	-0.049	3.215	0.01	0.007	0	33.1	21.9	49	106	81	0	29	30
2019	11	1	20	8	1	0.617	-0.046	3.215	0.013	0.01	0	33.1	21.5	48.6	107	81	0	30	31
2019	11	1	20	18	1	0.65	-0.062	3.215	0.01	0.007	0	33.1	21.1	49	107	80	0	30	31
2019	11	1	20	28	1	0.633	-0.075	3.215	0.01	0.007	0	32.7	21.9	49	106	81	0	30	30
2019	11	1	20	38	1	0.676	-0.066	3.215	0.016	0.013	0	32.3	21.5	49.5	105	80	0	30	30
2019	11	1	20	48	1	0.663	-0.079	3.215	0.01	0.007	0	32.7	21.5	49	106	81	0	30	31
2019	11	1	20	58	1	0.636	-0.056	3.215	0.016	0.013	0	32.3	21.5	49	106	81	0	31	31
2019	11	1	21	8	1	0.659	-0.072	3.215	0.013	0.01	0	32.7	21.5	49.5	106	81	0	30	31
2019	11	1	21	18	1	0.636	-0.043	3.215	0.013	0.01	0	33.1	21.1	48.6	106	80	0	29	31
2019	11	1	21	28	1	0.659	-0.026	3.215	0.01	0.007	0	32.7	21.5	48.6	106	81	0	30	31
2019	11	1	21	38	1	0.633	-0.026	3.215	0.01	0.007	0	33.1	21.9	49	107	81	0	30	30
2019	11	1	21	48	1	0.656	-0.049	3.215	0.01	0.007	0	32.7	21.5	49	106	80	0	30	30
2019	11	1	21	58	1	0.623	-0.039	3.215	0.016	0.013	0	32.7	21.5	48.6	106	80	0	30	30
2019	11	1	22	8	1	0.636	-0.039	3.215	0.013	0.01	0	32.7	21.1	49	106	80	0	30	31
2019	11	1	22	18	1	0.64	-0.069	3.215	0.013	0.01	0	32.7	21.5	48.6	106	81	0	30	31
2019	11	1	22	28	1	0.633	-0.059	3.215	0.01	0.007	0	33.1	21.1	49.5	106	80	0	29	31
2019	11	1	22	38	1	0.65	-0.069	3.215	0.013	0.01	0	32.3	21.1	48.6	105	79	0	30	30
2019	11	1	22	48	1	0.61	-0.052	3.215	0.01	0.007	0	32.7	21.5	49	106	80	0	30	30
2019	11	1	22	58	1	0.604	-0.036	3.215	0.01	0.007	0	32.7	21.1	49	106	80	0	30	31
2019	11	1	23	8	1	0.614	0.007	3.215	0.013	0.01	0	32.7	21.5	48.6	106	81	0	30	31
2019	11	1	23	18	1	0.623	-0.016	3.215	0.016	0.013	0	32.3	21.1	48.6	105	79	0	30	30
2019	11	1	23	28	1	0.63	-0.03	3.215	0.013	0.01	0	32.7	20.6	49	106	79	0	30	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	1	23	38	1	0.64	-0.026	3.215	0.016	0.013	0	32.7	20.6	48.6	106	79	0	30	31
2019	11	1	23	48	1	0.64	-0.013	3.212	0.013	0.01	0	31.8	20.6	49	105	79	0	31	31
2019	11	1	23	58	1	0.627	-0.003	3.212	0.01	0.007	0	32.3	20.2	48.6	105	78	0	30	31
2019	11	2	0	8	1	0.62	0	3.212	0.013	0.01	0	32.3	20.6	48.6	105	78	0	30	30
2019	11	2	0	18	1	0.614	0.016	3.212	0.01	0.007	0	32.3	20.2	48.6	105	78	0	30	31
2019	11	2	0	28	1	0.614	0	3.212	0.013	0.01	0	32.7	20.2	48.6	106	78	0	30	31
2019	11	2	0	38	1	0.614	0.003	3.212	0.01	0.007	0	32.3	20.2	48.2	105	78	0	30	31
2019	11	2	0	48	1	0.6	0.013	3.212	0.013	0.01	0	32.3	21.1	49	105	79	0	30	30
2019	11	2	0	58	1	0.591	-0.007	3.212	0.013	0.01	0	32.7	20.6	48.6	106	78	0	30	30
2019	11	2	1	8	1	0.541	0	3.212	0.013	0.01	0	32.7	20.2	48.6	106	78	0	30	31
2019	11	2	1	18	1	0.617	-0.026	3.212	0.01	0.007	0	32.3	20.6	48.6	105	78	0	30	30
2019	11	2	1	28	1	0.577	-0.01	3.212	0.016	0.013	0	31.8	20.2	48.2	105	78	0	31	31
2019	11	2	1	38	1	0.587	-0.016	3.212	0.016	0.013	0	32.3	21.1	48.2	105	79	0	30	30
2019	11	2	1	48	1	0.617	-0.023	3.212	0.01	0.007	0	32.3	20.2	48.2	105	78	0	30	31
2019	11	2	1	58	1	0.627	-0.039	3.212	0.013	0.01	0	32.3	21.1	48.2	105	79	0	30	30
2019	11	2	2	8	1	0.627	-0.039	3.212	0.016	0.013	0	32.3	20.6	45.6	106	79	0	31	31
2019	11	2	2	18	1	0.591	-0.016	3.209	0.013	0.01	0	32.3	21.1	48.2	105	79	0	30	30
2019	11	2	2	28	1	0.6	-0.043	3.209	0.01	0.007	0	32.7	20.6	48.2	106	78	0	30	30
2019	11	2	2	38	1	0.597	-0.049	3.209	0.013	0.01	0	32.3	20.6	48.6	105	78	0	30	30
2019	11	2	2	48	1	0.6	-0.049	3.209	0.01	0.007	0	32.3	20.2	48.6	105	78	0	30	31
2019	11	2	2	58	1	0.604	-0.036	3.209	0.013	0.01	0	32.7	20.2	48.2	106	78	0	30	31
2019	11	2	3	8	1	0.591	-0.043	3.209	0.01	0.007	0	32.7	20.6	48.2	106	79	0	30	31
2019	11	2	3	18	1	0.623	-0.013	3.209	0.013	0.01	0	32.7	20.6	48.2	106	78	0	30	30
2019	11	2	3	28	1	0.64	-0.049	3.209	0.016	0.013	0	32.3	20.2	48.2	105	77	0	30	30
2019	11	2	3	38	1	0.646	-0.056	3.209	0.013	0.01	0	31.8	20.6	48.2	105	78	0	31	30
2019	11	2	3	48	1	0.623	-0.052	3.209	0.013	0.01	0	31.8	20.2	48.2	105	78	0	31	31
2019	11	2	3	58	1	0.627	-0.089	3.209	0.013	0.01	0	31.8	20.2	48.6	105	78	0	31	31
2019	11	2	4	8	1	0.63	-0.046	3.205	0.013	0.01	0	32.3	19.8	48.6	105	77	0	30	31
2019	11	2	4	18	1	0.614	-0.039	3.205	0.01	0.007	0	32.3	19.8	48.6	105	77	0	30	31
2019	11	2	4	28	1	0.666	-0.082	3.205	0.01	0.007	0	32.3	19.8	48.2	105	77	0	30	31
2019	11	2	4	38	1	0.682	-0.108	3.205	0.016	0.013	0	32.3	20.2	48.6	105	77	0	30	30
2019	11	2	4	48	1	0.653	-0.052	3.205	0.01	0.007	0	32.3	19.8	49	105	77	0	30	31
2019	11	2	4	58	1	0.702	-0.105	3.205	0.013	0.01	0	32.3	20.2	48.6	105	77	0	30	30
2019	11	2	5	8	1	0.669	-0.131	3.205	0.013	0.01	0	32.3	20.2	48.6	105	77	0	30	30
2019	11	2	5	18	1	0.696	-0.092	3.205	0.016	0.016	0	32.3	19.8	48.6	105	77	0	30	31
2019	11	2	5	28	1	0.712	-0.144	3.205	0.016	0.013	0	31.8	19.8	48.6	105	77	0	31	31
2019	11	2	5	38	1	0.702	-0.085	3.205	0.013	0.01	0	32.3	20.2	48.2	105	77	0	30	30
2019	11	2	5	48	1	0.679	-0.112	3.205	0.013	0.01	0	31.8	20.2	48.2	104	77	0	30	30
2019	11	2	5	58	1	0.65	-0.115	3.205	0.013	0.01	0	32.3	20.6	48.6	105	78	0	30	30
2019	11	2	6	8	1	0.676	-0.105	3.202	0.01	0.007	0	31.8	19.8	48.2	105	77	0	31	31
2019	11	2	6	18	1	0.663	-0.079	3.202	0.01	0.007	0	32.3	20.2	48.6	105	78	0	30	31
2019	11	2	6	28	1	0.65	-0.052	3.202	0.013	0.01	0	32.3	20.6	48.6	105	78	0	30	30
2019	11	2	6	38	1	0.633	-0.085	3.202	0.013	0.01	0	32.3	20.6	47.7	105	78	0	30	30
2019	11	2	6	48	1	0.673	-0.072	3.202	0.016	0.016	0	31.8	20.6	49	105	78	0	31	30
2019	11	2	6	58	1	0.673	-0.062	3.202	0.01	0.007	0	31.8	20.2	48.6	105	78	0	31	31
2019	11	2	7	8	1	0.659	-0.069	3.202	0.016	0.013	0	32.3	20.2	48.6	105	78	0	30	31
2019	11	2	7	18	1	0.636	-0.075	3.202	0.016	0.013	0	32.7	20.6	48.6	106	78	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	2	7	28	1	0.653	-0.066	3.202	0.016	0.013	0	31.8	20.2	48.6	105	78	0	31	31
2019	11	2	7	38	1	0.666	-0.092	3.199	0.016	0.013	0	32.3	20.2	48.6	106	78	0	31	31
2019	11	2	7	48	1	0.636	-0.066	3.199	0.013	0.01	0	32.7	20.2	49	106	78	0	30	31
2019	11	2	7	58	1	0.673	-0.138	3.199	0.016	0.013	0	31.8	19.8	48.6	105	77	0	31	31
2019	11	2	8	8	1	0.676	-0.105	3.199	0.01	0.007	0	33.1	21.1	49	107	79	0	30	30
2019	11	2	8	18	1	0.646	-0.108	3.199	0.013	0.01	0	32.7	21.1	49.9	107	80	0	31	31
2019	11	2	8	28	1	0.65	-0.075	3.199	0.01	0.007	0	33.1	21.5	49.5	107	80	0	30	30
2019	11	2	8	38	1	0.682	-0.072	3.199	0.01	0.007	0	32.7	21.1	49.9	106	79	0	30	30
2019	11	2	8	48	1	0.643	-0.079	3.199	0.01	0.007	0	33.1	20.6	49.5	107	79	0	30	31
2019	11	2	8	58	1	0.646	-0.079	3.199	0.013	0.01	0	33.1	20.6	49.9	107	79	0	30	31
2019	11	2	9	8	1	0.63	-0.079	3.199	0.013	0.01	0	32.7	21.1	50.3	106	80	0	30	31
2019	11	2	9	18	1	0.676	-0.085	3.199	0.01	0.007	0	32.7	20.6	49.9	106	79	0	30	31
2019	11	2	9	28	1	0.623	-0.082	3.199	0.01	0.007	0	31.8	20.6	49.9	106	79	0	32	31
2019	11	2	9	38	1	0.646	-0.141	3.199	0.016	0.013	0	32.3	20.6	49.9	106	79	0	31	31
2019	11	2	9	48	1	0.61	-0.049	3.196	0.01	0.007	0	33.1	21.5	49.9	107	80	0	30	30
2019	11	2	9	58	1	0.617	-0.075	3.196	0.01	0.007	0	32.7	21.5	49.5	107	80	0	31	30
2019	11	2	10	8	1	0.617	-0.066	3.196	0.016	0.013	0	33.1	21.1	49.5	107	80	0	30	31
2019	11	2	10	18	1	0.63	-0.062	3.196	0.01	0.007	0	33.1	21.5	49	107	80	0	30	30
2019	11	2	10	28	1	0.61	-0.03	3.196	0.01	0.007	0	32.7	21.1	49.5	106	80	0	30	31
2019	11	2	10	38	1	0.617	-0.052	3.196	0.01	0.007	0	33.5	21.9	48.6	108	81	0	30	30
2019	11	2	10	48	1	0.591	-0.075	3.196	0.016	0.013	0	33.5	22.4	49	109	83	0	31	31
2019	11	2	10	58	1	0.627	-0.039	3.196	0.016	0.013	0	34.4	22.8	48.2	110	83	0	30	30
2019	11	2	11	8	1	0.607	-0.059	3.196	0.01	0.007	0	34.8	22.8	48.2	111	84	0	30	31
2019	11	2	11	18	1	0.614	-0.095	3.196	0.013	0.01	0	34.4	22.4	47.7	110	82	0	30	30
2019	11	2	11	28	1	0.679	-0.108	3.192	0.016	0.013	0	34.8	22.4	48.2	112	83	0	31	31
2019	11	2	11	38	1	0.653	-0.092	3.192	0.01	0.007	0	36.1	23.2	47.7	114	85	0	30	31
2019	11	2	11	48	1	0.686	-0.085	3.192	0.016	0.013	0	37	24.9	47.3	116	88	0	30	30
2019	11	2	11	58	1	0.663	-0.072	3.189	0.016	0.016	0	37	24.5	47.3	116	87	0	30	30
2019	11	2	12	8	1	0.656	-0.079	3.186	0.013	0.01	0	36.5	24.5	47.3	115	87	0	30	30
2019	11	2	12	18	1	0.676	-0.052	3.186	0.013	0.01	0	38.7	25.8	47.3	120	91	0	30	31
2019	11	2	12	28	1	0.653	-0.066	3.186	0.016	0.013	0	34	21.9	47.7	110	82	0	31	31
2019	11	2	12	38	1	0.643	-0.039	3.182	0.016	0.016	0	33.5	21.5	47.3	108	81	0	30	31
2019	11	2	12	48	1	0.656	-0.059	3.182	0.013	0.01	0	34.8	22.8	47.7	111	83	0	30	30
2019	11	2	12	58	1	0.63	-0.062	3.182	0.013	0.01	0	35.7	23.6	48.2	114	85	0	31	30
2019	11	2	13	8	1	0.568	0	3.182	0.016	0.013	0	33.5	21.9	48.2	109	82	0	31	31
2019	11	2	13	18	1	0.627	-0.026	3.182	0.016	0.013	0	36.1	23.6	48.2	114	86	0	30	31
2019	11	2	13	28	1	0.584	0.013	3.182	0.016	0.013	0	35.3	23.2	48.6	112	85	0	30	31
2019	11	2	13	38	1	0.62	-0.039	3.179	0.013	0.01	0	35.7	23.6	47.3	114	86	0	31	31
2019	11	2	13	48	1	0.643	-0.052	3.182	0.01	0.007	0	36.1	23.6	48.6	114	86	0	30	31
2019	11	2	13	58	1	0.653	-0.03	3.179	0.01	0.007	0	35.3	23.2	47.3	112	84	0	30	30
2019	11	2	14	8	1	0.643	-0.03	3.179	0.01	0.007	0	34.8	22.4	49.5	111	82	0	30	30
2019	11	2	14	18	1	0.627	-0.03	3.179	0.01	0.007	0	34	21.9	49	110	81	0	31	30
2019	11	2	14	28	1	0.597	-0.023	3.179	0.01	0.007	0	34.4	22.8	46.4	111	83	0	31	30
2019	11	2	14	38	1	0.607	-0.026	3.179	0.013	0.01	0	34.8	22.8	46.4	111	84	0	30	31
2019	11	2	14	48	1	0.627	0.003	3.179	0.013	0.01	0	35.3	22.8	48.2	112	84	0	30	31
2019	11	2	14	58	1	0.636	-0.052	3.179	0.016	0.016	0	34.8	23.2	40.4	111	85	0	30	31
2019	11	2	15	8	1	0.65	-0.043	3.179	0.013	0.01	0	37	25.4	48.6	117	89	0	31	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	2	15	18	1	0.646	-0.059	3.179	0.013	0.01	0	37.8	25.4	46.9	118	90	0	30	31
2019	11	2	15	28	1	0.617	-0.062	3.176	0.013	0.01	0	37.4	25.4	40	117	90	0	30	31
2019	11	2	15	38	1	0.646	-0.066	3.179	0.013	0.01	0	37	24.9	41.7	116	89	0	30	31
2019	11	2	15	48	1	0.659	-0.039	3.179	0.016	0.016	0	37	25.4	37.4	116	89	0	30	30
2019	11	2	15	58	1	0.646	-0.036	3.176	0.016	0.016	0	36.5	24.5	36.5	115	88	0	30	31
2019	11	2	16	8	1	0.65	-0.066	3.176	0.016	0.013	0	36.5	24.9	40.4	115	88	0	30	30
2019	11	2	16	18	1	0.62	-0.069	3.176	0.013	0.01	0	35.3	23.2	43	112	85	0	30	31
2019	11	2	16	28	1	0.604	-0.036	3.176	0.013	0.01	0	34	23.6	40	110	85	0	31	30
2019	11	2	16	38	1	0.63	-0.075	3.176	0.013	0.01	0	34	22.8	44.3	109	83	0	30	30
2019	11	2	16	48	1	0.604	-0.052	3.176	0.016	0.013	0	34	21.9	49.5	109	82	0	30	31
2019	11	2	16	58	1	0.666	-0.079	3.176	0.013	0.01	0	37.4	25.4	50.7	117	89	0	30	30
2019	11	2	17	8	1	0.636	-0.046	3.176	0.01	0.007	0	34.8	22.8	50.7	111	83	0	30	30
2019	11	2	17	18	1	0.594	-0.062	3.176	0.013	0.01	0	33.5	21.5	50.7	109	81	0	31	31
2019	11	2	17	28	1	0.617	-0.079	3.176	0.013	0.01	0	34	21.9	50.3	109	81	0	30	30
2019	11	2	17	38	1	0.676	-0.056	3.176	0.01	0.007	0	34.8	22.4	50.7	111	82	0	30	30
2019	11	2	17	48	1	0.65	-0.082	3.176	0.016	0.013	0	35.3	22.8	50.7	112	83	0	30	30
2019	11	2	17	58	1	0.666	-0.072	3.176	0.016	0.013	0	35.3	23.6	50.7	113	85	0	31	30
2019	11	2	18	8	1	0.676	-0.082	3.176	0.01	0.007	0	35.7	22.8	51.2	113	84	0	30	31
2019	11	2	18	18	1	0.679	-0.108	3.176	0.016	0.013	0	34.8	22.8	51.2	112	83	0	31	30
2019	11	2	18	28	1	0.663	-0.079	3.176	0.013	0.01	0	34.8	22.4	50.7	111	83	0	30	31
2019	11	2	18	38	1	0.617	-0.072	3.176	0.013	0.01	0	35.7	22.4	50.3	112	83	0	29	31
2019	11	2	18	48	1	0.666	-0.026	3.176	0.016	0.013	0	34.8	22.4	50.3	111	83	0	30	31
2019	11	2	18	58	1	0.63	-0.049	3.176	0.013	0.01	0	34.8	22.8	50.7	111	83	0	30	30
2019	11	2	19	8	1	0.65	-0.036	3.176	0.013	0.01	0	35.3	22.8	50.7	112	83	0	30	30
2019	11	2	19	18	1	0.633	-0.062	3.176	0.013	0.01	0	34.8	22.4	50.7	111	83	0	30	31
2019	11	2	19	28	1	0.656	-0.069	3.176	0.013	0.01	0	34.8	22.4	50.3	111	82	0	30	30
2019	11	2	19	38	1	0.676	-0.082	3.176	0.013	0.01	0	34.4	21.9	50.3	110	81	0	30	30
2019	11	2	19	48	1	0.643	-0.079	3.176	0.016	0.013	0	34.4	22.4	50.3	110	82	0	30	30
2019	11	2	19	58	1	0.633	-0.062	3.176	0.013	0.01	0	34.4	21.9	49.9	110	81	0	30	30
2019	11	2	20	8	1	0.627	-0.079	3.176	0.013	0.01	0	34	21.9	49.9	109	81	0	30	30
2019	11	2	20	18	1	0.653	-0.066	3.176	0.013	0.01	0	34	21.9	49.9	109	81	0	30	30
2019	11	2	20	28	1	0.663	-0.056	3.173	0.013	0.01	0	33.5	21.1	49.9	109	80	0	31	31
2019	11	2	20	38	1	0.63	-0.033	3.173	0.013	0.01	0	34	21.9	49.5	110	81	0	31	30
2019	11	2	20	48	1	0.63	-0.049	3.173	0.01	0.007	0	34.4	22.4	49.9	111	82	0	31	30
2019	11	2	20	58	1	0.633	-0.02	3.173	0.013	0.01	0	34	21.5	49.5	109	81	0	30	31
2019	11	2	21	8	1	0.627	-0.033	3.173	0.013	0.01	0	34	21.5	49.9	109	80	0	30	30
2019	11	2	21	18	1	0.646	-0.066	3.173	0.016	0.013	0	33.5	21.9	49.9	109	81	0	31	30
2019	11	2	21	28	1	0.623	-0.069	3.173	0.013	0.01	0	34.4	21.9	49.5	110	81	0	30	30
2019	11	2	21	38	1	0.646	-0.069	3.173	0.01	0.007	0	34.4	21.9	49	110	81	0	30	30
2019	11	2	21	48	1	0.607	-0.072	3.173	0.016	0.016	0	34.4	21.9	49.5	110	81	0	30	30
2019	11	2	21	58	1	0.656	-0.085	3.169	0.013	0.01	0	34	21.1	49.5	109	80	0	30	31
2019	11	2	22	8	1	0.65	-0.082	3.169	0.01	0.007	0	34	21.5	49.5	109	80	0	30	30
2019	11	2	22	18	1	0.636	-0.082	3.169	0.013	0.01	0	34	21.5	49	109	80	0	30	30
2019	11	2	22	28	1	0.617	-0.095	3.169	0.01	0.007	0	34	21.5	49	109	80	0	30	30
2019	11	2	22	38	1	0.673	-0.069	3.169	0.013	0.01	0	34	21.5	48.6	109	80	0	30	30
2019	11	2	22	48	1	0.659	-0.079	3.169	0.013	0.01	0	34	21.5	49	109	80	0	30	30
2019	11	2	22	58	1	0.689	-0.118	3.169	0.013	0.01	0	34	21.5	49	109	80	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	2	23	8	1	0.653	-0.082	3.166	0.01	0.007	0	34	21.5	48.6	109	80	0	30	30
2019	11	2	23	18	1	0.679	-0.075	3.166	0.013	0.01	0	34	21.5	48.6	109	80	0	30	30
2019	11	2	23	28	1	0.689	-0.121	3.166	0.016	0.013	0	34	21.1	48.6	109	80	0	30	31
2019	11	2	23	38	1	0.679	-0.095	3.163	0.013	0.01	0	34	21.5	48.6	110	80	0	31	30
2019	11	2	23	48	1	0.669	-0.098	3.163	0.016	0.013	0	34.4	21.5	47.7	109	80	0	29	30
2019	11	2	23	58	1	0.676	-0.095	3.163	0.013	0.01	0	34	21.5	48.2	109	80	0	30	30
2019	11	3	0	8	1	0.699	-0.112	3.159	0.013	0.01	0	34	21.1	48.2	109	79	0	30	30
2019	11	3	0	18	1	0.659	-0.072	3.159	0.013	0.01	0	34	21.5	47.7	109	80	0	30	30
2019	11	3	0	28	1	0.646	-0.069	3.156	0.013	0.01	0	34	21.1	47.7	109	80	0	30	31
2019	11	3	0	38	1	0.636	-0.089	3.159	0.013	0.01	0	33.5	21.5	45.6	109	80	0	31	30
2019	11	3	0	48	1	0.646	-0.075	3.156	0.016	0.013	0	34	21.1	48.2	109	80	0	30	31
2019	11	3	0	58	1	0.646	-0.075	3.156	0.013	0.01	0	33.5	21.5	48.2	109	80	0	31	30
2019	11	3	1	8	1	0.653	-0.072	3.153	0.013	0.01	0	34.4	21.5	47.7	109	80	0	29	30
2019	11	3	1	18	1	0.65	-0.059	3.153	0.01	0.007	0	34	21.5	48.2	109	80	0	30	30
2019	11	3	1	28	1	0.666	-0.075	3.153	0.01	0.007	0	34	21.5	47.7	109	80	0	30	30
2019	11	3	1	38	1	0.676	-0.072	3.153	0.013	0.01	0	34	21.1	48.6	109	79	0	30	30
2019	11	3	1	48	1	0.623	-0.066	3.153	0.016	0.013	0	34	21.1	48.2	109	80	0	30	31
2019	11	3	1	58	1	0.636	-0.082	3.153	0.01	0.007	0	33.5	21.1	48.6	109	79	0	31	30
2019	11	3	2	8	1	0.643	-0.062	3.15	0.013	0.01	0	34	21.1	48.6	109	80	0	30	31
2019	11	3	2	18	1	0.636	-0.069	3.15	0.01	0.007	0	34	21.5	48.2	109	80	0	30	30
2019	11	3	2	28	1	0.633	-0.072	3.15	0.013	0.01	0	34.4	21.5	48.2	110	80	0	30	30
2019	11	3	2	38	1	0.636	-0.075	3.15	0.013	0.01	0	34	21.5	48.2	109	80	0	30	30
2019	11	3	2	48	1	0.669	-0.052	3.15	0.013	0.01	0	34	21.1	48.6	109	80	0	30	31
2019	11	3	2	58	1	0.659	-0.072	3.15	0.01	0.007	0	34	21.1	48.6	109	80	0	30	31
2019	11	3	3	8	1	0.659	-0.095	3.15	0.01	0.007	0	34	21.5	49	109	80	0	30	30
2019	11	3	3	18	1	0.673	-0.069	3.146	0.013	0.01	0	34.4	21.5	48.2	109	80	0	29	30
2019	11	3	3	28	1	0.663	-0.082	3.146	0.01	0.007	0	34	21.5	48.6	109	80	0	30	30
2019	11	3	3	38	1	0.669	-0.115	3.146	0.013	0.01	0	34.8	22.4	49	111	82	0	30	30
2019	11	3	3	48	1	0.666	-0.079	3.146	0.016	0.013	0	34.4	21.5	49	110	81	0	30	31
2019	11	3	3	58	1	0.676	-0.066	3.146	0.013	0.01	0	34.4	21.5	49	110	80	0	30	30
2019	11	3	4	8	1	0.663	-0.082	3.146	0.013	0.01	0	34.4	21.1	48.6	110	80	0	30	31
2019	11	3	4	18	1	0.656	-0.079	3.146	0.016	0.016	0	34	21.1	48.6	109	80	0	30	31
2019	11	3	4	28	1	0.682	-0.052	3.146	0.013	0.01	0	34.4	21.5	48.6	110	80	0	30	30
2019	11	3	4	38	1	0.686	-0.105	3.143	0.016	0.016	0	34	21.1	49	109	80	0	30	31
2019	11	3	4	48	1	0.633	-0.062	3.143	0.013	0.01	0	34.4	21.5	49.5	110	80	0	30	30
2019	11	3	4	58	1	0.679	-0.046	3.143	0.013	0.01	0	34	21.1	49.5	109	80	0	30	31
2019	11	3	5	8	1	0.673	-0.056	3.143	0.016	0.013	0	34	20.6	49.5	109	80	0	30	32
2019	11	3	5	18	1	0.659	-0.059	3.143	0.013	0.01	0	34	21.5	49	109	80	0	30	30
2019	11	3	5	28	1	0.646	-0.069	3.143	0.013	0.01	0	34.4	21.9	49	110	81	0	30	30
2019	11	3	5	38	1	0.666	-0.085	3.143	0.013	0.01	0	33.5	21.5	49	109	80	0	31	30
2019	11	3	5	48	1	0.673	-0.092	3.143	0.013	0.01	0	34	21.1	49.5	109	80	0	30	31
2019	11	3	5	58	1	0.669	-0.108	3.14	0.016	0.013	0	34	21.5	49.5	109	80	0	30	30
2019	11	3	6	8	1	0.666	-0.095	3.143	0.013	0.01	0	34	21.5	49	109	80	0	30	30
2019	11	3	6	18	1	0.676	-0.095	3.143	0.016	0.013	0	33.5	21.1	49	108	79	0	30	30
2019	11	3	6	28	1	0.689	-0.089	3.14	0.013	0.01	0	34	21.1	49.5	109	80	0	30	31
2019	11	3	6	38	1	0.699	-0.092	3.14	0.013	0.01	0	33.5	21.1	49	108	80	0	30	31
2019	11	3	6	48	1	0.676	-0.069	3.14	0.013	0.01	0	33.5	21.1	49.5	109	80	0	31	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	3	6	58	1	0.682	-0.085	3.14	0.01	0.007	0	33.5	21.5	49	109	80	0	31	30
2019	11	3	7	8	1	0.689	-0.105	3.14	0.01	0.007	0	34	21.5	49	109	80	0	30	30
2019	11	3	7	18	1	0.673	-0.092	3.14	0.013	0.01	0	34	21.9	49	109	81	0	30	30
2019	11	3	7	28	1	0.689	-0.131	3.14	0.01	0.007	0	33.5	21.9	49	109	81	0	31	30
2019	11	3	7	38	1	0.692	-0.092	3.14	0.01	0.007	0	34.4	21.9	49.5	110	81	0	30	30
2019	11	3	7	48	1	0.669	-0.102	3.14	0.01	0.007	0	34	21.1	49	109	80	0	30	31
2019	11	3	7	58	1	0.689	-0.105	3.136	0.013	0.01	0	37	24.1	49	116	87	0	30	31
2019	11	3	8	8	1	0.673	-0.118	3.136	0.01	0.007	0	36.5	24.1	49.9	115	86	0	30	30
2019	11	3	8	18	1	0.686	-0.105	3.136	0.016	0.013	0	36.1	23.2	49.5	114	85	0	30	31
2019	11	3	8	28	1	0.673	-0.098	3.136	0.016	0.016	0	37	24.1	49.9	116	87	0	30	31
2019	11	3	8	38	1	0.676	-0.052	3.136	0.013	0.01	0	34.8	22.4	49.9	111	82	0	30	30
2019	11	3	8	48	1	0.676	-0.092	3.14	0.013	0.01	0	34.4	21.9	49.9	110	82	0	30	31
2019	11	3	8	58	1	0.669	-0.082	3.14	0.01	0.007	0	34.4	21.9	49.5	110	81	0	30	30
2019	11	3	9	8	1	0.643	-0.118	3.14	0.01	0.007	0	34.4	22.4	49.9	110	82	0	30	30
2019	11	3	9	18	1	0.673	-0.082	3.14	0.016	0.013	0	34.4	22.4	50.3	110	82	0	30	30
2019	11	3	9	28	1	0.65	-0.085	3.14	0.01	0.007	0	33.5	21.5	50.7	109	81	0	31	31
2019	11	3	9	38	1	0.643	-0.082	3.14	0.013	0.01	0	34	21.1	50.3	109	81	0	30	32
2019	11	3	9	48	1	0.61	-0.105	3.14	0.01	0.007	0	33.5	21.5	50.3	109	81	0	31	31
2019	11	3	9	58	1	0.614	-0.066	3.14	0.013	0.01	0	34	21.9	50.3	109	81	0	30	30
2019	11	3	10	8	1	0.646	-0.105	3.14	0.013	0.01	0	34	21.5	49.9	109	81	0	30	31
2019	11	3	10	18	1	0.656	-0.102	3.14	0.01	0.007	0	33.5	21.9	49.9	108	81	0	30	30
2019	11	3	10	28	1	0.633	-0.082	3.14	0.01	0.007	0	33.5	21.5	50.3	108	80	0	30	30
2019	11	3	10	38	1	0.64	-0.049	3.14	0.016	0.013	0	33.5	21.5	49.9	109	81	0	31	31
2019	11	3	10	48	1	0.676	-0.079	3.14	0.013	0.01	0	33.5	21.9	50.3	109	81	0	31	30
2019	11	3	10	58	1	0.614	-0.052	3.14	0.013	0.01	0	34	21.5	50.3	109	81	0	30	31
2019	11	3	11	8	1	0.607	-0.075	3.14	0.013	0.01	0	34	21.9	48.2	109	81	0	30	30
2019	11	3	11	18	1	0.594	-0.026	3.14	0.013	0.01	0	33.5	22.4	48.2	109	82	0	31	30
2019	11	3	11	28	1	0.604	-0.069	3.14	0.01	0.007	0	34	21.9	50.7	110	81	0	31	30
2019	11	3	11	38	1	0.574	-0.046	3.14	0.013	0.01	0	34	22.4	45.6	109	83	0	30	31
2019	11	3	11	48	1	0.607	-0.052	3.14	0.013	0.01	0	33.5	21.9	50.7	108	81	0	30	30
2019	11	3	11	58	1	0.623	-0.056	3.14	0.013	0.01	0	34	21.5	50.3	109	80	0	30	30
2019	11	3	12	8	1	0.65	-0.056	3.14	0.013	0.01	0	34.4	21.9	51.2	110	81	0	30	30
2019	11	3	12	18	1	0.617	-0.062	3.14	0.016	0.013	0	35.3	22.8	50.7	112	83	0	30	30
2019	11	3	12	28	1	0.62	-0.056	3.14	0.013	0.01	0	35.7	23.2	51.2	113	84	0	30	30
2019	11	3	12	38	1	0.656	-0.039	3.14	0.016	0.013	0	36.1	23.6	50.7	114	85	0	30	30
2019	11	3	12	48	1	0.689	-0.095	3.14	0.016	0.013	0	36.5	24.1	51.2	115	86	0	30	30
2019	11	3	12	58	1	0.659	-0.072	3.14	0.016	0.013	0	38.7	25.8	51.2	120	91	0	30	31
2019	11	3	13	8	1	0.656	-0.069	3.14	0.013	0.01	0	39.6	27.5	48.2	122	94	0	30	30
2019	11	3	13	18	1	0.65	-0.066	3.14	0.01	0.007	0	37	24.5	51.2	116	88	0	30	31
2019	11	3	13	28	1	0.666	-0.056	3.14	0.013	0.01	0	40.9	28.4	51.6	125	96	0	30	30
2019	11	3	13	38	1	0.653	-0.098	3.14	0.013	0.01	0	41.7	29.2	51.6	127	98	0	30	30
2019	11	3	13	48	1	0.656	-0.069	3.14	0.016	0.013	0	37	24.5	51.6	117	88	0	31	31
2019	11	3	13	58	1	0.673	-0.075	3.14	0.013	0.01	0	38.3	26.2	52	119	91	0	30	30
2019	11	3	14	8	1	0.656	-0.059	3.14	0.01	0.007	0	40.9	28	51.6	125	95	0	30	30
2019	11	3	14	18	1	0.636	-0.085	3.14	0.013	0.01	0	39.6	25.8	51.6	121	91	0	29	31
2019	11	3	14	28	1	0.659	-0.052	3.14	0.01	0.007	0	37.8	25.4	51.6	118	90	0	30	31
2019	11	3	14	38	1	0.659	-0.089	3.14	0.013	0.01	0	38.3	25.8	52	119	90	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	3	14	48	1	0.64	-0.03	3.14	0.013	0.01	0	36.5	24.5	51.2	115	87	0	30	30
2019	11	3	14	58	1	0.679	-0.046	3.14	0.013	0.01	0	39.1	25.8	51.6	120	91	0	29	31
2019	11	3	15	8	1	0.653	-0.082	3.136	0.013	0.01	0	41.3	28.8	50.3	126	97	0	30	30
2019	11	3	15	18	1	0.636	-0.069	3.136	0.016	0.016	0	38.3	25.8	51.2	119	91	0	30	31
2019	11	3	15	28	1	0.686	-0.062	3.136	0.016	0.016	0	42.1	30.1	50.7	128	100	0	30	30
2019	11	3	15	38	1	0.653	-0.056	3.136	0.01	0.007	0	40.9	28.4	50.3	125	96	0	30	30
2019	11	3	15	48	1	0.653	-0.026	3.136	0.016	0.016	0	39.6	27.1	50.7	122	94	0	30	31
2019	11	3	15	58	1	0.669	-0.069	3.136	0.01	0.007	0	37.8	25.4	50.3	118	89	0	30	30
2019	11	3	16	8	1	0.646	-0.069	3.136	0.016	0.016	0	37.4	25.4	50.3	117	89	0	30	30
2019	11	3	16	18	1	0.64	-0.046	3.136	0.013	0.01	0	39.1	26.7	49.9	120	92	0	29	30
2019	11	3	16	28	1	0.607	-0.056	3.136	0.013	0.01	0	36.5	24.5	49.5	116	88	0	31	31
2019	11	3	16	38	1	0.614	-0.069	3.136	0.016	0.013	0	37.8	25.4	49.5	118	90	0	30	31
2019	11	3	16	48	1	0.633	-0.056	3.136	0.016	0.013	0	40	27.1	49	122	93	0	29	30
2019	11	3	16	58	1	0.62	-0.049	3.136	0.016	0.013	0	38.3	26.2	49.5	119	92	0	30	31
2019	11	3	17	8	1	0.581	-0.026	3.136	0.016	0.013	0	37	24.5	49.5	116	87	0	30	30
2019	11	3	17	18	1	0.574	-0.039	3.136	0.016	0.016	0	36.1	24.1	49	113	85	0	29	29
2019	11	3	17	28	1	0.558	-0.013	3.136	0.01	0.007	0	34.8	22.4	49	111	83	0	30	31
2019	11	3	17	38	1	0.571	-0.046	3.133	0.013	0.01	0	34.8	22.8	48.6	111	83	0	30	30
2019	11	3	17	48	1	0.571	-0.052	3.133	0.01	0.007	0	34.4	22.8	48.2	110	83	0	30	30
2019	11	3	17	58	1	0.584	-0.023	3.133	0.016	0.013	0	34.8	23.2	47.7	111	84	0	30	30
2019	11	3	18	8	1	0.617	-0.036	3.133	0.016	0.013	0	34.8	22.4	48.2	111	83	0	30	31
2019	11	3	18	18	1	0.548	-0.013	3.13	0.013	0.01	0	35.3	23.6	48.2	112	85	0	30	30
2019	11	3	18	28	1	0.597	-0.003	3.127	0.013	0.01	0	34.8	23.6	48.2	111	84	0	30	29
2019	11	3	18	38	1	0.561	0	3.127	0.016	0.013	0	35.3	23.2	48.2	112	84	0	30	30
2019	11	3	18	48	1	0.574	-0.062	3.127	0.016	0.013	0	34.8	23.2	47.7	112	85	0	31	31
2019	11	3	18	58	1	0.564	-0.013	3.123	0.013	0.01	0	34.8	23.2	48.2	112	84	0	31	30
2019	11	3	19	8	1	0.594	-0.026	3.123	0.016	0.013	0	35.3	23.6	48.2	112	85	0	30	30
2019	11	3	19	18	1	0.551	0	3.123	0.013	0.01	0	34.8	23.2	47.7	112	85	0	31	31
2019	11	3	19	28	1	0.607	-0.013	3.123	0.016	0.013	0	35.3	23.6	48.6	113	85	0	31	30
2019	11	3	19	38	1	0.597	-0.026	3.123	0.01	0.007	0	35.3	23.6	48.2	112	85	0	30	30
2019	11	3	19	48	1	0.591	-0.02	3.123	0.013	0.01	0	35.3	23.6	48.2	112	85	0	30	30
2019	11	3	19	58	1	0.627	-0.007	3.123	0.016	0.016	0	35.3	23.6	48.6	112	85	0	30	30
2019	11	3	20	8	1	0.623	-0.013	3.123	0.013	0.01	0	35.3	23.6	49	112	84	0	30	29
2019	11	3	20	18	1	0.584	-0.023	3.123	0.013	0.01	0	35.3	23.2	49	112	84	0	30	30
2019	11	3	20	28	1	0.607	-0.016	3.123	0.013	0.01	0	35.3	23.2	48.6	112	84	0	30	30
2019	11	3	20	38	1	0.61	-0.033	3.123	0.01	0.007	0	35.3	23.6	49	112	85	0	30	30
2019	11	3	20	48	1	0.574	0	3.123	0.013	0.01	0	35.7	23.6	49	112	85	0	29	30
2019	11	3	20	58	1	0.541	0.007	3.123	0.016	0.013	0	35.7	23.6	49	112	85	0	29	30
2019	11	3	21	8	1	0.581	0.01	3.123	0.016	0.013	0	35.3	23.6	49.5	112	85	0	30	30
2019	11	3	21	18	1	0.564	0.013	3.123	0.01	0.007	0	35.3	23.6	49	112	85	0	30	30
2019	11	3	21	28	1	0.594	0.007	3.123	0.016	0.013	0	34.8	23.6	48.6	111	85	0	30	30
2019	11	3	21	38	1	0.594	-0.016	3.12	0.016	0.013	0	34.8	23.2	49	111	85	0	30	31
2019	11	3	21	48	1	0.558	-0.033	3.12	0.016	0.013	0	35.7	24.5	48.6	112	86	0	29	29
2019	11	3	21	58	1	0.581	-0.026	3.12	0.013	0.01	0	34.8	23.6	49	111	85	0	30	30
2019	11	3	22	8	1	0.6	-0.016	3.12	0.01	0.007	0	35.7	23.2	49	113	85	0	30	31
2019	11	3	22	18	1	0.61	-0.043	3.12	0.01	0.007	0	35.7	23.2	49.5	113	85	0	30	31
2019	11	3	22	28	1	0.604	-0.069	3.12	0.01	0.007	0	35.3	23.2	49	111	85	0	29	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	3	22	38	1	0.584	-0.033	3.12	0.01	0.007	0	35.3	23.6	49	112	85	0	30	30
2019	11	3	22	48	1	0.604	-0.043	3.12	0.01	0.007	0	34.8	23.2	49.5	111	84	0	30	30
2019	11	3	22	58	1	0.614	-0.052	3.12	0.016	0.013	0	35.3	23.6	49.5	112	85	0	30	30
2019	11	3	23	8	1	0.591	-0.052	3.12	0.01	0.007	0	35.3	23.2	49.5	112	84	0	30	30
2019	11	3	23	18	1	0.584	-0.056	3.117	0.016	0.013	0	34.8	23.2	49.5	111	84	0	30	30
2019	11	3	23	28	1	0.64	-0.082	3.117	0.016	0.013	0	34.8	23.2	48.6	111	84	0	30	30
2019	11	3	23	38	1	0.643	-0.072	3.117	0.013	0.01	0	34.8	22.8	49	111	83	0	30	30
2019	11	3	23	48	1	0.597	-0.036	3.117	0.013	0.01	0	35.7	23.6	49.5	113	85	0	30	30
2019	11	3	23	58	1	0.604	-0.03	3.117	0.013	0.01	0	34.8	23.2	49.5	111	84	0	30	30
2019	11	4	0	8	1	0.597	-0.03	3.117	0.013	0.01	0	34.8	23.2	49.5	111	84	0	30	30
2019	11	4	0	18	1	0.604	-0.003	3.117	0.013	0.01	0	34.8	23.2	49.5	111	84	0	30	30
2019	11	4	0	28	1	0.597	-0.013	3.117	0.016	0.013	0	35.3	23.6	49	112	85	0	30	30
2019	11	4	0	38	1	0.581	-0.062	3.114	0.01	0.007	0	35.7	22.8	49.5	112	84	0	29	31
2019	11	4	0	48	1	0.607	-0.013	3.114	0.013	0.01	0	34.8	22.8	49.5	111	83	0	30	30
2019	11	4	0	58	1	0.61	-0.013	3.114	0.013	0.01	0	34.8	23.2	49.9	111	84	0	30	30
2019	11	4	1	8	1	0.591	-0.026	3.114	0.013	0.01	0	35.3	23.2	49.5	112	84	0	30	30
2019	11	4	1	18	1	0.577	-0.033	3.114	0.013	0.01	0	34.8	23.2	49.9	111	84	0	30	30
2019	11	4	1	28	1	0.597	-0.046	3.114	0.013	0.01	0	34.8	23.6	49.9	112	85	0	31	30
2019	11	4	1	38	1	0.617	-0.046	3.114	0.013	0.01	0	34.8	23.2	49.5	111	84	0	30	30
2019	11	4	1	48	1	0.564	-0.03	3.114	0.013	0.01	0	34.8	23.2	49.9	111	84	0	30	30
2019	11	4	1	58	1	0.607	-0.003	3.11	0.013	0.01	0	35.7	23.2	49.9	112	84	0	29	30
2019	11	4	2	8	1	0.614	-0.03	3.11	0.013	0.01	0	34.8	22.8	49.5	111	83	0	30	30
2019	11	4	2	18	1	0.561	0.023	3.11	0.016	0.013	0	34.8	22.8	49.9	111	84	0	30	31
2019	11	4	2	28	1	0.574	-0.016	3.11	0.01	0.007	0	35.3	23.2	49.9	112	84	0	30	30
2019	11	4	2	38	1	0.594	-0.007	3.11	0.013	0.01	0	34.8	23.2	49.9	111	84	0	30	30
2019	11	4	2	48	1	0.587	0	3.11	0.013	0.01	0	35.3	23.2	49.9	112	84	0	30	30
2019	11	4	2	58	1	0.568	0	3.107	0.01	0.007	0	35.3	23.2	49.9	112	84	0	30	30
2019	11	4	3	8	1	0.6	0	3.11	0.016	0.013	0	34.8	23.2	49.5	111	84	0	30	30
2019	11	4	3	18	1	0.591	-0.003	3.107	0.01	0.007	0	35.3	22.8	49.9	112	84	0	30	31
2019	11	4	3	28	1	0.614	0	3.107	0.013	0.01	0	34.8	23.2	49.9	111	84	0	30	30
2019	11	4	3	38	1	0.574	0.013	3.107	0.016	0.013	0	34.8	23.6	49.5	111	85	0	30	30
2019	11	4	3	48	1	0.577	0	3.107	0.013	0.01	0	35.3	23.6	49.9	112	85	0	30	30
2019	11	4	3	58	1	0.6	-0.007	3.107	0.016	0.013	0	35.3	23.6	49.5	112	85	0	30	30
2019	11	4	4	8	1	0.587	0.003	3.107	0.013	0.01	0	35.3	23.2	49.9	112	84	0	30	30
2019	11	4	4	18	1	0.571	-0.003	3.107	0.013	0.01	0	35.3	23.6	50.3	112	85	0	30	30
2019	11	4	4	28	1	0.574	-0.01	3.107	0.01	0.007	0	35.7	23.2	49.9	113	85	0	30	31
2019	11	4	4	38	1	0.607	-0.013	3.104	0.013	0.01	0	35.3	23.6	50.3	112	85	0	30	30
2019	11	4	4	48	1	0.577	0.023	3.104	0.016	0.013	0	35.7	23.2	50.3	113	85	0	30	31
2019	11	4	4	58	1	0.581	0.013	3.104	0.01	0.007	0	35.3	24.1	49.9	112	86	0	30	30
2019	11	4	5	8	1	0.63	0.01	3.104	0.016	0.013	0	35.3	23.2	49.9	112	85	0	30	31
2019	11	4	5	18	1	0.597	0.03	3.104	0.013	0.01	0	34.8	23.2	50.3	111	84	0	30	30
2019	11	4	5	28	1	0.584	0.02	3.104	0.01	0.007	0	35.3	23.2	50.3	112	84	0	30	30
2019	11	4	5	38	1	0.636	0	3.104	0.016	0.016	0	34.8	23.2	50.3	112	84	0	31	30
2019	11	4	5	48	1	0.584	0.02	3.104	0.013	0.01	0	34.8	23.2	50.3	111	84	0	30	30
2019	11	4	5	58	1	0.568	0.02	3.104	0.013	0.01	0	35.3	22.8	50.3	112	84	0	30	31
2019	11	4	6	8	1	0.587	0.043	3.104	0.013	0.01	0	35.3	23.6	49.9	112	84	0	30	29
2019	11	4	6	18	1	0.61	0	3.1	0.01	0.007	0	35.3	23.2	50.3	112	84	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	4	6	28	1	0.561	-0.007	3.1	0.01	0.007	0	34.8	22.8	49.9	111	83	0	30	30
2019	11	4	6	38	1	0.571	0.013	3.1	0.013	0.01	0	34.8	22.8	50.3	111	83	0	30	30
2019	11	4	6	48	1	0.604	-0.043	3.1	0.01	0.007	0	35.3	22.8	50.3	112	83	0	30	30
2019	11	4	6	58	1	0.623	-0.066	3.1	0.013	0.01	0	35.3	22.8	50.7	112	83	0	30	30
2019	11	4	7	8	1	0.659	-0.03	3.1	0.013	0.01	0	35.3	22.8	50.3	112	83	0	30	30
2019	11	4	7	18	1	0.607	-0.052	3.1	0.013	0.01	0	34.8	22.8	50.3	112	84	0	31	31
2019	11	4	7	28	1	0.633	-0.03	3.1	0.013	0.01	0	35.3	22.8	50.3	112	83	0	30	30
2019	11	4	7	38	1	0.627	-0.052	3.1	0.01	0.007	0	35.3	22.8	50.3	112	83	0	30	30
2019	11	4	7	48	1	0.581	-0.013	3.1	0.01	0.007	0	35.3	22.8	50.3	112	84	0	30	31
2019	11	4	7	58	1	0.584	-0.036	3.097	0.013	0.01	0	35.3	23.2	50.3	113	84	0	31	30
2019	11	4	8	8	1	0.568	-0.026	3.097	0.016	0.013	0	36.1	24.1	50.7	114	86	0	30	30
2019	11	4	8	18	1	0.594	-0.026	3.097	0.013	0.01	0	35.7	24.1	51.2	114	86	0	31	30
2019	11	4	8	28	1	0.607	-0.036	3.097	0.013	0.01	0	36.5	24.5	51.2	115	87	0	30	30
2019	11	4	8	38	1	0.607	0.003	3.097	0.013	0.01	0	36.1	24.1	51.2	114	86	0	30	30
2019	11	4	8	48	1	0.614	-0.007	3.097	0.01	0.007	0	35.7	24.1	50.7	113	86	0	30	30
2019	11	4	8	58	1	0.594	-0.036	3.097	0.016	0.013	0	36.1	23.6	51.2	114	86	0	30	31
2019	11	4	9	8	1	0.604	-0.023	3.097	0.016	0.016	0	38.3	26.2	51.2	119	91	0	30	30
2019	11	4	9	18	1	0.594	-0.026	3.097	0.016	0.013	0	38.7	27.1	50.7	121	93	0	31	30
2019	11	4	9	28	1	0.633	-0.003	3.097	0.016	0.013	0	38.7	26.7	50.7	120	92	0	30	30
2019	11	4	9	38	1	0.614	-0.039	3.097	0.013	0.01	0	38.7	26.7	50.7	120	92	0	30	30
2019	11	4	9	48	1	0.591	-0.052	3.097	0.01	0.007	0	38.3	26.7	50.3	120	92	0	31	30
2019	11	4	9	58	1	0.636	-0.082	3.097	0.013	0.01	0	40.9	28.4	49.9	125	96	0	30	30
2019	11	4	10	8	1	0.643	-0.039	3.097	0.01	0.007	0	39.6	27.1	50.7	122	93	0	30	30
2019	11	4	10	18	1	0.663	-0.056	3.097	0.013	0.01	0	37.8	25.4	49.5	118	90	0	30	31
2019	11	4	10	28	1	0.636	-0.098	3.094	0.013	0.01	0	38.3	25.8	49.9	119	90	0	30	30
2019	11	4	10	38	1	0.643	-0.072	3.094	0.013	0.01	0	40.4	28.4	49.9	124	96	0	30	30
2019	11	4	10	48	1	0.627	-0.069	3.094	0.016	0.013	0	40.4	28.8	43	124	97	0	30	30
2019	11	4	10	58	1	0.686	-0.105	3.094	0.016	0.016	0	40	27.5	49.5	123	94	0	30	30
2019	11	4	11	8	1	0.659	-0.052	3.094	0.013	0.01	0	40.9	28	48.6	124	95	0	29	30
2019	11	4	11	18	1	0.679	-0.066	3.094	0.013	0.01	0	41.3	28.8	49	126	97	0	30	30
2019	11	4	11	28	1	0.627	-0.079	3.094	0.013	0.01	0	40	27.1	48.6	123	94	0	30	31
2019	11	4	11	38	1	0.656	-0.095	3.091	0.013	0.01	0	40.4	28	48.2	124	95	0	30	30
2019	11	4	11	48	1	0.65	-0.056	3.091	0.013	0.01	0	40.9	28	48.2	125	96	0	30	31
2019	11	4	11	58	1	0.643	-0.072	3.091	0.013	0.01	0	42.6	30.5	45.2	129	101	0	30	30
2019	11	4	12	8	1	0.646	-0.066	3.087	0.016	0.013	0	46	33.5	46	137	108	0	30	30
2019	11	4	12	18	1	0.633	-0.072	3.084	0.016	0.016	0	43	31	45.2	130	102	0	30	30
2019	11	4	12	28	1	0.666	-0.046	3.084	0.016	0.013	0	42.6	30.5	47.7	130	101	0	31	30
2019	11	4	12	38	1	0.63	-0.085	3.081	0.016	0.013	0	46	33.5	48.6	137	108	0	30	30
2019	11	4	12	48	1	0.643	-0.049	3.084	0.016	0.013	0	41.3	29.7	40.4	126	99	0	30	30
2019	11	4	12	58	1	0.633	-0.082	3.084	0.016	0.013	0	43	30.1	43	129	101	0	29	31
2019	11	4	13	8	1	0.656	-0.095	3.081	0.016	0.013	0	46.9	34	49	139	110	0	30	31
2019	11	4	13	18	1	0.646	-0.059	3.081	0.016	0.016	0	46.4	34	49	138	109	0	30	30
2019	11	4	13	28	1	0.597	-0.046	3.081	0.016	0.013	0	45.6	33.5	44.3	136	108	0	30	30
2019	11	4	13	38	1	0.659	-0.052	3.081	0.016	0.013	0	43.4	31.4	45.6	132	103	0	31	30
2019	11	4	13	48	1	0.679	-0.102	3.081	0.01	0.007	0	43.9	31.4	47.7	132	103	0	30	30
2019	11	4	13	58	1	0.63	-0.046	3.081	0.016	0.016	0	45.2	32.7	43.4	135	106	0	30	30
2019	11	4	14	8	1	0.656	-0.039	3.081	0.01	0.007	0	43	31.4	42.1	130	103	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	4	14	18	1	0.607	-0.046	3.081	0.013	0.01	0	43.4	31.8	43.9	131	104	0	30	30
2019	11	4	14	28	1	0.673	-0.072	3.077	0.013	0.01	0	44.7	32.7	49.9	134	106	0	30	30
2019	11	4	14	38	1	0.577	-0.023	3.077	0.013	0.01	0	42.6	30.5	45.2	129	101	0	30	30
2019	11	4	14	48	1	0.63	-0.039	3.077	0.013	0.01	0	39.6	28.4	41.7	122	96	0	30	30
2019	11	4	14	58	1	0.633	-0.062	3.077	0.016	0.013	0	38.7	27.5	44.7	120	94	0	30	30
2019	11	4	15	8	1	0.627	-0.056	3.077	0.016	0.013	0	37.8	26.7	38.7	118	92	0	30	30
2019	11	4	15	18	1	0.62	-0.066	3.077	0.016	0.013	0	39.1	27.5	35.7	121	95	0	30	31
2019	11	4	15	28	1	0.607	-0.069	3.077	0.01	0.007	0	40	28.8	34.4	123	97	0	30	30
2019	11	4	15	38	1	0.633	-0.049	3.077	0.013	0.01	0	42.1	31	37	128	102	0	30	30
2019	11	4	15	48	1	0.627	-0.043	3.077	0.016	0.013	0	43	31.4	40	130	103	0	30	30
2019	11	4	15	58	1	0.659	-0.069	3.077	0.016	0.013	0	42.6	31	38.3	129	102	0	30	30
2019	11	4	16	8	1	0.6	-0.039	3.077	0.016	0.013	0	41.3	30.1	42.6	126	100	0	30	30
2019	11	4	16	18	1	0.591	-0.023	3.077	0.013	0.01	0	40	28.4	39.6	123	96	0	30	30
2019	11	4	16	28	1	0.614	-0.03	3.077	0.013	0.01	0	38.3	27.1	42.1	119	93	0	30	30
2019	11	4	16	38	1	0.574	-0.069	3.077	0.013	0.01	0	37.4	26.2	45.2	117	91	0	30	30
2019	11	4	16	48	1	0.64	-0.036	3.077	0.016	0.013	0	37.4	25.8	39.6	116	91	0	29	31
2019	11	4	16	58	1	0.63	-0.036	3.077	0.016	0.013	0	39.6	28.4	40.9	122	96	0	30	30
2019	11	4	17	8	1	0.643	-0.069	3.077	0.016	0.016	0	40.9	29.2	45.2	125	98	0	30	30
2019	11	4	17	18	1	0.689	-0.072	3.077	0.01	0.007	0	39.1	27.1	51.2	121	93	0	30	30
2019	11	4	17	28	1	0.65	-0.098	3.077	0.016	0.016	0	39.6	26.7	51.2	122	93	0	30	31
2019	11	4	17	38	1	0.663	-0.062	3.077	0.016	0.013	0	38.3	25.8	50.3	119	90	0	30	30
2019	11	4	17	48	1	0.653	-0.059	3.077	0.016	0.013	0	37.4	25.4	50.7	117	89	0	30	30
2019	11	4	17	58	1	0.663	-0.121	3.077	0.013	0.01	0	38.3	26.2	51.2	119	91	0	30	30
2019	11	4	18	8	1	0.656	-0.052	3.077	0.016	0.013	0	42.6	30.1	50.7	129	100	0	30	30
2019	11	4	18	18	1	0.65	-0.066	3.077	0.016	0.013	0	43.9	31.4	51.2	132	103	0	30	30
2019	11	4	18	28	1	0.659	-0.069	3.077	0.016	0.016	0	38.7	26.2	51.2	119	91	0	29	30
2019	11	4	18	38	1	0.604	-0.056	3.074	0.013	0.01	0	39.6	27.1	50.3	122	93	0	30	30
2019	11	4	18	48	1	0.676	-0.082	3.077	0.013	0.01	0	37.8	25.4	51.2	118	89	0	30	30
2019	11	4	18	58	1	0.656	-0.082	3.077	0.013	0.01	0	38.3	25.4	51.2	118	89	0	29	30
2019	11	4	19	8	1	0.646	-0.056	3.074	0.013	0.01	0	37.4	25.4	50.7	117	89	0	30	30
2019	11	4	19	18	1	0.614	-0.056	3.077	0.013	0.01	0	38.3	25.8	50.7	118	90	0	29	30
2019	11	4	19	28	1	0.623	-0.075	3.074	0.01	0.007	0	38.3	26.7	50.7	120	92	0	31	30
2019	11	4	19	38	1	0.617	-0.066	3.074	0.01	0.007	0	37.8	25.4	50.7	117	89	0	29	30
2019	11	4	19	48	1	0.636	-0.056	3.074	0.013	0.01	0	37.8	25.4	50.7	117	89	0	29	30
2019	11	4	19	58	1	0.659	-0.016	3.074	0.013	0.01	0	37.8	25.4	50.3	118	89	0	30	30
2019	11	4	20	8	1	0.64	-0.056	3.074	0.013	0.01	0	38.3	25.8	50.3	118	90	0	29	30
2019	11	4	20	18	1	0.64	-0.049	3.074	0.016	0.013	0	37.8	25.8	50.3	119	90	0	31	30
2019	11	4	20	28	1	0.627	-0.056	3.074	0.013	0.01	0	38.3	25.8	50.3	119	90	0	30	30
2019	11	4	20	38	1	0.627	-0.082	3.074	0.013	0.01	0	37.4	25.4	49.9	117	89	0	30	30
2019	11	4	20	48	1	0.614	-0.033	3.074	0.01	0.007	0	38.7	26.7	50.3	120	91	0	30	29
2019	11	4	20	58	1	0.63	-0.036	3.074	0.013	0.01	0	39.6	28	48.2	122	95	0	30	30
2019	11	4	21	8	1	0.663	-0.056	3.074	0.01	0.007	0	38.3	26.2	47.7	118	91	0	29	30
2019	11	4	21	18	1	0.64	-0.069	3.074	0.016	0.013	0	37.8	25.8	49.5	118	90	0	30	30
2019	11	4	21	28	1	0.653	-0.089	3.071	0.01	0.007	0	37.4	24.9	49.9	117	88	0	30	30
2019	11	4	21	38	1	0.62	-0.069	3.071	0.016	0.013	0	37.8	24.9	49.9	117	88	0	29	30
2019	11	4	21	48	1	0.62	-0.079	3.071	0.016	0.013	0	37	24.9	49.5	116	88	0	30	30
2019	11	4	21	58	1	0.659	-0.059	3.071	0.013	0.01	0	37	24.9	49.5	116	88	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	4	22	8	1	0.666	-0.056	3.071	0.013	0.01	0	37.4	24.9	49.5	116	88	0	29	30
2019	11	4	22	18	1	0.653	-0.052	3.071	0.016	0.013	0	37.4	24.9	48.6	117	88	0	30	30
2019	11	4	22	28	1	0.666	-0.056	3.071	0.016	0.013	0	37	25.4	49.5	116	88	0	30	29
2019	11	4	22	38	1	0.646	-0.062	3.071	0.01	0.007	0	37	24.9	49.5	116	88	0	30	30
2019	11	4	22	48	1	0.666	-0.082	3.071	0.016	0.016	0	37	24.5	49	116	87	0	30	30
2019	11	4	22	58	1	0.643	-0.039	3.071	0.016	0.013	0	37	24.5	49.5	116	87	0	30	30
2019	11	4	23	8	1	0.623	-0.066	3.071	0.016	0.013	0	37	24.5	49	116	87	0	30	30
2019	11	4	23	18	1	0.646	-0.056	3.071	0.016	0.013	0	37	24.5	49.5	115	87	0	29	30
2019	11	4	23	28	1	0.636	-0.069	3.071	0.016	0.016	0	37	24.5	49	115	87	0	29	30
2019	11	4	23	38	1	0.646	-0.056	3.071	0.013	0.01	0	36.5	24.5	49.5	115	87	0	30	30
2019	11	4	23	48	1	0.636	-0.089	3.068	0.013	0.01	0	36.5	24.5	48.6	115	87	0	30	30
2019	11	4	23	58	1	0.666	-0.062	3.068	0.016	0.013	0	37	24.5	49	116	87	0	30	30
2019	11	5	0	8	1	0.643	-0.056	3.068	0.016	0.013	0	36.5	24.5	49	115	87	0	30	30
2019	11	5	0	18	1	0.64	-0.043	3.068	0.016	0.013	0	37	24.5	49	115	87	0	29	30
2019	11	5	0	28	1	0.653	-0.052	3.068	0.016	0.013	0	36.5	24.5	48.6	115	87	0	30	30
2019	11	5	0	38	1	0.63	-0.072	3.068	0.013	0.01	0	37	24.5	48.6	115	87	0	29	30
2019	11	5	0	48	1	0.659	-0.069	3.068	0.016	0.013	0	36.5	24.5	48.6	115	87	0	30	30
2019	11	5	0	58	1	0.617	-0.033	3.064	0.013	0.01	0	37.4	24.5	48.6	116	87	0	29	30
2019	11	5	1	8	1	0.594	-0.049	3.064	0.013	0.01	0	37	24.5	48.6	115	87	0	29	30
2019	11	5	1	18	1	0.617	-0.069	3.064	0.013	0.01	0	36.5	24.5	48.6	115	87	0	30	30
2019	11	5	1	28	1	0.673	-0.036	3.064	0.013	0.01	0	36.1	24.5	48.6	114	87	0	30	30
2019	11	5	1	38	1	0.636	-0.02	3.064	0.013	0.01	0	37	24.5	48.6	115	87	0	29	30
2019	11	5	1	48	1	0.594	-0.056	3.064	0.01	0.007	0	37	24.9	48.6	115	88	0	29	30
2019	11	5	1	58	1	0.627	-0.049	3.064	0.013	0.01	0	37	24.5	47.7	115	88	0	29	31
2019	11	5	2	8	1	0.623	-0.039	3.061	0.016	0.013	0	37	24.9	48.6	115	88	0	29	30
2019	11	5	2	18	1	0.633	-0.039	3.061	0.016	0.016	0	37	24.5	48.2	115	87	0	29	30
2019	11	5	2	28	1	0.607	-0.033	3.061	0.016	0.016	0	36.5	24.9	48.6	115	88	0	30	30
2019	11	5	2	38	1	0.607	0.01	3.061	0.013	0.01	0	36.5	24.5	48.6	115	87	0	30	30
2019	11	5	2	48	1	0.604	-0.03	3.061	0.016	0.013	0	36.5	24.5	48.6	115	87	0	30	30
2019	11	5	2	58	1	0.594	-0.049	3.061	0.016	0.016	0	36.5	24.9	48.6	115	88	0	30	30
2019	11	5	3	8	1	0.663	-0.052	3.061	0.016	0.013	0	36.5	24.5	48.6	115	87	0	30	30
2019	11	5	3	18	1	0.62	-0.062	3.061	0.013	0.01	0	36.5	24.9	48.6	115	88	0	30	30
2019	11	5	3	28	1	0.61	0	3.061	0.013	0.01	0	37	24.9	48.6	116	88	0	30	30
2019	11	5	3	38	1	0.594	-0.013	3.061	0.016	0.013	0	36.5	24.9	48.2	115	88	0	30	30
2019	11	5	3	48	1	0.587	-0.039	3.058	0.01	0.007	0	36.5	25.4	48.6	115	89	0	30	30
2019	11	5	3	58	1	0.591	-0.026	3.058	0.013	0.01	0	37	25.4	48.2	116	89	0	30	30
2019	11	5	4	8	1	0.61	-0.013	3.058	0.013	0.01	0	37	25.4	48.6	116	89	0	30	30
2019	11	5	4	18	1	0.61	-0.023	3.058	0.013	0.01	0	36.5	25.4	48.6	115	89	0	30	30
2019	11	5	4	28	1	0.633	-0.023	3.058	0.013	0.01	0	36.5	24.5	48.6	115	88	0	30	31
2019	11	5	4	38	1	0.666	-0.026	3.058	0.013	0.01	0	36.5	25.4	48.6	115	89	0	30	30
2019	11	5	4	48	1	0.633	-0.043	3.061	0.016	0.013	0	37	25.8	48.6	116	89	0	30	29
2019	11	5	4	58	1	0.614	-0.039	3.058	0.016	0.013	0	36.1	25.4	48.2	115	89	0	31	30
2019	11	5	5	8	1	0.61	-0.039	3.061	0.013	0.01	0	37	25.4	48.2	115	89	0	29	30
2019	11	5	5	18	1	0.627	0	3.058	0.013	0.01	0	36.5	24.9	48.6	115	88	0	30	30
2019	11	5	5	28	1	0.63	-0.052	3.058	0.01	0.007	0	37	25.4	48.6	115	89	0	29	30
2019	11	5	5	38	1	0.584	-0.007	3.061	0.013	0.01	0	37	24.9	48.6	115	88	0	29	30
2019	11	5	5	48	1	0.627	-0.016	3.061	0.016	0.013	0	37.4	25.4	48.6	117	89	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	5	5	58	1	0.636	-0.069	3.061	0.016	0.013	0	36.5	24.5	48.6	115	88	0	30	31
2019	11	5	6	8	1	0.597	-0.03	3.061	0.013	0.01	0	37	25.4	48.6	117	90	0	31	31
2019	11	5	6	18	1	0.627	-0.023	3.061	0.016	0.013	0	37.4	24.9	49	116	89	0	29	31
2019	11	5	6	28	1	0.584	0	3.061	0.01	0.007	0	36.5	25.4	48.6	115	88	0	30	29
2019	11	5	6	38	1	0.604	-0.039	3.061	0.013	0.01	0	36.5	24.9	49	115	88	0	30	30
2019	11	5	6	48	1	0.604	-0.016	3.061	0.016	0.013	0	36.5	24.9	49	115	88	0	30	30
2019	11	5	6	58	1	0.617	-0.007	3.061	0.013	0.01	0	37	24.9	48.6	116	89	0	30	31
2019	11	5	7	8	1	0.587	-0.026	3.061	0.016	0.013	0	37	24.5	48.6	116	88	0	30	31
2019	11	5	7	18	1	0.604	-0.013	3.061	0.013	0.01	0	37.8	25.4	49	117	89	0	29	30
2019	11	5	7	28	1	0.558	-0.013	3.061	0.016	0.013	0	37	25.4	48.6	116	89	0	30	30
2019	11	5	7	38	1	0.581	0.013	3.061	0.01	0.007	0	37	26.2	49	116	90	0	30	29
2019	11	5	7	48	1	0.574	-0.02	3.061	0.013	0.01	0	37.4	25.4	49.5	117	90	0	30	31
2019	11	5	7	58	1	0.545	0.01	3.061	0.01	0.007	0	37.4	25.4	49.5	117	90	0	30	31
2019	11	5	8	8	1	0.594	-0.007	3.061	0.016	0.016	0	38.3	27.1	49.9	119	93	0	30	30
2019	11	5	8	18	1	0.597	-0.036	3.061	0.01	0.007	0	38.3	27.1	50.3	119	93	0	30	30
2019	11	5	8	28	1	0.61	-0.016	3.061	0.016	0.013	0	37.8	26.7	49	118	92	0	30	30
2019	11	5	8	38	1	0.584	0	3.061	0.013	0.01	0	37.4	26.2	50.3	117	91	0	30	30
2019	11	5	8	48	1	0.591	-0.02	3.061	0.01	0.007	0	36.5	25.4	50.3	115	89	0	30	30
2019	11	5	8	58	1	0.545	0.013	3.061	0.013	0.01	0	36.5	26.2	50.3	115	90	0	30	29
2019	11	5	9	8	1	0.574	0.013	3.061	0.016	0.013	0	36.5	25.4	50.3	115	89	0	30	30
2019	11	5	9	18	1	0.597	0	3.061	0.013	0.01	0	36.5	25.8	49.9	115	90	0	30	30
2019	11	5	9	28	1	0.564	0.013	3.061	0.016	0.013	0	36.5	25.8	50.7	115	90	0	30	30
2019	11	5	9	38	1	0.558	0	3.064	0.013	0.01	0	37	25.4	50.7	115	89	0	29	30
2019	11	5	9	48	1	0.564	0.003	3.064	0.01	0.007	0	36.5	25.4	50.7	115	89	0	30	30
2019	11	5	9	58	1	0.584	0.016	3.064	0.013	0.01	0	36.5	25.8	50.3	115	90	0	30	30
2019	11	5	10	8	1	0.564	0.013	3.064	0.013	0.01	0	37	26.2	50.3	116	91	0	30	30
2019	11	5	10	18	1	0.561	0.02	3.064	0.013	0.01	0	37.4	25.8	50.3	116	90	0	29	30
2019	11	5	10	28	1	0.548	0.01	3.064	0.013	0.01	0	36.5	25.4	49.9	115	89	0	30	30
2019	11	5	10	38	1	0.604	-0.013	3.064	0.016	0.013	0	43.4	31.8	49.5	131	104	0	30	30
2019	11	5	10	48	1	0.62	-0.016	3.064	0.016	0.013	0	42.1	30.5	49.5	128	101	0	30	30
2019	11	5	10	58	1	0.581	0.03	3.064	0.013	0.01	0	37.4	26.7	49.9	117	92	0	30	30
2019	11	5	11	8	1	0.541	0.007	3.064	0.013	0.01	0	37	26.2	49.9	116	91	0	30	30
2019	11	5	11	18	1	0.568	0.039	3.064	0.013	0.01	0	37.8	27.1	49.9	118	93	0	30	30
2019	11	5	11	28	1	0.591	-0.023	3.064	0.016	0.013	0	37	26.2	50.3	116	91	0	30	30
2019	11	5	11	38	1	0.577	-0.026	3.068	0.013	0.01	0	37.8	26.7	48.6	118	92	0	30	30
2019	11	5	11	48	1	0.564	0	3.068	0.013	0.01	0	36.1	25.4	50.7	114	89	0	30	30
2019	11	5	11	58	1	0.594	0	3.068	0.013	0.01	0	35.7	25.4	50.7	113	89	0	30	30
2019	11	5	12	8	1	0.61	0	3.068	0.016	0.016	0	35.7	24.9	50.3	113	88	0	30	30
2019	11	5	12	18	1	0.581	-0.023	3.068	0.013	0.01	0	35.7	24.9	49.9	113	88	0	30	30
2019	11	5	12	28	1	0.571	0	3.068	0.016	0.013	0	35.3	24.9	49.9	112	88	0	30	30
2019	11	5	12	38	1	0.581	-0.003	3.068	0.013	0.01	0	37	25.8	50.7	115	90	0	29	30
2019	11	5	12	48	1	0.62	-0.02	3.068	0.016	0.013	0	38.3	27.1	49.9	119	93	0	30	30
2019	11	5	12	58	1	0.561	-0.026	3.071	0.01	0.007	0	37.8	26.2	48.6	117	91	0	29	30
2019	11	5	13	8	1	0.607	-0.046	3.071	0.013	0.01	0	39.1	27.5	42.1	121	95	0	30	31
2019	11	5	13	18	1	0.627	-0.026	3.071	0.016	0.016	0	36.1	24.5	44.7	114	88	0	30	31
2019	11	5	13	28	1	0.591	0	3.071	0.016	0.013	0	35.7	25.4	48.6	114	89	0	31	30
2019	11	5	13	38	1	0.581	0	3.071	0.016	0.013	0	35.7	24.9	46.4	113	88	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	5	13	48	1	0.607	0	3.071	0.016	0.013	0	35.7	24.5	49.5	113	87	0	30	30
2019	11	5	13	58	1	0.587	-0.016	3.071	0.013	0.01	0	35.7	24.5	45.2	112	87	0	29	30
2019	11	5	14	8	1	0.62	-0.026	3.071	0.013	0.01	0	35.3	24.5	45.6	112	87	0	30	30
2019	11	5	14	18	1	0.584	-0.016	3.071	0.016	0.013	0	36.1	24.9	49.9	113	88	0	29	30
2019	11	5	14	28	1	0.676	-0.056	3.071	0.013	0.01	0	37.8	38.7	61.5	118	120	0	30	30
2019	11	5	14	38	1	0.696	-0.112	3.071	0.013	0.01	0	38.3	39.1	72.7	119	121	0	30	30
2019	11	5	14	48	1	0.663	-0.105	3.071	0.013	0.01	0	37.4	38.3	64.5	117	119	0	30	30
2019	11	5	14	58	1	0.666	-0.082	3.071	0.013	0.01	0	37.8	38.7	75.7	118	120	0	30	30
2019	11	5	15	8	1	0.636	-0.075	3.074	0.016	0.013	0	38.7	39.1	76.1	119	121	0	29	30
2019	11	5	15	18	1	0.643	-0.102	3.074	0.013	0.01	0	38.3	39.1	77	118	120	0	29	29
2019	11	5	15	28	1	0.656	-0.079	3.074	0.013	0.01	0	38.3	39.1	70.5	119	121	0	30	30
2019	11	5	15	38	1	0.653	-0.066	3.074	0.013	0.01	0	38.3	39.1	69.2	119	121	0	30	30
2019	11	5	15	48	1	0.656	-0.112	3.074	0.013	0.01	0	39.1	39.6	77.4	120	122	0	29	30
2019	11	5	15	58	1	0.686	-0.085	3.074	0.013	0.01	0	38.7	39.6	69.7	120	122	0	30	30
2019	11	5	16	8	1	0.656	-0.079	3.074	0.013	0.01	0	38.3	39.1	77.4	119	121	0	30	30
2019	11	5	16	18	1	0.682	-0.102	3.074	0.01	0.007	0	38.7	39.1	76.1	119	121	0	29	30
2019	11	5	16	28	1	0.682	-0.082	3.074	0.016	0.013	0	38.3	39.1	77	119	121	0	30	30
2019	11	5	16	38	1	0.636	-0.072	3.077	0.013	0.01	0	39.1	39.6	77.4	120	122	0	29	30
2019	11	5	16	48	1	0.682	-0.062	3.077	0.013	0.01	0	39.6	40.4	76.5	121	123	0	29	29
2019	11	5	16	58	1	0.712	-0.049	3.077	0.013	0.01	0	38.7	39.6	76.5	120	122	0	30	30
2019	11	5	17	8	1	0.656	-0.089	3.077	0.016	0.013	0	38.7	39.1	77.8	119	121	0	29	30
2019	11	5	17	18	1	0.682	-0.102	3.077	0.016	0.013	0	38.3	39.1	77.4	119	121	0	30	30
2019	11	5	17	28	1	0.64	-0.085	3.077	0.016	0.013	0	38.3	39.1	77.4	119	121	0	30	30
2019	11	5	17	38	1	0.673	-0.082	3.077	0.01	0.007	0	38.7	39.6	77.4	119	121	0	29	29
2019	11	5	17	48	1	0.656	-0.089	3.077	0.013	0.01	0	38.3	39.1	77.4	119	120	0	30	29
2019	11	5	17	58	1	0.65	-0.092	3.081	0.016	0.013	0	38.3	39.6	77.8	119	122	0	30	30
2019	11	5	18	8	1	0.643	-0.102	3.081	0.02	0.016	0	39.1	40	77.8	121	123	0	30	30
2019	11	5	18	18	1	0.666	-0.085	3.081	0.016	0.013	0	39.1	39.6	77.4	121	122	0	30	30
2019	11	5	18	28	1	0.699	-0.075	3.081	0.016	0.013	0	38.7	39.6	77.8	121	122	0	31	30
2019	11	5	18	38	1	0.673	-0.069	3.081	0.013	0.01	0	39.1	39.6	77.8	121	122	0	30	30
2019	11	5	18	48	1	0.673	-0.069	3.081	0.016	0.016	0	39.6	40.4	78.3	121	123	0	29	29
2019	11	5	18	58	1	0.633	-0.098	3.081	0.013	0.01	0	39.6	40	77.8	122	123	0	30	30
2019	11	5	19	8	1	0.682	-0.059	3.084	0.01	0.007	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	5	19	18	1	0.663	-0.062	3.084	0.013	0.01	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	5	19	28	1	0.646	-0.072	3.084	0.013	0.01	0	39.6	40	78.3	121	123	0	29	30
2019	11	5	19	38	1	0.659	-0.089	3.084	0.016	0.013	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	5	19	48	1	0.673	-0.066	3.084	0.013	0.01	0	40	40.9	78.3	123	125	0	30	30
2019	11	5	19	58	1	0.673	-0.075	3.084	0.013	0.01	0	39.1	39.6	78.7	121	123	0	30	31
2019	11	5	20	8	1	0.659	-0.059	3.084	0.016	0.013	0	39.6	40.9	78.7	122	124	0	30	29
2019	11	5	20	18	1	0.659	-0.056	3.084	0.016	0.013	0	39.6	40.4	78.7	122	124	0	30	30
2019	11	5	20	28	1	0.715	-0.135	3.087	0.016	0.013	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	5	20	38	1	0.676	-0.062	3.087	0.01	0.007	0	39.6	40.4	78.7	122	124	0	30	30
2019	11	5	20	48	1	0.676	-0.075	3.087	0.013	0.01	0	39.6	40.4	78.7	122	124	0	30	30
2019	11	5	20	58	1	0.656	-0.098	3.087	0.013	0.01	0	39.6	40.4	79.1	122	124	0	30	30
2019	11	5	21	8	1	0.646	-0.092	3.087	0.013	0.01	0	40	40.4	78.3	123	124	0	30	30
2019	11	5	21	18	1	0.669	-0.079	3.087	0.01	0.007	0	40.9	41.3	78.3	124	126	0	29	30
2019	11	5	21	28	1	0.679	-0.062	3.087	0.016	0.013	0	41.3	42.6	78.3	125	128	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	5	21	38	1	0.656	-0.085	3.087	0.01	0.007	0	40	41.3	76.5	123	125	0	30	29
2019	11	5	21	48	1	0.673	-0.098	3.087	0.01	0.007	0	40	40.4	77.8	122	124	0	29	30
2019	11	5	21	58	1	0.659	-0.072	3.091	0.01	0.007	0	40	40.4	77.4	123	124	0	30	30
2019	11	5	22	8	1	0.673	-0.075	3.091	0.013	0.01	0	39.6	40.9	77.8	122	125	0	30	30
2019	11	5	22	18	1	0.705	-0.079	3.091	0.013	0.01	0	40	40.9	77.8	122	124	0	29	29
2019	11	5	22	28	1	0.702	-0.082	3.091	0.016	0.013	0	40	40.4	76.5	122	124	0	29	30
2019	11	5	22	38	1	0.686	-0.115	3.091	0.013	0.01	0	40	40.4	77	122	124	0	29	30
2019	11	5	22	48	1	0.679	-0.079	3.091	0.01	0.007	0	39.6	40.4	76.1	122	124	0	30	30
2019	11	5	22	58	1	0.663	-0.095	3.094	0.016	0.016	0	40	40.4	76.5	123	124	0	30	30
2019	11	5	23	8	1	0.663	-0.052	3.094	0.013	0.01	0	40.4	40.4	76.1	123	125	0	29	31
2019	11	5	23	18	1	0.679	-0.082	3.094	0.016	0.016	0	40.4	40.9	75.3	123	125	0	29	30
2019	11	5	23	28	1	0.643	-0.089	3.094	0.013	0.01	0	40	40.9	75.3	123	125	0	30	30
2019	11	5	23	38	1	0.653	-0.089	3.097	0.016	0.013	0	39.6	40.9	74.4	122	125	0	30	30
2019	11	5	23	48	1	0.656	-0.056	3.097	0.013	0.01	0	40.4	40.9	74	123	125	0	29	30
2019	11	5	23	58	1	0.696	-0.069	3.097	0.016	0.013	0	40	40.9	74	123	125	0	30	30
2019	11	6	0	8	1	0.63	-0.075	3.104	0.016	0.013	0	39.6	40.4	74	122	124	0	30	30
2019	11	6	0	18	1	0.686	-0.082	3.11	0.01	0.007	0	39.6	40.4	74.4	122	124	0	30	30
2019	11	6	0	28	1	0.699	-0.089	3.11	0.013	0.01	0	39.6	40.4	74.8	122	124	0	30	30
2019	11	6	0	38	1	0.682	-0.112	3.11	0.016	0.013	0	39.6	40.4	74.8	122	124	0	30	30
2019	11	6	0	48	1	0.669	-0.115	3.114	0.013	0.01	0	40	40.4	75.7	123	125	0	30	31
2019	11	6	0	58	1	0.686	-0.098	3.114	0.01	0.007	0	40	40.9	75.7	123	125	0	30	30
2019	11	6	1	8	1	0.689	-0.072	3.114	0.01	0.007	0	40	40.4	77	123	124	0	30	30
2019	11	6	1	18	1	0.666	-0.069	3.114	0.013	0.01	0	41.3	41.7	77	125	127	0	29	30
2019	11	6	1	28	1	0.702	-0.118	3.117	0.01	0.007	0	40.9	41.3	77.8	124	126	0	29	30
2019	11	6	1	38	1	0.669	-0.069	3.117	0.013	0.01	0	39.6	40.9	78.3	122	125	0	30	30
2019	11	6	1	48	1	0.692	-0.095	3.117	0.01	0.007	0	39.6	40.4	78.7	122	124	0	30	30
2019	11	6	1	58	1	0.669	-0.082	3.12	0.013	0.01	0	39.1	40.4	78.7	121	124	0	30	30
2019	11	6	2	8	1	0.682	-0.082	3.12	0.016	0.013	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	6	2	18	1	0.686	-0.082	3.12	0.013	0.01	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	6	2	28	1	0.669	-0.098	3.12	0.016	0.013	0	40	40	78.3	122	124	0	29	31
2019	11	6	2	38	1	0.666	-0.069	3.12	0.016	0.013	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	6	2	48	1	0.65	-0.056	3.12	0.013	0.01	0	39.6	40.9	77.4	122	124	0	30	29
2019	11	6	2	58	1	0.696	-0.066	3.123	0.016	0.013	0	40	41.3	76.5	122	125	0	29	29
2019	11	6	3	8	1	0.666	-0.075	3.123	0.016	0.013	0	40	40.4	77	122	124	0	29	30
2019	11	6	3	18	1	0.728	-0.085	3.123	0.013	0.01	0	39.6	40.4	77.4	122	124	0	30	30
2019	11	6	3	28	1	0.659	-0.082	3.123	0.016	0.013	0	40	40.9	76.5	123	125	0	30	30
2019	11	6	3	38	1	0.666	-0.062	3.127	0.013	0.01	0	39.6	40.9	76.1	122	125	0	30	30
2019	11	6	3	48	1	0.682	-0.079	3.127	0.016	0.013	0	40	40.9	75.7	123	125	0	30	30
2019	11	6	3	58	1	0.682	-0.085	3.127	0.016	0.013	0	40.4	41.3	75.3	123	125	0	29	29
2019	11	6	4	8	1	0.676	-0.066	3.127	0.01	0.007	0	40	40.9	74.8	123	125	0	30	30
2019	11	6	4	18	1	0.692	-0.062	3.13	0.016	0.013	0	40	40.9	74.4	123	125	0	30	30
2019	11	6	4	28	1	0.656	-0.089	3.133	0.013	0.01	0	40	40.9	73.5	123	125	0	30	30
2019	11	6	4	38	1	0.656	-0.105	3.136	0.013	0.01	0	40	40.9	73.5	123	125	0	30	30
2019	11	6	4	48	1	0.692	-0.085	3.14	0.013	0.01	0	40	41.3	74.4	123	126	0	30	30
2019	11	6	4	58	1	0.682	-0.105	3.143	0.01	0.007	0	40.4	41.3	74.8	124	126	0	30	30
2019	11	6	5	8	1	0.696	-0.075	3.143	0.016	0.013	0	40	40.9	74.8	123	125	0	30	30
2019	11	6	5	18	1	0.659	-0.092	3.146	0.016	0.013	0	40	41.3	76.1	123	126	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	6	5	28	1	0.676	-0.095	3.146	0.013	0.01	0	40	40.9	76.5	123	125	0	30	30
2019	11	6	5	38	1	0.712	-0.118	3.146	0.02	0.016	0	40	40.9	76.5	123	125	0	30	30
2019	11	6	5	48	1	0.682	-0.079	3.15	0.01	0.007	0	40	40.9	77	123	125	0	30	30
2019	11	6	5	58	1	0.682	-0.115	3.15	0.016	0.013	0	40.4	40.9	78.3	123	125	0	29	30
2019	11	6	6	8	1	0.653	-0.082	3.15	0.013	0.01	0	40	40.9	77.8	123	126	0	30	31
2019	11	6	6	18	1	0.689	-0.069	3.15	0.016	0.013	0	40.4	40.4	78.3	123	125	0	29	31
2019	11	6	6	28	1	0.669	-0.059	3.153	0.016	0.016	0	40	40.9	78.3	123	125	0	30	30
2019	11	6	6	38	1	0.673	-0.098	3.153	0.013	0.01	0	40	40.9	77.4	123	125	0	30	30
2019	11	6	6	48	1	0.689	-0.085	3.153	0.016	0.013	0	40.4	40.9	77.8	124	125	0	30	30
2019	11	6	6	58	1	0.636	-0.085	3.153	0.016	0.013	0	40.9	41.3	77.4	124	126	0	29	30
2019	11	6	7	8	1	0.676	-0.102	3.153	0.01	0.007	0	40	41.3	77.4	123	126	0	30	30
2019	11	6	7	18	1	0.663	-0.095	3.156	0.013	0.01	0	40.4	41.3	76.5	124	126	0	30	30
2019	11	6	7	28	1	0.679	-0.095	3.156	0.016	0.013	0	40.9	41.3	76.5	124	126	0	29	30
2019	11	6	7	38	1	0.689	-0.102	3.156	0.013	0.01	0	40.4	41.3	76.1	123	126	0	29	30
2019	11	6	7	48	1	0.702	-0.069	3.159	0.01	0.007	0	40.4	41.7	75.7	124	126	0	30	29
2019	11	6	7	58	1	0.676	-0.082	3.159	0.016	0.016	0	40.4	40.9	74.8	123	125	0	29	30
2019	11	6	8	8	1	0.663	-0.066	3.159	0.013	0.01	0	40.4	41.3	74.4	124	126	0	30	30
2019	11	6	8	18	1	0.666	-0.095	3.163	0.01	0.007	0	42.1	43	73.5	128	130	0	30	30
2019	11	6	8	28	1	0.659	-0.079	3.166	0.016	0.013	0	42.1	42.6	73.1	127	129	0	29	30
2019	11	6	8	38	1	0.686	-0.069	3.173	0.013	0.01	0	41.3	42.1	73.5	125	128	0	29	30
2019	11	6	8	48	1	0.659	-0.089	3.176	0.013	0.01	0	40.4	41.7	74	125	127	0	31	30
2019	11	6	8	58	1	0.676	-0.069	3.176	0.013	0.01	0	40.4	41.3	74.4	124	126	0	30	30
2019	11	6	9	8	1	0.686	-0.095	3.179	0.013	0.01	0	40	40.9	75.3	123	125	0	30	30
2019	11	6	9	18	1	0.702	-0.095	3.179	0.016	0.016	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	6	9	28	1	0.636	-0.082	3.182	0.01	0.007	0	39.6	40	77	122	124	0	30	31
2019	11	6	9	38	1	0.696	-0.075	3.182	0.013	0.01	0	39.6	40.4	77	122	124	0	30	30
2019	11	6	9	48	1	0.702	-0.095	3.182	0.01	0.007	0	39.1	40	77	121	123	0	30	30
2019	11	6	9	58	1	0.663	-0.118	3.186	0.02	0.016	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	6	10	8	1	0.663	-0.098	3.186	0.013	0.01	0	39.1	40	78.3	121	123	0	30	30
2019	11	6	10	18	1	0.689	-0.098	3.186	0.016	0.013	0	39.1	40	78.3	121	123	0	30	30
2019	11	6	10	28	1	0.702	-0.095	3.189	0.013	0.01	0	39.1	40	78.3	121	123	0	30	30
2019	11	6	10	38	1	0.682	-0.072	3.189	0.016	0.013	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	6	10	48	1	0.689	-0.082	3.189	0.016	0.016	0	41.3	41.7	77.4	125	127	0	29	30
2019	11	6	10	58	1	0.65	-0.079	3.189	0.01	0.007	0	39.1	40.4	77.8	121	124	0	30	30
2019	11	6	11	8	1	0.669	-0.098	3.192	0.02	0.016	0	39.1	40	77.4	121	123	0	30	30
2019	11	6	11	18	1	0.679	-0.075	3.192	0.016	0.013	0	40	40.9	77	123	125	0	30	30
2019	11	6	11	28	1	0.686	-0.092	3.192	0.016	0.013	0	39.6	40	76.5	121	123	0	29	30
2019	11	6	11	38	1	0.653	-0.072	3.196	0.016	0.013	0	38.7	40	76.1	120	123	0	30	30
2019	11	6	11	48	1	0.705	-0.108	3.196	0.016	0.013	0	40	40.9	77	123	125	0	30	30
2019	11	6	11	58	1	0.673	-0.069	3.196	0.016	0.013	0	39.6	39.6	76.5	121	122	0	29	30
2019	11	6	12	8	1	0.666	-0.069	3.199	0.01	0.007	0	40	40.9	76.5	123	125	0	30	30
2019	11	6	12	18	1	0.673	-0.095	3.199	0.016	0.013	0	40.9	41.7	75.7	125	127	0	30	30
2019	11	6	12	28	1	0.673	-0.089	3.199	0.013	0.01	0	40	40	76.1	122	123	0	29	30
2019	11	6	12	38	1	0.643	-0.112	3.202	0.01	0.007	0	39.1	40	75.7	120	123	0	29	30
2019	11	6	12	48	1	0.705	-0.072	3.202	0.016	0.013	0	38.7	39.6	75.7	120	122	0	30	30
2019	11	6	12	58	1	0.676	-0.082	3.202	0.016	0.013	0	38.7	39.1	75.3	120	122	0	30	31
2019	11	6	13	8	1	0.686	-0.082	3.205	0.016	0.013	0	41.3	42.6	74.4	126	129	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	6	13	18	1	0.702	-0.082	3.205	0.013	0.01	0	40	40.9	74	123	125	0	30	30
2019	11	6	13	28	1	0.709	-0.079	3.209	0.01	0.007	0	40	41.3	71.8	123	125	0	30	29
2019	11	6	13	38	1	0.666	-0.098	3.212	0.013	0.01	0	39.6	40.4	52.9	122	124	0	30	30
2019	11	6	13	48	1	0.673	-0.062	3.215	0.016	0.013	0	39.6	40	74	121	123	0	29	30
2019	11	6	13	58	1	0.705	-0.105	3.219	0.016	0.013	0	39.1	40	71.8	121	123	0	30	30
2019	11	6	14	8	1	0.712	-0.098	3.222	0.016	0.013	0	38.7	39.6	74.4	120	122	0	30	30
2019	11	6	14	18	1	0.646	-0.052	3.222	0.016	0.013	0	38.7	39.6	69.7	120	122	0	30	30
2019	11	6	14	28	1	0.689	-0.056	3.222	0.01	0.007	0	39.6	40	71.4	121	123	0	29	30
2019	11	6	14	38	1	0.699	-0.075	3.222	0.016	0.013	0	38.7	39.6	61.5	120	122	0	30	30
2019	11	6	14	48	1	0.699	-0.095	3.225	0.016	0.013	0	38.7	39.1	66.7	119	121	0	29	30
2019	11	6	14	58	1	0.699	-0.079	3.225	0.016	0.013	0	39.1	39.1	67.1	120	121	0	29	30
2019	11	6	15	8	1	0.699	-0.069	3.228	0.016	0.016	0	38.3	39.1	71.8	119	121	0	30	30
2019	11	6	15	18	1	0.686	-0.079	3.228	0.013	0.01	0	38.3	39.6	77	119	122	0	30	30
2019	11	6	15	28	1	0.682	-0.049	3.228	0.016	0.013	0	38.7	39.6	74	120	122	0	30	30
2019	11	6	15	38	1	0.686	-0.082	3.228	0.013	0.01	0	39.1	39.6	70.5	120	122	0	29	30
2019	11	6	15	48	1	0.699	-0.102	3.232	0.01	0.007	0	38.7	39.6	74.8	120	122	0	30	30
2019	11	6	15	58	1	0.676	-0.082	3.232	0.016	0.013	0	39.1	39.6	74	120	122	0	29	30
2019	11	6	16	8	1	0.666	-0.102	3.232	0.013	0.01	0	38.7	39.1	77.8	119	121	0	29	30
2019	11	6	16	18	1	0.699	-0.089	3.232	0.013	0.01	0	38.7	39.1	78.3	119	121	0	29	30
2019	11	6	16	28	1	0.702	-0.069	3.235	0.013	0.01	0	38.7	39.1	78.3	119	121	0	29	30
2019	11	6	16	38	1	0.689	-0.089	3.235	0.016	0.013	0	38.7	39.1	78.3	119	121	0	29	30
2019	11	6	16	48	1	0.689	-0.066	3.235	0.013	0.01	0	39.1	39.1	78.3	120	121	0	29	30
2019	11	6	16	58	1	0.659	-0.069	3.235	0.016	0.013	0	38.3	39.1	78.7	119	121	0	30	30
2019	11	6	17	8	1	0.689	-0.085	3.238	0.013	0.01	0	38.3	39.1	78.7	118	120	0	29	29
2019	11	6	17	18	1	0.699	-0.069	3.238	0.013	0.01	0	37.8	39.1	78.3	118	120	0	30	29
2019	11	6	17	28	1	0.715	-0.098	3.238	0.013	0.01	0	38.3	38.7	78.3	118	120	0	29	30
2019	11	6	17	38	1	0.702	-0.075	3.238	0.016	0.013	0	38.7	39.1	78.3	119	121	0	29	30
2019	11	6	17	48	1	0.669	-0.079	3.241	0.016	0.013	0	38.7	39.1	78.3	119	121	0	29	30
2019	11	6	17	58	1	0.696	-0.062	3.241	0.013	0.01	0	38.7	39.1	77.8	119	121	0	29	30
2019	11	6	18	8	1	0.659	-0.062	3.241	0.013	0.01	0	38.3	39.1	77.8	119	121	0	30	30
2019	11	6	18	18	1	0.679	-0.089	3.241	0.01	0.007	0	39.1	40	77.8	121	122	0	30	29
2019	11	6	18	28	1	0.692	-0.085	3.241	0.016	0.013	0	39.6	40	77.8	121	123	0	29	30
2019	11	6	18	38	1	0.686	-0.056	3.241	0.016	0.013	0	39.1	40.4	77.4	121	123	0	30	29
2019	11	6	18	48	1	0.705	-0.069	3.241	0.013	0.01	0	39.6	40.4	77.4	122	124	0	30	30
2019	11	6	18	58	1	0.696	-0.095	3.245	0.013	0.01	0	40	40.4	77.4	122	124	0	29	30
2019	11	6	19	8	1	0.696	-0.079	3.245	0.013	0.01	0	39.6	40	77	121	123	0	29	30
2019	11	6	19	18	1	0.692	-0.072	3.245	0.013	0.01	0	39.6	40.4	77	122	124	0	30	30
2019	11	6	19	28	1	0.699	-0.059	3.245	0.01	0.007	0	40.4	40.9	77.4	123	125	0	29	30
2019	11	6	19	38	1	0.699	-0.069	3.245	0.01	0.007	0	41.7	42.6	74.8	127	129	0	30	30
2019	11	6	19	48	1	0.702	-0.095	3.245	0.016	0.013	0	39.6	40.4	73.5	122	124	0	30	30
2019	11	6	19	58	1	0.692	-0.112	3.245	0.016	0.013	0	39.6	40.4	76.5	122	124	0	30	30
2019	11	6	20	8	1	0.689	-0.075	3.248	0.016	0.013	0	39.1	40	74	121	123	0	30	30
2019	11	6	20	18	1	0.696	-0.095	3.248	0.013	0.01	0	40.9	41.7	76.5	125	127	0	30	30
2019	11	6	20	28	1	0.676	-0.125	3.248	0.013	0.01	0	42.6	43.4	75.3	129	130	0	30	29
2019	11	6	20	38	1	0.692	-0.082	3.248	0.01	0.007	0	40	40.4	74	122	124	0	29	30
2019	11	6	20	48	1	0.702	-0.052	3.248	0.01	0.007	0	39.6	40	73.5	121	124	0	29	31
2019	11	6	20	58	1	0.719	-0.108	3.248	0.016	0.013	0	39.1	40	75.3	121	123	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	6	21	8	1	0.702	-0.069	3.248	0.01	0.007	0	40	40.4	75.7	122	124	0	29	30
2019	11	6	21	18	1	0.702	-0.056	3.251	0.016	0.013	0	39.1	40.4	75.3	121	124	0	30	30
2019	11	6	21	28	1	0.702	-0.079	3.251	0.013	0.01	0	39.1	40.4	75.3	121	123	0	30	29
2019	11	6	21	38	1	0.659	-0.072	3.251	0.01	0.007	0	39.6	40.4	74.4	122	124	0	30	30
2019	11	6	21	48	1	0.699	-0.049	3.251	0.01	0.007	0	40	40.4	75.3	122	124	0	29	30
2019	11	6	21	58	1	0.692	-0.082	3.251	0.013	0.01	0	39.6	40.9	74.8	122	124	0	30	29
2019	11	6	22	8	1	0.719	-0.089	3.251	0.016	0.013	0	39.6	40	74.4	122	123	0	30	30
2019	11	6	22	18	1	0.702	-0.082	3.251	0.013	0.01	0	40	40	74	122	123	0	29	30
2019	11	6	22	28	1	0.686	-0.098	3.255	0.016	0.013	0	40	40.4	74.4	122	124	0	29	30
2019	11	6	22	38	1	0.715	-0.108	3.255	0.016	0.013	0	39.1	40.4	74	121	123	0	30	29
2019	11	6	22	48	1	0.705	-0.069	3.255	0.01	0.007	0	40	40.4	73.5	122	124	0	29	30
2019	11	6	22	58	1	0.659	-0.02	3.258	0.01	0.007	0	39.6	40.9	73.5	122	124	0	30	29
2019	11	6	23	8	1	0.705	-0.052	3.261	0.016	0.013	0	39.6	40.9	73.5	121	124	0	29	29
2019	11	6	23	18	1	0.679	-0.095	3.261	0.016	0.013	0	39.6	40.4	74	122	124	0	30	30
2019	11	6	23	28	1	0.682	-0.056	3.261	0.013	0.01	0	39.6	40.4	73.1	122	124	0	30	30
2019	11	6	23	38	1	0.669	-0.062	3.264	0.016	0.016	0	40	40.4	74.4	123	124	0	30	30
2019	11	6	23	48	1	0.722	-0.069	3.264	0.016	0.013	0	40	40.4	74.8	122	124	0	29	30
2019	11	6	23	58	1	0.656	-0.069	3.264	0.013	0.01	0	39.6	40.4	74.4	122	124	0	30	30
2019	11	7	0	8	1	0.705	-0.105	3.264	0.016	0.013	0	39.1	40	73.5	121	123	0	30	30
2019	11	7	0	18	1	0.699	-0.056	3.264	0.01	0.007	0	40.9	41.3	71.8	124	125	0	29	29
2019	11	7	0	28	1	0.705	-0.089	3.264	0.01	0.007	0	39.6	40	75.3	122	123	0	30	30
2019	11	7	0	38	1	0.712	-0.095	3.264	0.013	0.01	0	39.6	40.9	75.7	121	124	0	29	29
2019	11	7	0	48	1	0.673	-0.098	3.268	0.01	0.007	0	39.6	40.9	75.3	122	124	0	30	29
2019	11	7	0	58	1	0.715	-0.098	3.264	0.013	0.01	0	39.6	40	75.7	121	123	0	29	30
2019	11	7	1	8	1	0.702	-0.085	3.268	0.013	0.01	0	39.1	40	75.7	121	123	0	30	30
2019	11	7	1	18	1	0.692	-0.082	3.268	0.01	0.007	0	39.6	40.4	76.1	122	124	0	30	30
2019	11	7	1	28	1	0.702	-0.069	3.268	0.013	0.01	0	39.6	40.4	75.7	121	124	0	29	30
2019	11	7	1	38	1	0.686	-0.082	3.268	0.01	0.007	0	39.6	40.9	74	122	124	0	30	29
2019	11	7	1	48	1	0.686	-0.072	3.268	0.01	0.007	0	39.6	40.4	76.1	121	124	0	29	30
2019	11	7	1	58	1	0.653	-0.105	3.268	0.016	0.013	0	40	40.4	76.5	122	124	0	29	30
2019	11	7	2	8	1	0.676	-0.082	3.268	0.013	0.01	0	39.6	40	76.5	121	124	0	29	31
2019	11	7	2	18	1	0.692	-0.085	3.268	0.013	0.01	0	39.1	40.4	77	121	124	0	30	30
2019	11	7	2	28	1	0.699	-0.082	3.268	0.01	0.007	0	39.6	40.9	77	122	124	0	30	29
2019	11	7	2	38	1	0.702	-0.092	3.268	0.01	0.007	0	39.6	40.9	77.4	122	124	0	30	29
2019	11	7	2	48	1	0.699	-0.095	3.268	0.01	0.007	0	39.6	40	77	122	123	0	30	30
2019	11	7	2	58	1	0.699	-0.072	3.268	0.016	0.013	0	39.6	40	77.4	121	123	0	29	30
2019	11	7	3	8	1	0.702	-0.085	3.268	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	7	3	18	1	0.699	-0.072	3.268	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	7	3	28	1	0.692	-0.112	3.268	0.013	0.01	0	40	40.4	77.8	122	124	0	29	30
2019	11	7	3	38	1	0.686	-0.059	3.271	0.013	0.01	0	39.6	40	77.8	122	124	0	30	31
2019	11	7	3	48	1	0.702	-0.082	3.271	0.016	0.013	0	40	40.4	77.8	122	124	0	29	30
2019	11	7	3	58	1	0.679	-0.072	3.271	0.016	0.013	0	40	40.4	77.8	122	124	0	29	30
2019	11	7	4	8	1	0.705	-0.079	3.268	0.013	0.01	0	40.4	41.3	77.8	123	125	0	29	29
2019	11	7	4	18	1	0.679	-0.079	3.271	0.016	0.016	0	40	40.4	75.3	122	124	0	29	30
2019	11	7	4	28	1	0.725	-0.085	3.271	0.016	0.013	0	40	40.4	77.8	122	124	0	29	30
2019	11	7	4	38	1	0.702	-0.102	3.268	0.01	0.007	0	40	40.9	78.3	123	125	0	30	30
2019	11	7	4	48	1	0.686	-0.075	3.268	0.01	0.007	0	40.9	41.7	78.3	125	127	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	7	4	58	1	0.682	-0.098	3.268	0.013	0.01	0	40.4	40.9	77.8	123	125	0	29	30
2019	11	7	5	8	1	0.669	-0.056	3.268	0.013	0.01	0	40	40.4	78.7	123	125	0	30	31
2019	11	7	5	18	1	0.715	-0.082	3.268	0.016	0.013	0	39.6	40.9	77.4	122	125	0	30	30
2019	11	7	5	28	1	0.682	-0.072	3.268	0.013	0.01	0	40.4	40.9	77.8	123	125	0	29	30
2019	11	7	5	38	1	0.712	-0.085	3.268	0.016	0.016	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	7	5	48	1	0.709	-0.095	3.268	0.016	0.013	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	7	5	58	1	0.679	-0.095	3.268	0.016	0.013	0	40	40.4	77.8	123	124	0	30	30
2019	11	7	6	8	1	0.676	-0.075	3.268	0.013	0.01	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	7	6	18	1	0.673	-0.072	3.268	0.013	0.01	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	7	6	28	1	0.702	-0.102	3.268	0.013	0.01	0	39.6	40.9	77.4	122	125	0	30	30
2019	11	7	6	38	1	0.673	-0.089	3.268	0.016	0.013	0	39.6	40.4	77.4	122	124	0	30	30
2019	11	7	6	48	1	0.705	-0.056	3.268	0.013	0.01	0	39.6	40.9	77.8	122	125	0	30	30
2019	11	7	6	58	1	0.719	-0.105	3.268	0.013	0.01	0	40	41.3	77	123	126	0	30	30
2019	11	7	7	8	1	0.702	-0.092	3.268	0.016	0.013	0	39.6	40.9	77	122	125	0	30	30
2019	11	7	7	18	1	0.732	-0.105	3.268	0.01	0.007	0	40	40.4	76.5	123	125	0	30	31
2019	11	7	7	28	1	0.692	-0.069	3.268	0.016	0.013	0	40.4	40.9	77	123	125	0	29	30
2019	11	7	7	38	1	0.696	-0.092	3.268	0.016	0.013	0	40.4	41.3	77	123	125	0	29	29
2019	11	7	7	48	1	0.692	-0.098	3.268	0.013	0.01	0	40.4	41.3	77	123	126	0	29	30
2019	11	7	7	58	1	0.673	-0.098	3.268	0.01	0.007	0	40	41.7	77	123	126	0	30	29
2019	11	7	8	8	1	0.689	-0.036	3.268	0.01	0.007	0	39.6	40.9	76.5	122	125	0	30	30
2019	11	7	8	18	1	0.682	-0.095	3.268	0.016	0.016	0	40.9	41.7	77	125	127	0	30	30
2019	11	7	8	28	1	0.689	-0.085	3.268	0.016	0.013	0	40.4	40.9	76.5	123	125	0	29	30
2019	11	7	8	38	1	0.696	-0.092	3.268	0.01	0.007	0	39.6	40	76.5	122	124	0	30	31
2019	11	7	8	48	1	0.696	-0.095	3.271	0.013	0.01	0	39.1	40.9	77	121	124	0	30	29
2019	11	7	8	58	1	0.666	-0.079	3.271	0.01	0.007	0	39.6	40.4	76.5	122	124	0	30	30
2019	11	7	9	8	1	0.719	-0.059	3.271	0.013	0.01	0	40	40	76.5	122	124	0	29	31
2019	11	7	9	18	1	0.682	-0.105	3.271	0.016	0.016	0	39.1	40.4	76.5	121	124	0	30	30
2019	11	7	9	28	1	0.702	-0.082	3.271	0.01	0.007	0	40	40.4	76.5	122	124	0	29	30
2019	11	7	9	38	1	0.682	-0.089	3.271	0.01	0.007	0	40	40.9	75.3	123	125	0	30	30
2019	11	7	9	48	1	0.679	-0.079	3.271	0.013	0.01	0	44.3	45.2	75.7	133	135	0	30	30
2019	11	7	9	58	1	0.679	-0.082	3.271	0.013	0.01	0	46	46.4	74.8	136	138	0	29	30
2019	11	7	10	8	1	0.728	-0.082	3.271	0.01	0.007	0	43	43.9	76.1	130	132	0	30	30
2019	11	7	10	18	1	0.686	-0.066	3.271	0.013	0.01	0	43	43.9	75.3	130	132	0	30	30
2019	11	7	10	28	1	0.715	-0.089	3.271	0.013	0.01	0	40.4	41.7	76.1	124	126	0	30	29
2019	11	7	10	38	1	0.676	-0.125	3.271	0.016	0.013	0	40	40.9	76.5	122	124	0	29	29
2019	11	7	10	48	1	0.712	-0.082	3.271	0.01	0.007	0	39.1	39.6	76.5	120	122	0	29	30
2019	11	7	10	58	1	0.679	-0.118	3.271	0.013	0.01	0	41.3	41.7	76.1	125	127	0	29	30
2019	11	7	11	8	1	0.692	-0.082	3.271	0.016	0.013	0	42.6	43.4	76.1	129	131	0	30	30
2019	11	7	11	18	1	0.702	-0.085	3.271	0.016	0.013	0	42.1	43	71	128	130	0	30	30
2019	11	7	11	28	1	0.725	-0.098	3.271	0.013	0.01	0	40	40	75.7	122	124	0	29	31
2019	11	7	11	38	1	0.719	-0.066	3.271	0.013	0.01	0	40	40.4	65.4	122	124	0	29	30
2019	11	7	11	48	1	0.705	-0.069	3.271	0.016	0.016	0	42.1	43	69.2	128	130	0	30	30
2019	11	7	11	58	1	0.699	-0.079	3.271	0.016	0.013	0	40	41.3	76.5	123	126	0	30	30
2019	11	7	12	8	1	0.719	-0.115	3.274	0.01	0.007	0	40	40.9	71.4	122	125	0	29	30
2019	11	7	12	18	1	0.696	-0.085	3.274	0.013	0.01	0	40	40.4	70.5	122	124	0	29	30
2019	11	7	12	28	1	0.732	-0.095	3.274	0.013	0.01	0	40.4	40.9	65.4	123	125	0	29	30
2019	11	7	12	38	1	0.699	-0.082	3.274	0.016	0.013	0	40.9	41.3	74.8	124	126	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	7	12	48	1	0.696	-0.092	3.274	0.016	0.013	0	40.4	40.9	69.7	123	125	0	29	30
2019	11	7	12	58	1	0.689	-0.072	3.274	0.013	0.01	0	41.7	42.1	75.7	127	129	0	30	31
2019	11	7	13	8	1	0.696	-0.043	3.274	0.01	0.007	0	40.9	42.1	76.5	125	127	0	30	29
2019	11	7	13	18	1	0.738	-0.095	3.274	0.016	0.013	0	40	40.9	75.7	123	125	0	30	30
2019	11	7	13	28	1	0.738	-0.079	3.274	0.013	0.01	0	40	41.3	76.5	123	125	0	30	29
2019	11	7	13	38	1	0.712	-0.102	3.274	0.01	0.007	0	40.4	40.9	75.3	123	125	0	29	30
2019	11	7	13	48	1	0.738	-0.062	3.274	0.013	0.01	0	39.6	40.4	76.1	122	124	0	30	30
2019	11	7	13	58	1	0.755	-0.108	3.274	0.013	0.01	0	39.1	39.6	76.5	121	122	0	30	30
2019	11	7	14	8	1	0.725	-0.095	3.278	0.01	0.007	0	39.1	40	77	121	123	0	30	30
2019	11	7	14	18	1	0.722	-0.105	3.274	0.013	0.01	0	38.7	40	67.1	120	122	0	30	29
2019	11	7	14	28	1	0.686	-0.095	3.274	0.01	0.007	0	39.6	40.9	74.8	122	124	0	30	29
2019	11	7	14	38	1	0.719	-0.102	3.278	0.013	0.01	0	40.4	40.9	68.8	123	125	0	29	30
2019	11	7	14	48	1	0.702	-0.069	3.278	0.013	0.01	0	40	40.4	61.1	122	124	0	29	30
2019	11	7	14	58	1	0.712	-0.062	3.278	0.013	0.01	0	38.7	39.6	70.1	120	122	0	30	30
2019	11	7	15	8	1	0.728	-0.108	3.278	0.013	0.01	0	39.1	39.6	64.1	121	122	0	30	30
2019	11	7	15	18	1	0.719	-0.118	3.274	0.013	0.01	0	38.3	39.1	66.2	119	121	0	30	30
2019	11	7	15	28	1	0.692	-0.059	3.278	0.016	0.013	0	39.6	39.6	76.1	121	122	0	29	30
2019	11	7	15	38	1	0.682	-0.066	3.278	0.013	0.01	0	38.7	40	65.8	120	122	0	30	29
2019	11	7	15	48	1	0.689	-0.095	3.278	0.01	0.007	0	38.7	39.6	71.4	120	122	0	30	30
2019	11	7	15	58	1	0.696	-0.098	3.278	0.016	0.016	0	38.3	39.1	57.2	119	121	0	30	30
2019	11	7	16	8	1	0.699	-0.079	3.278	0.02	0.016	0	38.3	39.1	60.2	119	121	0	30	30
2019	11	7	16	18	1	0.719	-0.102	3.278	0.01	0.007	0	38.3	39.1	61.5	119	121	0	30	30
2019	11	7	16	28	1	0.728	-0.108	3.278	0.016	0.013	0	38.7	38.7	59.3	119	121	0	29	31
2019	11	7	16	38	1	0.719	-0.082	3.278	0.016	0.016	0	38.3	39.1	61.9	119	121	0	30	30
2019	11	7	16	48	1	0.715	-0.089	3.278	0.013	0.01	0	38.3	39.1	64.1	119	121	0	30	30
2019	11	7	16	58	1	0.728	-0.095	3.278	0.01	0.007	0	38.7	39.1	62.4	119	121	0	29	30
2019	11	7	17	8	1	0.738	-0.121	3.278	0.013	0.01	0	37.8	38.7	73.5	118	120	0	30	30
2019	11	7	17	18	1	0.702	-0.079	3.278	0.013	0.01	0	40	40.9	77.4	122	124	0	29	29
2019	11	7	17	28	1	0.673	-0.069	3.278	0.013	0.01	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	7	17	38	1	0.663	-0.098	3.278	0.013	0.01	0	38.3	39.1	77	119	121	0	30	30
2019	11	7	17	48	1	0.689	-0.075	3.278	0.013	0.01	0	38.3	39.1	77.8	119	121	0	30	30
2019	11	7	17	58	1	0.696	-0.089	3.278	0.013	0.01	0	38.7	39.1	77.8	119	121	0	29	30
2019	11	7	18	8	1	0.725	-0.069	3.278	0.01	0.007	0	38.7	39.1	77.8	119	121	0	29	30
2019	11	7	18	18	1	0.715	-0.075	3.278	0.016	0.013	0	38.7	39.1	77.8	119	121	0	29	30
2019	11	7	18	28	1	0.696	-0.098	3.281	0.01	0.007	0	39.1	39.6	77.8	120	122	0	29	30
2019	11	7	18	38	1	0.689	-0.069	3.278	0.016	0.013	0	38.7	40	77.8	120	122	0	30	29
2019	11	7	18	48	1	0.702	-0.069	3.278	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	7	18	58	1	0.696	-0.052	3.281	0.01	0.007	0	39.1	40	77.8	121	123	0	30	30
2019	11	7	19	8	1	0.705	-0.108	3.281	0.013	0.01	0	39.1	40	78.7	121	123	0	30	30
2019	11	7	19	18	1	0.719	-0.095	3.281	0.013	0.01	0	39.1	40.4	78.3	121	123	0	30	29
2019	11	7	19	28	1	0.725	-0.102	3.281	0.013	0.01	0	39.1	40.4	77.4	121	123	0	30	29
2019	11	7	19	38	1	0.692	-0.072	3.281	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	7	19	48	1	0.692	-0.102	3.281	0.013	0.01	0	39.6	40.4	77.8	121	123	0	29	29
2019	11	7	19	58	1	0.663	-0.079	3.281	0.016	0.013	0	39.6	40	77.8	122	123	0	30	30
2019	11	7	20	8	1	0.679	-0.092	3.281	0.01	0.007	0	39.6	40	78.3	121	123	0	29	30
2019	11	7	20	18	1	0.719	-0.056	3.281	0.016	0.013	0	39.6	40	77.8	121	122	0	29	29
2019	11	7	20	28	1	0.705	-0.089	3.281	0.016	0.013	0	39.1	40	77.8	121	123	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	7	20	38	1	0.692	-0.075	3.281	0.013	0.01	0	39.1	39.6	77.8	121	122	0	30	30
2019	11	7	20	48	1	0.692	-0.075	3.281	0.013	0.01	0	39.1	40	77.8	121	123	0	30	30
2019	11	7	20	58	1	0.689	-0.108	3.281	0.016	0.013	0	39.6	40	77.8	121	123	0	29	30
2019	11	7	21	8	1	0.679	-0.062	3.281	0.013	0.01	0	39.1	40	77.4	121	123	0	30	30
2019	11	7	21	18	1	0.715	-0.092	3.281	0.016	0.013	0	39.6	40.4	77.8	121	123	0	29	29
2019	11	7	21	28	1	0.679	-0.082	3.281	0.013	0.01	0	39.6	40	77.8	121	122	0	29	29
2019	11	7	21	38	1	0.686	-0.056	3.281	0.016	0.013	0	39.1	40	78.3	121	123	0	30	30
2019	11	7	21	48	1	0.728	-0.079	3.281	0.016	0.016	0	39.6	40	78.7	121	123	0	29	30
2019	11	7	21	58	1	0.663	-0.072	3.281	0.01	0.007	0	39.6	40	77.8	121	123	0	29	30
2019	11	7	22	8	1	0.689	-0.069	3.278	0.01	0.007	0	40	40	78.3	122	123	0	29	30
2019	11	7	22	18	1	0.679	-0.072	3.278	0.016	0.013	0	40	40.4	78.7	122	123	0	29	29
2019	11	7	22	28	1	0.725	-0.085	3.278	0.013	0.01	0	39.6	40	78.3	121	123	0	29	30
2019	11	7	22	38	1	0.715	-0.115	3.278	0.013	0.01	0	39.1	40	77.8	121	123	0	30	30
2019	11	7	22	48	1	0.715	-0.098	3.278	0.016	0.013	0	39.6	40.4	77.8	121	123	0	29	29
2019	11	7	22	58	1	0.732	-0.079	3.278	0.016	0.013	0	39.6	40.4	77.4	121	123	0	29	29
2019	11	7	23	8	1	0.692	-0.098	3.278	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	7	23	18	1	0.705	-0.072	3.278	0.01	0.007	0	39.1	40	77.4	121	123	0	30	30
2019	11	7	23	28	1	0.689	-0.069	3.278	0.01	0.007	0	39.1	39.6	77.8	121	123	0	30	31
2019	11	7	23	38	1	0.712	-0.072	3.278	0.016	0.013	0	39.1	39.6	77.8	120	122	0	29	30
2019	11	7	23	48	1	0.669	-0.082	3.278	0.016	0.013	0	39.6	40	78.3	121	123	0	29	30
2019	11	7	23	58	1	0.676	-0.095	3.278	0.016	0.013	0	39.6	40.4	77.8	121	123	0	29	29
2019	11	8	0	8	1	0.689	-0.085	3.278	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	8	0	18	1	0.689	-0.072	3.278	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	8	0	28	1	0.715	-0.108	3.278	0.016	0.016	0	39.1	40	77.8	121	123	0	30	30
2019	11	8	0	38	1	0.689	-0.056	3.278	0.016	0.013	0	39.1	40.4	77.8	121	123	0	30	29
2019	11	8	0	48	1	0.715	-0.089	3.274	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	8	0	58	1	0.705	-0.095	3.274	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	8	1	8	1	0.696	-0.121	3.274	0.016	0.016	0	39.1	40.4	77.8	121	123	0	30	29
2019	11	8	1	18	1	0.709	-0.023	3.274	0.01	0.007	0	39.1	40	78.3	121	123	0	30	30
2019	11	8	1	28	1	0.696	-0.079	3.274	0.013	0.01	0	39.6	40.4	78.3	122	123	0	30	29
2019	11	8	1	38	1	0.715	-0.102	3.274	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	8	1	48	1	0.699	-0.082	3.274	0.013	0.01	0	40	40.4	78.3	122	124	0	29	30
2019	11	8	1	58	1	0.689	-0.089	3.274	0.01	0.007	0	39.1	40	77.8	121	123	0	30	30
2019	11	8	2	8	1	0.728	-0.089	3.274	0.016	0.013	0	39.1	40	77.4	121	123	0	30	30
2019	11	8	2	18	1	0.702	-0.092	3.274	0.013	0.01	0	39.1	40.4	77	121	123	0	30	29
2019	11	8	2	28	1	0.732	-0.095	3.274	0.013	0.01	0	39.6	40.9	78.3	121	124	0	29	29
2019	11	8	2	38	1	0.699	-0.082	3.274	0.016	0.016	0	39.6	40.4	78.3	121	124	0	29	30
2019	11	8	2	48	1	0.712	-0.092	3.274	0.01	0.007	0	39.1	40	77.8	121	123	0	30	30
2019	11	8	2	58	1	0.692	-0.066	3.274	0.013	0.01	0	40	40.4	77.4	122	124	0	29	30
2019	11	8	3	8	1	0.676	-0.069	3.271	0.01	0.007	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	8	3	18	1	0.712	-0.092	3.271	0.01	0.007	0	40	40.4	77.8	122	124	0	29	30
2019	11	8	3	28	1	0.732	-0.089	3.271	0.01	0.007	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	8	3	38	1	0.679	-0.089	3.271	0.016	0.013	0	39.6	40.4	78.3	121	124	0	29	30
2019	11	8	3	48	1	0.696	-0.089	3.271	0.013	0.01	0	40.4	41.3	78.3	123	125	0	29	29
2019	11	8	3	58	1	0.719	-0.095	3.271	0.013	0.01	0	39.6	39.6	77.8	122	123	0	30	31
2019	11	8	4	8	1	0.725	-0.075	3.271	0.013	0.01	0	39.1	40.4	77.8	121	124	0	30	30
2019	11	8	4	18	1	0.686	-0.069	3.271	0.013	0.01	0	39.6	40.4	77.8	122	124	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	8	4	28	1	0.682	-0.085	3.271	0.016	0.013	0	40	40.4	78.3	122	124	0	29	30
2019	11	8	4	38	1	0.719	-0.069	3.271	0.01	0.007	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	8	4	48	1	0.682	-0.085	3.271	0.01	0.007	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	8	4	58	1	0.689	-0.056	3.271	0.016	0.013	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	8	5	8	1	0.679	-0.072	3.271	0.013	0.01	0	40	40.4	77.4	123	124	0	30	30
2019	11	8	5	18	1	0.725	-0.062	3.271	0.013	0.01	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	8	5	28	1	0.696	-0.062	3.271	0.013	0.01	0	40	40.4	77.8	122	124	0	29	30
2019	11	8	5	38	1	0.653	-0.059	3.271	0.01	0.007	0	40	40.9	77.4	123	125	0	30	30
2019	11	8	5	48	1	0.705	-0.102	3.268	0.01	0.007	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	8	5	58	1	0.728	-0.102	3.268	0.013	0.01	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	8	6	8	1	0.712	-0.069	3.268	0.013	0.01	0	39.6	40.4	77.4	122	124	0	30	30
2019	11	8	6	18	1	0.699	-0.052	3.268	0.013	0.01	0	40.4	40.4	77.4	123	124	0	29	30
2019	11	8	6	28	1	0.712	-0.085	3.268	0.013	0.01	0	40.4	41.3	77.8	124	126	0	30	30
2019	11	8	6	38	1	0.705	-0.082	3.268	0.013	0.01	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	8	6	48	1	0.692	-0.085	3.268	0.016	0.013	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	8	6	58	1	0.679	-0.085	3.268	0.01	0.007	0	40	40.4	77.8	123	124	0	30	30
2019	11	8	7	8	1	0.715	-0.079	3.268	0.016	0.013	0	40.4	40.9	77.8	123	125	0	29	30
2019	11	8	7	18	1	0.692	-0.069	3.268	0.016	0.013	0	40	40.4	77.8	123	125	0	30	31
2019	11	8	7	28	1	0.702	-0.085	3.268	0.016	0.013	0	40	40.9	77.4	123	125	0	30	30
2019	11	8	7	38	1	0.692	-0.082	3.268	0.01	0.007	0	39.6	40.9	77	122	125	0	30	30
2019	11	8	7	48	1	0.702	-0.079	3.268	0.013	0.01	0	40	41.3	77.4	123	125	0	30	29
2019	11	8	7	58	1	0.719	-0.082	3.268	0.013	0.01	0	40.9	41.7	77	125	127	0	30	30
2019	11	8	8	8	1	0.719	-0.105	3.268	0.016	0.013	0	40.4	40.9	77.4	123	125	0	29	30
2019	11	8	8	18	1	0.663	-0.098	3.264	0.016	0.016	0	39.6	40.4	77.4	122	124	0	30	30
2019	11	8	8	28	1	0.682	-0.082	3.264	0.016	0.013	0	40.4	41.3	77	123	126	0	29	30
2019	11	8	8	38	1	0.669	-0.066	3.264	0.013	0.01	0	40	40.9	77	123	125	0	30	30
2019	11	8	8	48	1	0.705	-0.069	3.264	0.016	0.013	0	39.1	40.4	77.4	121	124	0	30	30
2019	11	8	8	58	1	0.673	-0.082	3.264	0.016	0.013	0	39.1	40	77.8	121	123	0	30	30
2019	11	8	9	8	1	0.663	-0.098	3.264	0.01	0.007	0	39.1	40	77.4	121	123	0	30	30
2019	11	8	9	18	1	0.702	-0.108	3.268	0.013	0.01	0	40.4	41.3	77	124	126	0	30	30
2019	11	8	9	28	1	0.682	-0.072	3.268	0.013	0.01	0	39.6	40.4	77.4	122	124	0	30	30
2019	11	8	9	38	1	0.686	-0.082	3.268	0.013	0.01	0	39.1	39.6	77.4	121	123	0	30	31
2019	11	8	9	48	1	0.719	-0.056	3.264	0.01	0.007	0	39.1	39.6	77	120	122	0	29	30
2019	11	8	9	58	1	0.689	-0.095	3.268	0.01	0.007	0	38.3	39.1	77.8	119	121	0	30	30
2019	11	8	10	8	1	0.679	-0.095	3.264	0.01	0.007	0	37.8	39.1	78.3	118	121	0	30	30
2019	11	8	10	18	1	0.679	-0.112	3.268	0.01	0.007	0	38.7	39.1	77.4	119	121	0	29	30
2019	11	8	10	28	1	0.689	-0.062	3.268	0.013	0.01	0	38.3	38.7	77.8	119	121	0	30	31
2019	11	8	10	38	1	0.676	-0.069	3.264	0.013	0.01	0	38.3	39.1	77.8	119	121	0	30	30
2019	11	8	10	48	1	0.692	-0.098	3.264	0.016	0.013	0	38.3	38.3	77.8	118	120	0	29	31
2019	11	8	10	58	1	0.709	-0.082	3.268	0.013	0.01	0	37.8	38.3	78.3	118	120	0	30	31
2019	11	8	11	8	1	0.692	-0.089	3.268	0.013	0.01	0	37.8	38.7	77.8	118	120	0	30	30
2019	11	8	11	18	1	0.696	-0.066	3.264	0.013	0.01	0	37.8	39.1	76.5	118	121	0	30	30
2019	11	8	11	28	1	0.712	-0.095	3.268	0.016	0.013	0	38.3	39.1	77.8	119	121	0	30	30
2019	11	8	11	38	1	0.656	-0.082	3.268	0.016	0.013	0	38.7	39.1	78.3	119	121	0	29	30
2019	11	8	11	48	1	0.712	-0.075	3.268	0.02	0.016	0	39.1	40	78.3	121	123	0	30	30
2019	11	8	11	58	1	0.692	-0.079	3.268	0.013	0.01	0	37.8	39.1	78.7	118	121	0	30	30
2019	11	8	12	8	1	0.689	-0.098	3.268	0.016	0.013	0	38.3	38.7	78.3	118	120	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	8	12	18	1	0.705	-0.095	3.268	0.016	0.013	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	8	12	28	1	0.656	-0.082	3.268	0.016	0.013	0	38.3	39.1	78.7	119	121	0	30	30
2019	11	8	12	38	1	0.682	-0.095	3.268	0.013	0.01	0	38.7	39.1	78.3	119	121	0	29	30
2019	11	8	12	48	1	0.692	-0.075	3.268	0.01	0.007	0	39.1	39.6	78.3	120	122	0	29	30
2019	11	8	12	58	1	0.712	-0.082	3.268	0.013	0.01	0	38.3	39.1	78.3	119	121	0	30	30
2019	11	8	13	8	1	0.686	-0.075	3.268	0.01	0.007	0	38.7	39.1	77.8	119	121	0	29	30
2019	11	8	13	18	1	0.669	-0.105	3.268	0.01	0.007	0	37.8	39.1	77.8	118	121	0	30	30
2019	11	8	13	28	1	0.682	-0.052	3.268	0.016	0.016	0	37.8	38.3	77.8	118	119	0	30	30
2019	11	8	13	38	1	0.696	-0.095	3.268	0.01	0.007	0	37.8	38.3	74	117	119	0	29	30
2019	11	8	13	48	1	0.725	-0.069	3.268	0.016	0.013	0	38.7	39.1	76.1	119	121	0	29	30
2019	11	8	13	58	1	0.692	-0.092	3.268	0.016	0.016	0	37.4	38.3	77.4	117	119	0	30	30
2019	11	8	14	8	1	0.735	-0.092	3.268	0.01	0.007	0	37.4	38.3	77.8	117	119	0	30	30
2019	11	8	14	18	1	0.646	-0.082	3.268	0.01	0.007	0	37.8	37.4	77	117	118	0	29	31
2019	11	8	14	28	1	0.715	-0.072	3.268	0.013	0.01	0	37.4	37.8	77.8	116	118	0	29	30
2019	11	8	14	38	1	0.676	-0.066	3.268	0.01	0.007	0	37	37.8	71.4	116	118	0	30	30
2019	11	8	14	48	1	0.686	-0.046	3.264	0.013	0.01	0	37.8	38.3	66.7	117	119	0	29	30
2019	11	8	14	58	1	0.673	-0.105	3.268	0.013	0.01	0	37.4	37.8	77	117	119	0	30	31
2019	11	8	15	8	1	0.719	-0.121	3.268	0.016	0.013	0	37.4	38.3	77	117	119	0	30	30
2019	11	8	15	18	1	0.696	-0.141	3.268	0.016	0.013	0	37.4	37.8	77	117	118	0	30	30
2019	11	8	15	28	1	0.676	-0.069	3.268	0.013	0.01	0	37	38.3	77	116	119	0	30	30
2019	11	8	15	38	1	0.666	-0.085	3.264	0.016	0.013	0	37.4	37.8	77	116	118	0	29	30
2019	11	8	15	48	1	0.673	-0.085	3.268	0.013	0.01	0	37	37.8	75.3	116	118	0	30	30
2019	11	8	15	58	1	0.682	-0.112	3.264	0.01	0.007	0	37	37.8	76.5	116	118	0	30	30
2019	11	8	16	8	1	0.722	-0.089	3.264	0.013	0.01	0	37.4	37.8	76.1	116	118	0	29	30
2019	11	8	16	18	1	0.679	-0.082	3.264	0.016	0.013	0	37.4	38.7	76.1	117	120	0	30	30
2019	11	8	16	28	1	0.692	-0.092	3.264	0.01	0.007	0	37.8	38.3	76.1	117	119	0	29	30
2019	11	8	16	38	1	0.696	-0.069	3.264	0.01	0.007	0	37.8	38.3	76.1	117	119	0	29	30
2019	11	8	16	48	1	0.679	-0.095	3.264	0.016	0.016	0	37.4	37.8	75.7	117	118	0	30	30
2019	11	8	16	58	1	0.673	-0.092	3.264	0.013	0.01	0	37	37.8	75.7	116	118	0	30	30
2019	11	8	17	8	1	0.659	-0.092	3.264	0.01	0.007	0	37	37.8	76.1	116	118	0	30	30
2019	11	8	17	18	1	0.692	-0.098	3.264	0.016	0.016	0	37.4	37.8	75.3	117	118	0	30	30
2019	11	8	17	28	1	0.692	-0.082	3.264	0.013	0.01	0	37	37.8	75.7	116	118	0	30	30
2019	11	8	17	38	1	0.705	-0.072	3.264	0.01	0.007	0	37	38.3	74.8	116	118	0	30	29
2019	11	8	17	48	1	0.702	-0.069	3.264	0.01	0.007	0	37.8	38.3	74.8	117	119	0	29	30
2019	11	8	17	58	1	0.728	-0.079	3.264	0.013	0.01	0	37.8	38.3	74.4	117	119	0	29	30
2019	11	8	18	8	1	0.696	-0.062	3.264	0.01	0.007	0	37.4	38.3	74.4	117	119	0	30	30
2019	11	8	18	18	1	0.692	-0.069	3.264	0.016	0.013	0	37.8	38.3	74.8	118	119	0	30	30
2019	11	8	18	28	1	0.682	-0.059	3.264	0.016	0.016	0	38.3	38.7	74.8	118	120	0	29	30
2019	11	8	18	38	1	0.676	-0.095	3.264	0.01	0.007	0	38.3	39.1	74	119	121	0	30	30
2019	11	8	18	48	1	0.676	-0.052	3.264	0.013	0.01	0	38.7	39.1	74	119	121	0	29	30
2019	11	8	18	58	1	0.676	-0.098	3.261	0.01	0.007	0	38.3	39.1	74	119	121	0	30	30
2019	11	8	19	8	1	0.692	-0.098	3.261	0.013	0.01	0	38.3	39.1	73.5	119	121	0	30	30
2019	11	8	19	18	1	0.699	-0.069	3.261	0.016	0.013	0	38.7	39.1	73.5	119	121	0	29	30
2019	11	8	19	28	1	0.682	-0.069	3.258	0.016	0.013	0	38.7	39.1	74	119	121	0	29	30
2019	11	8	19	38	1	0.659	-0.089	3.258	0.01	0.007	0	38.7	39.6	74	120	121	0	30	29
2019	11	8	19	48	1	0.696	-0.089	3.258	0.013	0.01	0	38.3	39.1	73.5	119	121	0	30	30
2019	11	8	19	58	1	0.692	-0.052	3.255	0.013	0.01	0	39.1	39.6	73.5	120	122	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	8	20	8	1	0.705	-0.098	3.255	0.013	0.01	0	38.7	39.6	74.4	120	122	0	30	30
2019	11	8	20	18	1	0.679	-0.049	3.255	0.013	0.01	0	39.1	39.6	74.4	120	122	0	29	30
2019	11	8	20	28	1	0.712	-0.082	3.255	0.01	0.007	0	39.1	39.6	74	120	122	0	29	30
2019	11	8	20	38	1	0.715	-0.082	3.255	0.01	0.007	0	38.7	39.6	74	120	122	0	30	30
2019	11	8	20	48	1	0.699	-0.085	3.255	0.016	0.013	0	38.7	39.6	74	120	122	0	30	30
2019	11	8	20	58	1	0.709	-0.075	3.251	0.016	0.013	0	38.7	40	74	119	122	0	29	29
2019	11	8	21	8	1	0.722	-0.082	3.255	0.013	0.01	0	38.7	39.6	74	119	122	0	29	30
2019	11	8	21	18	1	0.696	-0.089	3.255	0.016	0.013	0	38.7	39.6	74	120	122	0	30	30
2019	11	8	21	28	1	0.679	-0.069	3.251	0.013	0.01	0	38.7	39.1	74	119	121	0	29	30
2019	11	8	21	38	1	0.722	-0.095	3.251	0.016	0.013	0	39.1	39.6	74	120	122	0	29	30
2019	11	8	21	48	1	0.709	-0.082	3.251	0.013	0.01	0	38.7	40	74	120	123	0	30	30
2019	11	8	21	58	1	0.682	-0.092	3.251	0.013	0.01	0	39.1	39.6	74	120	122	0	29	30
2019	11	8	22	8	1	0.676	-0.072	3.251	0.016	0.013	0	39.6	39.6	74	121	122	0	29	30
2019	11	8	22	18	1	0.676	-0.075	3.251	0.013	0.01	0	39.1	40	74	120	122	0	29	29
2019	11	8	22	28	1	0.692	-0.056	3.251	0.016	0.016	0	39.1	39.6	73.5	121	122	0	30	30
2019	11	8	22	38	1	0.702	-0.098	3.251	0.013	0.01	0	38.7	40	74	120	123	0	30	30
2019	11	8	22	48	1	0.689	-0.069	3.251	0.016	0.013	0	39.1	39.6	74	120	122	0	29	30
2019	11	8	22	58	1	0.696	-0.079	3.251	0.016	0.013	0	38.7	40	74	120	122	0	30	29
2019	11	8	23	8	1	0.725	-0.095	3.251	0.013	0.01	0	39.1	39.6	73.5	120	122	0	29	30
2019	11	8	23	18	1	0.673	-0.082	3.251	0.016	0.013	0	39.1	40.4	74	121	123	0	30	29
2019	11	8	23	28	1	0.669	-0.079	3.251	0.013	0.01	0	39.1	40	73.5	120	123	0	29	30
2019	11	8	23	38	1	0.702	-0.069	3.251	0.013	0.01	0	39.6	40	73.5	121	123	0	29	30
2019	11	8	23	48	1	0.669	-0.056	3.251	0.013	0.01	0	39.6	39.6	74	121	123	0	29	31
2019	11	8	23	58	1	0.699	-0.066	3.251	0.016	0.013	0	39.1	40	73.5	121	122	0	30	29
2019	11	9	0	8	1	0.659	-0.069	3.251	0.013	0.01	0	39.1	40	73.5	121	123	0	30	30
2019	11	9	0	18	1	0.673	-0.075	3.251	0.01	0.007	0	39.1	40	73.5	120	122	0	29	29
2019	11	9	0	28	1	0.699	-0.072	3.251	0.013	0.01	0	39.6	40	73.1	121	123	0	29	30
2019	11	9	0	38	1	0.715	-0.121	3.251	0.013	0.01	0	39.1	39.6	73.5	120	122	0	29	30
2019	11	9	0	48	1	0.679	-0.112	3.251	0.016	0.016	0	39.1	40	73.5	121	123	0	30	30
2019	11	9	0	58	1	0.673	-0.098	3.251	0.013	0.01	0	39.1	40	73.5	121	123	0	30	30
2019	11	9	1	8	1	0.709	-0.095	3.251	0.01	0.007	0	39.1	39.6	73.5	121	122	0	30	30
2019	11	9	1	18	1	0.702	-0.092	3.251	0.016	0.013	0	39.6	39.6	73.1	121	122	0	29	30
2019	11	9	1	28	1	0.656	-0.098	3.251	0.013	0.01	0	39.6	39.6	74	121	122	0	29	30
2019	11	9	1	38	1	0.725	-0.105	3.255	0.01	0.007	0	39.6	40	74	121	123	0	29	30
2019	11	9	1	48	1	0.682	-0.102	3.251	0.013	0.01	0	39.1	39.6	73.5	120	123	0	29	31
2019	11	9	1	58	1	0.722	-0.089	3.255	0.013	0.01	0	39.1	39.6	73.5	121	122	0	30	30
2019	11	9	2	8	1	0.699	-0.072	3.255	0.01	0.007	0	39.1	40	72.7	121	123	0	30	30
2019	11	9	2	18	1	0.663	-0.062	3.255	0.016	0.013	0	39.6	40	73.5	121	123	0	29	30
2019	11	9	2	28	1	0.679	-0.089	3.255	0.01	0.007	0	39.1	40	74	121	123	0	30	30
2019	11	9	2	38	1	0.692	-0.075	3.255	0.01	0.007	0	39.1	40	73.5	121	123	0	30	30
2019	11	9	2	48	1	0.656	-0.089	3.258	0.013	0.01	0	39.1	39.6	74	121	122	0	30	30
2019	11	9	2	58	1	0.676	-0.092	3.258	0.013	0.01	0	39.6	39.6	73.5	121	123	0	29	31
2019	11	9	3	8	1	0.741	-0.079	3.258	0.013	0.01	0	39.1	40	74	121	123	0	30	30
2019	11	9	3	18	1	0.673	-0.095	3.258	0.013	0.01	0	39.1	40	74.4	121	123	0	30	30
2019	11	9	3	28	1	0.689	-0.082	3.258	0.01	0.007	0	40	40.4	74.4	122	124	0	29	30
2019	11	9	3	38	1	0.735	-0.135	3.258	0.013	0.01	0	40	40.9	74.4	123	125	0	30	30
2019	11	9	3	48	1	0.669	-0.075	3.258	0.016	0.013	0	40	40.9	74.4	123	125	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	9	3	58	1	0.676	-0.082	3.258	0.013	0.01	0	39.6	40.4	74.4	122	124	0	30	30
2019	11	9	4	8	1	0.696	-0.082	3.258	0.01	0.007	0	39.6	40	74.8	121	124	0	29	31
2019	11	9	4	18	1	0.709	-0.069	3.258	0.01	0.007	0	39.1	40	74.8	121	123	0	30	30
2019	11	9	4	28	1	0.682	-0.089	3.258	0.01	0.007	0	39.1	40.9	74.8	121	124	0	30	29
2019	11	9	4	38	1	0.669	-0.075	3.258	0.016	0.016	0	39.1	40.4	74.8	121	124	0	30	30
2019	11	9	4	48	1	0.679	-0.105	3.258	0.01	0.007	0	39.1	40.4	75.3	121	123	0	30	29
2019	11	9	4	58	1	0.722	-0.089	3.258	0.013	0.01	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	9	5	8	1	0.692	-0.069	3.258	0.016	0.013	0	39.1	40	75.7	121	123	0	30	30
2019	11	9	5	18	1	0.686	-0.095	3.258	0.016	0.016	0	39.1	40	75.7	121	123	0	30	30
2019	11	9	5	28	1	0.686	-0.082	3.258	0.01	0.007	0	39.1	40	75.7	121	123	0	30	30
2019	11	9	5	38	1	0.692	-0.098	3.258	0.013	0.01	0	39.6	40	75.7	121	123	0	29	30
2019	11	9	5	48	1	0.705	-0.089	3.258	0.013	0.01	0	38.7	40	75.7	121	123	0	31	30
2019	11	9	5	58	1	0.705	-0.092	3.258	0.016	0.013	0	39.1	40	76.1	121	123	0	30	30
2019	11	9	6	8	1	0.692	-0.069	3.258	0.016	0.013	0	39.6	40	75.7	121	123	0	29	30
2019	11	9	6	18	1	0.689	-0.082	3.258	0.013	0.01	0	39.1	40	76.5	121	123	0	30	30
2019	11	9	6	28	1	0.676	-0.108	3.258	0.013	0.01	0	38.7	40	76.5	120	123	0	30	30
2019	11	9	6	38	1	0.676	-0.075	3.258	0.013	0.01	0	39.1	40	76.1	121	123	0	30	30
2019	11	9	6	48	1	0.702	-0.098	3.258	0.01	0.007	0	39.1	40	76.5	121	123	0	30	30
2019	11	9	6	58	1	0.732	-0.085	3.258	0.013	0.01	0	39.1	40	77	121	123	0	30	30
2019	11	9	7	8	1	0.659	-0.059	3.258	0.016	0.013	0	38.7	40.4	77	121	124	0	31	30
2019	11	9	7	18	1	0.705	-0.095	3.258	0.013	0.01	0	39.1	40	77.4	121	123	0	30	30
2019	11	9	7	28	1	0.699	-0.098	3.258	0.016	0.013	0	39.6	40.9	77.4	121	124	0	29	29
2019	11	9	7	38	1	0.702	-0.082	3.258	0.01	0.007	0	39.1	40.4	77	121	123	0	30	29
2019	11	9	7	48	1	0.692	-0.095	3.258	0.01	0.007	0	39.6	40	77.4	121	123	0	29	30
2019	11	9	7	58	1	0.696	-0.102	3.258	0.013	0.01	0	39.1	40	77.4	121	123	0	30	30
2019	11	9	8	8	1	0.696	-0.075	3.258	0.013	0.01	0	39.1	40	77.8	121	123	0	30	30
2019	11	9	8	18	1	0.679	-0.085	3.258	0.01	0.007	0	40	40.9	77.8	123	125	0	30	30
2019	11	9	8	28	1	0.692	-0.121	3.258	0.013	0.01	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	9	8	38	1	0.673	-0.098	3.258	0.016	0.013	0	39.6	39.6	78.3	121	123	0	29	31
2019	11	9	8	48	1	0.666	-0.072	3.258	0.016	0.013	0	38.7	40	77.8	120	123	0	30	30
2019	11	9	8	58	1	0.673	-0.102	3.258	0.013	0.01	0	38.3	39.1	78.3	119	122	0	30	31
2019	11	9	9	8	1	0.696	-0.092	3.261	0.01	0.007	0	38.3	39.1	78.7	119	121	0	30	30
2019	11	9	9	18	1	0.669	-0.066	3.258	0.01	0.007	0	37.8	39.1	78.3	119	121	0	31	30
2019	11	9	9	28	1	0.682	-0.079	3.261	0.01	0.007	0	38.7	39.1	78.3	120	121	0	30	30
2019	11	9	9	38	1	0.676	-0.115	3.261	0.01	0.007	0	38.3	39.1	78.3	119	121	0	30	30
2019	11	9	9	48	1	0.663	-0.102	3.258	0.013	0.01	0	37.8	39.1	78.7	118	121	0	30	30
2019	11	9	9	58	1	0.712	-0.082	3.261	0.016	0.013	0	40.9	41.7	77.4	125	127	0	30	30
2019	11	9	10	8	1	0.705	-0.102	3.261	0.013	0.01	0	38.3	39.1	77.8	119	121	0	30	30
2019	11	9	10	18	1	0.65	-0.079	3.261	0.01	0.007	0	37.8	39.1	78.7	118	121	0	30	30
2019	11	9	10	28	1	0.689	-0.095	3.261	0.013	0.01	0	37.4	38.3	78.3	117	119	0	30	30
2019	11	9	10	38	1	0.705	-0.102	3.261	0.01	0.007	0	37.4	38.7	77.8	117	120	0	30	30
2019	11	9	10	48	1	0.702	-0.082	3.261	0.016	0.013	0	39.6	40	74.4	121	123	0	29	30
2019	11	9	10	58	1	0.673	-0.062	3.261	0.013	0.01	0	38.7	39.1	73.1	120	121	0	30	30
2019	11	9	11	8	1	0.679	-0.102	3.261	0.016	0.016	0	37.4	38.3	77.4	117	119	0	30	30
2019	11	9	11	18	1	0.686	-0.082	3.261	0.01	0.007	0	38.3	39.1	77.8	119	121	0	30	30
2019	11	9	11	28	1	0.702	-0.082	3.261	0.013	0.01	0	38.3	38.7	78.7	118	120	0	29	30
2019	11	9	11	38	1	0.699	-0.105	3.261	0.01	0.007	0	37.8	38.7	78.7	118	120	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	9	11	48	1	0.682	-0.069	3.261	0.01	0.007	0	37	38.3	78.3	117	119	0	31	30
2019	11	9	11	58	1	0.689	-0.092	3.261	0.016	0.013	0	37	37.8	78.7	116	118	0	30	30
2019	11	9	12	8	1	0.709	-0.082	3.261	0.016	0.016	0	37	37.8	78.7	116	118	0	30	30
2019	11	9	12	18	1	0.715	-0.089	3.264	0.013	0.01	0	36.5	37.4	74.8	115	118	0	30	31
2019	11	9	12	28	1	0.719	-0.092	3.264	0.013	0.01	0	37.4	37.8	77.8	116	118	0	29	30
2019	11	9	12	38	1	0.679	-0.043	3.264	0.013	0.01	0	37	37.8	77.8	116	118	0	30	30
2019	11	9	12	48	1	0.696	-0.092	3.264	0.013	0.01	0	37	37	77.8	116	117	0	30	31
2019	11	9	12	58	1	0.686	-0.095	3.264	0.01	0.007	0	37	37.8	78.3	116	118	0	30	30
2019	11	9	13	8	1	0.719	-0.095	3.264	0.016	0.013	0	36.5	37.8	78.3	115	118	0	30	30
2019	11	9	13	18	1	0.686	-0.069	3.264	0.013	0.01	0	36.5	37.8	78.7	115	118	0	30	30
2019	11	9	13	28	1	0.702	-0.092	3.264	0.013	0.01	0	37.4	37.8	78.3	116	118	0	29	30
2019	11	9	13	38	1	0.696	-0.108	3.264	0.016	0.013	0	37.4	37.4	77	116	118	0	29	31
2019	11	9	13	48	1	0.692	-0.085	3.264	0.01	0.007	0	37	37	60.2	115	117	0	29	31
2019	11	9	13	58	1	0.722	-0.102	3.264	0.013	0.01	0	36.5	37.4	78.3	115	117	0	30	30
2019	11	9	14	8	1	0.65	-0.079	3.264	0.016	0.013	0	37	37.8	74.8	116	118	0	30	30
2019	11	9	14	18	1	0.725	-0.105	3.264	0.013	0.01	0	36.5	37.8	75.7	115	117	0	30	29
2019	11	9	14	28	1	0.715	-0.069	3.264	0.013	0.01	0	37	37.4	67.1	116	117	0	30	30
2019	11	9	14	38	1	0.719	-0.102	3.264	0.013	0.01	0	36.5	37.8	71.4	115	118	0	30	30
2019	11	9	14	48	1	0.702	-0.112	3.264	0.01	0.007	0	37.4	37.8	65.8	116	118	0	29	30
2019	11	9	14	58	1	0.722	-0.121	3.264	0.01	0.007	0	36.5	37.4	68.8	115	117	0	30	30
2019	11	9	15	8	1	0.676	-0.085	3.268	0.013	0.01	0	37.4	37.8	78.7	116	118	0	29	30
2019	11	9	15	18	1	0.709	-0.066	3.268	0.013	0.01	0	37	37.4	78.7	115	117	0	29	30
2019	11	9	15	28	1	0.669	-0.098	3.268	0.01	0.007	0	36.5	37	70.1	115	116	0	30	30
2019	11	9	15	38	1	0.715	-0.079	3.264	0.01	0.007	0	36.5	37.4	55.9	115	117	0	30	30
2019	11	9	15	48	1	0.722	-0.098	3.268	0.016	0.016	0	36.5	37.4	57.6	115	117	0	30	30
2019	11	9	15	58	1	0.709	-0.089	3.268	0.016	0.013	0	36.1	36.5	64.1	115	116	0	31	31
2019	11	9	16	8	1	0.679	-0.056	3.264	0.01	0.007	0	37	37.8	61.9	115	118	0	29	30
2019	11	9	16	18	1	0.719	-0.095	3.268	0.01	0.007	0	37	37.4	62.8	116	117	0	30	30
2019	11	9	16	28	1	0.686	-0.082	3.268	0.013	0.01	0	36.5	37.8	55.9	115	118	0	30	30
2019	11	9	16	38	1	0.705	-0.108	3.268	0.02	0.016	0	36.5	37.8	61.5	115	118	0	30	30
2019	11	9	16	48	1	0.712	-0.085	3.268	0.01	0.007	0	36.5	37.8	71.4	116	118	0	31	30
2019	11	9	16	58	1	0.719	-0.108	3.268	0.016	0.013	0	37.4	38.3	77	117	119	0	30	30
2019	11	9	17	8	1	0.709	-0.069	3.268	0.013	0.01	0	37	37.8	77.8	116	118	0	30	30
2019	11	9	17	18	1	0.702	-0.095	3.268	0.013	0.01	0	37.4	37.8	78.7	116	118	0	29	30
2019	11	9	17	28	1	0.676	-0.069	3.268	0.013	0.01	0	37	37.8	78.3	116	118	0	30	30
2019	11	9	17	38	1	0.669	-0.118	3.268	0.01	0.007	0	37.8	38.3	78.3	117	119	0	29	30
2019	11	9	17	48	1	0.712	-0.043	3.268	0.013	0.01	0	38.7	39.6	77.8	120	122	0	30	30
2019	11	9	17	58	1	0.663	-0.052	3.271	0.016	0.013	0	38.7	39.6	77.8	119	121	0	29	29
2019	11	9	18	8	1	0.715	-0.092	3.271	0.01	0.007	0	37.4	38.3	78.3	117	119	0	30	30
2019	11	9	18	18	1	0.715	-0.072	3.271	0.016	0.016	0	37.4	38.7	77.8	117	120	0	30	30
2019	11	9	18	28	1	0.715	-0.095	3.271	0.01	0.007	0	37.4	37.8	77.8	117	119	0	30	31
2019	11	9	18	38	1	0.696	-0.062	3.271	0.016	0.016	0	37.8	38.7	77	118	120	0	30	30
2019	11	9	18	48	1	0.686	-0.082	3.271	0.013	0.01	0	37.8	38.7	77.8	118	120	0	30	30
2019	11	9	18	58	1	0.715	-0.082	3.271	0.013	0.01	0	38.3	39.1	78.3	119	121	0	30	30
2019	11	9	19	8	1	0.699	-0.085	3.271	0.013	0.01	0	38.3	39.1	77.8	119	121	0	30	30
2019	11	9	19	18	1	0.722	-0.072	3.271	0.013	0.01	0	37.8	39.1	77.8	118	121	0	30	30
2019	11	9	19	28	1	0.682	-0.069	3.271	0.013	0.01	0	37.8	39.6	77.8	118	121	0	30	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	9	19	38	1	0.673	-0.069	3.271	0.013	0.01	0	38.3	39.1	78.3	119	121	0	30	30
2019	11	9	19	48	1	0.699	-0.108	3.271	0.013	0.01	0	38.3	39.1	78.3	119	121	0	30	30
2019	11	9	19	58	1	0.712	-0.082	3.271	0.016	0.013	0	38.7	39.1	78.3	119	121	0	29	30
2019	11	9	20	8	1	0.676	-0.089	3.271	0.013	0.01	0	38.7	39.6	78.3	119	121	0	29	29
2019	11	9	20	18	1	0.715	-0.085	3.271	0.01	0.007	0	38.3	39.1	78.3	119	121	0	30	30
2019	11	9	20	28	1	0.682	-0.075	3.271	0.013	0.01	0	38.3	39.1	78.3	119	121	0	30	30
2019	11	9	20	38	1	0.722	-0.082	3.271	0.013	0.01	0	38.3	39.1	78.3	119	121	0	30	30
2019	11	9	20	48	1	0.659	-0.085	3.271	0.016	0.016	0	38.3	39.1	78.3	119	121	0	30	30
2019	11	9	20	58	1	0.722	-0.046	3.271	0.013	0.01	0	38.3	39.1	78.7	119	121	0	30	30
2019	11	9	21	8	1	0.679	-0.072	3.271	0.013	0.01	0	38.7	40	78.3	120	122	0	30	29
2019	11	9	21	18	1	0.702	-0.102	3.271	0.013	0.01	0	39.6	39.6	77.8	121	122	0	29	30
2019	11	9	21	28	1	0.735	-0.075	3.271	0.013	0.01	0	39.1	39.6	78.7	120	122	0	29	30
2019	11	9	21	38	1	0.699	-0.075	3.271	0.016	0.013	0	38.3	39.1	78.3	119	121	0	30	30
2019	11	9	21	48	1	0.682	-0.092	3.271	0.013	0.01	0	38.3	38.7	78.7	119	121	0	30	31
2019	11	9	21	58	1	0.689	-0.082	3.271	0.013	0.01	0	39.1	39.1	78.3	120	121	0	29	30
2019	11	9	22	8	1	0.666	-0.075	3.271	0.013	0.01	0	38.3	39.6	77.4	119	122	0	30	30
2019	11	9	22	18	1	0.679	-0.069	3.271	0.016	0.013	0	38.7	39.6	78.7	120	122	0	30	30
2019	11	9	22	28	1	0.673	-0.102	3.271	0.013	0.01	0	38.7	39.6	78.7	120	122	0	30	30
2019	11	9	22	38	1	0.725	-0.102	3.271	0.01	0.007	0	38.7	39.6	78.7	119	122	0	29	30
2019	11	9	22	48	1	0.699	-0.082	3.271	0.013	0.01	0	38.7	39.6	78.7	119	122	0	29	30
2019	11	9	22	58	1	0.686	-0.062	3.271	0.01	0.007	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	9	23	8	1	0.735	-0.121	3.271	0.016	0.013	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	9	23	18	1	0.656	-0.098	3.271	0.013	0.01	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	9	23	28	1	0.709	-0.118	3.271	0.013	0.01	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	9	23	38	1	0.738	-0.079	3.271	0.01	0.007	0	39.1	39.1	78.3	120	121	0	29	30
2019	11	9	23	48	1	0.686	-0.085	3.271	0.013	0.01	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	9	23	58	1	0.686	-0.056	3.271	0.013	0.01	0	39.1	39.6	77.8	120	122	0	29	30
2019	11	10	0	8	1	0.712	-0.082	3.271	0.01	0.007	0	39.1	39.6	78.7	120	122	0	29	30
2019	11	10	0	18	1	0.712	-0.075	3.271	0.013	0.01	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	10	0	28	1	0.679	-0.089	3.271	0.01	0.007	0	38.7	39.6	77.8	120	122	0	30	30
2019	11	10	0	38	1	0.669	-0.089	3.271	0.016	0.013	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	10	0	48	1	0.722	-0.069	3.271	0.013	0.01	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	10	0	58	1	0.696	-0.082	3.271	0.016	0.013	0	38.7	39.6	77.8	120	122	0	30	30
2019	11	10	1	8	1	0.702	-0.075	3.271	0.016	0.013	0	38.7	40	77.8	120	123	0	30	30
2019	11	10	1	18	1	0.696	-0.069	3.271	0.013	0.01	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	10	1	28	1	0.679	-0.056	3.271	0.01	0.007	0	38.7	40.4	77.8	120	123	0	30	29
2019	11	10	1	38	1	0.692	-0.118	3.271	0.016	0.013	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	10	1	48	1	0.722	-0.075	3.268	0.013	0.01	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	10	1	58	1	0.735	-0.089	3.271	0.016	0.013	0	38.7	39.6	77.8	120	122	0	30	30
2019	11	10	2	8	1	0.715	-0.069	3.268	0.01	0.007	0	39.1	39.6	77.8	120	122	0	29	30
2019	11	10	2	18	1	0.696	-0.075	3.271	0.01	0.007	0	39.1	39.6	77.8	120	122	0	29	30
2019	11	10	2	28	1	0.705	-0.082	3.271	0.016	0.013	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	10	2	38	1	0.738	-0.069	3.268	0.013	0.01	0	38.7	39.6	77.8	120	122	0	30	30
2019	11	10	2	48	1	0.692	-0.052	3.268	0.016	0.013	0	38.7	40	78.3	120	123	0	30	30
2019	11	10	2	58	1	0.666	-0.092	3.268	0.013	0.01	0	38.7	39.6	77.8	120	122	0	30	30
2019	11	10	3	8	1	0.692	-0.082	3.268	0.013	0.01	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	10	3	18	1	0.692	-0.085	3.268	0.016	0.013	0	39.1	39.6	77.8	120	122	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	10	3	28	1	0.679	-0.056	3.268	0.013	0.01	0	39.1	39.6	77.4	120	122	0	29	30
2019	11	10	3	38	1	0.686	-0.069	3.268	0.01	0.007	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	10	3	48	1	0.709	-0.108	3.268	0.016	0.013	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	10	3	58	1	0.646	-0.069	3.268	0.01	0.007	0	39.6	39.6	77.4	121	122	0	29	30
2019	11	10	4	8	1	0.715	-0.069	3.268	0.01	0.007	0	39.1	40	77.4	121	123	0	30	30
2019	11	10	4	18	1	0.705	-0.095	3.268	0.013	0.01	0	39.1	40	77.4	121	123	0	30	30
2019	11	10	4	28	1	0.689	-0.056	3.268	0.013	0.01	0	39.6	40	77	121	123	0	29	30
2019	11	10	4	38	1	0.715	-0.036	3.268	0.013	0.01	0	40	40.9	76.1	123	125	0	30	30
2019	11	10	4	48	1	0.676	-0.121	3.268	0.013	0.01	0	40	40.4	77	122	124	0	29	30
2019	11	10	4	58	1	0.696	-0.066	3.268	0.013	0.01	0	40	40.9	77	123	125	0	30	30
2019	11	10	5	8	1	0.686	-0.075	3.268	0.016	0.013	0	39.6	40.4	77	122	124	0	30	30
2019	11	10	5	18	1	0.669	-0.075	3.268	0.013	0.01	0	39.6	40.9	77	122	125	0	30	30
2019	11	10	5	28	1	0.719	-0.082	3.268	0.013	0.01	0	39.1	40.4	77	121	124	0	30	30
2019	11	10	5	38	1	0.689	-0.105	3.268	0.013	0.01	0	39.1	40	76.5	121	123	0	30	30
2019	11	10	5	48	1	0.728	-0.108	3.268	0.01	0.007	0	39.6	40	77	121	123	0	29	30
2019	11	10	5	58	1	0.666	-0.082	3.268	0.013	0.01	0	38.7	40	76.5	120	123	0	30	30
2019	11	10	6	8	1	0.715	-0.092	3.268	0.01	0.007	0	39.1	40	76.5	121	123	0	30	30
2019	11	10	6	18	1	0.696	-0.082	3.268	0.016	0.013	0	39.1	40	76.5	121	123	0	30	30
2019	11	10	6	28	1	0.699	-0.085	3.268	0.013	0.01	0	38.7	40	76.5	120	123	0	30	30
2019	11	10	6	38	1	0.722	-0.092	3.268	0.013	0.01	0	38.7	39.6	76.1	120	122	0	30	30
2019	11	10	6	48	1	0.689	-0.075	3.268	0.013	0.01	0	38.7	40	75.7	121	123	0	31	30
2019	11	10	6	58	1	0.705	-0.059	3.268	0.01	0.007	0	38.7	39.6	76.1	120	122	0	30	30
2019	11	10	7	8	1	0.676	-0.082	3.268	0.013	0.01	0	39.1	39.6	75.7	121	123	0	30	31
2019	11	10	7	18	1	0.702	-0.079	3.268	0.01	0.007	0	38.7	40	74	121	123	0	31	30
2019	11	10	7	28	1	0.679	-0.079	3.268	0.016	0.013	0	39.1	40	75.7	121	123	0	30	30
2019	11	10	7	38	1	0.682	-0.098	3.268	0.01	0.007	0	39.6	40.4	74.8	122	124	0	30	30
2019	11	10	7	48	1	0.705	-0.059	3.268	0.013	0.01	0	39.1	40	75.3	121	123	0	30	30
2019	11	10	7	58	1	0.689	-0.092	3.268	0.01	0.007	0	39.6	40	75.3	121	123	0	29	30
2019	11	10	8	8	1	0.682	-0.069	3.268	0.013	0.01	0	38.7	39.1	74.8	120	122	0	30	31
2019	11	10	8	18	1	0.709	-0.082	3.268	0.013	0.01	0	40	40.4	74	122	124	0	29	30
2019	11	10	8	28	1	0.689	-0.066	3.268	0.013	0.01	0	40	41.3	74.4	124	126	0	31	30
2019	11	10	8	38	1	0.702	-0.062	3.268	0.013	0.01	0	39.1	39.6	74.8	121	123	0	30	31
2019	11	10	8	48	1	0.689	-0.085	3.268	0.01	0.007	0	38.7	39.1	74.8	120	122	0	30	31
2019	11	10	8	58	1	0.686	-0.079	3.271	0.013	0.01	0	38.3	40	74.8	119	122	0	30	29
2019	11	10	9	8	1	0.712	-0.085	3.271	0.016	0.013	0	39.1	39.1	74	120	122	0	29	31
2019	11	10	9	18	1	0.696	-0.079	3.271	0.01	0.007	0	38.7	39.1	74	120	122	0	30	31
2019	11	10	9	28	1	0.669	-0.098	3.271	0.013	0.01	0	38.7	39.1	74.4	119	122	0	29	31
2019	11	10	9	38	1	0.709	-0.089	3.271	0.016	0.016	0	38.3	39.1	74.8	119	121	0	30	30
2019	11	10	9	48	1	0.669	-0.092	3.271	0.01	0.007	0	38.7	39.6	74.4	120	122	0	30	30
2019	11	10	9	58	1	0.656	-0.056	3.271	0.013	0.01	0	38.3	39.1	74.4	119	121	0	30	30
2019	11	10	10	8	1	0.669	-0.079	3.271	0.016	0.016	0	38.7	40	73.1	120	123	0	30	30
2019	11	10	10	18	1	0.679	-0.075	3.271	0.013	0.01	0	37.8	38.7	74	118	120	0	30	30
2019	11	10	10	28	1	0.699	-0.095	3.271	0.01	0.007	0	37.8	38.3	74	118	120	0	30	31
2019	11	10	10	38	1	0.699	-0.118	3.271	0.01	0.007	0	39.1	40.4	73.5	121	124	0	30	30
2019	11	10	10	48	1	0.692	-0.082	3.271	0.01	0.007	0	38.7	39.1	74	120	121	0	30	30
2019	11	10	10	58	1	0.699	-0.062	3.271	0.016	0.013	0	37.8	37.8	74.4	117	119	0	29	31
2019	11	10	11	8	1	0.689	-0.102	3.271	0.013	0.01	0	39.1	40	74	121	123	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	10	11	18	1	0.679	-0.043	3.271	0.01	0.007	0	38.7	39.6	72.2	120	122	0	30	30
2019	11	10	11	28	1	0.719	-0.121	3.271	0.016	0.016	0	37	37.8	74.8	116	118	0	30	30
2019	11	10	11	38	1	0.719	-0.069	3.271	0.01	0.007	0	37	37.8	74	116	118	0	30	30
2019	11	10	11	48	1	0.699	-0.098	3.271	0.01	0.007	0	37	37.8	74.4	116	118	0	30	30
2019	11	10	11	58	1	0.699	-0.098	3.271	0.01	0.007	0	39.1	40.4	74	121	124	0	30	30
2019	11	10	12	8	1	0.702	-0.095	3.271	0.013	0.01	0	43.4	44.3	74	131	133	0	30	30
2019	11	10	12	18	1	0.709	-0.089	3.274	0.01	0.007	0	42.6	43.4	74	129	131	0	30	30
2019	11	10	12	28	1	0.682	-0.089	3.274	0.01	0.007	0	43	43.4	74.4	130	132	0	30	31
2019	11	10	12	38	1	0.709	-0.062	3.274	0.013	0.01	0	39.1	40	74.8	121	123	0	30	30
2019	11	10	12	48	1	0.692	-0.082	3.274	0.013	0.01	0	38.7	39.1	74.8	120	121	0	30	30
2019	11	10	12	58	1	0.679	-0.108	3.274	0.016	0.016	0	39.6	40.4	74.4	122	124	0	30	30
2019	11	10	13	8	1	0.692	-0.079	3.274	0.016	0.013	0	40	40.9	74.4	123	125	0	30	30
2019	11	10	13	18	1	0.705	-0.092	3.274	0.013	0.01	0	38.7	39.1	74	119	121	0	29	30
2019	11	10	13	28	1	0.715	-0.095	3.274	0.016	0.013	0	37.4	37.8	68.4	117	119	0	30	31
2019	11	10	13	38	1	0.715	-0.108	3.274	0.016	0.013	0	37	37.8	75.3	117	119	0	31	31
2019	11	10	13	48	1	0.676	-0.069	3.274	0.016	0.016	0	37.8	38.7	60.6	118	120	0	30	30
2019	11	10	13	58	1	0.709	-0.072	3.274	0.013	0.01	0	38.3	39.6	74.8	119	121	0	30	29
2019	11	10	14	8	1	0.669	-0.085	3.274	0.016	0.013	0	39.6	40	74	121	123	0	29	30
2019	11	10	14	18	1	0.705	-0.098	3.274	0.01	0.007	0	41.3	40.9	69.2	125	126	0	29	31
2019	11	10	14	28	1	0.686	-0.075	3.274	0.013	0.01	0	43	43.9	69.7	130	132	0	30	30
2019	11	10	14	38	1	0.689	-0.072	3.274	0.013	0.01	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	10	14	48	1	0.725	-0.056	3.274	0.01	0.007	0	40.9	41.7	75.7	125	127	0	30	30
2019	11	10	14	58	1	0.709	-0.121	3.274	0.01	0.007	0	40	40.4	65.8	123	124	0	30	30
2019	11	10	15	8	1	0.712	-0.082	3.274	0.013	0.01	0	38.3	39.1	61.5	119	121	0	30	30
2019	11	10	15	18	1	0.702	-0.056	3.274	0.016	0.013	0	39.6	40.4	55.5	122	124	0	30	30
2019	11	10	15	28	1	0.699	-0.069	3.274	0.013	0.01	0	39.1	40	54.2	121	123	0	30	30
2019	11	10	15	38	1	0.728	-0.121	3.278	0.013	0.01	0	38.3	39.1	54.6	119	121	0	30	30
2019	11	10	15	48	1	0.702	-0.066	3.278	0.01	0.007	0	40.4	40.9	53.3	123	125	0	29	30
2019	11	10	15	58	1	0.696	-0.075	3.274	0.016	0.013	0	39.1	39.6	58.5	121	123	0	30	31
2019	11	10	16	8	1	0.705	-0.115	3.274	0.01	0.007	0	39.1	40	56.3	121	123	0	30	30
2019	11	10	16	18	1	0.732	-0.102	3.274	0.02	0.016	0	44.7	45.6	56.3	134	136	0	30	30
2019	11	10	16	28	1	0.702	-0.082	3.274	0.016	0.016	0	42.6	43.4	55.9	128	131	0	29	30
2019	11	10	16	38	1	0.709	-0.092	3.274	0.013	0.01	0	40	40.9	55	123	125	0	30	30
2019	11	10	16	48	1	0.699	-0.095	3.274	0.013	0.01	0	39.6	40	56.8	122	124	0	30	31
2019	11	10	16	58	1	0.719	-0.092	3.274	0.01	0.007	0	41.3	42.1	57.2	126	128	0	30	30
2019	11	10	17	8	1	0.696	-0.062	3.274	0.013	0.01	0	40.4	41.3	73.5	124	126	0	30	30
2019	11	10	17	18	1	0.679	-0.089	3.274	0.013	0.01	0	40	40.9	76.5	123	125	0	30	30
2019	11	10	17	28	1	0.696	-0.082	3.274	0.01	0.007	0	38.3	39.6	77	119	122	0	30	30
2019	11	10	17	38	1	0.679	-0.079	3.274	0.013	0.01	0	40	40.9	74.4	123	125	0	30	30
2019	11	10	17	48	1	0.679	-0.079	3.274	0.01	0.007	0	40	40.4	76.5	122	124	0	29	30
2019	11	10	17	58	1	0.663	-0.069	3.274	0.016	0.013	0	39.6	40	76.5	121	122	0	29	29
2019	11	10	18	8	1	0.715	-0.082	3.278	0.01	0.007	0	38.7	39.6	77	120	122	0	30	30
2019	11	10	18	18	1	0.682	-0.043	3.278	0.01	0.007	0	38.7	39.6	76.5	120	122	0	30	30
2019	11	10	18	28	1	0.709	-0.049	3.278	0.01	0.007	0	38.7	39.1	77	120	121	0	30	30
2019	11	10	18	38	1	0.682	-0.075	3.278	0.013	0.01	0	39.1	39.6	77	120	122	0	29	30
2019	11	10	18	48	1	0.669	-0.059	3.278	0.01	0.007	0	39.1	39.6	77	120	122	0	29	30
2019	11	10	18	58	1	0.669	-0.072	3.278	0.016	0.013	0	38.7	39.6	77.4	120	122	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	10	19	8	1	0.705	-0.095	3.278	0.01	0.007	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	10	19	18	1	0.715	-0.095	3.278	0.01	0.007	0	39.1	39.6	77	120	122	0	29	30
2019	11	10	19	28	1	0.715	-0.066	3.278	0.013	0.01	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	10	19	38	1	0.682	-0.059	3.278	0.013	0.01	0	38.7	39.6	77	120	122	0	30	30
2019	11	10	19	48	1	0.676	-0.085	3.278	0.013	0.01	0	38.7	40	77.4	120	122	0	30	29
2019	11	10	19	58	1	0.692	-0.098	3.278	0.01	0.007	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	10	20	8	1	0.715	-0.069	3.278	0.016	0.016	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	10	20	18	1	0.719	-0.075	3.278	0.01	0.007	0	39.1	39.6	77.8	120	122	0	29	30
2019	11	10	20	28	1	0.715	-0.089	3.278	0.013	0.01	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	10	20	38	1	0.696	-0.095	3.278	0.016	0.013	0	38.7	39.6	77	120	122	0	30	30
2019	11	10	20	48	1	0.692	-0.069	3.278	0.013	0.01	0	39.1	39.6	77	120	122	0	29	30
2019	11	10	20	58	1	0.686	-0.095	3.278	0.01	0.007	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	10	21	8	1	0.676	-0.085	3.278	0.013	0.01	0	39.1	39.6	77.4	120	122	0	29	30
2019	11	10	21	18	1	0.659	-0.092	3.278	0.01	0.007	0	38.7	39.6	77	120	122	0	30	30
2019	11	10	21	28	1	0.679	-0.121	3.278	0.01	0.007	0	39.1	39.6	77.4	120	122	0	29	30
2019	11	10	21	38	1	0.712	-0.069	3.278	0.01	0.007	0	39.6	39.6	77.4	121	122	0	29	30
2019	11	10	21	48	1	0.705	-0.112	3.278	0.01	0.007	0	38.7	39.6	77	120	122	0	30	30
2019	11	10	21	58	1	0.705	-0.069	3.278	0.013	0.01	0	39.6	39.6	77	121	122	0	29	30
2019	11	10	22	8	1	0.712	-0.082	3.278	0.016	0.013	0	39.1	40	77.4	121	122	0	30	29
2019	11	10	22	18	1	0.715	-0.075	3.278	0.013	0.01	0	38.3	39.6	77	120	122	0	31	30
2019	11	10	22	28	1	0.728	-0.089	3.278	0.013	0.01	0	38.7	39.6	77	120	122	0	30	30
2019	11	10	22	38	1	0.682	-0.138	3.278	0.013	0.01	0	39.1	39.1	77.4	120	122	0	29	31
2019	11	10	22	48	1	0.676	-0.049	3.278	0.01	0.007	0	38.7	40	77	120	122	0	30	29
2019	11	10	22	58	1	0.692	-0.059	3.278	0.016	0.013	0	38.7	39.6	77.8	120	122	0	30	30
2019	11	10	23	8	1	0.682	-0.085	3.278	0.013	0.01	0	39.1	39.6	77	120	122	0	29	30
2019	11	10	23	18	1	0.725	-0.082	3.278	0.013	0.01	0	38.7	40	76.5	120	122	0	30	29
2019	11	10	23	28	1	0.696	-0.095	3.278	0.01	0.007	0	39.1	40.4	77	121	123	0	30	29
2019	11	10	23	38	1	0.725	-0.085	3.274	0.013	0.01	0	40	40.4	77.4	122	124	0	29	30
2019	11	10	23	48	1	0.712	-0.072	3.274	0.016	0.013	0	39.6	40	77	121	123	0	29	30
2019	11	10	23	58	1	0.669	-0.066	3.274	0.013	0.01	0	39.1	40	77	121	123	0	30	30
2019	11	11	0	8	1	0.705	-0.089	3.274	0.016	0.013	0	39.1	40	77	121	123	0	30	30
2019	11	11	0	18	1	0.715	-0.089	3.274	0.013	0.01	0	39.1	40	77	121	123	0	30	30
2019	11	11	0	28	1	0.692	-0.095	3.274	0.01	0.007	0	38.7	40	77	120	123	0	30	30
2019	11	11	0	38	1	0.679	-0.036	3.274	0.013	0.01	0	39.1	40	77	120	123	0	29	30
2019	11	11	0	48	1	0.702	-0.059	3.274	0.01	0.007	0	39.6	40	77.4	121	123	0	29	30
2019	11	11	0	58	1	0.696	-0.039	3.274	0.01	0.007	0	39.6	40	77.4	121	123	0	29	30
2019	11	11	1	8	1	0.676	-0.112	3.274	0.013	0.01	0	38.7	40	76.5	120	122	0	30	29
2019	11	11	1	18	1	0.715	-0.082	3.274	0.013	0.01	0	38.7	39.6	76.5	120	122	0	30	30
2019	11	11	1	28	1	0.676	-0.082	3.274	0.016	0.013	0	39.1	40	77	121	123	0	30	30
2019	11	11	1	38	1	0.709	-0.069	3.274	0.01	0.007	0	38.7	39.6	76.5	120	122	0	30	30
2019	11	11	1	48	1	0.709	-0.098	3.274	0.013	0.01	0	39.1	39.6	77	120	122	0	29	30
2019	11	11	1	58	1	0.666	-0.085	3.274	0.016	0.013	0	38.7	39.1	77	120	122	0	30	31
2019	11	11	2	8	1	0.696	-0.079	3.274	0.01	0.007	0	38.7	39.6	77	120	122	0	30	30
2019	11	11	2	18	1	0.725	-0.098	3.274	0.01	0.007	0	38.7	39.6	77	120	122	0	30	30
2019	11	11	2	28	1	0.696	-0.052	3.274	0.016	0.013	0	39.1	40	77	121	123	0	30	30
2019	11	11	2	38	1	0.705	-0.095	3.271	0.013	0.01	0	39.1	39.6	77	120	122	0	29	30
2019	11	11	2	48	1	0.676	-0.056	3.271	0.013	0.01	0	39.1	40	76.5	121	123	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	11	2	58	1	0.676	-0.085	3.271	0.01	0.007	0	40.9	42.1	76.5	125	128	0	30	30
2019	11	11	3	8	1	0.666	-0.056	3.271	0.01	0.007	0	39.6	40.9	76.5	122	125	0	30	30
2019	11	11	3	18	1	0.696	-0.089	3.271	0.016	0.016	0	40	40.9	77	123	125	0	30	30
2019	11	11	3	28	1	0.682	-0.082	3.271	0.01	0.007	0	39.1	40.9	77	122	124	0	31	29
2019	11	11	3	38	1	0.696	-0.075	3.271	0.013	0.01	0	39.1	40	77	121	123	0	30	30
2019	11	11	3	48	1	0.689	-0.098	3.271	0.016	0.013	0	38.7	40	77.4	120	123	0	30	30
2019	11	11	3	58	1	0.692	-0.049	3.271	0.013	0.01	0	38.7	40	77.4	121	123	0	31	30
2019	11	11	4	8	1	0.682	-0.112	3.271	0.016	0.013	0	39.1	39.6	77	120	123	0	29	31
2019	11	11	4	18	1	0.663	-0.072	3.271	0.01	0.007	0	39.1	40	76.5	121	123	0	30	30
2019	11	11	4	28	1	0.673	-0.079	3.271	0.013	0.01	0	39.6	40	77	121	123	0	29	30
2019	11	11	4	38	1	0.705	-0.082	3.271	0.01	0.007	0	39.1	40	77	121	123	0	30	30
2019	11	11	4	48	1	0.692	-0.069	3.271	0.016	0.013	0	40	40.4	76.5	122	124	0	29	30
2019	11	11	4	58	1	0.669	-0.069	3.271	0.013	0.01	0	39.1	40	76.1	121	123	0	30	30
2019	11	11	5	8	1	0.656	-0.098	3.271	0.016	0.013	0	38.7	40	75.7	121	123	0	31	30
2019	11	11	5	18	1	0.679	-0.102	3.271	0.016	0.016	0	39.6	40.4	75.7	121	124	0	29	30
2019	11	11	5	28	1	0.686	-0.102	3.271	0.01	0.007	0	39.1	40	74.8	121	123	0	30	30
2019	11	11	5	38	1	0.696	-0.056	3.271	0.016	0.013	0	39.6	40.4	75.7	121	124	0	29	30
2019	11	11	5	48	1	0.692	-0.072	3.271	0.013	0.01	0	39.6	40	77	121	123	0	29	30
2019	11	11	5	58	1	0.666	-0.066	3.271	0.016	0.013	0	39.6	40.9	77	122	124	0	30	29
2019	11	11	6	8	1	0.722	-0.112	3.268	0.016	0.013	0	39.1	40	73.5	121	123	0	30	30
2019	11	11	6	18	1	0.699	-0.105	3.271	0.013	0.01	0	39.6	40.4	77	122	124	0	30	30
2019	11	11	6	28	1	0.705	-0.079	3.268	0.013	0.01	0	39.1	40.4	76.5	122	124	0	31	30
2019	11	11	6	38	1	0.663	-0.085	3.268	0.013	0.01	0	40	40.9	67.9	123	125	0	30	30
2019	11	11	6	48	1	0.741	-0.062	3.268	0.016	0.013	0	40	40.9	67.1	123	125	0	30	30
2019	11	11	6	58	1	0.682	-0.082	3.268	0.013	0.01	0	40	40.9	71.8	123	125	0	30	30
2019	11	11	7	8	1	0.719	-0.059	3.268	0.016	0.013	0	40	40.4	73.5	123	124	0	30	30
2019	11	11	7	18	1	0.663	-0.072	3.268	0.013	0.01	0	40	40.4	75.7	123	124	0	30	30
2019	11	11	7	28	1	0.732	-0.079	3.268	0.01	0.007	0	39.1	40	71.4	121	124	0	30	31
2019	11	11	7	38	1	0.663	-0.082	3.268	0.013	0.01	0	39.6	40.4	71	122	124	0	30	30
2019	11	11	7	48	1	0.692	-0.082	3.268	0.016	0.013	0	40	40.9	75.7	122	124	0	29	29
2019	11	11	7	58	1	0.738	-0.102	3.268	0.013	0.01	0	39.1	40	70.1	121	123	0	30	30
2019	11	11	8	8	1	0.725	-0.062	3.268	0.01	0.007	0	39.6	40	63.2	121	123	0	29	30
2019	11	11	8	18	1	0.682	-0.095	3.271	0.013	0.01	0	39.6	40	61.5	121	123	0	29	30
2019	11	11	8	28	1	0.689	-0.095	3.271	0.013	0.01	0	39.1	40	54.6	121	123	0	30	30
2019	11	11	8	38	1	0.692	-0.089	3.271	0.016	0.013	0	39.1	39.6	55.9	121	123	0	30	31
2019	11	11	8	48	1	0.699	-0.072	3.271	0.013	0.01	0	39.1	39.6	55.5	121	122	0	30	30
2019	11	11	8	58	1	0.702	-0.095	3.271	0.016	0.013	0	38.7	39.6	59.3	120	122	0	30	30
2019	11	11	9	8	1	0.692	-0.069	3.271	0.01	0.007	0	38.7	39.6	59.3	120	122	0	30	30
2019	11	11	9	18	1	0.679	-0.089	3.271	0.016	0.013	0	38.7	39.6	58	120	122	0	30	30
2019	11	11	9	28	1	0.673	-0.046	3.268	0.016	0.013	0	39.6	40.4	58	122	124	0	30	30
2019	11	11	9	38	1	0.689	-0.079	3.271	0.016	0.013	0	40	40.9	57.2	123	125	0	30	30
2019	11	11	9	48	1	0.692	-0.102	3.271	0.016	0.013	0	39.6	40.4	57.6	122	124	0	30	30
2019	11	11	9	58	1	0.679	-0.079	3.271	0.013	0.01	0	40	40.4	54.6	122	124	0	29	30
2019	11	11	10	8	1	0.709	-0.046	3.271	0.01	0.007	0	39.6	40.4	53.8	122	124	0	30	30
2019	11	11	10	18	1	0.689	-0.079	3.271	0.01	0.007	0	40	41.3	55.9	123	125	0	30	29
2019	11	11	10	28	1	0.682	-0.079	3.271	0.016	0.016	0	40	40.9	56.3	123	125	0	30	30
2019	11	11	10	38	1	0.663	-0.052	3.274	0.013	0.01	0	40.4	41.3	52.9	124	126	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	11	10	48	1	0.722	-0.082	3.271	0.016	0.013	0	40.4	41.3	55.5	123	126	0	29	30
2019	11	11	10	58	1	0.673	-0.056	3.271	0.013	0.01	0	40.4	41.3	52.5	124	126	0	30	30
2019	11	11	11	8	1	0.696	-0.095	3.271	0.013	0.01	0	40.4	41.7	51.6	124	126	0	30	29
2019	11	11	11	18	1	0.692	-0.121	3.274	0.013	0.01	0	40	40.9	52.9	123	125	0	30	30
2019	11	11	11	28	1	0.669	-0.079	3.271	0.013	0.01	0	40	40.9	54.6	123	125	0	30	30
2019	11	11	11	38	1	0.712	-0.082	3.274	0.01	0.007	0	40	40.4	52.5	122	124	0	29	30
2019	11	11	11	48	1	0.692	-0.095	3.271	0.013	0.01	0	40	40.4	52.5	122	124	0	29	30
2019	11	11	11	58	1	0.682	-0.056	3.271	0.013	0.01	0	39.6	40.4	55.9	121	124	0	29	30
2019	11	11	12	8	1	0.699	-0.052	3.271	0.013	0.01	0	39.6	40.4	56.3	122	124	0	30	30
2019	11	11	12	18	1	0.656	-0.069	3.271	0.01	0.007	0	40	40.9	63.6	123	125	0	30	30
2019	11	11	12	28	1	0.656	-0.043	3.271	0.016	0.013	0	40	40.9	55	123	125	0	30	30
2019	11	11	12	38	1	0.699	-0.062	3.271	0.016	0.013	0	39.6	40.4	60.2	122	123	0	30	29
2019	11	11	12	48	1	0.686	-0.079	3.271	0.013	0.01	0	39.6	39.6	64.5	121	123	0	29	31
2019	11	11	12	58	1	0.699	-0.059	3.271	0.01	0.007	0	39.1	40	74.8	120	122	0	29	29
2019	11	11	13	8	1	0.728	-0.079	3.271	0.016	0.013	0	39.1	39.6	73.1	120	122	0	29	30
2019	11	11	13	18	1	0.699	-0.075	3.271	0.016	0.013	0	38.7	39.1	71.8	120	122	0	30	31
2019	11	11	13	28	1	0.673	-0.069	3.271	0.013	0.01	0	38.7	40	74.4	121	123	0	31	30
2019	11	11	13	38	1	0.689	-0.098	3.271	0.01	0.007	0	38.7	40	75.3	120	122	0	30	29
2019	11	11	13	48	1	0.656	-0.092	3.271	0.01	0.007	0	38.3	39.1	77	119	121	0	30	30
2019	11	11	13	58	1	0.656	-0.066	3.271	0.016	0.013	0	38.3	39.1	77.4	119	121	0	30	30
2019	11	11	14	8	1	0.699	-0.066	3.271	0.013	0.01	0	38.3	39.1	76.5	119	121	0	30	30
2019	11	11	14	18	1	0.682	-0.066	3.271	0.01	0.007	0	38.3	39.1	77	119	121	0	30	30
2019	11	11	14	28	1	0.679	-0.079	3.271	0.013	0.01	0	39.1	39.6	77	120	122	0	29	30
2019	11	11	14	38	1	0.686	-0.056	3.271	0.013	0.01	0	39.1	40	77	121	123	0	30	30
2019	11	11	14	48	1	0.702	-0.059	3.271	0.013	0.01	0	38.7	40	76.1	120	123	0	30	30
2019	11	11	14	58	1	0.673	-0.056	3.271	0.01	0.007	0	38.3	39.1	76.5	119	121	0	30	30
2019	11	11	15	8	1	0.686	-0.062	3.271	0.01	0.007	0	38.3	38.7	76.1	119	120	0	30	30
2019	11	11	15	18	1	0.699	-0.085	3.268	0.01	0.007	0	38.3	39.1	76.1	119	120	0	30	29
2019	11	11	15	28	1	0.646	-0.112	3.268	0.013	0.01	0	38.3	38.7	75.3	118	120	0	29	30
2019	11	11	15	38	1	0.679	-0.095	3.268	0.016	0.013	0	37.8	38.7	75.3	118	120	0	30	30
2019	11	11	15	48	1	0.663	-0.056	3.268	0.01	0.007	0	38.3	38.7	74.8	118	120	0	29	30
2019	11	11	15	58	1	0.682	-0.082	3.268	0.013	0.01	0	37.8	38.7	74.8	118	120	0	30	30
2019	11	11	16	8	1	0.679	-0.085	3.268	0.016	0.013	0	38.7	39.1	74.4	119	121	0	29	30
2019	11	11	16	18	1	0.676	-0.095	3.264	0.016	0.013	0	38.3	39.1	74.8	119	121	0	30	30
2019	11	11	16	28	1	0.682	-0.056	3.264	0.013	0.01	0	38.3	39.6	74	118	121	0	29	29
2019	11	11	16	38	1	0.669	-0.062	3.264	0.016	0.013	0	38.7	39.6	74	120	122	0	30	30
2019	11	11	16	48	1	0.666	-0.066	3.264	0.01	0.007	0	38.7	39.6	74	120	121	0	30	29
2019	11	11	16	58	1	0.673	-0.056	3.264	0.01	0.007	0	37.8	38.7	73.5	118	120	0	30	30
2019	11	11	17	8	1	0.666	-0.069	3.261	0.013	0.01	0	38.7	39.6	74	120	122	0	30	30
2019	11	11	17	18	1	0.705	-0.095	3.258	0.013	0.01	0	39.6	40	73.5	121	123	0	29	30
2019	11	11	17	28	1	0.682	-0.095	3.258	0.01	0.007	0	39.6	39.6	74	121	122	0	29	30
2019	11	11	17	38	1	0.689	-0.102	3.258	0.016	0.013	0	38.3	39.1	74	119	121	0	30	30
2019	11	11	17	48	1	0.673	-0.033	3.258	0.013	0.01	0	38.3	39.1	74	119	121	0	30	30
2019	11	11	17	58	1	0.709	-0.105	3.258	0.016	0.013	0	38.3	39.1	71	119	121	0	30	30
2019	11	11	18	8	1	0.679	-0.102	3.258	0.013	0.01	0	38.7	39.1	70.5	119	121	0	29	30
2019	11	11	18	18	1	0.679	-0.075	3.258	0.013	0.01	0	38.3	39.6	74.4	119	122	0	30	30
2019	11	11	18	28	1	0.699	-0.092	3.258	0.01	0.007	0	39.6	40.4	74.4	122	124	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	11	18	38	1	0.705	-0.056	3.258	0.01	0.007	0	40	40.9	73.5	122	124	0	29	29
2019	11	11	18	48	1	0.712	-0.095	3.258	0.01	0.007	0	39.6	40.4	74.4	122	124	0	30	30
2019	11	11	18	58	1	0.65	-0.089	3.258	0.01	0.007	0	40.4	41.7	74.8	124	126	0	30	29
2019	11	11	19	8	1	0.705	-0.082	3.258	0.013	0.01	0	40	40.4	74.4	122	124	0	29	30
2019	11	11	19	18	1	0.699	-0.089	3.258	0.01	0.007	0	39.6	40	75.7	122	123	0	30	30
2019	11	11	19	28	1	0.699	-0.079	3.258	0.013	0.01	0	40	40.4	74.8	122	124	0	29	30
2019	11	11	19	38	1	0.709	-0.089	3.258	0.013	0.01	0	39.1	40	74.8	121	123	0	30	30
2019	11	11	19	48	1	0.689	-0.075	3.258	0.01	0.007	0	40	40	74.8	122	123	0	29	30
2019	11	11	19	58	1	0.682	-0.089	3.258	0.013	0.01	0	39.1	40	74.8	121	123	0	30	30
2019	11	11	20	8	1	0.686	-0.075	3.258	0.013	0.01	0	40	40.4	74.4	122	123	0	29	29
2019	11	11	20	18	1	0.686	-0.069	3.258	0.013	0.01	0	40.9	41.3	74.8	124	126	0	29	30
2019	11	11	20	28	1	0.712	-0.079	3.258	0.016	0.013	0	40.4	41.3	74.8	124	125	0	30	29
2019	11	11	20	38	1	0.702	-0.089	3.258	0.016	0.016	0	40.4	40.9	75.3	123	124	0	29	29
2019	11	11	20	48	1	0.673	-0.102	3.258	0.013	0.01	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	11	20	58	1	0.689	-0.082	3.258	0.016	0.013	0	40	40.4	75.3	122	124	0	29	30
2019	11	11	21	8	1	0.699	-0.085	3.258	0.01	0.007	0	39.6	40.9	75.3	122	124	0	30	29
2019	11	11	21	18	1	0.735	-0.072	3.258	0.016	0.013	0	40	40	75.3	122	123	0	29	30
2019	11	11	21	28	1	0.673	-0.085	3.258	0.013	0.01	0	40	40.4	75.3	122	124	0	29	30
2019	11	11	21	38	1	0.669	-0.082	3.258	0.01	0.007	0	40	40.9	74.4	122	124	0	29	29
2019	11	11	21	48	1	0.699	-0.095	3.255	0.013	0.01	0	40	40.9	75.7	122	124	0	29	29
2019	11	11	21	58	1	0.646	-0.066	3.258	0.016	0.013	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	11	22	8	1	0.676	-0.052	3.255	0.01	0.007	0	39.6	40.9	74.8	122	124	0	30	29
2019	11	11	22	18	1	0.689	-0.069	3.258	0.01	0.007	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	11	22	28	1	0.702	-0.062	3.255	0.013	0.01	0	40	40.9	75.3	123	124	0	30	29
2019	11	11	22	38	1	0.686	-0.095	3.255	0.01	0.007	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	11	22	48	1	0.669	-0.108	3.255	0.013	0.01	0	40	40.9	74.8	122	124	0	29	29
2019	11	11	22	58	1	0.709	-0.075	3.255	0.016	0.013	0	40	40.9	75.7	122	124	0	29	29
2019	11	11	23	8	1	0.669	-0.095	3.255	0.013	0.01	0	40	40.4	75.3	122	124	0	29	30
2019	11	11	23	18	1	0.725	-0.089	3.255	0.013	0.01	0	39.6	40.9	75.7	122	124	0	30	29
2019	11	11	23	28	1	0.709	-0.082	3.255	0.013	0.01	0	39.6	40	75.3	122	124	0	30	31
2019	11	11	23	38	1	0.692	-0.112	3.255	0.013	0.01	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	11	23	48	1	0.709	-0.069	3.255	0.016	0.016	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	11	23	58	1	0.656	-0.082	3.255	0.01	0.007	0	40	40.4	75.7	122	124	0	29	30
2019	11	12	0	8	1	0.709	-0.075	3.255	0.013	0.01	0	40	40.4	75.3	122	124	0	29	30
2019	11	12	0	18	1	0.673	-0.043	3.255	0.013	0.01	0	39.6	40	75.3	122	124	0	30	31
2019	11	12	0	28	1	0.663	-0.069	3.251	0.016	0.013	0	40	40.4	75.3	122	124	0	29	30
2019	11	12	0	38	1	0.689	-0.039	3.251	0.016	0.013	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	12	0	48	1	0.682	-0.095	3.251	0.013	0.01	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	12	0	58	1	0.692	-0.089	3.251	0.013	0.01	0	40	40.4	75.7	122	124	0	29	30
2019	11	12	1	8	1	0.722	-0.095	3.251	0.013	0.01	0	40	40.9	75.7	122	124	0	29	29
2019	11	12	1	18	1	0.673	-0.059	3.251	0.013	0.01	0	39.6	40.9	75.3	122	125	0	30	30
2019	11	12	1	28	1	0.682	-0.052	3.251	0.013	0.01	0	40.4	40.4	75.7	123	124	0	29	30
2019	11	12	1	38	1	0.719	-0.072	3.251	0.013	0.01	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	12	1	48	1	0.705	-0.066	3.251	0.01	0.007	0	40.4	40.4	75.7	123	124	0	29	30
2019	11	12	1	58	1	0.679	-0.072	3.251	0.01	0.007	0	40	40.4	75.7	122	124	0	29	30
2019	11	12	2	8	1	0.682	-0.098	3.251	0.01	0.007	0	40.4	41.3	76.1	123	125	0	29	29
2019	11	12	2	18	1	0.702	-0.095	3.251	0.013	0.01	0	40	40.4	75.7	122	124	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	12	2	28	1	0.679	-0.095	3.251	0.016	0.016	0	40.4	40.9	75.7	123	125	0	29	30
2019	11	12	2	38	1	0.719	-0.069	3.251	0.013	0.01	0	40	40.9	76.1	123	125	0	30	30
2019	11	12	2	48	1	0.735	-0.072	3.251	0.013	0.01	0	40.4	40.9	75.7	123	124	0	29	29
2019	11	12	2	58	1	0.699	-0.066	3.248	0.016	0.013	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	12	3	8	1	0.696	-0.062	3.251	0.013	0.01	0	40	40.9	74.8	123	125	0	30	30
2019	11	12	3	18	1	0.682	-0.075	3.248	0.016	0.013	0	40.4	40.9	75.3	123	125	0	29	30
2019	11	12	3	28	1	0.686	-0.062	3.248	0.016	0.016	0	40	40.4	75.7	123	124	0	30	30
2019	11	12	3	38	1	0.682	-0.082	3.248	0.016	0.013	0	40	40.9	75.7	123	125	0	30	30
2019	11	12	3	48	1	0.686	-0.082	3.248	0.01	0.007	0	40.4	41.3	75.7	123	125	0	29	29
2019	11	12	3	58	1	0.709	-0.098	3.248	0.01	0.007	0	40.4	41.3	75.7	124	126	0	30	30
2019	11	12	4	8	1	0.663	-0.059	3.248	0.013	0.01	0	40.4	41.3	76.1	123	125	0	29	29
2019	11	12	4	18	1	0.673	-0.102	3.248	0.016	0.013	0	40	40.4	75.3	123	124	0	30	30
2019	11	12	4	28	1	0.712	-0.082	3.248	0.016	0.013	0	40.4	41.3	75.7	123	125	0	29	29
2019	11	12	4	38	1	0.673	-0.059	3.248	0.016	0.013	0	40.9	41.7	75.7	124	126	0	29	29
2019	11	12	4	48	1	0.709	-0.085	3.248	0.016	0.013	0	40	41.3	76.1	123	125	0	30	29
2019	11	12	4	58	1	0.709	-0.092	3.248	0.013	0.01	0	40	40.9	75.3	123	125	0	30	30
2019	11	12	5	8	1	0.686	-0.069	3.248	0.016	0.013	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	12	5	18	1	0.705	-0.079	3.248	0.013	0.01	0	40	40.9	75.3	123	125	0	30	30
2019	11	12	5	28	1	0.689	-0.102	3.248	0.01	0.007	0	40.9	42.1	75.3	125	127	0	30	29
2019	11	12	5	38	1	0.676	-0.079	3.248	0.01	0.007	0	40.9	41.3	74.8	124	126	0	29	30
2019	11	12	5	48	1	0.715	-0.056	3.248	0.016	0.013	0	40.4	41.3	74.4	124	126	0	30	30
2019	11	12	5	58	1	0.673	-0.075	3.248	0.013	0.01	0	40.9	41.7	74.8	125	127	0	30	30
2019	11	12	6	8	1	0.722	-0.098	3.248	0.016	0.013	0	40	40.9	75.3	123	125	0	30	30
2019	11	12	6	18	1	0.699	-0.092	3.248	0.013	0.01	0	40.4	41.3	74.8	124	126	0	30	30
2019	11	12	6	28	1	0.692	-0.085	3.248	0.013	0.01	0	40.9	41.3	74.8	124	125	0	29	29
2019	11	12	6	38	1	0.673	-0.069	3.248	0.01	0.007	0	40	40.4	74.8	123	125	0	30	31
2019	11	12	6	48	1	0.689	-0.095	3.248	0.016	0.013	0	40	40.9	74.8	123	125	0	30	30
2019	11	12	6	58	1	0.676	-0.089	3.248	0.01	0.007	0	40.4	40.9	74.8	124	125	0	30	30
2019	11	12	7	8	1	0.679	-0.089	3.245	0.016	0.013	0	40	40.9	74.8	123	125	0	30	30
2019	11	12	7	18	1	0.696	-0.089	3.245	0.016	0.016	0	40.4	41.3	73.5	124	126	0	30	30
2019	11	12	7	28	1	0.699	-0.108	3.248	0.013	0.01	0	41.3	42.1	74.4	125	127	0	29	29
2019	11	12	7	38	1	0.686	-0.092	3.248	0.013	0.01	0	40.4	41.3	74.4	124	126	0	30	30
2019	11	12	7	48	1	0.699	-0.092	3.248	0.016	0.013	0	40	40.9	74.4	123	125	0	30	30
2019	11	12	7	58	1	0.705	-0.069	3.245	0.013	0.01	0	40	40.9	74.4	123	125	0	30	30
2019	11	12	8	8	1	0.725	-0.105	3.248	0.013	0.01	0	40	40.4	74	122	124	0	29	30
2019	11	12	8	18	1	0.679	-0.095	3.248	0.016	0.013	0	40	40.4	73.5	122	124	0	29	30
2019	11	12	8	28	1	0.696	-0.098	3.245	0.013	0.01	0	39.6	40.9	74.4	122	124	0	30	29
2019	11	12	8	38	1	0.682	-0.108	3.248	0.013	0.01	0	40.9	41.3	74	124	126	0	29	30
2019	11	12	8	48	1	0.686	-0.075	3.248	0.013	0.01	0	40	40.4	74.4	122	124	0	29	30
2019	11	12	8	58	1	0.673	-0.043	3.245	0.01	0.007	0	39.6	40.4	74.4	122	124	0	30	30
2019	11	12	9	8	1	0.696	-0.082	3.248	0.01	0.007	0	39.1	40	74.4	121	123	0	30	30
2019	11	12	9	18	1	0.692	-0.059	3.245	0.016	0.013	0	38.7	39.6	73.1	120	122	0	30	30
2019	11	12	9	28	1	0.673	-0.118	3.248	0.01	0.007	0	39.1	40	74.4	121	123	0	30	30
2019	11	12	9	38	1	0.663	-0.121	3.248	0.01	0.007	0	40.4	40.9	74.4	123	125	0	29	30
2019	11	12	9	48	1	0.705	-0.056	3.248	0.01	0.007	0	40.4	41.3	74.4	124	126	0	30	30
2019	11	12	9	58	1	0.689	-0.072	3.248	0.013	0.01	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	12	10	8	1	0.673	-0.085	3.248	0.01	0.007	0	39.1	40	74.4	121	123	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	12	10	18	1	0.699	-0.056	3.248	0.013	0.01	0	39.6	40	74.4	121	123	0	29	30
2019	11	12	10	28	1	0.676	-0.066	3.248	0.013	0.01	0	40.9	41.7	74	125	127	0	30	30
2019	11	12	10	38	1	0.699	-0.098	3.248	0.02	0.016	0	39.6	40	74.8	121	123	0	29	30
2019	11	12	10	48	1	0.676	-0.056	3.248	0.013	0.01	0	41.7	42.6	74	127	129	0	30	30
2019	11	12	10	58	1	0.702	-0.089	3.248	0.016	0.016	0	41.3	41.7	72.7	125	127	0	29	30
2019	11	12	11	8	1	0.699	-0.108	3.248	0.016	0.013	0	40.4	40.9	74	124	125	0	30	30
2019	11	12	11	18	1	0.702	-0.089	3.248	0.01	0.007	0	43.4	44.3	73.1	131	133	0	30	30
2019	11	12	11	28	1	0.728	-0.089	3.248	0.016	0.016	0	44.7	45.2	73.1	133	135	0	29	30
2019	11	12	11	38	1	0.699	-0.085	3.248	0.016	0.013	0	46	46.9	72.2	137	139	0	30	30
2019	11	12	11	48	1	0.646	-0.072	3.248	0.013	0.01	0	43.4	44.3	74.4	130	132	0	29	29
2019	11	12	11	58	1	0.682	-0.075	3.248	0.016	0.016	0	41.3	42.1	74.8	126	128	0	30	30
2019	11	12	12	8	1	0.65	-0.066	3.248	0.016	0.013	0	42.1	42.6	74.8	127	129	0	29	30
2019	11	12	12	18	1	0.682	-0.043	3.248	0.013	0.01	0	42.6	43	74.8	128	130	0	29	30
2019	11	12	12	28	1	0.676	-0.075	3.248	0.013	0.01	0	43	43.9	74.4	130	132	0	30	30
2019	11	12	12	38	1	0.689	-0.069	3.248	0.013	0.01	0	40.4	40.9	71	123	125	0	29	30
2019	11	12	12	48	1	0.666	-0.069	3.248	0.013	0.01	0	39.1	39.6	74	121	122	0	30	30
2019	11	12	12	58	1	0.702	-0.082	3.248	0.013	0.01	0	38.7	39.1	60.6	119	121	0	29	30
2019	11	12	13	8	1	0.702	-0.115	3.248	0.01	0.007	0	38.3	39.6	69.2	119	121	0	30	29
2019	11	12	13	18	1	0.702	-0.112	3.251	0.01	0.007	0	37.8	38.7	76.1	118	120	0	30	30
2019	11	12	13	28	1	0.686	-0.079	3.248	0.013	0.01	0	40	40.4	75.3	122	124	0	29	30
2019	11	12	13	38	1	0.686	-0.098	3.248	0.016	0.016	0	40.9	41.7	74	125	127	0	30	30
2019	11	12	13	48	1	0.712	-0.105	3.248	0.013	0.01	0	40.9	41.7	64.1	125	127	0	30	30
2019	11	12	13	58	1	0.715	-0.075	3.248	0.016	0.013	0	40.9	41.3	69.2	124	126	0	29	30
2019	11	12	14	8	1	0.709	-0.082	3.248	0.016	0.013	0	39.6	40.4	61.1	122	124	0	30	30
2019	11	12	14	18	1	0.699	-0.075	3.248	0.016	0.013	0	40	40.9	74	122	124	0	29	29
2019	11	12	14	28	1	0.725	-0.092	3.248	0.01	0.007	0	39.6	40.4	69.2	122	123	0	30	29
2019	11	12	14	38	1	0.702	-0.082	3.248	0.016	0.013	0	39.6	40.9	66.7	122	124	0	30	29
2019	11	12	14	48	1	0.741	-0.092	3.251	0.013	0.01	0	39.6	40.4	58.5	122	124	0	30	30
2019	11	12	14	58	1	0.686	-0.069	3.251	0.013	0.01	0	39.1	40	61.1	121	123	0	30	30
2019	11	12	15	8	1	0.669	-0.069	3.251	0.013	0.01	0	38.7	39.6	64.9	120	122	0	30	30
2019	11	12	15	18	1	0.719	-0.141	3.251	0.01	0.007	0	39.1	40	59.3	121	123	0	30	30
2019	11	12	15	28	1	0.673	-0.085	3.248	0.016	0.013	0	39.6	40.4	59.3	122	124	0	30	30
2019	11	12	15	38	1	0.702	-0.082	3.251	0.013	0.01	0	39.1	39.1	63.6	120	121	0	29	30
2019	11	12	15	48	1	0.699	-0.082	3.251	0.013	0.01	0	39.6	40.4	59.8	122	124	0	30	30
2019	11	12	15	58	1	0.679	-0.072	3.248	0.01	0.007	0	41.7	42.6	64.1	127	129	0	30	30
2019	11	12	16	8	1	0.689	-0.112	3.251	0.016	0.013	0	39.6	41.3	58.5	123	125	0	31	29
2019	11	12	16	18	1	0.692	-0.089	3.251	0.01	0.007	0	40	40.9	65.8	122	124	0	29	29
2019	11	12	16	28	1	0.725	-0.085	3.251	0.013	0.01	0	39.1	40	58.9	121	123	0	30	30
2019	11	12	16	38	1	0.732	-0.108	3.251	0.01	0.007	0	39.1	40	67.5	120	122	0	29	29
2019	11	12	16	48	1	0.705	-0.125	3.251	0.016	0.013	0	38.7	39.6	76.1	119	121	0	29	29
2019	11	12	16	58	1	0.682	-0.079	3.251	0.013	0.01	0	38.7	39.1	76.1	119	121	0	29	30
2019	11	12	17	8	1	0.669	-0.062	3.251	0.01	0.007	0	38.7	39.6	76.1	120	122	0	30	30
2019	11	12	17	18	1	0.696	-0.049	3.251	0.01	0.007	0	39.1	39.1	76.5	120	121	0	29	30
2019	11	12	17	28	1	0.705	-0.102	3.251	0.01	0.007	0	39.6	40	76.1	121	123	0	29	30
2019	11	12	17	38	1	0.656	-0.062	3.255	0.016	0.013	0	40	40.4	76.1	122	124	0	29	30
2019	11	12	17	48	1	0.715	-0.085	3.251	0.016	0.013	0	39.6	40	77	121	123	0	29	30
2019	11	12	17	58	1	0.686	-0.092	3.255	0.01	0.007	0	39.1	39.6	76.1	120	122	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	12	18	8	1	0.702	-0.079	3.255	0.013	0.01	0	39.1	40	76.1	120	122	0	29	29
2019	11	12	18	18	1	0.725	-0.072	3.255	0.013	0.01	0	39.6	40	76.5	121	123	0	29	30
2019	11	12	18	28	1	0.715	-0.098	3.255	0.016	0.013	0	39.6	40	76.5	121	123	0	29	30
2019	11	12	18	38	1	0.719	-0.112	3.255	0.01	0.007	0	39.6	40	76.5	122	123	0	30	30
2019	11	12	18	48	1	0.699	-0.059	3.255	0.01	0.007	0	39.6	40.9	76.1	121	124	0	29	29
2019	11	12	18	58	1	0.705	-0.075	3.255	0.013	0.01	0	40	40.9	76.1	122	124	0	29	29
2019	11	12	19	8	1	0.705	-0.092	3.255	0.01	0.007	0	40	40.4	76.5	122	124	0	29	30
2019	11	12	19	18	1	0.705	-0.049	3.255	0.013	0.01	0	39.6	40.4	77	121	123	0	29	29
2019	11	12	19	28	1	0.699	-0.062	3.255	0.016	0.013	0	39.6	40.4	77	122	124	0	30	30
2019	11	12	19	38	1	0.709	-0.085	3.255	0.013	0.01	0	40	40.9	76.5	122	124	0	29	29
2019	11	12	19	48	1	0.699	-0.098	3.255	0.01	0.007	0	39.6	40	76.5	122	123	0	30	30
2019	11	12	19	58	1	0.663	-0.075	3.255	0.01	0.007	0	39.6	40	76.5	122	123	0	30	30
2019	11	12	20	8	1	0.679	-0.118	3.255	0.01	0.007	0	40	40.4	76.1	122	124	0	29	30
2019	11	12	20	18	1	0.682	-0.072	3.255	0.013	0.01	0	39.6	40.4	77	122	124	0	30	30
2019	11	12	20	28	1	0.712	-0.056	3.255	0.013	0.01	0	39.6	40.4	76.5	121	123	0	29	29
2019	11	12	20	38	1	0.719	-0.121	3.255	0.016	0.013	0	39.6	40	76.5	121	123	0	29	30
2019	11	12	20	48	1	0.653	-0.085	3.255	0.01	0.007	0	40	40.9	76.5	122	124	0	29	29
2019	11	12	20	58	1	0.679	-0.108	3.255	0.01	0.007	0	39.6	40.9	76.5	122	124	0	30	29
2019	11	12	21	8	1	0.692	-0.105	3.255	0.01	0.007	0	40	40.4	75.7	122	124	0	29	30
2019	11	12	21	18	1	0.728	-0.075	3.255	0.013	0.01	0	40	40	76.5	122	123	0	29	30
2019	11	12	21	28	1	0.702	-0.079	3.255	0.01	0.007	0	40	40.4	77	122	124	0	29	30
2019	11	12	21	38	1	0.676	-0.089	3.255	0.013	0.01	0	39.6	40.4	76.5	122	124	0	30	30
2019	11	12	21	48	1	0.679	-0.085	3.255	0.01	0.007	0	40	40.9	76.1	122	124	0	29	29
2019	11	12	21	58	1	0.686	-0.069	3.255	0.013	0.01	0	40	40.9	76.1	122	124	0	29	29
2019	11	12	22	8	1	0.686	-0.085	3.255	0.016	0.013	0	40.4	41.7	76.1	124	126	0	30	29
2019	11	12	22	18	1	0.692	-0.089	3.255	0.016	0.013	0	40	40.9	75.7	123	125	0	30	30
2019	11	12	22	28	1	0.689	-0.049	3.255	0.013	0.01	0	40.4	40.4	75.7	123	124	0	29	30
2019	11	12	22	38	1	0.669	-0.082	3.255	0.01	0.007	0	40.4	41.3	75.7	123	125	0	29	29
2019	11	12	22	48	1	0.699	-0.079	3.255	0.01	0.007	0	40.4	40.9	75.7	123	125	0	29	30
2019	11	12	22	58	1	0.738	-0.138	3.255	0.016	0.013	0	40	40.9	76.1	123	124	0	30	29
2019	11	12	23	8	1	0.702	-0.079	3.255	0.013	0.01	0	40	40.4	75.7	122	124	0	29	30
2019	11	12	23	18	1	0.696	-0.085	3.255	0.01	0.007	0	40	40.4	75.7	122	124	0	29	30
2019	11	12	23	28	1	0.699	-0.098	3.255	0.01	0.007	0	40	40.9	75.7	122	124	0	29	29
2019	11	12	23	38	1	0.669	-0.079	3.255	0.016	0.016	0	40	40.4	75.3	122	124	0	29	30
2019	11	12	23	48	1	0.692	-0.105	3.255	0.016	0.013	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	12	23	58	1	0.669	-0.085	3.255	0.01	0.007	0	40.4	40.9	75.3	123	125	0	29	30
2019	11	13	0	8	1	0.682	-0.075	3.255	0.013	0.01	0	40.4	40.9	75.3	123	125	0	29	30
2019	11	13	0	18	1	0.715	-0.128	3.255	0.01	0.007	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	13	0	28	1	0.696	-0.098	3.255	0.013	0.01	0	40	40.9	75.3	122	124	0	29	29
2019	11	13	0	38	1	0.705	-0.082	3.255	0.013	0.01	0	40.4	41.3	74.8	123	125	0	29	29
2019	11	13	0	48	1	0.686	-0.079	3.255	0.016	0.013	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	13	0	58	1	0.669	-0.089	3.255	0.013	0.01	0	40.4	41.3	74.8	123	125	0	29	29
2019	11	13	1	8	1	0.692	-0.069	3.255	0.013	0.01	0	40.4	41.3	75.3	123	125	0	29	29
2019	11	13	1	18	1	0.666	-0.066	3.255	0.01	0.007	0	40.4	40.4	74.4	123	124	0	29	30
2019	11	13	1	28	1	0.696	-0.079	3.255	0.013	0.01	0	40	41.3	74.8	123	125	0	30	29
2019	11	13	1	38	1	0.692	-0.089	3.255	0.01	0.007	0	40	40.9	75.3	122	124	0	29	29
2019	11	13	1	48	1	0.682	-0.098	3.255	0.01	0.007	0	40	41.3	75.3	123	125	0	30	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	13	1	58	1	0.679	-0.118	3.255	0.013	0.01	0	40.4	40.9	74.8	123	125	0	29	30
2019	11	13	2	8	1	0.699	-0.102	3.255	0.013	0.01	0	40.4	40.9	75.3	123	125	0	29	30
2019	11	13	2	18	1	0.705	-0.075	3.255	0.01	0.007	0	40.4	40.9	74.4	123	125	0	29	30
2019	11	13	2	28	1	0.679	-0.098	3.255	0.013	0.01	0	40.4	40.9	74.8	123	125	0	29	30
2019	11	13	2	38	1	0.692	-0.069	3.255	0.01	0.007	0	40	40.4	74.4	122	124	0	29	30
2019	11	13	2	48	1	0.679	-0.089	3.251	0.01	0.007	0	40	40.9	74.8	123	125	0	30	30
2019	11	13	2	58	1	0.696	-0.089	3.251	0.013	0.01	0	40.9	41.7	74.4	124	126	0	29	29
2019	11	13	3	8	1	0.679	-0.056	3.255	0.013	0.01	0	40.9	41.7	74.4	124	127	0	29	30
2019	11	13	3	18	1	0.689	-0.066	3.251	0.013	0.01	0	40.4	41.3	74.4	124	126	0	30	30
2019	11	13	3	28	1	0.679	-0.056	3.251	0.013	0.01	0	40.9	41.3	74.4	124	126	0	29	30
2019	11	13	3	38	1	0.699	-0.082	3.251	0.01	0.007	0	40	40.4	74.8	123	125	0	30	31
2019	11	13	3	48	1	0.676	-0.098	3.251	0.016	0.016	0	40.4	40.9	74.4	123	125	0	29	30
2019	11	13	3	58	1	0.702	-0.062	3.251	0.013	0.01	0	40.4	40.9	74.4	123	125	0	29	30
2019	11	13	4	8	1	0.692	-0.092	3.251	0.016	0.016	0	40	40.9	74.4	123	125	0	30	30
2019	11	13	4	18	1	0.692	-0.098	3.251	0.013	0.01	0	40	40.9	74.4	123	125	0	30	30
2019	11	13	4	28	1	0.719	-0.056	3.251	0.016	0.013	0	40	41.3	74	123	125	0	30	29
2019	11	13	4	38	1	0.715	-0.098	3.251	0.01	0.007	0	40.4	40.4	74	123	125	0	29	31
2019	11	13	4	48	1	0.719	-0.069	3.251	0.016	0.016	0	40.4	40.9	74.8	123	125	0	29	30
2019	11	13	4	58	1	0.692	-0.092	3.251	0.016	0.013	0	40	40.9	74	123	125	0	30	30
2019	11	13	5	8	1	0.702	-0.062	3.251	0.01	0.007	0	40	40.9	74	123	125	0	30	30
2019	11	13	5	18	1	0.689	-0.102	3.251	0.013	0.01	0	40.4	40.9	74	123	125	0	29	30
2019	11	13	5	28	1	0.692	-0.085	3.251	0.016	0.016	0	40	40.9	74	123	125	0	30	30
2019	11	13	5	38	1	0.712	-0.125	3.251	0.01	0.007	0	40.9	41.3	74	124	126	0	29	30
2019	11	13	5	48	1	0.689	-0.092	3.251	0.01	0.007	0	40.4	40.9	73.5	123	125	0	29	30
2019	11	13	5	58	1	0.643	-0.062	3.251	0.01	0.007	0	40.4	41.3	73.5	124	126	0	30	30
2019	11	13	6	8	1	0.702	-0.069	3.251	0.016	0.013	0	40	40.9	73.5	123	125	0	30	30
2019	11	13	6	18	1	0.682	-0.098	3.251	0.016	0.013	0	40.4	40.9	73.1	123	125	0	29	30
2019	11	13	6	28	1	0.689	-0.082	3.251	0.013	0.01	0	40.4	40.9	73.5	123	125	0	29	30
2019	11	13	6	38	1	0.712	-0.105	3.251	0.016	0.013	0	40	40.9	74	123	125	0	30	30
2019	11	13	6	48	1	0.659	-0.052	3.251	0.013	0.01	0	40	40.9	73.5	123	125	0	30	30
2019	11	13	6	58	1	0.689	-0.056	3.251	0.016	0.013	0	41.3	42.1	73.5	125	127	0	29	29
2019	11	13	7	8	1	0.696	-0.069	3.251	0.01	0.007	0	40	40.9	73.5	123	125	0	30	30
2019	11	13	7	18	1	0.659	-0.075	3.251	0.013	0.01	0	40	40.9	74	123	125	0	30	30
2019	11	13	7	28	1	0.709	-0.056	3.251	0.013	0.01	0	40.4	40.4	73.5	123	125	0	29	31
2019	11	13	7	38	1	0.682	-0.085	3.251	0.016	0.013	0	40	41.3	73.5	123	125	0	30	29
2019	11	13	7	48	1	0.692	-0.095	3.251	0.016	0.013	0	40.4	41.3	73.5	123	125	0	29	29
2019	11	13	7	58	1	0.699	-0.056	3.251	0.016	0.013	0	40	40.9	73.5	123	125	0	30	30
2019	11	13	8	8	1	0.715	-0.115	3.255	0.013	0.01	0	39.6	40	73.5	122	124	0	30	31
2019	11	13	8	18	1	0.692	-0.082	3.251	0.01	0.007	0	39.1	40	73.5	121	123	0	30	30
2019	11	13	8	28	1	0.686	-0.095	3.255	0.01	0.007	0	39.1	40	73.5	121	123	0	30	30
2019	11	13	8	38	1	0.656	-0.069	3.251	0.013	0.01	0	39.1	40	73.5	121	123	0	30	30
2019	11	13	8	48	1	0.663	-0.069	3.255	0.016	0.013	0	38.7	39.6	74	120	122	0	30	30
2019	11	13	8	58	1	0.656	-0.062	3.251	0.013	0.01	0	38.7	40	74	120	122	0	30	29
2019	11	13	9	8	1	0.715	-0.089	3.251	0.013	0.01	0	38.7	39.6	73.1	120	122	0	30	30
2019	11	13	9	18	1	0.663	-0.079	3.251	0.013	0.01	0	38.3	39.6	73.5	119	121	0	30	29
2019	11	13	9	28	1	0.696	-0.056	3.251	0.013	0.01	0	38.7	39.1	73.5	119	121	0	29	30
2019	11	13	9	38	1	0.669	-0.075	3.251	0.01	0.007	0	38.3	39.1	73.5	119	121	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	13	9	48	1	0.702	-0.095	3.251	0.016	0.016	0	37.8	38.7	74	118	120	0	30	30
2019	11	13	9	58	1	0.696	-0.082	3.248	0.013	0.01	0	38.7	39.1	74.4	119	121	0	29	30
2019	11	13	10	8	1	0.696	-0.085	3.248	0.016	0.013	0	38.7	39.6	74.4	120	122	0	30	30
2019	11	13	10	18	1	0.712	-0.062	3.248	0.01	0.007	0	39.6	40	74	121	123	0	29	30
2019	11	13	10	28	1	0.696	-0.056	3.248	0.01	0.007	0	38.7	39.1	74	119	121	0	29	30
2019	11	13	10	38	1	0.709	-0.069	3.248	0.013	0.01	0	38.3	39.1	74	119	121	0	30	30
2019	11	13	10	48	1	0.712	-0.085	3.248	0.01	0.007	0	41.3	42.1	73.5	126	128	0	30	30
2019	11	13	10	58	1	0.705	-0.052	3.248	0.016	0.016	0	43	43.4	74	129	130	0	29	29
2019	11	13	11	8	1	0.689	-0.089	3.248	0.016	0.013	0	40	40.9	74	123	125	0	30	30
2019	11	13	11	18	1	0.725	-0.108	3.248	0.013	0.01	0	38.7	39.6	74.8	120	122	0	30	30
2019	11	13	11	28	1	0.689	-0.121	3.248	0.013	0.01	0	39.1	40.4	72.2	121	123	0	30	29
2019	11	13	11	38	1	0.689	-0.098	3.248	0.01	0.007	0	38.3	39.1	74.8	119	120	0	30	29
2019	11	13	11	48	1	0.705	-0.079	3.245	0.013	0.01	0	40.9	41.7	74.4	125	127	0	30	30
2019	11	13	11	58	1	0.699	-0.085	3.245	0.016	0.013	0	40.4	40.9	74.8	124	126	0	30	31
2019	11	13	12	8	1	0.673	-0.046	3.245	0.01	0.007	0	41.7	42.6	74.4	127	129	0	30	30
2019	11	13	12	18	1	0.669	-0.079	3.245	0.013	0.01	0	42.6	43	74.8	129	131	0	30	31
2019	11	13	12	28	1	0.686	-0.095	3.245	0.016	0.013	0	41.7	42.1	66.2	126	128	0	29	30
2019	11	13	12	38	1	0.699	-0.108	3.245	0.013	0.01	0	41.3	41.7	72.2	125	127	0	29	30
2019	11	13	12	48	1	0.676	-0.089	3.245	0.01	0.007	0	40.9	42.1	74.8	124	127	0	29	29
2019	11	13	12	58	1	0.686	-0.098	3.245	0.01	0.007	0	40.9	41.3	75.3	124	126	0	29	30
2019	11	13	13	8	1	0.656	-0.085	3.245	0.01	0.007	0	41.3	41.3	63.2	125	126	0	29	30
2019	11	13	13	18	1	0.696	-0.121	3.245	0.01	0.007	0	39.1	40.4	76.1	121	124	0	30	30
2019	11	13	13	28	1	0.725	-0.108	3.245	0.013	0.01	0	39.1	40	76.5	120	122	0	29	29
2019	11	13	13	38	1	0.696	-0.082	3.245	0.01	0.007	0	38.7	39.6	73.5	120	122	0	30	30
2019	11	13	13	48	1	0.699	-0.102	3.245	0.016	0.013	0	38.7	39.6	64.5	120	122	0	30	30
2019	11	13	13	58	1	0.676	-0.085	3.245	0.013	0.01	0	39.1	40	73.5	121	123	0	30	30
2019	11	13	14	8	1	0.715	-0.092	3.245	0.013	0.01	0	41.3	42.1	76.1	126	128	0	30	30
2019	11	13	14	18	1	0.692	-0.098	3.245	0.016	0.013	0	43	43	70.1	129	130	0	29	30
2019	11	13	14	28	1	0.682	-0.043	3.245	0.013	0.01	0	44.3	45.2	75.3	133	135	0	30	30
2019	11	13	14	38	1	0.659	-0.059	3.241	0.013	0.01	0	45.2	45.2	67.9	134	135	0	29	30
2019	11	13	14	48	1	0.696	-0.062	3.245	0.013	0.01	0	40.9	41.3	76.1	124	126	0	29	30
2019	11	13	14	58	1	0.686	-0.079	3.245	0.013	0.01	0	40.4	41.3	77	124	126	0	30	30
2019	11	13	15	8	1	0.682	-0.092	3.245	0.013	0.01	0	39.1	40	76.5	121	123	0	30	30
2019	11	13	15	18	1	0.709	-0.098	3.245	0.013	0.01	0	38.7	40	77	120	122	0	30	29
2019	11	13	15	28	1	0.692	-0.092	3.245	0.01	0.007	0	39.6	39.6	77.4	121	122	0	29	30
2019	11	13	15	38	1	0.692	-0.069	3.245	0.01	0.007	0	38.7	39.6	77	120	122	0	30	30
2019	11	13	15	48	1	0.719	-0.082	3.245	0.016	0.013	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	13	15	58	1	0.663	-0.098	3.245	0.013	0.01	0	38.3	39.1	77.4	119	121	0	30	30
2019	11	13	16	8	1	0.699	-0.082	3.245	0.016	0.016	0	38.3	39.1	77.4	119	121	0	30	30
2019	11	13	16	18	1	0.696	-0.105	3.245	0.016	0.016	0	39.1	40.4	77.8	121	123	0	30	29
2019	11	13	16	28	1	0.689	-0.082	3.245	0.013	0.01	0	39.6	40	77.4	121	123	0	29	30
2019	11	13	16	38	1	0.663	-0.098	3.245	0.016	0.013	0	39.6	40.4	77.8	121	123	0	29	29
2019	11	13	16	48	1	0.696	-0.095	3.245	0.013	0.01	0	38.7	40	77.8	120	122	0	30	29
2019	11	13	16	58	1	0.725	-0.085	3.245	0.016	0.013	0	37.8	38.7	77.8	118	120	0	30	30
2019	11	13	17	8	1	0.692	-0.066	3.245	0.01	0.007	0	38.3	38.3	77.8	118	119	0	29	30
2019	11	13	17	18	1	0.653	-0.085	3.245	0.01	0.007	0	38.3	38.7	77.8	118	120	0	29	30
2019	11	13	17	28	1	0.689	-0.069	3.245	0.013	0.01	0	37.8	38.7	78.3	117	119	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	13	17	38	1	0.669	-0.069	3.245	0.016	0.013	0	37.8	38.7	78.3	117	119	0	29	29
2019	11	13	17	48	1	0.679	-0.079	3.245	0.01	0.007	0	37.8	38.7	78.3	118	120	0	30	30
2019	11	13	17	58	1	0.689	-0.102	3.245	0.013	0.01	0	37.8	38.3	78.3	118	119	0	30	30
2019	11	13	18	8	1	0.699	-0.069	3.245	0.01	0.007	0	38.7	39.1	78.7	119	121	0	29	30
2019	11	13	18	18	1	0.653	-0.059	3.245	0.016	0.013	0	38.7	40	78.7	120	122	0	30	29
2019	11	13	18	28	1	0.682	-0.062	3.245	0.013	0.01	0	39.1	39.6	78.3	120	122	0	29	30
2019	11	13	18	38	1	0.712	-0.095	3.245	0.013	0.01	0	39.1	40	78.3	121	122	0	30	29
2019	11	13	18	48	1	0.666	-0.056	3.245	0.013	0.01	0	39.1	40.4	78.3	121	123	0	30	29
2019	11	13	18	58	1	0.689	-0.102	3.245	0.016	0.013	0	39.6	40.4	78.7	121	123	0	29	29
2019	11	13	19	8	1	0.699	-0.098	3.245	0.01	0.007	0	39.1	40.4	78.3	121	123	0	30	29
2019	11	13	19	18	1	0.696	-0.075	3.245	0.01	0.007	0	40	40.9	78.7	122	124	0	29	29
2019	11	13	19	28	1	0.686	-0.079	3.245	0.01	0.007	0	40	40.9	78.3	123	125	0	30	30
2019	11	13	19	38	1	0.666	-0.075	3.245	0.016	0.013	0	40	40.9	78.3	123	124	0	30	29
2019	11	13	19	48	1	0.705	-0.092	3.245	0.01	0.007	0	40	40.9	78.3	122	124	0	29	29
2019	11	13	19	58	1	0.712	-0.052	3.245	0.013	0.01	0	39.1	40	79.1	121	123	0	30	30
2019	11	13	20	8	1	0.666	-0.082	3.245	0.016	0.013	0	39.6	40	78.7	121	123	0	29	30
2019	11	13	20	18	1	0.719	-0.056	3.245	0.013	0.01	0	39.6	40.4	78.7	121	123	0	29	29
2019	11	13	20	28	1	0.699	-0.092	3.245	0.01	0.007	0	39.1	40	78.3	120	122	0	29	29
2019	11	13	20	38	1	0.696	-0.098	3.245	0.01	0.007	0	38.7	39.6	78.7	120	122	0	30	30
2019	11	13	20	48	1	0.702	-0.079	3.245	0.013	0.01	0	39.1	39.6	78.7	120	122	0	29	30
2019	11	13	20	58	1	0.689	-0.092	3.245	0.01	0.007	0	39.1	40	78.7	120	122	0	29	29
2019	11	13	21	8	1	0.709	-0.072	3.245	0.013	0.01	0	38.7	39.6	78.7	120	122	0	30	30
2019	11	13	21	18	1	0.689	-0.082	3.241	0.013	0.01	0	39.6	40	78.7	121	122	0	29	29
2019	11	13	21	28	1	0.682	-0.075	3.245	0.01	0.007	0	39.1	40	78.7	121	123	0	30	30
2019	11	13	21	38	1	0.699	-0.092	3.241	0.016	0.013	0	39.1	39.6	78.7	120	122	0	29	30
2019	11	13	21	48	1	0.686	-0.069	3.241	0.013	0.01	0	39.6	40.4	78.7	121	123	0	29	29
2019	11	13	21	58	1	0.699	-0.066	3.241	0.01	0.007	0	39.6	40	78.7	121	123	0	29	30
2019	11	13	22	8	1	0.699	-0.069	3.241	0.01	0.007	0	39.6	40	78.3	121	123	0	29	30
2019	11	13	22	18	1	0.682	-0.079	3.241	0.01	0.007	0	39.1	40	79.1	120	122	0	29	29
2019	11	13	22	28	1	0.696	-0.072	3.241	0.013	0.01	0	40	40	78.7	121	123	0	28	30
2019	11	13	22	38	1	0.696	-0.082	3.241	0.016	0.013	0	39.1	40.4	78.3	121	123	0	30	29
2019	11	13	22	48	1	0.696	-0.069	3.241	0.013	0.01	0	39.6	40.4	79.1	121	123	0	29	29
2019	11	13	22	58	1	0.682	-0.059	3.241	0.016	0.013	0	39.1	40.4	78.7	121	123	0	30	29
2019	11	13	23	8	1	0.682	-0.089	3.241	0.016	0.013	0	39.6	40	77.8	121	123	0	29	30
2019	11	13	23	18	1	0.659	-0.052	3.241	0.013	0.01	0	39.1	40	79.1	121	123	0	30	30
2019	11	13	23	28	1	0.735	-0.095	3.241	0.01	0.007	0	38.7	40	78.7	120	122	0	30	29
2019	11	13	23	38	1	0.696	-0.108	3.241	0.016	0.013	0	39.1	40	78.7	120	122	0	29	29
2019	11	13	23	48	1	0.715	-0.075	3.241	0.01	0.007	0	39.6	40	78.7	121	123	0	29	30
2019	11	13	23	58	1	0.699	-0.112	3.241	0.013	0.01	0	38.7	40	78.3	120	123	0	30	30
2019	11	14	0	8	1	0.722	-0.089	3.241	0.01	0.007	0	39.1	40	78.7	120	122	0	29	29
2019	11	14	0	18	1	0.696	-0.105	3.241	0.01	0.007	0	39.1	40	79.1	121	123	0	30	30
2019	11	14	0	28	1	0.669	-0.079	3.241	0.01	0.007	0	39.6	40	78.7	121	123	0	29	30
2019	11	14	0	38	1	0.696	-0.098	3.241	0.016	0.013	0	39.6	40	79.1	121	123	0	29	30
2019	11	14	0	48	1	0.696	-0.082	3.241	0.01	0.007	0	39.6	40	78.7	121	123	0	29	30
2019	11	14	0	58	1	0.686	-0.079	3.241	0.013	0.01	0	39.6	40.4	79.1	121	123	0	29	29
2019	11	14	1	8	1	0.682	-0.066	3.241	0.013	0.01	0	39.1	40.4	78.7	121	123	0	30	29
2019	11	14	1	18	1	0.715	-0.075	3.241	0.01	0.007	0	40	40.9	78.7	122	124	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	14	1	28	1	0.699	-0.066	3.241	0.013	0.01	0	39.1	40	78.3	121	123	0	30	30
2019	11	14	1	38	1	0.689	-0.066	3.241	0.013	0.01	0	39.6	40.4	78.7	122	124	0	30	30
2019	11	14	1	48	1	0.705	-0.049	3.238	0.013	0.01	0	39.1	40	78.7	121	123	0	30	30
2019	11	14	1	58	1	0.722	-0.098	3.238	0.016	0.013	0	40	40	78.3	122	123	0	29	30
2019	11	14	2	8	1	0.669	-0.082	3.241	0.01	0.007	0	39.6	40	78.7	121	123	0	29	30
2019	11	14	2	18	1	0.712	-0.079	3.238	0.013	0.01	0	39.6	40.4	78.7	122	124	0	30	30
2019	11	14	2	28	1	0.692	-0.069	3.238	0.013	0.01	0	40	40.9	78.3	122	125	0	29	30
2019	11	14	2	38	1	0.709	-0.082	3.238	0.01	0.007	0	40	40.4	78.3	122	124	0	29	30
2019	11	14	2	48	1	0.696	-0.098	3.238	0.013	0.01	0	39.6	40.4	78.7	122	124	0	30	30
2019	11	14	2	58	1	0.692	-0.089	3.238	0.016	0.013	0	40	40.4	79.1	122	124	0	29	30
2019	11	14	3	8	1	0.705	-0.118	3.238	0.013	0.01	0	40	40.4	78.7	122	124	0	29	30
2019	11	14	3	18	1	0.692	-0.056	3.238	0.013	0.01	0	39.6	40.4	78.7	122	123	0	30	29
2019	11	14	3	28	1	0.659	-0.085	3.238	0.013	0.01	0	39.6	40.4	78.7	121	124	0	29	30
2019	11	14	3	38	1	0.679	-0.052	3.238	0.016	0.013	0	39.6	40	79.1	121	123	0	29	30
2019	11	14	3	48	1	0.689	-0.121	3.238	0.016	0.013	0	39.6	40	78.7	121	123	0	29	30
2019	11	14	3	58	1	0.669	-0.089	3.238	0.013	0.01	0	40	40.9	77.8	122	124	0	29	29
2019	11	14	4	8	1	0.686	-0.072	3.238	0.013	0.01	0	40	40.9	78.3	122	124	0	29	29
2019	11	14	4	18	1	0.705	-0.082	3.238	0.013	0.01	0	40	40.4	78.3	122	124	0	29	30
2019	11	14	4	28	1	0.722	-0.072	3.238	0.013	0.01	0	40	40.4	78.3	122	124	0	29	30
2019	11	14	4	38	1	0.676	-0.092	3.238	0.013	0.01	0	40	40.4	78.3	123	124	0	30	30
2019	11	14	4	48	1	0.669	-0.098	3.238	0.01	0.007	0	39.6	40.9	78.3	122	124	0	30	29
2019	11	14	4	58	1	0.702	-0.075	3.238	0.01	0.007	0	40.4	40.4	78.3	123	124	0	29	30
2019	11	14	5	8	1	0.696	-0.095	3.238	0.013	0.01	0	39.6	40.9	78.3	122	125	0	30	30
2019	11	14	5	18	1	0.709	-0.098	3.238	0.013	0.01	0	40	40.4	78.3	122	124	0	29	30
2019	11	14	5	28	1	0.725	-0.095	3.238	0.013	0.01	0	39.6	40.9	78.3	122	125	0	30	30
2019	11	14	5	38	1	0.673	-0.082	3.238	0.01	0.007	0	39.6	40	78.3	122	124	0	30	31
2019	11	14	5	48	1	0.686	-0.052	3.238	0.01	0.007	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	14	5	58	1	0.686	-0.112	3.238	0.016	0.016	0	39.6	40	77.8	122	123	0	30	30
2019	11	14	6	8	1	0.712	-0.098	3.238	0.016	0.016	0	39.6	40	77.8	122	123	0	30	30
2019	11	14	6	18	1	0.692	-0.059	3.238	0.01	0.007	0	40	40.4	77.8	122	124	0	29	30
2019	11	14	6	28	1	0.689	-0.085	3.238	0.016	0.013	0	39.6	40.4	77	122	124	0	30	30
2019	11	14	6	38	1	0.712	-0.056	3.238	0.016	0.013	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	14	6	48	1	0.669	-0.072	3.238	0.01	0.007	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	14	6	58	1	0.705	-0.072	3.238	0.01	0.007	0	39.6	40.9	77.4	122	124	0	30	29
2019	11	14	7	8	1	0.715	-0.105	3.238	0.013	0.01	0	39.6	40	77	122	124	0	30	31
2019	11	14	7	18	1	0.679	-0.089	3.238	0.013	0.01	0	40	40.4	77.4	122	124	0	29	30
2019	11	14	7	28	1	0.663	-0.082	3.238	0.01	0.007	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	14	7	38	1	0.699	-0.069	3.238	0.01	0.007	0	39.6	40.4	77.8	121	124	0	29	30
2019	11	14	7	48	1	0.705	-0.062	3.238	0.013	0.01	0	39.6	40.4	77.4	122	124	0	30	30
2019	11	14	7	58	1	0.699	-0.069	3.241	0.016	0.013	0	39.6	40	77	121	123	0	29	30
2019	11	14	8	8	1	0.663	-0.062	3.241	0.01	0.007	0	39.6	40	77	121	123	0	29	30
2019	11	14	8	18	1	0.663	-0.056	3.241	0.013	0.01	0	39.6	40.4	77	121	124	0	29	30
2019	11	14	8	28	1	0.679	-0.089	3.241	0.016	0.016	0	39.1	40.4	76.5	121	123	0	30	29
2019	11	14	8	38	1	0.686	-0.082	3.241	0.016	0.013	0	39.1	39.6	76.5	120	122	0	29	30
2019	11	14	8	48	1	0.682	-0.108	3.241	0.01	0.007	0	39.1	39.6	76.1	120	122	0	29	30
2019	11	14	8	58	1	0.699	-0.059	3.241	0.013	0.01	0	38.7	39.6	76.5	120	122	0	30	30
2019	11	14	9	8	1	0.663	-0.082	3.241	0.02	0.016	0	38.7	39.1	76.5	119	121	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	14	9	18	1	0.696	-0.098	3.241	0.013	0.01	0	37.8	38.7	76.1	118	120	0	30	30
2019	11	14	9	28	1	0.699	-0.069	3.245	0.01	0.007	0	38.3	38.7	76.1	118	120	0	29	30
2019	11	14	9	38	1	0.682	-0.069	3.245	0.013	0.01	0	37.8	38.7	75.3	118	120	0	30	30
2019	11	14	9	48	1	0.679	-0.082	3.245	0.013	0.01	0	37.8	38.7	75.7	117	120	0	29	30
2019	11	14	9	58	1	0.696	-0.046	3.245	0.013	0.01	0	37.4	38.3	75.7	117	119	0	30	30
2019	11	14	10	8	1	0.699	-0.095	3.245	0.016	0.013	0	37.4	39.1	74.8	117	120	0	30	29
2019	11	14	10	18	1	0.689	-0.082	3.245	0.013	0.01	0	38.7	38.7	75.3	119	120	0	29	30
2019	11	14	10	28	1	0.679	-0.098	3.248	0.013	0.01	0	37.8	38.7	74.8	118	120	0	30	30
2019	11	14	10	38	1	0.699	-0.085	3.248	0.016	0.013	0	38.3	38.7	74.8	118	120	0	29	30
2019	11	14	10	48	1	0.656	-0.085	3.248	0.013	0.01	0	37.8	38.7	74.8	118	120	0	30	30
2019	11	14	10	58	1	0.689	-0.069	3.248	0.016	0.013	0	37.4	38.3	74.8	117	119	0	30	30
2019	11	14	11	8	1	0.699	-0.102	3.248	0.016	0.016	0	37.4	38.3	70.5	117	119	0	30	30
2019	11	14	11	18	1	0.682	-0.069	3.248	0.016	0.013	0	37.8	38.7	64.1	117	119	0	29	29
2019	11	14	11	28	1	0.692	-0.069	3.251	0.016	0.016	0	37	38.3	55.5	116	119	0	30	30
2019	11	14	11	38	1	0.699	-0.098	3.251	0.01	0.007	0	37.4	37.8	58.9	116	118	0	29	30
2019	11	14	11	48	1	0.663	-0.072	3.248	0.016	0.013	0	37	37.8	61.9	116	118	0	30	30
2019	11	14	11	58	1	0.692	-0.085	3.251	0.016	0.013	0	37.4	38.7	64.1	117	120	0	30	30
2019	11	14	12	8	1	0.715	-0.105	3.255	0.016	0.013	0	37.4	38.3	58	117	119	0	30	30
2019	11	14	12	18	1	0.679	-0.098	3.255	0.016	0.013	0	37.4	38.7	58	117	120	0	30	30
2019	11	14	12	28	1	0.679	-0.082	3.258	0.01	0.007	0	37.8	38.3	56.8	117	119	0	29	30
2019	11	14	12	38	1	0.709	-0.092	3.258	0.016	0.013	0	37.8	38.3	56.3	117	119	0	29	30
2019	11	14	12	48	1	0.712	-0.056	3.258	0.013	0.01	0	37.4	38.3	55.5	117	119	0	30	30
2019	11	14	12	58	1	0.663	-0.049	3.258	0.016	0.013	0	37.4	38.3	53.8	117	119	0	30	30
2019	11	14	13	8	1	0.751	-0.102	3.261	0.01	0.007	0	38.3	39.1	54.2	119	121	0	30	30
2019	11	14	13	18	1	0.712	-0.079	3.261	0.013	0.01	0	37.4	38.3	55.5	117	119	0	30	30
2019	11	14	13	28	1	0.732	-0.128	3.261	0.01	0.007	0	38.3	39.1	56.3	118	120	0	29	29
2019	11	14	13	38	1	0.686	-0.056	3.261	0.01	0.007	0	40	40.9	51.6	123	125	0	30	30
2019	11	14	13	48	1	0.719	-0.092	3.261	0.013	0.01	0	40.9	41.7	54.6	125	127	0	30	30
2019	11	14	13	58	1	0.705	-0.092	3.264	0.01	0.007	0	39.6	39.6	55	121	122	0	29	30
2019	11	14	14	8	1	0.705	-0.082	3.264	0.01	0.007	0	38.3	39.1	55	119	121	0	30	30
2019	11	14	14	18	1	0.699	-0.098	3.264	0.01	0.007	0	38.3	38.7	54.2	118	120	0	29	30
2019	11	14	14	28	1	0.715	-0.098	3.268	0.016	0.013	0	37.8	38.7	52.5	118	120	0	30	30
2019	11	14	14	38	1	0.692	-0.085	3.264	0.01	0.007	0	37.8	38.7	52.9	117	120	0	29	30
2019	11	14	14	48	1	0.705	-0.072	3.264	0.013	0.01	0	37.4	38.3	52.9	117	119	0	30	30
2019	11	14	14	58	1	0.689	-0.112	3.268	0.016	0.013	0	38.3	38.7	55.5	118	120	0	29	30
2019	11	14	15	8	1	0.679	-0.098	3.268	0.013	0.01	0	38.3	38.3	52.9	118	119	0	29	30
2019	11	14	15	18	1	0.712	-0.115	3.268	0.013	0.01	0	38.3	38.7	51.6	118	119	0	29	29
2019	11	14	15	28	1	0.715	-0.075	3.268	0.016	0.013	0	38.3	38.7	52.9	118	120	0	29	30
2019	11	14	15	38	1	0.705	-0.112	3.268	0.013	0.01	0	37.4	38.3	58.5	117	119	0	30	30
2019	11	14	15	48	1	0.722	-0.115	3.271	0.01	0.007	0	37.4	38.3	55.9	117	119	0	30	30
2019	11	14	15	58	1	0.705	-0.069	3.268	0.013	0.01	0	37.4	38.3	54.6	117	119	0	30	30
2019	11	14	16	8	1	0.696	-0.072	3.271	0.013	0.01	0	38.3	38.7	55.9	118	120	0	29	30
2019	11	14	16	18	1	0.679	-0.089	3.271	0.013	0.01	0	38.7	39.1	54.6	119	121	0	29	30
2019	11	14	16	28	1	0.728	-0.121	3.271	0.016	0.013	0	37.4	38.7	54.2	117	120	0	30	30
2019	11	14	16	38	1	0.738	-0.089	3.274	0.016	0.013	0	37.8	38.3	54.2	117	119	0	29	30
2019	11	14	16	48	1	0.712	-0.089	3.274	0.016	0.013	0	37	37.8	54.2	116	118	0	30	30
2019	11	14	16	58	1	0.696	-0.089	3.274	0.016	0.013	0	37.4	37.8	58.9	116	118	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	14	17	8	1	0.696	-0.102	3.274	0.01	0.007	0	37.4	38.3	65.4	116	118	0	29	29
2019	11	14	17	18	1	0.679	-0.069	3.274	0.013	0.01	0	37.8	38.7	77	118	119	0	30	29
2019	11	14	17	28	1	0.663	-0.059	3.278	0.013	0.01	0	38.3	38.7	77	118	120	0	29	30
2019	11	14	17	38	1	0.709	-0.072	3.278	0.016	0.013	0	37.4	38.3	77.4	117	119	0	30	30
2019	11	14	17	48	1	0.686	-0.062	3.278	0.013	0.01	0	38.3	38.3	77	118	119	0	29	30
2019	11	14	17	58	1	0.682	-0.079	3.278	0.013	0.01	0	37.8	38.7	77.4	118	120	0	30	30
2019	11	14	18	8	1	0.702	-0.072	3.278	0.016	0.013	0	38.7	39.1	77	119	121	0	29	30
2019	11	14	18	18	1	0.689	-0.069	3.278	0.013	0.01	0	38.7	39.6	77.8	119	121	0	29	29
2019	11	14	18	28	1	0.722	-0.098	3.278	0.01	0.007	0	38.3	39.6	77.4	119	121	0	30	29
2019	11	14	18	38	1	0.722	-0.082	3.278	0.01	0.007	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	14	18	48	1	0.702	-0.052	3.278	0.01	0.007	0	39.6	39.6	77.8	121	122	0	29	30
2019	11	14	18	58	1	0.722	-0.092	3.281	0.013	0.01	0	39.6	40	77.4	121	123	0	29	30
2019	11	14	19	8	1	0.689	-0.056	3.278	0.013	0.01	0	39.1	40	77.4	120	122	0	29	29
2019	11	14	19	18	1	0.699	-0.069	3.281	0.01	0.007	0	39.1	40	77.4	121	123	0	30	30
2019	11	14	19	28	1	0.725	-0.089	3.281	0.013	0.01	0	40	40.4	77.8	122	124	0	29	30
2019	11	14	19	38	1	0.719	-0.112	3.281	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	14	19	48	1	0.702	-0.105	3.281	0.013	0.01	0	39.6	40.4	77.4	121	123	0	29	29
2019	11	14	19	58	1	0.699	-0.075	3.281	0.013	0.01	0	39.1	40.4	77.4	121	123	0	30	29
2019	11	14	20	8	1	0.689	-0.059	3.281	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	14	20	18	1	0.676	-0.095	3.281	0.013	0.01	0	39.1	40.4	78.3	121	123	0	30	29
2019	11	14	20	28	1	0.696	-0.112	3.281	0.01	0.007	0	39.6	39.6	78.3	120	122	0	28	30
2019	11	14	20	38	1	0.705	-0.056	3.281	0.01	0.007	0	39.6	39.6	78.3	121	122	0	29	30
2019	11	14	20	48	1	0.712	-0.115	3.281	0.013	0.01	0	38.7	39.6	77.8	120	122	0	30	30
2019	11	14	20	58	1	0.728	-0.069	3.281	0.016	0.016	0	39.6	40	78.3	121	123	0	29	30
2019	11	14	21	8	1	0.709	-0.082	3.281	0.016	0.016	0	39.6	39.6	78.7	121	122	0	29	30
2019	11	14	21	18	1	0.715	-0.105	3.284	0.013	0.01	0	39.6	40	78.3	121	123	0	29	30
2019	11	14	21	28	1	0.715	-0.075	3.284	0.01	0.007	0	39.6	40	78.7	121	123	0	29	30
2019	11	14	21	38	1	0.636	-0.056	3.284	0.013	0.01	0	39.1	40.4	78.3	121	123	0	30	29
2019	11	14	21	48	1	0.686	-0.085	3.284	0.01	0.007	0	39.6	40.4	78.3	121	123	0	29	29
2019	11	14	21	58	1	0.663	-0.066	3.284	0.016	0.013	0	39.1	40	78.7	121	123	0	30	30
2019	11	14	22	8	1	0.702	-0.089	3.284	0.01	0.007	0	39.1	40	78.7	121	122	0	30	29
2019	11	14	22	18	1	0.735	-0.095	3.284	0.01	0.007	0	39.1	40	78.3	121	123	0	30	30
2019	11	14	22	28	1	0.719	-0.062	3.284	0.013	0.01	0	39.6	40	78.3	121	123	0	29	30
2019	11	14	22	38	1	0.705	-0.112	3.284	0.016	0.013	0	39.6	39.6	78.3	121	122	0	29	30
2019	11	14	22	48	1	0.709	-0.112	3.284	0.016	0.013	0	39.1	40	79.1	121	123	0	30	30
2019	11	14	22	58	1	0.686	-0.089	3.284	0.013	0.01	0	40	40	78.7	122	123	0	29	30
2019	11	14	23	8	1	0.696	-0.082	3.284	0.01	0.007	0	39.1	40	78.3	121	123	0	30	30
2019	11	14	23	18	1	0.686	-0.089	3.284	0.016	0.013	0	39.6	40	78.7	121	123	0	29	30
2019	11	14	23	28	1	0.709	-0.072	3.284	0.01	0.007	0	39.1	40	78.7	121	123	0	30	30
2019	11	14	23	38	1	0.712	-0.069	3.284	0.01	0.007	0	39.6	40.4	78.7	121	123	0	29	29
2019	11	14	23	48	1	0.699	-0.115	3.284	0.01	0.007	0	39.1	40.4	78.7	121	123	0	30	29
2019	11	14	23	58	1	0.679	-0.043	3.284	0.016	0.013	0	40	40.4	79.1	122	123	0	29	29
2019	11	15	0	8	1	0.712	-0.085	3.284	0.016	0.013	0	39.6	40	78.3	121	123	0	29	30
2019	11	15	0	18	1	0.715	-0.085	3.284	0.016	0.013	0	39.1	40	77.8	121	123	0	30	30
2019	11	15	0	28	1	0.725	-0.089	3.284	0.016	0.013	0	39.1	40.4	78.3	121	123	0	30	29
2019	11	15	0	38	1	0.705	-0.082	3.284	0.013	0.01	0	40	40	78.3	122	123	0	29	30
2019	11	15	0	48	1	0.686	-0.049	3.284	0.013	0.01	0	40	40	78.3	122	123	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	15	0	58	1	0.719	-0.098	3.284	0.016	0.016	0	39.1	40.4	78.3	121	123	0	30	29
2019	11	15	1	8	1	0.712	-0.069	3.284	0.016	0.013	0	40	40.9	78.3	122	124	0	29	29
2019	11	15	1	18	1	0.712	-0.082	3.284	0.01	0.007	0	40	40	78.3	122	123	0	29	30
2019	11	15	1	28	1	0.725	-0.069	3.284	0.013	0.01	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	15	1	38	1	0.722	-0.092	3.284	0.013	0.01	0	40	40.4	77.4	122	124	0	29	30
2019	11	15	1	48	1	0.735	-0.108	3.284	0.013	0.01	0	40	40.4	78.3	122	124	0	29	30
2019	11	15	1	58	1	0.712	-0.056	3.284	0.01	0.007	0	40	40.4	78.3	122	124	0	29	30
2019	11	15	2	8	1	0.709	-0.102	3.284	0.016	0.013	0	40	40.9	78.3	122	124	0	29	29
2019	11	15	2	18	1	0.725	-0.079	3.281	0.013	0.01	0	40	40.4	77.8	122	124	0	29	30
2019	11	15	2	28	1	0.696	-0.092	3.281	0.013	0.01	0	40	40.4	78.3	122	124	0	29	30
2019	11	15	2	38	1	0.686	-0.079	3.281	0.016	0.013	0	40	40.9	78.3	122	124	0	29	29
2019	11	15	2	48	1	0.702	-0.082	3.281	0.01	0.007	0	40	40.9	77.4	122	124	0	29	29
2019	11	15	2	58	1	0.702	-0.052	3.281	0.013	0.01	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	15	3	8	1	0.696	-0.141	3.281	0.01	0.007	0	39.6	40.9	78.3	122	124	0	30	29
2019	11	15	3	18	1	0.702	-0.056	3.281	0.01	0.007	0	40	40.4	77.8	122	124	0	29	30
2019	11	15	3	28	1	0.735	-0.095	3.281	0.01	0.007	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	15	3	38	1	0.702	-0.095	3.281	0.016	0.013	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	15	3	48	1	0.705	-0.095	3.281	0.013	0.01	0	40.4	40.4	77.8	123	124	0	29	30
2019	11	15	3	58	1	0.725	-0.082	3.281	0.016	0.013	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	15	4	8	1	0.702	-0.105	3.281	0.013	0.01	0	40	40.9	77.8	122	124	0	29	29
2019	11	15	4	18	1	0.728	-0.056	3.281	0.01	0.007	0	40	40.4	77.8	123	124	0	30	30
2019	11	15	4	28	1	0.709	-0.098	3.281	0.013	0.01	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	15	4	38	1	0.686	-0.082	3.281	0.013	0.01	0	39.6	40.4	77.8	122	125	0	30	31
2019	11	15	4	48	1	0.699	-0.092	3.281	0.016	0.016	0	40.4	41.7	77.4	124	127	0	30	30
2019	11	15	4	58	1	0.699	-0.098	3.281	0.013	0.01	0	40	40.9	77.8	123	125	0	30	30
2019	11	15	5	8	1	0.705	-0.082	3.281	0.016	0.013	0	40	40.9	77.8	122	124	0	29	29
2019	11	15	5	18	1	0.689	-0.092	3.281	0.01	0.007	0	40	40.9	77	123	125	0	30	30
2019	11	15	5	28	1	0.673	-0.108	3.281	0.01	0.007	0	40	40.9	77.8	123	125	0	30	30
2019	11	15	5	38	1	0.696	-0.079	3.281	0.013	0.01	0	40.4	40.9	77.4	123	125	0	29	30
2019	11	15	5	48	1	0.705	-0.098	3.281	0.013	0.01	0	40.4	41.3	77.4	124	126	0	30	30
2019	11	15	5	58	1	0.705	-0.105	3.281	0.016	0.016	0	40.4	40.9	77.8	123	125	0	29	30
2019	11	15	6	8	1	0.682	-0.082	3.281	0.01	0.007	0	40	40.9	77.4	123	125	0	30	30
2019	11	15	6	18	1	0.715	-0.066	3.281	0.01	0.007	0	42.6	43	77	128	130	0	29	30
2019	11	15	6	28	1	0.719	-0.098	3.281	0.01	0.007	0	42.1	43	77	128	129	0	30	29
2019	11	15	6	38	1	0.676	-0.066	3.281	0.013	0.01	0	43.4	44.3	76.5	131	133	0	30	30
2019	11	15	6	48	1	0.699	-0.112	3.281	0.013	0.01	0	41.3	42.6	77	126	129	0	30	30
2019	11	15	6	58	1	0.725	-0.082	3.281	0.013	0.01	0	42.6	43	77.4	128	129	0	29	29
2019	11	15	7	8	1	0.666	-0.069	3.281	0.013	0.01	0	41.7	42.6	77.4	127	129	0	30	30
2019	11	15	7	18	1	0.692	-0.059	3.281	0.016	0.013	0	42.6	43.9	76.1	129	131	0	30	29
2019	11	15	7	28	1	0.728	-0.098	3.278	0.013	0.01	0	42.1	42.6	76.1	127	129	0	29	30
2019	11	15	7	38	1	0.692	-0.075	3.278	0.013	0.01	0	40.4	41.3	77	124	126	0	30	30
2019	11	15	7	48	1	0.709	-0.066	3.281	0.016	0.013	0	40	40.9	76.5	123	125	0	30	30
2019	11	15	7	58	1	0.676	-0.082	3.278	0.013	0.01	0	40	40.9	77	123	125	0	30	30
2019	11	15	8	8	1	0.709	-0.098	3.278	0.01	0.007	0	40	40.4	76.5	122	124	0	29	30
2019	11	15	8	18	1	0.728	-0.089	3.278	0.013	0.01	0	40	40.4	77	123	124	0	30	30
2019	11	15	8	28	1	0.676	-0.075	3.278	0.01	0.007	0	40	40.9	77	123	125	0	30	30
2019	11	15	8	38	1	0.696	-0.072	3.281	0.013	0.01	0	40	40.9	77	123	125	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	15	8	48	1	0.689	-0.082	3.278	0.016	0.013	0	40	40.4	76.5	123	124	0	30	30
2019	11	15	8	58	1	0.679	-0.062	3.278	0.013	0.01	0	39.6	40.4	77	122	124	0	30	30
2019	11	15	9	8	1	0.689	-0.079	3.281	0.013	0.01	0	39.1	39.6	77	120	122	0	29	30
2019	11	15	9	18	1	0.679	-0.089	3.281	0.01	0.007	0	39.1	39.6	76.5	120	122	0	29	30
2019	11	15	9	28	1	0.712	-0.108	3.281	0.013	0.01	0	38.3	39.1	77.4	119	121	0	30	30
2019	11	15	9	38	1	0.702	-0.052	3.281	0.013	0.01	0	38.3	39.6	77	118	121	0	29	29
2019	11	15	9	48	1	0.702	-0.059	3.281	0.013	0.01	0	37.8	38.3	77	118	120	0	30	31
2019	11	15	9	58	1	0.709	-0.056	3.281	0.016	0.016	0	37.8	38.7	77.4	118	120	0	30	30
2019	11	15	10	8	1	0.696	-0.069	3.281	0.013	0.01	0	37.8	38.7	77	118	119	0	30	29
2019	11	15	10	18	1	0.679	-0.052	3.281	0.01	0.007	0	37.8	38.7	77	118	120	0	30	30
2019	11	15	10	28	1	0.692	-0.082	3.281	0.013	0.01	0	37.8	38.3	77.4	117	119	0	29	30
2019	11	15	10	38	1	0.682	-0.082	3.281	0.013	0.01	0	37.4	38.3	77.4	117	119	0	30	30
2019	11	15	10	48	1	0.702	-0.082	3.278	0.013	0.01	0	38.3	38.7	77.4	118	120	0	29	30
2019	11	15	10	58	1	0.676	-0.072	3.281	0.013	0.01	0	38.3	38.7	77	118	120	0	29	30
2019	11	15	11	8	1	0.705	-0.079	3.281	0.01	0.007	0	38.7	39.1	77.4	120	121	0	30	30
2019	11	15	11	18	1	0.689	-0.069	3.281	0.01	0.007	0	39.1	40	77.4	121	123	0	30	30
2019	11	15	11	28	1	0.709	-0.069	3.281	0.01	0.007	0	38.7	39.6	77.4	119	121	0	29	29
2019	11	15	11	38	1	0.715	-0.066	3.281	0.016	0.013	0	38.3	38.3	74.8	118	120	0	29	31
2019	11	15	11	48	1	0.692	-0.085	3.281	0.016	0.016	0	39.1	40	67.1	121	123	0	30	30
2019	11	15	11	58	1	0.692	-0.092	3.281	0.016	0.013	0	38.3	39.6	77	119	121	0	30	29
2019	11	15	12	8	1	0.689	-0.082	3.281	0.01	0.007	0	37.8	38.3	77.8	118	119	0	30	30
2019	11	15	12	18	1	0.663	-0.052	3.281	0.013	0.01	0	38.3	38.7	72.7	118	120	0	29	30
2019	11	15	12	28	1	0.696	-0.079	3.281	0.013	0.01	0	37.4	38.3	78.3	117	119	0	30	30
2019	11	15	12	38	1	0.705	-0.092	3.281	0.016	0.013	0	37.8	38.7	71	117	119	0	29	29
2019	11	15	12	48	1	0.689	-0.108	3.281	0.016	0.013	0	37.4	37.8	68.4	116	118	0	29	30
2019	11	15	12	58	1	0.702	-0.072	3.281	0.016	0.013	0	37	37.8	77.8	116	118	0	30	30
2019	11	15	13	8	1	0.686	-0.095	3.281	0.01	0.007	0	37.4	37.8	77.8	116	118	0	29	30
2019	11	15	13	18	1	0.705	-0.085	3.281	0.016	0.013	0	37	38.3	77.8	116	119	0	30	30
2019	11	15	13	28	1	0.712	-0.098	3.281	0.013	0.01	0	37	37.8	78.3	116	118	0	30	30
2019	11	15	13	38	1	0.699	-0.118	3.281	0.013	0.01	0	37.4	37.8	78.3	116	118	0	29	30
2019	11	15	13	48	1	0.673	-0.102	3.281	0.01	0.007	0	37.4	37.8	78.3	116	118	0	29	30
2019	11	15	13	58	1	0.705	-0.069	3.281	0.016	0.013	0	37	37.8	77.8	116	118	0	30	30
2019	11	15	14	8	1	0.715	-0.102	3.281	0.01	0.007	0	37	37.8	73.5	115	118	0	29	30
2019	11	15	14	18	1	0.679	-0.085	3.281	0.013	0.01	0	37.4	37.8	78.3	116	118	0	29	30
2019	11	15	14	28	1	0.705	-0.112	3.281	0.013	0.01	0	37	37.4	78.7	115	117	0	29	30
2019	11	15	14	38	1	0.709	-0.082	3.281	0.013	0.01	0	37.4	38.3	78.7	116	118	0	29	29
2019	11	15	14	48	1	0.702	-0.112	3.281	0.01	0.007	0	36.5	37.4	71.4	115	117	0	30	30
2019	11	15	14	58	1	0.722	-0.075	3.281	0.013	0.01	0	37.4	38.3	78.3	116	118	0	29	29
2019	11	15	15	8	1	0.709	-0.066	3.281	0.013	0.01	0	37	38.3	77.8	116	118	0	30	29
2019	11	15	15	18	1	0.679	-0.082	3.281	0.01	0.007	0	36.5	37.8	78.7	116	118	0	31	30
2019	11	15	15	28	1	0.715	-0.082	3.281	0.01	0.007	0	37.4	37.8	78.3	116	118	0	29	30
2019	11	15	15	38	1	0.692	-0.098	3.281	0.013	0.01	0	37.4	37.8	78.7	116	118	0	29	30
2019	11	15	15	48	1	0.692	-0.069	3.284	0.013	0.01	0	37.4	37.8	78.7	116	118	0	29	30
2019	11	15	15	58	1	0.741	-0.102	3.281	0.016	0.013	0	37	37.8	78.7	116	118	0	30	30
2019	11	15	16	8	1	0.712	-0.089	3.281	0.01	0.007	0	37.4	38.7	78.3	116	119	0	29	29
2019	11	15	16	18	1	0.715	-0.085	3.281	0.013	0.01	0	37	37.8	78.7	116	118	0	30	30
2019	11	15	16	28	1	0.722	-0.105	3.284	0.016	0.013	0	37.4	37.8	78.7	116	118	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	15	16	38	1	0.692	-0.095	3.284	0.013	0.01	0	37	38.3	78.7	116	118	0	30	29
2019	11	15	16	48	1	0.673	-0.082	3.281	0.016	0.013	0	37.4	38.3	78.7	116	118	0	29	29
2019	11	15	16	58	1	0.696	-0.069	3.281	0.01	0.007	0	37.4	38.3	78.7	116	118	0	29	29
2019	11	15	17	8	1	0.699	-0.082	3.284	0.013	0.01	0	37.4	37.8	78.7	116	118	0	29	30
2019	11	15	17	18	1	0.682	-0.066	3.281	0.01	0.007	0	37.4	37.8	78.7	117	118	0	30	30
2019	11	15	17	28	1	0.709	-0.085	3.284	0.016	0.013	0	37.8	38.3	78.7	117	119	0	29	30
2019	11	15	17	38	1	0.715	-0.092	3.284	0.016	0.013	0	37.8	38.3	79.1	117	119	0	29	30
2019	11	15	17	48	1	0.699	-0.092	3.284	0.016	0.013	0	37.4	38.3	78.7	117	119	0	30	30
2019	11	15	17	58	1	0.699	-0.062	3.284	0.01	0.007	0	37.4	38.3	78.7	117	119	0	30	30
2019	11	15	18	8	1	0.696	-0.075	3.284	0.016	0.013	0	38.3	39.1	78.7	118	121	0	29	30
2019	11	15	18	18	1	0.686	-0.098	3.284	0.016	0.013	0	38.3	38.7	78.7	119	120	0	30	30
2019	11	15	18	28	1	0.702	-0.046	3.284	0.013	0.01	0	38.3	39.1	78.7	119	121	0	30	30
2019	11	15	18	38	1	0.725	-0.095	3.284	0.013	0.01	0	39.6	40.4	78.7	121	123	0	29	29
2019	11	15	18	48	1	0.669	-0.095	3.284	0.013	0.01	0	39.1	39.6	79.1	121	122	0	30	30
2019	11	15	18	58	1	0.673	-0.059	3.284	0.013	0.01	0	39.1	39.6	79.1	120	122	0	29	30
2019	11	15	19	8	1	0.712	-0.082	3.284	0.01	0.007	0	38.7	40	79.1	120	122	0	30	29
2019	11	15	19	18	1	0.715	-0.079	3.284	0.016	0.016	0	39.1	39.6	79.1	120	122	0	29	30
2019	11	15	19	28	1	0.699	-0.069	3.284	0.013	0.01	0	38.7	39.6	78.7	120	122	0	30	30
2019	11	15	19	38	1	0.712	-0.082	3.284	0.02	0.016	0	39.1	40	78.7	120	122	0	29	29
2019	11	15	19	48	1	0.682	-0.089	3.284	0.01	0.007	0	38.7	39.6	78.7	120	122	0	30	30
2019	11	15	19	58	1	0.676	-0.052	3.284	0.013	0.01	0	39.1	40	79.1	120	122	0	29	29
2019	11	15	20	8	1	0.699	-0.056	3.284	0.016	0.013	0	38.7	39.6	78.7	120	122	0	30	30
2019	11	15	20	18	1	0.673	-0.085	3.284	0.016	0.013	0	38.7	39.6	78.7	120	122	0	30	30
2019	11	15	20	28	1	0.719	-0.052	3.284	0.013	0.01	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	15	20	38	1	0.748	-0.112	3.284	0.016	0.013	0	39.1	39.6	78.3	120	122	0	29	30
2019	11	15	20	48	1	0.699	-0.082	3.284	0.016	0.013	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	15	20	58	1	0.699	-0.112	3.284	0.01	0.007	0	39.1	39.6	78.3	120	122	0	29	30
2019	11	15	21	8	1	0.689	-0.069	3.284	0.01	0.007	0	39.6	40	78.3	121	123	0	29	30
2019	11	15	21	18	1	0.722	-0.059	3.284	0.01	0.007	0	38.7	39.6	78.7	120	122	0	30	30
2019	11	15	21	28	1	0.679	-0.118	3.284	0.013	0.01	0	39.1	40.4	78.3	121	123	0	30	29
2019	11	15	21	38	1	0.725	-0.079	3.284	0.016	0.013	0	39.1	40	78.7	121	123	0	30	30
2019	11	15	21	48	1	0.676	-0.089	3.281	0.01	0.007	0	39.6	40	78.7	121	123	0	29	30
2019	11	15	21	58	1	0.699	-0.082	3.281	0.01	0.007	0	39.1	40.4	78.7	121	123	0	30	29
2019	11	15	22	8	1	0.676	-0.056	3.281	0.01	0.007	0	39.6	40	78.3	121	123	0	29	30
2019	11	15	22	18	1	0.705	-0.066	3.281	0.016	0.016	0	39.6	40.4	78.3	121	123	0	29	29
2019	11	15	22	28	1	0.679	-0.098	3.281	0.01	0.007	0	39.6	40	77.8	121	123	0	29	30
2019	11	15	22	38	1	0.699	-0.112	3.281	0.01	0.007	0	39.6	40.9	77.4	122	124	0	30	29
2019	11	15	22	48	1	0.696	-0.069	3.281	0.016	0.013	0	40.9	40.9	78.3	123	125	0	28	30
2019	11	15	22	58	1	0.699	-0.072	3.281	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	15	23	8	1	0.699	-0.082	3.281	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	15	23	18	1	0.705	-0.098	3.281	0.01	0.007	0	39.1	40	78.3	121	123	0	30	30
2019	11	15	23	28	1	0.696	-0.098	3.281	0.013	0.01	0	39.6	40.4	78.3	121	123	0	29	29
2019	11	15	23	38	1	0.722	-0.098	3.281	0.013	0.01	0	39.1	40.4	77.4	121	123	0	30	29
2019	11	15	23	48	1	0.702	-0.098	3.281	0.01	0.007	0	39.6	40.9	77.4	121	124	0	29	29
2019	11	15	23	58	1	0.686	-0.062	3.281	0.013	0.01	0	39.1	40.4	78.3	121	123	0	30	29
2019	11	16	0	8	1	0.696	-0.052	3.281	0.016	0.013	0	39.6	40.4	77.8	121	123	0	29	29
2019	11	16	0	18	1	0.686	-0.082	3.281	0.013	0.01	0	39.6	40	78.3	121	123	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	16	0	28	1	0.699	-0.069	3.281	0.016	0.013	0	39.6	40	78.7	121	123	0	29	30
2019	11	16	0	38	1	0.686	-0.082	3.281	0.01	0.007	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	16	0	48	1	0.679	-0.039	3.281	0.013	0.01	0	39.1	40.4	77.8	121	123	0	30	29
2019	11	16	0	58	1	0.699	-0.075	3.278	0.016	0.013	0	40	40.4	77.8	122	124	0	29	30
2019	11	16	1	8	1	0.699	-0.098	3.278	0.013	0.01	0	40	40.9	78.3	122	124	0	29	29
2019	11	16	1	18	1	0.696	-0.082	3.278	0.013	0.01	0	40	40.4	77.8	122	124	0	29	30
2019	11	16	1	28	1	0.725	-0.089	3.278	0.01	0.007	0	39.1	40	78.3	121	123	0	30	30
2019	11	16	1	38	1	0.689	-0.043	3.278	0.016	0.013	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	16	1	48	1	0.666	-0.108	3.278	0.013	0.01	0	40	40.9	78.3	122	124	0	29	29
2019	11	16	1	58	1	0.735	-0.085	3.278	0.013	0.01	0	40	40.9	78.3	122	124	0	29	29
2019	11	16	2	8	1	0.705	-0.082	3.278	0.01	0.007	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	16	2	18	1	0.725	-0.092	3.278	0.013	0.01	0	40	40.4	78.3	122	124	0	29	30
2019	11	16	2	28	1	0.656	-0.066	3.278	0.013	0.01	0	40	41.3	77.4	123	125	0	30	29
2019	11	16	2	38	1	0.676	-0.072	3.278	0.01	0.007	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	16	2	48	1	0.679	-0.043	3.278	0.016	0.013	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	16	2	58	1	0.682	-0.082	3.278	0.016	0.013	0	39.6	40	77.8	121	123	0	29	30
2019	11	16	3	8	1	0.722	-0.095	3.278	0.013	0.01	0	39.1	40.4	77.8	121	124	0	30	30
2019	11	16	3	18	1	0.692	-0.108	3.278	0.013	0.01	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	16	3	28	1	0.705	-0.115	3.278	0.013	0.01	0	39.6	40	77.8	121	123	0	29	30
2019	11	16	3	38	1	0.689	-0.082	3.278	0.01	0.007	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	16	3	48	1	0.735	-0.072	3.274	0.016	0.013	0	40	40.4	77.4	122	124	0	29	30
2019	11	16	3	58	1	0.715	-0.075	3.274	0.013	0.01	0	39.6	40.9	77.8	122	124	0	30	29
2019	11	16	4	8	1	0.735	-0.072	3.274	0.016	0.013	0	39.6	40.9	77.4	122	124	0	30	29
2019	11	16	4	18	1	0.692	-0.098	3.274	0.013	0.01	0	40	40.9	77.4	122	124	0	29	29
2019	11	16	4	28	1	0.715	-0.082	3.274	0.01	0.007	0	39.6	40.4	77.8	122	124	0	30	30
2019	11	16	4	38	1	0.679	-0.069	3.274	0.013	0.01	0	40	40.4	77.8	122	124	0	29	30
2019	11	16	4	48	1	0.679	-0.059	3.274	0.013	0.01	0	40	40.4	77.8	122	124	0	29	30
2019	11	16	4	58	1	0.659	-0.089	3.274	0.01	0.007	0	39.6	40.4	77.4	122	124	0	30	30
2019	11	16	5	8	1	0.705	-0.069	3.274	0.013	0.01	0	40	40.4	77.8	122	124	0	29	30
2019	11	16	5	18	1	0.712	-0.089	3.274	0.013	0.01	0	39.6	40	77.8	122	123	0	30	30
2019	11	16	5	28	1	0.656	-0.085	3.274	0.013	0.01	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	16	5	38	1	0.689	-0.089	3.274	0.01	0.007	0	39.6	40.9	77.8	122	124	0	30	29
2019	11	16	5	48	1	0.676	-0.069	3.274	0.01	0.007	0	40	40.9	77.4	123	125	0	30	30
2019	11	16	5	58	1	0.715	-0.102	3.274	0.01	0.007	0	40	40.4	78.3	122	124	0	29	30
2019	11	16	6	8	1	0.702	-0.085	3.274	0.013	0.01	0	40	40.9	77.8	122	124	0	29	29
2019	11	16	6	18	1	0.679	-0.089	3.274	0.016	0.013	0	40	40.4	77.8	122	124	0	29	30
2019	11	16	6	28	1	0.722	-0.079	3.274	0.01	0.007	0	43	43.4	77.4	129	131	0	29	30
2019	11	16	6	38	1	0.732	-0.072	3.274	0.013	0.01	0	41.3	42.6	77.4	126	128	0	30	29
2019	11	16	6	48	1	0.689	-0.095	3.271	0.01	0.007	0	42.1	42.6	77.4	127	129	0	29	30
2019	11	16	6	58	1	0.689	-0.098	3.271	0.013	0.01	0	41.3	42.1	77.8	125	128	0	29	30
2019	11	16	7	8	1	0.722	-0.098	3.274	0.01	0.007	0	40	40.9	77.8	123	125	0	30	30
2019	11	16	7	18	1	0.686	-0.082	3.274	0.01	0.007	0	40	40.4	78.3	122	124	0	29	30
2019	11	16	7	28	1	0.676	-0.072	3.271	0.016	0.013	0	40	40.9	78.3	122	125	0	29	30
2019	11	16	7	38	1	0.715	-0.098	3.271	0.013	0.01	0	40	40.4	78.3	122	124	0	29	30
2019	11	16	7	48	1	0.676	-0.072	3.271	0.01	0.007	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	16	7	58	1	0.686	-0.089	3.271	0.016	0.016	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	16	8	8	1	0.666	-0.082	3.271	0.013	0.01	0	39.1	40	78.3	121	123	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	16	8	18	1	0.676	-0.098	3.271	0.013	0.01	0	39.6	40	78.3	121	123	0	29	30
2019	11	16	8	28	1	0.692	-0.075	3.271	0.01	0.007	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	16	8	38	1	0.666	-0.082	3.271	0.016	0.013	0	40	40.4	78.3	122	124	0	29	30
2019	11	16	8	48	1	0.709	-0.066	3.271	0.013	0.01	0	40	40	78.7	122	123	0	29	30
2019	11	16	8	58	1	0.719	-0.066	3.271	0.016	0.013	0	38.7	40	78.3	120	123	0	30	30
2019	11	16	9	8	1	0.676	-0.098	3.271	0.016	0.013	0	39.1	40	78.3	121	123	0	30	30
2019	11	16	9	18	1	0.699	-0.079	3.271	0.01	0.007	0	38.7	39.1	78.3	120	121	0	30	30
2019	11	16	9	28	1	0.692	-0.098	3.271	0.016	0.013	0	39.6	40	78.3	121	123	0	29	30
2019	11	16	9	38	1	0.702	-0.069	3.271	0.016	0.013	0	38.3	38.7	78.3	119	121	0	30	31
2019	11	16	9	48	1	0.682	-0.082	3.271	0.01	0.007	0	38.3	39.1	77.8	118	121	0	29	30
2019	11	16	9	58	1	0.712	-0.095	3.271	0.016	0.013	0	37.8	38.7	77.4	118	120	0	30	30
2019	11	16	10	8	1	0.673	-0.085	3.271	0.013	0.01	0	38.7	39.1	78.3	119	121	0	29	30
2019	11	16	10	18	1	0.686	-0.098	3.271	0.01	0.007	0	38.3	39.1	77.8	118	120	0	29	29
2019	11	16	10	28	1	0.702	-0.069	3.271	0.013	0.01	0	37.8	38.7	77.4	118	120	0	30	30
2019	11	16	10	38	1	0.689	-0.069	3.271	0.01	0.007	0	39.1	39.6	77.4	120	122	0	29	30
2019	11	16	10	48	1	0.696	-0.082	3.271	0.013	0.01	0	39.1	39.1	77	120	121	0	29	30
2019	11	16	10	58	1	0.646	-0.079	3.271	0.016	0.013	0	38.3	38.7	58.9	118	119	0	29	29
2019	11	16	11	8	1	0.712	-0.082	3.268	0.016	0.016	0	38.3	39.1	54.6	118	120	0	29	29
2019	11	16	11	18	1	0.679	-0.072	3.268	0.016	0.013	0	38.3	38.3	56.8	118	119	0	29	30
2019	11	16	11	28	1	0.659	-0.056	3.271	0.01	0.007	0	38.7	39.1	57.2	119	120	0	29	29
2019	11	16	11	38	1	0.663	-0.059	3.271	0.013	0.01	0	40.4	41.7	54.6	124	126	0	30	29
2019	11	16	11	48	1	0.689	-0.069	3.271	0.016	0.013	0	40	40.4	54.2	123	124	0	30	30
2019	11	16	11	58	1	0.696	-0.082	3.268	0.016	0.013	0	40.4	40.9	54.6	124	125	0	30	30
2019	11	16	12	8	1	0.663	-0.098	3.271	0.01	0.007	0	39.6	40.4	55.9	122	123	0	30	29
2019	11	16	12	18	1	0.705	-0.059	3.268	0.013	0.01	0	39.1	39.6	53.3	121	122	0	30	30
2019	11	16	12	28	1	0.705	-0.069	3.271	0.016	0.013	0	40	40.4	53.8	122	124	0	29	30
2019	11	16	12	38	1	0.728	-0.105	3.268	0.016	0.013	0	39.6	40.4	55.9	122	124	0	30	30
2019	11	16	12	48	1	0.732	-0.043	3.268	0.016	0.013	0	39.6	40	52.9	121	123	0	29	30
2019	11	16	12	58	1	0.702	-0.069	3.268	0.013	0.01	0	38.7	40	53.3	120	122	0	30	29
2019	11	16	13	8	1	0.702	-0.062	3.268	0.013	0.01	0	38.7	40	52.5	120	122	0	30	29
2019	11	16	13	18	1	0.712	-0.082	3.264	0.013	0.01	0	40	40	52.5	122	123	0	29	30
2019	11	16	13	28	1	0.712	-0.095	3.268	0.01	0.007	0	39.1	40	53.8	121	123	0	30	30
2019	11	16	13	38	1	0.682	-0.056	3.268	0.013	0.01	0	39.6	40.4	52.9	121	123	0	29	29
2019	11	16	13	48	1	0.709	-0.108	3.268	0.016	0.013	0	38.7	39.1	55	119	121	0	29	30
2019	11	16	13	58	1	0.692	-0.059	3.268	0.01	0.007	0	38.7	39.1	54.2	119	121	0	29	30
2019	11	16	14	8	1	0.709	-0.089	3.268	0.01	0.007	0	37.8	39.1	54.6	118	120	0	30	29
2019	11	16	14	18	1	0.709	-0.043	3.268	0.013	0.01	0	38.3	39.1	54.2	118	121	0	29	30
2019	11	16	14	28	1	0.696	-0.105	3.268	0.016	0.013	0	38.3	38.7	54.2	118	120	0	29	30
2019	11	16	14	38	1	0.715	-0.039	3.268	0.013	0.01	0	38.7	39.1	54.6	119	121	0	29	30
2019	11	16	14	48	1	0.719	-0.082	3.268	0.013	0.01	0	38.7	39.6	55.5	119	121	0	29	29
2019	11	16	14	58	1	0.679	-0.085	3.268	0.01	0.007	0	38.3	38.7	54.6	118	120	0	29	30
2019	11	16	15	8	1	0.666	-0.066	3.264	0.016	0.013	0	38.3	39.1	59.3	118	120	0	29	29
2019	11	16	15	18	1	0.705	-0.049	3.264	0.01	0.007	0	38.3	38.3	55.9	118	119	0	29	30
2019	11	16	15	28	1	0.702	-0.079	3.264	0.01	0.007	0	38.3	38.3	64.5	118	119	0	29	30
2019	11	16	15	38	1	0.702	-0.072	3.261	0.01	0.007	0	37.8	38.3	63.2	117	119	0	29	30
2019	11	16	15	48	1	0.705	-0.092	3.264	0.013	0.01	0	37.8	38.7	57.6	117	120	0	29	30
2019	11	16	15	58	1	0.653	-0.085	3.261	0.016	0.013	0	38.3	38.7	59.3	118	120	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	16	16	8	1	0.673	-0.069	3.261	0.013	0.01	0	37.8	39.1	56.8	118	120	0	30	29
2019	11	16	16	18	1	0.676	-0.046	3.261	0.013	0.01	0	38.3	39.1	61.5	118	120	0	29	29
2019	11	16	16	28	1	0.709	-0.098	3.258	0.01	0.007	0	38.3	38.7	71.8	118	119	0	29	29
2019	11	16	16	38	1	0.689	-0.125	3.258	0.013	0.01	0	37.8	38.3	71.8	117	119	0	29	30
2019	11	16	16	48	1	0.659	-0.085	3.258	0.016	0.013	0	37.8	38.7	72.7	117	119	0	29	29
2019	11	16	16	58	1	0.705	-0.082	3.258	0.016	0.013	0	37.8	38.3	74	117	118	0	29	29
2019	11	16	17	8	1	0.692	-0.062	3.258	0.013	0.01	0	37	37.8	74.8	116	118	0	30	30
2019	11	16	17	18	1	0.676	-0.102	3.258	0.013	0.01	0	37.4	37.8	74.8	116	118	0	29	30
2019	11	16	17	28	1	0.699	-0.082	3.258	0.016	0.013	0	37.8	38.3	74.8	117	118	0	29	29
2019	11	16	17	38	1	0.682	-0.069	3.258	0.01	0.007	0	37.4	37.8	74.8	117	118	0	30	30
2019	11	16	17	48	1	0.686	-0.089	3.258	0.01	0.007	0	37.4	38.3	75.3	117	119	0	30	30
2019	11	16	17	58	1	0.699	-0.082	3.258	0.016	0.016	0	37.8	38.7	75.3	117	119	0	29	29
2019	11	16	18	8	1	0.679	-0.085	3.258	0.01	0.007	0	38.3	38.7	75.7	118	120	0	29	30
2019	11	16	18	18	1	0.699	-0.098	3.258	0.016	0.013	0	38.7	39.6	75.3	119	121	0	29	29
2019	11	16	18	28	1	0.669	-0.075	3.258	0.013	0.01	0	39.1	40	76.1	121	123	0	30	30
2019	11	16	18	38	1	0.709	-0.043	3.258	0.016	0.013	0	39.1	40	75.3	121	123	0	30	30
2019	11	16	18	48	1	0.686	-0.085	3.258	0.01	0.007	0	39.1	39.6	76.1	120	122	0	29	30
2019	11	16	18	58	1	0.689	-0.069	3.258	0.013	0.01	0	38.7	39.6	75.3	120	122	0	30	30
2019	11	16	19	8	1	0.699	-0.059	3.258	0.013	0.01	0	39.6	40.4	75.7	121	123	0	29	29
2019	11	16	19	18	1	0.712	-0.085	3.258	0.016	0.013	0	39.1	39.6	76.1	120	122	0	29	30
2019	11	16	19	28	1	0.715	-0.082	3.258	0.01	0.007	0	39.1	40	75.7	120	122	0	29	29
2019	11	16	19	38	1	0.682	-0.089	3.258	0.013	0.01	0	38.7	39.6	74.8	120	122	0	30	30
2019	11	16	19	48	1	0.705	-0.102	3.258	0.01	0.007	0	38.7	40	76.1	120	122	0	30	29
2019	11	16	19	58	1	0.686	-0.102	3.258	0.013	0.01	0	39.6	40	76.1	121	122	0	29	29
2019	11	16	20	8	1	0.705	-0.082	3.258	0.01	0.007	0	38.7	40	76.1	120	122	0	30	29
2019	11	16	20	18	1	0.699	-0.095	3.258	0.013	0.01	0	38.7	39.6	76.5	120	122	0	30	30
2019	11	16	20	28	1	0.699	-0.079	3.258	0.01	0.007	0	39.1	39.6	76.5	120	122	0	29	30
2019	11	16	20	38	1	0.702	-0.092	3.258	0.016	0.013	0	39.1	40	76.1	120	122	0	29	29
2019	11	16	20	48	1	0.696	-0.056	3.258	0.013	0.01	0	39.1	39.6	76.1	121	122	0	30	30
2019	11	16	20	58	1	0.679	-0.059	3.258	0.013	0.01	0	39.6	40	76.1	121	123	0	29	30
2019	11	16	21	8	1	0.686	-0.085	3.258	0.013	0.01	0	39.6	40	76.1	121	123	0	29	30
2019	11	16	21	18	1	0.712	-0.092	3.258	0.016	0.013	0	39.6	39.6	76.5	121	122	0	29	30
2019	11	16	21	28	1	0.738	-0.082	3.258	0.013	0.01	0	39.1	40.4	76.5	121	123	0	30	29
2019	11	16	21	38	1	0.679	-0.102	3.255	0.016	0.016	0	39.6	40	77	121	123	0	29	30
2019	11	16	21	48	1	0.679	-0.059	3.255	0.01	0.007	0	39.1	39.6	76.5	121	122	0	30	30
2019	11	16	21	58	1	0.702	-0.066	3.255	0.01	0.007	0	39.6	40	76.5	121	123	0	29	30
2019	11	16	22	8	1	0.722	-0.069	3.255	0.016	0.013	0	39.6	40.9	76.5	121	124	0	29	29
2019	11	16	22	18	1	0.673	-0.095	3.255	0.013	0.01	0	40	40.9	77	122	124	0	29	29
2019	11	16	22	28	1	0.709	-0.105	3.255	0.016	0.016	0	39.6	40	76.1	121	123	0	29	30
2019	11	16	22	38	1	0.728	-0.095	3.255	0.013	0.01	0	39.6	40.4	76.5	121	123	0	29	29
2019	11	16	22	48	1	0.709	-0.095	3.255	0.01	0.007	0	39.6	40.4	76.5	121	123	0	29	29
2019	11	16	22	58	1	0.686	-0.095	3.255	0.013	0.01	0	39.6	40	77	121	123	0	29	30
2019	11	16	23	8	1	0.679	-0.059	3.255	0.013	0.01	0	40	40.4	76.1	122	124	0	29	30
2019	11	16	23	18	1	0.728	-0.069	3.255	0.013	0.01	0	40	40.9	76.1	121	124	0	28	29
2019	11	16	23	28	1	0.705	-0.082	3.255	0.016	0.016	0	40	40	76.5	122	123	0	29	30
2019	11	16	23	38	1	0.722	-0.075	3.255	0.016	0.013	0	39.6	40.4	76.1	121	123	0	29	29
2019	11	16	23	48	1	0.669	-0.089	3.255	0.016	0.013	0	40	40.9	76.1	122	124	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	16	23	58	1	0.705	-0.092	3.255	0.016	0.016	0	39.6	40	76.5	121	123	0	29	30
2019	11	17	0	8	1	0.666	-0.072	3.255	0.016	0.013	0	39.6	40.9	76.5	122	124	0	30	29
2019	11	17	0	18	1	0.696	-0.092	3.255	0.01	0.007	0	40	40.4	76.1	122	124	0	29	30
2019	11	17	0	28	1	0.699	-0.082	3.255	0.01	0.007	0	40	40	76.5	122	123	0	29	30
2019	11	17	0	38	1	0.705	-0.043	3.255	0.016	0.013	0	40	40.4	76.1	122	124	0	29	30
2019	11	17	0	48	1	0.686	-0.085	3.255	0.01	0.007	0	39.6	40.4	75.7	121	123	0	29	29
2019	11	17	0	58	1	0.682	-0.056	3.255	0.013	0.01	0	40	40.4	75.3	122	124	0	29	30
2019	11	17	1	8	1	0.689	-0.049	3.255	0.013	0.01	0	39.6	40.9	75.7	122	124	0	30	29
2019	11	17	1	18	1	0.699	-0.112	3.255	0.013	0.01	0	39.1	40	76.1	120	123	0	29	30
2019	11	17	1	28	1	0.65	-0.062	3.255	0.016	0.016	0	40	40.4	75.7	122	124	0	29	30
2019	11	17	1	38	1	0.656	-0.098	3.255	0.013	0.01	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	17	1	48	1	0.65	-0.095	3.255	0.013	0.01	0	40	40.4	75.7	122	124	0	29	30
2019	11	17	1	58	1	0.65	-0.102	3.255	0.01	0.007	0	40	40.4	76.1	122	124	0	29	30
2019	11	17	2	8	1	0.656	-0.039	3.255	0.013	0.01	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	17	2	18	1	0.689	-0.075	3.251	0.013	0.01	0	40	40.4	75.7	122	124	0	29	30
2019	11	17	2	28	1	0.682	-0.069	3.255	0.016	0.013	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	17	2	38	1	0.699	-0.075	3.251	0.01	0.007	0	40	40.4	75.7	122	124	0	29	30
2019	11	17	2	48	1	0.676	-0.062	3.251	0.01	0.007	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	17	2	58	1	0.696	-0.082	3.251	0.01	0.007	0	40	40.9	75.7	122	124	0	29	29
2019	11	17	3	8	1	0.709	-0.098	3.251	0.01	0.007	0	40	40.4	75.7	122	124	0	29	30
2019	11	17	3	18	1	0.689	-0.066	3.251	0.016	0.013	0	39.6	40.4	76.1	122	124	0	30	30
2019	11	17	3	28	1	0.666	-0.092	3.251	0.016	0.013	0	40	40.9	76.1	122	124	0	29	29
2019	11	17	3	38	1	0.699	-0.059	3.251	0.013	0.01	0	40	40.4	76.1	122	124	0	29	30
2019	11	17	3	48	1	0.715	-0.085	3.251	0.01	0.007	0	40.4	41.3	75.3	123	125	0	29	29
2019	11	17	3	58	1	0.682	-0.092	3.251	0.016	0.013	0	39.6	40.9	75.3	122	125	0	30	30
2019	11	17	4	8	1	0.679	-0.059	3.251	0.016	0.013	0	40	40.4	75.3	122	124	0	29	30
2019	11	17	4	18	1	0.712	-0.095	3.251	0.013	0.01	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	17	4	28	1	0.659	-0.105	3.251	0.016	0.013	0	40	40.9	75.3	122	125	0	29	30
2019	11	17	4	38	1	0.712	-0.095	3.251	0.016	0.016	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	17	4	48	1	0.692	-0.082	3.251	0.013	0.01	0	40.4	40.4	75.7	123	124	0	29	30
2019	11	17	4	58	1	0.699	-0.092	3.251	0.013	0.01	0	40.4	40.9	75.7	123	124	0	29	29
2019	11	17	5	8	1	0.692	-0.085	3.251	0.016	0.013	0	40	40.9	75.3	122	124	0	29	29
2019	11	17	5	18	1	0.682	-0.039	3.251	0.016	0.013	0	40.4	40.9	75.7	123	125	0	29	30
2019	11	17	5	28	1	0.696	-0.072	3.251	0.016	0.013	0	40	40.9	75.3	123	125	0	30	30
2019	11	17	5	38	1	0.715	-0.082	3.251	0.01	0.007	0	39.6	40.9	75.3	122	124	0	30	29
2019	11	17	5	48	1	0.696	-0.072	3.251	0.016	0.013	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	17	5	58	1	0.679	-0.089	3.251	0.013	0.01	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	17	6	8	1	0.719	-0.098	3.251	0.013	0.01	0	40	40.9	75.3	122	124	0	29	29
2019	11	17	6	18	1	0.682	-0.092	3.251	0.01	0.007	0	40	41.3	74.8	123	125	0	30	29
2019	11	17	6	28	1	0.699	-0.085	3.251	0.013	0.01	0	39.6	40.4	74.8	122	124	0	30	30
2019	11	17	6	38	1	0.692	-0.072	3.251	0.01	0.007	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	17	6	48	1	0.679	-0.075	3.251	0.01	0.007	0	39.6	40.4	74.8	122	124	0	30	30
2019	11	17	6	58	1	0.692	-0.102	3.251	0.016	0.013	0	39.6	40.4	74.8	122	124	0	30	30
2019	11	17	7	8	1	0.709	-0.102	3.251	0.013	0.01	0	39.6	41.3	74.8	122	125	0	30	29
2019	11	17	7	18	1	0.692	-0.085	3.251	0.01	0.007	0	39.6	40.4	75.3	122	124	0	30	30
2019	11	17	7	28	1	0.682	-0.085	3.251	0.016	0.013	0	39.1	40	74.8	121	123	0	30	30
2019	11	17	7	38	1	0.712	-0.095	3.251	0.016	0.013	0	40	40.4	74.8	122	124	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	17	7	48	1	0.702	-0.069	3.251	0.016	0.013	0	39.1	40.4	74.8	121	124	0	30	30
2019	11	17	7	58	1	0.679	-0.115	3.248	0.013	0.01	0	39.1	40	74.8	121	123	0	30	30
2019	11	17	8	8	1	0.719	-0.102	3.248	0.016	0.013	0	39.1	40.4	74	121	123	0	30	29
2019	11	17	8	18	1	0.669	-0.089	3.251	0.016	0.016	0	39.1	40	74.4	121	123	0	30	30
2019	11	17	8	28	1	0.656	-0.082	3.248	0.013	0.01	0	39.6	40.4	74.4	122	124	0	30	30
2019	11	17	8	38	1	0.702	-0.082	3.248	0.016	0.013	0	39.1	40.4	74	121	123	0	30	29
2019	11	17	8	48	1	0.702	-0.069	3.251	0.016	0.013	0	38.7	39.6	74.8	120	123	0	30	31
2019	11	17	8	58	1	0.686	-0.105	3.251	0.013	0.01	0	38.7	39.1	75.3	120	121	0	30	30
2019	11	17	9	8	1	0.663	-0.075	3.251	0.01	0.007	0	38.3	39.1	74.4	119	121	0	30	30
2019	11	17	9	18	1	0.692	-0.082	3.248	0.016	0.013	0	38.7	39.6	74.4	119	121	0	29	29
2019	11	17	9	28	1	0.669	-0.115	3.251	0.016	0.013	0	38.7	39.1	74.8	119	121	0	29	30
2019	11	17	9	38	1	0.712	-0.095	3.251	0.01	0.007	0	37.8	39.1	74.8	118	121	0	30	30
2019	11	17	9	48	1	0.669	-0.089	3.251	0.016	0.016	0	38.3	38.7	74.8	118	120	0	29	30
2019	11	17	9	58	1	0.692	-0.066	3.251	0.016	0.013	0	38.3	38.7	74.4	118	120	0	29	30
2019	11	17	10	8	1	0.732	-0.043	3.251	0.013	0.01	0	38.7	39.1	74.4	119	121	0	29	30
2019	11	17	10	18	1	0.682	-0.069	3.251	0.016	0.013	0	38.3	38.7	75.3	118	120	0	29	30
2019	11	17	10	28	1	0.689	-0.059	3.251	0.016	0.016	0	37.4	37.8	69.2	117	119	0	30	31
2019	11	17	10	38	1	0.679	-0.112	3.251	0.016	0.013	0	37.8	38.3	74.8	117	119	0	29	30
2019	11	17	10	48	1	0.692	-0.085	3.251	0.016	0.016	0	37.4	38.3	61.9	117	119	0	30	30
2019	11	17	10	58	1	0.689	-0.069	3.251	0.016	0.016	0	37.8	39.1	67.9	118	120	0	30	29
2019	11	17	11	8	1	0.699	-0.112	3.251	0.013	0.01	0	37.8	38.3	74.8	117	119	0	29	30
2019	11	17	11	18	1	0.692	-0.082	3.251	0.013	0.01	0	37.4	38.3	75.7	117	119	0	30	30
2019	11	17	11	28	1	0.699	-0.092	3.251	0.013	0.01	0	37	37.8	75.3	116	118	0	30	30
2019	11	17	11	38	1	0.682	-0.066	3.251	0.013	0.01	0	37	37.8	75.3	116	118	0	30	30
2019	11	17	11	48	1	0.679	-0.079	3.251	0.01	0.007	0	37	37.8	75.3	116	118	0	30	30
2019	11	17	11	58	1	0.732	-0.102	3.251	0.013	0.01	0	37.4	38.3	75.3	116	118	0	29	29
2019	11	17	12	8	1	0.656	-0.098	3.251	0.016	0.013	0	37.4	38.3	74.8	117	119	0	30	30
2019	11	17	12	18	1	0.719	-0.095	3.251	0.01	0.007	0	38.3	38.7	71.4	118	119	0	29	29
2019	11	17	12	28	1	0.705	-0.075	3.251	0.016	0.013	0	38.7	39.6	76.1	120	122	0	30	30
2019	11	17	12	38	1	0.705	-0.079	3.251	0.01	0.007	0	38.3	38.3	75.7	118	119	0	29	30
2019	11	17	12	48	1	0.692	-0.069	3.251	0.016	0.013	0	37.8	38.3	75.3	117	119	0	29	30
2019	11	17	12	58	1	0.696	-0.089	3.251	0.013	0.01	0	37.8	37.8	75.7	117	118	0	29	30
2019	11	17	13	8	1	0.653	-0.095	3.251	0.013	0.01	0	38.3	38.7	75.3	117	119	0	28	29
2019	11	17	13	18	1	0.682	-0.082	3.251	0.013	0.01	0	38.3	38.3	75.7	118	119	0	29	30
2019	11	17	13	28	1	0.669	-0.105	3.251	0.013	0.01	0	38.3	38.7	72.2	118	120	0	29	30
2019	11	17	13	38	1	0.666	-0.082	3.251	0.013	0.01	0	38.7	40	71	120	122	0	30	29
2019	11	17	13	48	1	0.682	-0.072	3.251	0.01	0.007	0	38.7	39.6	71.4	120	122	0	30	30
2019	11	17	13	58	1	0.715	-0.069	3.251	0.013	0.01	0	38.3	38.7	71.4	118	120	0	29	30
2019	11	17	14	8	1	0.682	-0.056	3.251	0.016	0.013	0	37.8	38.7	75.3	118	120	0	30	30
2019	11	17	14	18	1	0.663	-0.082	3.251	0.013	0.01	0	39.1	40	69.7	120	122	0	29	29
2019	11	17	14	28	1	0.686	-0.056	3.251	0.01	0.007	0	39.6	40	73.1	121	123	0	29	30
2019	11	17	14	38	1	0.702	-0.089	3.251	0.01	0.007	0	37.8	38.7	75.7	118	120	0	30	30
2019	11	17	14	48	1	0.709	-0.112	3.251	0.013	0.01	0	37.8	38.3	74.4	118	119	0	30	30
2019	11	17	14	58	1	0.709	-0.098	3.251	0.013	0.01	0	37.8	38.3	76.5	117	119	0	29	30
2019	11	17	15	8	1	0.682	-0.112	3.251	0.016	0.013	0	37.8	38.3	76.1	117	118	0	29	29
2019	11	17	15	18	1	0.709	-0.066	3.251	0.013	0.01	0	37.4	38.7	76.5	117	119	0	30	29
2019	11	17	15	28	1	0.682	-0.089	3.251	0.013	0.01	0	37.4	37.8	76.1	117	118	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	17	15	38	1	0.663	-0.066	3.251	0.01	0.007	0	37.8	38.3	76.5	117	119	0	29	30
2019	11	17	15	48	1	0.676	-0.112	3.251	0.01	0.007	0	37.8	38.3	76.5	117	119	0	29	30
2019	11	17	15	58	1	0.686	-0.082	3.251	0.016	0.013	0	37.8	38.7	76.5	118	120	0	30	30
2019	11	17	16	8	1	0.682	-0.082	3.251	0.013	0.01	0	37.8	38.7	77	117	119	0	29	29
2019	11	17	16	18	1	0.669	-0.062	3.251	0.016	0.013	0	37.4	38.3	76.5	117	119	0	30	30
2019	11	17	16	28	1	0.659	-0.069	3.251	0.01	0.007	0	37.8	38.3	77	117	118	0	29	29
2019	11	17	16	38	1	0.669	-0.069	3.251	0.01	0.007	0	37.8	38.3	77	117	119	0	29	30
2019	11	17	16	48	1	0.663	-0.066	3.251	0.016	0.013	0	38.3	38.3	77	118	119	0	29	30
2019	11	17	16	58	1	0.692	-0.079	3.251	0.016	0.013	0	37.8	37.8	77	116	118	0	28	30
2019	11	17	17	8	1	0.699	-0.075	3.255	0.01	0.007	0	37	38.3	77	116	118	0	30	29
2019	11	17	17	18	1	0.696	-0.108	3.251	0.01	0.007	0	37.8	38.3	77	117	118	0	29	29
2019	11	17	17	28	1	0.696	-0.082	3.255	0.016	0.013	0	37.4	38.3	77	116	119	0	29	30
2019	11	17	17	38	1	0.673	-0.098	3.255	0.01	0.007	0	37.8	37.8	77	117	118	0	29	30
2019	11	17	17	48	1	0.673	-0.062	3.255	0.016	0.013	0	37.8	38.3	77	117	119	0	29	30
2019	11	17	17	58	1	0.738	-0.069	3.255	0.016	0.013	0	37.4	38.3	77	117	119	0	30	30
2019	11	17	18	8	1	0.709	-0.085	3.255	0.016	0.013	0	38.7	38.7	77	119	120	0	29	30
2019	11	17	18	18	1	0.722	-0.066	3.255	0.016	0.016	0	37.8	38.7	77.4	118	120	0	30	30
2019	11	17	18	28	1	0.719	-0.095	3.255	0.016	0.013	0	38.7	39.1	77	119	121	0	29	30
2019	11	17	18	38	1	0.699	-0.056	3.255	0.013	0.01	0	39.1	40.4	76.5	121	123	0	30	29
2019	11	17	18	48	1	0.673	-0.075	3.255	0.013	0.01	0	39.1	40	77.4	121	122	0	30	29
2019	11	17	18	58	1	0.705	-0.072	3.255	0.016	0.013	0	39.6	40.4	77.4	121	123	0	29	29
2019	11	17	19	8	1	0.696	-0.069	3.255	0.01	0.007	0	39.1	40	77	121	123	0	30	30
2019	11	17	19	18	1	0.715	-0.069	3.255	0.013	0.01	0	39.1	40	77	120	122	0	29	29
2019	11	17	19	28	1	0.702	-0.082	3.255	0.013	0.01	0	39.1	40	77	120	122	0	29	29
2019	11	17	19	38	1	0.669	-0.066	3.255	0.016	0.013	0	39.1	39.6	77	120	122	0	29	30
2019	11	17	19	48	1	0.709	-0.112	3.255	0.013	0.01	0	39.6	40	77	121	122	0	29	29
2019	11	17	19	58	1	0.676	-0.069	3.255	0.01	0.007	0	39.6	40	76.1	121	122	0	29	29
2019	11	17	20	8	1	0.705	-0.092	3.255	0.013	0.01	0	38.7	39.6	77	120	122	0	30	30
2019	11	17	20	18	1	0.715	-0.085	3.255	0.016	0.013	0	39.1	39.6	76.5	120	122	0	29	30
2019	11	17	20	28	1	0.702	-0.082	3.258	0.016	0.013	0	39.6	40.4	76.5	121	123	0	29	29
2019	11	17	20	38	1	0.696	-0.072	3.258	0.013	0.01	0	39.6	40	76.5	121	122	0	29	29
2019	11	17	20	48	1	0.702	-0.092	3.258	0.013	0.01	0	39.1	39.6	76.5	120	122	0	29	30
2019	11	17	20	58	1	0.689	-0.046	3.255	0.016	0.013	0	39.6	39.6	77	121	122	0	29	30
2019	11	17	21	8	1	0.692	-0.043	3.258	0.013	0.01	0	39.6	40	76.5	121	123	0	29	30
2019	11	17	21	18	1	0.705	-0.085	3.258	0.013	0.01	0	39.6	40	76.5	121	123	0	29	30
2019	11	17	21	28	1	0.689	-0.095	3.258	0.016	0.013	0	39.1	40	76.5	121	123	0	30	30
2019	11	17	21	38	1	0.686	-0.092	3.258	0.013	0.01	0	39.6	40	76.1	121	123	0	29	30
2019	11	17	21	48	1	0.715	-0.102	3.258	0.013	0.01	0	39.6	40	76.5	121	123	0	29	30
2019	11	17	21	58	1	0.692	-0.072	3.258	0.016	0.013	0	39.6	40	75.7	121	123	0	29	30
2019	11	17	22	8	1	0.682	-0.069	3.258	0.013	0.01	0	39.6	40	76.5	121	123	0	29	30
2019	11	17	22	18	1	0.702	-0.112	3.258	0.013	0.01	0	40	40	75.7	121	123	0	28	30
2019	11	17	22	28	1	0.751	-0.069	3.258	0.016	0.013	0	39.1	40	76.1	121	123	0	30	30
2019	11	17	22	38	1	0.673	-0.066	3.258	0.013	0.01	0	40	40.4	75.7	122	124	0	29	30
2019	11	17	22	48	1	0.715	-0.072	3.258	0.013	0.01	0	40	40.4	74.8	122	124	0	29	30
2019	11	17	22	58	1	0.679	-0.102	3.258	0.016	0.013	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	17	23	8	1	0.699	-0.098	3.258	0.016	0.013	0	40	40.4	75.7	122	123	0	29	29
2019	11	17	23	18	1	0.699	-0.056	3.258	0.013	0.01	0	39.6	40.4	75.3	122	124	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	17	23	28	1	0.702	-0.105	3.258	0.013	0.01	0	40	40.4	75.3	122	124	0	29	30
2019	11	17	23	38	1	0.689	-0.075	3.258	0.016	0.013	0	39.6	40.4	74.4	122	124	0	30	30
2019	11	17	23	48	1	0.719	-0.069	3.258	0.013	0.01	0	40	40.4	74.8	122	124	0	29	30
2019	11	17	23	58	1	0.689	-0.069	3.258	0.013	0.01	0	40	40.4	75.3	122	124	0	29	30
2019	11	18	0	8	1	0.715	-0.082	3.258	0.013	0.01	0	40	40.4	74.8	122	124	0	29	30
2019	11	18	0	18	1	0.712	-0.089	3.258	0.01	0.007	0	39.6	40.9	74.4	122	124	0	30	29
2019	11	18	0	28	1	0.689	-0.108	3.258	0.01	0.007	0	40	40.4	74.8	122	124	0	29	30
2019	11	18	0	38	1	0.682	-0.062	3.258	0.013	0.01	0	40	40.4	74.4	122	124	0	29	30
2019	11	18	0	48	1	0.722	-0.098	3.258	0.016	0.016	0	40	40	74	122	123	0	29	30
2019	11	18	0	58	1	0.699	-0.069	3.258	0.016	0.016	0	40	40.9	74.4	122	124	0	29	29
2019	11	18	1	8	1	0.722	-0.082	3.258	0.01	0.007	0	40	40	74.4	122	123	0	29	30
2019	11	18	1	18	1	0.646	-0.056	3.258	0.016	0.013	0	39.6	40.9	74	122	124	0	30	29
2019	11	18	1	28	1	0.686	-0.079	3.258	0.01	0.007	0	40	40.9	74.4	122	124	0	29	29
2019	11	18	1	38	1	0.682	-0.085	3.258	0.016	0.016	0	40	40.4	73.5	122	124	0	29	30
2019	11	18	1	48	1	0.692	-0.079	3.261	0.016	0.013	0	40	40.9	74	122	124	0	29	29
2019	11	18	1	58	1	0.696	-0.085	3.261	0.01	0.007	0	40	40.9	73.5	122	124	0	29	29
2019	11	18	2	8	1	0.699	-0.059	3.264	0.013	0.01	0	40	40.9	73.5	122	124	0	29	29
2019	11	18	2	18	1	0.696	-0.046	3.261	0.013	0.01	0	40	40.4	73.5	122	124	0	29	30
2019	11	18	2	28	1	0.725	-0.082	3.264	0.013	0.01	0	39.6	40.9	73.5	122	124	0	30	29
2019	11	18	2	38	1	0.679	-0.066	3.264	0.013	0.01	0	40	40.9	73.1	122	124	0	29	29
2019	11	18	2	48	1	0.663	-0.066	3.268	0.01	0.007	0	40	40.9	72.7	122	124	0	29	29
2019	11	18	2	58	1	0.705	-0.059	3.268	0.01	0.007	0	40	40.9	73.1	122	124	0	29	29
2019	11	18	3	8	1	0.719	-0.079	3.268	0.013	0.01	0	39.6	40.9	74	122	124	0	30	29
2019	11	18	3	18	1	0.719	-0.095	3.268	0.016	0.016	0	40	40.4	74.4	122	124	0	29	30
2019	11	18	3	28	1	0.702	-0.072	3.268	0.013	0.01	0	39.6	41.3	74.4	122	125	0	30	29
2019	11	18	3	38	1	0.669	-0.089	3.271	0.016	0.013	0	40	40.4	74.4	122	124	0	29	30
2019	11	18	3	48	1	0.722	-0.079	3.271	0.016	0.013	0	40	41.3	74.4	123	125	0	30	29
2019	11	18	3	58	1	0.709	-0.069	3.268	0.016	0.013	0	40	40.9	74.4	123	124	0	30	29
2019	11	18	4	8	1	0.682	-0.059	3.271	0.016	0.013	0	40.4	40.9	74.4	123	125	0	29	30
2019	11	18	4	18	1	0.705	-0.082	3.271	0.013	0.01	0	39.6	40.9	74.8	122	125	0	30	30
2019	11	18	4	28	1	0.719	-0.108	3.271	0.016	0.016	0	40	40.4	74.8	122	124	0	29	30
2019	11	18	4	38	1	0.705	-0.075	3.271	0.01	0.007	0	40.4	40.9	75.3	123	125	0	29	30
2019	11	18	4	48	1	0.696	-0.082	3.271	0.013	0.01	0	39.6	40.4	74.8	122	124	0	30	30
2019	11	18	4	58	1	0.696	-0.079	3.271	0.016	0.013	0	39.6	41.3	75.7	122	125	0	30	29
2019	11	18	5	8	1	0.682	-0.108	3.271	0.013	0.01	0	40	40.4	75.3	123	124	0	30	30
2019	11	18	5	18	1	0.663	-0.085	3.271	0.013	0.01	0	40	41.3	75.3	123	125	0	30	29
2019	11	18	5	28	1	0.702	-0.072	3.271	0.013	0.01	0	40.4	40.9	75.7	123	125	0	29	30
2019	11	18	5	38	1	0.699	-0.069	3.271	0.013	0.01	0	40	40.9	75.7	123	125	0	30	30
2019	11	18	5	48	1	0.663	-0.056	3.271	0.013	0.01	0	40.4	40.9	75.7	123	125	0	29	30
2019	11	18	5	58	1	0.686	-0.069	3.271	0.013	0.01	0	40.4	40.9	76.1	123	125	0	29	30
2019	11	18	6	8	1	0.705	-0.046	3.271	0.013	0.01	0	40.4	40.9	76.1	123	125	0	29	30
2019	11	18	6	18	1	0.702	-0.079	3.271	0.013	0.01	0	39.6	40.9	76.1	122	125	0	30	30
2019	11	18	6	28	1	0.719	-0.082	3.271	0.013	0.01	0	40.4	40.9	76.5	123	125	0	29	30
2019	11	18	6	38	1	0.699	-0.082	3.271	0.01	0.007	0	40	40.4	77	122	124	0	29	30
2019	11	18	6	48	1	0.673	-0.085	3.271	0.013	0.01	0	40	40.9	76.5	122	124	0	29	29
2019	11	18	6	58	1	0.712	-0.079	3.271	0.016	0.016	0	40	40.4	77	122	124	0	29	30
2019	11	18	7	8	1	0.689	-0.105	3.271	0.013	0.01	0	40	40.9	77.4	122	124	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	18	7	18	1	0.719	-0.089	3.271	0.016	0.016	0	39.6	40.4	77	122	124	0	30	30
2019	11	18	7	28	1	0.673	-0.039	3.271	0.013	0.01	0	39.6	40.4	77.4	122	124	0	30	30
2019	11	18	7	38	1	0.686	-0.112	3.271	0.013	0.01	0	40	40.4	77	123	124	0	30	30
2019	11	18	7	48	1	0.689	-0.082	3.271	0.01	0.007	0	39.6	40.4	77.4	121	124	0	29	30
2019	11	18	7	58	1	0.702	-0.112	3.271	0.013	0.01	0	39.1	40	77.4	121	123	0	30	30
2019	11	18	8	8	1	0.692	-0.069	3.271	0.013	0.01	0	39.6	40.4	77.4	121	123	0	29	29
2019	11	18	8	18	1	0.699	-0.102	3.271	0.016	0.013	0	39.1	39.6	77.4	120	122	0	29	30
2019	11	18	8	28	1	0.676	-0.082	3.271	0.013	0.01	0	39.1	40	77.8	121	123	0	30	30
2019	11	18	8	38	1	0.679	-0.098	3.271	0.016	0.016	0	38.7	40	77.4	120	123	0	30	30
2019	11	18	8	48	1	0.741	-0.056	3.271	0.016	0.013	0	39.1	40	78.3	120	123	0	29	30
2019	11	18	8	58	1	0.666	-0.082	3.271	0.013	0.01	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	18	9	8	1	0.705	-0.082	3.271	0.013	0.01	0	38.7	39.6	78.3	120	122	0	30	30
2019	11	18	9	18	1	0.715	-0.092	3.271	0.013	0.01	0	38.7	39.6	78.7	120	122	0	30	30
2019	11	18	9	28	1	0.676	-0.092	3.271	0.016	0.013	0	39.6	39.6	77.8	121	122	0	29	30
2019	11	18	9	38	1	0.676	-0.072	3.271	0.01	0.007	0	38.7	39.6	77.8	120	122	0	30	30
2019	11	18	9	48	1	0.705	-0.082	3.271	0.016	0.016	0	38.3	39.1	77.8	119	121	0	30	30
2019	11	18	9	58	1	0.686	-0.069	3.274	0.01	0.007	0	37.8	38.7	78.7	118	120	0	30	30
2019	11	18	10	8	1	0.679	-0.105	3.274	0.016	0.013	0	38.7	39.1	78.3	118	120	0	28	29
2019	11	18	10	18	1	0.732	-0.069	3.274	0.016	0.013	0	38.3	38.7	78.7	118	120	0	29	30
2019	11	18	10	28	1	0.682	-0.049	3.274	0.016	0.013	0	37.4	38.3	78.3	117	119	0	30	30
2019	11	18	10	38	1	0.676	-0.102	3.274	0.013	0.01	0	37.4	38.7	78.3	117	119	0	30	29
2019	11	18	10	48	1	0.65	-0.082	3.274	0.01	0.007	0	37.4	38.3	78.3	117	119	0	30	30
2019	11	18	10	58	1	0.699	-0.082	3.274	0.016	0.013	0	38.3	38.3	78.3	118	119	0	29	30
2019	11	18	11	8	1	0.646	-0.095	3.274	0.013	0.01	0	38.3	38.7	78.3	118	120	0	29	30
2019	11	18	11	18	1	0.669	-0.112	3.274	0.013	0.01	0	40.4	40.9	77.4	124	126	0	30	31
2019	11	18	11	28	1	0.692	-0.085	3.274	0.013	0.01	0	41.7	42.6	77.8	127	129	0	30	30
2019	11	18	11	38	1	0.702	-0.089	3.274	0.013	0.01	0	39.6	39.6	78.3	121	122	0	29	30
2019	11	18	11	48	1	0.696	-0.082	3.274	0.016	0.013	0	38.3	38.7	78.3	118	120	0	29	30
2019	11	18	11	58	1	0.735	-0.069	3.274	0.01	0.007	0	37.8	38.7	77.8	118	120	0	30	30
2019	11	18	12	8	1	0.679	-0.075	3.274	0.013	0.01	0	41.3	42.1	78.3	126	128	0	30	30
2019	11	18	12	18	1	0.696	-0.089	3.274	0.016	0.013	0	39.6	40	78.7	121	123	0	29	30
2019	11	18	12	28	1	0.653	-0.079	3.274	0.013	0.01	0	39.6	40.9	60.2	122	124	0	30	29
2019	11	18	12	38	1	0.692	-0.082	3.274	0.016	0.016	0	39.1	39.6	58	120	122	0	29	30
2019	11	18	12	48	1	0.676	-0.043	3.274	0.013	0.01	0	39.1	39.6	66.7	121	122	0	30	30
2019	11	18	12	58	1	0.702	-0.082	3.274	0.013	0.01	0	38.3	39.1	61.1	119	121	0	30	30
2019	11	18	13	8	1	0.715	-0.098	3.274	0.013	0.01	0	37.8	38.7	64.9	118	120	0	30	30
2019	11	18	13	18	1	0.679	-0.082	3.274	0.01	0.007	0	37.8	38.7	55.9	118	120	0	30	30
2019	11	18	13	28	1	0.702	-0.069	3.278	0.013	0.01	0	37.8	38.7	62.8	118	120	0	30	30
2019	11	18	13	38	1	0.699	-0.085	3.278	0.01	0.007	0	37	37.8	54.2	116	118	0	30	30
2019	11	18	13	48	1	0.702	-0.072	3.278	0.01	0.007	0	37	37.8	67.9	116	118	0	30	30
2019	11	18	13	58	1	0.702	-0.089	3.278	0.016	0.013	0	37	37.8	58.9	116	118	0	30	30
2019	11	18	14	8	1	0.722	-0.079	3.278	0.013	0.01	0	37.8	37.8	65.4	117	118	0	29	30
2019	11	18	14	18	1	0.709	-0.079	3.278	0.016	0.013	0	38.3	38.7	58	118	120	0	29	30
2019	11	18	14	28	1	0.692	-0.098	3.278	0.013	0.01	0	37.4	38.3	54.6	117	119	0	30	30
2019	11	18	14	38	1	0.699	-0.059	3.278	0.016	0.013	0	37.4	38.3	63.6	117	119	0	30	30
2019	11	18	14	48	1	0.696	-0.112	3.278	0.013	0.01	0	37.4	37.8	61.5	116	118	0	29	30
2019	11	18	14	58	1	0.666	-0.092	3.278	0.013	0.01	0	37	38.3	56.8	116	119	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	18	15	8	1	0.673	-0.135	3.278	0.016	0.013	0	37.4	38.7	55	117	119	0	30	29
2019	11	18	15	18	1	0.699	-0.098	3.278	0.01	0.007	0	39.6	40.4	55.9	122	124	0	30	30
2019	11	18	15	28	1	0.709	-0.108	3.278	0.016	0.013	0	38.7	40	58.9	120	122	0	30	29
2019	11	18	15	38	1	0.709	-0.066	3.278	0.013	0.01	0	38.3	38.7	55.9	118	120	0	29	30
2019	11	18	15	48	1	0.705	-0.085	3.278	0.013	0.01	0	38.3	39.1	55	118	120	0	29	29
2019	11	18	15	58	1	0.741	-0.085	3.278	0.016	0.013	0	38.7	38.7	55	119	120	0	29	30
2019	11	18	16	8	1	0.705	-0.098	3.278	0.016	0.013	0	37.8	38.7	55	118	120	0	30	30
2019	11	18	16	18	1	0.722	-0.115	3.278	0.01	0.007	0	38.3	38.7	60.2	118	120	0	29	30
2019	11	18	16	28	1	0.709	-0.079	3.278	0.016	0.013	0	37.8	39.1	58.5	118	120	0	30	29
2019	11	18	16	38	1	0.738	-0.089	3.278	0.016	0.013	0	38.3	38.7	64.1	118	120	0	29	30
2019	11	18	16	48	1	0.732	-0.085	3.278	0.016	0.013	0	38.3	38.7	59.3	118	120	0	29	30
2019	11	18	16	58	1	0.709	-0.075	3.278	0.013	0.01	0	38.7	39.1	57.6	119	121	0	29	30
2019	11	18	17	8	1	0.725	-0.075	3.278	0.016	0.013	0	38.7	39.1	74	119	121	0	29	30
2019	11	18	17	18	1	0.699	-0.072	3.281	0.016	0.013	0	37.8	38.7	78.3	118	120	0	30	30
2019	11	18	17	28	1	0.686	-0.082	3.278	0.013	0.01	0	37.4	38.3	78.3	117	119	0	30	30
2019	11	18	17	38	1	0.669	-0.056	3.281	0.013	0.01	0	37.4	38.3	77.4	117	119	0	30	30
2019	11	18	17	48	1	0.699	-0.066	3.281	0.013	0.01	0	37.4	38.3	77.8	117	119	0	30	30
2019	11	18	17	58	1	0.673	-0.102	3.281	0.013	0.01	0	37.8	39.1	77.8	118	120	0	30	29
2019	11	18	18	8	1	0.689	-0.075	3.281	0.013	0.01	0	37.8	39.1	77.4	118	120	0	30	29
2019	11	18	18	18	1	0.728	-0.085	3.281	0.013	0.01	0	38.7	39.1	77.4	119	121	0	29	30
2019	11	18	18	28	1	0.696	-0.082	3.281	0.01	0.007	0	38.7	39.1	77.4	119	121	0	29	30
2019	11	18	18	38	1	0.722	-0.092	3.281	0.01	0.007	0	38.7	40	77.4	120	122	0	30	29
2019	11	18	18	48	1	0.709	-0.095	3.281	0.01	0.007	0	39.1	39.6	77.4	120	122	0	29	30
2019	11	18	18	58	1	0.679	-0.075	3.281	0.013	0.01	0	39.1	40	77	121	123	0	30	30
2019	11	18	19	8	1	0.705	-0.075	3.281	0.01	0.007	0	39.1	39.6	77.4	120	121	0	29	29
2019	11	18	19	18	1	0.712	-0.075	3.281	0.013	0.01	0	39.6	40	77	121	122	0	29	29
2019	11	18	19	28	1	0.728	-0.079	3.281	0.016	0.013	0	39.1	39.6	77.4	120	122	0	29	30
2019	11	18	19	38	1	0.719	-0.089	3.281	0.013	0.01	0	39.6	39.6	77.4	121	122	0	29	30
2019	11	18	19	48	1	0.696	-0.092	3.281	0.016	0.013	0	39.1	39.6	77	121	122	0	30	30
2019	11	18	19	58	1	0.699	-0.072	3.281	0.013	0.01	0	39.1	40	77.4	120	122	0	29	29
2019	11	18	20	8	1	0.728	-0.095	3.281	0.013	0.01	0	39.1	39.6	77	120	122	0	29	30
2019	11	18	20	18	1	0.692	-0.072	3.281	0.013	0.01	0	39.1	39.6	77.4	120	122	0	29	30
2019	11	18	20	28	1	0.705	-0.082	3.281	0.013	0.01	0	39.1	40	77.4	120	122	0	29	29
2019	11	18	20	38	1	0.699	-0.079	3.281	0.016	0.013	0	39.6	40.4	77.8	121	123	0	29	29
2019	11	18	20	48	1	0.705	-0.092	3.281	0.013	0.01	0	38.7	39.6	77.4	120	122	0	30	30
2019	11	18	20	58	1	0.669	-0.098	3.281	0.01	0.007	0	39.6	40.4	77	121	123	0	29	29
2019	11	18	21	8	1	0.696	-0.092	3.281	0.016	0.013	0	39.6	40.4	77.4	121	123	0	29	29
2019	11	18	21	18	1	0.712	-0.098	3.281	0.016	0.016	0	39.1	40.4	77.4	121	123	0	30	29
2019	11	18	21	28	1	0.689	-0.092	3.281	0.013	0.01	0	39.1	40	77.8	120	123	0	29	30
2019	11	18	21	38	1	0.715	-0.079	3.281	0.01	0.007	0	39.1	39.6	77.8	120	122	0	29	30
2019	11	18	21	48	1	0.725	-0.079	3.281	0.01	0.007	0	39.1	39.6	77.8	120	122	0	29	30
2019	11	18	21	58	1	0.702	-0.079	3.281	0.01	0.007	0	39.6	39.6	77.8	121	122	0	29	30
2019	11	18	22	8	1	0.705	-0.082	3.281	0.013	0.01	0	39.6	39.6	77.8	121	122	0	29	30
2019	11	18	22	18	1	0.712	-0.085	3.281	0.01	0.007	0	39.6	39.6	77.8	121	122	0	29	30
2019	11	18	22	28	1	0.692	-0.079	3.281	0.013	0.01	0	39.6	40.4	77.8	121	123	0	29	29
2019	11	18	22	38	1	0.699	-0.056	3.281	0.016	0.016	0	39.6	40.4	78.3	121	123	0	29	29
2019	11	18	22	48	1	0.702	-0.082	3.281	0.01	0.007	0	39.6	40.4	78.3	121	123	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	18	22	58	1	0.676	-0.072	3.281	0.013	0.01	0	39.1	40	78.3	121	123	0	30	30
2019	11	18	23	8	1	0.719	-0.072	3.281	0.013	0.01	0	39.6	40	78.7	121	123	0	29	30
2019	11	18	23	18	1	0.666	-0.079	3.281	0.01	0.007	0	39.6	40	78.7	121	123	0	29	30
2019	11	18	23	28	1	0.712	-0.102	3.281	0.016	0.013	0	39.6	40	78.3	121	123	0	29	30
2019	11	18	23	38	1	0.741	-0.085	3.281	0.013	0.01	0	39.1	40	78.7	121	123	0	30	30
2019	11	18	23	48	1	0.728	-0.072	3.281	0.013	0.01	0	39.1	40	78.7	121	123	0	30	30
2019	11	18	23	58	1	0.679	-0.056	3.281	0.016	0.013	0	39.6	40.4	78.7	121	123	0	29	29
2019	11	19	0	8	1	0.669	-0.085	3.281	0.013	0.01	0	40	40.9	77.8	122	124	0	29	29
2019	11	19	0	18	1	0.705	-0.098	3.281	0.013	0.01	0	40	40.4	78.7	122	124	0	29	30
2019	11	19	0	28	1	0.715	-0.102	3.281	0.013	0.01	0	40	40.9	77.8	122	124	0	29	29
2019	11	19	0	38	1	0.705	-0.085	3.281	0.013	0.01	0	40	40.4	77.8	122	124	0	29	30
2019	11	19	0	48	1	0.709	-0.082	3.281	0.013	0.01	0	39.1	40.4	78.3	121	124	0	30	30
2019	11	19	0	58	1	0.676	-0.089	3.281	0.013	0.01	0	39.6	40.9	78.3	122	124	0	30	29
2019	11	19	1	8	1	0.679	-0.059	3.281	0.01	0.007	0	40	40.9	78.7	122	124	0	29	29
2019	11	19	1	18	1	0.712	-0.115	3.281	0.016	0.013	0	39.1	40.4	78.3	121	124	0	30	30
2019	11	19	1	28	1	0.682	-0.079	3.281	0.013	0.01	0	40	40.9	77.8	122	124	0	29	29
2019	11	19	1	38	1	0.692	-0.069	3.281	0.01	0.007	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	19	1	48	1	0.722	-0.089	3.281	0.013	0.01	0	39.6	40.4	78.3	122	124	0	30	30
2019	11	19	1	58	1	0.725	-0.092	3.281	0.01	0.007	0	40.4	40.9	78.3	123	125	0	29	30
2019	11	19	2	8	1	0.719	-0.098	3.281	0.013	0.01	0	40	40.9	78.3	123	125	0	30	30
2019	11	19	2	18	1	0.705	-0.072	3.281	0.01	0.007	0	40	40.4	77.8	123	124	0	30	30
2019	11	19	2	28	1	0.728	-0.082	3.281	0.01	0.007	0	40	40.4	78.3	122	124	0	29	30
2019	11	19	2	38	1	0.692	-0.072	3.281	0.016	0.013	0	39.6	40.9	78.3	122	125	0	30	30
2019	11	19	2	48	1	0.709	-0.066	3.281	0.013	0.01	0	40.4	40.9	78.3	123	124	0	29	29
2019	11	19	2	58	1	0.692	-0.098	3.281	0.016	0.016	0	40	40.4	77.8	122	124	0	29	30
2019	11	19	3	8	1	0.696	-0.082	3.281	0.016	0.013	0	40	40.4	78.3	122	124	0	29	30
2019	11	19	3	18	1	0.705	-0.069	3.281	0.01	0.007	0	39.6	40.9	78.3	122	125	0	30	30
2019	11	19	3	28	1	0.682	-0.056	3.281	0.013	0.01	0	39.6	40.9	77.8	122	124	0	30	29
2019	11	19	3	38	1	0.692	-0.072	3.281	0.016	0.013	0	40	40.4	78.3	122	124	0	29	30
2019	11	19	3	48	1	0.676	-0.089	3.278	0.016	0.013	0	39.6	40.9	78.3	122	124	0	30	29
2019	11	19	3	58	1	0.689	-0.092	3.278	0.016	0.013	0	40	40.9	77.8	122	125	0	29	30
2019	11	19	4	8	1	0.699	-0.085	3.281	0.01	0.007	0	40.4	40.9	77.8	123	125	0	29	30
2019	11	19	4	18	1	0.709	-0.075	3.278	0.01	0.007	0	40	40.9	77.8	123	125	0	30	30
2019	11	19	4	28	1	0.696	-0.105	3.278	0.013	0.01	0	40.4	41.3	77.4	124	126	0	30	30
2019	11	19	4	38	1	0.676	-0.056	3.278	0.013	0.01	0	40.4	40.9	77.4	123	125	0	29	30
2019	11	19	4	48	1	0.676	-0.069	3.278	0.013	0.01	0	40.4	40.9	77.4	123	125	0	29	30
2019	11	19	4	58	1	0.705	-0.089	3.278	0.016	0.013	0	40	40.9	77.8	123	125	0	30	30
2019	11	19	5	8	1	0.689	-0.089	3.278	0.013	0.01	0	40	40.9	77.4	123	125	0	30	30
2019	11	19	5	18	1	0.673	-0.112	3.278	0.013	0.01	0	40	41.3	77	123	126	0	30	30
2019	11	19	5	28	1	0.722	-0.062	3.278	0.016	0.013	0	40.4	40.9	77	123	125	0	29	30
2019	11	19	5	38	1	0.676	-0.059	3.278	0.016	0.013	0	40	40.9	77	123	125	0	30	30
2019	11	19	5	48	1	0.682	-0.082	3.278	0.016	0.013	0	39.6	40.9	77.8	122	125	0	30	30
2019	11	19	5	58	1	0.705	-0.079	3.278	0.01	0.007	0	39.6	40.4	77	122	124	0	30	30
2019	11	19	6	8	1	0.686	-0.072	3.278	0.013	0.01	0	40.4	40.4	77	123	124	0	29	30
2019	11	19	6	18	1	0.679	-0.079	3.278	0.013	0.01	0	40	41.3	76.5	123	125	0	30	29
2019	11	19	6	28	1	0.679	-0.105	3.278	0.013	0.01	0	40	40.4	77	122	124	0	29	30
2019	11	19	6	38	1	0.682	-0.102	3.278	0.013	0.01	0	39.6	40.4	77	122	124	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	19	6	48	1	0.676	-0.075	3.278	0.013	0.01	0	40	40.4	76.5	122	124	0	29	30
2019	11	19	6	58	1	0.732	-0.082	3.278	0.01	0.007	0	40	40	76.5	122	123	0	29	30
2019	11	19	7	8	1	0.699	-0.079	3.278	0.013	0.01	0	40.4	40.9	76.5	123	125	0	29	30
2019	11	19	7	18	1	0.686	-0.082	3.278	0.016	0.016	0	40	40.9	75.7	123	125	0	30	30
2019	11	19	7	28	1	0.682	-0.082	3.278	0.013	0.01	0	39.6	40.4	75.7	122	124	0	30	30
2019	11	19	7	38	1	0.735	-0.082	3.278	0.016	0.013	0	39.1	40.4	76.1	121	124	0	30	30
2019	11	19	7	48	1	0.686	-0.108	3.278	0.01	0.007	0	39.6	40.9	76.1	122	124	0	30	29
2019	11	19	7	58	1	0.686	-0.046	3.278	0.016	0.016	0	39.1	40.4	76.5	121	123	0	30	29
2019	11	19	8	8	1	0.679	-0.072	3.278	0.013	0.01	0	38.7	40	76.1	120	123	0	30	30
2019	11	19	8	18	1	0.692	-0.066	3.278	0.013	0.01	0	38.3	39.6	75.7	120	122	0	31	30
2019	11	19	8	28	1	0.705	-0.089	3.278	0.016	0.013	0	39.1	39.6	75.7	121	122	0	30	30
2019	11	19	8	38	1	0.735	-0.049	3.281	0.016	0.013	0	39.1	40	74.4	121	123	0	30	30
2019	11	19	8	48	1	0.715	-0.095	3.281	0.016	0.013	0	39.1	40	75.7	120	123	0	29	30
2019	11	19	8	58	1	0.745	-0.052	3.278	0.013	0.01	0	39.1	39.1	75.3	120	121	0	29	30
2019	11	19	9	8	1	0.725	-0.089	3.281	0.013	0.01	0	38.7	39.1	75.7	119	121	0	29	30
2019	11	19	9	18	1	0.686	-0.092	3.281	0.013	0.01	0	38.3	39.1	75.7	119	121	0	30	30
2019	11	19	9	28	1	0.709	-0.118	3.281	0.016	0.013	0	37.8	38.7	74.8	118	120	0	30	30
2019	11	19	9	38	1	0.699	-0.089	3.281	0.013	0.01	0	39.1	39.6	56.3	120	122	0	29	30
2019	11	19	9	48	1	0.679	-0.079	3.281	0.01	0.007	0	37.8	38.7	68.8	118	120	0	30	30
2019	11	19	9	58	1	0.692	-0.095	3.281	0.013	0.01	0	38.7	39.1	69.2	119	121	0	29	30
2019	11	19	10	8	1	0.702	-0.069	3.281	0.016	0.013	0	39.6	40.9	68.4	122	125	0	30	30
2019	11	19	10	18	1	0.696	-0.095	3.281	0.01	0.007	0	39.1	39.6	72.7	120	122	0	29	30
2019	11	19	10	28	1	0.725	-0.069	3.281	0.013	0.01	0	38.3	39.1	74.8	119	121	0	30	30
2019	11	19	10	38	1	0.699	-0.108	3.281	0.01	0.007	0	41.3	41.7	74.8	125	127	0	29	30
2019	11	19	10	48	1	0.666	-0.108	3.281	0.013	0.01	0	38.7	39.6	67.9	120	122	0	30	30
2019	11	19	10	58	1	0.719	-0.102	3.281	0.013	0.01	0	38.7	39.1	71.8	119	121	0	29	30
2019	11	19	11	8	1	0.709	-0.082	3.281	0.016	0.013	0	39.6	40.4	75.3	121	124	0	29	30
2019	11	19	11	18	1	0.669	-0.092	3.281	0.013	0.01	0	41.3	41.7	74.4	125	126	0	29	29
2019	11	19	11	28	1	0.699	-0.052	3.281	0.01	0.007	0	38.3	39.6	74.8	119	122	0	30	30
2019	11	19	11	38	1	0.699	-0.098	3.281	0.013	0.01	0	38.7	39.6	74.8	119	122	0	29	30
2019	11	19	11	48	1	0.702	-0.066	3.281	0.013	0.01	0	38.7	39.1	75.3	119	121	0	29	30
2019	11	19	11	58	1	0.725	-0.072	3.281	0.016	0.013	0	37.8	38.7	75.3	118	120	0	30	30
2019	11	19	12	8	1	0.686	-0.102	3.284	0.013	0.01	0	37.8	38.7	74.8	118	120	0	30	30
2019	11	19	12	18	1	0.709	-0.098	3.284	0.013	0.01	0	37.8	38.7	75.3	118	120	0	30	30
2019	11	19	12	28	1	0.699	-0.092	3.284	0.01	0.007	0	38.3	39.1	75.7	118	120	0	29	29
2019	11	19	12	38	1	0.699	-0.082	3.284	0.013	0.01	0	37.4	37.4	71.8	116	118	0	29	31
2019	11	19	12	48	1	0.709	-0.108	3.284	0.013	0.01	0	37.4	37.8	74.8	117	118	0	30	30
2019	11	19	12	1	52	20.9	-2.9	1.001	0.4	0.3	0	37.4	38.3	0	117	119	0	30	30
2019	11	19	12	11	52	20.9	-3.3	1.001	0.3	0.2	0	38.3	39.1	0	118	120	0	29	29
2019	11	19	12	21	52	21.4	-2.5	1.001	0.3	0.2	0	38.3	38.7	0	118	120	0	29	30
2019	11	19	12	31	52	20.8	-2.6	1.001	0.3	0.2	0	37	38.3	0	117	119	0	31	30
2019	11	19	12	41	52	20.9	-2.6	1.001	0.3	0.2	0	38.3	38.7	0	118	120	0	29	30
2019	11	19	12	51	52	20.7	-2.9	1.001	0.4	0.3	0	37.8	38.7	0	117	120	0	29	30
2019	11	19	13	1	52	21.3	-2.4	1.001	0.4	0.3	0	37.8	38.7	0	118	120	0	30	30
2019	11	19	13	11	52	20.6	-3.3	1.001	0.3	0.2	0	37.4	38.3	0	117	119	0	30	30
2019	11	19	13	21	52	21.5	-3	1.001	0.3	0.2	0	37.4	38.3	0	117	119	0	30	30
2019	11	19	13	31	52	20.7	-1.9	1.001	0.3	0.2	0	37.4	38.7	0	117	120	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	19	13	41	52	21.8	-2.3	1.001	0.3	0.2	0	37.8	39.1	0	118	120	0	30	29
2019	11	19	13	51	52	21.1	-3.8	1.002	0.4	0.3	0	37.8	38.3	0	117	119	0	29	30
2019	11	19	14	1	52	21.6	-1.7	1.002	0.3	0.2	0	37.8	38.3	0	117	119	0	29	30
2019	11	19	14	11	52	21.5	-2.4	1.002	0.4	0.3	0	37.4	38.3	0	117	119	0	30	30
2019	11	19	14	21	52	21.1	-2.1	1.002	0.5	0.4	0	37.8	38.3	0	117	119	0	29	30
2019	11	19	14	31	52	21.9	-2.7	1.002	0.4	0.3	0	38.3	38.7	0	118	120	0	29	30
2019	11	19	14	41	52	21.2	-2.9	1.002	0.3	0.2	0	37.4	38.7	0	117	119	0	30	29
2019	11	19	14	51	52	21.8	-1.7	1.002	0.4	0.3	0	37.8	37.8	0	117	119	0	29	31
2019	11	19	15	1	52	20.6	-2.7	1.002	0.3	0.2	0	37.4	38.3	0	117	119	0	30	30
2019	11	19	15	11	52	20.4	-1.9	1.002	0.3	0.2	0	37.8	38.7	0	117	119	0	29	29
2019	11	19	15	21	52	21.1	-2.6	1.002	0.5	0.4	0	37	38.3	0	116	119	0	30	30
2019	11	19	15	31	52	20.6	-2.5	1.002	0.5	0.4	0	37.8	38.3	0	117	119	0	29	30
2019	11	19	15	41	52	20.9	-2.5	1.002	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	19	15	51	52	21.9	-3	1.002	0.5	0.4	0	37.4	37.8	0	116	118	0	29	30
2019	11	19	16	1	52	20.7	-1.9	1.002	0.4	0.3	0	37	38.3	0	116	118	0	30	29
2019	11	19	16	11	52	20.9	-2.2	1.002	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	19	16	21	52	20.8	-2.5	1.002	0.3	0.2	0	37.4	38.3	0	117	118	0	30	29
2019	11	19	16	31	52	21.8	-2.8	1.002	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	19	16	41	52	20.3	-2.8	1.002	0.4	0.3	0	37.4	38.3	0	116	118	0	29	29
2019	11	19	16	51	52	21.5	-3	1.002	0.4	0.3	0	37.4	38.3	0	117	119	0	30	30
2019	11	19	17	1	52	20.1	-2.1	1.002	0.3	0.2	0	38.3	38.7	0	118	119	0	29	29
2019	11	19	17	11	52	21.8	-2	1.002	0.4	0.3	0	38.3	38.7	0	118	120	0	29	30
2019	11	19	17	21	52	21.5	-2.5	1.002	0.5	0.4	0	38.7	38.7	0	119	120	0	29	30
2019	11	19	17	31	52	21.7	-2.5	1.002	0.3	0.2	0	38.3	39.1	0	119	121	0	30	30
2019	11	19	17	41	52	22.6	-2.6	1.002	0.3	0.2	0	38.3	38.7	0	119	121	0	30	31
2019	11	19	17	51	52	21.5	-3.2	1.002	0.4	0.3	0	38.3	39.1	0	119	121	0	30	30
2019	11	19	18	1	52	21.3	-1.7	1.002	0.4	0.3	0	38.7	39.1	0	119	121	0	29	30
2019	11	19	18	11	52	20.7	-3.1	1.002	0.4	0.3	0	38.3	39.6	0	119	121	0	30	29
2019	11	19	18	21	52	20.5	-2.6	1.002	0.5	0.4	0	38.7	39.1	0	119	121	0	29	30
2019	11	19	18	31	52	22	-1.5	1.002	0.5	0.4	0	38.3	39.1	0	119	121	0	30	30
2019	11	19	18	41	52	21.9	-2.7	1.002	0.3	0.2	0	38.7	39.6	0	120	121	0	30	29
2019	11	19	18	51	52	22.1	-2.6	1.002	0.4	0.3	0	37.8	39.1	0	118	121	0	30	30
2019	11	19	19	1	52	21	-2.3	1.002	0.6	0.5	0	38.3	39.6	0	119	122	0	30	30
2019	11	19	19	11	52	21.6	-2.3	1.002	0.3	0.2	0	38.3	39.6	0	119	122	0	30	30
2019	11	19	19	21	52	21.4	-2.7	1.002	0.4	0.3	0	39.1	39.6	0	120	122	0	29	30
2019	11	19	19	31	52	22.5	-2.5	1.002	0.4	0.3	0	38.7	39.1	0	120	121	0	30	30
2019	11	19	19	41	52	21.7	-2.5	1.002	0.3	0.2	0	39.6	40	0	121	123	0	29	30
2019	11	19	19	51	52	21.7	-2.9	1.002	0.4	0.3	0	38.7	39.6	0	119	122	0	29	30
2019	11	19	20	1	52	21.2	-1.7	1.003	0.3	0.2	0	38.7	39.1	0	120	121	0	30	30
2019	11	19	20	11	52	21.3	-1.7	1.002	0.3	0.2	0	38.3	39.6	0	119	121	0	30	29
2019	11	19	20	21	52	22	-1.8	1.003	0.3	0.2	0	39.1	39.6	0	120	122	0	29	30
2019	11	19	20	31	52	21	-2.8	1.002	0.3	0.2	0	38.7	39.1	0	119	121	0	29	30
2019	11	19	20	41	52	20.9	-2.2	1.002	0.3	0.2	0	38.7	39.1	0	119	121	0	29	30
2019	11	19	20	51	52	20.5	-2.1	1.002	0.5	0.5	0	39.1	40	0	120	122	0	29	29
2019	11	19	21	1	52	22.8	-2.9	1.002	0.4	0.3	0	38.3	39.1	0	119	121	0	30	30
2019	11	19	21	11	52	21.4	-2.9	1.003	0.4	0.3	0	39.1	39.6	0	120	122	0	29	30
2019	11	19	21	21	52	21	-2	1.002	0.5	0.4	0	38.7	40	0	120	122	0	30	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	19	21	31	52	21.2	-2.1	1.002	0.3	0.2	0	38.7	39.6	0	120	122	0	30	30
2019	11	19	21	41	52	21.8	-2.8	1.002	0.5	0.4	0	38.3	39.6	0	119	121	0	30	29
2019	11	19	21	51	52	21.2	-2.7	1.002	0.5	0.5	0	39.1	40	0	120	122	0	29	29
2019	11	19	22	1	52	21.4	-1.9	1.002	0.3	0.2	0	39.1	39.6	0	120	122	0	29	30
2019	11	19	22	11	52	21	-2.5	1.003	0.3	0.2	0	38.3	39.1	0	119	121	0	30	30
2019	11	19	22	21	52	20.8	-2.1	1.002	0.5	0.4	0	39.1	39.6	0	120	122	0	29	30
2019	11	19	22	31	52	21.4	-2.1	1.002	0.4	0.3	0	39.1	39.6	0	120	122	0	29	30
2019	11	19	22	41	52	21	-2.5	1.002	0.4	0.3	0	39.1	40.4	0	120	123	0	29	29
2019	11	19	22	51	52	21.6	-1.9	1.002	0.5	0.4	0	39.1	40	0	120	122	0	29	29
2019	11	19	23	1	52	22.4	-2.1	1.002	0.5	0.4	0	39.1	39.6	0	121	122	0	30	30
2019	11	19	23	11	52	21.2	-2.2	1.002	0.5	0.4	0	39.6	40	0	121	123	0	29	30
2019	11	19	23	21	52	20.5	-2.6	1.002	0.5	0.4	0	39.6	40	0	121	123	0	29	30
2019	11	19	23	31	52	21.4	-2.9	1.002	0.3	0.2	0	39.1	39.6	0	121	122	0	30	30
2019	11	19	23	41	52	21	-3	1.002	0.4	0.3	0	38.7	39.6	0	120	122	0	30	30
2019	11	19	23	51	52	22.3	-2.3	1.002	0.4	0.3	0	39.1	39.6	0	120	122	0	29	30
2019	11	20	0	1	52	21.9	-2.9	1.002	0.5	0.4	0	39.1	40	0	121	123	0	30	30
2019	11	20	0	11	52	22.4	-2.1	1.002	0.3	0.2	0	39.6	39.6	0	121	122	0	29	30
2019	11	20	0	21	52	21.1	-1.7	1.002	0.5	0.4	0	38.7	39.1	0	120	122	0	30	31
2019	11	20	0	31	52	20.3	-2	1.002	0.4	0.3	0	39.6	40	0	121	123	0	29	30
2019	11	20	0	41	52	22	-1.7	1.002	0.5	0.4	0	39.1	39.6	0	121	122	0	30	30
2019	11	20	0	51	52	20.7	-2.8	1.002	0.5	0.4	0	39.6	40	0	121	123	0	29	30
2019	11	20	1	1	52	21.6	-3.3	1.002	0.4	0.3	0	39.1	40.4	0	121	123	0	30	29
2019	11	20	1	11	52	21.4	-2.4	1.002	0.5	0.4	0	39.1	39.6	0	120	122	0	29	30
2019	11	20	1	21	52	21.1	-3	1.002	0.3	0.2	0	39.6	40	0	121	123	0	29	30
2019	11	20	1	31	52	22.3	-3	1.002	0.4	0.3	0	39.1	40.4	0	121	123	0	30	29
2019	11	20	1	41	52	21.5	-2.2	1.003	0.4	0.3	0	40.4	41.3	0	124	126	0	30	30
2019	11	20	1	51	52	21.1	-2.5	1.002	0.4	0.3	0	40.4	40.9	0	123	125	0	29	30
2019	11	20	2	1	52	20.8	-2	1.003	0.4	0.3	0	40	40.4	0	123	124	0	30	30
2019	11	20	2	11	52	21	-1.7	1.004	0.4	0.3	0	40.4	41.3	0	123	125	0	29	29
2019	11	20	2	21	52	22.5	-2.7	1.003	0.4	0.3	0	41.3	42.1	0	126	128	0	30	30
2019	11	20	2	31	52	21	-3.5	1.003	0.5	0.4	0	41.7	43	0	127	129	0	30	29
2019	11	20	2	41	52	21.4	-2.2	1.003	0.4	0.3	0	42.6	43.4	0	128	130	0	29	29
2019	11	20	2	51	52	21.5	-2.3	1.003	0.5	0.4	0	42.6	43.4	0	129	131	0	30	30
2019	11	20	3	1	52	21.3	-2.6	1.003	0.5	0.4	0	43.4	43.9	0	130	132	0	29	30
2019	11	20	3	11	52	20.5	-2.3	1.003	0.4	0.3	0	43.4	43.9	0	130	132	0	29	30
2019	11	20	3	21	52	21.6	-2.6	1.003	0.4	0.3	0	43.9	44.7	0	132	134	0	30	30
2019	11	20	3	31	52	21.2	-2.7	1.003	0.4	0.3	0	43.4	43.9	0	130	132	0	29	30
2019	11	20	3	41	52	21.4	-2.5	1.002	0.4	0.3	0	42.6	43.4	0	129	131	0	30	30
2019	11	20	3	51	52	21.3	-2.3	1.003	0.3	0.2	0	43.4	44.3	0	131	133	0	30	30
2019	11	20	4	1	52	21.1	-2.5	1.003	0.5	0.4	0	43.4	44.3	0	130	132	0	29	29
2019	11	20	4	11	52	21.3	-3	1.003	0.4	0.3	0	42.6	43.4	0	129	131	0	30	30
2019	11	20	4	21	52	21.4	-2.4	1.002	0.3	0.2	0	42.1	43.4	0	128	131	0	30	30
2019	11	20	4	31	52	22.3	-2.5	1.003	0.5	0.4	0	41.7	42.6	0	127	129	0	30	30
2019	11	20	4	41	52	21.4	-2.1	1.003	0.5	0.4	0	42.1	42.6	0	127	128	0	29	29
2019	11	20	4	51	52	20.4	-2.7	1.002	0.5	0.4	0	41.3	42.1	0	126	128	0	30	30
2019	11	20	5	1	52	21.2	-1.7	1.002	0.4	0.3	0	41.3	41.7	0	125	127	0	29	30
2019	11	20	5	11	52	21.7	-2.1	1.002	0.4	0.3	0	40.4	41.3	0	124	126	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	20	5	21	52	21.9	-1.7	1.003	0.5	0.4	0	40.4	41.7	0	124	126	0	30	29
2019	11	20	5	31	52	21.1	-2.2	1.002	0.4	0.3	0	40.9	41.3	0	124	126	0	29	30
2019	11	20	5	41	52	21.4	-2.4	1.002	0.4	0.3	0	43.9	44.7	0	131	134	0	29	30
2019	11	20	5	51	52	21.7	-2.4	1.003	0.3	0.2	0	43.4	43.9	0	130	132	0	29	30
2019	11	20	6	1	52	22.7	-1.9	1.002	0.5	0.4	0	41.3	42.1	0	126	128	0	30	30
2019	11	20	6	11	52	21.5	-2	1.003	0.4	0.3	0	41.7	42.1	0	126	128	0	29	30
2019	11	20	6	21	52	21.6	-2	1.003	0.4	0.3	0	41.7	42.1	0	126	128	0	29	30
2019	11	20	6	31	52	21.5	-2.2	1.003	0.4	0.3	0	40.9	42.1	0	125	128	0	30	30
2019	11	20	6	41	52	21.6	-2.3	1.002	0.4	0.3	0	40.9	41.7	0	125	126	0	30	29
2019	11	20	6	51	52	21.1	-2.1	1.002	0.5	0.4	0	40.9	40.9	0	124	126	0	29	31
2019	11	20	7	1	52	21.6	-2.3	1.002	0.3	0.2	0	40	41.3	0	123	125	0	30	29
2019	11	20	7	11	52	21.4	-2.5	1.002	0.4	0.3	0	40.4	40.9	0	123	125	0	29	30
2019	11	20	7	21	52	21.2	-2.2	1.002	0.4	0.3	0	40	40.9	0	123	125	0	30	30
2019	11	20	7	31	52	21.8	-3.2	1.002	0.4	0.3	0	41.3	42.1	0	126	128	0	30	30
2019	11	20	7	41	52	21.3	-2.5	1.002	0.4	0.3	0	41.3	41.7	0	126	127	0	30	30
2019	11	20	7	51	52	21.2	-2.2	1.001	0.4	0.3	0	40.9	41.7	0	124	126	0	29	29
2019	11	20	8	1	52	21.2	-2.2	1.002	0.3	0.2	0	42.6	43	0	129	131	0	30	31
2019	11	20	8	11	52	20.8	-1.7	1.001	0.3	0.2	0	45.2	45.6	0	134	136	0	29	30
2019	11	20	8	21	52	22.8	-1.4	1.002	0.4	0.3	0	47.3	47.7	0	139	141	0	29	30
2019	11	20	8	31	52	20.8	-1.3	1.002	0.5	0.4	0	47.7	48.6	0	140	143	0	29	30
2019	11	20	8	41	52	21.7	-1.1	1.001	0.4	0.3	0	46.9	47.7	0	139	141	0	30	30
2019	11	20	8	51	52	20.6	-2.4	1.002	0.4	0.3	0	46	46.9	0	137	139	0	30	30
2019	11	20	9	1	52	20.2	-0.9	1.002	0.5	0.4	0	45.6	46	0	136	137	0	30	30
2019	11	20	9	11	52	20.7	-1.7	1.002	0.3	0.2	0	45.2	45.6	0	134	136	0	29	30
2019	11	20	9	21	52	22.1	-1.7	1.002	0.5	0.4	0	44.7	45.2	0	133	135	0	29	30
2019	11	20	9	31	52	21.2	-0.9	1.001	0.4	0.3	0	43.9	44.7	0	132	133	0	30	29
2019	11	20	9	41	52	20.6	-0.5	1.002	0.4	0.3	0	44.3	45.2	0	133	135	0	30	30
2019	11	20	9	51	52	21.5	-1.6	1.002	0.4	0.3	0	46	46.4	0	137	138	0	30	30
2019	11	20	10	1	52	21	-1.3	1.001	0.4	0.3	0	46.4	47.7	0	138	140	0	30	29
2019	11	20	10	11	52	22	-2.4	1.001	0.4	0.3	0	46.4	46.9	0	137	139	0	29	30
2019	11	20	10	21	52	21.6	-1	1.002	0.3	0.2	0	45.6	46.4	0	136	138	0	30	30
2019	11	20	10	31	52	21.8	-1.8	1.002	0.3	0.2	0	45.6	46	0	135	137	0	29	30
2019	11	20	10	41	52	20.8	0	1.002	0.3	0.2	0	45.2	46	0	134	136	0	29	29
2019	11	20	10	51	52	21	-1.5	1.002	0.4	0.3	0	44.3	45.6	0	132	135	0	29	29
2019	11	20	11	1	52	20.6	-1.7	1.002	0.4	0.3	0	43.9	44.7	0	131	133	0	29	29
2019	11	20	11	11	52	21.7	-1.6	1.002	0.5	0.4	0	44.3	44.3	0	132	133	0	29	30
2019	11	20	11	21	52	21.1	-1.2	1.002	0.4	0.3	0	43	42.6	0	129	129	0	29	30
2019	11	20	11	31	52	21.5	-1	1.002	0.5	0.4	0	42.1	43	0	128	130	0	30	30
2019	11	20	11	41	52	21.2	-1.7	1.002	0.5	0.4	0	41.7	43.4	0	127	129	0	30	28
2019	11	20	11	51	52	21.1	-1.6	1.002	0.3	0.2	0	42.1	43	0	127	129	0	29	29
2019	11	20	12	1	52	20.1	-1.3	1.002	0.4	0.3	0	41.7	42.1	0	126	128	0	29	30
2019	11	20	12	11	52	20.6	-1.7	1.002	0.5	0.4	0	41.3	41.7	0	126	127	0	30	30
2019	11	20	12	21	52	21.5	-1.9	1.002	0.4	0.3	0	41.3	41.7	0	125	126	0	29	29
2019	11	20	12	31	52	21.6	-2.1	1.001	0.3	0.2	0	40.9	41.3	0	124	126	0	29	30
2019	11	20	12	41	52	21.1	-1.1	1.002	0.3	0.2	0	40.9	41.3	0	124	126	0	29	30
2019	11	20	12	51	52	22.1	-2.1	1.002	0.4	0.3	0	40	40.9	0	123	125	0	30	30
2019	11	20	13	1	52	21.2	-1.7	1.002	0.4	0.3	0	40	40.9	0	123	125	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	20	13	11	52	20.7	-1.5	1.003	0.4	0.3	0	39.6	40.9	0	122	125	0	30	30
2019	11	20	13	21	52	21.5	-1.6	1.002	0.3	0.2	0	40	40.4	0	122	124	0	29	30
2019	11	20	13	31	52	21.8	-0.7	1.002	0.4	0.3	0	40	40.4	0	122	124	0	29	30
2019	11	20	13	41	52	21.6	-1.5	1.002	0.5	0.5	0	40	40.4	0	122	124	0	29	30
2019	11	20	13	51	52	21.5	-2	1.001	0.4	0.3	0	40	40.9	0	122	124	0	29	29
2019	11	20	14	1	52	21.1	-1.6	1.001	0.3	0.2	0	39.1	40	0	121	123	0	30	30
2019	11	20	14	11	52	21.3	-1.8	1.001	0.3	0.2	0	39.1	40	0	121	123	0	30	30
2019	11	20	14	21	52	21.5	-1.4	1.001	0.5	0.4	0	38.7	39.1	0	120	122	0	30	31
2019	11	20	14	31	52	20.7	-2.1	1.001	0.4	0.3	0	38.7	40	0	120	122	0	30	29
2019	11	20	14	41	52	21.5	-2.1	1.001	0.4	0.3	0	39.6	40.9	0	122	124	0	30	29
2019	11	20	14	51	52	20.8	-1.3	1.001	0.4	0.3	0	43	43.4	0	129	131	0	29	30
2019	11	20	15	1	52	21.6	-0.8	1.001	0.4	0.3	0	46	46	0	136	137	0	29	30
2019	11	20	15	11	52	21.6	-1	1.003	0.4	0.3	0	49.9	49.9	0	144	146	0	28	30
2019	11	20	15	21	52	21.6	-0.6	1.003	0.4	0.3	0	51.2	51.2	0	148	149	0	29	30
2019	11	20	15	31	52	22.2	-0.8	1.004	0.4	0.3	0	51.2	51.6	0	149	151	0	30	31
2019	11	20	15	41	52	21.7	-0.4	1.005	0.4	0.3	0	52	52.5	0	150	152	0	29	30
2019	11	20	15	51	52	21.7	-1.1	1.006	0.4	0.3	0	51.6	52.5	0	150	152	0	30	30
2019	11	20	16	1	52	21.1	-1.3	1.007	0.3	0.2	0	52.9	53.3	0	152	153	0	29	29
2019	11	20	16	11	52	21.9	-0.9	1.009	0.3	0.2	0	52.9	52.9	0	152	153	0	29	30
2019	11	20	16	21	52	22.3	-1.7	1.01	0.5	0.5	0	52.9	53.8	0	153	155	0	30	30
2019	11	20	16	31	52	23.1	-0.4	1.011	0.4	0.3	0	52.9	53.8	0	153	155	0	30	30
2019	11	20	16	41	52	22.5	-0.9	1.012	0.5	0.4	0	52.9	53.3	0	152	154	0	29	30
2019	11	20	16	51	52	22.5	-1.1	1.012	0.3	0.2	0	52.9	53.3	0	152	154	0	29	30
2019	11	20	17	1	52	22.4	-1.4	1.012	0.4	0.3	0	52	52.5	0	151	152	0	30	30
2019	11	20	17	11	52	23.3	-0.4	1.013	0.5	0.4	0	52	52.5	0	150	152	0	29	30
2019	11	20	17	21	52	22.1	-0.8	1.013	0.4	0.3	0	50.3	50.7	0	147	149	0	30	31
2019	11	20	17	31	52	21.9	0.4	1.013	0.4	0.3	0	49.9	50.7	0	146	148	0	30	30
2019	11	20	17	41	52	21.5	-1	1.013	0.5	0.4	0	49.5	49.9	0	144	146	0	29	30
2019	11	20	17	51	52	20.6	-0.5	1.014	0.3	0.2	0	49.5	49.5	0	144	145	0	29	30
2019	11	20	18	1	52	22	-1.3	1.014	0.4	0.3	0	48.6	49.5	0	143	145	0	30	30
2019	11	20	18	11	52	22.3	-0.8	1.014	0.4	0.3	0	48.6	49	0	142	144	0	29	30
2019	11	20	18	21	52	22	-0.8	1.014	0.5	0.4	0	47.7	49	0	142	144	0	31	30
2019	11	20	18	31	52	20.5	0	1.015	0.4	0.3	0	47.3	48.6	0	140	142	0	30	29
2019	11	20	18	41	52	21.3	-0.4	1.015	0.4	0.3	0	46.9	47.7	0	139	141	0	30	30
2019	11	20	18	51	52	21.7	-1.9	1.015	0.3	0.2	0	46.4	47.3	0	138	140	0	30	30
2019	11	20	19	1	52	21.1	-0.3	1.016	0.5	0.4	0	46.4	46.9	0	137	139	0	29	30
2019	11	20	19	11	52	22.7	-0.8	1.015	0.4	0.3	0	46	46.4	0	136	138	0	29	30
2019	11	20	19	21	52	21.1	-0.9	1.015	0.4	0.3	0	45.6	46	0	135	137	0	29	30
2019	11	20	19	31	52	21.8	-1.3	1.015	0.3	0.2	0	45.2	45.6	0	134	136	0	29	30
2019	11	20	19	41	52	21.2	-0.8	1.015	0.3	0.2	0	44.3	45.2	0	133	135	0	30	30
2019	11	20	19	51	52	22.1	-1.7	1.015	0.5	0.5	0	44.3	44.7	0	132	134	0	29	30
2019	11	20	20	1	52	22.1	-1.2	1.015	0.5	0.4	0	43.9	44.7	0	132	133	0	30	29
2019	11	20	20	11	52	20.8	-1.7	1.015	0.3	0.2	0	43.9	44.3	0	131	133	0	29	30
2019	11	20	20	21	52	21.1	-1.1	1.015	0.4	0.3	0	43.4	43.9	0	130	132	0	29	30
2019	11	20	20	31	52	21.5	-0.8	1.015	0.5	0.4	0	43	43.9	0	130	131	0	30	29
2019	11	20	20	41	52	21.5	-1.6	1.015	0.5	0.4	0	43	43.9	0	130	132	0	30	30
2019	11	20	20	51	52	22.6	-1.5	1.016	0.3	0.2	0	43	43.9	0	130	131	0	30	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	20	21	1	52	22.3	-1.3	1.016	0.4	0.3	0	43.4	43.9	0	130	131	0	29	29
2019	11	20	21	11	52	21.9	-1.7	1.016	0.4	0.3	0	43	43.4	0	129	131	0	29	30
2019	11	20	21	21	52	22	-1.6	1.017	0.4	0.3	0	42.6	43	0	128	130	0	29	30
2019	11	20	21	31	52	21.2	-1.7	1.017	0.4	0.3	0	43	43.4	0	128	130	0	28	29
2019	11	20	21	41	52	21.8	-1	1.017	0.4	0.3	0	42.6	42.6	0	128	129	0	29	30
2019	11	20	21	51	52	21.9	-0.6	1.017	0.4	0.3	0	42.1	43	0	127	129	0	29	29
2019	11	20	22	1	52	22.1	-1.2	1.018	0.3	0.2	0	41.3	42.1	0	126	128	0	30	30
2019	11	20	22	11	52	21.7	-0.8	1.017	0.3	0.2	0	41.7	42.1	0	126	128	0	29	30
2019	11	20	22	21	52	21.2	-2.5	1.018	0.3	0.2	0	41.3	42.6	0	126	128	0	30	29
2019	11	20	22	31	52	22.4	-1.8	1.018	0.3	0.2	0	41.3	42.1	0	126	127	0	30	29
2019	11	20	22	41	52	21.1	-1.6	1.018	0.4	0.3	0	41.7	41.7	0	126	127	0	29	30
2019	11	20	22	51	52	21.5	-2.1	1.017	0.5	0.5	0	41.3	41.7	0	125	127	0	29	30
2019	11	20	23	1	52	22.3	-2	1.018	0.5	0.4	0	41.3	41.7	0	125	127	0	29	30
2019	11	20	23	11	52	21.9	-2	1.017	0.5	0.5	0	40.9	41.7	0	125	127	0	30	30
2019	11	20	23	21	52	22.2	-2.4	1.018	0.3	0.2	0	40.9	41.7	0	125	127	0	30	30
2019	11	20	23	31	52	21.7	-1.7	1.018	0.3	0.2	0	40.9	41.7	0	125	127	0	30	30
2019	11	20	23	41	52	21.9	-1.8	1.018	0.5	0.4	0	40.4	41.3	0	124	126	0	30	30
2019	11	20	23	51	52	21.5	-1.7	1.018	0.4	0.3	0	40.9	41.7	0	124	127	0	29	30
2019	11	21	0	1	52	22.3	-1.8	1.017	0.5	0.4	0	41.3	42.1	0	125	127	0	29	29
2019	11	21	0	11	52	21.6	-2.6	1.017	0.4	0.3	0	41.3	41.7	0	125	127	0	29	30
2019	11	21	0	21	52	22.1	-1.2	1.018	0.3	0.2	0	40.4	41.3	0	124	126	0	30	30
2019	11	21	0	31	52	20.9	-1.3	1.018	0.3	0.2	0	40.9	42.1	0	125	127	0	30	29
2019	11	21	0	41	52	21.7	-2.1	1.017	0.4	0.3	0	40.4	41.3	0	124	126	0	30	30
2019	11	21	0	51	52	22.9	-2	1.017	0.4	0.3	0	41.3	41.3	0	125	126	0	29	30
2019	11	21	1	1	52	21.4	-1.7	1.018	0.4	0.3	0	40.9	41.3	0	124	126	0	29	30
2019	11	21	1	11	52	22.3	-1.3	1.017	0.5	0.4	0	40.4	41.3	0	124	126	0	30	30
2019	11	21	1	21	52	22.3	-1.5	1.017	0.4	0.3	0	40.4	41.7	0	124	126	0	30	29
2019	11	21	1	31	52	21.2	-2.2	1.017	0.3	0.2	0	40.4	41.3	0	124	126	0	30	30
2019	11	21	1	41	52	21.8	-1.5	1.017	0.4	0.3	0	40.4	41.3	0	124	126	0	30	30
2019	11	21	1	51	52	21.4	-1.6	1.018	0.4	0.3	0	40.9	41.3	0	124	126	0	29	30
2019	11	21	2	1	52	21.3	-1.7	1.017	0.3	0.2	0	40.4	41.7	0	123	126	0	29	29
2019	11	21	2	11	52	21.2	-1.7	1.018	0.3	0.2	0	40.9	41.3	0	124	126	0	29	30
2019	11	21	2	21	52	21.3	-1.5	1.017	0.4	0.3	0	40.4	41.3	0	124	126	0	30	30
2019	11	21	2	31	52	21.1	-1.5	1.017	0.3	0.2	0	40.4	41.3	0	124	126	0	30	30
2019	11	21	2	41	52	21.3	-1.3	1.017	0.3	0.2	0	40.4	41.3	0	124	126	0	30	30
2019	11	21	2	51	52	21.4	-1.3	1.017	0.3	0.2	0	40.4	41.3	0	124	126	0	30	30
2019	11	21	3	1	52	21.4	-1.8	1.017	0.3	0.2	0	40.9	41.3	0	124	126	0	29	30
2019	11	21	3	11	52	20.6	-1.5	1.017	0.3	0.2	0	40.4	41.3	0	123	126	0	29	30
2019	11	21	3	21	52	22.1	-1	1.017	0.4	0.3	0	40	40.9	0	123	125	0	30	30
2019	11	21	3	31	52	21.7	-2.9	1.017	0.4	0.3	0	40.4	40.9	0	123	125	0	29	30
2019	11	21	3	41	52	20.8	-1.5	1.017	0.4	0.3	0	40.4	41.3	0	123	125	0	29	29
2019	11	21	3	51	52	20.8	-2.1	1.017	0.5	0.5	0	40.4	41.3	0	123	125	0	29	29
2019	11	21	4	1	52	21.2	-2.4	1.017	0.4	0.3	0	39.6	40.9	0	122	125	0	30	30
2019	11	21	4	11	52	20.6	-2.3	1.017	0.3	0.2	0	40.4	40.9	0	123	125	0	29	30
2019	11	21	4	21	52	22	-1.1	1.017	0.3	0.2	0	40.4	40.9	0	123	125	0	29	30
2019	11	21	4	31	52	22.2	-2.9	1.017	0.4	0.3	0	40	40.9	0	123	125	0	30	30
2019	11	21	4	41	52	20.6	-2.1	1.017	0.3	0.2	0	40.4	40.9	0	123	125	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	21	4	51	52	21.8	-1.9	1.017	0.5	0.4	0	40	40.9	0	123	125	0	30	30
2019	11	21	5	1	52	22	-2.1	1.017	0.4	0.3	0	40	40.9	0	123	125	0	30	30
2019	11	21	5	11	52	21.8	-2.7	1.017	0.4	0.3	0	40.9	41.3	0	124	125	0	29	29
2019	11	21	5	21	52	20.6	-2.4	1.017	0.3	0.2	0	40.4	41.3	0	123	125	0	29	29
2019	11	21	5	31	52	22.2	-1.6	1.017	0.5	0.4	0	39.6	40.4	0	122	124	0	30	30
2019	11	21	5	41	52	21.6	-1	1.017	0.4	0.3	0	39.6	40.4	0	122	124	0	30	30
2019	11	21	5	51	52	22.2	-2.9	1.017	0.4	0.3	0	39.6	40.4	0	121	124	0	29	30
2019	11	21	6	1	52	21	-2.2	1.017	0.5	0.4	0	39.6	39.6	0	121	123	0	29	31
2019	11	21	6	11	52	20.6	-2.1	1.017	0.4	0.3	0	39.6	40.4	0	121	124	0	29	30
2019	11	21	6	21	52	21.1	-2.3	1.017	0.3	0.2	0	40	40.4	0	122	124	0	29	30
2019	11	21	6	31	52	21.2	-2.2	1.017	0.5	0.5	0	39.6	40.4	0	122	124	0	30	30
2019	11	21	6	41	52	21.2	-2.4	1.017	0.4	0.3	0	40	40.4	0	122	124	0	29	30
2019	11	21	6	51	52	21.6	-2.3	1.017	0.4	0.3	0	39.6	40	0	121	123	0	29	30
2019	11	21	7	1	52	20.8	-1.5	1.017	0.5	0.4	0	39.1	40	0	121	123	0	30	30
2019	11	21	7	11	52	21.8	-2.1	1.017	0.3	0.2	0	39.6	40.9	0	122	124	0	30	29
2019	11	21	7	21	52	22.7	-2.1	1.017	0.3	0.2	0	38.7	40	0	120	123	0	30	30
2019	11	21	7	31	52	21.2	-1.6	1.017	0.4	0.3	0	39.1	39.6	0	120	122	0	29	30
2019	11	21	7	41	52	20.9	-2.5	1.017	0.5	0.4	0	38.7	39.6	0	120	122	0	30	30
2019	11	21	7	51	52	22.4	-2	1.017	0.4	0.3	0	39.1	39.6	0	120	122	0	29	30
2019	11	21	8	1	52	21.5	-2.2	1.017	0.5	0.4	0	39.1	39.6	0	120	122	0	29	30
2019	11	21	8	11	52	21.9	-1.8	1.017	0.3	0.2	0	38.3	39.1	0	119	121	0	30	30
2019	11	21	8	21	52	21.3	-2	1.017	0.3	0.2	0	38.3	39.1	0	119	121	0	30	30
2019	11	21	8	31	52	22	-1.7	1.017	0.3	0.2	0	37.8	39.1	0	118	120	0	30	29
2019	11	21	8	41	52	20.7	-2.1	1.017	0.5	0.4	0	38.3	39.1	0	118	120	0	29	29
2019	11	21	8	51	52	20.5	-1.4	1.017	0.5	0.4	0	37.8	38.7	0	118	120	0	30	30
2019	11	21	9	1	52	21.7	-1.4	1.017	0.4	0.3	0	37.4	38.3	0	117	119	0	30	30
2019	11	21	9	11	52	21.8	-2	1.017	0.3	0.2	0	37.8	38.3	0	118	119	0	30	30
2019	11	21	9	21	52	21.8	-1.5	1.017	0.3	0.2	0	37.8	38.7	0	117	120	0	29	30
2019	11	21	9	31	52	21.3	-2.3	1.017	0.5	0.4	0	37.4	37.8	0	117	118	0	30	30
2019	11	21	9	41	52	21.1	-2	1.017	0.5	0.4	0	37.8	38.7	0	117	120	0	29	30
2019	11	21	9	51	52	22.4	-2.3	1.017	0.5	0.4	0	37.4	38.3	0	117	119	0	30	30
2019	11	21	10	1	52	22.9	-2.5	1.017	0.5	0.4	0	37.4	38.3	0	116	119	0	29	30
2019	11	21	10	11	52	22.2	-1.9	1.017	0.4	0.3	0	37.4	38.7	0	117	119	0	30	29
2019	11	21	10	21	52	21.9	-1.7	1.017	0.3	0.2	0	38.7	40	0	120	122	0	30	29
2019	11	21	10	31	52	21.4	-2	1.017	0.5	0.4	0	37.8	38.7	0	118	120	0	30	30
2019	11	21	10	41	52	21.4	-1.7	1.017	0.3	0.2	0	37	38.3	0	116	119	0	30	30
2019	11	21	10	51	52	21.5	-2.1	1.017	0.3	0.2	0	38.3	38.7	0	118	120	0	29	30
2019	11	21	11	1	52	21	-1.9	1.017	0.4	0.3	0	37.4	38.7	0	117	119	0	30	29
2019	11	21	11	11	52	22.1	-2	1.017	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	21	11	21	52	21.9	-3.3	1.017	0.4	0.3	0	36.5	37.8	0	115	118	0	30	30
2019	11	21	11	31	52	21.3	-1.5	1.017	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	21	11	41	52	22.1	-2.5	1.016	0.3	0.2	0	37	37.8	0	116	117	0	30	29
2019	11	21	11	51	52	22	-2.5	1.017	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	21	12	1	52	21.5	-2.5	1.016	0.3	0.2	0	37	37.4	0	115	117	0	29	30
2019	11	21	12	11	52	21.9	-2.5	1.016	0.5	0.4	0	36.1	37	0	114	116	0	30	30
2019	11	21	12	21	52	21	-1.3	1.015	0.3	0.2	0	37	37.4	0	115	117	0	29	30
2019	11	21	12	31	52	21.6	-2.3	1.015	0.4	0.3	0	37	37.4	0	115	117	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	21	12	41	52	20.7	-2.4	1.015	0.3	0.2	0	36.5	37.8	0	115	117	0	30	29
2019	11	21	12	51	52	21.9	-1.9	1.014	0.5	0.4	0	37	37.8	0	116	118	0	30	30
2019	11	21	13	1	52	21	-2.1	1.014	0.4	0.3	0	37.4	37.8	0	117	118	0	30	30
2019	11	21	13	11	52	21.5	-2.1	1.014	0.3	0.2	0	37.4	37.8	0	116	118	0	29	30
2019	11	21	13	21	52	20.2	-1.7	1.014	0.4	0.3	0	37	37.4	0	116	117	0	30	30
2019	11	21	13	31	52	21.4	-2.7	1.014	0.3	0.2	0	36.5	37.4	0	115	117	0	30	30
2019	11	21	13	41	52	22.1	-2.3	1.014	0.4	0.3	0	36.5	37.4	0	115	117	0	30	30
2019	11	21	13	51	52	22.5	-2.7	1.014	0.4	0.3	0	36.5	37	0	114	116	0	29	30
2019	11	21	14	1	52	22.2	-1.7	1.014	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	21	14	11	52	21.8	-3	1.014	0.4	0.3	0	37	37.8	0	115	117	0	29	29
2019	11	21	14	21	52	21.1	-2.3	1.014	0.3	0.2	0	37	37.4	0	115	117	0	29	30
2019	11	21	14	31	52	21.2	-2.1	1.014	0.4	0.3	0	36.5	37.4	0	115	117	0	30	30
2019	11	21	14	41	52	22.3	-3.3	1.014	0.5	0.4	0	36.5	37.4	0	114	116	0	29	29
2019	11	21	14	51	52	21.7	-2.9	1.014	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	21	15	1	52	22.4	-2.8	1.014	0.3	0.2	0	36.5	36.1	0	114	115	0	29	31
2019	11	21	15	11	52	23.2	-2.5	1.014	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	21	15	21	52	22.5	-2.9	1.014	0.4	0.3	0	36.1	36.5	0	114	115	0	30	30
2019	11	21	15	31	52	22.1	-2.8	1.014	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	21	15	41	52	21.9	-1.7	1.014	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	21	15	51	52	21.1	-2.9	1.014	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	21	16	1	52	22.1	-2.6	1.014	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	21	16	11	52	22	-2.2	1.013	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	21	16	21	52	21	-2.6	1.013	0.3	0.2	0	36.1	37	0	114	116	0	30	30
2019	11	21	16	31	52	20.5	-1.7	1.013	0.4	0.3	0	36.5	37.4	0	115	117	0	30	30
2019	11	21	16	41	52	20.7	-2.3	1.013	0.3	0.2	0	36.1	37.4	0	114	116	0	30	29
2019	11	21	16	51	52	22.2	-2.1	1.013	0.4	0.3	0	36.1	36.5	0	114	115	0	30	30
2019	11	21	17	1	52	21.9	-2.2	1.012	0.3	0.2	0	36.1	37	0	114	116	0	30	30
2019	11	21	17	11	52	22	-2.1	1.012	0.3	0.2	0	36.5	37.4	0	114	116	0	29	29
2019	11	21	17	21	52	21.6	-1.7	1.012	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	21	17	31	52	21.5	-2.2	1.012	0.4	0.3	0	36.5	37	0	115	116	0	30	30
2019	11	21	17	41	52	20.7	-1.7	1.012	0.3	0.2	0	36.5	37.4	0	115	116	0	30	29
2019	11	21	17	51	52	21.9	-2.7	1.012	0.4	0.3	0	37	37	0	115	116	0	29	30
2019	11	21	18	1	52	21.2	-2.7	1.012	0.3	0.2	0	37.4	37.8	0	116	118	0	29	30
2019	11	21	18	11	52	21.8	-3	1.012	0.3	0.2	0	36.1	37	0	114	116	0	30	30
2019	11	21	18	21	52	20.5	-2.5	1.012	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	21	18	31	52	21.7	-2.7	1.012	0.5	0.4	0	36.5	37.4	0	114	116	0	29	29
2019	11	21	18	41	52	22	-2.7	1.012	0.4	0.3	0	36.5	37	0	114	116	0	29	30
2019	11	21	18	51	52	22	-2.4	1.011	0.5	0.4	0	36.1	37	0	114	116	0	30	30
2019	11	21	19	1	52	21.4	-2.2	1.011	0.3	0.2	0	36.5	37	0	114	116	0	29	30
2019	11	21	19	11	52	20.7	-1.8	1.011	0.5	0.4	0	36.5	37.4	0	115	116	0	30	29
2019	11	21	19	21	52	21.8	-2	1.011	0.3	0.2	0	36.5	37.4	0	114	116	0	29	29
2019	11	21	19	31	52	21.6	-2.4	1.011	0.5	0.4	0	36.1	37.4	0	114	117	0	30	30
2019	11	21	19	41	52	22	-2.5	1.011	0.4	0.3	0	36.5	37	0	114	116	0	29	30
2019	11	21	19	51	52	19.8	-1.9	1.011	0.4	0.3	0	36.5	37	0	114	116	0	29	30
2019	11	21	20	1	52	21	-3.3	1.011	0.4	0.3	0	36.5	37	0	114	116	0	29	30
2019	11	21	20	11	52	21.8	-2.8	1.011	0.3	0.2	0	36.1	37	0	114	116	0	30	30
2019	11	21	20	21	52	22	-2.8	1.011	0.5	0.4	0	36.1	37	0	114	116	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	21	20	31	52	22.1	-2.6	1.011	0.3	0.2	0	36.1	37	0	114	116	0	30	30
2019	11	21	20	41	52	20.5	-2.5	1.011	0.5	0.4	0	36.5	37.4	0	114	117	0	29	30
2019	11	21	20	51	52	21.4	-2.4	1.011	0.3	0.2	0	36.1	37.4	0	114	116	0	30	29
2019	11	21	21	1	52	21.6	-3	1.011	0.5	0.4	0	36.5	37.4	0	115	117	0	30	30
2019	11	21	21	11	52	21.2	-2.8	1.01	0.5	0.4	0	37	37.4	0	115	116	0	29	29
2019	11	21	21	21	52	21.9	-1.9	1.01	0.5	0.4	0	36.5	37.4	0	114	117	0	29	30
2019	11	21	21	31	52	21.1	-2.4	1.01	0.4	0.3	0	37	37.8	0	115	117	0	29	29
2019	11	21	21	41	52	21.7	-3.2	1.01	0.5	0.4	0	37	37.4	0	115	117	0	29	30
2019	11	21	21	51	52	21	-2.1	1.01	0.5	0.4	0	36.5	37.4	0	115	117	0	30	30
2019	11	21	22	1	52	21.6	-3.3	1.01	0.3	0.2	0	36.5	37.4	0	115	117	0	30	30
2019	11	21	22	11	52	21.8	-2.6	1.01	0.4	0.3	0	36.5	37.4	0	115	117	0	30	30
2019	11	21	22	21	52	21.1	-2.8	1.01	0.4	0.3	0	37	37.8	0	115	117	0	29	29
2019	11	21	22	31	52	21.2	-2.5	1.009	0.5	0.4	0	37.8	37.8	0	117	118	0	29	30
2019	11	21	22	41	52	22.1	-2.6	1.009	0.4	0.3	0	37.4	38.3	0	117	119	0	30	30
2019	11	21	22	51	52	20.3	-2.9	1.009	0.5	0.4	0	37.4	38.7	0	117	119	0	30	29
2019	11	21	23	1	52	21.1	-1.5	1.009	0.3	0.2	0	37.4	38.3	0	117	119	0	30	30
2019	11	21	23	11	52	21.6	-2.8	1.009	0.3	0.2	0	37	37.8	0	116	118	0	30	30
2019	11	21	23	21	52	21.3	-2.6	1.009	0.3	0.2	0	37	38.3	0	116	118	0	30	29
2019	11	21	23	31	52	21.2	-2.4	1.008	0.4	0.3	0	38.3	39.1	0	119	121	0	30	30
2019	11	21	23	41	52	20	-2.3	1.008	0.4	0.3	0	37.8	38.3	0	117	119	0	29	30
2019	11	21	23	51	52	22	-3.2	1.008	0.4	0.3	0	37.4	37.8	0	116	118	0	29	30
2019	11	22	0	1	52	21.7	-3.2	1.008	0.4	0.3	0	37.4	38.3	0	116	118	0	29	29
2019	11	22	0	11	52	21.1	-2.4	1.008	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	22	0	21	52	21	-2.8	1.008	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	22	0	31	52	21.9	-3.5	1.008	0.4	0.3	0	37	37.8	0	115	118	0	29	30
2019	11	22	0	41	52	20.7	-2.8	1.007	0.4	0.3	0	37.4	37.8	0	116	118	0	29	30
2019	11	22	0	51	52	21.1	-2.1	1.007	0.3	0.2	0	37.4	37.8	0	116	118	0	29	30
2019	11	22	1	1	52	21.1	-3	1.007	0.3	0.2	0	37	38.3	0	116	118	0	30	29
2019	11	22	1	11	52	19.9	-2.6	1.007	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	22	1	21	52	20.3	-1.7	1.007	0.3	0.2	0	37.4	37.8	0	117	118	0	30	30
2019	11	22	1	31	52	20.9	-1.7	1.006	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	22	1	41	52	21.3	-2.6	1.006	0.3	0.2	0	37.8	37.8	0	117	118	0	29	30
2019	11	22	1	51	52	20.5	-2.8	1.005	0.4	0.3	0	37.8	38.7	0	117	119	0	29	29
2019	11	22	2	1	52	20.5	-2	1.005	0.4	0.3	0	37	38.3	0	116	118	0	30	29
2019	11	22	2	11	52	22	-2.7	1.004	0.5	0.4	0	37	37.8	0	116	118	0	30	30
2019	11	22	2	21	52	21.8	-2.8	1.004	0.5	0.4	0	37.4	37.8	0	116	118	0	29	30
2019	11	22	2	31	52	21.4	-1.5	1.003	0.4	0.3	0	37.4	37.8	0	116	118	0	29	30
2019	11	22	2	41	52	20.8	-2.1	1.003	0.4	0.3	0	37.4	37.8	0	116	118	0	29	30
2019	11	22	2	51	52	20.6	-3.6	1.002	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	22	3	1	52	22.2	-1.4	1.002	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	22	3	11	52	20.5	-2.1	1.002	0.3	0.2	0	37	37.8	0	116	118	0	30	30
2019	11	22	3	21	52	20.7	-2.1	1.002	0.5	0.4	0	37.8	38.3	0	117	119	0	29	30
2019	11	22	3	31	52	20.8	-1.5	1.002	0.5	0.4	0	37.8	38.3	0	117	119	0	29	30
2019	11	22	3	41	52	20.7	-2.2	1.002	0.5	0.4	0	37.4	38.3	0	116	119	0	29	30
2019	11	22	3	51	52	21.7	-2.4	1.002	0.3	0.2	0	37.4	38.3	0	117	119	0	30	30
2019	11	22	4	1	52	21.1	-2.6	1.001	0.3	0.2	0	37.8	38.7	0	117	119	0	29	29
2019	11	22	4	11	52	21.3	-3.1	1.001	0.3	0.2	0	37.8	38.3	0	117	119	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	22	4	21	52	21.2	-3.2	1.001	0.3	0.2	0	37.4	38.3	0	117	119	0	30	30
2019	11	22	4	31	52	20.4	-2.9	1.001	0.4	0.3	0	37.4	38.3	0	117	119	0	30	30
2019	11	22	4	41	52	20.9	-3.2	1.001	0.3	0.2	0	37.4	38.7	0	117	119	0	30	29
2019	11	22	4	51	52	20.7	-2.1	1.001	0.4	0.3	0	37.4	38.3	0	117	119	0	30	30
2019	11	22	5	1	52	22.1	-2	1	0.3	0.2	0	37	38.3	0	116	119	0	30	30
2019	11	22	5	11	52	21.1	-2.5	1	0.4	0.3	0	37.4	38.3	0	117	119	0	30	30
2019	11	22	5	21	52	21.2	-2.7	1	0.3	0.2	0	37.8	38.3	0	117	119	0	29	30
2019	11	22	5	31	52	20.9	-2.7	1	0.4	0.3	0	37.4	38.3	0	116	119	0	29	30
2019	11	22	5	41	52	21.7	-3	1	0.3	0.2	0	37	38.3	0	116	118	0	30	29
2019	11	22	5	51	52	21.3	-3	1	0.5	0.4	0	37.4	37.8	0	116	118	0	29	30
2019	11	22	6	1	52	21.4	-3.3	1	0.3	0.2	0	37	38.3	0	116	118	0	30	29
2019	11	22	6	11	52	20.9	-2.8	1	0.3	0.2	0	37.8	38.3	0	117	119	0	29	30
2019	11	22	6	21	52	21.3	-2.6	0.999	0.4	0.3	0	37.4	38.3	0	117	119	0	30	30
2019	11	22	6	31	52	22.1	-2.9	0.999	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	22	6	41	52	21.3	-2.3	0.999	0.5	0.4	0	37	37.8	0	116	118	0	30	30
2019	11	22	6	51	52	21.1	-2.8	0.999	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	22	7	1	52	20.9	-2.5	0.999	0.4	0.3	0	36.5	37.8	0	115	118	0	30	30
2019	11	22	7	11	52	21.6	-3.1	0.999	0.4	0.3	0	36.5	37.4	0	115	117	0	30	30
2019	11	22	7	21	52	21.5	-2.5	0.999	0.4	0.3	0	36.5	37.8	0	114	117	0	29	29
2019	11	22	7	31	52	20.3	-2	0.999	0.3	0.2	0	36.1	37.4	0	114	117	0	30	30
2019	11	22	7	41	52	21.2	-2.4	0.998	0.4	0.3	0	35.7	37	0	113	116	0	30	30
2019	11	22	7	51	52	20.3	-2.6	0.998	0.5	0.4	0	35.7	37	0	113	116	0	30	30
2019	11	22	8	1	52	20.7	-3	0.998	0.3	0.2	0	35.7	36.1	0	113	115	0	30	31
2019	11	22	8	11	52	19.7	-2.9	0.998	0.4	0.3	0	36.5	37.4	0	114	117	0	29	30
2019	11	22	8	21	52	20.9	-3.2	0.998	0.3	0.2	0	36.5	37	0	114	116	0	29	30
2019	11	22	8	31	52	20.2	-1.6	0.998	0.4	0.3	0	35.3	36.1	0	112	114	0	30	30
2019	11	22	8	41	52	21.3	-3	0.998	0.4	0.3	0	34.8	36.1	0	111	113	0	30	29
2019	11	22	8	51	52	21	-3.2	0.998	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2019	11	22	9	1	52	20.5	-2.2	0.998	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	22	9	11	52	20.9	-2.5	0.998	0.4	0.3	0	35.3	36.1	0	112	114	0	30	30
2019	11	22	9	21	52	20.1	-2.5	0.998	0.3	0.2	0	36.5	37.4	0	114	117	0	29	30
2019	11	22	9	31	52	21.4	-3.3	0.998	0.4	0.3	0	37.4	37.8	0	116	118	0	29	30
2019	11	22	9	41	52	21	-2.7	0.998	0.5	0.5	0	36.1	37	0	114	116	0	30	30
2019	11	22	9	51	52	20.9	-1.3	0.998	0.5	0.4	0	36.1	36.5	0	113	115	0	29	30
2019	11	22	10	1	52	21.4	-3.3	0.998	0.5	0.4	0	36.1	37	0	114	116	0	30	30
2019	11	22	10	11	52	21.3	-3.1	0.998	0.3	0.2	0	35.3	35.7	0	112	114	0	30	31
2019	11	22	10	21	52	21.8	-3	0.997	0.5	0.4	0	35.3	36.1	0	112	114	0	30	30
2019	11	22	10	31	52	21.9	-1.8	0.998	0.3	0.2	0	35.3	35.7	0	112	114	0	30	31
2019	11	22	10	41	52	20.6	-1.7	0.997	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	22	10	51	52	21.8	-2.2	0.998	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	22	11	1	52	20.5	-2.8	0.997	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2019	11	22	11	11	52	20.1	-2.1	0.997	0.5	0.4	0	35.3	35.7	0	111	113	0	29	30
2019	11	22	11	21	52	20.6	-2.5	0.997	0.4	0.3	0	34.8	35.3	0	111	113	0	30	31
2019	11	22	11	31	52	21.4	-3.8	0.997	0.5	0.4	0	34.4	35.3	0	110	112	0	30	30
2019	11	22	11	41	52	21.9	-2.8	0.997	0.4	0.3	0	34.8	35.3	0	110	112	0	29	30
2019	11	22	11	51	52	20.8	-2.5	0.997	0.3	0.2	0	35.3	35.3	0	111	113	0	29	31
2019	11	22	12	1	52	21	-3.1	0.997	0.4	0.3	0	34.4	35.3	0	110	112	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	22	12	11	52	21.2	-3.2	0.997	0.3	0.2	0	35.3	35.3	0	111	112	0	29	30
2019	11	22	12	21	52	21.8	-2.8	0.997	0.3	0.2	0	34.8	35.3	0	111	112	0	30	30
2019	11	22	12	31	52	20.6	-3	0.997	0.5	0.4	0	34.8	35.3	0	111	113	0	30	31
2019	11	22	12	41	52	21.4	-1.7	0.997	0.3	0.2	0	34.8	35.3	0	111	112	0	30	30
2019	11	22	12	51	52	20.3	-2.5	0.997	0.3	0.2	0	35.3	36.1	0	111	113	0	29	29
2019	11	22	13	1	52	20.9	-2.5	0.997	0.4	0.3	0	34.4	35.3	0	110	112	0	30	30
2019	11	22	13	11	52	21	-2.4	0.997	0.4	0.3	0	34.8	35.3	0	110	112	0	29	30
2019	11	22	13	21	52	21.5	-1.7	0.997	0.3	0.2	0	34.8	35.3	0	110	112	0	29	30
2019	11	22	13	31	52	21.9	-3	0.996	0.3	0.2	0	34.4	34.8	0	109	111	0	29	30
2019	11	22	13	41	52	21.2	-3.2	0.996	0.3	0.2	0	34.8	35.3	0	110	112	0	29	30
2019	11	22	13	51	52	20.4	-1.7	0.996	0.4	0.3	0	34.8	35.7	0	110	113	0	29	30
2019	11	22	14	1	52	21.1	-2.8	0.996	0.3	0.2	0	35.3	35.7	0	111	113	0	29	30
2019	11	22	14	11	52	21.4	-3.3	0.996	0.3	0.2	0	35.3	35.7	0	111	113	0	29	30
2019	11	22	14	21	52	21	-2.7	0.996	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2019	11	22	14	31	52	21	-2.1	0.996	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2019	11	22	14	41	52	21	-2.9	0.996	0.3	0.2	0	34.4	34.8	0	110	112	0	30	31
2019	11	22	14	51	52	20.7	-2.4	0.995	0.3	0.2	0	34	34.8	0	109	111	0	30	30
2019	11	22	15	1	52	20.6	-2.6	0.995	0.3	0.2	0	34	34.8	0	109	111	0	30	30
2019	11	22	15	11	52	20.8	-4.1	0.995	0.3	0.2	0	34	34.8	0	109	111	0	30	30
2019	11	22	15	21	52	21.1	-2.6	0.995	0.3	0.2	0	34	35.3	0	109	111	0	30	29
2019	11	22	15	31	52	21	-2.4	0.995	0.5	0.4	0	33.5	34.8	0	108	111	0	30	30
2019	11	22	15	41	52	21.4	-2.2	0.995	0.4	0.3	0	34.4	34.8	0	109	111	0	29	30
2019	11	22	15	51	52	20.5	-2.8	0.995	0.4	0.3	0	34.4	34.8	0	109	111	0	29	30
2019	11	22	16	1	52	21.3	-1.3	0.994	0.4	0.3	0	34.4	35.3	0	109	111	0	29	29
2019	11	22	16	11	52	21.7	-2.2	0.994	0.4	0.3	0	36.5	37	0	114	116	0	29	30
2019	11	22	16	21	52	20.5	-2.5	0.992	0.5	0.4	0	34.4	35.7	0	110	112	0	30	29
2019	11	22	16	31	52	20.9	-2.9	0.992	0.4	0.3	0	34.8	35.3	0	110	112	0	29	30
2019	11	22	16	41	52	21.4	-3.4	0.992	0.4	0.3	0	35.3	36.5	0	112	114	0	30	29
2019	11	22	16	51	52	21.1	-2.1	0.992	0.3	0.2	0	35.7	36.5	0	112	114	0	29	29
2019	11	22	17	1	52	21.3	-2.5	0.992	0.3	0.2	0	34.4	35.3	0	110	112	0	30	30
2019	11	22	17	11	52	20.5	-1.8	0.992	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2019	11	22	17	21	52	21.7	-1.6	0.991	0.4	0.3	0	35.7	36.1	0	112	114	0	29	30
2019	11	22	17	31	52	20.3	-2.1	0.991	0.5	0.4	0	35.7	36.1	0	113	114	0	30	30
2019	11	22	17	41	52	21.5	-2.1	0.991	0.5	0.4	0	35.7	37	0	113	115	0	30	29
2019	11	22	17	51	52	21.4	-3	0.991	0.5	0.4	0	35.7	36.1	0	113	114	0	30	30
2019	11	22	18	1	52	20.2	-1.7	0.991	0.3	0.2	0	35.7	36.5	0	112	114	0	29	29
2019	11	22	18	11	52	19.7	-2.6	0.991	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	22	18	21	52	20.8	-2.5	0.991	0.5	0.4	0	35.7	36.1	0	112	114	0	29	30
2019	11	22	18	31	52	21.2	-3.7	0.991	0.5	0.4	0	35.3	36.1	0	112	114	0	30	30
2019	11	22	18	41	52	20.3	-3	0.991	0.5	0.4	0	35.3	36.1	0	112	114	0	30	30
2019	11	22	18	51	52	20.3	-2.9	0.991	0.4	0.3	0	35.3	36.5	0	112	114	0	30	29
2019	11	22	19	1	52	21.8	-2.3	0.991	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	22	19	11	52	21.8	-2.5	0.991	0.4	0.3	0	35.3	36.1	0	111	114	0	29	30
2019	11	22	19	21	52	20.7	-1.7	0.991	0.3	0.2	0	36.1	36.5	0	112	115	0	28	30
2019	11	22	19	31	52	20.6	-2.4	0.991	0.4	0.3	0	35.7	36.1	0	112	114	0	29	30
2019	11	22	19	41	52	20.9	-2.7	0.99	0.4	0.3	0	35.7	36.1	0	112	114	0	29	30
2019	11	22	19	51	52	19.9	-2.7	0.99	0.4	0.3	0	35.7	36.5	0	112	114	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	22	20	1	52	21.6	-2.2	0.99	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	22	20	11	52	20.8	-2.5	0.99	0.5	0.4	0	35.3	36.1	0	111	113	0	29	29
2019	11	22	20	21	52	21.2	-2.8	0.99	0.4	0.3	0	35.7	36.1	0	112	114	0	29	30
2019	11	22	20	31	52	21.2	-2.8	0.99	0.5	0.4	0	35.7	36.1	0	112	114	0	29	30
2019	11	22	20	41	52	21.5	-2.6	0.99	0.5	0.4	0	35.3	36.1	0	112	114	0	30	30
2019	11	22	20	51	52	20.7	-1.2	0.99	0.5	0.4	0	35.7	36.1	0	112	114	0	29	30
2019	11	22	21	1	52	19.5	-3.2	0.99	0.5	0.4	0	35.7	36.1	0	112	114	0	29	30
2019	11	22	21	11	52	20.5	-2.3	0.989	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	22	21	21	52	21.6	-2	0.989	0.3	0.2	0	36.1	37	0	113	115	0	29	29
2019	11	22	21	31	52	21.2	-3.4	0.989	0.4	0.3	0	35.7	36.5	0	112	114	0	29	29
2019	11	22	21	41	52	20.5	-3.5	0.989	0.3	0.2	0	36.5	37	0	114	116	0	29	30
2019	11	22	21	51	52	20.5	-2.3	0.989	0.4	0.3	0	36.1	36.5	0	113	115	0	29	30
2019	11	22	22	1	52	21.2	-2.9	0.989	0.3	0.2	0	35.7	37	0	113	115	0	30	29
2019	11	22	22	11	52	21.8	-2.5	0.989	0.5	0.4	0	35.7	36.5	0	113	115	0	30	30
2019	11	22	22	21	52	20.8	-2.5	0.989	0.3	0.2	0	35.3	36.5	0	112	114	0	30	29
2019	11	22	22	31	52	20.5	-1.7	0.989	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	22	22	41	52	20.3	-1.8	0.989	0.4	0.3	0	35.7	36.1	0	112	114	0	29	30
2019	11	22	22	51	52	21.2	-2.5	0.988	0.5	0.4	0	37.8	38.7	0	118	119	0	30	29
2019	11	22	23	1	52	21.9	-2.4	0.988	0.3	0.2	0	36.1	36.5	0	114	115	0	30	30
2019	11	22	23	11	52	21.3	-2.6	0.988	0.3	0.2	0	37	37.4	0	115	117	0	29	30
2019	11	22	23	21	52	21.2	-2.2	0.988	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	22	23	31	52	21.4	-2.2	0.988	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	22	23	41	52	20.8	-2.5	0.988	0.3	0.2	0	35.7	37	0	113	115	0	30	29
2019	11	22	23	51	52	20.1	-2.4	0.988	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	0	1	52	21.1	-2.7	0.988	0.5	0.4	0	36.1	36.5	0	113	115	0	29	30
2019	11	23	0	11	52	20.6	-2.4	0.988	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	0	21	52	19.8	-2.4	0.988	0.3	0.2	0	36.1	36.5	0	113	115	0	29	30
2019	11	23	0	31	52	21.1	-1.9	0.987	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	0	41	52	20.2	-2.5	0.987	0.3	0.2	0	36.1	37	0	113	115	0	29	29
2019	11	23	0	51	52	21	-2.3	0.987	0.3	0.2	0	36.1	37	0	113	115	0	29	29
2019	11	23	1	1	52	20.6	-3	0.987	0.5	0.4	0	36.1	36.5	0	113	115	0	29	30
2019	11	23	1	11	52	20.9	-2.9	0.987	0.4	0.3	0	36.5	36.5	0	114	115	0	29	30
2019	11	23	1	21	52	20.3	-2	0.987	0.5	0.4	0	36.5	37.4	0	114	116	0	29	29
2019	11	23	1	31	52	20.9	-2.2	0.987	0.3	0.2	0	36.5	36.5	0	114	115	0	29	30
2019	11	23	1	41	52	20.3	-2.1	0.986	0.4	0.3	0	36.1	37	0	113	116	0	29	30
2019	11	23	1	51	52	21.4	-1.9	0.986	0.5	0.4	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	2	1	52	20.7	-2.7	0.986	0.5	0.4	0	35.7	37	0	113	115	0	30	29
2019	11	23	2	11	52	21.8	-1.8	0.986	0.3	0.2	0	36.1	36.5	0	113	115	0	29	30
2019	11	23	2	21	52	21.1	-1.8	0.986	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	23	2	31	52	20.9	-2.9	0.986	0.3	0.2	0	35.7	37	0	113	115	0	30	29
2019	11	23	2	41	52	20.3	-2.5	0.986	0.4	0.3	0	36.5	37	0	114	116	0	29	30
2019	11	23	2	51	52	21.7	-2.9	0.986	0.4	0.3	0	36.1	37	0	113	116	0	29	30
2019	11	23	3	1	52	19.4	-2.7	0.985	0.5	0.4	0	36.1	37	0	114	116	0	30	30
2019	11	23	3	11	52	20.7	-3.5	0.985	0.5	0.4	0	36.1	37	0	114	116	0	30	30
2019	11	23	3	21	52	21.7	-2.7	0.985	0.4	0.3	0	36.1	37.4	0	114	116	0	30	29
2019	11	23	3	31	52	20.1	-2.7	0.985	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	23	3	41	52	20.5	-1.7	0.985	0.3	0.2	0	36.5	37.4	0	115	116	0	30	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	23	3	51	52	20.2	-2.2	0.985	0.5	0.4	0	36.5	37	0	114	116	0	29	30
2019	11	23	4	1	52	20	-2.8	0.985	0.4	0.3	0	36.1	37.4	0	114	116	0	30	29
2019	11	23	4	11	52	20.9	-2.9	0.984	0.4	0.3	0	36.5	37.8	0	115	118	0	30	30
2019	11	23	4	21	52	21.1	-2.1	0.984	0.4	0.3	0	37	37.8	0	115	117	0	29	29
2019	11	23	4	31	52	20.7	-2.7	0.984	0.5	0.4	0	37	37.8	0	116	118	0	30	30
2019	11	23	4	41	52	20.7	-2.5	0.984	0.3	0.2	0	36.5	37.4	0	115	117	0	30	30
2019	11	23	4	51	52	21.1	-2.6	0.984	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	23	5	1	52	19.7	-2	0.983	0.3	0.2	0	37	37.8	0	116	118	0	30	30
2019	11	23	5	11	52	19.9	-2.7	0.983	0.4	0.3	0	36.5	37.8	0	115	118	0	30	30
2019	11	23	5	21	52	20.8	-2.3	0.983	0.3	0.2	0	36.5	37.4	0	115	117	0	30	30
2019	11	23	5	31	52	21.1	-2.5	0.982	0.3	0.2	0	37	37.4	0	115	117	0	29	30
2019	11	23	5	41	52	20.6	-2.7	0.981	0.5	0.5	0	37	37.8	0	116	118	0	30	30
2019	11	23	5	51	52	21	-3	0.981	0.4	0.3	0	36.5	37.4	0	115	117	0	30	30
2019	11	23	6	1	52	19.4	-1.7	0.98	0.4	0.3	0	37	38.3	0	116	118	0	30	29
2019	11	23	6	11	52	20.9	-1.9	0.98	0.5	0.4	0	37	37.8	0	116	118	0	30	30
2019	11	23	6	21	52	20.2	-1.9	0.98	0.4	0.3	0	37.4	37.8	0	116	118	0	29	30
2019	11	23	6	31	52	19.8	-3	0.98	0.4	0.3	0	37.4	37.8	0	116	118	0	29	30
2019	11	23	6	41	52	21.4	-3.2	0.98	0.5	0.4	0	37	37.4	0	115	117	0	29	30
2019	11	23	6	51	52	20.8	-2.6	0.979	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	23	7	1	52	20.5	-2.1	0.979	0.5	0.4	0	36.5	37.4	0	115	117	0	30	30
2019	11	23	7	11	52	20.5	-1.5	0.979	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	23	7	21	52	19.8	-1.8	0.979	0.5	0.5	0	36.1	37	0	114	116	0	30	30
2019	11	23	7	31	52	19.4	-2.1	0.979	0.5	0.4	0	36.1	37	0	114	116	0	30	30
2019	11	23	7	41	52	20.5	-2.5	0.979	0.5	0.4	0	36.5	37	0	114	116	0	29	30
2019	11	23	7	51	52	20.6	-2.4	0.979	0.5	0.4	0	35.7	37	0	113	116	0	30	30
2019	11	23	8	1	52	19.8	-3	0.979	0.5	0.5	0	35.7	37	0	112	115	0	29	29
2019	11	23	8	11	52	20.9	-2.1	0.979	0.3	0.2	0	35.3	36.5	0	112	114	0	30	29
2019	11	23	8	21	52	20.8	-2	0.979	0.4	0.3	0	35.7	36.1	0	112	114	0	29	30
2019	11	23	8	31	52	20.8	-2.3	0.978	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	23	8	41	52	20.2	-2.9	0.978	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	23	8	51	52	20.3	-2.3	0.978	0.3	0.2	0	34.8	36.1	0	111	114	0	30	30
2019	11	23	9	1	52	20.5	-2	0.978	0.5	0.4	0	35.3	36.1	0	112	114	0	30	30
2019	11	23	9	11	52	20.6	-3	0.978	0.4	0.3	0	35.3	35.7	0	112	113	0	30	30
2019	11	23	9	21	52	20.3	-2	0.978	0.4	0.3	0	36.1	36.5	0	114	115	0	30	30
2019	11	23	9	31	52	19.4	-2.4	0.978	0.3	0.2	0	34.8	36.1	0	111	114	0	30	30
2019	11	23	9	41	52	22.2	-2.4	0.978	0.3	0.2	0	35.3	35.7	0	111	113	0	29	30
2019	11	23	9	51	52	20.6	-2	0.978	0.5	0.4	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	10	1	52	21.3	-2.5	0.978	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	10	11	52	19.4	-1.9	0.978	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	10	21	52	19.8	-2.1	0.978	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	10	31	52	21.1	-1.8	0.978	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	10	41	52	21.2	-2.7	0.978	0.5	0.4	0	35.3	36.5	0	112	114	0	30	29
2019	11	23	10	51	52	19.7	-2.8	0.978	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	11	1	52	19.6	-1.9	0.978	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	11	11	52	20.8	-3.1	0.978	0.4	0.3	0	36.1	36.5	0	113	115	0	29	30
2019	11	23	11	21	52	20.5	-2.8	0.977	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	11	31	52	20	-2.6	0.978	0.4	0.3	0	40	40.9	0	123	125	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	23	11	41	52	20.3	-1.7	0.978	0.5	0.4	0	39.6	40	0	122	123	0	30	30
2019	11	23	11	51	52	19.5	-3	0.977	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	23	12	1	52	20.2	-2	0.977	0.5	0.5	0	35.3	36.1	0	112	114	0	30	30
2019	11	23	12	11	52	20.8	-2.3	0.977	0.5	0.4	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	12	21	52	20.6	-2.5	0.977	0.4	0.3	0	34.8	35.7	0	110	113	0	29	30
2019	11	23	12	31	52	21.5	-3.1	0.977	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	12	41	52	20	-2.6	0.977	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	12	51	52	19.5	-3	0.977	0.5	0.4	0	35.3	35.7	0	111	113	0	29	30
2019	11	23	13	1	52	20	-2.3	0.977	0.4	0.3	0	34.4	35.3	0	110	112	0	30	30
2019	11	23	13	11	52	20	-3.1	0.977	0.4	0.3	0	36.1	36.5	0	113	115	0	29	30
2019	11	23	13	21	52	20.9	-2.5	0.977	0.5	0.5	0	37.8	38.3	0	117	119	0	29	30
2019	11	23	13	31	52	20.2	-2.3	0.977	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	13	41	52	19.9	-3	0.977	0.5	0.5	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	13	51	52	20.1	-1.9	0.977	0.4	0.3	0	35.3	35.7	0	111	113	0	29	30
2019	11	23	14	1	52	21.6	-2.7	0.977	0.5	0.4	0	34.4	35.3	0	110	112	0	30	30
2019	11	23	14	11	52	20.6	-1.9	0.977	0.3	0.2	0	35.3	35.7	0	111	113	0	29	30
2019	11	23	14	21	52	20.3	-2.6	0.977	0.4	0.3	0	34.8	35.3	0	110	112	0	29	30
2019	11	23	14	31	52	21.2	-2.1	0.977	0.4	0.3	0	34.8	35.3	0	110	112	0	29	30
2019	11	23	14	41	52	19.9	-2	0.977	0.3	0.2	0	35.3	35.7	0	111	112	0	29	29
2019	11	23	14	51	52	20.5	-3	0.977	0.4	0.3	0	34.4	35.3	0	110	112	0	30	30
2019	11	23	15	1	52	20.7	-2.8	0.976	0.4	0.3	0	34.4	35.3	0	110	112	0	30	30
2019	11	23	15	11	52	20.3	-3	0.977	0.3	0.2	0	34.4	35.3	0	110	112	0	30	30
2019	11	23	15	21	52	19.8	-2.6	0.977	0.3	0.2	0	34.8	35.7	0	110	112	0	29	29
2019	11	23	15	31	52	20.6	-2.4	0.976	0.3	0.2	0	34.8	36.1	0	111	113	0	30	29
2019	11	23	15	41	52	20.6	-2.7	0.976	0.4	0.3	0	34.4	36.1	0	110	113	0	30	29
2019	11	23	15	51	52	21.3	-2.8	0.977	0.5	0.4	0	35.3	35.7	0	111	113	0	29	30
2019	11	23	16	1	52	21.6	-1.8	0.976	0.4	0.3	0	34.8	35.3	0	109	111	0	28	29
2019	11	23	16	11	52	20.8	-3	0.976	0.5	0.5	0	34.4	34.8	0	109	111	0	29	30
2019	11	23	16	21	52	20.3	-2.1	0.976	0.4	0.3	0	34.8	35.7	0	110	112	0	29	29
2019	11	23	16	31	52	20.9	-2.7	0.976	0.3	0.2	0	34.8	34.8	0	110	111	0	29	30
2019	11	23	16	41	52	20.3	-2.1	0.976	0.3	0.2	0	35.3	35.7	0	111	112	0	29	29
2019	11	23	16	51	52	20.6	-2.1	0.976	0.3	0.2	0	34.4	35.3	0	110	112	0	30	30
2019	11	23	17	1	52	20.9	-3.2	0.976	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2019	11	23	17	11	52	21.2	-2.4	0.976	0.4	0.3	0	35.3	36.1	0	112	114	0	30	30
2019	11	23	17	21	52	20	-2.6	0.976	0.4	0.3	0	35.7	37	0	113	115	0	30	29
2019	11	23	17	31	52	20.4	-3.3	0.976	0.3	0.2	0	36.1	36.5	0	113	115	0	29	30
2019	11	23	17	41	52	20.2	-2.5	0.976	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	17	51	52	20	-1.7	0.976	0.5	0.4	0	36.1	37	0	113	115	0	29	29
2019	11	23	18	1	52	20.8	-3.2	0.976	0.5	0.4	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	18	11	52	21.4	-2.2	0.976	0.4	0.3	0	36.1	37	0	113	115	0	29	29
2019	11	23	18	21	52	20.1	-2.1	0.976	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	18	31	52	21.2	-2.6	0.976	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	18	41	52	19.7	-3.1	0.976	0.4	0.3	0	36.1	37	0	113	115	0	29	29
2019	11	23	18	51	52	21.3	-2.6	0.976	0.3	0.2	0	36.1	36.5	0	113	115	0	29	30
2019	11	23	19	1	52	20.6	-2.7	0.976	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	19	11	52	22.2	-2.1	0.975	0.4	0.3	0	35.7	36.5	0	112	115	0	29	30
2019	11	23	19	21	52	20.7	-2.8	0.975	0.4	0.3	0	36.1	37	0	113	116	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	23	19	31	52	20.4	-2.5	0.975	0.3	0.2	0	36.1	37	0	114	116	0	30	30
2019	11	23	19	41	52	20.9	-2.3	0.975	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	19	51	52	20.8	-2.5	0.975	0.5	0.4	0	36.1	37.4	0	114	116	0	30	29
2019	11	23	20	1	52	20.7	-2.5	0.975	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	23	20	11	52	20.4	-2.5	0.975	0.4	0.3	0	36.1	36.5	0	113	115	0	29	30
2019	11	23	20	21	52	21.3	-2.9	0.975	0.5	0.4	0	36.5	37	0	114	116	0	29	30
2019	11	23	20	31	52	20.8	-3.2	0.975	0.5	0.4	0	35.7	37.4	0	113	116	0	30	29
2019	11	23	20	41	52	20.8	-2.1	0.975	0.3	0.2	0	36.1	37	0	113	116	0	29	30
2019	11	23	20	51	52	21.2	-1.3	0.975	0.4	0.3	0	36.5	37	0	114	116	0	29	30
2019	11	23	21	1	52	20.7	-2.3	0.975	0.4	0.3	0	36.1	36.5	0	113	115	0	29	30
2019	11	23	21	11	52	20.9	-2.2	0.975	0.3	0.2	0	37	37	0	115	116	0	29	30
2019	11	23	21	21	52	21.2	-3.2	0.974	0.4	0.3	0	36.5	37.4	0	114	116	0	29	29
2019	11	23	21	31	52	20.2	-2.3	0.974	0.4	0.3	0	35.7	37	0	113	116	0	30	30
2019	11	23	21	41	52	21.3	-2.1	0.974	0.4	0.3	0	36.5	37.4	0	114	116	0	29	29
2019	11	23	21	51	52	19.9	-2.1	0.974	0.5	0.4	0	36.5	37	0	114	116	0	29	30
2019	11	23	22	1	52	20.6	-1.4	0.974	0.3	0.2	0	36.5	36.5	0	114	115	0	29	30
2019	11	23	22	11	52	20.7	-2	0.974	0.3	0.2	0	36.5	36.5	0	114	115	0	29	30
2019	11	23	22	21	52	19.9	-2.1	0.974	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	23	22	31	52	20.5	-3	0.974	0.5	0.4	0	36.5	37.4	0	114	117	0	29	30
2019	11	23	22	41	52	20.4	-2.4	0.974	0.4	0.3	0	37.4	38.3	0	116	119	0	29	30
2019	11	23	22	51	52	20.7	-2	0.974	0.4	0.3	0	43.4	44.3	0	130	132	0	29	29
2019	11	23	23	1	52	20.1	-2.7	0.974	0.4	0.3	0	40.9	41.3	0	124	126	0	29	30
2019	11	23	23	11	52	21.2	-2.5	0.974	0.3	0.2	0	39.1	40	0	121	123	0	30	30
2019	11	23	23	21	52	20.8	-2.6	0.973	0.4	0.3	0	38.3	39.1	0	119	121	0	30	30
2019	11	23	23	31	52	20.5	-2.1	0.973	0.3	0.2	0	41.7	43	0	127	130	0	30	30
2019	11	23	23	41	52	20.1	-2.2	0.973	0.4	0.3	0	40	40.4	0	122	124	0	29	30
2019	11	23	23	51	52	21.2	-2.9	0.973	0.4	0.3	0	39.1	40	0	120	122	0	29	29
2019	11	24	0	1	52	21.1	-2.1	0.973	0.5	0.4	0	37.4	38.7	0	117	120	0	30	30
2019	11	24	0	11	52	20	-2.8	0.973	0.4	0.3	0	37	38.3	0	116	118	0	30	29
2019	11	24	0	21	52	20.6	-3.2	0.973	0.4	0.3	0	37.4	38.7	0	117	119	0	30	29
2019	11	24	0	31	52	20.7	-2.5	0.973	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	24	0	41	52	21.1	-3.4	0.973	0.4	0.3	0	37.4	38.3	0	117	119	0	30	30
2019	11	24	0	51	52	21.5	-2.6	0.973	0.4	0.3	0	39.1	39.6	0	120	122	0	29	30
2019	11	24	1	1	52	20.5	-3	0.973	0.4	0.3	0	37.8	38.7	0	117	119	0	29	29
2019	11	24	1	11	52	20.2	-2	0.973	0.4	0.3	0	37	38.3	0	116	118	0	30	29
2019	11	24	1	21	52	21.2	-2.9	0.973	0.5	0.4	0	37	37.4	0	115	117	0	29	30
2019	11	24	1	31	52	21	-2.9	0.973	0.6	0.5	0	36.5	38.3	0	115	118	0	30	29
2019	11	24	1	41	52	21	-2.9	0.973	0.4	0.3	0	37	38.3	0	116	118	0	30	29
2019	11	24	1	51	52	21.2	-2.5	0.973	0.4	0.3	0	37	38.7	0	116	119	0	30	29
2019	11	24	2	1	52	20.5	-2.6	0.973	0.4	0.3	0	37	38.3	0	116	119	0	30	30
2019	11	24	2	11	52	20.4	-2.2	0.972	0.3	0.2	0	36.5	37.4	0	115	117	0	30	30
2019	11	24	2	21	52	21	-3.1	0.972	0.3	0.2	0	37	37.4	0	115	117	0	29	30
2019	11	24	2	31	52	19.3	-3.3	0.972	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	24	2	41	52	20.2	-2.4	0.973	0.4	0.3	0	36.5	37.4	0	114	117	0	29	30
2019	11	24	2	51	52	20.5	-2.6	0.972	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	24	3	1	52	20.1	-2	0.973	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	24	3	11	52	20.6	-2.5	0.973	0.3	0.2	0	37	37.4	0	115	117	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	24	3	21	52	20.9	-3.4	0.973	0.4	0.3	0	36.1	37.4	0	114	117	0	30	30
2019	11	24	3	31	52	20.6	-2.7	0.973	0.5	0.4	0	37	37.4	0	115	117	0	29	30
2019	11	24	3	41	52	20.9	-2.9	0.973	0.4	0.3	0	36.5	37.4	0	115	117	0	30	30
2019	11	24	3	51	52	20.6	-2.8	0.973	0.5	0.4	0	36.1	37	0	114	117	0	30	31
2019	11	24	4	1	52	21.3	-2.7	0.972	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	24	4	11	52	20.7	-2.9	0.972	0.3	0.2	0	36.5	37.4	0	115	117	0	30	30
2019	11	24	4	21	52	20.7	-2.9	0.972	0.4	0.3	0	36.5	37.4	0	114	117	0	29	30
2019	11	24	4	31	52	21.2	-2.4	0.972	0.5	0.4	0	37	37.4	0	115	117	0	29	30
2019	11	24	4	41	52	21.3	-2.7	0.972	0.5	0.5	0	36.1	37	0	114	116	0	30	30
2019	11	24	4	51	52	20.3	-2.3	0.972	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	24	5	1	52	21.2	-2.4	0.972	0.3	0.2	0	36.5	37.4	0	115	117	0	30	30
2019	11	24	5	11	52	20.6	-2.1	0.972	0.3	0.2	0	36.1	36.5	0	114	116	0	30	31
2019	11	24	5	21	52	20.4	-2.6	0.972	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	24	5	31	52	20.4	-3.4	0.972	0.3	0.2	0	36.1	37.4	0	114	117	0	30	30
2019	11	24	5	41	52	20.8	-1.7	0.972	0.5	0.4	0	36.1	37.4	0	114	117	0	30	30
2019	11	24	5	51	52	20.9	-2.3	0.973	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	24	6	1	52	20.6	-2.1	0.972	0.3	0.2	0	36.5	37.4	0	115	117	0	30	30
2019	11	24	6	11	52	20.5	-3	0.972	0.3	0.2	0	36.5	38.3	0	115	118	0	30	29
2019	11	24	6	21	52	20.8	-2	0.972	0.5	0.5	0	36.5	37.4	0	115	117	0	30	30
2019	11	24	6	31	52	20.7	-1.1	0.972	0.5	0.4	0	36.5	37.8	0	115	118	0	30	30
2019	11	24	6	41	52	20.3	-2.5	0.972	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	24	6	51	52	20.6	-2.9	0.972	0.4	0.3	0	36.1	37.8	0	114	117	0	30	29
2019	11	24	7	1	52	21.4	-2.6	0.972	0.4	0.3	0	36.1	37.4	0	114	116	0	30	29
2019	11	24	7	11	52	20.9	-3.4	0.972	0.4	0.3	0	35.7	37	0	113	116	0	30	30
2019	11	24	7	21	52	20.3	-1.5	0.972	0.3	0.2	0	36.1	36.1	0	113	115	0	29	31
2019	11	24	7	31	52	21.5	-2.7	0.973	0.4	0.3	0	35.7	37	0	113	116	0	30	30
2019	11	24	7	41	52	19.9	-2.2	0.972	0.5	0.4	0	36.1	37	0	114	116	0	30	30
2019	11	24	7	51	52	19.9	-2.1	0.973	0.4	0.3	0	36.5	37.4	0	114	117	0	29	30
2019	11	24	8	1	52	20.4	-2	0.973	0.4	0.3	0	36.5	37.4	0	115	117	0	30	30
2019	11	24	8	11	52	21.1	-1.8	0.973	0.4	0.3	0	36.5	37.8	0	115	117	0	30	29
2019	11	24	8	21	52	19.6	-2.3	0.973	0.3	0.2	0	36.1	37	0	114	116	0	30	30
2019	11	24	8	31	52	22	-2.4	0.973	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	24	8	41	52	20.5	-2.1	0.973	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	24	8	51	52	20.9	-3.3	0.973	0.5	0.4	0	35.7	37	0	114	116	0	31	30
2019	11	24	9	1	52	20	-2.1	0.973	0.5	0.4	0	35.7	37	0	113	116	0	30	30
2019	11	24	9	11	52	21.2	-2.5	0.973	0.5	0.4	0	35.7	37	0	113	116	0	30	30
2019	11	24	9	21	52	20.8	-2.9	0.973	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	24	9	31	52	20.8	-3	0.973	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	24	9	41	52	21.6	-3.2	0.973	0.5	0.4	0	34.8	35.7	0	111	113	0	30	30
2019	11	24	9	51	52	21.1	-3.4	0.973	0.5	0.5	0	34.8	35.3	0	111	113	0	30	31
2019	11	24	10	1	52	20.5	-2.9	0.974	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	24	10	11	52	21	-2.4	0.974	0.3	0.2	0	34.8	35.3	0	111	113	0	30	31
2019	11	24	10	21	52	21.2	-3.8	0.974	0.3	0.2	0	34.8	36.1	0	111	114	0	30	30
2019	11	24	10	31	52	20.7	-3.8	0.974	0.3	0.2	0	34.8	35.3	0	111	112	0	30	30
2019	11	24	10	41	52	20.6	-2.8	0.974	0.3	0.2	0	34.8	35.3	0	111	112	0	30	30
2019	11	24	10	51	52	21.2	-2.5	0.974	0.5	0.4	0	35.3	35.3	0	111	113	0	29	31
2019	11	24	11	1	52	20.8	-2.9	0.974	0.3	0.2	0	35.7	36.1	0	112	114	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	24	11	11	52	21	-2.4	0.974	0.5	0.5	0	34.8	35.7	0	111	113	0	30	30
2019	11	24	11	21	52	20.8	-1.9	0.974	0.5	0.4	0	35.3	36.1	0	112	114	0	30	30
2019	11	24	11	31	52	21	-1.9	0.974	0.5	0.5	0	34.8	35.7	0	111	113	0	30	30
2019	11	24	11	41	52	20.7	-2.9	0.974	0.4	0.3	0	34.8	35.3	0	111	112	0	30	30
2019	11	24	11	51	52	20.6	-2	0.974	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	24	12	1	52	20.4	-3	0.974	0.4	0.3	0	37	37.8	0	115	118	0	29	30
2019	11	24	12	11	52	20.8	-2.1	0.974	0.5	0.4	0	37.4	38.3	0	117	119	0	30	30
2019	11	24	12	21	52	19.8	-3.1	0.974	0.5	0.4	0	37.8	38.3	0	118	119	0	30	30
2019	11	24	12	31	52	21.9	-2.3	0.975	0.4	0.3	0	37.8	38.3	0	117	119	0	29	30
2019	11	24	12	41	52	20.9	-2.7	0.975	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	24	12	51	52	20.4	-3.8	0.975	0.5	0.4	0	35.7	36.5	0	113	115	0	30	30
2019	11	24	13	1	52	20.8	-2.3	0.975	0.5	0.4	0	36.1	36.5	0	113	115	0	29	30
2019	11	24	13	11	52	19.1	-2.1	0.975	0.4	0.3	0	35.7	36.1	0	113	114	0	30	30
2019	11	24	13	21	52	20.2	-3.5	0.975	0.5	0.4	0	35.7	36.1	0	113	115	0	30	31
2019	11	24	13	31	52	20.4	-2.7	0.975	0.5	0.5	0	36.1	36.1	0	113	114	0	29	30
2019	11	24	13	41	52	21.5	-2.2	0.975	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2019	11	24	13	51	52	20.2	-1.3	0.975	0.4	0.3	0	34.8	36.1	0	111	114	0	30	30
2019	11	24	14	1	52	21.1	-1.5	0.975	0.5	0.5	0	34.4	35.3	0	110	112	0	30	30
2019	11	24	14	11	52	20.1	-2.8	0.975	0.5	0.4	0	34.8	35.3	0	110	112	0	29	30
2019	11	24	14	21	52	20.5	-2.9	0.975	0.5	0.4	0	34.4	35.3	0	110	112	0	30	30
2019	11	24	14	31	52	20.4	-1.9	0.975	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2019	11	24	14	41	52	19.7	-2.9	0.975	0.5	0.4	0	34.8	35.7	0	111	113	0	30	30
2019	11	24	14	51	52	21.7	-3	0.975	0.4	0.3	0	34.8	35.3	0	110	112	0	29	30
2019	11	24	15	1	52	21.3	-2.8	0.975	0.5	0.4	0	34.4	35.3	0	110	112	0	30	30
2019	11	24	15	11	52	20.4	-1.9	0.975	0.4	0.3	0	34.4	35.7	0	110	113	0	30	30
2019	11	24	15	21	52	20.8	-2.6	0.975	0.4	0.3	0	34.4	35.3	0	110	112	0	30	30
2019	11	24	15	31	52	20.9	-1.9	0.975	0.4	0.3	0	34.8	35.3	0	110	112	0	29	30
2019	11	24	15	41	52	21	-2.2	0.975	0.4	0.3	0	34.4	35.3	0	110	112	0	30	30
2019	11	24	15	51	52	20.9	-3.8	0.976	0.3	0.2	0	34.8	35.3	0	110	112	0	29	30
2019	11	24	16	1	52	20.9	-2.1	0.976	0.3	0.2	0	34.4	34.8	0	109	111	0	29	30
2019	11	24	16	11	52	20.5	-1.9	0.976	0.5	0.4	0	34	34.4	0	108	110	0	29	30
2019	11	24	16	21	52	20.9	-2.3	0.976	0.5	0.4	0	34	34.8	0	109	111	0	30	30
2019	11	24	16	31	52	20.1	-2.5	0.976	0.3	0.2	0	34	35.3	0	109	111	0	30	29
2019	11	24	16	41	52	21.8	-1.7	0.976	0.3	0.2	0	34.4	35.7	0	110	112	0	30	29
2019	11	24	16	51	52	20.5	-3	0.976	0.4	0.3	0	34.8	35.3	0	110	112	0	29	30
2019	11	24	17	1	52	20.6	-3	0.976	0.3	0.2	0	34.8	35.3	0	110	112	0	29	30
2019	11	24	17	11	52	21.9	-2.1	0.977	0.5	0.4	0	34	35.7	0	110	113	0	31	30
2019	11	24	17	21	52	20.1	-2.2	0.977	0.5	0.4	0	35.3	36.1	0	112	114	0	30	30
2019	11	24	17	31	52	21.4	-3.4	0.977	0.5	0.4	0	34.8	36.1	0	111	114	0	30	30
2019	11	24	17	41	52	20	-3	0.977	0.4	0.3	0	36.5	36.5	0	114	115	0	29	30
2019	11	24	17	51	52	21.3	-3.3	0.977	0.4	0.3	0	36.1	36.5	0	113	115	0	29	30
2019	11	24	18	1	52	20.4	-2.5	0.977	0.3	0.2	0	36.5	38.3	0	115	118	0	30	29
2019	11	24	18	11	52	20.7	-2.1	0.977	0.4	0.3	0	36.5	37	0	114	116	0	29	30
2019	11	24	18	21	52	21.8	-2.4	0.977	0.4	0.3	0	37	37.8	0	116	118	0	30	30
2019	11	24	18	31	52	21	-3	0.977	0.4	0.3	0	37	38.3	0	116	118	0	30	29
2019	11	24	18	41	52	20.5	-2.8	0.977	0.5	0.4	0	36.1	36.5	0	113	115	0	29	30
2019	11	24	18	51	52	21.4	-2.8	0.978	0.5	0.4	0	35.7	36.5	0	113	115	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	24	19	1	52	20.6	-2.1	0.978	0.3	0.2	0	35.3	36.5	0	112	115	0	30	30
2019	11	24	19	11	52	20.5	-3.3	0.978	0.4	0.3	0	35.7	36.1	0	113	114	0	30	30
2019	11	24	19	21	52	20.2	-2.4	0.978	0.5	0.4	0	37.8	38.3	0	117	119	0	29	30
2019	11	24	19	31	52	20.8	-3.1	0.978	0.4	0.3	0	35.7	36.1	0	112	114	0	29	30
2019	11	24	19	41	52	21	-1.8	0.978	0.5	0.5	0	36.1	36.5	0	113	115	0	29	30
2019	11	24	19	51	52	21.3	-1.8	0.978	0.4	0.3	0	35.3	36.5	0	112	114	0	30	29
2019	11	24	20	1	52	21	-2.1	0.978	0.4	0.3	0	35.7	36.1	0	112	114	0	29	30
2019	11	24	20	11	52	21	-3.3	0.978	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	24	20	21	52	21.1	-2	0.978	0.4	0.3	0	35.3	35.7	0	112	113	0	30	30
2019	11	24	20	31	52	20.2	-2.4	0.978	0.3	0.2	0	35.7	36.1	0	112	114	0	29	30
2019	11	24	20	41	52	21.4	-2.6	0.978	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	24	20	51	52	21.4	-3.1	0.978	0.3	0.2	0	34.8	36.5	0	111	114	0	30	29
2019	11	24	21	1	52	20.5	-2	0.978	0.3	0.2	0	35.7	36.1	0	112	114	0	29	30
2019	11	24	21	11	52	20	-4	0.979	0.3	0.2	0	35.3	36.5	0	112	114	0	30	29
2019	11	24	21	21	52	20.4	-2.4	0.979	0.5	0.4	0	35.7	36.5	0	113	115	0	30	30
2019	11	24	21	31	52	21.4	-3.1	0.979	0.5	0.4	0	35.7	36.1	0	112	114	0	29	30
2019	11	24	21	41	52	20.3	-2.8	0.979	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	24	21	51	52	21.3	-2.1	0.98	0.5	0.4	0	35.7	36.1	0	112	114	0	29	30
2019	11	24	22	1	52	20.9	-2.9	0.98	0.5	0.4	0	35.3	36.1	0	112	114	0	30	30
2019	11	24	22	11	52	20.4	-3	0.98	0.4	0.3	0	35.3	36.5	0	112	115	0	30	30
2019	11	24	22	21	52	20.3	-3.1	0.981	0.6	0.5	0	35.3	36.5	0	112	114	0	30	29
2019	11	24	22	31	52	21.7	-2.9	0.981	0.5	0.4	0	35.3	36.5	0	112	114	0	30	29
2019	11	24	22	41	52	20.3	-2	0.982	0.4	0.3	0	35.7	36.1	0	112	114	0	29	30
2019	11	24	22	51	52	20.5	-3.5	0.982	0.4	0.3	0	35.7	36.1	0	113	114	0	30	30
2019	11	24	23	1	52	20.1	-2.5	0.982	0.4	0.3	0	35.3	36.1	0	112	114	0	30	30
2019	11	24	23	11	52	20.6	-2.1	0.982	0.5	0.5	0	35.3	36.1	0	112	114	0	30	30
2019	11	24	23	21	52	20.4	-2.4	0.982	0.3	0.2	0	36.1	36.5	0	113	115	0	29	30
2019	11	24	23	31	52	20.4	-2.5	0.982	0.4	0.3	0	36.1	36.5	0	113	115	0	29	30
2019	11	24	23	41	52	21.2	-2.8	0.982	0.5	0.4	0	35.7	36.5	0	113	115	0	30	30
2019	11	24	23	51	52	20.1	-1.8	0.982	0.5	0.4	0	35.7	37.4	0	113	116	0	30	29
2019	11	25	0	1	52	19.5	-2.1	0.982	0.5	0.4	0	36.1	37.4	0	114	116	0	30	29
2019	11	25	0	11	52	21.2	-2.5	0.982	0.4	0.3	0	35.3	36.1	0	113	115	0	31	31
2019	11	25	0	21	52	21	-3	0.982	0.4	0.3	0	35.3	36.5	0	112	115	0	30	30
2019	11	25	0	31	52	20.3	-2.4	0.982	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	25	0	41	52	20.1	-3.1	0.982	0.4	0.3	0	36.1	37	0	113	115	0	29	29
2019	11	25	0	51	52	20.3	-2.7	0.982	0.3	0.2	0	36.1	37	0	114	116	0	30	30
2019	11	25	1	1	52	21.5	-2.9	0.982	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	25	1	11	52	20.6	-2.9	0.982	0.4	0.3	0	36.1	36.5	0	113	115	0	29	30
2019	11	25	1	21	52	21.5	-2.9	0.982	0.4	0.3	0	36.1	36.5	0	113	115	0	29	30
2019	11	25	1	31	52	21.1	-2.4	0.982	0.5	0.5	0	35.7	36.1	0	113	115	0	30	31
2019	11	25	1	41	52	22.3	-2.9	0.982	0.5	0.5	0	35.7	37	0	113	115	0	30	29
2019	11	25	1	51	52	20.7	-1.8	0.983	0.4	0.3	0	35.7	36.1	0	113	115	0	30	31
2019	11	25	2	1	52	20.7	-1.8	0.982	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	25	2	11	52	20.7	-2.5	0.982	0.5	0.4	0	35.7	37	0	113	116	0	30	30
2019	11	25	2	21	52	21	-3.3	0.982	0.3	0.2	0	35.7	37	0	113	116	0	30	30
2019	11	25	2	31	52	21.5	-3.6	0.982	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	25	2	41	52	20.1	-3	0.982	0.4	0.3	0	36.1	37	0	114	116	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	25	2	51	52	21.9	-2.9	0.982	0.5	0.4	0	35.7	36.5	0	113	115	0	30	30
2019	11	25	3	1	52	19.8	-2.7	0.982	0.3	0.2	0	35.7	37	0	113	116	0	30	30
2019	11	25	3	11	52	20.2	-2.1	0.983	0.5	0.4	0	36.1	37	0	114	116	0	30	30
2019	11	25	3	21	52	20.7	-2.8	0.983	0.4	0.3	0	36.1	37.4	0	114	117	0	30	30
2019	11	25	3	31	52	20.6	-2.4	0.982	0.3	0.2	0	35.7	37	0	113	116	0	30	30
2019	11	25	3	41	52	20.8	-3.2	0.983	0.4	0.3	0	35.3	36.5	0	112	115	0	30	30
2019	11	25	3	51	52	20.7	-1.8	0.983	0.5	0.4	0	35.3	36.5	0	112	115	0	30	30
2019	11	25	4	1	52	21	-3.9	0.982	0.4	0.3	0	35.7	36.5	0	112	115	0	29	30
2019	11	25	4	11	52	21.8	-2.5	0.982	0.4	0.3	0	35.3	36.1	0	112	114	0	30	30
2019	11	25	4	21	52	21.3	-3	0.982	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	25	4	31	52	21	-2.5	0.982	0.4	0.3	0	35.3	36.5	0	112	115	0	30	30
2019	11	25	4	41	52	21.1	-2.4	0.982	0.3	0.2	0	35.3	36.1	0	112	115	0	30	31
2019	11	25	4	51	52	21.3	-3	0.983	0.3	0.2	0	35.3	36.5	0	112	115	0	30	30
2019	11	25	5	1	52	20.9	-2.1	0.983	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	25	5	11	52	21.5	-2	0.982	0.4	0.3	0	35.7	35.7	0	112	114	0	29	31
2019	11	25	5	21	52	21.3	-2.5	0.982	0.4	0.3	0	34.8	36.1	0	111	114	0	30	30
2019	11	25	5	31	52	20	-3.4	0.982	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	25	5	41	52	20.3	-2.1	0.982	0.4	0.3	0	34.8	36.1	0	112	114	0	31	30
2019	11	25	5	51	52	21.3	-2.5	0.982	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	25	6	1	52	20.8	-3.2	0.982	0.5	0.4	0	34.8	35.7	0	111	114	0	30	31
2019	11	25	6	11	52	21.2	-3.1	0.982	0.5	0.5	0	34.8	35.7	0	111	113	0	30	30
2019	11	25	6	21	52	21	-2.5	0.982	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	25	6	31	52	20.4	-3.2	0.982	0.4	0.3	0	35.3	36.5	0	112	115	0	30	30
2019	11	25	6	41	52	20.9	-2.7	0.982	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	25	6	51	52	20.7	-2.6	0.982	0.3	0.2	0	34.8	36.1	0	111	114	0	30	30
2019	11	25	7	1	52	20.2	-2.6	0.982	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	25	7	11	52	20.7	-2.6	0.982	0.5	0.4	0	34.8	35.3	0	111	112	0	30	30
2019	11	25	7	21	52	21.2	-2.1	0.982	0.3	0.2	0	34.8	35.3	0	111	112	0	30	30
2019	11	25	7	31	52	19.7	-2.3	0.982	0.4	0.3	0	35.3	36.1	0	112	114	0	30	30
2019	11	25	7	41	52	19.9	-1.5	0.982	0.4	0.3	0	35.3	36.1	0	112	114	0	30	30
2019	11	25	7	51	52	20.9	-2.9	0.982	0.3	0.2	0	35.3	36.5	0	112	114	0	30	29
2019	11	25	8	1	52	19.6	-2.6	0.982	0.5	0.4	0	35.3	36.5	0	112	115	0	30	30
2019	11	25	8	11	52	20.3	-2.9	0.982	0.5	0.5	0	35.3	36.1	0	111	114	0	29	30
2019	11	25	8	21	52	21	-2.3	0.982	0.3	0.2	0	35.3	35.7	0	112	114	0	30	31
2019	11	25	8	31	52	20.4	-2.8	0.982	0.4	0.3	0	35.3	35.7	0	112	114	0	30	31
2019	11	25	8	41	52	20.4	-3	0.983	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2019	11	25	8	51	52	20.1	-2.7	0.983	0.4	0.3	0	35.3	35.3	0	111	113	0	29	31
2019	11	25	9	1	52	21.4	-3.7	0.983	0.5	0.4	0	34.4	35.7	0	110	113	0	30	30
2019	11	25	9	11	52	20.6	-3	0.983	0.3	0.2	0	34.4	35.3	0	110	112	0	30	30
2019	11	25	9	21	52	21.3	-3.7	0.983	0.4	0.3	0	34	35.3	0	109	112	0	30	30
2019	11	25	9	31	52	20	-3.2	0.983	0.3	0.2	0	34.4	35.3	0	110	112	0	30	30
2019	11	25	9	41	52	22.2	-1.9	0.984	0.4	0.3	0	34.4	35.7	0	110	113	0	30	30
2019	11	25	9	51	52	21.6	-3.2	0.984	0.3	0.2	0	35.7	36.1	0	113	115	0	30	31
2019	11	25	10	1	52	20.6	-3.3	0.984	0.5	0.5	0	37.8	39.1	0	118	120	0	30	29
2019	11	25	10	11	52	20.8	-1.9	0.984	0.3	0.2	0	37.8	38.7	0	118	120	0	30	30
2019	11	25	10	21	52	20.8	-2.1	0.984	0.4	0.3	0	39.1	40	0	121	123	0	30	30
2019	11	25	10	31	52	21.2	-1.2	0.984	0.4	0.3	0	40	40.9	0	123	125	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	25	10	41	52	21.8	-2.6	0.984	0.4	0.3	0	42.6	43.4	0	129	131	0	30	30
2019	11	25	10	51	52	21.7	-2.6	0.983	0.4	0.3	0	47.7	48.6	0	141	143	0	30	30
2019	11	25	11	1	52	20.9	-2.7	0.983	0.3	0.2	0	49.9	50.7	0	146	148	0	30	30
2019	11	25	11	11	52	20.9	-2.4	0.983	0.3	0.2	0	51.2	52	0	149	151	0	30	30
2019	11	25	11	21	52	20.2	-3.3	0.982	0.4	0.3	0	52	52.9	0	151	153	0	30	30
2019	11	25	11	31	52	20.8	-3	0.981	0.4	0.3	0	51.6	52.9	0	150	153	0	30	30
2019	11	25	11	41	52	21.2	-2.5	0.984	0.3	0.2	0	51.2	52	0	149	151	0	30	30
2019	11	25	11	51	52	21.1	-3.2	0.982	0.4	0.3	0	50.7	51.6	0	148	150	0	30	30
2019	11	25	12	1	52	21.2	-2.9	0.983	0.3	0.2	0	50.7	50.7	0	148	149	0	30	31
2019	11	25	12	11	52	19.4	-2.3	0.981	0.3	0.2	0	50.7	51.6	0	148	150	0	30	30
2019	11	25	12	21	52	21	-3.1	0.982	0.5	0.4	0	50.3	50.7	0	146	148	0	29	30
2019	11	25	12	31	52	20.6	-2.5	0.983	0.5	0.5	0	49.5	50.3	0	145	147	0	30	30
2019	11	25	12	41	52	19.9	-1.3	0.981	0.4	0.3	0	49.5	50.3	0	145	147	0	30	30
2019	11	25	12	51	52	20.7	-2.1	0.983	0.4	0.3	0	50.7	51.2	0	148	149	0	30	30
2019	11	25	13	1	52	20.1	-2.5	0.982	0.3	0.2	0	49.9	50.7	0	146	148	0	30	30
2019	11	25	13	11	52	21	-3.6	0.982	0.5	0.4	0	49.9	50.7	0	146	148	0	30	30
2019	11	25	13	21	52	19.9	-2.3	0.983	0.5	0.4	0	49.5	49.9	0	145	147	0	30	31
2019	11	25	13	31	52	20.9	-3.7	0.981	0.4	0.3	0	49	49.5	0	144	145	0	30	30
2019	11	25	13	41	52	20.8	-2.7	0.983	0.4	0.3	0	48.2	49	0	142	144	0	30	30
2019	11	25	13	51	52	20.6	-2.1	0.982	0.3	0.2	0	47.3	48.2	0	140	142	0	30	30
2019	11	25	14	1	52	19.8	-2.2	0.982	0.5	0.4	0	47.3	48.2	0	140	142	0	30	30
2019	11	25	14	11	52	21.1	-2.1	0.982	0.5	0.4	0	47.3	47.7	0	140	141	0	30	30
2019	11	25	14	21	52	21	-2.3	0.983	0.4	0.3	0	46	47.3	0	138	140	0	31	30
2019	11	25	14	31	52	22	-2.3	0.982	0.3	0.2	0	46	46.9	0	137	139	0	30	30
2019	11	25	14	41	52	19.5	-1.2	0.983	0.4	0.3	0	45.2	46	0	135	137	0	30	30
2019	11	25	14	51	52	20.4	-1	0.982	0.3	0.2	0	44.7	45.2	0	133	135	0	29	30
2019	11	25	15	1	52	21.3	-2.2	0.983	0.5	0.4	0	43.9	44.7	0	132	134	0	30	30
2019	11	25	15	11	52	21	-2.5	0.983	0.4	0.3	0	43.4	44.3	0	131	133	0	30	30
2019	11	25	15	21	52	20.6	-2.1	0.983	0.4	0.3	0	41.7	42.6	0	127	130	0	30	31
2019	11	25	15	31	52	21.2	-1.8	0.983	0.3	0.2	0	41.3	42.1	0	126	128	0	30	30
2019	11	25	15	41	52	20.6	-2.3	0.983	0.3	0.2	0	42.1	42.1	0	127	129	0	29	31
2019	11	25	15	51	52	20.6	-2.3	0.983	0.4	0.3	0	41.3	42.1	0	126	128	0	30	30
2019	11	25	16	1	52	20.1	-2.4	0.983	0.3	0.2	0	40.4	41.3	0	124	126	0	30	30
2019	11	25	16	11	52	21.4	-2.8	0.983	0.4	0.3	0	40	40.9	0	123	125	0	30	30
2019	11	25	16	21	52	21.9	-2.5	0.984	0.5	0.4	0	38.7	39.6	0	120	122	0	30	30
2019	11	25	16	31	52	21	-2.6	0.983	0.5	0.4	0	38.7	39.1	0	119	121	0	29	30
2019	11	25	16	41	52	21.3	-2.9	0.984	0.3	0.2	0	37.8	39.1	0	118	121	0	30	30
2019	11	25	16	51	52	20.1	-2.1	0.984	0.4	0.3	0	37.8	39.1	0	118	121	0	30	30
2019	11	25	17	1	52	21.2	-2.3	0.983	0.4	0.3	0	37.4	38.7	0	117	120	0	30	30
2019	11	25	17	11	52	20.1	-3.5	0.984	0.5	0.4	0	37.8	38.7	0	118	120	0	30	30
2019	11	25	17	21	52	20	-2.4	0.983	0.3	0.2	0	37.8	39.1	0	117	120	0	29	29
2019	11	25	17	31	52	22.7	-2.2	0.983	0.3	0.2	0	37.8	38.7	0	118	120	0	30	30
2019	11	25	17	41	52	21.3	-2.9	0.983	0.5	0.4	0	37.4	38.3	0	117	120	0	30	31
2019	11	25	17	51	52	19.9	-1.5	0.983	0.5	0.4	0	37	38.3	0	116	119	0	30	30
2019	11	25	18	1	52	20.2	-2.8	0.983	0.3	0.2	0	37.4	38.3	0	117	119	0	30	30
2019	11	25	18	11	52	21.1	-2.9	0.983	0.4	0.3	0	37.4	38.3	0	116	119	0	29	30
2019	11	25	18	21	52	20.2	-2.8	0.983	0.3	0.2	0	36.5	38.3	0	115	118	0	30	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	25	18	31	52	21.1	-2.4	0.984	0.3	0.2	0	37	37.4	0	115	118	0	29	31
2019	11	25	18	41	52	20.9	-1.5	0.984	0.3	0.2	0	36.5	37.4	0	115	117	0	30	30
2019	11	25	18	51	52	21.2	-1.2	0.984	0.4	0.3	0	37	37.4	0	115	117	0	29	30
2019	11	25	19	1	52	21.3	-2.4	0.983	0.4	0.3	0	36.5	37.4	0	115	117	0	30	30
2019	11	25	19	11	52	21.4	-1.8	0.984	0.4	0.3	0	36.5	37.4	0	115	117	0	30	30
2019	11	25	19	21	52	21.4	-2.8	0.984	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	25	19	31	52	21.5	-2.9	0.984	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	25	19	41	52	21.9	-3.2	0.984	0.4	0.3	0	36.1	37	0	114	117	0	30	31
2019	11	25	19	51	52	21.9	-2.5	0.984	0.3	0.2	0	36.1	36.5	0	114	115	0	30	30
2019	11	25	20	1	52	20.6	-2.3	0.983	0.3	0.2	0	36.5	36.5	0	114	115	0	29	30
2019	11	25	20	11	52	20.6	-2.5	0.984	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	25	20	21	52	19.7	-1.9	0.984	0.3	0.2	0	36.1	37	0	114	116	0	30	30
2019	11	25	20	31	52	21.3	-2.7	0.984	0.4	0.3	0	36.5	37.8	0	115	118	0	30	30
2019	11	25	20	41	52	20.9	-2.6	0.983	0.5	0.4	0	37	37	0	115	117	0	29	31
2019	11	25	20	51	52	21.3	-1.7	0.983	0.3	0.2	0	36.5	36.5	0	115	116	0	30	31
2019	11	25	21	1	52	21.4	-1	0.983	0.4	0.3	0	35.7	36.1	0	113	114	0	30	30
2019	11	25	21	11	52	20.4	-1.5	0.983	0.4	0.3	0	36.1	37	0	114	116	0	30	30
2019	11	25	21	21	52	21	-1.9	0.983	0.4	0.3	0	35.7	37	0	114	116	0	31	30
2019	11	25	21	31	52	20.8	-1.9	0.983	0.4	0.3	0	35.7	37	0	113	116	0	30	30
2019	11	25	21	41	52	21	-2.5	0.983	0.4	0.3	0	35.7	37	0	113	116	0	30	30
2019	11	25	21	51	52	20.6	-2.5	0.983	0.5	0.4	0	35.7	36.1	0	113	115	0	30	31
2019	11	25	22	1	52	20.7	-1.7	0.983	0.3	0.2	0	36.1	37	0	114	116	0	30	30
2019	11	25	22	11	52	21	-2.3	0.983	0.4	0.3	0	35.7	36.1	0	113	114	0	30	30
2019	11	25	22	21	52	20.3	-1.4	0.983	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	25	22	31	52	20.1	-2.7	0.983	0.3	0.2	0	35.7	36.1	0	113	114	0	30	30
2019	11	25	22	41	52	21.1	-2.7	0.982	0.3	0.2	0	35.3	35.7	0	112	114	0	30	31
2019	11	25	22	51	52	20.5	-2.7	0.983	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	25	23	1	52	20.1	-2.9	0.983	0.3	0.2	0	35.7	36.1	0	113	115	0	30	31
2019	11	25	23	11	52	21.1	-2.5	0.982	0.3	0.2	0	35.3	36.5	0	112	115	0	30	30
2019	11	25	23	21	52	21.7	-3.1	0.982	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	25	23	31	52	20.1	-2.7	0.982	0.4	0.3	0	35.3	36.1	0	112	115	0	30	31
2019	11	25	23	41	52	19.6	-2.3	0.982	0.3	0.2	0	36.1	36.5	0	113	115	0	29	30
2019	11	25	23	51	52	19.8	-2.5	0.982	0.4	0.3	0	35.7	36.5	0	113	115	0	30	30
2019	11	26	0	1	52	20.9	-2.8	0.982	0.3	0.2	0	35.3	36.5	0	112	115	0	30	30
2019	11	26	0	11	52	20.6	-2.5	0.982	0.5	0.4	0	35.3	36.5	0	112	115	0	30	30
2019	11	26	0	21	52	20.9	-2.4	0.982	0.3	0.2	0	34.8	36.5	0	112	115	0	31	30
2019	11	26	0	31	52	20	-2	0.982	0.3	0.2	0	35.3	36.1	0	112	115	0	30	31
2019	11	26	0	41	52	21	-3.9	0.982	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	26	0	51	52	20.2	-2.6	0.982	0.4	0.3	0	35.3	36.5	0	112	115	0	30	30
2019	11	26	1	1	52	20.9	-3.3	0.982	0.4	0.3	0	34.8	35.7	0	111	114	0	30	31
2019	11	26	1	11	52	20.5	-2.6	0.982	0.5	0.5	0	35.3	36.1	0	112	114	0	30	30
2019	11	26	1	21	52	20.6	-2.9	0.982	0.4	0.3	0	35.3	35.7	0	112	114	0	30	31
2019	11	26	1	31	52	20.6	-3.5	0.982	0.5	0.4	0	35.7	36.1	0	112	115	0	29	31
2019	11	26	1	41	52	20.6	-2.9	0.982	0.5	0.4	0	35.7	36.1	0	113	115	0	30	31
2019	11	26	1	51	52	19.9	-2.9	0.981	0.4	0.3	0	35.3	36.5	0	112	114	0	30	29
2019	11	26	2	1	52	20.8	-3.5	0.982	0.5	0.4	0	35.3	37	0	112	115	0	30	29
2019	11	26	2	11	52	20.6	-3.5	0.981	0.4	0.3	0	35.3	36.1	0	111	114	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	26	2	21	52	20	-2.6	0.981	0.3	0.2	0	35.7	36.5	0	113	115	0	30	30
2019	11	26	2	31	52	20.2	-2	0.981	0.4	0.3	0	35.3	36.1	0	112	114	0	30	30
2019	11	26	2	41	52	20.7	-3.6	0.981	0.4	0.3	0	35.7	36.1	0	112	114	0	29	30
2019	11	26	2	51	52	20.4	-2.5	0.981	0.3	0.2	0	35.3	37	0	112	115	0	30	29
2019	11	26	3	1	52	21.4	-3	0.981	0.4	0.3	0	35.3	36.1	0	111	114	0	29	30
2019	11	26	3	11	52	21.1	-2.7	0.981	0.4	0.3	0	35.3	36.1	0	112	115	0	30	31
2019	11	26	3	21	52	20.3	-2.9	0.981	0.3	0.2	0	35.3	36.1	0	112	114	0	30	30
2019	11	26	3	31	52	20.7	-2.4	0.981	0.4	0.3	0	34.8	35.7	0	111	114	0	30	31
2019	11	26	3	41	52	20.8	-2.6	0.981	0.5	0.4	0	35.3	36.1	0	112	114	0	30	30
2019	11	26	3	51	52	20.2	-2.6	0.981	0.4	0.3	0	34.8	35.7	0	111	114	0	30	31
2019	11	26	4	1	52	20	-2	0.981	0.5	0.4	0	35.3	36.1	0	112	114	0	30	30
2019	11	26	4	11	52	20.9	-2.5	0.981	0.3	0.2	0	34.8	35.7	0	111	114	0	30	31
2019	11	26	4	21	52	21.1	-3.7	0.981	0.5	0.4	0	34.8	36.1	0	111	114	0	30	30
2019	11	26	4	31	52	21.1	-2.4	0.981	0.3	0.2	0	35.3	35.7	0	111	113	0	29	30
2019	11	26	4	41	52	20.7	-3.3	0.981	0.5	0.4	0	34.4	35.7	0	111	114	0	31	31
2019	11	26	4	51	52	19.8	-3.2	0.98	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	26	5	1	52	20.3	-2.9	0.981	0.3	0.2	0	34.8	36.1	0	111	114	0	30	30
2019	11	26	5	11	52	19.8	-2.8	0.98	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	26	5	21	52	19.6	-3	0.98	0.5	0.4	0	34.4	35.7	0	110	113	0	30	30
2019	11	26	5	31	52	19.8	-2.5	0.98	0.4	0.3	0	34.4	35.3	0	110	113	0	30	31
2019	11	26	5	41	52	20.9	-3.7	0.98	0.3	0.2	0	34.4	35.7	0	110	113	0	30	30
2019	11	26	5	51	52	20.6	-3.7	0.98	0.5	0.4	0	34.4	35.3	0	110	113	0	30	31
2019	11	26	6	1	52	20.4	-2.5	0.98	0.3	0.2	0	34.4	35.7	0	110	113	0	30	30
2019	11	26	6	11	52	22	-2.8	0.98	0.4	0.3	0	34.4	35.7	0	110	113	0	30	30
2019	11	26	6	21	52	19.7	-3.1	0.98	0.5	0.4	0	34.4	35.7	0	110	113	0	30	30
2019	11	26	6	31	52	19.8	-2.5	0.98	0.4	0.3	0	34.4	35.7	0	110	113	0	30	30
2019	11	26	6	41	52	19.5	-3.6	0.98	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	26	6	51	52	20.4	-2.9	0.98	0.4	0.3	0	34.8	35.3	0	111	113	0	30	31
2019	11	26	7	1	52	19.7	-2.5	0.98	0.4	0.3	0	34.8	35.7	0	111	113	0	30	30
2019	11	26	7	11	52	19.8	-3.2	0.98	0.3	0.2	0	34	35.3	0	110	113	0	31	31
2019	11	26	7	21	52	19.5	-2.6	0.98	0.5	0.5	0	34.4	35.7	0	110	113	0	30	30
2019	11	26	7	31	52	20.9	-2.9	0.98	0.4	0.3	0	34.4	35.3	0	110	113	0	30	31
2019	11	26	7	41	52	21	-2.9	0.98	0.3	0.2	0	34.4	35.3	0	110	113	0	30	31
2019	11	26	7	51	52	19.5	-3.1	0.98	0.3	0.2	0	35.3	35.7	0	111	113	0	29	30
2019	11	26	8	1	52	20.7	-2.9	0.98	0.3	0.2	0	34.4	35.3	0	110	113	0	30	31
2019	11	26	8	11	52	19.1	-2.7	0.98	0.3	0.2	0	36.5	37.8	0	115	118	0	30	30
2019	11	26	8	21	52	20.5	-2.1	0.98	0.5	0.4	0	37	37.8	0	116	119	0	30	31
2019	11	26	8	31	52	19.7	-3.1	0.98	0.4	0.3	0	35.3	36.5	0	113	116	0	31	31
2019	11	26	8	41	52	21.3	-3.4	0.98	0.5	0.4	0	35.3	35.7	0	111	113	0	29	30
2019	11	26	8	51	52	20.2	-3.3	0.98	0.5	0.4	0	34.4	35.7	0	111	114	0	31	31
2019	11	26	9	1	52	20.9	-2.7	0.98	0.3	0.2	0	37	38.3	0	116	119	0	30	30
2019	11	26	9	11	52	21	-2.6	0.98	0.4	0.3	0	35.7	36.5	0	113	116	0	30	31
2019	11	26	9	21	52	21.2	-3	0.98	0.4	0.3	0	34.4	35.3	0	110	113	0	30	31
2019	11	26	9	31	52	20.2	-2.4	0.98	0.3	0.2	0	34.4	35.7	0	110	113	0	30	30
2019	11	26	9	41	52	20.7	-3.5	0.98	0.3	0.2	0	33.5	34.4	0	108	111	0	30	31
2019	11	26	9	51	52	20.2	-3.3	0.98	0.3	0.2	0	33.5	34.4	0	108	111	0	30	31
2019	11	26	10	1	52	20.6	-3.3	0.981	0.4	0.3	0	33.1	34.4	0	107	110	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	26	10	11	52	19.6	-2.9	0.981	0.5	0.4	0	33.5	34	0	108	110	0	30	31
2019	11	26	10	21	52	19.4	-2.2	0.98	0.4	0.3	0	33.1	34	0	107	110	0	30	31
2019	11	26	10	31	52	20.9	-2.7	0.98	0.4	0.3	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	10	41	52	20.3	-2	0.98	0.3	0.2	0	32.7	34	0	107	110	0	31	31
2019	11	26	10	51	52	20.8	-3.2	0.98	0.5	0.4	0	32.7	34	0	107	110	0	31	31
2019	11	26	11	1	52	21.1	-2.4	0.981	0.5	0.5	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	11	11	52	19.6	-3.2	0.981	0.3	0.2	0	33.1	34	0	107	110	0	30	31
2019	11	26	11	21	52	19.9	-3.5	0.98	0.4	0.3	0	32.7	34	0	107	109	0	31	30
2019	11	26	11	31	52	20.2	-2.4	0.981	0.3	0.2	0	33.1	34	0	107	109	0	30	30
2019	11	26	11	41	52	20	-2.9	0.981	0.5	0.4	0	33.1	33.5	0	107	109	0	30	31
2019	11	26	11	51	52	20.3	-3	0.981	0.4	0.3	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	12	1	52	19.8	-2.8	0.981	0.4	0.3	0	33.1	34	0	107	109	0	30	30
2019	11	26	12	11	52	20.7	-2	0.981	0.3	0.2	0	33.5	33.5	0	108	109	0	30	31
2019	11	26	12	21	52	20.9	-3.8	0.981	0.3	0.2	0	32.7	34	0	106	109	0	30	30
2019	11	26	12	31	52	20	-3.6	0.981	0.3	0.2	0	32.7	34	0	106	109	0	30	30
2019	11	26	12	41	52	20.3	-3	0.981	0.3	0.2	0	33.1	33.1	0	106	108	0	29	31
2019	11	26	12	51	52	19.8	-2.9	0.981	0.4	0.3	0	32.7	33.5	0	106	108	0	30	30
2019	11	26	13	1	52	20	-2.1	0.981	0.5	0.4	0	32.7	34	0	106	109	0	30	30
2019	11	26	13	11	52	19.8	-2.5	0.981	0.3	0.2	0	33.1	34	0	107	109	0	30	30
2019	11	26	13	21	52	19.9	-3	0.981	0.3	0.2	0	35.3	36.5	0	112	115	0	30	30
2019	11	26	13	31	52	19.9	-2.9	0.981	0.4	0.3	0	34	35.3	0	109	112	0	30	30
2019	11	26	13	41	52	19.3	-4.3	0.981	0.5	0.4	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	13	51	52	19.5	-3.1	0.981	0.3	0.2	0	34.4	35.7	0	110	113	0	30	30
2019	11	26	14	1	52	20.5	-2.3	0.981	0.4	0.3	0	34.8	35.7	0	111	114	0	30	31
2019	11	26	14	11	52	20.5	-2.4	0.982	0.3	0.2	0	34.8	35.7	0	111	113	0	30	30
2019	11	26	14	21	52	20.4	-2.5	0.982	0.5	0.4	0	34.4	35.3	0	110	112	0	30	30
2019	11	26	14	31	52	20.3	-3.3	0.981	0.3	0.2	0	33.5	34.4	0	108	111	0	30	31
2019	11	26	14	41	52	20.3	-2.7	0.981	0.5	0.4	0	33.5	34.4	0	108	111	0	30	31
2019	11	26	14	51	52	19.8	-2.8	0.981	0.3	0.2	0	33.5	34	0	108	110	0	30	31
2019	11	26	15	1	52	20.3	-2.9	0.981	0.4	0.3	0	33.5	34.4	0	108	110	0	30	30
2019	11	26	15	11	52	20.9	-3.3	0.981	0.3	0.2	0	39.6	40.9	0	122	125	0	30	30
2019	11	26	15	21	52	20.2	-2.3	0.98	0.4	0.3	0	38.7	40	0	120	123	0	30	30
2019	11	26	15	31	52	20.3	-2.9	0.981	0.3	0.2	0	37.8	38.3	0	118	120	0	30	31
2019	11	26	15	41	52	19.5	-2.1	0.981	0.3	0.2	0	36.5	37.8	0	115	118	0	30	30
2019	11	26	15	51	52	21.5	-3	0.981	0.3	0.2	0	33.5	34.8	0	108	111	0	30	30
2019	11	26	16	1	52	19.8	-3.2	0.981	0.3	0.2	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	16	11	52	19.8	-4.1	0.981	0.3	0.2	0	33.1	34	0	107	109	0	30	30
2019	11	26	16	21	52	20.3	-3.3	0.981	0.5	0.4	0	33.1	34	0	107	110	0	30	31
2019	11	26	16	31	52	20.1	-4.3	0.981	0.3	0.2	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	16	41	52	20	-3.3	0.981	0.4	0.3	0	33.5	34.4	0	108	110	0	30	30
2019	11	26	16	51	52	21.4	-3.3	0.981	0.5	0.4	0	33.1	34	0	107	110	0	30	31
2019	11	26	17	1	52	20.5	-2.9	0.981	0.5	0.4	0	33.1	33.5	0	107	109	0	30	31
2019	11	26	17	11	52	19.3	-2.2	0.981	0.5	0.4	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	17	21	52	21.2	-3.3	0.981	0.4	0.3	0	33.1	34	0	107	110	0	30	31
2019	11	26	17	31	52	19.9	-2.9	0.981	0.5	0.4	0	33.5	34.4	0	108	110	0	30	30
2019	11	26	17	41	52	19.6	-3.7	0.981	0.3	0.2	0	33.5	34.4	0	108	110	0	30	30
2019	11	26	17	51	52	19.8	-2.2	0.981	0.3	0.2	0	33.5	34.8	0	108	111	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	26	18	1	52	20.6	-3.5	0.981	0.3	0.2	0	33.5	34.8	0	108	111	0	30	30
2019	11	26	18	11	52	20.7	-3.8	0.981	0.3	0.2	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	18	21	52	20.7	-3.3	0.981	0.3	0.2	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	18	31	52	20.8	-3.2	0.981	0.4	0.3	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	18	41	52	20.7	-2.6	0.981	0.3	0.2	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	18	51	52	20.1	-2.4	0.982	0.4	0.3	0	33.5	34.8	0	108	111	0	30	30
2019	11	26	19	1	52	20.7	-3.7	0.981	0.4	0.3	0	33.1	34	0	107	110	0	30	31
2019	11	26	19	11	52	20.4	-2.9	0.981	0.4	0.3	0	33.5	34.4	0	108	111	0	30	31
2019	11	26	19	21	52	21.5	-3.4	0.981	0.5	0.4	0	33.5	34.8	0	108	111	0	30	30
2019	11	26	19	31	52	20.6	-2.7	0.981	0.4	0.3	0	33.5	34.4	0	108	110	0	30	30
2019	11	26	19	41	52	20.2	-3.3	0.981	0.4	0.3	0	33.1	34	0	107	110	0	30	31
2019	11	26	19	51	52	20.8	-3.2	0.981	0.3	0.2	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	20	1	52	19.3	-3.2	0.981	0.4	0.3	0	33.1	34.8	0	107	111	0	30	30
2019	11	26	20	11	52	21.2	-2.6	0.982	0.5	0.4	0	33.1	34	0	107	109	0	30	30
2019	11	26	20	21	52	19.6	-3.8	0.981	0.4	0.3	0	32.7	34.4	0	107	110	0	31	30
2019	11	26	20	31	52	20.3	-2.9	0.982	0.5	0.4	0	33.5	34.8	0	108	111	0	30	30
2019	11	26	20	41	52	20.5	-2.4	0.981	0.5	0.4	0	33.5	34.8	0	108	111	0	30	30
2019	11	26	20	51	52	19.9	-2.6	0.981	0.3	0.2	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	21	1	52	21.8	-3.6	0.981	0.3	0.2	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	21	11	52	21.2	-3	0.981	0.3	0.2	0	33.5	34.4	0	108	111	0	30	31
2019	11	26	21	21	52	21.4	-2.4	0.981	0.5	0.4	0	33.1	34	0	106	109	0	29	30
2019	11	26	21	31	52	20.8	-2.3	0.982	0.4	0.3	0	33.5	34.8	0	108	111	0	30	30
2019	11	26	21	41	52	20.6	-2	0.982	0.5	0.4	0	33.5	35.3	0	108	112	0	30	30
2019	11	26	21	51	52	20.4	-2.9	0.981	0.3	0.2	0	32.7	34.8	0	107	111	0	31	30
2019	11	26	22	1	52	20.4	-3.5	0.981	0.4	0.3	0	34	34.4	0	109	111	0	30	31
2019	11	26	22	11	52	19.5	-2.3	0.981	0.3	0.2	0	33.5	34.4	0	108	110	0	30	30
2019	11	26	22	21	52	19.6	-3	0.981	0.4	0.3	0	33.5	34.8	0	108	111	0	30	30
2019	11	26	22	31	52	20	-2.8	0.981	0.5	0.5	0	33.5	34.8	0	108	111	0	30	30
2019	11	26	22	41	52	20.3	-3.6	0.981	0.3	0.2	0	34	34.8	0	109	112	0	30	31
2019	11	26	22	51	52	19.6	-2.5	0.981	0.3	0.2	0	34	35.3	0	109	112	0	30	30
2019	11	26	23	1	52	19.8	-2.5	0.981	0.5	0.5	0	33.1	34.8	0	107	111	0	30	30
2019	11	26	23	11	52	20.3	-2.4	0.981	0.4	0.3	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	23	21	52	20.7	-2.4	0.981	0.4	0.3	0	33.1	34.4	0	107	110	0	30	30
2019	11	26	23	31	52	20.6	-2.4	0.981	0.3	0.2	0	33.5	34.8	0	108	111	0	30	30
2019	11	26	23	41	52	21	-2.4	0.981	0.4	0.3	0	34.4	35.3	0	110	113	0	30	31
2019	11	26	23	51	52	20.1	-2.9	0.981	0.5	0.4	0	34.8	36.1	0	111	114	0	30	30
2019	11	27	0	1	52	20.6	-3.7	0.981	0.3	0.2	0	33.5	34.8	0	108	112	0	30	31
2019	11	27	0	11	52	20.1	-2.9	0.981	0.5	0.4	0	35.3	36.5	0	112	115	0	30	30
2019	11	27	0	21	52	21	-3.4	0.981	0.4	0.3	0	35.3	36.1	0	111	115	0	29	31
2019	11	27	0	31	52	20.2	-3.2	0.981	0.3	0.2	0	35.7	37	0	113	116	0	30	30
2019	11	27	0	41	52	20.7	-2.8	0.98	0.3	0.2	0	37.8	38.7	0	118	121	0	30	31
2019	11	27	0	51	52	21.2	-2.2	0.984	0.4	0.3	0	48.2	49.5	0	142	145	0	30	30
2019	11	27	1	1	52	20.6	-2.4	0.981	0.3	0.2	0	48.2	49.5	0	142	145	0	30	30
2019	11	27	1	11	52	20.2	-1.3	0.981	0.4	0.3	0	46	47.7	0	137	141	0	30	30
2019	11	27	1	21	52	20.9	-1.9	0.982	0.4	0.3	0	46	47.7	0	137	141	0	30	30
2019	11	27	1	31	52	21.1	-2.1	0.981	0.5	0.4	0	44.3	46	0	133	137	0	30	30
2019	11	27	1	41	52	20.2	-2.4	0.982	0.3	0.2	0	43.9	45.2	0	132	135	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	27	1	51	52	20.4	-2.4	0.982	0.3	0.2	0	44.7	46	0	134	137	0	30	30
2019	11	27	2	1	52	21.4	-1.7	0.982	0.4	0.3	0	43	44.7	0	131	134	0	31	30
2019	11	27	2	11	52	20.2	-2.9	0.982	0.3	0.2	0	44.3	45.2	0	132	135	0	29	30
2019	11	27	2	21	52	20.4	-1.9	0.979	0.4	0.3	0	44.7	45.6	0	134	136	0	30	30
2019	11	27	2	31	52	21.5	-3	0.981	0.4	0.3	0	46.4	47.3	0	138	141	0	30	31
2019	11	27	2	41	52	20.2	-2.4	0.982	0.5	0.4	0	45.2	46.4	0	135	138	0	30	30
2019	11	27	2	51	52	20.5	-2.6	0.982	0.3	0.2	0	44.3	46	0	133	137	0	30	30
2019	11	27	3	1	52	21	-2.5	0.983	0.3	0.2	0	43.9	45.6	0	132	136	0	30	30
2019	11	27	3	11	52	19	-1.4	0.984	0.4	0.3	0	44.3	45.2	0	133	136	0	30	31
2019	11	27	3	21	52	19.9	-1.6	0.983	0.5	0.4	0	42.6	44.3	0	129	133	0	30	30
2019	11	27	3	31	52	21	-2.4	0.984	0.4	0.3	0	41.7	43.4	0	127	131	0	30	30
2019	11	27	3	41	52	20.2	-2	0.983	0.5	0.4	0	42.1	43.4	0	128	131	0	30	30
2019	11	27	3	51	52	20.6	-2.6	0.983	0.3	0.2	0	41.3	42.1	0	126	129	0	30	31
2019	11	27	4	1	52	20.5	-2.4	0.983	0.4	0.3	0	40.9	41.7	0	125	128	0	30	31
2019	11	27	4	11	52	20.6	-2.3	0.985	0.4	0.3	0	39.1	40.4	0	121	124	0	30	30
2019	11	27	4	21	52	20.2	-2.8	0.983	0.4	0.3	0	38.7	39.6	0	119	122	0	29	30
2019	11	27	4	31	52	20.8	-2.8	0.983	0.4	0.3	0	37.4	38.7	0	117	120	0	30	30
2019	11	27	4	41	52	19.6	-1.6	0.985	0.4	0.3	0	37.4	39.1	0	117	121	0	30	30
2019	11	27	4	51	52	20.2	-2.5	0.983	0.4	0.3	0	38.7	40	0	120	123	0	30	30
2019	11	27	5	1	52	21.8	-2.8	0.984	0.3	0.2	0	37.8	38.7	0	118	120	0	30	30
2019	11	27	5	11	52	20	-2	0.983	0.3	0.2	0	37	38.7	0	116	120	0	30	30
2019	11	27	5	21	52	20.5	-2.9	0.984	0.3	0.2	0	36.5	37.8	0	115	119	0	30	31
2019	11	27	5	31	52	19.3	-2.5	0.984	0.3	0.2	0	36.1	37.8	0	114	118	0	30	30
2019	11	27	5	41	52	20.7	-2.5	0.984	0.3	0.2	0	37	38.3	0	116	119	0	30	30
2019	11	27	5	51	52	20.5	-3.2	0.984	0.4	0.3	0	37	38.3	0	116	119	0	30	30
2019	11	27	6	1	52	20.1	-2.2	0.983	0.4	0.3	0	36.5	37.4	0	115	118	0	30	31
2019	11	27	6	11	52	20.6	-2.8	0.983	0.5	0.4	0	36.1	37.4	0	114	117	0	30	30
2019	11	27	6	21	52	20.2	-2.8	0.983	0.4	0.3	0	35.3	36.5	0	113	116	0	31	31
2019	11	27	6	31	52	20.5	-1.8	0.983	0.4	0.3	0	35.7	37.4	0	113	116	0	30	29
2019	11	27	6	41	52	20.5	-2.4	0.983	0.4	0.3	0	35.7	36.5	0	113	116	0	30	31
2019	11	27	6	51	52	21.4	-2.5	0.984	0.3	0.2	0	35.3	36.1	0	112	115	0	30	31
2019	11	27	7	1	52	21.1	-2.8	0.983	0.3	0.2	0	35.3	35.7	0	111	114	0	29	31
2019	11	27	7	11	52	21	-3.4	0.984	0.3	0.2	0	35.3	36.5	0	112	115	0	30	30
2019	11	27	7	21	52	20	-2.3	0.984	0.5	0.4	0	35.7	36.5	0	113	116	0	30	31
2019	11	27	7	31	52	19.8	-2.8	0.984	0.3	0.2	0	35.3	36.5	0	112	115	0	30	30
2019	11	27	7	41	52	20.8	-2.1	0.984	0.4	0.3	0	34	35.3	0	110	113	0	31	31
2019	11	27	7	51	52	20.6	-2.9	0.984	0.3	0.2	0	34	35.7	0	109	113	0	30	30
2019	11	27	8	1	52	20.6	-2.8	0.983	0.5	0.4	0	34.4	34.8	0	109	112	0	29	31
2019	11	27	8	11	52	19.2	-2.8	0.983	0.3	0.2	0	34.4	36.1	0	110	114	0	30	30
2019	11	27	8	21	52	19.7	-4.7	0.983	0.3	0.2	0	35.3	36.5	0	112	115	0	30	30
2019	11	27	8	31	52	19.4	-3.2	0.983	0.3	0.2	0	35.7	37.4	0	113	117	0	30	30
2019	11	27	8	41	52	20.7	-3.2	0.983	0.4	0.3	0	35.3	36.5	0	112	115	0	30	30
2019	11	27	8	51	52	20.7	-2.5	0.983	0.4	0.3	0	33.5	35.3	0	108	112	0	30	30
2019	11	27	9	1	52	20.9	-2.7	0.984	0.3	0.2	0	35.3	36.1	0	112	115	0	30	31
2019	11	27	9	11	52	20.7	-3	0.984	0.3	0.2	0	33.1	34.8	0	108	112	0	31	31
2019	11	27	9	21	52	20.3	-2.9	0.983	0.4	0.3	0	32.7	34	0	106	110	0	30	31
2019	11	27	9	31	52	20.4	-2.5	0.984	0.5	0.4	0	32.7	34	0	106	109	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	27	9	41	52	20.1	-3.3	0.986	0.3	0.2	0	33.5	34.4	0	108	111	0	30	31
2019	11	27	9	51	52	20.6	-3.3	0.986	0.3	0.2	0	34	34.8	0	109	112	0	30	31
2019	11	27	10	1	52	19.9	-3.3	0.985	0.3	0.2	0	34.8	35.7	0	111	114	0	30	31
2019	11	27	10	11	52	19.5	-2	0.985	0.3	0.2	0	35.7	37	0	113	116	0	30	30
2019	11	27	10	21	52	19.8	-1.9	0.987	0.5	0.4	0	34.8	36.1	0	111	114	0	30	30
2019	11	27	10	31	52	20.7	-3.5	0.984	0.3	0.2	0	34.4	36.1	0	110	114	0	30	30
2019	11	27	10	41	52	20.2	-2.6	0.985	0.4	0.3	0	34.4	35.3	0	110	113	0	30	31
2019	11	27	10	51	52	19.4	-2.8	0.986	0.3	0.2	0	34.4	35.3	0	110	112	0	30	30
2019	11	27	11	1	52	19.9	-2.9	0.986	0.5	0.4	0	35.3	35.7	0	112	114	0	30	31
2019	11	27	11	11	52	20.3	-3.1	0.986	0.3	0.2	0	35.3	36.5	0	112	115	0	30	30
2019	11	27	11	21	52	21.4	-3.2	0.986	0.4	0.3	0	35.7	37	0	113	116	0	30	30
2019	11	27	11	31	52	21.3	-2.4	0.986	0.3	0.2	0	36.1	37.4	0	114	117	0	30	30
2019	11	27	11	41	52	20.7	-2.3	0.986	0.3	0.2	0	36.5	37.8	0	115	118	0	30	30
2019	11	27	11	51	52	20.7	-3.1	0.986	0.4	0.3	0	36.1	37	0	114	117	0	30	31
2019	11	27	12	1	52	19.6	-2.9	0.986	0.3	0.2	0	34.8	36.5	0	111	115	0	30	30
2019	11	27	12	11	52	19.8	-2.5	0.986	0.5	0.4	0	34.8	35.7	0	111	114	0	30	31
2019	11	27	12	21	52	21.3	-3.1	0.986	0.5	0.4	0	40.4	41.7	0	124	128	0	30	31
2019	11	27	12	31	52	19.8	-2.7	0.986	0.3	0.2	0	38.3	39.6	0	119	122	0	30	30
2019	11	27	12	41	52	19.6	-3.3	0.986	0.4	0.3	0	35.7	37.4	0	113	117	0	30	30
2019	11	27	12	51	52	20.2	-3.4	0.988	0.3	0.2	0	37.8	39.6	0	119	122	0	31	30
2019	11	27	13	1	52	21.1	-2.9	0.987	0.4	0.3	0	38.7	40	0	120	123	0	30	30
2019	11	27	13	11	52	20.4	-3.7	0.986	0.3	0.2	0	37	38.7	0	116	120	0	30	30
2019	11	27	13	21	52	20.5	-3.3	0.985	0.3	0.2	0	35.7	37	0	113	116	0	30	30
2019	11	27	13	31	52	19.8	-3	0.986	0.3	0.2	0	35.3	36.5	0	112	115	0	30	30
2019	11	27	13	41	52	20.3	-2.3	0.986	0.3	0.2	0	34.8	35.7	0	111	114	0	30	31
2019	11	27	13	51	52	22.1	-3.2	0.986	0.3	0.2	0	34.8	35.7	0	111	114	0	30	31
2019	11	27	14	1	52	19.8	-3.7	0.987	0.3	0.2	0	34.8	35.7	0	111	114	0	30	31
2019	11	27	14	11	52	21.2	-3.3	0.985	0.5	0.5	0	34.4	36.1	0	111	114	0	31	30
2019	11	27	14	21	52	20.5	-2.9	0.987	0.3	0.2	0	34.4	35.3	0	109	112	0	29	30
2019	11	27	14	31	52	19.7	-3.7	0.987	0.5	0.4	0	34	35.3	0	109	112	0	30	30
2019	11	27	14	41	52	20.1	-2.7	0.987	0.3	0.2	0	33.5	34.8	0	108	111	0	30	30
2019	11	27	14	51	52	21.1	-3.6	0.987	0.3	0.2	0	33.1	34.4	0	107	110	0	30	30
2019	11	27	15	1	52	19.8	-2.9	0.988	0.4	0.3	0	33.1	34.4	0	107	110	0	30	30
2019	11	27	15	11	52	20.8	-3.3	0.988	0.3	0.2	0	32.7	33.5	0	106	109	0	30	31
2019	11	27	15	21	52	19.9	-2.4	0.987	0.3	0.2	0	32.3	34	0	105	109	0	30	30
2019	11	27	15	31	52	19.5	-2.9	0.988	0.3	0.2	0	32.7	34	0	106	109	0	30	30
2019	11	27	15	41	52	20.7	-2.4	0.988	0.4	0.3	0	33.1	34.4	0	107	110	0	30	30
2019	11	27	15	51	52	20.3	-3.8	0.988	0.5	0.5	0	33.1	34.4	0	107	110	0	30	30
2019	11	27	16	1	52	20.8	-3.1	0.988	0.4	0.3	0	33.1	34.8	0	107	111	0	30	30
2019	11	27	16	11	52	21.2	-3.2	0.988	0.4	0.3	0	33.1	34.4	0	107	111	0	30	31
2019	11	27	16	21	52	19.2	-2.5	0.988	0.3	0.2	0	34	35.7	0	109	113	0	30	30
2019	11	27	16	31	52	20.7	-2.4	0.988	0.3	0.2	0	34.8	35.7	0	111	114	0	30	31
2019	11	27	16	41	52	21.5	-3.7	0.987	0.3	0.2	0	35.7	36.5	0	113	116	0	30	31
2019	11	27	16	51	52	20.4	-2.4	0.988	0.5	0.4	0	34.8	36.5	0	111	115	0	30	30
2019	11	27	17	1	52	21.1	-3.7	0.989	0.4	0.3	0	33.5	34.8	0	107	111	0	29	30
2019	11	27	17	11	52	20.7	-2	0.989	0.5	0.4	0	33.1	34.8	0	107	110	0	30	29
2019	11	27	17	21	52	20.3	-3.4	0.989	0.4	0.3	0	33.1	34.4	0	107	110	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	27	17	31	52	19.9	-3.5	0.989	0.4	0.3	0	33.1	34.8	0	107	111	0	30	30
2019	11	27	17	41	52	20.5	-2.4	0.989	0.4	0.3	0	34.4	35.3	0	109	112	0	29	30
2019	11	27	17	51	52	20.9	-2.5	0.988	0.3	0.2	0	35.7	37	0	112	116	0	29	30
2019	11	27	18	1	52	20.6	-2.4	0.988	0.3	0.2	0	34.4	36.1	0	110	114	0	30	30
2019	11	27	18	11	52	19.8	-2.5	0.988	0.5	0.4	0	33.5	34.8	0	108	111	0	30	30
2019	11	27	18	21	52	20.7	-2.8	0.988	0.3	0.2	0	33.1	34.8	0	107	111	0	30	30
2019	11	27	18	31	52	20.4	-2.4	0.988	0.3	0.2	0	34	34.8	0	108	111	0	29	30
2019	11	27	18	41	52	20	-1.8	0.988	0.4	0.3	0	34	35.3	0	109	112	0	30	30
2019	11	27	18	51	52	20.6	-2.5	0.989	0.4	0.3	0	33.1	34.8	0	107	111	0	30	30
2019	11	27	19	1	52	19.9	-3.1	0.989	0.3	0.2	0	32.7	34	0	106	110	0	30	31
2019	11	27	19	11	52	20.7	-3.4	0.989	0.3	0.2	0	33.1	34	0	107	110	0	30	31
2019	11	27	19	21	52	21	-2.6	0.989	0.5	0.4	0	33.1	33.5	0	107	109	0	30	31
2019	11	27	19	31	52	21.1	-3.2	0.99	0.3	0.2	0	33.1	34	0	106	109	0	29	30
2019	11	27	19	41	52	20.1	-2.5	0.99	0.3	0.2	0	32.3	34	0	106	109	0	31	30
2019	11	27	19	51	52	20.8	-2.1	0.99	0.5	0.4	0	32.7	34	0	106	109	0	30	30
2019	11	27	20	1	52	22.1	-2.9	0.99	0.4	0.3	0	32.3	33.1	0	105	108	0	30	31
2019	11	27	20	11	52	20.1	-3.7	0.99	0.3	0.2	0	32.3	34	0	105	109	0	30	30
2019	11	27	20	21	52	20.8	-3.4	0.99	0.4	0.3	0	31.8	33.5	0	105	109	0	31	31
2019	11	27	20	31	52	20.4	-3	0.99	0.5	0.4	0	32.7	34	0	106	109	0	30	30
2019	11	27	20	41	52	21.5	-2.9	0.99	0.3	0.2	0	32.3	33.5	0	105	109	0	30	31
2019	11	27	20	51	52	20.6	-3.2	0.99	0.4	0.3	0	32.7	34	0	106	109	0	30	30
2019	11	27	21	1	52	21.1	-3	0.99	0.3	0.2	0	32.3	34.4	0	105	109	0	30	29
2019	11	27	21	11	52	20.3	-2.4	0.99	0.3	0.2	0	32.3	33.5	0	105	109	0	30	31
2019	11	27	21	21	52	20.8	-2.9	0.99	0.4	0.3	0	32.3	33.1	0	105	108	0	30	31
2019	11	27	21	31	52	19.5	-2.6	0.99	0.3	0.2	0	32.7	34.4	0	106	110	0	30	30
2019	11	27	21	41	52	20.6	-3	0.99	0.5	0.4	0	37	38.7	0	116	120	0	30	30
2019	11	27	21	51	52	20.8	-2	0.99	0.5	0.4	0	34.4	35.7	0	110	113	0	30	30
2019	11	27	22	1	52	21.3	-2.6	0.99	0.4	0.3	0	35.3	37	0	112	116	0	30	30
2019	11	27	22	11	52	21	-2.9	0.99	0.3	0.2	0	35.3	36.5	0	111	115	0	29	30
2019	11	27	22	21	52	20.6	-3.3	0.99	0.3	0.2	0	34	35.3	0	109	112	0	30	30
2019	11	27	22	31	52	20.6	-3.3	0.99	0.3	0.2	0	33.5	34.8	0	108	111	0	30	30
2019	11	27	22	41	52	19.7	-3.3	0.99	0.4	0.3	0	33.1	34.8	0	107	111	0	30	30
2019	11	27	22	51	52	21.6	-3.4	0.99	0.5	0.4	0	36.1	37.4	0	114	118	0	30	31
2019	11	27	23	1	52	20.6	-3.2	0.99	0.5	0.4	0	35.3	37	0	112	116	0	30	30
2019	11	27	23	11	52	21.5	-2.5	0.991	0.4	0.3	0	34.4	35.7	0	110	113	0	30	30
2019	11	27	23	21	52	20.2	-2.4	0.991	0.3	0.2	0	35.3	37	0	112	116	0	30	30
2019	11	27	23	31	52	20.9	-2.7	0.99	0.4	0.3	0	35.3	36.1	0	112	115	0	30	31
2019	11	27	23	41	52	21.9	-3.2	0.991	0.4	0.3	0	33.5	34.4	0	108	111	0	30	31
2019	11	27	23	51	52	21.5	-3.5	0.99	0.4	0.3	0	33.1	34.4	0	107	110	0	30	30
2019	11	28	0	1	52	20.9	-3.3	0.99	0.4	0.3	0	32.7	34.4	0	107	110	0	31	30
2019	11	28	0	11	52	21.1	-3.1	0.99	0.5	0.5	0	32.7	34	0	106	110	0	30	31
2019	11	28	0	21	52	21.1	-2.4	0.99	0.5	0.4	0	32.7	34.4	0	106	110	0	30	30
2019	11	28	0	31	52	21.5	-3.5	0.99	0.5	0.4	0	32.7	34	0	106	109	0	30	30
2019	11	28	0	41	52	19.6	-2.7	0.99	0.4	0.3	0	32.3	34.4	0	106	110	0	31	30
2019	11	28	0	51	52	21.2	-3.2	0.99	0.3	0.2	0	32.3	33.5	0	106	109	0	31	31
2019	11	28	1	1	52	21.3	-2.8	0.99	0.4	0.3	0	32.3	34	0	105	109	0	30	30
2019	11	28	1	11	52	21.5	-2.4	0.99	0.4	0.3	0	32.3	34	0	105	109	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	28	1	21	52	21.6	-3.4	0.99	0.4	0.3	0	32.7	34	0	106	109	0	30	30
2019	11	28	1	31	52	20.8	-2.9	0.99	0.3	0.2	0	32.3	34	0	105	109	0	30	30
2019	11	28	1	41	52	21.5	-4.1	0.99	0.5	0.4	0	32.3	33.5	0	105	109	0	30	31
2019	11	28	1	51	52	21.4	-3.6	0.99	0.3	0.2	0	32.3	33.5	0	105	109	0	30	31
2019	11	28	2	1	52	20.2	-3	0.99	0.3	0.2	0	31.8	34	0	105	109	0	31	30
2019	11	28	2	11	52	20.6	-4.1	0.99	0.4	0.3	0	32.3	33.5	0	105	109	0	30	31
2019	11	28	2	21	52	20.6	-2.9	0.99	0.3	0.2	0	32.3	33.5	0	105	108	0	30	30
2019	11	28	2	31	52	21	-2.6	0.99	0.3	0.2	0	31.8	34	0	105	109	0	31	30
2019	11	28	2	41	52	21.5	-3	0.99	0.4	0.3	0	32.3	34	0	105	109	0	30	30
2019	11	28	2	51	52	20.2	-3.3	0.99	0.4	0.3	0	32.7	34	0	106	109	0	30	30
2019	11	28	3	1	52	20.6	-3.6	0.99	0.3	0.2	0	32.7	34	0	106	109	0	30	30
2019	11	28	3	11	52	20.4	-3.5	0.99	0.4	0.3	0	32.3	33.5	0	105	109	0	30	31
2019	11	28	3	21	52	20.6	-3.6	0.99	0.4	0.3	0	32.7	33.5	0	106	109	0	30	31
2019	11	28	3	31	52	21	-3.7	0.99	0.3	0.2	0	32.7	33.5	0	106	109	0	30	31
2019	11	28	3	41	52	19.2	-3.1	0.99	0.5	0.4	0	32.7	34.4	0	106	110	0	30	30
2019	11	28	3	51	52	20.7	-3.3	0.99	0.4	0.3	0	32.7	33.5	0	106	109	0	30	31
2019	11	28	4	1	52	20.8	-2.6	0.99	0.5	0.5	0	33.1	34	0	107	110	0	30	31
2019	11	28	4	11	52	20.6	-2.4	0.99	0.3	0.2	0	31.8	33.5	0	105	109	0	31	31
2019	11	28	4	21	52	21	-3.5	0.99	0.4	0.3	0	32.3	34	0	105	109	0	30	30
2019	11	28	4	31	52	20.6	-4	0.99	0.3	0.2	0	31.8	33.5	0	105	109	0	31	31
2019	11	28	4	41	52	20.5	-2.7	0.99	0.3	0.2	0	32.3	33.1	0	105	108	0	30	31
2019	11	28	4	51	52	20.1	-3.4	0.99	0.3	0.2	0	32.7	34	0	107	110	0	31	31
2019	11	28	5	1	52	20.1	-3.5	0.99	0.3	0.2	0	35.3	36.5	0	112	116	0	30	31
2019	11	28	5	11	52	19.9	-3	0.99	0.5	0.4	0	33.5	34.8	0	108	111	0	30	30
2019	11	28	5	21	52	20.8	-2.1	0.99	0.3	0.2	0	34.4	35.3	0	110	113	0	30	31
2019	11	28	5	31	52	20	-3.1	0.99	0.6	0.5	0	33.1	34.4	0	107	111	0	30	31
2019	11	28	5	41	52	20.5	-3.5	0.99	0.3	0.2	0	32.3	33.5	0	105	109	0	30	31
2019	11	28	5	51	52	20.8	-3.7	0.99	0.4	0.3	0	32.7	33.5	0	106	109	0	30	31
2019	11	28	6	1	52	21.2	-3.2	0.99	0.5	0.5	0	32.7	34.8	0	107	111	0	31	30
2019	11	28	6	11	52	20.5	-2.5	0.99	0.5	0.4	0	33.5	34.8	0	108	111	0	30	30
2019	11	28	6	21	52	21.2	-2.9	0.99	0.3	0.2	0	35.3	37	0	112	116	0	30	30
2019	11	28	6	31	52	20.6	-2.3	0.99	0.5	0.4	0	36.5	38.3	0	116	119	0	31	30
2019	11	28	6	41	52	20.5	-3	0.99	0.4	0.3	0	36.1	37.4	0	114	118	0	30	31
2019	11	28	6	51	52	20.4	-3.5	0.99	0.4	0.3	0	33.5	34.4	0	108	111	0	30	31
2019	11	28	7	1	52	21.1	-2.6	0.99	0.4	0.3	0	33.1	34.4	0	107	111	0	30	31
2019	11	28	7	11	52	21	-3.2	0.989	0.3	0.2	0	33.5	34	0	108	110	0	30	31
2019	11	28	7	21	52	20	-2.4	0.99	0.4	0.3	0	36.1	37	0	114	117	0	30	31
2019	11	28	7	31	52	21.5	-2.7	0.989	0.5	0.4	0	43	43.9	0	130	133	0	30	31
2019	11	28	7	41	52	21.3	-3	0.989	0.5	0.4	0	37.8	39.1	0	119	122	0	31	31
2019	11	28	7	51	52	22	-2.4	0.989	0.5	0.5	0	37.8	39.1	0	118	121	0	30	30
2019	11	28	8	1	52	21.6	-2.6	0.99	0.4	0.3	0	34.8	36.1	0	112	115	0	31	31
2019	11	28	8	11	52	20.1	-3.3	0.99	0.3	0.2	0	34.8	36.1	0	111	115	0	30	31
2019	11	28	8	21	52	21	-3.6	0.99	0.4	0.3	0	34.4	36.1	0	111	115	0	31	31
2019	11	28	8	31	52	21.4	-3.4	0.99	0.4	0.3	0	35.3	36.1	0	111	114	0	29	30
2019	11	28	8	41	52	21.1	-3.4	0.99	0.3	0.2	0	35.3	35.7	0	111	114	0	29	31
2019	11	28	8	51	52	21.6	-2.3	0.99	0.3	0.2	0	34.4	35.7	0	110	114	0	30	31
2019	11	28	9	1	52	21.1	-1.5	0.99	0.5	0.5	0	34.8	36.5	0	111	115	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	28	9	11	52	21.6	-2.9	0.991	0.3	0.2	0	35.3	36.5	0	112	115	0	30	30
2019	11	28	9	21	52	19.6	-1.6	0.99	0.3	0.2	0	35.7	37.4	0	113	117	0	30	30
2019	11	28	9	31	52	20.4	-2.9	0.99	0.4	0.3	0	36.5	37.4	0	115	118	0	30	31
2019	11	28	9	41	52	21.7	-2.4	0.991	0.3	0.2	0	36.1	37.8	0	115	118	0	31	30
2019	11	28	9	51	52	21	-1.6	0.991	0.3	0.2	0	36.5	37.8	0	115	119	0	30	31
2019	11	28	10	1	52	20.6	-2.4	0.991	0.3	0.2	0	37	38.3	0	117	120	0	31	31
2019	11	28	10	11	52	20.8	-1.1	0.991	0.3	0.2	0	37	38.3	0	116	120	0	30	31
2019	11	28	10	21	52	20.4	-2.6	0.991	0.4	0.3	0	37.4	38.3	0	117	120	0	30	31
2019	11	28	10	31	52	20.4	-1.2	0.991	0.4	0.3	0	37.4	38.7	0	117	120	0	30	30
2019	11	28	10	41	52	20.2	-0.9	0.991	0.4	0.3	0	37.4	39.1	0	117	121	0	30	30
2019	11	28	10	51	52	21	-1.7	0.991	0.4	0.3	0	37.4	39.1	0	117	121	0	30	30
2019	11	28	11	1	52	20.1	-2	0.991	0.3	0.2	0	37	38.3	0	116	119	0	30	30
2019	11	28	11	11	52	20.8	-2	0.991	0.4	0.3	0	36.5	37.8	0	116	119	0	31	31
2019	11	28	11	21	52	20.9	-2.9	0.991	0.3	0.2	0	37.4	39.1	0	118	121	0	31	30
2019	11	28	11	31	52	20.1	-1.8	0.992	0.3	0.2	0	37.4	38.3	0	117	121	0	30	32
2019	11	28	11	41	52	20.9	-1.8	0.992	0.3	0.2	0	37.4	38.7	0	117	120	0	30	30
2019	11	28	11	51	52	20.7	-2.4	0.992	0.3	0.2	0	37.4	38.7	0	117	121	0	30	31
2019	11	28	12	1	52	20	-2.2	0.992	0.3	0.2	0	37.8	38.7	0	118	121	0	30	31
2019	11	28	12	11	52	19.9	-2.8	0.993	0.3	0.2	0	37.4	39.1	0	117	121	0	30	30
2019	11	28	12	21	52	21	-2.2	0.994	0.3	0.2	0	37.4	39.1	0	117	121	0	30	30
2019	11	28	12	31	52	19.9	-1.9	0.994	0.3	0.2	0	37.8	38.7	0	117	120	0	29	30
2019	11	28	12	41	52	20.7	-1.1	0.994	0.4	0.3	0	37	38.3	0	116	120	0	30	31
2019	11	28	12	51	52	20.8	-2	0.994	0.3	0.2	0	39.6	40.9	0	122	125	0	30	30
2019	11	28	13	1	52	22	-2	0.996	0.3	0.2	0	38.7	40	0	120	124	0	30	31
2019	11	28	13	11	52	20.4	-2.3	0.996	0.3	0.2	0	37.8	39.1	0	118	122	0	30	31
2019	11	28	13	21	52	20.5	-1.4	0.996	0.4	0.3	0	37.8	39.1	0	118	122	0	30	31
2019	11	28	13	31	52	19.9	-2	0.996	0.3	0.2	0	37.4	39.1	0	118	121	0	31	30
2019	11	28	13	41	52	21.1	-1.5	0.997	0.3	0.2	0	39.1	40.4	0	121	125	0	30	31
2019	11	28	13	51	52	20.1	-2.4	0.997	0.4	0.3	0	39.6	40.9	0	122	125	0	30	30
2019	11	28	14	1	52	20.5	-1.9	0.996	0.5	0.4	0	37.4	39.6	0	118	122	0	31	30
2019	11	28	14	11	52	20.8	-1.7	0.997	0.5	0.4	0	37.8	39.1	0	118	122	0	30	31
2019	11	28	14	21	52	20.2	-1.2	0.997	0.3	0.2	0	37.8	39.6	0	118	122	0	30	30
2019	11	28	14	31	52	20.4	-2.2	0.997	0.4	0.3	0	37.8	39.1	0	118	122	0	30	31
2019	11	28	14	41	52	20.8	-1.7	0.997	0.3	0.2	0	37.8	38.7	0	118	121	0	30	31
2019	11	28	14	51	52	20.5	-2.2	0.998	0.3	0.2	0	37.4	38.3	0	117	120	0	30	31
2019	11	28	15	1	52	20.9	-1.8	0.998	0.3	0.2	0	37	38.7	0	116	120	0	30	30
2019	11	28	15	11	52	20.5	-2.2	0.998	0.4	0.3	0	36.5	38.3	0	116	120	0	31	31
2019	11	28	15	21	52	21.5	-1.9	0.998	0.5	0.4	0	37	38.3	0	116	119	0	30	30
2019	11	28	15	31	52	20.4	-1.5	0.999	0.4	0.3	0	37	37.8	0	116	119	0	30	31
2019	11	28	15	41	52	20.8	-2.1	0.999	0.3	0.2	0	36.1	38.3	0	115	119	0	31	30
2019	11	28	15	51	52	20.2	-1.7	0.999	0.3	0.2	0	36.5	38.3	0	115	119	0	30	30
2019	11	28	16	1	52	20.7	-1.1	0.999	0.5	0.4	0	36.5	37.8	0	115	119	0	30	31
2019	11	28	16	11	52	20.9	-2.1	0.999	0.3	0.2	0	35.3	37	0	113	117	0	31	31
2019	11	28	16	21	52	20.5	-1.4	0.999	0.3	0.2	0	35.3	36.5	0	112	116	0	30	31
2019	11	28	16	31	52	21.1	-1.8	0.999	0.3	0.2	0	35.3	37	0	112	116	0	30	30
2019	11	28	16	41	52	19.6	-2	0.999	0.5	0.4	0	35.3	36.5	0	112	115	0	30	30
2019	11	28	16	51	52	19.8	-1.8	0.999	0.4	0.3	0	34.8	36.5	0	111	115	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	28	17	1	52	20.5	-0.8	1	0.3	0.2	0	34.4	35.7	0	110	114	0	30	31
2019	11	28	17	11	52	19.3	-1.8	1	0.4	0.3	0	34	35.7	0	109	114	0	30	31
2019	11	28	17	21	52	20.4	-2	1	0.5	0.4	0	35.3	37.8	0	113	118	0	31	30
2019	11	28	17	31	52	20.8	-2.3	1	0.5	0.5	0	34	35.7	0	109	114	0	30	31
2019	11	28	17	41	52	20.3	-3	1	0.3	0.2	0	33.5	35.3	0	108	113	0	30	31
2019	11	28	17	51	52	19.9	-3.1	1	0.3	0.2	0	33.5	35.7	0	108	113	0	30	30
2019	11	28	18	1	52	20.4	-2.5	1	0.3	0.2	0	33.1	34.8	0	107	112	0	30	31
2019	11	28	18	11	52	19.6	-2.9	1	0.3	0.2	0	33.5	34.8	0	108	112	0	30	31
2019	11	28	18	21	52	21.1	-2.3	1	0.3	0.2	0	32.7	34.4	0	106	111	0	30	31
2019	11	28	18	31	52	21.2	-2.4	1	0.5	0.4	0	33.5	35.3	0	108	112	0	30	30
2019	11	28	18	41	52	20	-3	1.001	0.4	0.3	0	33.1	34.8	0	107	112	0	30	31
2019	11	28	18	51	52	19.8	-2.6	1.001	0.3	0.2	0	32.7	34	0	106	110	0	30	31
2019	11	28	19	1	52	20.4	-3.1	1.001	0.3	0.2	0	32.7	34.4	0	106	110	0	30	30
2019	11	28	19	11	52	19.6	-2.8	1.001	0.5	0.4	0	32.3	34	0	105	110	0	30	31
2019	11	28	19	21	52	19.9	-3.6	1.001	0.5	0.5	0	31.8	34	0	105	110	0	31	31
2019	11	28	19	31	52	21.7	-3.2	1.001	0.5	0.4	0	32.3	33.5	0	105	109	0	30	31
2019	11	28	19	41	52	21.7	-3.1	1.001	0.4	0.3	0	32.7	34	0	106	110	0	30	31
2019	11	28	19	51	52	20.7	-2.6	1.001	0.3	0.2	0	32.7	34	0	106	110	0	30	31
2019	11	28	20	1	52	20.8	-2.7	1.001	0.3	0.2	0	32.3	34.4	0	105	110	0	30	30
2019	11	28	20	11	52	20	-2	1.001	0.3	0.2	0	32.7	33.5	0	106	109	0	30	31
2019	11	28	20	21	52	20.1	-3.3	1.002	0.3	0.2	0	32.3	33.5	0	105	109	0	30	31
2019	11	28	20	31	52	20.3	-2.9	1.002	0.3	0.2	0	32.7	34.4	0	106	110	0	30	30
2019	11	28	20	41	52	20.4	-2.7	1.002	0.4	0.3	0	32.7	34.8	0	106	111	0	30	30
2019	11	28	20	51	52	20.6	-3.1	1.002	0.5	0.4	0	32.7	34	0	106	110	0	30	31
2019	11	28	21	1	52	19.9	-2.1	1.002	0.3	0.2	0	32.3	34.4	0	105	110	0	30	30
2019	11	28	21	11	52	20.9	-2.1	1.002	0.3	0.2	0	31.8	34	0	105	110	0	31	31
2019	11	28	21	21	52	20.5	-2.8	1.002	0.4	0.3	0	32.3	34	0	105	110	0	30	31
2019	11	28	21	31	52	20.7	-2.8	1.002	0.5	0.4	0	32.3	34	0	105	110	0	30	31
2019	11	28	21	41	52	21.5	-2.5	1.002	0.3	0.2	0	33.5	35.3	0	108	112	0	30	30
2019	11	28	21	51	52	20.9	-1.8	1.002	0.3	0.2	0	34	35.7	0	109	113	0	30	30
2019	11	28	22	1	52	20.4	-2	1.003	0.3	0.2	0	33.5	34.8	0	108	112	0	30	31
2019	11	28	22	11	52	20.2	-2.7	1.003	0.5	0.4	0	32.3	34.4	0	105	110	0	30	30
2019	11	28	22	21	52	20.4	-3.4	1.003	0.4	0.3	0	32.3	33.5	0	105	109	0	30	31
2019	11	28	22	31	52	20.1	-2.1	1.003	0.4	0.3	0	31.8	34	0	104	109	0	30	30
2019	11	28	22	41	52	20.3	-2.5	1.003	0.4	0.3	0	31.8	33.5	0	104	108	0	30	30
2019	11	28	22	51	52	20.6	-2.6	1.003	0.5	0.4	0	31.8	33.5	0	104	109	0	30	31
2019	11	28	23	1	52	20.7	-3.2	1.004	0.3	0.2	0	31.4	33.1	0	104	108	0	31	31
2019	11	28	23	11	52	20.9	-2.1	1.004	0.3	0.2	0	31.8	33.1	0	104	108	0	30	31
2019	11	28	23	21	52	20.3	-2.7	1.004	0.3	0.2	0	31.8	33.5	0	104	108	0	30	30
2019	11	28	23	31	52	20	-3.2	1.005	0.4	0.3	0	31.4	33.1	0	103	107	0	30	30
2019	11	28	23	41	52	20.3	-3.2	1.005	0.3	0.2	0	31	32.7	0	103	107	0	31	31
2019	11	28	23	51	52	21	-1.9	1.006	0.3	0.2	0	31.4	33.1	0	103	107	0	30	30
2019	11	29	0	1	52	20.3	-3	1.006	0.4	0.3	0	31.4	33.5	0	103	108	0	30	30
2019	11	29	0	11	52	20.5	-3.3	1.006	0.3	0.2	0	31	33.1	0	102	107	0	30	30
2019	11	29	0	21	52	21.4	-3.9	1.007	0.5	0.4	0	31.4	33.1	0	103	107	0	30	30
2019	11	29	0	31	52	20.6	-2.9	1.007	0.4	0.3	0	31	32.7	0	102	107	0	30	31
2019	11	29	0	41	52	19.9	-3.6	1.007	0.4	0.3	0	31	33.1	0	102	107	0	30	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	29	0	51	52	21.4	-3.8	1.007	0.3	0.2	0	31	32.7	0	102	106	0	30	30
2019	11	29	1	1	52	20.9	-3.2	1.007	0.4	0.3	0	31	32.3	0	102	106	0	30	31
2019	11	29	1	11	52	21.4	-3.4	1.007	0.4	0.3	0	31	32.3	0	102	106	0	30	31
2019	11	29	1	21	52	20.7	-2.3	1.007	0.3	0.2	0	30.5	32.7	0	101	106	0	30	30
2019	11	29	1	31	52	21.5	-3.2	1.008	0.3	0.2	0	31	32.3	0	102	106	0	30	31
2019	11	29	1	41	52	20.8	-2.8	1.008	0.3	0.2	0	31	32.3	0	102	106	0	30	31
2019	11	29	1	51	52	20.5	-3.3	1.008	0.4	0.3	0	30.5	31.8	0	102	105	0	31	31
2019	11	29	2	1	52	20.2	-3.9	1.008	0.4	0.3	0	30.5	32.3	0	101	106	0	30	31
2019	11	29	2	11	52	20	-2.8	1.008	0.4	0.3	0	31	32.3	0	102	106	0	30	31
2019	11	29	2	21	52	20.2	-3	1.008	0.3	0.2	0	30.1	32.7	0	101	106	0	31	30
2019	11	29	2	31	52	21	-3	1.008	0.3	0.2	0	30.5	31.8	0	101	105	0	30	31
2019	11	29	2	41	52	20.2	-2.8	1.008	0.3	0.2	0	30.1	31.8	0	101	105	0	31	31
2019	11	29	2	51	52	20.6	-4	1.008	0.3	0.2	0	30.5	32.3	0	102	106	0	31	31
2019	11	29	3	1	52	20.6	-4	1.008	0.3	0.2	0	31	32.3	0	102	106	0	30	31
2019	11	29	3	11	52	20.7	-3.6	1.008	0.5	0.4	0	31	32.7	0	102	106	0	30	30
2019	11	29	3	21	52	20.8	-2.5	1.008	0.3	0.2	0	30.5	32.3	0	102	106	0	31	31
2019	11	29	3	31	52	20.9	-3.2	1.008	0.3	0.2	0	31	32.7	0	102	106	0	30	30
2019	11	29	3	41	52	19.8	-3.6	1.008	0.5	0.4	0	30.5	32.7	0	101	106	0	30	30
2019	11	29	3	51	52	21	-3.7	1.008	0.3	0.2	0	30.5	32.3	0	101	106	0	30	31
2019	11	29	4	1	52	20.7	-2.8	1.008	0.3	0.2	0	30.5	32.3	0	102	106	0	31	31
2019	11	29	4	11	52	21.2	-3.7	1.009	0.5	0.5	0	30.5	32.3	0	101	105	0	30	30
2019	11	29	4	21	52	20.3	-1.9	1.009	0.4	0.3	0	30.5	32.3	0	101	106	0	30	31
2019	11	29	4	31	52	20.6	-2.8	1.008	0.3	0.2	0	31	32.7	0	102	107	0	30	31
2019	11	29	4	41	52	20.4	-2.8	1.008	0.5	0.4	0	30.5	32.3	0	102	106	0	31	31
2019	11	29	4	51	52	20.3	-1.9	1.009	0.5	0.4	0	31	32.3	0	102	106	0	30	31
2019	11	29	5	1	52	20.6	-3.3	1.009	0.3	0.2	0	30.1	31.8	0	101	105	0	31	31
2019	11	29	5	11	52	20.7	-2.9	1.009	0.3	0.2	0	30.5	31.8	0	101	105	0	30	31
2019	11	29	5	21	52	20.7	-3.7	1.009	0.5	0.4	0	31	31.8	0	102	105	0	30	31
2019	11	29	5	31	52	19.7	-3.3	1.009	0.4	0.3	0	30.5	31.4	0	101	104	0	30	31
2019	11	29	5	41	52	21.5	-3.1	1.009	0.3	0.2	0	31	31.8	0	102	105	0	30	31
2019	11	29	5	51	52	21.6	-3.1	1.009	0.4	0.3	0	30.1	32.3	0	101	106	0	31	31
2019	11	29	6	1	52	20.6	-3	1.009	0.5	0.4	0	31	32.3	0	102	106	0	30	31
2019	11	29	6	11	52	21	-3.4	1.009	0.5	0.4	0	30.5	32.3	0	101	105	0	30	30
2019	11	29	6	21	52	20.7	-3.1	1.009	0.4	0.3	0	30.5	32.3	0	101	105	0	30	30
2019	11	29	6	31	52	21.1	-2.4	1.009	0.3	0.2	0	30.1	31.8	0	101	105	0	31	31
2019	11	29	6	41	52	20.2	-3.3	1.009	0.3	0.2	0	31	32.7	0	102	106	0	30	30
2019	11	29	6	51	52	21	-3.5	1.009	0.3	0.2	0	29.7	31.8	0	100	105	0	31	31
2019	11	29	7	1	52	21.4	-3.3	1.009	0.4	0.3	0	30.1	31.8	0	101	105	0	31	31
2019	11	29	7	11	52	21.3	-2.2	1.008	0.3	0.2	0	30.1	32.3	0	101	105	0	31	30
2019	11	29	7	21	52	20.9	-3.4	1.009	0.4	0.3	0	31	32.7	0	102	107	0	30	31
2019	11	29	7	31	52	20.3	-3	1.009	0.4	0.3	0	30.1	32.3	0	101	105	0	31	30
2019	11	29	7	41	52	20.9	-2.8	1.008	0.3	0.2	0	30.5	32.3	0	101	106	0	30	31
2019	11	29	7	51	52	19.8	-3.5	1.009	0.3	0.2	0	30.5	32.3	0	102	106	0	31	31
2019	11	29	8	1	52	20.1	-3.5	1.008	0.3	0.2	0	31.4	33.5	0	104	108	0	31	30
2019	11	29	8	11	52	20.6	-2.8	1.008	0.4	0.3	0	31.8	33.5	0	104	109	0	30	31
2019	11	29	8	21	52	21.1	-3.3	1.008	0.4	0.3	0	31.4	33.1	0	103	107	0	30	30
2019	11	29	8	31	52	19.7	-2.8	1.008	0.4	0.3	0	31.4	33.1	0	103	108	0	30	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	29	8	41	52	21.3	-3	1.008	0.3	0.2	0	30.5	31.8	0	101	105	0	30	31
2019	11	29	8	51	52	20.7	-2.6	1.008	0.3	0.2	0	30.5	33.1	0	102	107	0	31	30
2019	11	29	9	1	52	20.5	-3.4	1.008	0.3	0.2	0	31	32.3	0	102	106	0	30	31
2019	11	29	9	11	52	20.9	-2.6	1.008	0.4	0.3	0	31.4	32.3	0	103	106	0	30	31
2019	11	29	9	21	52	20.4	-2.6	1.008	0.4	0.3	0	31.8	33.5	0	104	108	0	30	30
2019	11	29	9	31	52	22.2	-3	1.008	0.3	0.2	0	31.4	32.7	0	103	107	0	30	31
2019	11	29	9	41	52	20.4	-2.9	1.008	0.3	0.2	0	31	33.1	0	103	107	0	31	30
2019	11	29	9	51	52	21.6	-2.8	1.008	0.3	0.2	0	31.8	33.5	0	105	109	0	31	31
2019	11	29	10	1	52	21.7	-2.8	1.008	0.3	0.2	0	33.5	35.7	0	109	113	0	31	30
2019	11	29	10	11	52	21.4	-2.2	1.008	0.4	0.3	0	35.3	37	0	112	117	0	30	31
2019	11	29	10	21	52	20.7	-3.1	1.008	0.3	0.2	0	37	38.7	0	116	120	0	30	30
2019	11	29	10	31	52	20.9	-1.4	1.008	0.3	0.2	0	37.8	39.1	0	118	122	0	30	31
2019	11	29	10	41	52	21.6	-2.4	1.008	0.3	0.2	0	38.7	40.4	0	120	124	0	30	30
2019	11	29	10	51	52	20.8	-2.5	1.008	0.4	0.3	0	39.1	40.4	0	121	125	0	30	31
2019	11	29	11	1	52	21.3	-1.8	1.008	0.4	0.3	0	38.3	40	0	119	123	0	30	30
2019	11	29	11	11	52	20.8	-1.9	1.008	0.4	0.3	0	37.8	39.6	0	118	122	0	30	30
2019	11	29	11	21	52	21.5	-2.4	1.008	0.4	0.3	0	40.9	42.6	0	125	130	0	30	31
2019	11	29	11	31	52	20.1	-1.7	1.008	0.4	0.3	0	38.3	39.6	0	119	123	0	30	31
2019	11	29	11	41	52	20.9	-2.4	1.008	0.4	0.3	0	39.6	40.9	0	122	126	0	30	31
2019	11	29	11	51	52	20.6	-2.2	1.008	0.4	0.3	0	38.3	40	0	120	124	0	31	31
2019	11	29	12	1	52	20.3	-2.2	1.008	0.3	0.2	0	38.7	40	0	120	124	0	30	31
2019	11	29	12	11	52	20.4	-1.5	1.008	0.5	0.4	0	38.7	40.4	0	121	125	0	31	31
2019	11	29	12	21	52	19.8	-1.8	1.008	0.4	0.3	0	40	41.3	0	123	127	0	30	31
2019	11	29	12	31	52	20.7	-1.8	1.008	0.3	0.2	0	40.4	41.7	0	124	128	0	30	31
2019	11	29	12	41	52	21.5	-2.1	1.008	0.3	0.2	0	39.6	41.3	0	122	127	0	30	31
2019	11	29	12	51	52	20.9	-1.8	1.008	0.4	0.3	0	38.7	40.4	0	121	125	0	31	31
2019	11	29	13	1	52	21.2	-2.8	1.008	0.5	0.4	0	39.1	40.4	0	121	125	0	30	31
2019	11	29	13	11	52	20.6	-2.4	1.008	0.3	0.2	0	39.1	40.4	0	121	125	0	30	31
2019	11	29	13	21	52	21.3	-1.8	1.008	0.3	0.2	0	39.6	40.9	0	122	126	0	30	31
2019	11	29	13	31	52	20.6	-1.1	1.008	0.4	0.3	0	38.7	40	0	121	124	0	31	31
2019	11	29	13	41	52	21	-2.2	1.008	0.4	0.3	0	38.7	40	0	120	124	0	30	31
2019	11	29	13	51	52	20.6	-2.7	1.008	0.3	0.2	0	38.7	40	0	120	124	0	30	31
2019	11	29	14	1	52	21	-1.2	1.008	0.3	0.2	0	37.8	40	0	118	123	0	30	30
2019	11	29	14	11	52	21.4	-1.6	1.008	0.5	0.5	0	37.8	39.6	0	118	122	0	30	30
2019	11	29	14	21	52	20.2	-1.1	1.008	0.3	0.2	0	37.4	39.1	0	117	122	0	30	31
2019	11	29	14	31	52	21.3	-1.7	1.008	0.3	0.2	0	37	37.8	0	116	120	0	30	32
2019	11	29	14	41	52	21.1	-2.5	1.008	0.3	0.2	0	36.5	38.3	0	115	119	0	30	30
2019	11	29	14	51	52	20.4	-2.1	1.008	0.3	0.2	0	36.1	37.4	0	114	118	0	30	31
2019	11	29	15	1	52	20.7	-2.6	1.008	0.3	0.2	0	36.1	37.8	0	114	118	0	30	30
2019	11	29	15	11	52	20.9	-2.6	1.008	0.4	0.3	0	35.7	36.5	0	113	116	0	30	31
2019	11	29	15	21	52	21.3	-2.4	1.007	0.5	0.5	0	34.8	36.1	0	111	115	0	30	31
2019	11	29	15	31	52	20.4	-2.6	1.007	0.3	0.2	0	34	35.7	0	110	114	0	31	31
2019	11	29	15	41	52	20.4	-2.1	1.007	0.3	0.2	0	33.1	34.8	0	108	112	0	31	31
2019	11	29	15	51	52	21	-2.7	1.007	0.3	0.2	0	33.5	35.3	0	108	113	0	30	31
2019	11	29	16	1	52	20.2	-2.2	1.007	0.3	0.2	0	32.7	34.4	0	106	110	0	30	30
2019	11	29	16	11	52	19.9	-1.8	1.007	0.3	0.2	0	32.7	34	0	106	110	0	30	31
2019	11	29	16	21	52	21.2	-2.1	1.007	0.4	0.3	0	32.3	33.5	0	105	109	0	30	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	29	16	31	52	19.8	-2.5	1.007	0.5	0.4	0	31.8	34	0	105	109	0	31	30
2019	11	29	16	41	52	21.9	-2.7	1.007	0.3	0.2	0	31.4	33.1	0	103	108	0	30	31
2019	11	29	16	51	52	20.4	-2.6	1.007	0.5	0.4	0	31.4	33.1	0	103	108	0	30	31
2019	11	29	17	1	52	20.5	-2.5	1.006	0.3	0.2	0	31.4	32.7	0	103	107	0	30	31
2019	11	29	17	11	52	20.9	-2.9	1.006	0.4	0.3	0	31	33.5	0	103	108	0	31	30
2019	11	29	17	21	52	20.2	-2.1	1.006	0.5	0.4	0	31	33.1	0	103	108	0	31	31
2019	11	29	17	31	52	20.7	-2.9	1.006	0.3	0.2	0	31.4	33.1	0	103	108	0	30	31
2019	11	29	17	41	52	19.8	-2.5	1.006	0.4	0.3	0	31.4	33.1	0	103	108	0	30	31
2019	11	29	17	51	52	20.8	-3.3	1.006	0.3	0.2	0	30.5	32.7	0	102	107	0	31	31
2019	11	29	18	1	52	20	-2.5	1.005	0.3	0.2	0	31	33.1	0	102	107	0	30	30
2019	11	29	18	11	52	20.3	-2.8	1.004	0.4	0.3	0	31.4	33.1	0	103	108	0	30	31
2019	11	29	18	21	52	21	-2.4	1.003	0.4	0.3	0	31.4	33.5	0	103	108	0	30	30
2019	11	29	18	31	52	21.7	-3.1	1.003	0.3	0.2	0	31	33.1	0	103	107	0	31	30
2019	11	29	18	41	52	20.1	-3.4	1.003	0.4	0.3	0	31.4	32.7	0	103	107	0	30	31
2019	11	29	18	51	52	20.2	-3.3	1.002	0.4	0.3	0	31	33.1	0	102	107	0	30	30
2019	11	29	19	1	52	20.7	-2.8	1.002	0.4	0.3	0	30.5	32.7	0	102	106	0	31	30
2019	11	29	19	11	52	20.7	-3.1	1.002	0.3	0.2	0	31	32.7	0	102	106	0	30	30
2019	11	29	19	21	52	20.5	-3	1.002	0.4	0.3	0	30.1	32.3	0	101	106	0	31	31
2019	11	29	19	31	52	19.4	-4	1.002	0.3	0.2	0	31	32.3	0	102	106	0	30	31
2019	11	29	19	41	52	19.9	-3.1	1.002	0.4	0.3	0	30.5	32.3	0	101	106	0	30	31
2019	11	29	19	51	52	20.7	-3.2	1.002	0.4	0.3	0	30.5	32.3	0	101	106	0	30	31
2019	11	29	20	1	52	20.2	-2.3	1.002	0.3	0.2	0	30.1	32.3	0	101	106	0	31	31
2019	11	29	20	11	52	20.3	-3.5	1.002	0.5	0.4	0	30.5	31.8	0	101	105	0	30	31
2019	11	29	20	21	52	20.6	-3.4	1.002	0.4	0.3	0	30.1	32.3	0	100	105	0	30	30
2019	11	29	20	31	52	20.3	-3	1.001	0.4	0.3	0	30.1	32.7	0	101	106	0	31	30
2019	11	29	20	41	52	21	-3.2	1.001	0.3	0.2	0	30.5	32.3	0	101	106	0	30	31
2019	11	29	20	51	52	21	-3.3	1.001	0.3	0.2	0	30.1	31.8	0	100	105	0	30	31
2019	11	29	21	1	52	19.2	-2.8	1.001	0.4	0.3	0	30.1	32.3	0	101	106	0	31	31
2019	11	29	21	11	52	20	-3	1.001	0.3	0.2	0	30.1	31.8	0	100	105	0	30	31
2019	11	29	21	21	52	20.4	-2.9	1.001	0.4	0.3	0	30.1	31.8	0	100	105	0	30	31
2019	11	29	21	31	52	21.5	-3.1	1.001	0.3	0.2	0	30.1	31.8	0	100	105	0	30	31
2019	11	29	21	41	52	19.3	-3.6	1	0.3	0.2	0	29.7	31.8	0	100	105	0	31	31
2019	11	29	21	51	52	20.7	-2.9	1	0.5	0.4	0	30.5	32.3	0	101	105	0	30	30
2019	11	29	22	1	52	20.5	-3.8	1	0.4	0.3	0	30.1	32.3	0	100	105	0	30	30
2019	11	29	22	11	52	19.8	-3.5	1	0.3	0.2	0	29.7	31.4	0	100	105	0	31	32
2019	11	29	22	21	52	21.2	-3.5	1	0.3	0.2	0	30.1	31.8	0	100	105	0	30	31
2019	11	29	22	31	52	20.2	-3.7	1	0.4	0.3	0	30.1	32.3	0	100	105	0	30	30
2019	11	29	22	41	52	19.7	-3.1	1	0.3	0.2	0	30.1	32.3	0	100	105	0	30	30
2019	11	29	22	51	52	20.8	-3.7	1	0.3	0.2	0	30.1	31.8	0	100	105	0	30	31
2019	11	29	23	1	52	20.4	-2.4	1	0.4	0.3	0	29.7	31.4	0	99	104	0	30	31
2019	11	29	23	11	52	20.8	-3.7	1	0.4	0.3	0	29.7	31.8	0	99	104	0	30	30
2019	11	29	23	21	52	20.2	-3.6	1	0.5	0.4	0	30.1	31.4	0	100	104	0	30	31
2019	11	29	23	31	52	21	-3.2	0.999	0.4	0.3	0	29.7	32.3	0	100	105	0	31	30
2019	11	29	23	41	52	20.8	-3.5	0.999	0.3	0.2	0	29.7	31.4	0	99	104	0	30	31
2019	11	29	23	51	52	21	-4	0.999	0.4	0.3	0	29.7	31.4	0	99	103	0	30	30
2019	11	30	0	1	52	20	-4.1	0.999	0.4	0.3	0	29.7	31.4	0	99	104	0	30	31
2019	11	30	0	11	52	20.2	-4	0.999	0.5	0.4	0	29.2	31.8	0	99	104	0	31	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	30	0	21	52	20	-3.4	0.999	0.5	0.4	0	29.2	31.8	0	98	104	0	30	30
2019	11	30	0	31	52	20.1	-4	0.999	0.4	0.3	0	29.7	31.4	0	99	104	0	30	31
2019	11	30	0	41	52	20	-3	0.999	0.3	0.2	0	29.2	31.8	0	99	104	0	31	30
2019	11	30	0	51	52	20.4	-2.8	0.999	0.4	0.3	0	29.7	31.8	0	99	104	0	30	30
2019	11	30	1	1	52	21.1	-4.1	0.998	0.5	0.4	0	29.2	31.4	0	98	104	0	30	31
2019	11	30	1	11	52	21	-3.4	0.999	0.5	0.4	0	29.2	31	0	98	103	0	30	31
2019	11	30	1	21	52	21	-3.7	0.998	0.3	0.2	0	28.8	31	0	98	103	0	31	31
2019	11	30	1	31	52	19.7	-2.3	0.998	0.3	0.2	0	28.8	31.4	0	98	104	0	31	31
2019	11	30	1	41	52	19.5	-3	0.998	0.4	0.3	0	31.8	34.4	0	105	110	0	31	30
2019	11	30	1	51	52	21.3	-3.4	0.998	0.3	0.2	0	31.8	34	0	104	110	0	30	31
2019	11	30	2	1	52	20.3	-2.8	0.998	0.3	0.2	0	30.1	32.3	0	100	106	0	30	31
2019	11	30	2	11	52	20.3	-3.3	0.998	0.3	0.2	0	29.7	31.4	0	99	104	0	30	31
2019	11	30	2	21	52	20.4	-3.2	0.998	0.3	0.2	0	29.7	31.8	0	100	105	0	31	31
2019	11	30	2	31	52	20.7	-3.8	0.998	0.4	0.3	0	29.7	31.8	0	99	105	0	30	31
2019	11	30	2	41	52	20.7	-3.6	0.998	0.3	0.2	0	29.2	31	0	99	103	0	31	31
2019	11	30	2	51	52	20.2	-3.4	0.998	0.3	0.2	0	29.7	31	0	99	103	0	30	31
2019	11	30	3	1	52	21.7	-2.8	0.998	0.4	0.3	0	29.2	31	0	98	103	0	30	31
2019	11	30	3	11	52	19.4	-3.4	0.998	0.3	0.2	0	29.2	31	0	98	103	0	30	31
2019	11	30	3	21	52	19.8	-3.3	0.998	0.3	0.2	0	29.2	31	0	98	103	0	30	31
2019	11	30	3	31	52	20.3	-2.8	0.998	0.3	0.2	0	29.2	31.4	0	98	103	0	30	30
2019	11	30	3	41	52	21.1	-3.4	0.998	0.4	0.3	0	28.8	31.4	0	98	103	0	31	30
2019	11	30	3	51	52	20.9	-2.8	0.998	0.3	0.2	0	29.2	31	0	98	103	0	30	31
2019	11	30	4	1	52	19.8	-2.7	0.998	0.3	0.2	0	28.8	31.4	0	98	103	0	31	30
2019	11	30	4	11	52	21.1	-3.1	0.998	0.5	0.4	0	28.8	31	0	98	103	0	31	31
2019	11	30	4	21	52	21.2	-4.6	0.998	0.4	0.3	0	28.4	31	0	97	102	0	31	30
2019	11	30	4	31	52	19.8	-3	0.997	0.4	0.3	0	29.2	31.4	0	98	104	0	30	31
2019	11	30	4	41	52	20.4	-3.3	0.997	0.3	0.2	0	29.2	31	0	98	103	0	30	31
2019	11	30	4	51	52	19.6	-3.5	0.997	0.4	0.3	0	28.8	30.5	0	98	103	0	31	32
2019	11	30	5	1	52	20.6	-3.1	0.997	0.3	0.2	0	30.5	33.1	0	102	108	0	31	31
2019	11	30	5	11	52	20.1	-3.5	0.997	0.3	0.2	0	29.2	31.4	0	99	104	0	31	31
2019	11	30	5	21	52	20.4	-3.5	0.997	0.3	0.2	0	28.8	31	0	98	103	0	31	31
2019	11	30	5	31	52	21.4	-3.2	0.997	0.3	0.2	0	28.8	30.5	0	97	102	0	30	31
2019	11	30	5	41	52	20.7	-2.5	0.997	0.4	0.3	0	28.4	31	0	97	102	0	31	30
2019	11	30	5	51	52	20	-3.5	0.997	0.3	0.2	0	29.2	30.5	0	98	102	0	30	31
2019	11	30	6	1	52	20.1	-3.6	0.997	0.4	0.3	0	28.4	30.1	0	97	102	0	31	32
2019	11	30	6	11	52	20.7	-3.6	0.997	0.4	0.3	0	28.4	31	0	97	103	0	31	31
2019	11	30	6	21	52	20.8	-3.1	0.997	0.4	0.3	0	28.8	31	0	97	103	0	30	31
2019	11	30	6	31	52	21.3	-3.5	0.997	0.3	0.2	0	29.2	31	0	98	103	0	30	31
2019	11	30	6	41	52	20.9	-3	0.997	0.4	0.3	0	28.4	31	0	97	103	0	31	31
2019	11	30	6	51	52	19.9	-3.2	0.997	0.5	0.4	0	29.2	31.4	0	98	104	0	30	31
2019	11	30	7	1	52	19.8	-3.5	0.997	0.3	0.2	0	29.7	31.8	0	100	105	0	31	31
2019	11	30	7	11	52	20.9	-3	0.997	0.4	0.3	0	30.5	32.7	0	101	107	0	30	31
2019	11	30	7	21	52	20.8	-2.9	0.997	0.3	0.2	0	30.5	32.7	0	102	107	0	31	31
2019	11	30	7	31	52	20.1	-3.4	0.997	0.4	0.3	0	29.2	31.8	0	99	105	0	31	31
2019	11	30	7	41	52	20	-2.7	0.997	0.5	0.4	0	29.7	31.4	0	100	105	0	31	32
2019	11	30	7	51	52	20	-3.7	0.997	0.5	0.4	0	29.2	31.4	0	99	104	0	31	31
2019	11	30	8	1	52	20.3	-2.7	0.997	0.5	0.5	0	29.7	31.8	0	100	105	0	31	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	30	8	11	52	20.5	-2.4	0.997	0.4	0.3	0	30.1	32.3	0	100	106	0	30	31
2019	11	30	8	21	52	20.2	-2.7	0.997	0.5	0.4	0	29.7	31.8	0	100	105	0	31	31
2019	11	30	8	31	52	20.4	-3.3	0.997	0.3	0.2	0	29.7	31	0	99	103	0	30	31
2019	11	30	8	41	52	19.6	-3	0.997	0.3	0.2	0	29.7	31	0	99	103	0	30	31
2019	11	30	8	51	52	20.9	-2.8	0.997	0.4	0.3	0	29.2	31	0	98	103	0	30	31
2019	11	30	9	1	52	21.4	-3.2	0.997	0.3	0.2	0	29.2	31.4	0	99	104	0	31	31
2019	11	30	9	11	52	19.7	-2.6	0.998	0.4	0.3	0	30.1	31.4	0	100	104	0	30	31
2019	11	30	9	21	52	20.5	-3.8	0.998	0.3	0.2	0	29.2	31.8	0	99	104	0	31	30
2019	11	30	9	31	52	19.3	-3.1	0.997	0.5	0.4	0	29.2	30.5	0	98	102	0	30	31
2019	11	30	9	41	52	19.9	-4.4	0.998	0.5	0.4	0	29.7	31.8	0	100	105	0	31	31
2019	11	30	9	51	52	20.1	-2.2	0.998	0.3	0.2	0	31.8	33.1	0	104	108	0	30	31
2019	11	30	10	1	52	19.5	-2	0.998	0.4	0.3	0	30.1	31	0	100	104	0	30	32
2019	11	30	10	11	52	20.2	-3.7	0.998	0.3	0.2	0	29.2	31	0	98	103	0	30	31
2019	11	30	10	21	52	19.9	-3.2	0.998	0.3	0.2	0	34.4	37	0	110	116	0	30	30
2019	11	30	10	31	52	21.5	-3.6	0.998	0.4	0.3	0	29.7	31.8	0	100	105	0	31	31
2019	11	30	10	41	52	20.6	-3.1	0.998	0.4	0.3	0	29.2	31	0	98	104	0	30	32
2019	11	30	10	51	52	20.4	-3.2	0.998	0.3	0.2	0	29.7	31.4	0	99	104	0	30	31
2019	11	30	11	1	52	21.3	-3.2	0.998	0.5	0.4	0	31	32.7	0	102	107	0	30	31
2019	11	30	11	11	52	20.7	-3.3	0.998	0.4	0.3	0	29.7	31.8	0	100	105	0	31	31
2019	11	30	11	21	52	20.5	-2.8	0.998	0.4	0.3	0	29.7	31.8	0	100	105	0	31	31
2019	11	30	11	31	52	21	-3.5	0.998	0.5	0.4	0	30.5	32.7	0	102	107	0	31	31
2019	11	30	11	41	52	20	-2.8	0.998	0.4	0.3	0	31	32.7	0	102	107	0	30	31
2019	11	30	11	51	52	20.1	-3.5	0.998	0.4	0.3	0	30.1	32.3	0	101	106	0	31	31
2019	11	30	12	1	52	21.4	-3.2	0.998	0.4	0.3	0	30.1	31.8	0	100	105	0	30	31
2019	11	30	12	11	52	19.5	-2.9	0.998	0.3	0.2	0	29.7	32.3	0	100	105	0	31	30
2019	11	30	12	21	52	19.9	-3.5	0.998	0.3	0.2	0	30.1	31.8	0	100	105	0	30	31
2019	11	30	12	31	52	19.7	-3.5	0.999	0.5	0.4	0	32.3	34	0	105	110	0	30	31
2019	11	30	12	41	52	21.1	-2.9	0.998	0.4	0.3	0	32.3	34	0	105	110	0	30	31
2019	11	30	12	51	52	22	-3.9	0.998	0.4	0.3	0	30.5	31.8	0	101	105	0	30	31
2019	11	30	13	1	52	20.6	-3.4	0.998	0.4	0.3	0	30.5	31.8	0	101	105	0	30	31
2019	11	30	13	11	52	20.3	-2.8	0.998	0.3	0.2	0	29.7	31.4	0	100	105	0	31	32
2019	11	30	13	21	52	20.4	-4.3	0.998	0.3	0.2	0	29.7	31.4	0	100	105	0	31	32
2019	11	30	13	31	52	21.1	-3.2	0.997	0.4	0.3	0	29.7	32.3	0	99	105	0	30	30
2019	11	30	13	41	52	21.3	-4.2	0.997	0.4	0.3	0	29.7	31.4	0	99	104	0	30	31
2019	11	30	13	51	52	20.6	-1.8	0.997	0.3	0.2	0	29.7	31.4	0	99	104	0	30	31
2019	11	30	14	1	52	20.8	-2.9	0.997	0.3	0.2	0	29.7	31.4	0	99	104	0	30	31
2019	11	30	14	11	52	20.8	-2.8	0.997	0.4	0.3	0	29.7	31.4	0	99	104	0	30	31
2019	11	30	14	21	52	20.3	-3.5	0.997	0.5	0.5	0	29.2	31.4	0	99	104	0	31	31
2019	11	30	14	31	52	19.9	-2.5	0.997	0.4	0.3	0	29.2	31.8	0	99	104	0	31	30
2019	11	30	14	41	52	20	-2.8	0.997	0.4	0.3	0	28.8	31.4	0	98	103	0	31	30
2019	11	30	14	51	52	19.7	-3.7	0.997	0.3	0.2	0	29.2	31	0	98	103	0	30	31
2019	11	30	15	1	52	21.6	-2.9	0.997	0.4	0.3	0	29.2	31	0	98	103	0	30	31
2019	11	30	15	11	52	20.6	-3.1	0.997	0.3	0.2	0	30.1	31.8	0	99	104	0	29	30
2019	11	30	15	21	52	20.9	-3.9	0.997	0.4	0.3	0	29.2	31	0	98	103	0	30	31
2019	11	30	15	31	52	20.6	-3.9	0.997	0.4	0.3	0	28.8	31	0	97	102	0	30	30
2019	11	30	15	41	52	20.2	-3.3	0.997	0.4	0.3	0	30.1	32.3	0	100	106	0	30	31
2019	11	30	15	51	52	21.4	-3.6	0.997	0.4	0.3	0	30.1	32.3	0	101	106	0	31	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	30	16	1	52	21	-3.3	0.997	0.5	0.4	0	30.1	31.8	0	100	105	0	30	31
2019	11	30	16	11	52	20.7	-3.1	0.997	0.4	0.3	0	29.7	31.8	0	99	104	0	30	30
2019	11	30	16	21	52	20.4	-3.6	0.997	0.4	0.3	0	29.7	31.4	0	99	104	0	30	31
2019	11	30	16	31	52	20.4	-4.3	0.997	0.4	0.3	0	29.2	31.4	0	99	104	0	31	31
2019	11	30	16	41	52	20.6	-3.3	0.997	0.3	0.2	0	31	33.1	0	102	107	0	30	30
2019	11	30	16	51	52	20.7	-3.9	0.997	0.4	0.3	0	29.2	31.8	0	99	104	0	31	30
2019	11	30	17	1	52	20.4	-3.3	0.997	0.3	0.2	0	29.2	31.4	0	99	104	0	31	31
2019	11	30	17	11	52	20.3	-3.2	0.997	0.3	0.2	0	29.7	31.4	0	99	104	0	30	31
2019	11	30	17	21	52	21	-3.8	0.997	0.5	0.4	0	29.7	31.4	0	99	104	0	30	31
2019	11	30	17	31	52	20.1	-2.3	0.997	0.5	0.4	0	29.7	31.8	0	100	104	0	31	30
2019	11	30	17	41	52	19.8	-2.8	0.997	0.3	0.2	0	29.7	30.5	0	99	103	0	30	32
2019	11	30	17	51	52	19.5	-3.4	0.997	0.3	0.2	0	29.2	31	0	98	103	0	30	31
2019	11	30	18	1	52	20.3	-3	0.997	0.4	0.3	0	29.2	31.4	0	98	103	0	30	30
2019	11	30	18	11	52	20.4	-3	0.997	0.4	0.3	0	28.8	31	0	98	103	0	31	31
2019	11	30	18	21	52	19.2	-3.7	0.997	0.4	0.3	0	28.8	31	0	98	103	0	31	31
2019	11	30	18	31	52	19.5	-3.9	0.997	0.4	0.3	0	28.4	30.5	0	97	102	0	31	31
2019	11	30	18	41	52	20.2	-3.1	0.997	0.3	0.2	0	29.2	30.5	0	98	102	0	30	31
2019	11	30	18	51	52	19.5	-3.2	0.997	0.3	0.2	0	29.7	31	0	99	103	0	30	31
2019	11	30	19	1	52	20.6	-3.8	0.997	0.3	0.2	0	29.7	31.4	0	99	103	0	30	30
2019	11	30	19	11	52	20.3	-3.8	0.997	0.3	0.2	0	29.2	31.4	0	99	103	0	31	30
2019	11	30	19	21	52	20.4	-2.3	0.997	0.4	0.3	0	28.8	31.4	0	98	103	0	31	30
2019	11	30	19	31	52	20	-3.2	0.997	0.5	0.4	0	29.2	31.4	0	98	103	0	30	30
2019	11	30	19	41	52	20.7	-4.5	0.997	0.5	0.4	0	28.4	30.5	0	97	102	0	31	31
2019	11	30	19	51	52	19.9	-2.9	0.997	0.4	0.3	0	28.4	30.1	0	96	101	0	30	31
2019	11	30	20	1	52	21	-3.2	0.997	0.4	0.3	0	28	30.1	0	96	101	0	31	31
2019	11	30	20	11	52	20.8	-4.2	0.997	0.3	0.2	0	28.4	30.5	0	97	102	0	31	31
2019	11	30	20	21	52	21.9	-3.2	0.997	0.5	0.4	0	28.8	30.1	0	97	101	0	30	31
2019	11	30	20	31	52	19.8	-3.6	0.997	0.5	0.4	0	30.1	32.3	0	100	105	0	30	30
2019	11	30	20	41	52	20.3	-2.8	0.997	0.4	0.3	0	30.5	32.3	0	101	106	0	30	31
2019	11	30	20	51	52	19.9	-2.8	0.997	0.3	0.2	0	32.7	34.8	0	107	112	0	31	31
2019	11	30	21	1	52	20	-3	0.997	0.4	0.3	0	29.7	30.5	0	99	103	0	30	32
2019	11	30	21	11	52	20.2	-3.4	0.996	0.3	0.2	0	28.8	30.5	0	98	102	0	31	31
2019	11	30	21	21	52	20.4	-3.8	0.996	0.3	0.2	0	29.2	31	0	98	102	0	30	30
2019	11	30	21	31	52	20.7	-3.8	0.996	0.3	0.2	0	28.8	30.5	0	98	102	0	31	31
2019	11	30	21	41	52	19.8	-3.5	0.996	0.3	0.2	0	29.7	31	0	99	103	0	30	31
2019	11	30	21	51	52	20.1	-3.2	0.996	0.3	0.2	0	28.8	31	0	98	103	0	31	31
2019	11	30	22	1	52	19.7	-4.2	0.996	0.3	0.2	0	28.8	30.5	0	97	102	0	30	31
2019	11	30	22	11	52	19.7	-3.1	0.996	0.5	0.4	0	28.8	30.5	0	97	102	0	30	31
2019	11	30	22	21	52	21.1	-3.7	0.996	0.4	0.3	0	28.8	30.5	0	97	102	0	30	31
2019	11	30	22	31	52	20	-3.6	0.996	0.3	0.2	0	28.4	30.5	0	97	102	0	31	31
2019	11	30	22	41	52	20	-3.5	0.996	0.5	0.4	0	28.4	30.5	0	97	102	0	31	31
2019	11	30	22	51	52	19.8	-3.6	0.996	0.3	0.2	0	28.4	30.1	0	97	101	0	31	31
2019	11	30	23	1	52	20.2	-3.1	0.996	0.3	0.2	0	28.4	30.1	0	96	101	0	30	31
2019	11	30	23	11	52	20.1	-3.8	0.996	0.5	0.4	0	28.8	30.1	0	97	101	0	30	31
2019	11	30	23	21	52	19.9	-3.2	0.996	0.4	0.3	0	28.4	30.1	0	97	101	0	31	31
2019	11	30	23	31	52	20.9	-3.6	0.996	0.3	0.2	0	28.8	30.1	0	97	101	0	30	31
2019	11	30	23	41	52	19.7	-2.8	0.996	0.3	0.2	0	28.4	30.5	0	97	101	0	31	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	30	23	51	52	19.8	-4.4	0.996	0.4	0.3	0	28.8	30.1	0	97	101	0	30	31

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	1	0	8	1	30	0	0	0	0	0	0	0	40.8	0	0	11.8
2019	11	1	0	18	1	29	0	0	0	0	0	0	0	40.75	0	0	11.8
2019	11	1	0	28	1	30	0	0	0	0	0	0	0	40.69	0	0	11.8
2019	11	1	0	38	1	29	0	0	0	0	0	0	0	40.66	0	0	11.8
2019	11	1	0	48	1	30	0	0	0	0	0	0	0	40.6	0	0	11.8
2019	11	1	0	58	1	30	0	0	0	0	0	0	0	40.53	0	0	11.8
2019	11	1	1	8	1	29	0	0	0	0	0	0	0	40.48	0	0	11.8
2019	11	1	1	18	1	30	0	0	0	0	0	0	0	40.44	0	0	11.8
2019	11	1	1	28	1	30	0	0	0	0	0	0	0	40.39	0	0	11.8
2019	11	1	1	38	1	29	0	0	0	0	0	0	0	40.33	0	0	11.8
2019	11	1	1	48	1	30	0	0	0	0	0	0	0	40.28	0	0	11.8
2019	11	1	1	58	1	29	0	0	0	0	0	0	0	40.23	0	0	11.8
2019	11	1	2	8	1	29	0	0	0	0	0	0	0	40.19	0	0	11.8
2019	11	1	2	18	1	30	0	0	0	0	0	0	0	40.14	0	0	11.8
2019	11	1	2	28	1	30	0	0	0	0	0	0	0	40.08	0	0	11.8
2019	11	1	2	38	1	30	0	0	0	0	0	0	0	40.03	0	0	11.8
2019	11	1	2	48	1	29	0	0	0	0	0	0	0	39.97	0	0	11.8
2019	11	1	2	58	1	30	0	0	0	0	0	0	0	39.94	0	0	11.8
2019	11	1	3	8	1	30	0	0	0	0	0	0	0	39.88	0	0	11.8
2019	11	1	3	18	1	30	0	0	0	0	0	0	0	39.81	0	0	11.8
2019	11	1	3	28	1	30	0	0	0	0	0	0	0	39.76	0	0	11.8
2019	11	1	3	38	1	30	0	0	0	0	0	0	0	39.7	0	0	11.8
2019	11	1	3	48	1	30	0	0	0	0	0	0	0	39.65	0	0	11.6
2019	11	1	3	58	1	30	0	0	0	0	0	0	0	39.61	0	0	11.6
2019	11	1	4	8	1	29	0	0	0	0	0	0	0	39.56	0	0	11.6
2019	11	1	4	18	1	30	0	0	0	0	0	0	0	39.51	0	0	11.6
2019	11	1	4	28	1	29	0	0	0	0	0	0	0	39.45	0	0	11.6
2019	11	1	4	38	1	29	0	0	0	0	0	0	0	39.4	0	0	11.6
2019	11	1	4	48	1	30	0	0	0	0	0	0	0	39.34	0	0	11.6
2019	11	1	4	58	1	30	0	0	0	0	0	0	0	39.29	0	0	11.6
2019	11	1	5	8	1	29	0	0	0	0	0	0	0	39.24	0	0	11.6
2019	11	1	5	18	1	30	0	0	0	0	0	0	0	39.16	0	0	11.6
2019	11	1	5	28	1	29	0	0	0	0	0	0	0	39.13	0	0	11.6
2019	11	1	5	38	1	29	0	0	0	0	0	0	0	39.06	0	0	11.6
2019	11	1	5	48	1	29	0	0	0	0	0	0	0	39.02	0	0	11.6
2019	11	1	5	58	1	29	0	0	0	0	0	0	0	38.95	0	0	11.6
2019	11	1	6	8	1	30	0	0	0	0	0	0	0	38.89	0	0	11.6
2019	11	1	6	18	1	30	0	0	0	0	0	0	0	38.84	0	0	11.6
2019	11	1	6	28	1	29	0	0	0	0	0	0	0	38.79	0	0	11.6
2019	11	1	6	38	1	30	0	0	0	0	0	0	0	38.73	0	0	11.6
2019	11	1	6	48	1	29	0	0	0	0	0	0	0	38.68	0	0	11.6
2019	11	1	6	58	1	29	0	0	0	0	0	0	0	38.61	0	0	11.6
2019	11	1	7	8	1	30	0	0	0	0	0	0	0	38.55	0	0	11.6
2019	11	1	7	18	1	30	0	0	0	0	0	0	0	38.5	0	0	11.6
2019	11	1	7	28	1	29	0	0	0	0	0	0	0	38.44	0	0	11.4
2019	11	1	7	38	1	29	0	0	0	0	0	0	0	38.39	0	0	11.4
2019	11	1	7	48	1	29	0	0	0	0	0	0	0	38.32	0	0	11.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	1	7	58	1	30	0	0	0	0	0	0	0	38.28	0	0	11.6
2019	11	1	8	8	1	29	0	0	0	0	0	0	0	38.23	0	0	12.2
2019	11	1	8	18	1	29	0	0	0	0	0	0	0	38.19	0	0	13.2
2019	11	1	8	28	1	30	0	0	0	0	0	0	0	38.16	0	0	13.4
2019	11	1	8	38	1	30	0	0	0	0	0	0	0	38.19	0	0	13.4
2019	11	1	8	48	1	29	0	0	0	0	0	0	0	38.17	0	0	13.6
2019	11	1	8	58	1	30	0	0	0	0	0	0	0	38.19	0	0	14
2019	11	1	9	8	1	30	0	0	0	0	0	0	0	38.21	0	0	14
2019	11	1	9	18	1	29	0	0	0	0	0	0	0	38.23	0	0	13.8
2019	11	1	9	28	1	30	0	0	0	0	0	0	0	38.25	0	0	13.8
2019	11	1	9	38	1	30	0	0	0	0	0	0	0	38.26	0	0	13.8
2019	11	1	9	48	1	30	0	0	0	0	0	0	0	38.3	0	0	13.8
2019	11	1	9	58	1	30	0	0	0	0	0	0	0	38.34	0	0	13.8
2019	11	1	10	8	1	30	0	0	0	0	0	0	0	38.35	0	0	13.8
2019	11	1	10	18	1	30	0	0	0	0	0	0	0	38.41	0	0	13.8
2019	11	1	10	28	1	30	0	0	0	0	0	0	0	38.44	0	0	13.8
2019	11	1	10	38	1	30	0	0	0	0	0	0	0	38.5	0	0	13.6
2019	11	1	10	48	1	30	0	0	0	0	0	0	0	38.53	0	0	13.6
2019	11	1	10	58	1	29	0	0	0	0	0	0	0	38.57	0	0	13.6
2019	11	1	11	8	1	30	0	0	0	0	0	0	0	38.61	0	0	13.6
2019	11	1	11	18	1	30	0	0	0	0	0	0	0	38.66	0	0	13.6
2019	11	1	11	28	1	30	0	0	0	0	0	0	0	38.7	0	0	13.6
2019	11	1	11	38	1	30	0	0	0	0	0	0	0	38.75	0	0	13.6
2019	11	1	11	48	1	29	0	0	0	0	0	0	0	38.8	0	0	13.6
2019	11	1	11	58	1	30	0	0	0	0	0	0	0	38.84	0	0	13.6
2019	11	1	12	8	1	30	0	0	0	0	0	0	0	38.89	0	0	13.6
2019	11	1	12	18	1	30	0	0	0	0	0	0	0	38.93	0	0	13.6
2019	11	1	12	28	1	30	0	0	0	0	0	0	0	38.98	0	0	13.6
2019	11	1	12	38	1	29	0	0	0	0	0	0	0	39.04	0	0	13.6
2019	11	1	12	48	1	30	0	0	0	0	0	0	0	39.07	0	0	13.6
2019	11	1	12	58	1	30	0	0	0	0	0	0	0	39.11	0	0	13.6
2019	11	1	13	8	1	30	0	0	0	0	0	0	0	39.16	0	0	13.6
2019	11	1	13	18	1	30	0	0	0	0	0	0	0	39.2	0	0	13.6
2019	11	1	13	28	1	30	0	0	0	0	0	0	0	39.24	0	0	13.6
2019	11	1	13	38	1	30	0	0	0	0	0	0	0	39.25	0	0	13.4
2019	11	1	13	48	1	29	0	0	0	0	0	0	0	39.27	0	0	13.4
2019	11	1	13	58	1	30	0	0	0	0	0	0	0	39.31	0	0	13.4
2019	11	1	14	8	1	30	0	0	0	0	0	0	0	39.34	0	0	13.4
2019	11	1	14	18	1	30	0	0	0	0	0	0	0	39.36	0	0	13.4
2019	11	1	14	28	1	30	0	0	0	0	0	0	0	39.38	0	0	13.4
2019	11	1	14	38	1	30	0	0	0	0	0	0	0	39.42	0	0	13.4
2019	11	1	14	48	1	30	0	0	0	0	0	0	0	39.45	0	0	13.4
2019	11	1	14	58	1	30	0	0	0	0	0	0	0	39.49	0	0	13.4
2019	11	1	15	8	1	30	0	0	0	0	0	0	0	39.51	0	0	13.2
2019	11	1	15	18	1	29	0	0	0	0	0	0	0	39.52	0	0	13.2
2019	11	1	15	28	1	30	0	0	0	0	0	0	0	39.56	0	0	13.2
2019	11	1	15	38	1	30	0	0	0	0	0	0	0	39.58	0	0	13.2

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	1	15	48	1	30	0	0	0	0	0	0	0	39.6	0	0	13.2
2019	11	1	15	58	1	29	0	0	0	0	0	0	0	39.58	0	0	13.2
2019	11	1	16	8	1	29	0	0	0	0	0	0	0	39.56	0	0	13.2
2019	11	1	16	18	1	29	0	0	0	0	0	0	0	39.6	0	0	13.2
2019	11	1	16	28	1	30	0	0	0	0	0	0	0	39.65	0	0	13.2
2019	11	1	16	38	1	30	0	0	0	0	0	0	0	39.7	0	0	13.2
2019	11	1	16	48	1	30	0	0	0	0	0	0	0	39.76	0	0	13.2
2019	11	1	16	58	1	29	0	0	0	0	0	0	0	39.83	0	0	13.2
2019	11	1	17	8	1	29	0	0	0	0	0	0	0	39.88	0	0	13.2
2019	11	1	17	18	1	29	0	0	0	0	0	0	0	39.94	0	0	12.2
2019	11	1	17	28	1	30	0	0	0	0	0	0	0	40.01	0	0	12
2019	11	1	17	38	1	30	0	0	0	0	0	0	0	40.06	0	0	12
2019	11	1	17	48	1	30	0	0	0	0	0	0	0	40.12	0	0	12
2019	11	1	17	58	1	30	0	0	0	0	0	0	0	40.17	0	0	12
2019	11	1	18	8	1	30	0	0	0	0	0	0	0	40.21	0	0	12
2019	11	1	18	18	1	29	0	0	0	0	0	0	0	40.26	0	0	12
2019	11	1	18	28	1	30	0	0	0	0	0	0	0	40.32	0	0	12
2019	11	1	18	38	1	30	0	0	0	0	0	0	0	40.35	0	0	12
2019	11	1	18	48	1	30	0	0	0	0	0	0	0	40.41	0	0	12
2019	11	1	18	58	1	29	0	0	0	0	0	0	0	40.44	0	0	12
2019	11	1	19	8	1	29	0	0	0	0	0	0	0	40.48	0	0	12
2019	11	1	19	18	1	30	0	0	0	0	0	0	0	40.51	0	0	12
2019	11	1	19	28	1	29	0	0	0	0	0	0	0	40.53	0	0	12
2019	11	1	19	38	1	29	0	0	0	0	0	0	0	40.57	0	0	12
2019	11	1	19	48	1	30	0	0	0	0	0	0	0	40.59	0	0	12
2019	11	1	19	58	1	30	0	0	0	0	0	0	0	40.6	0	0	12
2019	11	1	20	8	1	30	0	0	0	0	0	0	0	40.62	0	0	12
2019	11	1	20	18	1	29	0	0	0	0	0	0	0	40.64	0	0	12
2019	11	1	20	28	1	30	0	0	0	0	0	0	0	40.64	0	0	11.8
2019	11	1	20	38	1	29	0	0	0	0	0	0	0	40.64	0	0	11.8
2019	11	1	20	48	1	29	0	0	0	0	0	0	0	40.64	0	0	11.8
2019	11	1	20	58	1	30	0	0	0	0	0	0	0	40.62	0	0	11.8
2019	11	1	21	8	1	29	0	0	0	0	0	0	0	40.62	0	0	11.8
2019	11	1	21	18	1	30	0	0	0	0	0	0	0	40.6	0	0	11.8
2019	11	1	21	28	1	30	0	0	0	0	0	0	0	40.57	0	0	11.8
2019	11	1	21	38	1	29	0	0	0	0	0	0	0	40.57	0	0	11.8
2019	11	1	21	48	1	29	0	0	0	0	0	0	0	40.53	0	0	11.8
2019	11	1	21	58	1	30	0	0	0	0	0	0	0	40.5	0	0	11.8
2019	11	1	22	8	1	29	0	0	0	0	0	0	0	40.48	0	0	11.8
2019	11	1	22	18	1	30	0	0	0	0	0	0	0	40.46	0	0	11.8
2019	11	1	22	28	1	28	0	0	0	0	0	0	0	40.42	0	0	11.8
2019	11	1	22	38	1	30	0	0	0	0	0	0	0	40.39	0	0	11.8
2019	11	1	22	48	1	29	0	0	0	0	0	0	0	40.33	0	0	11.8
2019	11	1	22	58	1	29	0	0	0	0	0	0	0	40.3	0	0	11.8
2019	11	1	23	8	1	30	0	0	0	0	0	0	0	40.24	0	0	11.8
2019	11	1	23	18	1	30	0	0	0	0	0	0	0	40.21	0	0	11.8
2019	11	1	23	28	1	29	0	0	0	0	0	0	0	40.19	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	1	23	38	1	30	0	0	0	0	0	0	0	40.15	0	0	11.8
2019	11	1	23	48	1	29	0	0	0	0	0	0	0	40.12	0	0	11.8
2019	11	1	23	58	1	30	0	0	0	0	0	0	0	40.08	0	0	11.8
2019	11	2	0	8	1	29	0	0	0	0	0	0	0	40.05	0	0	11.8
2019	11	2	0	18	1	30	0	0	0	0	0	0	0	40.01	0	0	11.8
2019	11	2	0	28	1	30	0	0	0	0	0	0	0	39.97	0	0	11.8
2019	11	2	0	38	1	30	0	0	0	0	0	0	0	39.94	0	0	11.8
2019	11	2	0	48	1	29	0	0	0	0	0	0	0	39.92	0	0	11.8
2019	11	2	0	58	1	30	0	0	0	0	0	0	0	39.88	0	0	11.8
2019	11	2	1	8	1	30	0	0	0	0	0	0	0	39.85	0	0	11.8
2019	11	2	1	18	1	29	0	0	0	0	0	0	0	39.81	0	0	11.8
2019	11	2	1	28	1	30	0	0	0	0	0	0	0	39.79	0	0	11.8
2019	11	2	1	38	1	30	0	0	0	0	0	0	0	39.76	0	0	11.8
2019	11	2	1	48	1	30	0	0	0	0	0	0	0	39.7	0	0	11.8
2019	11	2	1	58	1	30	0	0	0	0	0	0	0	39.69	0	0	11.8
2019	11	2	2	8	1	29	0	0	0	0	0	0	0	39.67	0	0	11.8
2019	11	2	2	18	1	30	0	0	0	0	0	0	0	39.63	0	0	11.8
2019	11	2	2	28	1	30	0	0	0	0	0	0	0	39.61	0	0	11.8
2019	11	2	2	38	1	30	0	0	0	0	0	0	0	39.58	0	0	11.8
2019	11	2	2	48	1	29	0	0	0	0	0	0	0	39.54	0	0	11.8
2019	11	2	2	58	1	30	0	0	0	0	0	0	0	39.52	0	0	11.8
2019	11	2	3	8	1	30	0	0	0	0	0	0	0	39.49	0	0	11.8
2019	11	2	3	18	1	30	0	0	0	0	0	0	0	39.45	0	0	11.8
2019	11	2	3	28	1	30	0	0	0	0	0	0	0	39.43	0	0	11.6
2019	11	2	3	38	1	30	0	0	0	0	0	0	0	39.38	0	0	11.6
2019	11	2	3	48	1	30	0	0	0	0	0	0	0	39.36	0	0	11.6
2019	11	2	3	58	1	29	0	0	0	0	0	0	0	39.33	0	0	11.6
2019	11	2	4	8	1	29	0	0	0	0	0	0	0	39.31	0	0	11.6
2019	11	2	4	18	1	30	0	0	0	0	0	0	0	39.27	0	0	11.6
2019	11	2	4	28	1	30	0	0	0	0	0	0	0	39.24	0	0	11.6
2019	11	2	4	38	1	30	0	0	0	0	0	0	0	39.22	0	0	11.6
2019	11	2	4	48	1	29	0	0	0	0	0	0	0	39.18	0	0	11.6
2019	11	2	4	58	1	29	0	0	0	0	0	0	0	39.16	0	0	11.6
2019	11	2	5	8	1	29	0	0	0	0	0	0	0	39.13	0	0	11.6
2019	11	2	5	18	1	30	0	0	0	0	0	0	0	39.07	0	0	11.6
2019	11	2	5	28	1	30	0	0	0	0	0	0	0	39.06	0	0	11.6
2019	11	2	5	38	1	30	0	0	0	0	0	0	0	39.02	0	0	11.6
2019	11	2	5	48	1	30	0	0	0	0	0	0	0	38.98	0	0	11.6
2019	11	2	5	58	1	30	0	0	0	0	0	0	0	38.95	0	0	11.6
2019	11	2	6	8	1	30	0	0	0	0	0	0	0	38.93	0	0	11.6
2019	11	2	6	18	1	30	0	0	0	0	0	0	0	38.89	0	0	11.6
2019	11	2	6	28	1	30	0	0	0	0	0	0	0	38.86	0	0	11.6
2019	11	2	6	38	1	30	0	0	0	0	0	0	0	38.82	0	0	11.6
2019	11	2	6	48	1	30	0	0	0	0	0	0	0	38.8	0	0	11.6
2019	11	2	6	58	1	30	0	0	0	0	0	0	0	38.75	0	0	11.6
2019	11	2	7	8	1	30	0	0	0	0	0	0	0	38.71	0	0	11.6
2019	11	2	7	18	1	30	0	0	0	0	0	0	0	38.68	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	2	7	28	1	30	0	0	0	0	0	0	0	38.66	0	0	11.6
2019	11	2	7	38	1	30	0	0	0	0	0	0	0	38.64	0	0	11.6
2019	11	2	7	48	1	30	0	0	0	0	0	0	0	38.59	0	0	11.6
2019	11	2	7	58	1	30	0	0	0	0	0	0	0	38.55	0	0	11.6
2019	11	2	8	8	1	30	0	0	0	0	0	0	0	38.55	0	0	12
2019	11	2	8	18	1	29	0	0	0	0	0	0	0	38.52	0	0	12.8
2019	11	2	8	28	1	30	0	0	0	0	0	0	0	38.52	0	0	13.2
2019	11	2	8	38	1	29	0	0	0	0	0	0	0	38.57	0	0	13.2
2019	11	2	8	48	1	30	0	0	0	0	0	0	0	38.61	0	0	13.2
2019	11	2	8	58	1	29	0	0	0	0	0	0	0	38.62	0	0	13.4
2019	11	2	9	8	1	29	0	0	0	0	0	0	0	38.66	0	0	13.8
2019	11	2	9	18	1	30	0	0	0	0	0	0	0	38.7	0	0	13.8
2019	11	2	9	28	1	30	0	0	0	0	0	0	0	38.73	0	0	13.8
2019	11	2	9	38	1	30	0	0	0	0	0	0	0	38.79	0	0	13.6
2019	11	2	9	48	1	29	0	0	0	0	0	0	0	38.84	0	0	13.6
2019	11	2	9	58	1	30	0	0	0	0	0	0	0	38.88	0	0	13.6
2019	11	2	10	8	1	30	0	0	0	0	0	0	0	38.93	0	0	13.6
2019	11	2	10	18	1	30	0	0	0	0	0	0	0	38.98	0	0	13.6
2019	11	2	10	28	1	29	0	0	0	0	0	0	0	39.04	0	0	13.6
2019	11	2	10	38	1	30	0	0	0	0	0	0	0	39.09	0	0	13.6
2019	11	2	10	48	1	29	0	0	0	0	0	0	0	39.16	0	0	13.6
2019	11	2	10	58	1	30	0	0	0	0	0	0	0	39.2	0	0	13.6
2019	11	2	11	8	1	30	0	0	0	0	0	0	0	39.27	0	0	13.6
2019	11	2	11	18	1	30	0	0	0	0	0	0	0	39.33	0	0	13.4
2019	11	2	11	28	1	30	0	0	0	0	0	0	0	39.4	0	0	13.4
2019	11	2	11	38	1	29	0	0	0	0	0	0	0	39.45	0	0	13.4
2019	11	2	11	48	1	30	0	0	0	0	0	0	0	39.52	0	0	13.4
2019	11	2	11	58	1	29	0	0	0	0	0	0	0	39.58	0	0	13.4
2019	11	2	12	8	1	30	0	0	0	0	0	0	0	39.63	0	0	13.4
2019	11	2	12	18	1	30	0	0	0	0	0	0	0	39.7	0	0	13.4
2019	11	2	12	28	1	29	0	0	0	0	0	0	0	39.74	0	0	13.4
2019	11	2	12	38	1	30	0	0	0	0	0	0	0	39.81	0	0	13.4
2019	11	2	12	48	1	29	0	0	0	0	0	0	0	39.87	0	0	13.4
2019	11	2	12	58	1	30	0	0	0	0	0	0	0	39.9	0	0	13.4
2019	11	2	13	8	1	30	0	0	0	0	0	0	0	39.97	0	0	13.4
2019	11	2	13	18	1	30	0	0	0	0	0	0	0	40.01	0	0	13.4
2019	11	2	13	28	1	29	0	0	0	0	0	0	0	40.06	0	0	13.4
2019	11	2	13	38	1	29	0	0	0	0	0	0	0	40.1	0	0	13.2
2019	11	2	13	48	1	29	0	0	0	0	0	0	0	40.14	0	0	13.2
2019	11	2	13	58	1	30	0	0	0	0	0	0	0	40.19	0	0	13.2
2019	11	2	14	8	1	29	0	0	0	0	0	0	0	40.23	0	0	13.2
2019	11	2	14	18	1	30	0	0	0	0	0	0	0	40.26	0	0	13.2
2019	11	2	14	28	1	30	0	0	0	0	0	0	0	40.32	0	0	13.2
2019	11	2	14	38	1	29	0	0	0	0	0	0	0	40.33	0	0	13.2
2019	11	2	14	48	1	29	0	0	0	0	0	0	0	40.39	0	0	13.2
2019	11	2	14	58	1	30	0	0	0	0	0	0	0	40.42	0	0	13.2
2019	11	2	15	8	1	30	0	0	0	0	0	0	0	40.44	0	0	13.2

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	2	15	18	1	29	0	0	0	0	0	0	0	40.48	0	0	13.2
2019	11	2	15	28	1	30	0	0	0	0	0	0	0	40.51	0	0	13.2
2019	11	2	15	38	1	29	0	0	0	0	0	0	0	40.57	0	0	13.2
2019	11	2	15	48	1	29	0	0	0	0	0	0	0	40.59	0	0	13.2
2019	11	2	15	58	1	30	0	0	0	0	0	0	0	40.57	0	0	13.2
2019	11	2	16	8	1	30	0	0	0	0	0	0	0	40.59	0	0	13.2
2019	11	2	16	18	1	29	0	0	0	0	0	0	0	40.64	0	0	13.2
2019	11	2	16	28	1	29	0	0	0	0	0	0	0	40.69	0	0	13.2
2019	11	2	16	38	1	29	0	0	0	0	0	0	0	40.77	0	0	13.2
2019	11	2	16	48	1	30	0	0	0	0	0	0	0	40.84	0	0	13.2
2019	11	2	16	58	1	30	0	0	0	0	0	0	0	40.91	0	0	13.2
2019	11	2	17	8	1	30	0	0	0	0	0	0	0	40.98	0	0	12.8
2019	11	2	17	18	1	29	0	0	0	0	0	0	0	41.05	0	0	12.2
2019	11	2	17	28	1	30	0	0	0	0	0	0	0	41.13	0	0	12
2019	11	2	17	38	1	29	0	0	0	0	0	0	0	41.2	0	0	12
2019	11	2	17	48	1	30	0	0	0	0	0	0	0	41.25	0	0	12
2019	11	2	17	58	1	29	0	0	0	0	0	0	0	41.32	0	0	12
2019	11	2	18	8	1	29	0	0	0	0	0	0	0	41.38	0	0	12
2019	11	2	18	18	1	29	0	0	0	0	0	0	0	41.45	0	0	12
2019	11	2	18	28	1	29	0	0	0	0	0	0	0	41.5	0	0	12
2019	11	2	18	38	1	30	0	0	0	0	0	0	0	41.56	0	0	12
2019	11	2	18	48	1	30	0	0	0	0	0	0	0	41.61	0	0	12
2019	11	2	18	58	1	29	0	0	0	0	0	0	0	41.65	0	0	12
2019	11	2	19	8	1	29	0	0	0	0	0	0	0	41.7	0	0	12
2019	11	2	19	18	1	29	0	0	0	0	0	0	0	41.74	0	0	12
2019	11	2	19	28	1	29	0	0	0	0	0	0	0	41.79	0	0	12
2019	11	2	19	38	1	29	0	0	0	0	0	0	0	41.81	0	0	12
2019	11	2	19	48	1	29	0	0	0	0	0	0	0	41.85	0	0	12
2019	11	2	19	58	1	29	0	0	0	0	0	0	0	41.88	0	0	12
2019	11	2	20	8	1	30	0	0	0	0	0	0	0	41.9	0	0	12
2019	11	2	20	18	1	29	0	0	0	0	0	0	0	41.92	0	0	12
2019	11	2	20	28	1	30	0	0	0	0	0	0	0	41.94	0	0	11.8
2019	11	2	20	38	1	30	0	0	0	0	0	0	0	41.94	0	0	11.8
2019	11	2	20	48	1	29	0	0	0	0	0	0	0	41.95	0	0	11.8
2019	11	2	20	58	1	30	0	0	0	0	0	0	0	41.95	0	0	11.8
2019	11	2	21	8	1	29	0	0	0	0	0	0	0	41.95	0	0	11.8
2019	11	2	21	18	1	29	0	0	0	0	0	0	0	41.94	0	0	11.8
2019	11	2	21	28	1	29	0	0	0	0	0	0	0	41.92	0	0	11.8
2019	11	2	21	38	1	30	0	0	0	0	0	0	0	41.9	0	0	11.8
2019	11	2	21	48	1	29	0	0	0	0	0	0	0	41.9	0	0	11.8
2019	11	2	21	58	1	29	0	0	0	0	0	0	0	41.85	0	0	11.8
2019	11	2	22	8	1	29	0	0	0	0	0	0	0	41.83	0	0	11.8
2019	11	2	22	18	1	29	0	0	0	0	0	0	0	41.79	0	0	11.8
2019	11	2	22	28	1	29	0	0	0	0	0	0	0	41.76	0	0	11.8
2019	11	2	22	38	1	29	0	0	0	0	0	0	0	41.72	0	0	11.8
2019	11	2	22	48	1	29	0	0	0	0	0	0	0	41.68	0	0	11.8
2019	11	2	22	58	1	29	0	0	0	0	0	0	0	41.65	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	2	23	8	1	29	0	0	0	0	0	0	0	41.61	0	0	11.8
2019	11	2	23	18	1	29	0	0	0	0	0	0	0	41.58	0	0	11.8
2019	11	2	23	28	1	29	0	0	0	0	0	0	0	41.54	0	0	11.8
2019	11	2	23	38	1	29	0	0	0	0	0	0	0	41.52	0	0	11.8
2019	11	2	23	48	1	30	0	0	0	0	0	0	0	41.49	0	0	11.8
2019	11	2	23	58	1	29	0	0	0	0	0	0	0	41.45	0	0	11.8
2019	11	3	0	8	1	29	0	0	0	0	0	0	0	41.41	0	0	11.8
2019	11	3	0	18	1	30	0	0	0	0	0	0	0	41.38	0	0	11.8
2019	11	3	0	28	1	30	0	0	0	0	0	0	0	41.36	0	0	11.8
2019	11	3	0	38	1	30	0	0	0	0	0	0	0	41.32	0	0	11.8
2019	11	3	0	48	1	29	0	0	0	0	0	0	0	41.29	0	0	11.8
2019	11	3	0	58	1	29	0	0	0	0	0	0	0	41.25	0	0	11.8
2019	11	3	1	8	1	30	0	0	0	0	0	0	0	41.23	0	0	11.8
2019	11	3	1	18	1	29	0	0	0	0	0	0	0	41.2	0	0	11.8
2019	11	3	1	28	1	30	0	0	0	0	0	0	0	41.16	0	0	11.8
2019	11	3	1	38	1	29	0	0	0	0	0	0	0	41.14	0	0	11.8
2019	11	3	1	48	1	30	0	0	0	0	0	0	0	41.11	0	0	11.8
2019	11	3	1	58	1	29	0	0	0	0	0	0	0	41.07	0	0	11.8
2019	11	3	2	8	1	29	0	0	0	0	0	0	0	41.05	0	0	11.8
2019	11	3	2	18	1	30	0	0	0	0	0	0	0	41.04	0	0	11.8
2019	11	3	2	28	1	30	0	0	0	0	0	0	0	41	0	0	11.8
2019	11	3	2	38	1	30	0	0	0	0	0	0	0	40.96	0	0	11.8
2019	11	3	2	48	1	30	0	0	0	0	0	0	0	40.93	0	0	11.8
2019	11	3	2	58	1	29	0	0	0	0	0	0	0	40.91	0	0	11.8
2019	11	3	3	8	1	29	0	0	0	0	0	0	0	40.87	0	0	11.8
2019	11	3	3	18	1	30	0	0	0	0	0	0	0	40.84	0	0	11.8
2019	11	3	3	28	1	30	0	0	0	0	0	0	0	40.8	0	0	11.8
2019	11	3	3	38	1	29	0	0	0	0	0	0	0	40.77	0	0	11.6
2019	11	3	3	48	1	29	0	0	0	0	0	0	0	40.75	0	0	11.6
2019	11	3	3	58	1	30	0	0	0	0	0	0	0	40.71	0	0	11.6
2019	11	3	4	8	1	30	0	0	0	0	0	0	0	40.68	0	0	11.6
2019	11	3	4	18	1	30	0	0	0	0	0	0	0	40.64	0	0	11.6
2019	11	3	4	28	1	30	0	0	0	0	0	0	0	40.6	0	0	11.6
2019	11	3	4	38	1	29	0	0	0	0	0	0	0	40.59	0	0	11.6
2019	11	3	4	48	1	29	0	0	0	0	0	0	0	40.55	0	0	11.6
2019	11	3	4	58	1	29	0	0	0	0	0	0	0	40.51	0	0	11.6
2019	11	3	5	8	1	29	0	0	0	0	0	0	0	40.48	0	0	11.6
2019	11	3	5	18	1	30	0	0	0	0	0	0	0	40.44	0	0	11.6
2019	11	3	5	28	1	30	0	0	0	0	0	0	0	40.41	0	0	11.6
2019	11	3	5	38	1	29	0	0	0	0	0	0	0	40.39	0	0	11.6
2019	11	3	5	48	1	29	0	0	0	0	0	0	0	40.33	0	0	11.6
2019	11	3	5	58	1	29	0	0	0	0	0	0	0	40.3	0	0	11.6
2019	11	3	6	8	1	30	0	0	0	0	0	0	0	40.28	0	0	11.6
2019	11	3	6	18	1	30	0	0	0	0	0	0	0	40.23	0	0	11.6
2019	11	3	6	28	1	29	0	0	0	0	0	0	0	40.21	0	0	11.6
2019	11	3	6	38	1	30	0	0	0	0	0	0	0	40.17	0	0	11.6
2019	11	3	6	48	1	29	0	0	0	0	0	0	0	40.14	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	3	6	58	1	30	0	0	0	0	0	0	0	40.1	0	0	11.6
2019	11	3	7	8	1	29	0	0	0	0	0	0	0	40.05	0	0	11.6
2019	11	3	7	18	1	30	0	0	0	0	0	0	0	40.01	0	0	11.6
2019	11	3	7	28	1	30	0	0	0	0	0	0	0	39.99	0	0	11.6
2019	11	3	7	38	1	29	0	0	0	0	0	0	0	39.94	0	0	11.6
2019	11	3	7	48	1	30	0	0	0	0	0	0	0	39.92	0	0	11.6
2019	11	3	7	58	1	30	0	0	0	0	0	0	0	39.88	0	0	11.6
2019	11	3	8	8	1	29	0	0	0	0	0	0	0	39.87	0	0	12
2019	11	3	8	18	1	30	0	0	0	0	0	0	0	39.83	0	0	12.8
2019	11	3	8	28	1	29	0	0	0	0	0	0	0	39.83	0	0	13
2019	11	3	8	38	1	30	0	0	0	0	0	0	0	39.87	0	0	13.2
2019	11	3	8	48	1	30	0	0	0	0	0	0	0	39.9	0	0	13.2
2019	11	3	8	58	1	31	0	0	0	0	0	0	0	39.92	0	0	13.2
2019	11	3	9	8	1	30	0	0	0	0	0	0	0	39.96	0	0	13.8
2019	11	3	9	18	1	29	0	0	0	0	0	0	0	39.97	0	0	13.8
2019	11	3	9	28	1	29	0	0	0	0	0	0	0	40.03	0	0	13.8
2019	11	3	9	38	1	29	0	0	0	0	0	0	0	40.06	0	0	13.6
2019	11	3	9	48	1	29	0	0	0	0	0	0	0	40.12	0	0	13.6
2019	11	3	9	58	1	29	0	0	0	0	0	0	0	40.15	0	0	13.6
2019	11	3	10	8	1	30	0	0	0	0	0	0	0	40.21	0	0	13.6
2019	11	3	10	18	1	30	0	0	0	0	0	0	0	40.26	0	0	13.6
2019	11	3	10	28	1	29	0	0	0	0	0	0	0	40.32	0	0	13.6
2019	11	3	10	38	1	30	0	0	0	0	0	0	0	40.39	0	0	13.6
2019	11	3	10	48	1	30	0	0	0	0	0	0	0	40.42	0	0	13.6
2019	11	3	10	58	1	30	0	0	0	0	0	0	0	40.48	0	0	13.6
2019	11	3	11	8	1	29	0	0	0	0	0	0	0	40.55	0	0	13.6
2019	11	3	11	18	1	29	0	0	0	0	0	0	0	40.6	0	0	13.6
2019	11	3	11	28	1	29	0	0	0	0	0	0	0	40.68	0	0	13.4
2019	11	3	11	38	1	30	0	0	0	0	0	0	0	40.73	0	0	13.4
2019	11	3	11	48	1	29	0	0	0	0	0	0	0	40.78	0	0	13.4
2019	11	3	11	58	1	30	0	0	0	0	0	0	0	40.86	0	0	13.4
2019	11	3	12	8	1	29	0	0	0	0	0	0	0	40.91	0	0	13.4
2019	11	3	12	18	1	30	0	0	0	0	0	0	0	40.98	0	0	13.4
2019	11	3	12	28	1	30	0	0	0	0	0	0	0	41.04	0	0	13.4
2019	11	3	12	38	1	30	0	0	0	0	0	0	0	41.05	0	0	13.4
2019	11	3	12	48	1	29	0	0	0	0	0	0	0	41.13	0	0	13.4
2019	11	3	12	58	1	30	0	0	0	0	0	0	0	41.16	0	0	13.4
2019	11	3	13	8	1	29	0	0	0	0	0	0	0	41.22	0	0	13.4
2019	11	3	13	18	1	30	0	0	0	0	0	0	0	41.27	0	0	13.4
2019	11	3	13	28	1	29	0	0	0	0	0	0	0	41.31	0	0	13.4
2019	11	3	13	38	1	29	0	0	0	0	0	0	0	41.32	0	0	13.4
2019	11	3	13	48	1	29	0	0	0	0	0	0	0	41.38	0	0	13.2
2019	11	3	13	58	1	29	0	0	0	0	0	0	0	41.45	0	0	13.2
2019	11	3	14	8	1	30	0	0	0	0	0	0	0	41.47	0	0	13.2
2019	11	3	14	18	1	29	0	0	0	0	0	0	0	41.52	0	0	13.2
2019	11	3	14	28	1	29	0	0	0	0	0	0	0	41.56	0	0	13.2
2019	11	3	14	38	1	29	0	0	0	0	0	0	0	41.59	0	0	13.2

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	3	14	48	1	30	0	0	0	0	0	0	0	41.65	0	0	13.2
2019	11	3	14	58	1	29	0	0	0	0	0	0	0	41.68	0	0	13.2
2019	11	3	15	8	1	30	0	0	0	0	0	0	0	41.68	0	0	13.2
2019	11	3	15	18	1	29	0	0	0	0	0	0	0	41.76	0	0	13.2
2019	11	3	15	28	1	29	0	0	0	0	0	0	0	41.81	0	0	13.2
2019	11	3	15	38	1	30	0	0	0	0	0	0	0	41.81	0	0	13.2
2019	11	3	15	48	1	29	0	0	0	0	0	0	0	41.85	0	0	13.2
2019	11	3	15	58	1	29	0	0	0	0	0	0	0	41.85	0	0	13.2
2019	11	3	16	8	1	29	0	0	0	0	0	0	0	41.85	0	0	13.2
2019	11	3	16	18	1	29	0	0	0	0	0	0	0	41.9	0	0	13.2
2019	11	3	16	28	1	30	0	0	0	0	0	0	0	41.95	0	0	13.2
2019	11	3	16	38	1	30	0	0	0	0	0	0	0	42.03	0	0	13.2
2019	11	3	16	48	1	30	0	0	0	0	0	0	0	42.08	0	0	13.2
2019	11	3	16	58	1	30	0	0	0	0	0	0	0	42.15	0	0	13.2
2019	11	3	17	8	1	29	0	0	0	0	0	0	0	42.22	0	0	12.4
2019	11	3	17	18	1	29	0	0	0	0	0	0	0	42.28	0	0	12.2
2019	11	3	17	28	1	29	0	0	0	0	0	0	0	42.35	0	0	12.2
2019	11	3	17	38	1	29	0	0	0	0	0	0	0	42.42	0	0	12.2
2019	11	3	17	48	1	29	0	0	0	0	0	0	0	42.49	0	0	12
2019	11	3	17	58	1	30	0	0	0	0	0	0	0	42.55	0	0	12
2019	11	3	18	8	1	29	0	0	0	0	0	0	0	42.6	0	0	12
2019	11	3	18	18	1	29	0	0	0	0	0	0	0	42.66	0	0	12
2019	11	3	18	28	1	29	0	0	0	0	0	0	0	42.73	0	0	12
2019	11	3	18	38	1	29	0	0	0	0	0	0	0	42.76	0	0	12
2019	11	3	18	48	1	29	0	0	0	0	0	0	0	42.84	0	0	12
2019	11	3	18	58	1	29	0	0	0	0	0	0	0	42.89	0	0	12
2019	11	3	19	8	1	29	0	0	0	0	0	0	0	42.93	0	0	12
2019	11	3	19	18	1	30	0	0	0	0	0	0	0	42.96	0	0	12
2019	11	3	19	28	1	29	0	0	0	0	0	0	0	43	0	0	12
2019	11	3	19	38	1	29	0	0	0	0	0	0	0	43.03	0	0	12
2019	11	3	19	48	1	30	0	0	0	0	0	0	0	43.07	0	0	12
2019	11	3	19	58	1	29	0	0	0	0	0	0	0	43.09	0	0	12
2019	11	3	20	8	1	28	0	0	0	0	0	0	0	43.11	0	0	12
2019	11	3	20	18	1	29	0	0	0	0	0	0	0	43.12	0	0	12
2019	11	3	20	28	1	29	0	0	0	0	0	0	0	43.14	0	0	12
2019	11	3	20	38	1	29	0	0	0	0	0	0	0	43.14	0	0	12
2019	11	3	20	48	1	29	0	0	0	0	0	0	0	43.14	0	0	12
2019	11	3	20	58	1	29	0	0	0	0	0	0	0	43.14	0	0	12
2019	11	3	21	8	1	29	0	0	0	0	0	0	0	43.14	0	0	11.8
2019	11	3	21	18	1	29	0	0	0	0	0	0	0	43.12	0	0	11.8
2019	11	3	21	28	1	30	0	0	0	0	0	0	0	43.11	0	0	11.8
2019	11	3	21	38	1	29	0	0	0	0	0	0	0	43.09	0	0	11.8
2019	11	3	21	48	1	30	0	0	0	0	0	0	0	43.05	0	0	11.8
2019	11	3	21	58	1	29	0	0	0	0	0	0	0	43.03	0	0	11.8
2019	11	3	22	8	1	29	0	0	0	0	0	0	0	43	0	0	11.8
2019	11	3	22	18	1	28	0	0	0	0	0	0	0	42.96	0	0	11.8
2019	11	3	22	28	1	29	0	0	0	0	0	0	0	42.93	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	3	22	38	1	29	0	0	0	0	0	0	0	42.89	0	0	11.8
2019	11	3	22	48	1	29	0	0	0	0	0	0	0	42.85	0	0	11.8
2019	11	3	22	58	1	29	0	0	0	0	0	0	0	42.8	0	0	11.8
2019	11	3	23	8	1	29	0	0	0	0	0	0	0	42.76	0	0	11.8
2019	11	3	23	18	1	29	0	0	0	0	0	0	0	42.73	0	0	11.8
2019	11	3	23	28	1	30	0	0	0	0	0	0	0	42.69	0	0	11.8
2019	11	3	23	38	1	30	0	0	0	0	0	0	0	42.66	0	0	11.8
2019	11	3	23	48	1	29	0	0	0	0	0	0	0	42.6	0	0	11.8
2019	11	3	23	58	1	29	0	0	0	0	0	0	0	42.58	0	0	11.8
2019	11	4	0	8	1	29	0	0	0	0	0	0	0	42.53	0	0	11.8
2019	11	4	0	18	1	29	0	0	0	0	0	0	0	42.49	0	0	11.8
2019	11	4	0	28	1	30	0	0	0	0	0	0	0	42.46	0	0	11.8
2019	11	4	0	38	1	29	0	0	0	0	0	0	0	42.42	0	0	11.8
2019	11	4	0	48	1	29	0	0	0	0	0	0	0	42.39	0	0	11.8
2019	11	4	0	58	1	29	0	0	0	0	0	0	0	42.35	0	0	11.8
2019	11	4	1	8	1	29	0	0	0	0	0	0	0	42.33	0	0	11.8
2019	11	4	1	18	1	29	0	0	0	0	0	0	0	42.3	0	0	11.8
2019	11	4	1	28	1	29	0	0	0	0	0	0	0	42.26	0	0	11.8
2019	11	4	1	38	1	30	0	0	0	0	0	0	0	42.22	0	0	11.8
2019	11	4	1	48	1	29	0	0	0	0	0	0	0	42.19	0	0	11.8
2019	11	4	1	58	1	29	0	0	0	0	0	0	0	42.15	0	0	11.8
2019	11	4	2	8	1	29	0	0	0	0	0	0	0	42.12	0	0	11.8
2019	11	4	2	18	1	29	0	0	0	0	0	0	0	42.08	0	0	11.8
2019	11	4	2	28	1	29	0	0	0	0	0	0	0	42.06	0	0	11.8
2019	11	4	2	38	1	29	0	0	0	0	0	0	0	42.03	0	0	11.8
2019	11	4	2	48	1	29	0	0	0	0	0	0	0	41.99	0	0	11.8
2019	11	4	2	58	1	29	0	0	0	0	0	0	0	41.95	0	0	11.8
2019	11	4	3	8	1	30	0	0	0	0	0	0	0	41.94	0	0	11.8
2019	11	4	3	18	1	29	0	0	0	0	0	0	0	41.88	0	0	11.8
2019	11	4	3	28	1	29	0	0	0	0	0	0	0	41.86	0	0	11.8
2019	11	4	3	38	1	30	0	0	0	0	0	0	0	41.83	0	0	11.8
2019	11	4	3	48	1	29	0	0	0	0	0	0	0	41.79	0	0	11.8
2019	11	4	3	58	1	30	0	0	0	0	0	0	0	41.76	0	0	11.8
2019	11	4	4	8	1	30	0	0	0	0	0	0	0	41.72	0	0	11.8
2019	11	4	4	18	1	29	0	0	0	0	0	0	0	41.68	0	0	11.8
2019	11	4	4	28	1	29	0	0	0	0	0	0	0	41.65	0	0	11.8
2019	11	4	4	38	1	29	0	0	0	0	0	0	0	41.61	0	0	11.6
2019	11	4	4	48	1	29	0	0	0	0	0	0	0	41.58	0	0	11.6
2019	11	4	4	58	1	30	0	0	0	0	0	0	0	41.54	0	0	11.6
2019	11	4	5	8	1	30	0	0	0	0	0	0	0	41.5	0	0	11.6
2019	11	4	5	18	1	29	0	0	0	0	0	0	0	41.49	0	0	11.6
2019	11	4	5	28	1	29	0	0	0	0	0	0	0	41.45	0	0	11.6
2019	11	4	5	38	1	29	0	0	0	0	0	0	0	41.41	0	0	11.6
2019	11	4	5	48	1	29	0	0	0	0	0	0	0	41.38	0	0	11.6
2019	11	4	5	58	1	29	0	0	0	0	0	0	0	41.34	0	0	11.6
2019	11	4	6	8	1	30	0	0	0	0	0	0	0	41.32	0	0	11.6
2019	11	4	6	18	1	29	0	0	0	0	0	0	0	41.29	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	4	6	28	1	30	0	0	0	0	0	0	0	41.25	0	0	11.6
2019	11	4	6	38	1	29	0	0	0	0	0	0	0	41.22	0	0	11.6
2019	11	4	6	48	1	30	0	0	0	0	0	0	0	41.18	0	0	11.6
2019	11	4	6	58	1	29	0	0	0	0	0	0	0	41.14	0	0	11.6
2019	11	4	7	8	1	30	0	0	0	0	0	0	0	41.11	0	0	11.6
2019	11	4	7	18	1	30	0	0	0	0	0	0	0	41.09	0	0	11.6
2019	11	4	7	28	1	30	0	0	0	0	0	0	0	41.05	0	0	11.6
2019	11	4	7	38	1	30	0	0	0	0	0	0	0	41.02	0	0	11.6
2019	11	4	7	48	1	29	0	0	0	0	0	0	0	40.98	0	0	11.6
2019	11	4	7	58	1	30	0	0	0	0	0	0	0	40.96	0	0	11.6
2019	11	4	8	8	1	29	0	0	0	0	0	0	0	40.93	0	0	12
2019	11	4	8	18	1	29	0	0	0	0	0	0	0	40.91	0	0	12.8
2019	11	4	8	28	1	30	0	0	0	0	0	0	0	40.91	0	0	13
2019	11	4	8	38	1	29	0	0	0	0	0	0	0	40.96	0	0	13
2019	11	4	8	48	1	30	0	0	0	0	0	0	0	41	0	0	13.2
2019	11	4	8	58	1	29	0	0	0	0	0	0	0	41.02	0	0	13.2
2019	11	4	9	8	1	29	0	0	0	0	0	0	0	41.04	0	0	13.4
2019	11	4	9	18	1	29	0	0	0	0	0	0	0	41.07	0	0	13.8
2019	11	4	9	28	1	30	0	0	0	0	0	0	0	41.11	0	0	13.8
2019	11	4	9	38	1	29	0	0	0	0	0	0	0	41.16	0	0	13.6
2019	11	4	9	48	1	30	0	0	0	0	0	0	0	41.2	0	0	13.6
2019	11	4	9	58	1	30	0	0	0	0	0	0	0	41.23	0	0	13.6
2019	11	4	10	8	1	29	0	0	0	0	0	0	0	41.27	0	0	13.6
2019	11	4	10	18	1	29	0	0	0	0	0	0	0	41.34	0	0	13.6
2019	11	4	10	28	1	29	0	0	0	0	0	0	0	41.4	0	0	13.6
2019	11	4	10	38	1	29	0	0	0	0	0	0	0	41.45	0	0	13.6
2019	11	4	10	48	1	30	0	0	0	0	0	0	0	41.5	0	0	13.6
2019	11	4	10	58	1	29	0	0	0	0	0	0	0	41.56	0	0	13.6
2019	11	4	11	8	1	30	0	0	0	0	0	0	0	41.63	0	0	13.4
2019	11	4	11	18	1	29	0	0	0	0	0	0	0	41.67	0	0	13.4
2019	11	4	11	28	1	29	0	0	0	0	0	0	0	41.72	0	0	13.4
2019	11	4	11	38	1	29	0	0	0	0	0	0	0	41.79	0	0	13.4
2019	11	4	11	48	1	29	0	0	0	0	0	0	0	41.88	0	0	13.4
2019	11	4	11	58	1	29	0	0	0	0	0	0	0	41.94	0	0	13.4
2019	11	4	12	8	1	30	0	0	0	0	0	0	0	41.97	0	0	13.4
2019	11	4	12	18	1	30	0	0	0	0	0	0	0	42.01	0	0	13.4
2019	11	4	12	28	1	29	0	0	0	0	0	0	0	42.1	0	0	13.4
2019	11	4	12	38	1	29	0	0	0	0	0	0	0	42.13	0	0	13.4
2019	11	4	12	48	1	29	0	0	0	0	0	0	0	42.21	0	0	13.4
2019	11	4	12	58	1	29	0	0	0	0	0	0	0	42.3	0	0	13.4
2019	11	4	13	8	1	30	0	0	0	0	0	0	0	42.28	0	0	13.4
2019	11	4	13	18	1	29	0	0	0	0	0	0	0	42.33	0	0	13.4
2019	11	4	13	28	1	29	0	0	0	0	0	0	0	42.39	0	0	13.4
2019	11	4	13	38	1	29	0	0	0	0	0	0	0	42.44	0	0	13.4
2019	11	4	13	48	1	29	0	0	0	0	0	0	0	42.49	0	0	13.2
2019	11	4	13	58	1	29	0	0	0	0	0	0	0	42.53	0	0	13.2
2019	11	4	14	8	1	29	0	0	0	0	0	0	0	42.6	0	0	13.2

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	4	14	18	1	29	0	0	0	0	0	0	0	42.62	0	0	13.2
2019	11	4	14	28	1	29	0	0	0	0	0	0	0	42.66	0	0	13.2
2019	11	4	14	38	1	29	0	0	0	0	0	0	0	42.67	0	0	13.2
2019	11	4	14	48	1	30	0	0	0	0	0	0	0	42.73	0	0	13.2
2019	11	4	14	58	1	29	0	0	0	0	0	0	0	42.78	0	0	13.2
2019	11	4	15	8	1	29	0	0	0	0	0	0	0	42.82	0	0	13.2
2019	11	4	15	18	1	29	0	0	0	0	0	0	0	42.87	0	0	13.2
2019	11	4	15	28	1	29	0	0	0	0	0	0	0	42.89	0	0	13.2
2019	11	4	15	38	1	29	0	0	0	0	0	0	0	42.91	0	0	13.2
2019	11	4	15	48	1	29	0	0	0	0	0	0	0	42.94	0	0	13.2
2019	11	4	15	58	1	29	0	0	0	0	0	0	0	42.94	0	0	13.2
2019	11	4	16	8	1	29	0	0	0	0	0	0	0	42.94	0	0	13.2
2019	11	4	16	18	1	29	0	0	0	0	0	0	0	43.02	0	0	13.2
2019	11	4	16	28	1	29	0	0	0	0	0	0	0	43.07	0	0	13.2
2019	11	4	16	38	1	29	0	0	0	0	0	0	0	43.14	0	0	13.2
2019	11	4	16	48	1	30	0	0	0	0	0	0	0	43.21	0	0	13.2
2019	11	4	16	58	1	29	0	0	0	0	0	0	0	43.27	0	0	13.2
2019	11	4	17	8	1	29	0	0	0	0	0	0	0	43.36	0	0	12.2
2019	11	4	17	18	1	29	0	0	0	0	0	0	0	43.43	0	0	12.2
2019	11	4	17	28	1	29	0	0	0	0	0	0	0	43.5	0	0	12
2019	11	4	17	38	1	30	0	0	0	0	0	0	0	43.57	0	0	12
2019	11	4	17	48	1	29	0	0	0	0	0	0	0	43.65	0	0	12
2019	11	4	17	58	1	29	0	0	0	0	0	0	0	43.7	0	0	12
2019	11	4	18	8	1	29	0	0	0	0	0	0	0	43.77	0	0	12
2019	11	4	18	18	1	29	0	0	0	0	0	0	0	43.83	0	0	12
2019	11	4	18	28	1	29	0	0	0	0	0	0	0	43.88	0	0	12
2019	11	4	18	38	1	30	0	0	0	0	0	0	0	43.93	0	0	12
2019	11	4	18	48	1	29	0	0	0	0	0	0	0	44.01	0	0	12
2019	11	4	18	58	1	29	0	0	0	0	0	0	0	44.06	0	0	12
2019	11	4	19	8	1	29	0	0	0	0	0	0	0	44.1	0	0	12
2019	11	4	19	18	1	29	0	0	0	0	0	0	0	44.15	0	0	12
2019	11	4	19	28	1	29	0	0	0	0	0	0	0	44.19	0	0	12
2019	11	4	19	38	1	29	0	0	0	0	0	0	0	44.22	0	0	12
2019	11	4	19	48	1	29	0	0	0	0	0	0	0	44.26	0	0	12
2019	11	4	19	58	1	29	0	0	0	0	0	0	0	44.29	0	0	12
2019	11	4	20	8	1	29	0	0	0	0	0	0	0	44.31	0	0	12
2019	11	4	20	18	1	29	0	0	0	0	0	0	0	44.33	0	0	12
2019	11	4	20	28	1	29	0	0	0	0	0	0	0	44.35	0	0	12
2019	11	4	20	38	1	29	0	0	0	0	0	0	0	44.35	0	0	12
2019	11	4	20	48	1	28	0	0	0	0	0	0	0	44.37	0	0	11.8
2019	11	4	20	58	1	29	0	0	0	0	0	0	0	44.37	0	0	11.8
2019	11	4	21	8	1	29	0	0	0	0	0	0	0	44.37	0	0	11.8
2019	11	4	21	18	1	29	0	0	0	0	0	0	0	44.35	0	0	11.8
2019	11	4	21	28	1	29	0	0	0	0	0	0	0	44.33	0	0	11.8
2019	11	4	21	38	1	28	0	0	0	0	0	0	0	44.33	0	0	11.8
2019	11	4	21	48	1	29	0	0	0	0	0	0	0	44.29	0	0	11.8
2019	11	4	21	58	1	29	0	0	0	0	0	0	0	44.28	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	4	22	8	1	29	0	0	0	0	0	0	0	44.24	0	0	11.8
2019	11	4	22	18	1	30	0	0	0	0	0	0	0	44.2	0	0	11.8
2019	11	4	22	28	1	29	0	0	0	0	0	0	0	44.19	0	0	11.8
2019	11	4	22	38	1	29	0	0	0	0	0	0	0	44.13	0	0	11.8
2019	11	4	22	48	1	29	0	0	0	0	0	0	0	44.1	0	0	11.8
2019	11	4	22	58	1	29	0	0	0	0	0	0	0	44.06	0	0	11.8
2019	11	4	23	8	1	29	0	0	0	0	0	0	0	44.02	0	0	11.8
2019	11	4	23	18	1	29	0	0	0	0	0	0	0	43.97	0	0	11.8
2019	11	4	23	28	1	30	0	0	0	0	0	0	0	43.93	0	0	11.8
2019	11	4	23	38	1	29	0	0	0	0	0	0	0	43.92	0	0	11.8
2019	11	4	23	48	1	30	0	0	0	0	0	0	0	43.86	0	0	11.8
2019	11	4	23	58	1	29	0	0	0	0	0	0	0	43.83	0	0	11.8
2019	11	5	0	8	1	29	0	0	0	0	0	0	0	43.79	0	0	11.8
2019	11	5	0	18	1	29	0	0	0	0	0	0	0	43.75	0	0	11.8
2019	11	5	0	28	1	29	0	0	0	0	0	0	0	43.7	0	0	11.8
2019	11	5	0	38	1	29	0	0	0	0	0	0	0	43.68	0	0	11.8
2019	11	5	0	48	1	29	0	0	0	0	0	0	0	43.65	0	0	11.8
2019	11	5	0	58	1	29	0	0	0	0	0	0	0	43.61	0	0	11.8
2019	11	5	1	8	1	29	0	0	0	0	0	0	0	43.57	0	0	11.8
2019	11	5	1	18	1	29	0	0	0	0	0	0	0	43.54	0	0	11.8
2019	11	5	1	28	1	29	0	0	0	0	0	0	0	43.5	0	0	11.8
2019	11	5	1	38	1	29	0	0	0	0	0	0	0	43.47	0	0	11.8
2019	11	5	1	48	1	29	0	0	0	0	0	0	0	43.43	0	0	11.8
2019	11	5	1	58	1	31	0	0	0	0	0	0	0	43.39	0	0	11.8
2019	11	5	2	8	1	29	0	0	0	0	0	0	0	43.36	0	0	11.8
2019	11	5	2	18	1	30	0	0	0	0	0	0	0	43.34	0	0	11.8
2019	11	5	2	28	1	29	0	0	0	0	0	0	0	43.32	0	0	11.8
2019	11	5	2	38	1	29	0	0	0	0	0	0	0	43.29	0	0	11.8
2019	11	5	2	48	1	29	0	0	0	0	0	0	0	43.25	0	0	11.8
2019	11	5	2	58	1	29	0	0	0	0	0	0	0	43.21	0	0	11.8
2019	11	5	3	8	1	29	0	0	0	0	0	0	0	43.18	0	0	11.8
2019	11	5	3	18	1	29	0	0	0	0	0	0	0	43.14	0	0	11.8
2019	11	5	3	28	1	29	0	0	0	0	0	0	0	43.11	0	0	11.8
2019	11	5	3	38	1	30	0	0	0	0	0	0	0	43.09	0	0	11.8
2019	11	5	3	48	1	29	0	0	0	0	0	0	0	43.05	0	0	11.8
2019	11	5	3	58	1	29	0	0	0	0	0	0	0	43.03	0	0	11.8
2019	11	5	4	8	1	29	0	0	0	0	0	0	0	43	0	0	11.8
2019	11	5	4	18	1	29	0	0	0	0	0	0	0	42.96	0	0	11.8
2019	11	5	4	28	1	29	0	0	0	0	0	0	0	42.93	0	0	11.8
2019	11	5	4	38	1	29	0	0	0	0	0	0	0	42.89	0	0	11.6
2019	11	5	4	48	1	29	0	0	0	0	0	0	0	42.85	0	0	11.6
2019	11	5	4	58	1	30	0	0	0	0	0	0	0	42.82	0	0	11.6
2019	11	5	5	8	1	30	0	0	0	0	0	0	0	42.78	0	0	11.6
2019	11	5	5	18	1	29	0	0	0	0	0	0	0	42.75	0	0	11.6
2019	11	5	5	28	1	29	0	0	0	0	0	0	0	42.71	0	0	11.6
2019	11	5	5	38	1	29	0	0	0	0	0	0	0	42.67	0	0	11.6
2019	11	5	5	48	1	29	0	0	0	0	0	0	0	42.64	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	5	5	58	1	29	0	0	0	0	0	0	0	42.62	0	0	11.6
2019	11	5	6	8	1	30	0	0	0	0	0	0	0	42.57	0	0	11.6
2019	11	5	6	18	1	29	0	0	0	0	0	0	0	42.53	0	0	11.6
2019	11	5	6	28	1	30	0	0	0	0	0	0	0	42.48	0	0	11.6
2019	11	5	6	38	1	29	0	0	0	0	0	0	0	42.46	0	0	11.6
2019	11	5	6	48	1	29	0	0	0	0	0	0	0	42.4	0	0	11.6
2019	11	5	6	58	1	30	0	0	0	0	0	0	0	42.37	0	0	11.6
2019	11	5	7	8	1	30	0	0	0	0	0	0	0	42.33	0	0	11.6
2019	11	5	7	18	1	29	0	0	0	0	0	0	0	42.3	0	0	11.6
2019	11	5	7	28	1	29	0	0	0	0	0	0	0	42.26	0	0	11.6
2019	11	5	7	38	1	30	0	0	0	0	0	0	0	42.22	0	0	11.6
2019	11	5	7	48	1	29	0	0	0	0	0	0	0	42.19	0	0	11.6
2019	11	5	7	58	1	29	0	0	0	0	0	0	0	42.15	0	0	11.6
2019	11	5	8	8	1	29	0	0	0	0	0	0	0	42.13	0	0	11.8
2019	11	5	8	18	1	29	0	0	0	0	0	0	0	42.1	0	0	12.6
2019	11	5	8	28	1	29	0	0	0	0	0	0	0	42.1	0	0	13
2019	11	5	8	38	1	29	0	0	0	0	0	0	0	42.13	0	0	13
2019	11	5	8	48	1	29	0	0	0	0	0	0	0	42.15	0	0	13
2019	11	5	8	58	1	29	0	0	0	0	0	0	0	42.17	0	0	13.2
2019	11	5	9	8	1	29	0	0	0	0	0	0	0	42.22	0	0	13.2
2019	11	5	9	18	1	30	0	0	0	0	0	0	0	42.24	0	0	13.8
2019	11	5	9	28	1	29	0	0	0	0	0	0	0	42.28	0	0	13.6
2019	11	5	9	38	1	29	0	0	0	0	0	0	0	42.31	0	0	13.6
2019	11	5	9	48	1	29	0	0	0	0	0	0	0	42.35	0	0	13.6
2019	11	5	9	58	1	30	0	0	0	0	0	0	0	42.4	0	0	13.6
2019	11	5	10	8	1	29	0	0	0	0	0	0	0	42.46	0	0	13.6
2019	11	5	10	18	1	29	0	0	0	0	0	0	0	42.51	0	0	13.6
2019	11	5	10	28	1	29	0	0	0	0	0	0	0	42.57	0	0	13.6
2019	11	5	10	38	1	30	0	0	0	0	0	0	0	42.62	0	0	13.4
2019	11	5	10	48	1	29	0	0	0	0	0	0	0	42.66	0	0	13.4
2019	11	5	10	58	1	29	0	0	0	0	0	0	0	42.73	0	0	13.4
2019	11	5	11	8	1	29	0	0	0	0	0	0	0	42.8	0	0	13.4
2019	11	5	11	18	1	29	0	0	0	0	0	0	0	42.87	0	0	13.4
2019	11	5	11	28	1	29	0	0	0	0	0	0	0	42.94	0	0	13.4
2019	11	5	11	38	1	29	0	0	0	0	0	0	0	43.02	0	0	13.4
2019	11	5	11	48	1	29	0	0	0	0	0	0	0	43.07	0	0	13.4
2019	11	5	11	58	1	29	0	0	0	0	0	0	0	43.16	0	0	13.4
2019	11	5	12	8	1	28	0	0	0	0	0	0	0	43.21	0	0	13.4
2019	11	5	12	18	1	30	0	0	0	0	0	0	0	43.29	0	0	13.4
2019	11	5	12	28	1	30	0	0	0	0	0	0	0	43.34	0	0	13.4
2019	11	5	12	38	1	29	0	0	0	0	0	0	0	43.41	0	0	13.4
2019	11	5	12	48	1	29	0	0	0	0	0	0	0	43.45	0	0	13.4
2019	11	5	12	58	1	29	0	0	0	0	0	0	0	43.5	0	0	13.4
2019	11	5	13	8	1	28	0	0	0	0	0	0	0	43.56	0	0	13.4
2019	11	5	13	18	1	30	0	0	0	0	0	0	0	43.61	0	0	13.4
2019	11	5	13	28	1	29	0	0	0	0	0	0	0	43.65	0	0	13.4
2019	11	5	13	38	1	29	0	0	0	0	0	0	0	43.7	0	0	13.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	5	13	48	1	28	0	0	0	0	0	0	0	43.75	0	0	13.2
2019	11	5	13	58	1	30	0	0	0	0	0	0	0	43.79	0	0	13.2
2019	11	5	14	8	1	29	0	0	0	0	0	0	0	43.84	0	0	13.2
2019	11	5	14	18	1	29	0	0	0	0	0	0	0	43.88	0	0	13.2
2019	11	5	14	28	1	29	0	0	0	0	0	0	0	43.7	0	0	13.2
2019	11	5	14	38	1	29	0	0	0	0	0	0	0	43.72	0	0	13.2
2019	11	5	14	48	1	29	0	0	0	0	0	0	0	43.75	0	0	13.2
2019	11	5	14	58	1	29	0	0	0	0	0	0	0	43.81	0	0	13.2
2019	11	5	15	8	1	30	0	0	0	0	0	0	0	43.86	0	0	13.2
2019	11	5	15	18	1	29	0	0	0	0	0	0	0	43.9	0	0	13.2
2019	11	5	15	28	1	29	0	0	0	0	0	0	0	43.93	0	0	13.2
2019	11	5	15	38	1	29	0	0	0	0	0	0	0	43.99	0	0	13.2
2019	11	5	15	48	1	29	0	0	0	0	0	0	0	44.02	0	0	13.2
2019	11	5	15	58	1	29	0	0	0	0	0	0	0	44.02	0	0	13.2
2019	11	5	16	8	1	29	0	0	0	0	0	0	0	44.08	0	0	13.2
2019	11	5	16	18	1	29	0	0	0	0	0	0	0	44.15	0	0	13.2
2019	11	5	16	28	1	29	0	0	0	0	0	0	0	44.2	0	0	13.2
2019	11	5	16	38	1	29	0	0	0	0	0	0	0	44.28	0	0	13.2
2019	11	5	16	48	1	29	0	0	0	0	0	0	0	44.35	0	0	13.2
2019	11	5	16	58	1	30	0	0	0	0	0	0	0	44.42	0	0	13.2
2019	11	5	17	8	1	28	0	0	0	0	0	0	0	44.49	0	0	12.2
2019	11	5	17	18	1	29	0	0	0	0	0	0	0	44.56	0	0	12.2
2019	11	5	17	28	1	29	0	0	0	0	0	0	0	44.64	0	0	12
2019	11	5	17	38	1	29	0	0	0	0	0	0	0	44.69	0	0	12
2019	11	5	17	48	1	29	0	0	0	0	0	0	0	44.74	0	0	12
2019	11	5	17	58	1	29	0	0	0	0	0	0	0	44.82	0	0	12
2019	11	5	18	8	1	29	0	0	0	0	0	0	0	44.87	0	0	12
2019	11	5	18	18	1	29	0	0	0	0	0	0	0	44.92	0	0	12
2019	11	5	18	28	1	29	0	0	0	0	0	0	0	45	0	0	12
2019	11	5	18	38	1	29	0	0	0	0	0	0	0	45.03	0	0	12
2019	11	5	18	48	1	29	0	0	0	0	0	0	0	45.09	0	0	12
2019	11	5	18	58	1	29	0	0	0	0	0	0	0	45.12	0	0	12
2019	11	5	19	8	1	29	0	0	0	0	0	0	0	45.16	0	0	12
2019	11	5	19	18	1	29	0	0	0	0	0	0	0	45.21	0	0	12
2019	11	5	19	28	1	29	0	0	0	0	0	0	0	45.25	0	0	12
2019	11	5	19	38	1	29	0	0	0	0	0	0	0	45.27	0	0	12
2019	11	5	19	48	1	29	0	0	0	0	0	0	0	45.3	0	0	12
2019	11	5	19	58	1	29	0	0	0	0	0	0	0	45.34	0	0	12
2019	11	5	20	8	1	29	0	0	0	0	0	0	0	45.36	0	0	12
2019	11	5	20	18	1	29	0	0	0	0	0	0	0	45.37	0	0	12
2019	11	5	20	28	1	29	0	0	0	0	0	0	0	45.37	0	0	12
2019	11	5	20	38	1	29	0	0	0	0	0	0	0	45.39	0	0	12
2019	11	5	20	48	1	29	0	0	0	0	0	0	0	45.39	0	0	12
2019	11	5	20	58	1	28	0	0	0	0	0	0	0	45.39	0	0	12
2019	11	5	21	8	1	29	0	0	0	0	0	0	0	45.37	0	0	12
2019	11	5	21	18	1	29	0	0	0	0	0	0	0	45.36	0	0	12
2019	11	5	21	28	1	28	0	0	0	0	0	0	0	45.34	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	5	21	38	1	29	0	0	0	0	0	0	0	45.32	0	0	11.8
2019	11	5	21	48	1	29	0	0	0	0	0	0	0	45.3	0	0	11.8
2019	11	5	21	58	1	29	0	0	0	0	0	0	0	45.27	0	0	11.8
2019	11	5	22	8	1	29	0	0	0	0	0	0	0	45.23	0	0	11.8
2019	11	5	22	18	1	28	0	0	0	0	0	0	0	45.19	0	0	11.8
2019	11	5	22	28	1	30	0	0	0	0	0	0	0	45.16	0	0	11.8
2019	11	5	22	38	1	29	0	0	0	0	0	0	0	45.1	0	0	11.8
2019	11	5	22	48	1	29	0	0	0	0	0	0	0	45.07	0	0	11.8
2019	11	5	22	58	1	29	0	0	0	0	0	0	0	45.05	0	0	11.8
2019	11	5	23	8	1	29	0	0	0	0	0	0	0	45	0	0	11.8
2019	11	5	23	18	1	29	0	0	0	0	0	0	0	44.96	0	0	11.8
2019	11	5	23	28	1	29	0	0	0	0	0	0	0	44.92	0	0	11.8
2019	11	5	23	38	1	30	0	0	0	0	0	0	0	44.87	0	0	11.8
2019	11	5	23	48	1	29	0	0	0	0	0	0	0	44.83	0	0	11.8
2019	11	5	23	58	1	29	0	0	0	0	0	0	0	44.8	0	0	11.8
2019	11	6	0	8	1	29	0	0	0	0	0	0	0	44.76	0	0	11.8
2019	11	6	0	18	1	29	0	0	0	0	0	0	0	44.71	0	0	11.8
2019	11	6	0	28	1	29	0	0	0	0	0	0	0	44.67	0	0	11.8
2019	11	6	0	38	1	29	0	0	0	0	0	0	0	44.64	0	0	11.8
2019	11	6	0	48	1	29	0	0	0	0	0	0	0	44.62	0	0	11.8
2019	11	6	0	58	1	30	0	0	0	0	0	0	0	44.58	0	0	11.8
2019	11	6	1	8	1	29	0	0	0	0	0	0	0	44.53	0	0	11.8
2019	11	6	1	18	1	29	0	0	0	0	0	0	0	44.51	0	0	11.8
2019	11	6	1	28	1	29	0	0	0	0	0	0	0	44.47	0	0	11.8
2019	11	6	1	38	1	29	0	0	0	0	0	0	0	44.46	0	0	11.8
2019	11	6	1	48	1	29	0	0	0	0	0	0	0	44.4	0	0	11.8
2019	11	6	1	58	1	29	0	0	0	0	0	0	0	44.37	0	0	11.8
2019	11	6	2	8	1	29	0	0	0	0	0	0	0	44.35	0	0	11.8
2019	11	6	2	18	1	29	0	0	0	0	0	0	0	44.29	0	0	11.8
2019	11	6	2	28	1	29	0	0	0	0	0	0	0	44.28	0	0	11.8
2019	11	6	2	38	1	29	0	0	0	0	0	0	0	44.24	0	0	11.8
2019	11	6	2	48	1	29	0	0	0	0	0	0	0	44.2	0	0	11.8
2019	11	6	2	58	1	30	0	0	0	0	0	0	0	44.15	0	0	11.8
2019	11	6	3	8	1	29	0	0	0	0	0	0	0	44.13	0	0	11.8
2019	11	6	3	18	1	29	0	0	0	0	0	0	0	44.1	0	0	11.8
2019	11	6	3	28	1	29	0	0	0	0	0	0	0	44.04	0	0	11.8
2019	11	6	3	38	1	29	0	0	0	0	0	0	0	44.01	0	0	11.8
2019	11	6	3	48	1	29	0	0	0	0	0	0	0	43.97	0	0	11.8
2019	11	6	3	58	1	29	0	0	0	0	0	0	0	43.93	0	0	11.8
2019	11	6	4	8	1	29	0	0	0	0	0	0	0	43.88	0	0	11.8
2019	11	6	4	18	1	28	0	0	0	0	0	0	0	43.84	0	0	11.8
2019	11	6	4	28	1	29	0	0	0	0	0	0	0	43.81	0	0	11.8
2019	11	6	4	38	1	29	0	0	0	0	0	0	0	43.77	0	0	11.8
2019	11	6	4	48	1	29	0	0	0	0	0	0	0	43.74	0	0	11.8
2019	11	6	4	58	1	29	0	0	0	0	0	0	0	43.7	0	0	11.8
2019	11	6	5	8	1	30	0	0	0	0	0	0	0	43.65	0	0	11.8
2019	11	6	5	18	1	29	0	0	0	0	0	0	0	43.61	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	6	5	28	1	29	0	0	0	0	0	0	0	43.57	0	0	11.8
2019	11	6	5	38	1	30	0	0	0	0	0	0	0	43.54	0	0	11.6
2019	11	6	5	48	1	30	0	0	0	0	0	0	0	43.5	0	0	11.6
2019	11	6	5	58	1	29	0	0	0	0	0	0	0	43.45	0	0	11.6
2019	11	6	6	8	1	30	0	0	0	0	0	0	0	43.43	0	0	11.6
2019	11	6	6	18	1	29	0	0	0	0	0	0	0	43.38	0	0	11.6
2019	11	6	6	28	1	29	0	0	0	0	0	0	0	43.34	0	0	11.6
2019	11	6	6	38	1	30	0	0	0	0	0	0	0	43.3	0	0	11.6
2019	11	6	6	48	1	29	0	0	0	0	0	0	0	43.27	0	0	11.6
2019	11	6	6	58	1	29	0	0	0	0	0	0	0	43.21	0	0	11.6
2019	11	6	7	8	1	29	0	0	0	0	0	0	0	43.18	0	0	11.6
2019	11	6	7	18	1	29	0	0	0	0	0	0	0	43.14	0	0	11.6
2019	11	6	7	28	1	29	0	0	0	0	0	0	0	43.09	0	0	11.6
2019	11	6	7	38	1	29	0	0	0	0	0	0	0	43.05	0	0	11.6
2019	11	6	7	48	1	29	0	0	0	0	0	0	0	43.02	0	0	11.6
2019	11	6	7	58	1	29	0	0	0	0	0	0	0	42.98	0	0	11.6
2019	11	6	8	8	1	29	0	0	0	0	0	0	0	42.96	0	0	11.8
2019	11	6	8	18	1	29	0	0	0	0	0	0	0	42.94	0	0	12.6
2019	11	6	8	28	1	29	0	0	0	0	0	0	0	42.94	0	0	13
2019	11	6	8	38	1	29	0	0	0	0	0	0	0	42.94	0	0	13
2019	11	6	8	48	1	29	0	0	0	0	0	0	0	42.96	0	0	13.2
2019	11	6	8	58	1	29	0	0	0	0	0	0	0	42.98	0	0	13.2
2019	11	6	9	8	1	29	0	0	0	0	0	0	0	42.96	0	0	13.2
2019	11	6	9	18	1	30	0	0	0	0	0	0	0	42.98	0	0	13.2
2019	11	6	9	28	1	29	0	0	0	0	0	0	0	43	0	0	13
2019	11	6	9	38	1	29	0	0	0	0	0	0	0	43	0	0	12.6
2019	11	6	9	48	1	29	0	0	0	0	0	0	0	43.02	0	0	13
2019	11	6	9	58	1	29	0	0	0	0	0	0	0	43.09	0	0	13.8
2019	11	6	10	8	1	30	0	0	0	0	0	0	0	43.12	0	0	13.6
2019	11	6	10	18	1	29	0	0	0	0	0	0	0	43.16	0	0	13.6
2019	11	6	10	28	1	29	0	0	0	0	0	0	0	43.23	0	0	13.6
2019	11	6	10	38	1	29	0	0	0	0	0	0	0	43.29	0	0	13.6
2019	11	6	10	48	1	29	0	0	0	0	0	0	0	43.36	0	0	13.6
2019	11	6	10	58	1	29	0	0	0	0	0	0	0	43.38	0	0	13.6
2019	11	6	11	8	1	30	0	0	0	0	0	0	0	43.45	0	0	13.4
2019	11	6	11	18	1	29	0	0	0	0	0	0	0	43.48	0	0	13.4
2019	11	6	11	28	1	29	0	0	0	0	0	0	0	43.56	0	0	13.4
2019	11	6	11	38	1	29	0	0	0	0	0	0	0	43.61	0	0	13.4
2019	11	6	11	48	1	29	0	0	0	0	0	0	0	43.66	0	0	13.4
2019	11	6	11	58	1	29	0	0	0	0	0	0	0	43.75	0	0	13.4
2019	11	6	12	8	1	29	0	0	0	0	0	0	0	43.77	0	0	13.4
2019	11	6	12	18	1	29	0	0	0	0	0	0	0	43.86	0	0	13.4
2019	11	6	12	28	1	29	0	0	0	0	0	0	0	43.92	0	0	13.4
2019	11	6	12	38	1	29	0	0	0	0	0	0	0	43.97	0	0	13.4
2019	11	6	12	48	1	29	0	0	0	0	0	0	0	44.02	0	0	13.4
2019	11	6	12	58	1	29	0	0	0	0	0	0	0	44.08	0	0	13.4
2019	11	6	13	8	1	29	0	0	0	0	0	0	0	44.13	0	0	13.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	6	13	18	1	29	0	0	0	0	0	0	0	44.2	0	0	13.2
2019	11	6	13	28	1	29	0	0	0	0	0	0	0	44.22	0	0	13.2
2019	11	6	13	38	1	29	0	0	0	0	0	0	0	44.29	0	0	13.2
2019	11	6	13	48	1	28	0	0	0	0	0	0	0	44.35	0	0	13.2
2019	11	6	13	58	1	29	0	0	0	0	0	0	0	44.38	0	0	13.2
2019	11	6	14	8	1	28	0	0	0	0	0	0	0	44.44	0	0	13.2
2019	11	6	14	18	1	30	0	0	0	0	0	0	0	44.49	0	0	13.2
2019	11	6	14	28	1	29	0	0	0	0	0	0	0	44.51	0	0	13.2
2019	11	6	14	38	1	29	0	0	0	0	0	0	0	44.55	0	0	13.2
2019	11	6	14	48	1	29	0	0	0	0	0	0	0	44.6	0	0	13.2
2019	11	6	14	58	1	29	0	0	0	0	0	0	0	44.64	0	0	13.2
2019	11	6	15	8	1	29	0	0	0	0	0	0	0	44.71	0	0	13.2
2019	11	6	15	18	1	29	0	0	0	0	0	0	0	44.74	0	0	13.2
2019	11	6	15	28	1	29	0	0	0	0	0	0	0	44.78	0	0	13.2
2019	11	6	15	38	1	30	0	0	0	0	0	0	0	44.83	0	0	13.2
2019	11	6	15	48	1	29	0	0	0	0	0	0	0	44.85	0	0	13.2
2019	11	6	15	58	1	29	0	0	0	0	0	0	0	44.85	0	0	13.2
2019	11	6	16	8	1	29	0	0	0	0	0	0	0	44.89	0	0	13.2
2019	11	6	16	18	1	29	0	0	0	0	0	0	0	44.94	0	0	13.2
2019	11	6	16	28	1	29	0	0	0	0	0	0	0	45.01	0	0	13.2
2019	11	6	16	38	1	29	0	0	0	0	0	0	0	45.09	0	0	13.2
2019	11	6	16	48	1	29	0	0	0	0	0	0	0	45.14	0	0	13.2
2019	11	6	16	58	1	29	0	0	0	0	0	0	0	45.19	0	0	13.2
2019	11	6	17	8	1	29	0	0	0	0	0	0	0	45.27	0	0	12.2
2019	11	6	17	18	1	29	0	0	0	0	0	0	0	45.34	0	0	12
2019	11	6	17	28	1	29	0	0	0	0	0	0	0	45.39	0	0	12
2019	11	6	17	38	1	29	0	0	0	0	0	0	0	45.46	0	0	12
2019	11	6	17	48	1	29	0	0	0	0	0	0	0	45.52	0	0	12
2019	11	6	17	58	1	29	0	0	0	0	0	0	0	45.57	0	0	12
2019	11	6	18	8	1	29	0	0	0	0	0	0	0	45.63	0	0	12
2019	11	6	18	18	1	29	0	0	0	0	0	0	0	45.68	0	0	12
2019	11	6	18	28	1	29	0	0	0	0	0	0	0	45.73	0	0	12
2019	11	6	18	38	1	29	0	0	0	0	0	0	0	45.77	0	0	12
2019	11	6	18	48	1	29	0	0	0	0	0	0	0	45.82	0	0	12
2019	11	6	18	58	1	29	0	0	0	0	0	0	0	45.86	0	0	12
2019	11	6	19	8	1	29	0	0	0	0	0	0	0	45.9	0	0	12
2019	11	6	19	18	1	29	0	0	0	0	0	0	0	45.91	0	0	12
2019	11	6	19	28	1	28	0	0	0	0	0	0	0	45.95	0	0	12
2019	11	6	19	38	1	29	0	0	0	0	0	0	0	45.97	0	0	12
2019	11	6	19	48	1	29	0	0	0	0	0	0	0	46	0	0	12
2019	11	6	19	58	1	29	0	0	0	0	0	0	0	46.04	0	0	12
2019	11	6	20	8	1	28	0	0	0	0	0	0	0	46.04	0	0	12
2019	11	6	20	18	1	28	0	0	0	0	0	0	0	46.06	0	0	12
2019	11	6	20	28	1	28	0	0	0	0	0	0	0	46.06	0	0	12
2019	11	6	20	38	1	29	0	0	0	0	0	0	0	46.06	0	0	11.8
2019	11	6	20	48	1	30	0	0	0	0	0	0	0	46.06	0	0	11.8
2019	11	6	20	58	1	29	0	0	0	0	0	0	0	46.06	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	6	21	8	1	28	0	0	0	0	0	0	0	46.04	0	0	11.8
2019	11	6	21	18	1	29	0	0	0	0	0	0	0	46	0	0	11.8
2019	11	6	21	28	1	29	0	0	0	0	0	0	0	46	0	0	11.8
2019	11	6	21	38	1	29	0	0	0	0	0	0	0	45.97	0	0	11.8
2019	11	6	21	48	1	28	0	0	0	0	0	0	0	45.95	0	0	11.8
2019	11	6	21	58	1	29	0	0	0	0	0	0	0	45.91	0	0	11.8
2019	11	6	22	8	1	29	0	0	0	0	0	0	0	45.88	0	0	11.8
2019	11	6	22	18	1	29	0	0	0	0	0	0	0	45.84	0	0	11.8
2019	11	6	22	28	1	28	0	0	0	0	0	0	0	45.81	0	0	11.8
2019	11	6	22	38	1	29	0	0	0	0	0	0	0	45.77	0	0	11.8
2019	11	6	22	48	1	29	0	0	0	0	0	0	0	45.73	0	0	11.8
2019	11	6	22	58	1	29	0	0	0	0	0	0	0	45.7	0	0	11.8
2019	11	6	23	8	1	29	0	0	0	0	0	0	0	45.66	0	0	11.8
2019	11	6	23	18	1	29	0	0	0	0	0	0	0	45.63	0	0	11.8
2019	11	6	23	28	1	29	0	0	0	0	0	0	0	45.59	0	0	11.8
2019	11	6	23	38	1	28	0	0	0	0	0	0	0	45.55	0	0	11.8
2019	11	6	23	48	1	28	0	0	0	0	0	0	0	45.5	0	0	11.8
2019	11	6	23	58	1	29	0	0	0	0	0	0	0	45.48	0	0	11.8
2019	11	7	0	8	1	29	0	0	0	0	0	0	0	45.43	0	0	11.8
2019	11	7	0	18	1	29	0	0	0	0	0	0	0	45.41	0	0	11.8
2019	11	7	0	28	1	29	0	0	0	0	0	0	0	45.37	0	0	11.8
2019	11	7	0	38	1	28	0	0	0	0	0	0	0	45.34	0	0	11.8
2019	11	7	0	48	1	29	0	0	0	0	0	0	0	45.3	0	0	11.8
2019	11	7	0	58	1	29	0	0	0	0	0	0	0	45.27	0	0	11.8
2019	11	7	1	8	1	29	0	0	0	0	0	0	0	45.23	0	0	11.8
2019	11	7	1	18	1	29	0	0	0	0	0	0	0	45.21	0	0	11.8
2019	11	7	1	28	1	29	0	0	0	0	0	0	0	45.18	0	0	11.8
2019	11	7	1	38	1	29	0	0	0	0	0	0	0	45.14	0	0	11.8
2019	11	7	1	48	1	29	0	0	0	0	0	0	0	45.09	0	0	11.8
2019	11	7	1	58	1	29	0	0	0	0	0	0	0	45.07	0	0	11.8
2019	11	7	2	8	1	29	0	0	0	0	0	0	0	45.03	0	0	11.8
2019	11	7	2	18	1	29	0	0	0	0	0	0	0	45	0	0	11.8
2019	11	7	2	28	1	29	0	0	0	0	0	0	0	44.96	0	0	11.8
2019	11	7	2	38	1	29	0	0	0	0	0	0	0	44.91	0	0	11.8
2019	11	7	2	48	1	29	0	0	0	0	0	0	0	44.89	0	0	11.8
2019	11	7	2	58	1	29	0	0	0	0	0	0	0	44.83	0	0	11.8
2019	11	7	3	8	1	29	0	0	0	0	0	0	0	44.8	0	0	11.8
2019	11	7	3	18	1	29	0	0	0	0	0	0	0	44.76	0	0	11.8
2019	11	7	3	28	1	29	0	0	0	0	0	0	0	44.73	0	0	11.8
2019	11	7	3	38	1	29	0	0	0	0	0	0	0	44.69	0	0	11.8
2019	11	7	3	48	1	30	0	0	0	0	0	0	0	44.64	0	0	11.8
2019	11	7	3	58	1	29	0	0	0	0	0	0	0	44.6	0	0	11.8
2019	11	7	4	8	1	29	0	0	0	0	0	0	0	44.55	0	0	11.6
2019	11	7	4	18	1	29	0	0	0	0	0	0	0	44.49	0	0	11.6
2019	11	7	4	28	1	30	0	0	0	0	0	0	0	44.44	0	0	11.6
2019	11	7	4	38	1	29	0	0	0	0	0	0	0	44.38	0	0	11.6
2019	11	7	4	48	1	29	0	0	0	0	0	0	0	44.35	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	7	4	58	1	30	0	0	0	0	0	0	0	44.29	0	0	11.6
2019	11	7	5	8	1	28	0	0	0	0	0	0	0	44.24	0	0	11.6
2019	11	7	5	18	1	30	0	0	0	0	0	0	0	44.19	0	0	11.6
2019	11	7	5	28	1	29	0	0	0	0	0	0	0	44.15	0	0	11.6
2019	11	7	5	38	1	29	0	0	0	0	0	0	0	44.1	0	0	11.6
2019	11	7	5	48	1	29	0	0	0	0	0	0	0	44.04	0	0	11.6
2019	11	7	5	58	1	29	0	0	0	0	0	0	0	43.99	0	0	11.6
2019	11	7	6	8	1	29	0	0	0	0	0	0	0	43.93	0	0	11.6
2019	11	7	6	18	1	29	0	0	0	0	0	0	0	43.9	0	0	11.6
2019	11	7	6	28	1	29	0	0	0	0	0	0	0	43.84	0	0	11.6
2019	11	7	6	38	1	29	0	0	0	0	0	0	0	43.79	0	0	11.6
2019	11	7	6	48	1	28	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	7	6	58	1	30	0	0	0	0	0	0	0	43.7	0	0	11.6
2019	11	7	7	8	1	29	0	0	0	0	0	0	0	43.65	0	0	11.6
2019	11	7	7	18	1	30	0	0	0	0	0	0	0	43.59	0	0	11.6
2019	11	7	7	28	1	29	0	0	0	0	0	0	0	43.54	0	0	11.6
2019	11	7	7	38	1	29	0	0	0	0	0	0	0	43.48	0	0	11.6
2019	11	7	7	48	1	29	0	0	0	0	0	0	0	43.45	0	0	11.6
2019	11	7	7	58	1	29	0	0	0	0	0	0	0	43.39	0	0	11.6
2019	11	7	8	8	1	29	0	0	0	0	0	0	0	43.36	0	0	11.6
2019	11	7	8	18	1	29	0	0	0	0	0	0	0	43.34	0	0	12.4
2019	11	7	8	28	1	29	0	0	0	0	0	0	0	43.34	0	0	13
2019	11	7	8	38	1	29	0	0	0	0	0	0	0	43.32	0	0	13
2019	11	7	8	48	1	29	0	0	0	0	0	0	0	43.32	0	0	13
2019	11	7	8	58	1	29	0	0	0	0	0	0	0	43.32	0	0	13.2
2019	11	7	9	8	1	29	0	0	0	0	0	0	0	43.32	0	0	13.4
2019	11	7	9	18	1	29	0	0	0	0	0	0	0	43.34	0	0	13.8
2019	11	7	9	28	1	29	0	0	0	0	0	0	0	43.36	0	0	13.8
2019	11	7	9	38	1	30	0	0	0	0	0	0	0	43.36	0	0	13.8
2019	11	7	9	48	1	29	0	0	0	0	0	0	0	43.39	0	0	13.6
2019	11	7	9	58	1	29	0	0	0	0	0	0	0	43.39	0	0	13.6
2019	11	7	10	8	1	29	0	0	0	0	0	0	0	43.45	0	0	13.6
2019	11	7	10	18	1	29	0	0	0	0	0	0	0	43.47	0	0	13.6
2019	11	7	10	28	1	29	0	0	0	0	0	0	0	43.52	0	0	13.6
2019	11	7	10	38	1	29	0	0	0	0	0	0	0	43.56	0	0	13.6
2019	11	7	10	48	1	29	0	0	0	0	0	0	0	43.59	0	0	13.4
2019	11	7	10	58	1	30	0	0	0	0	0	0	0	43.63	0	0	13.4
2019	11	7	11	8	1	29	0	0	0	0	0	0	0	43.68	0	0	13.4
2019	11	7	11	18	1	29	0	0	0	0	0	0	0	43.7	0	0	13.4
2019	11	7	11	28	1	29	0	0	0	0	0	0	0	43.77	0	0	13.4
2019	11	7	11	38	1	29	0	0	0	0	0	0	0	43.83	0	0	13.4
2019	11	7	11	48	1	28	0	0	0	0	0	0	0	43.86	0	0	13.4
2019	11	7	11	58	1	29	0	0	0	0	0	0	0	43.95	0	0	13.4
2019	11	7	12	8	1	29	0	0	0	0	0	0	0	43.95	0	0	13.4
2019	11	7	12	18	1	29	0	0	0	0	0	0	0	44.06	0	0	13.4
2019	11	7	12	28	1	29	0	0	0	0	0	0	0	44.08	0	0	13.4
2019	11	7	12	38	1	29	0	0	0	0	0	0	0	44.13	0	0	13.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	7	12	48	1	29	0	0	0	0	0	0	0	44.19	0	0	13.4
2019	11	7	12	58	1	29	0	0	0	0	0	0	0	44.26	0	0	13.4
2019	11	7	13	8	1	29	0	0	0	0	0	0	0	44.28	0	0	13.4
2019	11	7	13	18	1	28	0	0	0	0	0	0	0	44.31	0	0	13.4
2019	11	7	13	28	1	29	0	0	0	0	0	0	0	44.35	0	0	13.4
2019	11	7	13	38	1	30	0	0	0	0	0	0	0	44.44	0	0	13.4
2019	11	7	13	48	1	29	0	0	0	0	0	0	0	44.47	0	0	13.2
2019	11	7	13	58	1	30	0	0	0	0	0	0	0	44.49	0	0	13.2
2019	11	7	14	8	1	29	0	0	0	0	0	0	0	44.55	0	0	13.2
2019	11	7	14	18	1	29	0	0	0	0	0	0	0	44.6	0	0	13.2
2019	11	7	14	28	1	29	0	0	0	0	0	0	0	44.64	0	0	13.2
2019	11	7	14	38	1	29	0	0	0	0	0	0	0	44.69	0	0	13.2
2019	11	7	14	48	1	30	0	0	0	0	0	0	0	44.71	0	0	13.2
2019	11	7	14	58	1	29	0	0	0	0	0	0	0	44.74	0	0	13.2
2019	11	7	15	8	1	29	0	0	0	0	0	0	0	44.76	0	0	13.2
2019	11	7	15	18	1	29	0	0	0	0	0	0	0	44.82	0	0	13.2
2019	11	7	15	28	1	29	0	0	0	0	0	0	0	44.87	0	0	13.2
2019	11	7	15	38	1	28	0	0	0	0	0	0	0	44.89	0	0	13.2
2019	11	7	15	48	1	29	0	0	0	0	0	0	0	44.91	0	0	13.2
2019	11	7	15	58	1	29	0	0	0	0	0	0	0	44.92	0	0	13.2
2019	11	7	16	8	1	30	0	0	0	0	0	0	0	44.96	0	0	13.2
2019	11	7	16	18	1	30	0	0	0	0	0	0	0	45.01	0	0	13.2
2019	11	7	16	28	1	29	0	0	0	0	0	0	0	45.07	0	0	13.2
2019	11	7	16	38	1	29	0	0	0	0	0	0	0	45.12	0	0	13.2
2019	11	7	16	48	1	29	0	0	0	0	0	0	0	45.19	0	0	13.2
2019	11	7	16	58	1	29	0	0	0	0	0	0	0	45.23	0	0	13.2
2019	11	7	17	8	1	29	0	0	0	0	0	0	0	45.3	0	0	12.2
2019	11	7	17	18	1	29	0	0	0	0	0	0	0	45.36	0	0	12.2
2019	11	7	17	28	1	29	0	0	0	0	0	0	0	45.41	0	0	12
2019	11	7	17	38	1	30	0	0	0	0	0	0	0	45.46	0	0	12
2019	11	7	17	48	1	29	0	0	0	0	0	0	0	45.52	0	0	12
2019	11	7	17	58	1	29	0	0	0	0	0	0	0	45.57	0	0	12
2019	11	7	18	8	1	29	0	0	0	0	0	0	0	45.61	0	0	12
2019	11	7	18	18	1	29	0	0	0	0	0	0	0	45.66	0	0	12
2019	11	7	18	28	1	29	0	0	0	0	0	0	0	45.7	0	0	12
2019	11	7	18	38	1	29	0	0	0	0	0	0	0	45.73	0	0	12
2019	11	7	18	48	1	29	0	0	0	0	0	0	0	45.77	0	0	12
2019	11	7	18	58	1	29	0	0	0	0	0	0	0	45.81	0	0	12
2019	11	7	19	8	1	28	0	0	0	0	0	0	0	45.84	0	0	12
2019	11	7	19	18	1	28	0	0	0	0	0	0	0	45.88	0	0	12
2019	11	7	19	28	1	29	0	0	0	0	0	0	0	45.91	0	0	12
2019	11	7	19	38	1	29	0	0	0	0	0	0	0	45.93	0	0	12
2019	11	7	19	48	1	29	0	0	0	0	0	0	0	45.95	0	0	12
2019	11	7	19	58	1	29	0	0	0	0	0	0	0	45.97	0	0	12
2019	11	7	20	8	1	29	0	0	0	0	0	0	0	45.99	0	0	12
2019	11	7	20	18	1	29	0	0	0	0	0	0	0	46	0	0	12
2019	11	7	20	28	1	29	0	0	0	0	0	0	0	46	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	7	20	38	1	29	0	0	0	0	0	0	0	46	0	0	11.8
2019	11	7	20	48	1	29	0	0	0	0	0	0	0	46	0	0	11.8
2019	11	7	20	58	1	29	0	0	0	0	0	0	0	45.99	0	0	11.8
2019	11	7	21	8	1	30	0	0	0	0	0	0	0	45.97	0	0	11.8
2019	11	7	21	18	1	29	0	0	0	0	0	0	0	45.95	0	0	11.8
2019	11	7	21	28	1	29	0	0	0	0	0	0	0	45.93	0	0	11.8
2019	11	7	21	38	1	28	0	0	0	0	0	0	0	45.91	0	0	11.8
2019	11	7	21	48	1	28	0	0	0	0	0	0	0	45.88	0	0	11.8
2019	11	7	21	58	1	29	0	0	0	0	0	0	0	45.86	0	0	11.8
2019	11	7	22	8	1	29	0	0	0	0	0	0	0	45.84	0	0	11.8
2019	11	7	22	18	1	28	0	0	0	0	0	0	0	45.79	0	0	11.8
2019	11	7	22	28	1	29	0	0	0	0	0	0	0	45.75	0	0	11.8
2019	11	7	22	38	1	29	0	0	0	0	0	0	0	45.72	0	0	11.8
2019	11	7	22	48	1	30	0	0	0	0	0	0	0	45.68	0	0	11.8
2019	11	7	22	58	1	29	0	0	0	0	0	0	0	45.64	0	0	11.8
2019	11	7	23	8	1	29	0	0	0	0	0	0	0	45.61	0	0	11.8
2019	11	7	23	18	1	30	0	0	0	0	0	0	0	45.57	0	0	11.8
2019	11	7	23	28	1	29	0	0	0	0	0	0	0	45.54	0	0	11.8
2019	11	7	23	38	1	29	0	0	0	0	0	0	0	45.5	0	0	11.8
2019	11	7	23	48	1	28	0	0	0	0	0	0	0	45.46	0	0	11.8
2019	11	7	23	58	1	29	0	0	0	0	0	0	0	45.43	0	0	11.8
2019	11	8	0	8	1	29	0	0	0	0	0	0	0	45.39	0	0	11.8
2019	11	8	0	18	1	29	0	0	0	0	0	0	0	45.36	0	0	11.8
2019	11	8	0	28	1	29	0	0	0	0	0	0	0	45.34	0	0	11.8
2019	11	8	0	38	1	29	0	0	0	0	0	0	0	45.28	0	0	11.8
2019	11	8	0	48	1	29	0	0	0	0	0	0	0	45.25	0	0	11.8
2019	11	8	0	58	1	30	0	0	0	0	0	0	0	45.21	0	0	11.8
2019	11	8	1	8	1	29	0	0	0	0	0	0	0	45.18	0	0	11.8
2019	11	8	1	18	1	29	0	0	0	0	0	0	0	45.14	0	0	11.8
2019	11	8	1	28	1	29	0	0	0	0	0	0	0	45.1	0	0	11.8
2019	11	8	1	38	1	29	0	0	0	0	0	0	0	45.07	0	0	11.8
2019	11	8	1	48	1	28	0	0	0	0	0	0	0	45.05	0	0	11.8
2019	11	8	1	58	1	29	0	0	0	0	0	0	0	45	0	0	11.8
2019	11	8	2	8	1	29	0	0	0	0	0	0	0	44.96	0	0	11.8
2019	11	8	2	18	1	30	0	0	0	0	0	0	0	44.92	0	0	11.8
2019	11	8	2	28	1	28	0	0	0	0	0	0	0	44.87	0	0	11.8
2019	11	8	2	38	1	29	0	0	0	0	0	0	0	44.85	0	0	11.8
2019	11	8	2	48	1	29	0	0	0	0	0	0	0	44.8	0	0	11.8
2019	11	8	2	58	1	30	0	0	0	0	0	0	0	44.78	0	0	11.8
2019	11	8	3	8	1	29	0	0	0	0	0	0	0	44.73	0	0	11.8
2019	11	8	3	18	1	29	0	0	0	0	0	0	0	44.69	0	0	11.8
2019	11	8	3	28	1	29	0	0	0	0	0	0	0	44.64	0	0	11.8
2019	11	8	3	38	1	29	0	0	0	0	0	0	0	44.6	0	0	11.8
2019	11	8	3	48	1	28	0	0	0	0	0	0	0	44.56	0	0	11.8
2019	11	8	3	58	1	29	0	0	0	0	0	0	0	44.51	0	0	11.8
2019	11	8	4	8	1	29	0	0	0	0	0	0	0	44.47	0	0	11.6
2019	11	8	4	18	1	29	0	0	0	0	0	0	0	44.44	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	8	4	28	1	28	0	0	0	0	0	0	0	44.38	0	0	11.6
2019	11	8	4	38	1	29	0	0	0	0	0	0	0	44.35	0	0	11.6
2019	11	8	4	48	1	29	0	0	0	0	0	0	0	44.29	0	0	11.6
2019	11	8	4	58	1	29	0	0	0	0	0	0	0	44.24	0	0	11.6
2019	11	8	5	8	1	29	0	0	0	0	0	0	0	44.19	0	0	11.6
2019	11	8	5	18	1	29	0	0	0	0	0	0	0	44.15	0	0	11.6
2019	11	8	5	28	1	29	0	0	0	0	0	0	0	44.1	0	0	11.6
2019	11	8	5	38	1	29	0	0	0	0	0	0	0	44.04	0	0	11.6
2019	11	8	5	48	1	29	0	0	0	0	0	0	0	44.01	0	0	11.6
2019	11	8	5	58	1	29	0	0	0	0	0	0	0	43.95	0	0	11.6
2019	11	8	6	8	1	29	0	0	0	0	0	0	0	43.9	0	0	11.6
2019	11	8	6	18	1	29	0	0	0	0	0	0	0	43.84	0	0	11.6
2019	11	8	6	28	1	29	0	0	0	0	0	0	0	43.81	0	0	11.6
2019	11	8	6	38	1	29	0	0	0	0	0	0	0	43.75	0	0	11.6
2019	11	8	6	48	1	29	0	0	0	0	0	0	0	43.7	0	0	11.6
2019	11	8	6	58	1	29	0	0	0	0	0	0	0	43.65	0	0	11.6
2019	11	8	7	8	1	29	0	0	0	0	0	0	0	43.59	0	0	11.6
2019	11	8	7	18	1	29	0	0	0	0	0	0	0	43.56	0	0	11.6
2019	11	8	7	28	1	29	0	0	0	0	0	0	0	43.5	0	0	11.6
2019	11	8	7	38	1	29	0	0	0	0	0	0	0	43.47	0	0	11.6
2019	11	8	7	48	1	29	0	0	0	0	0	0	0	43.39	0	0	11.6
2019	11	8	7	58	1	29	0	0	0	0	0	0	0	43.36	0	0	11.6
2019	11	8	8	8	1	29	0	0	0	0	0	0	0	43.32	0	0	11.6
2019	11	8	8	18	1	29	0	0	0	0	0	0	0	43.29	0	0	12.4
2019	11	8	8	28	1	29	0	0	0	0	0	0	0	43.27	0	0	13
2019	11	8	8	38	1	29	0	0	0	0	0	0	0	43.27	0	0	13
2019	11	8	8	48	1	29	0	0	0	0	0	0	0	43.27	0	0	13.2
2019	11	8	8	58	1	29	0	0	0	0	0	0	0	43.27	0	0	13.2
2019	11	8	9	8	1	30	0	0	0	0	0	0	0	43.29	0	0	13.4
2019	11	8	9	18	1	29	0	0	0	0	0	0	0	43.29	0	0	13.8
2019	11	8	9	28	1	29	0	0	0	0	0	0	0	43.3	0	0	13.8
2019	11	8	9	38	1	29	0	0	0	0	0	0	0	43.32	0	0	13.8
2019	11	8	9	48	1	30	0	0	0	0	0	0	0	43.36	0	0	13.6
2019	11	8	9	58	1	29	0	0	0	0	0	0	0	43.38	0	0	13.6
2019	11	8	10	8	1	29	0	0	0	0	0	0	0	43.39	0	0	13.6
2019	11	8	10	18	1	29	0	0	0	0	0	0	0	43.45	0	0	13.6
2019	11	8	10	28	1	29	0	0	0	0	0	0	0	43.47	0	0	13.6
2019	11	8	10	38	1	29	0	0	0	0	0	0	0	43.54	0	0	13.6
2019	11	8	10	48	1	30	0	0	0	0	0	0	0	43.56	0	0	13.6
2019	11	8	10	58	1	29	0	0	0	0	0	0	0	43.57	0	0	13.6
2019	11	8	11	8	1	29	0	0	0	0	0	0	0	43.63	0	0	13.4
2019	11	8	11	18	1	30	0	0	0	0	0	0	0	43.68	0	0	13.4
2019	11	8	11	28	1	29	0	0	0	0	0	0	0	43.72	0	0	13.4
2019	11	8	11	38	1	29	0	0	0	0	0	0	0	43.79	0	0	13.4
2019	11	8	11	48	1	29	0	0	0	0	0	0	0	43.81	0	0	13.4
2019	11	8	11	58	1	29	0	0	0	0	0	0	0	43.88	0	0	13.4
2019	11	8	12	8	1	29	0	0	0	0	0	0	0	43.93	0	0	13.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	8	12	18	1	29	0	0	0	0	0	0	0	44.01	0	0	13.4
2019	11	8	12	28	1	29	0	0	0	0	0	0	0	44.04	0	0	13.4
2019	11	8	12	38	1	29	0	0	0	0	0	0	0	44.1	0	0	13.4
2019	11	8	12	48	1	29	0	0	0	0	0	0	0	44.13	0	0	13.4
2019	11	8	12	58	1	29	0	0	0	0	0	0	0	44.19	0	0	13.4
2019	11	8	13	8	1	29	0	0	0	0	0	0	0	44.22	0	0	13.4
2019	11	8	13	18	1	29	0	0	0	0	0	0	0	44.28	0	0	13.4
2019	11	8	13	28	1	29	0	0	0	0	0	0	0	44.33	0	0	13.2
2019	11	8	13	38	1	29	0	0	0	0	0	0	0	44.35	0	0	13.2
2019	11	8	13	48	1	29	0	0	0	0	0	0	0	44.4	0	0	13.2
2019	11	8	13	58	1	30	0	0	0	0	0	0	0	44.46	0	0	13.2
2019	11	8	14	8	1	29	0	0	0	0	0	0	0	44.49	0	0	13.2
2019	11	8	14	18	1	29	0	0	0	0	0	0	0	44.53	0	0	13.2
2019	11	8	14	28	1	29	0	0	0	0	0	0	0	44.55	0	0	13.2
2019	11	8	14	38	1	29	0	0	0	0	0	0	0	44.6	0	0	13.2
2019	11	8	14	48	1	29	0	0	0	0	0	0	0	44.64	0	0	13.2
2019	11	8	14	58	1	28	0	0	0	0	0	0	0	44.67	0	0	13.2
2019	11	8	15	8	1	29	0	0	0	0	0	0	0	44.69	0	0	13.2
2019	11	8	15	18	1	29	0	0	0	0	0	0	0	44.74	0	0	13.2
2019	11	8	15	28	1	29	0	0	0	0	0	0	0	44.78	0	0	13.2
2019	11	8	15	38	1	28	0	0	0	0	0	0	0	44.8	0	0	13.2
2019	11	8	15	48	1	30	0	0	0	0	0	0	0	44.83	0	0	13.2
2019	11	8	15	58	1	29	0	0	0	0	0	0	0	44.82	0	0	13.2
2019	11	8	16	8	1	29	0	0	0	0	0	0	0	44.83	0	0	13.2
2019	11	8	16	18	1	29	0	0	0	0	0	0	0	44.91	0	0	13.2
2019	11	8	16	28	1	29	0	0	0	0	0	0	0	44.96	0	0	13.2
2019	11	8	16	38	1	29	0	0	0	0	0	0	0	45.01	0	0	13.2
2019	11	8	16	48	1	29	0	0	0	0	0	0	0	45.07	0	0	13.2
2019	11	8	16	58	1	29	0	0	0	0	0	0	0	45.12	0	0	13.2
2019	11	8	17	8	1	28	0	0	0	0	0	0	0	45.18	0	0	12.2
2019	11	8	17	18	1	29	0	0	0	0	0	0	0	45.23	0	0	12.2
2019	11	8	17	28	1	29	0	0	0	0	0	0	0	45.28	0	0	12
2019	11	8	17	38	1	29	0	0	0	0	0	0	0	45.34	0	0	12
2019	11	8	17	48	1	28	0	0	0	0	0	0	0	45.37	0	0	12
2019	11	8	17	58	1	30	0	0	0	0	0	0	0	45.41	0	0	12
2019	11	8	18	8	1	29	0	0	0	0	0	0	0	45.46	0	0	12
2019	11	8	18	18	1	29	0	0	0	0	0	0	0	45.52	0	0	12
2019	11	8	18	28	1	28	0	0	0	0	0	0	0	45.55	0	0	12
2019	11	8	18	38	1	29	0	0	0	0	0	0	0	45.61	0	0	12
2019	11	8	18	48	1	29	0	0	0	0	0	0	0	45.63	0	0	12
2019	11	8	18	58	1	29	0	0	0	0	0	0	0	45.66	0	0	12
2019	11	8	19	8	1	29	0	0	0	0	0	0	0	45.68	0	0	12
2019	11	8	19	18	1	29	0	0	0	0	0	0	0	45.72	0	0	12
2019	11	8	19	28	1	29	0	0	0	0	0	0	0	45.73	0	0	12
2019	11	8	19	38	1	28	0	0	0	0	0	0	0	45.77	0	0	12
2019	11	8	19	48	1	29	0	0	0	0	0	0	0	45.77	0	0	12
2019	11	8	19	58	1	29	0	0	0	0	0	0	0	45.79	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	8	20	8	1	28	0	0	0	0	0	0	0	45.81	0	0	12
2019	11	8	20	18	1	28	0	0	0	0	0	0	0	45.81	0	0	12
2019	11	8	20	28	1	29	0	0	0	0	0	0	0	45.81	0	0	11.8
2019	11	8	20	38	1	29	0	0	0	0	0	0	0	45.81	0	0	11.8
2019	11	8	20	48	1	29	0	0	0	0	0	0	0	45.79	0	0	11.8
2019	11	8	20	58	1	29	0	0	0	0	0	0	0	45.77	0	0	11.8
2019	11	8	21	8	1	29	0	0	0	0	0	0	0	45.77	0	0	11.8
2019	11	8	21	18	1	29	0	0	0	0	0	0	0	45.75	0	0	11.8
2019	11	8	21	28	1	29	0	0	0	0	0	0	0	45.72	0	0	11.8
2019	11	8	21	38	1	29	0	0	0	0	0	0	0	45.68	0	0	11.8
2019	11	8	21	48	1	29	0	0	0	0	0	0	0	45.64	0	0	11.8
2019	11	8	21	58	1	29	0	0	0	0	0	0	0	45.61	0	0	11.8
2019	11	8	22	8	1	29	0	0	0	0	0	0	0	45.57	0	0	11.8
2019	11	8	22	18	1	29	0	0	0	0	0	0	0	45.54	0	0	11.8
2019	11	8	22	28	1	29	0	0	0	0	0	0	0	45.5	0	0	11.8
2019	11	8	22	38	1	29	0	0	0	0	0	0	0	45.45	0	0	11.8
2019	11	8	22	48	1	29	0	0	0	0	0	0	0	45.41	0	0	11.8
2019	11	8	22	58	1	29	0	0	0	0	0	0	0	45.36	0	0	11.8
2019	11	8	23	8	1	29	0	0	0	0	0	0	0	45.32	0	0	11.8
2019	11	8	23	18	1	29	0	0	0	0	0	0	0	45.27	0	0	11.8
2019	11	8	23	28	1	29	0	0	0	0	0	0	0	45.23	0	0	11.8
2019	11	8	23	38	1	29	0	0	0	0	0	0	0	45.18	0	0	11.8
2019	11	8	23	48	1	29	0	0	0	0	0	0	0	45.14	0	0	11.8
2019	11	8	23	58	1	29	0	0	0	0	0	0	0	45.09	0	0	11.8
2019	11	9	0	8	1	29	0	0	0	0	0	0	0	45.05	0	0	11.8
2019	11	9	0	18	1	29	0	0	0	0	0	0	0	45.01	0	0	11.8
2019	11	9	0	28	1	30	0	0	0	0	0	0	0	44.96	0	0	11.8
2019	11	9	0	38	1	29	0	0	0	0	0	0	0	44.92	0	0	11.8
2019	11	9	0	48	1	29	0	0	0	0	0	0	0	44.89	0	0	11.8
2019	11	9	0	58	1	29	0	0	0	0	0	0	0	44.83	0	0	11.8
2019	11	9	1	8	1	29	0	0	0	0	0	0	0	44.8	0	0	11.8
2019	11	9	1	18	1	29	0	0	0	0	0	0	0	44.76	0	0	11.8
2019	11	9	1	28	1	28	0	0	0	0	0	0	0	44.73	0	0	11.8
2019	11	9	1	38	1	28	0	0	0	0	0	0	0	44.67	0	0	11.8
2019	11	9	1	48	1	29	0	0	0	0	0	0	0	44.64	0	0	11.8
2019	11	9	1	58	1	29	0	0	0	0	0	0	0	44.6	0	0	11.8
2019	11	9	2	8	1	30	0	0	0	0	0	0	0	44.56	0	0	11.8
2019	11	9	2	18	1	29	0	0	0	0	0	0	0	44.51	0	0	11.8
2019	11	9	2	28	1	29	0	0	0	0	0	0	0	44.46	0	0	11.8
2019	11	9	2	38	1	29	0	0	0	0	0	0	0	44.44	0	0	11.8
2019	11	9	2	48	1	29	0	0	0	0	0	0	0	44.37	0	0	11.8
2019	11	9	2	58	1	29	0	0	0	0	0	0	0	44.33	0	0	11.8
2019	11	9	3	8	1	29	0	0	0	0	0	0	0	44.29	0	0	11.8
2019	11	9	3	18	1	29	0	0	0	0	0	0	0	44.24	0	0	11.8
2019	11	9	3	28	1	29	0	0	0	0	0	0	0	44.2	0	0	11.6
2019	11	9	3	38	1	28	0	0	0	0	0	0	0	44.15	0	0	11.6
2019	11	9	3	48	1	29	0	0	0	0	0	0	0	44.11	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	9	3	58	1	29	0	0	0	0	0	0	0	44.06	0	0	11.6
2019	11	9	4	8	1	29	0	0	0	0	0	0	0	44.01	0	0	11.6
2019	11	9	4	18	1	29	0	0	0	0	0	0	0	43.97	0	0	11.6
2019	11	9	4	28	1	29	0	0	0	0	0	0	0	43.92	0	0	11.6
2019	11	9	4	38	1	29	0	0	0	0	0	0	0	43.88	0	0	11.6
2019	11	9	4	48	1	29	0	0	0	0	0	0	0	43.83	0	0	11.6
2019	11	9	4	58	1	29	0	0	0	0	0	0	0	43.77	0	0	11.6
2019	11	9	5	8	1	29	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	9	5	18	1	29	0	0	0	0	0	0	0	43.68	0	0	11.6
2019	11	9	5	28	1	29	0	0	0	0	0	0	0	43.63	0	0	11.6
2019	11	9	5	38	1	29	0	0	0	0	0	0	0	43.57	0	0	11.6
2019	11	9	5	48	1	29	0	0	0	0	0	0	0	43.52	0	0	11.6
2019	11	9	5	58	1	29	0	0	0	0	0	0	0	43.47	0	0	11.6
2019	11	9	6	8	1	30	0	0	0	0	0	0	0	43.41	0	0	11.6
2019	11	9	6	18	1	29	0	0	0	0	0	0	0	43.36	0	0	11.6
2019	11	9	6	28	1	29	0	0	0	0	0	0	0	43.3	0	0	11.6
2019	11	9	6	38	1	30	0	0	0	0	0	0	0	43.25	0	0	11.6
2019	11	9	6	48	1	29	0	0	0	0	0	0	0	43.2	0	0	11.6
2019	11	9	6	58	1	29	0	0	0	0	0	0	0	43.16	0	0	11.6
2019	11	9	7	8	1	29	0	0	0	0	0	0	0	43.09	0	0	11.6
2019	11	9	7	18	1	29	0	0	0	0	0	0	0	43.03	0	0	11.6
2019	11	9	7	28	1	29	0	0	0	0	0	0	0	43	0	0	11.6
2019	11	9	7	38	1	30	0	0	0	0	0	0	0	42.94	0	0	11.6
2019	11	9	7	48	1	29	0	0	0	0	0	0	0	42.91	0	0	11.6
2019	11	9	7	58	1	29	0	0	0	0	0	0	0	42.85	0	0	11.6
2019	11	9	8	8	1	29	0	0	0	0	0	0	0	42.8	0	0	11.6
2019	11	9	8	18	1	29	0	0	0	0	0	0	0	42.76	0	0	12.2
2019	11	9	8	28	1	29	0	0	0	0	0	0	0	42.76	0	0	13
2019	11	9	8	38	1	29	0	0	0	0	0	0	0	42.75	0	0	13.2
2019	11	9	8	48	1	30	0	0	0	0	0	0	0	42.76	0	0	13.2
2019	11	9	8	58	1	29	0	0	0	0	0	0	0	42.75	0	0	13.2
2019	11	9	9	8	1	29	0	0	0	0	0	0	0	42.76	0	0	13.6
2019	11	9	9	18	1	29	0	0	0	0	0	0	0	42.75	0	0	13.8
2019	11	9	9	28	1	29	0	0	0	0	0	0	0	42.78	0	0	13.8
2019	11	9	9	38	1	29	0	0	0	0	0	0	0	42.8	0	0	13.8
2019	11	9	9	48	1	29	0	0	0	0	0	0	0	42.82	0	0	13.6
2019	11	9	9	58	1	30	0	0	0	0	0	0	0	42.84	0	0	13.6
2019	11	9	10	8	1	30	0	0	0	0	0	0	0	42.87	0	0	13.6
2019	11	9	10	18	1	29	0	0	0	0	0	0	0	42.89	0	0	13.6
2019	11	9	10	28	1	29	0	0	0	0	0	0	0	42.94	0	0	13.6
2019	11	9	10	38	1	29	0	0	0	0	0	0	0	42.96	0	0	13.6
2019	11	9	10	48	1	30	0	0	0	0	0	0	0	43	0	0	13.6
2019	11	9	10	58	1	29	0	0	0	0	0	0	0	43.03	0	0	13.6
2019	11	9	11	8	1	29	0	0	0	0	0	0	0	43.11	0	0	13.6
2019	11	9	11	18	1	30	0	0	0	0	0	0	0	43.12	0	0	13.6
2019	11	9	11	28	1	29	0	0	0	0	0	0	0	43.2	0	0	13.6
2019	11	9	11	38	1	29	0	0	0	0	0	0	0	43.23	0	0	13.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	9	11	48	1	29	0	0	0	0	0	0	0	43.27	0	0	13.4
2019	11	9	11	58	1	29	0	0	0	0	0	0	0	43.32	0	0	13.4
2019	11	9	12	8	1	29	0	0	0	0	0	0	0	43.36	0	0	13.4
2019	11	9	12	18	1	29	0	0	0	0	0	0	0	43.39	0	0	13.4
2019	11	9	12	28	1	30	0	0	0	0	0	0	0	43.45	0	0	13.4
2019	11	9	12	38	1	30	0	0	0	0	0	0	0	43.5	0	0	13.4
2019	11	9	12	48	1	29	0	0	0	0	0	0	0	43.56	0	0	13.4
2019	11	9	12	58	1	29	0	0	0	0	0	0	0	43.61	0	0	13.4
2019	11	9	13	8	1	29	0	0	0	0	0	0	0	43.63	0	0	13.4
2019	11	9	13	18	1	29	0	0	0	0	0	0	0	43.68	0	0	13.4
2019	11	9	13	28	1	28	0	0	0	0	0	0	0	43.72	0	0	13.4
2019	11	9	13	38	1	29	0	0	0	0	0	0	0	43.75	0	0	13.4
2019	11	9	13	48	1	29	0	0	0	0	0	0	0	43.79	0	0	13.4
2019	11	9	13	58	1	29	0	0	0	0	0	0	0	43.83	0	0	13.2
2019	11	9	14	8	1	29	0	0	0	0	0	0	0	43.86	0	0	13.2
2019	11	9	14	18	1	30	0	0	0	0	0	0	0	43.92	0	0	13.2
2019	11	9	14	28	1	29	0	0	0	0	0	0	0	43.95	0	0	13.2
2019	11	9	14	38	1	29	0	0	0	0	0	0	0	43.97	0	0	13.2
2019	11	9	14	48	1	29	0	0	0	0	0	0	0	44.01	0	0	13.2
2019	11	9	14	58	1	29	0	0	0	0	0	0	0	44.04	0	0	13.2
2019	11	9	15	8	1	29	0	0	0	0	0	0	0	44.1	0	0	13.2
2019	11	9	15	18	1	29	0	0	0	0	0	0	0	44.11	0	0	13.2
2019	11	9	15	28	1	29	0	0	0	0	0	0	0	44.17	0	0	13.2
2019	11	9	15	38	1	29	0	0	0	0	0	0	0	44.17	0	0	13.2
2019	11	9	15	48	1	29	0	0	0	0	0	0	0	44.2	0	0	13.2
2019	11	9	15	58	1	29	0	0	0	0	0	0	0	44.17	0	0	13.2
2019	11	9	16	8	1	29	0	0	0	0	0	0	0	44.22	0	0	13.2
2019	11	9	16	18	1	29	0	0	0	0	0	0	0	44.28	0	0	13.2
2019	11	9	16	28	1	29	0	0	0	0	0	0	0	44.33	0	0	13.2
2019	11	9	16	38	1	29	0	0	0	0	0	0	0	44.38	0	0	13.2
2019	11	9	16	48	1	29	0	0	0	0	0	0	0	44.46	0	0	13.2
2019	11	9	16	58	1	29	0	0	0	0	0	0	0	44.51	0	0	13.2
2019	11	9	17	8	1	29	0	0	0	0	0	0	0	44.56	0	0	12.2
2019	11	9	17	18	1	28	0	0	0	0	0	0	0	44.62	0	0	12
2019	11	9	17	28	1	29	0	0	0	0	0	0	0	44.67	0	0	12
2019	11	9	17	38	1	29	0	0	0	0	0	0	0	44.71	0	0	12
2019	11	9	17	48	1	29	0	0	0	0	0	0	0	44.76	0	0	12
2019	11	9	17	58	1	29	0	0	0	0	0	0	0	44.82	0	0	12
2019	11	9	18	8	1	29	0	0	0	0	0	0	0	44.85	0	0	12
2019	11	9	18	18	1	30	0	0	0	0	0	0	0	44.89	0	0	12
2019	11	9	18	28	1	29	0	0	0	0	0	0	0	44.92	0	0	12
2019	11	9	18	38	1	29	0	0	0	0	0	0	0	44.96	0	0	12
2019	11	9	18	48	1	29	0	0	0	0	0	0	0	45	0	0	12
2019	11	9	18	58	1	29	0	0	0	0	0	0	0	45.03	0	0	12
2019	11	9	19	8	1	29	0	0	0	0	0	0	0	45.07	0	0	12
2019	11	9	19	18	1	29	0	0	0	0	0	0	0	45.1	0	0	12
2019	11	9	19	28	1	29	0	0	0	0	0	0	0	45.12	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	9	19	38	1	28	0	0	0	0	0	0	0	45.12	0	0	12
2019	11	9	19	48	1	29	0	0	0	0	0	0	0	45.14	0	0	12
2019	11	9	19	58	1	29	0	0	0	0	0	0	0	45.16	0	0	12
2019	11	9	20	8	1	29	0	0	0	0	0	0	0	45.16	0	0	12
2019	11	9	20	18	1	28	0	0	0	0	0	0	0	45.18	0	0	12
2019	11	9	20	28	1	29	0	0	0	0	0	0	0	45.18	0	0	11.8
2019	11	9	20	38	1	29	0	0	0	0	0	0	0	45.16	0	0	11.8
2019	11	9	20	48	1	29	0	0	0	0	0	0	0	45.16	0	0	11.8
2019	11	9	20	58	1	28	0	0	0	0	0	0	0	45.14	0	0	11.8
2019	11	9	21	8	1	29	0	0	0	0	0	0	0	45.12	0	0	11.8
2019	11	9	21	18	1	29	0	0	0	0	0	0	0	45.1	0	0	11.8
2019	11	9	21	28	1	28	0	0	0	0	0	0	0	45.09	0	0	11.8
2019	11	9	21	38	1	29	0	0	0	0	0	0	0	45.05	0	0	11.8
2019	11	9	21	48	1	29	0	0	0	0	0	0	0	45.01	0	0	11.8
2019	11	9	21	58	1	29	0	0	0	0	0	0	0	45	0	0	11.8
2019	11	9	22	8	1	29	0	0	0	0	0	0	0	44.96	0	0	11.8
2019	11	9	22	18	1	29	0	0	0	0	0	0	0	44.92	0	0	11.8
2019	11	9	22	28	1	28	0	0	0	0	0	0	0	44.87	0	0	11.8
2019	11	9	22	38	1	28	0	0	0	0	0	0	0	44.83	0	0	11.8
2019	11	9	22	48	1	29	0	0	0	0	0	0	0	44.8	0	0	11.8
2019	11	9	22	58	1	29	0	0	0	0	0	0	0	44.76	0	0	11.8
2019	11	9	23	8	1	29	0	0	0	0	0	0	0	44.73	0	0	11.8
2019	11	9	23	18	1	29	0	0	0	0	0	0	0	44.69	0	0	11.8
2019	11	9	23	28	1	29	0	0	0	0	0	0	0	44.64	0	0	11.8
2019	11	9	23	38	1	29	0	0	0	0	0	0	0	44.6	0	0	11.8
2019	11	9	23	48	1	29	0	0	0	0	0	0	0	44.58	0	0	11.8
2019	11	9	23	58	1	29	0	0	0	0	0	0	0	44.55	0	0	11.8
2019	11	10	0	8	1	28	0	0	0	0	0	0	0	44.49	0	0	11.8
2019	11	10	0	18	1	29	0	0	0	0	0	0	0	44.46	0	0	11.8
2019	11	10	0	28	1	29	0	0	0	0	0	0	0	44.44	0	0	11.8
2019	11	10	0	38	1	29	0	0	0	0	0	0	0	44.4	0	0	11.8
2019	11	10	0	48	1	29	0	0	0	0	0	0	0	44.37	0	0	11.8
2019	11	10	0	58	1	29	0	0	0	0	0	0	0	44.33	0	0	11.8
2019	11	10	1	8	1	30	0	0	0	0	0	0	0	44.29	0	0	11.8
2019	11	10	1	18	1	29	0	0	0	0	0	0	0	44.26	0	0	11.8
2019	11	10	1	28	1	29	0	0	0	0	0	0	0	44.22	0	0	11.8
2019	11	10	1	38	1	29	0	0	0	0	0	0	0	44.19	0	0	11.8
2019	11	10	1	48	1	29	0	0	0	0	0	0	0	44.13	0	0	11.8
2019	11	10	1	58	1	29	0	0	0	0	0	0	0	44.11	0	0	11.8
2019	11	10	2	8	1	29	0	0	0	0	0	0	0	44.06	0	0	11.8
2019	11	10	2	18	1	29	0	0	0	0	0	0	0	44.02	0	0	11.8
2019	11	10	2	28	1	29	0	0	0	0	0	0	0	43.99	0	0	11.8
2019	11	10	2	38	1	29	0	0	0	0	0	0	0	43.93	0	0	11.8
2019	11	10	2	48	1	28	0	0	0	0	0	0	0	43.92	0	0	11.8
2019	11	10	2	58	1	29	0	0	0	0	0	0	0	43.86	0	0	11.8
2019	11	10	3	8	1	29	0	0	0	0	0	0	0	43.83	0	0	11.8
2019	11	10	3	18	1	29	0	0	0	0	0	0	0	43.79	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	10	3	28	1	29	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	10	3	38	1	29	0	0	0	0	0	0	0	43.7	0	0	11.6
2019	11	10	3	48	1	29	0	0	0	0	0	0	0	43.65	0	0	11.6
2019	11	10	3	58	1	29	0	0	0	0	0	0	0	43.59	0	0	11.6
2019	11	10	4	8	1	29	0	0	0	0	0	0	0	43.56	0	0	11.6
2019	11	10	4	18	1	29	0	0	0	0	0	0	0	43.5	0	0	11.6
2019	11	10	4	28	1	29	0	0	0	0	0	0	0	43.45	0	0	11.6
2019	11	10	4	38	1	29	0	0	0	0	0	0	0	43.41	0	0	11.6
2019	11	10	4	48	1	29	0	0	0	0	0	0	0	43.36	0	0	11.6
2019	11	10	4	58	1	29	0	0	0	0	0	0	0	43.32	0	0	11.6
2019	11	10	5	8	1	29	0	0	0	0	0	0	0	43.27	0	0	11.6
2019	11	10	5	18	1	29	0	0	0	0	0	0	0	43.21	0	0	11.6
2019	11	10	5	28	1	29	0	0	0	0	0	0	0	43.16	0	0	11.6
2019	11	10	5	38	1	30	0	0	0	0	0	0	0	43.12	0	0	11.6
2019	11	10	5	48	1	29	0	0	0	0	0	0	0	43.07	0	0	11.6
2019	11	10	5	58	1	29	0	0	0	0	0	0	0	43.02	0	0	11.6
2019	11	10	6	8	1	29	0	0	0	0	0	0	0	42.96	0	0	11.6
2019	11	10	6	18	1	29	0	0	0	0	0	0	0	42.93	0	0	11.6
2019	11	10	6	28	1	29	0	0	0	0	0	0	0	42.87	0	0	11.6
2019	11	10	6	38	1	29	0	0	0	0	0	0	0	42.82	0	0	11.6
2019	11	10	6	48	1	30	0	0	0	0	0	0	0	42.76	0	0	11.6
2019	11	10	6	58	1	29	0	0	0	0	0	0	0	42.71	0	0	11.6
2019	11	10	7	8	1	29	0	0	0	0	0	0	0	42.66	0	0	11.6
2019	11	10	7	18	1	30	0	0	0	0	0	0	0	42.6	0	0	11.6
2019	11	10	7	28	1	29	0	0	0	0	0	0	0	42.57	0	0	11.6
2019	11	10	7	38	1	30	0	0	0	0	0	0	0	42.53	0	0	11.6
2019	11	10	7	48	1	29	0	0	0	0	0	0	0	42.48	0	0	11.6
2019	11	10	7	58	1	29	0	0	0	0	0	0	0	42.42	0	0	11.6
2019	11	10	8	8	1	29	0	0	0	0	0	0	0	42.39	0	0	11.6
2019	11	10	8	18	1	31	0	0	0	0	0	0	0	42.33	0	0	12
2019	11	10	8	28	1	29	0	0	0	0	0	0	0	42.33	0	0	13
2019	11	10	8	38	1	29	0	0	0	0	0	0	0	42.33	0	0	13.2
2019	11	10	8	48	1	29	0	0	0	0	0	0	0	42.31	0	0	13.2
2019	11	10	8	58	1	29	0	0	0	0	0	0	0	42.31	0	0	13.2
2019	11	10	9	8	1	30	0	0	0	0	0	0	0	42.31	0	0	13.4
2019	11	10	9	18	1	30	0	0	0	0	0	0	0	42.33	0	0	13.8
2019	11	10	9	28	1	30	0	0	0	0	0	0	0	42.35	0	0	13.8
2019	11	10	9	38	1	29	0	0	0	0	0	0	0	42.37	0	0	13.8
2019	11	10	9	48	1	29	0	0	0	0	0	0	0	42.4	0	0	13.6
2019	11	10	9	58	1	29	0	0	0	0	0	0	0	42.42	0	0	13.6
2019	11	10	10	8	1	30	0	0	0	0	0	0	0	42.46	0	0	13.6
2019	11	10	10	18	1	30	0	0	0	0	0	0	0	42.48	0	0	13.6
2019	11	10	10	28	1	30	0	0	0	0	0	0	0	42.51	0	0	13.6
2019	11	10	10	38	1	30	0	0	0	0	0	0	0	42.55	0	0	13.6
2019	11	10	10	48	1	29	0	0	0	0	0	0	0	42.6	0	0	13.6
2019	11	10	10	58	1	29	0	0	0	0	0	0	0	42.64	0	0	13.6
2019	11	10	11	8	1	29	0	0	0	0	0	0	0	42.71	0	0	13.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	10	11	18	1	30	0	0	0	0	0	0	0	42.8	0	0	13.4
2019	11	10	11	28	1	29	0	0	0	0	0	0	0	42.6	0	0	13.4
2019	11	10	11	38	1	30	0	0	0	0	0	0	0	42.66	0	0	13.4
2019	11	10	11	48	1	29	0	0	0	0	0	0	0	42.8	0	0	13.4
2019	11	10	11	58	1	29	0	0	0	0	0	0	0	42.91	0	0	13.4
2019	11	10	12	8	1	29	0	0	0	0	0	0	0	42.93	0	0	13.4
2019	11	10	12	18	1	29	0	0	0	0	0	0	0	43	0	0	13.4
2019	11	10	12	28	1	29	0	0	0	0	0	0	0	43.05	0	0	13.4
2019	11	10	12	38	1	29	0	0	0	0	0	0	0	43.11	0	0	13.4
2019	11	10	12	48	1	29	0	0	0	0	0	0	0	43.14	0	0	13.4
2019	11	10	12	58	1	30	0	0	0	0	0	0	0	43.2	0	0	13.4
2019	11	10	13	8	1	29	0	0	0	0	0	0	0	43.21	0	0	13.4
2019	11	10	13	18	1	30	0	0	0	0	0	0	0	43.29	0	0	13.4
2019	11	10	13	28	1	30	0	0	0	0	0	0	0	43.34	0	0	13.4
2019	11	10	13	38	1	29	0	0	0	0	0	0	0	43.39	0	0	13.4
2019	11	10	13	48	1	30	0	0	0	0	0	0	0	43.45	0	0	13.2
2019	11	10	13	58	1	30	0	0	0	0	0	0	0	43.48	0	0	13.2
2019	11	10	14	8	1	29	0	0	0	0	0	0	0	43.52	0	0	13.2
2019	11	10	14	18	1	30	0	0	0	0	0	0	0	43.56	0	0	13.2
2019	11	10	14	28	1	29	0	0	0	0	0	0	0	43.63	0	0	13.2
2019	11	10	14	38	1	29	0	0	0	0	0	0	0	43.65	0	0	13.2
2019	11	10	14	48	1	29	0	0	0	0	0	0	0	43.7	0	0	13.2
2019	11	10	14	58	1	29	0	0	0	0	0	0	0	43.72	0	0	13.2
2019	11	10	15	8	1	29	0	0	0	0	0	0	0	43.79	0	0	13.2
2019	11	10	15	18	1	30	0	0	0	0	0	0	0	43.83	0	0	13.2
2019	11	10	15	28	1	30	0	0	0	0	0	0	0	43.84	0	0	13.2
2019	11	10	15	38	1	29	0	0	0	0	0	0	0	43.9	0	0	13.2
2019	11	10	15	48	1	29	0	0	0	0	0	0	0	43.93	0	0	13.2
2019	11	10	15	58	1	29	0	0	0	0	0	0	0	43.92	0	0	13.2
2019	11	10	16	8	1	29	0	0	0	0	0	0	0	43.97	0	0	13.2
2019	11	10	16	18	1	29	0	0	0	0	0	0	0	44.02	0	0	13.2
2019	11	10	16	28	1	29	0	0	0	0	0	0	0	44.08	0	0	13.2
2019	11	10	16	38	1	29	0	0	0	0	0	0	0	44.15	0	0	13.2
2019	11	10	16	48	1	30	0	0	0	0	0	0	0	44.2	0	0	13.2
2019	11	10	16	58	1	29	0	0	0	0	0	0	0	44.26	0	0	12.8
2019	11	10	17	8	1	30	0	0	0	0	0	0	0	44.33	0	0	12.2
2019	11	10	17	18	1	29	0	0	0	0	0	0	0	44.38	0	0	12
2019	11	10	17	28	1	29	0	0	0	0	0	0	0	44.44	0	0	12
2019	11	10	17	38	1	28	0	0	0	0	0	0	0	44.49	0	0	12
2019	11	10	17	48	1	29	0	0	0	0	0	0	0	44.55	0	0	12
2019	11	10	17	58	1	29	0	0	0	0	0	0	0	44.58	0	0	12
2019	11	10	18	8	1	29	0	0	0	0	0	0	0	44.62	0	0	12
2019	11	10	18	18	1	29	0	0	0	0	0	0	0	44.67	0	0	12
2019	11	10	18	28	1	29	0	0	0	0	0	0	0	44.73	0	0	12
2019	11	10	18	38	1	29	0	0	0	0	0	0	0	44.76	0	0	12
2019	11	10	18	48	1	29	0	0	0	0	0	0	0	44.8	0	0	12
2019	11	10	18	58	1	29	0	0	0	0	0	0	0	44.83	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	10	19	8	1	29	0	0	0	0	0	0	0	44.87	0	0	12
2019	11	10	19	18	1	29	0	0	0	0	0	0	0	44.91	0	0	12
2019	11	10	19	28	1	29	0	0	0	0	0	0	0	44.94	0	0	12
2019	11	10	19	38	1	29	0	0	0	0	0	0	0	44.98	0	0	12
2019	11	10	19	48	1	29	0	0	0	0	0	0	0	44.98	0	0	12
2019	11	10	19	58	1	29	0	0	0	0	0	0	0	45.01	0	0	12
2019	11	10	20	8	1	28	0	0	0	0	0	0	0	45.03	0	0	12
2019	11	10	20	18	1	29	0	0	0	0	0	0	0	45.03	0	0	12
2019	11	10	20	28	1	29	0	0	0	0	0	0	0	45.05	0	0	12
2019	11	10	20	38	1	29	0	0	0	0	0	0	0	45.05	0	0	11.8
2019	11	10	20	48	1	29	0	0	0	0	0	0	0	45.05	0	0	11.8
2019	11	10	20	58	1	29	0	0	0	0	0	0	0	45.05	0	0	11.8
2019	11	10	21	8	1	29	0	0	0	0	0	0	0	45.05	0	0	11.8
2019	11	10	21	18	1	29	0	0	0	0	0	0	0	45.01	0	0	11.8
2019	11	10	21	28	1	29	0	0	0	0	0	0	0	45.01	0	0	11.8
2019	11	10	21	38	1	29	0	0	0	0	0	0	0	45	0	0	11.8
2019	11	10	21	48	1	29	0	0	0	0	0	0	0	44.96	0	0	11.8
2019	11	10	21	58	1	29	0	0	0	0	0	0	0	44.94	0	0	11.8
2019	11	10	22	8	1	29	0	0	0	0	0	0	0	44.92	0	0	11.8
2019	11	10	22	18	1	29	0	0	0	0	0	0	0	44.91	0	0	11.8
2019	11	10	22	28	1	29	0	0	0	0	0	0	0	44.85	0	0	11.8
2019	11	10	22	38	1	29	0	0	0	0	0	0	0	44.83	0	0	11.8
2019	11	10	22	48	1	29	0	0	0	0	0	0	0	44.82	0	0	11.8
2019	11	10	22	58	1	28	0	0	0	0	0	0	0	44.8	0	0	11.8
2019	11	10	23	8	1	29	0	0	0	0	0	0	0	44.76	0	0	11.8
2019	11	10	23	18	1	29	0	0	0	0	0	0	0	44.73	0	0	11.8
2019	11	10	23	28	1	29	0	0	0	0	0	0	0	44.69	0	0	11.8
2019	11	10	23	38	1	28	0	0	0	0	0	0	0	44.67	0	0	11.8
2019	11	10	23	48	1	29	0	0	0	0	0	0	0	44.64	0	0	11.8
2019	11	10	23	58	1	29	0	0	0	0	0	0	0	44.6	0	0	11.8
2019	11	11	0	8	1	29	0	0	0	0	0	0	0	44.58	0	0	11.8
2019	11	11	0	18	1	29	0	0	0	0	0	0	0	44.55	0	0	11.8
2019	11	11	0	28	1	29	0	0	0	0	0	0	0	44.51	0	0	11.8
2019	11	11	0	38	1	29	0	0	0	0	0	0	0	44.49	0	0	11.8
2019	11	11	0	48	1	29	0	0	0	0	0	0	0	44.46	0	0	11.8
2019	11	11	0	58	1	29	0	0	0	0	0	0	0	44.42	0	0	11.8
2019	11	11	1	8	1	30	0	0	0	0	0	0	0	44.38	0	0	11.8
2019	11	11	1	18	1	29	0	0	0	0	0	0	0	44.37	0	0	11.8
2019	11	11	1	28	1	29	0	0	0	0	0	0	0	44.33	0	0	11.8
2019	11	11	1	38	1	30	0	0	0	0	0	0	0	44.29	0	0	11.8
2019	11	11	1	48	1	29	0	0	0	0	0	0	0	44.26	0	0	11.8
2019	11	11	1	58	1	29	0	0	0	0	0	0	0	44.22	0	0	11.8
2019	11	11	2	8	1	30	0	0	0	0	0	0	0	44.2	0	0	11.8
2019	11	11	2	18	1	29	0	0	0	0	0	0	0	44.17	0	0	11.8
2019	11	11	2	28	1	29	0	0	0	0	0	0	0	44.15	0	0	11.8
2019	11	11	2	38	1	29	0	0	0	0	0	0	0	44.11	0	0	11.8
2019	11	11	2	48	1	29	0	0	0	0	0	0	0	44.1	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	11	2	58	1	29	0	0	0	0	0	0	0	44.08	0	0	11.8
2019	11	11	3	8	1	30	0	0	0	0	0	0	0	44.06	0	0	11.8
2019	11	11	3	18	1	29	0	0	0	0	0	0	0	44.02	0	0	11.8
2019	11	11	3	28	1	29	0	0	0	0	0	0	0	44.01	0	0	11.8
2019	11	11	3	38	1	29	0	0	0	0	0	0	0	43.99	0	0	11.8
2019	11	11	3	48	1	29	0	0	0	0	0	0	0	43.95	0	0	11.8
2019	11	11	3	58	1	29	0	0	0	0	0	0	0	43.95	0	0	11.8
2019	11	11	4	8	1	29	0	0	0	0	0	0	0	43.92	0	0	11.8
2019	11	11	4	18	1	29	0	0	0	0	0	0	0	43.9	0	0	11.8
2019	11	11	4	28	1	29	0	0	0	0	0	0	0	43.86	0	0	11.8
2019	11	11	4	38	1	29	0	0	0	0	0	0	0	43.84	0	0	11.8
2019	11	11	4	48	1	29	0	0	0	0	0	0	0	43.81	0	0	11.8
2019	11	11	4	58	1	30	0	0	0	0	0	0	0	43.79	0	0	11.8
2019	11	11	5	8	1	29	0	0	0	0	0	0	0	43.77	0	0	11.6
2019	11	11	5	18	1	29	0	0	0	0	0	0	0	43.77	0	0	11.6
2019	11	11	5	28	1	29	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	11	5	38	1	29	0	0	0	0	0	0	0	43.72	0	0	11.6
2019	11	11	5	48	1	29	0	0	0	0	0	0	0	43.7	0	0	11.6
2019	11	11	5	58	1	29	0	0	0	0	0	0	0	43.66	0	0	11.6
2019	11	11	6	8	1	29	0	0	0	0	0	0	0	43.66	0	0	11.6
2019	11	11	6	18	1	29	0	0	0	0	0	0	0	43.63	0	0	11.6
2019	11	11	6	28	1	29	0	0	0	0	0	0	0	43.61	0	0	11.6
2019	11	11	6	38	1	29	0	0	0	0	0	0	0	43.59	0	0	11.6
2019	11	11	6	48	1	28	0	0	0	0	0	0	0	43.57	0	0	11.6
2019	11	11	6	58	1	29	0	0	0	0	0	0	0	43.56	0	0	11.6
2019	11	11	7	8	1	29	0	0	0	0	0	0	0	43.54	0	0	11.6
2019	11	11	7	18	1	30	0	0	0	0	0	0	0	43.52	0	0	11.6
2019	11	11	7	28	1	29	0	0	0	0	0	0	0	43.5	0	0	11.6
2019	11	11	7	38	1	29	0	0	0	0	0	0	0	43.5	0	0	11.6
2019	11	11	7	48	1	28	0	0	0	0	0	0	0	43.48	0	0	11.6
2019	11	11	7	58	1	29	0	0	0	0	0	0	0	43.48	0	0	11.6
2019	11	11	8	8	1	29	0	0	0	0	0	0	0	43.48	0	0	11.6
2019	11	11	8	18	1	29	0	0	0	0	0	0	0	43.47	0	0	12
2019	11	11	8	28	1	29	0	0	0	0	0	0	0	43.5	0	0	12.6
2019	11	11	8	38	1	29	0	0	0	0	0	0	0	43.52	0	0	12.8
2019	11	11	8	48	1	29	0	0	0	0	0	0	0	43.52	0	0	12.8
2019	11	11	8	58	1	29	0	0	0	0	0	0	0	43.56	0	0	12.8
2019	11	11	9	8	1	29	0	0	0	0	0	0	0	43.59	0	0	12.8
2019	11	11	9	18	1	29	0	0	0	0	0	0	0	43.63	0	0	13
2019	11	11	9	28	1	29	0	0	0	0	0	0	0	43.66	0	0	13
2019	11	11	9	38	1	30	0	0	0	0	0	0	0	43.7	0	0	13.4
2019	11	11	9	48	1	29	0	0	0	0	0	0	0	43.74	0	0	13.6
2019	11	11	9	58	1	29	0	0	0	0	0	0	0	43.79	0	0	13.6
2019	11	11	10	8	1	29	0	0	0	0	0	0	0	43.84	0	0	13.4
2019	11	11	10	18	1	29	0	0	0	0	0	0	0	43.86	0	0	13.4
2019	11	11	10	28	1	29	0	0	0	0	0	0	0	43.95	0	0	13.4
2019	11	11	10	38	1	29	0	0	0	0	0	0	0	44.02	0	0	13.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	11	10	48	1	29	0	0	0	0	0	0	0	44.08	0	0	13.4
2019	11	11	10	58	1	29	0	0	0	0	0	0	0	44.11	0	0	13.4
2019	11	11	11	8	1	29	0	0	0	0	0	0	0	44.17	0	0	13.4
2019	11	11	11	18	1	30	0	0	0	0	0	0	0	44.26	0	0	13.4
2019	11	11	11	28	1	29	0	0	0	0	0	0	0	44.31	0	0	13.4
2019	11	11	11	38	1	29	0	0	0	0	0	0	0	44.35	0	0	13.4
2019	11	11	11	48	1	29	0	0	0	0	0	0	0	44.4	0	0	13.4
2019	11	11	11	58	1	29	0	0	0	0	0	0	0	44.47	0	0	13.4
2019	11	11	12	8	1	29	0	0	0	0	0	0	0	44.53	0	0	13.4
2019	11	11	12	18	1	28	0	0	0	0	0	0	0	44.62	0	0	13.4
2019	11	11	12	28	1	30	0	0	0	0	0	0	0	44.71	0	0	13.4
2019	11	11	12	38	1	29	0	0	0	0	0	0	0	44.74	0	0	13.4
2019	11	11	12	48	1	29	0	0	0	0	0	0	0	44.82	0	0	13.4
2019	11	11	12	58	1	29	0	0	0	0	0	0	0	44.89	0	0	13.4
2019	11	11	13	8	1	29	0	0	0	0	0	0	0	44.94	0	0	13.4
2019	11	11	13	18	1	29	0	0	0	0	0	0	0	45.01	0	0	13.4
2019	11	11	13	28	1	29	0	0	0	0	0	0	0	45.05	0	0	13.4
2019	11	11	13	38	1	28	0	0	0	0	0	0	0	45.12	0	0	13.4
2019	11	11	13	48	1	29	0	0	0	0	0	0	0	45.19	0	0	13.2
2019	11	11	13	58	1	29	0	0	0	0	0	0	0	45.25	0	0	13.2
2019	11	11	14	8	1	29	0	0	0	0	0	0	0	45.3	0	0	13.2
2019	11	11	14	18	1	29	0	0	0	0	0	0	0	45.36	0	0	13.2
2019	11	11	14	28	1	29	0	0	0	0	0	0	0	45.37	0	0	13.2
2019	11	11	14	38	1	29	0	0	0	0	0	0	0	45.41	0	0	13.2
2019	11	11	14	48	1	29	0	0	0	0	0	0	0	45.46	0	0	13.2
2019	11	11	14	58	1	29	0	0	0	0	0	0	0	45.52	0	0	13.2
2019	11	11	15	8	1	28	0	0	0	0	0	0	0	45.55	0	0	13.2
2019	11	11	15	18	1	29	0	0	0	0	0	0	0	45.64	0	0	13.2
2019	11	11	15	28	1	29	0	0	0	0	0	0	0	45.68	0	0	13.2
2019	11	11	15	38	1	28	0	0	0	0	0	0	0	45.7	0	0	13.2
2019	11	11	15	48	1	29	0	0	0	0	0	0	0	45.73	0	0	13.2
2019	11	11	15	58	1	29	0	0	0	0	0	0	0	45.75	0	0	13.2
2019	11	11	16	8	1	29	0	0	0	0	0	0	0	45.82	0	0	13.2
2019	11	11	16	18	1	29	0	0	0	0	0	0	0	45.9	0	0	13.2
2019	11	11	16	28	1	29	0	0	0	0	0	0	0	45.95	0	0	13.2
2019	11	11	16	38	1	29	0	0	0	0	0	0	0	46.02	0	0	13.2
2019	11	11	16	48	1	29	0	0	0	0	0	0	0	46.09	0	0	13.2
2019	11	11	16	58	1	30	0	0	0	0	0	0	0	46.15	0	0	12.4
2019	11	11	17	8	1	29	0	0	0	0	0	0	0	46.22	0	0	12.2
2019	11	11	17	18	1	29	0	0	0	0	0	0	0	46.29	0	0	12
2019	11	11	17	28	1	29	0	0	0	0	0	0	0	46.35	0	0	12
2019	11	11	17	38	1	29	0	0	0	0	0	0	0	46.42	0	0	12
2019	11	11	17	48	1	29	0	0	0	0	0	0	0	46.47	0	0	12
2019	11	11	17	58	1	29	0	0	0	0	0	0	0	46.53	0	0	12
2019	11	11	18	8	1	29	0	0	0	0	0	0	0	46.58	0	0	12
2019	11	11	18	18	1	29	0	0	0	0	0	0	0	46.63	0	0	12
2019	11	11	18	28	1	29	0	0	0	0	0	0	0	46.69	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	11	18	38	1	29	0	0	0	0	0	0	0	46.74	0	0	12
2019	11	11	18	48	1	29	0	0	0	0	0	0	0	46.8	0	0	12
2019	11	11	18	58	1	28	0	0	0	0	0	0	0	46.83	0	0	12
2019	11	11	19	8	1	29	0	0	0	0	0	0	0	46.89	0	0	12
2019	11	11	19	18	1	28	0	0	0	0	0	0	0	46.92	0	0	12
2019	11	11	19	28	1	29	0	0	0	0	0	0	0	46.94	0	0	12
2019	11	11	19	38	1	29	0	0	0	0	0	0	0	46.98	0	0	12
2019	11	11	19	48	1	29	0	0	0	0	0	0	0	47.01	0	0	12
2019	11	11	19	58	1	29	0	0	0	0	0	0	0	47.03	0	0	12
2019	11	11	20	8	1	29	0	0	0	0	0	0	0	47.05	0	0	12
2019	11	11	20	18	1	29	0	0	0	0	0	0	0	47.07	0	0	12
2019	11	11	20	28	1	29	0	0	0	0	0	0	0	47.08	0	0	12
2019	11	11	20	38	1	29	0	0	0	0	0	0	0	47.08	0	0	11.8
2019	11	11	20	48	1	29	0	0	0	0	0	0	0	47.07	0	0	11.8
2019	11	11	20	58	1	29	0	0	0	0	0	0	0	47.08	0	0	11.8
2019	11	11	21	8	1	28	0	0	0	0	0	0	0	47.07	0	0	11.8
2019	11	11	21	18	1	29	0	0	0	0	0	0	0	47.05	0	0	11.8
2019	11	11	21	28	1	29	0	0	0	0	0	0	0	47.03	0	0	11.8
2019	11	11	21	38	1	29	0	0	0	0	0	0	0	47.01	0	0	11.8
2019	11	11	21	48	1	28	0	0	0	0	0	0	0	46.99	0	0	11.8
2019	11	11	21	58	1	29	0	0	0	0	0	0	0	46.98	0	0	11.8
2019	11	11	22	8	1	29	0	0	0	0	0	0	0	46.94	0	0	11.8
2019	11	11	22	18	1	29	0	0	0	0	0	0	0	46.92	0	0	11.8
2019	11	11	22	28	1	29	0	0	0	0	0	0	0	46.89	0	0	11.8
2019	11	11	22	38	1	29	0	0	0	0	0	0	0	46.85	0	0	11.8
2019	11	11	22	48	1	29	0	0	0	0	0	0	0	46.83	0	0	11.8
2019	11	11	22	58	1	28	0	0	0	0	0	0	0	46.78	0	0	11.8
2019	11	11	23	8	1	29	0	0	0	0	0	0	0	46.76	0	0	11.8
2019	11	11	23	18	1	28	0	0	0	0	0	0	0	46.72	0	0	11.8
2019	11	11	23	28	1	29	0	0	0	0	0	0	0	46.71	0	0	11.8
2019	11	11	23	38	1	29	0	0	0	0	0	0	0	46.65	0	0	11.8
2019	11	11	23	48	1	29	0	0	0	0	0	0	0	46.63	0	0	11.8
2019	11	11	23	58	1	28	0	0	0	0	0	0	0	46.6	0	0	11.8
2019	11	12	0	8	1	29	0	0	0	0	0	0	0	46.56	0	0	11.8
2019	11	12	0	18	1	29	0	0	0	0	0	0	0	46.53	0	0	11.8
2019	11	12	0	28	1	29	0	0	0	0	0	0	0	46.49	0	0	11.8
2019	11	12	0	38	1	29	0	0	0	0	0	0	0	46.47	0	0	11.8
2019	11	12	0	48	1	29	0	0	0	0	0	0	0	46.44	0	0	11.8
2019	11	12	0	58	1	29	0	0	0	0	0	0	0	46.4	0	0	11.8
2019	11	12	1	8	1	29	0	0	0	0	0	0	0	46.38	0	0	11.8
2019	11	12	1	18	1	29	0	0	0	0	0	0	0	46.35	0	0	11.8
2019	11	12	1	28	1	28	0	0	0	0	0	0	0	46.33	0	0	11.8
2019	11	12	1	38	1	29	0	0	0	0	0	0	0	46.29	0	0	11.8
2019	11	12	1	48	1	29	0	0	0	0	0	0	0	46.26	0	0	11.8
2019	11	12	1	58	1	29	0	0	0	0	0	0	0	46.22	0	0	11.8
2019	11	12	2	8	1	28	0	0	0	0	0	0	0	46.18	0	0	11.8
2019	11	12	2	18	1	29	0	0	0	0	0	0	0	46.15	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	12	2	28	1	29	0	0	0	0	0	0	0	46.13	0	0	11.8
2019	11	12	2	38	1	28	0	0	0	0	0	0	0	46.08	0	0	11.8
2019	11	12	2	48	1	29	0	0	0	0	0	0	0	46.06	0	0	11.8
2019	11	12	2	58	1	29	0	0	0	0	0	0	0	46.02	0	0	11.8
2019	11	12	3	8	1	30	0	0	0	0	0	0	0	45.99	0	0	11.8
2019	11	12	3	18	1	29	0	0	0	0	0	0	0	45.97	0	0	11.8
2019	11	12	3	28	1	28	0	0	0	0	0	0	0	45.93	0	0	11.8
2019	11	12	3	38	1	29	0	0	0	0	0	0	0	45.9	0	0	11.8
2019	11	12	3	48	1	29	0	0	0	0	0	0	0	45.86	0	0	11.8
2019	11	12	3	58	1	29	0	0	0	0	0	0	0	45.82	0	0	11.8
2019	11	12	4	8	1	28	0	0	0	0	0	0	0	45.79	0	0	11.8
2019	11	12	4	18	1	29	0	0	0	0	0	0	0	45.75	0	0	11.8
2019	11	12	4	28	1	29	0	0	0	0	0	0	0	45.72	0	0	11.6
2019	11	12	4	38	1	29	0	0	0	0	0	0	0	45.68	0	0	11.6
2019	11	12	4	48	1	28	0	0	0	0	0	0	0	45.63	0	0	11.6
2019	11	12	4	58	1	29	0	0	0	0	0	0	0	45.59	0	0	11.6
2019	11	12	5	8	1	29	0	0	0	0	0	0	0	45.54	0	0	11.6
2019	11	12	5	18	1	29	0	0	0	0	0	0	0	45.52	0	0	11.6
2019	11	12	5	28	1	29	0	0	0	0	0	0	0	45.48	0	0	11.6
2019	11	12	5	38	1	29	0	0	0	0	0	0	0	45.43	0	0	11.6
2019	11	12	5	48	1	29	0	0	0	0	0	0	0	45.39	0	0	11.6
2019	11	12	5	58	1	29	0	0	0	0	0	0	0	45.34	0	0	11.6
2019	11	12	6	8	1	29	0	0	0	0	0	0	0	45.3	0	0	11.6
2019	11	12	6	18	1	29	0	0	0	0	0	0	0	45.27	0	0	11.6
2019	11	12	6	28	1	29	0	0	0	0	0	0	0	45.21	0	0	11.6
2019	11	12	6	38	1	29	0	0	0	0	0	0	0	45.18	0	0	11.6
2019	11	12	6	48	1	29	0	0	0	0	0	0	0	45.12	0	0	11.6
2019	11	12	6	58	1	29	0	0	0	0	0	0	0	45.09	0	0	11.6
2019	11	12	7	8	1	29	0	0	0	0	0	0	0	45.05	0	0	11.6
2019	11	12	7	18	1	29	0	0	0	0	0	0	0	45.01	0	0	11.6
2019	11	12	7	28	1	29	0	0	0	0	0	0	0	44.98	0	0	11.6
2019	11	12	7	38	1	29	0	0	0	0	0	0	0	44.94	0	0	11.6
2019	11	12	7	48	1	29	0	0	0	0	0	0	0	44.89	0	0	11.6
2019	11	12	7	58	1	29	0	0	0	0	0	0	0	44.85	0	0	11.6
2019	11	12	8	8	1	29	0	0	0	0	0	0	0	44.82	0	0	11.6
2019	11	12	8	18	1	29	0	0	0	0	0	0	0	44.78	0	0	12
2019	11	12	8	28	1	29	0	0	0	0	0	0	0	44.78	0	0	12.8
2019	11	12	8	38	1	29	0	0	0	0	0	0	0	44.78	0	0	13
2019	11	12	8	48	1	29	0	0	0	0	0	0	0	44.78	0	0	13
2019	11	12	8	58	1	29	0	0	0	0	0	0	0	44.78	0	0	13
2019	11	12	9	8	1	29	0	0	0	0	0	0	0	44.8	0	0	13.2
2019	11	12	9	18	1	28	0	0	0	0	0	0	0	44.82	0	0	13.2
2019	11	12	9	28	1	29	0	0	0	0	0	0	0	44.83	0	0	13.6
2019	11	12	9	38	1	29	0	0	0	0	0	0	0	44.85	0	0	13.6
2019	11	12	9	48	1	29	0	0	0	0	0	0	0	44.89	0	0	13.6
2019	11	12	9	58	1	28	0	0	0	0	0	0	0	44.91	0	0	13.6
2019	11	12	10	8	1	29	0	0	0	0	0	0	0	44.94	0	0	13.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	12	10	18	1	29	0	0	0	0	0	0	0	44.98	0	0	13.6
2019	11	12	10	28	1	29	0	0	0	0	0	0	0	45	0	0	13.6
2019	11	12	10	38	1	29	0	0	0	0	0	0	0	45.01	0	0	13.6
2019	11	12	10	48	1	29	0	0	0	0	0	0	0	45.09	0	0	13.6
2019	11	12	10	58	1	29	0	0	0	0	0	0	0	45.14	0	0	13.4
2019	11	12	11	8	1	29	0	0	0	0	0	0	0	45.16	0	0	13.4
2019	11	12	11	18	1	29	0	0	0	0	0	0	0	45.21	0	0	13.4
2019	11	12	11	28	1	29	0	0	0	0	0	0	0	45.25	0	0	13.4
2019	11	12	11	38	1	29	0	0	0	0	0	0	0	45.32	0	0	13.4
2019	11	12	11	48	1	29	0	0	0	0	0	0	0	45.37	0	0	13.4
2019	11	12	11	58	1	29	0	0	0	0	0	0	0	45.43	0	0	13.4
2019	11	12	12	8	1	29	0	0	0	0	0	0	0	45.48	0	0	13.4
2019	11	12	12	18	1	29	0	0	0	0	0	0	0	45.54	0	0	13.4
2019	11	12	12	28	1	29	0	0	0	0	0	0	0	45.55	0	0	13.4
2019	11	12	12	38	1	29	0	0	0	0	0	0	0	45.61	0	0	13.4
2019	11	12	12	48	1	29	0	0	0	0	0	0	0	45.66	0	0	13.2
2019	11	12	12	58	1	29	0	0	0	0	0	0	0	45.72	0	0	13.2
2019	11	12	13	8	1	29	0	0	0	0	0	0	0	45.75	0	0	13.2
2019	11	12	13	18	1	28	0	0	0	0	0	0	0	45.79	0	0	13.2
2019	11	12	13	28	1	29	0	0	0	0	0	0	0	45.84	0	0	13.2
2019	11	12	13	38	1	29	0	0	0	0	0	0	0	45.86	0	0	13.2
2019	11	12	13	48	1	29	0	0	0	0	0	0	0	45.86	0	0	13.2
2019	11	12	13	58	1	29	0	0	0	0	0	0	0	45.91	0	0	13.2
2019	11	12	14	8	1	29	0	0	0	0	0	0	0	45.97	0	0	13.2
2019	11	12	14	18	1	29	0	0	0	0	0	0	0	46.02	0	0	13.2
2019	11	12	14	28	1	29	0	0	0	0	0	0	0	46.06	0	0	13.2
2019	11	12	14	38	1	28	0	0	0	0	0	0	0	46.09	0	0	13.2
2019	11	12	14	48	1	29	0	0	0	0	0	0	0	46.11	0	0	13.2
2019	11	12	14	58	1	29	0	0	0	0	0	0	0	46.13	0	0	13.2
2019	11	12	15	8	1	29	0	0	0	0	0	0	0	46.18	0	0	13.2
2019	11	12	15	18	1	29	0	0	0	0	0	0	0	46.2	0	0	13.2
2019	11	12	15	28	1	29	0	0	0	0	0	0	0	46.24	0	0	13.2
2019	11	12	15	38	1	29	0	0	0	0	0	0	0	46.29	0	0	13.2
2019	11	12	15	48	1	29	0	0	0	0	0	0	0	46.31	0	0	13.2
2019	11	12	15	58	1	29	0	0	0	0	0	0	0	46.31	0	0	13.2
2019	11	12	16	8	1	29	0	0	0	0	0	0	0	46.36	0	0	13.2
2019	11	12	16	18	1	29	0	0	0	0	0	0	0	46.42	0	0	13.2
2019	11	12	16	28	1	29	0	0	0	0	0	0	0	46.47	0	0	13.2
2019	11	12	16	38	1	28	0	0	0	0	0	0	0	46.53	0	0	13.2
2019	11	12	16	48	1	28	0	0	0	0	0	0	0	46.58	0	0	12.2
2019	11	12	16	58	1	29	0	0	0	0	0	0	0	46.65	0	0	12.2
2019	11	12	17	8	1	29	0	0	0	0	0	0	0	46.71	0	0	12
2019	11	12	17	18	1	29	0	0	0	0	0	0	0	46.76	0	0	12
2019	11	12	17	28	1	29	0	0	0	0	0	0	0	46.81	0	0	12
2019	11	12	17	38	1	29	0	0	0	0	0	0	0	46.85	0	0	12
2019	11	12	17	48	1	28	0	0	0	0	0	0	0	46.9	0	0	12
2019	11	12	17	58	1	29	0	0	0	0	0	0	0	46.94	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	12	18	8	1	29	0	0	0	0	0	0	0	46.99	0	0	12
2019	11	12	18	18	1	29	0	0	0	0	0	0	0	47.05	0	0	12
2019	11	12	18	28	1	29	0	0	0	0	0	0	0	47.08	0	0	12
2019	11	12	18	38	1	29	0	0	0	0	0	0	0	47.14	0	0	12
2019	11	12	18	48	1	29	0	0	0	0	0	0	0	47.16	0	0	12
2019	11	12	18	58	1	29	0	0	0	0	0	0	0	47.21	0	0	12
2019	11	12	19	8	1	29	0	0	0	0	0	0	0	47.25	0	0	12
2019	11	12	19	18	1	28	0	0	0	0	0	0	0	47.26	0	0	12
2019	11	12	19	28	1	28	0	0	0	0	0	0	0	47.3	0	0	12
2019	11	12	19	38	1	29	0	0	0	0	0	0	0	47.32	0	0	12
2019	11	12	19	48	1	29	0	0	0	0	0	0	0	47.34	0	0	12
2019	11	12	19	58	1	29	0	0	0	0	0	0	0	47.35	0	0	11.8
2019	11	12	20	8	1	29	0	0	0	0	0	0	0	47.37	0	0	11.8
2019	11	12	20	18	1	28	0	0	0	0	0	0	0	47.37	0	0	11.8
2019	11	12	20	28	1	28	0	0	0	0	0	0	0	47.39	0	0	11.8
2019	11	12	20	38	1	29	0	0	0	0	0	0	0	47.39	0	0	11.8
2019	11	12	20	48	1	28	0	0	0	0	0	0	0	47.37	0	0	11.8
2019	11	12	20	58	1	29	0	0	0	0	0	0	0	47.37	0	0	11.8
2019	11	12	21	8	1	29	0	0	0	0	0	0	0	47.35	0	0	11.8
2019	11	12	21	18	1	28	0	0	0	0	0	0	0	47.34	0	0	11.8
2019	11	12	21	28	1	28	0	0	0	0	0	0	0	47.32	0	0	11.8
2019	11	12	21	38	1	28	0	0	0	0	0	0	0	47.28	0	0	11.8
2019	11	12	21	48	1	29	0	0	0	0	0	0	0	47.26	0	0	11.8
2019	11	12	21	58	1	29	0	0	0	0	0	0	0	47.23	0	0	11.8
2019	11	12	22	8	1	29	0	0	0	0	0	0	0	47.19	0	0	11.8
2019	11	12	22	18	1	29	0	0	0	0	0	0	0	47.17	0	0	11.8
2019	11	12	22	28	1	29	0	0	0	0	0	0	0	47.14	0	0	11.8
2019	11	12	22	38	1	29	0	0	0	0	0	0	0	47.1	0	0	11.8
2019	11	12	22	48	1	29	0	0	0	0	0	0	0	47.05	0	0	11.8
2019	11	12	22	58	1	28	0	0	0	0	0	0	0	47.01	0	0	11.8
2019	11	12	23	8	1	29	0	0	0	0	0	0	0	46.98	0	0	11.8
2019	11	12	23	18	1	29	0	0	0	0	0	0	0	46.94	0	0	11.8
2019	11	12	23	28	1	29	0	0	0	0	0	0	0	46.89	0	0	11.8
2019	11	12	23	38	1	29	0	0	0	0	0	0	0	46.85	0	0	11.8
2019	11	12	23	48	1	29	0	0	0	0	0	0	0	46.81	0	0	11.8
2019	11	12	23	58	1	29	0	0	0	0	0	0	0	46.78	0	0	11.8
2019	11	13	0	8	1	29	0	0	0	0	0	0	0	46.74	0	0	11.8
2019	11	13	0	18	1	29	0	0	0	0	0	0	0	46.71	0	0	11.8
2019	11	13	0	28	1	29	0	0	0	0	0	0	0	46.65	0	0	11.8
2019	11	13	0	38	1	29	0	0	0	0	0	0	0	46.62	0	0	11.8
2019	11	13	0	48	1	29	0	0	0	0	0	0	0	46.58	0	0	11.8
2019	11	13	0	58	1	29	0	0	0	0	0	0	0	46.54	0	0	11.8
2019	11	13	1	8	1	28	0	0	0	0	0	0	0	46.51	0	0	11.8
2019	11	13	1	18	1	29	0	0	0	0	0	0	0	46.47	0	0	11.8
2019	11	13	1	28	1	29	0	0	0	0	0	0	0	46.44	0	0	11.8
2019	11	13	1	38	1	28	0	0	0	0	0	0	0	46.38	0	0	11.8
2019	11	13	1	48	1	28	0	0	0	0	0	0	0	46.36	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	13	1	58	1	29	0	0	0	0	0	0	0	46.31	0	0	11.8
2019	11	13	2	8	1	28	0	0	0	0	0	0	0	46.27	0	0	11.8
2019	11	13	2	18	1	29	0	0	0	0	0	0	0	46.24	0	0	11.8
2019	11	13	2	28	1	29	0	0	0	0	0	0	0	46.2	0	0	11.8
2019	11	13	2	38	1	29	0	0	0	0	0	0	0	46.15	0	0	11.8
2019	11	13	2	48	1	28	0	0	0	0	0	0	0	46.11	0	0	11.8
2019	11	13	2	58	1	29	0	0	0	0	0	0	0	46.08	0	0	11.6
2019	11	13	3	8	1	29	0	0	0	0	0	0	0	46.04	0	0	11.6
2019	11	13	3	18	1	29	0	0	0	0	0	0	0	46	0	0	11.6
2019	11	13	3	28	1	29	0	0	0	0	0	0	0	45.95	0	0	11.6
2019	11	13	3	38	1	28	0	0	0	0	0	0	0	45.9	0	0	11.6
2019	11	13	3	48	1	28	0	0	0	0	0	0	0	45.86	0	0	11.6
2019	11	13	3	58	1	29	0	0	0	0	0	0	0	45.82	0	0	11.6
2019	11	13	4	8	1	28	0	0	0	0	0	0	0	45.77	0	0	11.6
2019	11	13	4	18	1	29	0	0	0	0	0	0	0	45.73	0	0	11.6
2019	11	13	4	28	1	29	0	0	0	0	0	0	0	45.68	0	0	11.6
2019	11	13	4	38	1	29	0	0	0	0	0	0	0	45.63	0	0	11.6
2019	11	13	4	48	1	28	0	0	0	0	0	0	0	45.59	0	0	11.6
2019	11	13	4	58	1	29	0	0	0	0	0	0	0	45.54	0	0	11.6
2019	11	13	5	8	1	29	0	0	0	0	0	0	0	45.5	0	0	11.6
2019	11	13	5	18	1	29	0	0	0	0	0	0	0	45.45	0	0	11.6
2019	11	13	5	28	1	29	0	0	0	0	0	0	0	45.39	0	0	11.6
2019	11	13	5	38	1	29	0	0	0	0	0	0	0	45.36	0	0	11.6
2019	11	13	5	48	1	29	0	0	0	0	0	0	0	45.28	0	0	11.6
2019	11	13	5	58	1	29	0	0	0	0	0	0	0	45.25	0	0	11.6
2019	11	13	6	8	1	29	0	0	0	0	0	0	0	45.19	0	0	11.6
2019	11	13	6	18	1	30	0	0	0	0	0	0	0	45.16	0	0	11.6
2019	11	13	6	28	1	29	0	0	0	0	0	0	0	45.12	0	0	11.6
2019	11	13	6	38	1	29	0	0	0	0	0	0	0	45.07	0	0	11.6
2019	11	13	6	48	1	29	0	0	0	0	0	0	0	45.01	0	0	11.6
2019	11	13	6	58	1	29	0	0	0	0	0	0	0	44.98	0	0	11.6
2019	11	13	7	8	1	29	0	0	0	0	0	0	0	44.92	0	0	11.6
2019	11	13	7	18	1	28	0	0	0	0	0	0	0	44.89	0	0	11.6
2019	11	13	7	28	1	29	0	0	0	0	0	0	0	44.85	0	0	11.6
2019	11	13	7	38	1	29	0	0	0	0	0	0	0	44.82	0	0	11.6
2019	11	13	7	48	1	29	0	0	0	0	0	0	0	44.78	0	0	11.6
2019	11	13	7	58	1	29	0	0	0	0	0	0	0	44.74	0	0	11.6
2019	11	13	8	8	1	29	0	0	0	0	0	0	0	44.71	0	0	11.6
2019	11	13	8	18	1	29	0	0	0	0	0	0	0	44.67	0	0	11.6
2019	11	13	8	28	1	29	0	0	0	0	0	0	0	44.65	0	0	11.6
2019	11	13	8	38	1	29	0	0	0	0	0	0	0	44.64	0	0	11.6
2019	11	13	8	48	1	28	0	0	0	0	0	0	0	44.62	0	0	11.6
2019	11	13	8	58	1	29	0	0	0	0	0	0	0	44.58	0	0	11.8
2019	11	13	9	8	1	29	0	0	0	0	0	0	0	44.58	0	0	11.8
2019	11	13	9	18	1	29	0	0	0	0	0	0	0	44.58	0	0	12
2019	11	13	9	28	1	29	0	0	0	0	0	0	0	44.58	0	0	12.2
2019	11	13	9	38	1	30	0	0	0	0	0	0	0	44.56	0	0	12.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	13	9	48	1	29	0	0	0	0	0	0	0	44.56	0	0	12.4
2019	11	13	9	58	1	28	0	0	0	0	0	0	0	44.58	0	0	12.6
2019	11	13	10	8	1	28	0	0	0	0	0	0	0	44.6	0	0	12.6
2019	11	13	10	18	1	29	0	0	0	0	0	0	0	44.58	0	0	12.6
2019	11	13	10	28	1	29	0	0	0	0	0	0	0	44.6	0	0	12.6
2019	11	13	10	38	1	29	0	0	0	0	0	0	0	44.65	0	0	12.8
2019	11	13	10	48	1	29	0	0	0	0	0	0	0	44.67	0	0	13
2019	11	13	10	58	1	29	0	0	0	0	0	0	0	44.76	0	0	13.4
2019	11	13	11	8	1	29	0	0	0	0	0	0	0	44.78	0	0	13.4
2019	11	13	11	18	1	28	0	0	0	0	0	0	0	44.8	0	0	13.4
2019	11	13	11	28	1	29	0	0	0	0	0	0	0	44.87	0	0	13.6
2019	11	13	11	38	1	29	0	0	0	0	0	0	0	44.92	0	0	13.6
2019	11	13	11	48	1	29	0	0	0	0	0	0	0	44.98	0	0	13.6
2019	11	13	11	58	1	28	0	0	0	0	0	0	0	45	0	0	13.4
2019	11	13	12	8	1	29	0	0	0	0	0	0	0	45.05	0	0	13.4
2019	11	13	12	18	1	29	0	0	0	0	0	0	0	45.1	0	0	13.4
2019	11	13	12	28	1	29	0	0	0	0	0	0	0	45.12	0	0	13.4
2019	11	13	12	38	1	29	0	0	0	0	0	0	0	45.16	0	0	13.4
2019	11	13	12	48	1	29	0	0	0	0	0	0	0	45.25	0	0	13.4
2019	11	13	12	58	1	29	0	0	0	0	0	0	0	45.23	0	0	13.4
2019	11	13	13	8	1	29	0	0	0	0	0	0	0	45.21	0	0	13.4
2019	11	13	13	18	1	29	0	0	0	0	0	0	0	45.19	0	0	13.4
2019	11	13	13	28	1	28	0	0	0	0	0	0	0	45.19	0	0	13.4
2019	11	13	13	38	1	29	0	0	0	0	0	0	0	45.25	0	0	13.4
2019	11	13	13	48	1	29	0	0	0	0	0	0	0	45.25	0	0	13.4
2019	11	13	13	58	1	29	0	0	0	0	0	0	0	45.28	0	0	13.4
2019	11	13	14	8	1	29	0	0	0	0	0	0	0	45.36	0	0	13.4
2019	11	13	14	18	1	29	0	0	0	0	0	0	0	45.37	0	0	13.4
2019	11	13	14	28	1	29	0	0	0	0	0	0	0	45.43	0	0	13.4
2019	11	13	14	38	1	29	0	0	0	0	0	0	0	45.52	0	0	13.4
2019	11	13	14	48	1	29	0	0	0	0	0	0	0	45.54	0	0	13.4
2019	11	13	14	58	1	28	0	0	0	0	0	0	0	45.57	0	0	13.4
2019	11	13	15	8	1	29	0	0	0	0	0	0	0	45.63	0	0	13.4
2019	11	13	15	18	1	29	0	0	0	0	0	0	0	45.66	0	0	13.4
2019	11	13	15	28	1	29	0	0	0	0	0	0	0	45.73	0	0	13.4
2019	11	13	15	38	1	29	0	0	0	0	0	0	0	45.75	0	0	13.4
2019	11	13	15	48	1	29	0	0	0	0	0	0	0	45.77	0	0	13.2
2019	11	13	15	58	1	29	0	0	0	0	0	0	0	45.77	0	0	13.2
2019	11	13	16	8	1	29	0	0	0	0	0	0	0	45.81	0	0	13.4
2019	11	13	16	18	1	29	0	0	0	0	0	0	0	45.86	0	0	13.2
2019	11	13	16	28	1	29	0	0	0	0	0	0	0	45.91	0	0	13.2
2019	11	13	16	38	1	29	0	0	0	0	0	0	0	45.97	0	0	13
2019	11	13	16	48	1	29	0	0	0	0	0	0	0	46	0	0	12.2
2019	11	13	16	58	1	29	0	0	0	0	0	0	0	46.04	0	0	12.2
2019	11	13	17	8	1	29	0	0	0	0	0	0	0	46.08	0	0	12
2019	11	13	17	18	1	29	0	0	0	0	0	0	0	46.13	0	0	12
2019	11	13	17	28	1	29	0	0	0	0	0	0	0	46.17	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	13	17	38	1	29	0	0	0	0	0	0	0	46.2	0	0	12
2019	11	13	17	48	1	29	0	0	0	0	0	0	0	46.26	0	0	12
2019	11	13	17	58	1	29	0	0	0	0	0	0	0	46.29	0	0	12
2019	11	13	18	8	1	28	0	0	0	0	0	0	0	46.35	0	0	12
2019	11	13	18	18	1	29	0	0	0	0	0	0	0	46.36	0	0	12
2019	11	13	18	28	1	29	0	0	0	0	0	0	0	46.4	0	0	12
2019	11	13	18	38	1	29	0	0	0	0	0	0	0	46.44	0	0	12
2019	11	13	18	48	1	29	0	0	0	0	0	0	0	46.47	0	0	12
2019	11	13	18	58	1	28	0	0	0	0	0	0	0	46.51	0	0	12
2019	11	13	19	8	1	28	0	0	0	0	0	0	0	46.53	0	0	12
2019	11	13	19	18	1	28	0	0	0	0	0	0	0	46.54	0	0	11.8
2019	11	13	19	28	1	29	0	0	0	0	0	0	0	46.56	0	0	11.8
2019	11	13	19	38	1	29	0	0	0	0	0	0	0	46.58	0	0	11.8
2019	11	13	19	48	1	29	0	0	0	0	0	0	0	46.6	0	0	11.8
2019	11	13	19	58	1	28	0	0	0	0	0	0	0	46.6	0	0	11.8
2019	11	13	20	8	1	29	0	0	0	0	0	0	0	46.62	0	0	11.8
2019	11	13	20	18	1	29	0	0	0	0	0	0	0	46.62	0	0	11.8
2019	11	13	20	28	1	29	0	0	0	0	0	0	0	46.62	0	0	11.8
2019	11	13	20	38	1	29	0	0	0	0	0	0	0	46.62	0	0	11.8
2019	11	13	20	48	1	29	0	0	0	0	0	0	0	46.63	0	0	11.8
2019	11	13	20	58	1	29	0	0	0	0	0	0	0	46.62	0	0	11.8
2019	11	13	21	8	1	29	0	0	0	0	0	0	0	46.62	0	0	11.8
2019	11	13	21	18	1	29	0	0	0	0	0	0	0	46.6	0	0	11.8
2019	11	13	21	28	1	29	0	0	0	0	0	0	0	46.58	0	0	11.8
2019	11	13	21	38	1	29	0	0	0	0	0	0	0	46.58	0	0	11.8
2019	11	13	21	48	1	29	0	0	0	0	0	0	0	46.56	0	0	11.8
2019	11	13	21	58	1	29	0	0	0	0	0	0	0	46.54	0	0	11.8
2019	11	13	22	8	1	29	0	0	0	0	0	0	0	46.53	0	0	11.8
2019	11	13	22	18	1	28	0	0	0	0	0	0	0	46.49	0	0	11.8
2019	11	13	22	28	1	29	0	0	0	0	0	0	0	46.47	0	0	11.8
2019	11	13	22	38	1	29	0	0	0	0	0	0	0	46.45	0	0	11.8
2019	11	13	22	48	1	28	0	0	0	0	0	0	0	46.44	0	0	11.8
2019	11	13	22	58	1	29	0	0	0	0	0	0	0	46.4	0	0	11.8
2019	11	13	23	8	1	29	0	0	0	0	0	0	0	46.38	0	0	11.8
2019	11	13	23	18	1	28	0	0	0	0	0	0	0	46.36	0	0	11.8
2019	11	13	23	28	1	29	0	0	0	0	0	0	0	46.33	0	0	11.8
2019	11	13	23	38	1	29	0	0	0	0	0	0	0	46.31	0	0	11.8
2019	11	13	23	48	1	29	0	0	0	0	0	0	0	46.29	0	0	11.8
2019	11	13	23	58	1	29	0	0	0	0	0	0	0	46.26	0	0	11.8
2019	11	14	0	8	1	29	0	0	0	0	0	0	0	46.22	0	0	11.8
2019	11	14	0	18	1	28	0	0	0	0	0	0	0	46.2	0	0	11.8
2019	11	14	0	28	1	29	0	0	0	0	0	0	0	46.17	0	0	11.8
2019	11	14	0	38	1	28	0	0	0	0	0	0	0	46.15	0	0	11.8
2019	11	14	0	48	1	29	0	0	0	0	0	0	0	46.11	0	0	11.8
2019	11	14	0	58	1	28	0	0	0	0	0	0	0	46.09	0	0	11.8
2019	11	14	1	8	1	29	0	0	0	0	0	0	0	46.06	0	0	11.8
2019	11	14	1	18	1	28	0	0	0	0	0	0	0	46.04	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	14	1	28	1	29	0	0	0	0	0	0	0	46.02	0	0	11.8
2019	11	14	1	38	1	29	0	0	0	0	0	0	0	45.99	0	0	11.8
2019	11	14	1	48	1	29	0	0	0	0	0	0	0	45.97	0	0	11.8
2019	11	14	1	58	1	29	0	0	0	0	0	0	0	45.93	0	0	11.6
2019	11	14	2	8	1	29	0	0	0	0	0	0	0	45.91	0	0	11.6
2019	11	14	2	18	1	29	0	0	0	0	0	0	0	45.9	0	0	11.6
2019	11	14	2	28	1	29	0	0	0	0	0	0	0	45.88	0	0	11.6
2019	11	14	2	38	1	29	0	0	0	0	0	0	0	45.84	0	0	11.6
2019	11	14	2	48	1	29	0	0	0	0	0	0	0	45.82	0	0	11.6
2019	11	14	2	58	1	28	0	0	0	0	0	0	0	45.79	0	0	11.6
2019	11	14	3	8	1	29	0	0	0	0	0	0	0	45.77	0	0	11.6
2019	11	14	3	18	1	29	0	0	0	0	0	0	0	45.73	0	0	11.6
2019	11	14	3	28	1	28	0	0	0	0	0	0	0	45.72	0	0	11.6
2019	11	14	3	38	1	28	0	0	0	0	0	0	0	45.68	0	0	11.6
2019	11	14	3	48	1	29	0	0	0	0	0	0	0	45.66	0	0	11.6
2019	11	14	3	58	1	29	0	0	0	0	0	0	0	45.63	0	0	11.6
2019	11	14	4	8	1	29	0	0	0	0	0	0	0	45.61	0	0	11.6
2019	11	14	4	18	1	29	0	0	0	0	0	0	0	45.57	0	0	11.6
2019	11	14	4	28	1	29	0	0	0	0	0	0	0	45.55	0	0	11.6
2019	11	14	4	38	1	29	0	0	0	0	0	0	0	45.52	0	0	11.6
2019	11	14	4	48	1	29	0	0	0	0	0	0	0	45.5	0	0	11.6
2019	11	14	4	58	1	29	0	0	0	0	0	0	0	45.46	0	0	11.6
2019	11	14	5	8	1	29	0	0	0	0	0	0	0	45.45	0	0	11.6
2019	11	14	5	18	1	29	0	0	0	0	0	0	0	45.41	0	0	11.6
2019	11	14	5	28	1	29	0	0	0	0	0	0	0	45.37	0	0	11.6
2019	11	14	5	38	1	29	0	0	0	0	0	0	0	45.36	0	0	11.6
2019	11	14	5	48	1	29	0	0	0	0	0	0	0	45.32	0	0	11.6
2019	11	14	5	58	1	29	0	0	0	0	0	0	0	45.28	0	0	11.6
2019	11	14	6	8	1	29	0	0	0	0	0	0	0	45.25	0	0	11.6
2019	11	14	6	18	1	29	0	0	0	0	0	0	0	45.23	0	0	11.6
2019	11	14	6	28	1	29	0	0	0	0	0	0	0	45.19	0	0	11.6
2019	11	14	6	38	1	29	0	0	0	0	0	0	0	45.16	0	0	11.6
2019	11	14	6	48	1	29	0	0	0	0	0	0	0	45.12	0	0	11.6
2019	11	14	6	58	1	29	0	0	0	0	0	0	0	45.09	0	0	11.6
2019	11	14	7	8	1	30	0	0	0	0	0	0	0	45.07	0	0	11.6
2019	11	14	7	18	1	29	0	0	0	0	0	0	0	45.01	0	0	11.6
2019	11	14	7	28	1	28	0	0	0	0	0	0	0	45	0	0	11.6
2019	11	14	7	38	1	28	0	0	0	0	0	0	0	44.96	0	0	11.6
2019	11	14	7	48	1	29	0	0	0	0	0	0	0	44.92	0	0	11.6
2019	11	14	7	58	1	29	0	0	0	0	0	0	0	44.91	0	0	11.6
2019	11	14	8	8	1	29	0	0	0	0	0	0	0	44.87	0	0	11.6
2019	11	14	8	18	1	29	0	0	0	0	0	0	0	44.85	0	0	11.8
2019	11	14	8	28	1	29	0	0	0	0	0	0	0	44.83	0	0	11.8
2019	11	14	8	38	1	29	0	0	0	0	0	0	0	44.83	0	0	11.8
2019	11	14	8	48	1	29	0	0	0	0	0	0	0	44.83	0	0	12.2
2019	11	14	8	58	1	29	0	0	0	0	0	0	0	44.82	0	0	12.6
2019	11	14	9	8	1	28	0	0	0	0	0	0	0	44.82	0	0	12.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	14	9	18	1	29	0	0	0	0	0	0	0	44.8	0	0	12.2
2019	11	14	9	28	1	29	0	0	0	0	0	0	0	44.82	0	0	12.4
2019	11	14	9	38	1	29	0	0	0	0	0	0	0	44.83	0	0	12.6
2019	11	14	9	48	1	29	0	0	0	0	0	0	0	44.82	0	0	12.6
2019	11	14	9	58	1	29	0	0	0	0	0	0	0	44.89	0	0	12.8
2019	11	14	10	8	1	30	0	0	0	0	0	0	0	44.96	0	0	13.2
2019	11	14	10	18	1	29	0	0	0	0	0	0	0	45	0	0	13.6
2019	11	14	10	28	1	29	0	0	0	0	0	0	0	45.03	0	0	13.6
2019	11	14	10	38	1	29	0	0	0	0	0	0	0	45.12	0	0	13.6
2019	11	14	10	48	1	29	0	0	0	0	0	0	0	45.18	0	0	13.6
2019	11	14	10	58	1	29	0	0	0	0	0	0	0	45.19	0	0	13.6
2019	11	14	11	8	1	29	0	0	0	0	0	0	0	45.18	0	0	13.4
2019	11	14	11	18	1	29	0	0	0	0	0	0	0	45.07	0	0	13
2019	11	14	11	28	1	29	0	0	0	0	0	0	0	45.14	0	0	13.4
2019	11	14	11	38	1	29	0	0	0	0	0	0	0	45.14	0	0	12.8
2019	11	14	11	48	1	29	0	0	0	0	0	0	0	45.12	0	0	12.6
2019	11	14	11	58	1	29	0	0	0	0	0	0	0	45.37	0	0	13.6
2019	11	14	12	8	1	29	0	0	0	0	0	0	0	45.46	0	0	13.6
2019	11	14	12	18	1	29	0	0	0	0	0	0	0	45.55	0	0	13.4
2019	11	14	12	28	1	29	0	0	0	0	0	0	0	45.57	0	0	13.4
2019	11	14	12	38	1	29	0	0	0	0	0	0	0	45.59	0	0	13.4
2019	11	14	12	48	1	29	0	0	0	0	0	0	0	45.63	0	0	13.4
2019	11	14	12	58	1	29	0	0	0	0	0	0	0	45.7	0	0	13.4
2019	11	14	13	8	1	28	0	0	0	0	0	0	0	45.73	0	0	13.4
2019	11	14	13	18	1	29	0	0	0	0	0	0	0	45.75	0	0	13.4
2019	11	14	13	28	1	29	0	0	0	0	0	0	0	45.79	0	0	13.4
2019	11	14	13	38	1	29	0	0	0	0	0	0	0	45.82	0	0	13.4
2019	11	14	13	48	1	29	0	0	0	0	0	0	0	45.86	0	0	13.4
2019	11	14	13	58	1	29	0	0	0	0	0	0	0	45.91	0	0	13.4
2019	11	14	14	8	1	29	0	0	0	0	0	0	0	45.95	0	0	13.2
2019	11	14	14	18	1	29	0	0	0	0	0	0	0	45.93	0	0	13.2
2019	11	14	14	28	1	29	0	0	0	0	0	0	0	45.91	0	0	13.2
2019	11	14	14	38	1	29	0	0	0	0	0	0	0	45.97	0	0	13.2
2019	11	14	14	48	1	29	0	0	0	0	0	0	0	45.99	0	0	13.2
2019	11	14	14	58	1	29	0	0	0	0	0	0	0	46.02	0	0	13.2
2019	11	14	15	8	1	29	0	0	0	0	0	0	0	46.08	0	0	13.2
2019	11	14	15	18	1	29	0	0	0	0	0	0	0	46.09	0	0	13.2
2019	11	14	15	28	1	29	0	0	0	0	0	0	0	46.13	0	0	13.2
2019	11	14	15	38	1	29	0	0	0	0	0	0	0	46.17	0	0	13.2
2019	11	14	15	48	1	29	0	0	0	0	0	0	0	46.17	0	0	13.2
2019	11	14	15	58	1	29	0	0	0	0	0	0	0	46.15	0	0	13.2
2019	11	14	16	8	1	29	0	0	0	0	0	0	0	46.2	0	0	13.2
2019	11	14	16	18	1	29	0	0	0	0	0	0	0	46.26	0	0	13.4
2019	11	14	16	28	1	29	0	0	0	0	0	0	0	46.31	0	0	13.4
2019	11	14	16	38	1	29	0	0	0	0	0	0	0	46.36	0	0	12.6
2019	11	14	16	48	1	29	0	0	0	0	0	0	0	46.4	0	0	12.2
2019	11	14	16	58	1	29	0	0	0	0	0	0	0	46.44	0	0	12.2

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	14	17	8	1	29	0	0	0	0	0	0	0	46.49	0	0	12
2019	11	14	17	18	1	29	0	0	0	0	0	0	0	46.54	0	0	12
2019	11	14	17	28	1	29	0	0	0	0	0	0	0	46.58	0	0	12
2019	11	14	17	38	1	29	0	0	0	0	0	0	0	46.63	0	0	12
2019	11	14	17	48	1	29	0	0	0	0	0	0	0	46.69	0	0	12
2019	11	14	17	58	1	29	0	0	0	0	0	0	0	46.74	0	0	12
2019	11	14	18	8	1	29	0	0	0	0	0	0	0	46.8	0	0	12
2019	11	14	18	18	1	28	0	0	0	0	0	0	0	46.83	0	0	12
2019	11	14	18	28	1	29	0	0	0	0	0	0	0	46.89	0	0	12
2019	11	14	18	38	1	29	0	0	0	0	0	0	0	46.94	0	0	12
2019	11	14	18	48	1	28	0	0	0	0	0	0	0	46.98	0	0	12
2019	11	14	18	58	1	29	0	0	0	0	0	0	0	47.01	0	0	12
2019	11	14	19	8	1	29	0	0	0	0	0	0	0	47.05	0	0	12
2019	11	14	19	18	1	29	0	0	0	0	0	0	0	47.08	0	0	12
2019	11	14	19	28	1	28	0	0	0	0	0	0	0	47.12	0	0	12
2019	11	14	19	38	1	28	0	0	0	0	0	0	0	47.14	0	0	11.8
2019	11	14	19	48	1	29	0	0	0	0	0	0	0	47.17	0	0	11.8
2019	11	14	19	58	1	29	0	0	0	0	0	0	0	47.19	0	0	11.8
2019	11	14	20	8	1	29	0	0	0	0	0	0	0	47.21	0	0	11.8
2019	11	14	20	18	1	28	0	0	0	0	0	0	0	47.23	0	0	11.8
2019	11	14	20	28	1	28	0	0	0	0	0	0	0	47.25	0	0	11.8
2019	11	14	20	38	1	28	0	0	0	0	0	0	0	47.26	0	0	11.8
2019	11	14	20	48	1	29	0	0	0	0	0	0	0	47.25	0	0	11.8
2019	11	14	20	58	1	28	0	0	0	0	0	0	0	47.26	0	0	11.8
2019	11	14	21	8	1	28	0	0	0	0	0	0	0	47.26	0	0	11.8
2019	11	14	21	18	1	29	0	0	0	0	0	0	0	47.25	0	0	11.8
2019	11	14	21	28	1	28	0	0	0	0	0	0	0	47.23	0	0	11.8
2019	11	14	21	38	1	29	0	0	0	0	0	0	0	47.23	0	0	11.8
2019	11	14	21	48	1	29	0	0	0	0	0	0	0	47.21	0	0	11.8
2019	11	14	21	58	1	28	0	0	0	0	0	0	0	47.21	0	0	11.8
2019	11	14	22	8	1	29	0	0	0	0	0	0	0	47.19	0	0	11.8
2019	11	14	22	18	1	29	0	0	0	0	0	0	0	47.17	0	0	11.8
2019	11	14	22	28	1	29	0	0	0	0	0	0	0	47.14	0	0	11.8
2019	11	14	22	38	1	30	0	0	0	0	0	0	0	47.12	0	0	11.8
2019	11	14	22	48	1	28	0	0	0	0	0	0	0	47.1	0	0	11.8
2019	11	14	22	58	1	29	0	0	0	0	0	0	0	47.07	0	0	11.8
2019	11	14	23	8	1	29	0	0	0	0	0	0	0	47.05	0	0	11.8
2019	11	14	23	18	1	29	0	0	0	0	0	0	0	47.03	0	0	11.8
2019	11	14	23	28	1	29	0	0	0	0	0	0	0	46.99	0	0	11.8
2019	11	14	23	38	1	28	0	0	0	0	0	0	0	46.98	0	0	11.8
2019	11	14	23	48	1	28	0	0	0	0	0	0	0	46.96	0	0	11.8
2019	11	14	23	58	1	28	0	0	0	0	0	0	0	46.92	0	0	11.8
2019	11	15	0	8	1	29	0	0	0	0	0	0	0	46.9	0	0	11.8
2019	11	15	0	18	1	29	0	0	0	0	0	0	0	46.89	0	0	11.8
2019	11	15	0	28	1	29	0	0	0	0	0	0	0	46.87	0	0	11.8
2019	11	15	0	38	1	29	0	0	0	0	0	0	0	46.83	0	0	11.8
2019	11	15	0	48	1	29	0	0	0	0	0	0	0	46.81	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	15	0	58	1	29	0	0	0	0	0	0	0	46.78	0	0	11.8
2019	11	15	1	8	1	29	0	0	0	0	0	0	0	46.76	0	0	11.8
2019	11	15	1	18	1	29	0	0	0	0	0	0	0	46.72	0	0	11.8
2019	11	15	1	28	1	29	0	0	0	0	0	0	0	46.71	0	0	11.8
2019	11	15	1	38	1	28	0	0	0	0	0	0	0	46.69	0	0	11.8
2019	11	15	1	48	1	29	0	0	0	0	0	0	0	46.65	0	0	11.8
2019	11	15	1	58	1	29	0	0	0	0	0	0	0	46.62	0	0	11.8
2019	11	15	2	8	1	29	0	0	0	0	0	0	0	46.6	0	0	11.8
2019	11	15	2	18	1	29	0	0	0	0	0	0	0	46.56	0	0	11.8
2019	11	15	2	28	1	29	0	0	0	0	0	0	0	46.53	0	0	11.8
2019	11	15	2	38	1	29	0	0	0	0	0	0	0	46.49	0	0	11.8
2019	11	15	2	48	1	29	0	0	0	0	0	0	0	46.45	0	0	11.6
2019	11	15	2	58	1	29	0	0	0	0	0	0	0	46.42	0	0	11.6
2019	11	15	3	8	1	29	0	0	0	0	0	0	0	46.4	0	0	11.6
2019	11	15	3	18	1	29	0	0	0	0	0	0	0	46.36	0	0	11.6
2019	11	15	3	28	1	29	0	0	0	0	0	0	0	46.31	0	0	11.6
2019	11	15	3	38	1	29	0	0	0	0	0	0	0	46.27	0	0	11.6
2019	11	15	3	48	1	29	0	0	0	0	0	0	0	46.24	0	0	11.6
2019	11	15	3	58	1	29	0	0	0	0	0	0	0	46.2	0	0	11.6
2019	11	15	4	8	1	29	0	0	0	0	0	0	0	46.17	0	0	11.6
2019	11	15	4	18	1	28	0	0	0	0	0	0	0	46.13	0	0	11.6
2019	11	15	4	28	1	29	0	0	0	0	0	0	0	46.09	0	0	11.6
2019	11	15	4	38	1	29	0	0	0	0	0	0	0	46.04	0	0	11.6
2019	11	15	4	48	1	29	0	0	0	0	0	0	0	46	0	0	11.6
2019	11	15	4	58	1	28	0	0	0	0	0	0	0	45.97	0	0	11.6
2019	11	15	5	8	1	28	0	0	0	0	0	0	0	45.91	0	0	11.6
2019	11	15	5	18	1	29	0	0	0	0	0	0	0	45.88	0	0	11.6
2019	11	15	5	28	1	28	0	0	0	0	0	0	0	45.84	0	0	11.6
2019	11	15	5	38	1	29	0	0	0	0	0	0	0	45.81	0	0	11.6
2019	11	15	5	48	1	29	0	0	0	0	0	0	0	45.75	0	0	11.6
2019	11	15	5	58	1	28	0	0	0	0	0	0	0	45.72	0	0	11.6
2019	11	15	6	8	1	29	0	0	0	0	0	0	0	45.68	0	0	11.6
2019	11	15	6	18	1	28	0	0	0	0	0	0	0	45.64	0	0	11.6
2019	11	15	6	28	1	29	0	0	0	0	0	0	0	45.61	0	0	11.6
2019	11	15	6	38	1	29	0	0	0	0	0	0	0	45.57	0	0	11.6
2019	11	15	6	48	1	29	0	0	0	0	0	0	0	45.54	0	0	11.6
2019	11	15	6	58	1	28	0	0	0	0	0	0	0	45.5	0	0	11.6
2019	11	15	7	8	1	28	0	0	0	0	0	0	0	45.46	0	0	11.6
2019	11	15	7	18	1	29	0	0	0	0	0	0	0	45.43	0	0	11.6
2019	11	15	7	28	1	29	0	0	0	0	0	0	0	45.39	0	0	11.6
2019	11	15	7	38	1	29	0	0	0	0	0	0	0	45.36	0	0	11.6
2019	11	15	7	48	1	29	0	0	0	0	0	0	0	45.32	0	0	11.6
2019	11	15	7	58	1	29	0	0	0	0	0	0	0	45.3	0	0	11.6
2019	11	15	8	8	1	29	0	0	0	0	0	0	0	45.28	0	0	11.6
2019	11	15	8	18	1	29	0	0	0	0	0	0	0	45.25	0	0	11.8
2019	11	15	8	28	1	29	0	0	0	0	0	0	0	45.27	0	0	12.6
2019	11	15	8	38	1	29	0	0	0	0	0	0	0	45.25	0	0	12.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	15	8	48	1	30	0	0	0	0	0	0	0	45.25	0	0	12.6
2019	11	15	8	58	1	29	0	0	0	0	0	0	0	45.25	0	0	12.4
2019	11	15	9	8	1	29	0	0	0	0	0	0	0	45.28	0	0	12.6
2019	11	15	9	18	1	29	0	0	0	0	0	0	0	45.28	0	0	12.6
2019	11	15	9	28	1	29	0	0	0	0	0	0	0	45.27	0	0	12.6
2019	11	15	9	38	1	29	0	0	0	0	0	0	0	45.3	0	0	12.6
2019	11	15	9	48	1	29	0	0	0	0	0	0	0	45.32	0	0	12.6
2019	11	15	9	58	1	29	0	0	0	0	0	0	0	45.34	0	0	12.6
2019	11	15	10	8	1	29	0	0	0	0	0	0	0	45.36	0	0	12.6
2019	11	15	10	18	1	29	0	0	0	0	0	0	0	45.34	0	0	12.6
2019	11	15	10	28	1	29	0	0	0	0	0	0	0	45.36	0	0	12.6
2019	11	15	10	38	1	29	0	0	0	0	0	0	0	45.34	0	0	12.4
2019	11	15	10	48	1	29	0	0	0	0	0	0	0	45.36	0	0	12.4
2019	11	15	10	58	1	29	0	0	0	0	0	0	0	45.39	0	0	12.4
2019	11	15	11	8	1	29	0	0	0	0	0	0	0	45.39	0	0	12.4
2019	11	15	11	18	1	29	0	0	0	0	0	0	0	45.43	0	0	12.6
2019	11	15	11	28	1	29	0	0	0	0	0	0	0	45.54	0	0	13
2019	11	15	11	38	1	29	0	0	0	0	0	0	0	45.64	0	0	13.6
2019	11	15	11	48	1	28	0	0	0	0	0	0	0	45.72	0	0	13.6
2019	11	15	11	58	1	29	0	0	0	0	0	0	0	45.81	0	0	13.6
2019	11	15	12	8	1	29	0	0	0	0	0	0	0	45.91	0	0	13.6
2019	11	15	12	18	1	29	0	0	0	0	0	0	0	45.95	0	0	13.6
2019	11	15	12	28	1	28	0	0	0	0	0	0	0	46.02	0	0	13.4
2019	11	15	12	38	1	29	0	0	0	0	0	0	0	46.09	0	0	13.4
2019	11	15	12	48	1	29	0	0	0	0	0	0	0	46.02	0	0	13.4
2019	11	15	12	58	1	29	0	0	0	0	0	0	0	46.15	0	0	13.4
2019	11	15	13	8	1	29	0	0	0	0	0	0	0	46.13	0	0	13.4
2019	11	15	13	18	1	29	0	0	0	0	0	0	0	46.08	0	0	13.4
2019	11	15	13	28	1	29	0	0	0	0	0	0	0	46.18	0	0	13.4
2019	11	15	13	38	1	29	0	0	0	0	0	0	0	46.33	0	0	13.2
2019	11	15	13	48	1	29	0	0	0	0	0	0	0	46.24	0	0	13.2
2019	11	15	13	58	1	29	0	0	0	0	0	0	0	46.18	0	0	13.2
2019	11	15	14	8	1	29	0	0	0	0	0	0	0	46.24	0	0	13.2
2019	11	15	14	18	1	29	0	0	0	0	0	0	0	46.26	0	0	13.2
2019	11	15	14	28	1	28	0	0	0	0	0	0	0	46.2	0	0	13
2019	11	15	14	38	1	28	0	0	0	0	0	0	0	46.29	0	0	13.4
2019	11	15	14	48	1	29	0	0	0	0	0	0	0	46.33	0	0	13.4
2019	11	15	14	58	1	29	0	0	0	0	0	0	0	46.29	0	0	13.4
2019	11	15	15	8	1	29	0	0	0	0	0	0	0	46.4	0	0	13.4
2019	11	15	15	18	1	28	0	0	0	0	0	0	0	46.49	0	0	13.4
2019	11	15	15	28	1	29	0	0	0	0	0	0	0	46.51	0	0	13.4
2019	11	15	15	38	1	28	0	0	0	0	0	0	0	46.54	0	0	13.4
2019	11	15	15	48	1	29	0	0	0	0	0	0	0	46.54	0	0	13.2
2019	11	15	15	58	1	29	0	0	0	0	0	0	0	46.51	0	0	13.2
2019	11	15	16	8	1	29	0	0	0	0	0	0	0	46.54	0	0	13.2
2019	11	15	16	18	1	29	0	0	0	0	0	0	0	46.58	0	0	13.2
2019	11	15	16	28	1	29	0	0	0	0	0	0	0	46.63	0	0	13.2

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	15	16	38	1	29	0	0	0	0	0	0	0	46.65	0	0	13.2
2019	11	15	16	48	1	29	0	0	0	0	0	0	0	46.69	0	0	13
2019	11	15	16	58	1	29	0	0	0	0	0	0	0	46.72	0	0	12.2
2019	11	15	17	8	1	29	0	0	0	0	0	0	0	46.78	0	0	12
2019	11	15	17	18	1	29	0	0	0	0	0	0	0	46.81	0	0	12
2019	11	15	17	28	1	29	0	0	0	0	0	0	0	46.85	0	0	12
2019	11	15	17	38	1	28	0	0	0	0	0	0	0	46.89	0	0	12
2019	11	15	17	48	1	29	0	0	0	0	0	0	0	46.92	0	0	12
2019	11	15	17	58	1	29	0	0	0	0	0	0	0	46.96	0	0	12
2019	11	15	18	8	1	29	0	0	0	0	0	0	0	46.99	0	0	12
2019	11	15	18	18	1	29	0	0	0	0	0	0	0	47.03	0	0	12
2019	11	15	18	28	1	29	0	0	0	0	0	0	0	47.07	0	0	12
2019	11	15	18	38	1	29	0	0	0	0	0	0	0	47.1	0	0	12
2019	11	15	18	48	1	28	0	0	0	0	0	0	0	47.14	0	0	12
2019	11	15	18	58	1	28	0	0	0	0	0	0	0	47.16	0	0	12
2019	11	15	19	8	1	28	0	0	0	0	0	0	0	47.19	0	0	11.8
2019	11	15	19	18	1	28	0	0	0	0	0	0	0	47.23	0	0	11.8
2019	11	15	19	28	1	29	0	0	0	0	0	0	0	47.23	0	0	11.8
2019	11	15	19	38	1	28	0	0	0	0	0	0	0	47.25	0	0	11.8
2019	11	15	19	48	1	29	0	0	0	0	0	0	0	47.26	0	0	11.8
2019	11	15	19	58	1	28	0	0	0	0	0	0	0	47.28	0	0	11.8
2019	11	15	20	8	1	28	0	0	0	0	0	0	0	47.28	0	0	11.8
2019	11	15	20	18	1	28	0	0	0	0	0	0	0	47.28	0	0	11.8
2019	11	15	20	28	1	29	0	0	0	0	0	0	0	47.28	0	0	11.8
2019	11	15	20	38	1	29	0	0	0	0	0	0	0	47.28	0	0	11.8
2019	11	15	20	48	1	29	0	0	0	0	0	0	0	47.26	0	0	11.8
2019	11	15	20	58	1	29	0	0	0	0	0	0	0	47.25	0	0	11.8
2019	11	15	21	8	1	29	0	0	0	0	0	0	0	47.25	0	0	11.8
2019	11	15	21	18	1	29	0	0	0	0	0	0	0	47.23	0	0	11.8
2019	11	15	21	28	1	29	0	0	0	0	0	0	0	47.21	0	0	11.8
2019	11	15	21	38	1	28	0	0	0	0	0	0	0	47.19	0	0	11.8
2019	11	15	21	48	1	28	0	0	0	0	0	0	0	47.16	0	0	11.8
2019	11	15	21	58	1	28	0	0	0	0	0	0	0	47.14	0	0	11.8
2019	11	15	22	8	1	29	0	0	0	0	0	0	0	47.12	0	0	11.8
2019	11	15	22	18	1	29	0	0	0	0	0	0	0	47.1	0	0	11.8
2019	11	15	22	28	1	29	0	0	0	0	0	0	0	47.07	0	0	11.8
2019	11	15	22	38	1	29	0	0	0	0	0	0	0	47.03	0	0	11.8
2019	11	15	22	48	1	28	0	0	0	0	0	0	0	46.99	0	0	11.8
2019	11	15	22	58	1	29	0	0	0	0	0	0	0	46.96	0	0	11.8
2019	11	15	23	8	1	29	0	0	0	0	0	0	0	46.94	0	0	11.8
2019	11	15	23	18	1	29	0	0	0	0	0	0	0	46.9	0	0	11.8
2019	11	15	23	28	1	29	0	0	0	0	0	0	0	46.89	0	0	11.8
2019	11	15	23	38	1	29	0	0	0	0	0	0	0	46.85	0	0	11.8
2019	11	15	23	48	1	29	0	0	0	0	0	0	0	46.81	0	0	11.8
2019	11	15	23	58	1	29	0	0	0	0	0	0	0	46.78	0	0	11.8
2019	11	16	0	8	1	28	0	0	0	0	0	0	0	46.76	0	0	11.8
2019	11	16	0	18	1	29	0	0	0	0	0	0	0	46.74	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	16	0	28	1	28	0	0	0	0	0	0	0	46.71	0	0	11.8
2019	11	16	0	38	1	29	0	0	0	0	0	0	0	46.67	0	0	11.8
2019	11	16	0	48	1	29	0	0	0	0	0	0	0	46.65	0	0	11.8
2019	11	16	0	58	1	29	0	0	0	0	0	0	0	46.62	0	0	11.8
2019	11	16	1	8	1	29	0	0	0	0	0	0	0	46.58	0	0	11.8
2019	11	16	1	18	1	29	0	0	0	0	0	0	0	46.54	0	0	11.8
2019	11	16	1	28	1	28	0	0	0	0	0	0	0	46.53	0	0	11.8
2019	11	16	1	38	1	29	0	0	0	0	0	0	0	46.49	0	0	11.8
2019	11	16	1	48	1	28	0	0	0	0	0	0	0	46.47	0	0	11.8
2019	11	16	1	58	1	29	0	0	0	0	0	0	0	46.44	0	0	11.8
2019	11	16	2	8	1	29	0	0	0	0	0	0	0	46.4	0	0	11.8
2019	11	16	2	18	1	29	0	0	0	0	0	0	0	46.36	0	0	11.8
2019	11	16	2	28	1	28	0	0	0	0	0	0	0	46.35	0	0	11.6
2019	11	16	2	38	1	28	0	0	0	0	0	0	0	46.31	0	0	11.6
2019	11	16	2	48	1	28	0	0	0	0	0	0	0	46.29	0	0	11.6
2019	11	16	2	58	1	29	0	0	0	0	0	0	0	46.26	0	0	11.6
2019	11	16	3	8	1	29	0	0	0	0	0	0	0	46.22	0	0	11.6
2019	11	16	3	18	1	29	0	0	0	0	0	0	0	46.2	0	0	11.6
2019	11	16	3	28	1	29	0	0	0	0	0	0	0	46.17	0	0	11.6
2019	11	16	3	38	1	28	0	0	0	0	0	0	0	46.15	0	0	11.6
2019	11	16	3	48	1	29	0	0	0	0	0	0	0	46.09	0	0	11.6
2019	11	16	3	58	1	29	0	0	0	0	0	0	0	46.06	0	0	11.6
2019	11	16	4	8	1	30	0	0	0	0	0	0	0	46.02	0	0	11.6
2019	11	16	4	18	1	29	0	0	0	0	0	0	0	45.99	0	0	11.6
2019	11	16	4	28	1	29	0	0	0	0	0	0	0	45.95	0	0	11.6
2019	11	16	4	38	1	29	0	0	0	0	0	0	0	45.91	0	0	11.6
2019	11	16	4	48	1	29	0	0	0	0	0	0	0	45.86	0	0	11.6
2019	11	16	4	58	1	29	0	0	0	0	0	0	0	45.82	0	0	11.6
2019	11	16	5	8	1	29	0	0	0	0	0	0	0	45.79	0	0	11.6
2019	11	16	5	18	1	29	0	0	0	0	0	0	0	45.75	0	0	11.6
2019	11	16	5	28	1	29	0	0	0	0	0	0	0	45.72	0	0	11.6
2019	11	16	5	38	1	29	0	0	0	0	0	0	0	45.68	0	0	11.6
2019	11	16	5	48	1	29	0	0	0	0	0	0	0	45.64	0	0	11.6
2019	11	16	5	58	1	29	0	0	0	0	0	0	0	45.61	0	0	11.6
2019	11	16	6	8	1	29	0	0	0	0	0	0	0	45.55	0	0	11.6
2019	11	16	6	18	1	29	0	0	0	0	0	0	0	45.52	0	0	11.6
2019	11	16	6	28	1	29	0	0	0	0	0	0	0	45.48	0	0	11.6
2019	11	16	6	38	1	29	0	0	0	0	0	0	0	45.43	0	0	11.6
2019	11	16	6	48	1	29	0	0	0	0	0	0	0	45.39	0	0	11.6
2019	11	16	6	58	1	29	0	0	0	0	0	0	0	45.36	0	0	11.6
2019	11	16	7	8	1	29	0	0	0	0	0	0	0	45.32	0	0	11.6
2019	11	16	7	18	1	29	0	0	0	0	0	0	0	45.27	0	0	11.6
2019	11	16	7	28	1	29	0	0	0	0	0	0	0	45.23	0	0	11.6
2019	11	16	7	38	1	29	0	0	0	0	0	0	0	45.18	0	0	11.6
2019	11	16	7	48	1	29	0	0	0	0	0	0	0	45.14	0	0	11.6
2019	11	16	7	58	1	29	0	0	0	0	0	0	0	45.1	0	0	11.6
2019	11	16	8	8	1	29	0	0	0	0	0	0	0	45.07	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	16	8	18	1	29	0	0	0	0	0	0	0	45.03	0	0	11.6
2019	11	16	8	28	1	29	0	0	0	0	0	0	0	45.01	0	0	12.6
2019	11	16	8	38	1	29	0	0	0	0	0	0	0	45.01	0	0	13
2019	11	16	8	48	1	28	0	0	0	0	0	0	0	45.01	0	0	13
2019	11	16	8	58	1	29	0	0	0	0	0	0	0	45.01	0	0	13
2019	11	16	9	8	1	29	0	0	0	0	0	0	0	45.03	0	0	13
2019	11	16	9	18	1	29	0	0	0	0	0	0	0	45.05	0	0	13.2
2019	11	16	9	28	1	29	0	0	0	0	0	0	0	45.07	0	0	13.2
2019	11	16	9	38	1	28	0	0	0	0	0	0	0	45.09	0	0	13.6
2019	11	16	9	48	1	29	0	0	0	0	0	0	0	45.12	0	0	13.6
2019	11	16	9	58	1	29	0	0	0	0	0	0	0	45.14	0	0	13.6
2019	11	16	10	8	1	29	0	0	0	0	0	0	0	45.19	0	0	13.6
2019	11	16	10	18	1	29	0	0	0	0	0	0	0	45.23	0	0	13.6
2019	11	16	10	28	1	29	0	0	0	0	0	0	0	45.27	0	0	13.6
2019	11	16	10	38	1	29	0	0	0	0	0	0	0	45.3	0	0	13.4
2019	11	16	10	48	1	29	0	0	0	0	0	0	0	45.34	0	0	13.4
2019	11	16	10	58	1	29	0	0	0	0	0	0	0	45.39	0	0	13.4
2019	11	16	11	8	1	29	0	0	0	0	0	0	0	45.45	0	0	13.4
2019	11	16	11	18	1	28	0	0	0	0	0	0	0	45.48	0	0	13.4
2019	11	16	11	28	1	29	0	0	0	0	0	0	0	45.54	0	0	13.4
2019	11	16	11	38	1	29	0	0	0	0	0	0	0	45.63	0	0	13.4
2019	11	16	11	48	1	29	0	0	0	0	0	0	0	45.64	0	0	13.4
2019	11	16	11	58	1	29	0	0	0	0	0	0	0	45.72	0	0	13.4
2019	11	16	12	8	1	28	0	0	0	0	0	0	0	45.79	0	0	13.4
2019	11	16	12	18	1	29	0	0	0	0	0	0	0	45.81	0	0	13.4
2019	11	16	12	28	1	29	0	0	0	0	0	0	0	45.88	0	0	13.4
2019	11	16	12	38	1	28	0	0	0	0	0	0	0	45.93	0	0	13.4
2019	11	16	12	48	1	29	0	0	0	0	0	0	0	45.97	0	0	13.4
2019	11	16	12	58	1	29	0	0	0	0	0	0	0	46.02	0	0	13.4
2019	11	16	13	8	1	28	0	0	0	0	0	0	0	46.09	0	0	13.4
2019	11	16	13	18	1	29	0	0	0	0	0	0	0	46.13	0	0	13.4
2019	11	16	13	28	1	29	0	0	0	0	0	0	0	46.15	0	0	13.4
2019	11	16	13	38	1	29	0	0	0	0	0	0	0	46.22	0	0	13.4
2019	11	16	13	48	1	29	0	0	0	0	0	0	0	46.26	0	0	13.4
2019	11	16	13	58	1	29	0	0	0	0	0	0	0	46.27	0	0	13.4
2019	11	16	14	8	1	29	0	0	0	0	0	0	0	46.33	0	0	13.4
2019	11	16	14	18	1	29	0	0	0	0	0	0	0	46.35	0	0	13.4
2019	11	16	14	28	1	29	0	0	0	0	0	0	0	46.38	0	0	13.4
2019	11	16	14	38	1	28	0	0	0	0	0	0	0	46.4	0	0	13.4
2019	11	16	14	48	1	29	0	0	0	0	0	0	0	46.44	0	0	13.4
2019	11	16	14	58	1	28	0	0	0	0	0	0	0	46.49	0	0	13.4
2019	11	16	15	8	1	28	0	0	0	0	0	0	0	46.49	0	0	13.4
2019	11	16	15	18	1	29	0	0	0	0	0	0	0	46.53	0	0	13.2
2019	11	16	15	28	1	29	0	0	0	0	0	0	0	46.56	0	0	13.2
2019	11	16	15	38	1	29	0	0	0	0	0	0	0	46.58	0	0	13.2
2019	11	16	15	48	1	29	0	0	0	0	0	0	0	46.58	0	0	13.2
2019	11	16	15	58	1	28	0	0	0	0	0	0	0	46.54	0	0	13.2

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	16	16	8	1	29	0	0	0	0	0	0	0	46.58	0	0	13.2
2019	11	16	16	18	1	29	0	0	0	0	0	0	0	46.63	0	0	13.2
2019	11	16	16	28	1	29	0	0	0	0	0	0	0	46.69	0	0	13.2
2019	11	16	16	38	1	28	0	0	0	0	0	0	0	46.72	0	0	13.2
2019	11	16	16	48	1	29	0	0	0	0	0	0	0	46.8	0	0	13.2
2019	11	16	16	58	1	29	0	0	0	0	0	0	0	46.85	0	0	12.2
2019	11	16	17	8	1	29	0	0	0	0	0	0	0	46.89	0	0	12
2019	11	16	17	18	1	29	0	0	0	0	0	0	0	46.96	0	0	12
2019	11	16	17	28	1	29	0	0	0	0	0	0	0	46.99	0	0	12
2019	11	16	17	38	1	29	0	0	0	0	0	0	0	47.05	0	0	12
2019	11	16	17	48	1	28	0	0	0	0	0	0	0	47.1	0	0	12
2019	11	16	17	58	1	29	0	0	0	0	0	0	0	47.16	0	0	12
2019	11	16	18	8	1	28	0	0	0	0	0	0	0	47.21	0	0	12
2019	11	16	18	18	1	29	0	0	0	0	0	0	0	47.25	0	0	12
2019	11	16	18	28	1	28	0	0	0	0	0	0	0	47.3	0	0	12
2019	11	16	18	38	1	29	0	0	0	0	0	0	0	47.34	0	0	12
2019	11	16	18	48	1	28	0	0	0	0	0	0	0	47.37	0	0	12
2019	11	16	18	58	1	29	0	0	0	0	0	0	0	47.41	0	0	12
2019	11	16	19	8	1	29	0	0	0	0	0	0	0	47.44	0	0	12
2019	11	16	19	18	1	28	0	0	0	0	0	0	0	47.48	0	0	12
2019	11	16	19	28	1	29	0	0	0	0	0	0	0	47.52	0	0	12
2019	11	16	19	38	1	29	0	0	0	0	0	0	0	47.55	0	0	12
2019	11	16	19	48	1	29	0	0	0	0	0	0	0	47.57	0	0	11.8
2019	11	16	19	58	1	29	0	0	0	0	0	0	0	47.61	0	0	11.8
2019	11	16	20	8	1	29	0	0	0	0	0	0	0	47.62	0	0	11.8
2019	11	16	20	18	1	28	0	0	0	0	0	0	0	47.62	0	0	11.8
2019	11	16	20	28	1	29	0	0	0	0	0	0	0	47.64	0	0	11.8
2019	11	16	20	38	1	29	0	0	0	0	0	0	0	47.64	0	0	11.8
2019	11	16	20	48	1	29	0	0	0	0	0	0	0	47.64	0	0	11.8
2019	11	16	20	58	1	29	0	0	0	0	0	0	0	47.64	0	0	11.8
2019	11	16	21	8	1	29	0	0	0	0	0	0	0	47.62	0	0	11.8
2019	11	16	21	18	1	29	0	0	0	0	0	0	0	47.62	0	0	11.8
2019	11	16	21	28	1	29	0	0	0	0	0	0	0	47.61	0	0	11.8
2019	11	16	21	38	1	28	0	0	0	0	0	0	0	47.59	0	0	11.8
2019	11	16	21	48	1	29	0	0	0	0	0	0	0	47.57	0	0	11.8
2019	11	16	21	58	1	28	0	0	0	0	0	0	0	47.53	0	0	11.8
2019	11	16	22	8	1	29	0	0	0	0	0	0	0	47.52	0	0	11.8
2019	11	16	22	18	1	28	0	0	0	0	0	0	0	47.48	0	0	11.8
2019	11	16	22	28	1	29	0	0	0	0	0	0	0	47.46	0	0	11.8
2019	11	16	22	38	1	29	0	0	0	0	0	0	0	47.43	0	0	11.8
2019	11	16	22	48	1	29	0	0	0	0	0	0	0	47.39	0	0	11.8
2019	11	16	22	58	1	28	0	0	0	0	0	0	0	47.35	0	0	11.8
2019	11	16	23	8	1	29	0	0	0	0	0	0	0	47.32	0	0	11.8
2019	11	16	23	18	1	29	0	0	0	0	0	0	0	47.28	0	0	11.8
2019	11	16	23	28	1	28	0	0	0	0	0	0	0	47.25	0	0	11.8
2019	11	16	23	38	1	29	0	0	0	0	0	0	0	47.23	0	0	11.8
2019	11	16	23	48	1	29	0	0	0	0	0	0	0	47.19	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	16	23	58	1	28	0	0	0	0	0	0	0	47.16	0	0	11.8
2019	11	17	0	8	1	28	0	0	0	0	0	0	0	47.14	0	0	11.8
2019	11	17	0	18	1	29	0	0	0	0	0	0	0	47.1	0	0	11.8
2019	11	17	0	28	1	28	0	0	0	0	0	0	0	47.07	0	0	11.8
2019	11	17	0	38	1	29	0	0	0	0	0	0	0	47.03	0	0	11.8
2019	11	17	0	48	1	29	0	0	0	0	0	0	0	46.99	0	0	11.8
2019	11	17	0	58	1	29	0	0	0	0	0	0	0	46.96	0	0	11.8
2019	11	17	1	8	1	29	0	0	0	0	0	0	0	46.92	0	0	11.8
2019	11	17	1	18	1	28	0	0	0	0	0	0	0	46.87	0	0	11.8
2019	11	17	1	28	1	29	0	0	0	0	0	0	0	46.83	0	0	11.8
2019	11	17	1	38	1	29	0	0	0	0	0	0	0	46.81	0	0	11.8
2019	11	17	1	48	1	29	0	0	0	0	0	0	0	46.78	0	0	11.8
2019	11	17	1	58	1	28	0	0	0	0	0	0	0	46.74	0	0	11.8
2019	11	17	2	8	1	29	0	0	0	0	0	0	0	46.69	0	0	11.8
2019	11	17	2	18	1	29	0	0	0	0	0	0	0	46.67	0	0	11.8
2019	11	17	2	28	1	29	0	0	0	0	0	0	0	46.63	0	0	11.8
2019	11	17	2	38	1	29	0	0	0	0	0	0	0	46.6	0	0	11.8
2019	11	17	2	48	1	29	0	0	0	0	0	0	0	46.56	0	0	11.8
2019	11	17	2	58	1	29	0	0	0	0	0	0	0	46.54	0	0	11.8
2019	11	17	3	8	1	29	0	0	0	0	0	0	0	46.51	0	0	11.8
2019	11	17	3	18	1	28	0	0	0	0	0	0	0	46.47	0	0	11.8
2019	11	17	3	28	1	28	0	0	0	0	0	0	0	46.44	0	0	11.8
2019	11	17	3	38	1	28	0	0	0	0	0	0	0	46.4	0	0	11.6
2019	11	17	3	48	1	29	0	0	0	0	0	0	0	46.38	0	0	11.6
2019	11	17	3	58	1	29	0	0	0	0	0	0	0	46.35	0	0	11.6
2019	11	17	4	8	1	29	0	0	0	0	0	0	0	46.33	0	0	11.6
2019	11	17	4	18	1	29	0	0	0	0	0	0	0	46.29	0	0	11.6
2019	11	17	4	28	1	29	0	0	0	0	0	0	0	46.26	0	0	11.6
2019	11	17	4	38	1	29	0	0	0	0	0	0	0	46.22	0	0	11.6
2019	11	17	4	48	1	28	0	0	0	0	0	0	0	46.18	0	0	11.6
2019	11	17	4	58	1	28	0	0	0	0	0	0	0	46.15	0	0	11.6
2019	11	17	5	8	1	29	0	0	0	0	0	0	0	46.11	0	0	11.6
2019	11	17	5	18	1	29	0	0	0	0	0	0	0	46.08	0	0	11.6
2019	11	17	5	28	1	29	0	0	0	0	0	0	0	46.06	0	0	11.6
2019	11	17	5	38	1	29	0	0	0	0	0	0	0	46	0	0	11.6
2019	11	17	5	48	1	29	0	0	0	0	0	0	0	45.97	0	0	11.6
2019	11	17	5	58	1	29	0	0	0	0	0	0	0	45.93	0	0	11.6
2019	11	17	6	8	1	29	0	0	0	0	0	0	0	45.9	0	0	11.6
2019	11	17	6	18	1	29	0	0	0	0	0	0	0	45.86	0	0	11.6
2019	11	17	6	28	1	29	0	0	0	0	0	0	0	45.82	0	0	11.6
2019	11	17	6	38	1	29	0	0	0	0	0	0	0	45.79	0	0	11.6
2019	11	17	6	48	1	29	0	0	0	0	0	0	0	45.75	0	0	11.6
2019	11	17	6	58	1	29	0	0	0	0	0	0	0	45.72	0	0	11.6
2019	11	17	7	8	1	29	0	0	0	0	0	0	0	45.68	0	0	11.6
2019	11	17	7	18	1	28	0	0	0	0	0	0	0	45.64	0	0	11.6
2019	11	17	7	28	1	29	0	0	0	0	0	0	0	45.61	0	0	11.6
2019	11	17	7	38	1	28	0	0	0	0	0	0	0	45.55	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	17	7	48	1	29	0	0	0	0	0	0	0	45.52	0	0	11.6
2019	11	17	7	58	1	28	0	0	0	0	0	0	0	45.48	0	0	11.6
2019	11	17	8	8	1	30	0	0	0	0	0	0	0	45.45	0	0	11.6
2019	11	17	8	18	1	29	0	0	0	0	0	0	0	45.41	0	0	11.6
2019	11	17	8	28	1	29	0	0	0	0	0	0	0	45.41	0	0	12.6
2019	11	17	8	38	1	29	0	0	0	0	0	0	0	45.39	0	0	12.8
2019	11	17	8	48	1	29	0	0	0	0	0	0	0	45.39	0	0	13
2019	11	17	8	58	1	28	0	0	0	0	0	0	0	45.39	0	0	13
2019	11	17	9	8	1	29	0	0	0	0	0	0	0	45.41	0	0	13
2019	11	17	9	18	1	29	0	0	0	0	0	0	0	45.43	0	0	13.2
2019	11	17	9	28	1	29	0	0	0	0	0	0	0	45.43	0	0	13.6
2019	11	17	9	38	1	28	0	0	0	0	0	0	0	45.46	0	0	13.6
2019	11	17	9	48	1	28	0	0	0	0	0	0	0	45.48	0	0	13.6
2019	11	17	9	58	1	29	0	0	0	0	0	0	0	45.52	0	0	13.6
2019	11	17	10	8	1	29	0	0	0	0	0	0	0	45.55	0	0	13.6
2019	11	17	10	18	1	28	0	0	0	0	0	0	0	45.61	0	0	13.6
2019	11	17	10	28	1	29	0	0	0	0	0	0	0	45.63	0	0	13.6
2019	11	17	10	38	1	29	0	0	0	0	0	0	0	45.66	0	0	13.6
2019	11	17	10	48	1	29	0	0	0	0	0	0	0	45.73	0	0	13.4
2019	11	17	10	58	1	29	0	0	0	0	0	0	0	45.77	0	0	13.4
2019	11	17	11	8	1	29	0	0	0	0	0	0	0	45.81	0	0	13.4
2019	11	17	11	18	1	28	0	0	0	0	0	0	0	45.84	0	0	13.4
2019	11	17	11	28	1	29	0	0	0	0	0	0	0	45.9	0	0	13.4
2019	11	17	11	38	1	29	0	0	0	0	0	0	0	45.95	0	0	13.4
2019	11	17	11	48	1	29	0	0	0	0	0	0	0	45.99	0	0	13.4
2019	11	17	11	58	1	29	0	0	0	0	0	0	0	46.02	0	0	13.4
2019	11	17	12	8	1	30	0	0	0	0	0	0	0	46.09	0	0	13.4
2019	11	17	12	18	1	29	0	0	0	0	0	0	0	46.15	0	0	13.4
2019	11	17	12	28	1	28	0	0	0	0	0	0	0	46.2	0	0	13.4
2019	11	17	12	38	1	29	0	0	0	0	0	0	0	46.24	0	0	13.4
2019	11	17	12	48	1	29	0	0	0	0	0	0	0	46.29	0	0	13.4
2019	11	17	12	58	1	29	0	0	0	0	0	0	0	46.35	0	0	13.4
2019	11	17	13	8	1	30	0	0	0	0	0	0	0	46.35	0	0	13.4
2019	11	17	13	18	1	29	0	0	0	0	0	0	0	46.42	0	0	13.4
2019	11	17	13	28	1	29	0	0	0	0	0	0	0	46.47	0	0	13.4
2019	11	17	13	38	1	28	0	0	0	0	0	0	0	46.49	0	0	13.2
2019	11	17	13	48	1	29	0	0	0	0	0	0	0	46.53	0	0	13.2
2019	11	17	13	58	1	29	0	0	0	0	0	0	0	46.58	0	0	13.2
2019	11	17	14	8	1	28	0	0	0	0	0	0	0	46.62	0	0	13.2
2019	11	17	14	18	1	29	0	0	0	0	0	0	0	46.63	0	0	13.2
2019	11	17	14	28	1	29	0	0	0	0	0	0	0	46.69	0	0	13.2
2019	11	17	14	38	1	29	0	0	0	0	0	0	0	46.72	0	0	13.2
2019	11	17	14	48	1	29	0	0	0	0	0	0	0	46.76	0	0	13.2
2019	11	17	14	58	1	28	0	0	0	0	0	0	0	46.74	0	0	13.2
2019	11	17	15	8	1	29	0	0	0	0	0	0	0	46.74	0	0	13.2
2019	11	17	15	18	1	29	0	0	0	0	0	0	0	46.74	0	0	13.2
2019	11	17	15	28	1	28	0	0	0	0	0	0	0	46.8	0	0	13.2

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	17	15	38	1	28	0	0	0	0	0	0	0	46.81	0	0	13.2
2019	11	17	15	48	1	29	0	0	0	0	0	0	0	46.8	0	0	13.2
2019	11	17	15	58	1	29	0	0	0	0	0	0	0	46.8	0	0	13.2
2019	11	17	16	8	1	28	0	0	0	0	0	0	0	46.83	0	0	13.2
2019	11	17	16	18	1	29	0	0	0	0	0	0	0	46.89	0	0	13.2
2019	11	17	16	28	1	29	0	0	0	0	0	0	0	46.92	0	0	13.2
2019	11	17	16	38	1	29	0	0	0	0	0	0	0	46.98	0	0	13.2
2019	11	17	16	48	1	29	0	0	0	0	0	0	0	47.03	0	0	13.2
2019	11	17	16	58	1	29	0	0	0	0	0	0	0	47.07	0	0	12.2
2019	11	17	17	8	1	29	0	0	0	0	0	0	0	47.12	0	0	12
2019	11	17	17	18	1	29	0	0	0	0	0	0	0	47.17	0	0	12
2019	11	17	17	28	1	29	0	0	0	0	0	0	0	47.21	0	0	12
2019	11	17	17	38	1	29	0	0	0	0	0	0	0	47.25	0	0	12
2019	11	17	17	48	1	29	0	0	0	0	0	0	0	47.3	0	0	12
2019	11	17	17	58	1	29	0	0	0	0	0	0	0	47.34	0	0	12
2019	11	17	18	8	1	29	0	0	0	0	0	0	0	47.37	0	0	12
2019	11	17	18	18	1	28	0	0	0	0	0	0	0	47.41	0	0	12
2019	11	17	18	28	1	28	0	0	0	0	0	0	0	47.44	0	0	12
2019	11	17	18	38	1	29	0	0	0	0	0	0	0	47.48	0	0	12
2019	11	17	18	48	1	28	0	0	0	0	0	0	0	47.52	0	0	12
2019	11	17	18	58	1	28	0	0	0	0	0	0	0	47.55	0	0	12
2019	11	17	19	8	1	29	0	0	0	0	0	0	0	47.59	0	0	12
2019	11	17	19	18	1	29	0	0	0	0	0	0	0	47.61	0	0	12
2019	11	17	19	28	1	29	0	0	0	0	0	0	0	47.62	0	0	12
2019	11	17	19	38	1	28	0	0	0	0	0	0	0	47.64	0	0	12
2019	11	17	19	48	1	28	0	0	0	0	0	0	0	47.66	0	0	11.8
2019	11	17	19	58	1	29	0	0	0	0	0	0	0	47.68	0	0	11.8
2019	11	17	20	8	1	29	0	0	0	0	0	0	0	47.7	0	0	11.8
2019	11	17	20	18	1	29	0	0	0	0	0	0	0	47.7	0	0	11.8
2019	11	17	20	28	1	29	0	0	0	0	0	0	0	47.7	0	0	11.8
2019	11	17	20	38	1	29	0	0	0	0	0	0	0	47.7	0	0	11.8
2019	11	17	20	48	1	29	0	0	0	0	0	0	0	47.68	0	0	11.8
2019	11	17	20	58	1	28	0	0	0	0	0	0	0	47.68	0	0	11.8
2019	11	17	21	8	1	29	0	0	0	0	0	0	0	47.66	0	0	11.8
2019	11	17	21	18	1	29	0	0	0	0	0	0	0	47.64	0	0	11.8
2019	11	17	21	28	1	28	0	0	0	0	0	0	0	47.62	0	0	11.8
2019	11	17	21	38	1	29	0	0	0	0	0	0	0	47.61	0	0	11.8
2019	11	17	21	48	1	28	0	0	0	0	0	0	0	47.57	0	0	11.8
2019	11	17	21	58	1	28	0	0	0	0	0	0	0	47.55	0	0	11.8
2019	11	17	22	8	1	28	0	0	0	0	0	0	0	47.52	0	0	11.8
2019	11	17	22	18	1	29	0	0	0	0	0	0	0	47.48	0	0	11.8
2019	11	17	22	28	1	28	0	0	0	0	0	0	0	47.44	0	0	11.8
2019	11	17	22	38	1	28	0	0	0	0	0	0	0	47.41	0	0	11.8
2019	11	17	22	48	1	29	0	0	0	0	0	0	0	47.37	0	0	11.8
2019	11	17	22	58	1	28	0	0	0	0	0	0	0	47.34	0	0	11.8
2019	11	17	23	8	1	28	0	0	0	0	0	0	0	47.3	0	0	11.8
2019	11	17	23	18	1	29	0	0	0	0	0	0	0	47.26	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	17	23	28	1	29	0	0	0	0	0	0	0	47.23	0	0	11.8
2019	11	17	23	38	1	29	0	0	0	0	0	0	0	47.19	0	0	11.8
2019	11	17	23	48	1	29	0	0	0	0	0	0	0	47.16	0	0	11.8
2019	11	17	23	58	1	28	0	0	0	0	0	0	0	47.12	0	0	11.8
2019	11	18	0	8	1	29	0	0	0	0	0	0	0	47.08	0	0	11.8
2019	11	18	0	18	1	29	0	0	0	0	0	0	0	47.05	0	0	11.8
2019	11	18	0	28	1	28	0	0	0	0	0	0	0	47.01	0	0	11.8
2019	11	18	0	38	1	29	0	0	0	0	0	0	0	46.98	0	0	11.8
2019	11	18	0	48	1	29	0	0	0	0	0	0	0	46.94	0	0	11.8
2019	11	18	0	58	1	28	0	0	0	0	0	0	0	46.9	0	0	11.8
2019	11	18	1	8	1	29	0	0	0	0	0	0	0	46.87	0	0	11.8
2019	11	18	1	18	1	29	0	0	0	0	0	0	0	46.83	0	0	11.8
2019	11	18	1	28	1	28	0	0	0	0	0	0	0	46.81	0	0	11.8
2019	11	18	1	38	1	29	0	0	0	0	0	0	0	46.76	0	0	11.8
2019	11	18	1	48	1	28	0	0	0	0	0	0	0	46.74	0	0	11.8
2019	11	18	1	58	1	29	0	0	0	0	0	0	0	46.71	0	0	11.8
2019	11	18	2	8	1	29	0	0	0	0	0	0	0	46.67	0	0	11.8
2019	11	18	2	18	1	29	0	0	0	0	0	0	0	46.65	0	0	11.8
2019	11	18	2	28	1	29	0	0	0	0	0	0	0	46.6	0	0	11.8
2019	11	18	2	38	1	29	0	0	0	0	0	0	0	46.56	0	0	11.8
2019	11	18	2	48	1	29	0	0	0	0	0	0	0	46.53	0	0	11.8
2019	11	18	2	58	1	29	0	0	0	0	0	0	0	46.51	0	0	11.8
2019	11	18	3	8	1	29	0	0	0	0	0	0	0	46.49	0	0	11.8
2019	11	18	3	18	1	29	0	0	0	0	0	0	0	46.45	0	0	11.6
2019	11	18	3	28	1	29	0	0	0	0	0	0	0	46.44	0	0	11.6
2019	11	18	3	38	1	29	0	0	0	0	0	0	0	46.4	0	0	11.6
2019	11	18	3	48	1	29	0	0	0	0	0	0	0	46.36	0	0	11.6
2019	11	18	3	58	1	29	0	0	0	0	0	0	0	46.33	0	0	11.6
2019	11	18	4	8	1	29	0	0	0	0	0	0	0	46.29	0	0	11.6
2019	11	18	4	18	1	29	0	0	0	0	0	0	0	46.26	0	0	11.6
2019	11	18	4	28	1	29	0	0	0	0	0	0	0	46.2	0	0	11.6
2019	11	18	4	38	1	29	0	0	0	0	0	0	0	46.17	0	0	11.6
2019	11	18	4	48	1	29	0	0	0	0	0	0	0	46.11	0	0	11.6
2019	11	18	4	58	1	29	0	0	0	0	0	0	0	46.08	0	0	11.6
2019	11	18	5	8	1	29	0	0	0	0	0	0	0	46.04	0	0	11.6
2019	11	18	5	18	1	29	0	0	0	0	0	0	0	46	0	0	11.6
2019	11	18	5	28	1	29	0	0	0	0	0	0	0	45.95	0	0	11.6
2019	11	18	5	38	1	29	0	0	0	0	0	0	0	45.9	0	0	11.6
2019	11	18	5	48	1	29	0	0	0	0	0	0	0	45.86	0	0	11.6
2019	11	18	5	58	1	29	0	0	0	0	0	0	0	45.82	0	0	11.6
2019	11	18	6	8	1	29	0	0	0	0	0	0	0	45.79	0	0	11.6
2019	11	18	6	18	1	29	0	0	0	0	0	0	0	45.73	0	0	11.6
2019	11	18	6	28	1	29	0	0	0	0	0	0	0	45.68	0	0	11.6
2019	11	18	6	38	1	28	0	0	0	0	0	0	0	45.64	0	0	11.6
2019	11	18	6	48	1	29	0	0	0	0	0	0	0	45.59	0	0	11.6
2019	11	18	6	58	1	29	0	0	0	0	0	0	0	45.54	0	0	11.6
2019	11	18	7	8	1	28	0	0	0	0	0	0	0	45.5	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	18	7	18	1	29	0	0	0	0	0	0	0	45.45	0	0	11.6
2019	11	18	7	28	1	28	0	0	0	0	0	0	0	45.41	0	0	11.6
2019	11	18	7	38	1	29	0	0	0	0	0	0	0	45.36	0	0	11.6
2019	11	18	7	48	1	29	0	0	0	0	0	0	0	45.32	0	0	11.6
2019	11	18	7	58	1	29	0	0	0	0	0	0	0	45.28	0	0	11.6
2019	11	18	8	8	1	28	0	0	0	0	0	0	0	45.25	0	0	11.6
2019	11	18	8	18	1	30	0	0	0	0	0	0	0	45.21	0	0	11.6
2019	11	18	8	28	1	29	0	0	0	0	0	0	0	45.19	0	0	12.4
2019	11	18	8	38	1	29	0	0	0	0	0	0	0	45.19	0	0	13
2019	11	18	8	48	1	29	0	0	0	0	0	0	0	45.19	0	0	13
2019	11	18	8	58	1	29	0	0	0	0	0	0	0	45.19	0	0	13
2019	11	18	9	8	1	29	0	0	0	0	0	0	0	45.19	0	0	13.2
2019	11	18	9	18	1	28	0	0	0	0	0	0	0	45.21	0	0	13.2
2019	11	18	9	28	1	29	0	0	0	0	0	0	0	45.23	0	0	13.8
2019	11	18	9	38	1	29	0	0	0	0	0	0	0	45.27	0	0	13.6
2019	11	18	9	48	1	30	0	0	0	0	0	0	0	45.3	0	0	13.6
2019	11	18	9	58	1	28	0	0	0	0	0	0	0	45.34	0	0	13.6
2019	11	18	10	8	1	29	0	0	0	0	0	0	0	45.36	0	0	13.6
2019	11	18	10	18	1	28	0	0	0	0	0	0	0	45.39	0	0	13.6
2019	11	18	10	28	1	29	0	0	0	0	0	0	0	45.41	0	0	13.6
2019	11	18	10	38	1	28	0	0	0	0	0	0	0	45.48	0	0	13.6
2019	11	18	10	48	1	29	0	0	0	0	0	0	0	45.52	0	0	13.6
2019	11	18	10	58	1	29	0	0	0	0	0	0	0	45.55	0	0	13.6
2019	11	18	11	8	1	29	0	0	0	0	0	0	0	45.59	0	0	13.6
2019	11	18	11	18	1	29	0	0	0	0	0	0	0	45.63	0	0	13.6
2019	11	18	11	28	1	29	0	0	0	0	0	0	0	45.7	0	0	13.4
2019	11	18	11	38	1	29	0	0	0	0	0	0	0	45.75	0	0	13.4
2019	11	18	11	48	1	29	0	0	0	0	0	0	0	45.82	0	0	13.4
2019	11	18	11	58	1	30	0	0	0	0	0	0	0	45.84	0	0	13.4
2019	11	18	12	8	1	29	0	0	0	0	0	0	0	45.9	0	0	13.4
2019	11	18	12	18	1	28	0	0	0	0	0	0	0	45.93	0	0	13.4
2019	11	18	12	28	1	29	0	0	0	0	0	0	0	45.99	0	0	13.4
2019	11	18	12	38	1	29	0	0	0	0	0	0	0	46.04	0	0	13.4
2019	11	18	12	48	1	29	0	0	0	0	0	0	0	46.08	0	0	13.4
2019	11	18	12	58	1	29	0	0	0	0	0	0	0	46.13	0	0	13.4
2019	11	18	13	8	1	29	0	0	0	0	0	0	0	46.17	0	0	13.4
2019	11	18	13	18	1	29	0	0	0	0	0	0	0	46.22	0	0	13.4
2019	11	18	13	28	1	29	0	0	0	0	0	0	0	46.27	0	0	13.4
2019	11	18	13	38	1	29	0	0	0	0	0	0	0	46.29	0	0	13.4
2019	11	18	13	48	1	29	0	0	0	0	0	0	0	46.35	0	0	13.4
2019	11	18	13	58	1	29	0	0	0	0	0	0	0	46.38	0	0	13.2
2019	11	18	14	8	1	29	0	0	0	0	0	0	0	46.42	0	0	13.2
2019	11	18	14	18	1	29	0	0	0	0	0	0	0	46.44	0	0	13.2
2019	11	18	14	28	1	29	0	0	0	0	0	0	0	46.45	0	0	13.2
2019	11	18	14	38	1	29	0	0	0	0	0	0	0	46.49	0	0	13.2
2019	11	18	14	48	1	29	0	0	0	0	0	0	0	46.53	0	0	13.2
2019	11	18	14	58	1	29	0	0	0	0	0	0	0	46.54	0	0	13.2

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	18	15	8	1	29	0	0	0	0	0	0	0	46.56	0	0	13.2
2019	11	18	15	18	1	29	0	0	0	0	0	0	0	46.6	0	0	13.2
2019	11	18	15	28	1	29	0	0	0	0	0	0	0	46.63	0	0	13.2
2019	11	18	15	38	1	28	0	0	0	0	0	0	0	46.65	0	0	13.2
2019	11	18	15	48	1	29	0	0	0	0	0	0	0	46.63	0	0	13.2
2019	11	18	15	58	1	29	0	0	0	0	0	0	0	46.6	0	0	13.2
2019	11	18	16	8	1	29	0	0	0	0	0	0	0	46.63	0	0	13.2
2019	11	18	16	18	1	29	0	0	0	0	0	0	0	46.69	0	0	13.2
2019	11	18	16	28	1	29	0	0	0	0	0	0	0	46.74	0	0	13.2
2019	11	18	16	38	1	29	0	0	0	0	0	0	0	46.78	0	0	13.2
2019	11	18	16	48	1	30	0	0	0	0	0	0	0	46.83	0	0	13.2
2019	11	18	16	58	1	28	0	0	0	0	0	0	0	46.87	0	0	12.2
2019	11	18	17	8	1	29	0	0	0	0	0	0	0	46.94	0	0	12
2019	11	18	17	18	1	28	0	0	0	0	0	0	0	46.98	0	0	12
2019	11	18	17	28	1	28	0	0	0	0	0	0	0	47.03	0	0	12
2019	11	18	17	38	1	29	0	0	0	0	0	0	0	47.08	0	0	12
2019	11	18	17	48	1	29	0	0	0	0	0	0	0	47.12	0	0	12
2019	11	18	17	58	1	29	0	0	0	0	0	0	0	47.17	0	0	12
2019	11	18	18	8	1	29	0	0	0	0	0	0	0	47.21	0	0	12
2019	11	18	18	18	1	29	0	0	0	0	0	0	0	47.25	0	0	12
2019	11	18	18	28	1	29	0	0	0	0	0	0	0	47.28	0	0	12
2019	11	18	18	38	1	29	0	0	0	0	0	0	0	47.3	0	0	12
2019	11	18	18	48	1	29	0	0	0	0	0	0	0	47.34	0	0	12
2019	11	18	18	58	1	29	0	0	0	0	0	0	0	47.37	0	0	12
2019	11	18	19	8	1	29	0	0	0	0	0	0	0	47.39	0	0	12
2019	11	18	19	18	1	29	0	0	0	0	0	0	0	47.43	0	0	12
2019	11	18	19	28	1	28	0	0	0	0	0	0	0	47.44	0	0	12
2019	11	18	19	38	1	28	0	0	0	0	0	0	0	47.48	0	0	11.8
2019	11	18	19	48	1	29	0	0	0	0	0	0	0	47.48	0	0	11.8
2019	11	18	19	58	1	29	0	0	0	0	0	0	0	47.48	0	0	11.8
2019	11	18	20	8	1	29	0	0	0	0	0	0	0	47.5	0	0	11.8
2019	11	18	20	18	1	28	0	0	0	0	0	0	0	47.5	0	0	11.8
2019	11	18	20	28	1	28	0	0	0	0	0	0	0	47.5	0	0	11.8
2019	11	18	20	38	1	28	0	0	0	0	0	0	0	47.48	0	0	11.8
2019	11	18	20	48	1	29	0	0	0	0	0	0	0	47.46	0	0	11.8
2019	11	18	20	58	1	29	0	0	0	0	0	0	0	47.46	0	0	11.8
2019	11	18	21	8	1	29	0	0	0	0	0	0	0	47.44	0	0	11.8
2019	11	18	21	18	1	29	0	0	0	0	0	0	0	47.43	0	0	11.8
2019	11	18	21	28	1	29	0	0	0	0	0	0	0	47.41	0	0	11.8
2019	11	18	21	38	1	29	0	0	0	0	0	0	0	47.37	0	0	11.8
2019	11	18	21	48	1	29	0	0	0	0	0	0	0	47.35	0	0	11.8
2019	11	18	21	58	1	29	0	0	0	0	0	0	0	47.32	0	0	11.8
2019	11	18	22	8	1	29	0	0	0	0	0	0	0	47.26	0	0	11.8
2019	11	18	22	18	1	29	0	0	0	0	0	0	0	47.23	0	0	11.8
2019	11	18	22	28	1	29	0	0	0	0	0	0	0	47.19	0	0	11.8
2019	11	18	22	38	1	29	0	0	0	0	0	0	0	47.16	0	0	11.8
2019	11	18	22	48	1	29	0	0	0	0	0	0	0	47.12	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	18	22	58	1	29	0	0	0	0	0	0	0	47.07	0	0	11.8
2019	11	18	23	8	1	28	0	0	0	0	0	0	0	47.05	0	0	11.8
2019	11	18	23	18	1	29	0	0	0	0	0	0	0	46.99	0	0	11.8
2019	11	18	23	28	1	29	0	0	0	0	0	0	0	46.96	0	0	11.8
2019	11	18	23	38	1	28	0	0	0	0	0	0	0	46.92	0	0	11.8
2019	11	18	23	48	1	29	0	0	0	0	0	0	0	46.87	0	0	11.8
2019	11	18	23	58	1	28	0	0	0	0	0	0	0	46.83	0	0	11.8
2019	11	19	0	8	1	29	0	0	0	0	0	0	0	46.8	0	0	11.8
2019	11	19	0	18	1	29	0	0	0	0	0	0	0	46.76	0	0	11.8
2019	11	19	0	28	1	29	0	0	0	0	0	0	0	46.71	0	0	11.8
2019	11	19	0	38	1	29	0	0	0	0	0	0	0	46.67	0	0	11.8
2019	11	19	0	48	1	29	0	0	0	0	0	0	0	46.63	0	0	11.8
2019	11	19	0	58	1	29	0	0	0	0	0	0	0	46.58	0	0	11.8
2019	11	19	1	8	1	28	0	0	0	0	0	0	0	46.54	0	0	11.8
2019	11	19	1	18	1	29	0	0	0	0	0	0	0	46.51	0	0	11.8
2019	11	19	1	28	1	29	0	0	0	0	0	0	0	46.47	0	0	11.8
2019	11	19	1	38	1	29	0	0	0	0	0	0	0	46.42	0	0	11.8
2019	11	19	1	48	1	29	0	0	0	0	0	0	0	46.4	0	0	11.8
2019	11	19	1	58	1	29	0	0	0	0	0	0	0	46.35	0	0	11.8
2019	11	19	2	8	1	29	0	0	0	0	0	0	0	46.31	0	0	11.8
2019	11	19	2	18	1	29	0	0	0	0	0	0	0	46.26	0	0	11.8
2019	11	19	2	28	1	29	0	0	0	0	0	0	0	46.22	0	0	11.8
2019	11	19	2	38	1	29	0	0	0	0	0	0	0	46.17	0	0	11.8
2019	11	19	2	48	1	29	0	0	0	0	0	0	0	46.11	0	0	11.6
2019	11	19	2	58	1	29	0	0	0	0	0	0	0	46.08	0	0	11.6
2019	11	19	3	8	1	29	0	0	0	0	0	0	0	46.02	0	0	11.6
2019	11	19	3	18	1	28	0	0	0	0	0	0	0	45.99	0	0	11.6
2019	11	19	3	28	1	29	0	0	0	0	0	0	0	45.93	0	0	11.6
2019	11	19	3	38	1	28	0	0	0	0	0	0	0	45.88	0	0	11.6
2019	11	19	3	48	1	28	0	0	0	0	0	0	0	45.82	0	0	11.6
2019	11	19	3	58	1	29	0	0	0	0	0	0	0	45.79	0	0	11.6
2019	11	19	4	8	1	29	0	0	0	0	0	0	0	45.73	0	0	11.6
2019	11	19	4	18	1	29	0	0	0	0	0	0	0	45.68	0	0	11.6
2019	11	19	4	28	1	29	0	0	0	0	0	0	0	45.64	0	0	11.6
2019	11	19	4	38	1	29	0	0	0	0	0	0	0	45.59	0	0	11.6
2019	11	19	4	48	1	29	0	0	0	0	0	0	0	45.54	0	0	11.6
2019	11	19	4	58	1	28	0	0	0	0	0	0	0	45.48	0	0	11.6
2019	11	19	5	8	1	29	0	0	0	0	0	0	0	45.43	0	0	11.6
2019	11	19	5	18	1	30	0	0	0	0	0	0	0	45.37	0	0	11.6
2019	11	19	5	28	1	29	0	0	0	0	0	0	0	45.32	0	0	11.6
2019	11	19	5	38	1	29	0	0	0	0	0	0	0	45.28	0	0	11.6
2019	11	19	5	48	1	28	0	0	0	0	0	0	0	45.23	0	0	11.6
2019	11	19	5	58	1	29	0	0	0	0	0	0	0	45.18	0	0	11.6
2019	11	19	6	8	1	29	0	0	0	0	0	0	0	45.12	0	0	11.6
2019	11	19	6	18	1	29	0	0	0	0	0	0	0	45.07	0	0	11.6
2019	11	19	6	28	1	29	0	0	0	0	0	0	0	45.03	0	0	11.6
2019	11	19	6	38	1	29	0	0	0	0	0	0	0	44.98	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	19	6	48	1	29	0	0	0	0	0	0	0	44.92	0	0	11.6
2019	11	19	6	58	1	29	0	0	0	0	0	0	0	44.85	0	0	11.6
2019	11	19	7	8	1	29	0	0	0	0	0	0	0	44.82	0	0	11.6
2019	11	19	7	18	1	29	0	0	0	0	0	0	0	44.78	0	0	11.6
2019	11	19	7	28	1	29	0	0	0	0	0	0	0	44.71	0	0	11.6
2019	11	19	7	38	1	29	0	0	0	0	0	0	0	44.67	0	0	11.6
2019	11	19	7	48	1	29	0	0	0	0	0	0	0	44.64	0	0	11.6
2019	11	19	7	58	1	28	0	0	0	0	0	0	0	44.58	0	0	11.6
2019	11	19	8	8	1	29	0	0	0	0	0	0	0	44.55	0	0	11.6
2019	11	19	8	18	1	29	0	0	0	0	0	0	0	44.51	0	0	11.6
2019	11	19	8	28	1	29	0	0	0	0	0	0	0	44.53	0	0	12.6
2019	11	19	8	38	1	29	0	0	0	0	0	0	0	44.51	0	0	13.2
2019	11	19	8	48	1	29	0	0	0	0	0	0	0	44.51	0	0	13.2
2019	11	19	8	58	1	28	0	0	0	0	0	0	0	44.49	0	0	12.8
2019	11	19	9	8	1	29	0	0	0	0	0	0	0	44.51	0	0	13
2019	11	19	9	18	1	29	0	0	0	0	0	0	0	44.55	0	0	13.4
2019	11	19	9	28	1	29	0	0	0	0	0	0	0	44.6	0	0	13.8
2019	11	19	9	38	1	29	0	0	0	0	0	0	0	44.58	0	0	13.6
2019	11	19	9	48	1	30	0	0	0	0	0	0	0	44.55	0	0	13
2019	11	19	9	58	1	29	0	0	0	0	0	0	0	44.55	0	0	12.8
2019	11	19	10	8	1	30	0	0	0	0	0	0	0	44.55	0	0	13.2
2019	11	19	10	18	1	29	0	0	0	0	0	0	0	44.58	0	0	13.6
2019	11	19	10	28	1	29	0	0	0	0	0	0	0	44.58	0	0	13.2
2019	11	19	10	38	1	29	0	0	0	0	0	0	0	44.58	0	0	13.4
2019	11	19	10	48	1	29	0	0	0	0	0	0	0	44.65	0	0	13.6
2019	11	19	10	58	1	29	0	0	0	0	0	0	0	44.73	0	0	13.6
2019	11	19	11	8	1	29	0	0	0	0	0	0	0	44.73	0	0	13.6
2019	11	19	11	18	1	29	0	0	0	0	0	0	0	44.69	0	0	13.4
2019	11	19	11	28	1	29	0	0	0	0	0	0	0	44.67	0	0	13.2
2019	11	19	11	38	1	29	0	0	0	0	0	0	0	44.67	0	0	13.2
2019	11	19	11	48	1	29	0	0	0	0	0	0	0	44.69	0	0	13.6
2019	11	19	11	58	1	29	0	0	0	0	0	0	0	44.76	0	0	13.6
2019	11	19	12	8	1	29	0	0	0	0	0	0	0	44.96	0	0	13.6
2019	11	19	12	18	1	29	0	0	0	0	0	0	0	44.83	0	0	13.6
2019	11	19	12	28	1	28	0	0	0	0	0	0	0	44.83	0	0	13.6
2019	11	19	12	38	1	29	0	0	0	0	0	0	0	44.82	0	0	13
2019	11	19	12	48	1	29	0	0	0	0	0	0	0	44.83	0	0	13
2019	11	19	12	1	52	28	0	0	0	0	0	0	0	7.15	0	0	13.4
2019	11	19	12	11	52	30	0	0	0	0	0	0	0	7.18	0	0	13.6
2019	11	19	12	21	52	29	0	0	0	0	0	0	0	7.19	0	0	13.6
2019	11	19	12	31	52	29	0	0	0	0	0	0	0	7.21	0	0	13.6
2019	11	19	12	41	52	29	0	0	0	0	0	0	0	7.23	0	0	13.6
2019	11	19	12	51	52	29	0	0	0	0	0	0	0	7.24	0	0	13.6
2019	11	19	13	1	52	28	0	0	0	0	0	0	0	7.27	0	0	13.6
2019	11	19	13	11	52	30	0	0	0	0	0	0	0	7.29	0	0	13.6
2019	11	19	13	21	52	29	0	0	0	0	0	0	0	7.32	0	0	13.6
2019	11	19	13	31	52	29	0	0	0	0	0	0	0	7.36	0	0	13.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	19	13	41	52	29	0	0	0	0	0	0	0	7.47	0	0	13.6
2019	11	19	13	51	52	29	0	0	0	0	0	0	0	7.51	0	0	13.6
2019	11	19	14	1	52	29	0	0	0	0	0	0	0	7.55	0	0	13.6
2019	11	19	14	11	52	29	0	0	0	0	0	0	0	7.58	0	0	13.6
2019	11	19	14	21	52	29	0	0	0	0	0	0	0	7.61	0	0	13.4
2019	11	19	14	31	52	28	0	0	0	0	0	0	0	7.64	0	0	13.4
2019	11	19	14	41	52	29	0	0	0	0	0	0	0	7.66	0	0	13.4
2019	11	19	14	51	52	29	0	0	0	0	0	0	0	7.63	0	0	13.4
2019	11	19	15	1	52	29	0	0	0	0	0	0	0	7.64	0	0	13.4
2019	11	19	15	11	52	28	0	0	0	0	0	0	0	7.66	0	0	13.4
2019	11	19	15	21	52	29	0	0	0	0	0	0	0	7.68	0	0	13.4
2019	11	19	15	31	52	29	0	0	0	0	0	0	0	7.7	0	0	13.2
2019	11	19	15	41	52	29	0	0	0	0	0	0	0	7.71	0	0	12.4
2019	11	19	15	51	52	29	0	0	0	0	0	0	0	7.73	0	0	12.2
2019	11	19	16	1	52	29	0	0	0	0	0	0	0	7.75	0	0	12.2
2019	11	19	16	11	52	29	0	0	0	0	0	0	0	7.77	0	0	12.2
2019	11	19	16	21	52	29	0	0	0	0	0	0	0	7.79	0	0	12.2
2019	11	19	16	31	52	28	0	0	0	0	0	0	0	7.81	0	0	12.2
2019	11	19	16	41	52	29	0	0	0	0	0	0	0	7.82	0	0	12.2
2019	11	19	16	51	52	29	0	0	0	0	0	0	0	7.84	0	0	12.2
2019	11	19	17	1	52	29	0	0	0	0	0	0	0	7.85	0	0	12.2
2019	11	19	17	11	52	29	0	0	0	0	0	0	0	7.87	0	0	12.2
2019	11	19	17	21	52	29	0	0	0	0	0	0	0	7.88	0	0	12.2
2019	11	19	17	31	52	28	0	0	0	0	0	0	0	7.9	0	0	12.2
2019	11	19	17	41	52	29	0	0	0	0	0	0	0	7.91	0	0	12.2
2019	11	19	17	51	52	29	0	0	0	0	0	0	0	7.92	0	0	12
2019	11	19	18	1	52	29	0	0	0	0	0	0	0	7.93	0	0	12
2019	11	19	18	11	52	29	0	0	0	0	0	0	0	7.94	0	0	12
2019	11	19	18	21	52	29	0	0	0	0	0	0	0	7.95	0	0	12
2019	11	19	18	31	52	29	0	0	0	0	0	0	0	7.97	0	0	12
2019	11	19	18	41	52	29	0	0	0	0	0	0	0	7.97	0	0	12
2019	11	19	18	51	52	29	0	0	0	0	0	0	0	7.98	0	0	12
2019	11	19	19	1	52	29	0	0	0	0	0	0	0	7.99	0	0	12
2019	11	19	19	11	52	29	0	0	0	0	0	0	0	8	0	0	12
2019	11	19	19	21	52	29	0	0	0	0	0	0	0	8.01	0	0	12
2019	11	19	19	31	52	29	0	0	0	0	0	0	0	8.01	0	0	12
2019	11	19	19	41	52	29	0	0	0	0	0	0	0	8.02	0	0	12
2019	11	19	19	51	52	29	0	0	0	0	0	0	0	8.02	0	0	12
2019	11	19	20	1	52	29	0	0	0	0	0	0	0	8.03	0	0	12
2019	11	19	20	11	52	28	0	0	0	0	0	0	0	8.03	0	0	12
2019	11	19	20	21	52	29	0	0	0	0	0	0	0	8.04	0	0	12
2019	11	19	20	31	52	29	0	0	0	0	0	0	0	8.04	0	0	12
2019	11	19	20	41	52	29	0	0	0	0	0	0	0	8.04	0	0	12
2019	11	19	20	51	52	29	0	0	0	0	0	0	0	8.04	0	0	12
2019	11	19	21	1	52	29	0	0	0	0	0	0	0	8.03	0	0	12
2019	11	19	21	11	52	29	0	0	0	0	0	0	0	8.03	0	0	12
2019	11	19	21	21	52	29	0	0	0	0	0	0	0	8.02	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	19	21	31	52	28	0	0	0	0	0	0	0	8.03	0	0	12
2019	11	19	21	41	52	29	0	0	0	0	0	0	0	8.01	0	0	12
2019	11	19	21	51	52	29	0	0	0	0	0	0	0	8.01	0	0	12
2019	11	19	22	1	52	28	0	0	0	0	0	0	0	8	0	0	12
2019	11	19	22	11	52	29	0	0	0	0	0	0	0	7.99	0	0	12
2019	11	19	22	21	52	29	0	0	0	0	0	0	0	7.98	0	0	12
2019	11	19	22	31	52	29	0	0	0	0	0	0	0	7.97	0	0	12
2019	11	19	22	41	52	29	0	0	0	0	0	0	0	7.96	0	0	12
2019	11	19	22	51	52	29	0	0	0	0	0	0	0	7.95	0	0	12
2019	11	19	23	1	52	29	0	0	0	0	0	0	0	7.95	0	0	12
2019	11	19	23	11	52	29	0	0	0	0	0	0	0	7.94	0	0	12
2019	11	19	23	21	52	29	0	0	0	0	0	0	0	7.93	0	0	12
2019	11	19	23	31	52	28	0	0	0	0	0	0	0	7.91	0	0	12
2019	11	19	23	41	52	29	0	0	0	0	0	0	0	7.91	0	0	12
2019	11	19	23	51	52	29	0	0	0	0	0	0	0	7.9	0	0	12
2019	11	20	0	1	52	29	0	0	0	0	0	0	0	7.9	0	0	12
2019	11	20	0	11	52	28	0	0	0	0	0	0	0	7.89	0	0	12
2019	11	20	0	21	52	29	0	0	0	0	0	0	0	7.88	0	0	12
2019	11	20	0	31	52	30	0	0	0	0	0	0	0	7.87	0	0	12
2019	11	20	0	41	52	29	0	0	0	0	0	0	0	7.86	0	0	12
2019	11	20	0	51	52	28	0	0	0	0	0	0	0	7.85	0	0	12
2019	11	20	1	1	52	28	0	0	0	0	0	0	0	7.85	0	0	12
2019	11	20	1	11	52	29	0	0	0	0	0	0	0	7.83	0	0	12
2019	11	20	1	21	52	28	0	0	0	0	0	0	0	7.82	0	0	12
2019	11	20	1	31	52	29	0	0	0	0	0	0	0	7.82	0	0	12
2019	11	20	1	41	52	28	0	0	0	0	0	0	0	7.81	0	0	12
2019	11	20	1	51	52	29	0	0	0	0	0	0	0	7.8	0	0	12
2019	11	20	2	1	52	28	0	0	0	0	0	0	0	7.8	0	0	11.8
2019	11	20	2	11	52	29	0	0	0	0	0	0	0	7.79	0	0	11.8
2019	11	20	2	21	52	30	0	0	0	0	0	0	0	7.78	0	0	11.8
2019	11	20	2	31	52	29	0	0	0	0	0	0	0	7.77	0	0	11.8
2019	11	20	2	41	52	28	0	0	0	0	0	0	0	7.77	0	0	11.8
2019	11	20	2	51	52	29	0	0	0	0	0	0	0	7.76	0	0	11.8
2019	11	20	3	1	52	29	0	0	0	0	0	0	0	7.75	0	0	11.8
2019	11	20	3	11	52	29	0	0	0	0	0	0	0	7.74	0	0	11.8
2019	11	20	3	21	52	29	0	0	0	0	0	0	0	7.73	0	0	11.8
2019	11	20	3	31	52	28	0	0	0	0	0	0	0	7.73	0	0	11.8
2019	11	20	3	41	52	29	0	0	0	0	0	0	0	7.72	0	0	11.8
2019	11	20	3	51	52	29	0	0	0	0	0	0	0	7.72	0	0	11.8
2019	11	20	4	1	52	28	0	0	0	0	0	0	0	7.71	0	0	11.8
2019	11	20	4	11	52	29	0	0	0	0	0	0	0	7.7	0	0	11.8
2019	11	20	4	21	52	29	0	0	0	0	0	0	0	7.69	0	0	11.8
2019	11	20	4	31	52	29	0	0	0	0	0	0	0	7.69	0	0	11.8
2019	11	20	4	41	52	29	0	0	0	0	0	0	0	7.68	0	0	11.8
2019	11	20	4	51	52	29	0	0	0	0	0	0	0	7.68	0	0	11.8
2019	11	20	5	1	52	29	0	0	0	0	0	0	0	7.67	0	0	11.8
2019	11	20	5	11	52	29	0	0	0	0	0	0	0	7.66	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	20	5	21	52	28	0	0	0	0	0	0	0	7.65	0	0	11.8
2019	11	20	5	31	52	29	0	0	0	0	0	0	0	7.64	0	0	11.8
2019	11	20	5	41	52	29	0	0	0	0	0	0	0	7.63	0	0	11.8
2019	11	20	5	51	52	29	0	0	0	0	0	0	0	7.63	0	0	11.8
2019	11	20	6	1	52	29	0	0	0	0	0	0	0	7.61	0	0	11.8
2019	11	20	6	11	52	29	0	0	0	0	0	0	0	7.61	0	0	11.8
2019	11	20	6	21	52	29	0	0	0	0	0	0	0	7.6	0	0	11.8
2019	11	20	6	31	52	28	0	0	0	0	0	0	0	7.59	0	0	11.8
2019	11	20	6	41	52	29	0	0	0	0	0	0	0	7.58	0	0	11.8
2019	11	20	6	51	52	29	0	0	0	0	0	0	0	7.58	0	0	11.8
2019	11	20	7	1	52	29	0	0	0	0	0	0	0	7.57	0	0	11.8
2019	11	20	7	11	52	29	0	0	0	0	0	0	0	7.57	0	0	11.8
2019	11	20	7	21	52	28	0	0	0	0	0	0	0	7.56	0	0	11.8
2019	11	20	7	31	52	29	0	0	0	0	0	0	0	7.56	0	0	11.8
2019	11	20	7	41	52	29	0	0	0	0	0	0	0	7.55	0	0	11.8
2019	11	20	7	51	52	29	0	0	0	0	0	0	0	7.55	0	0	11.8
2019	11	20	8	1	52	29	0	0	0	0	0	0	0	7.55	0	0	11.8
2019	11	20	8	11	52	29	0	0	0	0	0	0	0	7.55	0	0	11.8
2019	11	20	8	21	52	29	0	0	0	0	0	0	0	7.54	0	0	11.8
2019	11	20	8	31	52	28	0	0	0	0	0	0	0	7.54	0	0	11.8
2019	11	20	8	41	52	29	0	0	0	0	0	0	0	7.53	0	0	11.8
2019	11	20	8	51	52	28	0	0	0	0	0	0	0	7.53	0	0	11.8
2019	11	20	9	1	52	29	0	0	0	0	0	0	0	7.53	0	0	11.8
2019	11	20	9	11	52	29	0	0	0	0	0	0	0	7.53	0	0	11.8
2019	11	20	9	21	52	29	0	0	0	0	0	0	0	7.58	0	0	12.2
2019	11	20	9	31	52	29	0	0	0	0	0	0	0	7.58	0	0	12.6
2019	11	20	9	41	52	29	0	0	0	0	0	0	0	7.55	0	0	12
2019	11	20	9	51	52	29	0	0	0	0	0	0	0	7.54	0	0	11.8
2019	11	20	10	1	52	29	0	0	0	0	0	0	0	7.54	0	0	11.8
2019	11	20	10	11	52	28	0	0	0	0	0	0	0	7.55	0	0	11.8
2019	11	20	10	21	52	29	0	0	0	0	0	0	0	7.57	0	0	11.8
2019	11	20	10	31	52	29	0	0	0	0	0	0	0	7.58	0	0	11.8
2019	11	20	10	41	52	30	0	0	0	0	0	0	0	7.58	0	0	11.8
2019	11	20	10	51	52	29	0	0	0	0	0	0	0	7.59	0	0	11.8
2019	11	20	11	1	52	29	0	0	0	0	0	0	0	7.6	0	0	11.8
2019	11	20	11	11	52	30	0	0	0	0	0	0	0	7.6	0	0	11.8
2019	11	20	11	21	52	29	0	0	0	0	0	0	0	7.61	0	0	11.8
2019	11	20	11	31	52	29	0	0	0	0	0	0	0	7.63	0	0	12
2019	11	20	11	41	52	29	0	0	0	0	0	0	0	7.64	0	0	12
2019	11	20	11	51	52	29	0	0	0	0	0	0	0	7.69	0	0	12.6
2019	11	20	12	1	52	29	0	0	0	0	0	0	0	7.71	0	0	13
2019	11	20	12	11	52	29	0	0	0	0	0	0	0	7.69	0	0	12.6
2019	11	20	12	21	52	29	0	0	0	0	0	0	0	7.69	0	0	12.4
2019	11	20	12	31	52	28	0	0	0	0	0	0	0	7.71	0	0	12.4
2019	11	20	12	41	52	28	0	0	0	0	0	0	0	7.74	0	0	12.6
2019	11	20	12	51	52	29	0	0	0	0	0	0	0	7.75	0	0	12.6
2019	11	20	13	1	52	28	0	0	0	0	0	0	0	7.75	0	0	12.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	20	13	11	52	29	0	0	0	0	0	0	0	7.77	0	0	12.4
2019	11	20	13	21	52	29	0	0	0	0	0	0	0	7.77	0	0	12.4
2019	11	20	13	31	52	29	0	0	0	0	0	0	0	7.78	0	0	12.4
2019	11	20	13	41	52	29	0	0	0	0	0	0	0	7.78	0	0	12.2
2019	11	20	13	51	52	29	0	0	0	0	0	0	0	7.8	0	0	12.2
2019	11	20	14	1	52	29	0	0	0	0	0	0	0	7.81	0	0	12.2
2019	11	20	14	11	52	29	0	0	0	0	0	0	0	7.8	0	0	12.2
2019	11	20	14	21	52	29	0	0	0	0	0	0	0	7.8	0	0	12
2019	11	20	14	31	52	29	0	0	0	0	0	0	0	7.8	0	0	12
2019	11	20	14	41	52	28	0	0	0	0	0	0	0	7.81	0	0	12
2019	11	20	14	51	52	29	0	0	0	0	0	0	0	7.82	0	0	11.8
2019	11	20	15	1	52	29	0	0	0	0	0	0	0	7.83	0	0	11.8
2019	11	20	15	11	52	29	0	0	0	0	0	0	0	7.83	0	0	11.8
2019	11	20	15	21	52	29	0	0	0	0	0	0	0	7.83	0	0	11.8
2019	11	20	15	31	52	29	0	0	0	0	0	0	0	7.84	0	0	11.8
2019	11	20	15	41	52	29	0	0	0	0	0	0	0	7.83	0	0	11.8
2019	11	20	15	51	52	29	0	0	0	0	0	0	0	7.84	0	0	11.6
2019	11	20	16	1	52	29	0	0	0	0	0	0	0	7.83	0	0	11.6
2019	11	20	16	11	52	29	0	0	0	0	0	0	0	7.83	0	0	11.6
2019	11	20	16	21	52	29	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	16	31	52	29	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	16	41	52	29	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	16	51	52	29	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	17	1	52	29	0	0	0	0	0	0	0	7.81	0	0	11.6
2019	11	20	17	11	52	29	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	17	21	52	29	0	0	0	0	0	0	0	7.81	0	0	11.6
2019	11	20	17	31	52	29	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	17	41	52	28	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	17	51	52	29	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	18	1	52	28	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	18	11	52	28	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	18	21	52	28	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	18	31	52	29	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	18	41	52	28	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	18	51	52	30	0	0	0	0	0	0	0	7.82	0	0	11.6
2019	11	20	19	1	52	28	0	0	0	0	0	0	0	7.81	0	0	11.6
2019	11	20	19	11	52	29	0	0	0	0	0	0	0	7.81	0	0	11.6
2019	11	20	19	21	52	29	0	0	0	0	0	0	0	7.81	0	0	11.6
2019	11	20	19	31	52	29	0	0	0	0	0	0	0	7.81	0	0	11.6
2019	11	20	19	41	52	29	0	0	0	0	0	0	0	7.81	0	0	11.6
2019	11	20	19	51	52	29	0	0	0	0	0	0	0	7.81	0	0	11.6
2019	11	20	20	1	52	29	0	0	0	0	0	0	0	7.8	0	0	11.6
2019	11	20	20	11	52	29	0	0	0	0	0	0	0	7.79	0	0	11.6
2019	11	20	20	21	52	29	0	0	0	0	0	0	0	7.79	0	0	11.6
2019	11	20	20	31	52	29	0	0	0	0	0	0	0	7.79	0	0	11.6
2019	11	20	20	41	52	29	0	0	0	0	0	0	0	7.78	0	0	11.6
2019	11	20	20	51	52	29	0	0	0	0	0	0	0	7.77	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	20	21	1	52	29	0	0	0	0	0	0	0	7.77	0	0	11.6
2019	11	20	21	11	52	28	0	0	0	0	0	0	0	7.76	0	0	11.6
2019	11	20	21	21	52	29	0	0	0	0	0	0	0	7.75	0	0	11.6
2019	11	20	21	31	52	29	0	0	0	0	0	0	0	7.74	0	0	11.6
2019	11	20	21	41	52	29	0	0	0	0	0	0	0	7.74	0	0	11.6
2019	11	20	21	51	52	29	0	0	0	0	0	0	0	7.73	0	0	11.6
2019	11	20	22	1	52	29	0	0	0	0	0	0	0	7.73	0	0	11.6
2019	11	20	22	11	52	28	0	0	0	0	0	0	0	7.72	0	0	11.6
2019	11	20	22	21	52	29	0	0	0	0	0	0	0	7.72	0	0	11.6
2019	11	20	22	31	52	29	0	0	0	0	0	0	0	7.71	0	0	11.6
2019	11	20	22	41	52	29	0	0	0	0	0	0	0	7.7	0	0	11.6
2019	11	20	22	51	52	29	0	0	0	0	0	0	0	7.69	0	0	11.6
2019	11	20	23	1	52	29	0	0	0	0	0	0	0	7.69	0	0	11.6
2019	11	20	23	11	52	29	0	0	0	0	0	0	0	7.68	0	0	11.6
2019	11	20	23	21	52	29	0	0	0	0	0	0	0	7.68	0	0	11.6
2019	11	20	23	31	52	29	0	0	0	0	0	0	0	7.68	0	0	11.6
2019	11	20	23	41	52	29	0	0	0	0	0	0	0	7.67	0	0	11.6
2019	11	20	23	51	52	29	0	0	0	0	0	0	0	7.67	0	0	11.6
2019	11	21	0	1	52	28	0	0	0	0	0	0	0	7.66	0	0	11.6
2019	11	21	0	11	52	29	0	0	0	0	0	0	0	7.66	0	0	11.6
2019	11	21	0	21	52	28	0	0	0	0	0	0	0	7.65	0	0	11.6
2019	11	21	0	31	52	29	0	0	0	0	0	0	0	7.64	0	0	11.6
2019	11	21	0	41	52	29	0	0	0	0	0	0	0	7.64	0	0	11.6
2019	11	21	0	51	52	28	0	0	0	0	0	0	0	7.63	0	0	11.6
2019	11	21	1	1	52	29	0	0	0	0	0	0	0	7.63	0	0	11.6
2019	11	21	1	11	52	29	0	0	0	0	0	0	0	7.63	0	0	11.6
2019	11	21	1	21	52	29	0	0	0	0	0	0	0	7.61	0	0	11.6
2019	11	21	1	31	52	29	0	0	0	0	0	0	0	7.61	0	0	11.6
2019	11	21	1	41	52	29	0	0	0	0	0	0	0	7.6	0	0	11.6
2019	11	21	1	51	52	29	0	0	0	0	0	0	0	7.6	0	0	11.6
2019	11	21	2	1	52	29	0	0	0	0	0	0	0	7.58	0	0	11.6
2019	11	21	2	11	52	29	0	0	0	0	0	0	0	7.58	0	0	11.6
2019	11	21	2	21	52	29	0	0	0	0	0	0	0	7.56	0	0	11.6
2019	11	21	2	31	52	29	0	0	0	0	0	0	0	7.55	0	0	11.6
2019	11	21	2	41	52	29	0	0	0	0	0	0	0	7.55	0	0	11.6
2019	11	21	2	51	52	29	0	0	0	0	0	0	0	7.53	0	0	11.6
2019	11	21	3	1	52	29	0	0	0	0	0	0	0	7.52	0	0	11.6
2019	11	21	3	11	52	29	0	0	0	0	0	0	0	7.51	0	0	11.6
2019	11	21	3	21	52	29	0	0	0	0	0	0	0	7.5	0	0	11.6
2019	11	21	3	31	52	29	0	0	0	0	0	0	0	7.49	0	0	11.6
2019	11	21	3	41	52	29	0	0	0	0	0	0	0	7.48	0	0	11.6
2019	11	21	3	51	52	29	0	0	0	0	0	0	0	7.47	0	0	11.6
2019	11	21	4	1	52	29	0	0	0	0	0	0	0	7.47	0	0	11.6
2019	11	21	4	11	52	29	0	0	0	0	0	0	0	7.46	0	0	11.6
2019	11	21	4	21	52	29	0	0	0	0	0	0	0	7.45	0	0	11.6
2019	11	21	4	31	52	30	0	0	0	0	0	0	0	7.44	0	0	11.6
2019	11	21	4	41	52	29	0	0	0	0	0	0	0	7.42	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	21	4	51	52	29	0	0	0	0	0	0	0	7.41	0	0	11.6
2019	11	21	5	1	52	29	0	0	0	0	0	0	0	7.4	0	0	11.6
2019	11	21	5	11	52	29	0	0	0	0	0	0	0	7.38	0	0	11.6
2019	11	21	5	21	52	29	0	0	0	0	0	0	0	7.36	0	0	11.6
2019	11	21	5	31	52	29	0	0	0	0	0	0	0	7.35	0	0	11.6
2019	11	21	5	41	52	29	0	0	0	0	0	0	0	7.32	0	0	11.6
2019	11	21	5	51	52	29	0	0	0	0	0	0	0	7.31	0	0	11.6
2019	11	21	6	1	52	28	0	0	0	0	0	0	0	7.29	0	0	11.6
2019	11	21	6	11	52	28	0	0	0	0	0	0	0	7.28	0	0	11.6
2019	11	21	6	21	52	29	0	0	0	0	0	0	0	7.26	0	0	11.6
2019	11	21	6	31	52	29	0	0	0	0	0	0	0	7.25	0	0	11.6
2019	11	21	6	41	52	29	0	0	0	0	0	0	0	7.23	0	0	11.6
2019	11	21	6	51	52	29	0	0	0	0	0	0	0	7.22	0	0	11.6
2019	11	21	7	1	52	28	0	0	0	0	0	0	0	7.21	0	0	11.6
2019	11	21	7	11	52	29	0	0	0	0	0	0	0	7.2	0	0	11.6
2019	11	21	7	21	52	28	0	0	0	0	0	0	0	7.18	0	0	11.8
2019	11	21	7	31	52	29	0	0	0	0	0	0	0	7.17	0	0	11.8
2019	11	21	7	41	52	29	0	0	0	0	0	0	0	7.16	0	0	12
2019	11	21	7	51	52	29	0	0	0	0	0	0	0	7.17	0	0	12.6
2019	11	21	8	1	52	29	0	0	0	0	0	0	0	7.14	0	0	12.2
2019	11	21	8	11	52	29	0	0	0	0	0	0	0	7.13	0	0	12.2
2019	11	21	8	21	52	28	0	0	0	0	0	0	0	7.13	0	0	12.2
2019	11	21	8	31	52	29	0	0	0	0	0	0	0	7.12	0	0	12.2
2019	11	21	8	41	52	29	0	0	0	0	0	0	0	7.15	0	0	12.8
2019	11	21	8	51	52	29	0	0	0	0	0	0	0	7.16	0	0	12.8
2019	11	21	9	1	52	29	0	0	0	0	0	0	0	7.15	0	0	12.8
2019	11	21	9	11	52	29	0	0	0	0	0	0	0	7.16	0	0	12.8
2019	11	21	9	21	52	29	0	0	0	0	0	0	0	7.2	0	0	13.2
2019	11	21	9	31	52	29	0	0	0	0	0	0	0	7.18	0	0	13
2019	11	21	9	41	52	29	0	0	0	0	0	0	0	7.23	0	0	13.4
2019	11	21	9	51	52	29	0	0	0	0	0	0	0	7.24	0	0	13.4
2019	11	21	10	1	52	29	0	0	0	0	0	0	0	7.26	0	0	13.4
2019	11	21	10	11	52	29	0	0	0	0	0	0	0	7.29	0	0	13.4
2019	11	21	10	21	52	29	0	0	0	0	0	0	0	7.3	0	0	13.4
2019	11	21	10	31	52	29	0	0	0	0	0	0	0	7.31	0	0	13.6
2019	11	21	10	41	52	29	0	0	0	0	0	0	0	7.32	0	0	13.4
2019	11	21	10	51	52	29	0	0	0	0	0	0	0	7.34	0	0	13.8
2019	11	21	11	1	52	28	0	0	0	0	0	0	0	7.36	0	0	13.8
2019	11	21	11	11	52	29	0	0	0	0	0	0	0	7.38	0	0	13.8
2019	11	21	11	21	52	29	0	0	0	0	0	0	0	7.36	0	0	13.4
2019	11	21	11	31	52	29	0	0	0	0	0	0	0	7.39	0	0	13.8
2019	11	21	11	41	52	30	0	0	0	0	0	0	0	7.42	0	0	13.8
2019	11	21	11	51	52	29	0	0	0	0	0	0	0	7.38	0	0	13
2019	11	21	12	1	52	29	0	0	0	0	0	0	0	7.37	0	0	13
2019	11	21	12	11	52	29	0	0	0	0	0	0	0	7.38	0	0	13
2019	11	21	12	21	52	29	0	0	0	0	0	0	0	7.41	0	0	13.8
2019	11	21	12	31	52	29	0	0	0	0	0	0	0	7.44	0	0	13.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	21	12	41	52	29	0	0	0	0	0	0	0	7.47	0	0	13.8
2019	11	21	12	51	52	28	0	0	0	0	0	0	0	7.45	0	0	13.6
2019	11	21	13	1	52	29	0	0	0	0	0	0	0	7.44	0	0	13.6
2019	11	21	13	11	52	29	0	0	0	0	0	0	0	7.46	0	0	13.6
2019	11	21	13	21	52	29	0	0	0	0	0	0	0	7.5	0	0	13.6
2019	11	21	13	31	52	29	0	0	0	0	0	0	0	7.47	0	0	13.6
2019	11	21	13	41	52	29	0	0	0	0	0	0	0	7.49	0	0	13.6
2019	11	21	13	51	52	29	0	0	0	0	0	0	0	7.54	0	0	13.6
2019	11	21	14	1	52	28	0	0	0	0	0	0	0	7.56	0	0	13.6
2019	11	21	14	11	52	29	0	0	0	0	0	0	0	7.56	0	0	13.6
2019	11	21	14	21	52	29	0	0	0	0	0	0	0	7.57	0	0	13.6
2019	11	21	14	31	52	30	0	0	0	0	0	0	0	7.58	0	0	13.6
2019	11	21	14	41	52	29	0	0	0	0	0	0	0	7.6	0	0	13.6
2019	11	21	14	51	52	29	0	0	0	0	0	0	0	7.57	0	0	13.6
2019	11	21	15	1	52	29	0	0	0	0	0	0	0	7.57	0	0	13.2
2019	11	21	15	11	52	29	0	0	0	0	0	0	0	7.58	0	0	13
2019	11	21	15	21	52	29	0	0	0	0	0	0	0	7.6	0	0	12.6
2019	11	21	15	31	52	29	0	0	0	0	0	0	0	7.62	0	0	12.4
2019	11	21	15	41	52	29	0	0	0	0	0	0	0	7.63	0	0	12.4
2019	11	21	15	51	52	29	0	0	0	0	0	0	0	7.64	0	0	12.2
2019	11	21	16	1	52	29	0	0	0	0	0	0	0	7.66	0	0	12.2
2019	11	21	16	11	52	29	0	0	0	0	0	0	0	7.68	0	0	12.2
2019	11	21	16	21	52	29	0	0	0	0	0	0	0	7.69	0	0	12.2
2019	11	21	16	31	52	28	0	0	0	0	0	0	0	7.71	0	0	12.2
2019	11	21	16	41	52	29	0	0	0	0	0	0	0	7.73	0	0	12.2
2019	11	21	16	51	52	28	0	0	0	0	0	0	0	7.75	0	0	12.2
2019	11	21	17	1	52	29	0	0	0	0	0	0	0	7.77	0	0	12.2
2019	11	21	17	11	52	29	0	0	0	0	0	0	0	7.78	0	0	12.2
2019	11	21	17	21	52	29	0	0	0	0	0	0	0	7.81	0	0	12.2
2019	11	21	17	31	52	29	0	0	0	0	0	0	0	7.82	0	0	12.2
2019	11	21	17	41	52	29	0	0	0	0	0	0	0	7.84	0	0	12
2019	11	21	17	51	52	29	0	0	0	0	0	0	0	7.86	0	0	12
2019	11	21	18	1	52	29	0	0	0	0	0	0	0	7.88	0	0	12
2019	11	21	18	11	52	29	0	0	0	0	0	0	0	7.89	0	0	12
2019	11	21	18	21	52	29	0	0	0	0	0	0	0	7.9	0	0	12
2019	11	21	18	31	52	29	0	0	0	0	0	0	0	7.92	0	0	12
2019	11	21	18	41	52	29	0	0	0	0	0	0	0	7.94	0	0	12
2019	11	21	18	51	52	29	0	0	0	0	0	0	0	7.95	0	0	12
2019	11	21	19	1	52	29	0	0	0	0	0	0	0	7.96	0	0	12
2019	11	21	19	11	52	29	0	0	0	0	0	0	0	7.96	0	0	12
2019	11	21	19	21	52	29	0	0	0	0	0	0	0	7.97	0	0	12
2019	11	21	19	31	52	29	0	0	0	0	0	0	0	7.98	0	0	12
2019	11	21	19	41	52	29	0	0	0	0	0	0	0	7.99	0	0	12
2019	11	21	19	51	52	28	0	0	0	0	0	0	0	7.98	0	0	12
2019	11	21	20	1	52	29	0	0	0	0	0	0	0	7.99	0	0	12
2019	11	21	20	11	52	29	0	0	0	0	0	0	0	7.99	0	0	12
2019	11	21	20	21	52	29	0	0	0	0	0	0	0	7.99	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	21	20	31	52	29	0	0	0	0	0	0	0	7.99	0	0	12
2019	11	21	20	41	52	28	0	0	0	0	0	0	0	7.99	0	0	12
2019	11	21	20	51	52	29	0	0	0	0	0	0	0	7.99	0	0	12
2019	11	21	21	1	52	29	0	0	0	0	0	0	0	7.98	0	0	12
2019	11	21	21	11	52	29	0	0	0	0	0	0	0	7.98	0	0	12
2019	11	21	21	21	52	29	0	0	0	0	0	0	0	7.97	0	0	12
2019	11	21	21	31	52	29	0	0	0	0	0	0	0	7.97	0	0	12
2019	11	21	21	41	52	29	0	0	0	0	0	0	0	7.96	0	0	12
2019	11	21	21	51	52	28	0	0	0	0	0	0	0	7.95	0	0	12
2019	11	21	22	1	52	29	0	0	0	0	0	0	0	7.95	0	0	12
2019	11	21	22	11	52	28	0	0	0	0	0	0	0	7.93	0	0	12
2019	11	21	22	21	52	29	0	0	0	0	0	0	0	7.92	0	0	12
2019	11	21	22	31	52	29	0	0	0	0	0	0	0	7.91	0	0	12
2019	11	21	22	41	52	29	0	0	0	0	0	0	0	7.89	0	0	12
2019	11	21	22	51	52	29	0	0	0	0	0	0	0	7.88	0	0	12
2019	11	21	23	1	52	28	0	0	0	0	0	0	0	7.86	0	0	12
2019	11	21	23	11	52	29	0	0	0	0	0	0	0	7.84	0	0	12
2019	11	21	23	21	52	29	0	0	0	0	0	0	0	7.83	0	0	12
2019	11	21	23	31	52	29	0	0	0	0	0	0	0	7.82	0	0	12
2019	11	21	23	41	52	29	0	0	0	0	0	0	0	7.8	0	0	12
2019	11	21	23	51	52	29	0	0	0	0	0	0	0	7.79	0	0	12
2019	11	22	0	1	52	29	0	0	0	0	0	0	0	7.77	0	0	12
2019	11	22	0	11	52	29	0	0	0	0	0	0	0	7.75	0	0	12
2019	11	22	0	21	52	29	0	0	0	0	0	0	0	7.74	0	0	12
2019	11	22	0	31	52	29	0	0	0	0	0	0	0	7.73	0	0	12
2019	11	22	0	41	52	29	0	0	0	0	0	0	0	7.71	0	0	12
2019	11	22	0	51	52	28	0	0	0	0	0	0	0	7.69	0	0	12
2019	11	22	1	1	52	29	0	0	0	0	0	0	0	7.68	0	0	12
2019	11	22	1	11	52	29	0	0	0	0	0	0	0	7.67	0	0	12
2019	11	22	1	21	52	29	0	0	0	0	0	0	0	7.65	0	0	12
2019	11	22	1	31	52	29	0	0	0	0	0	0	0	7.63	0	0	12
2019	11	22	1	41	52	29	0	0	0	0	0	0	0	7.61	0	0	12
2019	11	22	1	51	52	29	0	0	0	0	0	0	0	7.6	0	0	12
2019	11	22	2	1	52	28	0	0	0	0	0	0	0	7.58	0	0	12
2019	11	22	2	11	52	28	0	0	0	0	0	0	0	7.57	0	0	12
2019	11	22	2	21	52	28	0	0	0	0	0	0	0	7.55	0	0	12
2019	11	22	2	31	52	29	0	0	0	0	0	0	0	7.53	0	0	12
2019	11	22	2	41	52	29	0	0	0	0	0	0	0	7.52	0	0	12
2019	11	22	2	51	52	29	0	0	0	0	0	0	0	7.5	0	0	11.8
2019	11	22	3	1	52	29	0	0	0	0	0	0	0	7.48	0	0	11.8
2019	11	22	3	11	52	29	0	0	0	0	0	0	0	7.46	0	0	11.8
2019	11	22	3	21	52	28	0	0	0	0	0	0	0	7.45	0	0	11.8
2019	11	22	3	31	52	29	0	0	0	0	0	0	0	7.43	0	0	11.8
2019	11	22	3	41	52	29	0	0	0	0	0	0	0	7.41	0	0	11.8
2019	11	22	3	51	52	29	0	0	0	0	0	0	0	7.4	0	0	11.8
2019	11	22	4	1	52	29	0	0	0	0	0	0	0	7.38	0	0	11.8
2019	11	22	4	11	52	29	0	0	0	0	0	0	0	7.36	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	22	4	21	52	29	0	0	0	0	0	0	0	7.34	0	0	11.8
2019	11	22	4	31	52	29	0	0	0	0	0	0	0	7.32	0	0	11.8
2019	11	22	4	41	52	29	0	0	0	0	0	0	0	7.3	0	0	11.8
2019	11	22	4	51	52	28	0	0	0	0	0	0	0	7.29	0	0	11.8
2019	11	22	5	1	52	29	0	0	0	0	0	0	0	7.27	0	0	11.8
2019	11	22	5	11	52	29	0	0	0	0	0	0	0	7.25	0	0	11.8
2019	11	22	5	21	52	29	0	0	0	0	0	0	0	7.23	0	0	11.8
2019	11	22	5	31	52	29	0	0	0	0	0	0	0	7.22	0	0	11.8
2019	11	22	5	41	52	29	0	0	0	0	0	0	0	7.2	0	0	11.8
2019	11	22	5	51	52	29	0	0	0	0	0	0	0	7.18	0	0	11.8
2019	11	22	6	1	52	29	0	0	0	0	0	0	0	7.16	0	0	11.8
2019	11	22	6	11	52	29	0	0	0	0	0	0	0	7.15	0	0	11.8
2019	11	22	6	21	52	28	0	0	0	0	0	0	0	7.13	0	0	11.8
2019	11	22	6	31	52	29	0	0	0	0	0	0	0	7.11	0	0	11.8
2019	11	22	6	41	52	29	0	0	0	0	0	0	0	7.1	0	0	11.8
2019	11	22	6	51	52	28	0	0	0	0	0	0	0	7.08	0	0	11.8
2019	11	22	7	1	52	29	0	0	0	0	0	0	0	7.07	0	0	11.8
2019	11	22	7	11	52	28	0	0	0	0	0	0	0	7.05	0	0	11.8
2019	11	22	7	21	52	29	0	0	0	0	0	0	0	7.05	0	0	11.8
2019	11	22	7	31	52	29	0	0	0	0	0	0	0	7.04	0	0	11.8
2019	11	22	7	41	52	29	0	0	0	0	0	0	0	7.03	0	0	11.8
2019	11	22	7	51	52	29	0	0	0	0	0	0	0	7.02	0	0	12
2019	11	22	8	1	52	29	0	0	0	0	0	0	0	7.02	0	0	12
2019	11	22	8	11	52	29	0	0	0	0	0	0	0	7.01	0	0	12
2019	11	22	8	21	52	29	0	0	0	0	0	0	0	7.01	0	0	12
2019	11	22	8	31	52	29	0	0	0	0	0	0	0	7.01	0	0	12.2
2019	11	22	8	41	52	28	0	0	0	0	0	0	0	7	0	0	12.2
2019	11	22	8	51	52	29	0	0	0	0	0	0	0	7.01	0	0	12.2
2019	11	22	9	1	52	29	0	0	0	0	0	0	0	7	0	0	12.4
2019	11	22	9	11	52	29	0	0	0	0	0	0	0	7.09	0	0	13.4
2019	11	22	9	21	52	29	0	0	0	0	0	0	0	7.11	0	0	13.6
2019	11	22	9	31	52	30	0	0	0	0	0	0	0	7.12	0	0	14
2019	11	22	9	41	52	29	0	0	0	0	0	0	0	7.14	0	0	14
2019	11	22	9	51	52	29	0	0	0	0	0	0	0	7.15	0	0	13.8
2019	11	22	10	1	52	29	0	0	0	0	0	0	0	7.16	0	0	13.8
2019	11	22	10	11	52	29	0	0	0	0	0	0	0	7.18	0	0	13.8
2019	11	22	10	21	52	29	0	0	0	0	0	0	0	7.21	0	0	13.8
2019	11	22	10	31	52	29	0	0	0	0	0	0	0	7.23	0	0	13.8
2019	11	22	10	41	52	29	0	0	0	0	0	0	0	7.25	0	0	13.8
2019	11	22	10	51	52	28	0	0	0	0	0	0	0	7.27	0	0	13.8
2019	11	22	11	1	52	29	0	0	0	0	0	0	0	7.29	0	0	13.8
2019	11	22	11	11	52	29	0	0	0	0	0	0	0	7.31	0	0	13.8
2019	11	22	11	21	52	29	0	0	0	0	0	0	0	7.36	0	0	13.8
2019	11	22	11	31	52	29	0	0	0	0	0	0	0	7.36	0	0	13.8
2019	11	22	11	41	52	29	0	0	0	0	0	0	0	7.39	0	0	13.8
2019	11	22	11	51	52	29	0	0	0	0	0	0	0	7.4	0	0	13.8
2019	11	22	12	1	52	29	0	0	0	0	0	0	0	7.42	0	0	13.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	22	12	11	52	29	0	0	0	0	0	0	0	7.43	0	0	13.6
2019	11	22	12	21	52	29	0	0	0	0	0	0	0	7.44	0	0	13.6
2019	11	22	12	31	52	28	0	0	0	0	0	0	0	7.46	0	0	13.6
2019	11	22	12	41	52	29	0	0	0	0	0	0	0	7.48	0	0	13.6
2019	11	22	12	51	52	29	0	0	0	0	0	0	0	7.49	0	0	13.6
2019	11	22	13	1	52	29	0	0	0	0	0	0	0	7.49	0	0	13.6
2019	11	22	13	11	52	29	0	0	0	0	0	0	0	7.52	0	0	13.6
2019	11	22	13	21	52	29	0	0	0	0	0	0	0	7.52	0	0	13.6
2019	11	22	13	31	52	29	0	0	0	0	0	0	0	7.52	0	0	13.6
2019	11	22	13	41	52	28	0	0	0	0	0	0	0	7.54	0	0	13.6
2019	11	22	13	51	52	29	0	0	0	0	0	0	0	7.55	0	0	13.6
2019	11	22	14	1	52	29	0	0	0	0	0	0	0	7.55	0	0	13.6
2019	11	22	14	11	52	29	0	0	0	0	0	0	0	7.53	0	0	13.6
2019	11	22	14	21	52	29	0	0	0	0	0	0	0	7.53	0	0	13.6
2019	11	22	14	31	52	29	0	0	0	0	0	0	0	7.57	0	0	13.6
2019	11	22	14	41	52	29	0	0	0	0	0	0	0	7.55	0	0	13.6
2019	11	22	14	51	52	29	0	0	0	0	0	0	0	7.53	0	0	12.6
2019	11	22	15	1	52	29	0	0	0	0	0	0	0	7.54	0	0	12.4
2019	11	22	15	11	52	29	0	0	0	0	0	0	0	7.55	0	0	12.4
2019	11	22	15	21	52	29	0	0	0	0	0	0	0	7.57	0	0	12.2
2019	11	22	15	31	52	29	0	0	0	0	0	0	0	7.58	0	0	12.2
2019	11	22	15	41	52	28	0	0	0	0	0	0	0	7.61	0	0	12.2
2019	11	22	15	51	52	29	0	0	0	0	0	0	0	7.63	0	0	12.2
2019	11	22	16	1	52	29	0	0	0	0	0	0	0	7.65	0	0	12.2
2019	11	22	16	11	52	29	0	0	0	0	0	0	0	7.68	0	0	12.2
2019	11	22	16	21	52	28	0	0	0	0	0	0	0	7.7	0	0	12.2
2019	11	22	16	31	52	29	0	0	0	0	0	0	0	7.73	0	0	12.2
2019	11	22	16	41	52	29	0	0	0	0	0	0	0	7.75	0	0	12.2
2019	11	22	16	51	52	29	0	0	0	0	0	0	0	7.79	0	0	12.2
2019	11	22	17	1	52	28	0	0	0	0	0	0	0	7.81	0	0	12
2019	11	22	17	11	52	29	0	0	0	0	0	0	0	7.83	0	0	12
2019	11	22	17	21	52	29	0	0	0	0	0	0	0	7.86	0	0	12
2019	11	22	17	31	52	30	0	0	0	0	0	0	0	7.88	0	0	12
2019	11	22	17	41	52	29	0	0	0	0	0	0	0	7.91	0	0	12
2019	11	22	17	51	52	29	0	0	0	0	0	0	0	7.93	0	0	12
2019	11	22	18	1	52	30	0	0	0	0	0	0	0	7.96	0	0	12
2019	11	22	18	11	52	28	0	0	0	0	0	0	0	7.98	0	0	12
2019	11	22	18	21	52	28	0	0	0	0	0	0	0	7.99	0	0	12
2019	11	22	18	31	52	29	0	0	0	0	0	0	0	8.01	0	0	12
2019	11	22	18	41	52	29	0	0	0	0	0	0	0	8.03	0	0	12
2019	11	22	18	51	52	29	0	0	0	0	0	0	0	8.05	0	0	12
2019	11	22	19	1	52	29	0	0	0	0	0	0	0	8.06	0	0	12
2019	11	22	19	11	52	29	0	0	0	0	0	0	0	8.07	0	0	12
2019	11	22	19	21	52	29	0	0	0	0	0	0	0	8.08	0	0	12
2019	11	22	19	31	52	29	0	0	0	0	0	0	0	8.09	0	0	12
2019	11	22	19	41	52	29	0	0	0	0	0	0	0	8.09	0	0	12
2019	11	22	19	51	52	28	0	0	0	0	0	0	0	8.09	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	22	20	1	52	29	0	0	0	0	0	0	0	8.1	0	0	12
2019	11	22	20	11	52	29	0	0	0	0	0	0	0	8.1	0	0	12
2019	11	22	20	21	52	29	0	0	0	0	0	0	0	8.1	0	0	12
2019	11	22	20	31	52	29	0	0	0	0	0	0	0	8.1	0	0	12
2019	11	22	20	41	52	29	0	0	0	0	0	0	0	8.09	0	0	12
2019	11	22	20	51	52	28	0	0	0	0	0	0	0	8.09	0	0	12
2019	11	22	21	1	52	29	0	0	0	0	0	0	0	8.08	0	0	12
2019	11	22	21	11	52	29	0	0	0	0	0	0	0	8.07	0	0	12
2019	11	22	21	21	52	29	0	0	0	0	0	0	0	8.07	0	0	12
2019	11	22	21	31	52	30	0	0	0	0	0	0	0	8.05	0	0	12
2019	11	22	21	41	52	29	0	0	0	0	0	0	0	8.04	0	0	12
2019	11	22	21	51	52	29	0	0	0	0	0	0	0	8.04	0	0	12
2019	11	22	22	1	52	28	0	0	0	0	0	0	0	8.03	0	0	12
2019	11	22	22	11	52	29	0	0	0	0	0	0	0	8.02	0	0	12
2019	11	22	22	21	52	29	0	0	0	0	0	0	0	8.01	0	0	12
2019	11	22	22	31	52	29	0	0	0	0	0	0	0	7.99	0	0	12
2019	11	22	22	41	52	29	0	0	0	0	0	0	0	7.98	0	0	12
2019	11	22	22	51	52	28	0	0	0	0	0	0	0	7.97	0	0	12
2019	11	22	23	1	52	28	0	0	0	0	0	0	0	7.97	0	0	12
2019	11	22	23	11	52	29	0	0	0	0	0	0	0	7.96	0	0	12
2019	11	22	23	21	52	29	0	0	0	0	0	0	0	7.95	0	0	12
2019	11	22	23	31	52	28	0	0	0	0	0	0	0	7.95	0	0	12
2019	11	22	23	41	52	28	0	0	0	0	0	0	0	7.93	0	0	12
2019	11	22	23	51	52	29	0	0	0	0	0	0	0	7.93	0	0	12
2019	11	23	0	1	52	29	0	0	0	0	0	0	0	7.92	0	0	12
2019	11	23	0	11	52	29	0	0	0	0	0	0	0	7.91	0	0	12
2019	11	23	0	21	52	29	0	0	0	0	0	0	0	7.91	0	0	12
2019	11	23	0	31	52	29	0	0	0	0	0	0	0	7.9	0	0	12
2019	11	23	0	41	52	29	0	0	0	0	0	0	0	7.9	0	0	12
2019	11	23	0	51	52	29	0	0	0	0	0	0	0	7.89	0	0	12
2019	11	23	1	1	52	28	0	0	0	0	0	0	0	7.88	0	0	11.8
2019	11	23	1	11	52	29	0	0	0	0	0	0	0	7.88	0	0	11.8
2019	11	23	1	21	52	29	0	0	0	0	0	0	0	7.87	0	0	11.8
2019	11	23	1	31	52	29	0	0	0	0	0	0	0	7.87	0	0	11.8
2019	11	23	1	41	52	29	0	0	0	0	0	0	0	7.87	0	0	11.8
2019	11	23	1	51	52	28	0	0	0	0	0	0	0	7.86	0	0	11.8
2019	11	23	2	1	52	29	0	0	0	0	0	0	0	7.85	0	0	11.8
2019	11	23	2	11	52	28	0	0	0	0	0	0	0	7.85	0	0	11.8
2019	11	23	2	21	52	29	0	0	0	0	0	0	0	7.84	0	0	11.8
2019	11	23	2	31	52	29	0	0	0	0	0	0	0	7.84	0	0	11.8
2019	11	23	2	41	52	29	0	0	0	0	0	0	0	7.83	0	0	11.8
2019	11	23	2	51	52	29	0	0	0	0	0	0	0	7.82	0	0	11.8
2019	11	23	3	1	52	29	0	0	0	0	0	0	0	7.81	0	0	11.8
2019	11	23	3	11	52	29	0	0	0	0	0	0	0	7.8	0	0	11.8
2019	11	23	3	21	52	29	0	0	0	0	0	0	0	7.79	0	0	11.8
2019	11	23	3	31	52	29	0	0	0	0	0	0	0	7.78	0	0	11.8
2019	11	23	3	41	52	28	0	0	0	0	0	0	0	7.77	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	23	3	51	52	29	0	0	0	0	0	0	0	7.76	0	0	11.8
2019	11	23	4	1	52	28	0	0	0	0	0	0	0	7.75	0	0	11.8
2019	11	23	4	11	52	29	0	0	0	0	0	0	0	7.74	0	0	11.8
2019	11	23	4	21	52	29	0	0	0	0	0	0	0	7.72	0	0	11.8
2019	11	23	4	31	52	29	0	0	0	0	0	0	0	7.71	0	0	11.8
2019	11	23	4	41	52	29	0	0	0	0	0	0	0	7.69	0	0	11.8
2019	11	23	4	51	52	29	0	0	0	0	0	0	0	7.68	0	0	11.8
2019	11	23	5	1	52	29	0	0	0	0	0	0	0	7.67	0	0	11.8
2019	11	23	5	11	52	28	0	0	0	0	0	0	0	7.65	0	0	11.8
2019	11	23	5	21	52	29	0	0	0	0	0	0	0	7.64	0	0	11.8
2019	11	23	5	31	52	29	0	0	0	0	0	0	0	7.63	0	0	11.8
2019	11	23	5	41	52	29	0	0	0	0	0	0	0	7.6	0	0	11.8
2019	11	23	5	51	52	29	0	0	0	0	0	0	0	7.58	0	0	11.8
2019	11	23	6	1	52	29	0	0	0	0	0	0	0	7.57	0	0	11.8
2019	11	23	6	11	52	29	0	0	0	0	0	0	0	7.55	0	0	11.8
2019	11	23	6	21	52	29	0	0	0	0	0	0	0	7.53	0	0	11.8
2019	11	23	6	31	52	29	0	0	0	0	0	0	0	7.51	0	0	11.8
2019	11	23	6	41	52	29	0	0	0	0	0	0	0	7.49	0	0	11.8
2019	11	23	6	51	52	29	0	0	0	0	0	0	0	7.48	0	0	11.8
2019	11	23	7	1	52	29	0	0	0	0	0	0	0	7.46	0	0	11.8
2019	11	23	7	11	52	28	0	0	0	0	0	0	0	7.45	0	0	11.8
2019	11	23	7	21	52	29	0	0	0	0	0	0	0	7.43	0	0	11.8
2019	11	23	7	31	52	29	0	0	0	0	0	0	0	7.43	0	0	12.4
2019	11	23	7	41	52	29	0	0	0	0	0	0	0	7.43	0	0	12.6
2019	11	23	7	51	52	29	0	0	0	0	0	0	0	7.44	0	0	12.8
2019	11	23	8	1	52	29	0	0	0	0	0	0	0	7.44	0	0	12.8
2019	11	23	8	11	52	29	0	0	0	0	0	0	0	7.44	0	0	13
2019	11	23	8	21	52	29	0	0	0	0	0	0	0	7.46	0	0	13
2019	11	23	8	31	52	29	0	0	0	0	0	0	0	7.46	0	0	13.2
2019	11	23	8	41	52	28	0	0	0	0	0	0	0	7.48	0	0	13.6
2019	11	23	8	51	52	29	0	0	0	0	0	0	0	7.5	0	0	13.8
2019	11	23	9	1	52	29	0	0	0	0	0	0	0	7.51	0	0	13.8
2019	11	23	9	11	52	29	0	0	0	0	0	0	0	7.53	0	0	13.8
2019	11	23	9	21	52	28	0	0	0	0	0	0	0	7.55	0	0	13.8
2019	11	23	9	31	52	29	0	0	0	0	0	0	0	7.58	0	0	13.8
2019	11	23	9	41	52	29	0	0	0	0	0	0	0	7.6	0	0	13.8
2019	11	23	9	51	52	29	0	0	0	0	0	0	0	7.62	0	0	13.8
2019	11	23	10	1	52	29	0	0	0	0	0	0	0	7.65	0	0	13.8
2019	11	23	10	11	52	29	0	0	0	0	0	0	0	7.68	0	0	13.8
2019	11	23	10	21	52	29	0	0	0	0	0	0	0	7.7	0	0	13.8
2019	11	23	10	31	52	29	0	0	0	0	0	0	0	7.72	0	0	13.8
2019	11	23	10	41	52	28	0	0	0	0	0	0	0	7.74	0	0	13.8
2019	11	23	10	51	52	29	0	0	0	0	0	0	0	7.77	0	0	13.8
2019	11	23	11	1	52	29	0	0	0	0	0	0	0	7.79	0	0	13.8
2019	11	23	11	11	52	28	0	0	0	0	0	0	0	7.81	0	0	13.8
2019	11	23	11	21	52	29	0	0	0	0	0	0	0	7.83	0	0	13.8
2019	11	23	11	31	52	29	0	0	0	0	0	0	0	7.85	0	0	13.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	23	11	41	52	29	0	0	0	0	0	0	0	7.87	0	0	13.8
2019	11	23	11	51	52	28	0	0	0	0	0	0	0	7.88	0	0	13.8
2019	11	23	12	1	52	29	0	0	0	0	0	0	0	7.9	0	0	13.8
2019	11	23	12	11	52	29	0	0	0	0	0	0	0	7.93	0	0	13.8
2019	11	23	12	21	52	29	0	0	0	0	0	0	0	7.93	0	0	13.6
2019	11	23	12	31	52	28	0	0	0	0	0	0	0	7.95	0	0	13.6
2019	11	23	12	41	52	29	0	0	0	0	0	0	0	7.96	0	0	13.6
2019	11	23	12	51	52	29	0	0	0	0	0	0	0	7.97	0	0	13.6
2019	11	23	13	1	52	29	0	0	0	0	0	0	0	7.98	0	0	13.6
2019	11	23	13	11	52	29	0	0	0	0	0	0	0	7.99	0	0	13.6
2019	11	23	13	21	52	29	0	0	0	0	0	0	0	7.98	0	0	13.6
2019	11	23	13	31	52	29	0	0	0	0	0	0	0	7.98	0	0	13.6
2019	11	23	13	41	52	29	0	0	0	0	0	0	0	8	0	0	13.6
2019	11	23	13	51	52	29	0	0	0	0	0	0	0	8	0	0	13.6
2019	11	23	14	1	52	29	0	0	0	0	0	0	0	8	0	0	13.6
2019	11	23	14	11	52	29	0	0	0	0	0	0	0	8.01	0	0	13.6
2019	11	23	14	21	52	29	0	0	0	0	0	0	0	8.01	0	0	13.6
2019	11	23	14	31	52	29	0	0	0	0	0	0	0	8.02	0	0	13.6
2019	11	23	14	41	52	29	0	0	0	0	0	0	0	8.01	0	0	13.6
2019	11	23	14	51	52	29	0	0	0	0	0	0	0	7.96	0	0	13.6
2019	11	23	15	1	52	29	0	0	0	0	0	0	0	7.96	0	0	13.6
2019	11	23	15	11	52	29	0	0	0	0	0	0	0	7.98	0	0	13.6
2019	11	23	15	21	52	28	0	0	0	0	0	0	0	7.99	0	0	13.6
2019	11	23	15	31	52	29	0	0	0	0	0	0	0	8.01	0	0	13.6
2019	11	23	15	41	52	29	0	0	0	0	0	0	0	8.03	0	0	13.6
2019	11	23	15	51	52	29	0	0	0	0	0	0	0	8.05	0	0	13.6
2019	11	23	16	1	52	29	0	0	0	0	0	0	0	8.07	0	0	12.2
2019	11	23	16	11	52	29	0	0	0	0	0	0	0	8.08	0	0	12.2
2019	11	23	16	21	52	28	0	0	0	0	0	0	0	8.1	0	0	12.2
2019	11	23	16	31	52	29	0	0	0	0	0	0	0	8.12	0	0	12.2
2019	11	23	16	41	52	28	0	0	0	0	0	0	0	8.14	0	0	12.2
2019	11	23	16	51	52	29	0	0	0	0	0	0	0	8.16	0	0	12.2
2019	11	23	17	1	52	28	0	0	0	0	0	0	0	8.19	0	0	12.2
2019	11	23	17	11	52	29	0	0	0	0	0	0	0	8.2	0	0	12
2019	11	23	17	21	52	28	0	0	0	0	0	0	0	8.22	0	0	12
2019	11	23	17	31	52	28	0	0	0	0	0	0	0	8.24	0	0	12
2019	11	23	17	41	52	28	0	0	0	0	0	0	0	8.25	0	0	12
2019	11	23	17	51	52	28	0	0	0	0	0	0	0	8.26	0	0	12
2019	11	23	18	1	52	28	0	0	0	0	0	0	0	8.28	0	0	12
2019	11	23	18	11	52	29	0	0	0	0	0	0	0	8.29	0	0	12
2019	11	23	18	21	52	29	0	0	0	0	0	0	0	8.29	0	0	12
2019	11	23	18	31	52	29	0	0	0	0	0	0	0	8.3	0	0	12
2019	11	23	18	41	52	29	0	0	0	0	0	0	0	8.31	0	0	12
2019	11	23	18	51	52	29	0	0	0	0	0	0	0	8.32	0	0	12
2019	11	23	19	1	52	29	0	0	0	0	0	0	0	8.32	0	0	12
2019	11	23	19	11	52	29	0	0	0	0	0	0	0	8.32	0	0	12
2019	11	23	19	21	52	29	0	0	0	0	0	0	0	8.31	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	23	19	31	52	29	0	0	0	0	0	0	0	8.31	0	0	12
2019	11	23	19	41	52	28	0	0	0	0	0	0	0	8.3	0	0	12
2019	11	23	19	51	52	29	0	0	0	0	0	0	0	8.29	0	0	12
2019	11	23	20	1	52	28	0	0	0	0	0	0	0	8.28	0	0	12
2019	11	23	20	11	52	29	0	0	0	0	0	0	0	8.27	0	0	12
2019	11	23	20	21	52	29	0	0	0	0	0	0	0	8.26	0	0	12
2019	11	23	20	31	52	29	0	0	0	0	0	0	0	8.25	0	0	12
2019	11	23	20	41	52	29	0	0	0	0	0	0	0	8.23	0	0	12
2019	11	23	20	51	52	28	0	0	0	0	0	0	0	8.21	0	0	12
2019	11	23	21	1	52	29	0	0	0	0	0	0	0	8.19	0	0	12
2019	11	23	21	11	52	29	0	0	0	0	0	0	0	8.18	0	0	12
2019	11	23	21	21	52	28	0	0	0	0	0	0	0	8.14	0	0	12
2019	11	23	21	31	52	28	0	0	0	0	0	0	0	8.12	0	0	12
2019	11	23	21	41	52	28	0	0	0	0	0	0	0	8.09	0	0	12
2019	11	23	21	51	52	30	0	0	0	0	0	0	0	8.07	0	0	12
2019	11	23	22	1	52	28	0	0	0	0	0	0	0	8.04	0	0	12
2019	11	23	22	11	52	29	0	0	0	0	0	0	0	8.01	0	0	12
2019	11	23	22	21	52	29	0	0	0	0	0	0	0	7.99	0	0	12
2019	11	23	22	31	52	29	0	0	0	0	0	0	0	7.96	0	0	12
2019	11	23	22	41	52	28	0	0	0	0	0	0	0	7.93	0	0	12
2019	11	23	22	51	52	29	0	0	0	0	0	0	0	7.91	0	0	12
2019	11	23	23	1	52	28	0	0	0	0	0	0	0	7.88	0	0	12
2019	11	23	23	11	52	29	0	0	0	0	0	0	0	7.86	0	0	12
2019	11	23	23	21	52	29	0	0	0	0	0	0	0	7.83	0	0	12
2019	11	23	23	31	52	29	0	0	0	0	0	0	0	7.81	0	0	12
2019	11	23	23	41	52	29	0	0	0	0	0	0	0	7.79	0	0	11.8
2019	11	23	23	51	52	28	0	0	0	0	0	0	0	7.77	0	0	11.8
2019	11	24	0	1	52	28	0	0	0	0	0	0	0	7.75	0	0	11.8
2019	11	24	0	11	52	28	0	0	0	0	0	0	0	7.72	0	0	11.8
2019	11	24	0	21	52	28	0	0	0	0	0	0	0	7.7	0	0	11.8
2019	11	24	0	31	52	29	0	0	0	0	0	0	0	7.67	0	0	11.8
2019	11	24	0	41	52	28	0	0	0	0	0	0	0	7.65	0	0	11.8
2019	11	24	0	51	52	29	0	0	0	0	0	0	0	7.63	0	0	11.8
2019	11	24	1	1	52	29	0	0	0	0	0	0	0	7.6	0	0	11.8
2019	11	24	1	11	52	28	0	0	0	0	0	0	0	7.58	0	0	11.8
2019	11	24	1	21	52	29	0	0	0	0	0	0	0	7.56	0	0	11.8
2019	11	24	1	31	52	29	0	0	0	0	0	0	0	7.54	0	0	11.8
2019	11	24	1	41	52	29	0	0	0	0	0	0	0	7.51	0	0	11.8
2019	11	24	1	51	52	29	0	0	0	0	0	0	0	7.49	0	0	11.8
2019	11	24	2	1	52	28	0	0	0	0	0	0	0	7.46	0	0	11.8
2019	11	24	2	11	52	29	0	0	0	0	0	0	0	7.44	0	0	11.8
2019	11	24	2	21	52	29	0	0	0	0	0	0	0	7.42	0	0	11.8
2019	11	24	2	31	52	29	0	0	0	0	0	0	0	7.4	0	0	11.8
2019	11	24	2	41	52	29	0	0	0	0	0	0	0	7.37	0	0	11.8
2019	11	24	2	51	52	29	0	0	0	0	0	0	0	7.35	0	0	11.8
2019	11	24	3	1	52	29	0	0	0	0	0	0	0	7.33	0	0	11.8
2019	11	24	3	11	52	29	0	0	0	0	0	0	0	7.3	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	24	3	21	52	29	0	0	0	0	0	0	0	7.28	0	0	11.8
2019	11	24	3	31	52	28	0	0	0	0	0	0	0	7.26	0	0	11.8
2019	11	24	3	41	52	29	0	0	0	0	0	0	0	7.23	0	0	11.8
2019	11	24	3	51	52	29	0	0	0	0	0	0	0	7.2	0	0	11.8
2019	11	24	4	1	52	29	0	0	0	0	0	0	0	7.18	0	0	11.8
2019	11	24	4	11	52	29	0	0	0	0	0	0	0	7.15	0	0	11.8
2019	11	24	4	21	52	29	0	0	0	0	0	0	0	7.13	0	0	11.8
2019	11	24	4	31	52	29	0	0	0	0	0	0	0	7.11	0	0	11.8
2019	11	24	4	41	52	29	0	0	0	0	0	0	0	7.08	0	0	11.8
2019	11	24	4	51	52	29	0	0	0	0	0	0	0	7.05	0	0	11.8
2019	11	24	5	1	52	29	0	0	0	0	0	0	0	7.03	0	0	11.8
2019	11	24	5	11	52	29	0	0	0	0	0	0	0	7	0	0	11.8
2019	11	24	5	21	52	29	0	0	0	0	0	0	0	6.98	0	0	11.8
2019	11	24	5	31	52	29	0	0	0	0	0	0	0	6.95	0	0	11.8
2019	11	24	5	41	52	29	0	0	0	0	0	0	0	6.92	0	0	11.8
2019	11	24	5	51	52	29	0	0	0	0	0	0	0	6.89	0	0	11.8
2019	11	24	6	1	52	30	0	0	0	0	0	0	0	6.87	0	0	11.8
2019	11	24	6	11	52	29	0	0	0	0	0	0	0	6.84	0	0	11.8
2019	11	24	6	21	52	29	0	0	0	0	0	0	0	6.81	0	0	11.8
2019	11	24	6	31	52	29	0	0	0	0	0	0	0	6.79	0	0	11.8
2019	11	24	6	41	52	29	0	0	0	0	0	0	0	6.77	0	0	11.8
2019	11	24	6	51	52	29	0	0	0	0	0	0	0	6.74	0	0	11.8
2019	11	24	7	1	52	29	0	0	0	0	0	0	0	6.72	0	0	11.8
2019	11	24	7	11	52	29	0	0	0	0	0	0	0	6.69	0	0	11.8
2019	11	24	7	21	52	29	0	0	0	0	0	0	0	6.66	0	0	11.8
2019	11	24	7	31	52	28	0	0	0	0	0	0	0	6.65	0	0	12.4
2019	11	24	7	41	52	29	0	0	0	0	0	0	0	6.65	0	0	12.8
2019	11	24	7	51	52	28	0	0	0	0	0	0	0	6.64	0	0	13
2019	11	24	8	1	52	29	0	0	0	0	0	0	0	6.65	0	0	13.2
2019	11	24	8	11	52	29	0	0	0	0	0	0	0	6.65	0	0	13.2
2019	11	24	8	21	52	29	0	0	0	0	0	0	0	6.65	0	0	13.6
2019	11	24	8	31	52	29	0	0	0	0	0	0	0	6.65	0	0	14
2019	11	24	8	41	52	29	0	0	0	0	0	0	0	6.66	0	0	14
2019	11	24	8	51	52	29	0	0	0	0	0	0	0	6.67	0	0	14
2019	11	24	9	1	52	29	0	0	0	0	0	0	0	6.68	0	0	14
2019	11	24	9	11	52	29	0	0	0	0	0	0	0	6.69	0	0	14
2019	11	24	9	21	52	29	0	0	0	0	0	0	0	6.72	0	0	13.8
2019	11	24	9	31	52	29	0	0	0	0	0	0	0	6.73	0	0	13.8
2019	11	24	9	41	52	30	0	0	0	0	0	0	0	6.74	0	0	13.8
2019	11	24	9	51	52	29	0	0	0	0	0	0	0	6.77	0	0	13.8
2019	11	24	10	1	52	29	0	0	0	0	0	0	0	6.78	0	0	13.8
2019	11	24	10	11	52	29	0	0	0	0	0	0	0	6.81	0	0	13.8
2019	11	24	10	21	52	29	0	0	0	0	0	0	0	6.83	0	0	13.8
2019	11	24	10	31	52	29	0	0	0	0	0	0	0	6.85	0	0	13.8
2019	11	24	10	41	52	30	0	0	0	0	0	0	0	6.86	0	0	13.8
2019	11	24	10	51	52	29	0	0	0	0	0	0	0	6.89	0	0	13.8
2019	11	24	11	1	52	30	0	0	0	0	0	0	0	6.91	0	0	13.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	24	11	11	52	29	0	0	0	0	0	0	0	6.93	0	0	13.8
2019	11	24	11	21	52	29	0	0	0	0	0	0	0	6.96	0	0	13.8
2019	11	24	11	31	52	30	0	0	0	0	0	0	0	6.96	0	0	13.8
2019	11	24	11	41	52	29	0	0	0	0	0	0	0	6.99	0	0	13.8
2019	11	24	11	51	52	30	0	0	0	0	0	0	0	7.01	0	0	13.8
2019	11	24	12	1	52	29	0	0	0	0	0	0	0	7.02	0	0	13.6
2019	11	24	12	11	52	30	0	0	0	0	0	0	0	7.03	0	0	13.6
2019	11	24	12	21	52	28	0	0	0	0	0	0	0	7.04	0	0	13.6
2019	11	24	12	31	52	29	0	0	0	0	0	0	0	7.05	0	0	13.6
2019	11	24	12	41	52	29	0	0	0	0	0	0	0	7.06	0	0	13.6
2019	11	24	12	51	52	30	0	0	0	0	0	0	0	7.07	0	0	13.6
2019	11	24	13	1	52	29	0	0	0	0	0	0	0	7.07	0	0	13.6
2019	11	24	13	11	52	29	0	0	0	0	0	0	0	7.09	0	0	13.6
2019	11	24	13	21	52	29	0	0	0	0	0	0	0	7.09	0	0	13.6
2019	11	24	13	31	52	29	0	0	0	0	0	0	0	7.09	0	0	13.6
2019	11	24	13	41	52	29	0	0	0	0	0	0	0	7.1	0	0	13.6
2019	11	24	13	51	52	29	0	0	0	0	0	0	0	7.1	0	0	13.6
2019	11	24	14	1	52	29	0	0	0	0	0	0	0	7.1	0	0	13.6
2019	11	24	14	11	52	29	0	0	0	0	0	0	0	7.11	0	0	13.6
2019	11	24	14	21	52	29	0	0	0	0	0	0	0	7.11	0	0	13.6
2019	11	24	14	31	52	29	0	0	0	0	0	0	0	7.11	0	0	13.6
2019	11	24	14	41	52	28	0	0	0	0	0	0	0	7.11	0	0	13.4
2019	11	24	14	51	52	29	0	0	0	0	0	0	0	7.05	0	0	13.4
2019	11	24	15	1	52	29	0	0	0	0	0	0	0	7.05	0	0	13.4
2019	11	24	15	11	52	29	0	0	0	0	0	0	0	7.06	0	0	13.4
2019	11	24	15	21	52	29	0	0	0	0	0	0	0	7.08	0	0	13.4
2019	11	24	15	31	52	29	0	0	0	0	0	0	0	7.1	0	0	13.4
2019	11	24	15	41	52	29	0	0	0	0	0	0	0	7.12	0	0	13.4
2019	11	24	15	51	52	29	0	0	0	0	0	0	0	7.14	0	0	13.4
2019	11	24	16	1	52	29	0	0	0	0	0	0	0	7.16	0	0	12.2
2019	11	24	16	11	52	29	0	0	0	0	0	0	0	7.17	0	0	12.2
2019	11	24	16	21	52	29	0	0	0	0	0	0	0	7.2	0	0	12.2
2019	11	24	16	31	52	29	0	0	0	0	0	0	0	7.21	0	0	12.2
2019	11	24	16	41	52	29	0	0	0	0	0	0	0	7.23	0	0	12.2
2019	11	24	16	51	52	29	0	0	0	0	0	0	0	7.24	0	0	12.2
2019	11	24	17	1	52	30	0	0	0	0	0	0	0	7.26	0	0	12.2
2019	11	24	17	11	52	29	0	0	0	0	0	0	0	7.28	0	0	12.2
2019	11	24	17	21	52	29	0	0	0	0	0	0	0	7.29	0	0	12
2019	11	24	17	31	52	29	0	0	0	0	0	0	0	7.3	0	0	12
2019	11	24	17	41	52	29	0	0	0	0	0	0	0	7.31	0	0	12
2019	11	24	17	51	52	29	0	0	0	0	0	0	0	7.33	0	0	12
2019	11	24	18	1	52	29	0	0	0	0	0	0	0	7.34	0	0	12
2019	11	24	18	11	52	29	0	0	0	0	0	0	0	7.35	0	0	12
2019	11	24	18	21	52	30	0	0	0	0	0	0	0	7.35	0	0	12
2019	11	24	18	31	52	30	0	0	0	0	0	0	0	7.36	0	0	12
2019	11	24	18	41	52	29	0	0	0	0	0	0	0	7.36	0	0	12
2019	11	24	18	51	52	29	0	0	0	0	0	0	0	7.36	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	24	19	1	52	29	0	0	0	0	0	0	0	7.37	0	0	12
2019	11	24	19	11	52	29	0	0	0	0	0	0	0	7.36	0	0	12
2019	11	24	19	21	52	29	0	0	0	0	0	0	0	7.36	0	0	12
2019	11	24	19	31	52	29	0	0	0	0	0	0	0	7.35	0	0	12
2019	11	24	19	41	52	29	0	0	0	0	0	0	0	7.34	0	0	12
2019	11	24	19	51	52	29	0	0	0	0	0	0	0	7.33	0	0	12
2019	11	24	20	1	52	29	0	0	0	0	0	0	0	7.32	0	0	12
2019	11	24	20	11	52	28	0	0	0	0	0	0	0	7.31	0	0	12
2019	11	24	20	21	52	29	0	0	0	0	0	0	0	7.3	0	0	12
2019	11	24	20	31	52	29	0	0	0	0	0	0	0	7.28	0	0	12
2019	11	24	20	41	52	29	0	0	0	0	0	0	0	7.26	0	0	12
2019	11	24	20	51	52	29	0	0	0	0	0	0	0	7.24	0	0	12
2019	11	24	21	1	52	29	0	0	0	0	0	0	0	7.22	0	0	12
2019	11	24	21	11	52	29	0	0	0	0	0	0	0	7.2	0	0	12
2019	11	24	21	21	52	29	0	0	0	0	0	0	0	7.17	0	0	12
2019	11	24	21	31	52	29	0	0	0	0	0	0	0	7.15	0	0	12
2019	11	24	21	41	52	29	0	0	0	0	0	0	0	7.12	0	0	12
2019	11	24	21	51	52	29	0	0	0	0	0	0	0	7.09	0	0	12
2019	11	24	22	1	52	29	0	0	0	0	0	0	0	7.07	0	0	12
2019	11	24	22	11	52	28	0	0	0	0	0	0	0	7.04	0	0	12
2019	11	24	22	21	52	30	0	0	0	0	0	0	0	7.01	0	0	12
2019	11	24	22	31	52	29	0	0	0	0	0	0	0	6.99	0	0	12
2019	11	24	22	41	52	29	0	0	0	0	0	0	0	6.96	0	0	12
2019	11	24	22	51	52	29	0	0	0	0	0	0	0	6.94	0	0	11.8
2019	11	24	23	1	52	29	0	0	0	0	0	0	0	6.91	0	0	11.8
2019	11	24	23	11	52	29	0	0	0	0	0	0	0	6.89	0	0	11.8
2019	11	24	23	21	52	29	0	0	0	0	0	0	0	6.86	0	0	11.8
2019	11	24	23	31	52	30	0	0	0	0	0	0	0	6.84	0	0	11.8
2019	11	24	23	41	52	29	0	0	0	0	0	0	0	6.82	0	0	11.8
2019	11	24	23	51	52	29	0	0	0	0	0	0	0	6.79	0	0	11.8
2019	11	25	0	1	52	29	0	0	0	0	0	0	0	6.77	0	0	11.8
2019	11	25	0	11	52	29	0	0	0	0	0	0	0	6.74	0	0	11.8
2019	11	25	0	21	52	29	0	0	0	0	0	0	0	6.72	0	0	11.8
2019	11	25	0	31	52	28	0	0	0	0	0	0	0	6.7	0	0	11.8
2019	11	25	0	41	52	29	0	0	0	0	0	0	0	6.68	0	0	11.8
2019	11	25	0	51	52	29	0	0	0	0	0	0	0	6.66	0	0	11.8
2019	11	25	1	1	52	29	0	0	0	0	0	0	0	6.63	0	0	11.8
2019	11	25	1	11	52	29	0	0	0	0	0	0	0	6.61	0	0	11.8
2019	11	25	1	21	52	29	0	0	0	0	0	0	0	6.58	0	0	11.8
2019	11	25	1	31	52	29	0	0	0	0	0	0	0	6.56	0	0	11.8
2019	11	25	1	41	52	29	0	0	0	0	0	0	0	6.54	0	0	11.8
2019	11	25	1	51	52	29	0	0	0	0	0	0	0	6.52	0	0	11.8
2019	11	25	2	1	52	29	0	0	0	0	0	0	0	6.5	0	0	11.8
2019	11	25	2	11	52	29	0	0	0	0	0	0	0	6.48	0	0	11.8
2019	11	25	2	21	52	29	0	0	0	0	0	0	0	6.45	0	0	11.8
2019	11	25	2	31	52	29	0	0	0	0	0	0	0	6.43	0	0	11.8
2019	11	25	2	41	52	29	0	0	0	0	0	0	0	6.4	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	25	2	51	52	29	0	0	0	0	0	0	0	6.38	0	0	11.8
2019	11	25	3	1	52	29	0	0	0	0	0	0	0	6.35	0	0	11.8
2019	11	25	3	11	52	30	0	0	0	0	0	0	0	6.33	0	0	11.8
2019	11	25	3	21	52	29	0	0	0	0	0	0	0	6.31	0	0	11.8
2019	11	25	3	31	52	30	0	0	0	0	0	0	0	6.28	0	0	11.8
2019	11	25	3	41	52	29	0	0	0	0	0	0	0	6.26	0	0	11.8
2019	11	25	3	51	52	29	0	0	0	0	0	0	0	6.23	0	0	11.8
2019	11	25	4	1	52	29	0	0	0	0	0	0	0	6.2	0	0	11.8
2019	11	25	4	11	52	29	0	0	0	0	0	0	0	6.18	0	0	11.8
2019	11	25	4	21	52	29	0	0	0	0	0	0	0	6.16	0	0	11.8
2019	11	25	4	31	52	30	0	0	0	0	0	0	0	6.13	0	0	11.8
2019	11	25	4	41	52	29	0	0	0	0	0	0	0	6.1	0	0	11.8
2019	11	25	4	51	52	29	0	0	0	0	0	0	0	6.08	0	0	11.8
2019	11	25	5	1	52	29	0	0	0	0	0	0	0	6.05	0	0	11.8
2019	11	25	5	11	52	29	0	0	0	0	0	0	0	6.02	0	0	11.8
2019	11	25	5	21	52	29	0	0	0	0	0	0	0	6	0	0	11.8
2019	11	25	5	31	52	29	0	0	0	0	0	0	0	5.97	0	0	11.8
2019	11	25	5	41	52	30	0	0	0	0	0	0	0	5.94	0	0	11.8
2019	11	25	5	51	52	29	0	0	0	0	0	0	0	5.92	0	0	11.8
2019	11	25	6	1	52	29	0	0	0	0	0	0	0	5.9	0	0	11.8
2019	11	25	6	11	52	29	0	0	0	0	0	0	0	5.87	0	0	11.8
2019	11	25	6	21	52	29	0	0	0	0	0	0	0	5.84	0	0	11.8
2019	11	25	6	31	52	29	0	0	0	0	0	0	0	5.82	0	0	11.8
2019	11	25	6	41	52	29	0	0	0	0	0	0	0	5.8	0	0	11.8
2019	11	25	6	51	52	29	0	0	0	0	0	0	0	5.77	0	0	11.8
2019	11	25	7	1	52	29	0	0	0	0	0	0	0	5.75	0	0	11.8
2019	11	25	7	11	52	29	0	0	0	0	0	0	0	5.73	0	0	11.8
2019	11	25	7	21	52	29	0	0	0	0	0	0	0	5.71	0	0	11.8
2019	11	25	7	31	52	29	0	0	0	0	0	0	0	5.7	0	0	12.4
2019	11	25	7	41	52	29	0	0	0	0	0	0	0	5.7	0	0	12.8
2019	11	25	7	51	52	29	0	0	0	0	0	0	0	5.69	0	0	13
2019	11	25	8	1	52	30	0	0	0	0	0	0	0	5.69	0	0	13.2
2019	11	25	8	11	52	29	0	0	0	0	0	0	0	5.7	0	0	13.4
2019	11	25	8	21	52	30	0	0	0	0	0	0	0	5.7	0	0	13.6
2019	11	25	8	31	52	30	0	0	0	0	0	0	0	5.72	0	0	14
2019	11	25	8	41	52	29	0	0	0	0	0	0	0	5.75	0	0	14
2019	11	25	8	51	52	29	0	0	0	0	0	0	0	5.77	0	0	14
2019	11	25	9	1	52	29	0	0	0	0	0	0	0	5.77	0	0	14
2019	11	25	9	11	52	29	0	0	0	0	0	0	0	5.8	0	0	14
2019	11	25	9	21	52	29	0	0	0	0	0	0	0	5.8	0	0	13.8
2019	11	25	9	31	52	29	0	0	0	0	0	0	0	5.83	0	0	13.8
2019	11	25	9	41	52	29	0	0	0	0	0	0	0	5.84	0	0	13.8
2019	11	25	9	51	52	29	0	0	0	0	0	0	0	5.87	0	0	13.8
2019	11	25	10	1	52	29	0	0	0	0	0	0	0	5.89	0	0	13.8
2019	11	25	10	11	52	29	0	0	0	0	0	0	0	5.91	0	0	13.8
2019	11	25	10	21	52	29	0	0	0	0	0	0	0	5.92	0	0	13.8
2019	11	25	10	31	52	29	0	0	0	0	0	0	0	5.95	0	0	13.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	25	10	41	52	29	0	0	0	0	0	0	0	5.97	0	0	13.8
2019	11	25	10	51	52	29	0	0	0	0	0	0	0	5.96	0	0	13.8
2019	11	25	11	1	52	29	0	0	0	0	0	0	0	5.96	0	0	13.8
2019	11	25	11	11	52	29	0	0	0	0	0	0	0	5.96	0	0	13.8
2019	11	25	11	21	52	29	0	0	0	0	0	0	0	5.96	0	0	13.8
2019	11	25	11	31	52	29	0	0	0	0	0	0	0	5.97	0	0	13.8
2019	11	25	11	41	52	28	0	0	0	0	0	0	0	6	0	0	13.8
2019	11	25	11	51	52	29	0	0	0	0	0	0	0	6	0	0	13.8
2019	11	25	12	1	52	29	0	0	0	0	0	0	0	6.02	0	0	13.8
2019	11	25	12	11	52	29	0	0	0	0	0	0	0	6.04	0	0	13.8
2019	11	25	12	21	52	29	0	0	0	0	0	0	0	6.05	0	0	13.8
2019	11	25	12	31	52	30	0	0	0	0	0	0	0	6.06	0	0	13.8
2019	11	25	12	41	52	29	0	0	0	0	0	0	0	6.06	0	0	13.8
2019	11	25	12	51	52	29	0	0	0	0	0	0	0	6.06	0	0	13.8
2019	11	25	13	1	52	29	0	0	0	0	0	0	0	6.06	0	0	13.8
2019	11	25	13	11	52	29	0	0	0	0	0	0	0	6.07	0	0	13.8
2019	11	25	13	21	52	29	0	0	0	0	0	0	0	6.08	0	0	13.8
2019	11	25	13	31	52	29	0	0	0	0	0	0	0	6.07	0	0	13.8
2019	11	25	13	41	52	29	0	0	0	0	0	0	0	6.08	0	0	13.8
2019	11	25	13	51	52	29	0	0	0	0	0	0	0	6.08	0	0	13.8
2019	11	25	14	1	52	30	0	0	0	0	0	0	0	6.07	0	0	13.8
2019	11	25	14	11	52	29	0	0	0	0	0	0	0	6.07	0	0	13.8
2019	11	25	14	21	52	30	0	0	0	0	0	0	0	6.07	0	0	13.8
2019	11	25	14	31	52	30	0	0	0	0	0	0	0	6.06	0	0	13.8
2019	11	25	14	41	52	29	0	0	0	0	0	0	0	6.05	0	0	13.8
2019	11	25	14	51	52	30	0	0	0	0	0	0	0	6.01	0	0	13.8
2019	11	25	15	1	52	29	0	0	0	0	0	0	0	6	0	0	13.8
2019	11	25	15	11	52	29	0	0	0	0	0	0	0	6	0	0	13.8
2019	11	25	15	21	52	30	0	0	0	0	0	0	0	6.02	0	0	13.8
2019	11	25	15	31	52	30	0	0	0	0	0	0	0	6.03	0	0	13.8
2019	11	25	15	41	52	29	0	0	0	0	0	0	0	6.04	0	0	13.8
2019	11	25	15	51	52	29	0	0	0	0	0	0	0	6.05	0	0	13.8
2019	11	25	16	1	52	29	0	0	0	0	0	0	0	6.06	0	0	12.2
2019	11	25	16	11	52	30	0	0	0	0	0	0	0	6.07	0	0	12.2
2019	11	25	16	21	52	29	0	0	0	0	0	0	0	6.09	0	0	12.2
2019	11	25	16	31	52	30	0	0	0	0	0	0	0	6.09	0	0	12.2
2019	11	25	16	41	52	29	0	0	0	0	0	0	0	6.11	0	0	12
2019	11	25	16	51	52	30	0	0	0	0	0	0	0	6.12	0	0	12
2019	11	25	17	1	52	29	0	0	0	0	0	0	0	6.14	0	0	12
2019	11	25	17	11	52	29	0	0	0	0	0	0	0	6.16	0	0	12
2019	11	25	17	21	52	29	0	0	0	0	0	0	0	6.17	0	0	12
2019	11	25	17	31	52	29	0	0	0	0	0	0	0	6.19	0	0	12
2019	11	25	17	41	52	29	0	0	0	0	0	0	0	6.2	0	0	12
2019	11	25	17	51	52	29	0	0	0	0	0	0	0	6.21	0	0	12
2019	11	25	18	1	52	29	0	0	0	0	0	0	0	6.23	0	0	12
2019	11	25	18	11	52	29	0	0	0	0	0	0	0	6.24	0	0	12
2019	11	25	18	21	52	29	0	0	0	0	0	0	0	6.26	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	25	18	31	52	29	0	0	0	0	0	0	0	6.26	0	0	12
2019	11	25	18	41	52	29	0	0	0	0	0	0	0	6.27	0	0	12
2019	11	25	18	51	52	29	0	0	0	0	0	0	0	6.27	0	0	12
2019	11	25	19	1	52	30	0	0	0	0	0	0	0	6.27	0	0	12
2019	11	25	19	11	52	29	0	0	0	0	0	0	0	6.28	0	0	12
2019	11	25	19	21	52	29	0	0	0	0	0	0	0	6.27	0	0	12
2019	11	25	19	31	52	29	0	0	0	0	0	0	0	6.26	0	0	12
2019	11	25	19	41	52	30	0	0	0	0	0	0	0	6.27	0	0	12
2019	11	25	19	51	52	29	0	0	0	0	0	0	0	6.26	0	0	12
2019	11	25	20	1	52	29	0	0	0	0	0	0	0	6.25	0	0	12
2019	11	25	20	11	52	29	0	0	0	0	0	0	0	6.25	0	0	12
2019	11	25	20	21	52	29	0	0	0	0	0	0	0	6.23	0	0	12
2019	11	25	20	31	52	29	0	0	0	0	0	0	0	6.23	0	0	12
2019	11	25	20	41	52	30	0	0	0	0	0	0	0	6.21	0	0	12
2019	11	25	20	51	52	29	0	0	0	0	0	0	0	6.2	0	0	12
2019	11	25	21	1	52	30	0	0	0	0	0	0	0	6.19	0	0	12
2019	11	25	21	11	52	29	0	0	0	0	0	0	0	6.17	0	0	12
2019	11	25	21	21	52	29	0	0	0	0	0	0	0	6.15	0	0	12
2019	11	25	21	31	52	29	0	0	0	0	0	0	0	6.13	0	0	12
2019	11	25	21	41	52	29	0	0	0	0	0	0	0	6.11	0	0	12
2019	11	25	21	51	52	29	0	0	0	0	0	0	0	6.1	0	0	12
2019	11	25	22	1	52	29	0	0	0	0	0	0	0	6.07	0	0	12
2019	11	25	22	11	52	28	0	0	0	0	0	0	0	6.05	0	0	12
2019	11	25	22	21	52	29	0	0	0	0	0	0	0	6.03	0	0	12
2019	11	25	22	31	52	29	0	0	0	0	0	0	0	6.01	0	0	12
2019	11	25	22	41	52	28	0	0	0	0	0	0	0	5.99	0	0	12
2019	11	25	22	51	52	29	0	0	0	0	0	0	0	5.97	0	0	12
2019	11	25	23	1	52	29	0	0	0	0	0	0	0	5.94	0	0	12
2019	11	25	23	11	52	30	0	0	0	0	0	0	0	5.92	0	0	12
2019	11	25	23	21	52	29	0	0	0	0	0	0	0	5.9	0	0	12
2019	11	25	23	31	52	29	0	0	0	0	0	0	0	5.88	0	0	11.8
2019	11	25	23	41	52	30	0	0	0	0	0	0	0	5.86	0	0	11.8
2019	11	25	23	51	52	29	0	0	0	0	0	0	0	5.83	0	0	11.8
2019	11	26	0	1	52	29	0	0	0	0	0	0	0	5.81	0	0	11.8
2019	11	26	0	11	52	30	0	0	0	0	0	0	0	5.79	0	0	11.8
2019	11	26	0	21	52	30	0	0	0	0	0	0	0	5.77	0	0	11.8
2019	11	26	0	31	52	29	0	0	0	0	0	0	0	5.75	0	0	11.8
2019	11	26	0	41	52	29	0	0	0	0	0	0	0	5.73	0	0	11.8
2019	11	26	0	51	52	29	0	0	0	0	0	0	0	5.71	0	0	11.8
2019	11	26	1	1	52	29	0	0	0	0	0	0	0	5.69	0	0	11.8
2019	11	26	1	11	52	29	0	0	0	0	0	0	0	5.67	0	0	11.8
2019	11	26	1	21	52	29	0	0	0	0	0	0	0	5.66	0	0	11.8
2019	11	26	1	31	52	29	0	0	0	0	0	0	0	5.64	0	0	11.8
2019	11	26	1	41	52	29	0	0	0	0	0	0	0	5.63	0	0	11.8
2019	11	26	1	51	52	29	0	0	0	0	0	0	0	5.6	0	0	11.8
2019	11	26	2	1	52	29	0	0	0	0	0	0	0	5.59	0	0	11.8
2019	11	26	2	11	52	29	0	0	0	0	0	0	0	5.58	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	26	2	21	52	30	0	0	0	0	0	0	0	5.56	0	0	11.8
2019	11	26	2	31	52	30	0	0	0	0	0	0	0	5.54	0	0	11.8
2019	11	26	2	41	52	29	0	0	0	0	0	0	0	5.53	0	0	11.8
2019	11	26	2	51	52	29	0	0	0	0	0	0	0	5.51	0	0	11.8
2019	11	26	3	1	52	29	0	0	0	0	0	0	0	5.49	0	0	11.8
2019	11	26	3	11	52	29	0	0	0	0	0	0	0	5.48	0	0	11.8
2019	11	26	3	21	52	29	0	0	0	0	0	0	0	5.45	0	0	11.8
2019	11	26	3	31	52	29	0	0	0	0	0	0	0	5.44	0	0	11.8
2019	11	26	3	41	52	30	0	0	0	0	0	0	0	5.42	0	0	11.8
2019	11	26	3	51	52	29	0	0	0	0	0	0	0	5.4	0	0	11.8
2019	11	26	4	1	52	29	0	0	0	0	0	0	0	5.38	0	0	11.8
2019	11	26	4	11	52	29	0	0	0	0	0	0	0	5.37	0	0	11.8
2019	11	26	4	21	52	29	0	0	0	0	0	0	0	5.35	0	0	11.8
2019	11	26	4	31	52	29	0	0	0	0	0	0	0	5.32	0	0	11.8
2019	11	26	4	41	52	29	0	0	0	0	0	0	0	5.3	0	0	11.8
2019	11	26	4	51	52	29	0	0	0	0	0	0	0	5.28	0	0	11.8
2019	11	26	5	1	52	29	0	0	0	0	0	0	0	5.26	0	0	11.8
2019	11	26	5	11	52	29	0	0	0	0	0	0	0	5.24	0	0	11.8
2019	11	26	5	21	52	30	0	0	0	0	0	0	0	5.22	0	0	11.8
2019	11	26	5	31	52	30	0	0	0	0	0	0	0	5.2	0	0	11.8
2019	11	26	5	41	52	30	0	0	0	0	0	0	0	5.18	0	0	11.8
2019	11	26	5	51	52	30	0	0	0	0	0	0	0	5.16	0	0	11.8
2019	11	26	6	1	52	30	0	0	0	0	0	0	0	5.14	0	0	11.8
2019	11	26	6	11	52	29	0	0	0	0	0	0	0	5.12	0	0	11.8
2019	11	26	6	21	52	30	0	0	0	0	0	0	0	5.1	0	0	11.8
2019	11	26	6	31	52	29	0	0	0	0	0	0	0	5.08	0	0	11.8
2019	11	26	6	41	52	29	0	0	0	0	0	0	0	5.06	0	0	11.8
2019	11	26	6	51	52	29	0	0	0	0	0	0	0	5.04	0	0	11.8
2019	11	26	7	1	52	29	0	0	0	0	0	0	0	5.02	0	0	11.8
2019	11	26	7	11	52	30	0	0	0	0	0	0	0	5	0	0	11.8
2019	11	26	7	21	52	28	0	0	0	0	0	0	0	4.99	0	0	11.8
2019	11	26	7	31	52	30	0	0	0	0	0	0	0	4.97	0	0	12.4
2019	11	26	7	41	52	29	0	0	0	0	0	0	0	4.97	0	0	12.8
2019	11	26	7	51	52	30	0	0	0	0	0	0	0	4.98	0	0	13
2019	11	26	8	1	52	29	0	0	0	0	0	0	0	4.99	0	0	13
2019	11	26	8	11	52	29	0	0	0	0	0	0	0	4.98	0	0	13
2019	11	26	8	21	52	29	0	0	0	0	0	0	0	4.99	0	0	13.4
2019	11	26	8	31	52	30	0	0	0	0	0	0	0	5	0	0	13.4
2019	11	26	8	41	52	30	0	0	0	0	0	0	0	5	0	0	14
2019	11	26	8	51	52	29	0	0	0	0	0	0	0	5.01	0	0	14
2019	11	26	9	1	52	29	0	0	0	0	0	0	0	5.03	0	0	14
2019	11	26	9	11	52	29	0	0	0	0	0	0	0	5.04	0	0	14
2019	11	26	9	21	52	30	0	0	0	0	0	0	0	5.06	0	0	14
2019	11	26	9	31	52	30	0	0	0	0	0	0	0	5.06	0	0	13.8
2019	11	26	9	41	52	30	0	0	0	0	0	0	0	5.09	0	0	13.8
2019	11	26	9	51	52	29	0	0	0	0	0	0	0	5.1	0	0	13.8
2019	11	26	10	1	52	29	0	0	0	0	0	0	0	5.12	0	0	13.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	26	10	11	52	29	0	0	0	0	0	0	0	5.15	0	0	13.8
2019	11	26	10	21	52	29	0	0	0	0	0	0	0	5.16	0	0	13.8
2019	11	26	10	31	52	29	0	0	0	0	0	0	0	5.18	0	0	13.8
2019	11	26	10	41	52	29	0	0	0	0	0	0	0	5.15	0	0	13.8
2019	11	26	10	51	52	30	0	0	0	0	0	0	0	5.17	0	0	13.8
2019	11	26	11	1	52	29	0	0	0	0	0	0	0	5.19	0	0	13.8
2019	11	26	11	11	52	30	0	0	0	0	0	0	0	5.18	0	0	13.8
2019	11	26	11	21	52	30	0	0	0	0	0	0	0	5.17	0	0	13.8
2019	11	26	11	31	52	30	0	0	0	0	0	0	0	5.26	0	0	13.8
2019	11	26	11	41	52	29	0	0	0	0	0	0	0	5.25	0	0	13.8
2019	11	26	11	51	52	30	0	0	0	0	0	0	0	5.25	0	0	13.8
2019	11	26	12	1	52	30	0	0	0	0	0	0	0	5.24	0	0	13.8
2019	11	26	12	11	52	30	0	0	0	0	0	0	0	5.3	0	0	13.8
2019	11	26	12	21	52	29	0	0	0	0	0	0	0	5.31	0	0	13.8
2019	11	26	12	31	52	30	0	0	0	0	0	0	0	5.25	0	0	13.8
2019	11	26	12	41	52	29	0	0	0	0	0	0	0	5.29	0	0	13.8
2019	11	26	12	51	52	30	0	0	0	0	0	0	0	5.34	0	0	13.8
2019	11	26	13	1	52	30	0	0	0	0	0	0	0	5.3	0	0	13.8
2019	11	26	13	11	52	29	0	0	0	0	0	0	0	5.31	0	0	13.8
2019	11	26	13	21	52	30	0	0	0	0	0	0	0	5.34	0	0	13.8
2019	11	26	13	31	52	29	0	0	0	0	0	0	0	5.34	0	0	13.8
2019	11	26	13	41	52	30	0	0	0	0	0	0	0	5.37	0	0	13.8
2019	11	26	13	51	52	30	0	0	0	0	0	0	0	5.35	0	0	13.8
2019	11	26	14	1	52	29	0	0	0	0	0	0	0	5.33	0	0	13.8
2019	11	26	14	11	52	30	0	0	0	0	0	0	0	5.34	0	0	13.8
2019	11	26	14	21	52	29	0	0	0	0	0	0	0	5.33	0	0	13.8
2019	11	26	14	31	52	30	0	0	0	0	0	0	0	5.32	0	0	13.8
2019	11	26	14	41	52	29	0	0	0	0	0	0	0	5.29	0	0	13.8
2019	11	26	14	51	52	29	0	0	0	0	0	0	0	5.25	0	0	13.8
2019	11	26	15	1	52	29	0	0	0	0	0	0	0	5.24	0	0	13.6
2019	11	26	15	11	52	29	0	0	0	0	0	0	0	5.25	0	0	13.6
2019	11	26	15	21	52	29	0	0	0	0	0	0	0	5.26	0	0	12.6
2019	11	26	15	31	52	29	0	0	0	0	0	0	0	5.26	0	0	12.4
2019	11	26	15	41	52	29	0	0	0	0	0	0	0	5.27	0	0	12.2
2019	11	26	15	51	52	30	0	0	0	0	0	0	0	5.27	0	0	12.2
2019	11	26	16	1	52	30	0	0	0	0	0	0	0	5.29	0	0	12.2
2019	11	26	16	11	52	29	0	0	0	0	0	0	0	5.3	0	0	12
2019	11	26	16	21	52	29	0	0	0	0	0	0	0	5.3	0	0	12
2019	11	26	16	31	52	30	0	0	0	0	0	0	0	5.32	0	0	12
2019	11	26	16	41	52	29	0	0	0	0	0	0	0	5.33	0	0	12
2019	11	26	16	51	52	29	0	0	0	0	0	0	0	5.35	0	0	12
2019	11	26	17	1	52	29	0	0	0	0	0	0	0	5.37	0	0	12
2019	11	26	17	11	52	29	0	0	0	0	0	0	0	5.38	0	0	12
2019	11	26	17	21	52	29	0	0	0	0	0	0	0	5.39	0	0	12
2019	11	26	17	31	52	30	0	0	0	0	0	0	0	5.41	0	0	12
2019	11	26	17	41	52	30	0	0	0	0	0	0	0	5.42	0	0	12
2019	11	26	17	51	52	29	0	0	0	0	0	0	0	5.43	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	26	18	1	52	29	0	0	0	0	0	0	0	5.45	0	0	12
2019	11	26	18	11	52	29	0	0	0	0	0	0	0	5.45	0	0	12
2019	11	26	18	21	52	30	0	0	0	0	0	0	0	5.46	0	0	12
2019	11	26	18	31	52	30	0	0	0	0	0	0	0	5.48	0	0	12
2019	11	26	18	41	52	29	0	0	0	0	0	0	0	5.48	0	0	12
2019	11	26	18	51	52	30	0	0	0	0	0	0	0	5.49	0	0	12
2019	11	26	19	1	52	29	0	0	0	0	0	0	0	5.48	0	0	12
2019	11	26	19	11	52	30	0	0	0	0	0	0	0	5.49	0	0	12
2019	11	26	19	21	52	29	0	0	0	0	0	0	0	5.5	0	0	12
2019	11	26	19	31	52	30	0	0	0	0	0	0	0	5.5	0	0	12
2019	11	26	19	41	52	30	0	0	0	0	0	0	0	5.5	0	0	12
2019	11	26	19	51	52	29	0	0	0	0	0	0	0	5.51	0	0	12
2019	11	26	20	1	52	30	0	0	0	0	0	0	0	5.51	0	0	12
2019	11	26	20	11	52	30	0	0	0	0	0	0	0	5.5	0	0	12
2019	11	26	20	21	52	29	0	0	0	0	0	0	0	5.5	0	0	12
2019	11	26	20	31	52	29	0	0	0	0	0	0	0	5.5	0	0	12
2019	11	26	20	41	52	30	0	0	0	0	0	0	0	5.49	0	0	12
2019	11	26	20	51	52	30	0	0	0	0	0	0	0	5.48	0	0	12
2019	11	26	21	1	52	30	0	0	0	0	0	0	0	5.47	0	0	12
2019	11	26	21	11	52	30	0	0	0	0	0	0	0	5.45	0	0	12
2019	11	26	21	21	52	29	0	0	0	0	0	0	0	5.45	0	0	12
2019	11	26	21	31	52	29	0	0	0	0	0	0	0	5.43	0	0	12
2019	11	26	21	41	52	30	0	0	0	0	0	0	0	5.41	0	0	12
2019	11	26	21	51	52	30	0	0	0	0	0	0	0	5.4	0	0	12
2019	11	26	22	1	52	29	0	0	0	0	0	0	0	5.38	0	0	12
2019	11	26	22	11	52	29	0	0	0	0	0	0	0	5.36	0	0	12
2019	11	26	22	21	52	29	0	0	0	0	0	0	0	5.35	0	0	12
2019	11	26	22	31	52	30	0	0	0	0	0	0	0	5.33	0	0	12
2019	11	26	22	41	52	29	0	0	0	0	0	0	0	5.32	0	0	12
2019	11	26	22	51	52	29	0	0	0	0	0	0	0	5.3	0	0	11.8
2019	11	26	23	1	52	29	0	0	0	0	0	0	0	5.29	0	0	11.8
2019	11	26	23	11	52	29	0	0	0	0	0	0	0	5.28	0	0	11.8
2019	11	26	23	21	52	29	0	0	0	0	0	0	0	5.27	0	0	11.8
2019	11	26	23	31	52	30	0	0	0	0	0	0	0	5.26	0	0	11.8
2019	11	26	23	41	52	30	0	0	0	0	0	0	0	5.24	0	0	11.8
2019	11	26	23	51	52	29	0	0	0	0	0	0	0	5.23	0	0	11.8
2019	11	27	0	1	52	30	0	0	0	0	0	0	0	5.22	0	0	11.8
2019	11	27	0	11	52	29	0	0	0	0	0	0	0	5.21	0	0	11.8
2019	11	27	0	21	52	29	0	0	0	0	0	0	0	5.2	0	0	11.8
2019	11	27	0	31	52	30	0	0	0	0	0	0	0	5.19	0	0	11.8
2019	11	27	0	41	52	29	0	0	0	0	0	0	0	5.18	0	0	11.8
2019	11	27	0	51	52	29	0	0	0	0	0	0	0	5.17	0	0	11.8
2019	11	27	1	1	52	29	0	0	0	0	0	0	0	5.16	0	0	11.8
2019	11	27	1	11	52	29	0	0	0	0	0	0	0	5.15	0	0	11.8
2019	11	27	1	21	52	29	0	0	0	0	0	0	0	5.14	0	0	11.8
2019	11	27	1	31	52	29	0	0	0	0	0	0	0	5.14	0	0	11.8
2019	11	27	1	41	52	29	0	0	0	0	0	0	0	5.13	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	27	1	51	52	29	0	0	0	0	0	0	0	5.12	0	0	11.8
2019	11	27	2	1	52	30	0	0	0	0	0	0	0	5.12	0	0	11.8
2019	11	27	2	11	52	30	0	0	0	0	0	0	0	5.12	0	0	11.8
2019	11	27	2	21	52	29	0	0	0	0	0	0	0	5.11	0	0	11.8
2019	11	27	2	31	52	29	0	0	0	0	0	0	0	5.11	0	0	11.8
2019	11	27	2	41	52	30	0	0	0	0	0	0	0	5.1	0	0	11.8
2019	11	27	2	51	52	30	0	0	0	0	0	0	0	5.09	0	0	11.8
2019	11	27	3	1	52	30	0	0	0	0	0	0	0	5.08	0	0	11.8
2019	11	27	3	11	52	30	0	0	0	0	0	0	0	5.07	0	0	11.8
2019	11	27	3	21	52	29	0	0	0	0	0	0	0	5.07	0	0	11.8
2019	11	27	3	31	52	29	0	0	0	0	0	0	0	5.06	0	0	11.8
2019	11	27	3	41	52	29	0	0	0	0	0	0	0	5.06	0	0	11.8
2019	11	27	3	51	52	30	0	0	0	0	0	0	0	5.05	0	0	11.8
2019	11	27	4	1	52	29	0	0	0	0	0	0	0	5.04	0	0	11.8
2019	11	27	4	11	52	29	0	0	0	0	0	0	0	5.03	0	0	11.8
2019	11	27	4	21	52	30	0	0	0	0	0	0	0	5.02	0	0	11.8
2019	11	27	4	31	52	29	0	0	0	0	0	0	0	5.02	0	0	11.8
2019	11	27	4	41	52	29	0	0	0	0	0	0	0	5.01	0	0	11.8
2019	11	27	4	51	52	29	0	0	0	0	0	0	0	5	0	0	11.8
2019	11	27	5	1	52	29	0	0	0	0	0	0	0	4.99	0	0	11.8
2019	11	27	5	11	52	29	0	0	0	0	0	0	0	4.99	0	0	11.8
2019	11	27	5	21	52	29	0	0	0	0	0	0	0	4.98	0	0	11.8
2019	11	27	5	31	52	29	0	0	0	0	0	0	0	4.98	0	0	11.8
2019	11	27	5	41	52	30	0	0	0	0	0	0	0	4.97	0	0	11.8
2019	11	27	5	51	52	29	0	0	0	0	0	0	0	4.96	0	0	11.8
2019	11	27	6	1	52	30	0	0	0	0	0	0	0	4.94	0	0	11.8
2019	11	27	6	11	52	30	0	0	0	0	0	0	0	4.94	0	0	11.8
2019	11	27	6	21	52	29	0	0	0	0	0	0	0	4.93	0	0	11.8
2019	11	27	6	31	52	29	0	0	0	0	0	0	0	4.93	0	0	11.8
2019	11	27	6	41	52	29	0	0	0	0	0	0	0	4.92	0	0	11.8
2019	11	27	6	51	52	29	0	0	0	0	0	0	0	4.91	0	0	11.8
2019	11	27	7	1	52	29	0	0	0	0	0	0	0	4.9	0	0	11.8
2019	11	27	7	11	52	29	0	0	0	0	0	0	0	4.9	0	0	11.8
2019	11	27	7	21	52	30	0	0	0	0	0	0	0	4.89	0	0	11.8
2019	11	27	7	31	52	30	0	0	0	0	0	0	0	4.89	0	0	11.8
2019	11	27	7	41	52	30	0	0	0	0	0	0	0	4.89	0	0	11.8
2019	11	27	7	51	52	29	0	0	0	0	0	0	0	4.89	0	0	11.8
2019	11	27	8	1	52	30	0	0	0	0	0	0	0	4.88	0	0	11.8
2019	11	27	8	11	52	29	0	0	0	0	0	0	0	4.88	0	0	11.8
2019	11	27	8	21	52	29	0	0	0	0	0	0	0	4.89	0	0	11.8
2019	11	27	8	31	52	30	0	0	0	0	0	0	0	4.89	0	0	11.8
2019	11	27	8	41	52	30	0	0	0	0	0	0	0	4.89	0	0	11.8
2019	11	27	8	51	52	29	0	0	0	0	0	0	0	4.88	0	0	11.8
2019	11	27	9	1	52	30	0	0	0	0	0	0	0	4.89	0	0	11.8
2019	11	27	9	11	52	29	0	0	0	0	0	0	0	4.91	0	0	12
2019	11	27	9	21	52	30	0	0	0	0	0	0	0	4.9	0	0	11.8
2019	11	27	9	31	52	29	0	0	0	0	0	0	0	4.91	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	27	9	41	52	29	0	0	0	0	0	0	0	5.01	0	0	13
2019	11	27	9	51	52	30	0	0	0	0	0	0	0	5.08	0	0	13.4
2019	11	27	10	1	52	29	0	0	0	0	0	0	0	5.06	0	0	13
2019	11	27	10	11	52	29	0	0	0	0	0	0	0	5.06	0	0	13.2
2019	11	27	10	21	52	29	0	0	0	0	0	0	0	5.12	0	0	14
2019	11	27	10	31	52	30	0	0	0	0	0	0	0	5.16	0	0	14
2019	11	27	10	41	52	30	0	0	0	0	0	0	0	5.19	0	0	14
2019	11	27	10	51	52	29	0	0	0	0	0	0	0	5.22	0	0	14
2019	11	27	11	1	52	30	0	0	0	0	0	0	0	5.23	0	0	14
2019	11	27	11	11	52	30	0	0	0	0	0	0	0	5.21	0	0	13.8
2019	11	27	11	21	52	30	0	0	0	0	0	0	0	5.27	0	0	13.8
2019	11	27	11	31	52	29	0	0	0	0	0	0	0	5.3	0	0	14
2019	11	27	11	41	52	29	0	0	0	0	0	0	0	5.31	0	0	13.8
2019	11	27	11	51	52	30	0	0	0	0	0	0	0	5.25	0	0	13.8
2019	11	27	12	1	52	29	0	0	0	0	0	0	0	5.2	0	0	13.2
2019	11	27	12	11	52	29	0	0	0	0	0	0	0	5.21	0	0	13.4
2019	11	27	12	21	52	29	0	0	0	0	0	0	0	5.21	0	0	13.2
2019	11	27	12	31	52	30	0	0	0	0	0	0	0	5.22	0	0	13.8
2019	11	27	12	41	52	30	0	0	0	0	0	0	0	5.29	0	0	14
2019	11	27	12	51	52	30	0	0	0	0	0	0	0	5.35	0	0	14
2019	11	27	13	1	52	29	0	0	0	0	0	0	0	5.37	0	0	14
2019	11	27	13	11	52	29	0	0	0	0	0	0	0	5.38	0	0	14
2019	11	27	13	21	52	29	0	0	0	0	0	0	0	5.32	0	0	13.8
2019	11	27	13	31	52	29	0	0	0	0	0	0	0	5.29	0	0	13.6
2019	11	27	13	41	52	29	0	0	0	0	0	0	0	5.27	0	0	12.8
2019	11	27	13	51	52	29	0	0	0	0	0	0	0	5.27	0	0	12.8
2019	11	27	14	1	52	30	0	0	0	0	0	0	0	5.28	0	0	13.4
2019	11	27	14	11	52	30	0	0	0	0	0	0	0	5.29	0	0	13.4
2019	11	27	14	21	52	30	0	0	0	0	0	0	0	5.28	0	0	12.4
2019	11	27	14	31	52	29	0	0	0	0	0	0	0	5.28	0	0	12.4
2019	11	27	14	41	52	29	0	0	0	0	0	0	0	5.28	0	0	12.4
2019	11	27	14	51	52	29	0	0	0	0	0	0	0	5.29	0	0	12.2
2019	11	27	15	1	52	30	0	0	0	0	0	0	0	5.31	0	0	12.2
2019	11	27	15	11	52	29	0	0	0	0	0	0	0	5.32	0	0	12.2
2019	11	27	15	21	52	29	0	0	0	0	0	0	0	5.33	0	0	12.2
2019	11	27	15	31	52	29	0	0	0	0	0	0	0	5.35	0	0	12.2
2019	11	27	15	41	52	29	0	0	0	0	0	0	0	5.36	0	0	12.2
2019	11	27	15	51	52	29	0	0	0	0	0	0	0	5.38	0	0	12
2019	11	27	16	1	52	30	0	0	0	0	0	0	0	5.39	0	0	12
2019	11	27	16	11	52	29	0	0	0	0	0	0	0	5.41	0	0	12
2019	11	27	16	21	52	29	0	0	0	0	0	0	0	5.43	0	0	12
2019	11	27	16	31	52	30	0	0	0	0	0	0	0	5.45	0	0	12
2019	11	27	16	41	52	29	0	0	0	0	0	0	0	5.47	0	0	12
2019	11	27	16	51	52	29	0	0	0	0	0	0	0	5.49	0	0	12
2019	11	27	17	1	52	29	0	0	0	0	0	0	0	5.51	0	0	12
2019	11	27	17	11	52	30	0	0	0	0	0	0	0	5.53	0	0	12
2019	11	27	17	21	52	30	0	0	0	0	0	0	0	5.55	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	27	17	31	52	29	0	0	0	0	0	0	0	5.57	0	0	12
2019	11	27	17	41	52	29	0	0	0	0	0	0	0	5.58	0	0	12
2019	11	27	17	51	52	29	0	0	0	0	0	0	0	5.59	0	0	12
2019	11	27	18	1	52	29	0	0	0	0	0	0	0	5.6	0	0	12
2019	11	27	18	11	52	29	0	0	0	0	0	0	0	5.61	0	0	12
2019	11	27	18	21	52	30	0	0	0	0	0	0	0	5.63	0	0	12
2019	11	27	18	31	52	29	0	0	0	0	0	0	0	5.63	0	0	12
2019	11	27	18	41	52	29	0	0	0	0	0	0	0	5.64	0	0	12
2019	11	27	18	51	52	29	0	0	0	0	0	0	0	5.65	0	0	12
2019	11	27	19	1	52	29	0	0	0	0	0	0	0	5.65	0	0	12
2019	11	27	19	11	52	29	0	0	0	0	0	0	0	5.65	0	0	12
2019	11	27	19	21	52	29	0	0	0	0	0	0	0	5.64	0	0	12
2019	11	27	19	31	52	29	0	0	0	0	0	0	0	5.65	0	0	12
2019	11	27	19	41	52	29	0	0	0	0	0	0	0	5.64	0	0	12
2019	11	27	19	51	52	30	0	0	0	0	0	0	0	5.64	0	0	12
2019	11	27	20	1	52	30	0	0	0	0	0	0	0	5.63	0	0	12
2019	11	27	20	11	52	30	0	0	0	0	0	0	0	5.62	0	0	12
2019	11	27	20	21	52	30	0	0	0	0	0	0	0	5.61	0	0	12
2019	11	27	20	31	52	30	0	0	0	0	0	0	0	5.6	0	0	12
2019	11	27	20	41	52	29	0	0	0	0	0	0	0	5.58	0	0	12
2019	11	27	20	51	52	30	0	0	0	0	0	0	0	5.56	0	0	11.8
2019	11	27	21	1	52	29	0	0	0	0	0	0	0	5.54	0	0	11.8
2019	11	27	21	11	52	29	0	0	0	0	0	0	0	5.52	0	0	11.8
2019	11	27	21	21	52	29	0	0	0	0	0	0	0	5.5	0	0	11.8
2019	11	27	21	31	52	29	0	0	0	0	0	0	0	5.48	0	0	11.8
2019	11	27	21	41	52	29	0	0	0	0	0	0	0	5.46	0	0	11.8
2019	11	27	21	51	52	30	0	0	0	0	0	0	0	5.44	0	0	11.8
2019	11	27	22	1	52	29	0	0	0	0	0	0	0	5.42	0	0	11.8
2019	11	27	22	11	52	30	0	0	0	0	0	0	0	5.39	0	0	11.8
2019	11	27	22	21	52	29	0	0	0	0	0	0	0	5.37	0	0	11.8
2019	11	27	22	31	52	29	0	0	0	0	0	0	0	5.34	0	0	11.8
2019	11	27	22	41	52	29	0	0	0	0	0	0	0	5.32	0	0	11.8
2019	11	27	22	51	52	29	0	0	0	0	0	0	0	5.29	0	0	11.8
2019	11	27	23	1	52	29	0	0	0	0	0	0	0	5.27	0	0	11.8
2019	11	27	23	11	52	29	0	0	0	0	0	0	0	5.25	0	0	11.8
2019	11	27	23	21	52	29	0	0	0	0	0	0	0	5.22	0	0	11.8
2019	11	27	23	31	52	30	0	0	0	0	0	0	0	5.2	0	0	11.8
2019	11	27	23	41	52	30	0	0	0	0	0	0	0	5.18	0	0	11.8
2019	11	27	23	51	52	30	0	0	0	0	0	0	0	5.15	0	0	11.8
2019	11	28	0	1	52	29	0	0	0	0	0	0	0	5.13	0	0	11.8
2019	11	28	0	11	52	29	0	0	0	0	0	0	0	5.11	0	0	11.8
2019	11	28	0	21	52	29	0	0	0	0	0	0	0	5.08	0	0	11.8
2019	11	28	0	31	52	29	0	0	0	0	0	0	0	5.07	0	0	11.8
2019	11	28	0	41	52	29	0	0	0	0	0	0	0	5.05	0	0	11.8
2019	11	28	0	51	52	29	0	0	0	0	0	0	0	5.03	0	0	11.8
2019	11	28	1	1	52	29	0	0	0	0	0	0	0	5.01	0	0	11.8
2019	11	28	1	11	52	29	0	0	0	0	0	0	0	4.99	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	28	1	21	52	29	0	0	0	0	0	0	0	4.97	0	0	11.8
2019	11	28	1	31	52	30	0	0	0	0	0	0	0	4.96	0	0	11.8
2019	11	28	1	41	52	29	0	0	0	0	0	0	0	4.94	0	0	11.8
2019	11	28	1	51	52	29	0	0	0	0	0	0	0	4.93	0	0	11.8
2019	11	28	2	1	52	30	0	0	0	0	0	0	0	4.92	0	0	11.8
2019	11	28	2	11	52	29	0	0	0	0	0	0	0	4.9	0	0	11.8
2019	11	28	2	21	52	30	0	0	0	0	0	0	0	4.89	0	0	11.8
2019	11	28	2	31	52	29	0	0	0	0	0	0	0	4.87	0	0	11.8
2019	11	28	2	41	52	30	0	0	0	0	0	0	0	4.86	0	0	11.8
2019	11	28	2	51	52	30	0	0	0	0	0	0	0	4.84	0	0	11.8
2019	11	28	3	1	52	30	0	0	0	0	0	0	0	4.82	0	0	11.8
2019	11	28	3	11	52	30	0	0	0	0	0	0	0	4.8	0	0	11.8
2019	11	28	3	21	52	29	0	0	0	0	0	0	0	4.79	0	0	11.8
2019	11	28	3	31	52	30	0	0	0	0	0	0	0	4.77	0	0	11.8
2019	11	28	3	41	52	29	0	0	0	0	0	0	0	4.76	0	0	11.8
2019	11	28	3	51	52	29	0	0	0	0	0	0	0	4.75	0	0	11.6
2019	11	28	4	1	52	30	0	0	0	0	0	0	0	4.73	0	0	11.6
2019	11	28	4	11	52	29	0	0	0	0	0	0	0	4.71	0	0	11.6
2019	11	28	4	21	52	29	0	0	0	0	0	0	0	4.7	0	0	11.6
2019	11	28	4	31	52	29	0	0	0	0	0	0	0	4.69	0	0	11.6
2019	11	28	4	41	52	29	0	0	0	0	0	0	0	4.67	0	0	11.6
2019	11	28	4	51	52	30	0	0	0	0	0	0	0	4.65	0	0	11.6
2019	11	28	5	1	52	29	0	0	0	0	0	0	0	4.64	0	0	11.6
2019	11	28	5	11	52	29	0	0	0	0	0	0	0	4.63	0	0	11.6
2019	11	28	5	21	52	29	0	0	0	0	0	0	0	4.62	0	0	11.6
2019	11	28	5	31	52	30	0	0	0	0	0	0	0	4.6	0	0	11.6
2019	11	28	5	41	52	30	0	0	0	0	0	0	0	4.59	0	0	11.6
2019	11	28	5	51	52	29	0	0	0	0	0	0	0	4.57	0	0	11.6
2019	11	28	6	1	52	30	0	0	0	0	0	0	0	4.56	0	0	11.6
2019	11	28	6	11	52	29	0	0	0	0	0	0	0	4.55	0	0	11.6
2019	11	28	6	21	52	29	0	0	0	0	0	0	0	4.54	0	0	11.6
2019	11	28	6	31	52	29	0	0	0	0	0	0	0	4.52	0	0	11.6
2019	11	28	6	41	52	30	0	0	0	0	0	0	0	4.52	0	0	11.6
2019	11	28	6	51	52	29	0	0	0	0	0	0	0	4.51	0	0	11.6
2019	11	28	7	1	52	30	0	0	0	0	0	0	0	4.49	0	0	11.6
2019	11	28	7	11	52	29	0	0	0	0	0	0	0	4.47	0	0	11.6
2019	11	28	7	21	52	30	0	0	0	0	0	0	0	4.47	0	0	11.6
2019	11	28	7	31	52	29	0	0	0	0	0	0	0	4.46	0	0	11.6
2019	11	28	7	41	52	29	0	0	0	0	0	0	0	4.45	0	0	11.6
2019	11	28	7	51	52	30	0	0	0	0	0	0	0	4.44	0	0	11.6
2019	11	28	8	1	52	30	0	0	0	0	0	0	0	4.43	0	0	11.6
2019	11	28	8	11	52	29	0	0	0	0	0	0	0	4.42	0	0	11.6
2019	11	28	8	21	52	30	0	0	0	0	0	0	0	4.41	0	0	11.6
2019	11	28	8	31	52	29	0	0	0	0	0	0	0	4.4	0	0	11.6
2019	11	28	8	41	52	30	0	0	0	0	0	0	0	4.39	0	0	11.6
2019	11	28	8	51	52	30	0	0	0	0	0	0	0	4.38	0	0	11.6
2019	11	28	9	1	52	30	0	0	0	0	0	0	0	4.37	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	28	9	11	52	29	0	0	0	0	0	0	0	4.36	0	0	11.6
2019	11	28	9	21	52	29	0	0	0	0	0	0	0	4.34	0	0	11.6
2019	11	28	9	31	52	29	0	0	0	0	0	0	0	4.33	0	0	11.6
2019	11	28	9	41	52	30	0	0	0	0	0	0	0	4.32	0	0	11.6
2019	11	28	9	51	52	30	0	0	0	0	0	0	0	4.32	0	0	11.6
2019	11	28	10	1	52	30	0	0	0	0	0	0	0	4.31	0	0	11.8
2019	11	28	10	11	52	30	0	0	0	0	0	0	0	4.3	0	0	11.8
2019	11	28	10	21	52	30	0	0	0	0	0	0	0	4.29	0	0	11.8
2019	11	28	10	31	52	29	0	0	0	0	0	0	0	4.28	0	0	11.8
2019	11	28	10	41	52	29	0	0	0	0	0	0	0	4.27	0	0	11.8
2019	11	28	10	51	52	30	0	0	0	0	0	0	0	4.25	0	0	11.6
2019	11	28	11	1	52	29	0	0	0	0	0	0	0	4.24	0	0	11.6
2019	11	28	11	11	52	29	0	0	0	0	0	0	0	4.24	0	0	11.6
2019	11	28	11	21	52	30	0	0	0	0	0	0	0	4.23	0	0	11.6
2019	11	28	11	31	52	30	0	0	0	0	0	0	0	4.21	0	0	11.6
2019	11	28	11	41	52	30	0	0	0	0	0	0	0	4.21	0	0	11.6
2019	11	28	11	51	52	30	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	12	1	52	30	0	0	0	0	0	0	0	4.18	0	0	11.6
2019	11	28	12	11	52	29	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	12	21	52	30	0	0	0	0	0	0	0	4.18	0	0	11.6
2019	11	28	12	31	52	30	0	0	0	0	0	0	0	4.18	0	0	11.6
2019	11	28	12	41	52	29	0	0	0	0	0	0	0	4.17	0	0	11.6
2019	11	28	12	51	52	30	0	0	0	0	0	0	0	4.18	0	0	11.6
2019	11	28	13	1	52	30	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	13	11	52	30	0	0	0	0	0	0	0	4.18	0	0	11.6
2019	11	28	13	21	52	29	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	13	31	52	30	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	13	41	52	29	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	13	51	52	29	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	14	1	52	30	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	14	11	52	29	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	14	21	52	30	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	14	31	52	30	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	14	41	52	30	0	0	0	0	0	0	0	4.2	0	0	11.6
2019	11	28	14	51	52	30	0	0	0	0	0	0	0	4.2	0	0	11.6
2019	11	28	15	1	52	30	0	0	0	0	0	0	0	4.2	0	0	11.6
2019	11	28	15	11	52	30	0	0	0	0	0	0	0	4.2	0	0	11.6
2019	11	28	15	21	52	30	0	0	0	0	0	0	0	4.2	0	0	11.6
2019	11	28	15	31	52	31	0	0	0	0	0	0	0	4.2	0	0	11.6
2019	11	28	15	41	52	29	0	0	0	0	0	0	0	4.2	0	0	11.6
2019	11	28	15	51	52	29	0	0	0	0	0	0	0	4.21	0	0	11.6
2019	11	28	16	1	52	30	0	0	0	0	0	0	0	4.2	0	0	11.6
2019	11	28	16	11	52	30	0	0	0	0	0	0	0	4.2	0	0	11.6
2019	11	28	16	21	52	29	0	0	0	0	0	0	0	4.2	0	0	11.6
2019	11	28	16	31	52	29	0	0	0	0	0	0	0	4.2	0	0	11.6
2019	11	28	16	41	52	29	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	16	51	52	30	0	0	0	0	0	0	0	4.19	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	28	17	1	52	29	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	17	11	52	30	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	17	21	52	29	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	17	31	52	30	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	17	41	52	29	0	0	0	0	0	0	0	4.19	0	0	11.6
2019	11	28	17	51	52	30	0	0	0	0	0	0	0	4.18	0	0	11.6
2019	11	28	18	1	52	30	0	0	0	0	0	0	0	4.18	0	0	11.6
2019	11	28	18	11	52	30	0	0	0	0	0	0	0	4.18	0	0	11.6
2019	11	28	18	21	52	30	0	0	0	0	0	0	0	4.17	0	0	11.6
2019	11	28	18	31	52	29	0	0	0	0	0	0	0	4.17	0	0	11.6
2019	11	28	18	41	52	30	0	0	0	0	0	0	0	4.17	0	0	11.6
2019	11	28	18	51	52	30	0	0	0	0	0	0	0	4.17	0	0	11.6
2019	11	28	19	1	52	30	0	0	0	0	0	0	0	4.17	0	0	11.6
2019	11	28	19	11	52	30	0	0	0	0	0	0	0	4.16	0	0	11.6
2019	11	28	19	21	52	29	0	0	0	0	0	0	0	4.16	0	0	11.6
2019	11	28	19	31	52	30	0	0	0	0	0	0	0	4.15	0	0	11.6
2019	11	28	19	41	52	30	0	0	0	0	0	0	0	4.15	0	0	11.6
2019	11	28	19	51	52	30	0	0	0	0	0	0	0	4.15	0	0	11.6
2019	11	28	20	1	52	29	0	0	0	0	0	0	0	4.14	0	0	11.6
2019	11	28	20	11	52	30	0	0	0	0	0	0	0	4.14	0	0	11.6
2019	11	28	20	21	52	30	0	0	0	0	0	0	0	4.14	0	0	11.6
2019	11	28	20	31	52	30	0	0	0	0	0	0	0	4.14	0	0	11.6
2019	11	28	20	41	52	29	0	0	0	0	0	0	0	4.13	0	0	11.6
2019	11	28	20	51	52	30	0	0	0	0	0	0	0	4.13	0	0	11.6
2019	11	28	21	1	52	29	0	0	0	0	0	0	0	4.12	0	0	11.6
2019	11	28	21	11	52	30	0	0	0	0	0	0	0	4.12	0	0	11.6
2019	11	28	21	21	52	30	0	0	0	0	0	0	0	4.11	0	0	11.6
2019	11	28	21	31	52	29	0	0	0	0	0	0	0	4.11	0	0	11.6
2019	11	28	21	41	52	30	0	0	0	0	0	0	0	4.1	0	0	11.6
2019	11	28	21	51	52	30	0	0	0	0	0	0	0	4.1	0	0	11.6
2019	11	28	22	1	52	30	0	0	0	0	0	0	0	4.09	0	0	11.6
2019	11	28	22	11	52	29	0	0	0	0	0	0	0	4.09	0	0	11.6
2019	11	28	22	21	52	29	0	0	0	0	0	0	0	4.08	0	0	11.6
2019	11	28	22	31	52	29	0	0	0	0	0	0	0	4.08	0	0	11.6
2019	11	28	22	41	52	30	0	0	0	0	0	0	0	4.07	0	0	11.6
2019	11	28	22	51	52	29	0	0	0	0	0	0	0	4.06	0	0	11.6
2019	11	28	23	1	52	30	0	0	0	0	0	0	0	4.06	0	0	11.6
2019	11	28	23	11	52	29	0	0	0	0	0	0	0	4.05	0	0	11.6
2019	11	28	23	21	52	30	0	0	0	0	0	0	0	4.04	0	0	11.6
2019	11	28	23	31	52	30	0	0	0	0	0	0	0	4.04	0	0	11.6
2019	11	28	23	41	52	30	0	0	0	0	0	0	0	4.03	0	0	11.6
2019	11	28	23	51	52	30	0	0	0	0	0	0	0	4.02	0	0	11.6
2019	11	29	0	1	52	30	0	0	0	0	0	0	0	4.02	0	0	11.6
2019	11	29	0	11	52	29	0	0	0	0	0	0	0	4.01	0	0	11.6
2019	11	29	0	21	52	30	0	0	0	0	0	0	0	4.01	0	0	11.6
2019	11	29	0	31	52	30	0	0	0	0	0	0	0	4.01	0	0	11.6
2019	11	29	0	41	52	29	0	0	0	0	0	0	0	4	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	29	0	51	52	30	0	0	0	0	0	0	0	3.99	0	0	11.6
2019	11	29	1	1	52	30	0	0	0	0	0	0	0	3.99	0	0	11.6
2019	11	29	1	11	52	30	0	0	0	0	0	0	0	3.98	0	0	11.6
2019	11	29	1	21	52	29	0	0	0	0	0	0	0	3.98	0	0	11.6
2019	11	29	1	31	52	30	0	0	0	0	0	0	0	3.97	0	0	11.6
2019	11	29	1	41	52	29	0	0	0	0	0	0	0	3.97	0	0	11.6
2019	11	29	1	51	52	30	0	0	0	0	0	0	0	3.96	0	0	11.6
2019	11	29	2	1	52	30	0	0	0	0	0	0	0	3.95	0	0	11.6
2019	11	29	2	11	52	30	0	0	0	0	0	0	0	3.95	0	0	11.6
2019	11	29	2	21	52	29	0	0	0	0	0	0	0	3.94	0	0	11.6
2019	11	29	2	31	52	30	0	0	0	0	0	0	0	3.93	0	0	11.6
2019	11	29	2	41	52	29	0	0	0	0	0	0	0	3.92	0	0	11.6
2019	11	29	2	51	52	30	0	0	0	0	0	0	0	3.92	0	0	11.6
2019	11	29	3	1	52	30	0	0	0	0	0	0	0	3.91	0	0	11.6
2019	11	29	3	11	52	31	0	0	0	0	0	0	0	3.9	0	0	11.6
2019	11	29	3	21	52	30	0	0	0	0	0	0	0	3.89	0	0	11.6
2019	11	29	3	31	52	29	0	0	0	0	0	0	0	3.89	0	0	11.6
2019	11	29	3	41	52	30	0	0	0	0	0	0	0	3.87	0	0	11.6
2019	11	29	3	51	52	30	0	0	0	0	0	0	0	3.87	0	0	11.6
2019	11	29	4	1	52	29	0	0	0	0	0	0	0	3.86	0	0	11.6
2019	11	29	4	11	52	30	0	0	0	0	0	0	0	3.85	0	0	11.6
2019	11	29	4	21	52	30	0	0	0	0	0	0	0	3.84	0	0	11.6
2019	11	29	4	31	52	29	0	0	0	0	0	0	0	3.83	0	0	11.6
2019	11	29	4	41	52	30	0	0	0	0	0	0	0	3.82	0	0	11.6
2019	11	29	4	51	52	30	0	0	0	0	0	0	0	3.81	0	0	11.6
2019	11	29	5	1	52	29	0	0	0	0	0	0	0	3.8	0	0	11.6
2019	11	29	5	11	52	30	0	0	0	0	0	0	0	3.79	0	0	11.6
2019	11	29	5	21	52	30	0	0	0	0	0	0	0	3.79	0	0	11.6
2019	11	29	5	31	52	30	0	0	0	0	0	0	0	3.77	0	0	11.6
2019	11	29	5	41	52	29	0	0	0	0	0	0	0	3.76	0	0	11.6
2019	11	29	5	51	52	30	0	0	0	0	0	0	0	3.75	0	0	11.6
2019	11	29	6	1	52	30	0	0	0	0	0	0	0	3.73	0	0	11.6
2019	11	29	6	11	52	30	0	0	0	0	0	0	0	3.72	0	0	11.6
2019	11	29	6	21	52	30	0	0	0	0	0	0	0	3.71	0	0	11.6
2019	11	29	6	31	52	30	0	0	0	0	0	0	0	3.7	0	0	11.6
2019	11	29	6	41	52	30	0	0	0	0	0	0	0	3.68	0	0	11.6
2019	11	29	6	51	52	30	0	0	0	0	0	0	0	3.67	0	0	11.6
2019	11	29	7	1	52	30	0	0	0	0	0	0	0	3.65	0	0	11.6
2019	11	29	7	11	52	30	0	0	0	0	0	0	0	3.64	0	0	11.6
2019	11	29	7	21	52	30	0	0	0	0	0	0	0	3.63	0	0	11.6
2019	11	29	7	31	52	30	0	0	0	0	0	0	0	3.62	0	0	11.6
2019	11	29	7	41	52	29	0	0	0	0	0	0	0	3.61	0	0	11.6
2019	11	29	7	51	52	30	0	0	0	0	0	0	0	3.6	0	0	11.6
2019	11	29	8	1	52	30	0	0	0	0	0	0	0	3.6	0	0	11.6
2019	11	29	8	11	52	30	0	0	0	0	0	0	0	3.6	0	0	11.6
2019	11	29	8	21	52	29	0	0	0	0	0	0	0	3.57	0	0	11.6
2019	11	29	8	31	52	30	0	0	0	0	0	0	0	3.58	0	0	11.6

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	29	8	41	52	30	0	0	0	0	0	0	0	3.58	0	0	11.6
2019	11	29	8	51	52	29	0	0	0	0	0	0	0	3.58	0	0	11.6
2019	11	29	9	1	52	30	0	0	0	0	0	0	0	3.59	0	0	11.6
2019	11	29	9	11	52	30	0	0	0	0	0	0	0	3.58	0	0	11.6
2019	11	29	9	21	52	30	0	0	0	0	0	0	0	3.59	0	0	11.6
2019	11	29	9	31	52	30	0	0	0	0	0	0	0	3.56	0	0	11.6
2019	11	29	9	41	52	30	0	0	0	0	0	0	0	3.62	0	0	11.8
2019	11	29	9	51	52	29	0	0	0	0	0	0	0	3.66	0	0	12
2019	11	29	10	1	52	30	0	0	0	0	0	0	0	3.64	0	0	12.4
2019	11	29	10	11	52	29	0	0	0	0	0	0	0	3.68	0	0	12.6
2019	11	29	10	21	52	30	0	0	0	0	0	0	0	3.63	0	0	12.4
2019	11	29	10	31	52	30	0	0	0	0	0	0	0	3.62	0	0	12.6
2019	11	29	10	41	52	30	0	0	0	0	0	0	0	3.68	0	0	12.8
2019	11	29	10	51	52	30	0	0	0	0	0	0	0	3.65	0	0	12.8
2019	11	29	11	1	52	29	0	0	0	0	0	0	0	3.63	0	0	12.6
2019	11	29	11	11	52	29	0	0	0	0	0	0	0	3.62	0	0	12.4
2019	11	29	11	21	52	30	0	0	0	0	0	0	0	3.63	0	0	12.6
2019	11	29	11	31	52	29	0	0	0	0	0	0	0	3.61	0	0	12.6
2019	11	29	11	41	52	30	0	0	0	0	0	0	0	3.62	0	0	12.6
2019	11	29	11	51	52	30	0	0	0	0	0	0	0	3.63	0	0	12.6
2019	11	29	12	1	52	29	0	0	0	0	0	0	0	3.7	0	0	13.2
2019	11	29	12	11	52	30	0	0	0	0	0	0	0	3.77	0	0	13
2019	11	29	12	21	52	30	0	0	0	0	0	0	0	3.66	0	0	12.6
2019	11	29	12	31	52	29	0	0	0	0	0	0	0	3.68	0	0	13
2019	11	29	12	41	52	30	0	0	0	0	0	0	0	3.64	0	0	12.6
2019	11	29	12	51	52	30	0	0	0	0	0	0	0	3.66	0	0	12.8
2019	11	29	13	1	52	29	0	0	0	0	0	0	0	3.73	0	0	13.2
2019	11	29	13	11	52	30	0	0	0	0	0	0	0	3.74	0	0	13.2
2019	11	29	13	21	52	30	0	0	0	0	0	0	0	3.71	0	0	13
2019	11	29	13	31	52	29	0	0	0	0	0	0	0	3.73	0	0	13.2
2019	11	29	13	41	52	30	0	0	0	0	0	0	0	3.73	0	0	13
2019	11	29	13	51	52	30	0	0	0	0	0	0	0	3.72	0	0	13
2019	11	29	14	1	52	30	0	0	0	0	0	0	0	3.72	0	0	13
2019	11	29	14	11	52	30	0	0	0	0	0	0	0	3.7	0	0	12.8
2019	11	29	14	21	52	30	0	0	0	0	0	0	0	3.72	0	0	13
2019	11	29	14	31	52	30	0	0	0	0	0	0	0	3.7	0	0	13
2019	11	29	14	41	52	30	0	0	0	0	0	0	0	3.69	0	0	12.8
2019	11	29	14	51	52	30	0	0	0	0	0	0	0	3.65	0	0	12.8
2019	11	29	15	1	52	29	0	0	0	0	0	0	0	3.65	0	0	12.8
2019	11	29	15	11	52	30	0	0	0	0	0	0	0	3.65	0	0	12.6
2019	11	29	15	21	52	30	0	0	0	0	0	0	0	3.65	0	0	12.4
2019	11	29	15	31	52	30	0	0	0	0	0	0	0	3.65	0	0	12.4
2019	11	29	15	41	52	30	0	0	0	0	0	0	0	3.65	0	0	12.2
2019	11	29	15	51	52	30	0	0	0	0	0	0	0	3.66	0	0	12.2
2019	11	29	16	1	52	29	0	0	0	0	0	0	0	3.66	0	0	12.2
2019	11	29	16	11	52	29	0	0	0	0	0	0	0	3.67	0	0	12.2
2019	11	29	16	21	52	30	0	0	0	0	0	0	0	3.67	0	0	12

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	29	16	31	52	30	0	0	0	0	0	0	0	3.68	0	0	12
2019	11	29	16	41	52	29	0	0	0	0	0	0	0	3.69	0	0	12
2019	11	29	16	51	52	30	0	0	0	0	0	0	0	3.7	0	0	12
2019	11	29	17	1	52	30	0	0	0	0	0	0	0	3.71	0	0	12
2019	11	29	17	11	52	30	0	0	0	0	0	0	0	3.72	0	0	12
2019	11	29	17	21	52	30	0	0	0	0	0	0	0	3.72	0	0	12
2019	11	29	17	31	52	30	0	0	0	0	0	0	0	3.74	0	0	12
2019	11	29	17	41	52	30	0	0	0	0	0	0	0	3.74	0	0	12
2019	11	29	17	51	52	30	0	0	0	0	0	0	0	3.76	0	0	12
2019	11	29	18	1	52	30	0	0	0	0	0	0	0	3.77	0	0	12
2019	11	29	18	11	52	30	0	0	0	0	0	0	0	3.78	0	0	12
2019	11	29	18	21	52	30	0	0	0	0	0	0	0	3.79	0	0	12
2019	11	29	18	31	52	30	0	0	0	0	0	0	0	3.79	0	0	12
2019	11	29	18	41	52	29	0	0	0	0	0	0	0	3.8	0	0	12
2019	11	29	18	51	52	29	0	0	0	0	0	0	0	3.8	0	0	12
2019	11	29	19	1	52	30	0	0	0	0	0	0	0	3.81	0	0	12
2019	11	29	19	11	52	29	0	0	0	0	0	0	0	3.81	0	0	12
2019	11	29	19	21	52	30	0	0	0	0	0	0	0	3.81	0	0	12
2019	11	29	19	31	52	30	0	0	0	0	0	0	0	3.81	0	0	11.8
2019	11	29	19	41	52	29	0	0	0	0	0	0	0	3.8	0	0	11.8
2019	11	29	19	51	52	30	0	0	0	0	0	0	0	3.79	0	0	11.8
2019	11	29	20	1	52	30	0	0	0	0	0	0	0	3.79	0	0	11.8
2019	11	29	20	11	52	30	0	0	0	0	0	0	0	3.78	0	0	11.8
2019	11	29	20	21	52	30	0	0	0	0	0	0	0	3.77	0	0	11.8
2019	11	29	20	31	52	30	0	0	0	0	0	0	0	3.76	0	0	11.8
2019	11	29	20	41	52	29	0	0	0	0	0	0	0	3.74	0	0	11.8
2019	11	29	20	51	52	30	0	0	0	0	0	0	0	3.73	0	0	11.8
2019	11	29	21	1	52	29	0	0	0	0	0	0	0	3.71	0	0	11.8
2019	11	29	21	11	52	30	0	0	0	0	0	0	0	3.69	0	0	11.8
2019	11	29	21	21	52	30	0	0	0	0	0	0	0	3.67	0	0	11.8
2019	11	29	21	31	52	30	0	0	0	0	0	0	0	3.65	0	0	11.8
2019	11	29	21	41	52	30	0	0	0	0	0	0	0	3.64	0	0	11.8
2019	11	29	21	51	52	30	0	0	0	0	0	0	0	3.61	0	0	11.8
2019	11	29	22	1	52	30	0	0	0	0	0	0	0	3.59	0	0	11.8
2019	11	29	22	11	52	30	0	0	0	0	0	0	0	3.57	0	0	11.8
2019	11	29	22	21	52	30	0	0	0	0	0	0	0	3.54	0	0	11.8
2019	11	29	22	31	52	29	0	0	0	0	0	0	0	3.52	0	0	11.8
2019	11	29	22	41	52	30	0	0	0	0	0	0	0	3.49	0	0	11.8
2019	11	29	22	51	52	30	0	0	0	0	0	0	0	3.47	0	0	11.6
2019	11	29	23	1	52	30	0	0	0	0	0	0	0	3.45	0	0	11.8
2019	11	29	23	11	52	29	0	0	0	0	0	0	0	3.42	0	0	11.8
2019	11	29	23	21	52	30	0	0	0	0	0	0	0	3.4	0	0	11.8
2019	11	29	23	31	52	30	0	0	0	0	0	0	0	3.38	0	0	11.8
2019	11	29	23	41	52	30	0	0	0	0	0	0	0	3.36	0	0	11.8
2019	11	29	23	51	52	30	0	0	0	0	0	0	0	3.34	0	0	11.8
2019	11	30	0	1	52	30	0	0	0	0	0	0	0	3.32	0	0	11.8
2019	11	30	0	11	52	30	0	0	0	0	0	0	0	3.29	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	30	0	21	52	30	0	0	0	0	0	0	0	3.27	0	0	11.8
2019	11	30	0	31	52	30	0	0	0	0	0	0	0	3.25	0	0	11.8
2019	11	30	0	41	52	30	0	0	0	0	0	0	0	3.23	0	0	11.8
2019	11	30	0	51	52	30	0	0	0	0	0	0	0	3.21	0	0	11.8
2019	11	30	1	1	52	30	0	0	0	0	0	0	0	3.19	0	0	11.8
2019	11	30	1	11	52	30	0	0	0	0	0	0	0	3.17	0	0	11.8
2019	11	30	1	21	52	30	0	0	0	0	0	0	0	3.15	0	0	11.8
2019	11	30	1	31	52	29	0	0	0	0	0	0	0	3.13	0	0	11.8
2019	11	30	1	41	52	30	0	0	0	0	0	0	0	3.11	0	0	11.8
2019	11	30	1	51	52	30	0	0	0	0	0	0	0	3.09	0	0	11.8
2019	11	30	2	1	52	30	0	0	0	0	0	0	0	3.08	0	0	11.8
2019	11	30	2	11	52	30	0	0	0	0	0	0	0	3.05	0	0	11.8
2019	11	30	2	21	52	30	0	0	0	0	0	0	0	3.03	0	0	11.8
2019	11	30	2	31	52	30	0	0	0	0	0	0	0	3.01	0	0	11.8
2019	11	30	2	41	52	30	0	0	0	0	0	0	0	2.99	0	0	11.8
2019	11	30	2	51	52	30	0	0	0	0	0	0	0	2.97	0	0	11.8
2019	11	30	3	1	52	30	0	0	0	0	0	0	0	2.95	0	0	11.8
2019	11	30	3	11	52	30	0	0	0	0	0	0	0	2.93	0	0	11.8
2019	11	30	3	21	52	31	0	0	0	0	0	0	0	2.91	0	0	11.8
2019	11	30	3	31	52	30	0	0	0	0	0	0	0	2.89	0	0	11.8
2019	11	30	3	41	52	30	0	0	0	0	0	0	0	2.87	0	0	11.8
2019	11	30	3	51	52	30	0	0	0	0	0	0	0	2.85	0	0	11.8
2019	11	30	4	1	52	30	0	0	0	0	0	0	0	2.83	0	0	11.6
2019	11	30	4	11	52	30	0	0	0	0	0	0	0	2.81	0	0	11.6
2019	11	30	4	21	52	30	0	0	0	0	0	0	0	2.79	0	0	11.6
2019	11	30	4	31	52	30	0	0	0	0	0	0	0	2.77	0	0	11.6
2019	11	30	4	41	52	30	0	0	0	0	0	0	0	2.75	0	0	11.6
2019	11	30	4	51	52	30	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	5	1	52	30	0	0	0	0	0	0	0	2.7	0	0	11.6
2019	11	30	5	11	52	29	0	0	0	0	0	0	0	2.68	0	0	11.6
2019	11	30	5	21	52	30	0	0	0	0	0	0	0	2.66	0	0	11.6
2019	11	30	5	31	52	30	0	0	0	0	0	0	0	2.64	0	0	11.6
2019	11	30	5	41	52	30	0	0	0	0	0	0	0	2.62	0	0	11.6
2019	11	30	5	51	52	30	0	0	0	0	0	0	0	2.6	0	0	11.6
2019	11	30	6	1	52	29	0	0	0	0	0	0	0	2.58	0	0	11.6
2019	11	30	6	11	52	30	0	0	0	0	0	0	0	2.55	0	0	11.6
2019	11	30	6	21	52	30	0	0	0	0	0	0	0	2.54	0	0	11.6
2019	11	30	6	31	52	30	0	0	0	0	0	0	0	2.52	0	0	11.6
2019	11	30	6	41	52	30	0	0	0	0	0	0	0	2.49	0	0	11.6
2019	11	30	6	51	52	30	0	0	0	0	0	0	0	2.48	0	0	11.6
2019	11	30	7	1	52	29	0	0	0	0	0	0	0	2.46	0	0	11.6
2019	11	30	7	11	52	30	0	0	0	0	0	0	0	2.45	0	0	11.6
2019	11	30	7	21	52	29	0	0	0	0	0	0	0	2.43	0	0	11.6
2019	11	30	7	31	52	31	0	0	0	0	0	0	0	2.42	0	0	11.8
2019	11	30	7	41	52	30	0	0	0	0	0	0	0	2.41	0	0	12
2019	11	30	7	51	52	30	0	0	0	0	0	0	0	2.39	0	0	12.4
2019	11	30	8	1	52	30	0	0	0	0	0	0	0	2.38	0	0	12.4

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	30	8	11	52	30	0	0	0	0	0	0	0	2.4	0	0	12.8
2019	11	30	8	21	52	30	0	0	0	0	0	0	0	2.39	0	0	13
2019	11	30	8	31	52	30	0	0	0	0	0	0	0	2.39	0	0	13
2019	11	30	8	41	52	30	0	0	0	0	0	0	0	2.39	0	0	13.2
2019	11	30	8	51	52	30	0	0	0	0	0	0	0	2.42	0	0	14.2
2019	11	30	9	1	52	30	0	0	0	0	0	0	0	2.43	0	0	14.2
2019	11	30	9	11	52	30	0	0	0	0	0	0	0	2.43	0	0	14
2019	11	30	9	21	52	30	0	0	0	0	0	0	0	2.45	0	0	14
2019	11	30	9	31	52	30	0	0	0	0	0	0	0	2.46	0	0	14
2019	11	30	9	41	52	30	0	0	0	0	0	0	0	2.48	0	0	14
2019	11	30	9	51	52	30	0	0	0	0	0	0	0	2.5	0	0	14
2019	11	30	10	1	52	30	0	0	0	0	0	0	0	2.51	0	0	14
2019	11	30	10	11	52	30	0	0	0	0	0	0	0	2.55	0	0	14
2019	11	30	10	21	52	29	0	0	0	0	0	0	0	2.57	0	0	14
2019	11	30	10	31	52	30	0	0	0	0	0	0	0	2.59	0	0	13.8
2019	11	30	10	41	52	30	0	0	0	0	0	0	0	2.57	0	0	13.8
2019	11	30	10	51	52	30	0	0	0	0	0	0	0	2.59	0	0	13.8
2019	11	30	11	1	52	30	0	0	0	0	0	0	0	2.61	0	0	13.8
2019	11	30	11	11	52	30	0	0	0	0	0	0	0	2.61	0	0	13.8
2019	11	30	11	21	52	30	0	0	0	0	0	0	0	2.6	0	0	13.8
2019	11	30	11	31	52	30	0	0	0	0	0	0	0	2.58	0	0	13.8
2019	11	30	11	41	52	30	0	0	0	0	0	0	0	2.59	0	0	13.8
2019	11	30	11	51	52	30	0	0	0	0	0	0	0	2.59	0	0	13.8
2019	11	30	12	1	52	30	0	0	0	0	0	0	0	2.64	0	0	13.8
2019	11	30	12	11	52	30	0	0	0	0	0	0	0	2.65	0	0	13.8
2019	11	30	12	21	52	30	0	0	0	0	0	0	0	2.62	0	0	13.8
2019	11	30	12	31	52	30	0	0	0	0	0	0	0	2.59	0	0	13.2
2019	11	30	12	41	52	30	0	0	0	0	0	0	0	2.57	0	0	13
2019	11	30	12	51	52	30	0	0	0	0	0	0	0	2.59	0	0	13.4
2019	11	30	13	1	52	30	0	0	0	0	0	0	0	2.6	0	0	13.6
2019	11	30	13	11	52	30	0	0	0	0	0	0	0	2.6	0	0	13.4
2019	11	30	13	21	52	30	0	0	0	0	0	0	0	2.63	0	0	13.4
2019	11	30	13	31	52	30	0	0	0	0	0	0	0	2.61	0	0	13
2019	11	30	13	41	52	30	0	0	0	0	0	0	0	2.62	0	0	13
2019	11	30	13	51	52	30	0	0	0	0	0	0	0	2.63	0	0	12.8
2019	11	30	14	1	52	30	0	0	0	0	0	0	0	2.63	0	0	12.8
2019	11	30	14	11	52	30	0	0	0	0	0	0	0	2.63	0	0	12.6
2019	11	30	14	21	52	30	0	0	0	0	0	0	0	2.64	0	0	12.6
2019	11	30	14	31	52	29	0	0	0	0	0	0	0	2.65	0	0	12.6
2019	11	30	14	41	52	30	0	0	0	0	0	0	0	2.67	0	0	12.4
2019	11	30	14	51	52	30	0	0	0	0	0	0	0	2.68	0	0	12.4
2019	11	30	15	1	52	30	0	0	0	0	0	0	0	2.69	0	0	12.4
2019	11	30	15	11	52	30	0	0	0	0	0	0	0	2.7	0	0	12.2
2019	11	30	15	21	52	31	0	0	0	0	0	0	0	2.72	0	0	12.2
2019	11	30	15	31	52	30	0	0	0	0	0	0	0	2.74	0	0	12.2
2019	11	30	15	41	52	30	0	0	0	0	0	0	0	2.75	0	0	12.2
2019	11	30	15	51	52	30	0	0	0	0	0	0	0	2.77	0	0	12.2

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	30	16	1	52	30	0	0	0	0	0	0	0	2.79	0	0	12
2019	11	30	16	11	52	30	0	0	0	0	0	0	0	2.81	0	0	12
2019	11	30	16	21	52	29	0	0	0	0	0	0	0	2.84	0	0	12
2019	11	30	16	31	52	30	0	0	0	0	0	0	0	2.86	0	0	12
2019	11	30	16	41	52	30	0	0	0	0	0	0	0	2.88	0	0	12
2019	11	30	16	51	52	30	0	0	0	0	0	0	0	2.91	0	0	12
2019	11	30	17	1	52	30	0	0	0	0	0	0	0	2.93	0	0	12
2019	11	30	17	11	52	29	0	0	0	0	0	0	0	2.95	0	0	12
2019	11	30	17	21	52	30	0	0	0	0	0	0	0	2.97	0	0	12
2019	11	30	17	31	52	31	0	0	0	0	0	0	0	3	0	0	12
2019	11	30	17	41	52	30	0	0	0	0	0	0	0	3.02	0	0	12
2019	11	30	17	51	52	30	0	0	0	0	0	0	0	3.04	0	0	12
2019	11	30	18	1	52	29	0	0	0	0	0	0	0	3.05	0	0	12
2019	11	30	18	11	52	30	0	0	0	0	0	0	0	3.06	0	0	12
2019	11	30	18	21	52	30	0	0	0	0	0	0	0	3.08	0	0	12
2019	11	30	18	31	52	30	0	0	0	0	0	0	0	3.09	0	0	12
2019	11	30	18	41	52	30	0	0	0	0	0	0	0	3.1	0	0	12
2019	11	30	18	51	52	30	0	0	0	0	0	0	0	3.11	0	0	12
2019	11	30	19	1	52	30	0	0	0	0	0	0	0	3.12	0	0	12
2019	11	30	19	11	52	30	0	0	0	0	0	0	0	3.13	0	0	12
2019	11	30	19	21	52	30	0	0	0	0	0	0	0	3.13	0	0	12
2019	11	30	19	31	52	30	0	0	0	0	0	0	0	3.13	0	0	12
2019	11	30	19	41	52	30	0	0	0	0	0	0	0	3.13	0	0	12
2019	11	30	19	51	52	30	0	0	0	0	0	0	0	3.14	0	0	12
2019	11	30	20	1	52	30	0	0	0	0	0	0	0	3.14	0	0	12
2019	11	30	20	11	52	30	0	0	0	0	0	0	0	3.13	0	0	12
2019	11	30	20	21	52	30	0	0	0	0	0	0	0	3.13	0	0	12
2019	11	30	20	31	52	30	0	0	0	0	0	0	0	3.13	0	0	12
2019	11	30	20	41	52	29	0	0	0	0	0	0	0	3.12	0	0	11.8
2019	11	30	20	51	52	30	0	0	0	0	0	0	0	3.12	0	0	11.8
2019	11	30	21	1	52	29	0	0	0	0	0	0	0	3.12	0	0	11.8
2019	11	30	21	11	52	29	0	0	0	0	0	0	0	3.11	0	0	11.8
2019	11	30	21	21	52	30	0	0	0	0	0	0	0	3.11	0	0	11.8
2019	11	30	21	31	52	30	0	0	0	0	0	0	0	3.1	0	0	11.8
2019	11	30	21	41	52	30	0	0	0	0	0	0	0	3.09	0	0	11.8
2019	11	30	21	51	52	30	0	0	0	0	0	0	0	3.08	0	0	11.8
2019	11	30	22	1	52	29	0	0	0	0	0	0	0	3.08	0	0	11.8
2019	11	30	22	11	52	30	0	0	0	0	0	0	0	3.07	0	0	11.8
2019	11	30	22	21	52	30	0	0	0	0	0	0	0	3.06	0	0	11.8
2019	11	30	22	31	52	30	0	0	0	0	0	0	0	3.06	0	0	11.8
2019	11	30	22	41	52	30	0	0	0	0	0	0	0	3.05	0	0	11.8
2019	11	30	22	51	52	31	0	0	0	0	0	0	0	3.05	0	0	11.8
2019	11	30	23	1	52	30	0	0	0	0	0	0	0	3.04	0	0	11.8
2019	11	30	23	11	52	30	0	0	0	0	0	0	0	3.03	0	0	11.8
2019	11	30	23	21	52	30	0	0	0	0	0	0	0	3.03	0	0	11.8
2019	11	30	23	31	52	30	0	0	0	0	0	0	0	3.02	0	0	11.8
2019	11	30	23	41	52	30	0	0	0	0	0	0	0	3.02	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	30	23	51	52	30	0	0	0	0	0	0	0	3.01	0	0	11.8

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	1	0	8	1	0.3	3.3	0.65	95.8	70.0394	42.7391
2019	11	1	0	18	1	0.3	3.3	0.65	96.1	70.0394	42.7391
2019	11	1	0	28	1	0.3	3.3	0.68	95.5	70.0394	44.466
2019	11	1	0	38	1	0.3	3.3	0.68	92.5	70.0394	44.466
2019	11	1	0	48	1	0.3	3.3	0.67	95.9	70.0394	43.8184
2019	11	1	0	58	1	0.3	3.3	0.65	92.3	70.0394	42.5233
2019	11	1	1	8	1	0.3	3.3	0.67	95.6	70.0394	44.0343
2019	11	1	1	18	1	0.3	3.3	0.63	94.8	70.0394	41.0124
2019	11	1	1	28	1	0.3	3.3	0.64	92.7	70.0394	41.8758
2019	11	1	1	38	1	0.3	3.3	0.63	91.8	70.0394	41.2283
2019	11	1	1	48	1	0.3	3.3	0.63	93.3	70.0394	41.2283
2019	11	1	1	58	1	0.3	3.3	0.6	88.1	70.0394	39.7173
2019	11	1	2	8	1	0.3	3.3	0.63	93.3	70.0394	41.6601
2019	11	1	2	18	1	0.3	3.3	0.6	92.5	70.0394	39.5015
2019	11	1	2	28	1	0.3	3.3	0.64	93.2	70.0394	42.3077
2019	11	1	2	38	1	0.3	3.3	0.64	92.3	70.0394	42.0918
2019	11	1	2	48	1	0.3	3.3	0.62	92.7	70.0394	40.7967
2019	11	1	2	58	1	0.3	3.3	0.6	91.2	70.0394	39.7175
2019	11	1	3	8	1	0.3	3.3	0.6	89.1	70.0394	39.7175
2019	11	1	3	18	1	0.3	3.3	0.62	91.2	70.0394	40.5809
2019	11	1	3	28	1	0.3	3.3	0.58	94.2	70.0394	37.7748
2019	11	1	3	38	1	0.3	3.3	0.62	93.6	70.0394	41.0127
2019	11	1	3	48	1	0.3	3.3	0.63	93.9	70.0394	41.6603
2019	11	1	3	58	1	0.3	3.3	0.62	91.2	70.0394	40.7969
2019	11	1	4	8	1	0.3	3.3	0.63	93.6	70.0394	41.2286
2019	11	1	4	18	1	0.3	3.3	0.64	92.3	70.0394	42.3079
2019	11	1	4	28	1	0.3	3.3	0.6	94.1	70.0394	39.5018
2019	11	1	4	38	1	0.3	3.3	0.6	90.6	70.0394	39.5018
2019	11	1	4	48	1	0.3	3.3	0.62	95.1	70.0394	40.797
2019	11	1	4	58	1	0.3	3.3	0.62	91.2	70.0394	40.5812
2019	11	1	5	8	1	0.3	3.3	0.64	94.7	70.0394	42.0922
2019	11	1	5	18	1	0.3	3.3	0.62	90	70.0394	41.0129
2019	11	1	5	28	1	0.3	3.3	0.6	92.8	70.0394	39.7178
2019	11	1	5	38	1	0.3	3.3	0.59	89.7	70.0394	39.0702
2019	11	1	5	48	1	0.3	3.3	0.64	92	70.0394	42.3081
2019	11	1	5	58	1	0.3	3.3	0.61	92.2	70.0394	39.9337
2019	11	1	6	8	1	0.3	3.3	0.59	95.5	70.0394	38.4227
2019	11	1	6	18	1	0.3	3.3	0.62	90.9	70.0394	40.7972
2019	11	1	6	28	1	0.3	3.3	0.62	92.1	70.0394	41.0131
2019	11	1	6	38	1	0.3	3.3	0.6	93.7	70.0394	39.7179
2019	11	1	6	48	1	0.3	3.3	0.67	93.1	70.0394	43.8193
2019	11	1	6	58	1	0.3	3.3	0.66	91.1	70.0394	43.1717
2019	11	1	7	8	1	0.3	3.3	0.62	92.4	70.0394	41.0132
2019	11	1	7	18	1	0.3	3.3	0.65	95.2	70.0394	42.3083
2019	11	1	7	28	1	0.3	3.3	0.65	95.8	70.0394	42.7401
2019	11	1	7	38	1	0.3	3.3	0.64	93.8	70.0394	41.8767
2019	11	1	7	48	1	0.3	3.3	0.65	94.4	70.0394	42.5243

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	1	7	58	1	0.3	3.3	0.64	94.1	70.0394	42.0926
2019	11	1	8	8	1	0.3	3.3	0.63	93.6	70.0394	41.6609
2019	11	1	8	18	1	0.3	3.3	0.66	93.7	70.0394	43.3878
2019	11	1	8	28	1	0.3	3.3	0.65	94.7	70.0394	42.3085
2019	11	1	8	38	1	0.3	3.3	0.68	94.7	70.0394	44.8988
2019	11	1	8	48	1	0.3	3.3	0.61	96.8	70.0394	39.934
2019	11	1	8	58	1	0.3	3.3	0.68	97.2	70.0394	44.2512
2019	11	1	9	8	1	0.3	3.3	0.67	97.9	70.0394	43.8195
2019	11	1	9	18	1	0.3	3.3	0.65	95.8	70.0394	42.7402
2019	11	1	9	28	1	0.3	3.3	0.62	97.3	70.0394	40.3657
2019	11	1	9	38	1	0.3	3.3	0.67	94.5	70.0394	43.8195
2019	11	1	9	48	1	0.3	3.3	0.66	94.8	70.0394	43.3877
2019	11	1	9	58	1	0.3	3.3	0.62	91.5	70.105	40.8372
2019	11	1	10	8	1	0.3	3.3	0.65	94.6	70.105	42.5658
2019	11	1	10	18	1	0.3	3.3	0.68	95.8	70.105	44.5104
2019	11	1	10	28	1	0.3	3.3	0.69	96.5	70.105	45.3747
2019	11	1	10	38	1	0.3	3.3	0.66	95.2	70.105	42.9979
2019	11	1	10	48	1	0.3	3.3	0.63	96.9	70.105	41.2693
2019	11	1	10	58	1	0.3	3.3	0.62	93.3	70.105	41.0532
2019	11	1	11	8	1	0.3	3.3	0.62	94.3	70.105	40.405
2019	11	1	11	18	1	0.3	3.3	0.65	93.2	70.105	42.5657
2019	11	1	11	28	1	0.3	3.3	0.64	92.4	70.105	41.9174
2019	11	1	11	38	1	0.3	3.3	0.61	92.4	70.1706	40.4443
2019	11	1	11	48	1	0.3	3.3	0.67	93.9	70.1706	43.9048
2019	11	1	11	58	1	0.3	3.3	0.64	96.8	70.1706	41.742
2019	11	1	12	8	1	0.3	3.3	0.7	96.5	70.1706	45.635
2019	11	1	12	18	1	0.3	3.3	0.67	95.7	70.1706	43.6885
2019	11	1	12	28	1	0.3	3.3	0.66	94.5	70.1706	43.6884
2019	11	1	12	38	1	0.3	3.3	0.65	99.4	70.1706	41.9582
2019	11	1	12	48	1	0.3	3.3	0.61	95.3	70.1706	39.7954
2019	11	1	12	58	1	0.3	3.3	0.67	97.3	70.1706	43.6884
2019	11	1	13	8	1	0.3	3.3	0.66	94.9	70.1706	43.2558
2019	11	1	13	18	1	0.3	3.3	0.66	95.7	70.1706	43.0395
2019	11	1	13	28	1	0.3	3.3	0.64	94.7	70.1706	41.7418
2019	11	1	13	38	1	0.3	3.3	0.64	94.1	70.1706	42.1744
2019	11	1	13	48	1	0.3	3.3	0.63	94.8	70.1706	41.5255
2019	11	1	13	58	1	0.3	3.3	0.65	96.9	70.1706	42.6069
2019	11	1	14	8	1	0.3	3.3	0.67	95.1	70.1706	43.9046
2019	11	1	14	18	1	0.3	3.3	0.66	95.1	70.1706	43.472
2019	11	1	14	28	1	0.3	3.3	0.67	96.7	70.1706	43.9045
2019	11	1	14	38	1	0.3	3.3	0.62	96.4	70.1706	40.6604
2019	11	1	14	48	1	0.3	3.3	0.68	96.1	70.1706	44.7696
2019	11	1	14	58	1	0.3	3.3	0.64	94.4	70.1706	41.7417
2019	11	1	15	8	1	0.3	3.3	0.67	98.7	70.1706	43.9045
2019	11	1	15	18	1	0.3	3.3	0.62	95.2	70.2362	40.4835
2019	11	1	15	28	1	0.3	3.3	0.64	94.1	70.2362	42.4318
2019	11	1	15	38	1	0.3	3.3	0.66	94.6	70.2362	43.2978

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	1	15	48	1	0.3	3.3	0.63	93.6	70.1706	41.7417
2019	11	1	15	58	1	0.3	3.3	0.67	94.5	70.2362	43.9473
2019	11	1	16	8	1	0.3	3.3	0.65	96.9	70.1706	42.6068
2019	11	1	16	18	1	0.3	3.3	0.67	94.8	70.2362	43.7308
2019	11	1	16	28	1	0.3	3.3	0.65	95.2	70.2362	42.4318
2019	11	1	16	38	1	0.3	3.3	0.63	93.9	70.1706	41.7416
2019	11	1	16	48	1	0.3	3.3	0.56	88.7	70.2362	37.0195
2019	11	1	16	58	1	0.3	3.3	0.66	94.5	70.2362	43.7307
2019	11	1	17	8	1	0.3	3.3	0.6	92.2	70.2362	39.8338
2019	11	1	17	18	1	0.3	3.3	0.61	92.1	70.2362	40.4833
2019	11	1	17	28	1	0.3	3.3	0.65	94.6	70.2362	43.0811
2019	11	1	17	38	1	0.3	3.3	0.63	95.4	70.2362	41.1327
2019	11	1	17	48	1	0.3	3.3	0.63	95.4	70.2362	41.1327
2019	11	1	17	58	1	0.3	3.3	0.66	96	70.2362	43.2975
2019	11	1	18	8	1	0.3	3.3	0.62	92.4	70.2362	40.9162
2019	11	1	18	18	1	0.3	3.3	0.6	96.5	70.3018	39.6558
2019	11	1	18	28	1	0.3	3.3	0.61	93.1	70.2362	40.4831
2019	11	1	18	38	1	0.3	3.3	0.64	94.7	70.2362	42.215
2019	11	1	18	48	1	0.3	3.3	0.64	95.9	70.3018	41.8227
2019	11	1	18	58	1	0.3	3.3	0.64	94.4	70.3018	41.8227
2019	11	1	19	8	1	0.3	3.3	0.66	94	70.3018	43.5563
2019	11	1	19	18	1	0.3	3.3	0.64	93.2	70.3018	42.4728
2019	11	1	19	28	1	0.3	3.3	0.64	92.3	70.3018	42.4728
2019	11	1	19	38	1	0.3	3.3	0.64	95.9	70.3018	42.256
2019	11	1	19	48	1	0.3	3.3	0.6	93.1	70.3018	39.439
2019	11	1	19	58	1	0.3	3.3	0.65	94.4	70.3018	42.6894
2019	11	1	20	8	1	0.3	3.3	0.62	94.3	70.3018	40.7391
2019	11	1	20	18	1	0.3	3.3	0.65	95.5	70.3018	42.9061
2019	11	1	20	28	1	0.3	3.3	0.64	96.8	70.3018	41.8226
2019	11	1	20	38	1	0.3	3.3	0.68	95.5	70.3018	44.6397
2019	11	1	20	48	1	0.3	3.3	0.67	96.8	70.3018	43.7729
2019	11	1	20	58	1	0.3	3.3	0.64	95	70.3018	42.0393
2019	11	1	21	8	1	0.3	3.3	0.66	96.2	70.3018	43.5562
2019	11	1	21	18	1	0.3	3.3	0.64	93.8	70.3018	42.0393
2019	11	1	21	28	1	0.3	3.3	0.66	92.3	70.3018	43.5562
2019	11	1	21	38	1	0.3	3.3	0.63	92.4	70.3018	41.8226
2019	11	1	21	48	1	0.3	3.3	0.66	94.3	70.3018	43.3395
2019	11	1	21	58	1	0.3	3.3	0.62	93.6	70.3018	41.1726
2019	11	1	22	8	1	0.3	3.3	0.64	93.5	70.3018	42.0394
2019	11	1	22	18	1	0.3	3.3	0.64	96.1	70.3018	42.2561
2019	11	1	22	28	1	0.3	3.3	0.64	95.3	70.3018	41.8227
2019	11	1	22	38	1	0.3	3.3	0.65	96.1	70.3018	42.9062
2019	11	1	22	48	1	0.3	3.3	0.61	94.9	70.3018	40.3059
2019	11	1	22	58	1	0.3	3.3	0.6	93.4	70.3018	39.8725
2019	11	1	23	8	1	0.3	3.3	0.61	89.4	70.3018	40.5226
2019	11	1	23	18	1	0.3	3.3	0.62	91.5	70.3018	41.1727
2019	11	1	23	28	1	0.3	3.3	0.63	92.7	70.3018	41.6061

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	1	23	38	1	0.3	3.3	0.64	92.3	70.3018	42.2562
2019	11	1	23	48	1	0.3	3.3	0.64	91.2	70.2362	42.2151
2019	11	1	23	58	1	0.3	3.3	0.63	90.3	70.2362	41.3492
2019	11	2	0	8	1	0.3	3.3	0.62	90	70.2362	40.9162
2019	11	2	0	18	1	0.3	3.3	0.61	88.5	70.2362	40.4833
2019	11	2	0	28	1	0.3	3.3	0.61	90	70.2362	40.4833
2019	11	2	0	38	1	0.3	3.3	0.61	89.7	70.2362	40.4833
2019	11	2	0	48	1	0.3	3.3	0.6	88.7	70.2362	39.6173
2019	11	2	0	58	1	0.3	3.3	0.59	90.6	70.2362	38.9679
2019	11	2	1	8	1	0.3	3.3	0.54	90	70.2362	35.7206
2019	11	2	1	18	1	0.3	3.3	0.62	92.4	70.2362	40.6998
2019	11	2	1	28	1	0.3	3.3	0.58	91	70.2362	38.102
2019	11	2	1	38	1	0.3	3.3	0.59	91.6	70.2362	38.7514
2019	11	2	1	48	1	0.3	3.3	0.62	92.1	70.2362	40.6999
2019	11	2	1	58	1	0.3	3.3	0.63	93.6	70.2362	41.3493
2019	11	2	2	8	1	0.3	3.3	0.63	93.6	70.2362	41.3493
2019	11	2	2	18	1	0.3	3.3	0.59	91.6	70.1706	38.93
2019	11	2	2	28	1	0.3	3.3	0.6	94.1	70.1706	39.5789
2019	11	2	2	38	1	0.3	3.3	0.6	94.7	70.1706	39.3626
2019	11	2	2	48	1	0.3	3.3	0.6	94.7	70.1706	39.5789
2019	11	2	2	58	1	0.3	3.3	0.6	93.4	70.1706	39.7952
2019	11	2	3	8	1	0.3	3.3	0.59	94.1	70.1706	38.9301
2019	11	2	3	18	1	0.3	3.3	0.62	91.2	70.1706	41.0929
2019	11	2	3	28	1	0.3	3.3	0.64	94.4	70.1706	42.1743
2019	11	2	3	38	1	0.3	3.3	0.65	94.9	70.1706	42.6069
2019	11	2	3	48	1	0.3	3.3	0.63	94.8	70.1706	41.0929
2019	11	2	3	58	1	0.3	3.3	0.63	98	70.1706	41.3092
2019	11	2	4	8	1	0.3	3.3	0.63	94.2	70.105	41.485
2019	11	2	4	18	1	0.3	3.3	0.61	93.7	70.105	40.4047
2019	11	2	4	28	1	0.3	3.3	0.67	97	70.105	43.8618
2019	11	2	4	38	1	0.3	3.3	0.69	99	70.105	44.9422
2019	11	2	4	48	1	0.3	3.3	0.65	94.6	70.105	42.9976
2019	11	2	4	58	1	0.3	3.3	0.71	98.5	70.105	46.2386
2019	11	2	5	8	1	0.3	3.3	0.68	101.1	70.105	44.0779
2019	11	2	5	18	1	0.3	3.3	0.7	97.5	70.105	45.8065
2019	11	2	5	28	1	0.3	3.3	0.73	101.5	70.105	46.8869
2019	11	2	5	38	1	0.3	3.3	0.71	96.9	70.105	46.2387
2019	11	2	5	48	1	0.3	3.3	0.69	99.3	70.105	44.7262
2019	11	2	5	58	1	0.3	3.3	0.66	100	70.105	42.7816
2019	11	2	6	8	1	0.3	3.3	0.68	98.8	70.0394	44.4667
2019	11	2	6	18	1	0.3	3.3	0.67	96.8	70.0394	43.6033
2019	11	2	6	28	1	0.3	3.3	0.65	94.6	70.0394	42.7399
2019	11	2	6	38	1	0.3	3.3	0.64	97.7	70.0394	41.6606
2019	11	2	6	48	1	0.3	3.3	0.68	96.1	70.0394	44.2509
2019	11	2	6	58	1	0.3	3.3	0.68	95.3	70.0394	44.251
2019	11	2	7	8	1	0.3	3.3	0.66	96	70.0394	43.3875
2019	11	2	7	18	1	0.3	3.3	0.64	96.8	70.0394	41.8765

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	2	7	28	1	0.3	3.3	0.66	95.7	70.0394	42.9558
2019	11	2	7	38	1	0.3	3.3	0.67	97.9	69.9738	43.7765
2019	11	2	7	48	1	0.3	3.3	0.64	95.9	69.9738	41.8357
2019	11	2	7	58	1	0.3	3.3	0.69	101.6	69.9738	44.2078
2019	11	2	8	8	1	0.3	3.3	0.68	98.8	69.9738	44.4235
2019	11	2	8	18	1	0.3	3.3	0.66	99.5	69.9738	42.4827
2019	11	2	8	28	1	0.3	3.3	0.65	96.6	69.9738	42.6983
2019	11	2	8	38	1	0.3	3.3	0.69	96	69.9738	44.8548
2019	11	2	8	48	1	0.3	3.3	0.65	97	69.9738	42.267
2019	11	2	8	58	1	0.3	3.3	0.65	96.9	69.9738	42.4826
2019	11	2	9	8	1	0.3	3.3	0.63	97.1	69.9738	41.4044
2019	11	2	9	18	1	0.3	3.3	0.68	97.2	69.9738	44.4234
2019	11	2	9	28	1	0.3	3.3	0.63	97.5	69.9738	40.973
2019	11	2	9	38	1	0.3	3.3	0.66	102.3	69.9738	42.4825
2019	11	2	9	48	1	0.3	3	0.61	94.6	69.9081	40.0712
2019	11	2	9	58	1	0.3	3	0.62	97	69.9081	40.5021
2019	11	2	10	8	1	0.3	3	0.62	96.1	69.9081	40.502
2019	11	2	10	18	1	0.3	3	0.63	95.7	69.9081	41.3638
2019	11	2	10	28	1	0.3	3	0.61	92.8	69.9081	40.0711
2019	11	2	10	38	1	0.3	3	0.62	94.9	69.9081	40.502
2019	11	2	10	48	1	0.3	3	0.6	97.3	69.9081	38.7785
2019	11	2	10	58	1	0.3	3	0.63	93.6	69.9081	41.1482
2019	11	2	11	8	1	0.3	3	0.61	95.6	69.9081	39.8556
2019	11	2	11	18	1	0.3	3	0.62	98.8	69.9081	40.2864
2019	11	2	11	28	1	0.3	3	0.69	99.1	69.8425	44.5515
2019	11	2	11	38	1	0.3	3	0.66	98	69.8425	42.8297
2019	11	2	11	48	1	0.3	3	0.69	97.1	69.8425	44.9819
2019	11	2	11	58	1	0.3	3	0.67	96.2	69.7769	43.4327
2019	11	2	12	8	1	0.3	3	0.66	96.8	69.7113	42.9605
2019	11	2	12	18	1	0.3	3	0.68	94.4	69.7113	44.2493
2019	11	2	12	28	1	0.3	3	0.66	95.7	69.7113	42.7457
2019	11	2	12	38	1	0.3	3	0.64	93.5	69.6457	42.0599
2019	11	2	12	48	1	0.3	3	0.66	95.1	69.6457	42.9182
2019	11	2	12	58	1	0.3	3	0.63	95.7	69.6457	41.2015
2019	11	2	13	8	1	0.3	3	0.57	90	69.6457	37.1242
2019	11	2	13	18	1	0.3	3	0.63	92.4	69.6457	40.9869
2019	11	2	13	28	1	0.3	3	0.58	88.7	69.6457	38.1972
2019	11	2	13	38	1	0.3	3	0.62	93.6	69.5801	40.5178
2019	11	2	13	48	1	0.3	3	0.65	94.7	69.6457	42.0598
2019	11	2	13	58	1	0.3	3	0.65	92.6	69.5801	42.6616
2019	11	2	14	8	1	0.3	3	0.64	92.6	69.5801	42.0184
2019	11	2	14	18	1	0.3	3	0.63	92.7	69.5801	40.9465
2019	11	2	14	28	1	0.3	3	0.6	92.2	69.5801	39.0171
2019	11	2	14	38	1	0.3	3	0.61	92.5	69.5801	39.6602
2019	11	2	14	48	1	0.3	3	0.63	89.7	69.5801	40.9465
2019	11	2	14	58	1	0.3	3	0.64	94.7	69.5801	41.5896
2019	11	2	15	8	1	0.3	3	0.65	93.8	69.5801	42.4471

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	2	15	18	1	0.3	3	0.65	95.2	69.5801	42.2327
2019	11	2	15	28	1	0.3	3	0.62	95.8	69.5144	40.2636
2019	11	2	15	38	1	0.3	3	0.65	95.8	69.5801	42.2327
2019	11	2	15	48	1	0.3	3	0.66	93.4	69.5801	43.0902
2019	11	2	15	58	1	0.3	3	0.65	93.2	69.5144	42.1911
2019	11	2	16	8	1	0.3	3	0.65	95.8	69.5144	42.4053
2019	11	2	16	18	1	0.3	3	0.62	96.3	69.5144	40.4778
2019	11	2	16	28	1	0.3	3	0.6	93.4	69.5144	39.4069
2019	11	2	16	38	1	0.3	3	0.63	96.8	69.5144	41.1202
2019	11	2	16	48	1	0.3	3	0.61	95	69.5144	39.4068
2019	11	2	16	58	1	0.3	3	0.67	96.7	69.5144	43.476
2019	11	2	17	8	1	0.3	3	0.64	94.1	69.5144	41.5485
2019	11	2	17	18	1	0.3	3	0.6	96	69.5144	38.7643
2019	11	2	17	28	1	0.3	3	0.62	97.3	69.5144	40.2634
2019	11	2	17	38	1	0.3	3	0.68	94.7	69.5144	44.1184
2019	11	2	17	48	1	0.3	3	0.65	97.2	69.5144	42.405
2019	11	2	17	58	1	0.3	3	0.67	96.2	69.5144	43.4758
2019	11	2	18	8	1	0.3	3	0.68	96.9	69.5144	44.1183
2019	11	2	18	18	1	0.3	3	0.69	99.1	69.5144	44.3324
2019	11	2	18	28	1	0.3	3	0.67	96.8	69.5144	43.2616
2019	11	2	18	38	1	0.3	3	0.62	96.7	69.5144	40.2632
2019	11	2	18	48	1	0.3	3	0.67	92.3	69.5144	43.4757
2019	11	2	18	58	1	0.3	3	0.63	94.5	69.5144	41.1199
2019	11	2	19	8	1	0.3	3	0.65	93.2	69.5144	42.4048
2019	11	2	19	18	1	0.3	3	0.64	95.6	69.5144	41.334
2019	11	2	19	28	1	0.3	3	0.66	96	69.5144	42.8331
2019	11	2	19	38	1	0.3	3	0.68	96.9	69.5144	44.1181
2019	11	2	19	48	1	0.3	3	0.65	97	69.5144	41.9764
2019	11	2	19	58	1	0.3	3	0.64	95.6	69.5144	41.3339
2019	11	2	20	8	1	0.3	3	0.63	97.2	69.5144	40.9056
2019	11	2	20	18	1	0.3	3	0.66	95.7	69.5144	42.6189
2019	11	2	20	28	1	0.3	3	0.67	94.8	69.4488	43.2188
2019	11	2	20	38	1	0.3	3	0.63	93	69.4488	41.0793
2019	11	2	20	48	1	0.3	3	0.63	94.5	69.4488	41.0793
2019	11	2	20	58	1	0.3	3	0.63	91.8	69.4488	41.2932
2019	11	2	21	8	1	0.3	3	0.63	93	69.4488	40.8653
2019	11	2	21	18	1	0.3	3	0.65	95.8	69.4488	42.1491
2019	11	2	21	28	1	0.3	3	0.63	96.3	69.4488	40.6514
2019	11	2	21	38	1	0.3	3	0.65	96.1	69.4488	42.1491
2019	11	2	21	48	1	0.3	3	0.61	96.8	69.4488	39.5816
2019	11	2	21	58	1	0.3	3	0.66	97.4	69.3832	42.7488
2019	11	2	22	8	1	0.3	3	0.65	97.2	69.3832	42.3213
2019	11	2	22	18	1	0.3	3	0.64	97.3	69.3832	41.4664
2019	11	2	22	28	1	0.3	3	0.62	98.8	69.3832	40.1839
2019	11	2	22	38	1	0.3	3	0.68	95.8	69.3832	43.8176
2019	11	2	22	48	1	0.3	3	0.66	96.8	69.3832	42.9626
2019	11	2	22	58	1	0.3	3	0.7	99.7	69.3832	44.8863

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	2	23	8	1	0.3	3	0.66	97.2	69.3176	42.4932
2019	11	2	23	18	1	0.3	3	0.68	96.3	69.3176	44.2015
2019	11	2	23	28	1	0.3	3	0.7	100	69.3176	44.8421
2019	11	2	23	38	1	0.3	3	0.69	98	69.252	44.1579
2019	11	2	23	48	1	0.3	3	0.68	98.4	69.252	43.5179
2019	11	2	23	58	1	0.3	3	0.68	98	69.252	43.9446
2019	11	3	0	8	1	0.3	3	0.71	99.1	69.1864	45.393
2019	11	3	0	18	1	0.3	3	0.66	96.2	69.1864	42.8357
2019	11	3	0	28	1	0.3	3	0.65	96.1	69.1207	41.9417
2019	11	3	0	38	1	0.3	3	0.64	97.9	69.1864	41.3439
2019	11	3	0	48	1	0.3	3	0.65	96.7	69.1207	41.9417
2019	11	3	0	58	1	0.3	3	0.65	96.7	69.1207	41.9417
2019	11	3	1	8	1	0.3	3	0.66	96.3	69.0551	42.3256
2019	11	3	1	18	1	0.3	3	0.65	95.2	69.0551	42.1129
2019	11	3	1	28	1	0.3	3	0.67	96.5	69.0551	43.1764
2019	11	3	1	38	1	0.3	3	0.68	96.1	69.0551	43.8145
2019	11	3	1	48	1	0.3	3	0.63	96	69.0551	40.4115
2019	11	3	1	58	1	0.3	3	0.64	97.3	69.0551	41.2622
2019	11	3	2	8	1	0.3	3	0.65	95.5	68.9895	41.6463
2019	11	3	2	18	1	0.3	3	0.64	96.2	68.9895	41.2214
2019	11	3	2	28	1	0.3	3	0.64	96.5	68.9895	41.0089
2019	11	3	2	38	1	0.3	3	0.64	96.8	68.9895	41.2214
2019	11	3	2	48	1	0.3	3	0.67	94.5	68.9895	43.3462
2019	11	3	2	58	1	0.3	3	0.66	96.2	68.9895	42.7088
2019	11	3	3	8	1	0.3	3	0.67	98.2	68.9895	42.7088
2019	11	3	3	18	1	0.3	3	0.68	95.8	68.9239	43.5155
2019	11	3	3	28	1	0.3	3	0.67	97.1	68.9239	42.8787
2019	11	3	3	38	1	0.3	3	0.68	99.7	68.9239	43.3033
2019	11	3	3	48	1	0.3	3	0.67	96.7	68.9239	43.091
2019	11	3	3	58	1	0.3	3	0.68	95.5	68.9239	43.7279
2019	11	3	4	8	1	0.3	3	0.67	97.1	68.9239	42.8788
2019	11	3	4	18	1	0.3	3	0.66	96.8	68.9239	42.4543
2019	11	3	4	28	1	0.3	3	0.68	94.4	68.9239	44.1525
2019	11	3	4	38	1	0.3	3	0.69	98.7	68.8583	44.3207
2019	11	3	4	48	1	0.3	3	0.64	95.6	68.8583	40.9277
2019	11	3	4	58	1	0.3	3	0.68	93.9	68.8583	43.8966
2019	11	3	5	8	1	0.3	3	0.67	94.7	68.8583	43.4725
2019	11	3	5	18	1	0.3	3	0.66	95.1	68.8583	42.6243
2019	11	3	5	28	1	0.3	3	0.65	96.1	68.8583	41.776
2019	11	3	5	38	1	0.3	3	0.67	97.3	68.8583	43.0484
2019	11	3	5	48	1	0.3	3	0.68	97.8	68.8583	43.4726
2019	11	3	5	58	1	0.3	3	0.68	99.2	68.7927	43.2175
2019	11	3	6	8	1	0.3	3	0.67	98.1	68.8583	43.0485
2019	11	3	6	18	1	0.3	3	0.68	98	68.8583	43.6847
2019	11	3	6	28	1	0.3	3	0.69	97.3	68.7927	44.4887
2019	11	3	6	38	1	0.3	3	0.7	97.5	68.7927	45.1242
2019	11	3	6	48	1	0.3	3	0.68	95.8	68.7927	43.6413

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	3	6	58	1	0.3	3	0.69	97.1	68.7927	44.065
2019	11	3	7	8	1	0.3	3	0.7	98.7	68.7927	44.4888
2019	11	3	7	18	1	0.3	3	0.68	97.8	68.7927	43.4295
2019	11	3	7	28	1	0.3	3	0.7	100.8	68.7927	44.4888
2019	11	3	7	38	1	0.3	3	0.7	97.6	68.7927	44.7006
2019	11	3	7	48	1	0.3	3	0.68	98.6	68.7927	43.2177
2019	11	3	7	58	1	0.3	3	0.7	98.7	68.727	44.4446
2019	11	3	8	8	1	0.3	3	0.68	100	68.727	43.3864
2019	11	3	8	18	1	0.3	3	0.69	98.7	68.727	44.2329
2019	11	3	8	28	1	0.3	3	0.68	98.3	68.727	43.3864
2019	11	3	8	38	1	0.3	3	0.68	94.4	68.727	43.598
2019	11	3	8	48	1	0.3	3	0.68	97.7	68.7927	43.6414
2019	11	3	8	58	1	0.3	3	0.67	97	68.7927	43.2177
2019	11	3	9	8	1	0.3	3	0.65	100.4	68.7927	41.5229
2019	11	3	9	18	1	0.3	3	0.68	97	68.7927	43.4295
2019	11	3	9	28	1	0.3	3	0.66	97.5	68.7927	41.9465
2019	11	3	9	38	1	0.3	3	0.65	97.3	68.7927	41.5228
2019	11	3	9	48	1	0.3	3	0.62	99.8	68.7927	39.4043
2019	11	3	9	58	1	0.3	3	0.62	96.1	68.7927	39.6161
2019	11	3	10	8	1	0.3	3	0.65	99.2	68.7927	41.7346
2019	11	3	10	18	1	0.3	3	0.66	98.8	68.7927	42.3701
2019	11	3	10	28	1	0.3	3	0.64	97.4	68.7927	40.8872
2019	11	3	10	38	1	0.3	3	0.64	94.4	68.7927	41.3108
2019	11	3	10	48	1	0.3	3	0.68	96.6	68.7927	43.6412
2019	11	3	10	58	1	0.3	3	0.62	94.9	68.7927	39.616
2019	11	3	11	8	1	0.3	3	0.61	97.1	68.7927	39.1923
2019	11	3	11	18	1	0.3	3	0.59	92.5	68.7927	38.3449
2019	11	3	11	28	1	0.3	3	0.61	96.5	68.7927	38.9804
2019	11	3	11	38	1	0.3	3	0.58	94.6	68.7927	37.0737
2019	11	3	11	48	1	0.3	3	0.61	94.9	68.7927	39.1922
2019	11	3	11	58	1	0.3	3	0.63	95.1	68.7927	40.2514
2019	11	3	12	8	1	0.3	3	0.65	94.9	68.7927	41.9462
2019	11	3	12	18	1	0.3	3	0.62	95.8	68.7927	39.8277
2019	11	3	12	28	1	0.3	3	0.62	95.1	68.7927	40.0395
2019	11	3	12	38	1	0.3	3	0.66	93.4	68.7927	42.3698
2019	11	3	12	48	1	0.3	3	0.7	97.9	68.7927	44.4883
2019	11	3	12	58	1	0.3	3	0.66	96.2	68.7927	42.5816
2019	11	3	13	8	1	0.3	3	0.66	96	68.7927	42.3697
2019	11	3	13	18	1	0.3	3	0.65	95.8	68.7927	41.946
2019	11	3	13	28	1	0.3	3	0.67	94.8	68.7927	43.0053
2019	11	3	13	38	1	0.3	3	0.66	98.6	68.7927	42.1578
2019	11	3	13	48	1	0.3	3	0.66	96	68.7927	42.3697
2019	11	3	13	58	1	0.3	3	0.68	96.4	68.7927	43.4289
2019	11	3	14	8	1	0.3	3	0.66	95.1	68.7927	42.3696
2019	11	3	14	18	1	0.3	3	0.64	97.6	68.7927	41.0985
2019	11	3	14	28	1	0.3	3	0.66	94.6	68.7927	42.5815
2019	11	3	14	38	1	0.3	3	0.67	97.7	68.7927	42.5814

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	3	14	48	1	0.3	3	0.64	92.6	68.7927	41.3103
2019	11	3	14	58	1	0.3	3	0.68	93.9	68.7927	43.8525
2019	11	3	15	8	1	0.3	3	0.66	97.2	68.727	42.1158
2019	11	3	15	18	1	0.3	3	0.64	96.2	68.727	41.0575
2019	11	3	15	28	1	0.3	3	0.69	95.2	68.727	44.2321
2019	11	3	15	38	1	0.3	3	0.66	94.9	68.727	42.1157
2019	11	3	15	48	1	0.3	3	0.65	92.3	68.727	42.1157
2019	11	3	15	58	1	0.3	3	0.67	95.9	68.727	43.1739
2019	11	3	16	8	1	0.3	3	0.65	96.1	68.727	41.6924
2019	11	3	16	18	1	0.3	3	0.64	94.1	68.727	41.2691
2019	11	3	16	28	1	0.3	3	0.61	95.3	68.727	39.1527
2019	11	3	16	38	1	0.3	3	0.62	96.4	68.727	39.576
2019	11	3	16	48	1	0.3	3	0.64	95	68.727	40.8458
2019	11	3	16	58	1	0.3	3	0.62	94.5	68.727	39.9992
2019	11	3	17	8	1	0.3	3	0.58	92.6	68.727	37.4596
2019	11	3	17	18	1	0.3	3	0.58	93.9	68.727	37.0363
2019	11	3	17	28	1	0.3	3	0.56	91.3	68.727	35.9781
2019	11	3	17	38	1	0.3	3	0.57	94.6	68.6614	36.7879
2019	11	3	17	48	1	0.3	3	0.57	95.3	68.6614	36.7879
2019	11	3	17	58	1	0.3	3	0.58	92.3	68.6614	37.6336
2019	11	3	18	8	1	0.3	3	0.62	93.3	68.6614	39.7478
2019	11	3	18	18	1	0.3	3	0.55	91.4	68.5958	35.2727
2019	11	3	18	28	1	0.3	3	0.6	90.3	68.5302	38.4025
2019	11	3	18	38	1	0.3	3	0.56	90	68.5302	36.0815
2019	11	3	18	48	1	0.3	3	0.58	96.2	68.5302	36.9254
2019	11	3	18	58	1	0.3	3	0.56	91.3	68.4646	36.2562
2019	11	3	19	8	1	0.3	3	0.59	92.5	68.4646	38.1533
2019	11	3	19	18	1	0.3	3	0.55	90	68.4646	35.413
2019	11	3	19	28	1	0.3	3	0.61	91.2	68.4646	38.9964
2019	11	3	19	38	1	0.3	3	0.6	92.5	68.4646	38.364
2019	11	3	19	48	1	0.3	3	0.59	91.9	68.4646	37.9424
2019	11	3	19	58	1	0.3	3	0.63	90.6	68.4646	40.2611
2019	11	3	20	8	1	0.3	3	0.62	91.2	68.4646	40.0504
2019	11	3	20	18	1	0.3	3	0.58	92.3	68.4646	37.5208
2019	11	3	20	28	1	0.3	3	0.61	91.5	68.4646	38.9964
2019	11	3	20	38	1	0.3	3	0.61	93.1	68.4646	39.2072
2019	11	3	20	48	1	0.3	3	0.57	90	68.4646	36.8885
2019	11	3	20	58	1	0.3	3	0.54	89.3	68.4646	34.7806
2019	11	3	21	8	1	0.3	3	0.58	89	68.4646	37.31
2019	11	3	21	18	1	0.3	3	0.56	88.7	68.4646	36.2561
2019	11	3	21	28	1	0.3	3	0.59	89.4	68.4646	38.1532
2019	11	3	21	38	1	0.3	3	0.59	91.6	68.399	38.1151
2019	11	3	21	48	1	0.3	3	0.56	93.4	68.399	35.7987
2019	11	3	21	58	1	0.3	3	0.58	92.6	68.399	37.2728
2019	11	3	22	8	1	0.3	3	0.6	91.6	68.399	38.5363
2019	11	3	22	18	1	0.3	3	0.61	94	68.399	39.168
2019	11	3	22	28	1	0.3	3	0.61	96.5	68.399	38.7469

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	3	22	38	1	0.3	3	0.58	93.2	68.399	37.4834
2019	11	3	22	48	1	0.3	3	0.61	94	68.399	38.7469
2019	11	3	22	58	1	0.3	3	0.62	94.9	68.399	39.3787
2019	11	3	23	8	1	0.3	3	0.59	95.1	68.399	37.9046
2019	11	3	23	18	1	0.3	3	0.59	95.5	68.3333	37.446
2019	11	3	23	28	1	0.3	3	0.65	97.3	68.3333	41.0223
2019	11	3	23	38	1	0.3	3	0.65	96.4	68.3333	41.2327
2019	11	3	23	48	1	0.3	3	0.6	93.5	68.3333	38.2875
2019	11	3	23	58	1	0.3	3	0.6	92.8	68.3333	38.7083
2019	11	4	0	8	1	0.3	3	0.6	92.8	68.3333	38.2875
2019	11	4	0	18	1	0.3	3	0.6	90.3	68.3333	38.7083
2019	11	4	0	28	1	0.3	3	0.6	91.3	68.3333	38.2876
2019	11	4	0	38	1	0.3	3	0.58	96.1	68.2677	37.1984
2019	11	4	0	48	1	0.3	3	0.61	91.2	68.2677	38.8797
2019	11	4	0	58	1	0.3	3	0.61	91.2	68.2677	39.0899
2019	11	4	1	8	1	0.3	3	0.59	92.5	68.2677	37.8289
2019	11	4	1	18	1	0.3	3	0.58	93.3	68.2677	36.9883
2019	11	4	1	28	1	0.3	3	0.6	94.4	68.2677	38.2493
2019	11	4	1	38	1	0.3	3	0.62	94.3	68.2677	39.5103
2019	11	4	1	48	1	0.3	3	0.57	93	68.2677	36.1477
2019	11	4	1	58	1	0.3	3	0.61	90.3	68.2021	38.8408
2019	11	4	2	8	1	0.3	3	0.61	92.8	68.2021	39.2608
2019	11	4	2	18	1	0.3	3	0.56	87.7	68.2021	35.9016
2019	11	4	2	28	1	0.3	3	0.57	91.6	68.2021	36.7414
2019	11	4	2	38	1	0.3	3	0.59	90.6	68.2021	38.0011
2019	11	4	2	48	1	0.3	3	0.59	90	68.2021	37.5812
2019	11	4	2	58	1	0.3	3	0.57	90	68.1365	36.2851
2019	11	4	3	8	1	0.3	3	0.6	90	68.2021	38.421
2019	11	4	3	18	1	0.3	3	0.59	90.3	68.1365	37.7533
2019	11	4	3	28	1	0.3	3	0.61	90	68.1365	39.2215
2019	11	4	3	38	1	0.3	3	0.57	88.7	68.1365	36.7046
2019	11	4	3	48	1	0.3	3	0.58	90	68.1365	36.9143
2019	11	4	3	58	1	0.3	3	0.6	90.6	68.1365	38.3825
2019	11	4	4	8	1	0.3	3	0.59	89.7	68.1365	37.5436
2019	11	4	4	18	1	0.3	3	0.57	90.3	68.1365	36.4949
2019	11	4	4	28	1	0.3	3	0.57	91	68.1365	36.7047
2019	11	4	4	38	1	0.3	3	0.61	91.2	68.0709	38.7631
2019	11	4	4	48	1	0.3	3	0.58	87.7	68.0709	36.8773
2019	11	4	4	58	1	0.3	3	0.58	88.7	68.0709	37.0869
2019	11	4	5	8	1	0.3	3	0.63	89.1	68.0709	40.2299
2019	11	4	5	18	1	0.3	3	0.6	87.2	68.0709	38.1346
2019	11	4	5	28	1	0.3	3	0.58	88.1	68.0709	37.2965
2019	11	4	5	38	1	0.3	3	0.64	90	68.0709	40.6489
2019	11	4	5	48	1	0.3	3	0.58	88.1	68.0709	37.2965
2019	11	4	5	58	1	0.3	3	0.57	88	68.0709	36.2488
2019	11	4	6	8	1	0.3	3	0.59	85.8	68.0709	37.506
2019	11	4	6	18	1	0.3	3	0.61	90	68.0052	38.9336

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	4	6	28	1	0.3	3	0.56	90.7	68.0052	35.7938
2019	11	4	6	38	1	0.3	3	0.57	88.7	68.0052	36.4217
2019	11	4	6	48	1	0.3	3	0.61	94	68.0052	38.515
2019	11	4	6	58	1	0.3	3	0.63	96	68.0052	39.7709
2019	11	4	7	8	1	0.3	3	0.66	92.6	68.0052	42.0734
2019	11	4	7	18	1	0.3	3	0.61	94.9	68.0052	38.7243
2019	11	4	7	28	1	0.3	3	0.63	92.7	68.0052	40.3989
2019	11	4	7	38	1	0.3	3	0.63	94.8	68.0052	39.9803
2019	11	4	7	48	1	0.3	3	0.58	91.3	68.0052	37.0498
2019	11	4	7	58	1	0.3	3	0.59	93.5	67.9396	37.2216
2019	11	4	8	8	1	0.3	3	0.57	92.6	67.9396	36.1761
2019	11	4	8	18	1	0.3	3	0.59	92.5	67.9396	37.849
2019	11	4	8	28	1	0.3	3	0.61	93.4	67.9396	38.6854
2019	11	4	8	38	1	0.3	3	0.61	89.7	67.9396	38.6854
2019	11	4	8	48	1	0.3	3	0.61	90.6	67.9396	39.1036
2019	11	4	8	58	1	0.3	3	0.59	93.5	67.9396	37.8489
2019	11	4	9	8	1	0.3	3	0.6	92.2	67.9396	38.4763
2019	11	4	9	18	1	0.3	3	0.59	92.5	67.9396	37.8489
2019	11	4	9	28	1	0.3	3	0.63	90.3	67.9396	40.3582
2019	11	4	9	38	1	0.3	3	0.61	93.7	67.9396	39.1035
2019	11	4	9	48	1	0.3	3	0.59	95.1	67.9396	37.6398
2019	11	4	9	58	1	0.3	3	0.64	97.3	67.9396	40.5673
2019	11	4	10	8	1	0.3	3	0.64	93.5	67.9396	40.9855
2019	11	4	10	18	1	0.3	3	0.67	94.8	67.9396	42.2401
2019	11	4	10	28	1	0.3	3	0.64	98.8	67.874	40.5263
2019	11	4	10	38	1	0.3	3	0.65	96.4	67.874	40.9441
2019	11	4	10	48	1	0.3	3	0.63	96.3	67.874	39.8996
2019	11	4	10	58	1	0.3	3	0.69	98.7	67.874	43.6598
2019	11	4	11	8	1	0.3	3	0.66	94.6	67.874	41.9885
2019	11	4	11	18	1	0.3	3	0.68	95.5	67.874	43.2419
2019	11	4	11	28	1	0.3	3	0.63	97.2	67.874	39.8995
2019	11	4	11	38	1	0.3	3	0.66	98.3	67.8084	41.7374
2019	11	4	11	48	1	0.3	3	0.65	94.9	67.8084	41.32
2019	11	4	11	58	1	0.3	3	0.65	96.4	67.8084	40.9026
2019	11	4	12	8	1	0.3	3	0.65	95.8	67.7428	41.0698
2019	11	4	12	18	1	0.3	3	0.64	96.5	67.6772	40.1952
2019	11	4	12	28	1	0.3	3	0.67	93.9	67.6772	42.2779
2019	11	4	12	38	1	0.3	3	0.64	97.7	67.6116	39.9465
2019	11	4	12	48	1	0.3	3	0.64	94.4	67.6772	40.82
2019	11	4	12	58	1	0.3	3	0.64	97.4	67.6772	40.1951
2019	11	4	13	8	1	0.3	3	0.66	98.3	67.6116	41.6109
2019	11	4	13	18	1	0.3	3	0.65	95.2	67.6116	40.9867
2019	11	4	13	28	1	0.3	3	0.6	94.4	67.6116	37.8658
2019	11	4	13	38	1	0.3	3	0.66	94.6	67.6116	41.8189
2019	11	4	13	48	1	0.3	3	0.69	98.5	67.6116	43.0672
2019	11	4	13	58	1	0.3	3	0.63	94.2	67.6116	39.9463
2019	11	4	14	8	1	0.3	3	0.66	93.4	67.6116	41.6107

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	4	14	18	1	0.3	3	0.61	94.3	67.6116	38.4899
2019	11	4	14	28	1	0.3	3	0.68	96.1	67.5459	42.6078
2019	11	4	14	38	1	0.3	3	0.58	92.3	67.5459	36.5803
2019	11	4	14	48	1	0.3	3	0.63	93.6	67.5459	39.9058
2019	11	4	14	58	1	0.3	3	0.64	95.6	67.5459	40.1136
2019	11	4	15	8	1	0.3	3	0.63	95.1	67.5459	39.6979
2019	11	4	15	18	1	0.3	3	0.62	96	67.5459	39.2822
2019	11	4	15	28	1	0.3	3	0.61	96.5	67.5459	38.4509
2019	11	4	15	38	1	0.3	3	0.64	94.4	67.5459	40.1136
2019	11	4	15	48	1	0.3	3	0.63	93.9	67.5459	39.6979
2019	11	4	15	58	1	0.3	3	0.66	96	67.5459	41.7763
2019	11	4	16	8	1	0.3	3	0.6	93.8	67.5459	38.0352
2019	11	4	16	18	1	0.3	3	0.59	92.2	67.5459	37.4116
2019	11	4	16	28	1	0.3	3	0.61	92.8	67.5459	38.8665
2019	11	4	16	38	1	0.3	3	0.58	96.8	67.5459	36.3723
2019	11	4	16	48	1	0.3	3	0.64	93.2	67.5459	40.5291
2019	11	4	16	58	1	0.3	3	0.63	93.3	67.5459	39.9056
2019	11	4	17	8	1	0.3	3	0.65	96.1	67.5459	40.7369
2019	11	4	17	18	1	0.3	3	0.69	96	67.5459	43.6467
2019	11	4	17	28	1	0.3	3	0.66	98.6	67.5459	41.1526
2019	11	4	17	38	1	0.3	3	0.67	95.4	67.5459	41.9839
2019	11	4	17	48	1	0.3	3	0.66	95.2	67.5459	41.3603
2019	11	4	17	58	1	0.3	3	0.67	100.4	67.5459	41.9838
2019	11	4	18	8	1	0.3	3	0.66	94.6	67.5459	41.5681
2019	11	4	18	18	1	0.3	3	0.65	95.8	67.5459	41.1524
2019	11	4	18	28	1	0.3	3	0.66	96	67.5459	41.7759
2019	11	4	18	38	1	0.3	3	0.61	95.3	67.4803	38.2039
2019	11	4	18	48	1	0.3	3	0.68	96.9	67.5459	42.8151
2019	11	4	18	58	1	0.3	3	0.66	97.1	67.5459	41.568
2019	11	4	19	8	1	0.3	3	0.65	94.9	67.4803	40.903
2019	11	4	19	18	1	0.3	3	0.62	95.2	67.5459	38.8661
2019	11	4	19	28	1	0.3	3	0.63	96.9	67.4803	39.4496
2019	11	4	19	38	1	0.3	3	0.62	96.1	67.4803	39.0343
2019	11	4	19	48	1	0.3	3	0.64	95	67.4803	40.28
2019	11	4	19	58	1	0.3	3	0.66	91.4	67.4803	41.7334
2019	11	4	20	8	1	0.3	3	0.64	95	67.4803	40.4876
2019	11	4	20	18	1	0.3	3	0.64	94.4	67.4803	40.4876
2019	11	4	20	28	1	0.3	3	0.63	95.1	67.4803	39.6571
2019	11	4	20	38	1	0.3	3	0.63	97.5	67.4803	39.6571
2019	11	4	20	48	1	0.3	3	0.61	93.1	67.4803	38.8266
2019	11	4	20	58	1	0.3	3	0.63	93.3	67.4803	39.8647
2019	11	4	21	8	1	0.3	3	0.67	94.8	67.4803	41.941
2019	11	4	21	18	1	0.3	3	0.64	96.1	67.4803	40.4876
2019	11	4	21	28	1	0.3	3	0.66	97.7	67.4147	41.2762
2019	11	4	21	38	1	0.3	3	0.62	96.3	67.4147	39.2021
2019	11	4	21	48	1	0.3	3	0.63	97.2	67.4147	39.2021
2019	11	4	21	58	1	0.3	3	0.66	95.1	67.4147	41.6911

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	4	22	8	1	0.3	3	0.67	94.8	67.4147	42.1059
2019	11	4	22	18	1	0.3	3	0.65	94.6	67.4147	41.2763
2019	11	4	22	28	1	0.3	3	0.67	94.8	67.4147	42.106
2019	11	4	22	38	1	0.3	3	0.65	95.5	67.4147	40.8615
2019	11	4	22	48	1	0.3	3	0.67	97	67.4147	42.106
2019	11	4	22	58	1	0.3	3	0.64	93.5	67.4147	40.6541
2019	11	4	23	8	1	0.3	3	0.63	96	67.4147	39.4096
2019	11	4	23	18	1	0.3	3	0.65	94.9	67.4147	40.8615
2019	11	4	23	28	1	0.3	3	0.64	96.2	67.4147	40.2393
2019	11	4	23	38	1	0.3	3	0.65	94.9	67.4147	40.8616
2019	11	4	23	48	1	0.3	3	0.64	97.9	67.3491	40.1985
2019	11	4	23	58	1	0.3	3	0.67	95.3	67.3491	42.0634
2019	11	5	0	8	1	0.3	3	0.65	95	67.3491	40.6129
2019	11	5	0	18	1	0.3	3	0.64	93.8	67.3491	40.4057
2019	11	5	0	28	1	0.3	3	0.65	94.6	67.3491	41.2346
2019	11	5	0	38	1	0.3	3	0.63	96.5	67.3491	39.7841
2019	11	5	0	48	1	0.3	3	0.66	96	67.3491	41.649
2019	11	5	0	58	1	0.3	3	0.62	93	67.2835	38.9157
2019	11	5	1	8	1	0.3	3	0.6	94.7	67.2835	37.4667
2019	11	5	1	18	1	0.3	3	0.62	96.4	67.2835	38.9157
2019	11	5	1	28	1	0.3	3	0.67	93.1	67.2835	42.4347
2019	11	5	1	38	1	0.3	3	0.64	91.8	67.2835	40.1578
2019	11	5	1	48	1	0.3	3	0.6	95.4	67.2835	37.4668
2019	11	5	1	58	1	0.3	3	0.63	94.5	67.2835	39.5368
2019	11	5	2	8	1	0.3	3	0.62	93.6	67.2178	39.2898
2019	11	5	2	18	1	0.3	3	0.63	93.6	67.2178	39.9102
2019	11	5	2	28	1	0.3	3	0.61	93.1	67.2178	38.2559
2019	11	5	2	38	1	0.3	3	0.61	89.1	67.2178	38.2559
2019	11	5	2	48	1	0.3	3	0.6	92.8	67.2178	38.0491
2019	11	5	2	58	1	0.3	3	0.6	94.7	67.2178	37.4287
2019	11	5	3	8	1	0.3	3	0.66	94.5	67.2178	41.7713
2019	11	5	3	18	1	0.3	3	0.62	95.7	67.2178	39.0831
2019	11	5	3	28	1	0.3	3	0.61	90	67.2178	38.4627
2019	11	5	3	38	1	0.3	3	0.59	91.3	67.2178	37.4288
2019	11	5	3	48	1	0.3	3	0.59	93.8	67.1522	36.9775
2019	11	5	3	58	1	0.3	3	0.59	92.5	67.1522	37.1841
2019	11	5	4	8	1	0.3	3	0.61	91.2	67.1522	38.4236
2019	11	5	4	18	1	0.3	3	0.61	92.2	67.1522	38.4236
2019	11	5	4	28	1	0.3	3	0.63	92.1	67.1522	39.8697
2019	11	5	4	38	1	0.3	3	0.67	92.3	67.1522	41.9355
2019	11	5	4	48	1	0.3	3	0.63	93.9	67.2178	39.9103
2019	11	5	4	58	1	0.3	3	0.61	93.7	67.1522	38.6302
2019	11	5	5	8	1	0.3	3	0.61	93.7	67.2178	38.4628
2019	11	5	5	18	1	0.3	3	0.63	90	67.1522	39.4566
2019	11	5	5	28	1	0.3	3	0.63	94.8	67.1522	39.6632
2019	11	5	5	38	1	0.3	3	0.58	90.6	67.2178	36.8086
2019	11	5	5	48	1	0.3	3	0.63	91.5	67.2178	39.4969

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	5	5	58	1	0.3	3	0.64	96.2	67.2178	40.1172
2019	11	5	6	8	1	0.3	3	0.6	92.8	67.2178	37.6358
2019	11	5	6	18	1	0.3	3	0.63	92.1	67.2178	39.4969
2019	11	5	6	28	1	0.3	3	0.58	90	67.2178	36.8086
2019	11	5	6	38	1	0.3	3	0.6	93.7	67.2178	38.0494
2019	11	5	6	48	1	0.3	3	0.6	91.6	67.2178	38.0494
2019	11	5	6	58	1	0.3	3	0.62	90.6	67.2178	38.8766
2019	11	5	7	8	1	0.3	3	0.59	92.6	67.2178	37.0155
2019	11	5	7	18	1	0.3	3	0.6	91.2	67.2178	38.0494
2019	11	5	7	28	1	0.3	3	0.56	91.3	67.2178	35.1544
2019	11	5	7	38	1	0.3	3	0.58	88.7	67.2178	36.6019
2019	11	5	7	48	1	0.3	3	0.57	92	67.2178	36.1884
2019	11	5	7	58	1	0.3	3	0.54	89	67.2178	34.3273
2019	11	5	8	8	1	0.3	3	0.59	90.6	67.2178	37.4291
2019	11	5	8	18	1	0.3	3	0.6	93.5	67.2178	37.6359
2019	11	5	8	28	1	0.3	3	0.61	91.5	67.2178	38.4631
2019	11	5	8	38	1	0.3	3	0.58	90	67.2178	36.8088
2019	11	5	8	48	1	0.3	3	0.59	91.9	67.2178	37.2223
2019	11	5	8	58	1	0.3	3	0.54	88.6	67.2178	34.3273
2019	11	5	9	8	1	0.3	3	0.57	88.7	67.2178	36.1884
2019	11	5	9	18	1	0.3	3	0.6	90	67.2178	37.6359
2019	11	5	9	28	1	0.3	3	0.56	88.7	67.2178	35.568
2019	11	5	9	38	1	0.3	3	0.56	90	67.2835	35.1902
2019	11	5	9	48	1	0.3	3	0.56	89.7	67.2835	35.6042
2019	11	5	9	58	1	0.3	3	0.58	88.4	67.2835	36.8462
2019	11	5	10	8	1	0.3	3	0.56	88.7	67.2835	35.6041
2019	11	5	10	18	1	0.3	3	0.56	88	67.2835	35.3971
2019	11	5	10	28	1	0.3	3	0.55	89	67.2835	34.5691
2019	11	5	10	38	1	0.3	3	0.6	91.2	67.2835	38.0881
2019	11	5	10	48	1	0.3	3	0.62	91.5	67.2835	39.1231
2019	11	5	10	58	1	0.3	3	0.58	87.1	67.2835	36.639
2019	11	5	11	8	1	0.3	3	0.54	89.3	67.2835	34.155
2019	11	5	11	18	1	0.3	3	0.57	86	67.2835	35.811
2019	11	5	11	28	1	0.3	3	0.59	92.2	67.2835	37.26
2019	11	5	11	38	1	0.3	3	0.58	92.6	67.3491	36.469
2019	11	5	11	48	1	0.3	3	0.56	90	67.3491	35.6401
2019	11	5	11	58	1	0.3	3	0.59	90	67.3491	37.505
2019	11	5	12	8	1	0.3	3	0.61	90	67.3491	38.541
2019	11	5	12	18	1	0.3	3	0.58	92.3	67.3491	36.6761
2019	11	5	12	28	1	0.3	3	0.57	90	67.3491	36.0545
2019	11	5	12	38	1	0.3	3	0.58	90.3	67.3491	36.6761
2019	11	5	12	48	1	0.3	3	0.62	91.8	67.3491	39.1626
2019	11	5	12	58	1	0.3	3	0.56	92.7	67.4147	35.4688
2019	11	5	13	8	1	0.3	3	0.61	94.3	67.4147	38.3727
2019	11	5	13	18	1	0.3	3	0.63	92.4	67.4147	39.6172
2019	11	5	13	28	1	0.3	3	0.59	90	67.4147	37.3355
2019	11	5	13	38	1	0.3	3	0.58	90	67.4147	36.7133

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	5	13	48	1	0.3	3	0.61	90	67.4147	38.3726
2019	11	5	13	58	1	0.3	3	0.59	91.6	67.4147	37.1281
2019	11	5	14	8	1	0.3	3	0.62	92.4	67.4147	39.2022
2019	11	5	14	18	1	0.3	3	0.58	91.6	67.4147	36.9206
2019	11	5	14	28	1	0.3	3	0.68	94.7	67.4147	42.7284
2019	11	5	14	38	1	0.3	3	0.7	99.1	67.4147	43.9729
2019	11	5	14	48	1	0.3	3	0.67	99	67.4147	41.8987
2019	11	5	14	58	1	0.3	3	0.67	97	67.4147	42.1061
2019	11	5	15	8	1	0.3	3	0.64	96.8	67.4803	40.2802
2019	11	5	15	18	1	0.3	3	0.65	99	67.4803	40.6954
2019	11	5	15	28	1	0.3	3	0.66	96.8	67.4803	41.5259
2019	11	5	15	38	1	0.3	3	0.66	95.7	67.4803	41.3183
2019	11	5	15	48	1	0.3	3	0.67	99.6	67.4803	41.5259
2019	11	5	15	58	1	0.3	3	0.69	97.1	67.4803	43.3946
2019	11	5	16	8	1	0.3	3	0.66	96.8	67.4803	41.5259
2019	11	5	16	18	1	0.3	3	0.69	98.5	67.4803	43.1869
2019	11	5	16	28	1	0.3	3	0.69	96.9	67.4803	43.1869
2019	11	5	16	38	1	0.3	3	0.64	96.5	67.5459	40.3209
2019	11	5	16	48	1	0.3	3	0.69	95.2	67.5459	43.2306
2019	11	5	16	58	1	0.3	3	0.71	94	67.5459	45.1011
2019	11	5	17	8	1	0.3	3	0.66	97.7	67.5459	41.5678
2019	11	5	17	18	1	0.3	3	0.69	98.5	67.5459	43.2305
2019	11	5	17	28	1	0.3	3	0.65	97.6	67.5459	40.5286
2019	11	5	17	38	1	0.3	3	0.68	97	67.5459	42.607
2019	11	5	17	48	1	0.3	3	0.66	97.7	67.5459	41.5677
2019	11	5	17	58	1	0.3	3	0.66	98	67.6116	41.1937
2019	11	5	18	8	1	0.3	3	0.65	99	67.6116	40.7776
2019	11	5	18	18	1	0.3	3	0.67	97.3	67.6116	42.2339
2019	11	5	18	28	1	0.3	3	0.7	96.2	67.6116	44.3144
2019	11	5	18	38	1	0.3	3	0.68	95.8	67.6116	42.65
2019	11	5	18	48	1	0.3	3	0.68	95.8	67.6116	42.65
2019	11	5	18	58	1	0.3	3	0.64	98.8	67.6116	40.1534
2019	11	5	19	8	1	0.3	3	0.68	94.9	67.6772	43.3179
2019	11	5	19	18	1	0.3	3	0.67	95.4	67.6772	42.0683
2019	11	5	19	28	1	0.3	3	0.65	96.4	67.6772	41.027
2019	11	5	19	38	1	0.3	3	0.67	97.7	67.6772	41.8601
2019	11	5	19	48	1	0.3	3	0.68	95.6	67.6772	42.6931
2019	11	5	19	58	1	0.3	3	0.68	96.4	67.6772	42.6931
2019	11	5	20	8	1	0.3	3	0.66	95.1	67.6772	41.86
2019	11	5	20	18	1	0.3	3	0.66	94.8	67.6772	41.86
2019	11	5	20	28	1	0.3	3	0.73	100.7	67.7428	45.4463
2019	11	5	20	38	1	0.3	3	0.68	95.3	67.7428	42.9447
2019	11	5	20	48	1	0.3	3	0.68	96.4	67.7428	42.9447
2019	11	5	20	58	1	0.3	3	0.66	98.5	67.7428	41.6939
2019	11	5	21	8	1	0.3	3	0.65	98.1	67.7428	41.0685
2019	11	5	21	18	1	0.3	3	0.67	96.7	67.7428	42.5278
2019	11	5	21	28	1	0.3	3	0.68	95.2	67.7428	43.1532

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	5	21	38	1	0.3	3	0.66	97.4	67.7428	41.6939
2019	11	5	21	48	1	0.3	3	0.68	98.3	67.7428	42.7363
2019	11	5	21	58	1	0.3	3	0.66	96.2	67.8084	41.9447
2019	11	5	22	8	1	0.3	3	0.68	96.4	67.8084	42.7795
2019	11	5	22	18	1	0.3	3	0.71	96.4	67.8084	44.8663
2019	11	5	22	28	1	0.3	3	0.71	96.7	67.8084	44.6576
2019	11	5	22	38	1	0.3	3	0.7	99.5	67.8084	43.6142
2019	11	5	22	48	1	0.3	3	0.68	96.6	67.8084	43.1969
2019	11	5	22	58	1	0.3	3	0.67	98.2	67.874	42.196
2019	11	5	23	8	1	0.3	3	0.66	94.5	67.874	42.1961
2019	11	5	23	18	1	0.3	3	0.68	96.9	67.874	43.2405
2019	11	5	23	28	1	0.3	3	0.65	97.8	67.874	40.9427
2019	11	5	23	38	1	0.3	3	0.66	97.7	67.9396	41.6114
2019	11	5	23	48	1	0.3	3	0.66	94.9	67.9396	41.8205
2019	11	5	23	58	1	0.3	3	0.7	95.7	67.9396	44.3297
2019	11	6	0	8	1	0.3	3	0.63	96.8	68.0709	40.2286
2019	11	6	0	18	1	0.3	3	0.69	96.8	68.2021	43.8786
2019	11	6	0	28	1	0.3	3	0.7	97.2	68.2021	44.7184
2019	11	6	0	38	1	0.3	3	0.69	99.3	68.2021	43.6687
2019	11	6	0	48	1	0.3	3	0.68	99.7	68.2677	42.8719
2019	11	6	0	58	1	0.3	3	0.69	98.2	68.2677	43.9227
2019	11	6	1	8	1	0.3	3	0.69	96	68.2677	44.1328
2019	11	6	1	18	1	0.3	3	0.67	95.9	68.2677	42.6618
2019	11	6	1	28	1	0.3	3	0.71	99.5	68.3333	45.0186
2019	11	6	1	38	1	0.3	3	0.67	95.9	68.3333	42.9149
2019	11	6	1	48	1	0.3	3	0.7	97.8	68.3333	44.3875
2019	11	6	1	58	1	0.3	3	0.67	97	68.399	42.9579
2019	11	6	2	8	1	0.3	3	0.69	96.9	68.399	43.8002
2019	11	6	2	18	1	0.3	3	0.69	96.8	68.399	44.0108
2019	11	6	2	28	1	0.3	3	0.68	98.4	68.399	42.958
2019	11	6	2	38	1	0.3	3	0.67	95.9	68.399	42.7474
2019	11	6	2	48	1	0.3	3	0.65	94.9	68.399	41.6945
2019	11	6	2	58	1	0.3	3	0.7	95.4	68.4646	44.6873
2019	11	6	3	8	1	0.3	3	0.67	96.5	68.4646	42.7902
2019	11	6	3	18	1	0.3	3	0.73	96.7	68.4646	46.7952
2019	11	6	3	28	1	0.3	3	0.66	97.1	68.4646	42.3687
2019	11	6	3	38	1	0.3	3	0.67	95.3	68.5302	42.833
2019	11	6	3	48	1	0.3	3	0.69	96.6	68.5302	43.8881
2019	11	6	3	58	1	0.3	3	0.69	97.1	68.5302	43.8881
2019	11	6	4	8	1	0.3	3	0.68	95.5	68.5302	43.4661
2019	11	6	4	18	1	0.3	3	0.7	95.1	68.5958	44.5656
2019	11	6	4	28	1	0.3	3	0.66	97.7	68.6614	42.2844
2019	11	6	4	38	1	0.3	3	0.66	99.1	68.727	42.3265
2019	11	6	4	48	1	0.3	3	0.7	97	68.7927	44.699
2019	11	6	4	58	1	0.3	3	0.69	98.7	68.8583	44.1073
2019	11	6	5	8	1	0.3	3	0.7	96.2	68.8583	44.9555
2019	11	6	5	18	1	0.3	3	0.67	97.9	68.9239	42.6653

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	6	5	28	1	0.3	3	0.68	98	68.9239	43.7267
2019	11	6	5	38	1	0.3	3	0.72	99.4	68.9239	46.0616
2019	11	6	5	48	1	0.3	3	0.69	96.6	68.9895	44.195
2019	11	6	5	58	1	0.3	3	0.69	99.6	68.9895	44.1951
2019	11	6	6	8	1	0.3	3	0.66	97.2	68.9895	42.2828
2019	11	6	6	18	1	0.3	3	0.69	95.7	68.9895	44.6201
2019	11	6	6	28	1	0.3	3	0.67	95	69.0551	43.3882
2019	11	6	6	38	1	0.3	3	0.68	98.3	69.0551	43.6009
2019	11	6	6	48	1	0.3	3	0.69	97.1	69.0551	44.6644
2019	11	6	6	58	1	0.3	3	0.64	97.6	69.0551	41.2614
2019	11	6	7	8	1	0.3	3	0.68	98.6	69.0551	43.8136
2019	11	6	7	18	1	0.3	3	0.67	98.2	69.1207	43.0055
2019	11	6	7	28	1	0.3	3	0.69	98	69.1207	44.07
2019	11	6	7	38	1	0.3	3	0.7	98.4	69.1207	44.7087
2019	11	6	7	48	1	0.3	3	0.71	95.6	69.1864	45.6054
2019	11	6	7	58	1	0.3	3	0.68	96.9	69.1864	43.9005
2019	11	6	8	8	1	0.3	3	0.67	95.7	69.1864	43.0481
2019	11	6	8	18	1	0.3	3	0.67	98.1	69.252	43.304
2019	11	6	8	28	1	0.3	3	0.66	96.8	69.3176	42.9197
2019	11	6	8	38	1	0.3	3	0.69	95.7	69.4488	44.7161
2019	11	6	8	48	1	0.3	3	0.67	97.7	69.5144	43.0468
2019	11	6	8	58	1	0.3	3	0.68	95.8	69.5144	44.1176
2019	11	6	9	8	1	0.3	3	0.69	97.9	69.5801	44.8042
2019	11	6	9	18	1	0.3	3	0.71	97.7	69.5801	45.876
2019	11	6	9	28	1	0.3	3	0.64	97.3	69.6457	41.6294
2019	11	6	9	38	1	0.3	3	0.7	96.2	69.6457	45.492
2019	11	6	9	48	1	0.3	3	0.71	97.7	69.6457	45.9211
2019	11	6	9	58	1	0.3	3	0.67	100.1	69.7113	43.3886
2019	11	6	10	8	1	0.3	3	0.67	98.4	69.7113	43.3886
2019	11	6	10	18	1	0.3	3	0.7	98.1	69.7113	45.107
2019	11	6	10	28	1	0.3	3	0.71	97.7	69.7769	46.0112
2019	11	6	10	38	1	0.3	3	0.69	96	69.7769	44.7212
2019	11	6	10	48	1	0.3	3	0.69	96.8	69.7769	45.1511
2019	11	6	10	58	1	0.3	3	0.65	96.9	69.7769	42.5711
2019	11	6	11	8	1	0.3	3	0.68	98.4	69.8425	43.9041
2019	11	6	11	18	1	0.3	3	0.68	96.3	69.8425	44.5497
2019	11	6	11	28	1	0.3	3	0.69	97.6	69.8425	44.9801
2019	11	6	11	38	1	0.3	3	0.66	96.3	69.9081	42.8699
2019	11	6	11	48	1	0.3	3	0.71	98.7	69.9081	46.3167
2019	11	6	11	58	1	0.3	3	0.68	95.8	69.9081	44.1624
2019	11	6	12	8	1	0.3	3	0.67	95.9	69.9738	43.7743
2019	11	6	12	18	1	0.3	3	0.68	98.1	69.9738	44.2055
2019	11	6	12	28	1	0.3	3	0.68	97.5	69.9738	44.2055
2019	11	6	12	38	1	0.3	3	0.65	99.8	70.0394	42.3061
2019	11	6	12	48	1	0.3	3	0.71	95.8	70.0394	46.4072
2019	11	6	12	58	1	0.3	3	0.68	96.9	70.0394	44.4645
2019	11	6	13	8	1	0.3	3	0.69	96.8	70.105	45.1561

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	6	13	18	1	0.3	3	0.71	96.7	70.105	46.2363
2019	11	6	13	28	1	0.3	3	0.71	96.3	70.1706	46.714
2019	11	6	13	38	1	0.3	3	0.67	98.4	70.2362	43.9453
2019	11	6	13	48	1	0.3	3	0.68	95.3	70.3018	44.4214
2019	11	6	13	58	1	0.3	3	0.71	98.5	70.3675	46.6336
2019	11	6	14	8	1	0.3	3	0.72	97.9	70.4331	47.1131
2019	11	6	14	18	1	0.3	3	0.65	94.6	70.4331	42.7709
2019	11	6	14	28	1	0.3	3	0.69	94.6	70.4331	45.5933
2019	11	6	14	38	1	0.3	3	0.7	96.2	70.4331	46.2446
2019	11	6	14	48	1	0.3	3	0.71	97.8	70.4987	46.2895
2019	11	6	14	58	1	0.3	3	0.7	96.4	70.4987	46.2895
2019	11	6	15	8	1	0.3	3	0.7	95.6	70.5643	46.3344
2019	11	6	15	18	1	0.3	3	0.69	96.6	70.5643	45.4642
2019	11	6	15	28	1	0.3	3	0.68	94.1	70.5643	45.2467
2019	11	6	15	38	1	0.3	3	0.69	96.8	70.5643	45.4642
2019	11	6	15	48	1	0.3	3.3	0.71	98.3	70.6299	46.3792
2019	11	6	15	58	1	0.3	3.3	0.68	96.9	70.6299	44.855
2019	11	6	16	8	1	0.3	3.3	0.67	98.7	70.6299	44.2018
2019	11	6	16	18	1	0.3	3.3	0.7	97.2	70.6299	46.3792
2019	11	6	16	28	1	0.3	3.3	0.71	95.6	70.6955	46.642
2019	11	6	16	38	1	0.3	3.3	0.69	97.3	70.6955	45.7702
2019	11	6	16	48	1	0.3	3.3	0.69	95.4	70.6955	45.7701
2019	11	6	16	58	1	0.3	3.3	0.66	96	70.6955	43.8085
2019	11	6	17	8	1	0.3	3.3	0.69	97.1	70.7612	45.8144
2019	11	6	17	18	1	0.3	3.3	0.7	95.6	70.7612	46.4688
2019	11	6	17	28	1	0.3	3.3	0.72	97.8	70.7612	47.5596
2019	11	6	17	38	1	0.3	3.3	0.71	96.1	70.7612	46.6869
2019	11	6	17	48	1	0.3	3.3	0.67	96.7	70.8268	44.5483
2019	11	6	17	58	1	0.3	3.3	0.7	95.1	70.8268	46.2953
2019	11	6	18	8	1	0.3	3.3	0.66	95.4	70.8268	43.8931
2019	11	6	18	18	1	0.3	3.3	0.68	97.4	70.8268	45.2034
2019	11	6	18	28	1	0.3	3.3	0.7	97	70.8268	46.0768
2019	11	6	18	38	1	0.3	3.3	0.69	94.7	70.8268	45.6401
2019	11	6	18	48	1	0.3	3.3	0.71	95.6	70.8268	46.9503
2019	11	6	18	58	1	0.3	3.3	0.7	97.8	70.8924	46.3398
2019	11	6	19	8	1	0.3	3.3	0.7	96.5	70.8924	46.3398
2019	11	6	19	18	1	0.3	3.3	0.7	96	70.8924	46.1212
2019	11	6	19	28	1	0.3	3.3	0.7	94.8	70.8924	46.5584
2019	11	6	19	38	1	0.3	3.3	0.7	95.6	70.8924	46.5584
2019	11	6	19	48	1	0.3	3.3	0.71	97.7	70.8924	46.7769
2019	11	6	19	58	1	0.3	3.3	0.7	99.2	70.8924	46.1212
2019	11	6	20	8	1	0.3	3.3	0.69	96.3	70.958	45.9469
2019	11	6	20	18	1	0.3	3.3	0.7	97.8	70.958	46.3845
2019	11	6	20	28	1	0.3	3.3	0.69	100.5	70.958	45.0717
2019	11	6	20	38	1	0.3	3.3	0.7	96.8	70.958	46.1657
2019	11	6	20	48	1	0.3	3.3	0.7	94.3	70.958	46.822
2019	11	6	20	58	1	0.3	3.3	0.73	98.6	70.958	47.916

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	6	21	8	1	0.3	3.3	0.71	95.6	70.958	46.822
2019	11	6	21	18	1	0.3	3.3	0.7	94.5	71.0236	46.8672
2019	11	6	21	28	1	0.3	3.3	0.71	96.4	71.0236	46.8672
2019	11	6	21	38	1	0.3	3.3	0.66	96.2	71.0236	44.0201
2019	11	6	21	48	1	0.3	3.3	0.7	94	71.0236	46.6482
2019	11	6	21	58	1	0.3	3.3	0.7	96.8	71.0236	46.2102
2019	11	6	22	8	1	0.3	3.3	0.72	97	71.0236	47.9623
2019	11	6	22	18	1	0.3	3.3	0.71	96.7	71.0236	46.8672
2019	11	6	22	28	1	0.3	3.3	0.69	98.2	71.0892	45.8163
2019	11	6	22	38	1	0.3	3.3	0.72	98.6	71.0892	47.7893
2019	11	6	22	48	1	0.3	3.3	0.71	95.6	71.0892	47.1316
2019	11	6	22	58	1	0.3	3.3	0.66	91.7	71.1549	44.105
2019	11	6	23	8	1	0.3	3.3	0.71	94.3	71.2205	47.2223
2019	11	6	23	18	1	0.3	3.3	0.69	98	71.2205	45.4652
2019	11	6	23	28	1	0.3	3.3	0.68	94.7	71.2205	45.6849
2019	11	6	23	38	1	0.3	3.3	0.67	95.3	71.2861	44.8494
2019	11	6	23	48	1	0.3	3.3	0.73	95.5	71.2861	48.367
2019	11	6	23	58	1	0.3	3.3	0.66	96	71.2861	43.97
2019	11	7	0	8	1	0.3	3.3	0.71	98.5	71.2861	47.2678
2019	11	7	0	18	1	0.3	3.3	0.7	94.6	71.2861	46.8281
2019	11	7	0	28	1	0.3	3.3	0.71	97.2	71.2861	47.2678
2019	11	7	0	38	1	0.3	3.3	0.72	97.6	71.2861	47.7075
2019	11	7	0	48	1	0.3	3.3	0.68	98.3	71.3517	45.1125
2019	11	7	0	58	1	0.3	3.3	0.72	97.8	71.2861	47.9274
2019	11	7	1	8	1	0.3	3.3	0.71	96.9	71.3517	47.0931
2019	11	7	1	18	1	0.3	3.3	0.7	96.8	71.3517	46.433
2019	11	7	1	28	1	0.3	3.3	0.71	95.6	71.3517	47.0932
2019	11	7	1	38	1	0.3	3.3	0.69	96.8	71.3517	45.9929
2019	11	7	1	48	1	0.3	3.3	0.69	96	71.3517	45.9929
2019	11	7	1	58	1	0.3	3.3	0.66	99.1	71.3517	43.7923
2019	11	7	2	8	1	0.3	3.3	0.68	96.9	71.3517	45.3327
2019	11	7	2	18	1	0.3	3.3	0.7	97	71.3517	46.433
2019	11	7	2	28	1	0.3	3.3	0.7	96.7	71.3517	46.8732
2019	11	7	2	38	1	0.3	3.3	0.71	97.5	71.3517	47.0933
2019	11	7	2	48	1	0.3	3.3	0.71	97.8	71.3517	46.8732
2019	11	7	2	58	1	0.3	3.3	0.7	95.9	71.3517	46.8732
2019	11	7	3	8	1	0.3	3.3	0.71	96.9	71.3517	47.0933
2019	11	7	3	18	1	0.3	3.3	0.7	95.9	71.3517	46.8733
2019	11	7	3	28	1	0.3	3.3	0.7	99.2	71.3517	46.4332
2019	11	7	3	38	1	0.3	3.3	0.69	94.9	71.4173	46.0371
2019	11	7	3	48	1	0.3	3.3	0.71	96.7	71.4173	47.1385
2019	11	7	3	58	1	0.3	3.3	0.68	96.1	71.4173	45.5966
2019	11	7	4	8	1	0.3	3.3	0.71	96.4	71.3517	47.3135
2019	11	7	4	18	1	0.3	3.3	0.68	96.6	71.4173	45.5967
2019	11	7	4	28	1	0.3	3.3	0.73	96.7	71.4173	48.6805
2019	11	7	4	38	1	0.3	3.3	0.71	98.2	71.3517	47.0935
2019	11	7	4	48	1	0.3	3.3	0.69	96.3	71.3517	45.9932

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	7	4	58	1	0.3	3.3	0.69	98.2	71.3517	45.7732
2019	11	7	5	8	1	0.3	3.3	0.67	94.8	71.3517	44.8929
2019	11	7	5	18	1	0.3	3.3	0.72	96.5	71.3517	47.9738
2019	11	7	5	28	1	0.3	3.3	0.69	96	71.3517	45.7732
2019	11	7	5	38	1	0.3	3.3	0.72	96.8	71.3517	47.7538
2019	11	7	5	48	1	0.3	3.3	0.72	97.6	71.3517	47.5338
2019	11	7	5	58	1	0.3	3.3	0.69	98	71.3517	45.5532
2019	11	7	6	8	1	0.3	3.3	0.68	96.4	71.3517	45.3332
2019	11	7	6	18	1	0.3	3.3	0.68	96.1	71.3517	45.1131
2019	11	7	6	28	1	0.3	3.3	0.71	98.2	71.3517	47.0937
2019	11	7	6	38	1	0.3	3.3	0.68	97.5	71.3517	45.1132
2019	11	7	6	48	1	0.3	3.3	0.71	94.5	71.3517	47.3138
2019	11	7	6	58	1	0.3	3.3	0.73	98.3	71.3517	48.1941
2019	11	7	7	8	1	0.3	3.3	0.71	97.5	71.3517	47.0938
2019	11	7	7	18	1	0.3	3.3	0.74	98.2	71.3517	49.0744
2019	11	7	7	28	1	0.3	3.3	0.7	95.7	71.3517	46.4337
2019	11	7	7	38	1	0.3	3.3	0.7	97.5	71.3517	46.6538
2019	11	7	7	48	1	0.3	3.3	0.7	98.1	71.3517	46.4337
2019	11	7	7	58	1	0.3	3.3	0.68	98.3	71.3517	45.1133
2019	11	7	8	8	1	0.3	3.3	0.69	93	71.3517	46.2137
2019	11	7	8	18	1	0.3	3.3	0.69	97.9	71.3517	45.7736
2019	11	7	8	28	1	0.3	3.3	0.69	97.1	71.3517	46.2137
2019	11	7	8	38	1	0.3	3.3	0.7	97.5	71.3517	46.6538
2019	11	7	8	48	1	0.3	3.3	0.7	97.8	71.4173	46.6985
2019	11	7	8	58	1	0.3	3.3	0.67	96.7	71.4173	44.7161
2019	11	7	9	8	1	0.3	3.3	0.72	94.7	71.4173	48.2405
2019	11	7	9	18	1	0.3	3.3	0.69	98.7	71.4173	45.8174
2019	11	7	9	28	1	0.3	3.3	0.71	96.7	71.4173	47.1391
2019	11	7	9	38	1	0.3	3.3	0.69	97.4	71.4173	45.8174
2019	11	7	9	48	1	0.3	3.3	0.68	96.6	71.4173	45.5971
2019	11	7	9	58	1	0.3	3.3	0.68	96.9	71.4173	45.5971
2019	11	7	10	8	1	0.3	3.3	0.73	96.4	71.4173	48.9012
2019	11	7	10	18	1	0.3	3.3	0.69	95.5	71.4173	46.0376
2019	11	7	10	28	1	0.3	3.3	0.72	97.1	71.4173	48.0201
2019	11	7	10	38	1	0.3	3.3	0.69	100.5	71.4173	45.3768
2019	11	7	10	48	1	0.3	3.3	0.72	96.6	71.4173	47.7998
2019	11	7	10	58	1	0.3	3.3	0.69	99.9	71.4173	45.597
2019	11	7	11	8	1	0.3	3.3	0.7	96.8	71.4173	46.4781
2019	11	7	11	18	1	0.3	3.3	0.71	96.9	71.4173	47.1389
2019	11	7	11	28	1	0.3	3.3	0.73	97.7	71.4173	48.6808
2019	11	7	11	38	1	0.3	3.3	0.72	95.2	71.4173	48.2402
2019	11	7	11	48	1	0.3	3.3	0.71	95.6	71.4173	47.3591
2019	11	7	11	58	1	0.3	3.3	0.7	96.4	71.4173	46.9185
2019	11	7	12	8	1	0.3	3.3	0.73	99.1	71.4829	48.2864
2019	11	7	12	18	1	0.3	3.3	0.7	97	71.4829	46.7429
2019	11	7	12	28	1	0.3	3.3	0.74	97.4	71.4829	49.1683
2019	11	7	12	38	1	0.3	3.3	0.7	96.7	71.4829	46.9634

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	7	12	48	1	0.3	3.3	0.7	97.5	71.4829	46.7429
2019	11	7	12	58	1	0.3	3.3	0.69	96	71.4829	46.3019
2019	11	7	13	8	1	0.3	3.3	0.7	93.5	71.4829	46.7428
2019	11	7	13	18	1	0.3	3.3	0.74	97.3	71.4829	49.6091
2019	11	7	13	28	1	0.3	3.3	0.74	96.1	71.4829	49.6091
2019	11	7	13	38	1	0.3	3.3	0.72	98.1	71.4829	47.8452
2019	11	7	13	48	1	0.3	3.3	0.74	94.8	71.4829	49.609
2019	11	7	13	58	1	0.3	3.3	0.76	98.2	71.4829	50.7115
2019	11	7	14	8	1	0.3	3.3	0.73	97.5	71.5486	48.7737
2019	11	7	14	18	1	0.3	3.3	0.73	98.3	71.4829	48.5066
2019	11	7	14	28	1	0.3	3.3	0.69	97.9	71.4829	46.0812
2019	11	7	14	38	1	0.3	3.3	0.73	98.1	71.5486	48.3322
2019	11	7	14	48	1	0.3	3.3	0.71	95.6	71.5486	47.2287
2019	11	7	14	58	1	0.3	3.3	0.71	95	71.5486	47.8908
2019	11	7	15	8	1	0.3	3.3	0.74	98.5	71.5486	48.9943
2019	11	7	15	18	1	0.3	3.3	0.73	99.3	71.4829	48.286
2019	11	7	15	28	1	0.3	3.3	0.69	94.9	71.5486	46.5666
2019	11	7	15	38	1	0.3	3.3	0.69	95.5	71.5486	45.9045
2019	11	7	15	48	1	0.3	3.3	0.7	97.9	71.5486	46.3459
2019	11	7	15	58	1	0.3	3.3	0.7	98.1	71.5486	46.7873
2019	11	7	16	8	1	0.3	3.3	0.7	96.4	71.5486	47.0079
2019	11	7	16	18	1	0.3	3.3	0.73	98.1	71.5486	48.3321
2019	11	7	16	28	1	0.3	3.3	0.74	98.5	71.5486	48.9941
2019	11	7	16	38	1	0.3	3.3	0.72	96.5	71.5486	48.332
2019	11	7	16	48	1	0.3	3.3	0.72	97.1	71.5486	48.1113
2019	11	7	16	58	1	0.3	3.3	0.73	97.4	71.5486	48.9941
2019	11	7	17	8	1	0.3	3.3	0.75	99.3	71.5486	49.6561
2019	11	7	17	18	1	0.3	3.3	0.71	96.4	71.5486	47.2285
2019	11	7	17	28	1	0.3	3.3	0.68	95.8	71.5486	45.2422
2019	11	7	17	38	1	0.3	3.3	0.67	98.4	71.5486	44.5801
2019	11	7	17	48	1	0.3	3.3	0.69	96.3	71.5486	46.3456
2019	11	7	17	58	1	0.3	3.3	0.7	97.3	71.5486	46.787
2019	11	7	18	8	1	0.3	3.3	0.73	95.4	71.5486	48.7732
2019	11	7	18	18	1	0.3	3.3	0.72	96	71.5486	48.1111
2019	11	7	18	28	1	0.3	3.3	0.7	98.1	71.6142	46.8316
2019	11	7	18	38	1	0.3	3.3	0.69	95.7	71.5486	46.3455
2019	11	7	18	48	1	0.3	3.3	0.71	95.6	71.5486	47.2283
2019	11	7	18	58	1	0.3	3.3	0.7	94.3	71.6142	46.8316
2019	11	7	19	8	1	0.3	3.3	0.71	98.7	71.6142	47.4943
2019	11	7	19	18	1	0.3	3.3	0.72	97.5	71.6142	48.3779
2019	11	7	19	28	1	0.3	3.3	0.73	98	71.6142	48.8197
2019	11	7	19	38	1	0.3	3.3	0.7	96	71.6142	46.6106
2019	11	7	19	48	1	0.3	3.3	0.7	98.4	71.6142	46.6106
2019	11	7	19	58	1	0.3	3.3	0.67	96.8	71.6142	44.6225
2019	11	7	20	8	1	0.3	3.3	0.69	97.7	71.6142	45.727
2019	11	7	20	18	1	0.3	3.3	0.72	94.4	71.6142	48.3778
2019	11	7	20	28	1	0.3	3.3	0.71	97.2	71.6142	47.4942

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	7	20	38	1	0.3	3.3	0.7	96.2	71.6142	46.6106
2019	11	7	20	48	1	0.3	3.3	0.7	96.2	71.6142	46.6106
2019	11	7	20	58	1	0.3	3.3	0.7	98.9	71.6142	46.3897
2019	11	7	21	8	1	0.3	3.3	0.68	95.2	71.6142	45.727
2019	11	7	21	18	1	0.3	3.3	0.72	97.3	71.6142	48.1569
2019	11	7	21	28	1	0.3	3.3	0.68	96.9	71.6142	45.727
2019	11	7	21	38	1	0.3	3.3	0.69	94.7	71.6142	46.1688
2019	11	7	21	48	1	0.3	3.3	0.73	96.2	71.6142	49.0406
2019	11	7	21	58	1	0.3	3.3	0.67	96.2	71.6142	44.6225
2019	11	7	22	8	1	0.3	3.3	0.69	95.7	71.5486	46.3455
2019	11	7	22	18	1	0.3	3.3	0.68	96.1	71.5486	45.6834
2019	11	7	22	28	1	0.3	3.3	0.73	96.7	71.5486	48.7731
2019	11	7	22	38	1	0.3	3.3	0.72	99.1	71.5486	48.1111
2019	11	7	22	48	1	0.3	3.3	0.72	97.8	71.5486	48.1111
2019	11	7	22	58	1	0.3	3.3	0.74	96.1	71.5486	49.2146
2019	11	7	23	8	1	0.3	3.3	0.7	98.1	71.5486	46.5663
2019	11	7	23	18	1	0.3	3.3	0.71	95.8	71.5486	47.4491
2019	11	7	23	28	1	0.3	3.3	0.69	95.7	71.5486	46.3456
2019	11	7	23	38	1	0.3	3.3	0.72	95.8	71.5486	47.8905
2019	11	7	23	48	1	0.3	3.3	0.67	97	71.5486	45.0215
2019	11	7	23	58	1	0.3	3.3	0.68	98	71.5486	45.4629
2019	11	8	0	8	1	0.3	3.3	0.69	97.1	71.5486	46.3457
2019	11	8	0	18	1	0.3	3.3	0.69	96	71.5486	46.3457
2019	11	8	0	28	1	0.3	3.3	0.72	98.6	71.5486	48.1112
2019	11	8	0	38	1	0.3	3.3	0.69	94.6	71.5486	46.3457
2019	11	8	0	48	1	0.3	3.3	0.72	97.1	71.4829	48.0653
2019	11	8	0	58	1	0.3	3.3	0.71	97.7	71.4829	47.4039
2019	11	8	1	8	1	0.3	3.3	0.71	99.9	71.4829	46.7424
2019	11	8	1	18	1	0.3	3.3	0.71	91.9	71.4829	47.6244
2019	11	8	1	28	1	0.3	3.3	0.7	96.5	71.4829	46.7425
2019	11	8	1	38	1	0.3	3.3	0.72	98.1	71.4829	48.0654
2019	11	8	1	48	1	0.3	3.3	0.7	96.7	71.4829	46.963
2019	11	8	1	58	1	0.3	3.3	0.69	97.3	71.4829	46.3016
2019	11	8	2	8	1	0.3	3.3	0.73	96.9	71.4829	48.9474
2019	11	8	2	18	1	0.3	3.3	0.71	97.5	71.4829	47.1835
2019	11	8	2	28	1	0.3	3.3	0.74	97.4	71.4829	49.1679
2019	11	8	2	38	1	0.3	3.3	0.7	96.7	71.4829	46.9631
2019	11	8	2	48	1	0.3	3.3	0.72	97.4	71.4829	47.845
2019	11	8	2	58	1	0.3	3.3	0.7	95.4	71.4829	46.5221
2019	11	8	3	8	1	0.3	3.3	0.68	95.8	71.4173	45.3763
2019	11	8	3	18	1	0.3	3.3	0.72	97.4	71.4173	47.7993
2019	11	8	3	28	1	0.3	3.3	0.74	96.9	71.4173	49.121
2019	11	8	3	38	1	0.3	3.3	0.68	97.4	71.4173	45.5966
2019	11	8	3	48	1	0.3	3.3	0.7	97.3	71.4173	46.698
2019	11	8	3	58	1	0.3	3.3	0.72	97.5	71.4173	48.2399
2019	11	8	4	8	1	0.3	3.3	0.73	95.9	71.4173	48.6805
2019	11	8	4	18	1	0.3	3.3	0.69	95.7	71.4173	46.0372

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	8	4	28	1	0.3	3.3	0.69	97.1	71.4173	45.817
2019	11	8	4	38	1	0.3	3.3	0.72	95.5	71.4173	48.24
2019	11	8	4	48	1	0.3	3.3	0.69	97.1	71.4173	45.817
2019	11	8	4	58	1	0.3	3.3	0.69	94.6	71.4173	46.2576
2019	11	8	5	8	1	0.3	3.3	0.68	96.1	71.4173	45.5968
2019	11	8	5	18	1	0.3	3.3	0.73	94.9	71.4173	48.6806
2019	11	8	5	28	1	0.3	3.3	0.7	95.1	71.4173	46.6982
2019	11	8	5	38	1	0.3	3.3	0.66	95.2	71.4173	43.8347
2019	11	8	5	48	1	0.3	3.3	0.71	98.2	71.3517	47.3137
2019	11	8	5	58	1	0.3	3.3	0.74	97.9	71.3517	48.8542
2019	11	8	6	8	1	0.3	3.3	0.72	95.5	71.3517	47.7539
2019	11	8	6	18	1	0.3	3.3	0.7	94.3	71.3517	46.8737
2019	11	8	6	28	1	0.3	3.3	0.72	96.8	71.3517	47.7539
2019	11	8	6	38	1	0.3	3.3	0.71	96.6	71.3517	47.3138
2019	11	8	6	48	1	0.3	3.3	0.7	97	71.3517	46.4336
2019	11	8	6	58	1	0.3	3.3	0.68	97.2	71.3517	45.5534
2019	11	8	7	8	1	0.3	3.3	0.72	96.3	71.3517	47.9741
2019	11	8	7	18	1	0.3	3.3	0.7	95.7	71.3517	46.4337
2019	11	8	7	28	1	0.3	3.3	0.71	96.9	71.3517	47.0939
2019	11	8	7	38	1	0.3	3.3	0.7	96.8	71.3517	46.4337
2019	11	8	7	48	1	0.3	3.3	0.71	96.4	71.3517	47.0939
2019	11	8	7	58	1	0.3	3.3	0.72	96.5	71.3517	48.1943
2019	11	8	8	8	1	0.3	3.3	0.73	98.3	71.3517	48.1943
2019	11	8	8	18	1	0.3	3.3	0.67	98.4	71.2861	44.4106
2019	11	8	8	28	1	0.3	3.3	0.69	96.9	71.2861	45.7297
2019	11	8	8	38	1	0.3	3.3	0.67	95.6	71.2861	44.8503
2019	11	8	8	48	1	0.3	3.3	0.71	95.6	71.2861	47.2687
2019	11	8	8	58	1	0.3	3.3	0.68	97	71.2861	45.0702
2019	11	8	9	8	1	0.3	3.3	0.67	98.4	71.2861	44.4106
2019	11	8	9	18	1	0.3	3.3	0.71	98.8	71.3517	47.094
2019	11	8	9	28	1	0.3	3.3	0.69	96	71.3517	45.7736
2019	11	8	9	38	1	0.3	3.3	0.69	96.8	71.3517	45.9936
2019	11	8	9	48	1	0.3	3.3	0.72	94.4	71.2861	48.1481
2019	11	8	9	58	1	0.3	3.3	0.7	97.9	71.3517	46.2137
2019	11	8	10	8	1	0.3	3.3	0.69	98	71.2861	45.5098
2019	11	8	10	18	1	0.3	3.3	0.69	99.3	71.3517	45.5535
2019	11	8	10	28	1	0.3	3.3	0.69	95.2	71.3517	46.2136
2019	11	8	10	38	1	0.3	3.3	0.68	95.8	71.2861	45.2899
2019	11	8	10	48	1	0.3	3.3	0.7	98.1	71.2861	46.3892
2019	11	8	10	58	1	0.3	3.3	0.71	96.6	71.3517	47.534
2019	11	8	11	8	1	0.3	3.3	0.7	97.3	71.3517	46.4336
2019	11	8	11	18	1	0.3	3.3	0.7	95.4	71.2861	46.609
2019	11	8	11	28	1	0.3	3.3	0.72	97.6	71.3517	47.754
2019	11	8	11	38	1	0.3	3.3	0.66	97.1	71.3517	44.0129
2019	11	8	11	48	1	0.3	3.3	0.72	96.1	71.3517	47.7539
2019	11	8	11	58	1	0.3	3.3	0.7	96.5	71.3517	46.4335
2019	11	8	12	8	1	0.3	3.3	0.7	98.1	71.3517	46.2134

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	8	12	18	1	0.3	3.3	0.71	97.7	71.3517	47.3137
2019	11	8	12	28	1	0.3	3.3	0.66	97.1	71.3517	44.0128
2019	11	8	12	38	1	0.3	3.3	0.69	97.9	71.3517	45.7732
2019	11	8	12	48	1	0.3	3.3	0.7	96.2	71.3517	46.4334
2019	11	8	12	58	1	0.3	3.3	0.72	96.6	71.3517	47.7538
2019	11	8	13	8	1	0.3	3.3	0.69	96.3	71.3517	45.9932
2019	11	8	13	18	1	0.3	3.3	0.68	98.9	71.3517	44.8929
2019	11	8	13	28	1	0.3	3.3	0.68	94.4	71.3517	45.7731
2019	11	8	13	38	1	0.3	3.3	0.7	97.8	71.3517	46.6534
2019	11	8	13	48	1	0.3	3.3	0.73	95.4	71.3517	48.6339
2019	11	8	13	58	1	0.3	3.3	0.7	97.6	71.3517	46.4333
2019	11	8	14	8	1	0.3	3.3	0.74	97.1	71.3517	49.2941
2019	11	8	14	18	1	0.3	3.3	0.65	97.2	71.3517	43.3524
2019	11	8	14	28	1	0.3	3.3	0.72	95.8	71.3517	47.9737
2019	11	8	14	38	1	0.3	3.3	0.68	95.5	71.3517	45.3329
2019	11	8	14	48	1	0.3	3.3	0.69	93.8	71.2861	45.949
2019	11	8	14	58	1	0.3	3.3	0.68	98.9	71.3517	45.1128
2019	11	8	15	8	1	0.3	3.3	0.73	99.6	71.3517	48.1937
2019	11	8	15	18	1	0.3	3.3	0.71	101.5	71.3517	46.6532
2019	11	8	15	28	1	0.3	3.3	0.68	95.8	71.3517	45.3328
2019	11	8	15	38	1	0.3	3.3	0.67	97.3	71.2861	44.6298
2019	11	8	15	48	1	0.3	3.3	0.68	97.2	71.3517	45.1127
2019	11	8	15	58	1	0.3	3.3	0.69	99.3	71.2861	45.7291
2019	11	8	16	8	1	0.3	3.3	0.73	97	71.2861	48.3673
2019	11	8	16	18	1	0.3	3.3	0.68	96.9	71.2861	45.5092
2019	11	8	16	28	1	0.3	3.3	0.7	97.6	71.2861	46.3886
2019	11	8	16	38	1	0.3	3.3	0.7	95.7	71.2861	46.6084
2019	11	8	16	48	1	0.3	3.3	0.69	98	71.2861	45.5091
2019	11	8	16	58	1	0.3	3.3	0.68	97.8	71.2861	45.0694
2019	11	8	17	8	1	0.3	3.3	0.67	97.9	71.2861	44.19
2019	11	8	17	18	1	0.3	3.3	0.7	98.1	71.2861	46.3885
2019	11	8	17	28	1	0.3	3.3	0.7	96.8	71.2861	46.3884
2019	11	8	17	38	1	0.3	3.3	0.71	95.8	71.2861	47.2678
2019	11	8	17	48	1	0.3	3.3	0.71	95.6	71.2861	47.0479
2019	11	8	17	58	1	0.3	3.3	0.73	96.2	71.2861	48.8067
2019	11	8	18	8	1	0.3	3.3	0.7	95.1	71.2861	46.6082
2019	11	8	18	18	1	0.3	3.3	0.7	95.7	71.2861	46.3883
2019	11	8	18	28	1	0.3	3.3	0.68	94.9	71.2861	45.7288
2019	11	8	18	38	1	0.3	3.3	0.68	98	71.2861	45.289
2019	11	8	18	48	1	0.3	3.3	0.68	94.4	71.2861	45.289
2019	11	8	18	58	1	0.3	3.3	0.68	98.3	71.2205	45.2456
2019	11	8	19	8	1	0.3	3.3	0.7	98.1	71.2205	46.3438
2019	11	8	19	18	1	0.3	3.3	0.7	95.6	71.2205	46.783
2019	11	8	19	28	1	0.3	3.3	0.69	95.8	71.1549	45.641
2019	11	8	19	38	1	0.3	3.3	0.67	97.7	71.1549	44.105
2019	11	8	19	48	1	0.3	3.3	0.7	97.3	71.1549	46.5187
2019	11	8	19	58	1	0.3	3.3	0.69	94.3	71.0892	46.2547

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	8	20	8	1	0.3	3.3	0.71	97.9	71.0892	47.1316
2019	11	8	20	18	1	0.3	3.3	0.68	94.1	71.0892	45.3779
2019	11	8	20	28	1	0.3	3.3	0.72	96.6	71.0892	47.57
2019	11	8	20	38	1	0.3	3.3	0.72	96.5	71.0892	47.7893
2019	11	8	20	48	1	0.3	3.3	0.7	97	71.0892	46.6932
2019	11	8	20	58	1	0.3	3.3	0.71	96.1	71.0236	47.3053
2019	11	8	21	8	1	0.3	3.3	0.73	96.5	71.0892	48.2277
2019	11	8	21	18	1	0.3	3.3	0.7	97.3	71.0892	46.474
2019	11	8	21	28	1	0.3	3.3	0.68	95.8	71.0236	45.3343
2019	11	8	21	38	1	0.3	3.3	0.73	97.5	71.0236	48.1814
2019	11	8	21	48	1	0.3	3.3	0.71	96.6	71.0236	47.3053
2019	11	8	21	58	1	0.3	3.3	0.69	97.7	71.0236	45.5533
2019	11	8	22	8	1	0.3	3.3	0.68	96.1	71.0236	45.1153
2019	11	8	22	18	1	0.3	3.3	0.68	96.4	71.0236	45.1153
2019	11	8	22	28	1	0.3	3.3	0.69	94.6	71.0236	46.2104
2019	11	8	22	38	1	0.3	3.3	0.71	98	71.0236	46.8674
2019	11	8	22	48	1	0.3	3.3	0.69	95.7	71.0236	45.9914
2019	11	8	22	58	1	0.3	3.3	0.7	96.5	71.0236	46.4294
2019	11	8	23	8	1	0.3	3.3	0.73	97.5	71.0236	48.4005
2019	11	8	23	18	1	0.3	3.3	0.68	97	71.0236	44.8964
2019	11	8	23	28	1	0.3	3.3	0.67	96.7	71.0236	44.6774
2019	11	8	23	38	1	0.3	3.3	0.71	95.6	71.0236	46.8675
2019	11	8	23	48	1	0.3	3.3	0.67	94.8	71.0236	44.6775
2019	11	8	23	58	1	0.3	3.3	0.7	95.4	71.0236	46.6486
2019	11	9	0	8	1	0.3	3.3	0.66	96	71.0236	44.0205
2019	11	9	0	18	1	0.3	3.3	0.68	96.4	71.0236	44.8965
2019	11	9	0	28	1	0.3	3.3	0.7	95.9	71.0236	46.6486
2019	11	9	0	38	1	0.3	3.3	0.73	99.6	71.0236	47.7437
2019	11	9	0	48	1	0.3	3.3	0.69	99.3	71.0236	45.3346
2019	11	9	0	58	1	0.3	3.3	0.68	98.3	71.0236	44.8966
2019	11	9	1	8	1	0.3	3.3	0.72	97.6	71.0236	47.3057
2019	11	9	1	18	1	0.3	3.3	0.71	97.5	71.0236	46.8677
2019	11	9	1	28	1	0.3	3.3	0.66	98.5	71.0236	43.8016
2019	11	9	1	38	1	0.3	3.3	0.73	98.2	71.0892	48.4474
2019	11	9	1	48	1	0.3	3.3	0.69	98.5	71.0236	45.5537
2019	11	9	1	58	1	0.3	3.3	0.73	97	71.0892	48.2282
2019	11	9	2	8	1	0.3	3.3	0.7	95.9	71.0892	46.6937
2019	11	9	2	18	1	0.3	3.3	0.67	95.4	71.0892	44.2823
2019	11	9	2	28	1	0.3	3.3	0.68	97.4	71.0892	45.3784
2019	11	9	2	38	1	0.3	3.3	0.7	96.2	71.0892	46.2553
2019	11	9	2	48	1	0.3	3.3	0.66	97.7	71.1549	43.8861
2019	11	9	2	58	1	0.3	3.3	0.68	97.7	71.1549	45.2027
2019	11	9	3	8	1	0.3	3.3	0.75	96.1	71.1549	49.5913
2019	11	9	3	18	1	0.3	3.3	0.68	98.1	71.1549	44.9833
2019	11	9	3	28	1	0.3	3.3	0.69	96.8	71.1549	46.0805
2019	11	9	3	38	1	0.3	3.3	0.75	100.4	71.1549	49.1525
2019	11	9	3	48	1	0.3	3.3	0.67	96.4	71.1549	44.7639

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	9	3	58	1	0.3	3.3	0.68	96.9	71.1549	45.2028
2019	11	9	4	8	1	0.3	3.3	0.7	96.7	71.1549	46.5194
2019	11	9	4	18	1	0.3	3.3	0.71	95.6	71.1549	47.3972
2019	11	9	4	28	1	0.3	3.3	0.69	97.4	71.1549	45.6418
2019	11	9	4	38	1	0.3	3.3	0.67	96.4	71.1549	44.764
2019	11	9	4	48	1	0.3	3.3	0.69	98.8	71.1549	45.4223
2019	11	9	4	58	1	0.3	3.3	0.73	97	71.1549	48.275
2019	11	9	5	8	1	0.3	3.3	0.7	95.7	71.1549	46.3001
2019	11	9	5	18	1	0.3	3.3	0.69	97.9	71.1549	45.8613
2019	11	9	5	28	1	0.3	3.3	0.69	96.8	71.1549	45.8613
2019	11	9	5	38	1	0.3	3.3	0.7	98.1	71.1549	46.3002
2019	11	9	5	48	1	0.3	3.3	0.71	97.2	71.1549	47.1779
2019	11	9	5	58	1	0.3	3.3	0.71	97.4	71.1549	47.178
2019	11	9	6	8	1	0.3	3.3	0.7	95.7	71.1549	46.3003
2019	11	9	6	18	1	0.3	3.3	0.69	96.8	71.1549	46.0808
2019	11	9	6	28	1	0.3	3.3	0.68	99.1	71.1549	45.2031
2019	11	9	6	38	1	0.3	3.3	0.68	96.4	71.1549	45.2032
2019	11	9	6	48	1	0.3	3.3	0.71	98	71.1549	46.9586
2019	11	9	6	58	1	0.3	3.3	0.74	96.7	71.1549	48.9336
2019	11	9	7	8	1	0.3	3.3	0.66	95.1	71.1549	44.1061
2019	11	9	7	18	1	0.3	3.3	0.71	97.7	71.1549	47.1782
2019	11	9	7	28	1	0.3	3.3	0.71	98	71.1549	46.7393
2019	11	9	7	38	1	0.3	3.3	0.71	96.7	71.1549	46.9588
2019	11	9	7	48	1	0.3	3.3	0.7	97.8	71.1549	46.3005
2019	11	9	7	58	1	0.3	3.3	0.7	98.3	71.1549	46.5199
2019	11	9	8	8	1	0.3	3.3	0.7	96.2	71.1549	46.52
2019	11	9	8	18	1	0.3	3.3	0.68	97.2	71.1549	45.4228
2019	11	9	8	28	1	0.3	3.3	0.7	99.9	71.1549	46.3005
2019	11	9	8	38	1	0.3	3.3	0.68	98.3	71.1549	44.9839
2019	11	9	8	48	1	0.3	3.3	0.67	96.2	71.1549	44.5451
2019	11	9	8	58	1	0.3	3.3	0.68	98.6	71.1549	44.9839
2019	11	9	9	8	1	0.3	3.3	0.7	97.5	71.2205	46.5647
2019	11	9	9	18	1	0.3	3.3	0.67	95.6	71.1549	44.7645
2019	11	9	9	28	1	0.3	3.3	0.69	96.6	71.2205	45.6861
2019	11	9	9	38	1	0.3	3.3	0.69	99.6	71.2205	45.2468
2019	11	9	9	48	1	0.3	3.3	0.67	98.7	71.1549	44.3256
2019	11	9	9	58	1	0.3	3.3	0.72	96.6	71.2205	47.6629
2019	11	9	10	8	1	0.3	3.3	0.71	98.2	71.2205	47.2236
2019	11	9	10	18	1	0.3	3.3	0.65	96.9	71.2205	43.4896
2019	11	9	10	28	1	0.3	3.3	0.7	97.9	71.2205	46.1253
2019	11	9	10	38	1	0.3	3.3	0.71	98.2	71.2205	47.2235
2019	11	9	10	48	1	0.3	3.3	0.71	96.7	71.2205	47.0039
2019	11	9	10	58	1	0.3	3.3	0.68	95.3	71.2205	45.0271
2019	11	9	11	8	1	0.3	3.3	0.69	98.5	71.2205	45.4663
2019	11	9	11	18	1	0.3	3.3	0.69	96.8	71.2205	45.9056
2019	11	9	11	28	1	0.3	3.3	0.71	96.7	71.2205	47.0038
2019	11	9	11	38	1	0.3	3.3	0.71	98.5	71.2205	46.7841

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	9	11	48	1	0.3	3.3	0.69	95.8	71.2205	45.6859
2019	11	9	11	58	1	0.3	3.3	0.7	97.6	71.2205	46.1251
2019	11	9	12	8	1	0.3	3.3	0.71	96.6	71.2205	47.443
2019	11	9	12	18	1	0.3	3.3	0.72	97.1	71.2861	47.9282
2019	11	9	12	28	1	0.3	3.3	0.72	97.3	71.2861	48.1481
2019	11	9	12	38	1	0.3	3.3	0.68	93.6	71.2861	45.5098
2019	11	9	12	48	1	0.3	3.3	0.7	97.5	71.2861	46.609
2019	11	9	12	58	1	0.3	3.3	0.69	97.9	71.2861	45.9494
2019	11	9	13	8	1	0.3	3.3	0.72	97.5	71.2861	48.148
2019	11	9	13	18	1	0.3	3.3	0.69	95.7	71.2861	45.9494
2019	11	9	13	28	1	0.3	3.3	0.71	97.5	71.2861	47.0487
2019	11	9	13	38	1	0.3	3.3	0.7	98.8	71.2861	46.6089
2019	11	9	13	48	1	0.3	3.3	0.7	97	71.2861	46.3891
2019	11	9	13	58	1	0.3	3.3	0.73	98	71.2861	48.3677
2019	11	9	14	8	1	0.3	3.3	0.65	96.9	71.2861	43.531
2019	11	9	14	18	1	0.3	3.3	0.73	98.2	71.2861	48.5875
2019	11	9	14	28	1	0.3	3.3	0.72	95.5	71.2861	47.928
2019	11	9	14	38	1	0.3	3.3	0.73	98.1	71.2861	48.1478
2019	11	9	14	48	1	0.3	3.3	0.71	99	71.2861	47.0485
2019	11	9	14	58	1	0.3	3.3	0.73	99.5	71.2861	48.3676
2019	11	9	15	8	1	0.3	3.3	0.68	97.2	71.3517	45.3331
2019	11	9	15	18	1	0.3	3.3	0.71	95.3	71.3517	47.5337
2019	11	9	15	28	1	0.3	3.3	0.68	98.4	71.3517	44.893
2019	11	9	15	38	1	0.3	3.3	0.72	96.3	71.2861	47.9279
2019	11	9	15	48	1	0.3	3.3	0.73	97.8	71.3517	48.414
2019	11	9	15	58	1	0.3	3.3	0.71	97.1	71.3517	47.5337
2019	11	9	16	8	1	0.3	3.3	0.68	94.7	71.2861	45.5095
2019	11	9	16	18	1	0.3	3.3	0.72	97.5	71.3517	48.1939
2019	11	9	16	28	1	0.3	3.3	0.69	96.8	71.3517	45.9932
2019	11	9	16	38	1	0.3	3.3	0.71	98.7	71.3517	47.3136
2019	11	9	16	48	1	0.3	3.3	0.72	96.8	71.3517	47.7537
2019	11	9	16	58	1	0.3	3.3	0.73	98.6	71.3517	48.1938
2019	11	9	17	8	1	0.3	3.3	0.71	95.6	71.3517	47.5335
2019	11	9	17	18	1	0.3	3.3	0.71	97.7	71.3517	47.0934
2019	11	9	17	28	1	0.3	3.3	0.68	95.8	71.3517	45.3329
2019	11	9	17	38	1	0.3	3.3	0.68	100	71.3517	44.8927
2019	11	9	17	48	1	0.3	3.3	0.71	93.4	71.3517	47.7535
2019	11	9	17	58	1	0.3	3.3	0.66	94.5	71.4173	44.4952
2019	11	9	18	8	1	0.3	3.3	0.72	97.3	71.4173	48.0195
2019	11	9	18	18	1	0.3	3.3	0.72	95.8	71.4173	48.0195
2019	11	9	18	28	1	0.3	3.3	0.72	97.6	71.4173	48.0195
2019	11	9	18	38	1	0.3	3.3	0.7	95.1	71.4173	46.6978
2019	11	9	18	48	1	0.3	3.3	0.69	96.8	71.4173	46.037
2019	11	9	18	58	1	0.3	3.3	0.72	96.5	71.4173	48.0194
2019	11	9	19	8	1	0.3	3.3	0.7	97	71.4173	46.9181
2019	11	9	19	18	1	0.3	3.3	0.73	95.7	71.4173	48.4599
2019	11	9	19	28	1	0.3	3.3	0.69	95.8	71.4173	45.8167

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	9	19	38	1	0.3	3.3	0.68	95.8	71.4173	45.1558
2019	11	9	19	48	1	0.3	3.3	0.71	98.8	71.4173	46.918
2019	11	9	19	58	1	0.3	3.3	0.72	96.6	71.4173	47.7991
2019	11	9	20	8	1	0.3	3.3	0.68	97.5	71.4173	45.3761
2019	11	9	20	18	1	0.3	3.3	0.72	96.8	71.4173	48.0194
2019	11	9	20	28	1	0.3	3.3	0.69	96.3	71.4173	45.8167
2019	11	9	20	38	1	0.3	3.3	0.73	96.5	71.4173	48.4599
2019	11	9	20	48	1	0.3	3.3	0.66	97.4	71.4173	44.2747
2019	11	9	20	58	1	0.3	3.3	0.72	93.6	71.4173	48.4599
2019	11	9	21	8	1	0.3	3.3	0.68	96.1	71.4173	45.5964
2019	11	9	21	18	1	0.3	3.3	0.71	98.2	71.4173	47.1383
2019	11	9	21	28	1	0.3	3.3	0.74	95.9	71.4173	49.341
2019	11	9	21	38	1	0.3	3.3	0.7	96.2	71.4173	46.9181
2019	11	9	21	48	1	0.3	3.3	0.69	97.7	71.4173	45.8167
2019	11	9	21	58	1	0.3	3.3	0.69	96.8	71.4173	46.2573
2019	11	9	22	8	1	0.3	3.3	0.67	96.5	71.4173	44.7154
2019	11	9	22	18	1	0.3	3.3	0.68	95.8	71.4173	45.5965
2019	11	9	22	28	1	0.3	3.3	0.68	98.6	71.4173	45.156
2019	11	9	22	38	1	0.3	3.3	0.73	98	71.4173	48.6803
2019	11	9	22	48	1	0.3	3.3	0.7	96.7	71.4173	46.9182
2019	11	9	22	58	1	0.3	3.3	0.69	95.2	71.4173	46.0371
2019	11	9	23	8	1	0.3	3.3	0.74	99.4	71.4173	49.3412
2019	11	9	23	18	1	0.3	3.3	0.66	98.5	71.4173	44.0547
2019	11	9	23	28	1	0.3	3.3	0.72	99.5	71.4173	47.5791
2019	11	9	23	38	1	0.3	3.3	0.74	96.1	71.4173	49.5615
2019	11	9	23	48	1	0.3	3.3	0.69	97.1	71.4173	46.0372
2019	11	9	23	58	1	0.3	3.3	0.69	94.7	71.4173	46.0372
2019	11	10	0	8	1	0.3	3.3	0.72	96.6	71.4173	47.7994
2019	11	10	0	18	1	0.3	3.3	0.72	96.1	71.4173	47.7994
2019	11	10	0	28	1	0.3	3.3	0.68	97.4	71.4173	45.5967
2019	11	10	0	38	1	0.3	3.3	0.68	97.5	71.4173	44.9359
2019	11	10	0	48	1	0.3	3.3	0.73	95.5	71.4173	48.4603
2019	11	10	0	58	1	0.3	3.3	0.7	96.7	71.4173	46.6981
2019	11	10	1	8	1	0.3	3.3	0.71	96.1	71.4173	47.1387
2019	11	10	1	18	1	0.3	3.3	0.7	95.7	71.4173	46.6981
2019	11	10	1	28	1	0.3	3.3	0.68	94.7	71.4173	45.5968
2019	11	10	1	38	1	0.3	3.3	0.7	99.7	71.4173	46.4779
2019	11	10	1	48	1	0.3	3.3	0.73	96	71.3517	48.414
2019	11	10	1	58	1	0.3	3.3	0.74	96.9	71.4173	49.3415
2019	11	10	2	8	1	0.3	3.3	0.72	95.5	71.3517	47.9739
2019	11	10	2	18	1	0.3	3.3	0.7	96.2	71.4173	46.6982
2019	11	10	2	28	1	0.3	3.3	0.71	96.6	71.4173	47.3591
2019	11	10	2	38	1	0.3	3.3	0.74	95.3	71.3517	49.5144
2019	11	10	2	48	1	0.3	3.3	0.69	94.3	71.3517	46.4335
2019	11	10	2	58	1	0.3	3.3	0.67	97.9	71.3517	44.673
2019	11	10	3	8	1	0.3	3.3	0.7	96.8	71.3517	46.4335
2019	11	10	3	18	1	0.3	3.3	0.7	97	71.3517	46.4336

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	10	3	28	1	0.3	3.3	0.68	94.7	71.3517	45.5533
2019	11	10	3	38	1	0.3	3.3	0.69	95.7	71.3517	45.9935
2019	11	10	3	48	1	0.3	3.3	0.72	98.7	71.3517	47.534
2019	11	10	3	58	1	0.3	3.3	0.65	96.1	71.3517	43.3527
2019	11	10	4	8	1	0.3	3.3	0.72	95.5	71.3517	47.9741
2019	11	10	4	18	1	0.3	3.3	0.71	97.7	71.3517	47.3139
2019	11	10	4	28	1	0.3	3.3	0.69	94.6	71.3517	46.2136
2019	11	10	4	38	1	0.3	3.3	0.72	92.9	71.3517	47.9742
2019	11	10	4	48	1	0.3	3.3	0.69	100.2	71.3517	45.3334
2019	11	10	4	58	1	0.3	3.3	0.7	95.4	71.3517	46.6538
2019	11	10	5	8	1	0.3	3.3	0.69	96.3	71.3517	45.9937
2019	11	10	5	18	1	0.3	3.3	0.67	96.4	71.3517	44.8934
2019	11	10	5	28	1	0.3	3.3	0.72	96.5	71.3517	48.1944
2019	11	10	5	38	1	0.3	3.3	0.7	98.7	71.3517	46.2138
2019	11	10	5	48	1	0.3	3.3	0.74	98.5	71.3517	48.8546
2019	11	10	5	58	1	0.3	3.3	0.67	97	71.3517	44.6734
2019	11	10	6	8	1	0.3	3.3	0.72	97.3	71.3517	47.9744
2019	11	10	6	18	1	0.3	3.3	0.7	96.7	71.3517	46.654
2019	11	10	6	28	1	0.3	3.3	0.7	97	71.3517	46.8741
2019	11	10	6	38	1	0.3	3.3	0.73	97.3	71.3517	48.4146
2019	11	10	6	48	1	0.3	3.3	0.69	96.3	71.3517	46.214
2019	11	10	6	58	1	0.3	3.3	0.71	94.8	71.3517	47.3143
2019	11	10	7	8	1	0.3	3.3	0.68	96.9	71.3517	45.3337
2019	11	10	7	18	1	0.3	3.3	0.71	96.4	71.3517	47.0943
2019	11	10	7	28	1	0.3	3.3	0.68	96.6	71.3517	45.5538
2019	11	10	7	38	1	0.3	3.3	0.69	98.2	71.3517	45.7739
2019	11	10	7	48	1	0.3	3.3	0.71	94.8	71.3517	47.3144
2019	11	10	7	58	1	0.3	3.3	0.7	97.6	71.3517	46.2141
2019	11	10	8	8	1	0.3	3.3	0.69	95.8	71.3517	45.774
2019	11	10	8	18	1	0.3	3.3	0.71	96.6	71.3517	47.5345
2019	11	10	8	28	1	0.3	3.3	0.69	95.4	71.3517	46.2141
2019	11	10	8	38	1	0.3	3.3	0.7	95.1	71.3517	47.0944
2019	11	10	8	48	1	0.3	3.3	0.69	97.1	71.3517	46.2141
2019	11	10	8	58	1	0.3	3.3	0.69	96.6	71.4173	46.0381
2019	11	10	9	8	1	0.3	3.3	0.72	96.8	71.4173	47.8004
2019	11	10	9	18	1	0.3	3.3	0.7	96.5	71.4173	46.699
2019	11	10	9	28	1	0.3	3.3	0.68	98.4	71.4173	44.9367
2019	11	10	9	38	1	0.3	3.3	0.71	97.1	71.4173	47.5801
2019	11	10	9	48	1	0.3	3.3	0.68	97.8	71.4173	44.9367
2019	11	10	9	58	1	0.3	3.3	0.66	94.9	71.4173	44.0556
2019	11	10	10	8	1	0.3	3.3	0.67	96.7	71.4173	44.9367
2019	11	10	10	18	1	0.3	3.3	0.68	96.3	71.4173	45.5975
2019	11	10	10	28	1	0.3	3.3	0.71	97.8	71.4173	46.9192
2019	11	10	10	38	1	0.3	3.3	0.71	99.6	71.4173	46.9192
2019	11	10	10	48	1	0.3	3.3	0.7	96.8	71.4173	46.4786
2019	11	10	10	58	1	0.3	3.3	0.7	95.1	71.4173	46.9191
2019	11	10	11	8	1	0.3	3.3	0.7	98.4	71.4173	46.2583

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	10	11	18	1	0.3	3.3	0.68	93.6	71.4173	45.5974
2019	11	10	11	28	1	0.3	3.3	0.73	99.6	71.4173	48.2408
2019	11	10	11	38	1	0.3	3.3	0.72	95.5	71.4173	48.2408
2019	11	10	11	48	1	0.3	3.3	0.71	98	71.4173	46.919
2019	11	10	11	58	1	0.3	3.3	0.71	98	71.4173	46.919
2019	11	10	12	8	1	0.3	3.3	0.71	97.7	71.4173	47.1393
2019	11	10	12	18	1	0.3	3.3	0.71	97.1	71.4829	47.6253
2019	11	10	12	28	1	0.3	3.3	0.69	97.4	71.4829	45.8614
2019	11	10	12	38	1	0.3	3.3	0.71	95	71.4829	47.6253
2019	11	10	12	48	1	0.3	3.3	0.7	96.8	71.4829	46.5228
2019	11	10	12	58	1	0.3	3.3	0.69	99.1	71.4829	45.6409
2019	11	10	13	8	1	0.3	3.3	0.7	96.5	71.4829	46.5228
2019	11	10	13	18	1	0.3	3.3	0.71	97.4	71.4829	47.4047
2019	11	10	13	28	1	0.3	3.3	0.72	97.6	71.4829	48.0662
2019	11	10	13	38	1	0.3	3.3	0.72	98.6	71.4829	48.0661
2019	11	10	13	48	1	0.3	3.3	0.68	95.8	71.4829	45.4203
2019	11	10	13	58	1	0.3	3.3	0.71	95.8	71.4829	47.6251
2019	11	10	14	8	1	0.3	3.3	0.67	97.3	71.4829	44.9793
2019	11	10	14	18	1	0.3	3.3	0.71	97.9	71.4829	47.4046
2019	11	10	14	28	1	0.3	3.3	0.69	96.3	71.4829	46.0817
2019	11	10	14	38	1	0.3	3.3	0.69	96	71.4829	46.3021
2019	11	10	14	48	1	0.3	3.3	0.73	94.4	71.4829	48.7275
2019	11	10	14	58	1	0.3	3.3	0.72	99.7	71.4829	47.625
2019	11	10	15	8	1	0.3	3.3	0.72	96.6	71.4829	47.8455
2019	11	10	15	18	1	0.3	3.3	0.7	94.5	71.4829	47.184
2019	11	10	15	28	1	0.3	3.3	0.7	95.6	71.4829	46.9635
2019	11	10	15	38	1	0.3	3.3	0.74	99.5	71.5486	48.9947
2019	11	10	15	48	1	0.3	3.3	0.71	95.3	71.5486	47.2291
2019	11	10	15	58	1	0.3	3.3	0.7	96.2	71.4829	46.743
2019	11	10	16	8	1	0.3	3.3	0.71	99.2	71.4829	47.4044
2019	11	10	16	18	1	0.3	3.3	0.74	97.9	71.4829	49.1683
2019	11	10	16	28	1	0.3	3.3	0.71	96.7	71.4829	47.1839
2019	11	10	16	38	1	0.3	3.3	0.71	97.4	71.4829	47.6248
2019	11	10	16	48	1	0.3	3.3	0.71	97.8	71.4829	46.9633
2019	11	10	16	58	1	0.3	3.3	0.72	97.3	71.4829	48.2862
2019	11	10	17	8	1	0.3	3.3	0.7	95.1	71.4829	46.7428
2019	11	10	17	18	1	0.3	3.3	0.68	97.4	71.4829	45.6404
2019	11	10	17	28	1	0.3	3.3	0.7	96.7	71.4829	46.7428
2019	11	10	17	38	1	0.3	3.3	0.68	96.6	71.4829	45.6403
2019	11	10	17	48	1	0.3	3.3	0.68	96.6	71.4829	45.6403
2019	11	10	17	58	1	0.3	3.3	0.67	95.9	71.4829	44.5379
2019	11	10	18	8	1	0.3	3.3	0.72	96.5	71.5486	48.1116
2019	11	10	18	18	1	0.3	3.3	0.68	93.6	71.5486	45.9046
2019	11	10	18	28	1	0.3	3.3	0.71	94	71.5486	47.6701
2019	11	10	18	38	1	0.3	3.3	0.69	96.3	71.5486	45.9045
2019	11	10	18	48	1	0.3	3.3	0.67	95	71.5486	45.0218
2019	11	10	18	58	1	0.3	3.3	0.67	96.2	71.5486	45.0217

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	10	19	8	1	0.3	3.3	0.71	97.7	71.5486	47.4494
2019	11	10	19	18	1	0.3	3.3	0.72	97.6	71.5486	48.1114
2019	11	10	19	28	1	0.3	3.3	0.72	95.2	71.5486	48.1114
2019	11	10	19	38	1	0.3	3.3	0.68	94.9	71.5486	45.9045
2019	11	10	19	48	1	0.3	3.3	0.68	97.2	71.5486	45.4631
2019	11	10	19	58	1	0.3	3.3	0.7	98.1	71.5486	46.5665
2019	11	10	20	8	1	0.3	3.3	0.72	95.5	71.5486	48.1114
2019	11	10	20	18	1	0.3	3.3	0.72	96	71.5486	48.3321
2019	11	10	20	28	1	0.3	3.3	0.72	97.1	71.5486	48.1114
2019	11	10	20	38	1	0.3	3.3	0.7	97.8	71.5486	46.7872
2019	11	10	20	48	1	0.3	3.3	0.7	95.7	71.5486	46.5665
2019	11	10	20	58	1	0.3	3.3	0.69	97.9	71.5486	46.1251
2019	11	10	21	8	1	0.3	3.3	0.68	97.2	71.5486	45.463
2019	11	10	21	18	1	0.3	3.3	0.67	97.9	71.5486	44.3596
2019	11	10	21	28	1	0.3	3.3	0.69	100.1	71.5486	45.6837
2019	11	10	21	38	1	0.3	3.3	0.72	95.5	71.5486	47.8907
2019	11	10	21	48	1	0.3	3.3	0.71	99	71.5486	47.4493
2019	11	10	21	58	1	0.3	3.3	0.71	95.6	71.5486	47.4493
2019	11	10	22	8	1	0.3	3.3	0.72	96.6	71.5486	47.8907
2019	11	10	22	18	1	0.3	3.3	0.72	96	71.5486	48.1114
2019	11	10	22	28	1	0.3	3.3	0.73	96.9	71.5486	48.9942
2019	11	10	22	38	1	0.3	3.3	0.7	101.4	71.5486	45.9045
2019	11	10	22	48	1	0.3	3.3	0.68	94.2	71.5486	45.4631
2019	11	10	22	58	1	0.3	3.3	0.69	94.9	71.5486	46.5666
2019	11	10	23	8	1	0.3	3.3	0.69	97.1	71.5486	45.9045
2019	11	10	23	18	1	0.3	3.3	0.73	96.5	71.5486	48.7736
2019	11	10	23	28	1	0.3	3.3	0.7	97.8	71.5486	46.7874
2019	11	10	23	38	1	0.3	3.3	0.73	96.7	71.4829	48.727
2019	11	10	23	48	1	0.3	3.3	0.72	95.8	71.4829	47.8451
2019	11	10	23	58	1	0.3	3.3	0.67	95.6	71.4829	44.9788
2019	11	11	0	8	1	0.3	3.3	0.71	97.2	71.4829	47.4042
2019	11	11	0	18	1	0.3	3.3	0.72	97.1	71.4829	48.0656
2019	11	11	0	28	1	0.3	3.3	0.7	97.8	71.4829	46.5222
2019	11	11	0	38	1	0.3	3.3	0.68	93	71.4829	45.6403
2019	11	11	0	48	1	0.3	3.3	0.7	94.8	71.4829	47.1837
2019	11	11	0	58	1	0.3	3.3	0.7	93.2	71.4829	46.7428
2019	11	11	1	8	1	0.3	3.3	0.68	99.4	71.4829	45.4199
2019	11	11	1	18	1	0.3	3.3	0.72	96.5	71.4829	48.0657
2019	11	11	1	28	1	0.3	3.3	0.68	96.9	71.4829	45.4199
2019	11	11	1	38	1	0.3	3.3	0.71	95.6	71.4829	47.6248
2019	11	11	1	48	1	0.3	3.3	0.72	97.9	71.4829	47.6248
2019	11	11	1	58	1	0.3	3.3	0.67	97.3	71.4829	44.7585
2019	11	11	2	8	1	0.3	3.3	0.7	96.5	71.4829	46.7429
2019	11	11	2	18	1	0.3	3.3	0.73	97.7	71.4829	48.7272
2019	11	11	2	28	1	0.3	3.3	0.7	94.3	71.4829	46.7429
2019	11	11	2	38	1	0.3	3.3	0.71	97.7	71.4173	47.359
2019	11	11	2	48	1	0.3	3.3	0.68	94.7	71.4173	45.3766

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	11	2	58	1	0.3	3.3	0.68	97.2	71.4173	45.3766
2019	11	11	3	8	1	0.3	3.3	0.67	94.8	71.4173	44.7157
2019	11	11	3	18	1	0.3	3.3	0.7	97.3	71.4173	46.6982
2019	11	11	3	28	1	0.3	3.3	0.69	96.9	71.4173	45.8171
2019	11	11	3	38	1	0.3	3.3	0.7	96.2	71.4173	46.6982
2019	11	11	3	48	1	0.3	3.3	0.7	98.1	71.4173	46.2577
2019	11	11	3	58	1	0.3	3.3	0.69	94.1	71.4173	46.478
2019	11	11	4	8	1	0.3	3.3	0.69	99.3	71.4173	45.8172
2019	11	11	4	18	1	0.3	3.3	0.67	96.2	71.4173	44.4955
2019	11	11	4	28	1	0.3	3.3	0.68	96.7	71.4173	45.1564
2019	11	11	4	38	1	0.3	3.3	0.71	96.6	71.4173	47.3591
2019	11	11	4	48	1	0.3	3.3	0.7	95.7	71.4173	46.4781
2019	11	11	4	58	1	0.3	3.3	0.67	95.9	71.4173	44.9361
2019	11	11	5	8	1	0.3	3.3	0.66	98.5	71.4173	44.055
2019	11	11	5	18	1	0.3	3.3	0.69	98.5	71.4173	45.597
2019	11	11	5	28	1	0.3	3.3	0.69	98.4	71.4173	46.0375
2019	11	11	5	38	1	0.3	3.3	0.7	94.6	71.4173	46.6984
2019	11	11	5	48	1	0.3	3.3	0.7	96	71.4173	46.4781
2019	11	11	5	58	1	0.3	3.3	0.67	95.6	71.4173	44.7159
2019	11	11	6	8	1	0.3	3.3	0.73	98.8	71.3517	48.4142
2019	11	11	6	18	1	0.3	3.3	0.71	98.5	71.4173	46.9187
2019	11	11	6	28	1	0.3	3.3	0.71	96.4	71.3517	47.3139
2019	11	11	6	38	1	0.3	3.3	0.67	97.3	71.3517	44.4531
2019	11	11	6	48	1	0.3	3.3	0.74	94.8	71.3517	49.7346
2019	11	11	6	58	1	0.3	3.3	0.69	96.9	71.3517	45.7735
2019	11	11	7	8	1	0.3	3.3	0.72	94.7	71.3517	48.1942
2019	11	11	7	18	1	0.3	3.3	0.67	96.2	71.3517	44.4531
2019	11	11	7	28	1	0.3	3.3	0.74	96.1	71.3517	49.0745
2019	11	11	7	38	1	0.3	3.3	0.67	97.1	71.3517	44.4531
2019	11	11	7	48	1	0.3	3.3	0.7	96.8	71.3517	46.4337
2019	11	11	7	58	1	0.3	3.3	0.75	97.8	71.3517	49.5146
2019	11	11	8	8	1	0.3	3.3	0.73	94.9	71.3517	48.6343
2019	11	11	8	18	1	0.3	3.3	0.69	97.9	71.4173	45.8174
2019	11	11	8	28	1	0.3	3.3	0.7	97.9	71.4173	46.2579
2019	11	11	8	38	1	0.3	3.3	0.7	97.3	71.4173	46.4782
2019	11	11	8	48	1	0.3	3.3	0.7	95.9	71.4173	46.9187
2019	11	11	8	58	1	0.3	3.3	0.71	97.7	71.4173	47.139
2019	11	11	9	8	1	0.3	3.3	0.7	95.7	71.4173	46.4781
2019	11	11	9	18	1	0.3	3.3	0.68	97.4	71.4173	45.597
2019	11	11	9	28	1	0.3	3.3	0.67	93.9	71.3517	45.1132
2019	11	11	9	38	1	0.3	3.3	0.69	96.5	71.4173	46.2578
2019	11	11	9	48	1	0.3	3.3	0.7	98.4	71.4173	46.4781
2019	11	11	9	58	1	0.3	3.3	0.68	96.6	71.4173	45.597
2019	11	11	10	8	1	0.3	3.3	0.71	93.7	71.4173	47.5794
2019	11	11	10	18	1	0.3	3.3	0.69	96.5	71.4173	46.2578
2019	11	11	10	28	1	0.3	3.3	0.69	96.6	71.4173	45.8172
2019	11	11	10	38	1	0.3	3.3	0.66	94.5	71.4829	44.5381

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	11	10	48	1	0.3	3.3	0.73	96.5	71.4173	48.4604
2019	11	11	10	58	1	0.3	3.3	0.67	94.7	71.4173	45.1563
2019	11	11	11	8	1	0.3	3.3	0.7	97.8	71.4173	46.6982
2019	11	11	11	18	1	0.3	3.3	0.7	99.9	71.4829	46.5224
2019	11	11	11	28	1	0.3	3.3	0.67	96.7	71.4173	44.9359
2019	11	11	11	38	1	0.3	3.3	0.72	96.6	71.4829	47.8452
2019	11	11	11	48	1	0.3	3.3	0.7	97.8	71.4173	46.4778
2019	11	11	11	58	1	0.3	3.3	0.68	94.7	71.4173	45.8169
2019	11	11	12	8	1	0.3	3.3	0.7	94.3	71.4173	46.9183
2019	11	11	12	18	1	0.3	3.3	0.66	96	71.4173	44.0547
2019	11	11	12	28	1	0.3	3.3	0.66	93.7	71.4173	44.0547
2019	11	11	12	38	1	0.3	3.3	0.7	95.1	71.4173	46.9182
2019	11	11	12	48	1	0.3	3.3	0.69	96.6	71.4173	46.0371
2019	11	11	12	58	1	0.3	3.3	0.7	94.8	71.4173	46.9181
2019	11	11	13	8	1	0.3	3.3	0.73	96.2	71.4173	48.9006
2019	11	11	13	18	1	0.3	3.3	0.7	96.2	71.4173	46.9181
2019	11	11	13	28	1	0.3	3.3	0.68	95.8	71.4173	45.1559
2019	11	11	13	38	1	0.3	3.3	0.7	98.1	71.4173	46.2572
2019	11	11	13	48	1	0.3	3.3	0.66	98	71.4173	44.0545
2019	11	11	13	58	1	0.3	3.3	0.66	95.7	71.4173	44.0544
2019	11	11	14	8	1	0.3	3.3	0.7	95.4	71.4173	46.918
2019	11	11	14	18	1	0.3	3.3	0.69	95.5	71.4173	45.8166
2019	11	11	14	28	1	0.3	3.3	0.68	96.6	71.4173	45.5963
2019	11	11	14	38	1	0.3	3.3	0.69	94.7	71.4173	46.0368
2019	11	11	14	48	1	0.3	3.3	0.7	94.8	71.4173	47.1382
2019	11	11	14	58	1	0.3	3.3	0.67	94.7	71.4173	45.1557
2019	11	11	15	8	1	0.3	3.3	0.69	95.2	71.4173	46.0368
2019	11	11	15	18	1	0.3	3.3	0.7	97	71.3517	46.8729
2019	11	11	15	28	1	0.3	3.3	0.66	99.8	71.3517	43.3519
2019	11	11	15	38	1	0.3	3.3	0.69	98	71.3517	45.5525
2019	11	11	15	48	1	0.3	3.3	0.67	94.8	71.3517	44.4522
2019	11	11	15	58	1	0.3	3.3	0.69	96.9	71.3517	45.7725
2019	11	11	16	8	1	0.3	3.3	0.68	97.2	71.3517	45.5525
2019	11	11	16	18	1	0.3	3.3	0.68	98	71.2861	45.2889
2019	11	11	16	28	1	0.3	3.3	0.68	94.7	71.2861	45.7286
2019	11	11	16	38	1	0.3	3.3	0.67	95.3	71.2861	44.8492
2019	11	11	16	48	1	0.3	3.3	0.67	95.6	71.2861	44.6293
2019	11	11	16	58	1	0.3	3.3	0.67	94.7	71.2861	45.069
2019	11	11	17	8	1	0.3	3.3	0.67	95.9	71.2205	44.5865
2019	11	11	17	18	1	0.3	3.3	0.71	97.7	71.1549	47.1767
2019	11	11	17	28	1	0.3	3.3	0.69	97.9	71.1549	45.6407
2019	11	11	17	38	1	0.3	3.3	0.7	98.4	71.1549	46.0796
2019	11	11	17	48	1	0.3	3.3	0.67	92.8	71.1549	44.9824
2019	11	11	17	58	1	0.3	3.3	0.72	98.4	71.1549	47.3961
2019	11	11	18	8	1	0.3	3.3	0.69	98.5	71.1549	45.4212
2019	11	11	18	18	1	0.3	3.3	0.68	96.3	71.1549	45.4212
2019	11	11	18	28	1	0.3	3.3	0.7	97.5	71.1549	46.7377

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	11	18	38	1	0.3	3.3	0.71	94.5	71.1549	47.1765
2019	11	11	18	48	1	0.3	3.3	0.72	97.6	71.1549	47.6154
2019	11	11	18	58	1	0.3	3.3	0.66	97.8	71.1549	43.4463
2019	11	11	19	8	1	0.3	3.3	0.71	96.6	71.1549	47.1765
2019	11	11	19	18	1	0.3	3.3	0.7	97.2	71.1549	46.7376
2019	11	11	19	28	1	0.3	3.3	0.7	96.4	71.1549	46.7376
2019	11	11	19	38	1	0.3	3.3	0.71	97.1	71.1549	47.3959
2019	11	11	19	48	1	0.3	3.3	0.69	96.3	71.1549	46.0793
2019	11	11	19	58	1	0.3	3.3	0.69	97.4	71.1549	45.6404
2019	11	11	20	8	1	0.3	3.3	0.69	96.3	71.1549	45.8599
2019	11	11	20	18	1	0.3	3.3	0.69	95.7	71.1549	45.8599
2019	11	11	20	28	1	0.3	3.3	0.72	96.3	71.1549	47.6152
2019	11	11	20	38	1	0.3	3.3	0.71	97.2	71.1549	46.957
2019	11	11	20	48	1	0.3	3.3	0.68	98.6	71.1549	44.9822
2019	11	11	20	58	1	0.3	3.3	0.69	96.8	71.1549	46.0793
2019	11	11	21	8	1	0.3	3.3	0.7	97	71.1549	46.7376
2019	11	11	21	18	1	0.3	3.3	0.74	95.6	71.1549	49.1512
2019	11	11	21	28	1	0.3	3.3	0.68	97.2	71.1549	44.9822
2019	11	11	21	38	1	0.3	3.3	0.67	97	71.1549	44.7628
2019	11	11	21	48	1	0.3	3.3	0.71	97.8	71.0892	46.6927
2019	11	11	21	58	1	0.3	3.3	0.65	95.8	71.1549	43.2268
2019	11	11	22	8	1	0.3	3.3	0.68	94.4	71.0892	45.1582
2019	11	11	22	18	1	0.3	3.3	0.69	95.7	71.1549	46.0793
2019	11	11	22	28	1	0.3	3.3	0.7	95.1	71.0892	46.9119
2019	11	11	22	38	1	0.3	3.3	0.69	97.9	71.0892	45.8159
2019	11	11	22	48	1	0.3	3.3	0.68	99.2	71.0892	44.7198
2019	11	11	22	58	1	0.3	3.3	0.71	96.1	71.0892	47.3504
2019	11	11	23	8	1	0.3	3.3	0.68	98.1	71.0892	44.7198
2019	11	11	23	18	1	0.3	3.3	0.73	97	71.0892	48.4465
2019	11	11	23	28	1	0.3	3.3	0.71	96.6	71.0892	47.3504
2019	11	11	23	38	1	0.3	3.3	0.7	99.2	71.0892	46.2544
2019	11	11	23	48	1	0.3	3.3	0.71	95.6	71.0892	47.3505
2019	11	11	23	58	1	0.3	3.3	0.66	97.1	71.0892	43.843
2019	11	12	0	8	1	0.3	3.3	0.71	96.1	71.0892	47.3505
2019	11	12	0	18	1	0.3	3.3	0.67	93.6	71.0892	44.9391
2019	11	12	0	28	1	0.3	3.3	0.67	95.9	71.0236	44.2389
2019	11	12	0	38	1	0.3	3.3	0.69	93.3	71.0236	45.991
2019	11	12	0	48	1	0.3	3.3	0.69	97.9	71.0236	45.553
2019	11	12	0	58	1	0.3	3.3	0.7	97.3	71.0236	46.21
2019	11	12	1	8	1	0.3	3.3	0.73	97.5	71.0236	48.181
2019	11	12	1	18	1	0.3	3.3	0.68	95	71.0236	44.896
2019	11	12	1	28	1	0.3	3.3	0.68	94.4	71.0236	45.553
2019	11	12	1	38	1	0.3	3.3	0.72	95.7	71.0236	47.9621
2019	11	12	1	48	1	0.3	3.3	0.71	95.3	71.0236	47.0861
2019	11	12	1	58	1	0.3	3.3	0.68	96.1	71.0236	45.3341
2019	11	12	2	8	1	0.3	3.3	0.69	98.2	71.0236	45.5531
2019	11	12	2	18	1	0.3	3.3	0.71	97.7	71.0236	46.8671

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	12	2	28	1	0.3	3.3	0.69	98	71.0236	45.3341
2019	11	12	2	38	1	0.3	3.3	0.72	95.5	71.0236	47.9622
2019	11	12	2	48	1	0.3	3.3	0.74	95.6	71.0236	49.0572
2019	11	12	2	58	1	0.3	3.3	0.7	95.4	70.958	46.6033
2019	11	12	3	8	1	0.3	3.3	0.7	95.1	71.0236	46.4292
2019	11	12	3	18	1	0.3	3.3	0.69	96.3	70.958	45.5093
2019	11	12	3	28	1	0.3	3.3	0.69	95.2	70.958	45.7281
2019	11	12	3	38	1	0.3	3.3	0.69	96.9	70.958	45.5093
2019	11	12	3	48	1	0.3	3.3	0.69	96.8	70.958	45.7281
2019	11	12	3	58	1	0.3	3.3	0.72	97.9	70.958	47.2597
2019	11	12	4	8	1	0.3	3.3	0.67	95.1	70.958	44.1966
2019	11	12	4	18	1	0.3	3.3	0.68	98.6	70.958	44.853
2019	11	12	4	28	1	0.3	3.3	0.72	96.6	70.958	47.4786
2019	11	12	4	38	1	0.3	3.3	0.68	95	70.958	44.853
2019	11	12	4	48	1	0.3	3.3	0.71	96.9	70.958	47.2598
2019	11	12	4	58	1	0.3	3.3	0.71	97.4	70.958	47.2598
2019	11	12	5	8	1	0.3	3.3	0.69	95.7	70.958	45.7283
2019	11	12	5	18	1	0.3	3.3	0.71	96.4	70.958	47.0411
2019	11	12	5	28	1	0.3	3.3	0.7	98.4	70.958	45.9471
2019	11	12	5	38	1	0.3	3.3	0.68	96.6	70.958	45.0719
2019	11	12	5	48	1	0.3	3.3	0.72	94.5	70.958	47.6975
2019	11	12	5	58	1	0.3	3.3	0.68	96.4	70.958	44.8532
2019	11	12	6	8	1	0.3	3.3	0.73	97.8	70.958	48.1351
2019	11	12	6	18	1	0.3	3.3	0.7	97.5	70.958	46.6036
2019	11	12	6	28	1	0.3	3.3	0.7	97	70.958	46.166
2019	11	12	6	38	1	0.3	3.3	0.68	95.8	70.958	44.8533
2019	11	12	6	48	1	0.3	3.3	0.7	97.9	70.958	45.9473
2019	11	12	6	58	1	0.3	3.3	0.68	97.5	70.958	45.0721
2019	11	12	7	8	1	0.3	3.3	0.68	97.4	70.8924	45.2472
2019	11	12	7	18	1	0.3	3.3	0.7	97.3	70.8924	46.3402
2019	11	12	7	28	1	0.3	3.3	0.71	98.8	70.958	46.6037
2019	11	12	7	38	1	0.3	3.3	0.69	97.6	70.958	45.7285
2019	11	12	7	48	1	0.3	3.3	0.7	97.5	70.958	46.6037
2019	11	12	7	58	1	0.3	3.3	0.71	95.6	70.8924	46.996
2019	11	12	8	8	1	0.3	3.3	0.73	98.2	70.958	48.3542
2019	11	12	8	18	1	0.3	3.3	0.69	98	70.958	45.291
2019	11	12	8	28	1	0.3	3.3	0.7	98.1	70.8924	46.3403
2019	11	12	8	38	1	0.3	3.3	0.69	99	70.958	45.5098
2019	11	12	8	48	1	0.3	3.3	0.69	96.3	70.958	45.7286
2019	11	12	8	58	1	0.3	3.3	0.67	93.6	70.8924	44.8102
2019	11	12	9	8	1	0.3	3.3	0.7	96.7	70.958	46.385
2019	11	12	9	18	1	0.3	3.3	0.69	94.9	70.8924	46.1217
2019	11	12	9	28	1	0.3	3.3	0.68	100	70.958	44.8534
2019	11	12	9	38	1	0.3	3.3	0.67	100.4	70.958	44.197
2019	11	12	9	48	1	0.3	3.3	0.71	94.5	70.958	47.0413
2019	11	12	9	58	1	0.3	3.3	0.69	96	70.958	45.9473
2019	11	12	10	8	1	0.3	3.3	0.68	97.2	70.958	44.8533

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	12	10	18	1	0.3	3.3	0.7	94.6	70.958	46.6037
2019	11	12	10	28	1	0.3	3.3	0.68	95.5	70.958	45.0721
2019	11	12	10	38	1	0.3	3.3	0.71	98	70.958	46.6037
2019	11	12	10	48	1	0.3	3.3	0.68	94.7	70.958	45.0721
2019	11	12	10	58	1	0.3	3.3	0.71	97.2	70.958	46.8224
2019	11	12	11	8	1	0.3	3.3	0.71	98.8	70.958	46.6036
2019	11	12	11	18	1	0.3	3.3	0.71	97.2	70.958	46.8224
2019	11	12	11	28	1	0.3	3.3	0.73	96.9	70.958	48.5728
2019	11	12	11	38	1	0.3	3.3	0.7	97	70.958	46.6036
2019	11	12	11	48	1	0.3	3.3	0.65	96.4	70.958	43.1028
2019	11	12	11	58	1	0.3	3.3	0.69	96.3	70.958	45.5095
2019	11	12	12	8	1	0.3	3.3	0.65	95.8	70.958	43.3216
2019	11	12	12	18	1	0.3	3.3	0.68	93.6	70.958	45.5095
2019	11	12	12	28	1	0.3	3.3	0.68	96.4	70.958	45.0719
2019	11	12	12	38	1	0.3	3.3	0.69	95.7	70.958	45.9471
2019	11	12	12	48	1	0.3	3.3	0.67	95.9	70.958	44.4155
2019	11	12	12	58	1	0.3	3.3	0.71	96.7	70.958	46.8222
2019	11	12	13	8	1	0.3	3.3	0.71	99.3	70.958	46.8222
2019	11	12	13	18	1	0.3	3.3	0.71	99	71.0236	46.8673
2019	11	12	13	28	1	0.3	3.3	0.69	96.6	70.958	45.7282
2019	11	12	13	38	1	0.3	3.3	0.69	98.2	70.958	45.7281
2019	11	12	13	48	1	0.3	3.3	0.72	98.4	70.958	47.4785
2019	11	12	13	58	1	0.3	3.3	0.72	96	70.958	47.6973
2019	11	12	14	8	1	0.3	3.3	0.71	96.6	70.958	47.2597
2019	11	12	14	18	1	0.3	3.3	0.7	96.2	70.958	46.6033
2019	11	12	14	28	1	0.3	3.3	0.73	97.2	70.958	48.3536
2019	11	12	14	38	1	0.3	3.3	0.71	96.7	70.958	46.822
2019	11	12	14	48	1	0.3	3.3	0.75	97.1	71.0236	49.4952
2019	11	12	14	58	1	0.3	3.3	0.69	95.7	71.0236	45.7721
2019	11	12	15	8	1	0.3	3.3	0.67	95.9	71.0236	44.6771
2019	11	12	15	18	1	0.3	3.3	0.73	101.1	71.0236	47.9621
2019	11	12	15	28	1	0.3	3.3	0.68	97.2	70.958	44.8528
2019	11	12	15	38	1	0.3	3.3	0.71	96.7	71.0236	46.8671
2019	11	12	15	48	1	0.3	3.3	0.7	96.7	71.0236	46.648
2019	11	12	15	58	1	0.3	3.3	0.68	96.1	70.958	45.2904
2019	11	12	16	8	1	0.3	3.3	0.7	99.2	71.0236	45.991
2019	11	12	16	18	1	0.3	3.3	0.7	97.3	71.0236	46.21
2019	11	12	16	28	1	0.3	3.3	0.73	96.7	71.0236	48.4
2019	11	12	16	38	1	0.3	3.3	0.74	98.4	71.0236	48.838
2019	11	12	16	48	1	0.3	3.3	0.72	100	71.0236	47.0859
2019	11	12	16	58	1	0.3	3.3	0.69	96.6	71.0236	45.5529
2019	11	12	17	8	1	0.3	3.3	0.67	95.3	71.0236	44.6768
2019	11	12	17	18	1	0.3	3.3	0.7	94	71.0236	46.4289
2019	11	12	17	28	1	0.3	3.3	0.71	98.2	71.0236	47.0858
2019	11	12	17	38	1	0.3	3.3	0.66	95.4	71.0892	43.8429
2019	11	12	17	48	1	0.3	3.3	0.72	96.8	71.0236	47.7428
2019	11	12	17	58	1	0.3	3.3	0.69	97.6	71.0892	45.8158

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	12	18	8	1	0.3	3.3	0.71	96.4	71.0892	46.9119
2019	11	12	18	18	1	0.3	3.3	0.73	95.7	71.0892	48.4464
2019	11	12	18	28	1	0.3	3.3	0.72	97.8	71.0892	47.7887
2019	11	12	18	38	1	0.3	3.3	0.73	98.8	71.0892	48.0079
2019	11	12	18	48	1	0.3	3.3	0.7	94.8	71.0892	46.6926
2019	11	12	18	58	1	0.3	3.3	0.71	96.1	71.0892	47.131
2019	11	12	19	8	1	0.3	3.3	0.71	97.4	71.0892	47.131
2019	11	12	19	18	1	0.3	3.3	0.71	94	71.0892	47.131
2019	11	12	19	28	1	0.3	3.3	0.7	95.1	71.0892	46.6925
2019	11	12	19	38	1	0.3	3.3	0.71	96.9	71.0892	47.3502
2019	11	12	19	48	1	0.3	3.3	0.71	98	71.0892	46.6925
2019	11	12	19	58	1	0.3	3.3	0.67	96.5	71.0892	44.2812
2019	11	12	20	8	1	0.3	3.3	0.69	99.9	71.0892	45.3772
2019	11	12	20	18	1	0.3	3.3	0.69	96	71.0892	45.5964
2019	11	12	20	28	1	0.3	3.3	0.71	94.5	71.0892	47.5694
2019	11	12	20	38	1	0.3	3.3	0.73	99.6	71.0892	48.0078
2019	11	12	20	48	1	0.3	3.3	0.66	97.4	71.0892	43.6235
2019	11	12	20	58	1	0.3	3.3	0.69	99.1	71.0892	45.3772
2019	11	12	21	8	1	0.3	3.3	0.7	98.6	71.0892	46.2541
2019	11	12	21	18	1	0.3	3.3	0.73	95.9	71.0892	48.6655
2019	11	12	21	28	1	0.3	3.3	0.71	96.4	71.0892	46.9117
2019	11	12	21	38	1	0.3	3.3	0.68	97.5	71.0892	45.1581
2019	11	12	21	48	1	0.3	3.3	0.68	97.2	71.0892	45.3773
2019	11	12	21	58	1	0.3	3.3	0.69	95.7	71.0892	45.8157
2019	11	12	22	8	1	0.3	3.3	0.69	97.1	71.0892	45.8157
2019	11	12	22	18	1	0.3	3.3	0.7	97.3	71.0892	46.2542
2019	11	12	22	28	1	0.3	3.3	0.69	94.1	71.0892	46.035
2019	11	12	22	38	1	0.3	3.3	0.67	97	71.0892	44.7197
2019	11	12	22	48	1	0.3	3.3	0.7	96.4	71.0892	46.6926
2019	11	12	22	58	1	0.3	3.3	0.75	100.6	71.0892	49.3232
2019	11	12	23	8	1	0.3	3.3	0.71	96.4	71.0892	46.9119
2019	11	12	23	18	1	0.3	3.3	0.7	97	71.0892	46.4735
2019	11	12	23	28	1	0.3	3.3	0.71	98	71.0892	46.6927
2019	11	12	23	38	1	0.3	3.3	0.67	96.7	71.0892	44.7198
2019	11	12	23	48	1	0.3	3.3	0.7	98.6	71.0892	46.2543
2019	11	12	23	58	1	0.3	3.3	0.67	97.3	71.0892	44.7198
2019	11	13	0	8	1	0.3	3.3	0.69	96.3	71.0892	45.5967
2019	11	13	0	18	1	0.3	3.3	0.73	100.1	71.0892	47.7889
2019	11	13	0	28	1	0.3	3.3	0.7	98.1	71.0892	46.4736
2019	11	13	0	38	1	0.3	3.3	0.71	96.6	71.0892	47.1313
2019	11	13	0	48	1	0.3	3.3	0.69	96.6	71.0892	45.816
2019	11	13	0	58	1	0.3	3.3	0.68	97.5	71.0892	44.7199
2019	11	13	1	8	1	0.3	3.3	0.7	95.7	71.0892	46.2544
2019	11	13	1	18	1	0.3	3.3	0.67	95.6	71.0892	44.5007
2019	11	13	1	28	1	0.3	3.3	0.7	96.5	71.0892	46.4737
2019	11	13	1	38	1	0.3	3.3	0.7	97.3	71.0892	46.2545
2019	11	13	1	48	1	0.3	3.3	0.69	98.2	71.0892	45.5969

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	13	1	58	1	0.3	3.3	0.69	99.9	71.0892	45.3777
2019	11	13	2	8	1	0.3	3.3	0.71	98.3	71.0892	46.693
2019	11	13	2	18	1	0.3	3.3	0.71	96.1	71.0892	47.1314
2019	11	13	2	28	1	0.3	3.3	0.69	98.2	71.0892	45.3777
2019	11	13	2	38	1	0.3	3.3	0.7	95.7	71.0892	46.2546
2019	11	13	2	48	1	0.3	3.3	0.68	97.4	71.0236	45.3341
2019	11	13	2	58	1	0.3	3.3	0.7	97.3	71.0236	46.4291
2019	11	13	3	8	1	0.3	3.3	0.68	94.7	71.0892	45.3778
2019	11	13	3	18	1	0.3	3.3	0.69	95.4	71.0236	45.9912
2019	11	13	3	28	1	0.3	3.3	0.68	94.7	71.0236	45.3342
2019	11	13	3	38	1	0.3	3.3	0.7	96.7	71.0236	46.6482
2019	11	13	3	48	1	0.3	3.3	0.68	98.3	71.0236	45.1152
2019	11	13	3	58	1	0.3	3.3	0.7	95.1	71.0236	46.8673
2019	11	13	4	8	1	0.3	3.3	0.7	97.6	71.0236	46.2103
2019	11	13	4	18	1	0.3	3.3	0.7	98.1	71.0236	46.2103
2019	11	13	4	28	1	0.3	3.3	0.72	94.4	71.0236	47.9623
2019	11	13	4	38	1	0.3	3.3	0.72	97.8	71.0236	47.7434
2019	11	13	4	48	1	0.3	3.3	0.72	95.5	71.0236	47.9624
2019	11	13	4	58	1	0.3	3.3	0.7	97.6	71.0236	46.2104
2019	11	13	5	8	1	0.3	3.3	0.7	95.1	71.0236	46.8674
2019	11	13	5	18	1	0.3	3.3	0.7	98.4	71.0236	45.9914
2019	11	13	5	28	1	0.3	3.3	0.7	97	71.0236	46.2104
2019	11	13	5	38	1	0.3	3.3	0.72	99.9	71.0236	47.5245
2019	11	13	5	48	1	0.3	3.3	0.7	97.6	71.0236	45.9915
2019	11	13	5	58	1	0.3	3.3	0.65	95.5	71.0236	42.9254
2019	11	13	6	8	1	0.3	3.3	0.71	95.6	71.0236	46.8675
2019	11	13	6	18	1	0.3	3.3	0.69	98.2	71.0236	45.5535
2019	11	13	6	28	1	0.3	3.3	0.69	96.8	71.0236	45.9915
2019	11	13	6	38	1	0.3	3.3	0.72	98.4	71.0236	47.5246
2019	11	13	6	48	1	0.3	3.3	0.66	94.6	71.0236	44.0205
2019	11	13	6	58	1	0.3	3.3	0.69	94.6	71.0236	45.9916
2019	11	13	7	8	1	0.3	3.3	0.7	95.7	71.0236	46.4296
2019	11	13	7	18	1	0.3	3.3	0.66	96.5	71.0236	44.0206
2019	11	13	7	28	1	0.3	3.3	0.71	94.5	71.0236	47.3057
2019	11	13	7	38	1	0.3	3.3	0.69	97.1	71.0236	45.5536
2019	11	13	7	48	1	0.3	3.3	0.7	97.8	71.0236	46.2107
2019	11	13	7	58	1	0.3	3.3	0.7	94.6	71.0236	46.6487
2019	11	13	8	8	1	0.3	3.3	0.72	99.1	71.0892	47.7897
2019	11	13	8	18	1	0.3	3.3	0.7	96.8	71.0236	46.2107
2019	11	13	8	28	1	0.3	3.3	0.69	97.9	71.0892	45.8168
2019	11	13	8	38	1	0.3	3.3	0.66	96	71.0236	43.8017
2019	11	13	8	48	1	0.3	3.3	0.67	95.9	71.0892	44.2823
2019	11	13	8	58	1	0.3	3.3	0.66	95.4	71.0236	43.8017
2019	11	13	9	8	1	0.3	3.3	0.72	97.1	71.0236	47.7438
2019	11	13	9	18	1	0.3	3.3	0.67	96.8	71.0236	44.2397
2019	11	13	9	28	1	0.3	3.3	0.7	94.6	71.0236	46.4298
2019	11	13	9	38	1	0.3	3.3	0.67	96.4	71.0236	44.6777

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	13	9	48	1	0.3	3.3	0.71	97.7	71.0236	46.8678
2019	11	13	9	58	1	0.3	3.3	0.7	96.7	70.958	46.3851
2019	11	13	10	8	1	0.3	3.3	0.7	97	70.958	46.3851
2019	11	13	10	18	1	0.3	3.3	0.71	95	70.958	47.4791
2019	11	13	10	28	1	0.3	3.3	0.7	94.6	70.958	46.3851
2019	11	13	10	38	1	0.3	3.3	0.71	95.6	70.958	47.2602
2019	11	13	10	48	1	0.3	3.3	0.72	96.8	70.958	47.479
2019	11	13	10	58	1	0.3	3.3	0.71	94.3	70.958	47.0414
2019	11	13	11	8	1	0.3	3.3	0.69	97.3	70.958	45.9474
2019	11	13	11	18	1	0.3	3.3	0.73	98.5	70.958	48.3542
2019	11	13	11	28	1	0.3	3.3	0.7	100	70.958	45.9474
2019	11	13	11	38	1	0.3	3.3	0.7	98.1	70.958	45.9473
2019	11	13	11	48	1	0.3	3.3	0.71	96.4	70.8924	46.996
2019	11	13	11	58	1	0.3	3.3	0.7	97	70.8924	46.5588
2019	11	13	12	8	1	0.3	3.3	0.67	93.9	70.8924	44.8101
2019	11	13	12	18	1	0.3	3.3	0.67	96.7	70.8924	44.5915
2019	11	13	12	28	1	0.3	3.3	0.69	97.9	70.8924	45.6844
2019	11	13	12	38	1	0.3	3.3	0.71	98.8	70.8924	46.5587
2019	11	13	12	48	1	0.3	3.3	0.68	97.5	70.8924	45.0286
2019	11	13	12	58	1	0.3	3.3	0.69	98.2	70.8924	45.6843
2019	11	13	13	8	1	0.3	3.3	0.66	97.4	70.8924	43.7171
2019	11	13	13	18	1	0.3	3.3	0.71	99.9	70.8924	46.3401
2019	11	13	13	28	1	0.3	3.3	0.73	98.5	70.8924	48.3074
2019	11	13	13	38	1	0.3	3.3	0.7	96.7	70.8924	46.3401
2019	11	13	13	48	1	0.3	3.3	0.71	98.3	70.8924	46.5587
2019	11	13	13	58	1	0.3	3.3	0.68	97.2	70.8924	45.0286
2019	11	13	14	8	1	0.3	3.3	0.72	97.3	70.8924	47.6516
2019	11	13	14	18	1	0.3	3.3	0.7	98.1	70.8924	46.1215
2019	11	13	14	28	1	0.3	3.3	0.68	93.6	70.8924	45.4657
2019	11	13	14	38	1	0.3	3.3	0.66	95.1	70.8268	43.8932
2019	11	13	14	48	1	0.3	3.3	0.7	95.1	70.8924	46.34
2019	11	13	14	58	1	0.3	3.3	0.69	96.6	70.8924	45.6842
2019	11	13	15	8	1	0.3	3.3	0.69	97.7	70.8924	45.4656
2019	11	13	15	18	1	0.3	3.3	0.72	97.9	70.8924	47.2143
2019	11	13	15	28	1	0.3	3.3	0.7	97.6	70.8924	46.1213
2019	11	13	15	38	1	0.3	3.3	0.7	95.7	70.8924	46.1213
2019	11	13	15	48	1	0.3	3.3	0.72	96.5	70.8924	47.87
2019	11	13	15	58	1	0.3	3.3	0.67	98.4	70.8924	44.154
2019	11	13	16	8	1	0.3	3.3	0.7	96.7	70.8924	46.5584
2019	11	13	16	18	1	0.3	3.3	0.7	98.6	70.8924	46.3398
2019	11	13	16	28	1	0.3	3.3	0.69	96.8	70.8924	45.9026
2019	11	13	16	38	1	0.3	3.3	0.67	98.4	70.8924	44.1539
2019	11	13	16	48	1	0.3	3.3	0.7	97.8	70.8924	46.3398
2019	11	13	16	58	1	0.3	3.3	0.73	96.7	70.8924	48.307
2019	11	13	17	8	1	0.3	3.3	0.7	95.4	70.8924	46.1212
2019	11	13	17	18	1	0.3	3.3	0.66	97.4	70.8924	43.4981
2019	11	13	17	28	1	0.3	3.3	0.69	95.7	70.8924	45.9025

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	13	17	38	1	0.3	3.3	0.67	95.9	70.8924	44.591
2019	11	13	17	48	1	0.3	3.3	0.68	96.6	70.8924	45.2468
2019	11	13	17	58	1	0.3	3.3	0.7	98.4	70.8924	45.9025
2019	11	13	18	8	1	0.3	3.3	0.7	95.6	70.8924	46.5582
2019	11	13	18	18	1	0.3	3.3	0.66	95.2	70.8924	43.498
2019	11	13	18	28	1	0.3	3.3	0.69	95.2	70.8924	45.4653
2019	11	13	18	38	1	0.3	3.3	0.72	97.6	70.8924	47.4325
2019	11	13	18	48	1	0.3	3.3	0.67	94.8	70.8924	44.3723
2019	11	13	18	58	1	0.3	3.3	0.7	98.4	70.8924	45.9024
2019	11	13	19	8	1	0.3	3.3	0.71	98	70.8924	46.5581
2019	11	13	19	18	1	0.3	3.3	0.7	96.2	70.8924	46.3396
2019	11	13	19	28	1	0.3	3.3	0.69	96.6	70.8924	45.6838
2019	11	13	19	38	1	0.3	3.3	0.67	96.5	70.8924	44.3723
2019	11	13	19	48	1	0.3	3.3	0.71	97.4	70.8924	46.9953
2019	11	13	19	58	1	0.3	3.3	0.71	94.2	70.8924	47.4324
2019	11	13	20	8	1	0.3	3.3	0.67	97	70.8924	44.3723
2019	11	13	20	18	1	0.3	3.3	0.72	94.4	70.8924	47.8696
2019	11	13	20	28	1	0.3	3.3	0.7	97.5	70.8924	46.5581
2019	11	13	20	38	1	0.3	3.3	0.7	98.1	70.8924	46.3395
2019	11	13	20	48	1	0.3	3.3	0.71	96.4	70.8924	46.7767
2019	11	13	20	58	1	0.3	3.3	0.7	97.6	70.8924	45.9024
2019	11	13	21	8	1	0.3	3.3	0.71	95.8	70.8924	47.2138
2019	11	13	21	18	1	0.3	3.3	0.69	96.8	70.8268	45.8581
2019	11	13	21	28	1	0.3	3.3	0.69	96.3	70.8924	45.4652
2019	11	13	21	38	1	0.3	3.3	0.7	97.5	70.8268	46.5132
2019	11	13	21	48	1	0.3	3.3	0.69	95.7	70.8268	45.6397
2019	11	13	21	58	1	0.3	3.3	0.7	95.4	70.8268	46.5132
2019	11	13	22	8	1	0.3	3.3	0.7	95.6	70.8268	46.5132
2019	11	13	22	18	1	0.3	3.3	0.69	96.6	70.8268	45.4214
2019	11	13	22	28	1	0.3	3.3	0.7	95.9	70.8268	46.2949
2019	11	13	22	38	1	0.3	3.3	0.7	96.7	70.8268	46.2949
2019	11	13	22	48	1	0.3	3.3	0.7	95.7	70.8268	46.2949
2019	11	13	22	58	1	0.3	3.3	0.68	94.9	70.8268	45.4214
2019	11	13	23	8	1	0.3	3.3	0.69	97.4	70.8268	45.4214
2019	11	13	23	18	1	0.3	3.3	0.66	94.6	70.8268	43.8928
2019	11	13	23	28	1	0.3	3.3	0.74	97.4	70.8268	48.9154
2019	11	13	23	38	1	0.3	3.3	0.7	98.8	70.8268	46.295
2019	11	13	23	48	1	0.3	3.3	0.72	96	70.8268	47.6052
2019	11	13	23	58	1	0.3	3.3	0.71	99.1	70.8268	46.5133
2019	11	14	0	8	1	0.3	3.3	0.73	97	70.8268	48.042
2019	11	14	0	18	1	0.3	3.3	0.7	98.6	70.8268	46.295
2019	11	14	0	28	1	0.3	3.3	0.67	96.7	70.8268	44.548
2019	11	14	0	38	1	0.3	3.3	0.7	98.1	70.8268	46.295
2019	11	14	0	48	1	0.3	3.3	0.7	96.7	70.8268	46.295
2019	11	14	0	58	1	0.3	3.3	0.69	96.6	70.8268	45.6399
2019	11	14	1	8	1	0.3	3.3	0.69	95.5	70.8268	45.4216
2019	11	14	1	18	1	0.3	3.3	0.72	96	70.8268	47.6053

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	14	1	28	1	0.3	3.3	0.7	95.4	70.8268	46.5135
2019	11	14	1	38	1	0.3	3.3	0.69	95.4	70.8268	45.8583
2019	11	14	1	48	1	0.3	3.3	0.71	94	70.7612	46.9049
2019	11	14	1	58	1	0.3	3.3	0.73	97.8	70.7612	47.9957
2019	11	14	2	8	1	0.3	3.3	0.67	97	70.8268	44.5481
2019	11	14	2	18	1	0.3	3.3	0.72	96.3	70.7612	47.3412
2019	11	14	2	28	1	0.3	3.3	0.7	95.7	70.7612	46.0323
2019	11	14	2	38	1	0.3	3.3	0.71	96.6	70.7612	47.1231
2019	11	14	2	48	1	0.3	3.3	0.7	98.1	70.7612	46.2505
2019	11	14	2	58	1	0.3	3.3	0.7	97.3	70.7612	46.0323
2019	11	14	3	8	1	0.3	3.3	0.72	99.5	70.7612	46.905
2019	11	14	3	18	1	0.3	3.3	0.69	94.6	70.7612	46.0323
2019	11	14	3	28	1	0.3	3.3	0.66	97.4	70.7612	43.8507
2019	11	14	3	38	1	0.3	3.3	0.68	94.4	70.7612	45.1597
2019	11	14	3	48	1	0.3	3.3	0.7	100	70.7612	45.8142
2019	11	14	3	58	1	0.3	3.3	0.68	97.5	70.7612	44.5052
2019	11	14	4	8	1	0.3	3.3	0.69	96	70.7612	45.5961
2019	11	14	4	18	1	0.3	3.3	0.71	96.6	70.7612	46.9051
2019	11	14	4	28	1	0.3	3.3	0.73	95.7	70.7612	47.9959
2019	11	14	4	38	1	0.3	3.3	0.68	97.7	70.7612	44.9416
2019	11	14	4	48	1	0.3	3.3	0.68	98.4	70.7612	44.5053
2019	11	14	4	58	1	0.3	3.3	0.71	96.1	70.7612	46.6869
2019	11	14	5	8	1	0.3	3.3	0.7	97.8	70.7612	46.2506
2019	11	14	5	18	1	0.3	3.3	0.72	97.9	70.7612	47.1233
2019	11	14	5	28	1	0.3	3.3	0.73	97.5	70.7612	48.2141
2019	11	14	5	38	1	0.3	3.3	0.68	97	70.7612	44.7235
2019	11	14	5	48	1	0.3	3.3	0.69	94.4	70.7612	45.5962
2019	11	14	5	58	1	0.3	3.3	0.69	99.2	70.7612	45.5962
2019	11	14	6	8	1	0.3	3.3	0.72	97.9	70.7612	47.3415
2019	11	14	6	18	1	0.3	3.3	0.69	94.9	70.7612	46.0325
2019	11	14	6	28	1	0.3	3.3	0.69	97.1	70.7612	45.8144
2019	11	14	6	38	1	0.3	3.3	0.71	94.5	70.7612	47.3416
2019	11	14	6	48	1	0.3	3.3	0.67	96.2	70.7612	44.5054
2019	11	14	6	58	1	0.3	3.3	0.71	95.8	70.7612	46.9053
2019	11	14	7	8	1	0.3	3.3	0.72	98.4	70.7612	47.5598
2019	11	14	7	18	1	0.3	3.3	0.68	97.4	70.7612	45.16
2019	11	14	7	28	1	0.3	3.3	0.67	97.1	70.7612	44.0692
2019	11	14	7	38	1	0.3	3.3	0.7	95.6	70.7612	46.469
2019	11	14	7	48	1	0.3	3.3	0.71	95.1	70.7612	46.9053
2019	11	14	7	58	1	0.3	3.3	0.7	95.6	70.8268	46.5139
2019	11	14	8	8	1	0.3	3.3	0.67	95.4	70.8268	44.1118
2019	11	14	8	18	1	0.3	3.3	0.67	94.8	70.8268	44.1118
2019	11	14	8	28	1	0.3	3.3	0.68	97.4	70.8268	45.2037
2019	11	14	8	38	1	0.3	3.3	0.69	96.8	70.8268	45.6404
2019	11	14	8	48	1	0.3	3.3	0.69	99	70.8268	45.4221
2019	11	14	8	58	1	0.3	3.3	0.7	94.8	70.8268	46.514
2019	11	14	9	8	1	0.3	3.3	0.67	97.1	70.8268	44.1118

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	14	9	18	1	0.3	3.3	0.7	98.1	70.8268	46.2956
2019	11	14	9	28	1	0.3	3.3	0.7	95.6	70.8924	46.5589
2019	11	14	9	38	1	0.3	3.3	0.69	95.8	70.8924	45.4659
2019	11	14	9	48	1	0.3	3.3	0.68	96.9	70.8924	45.2473
2019	11	14	9	58	1	0.3	3.3	0.7	93.8	70.8924	46.3402
2019	11	14	10	8	1	0.3	3.3	0.71	97.8	70.8924	46.5588
2019	11	14	10	18	1	0.3	3.3	0.69	96.8	70.8924	45.903
2019	11	14	10	28	1	0.3	3.3	0.69	98.2	70.958	45.2909
2019	11	14	10	38	1	0.3	3.3	0.7	97	70.958	46.6036
2019	11	14	10	48	1	0.3	3.3	0.66	97.4	70.958	43.7593
2019	11	14	10	58	1	0.3	3.3	0.69	95.7	70.958	45.9472
2019	11	14	11	8	1	0.3	3.3	0.71	98.3	70.958	46.6036
2019	11	14	11	18	1	0.3	3.3	0.69	95.8	70.958	45.5097
2019	11	14	11	28	1	0.3	3.3	0.7	95.7	71.0236	46.2105
2019	11	14	11	38	1	0.3	3.3	0.71	98	71.0236	46.6485
2019	11	14	11	48	1	0.3	3.3	0.67	96.2	70.958	44.1969
2019	11	14	11	58	1	0.3	3.3	0.7	97	71.0236	46.2104
2019	11	14	12	8	1	0.3	3.3	0.72	98.4	71.0892	47.7894
2019	11	14	12	18	1	0.3	3.3	0.69	98.2	71.0892	45.378
2019	11	14	12	28	1	0.3	3.3	0.68	96.9	71.1549	45.4216
2019	11	14	12	38	1	0.3	3.3	0.71	97.4	71.1549	47.3965
2019	11	14	12	48	1	0.3	3.3	0.71	94.5	71.1549	47.6159
2019	11	14	12	58	1	0.3	3.3	0.66	94.2	71.1549	44.3244
2019	11	14	13	8	1	0.3	3.3	0.76	97.7	71.2205	50.2973
2019	11	14	13	18	1	0.3	3.3	0.72	96.3	71.2205	47.6616
2019	11	14	13	28	1	0.3	3.3	0.74	99.9	71.2205	48.9794
2019	11	14	13	38	1	0.3	3.3	0.69	94.7	71.2205	45.9044
2019	11	14	13	48	1	0.3	3.3	0.72	97.3	71.2205	48.1008
2019	11	14	13	58	1	0.3	3.3	0.71	97.4	71.2861	47.2676
2019	11	14	14	8	1	0.3	3.3	0.71	96.6	71.2861	47.2675
2019	11	14	14	18	1	0.3	3.3	0.71	98	71.2861	46.8279
2019	11	14	14	28	1	0.3	3.3	0.72	97.8	71.3517	47.9731
2019	11	14	14	38	1	0.3	3.3	0.7	97	71.2861	46.3881
2019	11	14	14	48	1	0.3	3.3	0.71	95.8	71.2861	47.2675
2019	11	14	14	58	1	0.3	3.3	0.7	99.2	71.3517	46.2126
2019	11	14	15	8	1	0.3	3.3	0.69	98.2	71.3517	45.5523
2019	11	14	15	18	1	0.3	3.3	0.72	99.2	71.3517	47.7529
2019	11	14	15	28	1	0.3	3.3	0.72	96	71.3517	47.973
2019	11	14	15	38	1	0.3	3.3	0.71	99	71.3517	47.3128
2019	11	14	15	48	1	0.3	3.3	0.73	99	71.4173	48.4595
2019	11	14	15	58	1	0.3	3.3	0.71	95.6	71.3517	47.3128
2019	11	14	16	8	1	0.3	3.3	0.7	95.9	71.4173	46.6973
2019	11	14	16	18	1	0.3	3.3	0.68	97.4	71.4173	45.5959
2019	11	14	16	28	1	0.3	3.3	0.74	99.5	71.4173	48.9
2019	11	14	16	38	1	0.3	3.3	0.74	96.8	71.4829	49.6082
2019	11	14	16	48	1	0.3	3.3	0.72	97.1	71.4829	47.8443
2019	11	14	16	58	1	0.3	3.3	0.7	97.3	71.4829	46.7419

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	14	17	8	1	0.3	3.3	0.7	98.3	71.4829	46.7419
2019	11	14	17	18	1	0.3	3.3	0.68	95.8	71.4829	45.6395
2019	11	14	17	28	1	0.3	3.3	0.67	95.1	71.5486	44.5796
2019	11	14	17	38	1	0.3	3.3	0.71	95.8	71.5486	47.6693
2019	11	14	17	48	1	0.3	3.3	0.69	95.2	71.5486	46.1244
2019	11	14	17	58	1	0.3	3.3	0.69	96.6	71.5486	45.9037
2019	11	14	18	8	1	0.3	3.3	0.71	95.9	71.5486	47.2278
2019	11	14	18	18	1	0.3	3.3	0.69	95.7	71.5486	46.3451
2019	11	14	18	28	1	0.3	3.3	0.73	97.8	71.5486	48.5519
2019	11	14	18	38	1	0.3	3.3	0.73	96.5	71.5486	48.5519
2019	11	14	18	48	1	0.3	3.3	0.7	94.3	71.5486	47.2278
2019	11	14	18	58	1	0.3	3.3	0.73	97.3	71.6142	48.5983
2019	11	14	19	8	1	0.3	3.3	0.69	94.6	71.5486	46.345
2019	11	14	19	18	1	0.3	3.3	0.7	95.6	71.6142	47.0519
2019	11	14	19	28	1	0.3	3.3	0.73	97	71.6142	48.8191
2019	11	14	19	38	1	0.3	3.3	0.73	98.8	71.6142	48.3773
2019	11	14	19	48	1	0.3	3.3	0.71	98.5	71.6142	47.2728
2019	11	14	19	58	1	0.3	3.3	0.7	96.2	71.6142	47.0519
2019	11	14	20	8	1	0.3	3.3	0.69	94.9	71.6142	46.3892
2019	11	14	20	18	1	0.3	3.3	0.68	98	71.6142	45.5056
2019	11	14	20	28	1	0.3	3.3	0.7	99.1	71.6142	46.831
2019	11	14	20	38	1	0.3	3.3	0.71	94.5	71.6142	47.4937
2019	11	14	20	48	1	0.3	3.3	0.72	99.2	71.6142	47.9355
2019	11	14	20	58	1	0.3	3.3	0.73	95.4	71.6142	49.04
2019	11	14	21	8	1	0.3	3.3	0.71	96.6	71.6142	47.7146
2019	11	14	21	18	1	0.3	3.3	0.72	98.4	71.6798	48.2024
2019	11	14	21	28	1	0.3	3.3	0.72	96	71.6798	48.2024
2019	11	14	21	38	1	0.3	3.3	0.64	95	71.6798	42.8957
2019	11	14	21	48	1	0.3	3.3	0.69	97.1	71.6798	46.2124
2019	11	14	21	58	1	0.3	3.3	0.67	95.7	71.6798	44.6646
2019	11	14	22	8	1	0.3	3.3	0.71	97.2	71.6798	47.3179
2019	11	14	22	18	1	0.3	3.3	0.74	97.4	71.6798	49.5291
2019	11	14	22	28	1	0.3	3.3	0.72	95	71.6798	48.4235
2019	11	14	22	38	1	0.3	3.3	0.71	99	71.6798	47.5391
2019	11	14	22	48	1	0.3	3.3	0.72	98.9	71.6798	47.7602
2019	11	14	22	58	1	0.3	3.3	0.69	97.4	71.6798	46.2124
2019	11	14	23	8	1	0.3	3.3	0.7	96.7	71.6798	46.8758
2019	11	14	23	18	1	0.3	3.3	0.69	97.4	71.6798	46.2124
2019	11	14	23	28	1	0.3	3.3	0.71	95.8	71.6798	47.7602
2019	11	14	23	38	1	0.3	3.3	0.72	95.5	71.6798	47.9814
2019	11	14	23	48	1	0.3	3.3	0.71	99.3	71.6798	47.0969
2019	11	14	23	58	1	0.3	3.3	0.68	93.6	71.6798	45.7703
2019	11	15	0	8	1	0.3	3.3	0.72	96.8	71.6798	47.9814
2019	11	15	0	18	1	0.3	3.3	0.72	96.8	71.6798	48.2025
2019	11	15	0	28	1	0.3	3.3	0.73	97	71.6798	48.8659
2019	11	15	0	38	1	0.3	3.3	0.71	96.6	71.6798	47.5392
2019	11	15	0	48	1	0.3	3.3	0.69	94.1	71.6798	46.2125

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	15	0	58	1	0.3	3.3	0.73	97.8	71.6798	48.4237
2019	11	15	1	8	1	0.3	3.3	0.72	95.5	71.6798	47.9814
2019	11	15	1	18	1	0.3	3.3	0.72	96.6	71.6798	47.9815
2019	11	15	1	28	1	0.3	3.3	0.73	95.4	71.6798	48.8659
2019	11	15	1	38	1	0.3	3.3	0.73	97.3	71.6798	48.6448
2019	11	15	1	48	1	0.3	3.3	0.74	98.4	71.6798	49.5293
2019	11	15	1	58	1	0.3	3.3	0.71	94.5	71.6798	47.9815
2019	11	15	2	8	1	0.3	3.3	0.72	98.2	71.6798	47.7604
2019	11	15	2	18	1	0.3	3.3	0.73	96.2	71.6142	48.8194
2019	11	15	2	28	1	0.3	3.3	0.7	97.5	71.6142	46.8313
2019	11	15	2	38	1	0.3	3.3	0.69	96.6	71.6142	46.1686
2019	11	15	2	48	1	0.3	3.3	0.71	96.7	71.6142	47.2731
2019	11	15	2	58	1	0.3	3.3	0.7	94.3	71.6142	47.2731
2019	11	15	3	8	1	0.3	3.3	0.71	101.5	71.6142	46.8313
2019	11	15	3	18	1	0.3	3.3	0.7	94.5	71.6142	47.2731
2019	11	15	3	28	1	0.3	3.3	0.74	97.4	71.6142	49.4822
2019	11	15	3	38	1	0.3	3.3	0.71	97.7	71.6142	47.2732
2019	11	15	3	48	1	0.3	3.3	0.71	97.7	71.6142	47.4941
2019	11	15	3	58	1	0.3	3.3	0.73	96.5	71.6142	48.8195
2019	11	15	4	8	1	0.3	3.3	0.71	98.5	71.6142	47.2732
2019	11	15	4	18	1	0.3	3.3	0.73	94.4	71.6142	49.0405
2019	11	15	4	28	1	0.3	3.3	0.72	97.9	71.6142	47.7151
2019	11	15	4	38	1	0.3	3.3	0.69	96.8	71.6142	46.1688
2019	11	15	4	48	1	0.3	3.3	0.7	97.5	71.6142	47.0524
2019	11	15	4	58	1	0.3	3.3	0.71	98	71.6142	47.0524
2019	11	15	5	8	1	0.3	3.3	0.71	96.6	71.6142	47.4943
2019	11	15	5	18	1	0.3	3.3	0.7	97.6	71.6142	46.3897
2019	11	15	5	28	1	0.3	3.3	0.68	99.1	71.6142	45.2852
2019	11	15	5	38	1	0.3	3.3	0.7	96.5	71.6142	46.8316
2019	11	15	5	48	1	0.3	3.3	0.71	97.9	71.6142	47.4943
2019	11	15	5	58	1	0.3	3.3	0.71	98.5	71.6142	47.4943
2019	11	15	6	8	1	0.3	3.3	0.69	96.9	71.6142	45.948
2019	11	15	6	18	1	0.3	3.3	0.72	95.2	71.6142	48.1571
2019	11	15	6	28	1	0.3	3.3	0.73	97.8	71.6142	48.378
2019	11	15	6	38	1	0.3	3.3	0.68	95.5	71.6142	45.5063
2019	11	15	6	48	1	0.3	3.3	0.71	99.1	71.6142	47.0526
2019	11	15	6	58	1	0.3	3.3	0.73	96.5	71.6142	48.8199
2019	11	15	7	8	1	0.3	3.3	0.67	95.9	71.6142	44.8436
2019	11	15	7	18	1	0.3	3.3	0.69	94.9	71.6142	46.6108
2019	11	15	7	28	1	0.3	3.3	0.73	97.7	71.5486	48.994
2019	11	15	7	38	1	0.3	3.3	0.7	96.2	71.5486	46.5664
2019	11	15	7	48	1	0.3	3.3	0.71	95.3	71.6142	47.7154
2019	11	15	7	58	1	0.3	3.3	0.68	96.9	71.5486	45.4629
2019	11	15	8	8	1	0.3	3.3	0.72	97.9	71.5486	47.6699
2019	11	15	8	18	1	0.3	3.3	0.73	96.9	71.5486	48.9941
2019	11	15	8	28	1	0.3	3.3	0.68	96.4	71.5486	45.4629
2019	11	15	8	38	1	0.3	3.3	0.7	95.9	71.6142	46.8318

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	15	8	48	1	0.3	3.3	0.69	96.8	71.5486	46.3457
2019	11	15	8	58	1	0.3	3.3	0.68	95.2	71.5486	45.6836
2019	11	15	9	8	1	0.3	3.3	0.69	96.5	71.6142	46.39
2019	11	15	9	18	1	0.3	3.3	0.68	97.4	71.6142	45.7273
2019	11	15	9	28	1	0.3	3.3	0.72	98.6	71.6142	47.9363
2019	11	15	9	38	1	0.3	3.3	0.7	94.3	71.6142	47.2736
2019	11	15	9	48	1	0.3	3.3	0.7	94.8	71.6142	47.2736
2019	11	15	9	58	1	0.3	3.3	0.71	94.5	71.6142	47.7154
2019	11	15	10	8	1	0.3	3.3	0.7	95.7	71.6142	46.8318
2019	11	15	10	18	1	0.3	3.3	0.68	94.4	71.6142	45.7273
2019	11	15	10	28	1	0.3	3.3	0.7	96.8	71.6142	46.6109
2019	11	15	10	38	1	0.3	3.3	0.69	96.9	71.6142	45.9482
2019	11	15	10	48	1	0.3	3.3	0.71	96.7	71.5486	47.2285
2019	11	15	10	58	1	0.3	3.3	0.68	96.1	71.6142	45.5063
2019	11	15	11	8	1	0.3	3.3	0.71	96.4	71.6142	47.4945
2019	11	15	11	18	1	0.3	3.3	0.69	95.7	71.6142	46.3899
2019	11	15	11	28	1	0.3	3.3	0.71	95.6	71.6142	47.7153
2019	11	15	11	38	1	0.3	3.3	0.72	95.2	71.6142	48.1571
2019	11	15	11	48	1	0.3	3.3	0.7	97	71.6142	46.6107
2019	11	15	11	58	1	0.3	3.3	0.7	97.6	71.6142	46.6107
2019	11	15	12	8	1	0.3	3.3	0.69	96.8	71.6142	46.3897
2019	11	15	12	18	1	0.3	3.3	0.66	94.5	71.6142	44.6225
2019	11	15	12	28	1	0.3	3.3	0.7	96.5	71.6142	46.8315
2019	11	15	12	38	1	0.3	3.3	0.71	97.4	71.6142	47.4942
2019	11	15	12	48	1	0.3	3.3	0.7	98.9	71.6142	46.3897
2019	11	15	12	58	1	0.3	3.3	0.71	95.9	71.6142	47.2732
2019	11	15	13	8	1	0.3	3.3	0.69	97.9	71.6142	46.1687
2019	11	15	13	18	1	0.3	3.3	0.71	96.9	71.6142	47.4942
2019	11	15	13	28	1	0.3	3.3	0.72	97.9	71.6142	47.9359
2019	11	15	13	38	1	0.3	3.3	0.71	99.6	71.6142	47.0523
2019	11	15	13	48	1	0.3	3.3	0.68	98.6	71.6142	45.2851
2019	11	15	13	58	1	0.3	3.3	0.71	95.6	71.6142	47.4941
2019	11	15	14	8	1	0.3	3.3	0.72	98.1	71.6142	48.1568
2019	11	15	14	18	1	0.3	3.3	0.68	97.2	71.6142	45.7269
2019	11	15	14	28	1	0.3	3.3	0.71	99	71.6142	47.4941
2019	11	15	14	38	1	0.3	3.3	0.71	96.6	71.6142	47.715
2019	11	15	14	48	1	0.3	3.3	0.71	99	71.6142	47.2732
2019	11	15	14	58	1	0.3	3.3	0.73	96	71.6142	48.5986
2019	11	15	15	8	1	0.3	3.3	0.71	95.3	71.6142	47.7149
2019	11	15	15	18	1	0.3	3.3	0.68	96.9	71.6142	45.7268
2019	11	15	15	28	1	0.3	3.3	0.72	96.5	71.6142	48.1567
2019	11	15	15	38	1	0.3	3.3	0.7	98.1	71.6142	46.6104
2019	11	15	15	48	1	0.3	3.3	0.7	95.7	71.6798	46.6549
2019	11	15	15	58	1	0.3	3.3	0.75	97.8	71.6142	49.9239
2019	11	15	16	8	1	0.3	3.3	0.72	97.1	71.6142	47.9358
2019	11	15	16	18	1	0.3	3.3	0.72	96.8	71.6142	48.1567
2019	11	15	16	28	1	0.3	3.3	0.73	98.3	71.6798	48.6448

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	15	16	38	1	0.3	3.3	0.7	97.8	71.6798	46.6548
2019	11	15	16	48	1	0.3	3.3	0.68	97	71.6142	45.2849
2019	11	15	16	58	1	0.3	3.3	0.7	95.7	71.6142	46.8312
2019	11	15	17	8	1	0.3	3.3	0.7	96.7	71.6798	47.097
2019	11	15	17	18	1	0.3	3.3	0.69	95.5	71.6142	45.9476
2019	11	15	17	28	1	0.3	3.3	0.71	96.9	71.6798	47.7603
2019	11	15	17	38	1	0.3	3.3	0.72	97.3	71.6798	48.2025
2019	11	15	17	48	1	0.3	3.3	0.7	97.5	71.6798	47.0969
2019	11	15	17	58	1	0.3	3.3	0.7	95.1	71.6798	47.0969
2019	11	15	18	8	1	0.3	3.3	0.7	96.2	71.6798	46.8758
2019	11	15	18	18	1	0.3	3.3	0.69	98.2	71.6798	46.2124
2019	11	15	18	28	1	0.3	3.3	0.7	93.7	71.6798	47.318
2019	11	15	18	38	1	0.3	3.3	0.73	97.5	71.6798	48.8658
2019	11	15	18	48	1	0.3	3.3	0.68	98.1	71.6798	45.1068
2019	11	15	18	58	1	0.3	3.3	0.68	95	71.6798	45.3279
2019	11	15	19	8	1	0.3	3.3	0.72	96.6	71.6798	47.9813
2019	11	15	19	18	1	0.3	3.3	0.72	96.3	71.6798	48.2024
2019	11	15	19	28	1	0.3	3.3	0.7	95.6	71.6798	47.0968
2019	11	15	19	38	1	0.3	3.3	0.72	96.6	71.6798	47.9812
2019	11	15	19	48	1	0.3	3.3	0.69	97.4	71.6798	45.9912
2019	11	15	19	58	1	0.3	3.3	0.68	94.4	71.6798	45.549
2019	11	15	20	8	1	0.3	3.3	0.7	94.6	71.6798	47.0968
2019	11	15	20	18	1	0.3	3.3	0.68	97.2	71.6798	45.3279
2019	11	15	20	28	1	0.3	3.3	0.72	94.2	71.6798	48.4235
2019	11	15	20	38	1	0.3	3.3	0.76	98.5	71.6798	50.4135
2019	11	15	20	48	1	0.3	3.3	0.7	96.7	71.6798	47.0968
2019	11	15	20	58	1	0.3	3.3	0.71	99.1	71.6798	47.0968
2019	11	15	21	8	1	0.3	3.3	0.69	95.7	71.6798	46.4335
2019	11	15	21	18	1	0.3	3.3	0.72	94.7	71.6798	48.6446
2019	11	15	21	28	1	0.3	3.3	0.69	99.9	71.6798	45.7701
2019	11	15	21	38	1	0.3	3.3	0.73	96.2	71.6798	48.8657
2019	11	15	21	48	1	0.3	3.3	0.68	97.5	71.6142	45.5056
2019	11	15	21	58	1	0.3	3.3	0.7	96.7	71.6142	47.0519
2019	11	15	22	8	1	0.3	3.3	0.68	94.7	71.6142	45.5056
2019	11	15	22	18	1	0.3	3.3	0.71	95.3	71.6142	47.4937
2019	11	15	22	28	1	0.3	3.3	0.69	98.2	71.6142	45.7265
2019	11	15	22	38	1	0.3	3.3	0.71	99.1	71.6142	47.052
2019	11	15	22	48	1	0.3	3.3	0.7	95.7	71.6142	46.8311
2019	11	15	22	58	1	0.3	3.3	0.7	95.9	71.6142	47.052
2019	11	15	23	8	1	0.3	3.3	0.7	96.7	71.6142	47.052
2019	11	15	23	18	1	0.3	3.3	0.71	97.9	71.6142	47.4938
2019	11	15	23	28	1	0.3	3.3	0.7	98.1	71.6142	46.8311
2019	11	15	23	38	1	0.3	3.3	0.73	97.8	71.6142	48.5984
2019	11	15	23	48	1	0.3	3.3	0.71	98	71.6142	47.273
2019	11	15	23	58	1	0.3	3.3	0.69	95.2	71.6142	46.1685
2019	11	16	0	8	1	0.3	3.3	0.7	94.3	71.6142	46.8312
2019	11	16	0	18	1	0.3	3.3	0.69	96.8	71.6142	46.1685

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	16	0	28	1	0.3	3.3	0.7	95.6	71.6142	47.0521
2019	11	16	0	38	1	0.3	3.3	0.69	96.8	71.6142	46.1685
2019	11	16	0	48	1	0.3	3.3	0.68	93.3	71.6142	45.7267
2019	11	16	0	58	1	0.3	3.3	0.7	96.2	71.5486	47.0072
2019	11	16	1	8	1	0.3	3.3	0.71	98	71.5486	47.0072
2019	11	16	1	18	1	0.3	3.3	0.7	96.7	71.5486	46.7866
2019	11	16	1	28	1	0.3	3.3	0.73	97	71.5486	48.7728
2019	11	16	1	38	1	0.3	3.3	0.69	93.5	71.5486	46.3452
2019	11	16	1	48	1	0.3	3.3	0.67	99.2	71.5486	44.8004
2019	11	16	1	58	1	0.3	3.3	0.74	96.6	71.5486	49.4349
2019	11	16	2	8	1	0.3	3.3	0.71	96.6	71.5486	47.4487
2019	11	16	2	18	1	0.3	3.3	0.73	97.2	71.5486	48.7729
2019	11	16	2	28	1	0.3	3.3	0.66	95.7	71.5486	44.1383
2019	11	16	2	38	1	0.3	3.3	0.68	96.1	71.5486	45.4625
2019	11	16	2	48	1	0.3	3.3	0.68	93.6	71.5486	45.6832
2019	11	16	2	58	1	0.3	3.3	0.69	96.9	71.5486	45.9039
2019	11	16	3	8	1	0.3	3.3	0.73	97.5	71.5486	48.5522
2019	11	16	3	18	1	0.3	3.3	0.7	98.9	71.5486	46.566
2019	11	16	3	28	1	0.3	3.3	0.71	99.2	71.5486	47.4488
2019	11	16	3	38	1	0.3	3.3	0.69	96.8	71.5486	46.3454
2019	11	16	3	48	1	0.3	3.3	0.74	95.6	71.4829	49.3878
2019	11	16	3	58	1	0.3	3.3	0.72	96	71.4829	48.065
2019	11	16	4	8	1	0.3	3.3	0.74	95.6	71.4829	49.3879
2019	11	16	4	18	1	0.3	3.3	0.7	98.1	71.4829	46.5216
2019	11	16	4	28	1	0.3	3.3	0.72	96.5	71.4829	48.065
2019	11	16	4	38	1	0.3	3.3	0.68	95.8	71.4829	45.6397
2019	11	16	4	48	1	0.3	3.3	0.68	95	71.4829	45.6397
2019	11	16	4	58	1	0.3	3.3	0.67	97.7	71.4829	44.3169
2019	11	16	5	8	1	0.3	3.3	0.71	95.6	71.4829	47.4036
2019	11	16	5	18	1	0.3	3.3	0.72	97.1	71.4829	47.8446
2019	11	16	5	28	1	0.3	3.3	0.66	97.4	71.4829	44.0964
2019	11	16	5	38	1	0.3	3.3	0.69	97.3	71.4829	46.3013
2019	11	16	5	48	1	0.3	3.3	0.68	95.8	71.4829	45.4194
2019	11	16	5	58	1	0.3	3.3	0.72	98.1	71.4829	48.0652
2019	11	16	6	8	1	0.3	3.3	0.71	96.9	71.4829	47.1832
2019	11	16	6	18	1	0.3	3.3	0.68	97.4	71.4829	45.6399
2019	11	16	6	28	1	0.3	3.3	0.73	96.2	71.4829	48.5062
2019	11	16	6	38	1	0.3	3.3	0.74	95.6	71.4829	49.1676
2019	11	16	6	48	1	0.3	3.3	0.7	97.9	71.4173	46.2571
2019	11	16	6	58	1	0.3	3.3	0.7	98.1	71.4173	46.2571
2019	11	16	7	8	1	0.3	3.3	0.73	97.8	71.4829	48.5062
2019	11	16	7	18	1	0.3	3.3	0.69	96.8	71.4829	46.081
2019	11	16	7	28	1	0.3	3.3	0.68	96.1	71.4173	45.3761
2019	11	16	7	38	1	0.3	3.3	0.72	97.8	71.4173	48.0194
2019	11	16	7	48	1	0.3	3.3	0.68	96.1	71.4173	45.3761
2019	11	16	7	58	1	0.3	3.3	0.69	97.4	71.4173	46.0369
2019	11	16	8	8	1	0.3	3.3	0.67	97	71.4173	44.7153

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	16	8	18	1	0.3	3.3	0.68	98.3	71.4173	45.3762
2019	11	16	8	28	1	0.3	3.3	0.7	96.2	71.4173	46.4775
2019	11	16	8	38	1	0.3	3.3	0.67	97	71.4173	44.7154
2019	11	16	8	48	1	0.3	3.3	0.71	95.3	71.4173	47.5789
2019	11	16	8	58	1	0.3	3.3	0.72	95.2	71.4173	48.2397
2019	11	16	9	8	1	0.3	3.3	0.68	98.3	71.4173	45.3762
2019	11	16	9	18	1	0.3	3.3	0.7	96.4	71.4173	46.9181
2019	11	16	9	28	1	0.3	3.3	0.7	98.1	71.4173	46.4775
2019	11	16	9	38	1	0.3	3.3	0.71	95.6	71.4173	47.1383
2019	11	16	9	48	1	0.3	3.3	0.69	96.9	71.4173	45.8167
2019	11	16	9	58	1	0.3	3.3	0.72	97.6	71.4173	47.7991
2019	11	16	10	8	1	0.3	3.3	0.68	97.2	71.4173	45.1558
2019	11	16	10	18	1	0.3	3.3	0.69	98.2	71.4173	46.0369
2019	11	16	10	28	1	0.3	3.3	0.71	95.6	71.4173	47.1382
2019	11	16	10	38	1	0.3	3.3	0.69	95.7	71.4173	46.2571
2019	11	16	10	48	1	0.3	3.3	0.7	96.7	71.4173	46.6977
2019	11	16	10	58	1	0.3	3.3	0.65	96.9	71.4173	43.3936
2019	11	16	11	8	1	0.3	3.3	0.72	96.6	71.3517	47.7532
2019	11	16	11	18	1	0.3	3.3	0.68	96.1	71.3517	45.5526
2019	11	16	11	28	1	0.3	3.3	0.66	94.8	71.4173	44.2746
2019	11	16	11	38	1	0.3	3.3	0.67	95.1	71.4173	44.4948
2019	11	16	11	48	1	0.3	3.3	0.69	95.7	71.4173	46.257
2019	11	16	11	58	1	0.3	3.3	0.7	96.7	71.3517	46.6528
2019	11	16	12	8	1	0.3	3.3	0.67	98.4	71.4173	44.4948
2019	11	16	12	18	1	0.3	3.3	0.71	94.8	71.3517	47.3129
2019	11	16	12	28	1	0.3	3.3	0.71	95.6	71.4173	47.3582
2019	11	16	12	38	1	0.3	3.3	0.74	98.2	71.3517	48.8533
2019	11	16	12	48	1	0.3	3.3	0.73	93.3	71.3517	49.0734
2019	11	16	12	58	1	0.3	3.3	0.71	95.6	71.3517	47.0928
2019	11	16	13	8	1	0.3	3.3	0.7	95.1	71.3517	47.0928
2019	11	16	13	18	1	0.3	3.3	0.72	96.6	71.2861	47.7072
2019	11	16	13	28	1	0.3	3.3	0.72	97.6	71.3517	47.7529
2019	11	16	13	38	1	0.3	3.3	0.68	94.7	71.3517	45.7724
2019	11	16	13	48	1	0.3	3.3	0.72	98.7	71.3517	47.5328
2019	11	16	13	58	1	0.3	3.3	0.69	94.9	71.3517	46.4325
2019	11	16	14	8	1	0.3	3.3	0.71	97.1	71.3517	47.5328
2019	11	16	14	18	1	0.3	3.3	0.71	93.4	71.3517	47.5328
2019	11	16	14	28	1	0.3	3.3	0.7	98.6	71.3517	46.6525
2019	11	16	14	38	1	0.3	3.3	0.72	93.2	71.3517	47.9729
2019	11	16	14	48	1	0.3	3.3	0.72	96.5	71.3517	48.1929
2019	11	16	14	58	1	0.3	3.3	0.68	97.2	71.3517	45.5522
2019	11	16	15	8	1	0.3	3.3	0.67	95.6	71.2861	44.6291
2019	11	16	15	18	1	0.3	3.3	0.71	94	71.2861	47.2673
2019	11	16	15	28	1	0.3	3.3	0.71	96.4	71.2861	47.0474
2019	11	16	15	38	1	0.3	3.3	0.71	95.9	71.2205	47.0023
2019	11	16	15	48	1	0.3	3.3	0.71	97.4	71.2861	47.2673
2019	11	16	15	58	1	0.3	3.3	0.66	97.4	71.2205	43.7078

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	16	16	8	1	0.3	3.3	0.68	95.8	71.2205	45.0256
2019	11	16	16	18	1	0.3	3.3	0.68	93.9	71.2205	45.2452
2019	11	16	16	28	1	0.3	3.3	0.72	97.9	71.1549	47.396
2019	11	16	16	38	1	0.3	3.3	0.7	100.3	71.1549	46.0794
2019	11	16	16	48	1	0.3	3.3	0.66	97.4	71.1549	44.1046
2019	11	16	16	58	1	0.3	3.3	0.71	96.6	71.1549	47.1765
2019	11	16	17	8	1	0.3	3.3	0.7	95.1	71.1549	46.2988
2019	11	16	17	18	1	0.3	3.3	0.68	98.6	71.1549	45.2016
2019	11	16	17	28	1	0.3	3.3	0.7	96.7	71.1549	46.7376
2019	11	16	17	38	1	0.3	3.3	0.69	95.8	71.1549	45.6404
2019	11	16	17	48	1	0.3	3.3	0.69	97.4	71.1549	45.8598
2019	11	16	17	58	1	0.3	3.3	0.7	96.7	71.1549	46.7375
2019	11	16	18	8	1	0.3	3.3	0.68	97.2	71.1549	45.4209
2019	11	16	18	18	1	0.3	3.3	0.71	98	71.1549	46.7375
2019	11	16	18	28	1	0.3	3.3	0.67	96.4	71.1549	44.7626
2019	11	16	18	38	1	0.3	3.3	0.71	93.4	71.1549	47.3957
2019	11	16	18	48	1	0.3	3.3	0.69	97.1	71.1549	45.8597
2019	11	16	18	58	1	0.3	3.3	0.69	95.7	71.1549	46.0791
2019	11	16	19	8	1	0.3	3.3	0.7	94.8	71.1549	46.7374
2019	11	16	19	18	1	0.3	3.3	0.72	96.8	71.1549	47.6151
2019	11	16	19	28	1	0.3	3.3	0.72	96.5	71.1549	47.8345
2019	11	16	19	38	1	0.3	3.3	0.69	97.4	71.1549	45.6402
2019	11	16	19	48	1	0.3	3.3	0.71	98.2	71.1549	47.1762
2019	11	16	19	58	1	0.3	3.3	0.69	98.4	71.1549	45.8596
2019	11	16	20	8	1	0.3	3.3	0.71	96.6	71.1549	47.1762
2019	11	16	20	18	1	0.3	3.3	0.71	97.8	71.1549	46.7373
2019	11	16	20	28	1	0.3	3.3	0.7	96.4	71.1549	46.7373
2019	11	16	20	38	1	0.3	3.3	0.71	97.5	71.1549	46.9567
2019	11	16	20	48	1	0.3	3.3	0.7	94.6	71.1549	46.5179
2019	11	16	20	58	1	0.3	3.3	0.68	95	71.1549	45.4208
2019	11	16	21	8	1	0.3	3.3	0.69	97.1	71.1549	45.8596
2019	11	16	21	18	1	0.3	3.3	0.72	97.4	71.1549	47.615
2019	11	16	21	28	1	0.3	3.3	0.74	96.3	71.1549	49.3704
2019	11	16	21	38	1	0.3	3.3	0.69	98.5	71.0892	45.3771
2019	11	16	21	48	1	0.3	3.3	0.68	95	71.0892	45.3772
2019	11	16	21	58	1	0.3	3.3	0.71	95.3	71.0892	46.9117
2019	11	16	22	8	1	0.3	3.3	0.73	95.5	71.0892	48.2269
2019	11	16	22	18	1	0.3	3.3	0.68	98.1	71.0892	44.9388
2019	11	16	22	28	1	0.3	3.3	0.72	98.4	71.0892	47.3501
2019	11	16	22	38	1	0.3	3.3	0.73	97.4	71.0892	48.6654
2019	11	16	22	48	1	0.3	3.3	0.72	97.6	71.0892	47.3501
2019	11	16	22	58	1	0.3	3.3	0.69	97.9	71.0892	45.8157
2019	11	16	23	8	1	0.3	3.3	0.68	95	71.0892	45.3773
2019	11	16	23	18	1	0.3	3.3	0.73	95.4	71.0892	48.6655
2019	11	16	23	28	1	0.3	3.3	0.71	96.6	71.0892	47.131
2019	11	16	23	38	1	0.3	3.3	0.73	96	71.0892	48.2271
2019	11	16	23	48	1	0.3	3.3	0.68	97.5	71.0892	44.7197

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	16	23	58	1	0.3	3.3	0.71	97.4	71.0892	47.131
2019	11	17	0	8	1	0.3	3.3	0.67	96.2	71.0892	44.5005
2019	11	17	0	18	1	0.3	3.3	0.7	97.5	71.0892	46.4734
2019	11	17	0	28	1	0.3	3.3	0.7	96.7	71.0892	46.6926
2019	11	17	0	38	1	0.3	3.3	0.71	93.5	71.0892	47.1311
2019	11	17	0	48	1	0.3	3.3	0.69	97.1	71.0892	45.8158
2019	11	17	0	58	1	0.3	3.3	0.68	94.7	71.0892	45.5966
2019	11	17	1	8	1	0.3	3.3	0.69	94.1	71.0892	46.0351
2019	11	17	1	18	1	0.3	3.3	0.71	99.1	71.0892	46.6927
2019	11	17	1	28	1	0.3	3.3	0.65	95.5	71.0892	43.4045
2019	11	17	1	38	1	0.3	3.3	0.66	98.5	71.0892	43.843
2019	11	17	1	48	1	0.3	3.3	0.66	98.3	71.0892	43.4045
2019	11	17	1	58	1	0.3	3.3	0.66	98.9	71.0892	43.4046
2019	11	17	2	8	1	0.3	3.3	0.66	93.4	71.0892	43.843
2019	11	17	2	18	1	0.3	3.3	0.69	96.3	71.0236	45.9909
2019	11	17	2	28	1	0.3	3.3	0.69	95.8	71.0892	45.5967
2019	11	17	2	38	1	0.3	3.3	0.7	96.2	71.0236	46.6479
2019	11	17	2	48	1	0.3	3.3	0.68	95.3	71.0236	45.1149
2019	11	17	2	58	1	0.3	3.3	0.7	96.7	71.0236	46.4289
2019	11	17	3	8	1	0.3	3.3	0.72	97.9	71.0236	47.305
2019	11	17	3	18	1	0.3	3.3	0.69	95.4	71.0236	45.991
2019	11	17	3	28	1	0.3	3.3	0.67	97.9	71.0236	44.4579
2019	11	17	3	38	1	0.3	3.3	0.7	94.8	71.0236	46.648
2019	11	17	3	48	1	0.3	3.3	0.72	96.8	71.0236	47.743
2019	11	17	3	58	1	0.3	3.3	0.69	97.7	71.0236	45.553
2019	11	17	4	8	1	0.3	3.3	0.68	95	71.0236	45.334
2019	11	17	4	18	1	0.3	3.3	0.72	97.6	71.0236	47.5241
2019	11	17	4	28	1	0.3	3.3	0.67	99	71.0236	44.02
2019	11	17	4	38	1	0.3	3.3	0.72	97.6	71.0236	47.5241
2019	11	17	4	48	1	0.3	3.3	0.7	96.8	71.0236	46.2101
2019	11	17	4	58	1	0.3	3.3	0.7	97.5	71.0236	46.6481
2019	11	17	5	8	1	0.3	3.3	0.7	97	71.0236	46.2101
2019	11	17	5	18	1	0.3	3.3	0.68	93.3	71.0236	45.5531
2019	11	17	5	28	1	0.3	3.3	0.7	95.9	71.0236	46.4291
2019	11	17	5	38	1	0.3	3.3	0.72	96.5	71.0236	47.7432
2019	11	17	5	48	1	0.3	3.3	0.7	95.9	71.0236	46.4292
2019	11	17	5	58	1	0.3	3.3	0.68	97.4	71.0236	45.3342
2019	11	17	6	8	1	0.3	3.3	0.73	97.8	71.0236	47.9623
2019	11	17	6	18	1	0.3	3.3	0.69	97.7	71.0236	45.5532
2019	11	17	6	28	1	0.3	3.3	0.7	97	71.0236	46.6483
2019	11	17	6	38	1	0.3	3.3	0.7	96	71.0236	46.2103
2019	11	17	6	48	1	0.3	3.3	0.68	96.3	71.0236	45.3342
2019	11	17	6	58	1	0.3	3.3	0.7	98.4	71.0236	46.2103
2019	11	17	7	8	1	0.3	3.3	0.72	98.2	71.0236	47.3053
2019	11	17	7	18	1	0.3	3.3	0.7	97	71.0236	46.2103
2019	11	17	7	28	1	0.3	3.3	0.69	97.1	71.0236	45.5533
2019	11	17	7	38	1	0.3	3.3	0.72	97.6	71.0236	47.5244

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	17	7	48	1	0.3	3.3	0.71	95.6	71.0236	46.8674
2019	11	17	7	58	1	0.3	3.3	0.69	99.6	70.958	45.2907
2019	11	17	8	8	1	0.3	3.3	0.73	98.1	70.958	47.9163
2019	11	17	8	18	1	0.3	3.3	0.68	97.5	71.0236	44.6774
2019	11	17	8	28	1	0.3	3.3	0.66	97.1	70.958	43.7592
2019	11	17	8	38	1	0.3	3.3	0.71	96.7	70.958	46.8223
2019	11	17	8	48	1	0.3	3.3	0.71	95.6	71.0236	46.8674
2019	11	17	8	58	1	0.3	3.3	0.69	98.7	71.0236	45.7724
2019	11	17	9	8	1	0.3	3.3	0.67	96.5	71.0236	44.2394
2019	11	17	9	18	1	0.3	3.3	0.7	96.8	70.958	46.1659
2019	11	17	9	28	1	0.3	3.3	0.68	99.7	71.0236	44.6774
2019	11	17	9	38	1	0.3	3.3	0.72	97.6	71.0236	47.5244
2019	11	17	9	48	1	0.3	3.3	0.68	97.5	71.0236	44.6773
2019	11	17	9	58	1	0.3	3.3	0.7	95.4	71.0236	46.2104
2019	11	17	10	8	1	0.3	3.3	0.73	93.3	71.0236	48.8384
2019	11	17	10	18	1	0.3	3.3	0.69	95.8	71.0236	45.5533
2019	11	17	10	28	1	0.3	3.3	0.69	94.9	71.0236	45.9913
2019	11	17	10	38	1	0.3	3.3	0.69	99.3	71.0236	45.3343
2019	11	17	10	48	1	0.3	3.3	0.7	97	71.0236	46.2103
2019	11	17	10	58	1	0.3	3.3	0.69	95.7	71.0236	45.9913
2019	11	17	11	8	1	0.3	3.3	0.71	99.1	71.0236	46.6483
2019	11	17	11	18	1	0.3	3.3	0.7	96.8	71.0236	46.2102
2019	11	17	11	28	1	0.3	3.3	0.7	97.5	71.0236	46.6482
2019	11	17	11	38	1	0.3	3.3	0.69	95.5	71.0236	45.5532
2019	11	17	11	48	1	0.3	3.3	0.68	96.6	71.0236	45.3341
2019	11	17	11	58	1	0.3	3.3	0.74	97.9	71.0236	48.8382
2019	11	17	12	8	1	0.3	3.3	0.66	98.5	71.0236	43.8011
2019	11	17	12	18	1	0.3	3.3	0.72	97.5	71.0236	47.9621
2019	11	17	12	28	1	0.3	3.3	0.71	96.1	71.0236	47.0861
2019	11	17	12	38	1	0.3	3.3	0.71	96.4	71.0236	47.0861
2019	11	17	12	48	1	0.3	3.3	0.7	95.7	71.0236	46.21
2019	11	17	12	58	1	0.3	3.3	0.7	97.3	71.0236	46.429
2019	11	17	13	8	1	0.3	3.3	0.66	98.3	71.0236	43.582
2019	11	17	13	18	1	0.3	3.3	0.69	96.9	71.0236	45.553
2019	11	17	13	28	1	0.3	3.3	0.68	98.9	71.0236	44.6769
2019	11	17	13	38	1	0.3	3.3	0.67	97	71.0236	44.4579
2019	11	17	13	48	1	0.3	3.3	0.69	96	71.0236	45.5529
2019	11	17	13	58	1	0.3	3.3	0.72	95.5	71.0236	47.743
2019	11	17	14	8	1	0.3	3.3	0.68	94.7	71.0236	45.5529
2019	11	17	14	18	1	0.3	3.3	0.67	97.1	71.0236	44.2389
2019	11	17	14	28	1	0.3	3.3	0.69	94.7	71.0236	45.7719
2019	11	17	14	38	1	0.3	3.3	0.71	97.2	71.0236	46.8669
2019	11	17	14	48	1	0.3	3.3	0.72	98.9	71.0236	47.3049
2019	11	17	14	58	1	0.3	3.3	0.72	97.9	71.0236	47.3049
2019	11	17	15	8	1	0.3	3.3	0.69	99.3	71.0236	45.5528
2019	11	17	15	18	1	0.3	3.3	0.71	95.3	71.0236	47.3049
2019	11	17	15	28	1	0.3	3.3	0.69	97.4	71.0236	45.5528

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	17	15	38	1	0.3	3.3	0.67	95.7	71.0236	44.2388
2019	11	17	15	48	1	0.3	3.3	0.68	99.4	71.0236	45.1148
2019	11	17	15	58	1	0.3	3.3	0.69	96.8	71.0236	45.7718
2019	11	17	16	8	1	0.3	3.3	0.69	96.9	71.0236	45.5528
2019	11	17	16	18	1	0.3	3.3	0.67	95.3	71.0236	44.6768
2019	11	17	16	28	1	0.3	3.3	0.66	96	71.0236	44.0197
2019	11	17	16	38	1	0.3	3.3	0.67	95.9	71.0236	44.6767
2019	11	17	16	48	1	0.3	3.3	0.67	95.7	71.0236	44.2387
2019	11	17	16	58	1	0.3	3.3	0.7	96.5	71.0236	46.2097
2019	11	17	17	8	1	0.3	3.3	0.7	96.2	71.0892	46.6926
2019	11	17	17	18	1	0.3	3.3	0.7	98.8	71.0236	46.4287
2019	11	17	17	28	1	0.3	3.3	0.7	96.7	71.0892	46.4734
2019	11	17	17	38	1	0.3	3.3	0.68	98.3	71.0892	44.9389
2019	11	17	17	48	1	0.3	3.3	0.68	95.3	71.0892	44.9388
2019	11	17	17	58	1	0.3	3.3	0.74	95.3	71.0892	49.3231
2019	11	17	18	8	1	0.3	3.3	0.71	96.9	71.0892	47.3502
2019	11	17	18	18	1	0.3	3.3	0.72	95.2	71.0892	48.227
2019	11	17	18	28	1	0.3	3.3	0.72	97.5	71.0892	48.0078
2019	11	17	18	38	1	0.3	3.3	0.7	94.6	71.0892	46.6925
2019	11	17	18	48	1	0.3	3.3	0.68	96.4	71.0892	44.9387
2019	11	17	18	58	1	0.3	3.3	0.71	95.8	71.0892	47.1309
2019	11	17	19	8	1	0.3	3.3	0.7	95.7	71.0892	46.4732
2019	11	17	19	18	1	0.3	3.3	0.72	95.5	71.0892	47.7885
2019	11	17	19	28	1	0.3	3.3	0.71	96.7	71.0892	46.9116
2019	11	17	19	38	1	0.3	3.3	0.67	95.6	71.0892	44.7195
2019	11	17	19	48	1	0.3	3.3	0.72	98.9	71.0892	47.35
2019	11	17	19	58	1	0.3	3.3	0.68	95.8	71.0892	45.1579
2019	11	17	20	8	1	0.3	3.3	0.71	97.4	71.0892	47.1308
2019	11	17	20	18	1	0.3	3.3	0.72	96.8	71.0892	47.7884
2019	11	17	20	28	1	0.3	3.3	0.71	96.7	71.1549	46.9567
2019	11	17	20	38	1	0.3	3.3	0.7	95.9	71.1549	46.5179
2019	11	17	20	48	1	0.3	3.3	0.71	97.5	71.1549	46.9567
2019	11	17	20	58	1	0.3	3.3	0.69	93.8	71.0892	46.0347
2019	11	17	21	8	1	0.3	3.3	0.69	93.5	71.1549	46.2985
2019	11	17	21	18	1	0.3	3.3	0.71	96.9	71.1549	47.1762
2019	11	17	21	28	1	0.3	3.3	0.7	97.9	71.1549	46.079
2019	11	17	21	38	1	0.3	3.3	0.69	97.6	71.1549	45.8596
2019	11	17	21	48	1	0.3	3.3	0.72	98.1	71.1549	47.8345
2019	11	17	21	58	1	0.3	3.3	0.7	96	71.1549	46.2985
2019	11	17	22	8	1	0.3	3.3	0.69	95.8	71.1549	45.6403
2019	11	17	22	18	1	0.3	3.3	0.71	99	71.1549	46.9568
2019	11	17	22	28	1	0.3	3.3	0.75	95.2	71.1549	50.2482
2019	11	17	22	38	1	0.3	3.3	0.68	95.6	71.1549	44.982
2019	11	17	22	48	1	0.3	3.3	0.72	95.8	71.1549	47.8346
2019	11	17	22	58	1	0.3	3.3	0.69	98.5	71.1549	45.4209
2019	11	17	23	8	1	0.3	3.3	0.71	98	71.1549	46.7375
2019	11	17	23	18	1	0.3	3.3	0.7	94.6	71.1549	46.7375

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	17	23	28	1	0.3	3.3	0.71	98.5	71.1549	46.9569
2019	11	17	23	38	1	0.3	3.3	0.69	96.3	71.1549	46.0792
2019	11	17	23	48	1	0.3	3.3	0.72	95.5	71.1549	48.0541
2019	11	17	23	58	1	0.3	3.3	0.69	95.7	71.1549	46.0793
2019	11	18	0	8	1	0.3	3.3	0.72	96.5	71.1549	47.8347
2019	11	18	0	18	1	0.3	3.3	0.72	97.1	71.1549	47.6153
2019	11	18	0	28	1	0.3	3.3	0.7	98.9	71.1549	46.0793
2019	11	18	0	38	1	0.3	3.3	0.69	95.2	71.1549	45.6405
2019	11	18	0	48	1	0.3	3.3	0.73	97.8	71.1549	48.2736
2019	11	18	0	58	1	0.3	3.3	0.7	95.6	71.1549	46.7376
2019	11	18	1	8	1	0.3	3.3	0.73	96.5	71.1549	48.2736
2019	11	18	1	18	1	0.3	3.3	0.65	94.9	71.1549	43.2268
2019	11	18	1	28	1	0.3	3.3	0.69	96.6	71.1549	45.86
2019	11	18	1	38	1	0.3	3.3	0.69	97.1	71.1549	45.6406
2019	11	18	1	48	1	0.3	3.3	0.7	96.5	71.2205	46.3433
2019	11	18	1	58	1	0.3	3.3	0.7	97	71.2205	46.563
2019	11	18	2	8	1	0.3	3.3	0.7	94.8	71.2861	46.8275
2019	11	18	2	18	1	0.3	3.3	0.7	93.8	71.2205	46.563
2019	11	18	2	28	1	0.3	3.3	0.73	96.5	71.2861	48.5864
2019	11	18	2	38	1	0.3	3.3	0.68	95.5	71.2861	45.5085
2019	11	18	2	48	1	0.3	3.3	0.67	95.7	71.3517	44.4519
2019	11	18	2	58	1	0.3	3.3	0.71	94.8	71.3517	47.3126
2019	11	18	3	8	1	0.3	3.3	0.72	96.3	71.3517	48.1929
2019	11	18	3	18	1	0.3	3.3	0.72	97.5	71.3517	48.1929
2019	11	18	3	28	1	0.3	3.3	0.71	95.9	71.3517	47.0926
2019	11	18	3	38	1	0.3	3.3	0.68	97.5	71.4173	44.9351
2019	11	18	3	48	1	0.3	3.3	0.73	96.2	71.4173	48.4594
2019	11	18	3	58	1	0.3	3.3	0.71	95.6	71.3517	47.5328
2019	11	18	4	8	1	0.3	3.3	0.68	94.9	71.4173	45.8162
2019	11	18	4	18	1	0.3	3.3	0.71	96.6	71.4173	47.3581
2019	11	18	4	28	1	0.3	3.3	0.73	98.6	71.4173	48.2392
2019	11	18	4	38	1	0.3	3.3	0.71	96.1	71.4173	47.3581
2019	11	18	4	48	1	0.3	3.3	0.7	96.7	71.4173	46.6973
2019	11	18	4	58	1	0.3	3.3	0.7	96.5	71.4173	46.6974
2019	11	18	5	8	1	0.3	3.3	0.69	99	71.4173	45.8163
2019	11	18	5	18	1	0.3	3.3	0.67	97.3	71.4173	44.4947
2019	11	18	5	28	1	0.3	3.3	0.71	95.9	71.4173	47.1379
2019	11	18	5	38	1	0.3	3.3	0.7	95.6	71.4173	46.9177
2019	11	18	5	48	1	0.3	3.3	0.67	94.8	71.4173	44.4947
2019	11	18	5	58	1	0.3	3.3	0.69	95.7	71.4173	46.0366
2019	11	18	6	8	1	0.3	3.3	0.71	93.7	71.4173	47.3583
2019	11	18	6	18	1	0.3	3.3	0.71	96.4	71.4173	47.138
2019	11	18	6	28	1	0.3	3.3	0.72	96.5	71.4173	48.2394
2019	11	18	6	38	1	0.3	3.3	0.7	96.7	71.4173	46.9178
2019	11	18	6	48	1	0.3	3.3	0.68	97.2	71.4173	45.1557
2019	11	18	6	58	1	0.3	3.3	0.72	96.3	71.4173	47.7989
2019	11	18	7	8	1	0.3	3.3	0.7	98.7	71.4173	46.2571

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	18	7	18	1	0.3	3.3	0.72	97	71.4173	48.2395
2019	11	18	7	28	1	0.3	3.3	0.67	93.4	71.4173	45.1557
2019	11	18	7	38	1	0.3	3.3	0.69	99.2	71.4173	46.0368
2019	11	18	7	48	1	0.3	3.3	0.69	96.8	71.4173	46.2571
2019	11	18	7	58	1	0.3	3.3	0.71	99	71.4173	47.1382
2019	11	18	8	8	1	0.3	3.3	0.7	95.7	71.4173	46.4774
2019	11	18	8	18	1	0.3	3.3	0.71	98.3	71.4173	46.918
2019	11	18	8	28	1	0.3	3.3	0.68	96.9	71.4173	45.3761
2019	11	18	8	38	1	0.3	3.3	0.69	98.2	71.4173	45.5964
2019	11	18	8	48	1	0.3	3.3	0.74	94.3	71.4173	49.7815
2019	11	18	8	58	1	0.3	3.3	0.67	97	71.4173	44.7153
2019	11	18	9	8	1	0.3	3.3	0.71	96.6	71.4173	47.3585
2019	11	18	9	18	1	0.3	3.3	0.72	97.3	71.4173	48.0194
2019	11	18	9	28	1	0.3	3.3	0.68	97.7	71.4173	45.3761
2019	11	18	9	38	1	0.3	3.3	0.68	96.1	71.4173	45.3761
2019	11	18	9	48	1	0.3	3.3	0.71	96.6	71.4173	47.3585
2019	11	18	9	58	1	0.3	3.3	0.69	95.7	71.4829	46.0809
2019	11	18	10	8	1	0.3	3.3	0.69	98.8	71.4829	45.6399
2019	11	18	10	18	1	0.3	3.3	0.73	95.4	71.4829	49.1677
2019	11	18	10	28	1	0.3	3.3	0.68	94.1	71.4829	45.8604
2019	11	18	10	38	1	0.3	3.3	0.68	98.6	71.4829	45.4194
2019	11	18	10	48	1	0.3	3.3	0.65	97.2	71.4829	43.6555
2019	11	18	10	58	1	0.3	3.3	0.7	96.7	71.4829	46.9628
2019	11	18	11	8	1	0.3	3.3	0.65	98.4	71.4829	43.435
2019	11	18	11	18	1	0.3	3.3	0.68	99.5	71.4829	44.9784
2019	11	18	11	28	1	0.3	3.3	0.7	97	71.4829	46.5217
2019	11	18	11	38	1	0.3	3.3	0.71	97.2	71.4829	47.1832
2019	11	18	11	48	1	0.3	3.3	0.7	96.7	71.4829	46.7422
2019	11	18	11	58	1	0.3	3.3	0.74	95.4	71.4829	49.3879
2019	11	18	12	8	1	0.3	3.3	0.68	96.3	71.4829	45.6397
2019	11	18	12	18	1	0.3	3.3	0.7	97.3	71.4829	46.7421
2019	11	18	12	28	1	0.3	3.3	0.66	96.9	71.4829	43.8758
2019	11	18	12	38	1	0.3	3.3	0.7	96.8	71.4829	46.5216
2019	11	18	12	48	1	0.3	3.3	0.68	93.6	71.4829	45.4192
2019	11	18	12	58	1	0.3	3.3	0.71	96.7	71.4829	47.183
2019	11	18	13	8	1	0.3	3.3	0.72	97.8	71.4829	48.0649
2019	11	18	13	18	1	0.3	3.3	0.68	96.9	71.4829	45.6396
2019	11	18	13	28	1	0.3	3.3	0.71	95.6	71.5486	47.2281
2019	11	18	13	38	1	0.3	3.3	0.7	97	71.5486	47.0074
2019	11	18	13	48	1	0.3	3.3	0.71	95.9	71.5486	47.228
2019	11	18	13	58	1	0.3	3.3	0.71	97.2	71.5486	47.228
2019	11	18	14	8	1	0.3	3.3	0.73	96.2	71.5486	48.5521
2019	11	18	14	18	1	0.3	3.3	0.71	96.3	71.5486	47.6694
2019	11	18	14	28	1	0.3	3.3	0.7	98.1	71.5486	46.5659
2019	11	18	14	38	1	0.3	3.3	0.7	94.8	71.5486	47.0073
2019	11	18	14	48	1	0.3	3.3	0.7	99.1	71.5486	46.7866
2019	11	18	14	58	1	0.3	3.3	0.67	97.9	71.5486	44.8003

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	18	15	8	1	0.3	3.3	0.69	101.3	71.5486	45.2417
2019	11	18	15	18	1	0.3	3.3	0.71	98	71.5486	47.0072
2019	11	18	15	28	1	0.3	3.3	0.72	98.7	71.5486	47.6693
2019	11	18	15	38	1	0.3	3.3	0.71	95.3	71.5486	47.6693
2019	11	18	15	48	1	0.3	3.3	0.71	96.9	71.5486	47.4486
2019	11	18	15	58	1	0.3	3.3	0.75	96.6	71.5486	49.8762
2019	11	18	16	8	1	0.3	3.3	0.71	97.9	71.5486	47.4486
2019	11	18	16	18	1	0.3	3.3	0.73	99	71.5486	48.552
2019	11	18	16	28	1	0.3	3.3	0.71	96.3	71.5486	47.6692
2019	11	18	16	38	1	0.3	3.3	0.74	96.8	71.5486	49.6554
2019	11	18	16	48	1	0.3	3.3	0.74	96.7	71.5486	49.214
2019	11	18	16	58	1	0.3	3.3	0.71	96.1	71.5486	47.6692
2019	11	18	17	8	1	0.3	3.3	0.73	95.9	71.5486	48.7726
2019	11	18	17	18	1	0.3	3.3	0.7	95.9	71.6142	47.052
2019	11	18	17	28	1	0.3	3.3	0.69	96.8	71.5486	46.1243
2019	11	18	17	38	1	0.3	3.3	0.67	94.8	71.6142	45.0638
2019	11	18	17	48	1	0.3	3.3	0.7	95.4	71.6142	47.0519
2019	11	18	17	58	1	0.3	3.3	0.68	98.6	71.6142	45.2847
2019	11	18	18	8	1	0.3	3.3	0.69	96.3	71.6142	46.3892
2019	11	18	18	18	1	0.3	3.3	0.73	96.7	71.6142	49.04
2019	11	18	18	28	1	0.3	3.3	0.7	96.7	71.6142	46.831
2019	11	18	18	38	1	0.3	3.3	0.73	97.3	71.6142	48.5982
2019	11	18	18	48	1	0.3	3.3	0.72	97.6	71.6142	47.7145
2019	11	18	18	58	1	0.3	3.3	0.68	96.3	71.6142	45.7264
2019	11	18	19	8	1	0.3	3.3	0.71	96.1	71.6142	47.4936
2019	11	18	19	18	1	0.3	3.3	0.72	96.1	71.6142	47.9354
2019	11	18	19	28	1	0.3	3.3	0.73	96.2	71.6142	49.0399
2019	11	18	19	38	1	0.3	3.3	0.72	97	71.6142	48.3772
2019	11	18	19	48	1	0.3	3.3	0.7	97.5	71.6142	46.8309
2019	11	18	19	58	1	0.3	3.3	0.7	95.9	71.6142	47.0518
2019	11	18	20	8	1	0.3	3.3	0.73	97.4	71.6142	49.0399
2019	11	18	20	18	1	0.3	3.3	0.7	96	71.6142	46.61
2019	11	18	20	28	1	0.3	3.3	0.71	96.6	71.6142	47.4936
2019	11	18	20	38	1	0.3	3.3	0.7	96.4	71.6142	47.0518
2019	11	18	20	48	1	0.3	3.3	0.71	97.4	71.6142	47.4936
2019	11	18	20	58	1	0.3	3.3	0.68	98.4	71.6142	45.0637
2019	11	18	21	8	1	0.3	3.3	0.7	97.5	71.6142	46.8309
2019	11	18	21	18	1	0.3	3.3	0.72	97.9	71.6142	47.9354
2019	11	18	21	28	1	0.3	3.3	0.7	97.6	71.6142	46.3891
2019	11	18	21	38	1	0.3	3.3	0.72	96.3	71.6142	48.1563
2019	11	18	21	48	1	0.3	3.3	0.73	96.2	71.6142	48.819
2019	11	18	21	58	1	0.3	3.3	0.71	96.4	71.6142	47.2727
2019	11	18	22	8	1	0.3	3.3	0.71	96.6	71.6142	47.4937
2019	11	18	22	18	1	0.3	3.3	0.72	96.8	71.6142	47.9355
2019	11	18	22	28	1	0.3	3.3	0.7	96.5	71.6142	46.6101
2019	11	18	22	38	1	0.3	3.3	0.7	94.6	71.6142	47.0519
2019	11	18	22	48	1	0.3	3.3	0.71	96.7	71.6142	47.2728

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	18	22	58	1	0.3	3.3	0.68	96.1	71.6142	45.5056
2019	11	18	23	8	1	0.3	3.3	0.72	95.7	71.6142	48.3774
2019	11	18	23	18	1	0.3	3.3	0.67	96.7	71.6142	44.843
2019	11	18	23	28	1	0.3	3.3	0.72	98.1	71.6142	47.9356
2019	11	18	23	38	1	0.3	3.3	0.75	96.6	71.6142	49.9237
2019	11	18	23	48	1	0.3	3.3	0.73	95.7	71.6142	49.0402
2019	11	18	23	58	1	0.3	3.3	0.68	94.7	71.6142	45.7266
2019	11	19	0	8	1	0.3	3.3	0.67	97.3	71.6142	45.064
2019	11	19	0	18	1	0.3	3.3	0.71	97.9	71.6142	47.4939
2019	11	19	0	28	1	0.3	3.3	0.72	98.1	71.6142	48.1566
2019	11	19	0	38	1	0.3	3.3	0.71	96.9	71.6142	47.4939
2019	11	19	0	48	1	0.3	3.3	0.71	96.6	71.6142	47.7148
2019	11	19	0	58	1	0.3	3.3	0.68	97.5	71.6142	45.5058
2019	11	19	1	8	1	0.3	3.3	0.68	95	71.6142	45.7268
2019	11	19	1	18	1	0.3	3.3	0.72	99.2	71.6142	47.9358
2019	11	19	1	28	1	0.3	3.3	0.69	96.6	71.6142	45.9477
2019	11	19	1	38	1	0.3	3.3	0.7	95.7	71.6142	46.6104
2019	11	19	1	48	1	0.3	3.3	0.73	97	71.6142	48.5985
2019	11	19	1	58	1	0.3	3.3	0.73	97.2	71.6142	48.8195
2019	11	19	2	8	1	0.3	3.3	0.73	97.8	71.6142	48.3777
2019	11	19	2	18	1	0.3	3.3	0.71	95.8	71.6142	47.4941
2019	11	19	2	28	1	0.3	3.3	0.73	96.4	71.6142	49.0404
2019	11	19	2	38	1	0.3	3.3	0.7	96	71.6142	46.6105
2019	11	19	2	48	1	0.3	3.3	0.71	95.3	71.6142	47.7151
2019	11	19	2	58	1	0.3	3.3	0.7	98.1	71.6142	46.6106
2019	11	19	3	8	1	0.3	3.3	0.7	96.7	71.6142	46.8315
2019	11	19	3	18	1	0.3	3.3	0.71	95.6	71.6142	47.4942
2019	11	19	3	28	1	0.3	3.3	0.68	94.7	71.6142	45.9479
2019	11	19	3	38	1	0.3	3.3	0.7	96	71.6142	46.6106
2019	11	19	3	48	1	0.3	3.3	0.68	97.5	71.5486	45.4627
2019	11	19	3	58	1	0.3	3.3	0.7	97.6	71.5486	46.3455
2019	11	19	4	8	1	0.3	3.3	0.7	97	71.6142	47.0525
2019	11	19	4	18	1	0.3	3.3	0.71	96.1	71.5486	47.6697
2019	11	19	4	28	1	0.3	3.3	0.7	98.6	71.5486	46.7869
2019	11	19	4	38	1	0.3	3.3	0.68	94.7	71.5486	45.4628
2019	11	19	4	48	1	0.3	3.3	0.68	95.8	71.5486	45.4628
2019	11	19	4	58	1	0.3	3.3	0.71	97.2	71.5486	47.4491
2019	11	19	5	8	1	0.3	3.3	0.69	97.3	71.5486	46.3457
2019	11	19	5	18	1	0.3	3.3	0.68	99.4	71.5486	45.2422
2019	11	19	5	28	1	0.3	3.3	0.72	94.9	71.5486	48.5526
2019	11	19	5	38	1	0.3	3.3	0.68	95	71.5486	45.4629
2019	11	19	5	48	1	0.3	3.3	0.69	96.9	71.5486	45.9044
2019	11	19	5	58	1	0.3	3.3	0.71	96.4	71.5486	47.4492
2019	11	19	6	8	1	0.3	3.3	0.69	96	71.5486	46.1251
2019	11	19	6	18	1	0.3	3.3	0.68	96.6	71.5486	45.6837
2019	11	19	6	28	1	0.3	3.3	0.69	98.8	71.5486	45.6837
2019	11	19	6	38	1	0.3	3.3	0.69	98.5	71.5486	45.9045

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	19	6	48	1	0.3	3.3	0.68	96.4	71.5486	45.4631
2019	11	19	6	58	1	0.3	3.3	0.74	96.4	71.5486	49.2149
2019	11	19	7	8	1	0.3	3.3	0.7	96.4	71.5486	47.008
2019	11	19	7	18	1	0.3	3.3	0.69	96.8	71.5486	46.1252
2019	11	19	7	28	1	0.3	3.3	0.69	96.9	71.5486	45.9046
2019	11	19	7	38	1	0.3	3.3	0.74	96.4	71.5486	49.4357
2019	11	19	7	48	1	0.3	3.3	0.69	99	71.5486	46.1253
2019	11	19	7	58	1	0.3	3.3	0.69	93.8	71.5486	46.1253
2019	11	19	8	8	1	0.3	3.3	0.68	96.1	71.5486	45.6839
2019	11	19	8	18	1	0.3	3.3	0.7	95.4	71.5486	46.5667
2019	11	19	8	28	1	0.3	3.3	0.71	97.2	71.5486	47.4495
2019	11	19	8	38	1	0.3	3.3	0.74	93.8	71.6142	49.483
2019	11	19	8	48	1	0.3	3.3	0.72	97.6	71.6142	48.1576
2019	11	19	8	58	1	0.3	3.3	0.75	94	71.5486	50.0979
2019	11	19	9	8	1	0.3	3.3	0.73	97	71.6142	48.8203
2019	11	19	9	18	1	0.3	3.3	0.69	97.6	71.6142	46.1694
2019	11	19	9	28	1	0.3	3.3	0.72	99.5	71.6142	47.7157
2019	11	19	9	38	1	0.3	3.3	0.7	97.2	71.6142	47.053
2019	11	19	9	48	1	0.3	3.3	0.68	96.6	71.6142	45.7276
2019	11	19	9	58	1	0.3	3.3	0.7	97.8	71.6142	46.6112
2019	11	19	10	8	1	0.3	3.3	0.71	95.6	71.6142	47.2739
2019	11	19	10	18	1	0.3	3.3	0.7	97.8	71.6142	46.8321
2019	11	19	10	28	1	0.3	3.3	0.73	95.4	71.6142	48.8203
2019	11	19	10	38	1	0.3	3.3	0.71	98.8	71.6142	47.053
2019	11	19	10	48	1	0.3	3.3	0.67	99.2	71.6142	44.8439
2019	11	19	10	58	1	0.3	3.3	0.73	98.1	71.6142	48.3784
2019	11	19	11	8	1	0.3	3.3	0.71	96.6	71.6142	47.7157
2019	11	19	11	18	1	0.3	3.3	0.68	97.8	71.6142	45.0648
2019	11	19	11	28	1	0.3	3.3	0.7	94.3	71.6142	47.053
2019	11	19	11	38	1	0.3	3.3	0.71	98	71.6142	47.053
2019	11	19	11	48	1	0.3	3.3	0.71	95.3	71.6142	47.2739
2019	11	19	11	58	1	0.3	3.3	0.73	95.7	71.6142	48.8202
2019	11	19	12	8	1	0.3	3.3	0.69	98.4	71.6798	46.2133
2019	11	19	12	18	1	0.3	3.3	0.72	97.9	71.6798	47.7612
2019	11	19	12	28	1	0.3	3.3	0.7	97.5	71.6798	47.0978
2019	11	19	12	38	1	0.3	3.3	0.7	96.7	71.6798	47.0978
2019	11	19	12	48	1	0.3	3.3	0.72	98.7	71.6798	47.7612
2019	11	19	12	1	52	0.1	1	21.1	97.9	6.6593	46.2133
2019	11	19	12	11	52	0.1	1	21.16	99	6.6593	46.2133
2019	11	19	12	21	52	0.1	1	21.55	96.7	6.6593	47.3189
2019	11	19	12	31	52	0.1	1	20.96	97.1	6.6593	45.9922
2019	11	19	12	41	52	0.1	1	21.06	97.1	6.6593	46.2133
2019	11	19	12	51	52	0.1	1	20.9	98	6.6593	45.771
2019	11	19	13	1	52	0.1	1	21.43	96.4	6.6593	47.0977
2019	11	19	13	11	52	0.1	1	20.86	99.1	6.6593	45.5499
2019	11	19	13	21	52	0.1	1	21.71	97.9	6.6593	47.5399
2019	11	19	13	31	52	0.1	1	20.79	95.2	6.6593	45.771

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	19	13	41	52	0.1	1	21.92	96	6.6593	48.2031
2019	11	19	13	51	52	0.1	1	21.44	100.2	6.6654	46.6998
2019	11	19	14	1	52	0.1	1	21.67	94.5	6.6654	47.8064
2019	11	19	14	11	52	0.1	1	21.63	96.4	6.6654	47.585
2019	11	19	14	21	52	0.1	1	21.2	95.7	6.6654	46.6997
2019	11	19	14	31	52	0.1	1	22.07	97	6.6654	48.4703
2019	11	19	14	41	52	0.1	1	21.4	97.8	6.6654	46.921
2019	11	19	14	51	52	0.1	1	21.87	94.5	6.6654	48.249
2019	11	19	15	1	52	0.1	1	20.78	97.5	6.6654	45.5931
2019	11	19	15	11	52	0.1	1	20.49	95.3	6.6654	45.1504
2019	11	19	15	21	52	0.1	1	21.26	97	6.6654	46.6997
2019	11	19	15	31	52	0.1	1	20.75	96.9	6.6654	45.593
2019	11	19	15	41	52	0.1	1	21.05	96.8	6.6654	46.257
2019	11	19	15	51	52	0.1	1	22.1	97.8	6.6654	48.4702
2019	11	19	16	1	52	0.1	1	20.79	95.2	6.6654	45.8143
2019	11	19	16	11	52	0.1	1	21.02	96	6.6654	46.2569
2019	11	19	16	21	52	0.1	1	20.95	96.9	6.6654	46.0356
2019	11	19	16	31	52	0.1	1	21.98	97.3	6.6654	48.2488
2019	11	19	16	41	52	0.1	1	20.49	97.9	6.6654	44.929
2019	11	19	16	51	52	0.1	1	21.71	97.9	6.6654	47.5848
2019	11	19	17	1	52	0.1	1	20.21	96	6.6654	44.4863
2019	11	19	17	11	52	0.1	1	21.89	95.2	6.6654	48.2488
2019	11	19	17	21	52	0.1	1	21.64	96.6	6.6654	47.5848
2019	11	19	17	31	52	0.1	1	21.84	96.6	6.6654	48.0274
2019	11	19	17	41	52	0.1	1	22.75	96.6	6.6654	50.0194
2019	11	19	17	51	52	0.1	1	21.74	98.5	6.6654	47.5848
2019	11	19	18	1	52	0.1	1	21.37	94.6	6.6654	47.1421
2019	11	19	18	11	52	0.1	1	20.93	98.5	6.6654	45.8142
2019	11	19	18	21	52	0.1	1	20.66	97.2	6.6654	45.3715
2019	11	19	18	31	52	0.1	1	22.05	93.9	6.6654	48.6914
2019	11	19	18	41	52	0.1	1	22.07	97	6.6654	48.47
2019	11	19	18	51	52	0.1	1	22.25	96.7	6.6654	48.9127
2019	11	19	19	1	52	0.1	1	21.13	96.3	6.6654	46.4781
2019	11	19	19	11	52	0.1	1	21.72	96.1	6.6654	47.806
2019	11	19	19	21	52	0.1	1	21.57	97.2	6.6654	47.3634
2019	11	19	19	31	52	0.1	1	22.64	96.3	6.6654	49.798
2019	11	19	19	41	52	0.1	1	21.84	96.6	6.6654	48.0274
2019	11	19	19	51	52	0.1	1	21.89	97.6	6.6654	48.0274
2019	11	19	20	1	52	0.1	1	21.27	94.6	6.6715	46.9654
2019	11	19	20	11	52	0.1	1	21.37	94.6	6.6654	47.142
2019	11	19	20	21	52	0.1	1	22.07	94.7	6.6715	48.7377
2019	11	19	20	31	52	0.1	1	21.19	97.6	6.6654	46.4781
2019	11	19	20	41	52	0.1	1	21.02	96	6.6654	46.2567
2019	11	19	20	51	52	0.1	1	20.61	95.8	6.6654	45.3714
2019	11	19	21	1	52	0.1	1	22.98	97.2	6.6654	50.4619
2019	11	19	21	11	52	0.1	1	21.6	97.7	6.6715	47.4085
2019	11	19	21	21	52	0.1	1	21.1	95.4	6.6654	46.4781

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	19	21	31	52	0.1	1	21.3	95.7	6.6654	46.9207
2019	11	19	21	41	52	0.1	1	21.98	97.3	6.6654	48.2487
2019	11	19	21	51	52	0.1	1	21.37	97.3	6.6654	46.9207
2019	11	19	22	1	52	0.1	1	21.48	95.1	6.6654	47.3634
2019	11	19	22	11	52	0.1	1	21.15	96.8	6.6715	46.5224
2019	11	19	22	21	52	0.1	1	20.91	95.8	6.6654	46.0355
2019	11	19	22	31	52	0.1	1	21.5	95.6	6.6654	47.3634
2019	11	19	22	41	52	0.1	1	21.15	96.8	6.6654	46.4781
2019	11	19	22	51	52	0.1	1	21.68	95	6.6654	47.8061
2019	11	19	23	1	52	0.1	1	22.5	95.4	6.6654	49.5767
2019	11	19	23	11	52	0.1	1	21.31	95.9	6.6654	46.9208
2019	11	19	23	21	52	0.1	1	20.66	97.2	6.6654	45.3715
2019	11	19	23	31	52	0.1	1	21.6	97.7	6.6654	47.3635
2019	11	19	23	41	52	0.1	1	21.21	98.1	6.6654	46.4782
2019	11	19	23	51	52	0.1	1	22.42	95.9	6.6654	49.3554
2019	11	20	0	1	52	0.1	1	22.09	97.5	6.6654	48.4701
2019	11	20	0	11	52	0.1	1	22.5	95.4	6.6654	49.5767
2019	11	20	0	21	52	0.1	1	21.17	94.6	6.6654	46.6995
2019	11	20	0	31	52	0.1	1	20.4	95.6	6.6654	44.9289
2019	11	20	0	41	52	0.1	1	22.07	94.4	6.6654	48.6914
2019	11	20	0	51	52	0.1	1	20.89	97.7	6.6654	45.8142
2019	11	20	1	1	52	0.1	1	21.85	98.7	6.6654	47.8062
2019	11	20	1	11	52	0.1	1	21.53	96.4	6.6654	47.3635
2019	11	20	1	21	52	0.1	1	21.31	98.1	6.6654	46.6996
2019	11	20	1	31	52	0.1	1	22.5	97.7	6.6654	49.3555
2019	11	20	1	41	52	0.1	1	21.61	95.8	6.6715	47.6302
2019	11	20	1	51	52	0.1	1	21.25	96.8	6.6654	46.6996
2019	11	20	2	1	52	0.1	1	20.9	95.5	6.6715	46.0795
2019	11	20	2	11	52	0.1	1	21.07	94.6	6.6776	46.5668
2019	11	20	2	21	52	0.1	1	22.66	96.8	6.6715	49.8456
2019	11	20	2	31	52	0.1	1	21.29	99.5	6.6715	46.5226
2019	11	20	2	41	52	0.1	1	21.51	95.9	6.6715	47.4087
2019	11	20	2	51	52	0.1	1	21.62	96.1	6.6715	47.6302
2019	11	20	3	1	52	0.1	1	21.46	97	6.6715	47.1872
2019	11	20	3	11	52	0.1	1	20.63	96.4	6.6715	45.4149
2019	11	20	3	21	52	0.1	1	21.76	96.9	6.6715	47.8518
2019	11	20	3	31	52	0.1	1	21.37	97.3	6.6715	46.9657
2019	11	20	3	41	52	0.1	1	21.55	96.7	6.6654	47.3636
2019	11	20	3	51	52	0.1	1	21.42	96.2	6.6715	47.1872
2019	11	20	4	1	52	0.1	1	21.25	96.8	6.6715	46.7441
2019	11	20	4	11	52	0.1	1	21.51	98	6.6715	47.1872
2019	11	20	4	21	52	0.1	1	21.53	96.4	6.6654	47.3636
2019	11	20	4	31	52	0.1	1	22.44	96.4	6.6715	49.4026
2019	11	20	4	41	52	0.1	1	21.5	95.6	6.6715	47.4088
2019	11	20	4	51	52	0.1	1	20.58	97.5	6.6654	45.1504
2019	11	20	5	1	52	0.1	1	21.27	94.6	6.6654	46.921
2019	11	20	5	11	52	0.1	1	21.8	95.5	6.6654	48.0276

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	20	5	21	52	0.1	1	21.97	94.4	6.6715	48.5165
2019	11	20	5	31	52	0.1	1	21.21	96	6.6654	46.6997
2019	11	20	5	41	52	0.1	1	21.53	96.4	6.6654	47.3637
2019	11	20	5	51	52	0.1	1	21.83	96.3	6.6715	48.0734
2019	11	20	6	1	52	0.1	1	22.78	94.8	6.6654	50.2409
2019	11	20	6	11	52	0.1	1	21.59	95.3	6.6715	47.6304
2019	11	20	6	21	52	0.1	1	21.69	95.3	6.6715	47.8519
2019	11	20	6	31	52	0.1	1	21.61	95.8	6.6715	47.6304
2019	11	20	6	41	52	0.1	1	21.72	96.1	6.6654	47.8064
2019	11	20	6	51	52	0.1	1	21.2	95.7	6.6654	46.6997
2019	11	20	7	1	52	0.1	1	21.72	96.1	6.6654	47.8064
2019	11	20	7	11	52	0.1	1	21.55	96.7	6.6654	47.3637
2019	11	20	7	21	52	0.1	1	21.31	95.9	6.6654	46.9211
2019	11	20	7	31	52	0.1	1	22.03	98.4	6.6654	48.249
2019	11	20	7	41	52	0.1	1	21.45	96.7	6.6654	47.1424
2019	11	20	7	51	52	0.1	1	21.31	95.9	6.6593	46.8764
2019	11	20	8	1	52	0.1	1	21.31	95.9	6.6654	46.9211
2019	11	20	8	11	52	0.1	1	20.87	94.7	6.6593	45.9919
2019	11	20	8	21	52	0.1	1	22.84	93.5	6.6654	50.4623
2019	11	20	8	31	52	0.1	1	20.84	93.6	6.6654	46.0358
2019	11	20	8	41	52	0.1	1	21.73	92.9	6.6593	47.982
2019	11	20	8	51	52	0.1	1	20.74	96.6	6.6654	45.5931
2019	11	20	9	1	52	0.1	1	20.22	92.6	6.6654	44.7078
2019	11	20	9	11	52	0.1	1	20.77	94.7	6.6654	45.8145
2019	11	20	9	21	52	0.1	1	22.17	94.4	6.6654	48.913
2019	11	20	9	31	52	0.1	1	21.22	92.4	6.6593	46.8764
2019	11	20	9	41	52	0.1	1	20.61	91.4	6.6654	45.5931
2019	11	20	9	51	52	0.1	1	21.56	94.3	6.6654	47.5851
2019	11	20	10	1	52	0.1	1	21.04	93.5	6.6593	46.4342
2019	11	20	10	11	52	0.1	1	22.13	96.2	6.6593	48.6453
2019	11	20	10	21	52	0.1	1	21.62	92.7	6.6654	47.8064
2019	11	20	10	31	52	0.1	1	21.87	94.7	6.6654	48.249
2019	11	20	10	41	52	0.1	1	20.8	90	6.6654	46.0358
2019	11	20	10	51	52	0.1	1	21.05	94.1	6.6654	46.4784
2019	11	20	11	1	52	0.1	1	20.67	94.7	6.6654	45.5931
2019	11	20	11	11	52	0.1	1	21.76	94.2	6.6654	48.0277
2019	11	20	11	21	52	0.1	1	21.13	93.3	6.6654	46.6997
2019	11	20	11	31	52	0.1	1	21.52	92.7	6.6654	47.585
2019	11	20	11	41	52	0.1	1	21.27	94.6	6.6654	46.921
2019	11	20	11	51	52	0.1	1	21.16	94.3	6.6654	46.6997
2019	11	20	12	1	52	0.1	1	20.14	93.7	6.6654	44.4864
2019	11	20	12	11	52	0.1	1	20.67	94.7	6.6654	45.593
2019	11	20	12	21	52	0.1	1	21.58	95.1	6.6654	47.585
2019	11	20	12	31	52	0.1	1	21.7	95.6	6.6593	47.7607
2019	11	20	12	41	52	0.1	1	21.13	93	6.6654	46.6996
2019	11	20	12	51	52	0.1	1	22.2	95.4	6.6654	48.9129
2019	11	20	13	1	52	0.1	1	21.27	94.6	6.6654	46.9209

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	20	13	11	52	0.1	1	20.75	94.1	6.6715	45.858
2019	11	20	13	21	52	0.1	1	21.56	94.3	6.6654	47.5849
2019	11	20	13	31	52	0.1	1	21.81	91.8	6.6654	48.2489
2019	11	20	13	41	52	0.1	1	21.65	94	6.6654	47.8062
2019	11	20	13	51	52	0.1	1	21.59	95.3	6.6593	47.5395
2019	11	20	14	1	52	0.1	1	21.16	94.3	6.6593	46.6551
2019	11	20	14	11	52	0.1	1	21.38	94.8	6.6593	47.0973
2019	11	20	14	21	52	0.1	1	21.55	93.7	6.6593	47.5395
2019	11	20	14	31	52	0.1	1	20.81	95.8	6.6593	45.7706
2019	11	20	14	41	52	0.1	1	21.6	95.6	6.6593	47.5395
2019	11	20	14	51	52	0.1	1	20.84	93.6	6.6593	45.9917
2019	11	20	15	1	52	0.1	1	21.61	92.1	6.6593	47.7606
2019	11	20	15	11	52	0.1	1	21.62	92.7	6.6715	47.8517
2019	11	20	15	21	52	0.1	1	21.61	91.6	6.6715	47.8517
2019	11	20	15	31	52	0.1	1	22.21	92.1	6.6776	49.2278
2019	11	20	15	41	52	0.1	1	21.7	91.1	6.6837	48.1648
2019	11	20	15	51	52	0.1	1	21.73	92.9	6.6898	48.2105
2019	11	20	16	1	52	0.1	1	21.14	93.5	6.6958	46.9221
2019	11	20	16	11	52	0.1	1	21.92	92.4	6.708	48.7935
2019	11	20	16	21	52	0.1	1	22.36	94.4	6.7141	49.7317
2019	11	20	16	31	52	0.1	1	23.1	91	6.7202	51.5645
2019	11	20	16	41	52	0.1	1	22.52	92.3	6.7263	50.2726
2019	11	20	16	51	52	0.1	1	22.53	92.8	6.7263	50.2726
2019	11	20	17	1	52	0.1	1	22.44	93.6	6.7263	50.0492
2019	11	20	17	11	52	0.1	1	23.3	91	6.7324	52.1093
2019	11	20	17	21	52	0.1	1	22.11	92.1	6.7324	49.4255
2019	11	20	17	31	52	0.1	1	21.9	89	6.7324	48.9782
2019	11	20	17	41	52	0.1	1	21.52	92.7	6.7324	48.0837
2019	11	20	17	51	52	0.1	1	20.61	91.4	6.7385	46.1143
2019	11	20	18	1	52	0.1	1	22.04	93.4	6.7385	49.2483
2019	11	20	18	11	52	0.1	1	22.31	92.1	6.7385	49.9199
2019	11	20	18	21	52	0.1	1	22.01	92.1	6.7385	49.2483
2019	11	20	18	31	52	0.1	1	20.5	90	6.7446	45.9337
2019	11	20	18	41	52	0.1	1	21.3	91.1	6.7446	47.7262
2019	11	20	18	51	52	0.1	1	21.78	95	6.7446	48.6225
2019	11	20	19	1	52	0.1	1	21.1	90.8	6.7507	47.3226
2019	11	20	19	11	52	0.1	1	22.71	92	6.7446	50.8632
2019	11	20	19	21	52	0.1	1	21.12	92.4	6.7446	47.2781
2019	11	20	19	31	52	0.1	1	21.84	93.4	6.7446	48.8466
2019	11	20	19	41	52	0.1	1	21.22	92.2	6.7446	47.5022
2019	11	20	19	51	52	0.1	1	22.17	94.4	6.7446	49.5188
2019	11	20	20	1	52	0.1	1	22.13	93.1	6.7446	49.5188
2019	11	20	20	11	52	0.1	1	20.87	94.7	6.7446	46.6059
2019	11	20	20	21	52	0.1	1	21.13	93	6.7446	47.2781
2019	11	20	20	31	52	0.1	1	21.51	92.1	6.7446	48.1744
2019	11	20	20	41	52	0.1	1	21.56	94.3	6.7446	48.1744
2019	11	20	20	51	52	0.1	1	22.65	93.8	6.7507	50.6868

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	20	21	1	52	0.1	1	22.34	93.3	6.7507	50.014
2019	11	20	21	11	52	0.1	1	21.97	94.4	6.7507	49.1169
2019	11	20	21	21	52	0.1	1	22.06	94.2	6.7568	49.3876
2019	11	20	21	31	52	0.1	1	21.27	94.6	6.7568	47.5917
2019	11	20	21	41	52	0.1	1	21.82	92.6	6.7568	48.9386
2019	11	20	21	51	52	0.1	1	21.91	91.6	6.7568	49.1631
2019	11	20	22	1	52	0.1	1	22.13	93.1	6.7629	49.6587
2019	11	20	22	11	52	0.1	1	21.71	92.1	6.7568	48.7141
2019	11	20	22	21	52	0.1	1	21.35	96.7	6.7629	47.6364
2019	11	20	22	31	52	0.1	1	22.47	94.6	6.7629	50.3328
2019	11	20	22	41	52	0.1	1	21.16	94.3	6.7629	47.4117
2019	11	20	22	51	52	0.1	1	21.6	95.6	6.7568	48.2652
2019	11	20	23	1	52	0.1	1	22.39	95.1	6.7629	50.1081
2019	11	20	23	11	52	0.1	1	21.99	95.2	6.7568	49.1631
2019	11	20	23	21	52	0.1	1	22.33	96.2	6.7629	49.8834
2019	11	20	23	31	52	0.1	1	21.77	94.5	6.7629	48.7599
2019	11	20	23	41	52	0.1	1	21.97	94.7	6.7629	49.2093
2019	11	20	23	51	52	0.1	1	21.57	94.5	6.7629	48.3105
2019	11	21	0	1	52	0.1	1	22.37	94.6	6.7568	50.0611
2019	11	21	0	11	52	0.1	1	21.76	96.9	6.7568	48.4897
2019	11	21	0	21	52	0.1	1	22.13	93.1	6.7629	49.6587
2019	11	21	0	31	52	0.1	1	20.94	93.6	6.7629	46.9624
2019	11	21	0	41	52	0.1	1	21.8	95.5	6.7568	48.7142
2019	11	21	0	51	52	0.1	1	22.99	95	6.7568	51.4081
2019	11	21	1	1	52	0.1	1	21.47	94.5	6.7629	48.0859
2019	11	21	1	11	52	0.1	1	22.34	93.3	6.7568	50.0611
2019	11	21	1	21	52	0.1	1	22.35	93.8	6.7568	50.0611
2019	11	21	1	31	52	0.1	1	21.31	95.9	6.7568	47.5918
2019	11	21	1	41	52	0.1	1	21.85	93.9	6.7568	48.9387
2019	11	21	1	51	52	0.1	1	21.46	94.3	6.7629	48.0859
2019	11	21	2	1	52	0.1	1	21.37	94.6	6.7568	47.8163
2019	11	21	2	11	52	0.1	1	21.27	94.6	6.7629	47.6365
2019	11	21	2	21	52	0.1	1	21.35	94	6.7568	47.8163
2019	11	21	2	31	52	0.1	1	21.15	94.1	6.7568	47.3673
2019	11	21	2	41	52	0.1	1	21.34	93.5	6.7568	47.8163
2019	11	21	2	51	52	0.1	1	21.44	93.5	6.7568	48.0408
2019	11	21	3	1	52	0.1	1	21.48	94.8	6.7568	48.0408
2019	11	21	3	11	52	0.1	1	20.65	94.2	6.7568	46.2449
2019	11	21	3	21	52	0.1	1	22.12	92.6	6.7568	49.6123
2019	11	21	3	31	52	0.1	1	21.89	97.6	6.7568	48.7143
2019	11	21	3	41	52	0.1	1	20.85	94.1	6.7568	46.6939
2019	11	21	3	51	52	0.1	1	20.91	95.8	6.7568	46.6939
2019	11	21	4	1	52	0.1	1	21.34	96.5	6.7568	47.5919
2019	11	21	4	11	52	0.1	1	20.73	96.4	6.7568	46.2449
2019	11	21	4	21	52	0.1	1	22.03	92.9	6.7568	49.3878
2019	11	21	4	31	52	0.1	1	22.39	97.4	6.7568	49.8368
2019	11	21	4	41	52	0.1	1	20.71	95.8	6.7568	46.245

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	21	4	51	52	0.1	1	21.88	95	6.7568	48.9389
2019	11	21	5	1	52	0.1	1	22.1	95.5	6.7568	49.3878
2019	11	21	5	11	52	0.1	1	21.97	97.1	6.7568	48.9389
2019	11	21	5	21	52	0.1	1	20.74	96.6	6.7568	46.245
2019	11	21	5	31	52	0.1	1	22.26	94.1	6.7568	49.8369
2019	11	21	5	41	52	0.1	1	21.62	92.7	6.7568	48.4899
2019	11	21	5	51	52	0.1	1	22.39	97.4	6.7568	49.8369
2019	11	21	6	1	52	0.1	1	21.11	96	6.7568	47.143
2019	11	21	6	11	52	0.1	1	20.71	95.8	6.7568	46.2451
2019	11	21	6	21	52	0.1	1	21.22	96.2	6.7568	47.3675
2019	11	21	6	31	52	0.1	1	21.31	95.9	6.7568	47.592
2019	11	21	6	41	52	0.1	1	21.34	96.5	6.7568	47.5921
2019	11	21	6	51	52	0.1	1	21.72	96.1	6.7568	48.49
2019	11	21	7	1	52	0.1	1	20.85	94.1	6.7568	46.6941
2019	11	21	7	11	52	0.1	1	21.9	95.5	6.7568	48.939
2019	11	21	7	21	52	0.1	1	22.8	95.3	6.7568	50.9595
2019	11	21	7	31	52	0.1	1	21.26	94.3	6.7568	47.5921
2019	11	21	7	41	52	0.1	1	21.05	96.8	6.7568	46.9186
2019	11	21	7	51	52	0.1	1	22.49	95.1	6.7568	50.286
2019	11	21	8	1	52	0.1	1	21.61	95.8	6.7568	48.2656
2019	11	21	8	11	52	0.1	1	21.97	94.7	6.7568	49.1636
2019	11	21	8	21	52	0.1	1	21.39	95.4	6.7568	47.8166
2019	11	21	8	31	52	0.1	1	22.07	94.4	6.7568	49.3881
2019	11	21	8	41	52	0.1	1	20.81	95.8	6.7568	46.4697
2019	11	21	8	51	52	0.1	1	20.55	93.9	6.7568	46.0207
2019	11	21	9	1	52	0.1	1	21.75	93.7	6.7568	48.7146
2019	11	21	9	11	52	0.1	1	21.89	95.2	6.7568	48.9391
2019	11	21	9	21	52	0.1	1	21.85	93.9	6.7568	48.939
2019	11	21	9	31	52	0.1	1	21.42	96.2	6.7568	47.8166
2019	11	21	9	41	52	0.1	1	21.19	95.4	6.7568	47.3676
2019	11	21	9	51	52	0.1	1	22.52	95.9	6.7568	50.2859
2019	11	21	10	1	52	0.1	1	23.04	96.2	6.7568	51.4084
2019	11	21	10	11	52	0.1	1	22.28	94.9	6.7568	49.8369
2019	11	21	10	21	52	0.1	1	21.97	94.4	6.7568	49.1634
2019	11	21	10	31	52	0.1	1	21.49	95.3	6.7568	48.041
2019	11	21	10	41	52	0.1	1	21.47	94.5	6.7568	48.041
2019	11	21	10	51	52	0.1	1	21.6	95.6	6.7568	48.2654
2019	11	21	11	1	52	0.1	1	21.09	95.2	6.7568	47.143
2019	11	21	11	11	52	0.1	1	22.19	95.2	6.7568	49.6124
2019	11	21	11	21	52	0.1	1	22.15	98.6	6.7568	49.1634
2019	11	21	11	31	52	0.1	1	21.35	94	6.7568	47.8164
2019	11	21	11	41	52	0.1	1	22.24	96.5	6.7507	49.5657
2019	11	21	11	51	52	0.1	1	22.14	96.5	6.7568	49.3879
2019	11	21	12	1	52	0.1	1	21.64	96.6	6.7507	48.2201
2019	11	21	12	11	52	0.1	1	22.04	96.5	6.7507	49.1172
2019	11	21	12	21	52	0.1	1	21.04	93.5	6.7446	47.0543
2019	11	21	12	31	52	0.1	1	21.72	96.1	6.7446	48.3987

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	21	12	41	52	0.1	1	20.84	96.6	6.7446	46.3821
2019	11	21	12	51	52	0.1	1	21.98	95	6.7385	49.0247
2019	11	21	13	1	52	0.1	1	21.1	95.7	6.7385	47.01
2019	11	21	13	11	52	0.1	1	21.6	95.6	6.7385	48.1293
2019	11	21	13	21	52	0.1	1	20.27	94.8	6.7385	45.2191
2019	11	21	13	31	52	0.1	1	21.57	97.2	6.7385	47.9054
2019	11	21	13	41	52	0.1	1	22.22	95.9	6.7385	49.4724
2019	11	21	13	51	52	0.1	1	22.66	96.8	6.7385	50.3678
2019	11	21	14	1	52	0.1	1	22.26	94.4	6.7385	49.6962
2019	11	21	14	11	52	0.1	1	22.01	97.8	6.7385	48.8008
2019	11	21	14	21	52	0.1	1	21.22	96.2	6.7385	47.2338
2019	11	21	14	31	52	0.1	1	21.3	95.7	6.7385	47.4576
2019	11	21	14	41	52	0.1	1	22.54	98.4	6.7385	49.92
2019	11	21	14	51	52	0.1	1	21.89	97.6	6.7385	48.5769
2019	11	21	15	1	52	0.1	1	22.57	97.1	6.7385	50.1439
2019	11	21	15	11	52	0.1	1	23.33	96.2	6.7385	51.9348
2019	11	21	15	21	52	0.1	1	22.69	97.3	6.7385	50.3677
2019	11	21	15	31	52	0.1	1	22.28	97.2	6.7385	49.4723
2019	11	21	15	41	52	0.1	1	21.97	94.4	6.7385	49.0246
2019	11	21	15	51	52	0.1	1	21.3	97.8	6.7385	47.2337
2019	11	21	16	1	52	0.1	1	22.25	96.7	6.7385	49.4723
2019	11	21	16	11	52	0.1	1	22.11	95.7	6.7324	49.202
2019	11	21	16	21	52	0.1	1	21.16	97.1	6.7324	46.9655
2019	11	21	16	31	52	0.1	1	20.57	94.7	6.7324	45.8473
2019	11	21	16	41	52	0.1	1	20.83	96.3	6.7324	46.2946
2019	11	21	16	51	52	0.1	1	22.3	95.4	6.7324	49.6492
2019	11	21	17	1	52	0.1	1	22.01	95.7	6.7263	48.9321
2019	11	21	17	11	52	0.1	1	22.1	95.5	6.7263	49.1555
2019	11	21	17	21	52	0.1	1	21.67	94.5	6.7263	48.2617
2019	11	21	17	31	52	0.1	1	21.61	95.8	6.7263	48.0383
2019	11	21	17	41	52	0.1	1	20.77	94.7	6.7263	46.2508
2019	11	21	17	51	52	0.1	1	22.07	97	6.7263	48.932
2019	11	21	18	1	52	0.1	1	21.37	97.3	6.7263	47.368
2019	11	21	18	11	52	0.1	1	22.01	97.8	6.7263	48.7086
2019	11	21	18	21	52	0.1	1	20.65	97	6.7263	45.8039
2019	11	21	18	31	52	0.1	1	21.87	97.1	6.7263	48.4851
2019	11	21	18	41	52	0.1	1	22.17	97	6.7263	49.1554
2019	11	21	18	51	52	0.1	1	22.13	96.2	6.7202	49.109
2019	11	21	19	1	52	0.1	1	21.51	95.9	6.7202	47.7696
2019	11	21	19	11	52	0.1	1	20.78	95	6.7202	46.2071
2019	11	21	19	21	52	0.1	1	21.89	95.2	6.7202	48.6625
2019	11	21	19	31	52	0.1	1	21.73	96.3	6.7202	48.2161
2019	11	21	19	41	52	0.1	1	22.14	96.5	6.7202	49.1089
2019	11	21	19	51	52	0.1	1	19.89	95.5	6.7202	44.1981
2019	11	21	20	1	52	0.1	1	21.26	98.9	6.7202	46.8767
2019	11	21	20	11	52	0.1	1	21.98	97.3	6.7202	48.6625
2019	11	21	20	21	52	0.1	1	22.18	97.3	6.7202	49.1089

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	21	20	31	52	0.1	1	22.25	96.7	6.7202	49.3322
2019	11	21	20	41	52	0.1	1	20.65	97	6.7202	45.7606
2019	11	21	20	51	52	0.1	1	21.53	96.4	6.7202	47.7696
2019	11	21	21	1	52	0.1	1	21.81	97.9	6.7202	48.2161
2019	11	21	21	11	52	0.1	1	21.38	97.5	6.7141	47.2785
2019	11	21	21	21	52	0.1	1	21.98	95	6.7141	48.8395
2019	11	21	21	31	52	0.1	1	21.24	96.5	6.7141	47.0555
2019	11	21	21	41	52	0.1	1	21.93	98.4	6.7141	48.3935
2019	11	21	21	51	52	0.1	1	21.1	95.7	6.7141	46.8325
2019	11	21	22	1	52	0.1	1	21.85	98.7	6.7141	48.1705
2019	11	21	22	11	52	0.1	1	21.95	96.8	6.7141	48.6166
2019	11	21	22	21	52	0.1	1	21.28	97.6	6.7141	47.0555
2019	11	21	22	31	52	0.1	1	21.35	96.7	6.708	47.2338
2019	11	21	22	41	52	0.1	1	22.25	96.7	6.708	49.239
2019	11	21	22	51	52	0.1	1	20.51	98.1	6.708	45.2286
2019	11	21	23	1	52	0.1	1	21.15	94.1	6.708	47.011
2019	11	21	23	11	52	0.1	1	21.78	97.4	6.708	48.1251
2019	11	21	23	21	52	0.1	1	21.46	97	6.708	47.4567
2019	11	21	23	31	52	0.1	1	21.34	96.5	6.7019	47.1891
2019	11	21	23	41	52	0.1	1	20.13	96.6	6.7019	44.5181
2019	11	21	23	51	52	0.1	1	22.23	98.3	6.7019	48.9699
2019	11	22	0	1	52	0.1	1	21.93	98.4	6.7019	48.3021
2019	11	22	0	11	52	0.1	1	21.24	96.5	6.7019	46.9666
2019	11	22	0	21	52	0.1	1	21.19	97.6	6.7019	46.744
2019	11	22	0	31	52	0.1	1	22.18	99.1	6.7019	48.7473
2019	11	22	0	41	52	0.1	1	20.89	97.7	6.6958	46.0326
2019	11	22	0	51	52	0.1	1	21.2	95.7	6.6958	46.9222
2019	11	22	1	1	52	0.1	1	21.31	98.1	6.6958	46.9222
2019	11	22	1	11	52	0.1	1	20.07	97.4	6.6958	44.2536
2019	11	22	1	21	52	0.1	1	20.37	94.8	6.6958	45.1432
2019	11	22	1	31	52	0.1	1	20.97	94.7	6.6898	46.4334
2019	11	22	1	41	52	0.1	1	21.46	97	6.6898	47.3221
2019	11	22	1	51	52	0.1	1	20.69	97.8	6.6837	45.5015
2019	11	22	2	1	52	0.1	1	20.6	95.6	6.6837	45.5015
2019	11	22	2	11	52	0.1	1	22.17	97	6.6776	48.7845
2019	11	22	2	21	52	0.1	1	21.98	97.3	6.6776	48.341
2019	11	22	2	31	52	0.1	1	21.45	94	6.6715	47.4089
2019	11	22	2	41	52	0.1	1	20.91	95.8	6.6715	46.0797
2019	11	22	2	51	52	0.1	1	20.91	99.9	6.6654	45.5932
2019	11	22	3	1	52	0.1	1	22.24	93.6	6.6654	49.1344
2019	11	22	3	11	52	0.1	1	20.61	95.8	6.6654	45.3719
2019	11	22	3	21	52	0.1	1	20.81	95.8	6.6654	45.8145
2019	11	22	3	31	52	0.1	1	20.85	94.1	6.6654	46.0359
2019	11	22	3	41	52	0.1	1	20.82	96.1	6.6654	45.8146
2019	11	22	3	51	52	0.1	1	21.83	96.3	6.6654	48.0278
2019	11	22	4	1	52	0.1	1	21.26	97	6.6593	46.6554
2019	11	22	4	11	52	0.1	1	21.52	98.3	6.6593	47.0976

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	22	4	21	52	0.1	1	21.44	98.6	6.6593	46.8765
2019	11	22	4	31	52	0.1	1	20.61	98.1	6.6593	45.1076
2019	11	22	4	41	52	0.1	1	21.14	98.7	6.6593	46.2132
2019	11	22	4	51	52	0.1	1	20.81	95.8	6.6593	45.771
2019	11	22	5	1	52	0.1	1	22.19	95.2	6.6532	48.82
2019	11	22	5	11	52	0.1	1	21.25	96.8	6.6532	46.611
2019	11	22	5	21	52	0.1	1	21.37	97.3	6.6532	46.8319
2019	11	22	5	31	52	0.1	1	21.07	97.4	6.6532	46.1692
2019	11	22	5	41	52	0.1	1	21.91	97.9	6.6532	47.9365
2019	11	22	5	51	52	0.1	1	21.51	98	6.6532	47.0529
2019	11	22	6	1	52	0.1	1	21.65	98.8	6.6532	47.2738
2019	11	22	6	11	52	0.1	1	21.09	97.6	6.6532	46.1693
2019	11	22	6	21	52	0.1	1	21.46	97	6.6471	47.008
2019	11	22	6	31	52	0.1	1	22.29	97.5	6.6471	48.7736
2019	11	22	6	41	52	0.1	1	21.42	96.2	6.6471	47.008
2019	11	22	6	51	52	0.1	1	21.28	97.6	6.6471	46.5666
2019	11	22	7	1	52	0.1	1	21.05	96.8	6.6471	46.1253
2019	11	22	7	11	52	0.1	1	21.82	98.2	6.6471	47.6701
2019	11	22	7	21	52	0.1	1	21.64	96.6	6.6471	47.4494
2019	11	22	7	31	52	0.1	1	20.4	95.6	6.6471	44.8011
2019	11	22	7	41	52	0.1	1	21.34	96.5	6.641	46.7427
2019	11	22	7	51	52	0.1	1	20.47	97.3	6.641	44.7583
2019	11	22	8	1	52	0.1	1	20.92	98.2	6.641	45.6403
2019	11	22	8	11	52	0.1	1	19.91	98.4	6.641	43.4354
2019	11	22	8	21	52	0.1	1	21.14	98.7	6.641	46.0812
2019	11	22	8	31	52	0.1	1	20.26	94.5	6.641	44.5378
2019	11	22	8	41	52	0.1	1	21.51	98	6.641	46.9632
2019	11	22	8	51	52	0.1	1	21.24	98.7	6.641	46.3017
2019	11	22	9	1	52	0.1	1	20.62	96.1	6.641	45.1993
2019	11	22	9	11	52	0.1	1	21.05	96.8	6.641	46.0812
2019	11	22	9	21	52	0.1	1	20.25	97.1	6.641	44.3173
2019	11	22	9	31	52	0.1	1	21.65	98.8	6.641	47.1836
2019	11	22	9	41	52	0.1	1	21.17	97.3	6.641	46.3016
2019	11	22	9	51	52	0.1	1	20.94	93.6	6.641	46.0811
2019	11	22	10	1	52	0.1	1	21.65	98.8	6.641	47.1835
2019	11	22	10	11	52	0.1	1	21.52	98.3	6.641	46.963
2019	11	22	10	21	52	0.1	1	22.01	97.8	6.6349	48.0195
2019	11	22	10	31	52	0.1	1	21.97	94.7	6.641	48.2859
2019	11	22	10	41	52	0.1	1	20.67	94.7	6.6349	45.3762
2019	11	22	10	51	52	0.1	1	21.91	95.8	6.641	48.0654
2019	11	22	11	1	52	0.1	1	20.69	97.8	6.6349	45.1558
2019	11	22	11	11	52	0.1	1	20.21	96	6.6349	44.2747
2019	11	22	11	21	52	0.1	1	20.75	96.9	6.6349	45.3761
2019	11	22	11	31	52	0.1	1	21.73	100.1	6.6349	47.1382
2019	11	22	11	41	52	0.1	1	22.08	97.3	6.6349	48.2396
2019	11	22	11	51	52	0.1	1	20.95	96.9	6.6349	45.8166
2019	11	22	12	1	52	0.1	1	21.23	98.4	6.6349	46.2571

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	22	12	11	52	0.1	1	21.44	98.6	6.6349	46.6976
2019	11	22	12	21	52	0.1	1	21.98	97.3	6.6349	48.0193
2019	11	22	12	31	52	0.1	1	20.82	98.3	6.6349	45.376
2019	11	22	12	41	52	0.1	1	21.47	94.5	6.6349	47.1382
2019	11	22	12	51	52	0.1	1	20.45	97	6.6349	44.7152
2019	11	22	13	1	52	0.1	1	21.05	96.8	6.6349	46.0368
2019	11	22	13	11	52	0.1	1	21.14	96.5	6.6349	46.257
2019	11	22	13	21	52	0.1	1	21.57	94.5	6.6349	47.3584
2019	11	22	13	31	52	0.1	1	22.1	97.8	6.6288	48.1933
2019	11	22	13	41	52	0.1	1	21.44	98.6	6.6288	46.6529
2019	11	22	13	51	52	0.1	1	20.47	94.8	6.6288	44.8924
2019	11	22	14	1	52	0.1	1	21.28	97.6	6.6288	46.4328
2019	11	22	14	11	52	0.1	1	21.65	98.8	6.6288	47.093
2019	11	22	14	21	52	0.1	1	21.17	97.3	6.6288	46.2127
2019	11	22	14	31	52	0.1	1	21.1	95.7	6.6288	46.2127
2019	11	22	14	41	52	0.1	1	21.2	97.9	6.6288	46.2127
2019	11	22	14	51	52	0.1	1	20.84	96.6	6.6227	45.5089
2019	11	22	15	1	52	0.1	1	20.76	97.2	6.6227	45.2891
2019	11	22	15	11	52	0.1	1	21.2	101.2	6.6227	45.7288
2019	11	22	15	21	52	0.1	1	21.26	97	6.6227	46.3883
2019	11	22	15	31	52	0.1	1	21.14	96.5	6.6227	46.1684
2019	11	22	15	41	52	0.1	1	21.51	95.9	6.6227	47.0478
2019	11	22	15	51	52	0.1	1	20.69	97.8	6.6227	45.0691
2019	11	22	16	1	52	0.1	1	21.34	93.5	6.6166	46.783
2019	11	22	16	11	52	0.1	1	21.81	95.8	6.6166	47.6615
2019	11	22	16	21	52	0.1	1	20.65	97	6.6044	44.9394
2019	11	22	16	31	52	0.1	1	21.1	97.9	6.6044	45.8163
2019	11	22	16	41	52	0.1	1	21.67	99	6.6044	46.9123
2019	11	22	16	51	52	0.1	1	21.2	95.7	6.6044	46.2546
2019	11	22	17	1	52	0.1	1	21.45	96.7	6.6044	46.6931
2019	11	22	17	11	52	0.1	1	20.58	95	6.6044	44.9393
2019	11	22	17	21	52	0.1	1	21.76	94.2	6.5983	47.5241
2019	11	22	17	31	52	0.1	1	20.41	95.9	6.5983	44.458
2019	11	22	17	41	52	0.1	1	21.6	95.6	6.5983	47.0861
2019	11	22	17	51	52	0.1	1	21.61	98	6.5983	46.8671
2019	11	22	18	1	52	0.1	1	20.27	94.8	6.5983	44.239
2019	11	22	18	11	52	0.1	1	19.87	97.5	6.5983	43.1439
2019	11	22	18	21	52	0.1	1	20.95	96.9	6.5983	45.553
2019	11	22	18	31	52	0.1	1	21.52	99.9	6.5983	46.429
2019	11	22	18	41	52	0.1	1	20.52	98.4	6.5983	44.4579
2019	11	22	18	51	52	0.1	1	20.51	98.1	6.5983	44.4579
2019	11	22	19	1	52	0.1	1	21.92	96	6.5983	47.743
2019	11	22	19	11	52	0.1	1	21.94	96.5	6.5983	47.743
2019	11	22	19	21	52	0.1	1	20.77	94.7	6.5983	45.3339
2019	11	22	19	31	52	0.1	1	20.74	96.6	6.5983	45.1149
2019	11	22	19	41	52	0.1	1	21.07	97.4	6.5922	45.7279
2019	11	22	19	51	52	0.1	1	20.08	97.7	6.5922	43.5399

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	22	20	1	52	0.1	1	21.71	95.8	6.5922	47.2594
2019	11	22	20	11	52	0.1	1	20.95	96.9	6.5922	45.5091
2019	11	22	20	21	52	0.1	1	21.38	97.5	6.5922	46.3842
2019	11	22	20	31	52	0.1	1	21.38	97.5	6.5922	46.3842
2019	11	22	20	41	52	0.1	1	21.66	96.9	6.5922	47.0406
2019	11	22	20	51	52	0.1	1	20.73	93.3	6.5922	45.2903
2019	11	22	21	1	52	0.1	1	19.76	99.3	6.5922	42.6648
2019	11	22	21	11	52	0.1	1	20.63	96.4	6.5861	44.8095
2019	11	22	21	21	52	0.1	1	21.69	95.3	6.5861	47.2139
2019	11	22	21	31	52	0.1	1	21.47	99.1	6.5861	46.3396
2019	11	22	21	41	52	0.1	1	20.8	99.7	6.5861	44.8095
2019	11	22	21	51	52	0.1	1	20.63	96.4	6.5861	44.8095
2019	11	22	22	1	52	0.1	1	21.4	97.8	6.5861	46.3396
2019	11	22	22	11	52	0.1	1	21.94	96.5	6.5861	47.6511
2019	11	22	22	21	52	0.1	1	20.95	96.9	6.5861	45.4653
2019	11	22	22	31	52	0.1	1	20.57	94.7	6.5861	44.8095
2019	11	22	22	41	52	0.1	1	20.38	95.1	6.5861	44.3724
2019	11	22	22	51	52	0.1	1	21.35	96.7	6.58	46.2949
2019	11	22	23	1	52	0.1	1	22.03	96.3	6.58	47.8235
2019	11	22	23	11	52	0.1	1	21.46	97	6.58	46.5133
2019	11	22	23	21	52	0.1	1	21.31	95.9	6.58	46.295
2019	11	22	23	31	52	0.1	1	21.51	95.9	6.58	46.7317
2019	11	22	23	41	52	0.1	1	20.95	96.9	6.58	45.4215
2019	11	22	23	51	52	0.1	1	20.24	96.8	6.58	43.8929
2019	11	23	0	1	52	0.1	1	21.27	97.3	6.58	46.0766
2019	11	23	0	11	52	0.1	1	20.74	96.6	6.58	44.9847
2019	11	23	0	21	52	0.1	1	19.94	96.9	6.58	43.2378
2019	11	23	0	31	52	0.1	1	21.19	95.1	6.5739	46.0321
2019	11	23	0	41	52	0.1	1	20.35	97.1	6.5739	44.0687
2019	11	23	0	51	52	0.1	1	21.13	96.3	6.5739	45.814
2019	11	23	1	1	52	0.1	1	20.82	98.3	6.5739	44.9413
2019	11	23	1	11	52	0.1	1	21.1	97.9	6.5739	45.5958
2019	11	23	1	21	52	0.1	1	20.4	95.6	6.5739	44.2869
2019	11	23	1	31	52	0.1	1	21.02	96	6.5739	45.5958
2019	11	23	1	41	52	0.1	1	20.41	95.9	6.5678	44.2441
2019	11	23	1	51	52	0.1	1	21.48	95.1	6.5678	46.6415
2019	11	23	2	1	52	0.1	1	20.88	97.4	6.5678	45.1159
2019	11	23	2	11	52	0.1	1	21.87	94.7	6.5678	47.5133
2019	11	23	2	21	52	0.1	1	21.18	94.9	6.5678	45.9877
2019	11	23	2	31	52	0.1	1	21.1	97.9	6.5678	45.5518
2019	11	23	2	41	52	0.1	1	20.45	97	6.5678	44.2441
2019	11	23	2	51	52	0.1	1	21.89	97.6	6.5678	47.2954
2019	11	23	3	1	52	0.1	1	19.59	97.9	6.5617	42.2416
2019	11	23	3	11	52	0.1	1	20.99	99.6	6.5617	45.0723
2019	11	23	3	21	52	0.1	1	21.87	97.1	6.5617	47.2497
2019	11	23	3	31	52	0.1	1	20.28	97.7	6.5617	43.7658
2019	11	23	3	41	52	0.1	1	20.57	94.7	6.5617	44.6368

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	23	3	51	52	0.1	1	20.32	96.2	6.5617	43.9836
2019	11	23	4	1	52	0.1	1	20.2	98	6.5617	43.5481
2019	11	23	4	11	52	0.1	1	21.1	97.9	6.5556	45.4637
2019	11	23	4	21	52	0.1	1	21.2	95.7	6.5556	45.8988
2019	11	23	4	31	52	0.1	1	20.88	97.4	6.5556	45.0287
2019	11	23	4	41	52	0.1	1	20.85	96.9	6.5556	45.0287
2019	11	23	4	51	52	0.1	1	21.26	97	6.5556	45.8988
2019	11	23	5	1	52	0.1	1	19.8	95.8	6.5495	42.8119
2019	11	23	5	11	52	0.1	1	20.08	97.7	6.5495	43.2466
2019	11	23	5	21	52	0.1	1	20.93	96.3	6.5495	45.2024
2019	11	23	5	31	52	0.1	1	21.25	96.8	6.5434	45.8099
2019	11	23	5	41	52	0.1	1	20.78	97.5	6.5374	44.681
2019	11	23	5	51	52	0.1	1	21.21	98.1	6.5374	45.5486
2019	11	23	6	1	52	0.1	1	19.47	95	6.5313	42.0373
2019	11	23	6	11	52	0.1	1	20.99	95.2	6.5313	45.2876
2019	11	23	6	21	52	0.1	1	20.29	95.4	6.5313	43.7708
2019	11	23	6	31	52	0.1	1	20.03	98.6	6.5313	42.9041
2019	11	23	6	41	52	0.1	1	21.64	98.5	6.5313	46.3711
2019	11	23	6	51	52	0.1	1	20.96	97.1	6.5252	45.0272
2019	11	23	7	1	52	0.1	1	20.61	95.8	6.5252	44.3777
2019	11	23	7	11	52	0.1	1	20.55	94.2	6.5252	44.3778
2019	11	23	7	21	52	0.1	1	19.88	95.2	6.5252	42.8624
2019	11	23	7	31	52	0.1	1	19.51	96.2	6.5252	41.9965
2019	11	23	7	41	52	0.1	1	20.65	97	6.5252	44.3778
2019	11	23	7	51	52	0.1	1	20.74	96.6	6.5252	44.5942
2019	11	23	8	1	52	0.1	1	20.03	98.6	6.5252	42.8624
2019	11	23	8	11	52	0.1	1	21.01	95.7	6.5252	45.2437
2019	11	23	8	21	52	0.1	1	20.9	95.5	6.5252	45.0272
2019	11	23	8	31	52	0.1	1	20.93	96.3	6.5191	44.9833
2019	11	23	8	41	52	0.1	1	20.41	98.2	6.5191	43.6857
2019	11	23	8	51	52	0.1	1	20.43	96.5	6.5191	43.902
2019	11	23	9	1	52	0.1	1	20.6	95.6	6.5191	44.3345
2019	11	23	9	11	52	0.1	1	20.82	98.3	6.5191	44.5507
2019	11	23	9	21	52	0.1	1	20.4	95.6	6.5191	43.9019
2019	11	23	9	31	52	0.1	1	19.55	97.1	6.5191	41.9555
2019	11	23	9	41	52	0.1	1	22.33	96.2	6.5191	48.0109
2019	11	23	9	51	52	0.1	1	20.7	95.5	6.5191	44.5507
2019	11	23	10	1	52	0.1	1	21.45	96.7	6.5191	46.0645
2019	11	23	10	11	52	0.1	1	19.49	95.6	6.5191	41.9554
2019	11	23	10	21	52	0.1	1	19.91	96.1	6.5191	42.8205
2019	11	23	10	31	52	0.1	1	21.18	94.9	6.5191	45.6319
2019	11	23	10	41	52	0.1	1	21.37	97.3	6.5191	45.8482
2019	11	23	10	51	52	0.1	1	19.9	98.1	6.5191	42.6042
2019	11	23	11	1	52	0.1	1	19.69	95.5	6.5191	42.3879
2019	11	23	11	11	52	0.1	1	21.03	98.5	6.5191	44.9831
2019	11	23	11	21	52	0.1	1	20.69	97.8	6.513	44.291
2019	11	23	11	31	52	0.1	1	20.17	97.4	6.5191	43.2529

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	23	11	41	52	0.1	1	20.37	94.8	6.5191	43.9017
2019	11	23	11	51	52	0.1	1	19.73	98.7	6.513	42.1305
2019	11	23	12	1	52	0.1	1	20.3	95.7	6.513	43.6428
2019	11	23	12	11	52	0.1	1	20.93	96.3	6.513	44.9391
2019	11	23	12	21	52	0.1	1	20.75	96.9	6.513	44.507
2019	11	23	12	31	52	0.1	1	21.72	98.2	6.513	46.4515
2019	11	23	12	41	52	0.1	1	20.17	97.4	6.513	43.2107
2019	11	23	12	51	52	0.1	1	19.73	98.7	6.513	42.1304
2019	11	23	13	1	52	0.1	1	20.13	96.6	6.513	43.2107
2019	11	23	13	11	52	0.1	1	20.24	98.8	6.513	43.2107
2019	11	23	13	21	52	0.1	1	21.05	96.8	6.513	45.1552
2019	11	23	13	31	52	0.1	1	20.33	96.5	6.513	43.6428
2019	11	23	13	41	52	0.1	1	20.12	98.6	6.513	42.9946
2019	11	23	13	51	52	0.1	1	20.19	95.4	6.513	43.4267
2019	11	23	14	1	52	0.1	1	21.77	97.1	6.513	46.6675
2019	11	23	14	11	52	0.1	1	20.69	95.3	6.513	44.507
2019	11	23	14	21	52	0.1	1	20.47	97.3	6.513	43.8588
2019	11	23	14	31	52	0.1	1	21.3	95.7	6.513	45.8033
2019	11	23	14	41	52	0.1	1	20	95.7	6.513	42.9946
2019	11	23	14	51	52	0.1	1	20.72	98.3	6.513	44.291
2019	11	23	15	1	52	0.1	1	20.89	97.7	6.5069	44.6794
2019	11	23	15	11	52	0.1	1	20.52	98.4	6.513	43.8588
2019	11	23	15	21	52	0.1	1	19.97	97.5	6.513	42.7786
2019	11	23	15	31	52	0.1	1	20.74	96.6	6.5069	44.4635
2019	11	23	15	41	52	0.1	1	20.78	97.5	6.5069	44.4635
2019	11	23	15	51	52	0.1	1	21.48	97.5	6.513	46.0193
2019	11	23	16	1	52	0.1	1	21.67	94.8	6.5069	46.6219
2019	11	23	16	11	52	0.1	1	21.02	98.2	6.5069	44.8952
2019	11	23	16	21	52	0.1	1	20.41	95.9	6.5069	43.816
2019	11	23	16	31	52	0.1	1	21.07	97.4	6.5069	45.111
2019	11	23	16	41	52	0.1	1	20.41	95.9	6.5069	43.8159
2019	11	23	16	51	52	0.1	1	20.71	95.8	6.5069	44.4634
2019	11	23	17	1	52	0.1	1	21.14	98.7	6.5069	45.1109
2019	11	23	17	11	52	0.1	1	21.34	96.5	6.5069	45.7585
2019	11	23	17	21	52	0.1	1	20.17	97.4	6.5069	43.1683
2019	11	23	17	31	52	0.1	1	20.67	99.2	6.5069	44.0317
2019	11	23	17	41	52	0.1	1	20.35	97.1	6.5069	43.6
2019	11	23	17	51	52	0.1	1	20.07	94.9	6.5069	43.1683
2019	11	23	18	1	52	0.1	1	21.04	98.7	6.5069	44.895
2019	11	23	18	11	52	0.1	1	21.51	95.9	6.5069	46.1901
2019	11	23	18	21	52	0.1	1	20.21	96	6.5069	43.3841
2019	11	23	18	31	52	0.1	1	21.36	97	6.5069	45.7584
2019	11	23	18	41	52	0.1	1	19.94	98.9	6.5069	42.5208
2019	11	23	18	51	52	0.1	1	21.46	97	6.5069	45.9742
2019	11	23	19	1	52	0.1	1	20.78	97.5	6.5069	44.4633
2019	11	23	19	11	52	0.1	1	22.3	95.4	6.5008	47.87
2019	11	23	19	21	52	0.1	1	20.89	97.7	6.5008	44.6355

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	23	19	31	52	0.1	1	20.55	97	6.5008	43.9886
2019	11	23	19	41	52	0.1	1	21.03	96.3	6.5008	45.0668
2019	11	23	19	51	52	0.1	1	20.95	96.9	6.5008	44.8512
2019	11	23	20	1	52	0.1	1	20.85	96.9	6.5008	44.6356
2019	11	23	20	11	52	0.1	1	20.55	97	6.5008	43.9887
2019	11	23	20	21	52	0.1	1	21.5	97.8	6.5008	45.9294
2019	11	23	20	31	52	0.1	1	21.04	98.7	6.5008	44.8512
2019	11	23	20	41	52	0.1	1	20.91	95.8	6.5008	44.8512
2019	11	23	20	51	52	0.1	1	21.24	93.5	6.5008	45.7138
2019	11	23	21	1	52	0.1	1	20.83	96.3	6.5008	44.6356
2019	11	23	21	11	52	0.1	1	21.02	96	6.5008	45.0669
2019	11	23	21	21	52	0.1	1	21.44	98.6	6.4947	45.6691
2019	11	23	21	31	52	0.1	1	20.33	96.5	6.4947	43.5149
2019	11	23	21	41	52	0.1	1	21.4	95.6	6.4947	45.8846
2019	11	23	21	51	52	0.1	1	20.01	96	6.4947	42.8687
2019	11	23	22	1	52	0.1	1	20.65	93.9	6.4947	44.3767
2019	11	23	22	11	52	0.1	1	20.8	95.5	6.4947	44.5921
2019	11	23	22	21	52	0.1	1	20.01	96	6.4947	42.8688
2019	11	23	22	31	52	0.1	1	20.72	98.3	6.4947	44.1613
2019	11	23	22	41	52	0.1	1	20.54	96.7	6.4947	43.9459
2019	11	23	22	51	52	0.1	1	20.8	95.5	6.4947	44.5922
2019	11	23	23	1	52	0.1	1	20.28	97.7	6.4947	43.2997
2019	11	23	23	11	52	0.1	1	21.35	96.7	6.4947	45.6693
2019	11	23	23	21	52	0.1	1	20.96	97.1	6.4886	44.7638
2019	11	23	23	31	52	0.1	1	20.61	95.8	6.4886	44.1182
2019	11	23	23	41	52	0.1	1	20.22	96.2	6.4886	43.2574
2019	11	23	23	51	52	0.1	1	21.4	97.8	6.4886	45.6247
2019	11	24	0	1	52	0.1	1	21.2	95.7	6.4886	45.4095
2019	11	24	0	11	52	0.1	1	20.2	98	6.4886	43.0422
2019	11	24	0	21	52	0.1	1	20.85	98.8	6.4886	44.3335
2019	11	24	0	31	52	0.1	1	20.85	96.9	6.4886	44.5487
2019	11	24	0	41	52	0.1	1	21.37	99.2	6.4886	45.4096
2019	11	24	0	51	52	0.1	1	21.66	96.9	6.4886	46.2705
2019	11	24	1	1	52	0.1	1	20.72	98.3	6.4886	44.1184
2019	11	24	1	11	52	0.1	1	20.3	95.7	6.4886	43.4728
2019	11	24	1	21	52	0.1	1	21.4	97.8	6.4886	45.6249
2019	11	24	1	31	52	0.1	1	21.2	97.9	6.4886	45.1945
2019	11	24	1	41	52	0.1	1	21.2	97.9	6.4886	45.1945
2019	11	24	1	51	52	0.1	1	21.35	96.7	6.4886	45.6249
2019	11	24	2	1	52	0.1	1	20.66	97.2	6.4886	44.1185
2019	11	24	2	11	52	0.1	1	20.52	96.2	6.4825	43.8603
2019	11	24	2	21	52	0.1	1	21.23	98.4	6.4825	45.1503
2019	11	24	2	31	52	0.1	1	19.58	99.7	6.4825	41.4953
2019	11	24	2	41	52	0.1	1	20.34	96.8	6.4886	43.4729
2019	11	24	2	51	52	0.1	0.9	20.66	97.2	6.4825	44.0753
2019	11	24	3	1	52	0.1	0.9	20.2	95.7	6.4886	43.2577
2019	11	24	3	11	52	0.1	0.9	20.75	96.9	6.4886	44.3338

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	24	3	21	52	0.1	0.9	21.17	99.2	6.4886	44.9795
2019	11	24	3	31	52	0.1	0.9	20.78	97.5	6.4886	44.3338
2019	11	24	3	41	52	0.1	0.9	21.1	97.9	6.4886	44.9795
2019	11	24	3	51	52	0.1	0.9	20.79	97.7	6.4886	44.3339
2019	11	24	4	1	52	0.1	0.9	21.47	97.2	6.4825	45.7955
2019	11	24	4	11	52	0.1	0.9	20.9	98	6.4825	44.5055
2019	11	24	4	21	52	0.1	0.9	20.9	98	6.4825	44.5055
2019	11	24	4	31	52	0.1	0.9	21.34	96.5	6.4825	45.5805
2019	11	24	4	41	52	0.1	0.9	21.47	97.2	6.4825	45.7956
2019	11	24	4	51	52	0.1	0.9	20.43	96.5	6.4825	43.6456
2019	11	24	5	1	52	0.1	0.9	21.34	96.5	6.4825	45.5806
2019	11	24	5	11	52	0.1	0.9	20.71	95.8	6.4825	44.2906
2019	11	24	5	21	52	0.1	0.9	20.57	97.3	6.4825	43.8606
2019	11	24	5	31	52	0.1	0.9	20.68	99.5	6.4825	43.8606
2019	11	24	5	41	52	0.1	0.9	20.87	94.7	6.4825	44.7207
2019	11	24	5	51	52	0.1	0.9	21.03	96.3	6.4886	44.9797
2019	11	24	6	1	52	0.1	0.9	20.71	95.8	6.4825	44.2907
2019	11	24	6	11	52	0.1	0.9	20.72	98.3	6.4825	44.0757
2019	11	24	6	21	52	0.1	0.9	20.9	95.5	6.4825	44.7208
2019	11	24	6	31	52	0.1	0.9	20.73	93	6.4825	44.5058
2019	11	24	6	41	52	0.1	0.9	20.45	97	6.4825	43.6458
2019	11	24	6	51	52	0.1	0.9	20.8	98	6.4825	44.2908
2019	11	24	7	1	52	0.1	0.9	21.56	96.9	6.4825	46.0108
2019	11	24	7	11	52	0.1	0.9	21.17	99.2	6.4825	44.9359
2019	11	24	7	21	52	0.1	0.9	20.36	94.2	6.4825	43.6459
2019	11	24	7	31	52	0.1	0.9	21.67	97.2	6.4886	46.2712
2019	11	24	7	41	52	0.1	0.9	20.02	96.3	6.4825	42.7858
2019	11	24	7	51	52	0.1	0.9	20.01	96	6.4886	42.8278
2019	11	24	8	1	52	0.1	0.9	20.5	95.6	6.4886	43.9039
2019	11	24	8	11	52	0.1	0.9	21.18	94.9	6.4886	45.4104
2019	11	24	8	21	52	0.1	0.9	19.73	96.7	6.4886	42.1821
2019	11	24	8	31	52	0.1	0.9	22.13	96.2	6.4886	47.3473
2019	11	24	8	41	52	0.1	0.9	20.61	95.8	6.4886	44.1191
2019	11	24	8	51	52	0.1	0.9	21.16	99	6.4886	44.9799
2019	11	24	9	1	52	0.1	0.9	20.11	96	6.4886	43.043
2019	11	24	9	11	52	0.1	0.9	21.35	96.7	6.4886	45.6255
2019	11	24	9	21	52	0.1	0.9	21	97.9	6.4886	44.7647
2019	11	24	9	31	52	0.1	0.9	21.02	98.2	6.4886	44.7647
2019	11	24	9	41	52	0.1	0.9	21.84	98.4	6.4886	46.4864
2019	11	24	9	51	52	0.1	0.9	21.37	99.2	6.4886	45.4103
2019	11	24	10	1	52	0.1	0.9	20.7	98.1	6.4947	44.1622
2019	11	24	10	11	52	0.1	0.9	21.14	96.5	6.4947	45.2393
2019	11	24	10	21	52	0.1	0.9	21.54	100.2	6.4947	45.6701
2019	11	24	10	31	52	0.1	0.9	21.05	100.4	6.4947	44.593
2019	11	24	10	41	52	0.1	0.9	20.79	97.7	6.4947	44.3776
2019	11	24	10	51	52	0.1	0.9	21.35	96.7	6.4947	45.6701
2019	11	24	11	1	52	0.1	0.9	21	97.9	6.4947	44.8084

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	24	11	11	52	0.1	0.9	21.14	96.5	6.4947	45.2392
2019	11	24	11	21	52	0.1	0.9	20.89	95.2	6.4947	44.8083
2019	11	24	11	31	52	0.1	0.9	21.09	95.2	6.4947	45.2392
2019	11	24	11	41	52	0.1	0.9	20.9	98	6.4947	44.5929
2019	11	24	11	51	52	0.1	0.9	20.7	95.5	6.4947	44.3774
2019	11	24	12	1	52	0.1	0.9	20.62	98.4	6.4947	43.9466
2019	11	24	12	11	52	0.1	0.9	20.91	95.8	6.4947	44.8083
2019	11	24	12	21	52	0.1	0.9	20.04	98.9	6.4947	42.654
2019	11	24	12	31	52	0.1	0.9	22.02	96	6.5008	47.2241
2019	11	24	12	41	52	0.1	0.9	21.07	97.4	6.5008	45.0677
2019	11	24	12	51	52	0.1	0.9	20.75	100.6	6.5008	43.9895
2019	11	24	13	1	52	0.1	0.9	20.93	96.3	6.5008	44.8521
2019	11	24	13	11	52	0.1	0.9	19.22	96.3	6.5008	41.1863
2019	11	24	13	21	52	0.1	0.9	20.5	99.8	6.5008	43.5583
2019	11	24	13	31	52	0.1	0.9	20.58	97.5	6.5008	43.9895
2019	11	24	13	41	52	0.1	0.9	21.61	95.8	6.5008	46.3615
2019	11	24	13	51	52	0.1	0.9	20.24	93.7	6.5008	43.5583
2019	11	24	14	1	52	0.1	0.9	21.15	94.1	6.5008	45.499
2019	11	24	14	11	52	0.1	0.9	20.29	97.9	6.5008	43.3426
2019	11	24	14	21	52	0.1	0.9	20.7	98.1	6.5008	44.2051
2019	11	24	14	31	52	0.1	0.9	20.49	95.3	6.5008	43.9895
2019	11	24	14	41	52	0.1	0.9	19.91	98.4	6.5008	42.4801
2019	11	24	14	51	52	0.1	0.9	21.91	97.9	6.5008	46.7928
2019	11	24	15	1	52	0.1	0.9	21.48	97.5	6.5008	45.9303
2019	11	24	15	11	52	0.1	0.9	20.49	95.3	6.5008	43.9895
2019	11	24	15	21	52	0.1	0.9	20.96	97.1	6.5008	44.8521
2019	11	24	15	31	52	0.1	0.9	20.99	95.2	6.5008	45.0677
2019	11	24	15	41	52	0.1	0.9	21.11	96	6.5008	45.2833
2019	11	24	15	51	52	0.1	0.9	21.24	100.3	6.5069	45.1117
2019	11	24	16	1	52	0.1	0.9	21.01	95.7	6.5069	45.1117
2019	11	24	16	11	52	0.1	0.9	20.59	95.3	6.5069	44.2483
2019	11	24	16	21	52	0.1	0.9	21.03	96.3	6.5069	45.1117
2019	11	24	16	31	52	0.1	0.9	20.25	97.1	6.5069	43.3849
2019	11	24	16	41	52	0.1	0.9	21.87	94.5	6.5069	47.0543
2019	11	24	16	51	52	0.1	0.9	20.72	98.3	6.5069	44.2483
2019	11	24	17	1	52	0.1	0.9	20.82	98.3	6.5069	44.4641
2019	11	24	17	11	52	0.1	0.9	22	95.5	6.513	47.3162
2019	11	24	17	21	52	0.1	0.9	20.22	96.2	6.513	43.4272
2019	11	24	17	31	52	0.1	0.9	21.67	99	6.513	46.2359
2019	11	24	17	41	52	0.1	0.9	20.22	98.5	6.513	43.2112
2019	11	24	17	51	52	0.1	0.9	21.55	98.8	6.513	46.0199
2019	11	24	18	1	52	0.1	0.9	20.55	97	6.513	44.0753
2019	11	24	18	11	52	0.1	0.9	20.81	95.8	6.513	44.7235
2019	11	24	18	21	52	0.1	1	21.93	96.3	6.513	47.1001
2019	11	24	18	31	52	0.1	0.9	21.21	98.1	6.513	45.3717
2019	11	24	18	41	52	0.1	1	20.69	97.8	6.513	44.2914
2019	11	24	18	51	52	0.1	1	21.58	97.5	6.5191	46.281

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	24	19	1	52	0.1	1	20.71	95.8	6.5191	44.5509
2019	11	24	19	11	52	0.1	0.9	20.76	99.1	6.5191	44.3346
2019	11	24	19	21	52	0.1	1	20.34	96.8	6.5191	43.6858
2019	11	24	19	31	52	0.1	1	21.03	98.5	6.5191	44.9834
2019	11	24	19	41	52	0.1	0.9	21.08	94.9	6.5191	45.4159
2019	11	24	19	51	52	0.1	1	21.38	94.8	6.5191	46.0648
2019	11	24	20	1	52	0.1	1	21.1	95.7	6.5191	45.416
2019	11	24	20	11	52	0.1	0.9	21.26	98.9	6.5191	45.416
2019	11	24	20	21	52	0.1	0.9	21.19	95.4	6.5191	45.6322
2019	11	24	20	31	52	0.1	0.9	20.34	96.8	6.5191	43.6859
2019	11	24	20	41	52	0.1	0.9	21.56	96.9	6.5191	46.2811
2019	11	24	20	51	52	0.1	0.9	21.62	98.2	6.5191	46.2811
2019	11	24	21	1	52	0.1	0.9	20.6	95.6	6.5191	44.3347
2019	11	24	21	11	52	0.1	0.9	20.4	101.3	6.5252	43.2955
2019	11	24	21	21	52	0.1	0.9	20.54	96.7	6.5252	44.1615
2019	11	24	21	31	52	0.1	0.9	21.62	98.2	6.5252	46.3263
2019	11	24	21	41	52	0.1	0.9	20.49	97.9	6.5252	43.945
2019	11	24	21	51	52	0.1	0.9	21.4	95.6	6.5313	46.1547
2019	11	24	22	1	52	0.1	0.9	21.1	97.9	6.5313	45.288
2019	11	24	22	11	52	0.1	0.9	20.62	98.4	6.5313	44.2046
2019	11	24	22	21	52	0.1	0.9	20.54	98.7	6.5374	44.0307
2019	11	24	22	31	52	0.1	0.9	21.89	97.6	6.5374	47.0673
2019	11	24	22	41	52	0.1	0.9	20.4	95.6	6.5434	44.0735
2019	11	24	22	51	52	0.1	0.9	20.8	99.7	6.5434	44.5078
2019	11	24	23	1	52	0.1	0.9	20.25	97.1	6.5434	43.6394
2019	11	24	23	11	52	0.1	0.9	20.71	95.8	6.5434	44.7249
2019	11	24	23	21	52	0.1	0.9	20.54	96.7	6.5434	44.2907
2019	11	24	23	31	52	0.1	0.9	20.55	97	6.5434	44.2907
2019	11	24	23	41	52	0.1	0.9	21.38	97.5	6.5434	46.0276
2019	11	24	23	51	52	0.1	0.9	20.18	95.1	6.5434	43.6394
2019	11	25	0	1	52	0.1	0.9	19.61	96.1	6.5434	42.3368
2019	11	25	0	11	52	0.1	0.9	21.35	96.7	6.5434	46.0277
2019	11	25	0	21	52	0.1	0.9	21.21	98.1	6.5434	45.5935
2019	11	25	0	31	52	0.1	0.9	20.44	96.7	6.5434	44.0737
2019	11	25	0	41	52	0.1	0.9	20.34	98.8	6.5434	43.6395
2019	11	25	0	51	52	0.1	0.9	20.48	97.6	6.5434	44.0738
2019	11	25	1	1	52	0.1	0.9	21.69	97.7	6.5434	46.6791
2019	11	25	1	11	52	0.1	0.9	20.8	98	6.5434	44.7251
2019	11	25	1	21	52	0.1	0.9	21.69	97.7	6.5434	46.6792
2019	11	25	1	31	52	0.1	0.9	21.24	96.5	6.5434	45.8107
2019	11	25	1	41	52	0.1	0.9	22.49	97.4	6.5434	48.4161
2019	11	25	1	51	52	0.1	0.9	20.78	95	6.5495	44.986
2019	11	25	2	1	52	0.1	0.9	20.78	95	6.5434	44.9423
2019	11	25	2	11	52	0.1	0.9	20.85	96.9	6.5434	44.9423
2019	11	25	2	21	52	0.1	0.9	21.26	98.9	6.5434	45.5937
2019	11	25	2	31	52	0.1	0.9	21.8	99.5	6.5434	46.6793
2019	11	25	2	41	52	0.1	0.9	20.32	98.5	6.5434	43.6397

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	25	2	51	52	0.1	0.9	22.09	97.5	6.5434	47.5478
2019	11	25	3	1	52	0.1	0.9	19.98	97.8	6.5434	42.9884
2019	11	25	3	11	52	0.1	0.9	20.31	95.9	6.5495	43.8995
2019	11	25	3	21	52	0.1	0.9	20.89	97.7	6.5495	44.9861
2019	11	25	3	31	52	0.1	1	20.74	96.6	6.5434	44.7254
2019	11	25	3	41	52	0.1	1	21.04	98.7	6.5495	45.2035
2019	11	25	3	51	52	0.1	1	20.78	95	6.5495	44.9862
2019	11	25	4	1	52	0.1	1	21.36	100.5	6.5434	45.5939
2019	11	25	4	11	52	0.1	1	21.94	96.5	6.5434	47.3308
2019	11	25	4	21	52	0.1	1	21.51	98	6.5434	46.2453
2019	11	25	4	31	52	0.1	1	21.15	96.8	6.5434	45.594
2019	11	25	4	41	52	0.1	1	21.24	96.5	6.5434	45.8111
2019	11	25	4	51	52	0.1	1	21.51	98	6.5495	46.2902
2019	11	25	5	1	52	0.1	1	21.01	95.7	6.5495	45.421
2019	11	25	5	11	52	0.1	1	21.59	95.3	6.5434	46.6796
2019	11	25	5	21	52	0.1	1	21.45	96.7	6.5434	46.2454
2019	11	25	5	31	52	0.1	1	20.29	99.6	6.5434	43.4229
2019	11	25	5	41	52	0.1	1	20.41	95.9	6.5434	44.0743
2019	11	25	5	51	52	0.1	1	21.45	96.7	6.5434	46.2455
2019	11	25	6	1	52	0.1	1	21.04	98.7	6.5434	45.1599
2019	11	25	6	11	52	0.1	1	21.43	98.3	6.5434	46.0284
2019	11	25	6	21	52	0.1	1	21.15	96.8	6.5434	45.5942
2019	11	25	6	31	52	0.1	1	20.65	98.9	6.5434	44.2915
2019	11	25	6	41	52	0.1	1	21.07	97.4	6.5434	45.3771
2019	11	25	6	51	52	0.1	1	20.86	97.2	6.5434	44.9429
2019	11	25	7	1	52	0.1	1	20.37	97.3	6.5434	43.8573
2019	11	25	7	11	52	0.1	1	20.86	97.2	6.5434	44.9429
2019	11	25	7	21	52	0.1	1	21.3	95.7	6.5434	46.0285
2019	11	25	7	31	52	0.1	1	19.83	96.7	6.5434	42.7718
2019	11	25	7	41	52	0.1	1	19.96	94.3	6.5434	43.206
2019	11	25	7	51	52	0.1	1	21.1	97.9	6.5434	45.3772
2019	11	25	8	1	52	0.1	1	19.77	97.6	6.5434	42.5547
2019	11	25	8	11	52	0.1	1	20.51	98.1	6.5434	44.0745
2019	11	25	8	21	52	0.1	1	21.13	96.3	6.5434	45.5943
2019	11	25	8	31	52	0.1	1	20.59	97.8	6.5434	44.2916
2019	11	25	8	41	52	0.1	1	20.62	98.4	6.5495	44.3346
2019	11	25	8	51	52	0.1	1	20.28	97.7	6.5495	43.6826
2019	11	25	9	1	52	0.1	1	21.72	99.8	6.5495	46.5078
2019	11	25	9	11	52	0.1	1	20.82	98.3	6.5495	44.7692
2019	11	25	9	21	52	0.1	1	21.62	99.9	6.5495	46.2905
2019	11	25	9	31	52	0.1	1	20.25	99.1	6.5495	43.4652
2019	11	25	9	41	52	0.1	1	22.28	94.9	6.5556	48.2932
2019	11	25	9	51	52	0.1	1	21.84	98.4	6.5556	46.9879
2019	11	25	10	1	52	0.1	1	20.86	99.1	6.5556	44.8125
2019	11	25	10	11	52	0.1	1	20.89	95.2	6.5556	45.2476
2019	11	25	10	21	52	0.1	1	20.91	95.8	6.5556	45.2476
2019	11	25	10	31	52	0.1	1	21.23	93.2	6.5556	46.1177

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	25	10	41	52	0.1	1	21.95	96.8	6.5556	47.4229
2019	11	25	10	51	52	0.1	1	21.86	96.8	6.5495	47.1596
2019	11	25	11	1	52	0.1	1	21.07	97.4	6.5495	45.421
2019	11	25	11	11	52	0.1	1	21.04	96.6	6.5495	45.421
2019	11	25	11	21	52	0.1	1	20.47	99.3	6.5434	43.8572
2019	11	25	11	31	52	0.1	1	21.02	98.2	6.5374	45.116
2019	11	25	11	41	52	0.1	1	21.35	96.7	6.5556	46.1177
2019	11	25	11	51	52	0.1	1	21.34	98.6	6.5434	45.8112
2019	11	25	12	1	52	0.1	1	21.4	97.8	6.5495	46.073
2019	11	25	12	11	52	0.1	1	19.54	96.8	6.5374	42.0793
2019	11	25	12	21	52	0.1	1	21.23	98.4	6.5434	45.594
2019	11	25	12	31	52	0.1	1	20.75	96.9	6.5495	44.769
2019	11	25	12	41	52	0.1	1	19.94	93.7	6.5374	43.1638
2019	11	25	12	51	52	0.1	1	20.81	95.8	6.5495	44.9863
2019	11	25	13	1	52	0.1	1	20.25	97.1	6.5434	43.64
2019	11	25	13	11	52	0.1	1	21.31	99.7	6.5434	45.594
2019	11	25	13	21	52	0.1	1	20.03	96.6	6.5495	43.2477
2019	11	25	13	31	52	0.1	1	21.22	100	6.5374	45.3328
2019	11	25	13	41	52	0.1	1	20.97	97.4	6.5495	45.2036
2019	11	25	13	51	52	0.1	1	20.71	95.8	6.5434	44.7255
2019	11	25	14	1	52	0.1	1	19.92	96.3	6.5434	42.9886
2019	11	25	14	11	52	0.1	1	21.2	95.7	6.5434	45.8111
2019	11	25	14	21	52	0.1	1	21.13	96.3	6.5495	45.6383
2019	11	25	14	31	52	0.1	1	22.12	96	6.5434	47.7652
2019	11	25	14	41	52	0.1	1	19.54	93.5	6.5495	42.3784
2019	11	25	14	51	52	0.1	1	20.42	92.8	6.5434	44.2914
2019	11	25	15	1	52	0.1	1	21.41	95.9	6.5495	46.2903
2019	11	25	15	11	52	0.1	1	21.15	96.8	6.5495	45.6383
2019	11	25	15	21	52	0.1	1	20.71	95.8	6.5495	44.769
2019	11	25	15	31	52	0.1	1	21.28	94.9	6.5495	46.073
2019	11	25	15	41	52	0.1	1	20.73	96.4	6.5495	44.769
2019	11	25	15	51	52	0.1	1	20.73	96.4	6.5495	44.769
2019	11	25	16	1	52	0.1	1	20.24	96.8	6.5495	43.6824
2019	11	25	16	11	52	0.1	1	21.58	97.5	6.5495	46.5076
2019	11	25	16	21	52	0.1	1	22.04	96.5	6.5556	47.6404
2019	11	25	16	31	52	0.1	1	21.16	97.1	6.5495	45.6383
2019	11	25	16	41	52	0.1	1	21.5	97.8	6.5556	46.3351
2019	11	25	16	51	52	0.1	1	20.21	96	6.5556	43.7247
2019	11	25	17	1	52	0.1	1	21.32	96.2	6.5495	46.0729
2019	11	25	17	11	52	0.1	1	20.4	99.9	6.5556	43.7247
2019	11	25	17	21	52	0.1	1	20.14	96.8	6.5495	43.4649
2019	11	25	17	31	52	0.1	1	22.81	95.5	6.5495	49.3327
2019	11	25	17	41	52	0.1	1	21.5	97.8	6.5495	46.2902
2019	11	25	17	51	52	0.1	1	19.96	94.3	6.5495	43.2476
2019	11	25	18	1	52	0.1	1	20.39	97.9	6.5495	43.8996
2019	11	25	18	11	52	0.1	1	21.3	97.8	6.5495	45.8555
2019	11	25	18	21	52	0.1	1	20.39	97.9	6.5495	43.8995

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	25	18	31	52	0.1	1	21.24	96.5	6.5556	45.8999
2019	11	25	18	41	52	0.1	1	20.95	94.1	6.5556	45.4649
2019	11	25	18	51	52	0.1	1	21.23	93.2	6.5556	46.1175
2019	11	25	19	1	52	0.1	1	21.43	96.4	6.5495	46.2901
2019	11	25	19	11	52	0.1	1	21.48	94.8	6.5556	46.5525
2019	11	25	19	21	52	0.1	1	21.58	97.5	6.5556	46.5525
2019	11	25	19	31	52	0.1	1	21.69	97.7	6.5556	46.7701
2019	11	25	19	41	52	0.1	0.9	22.13	98.3	6.5556	47.6402
2019	11	25	19	51	52	0.1	1	22.04	96.5	6.5556	47.6402
2019	11	25	20	1	52	0.1	1	20.73	96.4	6.5495	44.7688
2019	11	25	20	11	52	0.1	1	20.75	96.9	6.5556	44.8123
2019	11	25	20	21	52	0.1	1	19.79	95.5	6.5556	42.8545
2019	11	25	20	31	52	0.1	1	21.47	97.2	6.5556	46.335
2019	11	25	20	41	52	0.1	1	21.06	97.1	6.5495	45.4208
2019	11	25	20	51	52	0.1	1	21.37	94.6	6.5495	46.2902
2019	11	25	21	1	52	0.1	1	21.42	92.7	6.5495	46.5075
2019	11	25	21	11	52	0.1	1	20.46	94.2	6.5495	44.3343
2019	11	25	21	21	52	0.1	1	21.09	95.2	6.5495	45.6382
2019	11	25	21	31	52	0.1	1	20.89	95.2	6.5495	45.2036
2019	11	25	21	41	52	0.1	1	21.15	96.8	6.5495	45.6382
2019	11	25	21	51	52	0.1	1	20.75	96.9	6.5495	44.769
2019	11	25	22	1	52	0.1	1	20.77	94.7	6.5495	44.9863
2019	11	25	22	11	52	0.1	1	21.13	96.3	6.5495	45.6383
2019	11	25	22	21	52	0.1	1	20.35	93.9	6.5495	44.117
2019	11	25	22	31	52	0.1	1	20.28	97.7	6.5495	43.6824
2019	11	25	22	41	52	0.1	1	21.27	97.3	6.5434	45.8112
2019	11	25	22	51	52	0.1	1	20.68	97.5	6.5495	44.5517
2019	11	25	23	1	52	0.1	1	20.31	98.2	6.5495	43.6824
2019	11	25	23	11	52	0.1	1	21.25	96.8	6.5434	45.8112
2019	11	25	23	21	52	0.1	1	21.92	98.1	6.5434	47.1139
2019	11	25	23	31	52	0.1	1	20.28	97.7	6.5434	43.6401
2019	11	25	23	41	52	0.1	1	19.73	96.7	6.5434	42.5546
2019	11	25	23	51	52	0.1	1	19.96	97.2	6.5434	42.9888
2019	11	26	0	1	52	0.1	1	21.09	97.6	6.5434	45.3771
2019	11	26	0	11	52	0.1	1	20.75	96.9	6.5434	44.7258
2019	11	26	0	21	52	0.1	1	21.04	96.6	6.5434	45.3771
2019	11	26	0	31	52	0.1	1	20.1	95.7	6.5434	43.4231
2019	11	26	0	41	52	0.1	1	21.36	100.5	6.5434	45.5943
2019	11	26	0	51	52	0.1	1	20.37	97.3	6.5434	43.8574
2019	11	26	1	1	52	0.1	1	21.16	99	6.5434	45.3772
2019	11	26	1	11	52	0.1	1	20.66	97.2	6.5434	44.5087
2019	11	26	1	21	52	0.1	1	20.8	98	6.5434	44.7259
2019	11	26	1	31	52	0.1	1	20.9	99.6	6.5434	44.7259
2019	11	26	1	41	52	0.1	1	20.8	98	6.5434	44.7259
2019	11	26	1	51	52	0.1	1	20.11	98.3	6.5374	43.1641
2019	11	26	2	1	52	0.1	1	21.09	99.6	6.5434	45.1601
2019	11	26	2	11	52	0.1	1	20.9	99.6	6.5374	44.6825

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	26	2	21	52	0.1	1	20.17	97.4	6.5374	43.3811
2019	11	26	2	31	52	0.1	1	20.3	95.7	6.5374	43.8149
2019	11	26	2	41	52	0.1	1	21.01	99.9	6.5374	44.8994
2019	11	26	2	51	52	0.1	1	20.55	97	6.5374	44.2487
2019	11	26	3	1	52	0.1	1	21.61	98	6.5374	46.4178
2019	11	26	3	11	52	0.1	1	21.27	97.3	6.5374	45.7671
2019	11	26	3	21	52	0.1	1	20.51	98.1	6.5374	44.0319
2019	11	26	3	31	52	0.1	1	20.84	96.6	6.5374	44.8995
2019	11	26	3	41	52	0.1	1	20.96	97.1	6.5374	45.1164
2019	11	26	3	51	52	0.1	1	20.37	97.3	6.5374	43.815
2019	11	26	4	1	52	0.1	1	20.1	95.7	6.5374	43.3812
2019	11	26	4	11	52	0.1	1	21.05	96.8	6.5374	45.3334
2019	11	26	4	21	52	0.1	1	21.42	99.9	6.5374	45.7672
2019	11	26	4	31	52	0.1	1	21.24	96.5	6.5374	45.7672
2019	11	26	4	41	52	0.1	1	20.96	99.1	6.5374	44.8996
2019	11	26	4	51	52	0.1	1	20.06	99.2	6.5313	42.9057
2019	11	26	5	1	52	0.1	1	20.51	98.1	6.5374	44.032
2019	11	26	5	11	52	0.1	1	20	98	6.5313	42.9058
2019	11	26	5	21	52	0.1	1	19.83	98.7	6.5313	42.4724
2019	11	26	5	31	52	0.1	1	19.96	97.2	6.5313	42.9058
2019	11	26	5	41	52	0.1	1	21.22	100	6.5313	45.2895
2019	11	26	5	51	52	0.1	1	20.93	100.2	6.5313	44.6394
2019	11	26	6	1	52	0.1	1	20.55	97	6.5313	44.206
2019	11	26	6	11	52	0.1	1	22.18	97.3	6.5313	47.6732
2019	11	26	6	21	52	0.1	1	19.94	98.9	6.5313	42.6892
2019	11	26	6	31	52	0.1	1	19.96	97.2	6.5313	42.9059
2019	11	26	6	41	52	0.1	1	19.83	100.5	6.5313	42.2558
2019	11	26	6	51	52	0.1	1	20.61	98.1	6.5313	44.2061
2019	11	26	7	1	52	0.1	1	19.86	97.2	6.5313	42.6892
2019	11	26	7	11	52	0.1	1	20.06	99.2	6.5313	42.9059
2019	11	26	7	21	52	0.1	1	19.67	97.6	6.5313	42.2559
2019	11	26	7	31	52	0.1	1	21.1	97.9	6.5313	45.2896
2019	11	26	7	41	52	0.1	1	21.2	97.9	6.5313	45.5063
2019	11	26	7	51	52	0.1	1	19.74	99	6.5313	42.2559
2019	11	26	8	1	52	0.1	1	20.9	98	6.5313	44.8562
2019	11	26	8	11	52	0.1	1	19.29	98	6.5313	41.3891
2019	11	26	8	21	52	0.1	1	20.61	95.8	6.5313	44.4228
2019	11	26	8	31	52	0.1	1	19.94	98.9	6.5313	42.6892
2019	11	26	8	41	52	0.1	1	21.57	99.1	6.5313	46.1564
2019	11	26	8	51	52	0.1	1	20.47	99.3	6.5313	43.7727
2019	11	26	9	1	52	0.1	1	21.07	97.4	6.5313	45.2896
2019	11	26	9	11	52	0.1	1	21.16	97.1	6.5313	45.5063
2019	11	26	9	21	52	0.1	1	21.41	98.1	6.5313	45.9397
2019	11	26	9	31	52	0.1	1	20.34	96.8	6.5313	43.7727
2019	11	26	9	41	52	0.1	1	20.99	99.6	6.5313	44.8561
2019	11	26	9	51	52	0.1	1	20.47	99.3	6.5313	43.7727
2019	11	26	10	1	52	0.1	1	20.86	99.1	6.5374	44.6829

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	26	10	11	52	0.1	1	19.81	98.4	6.5374	42.5138
2019	11	26	10	21	52	0.1	1	19.52	96.5	6.5313	42.039
2019	11	26	10	31	52	0.1	1	21.07	97.4	6.5313	45.2895
2019	11	26	10	41	52	0.1	1	20.4	95.6	6.5313	43.9893
2019	11	26	10	51	52	0.1	1	21.04	98.7	6.5313	45.0728
2019	11	26	11	1	52	0.1	1	21.24	96.5	6.5374	45.7673
2019	11	26	11	11	52	0.1	1	19.86	99.3	6.5374	42.5137
2019	11	26	11	21	52	0.1	1	20.21	100	6.5313	43.1225
2019	11	26	11	31	52	0.1	1	20.34	96.8	6.5374	43.8151
2019	11	26	11	41	52	0.1	1	20.21	98.3	6.5374	43.3813
2019	11	26	11	51	52	0.1	1	20.52	98.4	6.5374	44.032
2019	11	26	12	1	52	0.1	1	20	98	6.5374	42.9475
2019	11	26	12	11	52	0.1	1	20.8	95.5	6.5374	44.8996
2019	11	26	12	21	52	0.1	1	21.24	100.3	6.5374	45.3334
2019	11	26	12	31	52	0.1	1	20.32	100.2	6.5374	43.3813
2019	11	26	12	41	52	0.1	1	20.52	98.4	6.5374	44.032
2019	11	26	12	51	52	0.1	1	20.01	98.3	6.5374	42.9474
2019	11	26	13	1	52	0.1	1	20.11	96	6.5374	43.3813
2019	11	26	13	11	52	0.1	1	19.96	97.2	6.5374	42.9475
2019	11	26	13	21	52	0.1	1	20.12	98.6	6.5374	43.1643
2019	11	26	13	31	52	0.1	1	20.11	98.3	6.5374	43.1643
2019	11	26	13	41	52	0.1	1	19.77	102.6	6.5374	41.8629
2019	11	26	13	51	52	0.1	1	19.74	99	6.5374	42.2967
2019	11	26	14	1	52	0.1	1	20.63	96.4	6.5374	44.4658
2019	11	26	14	11	52	0.1	1	20.64	96.7	6.5434	44.509
2019	11	26	14	21	52	0.1	1	20.55	97	6.5434	44.2919
2019	11	26	14	31	52	0.1	1	20.57	99.2	6.5374	44.032
2019	11	26	14	41	52	0.1	1	20.48	97.6	6.5374	44.032
2019	11	26	14	51	52	0.1	1	20	98	6.5374	42.9475
2019	11	26	15	1	52	0.1	1	20.51	98.1	6.5374	44.032
2019	11	26	15	11	52	0.1	1	21.16	99	6.5374	45.3335
2019	11	26	15	21	52	0.1	1	20.33	96.5	6.5313	43.7725
2019	11	26	15	31	52	0.1	1	20.51	98.1	6.5374	44.032
2019	11	26	15	41	52	0.1	1	19.61	96.1	6.5374	42.2968
2019	11	26	15	51	52	0.1	1	21.71	97.9	6.5374	46.6349
2019	11	26	16	1	52	0.1	1	20.06	99.2	6.5374	42.9475
2019	11	26	16	11	52	0.1	1	20.22	101.7	6.5374	42.9475
2019	11	26	16	21	52	0.1	1	20.57	99.2	6.5374	44.032
2019	11	26	16	31	52	0.1	1	20.55	102.1	6.5374	43.5982
2019	11	26	16	41	52	0.1	1	20.27	99.4	6.5374	43.3812
2019	11	26	16	51	52	0.1	1	21.65	98.8	6.5374	46.4179
2019	11	26	17	1	52	0.1	1	20.7	98.1	6.5374	44.4658
2019	11	26	17	11	52	0.1	1	19.42	96.5	6.5374	41.8629
2019	11	26	17	21	52	0.1	1	21.46	98.8	6.5374	45.9841
2019	11	26	17	31	52	0.1	1	20.11	98.3	6.5374	43.1643
2019	11	26	17	41	52	0.1	1	19.95	100.7	6.5374	42.5136
2019	11	26	17	51	52	0.1	1	19.92	96.3	6.5374	42.9474

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	26	18	1	52	0.1	1	20.9	99.6	6.5374	44.6826
2019	11	26	18	11	52	0.1	1	21.05	100.4	6.5374	44.8995
2019	11	26	18	21	52	0.1	1	20.96	99.1	6.5374	44.8995
2019	11	26	18	31	52	0.1	1	21.04	98.7	6.5374	45.1164
2019	11	26	18	41	52	0.1	1	20.86	97.2	6.5374	44.8995
2019	11	26	18	51	52	0.1	1	20.24	96.8	6.5434	43.6404
2019	11	26	19	1	52	0.1	1	21.03	100.1	6.5374	44.8995
2019	11	26	19	11	52	0.1	1	20.61	98.1	6.5374	44.2488
2019	11	26	19	21	52	0.1	1	21.77	99	6.5374	46.6347
2019	11	26	19	31	52	0.1	1	20.78	97.5	6.5374	44.6826
2019	11	26	19	41	52	0.1	1	20.47	99.3	6.5374	43.8149
2019	11	26	19	51	52	0.1	1	21.04	98.7	6.5374	45.1164
2019	11	26	20	1	52	0.1	1	19.56	99.4	6.5374	41.8628
2019	11	26	20	11	52	0.1	1	21.36	97	6.5434	46.0287
2019	11	26	20	21	52	0.1	1	19.96	101	6.5374	42.5135
2019	11	26	20	31	52	0.1	1	20.51	98.1	6.5434	44.0746
2019	11	26	20	41	52	0.1	1	20.64	96.7	6.5374	44.4657
2019	11	26	20	51	52	0.1	1	20.07	97.4	6.5374	43.1642
2019	11	26	21	1	52	0.1	1	22.1	99.4	6.5374	47.2854
2019	11	26	21	11	52	0.1	1	21.41	98.1	6.5374	45.984
2019	11	26	21	21	52	0.1	1	21.53	96.4	6.5374	46.4178
2019	11	26	21	31	52	0.1	1	20.93	96.3	6.5434	45.1603
2019	11	26	21	41	52	0.1	1	20.7	95.5	6.5434	44.7261
2019	11	26	21	51	52	0.1	1	20.61	98.1	6.5374	44.2488
2019	11	26	22	1	52	0.1	1	20.7	99.7	6.5374	44.2488
2019	11	26	22	11	52	0.1	1	19.64	96.7	6.5374	42.2967
2019	11	26	22	21	52	0.1	1	19.83	98.7	6.5374	42.5136
2019	11	26	22	31	52	0.1	1	20.2	98	6.5374	43.3812
2019	11	26	22	41	52	0.1	1	20.62	100.1	6.5374	44.032
2019	11	26	22	51	52	0.1	1	19.76	97.3	6.5374	42.5136
2019	11	26	23	1	52	0.1	1	19.96	97.2	6.5374	42.9475
2019	11	26	23	11	52	0.1	1	20.44	96.7	6.5374	44.032
2019	11	26	23	21	52	0.1	1	20.84	96.6	6.5374	44.8996
2019	11	26	23	31	52	0.1	1	20.74	96.6	6.5374	44.6827
2019	11	26	23	41	52	0.1	1	21.14	96.5	6.5374	45.5504
2019	11	26	23	51	52	0.1	1	20.31	98.2	6.5374	43.5982
2019	11	27	0	1	52	0.1	1	20.93	100.2	6.5374	44.6828
2019	11	27	0	11	52	0.1	1	20.31	98.2	6.5374	43.5982
2019	11	27	0	21	52	0.1	1	21.27	99.2	6.5374	45.5504
2019	11	27	0	31	52	0.1	1	20.45	99	6.5374	43.8152
2019	11	27	0	41	52	0.1	1	20.89	97.7	6.5313	44.8561
2019	11	27	0	51	52	0.1	1	21.31	95.9	6.5556	46.1183
2019	11	27	1	1	52	0.1	1	20.74	96.6	6.5374	44.6828
2019	11	27	1	11	52	0.1	1	20.24	93.7	6.5374	43.8152
2019	11	27	1	21	52	0.1	1	20.99	95.2	6.5434	45.3776
2019	11	27	1	31	52	0.1	1	21.2	95.7	6.5374	45.7674
2019	11	27	1	41	52	0.1	1	20.34	96.8	6.5434	43.8578

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	27	1	51	52	0.1	1	20.54	96.7	6.5434	44.292
2019	11	27	2	1	52	0.1	1	21.47	94.5	6.5434	46.4632
2019	11	27	2	11	52	0.1	1	20.41	98.2	6.5434	43.8578
2019	11	27	2	21	52	0.1	1	20.49	95.3	6.5252	44.163
2019	11	27	2	31	52	0.1	1	21.71	97.9	6.5374	46.635
2019	11	27	2	41	52	0.1	1	20.34	96.8	6.5434	43.8578
2019	11	27	2	51	52	0.1	1	20.66	97.2	6.5434	44.5092
2019	11	27	3	1	52	0.1	1	21.15	96.8	6.5495	45.6391
2019	11	27	3	11	52	0.1	1	19.05	94.2	6.5556	41.3325
2019	11	27	3	21	52	0.1	1	19.96	94.6	6.5495	43.2484
2019	11	27	3	31	52	0.1	1	21.14	96.5	6.5556	45.6833
2019	11	27	3	41	52	0.1	1	20.3	95.7	6.5495	43.9004
2019	11	27	3	51	52	0.1	1	20.76	97.2	6.5495	44.7698
2019	11	27	4	1	52	0.1	1	20.64	96.7	6.5495	44.5524
2019	11	27	4	11	52	0.1	1	20.73	96.4	6.5617	44.8566
2019	11	27	4	21	52	0.1	1	20.39	97.9	6.5495	43.9005
2019	11	27	4	31	52	0.1	1	20.99	97.7	6.5495	45.2045
2019	11	27	4	41	52	0.1	1	19.67	94.7	6.5617	42.6791
2019	11	27	4	51	52	0.1	1	20.35	97.1	6.5495	43.9005
2019	11	27	5	1	52	0.1	1	21.98	97.3	6.5556	47.4237
2019	11	27	5	11	52	0.1	1	20.1	95.7	6.5495	43.4658
2019	11	27	5	21	52	0.1	1	20.7	98.1	6.5556	44.5957
2019	11	27	5	31	52	0.1	1	19.46	97.4	6.5556	41.9852
2019	11	27	5	41	52	0.1	1	20.85	96.9	6.5556	45.0308
2019	11	27	5	51	52	0.1	1	20.75	98.9	6.5556	44.5957
2019	11	27	6	1	52	0.1	1	20.22	96.2	6.5495	43.6832
2019	11	27	6	11	52	0.1	1	20.79	97.7	6.5495	44.7699
2019	11	27	6	21	52	0.1	1	20.39	97.9	6.5495	43.9005
2019	11	27	6	31	52	0.1	1	20.58	95	6.5495	44.5525
2019	11	27	6	41	52	0.1	1	20.64	96.7	6.5495	44.5525
2019	11	27	6	51	52	0.1	1	21.55	96.7	6.5556	46.5536
2019	11	27	7	1	52	0.1	1	21.28	97.6	6.5495	45.8565
2019	11	27	7	11	52	0.1	1	21.27	99.2	6.5556	45.6835
2019	11	27	7	21	52	0.1	1	20.13	96.6	6.5556	43.5081
2019	11	27	7	31	52	0.1	1	20	98	6.5556	43.073
2019	11	27	7	41	52	0.1	1	20.91	95.8	6.5556	45.2484
2019	11	27	7	51	52	0.1	1	20.8	98	6.5556	44.8133
2019	11	27	8	1	52	0.1	1	20.79	97.7	6.5495	44.7699
2019	11	27	8	11	52	0.1	1	19.4	98.3	6.5495	41.7273
2019	11	27	8	21	52	0.1	1	20.25	103.4	6.5495	42.8139
2019	11	27	8	31	52	0.1	1	19.66	99.4	6.5495	42.1619
2019	11	27	8	41	52	0.1	1	20.95	98.8	6.5495	44.9872
2019	11	27	8	51	52	0.1	1	20.85	96.9	6.5495	44.9872
2019	11	27	9	1	52	0.1	1	21.07	97.4	6.5556	45.4659
2019	11	27	9	11	52	0.1	1	20.92	98.2	6.5556	45.0308
2019	11	27	9	21	52	0.1	1	20.51	98.1	6.5495	44.1179
2019	11	27	9	31	52	0.1	1	20.55	97	6.5556	44.3782

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	27	9	41	52	0.1	1	20.37	99.3	6.5678	43.8103
2019	11	27	9	51	52	0.1	1	20.86	99.1	6.5678	44.9
2019	11	27	10	1	52	0.1	1	20.17	99.4	6.5617	43.3324
2019	11	27	10	11	52	0.1	1	19.6	95.9	6.5617	42.4614
2019	11	27	10	21	52	0.1	1	19.89	95.5	6.5739	43.1981
2019	11	27	10	31	52	0.1	1	20.99	99.6	6.5556	45.0306
2019	11	27	10	41	52	0.1	1	20.37	97.3	6.5617	43.9855
2019	11	27	10	51	52	0.1	1	19.6	98.2	6.5678	42.2844
2019	11	27	11	1	52	0.1	1	20.11	98.3	6.5678	43.3742
2019	11	27	11	11	52	0.1	1	20.54	98.7	6.5678	44.246
2019	11	27	11	21	52	0.1	1	21.64	98.5	6.5678	46.6436
2019	11	27	11	31	52	0.1	1	21.43	96.4	6.5678	46.4256
2019	11	27	11	41	52	0.1	1	20.83	96.3	6.5678	45.1178
2019	11	27	11	51	52	0.1	1	20.93	98.5	6.5678	45.1179
2019	11	27	12	1	52	0.1	1	19.81	98.4	6.5678	42.7203
2019	11	27	12	11	52	0.1	1	19.96	97.2	6.5678	43.1562
2019	11	27	12	21	52	0.1	1	21.52	98.3	6.5678	46.4257
2019	11	27	12	31	52	0.1	1	19.98	97.8	6.5678	43.1562
2019	11	27	12	41	52	0.1	1	19.88	99.6	6.5678	42.7203
2019	11	27	12	51	52	0.1	1	20.48	99.6	6.58	44.1132
2019	11	27	13	1	52	0.1	1	21.3	97.8	6.5739	46.0341
2019	11	27	13	11	52	0.1	1	20.73	100.3	6.5678	44.4639
2019	11	27	13	21	52	0.1	1	20.76	99.1	6.5617	44.6387
2019	11	27	13	31	52	0.1	1	20.03	98.6	6.5678	43.1562
2019	11	27	13	41	52	0.1	1	20.43	96.5	6.5678	44.246
2019	11	27	13	51	52	0.1	1	22.33	98.2	6.5678	48.1693
2019	11	27	14	1	52	0.1	1	20.14	100.6	6.5739	43.1979
2019	11	27	14	11	52	0.1	1	21.46	98.8	6.5617	46.1629
2019	11	27	14	21	52	0.1	1	20.7	98.1	6.5739	44.7251
2019	11	27	14	31	52	0.1	1	20.04	100.6	6.5739	42.9798
2019	11	27	14	41	52	0.1	1	20.28	97.7	6.5739	43.8525
2019	11	27	14	51	52	0.1	1	21.4	99.7	6.5739	46.0342
2019	11	27	15	1	52	0.1	1	20.01	98.3	6.58	43.2397
2019	11	27	15	11	52	0.1	1	21.06	99	6.58	45.4235
2019	11	27	15	21	52	0.1	1	20.04	96.9	6.5739	43.4161
2019	11	27	15	31	52	0.1	1	19.71	98.5	6.58	42.5845
2019	11	27	15	41	52	0.1	1	20.84	96.6	6.58	45.2051
2019	11	27	15	51	52	0.1	1	20.65	100.6	6.58	44.3315
2019	11	27	16	1	52	0.1	1	21.03	98.5	6.58	45.4234
2019	11	27	16	11	52	0.1	1	21.44	98.6	6.58	46.2969
2019	11	27	16	21	52	0.1	1	19.36	97.4	6.58	41.9293
2019	11	27	16	31	52	0.1	1	20.84	96.6	6.58	45.205
2019	11	27	16	41	52	0.1	1	21.82	99.8	6.5739	46.9067
2019	11	27	16	51	52	0.1	1	20.54	96.7	6.58	44.5498
2019	11	27	17	1	52	0.1	1	21.42	99.9	6.5861	46.123
2019	11	27	17	11	52	0.1	1	20.8	95.5	6.5861	45.2486
2019	11	27	17	21	52	0.1	1	20.58	99.5	6.5861	44.3742

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	27	17	31	52	0.1	1	20.21	100	6.5861	43.4998
2019	11	27	17	41	52	0.1	1	20.64	96.7	6.5861	44.8113
2019	11	27	17	51	52	0.1	1	21.05	96.8	6.58	45.6416
2019	11	27	18	1	52	0.1	1	20.74	96.6	6.58	44.9865
2019	11	27	18	11	52	0.1	1	19.96	97.2	6.58	43.2394
2019	11	27	18	21	52	0.1	1	20.89	97.7	6.58	45.2049
2019	11	27	18	31	52	0.1	1	20.54	96.7	6.58	44.5497
2019	11	27	18	41	52	0.1	1	20.08	95.1	6.58	43.6762
2019	11	27	18	51	52	0.1	1	20.75	96.9	6.5861	45.0299
2019	11	27	19	1	52	0.1	1	20.14	98.9	6.5861	43.4997
2019	11	27	19	11	52	0.1	1	20.98	99.3	6.5861	45.2485
2019	11	27	19	21	52	0.1	1	21.16	97.1	6.5861	45.9043
2019	11	27	19	31	52	0.1	1	21.34	98.6	6.5922	46.1673
2019	11	27	19	41	52	0.1	1	20.25	97.1	6.5922	43.9793
2019	11	27	19	51	52	0.1	1	20.91	95.8	6.5922	45.5109
2019	11	27	20	1	52	0.1	1	22.29	97.5	6.5922	48.3554
2019	11	27	20	11	52	0.1	1	20.44	100.4	6.5922	43.9793
2019	11	27	20	21	52	0.1	1	21.08	99.3	6.5922	45.511
2019	11	27	20	31	52	0.1	1	20.62	98.4	6.5922	44.6357
2019	11	27	20	41	52	0.1	1	21.69	97.7	6.5922	47.0426
2019	11	27	20	51	52	0.1	1	20.85	98.8	6.5922	45.0734
2019	11	27	21	1	52	0.1	1	21.31	98.1	6.5922	46.1674
2019	11	27	21	11	52	0.1	1	20.44	96.7	6.5922	44.417
2019	11	27	21	21	52	0.1	1	21	97.9	6.5922	45.511
2019	11	27	21	31	52	0.1	1	19.67	97.6	6.5922	42.6666
2019	11	27	21	41	52	0.1	1	20.82	98.3	6.5922	45.0735
2019	11	27	21	51	52	0.1	1	20.9	95.5	6.5922	45.5111
2019	11	27	22	1	52	0.1	1	21.46	97	6.5922	46.6051
2019	11	27	22	11	52	0.1	1	21.2	97.9	6.5922	45.9487
2019	11	27	22	21	52	0.1	1	20.86	99.1	6.5922	45.0735
2019	11	27	22	31	52	0.1	1	20.86	99.1	6.5922	45.0736
2019	11	27	22	41	52	0.1	1	19.97	99.5	6.5922	43.1043
2019	11	27	22	51	52	0.1	1	21.87	98.9	6.5922	47.2616
2019	11	27	23	1	52	0.1	1	20.85	98.8	6.5922	45.0736
2019	11	27	23	11	52	0.1	1	21.64	96.6	6.5983	47.0882
2019	11	27	23	21	52	0.1	1	20.34	96.8	6.5983	44.241
2019	11	27	23	31	52	0.1	1	21.07	97.4	6.5922	45.7301
2019	11	27	23	41	52	0.1	1	22.13	98.3	6.5983	47.9643
2019	11	27	23	51	52	0.1	1	21.78	99.2	6.5922	47.0429
2019	11	28	0	1	52	0.1	1	21.16	99	6.5922	45.7301
2019	11	28	0	11	52	0.1	1	21.33	98.4	6.5922	46.1678
2019	11	28	0	21	52	0.1	1	21.24	96.5	6.5922	46.1678
2019	11	28	0	31	52	0.1	1	21.78	99.2	6.5922	47.043
2019	11	28	0	41	52	0.1	1	19.79	97.8	6.5922	42.8857
2019	11	28	0	51	52	0.1	1	21.44	98.6	6.5922	46.3866
2019	11	28	1	1	52	0.1	1	21.48	97.5	6.5922	46.6055
2019	11	28	1	11	52	0.1	1	21.63	96.4	6.5922	47.0431

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	28	1	21	52	0.1	1	21.87	98.9	6.5922	47.2619
2019	11	28	1	31	52	0.1	1	21	97.9	6.5922	45.5115
2019	11	28	1	41	52	0.1	1	21.89	100.8	6.5922	47.0431
2019	11	28	1	51	52	0.1	1	21.7	99.5	6.5922	46.8243
2019	11	28	2	1	52	0.1	1	20.42	98.4	6.5922	44.1987
2019	11	28	2	11	52	0.1	1	21	101.3	6.5922	45.0739
2019	11	28	2	21	52	0.1	1	20.8	98	6.5922	45.0739
2019	11	28	2	31	52	0.1	1	21.16	97.1	6.5922	45.9492
2019	11	28	2	41	52	0.1	1	21.71	97.9	6.5922	47.0432
2019	11	28	2	51	52	0.1	1	20.47	99.3	6.5922	44.1987
2019	11	28	3	1	52	0.1	1	20.91	99.9	6.5922	45.074
2019	11	28	3	11	52	0.1	1	20.7	99.7	6.5922	44.6364
2019	11	28	3	21	52	0.1	1	20.91	99.9	6.5922	45.074
2019	11	28	3	31	52	0.1	1	21.32	100	6.5922	45.9492
2019	11	28	3	41	52	0.1	1	19.45	99.2	6.5922	42.0107
2019	11	28	3	51	52	0.1	1	20.96	99.1	6.5922	45.2928
2019	11	28	4	1	52	0.1	1	20.96	97.1	6.5922	45.5117
2019	11	28	4	11	52	0.1	1	20.74	96.6	6.5922	45.0741
2019	11	28	4	21	52	0.1	1	21.29	99.5	6.5922	45.9493
2019	11	28	4	31	52	0.1	1	20.98	101	6.5922	45.0741
2019	11	28	4	41	52	0.1	1	20.68	97.5	6.5922	44.8553
2019	11	28	4	51	52	0.1	1	20.39	99.6	6.5922	43.9801
2019	11	28	5	1	52	0.1	1	20.4	99.9	6.5922	43.9801
2019	11	28	5	11	52	0.1	1	20.12	98.6	6.5922	43.5425
2019	11	28	5	21	52	0.1	1	20.91	95.8	6.5922	45.5117
2019	11	28	5	31	52	0.1	1	20.24	98.8	6.5922	43.7613
2019	11	28	5	41	52	0.1	1	20.8	99.7	6.5922	44.8553
2019	11	28	5	51	52	0.1	1	21.13	100.1	6.5922	45.5118
2019	11	28	6	1	52	0.1	1	21.44	98.6	6.5922	46.387
2019	11	28	6	11	52	0.1	1	20.65	97	6.5922	44.8554
2019	11	28	6	21	52	0.1	1	21.4	97.8	6.5922	46.387
2019	11	28	6	31	52	0.1	1	20.73	96.4	6.5922	45.0742
2019	11	28	6	41	52	0.1	1	20.72	98.3	6.5922	44.8554
2019	11	28	6	51	52	0.1	1	20.7	99.7	6.5922	44.6366
2019	11	28	7	1	52	0.1	1	21.26	97	6.5922	46.1683
2019	11	28	7	11	52	0.1	1	21.24	98.7	6.5861	45.9052
2019	11	28	7	21	52	0.1	1	20.14	96.8	6.5922	43.7614
2019	11	28	7	31	52	0.1	1	21.67	97.2	6.5861	46.9982
2019	11	28	7	41	52	0.1	1	21.51	98	6.5861	46.561
2019	11	28	7	51	52	0.1	1	22.13	96.2	6.5861	48.0912
2019	11	28	8	1	52	0.1	1	21.76	96.9	6.5922	47.2624
2019	11	28	8	11	52	0.1	1	20.37	99.3	6.5922	43.9803
2019	11	28	8	21	52	0.1	1	21.31	99.7	6.5922	45.9495
2019	11	28	8	31	52	0.1	1	21.67	99	6.5922	46.8248
2019	11	28	8	41	52	0.1	1	21.37	99.2	6.5922	46.1684
2019	11	28	8	51	52	0.1	1	21.72	96.1	6.5922	47.2624
2019	11	28	9	1	52	0.1	1	21.15	94.1	6.5922	46.1684

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	28	9	11	52	0.1	1	21.79	97.6	6.5983	47.308
2019	11	28	9	21	52	0.1	1	19.67	94.7	6.5922	42.8863
2019	11	28	9	31	52	0.1	1	20.61	98.1	6.5922	44.6367
2019	11	28	9	41	52	0.1	1	21.83	96.3	6.5983	47.527
2019	11	28	9	51	52	0.1	1	21.06	94.4	6.5983	45.9939
2019	11	28	10	1	52	0.1	1	20.74	96.6	6.5983	45.1178
2019	11	28	10	11	52	0.1	1	20.83	93	6.5983	45.5559
2019	11	28	10	21	52	0.1	1	20.57	97.3	6.5983	44.6798
2019	11	28	10	31	52	0.1	1	20.44	93.4	6.5983	44.6798
2019	11	28	10	41	52	0.1	1	20.22	92.6	6.5983	44.2418
2019	11	28	10	51	52	0.1	1	21.07	94.6	6.5983	45.9939
2019	11	28	11	1	52	0.1	1	20.2	95.7	6.5983	44.0228
2019	11	28	11	11	52	0.1	1	20.9	95.5	6.5983	45.5559
2019	11	28	11	21	52	0.1	1	21.1	97.9	6.5983	45.7749
2019	11	28	11	31	52	0.1	1	20.18	95.1	6.6044	44.0652
2019	11	28	11	41	52	0.1	1	20.98	94.9	6.6044	45.819
2019	11	28	11	51	52	0.1	1	20.84	96.6	6.6044	45.3806
2019	11	28	12	1	52	0.1	1	20.12	96.3	6.6044	43.846
2019	11	28	12	11	52	0.1	1	20.1	98	6.6105	43.6687
2019	11	28	12	21	52	0.1	1	21.11	96	6.6166	46.1268
2019	11	28	12	31	52	0.1	1	19.99	95.5	6.6166	43.7107
2019	11	28	12	41	52	0.1	1	20.73	93	6.6166	45.4679
2019	11	28	12	51	52	0.1	1	20.9	95.5	6.6166	45.6875
2019	11	28	13	1	52	0.1	1	22.09	95.2	6.6288	48.4161
2019	11	28	13	11	52	0.1	1	20.53	96.4	6.6288	44.895
2019	11	28	13	21	52	0.1	1	20.55	93.9	6.6288	45.115
2019	11	28	13	31	52	0.1	1	20	95.7	6.6288	43.7946
2019	11	28	13	41	52	0.1	1	21.15	94.1	6.6349	46.48
2019	11	28	13	51	52	0.1	1	20.24	96.8	6.6349	44.2771
2019	11	28	14	1	52	0.1	1	20.59	95.3	6.6288	45.115
2019	11	28	14	11	52	0.1	1	20.87	94.7	6.6349	45.8191
2019	11	28	14	21	52	0.1	1	20.24	93.4	6.6349	44.4974
2019	11	28	14	31	52	0.1	1	20.52	96.2	6.6349	44.938
2019	11	28	14	41	52	0.1	1	20.87	94.7	6.6349	45.8191
2019	11	28	14	51	52	0.1	1	20.62	96.1	6.641	45.2015
2019	11	28	15	1	52	0.1	1	20.98	94.9	6.641	46.0835
2019	11	28	15	11	52	0.1	1	20.62	96.1	6.641	45.2015
2019	11	28	15	21	52	0.1	1	21.58	95.1	6.641	47.4064
2019	11	28	15	31	52	0.1	1	20.46	94.2	6.6471	45.024
2019	11	28	15	41	52	0.1	1	20.91	95.8	6.6471	45.9068
2019	11	28	15	51	52	0.1	1	20.27	94.8	6.6471	44.5826
2019	11	28	16	1	52	0.1	1	20.73	93	6.6471	45.6861
2019	11	28	16	11	52	0.1	1	21.01	95.7	6.6471	46.1275
2019	11	28	16	21	52	0.1	1	20.55	93.9	6.6471	45.2447
2019	11	28	16	31	52	0.1	1	21.18	94.9	6.6471	46.5689
2019	11	28	16	41	52	0.1	1	19.7	95.8	6.6471	43.2584
2019	11	28	16	51	52	0.1	1	19.88	95.2	6.6471	43.6998

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	28	17	1	52	0.1	1	20.52	92.2	6.6532	45.2879
2019	11	28	17	11	52	0.1	1	19.38	95.3	6.6532	42.6369
2019	11	28	17	21	52	0.1	1	20.5	95.6	6.6532	45.067
2019	11	28	17	31	52	0.1	1	20.93	96.3	6.6532	45.9507
2019	11	28	17	41	52	0.1	1	20.52	98.4	6.6532	44.8461
2019	11	28	17	51	52	0.1	1	20.14	98.9	6.6532	43.9624
2019	11	28	18	1	52	0.1	1	20.55	97	6.6532	45.067
2019	11	28	18	11	52	0.1	1	19.81	98.4	6.6532	43.2997
2019	11	28	18	21	52	0.1	1	21.22	96.2	6.6532	46.6135
2019	11	28	18	31	52	0.1	1	21.34	96.5	6.6532	46.8344
2019	11	28	18	41	52	0.1	1	20.22	98.5	6.6593	44.2255
2019	11	28	18	51	52	0.1	1	19.97	97.5	6.6593	43.7833
2019	11	28	19	1	52	0.1	1	20.63	98.6	6.6593	45.1101
2019	11	28	19	11	52	0.1	1	19.8	98.1	6.6593	43.341
2019	11	28	19	21	52	0.1	1	20.22	100.3	6.6593	44.0044
2019	11	28	19	31	52	0.1	1	21.93	98.4	6.6593	47.9847
2019	11	28	19	41	52	0.1	1	21.92	98.1	6.6593	47.9847
2019	11	28	19	51	52	0.1	1	20.86	97.2	6.6593	45.7735
2019	11	28	20	1	52	0.1	1	20.97	97.4	6.6593	45.9946
2019	11	28	20	11	52	0.1	1	20.1	95.7	6.6593	44.2256
2019	11	28	20	21	52	0.1	1	20.37	99.3	6.6654	44.4891
2019	11	28	20	31	52	0.1	1	20.51	98.1	6.6654	44.9318
2019	11	28	20	41	52	0.1	1	20.58	97.5	6.6654	45.1531
2019	11	28	20	51	52	0.1	1	20.83	98.6	6.6654	45.5958
2019	11	28	21	1	52	0.1	1	20.01	96	6.6654	44.0464
2019	11	28	21	11	52	0.1	1	21.01	95.7	6.6654	46.2598
2019	11	28	21	21	52	0.1	1	20.69	97.8	6.6654	45.3745
2019	11	28	21	31	52	0.1	1	20.89	97.7	6.6654	45.8171
2019	11	28	21	41	52	0.1	1	21.64	96.6	6.6654	47.5879
2019	11	28	21	51	52	0.1	1	20.98	94.9	6.6654	46.2598
2019	11	28	22	1	52	0.1	1	20.5	95.6	6.6715	45.1962
2019	11	28	22	11	52	0.1	1	20.38	97.6	6.6715	44.7531
2019	11	28	22	21	52	0.1	1	20.68	99.5	6.6715	45.1962
2019	11	28	22	31	52	0.1	1	20.21	96	6.6715	44.5315
2019	11	28	22	41	52	0.1	1	20.45	97	6.6715	44.9746
2019	11	28	22	51	52	0.1	1	20.76	97.2	6.6715	45.6393
2019	11	28	23	1	52	0.1	1	20.95	98.8	6.6776	45.9045
2019	11	28	23	11	52	0.1	1	21.01	95.7	6.6776	46.348
2019	11	28	23	21	52	0.1	1	20.48	97.6	6.6776	45.0175
2019	11	28	23	31	52	0.1	1	20.25	99.1	6.6837	44.3944
2019	11	28	23	41	52	0.1	1	20.55	99	6.6837	45.0603
2019	11	28	23	51	52	0.1	1	21.09	95.2	6.6898	46.6584
2019	11	29	0	1	52	0.1	1	20.52	98.4	6.6898	45.1031
2019	11	29	0	11	52	0.1	1	20.76	99.1	6.6898	45.5475
2019	11	29	0	21	52	0.1	1	21.75	100.3	6.6958	47.5923
2019	11	29	0	31	52	0.1	1	20.8	98	6.6958	45.8131
2019	11	29	0	41	52	0.1	1	20.22	100.3	6.6958	44.2564

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	29	0	51	52	0.1	1	21.73	100.1	6.6958	47.5923
2019	11	29	1	1	52	0.1	1	21.14	98.7	6.6958	46.4803
2019	11	29	1	11	52	0.1	1	21.67	99	6.6958	47.5923
2019	11	29	1	21	52	0.1	1	20.83	96.3	6.6958	46.0355
2019	11	29	1	31	52	0.1	1	21.74	98.5	6.7019	47.86
2019	11	29	1	41	52	0.1	1	20.99	97.7	6.7019	46.3018
2019	11	29	1	51	52	0.1	1	20.76	99.1	6.7019	45.634
2019	11	29	2	1	52	0.1	1	20.57	100.9	6.7019	44.9662
2019	11	29	2	11	52	0.1	1	20.2	98	6.7019	44.521
2019	11	29	2	21	52	0.1	1	20.42	98.4	6.7019	44.9662
2019	11	29	2	31	52	0.1	1	21.21	98.1	6.7019	46.7471
2019	11	29	2	41	52	0.1	1	20.39	97.9	6.7019	44.9662
2019	11	29	2	51	52	0.1	1	20.98	101	6.7019	45.8566
2019	11	29	3	1	52	0.1	1	20.98	101	6.7019	45.8567
2019	11	29	3	11	52	0.1	1	21.01	99.9	6.7019	46.0793
2019	11	29	3	21	52	0.1	1	20.95	96.9	6.7019	46.3019
2019	11	29	3	31	52	0.1	1	21.14	98.7	6.7019	46.5245
2019	11	29	3	41	52	0.1	1	20.12	100.3	6.7019	44.0758
2019	11	29	3	51	52	0.1	1	21.32	100	6.7019	46.7471
2019	11	29	4	1	52	0.1	1	20.89	97.7	6.7019	46.0793
2019	11	29	4	11	52	0.1	1	21.52	99.9	6.708	47.237
2019	11	29	4	21	52	0.1	1	20.39	95.3	6.708	45.2317
2019	11	29	4	31	52	0.1	1	20.79	97.7	6.7019	45.8567
2019	11	29	4	41	52	0.1	1	20.59	97.8	6.7019	45.4115
2019	11	29	4	51	52	0.1	1	20.39	95.3	6.708	45.2317
2019	11	29	5	1	52	0.1	1	20.86	99.1	6.708	45.9002
2019	11	29	5	11	52	0.1	1	20.9	98	6.708	46.123
2019	11	29	5	21	52	0.1	1	21.03	100.1	6.708	46.123
2019	11	29	5	31	52	0.1	1	19.97	99.5	6.708	43.8949
2019	11	29	5	41	52	0.1	1	21.72	98.2	6.708	47.9056
2019	11	29	5	51	52	0.1	1	21.82	98.2	6.708	48.1284
2019	11	29	6	1	52	0.1	1	20.82	98.3	6.708	45.9002
2019	11	29	6	11	52	0.1	1	21.27	99.2	6.708	46.7915
2019	11	29	6	21	52	0.1	1	20.93	98.5	6.708	46.1231
2019	11	29	6	31	52	0.1	1	21.24	96.5	6.708	47.0144
2019	11	29	6	41	52	0.1	1	20.47	99.3	6.708	45.009
2019	11	29	6	51	52	0.1	1	21.29	99.5	6.708	46.7916
2019	11	29	7	1	52	0.1	1	21.65	98.8	6.708	47.6828
2019	11	29	7	11	52	0.1	1	21.41	95.9	6.7019	47.4151
2019	11	29	7	21	52	0.1	1	21.17	99.2	6.708	46.5688
2019	11	29	7	31	52	0.1	1	20.52	98.4	6.708	45.2319
2019	11	29	7	41	52	0.1	1	21.09	97.6	6.7019	46.5247
2019	11	29	7	51	52	0.1	1	20.11	100	6.708	44.1178
2019	11	29	8	1	52	0.1	1	20.4	99.9	6.7019	44.7439
2019	11	29	8	11	52	0.1	1	20.79	97.7	6.7019	45.8569
2019	11	29	8	21	52	0.1	1	21.36	98.9	6.7019	46.97
2019	11	29	8	31	52	0.1	1	19.9	98.1	6.7019	43.8535

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	29	8	41	52	0.1	1	21.51	98	6.7019	47.4152
2019	11	29	8	51	52	0.1	1	20.86	97.2	6.7019	46.0795
2019	11	29	9	1	52	0.1	1	20.78	99.4	6.7019	45.6343
2019	11	29	9	11	52	0.1	1	21.06	97.1	6.7019	46.5247
2019	11	29	9	21	52	0.1	1	20.57	97.3	6.7019	45.4117
2019	11	29	9	31	52	0.1	1	22.4	97.7	6.7019	49.4186
2019	11	29	9	41	52	0.1	1	20.61	98.1	6.7019	45.4117
2019	11	29	9	51	52	0.1	1	21.78	97.4	6.7019	48.0829
2019	11	29	10	1	52	0.1	1	21.88	97.4	6.7019	48.3055
2019	11	29	10	11	52	0.1	1	21.51	95.9	6.7019	47.6377
2019	11	29	10	21	52	0.1	1	20.93	98.5	6.7019	46.0795
2019	11	29	10	31	52	0.1	1	20.95	93.8	6.7019	46.5247
2019	11	29	10	41	52	0.1	1	21.73	96.3	6.7019	48.0829
2019	11	29	10	51	52	0.1	1	20.95	96.9	6.7019	46.3021
2019	11	29	11	1	52	0.1	1	21.38	94.8	6.7019	47.4151
2019	11	29	11	11	52	0.1	1	20.89	95.2	6.7019	46.3021
2019	11	29	11	21	52	0.1	1	21.63	96.4	6.7019	47.8603
2019	11	29	11	31	52	0.1	1	20.17	94.8	6.7019	44.7439
2019	11	29	11	41	52	0.1	1	21.04	96.6	6.7019	46.5247
2019	11	29	11	51	52	0.1	1	20.72	96.1	6.7019	45.8569
2019	11	29	12	1	52	0.1	1	20.42	96.2	6.7019	45.189
2019	11	29	12	11	52	0.1	1	20.46	94.2	6.7019	45.4116
2019	11	29	12	21	52	0.1	1	19.88	95.2	6.7019	44.076
2019	11	29	12	31	52	0.1	1	20.78	95	6.7019	46.0794
2019	11	29	12	41	52	0.1	1	21.6	95.6	6.7019	47.8603
2019	11	29	12	51	52	0.1	1	20.98	94.9	6.7019	46.5247
2019	11	29	13	1	52	0.1	1	21.38	97.5	6.7019	47.1924
2019	11	29	13	11	52	0.1	1	20.74	96.6	6.7019	45.8568
2019	11	29	13	21	52	0.1	1	21.38	94.8	6.7019	47.4151
2019	11	29	13	31	52	0.1	1	20.63	93.1	6.7019	45.8568
2019	11	29	13	41	52	0.1	1	21.11	96	6.7019	46.7472
2019	11	29	13	51	52	0.1	1	20.78	97.5	6.7019	45.8568
2019	11	29	14	1	52	0.1	1	21.03	93.3	6.7019	46.7472
2019	11	29	14	11	52	0.1	1	21.46	94.3	6.7019	47.6377
2019	11	29	14	21	52	0.1	1	20.23	93.1	6.7019	44.9664
2019	11	29	14	31	52	0.1	1	21.37	94.6	6.7019	47.4151
2019	11	29	14	41	52	0.1	1	21.25	96.8	6.7019	46.9699
2019	11	29	14	51	52	0.1	1	20.51	95.9	6.7019	45.4117
2019	11	29	15	1	52	0.1	1	20.86	97.2	6.7019	46.0795
2019	11	29	15	11	52	0.1	1	21.06	97.1	6.7019	46.5247
2019	11	29	15	21	52	0.1	1	21.43	96.4	6.6958	47.3702
2019	11	29	15	31	52	0.1	1	20.57	97.3	6.6958	45.3686
2019	11	29	15	41	52	0.1	1	20.51	95.9	6.6958	45.3686
2019	11	29	15	51	52	0.1	1	21.17	97.3	6.6958	46.703
2019	11	29	16	1	52	0.1	1	20.32	96.2	6.6958	44.9238
2019	11	29	16	11	52	0.1	1	19.98	95.2	6.6958	44.2566
2019	11	29	16	21	52	0.1	1	21.3	95.7	6.6958	47.1478

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	29	16	31	52	0.1	1	19.96	97.2	6.6958	44.0342
2019	11	29	16	41	52	0.1	1	22.07	97	6.6958	48.7045
2019	11	29	16	51	52	0.1	1	20.57	97.3	6.6958	45.3686
2019	11	29	17	1	52	0.1	1	20.65	97	6.6898	45.5477
2019	11	29	17	11	52	0.1	1	21.1	97.9	6.6898	46.4365
2019	11	29	17	21	52	0.1	1	20.31	95.9	6.6898	44.8812
2019	11	29	17	31	52	0.1	1	20.9	98	6.6898	45.9921
2019	11	29	17	41	52	0.1	1	19.96	97.2	6.6898	43.9924
2019	11	29	17	51	52	0.1	1	21.06	99	6.6898	46.2142
2019	11	29	18	1	52	0.1	1	20.16	97.1	6.6837	44.3946
2019	11	29	18	11	52	0.1	1	20.49	97.9	6.6776	45.0177
2019	11	29	18	21	52	0.1	1	21.14	96.5	6.6715	46.5257
2019	11	29	18	31	52	0.1	1	21.92	98.1	6.6715	48.0766
2019	11	29	18	41	52	0.1	1	20.39	99.6	6.6715	44.5318
2019	11	29	18	51	52	0.1	1	20.47	99.3	6.6654	44.7107
2019	11	29	19	1	52	0.1	1	20.89	97.7	6.6654	45.8174
2019	11	29	19	11	52	0.1	1	20.93	98.5	6.6654	45.8174
2019	11	29	19	21	52	0.1	1	20.72	98.3	6.6654	45.3747
2019	11	29	19	31	52	0.1	1	19.81	101.7	6.6654	42.94
2019	11	29	19	41	52	0.1	1	20.14	98.9	6.6654	44.0467
2019	11	29	19	51	52	0.1	1	20.95	98.8	6.6654	45.8174
2019	11	29	20	1	52	0.1	1	20.33	96.5	6.6654	44.7107
2019	11	29	20	11	52	0.1	1	20.6	99.8	6.6654	44.9321
2019	11	29	20	21	52	0.1	1	20.88	99.4	6.6654	45.5961
2019	11	29	20	31	52	0.1	1	20.52	98.4	6.6593	44.8893
2019	11	29	20	41	52	0.1	1	21.24	98.7	6.6593	46.4372
2019	11	29	20	51	52	0.1	1	21.26	98.9	6.6593	46.4372
2019	11	29	21	1	52	0.1	1	19.4	98.3	6.6593	42.4569
2019	11	29	21	11	52	0.1	1	20.22	98.5	6.6593	44.2259
2019	11	29	21	21	52	0.1	1	20.61	98.1	6.6593	45.1105
2019	11	29	21	31	52	0.1	1	21.72	98.2	6.6593	47.5429
2019	11	29	21	41	52	0.1	1	19.63	100.6	6.6532	42.6374
2019	11	29	21	51	52	0.1	1	20.9	98	6.6532	45.7302
2019	11	29	22	1	52	0.1	1	20.85	100.5	6.6532	45.2884
2019	11	29	22	11	52	0.1	1	20.11	100	6.6532	43.742
2019	11	29	22	21	52	0.1	1	21.49	99.4	6.6532	46.8349
2019	11	29	22	31	52	0.1	1	20.54	100.4	6.6532	44.6257
2019	11	29	22	41	52	0.1	1	19.94	98.9	6.6532	43.5212
2019	11	29	22	51	52	0.1	1	21.13	100.1	6.6532	45.9513
2019	11	29	23	1	52	0.1	1	20.54	96.7	6.6532	45.0676
2019	11	29	23	11	52	0.1	1	21.13	100.1	6.6532	45.9513
2019	11	29	23	21	52	0.1	1	20.52	100.1	6.6532	44.6258
2019	11	29	23	31	52	0.1	1	21.24	98.7	6.6471	46.3489
2019	11	29	23	41	52	0.1	1	21.09	99.6	6.6471	45.9075
2019	11	29	23	51	52	0.1	1	21.38	100.8	6.6471	46.3489
2019	11	30	0	1	52	0.1	1	20.42	101.6	6.6471	44.1419
2019	11	30	0	11	52	0.1	1	20.59	101.2	6.6471	44.5833

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	30	0	21	52	0.1	1	20.29	99.6	6.6471	44.1419
2019	11	30	0	31	52	0.1	1	20.49	101.3	6.6471	44.3626
2019	11	30	0	41	52	0.1	1	20.22	98.5	6.6471	44.1419
2019	11	30	0	51	52	0.1	1	20.59	97.8	6.6471	45.0248
2019	11	30	1	1	52	0.1	1	21.49	101	6.641	46.5253
2019	11	30	1	11	52	0.1	1	21.27	99.2	6.6471	46.3491
2019	11	30	1	21	52	0.1	1	21.32	100	6.641	46.3048
2019	11	30	1	31	52	0.1	1	19.83	96.7	6.641	43.4384
2019	11	30	1	41	52	0.1	1	19.73	98.7	6.641	42.9974
2019	11	30	1	51	52	0.1	1	21.57	99.1	6.641	46.9664
2019	11	30	2	1	52	0.1	1	20.49	97.9	6.641	44.7614
2019	11	30	2	11	52	0.1	1	20.57	99.2	6.641	44.7614
2019	11	30	2	21	52	0.1	1	20.65	98.9	6.641	44.9819
2019	11	30	2	31	52	0.1	1	21.05	100.4	6.641	45.6434
2019	11	30	2	41	52	0.1	1	21.01	99.9	6.641	45.6435
2019	11	30	2	51	52	0.1	1	20.48	99.6	6.641	44.541
2019	11	30	3	1	52	0.1	1	21.88	97.4	6.641	47.8485
2019	11	30	3	11	52	0.1	1	19.7	99.9	6.641	42.777
2019	11	30	3	21	52	0.1	1	20.07	99.5	6.641	43.659
2019	11	30	3	31	52	0.1	1	20.49	97.9	6.641	44.7615
2019	11	30	3	41	52	0.1	1	21.37	99.2	6.641	46.5256
2019	11	30	3	51	52	0.1	1	21.09	97.6	6.641	46.0846
2019	11	30	4	1	52	0.1	1	19.98	97.8	6.641	43.6591
2019	11	30	4	11	52	0.1	1	21.33	98.4	6.641	46.5256
2019	11	30	4	21	52	0.1	1	21.69	102.2	6.641	46.7461
2019	11	30	4	31	52	0.1	1	20.03	98.6	6.6349	43.6174
2019	11	30	4	41	52	0.1	1	20.67	99.2	6.6349	44.9391
2019	11	30	4	51	52	0.1	1	19.91	100.1	6.6349	43.1768
2019	11	30	5	1	52	0.1	1	20.83	98.6	6.6349	45.3798
2019	11	30	5	11	52	0.1	1	20.4	99.9	6.6349	44.2783
2019	11	30	5	21	52	0.1	1	20.7	99.7	6.6349	44.9392
2019	11	30	5	31	52	0.1	1	21.64	98.5	6.6349	47.1421
2019	11	30	5	41	52	0.1	1	20.85	96.9	6.6349	45.6001
2019	11	30	5	51	52	0.1	1	20.3	99.9	6.6349	44.0581
2019	11	30	6	1	52	0.1	1	20.42	100.2	6.6349	44.2784
2019	11	30	6	11	52	0.1	1	21.01	99.9	6.6349	45.6002
2019	11	30	6	21	52	0.1	1	21.03	98.5	6.6349	45.8205
2019	11	30	6	31	52	0.1	1	21.59	99.3	6.6349	46.9219
2019	11	30	6	41	52	0.1	1	21.11	98.2	6.6349	46.0408
2019	11	30	6	51	52	0.1	1	20.16	99.1	6.6349	43.8379
2019	11	30	7	1	52	0.1	1	20.11	100	6.6349	43.6176
2019	11	30	7	11	52	0.1	1	21.11	98.2	6.6349	46.0408
2019	11	30	7	21	52	0.1	1	21	97.9	6.6349	45.8206
2019	11	30	7	31	52	0.1	1	20.39	99.6	6.6349	44.2785
2019	11	30	7	41	52	0.1	1	20.18	97.7	6.6349	44.0582
2019	11	30	7	51	52	0.1	1	20.34	100.5	6.6349	44.0583
2019	11	30	8	1	52	0.1	1	20.48	97.6	6.6349	44.7192

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	30	8	11	52	0.1	1	20.64	96.7	6.6349	45.1597
2019	11	30	8	21	52	0.1	1	20.38	97.6	6.6349	44.4989
2019	11	30	8	31	52	0.1	1	20.67	99.2	6.6349	44.9394
2019	11	30	8	41	52	0.1	1	19.83	98.7	6.6349	43.1771
2019	11	30	8	51	52	0.1	1	21.09	97.6	6.6349	46.0409
2019	11	30	9	1	52	0.1	1	21.64	98.5	6.6349	47.1423
2019	11	30	9	11	52	0.1	1	19.87	97.5	6.641	43.4389
2019	11	30	9	21	52	0.1	1	20.85	100.5	6.641	45.2029
2019	11	30	9	31	52	0.1	1	19.55	99.1	6.6349	42.5162
2019	11	30	9	41	52	0.1	1	20.38	102.5	6.641	43.8799
2019	11	30	9	51	52	0.1	1	20.22	96.2	6.641	44.3209
2019	11	30	10	1	52	0.1	1	19.6	95.9	6.641	42.9978
2019	11	30	10	11	52	0.1	1	20.54	100.4	6.641	44.5413
2019	11	30	10	21	52	0.1	1	20.16	99.1	6.641	43.8798
2019	11	30	10	31	52	0.1	1	21.8	99.5	6.641	47.4078
2019	11	30	10	41	52	0.1	1	20.83	98.6	6.641	45.4233
2019	11	30	10	51	52	0.1	1	20.65	98.9	6.641	44.9823
2019	11	30	11	1	52	0.1	1	21.54	98.5	6.641	46.9668
2019	11	30	11	11	52	0.1	1	20.96	99.1	6.641	45.6438
2019	11	30	11	21	52	0.1	1	20.69	97.8	6.641	45.2028
2019	11	30	11	31	52	0.1	1	21.29	99.5	6.641	46.3053
2019	11	30	11	41	52	0.1	1	20.2	98	6.641	44.1003
2019	11	30	11	51	52	0.1	1	20.4	99.9	6.641	44.3208
2019	11	30	12	1	52	0.1	1	21.64	98.5	6.641	47.1873
2019	11	30	12	11	52	0.1	1	19.71	98.5	6.641	42.9977
2019	11	30	12	21	52	0.1	1	20.21	100	6.641	43.8798
2019	11	30	12	31	52	0.1	1	20.01	100.1	6.6471	43.4803
2019	11	30	12	41	52	0.1	1	21.3	97.8	6.641	46.5258
2019	11	30	12	51	52	0.1	1	22.34	100.1	6.641	48.5103
2019	11	30	13	1	52	0.1	1	20.88	99.4	6.641	45.4233
2019	11	30	13	11	52	0.1	1	20.49	97.9	6.641	44.7618
2019	11	30	13	21	52	0.1	1	20.85	101.9	6.641	44.9823
2019	11	30	13	31	52	0.1	1	21.34	98.6	6.6349	46.4813
2019	11	30	13	41	52	0.1	1	21.71	101.2	6.6349	46.9219
2019	11	30	13	51	52	0.1	1	20.68	95	6.6349	45.3798
2019	11	30	14	1	52	0.1	1	21	97.9	6.6349	45.8204
2019	11	30	14	11	52	0.1	1	20.99	97.7	6.6349	45.8204
2019	11	30	14	21	52	0.1	1	20.6	99.8	6.6349	44.7189
2019	11	30	14	31	52	0.1	1	20.06	97.2	6.6349	43.8378
2019	11	30	14	41	52	0.1	1	20.2	98	6.6349	44.058
2019	11	30	14	51	52	0.1	1	20.04	100.6	6.6349	43.3972
2019	11	30	15	1	52	0.1	1	21.79	97.6	6.6349	47.5827
2019	11	30	15	11	52	0.1	1	20.83	98.6	6.6349	45.3798
2019	11	30	15	21	52	0.1	1	21.26	100.6	6.6349	46.0406
2019	11	30	15	31	52	0.1	1	20.97	100.7	6.6349	45.3797
2019	11	30	15	41	52	0.1	1	20.47	99.3	6.6349	44.4986
2019	11	30	15	51	52	0.1	1	21.7	99.5	6.6349	47.142

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	30	16	1	52	0.1	1	21.26	98.9	6.6349	46.2608
2019	11	30	16	11	52	0.1	1	20.93	98.5	6.6349	45.6
2019	11	30	16	21	52	0.1	1	20.72	100	6.6349	44.9391
2019	11	30	16	31	52	0.1	1	20.85	101.9	6.6349	44.939
2019	11	30	16	41	52	0.1	1	20.86	99.1	6.6349	45.3796
2019	11	30	16	51	52	0.1	1	21.06	100.7	6.6349	45.5999
2019	11	30	17	1	52	0.1	1	20.67	99.2	6.6349	44.939
2019	11	30	17	11	52	0.1	1	20.55	99	6.6349	44.7187
2019	11	30	17	21	52	0.1	1	21.34	100.3	6.6349	46.2607
2019	11	30	17	31	52	0.1	1	20.23	96.5	6.6349	44.2781
2019	11	30	17	41	52	0.1	1	20	98	6.6349	43.6172
2019	11	30	17	51	52	0.1	1	19.79	99.9	6.6349	42.9563
2019	11	30	18	1	52	0.1	1	20.52	98.4	6.6349	44.7186
2019	11	30	18	11	52	0.1	1	20.62	98.4	6.6349	44.9389
2019	11	30	18	21	52	0.1	1	19.55	100.9	6.6349	42.2954
2019	11	30	18	31	52	0.1	1	19.89	101.3	6.6349	42.9563
2019	11	30	18	41	52	0.1	1	20.44	98.7	6.6349	44.4983
2019	11	30	18	51	52	0.1	1	19.76	99.3	6.6349	42.9562
2019	11	30	19	1	52	0.1	1	20.95	100.5	6.6349	45.3794
2019	11	30	19	11	52	0.1	1	20.65	100.6	6.6349	44.7185
2019	11	30	19	21	52	0.1	1	20.53	96.4	6.6349	44.9388
2019	11	30	19	31	52	0.1	1	20.25	99.1	6.6349	44.0577
2019	11	30	19	41	52	0.1	1	21.18	102.3	6.6349	45.5997
2019	11	30	19	51	52	0.1	1	20.11	98.3	6.6349	43.8374
2019	11	30	20	1	52	0.1	1	21.24	98.7	6.6349	46.2605
2019	11	30	20	11	52	0.1	1	21.22	101.4	6.6349	45.82
2019	11	30	20	21	52	0.1	1	22.13	98.3	6.6349	48.2431
2019	11	30	20	31	52	0.1	1	20.12	100.3	6.6349	43.6171
2019	11	30	20	41	52	0.1	1	20.49	97.9	6.6349	44.7185
2019	11	30	20	51	52	0.1	1	20.1	98	6.6349	43.8374
2019	11	30	21	1	52	0.1	1	20.22	98.5	6.6349	44.0577
2019	11	30	21	11	52	0.1	1	20.48	99.6	6.6288	44.4557
2019	11	30	21	21	52	0.1	1	20.75	100.6	6.6288	44.8958
2019	11	30	21	31	52	0.1	1	21.05	100.4	6.6288	45.5561
2019	11	30	21	41	52	0.1	1	20.11	100	6.6288	43.5754
2019	11	30	21	51	52	0.1	1	20.35	99	6.6288	44.2356
2019	11	30	22	1	52	0.1	1	20.14	102	6.6288	43.3553
2019	11	30	22	11	52	0.1	1	19.94	98.9	6.6288	43.3553
2019	11	30	22	21	52	0.1	1	21.42	99.9	6.6288	46.4364
2019	11	30	22	31	52	0.1	1	20.32	100.2	6.6288	44.0155
2019	11	30	22	41	52	0.1	1	20.3	99.9	6.6288	44.0156
2019	11	30	22	51	52	0.1	1	20.12	100.3	6.6288	43.5754
2019	11	30	23	1	52	0.1	1	20.44	98.7	6.6288	44.4557
2019	11	30	23	11	52	0.1	1	20.46	100.7	6.6288	44.2357
2019	11	30	23	21	52	0.1	1	20.16	99.1	6.6288	43.7955
2019	11	30	23	31	52	0.1	1	21.21	99.8	6.6288	45.9963
2019	11	30	23	41	52	0.1	1	19.9	98.1	6.6288	43.3554

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	30	23	51	52	0.1	1	20.28	102.5	6.6288	43.5754

Locust Ditch Return

Station	0215

Date	flow (cfs)
11/1/2019	0
11/2/2019	0
11/3/2019	0
11/4/2019	0
11/5/2019	0
11/6/2019	0
11/7/2019	0
11/8/2019	0
11/9/2019	0
11/10/2019	0
11/11/2019	0
11/12/2019	0
11/13/2019	0
11/14/2019	0
11/15/2019	0
11/16/2019	0
11/17/2019	0
11/18/2019	0
11/19/2019	0
11/20/2019	0
11/21/2019	0
11/22/2019	0
11/23/2019	0
11/24/2019	0
11/25/2019	0
11/26/2019	0
11/27/2019	0
11/28/2019	0
11/29/2019	0
11/30/2019	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/1/2019	12:00:00 AM	0
11/1/2019	12:15:00 AM	0
11/1/2019	12:30:00 AM	0
11/1/2019	12:45:00 AM	0
11/1/2019	1:00:00 AM	0
11/1/2019	1:15:00 AM	0
11/1/2019	1:30:00 AM	0
11/1/2019	1:45:00 AM	0
11/1/2019	2:00:00 AM	0
11/1/2019	2:15:00 AM	0
11/1/2019	2:30:00 AM	0
11/1/2019	2:45:00 AM	0
11/1/2019	3:00:00 AM	0
11/1/2019	3:15:00 AM	0
11/1/2019	3:30:00 AM	0
11/1/2019	3:45:00 AM	0
11/1/2019	4:00:00 AM	0
11/1/2019	4:15:00 AM	0
11/1/2019	4:30:00 AM	0
11/1/2019	4:45:00 AM	0
11/1/2019	5:00:00 AM	0
11/1/2019	5:15:00 AM	0
11/1/2019	5:30:00 AM	0
11/1/2019	5:45:00 AM	0
11/1/2019	6:00:00 AM	0
11/1/2019	6:15:00 AM	0
11/1/2019	6:30:00 AM	0
11/1/2019	6:45:00 AM	0
11/1/2019	7:00:00 AM	0
11/1/2019	7:15:00 AM	0
11/1/2019	7:30:00 AM	0
11/1/2019	7:45:00 AM	0
11/1/2019	8:00:00 AM	0
11/1/2019	8:15:00 AM	0
11/1/2019	8:30:00 AM	0
11/1/2019	8:45:00 AM	0
11/1/2019	9:00:00 AM	0
11/1/2019	9:15:00 AM	0
11/1/2019	9:30:00 AM	0
11/1/2019	9:45:00 AM	0
11/1/2019	10:00:00 AM	0
11/1/2019	10:15:00 AM	0
11/1/2019	10:30:00 AM	0
11/1/2019	10:45:00 AM	0
11/1/2019	11:00:00 AM	0
11/1/2019	11:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/1/2019	11:30:00 AM	0
11/1/2019	11:45:00 AM	0
11/1/2019	12:00:00 PM	0
11/1/2019	12:15:00 PM	0
11/1/2019	12:30:00 PM	0
11/1/2019	12:45:00 PM	0
11/1/2019	1:00:00 PM	0
11/1/2019	1:15:00 PM	0
11/1/2019	1:30:00 PM	0
11/1/2019	1:45:00 PM	0
11/1/2019	2:00:00 PM	0
11/1/2019	2:15:00 PM	0
11/1/2019	2:30:00 PM	0
11/1/2019	2:45:00 PM	0
11/1/2019	3:00:00 PM	0
11/1/2019	3:15:00 PM	0
11/1/2019	3:30:00 PM	0
11/1/2019	3:45:00 PM	0
11/1/2019	4:00:00 PM	0
11/1/2019	4:15:00 PM	0
11/1/2019	4:30:00 PM	0
11/1/2019	4:45:00 PM	0
11/1/2019	5:00:00 PM	0
11/1/2019	5:15:00 PM	0
11/1/2019	5:30:00 PM	0
11/1/2019	5:45:00 PM	0
11/1/2019	6:00:00 PM	0
11/1/2019	6:15:00 PM	0
11/1/2019	6:30:00 PM	0
11/1/2019	6:45:00 PM	0
11/1/2019	7:00:00 PM	0
11/1/2019	7:15:00 PM	0
11/1/2019	7:30:00 PM	0
11/1/2019	7:45:00 PM	0
11/1/2019	8:00:00 PM	0
11/1/2019	8:15:00 PM	0
11/1/2019	8:30:00 PM	0
11/1/2019	8:45:00 PM	0
11/1/2019	9:00:00 PM	0
11/1/2019	9:15:00 PM	0
11/1/2019	9:30:00 PM	0
11/1/2019	9:45:00 PM	0
11/1/2019	10:00:00 PM	0
11/1/2019	10:15:00 PM	0
11/1/2019	10:30:00 PM	0
11/1/2019	10:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/1/2019	11:00:00 PM	0
11/1/2019	11:15:00 PM	0
11/1/2019	11:30:00 PM	0
11/1/2019	11:45:00 PM	0
11/2/2019	12:00:00 AM	0
11/2/2019	12:15:00 AM	0
11/2/2019	12:30:00 AM	0
11/2/2019	12:45:00 AM	0
11/2/2019	1:00:00 AM	0
11/2/2019	1:15:00 AM	0
11/2/2019	1:30:00 AM	0
11/2/2019	1:45:00 AM	0
11/2/2019	2:00:00 AM	0
11/2/2019	2:15:00 AM	0
11/2/2019	2:30:00 AM	0
11/2/2019	2:45:00 AM	0
11/2/2019	3:00:00 AM	0
11/2/2019	3:15:00 AM	0
11/2/2019	3:30:00 AM	0
11/2/2019	3:45:00 AM	0
11/2/2019	4:00:00 AM	0
11/2/2019	4:15:00 AM	0
11/2/2019	4:30:00 AM	0
11/2/2019	4:45:00 AM	0
11/2/2019	5:00:00 AM	0
11/2/2019	5:15:00 AM	0
11/2/2019	5:30:00 AM	0
11/2/2019	5:45:00 AM	0
11/2/2019	6:00:00 AM	0
11/2/2019	6:15:00 AM	0
11/2/2019	6:30:00 AM	0
11/2/2019	6:45:00 AM	0
11/2/2019	7:00:00 AM	0
11/2/2019	7:15:00 AM	0
11/2/2019	7:30:00 AM	0
11/2/2019	7:45:00 AM	0
11/2/2019	8:00:00 AM	0
11/2/2019	8:15:00 AM	0
11/2/2019	8:30:00 AM	0
11/2/2019	8:45:00 AM	0
11/2/2019	9:00:00 AM	0
11/2/2019	9:15:00 AM	0
11/2/2019	9:30:00 AM	0
11/2/2019	9:45:00 AM	0
11/2/2019	10:00:00 AM	0
11/2/2019	10:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/2/2019	10:30:00 AM	0
11/2/2019	10:45:00 AM	0
11/2/2019	11:00:00 AM	0
11/2/2019	11:15:00 AM	0
11/2/2019	11:30:00 AM	0
11/2/2019	11:45:00 AM	0
11/2/2019	12:00:00 PM	0
11/2/2019	12:15:00 PM	0
11/2/2019	12:30:00 PM	0
11/2/2019	12:45:00 PM	0
11/2/2019	1:00:00 PM	0
11/2/2019	1:15:00 PM	0
11/2/2019	1:30:00 PM	0
11/2/2019	1:45:00 PM	0
11/2/2019	2:00:00 PM	0
11/2/2019	2:15:00 PM	0
11/2/2019	2:30:00 PM	0
11/2/2019	2:45:00 PM	0
11/2/2019	3:00:00 PM	0
11/2/2019	3:15:00 PM	0
11/2/2019	3:30:00 PM	0
11/2/2019	3:45:00 PM	0
11/2/2019	4:00:00 PM	0
11/2/2019	4:15:00 PM	0
11/2/2019	4:30:00 PM	0
11/2/2019	4:45:00 PM	0
11/2/2019	5:00:00 PM	0
11/2/2019	5:15:00 PM	0
11/2/2019	5:30:00 PM	0
11/2/2019	5:45:00 PM	0
11/2/2019	6:00:00 PM	0
11/2/2019	6:15:00 PM	0
11/2/2019	6:30:00 PM	0
11/2/2019	6:45:00 PM	0
11/2/2019	7:00:00 PM	0
11/2/2019	7:15:00 PM	0
11/2/2019	7:30:00 PM	0
11/2/2019	7:45:00 PM	0
11/2/2019	8:00:00 PM	0
11/2/2019	8:15:00 PM	0
11/2/2019	8:30:00 PM	0
11/2/2019	8:45:00 PM	0
11/2/2019	9:00:00 PM	0
11/2/2019	9:15:00 PM	0
11/2/2019	9:30:00 PM	0
11/2/2019	9:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/2/2019	10:00:00 PM	0
11/2/2019	10:15:00 PM	0
11/2/2019	10:30:00 PM	0
11/2/2019	10:45:00 PM	0
11/2/2019	11:00:00 PM	0
11/2/2019	11:15:00 PM	0
11/2/2019	11:30:00 PM	0
11/2/2019	11:45:00 PM	0
11/3/2019	12:00:00 AM	0
11/3/2019	12:15:00 AM	0
11/3/2019	12:30:00 AM	0
11/3/2019	12:45:00 AM	0
11/3/2019	1:00:00 AM	0
11/3/2019	1:15:00 AM	0
11/3/2019	1:30:00 AM	0
11/3/2019	1:45:00 AM	0
11/3/2019	2:00:00 AM	0
11/3/2019	2:15:00 AM	0
11/3/2019	2:30:00 AM	0
11/3/2019	2:45:00 AM	0
11/3/2019	3:00:00 AM	0
11/3/2019	3:15:00 AM	0
11/3/2019	3:30:00 AM	0
11/3/2019	3:45:00 AM	0
11/3/2019	4:00:00 AM	0
11/3/2019	4:15:00 AM	0
11/3/2019	4:30:00 AM	0
11/3/2019	4:45:00 AM	0
11/3/2019	5:00:00 AM	0
11/3/2019	5:15:00 AM	0
11/3/2019	5:30:00 AM	0
11/3/2019	5:45:00 AM	0
11/3/2019	6:00:00 AM	0
11/3/2019	6:15:00 AM	0
11/3/2019	6:30:00 AM	0
11/3/2019	6:45:00 AM	0
11/3/2019	7:00:00 AM	0
11/3/2019	7:15:00 AM	0
11/3/2019	7:30:00 AM	0
11/3/2019	7:45:00 AM	0
11/3/2019	8:00:00 AM	0
11/3/2019	8:15:00 AM	0
11/3/2019	8:30:00 AM	0
11/3/2019	8:45:00 AM	0
11/3/2019	9:00:00 AM	0
11/3/2019	9:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/3/2019	9:30:00 AM	0
11/3/2019	9:45:00 AM	0
11/3/2019	10:00:00 AM	0
11/3/2019	10:15:00 AM	0
11/3/2019	10:30:00 AM	0
11/3/2019	10:45:00 AM	0
11/3/2019	11:00:00 AM	0
11/3/2019	11:15:00 AM	0
11/3/2019	11:30:00 AM	0
11/3/2019	11:45:00 AM	0
11/3/2019	12:00:00 PM	0
11/3/2019	12:15:00 PM	0
11/3/2019	12:30:00 PM	0
11/3/2019	12:45:00 PM	0
11/3/2019	1:00:00 PM	0
11/3/2019	1:15:00 PM	0
11/3/2019	1:30:00 PM	0
11/3/2019	1:45:00 PM	0
11/3/2019	2:00:00 PM	0
11/3/2019	2:15:00 PM	0
11/3/2019	2:30:00 PM	0
11/3/2019	2:45:00 PM	0
11/3/2019	3:00:00 PM	0
11/3/2019	3:15:00 PM	0
11/3/2019	3:30:00 PM	0
11/3/2019	3:45:00 PM	0
11/3/2019	4:00:00 PM	0
11/3/2019	4:15:00 PM	0
11/3/2019	4:30:00 PM	0
11/3/2019	4:45:00 PM	0
11/3/2019	5:00:00 PM	0
11/3/2019	5:15:00 PM	0
11/3/2019	5:30:00 PM	0
11/3/2019	5:45:00 PM	0
11/3/2019	6:00:00 PM	0
11/3/2019	6:15:00 PM	0
11/3/2019	6:30:00 PM	0
11/3/2019	6:45:00 PM	0
11/3/2019	7:00:00 PM	0
11/3/2019	7:15:00 PM	0
11/3/2019	7:30:00 PM	0
11/3/2019	7:45:00 PM	0
11/3/2019	8:00:00 PM	0
11/3/2019	8:15:00 PM	0
11/3/2019	8:30:00 PM	0
11/3/2019	8:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/3/2019	9:00:00 PM	0
11/3/2019	9:15:00 PM	0
11/3/2019	9:30:00 PM	0
11/3/2019	9:45:00 PM	0
11/3/2019	10:00:00 PM	0
11/3/2019	10:15:00 PM	0
11/3/2019	10:30:00 PM	0
11/3/2019	10:45:00 PM	0
11/3/2019	11:00:00 PM	0
11/3/2019	11:15:00 PM	0
11/3/2019	11:30:00 PM	0
11/3/2019	11:45:00 PM	0
11/4/2019	12:00:00 AM	0
11/4/2019	12:15:00 AM	0
11/4/2019	12:30:00 AM	0
11/4/2019	12:45:00 AM	0
11/4/2019	1:00:00 AM	0
11/4/2019	1:15:00 AM	0
11/4/2019	1:30:00 AM	0
11/4/2019	1:45:00 AM	0
11/4/2019	2:00:00 AM	0
11/4/2019	2:15:00 AM	0
11/4/2019	2:30:00 AM	0
11/4/2019	2:45:00 AM	0
11/4/2019	3:00:00 AM	0
11/4/2019	3:15:00 AM	0
11/4/2019	3:30:00 AM	0
11/4/2019	3:45:00 AM	0
11/4/2019	4:00:00 AM	0
11/4/2019	4:15:00 AM	0
11/4/2019	4:30:00 AM	0
11/4/2019	4:45:00 AM	0
11/4/2019	5:00:00 AM	0
11/4/2019	5:15:00 AM	0
11/4/2019	5:30:00 AM	0
11/4/2019	5:45:00 AM	0
11/4/2019	6:00:00 AM	0
11/4/2019	6:15:00 AM	0
11/4/2019	6:30:00 AM	0
11/4/2019	6:45:00 AM	0
11/4/2019	7:00:00 AM	0
11/4/2019	7:15:00 AM	0
11/4/2019	7:30:00 AM	0
11/4/2019	7:45:00 AM	0
11/4/2019	8:00:00 AM	0
11/4/2019	8:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/4/2019	8:30:00 AM	0
11/4/2019	8:45:00 AM	0
11/4/2019	9:00:00 AM	0
11/4/2019	9:15:00 AM	0
11/4/2019	9:30:00 AM	0
11/4/2019	9:45:00 AM	0
11/4/2019	10:00:00 AM	0
11/4/2019	10:15:00 AM	0
11/4/2019	10:30:00 AM	0
11/4/2019	10:45:00 AM	0
11/4/2019	11:00:00 AM	0
11/4/2019	11:15:00 AM	0
11/4/2019	11:30:00 AM	0
11/4/2019	11:45:00 AM	0
11/4/2019	12:00:00 PM	0
11/4/2019	12:15:00 PM	0
11/4/2019	12:30:00 PM	0
11/4/2019	12:45:00 PM	0
11/4/2019	1:00:00 PM	0
11/4/2019	1:15:00 PM	0
11/4/2019	1:30:00 PM	0
11/4/2019	1:45:00 PM	0
11/4/2019	2:00:00 PM	0
11/4/2019	2:15:00 PM	0
11/4/2019	2:30:00 PM	0
11/4/2019	2:45:00 PM	0
11/4/2019	3:00:00 PM	0
11/4/2019	3:15:00 PM	0
11/4/2019	3:30:00 PM	0
11/4/2019	3:45:00 PM	0
11/4/2019	4:00:00 PM	0
11/4/2019	4:15:00 PM	0
11/4/2019	4:30:00 PM	0
11/4/2019	4:45:00 PM	0
11/4/2019	5:00:00 PM	0
11/4/2019	5:15:00 PM	0
11/4/2019	5:30:00 PM	0
11/4/2019	5:45:00 PM	0
11/4/2019	6:00:00 PM	0
11/4/2019	6:15:00 PM	0
11/4/2019	6:30:00 PM	0
11/4/2019	6:45:00 PM	0
11/4/2019	7:00:00 PM	0
11/4/2019	7:15:00 PM	0
11/4/2019	7:30:00 PM	0
11/4/2019	7:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/4/2019	8:00:00 PM	0
11/4/2019	8:15:00 PM	0
11/4/2019	8:30:00 PM	0
11/4/2019	8:45:00 PM	0
11/4/2019	9:00:00 PM	0
11/4/2019	9:15:00 PM	0
11/4/2019	9:30:00 PM	0
11/4/2019	9:45:00 PM	0
11/4/2019	10:00:00 PM	0
11/4/2019	10:15:00 PM	0
11/4/2019	10:30:00 PM	0
11/4/2019	10:45:00 PM	0
11/4/2019	11:00:00 PM	0
11/4/2019	11:15:00 PM	0
11/4/2019	11:30:00 PM	0
11/4/2019	11:45:00 PM	0
11/5/2019	12:00:00 AM	0
11/5/2019	12:15:00 AM	0
11/5/2019	12:30:00 AM	0
11/5/2019	12:45:00 AM	0
11/5/2019	1:00:00 AM	0
11/5/2019	1:15:00 AM	0
11/5/2019	1:30:00 AM	0
11/5/2019	1:45:00 AM	0
11/5/2019	2:00:00 AM	0
11/5/2019	2:15:00 AM	0
11/5/2019	2:30:00 AM	0
11/5/2019	2:45:00 AM	0
11/5/2019	3:00:00 AM	0
11/5/2019	3:15:00 AM	0
11/5/2019	3:30:00 AM	0
11/5/2019	3:45:00 AM	0
11/5/2019	4:00:00 AM	0
11/5/2019	4:15:00 AM	0
11/5/2019	4:30:00 AM	0
11/5/2019	4:45:00 AM	0
11/5/2019	5:00:00 AM	0
11/5/2019	5:15:00 AM	0
11/5/2019	5:30:00 AM	0
11/5/2019	5:45:00 AM	0
11/5/2019	6:00:00 AM	0
11/5/2019	6:15:00 AM	0
11/5/2019	6:30:00 AM	0
11/5/2019	6:45:00 AM	0
11/5/2019	7:00:00 AM	0
11/5/2019	7:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/5/2019	7:30:00 AM	0
11/5/2019	7:45:00 AM	0
11/5/2019	8:00:00 AM	0
11/5/2019	8:15:00 AM	0
11/5/2019	8:30:00 AM	0
11/5/2019	8:45:00 AM	0
11/5/2019	9:00:00 AM	0
11/5/2019	9:15:00 AM	0
11/5/2019	9:30:00 AM	0
11/5/2019	9:45:00 AM	0
11/5/2019	10:00:00 AM	0
11/5/2019	10:15:00 AM	0
11/5/2019	10:30:00 AM	0
11/5/2019	10:45:00 AM	0
11/5/2019	11:00:00 AM	0
11/5/2019	11:15:00 AM	0
11/5/2019	11:30:00 AM	0
11/5/2019	11:45:00 AM	0
11/5/2019	12:00:00 PM	0
11/5/2019	12:15:00 PM	0
11/5/2019	12:30:00 PM	0
11/5/2019	12:45:00 PM	0
11/5/2019	1:00:00 PM	0
11/5/2019	1:15:00 PM	0
11/5/2019	1:30:00 PM	0
11/5/2019	1:45:00 PM	0
11/5/2019	2:00:00 PM	0
11/5/2019	2:15:00 PM	0
11/5/2019	2:30:00 PM	0
11/5/2019	2:45:00 PM	0
11/5/2019	3:00:00 PM	0
11/5/2019	3:15:00 PM	0
11/5/2019	3:30:00 PM	0
11/5/2019	3:45:00 PM	0
11/5/2019	4:00:00 PM	0
11/5/2019	4:15:00 PM	0
11/5/2019	4:30:00 PM	0
11/5/2019	4:45:00 PM	0
11/5/2019	5:00:00 PM	0
11/5/2019	5:15:00 PM	0
11/5/2019	5:30:00 PM	0
11/5/2019	5:45:00 PM	0
11/5/2019	6:00:00 PM	0
11/5/2019	6:15:00 PM	0
11/5/2019	6:30:00 PM	0
11/5/2019	6:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/5/2019	7:00:00 PM	0
11/5/2019	7:15:00 PM	0
11/5/2019	7:30:00 PM	0
11/5/2019	7:45:00 PM	0
11/5/2019	8:00:00 PM	0
11/5/2019	8:15:00 PM	0
11/5/2019	8:30:00 PM	0
11/5/2019	8:45:00 PM	0
11/5/2019	9:00:00 PM	0
11/5/2019	9:15:00 PM	0
11/5/2019	9:30:00 PM	0
11/5/2019	9:45:00 PM	0
11/5/2019	10:00:00 PM	0
11/5/2019	10:15:00 PM	0
11/5/2019	10:30:00 PM	0
11/5/2019	10:45:00 PM	0
11/5/2019	11:00:00 PM	0
11/5/2019	11:15:00 PM	0
11/5/2019	11:30:00 PM	0
11/5/2019	11:45:00 PM	0
11/6/2019	12:00:00 AM	0
11/6/2019	12:15:00 AM	0
11/6/2019	12:30:00 AM	0
11/6/2019	12:45:00 AM	0
11/6/2019	1:00:00 AM	0
11/6/2019	1:15:00 AM	0
11/6/2019	1:30:00 AM	0
11/6/2019	1:45:00 AM	0
11/6/2019	2:00:00 AM	0
11/6/2019	2:15:00 AM	0
11/6/2019	2:30:00 AM	0
11/6/2019	2:45:00 AM	0
11/6/2019	3:00:00 AM	0
11/6/2019	3:15:00 AM	0
11/6/2019	3:30:00 AM	0
11/6/2019	3:45:00 AM	0
11/6/2019	4:00:00 AM	0
11/6/2019	4:15:00 AM	0
11/6/2019	4:30:00 AM	0
11/6/2019	4:45:00 AM	0
11/6/2019	5:00:00 AM	0
11/6/2019	5:15:00 AM	0
11/6/2019	5:30:00 AM	0
11/6/2019	5:45:00 AM	0
11/6/2019	6:00:00 AM	0
11/6/2019	6:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/6/2019	6:30:00 AM	0
11/6/2019	6:45:00 AM	0
11/6/2019	7:00:00 AM	0
11/6/2019	7:15:00 AM	0
11/6/2019	7:30:00 AM	0
11/6/2019	7:45:00 AM	0
11/6/2019	8:00:00 AM	0
11/6/2019	8:15:00 AM	0
11/6/2019	8:30:00 AM	0
11/6/2019	8:45:00 AM	0
11/6/2019	9:00:00 AM	0
11/6/2019	9:15:00 AM	0
11/6/2019	9:30:00 AM	0
11/6/2019	9:45:00 AM	0
11/6/2019	10:00:00 AM	0
11/6/2019	10:15:00 AM	0
11/6/2019	10:30:00 AM	0
11/6/2019	10:45:00 AM	0
11/6/2019	11:00:00 AM	0
11/6/2019	11:15:00 AM	0
11/6/2019	11:30:00 AM	0
11/6/2019	11:45:00 AM	0
11/6/2019	12:00:00 PM	0
11/6/2019	12:15:00 PM	0
11/6/2019	12:30:00 PM	0
11/6/2019	12:45:00 PM	0
11/6/2019	1:00:00 PM	0
11/6/2019	1:15:00 PM	0
11/6/2019	1:30:00 PM	0
11/6/2019	1:45:00 PM	0
11/6/2019	2:00:00 PM	0
11/6/2019	2:15:00 PM	0
11/6/2019	2:30:00 PM	0
11/6/2019	2:45:00 PM	0
11/6/2019	3:00:00 PM	0
11/6/2019	3:15:00 PM	0
11/6/2019	3:30:00 PM	0
11/6/2019	3:45:00 PM	0
11/6/2019	4:00:00 PM	0
11/6/2019	4:15:00 PM	0
11/6/2019	4:30:00 PM	0
11/6/2019	4:45:00 PM	0
11/6/2019	5:00:00 PM	0
11/6/2019	5:15:00 PM	0
11/6/2019	5:30:00 PM	0
11/6/2019	5:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/6/2019	6:00:00 PM	0
11/6/2019	6:15:00 PM	0
11/6/2019	6:30:00 PM	0
11/6/2019	6:45:00 PM	0
11/6/2019	7:00:00 PM	0
11/6/2019	7:15:00 PM	0
11/6/2019	7:30:00 PM	0
11/6/2019	7:45:00 PM	0
11/6/2019	8:00:00 PM	0
11/6/2019	8:15:00 PM	0
11/6/2019	8:30:00 PM	0
11/6/2019	8:45:00 PM	0
11/6/2019	9:00:00 PM	0
11/6/2019	9:15:00 PM	0
11/6/2019	9:30:00 PM	0
11/6/2019	9:45:00 PM	0
11/6/2019	10:00:00 PM	0
11/6/2019	10:15:00 PM	0
11/6/2019	10:30:00 PM	0
11/6/2019	10:45:00 PM	0
11/6/2019	11:00:00 PM	0
11/6/2019	11:15:00 PM	0
11/6/2019	11:30:00 PM	0
11/6/2019	11:45:00 PM	0
11/7/2019	12:00:00 AM	0
11/7/2019	12:15:00 AM	0
11/7/2019	12:30:00 AM	0
11/7/2019	12:45:00 AM	0
11/7/2019	1:00:00 AM	0
11/7/2019	1:15:00 AM	0
11/7/2019	1:30:00 AM	0
11/7/2019	1:45:00 AM	0
11/7/2019	2:00:00 AM	0
11/7/2019	2:15:00 AM	0
11/7/2019	2:30:00 AM	0
11/7/2019	2:45:00 AM	0
11/7/2019	3:00:00 AM	0
11/7/2019	3:15:00 AM	0
11/7/2019	3:30:00 AM	0
11/7/2019	3:45:00 AM	0
11/7/2019	4:00:00 AM	0
11/7/2019	4:15:00 AM	0
11/7/2019	4:30:00 AM	0
11/7/2019	4:45:00 AM	0
11/7/2019	5:00:00 AM	0
11/7/2019	5:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/7/2019	5:30:00 AM	0
11/7/2019	5:45:00 AM	0
11/7/2019	6:00:00 AM	0
11/7/2019	6:15:00 AM	0
11/7/2019	6:30:00 AM	0
11/7/2019	6:45:00 AM	0
11/7/2019	7:00:00 AM	0
11/7/2019	7:15:00 AM	0
11/7/2019	7:30:00 AM	0
11/7/2019	7:45:00 AM	0
11/7/2019	8:00:00 AM	0
11/7/2019	8:15:00 AM	0
11/7/2019	8:30:00 AM	0
11/7/2019	8:45:00 AM	0
11/7/2019	9:00:00 AM	0
11/7/2019	9:15:00 AM	0
11/7/2019	9:30:00 AM	0
11/7/2019	9:45:00 AM	0
11/7/2019	10:00:00 AM	0
11/7/2019	10:15:00 AM	0
11/7/2019	10:30:00 AM	0
11/7/2019	10:45:00 AM	0
11/7/2019	11:00:00 AM	0
11/7/2019	11:15:00 AM	0
11/7/2019	11:30:00 AM	0
11/7/2019	11:45:00 AM	0
11/7/2019	12:00:00 PM	0
11/7/2019	12:15:00 PM	0
11/7/2019	12:30:00 PM	0
11/7/2019	12:45:00 PM	0
11/7/2019	1:00:00 PM	0
11/7/2019	1:15:00 PM	0
11/7/2019	1:30:00 PM	0
11/7/2019	1:45:00 PM	0
11/7/2019	2:00:00 PM	0
11/7/2019	2:15:00 PM	0
11/7/2019	2:30:00 PM	0
11/7/2019	2:45:00 PM	0
11/7/2019	3:00:00 PM	0
11/7/2019	3:15:00 PM	0
11/7/2019	3:30:00 PM	0
11/7/2019	3:45:00 PM	0
11/7/2019	4:00:00 PM	0
11/7/2019	4:15:00 PM	0
11/7/2019	4:30:00 PM	0
11/7/2019	4:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/7/2019	5:00:00 PM	0
11/7/2019	5:15:00 PM	0
11/7/2019	5:30:00 PM	0
11/7/2019	5:45:00 PM	0
11/7/2019	6:00:00 PM	0
11/7/2019	6:15:00 PM	0
11/7/2019	6:30:00 PM	0
11/7/2019	6:45:00 PM	0
11/7/2019	7:00:00 PM	0
11/7/2019	7:15:00 PM	0
11/7/2019	7:30:00 PM	0
11/7/2019	7:45:00 PM	0
11/7/2019	8:00:00 PM	0
11/7/2019	8:15:00 PM	0
11/7/2019	8:30:00 PM	0
11/7/2019	8:45:00 PM	0
11/7/2019	9:00:00 PM	0
11/7/2019	9:15:00 PM	0
11/7/2019	9:30:00 PM	0
11/7/2019	9:45:00 PM	0
11/7/2019	10:00:00 PM	0
11/7/2019	10:15:00 PM	0
11/7/2019	10:30:00 PM	0
11/7/2019	10:45:00 PM	0
11/7/2019	11:00:00 PM	0
11/7/2019	11:15:00 PM	0
11/7/2019	11:30:00 PM	0
11/7/2019	11:45:00 PM	0
11/8/2019	12:00:00 AM	0
11/8/2019	12:15:00 AM	0
11/8/2019	12:30:00 AM	0
11/8/2019	12:45:00 AM	0
11/8/2019	1:00:00 AM	0
11/8/2019	1:15:00 AM	0
11/8/2019	1:30:00 AM	0
11/8/2019	1:45:00 AM	0
11/8/2019	2:00:00 AM	0
11/8/2019	2:15:00 AM	0
11/8/2019	2:30:00 AM	0
11/8/2019	2:45:00 AM	0
11/8/2019	3:00:00 AM	0
11/8/2019	3:15:00 AM	0
11/8/2019	3:30:00 AM	0
11/8/2019	3:45:00 AM	0
11/8/2019	4:00:00 AM	0
11/8/2019	4:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/8/2019	4:30:00 AM	0
11/8/2019	4:45:00 AM	0
11/8/2019	5:00:00 AM	0
11/8/2019	5:15:00 AM	0
11/8/2019	5:30:00 AM	0
11/8/2019	5:45:00 AM	0
11/8/2019	6:00:00 AM	0
11/8/2019	6:15:00 AM	0
11/8/2019	6:30:00 AM	0
11/8/2019	6:45:00 AM	0
11/8/2019	7:00:00 AM	0
11/8/2019	7:15:00 AM	0
11/8/2019	7:30:00 AM	0
11/8/2019	7:45:00 AM	0
11/8/2019	8:00:00 AM	0
11/8/2019	8:15:00 AM	0
11/8/2019	8:30:00 AM	0
11/8/2019	8:45:00 AM	0
11/8/2019	9:00:00 AM	0
11/8/2019	9:15:00 AM	0
11/8/2019	9:30:00 AM	0
11/8/2019	9:45:00 AM	0
11/8/2019	10:00:00 AM	0
11/8/2019	10:15:00 AM	0
11/8/2019	10:30:00 AM	0
11/8/2019	10:45:00 AM	0
11/8/2019	11:00:00 AM	0
11/8/2019	11:15:00 AM	0
11/8/2019	11:30:00 AM	0
11/8/2019	11:45:00 AM	0
11/8/2019	12:00:00 PM	0
11/8/2019	12:15:00 PM	0
11/8/2019	12:30:00 PM	0
11/8/2019	12:45:00 PM	0
11/8/2019	1:00:00 PM	0
11/8/2019	1:15:00 PM	0
11/8/2019	1:30:00 PM	0
11/8/2019	1:45:00 PM	0
11/8/2019	2:00:00 PM	0
11/8/2019	2:15:00 PM	0
11/8/2019	2:30:00 PM	0
11/8/2019	2:45:00 PM	0
11/8/2019	3:00:00 PM	0
11/8/2019	3:15:00 PM	0
11/8/2019	3:30:00 PM	0
11/8/2019	3:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/8/2019	4:00:00 PM	0
11/8/2019	4:15:00 PM	0
11/8/2019	4:30:00 PM	0
11/8/2019	4:45:00 PM	0
11/8/2019	5:00:00 PM	0
11/8/2019	5:15:00 PM	0
11/8/2019	5:30:00 PM	0
11/8/2019	5:45:00 PM	0
11/8/2019	6:00:00 PM	0
11/8/2019	6:15:00 PM	0
11/8/2019	6:30:00 PM	0
11/8/2019	6:45:00 PM	0
11/8/2019	7:00:00 PM	0
11/8/2019	7:15:00 PM	0
11/8/2019	7:30:00 PM	0
11/8/2019	7:45:00 PM	0
11/8/2019	8:00:00 PM	0
11/8/2019	8:15:00 PM	0
11/8/2019	8:30:00 PM	0
11/8/2019	8:45:00 PM	0
11/8/2019	9:00:00 PM	0
11/8/2019	9:15:00 PM	0
11/8/2019	9:30:00 PM	0
11/8/2019	9:45:00 PM	0
11/8/2019	10:00:00 PM	0
11/8/2019	10:15:00 PM	0
11/8/2019	10:30:00 PM	0
11/8/2019	10:45:00 PM	0
11/8/2019	11:00:00 PM	0
11/8/2019	11:15:00 PM	0
11/8/2019	11:30:00 PM	0
11/8/2019	11:45:00 PM	0
11/9/2019	12:00:00 AM	0
11/9/2019	12:15:00 AM	0
11/9/2019	12:30:00 AM	0
11/9/2019	12:45:00 AM	0
11/9/2019	1:00:00 AM	0
11/9/2019	1:15:00 AM	0
11/9/2019	1:30:00 AM	0
11/9/2019	1:45:00 AM	0
11/9/2019	2:00:00 AM	0
11/9/2019	2:15:00 AM	0
11/9/2019	2:30:00 AM	0
11/9/2019	2:45:00 AM	0
11/9/2019	3:00:00 AM	0
11/9/2019	3:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/9/2019	3:30:00 AM	0
11/9/2019	3:45:00 AM	0
11/9/2019	4:00:00 AM	0
11/9/2019	4:15:00 AM	0
11/9/2019	4:30:00 AM	0
11/9/2019	4:45:00 AM	0
11/9/2019	5:00:00 AM	0
11/9/2019	5:15:00 AM	0
11/9/2019	5:30:00 AM	0
11/9/2019	5:45:00 AM	0
11/9/2019	6:00:00 AM	0
11/9/2019	6:15:00 AM	0
11/9/2019	6:30:00 AM	0
11/9/2019	6:45:00 AM	0
11/9/2019	7:00:00 AM	0
11/9/2019	7:15:00 AM	0
11/9/2019	7:30:00 AM	0
11/9/2019	7:45:00 AM	0
11/9/2019	8:00:00 AM	0
11/9/2019	8:15:00 AM	0
11/9/2019	8:30:00 AM	0
11/9/2019	8:45:00 AM	0
11/9/2019	9:00:00 AM	0
11/9/2019	9:15:00 AM	0
11/9/2019	9:30:00 AM	0
11/9/2019	9:45:00 AM	0
11/9/2019	10:00:00 AM	0
11/9/2019	10:15:00 AM	0
11/9/2019	10:30:00 AM	0
11/9/2019	10:45:00 AM	0
11/9/2019	11:00:00 AM	0
11/9/2019	11:15:00 AM	0
11/9/2019	11:30:00 AM	0
11/9/2019	11:45:00 AM	0
11/9/2019	12:00:00 PM	0
11/9/2019	12:15:00 PM	0
11/9/2019	12:30:00 PM	0
11/9/2019	12:45:00 PM	0
11/9/2019	1:00:00 PM	0
11/9/2019	1:15:00 PM	0
11/9/2019	1:30:00 PM	0
11/9/2019	1:45:00 PM	0
11/9/2019	2:00:00 PM	0
11/9/2019	2:15:00 PM	0
11/9/2019	2:30:00 PM	0
11/9/2019	2:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/9/2019	3:00:00 PM	0
11/9/2019	3:15:00 PM	0
11/9/2019	3:30:00 PM	0
11/9/2019	3:45:00 PM	0
11/9/2019	4:00:00 PM	0
11/9/2019	4:15:00 PM	0
11/9/2019	4:30:00 PM	0
11/9/2019	4:45:00 PM	0
11/9/2019	5:00:00 PM	0
11/9/2019	5:15:00 PM	0
11/9/2019	5:30:00 PM	0
11/9/2019	5:45:00 PM	0
11/9/2019	6:00:00 PM	0
11/9/2019	6:15:00 PM	0
11/9/2019	6:30:00 PM	0
11/9/2019	6:45:00 PM	0
11/9/2019	7:00:00 PM	0
11/9/2019	7:15:00 PM	0
11/9/2019	7:30:00 PM	0
11/9/2019	7:45:00 PM	0
11/9/2019	8:00:00 PM	0
11/9/2019	8:15:00 PM	0
11/9/2019	8:30:00 PM	0
11/9/2019	8:45:00 PM	0
11/9/2019	9:00:00 PM	0
11/9/2019	9:15:00 PM	0
11/9/2019	9:30:00 PM	0
11/9/2019	9:45:00 PM	0
11/9/2019	10:00:00 PM	0
11/9/2019	10:15:00 PM	0
11/9/2019	10:30:00 PM	0
11/9/2019	10:45:00 PM	0
11/9/2019	11:00:00 PM	0
11/9/2019	11:15:00 PM	0
11/9/2019	11:30:00 PM	0
11/9/2019	11:45:00 PM	0
11/10/2019	12:00:00 AM	0
11/10/2019	12:15:00 AM	0
11/10/2019	12:30:00 AM	0
11/10/2019	12:45:00 AM	0
11/10/2019	1:00:00 AM	0
11/10/2019	1:15:00 AM	0
11/10/2019	1:30:00 AM	0
11/10/2019	1:45:00 AM	0
11/10/2019	2:00:00 AM	0
11/10/2019	2:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/10/2019	2:30:00 AM	0
11/10/2019	2:45:00 AM	0
11/10/2019	3:00:00 AM	0
11/10/2019	3:15:00 AM	0
11/10/2019	3:30:00 AM	0
11/10/2019	3:45:00 AM	0
11/10/2019	4:00:00 AM	0
11/10/2019	4:15:00 AM	0
11/10/2019	4:30:00 AM	0
11/10/2019	4:45:00 AM	0
11/10/2019	5:00:00 AM	0
11/10/2019	5:15:00 AM	0
11/10/2019	5:30:00 AM	0
11/10/2019	5:45:00 AM	0
11/10/2019	6:00:00 AM	0
11/10/2019	6:15:00 AM	0
11/10/2019	6:30:00 AM	0
11/10/2019	6:45:00 AM	0
11/10/2019	7:00:00 AM	0
11/10/2019	7:15:00 AM	0
11/10/2019	7:30:00 AM	0
11/10/2019	7:45:00 AM	0
11/10/2019	8:00:00 AM	0
11/10/2019	8:15:00 AM	0
11/10/2019	8:30:00 AM	0
11/10/2019	8:45:00 AM	0
11/10/2019	9:00:00 AM	0
11/10/2019	9:15:00 AM	0
11/10/2019	9:30:00 AM	0
11/10/2019	9:45:00 AM	0
11/10/2019	10:00:00 AM	0
11/10/2019	10:15:00 AM	0
11/10/2019	10:30:00 AM	0
11/10/2019	10:45:00 AM	0
11/10/2019	11:00:00 AM	0
11/10/2019	11:15:00 AM	0
11/10/2019	11:30:00 AM	0
11/10/2019	11:45:00 AM	0
11/10/2019	12:00:00 PM	0
11/10/2019	12:15:00 PM	0
11/10/2019	12:30:00 PM	0
11/10/2019	12:45:00 PM	0
11/10/2019	1:00:00 PM	0
11/10/2019	1:15:00 PM	0
11/10/2019	1:30:00 PM	0
11/10/2019	1:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/10/2019	2:00:00 PM	0
11/10/2019	2:15:00 PM	0
11/10/2019	2:30:00 PM	0
11/10/2019	2:45:00 PM	0
11/10/2019	3:00:00 PM	0
11/10/2019	3:15:00 PM	0
11/10/2019	3:30:00 PM	0
11/10/2019	3:45:00 PM	0
11/10/2019	4:00:00 PM	0
11/10/2019	4:15:00 PM	0
11/10/2019	4:30:00 PM	0
11/10/2019	4:45:00 PM	0
11/10/2019	5:00:00 PM	0
11/10/2019	5:15:00 PM	0
11/10/2019	5:30:00 PM	0
11/10/2019	5:45:00 PM	0
11/10/2019	6:00:00 PM	0
11/10/2019	6:15:00 PM	0
11/10/2019	6:30:00 PM	0
11/10/2019	6:45:00 PM	0
11/10/2019	7:00:00 PM	0
11/10/2019	7:15:00 PM	0
11/10/2019	7:30:00 PM	0
11/10/2019	7:45:00 PM	0
11/10/2019	8:00:00 PM	0
11/10/2019	8:15:00 PM	0
11/10/2019	8:30:00 PM	0
11/10/2019	8:45:00 PM	0
11/10/2019	9:00:00 PM	0
11/10/2019	9:15:00 PM	0
11/10/2019	9:30:00 PM	0
11/10/2019	9:45:00 PM	0
11/10/2019	10:00:00 PM	0
11/10/2019	10:15:00 PM	0
11/10/2019	10:30:00 PM	0
11/10/2019	10:45:00 PM	0
11/10/2019	11:00:00 PM	0
11/10/2019	11:15:00 PM	0
11/10/2019	11:30:00 PM	0
11/10/2019	11:45:00 PM	0
11/11/2019	12:00:00 AM	0
11/11/2019	12:15:00 AM	0
11/11/2019	12:30:00 AM	0
11/11/2019	12:45:00 AM	0
11/11/2019	1:00:00 AM	0
11/11/2019	1:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/11/2019	1:30:00 AM	0
11/11/2019	1:45:00 AM	0
11/11/2019	2:00:00 AM	0
11/11/2019	2:15:00 AM	0
11/11/2019	2:30:00 AM	0
11/11/2019	2:45:00 AM	0
11/11/2019	3:00:00 AM	0
11/11/2019	3:15:00 AM	0
11/11/2019	3:30:00 AM	0
11/11/2019	3:45:00 AM	0
11/11/2019	4:00:00 AM	0
11/11/2019	4:15:00 AM	0
11/11/2019	4:30:00 AM	0
11/11/2019	4:45:00 AM	0
11/11/2019	5:00:00 AM	0
11/11/2019	5:15:00 AM	0
11/11/2019	5:30:00 AM	0
11/11/2019	5:45:00 AM	0
11/11/2019	6:00:00 AM	0
11/11/2019	6:15:00 AM	0
11/11/2019	6:30:00 AM	0
11/11/2019	6:45:00 AM	0
11/11/2019	7:00:00 AM	0
11/11/2019	7:15:00 AM	0
11/11/2019	7:30:00 AM	0
11/11/2019	7:45:00 AM	0
11/11/2019	8:00:00 AM	0
11/11/2019	8:15:00 AM	0
11/11/2019	8:30:00 AM	0
11/11/2019	8:45:00 AM	0
11/11/2019	9:00:00 AM	0
11/11/2019	9:15:00 AM	0
11/11/2019	9:30:00 AM	0
11/11/2019	9:45:00 AM	0
11/11/2019	10:00:00 AM	0
11/11/2019	10:15:00 AM	0
11/11/2019	10:30:00 AM	0
11/11/2019	10:45:00 AM	0
11/11/2019	11:00:00 AM	0
11/11/2019	11:15:00 AM	0
11/11/2019	11:30:00 AM	0
11/11/2019	11:45:00 AM	0
11/11/2019	12:00:00 PM	0
11/11/2019	12:15:00 PM	0
11/11/2019	12:30:00 PM	0
11/11/2019	12:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/11/2019	1:00:00 PM	0
11/11/2019	1:15:00 PM	0
11/11/2019	1:30:00 PM	0
11/11/2019	1:45:00 PM	0
11/11/2019	2:00:00 PM	0
11/11/2019	2:15:00 PM	0
11/11/2019	2:30:00 PM	0
11/11/2019	2:45:00 PM	0
11/11/2019	3:00:00 PM	0
11/11/2019	3:15:00 PM	0
11/11/2019	3:30:00 PM	0
11/11/2019	3:45:00 PM	0
11/11/2019	4:00:00 PM	0
11/11/2019	4:15:00 PM	0
11/11/2019	4:30:00 PM	0
11/11/2019	4:45:00 PM	0
11/11/2019	5:00:00 PM	0
11/11/2019	5:15:00 PM	0
11/11/2019	5:30:00 PM	0
11/11/2019	5:45:00 PM	0
11/11/2019	6:00:00 PM	0
11/11/2019	6:15:00 PM	0
11/11/2019	6:30:00 PM	0
11/11/2019	6:45:00 PM	0
11/11/2019	7:00:00 PM	0
11/11/2019	7:15:00 PM	0
11/11/2019	7:30:00 PM	0
11/11/2019	7:45:00 PM	0
11/11/2019	8:00:00 PM	0
11/11/2019	8:15:00 PM	0
11/11/2019	8:30:00 PM	0
11/11/2019	8:45:00 PM	0
11/11/2019	9:00:00 PM	0
11/11/2019	9:15:00 PM	0
11/11/2019	9:30:00 PM	0
11/11/2019	9:45:00 PM	0
11/11/2019	10:00:00 PM	0
11/11/2019	10:15:00 PM	0
11/11/2019	10:30:00 PM	0
11/11/2019	10:45:00 PM	0
11/11/2019	11:00:00 PM	0
11/11/2019	11:15:00 PM	0
11/11/2019	11:30:00 PM	0
11/11/2019	11:45:00 PM	0
11/12/2019	12:00:00 AM	0
11/12/2019	12:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/12/2019	12:30:00 AM	0
11/12/2019	12:45:00 AM	0
11/12/2019	1:00:00 AM	0
11/12/2019	1:15:00 AM	0
11/12/2019	1:30:00 AM	0
11/12/2019	1:45:00 AM	0
11/12/2019	2:00:00 AM	0
11/12/2019	2:15:00 AM	0
11/12/2019	2:30:00 AM	0
11/12/2019	2:45:00 AM	0
11/12/2019	3:00:00 AM	0
11/12/2019	3:15:00 AM	0
11/12/2019	3:30:00 AM	0
11/12/2019	3:45:00 AM	0
11/12/2019	4:00:00 AM	0
11/12/2019	4:15:00 AM	0
11/12/2019	4:30:00 AM	0
11/12/2019	4:45:00 AM	0
11/12/2019	5:00:00 AM	0
11/12/2019	5:15:00 AM	0
11/12/2019	5:30:00 AM	0
11/12/2019	5:45:00 AM	0
11/12/2019	6:00:00 AM	0
11/12/2019	6:15:00 AM	0
11/12/2019	6:30:00 AM	0
11/12/2019	6:45:00 AM	0
11/12/2019	7:00:00 AM	0
11/12/2019	7:15:00 AM	0
11/12/2019	7:30:00 AM	0
11/12/2019	7:45:00 AM	0
11/12/2019	8:00:00 AM	0
11/12/2019	8:15:00 AM	0
11/12/2019	8:30:00 AM	0
11/12/2019	8:45:00 AM	0
11/12/2019	9:00:00 AM	0
11/12/2019	9:15:00 AM	0
11/12/2019	9:30:00 AM	0
11/12/2019	9:45:00 AM	0
11/12/2019	10:00:00 AM	0
11/12/2019	10:15:00 AM	0
11/12/2019	10:30:00 AM	0
11/12/2019	10:45:00 AM	0
11/12/2019	11:00:00 AM	0
11/12/2019	11:15:00 AM	0
11/12/2019	11:30:00 AM	0
11/12/2019	11:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/12/2019	12:00:00 PM	0
11/12/2019	12:15:00 PM	0
11/12/2019	12:30:00 PM	0
11/12/2019	12:45:00 PM	0
11/12/2019	1:00:00 PM	0
11/12/2019	1:15:00 PM	0
11/12/2019	1:30:00 PM	0
11/12/2019	1:45:00 PM	0
11/12/2019	2:00:00 PM	0
11/12/2019	2:15:00 PM	0
11/12/2019	2:30:00 PM	0
11/12/2019	2:45:00 PM	0
11/12/2019	3:00:00 PM	0
11/12/2019	3:15:00 PM	0
11/12/2019	3:30:00 PM	0
11/12/2019	3:45:00 PM	0
11/12/2019	4:00:00 PM	0
11/12/2019	4:15:00 PM	0
11/12/2019	4:30:00 PM	0
11/12/2019	4:45:00 PM	0
11/12/2019	5:00:00 PM	0
11/12/2019	5:15:00 PM	0
11/12/2019	5:30:00 PM	0
11/12/2019	5:45:00 PM	0
11/12/2019	6:00:00 PM	0
11/12/2019	6:15:00 PM	0
11/12/2019	6:30:00 PM	0
11/12/2019	6:45:00 PM	0
11/12/2019	7:00:00 PM	0
11/12/2019	7:15:00 PM	0
11/12/2019	7:30:00 PM	0
11/12/2019	7:45:00 PM	0
11/12/2019	8:00:00 PM	0
11/12/2019	8:15:00 PM	0
11/12/2019	8:30:00 PM	0
11/12/2019	8:45:00 PM	0
11/12/2019	9:00:00 PM	0
11/12/2019	9:15:00 PM	0
11/12/2019	9:30:00 PM	0
11/12/2019	9:45:00 PM	0
11/12/2019	10:00:00 PM	0
11/12/2019	10:15:00 PM	0
11/12/2019	10:30:00 PM	0
11/12/2019	10:45:00 PM	0
11/12/2019	11:00:00 PM	0
11/12/2019	11:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/12/2019	11:30:00 PM	0
11/12/2019	11:45:00 PM	0
11/13/2019	12:00:00 AM	0
11/13/2019	12:15:00 AM	0
11/13/2019	12:30:00 AM	0
11/13/2019	12:45:00 AM	0
11/13/2019	1:00:00 AM	0
11/13/2019	1:15:00 AM	0
11/13/2019	1:30:00 AM	0
11/13/2019	1:45:00 AM	0
11/13/2019	2:00:00 AM	0
11/13/2019	2:15:00 AM	0
11/13/2019	2:30:00 AM	0
11/13/2019	2:45:00 AM	0
11/13/2019	3:00:00 AM	0
11/13/2019	3:15:00 AM	0
11/13/2019	3:30:00 AM	0
11/13/2019	3:45:00 AM	0
11/13/2019	4:00:00 AM	0
11/13/2019	4:15:00 AM	0
11/13/2019	4:30:00 AM	0
11/13/2019	4:45:00 AM	0
11/13/2019	5:00:00 AM	0
11/13/2019	5:15:00 AM	0
11/13/2019	5:30:00 AM	0
11/13/2019	5:45:00 AM	0
11/13/2019	6:00:00 AM	0
11/13/2019	6:15:00 AM	0
11/13/2019	6:30:00 AM	0
11/13/2019	6:45:00 AM	0
11/13/2019	7:00:00 AM	0
11/13/2019	7:15:00 AM	0
11/13/2019	7:30:00 AM	0
11/13/2019	7:45:00 AM	0
11/13/2019	8:00:00 AM	0
11/13/2019	8:15:00 AM	0
11/13/2019	8:30:00 AM	0
11/13/2019	8:45:00 AM	0
11/13/2019	9:00:00 AM	0
11/13/2019	9:15:00 AM	0
11/13/2019	9:30:00 AM	0
11/13/2019	9:45:00 AM	0
11/13/2019	10:00:00 AM	0
11/13/2019	10:15:00 AM	0
11/13/2019	10:30:00 AM	0
11/13/2019	10:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/13/2019	11:00:00 AM	0
11/13/2019	11:15:00 AM	0
11/13/2019	11:30:00 AM	0
11/13/2019	11:45:00 AM	0
11/13/2019	12:00:00 PM	0
11/13/2019	12:15:00 PM	0
11/13/2019	12:30:00 PM	0
11/13/2019	12:45:00 PM	0
11/13/2019	1:00:00 PM	0
11/13/2019	1:15:00 PM	0
11/13/2019	1:30:00 PM	0
11/13/2019	1:45:00 PM	0
11/13/2019	2:00:00 PM	0
11/13/2019	2:15:00 PM	0
11/13/2019	2:30:00 PM	0
11/13/2019	2:45:00 PM	0
11/13/2019	3:00:00 PM	0
11/13/2019	3:15:00 PM	0
11/13/2019	3:30:00 PM	0
11/13/2019	3:45:00 PM	0
11/13/2019	4:00:00 PM	0
11/13/2019	4:15:00 PM	0
11/13/2019	4:30:00 PM	0
11/13/2019	4:45:00 PM	0
11/13/2019	5:00:00 PM	0
11/13/2019	5:15:00 PM	0
11/13/2019	5:30:00 PM	0
11/13/2019	5:45:00 PM	0
11/13/2019	6:00:00 PM	0
11/13/2019	6:15:00 PM	0
11/13/2019	6:30:00 PM	0
11/13/2019	6:45:00 PM	0
11/13/2019	7:00:00 PM	0
11/13/2019	7:15:00 PM	0
11/13/2019	7:30:00 PM	0
11/13/2019	7:45:00 PM	0
11/13/2019	8:00:00 PM	0
11/13/2019	8:15:00 PM	0
11/13/2019	8:30:00 PM	0
11/13/2019	8:45:00 PM	0
11/13/2019	9:00:00 PM	0
11/13/2019	9:15:00 PM	0
11/13/2019	9:30:00 PM	0
11/13/2019	9:45:00 PM	0
11/13/2019	10:00:00 PM	0
11/13/2019	10:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/13/2019	10:30:00 PM	0
11/13/2019	10:45:00 PM	0
11/13/2019	11:00:00 PM	0
11/13/2019	11:15:00 PM	0
11/13/2019	11:30:00 PM	0
11/13/2019	11:45:00 PM	0
11/14/2019	12:00:00 AM	0
11/14/2019	12:15:00 AM	0
11/14/2019	12:30:00 AM	0
11/14/2019	12:45:00 AM	0
11/14/2019	1:00:00 AM	0
11/14/2019	1:15:00 AM	0
11/14/2019	1:30:00 AM	0
11/14/2019	1:45:00 AM	0
11/14/2019	2:00:00 AM	0
11/14/2019	2:15:00 AM	0
11/14/2019	2:30:00 AM	0
11/14/2019	2:45:00 AM	0
11/14/2019	3:00:00 AM	0
11/14/2019	3:15:00 AM	0
11/14/2019	3:30:00 AM	0
11/14/2019	3:45:00 AM	0
11/14/2019	4:00:00 AM	0
11/14/2019	4:15:00 AM	0
11/14/2019	4:30:00 AM	0
11/14/2019	4:45:00 AM	0
11/14/2019	5:00:00 AM	0
11/14/2019	5:15:00 AM	0
11/14/2019	5:30:00 AM	0
11/14/2019	5:45:00 AM	0
11/14/2019	6:00:00 AM	0
11/14/2019	6:15:00 AM	0
11/14/2019	6:30:00 AM	0
11/14/2019	6:45:00 AM	0
11/14/2019	7:00:00 AM	0
11/14/2019	7:15:00 AM	0
11/14/2019	7:30:00 AM	0
11/14/2019	7:45:00 AM	0
11/14/2019	8:00:00 AM	0
11/14/2019	8:15:00 AM	0
11/14/2019	8:30:00 AM	0
11/14/2019	8:45:00 AM	0
11/14/2019	9:00:00 AM	0
11/14/2019	9:15:00 AM	0
11/14/2019	9:30:00 AM	0
11/14/2019	9:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/14/2019	10:00:00 AM	0
11/14/2019	10:15:00 AM	0
11/14/2019	10:30:00 AM	0
11/14/2019	10:45:00 AM	0
11/14/2019	11:00:00 AM	0
11/14/2019	11:15:00 AM	0
11/14/2019	11:30:00 AM	0
11/14/2019	11:45:00 AM	0
11/14/2019	12:00:00 PM	0
11/14/2019	12:15:00 PM	0
11/14/2019	12:30:00 PM	0
11/14/2019	12:45:00 PM	0
11/14/2019	1:00:00 PM	0
11/14/2019	1:15:00 PM	0
11/14/2019	1:30:00 PM	0
11/14/2019	1:45:00 PM	0
11/14/2019	2:00:00 PM	0
11/14/2019	2:15:00 PM	0
11/14/2019	2:30:00 PM	0
11/14/2019	2:45:00 PM	0
11/14/2019	3:00:00 PM	0
11/14/2019	3:15:00 PM	0
11/14/2019	3:30:00 PM	0
11/14/2019	3:45:00 PM	0
11/14/2019	4:00:00 PM	0
11/14/2019	4:15:00 PM	0
11/14/2019	4:30:00 PM	0
11/14/2019	4:45:00 PM	0
11/14/2019	5:00:00 PM	0
11/14/2019	5:15:00 PM	0
11/14/2019	5:30:00 PM	0
11/14/2019	5:45:00 PM	0
11/14/2019	6:00:00 PM	0
11/14/2019	6:15:00 PM	0
11/14/2019	6:30:00 PM	0
11/14/2019	6:45:00 PM	0
11/14/2019	7:00:00 PM	0
11/14/2019	7:15:00 PM	0
11/14/2019	7:30:00 PM	0
11/14/2019	7:45:00 PM	0
11/14/2019	8:00:00 PM	0
11/14/2019	8:15:00 PM	0
11/14/2019	8:30:00 PM	0
11/14/2019	8:45:00 PM	0
11/14/2019	9:00:00 PM	0
11/14/2019	9:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/14/2019	9:30:00 PM	0
11/14/2019	9:45:00 PM	0
11/14/2019	10:00:00 PM	0
11/14/2019	10:15:00 PM	0
11/14/2019	10:30:00 PM	0
11/14/2019	10:45:00 PM	0
11/14/2019	11:00:00 PM	0
11/14/2019	11:15:00 PM	0
11/14/2019	11:30:00 PM	0
11/14/2019	11:45:00 PM	0
11/15/2019	12:00:00 AM	0
11/15/2019	12:15:00 AM	0
11/15/2019	12:30:00 AM	0
11/15/2019	12:45:00 AM	0
11/15/2019	1:00:00 AM	0
11/15/2019	1:15:00 AM	0
11/15/2019	1:30:00 AM	0
11/15/2019	1:45:00 AM	0
11/15/2019	2:00:00 AM	0
11/15/2019	2:15:00 AM	0
11/15/2019	2:30:00 AM	0
11/15/2019	2:45:00 AM	0
11/15/2019	3:00:00 AM	0
11/15/2019	3:15:00 AM	0
11/15/2019	3:30:00 AM	0
11/15/2019	3:45:00 AM	0
11/15/2019	4:00:00 AM	0
11/15/2019	4:15:00 AM	0
11/15/2019	4:30:00 AM	0
11/15/2019	4:45:00 AM	0
11/15/2019	5:00:00 AM	0
11/15/2019	5:15:00 AM	0
11/15/2019	5:30:00 AM	0
11/15/2019	5:45:00 AM	0
11/15/2019	6:00:00 AM	0
11/15/2019	6:15:00 AM	0
11/15/2019	6:30:00 AM	0
11/15/2019	6:45:00 AM	0
11/15/2019	7:00:00 AM	0
11/15/2019	7:15:00 AM	0
11/15/2019	7:30:00 AM	0
11/15/2019	7:45:00 AM	0
11/15/2019	8:00:00 AM	0
11/15/2019	8:15:00 AM	0
11/15/2019	8:30:00 AM	0
11/15/2019	8:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/15/2019	9:00:00 AM	0
11/15/2019	9:15:00 AM	0
11/15/2019	9:30:00 AM	0
11/15/2019	9:45:00 AM	0
11/15/2019	10:00:00 AM	0
11/15/2019	10:15:00 AM	0
11/15/2019	10:30:00 AM	0
11/15/2019	10:45:00 AM	0
11/15/2019	11:00:00 AM	0
11/15/2019	11:15:00 AM	0
11/15/2019	11:30:00 AM	0
11/15/2019	11:45:00 AM	0
11/15/2019	12:00:00 PM	0
11/15/2019	12:15:00 PM	0
11/15/2019	12:30:00 PM	0
11/15/2019	12:45:00 PM	0
11/15/2019	1:00:00 PM	0
11/15/2019	1:15:00 PM	0
11/15/2019	1:30:00 PM	0
11/15/2019	1:45:00 PM	0
11/15/2019	2:00:00 PM	0
11/15/2019	2:15:00 PM	0
11/15/2019	2:30:00 PM	0
11/15/2019	2:45:00 PM	0
11/15/2019	3:00:00 PM	0
11/15/2019	3:15:00 PM	0
11/15/2019	3:30:00 PM	0
11/15/2019	3:45:00 PM	0
11/15/2019	4:00:00 PM	0
11/15/2019	4:15:00 PM	0
11/15/2019	4:30:00 PM	0
11/15/2019	4:45:00 PM	0
11/15/2019	5:00:00 PM	0
11/15/2019	5:15:00 PM	0
11/15/2019	5:30:00 PM	0
11/15/2019	5:45:00 PM	0
11/15/2019	6:00:00 PM	0
11/15/2019	6:15:00 PM	0
11/15/2019	6:30:00 PM	0
11/15/2019	6:45:00 PM	0
11/15/2019	7:00:00 PM	0
11/15/2019	7:15:00 PM	0
11/15/2019	7:30:00 PM	0
11/15/2019	7:45:00 PM	0
11/15/2019	8:00:00 PM	0
11/15/2019	8:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/15/2019	8:30:00 PM	0
11/15/2019	8:45:00 PM	0
11/15/2019	9:00:00 PM	0
11/15/2019	9:15:00 PM	0
11/15/2019	9:30:00 PM	0
11/15/2019	9:45:00 PM	0
11/15/2019	10:00:00 PM	0
11/15/2019	10:15:00 PM	0
11/15/2019	10:30:00 PM	0
11/15/2019	10:45:00 PM	0
11/15/2019	11:00:00 PM	0
11/15/2019	11:15:00 PM	0
11/15/2019	11:30:00 PM	0
11/15/2019	11:45:00 PM	0
11/16/2019	12:00:00 AM	0
11/16/2019	12:15:00 AM	0
11/16/2019	12:30:00 AM	0
11/16/2019	12:45:00 AM	0
11/16/2019	1:00:00 AM	0
11/16/2019	1:15:00 AM	0
11/16/2019	1:30:00 AM	0
11/16/2019	1:45:00 AM	0
11/16/2019	2:00:00 AM	0
11/16/2019	2:15:00 AM	0
11/16/2019	2:30:00 AM	0
11/16/2019	2:45:00 AM	0
11/16/2019	3:00:00 AM	0
11/16/2019	3:15:00 AM	0
11/16/2019	3:30:00 AM	0
11/16/2019	3:45:00 AM	0
11/16/2019	4:00:00 AM	0
11/16/2019	4:15:00 AM	0
11/16/2019	4:30:00 AM	0
11/16/2019	4:45:00 AM	0
11/16/2019	5:00:00 AM	0
11/16/2019	5:15:00 AM	0
11/16/2019	5:30:00 AM	0
11/16/2019	5:45:00 AM	0
11/16/2019	6:00:00 AM	0
11/16/2019	6:15:00 AM	0
11/16/2019	6:30:00 AM	0
11/16/2019	6:45:00 AM	0
11/16/2019	7:00:00 AM	0
11/16/2019	7:15:00 AM	0
11/16/2019	7:30:00 AM	0
11/16/2019	7:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/16/2019	8:00:00 AM	0
11/16/2019	8:15:00 AM	0
11/16/2019	8:30:00 AM	0
11/16/2019	8:45:00 AM	0
11/16/2019	9:00:00 AM	0
11/16/2019	9:15:00 AM	0
11/16/2019	9:30:00 AM	0
11/16/2019	9:45:00 AM	0
11/16/2019	10:00:00 AM	0
11/16/2019	10:15:00 AM	0
11/16/2019	10:30:00 AM	0
11/16/2019	10:45:00 AM	0
11/16/2019	11:00:00 AM	0
11/16/2019	11:15:00 AM	0
11/16/2019	11:30:00 AM	0
11/16/2019	11:45:00 AM	0
11/16/2019	12:00:00 PM	0
11/16/2019	12:15:00 PM	0
11/16/2019	12:30:00 PM	0
11/16/2019	12:45:00 PM	0
11/16/2019	1:00:00 PM	0
11/16/2019	1:15:00 PM	0
11/16/2019	1:30:00 PM	0
11/16/2019	1:45:00 PM	0
11/16/2019	2:00:00 PM	0
11/16/2019	2:15:00 PM	0
11/16/2019	2:30:00 PM	0
11/16/2019	2:45:00 PM	0
11/16/2019	3:00:00 PM	0
11/16/2019	3:15:00 PM	0
11/16/2019	3:30:00 PM	0
11/16/2019	3:45:00 PM	0
11/16/2019	4:00:00 PM	0
11/16/2019	4:15:00 PM	0
11/16/2019	4:30:00 PM	0
11/16/2019	4:45:00 PM	0
11/16/2019	5:00:00 PM	0
11/16/2019	5:15:00 PM	0
11/16/2019	5:30:00 PM	0
11/16/2019	5:45:00 PM	0
11/16/2019	6:00:00 PM	0
11/16/2019	6:15:00 PM	0
11/16/2019	6:30:00 PM	0
11/16/2019	6:45:00 PM	0
11/16/2019	7:00:00 PM	0
11/16/2019	7:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/16/2019	7:30:00 PM	0
11/16/2019	7:45:00 PM	0
11/16/2019	8:00:00 PM	0
11/16/2019	8:15:00 PM	0
11/16/2019	8:30:00 PM	0
11/16/2019	8:45:00 PM	0
11/16/2019	9:00:00 PM	0
11/16/2019	9:15:00 PM	0
11/16/2019	9:30:00 PM	0
11/16/2019	9:45:00 PM	0
11/16/2019	10:00:00 PM	0
11/16/2019	10:15:00 PM	0
11/16/2019	10:30:00 PM	0
11/16/2019	10:45:00 PM	0
11/16/2019	11:00:00 PM	0
11/16/2019	11:15:00 PM	0
11/16/2019	11:30:00 PM	0
11/16/2019	11:45:00 PM	0
11/17/2019	12:00:00 AM	0
11/17/2019	12:15:00 AM	0
11/17/2019	12:30:00 AM	0
11/17/2019	12:45:00 AM	0
11/17/2019	1:00:00 AM	0
11/17/2019	1:15:00 AM	0
11/17/2019	1:30:00 AM	0
11/17/2019	1:45:00 AM	0
11/17/2019	2:00:00 AM	0
11/17/2019	2:15:00 AM	0
11/17/2019	2:30:00 AM	0
11/17/2019	2:45:00 AM	0
11/17/2019	3:00:00 AM	0
11/17/2019	3:15:00 AM	0
11/17/2019	3:30:00 AM	0
11/17/2019	3:45:00 AM	0
11/17/2019	4:00:00 AM	0
11/17/2019	4:15:00 AM	0
11/17/2019	4:30:00 AM	0
11/17/2019	4:45:00 AM	0
11/17/2019	5:00:00 AM	0
11/17/2019	5:15:00 AM	0
11/17/2019	5:30:00 AM	0
11/17/2019	5:45:00 AM	0
11/17/2019	6:00:00 AM	0
11/17/2019	6:15:00 AM	0
11/17/2019	6:30:00 AM	0
11/17/2019	6:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/17/2019	7:00:00 AM	0
11/17/2019	7:15:00 AM	0
11/17/2019	7:30:00 AM	0
11/17/2019	7:45:00 AM	0
11/17/2019	8:00:00 AM	0
11/17/2019	8:15:00 AM	0
11/17/2019	8:30:00 AM	0
11/17/2019	8:45:00 AM	0
11/17/2019	9:00:00 AM	0
11/17/2019	9:15:00 AM	0
11/17/2019	9:30:00 AM	0
11/17/2019	9:45:00 AM	0
11/17/2019	10:00:00 AM	0
11/17/2019	10:15:00 AM	0
11/17/2019	10:30:00 AM	0
11/17/2019	10:45:00 AM	0
11/17/2019	11:00:00 AM	0
11/17/2019	11:15:00 AM	0
11/17/2019	11:30:00 AM	0
11/17/2019	11:45:00 AM	0
11/17/2019	12:00:00 PM	0
11/17/2019	12:15:00 PM	0
11/17/2019	12:30:00 PM	0
11/17/2019	12:45:00 PM	0
11/17/2019	1:00:00 PM	0
11/17/2019	1:15:00 PM	0
11/17/2019	1:30:00 PM	0
11/17/2019	1:45:00 PM	0
11/17/2019	2:00:00 PM	0
11/17/2019	2:15:00 PM	0
11/17/2019	2:30:00 PM	0
11/17/2019	2:45:00 PM	0
11/17/2019	3:00:00 PM	0
11/17/2019	3:15:00 PM	0
11/17/2019	3:30:00 PM	0
11/17/2019	3:45:00 PM	0
11/17/2019	4:00:00 PM	0
11/17/2019	4:15:00 PM	0
11/17/2019	4:30:00 PM	0
11/17/2019	4:45:00 PM	0
11/17/2019	5:00:00 PM	0
11/17/2019	5:15:00 PM	0
11/17/2019	5:30:00 PM	0
11/17/2019	5:45:00 PM	0
11/17/2019	6:00:00 PM	0
11/17/2019	6:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/17/2019	6:30:00 PM	0
11/17/2019	6:45:00 PM	0
11/17/2019	7:00:00 PM	0
11/17/2019	7:15:00 PM	0
11/17/2019	7:30:00 PM	0
11/17/2019	7:45:00 PM	0
11/17/2019	8:00:00 PM	0
11/17/2019	8:15:00 PM	0
11/17/2019	8:30:00 PM	0
11/17/2019	8:45:00 PM	0
11/17/2019	9:00:00 PM	0
11/17/2019	9:15:00 PM	0
11/17/2019	9:30:00 PM	0
11/17/2019	9:45:00 PM	0
11/17/2019	10:00:00 PM	0
11/17/2019	10:15:00 PM	0
11/17/2019	10:30:00 PM	0
11/17/2019	10:45:00 PM	0
11/17/2019	11:00:00 PM	0
11/17/2019	11:15:00 PM	0
11/17/2019	11:30:00 PM	0
11/17/2019	11:45:00 PM	0
11/18/2019	12:00:00 AM	0
11/18/2019	12:15:00 AM	0
11/18/2019	12:30:00 AM	0
11/18/2019	12:45:00 AM	0
11/18/2019	1:00:00 AM	0
11/18/2019	1:15:00 AM	0
11/18/2019	1:30:00 AM	0
11/18/2019	1:45:00 AM	0
11/18/2019	2:00:00 AM	0
11/18/2019	2:15:00 AM	0
11/18/2019	2:30:00 AM	0
11/18/2019	2:45:00 AM	0
11/18/2019	3:00:00 AM	0
11/18/2019	3:15:00 AM	0
11/18/2019	3:30:00 AM	0
11/18/2019	3:45:00 AM	0
11/18/2019	4:00:00 AM	0
11/18/2019	4:15:00 AM	0
11/18/2019	4:30:00 AM	0
11/18/2019	4:45:00 AM	0
11/18/2019	5:00:00 AM	0
11/18/2019	5:15:00 AM	0
11/18/2019	5:30:00 AM	0
11/18/2019	5:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/18/2019	6:00:00 AM	0
11/18/2019	6:15:00 AM	0
11/18/2019	6:30:00 AM	0
11/18/2019	6:45:00 AM	0
11/18/2019	7:00:00 AM	0
11/18/2019	7:15:00 AM	0
11/18/2019	7:30:00 AM	0
11/18/2019	7:45:00 AM	0
11/18/2019	8:00:00 AM	0
11/18/2019	8:15:00 AM	0
11/18/2019	8:30:00 AM	0
11/18/2019	8:45:00 AM	0
11/18/2019	9:00:00 AM	0
11/18/2019	9:15:00 AM	0
11/18/2019	9:30:00 AM	0
11/18/2019	9:45:00 AM	0
11/18/2019	10:00:00 AM	0
11/18/2019	10:15:00 AM	0
11/18/2019	10:30:00 AM	0
11/18/2019	10:45:00 AM	0
11/18/2019	11:00:00 AM	0
11/18/2019	11:15:00 AM	0
11/18/2019	11:30:00 AM	0
11/18/2019	11:45:00 AM	0
11/18/2019	12:00:00 PM	0
11/18/2019	12:15:00 PM	0
11/18/2019	12:30:00 PM	0
11/18/2019	12:45:00 PM	0
11/18/2019	1:00:00 PM	0
11/18/2019	1:15:00 PM	0
11/18/2019	1:30:00 PM	0
11/18/2019	1:45:00 PM	0
11/18/2019	2:00:00 PM	0
11/18/2019	2:15:00 PM	0
11/18/2019	2:30:00 PM	0
11/18/2019	2:45:00 PM	0
11/18/2019	3:00:00 PM	0
11/18/2019	3:15:00 PM	0
11/18/2019	3:30:00 PM	0
11/18/2019	3:45:00 PM	0
11/18/2019	4:00:00 PM	0
11/18/2019	4:15:00 PM	0
11/18/2019	4:30:00 PM	0
11/18/2019	4:45:00 PM	0
11/18/2019	5:00:00 PM	0
11/18/2019	5:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/18/2019	5:30:00 PM	0
11/18/2019	5:45:00 PM	0
11/18/2019	6:00:00 PM	0
11/18/2019	6:15:00 PM	0
11/18/2019	6:30:00 PM	0
11/18/2019	6:45:00 PM	0
11/18/2019	7:00:00 PM	0
11/18/2019	7:15:00 PM	0
11/18/2019	7:30:00 PM	0
11/18/2019	7:45:00 PM	0
11/18/2019	8:00:00 PM	0
11/18/2019	8:15:00 PM	0
11/18/2019	8:30:00 PM	0
11/18/2019	8:45:00 PM	0
11/18/2019	9:00:00 PM	0
11/18/2019	9:15:00 PM	0
11/18/2019	9:30:00 PM	0
11/18/2019	9:45:00 PM	0
11/18/2019	10:00:00 PM	0
11/18/2019	10:15:00 PM	0
11/18/2019	10:30:00 PM	0
11/18/2019	10:45:00 PM	0
11/18/2019	11:00:00 PM	0
11/18/2019	11:15:00 PM	0
11/18/2019	11:30:00 PM	0
11/18/2019	11:45:00 PM	0
11/19/2019	12:00:00 AM	0
11/19/2019	12:15:00 AM	0
11/19/2019	12:30:00 AM	0
11/19/2019	12:45:00 AM	0
11/19/2019	1:00:00 AM	0
11/19/2019	1:15:00 AM	0
11/19/2019	1:30:00 AM	0
11/19/2019	1:45:00 AM	0
11/19/2019	2:00:00 AM	0
11/19/2019	2:15:00 AM	0
11/19/2019	2:30:00 AM	0
11/19/2019	2:45:00 AM	0
11/19/2019	3:00:00 AM	0
11/19/2019	3:15:00 AM	0
11/19/2019	3:30:00 AM	0
11/19/2019	3:45:00 AM	0
11/19/2019	4:00:00 AM	0
11/19/2019	4:15:00 AM	0
11/19/2019	4:30:00 AM	0
11/19/2019	4:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/19/2019	5:00:00 AM	0
11/19/2019	5:15:00 AM	0
11/19/2019	5:30:00 AM	0
11/19/2019	5:45:00 AM	0
11/19/2019	6:00:00 AM	0
11/19/2019	6:15:00 AM	0
11/19/2019	6:30:00 AM	0
11/19/2019	6:45:00 AM	0
11/19/2019	7:00:00 AM	0
11/19/2019	7:15:00 AM	0
11/19/2019	7:30:00 AM	0
11/19/2019	7:45:00 AM	0
11/19/2019	8:00:00 AM	0
11/19/2019	8:15:00 AM	0
11/19/2019	8:30:00 AM	0
11/19/2019	8:45:00 AM	0
11/19/2019	9:00:00 AM	0
11/19/2019	9:15:00 AM	0
11/19/2019	9:30:00 AM	0
11/19/2019	9:45:00 AM	0
11/19/2019	10:00:00 AM	0
11/19/2019	10:15:00 AM	0
11/19/2019	10:30:00 AM	0
11/19/2019	10:45:00 AM	0
11/19/2019	11:00:00 AM	0
11/19/2019	11:15:00 AM	0
11/19/2019	11:30:00 AM	0
11/19/2019	11:45:00 AM	0
11/19/2019	12:00:00 PM	0
11/19/2019	12:15:00 PM	0
11/19/2019	12:30:00 PM	0
11/19/2019	12:45:00 PM	0
11/19/2019	1:00:00 PM	0
11/19/2019	1:15:00 PM	0
11/19/2019	1:30:00 PM	0
11/19/2019	1:45:00 PM	0
11/19/2019	2:00:00 PM	0
11/19/2019	2:15:00 PM	0
11/19/2019	2:30:00 PM	0
11/19/2019	2:45:00 PM	0
11/19/2019	3:00:00 PM	0
11/19/2019	3:15:00 PM	0
11/19/2019	3:30:00 PM	0
11/19/2019	3:45:00 PM	0
11/19/2019	4:00:00 PM	0
11/19/2019	4:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/19/2019	4:30:00 PM	0
11/19/2019	4:45:00 PM	0
11/19/2019	5:00:00 PM	0
11/19/2019	5:15:00 PM	0
11/19/2019	5:30:00 PM	0
11/19/2019	5:45:00 PM	0
11/19/2019	6:00:00 PM	0
11/19/2019	6:15:00 PM	0
11/19/2019	6:30:00 PM	0
11/19/2019	6:45:00 PM	0
11/19/2019	7:00:00 PM	0
11/19/2019	7:15:00 PM	0
11/19/2019	7:30:00 PM	0
11/19/2019	7:45:00 PM	0
11/19/2019	8:00:00 PM	0
11/19/2019	8:15:00 PM	0
11/19/2019	8:30:00 PM	0
11/19/2019	8:45:00 PM	0
11/19/2019	9:00:00 PM	0
11/19/2019	9:15:00 PM	0
11/19/2019	9:30:00 PM	0
11/19/2019	9:45:00 PM	0
11/19/2019	10:00:00 PM	0
11/19/2019	10:15:00 PM	0
11/19/2019	10:30:00 PM	0
11/19/2019	10:45:00 PM	0
11/19/2019	11:00:00 PM	0
11/19/2019	11:15:00 PM	0
11/19/2019	11:30:00 PM	0
11/19/2019	11:45:00 PM	0
11/20/2019	12:00:00 AM	0
11/20/2019	12:15:00 AM	0
11/20/2019	12:30:00 AM	0
11/20/2019	12:45:00 AM	0
11/20/2019	1:00:00 AM	0
11/20/2019	1:15:00 AM	0
11/20/2019	1:30:00 AM	0
11/20/2019	1:45:00 AM	0
11/20/2019	2:00:00 AM	0
11/20/2019	2:15:00 AM	0
11/20/2019	2:30:00 AM	0
11/20/2019	2:45:00 AM	0
11/20/2019	3:00:00 AM	0
11/20/2019	3:15:00 AM	0
11/20/2019	3:30:00 AM	0
11/20/2019	3:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/20/2019	4:00:00 AM	0
11/20/2019	4:15:00 AM	0
11/20/2019	4:30:00 AM	0
11/20/2019	4:45:00 AM	0
11/20/2019	5:00:00 AM	0
11/20/2019	5:15:00 AM	0
11/20/2019	5:30:00 AM	0
11/20/2019	5:45:00 AM	0
11/20/2019	6:00:00 AM	0
11/20/2019	6:15:00 AM	0
11/20/2019	6:30:00 AM	0
11/20/2019	6:45:00 AM	0
11/20/2019	7:00:00 AM	0
11/20/2019	7:15:00 AM	0
11/20/2019	7:30:00 AM	0
11/20/2019	7:45:00 AM	0
11/20/2019	8:00:00 AM	0
11/20/2019	8:15:00 AM	0
11/20/2019	8:30:00 AM	0
11/20/2019	8:45:00 AM	0
11/20/2019	9:00:00 AM	0
11/20/2019	9:15:00 AM	0
11/20/2019	9:30:00 AM	0
11/20/2019	9:45:00 AM	0
11/20/2019	10:00:00 AM	0
11/20/2019	10:15:00 AM	0
11/20/2019	10:30:00 AM	0
11/20/2019	10:45:00 AM	0
11/20/2019	11:00:00 AM	0
11/20/2019	11:15:00 AM	0
11/20/2019	11:30:00 AM	0
11/20/2019	11:45:00 AM	0
11/20/2019	12:00:00 PM	0
11/20/2019	12:15:00 PM	0
11/20/2019	12:30:00 PM	0
11/20/2019	12:45:00 PM	0
11/20/2019	1:00:00 PM	0
11/20/2019	1:15:00 PM	0
11/20/2019	1:30:00 PM	0
11/20/2019	1:45:00 PM	0
11/20/2019	2:00:00 PM	0
11/20/2019	2:15:00 PM	0
11/20/2019	2:30:00 PM	0
11/20/2019	2:45:00 PM	0
11/20/2019	3:00:00 PM	0
11/20/2019	3:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/20/2019	3:30:00 PM	0
11/20/2019	3:45:00 PM	0
11/20/2019	4:00:00 PM	0
11/20/2019	4:15:00 PM	0
11/20/2019	4:30:00 PM	0
11/20/2019	4:45:00 PM	0
11/20/2019	5:00:00 PM	0
11/20/2019	5:15:00 PM	0
11/20/2019	5:30:00 PM	0
11/20/2019	5:45:00 PM	0
11/20/2019	6:00:00 PM	0
11/20/2019	6:15:00 PM	0
11/20/2019	6:30:00 PM	0
11/20/2019	6:45:00 PM	0
11/20/2019	7:00:00 PM	0
11/20/2019	7:15:00 PM	0
11/20/2019	7:30:00 PM	0
11/20/2019	7:45:00 PM	0
11/20/2019	8:00:00 PM	0
11/20/2019	8:15:00 PM	0
11/20/2019	8:30:00 PM	0
11/20/2019	8:45:00 PM	0
11/20/2019	9:00:00 PM	0
11/20/2019	9:15:00 PM	0
11/20/2019	9:30:00 PM	0
11/20/2019	9:45:00 PM	0
11/20/2019	10:00:00 PM	0
11/20/2019	10:15:00 PM	0
11/20/2019	10:30:00 PM	0
11/20/2019	10:45:00 PM	0
11/20/2019	11:00:00 PM	0
11/20/2019	11:15:00 PM	0
11/20/2019	11:30:00 PM	0
11/20/2019	11:45:00 PM	0
11/21/2019	12:00:00 AM	0
11/21/2019	12:15:00 AM	0
11/21/2019	12:30:00 AM	0
11/21/2019	12:45:00 AM	0
11/21/2019	1:00:00 AM	0
11/21/2019	1:15:00 AM	0
11/21/2019	1:30:00 AM	0
11/21/2019	1:45:00 AM	0
11/21/2019	2:00:00 AM	0
11/21/2019	2:15:00 AM	0
11/21/2019	2:30:00 AM	0
11/21/2019	2:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/21/2019	3:00:00 AM	0
11/21/2019	3:15:00 AM	0
11/21/2019	3:30:00 AM	0
11/21/2019	3:45:00 AM	0
11/21/2019	4:00:00 AM	0
11/21/2019	4:15:00 AM	0
11/21/2019	4:30:00 AM	0
11/21/2019	4:45:00 AM	0
11/21/2019	5:00:00 AM	0
11/21/2019	5:15:00 AM	0
11/21/2019	5:30:00 AM	0
11/21/2019	5:45:00 AM	0
11/21/2019	6:00:00 AM	0
11/21/2019	6:15:00 AM	0
11/21/2019	6:30:00 AM	0
11/21/2019	6:45:00 AM	0
11/21/2019	7:00:00 AM	0
11/21/2019	7:15:00 AM	0
11/21/2019	7:30:00 AM	0
11/21/2019	7:45:00 AM	0
11/21/2019	8:00:00 AM	0
11/21/2019	8:15:00 AM	0
11/21/2019	8:30:00 AM	0
11/21/2019	8:45:00 AM	0
11/21/2019	9:00:00 AM	0
11/21/2019	9:15:00 AM	0
11/21/2019	9:30:00 AM	0
11/21/2019	9:45:00 AM	0
11/21/2019	10:00:00 AM	0
11/21/2019	10:15:00 AM	0
11/21/2019	10:30:00 AM	0
11/21/2019	10:45:00 AM	0
11/21/2019	11:00:00 AM	0
11/21/2019	11:15:00 AM	0
11/21/2019	11:30:00 AM	0
11/21/2019	11:45:00 AM	0
11/21/2019	12:00:00 PM	0
11/21/2019	12:15:00 PM	0
11/21/2019	12:30:00 PM	0
11/21/2019	12:45:00 PM	0
11/21/2019	1:00:00 PM	0
11/21/2019	1:15:00 PM	0
11/21/2019	1:30:00 PM	0
11/21/2019	1:45:00 PM	0
11/21/2019	2:00:00 PM	0
11/21/2019	2:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/21/2019	2:30:00 PM	0
11/21/2019	2:45:00 PM	0
11/21/2019	3:00:00 PM	0
11/21/2019	3:15:00 PM	0
11/21/2019	3:30:00 PM	0
11/21/2019	3:45:00 PM	0
11/21/2019	4:00:00 PM	0
11/21/2019	4:15:00 PM	0
11/21/2019	4:30:00 PM	0
11/21/2019	4:45:00 PM	0
11/21/2019	5:00:00 PM	0
11/21/2019	5:15:00 PM	0
11/21/2019	5:30:00 PM	0
11/21/2019	5:45:00 PM	0
11/21/2019	6:00:00 PM	0
11/21/2019	6:15:00 PM	0
11/21/2019	6:30:00 PM	0
11/21/2019	6:45:00 PM	0
11/21/2019	7:00:00 PM	0
11/21/2019	7:15:00 PM	0
11/21/2019	7:30:00 PM	0
11/21/2019	7:45:00 PM	0
11/21/2019	8:00:00 PM	0
11/21/2019	8:15:00 PM	0
11/21/2019	8:30:00 PM	0
11/21/2019	8:45:00 PM	0
11/21/2019	9:00:00 PM	0
11/21/2019	9:15:00 PM	0
11/21/2019	9:30:00 PM	0
11/21/2019	9:45:00 PM	0
11/21/2019	10:00:00 PM	0
11/21/2019	10:15:00 PM	0
11/21/2019	10:30:00 PM	0
11/21/2019	10:45:00 PM	0
11/21/2019	11:00:00 PM	0
11/21/2019	11:15:00 PM	0
11/21/2019	11:30:00 PM	0
11/21/2019	11:45:00 PM	0
11/22/2019	12:00:00 AM	0
11/22/2019	12:15:00 AM	0
11/22/2019	12:30:00 AM	0
11/22/2019	12:45:00 AM	0
11/22/2019	1:00:00 AM	0
11/22/2019	1:15:00 AM	0
11/22/2019	1:30:00 AM	0
11/22/2019	1:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/22/2019	2:00:00 AM	0
11/22/2019	2:15:00 AM	0
11/22/2019	2:30:00 AM	0
11/22/2019	2:45:00 AM	0
11/22/2019	3:00:00 AM	0
11/22/2019	3:15:00 AM	0
11/22/2019	3:30:00 AM	0
11/22/2019	3:45:00 AM	0
11/22/2019	4:00:00 AM	0
11/22/2019	4:15:00 AM	0
11/22/2019	4:30:00 AM	0
11/22/2019	4:45:00 AM	0
11/22/2019	5:00:00 AM	0
11/22/2019	5:15:00 AM	0
11/22/2019	5:30:00 AM	0
11/22/2019	5:45:00 AM	0
11/22/2019	6:00:00 AM	0
11/22/2019	6:15:00 AM	0
11/22/2019	6:30:00 AM	0
11/22/2019	6:45:00 AM	0
11/22/2019	7:00:00 AM	0
11/22/2019	7:15:00 AM	0
11/22/2019	7:30:00 AM	0
11/22/2019	7:45:00 AM	0
11/22/2019	8:00:00 AM	0
11/22/2019	8:15:00 AM	0
11/22/2019	8:30:00 AM	0
11/22/2019	8:45:00 AM	0
11/22/2019	9:00:00 AM	0
11/22/2019	9:15:00 AM	0
11/22/2019	9:30:00 AM	0
11/22/2019	9:45:00 AM	0
11/22/2019	10:00:00 AM	0
11/22/2019	10:15:00 AM	0
11/22/2019	10:30:00 AM	0
11/22/2019	10:45:00 AM	0
11/22/2019	11:00:00 AM	0
11/22/2019	11:15:00 AM	0
11/22/2019	11:30:00 AM	0
11/22/2019	11:45:00 AM	0
11/22/2019	12:00:00 PM	0
11/22/2019	12:15:00 PM	0
11/22/2019	12:30:00 PM	0
11/22/2019	12:45:00 PM	0
11/22/2019	1:00:00 PM	0
11/22/2019	1:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/22/2019	1:30:00 PM	0
11/22/2019	1:45:00 PM	0
11/22/2019	2:00:00 PM	0
11/22/2019	2:15:00 PM	0
11/22/2019	2:30:00 PM	0
11/22/2019	2:45:00 PM	0
11/22/2019	3:00:00 PM	0
11/22/2019	3:15:00 PM	0
11/22/2019	3:30:00 PM	0
11/22/2019	3:45:00 PM	0
11/22/2019	4:00:00 PM	0
11/22/2019	4:15:00 PM	0
11/22/2019	4:30:00 PM	0
11/22/2019	4:45:00 PM	0
11/22/2019	5:00:00 PM	0
11/22/2019	5:15:00 PM	0
11/22/2019	5:30:00 PM	0
11/22/2019	5:45:00 PM	0
11/22/2019	6:00:00 PM	0
11/22/2019	6:15:00 PM	0
11/22/2019	6:30:00 PM	0
11/22/2019	6:45:00 PM	0
11/22/2019	7:00:00 PM	0
11/22/2019	7:15:00 PM	0
11/22/2019	7:30:00 PM	0
11/22/2019	7:45:00 PM	0
11/22/2019	8:00:00 PM	0
11/22/2019	8:15:00 PM	0
11/22/2019	8:30:00 PM	0
11/22/2019	8:45:00 PM	0
11/22/2019	9:00:00 PM	0
11/22/2019	9:15:00 PM	0
11/22/2019	9:30:00 PM	0
11/22/2019	9:45:00 PM	0
11/22/2019	10:00:00 PM	0
11/22/2019	10:15:00 PM	0
11/22/2019	10:30:00 PM	0
11/22/2019	10:45:00 PM	0
11/22/2019	11:00:00 PM	0
11/22/2019	11:15:00 PM	0
11/22/2019	11:30:00 PM	0
11/22/2019	11:45:00 PM	0
11/23/2019	12:00:00 AM	0
11/23/2019	12:15:00 AM	0
11/23/2019	12:30:00 AM	0
11/23/2019	12:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/23/2019	1:00:00 AM	0
11/23/2019	1:15:00 AM	0
11/23/2019	1:30:00 AM	0
11/23/2019	1:45:00 AM	0
11/23/2019	2:00:00 AM	0
11/23/2019	2:15:00 AM	0
11/23/2019	2:30:00 AM	0
11/23/2019	2:45:00 AM	0
11/23/2019	3:00:00 AM	0
11/23/2019	3:15:00 AM	0
11/23/2019	3:30:00 AM	0
11/23/2019	3:45:00 AM	0
11/23/2019	4:00:00 AM	0
11/23/2019	4:15:00 AM	0
11/23/2019	4:30:00 AM	0
11/23/2019	4:45:00 AM	0
11/23/2019	5:00:00 AM	0
11/23/2019	5:15:00 AM	0
11/23/2019	5:30:00 AM	0
11/23/2019	5:45:00 AM	0
11/23/2019	6:00:00 AM	0
11/23/2019	6:15:00 AM	0
11/23/2019	6:30:00 AM	0
11/23/2019	6:45:00 AM	0
11/23/2019	7:00:00 AM	0
11/23/2019	7:15:00 AM	0
11/23/2019	7:30:00 AM	0
11/23/2019	7:45:00 AM	0
11/23/2019	8:00:00 AM	0
11/23/2019	8:15:00 AM	0
11/23/2019	8:30:00 AM	0
11/23/2019	8:45:00 AM	0
11/23/2019	9:00:00 AM	0
11/23/2019	9:15:00 AM	0
11/23/2019	9:30:00 AM	0
11/23/2019	9:45:00 AM	0
11/23/2019	10:00:00 AM	0
11/23/2019	10:15:00 AM	0
11/23/2019	10:30:00 AM	0
11/23/2019	10:45:00 AM	0
11/23/2019	11:00:00 AM	0
11/23/2019	11:15:00 AM	0
11/23/2019	11:30:00 AM	0
11/23/2019	11:45:00 AM	0
11/23/2019	12:00:00 PM	0
11/23/2019	12:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/23/2019	12:30:00 PM	0
11/23/2019	12:45:00 PM	0
11/23/2019	1:00:00 PM	0
11/23/2019	1:15:00 PM	0
11/23/2019	1:30:00 PM	0
11/23/2019	1:45:00 PM	0
11/23/2019	2:00:00 PM	0
11/23/2019	2:15:00 PM	0
11/23/2019	2:30:00 PM	0
11/23/2019	2:45:00 PM	0
11/23/2019	3:00:00 PM	0
11/23/2019	3:15:00 PM	0
11/23/2019	3:30:00 PM	0
11/23/2019	3:45:00 PM	0
11/23/2019	4:00:00 PM	0
11/23/2019	4:15:00 PM	0
11/23/2019	4:30:00 PM	0
11/23/2019	4:45:00 PM	0
11/23/2019	5:00:00 PM	0
11/23/2019	5:15:00 PM	0
11/23/2019	5:30:00 PM	0
11/23/2019	5:45:00 PM	0
11/23/2019	6:00:00 PM	0
11/23/2019	6:15:00 PM	0
11/23/2019	6:30:00 PM	0
11/23/2019	6:45:00 PM	0
11/23/2019	7:00:00 PM	0
11/23/2019	7:15:00 PM	0
11/23/2019	7:30:00 PM	0
11/23/2019	7:45:00 PM	0
11/23/2019	8:00:00 PM	0
11/23/2019	8:15:00 PM	0
11/23/2019	8:30:00 PM	0
11/23/2019	8:45:00 PM	0
11/23/2019	9:00:00 PM	0
11/23/2019	9:15:00 PM	0
11/23/2019	9:30:00 PM	0
11/23/2019	9:45:00 PM	0
11/23/2019	10:00:00 PM	0
11/23/2019	10:15:00 PM	0
11/23/2019	10:30:00 PM	0
11/23/2019	10:45:00 PM	0
11/23/2019	11:00:00 PM	0
11/23/2019	11:15:00 PM	0
11/23/2019	11:30:00 PM	0
11/23/2019	11:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/24/2019	12:00:00 AM	0
11/24/2019	12:15:00 AM	0
11/24/2019	12:30:00 AM	0
11/24/2019	12:45:00 AM	0
11/24/2019	1:00:00 AM	0
11/24/2019	1:15:00 AM	0
11/24/2019	1:30:00 AM	0
11/24/2019	1:45:00 AM	0
11/24/2019	2:00:00 AM	0
11/24/2019	2:15:00 AM	0
11/24/2019	2:30:00 AM	0
11/24/2019	2:45:00 AM	0
11/24/2019	3:00:00 AM	0
11/24/2019	3:15:00 AM	0
11/24/2019	3:30:00 AM	0
11/24/2019	3:45:00 AM	0
11/24/2019	4:00:00 AM	0
11/24/2019	4:15:00 AM	0
11/24/2019	4:30:00 AM	0
11/24/2019	4:45:00 AM	0
11/24/2019	5:00:00 AM	0
11/24/2019	5:15:00 AM	0
11/24/2019	5:30:00 AM	0
11/24/2019	5:45:00 AM	0
11/24/2019	6:00:00 AM	0
11/24/2019	6:15:00 AM	0
11/24/2019	6:30:00 AM	0
11/24/2019	6:45:00 AM	0
11/24/2019	7:00:00 AM	0
11/24/2019	7:15:00 AM	0
11/24/2019	7:30:00 AM	0
11/24/2019	7:45:00 AM	0
11/24/2019	8:00:00 AM	0
11/24/2019	8:15:00 AM	0
11/24/2019	8:30:00 AM	0
11/24/2019	8:45:00 AM	0
11/24/2019	9:00:00 AM	0
11/24/2019	9:15:00 AM	0
11/24/2019	9:30:00 AM	0
11/24/2019	9:45:00 AM	0
11/24/2019	10:00:00 AM	0
11/24/2019	10:15:00 AM	0
11/24/2019	10:30:00 AM	0
11/24/2019	10:45:00 AM	0
11/24/2019	11:00:00 AM	0
11/24/2019	11:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/24/2019	11:30:00 AM	0
11/24/2019	11:45:00 AM	0
11/24/2019	12:00:00 PM	0
11/24/2019	12:15:00 PM	0
11/24/2019	12:30:00 PM	0
11/24/2019	12:45:00 PM	0
11/24/2019	1:00:00 PM	0
11/24/2019	1:15:00 PM	0
11/24/2019	1:30:00 PM	0
11/24/2019	1:45:00 PM	0
11/24/2019	2:00:00 PM	0
11/24/2019	2:15:00 PM	0
11/24/2019	2:30:00 PM	0
11/24/2019	2:45:00 PM	0
11/24/2019	3:00:00 PM	0
11/24/2019	3:15:00 PM	0
11/24/2019	3:30:00 PM	0
11/24/2019	3:45:00 PM	0
11/24/2019	4:00:00 PM	0
11/24/2019	4:15:00 PM	0
11/24/2019	4:30:00 PM	0
11/24/2019	4:45:00 PM	0
11/24/2019	5:00:00 PM	0
11/24/2019	5:15:00 PM	0
11/24/2019	5:30:00 PM	0
11/24/2019	5:45:00 PM	0
11/24/2019	6:00:00 PM	0
11/24/2019	6:15:00 PM	0
11/24/2019	6:30:00 PM	0
11/24/2019	6:45:00 PM	0
11/24/2019	7:00:00 PM	0
11/24/2019	7:15:00 PM	0
11/24/2019	7:30:00 PM	0
11/24/2019	7:45:00 PM	0
11/24/2019	8:00:00 PM	0
11/24/2019	8:15:00 PM	0
11/24/2019	8:30:00 PM	0
11/24/2019	8:45:00 PM	0
11/24/2019	9:00:00 PM	0
11/24/2019	9:15:00 PM	0
11/24/2019	9:30:00 PM	0
11/24/2019	9:45:00 PM	0
11/24/2019	10:00:00 PM	0
11/24/2019	10:15:00 PM	0
11/24/2019	10:30:00 PM	0
11/24/2019	10:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/24/2019	11:00:00 PM	0
11/24/2019	11:15:00 PM	0
11/24/2019	11:30:00 PM	0
11/24/2019	11:45:00 PM	0
11/25/2019	12:00:00 AM	0
11/25/2019	12:15:00 AM	0
11/25/2019	12:30:00 AM	0
11/25/2019	12:45:00 AM	0
11/25/2019	1:00:00 AM	0
11/25/2019	1:15:00 AM	0
11/25/2019	1:30:00 AM	0
11/25/2019	1:45:00 AM	0
11/25/2019	2:00:00 AM	0
11/25/2019	2:15:00 AM	0
11/25/2019	2:30:00 AM	0
11/25/2019	2:45:00 AM	0
11/25/2019	3:00:00 AM	0
11/25/2019	3:15:00 AM	0
11/25/2019	3:30:00 AM	0
11/25/2019	3:45:00 AM	0
11/25/2019	4:00:00 AM	0
11/25/2019	4:15:00 AM	0
11/25/2019	4:30:00 AM	0
11/25/2019	4:45:00 AM	0
11/25/2019	5:00:00 AM	0
11/25/2019	5:15:00 AM	0
11/25/2019	5:30:00 AM	0
11/25/2019	5:45:00 AM	0
11/25/2019	6:00:00 AM	0
11/25/2019	6:15:00 AM	0
11/25/2019	6:30:00 AM	0
11/25/2019	6:45:00 AM	0
11/25/2019	7:00:00 AM	0
11/25/2019	7:15:00 AM	0
11/25/2019	7:30:00 AM	0
11/25/2019	7:45:00 AM	0
11/25/2019	8:00:00 AM	0
11/25/2019	8:15:00 AM	0
11/25/2019	8:30:00 AM	0
11/25/2019	8:45:00 AM	0
11/25/2019	9:00:00 AM	0
11/25/2019	9:15:00 AM	0
11/25/2019	9:30:00 AM	0
11/25/2019	9:45:00 AM	0
11/25/2019	10:00:00 AM	0
11/25/2019	10:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/25/2019	10:30:00 AM	0
11/25/2019	10:45:00 AM	0
11/25/2019	11:00:00 AM	0
11/25/2019	11:15:00 AM	0
11/25/2019	11:30:00 AM	0
11/25/2019	11:45:00 AM	0
11/25/2019	12:00:00 PM	0
11/25/2019	12:15:00 PM	0
11/25/2019	12:30:00 PM	0
11/25/2019	12:45:00 PM	0
11/25/2019	1:00:00 PM	0
11/25/2019	1:15:00 PM	0
11/25/2019	1:30:00 PM	0
11/25/2019	1:45:00 PM	0
11/25/2019	2:00:00 PM	0
11/25/2019	2:15:00 PM	0
11/25/2019	2:30:00 PM	0
11/25/2019	2:45:00 PM	0
11/25/2019	3:00:00 PM	0
11/25/2019	3:15:00 PM	0
11/25/2019	3:30:00 PM	0
11/25/2019	3:45:00 PM	0
11/25/2019	4:00:00 PM	0
11/25/2019	4:15:00 PM	0
11/25/2019	4:30:00 PM	0
11/25/2019	4:45:00 PM	0
11/25/2019	5:00:00 PM	0
11/25/2019	5:15:00 PM	0
11/25/2019	5:30:00 PM	0
11/25/2019	5:45:00 PM	0
11/25/2019	6:00:00 PM	0
11/25/2019	6:15:00 PM	0
11/25/2019	6:30:00 PM	0
11/25/2019	6:45:00 PM	0
11/25/2019	7:00:00 PM	0
11/25/2019	7:15:00 PM	0
11/25/2019	7:30:00 PM	0
11/25/2019	7:45:00 PM	0
11/25/2019	8:00:00 PM	0
11/25/2019	8:15:00 PM	0
11/25/2019	8:30:00 PM	0
11/25/2019	8:45:00 PM	0
11/25/2019	9:00:00 PM	0
11/25/2019	9:15:00 PM	0
11/25/2019	9:30:00 PM	0
11/25/2019	9:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/25/2019	10:00:00 PM	0
11/25/2019	10:15:00 PM	0
11/25/2019	10:30:00 PM	0
11/25/2019	10:45:00 PM	0
11/25/2019	11:00:00 PM	0
11/25/2019	11:15:00 PM	0
11/25/2019	11:30:00 PM	0
11/25/2019	11:45:00 PM	0
11/26/2019	12:00:00 AM	0
11/26/2019	12:15:00 AM	0
11/26/2019	12:30:00 AM	0
11/26/2019	12:45:00 AM	0
11/26/2019	1:00:00 AM	0
11/26/2019	1:15:00 AM	0
11/26/2019	1:30:00 AM	0
11/26/2019	1:45:00 AM	0
11/26/2019	2:00:00 AM	0
11/26/2019	2:15:00 AM	0
11/26/2019	2:30:00 AM	0
11/26/2019	2:45:00 AM	0
11/26/2019	3:00:00 AM	0
11/26/2019	3:15:00 AM	0
11/26/2019	3:30:00 AM	0
11/26/2019	3:45:00 AM	0
11/26/2019	4:00:00 AM	0
11/26/2019	4:15:00 AM	0
11/26/2019	4:30:00 AM	0
11/26/2019	4:45:00 AM	0
11/26/2019	5:00:00 AM	0
11/26/2019	5:15:00 AM	0
11/26/2019	5:30:00 AM	0
11/26/2019	5:45:00 AM	0
11/26/2019	6:00:00 AM	0
11/26/2019	6:15:00 AM	0
11/26/2019	6:30:00 AM	0
11/26/2019	6:45:00 AM	0
11/26/2019	7:00:00 AM	0
11/26/2019	7:15:00 AM	0
11/26/2019	7:30:00 AM	0
11/26/2019	7:45:00 AM	0
11/26/2019	8:00:00 AM	0
11/26/2019	8:15:00 AM	0
11/26/2019	8:30:00 AM	0
11/26/2019	8:45:00 AM	0
11/26/2019	9:00:00 AM	0
11/26/2019	9:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/26/2019	9:30:00 AM	0
11/26/2019	9:45:00 AM	0
11/26/2019	10:00:00 AM	0
11/26/2019	10:15:00 AM	0
11/26/2019	10:30:00 AM	0
11/26/2019	10:45:00 AM	0
11/26/2019	11:00:00 AM	0
11/26/2019	11:15:00 AM	0
11/26/2019	11:30:00 AM	0
11/26/2019	11:45:00 AM	0
11/26/2019	12:00:00 PM	0
11/26/2019	12:15:00 PM	0
11/26/2019	12:30:00 PM	0
11/26/2019	12:45:00 PM	0
11/26/2019	1:00:00 PM	0
11/26/2019	1:15:00 PM	0
11/26/2019	1:30:00 PM	0
11/26/2019	1:45:00 PM	0
11/26/2019	2:00:00 PM	0
11/26/2019	2:15:00 PM	0
11/26/2019	2:30:00 PM	0
11/26/2019	2:45:00 PM	0
11/26/2019	3:00:00 PM	0
11/26/2019	3:15:00 PM	0
11/26/2019	3:30:00 PM	0
11/26/2019	3:45:00 PM	0
11/26/2019	4:00:00 PM	0
11/26/2019	4:15:00 PM	0
11/26/2019	4:30:00 PM	0
11/26/2019	4:45:00 PM	0
11/26/2019	5:00:00 PM	0
11/26/2019	5:15:00 PM	0
11/26/2019	5:30:00 PM	0
11/26/2019	5:45:00 PM	0
11/26/2019	6:00:00 PM	0
11/26/2019	6:15:00 PM	0
11/26/2019	6:30:00 PM	0
11/26/2019	6:45:00 PM	0
11/26/2019	7:00:00 PM	0
11/26/2019	7:15:00 PM	0
11/26/2019	7:30:00 PM	0
11/26/2019	7:45:00 PM	0
11/26/2019	8:00:00 PM	0
11/26/2019	8:15:00 PM	0
11/26/2019	8:30:00 PM	0
11/26/2019	8:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/26/2019	9:00:00 PM	0
11/26/2019	9:15:00 PM	0
11/26/2019	9:30:00 PM	0
11/26/2019	9:45:00 PM	0
11/26/2019	10:00:00 PM	0
11/26/2019	10:15:00 PM	0
11/26/2019	10:30:00 PM	0
11/26/2019	10:45:00 PM	0
11/26/2019	11:00:00 PM	0
11/26/2019	11:15:00 PM	0
11/26/2019	11:30:00 PM	0
11/26/2019	11:45:00 PM	0
11/27/2019	12:00:00 AM	0
11/27/2019	12:15:00 AM	0
11/27/2019	12:30:00 AM	0
11/27/2019	12:45:00 AM	0
11/27/2019	1:00:00 AM	0
11/27/2019	1:15:00 AM	0
11/27/2019	1:30:00 AM	0
11/27/2019	1:45:00 AM	0
11/27/2019	2:00:00 AM	0
11/27/2019	2:15:00 AM	0
11/27/2019	2:30:00 AM	0
11/27/2019	2:45:00 AM	0
11/27/2019	3:00:00 AM	0
11/27/2019	3:15:00 AM	0
11/27/2019	3:30:00 AM	0
11/27/2019	3:45:00 AM	0
11/27/2019	4:00:00 AM	0
11/27/2019	4:15:00 AM	0
11/27/2019	4:30:00 AM	0
11/27/2019	4:45:00 AM	0
11/27/2019	5:00:00 AM	0
11/27/2019	5:15:00 AM	0
11/27/2019	5:30:00 AM	0
11/27/2019	5:45:00 AM	0
11/27/2019	6:00:00 AM	0
11/27/2019	6:15:00 AM	0
11/27/2019	6:30:00 AM	0
11/27/2019	6:45:00 AM	0
11/27/2019	7:00:00 AM	0
11/27/2019	7:15:00 AM	0
11/27/2019	7:30:00 AM	0
11/27/2019	7:45:00 AM	0
11/27/2019	8:00:00 AM	0
11/27/2019	8:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/27/2019	8:30:00 AM	0
11/27/2019	8:45:00 AM	0
11/27/2019	9:00:00 AM	0
11/27/2019	9:15:00 AM	0
11/27/2019	9:30:00 AM	0
11/27/2019	9:45:00 AM	0
11/27/2019	10:00:00 AM	0
11/27/2019	10:15:00 AM	0
11/27/2019	10:30:00 AM	0
11/27/2019	10:45:00 AM	0
11/27/2019	11:00:00 AM	0
11/27/2019	11:15:00 AM	0
11/27/2019	11:30:00 AM	0
11/27/2019	11:45:00 AM	0
11/27/2019	12:00:00 PM	0
11/27/2019	12:15:00 PM	0
11/27/2019	12:30:00 PM	0
11/27/2019	12:45:00 PM	0
11/27/2019	1:00:00 PM	0
11/27/2019	1:15:00 PM	0
11/27/2019	1:30:00 PM	0
11/27/2019	1:45:00 PM	0
11/27/2019	2:00:00 PM	0
11/27/2019	2:15:00 PM	0
11/27/2019	2:30:00 PM	0
11/27/2019	2:45:00 PM	0
11/27/2019	3:00:00 PM	0
11/27/2019	3:15:00 PM	0
11/27/2019	3:30:00 PM	0
11/27/2019	3:45:00 PM	0
11/27/2019	4:00:00 PM	0
11/27/2019	4:15:00 PM	0
11/27/2019	4:30:00 PM	0
11/27/2019	4:45:00 PM	0
11/27/2019	5:00:00 PM	0
11/27/2019	5:15:00 PM	0
11/27/2019	5:30:00 PM	0
11/27/2019	5:45:00 PM	0
11/27/2019	6:00:00 PM	0
11/27/2019	6:15:00 PM	0
11/27/2019	6:30:00 PM	0
11/27/2019	6:45:00 PM	0
11/27/2019	7:00:00 PM	0
11/27/2019	7:15:00 PM	0
11/27/2019	7:30:00 PM	0
11/27/2019	7:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/27/2019	8:00:00 PM	0
11/27/2019	8:15:00 PM	0
11/27/2019	8:30:00 PM	0
11/27/2019	8:45:00 PM	0
11/27/2019	9:00:00 PM	0
11/27/2019	9:15:00 PM	0
11/27/2019	9:30:00 PM	0
11/27/2019	9:45:00 PM	0
11/27/2019	10:00:00 PM	0
11/27/2019	10:15:00 PM	0
11/27/2019	10:30:00 PM	0
11/27/2019	10:45:00 PM	0
11/27/2019	11:00:00 PM	0
11/27/2019	11:15:00 PM	0
11/27/2019	11:30:00 PM	0
11/27/2019	11:45:00 PM	0
11/28/2019	12:00:00 AM	0
11/28/2019	12:15:00 AM	0
11/28/2019	12:30:00 AM	0
11/28/2019	12:45:00 AM	0
11/28/2019	1:00:00 AM	0
11/28/2019	1:15:00 AM	0
11/28/2019	1:30:00 AM	0
11/28/2019	1:45:00 AM	0
11/28/2019	2:00:00 AM	0
11/28/2019	2:15:00 AM	0
11/28/2019	2:30:00 AM	0
11/28/2019	2:45:00 AM	0
11/28/2019	3:00:00 AM	0
11/28/2019	3:15:00 AM	0
11/28/2019	3:30:00 AM	0
11/28/2019	3:45:00 AM	0
11/28/2019	4:00:00 AM	0
11/28/2019	4:15:00 AM	0
11/28/2019	4:30:00 AM	0
11/28/2019	4:45:00 AM	0
11/28/2019	5:00:00 AM	0
11/28/2019	5:15:00 AM	0
11/28/2019	5:30:00 AM	0
11/28/2019	5:45:00 AM	0
11/28/2019	6:00:00 AM	0
11/28/2019	6:15:00 AM	0
11/28/2019	6:30:00 AM	0
11/28/2019	6:45:00 AM	0
11/28/2019	7:00:00 AM	0
11/28/2019	7:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/28/2019	7:30:00 AM	0
11/28/2019	7:45:00 AM	0
11/28/2019	8:00:00 AM	0
11/28/2019	8:15:00 AM	0
11/28/2019	8:30:00 AM	0
11/28/2019	8:45:00 AM	0
11/28/2019	9:00:00 AM	0
11/28/2019	9:15:00 AM	0
11/28/2019	9:30:00 AM	0
11/28/2019	9:45:00 AM	0
11/28/2019	10:00:00 AM	0
11/28/2019	10:15:00 AM	0
11/28/2019	10:30:00 AM	0
11/28/2019	10:45:00 AM	0
11/28/2019	11:00:00 AM	0
11/28/2019	11:15:00 AM	0
11/28/2019	11:30:00 AM	0
11/28/2019	11:45:00 AM	0
11/28/2019	12:00:00 PM	0
11/28/2019	12:15:00 PM	0
11/28/2019	12:30:00 PM	0
11/28/2019	12:45:00 PM	0
11/28/2019	1:00:00 PM	0
11/28/2019	1:15:00 PM	0
11/28/2019	1:30:00 PM	0
11/28/2019	1:45:00 PM	0
11/28/2019	2:00:00 PM	0
11/28/2019	2:15:00 PM	0
11/28/2019	2:30:00 PM	0
11/28/2019	2:45:00 PM	0
11/28/2019	3:00:00 PM	0
11/28/2019	3:15:00 PM	0
11/28/2019	3:30:00 PM	0
11/28/2019	3:45:00 PM	0
11/28/2019	4:00:00 PM	0
11/28/2019	4:15:00 PM	0
11/28/2019	4:30:00 PM	0
11/28/2019	4:45:00 PM	0
11/28/2019	5:00:00 PM	0
11/28/2019	5:15:00 PM	0
11/28/2019	5:30:00 PM	0
11/28/2019	5:45:00 PM	0
11/28/2019	6:00:00 PM	0
11/28/2019	6:15:00 PM	0
11/28/2019	6:30:00 PM	0
11/28/2019	6:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/28/2019	7:00:00 PM	0
11/28/2019	7:15:00 PM	0
11/28/2019	7:30:00 PM	0
11/28/2019	7:45:00 PM	0
11/28/2019	8:00:00 PM	0
11/28/2019	8:15:00 PM	0
11/28/2019	8:30:00 PM	0
11/28/2019	8:45:00 PM	0
11/28/2019	9:00:00 PM	0
11/28/2019	9:15:00 PM	0
11/28/2019	9:30:00 PM	0
11/28/2019	9:45:00 PM	0
11/28/2019	10:00:00 PM	0
11/28/2019	10:15:00 PM	0
11/28/2019	10:30:00 PM	0
11/28/2019	10:45:00 PM	0
11/28/2019	11:00:00 PM	0
11/28/2019	11:15:00 PM	0
11/28/2019	11:30:00 PM	0
11/28/2019	11:45:00 PM	0
11/29/2019	12:00:00 AM	0
11/29/2019	12:15:00 AM	0
11/29/2019	12:30:00 AM	0
11/29/2019	12:45:00 AM	0
11/29/2019	1:00:00 AM	0
11/29/2019	1:15:00 AM	0
11/29/2019	1:30:00 AM	0
11/29/2019	1:45:00 AM	0
11/29/2019	2:00:00 AM	0
11/29/2019	2:15:00 AM	0
11/29/2019	2:30:00 AM	0
11/29/2019	2:45:00 AM	0
11/29/2019	3:00:00 AM	0
11/29/2019	3:15:00 AM	0
11/29/2019	3:30:00 AM	0
11/29/2019	3:45:00 AM	0
11/29/2019	4:00:00 AM	0
11/29/2019	4:15:00 AM	0
11/29/2019	4:30:00 AM	0
11/29/2019	4:45:00 AM	0
11/29/2019	5:00:00 AM	0
11/29/2019	5:15:00 AM	0
11/29/2019	5:30:00 AM	0
11/29/2019	5:45:00 AM	0
11/29/2019	6:00:00 AM	0
11/29/2019	6:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/29/2019	6:30:00 AM	0
11/29/2019	6:45:00 AM	0
11/29/2019	7:00:00 AM	0
11/29/2019	7:15:00 AM	0
11/29/2019	7:30:00 AM	0
11/29/2019	7:45:00 AM	0
11/29/2019	8:00:00 AM	0
11/29/2019	8:15:00 AM	0
11/29/2019	8:30:00 AM	0
11/29/2019	8:45:00 AM	0
11/29/2019	9:00:00 AM	0
11/29/2019	9:15:00 AM	0
11/29/2019	9:30:00 AM	0
11/29/2019	9:45:00 AM	0
11/29/2019	10:00:00 AM	0
11/29/2019	10:15:00 AM	0
11/29/2019	10:30:00 AM	0
11/29/2019	10:45:00 AM	0
11/29/2019	11:00:00 AM	0
11/29/2019	11:15:00 AM	0
11/29/2019	11:30:00 AM	0
11/29/2019	11:45:00 AM	0
11/29/2019	12:00:00 PM	0
11/29/2019	12:15:00 PM	0
11/29/2019	12:30:00 PM	0
11/29/2019	12:45:00 PM	0
11/29/2019	1:00:00 PM	0
11/29/2019	1:15:00 PM	0
11/29/2019	1:30:00 PM	0
11/29/2019	1:45:00 PM	0
11/29/2019	2:00:00 PM	0
11/29/2019	2:15:00 PM	0
11/29/2019	2:30:00 PM	0
11/29/2019	2:45:00 PM	0
11/29/2019	3:00:00 PM	0
11/29/2019	3:15:00 PM	0
11/29/2019	3:30:00 PM	0
11/29/2019	3:45:00 PM	0
11/29/2019	4:00:00 PM	0
11/29/2019	4:15:00 PM	0
11/29/2019	4:30:00 PM	0
11/29/2019	4:45:00 PM	0
11/29/2019	5:00:00 PM	0
11/29/2019	5:15:00 PM	0
11/29/2019	5:30:00 PM	0
11/29/2019	5:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/29/2019	6:00:00 PM	0
11/29/2019	6:15:00 PM	0
11/29/2019	6:30:00 PM	0
11/29/2019	6:45:00 PM	0
11/29/2019	7:00:00 PM	0
11/29/2019	7:15:00 PM	0
11/29/2019	7:30:00 PM	0
11/29/2019	7:45:00 PM	0
11/29/2019	8:00:00 PM	0
11/29/2019	8:15:00 PM	0
11/29/2019	8:30:00 PM	0
11/29/2019	8:45:00 PM	0
11/29/2019	9:00:00 PM	0
11/29/2019	9:15:00 PM	0
11/29/2019	9:30:00 PM	0
11/29/2019	9:45:00 PM	0
11/29/2019	10:00:00 PM	0
11/29/2019	10:15:00 PM	0
11/29/2019	10:30:00 PM	0
11/29/2019	10:45:00 PM	0
11/29/2019	11:00:00 PM	0
11/29/2019	11:15:00 PM	0
11/29/2019	11:30:00 PM	0
11/29/2019	11:45:00 PM	0
11/30/2019	12:00:00 AM	0
11/30/2019	12:15:00 AM	0
11/30/2019	12:30:00 AM	0
11/30/2019	12:45:00 AM	0
11/30/2019	1:00:00 AM	0
11/30/2019	1:15:00 AM	0
11/30/2019	1:30:00 AM	0
11/30/2019	1:45:00 AM	0
11/30/2019	2:00:00 AM	0
11/30/2019	2:15:00 AM	0
11/30/2019	2:30:00 AM	0
11/30/2019	2:45:00 AM	0
11/30/2019	3:00:00 AM	0
11/30/2019	3:15:00 AM	0
11/30/2019	3:30:00 AM	0
11/30/2019	3:45:00 AM	0
11/30/2019	4:00:00 AM	0
11/30/2019	4:15:00 AM	0
11/30/2019	4:30:00 AM	0
11/30/2019	4:45:00 AM	0
11/30/2019	5:00:00 AM	0
11/30/2019	5:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/30/2019	5:30:00 AM	0
11/30/2019	5:45:00 AM	0
11/30/2019	6:00:00 AM	0
11/30/2019	6:15:00 AM	0
11/30/2019	6:30:00 AM	0
11/30/2019	6:45:00 AM	0
11/30/2019	7:00:00 AM	0
11/30/2019	7:15:00 AM	0
11/30/2019	7:30:00 AM	0
11/30/2019	7:45:00 AM	0
11/30/2019	8:00:00 AM	0
11/30/2019	8:15:00 AM	0
11/30/2019	8:30:00 AM	0
11/30/2019	8:45:00 AM	0
11/30/2019	9:00:00 AM	0
11/30/2019	9:15:00 AM	0
11/30/2019	9:30:00 AM	0
11/30/2019	9:45:00 AM	0
11/30/2019	10:00:00 AM	0
11/30/2019	10:15:00 AM	0
11/30/2019	10:30:00 AM	0
11/30/2019	10:45:00 AM	0
11/30/2019	11:00:00 AM	0
11/30/2019	11:15:00 AM	0
11/30/2019	11:30:00 AM	0
11/30/2019	11:45:00 AM	0
11/30/2019	12:00:00 PM	0
11/30/2019	12:15:00 PM	0
11/30/2019	12:30:00 PM	0
11/30/2019	12:45:00 PM	0
11/30/2019	1:00:00 PM	0
11/30/2019	1:15:00 PM	0
11/30/2019	1:30:00 PM	0
11/30/2019	1:45:00 PM	0
11/30/2019	2:00:00 PM	0
11/30/2019	2:15:00 PM	0
11/30/2019	2:30:00 PM	0
11/30/2019	2:45:00 PM	0
11/30/2019	3:00:00 PM	0
11/30/2019	3:15:00 PM	0
11/30/2019	3:30:00 PM	0
11/30/2019	3:45:00 PM	0
11/30/2019	4:00:00 PM	0
11/30/2019	4:15:00 PM	0
11/30/2019	4:30:00 PM	0
11/30/2019	4:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
11/30/2019	5:00:00 PM	0
11/30/2019	5:15:00 PM	0
11/30/2019	5:30:00 PM	0
11/30/2019	5:45:00 PM	0
11/30/2019	6:00:00 PM	0
11/30/2019	6:15:00 PM	0
11/30/2019	6:30:00 PM	0
11/30/2019	6:45:00 PM	0
11/30/2019	7:00:00 PM	0
11/30/2019	7:15:00 PM	0
11/30/2019	7:30:00 PM	0
11/30/2019	7:45:00 PM	0
11/30/2019	8:00:00 PM	0
11/30/2019	8:15:00 PM	0
11/30/2019	8:30:00 PM	0
11/30/2019	8:45:00 PM	0
11/30/2019	9:00:00 PM	0
11/30/2019	9:15:00 PM	0
11/30/2019	9:30:00 PM	0
11/30/2019	9:45:00 PM	0
11/30/2019	10:00:00 PM	0
11/30/2019	10:15:00 PM	0
11/30/2019	10:30:00 PM	0
11/30/2019	10:45:00 PM	0
11/30/2019	11:00:00 PM	0
11/30/2019	11:15:00 PM	0
11/30/2019	11:30:00 PM	0
11/30/2019	11:45:00 PM	0

Georges Ditch Return
Station 0217

Date	Flow (cfs)
11/1/2019	0.079
11/2/2019	0.087
11/3/2019	0.087
11/4/2019	0.087
11/5/2019	0.082
11/6/2019	0.075
11/7/2019	0.087
11/8/2019	0.083
11/9/2019	0.082
11/10/2019	0.087
11/11/2019	0.087
11/12/2019	0.087
11/13/2019	0.067
11/14/2019	0.048
11/15/2019	0.048
11/16/2019	0.048
11/17/2019	0.048
11/18/2019	0.048
11/19/2019	0.048
11/20/2019	0.048
11/21/2019	0.048
11/22/2019	0.048
11/23/2019	0.048
11/24/2019	0.048
11/25/2019	0.048
11/26/2019	0.048
11/27/2019	0.048
11/28/2019	0.048
11/29/2019	0.048
11/30/2019	0.048

Georges Ditch Return Gage

DATE	TIME	GAGE
11/1/2019	12:00:00 AM	0.03
11/1/2019	12:15:00 AM	0.03
11/1/2019	12:30:00 AM	0.03
11/1/2019	12:45:00 AM	0.03
11/1/2019	1:00:00 AM	0.03
11/1/2019	1:15:00 AM	0.03
11/1/2019	1:30:00 AM	0.03
11/1/2019	1:45:00 AM	0.03
11/1/2019	2:00:00 AM	0.03
11/1/2019	2:15:00 AM	0.03
11/1/2019	2:30:00 AM	0.03
11/1/2019	2:45:00 AM	0.03
11/1/2019	3:00:00 AM	0.03
11/1/2019	3:15:00 AM	0.03
11/1/2019	3:30:00 AM	0.03
11/1/2019	3:45:00 AM	0.03
11/1/2019	4:00:00 AM	0.03
11/1/2019	4:15:00 AM	0.03
11/1/2019	4:30:00 AM	0.03
11/1/2019	4:45:00 AM	0.03
11/1/2019	5:00:00 AM	0.03
11/1/2019	5:15:00 AM	0.03
11/1/2019	5:30:00 AM	0.03
11/1/2019	5:45:00 AM	0.03
11/1/2019	6:00:00 AM	0.03
11/1/2019	6:15:00 AM	0.03
11/1/2019	6:30:00 AM	0.03
11/1/2019	6:45:00 AM	0.03
11/1/2019	7:00:00 AM	0.02
11/1/2019	7:15:00 AM	0.02
11/1/2019	7:30:00 AM	0.02
11/1/2019	7:45:00 AM	0.02
11/1/2019	8:00:00 AM	0.02
11/1/2019	8:15:00 AM	0.02
11/1/2019	8:30:00 AM	0.02
11/1/2019	8:45:00 AM	0.02
11/1/2019	9:00:00 AM	0.02
11/1/2019	9:15:00 AM	0.02
11/1/2019	9:30:00 AM	0.02
11/1/2019	9:45:00 AM	0.02
11/1/2019	10:00:00 AM	0.02
11/1/2019	10:15:00 AM	0.02
11/1/2019	10:30:00 AM	0.02
11/1/2019	10:45:00 AM	0.02
11/1/2019	11:00:00 AM	0.02
11/1/2019	11:15:00 AM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
11/1/2019	11:30:00 AM	0.02
11/1/2019	11:45:00 AM	0.02
11/1/2019	12:00:00 PM	0.02
11/1/2019	12:15:00 PM	0.03
11/1/2019	12:30:00 PM	0.03
11/1/2019	12:45:00 PM	0.03
11/1/2019	1:00:00 PM	0.03
11/1/2019	1:15:00 PM	0.03
11/1/2019	1:30:00 PM	0.03
11/1/2019	1:45:00 PM	0.03
11/1/2019	2:00:00 PM	0.03
11/1/2019	2:15:00 PM	0.03
11/1/2019	2:30:00 PM	0.03
11/1/2019	2:45:00 PM	0.03
11/1/2019	3:00:00 PM	0.03
11/1/2019	3:15:00 PM	0.03
11/1/2019	3:30:00 PM	0.03
11/1/2019	3:45:00 PM	0.03
11/1/2019	4:00:00 PM	0.03
11/1/2019	4:15:00 PM	0.03
11/1/2019	4:30:00 PM	0.03
11/1/2019	4:45:00 PM	0.03
11/1/2019	5:00:00 PM	0.03
11/1/2019	5:15:00 PM	0.03
11/1/2019	5:30:00 PM	0.03
11/1/2019	5:45:00 PM	0.03
11/1/2019	6:00:00 PM	0.03
11/1/2019	6:15:00 PM	0.03
11/1/2019	6:30:00 PM	0.03
11/1/2019	6:45:00 PM	0.03
11/1/2019	7:00:00 PM	0.03
11/1/2019	7:15:00 PM	0.03
11/1/2019	7:30:00 PM	0.03
11/1/2019	7:45:00 PM	0.03
11/1/2019	8:00:00 PM	0.03
11/1/2019	8:15:00 PM	0.03
11/1/2019	8:30:00 PM	0.03
11/1/2019	8:45:00 PM	0.03
11/1/2019	9:00:00 PM	0.03
11/1/2019	9:15:00 PM	0.03
11/1/2019	9:30:00 PM	0.03
11/1/2019	9:45:00 PM	0.03
11/1/2019	10:00:00 PM	0.03
11/1/2019	10:15:00 PM	0.03
11/1/2019	10:30:00 PM	0.03
11/1/2019	10:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/1/2019	11:00:00 PM	0.03
11/1/2019	11:15:00 PM	0.03
11/1/2019	11:30:00 PM	0.03
11/1/2019	11:45:00 PM	0.03
11/2/2019	12:00:00 AM	0.03
11/2/2019	12:15:00 AM	0.03
11/2/2019	12:30:00 AM	0.03
11/2/2019	12:45:00 AM	0.03
11/2/2019	1:00:00 AM	0.03
11/2/2019	1:15:00 AM	0.03
11/2/2019	1:30:00 AM	0.03
11/2/2019	1:45:00 AM	0.03
11/2/2019	2:00:00 AM	0.03
11/2/2019	2:15:00 AM	0.03
11/2/2019	2:30:00 AM	0.03
11/2/2019	2:45:00 AM	0.03
11/2/2019	3:00:00 AM	0.03
11/2/2019	3:15:00 AM	0.03
11/2/2019	3:30:00 AM	0.03
11/2/2019	3:45:00 AM	0.03
11/2/2019	4:00:00 AM	0.03
11/2/2019	4:15:00 AM	0.03
11/2/2019	4:30:00 AM	0.03
11/2/2019	4:45:00 AM	0.03
11/2/2019	5:00:00 AM	0.03
11/2/2019	5:15:00 AM	0.03
11/2/2019	5:30:00 AM	0.03
11/2/2019	5:45:00 AM	0.03
11/2/2019	6:00:00 AM	0.03
11/2/2019	6:15:00 AM	0.03
11/2/2019	6:30:00 AM	0.03
11/2/2019	6:45:00 AM	0.03
11/2/2019	7:00:00 AM	0.03
11/2/2019	7:15:00 AM	0.03
11/2/2019	7:30:00 AM	0.03
11/2/2019	7:45:00 AM	0.03
11/2/2019	8:00:00 AM	0.03
11/2/2019	8:15:00 AM	0.03
11/2/2019	8:30:00 AM	0.03
11/2/2019	8:45:00 AM	0.03
11/2/2019	9:00:00 AM	0.03
11/2/2019	9:15:00 AM	0.03
11/2/2019	9:30:00 AM	0.03
11/2/2019	9:45:00 AM	0.03
11/2/2019	10:00:00 AM	0.03
11/2/2019	10:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/2/2019	10:30:00 AM	0.03
11/2/2019	10:45:00 AM	0.03
11/2/2019	11:00:00 AM	0.03
11/2/2019	11:15:00 AM	0.03
11/2/2019	11:30:00 AM	0.03
11/2/2019	11:45:00 AM	0.03
11/2/2019	12:00:00 PM	0.03
11/2/2019	12:15:00 PM	0.03
11/2/2019	12:30:00 PM	0.03
11/2/2019	12:45:00 PM	0.03
11/2/2019	1:00:00 PM	0.03
11/2/2019	1:15:00 PM	0.03
11/2/2019	1:30:00 PM	0.03
11/2/2019	1:45:00 PM	0.03
11/2/2019	2:00:00 PM	0.03
11/2/2019	2:15:00 PM	0.03
11/2/2019	2:30:00 PM	0.03
11/2/2019	2:45:00 PM	0.03
11/2/2019	3:00:00 PM	0.03
11/2/2019	3:15:00 PM	0.03
11/2/2019	3:30:00 PM	0.03
11/2/2019	3:45:00 PM	0.03
11/2/2019	4:00:00 PM	0.03
11/2/2019	4:15:00 PM	0.03
11/2/2019	4:30:00 PM	0.03
11/2/2019	4:45:00 PM	0.03
11/2/2019	5:00:00 PM	0.03
11/2/2019	5:15:00 PM	0.03
11/2/2019	5:30:00 PM	0.03
11/2/2019	5:45:00 PM	0.03
11/2/2019	6:00:00 PM	0.03
11/2/2019	6:15:00 PM	0.03
11/2/2019	6:30:00 PM	0.03
11/2/2019	6:45:00 PM	0.03
11/2/2019	7:00:00 PM	0.03
11/2/2019	7:15:00 PM	0.03
11/2/2019	7:30:00 PM	0.03
11/2/2019	7:45:00 PM	0.03
11/2/2019	8:00:00 PM	0.03
11/2/2019	8:15:00 PM	0.03
11/2/2019	8:30:00 PM	0.03
11/2/2019	8:45:00 PM	0.03
11/2/2019	9:00:00 PM	0.03
11/2/2019	9:15:00 PM	0.03
11/2/2019	9:30:00 PM	0.03
11/2/2019	9:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/2/2019	10:00:00 PM	0.03
11/2/2019	10:15:00 PM	0.03
11/2/2019	10:30:00 PM	0.03
11/2/2019	10:45:00 PM	0.03
11/2/2019	11:00:00 PM	0.03
11/2/2019	11:15:00 PM	0.03
11/2/2019	11:30:00 PM	0.03
11/2/2019	11:45:00 PM	0.03
11/3/2019	12:00:00 AM	0.03
11/3/2019	12:15:00 AM	0.03
11/3/2019	12:30:00 AM	0.03
11/3/2019	12:45:00 AM	0.03
11/3/2019	1:00:00 AM	0.03
11/3/2019	1:15:00 AM	0.03
11/3/2019	1:30:00 AM	0.03
11/3/2019	1:45:00 AM	0.03
11/3/2019	2:00:00 AM	0.03
11/3/2019	2:15:00 AM	0.03
11/3/2019	2:30:00 AM	0.03
11/3/2019	2:45:00 AM	0.03
11/3/2019	3:00:00 AM	0.03
11/3/2019	3:15:00 AM	0.03
11/3/2019	3:30:00 AM	0.03
11/3/2019	3:45:00 AM	0.03
11/3/2019	4:00:00 AM	0.03
11/3/2019	4:15:00 AM	0.03
11/3/2019	4:30:00 AM	0.03
11/3/2019	4:45:00 AM	0.03
11/3/2019	5:00:00 AM	0.03
11/3/2019	5:15:00 AM	0.03
11/3/2019	5:30:00 AM	0.03
11/3/2019	5:45:00 AM	0.03
11/3/2019	6:00:00 AM	0.03
11/3/2019	6:15:00 AM	0.03
11/3/2019	6:30:00 AM	0.03
11/3/2019	6:45:00 AM	0.03
11/3/2019	7:00:00 AM	0.03
11/3/2019	7:15:00 AM	0.03
11/3/2019	7:30:00 AM	0.03
11/3/2019	7:45:00 AM	0.03
11/3/2019	8:00:00 AM	0.03
11/3/2019	8:15:00 AM	0.03
11/3/2019	8:30:00 AM	0.03
11/3/2019	8:45:00 AM	0.03
11/3/2019	9:00:00 AM	0.03
11/3/2019	9:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/3/2019	9:30:00 AM	0.03
11/3/2019	9:45:00 AM	0.03
11/3/2019	10:00:00 AM	0.03
11/3/2019	10:15:00 AM	0.03
11/3/2019	10:30:00 AM	0.03
11/3/2019	10:45:00 AM	0.03
11/3/2019	11:00:00 AM	0.03
11/3/2019	11:15:00 AM	0.03
11/3/2019	11:30:00 AM	0.03
11/3/2019	11:45:00 AM	0.03
11/3/2019	12:00:00 PM	0.03
11/3/2019	12:15:00 PM	0.03
11/3/2019	12:30:00 PM	0.03
11/3/2019	12:45:00 PM	0.03
11/3/2019	1:00:00 PM	0.03
11/3/2019	1:15:00 PM	0.03
11/3/2019	1:30:00 PM	0.03
11/3/2019	1:45:00 PM	0.03
11/3/2019	2:00:00 PM	0.03
11/3/2019	2:15:00 PM	0.03
11/3/2019	2:30:00 PM	0.03
11/3/2019	2:45:00 PM	0.03
11/3/2019	3:00:00 PM	0.03
11/3/2019	3:15:00 PM	0.03
11/3/2019	3:30:00 PM	0.03
11/3/2019	3:45:00 PM	0.03
11/3/2019	4:00:00 PM	0.03
11/3/2019	4:15:00 PM	0.03
11/3/2019	4:30:00 PM	0.03
11/3/2019	4:45:00 PM	0.03
11/3/2019	5:00:00 PM	0.03
11/3/2019	5:15:00 PM	0.03
11/3/2019	5:30:00 PM	0.03
11/3/2019	5:45:00 PM	0.03
11/3/2019	6:00:00 PM	0.03
11/3/2019	6:15:00 PM	0.03
11/3/2019	6:30:00 PM	0.03
11/3/2019	6:45:00 PM	0.03
11/3/2019	7:00:00 PM	0.03
11/3/2019	7:15:00 PM	0.03
11/3/2019	7:30:00 PM	0.03
11/3/2019	7:45:00 PM	0.03
11/3/2019	8:00:00 PM	0.03
11/3/2019	8:15:00 PM	0.03
11/3/2019	8:30:00 PM	0.03
11/3/2019	8:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/3/2019	9:00:00 PM	0.03
11/3/2019	9:15:00 PM	0.03
11/3/2019	9:30:00 PM	0.03
11/3/2019	9:45:00 PM	0.03
11/3/2019	10:00:00 PM	0.03
11/3/2019	10:15:00 PM	0.03
11/3/2019	10:30:00 PM	0.03
11/3/2019	10:45:00 PM	0.03
11/3/2019	11:00:00 PM	0.03
11/3/2019	11:15:00 PM	0.03
11/3/2019	11:30:00 PM	0.03
11/3/2019	11:45:00 PM	0.03
11/4/2019	12:00:00 AM	0.03
11/4/2019	12:15:00 AM	0.03
11/4/2019	12:30:00 AM	0.03
11/4/2019	12:45:00 AM	0.03
11/4/2019	1:00:00 AM	0.03
11/4/2019	1:15:00 AM	0.03
11/4/2019	1:30:00 AM	0.03
11/4/2019	1:45:00 AM	0.03
11/4/2019	2:00:00 AM	0.03
11/4/2019	2:15:00 AM	0.03
11/4/2019	2:30:00 AM	0.03
11/4/2019	2:45:00 AM	0.03
11/4/2019	3:00:00 AM	0.03
11/4/2019	3:15:00 AM	0.03
11/4/2019	3:30:00 AM	0.03
11/4/2019	3:45:00 AM	0.03
11/4/2019	4:00:00 AM	0.03
11/4/2019	4:15:00 AM	0.03
11/4/2019	4:30:00 AM	0.03
11/4/2019	4:45:00 AM	0.03
11/4/2019	5:00:00 AM	0.03
11/4/2019	5:15:00 AM	0.03
11/4/2019	5:30:00 AM	0.03
11/4/2019	5:45:00 AM	0.03
11/4/2019	6:00:00 AM	0.03
11/4/2019	6:15:00 AM	0.03
11/4/2019	6:30:00 AM	0.03
11/4/2019	6:45:00 AM	0.03
11/4/2019	7:00:00 AM	0.03
11/4/2019	7:15:00 AM	0.03
11/4/2019	7:30:00 AM	0.03
11/4/2019	7:45:00 AM	0.03
11/4/2019	8:00:00 AM	0.03
11/4/2019	8:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/4/2019	8:30:00 AM	0.03
11/4/2019	8:45:00 AM	0.03
11/4/2019	9:00:00 AM	0.03
11/4/2019	9:15:00 AM	0.03
11/4/2019	9:30:00 AM	0.03
11/4/2019	9:45:00 AM	0.03
11/4/2019	10:00:00 AM	0.03
11/4/2019	10:15:00 AM	0.03
11/4/2019	10:30:00 AM	0.03
11/4/2019	10:45:00 AM	0.03
11/4/2019	11:00:00 AM	0.03
11/4/2019	11:15:00 AM	0.03
11/4/2019	11:30:00 AM	0.03
11/4/2019	11:45:00 AM	0.03
11/4/2019	12:00:00 PM	0.03
11/4/2019	12:15:00 PM	0.03
11/4/2019	12:30:00 PM	0.03
11/4/2019	12:45:00 PM	0.03
11/4/2019	1:00:00 PM	0.03
11/4/2019	1:15:00 PM	0.03
11/4/2019	1:30:00 PM	0.03
11/4/2019	1:45:00 PM	0.03
11/4/2019	2:00:00 PM	0.03
11/4/2019	2:15:00 PM	0.03
11/4/2019	2:30:00 PM	0.03
11/4/2019	2:45:00 PM	0.03
11/4/2019	3:00:00 PM	0.03
11/4/2019	3:15:00 PM	0.03
11/4/2019	3:30:00 PM	0.03
11/4/2019	3:45:00 PM	0.03
11/4/2019	4:00:00 PM	0.03
11/4/2019	4:15:00 PM	0.03
11/4/2019	4:30:00 PM	0.03
11/4/2019	4:45:00 PM	0.03
11/4/2019	5:00:00 PM	0.03
11/4/2019	5:15:00 PM	0.03
11/4/2019	5:30:00 PM	0.03
11/4/2019	5:45:00 PM	0.03
11/4/2019	6:00:00 PM	0.03
11/4/2019	6:15:00 PM	0.03
11/4/2019	6:30:00 PM	0.03
11/4/2019	6:45:00 PM	0.03
11/4/2019	7:00:00 PM	0.03
11/4/2019	7:15:00 PM	0.03
11/4/2019	7:30:00 PM	0.03
11/4/2019	7:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/4/2019	8:00:00 PM	0.03
11/4/2019	8:15:00 PM	0.03
11/4/2019	8:30:00 PM	0.03
11/4/2019	8:45:00 PM	0.03
11/4/2019	9:00:00 PM	0.03
11/4/2019	9:15:00 PM	0.03
11/4/2019	9:30:00 PM	0.03
11/4/2019	9:45:00 PM	0.03
11/4/2019	10:00:00 PM	0.03
11/4/2019	10:15:00 PM	0.03
11/4/2019	10:30:00 PM	0.03
11/4/2019	10:45:00 PM	0.03
11/4/2019	11:00:00 PM	0.03
11/4/2019	11:15:00 PM	0.03
11/4/2019	11:30:00 PM	0.03
11/4/2019	11:45:00 PM	0.03
11/5/2019	12:00:00 AM	0.03
11/5/2019	12:15:00 AM	0.03
11/5/2019	12:30:00 AM	0.03
11/5/2019	12:45:00 AM	0.03
11/5/2019	1:00:00 AM	0.03
11/5/2019	1:15:00 AM	0.03
11/5/2019	1:30:00 AM	0.03
11/5/2019	1:45:00 AM	0.03
11/5/2019	2:00:00 AM	0.03
11/5/2019	2:15:00 AM	0.03
11/5/2019	2:30:00 AM	0.03
11/5/2019	2:45:00 AM	0.03
11/5/2019	3:00:00 AM	0.03
11/5/2019	3:15:00 AM	0.03
11/5/2019	3:30:00 AM	0.03
11/5/2019	3:45:00 AM	0.03
11/5/2019	4:00:00 AM	0.03
11/5/2019	4:15:00 AM	0.03
11/5/2019	4:30:00 AM	0.03
11/5/2019	4:45:00 AM	0.03
11/5/2019	5:00:00 AM	0.03
11/5/2019	5:15:00 AM	0.03
11/5/2019	5:30:00 AM	0.03
11/5/2019	5:45:00 AM	0.03
11/5/2019	6:00:00 AM	0.03
11/5/2019	6:15:00 AM	0.03
11/5/2019	6:30:00 AM	0.03
11/5/2019	6:45:00 AM	0.03
11/5/2019	7:00:00 AM	0.03
11/5/2019	7:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/5/2019	7:30:00 AM	0.03
11/5/2019	7:45:00 AM	0.03
11/5/2019	8:00:00 AM	0.03
11/5/2019	8:15:00 AM	0.03
11/5/2019	8:30:00 AM	0.03
11/5/2019	8:45:00 AM	0.03
11/5/2019	9:00:00 AM	0.03
11/5/2019	9:15:00 AM	0.03
11/5/2019	9:30:00 AM	0.03
11/5/2019	9:45:00 AM	0.03
11/5/2019	10:00:00 AM	0.03
11/5/2019	10:15:00 AM	0.03
11/5/2019	10:30:00 AM	0.03
11/5/2019	10:45:00 AM	0.03
11/5/2019	11:00:00 AM	0.03
11/5/2019	11:15:00 AM	0.03
11/5/2019	11:30:00 AM	0.03
11/5/2019	11:45:00 AM	0.03
11/5/2019	12:00:00 PM	0.03
11/5/2019	12:15:00 PM	0.03
11/5/2019	12:30:00 PM	0.03
11/5/2019	12:45:00 PM	0.03
11/5/2019	1:00:00 PM	0.03
11/5/2019	1:15:00 PM	0.02
11/5/2019	1:30:00 PM	0.02
11/5/2019	1:45:00 PM	0.02
11/5/2019	2:00:00 PM	0.02
11/5/2019	2:15:00 PM	0.02
11/5/2019	2:30:00 PM	0.02
11/5/2019	2:45:00 PM	0.02
11/5/2019	3:00:00 PM	0.02
11/5/2019	3:15:00 PM	0.02
11/5/2019	3:30:00 PM	0.02
11/5/2019	3:45:00 PM	0.02
11/5/2019	4:00:00 PM	0.02
11/5/2019	4:15:00 PM	0.02
11/5/2019	4:30:00 PM	0.02
11/5/2019	4:45:00 PM	0.03
11/5/2019	5:00:00 PM	0.03
11/5/2019	5:15:00 PM	0.03
11/5/2019	5:30:00 PM	0.03
11/5/2019	5:45:00 PM	0.03
11/5/2019	6:00:00 PM	0.03
11/5/2019	6:15:00 PM	0.03
11/5/2019	6:30:00 PM	0.03
11/5/2019	6:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/5/2019	7:00:00 PM	0.03
11/5/2019	7:15:00 PM	0.03
11/5/2019	7:30:00 PM	0.03
11/5/2019	7:45:00 PM	0.03
11/5/2019	8:00:00 PM	0.03
11/5/2019	8:15:00 PM	0.03
11/5/2019	8:30:00 PM	0.03
11/5/2019	8:45:00 PM	0.03
11/5/2019	9:00:00 PM	0.03
11/5/2019	9:15:00 PM	0.03
11/5/2019	9:30:00 PM	0.03
11/5/2019	9:45:00 PM	0.03
11/5/2019	10:00:00 PM	0.03
11/5/2019	10:15:00 PM	0.03
11/5/2019	10:30:00 PM	0.03
11/5/2019	10:45:00 PM	0.03
11/5/2019	11:00:00 PM	0.03
11/5/2019	11:15:00 PM	0.03
11/5/2019	11:30:00 PM	0.03
11/5/2019	11:45:00 PM	0.03
11/6/2019	12:00:00 AM	0.03
11/6/2019	12:15:00 AM	0.03
11/6/2019	12:30:00 AM	0.03
11/6/2019	12:45:00 AM	0.03
11/6/2019	1:00:00 AM	0.03
11/6/2019	1:15:00 AM	0.03
11/6/2019	1:30:00 AM	0.03
11/6/2019	1:45:00 AM	0.03
11/6/2019	2:00:00 AM	0.03
11/6/2019	2:15:00 AM	0.03
11/6/2019	2:30:00 AM	0.03
11/6/2019	2:45:00 AM	0.03
11/6/2019	3:00:00 AM	0.03
11/6/2019	3:15:00 AM	0.03
11/6/2019	3:30:00 AM	0.03
11/6/2019	3:45:00 AM	0.03
11/6/2019	4:00:00 AM	0.03
11/6/2019	4:15:00 AM	0.03
11/6/2019	4:30:00 AM	0.03
11/6/2019	4:45:00 AM	0.03
11/6/2019	5:00:00 AM	0.03
11/6/2019	5:15:00 AM	0.03
11/6/2019	5:30:00 AM	0.03
11/6/2019	5:45:00 AM	0.03
11/6/2019	6:00:00 AM	0.03
11/6/2019	6:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/6/2019	6:30:00 AM	0.03
11/6/2019	6:45:00 AM	0.03
11/6/2019	7:00:00 AM	0.03
11/6/2019	7:15:00 AM	0.03
11/6/2019	7:30:00 AM	0.03
11/6/2019	7:45:00 AM	0.03
11/6/2019	8:00:00 AM	0.02
11/6/2019	8:15:00 AM	0.02
11/6/2019	8:30:00 AM	0.02
11/6/2019	8:45:00 AM	0.02
11/6/2019	9:00:00 AM	0.02
11/6/2019	9:15:00 AM	0.02
11/6/2019	9:30:00 AM	0.02
11/6/2019	9:45:00 AM	0.02
11/6/2019	10:00:00 AM	0.02
11/6/2019	10:15:00 AM	0.02
11/6/2019	10:30:00 AM	0.02
11/6/2019	10:45:00 AM	0.02
11/6/2019	11:00:00 AM	0.02
11/6/2019	11:15:00 AM	0.02
11/6/2019	11:30:00 AM	0.02
11/6/2019	11:45:00 AM	0.02
11/6/2019	12:00:00 PM	0.02
11/6/2019	12:15:00 PM	0.02
11/6/2019	12:30:00 PM	0.02
11/6/2019	12:45:00 PM	0.02
11/6/2019	1:00:00 PM	0.02
11/6/2019	1:15:00 PM	0.02
11/6/2019	1:30:00 PM	0.02
11/6/2019	1:45:00 PM	0.02
11/6/2019	2:00:00 PM	0.02
11/6/2019	2:15:00 PM	0.02
11/6/2019	2:30:00 PM	0.02
11/6/2019	2:45:00 PM	0.02
11/6/2019	3:00:00 PM	0.02
11/6/2019	3:15:00 PM	0.02
11/6/2019	3:30:00 PM	0.02
11/6/2019	3:45:00 PM	0.03
11/6/2019	4:00:00 PM	0.03
11/6/2019	4:15:00 PM	0.03
11/6/2019	4:30:00 PM	0.03
11/6/2019	4:45:00 PM	0.03
11/6/2019	5:00:00 PM	0.03
11/6/2019	5:15:00 PM	0.03
11/6/2019	5:30:00 PM	0.03
11/6/2019	5:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/6/2019	6:00:00 PM	0.03
11/6/2019	6:15:00 PM	0.03
11/6/2019	6:30:00 PM	0.03
11/6/2019	6:45:00 PM	0.03
11/6/2019	7:00:00 PM	0.03
11/6/2019	7:15:00 PM	0.03
11/6/2019	7:30:00 PM	0.03
11/6/2019	7:45:00 PM	0.03
11/6/2019	8:00:00 PM	0.03
11/6/2019	8:15:00 PM	0.03
11/6/2019	8:30:00 PM	0.03
11/6/2019	8:45:00 PM	0.03
11/6/2019	9:00:00 PM	0.03
11/6/2019	9:15:00 PM	0.03
11/6/2019	9:30:00 PM	0.03
11/6/2019	9:45:00 PM	0.03
11/6/2019	10:00:00 PM	0.03
11/6/2019	10:15:00 PM	0.03
11/6/2019	10:30:00 PM	0.03
11/6/2019	10:45:00 PM	0.03
11/6/2019	11:00:00 PM	0.03
11/6/2019	11:15:00 PM	0.03
11/6/2019	11:30:00 PM	0.03
11/6/2019	11:45:00 PM	0.03
11/7/2019	12:00:00 AM	0.03
11/7/2019	12:15:00 AM	0.03
11/7/2019	12:30:00 AM	0.03
11/7/2019	12:45:00 AM	0.03
11/7/2019	1:00:00 AM	0.03
11/7/2019	1:15:00 AM	0.03
11/7/2019	1:30:00 AM	0.03
11/7/2019	1:45:00 AM	0.03
11/7/2019	2:00:00 AM	0.03
11/7/2019	2:15:00 AM	0.03
11/7/2019	2:30:00 AM	0.03
11/7/2019	2:45:00 AM	0.03
11/7/2019	3:00:00 AM	0.03
11/7/2019	3:15:00 AM	0.03
11/7/2019	3:30:00 AM	0.03
11/7/2019	3:45:00 AM	0.03
11/7/2019	4:00:00 AM	0.03
11/7/2019	4:15:00 AM	0.03
11/7/2019	4:30:00 AM	0.03
11/7/2019	4:45:00 AM	0.03
11/7/2019	5:00:00 AM	0.03
11/7/2019	5:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/7/2019	5:30:00 AM	0.03
11/7/2019	5:45:00 AM	0.03
11/7/2019	6:00:00 AM	0.03
11/7/2019	6:15:00 AM	0.03
11/7/2019	6:30:00 AM	0.03
11/7/2019	6:45:00 AM	0.03
11/7/2019	7:00:00 AM	0.03
11/7/2019	7:15:00 AM	0.03
11/7/2019	7:30:00 AM	0.03
11/7/2019	7:45:00 AM	0.03
11/7/2019	8:00:00 AM	0.03
11/7/2019	8:15:00 AM	0.03
11/7/2019	8:30:00 AM	0.03
11/7/2019	8:45:00 AM	0.03
11/7/2019	9:00:00 AM	0.03
11/7/2019	9:15:00 AM	0.03
11/7/2019	9:30:00 AM	0.03
11/7/2019	9:45:00 AM	0.03
11/7/2019	10:00:00 AM	0.03
11/7/2019	10:15:00 AM	0.03
11/7/2019	10:30:00 AM	0.03
11/7/2019	10:45:00 AM	0.03
11/7/2019	11:00:00 AM	0.03
11/7/2019	11:15:00 AM	0.03
11/7/2019	11:30:00 AM	0.03
11/7/2019	11:45:00 AM	0.03
11/7/2019	12:00:00 PM	0.03
11/7/2019	12:15:00 PM	0.03
11/7/2019	12:30:00 PM	0.03
11/7/2019	12:45:00 PM	0.03
11/7/2019	1:00:00 PM	0.03
11/7/2019	1:15:00 PM	0.03
11/7/2019	1:30:00 PM	0.03
11/7/2019	1:45:00 PM	0.03
11/7/2019	2:00:00 PM	0.03
11/7/2019	2:15:00 PM	0.03
11/7/2019	2:30:00 PM	0.03
11/7/2019	2:45:00 PM	0.03
11/7/2019	3:00:00 PM	0.03
11/7/2019	3:15:00 PM	0.03
11/7/2019	3:30:00 PM	0.03
11/7/2019	3:45:00 PM	0.03
11/7/2019	4:00:00 PM	0.03
11/7/2019	4:15:00 PM	0.03
11/7/2019	4:30:00 PM	0.03
11/7/2019	4:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/7/2019	5:00:00 PM	0.03
11/7/2019	5:15:00 PM	0.03
11/7/2019	5:30:00 PM	0.03
11/7/2019	5:45:00 PM	0.03
11/7/2019	6:00:00 PM	0.03
11/7/2019	6:15:00 PM	0.03
11/7/2019	6:30:00 PM	0.03
11/7/2019	6:45:00 PM	0.03
11/7/2019	7:00:00 PM	0.03
11/7/2019	7:15:00 PM	0.03
11/7/2019	7:30:00 PM	0.03
11/7/2019	7:45:00 PM	0.03
11/7/2019	8:00:00 PM	0.03
11/7/2019	8:15:00 PM	0.03
11/7/2019	8:30:00 PM	0.03
11/7/2019	8:45:00 PM	0.03
11/7/2019	9:00:00 PM	0.03
11/7/2019	9:15:00 PM	0.03
11/7/2019	9:30:00 PM	0.03
11/7/2019	9:45:00 PM	0.03
11/7/2019	10:00:00 PM	0.03
11/7/2019	10:15:00 PM	0.03
11/7/2019	10:30:00 PM	0.03
11/7/2019	10:45:00 PM	0.03
11/7/2019	11:00:00 PM	0.03
11/7/2019	11:15:00 PM	0.03
11/7/2019	11:30:00 PM	0.03
11/7/2019	11:45:00 PM	0.03
11/8/2019	12:00:00 AM	0.03
11/8/2019	12:15:00 AM	0.03
11/8/2019	12:30:00 AM	0.03
11/8/2019	12:45:00 AM	0.03
11/8/2019	1:00:00 AM	0.03
11/8/2019	1:15:00 AM	0.03
11/8/2019	1:30:00 AM	0.03
11/8/2019	1:45:00 AM	0.03
11/8/2019	2:00:00 AM	0.03
11/8/2019	2:15:00 AM	0.03
11/8/2019	2:30:00 AM	0.03
11/8/2019	2:45:00 AM	0.03
11/8/2019	3:00:00 AM	0.03
11/8/2019	3:15:00 AM	0.03
11/8/2019	3:30:00 AM	0.03
11/8/2019	3:45:00 AM	0.03
11/8/2019	4:00:00 AM	0.03
11/8/2019	4:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/8/2019	4:30:00 AM	0.03
11/8/2019	4:45:00 AM	0.03
11/8/2019	5:00:00 AM	0.03
11/8/2019	5:15:00 AM	0.03
11/8/2019	5:30:00 AM	0.03
11/8/2019	5:45:00 AM	0.03
11/8/2019	6:00:00 AM	0.03
11/8/2019	6:15:00 AM	0.03
11/8/2019	6:30:00 AM	0.03
11/8/2019	6:45:00 AM	0.03
11/8/2019	7:00:00 AM	0.03
11/8/2019	7:15:00 AM	0.03
11/8/2019	7:30:00 AM	0.03
11/8/2019	7:45:00 AM	0.03
11/8/2019	8:00:00 AM	0.03
11/8/2019	8:15:00 AM	0.03
11/8/2019	8:30:00 AM	0.03
11/8/2019	8:45:00 AM	0.03
11/8/2019	9:00:00 AM	0.03
11/8/2019	9:15:00 AM	0.03
11/8/2019	9:30:00 AM	0.03
11/8/2019	9:45:00 AM	0.03
11/8/2019	10:00:00 AM	0.03
11/8/2019	10:15:00 AM	0.03
11/8/2019	10:30:00 AM	0.03
11/8/2019	10:45:00 AM	0.03
11/8/2019	11:00:00 AM	0.02
11/8/2019	11:15:00 AM	0.02
11/8/2019	11:30:00 AM	0.02
11/8/2019	11:45:00 AM	0.02
11/8/2019	12:00:00 PM	0.02
11/8/2019	12:15:00 PM	0.02
11/8/2019	12:30:00 PM	0.02
11/8/2019	12:45:00 PM	0.02
11/8/2019	1:00:00 PM	0.02
11/8/2019	1:15:00 PM	0.02
11/8/2019	1:30:00 PM	0.03
11/8/2019	1:45:00 PM	0.03
11/8/2019	2:00:00 PM	0.03
11/8/2019	2:15:00 PM	0.03
11/8/2019	2:30:00 PM	0.03
11/8/2019	2:45:00 PM	0.03
11/8/2019	3:00:00 PM	0.03
11/8/2019	3:15:00 PM	0.03
11/8/2019	3:30:00 PM	0.03
11/8/2019	3:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/8/2019	4:00:00 PM	0.03
11/8/2019	4:15:00 PM	0.03
11/8/2019	4:30:00 PM	0.03
11/8/2019	4:45:00 PM	0.03
11/8/2019	5:00:00 PM	0.03
11/8/2019	5:15:00 PM	0.03
11/8/2019	5:30:00 PM	0.03
11/8/2019	5:45:00 PM	0.03
11/8/2019	6:00:00 PM	0.03
11/8/2019	6:15:00 PM	0.03
11/8/2019	6:30:00 PM	0.03
11/8/2019	6:45:00 PM	0.03
11/8/2019	7:00:00 PM	0.03
11/8/2019	7:15:00 PM	0.03
11/8/2019	7:30:00 PM	0.03
11/8/2019	7:45:00 PM	0.03
11/8/2019	8:00:00 PM	0.03
11/8/2019	8:15:00 PM	0.03
11/8/2019	8:30:00 PM	0.03
11/8/2019	8:45:00 PM	0.03
11/8/2019	9:00:00 PM	0.03
11/8/2019	9:15:00 PM	0.03
11/8/2019	9:30:00 PM	0.03
11/8/2019	9:45:00 PM	0.03
11/8/2019	10:00:00 PM	0.03
11/8/2019	10:15:00 PM	0.03
11/8/2019	10:30:00 PM	0.03
11/8/2019	10:45:00 PM	0.03
11/8/2019	11:00:00 PM	0.03
11/8/2019	11:15:00 PM	0.03
11/8/2019	11:30:00 PM	0.03
11/8/2019	11:45:00 PM	0.03
11/9/2019	12:00:00 AM	0.03
11/9/2019	12:15:00 AM	0.03
11/9/2019	12:30:00 AM	0.03
11/9/2019	12:45:00 AM	0.03
11/9/2019	1:00:00 AM	0.03
11/9/2019	1:15:00 AM	0.03
11/9/2019	1:30:00 AM	0.03
11/9/2019	1:45:00 AM	0.03
11/9/2019	2:00:00 AM	0.03
11/9/2019	2:15:00 AM	0.03
11/9/2019	2:30:00 AM	0.03
11/9/2019	2:45:00 AM	0.03
11/9/2019	3:00:00 AM	0.03
11/9/2019	3:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/9/2019	3:30:00 AM	0.03
11/9/2019	3:45:00 AM	0.03
11/9/2019	4:00:00 AM	0.03
11/9/2019	4:15:00 AM	0.03
11/9/2019	4:30:00 AM	0.03
11/9/2019	4:45:00 AM	0.03
11/9/2019	5:00:00 AM	0.03
11/9/2019	5:15:00 AM	0.03
11/9/2019	5:30:00 AM	0.03
11/9/2019	5:45:00 AM	0.03
11/9/2019	6:00:00 AM	0.03
11/9/2019	6:15:00 AM	0.03
11/9/2019	6:30:00 AM	0.03
11/9/2019	6:45:00 AM	0.03
11/9/2019	7:00:00 AM	0.03
11/9/2019	7:15:00 AM	0.03
11/9/2019	7:30:00 AM	0.03
11/9/2019	7:45:00 AM	0.03
11/9/2019	8:00:00 AM	0.03
11/9/2019	8:15:00 AM	0.03
11/9/2019	8:30:00 AM	0.03
11/9/2019	8:45:00 AM	0.03
11/9/2019	9:00:00 AM	0.03
11/9/2019	9:15:00 AM	0.03
11/9/2019	9:30:00 AM	0.03
11/9/2019	9:45:00 AM	0.03
11/9/2019	10:00:00 AM	0.03
11/9/2019	10:15:00 AM	0.03
11/9/2019	10:30:00 AM	0.03
11/9/2019	10:45:00 AM	0.03
11/9/2019	11:00:00 AM	0.03
11/9/2019	11:15:00 AM	0.02
11/9/2019	11:30:00 AM	0.02
11/9/2019	11:45:00 AM	0.02
11/9/2019	12:00:00 PM	0.02
11/9/2019	12:15:00 PM	0.02
11/9/2019	12:30:00 PM	0.02
11/9/2019	12:45:00 PM	0.02
11/9/2019	1:00:00 PM	0.02
11/9/2019	1:15:00 PM	0.02
11/9/2019	1:30:00 PM	0.02
11/9/2019	1:45:00 PM	0.02
11/9/2019	2:00:00 PM	0.02
11/9/2019	2:15:00 PM	0.03
11/9/2019	2:30:00 PM	0.03
11/9/2019	2:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/9/2019	3:00:00 PM	0.03
11/9/2019	3:15:00 PM	0.03
11/9/2019	3:30:00 PM	0.03
11/9/2019	3:45:00 PM	0.03
11/9/2019	4:00:00 PM	0.03
11/9/2019	4:15:00 PM	0.03
11/9/2019	4:30:00 PM	0.03
11/9/2019	4:45:00 PM	0.03
11/9/2019	5:00:00 PM	0.03
11/9/2019	5:15:00 PM	0.03
11/9/2019	5:30:00 PM	0.03
11/9/2019	5:45:00 PM	0.03
11/9/2019	6:00:00 PM	0.03
11/9/2019	6:15:00 PM	0.03
11/9/2019	6:30:00 PM	0.03
11/9/2019	6:45:00 PM	0.03
11/9/2019	7:00:00 PM	0.03
11/9/2019	7:15:00 PM	0.03
11/9/2019	7:30:00 PM	0.03
11/9/2019	7:45:00 PM	0.03
11/9/2019	8:00:00 PM	0.03
11/9/2019	8:15:00 PM	0.03
11/9/2019	8:30:00 PM	0.03
11/9/2019	8:45:00 PM	0.03
11/9/2019	9:00:00 PM	0.03
11/9/2019	9:15:00 PM	0.03
11/9/2019	9:30:00 PM	0.03
11/9/2019	9:45:00 PM	0.03
11/9/2019	10:00:00 PM	0.03
11/9/2019	10:15:00 PM	0.03
11/9/2019	10:30:00 PM	0.03
11/9/2019	10:45:00 PM	0.03
11/9/2019	11:00:00 PM	0.03
11/9/2019	11:15:00 PM	0.03
11/9/2019	11:30:00 PM	0.03
11/9/2019	11:45:00 PM	0.03
11/10/2019	12:00:00 AM	0.03
11/10/2019	12:15:00 AM	0.03
11/10/2019	12:30:00 AM	0.03
11/10/2019	12:45:00 AM	0.03
11/10/2019	1:00:00 AM	0.03
11/10/2019	1:15:00 AM	0.03
11/10/2019	1:30:00 AM	0.03
11/10/2019	1:45:00 AM	0.03
11/10/2019	2:00:00 AM	0.03
11/10/2019	2:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/10/2019	2:30:00 AM	0.03
11/10/2019	2:45:00 AM	0.03
11/10/2019	3:00:00 AM	0.03
11/10/2019	3:15:00 AM	0.03
11/10/2019	3:30:00 AM	0.03
11/10/2019	3:45:00 AM	0.03
11/10/2019	4:00:00 AM	0.03
11/10/2019	4:15:00 AM	0.03
11/10/2019	4:30:00 AM	0.03
11/10/2019	4:45:00 AM	0.03
11/10/2019	5:00:00 AM	0.03
11/10/2019	5:15:00 AM	0.03
11/10/2019	5:30:00 AM	0.03
11/10/2019	5:45:00 AM	0.03
11/10/2019	6:00:00 AM	0.03
11/10/2019	6:15:00 AM	0.03
11/10/2019	6:30:00 AM	0.03
11/10/2019	6:45:00 AM	0.03
11/10/2019	7:00:00 AM	0.03
11/10/2019	7:15:00 AM	0.03
11/10/2019	7:30:00 AM	0.03
11/10/2019	7:45:00 AM	0.03
11/10/2019	8:00:00 AM	0.03
11/10/2019	8:15:00 AM	0.03
11/10/2019	8:30:00 AM	0.03
11/10/2019	8:45:00 AM	0.03
11/10/2019	9:00:00 AM	0.03
11/10/2019	9:15:00 AM	0.03
11/10/2019	9:30:00 AM	0.03
11/10/2019	9:45:00 AM	0.03
11/10/2019	10:00:00 AM	0.03
11/10/2019	10:15:00 AM	0.03
11/10/2019	10:30:00 AM	0.03
11/10/2019	10:45:00 AM	0.03
11/10/2019	11:00:00 AM	0.03
11/10/2019	11:15:00 AM	0.03
11/10/2019	11:30:00 AM	0.03
11/10/2019	11:45:00 AM	0.03
11/10/2019	12:00:00 PM	0.03
11/10/2019	12:15:00 PM	0.03
11/10/2019	12:30:00 PM	0.03
11/10/2019	12:45:00 PM	0.03
11/10/2019	1:00:00 PM	0.03
11/10/2019	1:15:00 PM	0.03
11/10/2019	1:30:00 PM	0.03
11/10/2019	1:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/10/2019	2:00:00 PM	0.03
11/10/2019	2:15:00 PM	0.03
11/10/2019	2:30:00 PM	0.03
11/10/2019	2:45:00 PM	0.03
11/10/2019	3:00:00 PM	0.03
11/10/2019	3:15:00 PM	0.03
11/10/2019	3:30:00 PM	0.03
11/10/2019	3:45:00 PM	0.03
11/10/2019	4:00:00 PM	0.03
11/10/2019	4:15:00 PM	0.03
11/10/2019	4:30:00 PM	0.03
11/10/2019	4:45:00 PM	0.03
11/10/2019	5:00:00 PM	0.03
11/10/2019	5:15:00 PM	0.03
11/10/2019	5:30:00 PM	0.03
11/10/2019	5:45:00 PM	0.03
11/10/2019	6:00:00 PM	0.03
11/10/2019	6:15:00 PM	0.03
11/10/2019	6:30:00 PM	0.03
11/10/2019	6:45:00 PM	0.03
11/10/2019	7:00:00 PM	0.03
11/10/2019	7:15:00 PM	0.03
11/10/2019	7:30:00 PM	0.03
11/10/2019	7:45:00 PM	0.03
11/10/2019	8:00:00 PM	0.03
11/10/2019	8:15:00 PM	0.03
11/10/2019	8:30:00 PM	0.03
11/10/2019	8:45:00 PM	0.03
11/10/2019	9:00:00 PM	0.03
11/10/2019	9:15:00 PM	0.03
11/10/2019	9:30:00 PM	0.03
11/10/2019	9:45:00 PM	0.03
11/10/2019	10:00:00 PM	0.03
11/10/2019	10:15:00 PM	0.03
11/10/2019	10:30:00 PM	0.03
11/10/2019	10:45:00 PM	0.03
11/10/2019	11:00:00 PM	0.03
11/10/2019	11:15:00 PM	0.03
11/10/2019	11:30:00 PM	0.03
11/10/2019	11:45:00 PM	0.03
11/11/2019	12:00:00 AM	0.03
11/11/2019	12:15:00 AM	0.03
11/11/2019	12:30:00 AM	0.03
11/11/2019	12:45:00 AM	0.03
11/11/2019	1:00:00 AM	0.03
11/11/2019	1:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/11/2019	1:30:00 AM	0.03
11/11/2019	1:45:00 AM	0.03
11/11/2019	2:00:00 AM	0.03
11/11/2019	2:15:00 AM	0.03
11/11/2019	2:30:00 AM	0.03
11/11/2019	2:45:00 AM	0.03
11/11/2019	3:00:00 AM	0.03
11/11/2019	3:15:00 AM	0.03
11/11/2019	3:30:00 AM	0.03
11/11/2019	3:45:00 AM	0.03
11/11/2019	4:00:00 AM	0.03
11/11/2019	4:15:00 AM	0.03
11/11/2019	4:30:00 AM	0.03
11/11/2019	4:45:00 AM	0.03
11/11/2019	5:00:00 AM	0.03
11/11/2019	5:15:00 AM	0.03
11/11/2019	5:30:00 AM	0.03
11/11/2019	5:45:00 AM	0.03
11/11/2019	6:00:00 AM	0.03
11/11/2019	6:15:00 AM	0.03
11/11/2019	6:30:00 AM	0.03
11/11/2019	6:45:00 AM	0.03
11/11/2019	7:00:00 AM	0.03
11/11/2019	7:15:00 AM	0.03
11/11/2019	7:30:00 AM	0.03
11/11/2019	7:45:00 AM	0.03
11/11/2019	8:00:00 AM	0.03
11/11/2019	8:15:00 AM	0.03
11/11/2019	8:30:00 AM	0.03
11/11/2019	8:45:00 AM	0.03
11/11/2019	9:00:00 AM	0.03
11/11/2019	9:15:00 AM	0.03
11/11/2019	9:30:00 AM	0.02
11/11/2019	9:45:00 AM	0.02
11/11/2019	10:00:00 AM	0.03
11/11/2019	10:15:00 AM	0.03
11/11/2019	10:30:00 AM	0.03
11/11/2019	10:45:00 AM	0.03
11/11/2019	11:00:00 AM	0.03
11/11/2019	11:15:00 AM	0.03
11/11/2019	11:30:00 AM	0.03
11/11/2019	11:45:00 AM	0.03
11/11/2019	12:00:00 PM	0.03
11/11/2019	12:15:00 PM	0.03
11/11/2019	12:30:00 PM	0.03
11/11/2019	12:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/11/2019	1:00:00 PM	0.03
11/11/2019	1:15:00 PM	0.03
11/11/2019	1:30:00 PM	0.03
11/11/2019	1:45:00 PM	0.03
11/11/2019	2:00:00 PM	0.03
11/11/2019	2:15:00 PM	0.03
11/11/2019	2:30:00 PM	0.03
11/11/2019	2:45:00 PM	0.03
11/11/2019	3:00:00 PM	0.03
11/11/2019	3:15:00 PM	0.03
11/11/2019	3:30:00 PM	0.03
11/11/2019	3:45:00 PM	0.03
11/11/2019	4:00:00 PM	0.03
11/11/2019	4:15:00 PM	0.03
11/11/2019	4:30:00 PM	0.03
11/11/2019	4:45:00 PM	0.03
11/11/2019	5:00:00 PM	0.03
11/11/2019	5:15:00 PM	0.03
11/11/2019	5:30:00 PM	0.03
11/11/2019	5:45:00 PM	0.03
11/11/2019	6:00:00 PM	0.03
11/11/2019	6:15:00 PM	0.03
11/11/2019	6:30:00 PM	0.03
11/11/2019	6:45:00 PM	0.03
11/11/2019	7:00:00 PM	0.03
11/11/2019	7:15:00 PM	0.03
11/11/2019	7:30:00 PM	0.03
11/11/2019	7:45:00 PM	0.03
11/11/2019	8:00:00 PM	0.03
11/11/2019	8:15:00 PM	0.03
11/11/2019	8:30:00 PM	0.03
11/11/2019	8:45:00 PM	0.03
11/11/2019	9:00:00 PM	0.03
11/11/2019	9:15:00 PM	0.03
11/11/2019	9:30:00 PM	0.03
11/11/2019	9:45:00 PM	0.03
11/11/2019	10:00:00 PM	0.03
11/11/2019	10:15:00 PM	0.03
11/11/2019	10:30:00 PM	0.03
11/11/2019	10:45:00 PM	0.03
11/11/2019	11:00:00 PM	0.03
11/11/2019	11:15:00 PM	0.03
11/11/2019	11:30:00 PM	0.03
11/11/2019	11:45:00 PM	0.03
11/12/2019	12:00:00 AM	0.03
11/12/2019	12:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/12/2019	12:30:00 AM	0.03
11/12/2019	12:45:00 AM	0.03
11/12/2019	1:00:00 AM	0.03
11/12/2019	1:15:00 AM	0.03
11/12/2019	1:30:00 AM	0.03
11/12/2019	1:45:00 AM	0.03
11/12/2019	2:00:00 AM	0.03
11/12/2019	2:15:00 AM	0.03
11/12/2019	2:30:00 AM	0.03
11/12/2019	2:45:00 AM	0.03
11/12/2019	3:00:00 AM	0.03
11/12/2019	3:15:00 AM	0.03
11/12/2019	3:30:00 AM	0.03
11/12/2019	3:45:00 AM	0.03
11/12/2019	4:00:00 AM	0.03
11/12/2019	4:15:00 AM	0.03
11/12/2019	4:30:00 AM	0.03
11/12/2019	4:45:00 AM	0.03
11/12/2019	5:00:00 AM	0.03
11/12/2019	5:15:00 AM	0.03
11/12/2019	5:30:00 AM	0.03
11/12/2019	5:45:00 AM	0.03
11/12/2019	6:00:00 AM	0.03
11/12/2019	6:15:00 AM	0.03
11/12/2019	6:30:00 AM	0.03
11/12/2019	6:45:00 AM	0.03
11/12/2019	7:00:00 AM	0.03
11/12/2019	7:15:00 AM	0.03
11/12/2019	7:30:00 AM	0.03
11/12/2019	7:45:00 AM	0.03
11/12/2019	8:00:00 AM	0.03
11/12/2019	8:15:00 AM	0.03
11/12/2019	8:30:00 AM	0.03
11/12/2019	8:45:00 AM	0.03
11/12/2019	9:00:00 AM	0.03
11/12/2019	9:15:00 AM	0.03
11/12/2019	9:30:00 AM	0.03
11/12/2019	9:45:00 AM	0.03
11/12/2019	10:00:00 AM	0.03
11/12/2019	10:15:00 AM	0.03
11/12/2019	10:30:00 AM	0.03
11/12/2019	10:45:00 AM	0.03
11/12/2019	11:00:00 AM	0.03
11/12/2019	11:15:00 AM	0.03
11/12/2019	11:30:00 AM	0.03
11/12/2019	11:45:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/12/2019	12:00:00 PM	0.03
11/12/2019	12:15:00 PM	0.03
11/12/2019	12:30:00 PM	0.03
11/12/2019	12:45:00 PM	0.03
11/12/2019	1:00:00 PM	0.03
11/12/2019	1:15:00 PM	0.03
11/12/2019	1:30:00 PM	0.03
11/12/2019	1:45:00 PM	0.03
11/12/2019	2:00:00 PM	0.03
11/12/2019	2:15:00 PM	0.03
11/12/2019	2:30:00 PM	0.03
11/12/2019	2:45:00 PM	0.03
11/12/2019	3:00:00 PM	0.03
11/12/2019	3:15:00 PM	0.03
11/12/2019	3:30:00 PM	0.03
11/12/2019	3:45:00 PM	0.03
11/12/2019	4:00:00 PM	0.03
11/12/2019	4:15:00 PM	0.03
11/12/2019	4:30:00 PM	0.03
11/12/2019	4:45:00 PM	0.03
11/12/2019	5:00:00 PM	0.03
11/12/2019	5:15:00 PM	0.03
11/12/2019	5:30:00 PM	0.03
11/12/2019	5:45:00 PM	0.03
11/12/2019	6:00:00 PM	0.03
11/12/2019	6:15:00 PM	0.03
11/12/2019	6:30:00 PM	0.03
11/12/2019	6:45:00 PM	0.03
11/12/2019	7:00:00 PM	0.03
11/12/2019	7:15:00 PM	0.03
11/12/2019	7:30:00 PM	0.03
11/12/2019	7:45:00 PM	0.03
11/12/2019	8:00:00 PM	0.03
11/12/2019	8:15:00 PM	0.03
11/12/2019	8:30:00 PM	0.03
11/12/2019	8:45:00 PM	0.03
11/12/2019	9:00:00 PM	0.03
11/12/2019	9:15:00 PM	0.03
11/12/2019	9:30:00 PM	0.03
11/12/2019	9:45:00 PM	0.03
11/12/2019	10:00:00 PM	0.03
11/12/2019	10:15:00 PM	0.03
11/12/2019	10:30:00 PM	0.03
11/12/2019	10:45:00 PM	0.03
11/12/2019	11:00:00 PM	0.03
11/12/2019	11:15:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/12/2019	11:30:00 PM	0.03
11/12/2019	11:45:00 PM	0.03
11/13/2019	12:00:00 AM	0.03
11/13/2019	12:15:00 AM	0.03
11/13/2019	12:30:00 AM	0.03
11/13/2019	12:45:00 AM	0.03
11/13/2019	1:00:00 AM	0.03
11/13/2019	1:15:00 AM	0.03
11/13/2019	1:30:00 AM	0.03
11/13/2019	1:45:00 AM	0.03
11/13/2019	2:00:00 AM	0.03
11/13/2019	2:15:00 AM	0.03
11/13/2019	2:30:00 AM	0.03
11/13/2019	2:45:00 AM	0.03
11/13/2019	3:00:00 AM	0.03
11/13/2019	3:15:00 AM	0.03
11/13/2019	3:30:00 AM	0.03
11/13/2019	3:45:00 AM	0.03
11/13/2019	4:00:00 AM	0.03
11/13/2019	4:15:00 AM	0.03
11/13/2019	4:30:00 AM	0.03
11/13/2019	4:45:00 AM	0.03
11/13/2019	5:00:00 AM	0.03
11/13/2019	5:15:00 AM	0.03
11/13/2019	5:30:00 AM	0.03
11/13/2019	5:45:00 AM	0.03
11/13/2019	6:00:00 AM	0.03
11/13/2019	6:15:00 AM	0.03
11/13/2019	6:30:00 AM	0.03
11/13/2019	6:45:00 AM	0.03
11/13/2019	7:00:00 AM	0.03
11/13/2019	7:15:00 AM	0.03
11/13/2019	7:30:00 AM	0.03
11/13/2019	7:45:00 AM	0.03
11/13/2019	8:00:00 AM	0.03
11/13/2019	8:15:00 AM	0.03
11/13/2019	8:30:00 AM	0.03
11/13/2019	8:45:00 AM	0.03
11/13/2019	9:00:00 AM	0.03
11/13/2019	9:15:00 AM	0.03
11/13/2019	9:30:00 AM	0.03
11/13/2019	9:45:00 AM	0.03
11/13/2019	10:00:00 AM	0.03
11/13/2019	10:15:00 AM	0.03
11/13/2019	10:30:00 AM	0.03
11/13/2019	10:45:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
11/13/2019	11:00:00 AM	0.03
11/13/2019	11:15:00 AM	0.03
11/13/2019	11:30:00 AM	0.02
11/13/2019	11:45:00 AM	0.02
11/13/2019	12:00:00 PM	0.02

Station Number: 0356 Meas. No: 004

Station Name: LOR @ REINHACKLE Date: 11/05/2019

Party: BLP/CBR	Width: 21.9 ft	Processed by: BLP
Boat/Motor: BOAT	Area: 79.2 ft²	Mean Velocity: 0.579 ft/s
Gage Height: 3.85 ft	G.H.Change: 0.000 ft	Discharge: 45.9 ft³/s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.0°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft²	Diff.: 0.000%
Depth Sounder: Not Used	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:

BT 3-Beam Solution: NO	Max. Vel.: 1.54 ft/s	ADCP:
WT 3-Beam Solution: NO	Max. Depth: 4.04 ft	Type/Freq.: StreamPro / 2000 kHz
BT Error Vel.: 32.81 ft/s	Mean Depth: 3.61 ft	Serial #: Firmware: 31.12
WT Error Vel.: 32.81 ft/s	% Meas.: 66.33	Bin Size: 10 cm Blank: 3 cm
BT Up Vel.: 32.81 ft/s	Water Temp.: None	BT Mode: 10 BT Pings: 2
WT Up Vel.: 32.81 ft/s	ADCP Temp.: 61.6 °F	WT Mode: 12 WT Pings: 6
Use Weighted Mean Depth: NO		WV : 0 WO : 1, 4

Performed Diag. Test: NO Project Name: 191105 LOR @ REINHACKLE0

Performed Moving Bed Test: NO Software: 2.11

Performed Compass Calibration: NO Evaluation: NO

Meas. Location: BRIDGE

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	40	6.60	31.7	5.44	1.62	1.20	46.6	22	81	12:17	12:18	0.44	0.58	5	0
001	R	2	2	41	6.50	31.4	5.05	1.87	1.31	46.1	22	79	12:18	12:19	0.42	0.58	5	0
002	L	2	2	41	6.67	30.3	6.85	1.41	1.24	46.5	22	79	12:19	12:20	0.41	0.59	5	0
003	*R*	*2*	*2*	*47*	*6.25*	*28.3*	*6.43*	*1.13*	*1.24*	*43.3*	*22*	*79*	*12:20*	*12:21*	*0.37*	*0.55*	*4*	*0*
004	L	*2*	*2*	*41*	*6.75*	*30.4*	*6.78*	*1.52*	*1.38*	*46.9*	*22*	*78*	*12:22*	*12:22*	*0.42*	*0.60*	*5*	*0*
Mean		2	2	42	6.55	30.4	6.11	1.51	1.27	45.9	22	79	**Total**	00:05	0.41	0.58	5	0
SDev		0	0	3	0.193	1.36	0.818	0.273	0.071	1.46	0.2	1.0			0.03	0.02		
SD/M		0.00	0.00	0.07	0.03	0.04	0.13	0.18	0.06	0.03	0.01	0.01			0.06	0.03		

Remarks:

Discharge for transects in *italics* have a total Q more than 5% from the mean

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	1	0	7	35	0.666	-0.092	3.56	0.013	0.01	0	31.8	26.7	72.7	110	96	0	36	34
2019	11	1	0	17	35	0.673	-0.135	3.56	0.01	0.007	0	31	26.7	72.7	109	96	0	37	34
2019	11	1	0	27	35	0.659	-0.105	3.56	0.013	0.01	0	31.4	26.7	72.2	110	97	0	37	35
2019	11	1	0	37	35	0.669	-0.108	3.56	0.01	0.007	0	31	26.7	72.2	109	96	0	37	34
2019	11	1	0	47	35	0.673	-0.105	3.56	0.01	0.007	0	31.4	26.7	71.4	109	96	0	36	34
2019	11	1	0	57	35	0.673	-0.085	3.56	0.01	0.007	0	31.4	26.7	72.2	110	96	0	37	34
2019	11	1	1	7	35	0.65	-0.128	3.56	0.01	0.007	0	31	26.7	72.2	109	96	0	37	34
2019	11	1	1	17	35	0.653	-0.098	3.56	0.013	0.01	0	31.4	26.2	71.4	109	96	0	36	35
2019	11	1	1	27	35	0.673	-0.125	3.563	0.01	0.007	0	31.4	26.2	71.8	109	96	0	36	35
2019	11	1	1	37	35	0.659	-0.121	3.563	0.013	0.01	0	31	26.2	71.8	109	96	0	37	35
2019	11	1	1	47	35	0.656	-0.095	3.563	0.01	0.007	0	31.4	26.7	71.4	109	96	0	36	34
2019	11	1	1	57	35	0.663	-0.092	3.563	0.01	0.007	0	31	26.7	71.4	109	96	0	37	34
2019	11	1	2	7	35	0.64	-0.092	3.563	0.01	0.007	0	31.4	26.2	71.8	109	96	0	36	35
2019	11	1	2	17	35	0.663	-0.118	3.566	0.013	0.01	0	31.4	26.2	71.4	109	95	0	36	34
2019	11	1	2	27	35	0.682	-0.121	3.57	0.01	0.007	0	31	26.2	72.2	109	96	0	37	35
2019	11	1	2	37	35	0.656	-0.098	3.566	0.01	0.007	0	31	26.7	72.2	109	96	0	37	34
2019	11	1	2	47	35	0.669	-0.085	3.57	0.01	0.007	0	31.8	27.1	71.8	110	97	0	36	34
2019	11	1	2	57	35	0.682	-0.105	3.57	0.01	0.007	0	31.8	26.7	71.8	110	97	0	36	35
2019	11	1	3	7	35	0.705	-0.125	3.57	0.01	0.007	0	31.4	26.7	72.7	110	97	0	37	35
2019	11	1	3	17	35	0.692	-0.085	3.57	0.01	0.007	0	31.4	26.7	72.7	110	97	0	37	35
2019	11	1	3	27	35	0.666	-0.105	3.57	0.013	0.01	0	31	26.7	73.1	109	96	0	37	34
2019	11	1	3	37	35	0.692	-0.098	3.57	0.01	0.007	0	31.4	26.2	73.1	110	96	0	37	35
2019	11	1	3	47	35	0.676	-0.108	3.57	0.013	0.01	0	31	26.2	73.1	109	96	0	37	35
2019	11	1	3	57	35	0.663	-0.108	3.57	0.01	0.007	0	31	26.2	72.2	109	95	0	37	34
2019	11	1	4	7	35	0.682	-0.098	3.57	0.013	0.01	0	31	26.7	72.7	109	96	0	37	34
2019	11	1	4	17	35	0.653	-0.095	3.57	0.01	0.007	0	30.5	25.8	72.7	109	95	0	38	35
2019	11	1	4	27	35	0.676	-0.141	3.57	0.01	0.007	0	31	25.8	73.1	109	95	0	37	35
2019	11	1	4	37	35	0.679	-0.102	3.57	0.01	0.007	0	31	25.8	73.1	109	95	0	37	35
2019	11	1	4	47	35	0.686	-0.102	3.57	0.01	0.007	0	30.5	25.8	73.5	108	95	0	37	35
2019	11	1	4	57	35	0.666	-0.108	3.57	0.01	0.007	0	31	25.8	73.1	109	95	0	37	35
2019	11	1	5	7	35	0.676	-0.112	3.57	0.01	0.007	0	31	25.8	74	108	95	0	36	35
2019	11	1	5	17	35	0.702	-0.105	3.57	0.01	0.007	0	30.5	25.4	74	108	94	0	37	35
2019	11	1	5	27	35	0.646	-0.089	3.57	0.01	0.007	0	30.5	25.4	73.5	108	94	0	37	35
2019	11	1	5	37	35	0.656	-0.098	3.57	0.01	0.007	0	30.1	25.4	73.5	108	94	0	38	35
2019	11	1	5	47	35	0.653	-0.112	3.57	0.01	0.007	0	30.5	25.8	74	108	95	0	37	35
2019	11	1	5	57	35	0.673	-0.092	3.57	0.01	0.007	0	30.5	25.8	74.4	108	95	0	37	35
2019	11	1	6	7	35	0.669	-0.092	3.57	0.01	0.007	0	30.5	25.8	74.8	108	95	0	37	35
2019	11	1	6	17	35	0.659	-0.095	3.57	0.01	0.007	0	30.1	25.4	74.4	107	94	0	37	35
2019	11	1	6	27	35	0.682	-0.115	3.57	0.013	0.01	0	30.1	25.4	74.4	107	94	0	37	35
2019	11	1	6	37	35	0.636	-0.121	3.57	0.01	0.007	0	30.1	25.4	74.4	107	94	0	37	35
2019	11	1	6	47	35	0.669	-0.118	3.57	0.01	0.007	0	30.1	25.4	74.4	107	94	0	37	35
2019	11	1	6	57	35	0.65	-0.052	3.57	0.01	0.007	0	30.5	25.8	73.1	108	95	0	37	35
2019	11	1	7	7	35	0.692	-0.125	3.57	0.01	0.007	0	31.4	26.2	74	110	96	0	37	35
2019	11	1	7	17	35	0.65	-0.118	3.57	0.01	0.007	0	30.1	25.8	75.3	107	95	0	37	35
2019	11	1	7	27	35	0.65	-0.118	3.57	0.01	0.007	0	30.1	25.4	75.3	107	94	0	37	35
2019	11	1	7	37	35	0.666	-0.105	3.57	0.013	0.01	0	30.1	25.4	75.7	107	94	0	37	35
2019	11	1	7	47	35	0.676	-0.131	3.57	0.01	0.007	0	30.5	25.4	75.3	107	93	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	1	7	57	35	0.705	-0.118	3.57	0.013	0.01	0	30.1	25.8	76.1	108	95	0	38	35
2019	11	1	8	7	35	0.643	-0.092	3.57	0.01	0.007	0	30.5	25.8	75.7	108	95	0	37	35
2019	11	1	8	17	35	0.65	-0.072	3.57	0.013	0.01	0	30.5	26.7	76.1	108	96	0	37	34
2019	11	1	8	27	35	0.689	-0.098	3.57	0.01	0.007	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	1	8	37	35	0.676	-0.089	3.573	0.013	0.01	0	31	26.2	76.1	109	96	0	37	35
2019	11	1	8	47	35	0.653	-0.121	3.573	0.01	0.007	0	30.5	25.8	76.1	108	95	0	37	35
2019	11	1	8	57	35	0.653	-0.112	3.573	0.01	0.007	0	30.1	25.4	76.1	107	94	0	37	35
2019	11	1	9	7	35	0.643	-0.118	3.573	0.013	0.01	0	30.1	25.4	76.1	107	94	0	37	35
2019	11	1	9	17	35	0.669	-0.075	3.573	0.013	0.01	0	32.3	27.1	76.1	111	98	0	36	35
2019	11	1	9	27	35	0.636	-0.128	3.573	0.01	0.007	0	31.8	27.5	75.7	111	98	0	37	34
2019	11	1	9	37	35	0.669	-0.118	3.573	0.01	0.007	0	30.5	25.8	76.1	108	95	0	37	35
2019	11	1	9	47	35	0.663	-0.118	3.573	0.013	0.01	0	30.5	25.8	75.7	107	94	0	36	34
2019	11	1	9	57	35	0.686	-0.112	3.573	0.013	0.01	0	30.1	25.4	73.5	107	94	0	37	35
2019	11	1	10	7	35	0.643	-0.118	3.573	0.01	0.007	0	30.5	26.2	76.1	108	96	0	37	35
2019	11	1	10	17	35	0.65	-0.108	3.576	0.01	0.007	0	30.1	25.4	75.3	107	94	0	37	35
2019	11	1	10	27	35	0.686	-0.121	3.573	0.01	0.007	0	30.1	25.4	76.1	106	94	0	36	35
2019	11	1	10	37	35	0.682	-0.105	3.576	0.01	0.007	0	30.1	25.4	76.1	107	94	0	37	35
2019	11	1	10	47	35	0.666	-0.095	3.576	0.013	0.01	0	30.1	25.4	75.7	106	94	0	36	35
2019	11	1	10	57	35	0.663	-0.135	3.576	0.01	0.007	0	29.7	24.9	75.3	106	93	0	37	35
2019	11	1	11	7	35	0.676	-0.157	3.576	0.01	0.007	0	30.1	25.4	75.3	107	94	0	37	35
2019	11	1	11	17	35	0.646	-0.072	3.576	0.01	0.007	0	34	30.1	75.7	117	104	0	38	34
2019	11	1	11	27	35	0.636	-0.115	3.576	0.01	0.007	0	34	29.2	75.7	116	103	0	37	35
2019	11	1	11	37	35	0.682	-0.108	3.576	0.01	0.007	0	32.3	27.5	75.3	112	99	0	37	35
2019	11	1	11	47	35	0.656	-0.089	3.579	0.013	0.01	0	32.3	27.5	75.3	112	99	0	37	35
2019	11	1	11	57	35	0.627	-0.108	3.579	0.01	0.007	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	1	12	7	35	0.636	-0.115	3.579	0.01	0.007	0	33.5	28.4	75.3	114	101	0	36	35
2019	11	1	12	17	35	0.656	-0.135	3.579	0.01	0.007	0	33.1	28.4	75.3	114	101	0	37	35
2019	11	1	12	27	35	0.643	-0.112	3.579	0.013	0.01	0	32.7	28	75.7	112	100	0	36	35
2019	11	1	12	37	35	0.722	-0.105	3.579	0.01	0.007	0	31.8	27.5	76.1	110	98	0	36	34
2019	11	1	12	47	35	0.659	-0.138	3.579	0.01	0.007	0	31.8	26.7	74.8	110	97	0	36	35
2019	11	1	12	57	35	0.643	-0.108	3.579	0.01	0.007	0	31.4	26.2	75.3	109	96	0	36	35
2019	11	1	13	7	35	0.63	-0.108	3.579	0.013	0.01	0	31.4	26.7	71	109	96	0	36	34
2019	11	1	13	17	35	0.659	-0.112	3.579	0.016	0.013	0	31	26.7	64.9	109	97	0	37	35
2019	11	1	13	27	35	0.679	-0.108	3.579	0.01	0.007	0	31	26.7	74	109	97	0	37	35
2019	11	1	13	37	35	0.63	-0.092	3.579	0.01	0.007	0	31	27.1	74.8	109	97	0	37	34
2019	11	1	13	47	35	0.696	-0.112	3.583	0.013	0.01	0	31.4	27.1	75.7	110	98	0	37	35
2019	11	1	13	57	35	0.653	-0.089	3.583	0.013	0.01	0	31.8	27.5	75.7	111	98	0	37	34
2019	11	1	14	7	35	0.669	-0.108	3.583	0.013	0.01	0	37	32.3	74.8	123	110	0	37	35
2019	11	1	14	17	35	0.61	-0.082	3.583	0.013	0.01	0	36.5	31.8	75.3	122	109	0	37	35
2019	11	1	14	27	35	0.679	-0.108	3.583	0.016	0.013	0	33.5	28.8	75.7	115	102	0	37	35
2019	11	1	14	37	35	0.646	-0.098	3.583	0.013	0.01	0	31.8	27.5	74.8	111	99	0	37	35
2019	11	1	14	47	35	0.666	-0.102	3.583	0.01	0.007	0	31.4	26.2	75.3	109	96	0	36	35
2019	11	1	14	57	35	0.666	-0.092	3.583	0.013	0.01	0	31	25.8	74.8	108	95	0	36	35
2019	11	1	15	7	35	0.663	-0.082	3.583	0.013	0.01	0	30.1	25.4	75.3	108	94	0	38	35
2019	11	1	15	17	35	0.682	-0.125	3.583	0.013	0.01	0	30.5	26.2	74.8	108	95	0	37	34
2019	11	1	15	27	35	0.643	-0.095	3.583	0.013	0.01	0	30.1	25.8	73.1	107	94	0	37	34
2019	11	1	15	37	35	0.653	-0.118	3.583	0.013	0.01	0	30.5	25.4	76.1	107	94	0	36	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	1	15	47	35	0.614	-0.131	3.583	0.013	0.01	0	30.5	25.4	75.3	107	94	0	36	35
2019	11	1	15	57	35	0.643	-0.174	3.583	0.01	0.007	0	30.1	25.8	75.3	107	94	0	37	34
2019	11	1	16	7	35	0.64	-0.085	3.583	0.01	0.007	0	30.5	25.4	74	107	94	0	36	35
2019	11	1	16	17	35	0.659	-0.128	3.583	0.01	0.007	0	30.1	25.8	74.8	107	94	0	37	34
2019	11	1	16	27	35	0.643	-0.108	3.583	0.01	0.007	0	30.1	25.4	76.1	107	94	0	37	35
2019	11	1	16	37	35	0.676	-0.121	3.583	0.013	0.01	0	30.1	25.4	75.7	107	94	0	37	35
2019	11	1	16	47	35	0.623	-0.102	3.583	0.01	0.007	0	30.1	25.4	74.4	106	93	0	36	34
2019	11	1	16	57	35	0.676	-0.138	3.579	0.01	0.007	0	29.2	24.9	76.1	106	93	0	38	35
2019	11	1	17	7	35	0.646	-0.098	3.583	0.013	0.01	0	29.7	24.9	76.1	106	93	0	37	35
2019	11	1	17	17	35	0.669	-0.108	3.583	0.01	0.007	0	29.7	24.9	76.1	105	92	0	36	34
2019	11	1	17	27	35	0.682	-0.131	3.583	0.01	0.007	0	29.7	24.9	75.3	106	93	0	37	35
2019	11	1	17	37	35	0.669	-0.095	3.583	0.013	0.01	0	29.7	24.9	76.1	106	93	0	37	35
2019	11	1	17	47	35	0.676	-0.118	3.583	0.013	0.01	0	29.7	25.4	76.1	106	93	0	37	34
2019	11	1	17	57	35	0.686	-0.121	3.579	0.01	0.007	0	29.7	24.9	75.7	106	93	0	37	35
2019	11	1	18	7	35	0.686	-0.138	3.579	0.013	0.01	0	30.1	25.4	76.1	107	94	0	37	35
2019	11	1	18	17	35	0.669	-0.085	3.579	0.01	0.007	0	30.1	25.4	75.7	107	94	0	37	35
2019	11	1	18	27	35	0.679	-0.118	3.579	0.013	0.01	0	31	26.7	75.7	109	96	0	37	34
2019	11	1	18	37	35	0.679	-0.066	3.579	0.01	0.007	0	30.5	26.2	76.1	109	96	0	38	35
2019	11	1	18	47	35	0.646	-0.108	3.579	0.013	0.01	0	31.8	27.1	76.1	110	97	0	36	34
2019	11	1	18	57	35	0.64	-0.121	3.579	0.01	0.007	0	31.8	27.1	75.7	111	98	0	37	35
2019	11	1	19	7	35	0.705	-0.118	3.579	0.01	0.007	0	32.3	27.1	76.1	111	98	0	36	35
2019	11	1	19	17	35	0.696	-0.118	3.579	0.01	0.007	0	32.3	27.1	76.5	111	98	0	36	35
2019	11	1	19	27	35	0.659	-0.075	3.579	0.01	0.007	0	31.8	27.1	76.1	111	98	0	37	35
2019	11	1	19	37	35	0.679	-0.141	3.579	0.01	0.007	0	31.8	26.7	75.7	111	97	0	37	35
2019	11	1	19	47	35	0.696	-0.085	3.579	0.013	0.01	0	31.4	26.7	76.5	110	96	0	37	34
2019	11	1	19	57	35	0.669	-0.118	3.579	0.01	0.007	0	31.8	26.2	76.1	110	96	0	36	35
2019	11	1	20	7	35	0.669	-0.108	3.579	0.01	0.007	0	31.8	26.7	75.7	110	96	0	36	34
2019	11	1	20	17	35	0.636	-0.108	3.579	0.016	0.013	0	31.4	26.2	76.1	110	96	0	37	35
2019	11	1	20	27	35	0.659	-0.079	3.579	0.016	0.013	0	31.4	25.8	77	109	95	0	36	35
2019	11	1	20	37	35	0.666	-0.108	3.579	0.013	0.01	0	31.4	26.2	75.7	110	95	0	37	34
2019	11	1	20	47	35	0.676	-0.112	3.579	0.013	0.01	0	31.4	26.2	75.7	109	96	0	36	35
2019	11	1	20	57	35	0.676	-0.138	3.579	0.013	0.01	0	31	26.2	76.1	109	95	0	37	34
2019	11	1	21	7	35	0.627	-0.121	3.579	0.01	0.007	0	31	26.2	75.3	109	95	0	37	34
2019	11	1	21	17	35	0.705	-0.105	3.579	0.013	0.01	0	31.4	25.8	76.1	110	95	0	37	35
2019	11	1	21	27	35	0.676	-0.102	3.579	0.01	0.007	0	31.4	25.8	76.1	109	95	0	36	35
2019	11	1	21	37	35	0.669	-0.082	3.579	0.01	0.007	0	31	25.8	76.1	109	95	0	37	35
2019	11	1	21	47	35	0.686	-0.102	3.579	0.01	0.007	0	30.5	26.2	75.3	109	95	0	38	34
2019	11	1	21	57	35	0.659	-0.128	3.579	0.01	0.007	0	30.5	26.2	75.3	109	95	0	38	34
2019	11	1	22	7	35	0.686	-0.112	3.579	0.01	0.007	0	31	25.8	75.3	109	95	0	37	35
2019	11	1	22	17	35	0.692	-0.121	3.579	0.01	0.007	0	30.5	25.8	74.8	109	95	0	38	35
2019	11	1	22	27	35	0.663	-0.131	3.579	0.01	0.007	0	31	25.4	74.8	109	94	0	37	35
2019	11	1	22	37	35	0.666	-0.118	3.579	0.013	0.01	0	31	26.2	75.7	109	95	0	37	34
2019	11	1	22	47	35	0.663	-0.108	3.579	0.01	0.007	0	31.4	25.8	72.7	109	95	0	36	35
2019	11	1	22	57	35	0.646	-0.082	3.579	0.016	0.013	0	34.8	30.1	75.3	118	104	0	37	34
2019	11	1	23	7	35	0.669	-0.085	3.579	0.013	0.01	0	33.1	27.5	75.3	113	99	0	36	35
2019	11	1	23	17	35	0.692	-0.102	3.579	0.01	0.007	0	31.8	26.2	74.8	111	96	0	37	35
2019	11	1	23	27	35	0.676	-0.108	3.579	0.01	0.007	0	31.4	26.7	75.3	110	96	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	1	23	37	35	0.669	-0.131	3.579	0.013	0.01	0	31	25.8	75.3	109	95	0	37	35
2019	11	1	23	47	35	0.686	-0.105	3.579	0.013	0.01	0	32.3	26.7	75.3	111	97	0	36	35
2019	11	1	23	57	35	0.656	-0.092	3.579	0.01	0.007	0	33.1	28.8	74.8	114	101	0	37	34
2019	11	2	0	7	35	0.653	-0.079	3.579	0.01	0.007	0	32.7	28	74.4	113	100	0	37	35
2019	11	2	0	17	35	0.666	-0.089	3.579	0.01	0.007	0	33.1	27.5	74.4	113	99	0	36	35
2019	11	2	0	27	35	0.682	-0.092	3.579	0.01	0.007	0	31.8	27.1	75.3	111	98	0	37	35
2019	11	2	0	37	35	0.659	-0.112	3.579	0.013	0.01	0	31.4	26.7	74.8	110	97	0	37	35
2019	11	2	0	47	35	0.702	-0.118	3.579	0.016	0.013	0	31.4	26.2	74.8	110	96	0	37	35
2019	11	2	0	57	35	0.689	-0.085	3.579	0.01	0.007	0	31	26.2	74	109	96	0	37	35
2019	11	2	1	7	35	0.636	-0.105	3.583	0.013	0.01	0	30.5	26.7	73.5	108	96	0	37	34
2019	11	2	1	17	35	0.689	-0.102	3.583	0.013	0.01	0	30.5	25.8	73.5	108	95	0	37	35
2019	11	2	1	27	35	0.666	-0.105	3.583	0.01	0.007	0	31.4	26.7	73.5	109	96	0	36	34
2019	11	2	1	37	35	0.65	-0.108	3.583	0.013	0.01	0	31	26.7	73.5	110	97	0	38	35
2019	11	2	1	47	35	0.663	-0.115	3.583	0.01	0.007	0	33.1	28.4	72.2	114	101	0	37	35
2019	11	2	1	57	35	0.676	-0.102	3.583	0.01	0.007	0	32.7	28	73.1	113	100	0	37	35
2019	11	2	2	7	35	0.617	-0.069	3.583	0.013	0.01	0	36.1	31	73.1	121	107	0	37	35
2019	11	2	2	17	35	0.682	-0.092	3.583	0.01	0.007	0	32.7	27.1	73.5	112	98	0	36	35
2019	11	2	2	27	35	0.663	-0.108	3.583	0.013	0.01	0	31.4	26.2	72.7	110	96	0	37	35
2019	11	2	2	37	35	0.682	-0.131	3.583	0.01	0.007	0	31	26.7	72.7	109	96	0	37	34
2019	11	2	2	47	35	0.663	-0.115	3.583	0.016	0.013	0	30.5	25.8	72.2	108	95	0	37	35
2019	11	2	2	57	35	0.702	-0.102	3.583	0.013	0.01	0	30.5	25.8	72.2	108	95	0	37	35
2019	11	2	3	7	35	0.676	-0.085	3.586	0.01	0.007	0	31	25.8	71.8	109	95	0	37	35
2019	11	2	3	17	35	0.689	-0.115	3.586	0.016	0.013	0	30.5	25.8	71	109	95	0	38	35
2019	11	2	3	27	35	0.682	-0.105	3.586	0.01	0.007	0	30.5	25.8	71.8	108	95	0	37	35
2019	11	2	3	37	35	0.686	-0.108	3.589	0.01	0.007	0	30.5	25.4	71.4	108	94	0	37	35
2019	11	2	3	47	35	0.673	-0.118	3.589	0.016	0.013	0	30.5	26.2	71.4	108	95	0	37	34
2019	11	2	3	57	35	0.682	-0.079	3.593	0.016	0.013	0	30.5	25.8	71.8	108	94	0	37	34
2019	11	2	4	7	35	0.673	-0.098	3.593	0.01	0.007	0	30.1	25.8	71.4	107	94	0	37	34
2019	11	2	4	17	35	0.673	-0.121	3.596	0.01	0.007	0	30.5	25.4	71.8	108	94	0	37	35
2019	11	2	4	27	35	0.692	-0.125	3.596	0.01	0.007	0	30.1	25.4	71.8	107	94	0	37	35
2019	11	2	4	37	35	0.705	-0.105	3.596	0.01	0.007	0	30.5	25.4	72.7	108	94	0	37	35
2019	11	2	4	47	35	0.712	-0.105	3.596	0.01	0.007	0	30.1	25.4	71.8	107	94	0	37	35
2019	11	2	4	57	35	0.646	-0.115	3.599	0.01	0.007	0	30.1	25.4	72.2	107	94	0	37	35
2019	11	2	5	7	35	0.679	-0.141	3.599	0.013	0.01	0	30.1	25.4	73.1	107	94	0	37	35
2019	11	2	5	17	35	0.679	-0.118	3.599	0.013	0.01	0	30.1	24.9	73.5	107	93	0	37	35
2019	11	2	5	27	35	0.656	-0.082	3.599	0.01	0.007	0	29.7	24.9	73.1	107	93	0	38	35
2019	11	2	5	37	35	0.709	-0.115	3.599	0.01	0.007	0	30.5	24.9	73.5	107	93	0	36	35
2019	11	2	5	47	35	0.659	-0.102	3.599	0.01	0.007	0	30.1	24.9	74	107	93	0	37	35
2019	11	2	5	57	35	0.673	-0.108	3.599	0.01	0.007	0	30.1	25.4	73.5	107	94	0	37	35
2019	11	2	6	7	35	0.669	-0.105	3.599	0.016	0.013	0	30.1	25.4	74	107	94	0	37	35
2019	11	2	6	17	35	0.666	-0.082	3.599	0.013	0.01	0	30.1	24.9	74.4	107	93	0	37	35
2019	11	2	6	27	35	0.669	-0.118	3.599	0.01	0.007	0	30.5	24.9	74.8	107	93	0	36	35
2019	11	2	6	37	35	0.646	-0.079	3.599	0.01	0.007	0	29.7	24.9	73.5	106	93	0	37	35
2019	11	2	6	47	35	0.686	-0.089	3.599	0.016	0.013	0	30.1	25.4	75.3	106	93	0	36	34
2019	11	2	6	57	35	0.689	-0.079	3.602	0.01	0.007	0	30.1	25.4	75.3	107	93	0	37	34
2019	11	2	7	7	35	0.689	-0.085	3.599	0.01	0.007	0	29.7	25.4	74.4	106	93	0	37	34
2019	11	2	7	17	35	0.686	-0.105	3.602	0.01	0.007	0	29.7	24.9	75.3	106	93	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	2	7	27	35	0.673	-0.105	3.602	0.01	0.007	0	30.1	24.9	75.7	106	93	0	36	35
2019	11	2	7	37	35	0.686	-0.141	3.602	0.01	0.007	0	29.7	24.5	75.3	106	92	0	37	35
2019	11	2	7	47	35	0.666	-0.108	3.602	0.01	0.007	0	29.7	24.5	75.7	106	92	0	37	35
2019	11	2	7	57	35	0.696	-0.112	3.602	0.01	0.007	0	29.7	25.4	75.7	106	93	0	37	34
2019	11	2	8	7	35	0.669	-0.138	3.602	0.01	0.007	0	29.7	24.9	75.7	106	93	0	37	35
2019	11	2	8	17	35	0.669	-0.112	3.602	0.016	0.013	0	30.1	25.4	75.7	107	94	0	37	35
2019	11	2	8	27	35	0.689	-0.128	3.602	0.01	0.007	0	29.2	24.9	75.7	106	93	0	38	35
2019	11	2	8	37	35	0.686	-0.105	3.602	0.01	0.007	0	29.7	24.9	75.7	106	93	0	37	35
2019	11	2	8	47	35	0.689	-0.112	3.606	0.013	0.01	0	30.1	25.4	75.7	107	93	0	37	34
2019	11	2	8	57	35	0.673	-0.089	3.606	0.01	0.007	0	30.5	26.2	75.3	108	96	0	37	35
2019	11	2	9	7	35	0.682	-0.118	3.606	0.013	0.01	0	29.7	24.9	75.3	106	93	0	37	35
2019	11	2	9	17	35	0.656	-0.115	3.606	0.01	0.007	0	29.7	25.4	75.7	106	94	0	37	35
2019	11	2	9	27	35	0.666	-0.092	3.606	0.01	0.007	0	31	26.7	76.1	109	96	0	37	34
2019	11	2	9	37	35	0.659	-0.085	3.606	0.01	0.007	0	31.4	27.1	75.7	110	97	0	37	34
2019	11	2	9	47	35	0.686	-0.105	3.606	0.013	0.01	0	30.5	26.2	74.8	108	96	0	37	35
2019	11	2	9	57	35	0.702	-0.082	3.606	0.013	0.01	0	29.7	25.8	75.7	107	95	0	38	35
2019	11	2	10	7	35	0.689	-0.128	3.606	0.01	0.007	0	29.7	25.4	76.1	106	94	0	37	35
2019	11	2	10	17	35	0.646	-0.108	3.606	0.01	0.007	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	2	10	27	35	0.692	-0.098	3.609	0.01	0.007	0	30.5	25.8	72.2	108	95	0	37	35
2019	11	2	10	37	35	0.692	-0.115	3.609	0.013	0.01	0	33.1	28.4	75.7	114	101	0	37	35
2019	11	2	10	47	35	0.679	-0.092	3.609	0.013	0.01	0	32.7	28	75.7	113	100	0	37	35
2019	11	2	10	57	35	0.679	-0.118	3.609	0.013	0.01	0	33.1	28.4	74.4	114	101	0	37	35
2019	11	2	11	7	35	0.659	-0.128	3.609	0.01	0.007	0	32.3	27.5	76.1	112	99	0	37	35
2019	11	2	11	17	35	0.676	-0.105	3.609	0.013	0.01	0	34.8	30.1	75.7	117	105	0	36	35
2019	11	2	11	27	35	0.669	-0.105	3.609	0.01	0.007	0	33.1	28.8	76.1	114	102	0	37	35
2019	11	2	11	37	35	0.689	-0.092	3.609	0.01	0.007	0	31.8	27.1	75.7	111	98	0	37	35
2019	11	2	11	47	35	0.676	-0.105	3.612	0.013	0.01	0	31.8	27.1	76.1	111	98	0	37	35
2019	11	2	11	57	35	0.65	-0.115	3.609	0.013	0.01	0	31.8	27.1	75.7	111	98	0	37	35
2019	11	2	12	7	35	0.65	-0.075	3.609	0.01	0.007	0	31	26.7	74.8	110	97	0	38	35
2019	11	2	12	17	35	0.679	-0.105	3.612	0.016	0.013	0	31.8	27.1	75.7	111	98	0	37	35
2019	11	2	12	27	35	0.646	-0.089	3.612	0.01	0.007	0	31.4	27.5	75.3	110	98	0	37	34
2019	11	2	12	37	35	0.663	-0.108	3.612	0.01	0.007	0	35.7	31.4	75.7	120	108	0	37	35
2019	11	2	12	47	35	0.673	-0.098	3.612	0.016	0.013	0	35.3	31	76.1	119	106	0	37	34
2019	11	2	12	57	35	0.653	-0.069	3.612	0.013	0.01	0	35.3	30.1	75.3	118	105	0	36	35
2019	11	2	13	7	35	0.722	-0.102	3.612	0.013	0.01	0	34.4	29.7	75.7	117	104	0	37	35
2019	11	2	13	17	35	0.679	-0.102	3.612	0.01	0.007	0	34	29.7	76.1	116	104	0	37	35
2019	11	2	13	27	35	0.65	-0.118	3.612	0.013	0.01	0	34.4	29.2	76.1	116	103	0	36	35
2019	11	2	13	37	35	0.669	-0.121	3.612	0.013	0.01	0	33.1	28.8	75.7	114	101	0	37	34
2019	11	2	13	47	35	0.666	-0.082	3.612	0.01	0.007	0	32.7	28	75.7	113	100	0	37	35
2019	11	2	13	57	35	0.692	-0.112	3.612	0.013	0.01	0	32.7	28	76.1	113	100	0	37	35
2019	11	2	14	7	35	0.659	-0.102	3.612	0.013	0.01	0	32.7	27.5	76.1	112	99	0	36	35
2019	11	2	14	17	35	0.666	-0.118	3.612	0.01	0.007	0	32.3	28	75.3	112	100	0	37	35
2019	11	2	14	27	35	0.653	-0.128	3.612	0.01	0.007	0	34	29.2	74.8	116	103	0	37	35
2019	11	2	14	37	35	0.676	-0.102	3.612	0.01	0.007	0	34	29.2	75.3	116	103	0	37	35
2019	11	2	14	47	35	0.666	-0.089	3.612	0.016	0.013	0	34	29.2	76.1	116	103	0	37	35
2019	11	2	14	57	35	0.659	-0.105	3.612	0.013	0.01	0	34	28.8	74.8	115	102	0	36	35
2019	11	2	15	7	35	0.646	-0.092	3.612	0.013	0.01	0	33.5	29.2	76.1	115	103	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	2	15	17	35	0.679	-0.105	3.612	0.013	0.01	0	33.5	28.8	72.7	115	102	0	37	35
2019	11	2	15	27	35	0.686	-0.128	3.612	0.016	0.013	0	34.8	30.5	76.1	118	106	0	37	35
2019	11	2	15	37	35	0.663	-0.092	3.612	0.01	0.007	0	35.3	31	71	118	106	0	36	34
2019	11	2	15	47	35	0.679	-0.095	3.612	0.013	0.01	0	34	30.1	72.7	116	104	0	37	34
2019	11	2	15	57	35	0.673	-0.108	3.612	0.016	0.013	0	34.8	29.7	56.3	118	104	0	37	35
2019	11	2	16	7	35	0.666	-0.082	3.612	0.016	0.013	0	33.1	28.8	68.8	114	101	0	37	34
2019	11	2	16	17	35	0.679	-0.121	3.612	0.01	0.007	0	33.1	28	54.2	114	100	0	37	35
2019	11	2	16	27	35	0.65	-0.092	3.612	0.013	0.01	0	32.7	28.8	67.5	113	101	0	37	34
2019	11	2	16	37	35	0.65	-0.108	3.612	0.01	0.007	0	33.5	28.8	72.7	115	102	0	37	35
2019	11	2	16	47	35	0.679	-0.082	3.612	0.013	0.01	0	34	28.8	76.1	115	102	0	36	35
2019	11	2	16	57	35	0.643	-0.095	3.612	0.01	0.007	0	33.1	28	76.1	114	100	0	37	35
2019	11	2	17	7	35	0.65	-0.089	3.612	0.01	0.007	0	32.3	27.5	75.7	112	99	0	37	35
2019	11	2	17	17	35	0.666	-0.098	3.612	0.013	0.01	0	32.7	28.4	75.7	113	101	0	37	35
2019	11	2	17	27	35	0.653	-0.092	3.612	0.013	0.01	0	32.7	28.4	75.7	113	101	0	37	35
2019	11	2	17	37	35	0.653	-0.092	3.612	0.013	0.01	0	33.1	28.8	76.1	114	101	0	37	34
2019	11	2	17	47	35	0.653	-0.095	3.612	0.013	0.01	0	33.1	28.8	76.5	114	101	0	37	34
2019	11	2	17	57	35	0.653	-0.092	3.612	0.016	0.013	0	32.7	28	76.5	113	100	0	37	35
2019	11	2	18	7	35	0.673	-0.092	3.612	0.01	0.007	0	32.3	27.5	75.3	112	99	0	37	35
2019	11	2	18	17	35	0.659	-0.102	3.612	0.016	0.013	0	31.8	27.1	76.5	111	98	0	37	35
2019	11	2	18	27	35	0.692	-0.125	3.612	0.01	0.007	0	31.8	27.1	75.3	111	98	0	37	35
2019	11	2	18	37	35	0.669	-0.108	3.612	0.01	0.007	0	31.8	27.1	75.7	111	98	0	37	35
2019	11	2	18	47	35	0.666	-0.092	3.612	0.01	0.007	0	31.8	27.1	76.5	111	98	0	37	35
2019	11	2	18	57	35	0.653	-0.112	3.612	0.01	0.007	0	32.3	27.5	76.1	112	99	0	37	35
2019	11	2	19	7	35	0.676	-0.118	3.612	0.016	0.013	0	32.3	27.1	76.5	112	98	0	37	35
2019	11	2	19	17	35	0.64	-0.105	3.612	0.01	0.007	0	32.3	27.1	74.8	112	99	0	37	36
2019	11	2	19	27	35	0.689	-0.148	3.612	0.01	0.007	0	31.8	27.5	75.3	111	99	0	37	35
2019	11	2	19	37	35	0.686	-0.075	3.612	0.013	0.01	0	31.8	27.5	75.3	111	98	0	37	34
2019	11	2	19	47	35	0.692	-0.098	3.612	0.01	0.007	0	32.3	27.1	76.1	111	98	0	36	35
2019	11	2	19	57	35	0.676	-0.128	3.612	0.016	0.013	0	31.8	27.1	76.1	111	98	0	37	35
2019	11	2	20	7	35	0.643	-0.105	3.612	0.01	0.007	0	32.3	26.7	75.7	111	97	0	36	35
2019	11	2	20	17	35	0.65	-0.085	3.612	0.01	0.007	0	31.4	26.7	75.7	110	97	0	37	35
2019	11	2	20	27	35	0.666	-0.112	3.612	0.01	0.007	0	31.8	27.1	75.7	111	98	0	37	35
2019	11	2	20	37	35	0.623	-0.102	3.612	0.013	0.01	0	31.4	26.7	75.7	111	97	0	38	35
2019	11	2	20	47	35	0.653	-0.102	3.612	0.013	0.01	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	2	20	57	35	0.676	-0.108	3.612	0.01	0.007	0	31.8	27.1	75.3	111	98	0	37	35
2019	11	2	21	7	35	0.692	-0.092	3.612	0.013	0.01	0	31.8	26.7	75.7	111	97	0	37	35
2019	11	2	21	17	35	0.692	-0.105	3.612	0.013	0.01	0	31.4	26.7	75.7	110	97	0	37	35
2019	11	2	21	27	35	0.682	-0.092	3.612	0.016	0.016	0	31.4	27.1	76.1	110	97	0	37	34
2019	11	2	21	37	35	0.656	-0.118	3.612	0.013	0.01	0	31.4	26.7	75.3	110	97	0	37	35
2019	11	2	21	47	35	0.666	-0.125	3.612	0.01	0.007	0	31.4	27.1	76.1	110	97	0	37	34
2019	11	2	21	57	35	0.702	-0.128	3.612	0.01	0.007	0	31.8	27.1	76.1	110	97	0	36	34
2019	11	2	22	7	35	0.65	-0.108	3.612	0.01	0.007	0	31	26.2	75.7	109	96	0	37	35
2019	11	2	22	17	35	0.679	-0.079	3.615	0.01	0.007	0	31.4	26.2	76.1	110	96	0	37	35
2019	11	2	22	27	35	0.676	-0.128	3.612	0.01	0.007	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	2	22	37	35	0.676	-0.108	3.612	0.01	0.007	0	32.7	28	75.7	113	100	0	37	35
2019	11	2	22	47	35	0.689	-0.112	3.612	0.01	0.007	0	34	29.2	76.1	116	103	0	37	35
2019	11	2	22	57	35	0.643	-0.128	3.615	0.01	0.007	0	32.3	27.5	75.3	112	99	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	2	23	7	35	0.709	-0.115	3.612	0.016	0.016	0	31.4	26.7	75.7	110	97	0	37	35
2019	11	2	23	17	35	0.702	-0.118	3.612	0.013	0.01	0	31.4	26.7	75.7	110	97	0	37	35
2019	11	2	23	27	35	0.676	-0.108	3.612	0.01	0.007	0	31.8	27.1	75.7	111	97	0	37	34
2019	11	2	23	37	35	0.682	-0.108	3.612	0.01	0.007	0	31.4	26.2	76.1	110	96	0	37	35
2019	11	2	23	47	35	0.689	-0.105	3.612	0.01	0.007	0	31	26.2	75.7	109	96	0	37	35
2019	11	2	23	57	35	0.682	-0.131	3.612	0.01	0.007	0	31.4	26.7	75.7	110	96	0	37	34
2019	11	3	0	7	35	0.666	-0.141	3.612	0.01	0.007	0	31	25.8	75.7	109	95	0	37	35
2019	11	3	0	17	35	0.702	-0.118	3.612	0.01	0.007	0	30.5	26.7	75.3	109	96	0	38	34
2019	11	3	0	27	35	0.686	-0.075	3.612	0.016	0.013	0	31	26.2	75.7	109	96	0	37	35
2019	11	3	0	37	35	0.676	-0.105	3.612	0.016	0.016	0	30.5	25.8	76.1	108	95	0	37	35
2019	11	3	0	47	35	0.689	-0.102	3.612	0.013	0.01	0	31.4	25.8	74.8	109	95	0	36	35
2019	11	3	0	57	35	0.679	-0.121	3.612	0.01	0.007	0	31	25.8	75.3	108	95	0	36	35
2019	11	3	1	7	35	0.699	-0.105	3.612	0.01	0.007	0	30.5	25.8	75.3	108	95	0	37	35
2019	11	3	1	17	35	0.696	-0.075	3.612	0.013	0.01	0	30.5	25.8	74.8	108	95	0	37	35
2019	11	3	1	27	35	0.673	-0.062	3.612	0.01	0.007	0	30.5	25.8	75.7	108	95	0	37	35
2019	11	3	1	37	35	0.676	-0.105	3.612	0.016	0.013	0	30.5	25.4	74.8	108	94	0	37	35
2019	11	3	1	47	35	0.65	-0.092	3.612	0.01	0.007	0	31	25.4	74.8	108	94	0	36	35
2019	11	3	1	57	35	0.702	-0.105	3.612	0.01	0.007	0	30.1	24.9	75.3	107	93	0	37	35
2019	11	3	2	7	35	0.65	-0.089	3.612	0.01	0.007	0	30.5	25.8	74.8	108	94	0	37	34
2019	11	3	2	17	35	0.686	-0.092	3.612	0.01	0.007	0	30.5	25.4	74.8	108	94	0	37	35
2019	11	3	2	27	35	0.673	-0.118	3.612	0.01	0.007	0	30.5	25.4	75.3	108	94	0	37	35
2019	11	3	2	37	35	0.692	-0.115	3.612	0.013	0.01	0	30.1	25.4	74.8	107	94	0	37	35
2019	11	3	2	47	35	0.669	-0.102	3.612	0.013	0.01	0	30.1	25.4	74.4	107	94	0	37	35
2019	11	3	2	57	35	0.653	-0.092	3.612	0.01	0.007	0	30.1	25.8	74.8	107	94	0	37	34
2019	11	3	3	7	35	0.669	-0.085	3.612	0.013	0.01	0	30.1	25.4	74.8	107	94	0	37	35
2019	11	3	3	17	35	0.689	-0.069	3.612	0.01	0.007	0	30.5	25.4	74.8	108	94	0	37	35
2019	11	3	3	27	35	0.699	-0.095	3.612	0.01	0.007	0	30.1	25.4	74.8	107	94	0	37	35
2019	11	3	3	37	35	0.659	-0.121	3.612	0.01	0.007	0	30.5	25.4	75.3	107	94	0	36	35
2019	11	3	3	47	35	0.702	-0.089	3.612	0.01	0.007	0	30.1	24.9	74.8	107	93	0	37	35
2019	11	3	3	57	35	0.679	-0.128	3.612	0.01	0.007	0	30.1	24.9	74.8	107	93	0	37	35
2019	11	3	4	7	35	0.673	-0.102	3.612	0.013	0.01	0	30.1	24.9	74.8	107	93	0	37	35
2019	11	3	4	17	35	0.692	-0.108	3.612	0.01	0.007	0	30.1	25.4	74.8	107	94	0	37	35
2019	11	3	4	27	35	0.663	-0.118	3.612	0.013	0.01	0	30.1	25.4	74.8	107	94	0	37	35
2019	11	3	4	37	35	0.673	-0.125	3.609	0.013	0.01	0	31	26.2	74.8	109	96	0	37	35
2019	11	3	4	47	35	0.636	-0.121	3.609	0.013	0.01	0	30.5	25.4	74.8	108	94	0	37	35
2019	11	3	4	57	35	0.663	-0.144	3.612	0.01	0.007	0	30.1	25.4	74.8	107	94	0	37	35
2019	11	3	5	7	35	0.656	-0.105	3.612	0.01	0.007	0	30.5	25.4	74.8	108	94	0	37	35
2019	11	3	5	17	35	0.659	-0.105	3.612	0.013	0.01	0	30.5	25.4	74.4	107	94	0	36	35
2019	11	3	5	27	35	0.676	-0.098	3.612	0.013	0.01	0	30.1	24.9	74.4	107	93	0	37	35
2019	11	3	5	37	35	0.679	-0.128	3.612	0.01	0.007	0	29.7	25.4	74	107	94	0	38	35
2019	11	3	5	47	35	0.659	-0.118	3.612	0.01	0.007	0	30.1	24.9	74.8	107	93	0	37	35
2019	11	3	5	57	35	0.676	-0.092	3.609	0.01	0.007	0	29.7	24.5	74.4	106	93	0	37	36
2019	11	3	6	7	35	0.663	-0.079	3.609	0.013	0.01	0	29.7	24.9	74.8	106	93	0	37	35
2019	11	3	6	17	35	0.666	-0.135	3.609	0.013	0.01	0	29.7	24.9	74.8	106	93	0	37	35
2019	11	3	6	27	35	0.659	-0.108	3.609	0.01	0.007	0	29.2	24.9	75.3	106	93	0	38	35
2019	11	3	6	37	35	0.663	-0.121	3.612	0.01	0.007	0	29.7	24.5	75.3	106	92	0	37	35
2019	11	3	6	47	35	0.656	-0.112	3.609	0.01	0.007	0	28.8	24.5	73.5	105	92	0	38	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	3	6	57	35	0.682	-0.115	3.612	0.016	0.013	0	29.7	25.4	74.4	106	94	0	37	35
2019	11	3	7	7	35	0.666	-0.125	3.609	0.01	0.007	0	32.7	27.1	72.7	112	98	0	36	35
2019	11	3	7	17	35	0.663	-0.085	3.612	0.01	0.007	0	31.4	26.2	74.8	110	96	0	37	35
2019	11	3	7	27	35	0.633	-0.125	3.609	0.01	0.007	0	30.1	25.4	74.8	107	94	0	37	35
2019	11	3	7	37	35	0.686	-0.092	3.612	0.01	0.007	0	29.7	24.9	74.8	106	93	0	37	35
2019	11	3	7	47	35	0.653	-0.095	3.609	0.01	0.007	0	28.8	24.5	74.4	105	92	0	38	35
2019	11	3	7	57	35	0.696	-0.118	3.612	0.01	0.007	0	29.2	24.5	74.4	105	92	0	37	35
2019	11	3	8	7	35	0.669	-0.108	3.609	0.01	0.007	0	29.2	24.9	74.4	106	93	0	38	35
2019	11	3	8	17	35	0.696	-0.108	3.609	0.01	0.007	0	29.7	24.5	74.4	106	93	0	37	36
2019	11	3	8	27	35	0.659	-0.098	3.609	0.01	0.007	0	30.1	24.9	75.3	107	93	0	37	35
2019	11	3	8	37	35	0.663	-0.095	3.612	0.01	0.007	0	29.7	24.9	75.3	106	93	0	37	35
2019	11	3	8	47	35	0.679	-0.105	3.612	0.01	0.007	0	29.7	24.9	74.4	106	93	0	37	35
2019	11	3	8	57	35	0.673	-0.098	3.612	0.013	0.01	0	29.2	24.5	74.8	105	92	0	37	35
2019	11	3	9	7	35	0.659	-0.108	3.612	0.013	0.01	0	29.2	24.5	75.3	105	92	0	37	35
2019	11	3	9	17	35	0.686	-0.118	3.612	0.013	0.01	0	29.2	24.5	74.8	105	92	0	37	35
2019	11	3	9	27	35	0.65	-0.115	3.612	0.013	0.01	0	29.2	24.5	74.4	105	92	0	37	35
2019	11	3	9	37	35	0.663	-0.144	3.612	0.013	0.01	0	29.2	24.9	75.3	105	93	0	37	35
2019	11	3	9	47	35	0.692	-0.115	3.612	0.01	0.007	0	28.8	24.5	75.3	104	92	0	37	35
2019	11	3	9	57	35	0.659	-0.105	3.612	0.01	0.007	0	29.2	24.5	75.7	105	92	0	37	35
2019	11	3	10	7	35	0.673	-0.105	3.612	0.01	0.007	0	28.8	24.5	74.8	104	92	0	37	35
2019	11	3	10	17	35	0.682	-0.131	3.612	0.01	0.007	0	29.2	24.9	75.7	105	92	0	37	34
2019	11	3	10	27	35	0.659	-0.121	3.612	0.01	0.007	0	28.8	24.5	75.3	105	92	0	38	35
2019	11	3	10	37	35	0.636	-0.105	3.612	0.01	0.007	0	28.8	24.9	74.4	104	92	0	37	34
2019	11	3	10	47	35	0.64	-0.148	3.612	0.01	0.007	0	28.8	24.5	75.3	104	92	0	37	35
2019	11	3	10	57	35	0.682	-0.118	3.612	0.01	0.007	0	28.8	24.5	74.4	105	92	0	38	35
2019	11	3	11	7	35	0.689	-0.115	3.612	0.013	0.01	0	29.2	24.5	74.8	105	92	0	37	35
2019	11	3	11	17	35	0.682	-0.141	3.612	0.01	0.007	0	29.7	24.9	74.4	106	93	0	37	35
2019	11	3	11	27	35	0.63	-0.098	3.612	0.01	0.007	0	31.8	27.1	74.8	111	98	0	37	35
2019	11	3	11	37	35	0.636	-0.102	3.615	0.01	0.007	0	34	29.7	75.3	116	103	0	37	34
2019	11	3	11	47	35	0.636	-0.105	3.615	0.01	0.007	0	32.3	28	73.1	113	100	0	38	35
2019	11	3	11	57	35	0.673	-0.125	3.615	0.013	0.01	0	33.1	28.4	74.8	113	101	0	36	35
2019	11	3	12	7	35	0.676	-0.102	3.615	0.013	0.01	0	32.3	28.4	74.8	112	100	0	37	34
2019	11	3	12	17	35	0.659	-0.092	3.615	0.013	0.01	0	31.4	27.1	75.7	110	97	0	37	34
2019	11	3	12	27	35	0.676	-0.115	3.615	0.013	0.01	0	31	26.7	75.7	109	96	0	37	34
2019	11	3	12	37	35	0.692	-0.118	3.615	0.013	0.01	0	30.5	25.8	75.7	108	95	0	37	35
2019	11	3	12	47	35	0.676	-0.092	3.615	0.01	0.007	0	30.1	25.8	75.3	107	95	0	37	35
2019	11	3	12	57	35	0.692	-0.079	3.615	0.013	0.01	0	30.1	26.2	75.3	107	95	0	37	34
2019	11	3	13	7	35	0.689	-0.092	3.615	0.01	0.007	0	31	26.7	75.7	109	97	0	37	35
2019	11	3	13	17	35	0.696	-0.085	3.615	0.01	0.007	0	31	26.2	74.8	109	96	0	37	35
2019	11	3	13	27	35	0.666	-0.118	3.615	0.01	0.007	0	30.5	26.7	75.7	108	96	0	37	34
2019	11	3	13	37	35	0.702	-0.112	3.615	0.01	0.007	0	30.5	26.7	75.3	108	96	0	37	34
2019	11	3	13	47	35	0.64	-0.108	3.615	0.016	0.013	0	31	25.8	76.1	108	95	0	36	35
2019	11	3	13	57	35	0.679	-0.095	3.615	0.01	0.007	0	30.5	25.8	75.3	108	95	0	37	35
2019	11	3	14	7	35	0.65	-0.131	3.615	0.016	0.013	0	31	26.7	76.1	109	96	0	37	34
2019	11	3	14	17	35	0.653	-0.095	3.615	0.01	0.007	0	31.8	27.1	75.7	111	98	0	37	35
2019	11	3	14	27	35	0.702	-0.131	3.615	0.01	0.007	0	31.4	27.5	75.7	110	98	0	37	34
2019	11	3	14	37	35	0.673	-0.118	3.615	0.01	0.007	0	30.5	26.2	76.1	108	96	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	3	14	47	35	0.679	-0.115	3.615	0.013	0.01	0	31	26.2	76.1	108	96	0	36	35
2019	11	3	14	57	35	0.682	-0.108	3.615	0.013	0.01	0	31.4	27.1	75.7	110	98	0	37	35
2019	11	3	15	7	35	0.656	-0.115	3.615	0.01	0.007	0	31	26.7	75.7	109	97	0	37	35
2019	11	3	15	17	35	0.686	-0.102	3.615	0.013	0.01	0	33.5	28.8	76.1	115	102	0	37	35
2019	11	3	15	27	35	0.636	-0.118	3.615	0.01	0.007	0	36.5	31.4	75.7	121	108	0	36	35
2019	11	3	15	37	35	0.656	-0.105	3.615	0.013	0.01	0	35.3	31	76.1	119	106	0	37	34
2019	11	3	15	47	35	0.646	-0.131	3.615	0.01	0.007	0	33.5	29.7	76.1	115	103	0	37	34
2019	11	3	15	57	35	0.692	-0.118	3.615	0.01	0.007	0	32.3	27.5	76.5	112	99	0	37	35
2019	11	3	16	7	35	0.679	-0.125	3.615	0.01	0.007	0	33.1	28	74.8	114	100	0	37	35
2019	11	3	16	17	35	0.679	-0.105	3.615	0.013	0.01	0	32.3	27.5	76.5	112	99	0	37	35
2019	11	3	16	27	35	0.63	-0.092	3.615	0.013	0.01	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	3	16	37	35	0.699	-0.079	3.615	0.01	0.007	0	31.8	27.1	74.4	111	98	0	37	35
2019	11	3	16	47	35	0.65	-0.108	3.612	0.01	0.007	0	31.8	27.1	75.7	111	98	0	37	35
2019	11	3	16	57	35	0.653	-0.092	3.612	0.01	0.007	0	31.8	27.1	69.7	111	98	0	37	35
2019	11	3	17	7	35	0.623	-0.115	3.612	0.01	0.007	0	31.4	26.7	75.7	110	97	0	37	35
2019	11	3	17	17	35	0.636	-0.148	3.615	0.01	0.007	0	30.5	26.2	76.1	108	96	0	37	35
2019	11	3	17	27	35	0.643	-0.108	3.615	0.013	0.01	0	30.5	25.8	75.7	108	94	0	37	34
2019	11	3	17	37	35	0.663	-0.079	3.612	0.013	0.01	0	31.4	26.2	76.1	109	96	0	36	35
2019	11	3	17	47	35	0.633	-0.118	3.612	0.01	0.007	0	31	25.8	76.1	108	95	0	36	35
2019	11	3	17	57	35	0.669	-0.121	3.615	0.01	0.007	0	30.1	25.8	76.1	107	94	0	37	34
2019	11	3	18	7	35	0.653	-0.085	3.615	0.01	0.007	0	30.5	25.8	75.7	108	95	0	37	35
2019	11	3	18	17	35	0.663	-0.108	3.615	0.013	0.01	0	31	26.2	76.1	109	95	0	37	34
2019	11	3	18	27	35	0.669	-0.089	3.615	0.01	0.007	0	31	26.2	77	109	96	0	37	35
2019	11	3	18	37	35	0.643	-0.108	3.615	0.01	0.007	0	31.4	27.1	77	110	97	0	37	34
2019	11	3	18	47	35	0.666	-0.125	3.615	0.01	0.007	0	31.4	26.7	77	110	97	0	37	35
2019	11	3	18	57	35	0.659	-0.102	3.615	0.013	0.01	0	31.4	26.7	76.5	110	96	0	37	34
2019	11	3	19	7	35	0.666	-0.118	3.615	0.01	0.007	0	31.4	26.7	76.5	110	97	0	37	35
2019	11	3	19	17	35	0.663	-0.089	3.612	0.01	0.007	0	31.4	27.1	76.1	110	97	0	37	34
2019	11	3	19	27	35	0.663	-0.118	3.615	0.01	0.007	0	31.4	26.7	77	110	96	0	37	34
2019	11	3	19	37	35	0.659	-0.144	3.612	0.01	0.007	0	31.4	26.2	76.5	110	96	0	37	35
2019	11	3	19	47	35	0.659	-0.118	3.612	0.01	0.007	0	31.4	26.2	76.5	110	96	0	37	35
2019	11	3	19	57	35	0.659	-0.095	3.612	0.01	0.007	0	31.8	26.7	76.5	110	96	0	36	34
2019	11	3	20	7	35	0.686	-0.118	3.612	0.013	0.01	0	31.4	26.2	76.1	110	96	0	37	35
2019	11	3	20	17	35	0.61	-0.105	3.612	0.01	0.007	0	31.4	26.2	76.1	110	96	0	37	35
2019	11	3	20	27	35	0.679	-0.105	3.612	0.01	0.007	0	31.8	26.7	76.1	110	97	0	36	35
2019	11	3	20	37	35	0.64	-0.079	3.612	0.01	0.007	0	31.4	26.2	76.1	110	96	0	37	35
2019	11	3	20	47	35	0.653	-0.118	3.612	0.01	0.007	0	31.8	26.2	76.5	110	96	0	36	35
2019	11	3	20	57	35	0.679	-0.115	3.612	0.01	0.007	0	31.8	26.2	76.5	110	96	0	36	35
2019	11	3	21	7	35	0.673	-0.144	3.612	0.01	0.007	0	31	26.7	76.5	109	96	0	37	34
2019	11	3	21	17	35	0.676	-0.092	3.612	0.01	0.007	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	3	21	27	35	0.679	-0.118	3.612	0.01	0.007	0	31.4	26.2	76.5	109	96	0	36	35
2019	11	3	21	37	35	0.65	-0.115	3.612	0.01	0.007	0	31	26.2	75.7	109	96	0	37	35
2019	11	3	21	47	35	0.666	-0.128	3.612	0.01	0.007	0	31	26.2	76.5	109	96	0	37	35
2019	11	3	21	57	35	0.666	-0.102	3.612	0.013	0.01	0	31	26.2	76.5	109	96	0	37	35
2019	11	3	22	7	35	0.679	-0.115	3.612	0.01	0.007	0	31	26.2	77	109	96	0	37	35
2019	11	3	22	17	35	0.676	-0.141	3.612	0.013	0.01	0	31	25.8	76.1	109	95	0	37	35
2019	11	3	22	27	35	0.656	-0.115	3.612	0.01	0.007	0	31	26.2	76.5	109	96	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	3	22	37	35	0.656	-0.135	3.612	0.013	0.01	0	30.5	25.8	76.1	108	95	0	37	35
2019	11	3	22	47	35	0.686	-0.105	3.612	0.01	0.007	0	30.5	26.2	75.3	108	95	0	37	34
2019	11	3	22	57	35	0.636	-0.095	3.612	0.01	0.007	0	31	25.8	76.1	108	95	0	36	35
2019	11	3	23	7	35	0.682	-0.141	3.612	0.016	0.016	0	30.5	25.8	76.1	108	95	0	37	35
2019	11	3	23	17	35	0.689	-0.131	3.612	0.01	0.007	0	30.5	25.4	75.7	108	95	0	37	36
2019	11	3	23	27	35	0.676	-0.121	3.612	0.01	0.007	0	30.5	25.8	75.7	108	95	0	37	35
2019	11	3	23	37	35	0.663	-0.105	3.612	0.013	0.01	0	30.5	25.8	76.1	108	95	0	37	35
2019	11	3	23	47	35	0.659	-0.112	3.612	0.013	0.01	0	30.5	25.8	75.7	108	95	0	37	35
2019	11	3	23	57	35	0.696	-0.095	3.612	0.01	0.007	0	30.1	25.8	76.1	107	95	0	37	35
2019	11	4	0	7	35	0.65	-0.105	3.609	0.013	0.01	0	30.1	25.4	75.7	107	94	0	37	35
2019	11	4	0	17	35	0.676	-0.131	3.612	0.01	0.007	0	30.1	25.8	76.1	107	94	0	37	34
2019	11	4	0	27	35	0.689	-0.128	3.612	0.01	0.007	0	30.1	25.4	75.7	107	94	0	37	35
2019	11	4	0	37	35	0.663	-0.095	3.612	0.01	0.007	0	30.1	25.4	76.1	107	94	0	37	35
2019	11	4	0	47	35	0.64	-0.105	3.609	0.01	0.007	0	30.5	25.8	75.3	108	94	0	37	34
2019	11	4	0	57	35	0.669	-0.112	3.609	0.013	0.01	0	30.1	25.8	75.7	107	95	0	37	35
2019	11	4	1	7	35	0.692	-0.098	3.609	0.013	0.01	0	30.1	25.4	75.3	107	94	0	37	35
2019	11	4	1	17	35	0.679	-0.095	3.609	0.01	0.007	0	30.1	25.4	75.3	107	94	0	37	35
2019	11	4	1	27	35	0.686	-0.112	3.609	0.01	0.007	0	30.5	25.4	75.3	107	94	0	36	35
2019	11	4	1	37	35	0.686	-0.092	3.609	0.01	0.007	0	31	25.8	75.7	108	95	0	36	35
2019	11	4	1	47	35	0.689	-0.095	3.609	0.01	0.007	0	30.1	25.4	76.1	107	94	0	37	35
2019	11	4	1	57	35	0.676	-0.112	3.609	0.013	0.01	0	30.1	24.9	75.3	106	94	0	36	36
2019	11	4	2	7	35	0.65	-0.105	3.609	0.01	0.007	0	29.7	25.4	75.3	106	94	0	37	35
2019	11	4	2	17	35	0.663	-0.102	3.609	0.01	0.007	0	29.7	25.4	75.3	107	94	0	38	35
2019	11	4	2	27	35	0.673	-0.115	3.609	0.01	0.007	0	30.1	25.8	76.1	107	94	0	37	34
2019	11	4	2	37	35	0.636	-0.108	3.609	0.016	0.016	0	29.7	24.9	75.7	106	93	0	37	35
2019	11	4	2	47	35	0.666	-0.105	3.609	0.01	0.007	0	30.5	25.8	75.3	107	94	0	36	34
2019	11	4	2	57	35	0.673	-0.092	3.609	0.01	0.007	0	29.7	24.9	75.7	106	93	0	37	35
2019	11	4	3	7	35	0.636	-0.112	3.609	0.013	0.01	0	29.7	25.4	76.1	106	93	0	37	34
2019	11	4	3	17	35	0.65	-0.141	3.609	0.01	0.007	0	29.7	25.4	75.7	106	94	0	37	35
2019	11	4	3	27	35	0.659	-0.095	3.609	0.013	0.01	0	29.7	24.9	76.1	106	93	0	37	35
2019	11	4	3	37	35	0.666	-0.098	3.609	0.01	0.007	0	29.7	24.9	75.3	106	93	0	37	35
2019	11	4	3	47	35	0.673	-0.115	3.609	0.016	0.013	0	29.7	24.9	75.3	106	93	0	37	35
2019	11	4	3	57	35	0.679	-0.102	3.609	0.01	0.007	0	30.1	24.9	75.3	106	93	0	36	35
2019	11	4	4	7	35	0.673	-0.105	3.609	0.01	0.007	0	29.7	25.4	74.8	106	94	0	37	35
2019	11	4	4	17	35	0.633	-0.138	3.609	0.01	0.007	0	30.1	25.4	74.8	107	94	0	37	35
2019	11	4	4	27	35	0.656	-0.105	3.609	0.01	0.007	0	29.2	24.9	75.3	105	93	0	37	35
2019	11	4	4	37	35	0.65	-0.105	3.609	0.01	0.007	0	29.7	25.4	75.7	105	93	0	36	34
2019	11	4	4	47	35	0.633	-0.079	3.609	0.01	0.007	0	29.7	24.9	75.3	106	93	0	37	35
2019	11	4	4	57	35	0.636	-0.102	3.609	0.01	0.007	0	29.2	24.9	74.8	105	93	0	37	35
2019	11	4	5	7	35	0.65	-0.108	3.609	0.013	0.01	0	29.7	24.9	75.3	106	93	0	37	35
2019	11	4	5	17	35	0.696	-0.102	3.609	0.013	0.01	0	29.2	24.9	74.8	106	93	0	38	35
2019	11	4	5	27	35	0.663	-0.105	3.609	0.01	0.007	0	30.1	24.9	74.8	106	93	0	36	35
2019	11	4	5	37	35	0.663	-0.105	3.609	0.01	0.007	0	29.2	24.9	75.3	105	93	0	37	35
2019	11	4	5	47	35	0.673	-0.118	3.609	0.016	0.013	0	29.2	24.5	74.8	105	92	0	37	35
2019	11	4	5	57	35	0.686	-0.108	3.609	0.01	0.007	0	29.2	24.5	74.8	105	92	0	37	35
2019	11	4	6	7	35	0.709	-0.102	3.609	0.013	0.01	0	29.2	24.5	74.4	105	92	0	37	35
2019	11	4	6	17	35	0.666	-0.131	3.609	0.01	0.007	0	29.7	24.5	74.8	105	92	0	36	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	4	6	27	35	0.659	-0.112	3.609	0.01	0.007	0	29.2	24.9	74.8	105	92	0	37	34
2019	11	4	6	37	35	0.712	-0.154	3.609	0.013	0.01	0	29.2	24.9	74.8	105	92	0	37	34
2019	11	4	6	47	35	0.656	-0.089	3.609	0.01	0.007	0	29.2	24.9	74.8	105	92	0	37	34
2019	11	4	6	57	35	0.689	-0.079	3.609	0.01	0.007	0	29.2	24.5	74.4	105	92	0	37	35
2019	11	4	7	7	35	0.682	-0.108	3.609	0.01	0.007	0	29.2	24.5	74.8	105	92	0	37	35
2019	11	4	7	17	35	0.682	-0.118	3.609	0.01	0.007	0	29.2	24.9	74	105	92	0	37	34
2019	11	4	7	27	35	0.659	-0.112	3.609	0.013	0.01	0	28.8	24.5	74	104	92	0	37	35
2019	11	4	7	37	35	0.692	-0.115	3.609	0.01	0.007	0	29.2	24.5	74.8	105	92	0	37	35
2019	11	4	7	47	35	0.663	-0.085	3.609	0.013	0.01	0	28.4	24.1	74.8	104	91	0	38	35
2019	11	4	7	57	35	0.643	-0.108	3.609	0.013	0.01	0	28.8	24.9	74.4	105	92	0	38	34
2019	11	4	8	7	35	0.689	-0.131	3.609	0.013	0.01	0	28.8	24.5	74.8	104	92	0	37	35
2019	11	4	8	17	35	0.669	-0.108	3.609	0.013	0.01	0	29.2	24.5	75.3	105	92	0	37	35
2019	11	4	8	27	35	0.666	-0.105	3.609	0.01	0.007	0	29.2	24.5	74.4	105	92	0	37	35
2019	11	4	8	37	35	0.673	-0.118	3.609	0.01	0.007	0	28.8	24.5	75.3	104	92	0	37	35
2019	11	4	8	47	35	0.686	-0.135	3.609	0.01	0.007	0	28.8	24.5	74.8	104	92	0	37	35
2019	11	4	8	57	35	0.65	-0.131	3.609	0.01	0.007	0	28.8	24.1	75.3	104	92	0	37	36
2019	11	4	9	7	35	0.686	-0.131	3.609	0.013	0.01	0	28.8	24.5	75.3	104	92	0	37	35
2019	11	4	9	17	35	0.676	-0.092	3.609	0.01	0.007	0	28.4	24.5	75.7	104	92	0	38	35
2019	11	4	9	27	35	0.656	-0.098	3.609	0.01	0.007	0	28.8	24.5	75.3	104	92	0	37	35
2019	11	4	9	37	35	0.689	-0.105	3.609	0.01	0.007	0	28.8	24.5	75.7	104	92	0	37	35
2019	11	4	9	47	35	0.646	-0.118	3.609	0.013	0.01	0	28.8	24.9	74.4	104	92	0	37	34
2019	11	4	9	57	35	0.709	-0.144	3.609	0.01	0.007	0	28.8	24.5	75.3	104	91	0	37	34
2019	11	4	10	7	35	0.646	-0.121	3.612	0.01	0.007	0	28.8	24.5	75.3	104	91	0	37	34
2019	11	4	10	17	35	0.65	-0.125	3.612	0.01	0.007	0	28	24.1	74.8	103	91	0	38	35
2019	11	4	10	27	35	0.663	-0.115	3.612	0.01	0.007	0	28.4	24.5	75.3	104	92	0	38	35
2019	11	4	10	37	35	0.663	-0.131	3.612	0.013	0.01	0	28.8	24.1	75.3	104	91	0	37	35
2019	11	4	10	47	35	0.663	-0.148	3.612	0.01	0.007	0	28.4	24.1	75.3	103	91	0	37	35
2019	11	4	10	57	35	0.663	-0.098	3.612	0.01	0.007	0	28.4	24.1	75.3	103	91	0	37	35
2019	11	4	11	7	35	0.65	-0.115	3.612	0.01	0.007	0	28.4	24.1	75.3	103	91	0	37	35
2019	11	4	11	17	35	0.676	-0.112	3.612	0.01	0.007	0	28.4	24.1	75.3	103	91	0	37	35
2019	11	4	11	27	35	0.653	-0.105	3.612	0.013	0.01	0	29.2	24.5	75.7	105	92	0	37	35
2019	11	4	11	37	35	0.666	-0.138	3.615	0.01	0.007	0	29.7	25.4	75.3	106	93	0	37	34
2019	11	4	11	47	35	0.646	-0.108	3.615	0.01	0.007	0	30.5	25.8	74.8	108	96	0	37	36
2019	11	4	11	57	35	0.653	-0.118	3.615	0.01	0.007	0	29.2	24.9	75.7	105	93	0	37	35
2019	11	4	12	7	35	0.627	-0.095	3.615	0.013	0.01	0	28.8	24.5	75.7	104	92	0	37	35
2019	11	4	12	17	35	0.669	-0.148	3.615	0.01	0.007	0	28.4	24.1	73.5	103	91	0	37	35
2019	11	4	12	27	35	0.666	-0.141	3.615	0.01	0.007	0	28.8	24.1	75.3	103	91	0	36	35
2019	11	4	12	37	35	0.663	-0.115	3.615	0.01	0.007	0	28.4	24.1	75.3	103	91	0	37	35
2019	11	4	12	47	35	0.653	-0.108	3.615	0.013	0.01	0	28.4	24.1	74.8	103	91	0	37	35
2019	11	4	12	57	35	0.63	-0.121	3.615	0.01	0.007	0	28	23.6	75.3	102	90	0	37	35
2019	11	4	13	7	35	0.653	-0.108	3.615	0.01	0.007	0	28.8	24.1	76.1	104	91	0	37	35
2019	11	4	13	17	35	0.653	-0.118	3.615	0.01	0.007	0	28.4	24.1	75.3	103	91	0	37	35
2019	11	4	13	27	35	0.659	-0.112	3.615	0.013	0.01	0	28.4	24.1	75.7	103	91	0	37	35
2019	11	4	13	37	35	0.719	-0.118	3.615	0.013	0.01	0	28.4	24.1	74.8	103	91	0	37	35
2019	11	4	13	47	35	0.663	-0.092	3.615	0.01	0.007	0	28.4	24.5	75.7	103	91	0	37	34
2019	11	4	13	57	35	0.636	-0.118	3.615	0.01	0.007	0	28.4	24.1	62.8	103	91	0	37	35
2019	11	4	14	7	35	0.623	-0.102	3.615	0.01	0.007	0	28.8	24.5	65.8	104	92	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	4	14	17	35	0.627	-0.092	3.615	0.01	0.007	0	28.4	24.1	72.7	103	91	0	37	35
2019	11	4	14	27	35	0.646	-0.131	3.615	0.013	0.01	0	28.8	24.5	62.4	104	92	0	37	35
2019	11	4	14	37	35	0.669	-0.112	3.615	0.01	0.007	0	28.8	24.1	75.3	104	91	0	37	35
2019	11	4	14	47	35	0.64	-0.118	3.615	0.01	0.007	0	30.1	25.8	66.2	106	94	0	36	34
2019	11	4	14	57	35	0.64	-0.118	3.615	0.013	0.01	0	29.2	24.9	59.3	105	93	0	37	35
2019	11	4	15	7	35	0.64	-0.135	3.615	0.013	0.01	0	29.7	24.9	48.2	106	93	0	37	35
2019	11	4	15	17	35	0.65	-0.095	3.615	0.01	0.007	0	30.1	25.4	55	107	94	0	37	35
2019	11	4	15	27	35	0.633	-0.108	3.615	0.01	0.007	0	30.1	25.4	53.8	106	94	0	36	35
2019	11	4	15	37	35	0.676	-0.112	3.615	0.01	0.007	0	30.5	26.2	52.5	108	96	0	37	35
2019	11	4	15	47	35	0.682	-0.105	3.612	0.01	0.007	0	29.7	25.4	53.8	106	94	0	37	35
2019	11	4	15	57	35	0.65	-0.108	3.612	0.01	0.007	0	29.7	25.4	56.3	106	94	0	37	35
2019	11	4	16	7	35	0.653	-0.092	3.612	0.013	0.01	0	31	27.1	53.8	109	97	0	37	34
2019	11	4	16	17	35	0.669	-0.069	3.612	0.013	0.01	0	32.3	27.5	52	111	99	0	36	35
2019	11	4	16	27	35	0.614	-0.112	3.615	0.013	0.01	0	31	26.2	58.5	109	96	0	37	35
2019	11	4	16	37	35	0.636	-0.115	3.612	0.01	0.007	0	31	26.2	59.3	109	96	0	37	35
2019	11	4	16	47	35	0.682	-0.118	3.612	0.01	0.007	0	31.4	26.7	60.6	110	97	0	37	35
2019	11	4	16	57	35	0.65	-0.112	3.612	0.01	0.007	0	31	26.7	64.1	108	96	0	36	34
2019	11	4	17	7	35	0.692	-0.128	3.615	0.01	0.007	0	32.3	27.5	75.7	111	98	0	36	34
2019	11	4	17	17	35	0.643	-0.138	3.615	0.01	0.007	0	32.3	27.5	75.7	112	99	0	37	35
2019	11	4	17	27	35	0.679	-0.118	3.615	0.01	0.007	0	33.5	28.8	75.7	115	102	0	37	35
2019	11	4	17	37	35	0.679	-0.098	3.615	0.013	0.01	0	32.3	27.5	76.1	112	99	0	37	35
2019	11	4	17	47	35	0.653	-0.131	3.615	0.013	0.01	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	4	17	57	35	0.682	-0.115	3.615	0.01	0.007	0	30.5	25.8	76.5	108	95	0	37	35
2019	11	4	18	7	35	0.659	-0.102	3.615	0.01	0.007	0	30.1	25.4	75.7	106	94	0	36	35
2019	11	4	18	17	35	0.653	-0.089	3.615	0.013	0.01	0	30.1	25.8	76.1	107	95	0	37	35
2019	11	4	18	27	35	0.663	-0.098	3.615	0.01	0.007	0	30.1	25.8	76.5	107	95	0	37	35
2019	11	4	18	37	35	0.653	-0.118	3.612	0.01	0.007	0	30.5	26.2	75.3	108	96	0	37	35
2019	11	4	18	47	35	0.679	-0.115	3.615	0.01	0.007	0	30.5	26.7	75.3	109	96	0	38	34
2019	11	4	18	57	35	0.673	-0.098	3.615	0.01	0.007	0	31	26.2	74.8	109	96	0	37	35
2019	11	4	19	7	35	0.679	-0.108	3.615	0.013	0.01	0	31	26.2	74.4	109	96	0	37	35
2019	11	4	19	17	35	0.669	-0.112	3.615	0.013	0.01	0	31.4	26.7	76.1	109	97	0	36	35
2019	11	4	19	27	35	0.653	-0.125	3.615	0.013	0.01	0	31	26.7	76.1	109	97	0	37	35
2019	11	4	19	37	35	0.689	-0.098	3.615	0.01	0.007	0	31	27.1	75.7	109	97	0	37	34
2019	11	4	19	47	35	0.666	-0.092	3.612	0.01	0.007	0	31.4	26.7	75.7	109	96	0	36	34
2019	11	4	19	57	35	0.682	-0.108	3.615	0.013	0.01	0	31	26.2	75.7	109	96	0	37	35
2019	11	4	20	7	35	0.663	-0.098	3.612	0.01	0.007	0	31.4	26.2	75.7	109	96	0	36	35
2019	11	4	20	17	35	0.682	-0.105	3.615	0.013	0.01	0	31	26.7	75.3	109	96	0	37	34
2019	11	4	20	27	35	0.656	-0.075	3.615	0.01	0.007	0	31.4	26.2	75.7	110	96	0	37	35
2019	11	4	20	37	35	0.659	-0.112	3.612	0.01	0.007	0	30.5	25.8	75.3	108	95	0	37	35
2019	11	4	20	47	35	0.669	-0.079	3.615	0.01	0.007	0	31	26.2	76.1	109	95	0	37	34
2019	11	4	20	57	35	0.669	-0.112	3.612	0.013	0.01	0	31	26.2	76.1	109	95	0	37	34
2019	11	4	21	7	35	0.673	-0.079	3.612	0.01	0.007	0	31	26.2	75.7	109	95	0	37	34
2019	11	4	21	17	35	0.646	-0.098	3.612	0.01	0.007	0	31	26.2	76.1	109	95	0	37	34
2019	11	4	21	27	35	0.666	-0.108	3.612	0.01	0.007	0	31	25.8	74.8	108	95	0	36	35
2019	11	4	21	37	35	0.659	-0.118	3.612	0.01	0.007	0	31	25.8	75.7	109	95	0	37	35
2019	11	4	21	47	35	0.666	-0.085	3.612	0.013	0.01	0	30.5	25.8	76.1	108	95	0	37	35
2019	11	4	21	57	35	0.673	-0.118	3.612	0.013	0.01	0	30.5	25.4	74.8	108	94	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	4	22	7	35	0.627	-0.112	3.612	0.01	0.007	0	31	25.8	76.1	108	95	0	36	35
2019	11	4	22	17	35	0.686	-0.112	3.612	0.013	0.01	0	30.5	25.8	75.7	108	94	0	37	34
2019	11	4	22	27	35	0.653	-0.118	3.612	0.01	0.007	0	30.1	25.8	76.1	108	95	0	38	35
2019	11	4	22	37	35	0.646	-0.108	3.612	0.01	0.007	0	30.5	24.9	75.7	108	93	0	37	35
2019	11	4	22	47	35	0.653	-0.141	3.612	0.013	0.01	0	30.5	25.4	76.1	108	93	0	37	34
2019	11	4	22	57	35	0.663	-0.082	3.612	0.013	0.01	0	30.5	25.4	75.7	108	94	0	37	35
2019	11	4	23	7	35	0.686	-0.118	3.612	0.013	0.01	0	30.5	24.9	75.3	108	93	0	37	35
2019	11	4	23	17	35	0.689	-0.118	3.612	0.01	0.007	0	30.5	24.9	75.3	108	93	0	37	35
2019	11	4	23	27	35	0.646	-0.105	3.612	0.01	0.007	0	30.5	24.9	74.8	108	93	0	37	35
2019	11	4	23	37	35	0.663	-0.118	3.612	0.01	0.007	0	30.5	24.9	75.7	108	93	0	37	35
2019	11	4	23	47	35	0.692	-0.079	3.612	0.013	0.01	0	30.1	25.4	76.1	107	93	0	37	34
2019	11	4	23	57	35	0.64	-0.092	3.612	0.013	0.01	0	30.5	25.8	75.7	108	94	0	37	34
2019	11	5	0	7	35	0.689	-0.108	3.612	0.01	0.007	0	30.1	24.9	75.7	107	93	0	37	35
2019	11	5	0	17	35	0.643	-0.095	3.612	0.013	0.01	0	30.1	24.9	75.3	107	93	0	37	35
2019	11	5	0	27	35	0.659	-0.112	3.612	0.01	0.007	0	30.1	25.4	76.1	107	93	0	37	34
2019	11	5	0	37	35	0.679	-0.092	3.612	0.01	0.007	0	30.1	24.9	75.3	107	93	0	37	35
2019	11	5	0	47	35	0.686	-0.144	3.609	0.01	0.007	0	30.1	24.9	75.3	107	93	0	37	35
2019	11	5	0	57	35	0.663	-0.089	3.612	0.01	0.007	0	30.1	25.4	76.1	107	94	0	37	35
2019	11	5	1	7	35	0.692	-0.131	3.609	0.013	0.01	0	30.1	25.4	75.7	107	93	0	37	34
2019	11	5	1	17	35	0.676	-0.102	3.609	0.01	0.007	0	30.1	24.5	75.7	107	92	0	37	35
2019	11	5	1	27	35	0.646	-0.108	3.609	0.01	0.007	0	30.1	25.4	76.1	107	93	0	37	34
2019	11	5	1	37	35	0.689	-0.089	3.609	0.013	0.01	0	30.1	24.9	75.3	107	93	0	37	35
2019	11	5	1	47	35	0.682	-0.108	3.609	0.016	0.013	0	30.1	24.9	74.8	107	93	0	37	35
2019	11	5	1	57	35	0.646	-0.118	3.609	0.016	0.013	0	29.7	24.9	74.8	107	93	0	38	35
2019	11	5	2	7	35	0.682	-0.105	3.609	0.013	0.01	0	30.1	24.9	75.7	107	93	0	37	35
2019	11	5	2	17	35	0.663	-0.079	3.609	0.01	0.007	0	29.2	25.4	75.3	106	93	0	38	34
2019	11	5	2	27	35	0.623	-0.085	3.609	0.013	0.01	0	29.7	24.5	75.7	106	92	0	37	35
2019	11	5	2	37	35	0.659	-0.105	3.609	0.013	0.01	0	30.5	24.9	75.7	107	93	0	36	35
2019	11	5	2	47	35	0.682	-0.098	3.609	0.01	0.007	0	30.5	24.9	75.3	107	92	0	36	34
2019	11	5	2	57	35	0.682	-0.115	3.609	0.013	0.01	0	29.7	24.5	75.3	106	92	0	37	35
2019	11	5	3	7	35	0.65	-0.105	3.609	0.01	0.007	0	29.7	24.5	75.7	106	92	0	37	35
2019	11	5	3	17	35	0.692	-0.131	3.609	0.016	0.013	0	29.7	24.5	75.7	106	91	0	37	34
2019	11	5	3	27	35	0.656	-0.115	3.609	0.01	0.007	0	30.1	24.5	75.3	107	92	0	37	35
2019	11	5	3	37	35	0.636	-0.105	3.609	0.016	0.013	0	30.1	24.5	75.3	107	92	0	37	35
2019	11	5	3	47	35	0.673	-0.135	3.609	0.01	0.007	0	30.1	24.5	74.8	106	92	0	36	35
2019	11	5	3	57	35	0.669	-0.118	3.609	0.01	0.007	0	29.7	24.5	75.7	106	92	0	37	35
2019	11	5	4	7	35	0.689	-0.128	3.609	0.013	0.01	0	29.2	24.5	75.3	106	92	0	38	35
2019	11	5	4	17	35	0.653	-0.128	3.609	0.01	0.007	0	29.7	24.9	75.3	106	93	0	37	35
2019	11	5	4	27	35	0.663	-0.135	3.609	0.01	0.007	0	29.7	24.9	75.3	106	93	0	37	35
2019	11	5	4	37	35	0.689	-0.131	3.609	0.01	0.007	0	29.7	24.9	75.7	106	93	0	37	35
2019	11	5	4	47	35	0.663	-0.095	3.609	0.01	0.007	0	29.7	24.5	75.7	106	92	0	37	35
2019	11	5	4	57	35	0.682	-0.108	3.609	0.013	0.01	0	29.7	24.5	75.3	106	92	0	37	35
2019	11	5	5	7	35	0.686	-0.092	3.609	0.013	0.01	0	29.7	24.9	74.8	106	93	0	37	35
2019	11	5	5	17	35	0.673	-0.115	3.609	0.013	0.01	0	29.7	24.9	74.8	106	93	0	37	35
2019	11	5	5	27	35	0.676	-0.082	3.609	0.01	0.007	0	29.7	24.9	75.3	106	92	0	37	34
2019	11	5	5	37	35	0.669	-0.092	3.609	0.013	0.01	0	29.7	24.9	75.3	106	92	0	37	34
2019	11	5	5	47	35	0.65	-0.118	3.606	0.01	0.007	0	29.2	24.5	74.8	105	92	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	5	5	57	35	0.686	-0.098	3.606	0.01	0.007	0	29.2	24.9	75.3	105	92	0	37	34
2019	11	5	6	7	35	0.679	-0.128	3.609	0.01	0.007	0	29.2	24.5	75.3	105	92	0	37	35
2019	11	5	6	17	35	0.663	-0.112	3.609	0.01	0.007	0	29.2	24.5	75.7	105	92	0	37	35
2019	11	5	6	27	35	0.676	-0.079	3.609	0.01	0.007	0	29.2	24.5	75.7	105	92	0	37	35
2019	11	5	6	37	35	0.659	-0.092	3.606	0.01	0.007	0	29.7	24.5	75.3	106	92	0	37	35
2019	11	5	6	47	35	0.682	-0.135	3.606	0.01	0.007	0	29.2	24.5	75.3	105	92	0	37	35
2019	11	5	6	57	35	0.673	-0.125	3.609	0.01	0.007	0	29.2	24.5	75.7	105	92	0	37	35
2019	11	5	7	7	35	0.676	-0.118	3.606	0.01	0.007	0	29.7	25.4	74.8	106	93	0	37	34
2019	11	5	7	17	35	0.646	-0.108	3.606	0.01	0.007	0	29.7	24.5	75.7	105	92	0	36	35
2019	11	5	7	27	35	0.682	-0.118	3.606	0.01	0.007	0	29.2	24.1	75.3	105	91	0	37	35
2019	11	5	7	37	35	0.676	-0.108	3.606	0.013	0.01	0	28.8	24.9	75.7	105	92	0	38	34
2019	11	5	7	47	35	0.673	-0.082	3.606	0.01	0.007	0	29.2	24.1	75.7	105	91	0	37	35
2019	11	5	7	57	35	0.64	-0.115	3.606	0.013	0.01	0	28.8	24.5	75.3	104	92	0	37	35
2019	11	5	8	7	35	0.689	-0.069	3.606	0.01	0.007	0	29.2	24.5	75.3	105	92	0	37	35
2019	11	5	8	17	35	0.712	-0.112	3.606	0.013	0.01	0	29.2	24.9	75.3	106	93	0	38	35
2019	11	5	8	27	35	0.627	-0.102	3.606	0.01	0.007	0	29.2	24.9	75.3	105	93	0	37	35
2019	11	5	8	37	35	0.673	-0.125	3.606	0.01	0.007	0	29.2	24.9	75.3	105	93	0	37	35
2019	11	5	8	47	35	0.686	-0.089	3.606	0.013	0.01	0	29.2	24.5	75.3	105	92	0	37	35
2019	11	5	8	57	35	0.676	-0.085	3.609	0.01	0.007	0	28.4	24.1	75.3	104	91	0	38	35
2019	11	5	9	7	35	0.656	-0.105	3.609	0.01	0.007	0	28.8	24.9	75.3	104	92	0	37	34
2019	11	5	9	17	35	0.676	-0.102	3.609	0.01	0.007	0	28.4	24.5	75.3	103	91	0	37	34
2019	11	5	9	27	35	0.646	-0.092	3.609	0.01	0.007	0	28.4	24.5	75.3	103	91	0	37	34
2019	11	5	9	37	35	0.653	-0.118	3.609	0.01	0.007	0	28.8	24.1	75.3	104	91	0	37	35
2019	11	5	9	47	35	0.65	-0.108	3.609	0.01	0.007	0	30.5	26.2	75.3	108	95	0	37	34
2019	11	5	9	57	35	0.663	-0.105	3.609	0.01	0.007	0	31	26.2	74.8	109	96	0	37	35
2019	11	5	10	7	35	0.653	-0.128	3.609	0.01	0.007	0	29.2	24.5	74.4	105	92	0	37	35
2019	11	5	10	17	35	0.679	-0.112	3.609	0.01	0.007	0	29.2	24.1	74.4	104	91	0	36	35
2019	11	5	10	27	35	0.623	-0.102	3.609	0.01	0.007	0	29.7	25.4	74.8	106	93	0	37	34
2019	11	5	10	37	35	0.646	-0.118	3.609	0.01	0.007	0	29.7	24.9	74	106	93	0	37	35
2019	11	5	10	47	35	0.666	-0.105	3.609	0.01	0.007	0	29.7	24.9	74.8	105	92	0	36	34
2019	11	5	10	57	35	0.666	-0.082	3.609	0.013	0.01	0	29.7	25.4	74	106	94	0	37	35
2019	11	5	11	7	35	0.659	-0.085	3.609	0.016	0.013	0	30.5	25.8	74.4	107	95	0	36	35
2019	11	5	11	17	35	0.643	-0.128	3.609	0.01	0.007	0	30.1	25.8	74.8	107	95	0	37	35
2019	11	5	11	27	35	0.653	-0.148	3.609	0.016	0.013	0	29.7	24.9	74.4	106	93	0	37	35
2019	11	5	11	37	35	0.692	-0.098	3.609	0.01	0.007	0	29.2	24.9	74.8	105	93	0	37	35
2019	11	5	11	47	35	0.692	-0.141	3.609	0.01	0.007	0	29.7	25.4	74.8	107	94	0	38	35
2019	11	5	11	57	35	0.676	-0.092	3.612	0.013	0.01	0	29.2	24.5	74.4	104	92	0	36	35
2019	11	5	12	7	35	0.679	-0.144	3.609	0.01	0.007	0	29.7	24.9	74.4	106	93	0	37	35
2019	11	5	12	17	35	0.659	-0.121	3.609	0.013	0.01	0	29.7	25.4	74	105	93	0	36	34
2019	11	5	12	27	35	0.646	-0.125	3.612	0.01	0.007	0	31.8	26.7	74	110	97	0	36	35
2019	11	5	12	37	35	0.679	-0.098	3.609	0.016	0.013	0	29.2	25.4	73.1	105	93	0	37	34
2019	11	5	12	47	35	0.65	-0.112	3.609	0.016	0.013	0	30.1	26.2	72.7	107	95	0	37	34
2019	11	5	12	57	35	0.653	-0.092	3.609	0.01	0.007	0	31.8	27.5	72.7	111	99	0	37	35
2019	11	5	13	7	35	0.62	-0.089	3.609	0.013	0.01	0	32.7	28.4	73.1	113	100	0	37	34
2019	11	5	13	17	35	0.673	-0.098	3.609	0.016	0.013	0	32.3	28	70.5	112	99	0	37	34
2019	11	5	13	27	35	0.666	-0.112	3.609	0.01	0.007	0	32.3	27.1	72.2	111	98	0	36	35
2019	11	5	13	37	35	0.669	-0.131	3.609	0.013	0.01	0	31.4	26.7	73.1	109	97	0	36	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	5	13	47	35	0.676	-0.112	3.609	0.01	0.007	0	30.5	25.8	73.1	108	95	0	37	35
2019	11	5	13	57	35	0.663	-0.082	3.609	0.013	0.01	0	33.5	29.7	72.7	115	103	0	37	34
2019	11	5	14	7	35	0.682	-0.118	3.609	0.016	0.013	0	31	26.2	72.7	109	96	0	37	35
2019	11	5	14	17	35	0.673	-0.118	3.609	0.01	0.007	0	30.5	26.2	72.2	108	96	0	37	35
2019	11	5	14	27	35	0.65	-0.085	3.609	0.013	0.01	0	31	26.2	73.1	108	95	0	36	34
2019	11	5	14	37	35	0.659	-0.121	3.609	0.01	0.007	0	31.8	27.1	72.7	111	98	0	37	35
2019	11	5	14	47	35	0.636	-0.105	3.606	0.013	0.01	0	33.5	29.2	71.8	115	103	0	37	35
2019	11	5	14	57	35	0.64	-0.112	3.609	0.01	0.007	0	32.7	28	72.7	112	100	0	36	35
2019	11	5	15	7	35	0.669	-0.115	3.606	0.01	0.007	0	30.5	26.2	72.7	108	96	0	37	35
2019	11	5	15	17	35	0.643	-0.108	3.606	0.01	0.007	0	30.5	25.8	72.2	107	95	0	36	35
2019	11	5	15	27	35	0.702	-0.121	3.606	0.01	0.007	0	32.3	27.5	71.8	111	99	0	36	35
2019	11	5	15	37	35	0.673	-0.095	3.602	0.013	0.01	0	34.8	30.1	67.5	118	105	0	37	35
2019	11	5	15	47	35	0.643	-0.108	3.602	0.01	0.007	0	33.1	28.4	71.4	114	101	0	37	35
2019	11	5	15	57	35	0.682	-0.118	3.599	0.01	0.007	0	33.1	28	71.4	113	100	0	36	35
2019	11	5	16	7	35	0.666	-0.102	3.599	0.013	0.01	0	32.3	27.5	70.5	112	99	0	37	35
2019	11	5	16	17	35	0.65	-0.121	3.596	0.01	0.007	0	31.4	27.5	71.4	110	98	0	37	34
2019	11	5	16	27	35	0.666	-0.118	3.596	0.01	0.007	0	31.8	27.1	69.7	110	98	0	36	35
2019	11	5	16	37	35	0.646	-0.108	3.596	0.016	0.013	0	35.7	30.5	71.4	120	106	0	37	35
2019	11	5	16	47	35	0.669	-0.105	3.596	0.01	0.007	0	30.5	26.2	71.4	108	95	0	37	34
2019	11	5	16	57	35	0.676	-0.121	3.596	0.01	0.007	0	30.5	26.2	71.4	108	96	0	37	35
2019	11	5	17	7	35	0.673	-0.085	3.596	0.01	0.007	0	30.1	25.8	71.8	107	94	0	37	34
2019	11	5	17	17	35	0.692	-0.085	3.596	0.01	0.007	0	29.7	25.4	72.2	106	93	0	37	34
2019	11	5	17	27	35	0.682	-0.102	3.596	0.01	0.007	0	29.7	25.4	72.7	106	93	0	37	34
2019	11	5	17	37	35	0.686	-0.105	3.593	0.01	0.007	0	31.4	26.7	72.7	110	97	0	37	35
2019	11	5	17	47	35	0.692	-0.079	3.593	0.013	0.01	0	32.7	28.4	72.7	113	100	0	37	34
2019	11	5	17	57	35	0.653	-0.108	3.593	0.01	0.007	0	31.8	27.5	72.2	111	98	0	37	34
2019	11	5	18	7	35	0.679	-0.115	3.593	0.013	0.01	0	31	26.2	72.7	109	96	0	37	35
2019	11	5	18	17	35	0.696	-0.079	3.593	0.01	0.007	0	31	26.2	72.7	109	96	0	37	35
2019	11	5	18	27	35	0.656	-0.115	3.593	0.013	0.01	0	31	26.2	72.7	109	96	0	37	35
2019	11	5	18	37	35	0.669	-0.108	3.593	0.01	0.007	0	31	26.7	72.2	109	96	0	37	34
2019	11	5	18	47	35	0.666	-0.108	3.593	0.013	0.01	0	31.8	26.7	73.1	110	97	0	36	35
2019	11	5	18	57	35	0.673	-0.095	3.593	0.013	0.01	0	31.4	26.7	73.1	110	97	0	37	35
2019	11	5	19	7	35	0.696	-0.098	3.593	0.01	0.007	0	31.8	26.7	72.7	110	97	0	36	35
2019	11	5	19	17	35	0.627	-0.079	3.593	0.01	0.007	0	31.8	27.1	72.7	111	97	0	37	34
2019	11	5	19	27	35	0.679	-0.141	3.593	0.01	0.007	0	31.4	26.7	72.7	110	97	0	37	35
2019	11	5	19	37	35	0.656	-0.108	3.593	0.01	0.007	0	31.4	26.7	73.1	110	97	0	37	35
2019	11	5	19	47	35	0.682	-0.105	3.593	0.01	0.007	0	31.4	26.7	73.1	110	97	0	37	35
2019	11	5	19	57	35	0.63	-0.102	3.593	0.01	0.007	0	31	26.2	73.1	109	96	0	37	35
2019	11	5	20	7	35	0.659	-0.079	3.589	0.01	0.007	0	31.4	26.7	73.1	110	97	0	37	35
2019	11	5	20	17	35	0.686	-0.082	3.593	0.01	0.007	0	31.4	27.1	73.1	110	97	0	37	34
2019	11	5	20	27	35	0.676	-0.112	3.593	0.01	0.007	0	31.4	26.7	73.1	110	96	0	37	34
2019	11	5	20	37	35	0.679	-0.115	3.589	0.01	0.007	0	31	26.2	73.5	109	96	0	37	35
2019	11	5	20	47	35	0.63	-0.121	3.589	0.013	0.01	0	31	26.2	73.5	109	96	0	37	35
2019	11	5	20	57	35	0.636	-0.098	3.589	0.01	0.007	0	31	26.7	73.5	109	96	0	37	34
2019	11	5	21	7	35	0.696	-0.131	3.589	0.01	0.007	0	31	26.7	73.5	109	96	0	37	34
2019	11	5	21	17	35	0.663	-0.062	3.589	0.013	0.01	0	31.4	25.8	73.5	109	95	0	36	35
2019	11	5	21	27	35	0.673	-0.118	3.589	0.01	0.007	0	31	25.8	73.5	109	95	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	5	21	37	35	0.669	-0.138	3.589	0.01	0.007	0	31	25.8	73.1	109	95	0	37	35
2019	11	5	21	47	35	0.669	-0.085	3.589	0.01	0.007	0	31	25.8	73.5	109	95	0	37	35
2019	11	5	21	57	35	0.676	-0.092	3.589	0.01	0.007	0	31.4	25.8	74	109	95	0	36	35
2019	11	5	22	7	35	0.666	-0.079	3.589	0.013	0.01	0	31	25.8	74	109	95	0	37	35
2019	11	5	22	17	35	0.63	-0.092	3.589	0.013	0.01	0	31.4	25.8	73.1	109	95	0	36	35
2019	11	5	22	27	35	0.643	-0.118	3.589	0.01	0.007	0	31	26.2	73.1	109	96	0	37	35
2019	11	5	22	37	35	0.643	-0.115	3.589	0.01	0.007	0	30.5	25.8	73.5	108	95	0	37	35
2019	11	5	22	47	35	0.679	-0.105	3.586	0.01	0.007	0	30.5	25.8	60.6	108	95	0	37	35
2019	11	5	22	57	35	0.663	-0.115	3.586	0.01	0.007	0	30.5	25.8	73.1	108	95	0	37	35
2019	11	5	23	7	35	0.679	-0.128	3.586	0.01	0.007	0	37.8	32.7	73.1	124	110	0	36	34
2019	11	5	23	17	35	0.682	-0.098	3.589	0.01	0.007	0	33.1	28	73.5	113	100	0	36	35
2019	11	5	23	27	35	0.656	-0.118	3.586	0.013	0.01	0	31.8	27.1	74	111	98	0	37	35
2019	11	5	23	37	35	0.673	-0.098	3.586	0.01	0.007	0	31.4	27.1	74	110	97	0	37	34
2019	11	5	23	47	35	0.682	-0.075	3.586	0.01	0.007	0	31.8	26.7	73.5	110	97	0	36	35
2019	11	5	23	57	35	0.702	-0.105	3.586	0.016	0.013	0	31.8	27.1	73.5	111	98	0	37	35
2019	11	6	0	7	35	0.682	-0.105	3.586	0.01	0.007	0	31.4	26.7	74.4	110	96	0	37	34
2019	11	6	0	17	35	0.627	-0.121	3.586	0.01	0.007	0	31	26.2	74.4	109	96	0	37	35
2019	11	6	0	27	35	0.669	-0.085	3.586	0.016	0.013	0	31.4	26.2	73.5	109	96	0	36	35
2019	11	6	0	37	35	0.676	-0.108	3.586	0.013	0.01	0	30.5	26.2	73.5	108	95	0	37	34
2019	11	6	0	47	35	0.666	-0.108	3.586	0.016	0.013	0	30.5	26.2	73.5	108	95	0	37	34
2019	11	6	0	57	35	0.676	-0.075	3.586	0.01	0.007	0	30.5	26.2	74.4	108	95	0	37	34
2019	11	6	1	7	35	0.656	-0.108	3.586	0.01	0.007	0	30.5	25.8	74	108	95	0	37	35
2019	11	6	1	17	35	0.686	-0.118	3.586	0.01	0.007	0	30.5	25.4	74	108	94	0	37	35
2019	11	6	1	27	35	0.696	-0.079	3.586	0.013	0.01	0	30.5	25.8	74.4	108	95	0	37	35
2019	11	6	1	37	35	0.643	-0.118	3.586	0.01	0.007	0	30.1	26.2	74.4	108	95	0	38	34
2019	11	6	1	47	35	0.679	-0.131	3.586	0.013	0.01	0	30.5	26.2	73.5	108	95	0	37	34
2019	11	6	1	57	35	0.669	-0.102	3.583	0.013	0.01	0	31.8	26.7	74	110	97	0	36	35
2019	11	6	2	7	35	0.646	-0.115	3.583	0.013	0.01	0	32.3	27.5	72.2	112	99	0	37	35
2019	11	6	2	17	35	0.646	-0.135	3.583	0.01	0.007	0	31.8	27.1	72.7	111	98	0	37	35
2019	11	6	2	27	35	0.636	-0.108	3.583	0.01	0.007	0	31.4	26.2	73.1	110	96	0	37	35
2019	11	6	2	37	35	0.656	-0.092	3.583	0.01	0.007	0	30.5	25.8	74	108	95	0	37	35
2019	11	6	2	47	35	0.702	-0.121	3.583	0.013	0.01	0	30.5	25.8	74	108	95	0	37	35
2019	11	6	2	57	35	0.65	-0.082	3.583	0.013	0.01	0	30.5	25.4	74.4	108	94	0	37	35
2019	11	6	3	7	35	0.666	-0.092	3.583	0.01	0.007	0	30.1	25.4	73.5	107	94	0	37	35
2019	11	6	3	17	35	0.666	-0.141	3.583	0.01	0.007	0	30.1	25.4	74	107	94	0	37	35
2019	11	6	3	27	35	0.689	-0.118	3.583	0.01	0.007	0	30.5	25.8	74	107	94	0	36	34
2019	11	6	3	37	35	0.679	-0.105	3.583	0.01	0.007	0	30.1	25.4	74.4	107	94	0	37	35
2019	11	6	3	47	35	0.653	-0.092	3.583	0.016	0.013	0	30.1	25.8	74.4	107	94	0	37	34
2019	11	6	3	57	35	0.64	-0.089	3.583	0.016	0.013	0	30.1	25.4	74.4	107	94	0	37	35
2019	11	6	4	7	35	0.663	-0.118	3.583	0.01	0.007	0	30.1	24.9	74	107	93	0	37	35
2019	11	6	4	17	35	0.696	-0.105	3.583	0.013	0.01	0	30.1	25.8	74.4	107	94	0	37	34
2019	11	6	4	27	35	0.692	-0.125	3.583	0.01	0.007	0	30.1	25.4	74.4	107	94	0	37	35
2019	11	6	4	37	35	0.673	-0.115	3.583	0.01	0.007	0	30.1	25.4	73.5	107	94	0	37	35
2019	11	6	4	47	35	0.659	-0.112	3.583	0.013	0.01	0	30.5	25.8	72.7	108	95	0	37	35
2019	11	6	4	57	35	0.623	-0.108	3.583	0.013	0.01	0	30.5	25.4	74.4	108	94	0	37	35
2019	11	6	5	7	35	0.679	-0.105	3.579	0.01	0.007	0	30.1	24.9	74.4	107	93	0	37	35
2019	11	6	5	17	35	0.623	-0.118	3.579	0.01	0.007	0	30.1	25.4	74	107	94	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	6	5	27	35	0.679	-0.089	3.583	0.01	0.007	0	30.1	25.8	74	108	95	0	38	35
2019	11	6	5	37	35	0.646	-0.118	3.579	0.01	0.007	0	30.5	25.4	74	107	94	0	36	35
2019	11	6	5	47	35	0.682	-0.108	3.579	0.01	0.007	0	30.1	25.4	74	107	94	0	37	35
2019	11	6	5	57	35	0.709	-0.098	3.579	0.013	0.01	0	29.7	25.4	74	107	94	0	38	35
2019	11	6	6	7	35	0.653	-0.092	3.579	0.013	0.01	0	30.1	25.4	74	107	94	0	37	35
2019	11	6	6	17	35	0.656	-0.082	3.579	0.01	0.007	0	30.1	24.9	74.4	107	93	0	37	35
2019	11	6	6	27	35	0.65	-0.118	3.579	0.01	0.007	0	29.7	25.4	74.4	106	94	0	37	35
2019	11	6	6	37	35	0.633	-0.095	3.579	0.013	0.01	0	30.1	24.9	74.4	107	93	0	37	35
2019	11	6	6	47	35	0.679	-0.095	3.579	0.013	0.01	0	29.7	24.9	74.4	106	93	0	37	35
2019	11	6	6	57	35	0.679	-0.105	3.579	0.01	0.007	0	29.7	24.9	74.8	106	93	0	37	35
2019	11	6	7	7	35	0.699	-0.066	3.579	0.01	0.007	0	30.5	25.4	74	107	93	0	36	34
2019	11	6	7	17	35	0.669	-0.128	3.579	0.01	0.007	0	29.7	24.9	74.4	106	93	0	37	35
2019	11	6	7	27	35	0.673	-0.125	3.579	0.01	0.007	0	29.7	24.9	74.4	106	93	0	37	35
2019	11	6	7	37	35	0.63	-0.115	3.579	0.01	0.007	0	29.2	24.5	74.4	105	92	0	37	35
2019	11	6	7	47	35	0.63	-0.105	3.579	0.013	0.01	0	29.7	25.4	74.4	106	93	0	37	34
2019	11	6	7	57	35	0.666	-0.105	3.579	0.013	0.01	0	29.2	24.5	75.3	105	92	0	37	35
2019	11	6	8	7	35	0.666	-0.118	3.579	0.01	0.007	0	29.2	24.9	74	105	93	0	37	35
2019	11	6	8	17	35	0.663	-0.105	3.579	0.01	0.007	0	29.7	24.9	74.4	106	93	0	37	35
2019	11	6	8	27	35	0.663	-0.128	3.579	0.01	0.007	0	29.7	24.9	74.8	106	93	0	37	35
2019	11	6	8	37	35	0.682	-0.108	3.579	0.01	0.007	0	29.7	24.9	74.8	106	93	0	37	35
2019	11	6	8	47	35	0.669	-0.144	3.579	0.013	0.01	0	29.2	24.5	74	105	92	0	37	35
2019	11	6	8	57	35	0.663	-0.118	3.579	0.01	0.007	0	28.4	24.5	75.3	104	92	0	38	35
2019	11	6	9	7	35	0.692	-0.115	3.579	0.016	0.013	0	29.2	24.5	74.4	105	92	0	37	35
2019	11	6	9	17	35	0.666	-0.105	3.579	0.013	0.01	0	29.2	24.9	74.8	105	93	0	37	35
2019	11	6	9	27	35	0.659	-0.121	3.579	0.01	0.007	0	28.8	24.5	74.4	105	92	0	38	35
2019	11	6	9	37	35	0.679	-0.085	3.579	0.01	0.007	0	29.7	24.9	75.3	105	93	0	36	35
2019	11	6	9	47	35	0.669	-0.112	3.579	0.01	0.007	0	28.8	24.5	75.3	104	92	0	37	35
2019	11	6	9	57	35	0.682	-0.118	3.579	0.01	0.007	0	29.2	24.5	74	105	92	0	37	35
2019	11	6	10	7	35	0.673	-0.157	3.579	0.01	0.007	0	29.2	24.9	75.3	104	92	0	36	34
2019	11	6	10	17	35	0.673	-0.098	3.579	0.01	0.007	0	28.4	24.1	75.3	104	91	0	38	35
2019	11	6	10	27	35	0.686	-0.069	3.579	0.01	0.007	0	28.8	24.5	74.4	104	92	0	37	35
2019	11	6	10	37	35	0.659	-0.095	3.579	0.01	0.007	0	31	26.7	74.4	110	97	0	38	35
2019	11	6	10	47	35	0.656	-0.098	3.579	0.016	0.013	0	32.7	28	74.8	113	100	0	37	35
2019	11	6	10	57	35	0.686	-0.121	3.583	0.01	0.007	0	30.1	25.4	74.8	107	94	0	37	35
2019	11	6	11	7	35	0.653	-0.151	3.583	0.013	0.01	0	29.7	24.9	75.3	106	93	0	37	35
2019	11	6	11	17	35	0.692	-0.102	3.583	0.01	0.007	0	29.2	25.4	74.8	105	93	0	37	34
2019	11	6	11	27	35	0.669	-0.118	3.583	0.01	0.007	0	29.2	24.5	75.7	105	92	0	37	35
2019	11	6	11	37	35	0.709	-0.118	3.583	0.013	0.01	0	29.2	24.9	75.3	105	93	0	37	35
2019	11	6	11	47	35	0.679	-0.131	3.583	0.01	0.007	0	28.8	24.5	75.3	104	92	0	37	35
2019	11	6	11	57	35	0.669	-0.125	3.583	0.01	0.007	0	28.8	24.5	75.7	104	92	0	37	35
2019	11	6	12	7	35	0.646	-0.092	3.583	0.016	0.016	0	29.2	24.5	75.7	105	92	0	37	35
2019	11	6	12	17	35	0.679	-0.125	3.583	0.01	0.007	0	29.2	25.4	75.3	105	93	0	37	34
2019	11	6	12	27	35	0.659	-0.105	3.583	0.01	0.007	0	29.7	24.9	75.3	105	93	0	36	35
2019	11	6	12	37	35	0.643	-0.128	3.583	0.01	0.007	0	29.2	24.5	75.7	105	92	0	37	35
2019	11	6	12	47	35	0.646	-0.092	3.583	0.016	0.013	0	29.2	24.5	74.4	104	92	0	36	35
2019	11	6	12	57	35	0.656	-0.092	3.583	0.01	0.007	0	28.8	24.5	75.7	104	92	0	37	35
2019	11	6	13	7	35	0.686	-0.105	3.583	0.01	0.007	0	28.8	24.9	75.3	104	92	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	6	13	17	35	0.673	-0.092	3.583	0.01	0.007	0	31.8	27.1	76.1	111	98	0	37	35
2019	11	6	13	27	35	0.627	-0.121	3.583	0.01	0.007	0	32.3	27.5	75.7	111	99	0	36	35
2019	11	6	13	37	35	0.653	-0.105	3.583	0.013	0.01	0	30.5	26.2	75.7	108	96	0	37	35
2019	11	6	13	47	35	0.659	-0.112	3.583	0.016	0.013	0	33.5	29.2	75.7	115	102	0	37	34
2019	11	6	13	57	35	0.673	-0.105	3.583	0.01	0.007	0	37.8	33.1	76.1	125	112	0	37	35
2019	11	6	14	7	35	0.666	-0.102	3.583	0.013	0.01	0	34.4	30.1	76.1	117	104	0	37	34
2019	11	6	14	17	35	0.669	-0.115	3.583	0.01	0.007	0	31.8	28	76.5	111	99	0	37	34
2019	11	6	14	27	35	0.659	-0.112	3.583	0.013	0.01	0	31.4	26.2	75.7	109	96	0	36	35
2019	11	6	14	37	35	0.656	-0.144	3.583	0.01	0.007	0	31.4	26.7	76.1	109	96	0	36	34
2019	11	6	14	47	35	0.65	-0.121	3.583	0.01	0.007	0	31	26.7	76.1	109	96	0	37	34
2019	11	6	14	57	35	0.696	-0.131	3.583	0.01	0.007	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	6	15	7	35	0.663	-0.121	3.583	0.013	0.01	0	31.4	26.2	76.1	109	96	0	36	35
2019	11	6	15	17	35	0.627	-0.108	3.583	0.016	0.016	0	30.5	26.2	71.4	108	96	0	37	35
2019	11	6	15	27	35	0.65	-0.092	3.583	0.01	0.007	0	30.5	25.8	75.7	108	95	0	37	35
2019	11	6	15	37	35	0.659	-0.112	3.583	0.01	0.007	0	30.1	25.8	74.8	107	95	0	37	35
2019	11	6	15	47	35	0.65	-0.118	3.579	0.01	0.007	0	30.5	25.8	74.4	107	94	0	36	34
2019	11	6	15	57	35	0.659	-0.108	3.579	0.01	0.007	0	30.1	25.8	73.1	107	94	0	37	34
2019	11	6	16	7	35	0.666	-0.092	3.579	0.01	0.007	0	29.7	25.8	71.4	106	94	0	37	34
2019	11	6	16	17	35	0.65	-0.108	3.579	0.013	0.01	0	30.1	26.2	64.5	107	95	0	37	34
2019	11	6	16	27	35	0.636	-0.089	3.579	0.01	0.007	0	30.5	25.8	71	107	95	0	36	35
2019	11	6	16	37	35	0.699	-0.098	3.579	0.016	0.013	0	29.7	24.9	67.1	106	93	0	37	35
2019	11	6	16	47	35	0.627	-0.105	3.579	0.01	0.007	0	30.1	25.8	74	106	94	0	36	34
2019	11	6	16	57	35	0.646	-0.131	3.579	0.013	0.01	0	30.5	26.2	71	107	95	0	36	34
2019	11	6	17	7	35	0.669	-0.072	3.579	0.013	0.01	0	33.5	28.4	74.8	115	101	0	37	35
2019	11	6	17	17	35	0.669	-0.095	3.579	0.01	0.007	0	32.7	28.4	74.8	113	100	0	37	34
2019	11	6	17	27	35	0.679	-0.135	3.579	0.016	0.016	0	31.4	26.7	74.4	109	96	0	36	34
2019	11	6	17	37	35	0.65	-0.112	3.579	0.01	0.007	0	30.5	25.8	74.8	108	95	0	37	35
2019	11	6	17	47	35	0.633	-0.112	3.579	0.013	0.01	0	30.5	25.8	74	107	94	0	36	34
2019	11	6	17	57	35	0.636	-0.121	3.579	0.013	0.01	0	30.1	26.2	74	107	95	0	37	34
2019	11	6	18	7	35	0.646	-0.125	3.579	0.01	0.007	0	30.5	26.2	74	108	95	0	37	34
2019	11	6	18	17	35	0.679	-0.108	3.579	0.01	0.007	0	31	26.7	74.4	108	96	0	36	34
2019	11	6	18	27	35	0.663	-0.121	3.579	0.013	0.01	0	31	26.7	74.4	109	96	0	37	34
2019	11	6	18	37	35	0.646	-0.108	3.579	0.01	0.007	0	31.4	27.1	74	110	97	0	37	34
2019	11	6	18	47	35	0.643	-0.125	3.576	0.01	0.007	0	31.8	27.1	73.5	110	97	0	36	34
2019	11	6	18	57	35	0.669	-0.095	3.576	0.01	0.007	0	31.8	26.7	74	111	97	0	37	35
2019	11	6	19	7	35	0.663	-0.079	3.576	0.013	0.01	0	31.4	26.7	73.5	110	97	0	37	35
2019	11	6	19	17	35	0.646	-0.095	3.576	0.01	0.007	0	32.3	27.5	73.5	111	98	0	36	34
2019	11	6	19	27	35	0.686	-0.098	3.576	0.01	0.007	0	31.8	27.1	73.1	110	97	0	36	34
2019	11	6	19	37	35	0.633	-0.085	3.576	0.013	0.01	0	31.8	26.7	73.1	111	97	0	37	35
2019	11	6	19	47	35	0.61	-0.108	3.576	0.013	0.01	0	31.4	27.1	73.1	110	97	0	37	34
2019	11	6	19	57	35	0.663	-0.092	3.576	0.013	0.01	0	31.8	26.7	73.1	111	97	0	37	35
2019	11	6	20	7	35	0.646	-0.089	3.576	0.01	0.007	0	31.8	27.1	73.1	110	98	0	36	35
2019	11	6	20	17	35	0.689	-0.125	3.576	0.01	0.007	0	31.8	27.1	72.7	110	97	0	36	34
2019	11	6	20	27	35	0.696	-0.098	3.576	0.013	0.01	0	32.3	27.5	72.7	112	99	0	37	35
2019	11	6	20	37	35	0.653	-0.131	3.576	0.01	0.007	0	32.7	27.5	72.7	113	99	0	37	35
2019	11	6	20	47	35	0.646	-0.089	3.576	0.01	0.007	0	31.8	27.1	72.7	111	97	0	37	34
2019	11	6	20	57	35	0.633	-0.125	3.576	0.013	0.01	0	31.8	26.7	72.2	110	96	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	6	21	7	35	0.696	-0.115	3.573	0.01	0.007	0	31.4	26.2	72.2	110	95	0	37	34
2019	11	6	21	17	35	0.679	-0.121	3.573	0.01	0.007	0	31.4	26.2	72.2	110	95	0	37	34
2019	11	6	21	27	35	0.646	-0.131	3.573	0.01	0.007	0	31.8	25.8	71.8	110	95	0	36	35
2019	11	6	21	37	35	0.653	-0.105	3.57	0.01	0.007	0	31.4	26.2	71.8	110	95	0	37	34
2019	11	6	21	47	35	0.643	-0.089	3.57	0.01	0.007	0	31.4	26.2	71.4	109	95	0	36	34
2019	11	6	21	57	35	0.659	-0.105	3.57	0.013	0.01	0	31.8	25.8	71.8	110	95	0	36	35
2019	11	6	22	7	35	0.659	-0.108	3.57	0.01	0.007	0	31.8	25.8	71.4	110	94	0	36	34
2019	11	6	22	17	35	0.656	-0.075	3.566	0.013	0.01	0	31.4	26.2	71	110	95	0	37	34
2019	11	6	22	27	35	0.686	-0.105	3.566	0.01	0.007	0	31.4	25.8	71.8	110	95	0	37	35
2019	11	6	22	37	35	0.673	-0.108	3.563	0.01	0.007	0	31.4	25.8	71.8	109	95	0	36	35
2019	11	6	22	47	35	0.65	-0.085	3.563	0.01	0.007	0	31.4	25.8	71.4	110	95	0	37	35
2019	11	6	22	57	35	0.689	-0.098	3.56	0.016	0.013	0	31	25.8	71.4	109	94	0	37	34
2019	11	6	23	7	35	0.669	-0.121	3.563	0.01	0.007	0	31.4	25.4	71.4	109	94	0	36	35
2019	11	6	23	17	35	0.669	-0.131	3.563	0.013	0.01	0	31.4	25.8	71.8	109	95	0	36	35
2019	11	6	23	27	35	0.689	-0.125	3.56	0.013	0.01	0	31	25.4	71.8	109	94	0	37	35
2019	11	6	23	37	35	0.646	-0.135	3.56	0.016	0.016	0	31.4	25.4	72.2	109	94	0	36	35
2019	11	6	23	47	35	0.699	-0.108	3.56	0.013	0.01	0	31.4	25.4	72.2	109	94	0	36	35
2019	11	6	23	57	35	0.653	-0.089	3.56	0.013	0.01	0	31.4	25.8	72.2	109	94	0	36	34
2019	11	7	0	7	35	0.659	-0.098	3.56	0.01	0.007	0	31	25.8	72.2	109	94	0	37	34
2019	11	7	0	17	35	0.656	-0.157	3.56	0.013	0.01	0	31	25.8	72.2	109	94	0	37	34
2019	11	7	0	27	35	0.673	-0.102	3.56	0.016	0.013	0	31	25.4	72.7	109	94	0	37	35
2019	11	7	0	37	35	0.65	-0.112	3.56	0.013	0.01	0	31	25.4	72.7	109	94	0	37	35
2019	11	7	0	47	35	0.656	-0.108	3.56	0.01	0.007	0	30.5	25.8	73.1	108	94	0	37	34
2019	11	7	0	57	35	0.666	-0.112	3.556	0.01	0.007	0	31	25.8	72.2	109	95	0	37	35
2019	11	7	1	7	35	0.617	-0.089	3.556	0.01	0.007	0	31	25.8	72.7	109	94	0	37	34
2019	11	7	1	17	35	0.643	-0.135	3.556	0.013	0.01	0	31.4	25.8	72.7	109	94	0	36	34
2019	11	7	1	27	35	0.699	-0.118	3.556	0.013	0.01	0	31	25.8	72.7	109	94	0	37	34
2019	11	7	1	37	35	0.673	-0.085	3.556	0.01	0.007	0	31.4	25.8	72.2	109	95	0	36	35
2019	11	7	1	47	35	0.643	-0.102	3.556	0.01	0.007	0	31	25.4	72.2	109	94	0	37	35
2019	11	7	1	57	35	0.659	-0.092	3.556	0.01	0.007	0	31	25.4	72.2	109	94	0	37	35
2019	11	7	2	7	35	0.65	-0.112	3.556	0.016	0.013	0	30.5	25.8	72.7	108	94	0	37	34
2019	11	7	2	17	35	0.692	-0.128	3.556	0.01	0.007	0	30.5	25.4	72.2	108	94	0	37	35
2019	11	7	2	27	35	0.679	-0.121	3.556	0.013	0.01	0	31	25.8	73.1	108	94	0	36	34
2019	11	7	2	37	35	0.659	-0.118	3.556	0.01	0.007	0	31	25.4	72.7	108	94	0	36	35
2019	11	7	2	47	35	0.63	-0.121	3.556	0.01	0.007	0	30.5	25.4	73.5	108	94	0	37	35
2019	11	7	2	57	35	0.663	-0.105	3.556	0.01	0.007	0	30.5	25.4	73.1	108	94	0	37	35
2019	11	7	3	7	35	0.669	-0.115	3.553	0.01	0.007	0	31	25.8	73.5	108	95	0	36	35
2019	11	7	3	17	35	0.643	-0.115	3.556	0.01	0.007	0	30.5	25.8	72.2	108	94	0	37	34
2019	11	7	3	27	35	0.673	-0.092	3.553	0.01	0.007	0	30.5	25.8	73.1	108	95	0	37	35
2019	11	7	3	37	35	0.669	-0.102	3.553	0.013	0.01	0	30.5	25.4	73.1	108	94	0	37	35
2019	11	7	3	47	35	0.663	-0.082	3.556	0.016	0.013	0	30.5	26.2	73.1	108	95	0	37	34
2019	11	7	3	57	35	0.666	-0.121	3.553	0.01	0.007	0	30.5	25.8	73.1	108	95	0	37	35
2019	11	7	4	7	35	0.653	-0.128	3.553	0.01	0.007	0	30.5	26.2	73.1	108	95	0	37	34
2019	11	7	4	17	35	0.653	-0.098	3.553	0.013	0.01	0	30.5	25.4	73.5	108	94	0	37	35
2019	11	7	4	27	35	0.653	-0.125	3.553	0.013	0.01	0	30.5	25.4	73.5	108	94	0	37	35
2019	11	7	4	37	35	0.63	-0.095	3.553	0.01	0.007	0	31	25.4	73.5	108	94	0	36	35
2019	11	7	4	47	35	0.64	-0.125	3.553	0.013	0.01	0	30.5	26.2	73.1	108	95	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	7	4	57	35	0.686	-0.105	3.553	0.013	0.01	0	30.5	26.2	73.1	108	95	0	37	34
2019	11	7	5	7	35	0.682	-0.095	3.553	0.01	0.007	0	30.5	25.8	73.5	108	94	0	37	34
2019	11	7	5	17	35	0.63	-0.115	3.553	0.01	0.007	0	30.1	25.4	73.5	107	93	0	37	34
2019	11	7	5	27	35	0.679	-0.115	3.553	0.01	0.007	0	30.1	24.9	73.5	107	93	0	37	35
2019	11	7	5	37	35	0.673	-0.108	3.55	0.013	0.01	0	30.1	24.9	73.5	107	93	0	37	35
2019	11	7	5	47	35	0.679	-0.118	3.55	0.01	0.007	0	30.1	24.9	73.5	107	93	0	37	35
2019	11	7	5	57	35	0.643	-0.085	3.55	0.01	0.007	0	30.1	25.4	73.5	107	94	0	37	35
2019	11	7	6	7	35	0.676	-0.095	3.55	0.01	0.007	0	30.5	25.4	74	107	94	0	36	35
2019	11	7	6	17	35	0.64	-0.105	3.55	0.01	0.007	0	30.5	25.8	73.5	107	94	0	36	34
2019	11	7	6	27	35	0.64	-0.108	3.55	0.013	0.01	0	30.1	25.4	74	107	94	0	37	35
2019	11	7	6	37	35	0.643	-0.112	3.55	0.01	0.007	0	29.7	25.8	73.1	107	94	0	38	34
2019	11	7	6	47	35	0.656	-0.141	3.55	0.01	0.007	0	31	25.4	74	108	94	0	36	35
2019	11	7	6	57	35	0.692	-0.108	3.55	0.01	0.007	0	30.1	25.8	74	107	94	0	37	34
2019	11	7	7	7	35	0.646	-0.092	3.55	0.013	0.01	0	30.1	25.4	74	107	94	0	37	35
2019	11	7	7	17	35	0.646	-0.118	3.55	0.013	0.01	0	30.1	24.9	74.4	107	93	0	37	35
2019	11	7	7	27	35	0.646	-0.125	3.547	0.013	0.01	0	29.7	25.4	73.5	106	93	0	37	34
2019	11	7	7	37	35	0.65	-0.102	3.55	0.013	0.01	0	30.1	25.4	74.4	107	94	0	37	35
2019	11	7	7	47	35	0.689	-0.105	3.547	0.01	0.007	0	30.1	24.9	74	107	93	0	37	35
2019	11	7	7	57	35	0.676	-0.131	3.547	0.01	0.007	0	29.2	25.4	74.4	106	93	0	38	34
2019	11	7	8	7	35	0.643	-0.102	3.547	0.01	0.007	0	29.2	25.4	74.8	106	94	0	38	35
2019	11	7	8	17	35	0.63	-0.098	3.547	0.013	0.01	0	29.7	25.4	74.4	106	94	0	37	35
2019	11	7	8	27	35	0.656	-0.105	3.547	0.013	0.01	0	29.7	25.4	74.8	106	94	0	37	35
2019	11	7	8	37	35	0.659	-0.108	3.547	0.013	0.01	0	29.2	25.8	74.8	106	94	0	38	34
2019	11	7	8	47	35	0.653	-0.112	3.547	0.01	0.007	0	29.2	25.4	74.8	106	94	0	38	35
2019	11	7	8	57	35	0.653	-0.085	3.547	0.01	0.007	0	29.7	25.8	74.8	106	94	0	37	34
2019	11	7	9	7	35	0.669	-0.079	3.547	0.01	0.007	0	29.7	25.4	74.8	106	94	0	37	35
2019	11	7	9	17	35	0.64	-0.102	3.547	0.013	0.01	0	29.7	25.8	74.4	106	94	0	37	34
2019	11	7	9	27	35	0.633	-0.138	3.547	0.01	0.007	0	28.8	24.9	75.3	105	93	0	38	35
2019	11	7	9	37	35	0.666	-0.118	3.547	0.01	0.007	0	29.2	24.9	75.3	105	93	0	37	35
2019	11	7	9	47	35	0.659	-0.138	3.547	0.013	0.01	0	28.8	24.9	75.3	104	92	0	37	34
2019	11	7	9	57	35	0.666	-0.164	3.547	0.01	0.007	0	29.2	25.4	75.3	105	93	0	37	34
2019	11	7	10	7	35	0.686	-0.095	3.547	0.01	0.007	0	29.7	24.5	75.3	105	92	0	36	35
2019	11	7	10	17	35	0.646	-0.131	3.547	0.013	0.01	0	29.2	24.5	73.5	105	92	0	37	35
2019	11	7	10	27	35	0.643	-0.092	3.547	0.013	0.01	0	29.2	24.5	75.7	104	92	0	36	35
2019	11	7	10	37	35	0.636	-0.098	3.547	0.01	0.007	0	29.7	24.5	75.7	105	92	0	36	35
2019	11	7	10	47	35	0.643	-0.118	3.547	0.01	0.007	0	31	26.7	74.8	108	96	0	36	34
2019	11	7	10	57	35	0.686	-0.095	3.55	0.01	0.007	0	32.3	28	75.7	112	100	0	37	35
2019	11	7	11	7	35	0.646	-0.128	3.55	0.01	0.007	0	31.4	26.2	74.4	109	96	0	36	35
2019	11	7	11	17	35	0.623	-0.128	3.55	0.013	0.01	0	30.1	25.4	76.1	107	94	0	37	35
2019	11	7	11	27	35	0.686	-0.079	3.55	0.01	0.007	0	32.3	27.5	75.7	112	99	0	37	35
2019	11	7	11	37	35	0.646	-0.102	3.55	0.01	0.007	0	36.1	31.8	75.7	122	109	0	38	35
2019	11	7	11	47	35	0.676	-0.072	3.55	0.01	0.007	0	34.4	30.1	75.7	117	105	0	37	35
2019	11	7	11	57	35	0.656	-0.138	3.55	0.013	0.01	0	31.8	28	75.3	111	99	0	37	34
2019	11	7	12	7	35	0.676	-0.112	3.55	0.01	0.007	0	30.5	26.2	75.7	107	95	0	36	34
2019	11	7	12	17	35	0.643	-0.125	3.55	0.01	0.007	0	30.1	25.8	75.3	107	95	0	37	35
2019	11	7	12	27	35	0.65	-0.102	3.55	0.013	0.01	0	29.7	24.9	76.1	106	93	0	37	35
2019	11	7	12	37	35	0.689	-0.121	3.55	0.01	0.007	0	29.7	25.8	76.5	106	94	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	7	12	47	35	0.65	-0.118	3.55	0.01	0.007	0	29.2	25.4	76.1	105	93	0	37	34
2019	11	7	12	57	35	0.643	-0.115	3.55	0.01	0.007	0	29.2	25.4	75.7	105	93	0	37	34
2019	11	7	13	7	35	0.666	-0.085	3.55	0.016	0.013	0	28.8	24.9	76.1	104	92	0	37	34
2019	11	7	13	17	35	0.676	-0.125	3.55	0.013	0.01	0	30.5	25.8	75.3	107	94	0	36	34
2019	11	7	13	27	35	0.633	-0.128	3.55	0.01	0.007	0	30.1	26.2	76.1	107	95	0	37	34
2019	11	7	13	37	35	0.673	-0.112	3.55	0.01	0.007	0	30.5	26.7	77	108	96	0	37	34
2019	11	7	13	47	35	0.633	-0.108	3.55	0.01	0.007	0	31	27.1	77	109	97	0	37	34
2019	11	7	13	57	35	0.646	-0.095	3.55	0.01	0.007	0	31.4	27.1	76.1	110	98	0	37	35
2019	11	7	14	7	35	0.633	-0.095	3.55	0.01	0.007	0	31	27.5	76.5	110	98	0	38	34
2019	11	7	14	17	35	0.663	-0.085	3.55	0.013	0.01	0	31.4	26.2	76.1	109	96	0	36	35
2019	11	7	14	27	35	0.65	-0.131	3.55	0.01	0.007	0	30.1	25.8	76.5	107	95	0	37	35
2019	11	7	14	37	35	0.636	-0.108	3.55	0.01	0.007	0	30.1	25.8	76.5	106	94	0	36	34
2019	11	7	14	47	35	0.679	-0.095	3.55	0.01	0.007	0	35.3	31	76.5	119	106	0	37	34
2019	11	7	14	57	35	0.65	-0.112	3.55	0.01	0.007	0	31.4	27.5	76.1	110	98	0	37	34
2019	11	7	15	7	35	0.643	-0.115	3.55	0.013	0.01	0	32.3	28	75.7	112	100	0	37	35
2019	11	7	15	17	35	0.623	-0.121	3.55	0.013	0.01	0	32.3	28	76.1	112	100	0	37	35
2019	11	7	15	27	35	0.663	-0.102	3.55	0.01	0.007	0	32.3	28	76.1	112	100	0	37	35
2019	11	7	15	37	35	0.653	-0.135	3.55	0.01	0.007	0	32.3	27.5	76.5	112	99	0	37	35
2019	11	7	15	47	35	0.623	-0.118	3.55	0.013	0.01	0	31.8	28	60.2	111	99	0	37	34
2019	11	7	15	57	35	0.63	-0.118	3.55	0.01	0.007	0	31.4	27.5	74.8	110	98	0	37	34
2019	11	7	16	7	35	0.636	-0.079	3.55	0.013	0.01	0	31.8	28	66.2	111	99	0	37	34
2019	11	7	16	17	35	0.666	-0.118	3.547	0.01	0.007	0	32.3	28.8	66.2	113	101	0	38	34
2019	11	7	16	27	35	0.623	-0.121	3.547	0.013	0.01	0	32.3	28	55	112	100	0	37	35
2019	11	7	16	37	35	0.636	-0.115	3.547	0.01	0.007	0	31.8	27.1	52.9	111	98	0	37	35
2019	11	7	16	47	35	0.636	-0.098	3.547	0.01	0.007	0	31.8	27.5	71	110	98	0	36	34
2019	11	7	16	57	35	0.623	-0.082	3.547	0.01	0.007	0	31.8	26.7	76.5	110	97	0	36	35
2019	11	7	17	7	35	0.646	-0.121	3.547	0.013	0.01	0	31.8	27.1	77	110	98	0	36	35
2019	11	7	17	17	35	0.65	-0.098	3.547	0.01	0.007	0	31.8	27.5	76.5	111	98	0	37	34
2019	11	7	17	27	35	0.673	-0.092	3.547	0.01	0.007	0	31.8	27.5	75.7	111	98	0	37	34
2019	11	7	17	37	35	0.646	-0.121	3.547	0.013	0.01	0	31.4	27.1	75.7	110	97	0	37	34
2019	11	7	17	47	35	0.679	-0.075	3.547	0.01	0.007	0	31	27.1	75.7	109	97	0	37	34
2019	11	7	17	57	35	0.633	-0.095	3.547	0.01	0.007	0	31	26.2	75.7	109	96	0	37	35
2019	11	7	18	7	35	0.64	-0.112	3.547	0.01	0.007	0	31	26.2	75.7	109	96	0	37	35
2019	11	7	18	17	35	0.65	-0.115	3.547	0.01	0.007	0	31.8	26.7	75.7	110	97	0	36	35
2019	11	7	18	27	35	0.663	-0.079	3.547	0.01	0.007	0	31.8	26.7	75.7	110	97	0	36	35
2019	11	7	18	37	35	0.659	-0.108	3.547	0.01	0.007	0	31.8	27.5	75.7	111	98	0	37	34
2019	11	7	18	47	35	0.676	-0.108	3.547	0.01	0.007	0	32.3	27.1	76.1	111	98	0	36	35
2019	11	7	18	57	35	0.653	-0.105	3.547	0.013	0.01	0	32.3	27.1	75.7	111	98	0	36	35
2019	11	7	19	7	35	0.679	-0.102	3.547	0.01	0.007	0	32.3	27.5	75.3	112	99	0	37	35
2019	11	7	19	17	35	0.656	-0.108	3.547	0.013	0.01	0	31.8	27.5	74.4	111	98	0	37	34
2019	11	7	19	27	35	0.673	-0.128	3.547	0.01	0.007	0	31.8	27.1	75.3	111	98	0	37	35
2019	11	7	19	37	35	0.653	-0.121	3.547	0.016	0.013	0	32.3	27.5	75.7	111	99	0	36	35
2019	11	7	19	47	35	0.643	-0.098	3.547	0.01	0.007	0	31.8	28	75.3	111	99	0	37	34
2019	11	7	19	57	35	0.646	-0.118	3.547	0.013	0.01	0	32.3	27.1	75.3	111	98	0	36	35
2019	11	7	20	7	35	0.65	-0.135	3.547	0.01	0.007	0	31.8	28	75.3	111	99	0	37	34
2019	11	7	20	17	35	0.646	-0.092	3.547	0.01	0.007	0	31.4	27.1	75.3	110	97	0	37	34
2019	11	7	20	27	35	0.666	-0.095	3.547	0.01	0.007	0	31.8	27.1	75.3	111	98	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	7	20	37	35	0.646	-0.108	3.547	0.01	0.007	0	32.3	27.1	75.7	111	98	0	36	35
2019	11	7	20	47	35	0.6	-0.098	3.543	0.013	0.01	0	31.4	26.7	74.8	110	97	0	37	35
2019	11	7	20	57	35	0.633	-0.089	3.547	0.01	0.007	0	31.8	27.5	74.8	110	98	0	36	34
2019	11	7	21	7	35	0.63	-0.112	3.547	0.013	0.01	0	31.8	27.1	75.7	110	97	0	36	34
2019	11	7	21	17	35	0.659	-0.108	3.543	0.01	0.007	0	31.8	27.1	75.3	110	97	0	36	34
2019	11	7	21	27	35	0.646	-0.102	3.543	0.013	0.01	0	31.4	27.1	75.3	110	97	0	37	34
2019	11	7	21	37	35	0.673	-0.102	3.543	0.01	0.007	0	31.8	26.7	75.3	110	97	0	36	35
2019	11	7	21	47	35	0.673	-0.092	3.543	0.01	0.007	0	31.8	26.2	74.4	110	96	0	36	35
2019	11	7	21	57	35	0.666	-0.079	3.543	0.01	0.007	0	31.8	27.1	75.3	110	97	0	36	34
2019	11	7	22	7	35	0.663	-0.095	3.543	0.016	0.013	0	31.4	26.7	74.8	110	96	0	37	34
2019	11	7	22	17	35	0.627	-0.141	3.543	0.01	0.007	0	31.8	26.2	75.3	110	96	0	36	35
2019	11	7	22	27	35	0.65	-0.121	3.543	0.013	0.01	0	31.8	26.7	75.3	110	97	0	36	35
2019	11	7	22	37	35	0.686	-0.098	3.543	0.01	0.007	0	31.4	27.1	75.3	110	97	0	37	34
2019	11	7	22	47	35	0.65	-0.092	3.543	0.01	0.007	0	31.4	26.7	75.7	109	96	0	36	34
2019	11	7	22	57	35	0.696	-0.115	3.543	0.01	0.007	0	31.4	26.2	75.3	110	96	0	37	35
2019	11	7	23	7	35	0.653	-0.115	3.543	0.01	0.007	0	31	26.7	75.3	109	96	0	37	34
2019	11	7	23	17	35	0.627	-0.098	3.543	0.013	0.01	0	31.4	26.2	74.8	109	96	0	36	35
2019	11	7	23	27	35	0.62	-0.115	3.543	0.01	0.007	0	31	26.7	75.3	109	96	0	37	34
2019	11	7	23	37	35	0.653	-0.108	3.543	0.01	0.007	0	31.4	26.2	75.3	109	96	0	36	35
2019	11	7	23	47	35	0.636	-0.082	3.543	0.016	0.013	0	31.4	25.8	74.4	109	95	0	36	35
2019	11	7	23	57	35	0.627	-0.072	3.54	0.013	0.01	0	31.4	25.8	63.2	109	95	0	36	35
2019	11	8	0	7	35	0.64	-0.138	3.54	0.013	0.01	0	31	26.2	74.8	109	96	0	37	35
2019	11	8	0	17	35	0.64	-0.102	3.543	0.013	0.01	0	37	31.8	74.8	122	108	0	36	34
2019	11	8	0	27	35	0.673	-0.105	3.54	0.01	0.007	0	32.7	28.4	74.8	113	100	0	37	34
2019	11	8	0	37	35	0.679	-0.098	3.54	0.013	0.01	0	34	29.2	74.8	116	103	0	37	35
2019	11	8	0	47	35	0.633	-0.108	3.54	0.01	0.007	0	32.7	27.5	74.8	113	99	0	37	35
2019	11	8	0	57	35	0.673	-0.115	3.54	0.01	0.007	0	31.8	27.1	72.7	111	98	0	37	35
2019	11	8	1	7	35	0.646	-0.082	3.54	0.01	0.007	0	31.4	27.1	74.8	110	97	0	37	34
2019	11	8	1	17	35	0.646	-0.108	3.54	0.01	0.007	0	31	26.7	74.8	109	96	0	37	34
2019	11	8	1	27	35	0.646	-0.108	3.54	0.01	0.007	0	31	25.8	74.8	109	95	0	37	35
2019	11	8	1	37	35	0.64	-0.102	3.54	0.016	0.013	0	31.8	26.7	75.3	111	96	0	37	34
2019	11	8	1	47	35	0.666	-0.069	3.54	0.01	0.007	0	31.4	26.2	75.3	110	96	0	37	35
2019	11	8	1	57	35	0.64	-0.095	3.54	0.013	0.01	0	31.4	26.2	74.8	110	96	0	37	35
2019	11	8	2	7	35	0.633	-0.092	3.54	0.013	0.01	0	31	25.8	75.3	109	95	0	37	35
2019	11	8	2	17	35	0.643	-0.095	3.54	0.016	0.013	0	31	26.2	75.3	109	95	0	37	34
2019	11	8	2	27	35	0.669	-0.092	3.54	0.013	0.01	0	31	26.7	75.3	109	96	0	37	34
2019	11	8	2	37	35	0.669	-0.108	3.54	0.01	0.007	0	31	26.7	75.3	109	96	0	37	34
2019	11	8	2	47	35	0.65	-0.118	3.54	0.01	0.007	0	31	26.2	75.3	109	96	0	37	35
2019	11	8	2	57	35	0.669	-0.102	3.54	0.01	0.007	0	31	25.8	75.3	109	95	0	37	35
2019	11	8	3	7	35	0.65	-0.108	3.54	0.013	0.01	0	31	25.8	74.8	109	95	0	37	35
2019	11	8	3	17	35	0.659	-0.138	3.54	0.013	0.01	0	31	26.2	74.4	109	96	0	37	35
2019	11	8	3	27	35	0.643	-0.108	3.537	0.01	0.007	0	30.5	25.8	74.4	108	95	0	37	35
2019	11	8	3	37	35	0.669	-0.112	3.537	0.01	0.007	0	30.5	26.2	74.8	108	95	0	37	34
2019	11	8	3	47	35	0.656	-0.128	3.537	0.013	0.01	0	31	26.2	74.4	108	95	0	36	34
2019	11	8	3	57	35	0.663	-0.089	3.537	0.01	0.007	0	30.5	25.8	75.3	108	95	0	37	35
2019	11	8	4	7	35	0.682	-0.102	3.537	0.01	0.007	0	30.1	26.2	74.8	108	95	0	38	34
2019	11	8	4	17	35	0.702	-0.138	3.537	0.013	0.01	0	30.1	26.2	74.4	108	95	0	38	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	8	4	27	35	0.617	-0.108	3.537	0.01	0.007	0	30.5	25.8	75.3	108	95	0	37	35
2019	11	8	4	37	35	0.63	-0.112	3.537	0.01	0.007	0	29.7	26.2	75.3	107	95	0	38	34
2019	11	8	4	47	35	0.64	-0.108	3.537	0.01	0.007	0	30.5	25.8	75.3	108	95	0	37	35
2019	11	8	4	57	35	0.646	-0.115	3.537	0.01	0.007	0	30.5	26.2	74.8	108	95	0	37	34
2019	11	8	5	7	35	0.627	-0.098	3.537	0.01	0.007	0	30.5	25.8	75.3	108	95	0	37	35
2019	11	8	5	17	35	0.673	-0.131	3.537	0.013	0.01	0	30.5	25.8	75.3	108	95	0	37	35
2019	11	8	5	27	35	0.653	-0.108	3.537	0.013	0.01	0	30.5	25.8	74.8	108	95	0	37	35
2019	11	8	5	37	35	0.659	-0.128	3.537	0.01	0.007	0	30.5	25.8	74	107	94	0	36	34
2019	11	8	5	47	35	0.627	-0.118	3.533	0.013	0.01	0	30.1	25.8	74.4	107	95	0	37	35
2019	11	8	5	57	35	0.676	-0.128	3.537	0.01	0.007	0	30.5	25.8	74.4	108	95	0	37	35
2019	11	8	6	7	35	0.643	-0.092	3.537	0.013	0.01	0	30.5	25.8	74.8	108	95	0	37	35
2019	11	8	6	17	35	0.617	-0.095	3.537	0.01	0.007	0	31	26.2	74.4	108	95	0	36	34
2019	11	8	6	27	35	0.65	-0.108	3.537	0.01	0.007	0	30.1	25.4	74.8	107	94	0	37	35
2019	11	8	6	37	35	0.646	-0.115	3.537	0.01	0.007	0	31	25.8	75.3	108	95	0	36	35
2019	11	8	6	47	35	0.633	-0.102	3.537	0.01	0.007	0	30.1	25.4	74.4	107	94	0	37	35
2019	11	8	6	57	35	0.643	-0.085	3.533	0.013	0.01	0	30.1	25.8	74.8	107	95	0	37	35
2019	11	8	7	7	35	0.63	-0.098	3.533	0.013	0.01	0	30.1	25.4	74	107	94	0	37	35
2019	11	8	7	17	35	0.659	-0.128	3.533	0.01	0.007	0	29.7	25.4	74.4	106	94	0	37	35
2019	11	8	7	27	35	0.686	-0.121	3.533	0.013	0.01	0	30.1	25.4	74	107	94	0	37	35
2019	11	8	7	37	35	0.65	-0.102	3.533	0.01	0.007	0	29.7	24.9	74	106	93	0	37	35
2019	11	8	7	47	35	0.686	-0.128	3.533	0.016	0.013	0	29.7	24.9	74.4	106	93	0	37	35
2019	11	8	7	57	35	0.65	-0.131	3.533	0.013	0.01	0	29.2	24.9	74	105	93	0	37	35
2019	11	8	8	7	35	0.663	-0.066	3.533	0.016	0.013	0	29.7	24.9	74	106	93	0	37	35
2019	11	8	8	17	35	0.659	-0.102	3.533	0.013	0.01	0	29.7	25.8	74.8	106	94	0	37	34
2019	11	8	8	27	35	0.663	-0.105	3.533	0.01	0.007	0	29.7	25.4	74.4	106	94	0	37	35
2019	11	8	8	37	35	0.669	-0.121	3.533	0.01	0.007	0	29.7	25.4	74.4	106	94	0	37	35
2019	11	8	8	47	35	0.65	-0.092	3.533	0.013	0.01	0	29.2	25.4	74	105	93	0	37	34
2019	11	8	8	57	35	0.604	-0.131	3.533	0.01	0.007	0	29.7	25.8	73.5	105	94	0	36	34
2019	11	8	9	7	35	0.636	-0.105	3.533	0.01	0.007	0	29.2	24.9	73.5	105	93	0	37	35
2019	11	8	9	17	35	0.659	-0.102	3.533	0.01	0.007	0	29.2	24.9	74	104	93	0	36	35
2019	11	8	9	27	35	0.656	-0.089	3.537	0.013	0.01	0	29.2	24.9	74.4	105	93	0	37	35
2019	11	8	9	37	35	0.682	-0.105	3.537	0.01	0.007	0	28.8	24.5	74.4	104	92	0	37	35
2019	11	8	9	47	35	0.653	-0.108	3.537	0.01	0.007	0	28.8	24.9	73.5	104	92	0	37	34
2019	11	8	9	57	35	0.669	-0.082	3.537	0.01	0.007	0	28.8	24.5	74	104	92	0	37	35
2019	11	8	10	7	35	0.666	-0.095	3.537	0.013	0.01	0	28.8	24.5	74	104	92	0	37	35
2019	11	8	10	17	35	0.679	-0.105	3.537	0.013	0.01	0	28.8	24.5	73.5	103	92	0	36	35
2019	11	8	10	27	35	0.65	-0.118	3.537	0.01	0.007	0	28.4	24.5	73.5	103	92	0	37	35
2019	11	8	10	37	35	0.692	-0.121	3.537	0.016	0.013	0	28.8	24.5	73.1	104	92	0	37	35
2019	11	8	10	47	35	0.679	-0.131	3.537	0.01	0.007	0	28.8	24.5	73.5	104	92	0	37	35
2019	11	8	10	57	35	0.656	-0.108	3.537	0.01	0.007	0	28.8	24.9	72.7	104	92	0	37	34
2019	11	8	11	7	35	0.646	-0.089	3.537	0.013	0.01	0	28.8	25.4	73.5	104	93	0	37	34
2019	11	8	11	17	35	0.656	-0.108	3.537	0.016	0.013	0	29.2	25.4	73.1	105	93	0	37	34
2019	11	8	11	27	35	0.653	-0.115	3.537	0.013	0.01	0	28.8	24.5	72.7	104	92	0	37	35
2019	11	8	11	37	35	0.699	-0.089	3.537	0.016	0.013	0	29.2	25.4	73.5	105	94	0	37	35
2019	11	8	11	47	35	0.659	-0.075	3.537	0.016	0.013	0	29.7	25.4	73.1	106	94	0	37	35
2019	11	8	11	57	35	0.617	-0.121	3.537	0.01	0.007	0	29.7	24.9	72.2	105	93	0	36	35
2019	11	8	12	7	35	0.617	-0.098	3.533	0.01	0.007	0	29.2	25.4	72.7	105	94	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	8	12	17	35	0.663	-0.108	3.533	0.01	0.007	0	29.7	24.9	72.7	105	93	0	36	35
2019	11	8	12	27	35	0.659	-0.108	3.533	0.01	0.007	0	30.1	25.8	71.8	107	95	0	37	35
2019	11	8	12	37	35	0.633	-0.115	3.533	0.01	0.007	0	29.7	25.8	72.7	106	95	0	37	35
2019	11	8	12	47	35	0.633	-0.095	3.53	0.01	0.007	0	29.2	25.4	72.2	105	93	0	37	34
2019	11	8	12	57	35	0.643	-0.115	3.53	0.013	0.01	0	29.2	24.9	72.2	104	93	0	36	35
2019	11	8	13	7	35	0.636	-0.082	3.53	0.01	0.007	0	28.8	25.4	71.4	104	93	0	37	34
2019	11	8	13	17	35	0.63	-0.118	3.53	0.013	0.01	0	29.2	24.9	72.7	105	93	0	37	35
2019	11	8	13	27	35	0.65	-0.112	3.53	0.016	0.013	0	28.8	24.9	72.2	104	93	0	37	35
2019	11	8	13	37	35	0.64	-0.118	3.527	0.01	0.007	0	29.2	24.9	71.4	104	93	0	36	35
2019	11	8	13	47	35	0.656	-0.092	3.527	0.01	0.007	0	28.8	24.5	72.7	104	92	0	37	35
2019	11	8	13	57	35	0.686	-0.095	3.527	0.01	0.007	0	29.2	25.4	72.7	105	93	0	37	34
2019	11	8	14	7	35	0.62	-0.108	3.53	0.013	0.01	0	29.2	25.4	71.8	104	93	0	36	34
2019	11	8	14	17	35	0.643	-0.108	3.527	0.013	0.01	0	28.8	24.9	72.2	104	92	0	37	34
2019	11	8	14	27	35	0.686	-0.095	3.53	0.01	0.007	0	28.8	24.5	72.7	103	92	0	36	35
2019	11	8	14	37	35	0.676	-0.098	3.527	0.01	0.007	0	28.8	24.5	72.2	104	92	0	37	35
2019	11	8	14	47	35	0.636	-0.098	3.53	0.01	0.007	0	28.8	25.4	69.7	104	93	0	37	34
2019	11	8	14	57	35	0.65	-0.092	3.53	0.01	0.007	0	29.2	24.9	72.7	104	93	0	36	35
2019	11	8	15	7	35	0.653	-0.105	3.527	0.013	0.01	0	28.8	24.9	72.2	104	93	0	37	35
2019	11	8	15	17	35	0.65	-0.108	3.527	0.013	0.01	0	29.2	25.4	72.7	104	93	0	36	34
2019	11	8	15	27	35	0.673	-0.092	3.527	0.01	0.007	0	28.8	25.4	72.7	104	93	0	37	34
2019	11	8	15	37	35	0.663	-0.112	3.527	0.01	0.007	0	28.8	24.9	72.7	104	92	0	37	34
2019	11	8	15	47	35	0.676	-0.125	3.527	0.01	0.007	0	29.2	24.9	71.8	104	92	0	36	34
2019	11	8	15	57	35	0.669	-0.089	3.527	0.01	0.007	0	29.2	24.9	72.2	104	93	0	36	35
2019	11	8	16	7	35	0.663	-0.102	3.53	0.013	0.01	0	29.2	24.9	72.7	105	93	0	37	35
2019	11	8	16	17	35	0.64	-0.095	3.527	0.01	0.007	0	29.7	25.8	72.2	106	94	0	37	34
2019	11	8	16	27	35	0.663	-0.135	3.527	0.01	0.007	0	29.2	25.4	72.7	105	93	0	37	34
2019	11	8	16	37	35	0.669	-0.125	3.527	0.013	0.01	0	29.2	24.9	72.7	104	92	0	36	34
2019	11	8	16	47	35	0.64	-0.112	3.527	0.01	0.007	0	28.8	24.5	72.2	104	92	0	37	35
2019	11	8	16	57	35	0.679	-0.092	3.527	0.013	0.01	0	28.8	24.5	73.1	104	92	0	37	35
2019	11	8	17	7	35	0.643	-0.121	3.527	0.01	0.007	0	28.4	24.5	72.7	103	91	0	37	34
2019	11	8	17	17	35	0.636	-0.098	3.53	0.01	0.007	0	28.8	24.5	72.7	104	92	0	37	35
2019	11	8	17	27	35	0.65	-0.121	3.527	0.01	0.007	0	29.2	25.4	72.2	105	93	0	37	34
2019	11	8	17	37	35	0.636	-0.118	3.527	0.01	0.007	0	29.2	24.9	72.2	105	93	0	37	35
2019	11	8	17	47	35	0.636	-0.102	3.527	0.013	0.01	0	29.7	25.4	72.2	106	94	0	37	35
2019	11	8	17	57	35	0.64	-0.095	3.53	0.01	0.007	0	29.2	25.4	72.2	105	93	0	37	34
2019	11	8	18	7	35	0.659	-0.095	3.53	0.01	0.007	0	29.7	25.8	72.2	105	94	0	36	34
2019	11	8	18	17	35	0.679	-0.095	3.53	0.013	0.01	0	29.7	25.8	71.8	106	95	0	37	35
2019	11	8	18	27	35	0.663	-0.128	3.533	0.01	0.007	0	31	25.8	72.7	108	95	0	36	35
2019	11	8	18	37	35	0.643	-0.062	3.533	0.013	0.01	0	31	26.7	71.8	108	96	0	36	34
2019	11	8	18	47	35	0.636	-0.105	3.533	0.013	0.01	0	31	26.7	72.2	108	96	0	36	34
2019	11	8	18	57	35	0.656	-0.092	3.533	0.01	0.007	0	31	27.1	71.8	108	97	0	36	34
2019	11	8	19	7	35	0.633	-0.108	3.537	0.013	0.01	0	31	26.2	72.2	109	96	0	37	35
2019	11	8	19	17	35	0.666	-0.075	3.537	0.013	0.01	0	31	26.7	72.2	109	97	0	37	35
2019	11	8	19	27	35	0.656	-0.108	3.537	0.01	0.007	0	31	26.7	71.8	108	97	0	36	35
2019	11	8	19	37	35	0.64	-0.075	3.54	0.01	0.007	0	31.4	26.7	72.2	109	96	0	36	34
2019	11	8	19	47	35	0.636	-0.105	3.54	0.01	0.007	0	31.4	27.1	73.1	109	97	0	36	34
2019	11	8	19	57	35	0.653	-0.115	3.54	0.01	0.007	0	31	26.7	73.5	109	97	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	8	20	7	35	0.646	-0.092	3.54	0.01	0.007	0	31	26.7	73.5	109	97	0	37	35
2019	11	8	20	17	35	0.65	-0.095	3.54	0.01	0.007	0	31	27.1	73.5	109	97	0	37	34
2019	11	8	20	27	35	0.623	-0.095	3.543	0.013	0.01	0	31.4	26.7	73.5	109	97	0	36	35
2019	11	8	20	37	35	0.679	-0.102	3.543	0.013	0.01	0	31	26.7	74	109	96	0	37	34
2019	11	8	20	47	35	0.636	-0.118	3.543	0.01	0.007	0	30.5	26.7	73.5	108	96	0	37	34
2019	11	8	20	57	35	0.656	-0.079	3.543	0.01	0.007	0	31	26.7	74	109	96	0	37	34
2019	11	8	21	7	35	0.65	-0.108	3.543	0.013	0.01	0	31.4	26.7	74.4	109	96	0	36	34
2019	11	8	21	17	35	0.653	-0.105	3.543	0.01	0.007	0	31	26.7	74	109	97	0	37	35
2019	11	8	21	27	35	0.686	-0.098	3.543	0.01	0.007	0	31	26.7	74.8	108	96	0	36	34
2019	11	8	21	37	35	0.663	-0.082	3.543	0.01	0.007	0	30.5	26.7	74.4	108	96	0	37	34
2019	11	8	21	47	35	0.663	-0.095	3.543	0.013	0.01	0	31	26.7	74.4	109	96	0	37	34
2019	11	8	21	57	35	0.673	-0.092	3.543	0.016	0.013	0	31.4	26.7	74.8	109	96	0	36	34
2019	11	8	22	7	35	0.689	-0.102	3.547	0.016	0.013	0	31	26.2	75.7	108	96	0	36	35
2019	11	8	22	17	35	0.673	-0.108	3.547	0.01	0.007	0	31	26.7	75.7	109	96	0	37	34
2019	11	8	22	27	35	0.679	-0.105	3.547	0.016	0.013	0	31	26.2	76.1	109	96	0	37	35
2019	11	8	22	37	35	0.646	-0.085	3.547	0.01	0.007	0	30.5	26.2	75.7	108	96	0	37	35
2019	11	8	22	47	35	0.663	-0.112	3.547	0.01	0.007	0	30.5	26.2	76.5	108	96	0	37	35
2019	11	8	22	57	35	0.663	-0.128	3.547	0.01	0.007	0	31	26.2	76.1	109	96	0	37	35
2019	11	8	23	7	35	0.636	-0.098	3.547	0.01	0.007	0	30.5	26.7	76.5	108	96	0	37	34
2019	11	8	23	17	35	0.63	-0.095	3.547	0.016	0.013	0	31	26.2	77	109	96	0	37	35
2019	11	8	23	27	35	0.686	-0.144	3.547	0.013	0.01	0	31.4	26.7	76.5	109	96	0	36	34
2019	11	8	23	37	35	0.653	-0.105	3.547	0.01	0.007	0	31	26.2	75.3	108	96	0	36	35
2019	11	8	23	47	35	0.659	-0.095	3.547	0.01	0.007	0	31	26.2	76.5	109	96	0	37	35
2019	11	8	23	57	35	0.676	-0.095	3.547	0.01	0.007	0	30.5	26.2	76.1	108	96	0	37	35
2019	11	9	0	7	35	0.663	-0.135	3.55	0.01	0.007	0	30.5	26.2	76.5	108	96	0	37	35
2019	11	9	0	17	35	0.636	-0.072	3.547	0.01	0.007	0	30.5	26.2	76.1	108	96	0	37	35
2019	11	9	0	27	35	0.659	-0.135	3.547	0.01	0.007	0	30.5	26.2	76.1	108	95	0	37	34
2019	11	9	0	37	35	0.653	-0.125	3.547	0.01	0.007	0	31	26.7	76.1	109	96	0	37	34
2019	11	9	0	47	35	0.646	-0.105	3.55	0.01	0.007	0	31	26.2	76.1	108	96	0	36	35
2019	11	9	0	57	35	0.646	-0.095	3.55	0.01	0.007	0	30.5	26.2	75.3	108	96	0	37	35
2019	11	9	1	7	35	0.646	-0.115	3.55	0.013	0.01	0	31	26.2	76.1	108	96	0	36	35
2019	11	9	1	17	35	0.673	-0.108	3.55	0.013	0.01	0	31	26.7	75.7	109	96	0	37	34
2019	11	9	1	27	35	0.643	-0.108	3.55	0.013	0.01	0	30.5	26.2	74.8	108	95	0	37	34
2019	11	9	1	37	35	0.636	-0.105	3.55	0.013	0.01	0	31	26.2	75.3	108	95	0	36	34
2019	11	9	1	47	35	0.682	-0.118	3.55	0.01	0.007	0	30.5	26.2	75.7	108	95	0	37	34
2019	11	9	1	57	35	0.653	-0.108	3.55	0.01	0.007	0	30.5	25.8	75.3	108	95	0	37	35
2019	11	9	2	7	35	0.643	-0.098	3.55	0.013	0.01	0	30.5	26.7	74.4	108	96	0	37	34
2019	11	9	2	17	35	0.656	-0.108	3.55	0.01	0.007	0	30.5	25.8	74.8	108	95	0	37	35
2019	11	9	2	27	35	0.673	-0.108	3.55	0.01	0.007	0	31	25.8	74.8	108	95	0	36	35
2019	11	9	2	37	35	0.673	-0.095	3.55	0.01	0.007	0	30.5	25.8	75.3	108	95	0	37	35
2019	11	9	2	47	35	0.659	-0.121	3.55	0.01	0.007	0	30.1	25.4	75.3	107	94	0	37	35
2019	11	9	2	57	35	0.682	-0.128	3.55	0.01	0.007	0	30.5	25.8	74.8	108	95	0	37	35
2019	11	9	3	7	35	0.646	-0.105	3.55	0.013	0.01	0	29.7	26.2	74.4	107	95	0	38	34
2019	11	9	3	17	35	0.669	-0.089	3.55	0.013	0.01	0	30.5	25.8	74.4	108	95	0	37	35
2019	11	9	3	27	35	0.656	-0.102	3.55	0.01	0.007	0	30.5	25.8	73.5	108	95	0	37	35
2019	11	9	3	37	35	0.696	-0.105	3.553	0.013	0.01	0	31	25.8	74.4	108	95	0	36	35
2019	11	9	3	47	35	0.669	-0.118	3.553	0.01	0.007	0	30.5	26.2	74	108	95	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	9	3	57	35	0.63	-0.098	3.553	0.013	0.01	0	31	25.8	73.5	108	95	0	36	35
2019	11	9	4	7	35	0.656	-0.128	3.553	0.01	0.007	0	30.5	25.8	73.5	107	95	0	36	35
2019	11	9	4	17	35	0.646	-0.098	3.553	0.01	0.007	0	30.5	26.2	72.7	108	96	0	37	35
2019	11	9	4	27	35	0.633	-0.118	3.553	0.013	0.01	0	30.5	25.8	72.7	108	95	0	37	35
2019	11	9	4	37	35	0.696	-0.105	3.553	0.016	0.013	0	30.5	26.2	73.1	108	95	0	37	34
2019	11	9	4	47	35	0.643	-0.102	3.553	0.01	0.007	0	30.1	25.8	73.1	108	95	0	38	35
2019	11	9	4	57	35	0.679	-0.118	3.553	0.013	0.01	0	30.1	25.4	73.1	107	94	0	37	35
2019	11	9	5	7	35	0.663	-0.115	3.556	0.01	0.007	0	31	25.8	72.2	108	95	0	36	35
2019	11	9	5	17	35	0.65	-0.075	3.556	0.013	0.01	0	30.1	25.8	71.8	107	95	0	37	35
2019	11	9	5	27	35	0.669	-0.108	3.556	0.01	0.007	0	30.1	25.8	72.2	107	94	0	37	34
2019	11	9	5	37	35	0.676	-0.095	3.556	0.01	0.007	0	30.1	25.4	71.4	107	94	0	37	35
2019	11	9	5	47	35	0.669	-0.069	3.563	0.01	0.007	0	30.1	25.8	71.4	107	95	0	37	35
2019	11	9	5	57	35	0.669	-0.125	3.566	0.01	0.007	0	30.5	25.4	72.2	107	94	0	36	35
2019	11	9	6	7	35	0.653	-0.085	3.566	0.016	0.013	0	30.1	25.4	72.2	107	94	0	37	35
2019	11	9	6	17	35	0.64	-0.115	3.57	0.01	0.007	0	30.5	25.8	73.1	108	95	0	37	35
2019	11	9	6	27	35	0.643	-0.138	3.57	0.01	0.007	0	30.1	25.4	72.2	107	94	0	37	35
2019	11	9	6	37	35	0.673	-0.118	3.57	0.01	0.007	0	29.7	25.4	73.5	106	94	0	37	35
2019	11	9	6	47	35	0.669	-0.079	3.57	0.013	0.01	0	30.5	26.2	74	108	96	0	37	35
2019	11	9	6	57	35	0.653	-0.115	3.57	0.01	0.007	0	30.1	25.4	74	107	94	0	37	35
2019	11	9	7	7	35	0.643	-0.069	3.57	0.013	0.01	0	30.1	25.4	74	107	94	0	37	35
2019	11	9	7	17	35	0.663	-0.125	3.57	0.01	0.007	0	29.2	24.9	73.5	106	93	0	38	35
2019	11	9	7	27	35	0.679	-0.112	3.573	0.013	0.01	0	29.7	25.4	73.5	106	94	0	37	35
2019	11	9	7	37	35	0.692	-0.095	3.573	0.01	0.007	0	29.2	25.8	74.8	106	94	0	38	34
2019	11	9	7	47	35	0.669	-0.079	3.573	0.01	0.007	0	30.1	25.8	74.8	107	95	0	37	35
2019	11	9	7	57	35	0.64	-0.112	3.573	0.01	0.007	0	30.1	25.8	74.8	107	95	0	37	35
2019	11	9	8	7	35	0.679	-0.112	3.573	0.01	0.007	0	32.3	27.5	74.8	112	99	0	37	35
2019	11	9	8	17	35	0.679	-0.105	3.573	0.01	0.007	0	32.7	28.4	75.7	113	101	0	37	35
2019	11	9	8	27	35	0.692	-0.098	3.576	0.013	0.01	0	31.8	27.5	76.1	111	99	0	37	35
2019	11	9	8	37	35	0.646	-0.108	3.576	0.01	0.007	0	31	26.2	75.3	109	97	0	37	36
2019	11	9	8	47	35	0.666	-0.092	3.576	0.01	0.007	0	29.7	26.2	76.1	107	95	0	38	34
2019	11	9	8	57	35	0.669	-0.102	3.576	0.01	0.007	0	29.7	25.4	76.5	106	94	0	37	35
2019	11	9	9	7	35	0.679	-0.105	3.576	0.01	0.007	0	30.1	25.4	75.3	107	94	0	37	35
2019	11	9	9	17	35	0.636	-0.072	3.579	0.013	0.01	0	30.1	25.4	76.1	107	94	0	37	35
2019	11	9	9	27	35	0.666	-0.085	3.579	0.01	0.007	0	29.7	25.4	75.3	106	94	0	37	35
2019	11	9	9	37	35	0.669	-0.105	3.579	0.01	0.007	0	29.2	24.9	76.5	105	93	0	37	35
2019	11	9	9	47	35	0.692	-0.121	3.579	0.016	0.013	0	30.1	25.4	76.5	106	94	0	36	35
2019	11	9	9	57	35	0.666	-0.102	3.579	0.01	0.007	0	29.7	24.9	75.7	106	93	0	37	35
2019	11	9	10	7	35	0.676	-0.108	3.579	0.013	0.01	0	29.2	24.9	75.7	105	93	0	37	35
2019	11	9	10	17	35	0.643	-0.108	3.579	0.013	0.01	0	29.2	24.9	76.5	105	93	0	37	35
2019	11	9	10	27	35	0.669	-0.115	3.583	0.016	0.013	0	29.2	24.5	76.5	105	92	0	37	35
2019	11	9	10	37	35	0.643	-0.108	3.583	0.01	0.007	0	29.2	24.9	76.1	105	93	0	37	35
2019	11	9	10	47	35	0.666	-0.095	3.583	0.016	0.013	0	28.8	24.5	75.7	104	92	0	37	35
2019	11	9	10	57	35	0.702	-0.105	3.583	0.01	0.007	0	28.8	24.5	76.5	104	92	0	37	35
2019	11	9	11	7	35	0.653	-0.108	3.586	0.013	0.01	0	29.2	24.9	76.1	105	93	0	37	35
2019	11	9	11	17	35	0.643	-0.138	3.586	0.013	0.01	0	29.7	25.4	75.7	106	93	0	37	34
2019	11	9	11	27	35	0.702	-0.118	3.586	0.013	0.01	0	30.1	25.4	75.7	106	94	0	36	35
2019	11	9	11	37	35	0.686	-0.118	3.586	0.01	0.007	0	29.2	24.9	76.1	105	93	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	9	11	47	35	0.696	-0.098	3.586	0.013	0.01	0	28.4	25.4	75.7	105	93	0	39	34
2019	11	9	11	57	35	0.65	-0.095	3.586	0.01	0.007	0	29.2	24.9	75.7	105	93	0	37	35
2019	11	9	12	7	35	0.663	-0.115	3.589	0.013	0.01	0	30.1	25.4	76.1	107	94	0	37	35
2019	11	9	12	17	35	0.702	-0.089	3.589	0.01	0.007	0	35.7	31.4	74.4	120	107	0	37	34
2019	11	9	12	27	35	0.673	-0.115	3.589	0.013	0.01	0	34.8	30.5	75.3	117	105	0	36	34
2019	11	9	12	37	35	0.663	-0.059	3.589	0.01	0.007	0	36.1	31.8	75.3	120	108	0	36	34
2019	11	9	12	47	35	0.699	-0.095	3.589	0.01	0.007	0	34	29.7	74.8	116	103	0	37	34
2019	11	9	12	57	35	0.679	-0.089	3.589	0.01	0.007	0	37.4	32.7	74.8	124	111	0	37	35
2019	11	9	13	7	35	0.663	-0.135	3.589	0.013	0.01	0	34.4	30.5	74.8	117	105	0	37	34
2019	11	9	13	17	35	0.633	-0.092	3.593	0.01	0.007	0	33.1	28.4	75.3	113	100	0	36	34
2019	11	9	13	27	35	0.669	-0.131	3.593	0.016	0.013	0	33.1	28.8	74.8	114	102	0	37	35
2019	11	9	13	37	35	0.689	-0.108	3.593	0.013	0.01	0	34	29.7	74.8	116	104	0	37	35
2019	11	9	13	47	35	0.65	-0.089	3.593	0.01	0.007	0	34.4	30.1	61.5	116	104	0	36	34
2019	11	9	13	57	35	0.636	-0.108	3.593	0.01	0.007	0	34.4	31	56.8	118	106	0	38	34
2019	11	9	14	7	35	0.643	-0.089	3.593	0.013	0.01	0	34	29.2	56.8	116	103	0	37	35
2019	11	9	14	17	35	0.659	-0.105	3.593	0.01	0.007	0	33.5	29.2	53.3	115	103	0	37	35
2019	11	9	14	27	35	0.666	-0.095	3.593	0.01	0.007	0	36.5	32.7	70.1	122	110	0	37	34
2019	11	9	14	37	35	0.676	-0.102	3.596	0.013	0.01	0	35.7	31.8	72.7	120	108	0	37	34
2019	11	9	14	47	35	0.656	-0.118	3.593	0.01	0.007	0	34.4	30.1	59.3	117	104	0	37	34
2019	11	9	14	57	35	0.604	-0.108	3.596	0.013	0.01	0	34.8	31	58.9	118	106	0	37	34
2019	11	9	15	7	35	0.63	-0.095	3.596	0.013	0.01	0	35.7	31.4	63.6	120	108	0	37	35
2019	11	9	15	17	35	0.682	-0.112	3.596	0.01	0.007	0	37.4	33.1	69.2	124	111	0	37	34
2019	11	9	15	27	35	0.65	-0.098	3.596	0.01	0.007	0	34	29.7	54.6	116	103	0	37	34
2019	11	9	15	37	35	0.65	-0.095	3.596	0.01	0.007	0	33.1	28.8	55	114	101	0	37	34
2019	11	9	15	47	35	0.653	-0.131	3.596	0.01	0.007	0	32.3	28	52	112	99	0	37	34
2019	11	9	15	57	35	0.597	-0.082	3.596	0.013	0.01	0	32.3	27.5	57.6	112	99	0	37	35
2019	11	9	16	7	35	0.65	-0.098	3.596	0.013	0.01	0	32.3	27.5	58.5	111	99	0	36	35
2019	11	9	16	17	35	0.64	-0.135	3.599	0.01	0.007	0	32.3	28	67.1	111	99	0	36	34
2019	11	9	16	27	35	0.627	-0.115	3.599	0.01	0.007	0	31.8	28	61.1	111	99	0	37	34
2019	11	9	16	37	35	0.617	-0.112	3.599	0.01	0.007	0	32.3	27.5	66.2	111	98	0	36	34
2019	11	9	16	47	35	0.636	-0.108	3.599	0.013	0.01	0	31.8	27.1	67.5	111	98	0	37	35
2019	11	9	16	57	35	0.617	-0.141	3.602	0.01	0.007	0	31.4	26.7	73.1	110	97	0	37	35
2019	11	9	17	7	35	0.663	-0.125	3.606	0.01	0.007	0	32.3	27.5	72.2	111	98	0	36	34
2019	11	9	17	17	35	0.673	-0.118	3.606	0.01	0.007	0	32.3	27.5	72.2	112	99	0	37	35
2019	11	9	17	27	35	0.659	-0.089	3.609	0.016	0.013	0	32.3	27.5	72.2	111	98	0	36	34
2019	11	9	17	37	35	0.666	-0.092	3.612	0.01	0.007	0	31.8	27.5	73.1	110	98	0	36	34
2019	11	9	17	47	35	0.673	-0.121	3.615	0.01	0.007	0	31.4	26.7	72.7	110	97	0	37	35
2019	11	9	17	57	35	0.65	-0.108	3.615	0.013	0.01	0	31	27.1	73.1	109	97	0	37	34
2019	11	9	18	7	35	0.659	-0.115	3.615	0.013	0.01	0	33.1	28.8	73.1	114	102	0	37	35
2019	11	9	18	17	35	0.676	-0.105	3.615	0.016	0.013	0	34	30.1	72.7	116	104	0	37	34
2019	11	9	18	27	35	0.669	-0.125	3.615	0.01	0.007	0	33.1	28.8	73.1	114	101	0	37	34
2019	11	9	18	37	35	0.656	-0.121	3.619	0.016	0.013	0	32.7	28	74	112	100	0	36	35
2019	11	9	18	47	35	0.676	-0.112	3.615	0.013	0.01	0	32.3	28.4	73.5	112	100	0	37	34
2019	11	9	18	57	35	0.679	-0.079	3.619	0.013	0.01	0	32.7	28.4	74	112	100	0	36	34
2019	11	9	19	7	35	0.669	-0.105	3.619	0.013	0.01	0	32.3	28	73.5	112	100	0	37	35
2019	11	9	19	17	35	0.692	-0.144	3.619	0.016	0.013	0	32.7	28	74.8	112	99	0	36	34
2019	11	9	19	27	35	0.63	-0.095	3.619	0.013	0.01	0	32.3	28	74.8	112	99	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	9	19	37	35	0.666	-0.121	3.619	0.013	0.01	0	32.3	28.4	74.8	112	100	0	37	34
2019	11	9	19	47	35	0.65	-0.105	3.619	0.013	0.01	0	32.3	27.5	74.4	112	99	0	37	35
2019	11	9	19	57	35	0.663	-0.079	3.622	0.01	0.007	0	32.7	27.5	75.3	112	99	0	36	35
2019	11	9	20	7	35	0.663	-0.108	3.622	0.013	0.01	0	32.7	28	75.3	113	100	0	37	35
2019	11	9	20	17	35	0.653	-0.105	3.622	0.013	0.01	0	33.5	29.2	76.1	115	102	0	37	34
2019	11	9	20	27	35	0.676	-0.092	3.622	0.013	0.01	0	32.7	28.4	76.1	113	100	0	37	34
2019	11	9	20	37	35	0.682	-0.121	3.622	0.01	0.007	0	32.3	27.5	75.7	112	99	0	37	35
2019	11	9	20	47	35	0.679	-0.069	3.622	0.01	0.007	0	32.3	27.1	76.1	112	98	0	37	35
2019	11	9	20	57	35	0.702	-0.102	3.622	0.016	0.013	0	31.8	27.5	76.1	111	98	0	37	34
2019	11	9	21	7	35	0.712	-0.079	3.622	0.01	0.007	0	31.8	27.1	76.5	111	98	0	37	35
2019	11	9	21	17	35	0.689	-0.115	3.625	0.013	0.01	0	31.4	27.1	76.1	110	97	0	37	34
2019	11	9	21	27	35	0.663	-0.108	3.622	0.01	0.007	0	31.8	27.5	76.5	111	98	0	37	34
2019	11	9	21	37	35	0.669	-0.098	3.622	0.013	0.01	0	31.8	27.1	76.5	111	97	0	37	34
2019	11	9	21	47	35	0.663	-0.112	3.625	0.01	0.007	0	31.4	26.2	76.5	110	96	0	37	35
2019	11	9	21	57	35	0.666	-0.108	3.625	0.01	0.007	0	31.4	26.7	77	110	97	0	37	35
2019	11	9	22	7	35	0.65	-0.112	3.625	0.013	0.01	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	9	22	17	35	0.633	-0.102	3.625	0.013	0.01	0	31.4	26.7	76.5	110	97	0	37	35
2019	11	9	22	27	35	0.676	-0.095	3.625	0.01	0.007	0	31.8	27.1	76.5	110	97	0	36	34
2019	11	9	22	37	35	0.663	-0.102	3.625	0.01	0.007	0	31.4	26.7	76.1	109	97	0	36	35
2019	11	9	22	47	35	0.682	-0.066	3.625	0.01	0.007	0	31.4	27.1	76.5	110	97	0	37	34
2019	11	9	22	57	35	0.663	-0.108	3.625	0.01	0.007	0	31	27.1	76.1	109	97	0	37	34
2019	11	9	23	7	35	0.659	-0.098	3.625	0.01	0.007	0	31.4	26.7	75.7	109	97	0	36	35
2019	11	9	23	17	35	0.689	-0.115	3.625	0.01	0.007	0	31	27.1	75.7	109	97	0	37	34
2019	11	9	23	27	35	0.659	-0.105	3.625	0.01	0.007	0	31	26.7	76.1	109	97	0	37	35
2019	11	9	23	37	35	0.669	-0.121	3.625	0.013	0.01	0	31.8	26.7	75.7	110	96	0	36	34
2019	11	9	23	47	35	0.673	-0.121	3.625	0.016	0.013	0	31	27.1	75.3	109	97	0	37	34
2019	11	9	23	57	35	0.669	-0.105	3.625	0.01	0.007	0	31.4	26.2	75.3	109	96	0	36	35
2019	11	10	0	7	35	0.663	-0.108	3.625	0.016	0.013	0	31.4	26.7	75.3	109	97	0	36	35
2019	11	10	0	17	35	0.689	-0.121	3.625	0.01	0.007	0	31	26.2	75.3	109	96	0	37	35
2019	11	10	0	27	35	0.686	-0.131	3.625	0.01	0.007	0	31	26.7	75.3	109	96	0	37	34
2019	11	10	0	37	35	0.679	-0.089	3.625	0.01	0.007	0	31.4	26.2	75.3	109	96	0	36	35
2019	11	10	0	47	35	0.686	-0.108	3.625	0.01	0.007	0	31	26.2	74.8	109	96	0	37	35
2019	11	10	0	57	35	0.643	-0.112	3.625	0.013	0.01	0	31	26.2	74.4	109	96	0	37	35
2019	11	10	1	7	35	0.689	-0.108	3.629	0.013	0.01	0	31	26.7	74.8	109	96	0	37	34
2019	11	10	1	17	35	0.666	-0.118	3.629	0.013	0.01	0	30.5	26.7	74.8	108	96	0	37	34
2019	11	10	1	27	35	0.643	-0.095	3.629	0.013	0.01	0	31	26.2	74.4	109	96	0	37	35
2019	11	10	1	37	35	0.676	-0.118	3.629	0.013	0.01	0	30.5	26.7	74.4	108	96	0	37	34
2019	11	10	1	47	35	0.679	-0.089	3.625	0.01	0.007	0	31	26.7	74	109	96	0	37	34
2019	11	10	1	57	35	0.689	-0.082	3.629	0.01	0.007	0	31.4	26.7	73.5	109	96	0	36	34
2019	11	10	2	7	35	0.679	-0.105	3.629	0.013	0.01	0	31	26.2	74	109	96	0	37	35
2019	11	10	2	17	35	0.686	-0.105	3.629	0.013	0.01	0	31	26.2	73.1	108	96	0	36	35
2019	11	10	2	27	35	0.656	-0.092	3.629	0.01	0.007	0	30.5	26.7	73.5	108	96	0	37	34
2019	11	10	2	37	35	0.656	-0.098	3.629	0.01	0.007	0	30.5	26.7	73.1	108	96	0	37	34
2019	11	10	2	47	35	0.663	-0.098	3.629	0.013	0.01	0	30.5	26.7	72.7	108	96	0	37	34
2019	11	10	2	57	35	0.63	-0.135	3.632	0.01	0.007	0	30.5	26.2	72.2	108	96	0	37	35
2019	11	10	3	7	35	0.673	-0.118	3.629	0.01	0.007	0	31	26.7	72.2	108	96	0	36	34
2019	11	10	3	17	35	0.682	-0.105	3.632	0.01	0.007	0	30.5	26.2	72.2	108	96	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	10	3	27	35	0.643	-0.115	3.632	0.013	0.01	0	30.1	25.8	72.2	108	95	0	38	35
2019	11	10	3	37	35	0.669	-0.079	3.632	0.016	0.016	0	30.5	25.8	72.2	108	95	0	37	35
2019	11	10	3	47	35	0.669	-0.102	3.635	0.01	0.007	0	31	25.8	71.4	108	95	0	36	35
2019	11	10	3	57	35	0.669	-0.112	3.635	0.01	0.007	0	30.5	25.8	71.4	108	95	0	37	35
2019	11	10	4	7	35	0.715	-0.115	3.642	0.01	0.007	0	31	26.2	72.2	108	95	0	36	34
2019	11	10	4	17	35	0.679	-0.082	3.642	0.01	0.007	0	30.5	26.2	71.8	108	96	0	37	35
2019	11	10	4	27	35	0.696	-0.102	3.642	0.013	0.01	0	30.5	25.8	72.7	108	95	0	37	35
2019	11	10	4	37	35	0.689	-0.131	3.642	0.013	0.01	0	30.1	25.8	72.7	107	95	0	37	35
2019	11	10	4	47	35	0.696	-0.092	3.642	0.01	0.007	0	30.5	26.2	72.2	108	96	0	37	35
2019	11	10	4	57	35	0.682	-0.105	3.645	0.01	0.007	0	30.5	25.8	73.1	108	95	0	37	35
2019	11	10	5	7	35	0.679	-0.121	3.645	0.01	0.007	0	30.1	25.8	73.1	108	95	0	38	35
2019	11	10	5	17	35	0.663	-0.131	3.645	0.013	0.01	0	30.1	25.8	73.5	107	95	0	37	35
2019	11	10	5	27	35	0.686	-0.128	3.645	0.01	0.007	0	30.5	25.8	74.4	107	95	0	36	35
2019	11	10	5	37	35	0.669	-0.112	3.645	0.013	0.01	0	30.1	25.4	74	107	94	0	37	35
2019	11	10	5	47	35	0.676	-0.069	3.645	0.01	0.007	0	29.7	25.8	74.4	107	95	0	38	35
2019	11	10	5	57	35	0.673	-0.115	3.645	0.01	0.007	0	30.1	25.8	74.4	107	95	0	37	35
2019	11	10	6	7	35	0.679	-0.092	3.645	0.01	0.007	0	30.5	25.8	74.4	108	95	0	37	35
2019	11	10	6	17	35	0.666	-0.118	3.645	0.01	0.007	0	29.7	25.4	75.3	106	94	0	37	35
2019	11	10	6	27	35	0.689	-0.072	3.645	0.01	0.007	0	29.7	25.4	74.4	107	94	0	38	35
2019	11	10	6	37	35	0.646	-0.089	3.645	0.013	0.01	0	30.5	25.4	74.8	107	94	0	36	35
2019	11	10	6	47	35	0.646	-0.092	3.648	0.01	0.007	0	30.1	25.4	74.8	107	94	0	37	35
2019	11	10	6	57	35	0.689	-0.131	3.648	0.01	0.007	0	29.2	25.4	75.3	106	94	0	38	35
2019	11	10	7	7	35	0.669	-0.095	3.648	0.01	0.007	0	30.1	25.4	75.7	107	94	0	37	35
2019	11	10	7	17	35	0.696	-0.095	3.648	0.01	0.007	0	30.1	25.4	75.7	106	94	0	36	35
2019	11	10	7	27	35	0.663	-0.079	3.648	0.01	0.007	0	30.1	25.8	75.7	106	94	0	36	34
2019	11	10	7	37	35	0.636	-0.072	3.648	0.016	0.013	0	30.5	26.2	76.5	108	95	0	37	34
2019	11	10	7	47	35	0.692	-0.112	3.648	0.01	0.007	0	29.7	24.9	76.1	106	93	0	37	35
2019	11	10	7	57	35	0.669	-0.118	3.648	0.01	0.007	0	29.2	24.9	76.5	105	93	0	37	35
2019	11	10	8	7	35	0.653	-0.105	3.648	0.01	0.007	0	29.7	24.9	75.7	106	93	0	37	35
2019	11	10	8	17	35	0.673	-0.105	3.648	0.013	0.01	0	29.7	24.9	76.1	106	93	0	37	35
2019	11	10	8	27	35	0.676	-0.085	3.648	0.01	0.007	0	29.7	25.4	76.1	106	94	0	37	35
2019	11	10	8	37	35	0.689	-0.115	3.648	0.013	0.01	0	29.7	25.4	76.5	106	94	0	37	35
2019	11	10	8	47	35	0.689	-0.121	3.648	0.01	0.007	0	29.7	25.8	76.5	106	94	0	37	34
2019	11	10	8	57	35	0.682	-0.108	3.652	0.01	0.007	0	29.2	25.4	77	105	94	0	37	35
2019	11	10	9	7	35	0.679	-0.102	3.652	0.01	0.007	0	29.2	25.4	77	105	93	0	37	34
2019	11	10	9	17	35	0.712	-0.105	3.652	0.01	0.007	0	29.2	24.9	76.1	105	93	0	37	35
2019	11	10	9	27	35	0.653	-0.098	3.652	0.01	0.007	0	29.2	25.4	77	105	93	0	37	34
2019	11	10	9	37	35	0.669	-0.108	3.652	0.01	0.007	0	28.8	24.9	77	104	92	0	37	34
2019	11	10	9	47	35	0.676	-0.079	3.652	0.01	0.007	0	29.2	24.5	77.4	105	92	0	37	35
2019	11	10	9	57	35	0.669	-0.092	3.655	0.01	0.007	0	29.2	24.9	77	105	93	0	37	35
2019	11	10	10	7	35	0.696	-0.092	3.655	0.01	0.007	0	29.2	24.9	77	105	93	0	37	35
2019	11	10	10	17	35	0.676	-0.095	3.655	0.01	0.007	0	28.8	24.5	77	104	92	0	37	35
2019	11	10	10	27	35	0.699	-0.105	3.655	0.013	0.01	0	29.2	24.5	76.5	104	92	0	36	35
2019	11	10	10	37	35	0.682	-0.128	3.655	0.01	0.007	0	28.8	24.5	76.1	104	92	0	37	35
2019	11	10	10	47	35	0.692	-0.105	3.655	0.01	0.007	0	28.8	25.4	76.5	104	93	0	37	34
2019	11	10	10	57	35	0.636	-0.098	3.655	0.01	0.007	0	28.8	24.9	76.5	105	93	0	38	35
2019	11	10	11	7	35	0.676	-0.121	3.655	0.01	0.007	0	29.2	24.9	75.7	105	93	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	10	11	17	35	0.656	-0.108	3.655	0.01	0.007	0	29.7	24.9	76.5	105	93	0	36	35
2019	11	10	11	27	35	0.666	-0.128	3.655	0.016	0.013	0	31.8	27.1	76.5	111	98	0	37	35
2019	11	10	11	37	35	0.682	-0.118	3.658	0.01	0.007	0	32.7	28.8	76.1	113	101	0	37	34
2019	11	10	11	47	35	0.673	-0.115	3.655	0.01	0.007	0	32.3	28	74.4	112	100	0	37	35
2019	11	10	11	57	35	0.715	-0.105	3.655	0.01	0.007	0	31.8	28	77	111	100	0	37	35
2019	11	10	12	7	35	0.65	-0.095	3.655	0.013	0.01	0	31.8	27.5	76.5	111	99	0	37	35
2019	11	10	12	17	35	0.699	-0.105	3.658	0.01	0.007	0	31	26.7	77	109	97	0	37	35
2019	11	10	12	27	35	0.699	-0.115	3.658	0.01	0.007	0	29.2	25.8	76.1	106	94	0	38	34
2019	11	10	12	37	35	0.659	-0.118	3.658	0.013	0.01	0	31.8	27.5	75.7	111	99	0	37	35
2019	11	10	12	47	35	0.666	-0.108	3.658	0.01	0.007	0	35.7	31.8	75.7	120	108	0	37	34
2019	11	10	12	57	35	0.712	-0.092	3.658	0.01	0.007	0	38.7	34.8	71.4	127	115	0	37	34
2019	11	10	13	7	35	0.666	-0.128	3.658	0.01	0.007	0	33.5	29.2	69.2	115	103	0	37	35
2019	11	10	13	17	35	0.686	-0.118	3.658	0.01	0.007	0	31.8	28	74.8	111	100	0	37	35
2019	11	10	13	27	35	0.659	-0.135	3.661	0.013	0.01	0	30.5	26.7	75.7	108	96	0	37	34
2019	11	10	13	37	35	0.676	-0.079	3.658	0.013	0.01	0	31	26.2	76.5	108	96	0	36	35
2019	11	10	13	47	35	0.653	-0.098	3.661	0.013	0.01	0	31	27.5	75.3	109	98	0	37	34
2019	11	10	13	57	35	0.696	-0.092	3.661	0.013	0.01	0	30.5	25.8	76.5	107	95	0	36	35
2019	11	10	14	7	35	0.669	-0.105	3.661	0.01	0.007	0	31	26.7	77	108	96	0	36	34
2019	11	10	14	17	35	0.702	-0.105	3.661	0.01	0.007	0	30.5	26.2	77	108	96	0	37	35
2019	11	10	14	27	35	0.669	-0.105	3.661	0.01	0.007	0	31.4	26.7	68.8	109	97	0	36	35
2019	11	10	14	37	35	0.666	-0.095	3.661	0.01	0.007	0	32.3	27.5	75.3	111	99	0	36	35
2019	11	10	14	47	35	0.663	-0.131	3.658	0.01	0.007	0	31.4	27.1	61.9	110	98	0	37	35
2019	11	10	14	57	35	0.663	-0.108	3.661	0.01	0.007	0	30.5	27.1	74.8	109	97	0	38	34
2019	11	10	15	7	35	0.676	-0.112	3.658	0.013	0.01	0	31	27.1	63.6	109	97	0	37	34
2019	11	10	15	17	35	0.646	-0.108	3.661	0.01	0.007	0	31.4	27.1	52	110	97	0	37	34
2019	11	10	15	27	35	0.617	-0.098	3.658	0.01	0.007	0	32.3	28	51.2	112	99	0	37	34
2019	11	10	15	37	35	0.633	-0.108	3.661	0.016	0.013	0	33.1	28.8	46	114	102	0	37	35
2019	11	10	15	47	35	0.633	-0.092	3.658	0.01	0.007	0	33.5	29.2	49.5	115	103	0	37	35
2019	11	10	15	57	35	0.659	-0.095	3.658	0.01	0.007	0	33.5	29.7	50.3	115	103	0	37	34
2019	11	10	16	7	35	0.627	-0.105	3.661	0.01	0.007	0	33.1	28.8	52	114	102	0	37	35
2019	11	10	16	17	35	0.643	-0.098	3.661	0.013	0.01	0	32.7	28	53.3	112	100	0	36	35
2019	11	10	16	27	35	0.659	-0.082	3.661	0.01	0.007	0	31.8	27.5	52.5	111	99	0	37	35
2019	11	10	16	37	35	0.673	-0.108	3.658	0.01	0.007	0	31.8	26.7	52.9	110	97	0	36	35
2019	11	10	16	47	35	0.679	-0.121	3.661	0.01	0.007	0	30.5	26.2	68.4	109	96	0	38	35
2019	11	10	16	57	35	0.686	-0.131	3.661	0.01	0.007	0	30.5	25.8	75.7	108	95	0	37	35
2019	11	10	17	7	35	0.702	-0.118	3.661	0.01	0.007	0	30.1	25.8	76.5	107	95	0	37	35
2019	11	10	17	17	35	0.689	-0.144	3.661	0.01	0.007	0	30.5	26.2	77	107	95	0	36	34
2019	11	10	17	27	35	0.659	-0.095	3.661	0.01	0.007	0	29.7	25.4	76.5	106	94	0	37	35
2019	11	10	17	37	35	0.689	-0.112	3.661	0.01	0.007	0	29.7	24.9	76.5	106	93	0	37	35
2019	11	10	17	47	35	0.673	-0.108	3.661	0.016	0.013	0	30.5	25.8	76.1	108	95	0	37	35
2019	11	10	17	57	35	0.696	-0.095	3.661	0.01	0.007	0	30.1	25.4	76.5	107	94	0	37	35
2019	11	10	18	7	35	0.636	-0.082	3.661	0.013	0.01	0	30.1	25.8	76.1	107	94	0	37	34
2019	11	10	18	17	35	0.679	-0.125	3.661	0.01	0.007	0	30.1	25.8	75.7	107	95	0	37	35
2019	11	10	18	27	35	0.656	-0.108	3.665	0.01	0.007	0	30.5	26.7	76.1	108	96	0	37	34
2019	11	10	18	37	35	0.699	-0.118	3.661	0.01	0.007	0	31	26.7	76.5	109	96	0	37	34
2019	11	10	18	47	35	0.676	-0.108	3.665	0.01	0.007	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	10	18	57	35	0.682	-0.095	3.665	0.01	0.007	0	31.8	27.1	76.5	110	97	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	10	19	7	35	0.702	-0.105	3.665	0.013	0.01	0	31.4	26.7	76.1	110	96	0	37	34
2019	11	10	19	17	35	0.666	-0.121	3.665	0.013	0.01	0	31.4	26.2	76.1	110	96	0	37	35
2019	11	10	19	27	35	0.669	-0.098	3.661	0.01	0.007	0	31.4	26.7	75.7	110	97	0	37	35
2019	11	10	19	37	35	0.699	-0.105	3.665	0.01	0.007	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	10	19	47	35	0.65	-0.102	3.665	0.01	0.007	0	31.8	26.7	75.3	110	97	0	36	35
2019	11	10	19	57	35	0.666	-0.102	3.661	0.013	0.01	0	31.4	27.1	76.1	110	97	0	37	34
2019	11	10	20	7	35	0.676	-0.098	3.665	0.01	0.007	0	31.8	26.7	75.7	110	97	0	36	35
2019	11	10	20	17	35	0.686	-0.115	3.665	0.01	0.007	0	31.4	26.7	75.7	110	97	0	37	35
2019	11	10	20	27	35	0.686	-0.079	3.665	0.016	0.013	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	10	20	37	35	0.676	-0.105	3.665	0.01	0.007	0	31.4	26.7	76.1	109	96	0	36	34
2019	11	10	20	47	35	0.682	-0.066	3.665	0.016	0.016	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	10	20	57	35	0.659	-0.095	3.661	0.01	0.007	0	31	26.2	75.3	109	96	0	37	35
2019	11	10	21	7	35	0.65	-0.121	3.661	0.01	0.007	0	31.4	27.1	75.7	109	97	0	36	34
2019	11	10	21	17	35	0.696	-0.108	3.661	0.01	0.007	0	31.4	27.1	75.3	109	97	0	36	34
2019	11	10	21	27	35	0.676	-0.082	3.665	0.01	0.007	0	31.4	26.7	75.7	109	97	0	36	35
2019	11	10	21	37	35	0.659	-0.098	3.661	0.013	0.01	0	31.4	26.2	75.7	109	96	0	36	35
2019	11	10	21	47	35	0.666	-0.102	3.661	0.013	0.01	0	31.4	26.7	76.1	109	96	0	36	34
2019	11	10	21	57	35	0.686	-0.105	3.661	0.01	0.007	0	31.4	26.2	75.3	109	96	0	36	35
2019	11	10	22	7	35	0.702	-0.105	3.661	0.013	0.01	0	31.4	26.2	76.1	109	96	0	36	35
2019	11	10	22	17	35	0.673	-0.102	3.661	0.01	0.007	0	31.8	26.7	56.8	110	97	0	36	35
2019	11	10	22	27	35	0.702	-0.112	3.661	0.01	0.007	0	32.7	28	75.7	112	99	0	36	34
2019	11	10	22	37	35	0.653	-0.089	3.661	0.013	0.01	0	32.3	27.5	75.7	112	99	0	37	35
2019	11	10	22	47	35	0.666	-0.112	3.661	0.01	0.007	0	31.8	27.1	76.1	111	98	0	37	35
2019	11	10	22	57	35	0.692	-0.105	3.661	0.016	0.013	0	32.3	27.5	75.3	112	99	0	37	35
2019	11	10	23	7	35	0.673	-0.112	3.661	0.01	0.007	0	31.4	27.5	74.8	110	98	0	37	34
2019	11	10	23	17	35	0.689	-0.131	3.661	0.01	0.007	0	31.8	27.1	76.1	111	98	0	37	35
2019	11	10	23	27	35	0.689	-0.115	3.661	0.01	0.007	0	31.8	27.1	75.7	111	98	0	37	35
2019	11	10	23	37	35	0.735	-0.085	3.661	0.013	0.01	0	31.4	27.1	75.7	110	97	0	37	34
2019	11	10	23	47	35	0.696	-0.079	3.661	0.01	0.007	0	31.4	26.7	76.1	110	97	0	37	35
2019	11	10	23	57	35	0.656	-0.128	3.661	0.013	0.01	0	31.4	27.1	75.3	110	97	0	37	34
2019	11	11	0	7	35	0.699	-0.118	3.661	0.01	0.007	0	31.4	27.1	74.8	110	97	0	37	34
2019	11	11	0	17	35	0.696	-0.079	3.661	0.01	0.007	0	35.7	31.4	74	120	108	0	37	35
2019	11	11	0	27	35	0.689	-0.121	3.661	0.016	0.016	0	32.3	27.5	75.3	112	99	0	37	35
2019	11	11	0	37	35	0.656	-0.112	3.661	0.01	0.007	0	31.8	27.1	75.7	110	97	0	36	34
2019	11	11	0	47	35	0.643	-0.085	3.661	0.016	0.016	0	31	26.7	75.3	109	97	0	37	35
2019	11	11	0	57	35	0.63	-0.072	3.661	0.01	0.007	0	31	26.7	74.8	109	97	0	37	35
2019	11	11	1	7	35	0.623	-0.128	3.661	0.01	0.007	0	31	26.2	75.3	109	96	0	37	35
2019	11	11	1	17	35	0.673	-0.089	3.661	0.01	0.007	0	31	26.2	74.8	109	96	0	37	35
2019	11	11	1	27	35	0.663	-0.079	3.661	0.01	0.007	0	31	26.2	75.3	109	96	0	37	35
2019	11	11	1	37	35	0.686	-0.098	3.661	0.01	0.007	0	30.5	26.7	75.3	108	96	0	37	34
2019	11	11	1	47	35	0.656	-0.121	3.661	0.013	0.01	0	31	26.2	75.3	109	96	0	37	35
2019	11	11	1	57	35	0.705	-0.089	3.661	0.01	0.007	0	30.5	25.8	75.3	108	95	0	37	35
2019	11	11	2	7	35	0.689	-0.131	3.661	0.01	0.007	0	30.5	26.2	75.7	108	96	0	37	35
2019	11	11	2	17	35	0.65	-0.108	3.661	0.01	0.007	0	31	25.8	75.3	108	95	0	36	35
2019	11	11	2	27	35	0.696	-0.125	3.661	0.016	0.013	0	30.5	26.2	74.8	108	95	0	37	34
2019	11	11	2	37	35	0.679	-0.108	3.661	0.01	0.007	0	30.1	25.8	75.7	108	95	0	38	35
2019	11	11	2	47	35	0.692	-0.118	3.661	0.013	0.01	0	30.5	26.2	74	108	95	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	11	2	57	35	0.696	-0.105	3.661	0.013	0.01	0	30.5	25.8	75.7	108	95	0	37	35
2019	11	11	3	7	35	0.715	-0.125	3.661	0.01	0.007	0	30.5	26.2	74.8	108	95	0	37	34
2019	11	11	3	17	35	0.696	-0.089	3.661	0.01	0.007	0	30.1	25.8	74.8	107	95	0	37	35
2019	11	11	3	27	35	0.682	-0.105	3.661	0.01	0.007	0	30.5	26.2	74.8	108	95	0	37	34
2019	11	11	3	37	35	0.682	-0.092	3.661	0.01	0.007	0	30.1	26.7	74.4	108	96	0	38	34
2019	11	11	3	47	35	0.686	-0.112	3.661	0.01	0.007	0	34	29.2	74.8	116	103	0	37	35
2019	11	11	3	57	35	0.643	-0.128	3.661	0.013	0.01	0	32.7	28	75.3	113	100	0	37	35
2019	11	11	4	7	35	0.682	-0.105	3.661	0.01	0.007	0	31.8	27.1	74.8	111	98	0	37	35
2019	11	11	4	17	35	0.673	-0.098	3.661	0.01	0.007	0	31.4	26.7	74.8	110	97	0	37	35
2019	11	11	4	27	35	0.656	-0.141	3.661	0.013	0.01	0	31	26.2	74.4	109	96	0	37	35
2019	11	11	4	37	35	0.676	-0.075	3.661	0.01	0.007	0	30.5	26.2	74.8	108	96	0	37	35
2019	11	11	4	47	35	0.712	-0.131	3.661	0.01	0.007	0	30.1	25.8	74	107	95	0	37	35
2019	11	11	4	57	35	0.659	-0.085	3.661	0.013	0.01	0	30.5	25.8	74.8	108	95	0	37	35
2019	11	11	5	7	35	0.679	-0.121	3.661	0.01	0.007	0	30.5	26.2	74.8	108	95	0	37	34
2019	11	11	5	17	35	0.679	-0.098	3.661	0.01	0.007	0	31	25.8	74	108	95	0	36	35
2019	11	11	5	27	35	0.676	-0.102	3.661	0.013	0.01	0	30.1	25.8	74.8	108	95	0	38	35
2019	11	11	5	37	35	0.673	-0.082	3.661	0.01	0.007	0	30.1	26.2	74.8	107	95	0	37	34
2019	11	11	5	47	35	0.676	-0.085	3.661	0.01	0.007	0	30.1	25.8	74	107	95	0	37	35
2019	11	11	5	57	35	0.689	-0.108	3.658	0.013	0.01	0	30.1	25.4	74	106	94	0	36	35
2019	11	11	6	7	35	0.659	-0.095	3.658	0.01	0.007	0	30.1	25.4	74.4	107	94	0	37	35
2019	11	11	6	17	35	0.679	-0.098	3.658	0.01	0.007	0	30.5	25.8	73.5	107	94	0	36	34
2019	11	11	6	27	35	0.666	-0.112	3.658	0.01	0.007	0	29.2	25.4	73.1	106	94	0	38	35
2019	11	11	6	37	35	0.692	-0.118	3.658	0.013	0.01	0	30.1	25.8	74.4	107	94	0	37	34
2019	11	11	6	47	35	0.679	-0.121	3.658	0.01	0.007	0	29.7	25.4	74.8	106	94	0	37	35
2019	11	11	6	57	35	0.686	-0.079	3.661	0.01	0.007	0	29.7	25.4	75.3	107	94	0	38	35
2019	11	11	7	7	35	0.676	-0.118	3.658	0.01	0.007	0	29.7	25.8	73.5	106	94	0	37	34
2019	11	11	7	17	35	0.679	-0.115	3.658	0.01	0.007	0	30.5	25.4	74	107	94	0	36	35
2019	11	11	7	27	35	0.686	-0.102	3.658	0.01	0.007	0	29.7	24.9	73.5	106	93	0	37	35
2019	11	11	7	37	35	0.659	-0.102	3.658	0.016	0.013	0	29.2	24.9	74.4	105	93	0	37	35
2019	11	11	7	47	35	0.679	-0.108	3.658	0.01	0.007	0	29.2	24.5	74	105	92	0	37	35
2019	11	11	7	57	35	0.705	-0.115	3.658	0.013	0.01	0	29.2	24.9	74.4	105	93	0	37	35
2019	11	11	8	7	35	0.689	-0.135	3.658	0.01	0.007	0	29.2	24.5	74.4	105	92	0	37	35
2019	11	11	8	17	35	0.666	-0.098	3.658	0.01	0.007	0	29.2	24.9	74	105	93	0	37	35
2019	11	11	8	27	35	0.656	-0.072	3.658	0.01	0.007	0	29.2	24.9	74.8	105	93	0	37	35
2019	11	11	8	37	35	0.64	-0.131	3.658	0.01	0.007	0	29.2	24.9	74.8	105	93	0	37	35
2019	11	11	8	47	35	0.676	-0.131	3.658	0.01	0.007	0	28.4	24.9	74.4	104	92	0	38	34
2019	11	11	8	57	35	0.692	-0.118	3.658	0.016	0.016	0	28.8	24.5	74.4	104	92	0	37	35
2019	11	11	9	7	35	0.643	-0.138	3.658	0.01	0.007	0	28.8	24.5	74.8	104	92	0	37	35
2019	11	11	9	17	35	0.682	-0.118	3.661	0.013	0.01	0	28.8	24.5	74.4	104	92	0	37	35
2019	11	11	9	27	35	0.669	-0.118	3.661	0.01	0.007	0	28.4	24.1	75.3	103	91	0	37	35
2019	11	11	9	37	35	0.643	-0.108	3.661	0.013	0.01	0	29.2	24.9	75.3	104	92	0	36	34
2019	11	11	9	47	35	0.643	-0.098	3.661	0.01	0.007	0	29.2	24.9	75.3	105	93	0	37	35
2019	11	11	9	57	35	0.712	-0.098	3.661	0.013	0.01	0	28.8	24.5	74.8	104	92	0	37	35
2019	11	11	10	7	35	0.656	-0.102	3.661	0.013	0.01	0	28.8	24.5	74.4	104	92	0	37	35
2019	11	11	10	17	35	0.696	-0.108	3.661	0.013	0.01	0	28.4	24.5	73.5	104	92	0	38	35
2019	11	11	10	27	35	0.676	-0.108	3.661	0.01	0.007	0	28.8	24.9	68.8	104	92	0	37	34
2019	11	11	10	37	35	0.669	-0.098	3.661	0.013	0.01	0	28.8	24.9	74.8	104	92	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	11	10	47	35	0.663	-0.131	3.661	0.01	0.007	0	28.4	24.1	75.3	103	91	0	37	35
2019	11	11	10	57	35	0.663	-0.105	3.661	0.01	0.007	0	28.8	24.1	75.3	104	91	0	37	35
2019	11	11	11	7	35	0.699	-0.095	3.661	0.013	0.01	0	29.2	24.9	74	105	93	0	37	35
2019	11	11	11	17	35	0.686	-0.128	3.661	0.01	0.007	0	28.8	24.5	69.7	104	92	0	37	35
2019	11	11	11	27	35	0.702	-0.105	3.661	0.01	0.007	0	28.8	24.5	53.8	104	92	0	37	35
2019	11	11	11	37	35	0.676	-0.135	3.661	0.013	0.01	0	28.8	24.9	60.2	104	92	0	37	34
2019	11	11	11	47	35	0.614	-0.102	3.661	0.01	0.007	0	29.2	24.9	66.7	104	93	0	36	35
2019	11	11	11	57	35	0.686	-0.105	3.665	0.01	0.007	0	29.2	24.5	76.1	104	92	0	36	35
2019	11	11	12	7	35	0.65	-0.092	3.661	0.013	0.01	0	28.8	24.9	74.8	104	92	0	37	34
2019	11	11	12	17	35	0.663	-0.102	3.661	0.013	0.01	0	28.8	24.9	64.5	104	92	0	37	34
2019	11	11	12	27	35	0.676	-0.098	3.661	0.01	0.007	0	28.4	24.5	57.6	104	92	0	38	35
2019	11	11	12	37	35	0.699	-0.118	3.665	0.01	0.007	0	29.2	24.9	58	105	93	0	37	35
2019	11	11	12	47	35	0.686	-0.131	3.665	0.01	0.007	0	28.8	24.9	65.4	104	92	0	37	34
2019	11	11	12	57	35	0.673	-0.128	3.665	0.01	0.007	0	29.2	24.5	68.4	104	92	0	36	35
2019	11	11	13	7	35	0.692	-0.098	3.665	0.01	0.007	0	28.8	24.9	74.8	104	92	0	37	34
2019	11	11	13	17	35	0.689	-0.118	3.665	0.01	0.007	0	28.8	24.1	75.7	103	91	0	36	35
2019	11	11	13	27	35	0.676	-0.108	3.665	0.01	0.007	0	28.4	24.5	73.5	103	91	0	37	34
2019	11	11	13	37	35	0.679	-0.102	3.665	0.01	0.007	0	28.4	24.5	75.3	103	91	0	37	34
2019	11	11	13	47	35	0.686	-0.098	3.665	0.01	0.007	0	28.4	24.1	76.1	103	91	0	37	35
2019	11	11	13	57	35	0.689	-0.075	3.665	0.01	0.007	0	28.4	24.1	74.8	103	91	0	37	35
2019	11	11	14	7	35	0.676	-0.098	3.665	0.01	0.007	0	28.8	24.5	74	104	92	0	37	35
2019	11	11	14	17	35	0.699	-0.118	3.665	0.01	0.007	0	28.8	24.5	74.4	104	92	0	37	35
2019	11	11	14	27	35	0.692	-0.108	3.665	0.01	0.007	0	28.4	24.5	69.2	103	91	0	37	34
2019	11	11	14	37	35	0.663	-0.092	3.665	0.01	0.007	0	28.8	24.9	74.8	103	92	0	36	34
2019	11	11	14	47	35	0.686	-0.098	3.665	0.01	0.007	0	28.8	24.9	75.3	103	92	0	36	34
2019	11	11	14	57	35	0.692	-0.128	3.665	0.02	0.016	0	28.8	24.1	73.1	103	91	0	36	35
2019	11	11	15	7	35	0.679	-0.069	3.665	0.01	0.007	0	28.4	24.5	76.1	103	92	0	37	35
2019	11	11	15	17	35	0.682	-0.102	3.665	0.01	0.007	0	29.2	24.5	75.3	104	92	0	36	35
2019	11	11	15	27	35	0.702	-0.125	3.665	0.016	0.013	0	28.8	24.5	75.7	103	92	0	36	35
2019	11	11	15	37	35	0.689	-0.121	3.665	0.01	0.007	0	28.8	24.9	75.3	104	92	0	37	34
2019	11	11	15	47	35	0.682	-0.112	3.665	0.01	0.007	0	29.2	24.9	76.5	104	92	0	36	34
2019	11	11	15	57	35	0.709	-0.095	3.665	0.01	0.007	0	28.4	24.5	76.5	103	92	0	37	35
2019	11	11	16	7	35	0.679	-0.112	3.665	0.01	0.007	0	28.8	24.9	76.5	104	93	0	37	35
2019	11	11	16	17	35	0.709	-0.118	3.665	0.013	0.01	0	28.8	24.5	75.7	104	92	0	37	35
2019	11	11	16	27	35	0.653	-0.105	3.665	0.01	0.007	0	28.8	24.5	76.1	104	92	0	37	35
2019	11	11	16	37	35	0.679	-0.092	3.665	0.01	0.007	0	28.8	24.5	77	104	91	0	37	34
2019	11	11	16	47	35	0.692	-0.115	3.665	0.01	0.007	0	28.4	24.5	76.5	103	91	0	37	34
2019	11	11	16	57	35	0.682	-0.121	3.665	0.01	0.007	0	28	24.1	76.5	103	91	0	38	35
2019	11	11	17	7	35	0.676	-0.131	3.665	0.01	0.007	0	28.8	24.5	76.1	104	91	0	37	34
2019	11	11	17	17	35	0.673	-0.121	3.665	0.013	0.01	0	29.2	24.5	76.5	104	91	0	36	34
2019	11	11	17	27	35	0.679	-0.115	3.665	0.01	0.007	0	28.8	24.1	76.5	104	91	0	37	35
2019	11	11	17	37	35	0.686	-0.121	3.665	0.01	0.007	0	28.8	24.5	76.1	103	91	0	36	34
2019	11	11	17	47	35	0.663	-0.118	3.665	0.01	0.007	0	29.2	24.9	76.5	104	92	0	36	34
2019	11	11	17	57	35	0.65	-0.115	3.665	0.01	0.007	0	29.7	24.9	76.5	105	93	0	36	35
2019	11	11	18	7	35	0.659	-0.108	3.665	0.016	0.013	0	29.7	24.9	76.1	105	93	0	36	35
2019	11	11	18	17	35	0.659	-0.121	3.665	0.01	0.007	0	29.7	25.8	76.5	106	94	0	37	34
2019	11	11	18	27	35	0.692	-0.112	3.665	0.01	0.007	0	30.1	25.8	75.7	107	94	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	11	18	37	35	0.646	-0.108	3.665	0.01	0.007	0	30.1	25.8	76.1	107	94	0	37	34
2019	11	11	18	47	35	0.712	-0.089	3.665	0.013	0.01	0	31	25.8	76.1	108	95	0	36	35
2019	11	11	18	57	35	0.728	-0.082	3.665	0.01	0.007	0	30.5	26.2	76.1	108	95	0	37	34
2019	11	11	19	7	35	0.692	-0.108	3.665	0.01	0.007	0	31	25.8	76.5	109	95	0	37	35
2019	11	11	19	17	35	0.666	-0.102	3.665	0.013	0.01	0	30.5	26.2	75.7	108	95	0	37	34
2019	11	11	19	27	35	0.715	-0.102	3.665	0.013	0.01	0	31.4	26.2	76.5	109	96	0	36	35
2019	11	11	19	37	35	0.696	-0.079	3.665	0.013	0.01	0	31	26.7	77	109	96	0	37	34
2019	11	11	19	47	35	0.696	-0.118	3.665	0.01	0.007	0	30.5	26.2	77	108	96	0	37	35
2019	11	11	19	57	35	0.692	-0.095	3.665	0.01	0.007	0	30.5	26.7	77	108	96	0	37	34
2019	11	11	20	7	35	0.676	-0.141	3.665	0.01	0.007	0	31	26.7	76.5	108	96	0	36	34
2019	11	11	20	17	35	0.689	-0.121	3.665	0.01	0.007	0	31	26.2	77	109	96	0	37	35
2019	11	11	20	27	35	0.653	-0.105	3.665	0.01	0.007	0	30.5	26.2	77	108	96	0	37	35
2019	11	11	20	37	35	0.679	-0.128	3.665	0.01	0.007	0	30.5	26.2	76.5	108	95	0	37	34
2019	11	11	20	47	35	0.676	-0.115	3.665	0.01	0.007	0	31.4	26.7	76.1	109	96	0	36	34
2019	11	11	20	57	35	0.699	-0.108	3.665	0.016	0.013	0	30.5	26.2	76.5	108	95	0	37	34
2019	11	11	21	7	35	0.689	-0.095	3.665	0.01	0.007	0	30.5	26.2	76.1	108	95	0	37	34
2019	11	11	21	17	35	0.663	-0.085	3.665	0.01	0.007	0	30.5	25.8	76.1	107	95	0	36	35
2019	11	11	21	27	35	0.679	-0.108	3.665	0.01	0.007	0	30.5	25.8	76.5	108	95	0	37	35
2019	11	11	21	37	35	0.692	-0.105	3.665	0.013	0.01	0	31	26.2	77	108	95	0	36	34
2019	11	11	21	47	35	0.676	-0.095	3.665	0.01	0.007	0	31	26.2	76.5	109	95	0	37	34
2019	11	11	21	57	35	0.689	-0.135	3.665	0.01	0.007	0	31	26.2	76.1	108	95	0	36	34
2019	11	11	22	7	35	0.676	-0.118	3.665	0.01	0.007	0	30.5	25.8	76.1	108	95	0	37	35
2019	11	11	22	17	35	0.679	-0.121	3.665	0.013	0.01	0	31	26.2	76.1	108	95	0	36	34
2019	11	11	22	27	35	0.65	-0.108	3.665	0.01	0.007	0	30.5	26.2	76.1	108	95	0	37	34
2019	11	11	22	37	35	0.705	-0.095	3.665	0.01	0.007	0	31	26.2	76.1	108	95	0	36	34
2019	11	11	22	47	35	0.696	-0.105	3.665	0.01	0.007	0	31	25.8	76.1	108	95	0	36	35
2019	11	11	22	57	35	0.669	-0.098	3.665	0.013	0.01	0	30.5	26.7	76.1	108	95	0	37	33
2019	11	11	23	7	35	0.64	-0.092	3.665	0.01	0.007	0	30.1	25.8	76.1	107	95	0	37	35
2019	11	11	23	17	35	0.692	-0.095	3.665	0.01	0.007	0	30.1	26.2	76.1	107	95	0	37	34
2019	11	11	23	27	35	0.673	-0.108	3.665	0.013	0.01	0	30.5	26.2	76.1	107	95	0	36	34
2019	11	11	23	37	35	0.659	-0.095	3.665	0.01	0.007	0	30.1	26.2	76.1	107	95	0	37	34
2019	11	11	23	47	35	0.669	-0.105	3.665	0.01	0.007	0	30.1	26.2	76.1	107	95	0	37	34
2019	11	11	23	57	35	0.643	-0.115	3.665	0.01	0.007	0	30.5	25.8	75.7	107	95	0	36	35
2019	11	12	0	7	35	0.689	-0.112	3.665	0.013	0.01	0	30.1	26.2	75.3	107	95	0	37	34
2019	11	12	0	17	35	0.673	-0.095	3.665	0.013	0.01	0	30.1	25.8	76.1	107	95	0	37	35
2019	11	12	0	27	35	0.676	-0.115	3.665	0.01	0.007	0	30.5	26.2	76.1	107	95	0	36	34
2019	11	12	0	37	35	0.663	-0.098	3.665	0.01	0.007	0	30.5	25.8	76.1	107	95	0	36	35
2019	11	12	0	47	35	0.686	-0.121	3.665	0.013	0.01	0	29.7	25.8	75.7	106	94	0	37	34
2019	11	12	0	57	35	0.65	-0.112	3.665	0.01	0.007	0	29.7	25.4	75.7	107	94	0	38	35
2019	11	12	1	7	35	0.712	-0.125	3.665	0.01	0.007	0	30.1	25.8	76.1	107	95	0	37	35
2019	11	12	1	17	35	0.682	-0.102	3.665	0.013	0.01	0	30.1	25.8	75.7	107	95	0	37	35
2019	11	12	1	27	35	0.692	-0.102	3.665	0.01	0.007	0	30.1	25.8	76.1	107	95	0	37	35
2019	11	12	1	37	35	0.663	-0.108	3.665	0.013	0.01	0	30.1	25.8	75.7	107	95	0	37	35
2019	11	12	1	47	35	0.646	-0.105	3.665	0.01	0.007	0	30.1	25.8	75.7	107	95	0	37	35
2019	11	12	1	57	35	0.709	-0.085	3.661	0.013	0.01	0	30.5	26.2	75.7	107	95	0	36	34
2019	11	12	2	7	35	0.689	-0.112	3.661	0.01	0.007	0	30.1	25.8	75.7	106	95	0	36	35
2019	11	12	2	17	35	0.676	-0.098	3.661	0.01	0.007	0	30.5	26.2	75.7	107	95	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	12	2	27	35	0.65	-0.128	3.661	0.01	0.007	0	30.5	25.4	75.3	107	94	0	36	35
2019	11	12	2	37	35	0.62	-0.108	3.661	0.013	0.01	0	30.1	25.8	75.3	107	94	0	37	34
2019	11	12	2	47	35	0.702	-0.112	3.661	0.013	0.01	0	30.1	25.4	75.7	107	94	0	37	35
2019	11	12	2	57	35	0.673	-0.105	3.661	0.01	0.007	0	29.7	25.8	75.3	106	95	0	37	35
2019	11	12	3	7	35	0.676	-0.102	3.661	0.01	0.007	0	30.1	25.8	75.7	107	94	0	37	34
2019	11	12	3	17	35	0.692	-0.112	3.661	0.013	0.01	0	30.1	25.8	75.7	107	95	0	37	35
2019	11	12	3	27	35	0.705	-0.092	3.661	0.013	0.01	0	29.7	25.8	75.3	106	94	0	37	34
2019	11	12	3	37	35	0.689	-0.082	3.661	0.01	0.007	0	29.7	26.2	74.8	106	94	0	37	33
2019	11	12	3	47	35	0.689	-0.108	3.661	0.01	0.007	0	29.7	25.8	74.8	106	94	0	37	34
2019	11	12	3	57	35	0.699	-0.112	3.661	0.013	0.01	0	30.1	25.8	75.7	107	94	0	37	34
2019	11	12	4	7	35	0.699	-0.141	3.661	0.01	0.007	0	29.7	25.4	74.4	106	94	0	37	35
2019	11	12	4	17	35	0.686	-0.095	3.661	0.01	0.007	0	30.1	25.8	75.7	107	95	0	37	35
2019	11	12	4	27	35	0.673	-0.112	3.661	0.013	0.01	0	29.7	25.4	75.7	106	94	0	37	35
2019	11	12	4	37	35	0.679	-0.135	3.661	0.01	0.007	0	29.7	25.4	75.7	106	94	0	37	35
2019	11	12	4	47	35	0.669	-0.098	3.661	0.016	0.013	0	29.7	25.8	75.7	106	94	0	37	34
2019	11	12	4	57	35	0.643	-0.092	3.661	0.01	0.007	0	30.5	25.4	75.3	107	94	0	36	35
2019	11	12	5	7	35	0.712	-0.102	3.661	0.01	0.007	0	29.7	25.4	75.3	106	94	0	37	35
2019	11	12	5	17	35	0.712	-0.118	3.661	0.01	0.007	0	30.1	25.4	75.7	106	94	0	36	35
2019	11	12	5	27	35	0.699	-0.069	3.661	0.01	0.007	0	29.7	25.8	75.7	106	94	0	37	34
2019	11	12	5	37	35	0.669	-0.115	3.661	0.013	0.01	0	29.7	25.8	75.3	106	94	0	37	34
2019	11	12	5	47	35	0.666	-0.102	3.661	0.01	0.007	0	30.1	25.8	75.3	107	94	0	37	34
2019	11	12	5	57	35	0.702	-0.092	3.661	0.01	0.007	0	29.7	24.9	74.8	106	93	0	37	35
2019	11	12	6	7	35	0.686	-0.115	3.661	0.01	0.007	0	29.7	24.9	74.8	106	93	0	37	35
2019	11	12	6	17	35	0.682	-0.095	3.661	0.013	0.01	0	29.7	24.9	74.8	106	93	0	37	35
2019	11	12	6	27	35	0.692	-0.112	3.661	0.01	0.007	0	30.1	25.4	75.3	106	94	0	36	35
2019	11	12	6	37	35	0.686	-0.092	3.661	0.01	0.007	0	29.7	25.4	75.3	106	93	0	37	34
2019	11	12	6	47	35	0.669	-0.125	3.661	0.01	0.007	0	29.7	25.8	74.8	106	94	0	37	34
2019	11	12	6	57	35	0.673	-0.095	3.661	0.01	0.007	0	29.7	25.4	74.8	106	93	0	37	34
2019	11	12	7	7	35	0.669	-0.092	3.661	0.01	0.007	0	29.2	24.9	75.3	106	93	0	38	35
2019	11	12	7	17	35	0.669	-0.115	3.661	0.016	0.013	0	29.2	25.4	74.8	105	93	0	37	34
2019	11	12	7	27	35	0.676	-0.102	3.661	0.01	0.007	0	29.7	25.4	75.3	105	93	0	36	34
2019	11	12	7	37	35	0.659	-0.108	3.661	0.01	0.007	0	29.2	24.9	74.8	105	93	0	37	35
2019	11	12	7	47	35	0.673	-0.105	3.661	0.01	0.007	0	28.8	24.9	74.8	104	93	0	37	35
2019	11	12	7	57	35	0.673	-0.131	3.661	0.013	0.01	0	28.8	24.5	75.3	104	92	0	37	35
2019	11	12	8	7	35	0.679	-0.108	3.661	0.01	0.007	0	28.8	24.9	74.8	104	92	0	37	34
2019	11	12	8	17	35	0.715	-0.105	3.661	0.016	0.013	0	29.2	25.4	74.4	105	93	0	37	34
2019	11	12	8	27	35	0.659	-0.089	3.661	0.01	0.007	0	29.2	24.9	75.3	105	93	0	37	35
2019	11	12	8	37	35	0.65	-0.131	3.661	0.01	0.007	0	29.2	24.5	74.8	105	92	0	37	35
2019	11	12	8	47	35	0.663	-0.151	3.661	0.01	0.007	0	29.2	24.9	75.3	105	93	0	37	35
2019	11	12	8	57	35	0.633	-0.135	3.665	0.013	0.01	0	28.8	24.9	74.8	104	92	0	37	34
2019	11	12	9	7	35	0.686	-0.092	3.665	0.01	0.007	0	28.8	24.5	75.3	104	92	0	37	35
2019	11	12	9	17	35	0.64	-0.112	3.665	0.013	0.01	0	28.8	24.9	75.3	104	92	0	37	34
2019	11	12	9	27	35	0.673	-0.115	3.665	0.01	0.007	0	28.8	24.1	75.3	104	91	0	37	35
2019	11	12	9	37	35	0.669	-0.105	3.665	0.013	0.01	0	28.4	24.5	74.8	103	91	0	37	34
2019	11	12	9	47	35	0.65	-0.108	3.665	0.01	0.007	0	28.4	24.1	75.3	103	91	0	37	35
2019	11	12	9	57	35	0.669	-0.141	3.665	0.013	0.01	0	28.4	24.5	74.8	103	91	0	37	34
2019	11	12	10	7	35	0.633	-0.118	3.665	0.01	0.007	0	28.8	24.1	75.3	104	91	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	12	10	17	35	0.659	-0.125	3.665	0.013	0.01	0	28.8	24.1	74.8	103	91	0	36	35
2019	11	12	10	27	35	0.669	-0.108	3.668	0.01	0.007	0	29.2	25.4	75.3	105	93	0	37	34
2019	11	12	10	37	35	0.666	-0.138	3.668	0.01	0.007	0	28.8	24.1	75.7	104	91	0	37	35
2019	11	12	10	47	35	0.636	-0.108	3.668	0.01	0.007	0	28.8	24.9	75.3	104	92	0	37	34
2019	11	12	10	57	35	0.663	-0.095	3.668	0.01	0.007	0	28.4	24.5	75.7	103	91	0	37	34
2019	11	12	11	7	35	0.656	-0.135	3.668	0.01	0.007	0	28.4	24.5	76.1	103	91	0	37	34
2019	11	12	11	17	35	0.666	-0.102	3.668	0.01	0.007	0	28	24.5	75.7	103	91	0	38	34
2019	11	12	11	27	35	0.682	-0.118	3.668	0.016	0.013	0	29.2	24.5	76.1	104	92	0	36	35
2019	11	12	11	37	35	0.696	-0.115	3.668	0.016	0.013	0	30.5	26.7	75.3	108	96	0	37	34
2019	11	12	11	47	35	0.646	-0.112	3.668	0.013	0.01	0	32.7	28.8	75.7	112	101	0	36	34
2019	11	12	11	57	35	0.692	-0.095	3.668	0.016	0.013	0	33.1	28.8	74.8	114	102	0	37	35
2019	11	12	12	7	35	0.666	-0.108	3.668	0.013	0.01	0	30.5	26.2	76.1	108	96	0	37	35
2019	11	12	12	17	35	0.679	-0.121	3.671	0.01	0.007	0	30.1	25.8	74.8	107	95	0	37	35
2019	11	12	12	27	35	0.679	-0.089	3.671	0.01	0.007	0	30.1	25.8	76.1	106	94	0	36	34
2019	11	12	12	37	35	0.679	-0.125	3.671	0.01	0.007	0	29.2	25.4	76.1	105	93	0	37	34
2019	11	12	12	47	35	0.692	-0.112	3.671	0.01	0.007	0	28.8	24.5	76.1	105	92	0	38	35
2019	11	12	12	57	35	0.633	-0.125	3.671	0.01	0.007	0	28.8	24.9	76.1	104	92	0	37	34
2019	11	12	13	7	35	0.682	-0.108	3.671	0.013	0.01	0	28.8	24.5	75.3	104	92	0	37	35
2019	11	12	13	17	35	0.699	-0.102	3.671	0.01	0.007	0	28.8	24.5	75.7	104	92	0	37	35
2019	11	12	13	27	35	0.673	-0.112	3.671	0.01	0.007	0	29.2	25.4	76.1	105	93	0	37	34
2019	11	12	13	37	35	0.666	-0.121	3.671	0.01	0.007	0	30.1	25.4	75.3	106	94	0	36	35
2019	11	12	13	47	35	0.709	-0.098	3.671	0.01	0.007	0	28.8	24.9	75.3	104	92	0	37	34
2019	11	12	13	57	35	0.63	-0.135	3.671	0.01	0.007	0	30.1	25.4	76.1	106	94	0	36	35
2019	11	12	14	7	35	0.676	-0.082	3.671	0.013	0.01	0	29.7	25.4	75.3	106	93	0	37	34
2019	11	12	14	17	35	0.679	-0.128	3.671	0.016	0.013	0	28.8	24.5	75.7	104	92	0	37	35
2019	11	12	14	27	35	0.686	-0.108	3.671	0.013	0.01	0	29.2	24.9	75.7	104	92	0	36	34
2019	11	12	14	37	35	0.659	-0.121	3.671	0.01	0.007	0	29.2	24.9	75.7	105	93	0	37	35
2019	11	12	14	47	35	0.696	-0.148	3.671	0.01	0.007	0	29.7	24.9	74.4	105	92	0	36	34
2019	11	12	14	57	35	0.63	-0.098	3.671	0.01	0.007	0	28.8	24.9	66.7	104	92	0	37	34
2019	11	12	15	7	35	0.679	-0.157	3.671	0.013	0.01	0	28.8	24.5	72.2	104	92	0	37	35
2019	11	12	15	17	35	0.656	-0.102	3.671	0.013	0.01	0	29.2	24.9	74.4	105	92	0	37	34
2019	11	12	15	27	35	0.666	-0.115	3.671	0.01	0.007	0	30.5	25.8	74	107	95	0	36	35
2019	11	12	15	37	35	0.669	-0.138	3.671	0.01	0.007	0	32.7	28.4	56.3	113	101	0	37	35
2019	11	12	15	47	35	0.702	-0.125	3.671	0.013	0.01	0	32.3	28	66.2	111	99	0	36	34
2019	11	12	15	57	35	0.646	-0.118	3.671	0.013	0.01	0	32.3	28	62.8	111	99	0	36	34
2019	11	12	16	7	35	0.696	-0.108	3.671	0.013	0.01	0	33.5	29.7	74.4	115	103	0	37	34
2019	11	12	16	17	35	0.659	-0.131	3.671	0.01	0.007	0	33.1	28	63.2	113	100	0	36	35
2019	11	12	16	27	35	0.679	-0.118	3.671	0.013	0.01	0	31.4	27.1	73.1	109	97	0	36	34
2019	11	12	16	37	35	0.659	-0.098	3.671	0.01	0.007	0	30.5	25.8	75.3	107	95	0	36	35
2019	11	12	16	47	35	0.755	-0.105	3.671	0.013	0.01	0	29.7	24.9	76.1	106	93	0	37	35
2019	11	12	16	57	35	0.64	-0.135	3.671	0.01	0.007	0	29.7	24.9	76.1	106	93	0	37	35
2019	11	12	17	7	35	0.673	-0.121	3.671	0.01	0.007	0	30.1	25.8	75.7	106	94	0	36	34
2019	11	12	17	17	35	0.656	-0.112	3.671	0.013	0.01	0	30.1	25.8	75.7	106	94	0	36	34
2019	11	12	17	27	35	0.692	-0.108	3.671	0.01	0.007	0	30.1	25.8	76.1	107	94	0	37	34
2019	11	12	17	37	35	0.679	-0.112	3.671	0.013	0.01	0	29.7	25.8	75.3	106	94	0	37	34
2019	11	12	17	47	35	0.689	-0.112	3.671	0.01	0.007	0	30.1	25.4	76.1	106	93	0	36	34
2019	11	12	17	57	35	0.673	-0.118	3.671	0.013	0.01	0	29.7	25.8	76.1	106	94	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	12	18	7	35	0.699	-0.138	3.671	0.01	0.007	0	30.5	25.8	74.8	107	94	0	36	34
2019	11	12	18	17	35	0.682	-0.089	3.671	0.01	0.007	0	30.1	26.2	76.1	107	95	0	37	34
2019	11	12	18	27	35	0.682	-0.115	3.671	0.01	0.007	0	31	25.8	76.1	108	95	0	36	35
2019	11	12	18	37	35	0.682	-0.108	3.671	0.01	0.007	0	30.5	27.1	75.7	108	96	0	37	33
2019	11	12	18	47	35	0.669	-0.105	3.675	0.01	0.007	0	31	26.7	75.3	109	96	0	37	34
2019	11	12	18	57	35	0.669	-0.108	3.671	0.013	0.01	0	31	26.7	75.7	109	97	0	37	35
2019	11	12	19	7	35	0.682	-0.115	3.671	0.01	0.007	0	31.8	26.7	74.8	110	97	0	36	35
2019	11	12	19	17	35	0.686	-0.105	3.675	0.01	0.007	0	31	27.1	76.1	109	97	0	37	34
2019	11	12	19	27	35	0.682	-0.118	3.675	0.01	0.007	0	31	27.1	75.3	109	97	0	37	34
2019	11	12	19	37	35	0.699	-0.102	3.675	0.013	0.01	0	31	27.1	75.3	109	97	0	37	34
2019	11	12	19	47	35	0.646	-0.138	3.671	0.013	0.01	0	31.4	27.1	75.7	109	97	0	36	34
2019	11	12	19	57	35	0.696	-0.092	3.675	0.01	0.007	0	31	27.1	75.3	109	97	0	37	34
2019	11	12	20	7	35	0.636	-0.085	3.675	0.013	0.01	0	31.4	26.2	74.8	109	96	0	36	35
2019	11	12	20	17	35	0.689	-0.102	3.675	0.016	0.013	0	31	26.7	74.8	109	96	0	37	34
2019	11	12	20	27	35	0.686	-0.108	3.671	0.01	0.007	0	31	27.1	75.3	109	97	0	37	34
2019	11	12	20	37	35	0.669	-0.112	3.675	0.013	0.01	0	31	26.7	75.3	109	97	0	37	35
2019	11	12	20	47	35	0.715	-0.118	3.675	0.016	0.013	0	31	26.2	75.3	109	96	0	37	35
2019	11	12	20	57	35	0.682	-0.112	3.675	0.013	0.01	0	31.4	27.1	75.7	109	97	0	36	34
2019	11	12	21	7	35	0.679	-0.108	3.675	0.01	0.007	0	31	26.7	74.4	109	97	0	37	35
2019	11	12	21	17	35	0.673	-0.118	3.675	0.01	0.007	0	30.5	26.7	75.7	108	96	0	37	34
2019	11	12	21	27	35	0.643	-0.082	3.671	0.013	0.01	0	31.4	26.2	75.7	109	96	0	36	35
2019	11	12	21	37	35	0.669	-0.108	3.671	0.01	0.007	0	31.4	26.7	75.3	109	96	0	36	34
2019	11	12	21	47	35	0.669	-0.095	3.671	0.01	0.007	0	31	26.2	74.8	109	96	0	37	35
2019	11	12	21	57	35	0.646	-0.112	3.671	0.016	0.013	0	31.4	26.7	75.3	109	96	0	36	34
2019	11	12	22	7	35	0.709	-0.138	3.671	0.01	0.007	0	31.4	27.1	74.8	109	97	0	36	34
2019	11	12	22	17	35	0.682	-0.118	3.671	0.01	0.007	0	34.4	30.1	74.4	116	104	0	36	34
2019	11	12	22	27	35	0.669	-0.108	3.675	0.01	0.007	0	32.7	27.5	74.8	112	99	0	36	35
2019	11	12	22	37	35	0.686	-0.125	3.675	0.01	0.007	0	33.5	28.8	74.4	114	102	0	36	35
2019	11	12	22	47	35	0.676	-0.098	3.671	0.01	0.007	0	31.8	27.1	74.4	110	97	0	36	34
2019	11	12	22	57	35	0.709	-0.121	3.675	0.01	0.007	0	31.4	26.7	74.8	109	97	0	36	35
2019	11	12	23	7	35	0.682	-0.098	3.675	0.01	0.007	0	31	26.7	75.3	109	96	0	37	34
2019	11	12	23	17	35	0.702	-0.135	3.675	0.01	0.007	0	31	26.2	74.4	109	96	0	37	35
2019	11	12	23	27	35	0.659	-0.125	3.675	0.01	0.007	0	31	26.2	74.8	108	96	0	36	35
2019	11	12	23	37	35	0.666	-0.115	3.675	0.01	0.007	0	31.4	26.2	75.3	109	96	0	36	35
2019	11	12	23	47	35	0.676	-0.108	3.675	0.01	0.007	0	31	26.2	74.8	109	96	0	37	35
2019	11	12	23	57	35	0.679	-0.115	3.675	0.013	0.01	0	31.4	26.7	74.8	109	96	0	36	34
2019	11	13	0	7	35	0.682	-0.102	3.675	0.016	0.013	0	31.4	26.2	75.3	109	96	0	36	35
2019	11	13	0	17	35	0.682	-0.092	3.675	0.013	0.01	0	30.5	26.2	74.8	108	96	0	37	35
2019	11	13	0	27	35	0.653	-0.095	3.675	0.016	0.013	0	31	26.2	74.8	109	96	0	37	35
2019	11	13	0	37	35	0.702	-0.115	3.675	0.013	0.01	0	31	26.2	74.4	108	96	0	36	35
2019	11	13	0	47	35	0.666	-0.154	3.675	0.01	0.007	0	31	26.7	74.8	109	96	0	37	34
2019	11	13	0	57	35	0.689	-0.102	3.675	0.01	0.007	0	31.4	26.7	74.8	109	96	0	36	34
2019	11	13	1	7	35	0.666	-0.105	3.675	0.01	0.007	0	30.5	26.2	74.4	108	96	0	37	35
2019	11	13	1	17	35	0.656	-0.095	3.675	0.013	0.01	0	30.5	26.2	74.4	108	95	0	37	34
2019	11	13	1	27	35	0.692	-0.098	3.675	0.01	0.007	0	31	26.2	74.4	108	95	0	36	34
2019	11	13	1	37	35	0.653	-0.105	3.675	0.01	0.007	0	30.5	26.7	74.8	108	96	0	37	34
2019	11	13	1	47	35	0.699	-0.118	3.675	0.01	0.007	0	31	26.2	74.4	109	96	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	13	1	57	35	0.666	-0.095	3.675	0.01	0.007	0	31	25.8	74.4	108	95	0	36	35
2019	11	13	2	7	35	0.653	-0.098	3.671	0.016	0.013	0	30.5	26.2	74.8	108	95	0	37	34
2019	11	13	2	17	35	0.709	-0.092	3.675	0.013	0.01	0	31	26.7	74	108	96	0	36	34
2019	11	13	2	27	35	0.689	-0.121	3.671	0.01	0.007	0	31	25.8	74.4	108	95	0	36	35
2019	11	13	2	37	35	0.666	-0.085	3.675	0.013	0.01	0	30.5	26.2	74.4	108	95	0	37	34
2019	11	13	2	47	35	0.666	-0.079	3.671	0.01	0.007	0	30.5	26.7	74.4	108	96	0	37	34
2019	11	13	2	57	35	0.696	-0.089	3.675	0.01	0.007	0	30.5	26.2	73.5	108	96	0	37	35
2019	11	13	3	7	35	0.679	-0.131	3.675	0.016	0.013	0	31	26.2	74	108	95	0	36	34
2019	11	13	3	17	35	0.699	-0.128	3.675	0.016	0.013	0	30.5	26.2	73.1	108	95	0	37	34
2019	11	13	3	27	35	0.686	-0.115	3.675	0.01	0.007	0	30.5	25.8	74	108	95	0	37	35
2019	11	13	3	37	35	0.699	-0.102	3.671	0.01	0.007	0	30.1	25.8	74	107	95	0	37	35
2019	11	13	3	47	35	0.689	-0.102	3.671	0.01	0.007	0	31	25.8	74.4	108	95	0	36	35
2019	11	13	3	57	35	0.663	-0.098	3.671	0.016	0.013	0	30.5	26.2	74	108	95	0	37	34
2019	11	13	4	7	35	0.673	-0.112	3.675	0.016	0.016	0	30.5	26.2	74	108	95	0	37	34
2019	11	13	4	17	35	0.666	-0.085	3.671	0.013	0.01	0	30.5	26.2	73.1	108	95	0	37	34
2019	11	13	4	27	35	0.65	-0.108	3.671	0.01	0.007	0	30.5	25.8	73.5	108	95	0	37	35
2019	11	13	4	37	35	0.673	-0.092	3.675	0.013	0.01	0	30.5	26.2	73.5	108	95	0	37	34
2019	11	13	4	47	35	0.653	-0.098	3.675	0.01	0.007	0	30.5	25.8	74	107	95	0	36	35
2019	11	13	4	57	35	0.676	-0.102	3.675	0.013	0.01	0	30.5	25.8	73.1	108	95	0	37	35
2019	11	13	5	7	35	0.669	-0.115	3.675	0.013	0.01	0	30.5	26.2	73.5	108	96	0	37	35
2019	11	13	5	17	35	0.676	-0.089	3.671	0.01	0.007	0	30.1	25.4	74	107	94	0	37	35
2019	11	13	5	27	35	0.692	-0.112	3.671	0.013	0.01	0	30.5	26.2	72.7	107	95	0	36	34
2019	11	13	5	37	35	0.676	-0.125	3.671	0.01	0.007	0	31	27.1	73.5	109	97	0	37	34
2019	11	13	5	47	35	0.659	-0.115	3.671	0.016	0.013	0	30.5	26.2	72.2	108	96	0	37	35
2019	11	13	5	57	35	0.699	-0.092	3.671	0.01	0.007	0	30.1	26.2	73.5	107	95	0	37	34
2019	11	13	6	7	35	0.653	-0.148	3.671	0.01	0.007	0	30.1	26.2	73.5	107	95	0	37	34
2019	11	13	6	17	35	0.673	-0.079	3.671	0.01	0.007	0	30.1	26.2	73.5	107	95	0	37	34
2019	11	13	6	27	35	0.686	-0.115	3.671	0.01	0.007	0	30.5	26.2	73.5	107	95	0	36	34
2019	11	13	6	37	35	0.692	-0.128	3.671	0.016	0.013	0	30.1	25.8	74	107	95	0	37	35
2019	11	13	6	47	35	0.659	-0.135	3.671	0.01	0.007	0	30.1	25.8	72.7	107	95	0	37	35
2019	11	13	6	57	35	0.663	-0.141	3.671	0.01	0.007	0	30.5	25.8	73.1	107	95	0	36	35
2019	11	13	7	7	35	0.728	-0.095	3.671	0.013	0.01	0	30.1	25.8	73.5	107	95	0	37	35
2019	11	13	7	17	35	0.676	-0.108	3.671	0.01	0.007	0	30.1	25.8	72.7	107	94	0	37	34
2019	11	13	7	27	35	0.636	-0.125	3.671	0.01	0.007	0	30.1	25.8	73.5	107	94	0	37	34
2019	11	13	7	37	35	0.663	-0.125	3.671	0.01	0.007	0	30.5	25.4	73.5	107	94	0	36	35
2019	11	13	7	47	35	0.692	-0.102	3.671	0.013	0.01	0	30.1	25.4	73.5	107	94	0	37	35
2019	11	13	7	57	35	0.676	-0.082	3.671	0.01	0.007	0	29.2	25.4	72.7	106	93	0	38	34
2019	11	13	8	7	35	0.689	-0.112	3.671	0.01	0.007	0	30.1	25.4	73.5	106	93	0	36	34
2019	11	13	8	17	35	0.673	-0.095	3.671	0.01	0.007	0	29.7	25.4	73.5	106	94	0	37	35
2019	11	13	8	27	35	0.686	-0.115	3.671	0.01	0.007	0	29.2	24.9	74	105	92	0	37	34
2019	11	13	8	37	35	0.676	-0.135	3.671	0.01	0.007	0	29.2	24.5	73.5	105	92	0	37	35
2019	11	13	8	47	35	0.666	-0.108	3.675	0.01	0.007	0	29.2	24.5	73.1	104	92	0	36	35
2019	11	13	8	57	35	0.656	-0.112	3.671	0.01	0.007	0	28.4	24.5	73.5	103	91	0	37	34
2019	11	13	9	7	35	0.669	-0.095	3.671	0.01	0.007	0	28.4	24.1	73.1	103	91	0	37	35
2019	11	13	9	17	35	0.705	-0.098	3.675	0.01	0.007	0	28.4	24.5	73.5	103	91	0	37	34
2019	11	13	9	27	35	0.692	-0.079	3.675	0.01	0.007	0	28	23.6	73.1	102	90	0	37	35
2019	11	13	9	37	35	0.702	-0.118	3.675	0.013	0.01	0	28	23.6	73.5	102	90	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	13	9	47	35	0.705	-0.095	3.675	0.01	0.007	0	28.4	23.6	73.5	103	90	0	37	35
2019	11	13	9	57	35	0.676	-0.115	3.671	0.01	0.007	0	28.4	23.6	72.7	103	90	0	37	35
2019	11	13	10	7	35	0.696	-0.089	3.675	0.013	0.01	0	28	23.6	73.5	102	90	0	37	35
2019	11	13	10	17	35	0.689	-0.112	3.675	0.013	0.01	0	29.2	24.5	74	105	92	0	37	35
2019	11	13	10	27	35	0.689	-0.095	3.671	0.013	0.01	0	28.8	24.9	74	104	92	0	37	34
2019	11	13	10	37	35	0.669	-0.105	3.671	0.013	0.01	0	29.2	24.5	73.1	104	92	0	36	35
2019	11	13	10	47	35	0.666	-0.118	3.675	0.01	0.007	0	28.8	24.9	74	103	92	0	36	34
2019	11	13	10	57	35	0.669	-0.121	3.675	0.013	0.01	0	28.4	24.5	73.5	103	91	0	37	34
2019	11	13	11	7	35	0.659	-0.105	3.675	0.01	0.007	0	28.4	24.5	73.5	103	91	0	37	34
2019	11	13	11	17	35	0.682	-0.085	3.675	0.01	0.007	0	28.4	24.5	74	103	91	0	37	34
2019	11	13	11	27	35	0.692	-0.121	3.675	0.016	0.016	0	28.4	24.5	73.5	103	91	0	37	34
2019	11	13	11	37	35	0.686	-0.121	3.678	0.01	0.007	0	28.8	24.5	73.5	103	91	0	36	34
2019	11	13	11	47	35	0.682	-0.108	3.678	0.01	0.007	0	28.4	24.1	74	103	91	0	37	35
2019	11	13	11	57	35	0.666	-0.125	3.675	0.01	0.007	0	28.8	24.5	73.5	103	91	0	36	34
2019	11	13	12	7	35	0.699	-0.108	3.678	0.01	0.007	0	29.2	24.5	73.5	104	92	0	36	35
2019	11	13	12	17	35	0.666	-0.121	3.678	0.01	0.007	0	32.7	28	72.2	112	100	0	36	35
2019	11	13	12	27	35	0.686	-0.115	3.678	0.01	0.007	0	32.3	28	73.5	112	100	0	37	35
2019	11	13	12	37	35	0.676	-0.131	3.678	0.01	0.007	0	30.5	25.8	74	108	95	0	37	35
2019	11	13	12	47	35	0.689	-0.108	3.678	0.01	0.007	0	30.1	26.2	74	107	95	0	37	34
2019	11	13	12	57	35	0.679	-0.121	3.678	0.01	0.007	0	29.7	25.4	74	106	94	0	37	35
2019	11	13	13	7	35	0.669	-0.138	3.678	0.01	0.007	0	29.7	25.4	74	106	94	0	37	35
2019	11	13	13	17	35	0.682	-0.118	3.678	0.013	0.01	0	29.2	25.8	74	105	94	0	37	34
2019	11	13	13	27	35	0.666	-0.108	3.678	0.01	0.007	0	29.7	25.4	73.5	105	93	0	36	34
2019	11	13	13	37	35	0.682	-0.095	3.678	0.016	0.013	0	29.2	24.9	73.5	105	93	0	37	35
2019	11	13	13	47	35	0.653	-0.131	3.678	0.01	0.007	0	28.8	24.5	74	104	92	0	37	35
2019	11	13	13	57	35	0.696	-0.102	3.678	0.01	0.007	0	28.8	24.5	74	104	92	0	37	35
2019	11	13	14	7	35	0.682	-0.121	3.675	0.016	0.013	0	28.8	24.5	73.1	104	92	0	37	35
2019	11	13	14	17	35	0.659	-0.105	3.678	0.01	0.007	0	28.8	24.9	73.5	104	92	0	37	34
2019	11	13	14	27	35	0.692	-0.135	3.678	0.01	0.007	0	28.8	24.5	74	104	92	0	37	35
2019	11	13	14	37	35	0.686	-0.121	3.678	0.01	0.007	0	28.4	24.1	74.4	103	91	0	37	35
2019	11	13	14	47	35	0.679	-0.135	3.678	0.01	0.007	0	29.2	24.5	72.7	104	92	0	36	35
2019	11	13	14	57	35	0.692	-0.115	3.678	0.013	0.01	0	28.8	24.5	73.5	104	91	0	37	34
2019	11	13	15	7	35	0.679	-0.151	3.678	0.01	0.007	0	29.2	24.9	73.5	104	92	0	36	34
2019	11	13	15	17	35	0.682	-0.115	3.678	0.016	0.016	0	28.8	24.9	73.5	104	92	0	37	34
2019	11	13	15	27	35	0.659	-0.095	3.678	0.013	0.01	0	29.2	24.9	74.4	104	92	0	36	34
2019	11	13	15	37	35	0.666	-0.095	3.678	0.01	0.007	0	29.7	24.9	73.5	105	93	0	36	35
2019	11	13	15	47	35	0.679	-0.092	3.678	0.01	0.007	0	28.8	25.4	74	105	93	0	38	34
2019	11	13	15	57	35	0.669	-0.115	3.678	0.01	0.007	0	28.8	24.9	73.5	104	92	0	37	34
2019	11	13	16	7	35	0.689	-0.121	3.681	0.013	0.01	0	28.8	24.9	74	104	92	0	37	34
2019	11	13	16	17	35	0.669	-0.138	3.681	0.01	0.007	0	29.2	24.9	73.5	104	92	0	36	34
2019	11	13	16	27	35	0.673	-0.135	3.678	0.01	0.007	0	28.8	24.9	74.4	104	92	0	37	34
2019	11	13	16	37	35	0.689	-0.085	3.681	0.013	0.01	0	30.1	25.4	74.4	106	94	0	36	35
2019	11	13	16	47	35	0.676	-0.121	3.681	0.01	0.007	0	30.5	25.8	74	107	95	0	36	35
2019	11	13	16	57	35	0.709	-0.112	3.681	0.01	0.007	0	30.1	25.8	74.4	107	95	0	37	35
2019	11	13	17	7	35	0.673	-0.095	3.681	0.013	0.01	0	30.5	26.2	74	107	95	0	36	34
2019	11	13	17	17	35	0.65	-0.095	3.681	0.01	0.007	0	31.4	26.2	74.4	109	96	0	36	35
2019	11	13	17	27	35	0.682	-0.112	3.678	0.01	0.007	0	30.5	26.2	74	109	96	0	38	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	13	17	37	35	0.699	-0.112	3.681	0.01	0.007	0	32.7	28	74	113	100	0	37	35
2019	11	13	17	47	35	0.689	-0.128	3.681	0.01	0.007	0	34	29.2	74	115	102	0	36	34
2019	11	13	17	57	35	0.689	-0.102	3.678	0.016	0.013	0	31.8	27.5	74	110	98	0	36	34
2019	11	13	18	7	35	0.682	-0.095	3.681	0.01	0.007	0	31.4	26.2	74.4	109	96	0	36	35
2019	11	13	18	17	35	0.656	-0.095	3.681	0.013	0.01	0	31.4	26.7	74	109	96	0	36	34
2019	11	13	18	27	35	0.686	-0.121	3.681	0.01	0.007	0	31.4	26.2	73.5	109	96	0	36	35
2019	11	13	18	37	35	0.689	-0.112	3.681	0.016	0.013	0	31.4	26.7	74	110	97	0	37	35
2019	11	13	18	47	35	0.673	-0.079	3.681	0.01	0.007	0	31.4	26.7	74	110	97	0	37	35
2019	11	13	18	57	35	0.722	-0.102	3.681	0.01	0.007	0	31.4	27.1	74	110	97	0	37	34
2019	11	13	19	7	35	0.712	-0.135	3.681	0.01	0.007	0	31.4	27.1	73.5	110	97	0	37	34
2019	11	13	19	17	35	0.659	-0.131	3.681	0.01	0.007	0	31.8	27.5	74	110	98	0	36	34
2019	11	13	19	27	35	0.659	-0.082	3.681	0.013	0.01	0	31.4	27.5	73.5	110	98	0	37	34
2019	11	13	19	37	35	0.679	-0.092	3.681	0.013	0.01	0	31.4	27.1	74	110	97	0	37	34
2019	11	13	19	47	35	0.673	-0.135	3.681	0.013	0.01	0	31.8	27.1	74	110	97	0	36	34
2019	11	13	19	57	35	0.696	-0.079	3.681	0.01	0.007	0	31.4	27.1	73.5	109	97	0	36	34
2019	11	13	20	7	35	0.656	-0.102	3.681	0.013	0.01	0	31	27.1	74	109	97	0	37	34
2019	11	13	20	17	35	0.679	-0.112	3.681	0.01	0.007	0	31.4	26.7	73.5	110	97	0	37	35
2019	11	13	20	27	35	0.715	-0.105	3.681	0.01	0.007	0	31.4	26.7	73.5	109	97	0	36	35
2019	11	13	20	37	35	0.689	-0.092	3.681	0.013	0.01	0	31.4	26.7	74	109	97	0	36	35
2019	11	13	20	47	35	0.696	-0.102	3.681	0.013	0.01	0	31.8	27.1	73.5	110	97	0	36	34
2019	11	13	20	57	35	0.636	-0.138	3.681	0.01	0.007	0	31.4	26.7	74.4	109	96	0	36	34
2019	11	13	21	7	35	0.682	-0.125	3.681	0.013	0.01	0	31	27.1	73.1	109	97	0	37	34
2019	11	13	21	17	35	0.702	-0.115	3.681	0.016	0.013	0	31.4	27.1	74	109	97	0	36	34
2019	11	13	21	27	35	0.666	-0.108	3.681	0.013	0.01	0	30.5	26.7	73.1	108	96	0	37	34
2019	11	13	21	37	35	0.696	-0.112	3.681	0.01	0.007	0	31	27.1	73.5	109	97	0	37	34
2019	11	13	21	47	35	0.699	-0.095	3.681	0.01	0.007	0	30.5	26.7	73.5	108	96	0	37	34
2019	11	13	21	57	35	0.663	-0.095	3.681	0.01	0.007	0	30.5	26.7	74	108	96	0	37	34
2019	11	13	22	7	35	0.689	-0.079	3.681	0.01	0.007	0	30.5	27.1	74	108	97	0	37	34
2019	11	13	22	17	35	0.696	-0.115	3.681	0.01	0.007	0	31.4	26.2	73.5	109	96	0	36	35
2019	11	13	22	27	35	0.722	-0.128	3.681	0.01	0.007	0	31.4	26.7	73.5	109	96	0	36	34
2019	11	13	22	37	35	0.709	-0.108	3.681	0.01	0.007	0	30.5	26.7	73.5	108	96	0	37	34
2019	11	13	22	47	35	0.679	-0.069	3.681	0.016	0.013	0	31.4	26.7	73.1	109	96	0	36	34
2019	11	13	22	57	35	0.669	-0.121	3.681	0.01	0.007	0	31.4	27.1	72.7	109	97	0	36	34
2019	11	13	23	7	35	0.669	-0.108	3.681	0.013	0.01	0	30.5	26.7	73.5	108	96	0	37	34
2019	11	13	23	17	35	0.669	-0.118	3.681	0.01	0.007	0	31	26.7	73.5	109	96	0	37	34
2019	11	13	23	27	35	0.699	-0.075	3.681	0.01	0.007	0	31.4	26.2	73.5	109	96	0	36	35
2019	11	13	23	37	35	0.679	-0.102	3.681	0.01	0.007	0	30.5	25.8	73.5	108	95	0	37	35
2019	11	13	23	47	35	0.696	-0.108	3.681	0.01	0.007	0	30.5	26.7	73.1	108	96	0	37	34
2019	11	13	23	57	35	0.702	-0.121	3.681	0.013	0.01	0	31	26.2	73.5	108	96	0	36	35
2019	11	14	0	7	35	0.696	-0.112	3.681	0.01	0.007	0	31.4	26.2	73.1	109	96	0	36	35
2019	11	14	0	17	35	0.699	-0.128	3.681	0.013	0.01	0	31	26.7	73.1	108	96	0	36	34
2019	11	14	0	27	35	0.666	-0.135	3.681	0.013	0.01	0	31	26.7	72.7	108	96	0	36	34
2019	11	14	0	37	35	0.719	-0.102	3.681	0.013	0.01	0	30.1	26.2	73.1	107	95	0	37	34
2019	11	14	0	47	35	0.712	-0.131	3.681	0.01	0.007	0	31	26.7	73.1	108	96	0	36	34
2019	11	14	0	57	35	0.692	-0.121	3.681	0.01	0.007	0	31	25.8	73.1	108	95	0	36	35
2019	11	14	1	7	35	0.686	-0.095	3.681	0.01	0.007	0	31	26.7	73.1	109	96	0	37	34
2019	11	14	1	17	35	0.666	-0.128	3.681	0.01	0.007	0	31.4	26.7	73.5	109	96	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	14	1	27	35	0.653	-0.108	3.681	0.01	0.007	0	31	26.2	73.1	108	96	0	36	35
2019	11	14	1	37	35	0.705	-0.095	3.681	0.01	0.007	0	31	27.1	72.7	109	97	0	37	34
2019	11	14	1	47	35	0.692	-0.092	3.681	0.013	0.01	0	31	26.7	72.7	108	96	0	36	34
2019	11	14	1	57	35	0.705	-0.112	3.681	0.01	0.007	0	30.5	26.7	73.1	108	96	0	37	34
2019	11	14	2	7	35	0.692	-0.082	3.681	0.013	0.01	0	30.5	27.1	73.1	108	96	0	37	33
2019	11	14	2	17	35	0.692	-0.095	3.678	0.013	0.01	0	30.5	26.7	72.7	108	96	0	37	34
2019	11	14	2	27	35	0.712	-0.115	3.678	0.01	0.007	0	30.5	26.2	72.7	108	95	0	37	34
2019	11	14	2	37	35	0.679	-0.089	3.678	0.01	0.007	0	31	25.8	72.7	108	95	0	36	35
2019	11	14	2	47	35	0.679	-0.095	3.681	0.01	0.007	0	30.5	25.8	73.1	108	95	0	37	35
2019	11	14	2	57	35	0.669	-0.098	3.678	0.01	0.007	0	31	26.2	73.1	108	95	0	36	34
2019	11	14	3	7	35	0.699	-0.118	3.678	0.01	0.007	0	31	26.2	72.7	108	95	0	36	34
2019	11	14	3	17	35	0.686	-0.115	3.678	0.01	0.007	0	30.5	26.7	72.7	108	96	0	37	34
2019	11	14	3	27	35	0.663	-0.085	3.678	0.01	0.007	0	30.1	26.2	72.7	107	95	0	37	34
2019	11	14	3	37	35	0.705	-0.112	3.678	0.016	0.013	0	30.5	26.2	73.1	108	95	0	37	34
2019	11	14	3	47	35	0.676	-0.112	3.678	0.01	0.007	0	31	25.8	73.1	108	95	0	36	35
2019	11	14	3	57	35	0.705	-0.098	3.678	0.01	0.007	0	30.5	26.2	72.7	108	95	0	37	34
2019	11	14	4	7	35	0.663	-0.085	3.678	0.01	0.007	0	30.1	26.2	72.2	107	95	0	37	34
2019	11	14	4	17	35	0.686	-0.062	3.678	0.013	0.01	0	30.5	26.2	72.7	108	95	0	37	34
2019	11	14	4	27	35	0.663	-0.092	3.678	0.01	0.007	0	30.5	26.2	73.1	107	95	0	36	34
2019	11	14	4	37	35	0.682	-0.118	3.678	0.013	0.01	0	30.5	25.8	72.7	108	95	0	37	35
2019	11	14	4	47	35	0.679	-0.121	3.678	0.01	0.007	0	30.5	26.2	72.7	108	95	0	37	34
2019	11	14	4	57	35	0.663	-0.092	3.678	0.013	0.01	0	30.5	25.8	71.4	108	95	0	37	35
2019	11	14	5	7	35	0.676	-0.112	3.678	0.013	0.01	0	30.5	26.2	72.7	108	95	0	37	34
2019	11	14	5	17	35	0.676	-0.118	3.678	0.013	0.01	0	31	25.8	73.1	108	95	0	36	35
2019	11	14	5	27	35	0.643	-0.095	3.678	0.01	0.007	0	31	26.2	72.7	108	95	0	36	34
2019	11	14	5	37	35	0.663	-0.102	3.678	0.01	0.007	0	30.1	25.8	72.7	107	95	0	37	35
2019	11	14	5	47	35	0.663	-0.089	3.675	0.013	0.01	0	31	25.8	71.8	108	94	0	36	34
2019	11	14	5	57	35	0.686	-0.108	3.675	0.01	0.007	0	30.1	25.8	72.7	107	94	0	37	34
2019	11	14	6	7	35	0.696	-0.118	3.675	0.016	0.013	0	30.1	25.4	72.7	107	94	0	37	35
2019	11	14	6	17	35	0.705	-0.085	3.675	0.01	0.007	0	30.1	25.8	72.7	107	94	0	37	34
2019	11	14	6	27	35	0.686	-0.148	3.675	0.01	0.007	0	30.5	25.8	72.7	107	94	0	36	34
2019	11	14	6	37	35	0.689	-0.112	3.675	0.01	0.007	0	29.7	25.8	73.1	106	94	0	37	34
2019	11	14	6	47	35	0.676	-0.089	3.675	0.01	0.007	0	30.1	25.8	73.1	107	94	0	37	34
2019	11	14	6	57	35	0.689	-0.125	3.675	0.01	0.007	0	30.1	25.4	72.7	107	94	0	37	35
2019	11	14	7	7	35	0.669	-0.095	3.675	0.01	0.007	0	30.1	25.4	72.7	107	94	0	37	35
2019	11	14	7	17	35	0.656	-0.102	3.675	0.013	0.01	0	30.1	25.8	73.1	107	94	0	37	34
2019	11	14	7	27	35	0.679	-0.105	3.675	0.01	0.007	0	30.1	25.8	73.5	107	94	0	37	34
2019	11	14	7	37	35	0.682	-0.085	3.675	0.01	0.007	0	30.1	25.4	73.5	107	94	0	37	35
2019	11	14	7	47	35	0.702	-0.121	3.675	0.01	0.007	0	31	26.7	73.1	108	96	0	36	34
2019	11	14	7	57	35	0.669	-0.105	3.675	0.013	0.01	0	30.1	25.8	73.1	106	94	0	36	34
2019	11	14	8	7	35	0.679	-0.121	3.675	0.01	0.007	0	30.1	25.4	73.5	106	93	0	36	34
2019	11	14	8	17	35	0.676	-0.108	3.675	0.01	0.007	0	30.1	25.8	73.1	106	94	0	36	34
2019	11	14	8	27	35	0.676	-0.089	3.675	0.016	0.013	0	29.7	25.4	72.7	106	94	0	37	35
2019	11	14	8	37	35	0.705	-0.125	3.675	0.013	0.01	0	29.2	24.9	73.5	105	93	0	37	35
2019	11	14	8	47	35	0.692	-0.095	3.675	0.01	0.007	0	29.7	24.9	74	105	93	0	36	35
2019	11	14	8	57	35	0.686	-0.115	3.675	0.013	0.01	0	29.7	24.9	74	105	93	0	36	35
2019	11	14	9	7	35	0.696	-0.072	3.675	0.01	0.007	0	29.2	25.4	74	105	93	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	14	9	17	35	0.702	-0.098	3.675	0.01	0.007	0	29.2	24.9	73.5	104	92	0	36	34
2019	11	14	9	27	35	0.676	-0.089	3.675	0.013	0.01	0	28.8	24.9	74	104	92	0	37	34
2019	11	14	9	37	35	0.682	-0.085	3.675	0.01	0.007	0	28.8	24.9	74	104	92	0	37	34
2019	11	14	9	47	35	0.679	-0.082	3.675	0.01	0.007	0	29.2	24.9	73.5	104	92	0	36	34
2019	11	14	9	57	35	0.666	-0.112	3.675	0.01	0.007	0	28.8	24.5	74	104	91	0	37	34
2019	11	14	10	7	35	0.679	-0.108	3.675	0.01	0.007	0	28.8	24.9	74.4	104	92	0	37	34
2019	11	14	10	17	35	0.696	-0.098	3.678	0.01	0.007	0	28.8	24.9	74.4	104	92	0	37	34
2019	11	14	10	27	35	0.653	-0.115	3.675	0.01	0.007	0	28.4	24.1	74	103	91	0	37	35
2019	11	14	10	37	35	0.696	-0.105	3.675	0.013	0.01	0	28.8	24.1	74.8	103	91	0	36	35
2019	11	14	10	47	35	0.689	-0.112	3.675	0.01	0.007	0	28.4	24.1	74.4	103	91	0	37	35
2019	11	14	10	57	35	0.666	-0.075	3.675	0.016	0.013	0	28.4	24.1	74.8	102	90	0	36	34
2019	11	14	11	7	35	0.646	-0.112	3.675	0.01	0.007	0	28.4	23.6	74	102	90	0	36	35
2019	11	14	11	17	35	0.702	-0.072	3.675	0.01	0.007	0	28.4	23.6	74.4	102	90	0	36	35
2019	11	14	11	27	35	0.659	-0.131	3.675	0.013	0.01	0	28	23.6	74.8	102	90	0	37	35
2019	11	14	11	37	35	0.673	-0.095	3.675	0.01	0.007	0	28.8	24.1	74.8	103	91	0	36	35
2019	11	14	11	47	35	0.666	-0.108	3.675	0.01	0.007	0	28.8	24.5	74.8	104	92	0	37	35
2019	11	14	11	57	35	0.656	-0.095	3.675	0.01	0.007	0	28.8	24.9	74.8	104	92	0	37	34
2019	11	14	12	7	35	0.673	-0.148	3.678	0.01	0.007	0	29.2	25.4	74.4	105	93	0	37	34
2019	11	14	12	17	35	0.666	-0.089	3.678	0.01	0.007	0	29.7	25.4	71	106	94	0	37	35
2019	11	14	12	27	35	0.663	-0.118	3.678	0.01	0.007	0	29.2	24.9	74.8	105	93	0	37	35
2019	11	14	12	37	35	0.679	-0.108	3.678	0.013	0.01	0	30.1	25.8	74.4	107	95	0	37	35
2019	11	14	12	47	35	0.643	-0.098	3.675	0.02	0.016	0	31	27.1	59.3	109	97	0	37	34
2019	11	14	12	57	35	0.65	-0.141	3.678	0.01	0.007	0	30.1	26.2	51.6	107	95	0	37	34
2019	11	14	13	7	35	0.656	-0.131	3.678	0.01	0.007	0	31	26.7	52	108	96	0	36	34
2019	11	14	13	17	35	0.656	-0.121	3.675	0.01	0.007	0	30.5	26.2	65.4	107	95	0	36	34
2019	11	14	13	27	35	0.636	-0.138	3.678	0.01	0.007	0	29.2	25.4	60.6	105	94	0	37	35
2019	11	14	13	37	35	0.63	-0.125	3.675	0.01	0.007	0	29.2	25.4	64.5	105	93	0	37	34
2019	11	14	13	47	35	0.65	-0.115	3.678	0.01	0.007	0	30.1	25.8	71.8	106	94	0	36	34
2019	11	14	13	57	35	0.656	-0.095	3.675	0.01	0.007	0	29.2	25.4	56.3	105	93	0	37	34
2019	11	14	14	7	35	0.656	-0.118	3.678	0.01	0.007	0	30.1	25.8	49	106	94	0	36	34
2019	11	14	14	17	35	0.656	-0.128	3.678	0.013	0.01	0	29.2	25.4	50.3	105	93	0	37	34
2019	11	14	14	27	35	0.633	-0.115	3.678	0.013	0.01	0	29.7	25.4	48.6	105	93	0	36	34
2019	11	14	14	37	35	0.643	-0.085	3.678	0.01	0.007	0	30.1	25.8	51.6	107	94	0	37	34
2019	11	14	14	47	35	0.666	-0.151	3.678	0.01	0.007	0	30.5	26.2	57.2	107	95	0	36	34
2019	11	14	14	57	35	0.673	-0.092	3.675	0.01	0.007	0	30.1	25.4	57.6	106	94	0	36	35
2019	11	14	15	7	35	0.682	-0.121	3.675	0.013	0.01	0	30.1	25.4	64.1	106	93	0	36	34
2019	11	14	15	17	35	0.673	-0.095	3.675	0.01	0.007	0	30.1	25.8	52.9	106	95	0	36	35
2019	11	14	15	27	35	0.65	-0.138	3.678	0.01	0.007	0	30.5	26.7	48.2	108	96	0	37	34
2019	11	14	15	37	35	0.669	-0.112	3.675	0.016	0.013	0	31	26.7	52	108	96	0	36	34
2019	11	14	15	47	35	0.623	-0.121	3.675	0.01	0.007	0	31	26.7	54.6	108	96	0	36	34
2019	11	14	15	57	35	0.64	-0.125	3.678	0.013	0.01	0	31	26.2	49	108	95	0	36	34
2019	11	14	16	7	35	0.663	-0.102	3.675	0.01	0.007	0	30.1	25.8	54.6	106	94	0	36	34
2019	11	14	16	17	35	0.673	-0.108	3.675	0.01	0.007	0	30.5	26.2	57.6	107	95	0	36	34
2019	11	14	16	27	35	0.673	-0.121	3.675	0.01	0.007	0	30.1	25.4	71.4	106	93	0	36	34
2019	11	14	16	37	35	0.669	-0.148	3.678	0.01	0.007	0	29.7	25.4	75.3	105	93	0	36	34
2019	11	14	16	47	35	0.636	-0.125	3.678	0.01	0.007	0	31.4	26.7	75.3	109	96	0	36	34
2019	11	14	16	57	35	0.676	-0.089	3.678	0.01	0.007	0	32.3	27.5	76.1	111	99	0	36	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	14	17	7	35	0.709	-0.105	3.678	0.01	0.007	0	31.4	27.5	75.7	110	98	0	37	34
2019	11	14	17	17	35	0.712	-0.108	3.678	0.01	0.007	0	30.5	26.7	75.7	108	96	0	37	34
2019	11	14	17	27	35	0.712	-0.121	3.678	0.01	0.007	0	30.5	26.2	76.1	107	95	0	36	34
2019	11	14	17	37	35	0.656	-0.112	3.678	0.01	0.007	0	29.7	25.8	76.1	106	94	0	37	34
2019	11	14	17	47	35	0.696	-0.128	3.678	0.01	0.007	0	29.7	25.8	76.1	106	94	0	37	34
2019	11	14	17	57	35	0.699	-0.131	3.678	0.016	0.013	0	30.1	25.4	76.5	106	94	0	36	35
2019	11	14	18	7	35	0.653	-0.112	3.678	0.01	0.007	0	30.5	25.8	75.3	107	94	0	36	34
2019	11	14	18	17	35	0.699	-0.135	3.678	0.016	0.013	0	31.4	27.1	75.3	109	97	0	36	34
2019	11	14	18	27	35	0.676	-0.105	3.678	0.01	0.007	0	31.4	26.7	75.3	109	97	0	36	35
2019	11	14	18	37	35	0.676	-0.098	3.678	0.01	0.007	0	31	26.7	75.7	109	97	0	37	35
2019	11	14	18	47	35	0.705	-0.092	3.678	0.01	0.007	0	31.4	27.1	76.1	109	97	0	36	34
2019	11	14	18	57	35	0.682	-0.108	3.678	0.013	0.01	0	31	26.2	75.7	109	96	0	37	35
2019	11	14	19	7	35	0.696	-0.112	3.678	0.013	0.01	0	31.4	27.1	75.3	109	97	0	36	34
2019	11	14	19	17	35	0.689	-0.085	3.678	0.013	0.01	0	31.4	27.1	76.1	110	97	0	37	34
2019	11	14	19	27	35	0.715	-0.069	3.678	0.01	0.007	0	31.4	26.7	75.7	109	96	0	36	34
2019	11	14	19	37	35	0.682	-0.098	3.678	0.01	0.007	0	31.4	26.7	76.1	109	96	0	36	34
2019	11	14	19	47	35	0.673	-0.098	3.678	0.01	0.007	0	31	27.1	76.1	109	97	0	37	34
2019	11	14	19	57	35	0.692	-0.115	3.678	0.01	0.007	0	31.4	26.7	75.7	109	96	0	36	34
2019	11	14	20	7	35	0.686	-0.092	3.678	0.01	0.007	0	31	26.2	76.1	109	96	0	37	35
2019	11	14	20	17	35	0.686	-0.095	3.678	0.01	0.007	0	31.4	26.7	76.5	109	96	0	36	34
2019	11	14	20	27	35	0.686	-0.115	3.678	0.01	0.007	0	31.4	26.7	64.5	109	96	0	36	34
2019	11	14	20	37	35	0.686	-0.079	3.678	0.01	0.007	0	30.5	26.2	76.1	108	96	0	37	35
2019	11	14	20	47	35	0.673	-0.128	3.678	0.016	0.013	0	31	26.7	57.6	109	96	0	37	34
2019	11	14	20	57	35	0.682	-0.098	3.678	0.01	0.007	0	31.4	26.2	66.2	109	96	0	36	35
2019	11	14	21	7	35	0.699	-0.121	3.678	0.016	0.016	0	38.7	34.4	74.4	126	114	0	36	34
2019	11	14	21	17	35	0.709	-0.115	3.678	0.02	0.016	0	35.7	31	74	119	106	0	36	34
2019	11	14	21	27	35	0.669	-0.059	3.678	0.013	0.01	0	35.7	31.4	75.3	119	107	0	36	34
2019	11	14	21	37	35	0.686	-0.115	3.678	0.01	0.007	0	37.4	32.7	76.1	123	110	0	36	34
2019	11	14	21	47	35	0.673	-0.115	3.678	0.01	0.007	0	34.4	29.7	76.1	116	103	0	36	34
2019	11	14	21	57	35	0.686	-0.121	3.678	0.01	0.007	0	33.5	28.8	75.7	115	102	0	37	35
2019	11	14	22	7	35	0.669	-0.108	3.678	0.01	0.007	0	34.8	31.4	75.7	118	106	0	37	33
2019	11	14	22	17	35	0.679	-0.082	3.678	0.016	0.013	0	37	32.7	76.1	123	110	0	37	34
2019	11	14	22	27	35	0.682	-0.095	3.678	0.016	0.013	0	36.5	31.8	76.1	121	108	0	36	34
2019	11	14	22	37	35	0.673	-0.105	3.678	0.013	0.01	0	37.8	34	75.7	125	113	0	37	34
2019	11	14	22	47	35	0.676	-0.082	3.675	0.01	0.007	0	37	32.3	73.1	122	109	0	36	34
2019	11	14	22	57	35	0.686	-0.095	3.675	0.013	0.01	0	38.7	34	75.7	126	114	0	36	35
2019	11	14	23	7	35	0.686	-0.092	3.678	0.01	0.007	0	42.6	38.7	74	136	124	0	37	34
2019	11	14	23	17	35	0.709	-0.121	3.678	0.013	0.01	0	38.7	34	75.7	127	114	0	37	35
2019	11	14	23	27	35	0.682	-0.108	3.678	0.013	0.01	0	35.7	31.4	75.7	120	107	0	37	34
2019	11	14	23	37	35	0.653	-0.112	3.678	0.01	0.007	0	34.4	29.2	75.7	116	103	0	36	35
2019	11	14	23	47	35	0.692	-0.115	3.675	0.01	0.007	0	34.4	30.1	75.3	117	104	0	37	34
2019	11	14	23	57	35	0.709	-0.098	3.675	0.016	0.013	0	39.6	35.7	73.1	129	117	0	37	34
2019	11	15	0	7	35	0.715	-0.118	3.675	0.01	0.007	0	35.3	31	75.3	119	106	0	37	34
2019	11	15	0	17	35	0.699	-0.098	3.675	0.01	0.007	0	33.5	29.2	75.7	115	102	0	37	34
2019	11	15	0	27	35	0.682	-0.135	3.675	0.01	0.007	0	32.7	28.4	75.7	112	100	0	36	34
2019	11	15	0	37	35	0.666	-0.125	3.675	0.01	0.007	0	32.3	28	75.7	111	99	0	36	34
2019	11	15	0	47	35	0.686	-0.098	3.675	0.01	0.007	0	31.4	28	76.1	111	99	0	38	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	15	0	57	35	0.682	-0.108	3.675	0.013	0.01	0	31.8	27.5	76.1	111	98	0	37	34
2019	11	15	1	7	35	0.656	-0.128	3.675	0.01	0.007	0	31.8	27.5	76.1	110	98	0	36	34
2019	11	15	1	17	35	0.673	-0.144	3.675	0.01	0.007	0	31.4	27.1	76.1	110	98	0	37	35
2019	11	15	1	27	35	0.682	-0.072	3.675	0.013	0.01	0	31.4	27.1	76.1	110	98	0	37	35
2019	11	15	1	37	35	0.692	-0.121	3.675	0.01	0.007	0	31.8	27.5	76.1	110	98	0	36	34
2019	11	15	1	47	35	0.686	-0.125	3.675	0.016	0.013	0	31.8	27.5	76.5	110	98	0	36	34
2019	11	15	1	57	35	0.699	-0.102	3.675	0.01	0.007	0	31.4	27.5	76.1	110	98	0	37	34
2019	11	15	2	7	35	0.692	-0.121	3.675	0.01	0.007	0	31	26.7	76.1	109	97	0	37	35
2019	11	15	2	17	35	0.666	-0.098	3.675	0.016	0.013	0	31.8	27.5	75.3	110	98	0	36	34
2019	11	15	2	27	35	0.656	-0.135	3.675	0.01	0.007	0	31	26.7	76.1	109	97	0	37	35
2019	11	15	2	37	35	0.646	-0.128	3.675	0.01	0.007	0	31.4	26.7	76.1	109	97	0	36	35
2019	11	15	2	47	35	0.682	-0.121	3.675	0.01	0.007	0	31.4	27.1	75.3	109	97	0	36	34
2019	11	15	2	57	35	0.669	-0.108	3.675	0.013	0.01	0	31.8	27.1	75.7	110	98	0	36	35
2019	11	15	3	7	35	0.673	-0.108	3.675	0.013	0.01	0	31.4	27.5	76.1	110	98	0	37	34
2019	11	15	3	17	35	0.689	-0.108	3.675	0.013	0.01	0	31.8	27.5	76.1	110	98	0	36	34
2019	11	15	3	27	35	0.663	-0.092	3.675	0.013	0.01	0	31.4	27.1	76.1	109	97	0	36	34
2019	11	15	3	37	35	0.64	-0.121	3.675	0.013	0.01	0	31.4	27.1	76.1	109	97	0	36	34
2019	11	15	3	47	35	0.627	-0.095	3.675	0.013	0.01	0	31.4	27.1	75.7	109	97	0	36	34
2019	11	15	3	57	35	0.702	-0.098	3.675	0.01	0.007	0	31.4	27.1	76.1	109	97	0	36	34
2019	11	15	4	7	35	0.696	-0.072	3.671	0.01	0.007	0	31.4	26.7	75.3	109	97	0	36	35
2019	11	15	4	17	35	0.659	-0.115	3.671	0.01	0.007	0	31	27.1	75.7	108	97	0	36	34
2019	11	15	4	27	35	0.643	-0.115	3.675	0.01	0.007	0	31	27.1	76.1	109	97	0	37	34
2019	11	15	4	37	35	0.679	-0.118	3.671	0.01	0.007	0	31.4	27.1	75.7	109	97	0	36	34
2019	11	15	4	47	35	0.669	-0.079	3.671	0.01	0.007	0	31.4	27.1	76.5	109	97	0	36	34
2019	11	15	4	57	35	0.682	-0.095	3.671	0.01	0.007	0	31.4	27.1	76.5	109	97	0	36	34
2019	11	15	5	7	35	0.692	-0.135	3.671	0.013	0.01	0	30.5	26.7	76.1	108	96	0	37	34
2019	11	15	5	17	35	0.669	-0.128	3.671	0.013	0.01	0	31	26.7	75.7	109	96	0	37	34
2019	11	15	5	27	35	0.64	-0.085	3.671	0.01	0.007	0	30.5	26.2	76.1	108	96	0	37	35
2019	11	15	5	37	35	0.689	-0.108	3.671	0.013	0.01	0	31	27.1	76.1	109	97	0	37	34
2019	11	15	5	47	35	0.722	-0.121	3.671	0.01	0.007	0	31.4	26.2	76.1	109	96	0	36	35
2019	11	15	5	57	35	0.699	-0.108	3.671	0.01	0.007	0	31	26.2	76.5	109	96	0	37	35
2019	11	15	6	7	35	0.689	-0.108	3.671	0.01	0.007	0	31.4	26.7	76.1	109	97	0	36	35
2019	11	15	6	17	35	0.682	-0.079	3.671	0.013	0.01	0	31	26.2	76.1	109	96	0	37	35
2019	11	15	6	27	35	0.692	-0.105	3.671	0.01	0.007	0	30.5	26.7	76.1	108	96	0	37	34
2019	11	15	6	37	35	0.646	-0.112	3.671	0.01	0.007	0	30.5	26.7	76.1	108	96	0	37	34
2019	11	15	6	47	35	0.663	-0.108	3.671	0.01	0.007	0	31	26.2	76.1	108	96	0	36	35
2019	11	15	6	57	35	0.673	-0.102	3.671	0.01	0.007	0	31	26.2	76.5	108	96	0	36	35
2019	11	15	7	7	35	0.702	-0.121	3.671	0.01	0.007	0	30.5	26.2	76.5	108	95	0	37	34
2019	11	15	7	17	35	0.696	-0.118	3.671	0.01	0.007	0	30.5	26.2	76.1	108	96	0	37	35
2019	11	15	7	27	35	0.679	-0.121	3.671	0.016	0.013	0	30.5	25.8	75.7	108	95	0	37	35
2019	11	15	7	37	35	0.669	-0.095	3.671	0.013	0.01	0	31.4	26.2	75.3	109	96	0	36	35
2019	11	15	7	47	35	0.689	-0.092	3.671	0.01	0.007	0	30.5	25.8	75.7	107	95	0	36	35
2019	11	15	7	57	35	0.709	-0.108	3.671	0.01	0.007	0	30.1	25.8	76.5	107	95	0	37	35
2019	11	15	8	7	35	0.666	-0.148	3.668	0.01	0.007	0	29.7	25.4	76.1	106	94	0	37	35
2019	11	15	8	17	35	0.669	-0.108	3.668	0.01	0.007	0	30.1	25.8	75.7	107	95	0	37	35
2019	11	15	8	27	35	0.673	-0.095	3.671	0.013	0.01	0	30.1	26.2	75.7	107	95	0	37	34
2019	11	15	8	37	35	0.679	-0.112	3.671	0.01	0.007	0	30.1	25.4	76.5	106	94	0	36	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	15	8	47	35	0.715	-0.102	3.671	0.01	0.007	0	29.7	26.2	76.5	106	95	0	37	34
2019	11	15	8	57	35	0.659	-0.105	3.671	0.01	0.007	0	30.5	25.8	76.1	107	95	0	36	35
2019	11	15	9	7	35	0.686	-0.121	3.671	0.01	0.007	0	29.7	25.4	76.5	106	94	0	37	35
2019	11	15	9	17	35	0.65	-0.115	3.671	0.01	0.007	0	29.2	25.4	75.3	105	94	0	37	35
2019	11	15	9	27	35	0.682	-0.115	3.671	0.016	0.013	0	29.2	25.4	75.3	105	93	0	37	34
2019	11	15	9	37	35	0.692	-0.131	3.671	0.01	0.007	0	29.2	25.4	76.5	105	93	0	37	34
2019	11	15	9	47	35	0.682	-0.128	3.671	0.01	0.007	0	29.2	25.4	75.3	104	93	0	36	34
2019	11	15	9	57	35	0.692	-0.095	3.671	0.01	0.007	0	29.2	25.4	75.7	105	93	0	37	34
2019	11	15	10	7	35	0.656	-0.098	3.671	0.01	0.007	0	29.2	24.9	76.5	104	93	0	36	35
2019	11	15	10	17	35	0.659	-0.105	3.671	0.01	0.007	0	28.8	24.9	76.5	105	93	0	38	35
2019	11	15	10	27	35	0.686	-0.108	3.671	0.01	0.007	0	29.2	24.9	76.5	105	93	0	37	35
2019	11	15	10	37	35	0.679	-0.102	3.671	0.01	0.007	0	29.7	25.4	76.5	105	93	0	36	34
2019	11	15	10	47	35	0.682	-0.125	3.671	0.013	0.01	0	30.1	25.8	73.5	107	94	0	37	34
2019	11	15	10	57	35	0.709	-0.105	3.671	0.01	0.007	0	30.1	25.4	75.7	106	94	0	36	35
2019	11	15	11	7	35	0.699	-0.115	3.671	0.01	0.007	0	30.1	26.2	76.1	106	95	0	36	34
2019	11	15	11	17	35	0.65	-0.089	3.671	0.01	0.007	0	30.5	25.8	76.5	107	95	0	36	35
2019	11	15	11	27	35	0.656	-0.098	3.671	0.01	0.007	0	30.5	26.2	75.3	107	95	0	36	34
2019	11	15	11	37	35	0.663	-0.085	3.671	0.013	0.01	0	31.4	27.1	76.1	110	98	0	37	35
2019	11	15	11	47	35	0.682	-0.105	3.671	0.01	0.007	0	31.8	28	76.5	110	99	0	36	34
2019	11	15	11	57	35	0.686	-0.098	3.671	0.013	0.01	0	32.3	27.5	76.5	111	99	0	36	35
2019	11	15	12	7	35	0.679	-0.095	3.671	0.01	0.007	0	34.4	30.5	77	117	105	0	37	34
2019	11	15	12	17	35	0.699	-0.089	3.671	0.01	0.007	0	33.1	29.2	77	114	102	0	37	34
2019	11	15	12	27	35	0.666	-0.138	3.675	0.013	0.01	0	33.1	28.8	76.5	113	102	0	36	35
2019	11	15	12	37	35	0.722	-0.118	3.675	0.01	0.007	0	31	27.1	76.5	109	97	0	37	34
2019	11	15	12	47	35	0.669	-0.112	3.671	0.01	0.007	0	30.1	26.7	76.5	107	96	0	37	34
2019	11	15	12	57	35	0.653	-0.085	3.675	0.013	0.01	0	32.3	28	76.5	111	99	0	36	34
2019	11	15	13	7	35	0.666	-0.121	3.675	0.01	0.007	0	30.5	26.7	75.7	108	96	0	37	34
2019	11	15	13	17	35	0.676	-0.112	3.675	0.01	0.007	0	31.4	27.1	76.5	109	97	0	36	34
2019	11	15	13	27	35	0.692	-0.115	3.675	0.01	0.007	0	31.4	26.7	76.1	109	97	0	36	35
2019	11	15	13	37	35	0.656	-0.112	3.675	0.016	0.013	0	31.4	27.5	76.5	109	98	0	36	34
2019	11	15	13	47	35	0.702	-0.121	3.675	0.01	0.007	0	31.4	28	75.7	110	99	0	37	34
2019	11	15	13	57	35	0.669	-0.118	3.675	0.01	0.007	0	31.4	26.7	77	109	96	0	36	34
2019	11	15	14	7	35	0.679	-0.135	3.675	0.013	0.01	0	31	26.2	76.1	108	96	0	36	35
2019	11	15	14	17	35	0.679	-0.108	3.675	0.013	0.01	0	31	27.5	73.1	109	98	0	37	34
2019	11	15	14	27	35	0.656	-0.131	3.675	0.01	0.007	0	32.3	28	76.5	111	99	0	36	34
2019	11	15	14	37	35	0.659	-0.108	3.675	0.016	0.013	0	30.5	26.2	77	107	95	0	36	34
2019	11	15	14	47	35	0.689	-0.082	3.675	0.01	0.007	0	31.4	28	76.5	110	99	0	37	34
2019	11	15	14	57	35	0.659	-0.118	3.675	0.01	0.007	0	31	27.1	77	109	98	0	37	35
2019	11	15	15	7	35	0.689	-0.089	3.675	0.013	0.01	0	31.4	26.7	76.5	109	97	0	36	35
2019	11	15	15	17	35	0.673	-0.115	3.675	0.013	0.01	0	32.3	28.8	77	112	101	0	37	34
2019	11	15	15	27	35	0.669	-0.082	3.675	0.01	0.007	0	33.1	29.2	76.1	114	102	0	37	34
2019	11	15	15	37	35	0.686	-0.095	3.675	0.01	0.007	0	32.3	28.4	74.8	111	100	0	36	34
2019	11	15	15	47	35	0.676	-0.105	3.675	0.01	0.007	0	31	27.1	76.5	109	97	0	37	34
2019	11	15	15	57	35	0.646	-0.085	3.675	0.01	0.007	0	31	27.1	76.1	109	97	0	37	34
2019	11	15	16	7	35	0.663	-0.102	3.675	0.01	0.007	0	31.4	27.1	76.1	110	98	0	37	35
2019	11	15	16	17	35	0.656	-0.105	3.675	0.013	0.01	0	31.8	27.5	70.1	110	98	0	36	34
2019	11	15	16	27	35	0.669	-0.098	3.675	0.013	0.01	0	31	27.1	77	109	97	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	15	16	37	35	0.682	-0.125	3.675	0.013	0.01	0	30.5	26.7	77.4	108	96	0	37	34
2019	11	15	16	47	35	0.659	-0.112	3.675	0.013	0.01	0	31.4	27.5	77	109	98	0	36	34
2019	11	15	16	57	35	0.673	-0.112	3.675	0.013	0.01	0	31	26.7	77.4	109	97	0	37	35
2019	11	15	17	7	35	0.689	-0.108	3.675	0.01	0.007	0	32.3	28	77.8	111	99	0	36	34
2019	11	15	17	17	35	0.679	-0.095	3.675	0.01	0.007	0	31.8	27.5	77.8	111	99	0	37	35
2019	11	15	17	27	35	0.669	-0.118	3.675	0.016	0.013	0	31.8	28	77.8	111	99	0	37	34
2019	11	15	17	37	35	0.682	-0.112	3.675	0.01	0.007	0	31.4	27.1	77.4	110	98	0	37	35
2019	11	15	17	47	35	0.65	-0.112	3.675	0.013	0.01	0	32.3	28	77.4	111	99	0	36	34
2019	11	15	17	57	35	0.702	-0.102	3.675	0.01	0.007	0	32.7	28.8	77	113	101	0	37	34
2019	11	15	18	7	35	0.705	-0.102	3.675	0.01	0.007	0	33.1	28.8	77	113	101	0	36	34
2019	11	15	18	17	35	0.705	-0.089	3.675	0.01	0.007	0	33.1	28.8	76.5	113	101	0	36	34
2019	11	15	18	27	35	0.715	-0.105	3.675	0.013	0.01	0	32.7	28.8	77	113	101	0	37	34
2019	11	15	18	37	35	0.682	-0.089	3.675	0.01	0.007	0	32.3	28.4	76.5	112	100	0	37	34
2019	11	15	18	47	35	0.692	-0.102	3.675	0.01	0.007	0	33.1	28.4	77.4	113	100	0	36	34
2019	11	15	18	57	35	0.692	-0.098	3.675	0.01	0.007	0	32.3	28	77	112	100	0	37	35
2019	11	15	19	7	35	0.676	-0.108	3.675	0.01	0.007	0	32.3	28.4	77	112	100	0	37	34
2019	11	15	19	17	35	0.719	-0.108	3.675	0.016	0.013	0	32.7	28.4	76.5	112	100	0	36	34
2019	11	15	19	27	35	0.689	-0.115	3.675	0.01	0.007	0	32.3	28	76.5	111	99	0	36	34
2019	11	15	19	37	35	0.673	-0.095	3.675	0.01	0.007	0	32.3	28	77	111	99	0	36	34
2019	11	15	19	47	35	0.712	-0.112	3.675	0.01	0.007	0	32.3	28	77.4	111	99	0	36	34
2019	11	15	19	57	35	0.689	-0.118	3.675	0.01	0.007	0	32.3	28	77.4	111	99	0	36	34
2019	11	15	20	7	35	0.719	-0.105	3.675	0.01	0.007	0	32.3	28	77	111	99	0	36	34
2019	11	15	20	17	35	0.679	-0.112	3.675	0.01	0.007	0	32.3	27.5	77.4	111	99	0	36	35
2019	11	15	20	27	35	0.719	-0.125	3.675	0.013	0.01	0	31.8	28	77.4	110	99	0	36	34
2019	11	15	20	37	35	0.679	-0.095	3.675	0.013	0.01	0	31.4	27.5	77.4	110	98	0	37	34
2019	11	15	20	47	35	0.673	-0.079	3.675	0.016	0.013	0	31.8	27.1	77	110	98	0	36	35
2019	11	15	20	57	35	0.663	-0.105	3.675	0.01	0.007	0	31.8	27.1	76.5	110	98	0	36	35
2019	11	15	21	7	35	0.663	-0.102	3.675	0.01	0.007	0	32.3	28.4	75.7	111	99	0	36	33
2019	11	15	21	17	35	0.696	-0.092	3.675	0.013	0.01	0	32.3	27.5	77	111	98	0	36	34
2019	11	15	21	27	35	0.709	-0.095	3.675	0.01	0.007	0	31.8	27.1	77	110	98	0	36	35
2019	11	15	21	37	35	0.666	-0.105	3.675	0.01	0.007	0	32.3	28	77	111	99	0	36	34
2019	11	15	21	47	35	0.686	-0.148	3.675	0.01	0.007	0	31.8	27.5	76.5	110	98	0	36	34
2019	11	15	21	57	35	0.663	-0.082	3.675	0.01	0.007	0	32.3	27.5	76.5	110	98	0	35	34
2019	11	15	22	7	35	0.679	-0.095	3.675	0.01	0.007	0	31.4	27.5	77	110	98	0	37	34
2019	11	15	22	17	35	0.709	-0.108	3.675	0.01	0.007	0	31.8	28	77	111	99	0	37	34
2019	11	15	22	27	35	0.679	-0.092	3.675	0.01	0.007	0	31.4	27.1	77	110	98	0	37	35
2019	11	15	22	37	35	0.673	-0.138	3.675	0.01	0.007	0	31.8	27.5	77	110	98	0	36	34
2019	11	15	22	47	35	0.65	-0.095	3.675	0.01	0.007	0	31.8	28.4	77	111	99	0	37	33
2019	11	15	22	57	35	0.682	-0.089	3.675	0.01	0.007	0	31.8	27.1	76.5	110	98	0	36	35
2019	11	15	23	7	35	0.692	-0.105	3.675	0.016	0.013	0	31.4	27.1	77	110	98	0	37	35
2019	11	15	23	17	35	0.643	-0.108	3.675	0.01	0.007	0	31.4	27.5	77	110	98	0	37	34
2019	11	15	23	27	35	0.659	-0.085	3.675	0.01	0.007	0	31.8	28	76.1	111	99	0	37	34
2019	11	15	23	37	35	0.686	-0.115	3.675	0.013	0.01	0	31.8	27.5	76.5	110	98	0	36	34
2019	11	15	23	47	35	0.636	-0.092	3.671	0.01	0.007	0	31.4	27.1	76.5	110	98	0	37	35
2019	11	15	23	57	35	0.663	-0.098	3.675	0.01	0.007	0	31.8	27.5	76.5	110	98	0	36	34
2019	11	16	0	7	35	0.673	-0.112	3.671	0.01	0.007	0	31.8	27.1	76.5	110	98	0	36	35
2019	11	16	0	17	35	0.656	-0.121	3.671	0.01	0.007	0	31.8	27.1	76.5	110	97	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	16	0	27	35	0.663	-0.121	3.671	0.013	0.01	0	31.8	27.5	77	111	98	0	37	34
2019	11	16	0	37	35	0.682	-0.125	3.671	0.013	0.01	0	31.4	27.1	76.5	110	97	0	37	34
2019	11	16	0	47	35	0.702	-0.108	3.671	0.01	0.007	0	31.8	27.1	76.1	110	97	0	36	34
2019	11	16	0	57	35	0.663	-0.108	3.671	0.013	0.01	0	31.4	27.1	76.1	110	97	0	37	34
2019	11	16	1	7	35	0.673	-0.098	3.671	0.016	0.016	0	31.8	27.1	77	110	97	0	36	34
2019	11	16	1	17	35	0.673	-0.115	3.671	0.01	0.007	0	31.4	27.5	76.1	110	98	0	37	34
2019	11	16	1	27	35	0.676	-0.082	3.671	0.01	0.007	0	31	27.1	76.5	109	97	0	37	34
2019	11	16	1	37	35	0.679	-0.095	3.671	0.01	0.007	0	31.4	27.1	76.5	110	97	0	37	34
2019	11	16	1	47	35	0.676	-0.082	3.671	0.013	0.01	0	31.4	27.1	77	110	98	0	37	35
2019	11	16	1	57	35	0.679	-0.108	3.671	0.01	0.007	0	31.4	27.1	76.1	110	97	0	37	34
2019	11	16	2	7	35	0.663	-0.082	3.671	0.01	0.007	0	31.8	27.5	77.4	110	98	0	36	34
2019	11	16	2	17	35	0.709	-0.121	3.671	0.01	0.007	0	31.4	26.7	77	110	97	0	37	35
2019	11	16	2	27	35	0.679	-0.102	3.671	0.013	0.01	0	31.8	27.1	76.5	110	97	0	36	34
2019	11	16	2	37	35	0.659	-0.082	3.671	0.013	0.01	0	31.8	26.7	77	110	97	0	36	35
2019	11	16	2	47	35	0.699	-0.128	3.671	0.013	0.01	0	31.4	27.1	76.1	110	97	0	37	34
2019	11	16	2	57	35	0.732	-0.102	3.671	0.016	0.013	0	31.4	27.1	77	109	97	0	36	34
2019	11	16	3	7	35	0.699	-0.095	3.671	0.01	0.007	0	31	27.1	77	109	97	0	37	34
2019	11	16	3	17	35	0.702	-0.105	3.671	0.013	0.01	0	31.4	27.1	76.5	110	97	0	37	34
2019	11	16	3	27	35	0.686	-0.072	3.671	0.013	0.01	0	31.4	26.7	77.4	109	96	0	36	34
2019	11	16	3	37	35	0.686	-0.085	3.671	0.01	0.007	0	31	27.1	76.5	109	97	0	37	34
2019	11	16	3	47	35	0.656	-0.125	3.671	0.013	0.01	0	31	26.7	77	109	96	0	37	34
2019	11	16	3	57	35	0.682	-0.089	3.671	0.01	0.007	0	31.4	26.7	77	109	96	0	36	34
2019	11	16	4	7	35	0.686	-0.079	3.671	0.013	0.01	0	31	26.7	77	109	96	0	37	34
2019	11	16	4	17	35	0.686	-0.108	3.668	0.01	0.007	0	31	26.7	76.5	109	96	0	37	34
2019	11	16	4	27	35	0.705	-0.128	3.668	0.013	0.01	0	31	26.2	76.1	109	96	0	37	35
2019	11	16	4	37	35	0.686	-0.121	3.668	0.01	0.007	0	31.4	26.2	76.1	109	96	0	36	35
2019	11	16	4	47	35	0.636	-0.138	3.668	0.01	0.007	0	31.4	26.2	75.7	110	96	0	37	35
2019	11	16	4	57	35	0.669	-0.108	3.668	0.01	0.007	0	31	26.7	77	109	96	0	37	34
2019	11	16	5	7	35	0.656	-0.118	3.668	0.013	0.01	0	31	26.2	76.5	109	96	0	37	35
2019	11	16	5	17	35	0.682	-0.112	3.668	0.013	0.01	0	31	26.2	76.5	109	96	0	37	35
2019	11	16	5	27	35	0.646	-0.121	3.668	0.013	0.01	0	31	26.2	76.5	108	95	0	36	34
2019	11	16	5	37	35	0.686	-0.089	3.668	0.01	0.007	0	31	26.7	76.5	108	96	0	36	34
2019	11	16	5	47	35	0.673	-0.118	3.668	0.016	0.013	0	31	26.7	77	109	96	0	37	34
2019	11	16	5	57	35	0.633	-0.121	3.668	0.013	0.01	0	31.4	26.2	76.5	109	96	0	36	35
2019	11	16	6	7	35	0.666	-0.105	3.668	0.01	0.007	0	30.5	25.8	77	108	95	0	37	35
2019	11	16	6	17	35	0.686	-0.121	3.668	0.013	0.01	0	30.5	26.2	77	108	95	0	37	34
2019	11	16	6	27	35	0.627	-0.131	3.668	0.01	0.007	0	31	26.7	76.1	109	96	0	37	34
2019	11	16	6	37	35	0.666	-0.125	3.668	0.013	0.01	0	31	26.2	76.5	109	95	0	37	34
2019	11	16	6	47	35	0.669	-0.121	3.668	0.01	0.007	0	31	26.2	76.5	108	95	0	36	34
2019	11	16	6	57	35	0.636	-0.102	3.668	0.016	0.013	0	30.5	26.2	76.1	108	95	0	37	34
2019	11	16	7	7	35	0.699	-0.112	3.668	0.013	0.01	0	30.5	26.7	76.1	108	96	0	37	34
2019	11	16	7	17	35	0.669	-0.115	3.668	0.013	0.01	0	31	26.7	75.7	109	96	0	37	34
2019	11	16	7	27	35	0.722	-0.105	3.668	0.016	0.013	0	30.5	26.2	75.3	108	96	0	37	35
2019	11	16	7	37	35	0.682	-0.118	3.668	0.01	0.007	0	30.5	26.2	76.1	108	95	0	37	34
2019	11	16	7	47	35	0.669	-0.092	3.668	0.01	0.007	0	30.5	26.2	76.5	108	95	0	37	34
2019	11	16	7	57	35	0.692	-0.151	3.668	0.01	0.007	0	30.1	26.2	76.1	107	95	0	37	34
2019	11	16	8	7	35	0.64	-0.108	3.668	0.013	0.01	0	30.1	26.7	76.5	107	96	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	16	8	17	35	0.682	-0.102	3.668	0.01	0.007	0	30.1	25.8	76.5	107	95	0	37	35
2019	11	16	8	27	35	0.702	-0.115	3.668	0.01	0.007	0	30.5	25.8	75.7	107	95	0	36	35
2019	11	16	8	37	35	0.669	-0.108	3.668	0.01	0.007	0	30.1	25.8	76.5	107	95	0	37	35
2019	11	16	8	47	35	0.636	-0.075	3.668	0.01	0.007	0	30.1	26.7	76.5	107	96	0	37	34
2019	11	16	8	57	35	0.666	-0.125	3.668	0.01	0.007	0	30.5	25.8	77	107	95	0	36	35
2019	11	16	9	7	35	0.636	-0.092	3.668	0.01	0.007	0	30.1	26.2	75.7	107	95	0	37	34
2019	11	16	9	17	35	0.702	-0.072	3.668	0.01	0.007	0	30.5	25.8	76.1	107	95	0	36	35
2019	11	16	9	27	35	0.673	-0.082	3.668	0.01	0.007	0	29.7	26.2	74.8	106	95	0	37	34
2019	11	16	9	37	35	0.673	-0.095	3.668	0.01	0.007	0	29.7	25.4	76.1	105	94	0	36	35
2019	11	16	9	47	35	0.673	-0.072	3.668	0.01	0.007	0	29.7	25.8	76.1	105	94	0	36	34
2019	11	16	9	57	35	0.656	-0.079	3.668	0.01	0.007	0	29.7	25.8	75.3	105	94	0	36	34
2019	11	16	10	7	35	0.689	-0.095	3.668	0.01	0.007	0	29.2	25.8	75.7	105	94	0	37	34
2019	11	16	10	17	35	0.696	-0.092	3.668	0.013	0.01	0	29.7	25.8	75.7	105	94	0	36	34
2019	11	16	10	27	35	0.682	-0.125	3.668	0.013	0.01	0	29.2	25.8	76.1	105	94	0	37	34
2019	11	16	10	37	35	0.646	-0.098	3.668	0.01	0.007	0	29.2	25.4	76.1	104	93	0	36	34
2019	11	16	10	47	35	0.712	-0.121	3.668	0.01	0.007	0	29.2	25.4	75.3	105	94	0	37	35
2019	11	16	10	57	35	0.656	-0.098	3.668	0.01	0.007	0	29.2	25.4	75.7	105	93	0	37	34
2019	11	16	11	7	35	0.673	-0.095	3.668	0.01	0.007	0	29.2	25.4	75.3	104	93	0	36	34
2019	11	16	11	17	35	0.633	-0.098	3.668	0.01	0.007	0	29.2	25.4	75.3	104	93	0	36	34
2019	11	16	11	27	35	0.676	-0.085	3.668	0.013	0.01	0	29.2	24.9	74.8	104	93	0	36	35
2019	11	16	11	37	35	0.679	-0.108	3.668	0.01	0.007	0	28.8	25.4	75.3	104	93	0	37	34
2019	11	16	11	47	35	0.633	-0.121	3.668	0.01	0.007	0	29.7	25.4	76.1	105	93	0	36	34
2019	11	16	11	57	35	0.627	-0.125	3.668	0.01	0.007	0	29.7	25.8	71	105	94	0	36	34
2019	11	16	12	7	35	0.689	-0.105	3.668	0.01	0.007	0	30.1	25.4	49.9	106	94	0	36	35
2019	11	16	12	17	35	0.659	-0.112	3.668	0.01	0.007	0	31	25.8	48.6	108	95	0	36	35
2019	11	16	12	27	35	0.696	-0.112	3.668	0.01	0.007	0	31.8	27.1	52	110	98	0	36	35
2019	11	16	12	37	35	0.679	-0.095	3.668	0.01	0.007	0	31.4	27.5	54.6	109	98	0	36	34
2019	11	16	12	47	35	0.653	-0.108	3.668	0.013	0.01	0	31	27.1	50.3	108	97	0	36	34
2019	11	16	12	57	35	0.699	-0.115	3.668	0.01	0.007	0	30.5	26.2	60.2	108	96	0	37	35
2019	11	16	13	7	35	0.656	-0.125	3.668	0.01	0.007	0	31	26.7	53.8	108	96	0	36	34
2019	11	16	13	17	35	0.692	-0.121	3.668	0.013	0.01	0	31	26.7	52	108	96	0	36	34
2019	11	16	13	27	35	0.699	-0.105	3.668	0.01	0.007	0	30.1	25.8	66.7	107	95	0	37	35
2019	11	16	13	37	35	0.705	-0.108	3.668	0.013	0.01	0	30.5	26.2	59.3	107	95	0	36	34
2019	11	16	13	47	35	0.689	-0.115	3.668	0.01	0.007	0	30.5	26.2	62.8	107	95	0	36	34
2019	11	16	13	57	35	0.679	-0.089	3.668	0.016	0.013	0	30.5	26.2	55.9	108	95	0	37	34
2019	11	16	14	7	35	0.676	-0.112	3.668	0.016	0.013	0	29.7	26.2	58.5	106	95	0	37	34
2019	11	16	14	17	35	0.663	-0.105	3.668	0.016	0.013	0	30.5	26.2	55.5	107	95	0	36	34
2019	11	16	14	27	35	0.676	-0.125	3.668	0.01	0.007	0	30.5	25.8	55	107	95	0	36	35
2019	11	16	14	37	35	0.696	-0.095	3.668	0.01	0.007	0	29.7	25.8	62.8	106	94	0	37	34
2019	11	16	14	47	35	0.673	-0.125	3.668	0.01	0.007	0	29.7	25.8	52.9	106	94	0	37	34
2019	11	16	14	57	35	0.659	-0.118	3.668	0.01	0.007	0	29.7	25.4	70.1	106	94	0	37	35
2019	11	16	15	7	35	0.745	-0.105	3.668	0.01	0.007	0	30.1	25.8	66.2	106	95	0	36	35
2019	11	16	15	17	35	0.696	-0.102	3.668	0.01	0.007	0	30.1	25.8	58	106	94	0	36	34
2019	11	16	15	27	35	0.689	-0.095	3.668	0.013	0.01	0	30.1	25.4	70.5	106	94	0	36	35
2019	11	16	15	37	35	0.705	-0.115	3.668	0.01	0.007	0	30.1	26.2	53.8	107	95	0	37	34
2019	11	16	15	47	35	0.682	-0.115	3.668	0.013	0.01	0	30.5	26.2	62.8	107	95	0	36	34
2019	11	16	15	57	35	0.679	-0.102	3.665	0.01	0.007	0	30.5	26.2	52.9	107	95	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	16	16	7	35	0.673	-0.148	3.668	0.01	0.007	0	29.7	26.2	66.2	106	95	0	37	34
2019	11	16	16	17	35	0.65	-0.092	3.668	0.01	0.007	0	29.7	26.2	62.8	106	95	0	37	34
2019	11	16	16	27	35	0.669	-0.108	3.668	0.013	0.01	0	30.1	26.2	59.8	106	95	0	36	34
2019	11	16	16	37	35	0.702	-0.112	3.668	0.01	0.007	0	30.1	25.4	73.1	106	94	0	36	35
2019	11	16	16	47	35	0.705	-0.098	3.668	0.01	0.007	0	30.1	25.8	69.7	106	94	0	36	34
2019	11	16	16	57	35	0.676	-0.128	3.668	0.01	0.007	0	29.7	25.8	73.5	105	94	0	36	34
2019	11	16	17	7	35	0.646	-0.125	3.668	0.01	0.007	0	30.1	25.8	74	106	94	0	36	34
2019	11	16	17	17	35	0.646	-0.115	3.668	0.01	0.007	0	29.7	25.8	74	105	94	0	36	34
2019	11	16	17	27	35	0.699	-0.108	3.668	0.01	0.007	0	29.7	25.8	74	105	94	0	36	34
2019	11	16	17	37	35	0.686	-0.102	3.668	0.01	0.007	0	29.2	25.8	74	105	94	0	37	34
2019	11	16	17	47	35	0.676	-0.102	3.668	0.013	0.01	0	30.1	25.8	73.1	106	94	0	36	34
2019	11	16	17	57	35	0.686	-0.108	3.668	0.01	0.007	0	30.5	25.8	73.5	106	94	0	35	34
2019	11	16	18	7	35	0.669	-0.112	3.668	0.013	0.01	0	30.1	26.2	73.5	107	95	0	37	34
2019	11	16	18	17	35	0.699	-0.095	3.668	0.01	0.007	0	31	26.7	73.5	108	96	0	36	34
2019	11	16	18	27	35	0.679	-0.131	3.668	0.013	0.01	0	31.4	27.1	73.1	109	97	0	36	34
2019	11	16	18	37	35	0.692	-0.102	3.668	0.01	0.007	0	31.8	27.5	73.5	110	98	0	36	34
2019	11	16	18	47	35	0.682	-0.098	3.668	0.016	0.013	0	31.4	27.5	73.1	110	98	0	37	34
2019	11	16	18	57	35	0.705	-0.089	3.668	0.013	0.01	0	31.8	27.5	73.5	110	98	0	36	34
2019	11	16	19	7	35	0.705	-0.102	3.668	0.01	0.007	0	31.8	28	73.5	110	99	0	36	34
2019	11	16	19	17	35	0.689	-0.095	3.668	0.013	0.01	0	31.8	27.1	73.5	110	98	0	36	35
2019	11	16	19	27	35	0.659	-0.118	3.668	0.01	0.007	0	31.8	27.5	73.5	110	98	0	36	34
2019	11	16	19	37	35	0.689	-0.095	3.668	0.01	0.007	0	31.8	27.5	74	110	98	0	36	34
2019	11	16	19	47	35	0.689	-0.108	3.668	0.01	0.007	0	31.8	27.1	74	110	98	0	36	35
2019	11	16	19	57	35	0.682	-0.098	3.668	0.01	0.007	0	31.8	28	74	110	99	0	36	34
2019	11	16	20	7	35	0.686	-0.085	3.668	0.016	0.013	0	31.8	27.1	74	110	98	0	36	35
2019	11	16	20	17	35	0.702	-0.121	3.668	0.013	0.01	0	31.4	27.5	73.5	110	98	0	37	34
2019	11	16	20	27	35	0.659	-0.102	3.668	0.01	0.007	0	31.8	27.5	73.5	110	98	0	36	34
2019	11	16	20	37	35	0.686	-0.095	3.668	0.01	0.007	0	31.8	27.5	73.1	110	98	0	36	34
2019	11	16	20	47	35	0.659	-0.128	3.668	0.016	0.013	0	31.8	27.1	71.8	110	98	0	36	35
2019	11	16	20	57	35	0.712	-0.075	3.668	0.016	0.016	0	33.5	28.8	73.1	114	102	0	36	35
2019	11	16	21	7	35	0.679	-0.082	3.668	0.013	0.01	0	39.1	34.8	72.7	127	115	0	36	34
2019	11	16	21	17	35	0.659	-0.085	3.668	0.01	0.007	0	34	29.7	72.7	115	103	0	36	34
2019	11	16	21	27	35	0.682	-0.121	3.668	0.01	0.007	0	32.3	28	72.7	111	99	0	36	34
2019	11	16	21	37	35	0.692	-0.102	3.668	0.01	0.007	0	32.3	28	73.1	111	99	0	36	34
2019	11	16	21	47	35	0.682	-0.089	3.668	0.016	0.013	0	31.8	27.5	72.7	110	98	0	36	34
2019	11	16	21	57	35	0.686	-0.095	3.668	0.01	0.007	0	31.4	27.5	72.7	109	98	0	36	34
2019	11	16	22	7	35	0.705	-0.105	3.668	0.01	0.007	0	31.4	27.5	73.1	109	98	0	36	34
2019	11	16	22	17	35	0.682	-0.112	3.668	0.01	0.007	0	31	27.5	73.1	109	97	0	37	33
2019	11	16	22	27	35	0.669	-0.135	3.668	0.016	0.013	0	31.4	27.1	73.5	110	97	0	37	34
2019	11	16	22	37	35	0.676	-0.105	3.668	0.01	0.007	0	31.8	27.1	73.1	110	97	0	36	34
2019	11	16	22	47	35	0.673	-0.115	3.665	0.01	0.007	0	31.8	27.1	73.1	110	97	0	36	34
2019	11	16	22	57	35	0.633	-0.085	3.668	0.013	0.01	0	31.4	27.5	72.7	110	98	0	37	34
2019	11	16	23	7	35	0.669	-0.108	3.665	0.01	0.007	0	31.8	27.5	73.5	110	98	0	36	34
2019	11	16	23	17	35	0.646	-0.112	3.665	0.01	0.007	0	31.4	27.1	73.5	109	97	0	36	34
2019	11	16	23	27	35	0.712	-0.121	3.668	0.013	0.01	0	31.4	27.1	73.5	110	97	0	37	34
2019	11	16	23	37	35	0.669	-0.121	3.665	0.01	0.007	0	31.4	27.1	73.5	109	97	0	36	34
2019	11	16	23	47	35	0.663	-0.085	3.668	0.01	0.007	0	31.8	27.1	74.4	110	98	0	36	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	16	23	57	35	0.656	-0.098	3.665	0.01	0.007	0	31.4	27.1	74.4	110	98	0	37	35
2019	11	17	0	7	35	0.702	-0.095	3.665	0.013	0.01	0	31.8	27.5	74.4	110	98	0	36	34
2019	11	17	0	17	35	0.656	-0.121	3.665	0.016	0.013	0	31.4	27.1	69.7	109	97	0	36	34
2019	11	17	0	27	35	0.696	-0.082	3.665	0.01	0.007	0	31.8	27.5	74	110	98	0	36	34
2019	11	17	0	37	35	0.682	-0.098	3.665	0.016	0.013	0	35.3	31	74	119	106	0	37	34
2019	11	17	0	47	35	0.65	-0.082	3.665	0.01	0.007	0	32.7	28.8	74	113	101	0	37	34
2019	11	17	0	57	35	0.712	-0.121	3.665	0.013	0.01	0	32.7	28.4	74.4	112	100	0	36	34
2019	11	17	1	7	35	0.702	-0.108	3.665	0.01	0.007	0	32.3	28.4	69.2	112	100	0	37	34
2019	11	17	1	17	35	0.636	-0.125	3.665	0.01	0.007	0	31.8	28	73.5	110	99	0	36	34
2019	11	17	1	27	35	0.682	-0.098	3.665	0.01	0.007	0	32.7	28	74.4	112	100	0	36	35
2019	11	17	1	37	35	0.686	-0.085	3.668	0.016	0.013	0	31.8	28	74.8	111	99	0	37	34
2019	11	17	1	47	35	0.679	-0.118	3.665	0.013	0.01	0	35.7	31.8	74.4	120	108	0	37	34
2019	11	17	1	57	35	0.646	-0.102	3.665	0.01	0.007	0	33.5	28.8	74.8	114	102	0	36	35
2019	11	17	2	7	35	0.656	-0.138	3.668	0.013	0.01	0	31.8	27.5	75.3	110	98	0	36	34
2019	11	17	2	17	35	0.643	-0.105	3.665	0.01	0.007	0	31.8	27.5	74.8	110	98	0	36	34
2019	11	17	2	27	35	0.656	-0.138	3.665	0.01	0.007	0	31.8	27.1	75.3	110	98	0	36	35
2019	11	17	2	37	35	0.643	-0.108	3.665	0.01	0.007	0	31.8	28	75.7	111	99	0	37	34
2019	11	17	2	47	35	0.65	-0.079	3.665	0.01	0.007	0	31.8	27.5	75.7	110	98	0	36	34
2019	11	17	2	57	35	0.699	-0.095	3.668	0.013	0.01	0	31.8	26.7	73.5	110	97	0	36	35
2019	11	17	3	7	35	0.702	-0.121	3.668	0.013	0.01	0	31	26.7	75.7	109	97	0	37	35
2019	11	17	3	17	35	0.676	-0.105	3.668	0.01	0.007	0	31	27.1	76.1	109	97	0	37	34
2019	11	17	3	27	35	0.656	-0.128	3.665	0.01	0.007	0	31.8	26.7	76.5	110	97	0	36	35
2019	11	17	3	37	35	0.673	-0.118	3.665	0.01	0.007	0	31.4	27.1	75.7	109	97	0	36	34
2019	11	17	3	47	35	0.669	-0.075	3.668	0.01	0.007	0	31.4	27.1	76.1	109	97	0	36	34
2019	11	17	3	57	35	0.646	-0.138	3.665	0.01	0.007	0	31.4	27.1	76.5	109	97	0	36	34
2019	11	17	4	7	35	0.669	-0.112	3.665	0.01	0.007	0	31.4	27.1	77	110	98	0	37	35
2019	11	17	4	17	35	0.696	-0.098	3.668	0.016	0.013	0	31.4	26.7	77	109	97	0	36	35
2019	11	17	4	27	35	0.659	-0.069	3.665	0.01	0.007	0	31	26.7	76.5	109	97	0	37	35
2019	11	17	4	37	35	0.656	-0.082	3.668	0.013	0.01	0	31.4	27.1	77	110	97	0	37	34
2019	11	17	4	47	35	0.689	-0.108	3.665	0.01	0.007	0	31	27.1	77	109	97	0	37	34
2019	11	17	4	57	35	0.709	-0.115	3.665	0.01	0.007	0	31.4	27.1	77	109	97	0	36	34
2019	11	17	5	7	35	0.653	-0.095	3.665	0.01	0.007	0	31.4	26.2	76.1	109	96	0	36	35
2019	11	17	5	17	35	0.682	-0.095	3.665	0.01	0.007	0	31	27.1	77	109	97	0	37	34
2019	11	17	5	27	35	0.659	-0.082	3.668	0.01	0.007	0	31.4	27.1	77	109	97	0	36	34
2019	11	17	5	37	35	0.663	-0.108	3.665	0.01	0.007	0	31	26.7	76.5	109	96	0	37	34
2019	11	17	5	47	35	0.65	-0.089	3.668	0.01	0.007	0	31.4	26.7	77	109	96	0	36	34
2019	11	17	5	57	35	0.705	-0.135	3.668	0.01	0.007	0	31	26.2	77	108	96	0	36	35
2019	11	17	6	7	35	0.725	-0.121	3.668	0.01	0.007	0	31	25.4	76.5	108	94	0	36	35
2019	11	17	6	17	35	0.656	-0.112	3.665	0.01	0.007	0	30.5	25.8	76.1	108	94	0	37	34
2019	11	17	6	27	35	0.676	-0.131	3.665	0.01	0.007	0	31	25.8	76.5	108	94	0	36	34
2019	11	17	6	37	35	0.653	-0.131	3.665	0.01	0.007	0	31	25.4	76.5	108	94	0	36	35
2019	11	17	6	47	35	0.659	-0.089	3.668	0.01	0.007	0	30.5	26.2	76.5	108	95	0	37	34
2019	11	17	6	57	35	0.669	-0.092	3.665	0.01	0.007	0	30.5	25.8	76.5	108	95	0	37	35
2019	11	17	7	7	35	0.666	-0.125	3.668	0.01	0.007	0	31	26.2	77	107	95	0	35	34
2019	11	17	7	17	35	0.663	-0.085	3.665	0.01	0.007	0	30.5	26.2	77	108	95	0	37	34
2019	11	17	7	27	35	0.656	-0.102	3.665	0.01	0.007	0	30.5	25.8	76.1	107	95	0	36	35
2019	11	17	7	37	35	0.659	-0.138	3.668	0.01	0.007	0	30.5	26.2	76.5	108	95	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	17	7	47	35	0.679	-0.095	3.668	0.01	0.007	0	30.5	25.4	77	107	94	0	36	35
2019	11	17	7	57	35	0.715	-0.092	3.665	0.01	0.007	0	30.1	24.9	77	107	93	0	37	35
2019	11	17	8	7	35	0.696	-0.118	3.665	0.01	0.007	0	30.1	25.4	76.5	107	94	0	37	35
2019	11	17	8	17	35	0.666	-0.089	3.668	0.01	0.007	0	30.5	26.2	76.5	107	95	0	36	34
2019	11	17	8	27	35	0.696	-0.105	3.665	0.013	0.01	0	30.1	26.2	77	106	95	0	36	34
2019	11	17	8	37	35	0.673	-0.092	3.668	0.016	0.013	0	30.1	26.2	77.4	107	95	0	37	34
2019	11	17	8	47	35	0.679	-0.102	3.668	0.01	0.007	0	29.7	25.8	77	107	94	0	38	34
2019	11	17	8	57	35	0.666	-0.115	3.668	0.01	0.007	0	30.1	25.8	77	106	94	0	36	34
2019	11	17	9	7	35	0.702	-0.082	3.668	0.01	0.007	0	29.7	25.8	77	106	94	0	37	34
2019	11	17	9	17	35	0.682	-0.092	3.668	0.013	0.01	0	29.2	25.8	77.4	105	94	0	37	34
2019	11	17	9	27	35	0.679	-0.092	3.668	0.01	0.007	0	29.2	24.9	77.4	105	93	0	37	35
2019	11	17	9	37	35	0.663	-0.108	3.668	0.01	0.007	0	29.2	24.9	77	104	93	0	36	35
2019	11	17	9	47	35	0.646	-0.095	3.668	0.01	0.007	0	29.2	25.4	77	104	93	0	36	34
2019	11	17	9	57	35	0.679	-0.112	3.668	0.01	0.007	0	29.7	26.2	77	105	95	0	36	34
2019	11	17	10	7	35	0.709	-0.095	3.668	0.01	0.007	0	29.2	25.4	76.5	104	93	0	36	34
2019	11	17	10	17	35	0.686	-0.125	3.671	0.013	0.01	0	29.2	24.9	76.5	104	92	0	36	34
2019	11	17	10	27	35	0.656	-0.102	3.668	0.013	0.01	0	28.8	25.4	76.1	104	93	0	37	34
2019	11	17	10	37	35	0.65	-0.095	3.671	0.01	0.007	0	28.8	24.5	76.5	104	92	0	37	35
2019	11	17	10	47	35	0.686	-0.072	3.671	0.01	0.007	0	28.8	24.9	76.5	103	92	0	36	34
2019	11	17	10	57	35	0.656	-0.138	3.671	0.013	0.01	0	29.2	25.4	76.1	104	93	0	36	34
2019	11	17	11	7	35	0.659	-0.098	3.671	0.016	0.013	0	29.2	24.9	77	105	93	0	37	35
2019	11	17	11	17	35	0.689	-0.138	3.671	0.01	0.007	0	29.2	25.4	76.5	105	93	0	37	34
2019	11	17	11	27	35	0.646	-0.098	3.671	0.01	0.007	0	29.2	25.4	75.7	105	93	0	37	34
2019	11	17	11	37	35	0.673	-0.118	3.671	0.013	0.01	0	29.2	25.4	67.1	105	93	0	37	34
2019	11	17	11	47	35	0.686	-0.125	3.671	0.013	0.01	0	28.8	24.9	66.7	104	93	0	37	35
2019	11	17	11	57	35	0.676	-0.121	3.671	0.01	0.007	0	29.7	25.4	68.4	105	93	0	36	34
2019	11	17	12	7	35	0.692	-0.141	3.671	0.01	0.007	0	29.2	25.4	65.8	104	93	0	36	34
2019	11	17	12	17	35	0.715	-0.098	3.671	0.01	0.007	0	29.2	24.9	74.8	105	93	0	37	35
2019	11	17	12	27	35	0.712	-0.105	3.671	0.013	0.01	0	33.1	28.8	75.7	114	102	0	37	35
2019	11	17	12	37	35	0.673	-0.089	3.671	0.013	0.01	0	32.7	28.4	75.7	112	101	0	36	35
2019	11	17	12	47	35	0.673	-0.095	3.675	0.01	0.007	0	30.5	26.2	77	108	96	0	37	35
2019	11	17	12	57	35	0.702	-0.102	3.675	0.01	0.007	0	30.5	25.8	75.7	107	95	0	36	35
2019	11	17	13	7	35	0.702	-0.118	3.675	0.01	0.007	0	29.7	24.9	75.7	105	93	0	36	35
2019	11	17	13	17	35	0.676	-0.082	3.675	0.013	0.01	0	29.2	25.4	75.7	105	93	0	37	34
2019	11	17	13	27	35	0.689	-0.108	3.675	0.01	0.007	0	28.8	25.4	76.5	104	93	0	37	34
2019	11	17	13	37	35	0.636	-0.125	3.675	0.01	0.007	0	32.7	28.4	76.1	112	100	0	36	34
2019	11	17	13	47	35	0.699	-0.108	3.675	0.01	0.007	0	30.5	26.7	77	107	96	0	36	34
2019	11	17	13	57	35	0.663	-0.108	3.675	0.013	0.01	0	31	26.7	77.4	108	97	0	36	35
2019	11	17	14	7	35	0.689	-0.095	3.675	0.01	0.007	0	35.7	31.8	77	120	108	0	37	34
2019	11	17	14	17	35	0.696	-0.085	3.675	0.01	0.007	0	34	30.1	77.8	116	104	0	37	34
2019	11	17	14	27	35	0.676	-0.075	3.675	0.01	0.007	0	32.3	28.4	77	112	100	0	37	34
2019	11	17	14	37	35	0.689	-0.105	3.675	0.01	0.007	0	32.3	28.4	76.5	111	100	0	36	34
2019	11	17	14	47	35	0.682	-0.089	3.675	0.01	0.007	0	31.8	28	77.4	110	99	0	36	34
2019	11	17	14	57	35	0.702	-0.112	3.678	0.01	0.007	0	31.4	27.1	77	109	97	0	36	34
2019	11	17	15	7	35	0.686	-0.118	3.678	0.01	0.007	0	31	27.1	77.4	108	97	0	36	34
2019	11	17	15	17	35	0.669	-0.144	3.678	0.013	0.01	0	30.5	26.7	77.4	107	96	0	36	34
2019	11	17	15	27	35	0.686	-0.108	3.678	0.01	0.007	0	30.1	25.8	77.4	106	94	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	17	15	37	35	0.636	-0.135	3.678	0.01	0.007	0	29.7	25.8	77.4	105	94	0	36	34
2019	11	17	15	47	35	0.636	-0.125	3.675	0.01	0.007	0	30.1	26.2	77.4	107	95	0	37	34
2019	11	17	15	57	35	0.646	-0.115	3.678	0.01	0.007	0	31.4	27.5	77.4	109	98	0	36	34
2019	11	17	16	7	35	0.673	-0.105	3.678	0.016	0.013	0	31.4	28	76.5	110	99	0	37	34
2019	11	17	16	17	35	0.666	-0.105	3.678	0.01	0.007	0	31.4	27.1	76.1	110	98	0	37	35
2019	11	17	16	27	35	0.682	-0.082	3.675	0.01	0.007	0	31	26.7	77	108	96	0	36	34
2019	11	17	16	37	35	0.646	-0.112	3.675	0.01	0.007	0	30.1	26.2	76.1	107	95	0	37	34
2019	11	17	16	47	35	0.663	-0.151	3.678	0.013	0.01	0	30.1	25.8	77	106	95	0	36	35
2019	11	17	16	57	35	0.676	-0.118	3.675	0.01	0.007	0	29.7	25.8	77	106	94	0	37	34
2019	11	17	17	7	35	0.676	-0.131	3.678	0.01	0.007	0	30.1	25.8	77	106	94	0	36	34
2019	11	17	17	17	35	0.689	-0.105	3.678	0.01	0.007	0	30.1	25.8	76.5	106	94	0	36	34
2019	11	17	17	27	35	0.643	-0.085	3.675	0.01	0.007	0	29.7	25.8	76.5	106	94	0	37	34
2019	11	17	17	37	35	0.663	-0.125	3.675	0.01	0.007	0	30.1	25.8	77	106	94	0	36	34
2019	11	17	17	47	35	0.646	-0.112	3.675	0.016	0.013	0	30.1	26.2	77	106	95	0	36	34
2019	11	17	17	57	35	0.699	-0.115	3.675	0.01	0.007	0	30.1	26.2	77	107	95	0	37	34
2019	11	17	18	7	35	0.656	-0.115	3.678	0.01	0.007	0	30.1	26.7	77	107	96	0	37	34
2019	11	17	18	17	35	0.669	-0.112	3.675	0.01	0.007	0	31	26.7	77	109	97	0	37	35
2019	11	17	18	27	35	0.663	-0.105	3.675	0.01	0.007	0	31.4	27.1	76.5	109	97	0	36	34
2019	11	17	18	37	35	0.686	-0.108	3.675	0.01	0.007	0	31.8	28	76.5	110	99	0	36	34
2019	11	17	18	47	35	0.699	-0.098	3.675	0.013	0.01	0	31.4	27.5	76.1	110	98	0	37	34
2019	11	17	18	57	35	0.659	-0.112	3.675	0.01	0.007	0	31.4	27.1	76.5	110	98	0	37	35
2019	11	17	19	7	35	0.656	-0.112	3.675	0.01	0.007	0	31.4	27.5	77	110	98	0	37	34
2019	11	17	19	17	35	0.682	-0.098	3.675	0.01	0.007	0	31.4	27.5	76.5	109	98	0	36	34
2019	11	17	19	27	35	0.689	-0.115	3.675	0.01	0.007	0	31.4	27.5	76.5	110	98	0	37	34
2019	11	17	19	37	35	0.696	-0.118	3.675	0.013	0.01	0	31.4	27.1	75.7	109	97	0	36	34
2019	11	17	19	47	35	0.679	-0.092	3.671	0.013	0.01	0	31.4	27.1	75.7	110	98	0	37	35
2019	11	17	19	57	35	0.65	-0.115	3.675	0.013	0.01	0	31.4	27.1	75.3	109	98	0	36	35
2019	11	17	20	7	35	0.646	-0.095	3.675	0.01	0.007	0	31.4	27.1	75.3	110	98	0	37	35
2019	11	17	20	17	35	0.676	-0.115	3.671	0.01	0.007	0	31.4	27.5	75.7	109	98	0	36	34
2019	11	17	20	27	35	0.679	-0.098	3.671	0.01	0.007	0	31.8	27.5	75.7	110	98	0	36	34
2019	11	17	20	37	35	0.669	-0.092	3.671	0.01	0.007	0	32.3	28.4	74	111	100	0	36	34
2019	11	17	20	47	35	0.653	-0.082	3.671	0.01	0.007	0	31.8	28	72.7	111	99	0	37	34
2019	11	17	20	57	35	0.686	-0.075	3.671	0.016	0.013	0	35.3	30.5	72.7	118	106	0	36	35
2019	11	17	21	7	35	0.705	-0.138	3.671	0.01	0.007	0	34	29.2	74	115	102	0	36	34
2019	11	17	21	17	35	0.689	-0.112	3.668	0.01	0.007	0	32.7	28	71.4	112	99	0	36	34
2019	11	17	21	27	35	0.689	-0.121	3.668	0.01	0.007	0	32.3	28.4	67.9	111	99	0	36	33
2019	11	17	21	37	35	0.646	-0.112	3.668	0.01	0.007	0	31.4	27.5	74.4	110	98	0	37	34
2019	11	17	21	47	35	0.679	-0.102	3.668	0.01	0.007	0	31.8	27.5	74.4	110	98	0	36	34
2019	11	17	21	57	35	0.666	-0.112	3.668	0.01	0.007	0	32.3	28	74.4	112	100	0	37	35
2019	11	17	22	7	35	0.699	-0.098	3.668	0.016	0.013	0	31.8	28	74.8	111	99	0	37	34
2019	11	17	22	17	35	0.656	-0.115	3.668	0.013	0.01	0	32.3	28	71.8	111	100	0	36	35
2019	11	17	22	27	35	0.669	-0.102	3.668	0.013	0.01	0	31.8	27.5	74	111	98	0	37	34
2019	11	17	22	37	35	0.673	-0.105	3.668	0.013	0.01	0	31.4	27.1	73.5	110	98	0	37	35
2019	11	17	22	47	35	0.682	-0.105	3.668	0.01	0.007	0	31.4	27.5	74	109	98	0	36	34
2019	11	17	22	57	35	0.699	-0.105	3.668	0.01	0.007	0	31	27.5	74	109	98	0	37	34
2019	11	17	23	7	35	0.689	-0.102	3.668	0.013	0.01	0	31.4	27.1	74	109	97	0	36	34
2019	11	17	23	17	35	0.689	-0.105	3.668	0.013	0.01	0	31	27.1	74	109	97	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	17	23	27	35	0.656	-0.105	3.668	0.01	0.007	0	31.4	27.1	74	110	97	0	37	34
2019	11	17	23	37	35	0.663	-0.095	3.668	0.013	0.01	0	31	27.1	74.4	109	97	0	37	34
2019	11	17	23	47	35	0.656	-0.105	3.668	0.01	0.007	0	31.8	27.5	74.8	110	98	0	36	34
2019	11	17	23	57	35	0.673	-0.095	3.668	0.01	0.007	0	31	27.5	74.4	109	98	0	37	34
2019	11	18	0	7	35	0.679	-0.118	3.668	0.01	0.007	0	31	27.1	74.8	109	97	0	37	34
2019	11	18	0	17	35	0.666	-0.131	3.668	0.01	0.007	0	31.4	27.1	74.4	109	97	0	36	34
2019	11	18	0	27	35	0.663	-0.102	3.668	0.013	0.01	0	31	27.5	75.3	109	98	0	37	34
2019	11	18	0	37	35	0.676	-0.098	3.668	0.01	0.007	0	31	27.1	75.3	109	97	0	37	34
2019	11	18	0	47	35	0.659	-0.108	3.668	0.01	0.007	0	31.4	26.7	75.3	109	97	0	36	35
2019	11	18	0	57	35	0.679	-0.112	3.668	0.01	0.007	0	31.4	27.1	74.8	109	97	0	36	34
2019	11	18	1	7	35	0.696	-0.112	3.668	0.01	0.007	0	31	27.1	75.7	109	97	0	37	34
2019	11	18	1	17	35	0.656	-0.112	3.668	0.01	0.007	0	31.4	27.1	74.8	109	97	0	36	34
2019	11	18	1	27	35	0.686	-0.121	3.668	0.01	0.007	0	30.5	26.7	75.7	108	96	0	37	34
2019	11	18	1	37	35	0.666	-0.121	3.668	0.013	0.01	0	31.4	27.1	75.7	109	97	0	36	34
2019	11	18	1	47	35	0.656	-0.098	3.668	0.01	0.007	0	31.8	27.5	75.7	110	98	0	36	34
2019	11	18	1	57	35	0.666	-0.115	3.668	0.013	0.01	0	31	27.1	76.1	109	97	0	37	34
2019	11	18	2	7	35	0.689	-0.128	3.668	0.013	0.01	0	31.8	26.7	76.5	110	97	0	36	35
2019	11	18	2	17	35	0.682	-0.118	3.668	0.01	0.007	0	31	27.1	75.7	109	97	0	37	34
2019	11	18	2	27	35	0.656	-0.108	3.668	0.01	0.007	0	31	27.1	75.7	109	97	0	37	34
2019	11	18	2	37	35	0.659	-0.131	3.668	0.013	0.01	0	31	26.7	76.5	109	97	0	37	35
2019	11	18	2	47	35	0.666	-0.148	3.671	0.01	0.007	0	31	27.1	76.5	109	97	0	37	34
2019	11	18	2	57	35	0.699	-0.118	3.668	0.01	0.007	0	31.4	27.1	75.7	109	97	0	36	34
2019	11	18	3	7	35	0.696	-0.128	3.671	0.013	0.01	0	31	26.7	76.5	109	97	0	37	35
2019	11	18	3	17	35	0.676	-0.098	3.671	0.01	0.007	0	31	27.1	77	109	97	0	37	34
2019	11	18	3	27	35	0.653	-0.102	3.671	0.01	0.007	0	31.4	27.1	76.5	110	97	0	37	34
2019	11	18	3	37	35	0.699	-0.121	3.671	0.013	0.01	0	31	26.7	77	109	97	0	37	35
2019	11	18	3	47	35	0.689	-0.112	3.671	0.01	0.007	0	31	27.1	76.5	109	97	0	37	34
2019	11	18	3	57	35	0.682	-0.105	3.671	0.01	0.007	0	31	26.7	76.5	109	97	0	37	35
2019	11	18	4	7	35	0.653	-0.112	3.671	0.013	0.01	0	31	27.1	76.5	109	97	0	37	34
2019	11	18	4	17	35	0.663	-0.118	3.671	0.013	0.01	0	31.4	27.1	76.1	109	97	0	36	34
2019	11	18	4	27	35	0.679	-0.118	3.671	0.013	0.01	0	31	27.1	76.1	109	97	0	37	34
2019	11	18	4	37	35	0.686	-0.131	3.671	0.01	0.007	0	31.4	27.1	76.1	109	97	0	36	34
2019	11	18	4	47	35	0.696	-0.118	3.671	0.01	0.007	0	31.4	27.1	75.3	109	97	0	36	34
2019	11	18	4	57	35	0.663	-0.138	3.671	0.01	0.007	0	31	26.7	76.1	109	97	0	37	35
2019	11	18	5	7	35	0.653	-0.125	3.671	0.01	0.007	0	31	27.1	76.1	109	97	0	37	34
2019	11	18	5	17	35	0.666	-0.125	3.671	0.01	0.007	0	31	27.1	75.7	109	97	0	37	34
2019	11	18	5	27	35	0.653	-0.108	3.671	0.01	0.007	0	31.8	27.1	76.5	110	97	0	36	34
2019	11	18	5	37	35	0.653	-0.144	3.671	0.013	0.01	0	31	27.1	76.1	109	97	0	37	34
2019	11	18	5	47	35	0.656	-0.108	3.671	0.01	0.007	0	31.4	27.1	75.7	109	97	0	36	34
2019	11	18	5	57	35	0.709	-0.102	3.671	0.01	0.007	0	30.5	26.2	76.1	108	96	0	37	35
2019	11	18	6	7	35	0.679	-0.112	3.671	0.01	0.007	0	31	27.1	74.8	109	97	0	37	34
2019	11	18	6	17	35	0.663	-0.121	3.671	0.013	0.01	0	31	26.2	75.7	109	96	0	37	35
2019	11	18	6	27	35	0.679	-0.115	3.671	0.013	0.01	0	30.5	26.7	75.3	108	96	0	37	34
2019	11	18	6	37	35	0.676	-0.121	3.671	0.01	0.007	0	30.5	26.7	75.3	108	96	0	37	34
2019	11	18	6	47	35	0.636	-0.128	3.675	0.01	0.007	0	30.5	26.2	75.3	108	96	0	37	35
2019	11	18	6	57	35	0.676	-0.105	3.675	0.01	0.007	0	30.5	26.7	75.3	108	96	0	37	34
2019	11	18	7	7	35	0.666	-0.102	3.675	0.01	0.007	0	31	26.7	75.3	108	96	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	18	7	17	35	0.627	-0.095	3.675	0.016	0.013	0	30.5	26.2	75.3	108	96	0	37	35
2019	11	18	7	27	35	0.686	-0.079	3.675	0.01	0.007	0	31	26.7	74.8	108	96	0	36	34
2019	11	18	7	37	35	0.663	-0.128	3.675	0.013	0.01	0	30.5	26.2	75.3	108	95	0	37	34
2019	11	18	7	47	35	0.673	-0.128	3.675	0.01	0.007	0	30.1	26.2	75.3	107	95	0	37	34
2019	11	18	7	57	35	0.633	-0.105	3.675	0.013	0.01	0	30.5	26.2	74.4	107	95	0	36	34
2019	11	18	8	7	35	0.692	-0.108	3.675	0.01	0.007	0	30.1	26.2	73.5	107	95	0	37	34
2019	11	18	8	17	35	0.709	-0.072	3.675	0.013	0.01	0	30.5	25.8	74.4	107	95	0	36	35
2019	11	18	8	27	35	0.686	-0.095	3.675	0.01	0.007	0	29.7	26.2	74.8	106	95	0	37	34
2019	11	18	8	37	35	0.617	-0.135	3.675	0.016	0.013	0	29.7	25.8	74.8	106	95	0	37	35
2019	11	18	8	47	35	0.679	-0.108	3.675	0.01	0.007	0	29.7	26.2	74.4	106	95	0	37	34
2019	11	18	8	57	35	0.682	-0.128	3.675	0.01	0.007	0	29.7	25.8	74.4	106	95	0	37	35
2019	11	18	9	7	35	0.666	-0.105	3.675	0.016	0.013	0	28.8	25.4	74.4	105	94	0	38	35
2019	11	18	9	17	35	0.692	-0.131	3.678	0.01	0.007	0	29.7	25.8	74	105	94	0	36	34
2019	11	18	9	27	35	0.663	-0.112	3.678	0.01	0.007	0	29.7	25.4	74.4	105	94	0	36	35
2019	11	18	9	37	35	0.656	-0.128	3.678	0.01	0.007	0	29.7	25.8	74.4	106	94	0	37	34
2019	11	18	9	47	35	0.643	-0.148	3.678	0.01	0.007	0	29.7	25.4	74.4	106	93	0	37	34
2019	11	18	9	57	35	0.643	-0.121	3.678	0.01	0.007	0	29.2	24.9	74	105	93	0	37	35
2019	11	18	10	7	35	0.663	-0.108	3.678	0.016	0.013	0	29.7	25.8	74.4	106	94	0	37	34
2019	11	18	10	17	35	0.646	-0.144	3.681	0.01	0.007	0	29.7	25.8	74	106	94	0	37	34
2019	11	18	10	27	35	0.676	-0.131	3.681	0.01	0.007	0	30.1	25.8	73.1	107	95	0	37	35
2019	11	18	10	37	35	0.646	-0.128	3.681	0.01	0.007	0	30.1	25.8	74.4	106	95	0	36	35
2019	11	18	10	47	35	0.669	-0.148	3.681	0.01	0.007	0	31	26.7	73.5	108	96	0	36	34
2019	11	18	10	57	35	0.679	-0.095	3.681	0.013	0.01	0	31.4	27.5	73.5	110	98	0	37	34
2019	11	18	11	7	35	0.643	-0.102	3.681	0.013	0.01	0	31	27.5	73.5	109	98	0	37	34
2019	11	18	11	17	35	0.64	-0.089	3.681	0.013	0.01	0	31	26.7	73.1	108	96	0	36	34
2019	11	18	11	27	35	0.653	-0.118	3.681	0.01	0.007	0	31	27.1	74	109	97	0	37	34
2019	11	18	11	37	35	0.692	-0.131	3.681	0.01	0.007	0	31.8	28	73.5	111	100	0	37	35
2019	11	18	11	47	35	0.686	-0.135	3.681	0.01	0.007	0	31	28	73.5	109	99	0	37	34
2019	11	18	11	57	35	0.659	-0.075	3.684	0.01	0.007	0	31.4	27.1	73.5	109	98	0	36	35
2019	11	18	12	7	35	0.689	-0.112	3.684	0.01	0.007	0	31.4	27.5	73.1	110	99	0	37	35
2019	11	18	12	17	35	0.663	-0.138	3.684	0.01	0.007	0	31.4	27.1	47.3	109	97	0	36	34
2019	11	18	12	27	35	0.659	-0.115	3.684	0.01	0.007	0	31.4	27.5	49	110	98	0	37	34
2019	11	18	12	37	35	0.663	-0.138	3.684	0.01	0.007	0	31.8	28.4	48.6	111	100	0	37	34
2019	11	18	12	47	35	0.63	-0.128	3.684	0.016	0.013	0	33.5	29.7	52.9	114	103	0	36	34
2019	11	18	12	57	35	0.676	-0.075	3.684	0.01	0.007	0	31	27.5	55.9	109	98	0	37	34
2019	11	18	13	7	35	0.659	-0.112	3.684	0.01	0.007	0	30.5	26.7	54.2	107	97	0	36	35
2019	11	18	13	17	35	0.65	-0.105	3.684	0.01	0.007	0	31	26.7	56.8	108	96	0	36	34
2019	11	18	13	27	35	0.65	-0.141	3.684	0.01	0.007	0	30.1	26.7	52.9	107	96	0	37	34
2019	11	18	13	37	35	0.607	-0.115	3.688	0.013	0.01	0	30.5	26.2	48.2	107	96	0	36	35
2019	11	18	13	47	35	0.682	-0.131	3.684	0.016	0.013	0	30.1	26.7	57.6	107	96	0	37	34
2019	11	18	13	57	35	0.666	-0.098	3.688	0.01	0.007	0	30.5	26.7	65.4	107	96	0	36	34
2019	11	18	14	7	35	0.656	-0.157	3.688	0.016	0.013	0	30.5	25.8	66.7	107	95	0	36	35
2019	11	18	14	17	35	0.663	-0.121	3.688	0.01	0.007	0	30.1	26.2	56.3	107	96	0	37	35
2019	11	18	14	27	35	0.646	-0.112	3.688	0.01	0.007	0	30.1	26.2	52.9	107	95	0	37	34
2019	11	18	14	37	35	0.663	-0.125	3.688	0.01	0.007	0	30.1	25.8	50.7	106	95	0	36	35
2019	11	18	14	47	35	0.669	-0.121	3.688	0.016	0.013	0	30.5	26.2	52	107	95	0	36	34
2019	11	18	14	57	35	0.65	-0.125	3.688	0.01	0.007	0	30.1	26.2	50.7	106	95	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	18	15	7	35	0.663	-0.112	3.688	0.01	0.007	0	29.7	26.2	52	106	95	0	37	34
2019	11	18	15	17	35	0.663	-0.125	3.691	0.013	0.01	0	30.5	26.2	52	107	95	0	36	34
2019	11	18	15	27	35	0.63	-0.121	3.688	0.01	0.007	0	30.5	26.2	51.2	107	95	0	36	34
2019	11	18	15	37	35	0.653	-0.092	3.691	0.013	0.01	0	30.5	26.2	67.1	107	95	0	36	34
2019	11	18	15	47	35	0.646	-0.128	3.688	0.013	0.01	0	30.1	25.8	59.8	106	95	0	36	35
2019	11	18	15	57	35	0.663	-0.125	3.688	0.01	0.007	0	29.7	26.2	56.3	106	95	0	37	34
2019	11	18	16	7	35	0.659	-0.154	3.691	0.01	0.007	0	29.7	26.2	62.4	106	95	0	37	34
2019	11	18	16	17	35	0.646	-0.105	3.691	0.01	0.007	0	30.1	26.2	67.1	107	95	0	37	34
2019	11	18	16	27	35	0.702	-0.118	3.691	0.01	0.007	0	29.2	25.4	71.4	105	94	0	37	35
2019	11	18	16	37	35	0.653	-0.102	3.691	0.013	0.01	0	29.7	26.7	72.7	106	95	0	37	33
2019	11	18	16	47	35	0.65	-0.112	3.691	0.01	0.007	0	29.7	25.4	72.2	105	94	0	36	35
2019	11	18	16	57	35	0.65	-0.098	3.691	0.01	0.007	0	29.2	25.8	72.7	105	94	0	37	34
2019	11	18	17	7	35	0.686	-0.135	3.691	0.013	0.01	0	29.7	25.8	71.8	105	94	0	36	34
2019	11	18	17	17	35	0.669	-0.125	3.694	0.013	0.01	0	29.2	26.2	72.7	105	94	0	37	33
2019	11	18	17	27	35	0.656	-0.115	3.694	0.01	0.007	0	29.2	25.8	72.2	105	94	0	37	34
2019	11	18	17	37	35	0.659	-0.108	3.694	0.01	0.007	0	30.1	25.8	72.7	106	95	0	36	35
2019	11	18	17	47	35	0.705	-0.102	3.694	0.01	0.007	0	30.1	26.2	73.1	106	95	0	36	34
2019	11	18	17	57	35	0.679	-0.128	3.691	0.01	0.007	0	29.7	26.7	73.1	106	95	0	37	33
2019	11	18	18	7	35	0.669	-0.135	3.694	0.01	0.007	0	30.1	26.7	72.2	107	96	0	37	34
2019	11	18	18	17	35	0.646	-0.105	3.694	0.01	0.007	0	30.5	27.1	72.2	107	97	0	36	34
2019	11	18	18	27	35	0.702	-0.128	3.694	0.01	0.007	0	30.5	27.1	72.2	108	97	0	37	34
2019	11	18	18	37	35	0.643	-0.108	3.694	0.01	0.007	0	31.4	28	72.2	109	99	0	36	34
2019	11	18	18	47	35	0.696	-0.128	3.694	0.01	0.007	0	31	28	72.7	109	99	0	37	34
2019	11	18	18	57	35	0.65	-0.095	3.694	0.01	0.007	0	31.4	28	71.8	109	99	0	36	34
2019	11	18	19	7	35	0.633	-0.125	3.698	0.01	0.007	0	31	27.5	72.2	109	99	0	37	35
2019	11	18	19	17	35	0.65	-0.098	3.694	0.01	0.007	0	31	28	72.7	109	99	0	37	34
2019	11	18	19	27	35	0.682	-0.095	3.698	0.01	0.007	0	31.4	28	72.7	109	99	0	36	34
2019	11	18	19	37	35	0.689	-0.121	3.701	0.016	0.013	0	31	28	72.2	109	99	0	37	34
2019	11	18	19	47	35	0.663	-0.135	3.701	0.013	0.01	0	31	27.5	72.7	109	98	0	37	34
2019	11	18	19	57	35	0.719	-0.105	3.694	0.01	0.007	0	31.8	27.5	62.4	110	99	0	36	35
2019	11	18	20	7	35	0.676	-0.095	3.701	0.016	0.013	0	35.3	31.4	72.2	118	107	0	36	34
2019	11	18	20	17	35	0.676	-0.102	3.701	0.013	0.01	0	34.8	31	71.8	117	106	0	36	34
2019	11	18	20	27	35	0.663	-0.102	3.701	0.01	0.007	0	34.8	31	71.8	117	106	0	36	34
2019	11	18	20	37	35	0.682	-0.121	3.701	0.01	0.007	0	34	30.1	73.1	115	104	0	36	34
2019	11	18	20	47	35	0.689	-0.108	3.701	0.01	0.007	0	33.5	29.7	74	114	103	0	36	34
2019	11	18	20	57	35	0.682	-0.105	3.701	0.013	0.01	0	34.4	30.1	74	116	104	0	36	34
2019	11	18	21	7	35	0.636	-0.095	3.701	0.013	0.01	0	34	29.7	73.1	115	104	0	36	35
2019	11	18	21	17	35	0.669	-0.128	3.704	0.01	0.007	0	33.1	29.7	73.5	114	103	0	37	34
2019	11	18	21	27	35	0.676	-0.112	3.704	0.01	0.007	0	32.3	28.8	73.5	112	101	0	37	34
2019	11	18	21	37	35	0.673	-0.105	3.704	0.01	0.007	0	32.3	28.4	74	111	100	0	36	34
2019	11	18	21	47	35	0.656	-0.095	3.704	0.013	0.01	0	32.3	28	73.5	111	100	0	36	35
2019	11	18	21	57	35	0.676	-0.115	3.704	0.01	0.007	0	32.3	28.4	74	111	100	0	36	34
2019	11	18	22	7	35	0.65	-0.095	3.704	0.01	0.007	0	32.3	28.4	74	111	100	0	36	34
2019	11	18	22	17	35	0.722	-0.135	3.704	0.01	0.007	0	31	28	74	109	99	0	37	34
2019	11	18	22	27	35	0.646	-0.082	3.704	0.01	0.007	0	31.8	28	74.4	110	99	0	36	34
2019	11	18	22	37	35	0.669	-0.082	3.704	0.01	0.007	0	31.4	28	74.4	110	99	0	37	34
2019	11	18	22	47	35	0.692	-0.131	3.704	0.013	0.01	0	31.8	28.4	74	110	99	0	36	33

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	18	22	57	35	0.692	-0.098	3.704	0.013	0.01	0	31.4	28	74.4	109	99	0	36	34
2019	11	18	23	7	35	0.676	-0.125	3.704	0.01	0.007	0	31.4	28	74.8	109	99	0	36	34
2019	11	18	23	17	35	0.676	-0.095	3.704	0.01	0.007	0	31.4	27.5	74.4	109	98	0	36	34
2019	11	18	23	27	35	0.679	-0.154	3.704	0.01	0.007	0	31	27.5	74.4	109	98	0	37	34
2019	11	18	23	37	35	0.64	-0.125	3.704	0.01	0.007	0	31.4	27.5	75.7	109	98	0	36	34
2019	11	18	23	47	35	0.673	-0.135	3.704	0.01	0.007	0	31	27.5	74.4	109	98	0	37	34
2019	11	18	23	57	35	0.669	-0.102	3.704	0.01	0.007	0	31	27.5	74.8	109	98	0	37	34
2019	11	19	0	7	35	0.673	-0.118	3.704	0.013	0.01	0	31.4	27.5	75.7	109	98	0	36	34
2019	11	19	0	17	35	0.679	-0.135	3.704	0.013	0.01	0	33.1	29.2	72.7	113	102	0	36	34
2019	11	19	0	27	35	0.663	-0.112	3.704	0.01	0.007	0	35.7	32.3	74.4	120	109	0	37	34
2019	11	19	0	37	35	0.712	-0.121	3.704	0.01	0.007	0	37	33.1	74	122	112	0	36	35
2019	11	19	0	47	35	0.689	-0.092	3.704	0.013	0.01	0	33.5	29.2	72.7	115	103	0	37	35
2019	11	19	0	57	35	0.663	-0.102	3.704	0.016	0.013	0	33.1	28.8	73.5	113	102	0	36	35
2019	11	19	1	7	35	0.653	-0.108	3.704	0.01	0.007	0	32.7	28.8	72.2	112	101	0	36	34
2019	11	19	1	17	35	0.705	-0.128	3.704	0.01	0.007	0	31.4	28	75.3	110	99	0	37	34
2019	11	19	1	27	35	0.682	-0.089	3.704	0.01	0.007	0	31.4	28	75.7	110	99	0	37	34
2019	11	19	1	37	35	0.656	-0.121	3.704	0.01	0.007	0	31.8	28	75.3	111	100	0	37	35
2019	11	19	1	47	35	0.65	-0.141	3.704	0.016	0.013	0	31.4	28	75.7	110	99	0	37	34
2019	11	19	1	57	35	0.653	-0.121	3.704	0.01	0.007	0	31.8	27.5	75.3	110	99	0	36	35
2019	11	19	2	7	35	0.686	-0.095	3.704	0.01	0.007	0	31.4	27.5	76.1	109	98	0	36	34
2019	11	19	2	17	35	0.636	-0.151	3.704	0.013	0.01	0	31.4	27.5	76.1	109	98	0	36	34
2019	11	19	2	27	35	0.712	-0.108	3.704	0.01	0.007	0	31.4	27.5	76.5	109	98	0	36	34
2019	11	19	2	37	35	0.65	-0.108	3.704	0.01	0.007	0	31	27.5	76.5	109	98	0	37	34
2019	11	19	2	47	35	0.682	-0.108	3.704	0.01	0.007	0	31.4	28	76.5	110	99	0	37	34
2019	11	19	2	57	35	0.656	-0.125	3.704	0.01	0.007	0	31.8	27.5	77	110	99	0	36	35
2019	11	19	3	7	35	0.653	-0.141	3.704	0.01	0.007	0	31.4	28	76.5	110	99	0	37	34
2019	11	19	3	17	35	0.653	-0.144	3.704	0.013	0.01	0	31.8	27.5	76.5	110	98	0	36	34
2019	11	19	3	27	35	0.653	-0.128	3.704	0.01	0.007	0	31.4	27.5	76.1	110	99	0	37	35
2019	11	19	3	37	35	0.663	-0.157	3.704	0.013	0.01	0	31	27.5	77.4	109	98	0	37	34
2019	11	19	3	47	35	0.633	-0.157	3.704	0.01	0.007	0	31.4	27.5	77	110	98	0	37	34
2019	11	19	3	57	35	0.673	-0.118	3.704	0.013	0.01	0	31	27.1	77	109	98	0	37	35
2019	11	19	4	7	35	0.666	-0.125	3.704	0.01	0.007	0	31	27.1	76.5	109	98	0	37	35
2019	11	19	4	17	35	0.656	-0.135	3.704	0.01	0.007	0	31.8	27.1	76.5	110	98	0	36	35
2019	11	19	4	27	35	0.643	-0.108	3.704	0.01	0.007	0	31	27.1	77	109	98	0	37	35
2019	11	19	4	37	35	0.663	-0.138	3.704	0.01	0.007	0	31.4	27.5	77	109	98	0	36	34
2019	11	19	4	47	35	0.679	-0.141	3.704	0.016	0.013	0	31	27.5	76.5	109	98	0	37	34
2019	11	19	4	57	35	0.676	-0.125	3.704	0.01	0.007	0	31	27.1	77.8	109	98	0	37	35
2019	11	19	5	7	35	0.643	-0.135	3.704	0.01	0.007	0	31	27.1	77.4	109	97	0	37	34
2019	11	19	5	17	35	0.653	-0.115	3.704	0.013	0.01	0	31.4	27.1	77	110	98	0	37	35
2019	11	19	5	27	35	0.682	-0.095	3.704	0.01	0.007	0	31	27.1	77.4	108	97	0	36	34
2019	11	19	5	37	35	0.627	-0.108	3.704	0.01	0.007	0	31	27.1	77	109	98	0	37	35
2019	11	19	5	47	35	0.669	-0.135	3.704	0.01	0.007	0	30.5	27.1	76.5	108	97	0	37	34
2019	11	19	5	57	35	0.689	-0.128	3.704	0.013	0.01	0	30.5	26.7	76.5	108	97	0	37	35
2019	11	19	6	7	35	0.653	-0.108	3.704	0.013	0.01	0	31.4	26.7	77	109	97	0	36	35
2019	11	19	6	17	35	0.676	-0.135	3.704	0.013	0.01	0	30.5	26.7	76.5	108	97	0	37	35
2019	11	19	6	27	35	0.676	-0.148	3.704	0.01	0.007	0	30.5	26.7	76.5	109	97	0	38	35
2019	11	19	6	37	35	0.65	-0.095	3.704	0.01	0.007	0	31	27.1	77	108	98	0	36	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	19	6	47	35	0.676	-0.144	3.704	0.01	0.007	0	30.1	27.1	76.5	107	97	0	37	34
2019	11	19	6	57	35	0.679	-0.125	3.704	0.013	0.01	0	30.1	26.7	76.5	107	96	0	37	34
2019	11	19	7	7	35	0.676	-0.121	3.701	0.01	0.007	0	30.5	26.7	76.5	108	97	0	37	35
2019	11	19	7	17	35	0.666	-0.115	3.701	0.01	0.007	0	30.1	26.2	76.5	107	96	0	37	35
2019	11	19	7	27	35	0.64	-0.121	3.704	0.013	0.01	0	30.1	26.2	77	107	96	0	37	35
2019	11	19	7	37	35	0.686	-0.089	3.704	0.01	0.007	0	29.7	26.7	77	106	96	0	37	34
2019	11	19	7	47	35	0.715	-0.085	3.704	0.01	0.007	0	30.1	26.2	76.5	107	95	0	37	34
2019	11	19	7	57	35	0.689	-0.118	3.701	0.01	0.007	0	30.1	26.7	76.5	106	96	0	36	34
2019	11	19	8	7	35	0.676	-0.105	3.701	0.01	0.007	0	30.1	25.8	76.1	106	95	0	36	35
2019	11	19	8	17	35	0.666	-0.131	3.704	0.013	0.01	0	29.2	26.2	76.5	105	95	0	37	34
2019	11	19	8	27	35	0.699	-0.092	3.701	0.013	0.01	0	29.2	26.2	76.1	105	95	0	37	34
2019	11	19	8	37	35	0.682	-0.108	3.701	0.01	0.007	0	29.7	25.8	76.5	106	95	0	37	35
2019	11	19	8	47	35	0.702	-0.125	3.704	0.01	0.007	0	30.1	26.2	76.1	106	95	0	36	34
2019	11	19	8	57	35	0.689	-0.092	3.701	0.01	0.007	0	29.2	26.2	76.5	105	95	0	37	34
2019	11	19	9	7	35	0.682	-0.108	3.704	0.013	0.01	0	29.2	25.8	77	105	94	0	37	34
2019	11	19	9	17	35	0.696	-0.095	3.704	0.01	0.007	0	29.2	25.4	75.3	105	94	0	37	35
2019	11	19	9	27	35	0.725	-0.144	3.704	0.013	0.01	0	29.2	25.4	76.1	104	94	0	36	35
2019	11	19	9	37	35	0.643	-0.164	3.704	0.013	0.01	0	29.2	25.4	76.5	105	94	0	37	35
2019	11	19	9	47	35	0.679	-0.148	3.704	0.013	0.01	0	29.2	25.4	76.1	104	94	0	36	35
2019	11	19	9	57	35	0.663	-0.092	3.704	0.01	0.007	0	29.2	24.9	75.7	104	93	0	36	35
2019	11	19	10	7	35	0.699	-0.092	3.704	0.013	0.01	0	28.8	25.4	76.1	104	93	0	37	34
2019	11	19	10	17	35	0.705	-0.135	3.704	0.01	0.007	0	28.4	24.9	76.5	103	93	0	37	35
2019	11	19	10	27	35	0.682	-0.128	3.704	0.01	0.007	0	28.4	25.4	76.5	103	93	0	37	34
2019	11	19	10	37	35	0.676	-0.148	3.704	0.01	0.007	0	28.4	24.9	77.4	103	93	0	37	35
2019	11	19	10	47	35	0.663	-0.118	3.704	0.01	0.007	0	28.8	24.9	77	103	93	0	36	35
2019	11	19	10	57	35	0.643	-0.105	3.704	0.01	0.007	0	29.2	25.4	76.5	104	93	0	36	34
2019	11	19	11	7	35	0.653	-0.082	3.704	0.013	0.01	0	28.8	25.4	76.1	104	93	0	37	34
2019	11	19	11	17	35	0.699	-0.118	3.704	0.01	0.007	0	29.2	24.9	77	104	93	0	36	35
2019	11	19	11	27	35	0.656	-0.128	3.704	0.01	0.007	0	29.2	25.4	77	104	93	0	36	34
2019	11	19	11	37	35	0.692	-0.121	3.704	0.01	0.007	0	33.1	29.2	77	113	103	0	36	35
2019	11	19	11	47	35	0.682	-0.095	3.704	0.01	0.007	0	33.1	29.2	77	113	103	0	36	35
2019	11	19	11	57	35	0.679	-0.102	3.704	0.016	0.013	0	31.4	28.8	77	110	101	0	37	34
2019	11	19	12	7	35	0.646	-0.108	3.704	0.013	0.01	0	30.5	27.5	77	108	98	0	37	34
2019	11	19	12	17	35	0.722	-0.102	3.707	0.013	0.01	0	31	28	77	109	99	0	37	34
2019	11	19	12	27	35	0.696	-0.128	3.707	0.01	0.007	0	31	28	76.5	109	100	0	37	35
2019	11	19	12	37	35	0.636	-0.118	3.707	0.01	0.007	0	30.5	27.1	76.1	107	98	0	36	35
2019	11	19	12	47	35	0.643	-0.128	3.707	0.01	0.007	0	29.7	26.7	77	105	96	0	36	34
2019	11	19	12	57	35	0.643	-0.102	3.707	0.01	0.007	0	29.7	26.7	77	106	97	0	37	35
2019	11	19	13	7	35	0.656	-0.118	3.707	0.01	0.007	0	30.1	27.1	77	106	97	0	36	34
2019	11	19	13	17	35	0.676	-0.108	3.707	0.01	0.007	0	31	27.1	77	108	97	0	36	34
2019	11	19	13	27	35	0.65	-0.105	3.707	0.01	0.007	0	31	27.1	77.4	108	98	0	36	35
2019	11	19	13	37	35	0.676	-0.108	3.707	0.013	0.01	0	30.5	27.1	77.4	107	97	0	36	34
2019	11	19	13	47	35	0.663	-0.138	3.707	0.01	0.007	0	30.5	27.1	77	108	97	0	37	34
2019	11	19	13	57	35	0.653	-0.128	3.707	0.013	0.01	0	30.5	26.7	77	108	97	0	37	35
2019	11	19	13	12	9	21.5	-2.8	1.13	0.3	0.2	0	31	27.1	0	108	97	0	36	34
2019	11	19	13	22	9	20.2	-2.3	1.13	0.3	0.2	0	31	27.5	0	109	98	0	37	34
2019	11	19	13	32	9	20.7	-2.9	1.13	0.3	0.2	0	32.7	28.8	0	112	101	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	19	13	42	9	21.9	-3.3	1.131	0.3	0.2	0	33.5	29.7	0	115	104	0	37	35
2019	11	19	13	52	9	20.8	-2.7	1.131	0.4	0.3	0	32.3	28.4	0	111	100	0	36	34
2019	11	19	14	2	9	20.1	-2.7	1.131	0.4	0.3	0	31.8	28	0	110	99	0	36	34
2019	11	19	14	12	9	20.8	-3.2	1.131	0.5	0.4	0	31.8	28	0	110	99	0	36	34
2019	11	19	14	22	9	21.6	-3.5	1.131	0.3	0.2	0	30.5	27.1	0	108	97	0	37	34
2019	11	19	14	32	9	20.5	-2.9	1.131	0.3	0.2	0	31.4	27.5	0	109	98	0	36	34
2019	11	19	14	42	9	21.4	-3.3	1.131	0.3	0.2	0	31	27.1	0	108	97	0	36	34
2019	11	19	14	52	9	20.5	-3.4	1.131	0.3	0.2	0	31	26.7	0	108	96	0	36	34
2019	11	19	15	2	9	21.5	-3.4	1.131	0.4	0.3	0	30.5	26.2	0	107	96	0	36	35
2019	11	19	15	12	9	21.2	-2.8	1.131	0.3	0.2	0	30.5	27.1	0	107	97	0	36	34
2019	11	19	15	22	9	21.3	-3.5	1.131	0.3	0.2	0	30.5	27.1	0	107	97	0	36	34
2019	11	19	15	32	9	20.1	-3	1.131	0.3	0.2	0	30.5	27.1	0	107	97	0	36	34
2019	11	19	15	42	9	19.8	-3.8	1.131	0.3	0.2	0	30.1	26.2	0	107	96	0	37	35
2019	11	19	15	52	9	20.1	-3.4	1.131	0.3	0.2	0	29.7	26.2	0	106	95	0	37	34
2019	11	19	16	2	9	20.5	-3.7	1.131	0.4	0.3	0	29.7	26.2	0	106	95	0	37	34
2019	11	19	16	12	9	21	-2.9	1.131	0.4	0.3	0	30.1	26.7	0	107	96	0	37	34
2019	11	19	16	22	9	20.6	-3.6	1.131	0.3	0.2	0	31	26.7	0	109	97	0	37	35
2019	11	19	16	32	9	21	-3.3	1.131	0.3	0.2	0	31.8	27.5	0	110	98	0	36	34
2019	11	19	16	42	9	20.4	-3.4	1.131	0.4	0.3	0	31.8	28	0	110	99	0	36	34
2019	11	19	16	52	9	20.4	-2.5	1.131	0.5	0.4	0	31	27.1	0	109	97	0	37	34
2019	11	19	17	2	9	20.2	-3.4	1.131	0.3	0.2	0	31.4	27.1	0	109	97	0	36	34
2019	11	19	17	12	9	19.8	-2.7	1.131	0.4	0.3	0	31	26.7	0	109	97	0	37	35
2019	11	19	17	22	9	20.6	-2.9	1.131	0.4	0.3	0	31.8	28	0	111	99	0	37	34
2019	11	19	17	32	9	20.2	-3.4	1.131	0.3	0.2	0	31.8	27.5	0	111	99	0	37	35
2019	11	19	17	42	9	20.9	-3.3	1.131	0.3	0.2	0	31.8	28	0	111	99	0	37	34
2019	11	19	17	52	9	20.7	-3.6	1.131	0.3	0.2	0	32.7	28.4	0	112	100	0	36	34
2019	11	19	18	2	9	20	-3.2	1.13	0.3	0.2	0	32.7	28	0	112	100	0	36	35
2019	11	19	18	12	9	19.8	-3.5	1.13	0.4	0.3	0	33.1	28.8	0	113	101	0	36	34
2019	11	19	18	22	9	21	-2.9	1.13	0.3	0.2	0	32.7	28.8	0	113	101	0	37	34
2019	11	19	18	32	9	20.2	-3	1.13	0.3	0.2	0	32.7	28.4	0	113	101	0	37	35
2019	11	19	18	42	9	19.6	-3.3	1.13	0.3	0.2	0	33.1	28.8	0	113	101	0	36	34
2019	11	19	18	52	9	21.3	-4	1.131	0.3	0.2	0	33.1	28.8	0	113	101	0	36	34
2019	11	19	19	2	9	21.1	-3.3	1.131	0.3	0.2	0	32.7	28.4	0	112	100	0	36	34
2019	11	19	19	12	9	20.7	-2.9	1.131	0.3	0.2	0	32.3	28	0	111	100	0	36	35
2019	11	19	19	22	9	21.4	-3.3	1.131	0.4	0.3	0	32.3	28	0	111	99	0	36	34
2019	11	19	19	32	9	20.3	-3	1.131	0.3	0.2	0	31.8	28	0	111	100	0	37	35
2019	11	19	19	42	9	21.4	-3.4	1.131	0.4	0.3	0	31.4	27.5	0	110	98	0	37	34
2019	11	19	19	52	9	19.9	-3.8	1.131	0.3	0.2	0	30.5	28	0	108	99	0	37	34
2019	11	19	20	2	9	20	-3.5	1.131	0.4	0.3	0	30.5	28	0	108	99	0	37	34
2019	11	19	20	12	9	21.3	-3.5	1.131	0.4	0.3	0	31.4	27.5	0	109	98	0	36	34
2019	11	19	20	22	9	20.6	-3.2	1.131	0.3	0.2	0	31	28	0	109	99	0	37	34
2019	11	19	20	32	9	20.3	-3.4	1.131	0.3	0.2	0	31.4	27.5	0	110	98	0	37	34
2019	11	19	20	42	9	21	-1.7	1.131	0.3	0.2	0	32.3	28	0	111	99	0	36	34
2019	11	19	20	52	9	21.2	-3.9	1.131	0.3	0.2	0	32.3	27.5	0	111	99	0	36	35
2019	11	19	21	2	9	20.2	-3.4	1.131	0.3	0.2	0	31.8	27.5	0	110	98	0	36	34
2019	11	19	21	12	9	20	-3.2	1.131	0.5	0.4	0	31.8	27.5	0	110	98	0	36	34
2019	11	19	21	22	9	21.9	-2.9	1.13	0.3	0.2	0	31.8	27.5	0	110	98	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	19	21	32	9	20.5	-3.7	1.13	0.3	0.2	0	32.3	27.1	0	110	98	0	35	35
2019	11	19	21	42	9	21	-3.3	1.131	0.3	0.2	0	31.8	27.5	0	110	98	0	36	34
2019	11	19	21	52	9	21	-3.2	1.131	0.3	0.2	0	31	27.1	0	109	97	0	37	34
2019	11	19	22	2	9	20.4	-2.8	1.13	0.3	0.2	0	31.4	27.5	0	110	98	0	37	34
2019	11	19	22	12	9	20.2	-3.1	1.13	0.3	0.2	0	31.4	26.7	0	110	97	0	37	35
2019	11	19	22	22	9	21	-2.8	1.13	0.4	0.3	0	31.4	27.5	0	110	98	0	37	34
2019	11	19	22	32	9	21.1	-3.7	1.13	0.3	0.2	0	31	27.5	0	109	98	0	37	34
2019	11	19	22	42	9	20.4	-3	1.13	0.3	0.2	0	31.4	27.1	0	109	97	0	36	34
2019	11	19	22	52	9	21.2	-4.2	1.13	0.3	0.2	0	31.4	27.5	0	109	98	0	36	34
2019	11	19	23	2	9	21.1	-3	1.13	0.5	0.4	0	39.1	34.8	0	127	115	0	36	34
2019	11	19	23	12	9	20.2	-3.8	1.13	0.4	0.3	0	34	29.7	0	116	103	0	37	34
2019	11	19	23	22	9	20.6	-4.3	1.13	0.3	0.2	0	32.3	27.5	0	112	99	0	37	35
2019	11	19	23	32	9	20.2	-3	1.13	0.4	0.3	0	31.8	27.5	0	111	98	0	37	34
2019	11	19	23	42	9	21.3	-3	1.13	0.3	0.2	0	31.8	27.5	0	110	98	0	36	34
2019	11	19	23	52	9	21.6	-3.3	1.13	0.4	0.3	0	31.4	27.1	0	110	98	0	37	35
2019	11	20	0	2	9	21.6	-3.8	1.13	0.3	0.2	0	31.4	27.1	0	109	97	0	36	34
2019	11	20	0	12	9	22	-3.1	1.13	0.3	0.2	0	31.8	27.5	0	110	97	0	36	33
2019	11	20	0	22	9	21.6	-2.9	1.13	0.3	0.2	0	31	26.7	0	109	97	0	37	35
2019	11	20	0	32	9	20.6	-3.7	1.13	0.3	0.2	0	33.5	29.2	0	114	102	0	36	34
2019	11	20	0	42	9	21.1	-3.8	1.13	0.3	0.2	0	34	29.2	0	115	102	0	36	34
2019	11	20	0	52	9	21.5	-3.6	1.13	0.4	0.3	0	31.8	28	0	111	99	0	37	34
2019	11	20	1	2	9	21.1	-3.5	1.13	0.3	0.2	0	31.8	27.5	0	111	98	0	37	34
2019	11	20	1	12	9	21.7	-3.4	1.13	0.4	0.3	0	31.4	27.1	0	110	97	0	37	34
2019	11	20	1	22	9	20.8	-3.5	1.13	0.3	0.2	0	31.4	27.1	0	109	97	0	36	34
2019	11	20	1	32	9	21	-1.7	1.13	0.3	0.2	0	31.4	26.7	0	109	97	0	36	35
2019	11	20	1	42	9	20.8	-3.2	1.13	0.3	0.2	0	31.4	27.1	0	109	97	0	36	34
2019	11	20	1	52	9	22.5	-3.7	1.13	0.3	0.2	0	31.4	27.1	0	109	97	0	36	34
2019	11	20	2	2	9	21.5	-2.3	1.129	0.4	0.3	0	31	27.1	0	109	97	0	37	34
2019	11	20	2	12	9	21.5	-2.9	1.129	0.3	0.2	0	31.4	27.1	0	109	97	0	36	34
2019	11	20	2	22	9	21.3	-3.2	1.129	0.3	0.2	0	31.8	27.5	0	110	98	0	36	34
2019	11	20	2	32	9	19.7	-2.3	1.129	0.3	0.2	0	31.4	26.7	0	109	97	0	36	35
2019	11	20	2	42	9	20.5	-3.3	1.13	0.4	0.3	0	31	27.5	0	109	98	0	37	34
2019	11	20	2	52	9	20.9	-3.2	1.129	0.3	0.2	0	31	27.1	0	109	97	0	37	34
2019	11	20	3	2	9	20.5	-3.3	1.129	0.4	0.3	0	31.8	27.1	0	110	97	0	36	34
2019	11	20	3	12	9	20.6	-3.5	1.128	0.3	0.2	0	32.3	28	0	111	99	0	36	34
2019	11	20	3	22	9	21.7	-2.7	1.127	0.3	0.2	0	33.5	29.7	0	114	103	0	36	34
2019	11	20	3	32	9	20.7	-1.8	1.128	0.4	0.3	0	34.8	30.5	0	117	105	0	36	34
2019	11	20	3	42	9	21.3	-3	1.128	0.4	0.3	0	34.8	30.5	0	118	106	0	37	35
2019	11	20	3	52	9	21.8	-2.6	1.127	0.3	0.2	0	35.3	30.5	0	118	106	0	36	35
2019	11	20	4	2	9	21.3	-2.9	1.128	0.3	0.2	0	34.8	31	0	118	106	0	37	34
2019	11	20	4	12	9	19.8	-3	1.128	0.4	0.3	0	35.3	31	0	118	106	0	36	34
2019	11	20	4	22	9	20.9	-3.3	1.128	0.4	0.3	0	34	30.1	0	116	104	0	37	34
2019	11	20	4	32	9	21.5	-3.3	1.128	0.5	0.4	0	33.1	29.7	0	114	103	0	37	34
2019	11	20	4	42	9	21.7	-3.7	1.128	0.3	0.2	0	33.5	29.2	0	114	102	0	36	34
2019	11	20	4	52	9	21.6	-3.2	1.128	0.4	0.3	0	32.3	28.4	0	112	101	0	37	35
2019	11	20	5	2	9	20.9	-2.5	1.129	0.3	0.2	0	32.3	28	0	112	100	0	37	35
2019	11	20	5	12	9	21.3	-3.5	1.129	0.3	0.2	0	32.7	28.4	0	112	100	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	20	5	22	9	21.7	-3.4	1.129	0.3	0.2	0	32.3	27.5	0	111	99	0	36	35
2019	11	20	5	32	9	21.1	-3	1.128	0.3	0.2	0	32.3	27.5	0	111	99	0	36	35
2019	11	20	5	42	9	20.9	-3.1	1.129	0.4	0.3	0	32.3	28	0	111	99	0	36	34
2019	11	20	5	52	9	21.4	-3.5	1.129	0.4	0.3	0	31.8	28	0	111	99	0	37	34
2019	11	20	6	2	9	20.8	-4.2	1.129	0.3	0.2	0	31.4	27.5	0	110	98	0	37	34
2019	11	20	6	12	9	21	-3.4	1.129	0.4	0.3	0	31.4	27.5	0	110	98	0	37	34
2019	11	20	6	22	9	20.8	-2.7	1.128	0.3	0.2	0	31.8	27.5	0	110	98	0	36	34
2019	11	20	6	32	9	21.2	-3.6	1.129	0.3	0.2	0	31.8	27.5	0	110	98	0	36	34
2019	11	20	6	42	9	21.3	-3.7	1.128	0.3	0.2	0	31.4	27.5	0	110	98	0	37	34
2019	11	20	6	52	9	21.2	-2.5	1.128	0.4	0.3	0	31.4	27.1	0	110	98	0	37	35
2019	11	20	7	2	9	20.7	-3.3	1.129	0.3	0.2	0	30.5	27.1	0	108	97	0	37	34
2019	11	20	7	12	9	21.6	-3	1.128	0.3	0.2	0	31.4	26.7	0	109	97	0	36	35
2019	11	20	7	22	9	21.3	-2.1	1.128	0.3	0.2	0	31	27.1	0	108	97	0	36	34
2019	11	20	7	32	9	21.3	-2.1	1.128	0.3	0.2	0	31	26.2	0	108	96	0	36	35
2019	11	20	7	42	9	20.9	-2.9	1.128	0.4	0.3	0	31	26.7	0	108	97	0	36	35
2019	11	20	7	52	9	21.7	-3.2	1.127	0.3	0.2	0	31	27.1	0	108	97	0	36	34
2019	11	20	8	2	9	20.7	-2.9	1.127	0.3	0.2	0	30.5	26.7	0	108	96	0	37	34
2019	11	20	8	12	9	22.7	-3.5	1.127	0.3	0.2	0	30.5	26.2	0	108	96	0	37	35
2019	11	20	8	22	9	20.5	-3.4	1.128	0.3	0.2	0	30.1	26.7	0	107	96	0	37	34
2019	11	20	8	32	9	20.6	-2.4	1.128	0.3	0.2	0	30.1	26.7	0	108	96	0	38	34
2019	11	20	8	42	9	20.9	-3.5	1.127	0.3	0.2	0	30.1	26.7	0	107	96	0	37	34
2019	11	20	8	52	9	21.5	-2.9	1.128	0.4	0.3	0	30.1	26.2	0	107	96	0	37	35
2019	11	20	9	2	9	20.3	-3.5	1.128	0.3	0.2	0	30.1	25.8	0	106	94	0	36	34
2019	11	20	9	12	9	22.3	-2.9	1.128	0.4	0.3	0	29.7	25.8	0	105	94	0	36	34
2019	11	20	9	22	9	20.7	-3.4	1.128	0.4	0.3	0	29.7	25.8	0	105	94	0	36	34
2019	11	20	9	32	9	21.2	-2.5	1.128	0.3	0.2	0	29.2	25.4	0	105	94	0	37	35
2019	11	20	9	42	9	21.4	-3.7	1.128	0.4	0.3	0	28.8	25.4	0	104	93	0	37	34
2019	11	20	9	52	9	20.9	-2.7	1.128	0.3	0.2	0	29.2	25.4	0	104	93	0	36	34
2019	11	20	10	2	9	20.7	-2.6	1.128	0.3	0.2	0	31.8	28	0	111	100	0	37	35
2019	11	20	10	12	9	20.8	-3.5	1.128	0.3	0.2	0	33.1	28.8	0	113	102	0	36	35
2019	11	20	10	22	9	20.2	-3	1.128	0.4	0.3	0	34.4	30.5	0	117	105	0	37	34
2019	11	20	10	32	9	20.7	-2.5	1.128	0.3	0.2	0	35.7	31.4	0	119	107	0	36	34
2019	11	20	10	42	9	20.6	-2.2	1.128	0.4	0.3	0	34.8	31.4	0	118	107	0	37	34
2019	11	20	10	52	9	20.8	-3	1.128	0.3	0.2	0	34.8	31	0	117	106	0	36	34
2019	11	20	11	2	9	20.7	-2.3	1.128	0.4	0.3	0	34	30.1	0	115	104	0	36	34
2019	11	20	11	12	9	21.4	-2.9	1.128	0.3	0.2	0	34	29.7	0	115	103	0	36	34
2019	11	20	11	22	9	21	-2.5	1.128	0.3	0.2	0	33.1	28.8	0	114	102	0	37	35
2019	11	20	11	32	9	21.1	-2.1	1.129	0.4	0.3	0	33.5	29.7	0	115	103	0	37	34
2019	11	20	11	42	9	20.8	-3.4	1.128	0.3	0.2	0	34.8	31	0	117	106	0	36	34
2019	11	20	11	52	9	21	-2.9	1.128	0.3	0.2	0	33.5	29.7	0	115	104	0	37	35
2019	11	20	12	2	9	20.7	-1.8	1.128	0.4	0.3	0	33.5	29.2	0	114	102	0	36	34
2019	11	20	12	12	9	21.6	-2.9	1.128	0.5	0.4	0	33.1	28.8	0	113	101	0	36	34
2019	11	20	12	22	9	21.5	-2.9	1.128	0.3	0.2	0	32.3	28	0	111	100	0	36	35
2019	11	20	12	32	9	20.7	-2.8	1.129	0.3	0.2	0	31.4	28	0	110	99	0	37	34
2019	11	20	12	42	9	21.8	-2.4	1.128	0.5	0.4	0	31.8	27.5	0	110	98	0	36	34
2019	11	20	12	52	9	20.4	-2.6	1.129	0.3	0.2	0	31.4	27.1	0	109	98	0	36	35
2019	11	20	13	2	9	22.1	-2.7	1.129	0.3	0.2	0	31.8	27.5	0	110	98	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	20	13	12	9	21.4	-2.1	1.129	0.3	0.2	0	31	27.1	0	109	97	0	37	34
2019	11	20	13	22	9	21.6	-2.4	1.129	0.5	0.4	0	31	26.2	0	108	96	0	36	35
2019	11	20	13	32	9	21.6	-4	1.129	0.3	0.2	0	30.5	26.7	0	107	96	0	36	34
2019	11	20	13	42	9	21.8	-3.2	1.129	0.3	0.2	0	31	25.8	0	107	95	0	35	35
2019	11	20	13	52	9	21	-2.6	1.129	0.3	0.2	0	30.5	26.2	0	107	95	0	36	34
2019	11	20	14	2	9	21.4	-2.4	1.129	0.5	0.4	0	30.1	25.8	0	107	95	0	37	35
2019	11	20	14	12	9	21.6	-3.2	1.13	0.3	0.2	0	30.1	26.2	0	106	95	0	36	34
2019	11	20	14	22	9	20.2	-3.7	1.13	0.3	0.2	0	30.1	25.8	0	106	94	0	36	34
2019	11	20	14	32	9	19.7	-2.8	1.127	0.3	0.2	0	31	27.1	0	108	97	0	36	34
2019	11	20	14	42	9	19.7	-3	1.127	0.3	0.2	0	35.3	31.4	0	118	107	0	36	34
2019	11	20	14	52	9	20.5	-3.7	1.129	0.3	0.2	0	35.7	31.4	0	119	108	0	36	35
2019	11	20	15	2	9	20.7	-2.6	1.129	0.3	0.2	0	38.3	34	0	125	113	0	36	34
2019	11	20	15	12	9	19.8	-1.7	1.13	0.3	0.2	0	40.4	36.5	0	130	119	0	36	34
2019	11	20	15	22	9	20.2	-2.5	1.13	0.3	0.2	0	42.6	38.7	0	136	125	0	37	35
2019	11	20	15	32	9	20.3	-1.7	1.131	0.4	0.3	0	44.3	40.9	0	140	129	0	37	34
2019	11	20	15	42	9	20.8	-2.5	1.132	0.5	0.4	0	45.6	41.3	0	142	131	0	36	35
2019	11	20	15	52	9	19.8	-1.9	1.133	0.3	0.2	0	46	42.1	0	143	132	0	36	34
2019	11	20	16	2	9	19.7	-2.3	1.134	0.3	0.2	0	46	42.6	0	144	133	0	37	34
2019	11	20	16	12	9	20.4	-2	1.136	0.3	0.2	0	45.2	41.7	0	142	131	0	37	34
2019	11	20	16	22	9	20.1	-2.1	1.138	0.4	0.3	0	44.7	41.3	0	141	130	0	37	34
2019	11	20	16	32	9	20.6	-3.1	1.14	0.4	0.3	0	44.3	40.4	0	139	128	0	36	34
2019	11	20	16	42	9	20.4	-2.3	1.141	0.4	0.3	0	43	39.6	0	137	126	0	37	34
2019	11	20	16	52	9	21.5	-2.3	1.142	0.3	0.2	0	42.6	38.7	0	135	124	0	36	34
2019	11	20	17	2	9	20.6	-2	1.143	0.4	0.3	0	42.1	37.8	0	134	122	0	36	34
2019	11	20	17	12	9	21.6	-1.9	1.143	0.3	0.2	0	41.3	37	0	132	120	0	36	34
2019	11	20	17	22	9	22.4	-2.9	1.144	0.3	0.2	0	40.9	36.5	0	131	119	0	36	34
2019	11	20	17	32	9	22.1	-1.7	1.144	0.3	0.2	0	40	35.7	0	129	117	0	36	34
2019	11	20	17	42	9	21.6	-2.7	1.144	0.3	0.2	0	39.6	35.3	0	128	116	0	36	34
2019	11	20	17	52	9	21.2	-3.1	1.145	0.3	0.2	0	38.7	34.4	0	126	114	0	36	34
2019	11	20	18	2	9	22.3	-1.6	1.146	0.3	0.2	0	37.8	34	0	124	113	0	36	34
2019	11	20	18	12	9	21.4	-2	1.146	0.3	0.2	0	37.8	33.5	0	124	112	0	36	34
2019	11	20	18	22	9	22.6	-2.5	1.148	0.3	0.2	0	37	33.1	0	123	111	0	37	34
2019	11	20	18	32	9	21.4	-2.9	1.149	0.3	0.2	0	37	32.7	0	122	110	0	36	34
2019	11	20	18	42	9	22.1	-2.4	1.151	0.3	0.2	0	36.1	32.3	0	121	109	0	37	34
2019	11	20	18	52	9	21.2	-2.8	1.152	0.3	0.2	0	36.1	32.3	0	121	109	0	37	34
2019	11	20	19	2	9	20.6	-2.8	1.153	0.5	0.4	0	36.5	32.7	0	121	110	0	36	34
2019	11	20	19	12	9	21.2	-2.6	1.154	0.3	0.2	0	35.7	32.3	0	120	109	0	37	34
2019	11	20	19	22	9	21.2	-2.1	1.154	0.5	0.4	0	35.3	31.8	0	119	108	0	37	34
2019	11	20	19	32	9	21.8	-2.3	1.154	0.4	0.3	0	35.3	31.8	0	119	108	0	37	34
2019	11	20	19	42	9	21.1	-2.7	1.155	0.3	0.2	0	35.3	31.4	0	118	108	0	36	35
2019	11	20	19	52	9	22.4	-3	1.155	0.3	0.2	0	35.3	31.8	0	118	108	0	36	34
2019	11	20	20	2	9	20.5	-2.9	1.155	0.4	0.3	0	35.3	31.8	0	119	108	0	37	34
2019	11	20	20	12	9	21.9	-2.5	1.156	0.3	0.2	0	36.5	32.7	0	122	110	0	37	34
2019	11	20	20	22	9	20.7	-3.3	1.157	0.4	0.3	0	37.4	34.4	0	124	114	0	37	34
2019	11	20	20	32	9	21.8	-2.6	1.158	0.3	0.2	0	38.7	35.3	0	127	116	0	37	34
2019	11	20	20	42	9	22	-1.8	1.16	0.3	0.2	0	37.4	34	0	124	113	0	37	34
2019	11	20	20	52	9	21.9	-3.8	1.161	0.3	0.2	0	38.3	34.8	0	126	116	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	20	21	2	9	21.3	-3	1.163	0.3	0.2	0	37.8	34	0	124	113	0	36	34
2019	11	20	21	12	9	21.3	-2.1	1.164	0.4	0.3	0	36.5	33.5	0	122	112	0	37	34
2019	11	20	21	22	9	20.4	-1.8	1.164	0.4	0.3	0	37	33.1	0	122	111	0	36	34
2019	11	20	21	32	9	21.4	-3.2	1.165	0.3	0.2	0	37	33.1	0	122	111	0	36	34
2019	11	20	21	42	9	21.8	-2.8	1.165	0.4	0.3	0	35.7	31.8	0	120	109	0	37	35
2019	11	20	21	52	9	21.5	-2.8	1.166	0.3	0.2	0	35.7	31.4	0	119	108	0	36	35
2019	11	20	22	2	9	21.5	-2.9	1.166	0.4	0.3	0	35.3	31.4	0	118	107	0	36	34
2019	11	20	22	12	9	22.4	-3	1.166	0.3	0.2	0	34.4	31.4	0	117	107	0	37	34
2019	11	20	22	22	9	22.1	-2.9	1.167	0.4	0.3	0	34.4	31	0	117	106	0	37	34
2019	11	20	22	32	9	21.6	-3	1.167	0.3	0.2	0	34.8	31	0	117	106	0	36	34
2019	11	20	22	42	9	21.7	-3.2	1.167	0.3	0.2	0	34.4	30.1	0	116	105	0	36	35
2019	11	20	22	52	9	21.9	-2.7	1.167	0.3	0.2	0	34	30.1	0	116	105	0	37	35
2019	11	20	23	2	9	22.1	-3.5	1.167	0.3	0.2	0	34	30.1	0	115	104	0	36	34
2019	11	20	23	12	9	21.3	-2.9	1.167	0.3	0.2	0	33.1	29.7	0	114	103	0	37	34
2019	11	20	23	22	9	22.7	-2.5	1.168	0.3	0.2	0	33.1	29.7	0	114	103	0	37	34
2019	11	20	23	32	9	22.1	-2.5	1.168	0.3	0.2	0	33.1	29.7	0	114	103	0	37	34
2019	11	20	23	42	9	21.7	-2.9	1.168	0.3	0.2	0	33.5	29.7	0	114	103	0	36	34
2019	11	20	23	52	9	21.8	-2	1.168	0.3	0.2	0	32.7	28.8	0	113	102	0	37	35
2019	11	21	0	2	9	22.4	-2.4	1.168	0.5	0.4	0	33.1	29.2	0	113	102	0	36	34
2019	11	21	0	12	9	21	-1.8	1.169	0.3	0.2	0	32.3	28.8	0	112	101	0	37	34
2019	11	21	0	22	9	20.6	-2.1	1.169	0.4	0.3	0	32.3	28.8	0	112	102	0	37	35
2019	11	21	0	32	9	22.7	-3.8	1.169	0.4	0.3	0	32.3	28.8	0	111	101	0	36	34
2019	11	21	0	42	9	22.6	-3.6	1.169	0.3	0.2	0	31.8	28.8	0	111	101	0	37	34
2019	11	21	0	52	9	22.5	-2.9	1.169	0.5	0.4	0	32.3	28.8	0	111	101	0	36	34
2019	11	21	1	2	9	21.2	-3.3	1.168	0.3	0.2	0	31.8	28	0	111	100	0	37	35
2019	11	21	1	12	9	22	-2.8	1.169	0.3	0.2	0	31.8	28.4	0	111	100	0	37	34
2019	11	21	1	22	9	20.5	-2.7	1.169	0.3	0.2	0	31.8	28.4	0	110	100	0	36	34
2019	11	21	1	32	9	21.7	-2.6	1.168	0.4	0.3	0	31.4	27.5	0	110	99	0	37	35
2019	11	21	1	42	9	22.2	-3.7	1.168	0.3	0.2	0	31.8	28	0	110	99	0	36	34
2019	11	21	1	52	9	21.5	-3.9	1.168	0.3	0.2	0	31.8	27.5	0	110	99	0	36	35
2019	11	21	2	2	9	22.1	-2.8	1.168	0.3	0.2	0	31.8	28	0	110	99	0	36	34
2019	11	21	2	12	9	21.7	-4	1.168	0.3	0.2	0	31	28.4	0	109	99	0	37	33
2019	11	21	2	22	9	21	-3.4	1.168	0.3	0.2	0	31	28	0	109	99	0	37	34
2019	11	21	2	32	9	21.8	-2.8	1.168	0.3	0.2	0	31.4	27.5	0	109	99	0	36	35
2019	11	21	2	42	9	21.5	-3.7	1.168	0.3	0.2	0	31.4	27.5	0	109	99	0	36	35
2019	11	21	2	52	9	21.4	-3	1.168	0.3	0.2	0	31.8	28	0	109	99	0	35	34
2019	11	21	3	2	9	21	-2.5	1.168	0.3	0.2	0	31	27.1	0	109	98	0	37	35
2019	11	21	3	12	9	21.3	-2.3	1.167	0.3	0.2	0	31	27.5	0	108	98	0	36	34
2019	11	21	3	22	9	21.9	-3.3	1.167	0.3	0.2	0	31	27.5	0	109	98	0	37	34
2019	11	21	3	32	9	21.3	-2.8	1.167	0.3	0.2	0	31	27.5	0	108	98	0	36	34
2019	11	21	3	42	9	22.1	-3.7	1.167	0.3	0.2	0	31	27.5	0	108	98	0	36	34
2019	11	21	3	52	9	20.5	-4.2	1.167	0.3	0.2	0	30.5	27.5	0	108	98	0	37	34
2019	11	21	4	2	9	21.4	-3	1.167	0.3	0.2	0	31.4	27.5	0	108	98	0	35	34
2019	11	21	4	12	9	22.4	-3.5	1.167	0.3	0.2	0	31	26.7	0	108	97	0	36	35
2019	11	21	4	22	9	21.4	-2.9	1.167	0.4	0.3	0	30.5	26.7	0	107	97	0	36	35
2019	11	21	4	32	9	21.8	-2.9	1.166	0.3	0.2	0	31	27.1	0	108	98	0	36	35
2019	11	21	4	42	9	21.6	-3.2	1.166	0.3	0.2	0	30.5	27.1	0	108	97	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	21	4	52	9	22.3	-3.2	1.166	0.4	0.3	0	30.1	26.7	0	107	97	0	37	35
2019	11	21	5	2	9	21.4	-3	1.166	0.3	0.2	0	31	27.5	0	108	98	0	36	34
2019	11	21	5	12	9	22	-2	1.166	0.3	0.2	0	31	27.5	0	109	98	0	37	34
2019	11	21	5	22	9	21.2	-2.9	1.166	0.5	0.4	0	30.5	27.1	0	108	97	0	37	34
2019	11	21	5	32	9	21.2	-3.1	1.165	0.3	0.2	0	30.5	27.1	0	107	97	0	36	34
2019	11	21	5	42	9	20.9	-2.5	1.165	0.4	0.3	0	30.5	26.7	0	107	97	0	36	35
2019	11	21	5	52	9	21.3	-3.1	1.165	0.3	0.2	0	30.5	27.1	0	107	97	0	36	34
2019	11	21	6	2	9	20.2	-3.1	1.165	0.3	0.2	0	31	27.1	0	107	97	0	35	34
2019	11	21	6	12	9	21.3	-2.5	1.165	0.4	0.3	0	30.1	27.1	0	107	97	0	37	34
2019	11	21	6	22	9	20.8	-2.4	1.165	0.3	0.2	0	30.5	26.7	0	107	96	0	36	34
2019	11	21	6	32	9	22.1	-2.8	1.165	0.3	0.2	0	30.5	26.7	0	107	97	0	36	35
2019	11	21	6	42	9	20.5	-3.5	1.165	0.3	0.2	0	30.1	26.2	0	106	95	0	36	34
2019	11	21	6	52	9	21.1	-2.4	1.164	0.3	0.2	0	30.1	26.7	0	106	96	0	36	34
2019	11	21	7	2	9	21.1	-2.2	1.164	0.3	0.2	0	29.7	26.2	0	106	95	0	37	34
2019	11	21	7	12	9	20.9	-2.4	1.164	0.3	0.2	0	29.2	26.2	0	105	95	0	37	34
2019	11	21	7	22	9	22.2	-3	1.164	0.4	0.3	0	29.2	26.2	0	104	95	0	36	34
2019	11	21	7	32	9	21.8	-3.4	1.163	0.3	0.2	0	29.2	25.8	0	104	94	0	36	34
2019	11	21	7	42	9	21.3	-2.8	1.163	0.3	0.2	0	29.2	25.4	0	104	94	0	36	35
2019	11	21	7	52	9	21.3	-3.5	1.162	0.3	0.2	0	29.7	25.8	0	105	95	0	36	35
2019	11	21	8	2	9	21.6	-3	1.162	0.3	0.2	0	29.7	25.8	0	105	95	0	36	35
2019	11	21	8	12	9	20.9	-2.7	1.162	0.3	0.2	0	28.8	25.8	0	104	94	0	37	34
2019	11	21	8	22	9	21.5	-3.1	1.162	0.4	0.3	0	28.8	25.4	0	103	94	0	36	35
2019	11	21	8	32	9	20.6	-3.5	1.161	0.3	0.2	0	28.4	25.4	0	103	93	0	37	34
2019	11	21	8	42	9	21.2	-3.1	1.161	0.4	0.3	0	28.8	25.4	0	103	93	0	36	34
2019	11	21	8	52	9	20.2	-3.1	1.159	0.3	0.2	0	28.4	25.4	0	103	93	0	37	34
2019	11	21	9	2	9	20.5	-3.2	1.159	0.4	0.3	0	28.8	24.9	0	103	93	0	36	35
2019	11	21	9	12	9	21.6	-2.9	1.158	0.3	0.2	0	28.4	25.4	0	102	93	0	36	34
2019	11	21	9	22	9	20.4	-3.1	1.158	0.3	0.2	0	28.8	25.4	0	103	93	0	36	34
2019	11	21	9	32	9	20.6	-3.7	1.158	0.3	0.2	0	28.4	25.4	0	103	93	0	37	34
2019	11	21	9	42	9	20.9	-3.7	1.157	0.3	0.2	0	28.4	24.9	0	103	92	0	37	34
2019	11	21	9	52	9	22.2	-2.1	1.157	0.3	0.2	0	28	25.4	0	102	93	0	37	34
2019	11	21	10	2	9	21	-3.3	1.157	0.3	0.2	0	28.4	25.4	0	103	93	0	37	34
2019	11	21	10	12	9	21.7	-3.6	1.157	0.3	0.2	0	28.4	25.4	0	103	93	0	37	34
2019	11	21	10	22	9	20.3	-3.8	1.157	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	21	10	32	9	21.5	-3.3	1.157	0.3	0.2	0	28.4	25.4	0	102	93	0	36	34
2019	11	21	10	42	9	21.4	-2.3	1.157	0.3	0.2	0	28.8	25.4	0	103	93	0	36	34
2019	11	21	10	52	9	20.1	-3.1	1.157	0.3	0.2	0	28.4	25.4	0	103	93	0	37	34
2019	11	21	11	2	9	21.2	-2.5	1.156	0.4	0.3	0	28.8	25.4	0	103	93	0	36	34
2019	11	21	11	12	9	21.3	-3.5	1.157	0.3	0.2	0	28.4	24.9	0	102	92	0	36	34
2019	11	21	11	22	9	20.9	-3.4	1.156	0.3	0.2	0	28	24.9	0	102	92	0	37	34
2019	11	21	11	32	9	21.8	-2.9	1.156	0.3	0.2	0	29.2	26.2	0	105	95	0	37	34
2019	11	21	11	42	9	20.5	-3.5	1.156	0.3	0.2	0	29.2	25.4	0	105	94	0	37	35
2019	11	21	11	52	9	20.4	-3	1.156	0.3	0.2	0	28.8	25.4	0	103	93	0	36	34
2019	11	21	12	2	9	21.3	-2.4	1.156	0.3	0.2	0	34	30.5	0	115	105	0	36	34
2019	11	21	12	12	9	21	-3.4	1.156	0.3	0.2	0	30.5	26.7	0	107	96	0	36	34
2019	11	21	12	22	9	20.6	-3.7	1.156	0.3	0.2	0	28.8	25.8	0	104	94	0	37	34
2019	11	21	12	32	9	21	-3.1	1.156	0.3	0.2	0	28.8	24.9	0	103	93	0	36	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	21	12	42	9	20.6	-2.9	1.156	0.3	0.2	0	28.4	25.4	0	103	93	0	37	34
2019	11	21	12	52	9	21.8	-3.5	1.156	0.4	0.3	0	29.7	26.2	0	105	95	0	36	34
2019	11	21	13	2	9	21.2	-3.4	1.156	0.4	0.3	0	29.2	26.7	0	105	96	0	37	34
2019	11	21	13	12	9	22.1	-3.5	1.156	0.4	0.3	0	29.2	25.4	0	104	93	0	36	34
2019	11	21	13	22	9	21.4	-3.9	1.156	0.3	0.2	0	28.8	25.4	0	103	93	0	36	34
2019	11	21	13	32	9	21	-3.6	1.156	0.3	0.2	0	31	28	0	108	99	0	36	34
2019	11	21	13	42	9	21.4	-4.1	1.156	0.3	0.2	0	33.1	29.2	0	113	103	0	36	35
2019	11	21	13	52	9	21	-2.8	1.155	0.3	0.2	0	34	31	0	115	106	0	36	34
2019	11	21	14	2	9	20.7	-2.9	1.155	0.3	0.2	0	32.3	30.1	0	112	103	0	37	33
2019	11	21	14	12	9	20.2	-3.6	1.156	0.3	0.2	0	30.1	26.7	0	106	97	0	36	35
2019	11	21	14	22	9	21.9	-2.9	1.155	0.5	0.4	0	33.5	30.5	0	114	105	0	36	34
2019	11	21	14	32	9	20.4	-2.3	1.155	0.3	0.2	0	31.8	28.8	0	111	101	0	37	34
2019	11	21	14	42	9	20.2	-2.9	1.155	0.4	0.3	0	32.3	28.8	0	111	101	0	36	34
2019	11	21	14	52	9	21.9	-3.2	1.156	0.3	0.2	0	31	27.1	0	108	98	0	36	35
2019	11	21	15	2	9	20.2	-3.5	1.155	0.3	0.2	0	30.1	26.7	0	106	96	0	36	34
2019	11	21	15	12	9	20.8	-3.5	1.155	0.3	0.2	0	29.7	26.2	0	106	95	0	37	34
2019	11	21	15	22	9	20.7	-3.8	1.155	0.3	0.2	0	29.7	25.4	0	105	94	0	36	35
2019	11	21	15	32	9	19.4	-3.5	1.155	0.3	0.2	0	29.2	25.8	0	104	94	0	36	34
2019	11	21	15	42	9	20.8	-4.1	1.155	0.4	0.3	0	29.2	25.8	0	104	94	0	36	34
2019	11	21	15	52	9	20.5	-4.3	1.155	0.3	0.2	0	28.8	25.8	0	104	94	0	37	34
2019	11	21	16	2	9	21.1	-2.8	1.156	0.3	0.2	0	28.4	25.4	0	103	93	0	37	34
2019	11	21	16	12	9	19.2	-3.4	1.155	0.3	0.2	0	28.8	25.8	0	104	94	0	37	34
2019	11	21	16	22	9	20.6	-3.7	1.156	0.3	0.2	0	28.8	25.4	0	103	93	0	36	34
2019	11	21	16	32	9	21	-3	1.155	0.3	0.2	0	29.2	25.8	0	104	94	0	36	34
2019	11	21	16	42	9	20.6	-3.6	1.155	0.3	0.2	0	28.8	25.4	0	103	93	0	36	34
2019	11	21	16	52	9	20.8	-2.7	1.156	0.3	0.2	0	28.8	25.4	0	103	93	0	36	34
2019	11	21	17	2	9	20.6	-3.1	1.156	0.3	0.2	0	29.2	26.2	0	104	94	0	36	33
2019	11	21	17	12	9	22.3	-3.3	1.156	0.3	0.2	0	29.7	26.2	0	106	95	0	37	34
2019	11	21	17	22	9	20.7	-2.3	1.155	0.4	0.3	0	30.1	26.7	0	106	96	0	36	34
2019	11	21	17	32	9	21.2	-3.4	1.155	0.3	0.2	0	30.1	26.2	0	106	96	0	36	35
2019	11	21	17	42	9	21.3	-4.3	1.156	0.3	0.2	0	30.5	26.7	0	107	96	0	36	34
2019	11	21	17	52	9	19.6	-3.4	1.155	0.4	0.3	0	30.1	26.7	0	107	96	0	37	34
2019	11	21	18	2	9	20.7	-3.7	1.155	0.3	0.2	0	30.5	26.2	0	107	96	0	36	35
2019	11	21	18	12	9	21.1	-2.8	1.155	0.3	0.2	0	30.5	27.1	0	108	96	0	37	33
2019	11	21	18	22	9	21.4	-3.9	1.156	0.3	0.2	0	31	27.1	0	108	97	0	36	34
2019	11	21	18	32	9	21.6	-4	1.155	0.4	0.3	0	31	27.1	0	108	97	0	36	34
2019	11	21	18	42	9	21.5	-3.3	1.155	0.3	0.2	0	30.1	26.2	0	107	96	0	37	35
2019	11	21	18	52	9	21.2	-3.1	1.155	0.3	0.2	0	30.1	26.2	0	107	96	0	37	35
2019	11	21	19	2	9	21.4	-3.3	1.155	0.4	0.3	0	30.5	26.2	0	107	95	0	36	34
2019	11	21	19	12	9	21.9	-2.5	1.156	0.3	0.2	0	30.5	26.2	0	107	95	0	36	34
2019	11	21	19	22	9	21.5	-3.6	1.155	0.4	0.3	0	30.5	26.2	0	107	95	0	36	34
2019	11	21	19	32	9	21.5	-2.9	1.155	0.4	0.3	0	30.5	26.2	0	107	95	0	36	34
2019	11	21	19	42	9	20.7	-3.6	1.155	0.4	0.3	0	31	26.7	0	108	96	0	36	34
2019	11	21	19	52	9	21.9	-3.8	1.156	0.3	0.2	0	35.3	31	0	118	106	0	36	34
2019	11	21	20	2	9	19.6	-2.8	1.155	0.4	0.3	0	31.8	27.5	0	110	98	0	36	34
2019	11	21	20	12	9	21.4	-2.6	1.156	0.3	0.2	0	31.4	27.1	0	109	97	0	36	34
2019	11	21	20	22	9	21.1	-3.2	1.156	0.3	0.2	0	31.8	28	0	110	99	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	21	20	32	9	21	-3.2	1.155	0.3	0.2	0	30.5	27.1	0	108	97	0	37	34
2019	11	21	20	42	9	21.5	-2.1	1.155	0.3	0.2	0	31.4	26.7	0	109	97	0	36	35
2019	11	21	20	52	9	21.7	-2.9	1.155	0.3	0.2	0	30.5	26.7	0	107	96	0	36	34
2019	11	21	21	2	9	21.9	-3.2	1.155	0.3	0.2	0	33.5	30.1	0	115	104	0	37	34
2019	11	21	21	12	9	20.9	-2.6	1.155	0.3	0.2	0	34.8	30.5	0	117	105	0	36	34
2019	11	21	21	22	9	22	-3.4	1.156	0.3	0.2	0	35.3	31	0	118	106	0	36	34
2019	11	21	21	32	9	21.1	-3	1.155	0.3	0.2	0	33.1	29.2	0	113	102	0	36	34
2019	11	21	21	42	9	21	-3.7	1.156	0.3	0.2	0	31	27.5	0	109	98	0	37	34
2019	11	21	21	52	9	21.1	-2.8	1.155	0.3	0.2	0	30.5	26.7	0	108	96	0	37	34
2019	11	21	22	2	9	21	-4	1.155	0.3	0.2	0	29.7	26.2	0	106	95	0	37	34
2019	11	21	22	12	9	20.4	-3.3	1.155	0.4	0.3	0	30.1	25.8	0	106	95	0	36	35
2019	11	21	22	22	9	21.7	-2.8	1.155	0.3	0.2	0	30.1	26.2	0	106	95	0	36	34
2019	11	21	22	32	9	22.1	-4	1.156	0.5	0.4	0	29.7	25.8	0	105	94	0	36	34
2019	11	21	22	42	9	21.8	-4	1.156	0.3	0.2	0	29.2	25.8	0	105	94	0	37	34
2019	11	21	22	52	9	21.8	-3	1.155	0.3	0.2	0	30.1	25.4	0	106	94	0	36	35
2019	11	21	23	2	9	21.6	-2.9	1.156	0.3	0.2	0	30.1	25.8	0	106	94	0	36	34
2019	11	21	23	12	9	20.7	-3.1	1.155	0.5	0.4	0	29.7	25.8	0	106	94	0	37	34
2019	11	21	23	22	9	20.8	-2.7	1.155	0.3	0.2	0	29.7	25.8	0	105	94	0	36	34
2019	11	21	23	32	9	20.8	-2.9	1.156	0.3	0.2	0	29.2	25.8	0	105	94	0	37	34
2019	11	21	23	42	9	19.6	-3.4	1.155	0.4	0.3	0	29.7	25.8	0	106	94	0	37	34
2019	11	21	23	52	9	21.1	-3.2	1.155	0.3	0.2	0	29.7	25.8	0	106	94	0	37	34
2019	11	22	0	2	9	21.7	-3.6	1.155	0.4	0.3	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	0	12	9	21.4	-3.3	1.155	0.3	0.2	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	0	22	9	21.6	-3.2	1.155	0.4	0.3	0	29.7	25.4	0	105	94	0	36	35
2019	11	22	0	32	9	21.1	-3.2	1.155	0.3	0.2	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	0	42	9	21.4	-2.5	1.155	0.3	0.2	0	29.2	25.8	0	105	94	0	37	34
2019	11	22	0	52	9	20.9	-3.6	1.155	0.4	0.3	0	29.7	25.4	0	105	94	0	36	35
2019	11	22	1	2	9	20.4	-3	1.155	0.3	0.2	0	30.1	25.8	0	106	94	0	36	34
2019	11	22	1	12	9	21.8	-3.2	1.155	0.3	0.2	0	30.1	25.8	0	106	94	0	36	34
2019	11	22	1	22	9	22.2	-3.2	1.155	0.3	0.2	0	29.2	25.4	0	105	93	0	37	34
2019	11	22	1	32	9	21.2	-3.1	1.155	0.3	0.2	0	29.2	25.4	0	105	94	0	37	35
2019	11	22	1	42	9	21.3	-3.2	1.155	0.4	0.3	0	29.2	25.8	0	105	94	0	37	34
2019	11	22	1	52	9	20.9	-3.7	1.155	0.3	0.2	0	29.2	25.4	0	105	93	0	37	34
2019	11	22	2	2	9	21.4	-3.3	1.155	0.3	0.2	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	2	12	9	21.5	-3.3	1.155	0.3	0.2	0	29.2	25.4	0	105	94	0	37	35
2019	11	22	2	22	9	20.5	-3.8	1.155	0.3	0.2	0	29.7	25.4	0	105	94	0	36	35
2019	11	22	2	32	9	21	-2.9	1.155	0.4	0.3	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	2	42	9	22.4	-3.5	1.155	0.5	0.4	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	2	52	9	23	-3.7	1.155	0.3	0.2	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	3	2	9	21.2	-2.8	1.155	0.3	0.2	0	29.2	25.8	0	105	94	0	37	34
2019	11	22	3	12	9	20.6	-3	1.155	0.4	0.3	0	29.7	25.8	0	106	94	0	37	34
2019	11	22	3	22	9	21.4	-3.2	1.155	0.3	0.2	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	3	32	9	21.5	-2.8	1.155	0.3	0.2	0	29.2	25.8	0	105	94	0	37	34
2019	11	22	3	42	9	21.6	-2.9	1.155	0.3	0.2	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	3	52	9	20.5	-2.6	1.155	0.3	0.2	0	28.8	25.8	0	104	94	0	37	34
2019	11	22	4	2	9	21.2	-3.7	1.155	0.4	0.3	0	30.1	25.8	0	106	94	0	36	34
2019	11	22	4	12	9	21.4	-3.3	1.155	0.3	0.2	0	30.1	26.2	0	106	95	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	22	4	22	9	22.1	-2.9	1.155	0.3	0.2	0	30.1	25.8	0	106	94	0	36	34
2019	11	22	4	32	9	20.5	-2.9	1.155	0.3	0.2	0	29.7	26.2	0	106	95	0	37	34
2019	11	22	4	42	9	21.2	-2.9	1.155	0.3	0.2	0	29.7	25.4	0	106	94	0	37	35
2019	11	22	4	52	9	21.7	-3.7	1.155	0.4	0.3	0	29.2	24.9	0	105	93	0	37	35
2019	11	22	5	2	9	22.5	-3.6	1.155	0.4	0.3	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	5	12	9	21.6	-2.9	1.155	0.3	0.2	0	29.7	24.9	0	105	92	0	36	34
2019	11	22	5	22	9	21.5	-2.9	1.155	0.3	0.2	0	29.2	25.4	0	105	93	0	37	34
2019	11	22	5	32	9	20.3	-4	1.155	0.4	0.3	0	29.7	25.4	0	105	93	0	36	34
2019	11	22	5	42	9	21.3	-3.6	1.155	0.3	0.2	0	29.2	24.9	0	105	93	0	37	35
2019	11	22	5	52	9	21.6	-2.7	1.155	0.3	0.2	0	29.2	25.4	0	105	93	0	37	34
2019	11	22	6	2	9	21.4	-3	1.155	0.3	0.2	0	29.7	25.4	0	105	94	0	36	35
2019	11	22	6	12	9	20.6	-3.5	1.155	0.4	0.3	0	29.7	25.4	0	106	94	0	37	35
2019	11	22	6	22	9	22	-4.5	1.155	0.3	0.2	0	29.2	25.4	0	105	93	0	37	34
2019	11	22	6	32	9	22.3	-2.6	1.155	0.3	0.2	0	29.7	25.4	0	106	94	0	37	35
2019	11	22	6	42	9	21.9	-2.5	1.155	0.3	0.2	0	28.8	24.9	0	104	92	0	37	34
2019	11	22	6	52	9	20.7	-2.9	1.156	0.3	0.2	0	28.8	24.5	0	104	92	0	37	35
2019	11	22	7	2	9	20.7	-3.1	1.155	0.3	0.2	0	29.2	24.9	0	104	92	0	36	34
2019	11	22	7	12	9	21.5	-3.3	1.155	0.4	0.3	0	28.8	24.1	0	103	91	0	36	35
2019	11	22	7	22	9	21.5	-2.9	1.156	0.3	0.2	0	28.8	24.1	0	103	91	0	36	35
2019	11	22	7	32	9	21.2	-3.9	1.155	0.4	0.3	0	28	24.5	0	102	91	0	37	34
2019	11	22	7	42	9	20.8	-3.5	1.155	0.3	0.2	0	28	24.1	0	102	90	0	37	34
2019	11	22	7	52	9	21.6	-3.7	1.155	0.3	0.2	0	28.4	24.1	0	102	90	0	36	34
2019	11	22	8	2	9	21.2	-2.9	1.155	0.3	0.2	0	28	23.6	0	101	89	0	36	34
2019	11	22	8	12	9	21.6	-4.3	1.155	0.4	0.3	0	27.5	23.6	0	101	89	0	37	34
2019	11	22	8	22	9	21.1	-3.8	1.156	0.3	0.2	0	27.1	23.2	0	100	89	0	37	35
2019	11	22	8	32	9	21.6	-3.2	1.156	0.3	0.2	0	27.1	23.6	0	100	90	0	37	35
2019	11	22	8	42	9	20.8	-3	1.156	0.3	0.2	0	27.5	23.6	0	100	89	0	36	34
2019	11	22	8	52	9	20.7	-3.9	1.156	0.3	0.2	0	27.1	23.2	0	99	89	0	36	35
2019	11	22	9	2	9	21.3	-3.4	1.156	0.3	0.2	0	27.1	23.2	0	99	88	0	36	34
2019	11	22	9	12	9	19.9	-4.7	1.156	0.3	0.2	0	27.1	23.6	0	100	89	0	37	34
2019	11	22	9	22	9	21.3	-3.7	1.156	0.4	0.3	0	27.5	24.1	0	101	90	0	37	34
2019	11	22	9	32	9	20.8	-2.7	1.156	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	22	9	42	9	21	-3.7	1.156	0.3	0.2	0	27.5	23.2	0	101	89	0	37	35
2019	11	22	9	52	9	21.4	-3.3	1.156	0.3	0.2	0	28	23.6	0	101	90	0	36	35
2019	11	22	10	2	9	20.3	-4.5	1.156	0.4	0.3	0	27.5	23.6	0	101	90	0	37	35
2019	11	22	10	12	9	20	-4.1	1.156	0.3	0.2	0	27.5	23.6	0	101	90	0	37	35
2019	11	22	10	22	9	20.7	-3.7	1.156	0.4	0.3	0	28	24.1	0	101	90	0	36	34
2019	11	22	10	32	9	21.8	-4.1	1.156	0.3	0.2	0	28	23.6	0	101	90	0	36	35
2019	11	22	10	42	9	21.3	-2.5	1.156	0.3	0.2	0	28	24.1	0	102	90	0	37	34
2019	11	22	10	52	9	20.4	-3.1	1.156	0.3	0.2	0	27.1	24.1	0	100	90	0	37	34
2019	11	22	11	2	9	21.7	-4.1	1.156	0.3	0.2	0	27.1	24.1	0	100	90	0	37	34
2019	11	22	11	12	9	21.2	-3.9	1.157	0.3	0.2	0	27.5	24.5	0	101	91	0	37	34
2019	11	22	11	22	9	21.8	-3.9	1.156	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	22	11	32	9	20.5	-3	1.157	0.3	0.2	0	28	24.1	0	102	91	0	37	35
2019	11	22	11	42	9	21.6	-2.7	1.157	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	22	11	52	9	20.9	-3.1	1.157	0.3	0.2	0	28.4	24.9	0	103	92	0	37	34
2019	11	22	12	2	9	20.5	-3.8	1.157	0.3	0.2	0	28.4	24.5	0	103	91	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	22	12	12	9	21	-2.9	1.157	0.3	0.2	0	28	24.1	0	102	91	0	37	35
2019	11	22	12	22	9	20.9	-3.6	1.157	0.3	0.2	0	28.8	24.5	0	103	91	0	36	34
2019	11	22	12	32	9	20.5	-4.1	1.157	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	22	12	42	9	20.5	-3.4	1.157	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	22	12	52	9	20.5	-3.4	1.157	0.3	0.2	0	28.4	24.1	0	103	91	0	37	35
2019	11	22	13	2	9	20.4	-3.9	1.158	0.3	0.2	0	28.4	24.1	0	102	90	0	36	34
2019	11	22	13	12	9	20.2	-4.2	1.157	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	22	13	22	9	22.2	-3	1.158	0.3	0.2	0	28.8	24.5	0	102	91	0	35	34
2019	11	22	13	32	9	20.8	-3.4	1.158	0.4	0.3	0	28.4	24.5	0	102	91	0	36	34
2019	11	22	13	42	9	21.5	-3.4	1.158	0.3	0.2	0	28.4	24.1	0	102	91	0	36	35
2019	11	22	13	52	9	21.5	-3.9	1.158	0.3	0.2	0	28	24.1	0	102	91	0	37	35
2019	11	22	14	2	9	20.6	-4.6	1.158	0.3	0.2	0	28.4	24.5	0	103	91	0	37	34
2019	11	22	14	12	9	21.3	-3.3	1.158	0.3	0.2	0	28.8	24.1	0	103	91	0	36	35
2019	11	22	14	22	9	21.3	-3.8	1.158	0.5	0.4	0	28	23.6	0	102	90	0	37	35
2019	11	22	14	32	9	20.7	-2.6	1.158	0.4	0.3	0	27.5	24.5	0	101	90	0	37	33
2019	11	22	14	42	9	20.5	-3.7	1.158	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	22	14	52	9	21	-4.3	1.159	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	22	15	2	9	21.5	-3	1.159	0.3	0.2	0	28.4	24.1	0	102	91	0	36	35
2019	11	22	15	12	9	21.3	-3.3	1.159	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	22	15	22	9	21.2	-3.1	1.159	0.3	0.2	0	28.8	24.5	0	103	91	0	36	34
2019	11	22	15	32	9	20.6	-3.4	1.159	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	22	15	42	9	20.6	-4	1.159	0.3	0.2	0	27.5	24.5	0	101	90	0	37	33
2019	11	22	15	52	9	21.1	-4.2	1.159	0.3	0.2	0	27.5	24.1	0	101	90	0	37	34
2019	11	22	16	2	9	21.1	-3.4	1.159	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	22	16	12	9	21.1	-3.2	1.159	0.5	0.4	0	27.5	24.1	0	101	90	0	37	34
2019	11	22	16	22	9	20.9	-3.4	1.159	0.4	0.3	0	28.4	24.1	0	102	90	0	36	34
2019	11	22	16	32	9	21.7	-3.6	1.159	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	22	16	42	9	21.9	-3.6	1.16	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	22	16	52	9	21	-3.8	1.159	0.3	0.2	0	28.4	24.1	0	102	91	0	36	35
2019	11	22	17	2	9	20.8	-3.2	1.16	0.3	0.2	0	28.8	24.5	0	103	92	0	36	35
2019	11	22	17	12	9	20.6	-3.3	1.16	0.3	0.2	0	28.8	25.4	0	104	93	0	37	34
2019	11	22	17	22	9	20.3	-2.7	1.159	0.5	0.4	0	29.2	25.4	0	105	93	0	37	34
2019	11	22	17	32	9	20.7	-3.7	1.16	0.3	0.2	0	29.7	25.4	0	105	94	0	36	35
2019	11	22	17	42	9	21.2	-3.1	1.16	0.3	0.2	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	17	52	9	21.1	-3.8	1.16	0.3	0.2	0	29.7	25.4	0	105	93	0	36	34
2019	11	22	18	2	9	21.5	-3	1.16	0.3	0.2	0	29.2	25.8	0	105	94	0	37	34
2019	11	22	18	12	9	22.7	-3.8	1.16	0.3	0.2	0	29.2	25.8	0	105	94	0	37	34
2019	11	22	18	22	9	21.1	-3.3	1.16	0.4	0.3	0	29.7	25.8	0	106	94	0	37	34
2019	11	22	18	32	9	21.7	-3.1	1.16	0.3	0.2	0	29.7	25.4	0	105	94	0	36	35
2019	11	22	18	42	9	20.8	-3	1.16	0.3	0.2	0	29.7	25.8	0	106	94	0	37	34
2019	11	22	18	52	9	21.5	-3.8	1.161	0.4	0.3	0	35.3	31.4	0	119	107	0	37	34
2019	11	22	19	2	9	20.6	-3.6	1.161	0.3	0.2	0	32.7	28.8	0	112	101	0	36	34
2019	11	22	19	12	9	21.1	-3.2	1.161	0.3	0.2	0	30.5	26.7	0	107	96	0	36	34
2019	11	22	19	22	9	20.7	-3.4	1.16	0.3	0.2	0	30.1	25.8	0	106	94	0	36	34
2019	11	22	19	32	9	20.9	-4.7	1.161	0.3	0.2	0	30.1	25.8	0	106	94	0	36	34
2019	11	22	19	42	9	20.9	-3.3	1.161	0.4	0.3	0	30.5	26.2	0	107	95	0	36	34
2019	11	22	19	52	9	20.7	-4.4	1.162	0.3	0.2	0	30.1	25.8	0	106	94	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	22	20	2	9	20.7	-3.2	1.162	0.4	0.3	0	29.7	25.4	0	105	93	0	36	34
2019	11	22	20	12	9	20.5	-3.2	1.162	0.3	0.2	0	29.7	25.8	0	105	94	0	36	34
2019	11	22	20	22	9	21.7	-3.6	1.162	0.3	0.2	0	29.2	24.9	0	105	93	0	37	35
2019	11	22	20	32	9	21.5	-3.3	1.163	0.3	0.2	0	29.7	25.4	0	105	93	0	36	34
2019	11	22	20	42	9	22.1	-3.2	1.163	0.3	0.2	0	29.2	25.4	0	104	93	0	36	34
2019	11	22	20	52	9	21.2	-2.1	1.163	0.4	0.3	0	29.2	25.4	0	105	93	0	37	34
2019	11	22	21	2	9	21	-3.3	1.163	0.4	0.3	0	29.7	24.9	0	105	93	0	36	35
2019	11	22	21	12	9	21.6	-3.7	1.164	0.3	0.2	0	29.2	25.8	0	104	93	0	36	33
2019	11	22	21	22	9	21.2	-3.4	1.163	0.4	0.3	0	29.2	24.9	0	105	93	0	37	35
2019	11	22	21	32	9	21.4	-3.3	1.163	0.4	0.3	0	29.2	24.9	0	104	93	0	36	35
2019	11	22	21	42	9	21.5	-3.7	1.164	0.3	0.2	0	29.2	25.4	0	105	93	0	37	34
2019	11	22	21	52	9	21.4	-3.3	1.164	0.3	0.2	0	29.2	25.4	0	104	93	0	36	34
2019	11	22	22	2	9	20.1	-4.1	1.164	0.3	0.2	0	29.2	25.4	0	104	92	0	36	33
2019	11	22	22	12	9	21.7	-3.4	1.164	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	22	22	22	9	20.8	-3	1.164	0.3	0.2	0	29.7	24.9	0	104	93	0	35	35
2019	11	22	22	32	9	21.5	-3.9	1.164	0.4	0.3	0	28.8	25.4	0	104	93	0	37	34
2019	11	22	22	42	9	20.9	-2.8	1.164	0.3	0.2	0	28.8	24.9	0	104	93	0	37	35
2019	11	22	22	52	9	21	-3.7	1.164	0.3	0.2	0	28.8	25.4	0	104	92	0	37	33
2019	11	22	23	2	9	21.7	-3.7	1.164	0.4	0.3	0	28.8	24.9	0	104	92	0	37	34
2019	11	22	23	12	9	20.6	-3.6	1.164	0.4	0.3	0	28.8	24.9	0	103	92	0	36	34
2019	11	22	23	22	9	20.2	-3.7	1.164	0.3	0.2	0	28.8	25.4	0	103	93	0	36	34
2019	11	22	23	32	9	21.5	-3.6	1.164	0.3	0.2	0	28.8	25.4	0	104	93	0	37	34
2019	11	22	23	42	9	21.6	-3.8	1.164	0.4	0.3	0	28.8	25.4	0	103	93	0	36	34
2019	11	22	23	52	9	21.5	-3.3	1.164	0.3	0.2	0	28.8	24.5	0	103	92	0	36	35
2019	11	23	0	2	9	21	-4.4	1.164	0.3	0.2	0	28.8	25.4	0	103	93	0	36	34
2019	11	23	0	12	9	20.6	-3.2	1.164	0.3	0.2	0	29.2	25.4	0	104	93	0	36	34
2019	11	23	0	22	9	20.2	-3	1.165	0.3	0.2	0	29.2	24.9	0	104	92	0	36	34
2019	11	23	0	32	9	21.8	-3.5	1.164	0.3	0.2	0	28.4	24.9	0	103	92	0	37	34
2019	11	23	0	42	9	22	-3.7	1.164	0.3	0.2	0	28.4	24.9	0	103	92	0	37	34
2019	11	23	0	52	9	22	-4.5	1.164	0.4	0.3	0	28.4	24.9	0	103	92	0	37	34
2019	11	23	1	2	9	21	-3.7	1.164	0.4	0.3	0	28	24.5	0	102	91	0	37	34
2019	11	23	1	12	9	20.8	-4	1.164	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	23	1	22	9	20.9	-3.1	1.164	0.5	0.4	0	28.8	24.5	0	103	92	0	36	35
2019	11	23	1	32	9	22.2	-3.7	1.164	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	23	1	42	9	20.8	-4.3	1.164	0.3	0.2	0	28.4	24.9	0	103	92	0	37	34
2019	11	23	1	52	9	21.8	-4.1	1.164	0.3	0.2	0	28.8	24.9	0	104	92	0	37	34
2019	11	23	2	2	9	20.8	-4	1.164	0.3	0.2	0	28.8	24.5	0	104	92	0	37	35
2019	11	23	2	12	9	20.3	-4.3	1.164	0.5	0.4	0	29.2	25.8	0	104	93	0	36	33
2019	11	23	2	22	9	20.6	-5.3	1.164	0.4	0.3	0	28.8	24.9	0	104	92	0	37	34
2019	11	23	2	32	9	20.4	-4.1	1.164	0.4	0.3	0	28.8	25.4	0	104	92	0	37	33
2019	11	23	2	42	9	21.4	-3.5	1.165	0.4	0.3	0	29.2	24.5	0	104	92	0	36	35
2019	11	23	2	52	9	21.1	-3.7	1.165	0.3	0.2	0	28.8	24.9	0	104	92	0	37	34
2019	11	23	3	2	9	19.9	-3.9	1.164	0.3	0.2	0	29.7	25.4	0	105	93	0	36	34
2019	11	23	3	12	9	21.8	-4.1	1.165	0.3	0.2	0	28.4	24.9	0	103	92	0	37	34
2019	11	23	3	22	9	20.6	-3.6	1.165	0.3	0.2	0	28.8	25.4	0	104	93	0	37	34
2019	11	23	3	32	9	21.1	-3.5	1.164	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	23	3	42	9	21	-3.7	1.165	0.3	0.2	0	28.8	24.9	0	104	92	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	23	3	52	9	21	-3.3	1.165	0.5	0.4	0	28.8	24.9	0	104	92	0	37	34
2019	11	23	4	2	9	20.5	-3.2	1.165	0.3	0.2	0	28.4	24.5	0	103	92	0	37	35
2019	11	23	4	12	9	20	-3.5	1.165	0.4	0.3	0	29.2	24.9	0	104	93	0	36	35
2019	11	23	4	22	9	20.4	-3.4	1.165	0.3	0.2	0	29.2	24.9	0	104	92	0	36	34
2019	11	23	4	32	9	21.1	-4	1.165	0.4	0.3	0	28.4	24.9	0	103	92	0	37	34
2019	11	23	4	42	9	20.6	-2.6	1.165	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	23	4	52	9	21.5	-3.6	1.165	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	23	5	2	9	21.2	-3.7	1.165	0.3	0.2	0	28.4	24.5	0	103	91	0	37	34
2019	11	23	5	12	9	20.9	-3.7	1.164	0.3	0.2	0	28.4	24.9	0	103	92	0	37	34
2019	11	23	5	22	9	22.1	-2.9	1.164	0.4	0.3	0	28.4	24.5	0	103	92	0	37	35
2019	11	23	5	32	9	20.9	-3.7	1.165	0.4	0.3	0	28.4	24.9	0	103	92	0	37	34
2019	11	23	5	42	9	21.1	-3.8	1.164	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	23	5	52	9	20.2	-3.7	1.165	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	23	6	2	9	21.4	-3.7	1.165	0.3	0.2	0	28.4	24.9	0	103	92	0	37	34
2019	11	23	6	12	9	21.1	-4.3	1.165	0.3	0.2	0	28.4	24.5	0	102	92	0	36	35
2019	11	23	6	22	9	21	-2.8	1.165	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	23	6	32	9	22	-3.9	1.165	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	23	6	42	9	20.9	-3.8	1.165	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	6	52	9	21.4	-2.9	1.165	0.3	0.2	0	28.4	24.1	0	102	90	0	36	34
2019	11	23	7	2	9	20.1	-3	1.164	0.3	0.2	0	28	23.6	0	102	90	0	37	35
2019	11	23	7	12	9	21.1	-3.7	1.165	0.4	0.3	0	28	24.1	0	101	90	0	36	34
2019	11	23	7	22	9	21.1	-4	1.165	0.3	0.2	0	28	23.6	0	102	90	0	37	35
2019	11	23	7	32	9	22.5	-3.6	1.165	0.3	0.2	0	27.5	23.6	0	100	90	0	36	35
2019	11	23	7	42	9	19.8	-3.7	1.165	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	23	7	52	9	21.9	-3.7	1.164	0.3	0.2	0	28	24.1	0	101	91	0	36	35
2019	11	23	8	2	9	22.3	-3.1	1.164	0.3	0.2	0	27.1	24.5	0	100	91	0	37	34
2019	11	23	8	12	9	21.5	-3.7	1.164	0.4	0.3	0	28	24.5	0	101	91	0	36	34
2019	11	23	8	22	9	20.8	-3.7	1.164	0.3	0.2	0	27.5	24.5	0	101	91	0	37	34
2019	11	23	8	32	9	20.4	-3.7	1.165	0.5	0.4	0	26.7	23.2	0	99	89	0	37	35
2019	11	23	8	42	9	21.1	-3.5	1.164	0.4	0.3	0	26.7	23.2	0	99	89	0	37	35
2019	11	23	8	52	9	20.2	-3	1.164	0.3	0.2	0	27.1	23.6	0	99	89	0	36	34
2019	11	23	9	2	9	22	-2.9	1.164	0.3	0.2	0	27.1	24.1	0	100	90	0	37	34
2019	11	23	9	12	9	21.3	-2.9	1.165	0.3	0.2	0	27.5	24.5	0	100	90	0	36	33
2019	11	23	9	22	9	21.8	-2.5	1.164	0.3	0.2	0	26.7	23.2	0	98	89	0	36	35
2019	11	23	9	32	9	20.8	-3.5	1.165	0.3	0.2	0	26.7	23.2	0	98	88	0	36	34
2019	11	23	9	42	9	20.8	-3.2	1.164	0.3	0.2	0	27.1	23.2	0	99	89	0	36	35
2019	11	23	9	52	9	20.7	-2.6	1.164	0.4	0.3	0	27.1	23.2	0	99	89	0	36	35
2019	11	23	10	2	9	20.8	-3.8	1.165	0.3	0.2	0	27.1	23.2	0	99	89	0	36	35
2019	11	23	10	12	9	20.9	-4.2	1.165	0.3	0.2	0	27.1	23.2	0	99	89	0	36	35
2019	11	23	10	22	9	21.4	-3.3	1.164	0.3	0.2	0	27.5	23.6	0	100	90	0	36	35
2019	11	23	10	32	9	21.5	-3.3	1.164	0.3	0.2	0	27.1	24.1	0	100	90	0	37	34
2019	11	23	10	42	9	21.4	-2.9	1.165	0.3	0.2	0	27.1	23.6	0	100	90	0	37	35
2019	11	23	10	52	9	21.3	-3.3	1.165	0.3	0.2	0	27.1	23.6	0	100	89	0	37	34
2019	11	23	11	2	9	21.3	-3.5	1.164	0.3	0.2	0	27.5	23.2	0	100	89	0	36	35
2019	11	23	11	12	9	21.7	-3.7	1.165	0.3	0.2	0	27.1	23.6	0	100	90	0	37	35
2019	11	23	11	22	9	21.8	-3.4	1.165	0.3	0.2	0	27.5	24.1	0	100	90	0	36	34
2019	11	23	11	32	9	20.9	-3.9	1.164	0.3	0.2	0	27.1	23.6	0	100	89	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	23	11	42	9	21.7	-4.4	1.165	0.4	0.3	0	27.1	24.1	0	100	90	0	37	34
2019	11	23	11	52	9	20.6	-2.5	1.165	0.3	0.2	0	27.5	24.1	0	100	90	0	36	34
2019	11	23	12	2	9	21.8	-3.3	1.164	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	23	12	12	9	21	-4.1	1.165	0.3	0.2	0	27.1	24.1	0	100	90	0	37	34
2019	11	23	12	22	9	21.8	-3.7	1.165	0.3	0.2	0	27.1	24.1	0	100	90	0	37	34
2019	11	23	12	32	9	20.9	-3.1	1.164	0.5	0.4	0	27.1	24.1	0	100	90	0	37	34
2019	11	23	12	42	9	21.3	-3.7	1.165	0.3	0.2	0	27.1	24.1	0	100	90	0	37	34
2019	11	23	12	52	9	21.4	-3.7	1.165	0.3	0.2	0	28	24.5	0	101	91	0	36	34
2019	11	23	13	2	9	21.6	-3.8	1.165	0.3	0.2	0	27.5	23.6	0	100	90	0	36	35
2019	11	23	13	12	9	22	-2.8	1.165	0.3	0.2	0	27.5	24.1	0	101	90	0	37	34
2019	11	23	13	22	9	21.1	-3.5	1.165	0.3	0.2	0	27.5	23.6	0	101	90	0	37	35
2019	11	23	13	32	9	21.3	-3.3	1.165	0.3	0.2	0	27.5	24.1	0	100	90	0	36	34
2019	11	23	13	42	9	21.8	-2.7	1.165	0.3	0.2	0	28.4	25.4	0	103	93	0	37	34
2019	11	23	13	52	9	22	-2.9	1.165	0.3	0.2	0	31	27.1	0	108	97	0	36	34
2019	11	23	14	2	9	21.1	-2.9	1.165	0.4	0.3	0	34	30.1	0	115	104	0	36	34
2019	11	23	14	12	9	22.2	-2.9	1.165	0.3	0.2	0	30.5	26.7	0	108	97	0	37	35
2019	11	23	14	22	9	21.3	-3.3	1.164	0.5	0.4	0	30.5	26.7	0	107	96	0	36	34
2019	11	23	14	32	9	21.4	-3.3	1.165	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	23	14	42	9	21.5	-2.9	1.164	0.3	0.2	0	28	24.5	0	102	92	0	37	35
2019	11	23	14	52	9	21.1	-2.9	1.164	0.4	0.3	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	15	2	9	20.3	-3.5	1.164	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	23	15	12	9	22	-3.3	1.164	0.3	0.2	0	27.1	24.1	0	100	90	0	37	34
2019	11	23	15	22	9	22.7	-3.3	1.164	0.4	0.3	0	27.1	24.1	0	100	90	0	37	34
2019	11	23	15	32	9	21.1	-3.6	1.164	0.4	0.3	0	27.5	24.1	0	101	90	0	37	34
2019	11	23	15	42	9	21.9	-3.4	1.165	0.3	0.2	0	27.5	23.6	0	100	89	0	36	34
2019	11	23	15	52	9	20.8	-3.2	1.164	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	16	2	9	21.2	-2.3	1.164	0.3	0.2	0	29.2	25.4	0	104	93	0	36	34
2019	11	23	16	12	9	21.4	-3.6	1.164	0.3	0.2	0	31	27.5	0	109	98	0	37	34
2019	11	23	16	22	9	22.2	-3.3	1.164	0.3	0.2	0	29.2	25.4	0	104	93	0	36	34
2019	11	23	16	32	9	21.3	-3.3	1.164	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	16	42	9	20.9	-3.1	1.164	0.4	0.3	0	27.5	24.5	0	101	91	0	37	34
2019	11	23	16	52	9	21.1	-4.1	1.164	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	23	17	2	9	19.9	-3.6	1.164	0.4	0.3	0	28.4	24.1	0	102	91	0	36	35
2019	11	23	17	12	9	22	-3.7	1.164	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	17	22	9	21.5	-2.9	1.164	0.3	0.2	0	28.4	24.9	0	102	92	0	36	34
2019	11	23	17	32	9	21.2	-3.8	1.164	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	23	17	42	9	21.5	-3.3	1.164	0.3	0.2	0	28.8	25.4	0	103	93	0	36	34
2019	11	23	17	52	9	20.9	-2.6	1.164	0.3	0.2	0	28.8	25.4	0	103	93	0	36	34
2019	11	23	18	2	9	22.1	-3.8	1.163	0.4	0.3	0	29.2	25.4	0	104	93	0	36	34
2019	11	23	18	12	9	20.7	-3.4	1.164	0.3	0.2	0	28.8	25.4	0	103	92	0	36	33
2019	11	23	18	22	9	20.4	-2.8	1.163	0.3	0.2	0	28.8	24.9	0	103	92	0	36	34
2019	11	23	18	32	9	21.9	-3.5	1.163	0.3	0.2	0	28	24.9	0	102	92	0	37	34
2019	11	23	18	42	9	21.2	-3.4	1.163	0.3	0.2	0	28.4	24.9	0	102	92	0	36	34
2019	11	23	18	52	9	21.4	-2.5	1.163	0.3	0.2	0	28.4	24.9	0	102	92	0	36	34
2019	11	23	19	2	9	21.4	-3.4	1.163	0.3	0.2	0	28.4	24.9	0	102	92	0	36	34
2019	11	23	19	12	9	21.1	-3.8	1.163	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	19	22	9	21.3	-3.3	1.163	0.3	0.2	0	28.4	24.9	0	102	92	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	23	19	32	9	21.1	-3.7	1.163	0.3	0.2	0	28.4	24.9	0	102	92	0	36	34
2019	11	23	19	42	9	22.3	-3.1	1.162	0.4	0.3	0	28.4	24.9	0	102	92	0	36	34
2019	11	23	19	52	9	21.8	-3.3	1.162	0.4	0.3	0	28.4	24.9	0	102	92	0	36	34
2019	11	23	20	2	9	21.5	-3.9	1.162	0.3	0.2	0	28.4	24.9	0	102	92	0	36	34
2019	11	23	20	12	9	21.1	-3.3	1.162	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	23	20	22	9	20.7	-2.9	1.162	0.4	0.3	0	27.5	24.5	0	101	92	0	37	35
2019	11	23	20	32	9	21.6	-3.5	1.161	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	23	20	42	9	21.1	-3.5	1.161	0.3	0.2	0	28.4	24.1	0	102	91	0	36	35
2019	11	23	20	52	9	22.2	-3.7	1.161	0.4	0.3	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	21	2	9	20.8	-3.4	1.162	0.3	0.2	0	28.4	24.1	0	102	91	0	36	35
2019	11	23	21	12	9	21.1	-3.2	1.162	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	21	22	9	22	-3.1	1.161	0.3	0.2	0	27.5	24.5	0	101	91	0	37	34
2019	11	23	21	32	9	20.5	-2.7	1.16	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	23	21	42	9	21.7	-3.1	1.16	0.3	0.2	0	28.4	24.1	0	102	90	0	36	34
2019	11	23	21	52	9	21	-2.7	1.16	0.4	0.3	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	22	2	9	21.1	-3.1	1.161	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	22	12	9	20.2	-3.1	1.16	0.4	0.3	0	28.4	24.1	0	102	90	0	36	34
2019	11	23	22	22	9	20.6	-3.4	1.16	0.4	0.3	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	22	32	9	21.2	-4.5	1.16	0.5	0.4	0	28	24.1	0	101	90	0	36	34
2019	11	23	22	42	9	20.9	-2.9	1.16	0.3	0.2	0	28	24.5	0	101	91	0	36	34
2019	11	23	22	52	9	21.5	-3.6	1.16	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	23	23	2	9	20.6	-3.2	1.159	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	23	23	12	9	21.1	-3.7	1.159	0.3	0.2	0	27.5	24.1	0	101	90	0	37	34
2019	11	23	23	22	9	21.4	-3.5	1.159	0.3	0.2	0	28	24.9	0	101	91	0	36	33
2019	11	23	23	32	9	21.9	-3.5	1.159	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	23	23	42	9	21.4	-3.3	1.159	0.3	0.2	0	27.5	24.5	0	101	91	0	37	34
2019	11	23	23	52	9	20.4	-3.9	1.159	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	24	0	2	9	20.8	-4	1.159	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	24	0	12	9	20.1	-3.3	1.159	0.4	0.3	0	28.4	24.1	0	102	91	0	36	35
2019	11	24	0	22	9	20.3	-4.6	1.159	0.3	0.2	0	28	24.5	0	101	91	0	36	34
2019	11	24	0	32	9	20.7	-4.4	1.159	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	24	0	42	9	20.5	-3.7	1.16	0.4	0.3	0	28	24.1	0	102	91	0	37	35
2019	11	24	0	52	9	20.7	-3.1	1.159	0.3	0.2	0	28	24.1	0	101	91	0	36	35
2019	11	24	1	2	9	21.8	-2.9	1.159	0.3	0.2	0	27.5	24.1	0	101	90	0	37	34
2019	11	24	1	12	9	21.3	-3.3	1.159	0.3	0.2	0	27.5	24.1	0	101	90	0	37	34
2019	11	24	1	22	9	21.3	-3.3	1.159	0.4	0.3	0	27.5	24.1	0	101	90	0	37	34
2019	11	24	1	32	9	20.7	-3.1	1.158	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	24	1	42	9	22.9	-3.2	1.159	0.3	0.2	0	27.5	23.6	0	101	90	0	37	35
2019	11	24	1	52	9	21.3	-3.4	1.158	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	24	2	2	9	21.7	-3.7	1.159	0.3	0.2	0	28	23.6	0	101	90	0	36	35
2019	11	24	2	12	9	20.9	-2.7	1.158	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	24	2	22	9	20.5	-4.1	1.158	0.3	0.2	0	27.5	23.6	0	101	90	0	37	35
2019	11	24	2	32	9	20.5	-3.7	1.159	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	24	2	42	9	20.3	-3.3	1.158	0.3	0.2	0	28	23.6	0	101	90	0	36	35
2019	11	24	2	52	9	20	-3.6	1.158	0.3	0.2	0	28	24.5	0	101	91	0	36	34
2019	11	24	3	2	9	21.6	-3.6	1.157	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	24	3	12	9	20.8	-3.2	1.158	0.3	0.2	0	27.1	23.6	0	100	90	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	24	3	22	9	20.8	-3.4	1.158	0.3	0.2	0	27.1	23.6	0	100	90	0	37	35
2019	11	24	3	32	9	20.1	-3.7	1.158	0.3	0.2	0	28	23.6	0	101	90	0	36	35
2019	11	24	3	42	9	20.1	-4.6	1.157	0.3	0.2	0	27.1	23.6	0	100	90	0	37	35
2019	11	24	3	52	9	21.2	-4.1	1.157	0.3	0.2	0	27.1	23.6	0	100	89	0	37	34
2019	11	24	4	2	9	22.8	-4	1.157	0.3	0.2	0	27.1	24.1	0	100	90	0	37	34
2019	11	24	4	12	9	20.7	-3.3	1.157	0.3	0.2	0	27.5	23.6	0	101	90	0	37	35
2019	11	24	4	22	9	21.3	-3.1	1.157	0.3	0.2	0	27.1	24.1	0	100	90	0	37	34
2019	11	24	4	32	9	20.4	-3.3	1.157	0.3	0.2	0	27.5	23.6	0	101	90	0	37	35
2019	11	24	4	42	9	21	-3.1	1.157	0.3	0.2	0	27.1	24.1	0	100	90	0	37	34
2019	11	24	4	52	9	21.2	-3.6	1.157	0.3	0.2	0	27.1	23.6	0	100	89	0	37	34
2019	11	24	5	2	9	20.3	-4.5	1.157	0.4	0.3	0	27.1	23.6	0	100	89	0	37	34
2019	11	24	5	12	9	21.5	-3.6	1.156	0.3	0.2	0	27.5	23.2	0	100	89	0	36	35
2019	11	24	5	22	9	20.5	-4.1	1.157	0.3	0.2	0	27.1	23.2	0	100	89	0	37	35
2019	11	24	5	32	9	22	-3.9	1.156	0.3	0.2	0	27.5	23.6	0	100	89	0	36	34
2019	11	24	5	42	9	22.7	-3.5	1.156	0.3	0.2	0	27.5	23.6	0	100	89	0	36	34
2019	11	24	5	52	9	20.4	-4.1	1.156	0.3	0.2	0	27.1	23.6	0	100	89	0	37	34
2019	11	24	6	2	9	21.1	-4.3	1.156	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	24	6	12	9	20.9	-4.5	1.156	0.4	0.3	0	27.1	23.6	0	100	90	0	37	35
2019	11	24	6	22	9	21.5	-4.3	1.156	0.3	0.2	0	27.5	23.6	0	100	89	0	36	34
2019	11	24	6	32	9	20.9	-3.7	1.156	0.3	0.2	0	27.1	23.6	0	100	89	0	37	34
2019	11	24	6	42	9	21.5	-2.9	1.156	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	24	6	52	9	20.9	-3.3	1.156	0.4	0.3	0	27.1	24.1	0	100	90	0	37	34
2019	11	24	7	2	9	21.1	-3.4	1.156	0.3	0.2	0	26.2	23.2	0	98	88	0	37	34
2019	11	24	7	12	9	21.3	-3.3	1.155	0.3	0.2	0	27.1	23.2	0	99	88	0	36	34
2019	11	24	7	22	9	21.1	-4	1.156	0.3	0.2	0	26.7	23.2	0	98	88	0	36	34
2019	11	24	7	32	9	21	-3.4	1.155	0.3	0.2	0	26.7	23.2	0	99	88	0	37	34
2019	11	24	7	42	9	21.5	-4.4	1.155	0.3	0.2	0	26.7	23.2	0	98	88	0	36	34
2019	11	24	7	52	9	21.6	-2.9	1.155	0.4	0.3	0	26.2	22.4	0	98	87	0	37	35
2019	11	24	8	2	9	21.9	-4	1.155	0.3	0.2	0	25.8	22.8	0	97	87	0	37	34
2019	11	24	8	12	9	20.6	-3.2	1.155	0.3	0.2	0	26.2	20.6	0	97	83	0	36	35
2019	11	24	8	22	9	20.8	-4.1	1.155	0.3	0.2	0	26.2	22.4	0	97	87	0	36	35
2019	11	24	8	32	9	21.9	-4.5	1.155	0.3	0.2	0	26.2	22.8	0	97	87	0	36	34
2019	11	24	8	42	9	21.2	-3	1.155	0.3	0.2	0	25.8	21.9	0	96	86	0	36	35
2019	11	24	8	52	9	20.3	-3.9	1.155	0.4	0.3	0	26.2	22.4	0	97	87	0	36	35
2019	11	24	9	2	9	20.8	-4.1	1.155	0.3	0.2	0	25.4	21.9	0	96	86	0	37	35
2019	11	24	9	12	9	20.5	-4.1	1.155	0.5	0.4	0	25.4	21.9	0	96	86	0	37	35
2019	11	24	9	22	9	21.1	-3.5	1.155	0.3	0.2	0	25.4	22.4	0	96	86	0	37	34
2019	11	24	9	32	9	22.8	-3.7	1.155	0.4	0.3	0	25.4	21.9	0	96	86	0	37	35
2019	11	24	9	42	9	20.3	-3.5	1.155	0.3	0.2	0	25.8	22.4	0	96	86	0	36	34
2019	11	24	9	52	9	20.4	-3.5	1.155	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	24	10	2	9	21.6	-3.5	1.155	0.3	0.2	0	25.8	22.4	0	96	86	0	36	34
2019	11	24	10	12	9	21.4	-2.9	1.155	0.3	0.2	0	25.8	22.8	0	96	87	0	36	34
2019	11	24	10	22	9	22.7	-3.3	1.155	0.3	0.2	0	25.4	22.4	0	96	86	0	37	34
2019	11	24	10	32	9	22	-3.8	1.155	0.3	0.2	0	25.4	22.8	0	96	87	0	37	34
2019	11	24	10	42	9	21.2	-2.8	1.155	0.3	0.2	0	25.4	21.9	0	96	86	0	37	35
2019	11	24	10	52	9	21.6	-3.4	1.155	0.3	0.2	0	25.8	21.9	0	96	86	0	36	35
2019	11	24	11	2	9	20.5	-3.3	1.155	0.3	0.2	0	25.4	22.4	0	96	86	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	24	11	12	9	21.6	-3.2	1.155	0.4	0.3	0	25.4	21.9	0	96	86	0	37	35
2019	11	24	11	22	9	20.4	-3.2	1.155	0.3	0.2	0	25.4	22.4	0	96	86	0	37	34
2019	11	24	11	32	9	20.1	-3.3	1.155	0.3	0.2	0	25.8	21.9	0	96	86	0	36	35
2019	11	24	11	42	9	20.6	-4.2	1.155	0.3	0.2	0	25.4	21.9	0	96	86	0	37	35
2019	11	24	11	52	9	20.7	-3.9	1.155	0.3	0.2	0	25.4	22.4	0	95	86	0	36	34
2019	11	24	12	2	9	20.8	-4.1	1.155	0.4	0.3	0	25.8	21.9	0	96	86	0	36	35
2019	11	24	12	12	9	21.2	-3.6	1.155	0.3	0.2	0	25.4	21.9	0	96	86	0	37	35
2019	11	24	12	22	9	20.9	-3.7	1.155	0.3	0.2	0	25.8	22.4	0	96	86	0	36	34
2019	11	24	12	32	9	21.1	-3.5	1.155	0.3	0.2	0	25.8	22.4	0	96	86	0	36	34
2019	11	24	12	42	9	21.7	-3.3	1.155	0.3	0.2	0	25.4	22.4	0	96	86	0	37	34
2019	11	24	12	52	9	20.8	-3.5	1.155	0.3	0.2	0	28	24.1	0	102	91	0	37	35
2019	11	24	13	2	9	22.1	-3.5	1.155	0.4	0.3	0	30.5	27.5	0	108	97	0	37	33
2019	11	24	13	12	9	22.1	-3.2	1.155	0.3	0.2	0	28.4	24.5	0	102	91	0	36	34
2019	11	24	13	22	9	21.3	-3.4	1.155	0.3	0.2	0	26.2	23.2	0	98	88	0	37	34
2019	11	24	13	32	9	20.8	-3.8	1.155	0.3	0.2	0	26.7	23.6	0	98	89	0	36	34
2019	11	24	13	42	9	20.8	-3.2	1.155	0.3	0.2	0	26.7	23.2	0	98	88	0	36	34
2019	11	24	13	52	9	21.7	-3.6	1.155	0.3	0.2	0	25.8	21.1	0	97	83	0	37	34
2019	11	24	14	2	9	20.7	-3.6	1.155	0.3	0.2	0	26.7	22.8	0	98	87	0	36	34
2019	11	24	14	12	9	20.6	-4.6	1.156	0.3	0.2	0	27.1	23.2	0	99	89	0	36	35
2019	11	24	14	22	9	20.2	-3	1.155	0.3	0.2	0	27.5	24.1	0	100	90	0	36	34
2019	11	24	14	32	9	21.7	-3.6	1.155	0.3	0.2	0	27.1	23.6	0	100	89	0	37	34
2019	11	24	14	42	9	20.9	-2.8	1.155	0.3	0.2	0	26.7	23.2	0	98	88	0	36	34
2019	11	24	14	52	9	20.2	-4.6	1.155	0.4	0.3	0	26.2	23.2	0	98	88	0	37	34
2019	11	24	15	2	9	20.8	-3.2	1.156	0.3	0.2	0	26.2	23.2	0	98	88	0	37	34
2019	11	24	15	12	9	20.9	-4.5	1.156	0.3	0.2	0	26.2	23.2	0	98	88	0	37	34
2019	11	24	15	22	9	20.5	-3.7	1.156	0.3	0.2	0	26.2	22.8	0	97	87	0	36	34
2019	11	24	15	32	9	20.1	-3.5	1.156	0.4	0.3	0	25.8	22.8	0	97	87	0	37	34
2019	11	24	15	42	9	21.4	-3.2	1.156	0.3	0.2	0	26.2	23.2	0	98	88	0	37	34
2019	11	24	15	52	9	20	-4.2	1.156	0.3	0.2	0	25.8	22.8	0	96	87	0	36	34
2019	11	24	16	2	9	20.2	-4.9	1.156	0.3	0.2	0	25.8	22.8	0	97	87	0	37	34
2019	11	24	16	12	9	21.8	-3.6	1.156	0.4	0.3	0	26.2	22.8	0	98	87	0	37	34
2019	11	24	16	22	9	20.8	-4.3	1.156	0.3	0.2	0	26.2	22.4	0	97	86	0	36	34
2019	11	24	16	32	9	20.6	-3	1.155	0.3	0.2	0	25.8	21.9	0	97	86	0	37	35
2019	11	24	16	42	9	20	-3.7	1.156	0.4	0.3	0	26.2	22.4	0	97	87	0	36	35
2019	11	24	16	52	9	20.5	-3.7	1.156	0.3	0.2	0	26.7	22.8	0	98	87	0	36	34
2019	11	24	17	2	9	20.7	-3.3	1.156	0.3	0.2	0	26.2	23.2	0	98	88	0	37	34
2019	11	24	17	12	9	20.4	-3.1	1.156	0.3	0.2	0	27.1	23.2	0	99	88	0	36	34
2019	11	24	17	22	9	20.7	-3.3	1.156	0.3	0.2	0	27.5	23.2	0	100	89	0	36	35
2019	11	24	17	32	9	22.8	-3.2	1.156	0.3	0.2	0	27.1	23.6	0	100	89	0	37	34
2019	11	24	17	42	9	21.3	-4	1.156	0.5	0.4	0	27.5	24.1	0	100	90	0	36	34
2019	11	24	17	52	9	21	-3.3	1.156	0.3	0.2	0	27.5	24.1	0	100	90	0	36	34
2019	11	24	18	2	9	21	-2.6	1.156	0.3	0.2	0	27.5	24.1	0	101	90	0	37	34
2019	11	24	18	12	9	21.3	-2.9	1.155	0.3	0.2	0	28	24.5	0	102	91	0	37	34
2019	11	24	18	22	9	21.4	-3.1	1.155	0.3	0.2	0	28	24.1	0	101	90	0	36	34
2019	11	24	18	32	9	21.1	-3	1.155	0.3	0.2	0	27.5	24.1	0	101	90	0	37	34
2019	11	24	18	42	9	21.2	-4.4	1.155	0.3	0.2	0	28	23.6	0	101	90	0	36	35
2019	11	24	18	52	9	21.7	-3.3	1.155	0.3	0.2	0	27.5	24.1	0	101	90	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	24	19	2	9	21.1	-3.5	1.155	0.3	0.2	0	36.5	33.1	0	121	111	0	36	34
2019	11	24	19	12	9	20.7	-3.3	1.155	0.4	0.3	0	30.1	26.7	0	107	96	0	37	34
2019	11	24	19	22	9	21.7	-3.1	1.155	0.3	0.2	0	34.4	30.5	0	116	105	0	36	34
2019	11	24	19	32	9	21	-2.7	1.155	0.3	0.2	0	37.8	34	0	124	114	0	36	35
2019	11	24	19	42	9	21.6	-3.3	1.155	0.3	0.2	0	32.3	28.8	0	112	101	0	37	34
2019	11	24	19	52	9	20.9	-3.4	1.154	0.3	0.2	0	30.5	27.5	0	108	98	0	37	34
2019	11	24	20	2	9	20.5	-3.3	1.154	0.4	0.3	0	32.3	28.8	0	112	101	0	37	34
2019	11	24	20	12	9	20.4	-2.6	1.154	0.4	0.3	0	31.8	29.2	0	111	102	0	37	34
2019	11	24	20	22	9	22.1	-3.2	1.154	0.3	0.2	0	30.5	27.5	0	108	98	0	37	34
2019	11	24	20	32	9	19.1	-5.5	1.154	0.4	0.3	0	25.8	28.8	0	97	101	0	37	34
2019	11	24	20	42	9	20.9	-2.8	1.154	0.3	0.2	0	34	30.5	0	115	106	0	36	35
2019	11	24	20	52	9	21.2	-3.6	1.154	0.5	0.4	0	31.4	28	0	109	99	0	36	34
2019	11	24	21	2	9	21.5	-3.6	1.154	0.3	0.2	0	30.1	26.7	0	106	96	0	36	34
2019	11	24	21	12	9	22	-4.1	1.153	0.3	0.2	0	32.3	28.8	0	111	101	0	36	34
2019	11	24	21	22	9	21.7	-3.7	1.153	0.3	0.2	0	34.4	31.4	0	116	107	0	36	34
2019	11	24	21	32	9	21.1	-4.1	1.153	0.3	0.2	0	31	27.5	0	108	99	0	36	35
2019	11	24	21	42	9	20.6	-3	1.153	0.3	0.2	0	29.2	26.2	0	104	95	0	36	34
2019	11	24	21	52	9	21.7	-3.1	1.153	0.3	0.2	0	29.7	26.2	0	105	95	0	36	34
2019	11	24	22	2	9	21.8	-3.9	1.153	0.3	0.2	0	28.8	25.4	0	104	93	0	37	34
2019	11	24	22	12	9	21.2	-3.2	1.153	0.3	0.2	0	32.3	28.8	0	112	102	0	37	35
2019	11	24	22	22	9	19.9	-3.7	1.153	0.3	0.2	0	29.7	26.2	0	105	95	0	36	34
2019	11	24	22	32	9	20.7	-3.6	1.154	0.3	0.2	0	28.4	24.9	0	103	93	0	37	35
2019	11	24	22	42	9	21.7	-4	1.154	0.3	0.2	0	30.1	26.7	0	106	96	0	36	34
2019	11	24	22	52	9	20.7	-4.1	1.154	0.3	0.2	0	28.4	24.9	0	102	92	0	36	34
2019	11	24	23	2	9	20.2	-3.7	1.154	0.4	0.3	0	27.5	24.1	0	100	90	0	36	34
2019	11	24	23	12	9	20.8	-3.5	1.154	0.4	0.3	0	27.5	24.1	0	100	90	0	36	34
2019	11	24	23	22	9	21.1	-2.9	1.154	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	24	23	32	9	20	-3.6	1.154	0.5	0.4	0	27.5	24.1	0	100	90	0	36	34
2019	11	24	23	42	9	21	-3.3	1.154	0.3	0.2	0	27.1	24.9	0	100	91	0	37	33
2019	11	24	23	52	9	20.2	-4.6	1.154	0.3	0.2	0	27.5	24.1	0	100	90	0	36	34
2019	11	25	0	2	9	19.9	-3.2	1.154	0.4	0.3	0	26.7	23.6	0	99	90	0	37	35
2019	11	25	0	12	9	19.6	-2.2	1.154	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	25	0	22	9	21.1	-2.9	1.154	0.3	0.2	0	27.1	24.1	0	99	90	0	36	34
2019	11	25	0	32	9	20.8	-4.1	1.154	0.4	0.3	0	27.1	24.1	0	100	90	0	37	34
2019	11	25	0	42	9	20.9	-4.3	1.154	0.3	0.2	0	27.1	24.1	0	99	90	0	36	34
2019	11	25	0	52	9	21.9	-3.1	1.154	0.3	0.2	0	26.7	23.6	0	99	89	0	37	34
2019	11	25	1	2	9	21.1	-3.7	1.154	0.3	0.2	0	26.7	23.6	0	99	89	0	37	34
2019	11	25	1	12	9	20.3	-3.9	1.154	0.3	0.2	0	26.7	23.6	0	99	89	0	37	34
2019	11	25	1	22	9	20.1	-4.1	1.154	0.4	0.3	0	26.7	23.6	0	99	89	0	37	34
2019	11	25	1	32	9	20.4	-3.5	1.154	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	25	1	42	9	20.4	-2.4	1.153	0.3	0.2	0	26.7	24.1	0	99	90	0	37	34
2019	11	25	1	52	9	20.3	-4	1.153	0.3	0.2	0	27.1	23.6	0	99	89	0	36	34
2019	11	25	2	2	9	20.2	-3.4	1.153	0.3	0.2	0	27.1	23.2	0	99	89	0	36	35
2019	11	25	2	12	9	19.4	-4.7	1.153	0.3	0.2	0	27.1	23.6	0	99	89	0	36	34
2019	11	25	2	22	9	20	-4.2	1.153	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	25	2	32	9	20.9	-3.2	1.153	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	25	2	42	9	20.4	-3.8	1.153	0.3	0.2	0	26.7	23.6	0	98	89	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	25	2	52	9	20.9	-3.2	1.153	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	25	3	2	9	20.7	-4.5	1.152	0.4	0.3	0	26.7	23.2	0	98	89	0	36	35
2019	11	25	3	12	9	22.3	-3	1.152	0.4	0.3	0	26.2	23.2	0	98	88	0	37	34
2019	11	25	3	22	9	21	-3.5	1.151	0.3	0.2	0	26.2	23.2	0	98	88	0	37	34
2019	11	25	3	32	9	21	-2.4	1.151	0.3	0.2	0	26.2	22.8	0	98	88	0	37	35
2019	11	25	3	42	9	21.3	-3.6	1.151	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	25	3	52	9	20.9	-3.3	1.151	0.3	0.2	0	26.7	23.6	0	98	89	0	36	34
2019	11	25	4	2	9	20.6	-4.5	1.151	0.3	0.2	0	26.2	23.2	0	98	88	0	37	34
2019	11	25	4	12	9	21	-4.4	1.151	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	25	4	22	9	20	-4.1	1.151	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	25	4	32	9	20.7	-3.3	1.15	0.3	0.2	0	27.1	23.6	0	100	90	0	37	35
2019	11	25	4	42	9	21.3	-2.8	1.151	0.3	0.2	0	26.7	24.1	0	99	90	0	37	34
2019	11	25	4	52	9	21.4	-3.6	1.15	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	25	5	2	9	21.7	-3.8	1.15	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	25	5	12	9	21	-3.8	1.15	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	25	5	22	9	21.4	-4.7	1.15	0.3	0.2	0	26.2	22.8	0	98	88	0	37	35
2019	11	25	5	32	9	21.9	-2.6	1.15	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	25	5	42	9	21.2	-4.3	1.15	0.3	0.2	0	26.2	22.8	0	98	88	0	37	35
2019	11	25	5	52	9	19.9	-3.2	1.15	0.3	0.2	0	25.8	23.2	0	98	88	0	38	34
2019	11	25	6	2	9	19.7	-3.2	1.15	0.4	0.3	0	26.7	23.2	0	98	88	0	36	34
2019	11	25	6	12	9	20.7	-4.1	1.15	0.3	0.2	0	26.2	22.8	0	98	88	0	37	35
2019	11	25	6	22	9	21.1	-2.8	1.15	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	25	6	32	9	20.6	-4.2	1.15	0.3	0.2	0	25.8	23.2	0	96	88	0	36	34
2019	11	25	6	42	9	20.7	-3.8	1.15	0.3	0.2	0	26.2	23.6	0	98	90	0	37	35
2019	11	25	6	52	9	20.5	-4.3	1.15	0.3	0.2	0	26.2	23.6	0	98	90	0	37	35
2019	11	25	7	2	9	21	-3.5	1.15	0.3	0.2	0	26.2	22.8	0	97	88	0	36	35
2019	11	25	7	12	9	20.1	-4.2	1.149	0.3	0.2	0	25.4	23.2	0	96	88	0	37	34
2019	11	25	7	22	9	20.4	-4.3	1.15	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	25	7	32	9	20.5	-4	1.149	0.3	0.2	0	25.4	22.8	0	96	88	0	37	35
2019	11	25	7	42	9	20.9	-3.5	1.15	0.3	0.2	0	25.8	23.2	0	96	88	0	36	34
2019	11	25	7	52	9	20.7	-3.2	1.15	0.3	0.2	0	24.9	22.4	0	95	87	0	37	35
2019	11	25	8	2	9	20.4	-3.7	1.15	0.3	0.2	0	25.8	23.2	0	97	88	0	37	34
2019	11	25	8	12	9	19.3	-4.2	1.149	0.3	0.2	0	26.2	22.8	0	97	88	0	36	35
2019	11	25	8	22	9	20.5	-3.7	1.149	0.3	0.2	0	26.2	24.1	0	98	90	0	37	34
2019	11	25	8	32	9	20.6	-3.1	1.149	0.3	0.2	0	26.7	24.1	0	99	90	0	37	34
2019	11	25	8	42	9	18.7	-3.1	1.149	0.4	0.3	0	27.5	24.1	0	101	91	0	37	35
2019	11	25	8	52	9	18.9	-3.3	1.15	0.3	0.2	0	27.5	24.1	0	101	91	0	37	35
2019	11	25	9	2	9	19.5	-4.4	1.149	0.3	0.2	0	27.1	23.6	0	99	90	0	36	35
2019	11	25	9	12	9	21.9	-3.2	1.15	0.3	0.2	0	26.2	24.1	0	98	90	0	37	34
2019	11	25	9	22	9	22.6	-2.3	1.149	0.3	0.2	0	26.7	23.6	0	100	90	0	38	35
2019	11	25	9	32	9	22.3	-3	1.149	0.3	0.2	0	33.1	29.7	0	113	103	0	36	34
2019	11	25	9	42	9	20	-3.6	1.15	0.3	0.2	0	39.6	37	0	129	120	0	37	34
2019	11	25	9	52	9	21.1	-2.6	1.149	0.3	0.2	0	38.3	35.3	0	125	116	0	36	34
2019	11	25	10	2	9	21.4	-3.6	1.149	0.3	0.2	0	36.1	33.1	0	121	112	0	37	35
2019	11	25	10	12	9	20.6	-2.9	1.15	0.3	0.2	0	34.8	31.4	0	118	108	0	37	35
2019	11	25	10	22	9	21.4	-2.6	1.15	0.3	0.2	0	34	31.4	0	116	107	0	37	34
2019	11	25	10	32	9	22.7	-2.8	1.149	0.4	0.3	0	33.1	30.5	0	114	105	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	25	10	42	9	21.5	-2.9	1.151	0.3	0.2	0	34.4	30.5	0	116	106	0	36	35
2019	11	25	10	52	9	21.8	-3.5	1.149	0.3	0.2	0	35.7	33.1	0	120	111	0	37	34
2019	11	25	11	2	9	20.2	-3	1.149	0.3	0.2	0	38.3	35.7	0	126	117	0	37	34
2019	11	25	11	12	9	22.3	-2.8	1.15	0.3	0.2	0	40.4	37.4	0	131	122	0	37	35
2019	11	25	11	22	9	20.7	-2.6	1.151	0.3	0.2	0	41.7	39.1	0	134	125	0	37	34
2019	11	25	11	32	9	20.4	-3.2	1.149	0.3	0.2	0	44.3	40.9	0	139	129	0	36	34
2019	11	25	11	42	9	20	-3.1	1.149	0.3	0.2	0	46	42.6	0	144	134	0	37	35
2019	11	25	11	52	9	20.3	-2.3	1.149	0.3	0.2	0	46	43.9	0	144	136	0	37	34
2019	11	25	12	2	9	20.9	-3.8	1.148	0.3	0.2	0	46.4	43	0	145	135	0	37	35
2019	11	25	12	12	9	19.9	-2.5	1.149	0.4	0.3	0	46	43	0	144	135	0	37	35
2019	11	25	12	22	9	20.5	-3.1	1.146	0.3	0.2	0	45.6	43	0	143	135	0	37	35
2019	11	25	12	32	9	20.3	-2.6	1.148	0.3	0.2	0	46	42.6	0	143	134	0	36	35
2019	11	25	12	42	9	21.9	-2.7	1.148	0.4	0.3	0	45.2	41.7	0	141	132	0	36	35
2019	11	25	12	52	9	21.1	-2	1.148	0.3	0.2	0	43.9	41.3	0	139	130	0	37	34
2019	11	25	13	2	9	20.6	-2.7	1.148	0.3	0.2	0	43.4	40	0	137	128	0	36	35
2019	11	25	13	12	9	20.6	-2.7	1.149	0.3	0.2	0	43.4	40	0	137	128	0	36	35
2019	11	25	13	22	9	19	-2.5	1.148	0.3	0.2	0	43.4	40.4	0	137	128	0	36	34
2019	11	25	13	32	9	20	-2.1	1.149	0.3	0.2	0	43	39.6	0	136	127	0	36	35
2019	11	25	13	42	9	21.6	-2.6	1.149	0.4	0.3	0	42.1	39.1	0	135	126	0	37	35
2019	11	25	13	52	9	19.8	-2.6	1.149	0.3	0.2	0	42.1	38.7	0	134	125	0	36	35
2019	11	25	14	2	9	20.8	-3.3	1.148	0.4	0.3	0	41.3	37.8	0	133	123	0	37	35
2019	11	25	14	12	9	20.3	-2.8	1.148	0.3	0.2	0	40	37.4	0	130	121	0	37	34
2019	11	25	14	22	9	21.1	-2.9	1.149	0.3	0.2	0	39.1	36.5	0	128	119	0	37	34
2019	11	25	14	32	9	21.1	-2.3	1.149	0.4	0.3	0	38.3	35.3	0	126	117	0	37	35
2019	11	25	14	42	9	20.3	-1.6	1.148	0.3	0.2	0	37	34.4	0	123	115	0	37	35
2019	11	25	14	52	9	21.2	-3	1.149	0.3	0.2	0	36.5	34.4	0	122	114	0	37	34
2019	11	25	15	2	9	19.4	-1.8	1.149	0.4	0.3	0	36.5	33.1	0	121	112	0	36	35
2019	11	25	15	12	9	21.6	-3.4	1.149	0.3	0.2	0	35.7	32.7	0	119	110	0	36	34
2019	11	25	15	22	9	21.5	-2.2	1.149	0.5	0.4	0	34.8	31.8	0	118	108	0	37	34
2019	11	25	15	32	9	21.4	-3	1.149	0.3	0.2	0	34.4	31	0	116	106	0	36	34
2019	11	25	15	42	9	21	-3.1	1.149	0.4	0.3	0	33.5	30.5	0	115	106	0	37	35
2019	11	25	15	52	9	20.3	-3	1.149	0.3	0.2	0	32.3	29.7	0	113	103	0	38	34
2019	11	25	16	2	9	21.5	-2.7	1.149	0.3	0.2	0	31.4	28.8	0	110	101	0	37	34
2019	11	25	16	12	9	21.1	-3.4	1.149	0.3	0.2	0	31	28	0	109	99	0	37	34
2019	11	25	16	22	9	21.3	-2.9	1.148	0.3	0.2	0	30.5	27.1	0	108	98	0	37	35
2019	11	25	16	32	9	21.3	-2.8	1.148	0.3	0.2	0	30.5	27.1	0	108	97	0	37	34
2019	11	25	16	42	9	20.9	-2.4	1.148	0.3	0.2	0	30.1	26.7	0	107	97	0	37	35
2019	11	25	16	52	9	20.3	-2.5	1.148	0.3	0.2	0	30.1	27.1	0	107	97	0	37	34
2019	11	25	17	2	9	22.1	-3.6	1.148	0.3	0.2	0	30.1	26.2	0	107	96	0	37	35
2019	11	25	17	12	9	21.3	-2.8	1.147	0.3	0.2	0	30.1	27.1	0	107	97	0	37	34
2019	11	25	17	22	9	20.9	-3.2	1.147	0.3	0.2	0	30.1	27.1	0	106	97	0	36	34
2019	11	25	17	32	9	19.9	-3	1.147	0.3	0.2	0	30.5	27.1	0	107	97	0	36	34
2019	11	25	17	42	9	20.7	-3.1	1.146	0.3	0.2	0	29.2	27.1	0	106	97	0	38	34
2019	11	25	17	52	9	21.5	-2.8	1.147	0.3	0.2	0	29.2	26.2	0	105	96	0	37	35
2019	11	25	18	2	9	21.5	-3.7	1.146	0.3	0.2	0	29.2	26.7	0	105	96	0	37	34
2019	11	25	18	12	9	21.1	-3.1	1.145	0.3	0.2	0	30.1	26.2	0	106	96	0	36	35
2019	11	25	18	22	9	20.6	-3.3	1.145	0.3	0.2	0	29.7	26.7	0	105	96	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	25	18	32	9	20.8	-3.4	1.145	0.3	0.2	0	29.2	26.7	0	105	96	0	37	34
2019	11	25	18	42	9	21.4	-3.5	1.143	0.3	0.2	0	28.8	26.2	0	104	95	0	37	34
2019	11	25	18	52	9	19.8	-2.7	1.143	0.3	0.2	0	28.8	26.2	0	104	95	0	37	34
2019	11	25	19	2	9	20.5	-3.6	1.143	0.3	0.2	0	29.7	26.2	0	105	95	0	36	34
2019	11	25	19	12	9	20.6	-3	1.143	0.3	0.2	0	28.4	25.8	0	104	94	0	38	34
2019	11	25	19	22	9	20.9	-3.3	1.142	0.4	0.3	0	28.4	25.4	0	103	94	0	37	35
2019	11	25	19	32	9	19.8	-2.9	1.142	0.4	0.3	0	29.2	26.2	0	105	96	0	37	35
2019	11	25	19	42	9	20	-2.6	1.143	0.3	0.2	0	29.7	26.2	0	105	95	0	36	34
2019	11	25	19	52	9	22	-3.2	1.142	0.3	0.2	0	29.2	26.2	0	105	95	0	37	34
2019	11	25	20	2	9	20.5	-2.9	1.142	0.3	0.2	0	28.8	26.2	0	104	95	0	37	34
2019	11	25	20	12	9	20.3	-3.4	1.141	0.3	0.2	0	29.2	25.8	0	104	95	0	36	35
2019	11	25	20	22	9	19.6	-3.7	1.141	0.3	0.2	0	28.4	25.4	0	103	94	0	37	35
2019	11	25	20	32	9	21.2	-2.2	1.141	0.3	0.2	0	29.2	26.2	0	104	95	0	36	34
2019	11	25	20	42	9	19.6	-4	1.141	0.3	0.2	0	28.4	25.8	0	103	94	0	37	34
2019	11	25	20	52	9	20.6	-3.4	1.141	0.3	0.2	0	28.8	25.8	0	103	94	0	36	34
2019	11	25	21	2	9	21.3	-3.7	1.141	0.3	0.2	0	28	25.4	0	102	93	0	37	34
2019	11	25	21	12	9	19.8	-3.6	1.14	0.3	0.2	0	27.5	25.4	0	101	93	0	37	34
2019	11	25	21	22	9	21.5	-3.3	1.14	0.3	0.2	0	27.5	25.4	0	102	93	0	38	34
2019	11	25	21	32	9	20.4	-2.5	1.14	0.3	0.2	0	28.4	25.4	0	103	94	0	37	35
2019	11	25	21	42	9	20.9	-2.9	1.14	0.3	0.2	0	28	24.9	0	102	93	0	37	35
2019	11	25	21	52	9	21.5	-2.7	1.14	0.3	0.2	0	28.4	25.8	0	103	94	0	37	34
2019	11	25	22	2	9	21	-3.2	1.14	0.3	0.2	0	28	24.9	0	102	93	0	37	35
2019	11	25	22	12	9	19.9	-3.5	1.14	0.3	0.2	0	28	24.9	0	102	93	0	37	35
2019	11	25	22	22	9	20.7	-2.2	1.14	0.3	0.2	0	28.4	26.2	0	103	95	0	37	34
2019	11	25	22	32	9	20.2	-2.8	1.139	0.4	0.3	0	28	25.4	0	102	93	0	37	34
2019	11	25	22	42	9	20.9	-3.8	1.139	0.3	0.2	0	27.5	24.5	0	101	92	0	37	35
2019	11	25	22	52	9	20.1	-3.7	1.139	0.5	0.4	0	27.1	24.1	0	100	91	0	37	35
2019	11	25	23	2	9	21	-2.7	1.139	0.3	0.2	0	27.1	24.5	0	100	92	0	37	35
2019	11	25	23	12	9	21.9	-3.2	1.139	0.3	0.2	0	26.7	24.5	0	99	91	0	37	34
2019	11	25	23	22	9	20.3	-3.4	1.139	0.3	0.2	0	27.1	24.5	0	100	92	0	37	35
2019	11	25	23	32	9	20.6	-2.2	1.139	0.3	0.2	0	26.7	24.1	0	98	90	0	36	34
2019	11	25	23	42	9	21	-2.8	1.139	0.3	0.2	0	26.2	23.6	0	98	90	0	37	35
2019	11	25	23	52	9	21.2	-4.3	1.139	0.3	0.2	0	26.7	24.1	0	99	90	0	37	34
2019	11	26	0	2	9	21.7	-3	1.139	0.3	0.2	0	27.1	23.6	0	99	90	0	36	35
2019	11	26	0	12	9	20.6	-3.6	1.139	0.3	0.2	0	26.7	24.5	0	99	91	0	37	34
2019	11	26	0	22	9	19.9	-2.7	1.138	0.3	0.2	0	27.1	24.1	0	99	91	0	36	35
2019	11	26	0	32	9	21	-3.2	1.139	0.4	0.3	0	26.2	23.6	0	98	90	0	37	35
2019	11	26	0	42	9	21.2	-3.3	1.138	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	0	52	9	21.9	-3.1	1.139	0.4	0.3	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	1	2	9	21.6	-3.1	1.138	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	26	1	12	9	20.1	-3.4	1.138	0.3	0.2	0	26.7	24.1	0	99	90	0	37	34
2019	11	26	1	22	9	20.9	-3.5	1.138	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	1	32	9	20.8	-4.2	1.138	0.4	0.3	0	26.7	24.1	0	99	90	0	37	34
2019	11	26	1	42	9	19.2	-3.4	1.138	0.3	0.2	0	26.7	24.1	0	99	91	0	37	35
2019	11	26	1	52	9	19.3	-4.5	1.138	0.4	0.3	0	26.2	23.6	0	98	90	0	37	35
2019	11	26	2	2	9	19.6	-4	1.138	0.4	0.3	0	26.2	23.2	0	98	89	0	37	35
2019	11	26	2	12	9	20.5	-4.4	1.138	0.3	0.2	0	26.2	23.6	0	98	90	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	26	2	22	9	20.4	-3.3	1.138	0.3	0.2	0	26.2	24.1	0	98	90	0	37	34
2019	11	26	2	32	9	19.8	-4.2	1.138	0.3	0.2	0	26.7	24.5	0	99	91	0	37	34
2019	11	26	2	42	9	20.1	-3.1	1.138	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	2	52	9	20	-4	1.138	0.4	0.3	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	3	2	9	20.1	-3.7	1.138	0.5	0.4	0	27.1	23.6	0	99	90	0	36	35
2019	11	26	3	12	9	20.3	-3.6	1.138	0.3	0.2	0	25.8	23.2	0	98	89	0	38	35
2019	11	26	3	22	9	21.2	-3.4	1.138	0.3	0.2	0	26.7	23.6	0	98	89	0	36	34
2019	11	26	3	32	9	21.3	-3.6	1.138	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	26	3	42	9	19.5	-4.1	1.138	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	3	52	9	21.5	-3.6	1.138	0.3	0.2	0	25.8	23.6	0	97	89	0	37	34
2019	11	26	4	2	9	20.4	-3.1	1.137	0.3	0.2	0	26.7	23.2	0	98	89	0	36	35
2019	11	26	4	12	9	19.9	-3.7	1.138	0.3	0.2	0	25.8	23.6	0	97	89	0	37	34
2019	11	26	4	22	9	19.2	-3.7	1.138	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	26	4	32	9	19.8	-3.3	1.138	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	26	4	42	9	21.3	-4.3	1.137	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	26	4	52	9	20	-3.4	1.138	0.3	0.2	0	25.8	23.2	0	97	88	0	37	34
2019	11	26	5	2	9	20.6	-3.4	1.138	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	26	5	12	9	21.3	-2.5	1.137	0.4	0.3	0	26.2	23.6	0	98	89	0	37	34
2019	11	26	5	22	9	20.8	-2.9	1.138	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	26	5	32	9	19.8	-3.9	1.138	0.3	0.2	0	26.2	22.8	0	98	88	0	37	35
2019	11	26	5	42	9	19.3	-2.9	1.137	0.3	0.2	0	26.2	22.8	0	98	88	0	37	35
2019	11	26	5	52	9	20.2	-4	1.137	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	26	6	2	9	19.8	-4	1.137	0.3	0.2	0	25.8	23.2	0	97	88	0	37	34
2019	11	26	6	12	9	19.9	-3.9	1.137	0.3	0.2	0	25.8	23.6	0	97	89	0	37	34
2019	11	26	6	22	9	19.4	-4.8	1.137	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	26	6	32	9	20	-3.6	1.137	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	26	6	42	9	19.9	-3.6	1.137	0.4	0.3	0	25.4	23.2	0	97	88	0	38	34
2019	11	26	6	52	9	19.3	-3.6	1.137	0.4	0.3	0	25.8	22.8	0	97	88	0	37	35
2019	11	26	7	2	9	19.7	-3.5	1.137	0.3	0.2	0	26.2	23.2	0	98	88	0	37	34
2019	11	26	7	12	9	19.5	-3.5	1.137	0.3	0.2	0	25.4	22.8	0	96	88	0	37	35
2019	11	26	7	22	9	19.7	-4	1.137	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	26	7	32	9	19.7	-3.8	1.137	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	26	7	42	9	20.3	-4.3	1.137	0.3	0.2	0	26.2	22.8	0	97	88	0	36	35
2019	11	26	7	52	9	20.1	-3.9	1.137	0.3	0.2	0	25.4	22.8	0	97	88	0	38	35
2019	11	26	8	2	9	18.6	-4	1.137	0.3	0.2	0	25.8	23.2	0	97	88	0	37	34
2019	11	26	8	12	9	20.7	-4.6	1.137	0.3	0.2	0	25.4	22.4	0	96	86	0	37	34
2019	11	26	8	22	9	20	-4.1	1.137	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	26	8	32	9	20.2	-4	1.137	0.3	0.2	0	25.4	22.8	0	97	88	0	38	35
2019	11	26	8	42	9	20	-3.5	1.137	0.3	0.2	0	25.8	21.9	0	97	87	0	37	36
2019	11	26	8	52	9	19.8	-4.4	1.137	0.3	0.2	0	25.8	22.4	0	96	87	0	36	35
2019	11	26	9	2	9	19.4	-3.3	1.137	0.3	0.2	0	25.4	21.9	0	96	86	0	37	35
2019	11	26	9	12	9	19.3	-3.3	1.137	0.3	0.2	0	24.9	21.9	0	95	86	0	37	35
2019	11	26	9	22	9	19.6	-3.1	1.137	0.3	0.2	0	24.9	21.5	0	95	85	0	37	35
2019	11	26	9	32	9	19.9	-4.1	1.137	0.3	0.2	0	24.5	21.9	0	95	86	0	38	35
2019	11	26	9	42	9	20	-3.6	1.137	0.4	0.3	0	24.5	21.5	0	94	85	0	37	35
2019	11	26	9	52	9	19.4	-3.6	1.138	0.3	0.2	0	24.5	21.9	0	94	86	0	37	35
2019	11	26	10	2	9	19.2	-4.1	1.138	0.3	0.2	0	24.9	21.9	0	95	86	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	26	10	12	9	19.2	-3.3	1.137	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	26	10	22	9	19.3	-4.4	1.137	0.3	0.2	0	24.9	22.8	0	95	87	0	37	34
2019	11	26	10	32	9	18.8	-4.1	1.137	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	26	10	42	9	19.4	-4.6	1.138	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	26	10	52	9	19.2	-3.9	1.138	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	11	2	9	20.7	-3.8	1.138	0.3	0.2	0	28	24.9	0	102	93	0	37	35
2019	11	26	11	12	9	19.4	-3.7	1.137	0.3	0.2	0	28.8	26.7	0	105	97	0	38	35
2019	11	26	11	22	9	20.2	-3.7	1.137	0.3	0.2	0	29.2	26.2	0	104	95	0	36	34
2019	11	26	11	32	9	19	-3.7	1.137	0.3	0.2	0	28.8	25.4	0	103	94	0	36	35
2019	11	26	11	42	9	19.4	-3.8	1.137	0.4	0.3	0	27.1	24.1	0	100	91	0	37	35
2019	11	26	11	52	9	19.5	-3.3	1.137	0.3	0.2	0	27.1	24.5	0	100	91	0	37	34
2019	11	26	12	2	9	19.4	-4	1.137	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	12	12	9	19	-4.4	1.137	0.3	0.2	0	26.2	23.2	0	97	89	0	36	35
2019	11	26	12	22	9	20	-3.9	1.137	0.3	0.2	0	27.1	24.1	0	100	91	0	37	35
2019	11	26	12	32	9	19.7	-3.2	1.137	0.4	0.3	0	36.5	34	0	121	114	0	36	35
2019	11	26	12	42	9	19.9	-4	1.137	0.3	0.2	0	33.1	29.7	0	113	104	0	36	35
2019	11	26	12	52	9	18.9	-3.3	1.137	0.4	0.3	0	29.2	26.7	0	105	96	0	37	34
2019	11	26	13	2	9	19.3	-3.9	1.138	0.3	0.2	0	27.1	25.4	0	101	93	0	38	34
2019	11	26	13	12	9	17.5	-3.3	1.137	0.3	0.2	0	28.4	25.4	0	102	94	0	36	35
2019	11	26	13	22	9	19.4	-4	1.137	0.3	0.2	0	28.8	26.2	0	104	95	0	37	34
2019	11	26	13	32	9	18.5	-3.1	1.137	0.3	0.2	0	28.8	25.8	0	104	95	0	37	35
2019	11	26	13	42	9	19.6	-3.7	1.137	0.3	0.2	0	28	24.9	0	102	93	0	37	35
2019	11	26	13	52	9	19.2	-3.7	1.137	0.3	0.2	0	28	24.5	0	101	92	0	36	35
2019	11	26	14	2	9	18.7	-3.4	1.138	0.3	0.2	0	27.5	24.9	0	101	92	0	37	34
2019	11	26	14	12	9	19.1	-3.2	1.138	0.3	0.2	0	26.7	24.5	0	100	91	0	38	34
2019	11	26	14	22	9	19.4	-3.5	1.137	0.3	0.2	0	27.1	23.6	0	100	90	0	37	35
2019	11	26	14	32	9	18.9	-3.3	1.137	0.3	0.2	0	27.1	24.5	0	100	91	0	37	34
2019	11	26	14	42	9	18.2	-4.2	1.138	0.3	0.2	0	27.1	23.6	0	100	90	0	37	35
2019	11	26	14	52	9	18.8	-3.4	1.137	0.3	0.2	0	27.1	23.6	0	99	90	0	36	35
2019	11	26	15	2	9	19.1	-3.3	1.138	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	26	15	12	9	18.9	-4	1.137	0.3	0.2	0	27.1	23.6	0	99	90	0	36	35
2019	11	26	15	22	9	19.1	-4.5	1.137	0.3	0.2	0	28	25.4	0	102	93	0	37	34
2019	11	26	15	32	9	19.1	-2.8	1.137	0.4	0.3	0	26.7	24.1	0	99	90	0	37	34
2019	11	26	15	42	9	19.6	-3.3	1.137	0.3	0.2	0	26.7	23.6	0	98	90	0	36	35
2019	11	26	15	52	9	18.8	-4	1.137	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	16	2	9	19.8	-3.9	1.137	0.3	0.2	0	27.5	24.9	0	101	93	0	37	35
2019	11	26	16	12	9	20.5	-3.6	1.137	0.3	0.2	0	28	24.9	0	102	93	0	37	35
2019	11	26	16	22	9	19.3	-3.7	1.138	0.3	0.2	0	27.1	24.5	0	100	92	0	37	35
2019	11	26	16	32	9	19.2	-3.3	1.138	0.3	0.2	0	26.2	23.6	0	99	90	0	38	35
2019	11	26	16	42	9	20.1	-2.7	1.138	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	26	16	52	9	20.4	-4.4	1.138	0.4	0.3	0	25.8	22.8	0	97	88	0	37	35
2019	11	26	17	2	9	20.1	-2.7	1.137	0.4	0.3	0	26.2	23.2	0	98	89	0	37	35
2019	11	26	17	12	9	20	-3.7	1.138	0.4	0.3	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	17	22	9	19.1	-4.6	1.138	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	17	32	9	19.2	-3.6	1.137	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	26	17	42	9	19.6	-3	1.138	0.3	0.2	0	27.1	24.1	0	100	91	0	37	35
2019	11	26	17	52	9	19.4	-3.8	1.137	0.3	0.2	0	26.7	24.1	0	99	91	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	26	18	2	9	18.9	-4.8	1.137	0.3	0.2	0	27.1	24.1	0	100	91	0	37	35
2019	11	26	18	12	9	18.8	-3.3	1.137	0.3	0.2	0	27.1	24.1	0	100	91	0	37	35
2019	11	26	18	22	9	19.6	-3.7	1.136	0.3	0.2	0	27.1	24.5	0	100	91	0	37	34
2019	11	26	18	32	9	18.8	-3.7	1.137	0.3	0.2	0	27.1	24.1	0	100	91	0	37	35
2019	11	26	18	42	9	18.9	-2.8	1.137	0.4	0.3	0	27.1	24.5	0	101	91	0	38	34
2019	11	26	18	52	9	19.4	-4.5	1.137	0.3	0.2	0	27.1	24.1	0	100	91	0	37	35
2019	11	26	19	2	9	19.6	-3.2	1.137	0.3	0.2	0	27.1	24.1	0	100	91	0	37	35
2019	11	26	19	12	9	20.6	-2.4	1.138	0.3	0.2	0	27.5	25.4	0	101	93	0	37	34
2019	11	26	19	22	9	20.8	-3.4	1.137	0.3	0.2	0	26.2	23.6	0	99	90	0	38	35
2019	11	26	19	32	9	20.7	-3.5	1.137	0.3	0.2	0	27.1	24.1	0	99	90	0	36	34
2019	11	26	19	42	9	20.1	-1.5	1.137	0.3	0.2	0	27.1	24.9	0	100	92	0	37	34
2019	11	26	19	52	9	20.4	-3.1	1.137	0.3	0.2	0	32.3	29.7	0	112	103	0	37	34
2019	11	26	20	2	9	20.1	-3.3	1.137	0.4	0.3	0	28	25.4	0	102	93	0	37	34
2019	11	26	20	12	9	19.8	-3.1	1.137	0.3	0.2	0	27.5	24.5	0	100	92	0	36	35
2019	11	26	20	22	9	20.4	-3	1.137	0.4	0.3	0	27.1	24.5	0	99	92	0	36	35
2019	11	26	20	32	9	19.6	-3.5	1.137	0.3	0.2	0	30.5	28	0	108	100	0	37	35
2019	11	26	20	42	9	19.2	-3	1.136	0.3	0.2	0	28	24.9	0	102	93	0	37	35
2019	11	26	20	52	9	20.3	-2.9	1.136	0.4	0.3	0	27.1	24.5	0	100	92	0	37	35
2019	11	26	21	2	9	19.2	-4	1.137	0.3	0.2	0	26.7	24.5	0	99	91	0	37	34
2019	11	26	21	12	9	18.4	-3	1.136	0.3	0.2	0	27.1	24.5	0	101	92	0	38	35
2019	11	26	21	22	9	19.2	-3.6	1.136	0.3	0.2	0	29.2	26.7	0	105	96	0	37	34
2019	11	26	21	32	9	18.8	-2.8	1.136	0.3	0.2	0	29.2	25.8	0	104	95	0	36	35
2019	11	26	21	42	9	17.4	-4.1	1.135	0.3	0.2	0	29.2	25.8	0	104	94	0	36	34
2019	11	26	21	52	9	19	-3.9	1.135	0.3	0.2	0	30.1	27.1	0	107	98	0	37	35
2019	11	26	22	2	9	18.8	-3.3	1.135	0.3	0.2	0	30.5	27.5	0	108	98	0	37	34
2019	11	26	22	12	9	17.8	-4	1.136	0.3	0.2	0	30.1	27.5	0	107	98	0	37	34
2019	11	26	22	22	9	19.6	-4.2	1.136	0.3	0.2	0	30.5	27.1	0	108	98	0	37	35
2019	11	26	22	32	9	18.8	-3.4	1.135	0.3	0.2	0	30.5	27.5	0	108	99	0	37	35
2019	11	26	22	42	9	18.1	-3	1.135	0.3	0.2	0	31	28.4	0	109	100	0	37	34
2019	11	26	22	52	9	18.3	-2.4	1.136	0.3	0.2	0	32.3	29.2	0	112	103	0	37	35
2019	11	26	23	2	9	19	-3.1	1.135	0.3	0.2	0	33.1	30.1	0	114	105	0	37	35
2019	11	26	23	12	9	18.9	-4	1.136	0.3	0.2	0	31.8	28.8	0	111	101	0	37	34
2019	11	26	23	22	9	18.4	-3.3	1.136	0.4	0.3	0	30.5	27.1	0	108	98	0	37	35
2019	11	26	23	32	9	19.8	-4	1.136	0.3	0.2	0	29.2	26.2	0	105	96	0	37	35
2019	11	26	23	42	9	19.6	-3.7	1.136	0.3	0.2	0	28	25.4	0	102	94	0	37	35
2019	11	26	23	52	9	19.7	-3.5	1.136	0.3	0.2	0	28.4	24.9	0	103	93	0	37	35
2019	11	27	0	2	9	18.5	-3.1	1.136	0.3	0.2	0	28.4	24.9	0	103	93	0	37	35
2019	11	27	0	12	9	17.8	-3.5	1.135	0.3	0.2	0	28	25.4	0	103	94	0	38	35
2019	11	27	0	22	9	19.1	-2.8	1.135	0.4	0.3	0	31.4	28.4	0	110	101	0	37	35
2019	11	27	0	32	9	19.9	-2.2	1.134	0.3	0.2	0	36.5	34.4	0	123	114	0	38	34
2019	11	27	0	42	9	19.5	-2.9	1.135	0.3	0.2	0	40.4	38.3	0	132	123	0	38	34
2019	11	27	0	52	9	19.7	-2.7	1.133	0.3	0.2	0	43	40.4	0	137	128	0	37	34
2019	11	27	1	2	9	19.9	-3.2	1.135	0.3	0.2	0	43	40.4	0	137	128	0	37	34
2019	11	27	1	12	9	19.4	-2.1	1.135	0.4	0.3	0	42.6	39.6	0	135	126	0	36	34
2019	11	27	1	22	9	20.2	-3.2	1.135	0.3	0.2	0	40.4	37.4	0	131	122	0	37	35
2019	11	27	1	32	9	19.5	-2.9	1.136	0.4	0.3	0	38.7	36.1	0	127	119	0	37	35
2019	11	27	1	42	9	19.7	-3	1.135	0.3	0.2	0	37.4	34.8	0	124	116	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	27	1	52	9	18.7	-2.8	1.136	0.4	0.3	0	36.5	34	0	122	113	0	37	34
2019	11	27	2	2	9	19	-3.1	1.135	0.4	0.3	0	36.1	34	0	122	114	0	38	35
2019	11	27	2	12	9	19.3	-1.8	1.136	0.3	0.2	0	37.8	34.8	0	125	116	0	37	35
2019	11	27	2	22	9	18.3	-3.1	1.135	0.3	0.2	0	37	34.4	0	123	114	0	37	34
2019	11	27	2	32	9	20.2	-2.5	1.136	0.5	0.4	0	35.3	32.3	0	119	110	0	37	35
2019	11	27	2	42	9	19.4	-2.4	1.136	0.3	0.2	0	34.8	31.8	0	118	109	0	37	35
2019	11	27	2	52	9	19.1	-2.5	1.135	0.3	0.2	0	34	31.4	0	116	108	0	37	35
2019	11	27	3	2	9	19.1	-1.2	1.135	0.3	0.2	0	34	31.4	0	116	107	0	37	34
2019	11	27	3	12	9	19.1	-3.3	1.136	0.4	0.3	0	33.1	30.5	0	114	106	0	37	35
2019	11	27	3	22	9	17.8	-3.7	1.135	0.4	0.3	0	34.4	31.8	0	117	108	0	37	34
2019	11	27	3	32	9	20	-2.8	1.135	0.3	0.2	0	34.8	32.3	0	118	109	0	37	34
2019	11	27	3	42	9	19.1	-1.7	1.135	0.4	0.3	0	35.7	33.1	0	120	111	0	37	34
2019	11	27	3	52	9	19.1	-2.6	1.135	0.3	0.2	0	34	31.8	0	117	109	0	38	35
2019	11	27	4	2	9	19.5	-2.3	1.136	0.5	0.4	0	32.7	30.5	0	113	105	0	37	34
2019	11	27	4	12	9	18.3	-1.7	1.136	0.3	0.2	0	31.4	28.4	0	110	101	0	37	35
2019	11	27	4	22	9	18.7	-2.6	1.137	0.3	0.2	0	31.4	28.4	0	110	101	0	37	35
2019	11	27	4	32	9	18.8	-2.9	1.135	0.3	0.2	0	30.5	27.1	0	108	98	0	37	35
2019	11	27	4	42	9	19.9	-2.8	1.135	0.3	0.2	0	29.7	27.1	0	106	97	0	37	34
2019	11	27	4	52	9	18.6	-3.8	1.136	0.3	0.2	0	30.1	26.7	0	107	97	0	37	35
2019	11	27	5	2	9	18.5	-3.1	1.135	0.3	0.2	0	29.2	26.2	0	105	96	0	37	35
2019	11	27	5	12	9	18.6	-3.5	1.135	0.3	0.2	0	29.2	25.8	0	104	95	0	36	35
2019	11	27	5	22	9	18	-3.1	1.135	0.3	0.2	0	28.8	26.2	0	104	95	0	37	34
2019	11	27	5	32	9	19	-3.6	1.135	0.3	0.2	0	28.8	25.8	0	104	94	0	37	34
2019	11	27	5	42	9	19	-3.7	1.135	0.3	0.2	0	27.5	24.9	0	102	93	0	38	35
2019	11	27	5	52	9	18.2	-3.1	1.135	0.3	0.2	0	27.1	24.5	0	101	92	0	38	35
2019	11	27	6	2	9	20.1	-3.3	1.135	0.5	0.4	0	27.5	24.5	0	101	92	0	37	35
2019	11	27	6	12	9	20.2	-3	1.135	0.4	0.3	0	27.5	24.5	0	101	91	0	37	34
2019	11	27	6	22	9	19.1	-3.5	1.135	0.3	0.2	0	27.5	24.1	0	101	91	0	37	35
2019	11	27	6	32	9	19.5	-3.5	1.135	0.3	0.2	0	27.1	23.6	0	100	90	0	37	35
2019	11	27	6	42	9	19.8	-3.4	1.134	0.5	0.4	0	28	24.1	0	101	91	0	36	35
2019	11	27	6	52	9	19	-3.1	1.134	0.3	0.2	0	27.1	24.1	0	101	91	0	38	35
2019	11	27	7	2	9	17.8	-4.1	1.134	0.3	0.2	0	27.5	24.1	0	101	91	0	37	35
2019	11	27	7	12	9	17.9	-2.6	1.134	0.3	0.2	0	27.5	24.5	0	101	92	0	37	35
2019	11	27	7	22	9	19	-2.9	1.135	0.3	0.2	0	27.1	24.5	0	101	91	0	38	34
2019	11	27	7	32	9	19	-3.1	1.134	0.3	0.2	0	27.5	24.9	0	101	93	0	37	35
2019	11	27	7	42	9	19.1	-4.1	1.134	0.3	0.2	0	27.1	24.1	0	100	91	0	37	35
2019	11	27	7	52	9	19.2	-4.1	1.134	0.3	0.2	0	26.7	23.6	0	99	89	0	37	34
2019	11	27	8	2	9	17.9	-3.8	1.134	0.4	0.3	0	26.7	23.6	0	99	90	0	37	35
2019	11	27	8	12	9	19.2	-3.8	1.135	0.4	0.3	0	25.8	22.8	0	97	88	0	37	35
2019	11	27	8	22	9	18.7	-3.7	1.133	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	27	8	32	9	18.7	-3.7	1.134	0.4	0.3	0	25.8	23.6	0	98	89	0	38	34
2019	11	27	8	42	9	19.2	-3.7	1.135	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	27	8	52	9	18.7	-4.8	1.135	0.3	0.2	0	25.4	22.4	0	97	87	0	38	35
2019	11	27	9	2	9	18.9	-4.1	1.134	0.3	0.2	0	24.9	22.4	0	96	87	0	38	35
2019	11	27	9	12	9	18.9	-4.1	1.134	0.3	0.2	0	25.4	22.4	0	96	86	0	37	34
2019	11	27	9	22	9	18.7	-3	1.134	0.5	0.4	0	26.2	22.4	0	97	87	0	36	35
2019	11	27	9	32	9	19.1	-4.1	1.134	0.3	0.2	0	25.8	23.2	0	97	88	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	27	9	42	9	18.3	-2.9	1.135	0.3	0.2	0	25.4	22.8	0	96	87	0	37	34
2019	11	27	9	52	9	18.5	-3.6	1.134	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	27	10	2	9	17.7	-3.4	1.133	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	27	10	12	9	17.3	-3.2	1.134	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	27	10	22	9	18.2	-3.7	1.134	0.4	0.3	0	26.7	23.6	0	99	90	0	37	35
2019	11	27	10	32	9	17.5	-2.7	1.134	0.3	0.2	0	26.2	23.6	0	98	90	0	37	35
2019	11	27	10	42	9	18.8	-4.3	1.134	0.4	0.3	0	26.2	23.2	0	98	89	0	37	35
2019	11	27	10	52	9	18.6	-3	1.134	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	27	11	2	9	18.9	-3.7	1.133	0.3	0.2	0	27.1	24.1	0	100	91	0	37	35
2019	11	27	11	12	9	17.6	-3.3	1.134	0.3	0.2	0	26.7	24.1	0	99	90	0	37	34
2019	11	27	11	22	9	18.6	-3.2	1.134	0.3	0.2	0	26.2	24.5	0	99	91	0	38	34
2019	11	27	11	32	9	18.4	-2.9	1.134	0.4	0.3	0	26.7	23.6	0	100	90	0	38	35
2019	11	27	11	42	9	17.7	-3.6	1.134	0.3	0.2	0	27.1	24.5	0	101	92	0	38	35
2019	11	27	11	52	9	18	-3.3	1.134	0.3	0.2	0	27.5	24.1	0	101	91	0	37	35
2019	11	27	12	2	9	19.2	-3.6	1.133	0.4	0.3	0	27.1	24.1	0	100	90	0	37	34
2019	11	27	12	12	9	18.2	-2.9	1.134	0.4	0.3	0	26.7	24.1	0	99	90	0	37	34
2019	11	27	12	22	9	18.8	-3.3	1.133	0.4	0.3	0	25.8	23.6	0	98	89	0	38	34
2019	11	27	12	32	9	18.8	-4.4	1.134	0.4	0.3	0	26.2	23.2	0	98	88	0	37	34
2019	11	27	12	42	9	18.4	-4.3	1.133	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	27	12	52	9	19.1	-3.3	1.134	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	27	13	2	9	19.2	-3.6	1.134	0.4	0.3	0	26.2	23.2	0	98	89	0	37	35
2019	11	27	13	12	9	18.4	-3.5	1.133	0.3	0.2	0	26.7	24.1	0	99	90	0	37	34
2019	11	27	13	22	9	18.5	-4.1	1.134	0.4	0.3	0	28.4	25.4	0	102	93	0	36	34
2019	11	27	13	32	9	18.8	-3.4	1.134	0.4	0.3	0	28.8	25.8	0	104	95	0	37	35
2019	11	27	13	42	9	18	-2.7	1.134	0.3	0.2	0	28.8	25.8	0	104	95	0	37	35
2019	11	27	13	52	9	18.3	-4.1	1.133	0.3	0.2	0	29.2	25.8	0	104	95	0	36	35
2019	11	27	14	2	9	18.6	-3.5	1.133	0.4	0.3	0	29.2	26.2	0	105	96	0	37	35
2019	11	27	14	12	9	19	-3.7	1.134	0.3	0.2	0	27.5	24.9	0	102	93	0	38	35
2019	11	27	14	22	9	18.2	-4.2	1.134	0.3	0.2	0	26.7	23.6	0	100	90	0	38	35
2019	11	27	14	32	9	19	-4.1	1.134	0.4	0.3	0	26.2	23.6	0	98	89	0	37	34
2019	11	27	14	42	9	19.6	-3.7	1.134	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	27	14	52	9	19.5	-3.4	1.134	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	27	15	2	9	18.7	-3.4	1.133	0.4	0.3	0	25.8	22.8	0	97	88	0	37	35
2019	11	27	15	12	9	18.1	-3.2	1.133	0.3	0.2	0	25.8	23.2	0	98	88	0	38	34
2019	11	27	15	22	9	19.1	-3.2	1.134	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	27	15	32	9	19.5	-4	1.133	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	27	15	42	9	18.4	-3.1	1.134	0.3	0.2	0	26.7	23.6	0	99	89	0	37	34
2019	11	27	15	52	9	19.7	-4.3	1.134	0.3	0.2	0	27.1	23.2	0	99	89	0	36	35
2019	11	27	16	2	9	19.8	-3.4	1.134	0.3	0.2	0	26.7	23.2	0	98	88	0	36	34
2019	11	27	16	12	9	18.8	-4.5	1.133	0.3	0.2	0	26.2	22.8	0	98	88	0	37	35
2019	11	27	16	22	9	19.6	-3.8	1.133	0.3	0.2	0	25.8	22.8	0	97	87	0	37	34
2019	11	27	16	32	9	18	-4.5	1.133	0.3	0.2	0	26.2	22.4	0	97	87	0	36	35
2019	11	27	16	42	9	19	-3.4	1.133	0.4	0.3	0	26.2	22.8	0	98	88	0	37	35
2019	11	27	16	52	9	18.8	-3	1.132	0.3	0.2	0	26.7	22.8	0	98	88	0	36	35
2019	11	27	17	2	9	19.7	-3.8	1.133	0.3	0.2	0	25.8	23.2	0	97	88	0	37	34
2019	11	27	17	12	9	18.8	-3.9	1.133	0.3	0.2	0	28.4	24.9	0	103	93	0	37	35
2019	11	27	17	22	9	18.1	-3.8	1.132	0.3	0.2	0	28	24.5	0	101	91	0	36	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	27	17	32	9	19.9	-4	1.133	0.3	0.2	0	27.5	24.1	0	101	91	0	37	35
2019	11	27	17	42	9	19.1	-3.3	1.133	0.3	0.2	0	27.5	24.1	0	101	91	0	37	35
2019	11	27	17	52	9	20.4	-3.7	1.134	0.3	0.2	0	27.1	23.6	0	99	90	0	36	35
2019	11	27	18	2	9	19.4	-3.5	1.133	0.4	0.3	0	26.7	23.2	0	99	89	0	37	35
2019	11	27	18	12	9	19.6	-3.6	1.134	0.3	0.2	0	26.7	23.6	0	99	89	0	37	34
2019	11	27	18	22	9	20	-3.3	1.134	0.5	0.5	0	26.7	23.2	0	99	89	0	37	35
2019	11	27	18	32	9	20	-3.4	1.134	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	27	18	42	9	19.2	-2.6	1.134	0.3	0.2	0	26.7	23.6	0	98	89	0	36	34
2019	11	27	18	52	9	20.4	-4.5	1.133	0.3	0.2	0	26.7	23.2	0	98	89	0	36	35
2019	11	27	19	2	9	19.2	-3.7	1.133	0.3	0.2	0	26.7	24.1	0	99	90	0	37	34
2019	11	27	19	12	9	17	-4	1.132	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	27	19	22	9	19.2	-3.4	1.132	0.4	0.3	0	26.7	23.2	0	99	89	0	37	35
2019	11	27	19	32	9	19.6	-3.3	1.132	0.3	0.2	0	26.7	23.6	0	99	90	0	37	35
2019	11	27	19	42	9	18.2	-2.4	1.132	0.4	0.3	0	27.1	24.1	0	100	90	0	37	34
2019	11	27	19	52	9	18.3	-2.9	1.132	0.3	0.2	0	26.7	24.1	0	100	90	0	38	34
2019	11	27	20	2	9	19.1	-3.9	1.132	0.4	0.3	0	27.1	23.6	0	100	90	0	37	35
2019	11	27	20	12	9	18.5	-3.6	1.132	0.5	0.4	0	26.2	22.8	0	98	88	0	37	35
2019	11	27	20	22	9	18.8	-4.4	1.132	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	27	20	32	9	18.4	-4.1	1.132	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	27	20	42	9	19.7	-3.6	1.132	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	27	20	52	9	20.2	-3.6	1.133	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	27	21	2	9	20.1	-4.4	1.133	0.4	0.3	0	25.8	22.8	0	97	88	0	37	35
2019	11	27	21	12	9	19.6	-3.2	1.134	0.4	0.3	0	25.8	22.8	0	97	87	0	37	34
2019	11	27	21	22	9	19.1	-3.6	1.134	0.4	0.3	0	26.2	22.4	0	97	87	0	36	35
2019	11	27	21	32	9	20.3	-3.8	1.134	0.3	0.2	0	25.4	23.2	0	97	88	0	38	34
2019	11	27	21	42	9	20.6	-3.9	1.133	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	27	21	52	9	20.5	-4.1	1.134	0.3	0.2	0	25.8	22.8	0	97	87	0	37	34
2019	11	27	22	2	9	19.9	-3.6	1.134	0.5	0.4	0	25.8	22.8	0	97	88	0	37	35
2019	11	27	22	12	9	21.2	-3.6	1.134	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	27	22	22	9	20.1	-3.6	1.134	0.5	0.4	0	25.8	22.4	0	97	87	0	37	35
2019	11	27	22	32	9	19.2	-2.7	1.134	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	27	22	42	9	19.5	-2.7	1.134	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	27	22	52	9	19.9	-3.6	1.134	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	27	23	2	9	18.7	-2.9	1.134	0.3	0.2	0	25.4	22.4	0	97	87	0	38	35
2019	11	27	23	12	9	18.5	-3.6	1.132	0.4	0.3	0	25.8	22.4	0	97	87	0	37	35
2019	11	27	23	22	9	18.6	-4.1	1.132	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	27	23	32	9	18.4	-3.5	1.132	0.3	0.2	0	26.2	22.4	0	97	87	0	36	35
2019	11	27	23	42	9	18.6	-3.8	1.132	0.5	0.4	0	25.4	22.4	0	96	87	0	37	35
2019	11	27	23	52	9	19.2	-4.6	1.131	0.4	0.3	0	26.2	23.2	0	98	89	0	37	35
2019	11	28	0	2	9	19.8	-3.9	1.133	0.3	0.2	0	26.7	23.6	0	99	89	0	37	34
2019	11	28	0	12	9	20.4	-3.4	1.134	0.3	0.2	0	26.7	24.1	0	99	90	0	37	34
2019	11	28	0	22	9	19.6	-3.9	1.134	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	28	0	32	9	19.9	-3.6	1.134	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	28	0	42	9	18.6	-3.3	1.134	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	28	0	52	9	19	-4	1.134	0.3	0.2	0	25.8	23.2	0	97	88	0	37	34
2019	11	28	1	2	9	20.3	-3.6	1.134	0.3	0.2	0	24.9	22.4	0	96	86	0	38	34
2019	11	28	1	12	9	19.3	-2.8	1.133	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	28	1	22	9	19.4	-4.5	1.132	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	28	1	32	9	18.5	-3.1	1.133	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	28	1	42	9	19.2	-3.8	1.132	0.3	0.2	0	25.8	21.9	0	96	86	0	36	35
2019	11	28	1	52	9	18.9	-3.5	1.132	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	28	2	2	9	19.1	-4.1	1.132	0.4	0.3	0	25.8	22.4	0	97	87	0	37	35
2019	11	28	2	12	9	19	-3.9	1.132	0.5	0.4	0	25.8	22.4	0	97	87	0	37	35
2019	11	28	2	22	9	18.6	-3.5	1.133	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	28	2	32	9	18.9	-3.8	1.132	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	28	2	42	9	19.2	-2.8	1.133	0.3	0.2	0	25.4	22.8	0	96	87	0	37	34
2019	11	28	2	52	9	18.8	-4	1.132	0.3	0.2	0	24.9	21.9	0	96	86	0	38	35
2019	11	28	3	2	9	18.9	-3.5	1.132	0.3	0.2	0	24.9	21.9	0	96	86	0	38	35
2019	11	28	3	12	9	18.6	-3.3	1.132	0.3	0.2	0	25.4	22.4	0	96	86	0	37	34
2019	11	28	3	22	9	18.6	-3.8	1.131	0.4	0.3	0	25.4	22.8	0	96	87	0	37	34
2019	11	28	3	32	9	18.4	-4	1.132	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	28	3	42	9	18.8	-3.9	1.133	0.3	0.2	0	25.4	22.4	0	96	86	0	37	34
2019	11	28	3	52	9	19.4	-3.8	1.132	0.3	0.2	0	25.4	21.9	0	96	86	0	37	35
2019	11	28	4	2	9	19.6	-4.4	1.133	0.3	0.2	0	24.9	21.5	0	95	85	0	37	35
2019	11	28	4	12	9	19.4	-3.7	1.134	0.3	0.2	0	24.9	21.9	0	95	86	0	37	35
2019	11	28	4	22	9	19.1	-3.4	1.133	0.3	0.2	0	24.9	22.4	0	96	87	0	38	35
2019	11	28	4	32	9	18.7	-4.3	1.132	0.3	0.2	0	25.4	21.9	0	96	86	0	37	35
2019	11	28	4	42	9	20.2	-4.1	1.133	0.4	0.3	0	24.9	21.9	0	95	86	0	37	35
2019	11	28	4	52	9	19.9	-4.7	1.133	0.3	0.2	0	25.4	21.9	0	96	86	0	37	35
2019	11	28	5	2	9	18.4	-3	1.133	0.4	0.3	0	25.4	22.4	0	96	86	0	37	34
2019	11	28	5	12	9	19	-4.1	1.132	0.3	0.2	0	25.4	21.9	0	96	85	0	37	34
2019	11	28	5	22	9	18.8	-3.6	1.133	0.3	0.2	0	24.9	22.4	0	96	87	0	38	35
2019	11	28	5	32	9	18.7	-3.7	1.133	0.3	0.2	0	25.4	22.4	0	96	86	0	37	34
2019	11	28	5	42	9	20.6	-3.5	1.134	0.3	0.2	0	25.4	21.9	0	96	86	0	37	35
2019	11	28	5	52	9	19.8	-3.6	1.134	0.3	0.2	0	25.4	22.4	0	96	86	0	37	34
2019	11	28	6	2	9	21.1	-2.7	1.134	0.3	0.2	0	24.9	21.9	0	96	86	0	38	35
2019	11	28	6	12	9	19	-4.2	1.134	0.4	0.3	0	25.8	21.5	0	96	86	0	36	36
2019	11	28	6	22	9	18.7	-2.7	1.134	0.5	0.4	0	24.5	21.9	0	95	86	0	38	35
2019	11	28	6	32	9	19.1	-3.2	1.134	0.4	0.3	0	25.4	22.4	0	96	86	0	37	34
2019	11	28	6	42	9	19.7	-3.6	1.134	0.3	0.2	0	24.9	21.9	0	95	86	0	37	35
2019	11	28	6	52	9	20.1	-4.6	1.134	0.3	0.2	0	24.9	21.9	0	95	85	0	37	34
2019	11	28	7	2	9	18.7	-3.7	1.133	0.3	0.2	0	28	24.9	0	102	93	0	37	35
2019	11	28	7	12	9	19	-4	1.133	0.3	0.2	0	28.4	25.4	0	104	94	0	38	35
2019	11	28	7	22	9	19.5	-4.3	1.134	0.3	0.2	0	28.4	25.4	0	103	94	0	37	35
2019	11	28	7	32	9	20.4	-2.9	1.134	0.4	0.3	0	31.4	29.2	0	110	102	0	37	34
2019	11	28	7	42	9	19.4	-3.2	1.134	0.3	0.2	0	31.8	28.8	0	111	102	0	37	35
2019	11	28	7	52	9	20.1	-3.4	1.134	0.3	0.2	0	34.4	31.8	0	117	108	0	37	34
2019	11	28	8	2	9	19.4	-3	1.134	0.3	0.2	0	30.5	27.1	0	108	98	0	37	35
2019	11	28	8	12	9	19.9	-3.1	1.134	0.3	0.2	0	30.5	27.5	0	108	98	0	37	34
2019	11	28	8	22	9	19.2	-2.5	1.134	0.3	0.2	0	30.5	27.5	0	108	99	0	37	35
2019	11	28	8	32	9	19.2	-2.8	1.134	0.3	0.2	0	32.3	30.1	0	112	104	0	37	34
2019	11	28	8	42	9	19.9	-4.2	1.134	0.4	0.3	0	32.3	30.1	0	112	105	0	37	35
2019	11	28	8	52	9	19.9	-3.1	1.134	0.4	0.3	0	36.1	33.1	0	121	112	0	37	35
2019	11	28	9	2	9	19.8	-2.8	1.134	0.4	0.3	0	33.5	30.5	0	115	106	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	28	9	12	9	19.6	-3.1	1.134	0.3	0.2	0	34.8	32.7	0	118	110	0	37	34
2019	11	28	9	22	9	19.2	-2.5	1.134	0.3	0.2	0	31.8	30.1	0	112	105	0	38	35
2019	11	28	9	32	9	20.2	-3.5	1.134	0.3	0.2	0	37	34.8	0	123	115	0	37	34
2019	11	28	9	42	9	19.8	-2.8	1.134	0.3	0.2	0	35.7	32.7	0	120	111	0	37	35
2019	11	28	9	52	9	20.6	-2.8	1.134	0.3	0.2	0	36.5	33.5	0	122	112	0	37	34
2019	11	28	10	2	9	19.8	-3.6	1.134	0.3	0.2	0	34.4	32.3	0	117	109	0	37	34
2019	11	28	10	12	9	20.5	-2.8	1.134	0.3	0.2	0	31.4	28.8	0	111	102	0	38	35
2019	11	28	10	22	9	21	-4	1.135	0.3	0.2	0	31	28.4	0	110	101	0	38	35
2019	11	28	10	32	9	19.5	-3	1.134	0.3	0.2	0	33.5	31.8	0	116	108	0	38	34
2019	11	28	10	42	9	19.6	-3.1	1.135	0.3	0.2	0	33.5	32.3	0	116	110	0	38	35
2019	11	28	10	52	9	20	-3.3	1.134	0.3	0.2	0	37.4	34.8	0	124	116	0	37	35
2019	11	28	11	2	9	20.9	-3.6	1.135	0.3	0.2	0	34.8	32.3	0	118	110	0	37	35
2019	11	28	11	12	9	20.7	-2.3	1.135	0.3	0.2	0	37.4	35.7	0	124	117	0	37	34
2019	11	28	11	22	9	20.2	-3.1	1.135	0.3	0.2	0	38.3	35.3	0	126	117	0	37	35
2019	11	28	11	32	9	21.5	-3.4	1.135	0.3	0.2	0	33.5	31	0	115	107	0	37	35
2019	11	28	11	42	9	20.2	-3.2	1.135	0.3	0.2	0	34.4	31	0	116	107	0	36	35
2019	11	28	11	52	9	19.6	-2.8	1.135	0.3	0.2	0	36.5	34	0	122	114	0	37	35
2019	11	28	12	2	9	20.4	-3.1	1.135	0.3	0.2	0	37.4	35.3	0	125	116	0	38	34
2019	11	28	12	12	9	20.3	-3.2	1.135	0.3	0.2	0	34.8	32.3	0	118	110	0	37	35
2019	11	28	12	22	9	20.2	-2.6	1.136	0.3	0.2	0	33.1	31	0	115	107	0	38	35
2019	11	28	12	32	9	19.8	-3	1.136	0.3	0.2	0	31.8	29.2	0	111	103	0	37	35
2019	11	28	12	42	9	20.1	-3.2	1.136	0.3	0.2	0	33.1	30.1	0	114	105	0	37	35
2019	11	28	12	52	9	21.2	-3.4	1.136	0.3	0.2	0	36.1	33.5	0	121	112	0	37	34
2019	11	28	13	2	9	19.6	-2.8	1.136	0.3	0.2	0	33.1	30.1	0	114	105	0	37	35
2019	11	28	13	12	9	20	-3	1.137	0.3	0.2	0	31.4	28.8	0	110	102	0	37	35
2019	11	28	13	22	9	19.8	-3.2	1.136	0.3	0.2	0	31.8	29.2	0	111	103	0	37	35
2019	11	28	13	32	9	21.1	-3.2	1.137	0.3	0.2	0	31.4	28.4	0	110	101	0	37	35
2019	11	28	13	42	9	19.8	-3.5	1.137	0.3	0.2	0	28.4	26.7	0	104	96	0	38	34
2019	11	28	13	52	9	20.4	-2.8	1.137	0.3	0.2	0	27.5	24.5	0	101	92	0	37	35
2019	11	28	14	2	9	19.8	-2.5	1.137	0.3	0.2	0	29.2	26.2	0	105	96	0	37	35
2019	11	28	14	12	9	19.7	-3.8	1.138	0.3	0.2	0	29.7	26.7	0	106	96	0	37	34
2019	11	28	14	22	9	19.9	-3.2	1.138	0.3	0.2	0	28.4	25.4	0	103	93	0	37	34
2019	11	28	14	32	9	19.6	-3.1	1.138	0.3	0.2	0	28	25.4	0	102	94	0	37	35
2019	11	28	14	42	9	18.6	-2.4	1.138	0.4	0.3	0	29.2	27.1	0	105	97	0	37	34
2019	11	28	14	52	9	20.4	-3.1	1.138	0.3	0.2	0	31	28.4	0	109	101	0	37	35
2019	11	28	15	2	9	19.7	-3.3	1.139	0.3	0.2	0	28.4	25.4	0	103	94	0	37	35
2019	11	28	15	12	9	19.2	-4	1.139	0.3	0.2	0	29.7	27.1	0	107	98	0	38	35
2019	11	28	15	22	9	20.2	-2.7	1.139	0.3	0.2	0	28.8	26.7	0	105	96	0	38	34
2019	11	28	15	32	9	20	-3.5	1.14	0.3	0.2	0	29.7	27.1	0	107	97	0	38	34
2019	11	28	15	42	9	20.3	-4.1	1.142	0.3	0.2	0	26.7	24.1	0	99	91	0	37	35
2019	11	28	15	52	9	20.2	-3.8	1.142	0.3	0.2	0	26.7	24.1	0	100	91	0	38	35
2019	11	28	16	2	9	20.1	-3.9	1.142	0.3	0.2	0	28	25.8	0	103	95	0	38	35
2019	11	28	16	12	9	19.9	-3.6	1.143	0.3	0.2	0	26.7	24.1	0	99	91	0	37	35
2019	11	28	16	22	9	19.7	-3.5	1.143	0.3	0.2	0	27.1	24.1	0	100	91	0	37	35
2019	11	28	16	32	9	19.9	-2.6	1.143	0.3	0.2	0	26.2	23.6	0	98	90	0	37	35
2019	11	28	16	42	9	21.1	-4	1.144	0.4	0.3	0	25.8	22.8	0	97	88	0	37	35
2019	11	28	16	52	9	20	-3.6	1.144	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	28	17	2	9	19.7	-3.1	1.144	0.4	0.3	0	25.4	23.2	0	97	88	0	38	34
2019	11	28	17	12	9	20.1	-3.6	1.144	0.3	0.2	0	27.1	24.5	0	100	91	0	37	34
2019	11	28	17	22	9	20.6	-3.5	1.144	0.3	0.2	0	27.1	23.6	0	99	90	0	36	35
2019	11	28	17	32	9	20.7	-2.8	1.145	0.3	0.2	0	25.8	23.2	0	97	88	0	37	34
2019	11	28	17	42	9	19.9	-3.7	1.145	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	28	17	52	9	20.5	-4.2	1.145	0.3	0.2	0	26.2	22.8	0	97	88	0	36	35
2019	11	28	18	2	9	20	-3.2	1.145	0.3	0.2	0	25.8	23.2	0	97	88	0	37	34
2019	11	28	18	12	9	19.9	-2.9	1.145	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	28	18	22	9	20.4	-3.4	1.145	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	28	18	32	9	20.4	-2.8	1.145	0.3	0.2	0	24.9	22.4	0	96	87	0	38	35
2019	11	28	18	42	9	19.7	-4	1.146	0.4	0.3	0	24.9	22.4	0	95	87	0	37	35
2019	11	28	18	52	9	20	-3.5	1.146	0.3	0.2	0	26.2	23.6	0	98	89	0	37	34
2019	11	28	19	2	9	20.2	-3.9	1.145	0.3	0.2	0	27.5	24.1	0	101	91	0	37	35
2019	11	28	19	12	9	21.4	-3.1	1.146	0.4	0.3	0	26.7	23.6	0	99	90	0	37	35
2019	11	28	19	22	9	19.1	-3.1	1.146	0.3	0.2	0	25.4	22.8	0	96	87	0	37	34
2019	11	28	19	32	9	20.2	-3.2	1.146	0.3	0.2	0	25.8	22.4	0	97	87	0	37	35
2019	11	28	19	42	9	21	-3.5	1.146	0.3	0.2	0	24.9	22.4	0	96	87	0	38	35
2019	11	28	19	52	9	19.6	-3.4	1.146	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	28	20	2	9	20.1	-3.2	1.146	0.3	0.2	0	25.8	24.1	0	98	90	0	38	34
2019	11	28	20	12	9	20.6	-3.3	1.146	0.3	0.2	0	28.4	25.8	0	103	94	0	37	34
2019	11	28	20	22	9	20.5	-3.9	1.146	0.3	0.2	0	26.2	23.6	0	98	90	0	37	35
2019	11	28	20	32	9	19.9	-3.2	1.146	0.3	0.2	0	26.2	23.6	0	98	90	0	37	35
2019	11	28	20	42	9	19.7	-3.7	1.146	0.3	0.2	0	25.8	23.2	0	97	88	0	37	34
2019	11	28	20	52	9	19.7	-2.6	1.146	0.3	0.2	0	24.9	22.4	0	95	87	0	37	35
2019	11	28	21	2	9	20.6	-3.8	1.146	0.3	0.2	0	24.9	21.9	0	95	86	0	37	35
2019	11	28	21	12	9	20.1	-3.5	1.146	0.3	0.2	0	24.9	22.4	0	95	87	0	37	35
2019	11	28	21	22	9	19.7	-3.2	1.146	0.3	0.2	0	24.5	22.4	0	95	86	0	38	34
2019	11	28	21	32	9	20.2	-3.2	1.146	0.4	0.3	0	24.1	21.9	0	94	86	0	38	35
2019	11	28	21	42	9	19.3	-3.5	1.146	0.3	0.2	0	24.5	21.5	0	94	85	0	37	35
2019	11	28	21	52	9	19.5	-3.5	1.146	0.4	0.3	0	24.5	21.9	0	94	85	0	37	34
2019	11	28	22	2	9	20.7	-3.7	1.146	0.3	0.2	0	24.5	21.1	0	94	85	0	37	36
2019	11	28	22	12	9	20.5	-3.9	1.146	0.3	0.2	0	24.5	21.5	0	94	85	0	37	35
2019	11	28	22	22	9	19.5	-4	1.147	0.3	0.2	0	24.5	21.5	0	94	85	0	37	35
2019	11	28	22	32	9	20.2	-3.6	1.146	0.3	0.2	0	24.5	21.9	0	94	85	0	37	34
2019	11	28	22	42	9	20.1	-3.3	1.147	0.3	0.2	0	24.1	21.9	0	93	85	0	37	34
2019	11	28	22	52	9	20.4	-4.5	1.146	0.3	0.2	0	24.5	21.5	0	94	85	0	37	35
2019	11	28	23	2	9	19.7	-3.6	1.146	0.4	0.3	0	24.5	21.9	0	95	86	0	38	35
2019	11	28	23	12	9	19.9	-3.9	1.146	0.3	0.2	0	24.1	21.1	0	93	84	0	37	35
2019	11	28	23	22	9	19.3	-4	1.146	0.3	0.2	0	25.8	23.2	0	97	89	0	37	35
2019	11	28	23	32	9	20.2	-3.6	1.147	0.3	0.2	0	24.5	22.4	0	95	87	0	38	35
2019	11	28	23	42	9	20.3	-2.2	1.146	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	28	23	52	9	21.2	-3.1	1.146	0.3	0.2	0	28.4	25.4	0	103	93	0	37	34
2019	11	29	0	2	9	19.8	-3.6	1.147	0.3	0.2	0	27.5	24.1	0	101	91	0	37	35
2019	11	29	0	12	9	20.4	-2.9	1.146	0.3	0.2	0	25.8	23.2	0	98	89	0	38	35
2019	11	29	0	22	9	19.8	-3.2	1.146	0.3	0.2	0	26.2	24.1	0	98	90	0	37	34
2019	11	29	0	32	9	19.5	-4	1.146	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	29	0	42	9	19.6	-3.2	1.146	0.3	0.2	0	24.9	21.9	0	94	86	0	36	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	29	0	52	9	20	-2.8	1.147	0.3	0.2	0	24.1	21.9	0	94	85	0	38	34
2019	11	29	1	2	9	19.9	-3.7	1.146	0.3	0.2	0	24.1	21.1	0	93	84	0	37	35
2019	11	29	1	12	9	19.7	-3	1.146	0.3	0.2	0	24.5	21.1	0	93	84	0	36	35
2019	11	29	1	22	9	20	-3.3	1.147	0.3	0.2	0	23.2	21.1	0	92	84	0	38	35
2019	11	29	1	32	9	20.2	-3.6	1.147	0.3	0.2	0	23.2	21.1	0	92	84	0	38	35
2019	11	29	1	42	9	19.6	-3.2	1.147	0.3	0.2	0	24.1	21.5	0	93	84	0	37	34
2019	11	29	1	52	9	19.8	-3.6	1.147	0.3	0.2	0	23.6	21.1	0	93	84	0	38	35
2019	11	29	2	2	9	19.6	-2.9	1.147	0.3	0.2	0	23.6	21.1	0	93	84	0	38	35
2019	11	29	2	12	9	20.1	-2.7	1.147	0.3	0.2	0	24.1	21.1	0	93	84	0	37	35
2019	11	29	2	22	9	20.1	-3.2	1.147	0.3	0.2	0	24.5	21.5	0	94	85	0	37	35
2019	11	29	2	32	9	20.3	-3.5	1.147	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	29	2	42	9	20.1	-3.2	1.147	0.3	0.2	0	23.6	21.5	0	93	85	0	38	35
2019	11	29	2	52	9	20.2	-3.2	1.147	0.3	0.2	0	23.6	21.1	0	92	84	0	37	35
2019	11	29	3	2	9	20.6	-3.3	1.147	0.3	0.2	0	23.6	21.5	0	92	84	0	37	34
2019	11	29	3	12	9	19.2	-3.3	1.147	0.4	0.3	0	23.2	20.6	0	92	83	0	38	35
2019	11	29	3	22	9	20.2	-3.4	1.147	0.3	0.2	0	23.6	21.5	0	93	84	0	38	34
2019	11	29	3	32	9	19.7	-3.7	1.147	0.3	0.2	0	24.5	21.1	0	93	84	0	36	35
2019	11	29	3	42	9	20.4	-4.4	1.147	0.3	0.2	0	24.1	21.5	0	93	85	0	37	35
2019	11	29	3	52	9	20.4	-3.9	1.147	0.3	0.2	0	24.1	21.1	0	93	84	0	37	35
2019	11	29	4	2	9	20.4	-4	1.147	0.3	0.2	0	24.5	21.9	0	95	86	0	38	35
2019	11	29	4	12	9	20.3	-3.2	1.147	0.3	0.2	0	24.5	21.9	0	95	86	0	38	35
2019	11	29	4	22	9	20.5	-2.6	1.147	0.3	0.2	0	24.1	21.1	0	93	84	0	37	35
2019	11	29	4	32	9	20.1	-2.7	1.147	0.3	0.2	0	23.6	21.1	0	92	84	0	37	35
2019	11	29	4	42	9	19.3	-3.1	1.147	0.3	0.2	0	22.8	20.6	0	91	83	0	38	35
2019	11	29	4	52	9	19.7	-2.2	1.147	0.3	0.2	0	23.2	20.6	0	91	83	0	37	35
2019	11	29	5	2	9	19.7	-3.3	1.147	0.3	0.2	0	23.2	20.6	0	91	83	0	37	35
2019	11	29	5	12	9	20.3	-2.8	1.147	0.4	0.3	0	23.2	21.1	0	92	83	0	38	34
2019	11	29	5	22	9	20.1	-4.1	1.147	0.3	0.2	0	23.6	20.6	0	92	83	0	37	35
2019	11	29	5	32	9	20.1	-3.9	1.147	0.3	0.2	0	23.2	20.6	0	91	83	0	37	35
2019	11	29	5	42	9	18.9	-3.6	1.147	0.3	0.2	0	23.2	20.6	0	91	83	0	37	35
2019	11	29	5	52	9	19.3	-2.8	1.147	0.3	0.2	0	23.2	20.6	0	91	82	0	37	34
2019	11	29	6	2	9	19.3	-3.5	1.147	0.3	0.2	0	23.2	20.6	0	91	83	0	37	35
2019	11	29	6	12	9	19.7	-3	1.147	0.4	0.3	0	23.2	20.6	0	91	83	0	37	35
2019	11	29	6	22	9	18.4	-3	1.147	0.3	0.2	0	23.2	20.6	0	91	83	0	37	35
2019	11	29	6	32	9	20	-3.5	1.147	0.4	0.3	0	23.2	20.2	0	91	82	0	37	35
2019	11	29	6	42	9	19.8	-3.5	1.147	0.3	0.2	0	23.2	20.6	0	91	83	0	37	35
2019	11	29	6	52	9	18.5	-3.2	1.147	0.3	0.2	0	22.8	20.6	0	91	83	0	38	35
2019	11	29	7	2	9	18.8	-3.7	1.147	0.3	0.2	0	23.6	20.6	0	92	83	0	37	35
2019	11	29	7	12	9	19.8	-4	1.147	0.3	0.2	0	23.2	20.2	0	91	82	0	37	35
2019	11	29	7	22	9	19.7	-3.3	1.147	0.3	0.2	0	23.2	20.6	0	91	83	0	37	35
2019	11	29	7	32	9	19.7	-3.1	1.147	0.3	0.2	0	23.2	20.6	0	91	82	0	37	34
2019	11	29	7	42	9	19.6	-3.4	1.147	0.3	0.2	0	22.8	20.2	0	91	82	0	38	35
2019	11	29	7	52	9	20.2	-3.6	1.147	0.3	0.2	0	22.4	19.8	0	89	81	0	37	35
2019	11	29	8	2	9	18.1	-2.4	1.147	0.3	0.2	0	22.8	20.2	0	90	82	0	37	35
2019	11	29	8	12	9	19.9	-5	1.147	0.3	0.2	0	22.4	19.8	0	90	81	0	38	35
2019	11	29	8	22	9	19.1	-3.1	1.147	0.3	0.2	0	23.2	20.2	0	91	82	0	37	35
2019	11	29	8	32	9	19.2	-3.5	1.146	0.3	0.2	0	22.8	20.2	0	90	82	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	29	8	42	9	20	-3.2	1.146	0.3	0.2	0	22.8	19.8	0	90	81	0	37	35
2019	11	29	8	52	9	20.2	-3.4	1.147	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	29	9	2	9	20.1	-3.1	1.147	0.4	0.3	0	21.5	19.4	0	88	80	0	38	35
2019	11	29	9	12	9	19.8	-3.2	1.146	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	29	9	22	9	19.3	-4	1.147	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	29	9	32	9	18.9	-3.1	1.147	0.3	0.2	0	22.4	19.8	0	89	81	0	37	35
2019	11	29	9	42	9	18.9	-3.4	1.146	0.3	0.2	0	23.2	20.2	0	91	82	0	37	35
2019	11	29	9	52	9	19.9	-3.4	1.146	0.3	0.2	0	23.2	20.2	0	91	82	0	37	35
2019	11	29	10	2	9	19.8	-3.6	1.146	0.3	0.2	0	22.8	20.2	0	91	82	0	38	35
2019	11	29	10	12	9	19.3	-3.2	1.146	0.3	0.2	0	23.2	20.2	0	91	82	0	37	35
2019	11	29	10	22	9	19.4	-4.2	1.146	0.3	0.2	0	22.4	20.2	0	90	82	0	38	35
2019	11	29	10	32	9	20.5	-3.6	1.146	0.3	0.2	0	23.2	20.2	0	91	82	0	37	35
2019	11	29	10	42	9	19.8	-3	1.146	0.3	0.2	0	23.2	20.2	0	91	82	0	37	35
2019	11	29	10	52	9	19	-3.6	1.146	0.3	0.2	0	24.1	21.1	0	93	84	0	37	35
2019	11	29	11	2	9	19.7	-4.4	1.146	0.5	0.4	0	24.5	21.1	0	94	84	0	37	35
2019	11	29	11	12	9	18.7	-3	1.146	0.3	0.2	0	24.5	21.5	0	94	85	0	37	35
2019	11	29	11	22	9	20.5	-3.3	1.146	0.3	0.2	0	24.5	21.1	0	94	84	0	37	35
2019	11	29	11	32	9	20.1	-3.4	1.146	0.3	0.2	0	25.4	21.5	0	96	85	0	37	35
2019	11	29	11	42	9	20.3	-2.8	1.146	0.4	0.3	0	25.8	23.2	0	98	89	0	38	35
2019	11	29	11	52	9	20.7	-3.6	1.146	0.3	0.2	0	26.2	23.6	0	99	90	0	38	35
2019	11	29	12	2	9	20.6	-2.7	1.146	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	29	12	12	9	20.1	-3.4	1.147	0.3	0.2	0	25.8	23.2	0	97	88	0	37	34
2019	11	29	12	22	9	18.4	-2.7	1.147	0.3	0.2	0	26.2	22.4	0	98	87	0	37	35
2019	11	29	12	32	9	19	-3.3	1.146	0.3	0.2	0	26.7	23.2	0	99	89	0	37	35
2019	11	29	12	42	9	19.3	-3	1.146	0.3	0.2	0	27.1	23.6	0	99	90	0	36	35
2019	11	29	12	52	9	20.2	-4	1.147	0.3	0.2	0	27.5	24.1	0	101	91	0	37	35
2019	11	29	13	2	9	19.4	-3.2	1.147	0.3	0.2	0	27.5	24.5	0	102	92	0	38	35
2019	11	29	13	12	9	20.3	-2.8	1.147	0.3	0.2	0	27.5	24.5	0	101	92	0	37	35
2019	11	29	13	22	9	19.8	-2.8	1.147	0.3	0.2	0	27.5	24.9	0	102	93	0	38	35
2019	11	29	13	32	9	20.3	-3.8	1.147	0.3	0.2	0	28	25.8	0	103	95	0	38	35
2019	11	29	13	42	9	20.7	-3.1	1.148	0.3	0.2	0	28.8	25.8	0	104	95	0	37	35
2019	11	29	13	52	9	20.7	-2.8	1.148	0.3	0.2	0	29.2	25.4	0	104	94	0	36	35
2019	11	29	14	2	9	20.3	-2.8	1.148	0.3	0.2	0	29.2	24.1	0	105	91	0	37	35
2019	11	29	14	12	9	19.7	-3.1	1.148	0.3	0.2	0	28.8	24.1	0	105	91	0	38	35
2019	11	29	14	22	9	19.7	-2.5	1.148	0.3	0.2	0	28.8	24.1	0	104	91	0	37	35
2019	11	29	14	32	9	19.6	-3.2	1.149	0.4	0.3	0	28.4	24.9	0	103	93	0	37	35
2019	11	29	14	42	9	19.3	-3.1	1.149	0.3	0.2	0	28.8	25.4	0	104	95	0	37	36
2019	11	29	14	52	9	19.6	-2.4	1.149	0.4	0.3	0	27.5	24.9	0	102	93	0	38	35
2019	11	29	15	2	9	19.9	-3.6	1.15	0.3	0.2	0	27.5	24.5	0	101	92	0	37	35
2019	11	29	15	12	9	20.2	-3.6	1.15	0.3	0.2	0	27.5	24.5	0	101	92	0	37	35
2019	11	29	15	22	9	19.9	-3.7	1.151	0.5	0.5	0	27.1	24.1	0	100	91	0	37	35
2019	11	29	15	32	9	19.9	-3.4	1.151	0.3	0.2	0	27.1	24.1	0	100	91	0	37	35
2019	11	29	15	42	9	19.5	-2.4	1.152	0.4	0.3	0	26.7	23.6	0	99	90	0	37	35
2019	11	29	15	52	9	18.8	-3.1	1.153	0.3	0.2	0	26.2	23.6	0	97	89	0	36	34
2019	11	29	16	2	9	21.2	-3.7	1.153	0.3	0.2	0	25.8	22.8	0	97	88	0	37	35
2019	11	29	16	12	9	21	-2.9	1.153	0.3	0.2	0	24.5	22.4	0	95	87	0	38	35
2019	11	29	16	22	9	19.3	-3.5	1.153	0.3	0.2	0	24.9	21.9	0	95	86	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	29	16	32	9	20.4	-4.2	1.153	0.3	0.2	0	24.5	22.4	0	94	86	0	37	34
2019	11	29	16	42	9	19.5	-3.5	1.154	0.3	0.2	0	24.5	21.5	0	94	85	0	37	35
2019	11	29	16	52	9	19.5	-4	1.153	0.3	0.2	0	24.1	21.5	0	94	85	0	38	35
2019	11	29	17	2	9	20.4	-2.9	1.153	0.4	0.3	0	24.1	21.5	0	93	84	0	37	34
2019	11	29	17	12	9	20.2	-3.4	1.153	0.3	0.2	0	24.1	21.5	0	93	84	0	37	34
2019	11	29	17	22	9	20.4	-3.7	1.153	0.4	0.3	0	23.6	21.1	0	93	84	0	38	35
2019	11	29	17	32	9	20.5	-3.4	1.153	0.3	0.2	0	23.6	21.5	0	93	85	0	38	35
2019	11	29	17	42	9	20.3	-3.5	1.153	0.3	0.2	0	23.6	21.5	0	93	85	0	38	35
2019	11	29	17	52	9	18.5	-3.7	1.153	0.3	0.2	0	23.6	21.1	0	93	84	0	38	35
2019	11	29	18	2	9	19.6	-3.1	1.153	0.3	0.2	0	23.6	21.1	0	93	84	0	38	35
2019	11	29	18	12	9	20	-3.6	1.153	0.3	0.2	0	24.1	21.1	0	93	84	0	37	35
2019	11	29	18	22	9	20	-3.8	1.153	0.3	0.2	0	24.1	21.1	0	93	84	0	37	35
2019	11	29	18	32	9	20.2	-3.4	1.153	0.3	0.2	0	23.2	21.5	0	92	84	0	38	34
2019	11	29	18	42	9	20.2	-3.6	1.153	0.3	0.2	0	24.1	21.1	0	93	84	0	37	35
2019	11	29	18	52	9	20.3	-4	1.152	0.3	0.2	0	23.6	21.1	0	92	84	0	37	35
2019	11	29	19	2	9	19.2	-4.6	1.152	0.3	0.2	0	23.6	20.6	0	93	84	0	38	36
2019	11	29	19	12	9	19.7	-3.8	1.151	0.4	0.3	0	24.1	21.9	0	94	86	0	38	35
2019	11	29	19	22	9	20.8	-3.6	1.151	0.3	0.2	0	24.1	21.1	0	93	84	0	37	35
2019	11	29	19	32	9	19.9	-4	1.149	0.5	0.4	0	24.1	21.5	0	93	84	0	37	34
2019	11	29	19	42	9	18.2	-4.6	1.149	0.3	0.2	0	23.6	21.1	0	93	84	0	38	35
2019	11	29	19	52	9	19.3	-3.4	1.149	0.3	0.2	0	28	25.4	0	103	94	0	38	35
2019	11	29	20	2	9	19.3	-4.3	1.149	0.3	0.2	0	26.2	23.2	0	98	89	0	37	35
2019	11	29	20	12	9	19.6	-4	1.148	0.3	0.2	0	24.5	21.5	0	94	85	0	37	35
2019	11	29	20	22	9	19.4	-3.6	1.148	0.3	0.2	0	23.6	21.1	0	93	84	0	38	35
2019	11	29	20	32	9	19.7	-3.6	1.148	0.3	0.2	0	24.1	21.1	0	93	84	0	37	35
2019	11	29	20	42	9	20.1	-3.6	1.148	0.3	0.2	0	23.6	20.6	0	92	83	0	37	35
2019	11	29	20	52	9	19.6	-3.6	1.148	0.3	0.2	0	24.9	21.9	0	95	86	0	37	35
2019	11	29	21	2	9	19.9	-3.9	1.147	0.3	0.2	0	24.1	20.6	0	93	83	0	37	35
2019	11	29	21	12	9	20.3	-3.2	1.147	0.3	0.2	0	23.6	20.6	0	91	83	0	36	35
2019	11	29	21	22	9	19.4	-4	1.147	0.3	0.2	0	23.2	20.2	0	91	82	0	37	35
2019	11	29	21	32	9	19.6	-2.9	1.147	0.3	0.2	0	23.2	20.2	0	91	82	0	37	35
2019	11	29	21	42	9	19.9	-4.2	1.147	0.3	0.2	0	23.2	20.2	0	91	82	0	37	35
2019	11	29	21	52	9	19.8	-4.3	1.147	0.3	0.2	0	22.4	19.8	0	90	81	0	38	35
2019	11	29	22	2	9	20.3	-3.3	1.147	0.3	0.2	0	22.8	20.2	0	90	82	0	37	35
2019	11	29	22	12	9	19.8	-3.6	1.146	0.3	0.2	0	22.8	20.6	0	90	82	0	37	34
2019	11	29	22	22	9	20.2	-3.2	1.146	0.3	0.2	0	22.4	20.2	0	90	82	0	38	35
2019	11	29	22	32	9	20.4	-3.3	1.146	0.3	0.2	0	22.8	20.2	0	90	82	0	37	35
2019	11	29	22	42	9	20.1	-3.2	1.146	0.3	0.2	0	22.4	19.8	0	90	81	0	38	35
2019	11	29	22	52	9	19.2	-3.1	1.145	0.3	0.2	0	22.4	19.8	0	90	81	0	38	35
2019	11	29	23	2	9	19.8	-4.3	1.145	0.3	0.2	0	22.8	20.2	0	90	82	0	37	35
2019	11	29	23	12	9	19.9	-4.2	1.145	0.3	0.2	0	22.8	19.8	0	90	81	0	37	35
2019	11	29	23	22	9	20	-3.3	1.145	0.3	0.2	0	22.8	20.2	0	90	82	0	37	35
2019	11	29	23	32	9	20.2	-2.8	1.144	0.3	0.2	0	22.4	19.4	0	90	81	0	38	36
2019	11	29	23	42	9	20.3	-3	1.144	0.3	0.2	0	22.4	19.8	0	90	81	0	38	35
2019	11	29	23	52	9	19.8	-3.3	1.144	0.3	0.2	0	22.4	19.8	0	90	81	0	38	35
2019	11	30	0	2	9	19.6	-4.3	1.144	0.3	0.2	0	22.4	19.8	0	90	81	0	38	35
2019	11	30	0	12	9	19.6	-3.8	1.144	0.3	0.2	0	22.8	20.2	0	90	81	0	37	34

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	30	0	22	9	21.4	-3.8	1.144	0.3	0.2	0	21.9	19.8	0	89	81	0	38	35
2019	11	30	0	32	9	20.2	-3.4	1.143	0.3	0.2	0	21.9	19.8	0	89	81	0	38	35
2019	11	30	0	42	9	19.6	-3.5	1.143	0.3	0.2	0	22.8	19.8	0	90	81	0	37	35
2019	11	30	0	52	9	20.3	-3.8	1.143	0.3	0.2	0	22.4	19.8	0	89	81	0	37	35
2019	11	30	1	2	9	20.9	-3.1	1.143	0.3	0.2	0	22.4	19.8	0	89	81	0	37	35
2019	11	30	1	12	9	21.1	-3.1	1.143	0.3	0.2	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	1	22	9	19.5	-3.6	1.143	0.4	0.3	0	22.8	18.1	0	90	77	0	37	35
2019	11	30	1	32	9	19.5	-3.4	1.143	0.3	0.2	0	21.9	19.8	0	89	81	0	38	35
2019	11	30	1	42	9	19.9	-3.1	1.142	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	1	52	9	19.5	-3.2	1.142	0.3	0.2	0	22.8	19.8	0	90	81	0	37	35
2019	11	30	2	2	9	19	-4.4	1.142	0.3	0.2	0	22.4	19.8	0	89	81	0	37	35
2019	11	30	2	12	9	20.1	-3.9	1.142	0.4	0.3	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	2	22	9	20.5	-3.7	1.142	0.3	0.2	0	21.5	19.4	0	88	80	0	38	35
2019	11	30	2	32	9	19.5	-3.2	1.142	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	2	42	9	20.6	-3.3	1.141	0.3	0.2	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	2	52	9	19.9	-3.2	1.141	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	3	2	9	20.7	-4.1	1.141	0.3	0.2	0	21.1	19.4	0	87	80	0	38	35
2019	11	30	3	12	9	21	-3.2	1.141	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	3	22	9	20.2	-3.1	1.141	0.3	0.2	0	22.4	19.8	0	89	81	0	37	35
2019	11	30	3	32	9	19.1	-4.3	1.14	0.3	0.2	0	22.4	19.8	0	89	80	0	37	34
2019	11	30	3	42	9	19.9	-3.5	1.14	0.3	0.2	0	22.4	19.8	0	89	81	0	37	35
2019	11	30	3	52	9	19.8	-4.3	1.14	0.3	0.2	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	4	2	9	18.8	-3.3	1.14	0.4	0.3	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	4	12	9	19.6	-3.3	1.14	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	4	22	9	20.7	-2	1.139	0.3	0.2	0	21.9	19.4	0	88	80	0	37	35
2019	11	30	4	32	9	19.8	-4.2	1.139	0.3	0.2	0	21.5	19.4	0	88	80	0	38	35
2019	11	30	4	42	9	19.8	-3	1.139	0.5	0.4	0	21.9	19.4	0	88	80	0	37	35
2019	11	30	4	52	9	19.2	-3.7	1.138	0.3	0.2	0	21.5	18.9	0	88	79	0	38	35
2019	11	30	5	2	9	18.8	-4.4	1.138	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	5	12	9	19.1	-4.1	1.138	0.3	0.2	0	21.5	18.5	0	88	79	0	38	36
2019	11	30	5	22	9	19.7	-3.9	1.138	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	5	32	9	18.7	-3.2	1.137	0.3	0.2	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	5	42	9	19.6	-2.8	1.137	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	5	52	9	19.3	-2.7	1.136	0.3	0.2	0	21.5	18.9	0	88	79	0	38	35
2019	11	30	6	2	9	19.2	-3.1	1.135	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	6	12	9	19.9	-3.8	1.135	0.3	0.2	0	21.1	18.9	0	88	79	0	39	35
2019	11	30	6	22	9	18.7	-3.9	1.135	0.3	0.2	0	21.9	19.4	0	88	80	0	37	35
2019	11	30	6	32	9	19.4	-3.2	1.134	0.3	0.2	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	6	42	9	19.1	-4.1	1.133	0.3	0.2	0	21.1	18.9	0	87	79	0	38	35
2019	11	30	6	52	9	19.7	-4	1.133	0.3	0.2	0	21.5	18.5	0	87	78	0	37	35
2019	11	30	7	2	9	19.7	-3.3	1.133	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	7	12	9	18	-3.8	1.133	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	7	22	9	20	-4	1.133	0.4	0.3	0	21.5	18.9	0	88	79	0	38	35
2019	11	30	7	32	9	19	-2.5	1.133	0.3	0.2	0	21.5	18.9	0	87	79	0	37	35
2019	11	30	7	42	9	20.1	-4.3	1.133	0.3	0.2	0	21.9	19.8	0	89	81	0	38	35
2019	11	30	7	52	9	19.8	-4	1.132	0.3	0.2	0	22.4	19.8	0	90	81	0	38	35
2019	11	30	8	2	9	18.5	-3.3	1.132	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	30	8	12	9	19.1	-3.8	1.132	0.3	0.2	0	21.1	18.9	0	87	79	0	38	35
2019	11	30	8	22	9	19.6	-3.5	1.132	0.3	0.2	0	22.4	19.8	0	89	81	0	37	35
2019	11	30	8	32	9	19.7	-3.8	1.132	0.3	0.2	0	21.9	19.4	0	88	80	0	37	35
2019	11	30	8	42	9	19.4	-3.8	1.132	0.3	0.2	0	21.9	19.8	0	89	81	0	38	35
2019	11	30	8	52	9	19.7	-4.1	1.132	0.3	0.2	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	9	2	9	19.4	-4.3	1.132	0.3	0.2	0	21.5	19.4	0	88	80	0	38	35
2019	11	30	9	12	9	19.3	-3.5	1.132	0.3	0.2	0	22.8	20.6	0	91	83	0	38	35
2019	11	30	9	22	9	19.6	-3	1.132	0.3	0.2	0	22.8	20.2	0	90	82	0	37	35
2019	11	30	9	32	9	19.2	-4.2	1.132	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	9	42	9	17.7	-5.1	1.132	0.4	0.3	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	9	52	9	18	-3.3	1.131	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	10	2	9	18.4	-3.7	1.131	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	10	12	9	20.2	-4	1.131	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	10	22	9	19.7	-3.5	1.131	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	10	32	9	18.8	-4.3	1.131	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	10	42	9	19.8	-3.5	1.131	0.3	0.2	0	21.5	18.9	0	87	79	0	37	35
2019	11	30	10	52	9	19.2	-4	1.131	0.3	0.2	0	21.5	19.4	0	88	80	0	38	35
2019	11	30	11	2	9	18.5	-4	1.131	0.3	0.2	0	21.9	19.4	0	88	80	0	37	35
2019	11	30	11	12	9	18.8	-4	1.131	0.3	0.2	0	21.9	19.4	0	88	80	0	37	35
2019	11	30	11	22	9	19.3	-4.3	1.131	0.3	0.2	0	22.4	20.2	0	90	82	0	38	35
2019	11	30	11	32	9	19.2	-3.9	1.131	0.3	0.2	0	22.8	19.8	0	90	81	0	37	35
2019	11	30	11	42	9	19.8	-3.5	1.131	0.3	0.2	0	21.9	20.2	0	89	81	0	38	34
2019	11	30	11	52	9	19	-3.5	1.131	0.3	0.2	0	21.9	19.8	0	89	81	0	38	35
2019	11	30	12	2	9	19.4	-3.7	1.131	0.3	0.2	0	22.4	20.2	0	90	82	0	38	35
2019	11	30	12	12	9	18.5	-3.8	1.131	0.3	0.2	0	23.2	20.6	0	91	83	0	37	35
2019	11	30	12	22	9	19	-4.9	1.131	0.3	0.2	0	24.5	21.5	0	94	84	0	37	34
2019	11	30	12	32	9	19.5	-3.4	1.131	0.3	0.2	0	22.8	20.2	0	91	82	0	38	35
2019	11	30	12	42	9	18.7	-3.1	1.131	0.3	0.2	0	22.4	19.8	0	90	81	0	38	35
2019	11	30	12	52	9	20.1	-3.8	1.131	0.3	0.2	0	22.4	20.2	0	90	82	0	38	35
2019	11	30	13	2	9	18.2	-3.6	1.131	0.3	0.2	0	23.2	20.6	0	92	83	0	38	35
2019	11	30	13	12	9	19.4	-3.6	1.131	0.3	0.2	0	23.2	21.1	0	93	84	0	39	35
2019	11	30	13	22	9	18.5	-3.6	1.131	0.3	0.2	0	23.2	20.6	0	92	83	0	38	35
2019	11	30	13	32	9	19.3	-3.3	1.131	0.3	0.2	0	22.8	20.2	0	91	82	0	38	35
2019	11	30	13	42	9	19.9	-5.1	1.132	0.3	0.2	0	23.2	20.6	0	92	83	0	38	35
2019	11	30	13	52	9	19.3	-4.3	1.131	0.3	0.2	0	23.2	20.2	0	91	82	0	37	35
2019	11	30	14	2	9	18.1	-3.7	1.131	0.3	0.2	0	22.4	19.8	0	90	81	0	38	35
2019	11	30	14	12	9	19.7	-4.7	1.132	0.3	0.2	0	22.4	20.2	0	90	82	0	38	35
2019	11	30	14	22	9	19	-4.3	1.132	0.3	0.2	0	22.8	20.2	0	90	82	0	37	35
2019	11	30	14	32	9	18	-3.3	1.132	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	14	42	9	19.2	-3.5	1.132	0.3	0.2	0	22.8	20.6	0	91	83	0	38	35
2019	11	30	14	52	9	19.8	-4.2	1.132	0.3	0.2	0	21.9	19.8	0	89	80	0	38	34
2019	11	30	15	2	9	19.8	-3.2	1.132	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	15	12	9	19	-3.2	1.132	0.3	0.2	0	21.5	18.9	0	88	79	0	38	35
2019	11	30	15	22	9	19.8	-2.6	1.132	0.3	0.2	0	21.5	18.5	0	87	78	0	37	35
2019	11	30	15	32	9	19.9	-3.8	1.132	0.3	0.2	0	21.1	18.5	0	86	78	0	37	35
2019	11	30	15	42	9	19.5	-4.3	1.133	0.3	0.2	0	21.9	19.8	0	89	81	0	38	35
2019	11	30	15	52	9	19.4	-3.5	1.133	0.3	0.2	0	21.5	18.9	0	87	79	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	30	16	2	9	19.5	-3.5	1.133	0.4	0.3	0	20.6	18.5	0	86	78	0	38	35
2019	11	30	16	12	9	19.8	-3.2	1.133	0.3	0.2	0	20.6	18.5	0	86	78	0	38	35
2019	11	30	16	22	9	18.4	-3.4	1.133	0.3	0.2	0	21.1	18.5	0	87	78	0	38	35
2019	11	30	16	32	9	20	-3.9	1.133	0.3	0.2	0	21.9	20.6	0	90	82	0	39	34
2019	11	30	16	42	9	20.2	-4	1.133	0.3	0.2	0	21.5	19.4	0	88	80	0	38	35
2019	11	30	16	52	9	19.4	-3.6	1.133	0.3	0.2	0	23.2	20.6	0	91	83	0	37	35
2019	11	30	17	2	9	19.4	-3	1.133	0.3	0.2	0	27.5	24.5	0	102	93	0	38	36
2019	11	30	17	12	9	19.6	-3.5	1.133	0.3	0.2	0	23.6	20.6	0	92	83	0	37	35
2019	11	30	17	22	9	20	-4.3	1.134	0.4	0.3	0	22.4	19.8	0	90	81	0	38	35
2019	11	30	17	32	9	19.8	-3.5	1.134	0.3	0.2	0	22.4	19.4	0	90	81	0	38	36
2019	11	30	17	42	9	19.6	-3.8	1.134	0.3	0.2	0	22.4	19.8	0	89	81	0	37	35
2019	11	30	17	52	9	19.5	-3.2	1.134	0.3	0.2	0	22.4	19.8	0	90	81	0	38	35
2019	11	30	18	2	9	18.8	-3.3	1.134	0.3	0.2	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	18	12	9	20.1	-3.8	1.134	0.4	0.3	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	18	22	9	19.1	-4	1.134	0.3	0.2	0	21.9	19.8	0	88	80	0	37	34
2019	11	30	18	32	9	18.8	-3	1.134	0.3	0.2	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	18	42	9	19.1	-4.1	1.134	0.3	0.2	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	18	52	9	18.2	-4.2	1.135	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	19	2	9	17.8	-3.4	1.135	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	19	12	9	17.6	-4	1.135	0.3	0.2	0	21.9	19.4	0	89	80	0	38	35
2019	11	30	19	22	9	18.6	-3.3	1.135	0.3	0.2	0	21.9	19.8	0	89	80	0	38	34
2019	11	30	19	32	9	18.5	-3.5	1.136	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	19	42	9	18.9	-3.6	1.136	0.3	0.2	0	21.9	19.8	0	89	81	0	38	35
2019	11	30	19	52	9	19.3	-4.1	1.137	0.3	0.2	0	21.5	18.9	0	88	79	0	38	35
2019	11	30	20	2	9	19.2	-4.2	1.137	0.3	0.2	0	21.5	18.9	0	88	79	0	38	35
2019	11	30	20	12	9	19.4	-4.2	1.137	0.3	0.2	0	21.5	18.9	0	88	79	0	38	35
2019	11	30	20	22	9	19.4	-3.5	1.138	0.3	0.2	0	21.1	18.9	0	87	79	0	38	35
2019	11	30	20	32	9	19.8	-4.6	1.138	0.3	0.2	0	21.5	18.9	0	87	79	0	37	35
2019	11	30	20	42	9	20	-3.7	1.138	0.3	0.2	0	21.5	18.5	0	87	78	0	37	35
2019	11	30	20	52	9	19.2	-3.9	1.138	0.4	0.3	0	21.1	18.9	0	87	79	0	38	35
2019	11	30	21	2	9	19.6	-3.5	1.138	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	21	12	9	18.5	-3.2	1.139	0.3	0.2	0	21.5	18.9	0	88	79	0	38	35
2019	11	30	21	22	9	20.2	-3.7	1.139	0.3	0.2	0	21.5	18.9	0	87	79	0	37	35
2019	11	30	21	32	9	19.1	-4.1	1.139	0.3	0.2	0	21.5	19.4	0	88	79	0	38	34
2019	11	30	21	42	9	19.3	-3.6	1.139	0.3	0.2	0	20.6	18.9	0	87	79	0	39	35
2019	11	30	21	52	9	19.8	-3.2	1.139	0.3	0.2	0	21.1	18.9	0	87	79	0	38	35
2019	11	30	22	2	9	19.8	-3.8	1.139	0.3	0.2	0	21.1	18.9	0	87	78	0	38	34
2019	11	30	22	12	9	19.4	-3.5	1.139	0.3	0.2	0	21.1	18.9	0	87	79	0	38	35
2019	11	30	22	22	9	20.6	-2.8	1.139	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	22	32	9	19.6	-4.8	1.139	0.3	0.2	0	21.5	19.4	0	88	79	0	38	34
2019	11	30	22	42	9	19.6	-3.3	1.139	0.3	0.2	0	21.9	18.9	0	88	79	0	37	35
2019	11	30	22	52	9	20.9	-3.9	1.139	0.3	0.2	0	21.5	18.9	0	88	79	0	38	35
2019	11	30	23	2	9	19.8	-3.5	1.139	0.3	0.2	0	21.1	18.9	0	87	79	0	38	35
2019	11	30	23	12	9	19.4	-2.9	1.14	0.3	0.2	0	22.4	19.4	0	89	80	0	37	35
2019	11	30	23	22	9	19.8	-3.2	1.14	0.3	0.2	0	25.4	22.4	0	96	87	0	37	35
2019	11	30	23	32	9	19.8	-2.9	1.14	0.3	0.2	0	23.6	21.1	0	93	84	0	38	35
2019	11	30	23	42	9	20.5	-3.5	1.139	0.4	0.3	0	22.8	19.8	0	90	81	0	37	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2019	11	30	23	52	9	20.4	-3.6	1.14	0.3	0.2	0	21.9	19.4	0	89	80	0	38	35

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	1	0	7	35	35	0	0	0	0	0	0	0	40.75	0	0	11.4
2019	11	1	0	17	35	35	0	0	0	0	0	0	0	40.71	0	0	11.4
2019	11	1	0	27	35	35	2	0	0	0	0	0	0	40.68	0	0	11.4
2019	11	1	0	37	35	35	0	0	0	0	0	0	0	40.6	0	0	11.4
2019	11	1	0	47	35	36	0	0	0	0	0	0	0	40.59	0	0	11.4
2019	11	1	0	57	35	35	0	0	0	0	0	0	0	40.53	0	0	11.4
2019	11	1	1	7	35	35	0	0	0	0	0	0	0	40.5	0	0	11.4
2019	11	1	1	17	35	36	0	0	0	0	0	0	0	40.44	0	0	11.4
2019	11	1	1	27	35	35	0	0	0	0	0	0	0	40.39	0	0	11.4
2019	11	1	1	37	35	35	0	0	0	0	0	0	0	40.33	0	0	11.4
2019	11	1	1	47	35	36	0	0	0	0	0	0	0	40.3	0	0	11.4
2019	11	1	1	57	35	36	0	0	0	0	0	0	0	40.26	0	0	11.4
2019	11	1	2	7	35	35	0	0	0	0	0	0	0	40.19	0	0	11.4
2019	11	1	2	17	35	36	0	0	0	0	0	0	0	40.15	0	0	11.4
2019	11	1	2	27	35	35	0	0	0	0	0	0	0	40.12	0	0	11.4
2019	11	1	2	37	35	35	0	0	0	0	0	0	0	40.06	0	0	11.4
2019	11	1	2	47	35	36	0	0	0	0	0	0	0	40.01	0	0	11.4
2019	11	1	2	57	35	35	0	0	0	0	0	0	0	39.99	0	0	11.4
2019	11	1	3	7	35	35	0	0	0	0	0	0	0	39.94	0	0	11.4
2019	11	1	3	17	35	35	0	0	0	0	0	0	0	39.88	0	0	11.4
2019	11	1	3	27	35	35	0	0	0	0	0	0	0	39.85	0	0	11.4
2019	11	1	3	37	35	35	0	0	0	0	0	0	0	39.81	0	0	11.4
2019	11	1	3	47	35	35	0	0	0	0	0	0	0	39.76	0	0	11.4
2019	11	1	3	57	35	36	0	0	0	0	0	0	0	39.72	0	0	11.4
2019	11	1	4	7	35	36	0	0	0	0	0	0	0	39.69	0	0	11.4
2019	11	1	4	17	35	35	0	0	0	0	0	0	0	39.65	0	0	11.4
2019	11	1	4	27	35	36	0	0	0	0	0	0	0	39.61	0	0	11.4
2019	11	1	4	37	35	36	0	0	0	0	0	0	0	39.56	0	0	11.4
2019	11	1	4	47	35	35	0	0	0	0	0	0	0	39.52	0	0	11.4
2019	11	1	4	57	35	36	0	0	0	0	0	0	0	39.49	0	0	11.4
2019	11	1	5	7	35	35	0	0	0	0	0	0	0	39.45	0	0	11.4
2019	11	1	5	17	35	35	0	0	0	0	0	0	0	39.42	0	0	11.4
2019	11	1	5	27	35	36	0	0	0	0	0	0	0	39.38	0	0	11.4
2019	11	1	5	37	35	36	0	0	0	0	0	0	0	39.36	0	0	11.4
2019	11	1	5	47	35	36	0	0	0	0	0	0	0	39.33	0	0	11.4
2019	11	1	5	57	35	35	0	0	0	0	0	0	0	39.29	0	0	11.4
2019	11	1	6	7	35	35	0	0	0	0	0	0	0	39.25	0	0	11.2
2019	11	1	6	17	35	36	0	0	0	0	0	0	0	39.22	0	0	11.2
2019	11	1	6	27	35	36	0	0	0	0	0	0	0	39.2	0	0	11.2
2019	11	1	6	37	35	36	0	0	0	0	0	0	0	39.16	0	0	11.2
2019	11	1	6	47	35	36	0	0	0	0	0	0	0	39.13	0	0	11.2
2019	11	1	6	57	35	35	0	0	0	0	0	0	0	39.11	0	0	11.2
2019	11	1	7	7	35	36	0	0	0	0	0	0	0	39.06	0	0	11.2
2019	11	1	7	17	35	35	0	0	0	0	0	0	0	39.04	0	0	11.2
2019	11	1	7	27	35	35	0	0	0	0	0	0	0	39.02	0	0	11.2
2019	11	1	7	37	35	35	0	0	0	0	0	0	0	39	0	0	11.2
2019	11	1	7	47	35	36	0	0	0	0	0	0	0	38.97	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	1	7	57	35	35	0	0	0	0	0	0	0	38.95	0	0	11.4
2019	11	1	8	7	35	36	0	0	0	0	0	0	0	38.93	0	0	12
2019	11	1	8	17	35	35	0	0	0	0	0	0	0	38.91	0	0	12.4
2019	11	1	8	27	35	35	0	0	0	0	0	0	0	38.91	0	0	12.8
2019	11	1	8	37	35	35	0	0	0	0	0	0	0	38.97	0	0	13
2019	11	1	8	47	35	36	0	0	0	0	0	0	0	39	0	0	13
2019	11	1	8	57	35	36	0	0	0	0	0	0	0	39.04	0	0	13
2019	11	1	9	7	35	35	0	0	0	0	0	0	0	39.07	0	0	13
2019	11	1	9	17	35	35	0	0	0	0	0	0	0	39.11	0	0	13
2019	11	1	9	27	35	36	0	0	0	0	0	0	0	39.16	0	0	13.4
2019	11	1	9	37	35	35	0	0	0	0	0	0	0	39.2	0	0	13.2
2019	11	1	9	47	35	36	0	0	0	0	0	0	0	39.24	0	0	13.4
2019	11	1	9	57	35	36	0	0	0	0	0	0	0	39.27	0	0	13.4
2019	11	1	10	7	35	36	0	0	0	0	0	0	0	39.34	0	0	13.6
2019	11	1	10	17	35	36	0	0	0	0	0	0	0	39.38	0	0	13.6
2019	11	1	10	27	35	36	0	0	0	0	0	0	0	39.43	0	0	13.6
2019	11	1	10	37	35	35	0	0	0	0	0	0	0	39.49	0	0	13.6
2019	11	1	10	47	35	36	0	0	0	0	0	0	0	39.54	0	0	13.4
2019	11	1	10	57	35	35	0	0	0	0	0	0	0	39.58	0	0	13.4
2019	11	1	11	7	35	36	0	0	0	0	0	0	0	39.63	0	0	13.4
2019	11	1	11	17	35	36	0	0	0	0	0	0	0	39.67	0	0	13.4
2019	11	1	11	27	35	36	0	0	0	0	0	0	0	39.7	0	0	13.4
2019	11	1	11	37	35	35	0	0	0	0	0	0	0	39.74	0	0	13.4
2019	11	1	11	47	35	36	0	0	0	0	0	0	0	39.79	0	0	13.4
2019	11	1	11	57	35	35	0	0	0	0	0	0	0	39.81	0	0	13.4
2019	11	1	12	7	35	35	0	0	0	0	0	0	0	39.83	0	0	13.4
2019	11	1	12	17	35	35	0	0	0	0	0	0	0	39.88	0	0	13.4
2019	11	1	12	27	35	35	0	0	0	0	0	0	0	39.9	0	0	13.4
2019	11	1	12	37	35	35	0	0	0	0	0	0	0	39.92	0	0	13.4
2019	11	1	12	47	35	35	0	0	0	0	0	0	0	39.94	0	0	13.2
2019	11	1	12	57	35	36	0	0	0	0	0	0	0	39.97	0	0	13.2
2019	11	1	13	7	35	36	0	0	0	0	0	0	0	39.99	0	0	13.2
2019	11	1	13	17	35	36	0	0	0	0	0	0	0	40.01	0	0	13.2
2019	11	1	13	27	35	36	0	0	0	0	0	0	0	40.01	0	0	13.2
2019	11	1	13	37	35	35	0	0	0	0	0	0	0	40.03	0	0	13.2
2019	11	1	13	47	35	35	0	0	0	0	0	0	0	40.03	0	0	13.2
2019	11	1	13	57	35	35	0	0	0	0	0	0	0	40.03	0	0	13.2
2019	11	1	14	7	35	36	0	0	0	0	0	0	0	40.03	0	0	13.2
2019	11	1	14	17	35	36	0	0	0	0	0	0	0	40.01	0	0	13
2019	11	1	14	27	35	35	0	0	0	0	0	0	0	40.05	0	0	13
2019	11	1	14	37	35	36	0	0	0	0	0	0	0	40.05	0	0	13
2019	11	1	14	47	35	36	0	0	0	0	0	0	0	40.05	0	0	13
2019	11	1	14	57	35	36	0	0	0	0	0	0	0	40.05	0	0	13
2019	11	1	15	7	35	35	0	0	0	0	0	0	0	40.03	0	0	12.8
2019	11	1	15	17	35	36	0	0	0	0	0	0	0	40.05	0	0	13
2019	11	1	15	27	35	35	0	0	0	0	0	0	0	40.05	0	0	12.8
2019	11	1	15	37	35	35	0	0	0	0	0	0	0	40.01	0	0	13

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	1	15	47	35	36	0	0	0	0	0	0	0	39.96	0	0	13
2019	11	1	15	57	35	35	0	0	0	0	0	0	0	39.97	0	0	13
2019	11	1	16	7	35	36	0	0	0	0	0	0	0	39.96	0	0	13
2019	11	1	16	17	35	35	0	0	0	0	0	0	0	39.96	0	0	13
2019	11	1	16	27	35	35	0	0	0	0	0	0	0	39.9	0	0	13
2019	11	1	16	37	35	35	0	0	0	0	0	0	0	39.88	0	0	12.6
2019	11	1	16	47	35	36	0	0	0	0	0	0	0	39.88	0	0	12
2019	11	1	16	57	35	35	0	0	0	0	0	0	0	39.9	0	0	12
2019	11	1	17	7	35	35	0	0	0	0	0	0	0	39.92	0	0	11.8
2019	11	1	17	17	35	35	0	0	0	0	0	0	0	39.94	0	0	11.8
2019	11	1	17	27	35	35	0	0	0	0	0	0	0	39.94	0	0	11.8
2019	11	1	17	37	35	35	0	0	0	0	0	0	0	39.94	0	0	11.8
2019	11	1	17	47	35	35	0	0	0	0	0	0	0	39.96	0	0	11.8
2019	11	1	17	57	35	35	0	0	0	0	0	0	0	39.96	0	0	11.8
2019	11	1	18	7	35	35	0	0	0	0	0	0	0	39.97	0	0	12
2019	11	1	18	17	35	35	0	0	0	0	0	0	0	39.96	0	0	11.6
2019	11	1	18	27	35	36	0	0	0	0	0	0	0	39.97	0	0	11.6
2019	11	1	18	37	35	35	0	0	0	0	0	0	0	39.97	0	0	11.6
2019	11	1	18	47	35	35	0	0	0	0	0	0	0	39.97	0	0	11.4
2019	11	1	18	57	35	35	0	0	0	0	0	0	0	39.97	0	0	11.4
2019	11	1	19	7	35	36	0	0	0	0	0	0	0	39.96	0	0	11.4
2019	11	1	19	17	35	35	0	0	0	0	0	0	0	39.96	0	0	11.6
2019	11	1	19	27	35	36	0	0	0	0	0	0	0	39.96	0	0	11.6
2019	11	1	19	37	35	36	0	0	0	0	0	0	0	39.94	0	0	11.6
2019	11	1	19	47	35	35	0	0	0	0	0	0	0	39.92	0	0	11.6
2019	11	1	19	57	35	35	0	0	0	0	0	0	0	39.9	0	0	11.6
2019	11	1	20	7	35	36	0	0	0	0	0	0	0	39.88	0	0	11.6
2019	11	1	20	17	35	35	0	0	0	0	0	0	0	39.87	0	0	11.6
2019	11	1	20	27	35	34	0	0	0	0	0	0	0	39.87	0	0	11.6
2019	11	1	20	37	35	35	0	0	0	0	0	0	0	39.85	0	0	11.6
2019	11	1	20	47	35	36	0	0	0	0	0	0	0	39.83	0	0	11.4
2019	11	1	20	57	35	36	0	0	0	0	0	0	0	39.81	0	0	11.4
2019	11	1	21	7	35	36	0	0	0	0	0	0	0	39.79	0	0	11.4
2019	11	1	21	17	35	35	0	0	0	0	0	0	0	39.78	0	0	11.4
2019	11	1	21	27	35	35	0	0	0	0	0	0	0	39.76	0	0	11.4
2019	11	1	21	37	35	35	0	0	0	0	0	0	0	39.74	0	0	11.4
2019	11	1	21	47	35	36	0	0	0	0	0	0	0	39.7	0	0	11.4
2019	11	1	21	57	35	36	0	0	0	0	0	0	0	39.69	0	0	11.4
2019	11	1	22	7	35	36	0	0	0	0	0	0	0	39.67	0	0	11.4
2019	11	1	22	17	35	36	0	0	0	0	0	0	0	39.63	0	0	11.4
2019	11	1	22	27	35	35	0	0	0	0	0	0	0	39.61	0	0	11.4
2019	11	1	22	37	35	35	0	0	0	0	0	0	0	39.61	0	0	11.4
2019	11	1	22	47	35	35	0	0	0	0	0	0	0	39.58	0	0	11.4
2019	11	1	22	57	35	36	0	0	0	0	0	0	0	39.54	0	0	11.4
2019	11	1	23	7	35	36	0	0	0	0	0	0	0	39.54	0	0	11.4
2019	11	1	23	17	35	36	0	0	0	0	0	0	0	39.51	0	0	11.4
2019	11	1	23	27	35	35	0	0	0	0	0	0	0	39.49	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	1	23	37	35	36	0	0	0	0	0	0	0	39.45	0	0	11.4
2019	11	1	23	47	35	36	0	0	0	0	0	0	0	39.42	0	0	11.4
2019	11	1	23	57	35	35	0	0	0	0	0	0	0	39.38	0	0	11.4
2019	11	2	0	7	35	36	0	0	0	0	0	0	0	39.36	0	0	11.4
2019	11	2	0	17	35	36	0	0	0	0	0	0	0	39.33	0	0	11.4
2019	11	2	0	27	35	35	0	0	0	0	0	0	0	39.29	0	0	11.4
2019	11	2	0	37	35	36	0	0	0	0	0	0	0	39.25	0	0	11.4
2019	11	2	0	47	35	35	0	0	0	0	0	0	0	39.22	0	0	11.4
2019	11	2	0	57	35	36	0	0	0	0	0	0	0	39.18	0	0	11.4
2019	11	2	1	7	35	36	0	0	0	0	0	0	0	39.16	0	0	11.4
2019	11	2	1	17	35	36	0	0	0	0	0	0	0	39.13	0	0	11.4
2019	11	2	1	27	35	36	0	0	0	0	0	0	0	39.09	0	0	11.4
2019	11	2	1	37	35	36	0	0	0	0	0	0	0	39.04	0	0	11.4
2019	11	2	1	47	35	36	0	0	0	0	0	0	0	39	0	0	11.4
2019	11	2	1	57	35	36	0	0	0	0	0	0	0	38.97	0	0	11.4
2019	11	2	2	7	35	35	0	0	0	0	0	0	0	38.93	0	0	11.4
2019	11	2	2	17	35	35	0	0	0	0	0	0	0	38.91	0	0	11.4
2019	11	2	2	27	35	36	0	0	0	0	0	0	0	38.86	0	0	11.2
2019	11	2	2	37	35	35	0	0	0	0	0	0	0	38.82	0	0	11.2
2019	11	2	2	47	35	36	0	0	0	0	0	0	0	38.8	0	0	11.4
2019	11	2	2	57	35	36	0	0	0	0	0	0	0	38.77	0	0	11.4
2019	11	2	3	7	35	36	0	0	0	0	0	0	0	38.73	0	0	11.4
2019	11	2	3	17	35	36	0	0	0	0	0	0	0	38.7	0	0	11.4
2019	11	2	3	27	35	35	0	0	0	0	0	0	0	38.66	0	0	11.4
2019	11	2	3	37	35	36	0	0	0	0	0	0	0	38.64	0	0	11.4
2019	11	2	3	47	35	36	0	0	0	0	0	0	0	38.61	0	0	11.4
2019	11	2	3	57	35	35	0	0	0	0	0	0	0	38.57	0	0	11.4
2019	11	2	4	7	35	36	0	0	0	0	0	0	0	38.55	0	0	11.4
2019	11	2	4	17	35	36	0	0	0	0	0	0	0	38.52	0	0	11.4
2019	11	2	4	27	35	36	0	0	0	0	0	0	0	38.5	0	0	11.4
2019	11	2	4	37	35	35	0	0	0	0	0	0	0	38.46	0	0	11.2
2019	11	2	4	47	35	36	0	0	0	0	0	0	0	38.44	0	0	11.2
2019	11	2	4	57	35	36	0	0	0	0	0	0	0	38.43	0	0	11.2
2019	11	2	5	7	35	36	0	0	0	0	0	0	0	38.39	0	0	11.2
2019	11	2	5	17	35	35	0	0	0	0	0	0	0	38.37	0	0	11.2
2019	11	2	5	27	35	36	0	0	0	0	0	0	0	38.35	0	0	11.2
2019	11	2	5	37	35	36	0	0	0	0	0	0	0	38.32	0	0	11.2
2019	11	2	5	47	35	35	0	0	0	0	0	0	0	38.3	0	0	11.2
2019	11	2	5	57	35	36	0	0	0	0	0	0	0	38.28	0	0	11.2
2019	11	2	6	7	35	36	0	0	0	0	0	0	0	38.26	0	0	11.2
2019	11	2	6	17	35	36	0	0	0	0	0	0	0	38.25	0	0	11.2
2019	11	2	6	27	35	35	0	0	0	0	0	0	0	38.23	0	0	11.2
2019	11	2	6	37	35	36	0	0	0	0	0	0	0	38.19	0	0	11.2
2019	11	2	6	47	35	35	0	0	0	0	0	0	0	38.19	0	0	11.2
2019	11	2	6	57	35	35	0	0	0	0	0	0	0	38.16	0	0	11.2
2019	11	2	7	7	35	36	0	0	0	0	0	0	0	38.14	0	0	11.2
2019	11	2	7	17	35	36	0	0	0	0	0	0	0	38.14	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	2	7	27	35	36	0	0	0	0	0	0	0	38.12	0	0	11.2
2019	11	2	7	37	35	36	0	0	0	0	0	0	0	38.12	0	0	11.2
2019	11	2	7	47	35	35	0	0	0	0	0	0	0	38.1	0	0	11.2
2019	11	2	7	57	35	36	0	0	0	0	0	0	0	38.08	0	0	11.4
2019	11	2	8	7	35	36	0	0	0	0	0	0	0	38.08	0	0	11.8
2019	11	2	8	17	35	36	0	0	0	0	0	0	0	38.08	0	0	12.4
2019	11	2	8	27	35	36	0	0	0	0	0	0	0	38.1	0	0	12.6
2019	11	2	8	37	35	36	0	0	0	0	0	0	0	38.16	0	0	12.6
2019	11	2	8	47	35	36	0	0	0	0	0	0	0	38.19	0	0	12.6
2019	11	2	8	57	35	35	0	0	0	0	0	0	0	38.25	0	0	12.8
2019	11	2	9	7	35	36	0	0	0	0	0	0	0	38.28	0	0	12.8
2019	11	2	9	17	35	36	0	0	0	0	0	0	0	38.32	0	0	12.8
2019	11	2	9	27	35	35	0	0	0	0	0	0	0	38.39	0	0	12.8
2019	11	2	9	37	35	35	0	0	0	0	0	0	0	38.43	0	0	12.8
2019	11	2	9	47	35	36	0	0	0	0	0	0	0	38.48	0	0	13
2019	11	2	9	57	35	36	0	0	0	0	0	0	0	38.53	0	0	13
2019	11	2	10	7	35	35	0	0	0	0	0	0	0	38.59	0	0	13.2
2019	11	2	10	17	35	35	0	0	0	0	0	0	0	38.64	0	0	13.4
2019	11	2	10	27	35	36	0	0	0	0	0	0	0	38.7	0	0	13.4
2019	11	2	10	37	35	36	0	0	0	0	0	0	0	38.75	0	0	13.4
2019	11	2	10	47	35	36	0	0	0	0	0	0	0	38.8	0	0	13.4
2019	11	2	10	57	35	36	0	0	0	0	0	0	0	38.84	0	0	13.4
2019	11	2	11	7	35	35	0	0	0	0	0	0	0	38.91	0	0	13.4
2019	11	2	11	17	35	36	0	0	0	0	0	0	0	38.97	0	0	13.4
2019	11	2	11	27	35	36	0	0	0	0	0	0	0	39.02	0	0	13.4
2019	11	2	11	37	35	35	0	0	0	0	0	0	0	39.06	0	0	13.4
2019	11	2	11	47	35	36	0	0	0	0	0	0	0	39.09	0	0	13.2
2019	11	2	11	57	35	35	0	0	0	0	0	0	0	39.13	0	0	13.2
2019	11	2	12	7	35	36	0	0	0	0	0	0	0	39.18	0	0	13.2
2019	11	2	12	17	35	36	0	0	0	0	0	0	0	39.22	0	0	13.2
2019	11	2	12	27	35	36	0	0	0	0	0	0	0	39.25	0	0	13.2
2019	11	2	12	37	35	35	0	0	0	0	0	0	0	39.27	0	0	13.2
2019	11	2	12	47	35	35	0	0	0	0	0	0	0	39.29	0	0	13.2
2019	11	2	12	57	35	36	0	0	0	0	0	0	0	39.31	0	0	13.2
2019	11	2	13	7	35	36	0	0	0	0	0	0	0	39.34	0	0	13.2
2019	11	2	13	17	35	36	0	0	0	0	0	0	0	39.38	0	0	13
2019	11	2	13	27	35	35	0	0	0	0	0	0	0	39.4	0	0	13
2019	11	2	13	37	35	36	0	0	0	0	0	0	0	39.4	0	0	13
2019	11	2	13	47	35	36	0	0	0	0	0	0	0	39.43	0	0	13
2019	11	2	13	57	35	35	0	0	0	0	0	0	0	39.45	0	0	12.8
2019	11	2	14	7	35	35	0	0	0	0	0	0	0	39.45	0	0	12.8
2019	11	2	14	17	35	36	0	0	0	0	0	0	0	39.45	0	0	13
2019	11	2	14	27	35	36	0	0	0	0	0	0	0	39.47	0	0	12.8
2019	11	2	14	37	35	35	0	0	0	0	0	0	0	39.47	0	0	13
2019	11	2	14	47	35	36	0	0	0	0	0	0	0	39.47	0	0	13
2019	11	2	14	57	35	36	0	0	0	0	0	0	0	39.47	0	0	13
2019	11	2	15	7	35	35	0	0	0	0	0	0	0	39.49	0	0	13

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	2	15	17	35	35	0	0	0	0	0	0	0	39.47	0	0	13
2019	11	2	15	27	35	35	0	0	0	0	0	0	0	39.47	0	0	13
2019	11	2	15	37	35	36	0	0	0	0	0	0	0	39.45	0	0	13
2019	11	2	15	47	35	35	0	0	0	0	0	0	0	39.42	0	0	13
2019	11	2	15	57	35	35	0	0	0	0	0	0	0	39.43	0	0	13
2019	11	2	16	7	35	35	0	0	0	0	0	0	0	39.43	0	0	13
2019	11	2	16	17	35	36	0	0	0	0	0	0	0	39.45	0	0	13
2019	11	2	16	27	35	35	0	0	0	0	0	0	0	39.4	0	0	13
2019	11	2	16	37	35	36	0	0	0	0	0	0	0	39.38	0	0	12.4
2019	11	2	16	47	35	36	0	0	0	0	0	0	0	39.4	0	0	12
2019	11	2	16	57	35	36	0	0	0	0	0	0	0	39.42	0	0	12
2019	11	2	17	7	35	36	0	0	0	0	0	0	0	39.43	0	0	11.8
2019	11	2	17	17	35	36	0	0	0	0	0	0	0	39.45	0	0	11.8
2019	11	2	17	27	35	36	0	0	0	0	0	0	0	39.47	0	0	11.8
2019	11	2	17	37	35	36	0	0	0	0	0	0	0	39.47	0	0	11.8
2019	11	2	17	47	35	35	0	0	0	0	0	0	0	39.49	0	0	11.6
2019	11	2	17	57	35	35	0	0	0	0	0	0	0	39.49	0	0	11.6
2019	11	2	18	7	35	36	0	0	0	0	0	0	0	39.51	0	0	11.6
2019	11	2	18	17	35	35	0	0	0	0	0	0	0	39.52	0	0	11.6
2019	11	2	18	27	35	36	0	0	0	0	0	0	0	39.52	0	0	11.6
2019	11	2	18	37	35	36	0	0	0	0	0	0	0	39.54	0	0	11.6
2019	11	2	18	47	35	35	0	0	0	0	0	0	0	39.54	0	0	11.6
2019	11	2	18	57	35	35	0	0	0	0	0	0	0	39.54	0	0	11.6
2019	11	2	19	7	35	35	0	0	0	0	0	0	0	39.54	0	0	11.6
2019	11	2	19	17	35	37	0	0	0	0	0	0	0	39.52	0	0	11.6
2019	11	2	19	27	35	36	0	0	0	0	0	0	0	39.52	0	0	11.6
2019	11	2	19	37	35	36	0	0	0	0	0	0	0	39.51	0	0	11.6
2019	11	2	19	47	35	35	0	0	0	0	0	0	0	39.51	0	0	11.4
2019	11	2	19	57	35	35	0	0	0	0	0	0	0	39.49	0	0	11.6
2019	11	2	20	7	35	35	0	0	0	0	0	0	0	39.47	0	0	11.4
2019	11	2	20	17	35	36	0	0	0	0	0	0	0	39.45	0	0	11.4
2019	11	2	20	27	35	36	0	0	0	0	0	0	0	39.45	0	0	11.6
2019	11	2	20	37	35	36	0	0	0	0	0	0	0	39.43	0	0	11.6
2019	11	2	20	47	35	35	0	0	0	0	0	0	0	39.42	0	0	11.6
2019	11	2	20	57	35	35	0	0	0	0	0	0	0	39.4	0	0	11.6
2019	11	2	21	7	35	36	0	0	0	0	0	0	0	39.4	0	0	11.6
2019	11	2	21	17	35	36	0	0	0	0	0	0	0	39.38	0	0	11.6
2019	11	2	21	27	35	35	0	0	0	0	0	0	0	39.36	0	0	11.4
2019	11	2	21	37	35	36	0	0	0	0	0	0	0	39.34	0	0	11.6
2019	11	2	21	47	35	35	0	0	0	0	0	0	0	39.33	0	0	11.4
2019	11	2	21	57	35	35	0	0	0	0	0	0	0	39.31	0	0	11.4
2019	11	2	22	7	35	36	0	0	0	0	0	0	0	39.31	0	0	11.4
2019	11	2	22	17	35	36	0	0	0	0	0	0	0	39.27	0	0	11.4
2019	11	2	22	27	35	35	0	0	0	0	0	0	0	39.25	0	0	11.4
2019	11	2	22	37	35	36	0	0	0	0	0	0	0	39.24	0	0	11.4
2019	11	2	22	47	35	35	0	0	0	0	0	0	0	39.22	0	0	11.4
2019	11	2	22	57	35	36	0	0	0	0	0	0	0	39.2	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	2	23	7	35	36	0	0	0	0	0	0	0	39.16	0	0	11.4
2019	11	2	23	17	35	36	0	0	0	0	0	0	0	39.16	0	0	11.4
2019	11	2	23	27	35	36	0	0	0	0	0	0	0	39.15	0	0	11.4
2019	11	2	23	37	35	35	0	0	0	0	0	0	0	39.11	0	0	11.2
2019	11	2	23	47	35	36	0	0	0	0	0	0	0	39.09	0	0	11.2
2019	11	2	23	57	35	35	0	0	0	0	0	0	0	39.07	0	0	11.2
2019	11	3	0	7	35	35	0	0	0	0	0	0	0	39.06	0	0	11.2
2019	11	3	0	17	35	36	0	0	0	0	0	0	0	39.04	0	0	11.2
2019	11	3	0	27	35	35	0	0	0	0	0	0	0	39	0	0	11.2
2019	11	3	0	37	35	35	0	0	0	0	0	0	0	38.98	0	0	11.2
2019	11	3	0	47	35	35	0	0	0	0	0	0	0	38.93	0	0	11.2
2019	11	3	0	57	35	36	0	0	0	0	0	0	0	38.91	0	0	11.2
2019	11	3	1	7	35	36	0	0	0	0	0	0	0	38.89	0	0	11.2
2019	11	3	1	17	35	36	0	0	0	0	0	0	0	38.86	0	0	11.2
2019	11	3	1	27	35	35	0	0	0	0	0	0	0	38.82	0	0	11.2
2019	11	3	1	37	35	36	0	0	0	0	0	0	0	38.8	0	0	11.2
2019	11	3	1	47	35	36	0	0	0	0	0	0	0	38.77	0	0	11.2
2019	11	3	1	57	35	35	0	0	0	0	0	0	0	38.73	0	0	11.2
2019	11	3	2	7	35	36	0	0	0	0	0	0	0	38.7	0	0	11.2
2019	11	3	2	17	35	36	0	0	0	0	0	0	0	38.7	0	0	11.2
2019	11	3	2	27	35	36	0	0	0	0	0	0	0	38.66	0	0	11.2
2019	11	3	2	37	35	36	0	0	0	0	0	0	0	38.62	0	0	11.2
2019	11	3	2	47	35	36	0	0	0	0	0	0	0	38.61	0	0	11.2
2019	11	3	2	57	35	36	0	0	0	0	0	0	0	38.57	0	0	11.2
2019	11	3	3	7	35	36	0	0	0	0	0	0	0	38.55	0	0	11.2
2019	11	3	3	17	35	36	0	0	0	0	0	0	0	38.52	0	0	11.2
2019	11	3	3	27	35	36	0	0	0	0	0	0	0	38.5	0	0	11.2
2019	11	3	3	37	35	35	0	0	0	0	0	0	0	38.46	0	0	11.2
2019	11	3	3	47	35	36	0	0	0	0	0	0	0	38.44	0	0	11.2
2019	11	3	3	57	35	36	0	0	0	0	0	0	0	38.43	0	0	11
2019	11	3	4	7	35	36	0	0	0	0	0	0	0	38.41	0	0	11.2
2019	11	3	4	17	35	36	0	0	0	0	0	0	0	38.37	0	0	11.2
2019	11	3	4	27	35	35	0	0	0	0	0	0	0	38.35	0	0	11.2
2019	11	3	4	37	35	36	0	0	0	0	0	0	0	38.34	0	0	11.2
2019	11	3	4	47	35	36	0	0	0	0	0	0	0	38.32	0	0	11.2
2019	11	3	4	57	35	36	0	0	0	0	0	0	0	38.28	0	0	11.2
2019	11	3	5	7	35	36	0	0	0	0	0	0	0	38.26	0	0	11.2
2019	11	3	5	17	35	36	0	0	0	0	0	0	0	38.26	0	0	11.2
2019	11	3	5	27	35	36	0	0	0	0	0	0	0	38.25	0	0	11.2
2019	11	3	5	37	35	36	0	0	0	0	0	0	0	38.23	0	0	11.2
2019	11	3	5	47	35	35	0	0	0	0	0	0	0	38.21	0	0	11.2
2019	11	3	5	57	35	36	0	0	0	0	0	0	0	38.19	0	0	11.2
2019	11	3	6	7	35	36	0	0	0	0	0	0	0	38.17	0	0	11.2
2019	11	3	6	17	35	36	0	0	0	0	0	0	0	38.17	0	0	11
2019	11	3	6	27	35	35	0	0	0	0	0	0	0	38.17	0	0	11
2019	11	3	6	37	35	35	0	0	0	0	0	0	0	38.16	0	0	11
2019	11	3	6	47	35	36	0	0	0	0	0	0	0	38.14	0	0	11

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	3	6	57	35	36	0	0	0	0	0	0	0	38.12	0	0	11
2019	11	3	7	7	35	35	0	0	0	0	0	0	0	38.12	0	0	11
2019	11	3	7	17	35	35	0	0	0	0	0	0	0	38.12	0	0	11
2019	11	3	7	27	35	36	0	0	0	0	0	0	0	38.1	0	0	11
2019	11	3	7	37	35	36	0	0	0	0	0	0	0	38.08	0	0	11
2019	11	3	7	47	35	36	0	0	0	0	0	0	0	38.08	0	0	11
2019	11	3	7	57	35	36	0	0	0	0	0	0	0	38.07	0	0	11.2
2019	11	3	8	7	35	36	0	0	0	0	0	0	0	38.07	0	0	11.6
2019	11	3	8	17	35	35	0	0	0	0	0	0	0	38.08	0	0	12
2019	11	3	8	27	35	35	0	0	0	0	0	0	0	38.08	0	0	12.4
2019	11	3	8	37	35	35	0	0	0	0	0	0	0	38.16	0	0	12.4
2019	11	3	8	47	35	36	0	0	0	0	0	0	0	38.19	0	0	12.4
2019	11	3	8	57	35	36	0	0	0	0	0	0	0	38.25	0	0	12.4
2019	11	3	9	7	35	35	0	0	0	0	0	0	0	38.3	0	0	12.6
2019	11	3	9	17	35	35	0	0	0	0	0	0	0	38.35	0	0	12.6
2019	11	3	9	27	35	36	0	0	0	0	0	0	0	38.41	0	0	12.6
2019	11	3	9	37	35	35	0	0	0	0	0	0	0	38.44	0	0	12.6
2019	11	3	9	47	35	36	0	0	0	0	0	0	0	38.52	0	0	12.6
2019	11	3	9	57	35	35	0	0	0	0	0	0	0	38.57	0	0	12.8
2019	11	3	10	7	35	36	0	0	0	0	0	0	0	38.61	0	0	12.8
2019	11	3	10	17	35	35	0	0	0	0	0	0	0	38.68	0	0	13
2019	11	3	10	27	35	36	0	0	0	0	0	0	0	38.73	0	0	13.2
2019	11	3	10	37	35	35	0	0	0	0	0	0	0	38.79	0	0	13.2
2019	11	3	10	47	35	36	0	0	0	0	0	0	0	38.84	0	0	13
2019	11	3	10	57	35	37	0	0	0	0	0	0	0	38.89	0	0	13
2019	11	3	11	7	35	36	0	0	0	0	0	0	0	38.95	0	0	13
2019	11	3	11	17	35	37	0	0	0	0	0	0	0	39.02	0	0	13
2019	11	3	11	27	35	35	0	0	0	0	0	0	0	39.07	0	0	13
2019	11	3	11	37	35	35	0	0	0	0	0	0	0	39.11	0	0	13
2019	11	3	11	47	35	35	0	0	0	0	0	0	0	39.15	0	0	13
2019	11	3	11	57	35	35	0	0	0	0	0	0	0	39.2	0	0	13
2019	11	3	12	7	35	35	0	0	0	0	0	0	0	39.24	0	0	13
2019	11	3	12	17	35	36	0	0	0	0	0	0	0	39.29	0	0	13
2019	11	3	12	27	35	36	0	0	0	0	0	0	0	39.31	0	0	13
2019	11	3	12	37	35	36	0	0	0	0	0	0	0	39.36	0	0	13
2019	11	3	12	47	35	36	0	0	0	0	0	0	0	39.38	0	0	13
2019	11	3	12	57	35	36	0	0	0	0	0	0	0	39.42	0	0	13
2019	11	3	13	7	35	35	0	0	0	0	0	0	0	39.45	0	0	13
2019	11	3	13	17	35	36	0	0	0	0	0	0	0	39.47	0	0	13
2019	11	3	13	27	35	36	0	0	0	0	0	0	0	39.49	0	0	12.8
2019	11	3	13	37	35	36	0	0	0	0	0	0	0	39.52	0	0	12.8
2019	11	3	13	47	35	35	0	0	0	0	0	0	0	39.52	0	0	12.8
2019	11	3	13	57	35	35	0	0	0	0	0	0	0	39.54	0	0	12.8
2019	11	3	14	7	35	35	0	0	0	0	0	0	0	39.56	0	0	12.8
2019	11	3	14	17	35	36	0	0	0	0	0	0	0	39.56	0	0	12.8
2019	11	3	14	27	35	36	0	0	0	0	0	0	0	39.58	0	0	12.8
2019	11	3	14	37	35	35	0	0	0	0	0	0	0	39.58	0	0	12.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	3	14	47	35	35	0	0	0	0	0	0	0	39.6	0	0	12.8
2019	11	3	14	57	35	36	0	0	0	0	0	0	0	39.6	0	0	12.8
2019	11	3	15	7	35	36	0	0	0	0	0	0	0	39.61	0	0	12.6
2019	11	3	15	17	35	35	0	0	0	0	0	0	0	39.61	0	0	12.6
2019	11	3	15	27	35	36	0	0	0	0	0	0	0	39.61	0	0	12.6
2019	11	3	15	37	35	36	0	0	0	0	0	0	0	39.58	0	0	12.6
2019	11	3	15	47	35	36	0	0	0	0	0	0	0	39.52	0	0	12.6
2019	11	3	15	57	35	35	0	0	0	0	0	0	0	39.56	0	0	12.6
2019	11	3	16	7	35	36	0	0	0	0	0	0	0	39.54	0	0	12.6
2019	11	3	16	17	35	35	0	0	0	0	0	0	0	39.58	0	0	12.6
2019	11	3	16	27	35	36	0	0	0	0	0	0	0	39.52	0	0	12.6
2019	11	3	16	37	35	36	0	0	0	0	0	0	0	39.51	0	0	12.2
2019	11	3	16	47	35	35	0	0	0	0	0	0	0	39.52	0	0	11.8
2019	11	3	16	57	35	35	0	0	0	0	0	0	0	39.54	0	0	11.8
2019	11	3	17	7	35	36	0	0	0	0	0	0	0	39.56	0	0	11.6
2019	11	3	17	17	35	36	0	0	0	0	0	0	0	39.58	0	0	11.6
2019	11	3	17	27	35	36	0	0	0	0	0	0	0	39.6	0	0	11.6
2019	11	3	17	37	35	35	0	0	0	0	0	0	0	39.61	0	0	11.6
2019	11	3	17	47	35	36	0	0	0	0	0	0	0	39.61	0	0	11.6
2019	11	3	17	57	35	36	0	0	0	0	0	0	0	39.63	0	0	11.4
2019	11	3	18	7	35	36	0	0	0	0	0	0	0	39.67	0	0	11.4
2019	11	3	18	17	35	36	0	0	0	0	0	0	0	39.67	0	0	11.4
2019	11	3	18	27	35	35	0	0	0	0	0	0	0	39.67	0	0	11.4
2019	11	3	18	37	35	35	0	0	0	0	0	0	0	39.69	0	0	11.6
2019	11	3	18	47	35	36	0	0	0	0	0	0	0	39.7	0	0	11.6
2019	11	3	18	57	35	35	0	0	0	0	0	0	0	39.7	0	0	11.4
2019	11	3	19	7	35	36	0	0	0	0	0	0	0	39.7	0	0	11.6
2019	11	3	19	17	35	35	0	0	0	0	0	0	0	39.7	0	0	11.6
2019	11	3	19	27	35	35	0	0	0	0	0	0	0	39.69	0	0	11.4
2019	11	3	19	37	35	36	0	0	0	0	0	0	0	39.69	0	0	11.4
2019	11	3	19	47	35	36	0	0	0	0	0	0	0	39.67	0	0	11.4
2019	11	3	19	57	35	35	0	0	0	0	0	0	0	39.65	0	0	11.6
2019	11	3	20	7	35	36	0	0	0	0	0	0	0	39.65	0	0	11.4
2019	11	3	20	17	35	36	0	0	0	0	0	0	0	39.63	0	0	11.4
2019	11	3	20	27	35	36	0	0	0	0	0	0	0	39.61	0	0	11.4
2019	11	3	20	37	35	36	0	0	0	0	0	0	0	39.61	0	0	11.4
2019	11	3	20	47	35	35	0	0	0	0	0	0	0	39.6	0	0	11.4
2019	11	3	20	57	35	35	0	0	0	0	0	0	0	39.58	0	0	11.4
2019	11	3	21	7	35	35	0	0	0	0	0	0	0	39.56	0	0	11.4
2019	11	3	21	17	35	36	0	0	0	0	0	0	0	39.54	0	0	11.4
2019	11	3	21	27	35	35	0	0	0	0	0	0	0	39.52	0	0	11.4
2019	11	3	21	37	35	36	0	0	0	0	0	0	0	39.51	0	0	11.4
2019	11	3	21	47	35	35	0	0	0	0	0	0	0	39.49	0	0	11.4
2019	11	3	21	57	35	35	0	0	0	0	0	0	0	39.47	0	0	11.4
2019	11	3	22	7	35	35	0	0	0	0	0	0	0	39.45	0	0	11.4
2019	11	3	22	17	35	36	0	0	0	0	0	0	0	39.43	0	0	11.4
2019	11	3	22	27	35	35	0	0	0	0	0	0	0	39.42	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	3	22	37	35	35	0	0	0	0	0	0	0	39.38	0	0	11.4
2019	11	3	22	47	35	36	0	0	0	0	0	0	0	39.36	0	0	11.4
2019	11	3	22	57	35	35	0	0	0	0	0	0	0	39.34	0	0	11.4
2019	11	3	23	7	35	35	0	0	0	0	0	0	0	39.33	0	0	11.4
2019	11	3	23	17	35	36	0	0	0	0	0	0	0	39.31	0	0	11.4
2019	11	3	23	27	35	36	0	0	0	0	0	0	0	39.29	0	0	11.4
2019	11	3	23	37	35	35	0	0	0	0	0	0	0	39.25	0	0	11.4
2019	11	3	23	47	35	36	0	0	0	0	0	0	0	39.24	0	0	11.4
2019	11	3	23	57	35	36	0	0	0	0	0	0	0	39.22	0	0	11.4
2019	11	4	0	7	35	36	0	0	0	0	0	0	0	39.2	0	0	11.4
2019	11	4	0	17	35	35	0	0	0	0	0	0	0	39.16	0	0	11.4
2019	11	4	0	27	35	36	0	0	0	0	0	0	0	39.15	0	0	11.4
2019	11	4	0	37	35	35	0	0	0	0	0	0	0	39.13	0	0	11.4
2019	11	4	0	47	35	36	0	0	0	0	0	0	0	39.09	0	0	11.4
2019	11	4	0	57	35	35	0	0	0	0	0	0	0	39.06	0	0	11.4
2019	11	4	1	7	35	35	0	0	0	0	0	0	0	39.04	0	0	11.4
2019	11	4	1	17	35	36	0	0	0	0	0	0	0	39	0	0	11.4
2019	11	4	1	27	35	36	0	0	0	0	0	0	0	38.97	0	0	11.4
2019	11	4	1	37	35	35	0	0	0	0	0	0	0	38.93	0	0	11.4
2019	11	4	1	47	35	35	0	0	0	0	0	0	0	38.91	0	0	11.2
2019	11	4	1	57	35	35	0	0	0	0	0	0	0	38.89	0	0	11.2
2019	11	4	2	7	35	36	0	0	0	0	0	0	0	38.84	0	0	11.2
2019	11	4	2	17	35	36	0	0	0	0	0	0	0	38.8	0	0	11.2
2019	11	4	2	27	35	35	0	0	0	0	0	0	0	38.79	0	0	11.2
2019	11	4	2	37	35	36	0	0	0	0	0	0	0	38.75	0	0	11.2
2019	11	4	2	47	35	35	0	0	0	0	0	0	0	38.73	0	0	11.2
2019	11	4	2	57	35	36	0	0	0	0	0	0	0	38.7	0	0	11.2
2019	11	4	3	7	35	35	0	0	0	0	0	0	0	38.68	0	0	11.2
2019	11	4	3	17	35	36	0	0	0	0	0	0	0	38.64	0	0	11.2
2019	11	4	3	27	35	35	0	0	0	0	0	0	0	38.62	0	0	11.2
2019	11	4	3	37	35	36	0	0	0	0	0	0	0	38.59	0	0	11.2
2019	11	4	3	47	35	35	0	0	0	0	0	0	0	38.57	0	0	11.2
2019	11	4	3	57	35	35	0	0	0	0	0	0	0	38.55	0	0	11.2
2019	11	4	4	7	35	36	0	0	0	0	0	0	0	38.53	0	0	11.2
2019	11	4	4	17	35	36	0	0	0	0	0	0	0	38.52	0	0	11.2
2019	11	4	4	27	35	36	0	0	0	0	0	0	0	38.5	0	0	11.2
2019	11	4	4	37	35	35	0	0	0	0	0	0	0	38.46	0	0	11.2
2019	11	4	4	47	35	35	0	0	0	0	0	0	0	38.44	0	0	11.2
2019	11	4	4	57	35	35	0	0	0	0	0	0	0	38.43	0	0	11.2
2019	11	4	5	7	35	35	0	0	0	0	0	0	0	38.43	0	0	11.2
2019	11	4	5	17	35	36	0	0	0	0	0	0	0	38.41	0	0	11.2
2019	11	4	5	27	35	35	0	0	0	0	0	0	0	38.39	0	0	11.2
2019	11	4	5	37	35	35	0	0	0	0	0	0	0	38.37	0	0	11.2
2019	11	4	5	47	35	36	0	0	0	0	0	0	0	38.35	0	0	11.2
2019	11	4	5	57	35	36	0	0	0	0	0	0	0	38.34	0	0	11.2
2019	11	4	6	7	35	36	0	0	0	0	0	0	0	38.32	0	0	11.2
2019	11	4	6	17	35	36	0	0	0	0	0	0	0	38.3	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	4	6	27	35	36	0	0	0	0	0	0	0	38.28	0	0	11.2
2019	11	4	6	37	35	36	0	0	0	0	0	0	0	38.28	0	0	11.2
2019	11	4	6	47	35	36	0	0	0	0	0	0	0	38.26	0	0	11.2
2019	11	4	6	57	35	36	0	0	0	0	0	0	0	38.25	0	0	11.2
2019	11	4	7	7	35	36	0	0	0	0	0	0	0	38.25	0	0	11.2
2019	11	4	7	17	35	36	0	0	0	0	0	0	0	38.23	0	0	11.2
2019	11	4	7	27	35	36	0	0	0	0	0	0	0	38.23	0	0	11.2
2019	11	4	7	37	35	36	0	0	0	0	0	0	0	38.21	0	0	11.2
2019	11	4	7	47	35	35	0	0	0	0	0	0	0	38.21	0	0	11.2
2019	11	4	7	57	35	36	0	0	0	0	0	0	0	38.21	0	0	11.4
2019	11	4	8	7	35	36	0	0	0	0	0	0	0	38.21	0	0	11.8
2019	11	4	8	17	35	35	0	0	0	0	0	0	0	38.21	0	0	12.2
2019	11	4	8	27	35	36	0	0	0	0	0	0	0	38.23	0	0	12.4
2019	11	4	8	37	35	36	0	0	0	0	0	0	0	38.28	0	0	12.6
2019	11	4	8	47	35	36	0	0	0	0	0	0	0	38.32	0	0	12.6
2019	11	4	8	57	35	36	0	0	0	0	0	0	0	38.39	0	0	12.6
2019	11	4	9	7	35	36	0	0	0	0	0	0	0	38.43	0	0	12.6
2019	11	4	9	17	35	35	0	0	0	0	0	0	0	38.5	0	0	12.6
2019	11	4	9	27	35	36	0	0	0	0	0	0	0	38.55	0	0	12.6
2019	11	4	9	37	35	35	0	0	0	0	0	0	0	38.59	0	0	12.6
2019	11	4	9	47	35	36	0	0	0	0	0	0	0	38.66	0	0	12.8
2019	11	4	9	57	35	35	0	0	0	0	0	0	0	38.71	0	0	12.8
2019	11	4	10	7	35	36	0	0	0	0	0	0	0	38.77	0	0	12.8
2019	11	4	10	17	35	36	0	0	0	0	0	0	0	38.82	0	0	13
2019	11	4	10	27	35	36	0	0	0	0	0	0	0	38.88	0	0	13.2
2019	11	4	10	37	35	36	0	0	0	0	0	0	0	38.95	0	0	13.2
2019	11	4	10	47	35	36	0	0	0	0	0	0	0	39	0	0	13.2
2019	11	4	10	57	35	36	0	0	0	0	0	0	0	39.06	0	0	13.2
2019	11	4	11	7	35	36	0	0	0	0	0	0	0	39.13	0	0	13.2
2019	11	4	11	17	35	35	0	0	0	0	0	0	0	39.18	0	0	13.2
2019	11	4	11	27	35	36	0	0	0	0	0	0	0	39.22	0	0	13
2019	11	4	11	37	35	36	0	0	0	0	0	0	0	39.27	0	0	12.8
2019	11	4	11	47	35	36	0	0	0	0	0	0	0	39.33	0	0	12.8
2019	11	4	11	57	35	35	0	0	0	0	0	0	0	39.36	0	0	13
2019	11	4	12	7	35	35	0	0	0	0	0	0	0	39.42	0	0	13
2019	11	4	12	17	35	36	0	0	0	0	0	0	0	39.47	0	0	13
2019	11	4	12	27	35	36	0	0	0	0	0	0	0	39.51	0	0	13
2019	11	4	12	37	35	36	0	0	0	0	0	0	0	39.54	0	0	13
2019	11	4	12	47	35	35	0	0	0	0	0	0	0	39.58	0	0	13
2019	11	4	12	57	35	36	0	0	0	0	0	0	0	39.61	0	0	13
2019	11	4	13	7	35	35	0	0	0	0	0	0	0	39.65	0	0	12.8
2019	11	4	13	17	35	36	0	0	0	0	0	0	0	39.67	0	0	12.8
2019	11	4	13	27	35	36	0	0	0	0	0	0	0	39.69	0	0	13
2019	11	4	13	37	35	36	0	0	0	0	0	0	0	39.7	0	0	12.8
2019	11	4	13	47	35	35	0	0	0	0	0	0	0	39.74	0	0	12.8
2019	11	4	13	57	35	35	0	0	0	0	0	0	0	39.76	0	0	12.8
2019	11	4	14	7	35	35	0	0	0	0	0	0	0	39.76	0	0	12.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	4	14	17	35	35	0	0	0	0	0	0	0	39.78	0	0	12.8
2019	11	4	14	27	35	35	0	0	0	0	0	0	0	39.81	0	0	12.8
2019	11	4	14	37	35	35	0	0	0	0	0	0	0	39.81	0	0	12.8
2019	11	4	14	47	35	35	0	0	0	0	0	0	0	39.81	0	0	12.8
2019	11	4	14	57	35	35	0	0	0	0	0	0	0	39.83	0	0	12.8
2019	11	4	15	7	35	36	0	0	0	0	0	0	0	39.83	0	0	12.6
2019	11	4	15	17	35	36	0	0	0	0	0	0	0	39.83	0	0	12.8
2019	11	4	15	27	35	36	0	0	0	0	0	0	0	39.83	0	0	12.8
2019	11	4	15	37	35	36	0	0	0	0	0	0	0	39.81	0	0	12.8
2019	11	4	15	47	35	35	0	0	0	0	0	0	0	39.76	0	0	12.8
2019	11	4	15	57	35	35	0	0	0	0	0	0	0	39.81	0	0	12.8
2019	11	4	16	7	35	35	0	0	0	0	0	0	0	39.81	0	0	12.8
2019	11	4	16	17	35	35	0	0	0	0	0	0	0	39.81	0	0	12.8
2019	11	4	16	27	35	35	0	0	0	0	0	0	0	39.78	0	0	12.8
2019	11	4	16	37	35	35	0	0	0	0	0	0	0	39.76	0	0	12.2
2019	11	4	16	47	35	35	0	0	0	0	0	0	0	39.78	0	0	11.8
2019	11	4	16	57	35	35	0	0	0	0	0	0	0	39.79	0	0	11.8
2019	11	4	17	7	35	35	0	0	0	0	0	0	0	39.81	0	0	11.6
2019	11	4	17	17	35	36	0	0	0	0	0	0	0	39.83	0	0	11.6
2019	11	4	17	27	35	36	0	0	0	0	0	0	0	39.85	0	0	11.6
2019	11	4	17	37	35	35	0	0	0	0	0	0	0	39.85	0	0	11.6
2019	11	4	17	47	35	36	0	0	0	0	0	0	0	39.87	0	0	11.6
2019	11	4	17	57	35	35	0	0	0	0	0	0	0	39.88	0	0	11.6
2019	11	4	18	7	35	35	0	0	0	0	0	0	0	39.9	0	0	11.6
2019	11	4	18	17	35	36	0	0	0	0	0	0	0	39.9	0	0	11.4
2019	11	4	18	27	35	35	0	0	0	0	0	0	0	39.9	0	0	11.4
2019	11	4	18	37	35	36	0	0	0	0	0	0	0	39.9	0	0	11.4
2019	11	4	18	47	35	36	0	0	0	0	0	0	0	39.9	0	0	11.4
2019	11	4	18	57	35	36	0	0	0	0	0	0	0	39.92	0	0	11.4
2019	11	4	19	7	35	36	0	0	0	0	0	0	0	39.9	0	0	11.4
2019	11	4	19	17	35	35	0	0	0	0	0	0	0	39.9	0	0	11.4
2019	11	4	19	27	35	35	0	0	0	0	0	0	0	39.88	0	0	11.4
2019	11	4	19	37	35	35	0	0	0	0	0	0	0	39.88	0	0	11.4
2019	11	4	19	47	35	36	0	0	0	0	0	0	0	39.88	0	0	11.4
2019	11	4	19	57	35	35	0	0	0	0	0	0	0	39.87	0	0	11.4
2019	11	4	20	7	35	35	0	0	0	0	0	0	0	39.85	0	0	11.4
2019	11	4	20	17	35	36	0	0	0	0	0	0	0	39.83	0	0	11.4
2019	11	4	20	27	35	36	0	0	0	0	0	0	0	39.81	0	0	11.4
2019	11	4	20	37	35	36	0	0	0	0	0	0	0	39.79	0	0	11.4
2019	11	4	20	47	35	36	0	0	0	0	0	0	0	39.78	0	0	11.4
2019	11	4	20	57	35	35	0	0	0	0	0	0	0	39.76	0	0	11.4
2019	11	4	21	7	35	35	0	0	0	0	0	0	0	39.74	0	0	11.4
2019	11	4	21	17	35	35	0	0	0	0	0	0	0	39.72	0	0	11.4
2019	11	4	21	27	35	36	0	0	0	0	0	0	0	39.7	0	0	11.4
2019	11	4	21	37	35	35	0	0	0	0	0	0	0	39.69	0	0	11.4
2019	11	4	21	47	35	35	0	0	0	0	0	0	0	39.67	0	0	11.4
2019	11	4	21	57	35	36	0	0	0	0	0	0	0	39.65	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	4	22	7	35	35	0	0	0	0	0	0	0	39.63	0	0	11.4
2019	11	4	22	17	35	35	0	0	0	0	0	0	0	39.61	0	0	11.4
2019	11	4	22	27	35	35	0	0	0	0	0	0	0	39.6	0	0	11.4
2019	11	4	22	37	35	35	0	0	0	0	0	0	0	39.58	0	0	11.4
2019	11	4	22	47	35	35	0	0	0	0	0	0	0	39.56	0	0	11.4
2019	11	4	22	57	35	35	0	0	0	0	0	0	0	39.54	0	0	11.4
2019	11	4	23	7	35	35	0	0	0	0	0	0	0	39.52	0	0	11.4
2019	11	4	23	17	35	35	0	0	0	0	0	0	0	39.51	0	0	11.4
2019	11	4	23	27	35	36	0	0	0	0	0	0	0	39.49	0	0	11.4
2019	11	4	23	37	35	36	0	0	0	0	0	0	0	39.47	0	0	11.4
2019	11	4	23	47	35	35	0	0	0	0	0	0	0	39.43	0	0	11.2
2019	11	4	23	57	35	36	0	0	0	0	0	0	0	39.42	0	0	11.2
2019	11	5	0	7	35	36	0	0	0	0	0	0	0	39.42	0	0	11.2
2019	11	5	0	17	35	36	0	0	0	0	0	0	0	39.38	0	0	11.2
2019	11	5	0	27	35	35	0	0	0	0	0	0	0	39.36	0	0	11.2
2019	11	5	0	37	35	36	0	0	0	0	0	0	0	39.33	0	0	11.2
2019	11	5	0	47	35	36	0	0	0	0	0	0	0	39.31	0	0	11.2
2019	11	5	0	57	35	35	0	0	0	0	0	0	0	39.27	0	0	11.2
2019	11	5	1	7	35	35	0	0	0	0	0	0	0	39.25	0	0	11.2
2019	11	5	1	17	35	35	0	0	0	0	0	0	0	39.22	0	0	11.2
2019	11	5	1	27	35	35	0	0	0	0	0	0	0	39.2	0	0	11.2
2019	11	5	1	37	35	36	0	0	0	0	0	0	0	39.15	0	0	11.2
2019	11	5	1	47	35	36	0	0	0	0	0	0	0	39.13	0	0	11.2
2019	11	5	1	57	35	36	0	0	0	0	0	0	0	39.09	0	0	11.2
2019	11	5	2	7	35	35	0	0	0	0	0	0	0	39.07	0	0	11.2
2019	11	5	2	17	35	36	0	0	0	0	0	0	0	39.04	0	0	11.2
2019	11	5	2	27	35	35	0	0	0	0	0	0	0	39.02	0	0	11.2
2019	11	5	2	37	35	35	0	0	0	0	0	0	0	38.98	0	0	11.2
2019	11	5	2	47	35	36	0	0	0	0	0	0	0	38.97	0	0	11.2
2019	11	5	2	57	35	36	0	0	0	0	0	0	0	38.93	0	0	11.2
2019	11	5	3	7	35	35	0	0	0	0	0	0	0	38.91	0	0	11.2
2019	11	5	3	17	35	35	0	0	0	0	0	0	0	38.88	0	0	11.2
2019	11	5	3	27	35	35	0	0	0	0	0	0	0	38.86	0	0	11.2
2019	11	5	3	37	35	36	0	0	0	0	0	0	0	38.82	0	0	11.2
2019	11	5	3	47	35	35	0	0	0	0	0	0	0	38.8	0	0	11.2
2019	11	5	3	57	35	35	0	0	0	0	0	0	0	38.79	0	0	11.2
2019	11	5	4	7	35	35	0	0	0	0	0	0	0	38.77	0	0	11.2
2019	11	5	4	17	35	36	0	0	0	0	0	0	0	38.75	0	0	11.2
2019	11	5	4	27	35	36	0	0	0	0	0	0	0	38.73	0	0	11.2
2019	11	5	4	37	35	35	0	0	0	0	0	0	0	38.71	0	0	11.2
2019	11	5	4	47	35	35	0	0	0	0	0	0	0	38.7	0	0	11.2
2019	11	5	4	57	35	36	0	0	0	0	0	0	0	38.66	0	0	11.2
2019	11	5	5	7	35	35	0	0	0	0	0	0	0	38.66	0	0	11.2
2019	11	5	5	17	35	36	0	0	0	0	0	0	0	38.64	0	0	11.2
2019	11	5	5	27	35	36	0	0	0	0	0	0	0	38.62	0	0	11.2
2019	11	5	5	37	35	36	0	0	0	0	0	0	0	38.61	0	0	11.2
2019	11	5	5	47	35	36	0	0	0	0	0	0	0	38.61	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	5	5	57	35	35	0	0	0	0	0	0	0	38.59	0	0	11.2
2019	11	5	6	7	35	35	0	0	0	0	0	0	0	38.59	0	0	11.2
2019	11	5	6	17	35	35	0	0	0	0	0	0	0	38.57	0	0	11.2
2019	11	5	6	27	35	35	0	0	0	0	0	0	0	38.55	0	0	11.2
2019	11	5	6	37	35	36	0	0	0	0	0	0	0	38.55	0	0	11.2
2019	11	5	6	47	35	36	0	0	0	0	0	0	0	38.53	0	0	11.2
2019	11	5	6	57	35	34	0	0	0	0	0	0	0	38.52	0	0	11.2
2019	11	5	7	7	35	37	0	0	0	0	0	0	0	38.52	0	0	11
2019	11	5	7	17	35	35	0	0	0	0	0	0	0	38.5	0	0	11
2019	11	5	7	27	35	36	0	0	0	0	0	0	0	38.5	0	0	11
2019	11	5	7	37	35	35	0	0	0	0	0	0	0	38.5	0	0	11
2019	11	5	7	47	35	35	0	0	0	0	0	0	0	38.5	0	0	11
2019	11	5	7	57	35	36	0	0	0	0	0	0	0	38.48	0	0	11.4
2019	11	5	8	7	35	36	0	0	0	0	0	0	0	38.5	0	0	11.6
2019	11	5	8	17	35	36	0	0	0	0	0	0	0	38.5	0	0	12
2019	11	5	8	27	35	36	0	0	0	0	0	0	0	38.52	0	0	12.4
2019	11	5	8	37	35	36	0	0	0	0	0	0	0	38.57	0	0	12.4
2019	11	5	8	47	35	36	0	0	0	0	0	0	0	38.62	0	0	12.4
2019	11	5	8	57	35	36	0	0	0	0	0	0	0	38.68	0	0	12.4
2019	11	5	9	7	35	36	0	0	0	0	0	0	0	38.73	0	0	12.4
2019	11	5	9	17	35	36	0	0	0	0	0	0	0	38.8	0	0	12.6
2019	11	5	9	27	35	36	0	0	0	0	0	0	0	38.84	0	0	12.6
2019	11	5	9	37	35	36	0	0	0	0	0	0	0	38.91	0	0	12.6
2019	11	5	9	47	35	36	0	0	0	0	0	0	0	38.97	0	0	12.6
2019	11	5	9	57	35	36	0	0	0	0	0	0	0	39.04	0	0	12.6
2019	11	5	10	7	35	36	0	0	0	0	0	0	0	39.09	0	0	12.8
2019	11	5	10	17	35	36	0	0	0	0	0	0	0	39.15	0	0	12.8
2019	11	5	10	27	35	35	0	0	0	0	0	0	0	39.22	0	0	13
2019	11	5	10	37	35	36	0	0	0	0	0	0	0	39.29	0	0	13.2
2019	11	5	10	47	35	36	0	0	0	0	0	0	0	39.34	0	0	13.2
2019	11	5	10	57	35	36	0	0	0	0	0	0	0	39.42	0	0	13.2
2019	11	5	11	7	35	36	0	0	0	0	0	0	0	39.47	0	0	13.2
2019	11	5	11	17	35	36	0	0	0	0	0	0	0	39.54	0	0	13.2
2019	11	5	11	27	35	36	0	0	0	0	0	0	0	39.58	0	0	13.2
2019	11	5	11	37	35	36	0	0	0	0	0	0	0	39.63	0	0	13.2
2019	11	5	11	47	35	36	0	0	0	0	0	0	0	39.69	0	0	13
2019	11	5	11	57	35	36	0	0	0	0	0	0	0	39.74	0	0	13
2019	11	5	12	7	35	35	0	0	0	0	0	0	0	39.79	0	0	13
2019	11	5	12	17	35	36	0	0	0	0	0	0	0	39.85	0	0	13
2019	11	5	12	27	35	36	0	0	0	0	0	0	0	39.88	0	0	13
2019	11	5	12	37	35	35	0	0	0	0	0	0	0	39.92	0	0	13
2019	11	5	12	47	35	36	0	0	0	0	0	0	0	39.96	0	0	13
2019	11	5	12	57	35	36	0	0	0	0	0	0	0	40.01	0	0	13
2019	11	5	13	7	35	36	0	0	0	0	0	0	0	40.05	0	0	13
2019	11	5	13	17	35	35	0	0	0	0	0	0	0	40.08	0	0	13
2019	11	5	13	27	35	36	0	0	0	0	0	0	0	40.1	0	0	12.8
2019	11	5	13	37	35	35	0	0	0	0	0	0	0	40.14	0	0	12.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	5	13	47	35	36	0	0	0	0	0	0	0	40.15	0	0	13
2019	11	5	13	57	35	36	0	0	0	0	0	0	0	40.17	0	0	13
2019	11	5	14	7	35	36	0	0	0	0	0	0	0	40.19	0	0	13
2019	11	5	14	17	35	35	0	0	0	0	0	0	0	40.21	0	0	12.8
2019	11	5	14	27	35	35	0	0	0	0	0	0	0	40.23	0	0	12.8
2019	11	5	14	37	35	35	0	0	0	0	0	0	0	40.24	0	0	12.8
2019	11	5	14	47	35	36	0	0	0	0	0	0	0	40.24	0	0	12.8
2019	11	5	14	57	35	35	0	0	0	0	0	0	0	40.24	0	0	12.8
2019	11	5	15	7	35	35	0	0	0	0	0	0	0	40.26	0	0	12.8
2019	11	5	15	17	35	36	0	0	0	0	0	0	0	40.28	0	0	12.8
2019	11	5	15	27	35	36	0	0	0	0	0	0	0	40.28	0	0	12.8
2019	11	5	15	37	35	36	0	0	0	0	0	0	0	40.24	0	0	12.8
2019	11	5	15	47	35	36	0	0	0	0	0	0	0	40.21	0	0	12.8
2019	11	5	15	57	35	35	0	0	0	0	0	0	0	40.24	0	0	12.8
2019	11	5	16	7	35	36	0	0	0	0	0	0	0	40.24	0	0	12.8
2019	11	5	16	17	35	35	0	0	0	0	0	0	0	40.24	0	0	12.8
2019	11	5	16	27	35	36	0	0	0	0	0	0	0	40.21	0	0	12.8
2019	11	5	16	37	35	36	0	0	0	0	0	0	0	40.21	0	0	12.2
2019	11	5	16	47	35	36	0	0	0	0	0	0	0	40.23	0	0	11.8
2019	11	5	16	57	35	36	0	0	0	0	0	0	0	40.24	0	0	12
2019	11	5	17	7	35	36	0	0	0	0	0	0	0	40.26	0	0	11.8
2019	11	5	17	17	35	35	0	0	0	0	0	0	0	40.28	0	0	11.6
2019	11	5	17	27	35	35	0	0	0	0	0	0	0	40.28	0	0	11.6
2019	11	5	17	37	35	35	0	0	0	0	0	0	0	40.3	0	0	11.8
2019	11	5	17	47	35	35	0	0	0	0	0	0	0	40.32	0	0	11.6
2019	11	5	17	57	35	36	0	0	0	0	0	0	0	40.33	0	0	11.8
2019	11	5	18	7	35	35	0	0	0	0	0	0	0	40.33	0	0	12
2019	11	5	18	17	35	35	0	0	0	0	0	0	0	40.35	0	0	11.8
2019	11	5	18	27	35	36	0	0	0	0	0	0	0	40.37	0	0	11.6
2019	11	5	18	37	35	36	0	0	0	0	0	0	0	40.37	0	0	11.6
2019	11	5	18	47	35	35	0	0	0	0	0	0	0	40.37	0	0	11.6
2019	11	5	18	57	35	35	0	0	0	0	0	0	0	40.35	0	0	11.6
2019	11	5	19	7	35	36	0	0	0	0	0	0	0	40.35	0	0	11.6
2019	11	5	19	17	35	36	0	0	0	0	0	0	0	40.37	0	0	11.6
2019	11	5	19	27	35	35	0	0	0	0	0	0	0	40.33	0	0	11.6
2019	11	5	19	37	35	35	0	0	0	0	0	0	0	40.33	0	0	11.6
2019	11	5	19	47	35	35	0	0	0	0	0	0	0	40.33	0	0	11.6
2019	11	5	19	57	35	36	0	0	0	0	0	0	0	40.32	0	0	11.4
2019	11	5	20	7	35	35	0	0	0	0	0	0	0	40.3	0	0	11.6
2019	11	5	20	17	35	36	0	0	0	0	0	0	0	40.28	0	0	11.6
2019	11	5	20	27	35	35	0	0	0	0	0	0	0	40.28	0	0	11.4
2019	11	5	20	37	35	35	0	0	0	0	0	0	0	40.26	0	0	11.2
2019	11	5	20	47	35	35	0	0	0	0	0	0	0	40.24	0	0	11.2
2019	11	5	20	57	35	35	0	0	0	0	0	0	0	40.21	0	0	11.2
2019	11	5	21	7	35	35	0	0	0	0	0	0	0	40.21	0	0	11.4
2019	11	5	21	17	35	36	0	0	0	0	0	0	0	40.19	0	0	11.4
2019	11	5	21	27	35	35	0	0	0	0	0	0	0	40.17	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	5	21	37	35	35	0	0	0	0	0	0	0	40.15	0	0	11.2
2019	11	5	21	47	35	35	0	0	0	0	0	0	0	40.14	0	0	11.4
2019	11	5	21	57	35	35	0	0	0	0	0	0	0	40.12	0	0	11.4
2019	11	5	22	7	35	35	0	0	0	0	0	0	0	40.1	0	0	11.4
2019	11	5	22	17	35	35	0	0	0	0	0	0	0	40.08	0	0	11.4
2019	11	5	22	27	35	36	0	0	0	0	0	0	0	40.05	0	0	11.4
2019	11	5	22	37	35	35	0	0	0	0	0	0	0	40.03	0	0	11.4
2019	11	5	22	47	35	35	0	0	0	0	0	0	0	40.01	0	0	11.4
2019	11	5	22	57	35	36	0	0	0	0	0	0	0	39.99	0	0	11.4
2019	11	5	23	7	35	36	0	0	0	0	0	0	0	39.97	0	0	11.4
2019	11	5	23	17	35	35	0	0	0	0	0	0	0	39.94	0	0	11.4
2019	11	5	23	27	35	35	0	0	0	0	0	0	0	39.92	0	0	11.4
2019	11	5	23	37	35	35	0	0	0	0	0	0	0	39.9	0	0	11.4
2019	11	5	23	47	35	36	0	0	0	0	0	0	0	39.87	0	0	11.4
2019	11	5	23	57	35	35	0	0	0	0	0	0	0	39.85	0	0	11.4
2019	11	6	0	7	35	35	0	0	0	0	0	0	0	39.83	0	0	11.4
2019	11	6	0	17	35	35	0	0	0	0	0	0	0	39.81	0	0	11.4
2019	11	6	0	27	35	36	0	0	0	0	0	0	0	39.78	0	0	11.4
2019	11	6	0	37	35	35	0	0	0	0	0	0	0	39.76	0	0	11.4
2019	11	6	0	47	35	36	0	0	0	0	0	0	0	39.72	0	0	11.4
2019	11	6	0	57	35	35	0	0	0	0	0	0	0	39.7	0	0	11.4
2019	11	6	1	7	35	35	0	0	0	0	0	0	0	39.67	0	0	11.4
2019	11	6	1	17	35	35	0	0	0	0	0	0	0	39.65	0	0	11.2
2019	11	6	1	27	35	35	0	0	0	0	0	0	0	39.61	0	0	11.2
2019	11	6	1	37	35	35	0	0	0	0	0	0	0	39.6	0	0	11.2
2019	11	6	1	47	35	36	0	0	0	0	0	0	0	39.56	0	0	11.2
2019	11	6	1	57	35	36	0	0	0	0	0	0	0	39.54	0	0	11.2
2019	11	6	2	7	35	36	0	0	0	0	0	0	0	39.51	0	0	11.2
2019	11	6	2	17	35	36	0	0	0	0	0	0	0	39.49	0	0	11.2
2019	11	6	2	27	35	36	0	0	0	0	0	0	0	39.47	0	0	11.2
2019	11	6	2	37	35	36	0	0	0	0	0	0	0	39.43	0	0	11.2
2019	11	6	2	47	35	36	0	0	0	0	0	0	0	39.4	0	0	11.2
2019	11	6	2	57	35	35	0	0	0	0	0	0	0	39.38	0	0	11.2
2019	11	6	3	7	35	36	0	0	0	0	0	0	0	39.36	0	0	11.2
2019	11	6	3	17	35	36	0	0	0	0	0	0	0	39.34	0	0	11.2
2019	11	6	3	27	35	35	0	0	0	0	0	0	0	39.33	0	0	11.2
2019	11	6	3	37	35	35	0	0	0	0	0	0	0	39.31	0	0	11.2
2019	11	6	3	47	35	35	0	0	0	0	0	0	0	39.27	0	0	11.2
2019	11	6	3	57	35	35	0	0	0	0	0	0	0	39.25	0	0	11.2
2019	11	6	4	7	35	36	0	0	0	0	0	0	0	39.25	0	0	11.2
2019	11	6	4	17	35	35	0	0	0	0	0	0	0	39.24	0	0	11.2
2019	11	6	4	27	35	35	0	0	0	0	0	0	0	39.2	0	0	11.2
2019	11	6	4	37	35	36	0	0	0	0	0	0	0	39.2	0	0	11.2
2019	11	6	4	47	35	36	0	0	0	0	0	0	0	39.18	0	0	11.2
2019	11	6	4	57	35	35	0	0	0	0	0	0	0	39.16	0	0	11.2
2019	11	6	5	7	35	35	0	0	0	0	0	0	0	39.15	0	0	11.2
2019	11	6	5	17	35	35	0	0	0	0	0	0	0	39.15	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	6	5	27	35	36	0	0	0	0	0	0	0	39.13	0	0	11.2
2019	11	6	5	37	35	35	0	0	0	0	0	0	0	39.11	0	0	11.2
2019	11	6	5	47	35	36	0	0	0	0	0	0	0	39.11	0	0	11.2
2019	11	6	5	57	35	36	0	0	0	0	0	0	0	39.11	0	0	11.2
2019	11	6	6	7	35	36	0	0	0	0	0	0	0	39.09	0	0	11.2
2019	11	6	6	17	35	35	0	0	0	0	0	0	0	39.09	0	0	11.2
2019	11	6	6	27	35	36	0	0	0	0	0	0	0	39.09	0	0	11.2
2019	11	6	6	37	35	35	0	0	0	0	0	0	0	39.07	0	0	11.2
2019	11	6	6	47	35	36	0	0	0	0	0	0	0	39.07	0	0	11.2
2019	11	6	6	57	35	35	0	0	0	0	0	0	0	39.07	0	0	11.2
2019	11	6	7	7	35	36	0	0	0	0	0	0	0	39.06	0	0	11.2
2019	11	6	7	17	35	36	0	0	0	0	0	0	0	39.06	0	0	11.2
2019	11	6	7	27	35	36	0	0	0	0	0	0	0	39.06	0	0	11
2019	11	6	7	37	35	36	0	0	0	0	0	0	0	39.06	0	0	11
2019	11	6	7	47	35	36	0	0	0	0	0	0	0	39.06	0	0	11
2019	11	6	7	57	35	35	0	0	0	0	0	0	0	39.06	0	0	11.2
2019	11	6	8	7	35	35	0	0	0	0	0	0	0	39.06	0	0	11.6
2019	11	6	8	17	35	36	0	0	0	0	0	0	0	39.07	0	0	12
2019	11	6	8	27	35	35	0	0	0	0	0	0	0	39.09	0	0	12.4
2019	11	6	8	37	35	35	0	0	0	0	0	0	0	39.13	0	0	12.4
2019	11	6	8	47	35	36	0	0	0	0	0	0	0	39.18	0	0	12.4
2019	11	6	8	57	35	35	0	0	0	0	0	0	0	39.25	0	0	12.6
2019	11	6	9	7	35	36	0	0	0	0	0	0	0	39.31	0	0	12.6
2019	11	6	9	17	35	36	0	0	0	0	0	0	0	39.33	0	0	12.4
2019	11	6	9	27	35	36	0	0	0	0	0	0	0	39.36	0	0	12.4
2019	11	6	9	37	35	35	0	0	0	0	0	0	0	39.52	0	0	12.8
2019	11	6	9	47	35	35	0	0	0	0	0	0	0	39.47	0	0	12.2
2019	11	6	9	57	35	37	0	0	0	0	0	0	0	39.45	0	0	12.4
2019	11	6	10	7	35	35	0	0	0	0	0	0	0	39.51	0	0	12.6
2019	11	6	10	17	35	35	0	0	0	0	0	0	0	39.65	0	0	13
2019	11	6	10	27	35	36	0	0	0	0	0	0	0	39.72	0	0	13
2019	11	6	10	37	35	36	0	0	0	0	0	0	0	39.79	0	0	12.6
2019	11	6	10	47	35	36	0	0	0	0	0	0	0	39.87	0	0	13.2
2019	11	6	10	57	35	36	0	0	0	0	0	0	0	39.94	0	0	13.4
2019	11	6	11	7	35	35	0	0	0	0	0	0	0	40.05	0	0	13.4
2019	11	6	11	17	35	35	0	0	0	0	0	0	0	40.1	0	0	13.4
2019	11	6	11	27	35	35	0	0	0	0	0	0	0	40.15	0	0	13.4
2019	11	6	11	37	35	36	0	0	0	0	0	0	0	40.23	0	0	13.2
2019	11	6	11	47	35	35	0	0	0	0	0	0	0	40.28	0	0	13.2
2019	11	6	11	57	35	35	0	0	0	0	0	0	0	40.35	0	0	13.2
2019	11	6	12	7	35	35	0	0	0	0	0	0	0	40.41	0	0	13.2
2019	11	6	12	17	35	35	0	0	0	0	0	0	0	40.44	0	0	13.2
2019	11	6	12	27	35	35	0	0	0	0	0	0	0	40.5	0	0	13.2
2019	11	6	12	37	35	35	0	0	0	0	0	0	0	40.55	0	0	13.2
2019	11	6	12	47	35	35	0	0	0	0	0	0	0	40.59	0	0	13.2
2019	11	6	12	57	35	36	0	0	0	0	0	0	0	40.62	0	0	13.2
2019	11	6	13	7	35	36	0	0	0	0	0	0	0	40.66	0	0	13.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	6	13	17	35	35	0	0	0	0	0	0	0	40.68	0	0	13.2
2019	11	6	13	27	35	36	0	0	0	0	0	0	0	40.69	0	0	13.2
2019	11	6	13	37	35	35	0	0	0	0	0	0	0	40.73	0	0	13
2019	11	6	13	47	35	36	0	0	0	0	0	0	0	40.75	0	0	13
2019	11	6	13	57	35	35	0	0	0	0	0	0	0	40.77	0	0	13
2019	11	6	14	7	35	35	0	0	0	0	0	0	0	40.78	0	0	13
2019	11	6	14	17	35	35	0	0	0	0	0	0	0	40.82	0	0	13
2019	11	6	14	27	35	35	0	0	0	0	0	0	0	40.84	0	0	13
2019	11	6	14	37	35	35	0	0	0	0	0	0	0	40.86	0	0	13
2019	11	6	14	47	35	35	0	0	0	0	0	0	0	40.87	0	0	13
2019	11	6	14	57	35	36	0	0	0	0	0	0	0	40.87	0	0	13
2019	11	6	15	7	35	35	0	0	0	0	0	0	0	40.87	0	0	13
2019	11	6	15	17	35	36	0	0	0	0	0	0	0	40.91	0	0	13
2019	11	6	15	27	35	35	0	0	0	0	0	0	0	40.91	0	0	13
2019	11	6	15	37	35	36	0	0	0	0	0	0	0	40.87	0	0	13
2019	11	6	15	47	35	36	0	0	0	0	0	0	0	40.86	0	0	13
2019	11	6	15	57	35	36	0	0	0	0	0	0	0	40.89	0	0	13
2019	11	6	16	7	35	35	0	0	0	0	0	0	0	40.87	0	0	13
2019	11	6	16	17	35	35	0	0	0	0	0	0	0	40.89	0	0	13
2019	11	6	16	27	35	35	0	0	0	0	0	0	0	40.86	0	0	13
2019	11	6	16	37	35	35	0	0	0	0	0	0	0	40.86	0	0	12.2
2019	11	6	16	47	35	36	0	0	0	0	0	0	0	40.87	0	0	12
2019	11	6	16	57	35	35	0	0	0	0	0	0	0	40.89	0	0	12
2019	11	6	17	7	35	35	0	0	0	0	0	0	0	40.91	0	0	11.8
2019	11	6	17	17	35	35	0	0	0	0	0	0	0	40.93	0	0	11.8
2019	11	6	17	27	35	36	0	0	0	0	0	0	0	40.95	0	0	11.8
2019	11	6	17	37	35	35	0	0	0	0	0	0	0	40.96	0	0	11.8
2019	11	6	17	47	35	36	0	0	0	0	0	0	0	40.98	0	0	11.8
2019	11	6	17	57	35	35	0	0	0	0	0	0	0	41	0	0	11.8
2019	11	6	18	7	35	35	0	0	0	0	0	0	0	41	0	0	11.8
2019	11	6	18	17	35	35	0	0	0	0	0	0	0	41.02	0	0	11.8
2019	11	6	18	27	35	35	0	0	0	0	0	0	0	41.04	0	0	11.8
2019	11	6	18	37	35	35	0	0	0	0	0	0	0	41.04	0	0	11.6
2019	11	6	18	47	35	36	0	0	0	0	0	0	0	41.04	0	0	11.6
2019	11	6	18	57	35	35	0	0	0	0	0	0	0	41.04	0	0	11.6
2019	11	6	19	7	35	35	0	0	0	0	0	0	0	41.04	0	0	11.6
2019	11	6	19	17	35	35	0	0	0	0	0	0	0	41.04	0	0	11.6
2019	11	6	19	27	35	35	0	0	0	0	0	0	0	41.04	0	0	11.6
2019	11	6	19	37	35	35	0	0	0	0	0	0	0	41.02	0	0	11.6
2019	11	6	19	47	35	35	0	0	0	0	0	0	0	41	0	0	11.6
2019	11	6	19	57	35	35	0	0	0	0	0	0	0	41	0	0	11.6
2019	11	6	20	7	35	35	0	0	0	0	0	0	0	40.98	0	0	11.6
2019	11	6	20	17	35	36	0	0	0	0	0	0	0	40.98	0	0	11.6
2019	11	6	20	27	35	35	0	0	0	0	0	0	0	40.95	0	0	11.6
2019	11	6	20	37	35	36	0	0	0	0	0	0	0	40.95	0	0	11.6
2019	11	6	20	47	35	35	0	0	0	0	0	0	0	40.93	0	0	11.6
2019	11	6	20	57	35	35	0	0	0	0	0	0	0	40.91	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	6	21	7	35	36	0	0	0	0	0	0	0	40.89	0	0	11.6
2019	11	6	21	17	35	36	0	0	0	0	0	0	0	40.89	0	0	11.6
2019	11	6	21	27	35	36	0	0	0	0	0	0	0	40.87	0	0	11.6
2019	11	6	21	37	35	35	0	0	0	0	0	0	0	40.86	0	0	11.6
2019	11	6	21	47	35	36	0	0	0	0	0	0	0	40.84	0	0	11.6
2019	11	6	21	57	35	35	0	0	0	0	0	0	0	40.82	0	0	11.6
2019	11	6	22	7	35	36	0	0	0	0	0	0	0	40.8	0	0	11.6
2019	11	6	22	17	35	36	0	0	0	0	0	0	0	40.78	0	0	11.6
2019	11	6	22	27	35	35	0	0	0	0	0	0	0	40.77	0	0	11.6
2019	11	6	22	37	35	35	0	0	0	0	0	0	0	40.75	0	0	11.6
2019	11	6	22	47	35	35	0	0	0	0	0	0	0	40.73	0	0	11.6
2019	11	6	22	57	35	35	0	0	0	0	0	0	0	40.71	0	0	11.6
2019	11	6	23	7	35	36	0	0	0	0	0	0	0	40.68	0	0	11.6
2019	11	6	23	17	35	35	0	0	0	0	0	0	0	40.68	0	0	11.6
2019	11	6	23	27	35	36	0	0	0	0	0	0	0	40.66	0	0	11.6
2019	11	6	23	37	35	35	0	0	0	0	0	0	0	40.64	0	0	11.6
2019	11	6	23	47	35	35	0	0	0	0	0	0	0	40.6	0	0	11.6
2019	11	6	23	57	35	35	0	0	0	0	0	0	0	40.59	0	0	11.4
2019	11	7	0	7	35	36	0	0	0	0	0	0	0	40.57	0	0	11.4
2019	11	7	0	17	35	35	0	0	0	0	0	0	0	40.53	0	0	11.4
2019	11	7	0	27	35	35	0	0	0	0	0	0	0	40.51	0	0	11.4
2019	11	7	0	37	35	35	0	0	0	0	0	0	0	40.5	0	0	11.4
2019	11	7	0	47	35	35	0	0	0	0	0	0	0	40.46	0	0	11.4
2019	11	7	0	57	35	36	0	0	0	0	0	0	0	40.44	0	0	11.4
2019	11	7	1	7	35	35	0	0	0	0	0	0	0	40.41	0	0	11.4
2019	11	7	1	17	35	35	0	0	0	0	0	0	0	40.39	0	0	11.4
2019	11	7	1	27	35	35	0	0	0	0	0	0	0	40.37	0	0	11.4
2019	11	7	1	37	35	35	0	0	0	0	0	0	0	40.33	0	0	11.4
2019	11	7	1	47	35	35	0	0	0	0	0	0	0	40.3	0	0	11.4
2019	11	7	1	57	35	36	0	0	0	0	0	0	0	40.28	0	0	11.4
2019	11	7	2	7	35	35	0	0	0	0	0	0	0	40.24	0	0	11.4
2019	11	7	2	17	35	35	0	0	0	0	0	0	0	40.23	0	0	11.4
2019	11	7	2	27	35	35	0	0	0	0	0	0	0	40.19	0	0	11.4
2019	11	7	2	37	35	36	0	0	0	0	0	0	0	40.17	0	0	11.4
2019	11	7	2	47	35	35	0	0	0	0	0	0	0	40.14	0	0	11.4
2019	11	7	2	57	35	36	0	0	0	0	0	0	0	40.12	0	0	11.4
2019	11	7	3	7	35	35	0	0	0	0	0	0	0	40.08	0	0	11.4
2019	11	7	3	17	35	36	0	0	0	0	0	0	0	40.06	0	0	11.4
2019	11	7	3	27	35	35	0	0	0	0	0	0	0	40.05	0	0	11.4
2019	11	7	3	37	35	35	0	0	0	0	0	0	0	40.01	0	0	11.4
2019	11	7	3	47	35	35	0	0	0	0	0	0	0	39.99	0	0	11.4
2019	11	7	3	57	35	35	0	0	0	0	0	0	0	39.97	0	0	11.4
2019	11	7	4	7	35	35	0	0	0	0	0	0	0	39.96	0	0	11.4
2019	11	7	4	17	35	35	0	0	0	0	0	0	0	39.92	0	0	11.4
2019	11	7	4	27	35	35	0	0	0	0	0	0	0	39.9	0	0	11.4
2019	11	7	4	37	35	35	0	0	0	0	0	0	0	39.88	0	0	11.4
2019	11	7	4	47	35	35	0	0	0	0	0	0	0	39.87	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	7	4	57	35	36	0	0	0	0	0	0	0	39.85	0	0	11.4
2019	11	7	5	7	35	35	0	0	0	0	0	0	0	39.83	0	0	11.4
2019	11	7	5	17	35	35	0	0	0	0	0	0	0	39.81	0	0	11.4
2019	11	7	5	27	35	35	0	0	0	0	0	0	0	39.78	0	0	11.4
2019	11	7	5	37	35	35	0	0	0	0	0	0	0	39.79	0	0	11.4
2019	11	7	5	47	35	35	0	0	0	0	0	0	0	39.76	0	0	11.4
2019	11	7	5	57	35	36	0	0	0	0	0	0	0	39.74	0	0	11.4
2019	11	7	6	7	35	35	0	0	0	0	0	0	0	39.74	0	0	11.4
2019	11	7	6	17	35	36	0	0	0	0	0	0	0	39.72	0	0	11.4
2019	11	7	6	27	35	35	0	0	0	0	0	0	0	39.7	0	0	11.4
2019	11	7	6	37	35	36	0	0	0	0	0	0	0	39.69	0	0	11.2
2019	11	7	6	47	35	35	0	0	0	0	0	0	0	39.69	0	0	11.2
2019	11	7	6	57	35	36	0	0	0	0	0	0	0	39.67	0	0	11.2
2019	11	7	7	7	35	36	0	0	0	0	0	0	0	39.67	0	0	11.2
2019	11	7	7	17	35	35	0	0	0	0	0	0	0	39.67	0	0	11.2
2019	11	7	7	27	35	35	0	0	0	0	0	0	0	39.65	0	0	11.2
2019	11	7	7	37	35	35	0	0	0	0	0	0	0	39.65	0	0	11.2
2019	11	7	7	47	35	36	0	0	0	0	0	0	0	39.63	0	0	11.2
2019	11	7	7	57	35	35	0	0	0	0	0	0	0	39.63	0	0	11.4
2019	11	7	8	7	35	35	0	0	0	0	0	0	0	39.63	0	0	11.8
2019	11	7	8	17	35	36	0	0	0	0	0	0	0	39.63	0	0	12.2
2019	11	7	8	27	35	35	0	0	0	0	0	0	0	39.63	0	0	12.6
2019	11	7	8	37	35	35	0	0	0	0	0	0	0	39.7	0	0	12.6
2019	11	7	8	47	35	35	0	0	0	0	0	0	0	39.74	0	0	12.6
2019	11	7	8	57	35	35	0	0	0	0	0	0	0	39.79	0	0	12.6
2019	11	7	9	7	35	35	0	0	0	0	0	0	0	39.85	0	0	12.6
2019	11	7	9	17	35	35	0	0	0	0	0	0	0	39.9	0	0	12.8
2019	11	7	9	27	35	35	0	0	0	0	0	0	0	39.96	0	0	12.8
2019	11	7	9	37	35	35	0	0	0	0	0	0	0	40.01	0	0	12.8
2019	11	7	9	47	35	35	0	0	0	0	0	0	0	40.06	0	0	12.8
2019	11	7	9	57	35	35	0	0	0	0	0	0	0	40.12	0	0	12.8
2019	11	7	10	7	35	35	0	0	0	0	0	0	0	40.17	0	0	13
2019	11	7	10	17	35	36	0	0	0	0	0	0	0	40.24	0	0	13
2019	11	7	10	27	35	35	0	0	0	0	0	0	0	40.3	0	0	13.2
2019	11	7	10	37	35	35	0	0	0	0	0	0	0	40.37	0	0	13.4
2019	11	7	10	47	35	35	0	0	0	0	0	0	0	40.44	0	0	13.4
2019	11	7	10	57	35	35	0	0	0	0	0	0	0	40.51	0	0	13.4
2019	11	7	11	7	35	36	0	0	0	0	0	0	0	40.55	0	0	13.4
2019	11	7	11	17	35	35	0	0	0	0	0	0	0	40.62	0	0	13.4
2019	11	7	11	27	35	36	0	0	0	0	0	0	0	40.68	0	0	13.4
2019	11	7	11	37	35	35	0	0	0	0	0	0	0	40.73	0	0	13.2
2019	11	7	11	47	35	35	0	0	0	0	0	0	0	40.75	0	0	13.2
2019	11	7	11	57	35	35	0	0	0	0	0	0	0	40.82	0	0	13.2
2019	11	7	12	7	35	35	0	0	0	0	0	0	0	40.87	0	0	13.2
2019	11	7	12	17	35	36	0	0	0	0	0	0	0	40.93	0	0	13.2
2019	11	7	12	27	35	36	0	0	0	0	0	0	0	40.98	0	0	13.2
2019	11	7	12	37	35	35	0	0	0	0	0	0	0	41.02	0	0	13.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	7	12	47	35	35	0	0	0	0	0	0	0	41.07	0	0	13.2
2019	11	7	12	57	35	35	0	0	0	0	0	0	0	41.11	0	0	13.2
2019	11	7	13	7	35	35	0	0	0	0	0	0	0	41.14	0	0	13.2
2019	11	7	13	17	35	36	0	0	0	0	0	0	0	41.18	0	0	13
2019	11	7	13	27	35	36	0	0	0	0	0	0	0	41.2	0	0	13
2019	11	7	13	37	35	35	0	0	0	0	0	0	0	41.22	0	0	13
2019	11	7	13	47	35	35	0	0	0	0	0	0	0	41.25	0	0	13
2019	11	7	13	57	35	35	0	0	0	0	0	0	0	41.27	0	0	13
2019	11	7	14	7	35	36	0	0	0	0	0	0	0	41.31	0	0	13
2019	11	7	14	17	35	36	0	0	0	0	0	0	0	41.31	0	0	13
2019	11	7	14	27	35	35	0	0	0	0	0	0	0	41.34	0	0	13
2019	11	7	14	37	35	35	0	0	0	0	0	0	0	41.36	0	0	13
2019	11	7	14	47	35	35	0	0	0	0	0	0	0	41.36	0	0	13
2019	11	7	14	57	35	36	0	0	0	0	0	0	0	41.36	0	0	13
2019	11	7	15	7	35	35	0	0	0	0	0	0	0	41.38	0	0	13
2019	11	7	15	17	35	36	0	0	0	0	0	0	0	41.38	0	0	13
2019	11	7	15	27	35	35	0	0	0	0	0	0	0	41.4	0	0	13
2019	11	7	15	37	35	35	0	0	0	0	0	0	0	41.36	0	0	13
2019	11	7	15	47	35	35	0	0	0	0	0	0	0	41.34	0	0	13
2019	11	7	15	57	35	35	0	0	0	0	0	0	0	41.38	0	0	13
2019	11	7	16	7	35	35	0	0	0	0	0	0	0	41.36	0	0	13
2019	11	7	16	17	35	36	0	0	0	0	0	0	0	41.38	0	0	13
2019	11	7	16	27	35	35	0	0	0	0	0	0	0	41.32	0	0	13
2019	11	7	16	37	35	36	0	0	0	0	0	0	0	41.34	0	0	12.2
2019	11	7	16	47	35	35	0	0	0	0	0	0	0	41.36	0	0	12
2019	11	7	16	57	35	35	0	0	0	0	0	0	0	41.38	0	0	11.8
2019	11	7	17	7	35	35	0	0	0	0	0	0	0	41.4	0	0	11.8
2019	11	7	17	17	35	35	0	0	0	0	0	0	0	41.41	0	0	11.8
2019	11	7	17	27	35	35	0	0	0	0	0	0	0	41.43	0	0	11.8
2019	11	7	17	37	35	36	0	0	0	0	0	0	0	41.45	0	0	11.8
2019	11	7	17	47	35	35	0	0	0	0	0	0	0	41.45	0	0	11.8
2019	11	7	17	57	35	35	0	0	0	0	0	0	0	41.47	0	0	12
2019	11	7	18	7	35	35	0	0	0	0	0	0	0	41.49	0	0	11.8
2019	11	7	18	17	35	35	0	0	0	0	0	0	0	41.5	0	0	11.8
2019	11	7	18	27	35	35	0	0	0	0	0	0	0	41.5	0	0	11.6
2019	11	7	18	37	35	35	0	0	0	0	0	0	0	41.49	0	0	11.6
2019	11	7	18	47	35	35	0	0	0	0	0	0	0	41.5	0	0	11.6
2019	11	7	18	57	35	35	0	0	0	0	0	0	0	41.5	0	0	11.6
2019	11	7	19	7	35	36	0	0	0	0	0	0	0	41.5	0	0	11.6
2019	11	7	19	17	35	35	0	0	0	0	0	0	0	41.49	0	0	11.6
2019	11	7	19	27	35	35	0	0	0	0	0	0	0	41.49	0	0	11.6
2019	11	7	19	37	35	35	0	0	0	0	0	0	0	41.47	0	0	11.6
2019	11	7	19	47	35	35	0	0	0	0	0	0	0	41.45	0	0	11.6
2019	11	7	19	57	35	35	0	0	0	0	0	0	0	41.45	0	0	11.6
2019	11	7	20	7	35	35	0	0	0	0	0	0	0	41.43	0	0	11.6
2019	11	7	20	17	35	35	0	0	0	0	0	0	0	41.41	0	0	11.6
2019	11	7	20	27	35	35	0	0	0	0	0	0	0	41.4	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	7	20	37	35	35	0	0	0	0	0	0	0	41.38	0	0	11.6
2019	11	7	20	47	35	36	0	0	0	0	0	0	0	41.36	0	0	11.6
2019	11	7	20	57	35	36	0	0	0	0	0	0	0	41.34	0	0	11.6
2019	11	7	21	7	35	35	0	0	0	0	0	0	0	41.32	0	0	11.6
2019	11	7	21	17	35	35	0	0	0	0	0	0	0	41.29	0	0	11.6
2019	11	7	21	27	35	35	0	0	0	0	0	0	0	41.29	0	0	11.6
2019	11	7	21	37	35	35	0	0	0	0	0	0	0	41.25	0	0	11.6
2019	11	7	21	47	35	36	0	0	0	0	0	0	0	41.25	0	0	11.6
2019	11	7	21	57	35	35	0	0	0	0	0	0	0	41.22	0	0	11.6
2019	11	7	22	7	35	36	0	0	0	0	0	0	0	41.2	0	0	11.4
2019	11	7	22	17	35	36	0	0	0	0	0	0	0	41.16	0	0	11.4
2019	11	7	22	27	35	35	0	0	0	0	0	0	0	41.16	0	0	11.4
2019	11	7	22	37	35	35	0	0	0	0	0	0	0	41.13	0	0	11.4
2019	11	7	22	47	35	35	0	0	0	0	0	0	0	41.11	0	0	11.4
2019	11	7	22	57	35	35	0	0	0	0	0	0	0	41.09	0	0	11.4
2019	11	7	23	7	35	35	0	0	0	0	0	0	0	41.05	0	0	11.4
2019	11	7	23	17	35	35	0	0	0	0	0	0	0	41.04	0	0	11.4
2019	11	7	23	27	35	35	0	0	0	0	0	0	0	41	0	0	11.4
2019	11	7	23	37	35	35	0	0	0	0	0	0	0	40.98	0	0	11.4
2019	11	7	23	47	35	36	0	0	0	0	0	0	0	40.95	0	0	11.4
2019	11	7	23	57	35	35	0	0	0	0	0	0	0	40.91	0	0	11.4
2019	11	8	0	7	35	35	0	0	0	0	0	0	0	40.89	0	0	11.4
2019	11	8	0	17	35	35	0	0	0	0	0	0	0	40.87	0	0	11.4
2019	11	8	0	27	35	35	0	0	0	0	0	0	0	40.84	0	0	11.4
2019	11	8	0	37	35	35	0	0	0	0	0	0	0	40.8	0	0	11.4
2019	11	8	0	47	35	35	0	0	0	0	0	0	0	40.77	0	0	11.4
2019	11	8	0	57	35	35	0	0	0	0	0	0	0	40.75	0	0	11.4
2019	11	8	1	7	35	35	0	0	0	0	0	0	0	40.71	0	0	11.4
2019	11	8	1	17	35	35	0	0	0	0	0	0	0	40.68	0	0	11.4
2019	11	8	1	27	35	35	0	0	0	0	0	0	0	40.64	0	0	11.4
2019	11	8	1	37	35	35	0	0	0	0	0	0	0	40.6	0	0	11.4
2019	11	8	1	47	35	35	0	0	0	0	0	0	0	40.57	0	0	11.4
2019	11	8	1	57	35	35	0	0	0	0	0	0	0	40.55	0	0	11.4
2019	11	8	2	7	35	36	0	0	0	0	0	0	0	40.51	0	0	11.4
2019	11	8	2	17	35	35	0	0	0	0	0	0	0	40.5	0	0	11.4
2019	11	8	2	27	35	35	0	0	0	0	0	0	0	40.44	0	0	11.4
2019	11	8	2	37	35	35	0	0	0	0	0	0	0	40.42	0	0	11.4
2019	11	8	2	47	35	35	0	0	0	0	0	0	0	40.39	0	0	11.4
2019	11	8	2	57	35	35	0	0	0	0	0	0	0	40.35	0	0	11.4
2019	11	8	3	7	35	36	0	0	0	0	0	0	0	40.32	0	0	11.4
2019	11	8	3	17	35	35	0	0	0	0	0	0	0	40.28	0	0	11.4
2019	11	8	3	27	35	36	0	0	0	0	0	0	0	40.26	0	0	11.4
2019	11	8	3	37	35	36	0	0	0	0	0	0	0	40.23	0	0	11.4
2019	11	8	3	47	35	36	0	0	0	0	0	0	0	40.19	0	0	11.4
2019	11	8	3	57	35	35	0	0	0	0	0	0	0	40.15	0	0	11.4
2019	11	8	4	7	35	35	0	0	0	0	0	0	0	40.14	0	0	11.4
2019	11	8	4	17	35	36	0	0	0	0	0	0	0	40.12	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	8	4	27	35	35	0	0	0	0	0	0	0	40.08	0	0	11.4
2019	11	8	4	37	35	35	0	0	0	0	0	0	0	40.06	0	0	11.4
2019	11	8	4	47	35	35	0	0	0	0	0	0	0	40.05	0	0	11.4
2019	11	8	4	57	35	35	0	0	0	0	0	0	0	40.03	0	0	11.4
2019	11	8	5	7	35	35	0	0	0	0	0	0	0	40.01	0	0	11.4
2019	11	8	5	17	35	35	0	0	0	0	0	0	0	39.97	0	0	11.4
2019	11	8	5	27	35	35	0	0	0	0	0	0	0	39.97	0	0	11.4
2019	11	8	5	37	35	36	0	0	0	0	0	0	0	39.94	0	0	11.4
2019	11	8	5	47	35	36	0	0	0	0	0	0	0	39.94	0	0	11.4
2019	11	8	5	57	35	36	0	0	0	0	0	0	0	39.9	0	0	11.4
2019	11	8	6	7	35	35	0	0	0	0	0	0	0	39.9	0	0	11.2
2019	11	8	6	17	35	35	0	0	0	0	0	0	0	39.88	0	0	11.2
2019	11	8	6	27	35	35	0	0	0	0	0	0	0	39.87	0	0	11.2
2019	11	8	6	37	35	35	0	0	0	0	0	0	0	39.85	0	0	11.2
2019	11	8	6	47	35	36	0	0	0	0	0	0	0	39.85	0	0	11.2
2019	11	8	6	57	35	36	0	0	0	0	0	0	0	39.83	0	0	11.2
2019	11	8	7	7	35	36	0	0	0	0	0	0	0	39.83	0	0	11.2
2019	11	8	7	17	35	35	0	0	0	0	0	0	0	39.81	0	0	11.2
2019	11	8	7	27	35	36	0	0	0	0	0	0	0	39.81	0	0	11.2
2019	11	8	7	37	35	35	0	0	0	0	0	0	0	39.79	0	0	11.2
2019	11	8	7	47	35	35	0	0	0	0	0	0	0	39.79	0	0	11.2
2019	11	8	7	57	35	36	0	0	0	0	0	0	0	39.79	0	0	11.4
2019	11	8	8	7	35	36	0	0	0	0	0	0	0	39.79	0	0	11.8
2019	11	8	8	17	35	35	0	0	0	0	0	0	0	39.79	0	0	12.2
2019	11	8	8	27	35	35	0	0	0	0	0	0	0	39.79	0	0	12.6
2019	11	8	8	37	35	35	0	0	0	0	0	0	0	39.85	0	0	12.8
2019	11	8	8	47	35	36	0	0	0	0	0	0	0	39.88	0	0	12.8
2019	11	8	8	57	35	36	0	0	0	0	0	0	0	39.94	0	0	12.6
2019	11	8	9	7	35	36	0	0	0	0	0	0	0	39.99	0	0	12.8
2019	11	8	9	17	35	35	0	0	0	0	0	0	0	40.05	0	0	12.8
2019	11	8	9	27	35	35	0	0	0	0	0	0	0	40.1	0	0	12.8
2019	11	8	9	37	35	35	0	0	0	0	0	0	0	40.17	0	0	12.8
2019	11	8	9	47	35	36	0	0	0	0	0	0	0	40.21	0	0	12.8
2019	11	8	9	57	35	35	0	0	0	0	0	0	0	40.28	0	0	12.8
2019	11	8	10	7	35	35	0	0	0	0	0	0	0	40.33	0	0	13
2019	11	8	10	17	35	36	0	0	0	0	0	0	0	40.41	0	0	13
2019	11	8	10	27	35	35	0	0	0	0	0	0	0	40.46	0	0	13.2
2019	11	8	10	37	35	36	0	0	0	0	0	0	0	40.51	0	0	13.4
2019	11	8	10	47	35	35	0	0	0	0	0	0	0	40.59	0	0	13.4
2019	11	8	10	57	35	36	0	0	0	0	0	0	0	40.64	0	0	13.4
2019	11	8	11	7	35	35	0	0	0	0	0	0	0	40.71	0	0	13.2
2019	11	8	11	17	35	35	0	0	0	0	0	0	0	40.77	0	0	13.2
2019	11	8	11	27	35	36	0	0	0	0	0	0	0	40.82	0	0	13.2
2019	11	8	11	37	35	35	0	0	0	0	0	0	0	40.89	0	0	13.2
2019	11	8	11	47	35	35	0	0	0	0	0	0	0	40.95	0	0	13.2
2019	11	8	11	57	35	36	0	0	0	0	0	0	0	41	0	0	13.2
2019	11	8	12	7	35	35	0	0	0	0	0	0	0	41.05	0	0	13.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	8	12	17	35	35	0	0	0	0	0	0	0	41.09	0	0	13.2
2019	11	8	12	27	35	36	0	0	0	0	0	0	0	41.13	0	0	13.2
2019	11	8	12	37	35	35	0	0	0	0	0	0	0	41.18	0	0	13.2
2019	11	8	12	47	35	35	0	0	0	0	0	0	0	41.22	0	0	13.2
2019	11	8	12	57	35	36	0	0	0	0	0	0	0	41.25	0	0	13.2
2019	11	8	13	7	35	35	0	0	0	0	0	0	0	41.31	0	0	13.2
2019	11	8	13	17	35	35	0	0	0	0	0	0	0	41.34	0	0	13.2
2019	11	8	13	27	35	35	0	0	0	0	0	0	0	41.36	0	0	13
2019	11	8	13	37	35	35	0	0	0	0	0	0	0	41.4	0	0	13
2019	11	8	13	47	35	35	0	0	0	0	0	0	0	41.43	0	0	13
2019	11	8	13	57	35	35	0	0	0	0	0	0	0	41.43	0	0	13
2019	11	8	14	7	35	36	0	0	0	0	0	0	0	41.47	0	0	13
2019	11	8	14	17	35	35	0	0	0	0	0	0	0	41.5	0	0	13
2019	11	8	14	27	35	35	0	0	0	0	0	0	0	41.5	0	0	13
2019	11	8	14	37	35	35	0	0	0	0	0	0	0	41.52	0	0	13
2019	11	8	14	47	35	35	0	0	0	0	0	0	0	41.54	0	0	13
2019	11	8	14	57	35	35	0	0	0	0	0	0	0	41.56	0	0	13
2019	11	8	15	7	35	35	0	0	0	0	0	0	0	41.56	0	0	13
2019	11	8	15	17	35	35	0	0	0	0	0	0	0	41.58	0	0	13
2019	11	8	15	27	35	35	0	0	0	0	0	0	0	41.58	0	0	13
2019	11	8	15	37	35	35	0	0	0	0	0	0	0	41.54	0	0	13
2019	11	8	15	47	35	36	0	0	0	0	0	0	0	41.54	0	0	13
2019	11	8	15	57	35	36	0	0	0	0	0	0	0	41.56	0	0	13
2019	11	8	16	7	35	35	0	0	0	0	0	0	0	41.56	0	0	13
2019	11	8	16	17	35	36	0	0	0	0	0	0	0	41.56	0	0	13
2019	11	8	16	27	35	36	0	0	0	0	0	0	0	41.52	0	0	13
2019	11	8	16	37	35	35	0	0	0	0	0	0	0	41.52	0	0	12.2
2019	11	8	16	47	35	36	0	0	0	0	0	0	0	41.52	0	0	12
2019	11	8	16	57	35	34	0	0	0	0	0	0	0	41.54	0	0	11.8
2019	11	8	17	7	35	35	0	0	0	0	0	0	0	41.58	0	0	11.8
2019	11	8	17	17	35	35	0	0	0	0	0	0	0	41.58	0	0	11.8
2019	11	8	17	27	35	36	0	0	0	0	0	0	0	41.59	0	0	11.8
2019	11	8	17	37	35	35	0	0	0	0	0	0	0	41.61	0	0	11.8
2019	11	8	17	47	35	35	0	0	0	0	0	0	0	41.63	0	0	11.8
2019	11	8	17	57	35	35	0	0	0	0	0	0	0	41.63	0	0	11.8
2019	11	8	18	7	35	35	0	0	0	0	0	0	0	41.65	0	0	11.6
2019	11	8	18	17	35	35	0	0	0	0	0	0	0	41.63	0	0	11.6
2019	11	8	18	27	35	35	0	0	0	0	0	0	0	41.65	0	0	11.6
2019	11	8	18	37	35	35	0	0	0	0	0	0	0	41.65	0	0	11.6
2019	11	8	18	47	35	35	0	0	0	0	0	0	0	41.65	0	0	11.6
2019	11	8	18	57	35	35	0	0	0	0	0	0	0	41.63	0	0	11.6
2019	11	8	19	7	35	35	0	0	0	0	0	0	0	41.65	0	0	11.6
2019	11	8	19	17	35	35	0	0	0	0	0	0	0	41.63	0	0	11.6
2019	11	8	19	27	35	36	0	0	0	0	0	0	0	41.63	0	0	11.6
2019	11	8	19	37	35	36	0	0	0	0	0	0	0	41.61	0	0	11.6
2019	11	8	19	47	35	35	0	0	0	0	0	0	0	41.59	0	0	11.6
2019	11	8	19	57	35	35	0	0	0	0	0	0	0	41.58	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	8	20	7	35	35	0	0	0	0	0	0	0	41.56	0	0	11.6
2019	11	8	20	17	35	35	0	0	0	0	0	0	0	41.54	0	0	11.6
2019	11	8	20	27	35	35	0	0	0	0	0	0	0	41.52	0	0	11.6
2019	11	8	20	37	35	35	0	0	0	0	0	0	0	41.5	0	0	11.6
2019	11	8	20	47	35	36	0	0	0	0	0	0	0	41.49	0	0	11.6
2019	11	8	20	57	35	35	0	0	0	0	0	0	0	41.45	0	0	11.6
2019	11	8	21	7	35	35	0	0	0	0	0	0	0	41.43	0	0	11.6
2019	11	8	21	17	35	36	0	0	0	0	0	0	0	41.41	0	0	11.6
2019	11	8	21	27	35	35	0	0	0	0	0	0	0	41.38	0	0	11.6
2019	11	8	21	37	35	35	0	0	0	0	0	0	0	41.36	0	0	11.6
2019	11	8	21	47	35	36	0	0	0	0	0	0	0	41.34	0	0	11.6
2019	11	8	21	57	35	35	0	0	0	0	0	0	0	41.32	0	0	11.6
2019	11	8	22	7	35	35	0	0	0	0	0	0	0	41.29	0	0	11.6
2019	11	8	22	17	35	35	0	0	0	0	0	0	0	41.25	0	0	11.6
2019	11	8	22	27	35	35	0	0	0	0	0	0	0	41.25	0	0	11.6
2019	11	8	22	37	35	36	0	0	0	0	0	0	0	41.22	0	0	11.6
2019	11	8	22	47	35	35	0	0	0	0	0	0	0	41.2	0	0	11.6
2019	11	8	22	57	35	36	0	0	0	0	0	0	0	41.16	0	0	11.4
2019	11	8	23	7	35	36	0	0	0	0	0	0	0	41.14	0	0	11.4
2019	11	8	23	17	35	35	0	0	0	0	0	0	0	41.11	0	0	11.4
2019	11	8	23	27	35	35	0	0	0	0	0	0	0	41.09	0	0	11.4
2019	11	8	23	37	35	36	0	0	0	0	0	0	0	41.05	0	0	11.4
2019	11	8	23	47	35	35	0	0	0	0	0	0	0	41.04	0	0	11.4
2019	11	8	23	57	35	35	0	0	0	0	0	0	0	41	0	0	11.4
2019	11	9	0	7	35	35	0	0	0	0	0	0	0	40.96	0	0	11.4
2019	11	9	0	17	35	36	0	0	0	0	0	0	0	40.93	0	0	11.4
2019	11	9	0	27	35	35	0	0	0	0	0	0	0	40.91	0	0	11.4
2019	11	9	0	37	35	35	0	0	0	0	0	0	0	40.86	0	0	11.4
2019	11	9	0	47	35	35	0	0	0	0	0	0	0	40.84	0	0	11.4
2019	11	9	0	57	35	36	0	0	0	0	0	0	0	40.8	0	0	11.4
2019	11	9	1	7	35	35	0	0	0	0	0	0	0	40.77	0	0	11.4
2019	11	9	1	17	35	35	0	0	0	0	0	0	0	40.71	0	0	11.4
2019	11	9	1	27	35	35	0	0	0	0	0	0	0	40.69	0	0	11.4
2019	11	9	1	37	35	36	0	0	0	0	0	0	0	40.64	0	0	11.4
2019	11	9	1	47	35	35	0	0	0	0	0	0	0	40.62	0	0	11.4
2019	11	9	1	57	35	35	0	0	0	0	0	0	0	40.59	0	0	11.4
2019	11	9	2	7	35	36	0	0	0	0	0	0	0	40.55	0	0	11.4
2019	11	9	2	17	35	35	0	0	0	0	0	0	0	40.51	0	0	11.4
2019	11	9	2	27	35	35	0	0	0	0	0	0	0	40.48	0	0	11.4
2019	11	9	2	37	35	35	0	0	0	0	0	0	0	40.44	0	0	11.4
2019	11	9	2	47	35	35	0	0	0	0	0	0	0	40.41	0	0	11.4
2019	11	9	2	57	35	35	0	0	0	0	0	0	0	40.37	0	0	11.4
2019	11	9	3	7	35	36	0	0	0	0	0	0	0	40.33	0	0	11.4
2019	11	9	3	17	35	35	0	0	0	0	0	0	0	40.3	0	0	11.4
2019	11	9	3	27	35	36	0	0	0	0	0	0	0	40.28	0	0	11.4
2019	11	9	3	37	35	35	0	0	0	0	0	0	0	40.24	0	0	11.4
2019	11	9	3	47	35	35	0	0	0	0	0	0	0	40.21	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	9	3	57	35	36	0	0	0	0	0	0	0	40.19	0	0	11.4
2019	11	9	4	7	35	35	0	0	0	0	0	0	0	40.15	0	0	11.4
2019	11	9	4	17	35	36	0	0	0	0	0	0	0	40.12	0	0	11.4
2019	11	9	4	27	35	36	0	0	0	0	0	0	0	40.1	0	0	11.4
2019	11	9	4	37	35	35	0	0	0	0	0	0	0	40.08	0	0	11.4
2019	11	9	4	47	35	35	0	0	0	0	0	0	0	40.05	0	0	11.4
2019	11	9	4	57	35	35	0	0	0	0	0	0	0	40.03	0	0	11.4
2019	11	9	5	7	35	35	0	0	0	0	0	0	0	39.99	0	0	11.4
2019	11	9	5	17	35	36	0	0	0	0	0	0	0	39.97	0	0	11.4
2019	11	9	5	27	35	35	0	0	0	0	0	0	0	39.96	0	0	11.4
2019	11	9	5	37	35	36	0	0	0	0	0	0	0	39.94	0	0	11.4
2019	11	9	5	47	35	36	0	0	0	0	0	0	0	39.92	0	0	11.4
2019	11	9	5	57	35	35	0	0	0	0	0	0	0	39.9	0	0	11.2
2019	11	9	6	7	35	36	0	0	0	0	0	0	0	39.88	0	0	11.2
2019	11	9	6	17	35	35	0	0	0	0	0	0	0	39.87	0	0	11.2
2019	11	9	6	27	35	36	0	0	0	0	0	0	0	39.85	0	0	11.2
2019	11	9	6	37	35	35	0	0	0	0	0	0	0	39.81	0	0	11.2
2019	11	9	6	47	35	35	0	0	0	0	0	0	0	39.79	0	0	11.2
2019	11	9	6	57	35	35	0	0	0	0	0	0	0	39.78	0	0	11.2
2019	11	9	7	7	35	36	0	0	0	0	0	0	0	39.78	0	0	11.2
2019	11	9	7	17	35	35	0	0	0	0	0	0	0	39.76	0	0	11.2
2019	11	9	7	27	35	36	0	0	0	0	0	0	0	39.74	0	0	11.2
2019	11	9	7	37	35	35	0	0	0	0	0	0	0	39.72	0	0	11.2
2019	11	9	7	47	35	36	0	0	0	0	0	0	0	39.7	0	0	11.2
2019	11	9	7	57	35	36	0	0	0	0	0	0	0	39.69	0	0	11.2
2019	11	9	8	7	35	36	0	0	0	0	0	0	0	39.69	0	0	11.8
2019	11	9	8	17	35	35	0	0	0	0	0	0	0	39.69	0	0	12.2
2019	11	9	8	27	35	35	0	0	0	0	0	0	0	39.69	0	0	12.6
2019	11	9	8	37	35	35	0	0	0	0	0	0	0	39.74	0	0	12.8
2019	11	9	8	47	35	36	0	0	0	0	0	0	0	39.78	0	0	12.8
2019	11	9	8	57	35	35	0	0	0	0	0	0	0	39.83	0	0	12.8
2019	11	9	9	7	35	36	0	0	0	0	0	0	0	39.87	0	0	12.8
2019	11	9	9	17	35	35	0	0	0	0	0	0	0	39.92	0	0	12.8
2019	11	9	9	27	35	36	0	0	0	0	0	0	0	39.97	0	0	12.8
2019	11	9	9	37	35	35	0	0	0	0	0	0	0	40.03	0	0	13
2019	11	9	9	47	35	35	0	0	0	0	0	0	0	40.08	0	0	13
2019	11	9	9	57	35	35	0	0	0	0	0	0	0	40.14	0	0	13
2019	11	9	10	7	35	36	0	0	0	0	0	0	0	40.19	0	0	13.2
2019	11	9	10	17	35	35	0	0	0	0	0	0	0	40.24	0	0	13.4
2019	11	9	10	27	35	35	0	0	0	0	0	0	0	40.3	0	0	13.6
2019	11	9	10	37	35	36	0	0	0	0	0	0	0	40.37	0	0	13.4
2019	11	9	10	47	35	36	0	0	0	0	0	0	0	40.42	0	0	13.4
2019	11	9	10	57	35	35	0	0	0	0	0	0	0	40.48	0	0	13.4
2019	11	9	11	7	35	35	0	0	0	0	0	0	0	40.53	0	0	13.4
2019	11	9	11	17	35	35	0	0	0	0	0	0	0	40.57	0	0	13.4
2019	11	9	11	27	35	36	0	0	0	0	0	0	0	40.64	0	0	13.4
2019	11	9	11	37	35	35	0	0	0	0	0	0	0	40.69	0	0	13.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	9	11	47	35	35	0	0	0	0	0	0	0	40.75	0	0	13.2
2019	11	9	11	57	35	36	0	0	0	0	0	0	0	40.8	0	0	13.2
2019	11	9	12	7	35	35	0	0	0	0	0	0	0	40.84	0	0	13.2
2019	11	9	12	17	35	35	0	0	0	0	0	0	0	40.87	0	0	13.2
2019	11	9	12	27	35	35	0	0	0	0	0	0	0	40.91	0	0	13.2
2019	11	9	12	37	35	35	0	0	0	0	0	0	0	40.95	0	0	13.2
2019	11	9	12	47	35	36	0	0	0	0	0	0	0	41	0	0	13.2
2019	11	9	12	57	35	35	0	0	0	0	0	0	0	41.02	0	0	13.2
2019	11	9	13	7	35	35	0	0	0	0	0	0	0	41.05	0	0	13.2
2019	11	9	13	17	35	35	0	0	0	0	0	0	0	41.07	0	0	13.2
2019	11	9	13	27	35	35	0	0	0	0	0	0	0	41.11	0	0	13.2
2019	11	9	13	37	35	35	0	0	0	0	0	0	0	41.14	0	0	13
2019	11	9	13	47	35	36	0	0	0	0	0	0	0	41.16	0	0	13
2019	11	9	13	57	35	35	0	0	0	0	0	0	0	41.2	0	0	13
2019	11	9	14	7	35	35	0	0	0	0	0	0	0	41.22	0	0	13
2019	11	9	14	17	35	36	0	0	0	0	0	0	0	41.23	0	0	13
2019	11	9	14	27	35	35	0	0	0	0	0	0	0	41.25	0	0	13
2019	11	9	14	37	35	35	0	0	0	0	0	0	0	41.27	0	0	13
2019	11	9	14	47	35	35	0	0	0	0	0	0	0	41.29	0	0	13
2019	11	9	14	57	35	35	0	0	0	0	0	0	0	41.29	0	0	13
2019	11	9	15	7	35	35	0	0	0	0	0	0	0	41.29	0	0	13
2019	11	9	15	17	35	35	0	0	0	0	0	0	0	41.31	0	0	13
2019	11	9	15	27	35	36	0	0	0	0	0	0	0	41.32	0	0	13
2019	11	9	15	37	35	36	0	0	0	0	0	0	0	41.29	0	0	13
2019	11	9	15	47	35	35	0	0	0	0	0	0	0	41.31	0	0	13.2
2019	11	9	15	57	35	35	0	0	0	0	0	0	0	41.31	0	0	13.2
2019	11	9	16	7	35	35	0	0	0	0	0	0	0	41.31	0	0	13.2
2019	11	9	16	17	35	35	0	0	0	0	0	0	0	41.31	0	0	13.2
2019	11	9	16	27	35	36	0	0	0	0	0	0	0	41.27	0	0	13.2
2019	11	9	16	37	35	35	0	0	0	0	0	0	0	41.29	0	0	12.4
2019	11	9	16	47	35	35	0	0	0	0	0	0	0	41.31	0	0	12
2019	11	9	16	57	35	35	0	0	0	0	0	0	0	41.32	0	0	12
2019	11	9	17	7	35	35	0	0	0	0	0	0	0	41.34	0	0	11.8
2019	11	9	17	17	35	35	0	0	0	0	0	0	0	41.38	0	0	11.8
2019	11	9	17	27	35	36	0	0	0	0	0	0	0	41.38	0	0	11.8
2019	11	9	17	37	35	35	0	0	0	0	0	0	0	41.4	0	0	11.8
2019	11	9	17	47	35	35	0	0	0	0	0	0	0	41.41	0	0	11.8
2019	11	9	17	57	35	35	0	0	0	0	0	0	0	41.43	0	0	11.8
2019	11	9	18	7	35	35	0	0	0	0	0	0	0	41.43	0	0	11.8
2019	11	9	18	17	35	36	0	0	0	0	0	0	0	41.45	0	0	11.8
2019	11	9	18	27	35	36	0	0	0	0	0	0	0	41.45	0	0	11.8
2019	11	9	18	37	35	35	0	0	0	0	0	0	0	41.45	0	0	11.6
2019	11	9	18	47	35	35	0	0	0	0	0	0	0	41.45	0	0	11.6
2019	11	9	18	57	35	35	0	0	0	0	0	0	0	41.45	0	0	11.6
2019	11	9	19	7	35	35	0	0	0	0	0	0	0	41.45	0	0	11.6
2019	11	9	19	17	35	35	0	0	0	0	0	0	0	41.43	0	0	11.6
2019	11	9	19	27	35	35	0	0	0	0	0	0	0	41.41	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	9	19	37	35	35	0	0	0	0	0	0	0	41.41	0	0	11.6
2019	11	9	19	47	35	35	0	0	0	0	0	0	0	41.38	0	0	11.6
2019	11	9	19	57	35	35	0	0	0	0	0	0	0	41.38	0	0	11.6
2019	11	9	20	7	35	35	0	0	0	0	0	0	0	41.34	0	0	11.6
2019	11	9	20	17	35	35	0	0	0	0	0	0	0	41.32	0	0	11.6
2019	11	9	20	27	35	35	0	0	0	0	0	0	0	41.31	0	0	11.6
2019	11	9	20	37	35	36	0	0	0	0	0	0	0	41.29	0	0	11.6
2019	11	9	20	47	35	35	0	0	0	0	0	0	0	41.27	0	0	11.6
2019	11	9	20	57	35	35	0	0	0	0	0	0	0	41.23	0	0	11.6
2019	11	9	21	7	35	35	0	0	0	0	0	0	0	41.22	0	0	11.6
2019	11	9	21	17	35	36	0	0	0	0	0	0	0	41.2	0	0	11.6
2019	11	9	21	27	35	35	0	0	0	0	0	0	0	41.16	0	0	11.6
2019	11	9	21	37	35	36	0	0	0	0	0	0	0	41.14	0	0	11.6
2019	11	9	21	47	35	35	0	0	0	0	0	0	0	41.11	0	0	11.6
2019	11	9	21	57	35	35	0	0	0	0	0	0	0	41.09	0	0	11.6
2019	11	9	22	7	35	35	0	0	0	0	0	0	0	41.05	0	0	11.6
2019	11	9	22	17	35	35	0	0	0	0	0	0	0	41.02	0	0	11.6
2019	11	9	22	27	35	35	0	0	0	0	0	0	0	41	0	0	11.6
2019	11	9	22	37	35	35	0	0	0	0	0	0	0	40.96	0	0	11.6
2019	11	9	22	47	35	35	0	0	0	0	0	0	0	40.95	0	0	11.6
2019	11	9	22	57	35	35	0	0	0	0	0	0	0	40.91	0	0	11.6
2019	11	9	23	7	35	35	0	0	0	0	0	0	0	40.87	0	0	11.6
2019	11	9	23	17	35	36	0	0	0	0	0	0	0	40.86	0	0	11.6
2019	11	9	23	27	35	35	0	0	0	0	0	0	0	40.82	0	0	11.6
2019	11	9	23	37	35	35	0	0	0	0	0	0	0	40.78	0	0	11.6
2019	11	9	23	47	35	36	0	0	0	0	0	0	0	40.77	0	0	11.6
2019	11	9	23	57	35	36	0	0	0	0	0	0	0	40.73	0	0	11.4
2019	11	10	0	7	35	36	0	0	0	0	0	0	0	40.69	0	0	11.4
2019	11	10	0	17	35	35	0	0	0	0	0	0	0	40.68	0	0	11.4
2019	11	10	0	27	35	35	0	0	0	0	0	0	0	40.64	0	0	11.4
2019	11	10	0	37	35	35	0	0	0	0	0	0	0	40.59	0	0	11.4
2019	11	10	0	47	35	35	0	0	0	0	0	0	0	40.57	0	0	11.4
2019	11	10	0	57	35	35	0	0	0	0	0	0	0	40.51	0	0	11.4
2019	11	10	1	7	35	35	0	0	0	0	0	0	0	40.5	0	0	11.4
2019	11	10	1	17	35	35	0	0	0	0	0	0	0	40.44	0	0	11.4
2019	11	10	1	27	35	35	0	0	0	0	0	0	0	40.42	0	0	11.4
2019	11	10	1	37	35	35	0	0	0	0	0	0	0	40.37	0	0	11.4
2019	11	10	1	47	35	36	0	0	0	0	0	0	0	40.33	0	0	11.4
2019	11	10	1	57	35	36	0	0	0	0	0	0	0	40.3	0	0	11.4
2019	11	10	2	7	35	35	0	0	0	0	0	0	0	40.26	0	0	11.4
2019	11	10	2	17	35	36	0	0	0	0	0	0	0	40.23	0	0	11.4
2019	11	10	2	27	35	35	0	0	0	0	0	0	0	40.19	0	0	11.4
2019	11	10	2	37	35	35	0	0	0	0	0	0	0	40.15	0	0	11.4
2019	11	10	2	47	35	35	0	0	0	0	0	0	0	40.12	0	0	11.4
2019	11	10	2	57	35	36	0	0	0	0	0	0	0	40.08	0	0	11.4
2019	11	10	3	7	35	35	0	0	0	0	0	0	0	40.05	0	0	11.4
2019	11	10	3	17	35	35	0	0	0	0	0	0	0	40.01	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	10	3	27	35	35	0	0	0	0	0	0	0	39.99	0	0	11.4
2019	11	10	3	37	35	35	0	0	0	0	0	0	0	39.96	0	0	11.4
2019	11	10	3	47	35	35	0	0	0	0	0	0	0	39.92	0	0	11.4
2019	11	10	3	57	35	36	0	0	0	0	0	0	0	39.88	0	0	11.4
2019	11	10	4	7	35	35	0	0	0	0	0	0	0	39.85	0	0	11.4
2019	11	10	4	17	35	36	0	0	0	0	0	0	0	39.83	0	0	11.4
2019	11	10	4	27	35	35	0	0	0	0	0	0	0	39.81	0	0	11.4
2019	11	10	4	37	35	35	0	0	0	0	0	0	0	39.78	0	0	11.4
2019	11	10	4	47	35	36	0	0	0	0	0	0	0	39.74	0	0	11.4
2019	11	10	4	57	35	36	0	0	0	0	0	0	0	39.7	0	0	11.4
2019	11	10	5	7	35	36	0	0	0	0	0	0	0	39.69	0	0	11.4
2019	11	10	5	17	35	36	0	0	0	0	0	0	0	39.67	0	0	11.4
2019	11	10	5	27	35	35	0	0	0	0	0	0	0	39.65	0	0	11.4
2019	11	10	5	37	35	35	0	0	0	0	0	0	0	39.63	0	0	11.4
2019	11	10	5	47	35	35	0	0	0	0	0	0	0	39.6	0	0	11.4
2019	11	10	5	57	35	35	0	0	0	0	0	0	0	39.58	0	0	11.4
2019	11	10	6	7	35	36	0	0	0	0	0	0	0	39.56	0	0	11.4
2019	11	10	6	17	35	35	0	0	0	0	0	0	0	39.56	0	0	11.4
2019	11	10	6	27	35	36	0	0	0	0	0	0	0	39.52	0	0	11.2
2019	11	10	6	37	35	35	0	0	0	0	0	0	0	39.51	0	0	11.2
2019	11	10	6	47	35	36	0	0	0	0	0	0	0	39.49	0	0	11.2
2019	11	10	6	57	35	36	0	0	0	0	0	0	0	39.47	0	0	11.2
2019	11	10	7	7	35	35	0	0	0	0	0	0	0	39.47	0	0	11.2
2019	11	10	7	17	35	36	0	0	0	0	0	0	0	39.45	0	0	11.2
2019	11	10	7	27	35	36	0	0	0	0	0	0	0	39.43	0	0	11.2
2019	11	10	7	37	35	35	0	0	0	0	0	0	0	39.43	0	0	11.2
2019	11	10	7	47	35	35	0	0	0	0	0	0	0	39.42	0	0	11.2
2019	11	10	7	57	35	35	0	0	0	0	0	0	0	39.42	0	0	11.2
2019	11	10	8	7	35	36	0	0	0	0	0	0	0	39.4	0	0	11.6
2019	11	10	8	17	35	36	0	0	0	0	0	0	0	39.4	0	0	12.2
2019	11	10	8	27	35	36	0	0	0	0	0	0	0	39.4	0	0	12.6
2019	11	10	8	37	35	35	0	0	0	0	0	0	0	39.43	0	0	12.8
2019	11	10	8	47	35	36	0	0	0	0	0	0	0	39.47	0	0	12.8
2019	11	10	8	57	35	35	0	0	0	0	0	0	0	39.51	0	0	12.8
2019	11	10	9	7	35	35	0	0	0	0	0	0	0	39.56	0	0	12.8
2019	11	10	9	17	35	36	0	0	0	0	0	0	0	39.61	0	0	12.8
2019	11	10	9	27	35	35	0	0	0	0	0	0	0	39.67	0	0	12.8
2019	11	10	9	37	35	35	0	0	0	0	0	0	0	39.7	0	0	12.8
2019	11	10	9	47	35	35	0	0	0	0	0	0	0	39.78	0	0	13
2019	11	10	9	57	35	36	0	0	0	0	0	0	0	39.83	0	0	13
2019	11	10	10	7	35	35	0	0	0	0	0	0	0	39.88	0	0	13
2019	11	10	10	17	35	36	0	0	0	0	0	0	0	39.94	0	0	13.2
2019	11	10	10	27	35	36	0	0	0	0	0	0	0	39.97	0	0	13.2
2019	11	10	10	37	35	36	0	0	0	0	0	0	0	40.05	0	0	13.4
2019	11	10	10	47	35	35	0	0	0	0	0	0	0	40.1	0	0	13.4
2019	11	10	10	57	35	36	0	0	0	0	0	0	0	40.17	0	0	13.4
2019	11	10	11	7	35	35	0	0	0	0	0	0	0	40.23	0	0	13.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	10	11	17	35	35	0	0	0	0	0	0	0	40.26	0	0	13.2
2019	11	10	11	27	35	36	0	0	0	0	0	0	0	40.35	0	0	13.2
2019	11	10	11	37	35	36	0	0	0	0	0	0	0	40.46	0	0	13.2
2019	11	10	11	47	35	36	0	0	0	0	0	0	0	40.32	0	0	12.6
2019	11	10	11	57	35	35	0	0	0	0	0	0	0	40.23	0	0	13
2019	11	10	12	7	35	35	0	0	0	0	0	0	0	40.33	0	0	13.2
2019	11	10	12	17	35	35	0	0	0	0	0	0	0	40.48	0	0	13.2
2019	11	10	12	27	35	36	0	0	0	0	0	0	0	40.55	0	0	13.2
2019	11	10	12	37	35	35	0	0	0	0	0	0	0	40.6	0	0	13.2
2019	11	10	12	47	35	35	0	0	0	0	0	0	0	40.64	0	0	13.2
2019	11	10	12	57	35	36	0	0	0	0	0	0	0	40.66	0	0	13.2
2019	11	10	13	7	35	35	0	0	0	0	0	0	0	40.69	0	0	13.2
2019	11	10	13	17	35	35	0	0	0	0	0	0	0	40.75	0	0	13.2
2019	11	10	13	27	35	35	0	0	0	0	0	0	0	40.78	0	0	13.2
2019	11	10	13	37	35	36	0	0	0	0	0	0	0	40.8	0	0	13.2
2019	11	10	13	47	35	36	0	0	0	0	0	0	0	40.84	0	0	13.2
2019	11	10	13	57	35	35	0	0	0	0	0	0	0	40.87	0	0	13
2019	11	10	14	7	35	35	0	0	0	0	0	0	0	40.89	0	0	13
2019	11	10	14	17	35	35	0	0	0	0	0	0	0	40.89	0	0	13
2019	11	10	14	27	35	35	0	0	0	0	0	0	0	40.91	0	0	13
2019	11	10	14	37	35	36	0	0	0	0	0	0	0	40.93	0	0	13
2019	11	10	14	47	35	35	0	0	0	0	0	0	0	40.95	0	0	13
2019	11	10	14	57	35	35	0	0	0	0	0	0	0	40.95	0	0	13
2019	11	10	15	7	35	35	0	0	0	0	0	0	0	40.98	0	0	13
2019	11	10	15	17	35	36	0	0	0	0	0	0	0	40.98	0	0	13
2019	11	10	15	27	35	35	0	0	0	0	0	0	0	40.98	0	0	13
2019	11	10	15	37	35	35	0	0	0	0	0	0	0	40.96	0	0	13
2019	11	10	15	47	35	35	0	0	0	0	0	0	0	40.98	0	0	13
2019	11	10	15	57	35	35	0	0	0	0	0	0	0	40.96	0	0	13
2019	11	10	16	7	35	36	0	0	0	0	0	0	0	40.98	0	0	13
2019	11	10	16	17	35	35	0	0	0	0	0	0	0	40.98	0	0	13.2
2019	11	10	16	27	35	35	0	0	0	0	0	0	0	40.96	0	0	13.2
2019	11	10	16	37	35	36	0	0	0	0	0	0	0	40.98	0	0	12.4
2019	11	10	16	47	35	36	0	0	0	0	0	0	0	40.98	0	0	12
2019	11	10	16	57	35	35	0	0	0	0	0	0	0	41.02	0	0	11.8
2019	11	10	17	7	35	35	0	0	0	0	0	0	0	41.04	0	0	11.8
2019	11	10	17	17	35	35	0	0	0	0	0	0	0	41.05	0	0	11.8
2019	11	10	17	27	35	35	0	0	0	0	0	0	0	41.07	0	0	11.8
2019	11	10	17	37	35	35	0	0	0	0	0	0	0	41.09	0	0	11.8
2019	11	10	17	47	35	35	0	0	0	0	0	0	0	41.11	0	0	11.8
2019	11	10	17	57	35	35	0	0	0	0	0	0	0	41.13	0	0	11.8
2019	11	10	18	7	35	35	0	0	0	0	0	0	0	41.14	0	0	11.6
2019	11	10	18	17	35	36	0	0	0	0	0	0	0	41.16	0	0	11.6
2019	11	10	18	27	35	36	0	0	0	0	0	0	0	41.16	0	0	11.6
2019	11	10	18	37	35	35	0	0	0	0	0	0	0	41.16	0	0	11.6
2019	11	10	18	47	35	35	0	0	0	0	0	0	0	41.18	0	0	11.6
2019	11	10	18	57	35	35	0	0	0	0	0	0	0	41.18	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	10	19	7	35	35	0	0	0	0	0	0	0	41.18	0	0	11.6
2019	11	10	19	17	35	35	0	0	0	0	0	0	0	41.18	0	0	11.6
2019	11	10	19	27	35	35	0	0	0	0	0	0	0	41.16	0	0	11.6
2019	11	10	19	37	35	35	0	0	0	0	0	0	0	41.14	0	0	11.6
2019	11	10	19	47	35	35	0	0	0	0	0	0	0	41.14	0	0	11.6
2019	11	10	19	57	35	35	0	0	0	0	0	0	0	41.13	0	0	11.6
2019	11	10	20	7	35	35	0	0	0	0	0	0	0	41.11	0	0	11.6
2019	11	10	20	17	35	35	0	0	0	0	0	0	0	41.09	0	0	11.6
2019	11	10	20	27	35	35	0	0	0	0	0	0	0	41.07	0	0	11.6
2019	11	10	20	37	35	35	0	0	0	0	0	0	0	41.04	0	0	11.6
2019	11	10	20	47	35	35	0	0	0	0	0	0	0	41.04	0	0	11.6
2019	11	10	20	57	35	36	0	0	0	0	0	0	0	41	0	0	11.6
2019	11	10	21	7	35	35	0	0	0	0	0	0	0	40.98	0	0	11.6
2019	11	10	21	17	35	35	0	0	0	0	0	0	0	40.98	0	0	11.6
2019	11	10	21	27	35	35	0	0	0	0	0	0	0	40.96	0	0	11.6
2019	11	10	21	37	35	35	0	0	0	0	0	0	0	40.95	0	0	11.6
2019	11	10	21	47	35	35	0	0	0	0	0	0	0	40.93	0	0	11.6
2019	11	10	21	57	35	36	0	0	0	0	0	0	0	40.91	0	0	11.6
2019	11	10	22	7	35	35	0	0	0	0	0	0	0	40.87	0	0	11.6
2019	11	10	22	17	35	36	0	0	0	0	0	0	0	40.86	0	0	11.6
2019	11	10	22	27	35	36	0	0	0	0	0	0	0	40.84	0	0	11.6
2019	11	10	22	37	35	36	0	0	0	0	0	0	0	40.8	0	0	11.6
2019	11	10	22	47	35	35	0	0	0	0	0	0	0	40.78	0	0	11.6
2019	11	10	22	57	35	35	0	0	0	0	0	0	0	40.77	0	0	11.6
2019	11	10	23	7	35	36	0	0	0	0	0	0	0	40.75	0	0	11.6
2019	11	10	23	17	35	35	0	0	0	0	0	0	0	40.71	0	0	11.6
2019	11	10	23	27	35	35	0	0	0	0	0	0	0	40.71	0	0	11.6
2019	11	10	23	37	35	35	0	0	0	0	0	0	0	40.68	0	0	11.6
2019	11	10	23	47	35	35	0	0	0	0	0	0	0	40.66	0	0	11.6
2019	11	10	23	57	35	36	0	0	0	0	0	0	0	40.62	0	0	11.4
2019	11	11	0	7	35	35	0	0	0	0	0	0	0	40.59	0	0	11.4
2019	11	11	0	17	35	35	0	0	0	0	0	0	0	40.57	0	0	11.4
2019	11	11	0	27	35	36	0	0	0	0	0	0	0	40.53	0	0	11.4
2019	11	11	0	37	35	35	0	0	0	0	0	0	0	40.51	0	0	11.4
2019	11	11	0	47	35	35	0	0	0	0	0	0	0	40.48	0	0	11.4
2019	11	11	0	57	35	36	0	0	0	0	0	0	0	40.44	0	0	11.4
2019	11	11	1	7	35	35	0	0	0	0	0	0	0	40.42	0	0	11.4
2019	11	11	1	17	35	36	0	0	0	0	0	0	0	40.41	0	0	11.4
2019	11	11	1	27	35	35	0	0	0	0	0	0	0	40.37	0	0	11.4
2019	11	11	1	37	35	36	0	0	0	0	0	0	0	40.33	0	0	11.4
2019	11	11	1	47	35	36	0	0	0	0	0	0	0	40.3	0	0	11.4
2019	11	11	1	57	35	35	0	0	0	0	0	0	0	40.26	0	0	11.4
2019	11	11	2	7	35	35	0	0	0	0	0	0	0	40.23	0	0	11.4
2019	11	11	2	17	35	35	0	0	0	0	0	0	0	40.21	0	0	11.4
2019	11	11	2	27	35	36	0	0	0	0	0	0	0	40.17	0	0	11.4
2019	11	11	2	37	35	35	0	0	0	0	0	0	0	40.14	0	0	11.4
2019	11	11	2	47	35	36	0	0	0	0	0	0	0	40.12	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	11	2	57	35	35	0	0	0	0	0	0	0	40.1	0	0	11.4
2019	11	11	3	7	35	35	0	0	0	0	0	0	0	40.06	0	0	11.4
2019	11	11	3	17	35	35	0	0	0	0	0	0	0	40.05	0	0	11.4
2019	11	11	3	27	35	35	0	0	0	0	0	0	0	40.03	0	0	11.4
2019	11	11	3	37	35	36	0	0	0	0	0	0	0	39.99	0	0	11.4
2019	11	11	3	47	35	35	0	0	0	0	0	0	0	39.97	0	0	11.4
2019	11	11	3	57	35	35	0	0	0	0	0	0	0	39.96	0	0	11.4
2019	11	11	4	7	35	35	0	0	0	0	0	0	0	39.94	0	0	11.4
2019	11	11	4	17	35	36	0	0	0	0	0	0	0	39.92	0	0	11.4
2019	11	11	4	27	35	36	0	0	0	0	0	0	0	39.9	0	0	11.4
2019	11	11	4	37	35	35	0	0	0	0	0	0	0	39.88	0	0	11.4
2019	11	11	4	47	35	35	0	0	0	0	0	0	0	39.88	0	0	11.4
2019	11	11	4	57	35	35	0	0	0	0	0	0	0	39.87	0	0	11.4
2019	11	11	5	7	35	35	0	0	0	0	0	0	0	39.85	0	0	11.4
2019	11	11	5	17	35	36	0	0	0	0	0	0	0	39.83	0	0	11.4
2019	11	11	5	27	35	35	0	0	0	0	0	0	0	39.83	0	0	11.4
2019	11	11	5	37	35	35	0	0	0	0	0	0	0	39.81	0	0	11.4
2019	11	11	5	47	35	36	0	0	0	0	0	0	0	39.79	0	0	11.4
2019	11	11	5	57	35	35	0	0	0	0	0	0	0	39.78	0	0	11.4
2019	11	11	6	7	35	35	0	0	0	0	0	0	0	39.78	0	0	11.4
2019	11	11	6	17	35	36	0	0	0	0	0	0	0	39.76	0	0	11.4
2019	11	11	6	27	35	36	0	0	0	0	0	0	0	39.74	0	0	11.4
2019	11	11	6	37	35	35	0	0	0	0	0	0	0	39.74	0	0	11.4
2019	11	11	6	47	35	35	0	0	0	0	0	0	0	39.72	0	0	11.4
2019	11	11	6	57	35	35	0	0	0	0	0	0	0	39.72	0	0	11.4
2019	11	11	7	7	35	35	0	0	0	0	0	0	0	39.72	0	0	11.4
2019	11	11	7	17	35	35	0	0	0	0	0	0	0	39.7	0	0	11.2
2019	11	11	7	27	35	36	0	0	0	0	0	0	0	39.7	0	0	11.2
2019	11	11	7	37	35	35	0	0	0	0	0	0	0	39.7	0	0	11.2
2019	11	11	7	47	35	36	0	0	0	0	0	0	0	39.72	0	0	11.2
2019	11	11	7	57	35	36	0	0	0	0	0	0	0	39.74	0	0	11.2
2019	11	11	8	7	35	35	0	0	0	0	0	0	0	39.74	0	0	11.6
2019	11	11	8	17	35	36	0	0	0	0	0	0	0	39.76	0	0	12
2019	11	11	8	27	35	35	0	0	0	0	0	0	0	39.78	0	0	12.4
2019	11	11	8	37	35	35	0	0	0	0	0	0	0	39.83	0	0	12.6
2019	11	11	8	47	35	36	0	0	0	0	0	0	0	39.87	0	0	12.6
2019	11	11	8	57	35	36	0	0	0	0	0	0	0	39.92	0	0	12.6
2019	11	11	9	7	35	35	0	0	0	0	0	0	0	39.97	0	0	12.6
2019	11	11	9	17	35	36	0	0	0	0	0	0	0	40.05	0	0	12.6
2019	11	11	9	27	35	35	0	0	0	0	0	0	0	40.1	0	0	12.6
2019	11	11	9	37	35	35	0	0	0	0	0	0	0	40.17	0	0	12.6
2019	11	11	9	47	35	35	0	0	0	0	0	0	0	40.23	0	0	12.6
2019	11	11	9	57	35	36	0	0	0	0	0	0	0	40.28	0	0	12.6
2019	11	11	10	7	35	36	0	0	0	0	0	0	0	40.35	0	0	12.6
2019	11	11	10	17	35	35	0	0	0	0	0	0	0	40.42	0	0	12.6
2019	11	11	10	27	35	35	0	0	0	0	0	0	0	40.48	0	0	12.6
2019	11	11	10	37	35	36	0	0	0	0	0	0	0	40.55	0	0	12.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	11	10	47	35	35	0	0	0	0	0	0	0	40.62	0	0	12.8
2019	11	11	10	57	35	36	0	0	0	0	0	0	0	40.69	0	0	13
2019	11	11	11	7	35	35	0	0	0	0	0	0	0	40.75	0	0	13.2
2019	11	11	11	17	35	35	0	0	0	0	0	0	0	40.82	0	0	13.2
2019	11	11	11	27	35	35	0	0	0	0	0	0	0	40.87	0	0	13.2
2019	11	11	11	37	35	36	0	0	0	0	0	0	0	40.93	0	0	13.2
2019	11	11	11	47	35	35	0	0	0	0	0	0	0	40.95	0	0	13.2
2019	11	11	11	57	35	35	0	0	0	0	0	0	0	41	0	0	13.2
2019	11	11	12	7	35	35	0	0	0	0	0	0	0	41.05	0	0	13.2
2019	11	11	12	17	35	36	0	0	0	0	0	0	0	41.09	0	0	13.2
2019	11	11	12	27	35	36	0	0	0	0	0	0	0	41.16	0	0	13.2
2019	11	11	12	37	35	35	0	0	0	0	0	0	0	41.25	0	0	13.2
2019	11	11	12	47	35	35	0	0	0	0	0	0	0	41.29	0	0	13.2
2019	11	11	12	57	35	35	0	0	0	0	0	0	0	41.34	0	0	13.2
2019	11	11	13	7	35	35	0	0	0	0	0	0	0	41.4	0	0	13.2
2019	11	11	13	17	35	35	0	0	0	0	0	0	0	41.43	0	0	13.2
2019	11	11	13	27	35	35	0	0	0	0	0	0	0	41.45	0	0	13.2
2019	11	11	13	37	35	35	0	0	0	0	0	0	0	41.5	0	0	13.2
2019	11	11	13	47	35	35	0	0	0	0	0	0	0	41.56	0	0	13
2019	11	11	13	57	35	36	0	0	0	0	0	0	0	41.58	0	0	13
2019	11	11	14	7	35	36	0	0	0	0	0	0	0	41.61	0	0	13
2019	11	11	14	17	35	36	0	0	0	0	0	0	0	41.63	0	0	13
2019	11	11	14	27	35	35	0	0	0	0	0	0	0	41.67	0	0	13
2019	11	11	14	37	35	35	0	0	0	0	0	0	0	41.68	0	0	13
2019	11	11	14	47	35	36	0	0	0	0	0	0	0	41.68	0	0	13
2019	11	11	14	57	35	35	0	0	0	0	0	0	0	41.68	0	0	13
2019	11	11	15	7	35	35	0	0	0	0	0	0	0	41.7	0	0	13
2019	11	11	15	17	35	35	0	0	0	0	0	0	0	41.72	0	0	13
2019	11	11	15	27	35	36	0	0	0	0	0	0	0	41.74	0	0	13
2019	11	11	15	37	35	35	0	0	0	0	0	0	0	41.72	0	0	13
2019	11	11	15	47	35	35	0	0	0	0	0	0	0	41.72	0	0	13
2019	11	11	15	57	35	35	0	0	0	0	0	0	0	41.7	0	0	12.8
2019	11	11	16	7	35	35	0	0	0	0	0	0	0	41.7	0	0	13
2019	11	11	16	17	35	36	0	0	0	0	0	0	0	41.72	0	0	12.2
2019	11	11	16	27	35	35	0	0	0	0	0	0	0	41.74	0	0	12.2
2019	11	11	16	37	35	35	0	0	0	0	0	0	0	41.76	0	0	12.2
2019	11	11	16	47	35	35	0	0	0	0	0	0	0	41.77	0	0	12
2019	11	11	16	57	35	35	0	0	0	0	0	0	0	41.79	0	0	11.8
2019	11	11	17	7	35	35	0	0	0	0	0	0	0	41.81	0	0	11.8
2019	11	11	17	17	35	35	0	0	0	0	0	0	0	41.81	0	0	11.8
2019	11	11	17	27	35	35	0	0	0	0	0	0	0	41.83	0	0	11.8
2019	11	11	17	37	35	35	0	0	0	0	0	0	0	41.85	0	0	11.8
2019	11	11	17	47	35	35	0	0	0	0	0	0	0	41.86	0	0	11.8
2019	11	11	17	57	35	35	0	0	0	0	0	0	0	41.86	0	0	11.8
2019	11	11	18	7	35	35	0	0	0	0	0	0	0	41.86	0	0	11.8
2019	11	11	18	17	35	35	0	0	0	0	0	0	0	41.9	0	0	11.8
2019	11	11	18	27	35	35	0	0	0	0	0	0	0	41.9	0	0	11.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	11	18	37	35	36	0	0	0	0	0	0	0	41.9	0	0	11.6
2019	11	11	18	47	35	35	0	0	0	0	0	0	0	41.9	0	0	11.6
2019	11	11	18	57	35	35	0	0	0	0	0	0	0	41.92	0	0	11.6
2019	11	11	19	7	35	36	0	0	0	0	0	0	0	41.92	0	0	11.6
2019	11	11	19	17	35	35	0	0	0	0	0	0	0	41.9	0	0	11.6
2019	11	11	19	27	35	35	0	0	0	0	0	0	0	41.9	0	0	11.6
2019	11	11	19	37	35	35	0	0	0	0	0	0	0	41.88	0	0	11.6
2019	11	11	19	47	35	35	0	0	0	0	0	0	0	41.86	0	0	11.6
2019	11	11	19	57	35	35	0	0	0	0	0	0	0	41.85	0	0	11.6
2019	11	11	20	7	35	35	0	0	0	0	0	0	0	41.85	0	0	11.6
2019	11	11	20	17	35	35	0	0	0	0	0	0	0	41.83	0	0	11.6
2019	11	11	20	27	35	35	0	0	0	0	0	0	0	41.81	0	0	11.6
2019	11	11	20	37	35	35	0	0	0	0	0	0	0	41.79	0	0	11.6
2019	11	11	20	47	35	36	0	0	0	0	0	0	0	41.77	0	0	11.6
2019	11	11	20	57	35	35	0	0	0	0	0	0	0	41.76	0	0	11.6
2019	11	11	21	7	35	35	0	0	0	0	0	0	0	41.74	0	0	11.6
2019	11	11	21	17	35	36	0	0	0	0	0	0	0	41.72	0	0	11.6
2019	11	11	21	27	35	35	0	0	0	0	0	0	0	41.68	0	0	11.6
2019	11	11	21	37	35	35	0	0	0	0	0	0	0	41.67	0	0	11.6
2019	11	11	21	47	35	35	0	0	0	0	0	0	0	41.65	0	0	11.6
2019	11	11	21	57	35	35	0	0	0	0	0	0	0	41.63	0	0	11.6
2019	11	11	22	7	35	35	0	0	0	0	0	0	0	41.61	0	0	11.6
2019	11	11	22	17	35	35	0	0	0	0	0	0	0	41.58	0	0	11.6
2019	11	11	22	27	35	35	0	0	0	0	0	0	0	41.56	0	0	11.6
2019	11	11	22	37	35	35	0	0	0	0	0	0	0	41.54	0	0	11.6
2019	11	11	22	47	35	35	0	0	0	0	0	0	0	41.52	0	0	11.6
2019	11	11	22	57	35	35	0	0	0	0	0	0	0	41.49	0	0	11.6
2019	11	11	23	7	35	35	0	0	0	0	0	0	0	41.47	0	0	11.6
2019	11	11	23	17	35	35	0	0	0	0	0	0	0	41.45	0	0	11.6
2019	11	11	23	27	35	35	0	0	0	0	0	0	0	41.43	0	0	11.6
2019	11	11	23	37	35	35	0	0	0	0	0	0	0	41.4	0	0	11.6
2019	11	11	23	47	35	35	0	0	0	0	0	0	0	41.38	0	0	11.6
2019	11	11	23	57	35	35	0	0	0	0	0	0	0	41.36	0	0	11.6
2019	11	12	0	7	35	35	0	0	0	0	0	0	0	41.32	0	0	11.6
2019	11	12	0	17	35	35	0	0	0	0	0	0	0	41.31	0	0	11.6
2019	11	12	0	27	35	35	0	0	0	0	0	0	0	41.27	0	0	11.6
2019	11	12	0	37	35	35	0	0	0	0	0	0	0	41.25	0	0	11.6
2019	11	12	0	47	35	36	0	0	0	0	0	0	0	41.23	0	0	11.6
2019	11	12	0	57	35	35	0	0	0	0	0	0	0	41.2	0	0	11.4
2019	11	12	1	7	35	35	0	0	0	0	0	0	0	41.18	0	0	11.4
2019	11	12	1	17	35	35	0	0	0	0	0	0	0	41.14	0	0	11.4
2019	11	12	1	27	35	35	0	0	0	0	0	0	0	41.11	0	0	11.4
2019	11	12	1	37	35	35	0	0	0	0	0	0	0	41.09	0	0	11.4
2019	11	12	1	47	35	36	0	0	0	0	0	0	0	41.07	0	0	11.4
2019	11	12	1	57	35	35	0	0	0	0	0	0	0	41.04	0	0	11.4
2019	11	12	2	7	35	35	0	0	0	0	0	0	0	41.02	0	0	11.4
2019	11	12	2	17	35	35	0	0	0	0	0	0	0	40.98	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	12	2	27	35	35	0	0	0	0	0	0	0	40.96	0	0	11.4
2019	11	12	2	37	35	36	0	0	0	0	0	0	0	40.93	0	0	11.4
2019	11	12	2	47	35	35	0	0	0	0	0	0	0	40.91	0	0	11.4
2019	11	12	2	57	35	36	0	0	0	0	0	0	0	40.87	0	0	11.4
2019	11	12	3	7	35	35	0	0	0	0	0	0	0	40.86	0	0	11.4
2019	11	12	3	17	35	35	0	0	0	0	0	0	0	40.84	0	0	11.4
2019	11	12	3	27	35	36	0	0	0	0	0	0	0	40.82	0	0	11.4
2019	11	12	3	37	35	36	0	0	0	0	0	0	0	40.8	0	0	11.4
2019	11	12	3	47	35	36	0	0	0	0	0	0	0	40.78	0	0	11.4
2019	11	12	3	57	35	35	0	0	0	0	0	0	0	40.77	0	0	11.4
2019	11	12	4	7	35	36	0	0	0	0	0	0	0	40.75	0	0	11.4
2019	11	12	4	17	35	35	0	0	0	0	0	0	0	40.73	0	0	11.4
2019	11	12	4	27	35	35	0	0	0	0	0	0	0	40.71	0	0	11.4
2019	11	12	4	37	35	35	0	0	0	0	0	0	0	40.69	0	0	11.4
2019	11	12	4	47	35	35	0	0	0	0	0	0	0	40.68	0	0	11.4
2019	11	12	4	57	35	36	0	0	0	0	0	0	0	40.68	0	0	11.4
2019	11	12	5	7	35	36	0	0	0	0	0	0	0	40.66	0	0	11.4
2019	11	12	5	17	35	35	0	0	0	0	0	0	0	40.64	0	0	11.4
2019	11	12	5	27	35	35	0	0	0	0	0	0	0	40.64	0	0	11.4
2019	11	12	5	37	35	36	0	0	0	0	0	0	0	40.62	0	0	11.4
2019	11	12	5	47	35	35	0	0	0	0	0	0	0	40.62	0	0	11.4
2019	11	12	5	57	35	36	0	0	0	0	0	0	0	40.6	0	0	11.4
2019	11	12	6	7	35	35	0	0	0	0	0	0	0	40.6	0	0	11.4
2019	11	12	6	17	35	36	0	0	0	0	0	0	0	40.59	0	0	11.4
2019	11	12	6	27	35	35	0	0	0	0	0	0	0	40.59	0	0	11.4
2019	11	12	6	37	35	35	0	0	0	0	0	0	0	40.59	0	0	11.4
2019	11	12	6	47	35	36	0	0	0	0	0	0	0	40.57	0	0	11.4
2019	11	12	6	57	35	36	0	0	0	0	0	0	0	40.55	0	0	11.4
2019	11	12	7	7	35	35	0	0	0	0	0	0	0	40.57	0	0	11.4
2019	11	12	7	17	35	36	0	0	0	0	0	0	0	40.55	0	0	11.4
2019	11	12	7	27	35	35	0	0	0	0	0	0	0	40.55	0	0	11.4
2019	11	12	7	37	35	35	0	0	0	0	0	0	0	40.53	0	0	11.4
2019	11	12	7	47	35	36	0	0	0	0	0	0	0	40.55	0	0	11.4
2019	11	12	7	57	35	35	0	0	0	0	0	0	0	40.55	0	0	11.4
2019	11	12	8	7	35	35	0	0	0	0	0	0	0	40.55	0	0	11.6
2019	11	12	8	17	35	35	0	0	0	0	0	0	0	40.55	0	0	12
2019	11	12	8	27	35	35	0	0	0	0	0	0	0	40.55	0	0	12.4
2019	11	12	8	37	35	36	0	0	0	0	0	0	0	40.6	0	0	12.6
2019	11	12	8	47	35	35	0	0	0	0	0	0	0	40.64	0	0	12.6
2019	11	12	8	57	35	36	0	0	0	0	0	0	0	40.68	0	0	12.6
2019	11	12	9	7	35	35	0	0	0	0	0	0	0	40.75	0	0	12.6
2019	11	12	9	17	35	35	0	0	0	0	0	0	0	40.78	0	0	12.6
2019	11	12	9	27	35	35	0	0	0	0	0	0	0	40.84	0	0	12.8
2019	11	12	9	37	35	36	0	0	0	0	0	0	0	40.89	0	0	12.8
2019	11	12	9	47	35	35	0	0	0	0	0	0	0	40.96	0	0	12.8
2019	11	12	9	57	35	36	0	0	0	0	0	0	0	41.02	0	0	12.8
2019	11	12	10	7	35	35	0	0	0	0	0	0	0	41.07	0	0	12.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	12	10	17	35	35	0	0	0	0	0	0	0	41.13	0	0	13
2019	11	12	10	27	35	35	0	0	0	0	0	0	0	41.2	0	0	13
2019	11	12	10	37	35	34	0	0	0	0	0	0	0	41.27	0	0	13
2019	11	12	10	47	35	36	0	0	0	0	0	0	0	41.31	0	0	13
2019	11	12	10	57	35	35	0	0	0	0	0	0	0	41.36	0	0	13.2
2019	11	12	11	7	35	35	0	0	0	0	0	0	0	41.43	0	0	13.2
2019	11	12	11	17	35	35	0	0	0	0	0	0	0	41.5	0	0	13.2
2019	11	12	11	27	35	35	0	0	0	0	0	0	0	41.56	0	0	13.2
2019	11	12	11	37	35	36	0	0	0	0	0	0	0	41.61	0	0	13.2
2019	11	12	11	47	35	35	0	0	0	0	0	0	0	41.65	0	0	13.2
2019	11	12	11	57	35	35	0	0	0	0	0	0	0	41.7	0	0	13.2
2019	11	12	12	7	35	35	0	0	0	0	0	0	0	41.76	0	0	13.2
2019	11	12	12	17	35	36	0	0	0	0	0	0	0	41.81	0	0	13.2
2019	11	12	12	27	35	35	0	0	0	0	0	0	0	41.85	0	0	13
2019	11	12	12	37	35	35	0	0	0	0	0	0	0	41.9	0	0	13
2019	11	12	12	47	35	35	0	0	0	0	0	0	0	41.92	0	0	13
2019	11	12	12	57	35	35	0	0	0	0	0	0	0	41.95	0	0	13
2019	11	12	13	7	35	36	0	0	0	0	0	0	0	41.99	0	0	13
2019	11	12	13	17	35	35	0	0	0	0	0	0	0	42.03	0	0	13
2019	11	12	13	27	35	35	0	0	0	0	0	0	0	42.06	0	0	13
2019	11	12	13	37	35	35	0	0	0	0	0	0	0	42.08	0	0	13
2019	11	12	13	47	35	35	0	0	0	0	0	0	0	42.12	0	0	13
2019	11	12	13	57	35	35	0	0	0	0	0	0	0	42.12	0	0	13
2019	11	12	14	7	35	36	0	0	0	0	0	0	0	42.15	0	0	13
2019	11	12	14	17	35	35	0	0	0	0	0	0	0	42.17	0	0	13
2019	11	12	14	27	35	35	0	0	0	0	0	0	0	42.21	0	0	13
2019	11	12	14	37	35	35	0	0	0	0	0	0	0	42.22	0	0	13
2019	11	12	14	47	35	35	0	0	0	0	0	0	0	42.24	0	0	12.8
2019	11	12	14	57	35	35	0	0	0	0	0	0	0	42.24	0	0	13
2019	11	12	15	7	35	35	0	0	0	0	0	0	0	42.24	0	0	13
2019	11	12	15	17	35	35	0	0	0	0	0	0	0	42.26	0	0	13
2019	11	12	15	27	35	35	0	0	0	0	0	0	0	42.28	0	0	13
2019	11	12	15	37	35	35	0	0	0	0	0	0	0	42.26	0	0	13
2019	11	12	15	47	35	35	0	0	0	0	0	0	0	42.3	0	0	13
2019	11	12	15	57	35	36	0	0	0	0	0	0	0	42.26	0	0	13
2019	11	12	16	7	35	35	0	0	0	0	0	0	0	42.31	0	0	13
2019	11	12	16	17	35	35	0	0	0	0	0	0	0	42.31	0	0	13
2019	11	12	16	27	35	36	0	0	0	0	0	0	0	42.3	0	0	12.4
2019	11	12	16	37	35	35	0	0	0	0	0	0	0	42.31	0	0	12
2019	11	12	16	47	35	35	0	0	0	0	0	0	0	42.33	0	0	11.8
2019	11	12	16	57	35	35	0	0	0	0	0	0	0	42.37	0	0	11.8
2019	11	12	17	7	35	35	0	0	0	0	0	0	0	42.37	0	0	11.8
2019	11	12	17	17	35	36	0	0	0	0	0	0	0	42.4	0	0	11.8
2019	11	12	17	27	35	35	0	0	0	0	0	0	0	42.42	0	0	11.8
2019	11	12	17	37	35	36	0	0	0	0	0	0	0	42.44	0	0	11.6
2019	11	12	17	47	35	35	0	0	0	0	0	0	0	42.46	0	0	11.6
2019	11	12	17	57	35	35	0	0	0	0	0	0	0	42.48	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	12	18	7	35	35	0	0	0	0	0	0	0	42.49	0	0	11.6
2019	11	12	18	17	35	35	0	0	0	0	0	0	0	42.51	0	0	11.6
2019	11	12	18	27	35	35	0	0	0	0	0	0	0	42.51	0	0	11.6
2019	11	12	18	37	35	35	0	0	0	0	0	0	0	42.53	0	0	11.6
2019	11	12	18	47	35	35	0	0	0	0	0	0	0	42.53	0	0	11.6
2019	11	12	18	57	35	35	0	0	0	0	0	0	0	42.53	0	0	11.6
2019	11	12	19	7	35	36	0	0	0	0	0	0	0	42.53	0	0	11.6
2019	11	12	19	17	35	35	0	0	0	0	0	0	0	42.53	0	0	11.6
2019	11	12	19	27	35	35	0	0	0	0	0	0	0	42.51	0	0	11.6
2019	11	12	19	37	35	36	0	0	0	0	0	0	0	42.51	0	0	11.6
2019	11	12	19	47	35	35	0	0	0	0	0	0	0	42.51	0	0	11.6
2019	11	12	19	57	35	35	0	0	0	0	0	0	0	42.49	0	0	11.6
2019	11	12	20	7	35	35	0	0	0	0	0	0	0	42.48	0	0	11.6
2019	11	12	20	17	35	35	0	0	0	0	0	0	0	42.48	0	0	11.6
2019	11	12	20	27	35	35	0	0	0	0	0	0	0	42.46	0	0	11.6
2019	11	12	20	37	35	35	0	0	0	0	0	0	0	42.44	0	0	11.6
2019	11	12	20	47	35	35	0	0	0	0	0	0	0	42.42	0	0	11.6
2019	11	12	20	57	35	34	0	0	0	0	0	0	0	42.4	0	0	11.6
2019	11	12	21	7	35	35	0	0	0	0	0	0	0	42.39	0	0	11.6
2019	11	12	21	17	35	35	0	0	0	0	0	0	0	42.37	0	0	11.6
2019	11	12	21	27	35	35	0	0	0	0	0	0	0	42.35	0	0	11.6
2019	11	12	21	37	35	35	0	0	0	0	0	0	0	42.33	0	0	11.6
2019	11	12	21	47	35	35	0	0	0	0	0	0	0	42.31	0	0	11.6
2019	11	12	21	57	35	35	0	0	0	0	0	0	0	42.3	0	0	11.6
2019	11	12	22	7	35	35	0	0	0	0	0	0	0	42.28	0	0	11.6
2019	11	12	22	17	35	35	0	0	0	0	0	0	0	42.24	0	0	11.6
2019	11	12	22	27	35	35	0	0	0	0	0	0	0	42.22	0	0	11.4
2019	11	12	22	37	35	35	0	0	0	0	0	0	0	42.21	0	0	11.4
2019	11	12	22	47	35	36	0	0	0	0	0	0	0	42.17	0	0	11.4
2019	11	12	22	57	35	35	0	0	0	0	0	0	0	42.15	0	0	11.4
2019	11	12	23	7	35	35	0	0	0	0	0	0	0	42.13	0	0	11.4
2019	11	12	23	17	35	36	0	0	0	0	0	0	0	42.1	0	0	11.4
2019	11	12	23	27	35	35	0	0	0	0	0	0	0	42.08	0	0	11.4
2019	11	12	23	37	35	35	0	0	0	0	0	0	0	42.06	0	0	11.4
2019	11	12	23	47	35	35	0	0	0	0	0	0	0	42.04	0	0	11.4
2019	11	12	23	57	35	35	0	0	0	0	0	0	0	42.01	0	0	11.4
2019	11	13	0	7	35	35	0	0	0	0	0	0	0	41.97	0	0	11.4
2019	11	13	0	17	35	35	0	0	0	0	0	0	0	41.95	0	0	11.4
2019	11	13	0	27	35	35	0	0	0	0	0	0	0	41.94	0	0	11.4
2019	11	13	0	37	35	36	0	0	0	0	0	0	0	41.9	0	0	11.4
2019	11	13	0	47	35	35	0	0	0	0	0	0	0	41.86	0	0	11.4
2019	11	13	0	57	35	35	0	0	0	0	0	0	0	41.85	0	0	11.4
2019	11	13	1	7	35	35	0	0	0	0	0	0	0	41.81	0	0	11.4
2019	11	13	1	17	35	35	0	0	0	0	0	0	0	41.79	0	0	11.4
2019	11	13	1	27	35	35	0	0	0	0	0	0	0	41.74	0	0	11.4
2019	11	13	1	37	35	35	0	0	0	0	0	0	0	41.72	0	0	11.4
2019	11	13	1	47	35	36	0	0	0	0	0	0	0	41.68	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	13	1	57	35	35	0	0	0	0	0	0	0	41.67	0	0	11.4
2019	11	13	2	7	35	35	0	0	0	0	0	0	0	41.63	0	0	11.4
2019	11	13	2	17	35	36	0	0	0	0	0	0	0	41.61	0	0	11.4
2019	11	13	2	27	35	35	0	0	0	0	0	0	0	41.58	0	0	11.4
2019	11	13	2	37	35	35	0	0	0	0	0	0	0	41.56	0	0	11.4
2019	11	13	2	47	35	35	0	0	0	0	0	0	0	41.52	0	0	11.4
2019	11	13	2	57	35	36	0	0	0	0	0	0	0	41.5	0	0	11.4
2019	11	13	3	7	35	35	0	0	0	0	0	0	0	41.47	0	0	11.4
2019	11	13	3	17	35	36	0	0	0	0	0	0	0	41.45	0	0	11.4
2019	11	13	3	27	35	35	0	0	0	0	0	0	0	41.41	0	0	11.4
2019	11	13	3	37	35	35	0	0	0	0	0	0	0	41.38	0	0	11.4
2019	11	13	3	47	35	35	0	0	0	0	0	0	0	41.36	0	0	11.4
2019	11	13	3	57	35	35	0	0	0	0	0	0	0	41.34	0	0	11.4
2019	11	13	4	7	35	35	0	0	0	0	0	0	0	41.31	0	0	11.4
2019	11	13	4	17	35	36	0	0	0	0	0	0	0	41.29	0	0	11.4
2019	11	13	4	27	35	35	0	0	0	0	0	0	0	41.27	0	0	11.4
2019	11	13	4	37	35	35	0	0	0	0	0	0	0	41.23	0	0	11.4
2019	11	13	4	47	35	35	0	0	0	0	0	0	0	41.23	0	0	11.4
2019	11	13	4	57	35	36	0	0	0	0	0	0	0	41.22	0	0	11.4
2019	11	13	5	7	35	35	0	0	0	0	0	0	0	41.2	0	0	11.4
2019	11	13	5	17	35	35	0	0	0	0	0	0	0	41.18	0	0	11.4
2019	11	13	5	27	35	35	0	0	0	0	0	0	0	41.14	0	0	11.4
2019	11	13	5	37	35	35	0	0	0	0	0	0	0	41.14	0	0	11.4
2019	11	13	5	47	35	35	0	0	0	0	0	0	0	41.13	0	0	11.4
2019	11	13	5	57	35	35	0	0	0	0	0	0	0	41.11	0	0	11.4
2019	11	13	6	7	35	35	0	0	0	0	0	0	0	41.09	0	0	11.4
2019	11	13	6	17	35	35	0	0	0	0	0	0	0	41.07	0	0	11.2
2019	11	13	6	27	35	35	0	0	0	0	0	0	0	41.05	0	0	11.2
2019	11	13	6	37	35	34	0	0	0	0	0	0	0	41.05	0	0	11.2
2019	11	13	6	47	35	36	0	0	0	0	0	0	0	41.04	0	0	11.2
2019	11	13	6	57	35	36	0	0	0	0	0	0	0	41.04	0	0	11.2
2019	11	13	7	7	35	35	0	0	0	0	0	0	0	41.02	0	0	11.2
2019	11	13	7	17	35	36	0	0	0	0	0	0	0	41.02	0	0	11.2
2019	11	13	7	27	35	35	0	0	0	0	0	0	0	41	0	0	11.2
2019	11	13	7	37	35	35	0	0	0	0	0	0	0	41	0	0	11.2
2019	11	13	7	47	35	35	0	0	0	0	0	0	0	41	0	0	11.2
2019	11	13	7	57	35	35	0	0	0	0	0	0	0	41	0	0	11.2
2019	11	13	8	7	35	35	0	0	0	0	0	0	0	41	0	0	11.4
2019	11	13	8	17	35	35	0	0	0	0	0	0	0	41.02	0	0	11.4
2019	11	13	8	27	35	35	0	0	0	0	0	0	0	41.02	0	0	11.2
2019	11	13	8	37	35	35	0	0	0	0	0	0	0	41.04	0	0	11.2
2019	11	13	8	47	35	35	0	0	0	0	0	0	0	41.05	0	0	11.2
2019	11	13	8	57	35	35	0	0	0	0	0	0	0	41.07	0	0	11.4
2019	11	13	9	7	35	36	0	0	0	0	0	0	0	41.07	0	0	11.4
2019	11	13	9	17	35	35	0	0	0	0	0	0	0	41.11	0	0	11.4
2019	11	13	9	27	35	36	0	0	0	0	0	0	0	41.13	0	0	11.4
2019	11	13	9	37	35	35	0	0	0	0	0	0	0	41.16	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	13	9	47	35	35	0	0	0	0	0	0	0	41.18	0	0	11.6
2019	11	13	9	57	35	36	0	0	0	0	0	0	0	41.22	0	0	12
2019	11	13	10	7	35	35	0	0	0	0	0	0	0	41.25	0	0	12.2
2019	11	13	10	17	35	35	0	0	0	0	0	0	0	41.29	0	0	12.4
2019	11	13	10	27	35	35	0	0	0	0	0	0	0	41.36	0	0	12.8
2019	11	13	10	37	35	35	0	0	0	0	0	0	0	41.43	0	0	12.8
2019	11	13	10	47	35	35	0	0	0	0	0	0	0	41.52	0	0	12.8
2019	11	13	10	57	35	35	0	0	0	0	0	0	0	41.56	0	0	12.6
2019	11	13	11	7	35	36	0	0	0	0	0	0	0	41.63	0	0	12.8
2019	11	13	11	17	35	35	0	0	0	0	0	0	0	41.68	0	0	12.6
2019	11	13	11	27	35	36	0	0	0	0	0	0	0	41.72	0	0	12.8
2019	11	13	11	37	35	36	0	0	0	0	0	0	0	41.81	0	0	12.8
2019	11	13	11	47	35	35	0	0	0	0	0	0	0	41.86	0	0	12.8
2019	11	13	11	57	35	36	0	0	0	0	0	0	0	41.9	0	0	12.8
2019	11	13	12	7	35	36	0	0	0	0	0	0	0	41.97	0	0	12.8
2019	11	13	12	17	35	35	0	0	0	0	0	0	0	41.97	0	0	12.8
2019	11	13	12	27	35	36	0	0	0	0	0	0	0	42.01	0	0	12.8
2019	11	13	12	37	35	35	0	0	0	0	0	0	0	42.03	0	0	12.8
2019	11	13	12	47	35	35	0	0	0	0	0	0	0	42.08	0	0	12.8
2019	11	13	12	57	35	35	0	0	0	0	0	0	0	42.08	0	0	12.8
2019	11	13	13	7	35	34	0	0	0	0	0	0	0	42.06	0	0	12.6
2019	11	13	13	17	35	35	0	0	0	0	0	0	0	42.03	0	0	12.4
2019	11	13	13	27	35	36	0	0	0	0	0	0	0	42.01	0	0	12.4
2019	11	13	13	37	35	36	0	0	0	0	0	0	0	42.01	0	0	12.4
2019	11	13	13	47	35	35	0	0	0	0	0	0	0	42.01	0	0	12.4
2019	11	13	13	57	35	35	0	0	0	0	0	0	0	42.03	0	0	12.4
2019	11	13	14	7	35	36	0	0	0	0	0	0	0	42.06	0	0	12.4
2019	11	13	14	17	35	35	0	0	0	0	0	0	0	42.1	0	0	12.4
2019	11	13	14	27	35	35	0	0	0	0	0	0	0	42.12	0	0	12.4
2019	11	13	14	37	35	35	0	0	0	0	0	0	0	42.13	0	0	12.4
2019	11	13	14	47	35	36	0	0	0	0	0	0	0	42.15	0	0	12.2
2019	11	13	14	57	35	35	0	0	0	0	0	0	0	42.17	0	0	12.2
2019	11	13	15	7	35	35	0	0	0	0	0	0	0	42.24	0	0	12.8
2019	11	13	15	17	35	36	0	0	0	0	0	0	0	42.3	0	0	12.6
2019	11	13	15	27	35	35	0	0	0	0	0	0	0	42.33	0	0	12.8
2019	11	13	15	37	35	36	0	0	0	0	0	0	0	42.39	0	0	12.8
2019	11	13	15	47	35	35	0	0	0	0	0	0	0	42.42	0	0	12.8
2019	11	13	15	57	35	35	0	0	0	0	0	0	0	42.4	0	0	12.4
2019	11	13	16	7	35	35	0	0	0	0	0	0	0	42.42	0	0	12.4
2019	11	13	16	17	35	35	0	0	0	0	0	0	0	42.4	0	0	12.2
2019	11	13	16	27	35	35	0	0	0	0	0	0	0	42.4	0	0	12
2019	11	13	16	37	35	35	0	0	0	0	0	0	0	42.4	0	0	12
2019	11	13	16	47	35	36	0	0	0	0	0	0	0	42.42	0	0	11.8
2019	11	13	16	57	35	35	0	0	0	0	0	0	0	42.42	0	0	11.8
2019	11	13	17	7	35	35	0	0	0	0	0	0	0	42.44	0	0	11.8
2019	11	13	17	17	35	35	0	0	0	0	0	0	0	42.44	0	0	11.8
2019	11	13	17	27	35	35	0	0	0	0	0	0	0	42.44	0	0	11.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	13	17	37	35	35	0	0	0	0	0	0	0	42.46	0	0	11.8
2019	11	13	17	47	35	35	0	0	0	0	0	0	0	42.46	0	0	11.6
2019	11	13	17	57	35	35	0	0	0	0	0	0	0	42.48	0	0	11.6
2019	11	13	18	7	35	35	0	0	0	0	0	0	0	42.48	0	0	11.6
2019	11	13	18	17	35	35	0	0	0	0	0	0	0	42.48	0	0	11.6
2019	11	13	18	27	35	36	0	0	0	0	0	0	0	42.49	0	0	11.6
2019	11	13	18	37	35	35	0	0	0	0	0	0	0	42.49	0	0	11.6
2019	11	13	18	47	35	35	0	0	0	0	0	0	0	42.51	0	0	11.6
2019	11	13	18	57	35	35	0	0	0	0	0	0	0	42.49	0	0	11.6
2019	11	13	19	7	35	35	0	0	0	0	0	0	0	42.49	0	0	11.6
2019	11	13	19	17	35	35	0	0	0	0	0	0	0	42.51	0	0	11.6
2019	11	13	19	27	35	35	0	0	0	0	0	0	0	42.51	0	0	11.6
2019	11	13	19	37	35	35	0	0	0	0	0	0	0	42.49	0	0	11.6
2019	11	13	19	47	35	35	0	0	0	0	0	0	0	42.48	0	0	11.6
2019	11	13	19	57	35	35	0	0	0	0	0	0	0	42.48	0	0	11.6
2019	11	13	20	7	35	35	0	0	0	0	0	0	0	42.48	0	0	11.6
2019	11	13	20	17	35	35	0	0	0	0	0	0	0	42.46	0	0	11.6
2019	11	13	20	27	35	35	0	0	0	0	0	0	0	42.46	0	0	11.6
2019	11	13	20	37	35	35	0	0	0	0	0	0	0	42.44	0	0	11.6
2019	11	13	20	47	35	35	0	0	0	0	0	0	0	42.44	0	0	11.6
2019	11	13	20	57	35	35	0	0	0	0	0	0	0	42.42	0	0	11.6
2019	11	13	21	7	35	35	0	0	0	0	0	0	0	42.42	0	0	11.6
2019	11	13	21	17	35	35	0	0	0	0	0	0	0	42.4	0	0	11.6
2019	11	13	21	27	35	36	0	0	0	0	0	0	0	42.39	0	0	11.6
2019	11	13	21	37	35	35	0	0	0	0	0	0	0	42.37	0	0	11.6
2019	11	13	21	47	35	35	0	0	0	0	0	0	0	42.35	0	0	11.6
2019	11	13	21	57	35	35	0	0	0	0	0	0	0	42.33	0	0	11.6
2019	11	13	22	7	35	35	0	0	0	0	0	0	0	42.31	0	0	11.6
2019	11	13	22	17	35	35	0	0	0	0	0	0	0	42.3	0	0	11.6
2019	11	13	22	27	35	35	0	0	0	0	0	0	0	42.28	0	0	11.6
2019	11	13	22	37	35	35	0	0	0	0	0	0	0	42.26	0	0	11.6
2019	11	13	22	47	35	36	0	0	0	0	0	0	0	42.24	0	0	11.4
2019	11	13	22	57	35	36	0	0	0	0	0	0	0	42.22	0	0	11.4
2019	11	13	23	7	35	35	0	0	0	0	0	0	0	42.21	0	0	11.4
2019	11	13	23	17	35	35	0	0	0	0	0	0	0	42.19	0	0	11.4
2019	11	13	23	27	35	35	0	0	0	0	0	0	0	42.17	0	0	11.4
2019	11	13	23	37	35	35	0	0	0	0	0	0	0	42.13	0	0	11.4
2019	11	13	23	47	35	35	0	0	0	0	0	0	0	42.12	0	0	11.4
2019	11	13	23	57	35	35	0	0	0	0	0	0	0	42.1	0	0	11.4
2019	11	14	0	7	35	36	0	0	0	0	0	0	0	42.08	0	0	11.4
2019	11	14	0	17	35	35	0	0	0	0	0	0	0	42.04	0	0	11.4
2019	11	14	0	27	35	36	0	0	0	0	0	0	0	42.03	0	0	11.4
2019	11	14	0	37	35	35	0	0	0	0	0	0	0	42.01	0	0	11.4
2019	11	14	0	47	35	35	0	0	0	0	0	0	0	41.97	0	0	11.4
2019	11	14	0	57	35	35	0	0	0	0	0	0	0	41.95	0	0	11.4
2019	11	14	1	7	35	35	0	0	0	0	0	0	0	41.92	0	0	11.4
2019	11	14	1	17	35	34	0	0	0	0	0	0	0	41.9	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	14	1	27	35	35	0	0	0	0	0	0	0	41.88	0	0	11.4
2019	11	14	1	37	35	35	0	0	0	0	0	0	0	41.85	0	0	11.4
2019	11	14	1	47	35	36	0	0	0	0	0	0	0	41.85	0	0	11.4
2019	11	14	1	57	35	35	0	0	0	0	0	0	0	41.81	0	0	11.4
2019	11	14	2	7	35	35	0	0	0	0	0	0	0	41.79	0	0	11.4
2019	11	14	2	17	35	35	0	0	0	0	0	0	0	41.77	0	0	11.4
2019	11	14	2	27	35	35	0	0	0	0	0	0	0	41.76	0	0	11.4
2019	11	14	2	37	35	36	0	0	0	0	0	0	0	41.72	0	0	11.4
2019	11	14	2	47	35	35	0	0	0	0	0	0	0	41.72	0	0	11.4
2019	11	14	2	57	35	35	0	0	0	0	0	0	0	41.7	0	0	11.4
2019	11	14	3	7	35	35	0	0	0	0	0	0	0	41.67	0	0	11.4
2019	11	14	3	17	35	36	0	0	0	0	0	0	0	41.65	0	0	11.4
2019	11	14	3	27	35	35	0	0	0	0	0	0	0	41.63	0	0	11.4
2019	11	14	3	37	35	35	0	0	0	0	0	0	0	41.63	0	0	11.4
2019	11	14	3	47	35	35	0	0	0	0	0	0	0	41.61	0	0	11.4
2019	11	14	3	57	35	35	0	0	0	0	0	0	0	41.59	0	0	11.4
2019	11	14	4	7	35	35	0	0	0	0	0	0	0	41.58	0	0	11.4
2019	11	14	4	17	35	36	0	0	0	0	0	0	0	41.58	0	0	11.4
2019	11	14	4	27	35	35	0	0	0	0	0	0	0	41.56	0	0	11.4
2019	11	14	4	37	35	35	0	0	0	0	0	0	0	41.56	0	0	11.4
2019	11	14	4	47	35	35	0	0	0	0	0	0	0	41.54	0	0	11.4
2019	11	14	4	57	35	36	0	0	0	0	0	0	0	41.52	0	0	11.4
2019	11	14	5	7	35	35	0	0	0	0	0	0	0	41.52	0	0	11.2
2019	11	14	5	17	35	35	0	0	0	0	0	0	0	41.5	0	0	11.2
2019	11	14	5	27	35	35	0	0	0	0	0	0	0	41.5	0	0	11.2
2019	11	14	5	37	35	35	0	0	0	0	0	0	0	41.49	0	0	11.2
2019	11	14	5	47	35	36	0	0	0	0	0	0	0	41.49	0	0	11.2
2019	11	14	5	57	35	35	0	0	0	0	0	0	0	41.49	0	0	11.2
2019	11	14	6	7	35	35	0	0	0	0	0	0	0	41.49	0	0	11.2
2019	11	14	6	17	35	36	0	0	0	0	0	0	0	41.47	0	0	11.2
2019	11	14	6	27	35	35	0	0	0	0	0	0	0	41.45	0	0	11.2
2019	11	14	6	37	35	35	0	0	0	0	0	0	0	41.45	0	0	11.2
2019	11	14	6	47	35	35	0	0	0	0	0	0	0	41.45	0	0	11.2
2019	11	14	6	57	35	36	0	0	0	0	0	0	0	41.43	0	0	11.2
2019	11	14	7	7	35	35	0	0	0	0	0	0	0	41.43	0	0	11.2
2019	11	14	7	17	35	35	0	0	0	0	0	0	0	41.43	0	0	11.2
2019	11	14	7	27	35	35	0	0	0	0	0	0	0	41.43	0	0	11.2
2019	11	14	7	37	35	35	0	0	0	0	0	0	0	41.43	0	0	11.2
2019	11	14	7	47	35	36	0	0	0	0	0	0	0	41.41	0	0	11.2
2019	11	14	7	57	35	35	0	0	0	0	0	0	0	41.43	0	0	11.2
2019	11	14	8	7	35	35	0	0	0	0	0	0	0	41.43	0	0	11.4
2019	11	14	8	17	35	36	0	0	0	0	0	0	0	41.45	0	0	12
2019	11	14	8	27	35	36	0	0	0	0	0	0	0	41.45	0	0	11.8
2019	11	14	8	37	35	35	0	0	0	0	0	0	0	41.47	0	0	11.6
2019	11	14	8	47	35	35	0	0	0	0	0	0	0	41.5	0	0	12.2
2019	11	14	8	57	35	35	0	0	0	0	0	0	0	41.52	0	0	12
2019	11	14	9	7	35	35	0	0	0	0	0	0	0	41.54	0	0	12

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	14	9	17	35	36	0	0	0	0	0	0	0	41.56	0	0	12
2019	11	14	9	27	35	35	0	0	0	0	0	0	0	41.59	0	0	12.2
2019	11	14	9	37	35	35	0	0	0	0	0	0	0	41.65	0	0	12.6
2019	11	14	9	47	35	36	0	0	0	0	0	0	0	41.67	0	0	12.2
2019	11	14	9	57	35	35	0	0	0	0	0	0	0	41.7	0	0	12.6
2019	11	14	10	7	35	35	0	0	0	0	0	0	0	41.79	0	0	12.8
2019	11	14	10	17	35	35	0	0	0	0	0	0	0	41.9	0	0	12.6
2019	11	14	10	27	35	36	0	0	0	0	0	0	0	41.95	0	0	12.6
2019	11	14	10	37	35	35	0	0	0	0	0	0	0	41.85	0	0	12.2
2019	11	14	10	47	35	35	0	0	0	0	0	0	0	41.79	0	0	12
2019	11	14	10	57	35	35	0	0	0	0	0	0	0	41.74	0	0	12
2019	11	14	11	7	35	36	0	0	0	0	0	0	0	41.74	0	0	12
2019	11	14	11	17	35	35	0	0	0	0	0	0	0	41.76	0	0	12
2019	11	14	11	27	35	35	0	0	0	0	0	0	0	41.79	0	0	12
2019	11	14	11	37	35	35	0	0	0	0	0	0	0	41.83	0	0	12
2019	11	14	11	47	35	35	0	0	0	0	0	0	0	41.95	0	0	12.6
2019	11	14	11	57	35	35	0	0	0	0	0	0	0	42.13	0	0	13
2019	11	14	12	7	35	36	0	0	0	0	0	0	0	42.35	0	0	13
2019	11	14	12	17	35	35	0	0	0	0	0	0	0	42.46	0	0	13
2019	11	14	12	27	35	35	0	0	0	0	0	0	0	42.53	0	0	13
2019	11	14	12	37	35	35	0	0	0	0	0	0	0	42.58	0	0	13
2019	11	14	12	47	35	35	0	0	0	0	0	0	0	42.62	0	0	13.2
2019	11	14	12	57	35	35	0	0	0	0	0	0	0	42.66	0	0	13.2
2019	11	14	13	7	35	35	0	0	0	0	0	0	0	42.67	0	0	13.2
2019	11	14	13	17	35	35	0	0	0	0	0	0	0	42.69	0	0	13.2
2019	11	14	13	27	35	35	0	0	0	0	0	0	0	42.71	0	0	13.2
2019	11	14	13	37	35	35	0	0	0	0	0	0	0	42.73	0	0	13.2
2019	11	14	13	47	35	35	0	0	0	0	0	0	0	42.75	0	0	13.2
2019	11	14	13	57	35	35	0	0	0	0	0	0	0	42.73	0	0	13.2
2019	11	14	14	7	35	35	0	0	0	0	0	0	0	42.75	0	0	13.2
2019	11	14	14	17	35	35	0	0	0	0	0	0	0	42.76	0	0	13
2019	11	14	14	27	35	35	0	0	0	0	0	0	0	42.76	0	0	12.6
2019	11	14	14	37	35	36	0	0	0	0	0	0	0	42.75	0	0	13
2019	11	14	14	47	35	35	0	0	0	0	0	0	0	42.76	0	0	13
2019	11	14	14	57	35	36	0	0	0	0	0	0	0	42.75	0	0	13
2019	11	14	15	7	35	35	0	0	0	0	0	0	0	42.75	0	0	13
2019	11	14	15	17	35	35	0	0	0	0	0	0	0	42.76	0	0	13.2
2019	11	14	15	27	35	35	0	0	0	0	0	0	0	42.78	0	0	13
2019	11	14	15	37	35	35	0	0	0	0	0	0	0	42.76	0	0	13.2
2019	11	14	15	47	35	35	0	0	0	0	0	0	0	42.8	0	0	13
2019	11	14	15	57	35	35	0	0	0	0	0	0	0	42.78	0	0	12.8
2019	11	14	16	7	35	35	0	0	0	0	0	0	0	42.8	0	0	12.2
2019	11	14	16	17	35	35	0	0	0	0	0	0	0	42.78	0	0	12.2
2019	11	14	16	27	35	35	0	0	0	0	0	0	0	42.8	0	0	12
2019	11	14	16	37	35	35	0	0	0	0	0	0	0	42.82	0	0	12
2019	11	14	16	47	35	35	0	0	0	0	0	0	0	42.84	0	0	11.8
2019	11	14	16	57	35	35	0	0	0	0	0	0	0	42.85	0	0	11.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	14	17	7	35	36	0	0	0	0	0	0	0	42.87	0	0	11.8
2019	11	14	17	17	35	36	0	0	0	0	0	0	0	42.87	0	0	11.8
2019	11	14	17	27	35	35	0	0	0	0	0	0	0	42.89	0	0	11.8
2019	11	14	17	37	35	35	0	0	0	0	0	0	0	42.91	0	0	11.6
2019	11	14	17	47	35	35	0	0	0	0	0	0	0	42.91	0	0	11.6
2019	11	14	17	57	35	34	0	0	0	0	0	0	0	42.94	0	0	11.6
2019	11	14	18	7	35	35	0	0	0	0	0	0	0	42.94	0	0	11.6
2019	11	14	18	17	35	35	0	0	0	0	0	0	0	42.96	0	0	11.6
2019	11	14	18	27	35	35	0	0	0	0	0	0	0	42.96	0	0	11.6
2019	11	14	18	37	35	36	0	0	0	0	0	0	0	42.96	0	0	11.6
2019	11	14	18	47	35	35	0	0	0	0	0	0	0	42.98	0	0	11.6
2019	11	14	18	57	35	36	0	0	0	0	0	0	0	42.98	0	0	11.6
2019	11	14	19	7	35	35	0	0	0	0	0	0	0	43	0	0	11.6
2019	11	14	19	17	35	35	0	0	0	0	0	0	0	43	0	0	11.6
2019	11	14	19	27	35	35	0	0	0	0	0	0	0	42.98	0	0	11.6
2019	11	14	19	37	35	35	0	0	0	0	0	0	0	43	0	0	11.6
2019	11	14	19	47	35	35	0	0	0	0	0	0	0	43	0	0	11.6
2019	11	14	19	57	35	36	0	0	0	0	0	0	0	42.98	0	0	11.6
2019	11	14	20	7	35	35	0	0	0	0	0	0	0	42.98	0	0	11.6
2019	11	14	20	17	35	35	0	0	0	0	0	0	0	42.98	0	0	11.6
2019	11	14	20	27	35	35	0	0	0	0	0	0	0	42.96	0	0	11.6
2019	11	14	20	37	35	35	0	0	0	0	0	0	0	42.96	0	0	11.6
2019	11	14	20	47	35	35	0	0	0	0	0	0	0	42.96	0	0	11.6
2019	11	14	20	57	35	35	0	0	0	0	0	0	0	42.94	0	0	11.6
2019	11	14	21	7	35	35	0	0	0	0	0	0	0	42.94	0	0	11.6
2019	11	14	21	17	35	35	0	0	0	0	0	0	0	42.93	0	0	11.6
2019	11	14	21	27	35	36	0	0	0	0	0	0	0	42.93	0	0	11.6
2019	11	14	21	37	35	35	0	0	0	0	0	0	0	42.93	0	0	11.6
2019	11	14	21	47	35	35	0	0	0	0	0	0	0	42.91	0	0	11.6
2019	11	14	21	57	35	36	0	0	0	0	0	0	0	42.91	0	0	11.6
2019	11	14	22	7	35	35	0	0	0	0	0	0	0	42.89	0	0	11.6
2019	11	14	22	17	35	35	0	0	0	0	0	0	0	42.89	0	0	11.6
2019	11	14	22	27	35	35	0	0	0	0	0	0	0	42.89	0	0	11.6
2019	11	14	22	37	35	35	0	0	0	0	0	0	0	42.87	0	0	11.6
2019	11	14	22	47	35	35	0	0	0	0	0	0	0	42.85	0	0	11.6
2019	11	14	22	57	35	35	0	0	0	0	0	0	0	42.85	0	0	11.6
2019	11	14	23	7	35	35	0	0	0	0	0	0	0	42.84	0	0	11.6
2019	11	14	23	17	35	35	0	0	0	0	0	0	0	42.84	0	0	11.6
2019	11	14	23	27	35	35	0	0	0	0	0	0	0	42.82	0	0	11.6
2019	11	14	23	37	35	35	0	0	0	0	0	0	0	42.82	0	0	11.6
2019	11	14	23	47	35	35	0	0	0	0	0	0	0	42.8	0	0	11.4
2019	11	14	23	57	35	35	0	0	0	0	0	0	0	42.78	0	0	11.4
2019	11	15	0	7	35	35	0	0	0	0	0	0	0	42.78	0	0	11.4
2019	11	15	0	17	35	35	0	0	0	0	0	0	0	42.76	0	0	11.4
2019	11	15	0	27	35	35	0	0	0	0	0	0	0	42.75	0	0	11.4
2019	11	15	0	37	35	35	0	0	0	0	0	0	0	42.75	0	0	11.4
2019	11	15	0	47	35	35	0	0	0	0	0	0	0	42.71	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	15	0	57	35	35	0	0	0	0	0	0	0	42.71	0	0	11.4
2019	11	15	1	7	35	35	0	0	0	0	0	0	0	42.69	0	0	11.4
2019	11	15	1	17	35	35	0	0	0	0	0	0	0	42.66	0	0	11.4
2019	11	15	1	27	35	35	0	0	0	0	0	0	0	42.66	0	0	11.4
2019	11	15	1	37	35	35	0	0	0	0	0	0	0	42.62	0	0	11.4
2019	11	15	1	47	35	35	0	0	0	0	0	0	0	42.6	0	0	11.4
2019	11	15	1	57	35	35	0	0	0	0	0	0	0	42.58	0	0	11.4
2019	11	15	2	7	35	35	0	0	0	0	0	0	0	42.57	0	0	11.4
2019	11	15	2	17	35	35	0	0	0	0	0	0	0	42.53	0	0	11.4
2019	11	15	2	27	35	35	0	0	0	0	0	0	0	42.51	0	0	11.4
2019	11	15	2	37	35	35	0	0	0	0	0	0	0	42.49	0	0	11.4
2019	11	15	2	47	35	35	0	0	0	0	0	0	0	42.46	0	0	11.4
2019	11	15	2	57	35	35	0	0	0	0	0	0	0	42.44	0	0	11.4
2019	11	15	3	7	35	35	0	0	0	0	0	0	0	42.42	0	0	11.4
2019	11	15	3	17	35	35	0	0	0	0	0	0	0	42.4	0	0	11.4
2019	11	15	3	27	35	35	0	0	0	0	0	0	0	42.39	0	0	11.4
2019	11	15	3	37	35	36	0	0	0	0	0	0	0	42.37	0	0	11.4
2019	11	15	3	47	35	35	0	0	0	0	0	0	0	42.35	0	0	11.4
2019	11	15	3	57	35	35	0	0	0	0	0	0	0	42.31	0	0	11.4
2019	11	15	4	7	35	35	0	0	0	0	0	0	0	42.31	0	0	11.4
2019	11	15	4	17	35	36	0	0	0	0	0	0	0	42.3	0	0	11.4
2019	11	15	4	27	35	35	0	0	0	0	0	0	0	42.28	0	0	11.4
2019	11	15	4	37	35	35	0	0	0	0	0	0	0	42.26	0	0	11.4
2019	11	15	4	47	35	35	0	0	0	0	0	0	0	42.24	0	0	11.4
2019	11	15	4	57	35	35	0	0	0	0	0	0	0	42.22	0	0	11.4
2019	11	15	5	7	35	36	0	0	0	0	0	0	0	42.21	0	0	11.4
2019	11	15	5	17	35	36	0	0	0	0	0	0	0	42.19	0	0	11.4
2019	11	15	5	27	35	36	0	0	0	0	0	0	0	42.19	0	0	11.4
2019	11	15	5	37	35	35	0	0	0	0	0	0	0	42.15	0	0	11.4
2019	11	15	5	47	35	35	0	0	0	0	0	0	0	42.15	0	0	11.4
2019	11	15	5	57	35	35	0	0	0	0	0	0	0	42.15	0	0	11.4
2019	11	15	6	7	35	35	0	0	0	0	0	0	0	42.13	0	0	11.4
2019	11	15	6	17	35	35	0	0	0	0	0	0	0	42.13	0	0	11.4
2019	11	15	6	27	35	35	0	0	0	0	0	0	0	42.1	0	0	11.4
2019	11	15	6	37	35	35	0	0	0	0	0	0	0	42.1	0	0	11.2
2019	11	15	6	47	35	35	0	0	0	0	0	0	0	42.08	0	0	11.2
2019	11	15	6	57	35	35	0	0	0	0	0	0	0	42.08	0	0	11.2
2019	11	15	7	7	35	35	0	0	0	0	0	0	0	42.08	0	0	11.2
2019	11	15	7	17	35	35	0	0	0	0	0	0	0	42.06	0	0	11.2
2019	11	15	7	27	35	35	0	0	0	0	0	0	0	42.04	0	0	11.2
2019	11	15	7	37	35	35	0	0	0	0	0	0	0	42.04	0	0	11.2
2019	11	15	7	47	35	36	0	0	0	0	0	0	0	42.04	0	0	11.2
2019	11	15	7	57	35	35	0	0	0	0	0	0	0	42.04	0	0	11.2
2019	11	15	8	7	35	35	0	0	0	0	0	0	0	42.04	0	0	11.6
2019	11	15	8	17	35	36	0	0	0	0	0	0	0	42.08	0	0	12
2019	11	15	8	27	35	35	0	0	0	0	0	0	0	42.1	0	0	12.2
2019	11	15	8	37	35	35	0	0	0	0	0	0	0	42.1	0	0	12.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	15	8	47	35	36	0	0	0	0	0	0	0	42.13	0	0	12.2
2019	11	15	8	57	35	35	0	0	0	0	0	0	0	42.17	0	0	12.2
2019	11	15	9	7	35	35	0	0	0	0	0	0	0	42.21	0	0	12.4
2019	11	15	9	17	35	36	0	0	0	0	0	0	0	42.26	0	0	12.4
2019	11	15	9	27	35	35	0	0	0	0	0	0	0	42.3	0	0	12.4
2019	11	15	9	37	35	35	0	0	0	0	0	0	0	42.31	0	0	12.2
2019	11	15	9	47	35	35	0	0	0	0	0	0	0	42.35	0	0	12.4
2019	11	15	9	57	35	35	0	0	0	0	0	0	0	42.44	0	0	12.6
2019	11	15	10	7	35	35	0	0	0	0	0	0	0	42.48	0	0	12.4
2019	11	15	10	17	35	35	0	0	0	0	0	0	0	42.46	0	0	12.2
2019	11	15	10	27	35	35	0	0	0	0	0	0	0	42.46	0	0	12.2
2019	11	15	10	37	35	35	0	0	0	0	0	0	0	42.48	0	0	12.2
2019	11	15	10	47	35	35	0	0	0	0	0	0	0	42.49	0	0	12.2
2019	11	15	10	57	35	35	0	0	0	0	0	0	0	42.55	0	0	12.2
2019	11	15	11	7	35	35	0	0	0	0	0	0	0	42.58	0	0	12.4
2019	11	15	11	17	35	35	0	0	0	0	0	0	0	42.62	0	0	12.2
2019	11	15	11	27	35	35	0	0	0	0	0	0	0	42.64	0	0	12.2
2019	11	15	11	37	35	36	0	0	0	0	0	0	0	42.66	0	0	12.6
2019	11	15	11	47	35	36	0	0	0	0	0	0	0	42.82	0	0	12.8
2019	11	15	11	57	35	35	0	0	0	0	0	0	0	42.89	0	0	12.6
2019	11	15	12	7	35	35	0	0	0	0	0	0	0	42.93	0	0	12.8
2019	11	15	12	17	35	35	0	0	0	0	0	0	0	43.02	0	0	12.8
2019	11	15	12	27	35	35	0	0	0	0	0	0	0	43.07	0	0	12.8
2019	11	15	12	37	35	36	0	0	0	0	0	0	0	43.07	0	0	12.4
2019	11	15	12	47	35	35	0	0	0	0	0	0	0	43.05	0	0	12.6
2019	11	15	12	57	35	35	0	0	0	0	0	0	0	43.09	0	0	13
2019	11	15	13	7	35	35	0	0	0	0	0	0	0	43.18	0	0	12.8
2019	11	15	13	17	35	35	0	0	0	0	0	0	0	43.21	0	0	12.6
2019	11	15	13	27	35	35	0	0	0	0	0	0	0	43.25	0	0	13
2019	11	15	13	37	35	35	0	0	0	0	0	0	0	43.39	0	0	13.2
2019	11	15	13	47	35	35	0	0	0	0	0	0	0	43.48	0	0	13.2
2019	11	15	13	57	35	35	0	0	0	0	0	0	0	43.52	0	0	12.8
2019	11	15	14	7	35	35	0	0	0	0	0	0	0	43.47	0	0	13
2019	11	15	14	17	35	36	0	0	0	0	0	0	0	43.43	0	0	13
2019	11	15	14	27	35	35	0	0	0	0	0	0	0	43.48	0	0	13
2019	11	15	14	37	35	35	0	0	0	0	0	0	0	43.5	0	0	12.8
2019	11	15	14	47	35	35	0	0	0	0	0	0	0	43.5	0	0	13
2019	11	15	14	57	35	35	0	0	0	0	0	0	0	43.54	0	0	13
2019	11	15	15	7	35	35	0	0	0	0	0	0	0	43.52	0	0	12.4
2019	11	15	15	17	35	35	0	0	0	0	0	0	0	43.5	0	0	13
2019	11	15	15	27	35	35	0	0	0	0	0	0	0	43.54	0	0	13
2019	11	15	15	37	35	35	0	0	0	0	0	0	0	43.56	0	0	12.4
2019	11	15	15	47	35	35	0	0	0	0	0	0	0	43.5	0	0	12
2019	11	15	15	57	35	35	0	0	0	0	0	0	0	43.48	0	0	12.6
2019	11	15	16	7	35	35	0	0	0	0	0	0	0	43.54	0	0	12.6
2019	11	15	16	17	35	35	0	0	0	0	0	0	0	43.54	0	0	12.4
2019	11	15	16	27	35	35	0	0	0	0	0	0	0	43.54	0	0	12.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	15	16	37	35	35	0	0	0	0	0	0	0	43.56	0	0	12
2019	11	15	16	47	35	35	0	0	0	0	0	0	0	43.56	0	0	12
2019	11	15	16	57	35	35	0	0	0	0	0	0	0	43.59	0	0	11.8
2019	11	15	17	7	35	35	0	0	0	0	0	0	0	43.61	0	0	11.8
2019	11	15	17	17	35	35	0	0	0	0	0	0	0	43.63	0	0	11.8
2019	11	15	17	27	35	35	0	0	0	0	0	0	0	43.65	0	0	11.6
2019	11	15	17	37	35	35	0	0	0	0	0	0	0	43.66	0	0	11.6
2019	11	15	17	47	35	34	0	0	0	0	0	0	0	43.68	0	0	11.8
2019	11	15	17	57	35	35	0	0	0	0	0	0	0	43.7	0	0	11.8
2019	11	15	18	7	35	35	0	0	0	0	0	0	0	43.72	0	0	11.6
2019	11	15	18	17	35	35	0	0	0	0	0	0	0	43.72	0	0	11.6
2019	11	15	18	27	35	35	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	15	18	37	35	35	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	15	18	47	35	35	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	15	18	57	35	35	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	15	19	7	35	36	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	15	19	17	35	35	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	15	19	27	35	35	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	15	19	37	35	35	0	0	0	0	0	0	0	43.72	0	0	11.6
2019	11	15	19	47	35	35	0	0	0	0	0	0	0	43.7	0	0	11.6
2019	11	15	19	57	35	35	0	0	0	0	0	0	0	43.68	0	0	11.6
2019	11	15	20	7	35	35	0	0	0	0	0	0	0	43.68	0	0	11.6
2019	11	15	20	17	35	35	0	0	0	0	0	0	0	43.66	0	0	11.6
2019	11	15	20	27	35	35	0	0	0	0	0	0	0	43.65	0	0	11.6
2019	11	15	20	37	35	35	0	0	0	0	0	0	0	43.63	0	0	11.6
2019	11	15	20	47	35	35	0	0	0	0	0	0	0	43.61	0	0	11.6
2019	11	15	20	57	35	35	0	0	0	0	0	0	0	43.59	0	0	11.6
2019	11	15	21	7	35	35	0	0	0	0	0	0	0	43.57	0	0	11.6
2019	11	15	21	17	35	34	0	0	0	0	0	0	0	43.56	0	0	11.6
2019	11	15	21	27	35	35	0	0	0	0	0	0	0	43.54	0	0	11.6
2019	11	15	21	37	35	35	0	0	0	0	0	0	0	43.54	0	0	11.6
2019	11	15	21	47	35	35	0	0	0	0	0	0	0	43.52	0	0	11.6
2019	11	15	21	57	35	35	0	0	0	0	0	0	0	43.5	0	0	11.6
2019	11	15	22	7	35	35	0	0	0	0	0	0	0	43.47	0	0	11.6
2019	11	15	22	17	35	35	0	0	0	0	0	0	0	43.47	0	0	11.6
2019	11	15	22	27	35	35	0	0	0	0	0	0	0	43.43	0	0	11.4
2019	11	15	22	37	35	35	0	0	0	0	0	0	0	43.41	0	0	11.4
2019	11	15	22	47	35	35	0	0	0	0	0	0	0	43.39	0	0	11.4
2019	11	15	22	57	35	35	0	0	0	0	0	0	0	43.38	0	0	11.4
2019	11	15	23	7	35	35	0	0	0	0	0	0	0	43.34	0	0	11.4
2019	11	15	23	17	35	35	0	0	0	0	0	0	0	43.32	0	0	11.4
2019	11	15	23	27	35	35	0	0	0	0	0	0	0	43.29	0	0	11.4
2019	11	15	23	37	35	35	0	0	0	0	0	0	0	43.27	0	0	11.4
2019	11	15	23	47	35	35	0	0	0	0	0	0	0	43.25	0	0	11.4
2019	11	15	23	57	35	35	0	0	0	0	0	0	0	43.23	0	0	11.4
2019	11	16	0	7	35	35	0	0	0	0	0	0	0	43.2	0	0	11.4
2019	11	16	0	17	35	35	0	0	0	0	0	0	0	43.16	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	16	0	27	35	34	0	0	0	0	0	0	0	43.14	0	0	11.4
2019	11	16	0	37	35	35	0	0	0	0	0	0	0	43.12	0	0	11.4
2019	11	16	0	47	35	35	0	0	0	0	0	0	0	43.09	0	0	11.4
2019	11	16	0	57	35	35	0	0	0	0	0	0	0	43.05	0	0	11.4
2019	11	16	1	7	35	35	0	0	0	0	0	0	0	43.02	0	0	11.4
2019	11	16	1	17	35	35	0	0	0	0	0	0	0	43	0	0	11.4
2019	11	16	1	27	35	35	0	0	0	0	0	0	0	42.96	0	0	11.4
2019	11	16	1	37	35	35	0	0	0	0	0	0	0	42.93	0	0	11.4
2019	11	16	1	47	35	35	0	0	0	0	0	0	0	42.91	0	0	11.4
2019	11	16	1	57	35	35	0	0	0	0	0	0	0	42.89	0	0	11.4
2019	11	16	2	7	35	35	0	0	0	0	0	0	0	42.85	0	0	11.4
2019	11	16	2	17	35	35	0	0	0	0	0	0	0	42.82	0	0	11.4
2019	11	16	2	27	35	35	0	0	0	0	0	0	0	42.8	0	0	11.4
2019	11	16	2	37	35	35	0	0	0	0	0	0	0	42.76	0	0	11.4
2019	11	16	2	47	35	35	0	0	0	0	0	0	0	42.75	0	0	11.4
2019	11	16	2	57	35	35	0	0	0	0	0	0	0	42.71	0	0	11.4
2019	11	16	3	7	35	35	0	0	0	0	0	0	0	42.69	0	0	11.4
2019	11	16	3	17	35	36	0	0	0	0	0	0	0	42.67	0	0	11.4
2019	11	16	3	27	35	35	0	0	0	0	0	0	0	42.66	0	0	11.4
2019	11	16	3	37	35	36	0	0	0	0	0	0	0	42.62	0	0	11.4
2019	11	16	3	47	35	35	0	0	0	0	0	0	0	42.6	0	0	11.4
2019	11	16	3	57	35	35	0	0	0	0	0	0	0	42.58	0	0	11.4
2019	11	16	4	7	35	35	0	0	0	0	0	0	0	42.57	0	0	11.4
2019	11	16	4	17	35	35	0	0	0	0	0	0	0	42.55	0	0	11.4
2019	11	16	4	27	35	35	0	0	0	0	0	0	0	42.53	0	0	11.4
2019	11	16	4	37	35	35	0	0	0	0	0	0	0	42.49	0	0	11.4
2019	11	16	4	47	35	35	0	0	0	0	0	0	0	42.49	0	0	11.4
2019	11	16	4	57	35	35	0	0	0	0	0	0	0	42.48	0	0	11.4
2019	11	16	5	7	35	35	0	0	0	0	0	0	0	42.46	0	0	11.4
2019	11	16	5	17	35	36	0	0	0	0	0	0	0	42.44	0	0	11.4
2019	11	16	5	27	35	35	0	0	0	0	0	0	0	42.42	0	0	11.4
2019	11	16	5	37	35	35	0	0	0	0	0	0	0	42.4	0	0	11.4
2019	11	16	5	47	35	35	0	0	0	0	0	0	0	42.4	0	0	11.2
2019	11	16	5	57	35	36	0	0	0	0	0	0	0	42.39	0	0	11.2
2019	11	16	6	7	35	35	0	0	0	0	0	0	0	42.39	0	0	11.2
2019	11	16	6	17	35	35	0	0	0	0	0	0	0	42.37	0	0	11.2
2019	11	16	6	27	35	35	0	0	0	0	0	0	0	42.35	0	0	11.2
2019	11	16	6	37	35	35	0	0	0	0	0	0	0	42.33	0	0	11.2
2019	11	16	6	47	35	35	0	0	0	0	0	0	0	42.33	0	0	11.2
2019	11	16	6	57	35	35	0	0	0	0	0	0	0	42.31	0	0	11.2
2019	11	16	7	7	35	36	0	0	0	0	0	0	0	42.31	0	0	11.2
2019	11	16	7	17	35	35	0	0	0	0	0	0	0	42.31	0	0	11.2
2019	11	16	7	27	35	35	0	0	0	0	0	0	0	42.3	0	0	11.2
2019	11	16	7	37	35	35	0	0	0	0	0	0	0	42.3	0	0	11.2
2019	11	16	7	47	35	35	0	0	0	0	0	0	0	42.3	0	0	11.2
2019	11	16	7	57	35	35	0	0	0	0	0	0	0	42.31	0	0	11.2
2019	11	16	8	7	35	35	0	0	0	0	0	0	0	42.31	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	16	8	17	35	35	0	0	0	0	0	0	0	42.31	0	0	11.8
2019	11	16	8	27	35	35	0	0	0	0	0	0	0	42.33	0	0	12.2
2019	11	16	8	37	35	35	0	0	0	0	0	0	0	42.33	0	0	12.4
2019	11	16	8	47	35	35	0	0	0	0	0	0	0	42.37	0	0	12.6
2019	11	16	8	57	35	35	0	0	0	0	0	0	0	42.4	0	0	12.6
2019	11	16	9	7	35	35	0	0	0	0	0	0	0	42.48	0	0	12.6
2019	11	16	9	17	35	35	0	0	0	0	0	0	0	42.51	0	0	12.6
2019	11	16	9	27	35	35	0	0	0	0	0	0	0	42.57	0	0	12.6
2019	11	16	9	37	35	35	0	0	0	0	0	0	0	42.62	0	0	12.6
2019	11	16	9	47	35	35	0	0	0	0	0	0	0	42.67	0	0	12.6
2019	11	16	9	57	35	35	0	0	0	0	0	0	0	42.71	0	0	12.6
2019	11	16	10	7	35	35	0	0	0	0	0	0	0	42.76	0	0	12.8
2019	11	16	10	17	35	35	0	0	0	0	0	0	0	42.84	0	0	12.8
2019	11	16	10	27	35	35	0	0	0	0	0	0	0	42.89	0	0	12.8
2019	11	16	10	37	35	35	0	0	0	0	0	0	0	42.94	0	0	12.8
2019	11	16	10	47	35	35	0	0	0	0	0	0	0	43	0	0	12.8
2019	11	16	10	57	35	35	0	0	0	0	0	0	0	43.05	0	0	13
2019	11	16	11	7	35	36	0	0	0	0	0	0	0	43.11	0	0	13
2019	11	16	11	17	35	35	0	0	0	0	0	0	0	43.16	0	0	13.2
2019	11	16	11	27	35	34	0	0	0	0	0	0	0	43.2	0	0	13.2
2019	11	16	11	37	35	36	0	0	0	0	0	0	0	43.25	0	0	13.2
2019	11	16	11	47	35	35	0	0	0	0	0	0	0	43.3	0	0	13.2
2019	11	16	11	57	35	35	0	0	0	0	0	0	0	43.36	0	0	13.2
2019	11	16	12	7	35	35	0	0	0	0	0	0	0	43.39	0	0	13.2
2019	11	16	12	17	35	35	0	0	0	0	0	0	0	43.45	0	0	13.2
2019	11	16	12	27	35	35	0	0	0	0	0	0	0	43.5	0	0	13.2
2019	11	16	12	37	35	35	0	0	0	0	0	0	0	43.54	0	0	13.2
2019	11	16	12	47	35	35	0	0	0	0	0	0	0	43.59	0	0	13.2
2019	11	16	12	57	35	35	0	0	0	0	0	0	0	43.63	0	0	13.2
2019	11	16	13	7	35	35	0	0	0	0	0	0	0	43.66	0	0	13.2
2019	11	16	13	17	35	35	0	0	0	0	0	0	0	43.7	0	0	13.2
2019	11	16	13	27	35	35	0	0	0	0	0	0	0	43.72	0	0	13.2
2019	11	16	13	37	35	35	0	0	0	0	0	0	0	43.77	0	0	13.2
2019	11	16	13	47	35	35	0	0	0	0	0	0	0	43.83	0	0	13.2
2019	11	16	13	57	35	35	0	0	0	0	0	0	0	43.83	0	0	13.2
2019	11	16	14	7	35	35	0	0	0	0	0	0	0	43.86	0	0	13.2
2019	11	16	14	17	35	35	0	0	0	0	0	0	0	43.88	0	0	13.2
2019	11	16	14	27	35	34	0	0	0	0	0	0	0	43.9	0	0	13.2
2019	11	16	14	37	35	35	0	0	0	0	0	0	0	43.92	0	0	13.2
2019	11	16	14	47	35	35	0	0	0	0	0	0	0	43.93	0	0	13
2019	11	16	14	57	35	35	0	0	0	0	0	0	0	43.95	0	0	13
2019	11	16	15	7	35	35	0	0	0	0	0	0	0	43.97	0	0	13
2019	11	16	15	17	35	34	0	0	0	0	0	0	0	43.99	0	0	13
2019	11	16	15	27	35	35	0	0	0	0	0	0	0	43.99	0	0	13
2019	11	16	15	37	35	35	0	0	0	0	0	0	0	43.97	0	0	13
2019	11	16	15	47	35	35	0	0	0	0	0	0	0	44.01	0	0	13
2019	11	16	15	57	35	36	0	0	0	0	0	0	0	43.97	0	0	13

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	16	16	7	35	35	0	0	0	0	0	0	0	43.99	0	0	13
2019	11	16	16	17	35	35	0	0	0	0	0	0	0	43.97	0	0	12.6
2019	11	16	16	27	35	35	0	0	0	0	0	0	0	43.97	0	0	12.2
2019	11	16	16	37	35	34	0	0	0	0	0	0	0	43.99	0	0	12.2
2019	11	16	16	47	35	35	0	0	0	0	0	0	0	44.01	0	0	12
2019	11	16	16	57	35	35	0	0	0	0	0	0	0	44.02	0	0	11.8
2019	11	16	17	7	35	35	0	0	0	0	0	0	0	44.02	0	0	11.8
2019	11	16	17	17	35	35	0	0	0	0	0	0	0	44.04	0	0	11.8
2019	11	16	17	27	35	35	0	0	0	0	0	0	0	44.06	0	0	11.8
2019	11	16	17	37	35	35	0	0	0	0	0	0	0	44.06	0	0	11.8
2019	11	16	17	47	35	35	0	0	0	0	0	0	0	44.08	0	0	11.6
2019	11	16	17	57	35	35	0	0	0	0	0	0	0	44.08	0	0	11.6
2019	11	16	18	7	35	35	0	0	0	0	0	0	0	44.1	0	0	11.6
2019	11	16	18	17	35	35	0	0	0	0	0	0	0	44.08	0	0	11.6
2019	11	16	18	27	35	35	0	0	0	0	0	0	0	44.1	0	0	11.6
2019	11	16	18	37	35	35	0	0	0	0	0	0	0	44.1	0	0	11.6
2019	11	16	18	47	35	35	0	0	0	0	0	0	0	44.08	0	0	11.6
2019	11	16	18	57	35	35	0	0	0	0	0	0	0	44.08	0	0	11.6
2019	11	16	19	7	35	35	0	0	0	0	0	0	0	44.08	0	0	11.6
2019	11	16	19	17	35	35	0	0	0	0	0	0	0	44.06	0	0	11.6
2019	11	16	19	27	35	34	0	0	0	0	0	0	0	44.06	0	0	11.6
2019	11	16	19	37	35	34	0	0	0	0	0	0	0	44.04	0	0	11.6
2019	11	16	19	47	35	35	0	0	0	0	0	0	0	44.02	0	0	11.6
2019	11	16	19	57	35	35	0	0	0	0	0	0	0	43.99	0	0	11.6
2019	11	16	20	7	35	35	0	0	0	0	0	0	0	43.97	0	0	11.6
2019	11	16	20	17	35	35	0	0	0	0	0	0	0	43.95	0	0	11.6
2019	11	16	20	27	35	35	0	0	0	0	0	0	0	43.92	0	0	11.6
2019	11	16	20	37	35	35	0	0	0	0	0	0	0	43.9	0	0	11.6
2019	11	16	20	47	35	35	0	0	0	0	0	0	0	43.88	0	0	11.6
2019	11	16	20	57	35	35	0	0	0	0	0	0	0	43.84	0	0	11.6
2019	11	16	21	7	35	35	0	0	0	0	0	0	0	43.83	0	0	11.6
2019	11	16	21	17	35	35	0	0	0	0	0	0	0	43.79	0	0	11.6
2019	11	16	21	27	35	35	0	0	0	0	0	0	0	43.77	0	0	11.6
2019	11	16	21	37	35	35	0	0	0	0	0	0	0	43.75	0	0	11.6
2019	11	16	21	47	35	35	0	0	0	0	0	0	0	43.72	0	0	11.6
2019	11	16	21	57	35	36	0	0	0	0	0	0	0	43.68	0	0	11.6
2019	11	16	22	7	35	35	0	0	0	0	0	0	0	43.66	0	0	11.6
2019	11	16	22	17	35	35	0	0	0	0	0	0	0	43.63	0	0	11.6
2019	11	16	22	27	35	35	0	0	0	0	0	0	0	43.59	0	0	11.6
2019	11	16	22	37	35	35	0	0	0	0	0	0	0	43.56	0	0	11.6
2019	11	16	22	47	35	35	0	0	0	0	0	0	0	43.54	0	0	11.6
2019	11	16	22	57	35	35	0	0	0	0	0	0	0	43.5	0	0	11.6
2019	11	16	23	7	35	35	0	0	0	0	0	0	0	43.47	0	0	11.4
2019	11	16	23	17	35	36	0	0	0	0	0	0	0	43.45	0	0	11.4
2019	11	16	23	27	35	35	0	0	0	0	0	0	0	43.41	0	0	11.4
2019	11	16	23	37	35	35	0	0	0	0	0	0	0	43.36	0	0	11.4
2019	11	16	23	47	35	35	0	0	0	0	0	0	0	43.34	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	16	23	57	35	35	0	0	0	0	0	0	0	43.3	0	0	11.4
2019	11	17	0	7	35	35	0	0	0	0	0	0	0	43.27	0	0	11.4
2019	11	17	0	17	35	36	0	0	0	0	0	0	0	43.23	0	0	11.4
2019	11	17	0	27	35	35	0	0	0	0	0	0	0	43.2	0	0	11.4
2019	11	17	0	37	35	35	0	0	0	0	0	0	0	43.14	0	0	11.4
2019	11	17	0	47	35	35	0	0	0	0	0	0	0	43.11	0	0	11.4
2019	11	17	0	57	35	35	0	0	0	0	0	0	0	43.07	0	0	11.4
2019	11	17	1	7	35	35	0	0	0	0	0	0	0	43.03	0	0	11.4
2019	11	17	1	17	35	35	0	0	0	0	0	0	0	43	0	0	11.4
2019	11	17	1	27	35	35	0	0	0	0	0	0	0	42.96	0	0	11.4
2019	11	17	1	37	35	35	0	0	0	0	0	0	0	42.93	0	0	11.4
2019	11	17	1	47	35	35	0	0	0	0	0	0	0	42.89	0	0	11.4
2019	11	17	1	57	35	35	0	0	0	0	0	0	0	42.85	0	0	11.4
2019	11	17	2	7	35	35	0	0	0	0	0	0	0	42.8	0	0	11.4
2019	11	17	2	17	35	35	0	0	0	0	0	0	0	42.78	0	0	11.4
2019	11	17	2	27	35	35	0	0	0	0	0	0	0	42.75	0	0	11.4
2019	11	17	2	37	35	35	0	0	0	0	0	0	0	42.71	0	0	11.4
2019	11	17	2	47	35	35	0	0	0	0	0	0	0	42.67	0	0	11.4
2019	11	17	2	57	35	35	0	0	0	0	0	0	0	42.64	0	0	11.4
2019	11	17	3	7	35	35	0	0	0	0	0	0	0	42.6	0	0	11.4
2019	11	17	3	17	35	35	0	0	0	0	0	0	0	42.57	0	0	11.4
2019	11	17	3	27	35	35	0	0	0	0	0	0	0	42.55	0	0	11.4
2019	11	17	3	37	35	36	0	0	0	0	0	0	0	42.51	0	0	11.4
2019	11	17	3	47	35	36	0	0	0	0	0	0	0	42.49	0	0	11.4
2019	11	17	3	57	35	35	0	0	0	0	0	0	0	42.48	0	0	11.4
2019	11	17	4	7	35	35	0	0	0	0	0	0	0	42.44	0	0	11.4
2019	11	17	4	17	35	35	0	0	0	0	0	0	0	42.42	0	0	11.4
2019	11	17	4	27	35	36	0	0	0	0	0	0	0	42.4	0	0	11.4
2019	11	17	4	37	35	35	0	0	0	0	0	0	0	42.39	0	0	11.4
2019	11	17	4	47	35	35	0	0	0	0	0	0	0	42.37	0	0	11.4
2019	11	17	4	57	35	35	0	0	0	0	0	0	0	42.33	0	0	11.4
2019	11	17	5	7	35	35	0	0	0	0	0	0	0	42.31	0	0	11.4
2019	11	17	5	17	35	36	0	0	0	0	0	0	0	42.3	0	0	11.4
2019	11	17	5	27	35	35	0	0	0	0	0	0	0	42.28	0	0	11.4
2019	11	17	5	37	35	36	0	0	0	0	0	0	0	42.26	0	0	11.4
2019	11	17	5	47	35	36	0	0	0	0	0	0	0	42.24	0	0	11.4
2019	11	17	5	57	35	35	0	0	0	0	0	0	0	42.24	0	0	11.4
2019	11	17	6	7	35	35	0	0	0	0	0	0	0	42.22	0	0	11.4
2019	11	17	6	17	35	36	0	0	0	0	0	0	0	42.21	0	0	11.4
2019	11	17	6	27	35	35	0	0	0	0	0	0	0	42.21	0	0	11.4
2019	11	17	6	37	35	35	0	0	0	0	0	0	0	42.19	0	0	11.4
2019	11	17	6	47	35	35	0	0	0	0	0	0	0	42.17	0	0	11.4
2019	11	17	6	57	35	35	0	0	0	0	0	0	0	42.17	0	0	11.4
2019	11	17	7	7	35	35	0	0	0	0	0	0	0	42.15	0	0	11.4
2019	11	17	7	17	35	35	0	0	0	0	0	0	0	42.13	0	0	11.4
2019	11	17	7	27	35	35	0	0	0	0	0	0	0	42.13	0	0	11.4
2019	11	17	7	37	35	35	0	0	0	0	0	0	0	42.12	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	17	7	47	35	35	0	0	0	0	0	0	0	42.1	0	0	11.2
2019	11	17	7	57	35	35	0	0	0	0	0	0	0	42.1	0	0	11.2
2019	11	17	8	7	35	35	0	0	0	0	0	0	0	42.1	0	0	11.6
2019	11	17	8	17	35	35	0	0	0	0	0	0	0	42.1	0	0	11.8
2019	11	17	8	27	35	35	0	0	0	0	0	0	0	42.08	0	0	12.2
2019	11	17	8	37	35	35	0	0	0	0	0	0	0	42.1	0	0	12.4
2019	11	17	8	47	35	35	0	0	0	0	0	0	0	42.12	0	0	12.4
2019	11	17	8	57	35	35	0	0	0	0	0	0	0	42.15	0	0	12.6
2019	11	17	9	7	35	35	0	0	0	0	0	0	0	42.21	0	0	12.6
2019	11	17	9	17	35	35	0	0	0	0	0	0	0	42.24	0	0	12.6
2019	11	17	9	27	35	35	0	0	0	0	0	0	0	42.3	0	0	12.6
2019	11	17	9	37	35	36	0	0	0	0	0	0	0	42.33	0	0	12.6
2019	11	17	9	47	35	35	0	0	0	0	0	0	0	42.39	0	0	12.6
2019	11	17	9	57	35	34	0	0	0	0	0	0	0	42.44	0	0	12.6
2019	11	17	10	7	35	35	0	0	0	0	0	0	0	42.49	0	0	12.8
2019	11	17	10	17	35	35	0	0	0	0	0	0	0	42.55	0	0	12.8
2019	11	17	10	27	35	35	0	0	0	0	0	0	0	42.6	0	0	12.8
2019	11	17	10	37	35	35	0	0	0	0	0	0	0	42.66	0	0	12.8
2019	11	17	10	47	35	35	0	0	0	0	0	0	0	42.71	0	0	13
2019	11	17	10	57	35	35	0	0	0	0	0	0	0	42.76	0	0	13.2
2019	11	17	11	7	35	35	0	0	0	0	0	0	0	42.82	0	0	13.2
2019	11	17	11	17	35	35	0	0	0	0	0	0	0	42.87	0	0	13.4
2019	11	17	11	27	35	35	0	0	0	0	0	0	0	42.91	0	0	13.4
2019	11	17	11	37	35	35	0	0	0	0	0	0	0	42.96	0	0	13.2
2019	11	17	11	47	35	35	0	0	0	0	0	0	0	43.02	0	0	13.2
2019	11	17	11	57	35	35	0	0	0	0	0	0	0	43.07	0	0	13.2
2019	11	17	12	7	35	36	0	0	0	0	0	0	0	43.11	0	0	13.2
2019	11	17	12	17	35	35	0	0	0	0	0	0	0	43.14	0	0	13.2
2019	11	17	12	27	35	35	0	0	0	0	0	0	0	43.2	0	0	13.2
2019	11	17	12	37	35	35	0	0	0	0	0	0	0	43.23	0	0	13.2
2019	11	17	12	47	35	35	0	0	0	0	0	0	0	43.29	0	0	13.2
2019	11	17	12	57	35	35	0	0	0	0	0	0	0	43.3	0	0	13.2
2019	11	17	13	7	35	35	0	0	0	0	0	0	0	43.34	0	0	13.2
2019	11	17	13	17	35	35	0	0	0	0	0	0	0	43.39	0	0	13.2
2019	11	17	13	27	35	35	0	0	0	0	0	0	0	43.41	0	0	13.2
2019	11	17	13	37	35	35	0	0	0	0	0	0	0	43.45	0	0	13.2
2019	11	17	13	47	35	35	0	0	0	0	0	0	0	43.48	0	0	13
2019	11	17	13	57	35	35	0	0	0	0	0	0	0	43.5	0	0	13
2019	11	17	14	7	35	35	0	0	0	0	0	0	0	43.5	0	0	13
2019	11	17	14	17	35	35	0	0	0	0	0	0	0	43.52	0	0	13
2019	11	17	14	27	35	35	0	0	0	0	0	0	0	43.54	0	0	13
2019	11	17	14	37	35	35	0	0	0	0	0	0	0	43.57	0	0	13
2019	11	17	14	47	35	35	0	0	0	0	0	0	0	43.59	0	0	13
2019	11	17	14	57	35	35	0	0	0	0	0	0	0	43.61	0	0	12.8
2019	11	17	15	7	35	35	0	0	0	0	0	0	0	43.63	0	0	12.8
2019	11	17	15	17	35	35	0	0	0	0	0	0	0	43.66	0	0	12.8
2019	11	17	15	27	35	35	0	0	0	0	0	0	0	43.63	0	0	12

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	17	15	37	35	34	0	0	0	0	0	0	0	43.57	0	0	11.8
2019	11	17	15	47	35	35	0	0	0	0	0	0	0	43.59	0	0	12.8
2019	11	17	15	57	35	35	0	0	0	0	0	0	0	43.61	0	0	12.8
2019	11	17	16	7	35	35	0	0	0	0	0	0	0	43.63	0	0	12.8
2019	11	17	16	17	35	36	0	0	0	0	0	0	0	43.63	0	0	12.8
2019	11	17	16	27	35	35	0	0	0	0	0	0	0	43.65	0	0	12
2019	11	17	16	37	35	35	0	0	0	0	0	0	0	43.65	0	0	11.8
2019	11	17	16	47	35	35	0	0	0	0	0	0	0	43.66	0	0	11.8
2019	11	17	16	57	35	35	0	0	0	0	0	0	0	43.7	0	0	11.6
2019	11	17	17	7	35	35	0	0	0	0	0	0	0	43.72	0	0	11.6
2019	11	17	17	17	35	35	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	17	17	27	35	35	0	0	0	0	0	0	0	43.75	0	0	11.6
2019	11	17	17	37	35	35	0	0	0	0	0	0	0	43.77	0	0	11.4
2019	11	17	17	47	35	34	0	0	0	0	0	0	0	43.77	0	0	11.4
2019	11	17	17	57	35	35	0	0	0	0	0	0	0	43.79	0	0	11.4
2019	11	17	18	7	35	35	0	0	0	0	0	0	0	43.81	0	0	11.8
2019	11	17	18	17	35	35	0	0	0	0	0	0	0	43.81	0	0	11.8
2019	11	17	18	27	35	35	0	0	0	0	0	0	0	43.81	0	0	11.4
2019	11	17	18	37	35	35	0	0	0	0	0	0	0	43.81	0	0	11.4
2019	11	17	18	47	35	35	0	0	0	0	0	0	0	43.81	0	0	11.4
2019	11	17	18	57	35	35	0	0	0	0	0	0	0	43.81	0	0	11.4
2019	11	17	19	7	35	35	0	0	0	0	0	0	0	43.81	0	0	11.4
2019	11	17	19	17	35	35	0	0	0	0	0	0	0	43.79	0	0	11.4
2019	11	17	19	27	35	35	0	0	0	0	0	0	0	43.79	0	0	11.4
2019	11	17	19	37	35	35	0	0	0	0	0	0	0	43.77	0	0	11.4
2019	11	17	19	47	35	35	0	0	0	0	0	0	0	43.77	0	0	11.4
2019	11	17	19	57	35	35	0	0	0	0	0	0	0	43.75	0	0	11.4
2019	11	17	20	7	35	35	0	0	0	0	0	0	0	43.75	0	0	11.4
2019	11	17	20	17	35	35	0	0	0	0	0	0	0	43.75	0	0	11.4
2019	11	17	20	27	35	35	0	0	0	0	0	0	0	43.74	0	0	11.4
2019	11	17	20	37	35	34	0	0	0	0	0	0	0	43.72	0	0	11.4
2019	11	17	20	47	35	35	0	0	0	0	0	0	0	43.7	0	0	11.4
2019	11	17	20	57	35	35	0	0	0	0	0	0	0	43.68	0	0	11.4
2019	11	17	21	7	35	35	0	0	0	0	0	0	0	43.66	0	0	11.4
2019	11	17	21	17	35	35	0	0	0	0	0	0	0	43.65	0	0	11.4
2019	11	17	21	27	35	35	0	0	0	0	0	0	0	43.63	0	0	11.4
2019	11	17	21	37	35	35	0	0	0	0	0	0	0	43.61	0	0	11.4
2019	11	17	21	47	35	35	0	0	0	0	0	0	0	43.57	0	0	11.4
2019	11	17	21	57	35	35	0	0	0	0	0	0	0	43.56	0	0	11.4
2019	11	17	22	7	35	34	0	0	0	0	0	0	0	43.52	0	0	11.4
2019	11	17	22	17	35	34	0	0	0	0	0	0	0	43.5	0	0	11.4
2019	11	17	22	27	35	35	0	0	0	0	0	0	0	43.48	0	0	11.4
2019	11	17	22	37	35	36	0	0	0	0	0	0	0	43.47	0	0	11.4
2019	11	17	22	47	35	35	0	0	0	0	0	0	0	43.41	0	0	11.4
2019	11	17	22	57	35	35	0	0	0	0	0	0	0	43.41	0	0	11.4
2019	11	17	23	7	35	35	0	0	0	0	0	0	0	43.36	0	0	11.4
2019	11	17	23	17	35	35	0	0	0	0	0	0	0	43.34	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	17	23	27	35	35	0	0	0	0	0	0	0	43.29	0	0	11.4
2019	11	17	23	37	35	35	0	0	0	0	0	0	0	43.27	0	0	11.4
2019	11	17	23	47	35	35	0	0	0	0	0	0	0	43.23	0	0	11.4
2019	11	17	23	57	35	35	0	0	0	0	0	0	0	43.2	0	0	11.4
2019	11	18	0	7	35	35	0	0	0	0	0	0	0	43.18	0	0	11.4
2019	11	18	0	17	35	35	0	0	0	0	0	0	0	43.14	0	0	11.4
2019	11	18	0	27	35	35	0	0	0	0	0	0	0	43.11	0	0	11.4
2019	11	18	0	37	35	35	0	0	0	0	0	0	0	43.07	0	0	11.4
2019	11	18	0	47	35	35	0	0	0	0	0	0	0	43.03	0	0	11.4
2019	11	18	0	57	35	35	0	0	0	0	0	0	0	43	0	0	11.4
2019	11	18	1	7	35	35	0	0	0	0	0	0	0	42.98	0	0	11.4
2019	11	18	1	17	35	36	0	0	0	0	0	0	0	42.94	0	0	11.4
2019	11	18	1	27	35	35	0	0	0	0	0	0	0	42.91	0	0	11.4
2019	11	18	1	37	35	35	0	0	0	0	0	0	0	42.87	0	0	11.4
2019	11	18	1	47	35	35	0	0	0	0	0	0	0	42.84	0	0	11.4
2019	11	18	1	57	35	35	0	0	0	0	0	0	0	42.8	0	0	11.2
2019	11	18	2	7	35	35	0	0	0	0	0	0	0	42.78	0	0	11.2
2019	11	18	2	17	35	35	0	0	0	0	0	0	0	42.75	0	0	11.2
2019	11	18	2	27	35	35	0	0	0	0	0	0	0	42.71	0	0	11.2
2019	11	18	2	37	35	35	0	0	0	0	0	0	0	42.67	0	0	11.2
2019	11	18	2	47	35	35	0	0	0	0	0	0	0	42.66	0	0	11.2
2019	11	18	2	57	35	35	0	0	0	0	0	0	0	42.62	0	0	11.2
2019	11	18	3	7	35	35	0	0	0	0	0	0	0	42.6	0	0	11.2
2019	11	18	3	17	35	35	0	0	0	0	0	0	0	42.58	0	0	11.2
2019	11	18	3	27	35	35	0	0	0	0	0	0	0	42.55	0	0	11.2
2019	11	18	3	37	35	35	0	0	0	0	0	0	0	42.53	0	0	11.2
2019	11	18	3	47	35	36	0	0	0	0	0	0	0	42.49	0	0	11.2
2019	11	18	3	57	35	35	0	0	0	0	0	0	0	42.46	0	0	11.2
2019	11	18	4	7	35	35	0	0	0	0	0	0	0	42.44	0	0	11.2
2019	11	18	4	17	35	35	0	0	0	0	0	0	0	42.42	0	0	11.2
2019	11	18	4	27	35	35	0	0	0	0	0	0	0	42.39	0	0	11.2
2019	11	18	4	37	35	35	0	0	0	0	0	0	0	42.37	0	0	11.2
2019	11	18	4	47	35	35	0	0	0	0	0	0	0	42.35	0	0	11.2
2019	11	18	4	57	35	35	0	0	0	0	0	0	0	42.31	0	0	11.2
2019	11	18	5	7	35	35	0	0	0	0	0	0	0	42.3	0	0	11.2
2019	11	18	5	17	35	36	0	0	0	0	0	0	0	42.28	0	0	11.2
2019	11	18	5	27	35	35	0	0	0	0	0	0	0	42.26	0	0	11.2
2019	11	18	5	37	35	35	0	0	0	0	0	0	0	42.24	0	0	11.2
2019	11	18	5	47	35	36	0	0	0	0	0	0	0	42.21	0	0	11.2
2019	11	18	5	57	35	35	0	0	0	0	0	0	0	42.21	0	0	11.2
2019	11	18	6	7	35	35	0	0	0	0	0	0	0	42.19	0	0	11.2
2019	11	18	6	17	35	35	0	0	0	0	0	0	0	42.15	0	0	11.2
2019	11	18	6	27	35	35	0	0	0	0	0	0	0	42.13	0	0	11.2
2019	11	18	6	37	35	35	0	0	0	0	0	0	0	42.13	0	0	11.2
2019	11	18	6	47	35	35	0	0	0	0	0	0	0	42.12	0	0	11.2
2019	11	18	6	57	35	35	0	0	0	0	0	0	0	42.1	0	0	11.2
2019	11	18	7	7	35	35	0	0	0	0	0	0	0	42.08	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	18	7	17	35	35	0	0	0	0	0	0	0	42.06	0	0	11.2
2019	11	18	7	27	35	35	0	0	0	0	0	0	0	42.04	0	0	11.2
2019	11	18	7	37	35	35	0	0	0	0	0	0	0	42.04	0	0	11.2
2019	11	18	7	47	35	35	0	0	0	0	0	0	0	42.04	0	0	11.2
2019	11	18	7	57	35	35	0	0	0	0	0	0	0	42.03	0	0	11.2
2019	11	18	8	7	35	35	0	0	0	0	0	0	0	42.03	0	0	11.4
2019	11	18	8	17	35	35	0	0	0	0	0	0	0	42.01	0	0	11.8
2019	11	18	8	27	35	35	0	0	0	0	0	0	0	42.01	0	0	12.2
2019	11	18	8	37	35	35	0	0	0	0	0	0	0	42.01	0	0	12.4
2019	11	18	8	47	35	35	0	0	0	0	0	0	0	42.03	0	0	12.4
2019	11	18	8	57	35	35	0	0	0	0	0	0	0	42.04	0	0	12.4
2019	11	18	9	7	35	35	0	0	0	0	0	0	0	42.1	0	0	12.6
2019	11	18	9	17	35	36	0	0	0	0	0	0	0	42.13	0	0	12.6
2019	11	18	9	27	35	35	0	0	0	0	0	0	0	42.17	0	0	12.6
2019	11	18	9	37	35	35	0	0	0	0	0	0	0	42.22	0	0	12.6
2019	11	18	9	47	35	35	0	0	0	0	0	0	0	42.28	0	0	12.6
2019	11	18	9	57	35	35	0	0	0	0	0	0	0	42.31	0	0	12.6
2019	11	18	10	7	35	35	0	0	0	0	0	0	0	42.37	0	0	12.8
2019	11	18	10	17	35	35	0	0	0	0	0	0	0	42.4	0	0	12.8
2019	11	18	10	27	35	35	0	0	0	0	0	0	0	42.46	0	0	12.8
2019	11	18	10	37	35	35	0	0	0	0	0	0	0	42.49	0	0	12.8
2019	11	18	10	47	35	35	0	0	0	0	0	0	0	42.55	0	0	13
2019	11	18	10	57	35	35	0	0	0	0	0	0	0	42.6	0	0	13.2
2019	11	18	11	7	35	35	0	0	0	0	0	0	0	42.67	0	0	13.2
2019	11	18	11	17	35	36	0	0	0	0	0	0	0	42.71	0	0	13.2
2019	11	18	11	27	35	35	0	0	0	0	0	0	0	42.76	0	0	13
2019	11	18	11	37	35	35	0	0	0	0	0	0	0	42.82	0	0	13.2
2019	11	18	11	47	35	35	0	0	0	0	0	0	0	42.85	0	0	13
2019	11	18	11	57	35	35	0	0	0	0	0	0	0	42.91	0	0	13
2019	11	18	12	7	35	35	0	0	0	0	0	0	0	42.94	0	0	13
2019	11	18	12	17	35	35	0	0	0	0	0	0	0	42.98	0	0	13
2019	11	18	12	27	35	35	0	0	0	0	0	0	0	43.02	0	0	13
2019	11	18	12	37	35	35	0	0	0	0	0	0	0	43.05	0	0	13
2019	11	18	12	47	35	35	0	0	0	0	0	0	0	43.09	0	0	13
2019	11	18	12	57	35	35	0	0	0	0	0	0	0	43.12	0	0	13
2019	11	18	13	7	35	35	0	0	0	0	0	0	0	43.18	0	0	13
2019	11	18	13	17	35	35	0	0	0	0	0	0	0	43.21	0	0	13
2019	11	18	13	27	35	35	0	0	0	0	0	0	0	43.25	0	0	13
2019	11	18	13	37	35	35	0	0	0	0	0	0	0	43.29	0	0	13
2019	11	18	13	47	35	35	0	0	0	0	0	0	0	43.3	0	0	13
2019	11	18	13	57	35	35	0	0	0	0	0	0	0	43.32	0	0	13
2019	11	18	14	7	35	35	0	0	0	0	0	0	0	43.34	0	0	13
2019	11	18	14	17	35	35	0	0	0	0	0	0	0	43.38	0	0	13
2019	11	18	14	27	35	35	0	0	0	0	0	0	0	43.39	0	0	12.8
2019	11	18	14	37	35	35	0	0	0	0	0	0	0	43.41	0	0	12.8
2019	11	18	14	47	35	35	0	0	0	0	0	0	0	43.45	0	0	12.8
2019	11	18	14	57	35	34	0	0	0	0	0	0	0	43.47	0	0	12.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	18	15	7	35	35	0	0	0	0	0	0	0	43.5	0	0	12.8
2019	11	18	15	17	35	35	0	0	0	0	0	0	0	43.52	0	0	12.8
2019	11	18	15	27	35	35	0	0	0	0	0	0	0	43.52	0	0	12.8
2019	11	18	15	37	35	35	0	0	0	0	0	0	0	43.52	0	0	12.8
2019	11	18	15	47	35	35	0	0	0	0	0	0	0	43.56	0	0	13
2019	11	18	15	57	35	35	0	0	0	0	0	0	0	43.56	0	0	13
2019	11	18	16	7	35	35	0	0	0	0	0	0	0	43.56	0	0	13
2019	11	18	16	17	35	35	0	0	0	0	0	0	0	43.56	0	0	13
2019	11	18	16	27	35	35	0	0	0	0	0	0	0	43.57	0	0	12.2
2019	11	18	16	37	35	35	0	0	0	0	0	0	0	43.57	0	0	12
2019	11	18	16	47	35	35	0	0	0	0	0	0	0	43.59	0	0	11.8
2019	11	18	16	57	35	35	0	0	0	0	0	0	0	43.63	0	0	11.6
2019	11	18	17	7	35	36	0	0	0	0	0	0	0	43.65	0	0	11.6
2019	11	18	17	17	35	35	0	0	0	0	0	0	0	43.66	0	0	11.6
2019	11	18	17	27	35	35	0	0	0	0	0	0	0	43.68	0	0	11.6
2019	11	18	17	37	35	35	0	0	0	0	0	0	0	43.7	0	0	11.6
2019	11	18	17	47	35	34	0	0	0	0	0	0	0	43.72	0	0	11.4
2019	11	18	17	57	35	35	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	18	18	7	35	35	0	0	0	0	0	0	0	43.74	0	0	11.6
2019	11	18	18	17	35	35	0	0	0	0	0	0	0	43.75	0	0	11.4
2019	11	18	18	27	35	35	0	0	0	0	0	0	0	43.75	0	0	11.6
2019	11	18	18	37	35	36	0	0	0	0	0	0	0	43.75	0	0	11.6
2019	11	18	18	47	35	35	0	0	0	0	0	0	0	43.75	0	0	11.6
2019	11	18	18	57	35	35	0	0	0	0	0	0	0	43.75	0	0	11.6
2019	11	18	19	7	35	36	0	0	0	0	0	0	0	43.75	0	0	11.6
2019	11	18	19	17	35	35	0	0	0	0	0	0	0	43.74	0	0	11.4
2019	11	18	19	27	35	35	0	0	0	0	0	0	0	43.72	0	0	11.6
2019	11	18	19	37	35	36	0	0	0	0	0	0	0	43.7	0	0	11.4
2019	11	18	19	47	35	35	0	0	0	0	0	0	0	43.7	0	0	11.4
2019	11	18	19	57	35	35	0	0	0	0	0	0	0	43.68	0	0	11.4
2019	11	18	20	7	35	35	0	0	0	0	0	0	0	43.65	0	0	11.4
2019	11	18	20	17	35	35	0	0	0	0	0	0	0	43.65	0	0	11.4
2019	11	18	20	27	35	35	0	0	0	0	0	0	0	43.61	0	0	11.4
2019	11	18	20	37	35	34	0	0	0	0	0	0	0	43.59	0	0	11.4
2019	11	18	20	47	35	35	0	0	0	0	0	0	0	43.57	0	0	11.4
2019	11	18	20	57	35	35	0	0	0	0	0	0	0	43.56	0	0	11.4
2019	11	18	21	7	35	35	0	0	0	0	0	0	0	43.54	0	0	11.4
2019	11	18	21	17	35	35	0	0	0	0	0	0	0	43.5	0	0	11.4
2019	11	18	21	27	35	35	0	0	0	0	0	0	0	43.48	0	0	11.4
2019	11	18	21	37	35	35	0	0	0	0	0	0	0	43.45	0	0	11.4
2019	11	18	21	47	35	35	0	0	0	0	0	0	0	43.43	0	0	11.4
2019	11	18	21	57	35	35	0	0	0	0	0	0	0	43.41	0	0	11.4
2019	11	18	22	7	35	35	0	0	0	0	0	0	0	43.38	0	0	11.4
2019	11	18	22	17	35	35	0	0	0	0	0	0	0	43.36	0	0	11.4
2019	11	18	22	27	35	35	0	0	0	0	0	0	0	43.32	0	0	11.4
2019	11	18	22	37	35	35	0	0	0	0	0	0	0	43.29	0	0	11.4
2019	11	18	22	47	35	35	0	0	0	0	0	0	0	43.25	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	18	22	57	35	35	0	0	0	0	0	0	0	43.21	0	0	11.4
2019	11	18	23	7	35	35	0	0	0	0	0	0	0	43.2	0	0	11.4
2019	11	18	23	17	35	35	0	0	0	0	0	0	0	43.16	0	0	11.4
2019	11	18	23	27	35	36	0	0	0	0	0	0	0	43.12	0	0	11.4
2019	11	18	23	37	35	34	0	0	0	0	0	0	0	43.09	0	0	11.4
2019	11	18	23	47	35	35	0	0	0	0	0	0	0	43.05	0	0	11.4
2019	11	18	23	57	35	36	0	0	0	0	0	0	0	43.02	0	0	11.4
2019	11	19	0	7	35	35	0	0	0	0	0	0	0	42.98	0	0	11.4
2019	11	19	0	17	35	35	0	0	0	0	0	0	0	42.96	0	0	11.4
2019	11	19	0	27	35	35	0	0	0	0	0	0	0	42.91	0	0	11.4
2019	11	19	0	37	35	35	0	0	0	0	0	0	0	42.89	0	0	11.4
2019	11	19	0	47	35	35	0	0	0	0	0	0	0	42.84	0	0	11.4
2019	11	19	0	57	35	34	0	0	0	0	0	0	0	42.8	0	0	11.4
2019	11	19	1	7	35	34	0	0	0	0	0	0	0	42.76	0	0	11.4
2019	11	19	1	17	35	35	0	0	0	0	0	0	0	42.73	0	0	11.4
2019	11	19	1	27	35	35	0	0	0	0	0	0	0	42.69	0	0	11.4
2019	11	19	1	37	35	35	0	0	0	0	0	0	0	42.66	0	0	11.4
2019	11	19	1	47	35	36	0	0	0	0	0	0	0	42.62	0	0	11.2
2019	11	19	1	57	35	35	0	0	0	0	0	0	0	42.57	0	0	11.2
2019	11	19	2	7	35	35	0	0	0	0	0	0	0	42.53	0	0	11.2
2019	11	19	2	17	35	35	0	0	0	0	0	0	0	42.49	0	0	11.2
2019	11	19	2	27	35	35	0	0	0	0	0	0	0	42.46	0	0	11.2
2019	11	19	2	37	35	35	0	0	0	0	0	0	0	42.42	0	0	11.2
2019	11	19	2	47	35	35	0	0	0	0	0	0	0	42.39	0	0	11.2
2019	11	19	2	57	35	35	0	0	0	0	0	0	0	42.37	0	0	11.2
2019	11	19	3	7	35	35	0	0	0	0	0	0	0	42.33	0	0	11.2
2019	11	19	3	17	35	35	0	0	0	0	0	0	0	42.28	0	0	11.2
2019	11	19	3	27	35	36	0	0	0	0	0	0	0	42.26	0	0	11.2
2019	11	19	3	37	35	35	0	0	0	0	0	0	0	42.22	0	0	11.2
2019	11	19	3	47	35	35	0	0	0	0	0	0	0	42.19	0	0	11.2
2019	11	19	3	57	35	35	0	0	0	0	0	0	0	42.15	0	0	11.2
2019	11	19	4	7	35	35	0	0	0	0	0	0	0	42.13	0	0	11.2
2019	11	19	4	17	35	35	0	0	0	0	0	0	0	42.1	0	0	11.2
2019	11	19	4	27	35	35	0	0	0	0	0	0	0	42.08	0	0	11.2
2019	11	19	4	37	35	35	0	0	0	0	0	0	0	42.04	0	0	11.2
2019	11	19	4	47	35	35	0	0	0	0	0	0	0	42.03	0	0	11.2
2019	11	19	4	57	35	35	0	0	0	0	0	0	0	42.01	0	0	11.2
2019	11	19	5	7	35	35	0	0	0	0	0	0	0	41.99	0	0	11.2
2019	11	19	5	17	35	35	0	0	0	0	0	0	0	41.97	0	0	11.2
2019	11	19	5	27	35	35	0	0	0	0	0	0	0	41.94	0	0	11.2
2019	11	19	5	37	35	35	0	0	0	0	0	0	0	41.92	0	0	11.2
2019	11	19	5	47	35	35	0	0	0	0	0	0	0	41.92	0	0	11.2
2019	11	19	5	57	35	35	0	0	0	0	0	0	0	41.88	0	0	11.2
2019	11	19	6	7	35	35	0	0	0	0	0	0	0	41.88	0	0	11.2
2019	11	19	6	17	35	35	0	0	0	0	0	0	0	41.86	0	0	11.2
2019	11	19	6	27	35	35	0	0	0	0	0	0	0	41.85	0	0	11.2
2019	11	19	6	37	35	35	0	0	0	0	0	0	0	41.83	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	19	6	47	35	35	0	0	0	0	0	0	0	41.81	0	0	11.2
2019	11	19	6	57	35	35	0	0	0	0	0	0	0	41.79	0	0	11.2
2019	11	19	7	7	35	35	0	0	0	0	0	0	0	41.79	0	0	11.2
2019	11	19	7	17	35	35	0	0	0	0	0	0	0	41.77	0	0	11.2
2019	11	19	7	27	35	35	0	0	0	0	0	0	0	41.76	0	0	11.2
2019	11	19	7	37	35	36	0	0	0	0	0	0	0	41.76	0	0	11.2
2019	11	19	7	47	35	35	0	0	0	0	0	0	0	41.74	0	0	11.2
2019	11	19	7	57	35	35	0	0	0	0	0	0	0	41.74	0	0	11.2
2019	11	19	8	7	35	36	0	0	0	0	0	0	0	41.74	0	0	11.2
2019	11	19	8	17	35	35	0	0	0	0	0	0	0	41.74	0	0	11.2
2019	11	19	8	27	35	35	0	0	0	0	0	0	0	41.76	0	0	11.4
2019	11	19	8	37	35	35	0	0	0	0	0	0	0	41.76	0	0	12
2019	11	19	8	47	35	36	0	0	0	0	0	0	0	41.77	0	0	12.6
2019	11	19	8	57	35	35	0	0	0	0	0	0	0	41.81	0	0	12.6
2019	11	19	9	7	35	34	0	0	0	0	0	0	0	41.85	0	0	12.6
2019	11	19	9	17	35	35	0	0	0	0	0	0	0	41.86	0	0	12.4
2019	11	19	9	27	35	35	0	0	0	0	0	0	0	41.9	0	0	12.6
2019	11	19	9	37	35	35	0	0	0	0	0	0	0	41.95	0	0	12.8
2019	11	19	9	47	35	35	0	0	0	0	0	0	0	42.03	0	0	12.6
2019	11	19	9	57	35	36	0	0	0	0	0	0	0	42.04	0	0	12.2
2019	11	19	10	7	35	36	0	0	0	0	0	0	0	42.03	0	0	12.2
2019	11	19	10	17	35	35	0	0	0	0	0	0	0	42.08	0	0	12.4
2019	11	19	10	27	35	35	0	0	0	0	0	0	0	42.12	0	0	12.4
2019	11	19	10	37	35	35	0	0	0	0	0	0	0	42.15	0	0	12.4
2019	11	19	10	47	35	35	0	0	0	0	0	0	0	42.15	0	0	12.2
2019	11	19	10	57	35	35	0	0	0	0	0	0	0	42.19	0	0	12.4
2019	11	19	11	7	35	35	0	0	0	0	0	0	0	42.22	0	0	12.2
2019	11	19	11	17	35	35	0	0	0	0	0	0	0	42.26	0	0	12.4
2019	11	19	11	27	35	35	0	0	0	0	0	0	0	42.31	0	0	12.4
2019	11	19	11	37	35	35	0	0	0	0	0	0	0	42.31	0	0	12.2
2019	11	19	11	47	35	35	0	0	0	0	0	0	0	42.31	0	0	12.2
2019	11	19	11	57	35	35	0	0	0	0	0	0	0	42.31	0	0	12
2019	11	19	12	7	35	35	0	0	0	0	0	0	0	42.37	0	0	12.4
2019	11	19	12	17	35	35	0	0	0	0	0	0	0	42.48	0	0	12.6
2019	11	19	12	27	35	36	0	0	0	0	0	0	0	42.51	0	0	12.6
2019	11	19	12	37	35	35	0	0	0	0	0	0	0	42.62	0	0	12.8
2019	11	19	12	47	35	35	0	0	0	0	0	0	0	42.66	0	0	12.2
2019	11	19	12	57	35	35	0	0	0	0	0	0	0	42.62	0	0	12.2
2019	11	19	13	7	35	35	0	0	0	0	0	0	0	42.62	0	0	12.2
2019	11	19	13	17	35	35	0	0	0	0	0	0	0	42.66	0	0	12.4
2019	11	19	13	27	35	35	0	0	0	0	0	0	0	42.69	0	0	12.2
2019	11	19	13	37	35	35	0	0	0	0	0	0	0	42.71	0	0	12.2
2019	11	19	13	47	35	35	0	0	0	0	0	0	0	42.75	0	0	12.8
2019	11	19	13	57	35	35	0	0	0	0	0	0	0	42.82	0	0	13.2
2019	11	19	13	12	9	35	0	0	0	0	0	0	0	6.07	0	0	13.2
2019	11	19	13	22	9	34	0	0	0	0	0	0	0	6.09	0	0	13
2019	11	19	13	32	9	36	0	0	0	0	0	0	0	6.11	0	0	13

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	19	13	42	9	35	0	0	0	0	0	0	0	6.14	0	0	13
2019	11	19	13	52	9	35	0	0	0	0	0	0	0	6.17	0	0	13
2019	11	19	14	2	9	35	0	0	0	0	0	0	0	6.21	0	0	13
2019	11	19	14	12	9	35	0	0	0	0	0	0	0	6.23	0	0	12.8
2019	11	19	14	22	9	35	0	0	0	0	0	0	0	6.26	0	0	12.8
2019	11	19	14	32	9	35	0	0	0	0	0	0	0	6.27	0	0	12.8
2019	11	19	14	42	9	35	0	0	0	0	0	0	0	6.28	0	0	12.6
2019	11	19	14	52	9	35	0	0	0	0	0	0	0	6.29	0	0	12.4
2019	11	19	15	2	9	35	0	0	0	0	0	0	0	6.28	0	0	12.4
2019	11	19	15	12	9	34	0	0	0	0	0	0	0	6.29	0	0	12.6
2019	11	19	15	22	9	35	0	0	0	0	0	0	0	6.29	0	0	12.8
2019	11	19	15	32	9	35	0	0	0	0	0	0	0	6.29	0	0	12.2
2019	11	19	15	42	9	34	0	0	0	0	0	0	0	6.3	0	0	11.8
2019	11	19	15	52	9	36	0	0	0	0	0	0	0	6.31	0	0	11.6
2019	11	19	16	2	9	35	0	0	0	0	0	0	0	6.31	0	0	11.6
2019	11	19	16	12	9	35	0	0	0	0	0	0	0	6.32	0	0	11.6
2019	11	19	16	22	9	35	0	0	0	0	0	0	0	6.33	0	0	11.6
2019	11	19	16	32	9	35	0	0	0	0	0	0	0	6.34	0	0	11.6
2019	11	19	16	42	9	35	0	0	0	0	0	0	0	6.35	0	0	11.6
2019	11	19	16	52	9	35	0	0	0	0	0	0	0	6.37	0	0	11.4
2019	11	19	17	2	9	35	0	0	0	0	0	0	0	6.38	0	0	11.4
2019	11	19	17	12	9	35	0	0	0	0	0	0	0	6.39	0	0	11.4
2019	11	19	17	22	9	35	0	0	0	0	0	0	0	6.4	0	0	11.4
2019	11	19	17	32	9	34	0	0	0	0	0	0	0	6.42	0	0	11.4
2019	11	19	17	42	9	35	0	0	0	0	0	0	0	6.43	0	0	11.4
2019	11	19	17	52	9	35	0	0	0	0	0	0	0	6.44	0	0	11.4
2019	11	19	18	2	9	35	0	0	0	0	0	0	0	6.45	0	0	11.4
2019	11	19	18	12	9	35	0	0	0	0	0	0	0	6.45	0	0	11.4
2019	11	19	18	22	9	35	0	0	0	0	0	0	0	6.47	0	0	11.2
2019	11	19	18	32	9	35	0	0	0	0	0	0	0	6.47	0	0	11.2
2019	11	19	18	42	9	35	0	0	0	0	0	0	0	6.48	0	0	11.2
2019	11	19	18	52	9	35	0	0	0	0	0	0	0	6.48	0	0	11.2
2019	11	19	19	2	9	35	0	0	0	0	0	0	0	6.49	0	0	11.2
2019	11	19	19	12	9	35	0	0	0	0	0	0	0	6.5	0	0	11.2
2019	11	19	19	22	9	35	0	0	0	0	0	0	0	6.5	0	0	11.2
2019	11	19	19	32	9	35	0	0	0	0	0	0	0	6.5	0	0	11.2
2019	11	19	19	42	9	35	0	0	0	0	0	0	0	6.5	0	0	11.2
2019	11	19	19	52	9	36	0	0	0	0	0	0	0	6.5	0	0	11.2
2019	11	19	20	2	9	35	0	0	0	0	0	0	0	6.49	0	0	11.2
2019	11	19	20	12	9	35	0	0	0	0	0	0	0	6.48	0	0	11.2
2019	11	19	20	22	9	35	0	0	0	0	0	0	0	6.48	0	0	11.2
2019	11	19	20	32	9	35	0	0	0	0	0	0	0	6.47	0	0	11.2
2019	11	19	20	42	9	35	0	0	0	0	0	0	0	6.46	0	0	11.2
2019	11	19	20	52	9	35	0	0	0	0	0	0	0	6.45	0	0	11.2
2019	11	19	21	2	9	35	0	0	0	0	0	0	0	6.44	0	0	11.2
2019	11	19	21	12	9	35	0	0	0	0	0	0	0	6.43	0	0	11.2
2019	11	19	21	22	9	35	0	0	0	0	0	0	0	6.42	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	19	21	32	9	35	0	0	0	0	0	0	0	6.41	0	0	11.2
2019	11	19	21	42	9	35	0	0	0	0	0	0	0	6.4	0	0	11.2
2019	11	19	21	52	9	35	0	0	0	0	0	0	0	6.38	0	0	11.2
2019	11	19	22	2	9	35	0	0	0	0	0	0	0	6.37	0	0	11.2
2019	11	19	22	12	9	35	0	0	0	0	0	0	0	6.36	0	0	11.2
2019	11	19	22	22	9	35	0	0	0	0	0	0	0	6.35	0	0	11.2
2019	11	19	22	32	9	35	0	0	0	0	0	0	0	6.34	0	0	11.2
2019	11	19	22	42	9	35	0	0	0	0	0	0	0	6.33	0	0	11.2
2019	11	19	22	52	9	35	0	0	0	0	0	0	0	6.32	0	0	11.2
2019	11	19	23	2	9	35	0	0	0	0	0	0	0	6.31	0	0	11
2019	11	19	23	12	9	35	0	0	0	0	0	0	0	6.29	0	0	11
2019	11	19	23	22	9	35	0	0	0	0	0	0	0	6.29	0	0	11
2019	11	19	23	32	9	35	0	0	0	0	0	0	0	6.27	0	0	11
2019	11	19	23	42	9	35	0	0	0	0	0	0	0	6.26	0	0	11
2019	11	19	23	52	9	35	0	0	0	0	0	0	0	6.25	0	0	11
2019	11	20	0	2	9	36	0	0	0	0	0	0	0	6.23	0	0	11
2019	11	20	0	12	9	35	0	0	0	0	0	0	0	6.22	0	0	11
2019	11	20	0	22	9	35	0	0	0	0	0	0	0	6.21	0	0	11
2019	11	20	0	32	9	35	0	0	0	0	0	0	0	6.2	0	0	11
2019	11	20	0	42	9	35	0	0	0	0	0	0	0	6.19	0	0	11
2019	11	20	0	52	9	35	0	0	0	0	0	0	0	6.18	0	0	11
2019	11	20	1	2	9	35	0	0	0	0	0	0	0	6.16	0	0	11
2019	11	20	1	12	9	36	0	0	0	0	0	0	0	6.15	0	0	11
2019	11	20	1	22	9	35	0	0	0	0	0	0	0	6.15	0	0	11
2019	11	20	1	32	9	35	0	0	0	0	0	0	0	6.13	0	0	11
2019	11	20	1	42	9	35	0	0	0	0	0	0	0	6.12	0	0	11
2019	11	20	1	52	9	35	0	0	0	0	0	0	0	6.11	0	0	10.8
2019	11	20	2	2	9	35	0	0	0	0	0	0	0	6.09	0	0	10.8
2019	11	20	2	12	9	36	0	0	0	0	0	0	0	6.08	0	0	10.8
2019	11	20	2	22	9	35	0	0	0	0	0	0	0	6.07	0	0	11
2019	11	20	2	32	9	35	0	0	0	0	0	0	0	6.06	0	0	11
2019	11	20	2	42	9	35	0	0	0	0	0	0	0	6.06	0	0	11
2019	11	20	2	52	9	35	0	0	0	0	0	0	0	6.05	0	0	11
2019	11	20	3	2	9	35	0	0	0	0	0	0	0	6.05	0	0	11
2019	11	20	3	12	9	35	0	0	0	0	0	0	0	6.04	0	0	10.8
2019	11	20	3	22	9	35	0	0	0	0	0	0	0	6.03	0	0	11.2
2019	11	20	3	32	9	35	0	0	0	0	0	0	0	6.03	0	0	11.4
2019	11	20	3	42	9	35	0	0	0	0	0	0	0	6.02	0	0	11.4
2019	11	20	3	52	9	35	0	0	0	0	0	0	0	6.01	0	0	11.4
2019	11	20	4	2	9	35	0	0	0	0	0	0	0	6.01	0	0	11.4
2019	11	20	4	12	9	35	0	0	0	0	0	0	0	6	0	0	11.4
2019	11	20	4	22	9	34	0	0	0	0	0	0	0	6.01	0	0	11.4
2019	11	20	4	32	9	35	0	0	0	0	0	0	0	6	0	0	11.4
2019	11	20	4	42	9	35	0	0	0	0	0	0	0	6	0	0	11.4
2019	11	20	4	52	9	35	0	0	0	0	0	0	0	6	0	0	11.4
2019	11	20	5	2	9	35	0	0	0	0	0	0	0	5.99	0	0	11.4
2019	11	20	5	12	9	35	0	0	0	0	0	0	0	5.99	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	20	5	22	9	35	0	0	0	0	0	0	0	5.99	0	0	11.4
2019	11	20	5	32	9	36	0	0	0	0	0	0	0	5.99	0	0	11.4
2019	11	20	5	42	9	36	0	0	0	0	0	0	0	5.99	0	0	11.4
2019	11	20	5	52	9	35	0	0	0	0	0	0	0	5.99	0	0	11.4
2019	11	20	6	2	9	35	0	0	0	0	0	0	0	5.99	0	0	11.4
2019	11	20	6	12	9	35	0	0	0	0	0	0	0	5.99	0	0	11.4
2019	11	20	6	22	9	35	0	0	0	0	0	0	0	5.99	0	0	11.4
2019	11	20	6	32	9	35	0	0	0	0	0	0	0	5.99	0	0	11.4
2019	11	20	6	42	9	35	0	0	0	0	0	0	0	6	0	0	11.4
2019	11	20	6	52	9	35	0	0	0	0	0	0	0	5.99	0	0	11.4
2019	11	20	7	2	9	35	0	0	0	0	0	0	0	6	0	0	11.4
2019	11	20	7	12	9	36	0	0	0	0	0	0	0	6.01	0	0	11.4
2019	11	20	7	22	9	35	0	0	0	0	0	0	0	6.01	0	0	11.4
2019	11	20	7	32	9	35	0	0	0	0	0	0	0	6.02	0	0	11.4
2019	11	20	7	42	9	35	0	0	0	0	0	0	0	6.02	0	0	11.4
2019	11	20	7	52	9	35	0	0	0	0	0	0	0	6.03	0	0	11.4
2019	11	20	8	2	9	35	0	0	0	0	0	0	0	6.03	0	0	11.4
2019	11	20	8	12	9	35	0	0	0	0	0	0	0	6.06	0	0	11.6
2019	11	20	8	22	9	35	0	0	0	0	0	0	0	6.08	0	0	11.4
2019	11	20	8	32	9	35	0	0	0	0	0	0	0	6.07	0	0	11.4
2019	11	20	8	42	9	35	0	0	0	0	0	0	0	6.07	0	0	11.4
2019	11	20	8	52	9	35	0	0	0	0	0	0	0	6.08	0	0	11.4
2019	11	20	9	2	9	35	0	0	0	0	0	0	0	6.08	0	0	11.4
2019	11	20	9	12	9	35	0	0	0	0	0	0	0	6.09	0	0	11.4
2019	11	20	9	22	9	36	0	0	0	0	0	0	0	6.1	0	0	11.4
2019	11	20	9	32	9	35	0	0	0	0	0	0	0	6.12	0	0	11.4
2019	11	20	9	42	9	35	0	0	0	0	0	0	0	6.11	0	0	11.4
2019	11	20	9	52	9	35	0	0	0	0	0	0	0	6.11	0	0	11.4
2019	11	20	10	2	9	35	0	0	0	0	0	0	0	6.12	0	0	11.4
2019	11	20	10	12	9	35	0	0	0	0	0	0	0	6.13	0	0	11.4
2019	11	20	10	22	9	35	0	0	0	0	0	0	0	6.14	0	0	11.4
2019	11	20	10	32	9	35	0	0	0	0	0	0	0	6.15	0	0	11.4
2019	11	20	10	42	9	35	0	0	0	0	0	0	0	6.19	0	0	12
2019	11	20	10	52	9	35	0	0	0	0	0	0	0	6.22	0	0	12
2019	11	20	11	2	9	35	0	0	0	0	0	0	0	6.21	0	0	11.8
2019	11	20	11	12	9	35	0	0	0	0	0	0	0	6.22	0	0	11.8
2019	11	20	11	22	9	35	0	0	0	0	0	0	0	6.23	0	0	11.8
2019	11	20	11	32	9	34	0	0	0	0	0	0	0	6.25	0	0	12
2019	11	20	11	42	9	35	0	0	0	0	0	0	0	6.3	0	0	12.8
2019	11	20	11	52	9	35	0	0	0	0	0	0	0	6.37	0	0	12.8
2019	11	20	12	2	9	35	0	0	0	0	0	0	0	6.4	0	0	12.4
2019	11	20	12	12	9	34	0	0	0	0	0	0	0	6.38	0	0	12.2
2019	11	20	12	22	9	35	0	0	0	0	0	0	0	6.38	0	0	12.2
2019	11	20	12	32	9	35	0	0	0	0	0	0	0	6.37	0	0	12
2019	11	20	12	42	9	34	0	0	0	0	0	0	0	6.37	0	0	12
2019	11	20	12	52	9	34	0	0	0	0	0	0	0	6.36	0	0	12
2019	11	20	13	2	9	35	0	0	0	0	0	0	0	6.35	0	0	11.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	20	13	12	9	35	0	0	0	0	0	0	0	6.35	0	0	11.8
2019	11	20	13	22	9	35	0	0	0	0	0	0	0	6.34	0	0	11.8
2019	11	20	13	32	9	35	0	0	0	0	0	0	0	6.35	0	0	11.8
2019	11	20	13	42	9	35	0	0	0	0	0	0	0	6.36	0	0	11.6
2019	11	20	13	52	9	35	0	0	0	0	0	0	0	6.35	0	0	11.6
2019	11	20	14	2	9	35	0	0	0	0	0	0	0	6.36	0	0	11.6
2019	11	20	14	12	9	35	0	0	0	0	0	0	0	6.36	0	0	11.6
2019	11	20	14	22	9	35	0	0	0	0	0	0	0	6.36	0	0	11.6
2019	11	20	14	32	9	35	0	0	0	0	0	0	0	6.36	0	0	11.6
2019	11	20	14	42	9	35	0	0	0	0	0	0	0	6.36	0	0	11.4
2019	11	20	14	52	9	35	0	0	0	0	0	0	0	6.36	0	0	11.4
2019	11	20	15	2	9	35	0	0	0	0	0	0	0	6.36	0	0	11.4
2019	11	20	15	12	9	34	0	0	0	0	0	0	0	6.36	0	0	11.4
2019	11	20	15	22	9	35	0	0	0	0	0	0	0	6.37	0	0	11.4
2019	11	20	15	32	9	35	0	0	0	0	0	0	0	6.36	0	0	11.2
2019	11	20	15	42	9	35	0	0	0	0	0	0	0	6.35	0	0	11.2
2019	11	20	15	52	9	35	0	0	0	0	0	0	0	6.34	0	0	11.2
2019	11	20	16	2	9	35	0	0	0	0	0	0	0	6.34	0	0	11.2
2019	11	20	16	12	9	36	0	0	0	0	0	0	0	6.32	0	0	11.2
2019	11	20	16	22	9	35	0	0	0	0	0	0	0	6.32	0	0	11.2
2019	11	20	16	32	9	35	0	0	0	0	0	0	0	6.3	0	0	11.2
2019	11	20	16	42	9	35	0	0	0	0	0	0	0	6.3	0	0	11.2
2019	11	20	16	52	9	35	0	0	0	0	0	0	0	6.29	0	0	11.2
2019	11	20	17	2	9	35	0	0	0	0	0	0	0	6.29	0	0	11.2
2019	11	20	17	12	9	35	0	0	0	0	0	0	0	6.28	0	0	11.2
2019	11	20	17	22	9	35	0	0	0	0	0	0	0	6.28	0	0	11.2
2019	11	20	17	32	9	35	0	0	0	0	0	0	0	6.27	0	0	11.2
2019	11	20	17	42	9	35	0	0	0	0	0	0	0	6.27	0	0	11.2
2019	11	20	17	52	9	35	0	0	0	0	0	0	0	6.26	0	0	11.2
2019	11	20	18	2	9	35	0	0	0	0	0	0	0	6.25	0	0	11.2
2019	11	20	18	12	9	35	0	0	0	0	0	0	0	6.24	0	0	11.2
2019	11	20	18	22	9	36	0	0	0	0	0	0	0	6.24	0	0	11.2
2019	11	20	18	32	9	35	0	0	0	0	0	0	0	6.23	0	0	11.2
2019	11	20	18	42	9	35	0	0	0	0	0	0	0	6.22	0	0	11.2
2019	11	20	18	52	9	35	0	0	0	0	0	0	0	6.22	0	0	11.2
2019	11	20	19	2	9	35	0	0	0	0	0	0	0	6.21	0	0	11.2
2019	11	20	19	12	9	35	0	0	0	0	0	0	0	6.2	0	0	11.2
2019	11	20	19	22	9	35	0	0	0	0	0	0	0	6.19	0	0	11.2
2019	11	20	19	32	9	35	0	0	0	0	0	0	0	6.19	0	0	11.2
2019	11	20	19	42	9	34	0	0	0	0	0	0	0	6.18	0	0	11.2
2019	11	20	19	52	9	34	0	0	0	0	0	0	0	6.18	0	0	11.2
2019	11	20	20	2	9	35	0	0	0	0	0	0	0	6.17	0	0	11.2
2019	11	20	20	12	9	35	0	0	0	0	0	0	0	6.17	0	0	11.2
2019	11	20	20	22	9	35	0	0	0	0	0	0	0	6.17	0	0	11.2
2019	11	20	20	32	9	35	0	0	0	0	0	0	0	6.16	0	0	11.2
2019	11	20	20	42	9	35	0	0	0	0	0	0	0	6.16	0	0	11.2
2019	11	20	20	52	9	35	0	0	0	0	0	0	0	6.16	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	20	21	2	9	35	0	0	0	0	0	0	0	6.16	0	0	11.2
2019	11	20	21	12	9	36	0	0	0	0	0	0	0	6.15	0	0	11.2
2019	11	20	21	22	9	35	0	0	0	0	0	0	0	6.14	0	0	11.2
2019	11	20	21	32	9	34	0	0	0	0	0	0	0	6.14	0	0	11.2
2019	11	20	21	42	9	35	0	0	0	0	0	0	0	6.14	0	0	11.2
2019	11	20	21	52	9	35	0	0	0	0	0	0	0	6.14	0	0	11.2
2019	11	20	22	2	9	35	0	0	0	0	0	0	0	6.14	0	0	11.2
2019	11	20	22	12	9	35	0	0	0	0	0	0	0	6.13	0	0	11.2
2019	11	20	22	22	9	35	0	0	0	0	0	0	0	6.13	0	0	11.2
2019	11	20	22	32	9	34	0	0	0	0	0	0	0	6.13	0	0	11.2
2019	11	20	22	42	9	35	0	0	0	0	0	0	0	6.13	0	0	11.2
2019	11	20	22	52	9	35	0	0	0	0	0	0	0	6.13	0	0	11.2
2019	11	20	23	2	9	36	0	0	0	0	0	0	0	6.12	0	0	11.2
2019	11	20	23	12	9	35	0	0	0	0	0	0	0	6.12	0	0	11.2
2019	11	20	23	22	9	35	0	0	0	0	0	0	0	6.12	0	0	11.2
2019	11	20	23	32	9	35	0	0	0	0	0	0	0	6.12	0	0	11.2
2019	11	20	23	42	9	35	0	0	0	0	0	0	0	6.12	0	0	11.2
2019	11	20	23	52	9	35	0	0	0	0	0	0	0	6.11	0	0	11.2
2019	11	21	0	2	9	35	0	0	0	0	0	0	0	6.12	0	0	11.2
2019	11	21	0	12	9	35	0	0	0	0	0	0	0	6.11	0	0	11.2
2019	11	21	0	22	9	35	0	0	0	0	0	0	0	6.11	0	0	11.2
2019	11	21	0	32	9	36	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	0	42	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	0	52	9	34	0	0	0	0	0	0	0	6.11	0	0	11.2
2019	11	21	1	2	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	1	12	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	1	22	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	1	32	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	1	42	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	1	52	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	2	2	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	2	12	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	2	22	9	35	0	0	0	0	0	0	0	6.09	0	0	11.2
2019	11	21	2	32	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	2	42	9	36	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	2	52	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	3	2	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	3	12	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	3	22	9	35	0	0	0	0	0	0	0	6.09	0	0	11.2
2019	11	21	3	32	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	3	42	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	3	52	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	4	2	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	4	12	9	35	0	0	0	0	0	0	0	6.1	0	0	11.2
2019	11	21	4	22	9	35	0	0	0	0	0	0	0	6.11	0	0	11.2
2019	11	21	4	32	9	35	0	0	0	0	0	0	0	6.11	0	0	11.2
2019	11	21	4	42	9	36	0	0	0	0	0	0	0	6.12	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	21	4	52	9	35	0	0	0	0	0	0	0	6.11	0	0	11.2
2019	11	21	5	2	9	35	0	0	0	0	0	0	0	6.12	0	0	11.4
2019	11	21	5	12	9	35	0	0	0	0	0	0	0	6.11	0	0	11.4
2019	11	21	5	22	9	35	0	0	0	0	0	0	0	6.11	0	0	11.4
2019	11	21	5	32	9	35	0	0	0	0	0	0	0	6.11	0	0	11.4
2019	11	21	5	42	9	35	0	0	0	0	0	0	0	6.1	0	0	11.4
2019	11	21	5	52	9	34	0	0	0	0	0	0	0	6.1	0	0	11.4
2019	11	21	6	2	9	35	0	0	0	0	0	0	0	6.1	0	0	11.4
2019	11	21	6	12	9	35	0	0	0	0	0	0	0	6.09	0	0	11.4
2019	11	21	6	22	9	35	0	0	0	0	0	0	0	6.09	0	0	11.4
2019	11	21	6	32	9	35	0	0	0	0	0	0	0	6.08	0	0	11.4
2019	11	21	6	42	9	34	0	0	0	0	0	0	0	6.07	0	0	11.4
2019	11	21	6	52	9	35	0	0	0	0	0	0	0	6.07	0	0	11.4
2019	11	21	7	2	9	35	0	0	0	0	0	0	0	6.06	0	0	11.4
2019	11	21	7	12	9	35	0	0	0	0	0	0	0	6.06	0	0	11.4
2019	11	21	7	22	9	36	0	0	0	0	0	0	0	6.05	0	0	11.4
2019	11	21	7	32	9	35	0	0	0	0	0	0	0	6.05	0	0	11.4
2019	11	21	7	42	9	35	0	0	0	0	0	0	0	6.06	0	0	11.4
2019	11	21	7	52	9	35	0	0	0	0	0	0	0	6.05	0	0	11.6
2019	11	21	8	2	9	35	0	0	0	0	0	0	0	6.05	0	0	12
2019	11	21	8	12	9	35	0	0	0	0	0	0	0	6.06	0	0	12
2019	11	21	8	22	9	35	0	0	0	0	0	0	0	6.06	0	0	11.8
2019	11	21	8	32	9	35	0	0	0	0	0	0	0	6.05	0	0	11.8
2019	11	21	8	42	9	35	0	0	0	0	0	0	0	6.07	0	0	12.2
2019	11	21	8	52	9	35	0	0	0	0	0	0	0	6.08	0	0	12.2
2019	11	21	9	2	9	35	0	0	0	0	0	0	0	6.08	0	0	12
2019	11	21	9	12	9	35	0	0	0	0	0	0	0	6.09	0	0	12.2
2019	11	21	9	22	9	34	0	0	0	0	0	0	0	6.1	0	0	12.2
2019	11	21	9	32	9	34	0	0	0	0	0	0	0	6.12	0	0	12.6
2019	11	21	9	42	9	36	0	0	0	0	0	0	0	6.14	0	0	12.6
2019	11	21	9	52	9	35	0	0	0	0	0	0	0	6.15	0	0	12.4
2019	11	21	10	2	9	36	0	0	0	0	0	0	0	6.16	0	0	12.6
2019	11	21	10	12	9	35	0	0	0	0	0	0	0	6.17	0	0	12.6
2019	11	21	10	22	9	35	0	0	0	0	0	0	0	6.19	0	0	12.6
2019	11	21	10	32	9	35	0	0	0	0	0	0	0	6.2	0	0	12.6
2019	11	21	10	42	9	35	0	0	0	0	0	0	0	6.22	0	0	12.6
2019	11	21	10	52	9	35	0	0	0	0	0	0	0	6.24	0	0	12.6
2019	11	21	11	2	9	35	0	0	0	0	0	0	0	6.25	0	0	12.6
2019	11	21	11	12	9	35	0	0	0	0	0	0	0	6.26	0	0	12.6
2019	11	21	11	22	9	35	0	0	0	0	0	0	0	6.27	0	0	12.6
2019	11	21	11	32	9	35	0	0	0	0	0	0	0	6.28	0	0	12.4
2019	11	21	11	42	9	34	0	0	0	0	0	0	0	6.28	0	0	12.6
2019	11	21	11	52	9	35	0	0	0	0	0	0	0	6.3	0	0	12.6
2019	11	21	12	2	9	35	0	0	0	0	0	0	0	6.31	0	0	12.4
2019	11	21	12	12	9	35	0	0	0	0	0	0	0	6.31	0	0	12.4
2019	11	21	12	22	9	35	0	0	0	0	0	0	0	6.31	0	0	12.2
2019	11	21	12	32	9	34	0	0	0	0	0	0	0	6.31	0	0	12.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	21	12	42	9	35	0	0	0	0	0	0	0	6.32	0	0	12.4
2019	11	21	12	52	9	35	0	0	0	0	0	0	0	6.34	0	0	12.6
2019	11	21	13	2	9	35	0	0	0	0	0	0	0	6.36	0	0	12.4
2019	11	21	13	12	9	35	0	0	0	0	0	0	0	6.37	0	0	12.4
2019	11	21	13	22	9	35	0	0	0	0	0	0	0	6.38	0	0	12.4
2019	11	21	13	32	9	35	0	0	0	0	0	0	0	6.4	0	0	12.6
2019	11	21	13	42	9	35	0	0	0	0	0	0	0	6.41	0	0	12.2
2019	11	21	13	52	9	35	0	0	0	0	0	0	0	6.41	0	0	12.4
2019	11	21	14	2	9	35	0	0	0	0	0	0	0	6.45	0	0	12.6
2019	11	21	14	12	9	35	0	0	0	0	0	0	0	6.47	0	0	12.6
2019	11	21	14	22	9	35	0	0	0	0	0	0	0	6.49	0	0	12.6
2019	11	21	14	32	9	35	0	0	0	0	0	0	0	6.5	0	0	12.4
2019	11	21	14	42	9	35	0	0	0	0	0	0	0	6.5	0	0	12
2019	11	21	14	52	9	35	0	0	0	0	0	0	0	6.5	0	0	12
2019	11	21	15	2	9	35	0	0	0	0	0	0	0	6.5	0	0	12.2
2019	11	21	15	12	9	34	0	0	0	0	0	0	0	6.51	0	0	12.2
2019	11	21	15	22	9	35	0	0	0	0	0	0	0	6.52	0	0	12.2
2019	11	21	15	32	9	35	0	0	0	0	0	0	0	6.53	0	0	12.2
2019	11	21	15	42	9	35	0	0	0	0	0	0	0	6.54	0	0	11.8
2019	11	21	15	52	9	35	0	0	0	0	0	0	0	6.54	0	0	11.8
2019	11	21	16	2	9	35	0	0	0	0	0	0	0	6.55	0	0	11.8
2019	11	21	16	12	9	35	0	0	0	0	0	0	0	6.56	0	0	11.8
2019	11	21	16	22	9	35	0	0	0	0	0	0	0	6.56	0	0	11.8
2019	11	21	16	32	9	35	0	0	0	0	0	0	0	6.57	0	0	11.8
2019	11	21	16	42	9	35	0	0	0	0	0	0	0	6.58	0	0	11.8
2019	11	21	16	52	9	35	0	0	0	0	0	0	0	6.58	0	0	11.8
2019	11	21	17	2	9	36	0	0	0	0	0	0	0	6.58	0	0	11.8
2019	11	21	17	12	9	35	0	0	0	0	0	0	0	6.59	0	0	11.6
2019	11	21	17	22	9	35	0	0	0	0	0	0	0	6.59	0	0	11.6
2019	11	21	17	32	9	35	0	0	0	0	0	0	0	6.59	0	0	11.6
2019	11	21	17	42	9	36	0	0	0	0	0	0	0	6.6	0	0	11.6
2019	11	21	17	52	9	35	0	0	0	0	0	0	0	6.6	0	0	11.6
2019	11	21	18	2	9	35	0	0	0	0	0	0	0	6.6	0	0	11.6
2019	11	21	18	12	9	35	0	0	0	0	0	0	0	6.61	0	0	11.6
2019	11	21	18	22	9	35	0	0	0	0	0	0	0	6.6	0	0	11.6
2019	11	21	18	32	9	35	0	0	0	0	0	0	0	6.6	0	0	11.6
2019	11	21	18	42	9	35	0	0	0	0	0	0	0	6.61	0	0	11.6
2019	11	21	18	52	9	34	0	0	0	0	0	0	0	6.6	0	0	11.6
2019	11	21	19	2	9	35	0	0	0	0	0	0	0	6.6	0	0	11.6
2019	11	21	19	12	9	36	0	0	0	0	0	0	0	6.6	0	0	11.6
2019	11	21	19	22	9	35	0	0	0	0	0	0	0	6.59	0	0	11.6
2019	11	21	19	32	9	35	0	0	0	0	0	0	0	6.59	0	0	11.6
2019	11	21	19	42	9	35	0	0	0	0	0	0	0	6.58	0	0	11.6
2019	11	21	19	52	9	35	0	0	0	0	0	0	0	6.57	0	0	11.6
2019	11	21	20	2	9	35	0	0	0	0	0	0	0	6.56	0	0	11.6
2019	11	21	20	12	9	35	0	0	0	0	0	0	0	6.56	0	0	11.6
2019	11	21	20	22	9	35	0	0	0	0	0	0	0	6.55	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	21	20	32	9	35	0	0	0	0	0	0	0	6.54	0	0	11.6
2019	11	21	20	42	9	35	0	0	0	0	0	0	0	6.54	0	0	11.6
2019	11	21	20	52	9	35	0	0	0	0	0	0	0	6.53	0	0	11.6
2019	11	21	21	2	9	35	0	0	0	0	0	0	0	6.53	0	0	11.6
2019	11	21	21	12	9	35	0	0	0	0	0	0	0	6.52	0	0	11.6
2019	11	21	21	22	9	35	0	0	0	0	0	0	0	6.52	0	0	11.6
2019	11	21	21	32	9	35	0	0	0	0	0	0	0	6.51	0	0	11.6
2019	11	21	21	42	9	35	0	0	0	0	0	0	0	6.51	0	0	11.6
2019	11	21	21	52	9	35	0	0	0	0	0	0	0	6.5	0	0	11.6
2019	11	21	22	2	9	35	0	0	0	0	0	0	0	6.5	0	0	11.6
2019	11	21	22	12	9	36	0	0	0	0	0	0	0	6.49	0	0	11.6
2019	11	21	22	22	9	35	0	0	0	0	0	0	0	6.49	0	0	11.6
2019	11	21	22	32	9	35	0	0	0	0	0	0	0	6.48	0	0	11.6
2019	11	21	22	42	9	35	0	0	0	0	0	0	0	6.47	0	0	11.6
2019	11	21	22	52	9	35	0	0	0	0	0	0	0	6.46	0	0	11.6
2019	11	21	23	2	9	35	0	0	0	0	0	0	0	6.46	0	0	11.4
2019	11	21	23	12	9	35	0	0	0	0	0	0	0	6.44	0	0	11.4
2019	11	21	23	22	9	35	0	0	0	0	0	0	0	6.43	0	0	11.4
2019	11	21	23	32	9	35	0	0	0	0	0	0	0	6.43	0	0	11.4
2019	11	21	23	42	9	35	0	0	0	0	0	0	0	6.41	0	0	11.4
2019	11	21	23	52	9	35	0	0	0	0	0	0	0	6.4	0	0	11.4
2019	11	22	0	2	9	35	0	0	0	0	0	0	0	6.38	0	0	11.4
2019	11	22	0	12	9	35	0	0	0	0	0	0	0	6.37	0	0	11.4
2019	11	22	0	22	9	35	0	0	0	0	0	0	0	6.35	0	0	11.4
2019	11	22	0	32	9	35	0	0	0	0	0	0	0	6.34	0	0	11.4
2019	11	22	0	42	9	35	0	0	0	0	0	0	0	6.33	0	0	11.4
2019	11	22	0	52	9	35	0	0	0	0	0	0	0	6.32	0	0	11.4
2019	11	22	1	2	9	34	0	0	0	0	0	0	0	6.3	0	0	11.4
2019	11	22	1	12	9	35	0	0	0	0	0	0	0	6.28	0	0	11.4
2019	11	22	1	22	9	35	0	0	0	0	0	0	0	6.27	0	0	11.4
2019	11	22	1	32	9	35	0	0	0	0	0	0	0	6.25	0	0	11.4
2019	11	22	1	42	9	35	0	0	0	0	0	0	0	6.24	0	0	11.4
2019	11	22	1	52	9	35	0	0	0	0	0	0	0	6.22	0	0	11.4
2019	11	22	2	2	9	35	0	0	0	0	0	0	0	6.21	0	0	11.4
2019	11	22	2	12	9	35	0	0	0	0	0	0	0	6.19	0	0	11.4
2019	11	22	2	22	9	35	0	0	0	0	0	0	0	6.18	0	0	11.4
2019	11	22	2	32	9	35	0	0	0	0	0	0	0	6.17	0	0	11.4
2019	11	22	2	42	9	35	0	0	0	0	0	0	0	6.15	0	0	11.4
2019	11	22	2	52	9	35	0	0	0	0	0	0	0	6.14	0	0	11.4
2019	11	22	3	2	9	35	0	0	0	0	0	0	0	6.12	0	0	11.4
2019	11	22	3	12	9	35	0	0	0	0	0	0	0	6.11	0	0	11.4
2019	11	22	3	22	9	35	0	0	0	0	0	0	0	6.1	0	0	11.4
2019	11	22	3	32	9	35	0	0	0	0	0	0	0	6.08	0	0	11.4
2019	11	22	3	42	9	34	0	0	0	0	0	0	0	6.07	0	0	11.4
2019	11	22	3	52	9	35	0	0	0	0	0	0	0	6.06	0	0	11.4
2019	11	22	4	2	9	35	0	0	0	0	0	0	0	6.05	0	0	11.4
2019	11	22	4	12	9	35	0	0	0	0	0	0	0	6.03	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	22	4	22	9	35	0	0	0	0	0	0	0	6.03	0	0	11.4
2019	11	22	4	32	9	35	0	0	0	0	0	0	0	6	0	0	11.4
2019	11	22	4	42	9	35	0	0	0	0	0	0	0	6	0	0	11.4
2019	11	22	4	52	9	36	0	0	0	0	0	0	0	5.98	0	0	11.4
2019	11	22	5	2	9	35	0	0	0	0	0	0	0	5.97	0	0	11.4
2019	11	22	5	12	9	35	0	0	0	0	0	0	0	5.96	0	0	11.4
2019	11	22	5	22	9	35	0	0	0	0	0	0	0	5.95	0	0	11.4
2019	11	22	5	32	9	35	0	0	0	0	0	0	0	5.93	0	0	11.4
2019	11	22	5	42	9	35	0	0	0	0	0	0	0	5.93	0	0	11.4
2019	11	22	5	52	9	35	0	0	0	0	0	0	0	5.91	0	0	11.4
2019	11	22	6	2	9	35	0	0	0	0	0	0	0	5.91	0	0	11.4
2019	11	22	6	12	9	35	0	0	0	0	0	0	0	5.89	0	0	11.4
2019	11	22	6	22	9	35	0	0	0	0	0	0	0	5.88	0	0	11.4
2019	11	22	6	32	9	35	0	0	0	0	0	0	0	5.87	0	0	11.4
2019	11	22	6	42	9	35	0	0	0	0	0	0	0	5.87	0	0	11.4
2019	11	22	6	52	9	35	0	0	0	0	0	0	0	5.85	0	0	11.4
2019	11	22	7	2	9	35	0	0	0	0	0	0	0	5.85	0	0	11.4
2019	11	22	7	12	9	35	0	0	0	0	0	0	0	5.84	0	0	11.4
2019	11	22	7	22	9	35	0	0	0	0	0	0	0	5.84	0	0	11.4
2019	11	22	7	32	9	35	0	0	0	0	0	0	0	5.84	0	0	11.4
2019	11	22	7	42	9	35	0	0	0	0	0	0	0	5.84	0	0	11.4
2019	11	22	7	52	9	36	0	0	0	0	0	0	0	5.83	0	0	11.4
2019	11	22	8	2	9	35	0	0	0	0	0	0	0	5.84	0	0	11.4
2019	11	22	8	12	9	35	0	0	0	0	0	0	0	5.83	0	0	11.4
2019	11	22	8	22	9	35	0	0	0	0	0	0	0	5.83	0	0	11.4
2019	11	22	8	32	9	35	0	0	0	0	0	0	0	5.84	0	0	11.4
2019	11	22	8	42	9	35	0	0	0	0	0	0	0	5.85	0	0	11.4
2019	11	22	8	52	9	35	0	0	0	0	0	0	0	5.85	0	0	11.4
2019	11	22	9	2	9	35	0	0	0	0	0	0	0	5.86	0	0	11.6
2019	11	22	9	12	9	35	0	0	0	0	0	0	0	5.88	0	0	11.8
2019	11	22	9	22	9	35	0	0	0	0	0	0	0	5.91	0	0	12.6
2019	11	22	9	32	9	34	0	0	0	0	0	0	0	5.95	0	0	12.6
2019	11	22	9	42	9	35	0	0	0	0	0	0	0	5.94	0	0	12.2
2019	11	22	9	52	9	35	0	0	0	0	0	0	0	5.93	0	0	12.2
2019	11	22	10	2	9	35	0	0	0	0	0	0	0	5.96	0	0	12.8
2019	11	22	10	12	9	35	0	0	0	0	0	0	0	5.99	0	0	12.8
2019	11	22	10	22	9	35	0	0	0	0	0	0	0	6.03	0	0	12.8
2019	11	22	10	32	9	35	0	0	0	0	0	0	0	6.05	0	0	12.8
2019	11	22	10	42	9	35	0	0	0	0	0	0	0	6.07	0	0	12.8
2019	11	22	10	52	9	35	0	0	0	0	0	0	0	6.09	0	0	12.8
2019	11	22	11	2	9	35	0	0	0	0	0	0	0	6.11	0	0	12.8
2019	11	22	11	12	9	35	0	0	0	0	0	0	0	6.13	0	0	12.8
2019	11	22	11	22	9	35	0	0	0	0	0	0	0	6.15	0	0	12.8
2019	11	22	11	32	9	35	0	0	0	0	0	0	0	6.17	0	0	13
2019	11	22	11	42	9	35	0	0	0	0	0	0	0	6.19	0	0	13
2019	11	22	11	52	9	35	0	0	0	0	0	0	0	6.21	0	0	13
2019	11	22	12	2	9	35	0	0	0	0	0	0	0	6.22	0	0	13

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	22	12	12	9	35	0	0	0	0	0	0	0	6.24	0	0	13
2019	11	22	12	22	9	35	0	0	0	0	0	0	0	6.27	0	0	13
2019	11	22	12	32	9	36	0	0	0	0	0	0	0	6.28	0	0	13
2019	11	22	12	42	9	35	0	0	0	0	0	0	0	6.3	0	0	13
2019	11	22	12	52	9	35	0	0	0	0	0	0	0	6.31	0	0	12.8
2019	11	22	13	2	9	35	0	0	0	0	0	0	0	6.33	0	0	12.8
2019	11	22	13	12	9	35	0	0	0	0	0	0	0	6.35	0	0	12.8
2019	11	22	13	22	9	34	0	0	0	0	0	0	0	6.36	0	0	12.8
2019	11	22	13	32	9	35	0	0	0	0	0	0	0	6.38	0	0	12.8
2019	11	22	13	42	9	35	0	0	0	0	0	0	0	6.39	0	0	12.8
2019	11	22	13	52	9	35	0	0	0	0	0	0	0	6.42	0	0	12.8
2019	11	22	14	2	9	35	0	0	0	0	0	0	0	6.43	0	0	12.8
2019	11	22	14	12	9	35	0	0	0	0	0	0	0	6.44	0	0	12.6
2019	11	22	14	22	9	35	0	0	0	0	0	0	0	6.46	0	0	12.6
2019	11	22	14	32	9	35	0	0	0	0	0	0	0	6.47	0	0	12.6
2019	11	22	14	42	9	35	0	0	0	0	0	0	0	6.49	0	0	12.6
2019	11	22	14	52	9	35	0	0	0	0	0	0	0	6.5	0	0	12.4
2019	11	22	15	2	9	35	0	0	0	0	0	0	0	6.51	0	0	12.4
2019	11	22	15	12	9	35	0	0	0	0	0	0	0	6.52	0	0	12.4
2019	11	22	15	22	9	35	0	0	0	0	0	0	0	6.54	0	0	12
2019	11	22	15	32	9	35	0	0	0	0	0	0	0	6.55	0	0	12
2019	11	22	15	42	9	35	0	0	0	0	0	0	0	6.57	0	0	11.8
2019	11	22	15	52	9	35	0	0	0	0	0	0	0	6.58	0	0	11.8
2019	11	22	16	2	9	36	0	0	0	0	0	0	0	6.59	0	0	11.8
2019	11	22	16	12	9	34	0	0	0	0	0	0	0	6.61	0	0	11.8
2019	11	22	16	22	9	35	0	0	0	0	0	0	0	6.62	0	0	11.8
2019	11	22	16	32	9	35	0	0	0	0	0	0	0	6.63	0	0	11.8
2019	11	22	16	42	9	35	0	0	0	0	0	0	0	6.64	0	0	11.8
2019	11	22	16	52	9	35	0	0	0	0	0	0	0	6.66	0	0	11.8
2019	11	22	17	2	9	35	0	0	0	0	0	0	0	6.66	0	0	11.6
2019	11	22	17	12	9	36	0	0	0	0	0	0	0	6.67	0	0	11.6
2019	11	22	17	22	9	35	0	0	0	0	0	0	0	6.68	0	0	11.6
2019	11	22	17	32	9	35	0	0	0	0	0	0	0	6.69	0	0	11.6
2019	11	22	17	42	9	35	0	0	0	0	0	0	0	6.69	0	0	11.6
2019	11	22	17	52	9	35	0	0	0	0	0	0	0	6.7	0	0	11.6
2019	11	22	18	2	9	35	0	0	0	0	0	0	0	6.71	0	0	11.6
2019	11	22	18	12	9	35	0	0	0	0	0	0	0	6.7	0	0	11.6
2019	11	22	18	22	9	35	0	0	0	0	0	0	0	6.7	0	0	11.6
2019	11	22	18	32	9	35	0	0	0	0	0	0	0	6.7	0	0	11.6
2019	11	22	18	42	9	35	0	0	0	0	0	0	0	6.7	0	0	11.6
2019	11	22	18	52	9	34	0	0	0	0	0	0	0	6.7	0	0	11.6
2019	11	22	19	2	9	35	0	0	0	0	0	0	0	6.7	0	0	11.6
2019	11	22	19	12	9	35	0	0	0	0	0	0	0	6.69	0	0	11.6
2019	11	22	19	22	9	35	0	0	0	0	0	0	0	6.69	0	0	11.6
2019	11	22	19	32	9	35	0	0	0	0	0	0	0	6.68	0	0	11.6
2019	11	22	19	42	9	35	0	0	0	0	0	0	0	6.68	0	0	11.6
2019	11	22	19	52	9	35	0	0	0	0	0	0	0	6.67	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	22	20	2	9	35	0	0	0	0	0	0	0	6.67	0	0	11.6
2019	11	22	20	12	9	35	0	0	0	0	0	0	0	6.66	0	0	11.6
2019	11	22	20	22	9	34	0	0	0	0	0	0	0	6.65	0	0	11.6
2019	11	22	20	32	9	34	0	0	0	0	0	0	0	6.65	0	0	11.6
2019	11	22	20	42	9	35	0	0	0	0	0	0	0	6.65	0	0	11.6
2019	11	22	20	52	9	35	0	0	0	0	0	0	0	6.64	0	0	11.6
2019	11	22	21	2	9	35	0	0	0	0	0	0	0	6.63	0	0	11.6
2019	11	22	21	12	9	35	0	0	0	0	0	0	0	6.63	0	0	11.6
2019	11	22	21	22	9	35	0	0	0	0	0	0	0	6.62	0	0	11.6
2019	11	22	21	32	9	35	0	0	0	0	0	0	0	6.61	0	0	11.6
2019	11	22	21	42	9	35	0	0	0	0	0	0	0	6.61	0	0	11.6
2019	11	22	21	52	9	35	0	0	0	0	0	0	0	6.6	0	0	11.6
2019	11	22	22	2	9	35	0	0	0	0	0	0	0	6.6	0	0	11.6
2019	11	22	22	12	9	35	0	0	0	0	0	0	0	6.59	0	0	11.6
2019	11	22	22	22	9	35	0	0	0	0	0	0	0	6.59	0	0	11.6
2019	11	22	22	32	9	35	0	0	0	0	0	0	0	6.58	0	0	11.6
2019	11	22	22	42	9	35	0	0	0	0	0	0	0	6.57	0	0	11.6
2019	11	22	22	52	9	35	0	0	0	0	0	0	0	6.57	0	0	11.6
2019	11	22	23	2	9	35	0	0	0	0	0	0	0	6.56	0	0	11.6
2019	11	22	23	12	9	35	0	0	0	0	0	0	0	6.55	0	0	11.6
2019	11	22	23	22	9	35	0	0	0	0	0	0	0	6.54	0	0	11.6
2019	11	22	23	32	9	35	0	0	0	0	0	0	0	6.53	0	0	11.6
2019	11	22	23	42	9	35	0	0	0	0	0	0	0	6.53	0	0	11.6
2019	11	22	23	52	9	35	0	0	0	0	0	0	0	6.51	0	0	11.6
2019	11	23	0	2	9	34	0	0	0	0	0	0	0	6.5	0	0	11.6
2019	11	23	0	12	9	35	0	0	0	0	0	0	0	6.5	0	0	11.6
2019	11	23	0	22	9	35	0	0	0	0	0	0	0	6.49	0	0	11.6
2019	11	23	0	32	9	35	0	0	0	0	0	0	0	6.48	0	0	11.6
2019	11	23	0	42	9	34	0	0	0	0	0	0	0	6.48	0	0	11.6
2019	11	23	0	52	9	35	0	0	0	0	0	0	0	6.47	0	0	11.6
2019	11	23	1	2	9	35	0	0	0	0	0	0	0	6.46	0	0	11.6
2019	11	23	1	12	9	35	0	0	0	0	0	0	0	6.45	0	0	11.6
2019	11	23	1	22	9	35	0	0	0	0	0	0	0	6.44	0	0	11.6
2019	11	23	1	32	9	35	0	0	0	0	0	0	0	6.44	0	0	11.6
2019	11	23	1	42	9	36	0	0	0	0	0	0	0	6.43	0	0	11.6
2019	11	23	1	52	9	35	0	0	0	0	0	0	0	6.42	0	0	11.6
2019	11	23	2	2	9	35	0	0	0	0	0	0	0	6.41	0	0	11.6
2019	11	23	2	12	9	35	0	0	0	0	0	0	0	6.4	0	0	11.6
2019	11	23	2	22	9	34	0	0	0	0	0	0	0	6.39	0	0	11.6
2019	11	23	2	32	9	35	0	0	0	0	0	0	0	6.39	0	0	11.6
2019	11	23	2	42	9	35	0	0	0	0	0	0	0	6.38	0	0	11.6
2019	11	23	2	52	9	35	0	0	0	0	0	0	0	6.37	0	0	11.6
2019	11	23	3	2	9	35	0	0	0	0	0	0	0	6.36	0	0	11.6
2019	11	23	3	12	9	35	0	0	0	0	0	0	0	6.36	0	0	11.4
2019	11	23	3	22	9	35	0	0	0	0	0	0	0	6.35	0	0	11.4
2019	11	23	3	32	9	35	0	0	0	0	0	0	0	6.34	0	0	11.6
2019	11	23	3	42	9	35	0	0	0	0	0	0	0	6.33	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	23	3	52	9	35	0	0	0	0	0	0	0	6.32	0	0	11.4
2019	11	23	4	2	9	35	0	0	0	0	0	0	0	6.31	0	0	11.4
2019	11	23	4	12	9	35	0	0	0	0	0	0	0	6.3	0	0	11.4
2019	11	23	4	22	9	35	0	0	0	0	0	0	0	6.29	0	0	11.4
2019	11	23	4	32	9	35	0	0	0	0	0	0	0	6.28	0	0	11.4
2019	11	23	4	42	9	36	0	0	0	0	0	0	0	6.27	0	0	11.4
2019	11	23	4	52	9	34	0	0	0	0	0	0	0	6.26	0	0	11.4
2019	11	23	5	2	9	35	0	0	0	0	0	0	0	6.26	0	0	11.4
2019	11	23	5	12	9	35	0	0	0	0	0	0	0	6.25	0	0	11.4
2019	11	23	5	22	9	35	0	0	0	0	0	0	0	6.24	0	0	11.4
2019	11	23	5	32	9	35	0	0	0	0	0	0	0	6.23	0	0	11.4
2019	11	23	5	42	9	35	0	0	0	0	0	0	0	6.22	0	0	11.4
2019	11	23	5	52	9	36	0	0	0	0	0	0	0	6.22	0	0	11.4
2019	11	23	6	2	9	35	0	0	0	0	0	0	0	6.21	0	0	11.4
2019	11	23	6	12	9	35	0	0	0	0	0	0	0	6.2	0	0	11.4
2019	11	23	6	22	9	35	0	0	0	0	0	0	0	6.19	0	0	11.4
2019	11	23	6	32	9	35	0	0	0	0	0	0	0	6.19	0	0	11.4
2019	11	23	6	42	9	35	0	0	0	0	0	0	0	6.18	0	0	11.4
2019	11	23	6	52	9	35	0	0	0	0	0	0	0	6.18	0	0	11.4
2019	11	23	7	2	9	35	0	0	0	0	0	0	0	6.16	0	0	11.4
2019	11	23	7	12	9	35	0	0	0	0	0	0	0	6.16	0	0	11.6
2019	11	23	7	22	9	35	0	0	0	0	0	0	0	6.15	0	0	11.8
2019	11	23	7	32	9	35	0	0	0	0	0	0	0	6.14	0	0	11.8
2019	11	23	7	42	9	36	0	0	0	0	0	0	0	6.14	0	0	12
2019	11	23	7	52	9	35	0	0	0	0	0	0	0	6.14	0	0	12.2
2019	11	23	8	2	9	36	0	0	0	0	0	0	0	6.15	0	0	12.2
2019	11	23	8	12	9	36	0	0	0	0	0	0	0	6.15	0	0	12.4
2019	11	23	8	22	9	35	0	0	0	0	0	0	0	6.16	0	0	12.4
2019	11	23	8	32	9	35	0	0	0	0	0	0	0	6.16	0	0	12.4
2019	11	23	8	42	9	35	0	0	0	0	0	0	0	6.17	0	0	12.4
2019	11	23	8	52	9	35	0	0	0	0	0	0	0	6.18	0	0	12.6
2019	11	23	9	2	9	35	0	0	0	0	0	0	0	6.19	0	0	12.6
2019	11	23	9	12	9	35	0	0	0	0	0	0	0	6.2	0	0	12.6
2019	11	23	9	22	9	35	0	0	0	0	0	0	0	6.22	0	0	12.6
2019	11	23	9	32	9	35	0	0	0	0	0	0	0	6.24	0	0	12.8
2019	11	23	9	42	9	35	0	0	0	0	0	0	0	6.25	0	0	12.8
2019	11	23	9	52	9	35	0	0	0	0	0	0	0	6.27	0	0	12.8
2019	11	23	10	2	9	34	0	0	0	0	0	0	0	6.28	0	0	13
2019	11	23	10	12	9	36	0	0	0	0	0	0	0	6.3	0	0	13.4
2019	11	23	10	22	9	34	0	0	0	0	0	0	0	6.31	0	0	13.4
2019	11	23	10	32	9	35	0	0	0	0	0	0	0	6.33	0	0	13.4
2019	11	23	10	42	9	35	0	0	0	0	0	0	0	6.35	0	0	13.4
2019	11	23	10	52	9	35	0	0	0	0	0	0	0	6.36	0	0	13.4
2019	11	23	11	2	9	35	0	0	0	0	0	0	0	6.38	0	0	13.4
2019	11	23	11	12	9	36	0	0	0	0	0	0	0	6.4	0	0	13.4
2019	11	23	11	22	9	35	0	0	0	0	0	0	0	6.41	0	0	13.4
2019	11	23	11	32	9	35	0	0	0	0	0	0	0	6.42	0	0	13.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	23	11	42	9	35	0	0	0	0	0	0	0	6.44	0	0	13.4
2019	11	23	11	52	9	35	0	0	0	0	0	0	0	6.46	0	0	13.4
2019	11	23	12	2	9	34	0	0	0	0	0	0	0	6.47	0	0	13.4
2019	11	23	12	12	9	36	0	0	0	0	0	0	0	6.48	0	0	13.4
2019	11	23	12	22	9	35	0	0	0	0	0	0	0	6.49	0	0	13.4
2019	11	23	12	32	9	35	0	0	0	0	0	0	0	6.51	0	0	13.4
2019	11	23	12	42	9	35	0	0	0	0	0	0	0	6.52	0	0	13.4
2019	11	23	12	52	9	36	0	0	0	0	0	0	0	6.54	0	0	13.4
2019	11	23	13	2	9	35	0	0	0	0	0	0	0	6.55	0	0	13.4
2019	11	23	13	12	9	34	0	0	0	0	0	0	0	6.56	0	0	13.4
2019	11	23	13	22	9	35	0	0	0	0	0	0	0	6.57	0	0	13.4
2019	11	23	13	32	9	35	0	0	0	0	0	0	0	6.59	0	0	13.4
2019	11	23	13	42	9	35	0	0	0	0	0	0	0	6.6	0	0	13.4
2019	11	23	13	52	9	35	0	0	0	0	0	0	0	6.61	0	0	13.4
2019	11	23	14	2	9	35	0	0	0	0	0	0	0	6.62	0	0	13.4
2019	11	23	14	12	9	36	0	0	0	0	0	0	0	6.63	0	0	13.4
2019	11	23	14	22	9	35	0	0	0	0	0	0	0	6.65	0	0	13.4
2019	11	23	14	32	9	35	0	0	0	0	0	0	0	6.65	0	0	13.4
2019	11	23	14	42	9	35	0	0	0	0	0	0	0	6.66	0	0	13.4
2019	11	23	14	52	9	35	0	0	0	0	0	0	0	6.68	0	0	13.4
2019	11	23	15	2	9	35	0	0	0	0	0	0	0	6.68	0	0	12.8
2019	11	23	15	12	9	35	0	0	0	0	0	0	0	6.68	0	0	12.4
2019	11	23	15	22	9	35	0	0	0	0	0	0	0	6.69	0	0	12.4
2019	11	23	15	32	9	34	0	0	0	0	0	0	0	6.7	0	0	12.2
2019	11	23	15	42	9	35	0	0	0	0	0	0	0	6.71	0	0	12
2019	11	23	15	52	9	35	0	0	0	0	0	0	0	6.72	0	0	11.8
2019	11	23	16	2	9	35	0	0	0	0	0	0	0	6.73	0	0	11.8
2019	11	23	16	12	9	35	0	0	0	0	0	0	0	6.74	0	0	11.8
2019	11	23	16	22	9	35	0	0	0	0	0	0	0	6.75	0	0	11.8
2019	11	23	16	32	9	35	0	0	0	0	0	0	0	6.76	0	0	11.8
2019	11	23	16	42	9	36	0	0	0	0	0	0	0	6.76	0	0	11.8
2019	11	23	16	52	9	35	0	0	0	0	0	0	0	6.77	0	0	11.8
2019	11	23	17	2	9	35	0	0	0	0	0	0	0	6.77	0	0	11.8
2019	11	23	17	12	9	35	0	0	0	0	0	0	0	6.77	0	0	11.8
2019	11	23	17	22	9	35	0	0	0	0	0	0	0	6.77	0	0	11.8
2019	11	23	17	32	9	35	0	0	0	0	0	0	0	6.78	0	0	11.8
2019	11	23	17	42	9	35	0	0	0	0	0	0	0	6.77	0	0	11.8
2019	11	23	17	52	9	35	0	0	0	0	0	0	0	6.77	0	0	11.6
2019	11	23	18	2	9	35	0	0	0	0	0	0	0	6.76	0	0	11.6
2019	11	23	18	12	9	35	0	0	0	0	0	0	0	6.76	0	0	11.6
2019	11	23	18	22	9	35	0	0	0	0	0	0	0	6.75	0	0	11.6
2019	11	23	18	32	9	35	0	0	0	0	0	0	0	6.74	0	0	11.6
2019	11	23	18	42	9	35	0	0	0	0	0	0	0	6.73	0	0	11.6
2019	11	23	18	52	9	35	0	0	0	0	0	0	0	6.72	0	0	11.6
2019	11	23	19	2	9	35	0	0	0	0	0	0	0	6.71	0	0	11.6
2019	11	23	19	12	9	35	0	0	0	0	0	0	0	6.69	0	0	11.6
2019	11	23	19	22	9	35	0	0	0	0	0	0	0	6.68	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	23	19	32	9	35	0	0	0	0	0	0	0	6.67	0	0	11.6
2019	11	23	19	42	9	35	0	0	0	0	0	0	0	6.66	0	0	11.6
2019	11	23	19	52	9	35	0	0	0	0	0	0	0	6.64	0	0	11.6
2019	11	23	20	2	9	35	0	0	0	0	0	0	0	6.63	0	0	11.6
2019	11	23	20	12	9	35	0	0	0	0	0	0	0	6.61	0	0	11.6
2019	11	23	20	22	9	35	0	0	0	0	0	0	0	6.59	0	0	11.6
2019	11	23	20	32	9	35	0	0	0	0	0	0	0	6.58	0	0	11.6
2019	11	23	20	42	9	35	0	0	0	0	0	0	0	6.57	0	0	11.6
2019	11	23	20	52	9	35	0	0	0	0	0	0	0	6.55	0	0	11.6
2019	11	23	21	2	9	35	0	0	0	0	0	0	0	6.53	0	0	11.6
2019	11	23	21	12	9	35	0	0	0	0	0	0	0	6.52	0	0	11.6
2019	11	23	21	22	9	35	0	0	0	0	0	0	0	6.51	0	0	11.6
2019	11	23	21	32	9	35	0	0	0	0	0	0	0	6.48	0	0	11.6
2019	11	23	21	42	9	35	0	0	0	0	0	0	0	6.47	0	0	11.6
2019	11	23	21	52	9	35	0	0	0	0	0	0	0	6.46	0	0	11.6
2019	11	23	22	2	9	35	0	0	0	0	0	0	0	6.44	0	0	11.6
2019	11	23	22	12	9	34	0	0	0	0	0	0	0	6.42	0	0	11.6
2019	11	23	22	22	9	35	0	0	0	0	0	0	0	6.4	0	0	11.6
2019	11	23	22	32	9	35	0	0	0	0	0	0	0	6.39	0	0	11.6
2019	11	23	22	42	9	35	0	0	0	0	0	0	0	6.36	0	0	11.6
2019	11	23	22	52	9	35	0	0	0	0	0	0	0	6.35	0	0	11.6
2019	11	23	23	2	9	35	0	0	0	0	0	0	0	6.33	0	0	11.6
2019	11	23	23	12	9	35	0	0	0	0	0	0	0	6.32	0	0	11.6
2019	11	23	23	22	9	35	0	0	0	0	0	0	0	6.29	0	0	11.4
2019	11	23	23	32	9	35	0	0	0	0	0	0	0	6.28	0	0	11.6
2019	11	23	23	42	9	35	0	0	0	0	0	0	0	6.26	0	0	11.6
2019	11	23	23	52	9	35	0	0	0	0	0	0	0	6.23	0	0	11.6
2019	11	24	0	2	9	36	0	0	0	0	0	0	0	6.21	0	0	11.6
2019	11	24	0	12	9	35	0	0	0	0	0	0	0	6.2	0	0	11.4
2019	11	24	0	22	9	35	0	0	0	0	0	0	0	6.17	0	0	11.4
2019	11	24	0	32	9	36	0	0	0	0	0	0	0	6.15	0	0	11.4
2019	11	24	0	42	9	35	0	0	0	0	0	0	0	6.13	0	0	11.4
2019	11	24	0	52	9	35	0	0	0	0	0	0	0	6.11	0	0	11.4
2019	11	24	1	2	9	35	0	0	0	0	0	0	0	6.08	0	0	11.4
2019	11	24	1	12	9	35	0	0	0	0	0	0	0	6.07	0	0	11.4
2019	11	24	1	22	9	35	0	0	0	0	0	0	0	6.05	0	0	11.4
2019	11	24	1	32	9	35	0	0	0	0	0	0	0	6.02	0	0	11.4
2019	11	24	1	42	9	35	0	0	0	0	0	0	0	6	0	0	11.4
2019	11	24	1	52	9	35	0	0	0	0	0	0	0	5.98	0	0	11.4
2019	11	24	2	2	9	35	0	0	0	0	0	0	0	5.96	0	0	11.4
2019	11	24	2	12	9	35	0	0	0	0	0	0	0	5.94	0	0	11.4
2019	11	24	2	22	9	35	0	0	0	0	0	0	0	5.92	0	0	11.4
2019	11	24	2	32	9	35	0	0	0	0	0	0	0	5.91	0	0	11.4
2019	11	24	2	42	9	35	0	0	0	0	0	0	0	5.89	0	0	11.4
2019	11	24	2	52	9	35	0	0	0	0	0	0	0	5.87	0	0	11.4
2019	11	24	3	2	9	35	0	0	0	0	0	0	0	5.85	0	0	11.4
2019	11	24	3	12	9	35	0	0	0	0	0	0	0	5.84	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	24	3	22	9	36	0	0	0	0	0	0	0	5.82	0	0	11.4
2019	11	24	3	32	9	35	0	0	0	0	0	0	0	5.8	0	0	11.4
2019	11	24	3	42	9	36	0	0	0	0	0	0	0	5.79	0	0	11.4
2019	11	24	3	52	9	35	0	0	0	0	0	0	0	5.77	0	0	11.4
2019	11	24	4	2	9	35	0	0	0	0	0	0	0	5.76	0	0	11.4
2019	11	24	4	12	9	35	0	0	0	0	0	0	0	5.74	0	0	11.4
2019	11	24	4	22	9	35	0	0	0	0	0	0	0	5.73	0	0	11.4
2019	11	24	4	32	9	35	0	0	0	0	0	0	0	5.71	0	0	11.4
2019	11	24	4	42	9	36	0	0	0	0	0	0	0	5.69	0	0	11.4
2019	11	24	4	52	9	36	0	0	0	0	0	0	0	5.68	0	0	11.4
2019	11	24	5	2	9	35	0	0	0	0	0	0	0	5.67	0	0	11.4
2019	11	24	5	12	9	35	0	0	0	0	0	0	0	5.65	0	0	11.4
2019	11	24	5	22	9	35	0	0	0	0	0	0	0	5.64	0	0	11.4
2019	11	24	5	32	9	35	0	0	0	0	0	0	0	5.63	0	0	11.4
2019	11	24	5	42	9	35	0	0	0	0	0	0	0	5.62	0	0	11.4
2019	11	24	5	52	9	35	0	0	0	0	0	0	0	5.61	0	0	11.4
2019	11	24	6	2	9	35	0	0	0	0	0	0	0	5.59	0	0	11.4
2019	11	24	6	12	9	35	0	0	0	0	0	0	0	5.58	0	0	11.4
2019	11	24	6	22	9	35	0	0	0	0	0	0	0	5.57	0	0	11.4
2019	11	24	6	32	9	35	0	0	0	0	0	0	0	5.56	0	0	11.4
2019	11	24	6	42	9	35	0	0	0	0	0	0	0	5.55	0	0	11.4
2019	11	24	6	52	9	36	0	0	0	0	0	0	0	5.54	0	0	11.4
2019	11	24	7	2	9	35	0	0	0	0	0	0	0	5.53	0	0	11.4
2019	11	24	7	12	9	35	0	0	0	0	0	0	0	5.52	0	0	11.6
2019	11	24	7	22	9	35	0	0	0	0	0	0	0	5.51	0	0	11.8
2019	11	24	7	32	9	35	0	0	0	0	0	0	0	5.51	0	0	12
2019	11	24	7	42	9	35	0	0	0	0	0	0	0	5.5	0	0	12.2
2019	11	24	7	52	9	36	0	0	0	0	0	0	0	5.5	0	0	12.4
2019	11	24	8	2	9	35	0	0	0	0	0	0	0	5.51	0	0	12.6
2019	11	24	8	12	9	36	0	0	0	0	0	0	0	5.52	0	0	12.6
2019	11	24	8	22	9	35	0	0	0	0	0	0	0	5.53	0	0	12.6
2019	11	24	8	32	9	35	0	0	0	0	0	0	0	5.53	0	0	12.8
2019	11	24	8	42	9	35	0	0	0	0	0	0	0	5.54	0	0	12.8
2019	11	24	8	52	9	35	0	0	0	0	0	0	0	5.55	0	0	12.8
2019	11	24	9	2	9	35	0	0	0	0	0	0	0	5.57	0	0	12.8
2019	11	24	9	12	9	35	0	0	0	0	0	0	0	5.58	0	0	13
2019	11	24	9	22	9	35	0	0	0	0	0	0	0	5.6	0	0	13
2019	11	24	9	32	9	35	0	0	0	0	0	0	0	5.61	0	0	13.2
2019	11	24	9	42	9	35	0	0	0	0	0	0	0	5.63	0	0	13.2
2019	11	24	9	52	9	36	0	0	0	0	0	0	0	5.65	0	0	13.4
2019	11	24	10	2	9	35	0	0	0	0	0	0	0	5.67	0	0	13.6
2019	11	24	10	12	9	35	0	0	0	0	0	0	0	5.69	0	0	13.6
2019	11	24	10	22	9	36	0	0	0	0	0	0	0	5.7	0	0	13.6
2019	11	24	10	32	9	35	0	0	0	0	0	0	0	5.73	0	0	13.6
2019	11	24	10	42	9	35	0	0	0	0	0	0	0	5.75	0	0	13.6
2019	11	24	10	52	9	36	0	0	0	0	0	0	0	5.77	0	0	13.6
2019	11	24	11	2	9	35	0	0	0	0	0	0	0	5.78	0	0	13.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	24	11	12	9	35	0	0	0	0	0	0	0	5.8	0	0	13.6
2019	11	24	11	22	9	35	0	0	0	0	0	0	0	5.82	0	0	13.6
2019	11	24	11	32	9	35	0	0	0	0	0	0	0	5.83	0	0	13.4
2019	11	24	11	42	9	35	0	0	0	0	0	0	0	5.86	0	0	13.4
2019	11	24	11	52	9	35	0	0	0	0	0	0	0	5.87	0	0	13.4
2019	11	24	12	2	9	35	0	0	0	0	0	0	0	5.89	0	0	13.4
2019	11	24	12	12	9	35	0	0	0	0	0	0	0	5.91	0	0	13.4
2019	11	24	12	22	9	35	0	0	0	0	0	0	0	5.92	0	0	13.4
2019	11	24	12	32	9	35	0	0	0	0	0	0	0	5.94	0	0	13.4
2019	11	24	12	42	9	35	0	0	0	0	0	0	0	5.95	0	0	13.4
2019	11	24	12	52	9	35	0	0	0	0	0	0	0	5.96	0	0	13.2
2019	11	24	13	2	9	35	0	0	0	0	0	0	0	5.98	0	0	13.2
2019	11	24	13	12	9	36	0	0	0	0	0	0	0	6	0	0	13.2
2019	11	24	13	22	9	35	0	0	0	0	0	0	0	6.01	0	0	13.2
2019	11	24	13	32	9	35	0	0	0	0	0	0	0	6.02	0	0	13.2
2019	11	24	13	42	9	35	0	0	0	0	0	0	0	6.04	0	0	13.2
2019	11	24	13	52	9	36	0	0	0	0	0	0	0	6.06	0	0	13.2
2019	11	24	14	2	9	35	0	0	0	0	0	0	0	6.07	0	0	13.2
2019	11	24	14	12	9	35	0	0	0	0	0	0	0	6.08	0	0	13.2
2019	11	24	14	22	9	36	0	0	0	0	0	0	0	6.09	0	0	13.2
2019	11	24	14	32	9	35	0	0	0	0	0	0	0	6.11	0	0	13.2
2019	11	24	14	42	9	35	0	0	0	0	0	0	0	6.12	0	0	13.2
2019	11	24	14	52	9	35	0	0	0	0	0	0	0	6.13	0	0	13.2
2019	11	24	15	2	9	35	0	0	0	0	0	0	0	6.14	0	0	13.2
2019	11	24	15	12	9	35	0	0	0	0	0	0	0	6.14	0	0	13.2
2019	11	24	15	22	9	35	0	0	0	0	0	0	0	6.15	0	0	12.6
2019	11	24	15	32	9	35	0	0	0	0	0	0	0	6.16	0	0	12.2
2019	11	24	15	42	9	35	0	0	0	0	0	0	0	6.17	0	0	12.2
2019	11	24	15	52	9	35	0	0	0	0	0	0	0	6.19	0	0	11.8
2019	11	24	16	2	9	35	0	0	0	0	0	0	0	6.2	0	0	11.8
2019	11	24	16	12	9	35	0	0	0	0	0	0	0	6.21	0	0	11.8
2019	11	24	16	22	9	35	0	0	0	0	0	0	0	6.22	0	0	11.8
2019	11	24	16	32	9	35	0	0	0	0	0	0	0	6.23	0	0	11.8
2019	11	24	16	42	9	35	0	0	0	0	0	0	0	6.24	0	0	11.8
2019	11	24	16	52	9	35	0	0	0	0	0	0	0	6.25	0	0	11.8
2019	11	24	17	2	9	35	0	0	0	0	0	0	0	6.26	0	0	11.8
2019	11	24	17	12	9	35	0	0	0	0	0	0	0	6.26	0	0	11.6
2019	11	24	17	22	9	35	0	0	0	0	0	0	0	6.27	0	0	11.6
2019	11	24	17	32	9	35	0	0	0	0	0	0	0	6.26	0	0	11.6
2019	11	24	17	42	9	35	0	0	0	0	0	0	0	6.26	0	0	11.6
2019	11	24	17	52	9	35	0	0	0	0	0	0	0	6.26	0	0	11.6
2019	11	24	18	2	9	35	0	0	0	0	0	0	0	6.25	0	0	11.6
2019	11	24	18	12	9	35	0	0	0	0	0	0	0	6.24	0	0	11.6
2019	11	24	18	22	9	35	0	0	0	0	0	0	0	6.23	0	0	11.6
2019	11	24	18	32	9	35	0	0	0	0	0	0	0	6.21	0	0	11.6
2019	11	24	18	42	9	35	0	0	0	0	0	0	0	6.2	0	0	11.6
2019	11	24	18	52	9	34	0	0	0	0	0	0	0	6.19	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	24	19	2	9	35	0	0	0	0	0	0	0	6.17	0	0	11.6
2019	11	24	19	12	9	35	0	0	0	0	0	0	0	6.15	0	0	11.6
2019	11	24	19	22	9	35	0	0	0	0	0	0	0	6.14	0	0	11.6
2019	11	24	19	32	9	35	0	0	0	0	0	0	0	6.13	0	0	11.6
2019	11	24	19	42	9	35	0	0	0	0	0	0	0	6.1	0	0	11.6
2019	11	24	19	52	9	35	0	0	0	0	0	0	0	6.09	0	0	11.6
2019	11	24	20	2	9	36	0	0	0	0	0	0	0	6.07	0	0	11.6
2019	11	24	20	12	9	35	0	0	0	0	0	0	0	6.05	0	0	11.6
2019	11	24	20	22	9	35	0	0	0	0	0	0	0	6.03	0	0	11.6
2019	11	24	20	32	9	35	0	0	0	0	0	0	0	6.01	0	0	11.6
2019	11	24	20	42	9	34	0	0	0	0	0	0	0	5.99	0	0	11.6
2019	11	24	20	52	9	35	0	0	0	0	0	0	0	5.97	0	0	11.6
2019	11	24	21	2	9	35	0	0	0	0	0	0	0	5.95	0	0	11.6
2019	11	24	21	12	9	35	0	0	0	0	0	0	0	5.93	0	0	11.6
2019	11	24	21	22	9	35	0	0	0	0	0	0	0	5.91	0	0	11.6
2019	11	24	21	32	9	36	0	0	0	0	0	0	0	5.89	0	0	11.6
2019	11	24	21	42	9	35	0	0	0	0	0	0	0	5.87	0	0	11.6
2019	11	24	21	52	9	35	0	0	0	0	0	0	0	5.85	0	0	11.6
2019	11	24	22	2	9	35	0	0	0	0	0	0	0	5.83	0	0	11.6
2019	11	24	22	12	9	35	0	0	0	0	0	0	0	5.8	0	0	11.6
2019	11	24	22	22	9	35	0	0	0	0	0	0	0	5.79	0	0	11.6
2019	11	24	22	32	9	35	0	0	0	0	0	0	0	5.77	0	0	11.6
2019	11	24	22	42	9	35	0	0	0	0	0	0	0	5.75	0	0	11.6
2019	11	24	22	52	9	35	0	0	0	0	0	0	0	5.73	0	0	11.6
2019	11	24	23	2	9	35	0	0	0	0	0	0	0	5.71	0	0	11.4
2019	11	24	23	12	9	35	0	0	0	0	0	0	0	5.69	0	0	11.4
2019	11	24	23	22	9	35	0	0	0	0	0	0	0	5.66	0	0	11.4
2019	11	24	23	32	9	35	0	0	0	0	0	0	0	5.64	0	0	11.4
2019	11	24	23	42	9	36	0	0	0	0	0	0	0	5.62	0	0	11.4
2019	11	24	23	52	9	35	0	0	0	0	0	0	0	5.6	0	0	11.4
2019	11	25	0	2	9	35	0	0	0	0	0	0	0	5.58	0	0	11.4
2019	11	25	0	12	9	36	0	0	0	0	0	0	0	5.55	0	0	11.4
2019	11	25	0	22	9	35	0	0	0	0	0	0	0	5.53	0	0	11.4
2019	11	25	0	32	9	35	0	0	0	0	0	0	0	5.51	0	0	11.4
2019	11	25	0	42	9	35	0	0	0	0	0	0	0	5.48	0	0	11.4
2019	11	25	0	52	9	35	0	0	0	0	0	0	0	5.46	0	0	11.4
2019	11	25	1	2	9	36	0	0	0	0	0	0	0	5.44	0	0	11.4
2019	11	25	1	12	9	35	0	0	0	0	0	0	0	5.41	0	0	11.4
2019	11	25	1	22	9	36	0	0	0	0	0	0	0	5.39	0	0	11.4
2019	11	25	1	32	9	35	0	0	0	0	0	0	0	5.36	0	0	11.4
2019	11	25	1	42	9	34	0	0	0	0	0	0	0	5.34	0	0	11.4
2019	11	25	1	52	9	35	0	0	0	0	0	0	0	5.32	0	0	11.4
2019	11	25	2	2	9	35	0	0	0	0	0	0	0	5.3	0	0	11.4
2019	11	25	2	12	9	35	0	0	0	0	0	0	0	5.27	0	0	11.4
2019	11	25	2	22	9	35	0	0	0	0	0	0	0	5.26	0	0	11.4
2019	11	25	2	32	9	36	0	0	0	0	0	0	0	5.24	0	0	11.4
2019	11	25	2	42	9	35	0	0	0	0	0	0	0	5.22	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	25	2	52	9	35	0	0	0	0	0	0	0	5.2	0	0	11.4
2019	11	25	3	2	9	36	0	0	0	0	0	0	0	5.19	0	0	11.4
2019	11	25	3	12	9	35	0	0	0	0	0	0	0	5.17	0	0	11.4
2019	11	25	3	22	9	35	0	0	0	0	0	0	0	5.15	0	0	11.4
2019	11	25	3	32	9	35	0	0	0	0	0	0	0	5.13	0	0	11.4
2019	11	25	3	42	9	35	0	0	0	0	0	0	0	5.11	0	0	11.4
2019	11	25	3	52	9	35	0	0	0	0	0	0	0	5.1	0	0	11.4
2019	11	25	4	2	9	35	0	0	0	0	0	0	0	5.09	0	0	11.4
2019	11	25	4	12	9	35	0	0	0	0	0	0	0	5.07	0	0	11.4
2019	11	25	4	22	9	36	0	0	0	0	0	0	0	5.06	0	0	11.4
2019	11	25	4	32	9	35	0	0	0	0	0	0	0	5.05	0	0	11.4
2019	11	25	4	42	9	36	0	0	0	0	0	0	0	5.04	0	0	11.4
2019	11	25	4	52	9	35	0	0	0	0	0	0	0	5.03	0	0	11.4
2019	11	25	5	2	9	36	0	0	0	0	0	0	0	5.01	0	0	11.4
2019	11	25	5	12	9	35	0	0	0	0	0	0	0	5.01	0	0	11.4
2019	11	25	5	22	9	36	0	0	0	0	0	0	0	4.99	0	0	11.4
2019	11	25	5	32	9	35	0	0	0	0	0	0	0	4.98	0	0	11.4
2019	11	25	5	42	9	34	0	0	0	0	0	0	0	4.97	0	0	11.4
2019	11	25	5	52	9	35	0	0	0	0	0	0	0	4.96	0	0	11.4
2019	11	25	6	2	9	35	0	0	0	0	0	0	0	4.94	0	0	11.4
2019	11	25	6	12	9	36	0	0	0	0	0	0	0	4.93	0	0	11.4
2019	11	25	6	22	9	36	0	0	0	0	0	0	0	4.92	0	0	11.4
2019	11	25	6	32	9	35	0	0	0	0	0	0	0	4.91	0	0	11.4
2019	11	25	6	42	9	35	0	0	0	0	0	0	0	4.91	0	0	11.4
2019	11	25	6	52	9	35	0	0	0	0	0	0	0	4.89	0	0	11.4
2019	11	25	7	2	9	36	0	0	0	0	0	0	0	4.88	0	0	11.4
2019	11	25	7	12	9	35	0	0	0	0	0	0	0	4.88	0	0	11.6
2019	11	25	7	22	9	35	0	0	0	0	0	0	0	4.87	0	0	11.8
2019	11	25	7	32	9	35	0	0	0	0	0	0	0	4.87	0	0	12
2019	11	25	7	42	9	35	0	0	0	0	0	0	0	4.86	0	0	12.2
2019	11	25	7	52	9	36	0	0	0	0	0	0	0	4.86	0	0	12.4
2019	11	25	8	2	9	35	0	0	0	0	0	0	0	4.88	0	0	12.6
2019	11	25	8	12	9	35	0	0	0	0	0	0	0	4.89	0	0	12.6
2019	11	25	8	22	9	35	0	0	0	0	0	0	0	4.9	0	0	12.6
2019	11	25	8	32	9	36	0	0	0	0	0	0	0	4.92	0	0	12.8
2019	11	25	8	42	9	36	0	0	0	0	0	0	0	4.93	0	0	12.8
2019	11	25	8	52	9	35	0	0	0	0	0	0	0	4.96	0	0	13
2019	11	25	9	2	9	36	0	0	0	0	0	0	0	4.98	0	0	12.8
2019	11	25	9	12	9	35	0	0	0	0	0	0	0	5	0	0	13
2019	11	25	9	22	9	35	0	0	0	0	0	0	0	5.01	0	0	12.6
2019	11	25	9	32	9	35	0	0	0	0	0	0	0	5.02	0	0	13.2
2019	11	25	9	42	9	36	0	0	0	0	0	0	0	5.04	0	0	13.2
2019	11	25	9	52	9	36	0	0	0	0	0	0	0	5.06	0	0	13.2
2019	11	25	10	2	9	35	0	0	0	0	0	0	0	5.09	0	0	13.6
2019	11	25	10	12	9	35	0	0	0	0	0	0	0	5.11	0	0	13.6
2019	11	25	10	22	9	35	0	0	0	0	0	0	0	5.13	0	0	13.6
2019	11	25	10	32	9	35	0	0	0	0	0	0	0	5.15	0	0	13.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	25	10	42	9	35	0	0	0	0	0	0	0	5.17	0	0	13.6
2019	11	25	10	52	9	35	0	0	0	0	0	0	0	5.19	0	0	13.6
2019	11	25	11	2	9	35	0	0	0	0	0	0	0	5.21	0	0	13.6
2019	11	25	11	12	9	36	0	0	0	0	0	0	0	5.22	0	0	13.6
2019	11	25	11	22	9	36	0	0	0	0	0	0	0	5.23	0	0	13.6
2019	11	25	11	32	9	36	0	0	0	0	0	0	0	5.24	0	0	13.6
2019	11	25	11	42	9	35	0	0	0	0	0	0	0	5.25	0	0	13.6
2019	11	25	11	52	9	35	0	0	0	0	0	0	0	5.25	0	0	13.6
2019	11	25	12	2	9	35	0	0	0	0	0	0	0	5.25	0	0	13.6
2019	11	25	12	12	9	35	0	0	0	0	0	0	0	5.25	0	0	13.6
2019	11	25	12	22	9	35	0	0	0	0	0	0	0	5.27	0	0	13.6
2019	11	25	12	32	9	35	0	0	0	0	0	0	0	5.28	0	0	13.6
2019	11	25	12	42	9	35	0	0	0	0	0	0	0	5.29	0	0	13.6
2019	11	25	12	52	9	35	0	0	0	0	0	0	0	5.3	0	0	13.6
2019	11	25	13	2	9	35	0	0	0	0	0	0	0	5.31	0	0	13.6
2019	11	25	13	12	9	35	0	0	0	0	0	0	0	5.33	0	0	13.6
2019	11	25	13	22	9	35	0	0	0	0	0	0	0	5.33	0	0	13.6
2019	11	25	13	32	9	35	0	0	0	0	0	0	0	5.34	0	0	13.6
2019	11	25	13	42	9	36	0	0	0	0	0	0	0	5.35	0	0	13.6
2019	11	25	13	52	9	35	0	0	0	0	0	0	0	5.36	0	0	13.6
2019	11	25	14	2	9	35	0	0	0	0	0	0	0	5.37	0	0	13.6
2019	11	25	14	12	9	35	0	0	0	0	0	0	0	5.37	0	0	13.6
2019	11	25	14	22	9	35	0	0	0	0	0	0	0	5.38	0	0	13.6
2019	11	25	14	32	9	35	0	0	0	0	0	0	0	5.38	0	0	13.6
2019	11	25	14	42	9	35	0	0	0	0	0	0	0	5.37	0	0	13.6
2019	11	25	14	52	9	35	0	0	0	0	0	0	0	5.38	0	0	13.6
2019	11	25	15	2	9	35	0	0	0	0	0	0	0	5.37	0	0	13.6
2019	11	25	15	12	9	35	0	0	0	0	0	0	0	5.37	0	0	13.6
2019	11	25	15	22	9	35	0	0	0	0	0	0	0	5.37	0	0	12.6
2019	11	25	15	32	9	35	0	0	0	0	0	0	0	5.37	0	0	12.2
2019	11	25	15	42	9	36	0	0	0	0	0	0	0	5.36	0	0	12
2019	11	25	15	52	9	35	0	0	0	0	0	0	0	5.36	0	0	11.8
2019	11	25	16	2	9	35	0	0	0	0	0	0	0	5.36	0	0	11.8
2019	11	25	16	12	9	36	0	0	0	0	0	0	0	5.36	0	0	11.8
2019	11	25	16	22	9	35	0	0	0	0	0	0	0	5.35	0	0	11.8
2019	11	25	16	32	9	35	0	0	0	0	0	0	0	5.35	0	0	11.8
2019	11	25	16	42	9	35	0	0	0	0	0	0	0	5.35	0	0	11.8
2019	11	25	16	52	9	34	0	0	0	0	0	0	0	5.35	0	0	11.6
2019	11	25	17	2	9	35	0	0	0	0	0	0	0	5.34	0	0	11.6
2019	11	25	17	12	9	35	0	0	0	0	0	0	0	5.34	0	0	11.6
2019	11	25	17	22	9	35	0	0	0	0	0	0	0	5.33	0	0	11.6
2019	11	25	17	32	9	35	0	0	0	0	0	0	0	5.32	0	0	11.6
2019	11	25	17	42	9	35	0	0	0	0	0	0	0	5.32	0	0	11.6
2019	11	25	17	52	9	35	0	0	0	0	0	0	0	5.31	0	0	11.6
2019	11	25	18	2	9	36	0	0	0	0	0	0	0	5.31	0	0	11.6
2019	11	25	18	12	9	35	0	0	0	0	0	0	0	5.3	0	0	11.6
2019	11	25	18	22	9	36	0	0	0	0	0	0	0	5.29	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	25	18	32	9	36	0	0	0	0	0	0	0	5.28	0	0	11.6
2019	11	25	18	42	9	36	0	0	0	0	0	0	0	5.27	0	0	11.6
2019	11	25	18	52	9	35	0	0	0	0	0	0	0	5.26	0	0	11.6
2019	11	25	19	2	9	35	0	0	0	0	0	0	0	5.24	0	0	11.6
2019	11	25	19	12	9	35	0	0	0	0	0	0	0	5.23	0	0	11.6
2019	11	25	19	22	9	36	0	0	0	0	0	0	0	5.22	0	0	11.6
2019	11	25	19	32	9	35	0	0	0	0	0	0	0	5.21	0	0	11.6
2019	11	25	19	42	9	35	0	0	0	0	0	0	0	5.19	0	0	11.6
2019	11	25	19	52	9	35	0	0	0	0	0	0	0	5.18	0	0	11.6
2019	11	25	20	2	9	35	0	0	0	0	0	0	0	5.17	0	0	11.6
2019	11	25	20	12	9	35	0	0	0	0	0	0	0	5.16	0	0	11.6
2019	11	25	20	22	9	35	0	0	0	0	0	0	0	5.15	0	0	11.6
2019	11	25	20	32	9	35	0	0	0	0	0	0	0	5.13	0	0	11.6
2019	11	25	20	42	9	35	0	0	0	0	0	0	0	5.12	0	0	11.6
2019	11	25	20	52	9	35	0	0	0	0	0	0	0	5.11	0	0	11.6
2019	11	25	21	2	9	36	0	0	0	0	0	0	0	5.09	0	0	11.6
2019	11	25	21	12	9	35	0	0	0	0	0	0	0	5.08	0	0	11.6
2019	11	25	21	22	9	36	0	0	0	0	0	0	0	5.07	0	0	11.6
2019	11	25	21	32	9	35	0	0	0	0	0	0	0	5.05	0	0	11.6
2019	11	25	21	42	9	36	0	0	0	0	0	0	0	5.04	0	0	11.6
2019	11	25	21	52	9	35	0	0	0	0	0	0	0	5.03	0	0	11.6
2019	11	25	22	2	9	35	0	0	0	0	0	0	0	5.02	0	0	11.6
2019	11	25	22	12	9	35	0	0	0	0	0	0	0	5	0	0	11.6
2019	11	25	22	22	9	36	0	0	0	0	0	0	0	4.99	0	0	11.6
2019	11	25	22	32	9	35	0	0	0	0	0	0	0	4.98	0	0	11.6
2019	11	25	22	42	9	35	0	0	0	0	0	0	0	4.97	0	0	11.6
2019	11	25	22	52	9	36	0	0	0	0	0	0	0	4.95	0	0	11.6
2019	11	25	23	2	9	36	0	0	0	0	0	0	0	4.94	0	0	11.6
2019	11	25	23	12	9	36	0	0	0	0	0	0	0	4.92	0	0	11.6
2019	11	25	23	22	9	35	0	0	0	0	0	0	0	4.91	0	0	11.6
2019	11	25	23	32	9	35	0	0	0	0	0	0	0	4.9	0	0	11.6
2019	11	25	23	42	9	35	0	0	0	0	0	0	0	4.89	0	0	11.6
2019	11	25	23	52	9	35	0	0	0	0	0	0	0	4.87	0	0	11.6
2019	11	26	0	2	9	35	0	0	0	0	0	0	0	4.86	0	0	11.6
2019	11	26	0	12	9	35	0	0	0	0	0	0	0	4.85	0	0	11.6
2019	11	26	0	22	9	35	0	0	0	0	0	0	0	4.84	0	0	11.4
2019	11	26	0	32	9	35	0	0	0	0	0	0	0	4.82	0	0	11.6
2019	11	26	0	42	9	35	0	0	0	0	0	0	0	4.81	0	0	11.6
2019	11	26	0	52	9	35	0	0	0	0	0	0	0	4.8	0	0	11.4
2019	11	26	1	2	9	35	0	0	0	0	0	0	0	4.79	0	0	11.4
2019	11	26	1	12	9	36	0	0	0	0	0	0	0	4.78	0	0	11.4
2019	11	26	1	22	9	35	0	0	0	0	0	0	0	4.77	0	0	11.4
2019	11	26	1	32	9	35	0	0	0	0	0	0	0	4.76	0	0	11.4
2019	11	26	1	42	9	34	0	0	0	0	0	0	0	4.75	0	0	11.4
2019	11	26	1	52	9	35	0	0	0	0	0	0	0	4.73	0	0	11.4
2019	11	26	2	2	9	35	0	0	0	0	0	0	0	4.72	0	0	11.4
2019	11	26	2	12	9	36	0	0	0	0	0	0	0	4.71	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	26	2	22	9	35	0	0	0	0	0	0	0	4.69	0	0	11.4
2019	11	26	2	32	9	35	0	0	0	0	0	0	0	4.68	0	0	11.4
2019	11	26	2	42	9	36	0	0	0	0	0	0	0	4.67	0	0	11.4
2019	11	26	2	52	9	36	0	0	0	0	0	0	0	4.65	0	0	11.4
2019	11	26	3	2	9	35	0	0	0	0	0	0	0	4.64	0	0	11.4
2019	11	26	3	12	9	36	0	0	0	0	0	0	0	4.63	0	0	11.4
2019	11	26	3	22	9	35	0	0	0	0	0	0	0	4.61	0	0	11.4
2019	11	26	3	32	9	35	0	0	0	0	0	0	0	4.6	0	0	11.4
2019	11	26	3	42	9	36	0	0	0	0	0	0	0	4.58	0	0	11.4
2019	11	26	3	52	9	34	0	0	0	0	0	0	0	4.57	0	0	11.4
2019	11	26	4	2	9	36	0	0	0	0	0	0	0	4.56	0	0	11.4
2019	11	26	4	12	9	36	0	0	0	0	0	0	0	4.55	0	0	11.4
2019	11	26	4	22	9	36	0	0	0	0	0	0	0	4.53	0	0	11.4
2019	11	26	4	32	9	35	0	0	0	0	0	0	0	4.52	0	0	11.4
2019	11	26	4	42	9	36	0	0	0	0	0	0	0	4.51	0	0	11.4
2019	11	26	4	52	9	35	0	0	0	0	0	0	0	4.5	0	0	11.4
2019	11	26	5	2	9	35	0	0	0	0	0	0	0	4.49	0	0	11.4
2019	11	26	5	12	9	36	0	0	0	0	0	0	0	4.49	0	0	11.4
2019	11	26	5	22	9	35	0	0	0	0	0	0	0	4.48	0	0	11.4
2019	11	26	5	32	9	35	0	0	0	0	0	0	0	4.47	0	0	11.4
2019	11	26	5	42	9	35	0	0	0	0	0	0	0	4.47	0	0	11.4
2019	11	26	5	52	9	36	0	0	0	0	0	0	0	4.46	0	0	11.4
2019	11	26	6	2	9	36	0	0	0	0	0	0	0	4.45	0	0	11.4
2019	11	26	6	12	9	36	0	0	0	0	0	0	0	4.44	0	0	11.4
2019	11	26	6	22	9	35	0	0	0	0	0	0	0	4.44	0	0	11.4
2019	11	26	6	32	9	35	0	0	0	0	0	0	0	4.43	0	0	11.4
2019	11	26	6	42	9	35	0	0	0	0	0	0	0	4.42	0	0	11.4
2019	11	26	6	52	9	36	0	0	0	0	0	0	0	4.41	0	0	11.4
2019	11	26	7	2	9	35	0	0	0	0	0	0	0	4.4	0	0	11.4
2019	11	26	7	12	9	36	0	0	0	0	0	0	0	4.39	0	0	11.4
2019	11	26	7	22	9	36	0	0	0	0	0	0	0	4.38	0	0	11.8
2019	11	26	7	32	9	35	0	0	0	0	0	0	0	4.38	0	0	12
2019	11	26	7	42	9	36	0	0	0	0	0	0	0	4.37	0	0	12.2
2019	11	26	7	52	9	35	0	0	0	0	0	0	0	4.37	0	0	12.4
2019	11	26	8	2	9	36	0	0	0	0	0	0	0	4.38	0	0	12.4
2019	11	26	8	12	9	35	0	0	0	0	0	0	0	4.39	0	0	12.4
2019	11	26	8	22	9	35	0	0	0	0	0	0	0	4.39	0	0	12.6
2019	11	26	8	32	9	35	0	0	0	0	0	0	0	4.4	0	0	12.6
2019	11	26	8	42	9	36	0	0	0	0	0	0	0	4.41	0	0	12.6
2019	11	26	8	52	9	36	0	0	0	0	0	0	0	4.43	0	0	12.8
2019	11	26	9	2	9	36	0	0	0	0	0	0	0	4.44	0	0	12.8
2019	11	26	9	12	9	35	0	0	0	0	0	0	0	4.45	0	0	12.8
2019	11	26	9	22	9	36	0	0	0	0	0	0	0	4.47	0	0	13
2019	11	26	9	32	9	36	0	0	0	0	0	0	0	4.48	0	0	13
2019	11	26	9	42	9	35	0	0	0	0	0	0	0	4.49	0	0	13.2
2019	11	26	9	52	9	36	0	0	0	0	0	0	0	4.51	0	0	13.2
2019	11	26	10	2	9	35	0	0	0	0	0	0	0	4.52	0	0	13.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	26	10	12	9	35	0	0	0	0	0	0	0	4.53	0	0	13.6
2019	11	26	10	22	9	35	0	0	0	0	0	0	0	4.55	0	0	13.6
2019	11	26	10	32	9	35	0	0	0	0	0	0	0	4.56	0	0	13.6
2019	11	26	10	42	9	36	0	0	0	0	0	0	0	4.58	0	0	13.6
2019	11	26	10	52	9	35	0	0	0	0	0	0	0	4.59	0	0	13.6
2019	11	26	11	2	9	35	0	0	0	0	0	0	0	4.6	0	0	13.6
2019	11	26	11	12	9	36	0	0	0	0	0	0	0	4.6	0	0	13.6
2019	11	26	11	22	9	36	0	0	0	0	0	0	0	4.6	0	0	13.6
2019	11	26	11	32	9	35	0	0	0	0	0	0	0	4.6	0	0	13.6
2019	11	26	11	42	9	35	0	0	0	0	0	0	0	4.62	0	0	13.6
2019	11	26	11	52	9	35	0	0	0	0	0	0	0	4.63	0	0	13.6
2019	11	26	12	2	9	36	0	0	0	0	0	0	0	4.66	0	0	13.6
2019	11	26	12	12	9	36	0	0	0	0	0	0	0	4.67	0	0	13.6
2019	11	26	12	22	9	35	0	0	0	0	0	0	0	4.69	0	0	13.8
2019	11	26	12	32	9	35	0	0	0	0	0	0	0	4.68	0	0	13.6
2019	11	26	12	42	9	36	0	0	0	0	0	0	0	4.68	0	0	13.6
2019	11	26	12	52	9	35	0	0	0	0	0	0	0	4.7	0	0	13.6
2019	11	26	13	2	9	35	0	0	0	0	0	0	0	4.71	0	0	13.6
2019	11	26	13	12	9	36	0	0	0	0	0	0	0	4.73	0	0	13.6
2019	11	26	13	22	9	35	0	0	0	0	0	0	0	4.74	0	0	13.6
2019	11	26	13	32	9	35	0	0	0	0	0	0	0	4.75	0	0	13.6
2019	11	26	13	42	9	36	0	0	0	0	0	0	0	4.75	0	0	13.6
2019	11	26	13	52	9	35	0	0	0	0	0	0	0	4.76	0	0	13.6
2019	11	26	14	2	9	36	0	0	0	0	0	0	0	4.76	0	0	13.6
2019	11	26	14	12	9	35	0	0	0	0	0	0	0	4.76	0	0	13.6
2019	11	26	14	22	9	35	0	0	0	0	0	0	0	4.76	0	0	13.6
2019	11	26	14	32	9	35	0	0	0	0	0	0	0	4.77	0	0	13.6
2019	11	26	14	42	9	35	0	0	0	0	0	0	0	4.77	0	0	13.6
2019	11	26	14	52	9	35	0	0	0	0	0	0	0	4.77	0	0	13.4
2019	11	26	15	2	9	35	0	0	0	0	0	0	0	4.76	0	0	12.4
2019	11	26	15	12	9	35	0	0	0	0	0	0	0	4.75	0	0	12.2
2019	11	26	15	22	9	35	0	0	0	0	0	0	0	4.76	0	0	12.4
2019	11	26	15	32	9	35	0	0	0	0	0	0	0	4.75	0	0	12
2019	11	26	15	42	9	35	0	0	0	0	0	0	0	4.76	0	0	11.8
2019	11	26	15	52	9	35	0	0	0	0	0	0	0	4.76	0	0	11.8
2019	11	26	16	2	9	35	0	0	0	0	0	0	0	4.76	0	0	11.8
2019	11	26	16	12	9	35	0	0	0	0	0	0	0	4.76	0	0	11.8
2019	11	26	16	22	9	35	0	0	0	0	0	0	0	4.77	0	0	11.8
2019	11	26	16	32	9	36	0	0	0	0	0	0	0	4.77	0	0	11.8
2019	11	26	16	42	9	35	0	0	0	0	0	0	0	4.77	0	0	11.8
2019	11	26	16	52	9	35	0	0	0	0	0	0	0	4.77	0	0	11.8
2019	11	26	17	2	9	35	0	0	0	0	0	0	0	4.77	0	0	11.8
2019	11	26	17	12	9	35	0	0	0	0	0	0	0	4.77	0	0	11.8
2019	11	26	17	22	9	35	0	0	0	0	0	0	0	4.77	0	0	11.8
2019	11	26	17	32	9	36	0	0	0	0	0	0	0	4.77	0	0	11.8
2019	11	26	17	42	9	35	0	0	0	0	0	0	0	4.76	0	0	11.8
2019	11	26	17	52	9	36	0	0	0	0	0	0	0	4.76	0	0	11.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	26	18	2	9	35	0	0	0	0	0	0	0	4.76	0	0	11.8
2019	11	26	18	12	9	35	0	0	0	0	0	0	0	4.76	0	0	11.8
2019	11	26	18	22	9	35	0	0	0	0	0	0	0	4.75	0	0	11.8
2019	11	26	18	32	9	35	0	0	0	0	0	0	0	4.74	0	0	11.8
2019	11	26	18	42	9	35	0	0	0	0	0	0	0	4.74	0	0	11.6
2019	11	26	18	52	9	35	0	0	0	0	0	0	0	4.72	0	0	11.6
2019	11	26	19	2	9	36	0	0	0	0	0	0	0	4.72	0	0	11.6
2019	11	26	19	12	9	35	0	0	0	0	0	0	0	4.71	0	0	11.6
2019	11	26	19	22	9	35	0	0	0	0	0	0	0	4.7	0	0	11.6
2019	11	26	19	32	9	35	0	0	0	0	0	0	0	4.69	0	0	11.6
2019	11	26	19	42	9	35	0	0	0	0	0	0	0	4.68	0	0	11.6
2019	11	26	19	52	9	35	0	0	0	0	0	0	0	4.67	0	0	11.6
2019	11	26	20	2	9	35	0	0	0	0	0	0	0	4.67	0	0	11.6
2019	11	26	20	12	9	36	0	0	0	0	0	0	0	4.66	0	0	11.6
2019	11	26	20	22	9	35	0	0	0	0	0	0	0	4.65	0	0	11.6
2019	11	26	20	32	9	35	0	0	0	0	0	0	0	4.64	0	0	11.6
2019	11	26	20	42	9	35	0	0	0	0	0	0	0	4.64	0	0	11.6
2019	11	26	20	52	9	36	0	0	0	0	0	0	0	4.62	0	0	11.6
2019	11	26	21	2	9	36	0	0	0	0	0	0	0	4.62	0	0	11.6
2019	11	26	21	12	9	35	0	0	0	0	0	0	0	4.61	0	0	11.6
2019	11	26	21	22	9	36	0	0	0	0	0	0	0	4.6	0	0	11.6
2019	11	26	21	32	9	35	0	0	0	0	0	0	0	4.58	0	0	11.6
2019	11	26	21	42	9	35	0	0	0	0	0	0	0	4.58	0	0	11.6
2019	11	26	21	52	9	36	0	0	0	0	0	0	0	4.57	0	0	11.6
2019	11	26	22	2	9	35	0	0	0	0	0	0	0	4.56	0	0	11.6
2019	11	26	22	12	9	35	0	0	0	0	0	0	0	4.54	0	0	11.6
2019	11	26	22	22	9	36	0	0	0	0	0	0	0	4.54	0	0	11.6
2019	11	26	22	32	9	35	0	0	0	0	0	0	0	4.53	0	0	11.6
2019	11	26	22	42	9	36	0	0	0	0	0	0	0	4.52	0	0	11.6
2019	11	26	22	52	9	35	0	0	0	0	0	0	0	4.51	0	0	11.6
2019	11	26	23	2	9	35	0	0	0	0	0	0	0	4.5	0	0	11.6
2019	11	26	23	12	9	36	0	0	0	0	0	0	0	4.49	0	0	11.6
2019	11	26	23	22	9	36	0	0	0	0	0	0	0	4.48	0	0	11.6
2019	11	26	23	32	9	35	0	0	0	0	0	0	0	4.47	0	0	11.6
2019	11	26	23	42	9	36	0	0	0	0	0	0	0	4.46	0	0	11.6
2019	11	26	23	52	9	36	0	0	0	0	0	0	0	4.45	0	0	11.6
2019	11	27	0	2	9	36	0	0	0	0	0	0	0	4.45	0	0	11.6
2019	11	27	0	12	9	36	0	0	0	0	0	0	0	4.44	0	0	11.6
2019	11	27	0	22	9	35	0	0	0	0	0	0	0	4.43	0	0	11.6
2019	11	27	0	32	9	35	0	0	0	0	0	0	0	4.42	0	0	11.6
2019	11	27	0	42	9	35	0	0	0	0	0	0	0	4.41	0	0	11.6
2019	11	27	0	52	9	36	0	0	0	0	0	0	0	4.39	0	0	11.6
2019	11	27	1	2	9	36	0	0	0	0	0	0	0	4.38	0	0	11.6
2019	11	27	1	12	9	36	3	0	0	0	0	0	0	4.38	0	0	11.6
2019	11	27	1	22	9	35	0	0	0	0	0	0	0	4.37	0	0	11.6
2019	11	27	1	32	9	35	0	0	0	0	0	0	0	4.36	0	0	11.6
2019	11	27	1	42	9	35	0	0	0	0	0	0	0	4.35	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	27	1	52	9	35	0	0	0	0	0	0	0	4.35	0	0	11.6
2019	11	27	2	2	9	35	0	0	0	0	0	0	0	4.34	0	0	11.6
2019	11	27	2	12	9	36	0	0	0	0	0	0	0	4.34	0	0	11.6
2019	11	27	2	22	9	36	0	0	0	0	0	0	0	4.33	0	0	11.6
2019	11	27	2	32	9	35	0	0	0	0	0	0	0	4.32	0	0	11.6
2019	11	27	2	42	9	35	0	0	0	0	0	0	0	4.31	0	0	11.6
2019	11	27	2	52	9	36	0	0	0	0	0	0	0	4.31	0	0	11.6
2019	11	27	3	2	9	35	0	0	0	0	0	0	0	4.31	0	0	11.6
2019	11	27	3	12	9	35	0	0	0	0	0	0	0	4.3	0	0	11.6
2019	11	27	3	22	9	35	0	0	0	0	0	0	0	4.29	0	0	11.6
2019	11	27	3	32	9	36	0	0	0	0	0	0	0	4.29	0	0	11.6
2019	11	27	3	42	9	36	0	0	0	0	0	0	0	4.28	0	0	11.6
2019	11	27	3	52	9	35	0	0	0	0	0	0	0	4.27	0	0	11.6
2019	11	27	4	2	9	35	0	0	0	0	0	0	0	4.26	0	0	11.6
2019	11	27	4	12	9	36	0	0	0	0	0	0	0	4.26	0	0	11.6
2019	11	27	4	22	9	36	0	0	0	0	0	0	0	4.26	0	0	11.6
2019	11	27	4	32	9	36	0	0	0	0	0	0	0	4.25	0	0	11.6
2019	11	27	4	42	9	35	0	0	0	0	0	0	0	4.25	0	0	11.6
2019	11	27	4	52	9	35	0	0	0	0	0	0	0	4.25	0	0	11.4
2019	11	27	5	2	9	36	0	0	0	0	0	0	0	4.24	0	0	11.4
2019	11	27	5	12	9	35	0	0	0	0	0	0	0	4.25	0	0	11.4
2019	11	27	5	22	9	36	0	0	0	0	0	0	0	4.24	0	0	11.4
2019	11	27	5	32	9	35	0	0	0	0	0	0	0	4.23	0	0	11.4
2019	11	27	5	42	9	35	0	0	0	0	0	0	0	4.23	0	0	11.4
2019	11	27	5	52	9	36	0	0	0	0	0	0	0	4.23	0	0	11.4
2019	11	27	6	2	9	36	0	0	0	0	0	0	0	4.23	0	0	11.4
2019	11	27	6	12	9	36	0	0	0	0	0	0	0	4.23	0	0	11.4
2019	11	27	6	22	9	36	0	0	0	0	0	0	0	4.23	0	0	11.4
2019	11	27	6	32	9	36	0	0	0	0	0	0	0	4.23	0	0	11.4
2019	11	27	6	42	9	35	0	0	0	0	0	0	0	4.24	0	0	11.4
2019	11	27	6	52	9	36	0	0	0	0	0	0	0	4.24	0	0	11.4
2019	11	27	7	2	9	35	0	0	0	0	0	0	0	4.24	0	0	11.4
2019	11	27	7	12	9	36	0	0	0	0	0	0	0	4.24	0	0	11.4
2019	11	27	7	22	9	36	0	0	0	0	0	0	0	4.24	0	0	11.4
2019	11	27	7	32	9	35	0	0	0	0	0	0	0	4.24	0	0	11.4
2019	11	27	7	42	9	35	0	0	0	0	0	0	0	4.26	0	0	11.6
2019	11	27	7	52	9	35	0	0	0	0	0	0	0	4.25	0	0	11.4
2019	11	27	8	2	9	35	0	0	0	0	0	0	0	4.26	0	0	11.4
2019	11	27	8	12	9	36	0	0	0	0	0	0	0	4.26	0	0	11.4
2019	11	27	8	22	9	35	0	0	0	0	0	0	0	4.26	0	0	11.4
2019	11	27	8	32	9	35	0	0	0	0	0	0	0	4.27	0	0	11.6
2019	11	27	8	42	9	35	0	0	0	0	0	0	0	4.28	0	0	11.6
2019	11	27	8	52	9	35	0	0	0	0	0	0	0	4.29	0	0	11.6
2019	11	27	9	2	9	35	0	0	0	0	0	0	0	4.3	0	0	11.6
2019	11	27	9	12	9	36	0	0	0	0	0	0	0	4.3	0	0	11.6
2019	11	27	9	22	9	36	0	0	0	0	0	0	0	4.31	0	0	11.6
2019	11	27	9	32	9	35	0	0	0	0	0	0	0	4.32	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	27	9	42	9	36	0	0	0	0	0	0	0	4.33	0	0	12
2019	11	27	9	52	9	36	0	0	0	0	0	0	0	4.39	0	0	12.6
2019	11	27	10	2	9	36	0	0	0	0	0	0	0	4.42	0	0	12.6
2019	11	27	10	12	9	35	0	0	0	0	0	0	0	4.45	0	0	12.6
2019	11	27	10	22	9	35	0	0	0	0	0	0	0	4.48	0	0	12.8
2019	11	27	10	32	9	35	0	0	0	0	0	0	0	4.5	0	0	12.6
2019	11	27	10	42	9	35	0	0	0	0	0	0	0	4.5	0	0	12.6
2019	11	27	10	52	9	35	0	0	0	0	0	0	0	4.52	0	0	12.8
2019	11	27	11	2	9	35	0	0	0	0	0	0	0	4.54	0	0	12.6
2019	11	27	11	12	9	35	0	0	0	0	0	0	0	4.54	0	0	12.6
2019	11	27	11	22	9	35	0	0	0	0	0	0	0	4.53	0	0	12.6
2019	11	27	11	32	9	35	0	0	0	0	0	0	0	4.53	0	0	12.6
2019	11	27	11	42	9	35	0	0	0	0	0	0	0	4.56	0	0	13
2019	11	27	11	52	9	36	13	0	0	0	0	0	0	4.58	0	0	12.8
2019	11	27	12	2	9	36	0	0	0	0	0	0	0	4.58	0	0	12.4
2019	11	27	12	12	9	36	0	0	0	0	0	0	0	4.57	0	0	12.4
2019	11	27	12	22	9	35	0	0	0	0	0	0	0	4.56	0	0	12.2
2019	11	27	12	32	9	35	0	0	0	0	0	0	0	4.56	0	0	12.2
2019	11	27	12	42	9	35	0	0	0	0	0	0	0	4.6	0	0	13
2019	11	27	12	52	9	35	0	0	0	0	0	0	0	4.58	0	0	12.2
2019	11	27	13	2	9	35	0	0	0	0	0	0	0	4.59	0	0	12.2
2019	11	27	13	12	9	35	0	0	0	0	0	0	0	4.59	0	0	12.2
2019	11	27	13	22	9	36	0	0	0	0	0	0	0	4.59	0	0	12.2
2019	11	27	13	32	9	36	0	0	0	0	0	0	0	4.6	0	0	12.4
2019	11	27	13	42	9	35	0	0	0	0	0	0	0	4.6	0	0	12.2
2019	11	27	13	52	9	36	0	0	0	0	0	0	0	4.61	0	0	12
2019	11	27	14	2	9	35	0	0	0	0	0	0	0	4.61	0	0	12
2019	11	27	14	12	9	36	0	0	0	0	0	0	0	4.63	0	0	12
2019	11	27	14	22	9	36	0	0	0	0	0	0	0	4.63	0	0	12
2019	11	27	14	32	9	35	0	0	0	0	0	0	0	4.63	0	0	12
2019	11	27	14	42	9	35	0	0	0	0	0	0	0	4.63	0	0	11.8
2019	11	27	14	52	9	35	0	0	0	0	0	0	0	4.63	0	0	11.8
2019	11	27	15	2	9	36	0	0	0	0	0	0	0	4.63	0	0	11.8
2019	11	27	15	12	9	36	0	0	0	0	0	0	0	4.63	0	0	11.8
2019	11	27	15	22	9	35	0	0	0	0	0	0	0	4.64	0	0	11.8
2019	11	27	15	32	9	36	0	0	0	0	0	0	0	4.63	0	0	11.8
2019	11	27	15	42	9	35	0	0	0	0	0	0	0	4.64	0	0	11.8
2019	11	27	15	52	9	35	0	0	0	0	0	0	0	4.64	0	0	11.8
2019	11	27	16	2	9	35	0	0	0	0	0	0	0	4.63	0	0	11.8
2019	11	27	16	12	9	36	0	0	0	0	0	0	0	4.64	0	0	11.8
2019	11	27	16	22	9	35	0	0	0	0	0	0	0	4.63	0	0	11.8
2019	11	27	16	32	9	36	0	0	0	0	0	0	0	4.62	0	0	11.8
2019	11	27	16	42	9	36	0	0	0	0	0	0	0	4.62	0	0	11.8
2019	11	27	16	52	9	36	0	0	0	0	0	0	0	4.61	0	0	11.8
2019	11	27	17	2	9	35	0	0	0	0	0	0	0	4.61	0	0	11.8
2019	11	27	17	12	9	35	0	0	0	0	0	0	0	4.6	0	0	11.8
2019	11	27	17	22	9	35	0	0	0	0	0	0	0	4.59	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	27	17	32	9	36	0	0	0	0	0	0	0	4.59	0	0	11.6
2019	11	27	17	42	9	35	0	0	0	0	0	0	0	4.58	0	0	11.6
2019	11	27	17	52	9	36	0	0	0	0	0	0	0	4.57	0	0	11.6
2019	11	27	18	2	9	35	0	0	0	0	0	0	0	4.56	0	0	11.6
2019	11	27	18	12	9	36	0	0	0	0	0	0	0	4.55	0	0	11.6
2019	11	27	18	22	9	35	0	0	0	0	0	0	0	4.55	0	0	11.6
2019	11	27	18	32	9	36	0	0	0	0	0	0	0	4.54	0	0	11.6
2019	11	27	18	42	9	35	0	0	0	0	0	0	0	4.53	0	0	11.6
2019	11	27	18	52	9	36	0	0	0	0	0	0	0	4.53	0	0	11.6
2019	11	27	19	2	9	35	0	0	0	0	0	0	0	4.52	0	0	11.6
2019	11	27	19	12	9	36	0	0	0	0	0	0	0	4.51	0	0	11.6
2019	11	27	19	22	9	35	0	0	0	0	0	0	0	4.5	0	0	11.6
2019	11	27	19	32	9	35	0	0	0	0	0	0	0	4.49	0	0	11.6
2019	11	27	19	42	9	36	0	0	0	0	0	0	0	4.48	0	0	11.6
2019	11	27	19	52	9	35	0	0	0	0	0	0	0	4.47	0	0	11.6
2019	11	27	20	2	9	35	0	0	0	0	0	0	0	4.46	0	0	11.6
2019	11	27	20	12	9	35	0	0	0	0	0	0	0	4.45	0	0	11.6
2019	11	27	20	22	9	35	0	0	0	0	0	0	0	4.43	0	0	11.6
2019	11	27	20	32	9	36	0	0	0	0	0	0	0	4.42	0	0	11.6
2019	11	27	20	42	9	35	0	0	0	0	0	0	0	4.42	0	0	11.6
2019	11	27	20	52	9	36	0	0	0	0	0	0	0	4.41	0	0	11.6
2019	11	27	21	2	9	35	0	0	0	0	0	0	0	4.4	0	0	11.6
2019	11	27	21	12	9	35	0	0	0	0	0	0	0	4.39	0	0	11.6
2019	11	27	21	22	9	35	0	0	0	0	0	0	0	4.38	0	0	11.6
2019	11	27	21	32	9	35	0	0	0	0	0	0	0	4.37	0	0	11.6
2019	11	27	21	42	9	36	0	0	0	0	0	0	0	4.37	0	0	11.6
2019	11	27	21	52	9	35	0	0	0	0	0	0	0	4.35	0	0	11.6
2019	11	27	22	2	9	35	0	0	0	0	0	0	0	4.34	0	0	11.6
2019	11	27	22	12	9	36	0	0	0	0	0	0	0	4.34	0	0	11.6
2019	11	27	22	22	9	35	0	0	0	0	0	0	0	4.32	0	0	11.6
2019	11	27	22	32	9	36	0	0	0	0	0	0	0	4.3	0	0	11.6
2019	11	27	22	42	9	35	0	0	0	0	0	0	0	4.29	0	0	11.6
2019	11	27	22	52	9	35	0	0	0	0	0	0	0	4.28	0	0	11.6
2019	11	27	23	2	9	35	0	0	0	0	0	0	0	4.26	0	0	11.4
2019	11	27	23	12	9	35	0	0	0	0	0	0	0	4.25	0	0	11.4
2019	11	27	23	22	9	36	0	0	0	0	0	0	0	4.23	0	0	11.4
2019	11	27	23	32	9	36	0	0	0	0	0	0	0	4.21	0	0	11.4
2019	11	27	23	42	9	35	0	0	0	0	0	0	0	4.2	0	0	11.4
2019	11	27	23	52	9	36	0	0	0	0	0	0	0	4.19	0	0	11.4
2019	11	28	0	2	9	36	0	0	0	0	0	0	0	4.17	0	0	11.4
2019	11	28	0	12	9	35	0	0	0	0	0	0	0	4.17	0	0	11.4
2019	11	28	0	22	9	35	0	0	0	0	0	0	0	4.16	0	0	11.4
2019	11	28	0	32	9	35	0	0	0	0	0	0	0	4.15	0	0	11.4
2019	11	28	0	42	9	36	0	0	0	0	0	0	0	4.14	0	0	11.4
2019	11	28	0	52	9	36	0	0	0	0	0	0	0	4.13	0	0	11.4
2019	11	28	1	2	9	36	0	0	0	0	0	0	0	4.12	0	0	11.4
2019	11	28	1	12	9	36	0	0	0	0	0	0	0	4.11	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	28	1	22	9	36	0	0	0	0	0	0	0	4.1	0	0	11.4
2019	11	28	1	32	9	36	0	0	0	0	0	0	0	4.08	0	0	11.4
2019	11	28	1	42	9	35	0	0	0	0	0	0	0	4.07	0	0	11.4
2019	11	28	1	52	9	36	0	0	0	0	0	0	0	4.06	0	0	11.4
2019	11	28	2	2	9	35	0	0	0	0	0	0	0	4.05	0	0	11.4
2019	11	28	2	12	9	35	0	0	0	0	0	0	0	4.04	0	0	11.4
2019	11	28	2	22	9	36	0	0	0	0	0	0	0	4.03	0	0	11.4
2019	11	28	2	32	9	36	0	0	0	0	0	0	0	4.02	0	0	11.4
2019	11	28	2	42	9	36	0	0	0	0	0	0	0	4.01	0	0	11.4
2019	11	28	2	52	9	35	0	0	0	0	0	0	0	4	0	0	11.4
2019	11	28	3	2	9	35	0	0	0	0	0	0	0	3.99	0	0	11.4
2019	11	28	3	12	9	36	0	0	0	0	0	0	0	3.98	0	0	11.4
2019	11	28	3	22	9	36	0	0	0	0	0	0	0	3.97	0	0	11.4
2019	11	28	3	32	9	36	0	0	0	0	0	0	0	3.96	0	0	11.4
2019	11	28	3	42	9	36	0	0	0	0	0	0	0	3.96	0	0	11.4
2019	11	28	3	52	9	35	0	0	0	0	0	0	0	3.94	0	0	11.4
2019	11	28	4	2	9	36	0	0	0	0	0	0	0	3.94	0	0	11.4
2019	11	28	4	12	9	36	0	0	0	0	0	0	0	3.93	0	0	11.4
2019	11	28	4	22	9	35	0	0	0	0	0	0	0	3.92	0	0	11.4
2019	11	28	4	32	9	36	0	0	0	0	0	0	0	3.92	0	0	11.4
2019	11	28	4	42	9	36	0	0	0	0	0	0	0	3.91	0	0	11.4
2019	11	28	4	52	9	36	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	5	2	9	35	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	5	12	9	35	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	5	22	9	36	0	0	0	0	0	0	0	3.88	0	0	11.4
2019	11	28	5	32	9	36	0	0	0	0	0	0	0	3.87	0	0	11.4
2019	11	28	5	42	9	35	0	0	0	0	0	0	0	3.88	0	0	11.4
2019	11	28	5	52	9	36	0	0	0	0	0	0	0	3.87	0	0	11.4
2019	11	28	6	2	9	35	0	0	0	0	0	0	0	3.87	0	0	11.4
2019	11	28	6	12	9	36	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	6	22	9	35	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	6	32	9	35	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	6	42	9	36	0	0	0	0	0	0	0	3.85	0	0	11.4
2019	11	28	6	52	9	36	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	7	2	9	36	0	0	0	0	0	0	0	3.85	0	0	11.4
2019	11	28	7	12	9	35	0	0	0	0	0	0	0	3.85	0	0	11.4
2019	11	28	7	22	9	36	0	0	0	0	0	0	0	3.85	0	0	11.4
2019	11	28	7	32	9	36	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	7	42	9	36	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	7	52	9	36	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	8	2	9	35	0	0	0	0	0	0	0	3.85	0	0	11.4
2019	11	28	8	12	9	35	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	8	22	9	35	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	8	32	9	36	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	8	42	9	35	0	0	0	0	0	0	0	3.87	0	0	11.4
2019	11	28	8	52	9	36	0	0	0	0	0	0	0	3.87	0	0	11.4
2019	11	28	9	2	9	36	0	0	0	0	0	0	0	3.87	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	28	9	12	9	36	0	0	0	0	0	0	0	3.87	0	0	11.4
2019	11	28	9	22	9	36	0	0	0	0	0	0	0	3.87	0	0	11.4
2019	11	28	9	32	9	36	0	0	0	0	0	0	0	3.87	0	0	11.4
2019	11	28	9	42	9	35	0	0	0	0	0	0	0	3.88	0	0	11.4
2019	11	28	9	52	9	35	0	0	0	0	0	0	0	3.88	0	0	11.4
2019	11	28	10	2	9	35	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	10	12	9	36	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	10	22	9	36	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	10	32	9	36	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	10	42	9	36	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	10	52	9	35	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	11	2	9	36	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	11	12	9	36	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	11	22	9	36	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	11	32	9	36	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	11	42	9	35	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	11	52	9	36	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	12	2	9	36	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	12	12	9	36	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	12	22	9	35	0	0	0	0	0	0	0	3.88	0	0	11.4
2019	11	28	12	32	9	36	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	12	42	9	35	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	12	52	9	35	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	13	2	9	35	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	13	12	9	35	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	13	22	9	36	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	13	32	9	36	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	13	42	9	35	0	0	0	0	0	0	0	3.9	0	0	11.4
2019	11	28	13	52	9	36	0	0	0	0	0	0	0	3.89	0	0	11.4
2019	11	28	14	2	9	36	0	0	0	0	0	0	0	3.88	0	0	11.4
2019	11	28	14	12	9	35	0	0	0	0	0	0	0	3.88	0	0	11.4
2019	11	28	14	22	9	36	0	0	0	0	0	0	0	3.88	0	0	11.4
2019	11	28	14	32	9	36	0	0	0	0	0	0	0	3.87	0	0	11.4
2019	11	28	14	42	9	36	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	14	52	9	35	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	15	2	9	35	0	0	0	0	0	0	0	3.86	0	0	11.4
2019	11	28	15	12	9	36	0	0	0	0	0	0	0	3.85	0	0	11.4
2019	11	28	15	22	9	35	0	0	0	0	0	0	0	3.84	0	0	11.4
2019	11	28	15	32	9	36	0	0	0	0	0	0	0	3.84	0	0	11.4
2019	11	28	15	42	9	36	0	0	0	0	0	0	0	3.84	0	0	11.4
2019	11	28	15	52	9	36	0	0	0	0	0	0	0	3.82	0	0	11.4
2019	11	28	16	2	9	35	0	0	0	0	0	0	0	3.82	0	0	11.4
2019	11	28	16	12	9	36	0	0	0	0	0	0	0	3.81	0	0	11.4
2019	11	28	16	22	9	36	0	0	0	0	0	0	0	3.81	0	0	11.4
2019	11	28	16	32	9	36	5	0	0	0	0	0	0	3.81	0	0	11.4
2019	11	28	16	42	9	36	0	0	0	0	0	0	0	3.8	0	0	11.4
2019	11	28	16	52	9	36	0	0	0	0	0	0	0	3.79	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	28	17	2	9	35	0	0	0	0	0	0	0	3.8	0	0	11.4
2019	11	28	17	12	9	36	0	0	0	0	0	0	0	3.79	0	0	11.4
2019	11	28	17	22	9	35	0	0	0	0	0	0	0	3.79	0	0	11.4
2019	11	28	17	32	9	36	0	0	0	0	0	0	0	3.79	0	0	11.4
2019	11	28	17	42	9	36	3	0	0	0	0	0	0	3.79	0	0	11.4
2019	11	28	17	52	9	35	0	0	0	0	0	0	0	3.79	0	0	11.4
2019	11	28	18	2	9	36	0	0	0	0	0	0	0	3.78	0	0	11.4
2019	11	28	18	12	9	35	0	0	0	0	0	0	0	3.79	0	0	11.4
2019	11	28	18	22	9	36	0	0	0	0	0	0	0	3.78	0	0	11.4
2019	11	28	18	32	9	36	0	0	0	0	0	0	0	3.78	0	0	11.4
2019	11	28	18	42	9	35	0	0	0	0	0	0	0	3.78	0	0	11.4
2019	11	28	18	52	9	36	0	0	0	0	0	0	0	3.77	0	0	11.4
2019	11	28	19	2	9	36	0	0	0	0	0	0	0	3.77	0	0	11.4
2019	11	28	19	12	9	36	0	0	0	0	0	0	0	3.77	0	0	11.4
2019	11	28	19	22	9	35	0	0	0	0	0	0	0	3.77	0	0	11.4
2019	11	28	19	32	9	35	0	0	0	0	0	0	0	3.76	0	0	11.4
2019	11	28	19	42	9	36	0	0	0	0	0	0	0	3.76	0	0	11.4
2019	11	28	19	52	9	36	0	0	0	0	0	0	0	3.76	0	0	11.4
2019	11	28	20	2	9	36	0	0	0	0	0	0	0	3.75	0	0	11.4
2019	11	28	20	12	9	36	0	0	0	0	0	0	0	3.75	0	0	11.4
2019	11	28	20	22	9	35	0	0	0	0	0	0	0	3.74	0	0	11.4
2019	11	28	20	32	9	35	0	0	0	0	0	0	0	3.74	0	0	11.4
2019	11	28	20	42	9	35	0	0	0	0	0	0	0	3.74	0	0	11.4
2019	11	28	20	52	9	35	0	0	0	0	0	0	0	3.73	0	0	11.4
2019	11	28	21	2	9	36	0	0	0	0	0	0	0	3.73	0	0	11.4
2019	11	28	21	12	9	35	0	0	0	0	0	0	0	3.72	0	0	11.4
2019	11	28	21	22	9	36	0	0	0	0	0	0	0	3.72	0	0	11.4
2019	11	28	21	32	9	35	0	0	0	0	0	0	0	3.71	0	0	11.4
2019	11	28	21	42	9	35	0	0	0	0	0	0	0	3.71	0	0	11.4
2019	11	28	21	52	9	36	0	0	0	0	0	0	0	3.7	0	0	11.4
2019	11	28	22	2	9	35	0	0	0	0	0	0	0	3.69	0	0	11.4
2019	11	28	22	12	9	36	0	0	0	0	0	0	0	3.7	0	0	11.4
2019	11	28	22	22	9	36	0	0	0	0	0	0	0	3.69	0	0	11.4
2019	11	28	22	32	9	36	0	0	0	0	0	0	0	3.68	0	0	11.4
2019	11	28	22	42	9	35	0	0	0	0	0	0	0	3.68	0	0	11.4
2019	11	28	22	52	9	36	0	0	0	0	0	0	0	3.68	0	0	11.4
2019	11	28	23	2	9	35	0	0	0	0	0	0	0	3.67	0	0	11.4
2019	11	28	23	12	9	35	0	0	0	0	0	0	0	3.67	0	0	11.4
2019	11	28	23	22	9	36	0	0	0	0	0	0	0	3.67	0	0	11.4
2019	11	28	23	32	9	36	0	0	0	0	0	0	0	3.66	0	0	11.4
2019	11	28	23	42	9	36	0	0	0	0	0	0	0	3.66	0	0	11.2
2019	11	28	23	52	9	35	0	0	0	0	0	0	0	3.66	0	0	11.2
2019	11	29	0	2	9	36	0	0	0	0	0	0	0	3.66	0	0	11.2
2019	11	29	0	12	9	36	0	0	0	0	0	0	0	3.65	0	0	11.2
2019	11	29	0	22	9	36	0	0	0	0	0	0	0	3.65	0	0	11.2
2019	11	29	0	32	9	36	0	0	0	0	0	0	0	3.64	0	0	11.4
2019	11	29	0	42	9	36	0	0	0	0	0	0	0	3.64	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	29	0	52	9	36	0	0	0	0	0	0	0	3.64	0	0	11.4
2019	11	29	1	2	9	36	0	0	0	0	0	0	0	3.64	0	0	11.4
2019	11	29	1	12	9	36	0	0	0	0	0	0	0	3.64	0	0	11.4
2019	11	29	1	22	9	35	0	0	0	0	0	0	0	3.64	0	0	11.4
2019	11	29	1	32	9	36	0	0	0	0	0	0	0	3.63	0	0	11.2
2019	11	29	1	42	9	36	0	0	0	0	0	0	0	3.64	0	0	11.2
2019	11	29	1	52	9	36	0	0	0	0	0	0	0	3.63	0	0	11.2
2019	11	29	2	2	9	35	0	0	0	0	0	0	0	3.63	0	0	11.2
2019	11	29	2	12	9	36	0	0	0	0	0	0	0	3.62	0	0	11.2
2019	11	29	2	22	9	36	0	0	0	0	0	0	0	3.62	0	0	11.2
2019	11	29	2	32	9	35	0	0	0	0	0	0	0	3.62	0	0	11.2
2019	11	29	2	42	9	36	0	0	0	0	0	0	0	3.61	0	0	11.2
2019	11	29	2	52	9	36	0	0	0	0	0	0	0	3.61	0	0	11.2
2019	11	29	3	2	9	36	0	0	0	0	0	0	0	3.6	0	0	11.2
2019	11	29	3	12	9	36	0	0	0	0	0	0	0	3.6	0	0	11.2
2019	11	29	3	22	9	35	0	0	0	0	0	0	0	3.59	0	0	11.2
2019	11	29	3	32	9	35	0	0	0	0	0	0	0	3.59	0	0	11.2
2019	11	29	3	42	9	36	0	0	0	0	0	0	0	3.59	0	0	11.2
2019	11	29	3	52	9	36	0	0	0	0	0	0	0	3.58	0	0	11.2
2019	11	29	4	2	9	35	0	0	0	0	0	0	0	3.58	0	0	11.2
2019	11	29	4	12	9	36	0	0	0	0	0	0	0	3.58	0	0	11.2
2019	11	29	4	22	9	36	0	0	0	0	0	0	0	3.58	0	0	11.2
2019	11	29	4	32	9	37	0	0	0	0	0	0	0	3.57	0	0	11.2
2019	11	29	4	42	9	36	0	0	0	0	0	0	0	3.57	0	0	11.2
2019	11	29	4	52	9	35	0	0	0	0	0	0	0	3.57	0	0	11.2
2019	11	29	5	2	9	36	0	0	0	0	0	0	0	3.56	0	0	11.2
2019	11	29	5	12	9	36	0	0	0	0	0	0	0	3.55	0	0	11.2
2019	11	29	5	22	9	36	0	0	0	0	0	0	0	3.55	0	0	11.2
2019	11	29	5	32	9	35	0	0	0	0	0	0	0	3.55	0	0	11.2
2019	11	29	5	42	9	35	0	0	0	0	0	0	0	3.55	0	0	11.2
2019	11	29	5	52	9	36	0	0	0	0	0	0	0	3.55	0	0	11.2
2019	11	29	6	2	9	36	0	0	0	0	0	0	0	3.54	0	0	11.2
2019	11	29	6	12	9	36	0	0	0	0	0	0	0	3.53	0	0	11.2
2019	11	29	6	22	9	36	0	0	0	0	0	0	0	3.53	0	0	11.2
2019	11	29	6	32	9	36	0	0	0	0	0	0	0	3.52	0	0	11.2
2019	11	29	6	42	9	36	0	0	0	0	0	0	0	3.51	0	0	11.2
2019	11	29	6	52	9	36	0	0	0	0	0	0	0	3.5	0	0	11.2
2019	11	29	7	2	9	36	0	0	0	0	0	0	0	3.5	0	0	11.2
2019	11	29	7	12	9	36	0	0	0	0	0	0	0	3.49	0	0	11.2
2019	11	29	7	22	9	35	0	0	0	0	0	0	0	3.49	0	0	11.2
2019	11	29	7	32	9	36	0	0	0	0	0	0	0	3.48	0	0	11.2
2019	11	29	7	42	9	36	0	0	0	0	0	0	0	3.47	0	0	11.2
2019	11	29	7	52	9	35	0	0	0	0	0	0	0	3.47	0	0	11.2
2019	11	29	8	2	9	36	0	0	0	0	0	0	0	3.48	0	0	11.2
2019	11	29	8	12	9	35	0	0	0	0	0	0	0	3.48	0	0	11.2
2019	11	29	8	22	9	35	0	0	0	0	0	0	0	3.47	0	0	11.2
2019	11	29	8	32	9	36	0	0	0	0	0	0	0	3.47	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	29	8	42	9	36	0	0	0	0	0	0	0	3.47	0	0	11.2
2019	11	29	8	52	9	36	0	0	0	0	0	0	0	3.46	0	0	11.2
2019	11	29	9	2	9	35	0	0	0	0	0	0	0	3.47	0	0	11.2
2019	11	29	9	12	9	35	0	0	0	0	0	0	0	3.47	0	0	11.2
2019	11	29	9	22	9	36	0	0	0	0	0	0	0	3.48	0	0	11.2
2019	11	29	9	32	9	35	0	0	0	0	0	0	0	3.5	0	0	11.2
2019	11	29	9	42	9	35	0	0	0	0	0	0	0	3.52	0	0	11.2
2019	11	29	9	52	9	36	0	0	0	0	0	0	0	3.52	0	0	11.2
2019	11	29	10	2	9	36	0	0	0	0	0	0	0	3.52	0	0	11.2
2019	11	29	10	12	9	35	0	0	0	0	0	0	0	3.53	0	0	11.2
2019	11	29	10	22	9	36	0	0	0	0	0	0	0	3.53	0	0	11.2
2019	11	29	10	32	9	36	0	0	0	0	0	0	0	3.53	0	0	11.2
2019	11	29	10	42	9	36	0	0	0	0	0	0	0	3.55	0	0	11.2
2019	11	29	10	52	9	36	0	0	0	0	0	0	0	3.55	0	0	11.2
2019	11	29	11	2	9	36	0	0	0	0	0	0	0	3.55	0	0	11.2
2019	11	29	11	12	9	36	0	0	0	0	0	0	0	3.56	0	0	11.2
2019	11	29	11	22	9	35	0	0	0	0	0	0	0	3.57	0	0	11.2
2019	11	29	11	32	9	35	0	0	0	0	0	0	0	3.63	0	0	11.2
2019	11	29	11	42	9	36	0	0	0	0	0	0	0	3.59	0	0	11.2
2019	11	29	11	52	9	35	0	0	0	0	0	0	0	3.58	0	0	11.2
2019	11	29	12	2	9	35	0	0	0	0	0	0	0	3.59	0	0	11.2
2019	11	29	12	12	9	36	0	0	0	0	0	0	0	3.6	0	0	11.4
2019	11	29	12	22	9	35	0	0	0	0	0	0	0	3.61	0	0	11.4
2019	11	29	12	32	9	36	0	0	0	0	0	0	0	3.62	0	0	11.4
2019	11	29	12	42	9	35	0	0	0	0	0	0	0	3.61	0	0	11.4
2019	11	29	12	52	9	36	0	0	0	0	0	0	0	3.61	0	0	11.4
2019	11	29	13	2	9	36	0	0	0	0	0	0	0	3.64	0	0	11.8
2019	11	29	13	12	9	36	0	0	0	0	0	0	0	3.65	0	0	12.2
2019	11	29	13	22	9	36	0	0	0	0	0	0	0	3.66	0	0	12.2
2019	11	29	13	32	9	36	0	0	0	0	0	0	0	3.68	0	0	12.2
2019	11	29	13	42	9	36	0	0	0	0	0	0	0	3.68	0	0	12.2
2019	11	29	13	52	9	36	0	0	0	0	0	0	0	3.69	0	0	12.2
2019	11	29	14	2	9	36	0	0	0	0	0	0	0	3.68	0	0	12.2
2019	11	29	14	12	9	35	0	0	0	0	0	0	0	3.69	0	0	12.2
2019	11	29	14	22	9	36	0	0	0	0	0	0	0	3.7	0	0	12.2
2019	11	29	14	32	9	35	0	0	0	0	0	0	0	3.7	0	0	12
2019	11	29	14	42	9	35	0	0	0	0	0	0	0	3.7	0	0	12
2019	11	29	14	52	9	36	0	0	0	0	0	0	0	3.7	0	0	12
2019	11	29	15	2	9	36	0	0	0	0	0	0	0	3.7	0	0	12
2019	11	29	15	12	9	36	0	0	0	0	0	0	0	3.7	0	0	12
2019	11	29	15	22	9	36	0	0	0	0	0	0	0	3.69	0	0	12
2019	11	29	15	32	9	36	0	0	0	0	0	0	0	3.69	0	0	11.8
2019	11	29	15	42	9	35	0	0	0	0	0	0	0	3.69	0	0	11.8
2019	11	29	15	52	9	36	0	0	0	0	0	0	0	3.69	0	0	11.6
2019	11	29	16	2	9	36	0	0	0	0	0	0	0	3.69	0	0	11.6
2019	11	29	16	12	9	35	0	0	0	0	0	0	0	3.69	0	0	11.6
2019	11	29	16	22	9	36	0	0	0	0	0	0	0	3.69	0	0	11.6

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	29	16	32	9	35	0	0	0	0	0	0	0	3.7	0	0	11.6
2019	11	29	16	42	9	36	0	0	0	0	0	0	0	3.69	0	0	11.6
2019	11	29	16	52	9	36	0	0	0	0	0	0	0	3.69	0	0	11.6
2019	11	29	17	2	9	35	0	0	0	0	0	0	0	3.69	0	0	11.4
2019	11	29	17	12	9	35	0	0	0	0	0	0	0	3.68	0	0	11.4
2019	11	29	17	22	9	35	0	0	0	0	0	0	0	3.67	0	0	11.4
2019	11	29	17	32	9	36	0	0	0	0	0	0	0	3.67	0	0	11.4
2019	11	29	17	42	9	35	0	0	0	0	0	0	0	3.66	0	0	11.4
2019	11	29	17	52	9	35	0	0	0	0	0	0	0	3.65	0	0	11.4
2019	11	29	18	2	9	36	0	0	0	0	0	0	0	3.65	0	0	11.4
2019	11	29	18	12	9	36	0	0	0	0	0	0	0	3.63	0	0	11.4
2019	11	29	18	22	9	36	0	0	0	0	0	0	0	3.62	0	0	11.4
2019	11	29	18	32	9	35	0	0	0	0	0	0	0	3.61	0	0	11.4
2019	11	29	18	42	9	35	0	0	0	0	0	0	0	3.6	0	0	11.4
2019	11	29	18	52	9	35	0	0	0	0	0	0	0	3.59	0	0	11.4
2019	11	29	19	2	9	36	0	0	0	0	0	0	0	3.57	0	0	11.4
2019	11	29	19	12	9	36	0	0	0	0	0	0	0	3.56	0	0	11.4
2019	11	29	19	22	9	36	0	0	0	0	0	0	0	3.54	0	0	11.4
2019	11	29	19	32	9	35	0	0	0	0	0	0	0	3.52	0	0	11.2
2019	11	29	19	42	9	36	0	0	0	0	0	0	0	3.51	0	0	11.2
2019	11	29	19	52	9	36	0	0	0	0	0	0	0	3.48	0	0	11.2
2019	11	29	20	2	9	35	0	0	0	0	0	0	0	3.47	0	0	11.2
2019	11	29	20	12	9	36	0	0	0	0	0	0	0	3.46	0	0	11.2
2019	11	29	20	22	9	35	0	0	0	0	0	0	0	3.44	0	0	11.2
2019	11	29	20	32	9	36	0	0	0	0	0	0	0	3.42	0	0	11.2
2019	11	29	20	42	9	35	0	0	0	0	0	0	0	3.41	0	0	11.2
2019	11	29	20	52	9	35	0	0	0	0	0	0	0	3.4	0	0	11.2
2019	11	29	21	2	9	36	0	0	0	0	0	0	0	3.38	0	0	11.2
2019	11	29	21	12	9	35	0	0	0	0	0	0	0	3.36	0	0	11.2
2019	11	29	21	22	9	36	0	0	0	0	0	0	0	3.35	0	0	11.2
2019	11	29	21	32	9	36	0	0	0	0	0	0	0	3.33	0	0	11.2
2019	11	29	21	42	9	36	0	0	0	0	0	0	0	3.32	0	0	11.2
2019	11	29	21	52	9	36	0	0	0	0	0	0	0	3.3	0	0	11.2
2019	11	29	22	2	9	36	0	0	0	0	0	0	0	3.29	0	0	11.2
2019	11	29	22	12	9	35	0	0	0	0	0	0	0	3.27	0	0	11.2
2019	11	29	22	22	9	36	0	0	0	0	0	0	0	3.26	0	0	11.2
2019	11	29	22	32	9	35	0	0	0	0	0	0	0	3.24	0	0	11.2
2019	11	29	22	42	9	35	0	0	0	0	0	0	0	3.23	0	0	11.2
2019	11	29	22	52	9	36	0	0	0	0	0	0	0	3.22	0	0	11.2
2019	11	29	23	2	9	36	0	0	0	0	0	0	0	3.2	0	0	11.2
2019	11	29	23	12	9	35	0	0	0	0	0	0	0	3.18	0	0	11.2
2019	11	29	23	22	9	36	0	0	0	0	0	0	0	3.17	0	0	11.2
2019	11	29	23	32	9	36	0	0	0	0	0	0	0	3.15	0	0	11.2
2019	11	29	23	42	9	36	0	0	0	0	0	0	0	3.14	0	0	11.2
2019	11	29	23	52	9	36	0	0	0	0	0	0	0	3.12	0	0	11.2
2019	11	30	0	2	9	36	0	0	0	0	0	0	0	3.11	0	0	11.2
2019	11	30	0	12	9	36	0	0	0	0	0	0	0	3.09	0	0	11.2

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	30	0	22	9	36	0	0	0	0	0	0	0	3.07	0	0	11.2
2019	11	30	0	32	9	36	0	0	0	0	0	0	0	3.06	0	0	11.2
2019	11	30	0	42	9	36	0	0	0	0	0	0	0	3.04	0	0	11.2
2019	11	30	0	52	9	36	0	0	0	0	0	0	0	3.02	0	0	11.2
2019	11	30	1	2	9	36	0	0	0	0	0	0	0	3	0	0	11.2
2019	11	30	1	12	9	36	0	0	0	0	0	0	0	2.98	0	0	11.2
2019	11	30	1	22	9	36	0	0	0	0	0	0	0	2.97	0	0	11.2
2019	11	30	1	32	9	36	0	0	0	0	0	0	0	2.95	0	0	11.2
2019	11	30	1	42	9	36	0	0	0	0	0	0	0	2.94	0	0	11.2
2019	11	30	1	52	9	36	0	0	0	0	0	0	0	2.92	0	0	11.2
2019	11	30	2	2	9	36	0	0	0	0	0	0	0	2.9	0	0	11.2
2019	11	30	2	12	9	36	0	0	0	0	0	0	0	2.88	0	0	11.2
2019	11	30	2	22	9	36	0	0	0	0	0	0	0	2.87	0	0	11.2
2019	11	30	2	32	9	35	0	0	0	0	0	0	0	2.85	0	0	11.2
2019	11	30	2	42	9	36	0	0	0	0	0	0	0	2.83	0	0	11.2
2019	11	30	2	52	9	36	0	0	0	0	0	0	0	2.82	0	0	11.2
2019	11	30	3	2	9	36	0	0	0	0	0	0	0	2.8	0	0	11.2
2019	11	30	3	12	9	36	0	0	0	0	0	0	0	2.78	0	0	11.2
2019	11	30	3	22	9	35	0	0	0	0	0	0	0	2.77	0	0	11.2
2019	11	30	3	32	9	36	0	0	0	0	0	0	0	2.75	0	0	11.2
2019	11	30	3	42	9	36	0	0	0	0	0	0	0	2.73	0	0	11.2
2019	11	30	3	52	9	35	0	0	0	0	0	0	0	2.72	0	0	11.2
2019	11	30	4	2	9	36	0	0	0	0	0	0	0	2.7	0	0	11.2
2019	11	30	4	12	9	36	0	0	0	0	0	0	0	2.68	0	0	11.2
2019	11	30	4	22	9	36	0	0	0	0	0	0	0	2.67	0	0	11.2
2019	11	30	4	32	9	35	0	0	0	0	0	0	0	2.65	0	0	11.2
2019	11	30	4	42	9	36	0	0	0	0	0	0	0	2.64	0	0	11.2
2019	11	30	4	52	9	36	0	0	0	0	0	0	0	2.62	0	0	11.2
2019	11	30	5	2	9	36	0	0	0	0	0	0	0	2.61	0	0	11.2
2019	11	30	5	12	9	36	0	0	0	0	0	0	0	2.6	0	0	11.2
2019	11	30	5	22	9	36	0	0	0	0	0	0	0	2.58	0	0	11.2
2019	11	30	5	32	9	35	0	0	0	0	0	0	0	2.57	0	0	11.2
2019	11	30	5	42	9	36	0	0	0	0	0	0	0	2.56	0	0	11.2
2019	11	30	5	52	9	35	0	0	0	0	0	0	0	2.55	0	0	11.2
2019	11	30	6	2	9	36	0	0	0	0	0	0	0	2.54	0	0	11.2
2019	11	30	6	12	9	37	0	0	0	0	0	0	0	2.52	0	0	11.2
2019	11	30	6	22	9	35	0	0	0	0	0	0	0	2.51	0	0	11.2
2019	11	30	6	32	9	36	0	0	0	0	0	0	0	2.49	0	0	11.2
2019	11	30	6	42	9	35	0	0	0	0	0	0	0	2.48	0	0	11.2
2019	11	30	6	52	9	35	0	0	0	0	0	0	0	2.47	0	0	11.2
2019	11	30	7	2	9	35	0	0	0	0	0	0	0	2.47	0	0	11.2
2019	11	30	7	12	9	36	0	0	0	0	0	0	0	2.46	0	0	11.2
2019	11	30	7	22	9	36	0	0	0	0	0	0	0	2.46	0	0	11.4
2019	11	30	7	32	9	36	0	0	0	0	0	0	0	2.45	0	0	11.4
2019	11	30	7	42	9	36	0	0	0	0	0	0	0	2.45	0	0	11.6
2019	11	30	7	52	9	37	0	0	0	0	0	0	0	2.45	0	0	11.6
2019	11	30	8	2	9	35	0	0	0	0	0	0	0	2.45	0	0	11.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	30	8	12	9	36	0	0	0	0	0	0	0	2.46	0	0	12.2
2019	11	30	8	22	9	35	0	0	0	0	0	0	0	2.47	0	0	12.2
2019	11	30	8	32	9	36	0	0	0	0	0	0	0	2.47	0	0	12.4
2019	11	30	8	42	9	36	0	0	0	0	0	0	0	2.48	0	0	12.4
2019	11	30	8	52	9	36	0	0	0	0	0	0	0	2.49	0	0	12.4
2019	11	30	9	2	9	36	0	0	0	0	0	0	0	2.51	0	0	12.4
2019	11	30	9	12	9	36	0	0	0	0	0	0	0	2.53	0	0	12.6
2019	11	30	9	22	9	36	0	0	0	0	0	0	0	2.53	0	0	12.6
2019	11	30	9	32	9	36	0	0	0	0	0	0	0	2.54	0	0	12.6
2019	11	30	9	42	9	35	0	0	0	0	0	0	0	2.56	0	0	12.6
2019	11	30	9	52	9	36	0	0	0	0	0	0	0	2.58	0	0	12.6
2019	11	30	10	2	9	36	0	0	0	0	0	0	0	2.59	0	0	12.6
2019	11	30	10	12	9	36	0	0	0	0	0	0	0	2.6	0	0	12.6
2019	11	30	10	22	9	36	0	0	0	0	0	0	0	2.62	0	0	12.6
2019	11	30	10	32	9	36	0	0	0	0	0	0	0	2.62	0	0	12.6
2019	11	30	10	42	9	36	0	0	0	0	0	0	0	2.65	0	0	12.6
2019	11	30	10	52	9	36	0	0	0	0	0	0	0	2.64	0	0	12.6
2019	11	30	11	2	9	36	0	0	0	0	0	0	0	2.66	0	0	12.6
2019	11	30	11	12	9	36	0	0	0	0	0	0	0	2.67	0	0	12.6
2019	11	30	11	22	9	36	0	0	0	0	0	0	0	2.67	0	0	12.4
2019	11	30	11	32	9	35	0	0	0	0	0	0	0	2.69	0	0	12.4
2019	11	30	11	42	9	36	0	0	0	0	0	0	0	2.7	0	0	12.2
2019	11	30	11	52	9	36	0	0	0	0	0	0	0	2.7	0	0	12.2
2019	11	30	12	2	9	36	0	0	0	0	0	0	0	2.69	0	0	12.4
2019	11	30	12	12	9	35	0	0	0	0	0	0	0	2.69	0	0	12.4
2019	11	30	12	22	9	36	0	0	0	0	0	0	0	2.69	0	0	12.2
2019	11	30	12	32	9	36	0	0	0	0	0	0	0	2.67	0	0	12.2
2019	11	30	12	42	9	36	0	0	0	0	0	0	0	2.68	0	0	12.2
2019	11	30	12	52	9	36	0	0	0	0	0	0	0	2.68	0	0	12.2
2019	11	30	13	2	9	36	0	0	0	0	0	0	0	2.68	0	0	12.2
2019	11	30	13	12	9	36	0	0	0	0	0	0	0	2.69	0	0	12.2
2019	11	30	13	22	9	36	0	0	0	0	0	0	0	2.69	0	0	12.2
2019	11	30	13	32	9	35	0	0	0	0	0	0	0	2.7	0	0	12
2019	11	30	13	42	9	35	0	0	0	0	0	0	0	2.71	0	0	12
2019	11	30	13	52	9	35	0	0	0	0	0	0	0	2.71	0	0	12
2019	11	30	14	2	9	36	0	0	0	0	0	0	0	2.7	0	0	12
2019	11	30	14	12	9	36	0	0	0	0	0	0	0	2.7	0	0	12
2019	11	30	14	22	9	35	0	0	0	0	0	0	0	2.71	0	0	12
2019	11	30	14	32	9	35	0	0	0	0	0	0	0	2.7	0	0	12
2019	11	30	14	42	9	36	0	0	0	0	0	0	0	2.71	0	0	11.8
2019	11	30	14	52	9	36	0	0	0	0	0	0	0	2.72	0	0	11.8
2019	11	30	15	2	9	36	0	0	0	0	0	0	0	2.72	0	0	11.8
2019	11	30	15	12	9	36	0	0	0	0	0	0	0	2.72	0	0	11.8
2019	11	30	15	22	9	35	0	0	0	0	0	0	0	2.72	0	0	11.8
2019	11	30	15	32	9	36	0	0	0	0	0	0	0	2.73	0	0	11.8
2019	11	30	15	42	9	36	0	0	0	0	0	0	0	2.72	0	0	11.8
2019	11	30	15	52	9	36	0	0	0	0	0	0	0	2.72	0	0	11.8

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	30	16	2	9	36	0	0	0	0	0	0	0	2.73	0	0	11.8
2019	11	30	16	12	9	36	0	0	0	0	0	0	0	2.72	0	0	11.6
2019	11	30	16	22	9	36	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	16	32	9	36	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	16	42	9	36	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	16	52	9	36	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	17	2	9	35	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	17	12	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	17	22	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	17	32	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	17	42	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	17	52	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	18	2	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	18	12	9	35	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	18	22	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	18	32	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	18	42	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	18	52	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	19	2	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	19	12	9	35	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	19	22	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	19	32	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	19	42	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	19	52	9	37	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	20	2	9	36	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	20	12	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	20	22	9	35	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	20	32	9	36	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	20	42	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	20	52	9	36	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	21	2	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	21	12	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	21	22	9	36	0	0	0	0	0	0	0	2.74	0	0	11.6
2019	11	30	21	32	9	36	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	21	42	9	36	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	21	52	9	36	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	22	2	9	36	0	0	0	0	0	0	0	2.73	0	0	11.6
2019	11	30	22	12	9	36	0	0	0	0	0	0	0	2.72	0	0	11.4
2019	11	30	22	22	9	37	0	0	0	0	0	0	0	2.72	0	0	11.4
2019	11	30	22	32	9	36	0	0	0	0	0	0	0	2.72	0	0	11.4
2019	11	30	22	42	9	36	0	0	0	0	0	0	0	2.72	0	0	11.4
2019	11	30	22	52	9	36	0	0	0	0	0	0	0	2.71	0	0	11.4
2019	11	30	23	2	9	36	0	0	0	0	0	0	0	2.7	0	0	11.4
2019	11	30	23	12	9	36	0	0	0	0	0	0	0	2.7	0	0	11.4
2019	11	30	23	22	9	36	0	0	0	0	0	0	0	2.7	0	0	11.4
2019	11	30	23	32	9	36	0	0	0	0	0	0	0	2.69	0	0	11.4
2019	11	30	23	42	9	36	0	0	0	0	0	0	0	2.69	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage
2019	11	30	23	52	9	36	0	0	0	0	0	0	0	2.68	0	0	11.4

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	1	0	7	35	0.3	3.6	0.67	97.9	77.1916	48.7345
2019	11	1	0	17	35	0.3	3.6	0.69	101.3	77.1916	49.2146
2019	11	1	0	27	35	0.3	3.6	0.67	99	77.1916	48.2544
2019	11	1	0	37	35	0.3	3.6	0.68	99.2	77.1916	48.9746
2019	11	1	0	47	35	0.3	3.6	0.68	98.9	77.1916	49.2147
2019	11	1	0	57	35	0.3	3.6	0.68	97.2	77.1916	49.2147
2019	11	1	1	7	35	0.3	3.6	0.66	101.1	77.1916	47.5342
2019	11	1	1	17	35	0.3	3.6	0.66	98.6	77.1916	47.7743
2019	11	1	1	27	35	0.3	3.6	0.68	100.5	77.2572	49.2585
2019	11	1	1	37	35	0.3	3.6	0.67	100.4	77.2572	48.2974
2019	11	1	1	47	35	0.3	3.6	0.66	98.3	77.2572	48.0572
2019	11	1	1	57	35	0.3	3.6	0.67	97.9	77.2572	48.5378
2019	11	1	2	7	35	0.3	3.6	0.65	98.2	77.2572	46.8558
2019	11	1	2	17	35	0.3	3.6	0.67	100.1	77.3228	48.5809
2019	11	1	2	27	35	0.3	3.6	0.69	100.1	77.3885	50.0683
2019	11	1	2	37	35	0.3	3.6	0.66	98.5	77.3228	48.1
2019	11	1	2	47	35	0.3	3.6	0.67	97.3	77.3885	49.1055
2019	11	1	2	57	35	0.3	3.6	0.69	98.7	77.3885	50.0684
2019	11	1	3	7	35	0.3	3.6	0.72	100	77.3885	51.7534
2019	11	1	3	17	35	0.3	3.6	0.7	97	77.3885	50.7906
2019	11	1	3	27	35	0.3	3.6	0.67	99	77.3885	48.8649
2019	11	1	3	37	35	0.3	3.6	0.7	98.1	77.3885	50.7906
2019	11	1	3	47	35	0.3	3.6	0.68	99.1	77.3885	49.5871
2019	11	1	3	57	35	0.3	3.6	0.67	99.3	77.3885	48.6243
2019	11	1	4	7	35	0.3	3.6	0.69	98.2	77.3885	50.0686
2019	11	1	4	17	35	0.3	3.6	0.66	98.3	77.3885	47.9022
2019	11	1	4	27	35	0.3	3.6	0.69	101.8	77.3885	49.5872
2019	11	1	4	37	35	0.3	3.6	0.69	98.5	77.3885	49.8279
2019	11	1	4	47	35	0.3	3.6	0.69	98.4	77.3885	50.3094
2019	11	1	4	57	35	0.3	3.6	0.67	99.2	77.3885	48.8651
2019	11	1	5	7	35	0.3	3.6	0.68	99.4	77.3885	49.5873
2019	11	1	5	17	35	0.3	3.6	0.71	98.5	77.3885	51.513
2019	11	1	5	27	35	0.3	3.6	0.65	97.8	77.3885	47.4209
2019	11	1	5	37	35	0.3	3.6	0.66	98.5	77.3885	48.143
2019	11	1	5	47	35	0.3	3.6	0.66	99.7	77.3885	47.9023
2019	11	1	5	57	35	0.3	3.6	0.68	97.8	77.3885	49.3466
2019	11	1	6	7	35	0.3	3.6	0.68	97.8	77.3885	49.1059
2019	11	1	6	17	35	0.3	3.6	0.67	98.2	77.3885	48.3838
2019	11	1	6	27	35	0.3	3.6	0.69	99.6	77.3885	50.0688
2019	11	1	6	37	35	0.3	3.6	0.65	100.8	77.3885	46.6988
2019	11	1	6	47	35	0.3	3.6	0.68	100	77.3885	49.106
2019	11	1	6	57	35	0.3	3.6	0.65	94.6	77.3885	47.6617
2019	11	1	7	7	35	0.3	3.6	0.7	100.2	77.3885	50.7911
2019	11	1	7	17	35	0.3	3.6	0.66	100.3	77.3885	47.6618
2019	11	1	7	27	35	0.3	3.6	0.66	100.3	77.3885	47.6618
2019	11	1	7	37	35	0.3	3.6	0.67	99	77.3885	48.8654
2019	11	1	7	47	35	0.3	3.6	0.69	101	77.3885	49.5875

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	1	7	57	35	0.3	3.6	0.72	99.5	77.3885	51.754
2019	11	1	8	7	35	0.3	3.6	0.65	98.1	77.3885	47.1804
2019	11	1	8	17	35	0.3	3.6	0.65	96.3	77.3885	47.6618
2019	11	1	8	27	35	0.3	3.6	0.7	98.1	77.3885	50.5504
2019	11	1	8	37	35	0.3	3.6	0.68	97.5	77.4541	49.6315
2019	11	1	8	47	35	0.3	3.6	0.66	100.5	77.4541	47.945
2019	11	1	8	57	35	0.3	3.6	0.66	99.7	77.4541	47.945
2019	11	1	9	7	35	0.3	3.6	0.65	100.4	77.4541	47.2221
2019	11	1	9	17	35	0.3	3.6	0.67	96.4	77.4541	49.1496
2019	11	1	9	27	35	0.3	3.6	0.65	101.4	77.4541	46.7402
2019	11	1	9	37	35	0.3	3.6	0.68	100	77.4541	49.1495
2019	11	1	9	47	35	0.3	3.6	0.67	100.1	77.4541	48.6676
2019	11	1	9	57	35	0.3	3.6	0.69	99.2	77.4541	50.3541
2019	11	1	10	7	35	0.3	3.6	0.65	100.4	77.4541	47.222
2019	11	1	10	17	35	0.3	3.6	0.66	99.5	77.5197	47.7461
2019	11	1	10	27	35	0.3	3.6	0.7	100	77.4541	50.354
2019	11	1	10	37	35	0.3	3.6	0.69	98.7	77.5197	50.1575
2019	11	1	10	47	35	0.3	3.6	0.67	98.1	77.5197	48.9517
2019	11	1	10	57	35	0.3	3.6	0.68	101.5	77.5197	48.7106
2019	11	1	11	7	35	0.3	3.6	0.69	103.1	77.5197	49.6751
2019	11	1	11	17	35	0.3	3.6	0.65	96.4	77.5197	47.5048
2019	11	1	11	27	35	0.3	3.6	0.65	100.2	77.5197	46.7814
2019	11	1	11	37	35	0.3	3.6	0.69	99	77.5197	50.1573
2019	11	1	11	47	35	0.3	3.6	0.66	97.7	77.5853	48.2709
2019	11	1	11	57	35	0.3	3.6	0.64	99.8	77.5853	46.0987
2019	11	1	12	7	35	0.3	3.6	0.65	100.2	77.5853	46.8227
2019	11	1	12	17	35	0.3	3.6	0.67	101.6	77.5853	48.2708
2019	11	1	12	27	35	0.3	3.6	0.65	99.8	77.5853	47.3054
2019	11	1	12	37	35	0.3	3.6	0.73	98.3	77.5853	53.0979
2019	11	1	12	47	35	0.3	3.6	0.67	101.8	77.5853	48.5122
2019	11	1	12	57	35	0.3	3.6	0.65	99.6	77.5853	47.3054
2019	11	1	13	7	35	0.3	3.6	0.64	99.8	77.5853	46.3399
2019	11	1	13	17	35	0.3	3.6	0.67	99.6	77.5853	48.5121
2019	11	1	13	27	35	0.3	3.6	0.69	99.1	77.5853	49.9602
2019	11	1	13	37	35	0.3	3.6	0.64	98.3	77.5853	46.3399
2019	11	1	13	47	35	0.3	3.6	0.7	99.1	77.6509	51.2122
2019	11	1	13	57	35	0.3	3.6	0.66	97.7	77.6509	48.0719
2019	11	1	14	7	35	0.3	3.6	0.68	99.2	77.6509	49.2797
2019	11	1	14	17	35	0.3	3.6	0.62	97.7	77.6509	44.9315
2019	11	1	14	27	35	0.3	3.6	0.69	99.1	77.6509	50.0044
2019	11	1	14	37	35	0.3	3.6	0.65	98.7	77.6509	47.5887
2019	11	1	14	47	35	0.3	3.6	0.67	98.7	77.6509	49.0381
2019	11	1	14	57	35	0.3	3.6	0.67	97.9	77.6509	49.0381
2019	11	1	15	7	35	0.3	3.6	0.67	97.1	77.6509	48.7966
2019	11	1	15	17	35	0.3	3.6	0.69	100.4	77.6509	50.246
2019	11	1	15	27	35	0.3	3.6	0.65	98.4	77.6509	47.3472
2019	11	1	15	37	35	0.3	3.6	0.66	100.3	77.6509	48.0719

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	1	15	47	35	0.3	3.6	0.63	102.1	77.6509	45.1731
2019	11	1	15	57	35	0.3	3.6	0.67	105.1	77.6509	47.3472
2019	11	1	16	7	35	0.3	3.6	0.65	97.6	77.6509	47.1056
2019	11	1	16	17	35	0.3	3.6	0.67	101	77.6509	48.555
2019	11	1	16	27	35	0.3	3.6	0.65	99.6	77.6509	47.3472
2019	11	1	16	37	35	0.3	3.6	0.69	100.2	77.6509	49.7629
2019	11	1	16	47	35	0.3	3.6	0.63	99.3	77.6509	45.8978
2019	11	1	16	57	35	0.3	3.6	0.69	101.5	77.5853	49.7189
2019	11	1	17	7	35	0.3	3.6	0.65	98.7	77.6509	47.5888
2019	11	1	17	17	35	0.3	3.6	0.68	99.2	77.6509	49.2798
2019	11	1	17	27	35	0.3	3.6	0.69	100.9	77.6509	50.246
2019	11	1	17	37	35	0.3	3.6	0.68	98.1	77.6509	49.2798
2019	11	1	17	47	35	0.3	3.6	0.69	99.9	77.6509	49.7629
2019	11	1	17	57	35	0.3	3.6	0.7	100	77.5853	50.443
2019	11	1	18	7	35	0.3	3.6	0.7	101.4	77.5853	50.443
2019	11	1	18	17	35	0.3	3.6	0.67	97.3	77.5853	49.2362
2019	11	1	18	27	35	0.3	3.6	0.69	99.9	77.5853	49.9603
2019	11	1	18	37	35	0.3	3.6	0.68	95.5	77.5853	49.9603
2019	11	1	18	47	35	0.3	3.6	0.66	99.5	77.5853	47.5467
2019	11	1	18	57	35	0.3	3.6	0.65	100.7	77.5853	47.064
2019	11	1	19	7	35	0.3	3.6	0.72	99.5	77.5853	51.8911
2019	11	1	19	17	35	0.3	3.6	0.71	99.6	77.5853	51.167
2019	11	1	19	27	35	0.3	3.6	0.66	96.5	77.5853	48.5121
2019	11	1	19	37	35	0.3	3.6	0.69	101.7	77.5853	49.9603
2019	11	1	19	47	35	0.3	3.6	0.7	97	77.5853	51.1671
2019	11	1	19	57	35	0.3	3.6	0.68	100	77.5853	49.2362
2019	11	1	20	7	35	0.3	3.6	0.68	99.2	77.5853	49.2362
2019	11	1	20	17	35	0.3	3.6	0.65	99.7	77.5853	46.8227
2019	11	1	20	27	35	0.3	3.6	0.66	96.8	77.5853	48.5122
2019	11	1	20	37	35	0.3	3.6	0.67	99.2	77.5853	48.9949
2019	11	1	20	47	35	0.3	3.6	0.68	99.4	77.5853	49.719
2019	11	1	20	57	35	0.3	3.6	0.69	101.5	77.5853	49.719
2019	11	1	21	7	35	0.3	3.6	0.64	101	77.5853	46.0987
2019	11	1	21	17	35	0.3	3.6	0.71	98.5	77.5853	51.8912
2019	11	1	21	27	35	0.3	3.6	0.68	98.6	77.5853	49.719
2019	11	1	21	37	35	0.3	3.6	0.67	97	77.5853	49.2363
2019	11	1	21	47	35	0.3	3.6	0.69	98.4	77.5853	50.4431
2019	11	1	21	57	35	0.3	3.6	0.67	101	77.5853	48.5123
2019	11	1	22	7	35	0.3	3.6	0.69	99.2	77.5853	50.4431
2019	11	1	22	17	35	0.3	3.6	0.7	99.9	77.5853	50.9259
2019	11	1	22	27	35	0.3	3.6	0.68	101.2	77.5853	48.7537
2019	11	1	22	37	35	0.3	3.6	0.68	100.1	77.5853	48.995
2019	11	1	22	47	35	0.3	3.6	0.67	99.3	77.5853	48.7537
2019	11	1	22	57	35	0.3	3.6	0.65	97.2	77.5853	47.5469
2019	11	1	23	7	35	0.3	3.6	0.67	97.3	77.5853	49.2364
2019	11	1	23	17	35	0.3	3.6	0.7	98.4	77.5853	50.9259
2019	11	1	23	27	35	0.3	3.6	0.68	99.1	77.5853	49.7192

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	1	23	37	35	0.3	3.6	0.68	101.1	77.5853	49.2365
2019	11	1	23	47	35	0.3	3.6	0.69	98.7	77.5853	50.4433
2019	11	1	23	57	35	0.3	3.6	0.66	98	77.5853	48.2711
2019	11	2	0	7	35	0.3	3.6	0.66	96.9	77.5853	48.0297
2019	11	2	0	17	35	0.3	3.6	0.67	97.6	77.5853	48.9952
2019	11	2	0	27	35	0.3	3.6	0.69	97.7	77.5853	50.202
2019	11	2	0	37	35	0.3	3.6	0.67	99.6	77.5853	48.5125
2019	11	2	0	47	35	0.3	3.6	0.71	99.5	77.5853	51.6502
2019	11	2	0	57	35	0.3	3.6	0.69	97.1	77.5853	50.6847
2019	11	2	1	7	35	0.3	3.6	0.65	99.4	77.6509	46.8645
2019	11	2	1	17	35	0.3	3.6	0.7	98.4	77.6509	50.7296
2019	11	2	1	27	35	0.3	3.6	0.67	99	77.6509	49.0386
2019	11	2	1	37	35	0.3	3.6	0.66	99.5	77.6509	47.8308
2019	11	2	1	47	35	0.3	3.6	0.67	99.8	77.6509	48.7971
2019	11	2	1	57	35	0.3	3.6	0.68	98.6	77.6509	49.7634
2019	11	2	2	7	35	0.3	3.6	0.62	96.4	77.6509	45.4152
2019	11	2	2	17	35	0.3	3.6	0.69	97.7	77.6509	50.2466
2019	11	2	2	27	35	0.3	3.6	0.67	99.3	77.6509	48.7972
2019	11	2	2	37	35	0.3	3.6	0.69	100.9	77.6509	50.2466
2019	11	2	2	47	35	0.3	3.6	0.67	99.8	77.6509	48.7972
2019	11	2	2	57	35	0.3	3.6	0.71	98.2	77.6509	51.6961
2019	11	2	3	7	35	0.3	3.6	0.68	97.2	77.7165	49.8075
2019	11	2	3	17	35	0.3	3.6	0.7	99.5	77.7165	50.7747
2019	11	2	3	27	35	0.3	3.6	0.69	98.7	77.7165	50.2911
2019	11	2	3	37	35	0.3	3.6	0.69	99	77.7822	50.5775
2019	11	2	3	47	35	0.3	3.6	0.68	100	77.7822	49.6096
2019	11	2	3	57	35	0.3	3.6	0.69	96.6	77.8478	50.38
2019	11	2	4	7	35	0.3	3.6	0.68	98.3	77.8478	49.6534
2019	11	2	4	17	35	0.3	3.6	0.68	100.2	77.9134	49.6971
2019	11	2	4	27	35	0.3	3.6	0.7	100.2	77.9134	51.1517
2019	11	2	4	37	35	0.3	3.6	0.71	98.5	77.9134	52.1214
2019	11	2	4	47	35	0.3	3.6	0.72	98.4	77.9134	52.6063
2019	11	2	4	57	35	0.3	3.6	0.66	100.1	77.979	47.7998
2019	11	2	5	7	35	0.3	3.6	0.69	101.7	77.979	50.2263
2019	11	2	5	17	35	0.3	3.6	0.69	99.9	77.979	50.2263
2019	11	2	5	27	35	0.3	3.6	0.66	97.1	77.979	48.5278
2019	11	2	5	37	35	0.3	3.6	0.72	99.2	77.979	52.41
2019	11	2	5	47	35	0.3	3.6	0.67	98.8	77.979	48.7705
2019	11	2	5	57	35	0.3	3.6	0.68	99.1	77.979	49.741
2019	11	2	6	7	35	0.3	3.6	0.68	98.9	77.979	49.4984
2019	11	2	6	17	35	0.3	3.6	0.67	97	77.979	49.2558
2019	11	2	6	27	35	0.3	3.6	0.68	100	77.979	49.4984
2019	11	2	6	37	35	0.3	3.6	0.65	96.9	77.979	47.8
2019	11	2	6	47	35	0.3	3.6	0.69	97.4	77.979	50.7116
2019	11	2	6	57	35	0.3	3.6	0.69	96.5	78.0446	50.9991
2019	11	2	7	7	35	0.3	3.6	0.69	97.1	77.979	50.9543
2019	11	2	7	17	35	0.3	3.6	0.69	98.7	78.0446	50.7563

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	2	7	27	35	0.3	3.6	0.68	98.9	78.0446	49.7849
2019	11	2	7	37	35	0.3	3.6	0.7	101.6	78.0446	50.7563
2019	11	2	7	47	35	0.3	3.6	0.67	99.2	78.0446	49.2992
2019	11	2	7	57	35	0.3	3.6	0.7	99.1	78.0446	51.4849
2019	11	2	8	7	35	0.3	3.6	0.68	101.6	78.0446	49.5421
2019	11	2	8	17	35	0.3	3.6	0.68	99.5	78.0446	49.5421
2019	11	2	8	27	35	0.3	3.6	0.7	100.5	78.0446	50.9992
2019	11	2	8	37	35	0.3	3.6	0.69	98.7	78.0446	50.7563
2019	11	2	8	47	35	0.3	3.6	0.7	99.2	78.1102	51.0439
2019	11	2	8	57	35	0.3	3.6	0.68	97.5	78.1102	49.8286
2019	11	2	9	7	35	0.3	3.6	0.69	99.8	78.1102	50.5578
2019	11	2	9	17	35	0.3	3.6	0.67	99.9	78.1102	48.6132
2019	11	2	9	27	35	0.3	3.6	0.67	97.9	78.1102	49.3424
2019	11	2	9	37	35	0.3	3.6	0.66	97.4	78.1102	48.8562
2019	11	2	9	47	35	0.3	3.6	0.69	98.7	78.1102	50.8007
2019	11	2	9	57	35	0.3	3.6	0.71	96.7	78.1102	52.016
2019	11	2	10	7	35	0.3	3.6	0.7	100.5	78.1102	51.0437
2019	11	2	10	17	35	0.3	3.6	0.66	99.5	78.1102	47.8839
2019	11	2	10	27	35	0.3	3.6	0.7	98.1	78.1758	51.3318
2019	11	2	10	37	35	0.3	3.6	0.7	99.4	78.1758	51.3317
2019	11	2	10	47	35	0.3	3.6	0.69	97.7	78.1758	50.3586
2019	11	2	10	57	35	0.3	3.6	0.69	99.9	78.1758	50.3586
2019	11	2	11	7	35	0.3	3.6	0.67	101	78.1758	48.8989
2019	11	2	11	17	35	0.3	3.6	0.68	98.8	78.1758	50.1152
2019	11	2	11	27	35	0.3	3.6	0.68	98.9	78.1758	49.6287
2019	11	2	11	37	35	0.3	3.6	0.7	97.6	78.1758	51.0883
2019	11	2	11	47	35	0.3	3.6	0.68	98.8	78.2415	50.1592
2019	11	2	11	57	35	0.3	3.6	0.66	100	78.1758	48.1689
2019	11	2	12	7	35	0.3	3.6	0.65	96.6	78.1758	48.1689
2019	11	2	12	17	35	0.3	3.6	0.69	98.8	78.2415	50.4026
2019	11	2	12	27	35	0.3	3.6	0.65	97.8	78.2415	47.9677
2019	11	2	12	37	35	0.3	3.6	0.67	99.3	78.2415	49.1851
2019	11	2	12	47	35	0.3	3.6	0.68	98.3	78.2415	49.9156
2019	11	2	12	57	35	0.3	3.6	0.66	96	78.2415	48.4546
2019	11	2	13	7	35	0.3	3.6	0.73	98	78.2415	53.5679
2019	11	2	13	17	35	0.3	3.6	0.69	98.5	78.2415	50.4025
2019	11	2	13	27	35	0.3	3.6	0.66	100.3	78.2415	48.2111
2019	11	2	13	37	35	0.3	3.6	0.68	100.3	78.2415	49.672
2019	11	2	13	47	35	0.3	3.6	0.67	97	78.2415	49.4285
2019	11	2	13	57	35	0.3	3.6	0.7	99.2	78.2415	51.3764
2019	11	2	14	7	35	0.3	3.6	0.67	98.8	78.2415	48.9415
2019	11	2	14	17	35	0.3	3.6	0.68	100.1	78.2415	49.4285
2019	11	2	14	27	35	0.3	3.6	0.67	101.1	78.2415	48.4545
2019	11	2	14	37	35	0.3	3.6	0.68	98.6	78.2415	50.159
2019	11	2	14	47	35	0.3	3.6	0.67	97.6	78.2415	49.4285
2019	11	2	14	57	35	0.3	3.6	0.67	99	78.2415	48.9415
2019	11	2	15	7	35	0.3	3.6	0.65	98.1	78.2415	47.9675

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	2	15	17	35	0.3	3.6	0.69	98.8	78.2415	50.4024
2019	11	2	15	27	35	0.3	3.6	0.7	100.6	78.2415	50.8894
2019	11	2	15	37	35	0.3	3.6	0.67	97.9	78.2415	49.185
2019	11	2	15	47	35	0.3	3.6	0.69	98	78.2415	50.4025
2019	11	2	15	57	35	0.3	3.6	0.68	99.1	78.2415	49.9155
2019	11	2	16	7	35	0.3	3.6	0.67	97	78.2415	49.4285
2019	11	2	16	17	35	0.3	3.6	0.69	100.1	78.2415	50.4024
2019	11	2	16	27	35	0.3	3.6	0.66	98	78.2415	48.2111
2019	11	2	16	37	35	0.3	3.6	0.66	99.5	78.2415	48.2111
2019	11	2	16	47	35	0.3	3.6	0.68	96.9	78.2415	50.4025
2019	11	2	16	57	35	0.3	3.6	0.65	98.4	78.2415	47.7241
2019	11	2	17	7	35	0.3	3.6	0.66	97.8	78.2415	48.211
2019	11	2	17	17	35	0.3	3.6	0.67	98.4	78.2415	49.4285
2019	11	2	17	27	35	0.3	3.6	0.66	98	78.2415	48.4545
2019	11	2	17	37	35	0.3	3.6	0.66	98	78.2415	48.4545
2019	11	2	17	47	35	0.3	3.6	0.66	98.3	78.2415	48.4545
2019	11	2	17	57	35	0.3	3.6	0.66	98	78.2415	48.4545
2019	11	2	18	7	35	0.3	3.6	0.68	97.8	78.2415	49.9154
2019	11	2	18	17	35	0.3	3.6	0.67	98.8	78.2415	48.9415
2019	11	2	18	27	35	0.3	3.6	0.7	100.2	78.2415	51.3764
2019	11	2	18	37	35	0.3	3.6	0.68	99.2	78.2415	49.6719
2019	11	2	18	47	35	0.3	3.6	0.67	97.9	78.2415	49.4284
2019	11	2	18	57	35	0.3	3.6	0.66	99.7	78.2415	48.4545
2019	11	2	19	7	35	0.3	3.6	0.69	99.9	78.2415	50.1589
2019	11	2	19	17	35	0.3	3.6	0.65	99.3	78.2415	47.4805
2019	11	2	19	27	35	0.3	3.6	0.7	102.1	78.2415	51.1329
2019	11	2	19	37	35	0.3	3.6	0.69	96.3	78.2415	50.8894
2019	11	2	19	47	35	0.3	3.6	0.7	98.1	78.2415	51.3764
2019	11	2	19	57	35	0.3	3.6	0.69	100.7	78.2415	50.1589
2019	11	2	20	7	35	0.3	3.6	0.65	99.3	78.2415	47.724
2019	11	2	20	17	35	0.3	3.6	0.66	97.5	78.2415	48.211
2019	11	2	20	27	35	0.3	3.6	0.68	99.5	78.2415	49.4285
2019	11	2	20	37	35	0.3	3.6	0.63	99.3	78.2415	46.2631
2019	11	2	20	47	35	0.3	3.6	0.66	98.9	78.2415	48.4545
2019	11	2	20	57	35	0.3	3.6	0.68	99.1	78.2415	50.159
2019	11	2	21	7	35	0.3	3.6	0.7	97.6	78.2415	51.3764
2019	11	2	21	17	35	0.3	3.6	0.7	98.6	78.2415	51.3764
2019	11	2	21	27	35	0.3	3.6	0.69	97.7	78.2415	50.646
2019	11	2	21	37	35	0.3	3.6	0.67	100.2	78.2415	48.6981
2019	11	2	21	47	35	0.3	3.6	0.68	100.6	78.2415	49.4286
2019	11	2	21	57	35	0.3	3.6	0.71	100.3	78.2415	52.107
2019	11	2	22	7	35	0.3	3.6	0.66	99.5	78.2415	48.2111
2019	11	2	22	17	35	0.3	3.6	0.68	96.6	78.3071	50.4467
2019	11	2	22	27	35	0.3	3.6	0.69	100.7	78.2415	50.1591
2019	11	2	22	37	35	0.3	3.6	0.68	99.1	78.2415	50.1591
2019	11	2	22	47	35	0.3	3.6	0.7	99.2	78.2415	51.133
2019	11	2	22	57	35	0.3	3.6	0.66	101.3	78.3071	47.766

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	2	23	7	35	0.3	3.6	0.72	99.2	78.2415	52.594
2019	11	2	23	17	35	0.3	3.6	0.71	99.5	78.2415	52.107
2019	11	2	23	27	35	0.3	3.6	0.68	99.1	78.2415	50.1591
2019	11	2	23	37	35	0.3	3.6	0.69	99	78.2415	50.6461
2019	11	2	23	47	35	0.3	3.6	0.7	98.7	78.2415	51.1331
2019	11	2	23	57	35	0.3	3.6	0.69	100.9	78.2415	50.6461
2019	11	3	0	7	35	0.3	3.6	0.68	102	78.2415	49.4287
2019	11	3	0	17	35	0.3	3.6	0.71	99.5	78.2415	52.1071
2019	11	3	0	27	35	0.3	3.6	0.69	96.3	78.2415	50.8897
2019	11	3	0	37	35	0.3	3.6	0.68	98.8	78.2415	50.1592
2019	11	3	0	47	35	0.3	3.6	0.7	98.4	78.2415	51.1332
2019	11	3	0	57	35	0.3	3.6	0.69	100.1	78.2415	50.4027
2019	11	3	1	7	35	0.3	3.6	0.71	98.5	78.2415	51.8637
2019	11	3	1	17	35	0.3	3.6	0.7	96.2	78.2415	51.6202
2019	11	3	1	27	35	0.3	3.6	0.68	95.3	78.2415	49.9158
2019	11	3	1	37	35	0.3	3.6	0.68	98.8	78.2415	50.1593
2019	11	3	1	47	35	0.3	3.6	0.66	98	78.2415	48.2114
2019	11	3	1	57	35	0.3	3.6	0.71	98.5	78.2415	52.1073
2019	11	3	2	7	35	0.3	3.6	0.66	97.8	78.2415	48.2114
2019	11	3	2	17	35	0.3	3.6	0.69	97.6	78.2415	50.8898
2019	11	3	2	27	35	0.3	3.6	0.68	100	78.2415	49.9159
2019	11	3	2	37	35	0.3	3.6	0.7	99.4	78.2415	51.3769
2019	11	3	2	47	35	0.3	3.6	0.68	98.6	78.2415	49.6724
2019	11	3	2	57	35	0.3	3.6	0.66	98	78.2415	48.455
2019	11	3	3	7	35	0.3	3.6	0.67	97.3	78.2415	49.6725
2019	11	3	3	17	35	0.3	3.6	0.69	95.7	78.2415	51.1334
2019	11	3	3	27	35	0.3	3.6	0.71	97.8	78.2415	51.8639
2019	11	3	3	37	35	0.3	3.6	0.67	100.4	78.2415	48.942
2019	11	3	3	47	35	0.3	3.6	0.71	97.2	78.2415	52.1074
2019	11	3	3	57	35	0.3	3.6	0.69	100.7	78.2415	50.403
2019	11	3	4	7	35	0.3	3.6	0.68	98.6	78.2415	49.916
2019	11	3	4	17	35	0.3	3.6	0.7	98.9	78.2415	51.377
2019	11	3	4	27	35	0.3	3.6	0.67	100.1	78.2415	49.1856
2019	11	3	4	37	35	0.3	3.6	0.68	100.5	78.1758	49.8723
2019	11	3	4	47	35	0.3	3.6	0.65	100.8	78.1758	47.1962
2019	11	3	4	57	35	0.3	3.6	0.68	102.3	78.2415	49.1856
2019	11	3	5	7	35	0.3	3.6	0.66	99.1	78.2415	48.6986
2019	11	3	5	17	35	0.3	3.6	0.67	99	78.2415	48.9421
2019	11	3	5	27	35	0.3	3.6	0.68	98.3	78.2415	50.1596
2019	11	3	5	37	35	0.3	3.6	0.69	100.7	78.2415	50.4031
2019	11	3	5	47	35	0.3	3.6	0.67	100.2	78.2415	48.9422
2019	11	3	5	57	35	0.3	3.6	0.68	97.7	78.1758	50.1157
2019	11	3	6	7	35	0.3	3.6	0.67	96.8	78.1758	49.1425
2019	11	3	6	17	35	0.3	3.6	0.68	101.4	78.1758	49.3858
2019	11	3	6	27	35	0.3	3.6	0.67	99.3	78.1758	48.8993
2019	11	3	6	37	35	0.3	3.6	0.67	100.4	78.2415	49.1857
2019	11	3	6	47	35	0.3	3.6	0.67	99.6	78.1758	48.656

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	3	6	57	35	0.3	3.6	0.69	99.6	78.2415	50.6467
2019	11	3	7	7	35	0.3	3.6	0.68	100.6	78.1758	49.3859
2019	11	3	7	17	35	0.3	3.6	0.67	97.3	78.2415	49.1857
2019	11	3	7	27	35	0.3	3.6	0.65	101.1	78.1758	46.9531
2019	11	3	7	37	35	0.3	3.6	0.69	97.6	78.2415	50.8902
2019	11	3	7	47	35	0.3	3.6	0.66	98.3	78.1758	48.4128
2019	11	3	7	57	35	0.3	3.6	0.71	99.6	78.2415	51.6207
2019	11	3	8	7	35	0.3	3.6	0.68	99.2	78.1758	49.6292
2019	11	3	8	17	35	0.3	3.6	0.7	98.8	78.1758	51.5754
2019	11	3	8	27	35	0.3	3.6	0.67	98.5	78.1758	48.8993
2019	11	3	8	37	35	0.3	3.6	0.67	98.2	78.2415	49.1857
2019	11	3	8	47	35	0.3	3.6	0.69	98.8	78.2415	50.4031
2019	11	3	8	57	35	0.3	3.6	0.68	98.3	78.2415	49.9161
2019	11	3	9	7	35	0.3	3.6	0.67	99.3	78.2415	48.9421
2019	11	3	9	17	35	0.3	3.6	0.7	99.8	78.2415	50.89
2019	11	3	9	27	35	0.3	3.6	0.66	100	78.2415	48.2116
2019	11	3	9	37	35	0.3	3.6	0.68	102.3	78.2415	49.1855
2019	11	3	9	47	35	0.3	3.6	0.7	99.4	78.2415	51.3769
2019	11	3	9	57	35	0.3	3.6	0.67	99	78.2415	48.942
2019	11	3	10	7	35	0.3	3.6	0.68	98.9	78.2415	49.9159
2019	11	3	10	17	35	0.3	3.6	0.69	100.9	78.2415	50.6464
2019	11	3	10	27	35	0.3	3.6	0.67	100.4	78.2415	48.9419
2019	11	3	10	37	35	0.3	3.6	0.65	99.4	78.2415	47.2374
2019	11	3	10	47	35	0.3	3.6	0.66	103	78.2415	47.4809
2019	11	3	10	57	35	0.3	3.6	0.69	99.8	78.2415	50.6462
2019	11	3	11	7	35	0.3	3.6	0.7	99.5	78.2415	51.1332
2019	11	3	11	17	35	0.3	3.6	0.7	101.7	78.2415	50.6462
2019	11	3	11	27	35	0.3	3.6	0.64	98.9	78.2415	46.7503
2019	11	3	11	37	35	0.3	3.6	0.64	99.1	78.3071	47.2787
2019	11	3	11	47	35	0.3	3.6	0.65	99.4	78.3071	47.2787
2019	11	3	11	57	35	0.3	3.6	0.68	100.5	78.3071	49.9594
2019	11	3	12	7	35	0.3	3.6	0.68	98.6	78.3071	50.2031
2019	11	3	12	17	35	0.3	3.6	0.67	97.9	78.3071	48.9845
2019	11	3	12	27	35	0.3	3.6	0.69	99.6	78.3071	50.203
2019	11	3	12	37	35	0.3	3.6	0.7	99.7	78.3071	51.4215
2019	11	3	12	47	35	0.3	3.6	0.68	97.7	78.3071	50.203
2019	11	3	12	57	35	0.3	3.6	0.7	96.5	78.3071	51.4215
2019	11	3	13	7	35	0.3	3.6	0.7	97.6	78.3071	51.1778
2019	11	3	13	17	35	0.3	3.6	0.7	97	78.3071	51.6652
2019	11	3	13	27	35	0.3	3.6	0.68	100.1	78.3071	49.4718
2019	11	3	13	37	35	0.3	3.6	0.71	99	78.3071	52.1525
2019	11	3	13	47	35	0.3	3.6	0.65	99.6	78.3071	47.5222
2019	11	3	13	57	35	0.3	3.6	0.69	98	78.3071	50.4466
2019	11	3	14	7	35	0.3	3.6	0.66	101.4	78.3071	48.2533
2019	11	3	14	17	35	0.3	3.6	0.66	98.3	78.3071	48.497
2019	11	3	14	27	35	0.3	3.6	0.71	100.6	78.3071	52.1525
2019	11	3	14	37	35	0.3	3.6	0.68	100	78.3071	49.9592

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	3	14	47	35	0.3	3.6	0.69	99.6	78.3071	50.4466
2019	11	3	14	57	35	0.3	3.6	0.69	99	78.3071	50.6903
2019	11	3	15	7	35	0.3	3.6	0.67	99.9	78.3071	48.7406
2019	11	3	15	17	35	0.3	3.6	0.69	98.4	78.3071	50.934
2019	11	3	15	27	35	0.3	3.6	0.65	100.5	78.3071	47.2784
2019	11	3	15	37	35	0.3	3.6	0.66	99.1	78.3071	48.7407
2019	11	3	15	47	35	0.3	3.6	0.66	101.5	78.3071	48.0096
2019	11	3	15	57	35	0.3	3.6	0.7	99.7	78.3071	51.4214
2019	11	3	16	7	35	0.3	3.6	0.69	100.4	78.3071	50.4466
2019	11	3	16	17	35	0.3	3.6	0.69	98.8	78.3071	50.4466
2019	11	3	16	27	35	0.3	3.6	0.64	98.3	78.3071	46.7911
2019	11	3	16	37	35	0.3	3.6	0.7	96.4	78.3071	51.9088
2019	11	3	16	47	35	0.3	3.6	0.66	99.5	78.2415	48.211
2019	11	3	16	57	35	0.3	3.6	0.66	98	78.2415	48.4545
2019	11	3	17	7	35	0.3	3.6	0.63	100.4	78.2415	46.2631
2019	11	3	17	17	35	0.3	3.6	0.65	103.1	78.3071	47.2784
2019	11	3	17	27	35	0.3	3.6	0.65	99.6	78.3071	47.7658
2019	11	3	17	37	35	0.3	3.6	0.67	96.8	78.2415	49.1849
2019	11	3	17	47	35	0.3	3.6	0.64	100.6	78.2415	46.9935
2019	11	3	17	57	35	0.3	3.6	0.68	100.3	78.3071	49.7154
2019	11	3	18	7	35	0.3	3.6	0.66	97.4	78.3071	48.4969
2019	11	3	18	17	35	0.3	3.6	0.67	99.3	78.3071	49.228
2019	11	3	18	27	35	0.3	3.6	0.68	97.5	78.3071	49.7154
2019	11	3	18	37	35	0.3	3.6	0.65	99.6	78.3071	47.7658
2019	11	3	18	47	35	0.3	3.6	0.68	100.6	78.3071	49.4717
2019	11	3	18	57	35	0.3	3.6	0.67	98.8	78.3071	48.9843
2019	11	3	19	7	35	0.3	3.6	0.68	100.1	78.3071	49.4717
2019	11	3	19	17	35	0.3	3.6	0.67	97.6	78.2415	49.1849
2019	11	3	19	27	35	0.3	3.6	0.67	100.1	78.3071	49.228
2019	11	3	19	37	35	0.3	3.6	0.68	102.3	78.2415	48.9414
2019	11	3	19	47	35	0.3	3.6	0.67	100.2	78.2415	48.9414
2019	11	3	19	57	35	0.3	3.6	0.67	98.2	78.2415	48.9414
2019	11	3	20	7	35	0.3	3.6	0.7	99.8	78.2415	50.8893
2019	11	3	20	17	35	0.3	3.6	0.62	99.8	78.2415	45.2891
2019	11	3	20	27	35	0.3	3.6	0.69	98.8	78.2415	50.4024
2019	11	3	20	37	35	0.3	3.6	0.64	97	78.2415	47.4805
2019	11	3	20	47	35	0.3	3.6	0.66	100.3	78.2415	48.4544
2019	11	3	20	57	35	0.3	3.6	0.69	99.6	78.2415	50.4024
2019	11	3	21	7	35	0.3	3.6	0.69	102.1	78.2415	49.9154
2019	11	3	21	17	35	0.3	3.6	0.68	97.7	78.2415	50.1589
2019	11	3	21	27	35	0.3	3.6	0.69	99.9	78.2415	50.4024
2019	11	3	21	37	35	0.3	3.6	0.66	100	78.2415	48.211
2019	11	3	21	47	35	0.3	3.6	0.68	100.9	78.2415	49.4285
2019	11	3	21	57	35	0.3	3.6	0.67	98.7	78.2415	49.4285
2019	11	3	22	7	35	0.3	3.6	0.69	99.6	78.2415	50.4024
2019	11	3	22	17	35	0.3	3.6	0.69	101.8	78.2415	50.159
2019	11	3	22	27	35	0.3	3.6	0.67	99.9	78.2415	48.698

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	3	22	37	35	0.3	3.6	0.67	101.6	78.2415	48.698
2019	11	3	22	47	35	0.3	3.6	0.69	98.7	78.2415	50.8895
2019	11	3	22	57	35	0.3	3.6	0.64	98.5	78.2415	47.2371
2019	11	3	23	7	35	0.3	3.6	0.7	101.7	78.2415	50.646
2019	11	3	23	17	35	0.3	3.6	0.7	100.8	78.2415	51.133
2019	11	3	23	27	35	0.3	3.6	0.69	100.2	78.2415	50.159
2019	11	3	23	37	35	0.3	3.6	0.67	99	78.2415	49.1851
2019	11	3	23	47	35	0.3	3.6	0.67	99.6	78.2415	48.9416
2019	11	3	23	57	35	0.3	3.6	0.7	97.8	78.2415	51.62
2019	11	4	0	7	35	0.3	3.6	0.66	99.2	78.1758	48.1689
2019	11	4	0	17	35	0.3	3.6	0.69	101	78.2415	50.1591
2019	11	4	0	27	35	0.3	3.6	0.7	100.5	78.2415	51.1331
2019	11	4	0	37	35	0.3	3.6	0.67	98.2	78.2415	49.1852
2019	11	4	0	47	35	0.3	3.6	0.65	99.3	78.1758	47.4391
2019	11	4	0	57	35	0.3	3.6	0.68	99.5	78.1758	49.6286
2019	11	4	1	7	35	0.3	3.6	0.7	98.1	78.1758	51.3316
2019	11	4	1	17	35	0.3	3.6	0.69	98	78.1758	50.3585
2019	11	4	1	27	35	0.3	3.6	0.69	99.2	78.1758	50.8451
2019	11	4	1	37	35	0.3	3.6	0.69	97.6	78.1758	50.8451
2019	11	4	1	47	35	0.3	3.6	0.7	97.9	78.1758	51.0884
2019	11	4	1	57	35	0.3	3.6	0.68	99.4	78.1758	50.1153
2019	11	4	2	7	35	0.3	3.6	0.66	99.2	78.1758	48.1691
2019	11	4	2	17	35	0.3	3.6	0.67	98.7	78.1758	49.1422
2019	11	4	2	27	35	0.3	3.6	0.68	99.7	78.1758	49.8721
2019	11	4	2	37	35	0.3	3.6	0.65	99.7	78.1758	47.196
2019	11	4	2	47	35	0.3	3.6	0.67	99	78.1758	49.3855
2019	11	4	2	57	35	0.3	3.6	0.68	97.8	78.1758	49.8721
2019	11	4	3	7	35	0.3	3.6	0.65	99.9	78.1758	47.196
2019	11	4	3	17	35	0.3	3.6	0.66	102.3	78.1758	48.1692
2019	11	4	3	27	35	0.3	3.6	0.67	98.2	78.1758	48.899
2019	11	4	3	37	35	0.3	3.6	0.67	98.4	78.1758	49.3856
2019	11	4	3	47	35	0.3	3.6	0.68	99.7	78.1758	49.8722
2019	11	4	3	57	35	0.3	3.6	0.69	98.5	78.1758	50.3587
2019	11	4	4	7	35	0.3	3.6	0.68	98.9	78.1758	49.8722
2019	11	4	4	17	35	0.3	3.6	0.65	102.3	78.1758	46.9529
2019	11	4	4	27	35	0.3	3.6	0.66	99.1	78.1758	48.6558
2019	11	4	4	37	35	0.3	3.6	0.66	99.2	78.1758	48.1693
2019	11	4	4	47	35	0.3	3.6	0.64	97.1	78.1758	46.9529
2019	11	4	4	57	35	0.3	3.6	0.64	99.1	78.1758	47.1962
2019	11	4	5	7	35	0.3	3.6	0.66	99.5	78.1758	48.1693
2019	11	4	5	17	35	0.3	3.6	0.7	98.3	78.1758	51.5752
2019	11	4	5	27	35	0.3	3.6	0.67	99	78.1758	49.1424
2019	11	4	5	37	35	0.3	3.6	0.67	99	78.1758	49.1424
2019	11	4	5	47	35	0.3	3.6	0.68	100	78.1758	49.8723
2019	11	4	5	57	35	0.3	3.6	0.69	99	78.1758	50.8454
2019	11	4	6	7	35	0.3	3.6	0.72	98.2	78.1758	52.5484
2019	11	4	6	17	35	0.3	3.6	0.68	101.1	78.1758	49.3858

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	4	6	27	35	0.3	3.6	0.67	99.6	78.1758	48.8992
2019	11	4	6	37	35	0.3	3.6	0.73	102.2	78.1758	52.7917
2019	11	4	6	47	35	0.3	3.6	0.66	97.7	78.1758	48.6559
2019	11	4	6	57	35	0.3	3.6	0.69	96.5	78.1758	51.0887
2019	11	4	7	7	35	0.3	3.6	0.69	99	78.1758	50.6022
2019	11	4	7	17	35	0.3	3.6	0.69	99.8	78.1758	50.6022
2019	11	4	7	27	35	0.3	3.6	0.67	99.6	78.1758	48.8992
2019	11	4	7	37	35	0.3	3.6	0.7	99.4	78.1758	51.332
2019	11	4	7	47	35	0.3	3.6	0.67	97.3	78.1758	49.1425
2019	11	4	7	57	35	0.3	3.6	0.65	99.6	78.1758	47.6828
2019	11	4	8	7	35	0.3	3.6	0.7	100.8	78.1758	51.0888
2019	11	4	8	17	35	0.3	3.6	0.68	99.2	78.1758	49.6291
2019	11	4	8	27	35	0.3	3.6	0.67	99	78.1758	49.3858
2019	11	4	8	37	35	0.3	3.6	0.68	100	78.1758	49.8723
2019	11	4	8	47	35	0.3	3.6	0.7	101.1	78.1758	50.8454
2019	11	4	8	57	35	0.3	3.6	0.66	101.4	78.1758	48.1693
2019	11	4	9	7	35	0.3	3.6	0.7	100.8	78.1758	50.8454
2019	11	4	9	17	35	0.3	3.6	0.68	97.7	78.1758	50.1155
2019	11	4	9	27	35	0.3	3.6	0.66	98.5	78.1758	48.6558
2019	11	4	9	37	35	0.3	3.6	0.7	98.7	78.1758	51.0886
2019	11	4	9	47	35	0.3	3.6	0.66	100.4	78.1758	47.9259
2019	11	4	9	57	35	0.3	3.6	0.72	101.5	78.1758	52.5482
2019	11	4	10	7	35	0.3	3.6	0.66	100.6	78.2415	47.9679
2019	11	4	10	17	35	0.3	3.6	0.66	100.9	78.2415	48.2114
2019	11	4	10	27	35	0.3	3.6	0.67	99.8	78.2415	49.1853
2019	11	4	10	37	35	0.3	3.6	0.68	101.2	78.2415	49.1853
2019	11	4	10	47	35	0.3	3.6	0.68	102.6	78.2415	49.1852
2019	11	4	10	57	35	0.3	3.6	0.67	98.4	78.2415	49.1852
2019	11	4	11	7	35	0.3	3.6	0.66	100	78.2415	48.2112
2019	11	4	11	17	35	0.3	3.6	0.68	99.4	78.2415	50.1591
2019	11	4	11	27	35	0.3	3.6	0.66	99.1	78.2415	48.4546
2019	11	4	11	37	35	0.3	3.6	0.68	101.7	78.3071	49.4719
2019	11	4	11	47	35	0.3	3.6	0.66	99.5	78.3071	48.0097
2019	11	4	11	57	35	0.3	3.6	0.66	100.3	78.3071	48.4971
2019	11	4	12	7	35	0.3	3.6	0.63	98.6	78.3071	46.5474
2019	11	4	12	17	35	0.3	3.6	0.69	102.4	78.3071	49.7155
2019	11	4	12	27	35	0.3	3.6	0.68	102	78.3071	49.4718
2019	11	4	12	37	35	0.3	3.6	0.67	99.8	78.3071	49.2281
2019	11	4	12	47	35	0.3	3.6	0.66	99.4	78.3071	48.4969
2019	11	4	12	57	35	0.3	3.6	0.64	100.9	78.3071	46.791
2019	11	4	13	7	35	0.3	3.6	0.66	99.4	78.3071	48.4969
2019	11	4	13	17	35	0.3	3.6	0.66	100.3	78.3071	48.4969
2019	11	4	13	27	35	0.3	3.6	0.67	99.6	78.3071	48.9843
2019	11	4	13	37	35	0.3	3.6	0.73	99.3	78.3071	53.3709
2019	11	4	13	47	35	0.3	3.6	0.67	97.9	78.3071	49.228
2019	11	4	13	57	35	0.3	3.6	0.65	100.5	78.3071	47.2783
2019	11	4	14	7	35	0.3	3.6	0.63	99.3	78.3071	46.3035

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	4	14	17	35	0.3	3.6	0.63	98.3	78.3071	46.5472
2019	11	4	14	27	35	0.3	3.6	0.66	101.5	78.3071	48.0094
2019	11	4	14	37	35	0.3	3.6	0.68	99.5	78.3071	49.7153
2019	11	4	14	47	35	0.3	3.6	0.65	100.5	78.3071	47.522
2019	11	4	14	57	35	0.3	3.6	0.65	100.5	78.3071	47.522
2019	11	4	15	7	35	0.3	3.6	0.65	101.9	78.3071	47.522
2019	11	4	15	17	35	0.3	3.6	0.66	98.3	78.3071	48.2531
2019	11	4	15	27	35	0.3	3.6	0.64	99.7	78.3071	47.0346
2019	11	4	15	37	35	0.3	3.6	0.68	99.4	78.3071	50.2028
2019	11	4	15	47	35	0.3	3.6	0.69	98.7	78.2415	50.6458
2019	11	4	15	57	35	0.3	3.6	0.66	99.5	78.2415	48.2109
2019	11	4	16	7	35	0.3	3.6	0.66	98	78.2415	48.4543
2019	11	4	16	17	35	0.3	3.6	0.67	95.9	78.2415	49.6718
2019	11	4	16	27	35	0.3	3.6	0.62	100.3	78.3071	45.5724
2019	11	4	16	37	35	0.3	3.6	0.65	100.2	78.2415	47.2369
2019	11	4	16	47	35	0.3	3.6	0.69	99.8	78.2415	50.6458
2019	11	4	16	57	35	0.3	3.6	0.66	99.7	78.2415	48.2109
2019	11	4	17	7	35	0.3	3.6	0.7	100.5	78.3071	51.4213
2019	11	4	17	17	35	0.3	3.6	0.66	102.1	78.3071	47.7657
2019	11	4	17	27	35	0.3	3.6	0.69	99.9	78.3071	50.4464
2019	11	4	17	37	35	0.3	3.6	0.69	98.2	78.3071	50.4464
2019	11	4	17	47	35	0.3	3.6	0.67	101.4	78.3071	48.4968
2019	11	4	17	57	35	0.3	3.6	0.69	99.6	78.3071	50.6901
2019	11	4	18	7	35	0.3	3.6	0.67	98.8	78.3071	48.9842
2019	11	4	18	17	35	0.3	3.6	0.66	97.7	78.3071	48.4968
2019	11	4	18	27	35	0.3	3.6	0.67	98.4	78.3071	49.2279
2019	11	4	18	37	35	0.3	3.6	0.66	100.3	78.2415	48.4543
2019	11	4	18	47	35	0.3	3.6	0.69	99.6	78.3071	50.4464
2019	11	4	18	57	35	0.3	3.6	0.68	98.3	78.3071	49.959
2019	11	4	19	7	35	0.3	3.6	0.69	99.1	78.3071	50.4464
2019	11	4	19	17	35	0.3	3.6	0.68	99.5	78.3071	49.7153
2019	11	4	19	27	35	0.3	3.6	0.66	100.8	78.3071	48.4968
2019	11	4	19	37	35	0.3	3.6	0.7	98.1	78.3071	51.1775
2019	11	4	19	47	35	0.3	3.6	0.67	97.9	78.2415	49.4283
2019	11	4	19	57	35	0.3	3.6	0.69	99	78.3071	50.6901
2019	11	4	20	7	35	0.3	3.6	0.67	98.4	78.2415	49.1848
2019	11	4	20	17	35	0.3	3.6	0.69	98.7	78.3071	50.6901
2019	11	4	20	27	35	0.3	3.6	0.66	96.6	78.3071	48.7405
2019	11	4	20	37	35	0.3	3.6	0.67	99.6	78.2415	48.9413
2019	11	4	20	47	35	0.3	3.6	0.67	96.7	78.3071	49.7154
2019	11	4	20	57	35	0.3	3.6	0.68	99.5	78.2415	49.6718
2019	11	4	21	7	35	0.3	3.6	0.68	96.7	78.2415	49.9153
2019	11	4	21	17	35	0.3	3.6	0.65	98.7	78.2415	47.9674
2019	11	4	21	27	35	0.3	3.6	0.67	99.2	78.2415	49.4284
2019	11	4	21	37	35	0.3	3.6	0.67	100.2	78.2415	48.9414
2019	11	4	21	47	35	0.3	3.6	0.67	97.3	78.2415	49.4284
2019	11	4	21	57	35	0.3	3.6	0.68	100	78.2415	49.9154

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	4	22	7	35	0.3	3.6	0.64	100.1	78.2415	46.5065
2019	11	4	22	17	35	0.3	3.6	0.69	99.2	78.2415	50.8893
2019	11	4	22	27	35	0.3	3.6	0.66	100.3	78.2415	48.4544
2019	11	4	22	37	35	0.3	3.6	0.66	99.5	78.2415	47.9675
2019	11	4	22	47	35	0.3	3.6	0.67	102.2	78.2415	48.4545
2019	11	4	22	57	35	0.3	3.6	0.67	97.1	78.2415	49.1849
2019	11	4	23	7	35	0.3	3.6	0.7	99.8	78.2415	50.8894
2019	11	4	23	17	35	0.3	3.6	0.7	99.7	78.2415	51.1329
2019	11	4	23	27	35	0.3	3.6	0.65	99.2	78.2415	47.9675
2019	11	4	23	37	35	0.3	3.6	0.67	100.1	78.2415	49.185
2019	11	4	23	47	35	0.3	3.6	0.7	96.5	78.2415	51.3764
2019	11	4	23	57	35	0.3	3.6	0.65	98.2	78.2415	47.4806
2019	11	5	0	7	35	0.3	3.6	0.7	98.9	78.2415	51.1329
2019	11	5	0	17	35	0.3	3.6	0.65	98.4	78.2415	47.7241
2019	11	5	0	27	35	0.3	3.6	0.67	99.6	78.2415	48.9416
2019	11	5	0	37	35	0.3	3.6	0.69	97.7	78.2415	50.4025
2019	11	5	0	47	35	0.3	3.6	0.7	101.9	78.1758	50.8449
2019	11	5	0	57	35	0.3	3.6	0.67	97.6	78.2415	49.1851
2019	11	5	1	7	35	0.3	3.6	0.7	100.7	78.1758	51.3315
2019	11	5	1	17	35	0.3	3.6	0.68	98.6	78.1758	50.1151
2019	11	5	1	27	35	0.3	3.6	0.66	99.5	78.1758	47.9256
2019	11	5	1	37	35	0.3	3.6	0.69	97.3	78.1758	51.0882
2019	11	5	1	47	35	0.3	3.6	0.69	99	78.1758	50.6017
2019	11	5	1	57	35	0.3	3.6	0.66	100.4	78.1758	47.9257
2019	11	5	2	7	35	0.3	3.6	0.69	98.7	78.1758	50.6017
2019	11	5	2	17	35	0.3	3.6	0.67	96.8	78.1758	49.1421
2019	11	5	2	27	35	0.3	3.6	0.63	97.8	78.1758	46.2228
2019	11	5	2	37	35	0.3	3.6	0.67	99	78.1758	48.8988
2019	11	5	2	47	35	0.3	3.6	0.69	98.2	78.1758	50.6018
2019	11	5	2	57	35	0.3	3.6	0.69	99.6	78.1758	50.6018
2019	11	5	3	7	35	0.3	3.6	0.66	99.2	78.1758	48.169
2019	11	5	3	17	35	0.3	3.6	0.7	100.7	78.1758	51.3317
2019	11	5	3	27	35	0.3	3.6	0.67	99.9	78.1758	48.6556
2019	11	5	3	37	35	0.3	3.6	0.65	99.4	78.1758	47.196
2019	11	5	3	47	35	0.3	3.6	0.69	101.3	78.1758	49.872
2019	11	5	3	57	35	0.3	3.6	0.68	100	78.1758	49.6288
2019	11	5	4	7	35	0.3	3.6	0.7	100.5	78.1758	51.0885
2019	11	5	4	17	35	0.3	3.6	0.67	101.1	78.1758	48.4124
2019	11	5	4	27	35	0.3	3.6	0.68	101.5	78.1758	49.1423
2019	11	5	4	37	35	0.3	3.6	0.7	100.8	78.1758	51.0885
2019	11	5	4	47	35	0.3	3.6	0.67	98.2	78.1758	49.1423
2019	11	5	4	57	35	0.3	3.6	0.69	99	78.1758	50.602
2019	11	5	5	7	35	0.3	3.6	0.69	97.6	78.1758	50.8452
2019	11	5	5	17	35	0.3	3.6	0.68	99.7	78.1758	49.8721
2019	11	5	5	27	35	0.3	3.6	0.68	96.9	78.1758	50.1154
2019	11	5	5	37	35	0.3	3.6	0.68	97.8	78.1758	49.6289
2019	11	5	5	47	35	0.3	3.6	0.66	100.3	78.1102	48.1269

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	5	5	57	35	0.3	3.6	0.69	98.2	78.1102	50.8007
2019	11	5	6	7	35	0.3	3.6	0.69	100.7	78.1758	50.3587
2019	11	5	6	17	35	0.3	3.6	0.67	99.6	78.1758	49.1423
2019	11	5	6	27	35	0.3	3.6	0.68	96.6	78.1758	50.1155
2019	11	5	6	37	35	0.3	3.6	0.67	97.9	78.1102	48.8562
2019	11	5	6	47	35	0.3	3.6	0.7	101.2	78.1102	50.5576
2019	11	5	6	57	35	0.3	3.6	0.68	100.5	78.1758	49.8722
2019	11	5	7	7	35	0.3	3.6	0.69	99.9	78.1102	50.0715
2019	11	5	7	17	35	0.3	3.6	0.66	99.5	78.1102	47.8839
2019	11	5	7	27	35	0.3	3.6	0.69	99.8	78.1102	50.5576
2019	11	5	7	37	35	0.3	3.6	0.68	99.1	78.1102	50.0715
2019	11	5	7	47	35	0.3	3.6	0.68	97	78.1102	49.8284
2019	11	5	7	57	35	0.3	3.6	0.65	100.2	78.1102	47.3978
2019	11	5	8	7	35	0.3	3.6	0.69	95.7	78.1102	51.0438
2019	11	5	8	17	35	0.3	3.6	0.72	98.9	78.1102	52.7452
2019	11	5	8	27	35	0.3	3.6	0.63	99.2	78.1102	46.4255
2019	11	5	8	37	35	0.3	3.6	0.68	100.5	78.1102	49.8284
2019	11	5	8	47	35	0.3	3.6	0.69	97.4	78.1102	50.8006
2019	11	5	8	57	35	0.3	3.6	0.68	97.2	78.1758	50.1154
2019	11	5	9	7	35	0.3	3.6	0.66	99.1	78.1758	48.6557
2019	11	5	9	17	35	0.3	3.6	0.68	98.6	78.1758	50.1153
2019	11	5	9	27	35	0.3	3.6	0.65	98.1	78.1758	47.9258
2019	11	5	9	37	35	0.3	3.6	0.66	100.3	78.1758	48.4123
2019	11	5	9	47	35	0.3	3.6	0.66	99.5	78.1758	48.169
2019	11	5	9	57	35	0.3	3.6	0.67	99	78.1758	49.1421
2019	11	5	10	7	35	0.3	3.6	0.67	101.1	78.1758	48.4122
2019	11	5	10	17	35	0.3	3.6	0.69	99.3	78.1758	50.3584
2019	11	5	10	27	35	0.3	3.6	0.63	99.3	78.1758	46.2227
2019	11	5	10	37	35	0.3	3.6	0.66	100.4	78.1758	47.9256
2019	11	5	10	47	35	0.3	3.6	0.67	99	78.1758	49.3852
2019	11	5	10	57	35	0.3	3.6	0.67	97	78.1758	49.3852
2019	11	5	11	7	35	0.3	3.6	0.66	97.4	78.1758	48.8986
2019	11	5	11	17	35	0.3	3.6	0.66	101.3	78.1758	47.6822
2019	11	5	11	27	35	0.3	3.6	0.67	102.7	78.1758	48.412
2019	11	5	11	37	35	0.3	3.6	0.7	98.1	78.1758	51.3312
2019	11	5	11	47	35	0.3	3.6	0.71	101.5	78.1758	51.3312
2019	11	5	11	57	35	0.3	3.6	0.68	97.7	78.2415	50.1588
2019	11	5	12	7	35	0.3	3.6	0.69	102	78.1758	50.3581
2019	11	5	12	17	35	0.3	3.6	0.67	100.4	78.1758	48.8984
2019	11	5	12	27	35	0.3	3.6	0.66	100.9	78.2415	47.9673
2019	11	5	12	37	35	0.3	3.6	0.69	98.2	78.1758	50.358
2019	11	5	12	47	35	0.3	3.6	0.66	99.7	78.1758	48.1685
2019	11	5	12	57	35	0.3	3.6	0.66	98	78.1758	48.4117
2019	11	5	13	7	35	0.3	3.6	0.63	98.1	78.1758	45.979
2019	11	5	13	17	35	0.3	3.6	0.68	98.3	78.1758	49.8714
2019	11	5	13	27	35	0.3	3.6	0.68	99.5	78.1758	49.3848
2019	11	5	13	37	35	0.3	3.6	0.68	101.1	78.1758	49.6281

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	5	13	47	35	0.3	3.6	0.68	99.4	78.1758	50.1146
2019	11	5	13	57	35	0.3	3.6	0.67	97.1	78.1758	49.1415
2019	11	5	14	7	35	0.3	3.6	0.69	99.8	78.1758	50.6011
2019	11	5	14	17	35	0.3	3.6	0.68	100	78.1758	49.8713
2019	11	5	14	27	35	0.3	3.6	0.66	97.5	78.1758	48.1684
2019	11	5	14	37	35	0.3	3.6	0.67	100.4	78.1758	48.8982
2019	11	5	14	47	35	0.3	3.6	0.65	99.4	78.1102	47.1538
2019	11	5	14	57	35	0.3	3.6	0.65	99.9	78.1758	47.4385
2019	11	5	15	7	35	0.3	3.6	0.68	99.7	78.1102	49.5844
2019	11	5	15	17	35	0.3	3.6	0.65	99.6	78.1102	47.6399
2019	11	5	15	27	35	0.3	3.6	0.71	99.8	78.1102	52.015
2019	11	5	15	37	35	0.3	3.6	0.68	98.1	78.0446	49.7837
2019	11	5	15	47	35	0.3	3.6	0.65	99.6	78.0446	47.5981
2019	11	5	15	57	35	0.3	3.6	0.69	99.8	77.979	50.4679
2019	11	5	16	7	35	0.3	3.6	0.67	98.7	77.979	49.2547
2019	11	5	16	17	35	0.3	3.6	0.66	100.6	77.9134	47.9993
2019	11	5	16	27	35	0.3	3.6	0.68	100.1	77.9134	49.2114
2019	11	5	16	37	35	0.3	3.6	0.66	99.5	77.9134	47.7569
2019	11	5	16	47	35	0.3	3.6	0.68	98.9	77.9134	49.4538
2019	11	5	16	57	35	0.3	3.6	0.69	100.2	77.9134	49.9386
2019	11	5	17	7	35	0.3	3.6	0.68	97.2	77.9134	49.6962
2019	11	5	17	17	35	0.3	3.6	0.7	97	77.9134	51.1507
2019	11	5	17	27	35	0.3	3.6	0.69	98.5	77.9134	50.4235
2019	11	5	17	37	35	0.3	3.6	0.69	98.7	77.8478	50.6212
2019	11	5	17	47	35	0.3	3.6	0.7	96.5	77.8478	51.1056
2019	11	5	17	57	35	0.3	3.6	0.66	99.4	77.8478	48.1992
2019	11	5	18	7	35	0.3	3.6	0.69	99.6	77.8478	50.1368
2019	11	5	18	17	35	0.3	3.6	0.7	96.5	77.8478	51.3478
2019	11	5	18	27	35	0.3	3.6	0.67	99.9	77.8478	48.4413
2019	11	5	18	37	35	0.3	3.6	0.68	99.2	77.8478	49.4102
2019	11	5	18	47	35	0.3	3.6	0.67	99.2	77.8478	49.168
2019	11	5	18	57	35	0.3	3.6	0.68	98.1	77.8478	49.6524
2019	11	5	19	7	35	0.3	3.6	0.7	98.1	77.8478	51.3478
2019	11	5	19	17	35	0.3	3.6	0.63	97.2	77.8478	46.2615
2019	11	5	19	27	35	0.3	3.6	0.69	101.7	77.8478	50.1368
2019	11	5	19	37	35	0.3	3.6	0.67	99.4	77.8478	48.4414
2019	11	5	19	47	35	0.3	3.6	0.69	98.7	77.8478	50.379
2019	11	5	19	57	35	0.3	3.6	0.64	99.2	77.8478	46.5037
2019	11	5	20	7	35	0.3	3.6	0.66	96.8	77.7822	48.6407
2019	11	5	20	17	35	0.3	3.6	0.69	96.8	77.8478	50.6213
2019	11	5	20	27	35	0.3	3.6	0.68	99.4	77.8478	49.8946
2019	11	5	20	37	35	0.3	3.6	0.69	99.6	77.7822	50.0927
2019	11	5	20	47	35	0.3	3.6	0.64	100.9	77.7822	46.4628
2019	11	5	20	57	35	0.3	3.6	0.64	98.8	77.7822	46.9468
2019	11	5	21	7	35	0.3	3.6	0.71	100.7	77.7822	51.3027
2019	11	5	21	17	35	0.3	3.6	0.67	95.4	77.7822	48.8827
2019	11	5	21	27	35	0.3	3.6	0.68	100	77.7822	49.6087

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	5	21	37	35	0.3	3.6	0.68	101.6	77.7822	49.3667
2019	11	5	21	47	35	0.3	3.6	0.67	97.3	77.7822	49.3668
2019	11	5	21	57	35	0.3	3.6	0.68	97.7	77.7822	49.8508
2019	11	5	22	7	35	0.3	3.6	0.67	96.7	77.7822	49.1248
2019	11	5	22	17	35	0.3	3.6	0.64	98.3	77.7822	46.4629
2019	11	5	22	27	35	0.3	3.6	0.65	100.4	77.7822	47.4309
2019	11	5	22	37	35	0.3	3.6	0.65	100.1	77.7822	47.4309
2019	11	5	22	47	35	0.3	3.6	0.69	98.8	77.7165	50.0486
2019	11	5	22	57	35	0.3	3.6	0.67	99.8	77.7165	48.8397
2019	11	5	23	7	35	0.3	3.6	0.69	100.7	77.7165	50.0486
2019	11	5	23	17	35	0.3	3.6	0.69	98.2	77.7822	50.3348
2019	11	5	23	27	35	0.3	3.6	0.67	100.2	77.7165	48.3562
2019	11	5	23	37	35	0.3	3.6	0.68	98.3	77.7165	49.5651
2019	11	5	23	47	35	0.3	3.6	0.69	96.3	77.7165	50.2905
2019	11	5	23	57	35	0.3	3.6	0.71	98.5	77.7165	51.7412
2019	11	6	0	7	35	0.3	3.6	0.69	98.7	77.7165	50.2905
2019	11	6	0	17	35	0.3	3.6	0.64	101	77.7165	46.1802
2019	11	6	0	27	35	0.3	3.6	0.67	97.3	77.7165	49.3234
2019	11	6	0	37	35	0.3	3.6	0.68	99.1	77.7165	49.807
2019	11	6	0	47	35	0.3	3.6	0.67	99.2	77.7165	49.0816
2019	11	6	0	57	35	0.3	3.6	0.68	96.4	77.7165	49.807
2019	11	6	1	7	35	0.3	3.6	0.67	99.4	77.7165	48.3563
2019	11	6	1	17	35	0.3	3.6	0.7	99.8	77.7165	50.5324
2019	11	6	1	27	35	0.3	3.6	0.7	96.5	77.7165	51.2577
2019	11	6	1	37	35	0.3	3.6	0.65	100.4	77.7165	47.3892
2019	11	6	1	47	35	0.3	3.6	0.69	100.9	77.7165	50.0489
2019	11	6	1	57	35	0.3	3.6	0.68	98.6	77.6509	49.28
2019	11	6	2	7	35	0.3	3.6	0.66	100.1	77.6509	47.589
2019	11	6	2	17	35	0.3	3.6	0.66	101.8	77.6509	47.589
2019	11	6	2	27	35	0.3	3.6	0.65	99.7	77.6509	46.8643
2019	11	6	2	37	35	0.3	3.6	0.66	98	77.6509	48.3137
2019	11	6	2	47	35	0.3	3.6	0.71	99.8	77.6509	51.6957
2019	11	6	2	57	35	0.3	3.6	0.65	97.2	77.6509	47.8306
2019	11	6	3	7	35	0.3	3.6	0.67	97.9	77.6509	49.0385
2019	11	6	3	17	35	0.3	3.6	0.68	102	77.6509	49.0385
2019	11	6	3	27	35	0.3	3.6	0.7	99.7	77.6509	50.7295
2019	11	6	3	37	35	0.3	3.6	0.69	98.8	77.6509	50.0048
2019	11	6	3	47	35	0.3	3.6	0.66	98	77.6509	48.0723
2019	11	6	3	57	35	0.3	3.6	0.65	97.9	77.6509	47.106
2019	11	6	4	7	35	0.3	3.6	0.67	100.1	77.6509	48.797
2019	11	6	4	17	35	0.3	3.6	0.7	98.6	77.6509	51.2127
2019	11	6	4	27	35	0.3	3.6	0.7	100.2	77.6509	50.9711
2019	11	6	4	37	35	0.3	3.6	0.68	99.7	77.6509	49.5217
2019	11	6	4	47	35	0.3	3.6	0.67	99.6	77.6509	48.5555
2019	11	6	4	57	35	0.3	3.6	0.63	99.9	77.6509	45.8982
2019	11	6	5	7	35	0.3	3.6	0.69	98.8	77.5853	49.9607
2019	11	6	5	17	35	0.3	3.6	0.63	100.7	77.5853	45.8577

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	6	5	27	35	0.3	3.6	0.68	97.4	77.6509	50.0049
2019	11	6	5	37	35	0.3	3.6	0.66	100.4	77.5853	47.5472
2019	11	6	5	47	35	0.3	3.6	0.69	99	77.5853	50.2021
2019	11	6	5	57	35	0.3	3.6	0.72	97.9	77.5853	52.1329
2019	11	6	6	7	35	0.3	3.6	0.66	98	77.5853	48.0299
2019	11	6	6	17	35	0.3	3.6	0.66	97.1	77.5853	48.2712
2019	11	6	6	27	35	0.3	3.6	0.66	100.3	77.5853	47.7885
2019	11	6	6	37	35	0.3	3.6	0.64	98.5	77.5853	46.5818
2019	11	6	6	47	35	0.3	3.6	0.69	98	77.5853	49.9607
2019	11	6	6	57	35	0.3	3.6	0.69	98.8	77.5853	49.9607
2019	11	6	7	7	35	0.3	3.6	0.7	95.4	77.5853	51.4089
2019	11	6	7	17	35	0.3	3.6	0.68	100.8	77.5853	49.2367
2019	11	6	7	27	35	0.3	3.6	0.68	100.5	77.5853	49.478
2019	11	6	7	37	35	0.3	3.6	0.64	100.3	77.5853	46.3404
2019	11	6	7	47	35	0.3	3.6	0.64	99.5	77.5853	46.3404
2019	11	6	7	57	35	0.3	3.6	0.67	99	77.5853	48.9953
2019	11	6	8	7	35	0.3	3.6	0.68	100.1	77.5853	48.9953
2019	11	6	8	17	35	0.3	3.6	0.67	99	77.5853	48.754
2019	11	6	8	27	35	0.3	3.6	0.67	100.9	77.5853	48.754
2019	11	6	8	37	35	0.3	3.6	0.69	99	77.5853	50.2021
2019	11	6	8	47	35	0.3	3.6	0.68	102.2	77.5853	49.2366
2019	11	6	8	57	35	0.3	3.6	0.67	100.1	77.5853	48.7539
2019	11	6	9	7	35	0.3	3.6	0.7	99.4	77.5853	50.926
2019	11	6	9	17	35	0.3	3.6	0.67	99	77.5853	48.9952
2019	11	6	9	27	35	0.3	3.6	0.67	100.4	77.5853	48.5125
2019	11	6	9	37	35	0.3	3.6	0.68	97.2	77.5853	49.9605
2019	11	6	9	47	35	0.3	3.6	0.68	99.5	77.5853	49.2365
2019	11	6	9	57	35	0.3	3.6	0.69	99.8	77.5853	50.2019
2019	11	6	10	7	35	0.3	3.6	0.69	103.2	77.5853	49.4778
2019	11	6	10	17	35	0.3	3.6	0.68	98.3	77.5853	49.4777
2019	11	6	10	27	35	0.3	3.6	0.69	95.7	77.5853	50.4431
2019	11	6	10	37	35	0.3	3.6	0.67	98.2	77.5853	48.5122
2019	11	6	10	47	35	0.3	3.6	0.66	98.5	77.5853	48.2708
2019	11	6	10	57	35	0.3	3.6	0.7	100	77.6509	50.4876
2019	11	6	11	7	35	0.3	3.6	0.67	103	77.6509	48.0719
2019	11	6	11	17	35	0.3	3.6	0.7	98.4	77.6509	50.9706
2019	11	6	11	27	35	0.3	3.6	0.68	100	77.6509	49.2797
2019	11	6	11	37	35	0.3	3.6	0.72	99.5	77.6509	52.1784
2019	11	6	11	47	35	0.3	3.6	0.69	100.9	77.6509	50.0043
2019	11	6	11	57	35	0.3	3.6	0.68	100.6	77.6509	49.2795
2019	11	6	12	7	35	0.3	3.6	0.65	98.1	77.6509	47.5886
2019	11	6	12	17	35	0.3	3.6	0.69	100.4	77.6509	50.0042
2019	11	6	12	27	35	0.3	3.6	0.67	99	77.6509	48.5548
2019	11	6	12	37	35	0.3	3.6	0.66	101.3	77.6509	47.3469
2019	11	6	12	47	35	0.3	3.6	0.65	98.1	77.6509	47.5885
2019	11	6	12	57	35	0.3	3.6	0.66	98	77.6509	48.3131
2019	11	6	13	7	35	0.3	3.6	0.69	98.7	77.6509	50.4872

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	6	13	17	35	0.3	3.6	0.68	97.8	77.6509	49.5209
2019	11	6	13	27	35	0.3	3.6	0.64	101	77.6509	46.139
2019	11	6	13	37	35	0.3	3.6	0.66	99.1	77.6509	48.0715
2019	11	6	13	47	35	0.3	3.6	0.67	99.6	77.6509	48.5546
2019	11	6	13	57	35	0.3	3.6	0.68	98.9	77.6509	49.5209
2019	11	6	14	7	35	0.3	3.6	0.67	98.7	77.6509	49.0378
2019	11	6	14	17	35	0.3	3.6	0.68	99.7	77.6509	49.2793
2019	11	6	14	27	35	0.3	3.6	0.67	99.6	77.6509	48.5546
2019	11	6	14	37	35	0.3	3.6	0.67	102.4	77.6509	48.313
2019	11	6	14	47	35	0.3	3.6	0.66	100.6	77.6509	47.8299
2019	11	6	14	57	35	0.3	3.6	0.71	100.7	77.6509	51.2118
2019	11	6	15	7	35	0.3	3.6	0.67	100.4	77.6509	48.7961
2019	11	6	15	17	35	0.3	3.6	0.64	99.8	77.6509	46.1389
2019	11	6	15	27	35	0.3	3.6	0.66	98	77.6509	47.8299
2019	11	6	15	37	35	0.3	3.6	0.67	99.6	77.6509	48.5546
2019	11	6	15	47	35	0.3	3.6	0.66	100.3	77.5853	47.7876
2019	11	6	15	57	35	0.3	3.6	0.67	99.3	77.5853	48.5117
2019	11	6	16	7	35	0.3	3.6	0.67	97.9	77.5853	48.9944
2019	11	6	16	17	35	0.3	3.6	0.66	99.5	77.5853	47.7876
2019	11	6	16	27	35	0.3	3.6	0.64	97.9	77.5853	46.8222
2019	11	6	16	37	35	0.3	3.6	0.71	98	77.5853	51.4079
2019	11	6	16	47	35	0.3	3.6	0.64	99.5	77.5853	46.0981
2019	11	6	16	57	35	0.3	3.6	0.66	101.5	77.5853	47.5463
2019	11	6	17	7	35	0.3	3.6	0.67	96.2	77.5853	49.2357
2019	11	6	17	17	35	0.3	3.6	0.68	98.1	77.5853	49.2357
2019	11	6	17	27	35	0.3	3.6	0.69	101.2	77.5853	49.9597
2019	11	6	17	37	35	0.3	3.6	0.66	99.7	77.5853	47.7876
2019	11	6	17	47	35	0.3	3.6	0.64	100	77.5853	46.5808
2019	11	6	17	57	35	0.3	3.6	0.65	100.8	77.5853	46.8221
2019	11	6	18	7	35	0.3	3.6	0.66	100.9	77.5853	47.5462
2019	11	6	18	17	35	0.3	3.6	0.69	99.1	77.5853	49.9597
2019	11	6	18	27	35	0.3	3.6	0.67	100.4	77.5853	48.7529
2019	11	6	18	37	35	0.3	3.6	0.66	99.5	77.5853	47.5462
2019	11	6	18	47	35	0.3	3.6	0.66	101	77.5197	47.263
2019	11	6	18	57	35	0.3	3.6	0.68	98.1	77.5197	49.1921
2019	11	6	19	7	35	0.3	3.6	0.67	96.8	77.5197	48.7098
2019	11	6	19	17	35	0.3	3.6	0.65	98.4	77.5197	47.5041
2019	11	6	19	27	35	0.3	3.6	0.69	98.2	77.5197	50.3978
2019	11	6	19	37	35	0.3	3.6	0.64	97.7	77.5197	46.5396
2019	11	6	19	47	35	0.3	3.6	0.62	100.1	77.5197	44.8516
2019	11	6	19	57	35	0.3	3.6	0.67	97.9	77.5197	48.7098
2019	11	6	20	7	35	0.3	3.6	0.65	97.8	77.5197	47.5042
2019	11	6	20	17	35	0.3	3.6	0.7	100.3	77.5197	50.639
2019	11	6	20	27	35	0.3	3.6	0.7	98.1	77.5197	51.1212
2019	11	6	20	37	35	0.3	3.6	0.67	101.4	77.5197	47.9865
2019	11	6	20	47	35	0.3	3.6	0.65	97.8	77.5197	47.5042
2019	11	6	20	57	35	0.3	3.6	0.65	101.1	77.5197	46.5396

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	6	21	7	35	0.3	3.6	0.7	99.4	77.4541	51.076
2019	11	6	21	17	35	0.3	3.6	0.69	100.1	77.4541	49.8714
2019	11	6	21	27	35	0.3	3.6	0.66	101.5	77.4541	47.4622
2019	11	6	21	37	35	0.3	3.6	0.66	99.1	77.3885	47.9015
2019	11	6	21	47	35	0.3	3.6	0.65	97.8	77.3885	47.1794
2019	11	6	21	57	35	0.3	3.6	0.67	99	77.3885	48.383
2019	11	6	22	7	35	0.3	3.6	0.67	99.3	77.3885	48.383
2019	11	6	22	17	35	0.3	3.6	0.66	96.6	77.3228	48.0996
2019	11	6	22	27	35	0.3	3.6	0.69	98.7	77.3228	50.2641
2019	11	6	22	37	35	0.3	3.6	0.68	99.1	77.2572	49.2584
2019	11	6	22	47	35	0.3	3.6	0.66	97.5	77.2572	47.5764
2019	11	6	22	57	35	0.3	3.6	0.7	98.1	77.1916	50.415
2019	11	6	23	7	35	0.3	3.6	0.68	100.3	77.2572	49.0181
2019	11	6	23	17	35	0.3	3.6	0.68	101.1	77.2572	49.0181
2019	11	6	23	27	35	0.3	3.6	0.7	100.3	77.1916	50.415
2019	11	6	23	37	35	0.3	3.6	0.66	101.8	77.1916	47.2941
2019	11	6	23	47	35	0.3	3.6	0.71	98.8	77.1916	51.1353
2019	11	6	23	57	35	0.3	3.6	0.66	97.7	77.1916	47.7743
2019	11	7	0	7	35	0.3	3.6	0.67	98.5	77.1916	48.2544
2019	11	7	0	17	35	0.3	3.6	0.67	103.5	77.1916	48.0144
2019	11	7	0	27	35	0.3	3.6	0.68	98.6	77.1916	49.2147
2019	11	7	0	37	35	0.3	3.6	0.66	99.7	77.1916	47.5342
2019	11	7	0	47	35	0.3	3.6	0.67	99.4	77.1916	48.0144
2019	11	7	0	57	35	0.3	3.6	0.68	99.5	77.126	48.6913
2019	11	7	1	7	35	0.3	3.6	0.62	98.2	77.126	45.0934
2019	11	7	1	17	35	0.3	3.6	0.66	101.8	77.126	47.0123
2019	11	7	1	27	35	0.3	3.6	0.71	99.6	77.126	51.0899
2019	11	7	1	37	35	0.3	3.6	0.68	97.2	77.126	49.1711
2019	11	7	1	47	35	0.3	3.6	0.65	99	77.126	47.0124
2019	11	7	1	57	35	0.3	3.6	0.67	97.9	77.126	48.2117
2019	11	7	2	7	35	0.3	3.6	0.66	99.7	77.126	47.4921
2019	11	7	2	17	35	0.3	3.6	0.7	100.5	77.126	50.6103
2019	11	7	2	27	35	0.3	3.6	0.69	100.1	77.126	49.6509
2019	11	7	2	37	35	0.3	3.6	0.67	100.2	77.126	48.2117
2019	11	7	2	47	35	0.3	3.6	0.64	100.9	77.126	46.053
2019	11	7	2	57	35	0.3	3.6	0.67	99	77.126	48.4516
2019	11	7	3	7	35	0.3	3.6	0.68	99.7	77.0604	48.8878
2019	11	7	3	17	35	0.3	3.6	0.65	100.1	77.126	47.0125
2019	11	7	3	27	35	0.3	3.6	0.68	97.8	77.0604	49.1275
2019	11	7	3	37	35	0.3	3.6	0.68	98.6	77.0604	48.8878
2019	11	7	3	47	35	0.3	3.6	0.67	97.1	77.126	48.4517
2019	11	7	3	57	35	0.3	3.6	0.68	100.3	77.0604	48.6482
2019	11	7	4	7	35	0.3	3.6	0.67	101.1	77.0604	47.6896
2019	11	7	4	17	35	0.3	3.6	0.66	98.6	77.0604	47.6897
2019	11	7	4	27	35	0.3	3.6	0.66	100.8	77.0604	47.6897
2019	11	7	4	37	35	0.3	3.6	0.64	98.6	77.0604	46.0122
2019	11	7	4	47	35	0.3	3.6	0.65	101	77.0604	46.7311

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	7	4	57	35	0.3	3.6	0.69	98.7	77.0604	50.0862
2019	11	7	5	7	35	0.3	3.6	0.69	97.9	77.0604	49.8465
2019	11	7	5	17	35	0.3	3.6	0.64	100.3	77.0604	46.0122
2019	11	7	5	27	35	0.3	3.6	0.69	99.6	77.0604	49.6069
2019	11	7	5	37	35	0.3	3.6	0.68	99.1	76.9948	49.0839
2019	11	7	5	47	35	0.3	3.6	0.69	99.9	76.9948	49.5627
2019	11	7	5	57	35	0.3	3.6	0.65	97.6	76.9948	46.929
2019	11	7	6	7	35	0.3	3.6	0.68	98	76.9948	49.3233
2019	11	7	6	17	35	0.3	3.6	0.65	99.3	76.9948	46.6896
2019	11	7	6	27	35	0.3	3.6	0.65	99.6	76.9948	46.6896
2019	11	7	6	37	35	0.3	3.6	0.65	99.8	76.9948	46.929
2019	11	7	6	47	35	0.3	3.6	0.67	102.1	76.9948	47.8867
2019	11	7	6	57	35	0.3	3.6	0.7	98.9	76.9948	50.5205
2019	11	7	7	7	35	0.3	3.6	0.65	98.1	76.9948	47.1684
2019	11	7	7	17	35	0.3	3.6	0.66	100.4	76.9948	47.1684
2019	11	7	7	27	35	0.3	3.6	0.66	100.9	76.9291	47.1264
2019	11	7	7	37	35	0.3	3.6	0.66	98.9	76.9948	47.4079
2019	11	7	7	47	35	0.3	3.6	0.7	98.7	76.9291	50.2363
2019	11	7	7	57	35	0.3	3.6	0.69	101	76.9291	49.2794
2019	11	7	8	7	35	0.3	3.6	0.65	99	76.9291	46.8872
2019	11	7	8	17	35	0.3	3.6	0.64	98.9	76.9291	45.9303
2019	11	7	8	27	35	0.3	3.6	0.66	99.1	76.9291	47.8441
2019	11	7	8	37	35	0.3	3.6	0.67	99.3	76.9291	48.0833
2019	11	7	8	47	35	0.3	3.6	0.66	99.7	76.9291	47.6048
2019	11	7	8	57	35	0.3	3.6	0.66	97.4	76.9291	47.6048
2019	11	7	9	7	35	0.3	3.6	0.67	96.7	76.9291	48.8009
2019	11	7	9	17	35	0.3	3.6	0.65	99	76.9291	46.6478
2019	11	7	9	27	35	0.3	3.6	0.65	102.3	76.9291	46.1694
2019	11	7	9	37	35	0.3	3.6	0.68	100.1	76.9291	48.5616
2019	11	7	9	47	35	0.3	3.6	0.67	101.8	76.9291	48.0831
2019	11	7	9	57	35	0.3	3.6	0.69	103.8	76.9291	48.5615
2019	11	7	10	7	35	0.3	3.6	0.69	97.9	76.9291	49.9968
2019	11	7	10	17	35	0.3	3.6	0.66	101.5	76.9291	47.1261
2019	11	7	10	27	35	0.3	3.6	0.65	98.1	76.9291	46.8869
2019	11	7	10	37	35	0.3	3.6	0.64	98.8	76.9291	46.4084
2019	11	7	10	47	35	0.3	3.6	0.65	100.4	76.9291	46.8868
2019	11	7	10	57	35	0.3	3.6	0.69	97.9	76.9948	50.0412
2019	11	7	11	7	35	0.3	3.6	0.66	101.2	76.9948	47.168
2019	11	7	11	17	35	0.3	3.6	0.64	101.6	76.9948	45.492
2019	11	7	11	27	35	0.3	3.6	0.69	96.6	76.9948	50.0411
2019	11	7	11	37	35	0.3	3.6	0.65	98.9	76.9948	47.1679
2019	11	7	11	47	35	0.3	3.6	0.68	96.1	76.9948	49.3228
2019	11	7	11	57	35	0.3	3.6	0.67	101.9	76.9948	47.8862
2019	11	7	12	7	35	0.3	3.6	0.68	99.4	76.9948	49.3227
2019	11	7	12	17	35	0.3	3.6	0.66	101	76.9948	46.9284
2019	11	7	12	27	35	0.3	3.6	0.66	98.9	76.9948	47.4072
2019	11	7	12	37	35	0.3	3.6	0.7	100	76.9948	50.2804

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	7	12	47	35	0.3	3.6	0.66	100.3	76.9948	47.4072
2019	11	7	12	57	35	0.3	3.6	0.65	100.1	76.9948	46.9283
2019	11	7	13	7	35	0.3	3.6	0.67	97.3	76.9948	48.6043
2019	11	7	13	17	35	0.3	3.6	0.69	100.5	76.9948	49.3226
2019	11	7	13	27	35	0.3	3.6	0.65	101.4	76.9948	46.21
2019	11	7	13	37	35	0.3	3.6	0.68	99.4	76.9948	49.0831
2019	11	7	13	47	35	0.3	3.6	0.64	99.7	76.9948	46.2099
2019	11	7	13	57	35	0.3	3.6	0.65	98.4	76.9948	47.1676
2019	11	7	14	7	35	0.3	3.6	0.64	98.5	76.9948	46.2099
2019	11	7	14	17	35	0.3	3.6	0.67	97.3	76.9948	48.3648
2019	11	7	14	27	35	0.3	3.6	0.66	101.4	76.9948	47.407
2019	11	7	14	37	35	0.3	3.6	0.65	99.7	76.9948	46.4493
2019	11	7	14	47	35	0.3	3.6	0.69	98	76.9948	49.5619
2019	11	7	14	57	35	0.3	3.6	0.66	99.7	76.9948	47.407
2019	11	7	15	7	35	0.3	3.6	0.65	100.1	76.9948	46.9282
2019	11	7	15	17	35	0.3	3.6	0.64	101	76.9948	45.4916
2019	11	7	15	27	35	0.3	3.6	0.67	98.7	76.9948	48.3647
2019	11	7	15	37	35	0.3	3.6	0.67	101.6	76.9948	47.6465
2019	11	7	15	47	35	0.3	3.6	0.63	100.7	76.9948	45.4916
2019	11	7	15	57	35	0.3	3.6	0.64	100.6	76.9948	45.9704
2019	11	7	16	7	35	0.3	3.6	0.64	97.1	76.9948	46.4493
2019	11	7	16	17	35	0.3	3.6	0.68	100.1	76.9291	48.5608
2019	11	7	16	27	35	0.3	3.6	0.64	101	76.9291	45.4511
2019	11	7	16	37	35	0.3	3.6	0.65	100.2	76.9291	46.4079
2019	11	7	16	47	35	0.3	3.6	0.64	98.8	76.9291	46.4079
2019	11	7	16	57	35	0.3	3.6	0.63	97.5	76.9291	45.451
2019	11	7	17	7	35	0.3	3.6	0.66	100.6	76.9291	47.1255
2019	11	7	17	17	35	0.3	3.6	0.66	98.6	76.9291	47.3647
2019	11	7	17	27	35	0.3	3.6	0.68	97.8	76.9291	49.0392
2019	11	7	17	37	35	0.3	3.6	0.66	100.6	76.9291	47.1255
2019	11	7	17	47	35	0.3	3.6	0.68	96.3	76.9291	49.5177
2019	11	7	17	57	35	0.3	3.6	0.64	98.5	76.9291	46.1686
2019	11	7	18	7	35	0.3	3.6	0.65	99.9	76.9291	46.6471
2019	11	7	18	17	35	0.3	3.6	0.66	100	76.9291	47.3647
2019	11	7	18	27	35	0.3	3.6	0.67	96.8	76.9291	48.3216
2019	11	7	18	37	35	0.3	3.6	0.67	99.3	76.9291	48.0824
2019	11	7	18	47	35	0.3	3.6	0.68	99.1	76.9291	49.2784
2019	11	7	18	57	35	0.3	3.6	0.66	99.1	76.9291	47.6039
2019	11	7	19	7	35	0.3	3.6	0.69	98.5	76.9291	49.5176
2019	11	7	19	17	35	0.3	3.6	0.67	99.4	76.9291	47.8431
2019	11	7	19	27	35	0.3	3.6	0.68	100.8	76.9291	49.0392
2019	11	7	19	37	35	0.3	3.6	0.66	100.5	76.9291	47.6039
2019	11	7	19	47	35	0.3	3.6	0.65	98.7	76.9291	46.8863
2019	11	7	19	57	35	0.3	3.6	0.66	100.4	76.9291	47.1255
2019	11	7	20	7	35	0.3	3.6	0.66	101.7	76.9291	47.3647
2019	11	7	20	17	35	0.3	3.6	0.65	98.1	76.9291	47.1255
2019	11	7	20	27	35	0.3	3.6	0.67	98.1	76.9291	48.5608

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	7	20	37	35	0.3	3.6	0.66	99.5	76.9291	47.1255
2019	11	7	20	47	35	0.3	3.6	0.61	99.3	76.8635	43.7375
2019	11	7	20	57	35	0.3	3.6	0.64	98	76.9291	46.1687
2019	11	7	21	7	35	0.3	3.6	0.64	100	76.9291	45.9295
2019	11	7	21	17	35	0.3	3.6	0.67	99.3	76.8635	48.0396
2019	11	7	21	27	35	0.3	3.6	0.65	98.9	76.8635	47.0835
2019	11	7	21	37	35	0.3	3.6	0.68	98.6	76.8635	48.9956
2019	11	7	21	47	35	0.3	3.6	0.68	97.8	76.8635	48.9956
2019	11	7	21	57	35	0.3	3.6	0.67	96.7	76.8635	48.5176
2019	11	7	22	7	35	0.3	3.6	0.67	98.2	76.8635	48.2786
2019	11	7	22	17	35	0.3	3.6	0.64	102.7	76.8635	45.6496
2019	11	7	22	27	35	0.3	3.6	0.66	100.6	76.8635	47.3226
2019	11	7	22	37	35	0.3	3.6	0.69	98.2	76.8635	49.9517
2019	11	7	22	47	35	0.3	3.6	0.66	98	76.8635	47.3226
2019	11	7	22	57	35	0.3	3.6	0.7	99.4	76.8635	50.6687
2019	11	7	23	7	35	0.3	3.6	0.66	100	76.8635	47.5617
2019	11	7	23	17	35	0.3	3.6	0.63	98.9	76.8635	45.6497
2019	11	7	23	27	35	0.3	3.6	0.63	100.5	76.8635	45.1717
2019	11	7	23	37	35	0.3	3.6	0.66	99.4	76.8635	47.5617
2019	11	7	23	47	35	0.3	3.6	0.64	97.3	76.8635	46.3667
2019	11	7	23	57	35	0.3	3.6	0.63	96.6	76.7979	45.609
2019	11	8	0	7	35	0.3	3.6	0.65	102.2	76.7979	46.5641
2019	11	8	0	17	35	0.3	3.6	0.65	99	76.8635	46.6057
2019	11	8	0	27	35	0.3	3.6	0.68	98.9	76.7979	48.9521
2019	11	8	0	37	35	0.3	3.6	0.69	98.2	76.7979	49.4297
2019	11	8	0	47	35	0.3	3.6	0.64	99.7	76.7979	46.0866
2019	11	8	0	57	35	0.3	3.6	0.68	99.7	76.7979	48.9521
2019	11	8	1	7	35	0.3	3.6	0.65	97.2	76.7979	47.0418
2019	11	8	1	17	35	0.3	3.6	0.66	99.5	76.7979	47.0418
2019	11	8	1	27	35	0.3	3.6	0.66	99.5	76.7979	47.0418
2019	11	8	1	37	35	0.3	3.6	0.65	99	76.7979	46.5643
2019	11	8	1	47	35	0.3	3.6	0.67	95.9	76.7979	48.4746
2019	11	8	1	57	35	0.3	3.6	0.65	98.5	76.7979	46.5643
2019	11	8	2	7	35	0.3	3.6	0.64	98.3	76.7979	46.0867
2019	11	8	2	17	35	0.3	3.6	0.65	98.4	76.7979	46.8031
2019	11	8	2	27	35	0.3	3.6	0.68	97.8	76.7979	48.7135
2019	11	8	2	37	35	0.3	3.6	0.68	99.2	76.7979	48.7135
2019	11	8	2	47	35	0.3	3.6	0.66	100.3	76.7979	47.2808
2019	11	8	2	57	35	0.3	3.6	0.68	98.6	76.7979	48.7135
2019	11	8	3	7	35	0.3	3.6	0.66	99.5	76.7979	47.2808
2019	11	8	3	17	35	0.3	3.6	0.67	101.8	76.7979	47.9972
2019	11	8	3	27	35	0.3	3.6	0.65	99.6	76.7323	46.7614
2019	11	8	3	37	35	0.3	3.6	0.68	99.5	76.7323	48.67
2019	11	8	3	47	35	0.3	3.6	0.67	101	76.7323	47.7158
2019	11	8	3	57	35	0.3	3.6	0.67	97.6	76.7323	48.1929
2019	11	8	4	7	35	0.3	3.6	0.69	98.5	76.7323	49.6244
2019	11	8	4	17	35	0.3	3.6	0.72	101.1	76.7323	51.0559

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	8	4	27	35	0.3	3.6	0.63	100	76.7323	44.8529
2019	11	8	4	37	35	0.3	3.6	0.64	100	76.7323	45.8072
2019	11	8	4	47	35	0.3	3.6	0.65	99.6	76.7323	46.5229
2019	11	8	4	57	35	0.3	3.6	0.66	100.1	76.7323	47.0001
2019	11	8	5	7	35	0.3	3.6	0.63	98.9	76.7323	45.5686
2019	11	8	5	17	35	0.3	3.6	0.69	101	76.7323	48.9088
2019	11	8	5	27	35	0.3	3.6	0.66	99.4	76.7323	47.4773
2019	11	8	5	37	35	0.3	3.6	0.67	101	76.7323	47.9545
2019	11	8	5	47	35	0.3	3.6	0.64	100.7	76.6667	45.5279
2019	11	8	5	57	35	0.3	3.6	0.69	100.7	76.7323	49.1474
2019	11	8	6	7	35	0.3	3.6	0.65	98.1	76.7323	46.7616
2019	11	8	6	17	35	0.3	3.6	0.62	98.8	76.7323	44.853
2019	11	8	6	27	35	0.3	3.6	0.66	99.5	76.7323	47.2388
2019	11	8	6	37	35	0.3	3.6	0.66	100.1	76.7323	47.0002
2019	11	8	6	47	35	0.3	3.6	0.64	99.1	76.7323	46.0459
2019	11	8	6	57	35	0.3	3.6	0.65	97.6	76.6667	46.7198
2019	11	8	7	7	35	0.3	3.6	0.64	98.9	76.6667	45.7663
2019	11	8	7	17	35	0.3	3.6	0.67	101	76.6667	47.9116
2019	11	8	7	27	35	0.3	3.6	0.7	100	76.6667	49.8186
2019	11	8	7	37	35	0.3	3.6	0.66	98.9	76.6667	47.1966
2019	11	8	7	47	35	0.3	3.6	0.7	100.6	76.6667	49.8186
2019	11	8	7	57	35	0.3	3.6	0.66	101.4	76.6667	47.1966
2019	11	8	8	7	35	0.3	3.6	0.67	95.7	76.6667	48.15
2019	11	8	8	17	35	0.3	3.6	0.67	98.8	76.6667	47.9116
2019	11	8	8	27	35	0.3	3.6	0.67	99	76.6667	48.15
2019	11	8	8	37	35	0.3	3.6	0.68	100.3	76.6667	48.6267
2019	11	8	8	47	35	0.3	3.6	0.66	98	76.6667	47.1965
2019	11	8	8	57	35	0.3	3.6	0.62	102.3	76.6667	43.8593
2019	11	8	9	7	35	0.3	3.6	0.65	99.4	76.6667	46.243
2019	11	8	9	17	35	0.3	3.6	0.67	98.8	76.6667	47.9115
2019	11	8	9	27	35	0.3	3.6	0.66	97.7	76.7323	47.7158
2019	11	8	9	37	35	0.3	3.6	0.69	98.7	76.7323	49.6244
2019	11	8	9	47	35	0.3	3.6	0.66	99.4	76.7323	47.4772
2019	11	8	9	57	35	0.3	3.6	0.67	97	76.7323	48.67
2019	11	8	10	7	35	0.3	3.6	0.67	98.1	76.7323	48.4314
2019	11	8	10	17	35	0.3	3.6	0.69	98.8	76.7323	49.3857
2019	11	8	10	27	35	0.3	3.6	0.66	100.3	76.7323	47.2385
2019	11	8	10	37	35	0.3	3.6	0.7	99.9	76.7323	50.3399
2019	11	8	10	47	35	0.3	3.6	0.69	100.9	76.7323	49.3856
2019	11	8	10	57	35	0.3	3.6	0.67	99.4	76.7323	47.7155
2019	11	8	11	7	35	0.3	3.6	0.65	97.8	76.7323	46.9998
2019	11	8	11	17	35	0.3	3.6	0.67	99.4	76.7323	47.7155
2019	11	8	11	27	35	0.3	3.6	0.66	100	76.7323	47.4769
2019	11	8	11	37	35	0.3	3.6	0.7	97.2	76.7323	50.8169
2019	11	8	11	47	35	0.3	3.6	0.66	96.5	76.7323	47.9539
2019	11	8	11	57	35	0.3	3.6	0.63	101.1	76.7323	44.8524
2019	11	8	12	7	35	0.3	3.6	0.62	99.1	76.6667	44.8123

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	8	12	17	35	0.3	3.6	0.67	99.3	76.6667	48.1493
2019	11	8	12	27	35	0.3	3.6	0.67	99.3	76.6667	47.911
2019	11	8	12	37	35	0.3	3.6	0.64	100.3	76.6667	46.004
2019	11	8	12	47	35	0.3	3.6	0.64	98.5	76.6011	45.9628
2019	11	8	12	57	35	0.3	3.6	0.65	100.1	76.6011	46.6773
2019	11	8	13	7	35	0.3	3.6	0.64	97.3	76.6011	46.2009
2019	11	8	13	17	35	0.3	3.6	0.64	100.6	76.6011	45.7246
2019	11	8	13	27	35	0.3	3.6	0.66	99.7	76.6011	47.1535
2019	11	8	13	37	35	0.3	3.6	0.65	100.5	76.5354	46.3974
2019	11	8	13	47	35	0.3	3.6	0.66	98	76.5354	47.5871
2019	11	8	13	57	35	0.3	3.6	0.69	97.9	76.5354	49.7285
2019	11	8	14	7	35	0.3	3.6	0.63	99.9	76.6011	45.0101
2019	11	8	14	17	35	0.3	3.6	0.65	99.6	76.5354	46.6353
2019	11	8	14	27	35	0.3	3.6	0.69	97.9	76.6011	49.7731
2019	11	8	14	37	35	0.3	3.6	0.68	98.3	76.5354	49.0147
2019	11	8	14	47	35	0.3	3.6	0.64	98.8	76.6011	46.2008
2019	11	8	14	57	35	0.3	3.6	0.66	98	76.6011	47.1534
2019	11	8	15	7	35	0.3	3.6	0.66	99.1	76.5354	47.3491
2019	11	8	15	17	35	0.3	3.6	0.66	99.5	76.5354	47.1111
2019	11	8	15	27	35	0.3	3.6	0.68	97.8	76.5354	48.7767
2019	11	8	15	37	35	0.3	3.6	0.67	99.6	76.5354	48.0629
2019	11	8	15	47	35	0.3	3.6	0.69	100.5	76.5354	49.0146
2019	11	8	15	57	35	0.3	3.6	0.68	97.5	76.5354	48.5388
2019	11	8	16	7	35	0.3	3.6	0.67	98.7	76.6011	48.106
2019	11	8	16	17	35	0.3	3.6	0.65	98.5	76.5354	46.3973
2019	11	8	16	27	35	0.3	3.6	0.68	101.5	76.5354	48.0629
2019	11	8	16	37	35	0.3	3.6	0.68	100.6	76.5354	48.5388
2019	11	8	16	47	35	0.3	3.6	0.65	99.9	76.5354	46.3974
2019	11	8	16	57	35	0.3	3.6	0.69	97.7	76.5354	49.2526
2019	11	8	17	7	35	0.3	3.6	0.65	100.7	76.5354	46.6353
2019	11	8	17	17	35	0.3	3.6	0.64	98.8	76.6011	46.2008
2019	11	8	17	27	35	0.3	3.6	0.66	100.6	76.5354	47.1111
2019	11	8	17	37	35	0.3	3.6	0.65	100.5	76.5354	46.1594
2019	11	8	17	47	35	0.3	3.6	0.64	99.1	76.5354	46.1594
2019	11	8	17	57	35	0.3	3.6	0.65	98.5	76.6011	46.4389
2019	11	8	18	7	35	0.3	3.6	0.67	98.2	76.6011	47.8678
2019	11	8	18	17	35	0.3	3.6	0.69	98	76.6011	49.2967
2019	11	8	18	27	35	0.3	3.6	0.67	100.9	76.6667	48.1491
2019	11	8	18	37	35	0.3	3.6	0.65	95.5	76.6667	46.7189
2019	11	8	18	47	35	0.3	3.6	0.65	99.4	76.6667	46.2422
2019	11	8	18	57	35	0.3	3.6	0.66	98	76.6667	47.6723
2019	11	8	19	7	35	0.3	3.6	0.64	99.7	76.7323	46.045
2019	11	8	19	17	35	0.3	3.6	0.67	96.5	76.7323	48.4307
2019	11	8	19	27	35	0.3	3.6	0.67	99.4	76.7323	47.715
2019	11	8	19	37	35	0.3	3.6	0.64	96.7	76.7979	46.5638
2019	11	8	19	47	35	0.3	3.6	0.65	99.4	76.7979	46.325
2019	11	8	19	57	35	0.3	3.6	0.66	100	76.7979	47.5189

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	8	20	7	35	0.3	3.6	0.65	98.1	76.7979	47.0414
2019	11	8	20	17	35	0.3	3.6	0.66	98.3	76.7979	47.2802
2019	11	8	20	27	35	0.3	3.6	0.63	98.7	76.8635	45.4104
2019	11	8	20	37	35	0.3	3.6	0.69	98.5	76.8635	49.4735
2019	11	8	20	47	35	0.3	3.6	0.65	100.5	76.8635	46.3664
2019	11	8	20	57	35	0.3	3.6	0.66	96.8	76.8635	47.8005
2019	11	8	21	7	35	0.3	3.6	0.66	99.5	76.8635	47.3225
2019	11	8	21	17	35	0.3	3.6	0.66	99.1	76.8635	47.5615
2019	11	8	21	27	35	0.3	3.6	0.69	98.2	76.8635	49.9515
2019	11	8	21	37	35	0.3	3.6	0.67	97.1	76.8635	48.2785
2019	11	8	21	47	35	0.3	3.6	0.67	98.2	76.8635	48.2785
2019	11	8	21	57	35	0.3	3.6	0.68	97.8	76.8635	48.9956
2019	11	8	22	7	35	0.3	3.6	0.7	98.4	76.9291	50.2354
2019	11	8	22	17	35	0.3	3.6	0.68	99.1	76.9291	49.0393
2019	11	8	22	27	35	0.3	3.6	0.69	98.8	76.9291	49.5178
2019	11	8	22	37	35	0.3	3.6	0.65	97.5	76.9291	47.1256
2019	11	8	22	47	35	0.3	3.6	0.67	99.6	76.9291	48.3217
2019	11	8	22	57	35	0.3	3.6	0.67	100.9	76.9291	48.3217
2019	11	8	23	7	35	0.3	3.6	0.64	98.8	76.9291	46.408
2019	11	8	23	17	35	0.3	3.6	0.64	98.6	76.9291	45.9296
2019	11	8	23	27	35	0.3	3.6	0.7	101.9	76.9291	49.9963
2019	11	8	23	37	35	0.3	3.6	0.66	99.1	76.9291	47.6041
2019	11	8	23	47	35	0.3	3.6	0.67	98.2	76.9291	48.0826
2019	11	8	23	57	35	0.3	3.6	0.68	98	76.9291	49.2787
2019	11	9	0	7	35	0.3	3.6	0.68	101.5	76.9948	48.3649
2019	11	9	0	17	35	0.3	3.6	0.64	96.5	76.9291	46.4081
2019	11	9	0	27	35	0.3	3.6	0.67	101.5	76.9291	48.0826
2019	11	9	0	37	35	0.3	3.6	0.66	100.8	76.9291	47.6042
2019	11	9	0	47	35	0.3	3.6	0.65	99.2	76.9948	47.1679
2019	11	9	0	57	35	0.3	3.6	0.65	98.4	76.9948	47.1679
2019	11	9	1	7	35	0.3	3.6	0.66	100.1	76.9948	47.1679
2019	11	9	1	17	35	0.3	3.6	0.68	99.1	76.9948	49.0834
2019	11	9	1	27	35	0.3	3.6	0.65	99.6	76.9948	46.9285
2019	11	9	1	37	35	0.3	3.6	0.65	99.4	76.9948	46.4497
2019	11	9	1	47	35	0.3	3.6	0.69	99.8	76.9948	49.8017
2019	11	9	1	57	35	0.3	3.6	0.66	99.4	76.9948	47.6468
2019	11	9	2	7	35	0.3	3.6	0.65	98.7	76.9948	46.9286
2019	11	9	2	17	35	0.3	3.6	0.67	99.4	76.9948	47.8863
2019	11	9	2	27	35	0.3	3.6	0.68	99.1	76.9948	49.0835
2019	11	9	2	37	35	0.3	3.6	0.68	98.1	76.9948	49.0835
2019	11	9	2	47	35	0.3	3.6	0.67	100.4	76.9948	48.1258
2019	11	9	2	57	35	0.3	3.6	0.69	100.6	76.9948	49.8018
2019	11	9	3	7	35	0.3	3.6	0.65	99.2	76.9948	47.1681
2019	11	9	3	17	35	0.3	3.6	0.68	97.5	76.9948	48.8442
2019	11	9	3	27	35	0.3	3.6	0.66	98.8	76.9948	47.8864
2019	11	9	3	37	35	0.3	3.6	0.7	98.6	77.0604	50.8049
2019	11	9	3	47	35	0.3	3.6	0.68	100	77.0604	48.8877

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	9	3	57	35	0.3	3.6	0.64	98.9	77.0604	46.012
2019	11	9	4	7	35	0.3	3.6	0.67	101	77.0604	47.9292
2019	11	9	4	17	35	0.3	3.6	0.65	98.7	77.0604	47.2103
2019	11	9	4	27	35	0.3	3.6	0.64	100.6	77.0604	46.2517
2019	11	9	4	37	35	0.3	3.6	0.7	98.6	77.0604	50.805
2019	11	9	4	47	35	0.3	3.6	0.65	99	77.0604	46.9707
2019	11	9	4	57	35	0.3	3.6	0.69	99.9	77.0604	49.6068
2019	11	9	5	7	35	0.3	3.6	0.67	99.8	77.126	48.4517
2019	11	9	5	17	35	0.3	3.6	0.65	96.6	77.126	47.4922
2019	11	9	5	27	35	0.3	3.6	0.68	99.2	77.126	48.9314
2019	11	9	5	37	35	0.3	3.6	0.68	98	77.126	49.4111
2019	11	9	5	47	35	0.3	3.6	0.67	95.9	77.2572	49.0185
2019	11	9	5	57	35	0.3	3.6	0.68	100.6	77.3228	49.0621
2019	11	9	6	7	35	0.3	3.6	0.66	97.4	77.3228	47.8596
2019	11	9	6	17	35	0.3	3.6	0.65	100.2	77.3885	46.9392
2019	11	9	6	27	35	0.3	3.6	0.66	102.1	77.3885	47.1799
2019	11	9	6	37	35	0.3	3.6	0.68	100	77.3885	49.3464
2019	11	9	6	47	35	0.3	3.6	0.67	96.7	77.3885	49.1057
2019	11	9	6	57	35	0.3	3.6	0.66	100	77.3885	47.9021
2019	11	9	7	7	35	0.3	3.6	0.65	96.1	77.3885	47.18
2019	11	9	7	17	35	0.3	3.6	0.67	100.7	77.3885	48.6243
2019	11	9	7	27	35	0.3	3.6	0.69	99.3	77.4541	49.872
2019	11	9	7	37	35	0.3	3.6	0.7	97.8	77.4541	50.8357
2019	11	9	7	47	35	0.3	3.6	0.67	96.7	77.4541	49.1493
2019	11	9	7	57	35	0.3	3.6	0.65	99.9	77.4541	46.9809
2019	11	9	8	7	35	0.3	3.6	0.69	99.3	77.4541	49.872
2019	11	9	8	17	35	0.3	3.6	0.69	98.8	77.4541	49.872
2019	11	9	8	27	35	0.3	3.6	0.7	98.1	77.5197	50.8808
2019	11	9	8	37	35	0.3	3.6	0.66	99.5	77.5197	47.5048
2019	11	9	8	47	35	0.3	3.6	0.67	97.9	77.5197	48.9516
2019	11	9	8	57	35	0.3	3.6	0.68	98.6	77.5197	49.1927
2019	11	9	9	7	35	0.3	3.6	0.69	98.8	77.5197	49.9161
2019	11	9	9	17	35	0.3	3.6	0.64	96.5	77.5853	46.8227
2019	11	9	9	27	35	0.3	3.6	0.67	97.3	77.5853	48.9948
2019	11	9	9	37	35	0.3	3.6	0.68	98.9	77.5853	49.2362
2019	11	9	9	47	35	0.3	3.6	0.7	99.9	77.5853	50.9256
2019	11	9	9	57	35	0.3	3.6	0.67	98.7	77.5853	48.9948
2019	11	9	10	7	35	0.3	3.6	0.68	99.1	77.5853	49.7188
2019	11	9	10	17	35	0.3	3.6	0.65	99.6	77.5853	47.3052
2019	11	9	10	27	35	0.3	3.6	0.68	99.7	77.6509	49.2796
2019	11	9	10	37	35	0.3	3.6	0.65	99.6	77.6509	47.347
2019	11	9	10	47	35	0.3	3.6	0.67	98.1	77.6509	49.0379
2019	11	9	10	57	35	0.3	3.6	0.71	98.5	77.6509	51.6951
2019	11	9	11	7	35	0.3	3.6	0.66	99.4	77.7165	48.1141
2019	11	9	11	17	35	0.3	3.6	0.66	102.1	77.7165	47.3887
2019	11	9	11	27	35	0.3	3.6	0.71	99.5	77.7165	51.7407
2019	11	9	11	37	35	0.3	3.6	0.7	99.8	77.7165	50.5318

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	9	11	47	35	0.3	3.6	0.7	98.1	77.7165	51.2571
2019	11	9	11	57	35	0.3	3.6	0.66	98.3	77.7165	47.8722
2019	11	9	12	7	35	0.3	3.6	0.67	99.8	77.7822	48.8824
2019	11	9	12	17	35	0.3	3.6	0.71	97.2	77.7822	51.7863
2019	11	9	12	27	35	0.3	3.6	0.68	99.7	77.7822	49.6083
2019	11	9	12	37	35	0.3	3.6	0.67	95.1	77.7822	48.8823
2019	11	9	12	47	35	0.3	3.6	0.71	97.8	77.7822	51.5442
2019	11	9	12	57	35	0.3	3.6	0.68	97.4	77.7822	50.0923
2019	11	9	13	7	35	0.3	3.6	0.68	101.5	77.7822	48.8823
2019	11	9	13	17	35	0.3	3.6	0.64	98.3	77.8478	46.7456
2019	11	9	13	27	35	0.3	3.6	0.68	101.1	77.8478	49.4098
2019	11	9	13	37	35	0.3	3.6	0.7	98.9	77.8478	50.863
2019	11	9	13	47	35	0.3	3.6	0.66	97.8	77.8478	47.9565
2019	11	9	13	57	35	0.3	3.6	0.65	99.7	77.8478	46.9877
2019	11	9	14	7	35	0.3	3.6	0.65	97.8	77.8478	47.4721
2019	11	9	14	17	35	0.3	3.6	0.67	99	77.8478	48.6831
2019	11	9	14	27	35	0.3	3.6	0.67	98.1	77.8478	49.1675
2019	11	9	14	37	35	0.3	3.6	0.68	98.6	77.9134	49.9381
2019	11	9	14	47	35	0.3	3.6	0.67	100.2	77.8478	48.4409
2019	11	9	14	57	35	0.3	3.6	0.61	100.2	77.9134	44.6049
2019	11	9	15	7	35	0.3	3.6	0.64	98.6	77.9134	46.5442
2019	11	9	15	17	35	0.3	3.6	0.69	99.3	77.9134	50.4229
2019	11	9	15	27	35	0.3	3.6	0.66	98.6	77.9134	47.9987
2019	11	9	15	37	35	0.3	3.6	0.66	98.3	77.9134	47.9987
2019	11	9	15	47	35	0.3	3.6	0.67	101.4	77.9134	48.2411
2019	11	9	15	57	35	0.3	3.6	0.6	97.8	77.9134	44.12
2019	11	9	16	7	35	0.3	3.6	0.66	98.6	77.9134	47.9987
2019	11	9	16	17	35	0.3	3.6	0.65	101.9	77.979	47.3131
2019	11	9	16	27	35	0.3	3.6	0.64	100.4	77.979	46.3426
2019	11	9	16	37	35	0.3	3.6	0.63	100.3	77.979	45.6147
2019	11	9	16	47	35	0.3	3.6	0.65	99.7	77.979	47.0705
2019	11	9	16	57	35	0.3	3.6	0.63	102.9	78.0446	45.6548
2019	11	9	17	7	35	0.3	3.6	0.67	100.7	78.1102	49.0978
2019	11	9	17	17	35	0.3	3.6	0.68	100	78.1102	49.8269
2019	11	9	17	27	35	0.3	3.6	0.67	97.7	78.1758	48.8976
2019	11	9	17	37	35	0.3	3.6	0.67	97.9	78.2415	49.4275
2019	11	9	17	47	35	0.3	3.6	0.68	100.2	78.3071	49.9582
2019	11	9	17	57	35	0.3	3.6	0.66	99.5	78.3071	48.2523
2019	11	9	18	7	35	0.3	3.6	0.67	99.9	78.3071	48.9834
2019	11	9	18	17	35	0.3	3.6	0.68	98.8	78.3071	50.2019
2019	11	9	18	27	35	0.3	3.6	0.68	100.6	78.3071	49.7145
2019	11	9	18	37	35	0.3	3.6	0.67	100.5	78.3727	48.7824
2019	11	9	18	47	35	0.3	3.6	0.68	99.4	78.3071	50.2019
2019	11	9	18	57	35	0.3	3.6	0.68	96.6	78.3727	50.4898
2019	11	9	19	7	35	0.3	3.6	0.68	98.9	78.3727	49.758
2019	11	9	19	17	35	0.3	3.6	0.71	101.8	78.3727	51.4654
2019	11	9	19	27	35	0.3	3.6	0.64	98.6	78.3727	46.8311

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	9	19	37	35	0.3	3.6	0.68	100.3	78.3727	49.5141
2019	11	9	19	47	35	0.3	3.6	0.66	99.2	78.3727	48.2946
2019	11	9	19	57	35	0.3	3.6	0.67	96.8	78.4383	49.3134
2019	11	9	20	7	35	0.3	3.6	0.67	99.3	78.4383	49.3134
2019	11	9	20	17	35	0.3	3.6	0.66	99.1	78.4383	48.581
2019	11	9	20	27	35	0.3	3.6	0.68	97.7	78.4383	50.2899
2019	11	9	20	37	35	0.3	3.6	0.69	100.1	78.4383	50.7782
2019	11	9	20	47	35	0.3	3.6	0.68	95.8	78.4383	50.5341
2019	11	9	20	57	35	0.3	3.6	0.71	98.2	78.4383	52.243
2019	11	9	21	7	35	0.3	3.6	0.72	96.3	78.4383	52.9754
2019	11	9	21	17	35	0.3	3.6	0.7	99.5	78.5039	51.3113
2019	11	9	21	27	35	0.3	3.6	0.67	99.3	78.4383	49.3135
2019	11	9	21	37	35	0.3	3.6	0.68	98.4	78.4383	49.8018
2019	11	9	21	47	35	0.3	3.6	0.67	99.6	78.5039	49.3567
2019	11	9	21	57	35	0.3	3.6	0.67	99.2	78.5039	49.601
2019	11	9	22	7	35	0.3	3.6	0.66	99.7	78.5039	48.3793
2019	11	9	22	17	35	0.3	3.6	0.64	99.1	78.5039	47.1576
2019	11	9	22	27	35	0.3	3.6	0.68	98	78.5039	50.3341
2019	11	9	22	37	35	0.3	3.6	0.67	98.7	78.5039	49.3567
2019	11	9	22	47	35	0.3	3.6	0.69	95.5	78.5039	50.8228
2019	11	9	22	57	35	0.3	3.6	0.67	99.3	78.5039	49.3568
2019	11	9	23	7	35	0.3	3.6	0.67	98.5	78.5039	49.1124
2019	11	9	23	17	35	0.3	3.6	0.7	99.5	78.5039	51.3115
2019	11	9	23	27	35	0.3	3.6	0.67	99	78.5039	49.1125
2019	11	9	23	37	35	0.3	3.6	0.68	100.3	78.5039	49.8455
2019	11	9	23	47	35	0.3	3.6	0.68	100.2	78.5039	50.0899
2019	11	9	23	57	35	0.3	3.6	0.68	98.9	78.5039	49.8455
2019	11	10	0	7	35	0.3	3.6	0.67	99.3	78.5039	49.3569
2019	11	10	0	17	35	0.3	3.6	0.7	100	78.5039	51.3116
2019	11	10	0	27	35	0.3	3.6	0.7	100.8	78.5039	51.0673
2019	11	10	0	37	35	0.3	3.6	0.68	97.4	78.5039	50.5786
2019	11	10	0	47	35	0.3	3.6	0.69	99	78.5039	51.0673
2019	11	10	0	57	35	0.3	3.6	0.65	99.8	78.5039	47.8909
2019	11	10	1	7	35	0.3	3.6	0.7	98.9	78.5696	51.3565
2019	11	10	1	17	35	0.3	3.6	0.68	100.1	78.5696	49.6447
2019	11	10	1	27	35	0.3	3.6	0.65	98.4	78.5696	47.9328
2019	11	10	1	37	35	0.3	3.6	0.69	99.9	78.5696	50.3784
2019	11	10	1	47	35	0.3	3.6	0.68	97.4	78.5039	50.5788
2019	11	10	1	57	35	0.3	3.6	0.69	96.8	78.5696	51.3566
2019	11	10	2	7	35	0.3	3.6	0.69	98.8	78.5696	50.623
2019	11	10	2	17	35	0.3	3.6	0.69	98.7	78.5696	51.1121
2019	11	10	2	27	35	0.3	3.6	0.66	98	78.5696	48.9111
2019	11	10	2	37	35	0.3	3.6	0.66	98.5	78.5696	48.9112
2019	11	10	2	47	35	0.3	3.6	0.67	98.4	78.5696	49.4003
2019	11	10	2	57	35	0.3	3.6	0.64	102.1	78.6352	46.9958
2019	11	10	3	7	35	0.3	3.6	0.68	100	78.5696	50.134
2019	11	10	3	17	35	0.3	3.6	0.69	98.7	78.6352	50.9121

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	10	3	27	35	0.3	3.6	0.65	100.1	78.6352	47.9749
2019	11	10	3	37	35	0.3	3.6	0.67	96.7	78.6352	49.9331
2019	11	10	3	47	35	0.3	3.6	0.68	98.6	78.7008	49.9766
2019	11	10	3	57	35	0.3	3.6	0.68	99.5	78.7008	49.9767
2019	11	10	4	7	35	0.3	3.6	0.72	99.1	78.832	53.4996
2019	11	10	4	17	35	0.3	3.6	0.68	96.9	78.832	50.8
2019	11	10	4	27	35	0.3	3.6	0.7	98.3	78.832	52.0271
2019	11	10	4	37	35	0.3	3.6	0.7	100.8	78.832	51.5363
2019	11	10	4	47	35	0.3	3.6	0.7	97.5	78.832	52.0271
2019	11	10	4	57	35	0.3	3.6	0.69	98.7	78.8976	51.0899
2019	11	10	5	7	35	0.3	3.6	0.69	100.1	78.8976	50.8443
2019	11	10	5	17	35	0.3	3.6	0.68	101.2	78.8976	49.6162
2019	11	10	5	27	35	0.3	3.6	0.7	100.6	78.8976	51.3356
2019	11	10	5	37	35	0.3	3.6	0.68	99.5	78.8976	50.1075
2019	11	10	5	47	35	0.3	3.6	0.68	95.8	78.8976	50.5987
2019	11	10	5	57	35	0.3	3.6	0.68	99.7	78.8976	50.3531
2019	11	10	6	7	35	0.3	3.6	0.69	97.7	78.8976	50.8444
2019	11	10	6	17	35	0.3	3.6	0.68	100.1	78.8976	49.8619
2019	11	10	6	27	35	0.3	3.6	0.69	96	78.8976	51.5813
2019	11	10	6	37	35	0.3	3.6	0.65	97.8	78.8976	48.3882
2019	11	10	6	47	35	0.3	3.6	0.65	98.1	78.9633	48.4303
2019	11	10	6	57	35	0.3	3.6	0.7	100.8	78.9633	51.6262
2019	11	10	7	7	35	0.3	3.6	0.68	98.1	78.9633	50.1511
2019	11	10	7	17	35	0.3	3.6	0.7	97.8	78.9633	52.1179
2019	11	10	7	27	35	0.3	3.6	0.67	96.8	78.9633	49.6595
2019	11	10	7	37	35	0.3	3.6	0.64	96.5	78.9633	47.6928
2019	11	10	7	47	35	0.3	3.6	0.7	99.2	78.9633	51.872
2019	11	10	7	57	35	0.3	3.6	0.68	100	78.9633	50.1512
2019	11	10	8	7	35	0.3	3.6	0.66	99.1	78.9633	48.922
2019	11	10	8	17	35	0.3	3.6	0.68	98.9	78.9633	50.397
2019	11	10	8	27	35	0.3	3.6	0.68	97.2	78.9633	50.6428
2019	11	10	8	37	35	0.3	3.6	0.7	99.5	78.9633	51.6262
2019	11	10	8	47	35	0.3	3.6	0.7	100	78.9633	51.6262
2019	11	10	8	57	35	0.3	3.6	0.69	99	79.0289	51.1789
2019	11	10	9	7	35	0.3	3.6	0.69	98.5	79.0289	50.9328
2019	11	10	9	17	35	0.3	3.6	0.72	98.4	79.0289	53.3933
2019	11	10	9	27	35	0.3	3.6	0.66	98.6	79.0289	48.9643
2019	11	10	9	37	35	0.3	3.6	0.68	99.2	79.0289	50.1946
2019	11	10	9	47	35	0.3	3.6	0.68	96.6	79.0289	50.6866
2019	11	10	9	57	35	0.3	3.6	0.68	97.8	79.0945	50.2381
2019	11	10	10	7	35	0.3	3.6	0.7	97.5	79.0945	52.2082
2019	11	10	10	17	35	0.3	3.6	0.68	98	79.0945	50.7305
2019	11	10	10	27	35	0.3	3.6	0.71	98.5	79.0945	52.4544
2019	11	10	10	37	35	0.3	3.6	0.69	100.6	79.0945	51.223
2019	11	10	10	47	35	0.3	3.6	0.7	98.6	79.0945	51.9618
2019	11	10	10	57	35	0.3	3.6	0.64	98.8	79.0945	47.7752
2019	11	10	11	7	35	0.3	3.6	0.69	100.2	79.0945	50.7304

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	10	11	17	35	0.3	3.6	0.67	99.4	79.0945	49.2528
2019	11	10	11	27	35	0.3	3.6	0.68	100.9	79.0945	49.9915
2019	11	10	11	37	35	0.3	3.6	0.69	99.8	79.1601	51.2672
2019	11	10	11	47	35	0.3	3.6	0.68	99.7	79.0945	50.4841
2019	11	10	11	57	35	0.3	3.6	0.72	98.4	79.0945	53.6856
2019	11	10	12	7	35	0.3	3.6	0.66	98.3	79.0945	48.7602
2019	11	10	12	17	35	0.3	3.6	0.71	98.5	79.1601	52.4996
2019	11	10	12	27	35	0.3	3.6	0.71	99.3	79.1601	52.4996
2019	11	10	12	37	35	0.3	3.6	0.67	100.2	79.1601	49.5418
2019	11	10	12	47	35	0.3	3.6	0.67	99.2	79.1601	50.0347
2019	11	10	12	57	35	0.3	3.6	0.72	97.4	79.1601	53.4854
2019	11	10	13	7	35	0.3	3.6	0.68	100.9	79.1601	50.0347
2019	11	10	13	17	35	0.3	3.6	0.7	99.8	79.1601	51.5135
2019	11	10	13	27	35	0.3	3.6	0.67	101.5	79.2257	49.5846
2019	11	10	13	37	35	0.3	3.6	0.68	96.6	79.1601	50.7741
2019	11	10	13	47	35	0.3	3.6	0.66	98.6	79.2257	49.0912
2019	11	10	13	57	35	0.3	3.6	0.7	97.5	79.2257	52.2982
2019	11	10	14	7	35	0.3	3.6	0.68	98.9	79.2257	50.3246
2019	11	10	14	17	35	0.3	3.6	0.71	98.5	79.2257	52.7915
2019	11	10	14	27	35	0.3	3.6	0.68	98.9	79.2257	50.3246
2019	11	10	14	37	35	0.3	3.6	0.67	98.1	79.2257	50.0779
2019	11	10	14	47	35	0.3	3.6	0.68	101.2	79.1601	49.7881
2019	11	10	14	57	35	0.3	3.6	0.67	99.3	79.2257	49.8312
2019	11	10	15	7	35	0.3	3.6	0.68	99.4	79.1601	50.774
2019	11	10	15	17	35	0.3	3.6	0.66	99.5	79.2257	48.5978
2019	11	10	15	27	35	0.3	3.6	0.62	99.1	79.1601	46.3374
2019	11	10	15	37	35	0.3	3.6	0.64	99.7	79.2257	47.611
2019	11	10	15	47	35	0.3	3.6	0.64	98.3	79.1601	47.5698
2019	11	10	15	57	35	0.3	3.6	0.67	98.2	79.1601	49.5416
2019	11	10	16	7	35	0.3	3.6	0.64	99.5	79.2257	47.1176
2019	11	10	16	17	35	0.3	3.6	0.65	98.7	79.2257	48.3511
2019	11	10	16	27	35	0.3	3.6	0.66	97.1	79.2257	49.5845
2019	11	10	16	37	35	0.3	3.6	0.68	99.1	79.1601	50.5275
2019	11	10	16	47	35	0.3	3.6	0.69	100.1	79.2257	51.0647
2019	11	10	16	57	35	0.3	3.6	0.7	100.8	79.2257	51.558
2019	11	10	17	7	35	0.3	3.6	0.71	99.5	79.2257	52.7915
2019	11	10	17	17	35	0.3	3.6	0.7	101.8	79.2257	51.8047
2019	11	10	17	27	35	0.3	3.6	0.67	98.2	79.2257	49.5845
2019	11	10	17	37	35	0.3	3.6	0.7	99.2	79.2257	51.8047
2019	11	10	17	47	35	0.3	3.6	0.68	99.1	79.2257	50.5712
2019	11	10	17	57	35	0.3	3.6	0.7	97.8	79.2257	52.298
2019	11	10	18	7	35	0.3	3.6	0.64	97.3	79.2257	47.8576
2019	11	10	18	17	35	0.3	3.6	0.69	100.4	79.2257	51.0646
2019	11	10	18	27	35	0.3	3.6	0.67	99.4	79.2913	49.3805
2019	11	10	18	37	35	0.3	3.6	0.71	99.6	79.2257	52.5447
2019	11	10	18	47	35	0.3	3.6	0.68	99.1	79.2913	50.8619
2019	11	10	18	57	35	0.3	3.6	0.69	97.9	79.2913	51.3557

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	10	19	7	35	0.3	3.6	0.71	98.5	79.2913	52.8371
2019	11	10	19	17	35	0.3	3.6	0.68	100.3	79.2913	50.1212
2019	11	10	19	27	35	0.3	3.6	0.68	98.4	79.2257	50.3245
2019	11	10	19	37	35	0.3	3.6	0.71	98.5	79.2913	52.5902
2019	11	10	19	47	35	0.3	3.6	0.66	98.9	79.2913	48.8867
2019	11	10	19	57	35	0.3	3.6	0.67	98.7	79.2257	50.0778
2019	11	10	20	7	35	0.3	3.6	0.68	98.3	79.2913	50.8619
2019	11	10	20	17	35	0.3	3.6	0.7	99.5	79.2913	51.6026
2019	11	10	20	27	35	0.3	3.6	0.69	96.6	79.2913	51.6026
2019	11	10	20	37	35	0.3	3.6	0.68	98.8	79.2913	50.8619
2019	11	10	20	47	35	0.3	3.6	0.69	95.5	79.2913	51.3558
2019	11	10	20	57	35	0.3	3.6	0.67	98.2	79.2257	49.5845
2019	11	10	21	7	35	0.3	3.6	0.66	100.6	79.2257	48.8445
2019	11	10	21	17	35	0.3	3.6	0.7	98.8	79.2257	52.2981
2019	11	10	21	27	35	0.3	3.6	0.68	96.9	79.2913	50.862
2019	11	10	21	37	35	0.3	3.6	0.67	98.5	79.2257	49.5845
2019	11	10	21	47	35	0.3	3.6	0.67	98.7	79.2257	50.0779
2019	11	10	21	57	35	0.3	3.6	0.69	98.7	79.2257	51.5581
2019	11	10	22	7	35	0.3	3.6	0.71	98.5	79.2257	52.7915
2019	11	10	22	17	35	0.3	3.6	0.68	98.6	79.2257	50.5714
2019	11	10	22	27	35	0.3	3.6	0.71	99	79.2257	52.7916
2019	11	10	22	37	35	0.3	3.6	0.66	97.7	79.2257	49.0912
2019	11	10	22	47	35	0.3	3.6	0.68	99.5	79.2257	50.078
2019	11	10	22	57	35	0.3	3.6	0.7	98.6	79.2257	52.0515
2019	11	10	23	7	35	0.3	3.6	0.68	99.4	79.2257	50.5714
2019	11	10	23	17	35	0.3	3.6	0.7	100.8	79.2257	51.8049
2019	11	10	23	27	35	0.3	3.6	0.7	99.5	79.2257	51.8049
2019	11	10	23	37	35	0.3	3.6	0.74	96.6	79.2257	55.2586
2019	11	10	23	47	35	0.3	3.6	0.7	96.5	79.2257	52.2983
2019	11	10	23	57	35	0.3	3.6	0.67	101	79.2257	49.338
2019	11	11	0	7	35	0.3	3.6	0.71	99.6	79.2257	52.545
2019	11	11	0	17	35	0.3	3.6	0.7	96.5	79.2257	52.2983
2019	11	11	0	27	35	0.3	3.6	0.7	100	79.2257	51.805
2019	11	11	0	37	35	0.3	3.6	0.67	99.6	79.2257	49.3381
2019	11	11	0	47	35	0.3	3.6	0.65	97.6	79.2257	48.3513
2019	11	11	0	57	35	0.3	3.6	0.63	96.5	79.2257	47.3646
2019	11	11	1	7	35	0.3	3.6	0.64	101.6	79.2257	46.8712
2019	11	11	1	17	35	0.3	3.6	0.68	97.5	79.2257	50.5716
2019	11	11	1	27	35	0.3	3.6	0.67	96.8	79.2257	49.8315
2019	11	11	1	37	35	0.3	3.6	0.69	98.2	79.2257	51.5584
2019	11	11	1	47	35	0.3	3.6	0.67	100.5	79.2257	49.3382
2019	11	11	1	57	35	0.3	3.6	0.71	97.2	79.2257	53.0386
2019	11	11	2	7	35	0.3	3.6	0.7	100.8	79.2257	51.8051
2019	11	11	2	17	35	0.3	3.6	0.66	99.5	79.2257	48.8449
2019	11	11	2	27	35	0.3	3.6	0.71	100.2	79.2257	52.2986
2019	11	11	2	37	35	0.3	3.6	0.69	99.1	79.2257	51.0651
2019	11	11	2	47	35	0.3	3.6	0.7	99.7	79.2257	52.0519

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	11	2	57	35	0.3	3.6	0.7	98.6	79.2257	52.2986
2019	11	11	3	7	35	0.3	3.6	0.73	99.9	79.2257	53.7788
2019	11	11	3	17	35	0.3	3.6	0.7	97.3	79.2257	52.2986
2019	11	11	3	27	35	0.3	3.6	0.69	98.7	79.2257	51.3119
2019	11	11	3	37	35	0.3	3.6	0.69	97.7	79.2257	51.3119
2019	11	11	3	47	35	0.3	3.6	0.69	99.2	79.2257	51.5586
2019	11	11	3	57	35	0.3	3.6	0.66	101.3	79.2257	48.3516
2019	11	11	4	7	35	0.3	3.6	0.69	98.7	79.2257	51.3119
2019	11	11	4	17	35	0.3	3.6	0.68	98.3	79.2257	50.5718
2019	11	11	4	27	35	0.3	3.6	0.67	102.1	79.2257	49.3384
2019	11	11	4	37	35	0.3	3.6	0.68	96.4	79.2257	50.8186
2019	11	11	4	47	35	0.3	3.6	0.72	100.4	79.2257	53.5322
2019	11	11	4	57	35	0.3	3.6	0.66	97.4	79.2257	49.5851
2019	11	11	5	7	35	0.3	3.6	0.69	100.1	79.2257	51.0653
2019	11	11	5	17	35	0.3	3.6	0.69	98.2	79.2257	51.0653
2019	11	11	5	27	35	0.3	3.6	0.68	98.6	79.2257	50.8186
2019	11	11	5	37	35	0.3	3.6	0.68	97	79.2257	50.5719
2019	11	11	5	47	35	0.3	3.6	0.68	97.2	79.2257	50.8186
2019	11	11	5	57	35	0.3	3.6	0.7	98.9	79.1601	51.7605
2019	11	11	6	7	35	0.3	3.6	0.67	98.2	79.1601	49.5422
2019	11	11	6	17	35	0.3	3.6	0.69	98.2	79.1601	51.0211
2019	11	11	6	27	35	0.3	3.6	0.68	99.5	79.1601	50.0352
2019	11	11	6	37	35	0.3	3.6	0.7	99.7	79.1601	52.007
2019	11	11	6	47	35	0.3	3.6	0.69	100.1	79.1601	51.0211
2019	11	11	6	57	35	0.3	3.6	0.69	96.6	79.2257	51.5587
2019	11	11	7	7	35	0.3	3.6	0.69	99.9	79.1601	50.7747
2019	11	11	7	17	35	0.3	3.6	0.69	99.6	79.1601	51.0211
2019	11	11	7	27	35	0.3	3.6	0.69	98.4	79.1601	51.5141
2019	11	11	7	37	35	0.3	3.6	0.67	98.8	79.1601	49.5423
2019	11	11	7	47	35	0.3	3.6	0.69	99.1	79.1601	51.0211
2019	11	11	7	57	35	0.3	3.6	0.71	99.2	79.1601	52.993
2019	11	11	8	7	35	0.3	3.6	0.7	101	79.1601	51.7606
2019	11	11	8	17	35	0.3	3.6	0.67	98.4	79.1601	50.0352
2019	11	11	8	27	35	0.3	3.6	0.66	96.3	79.1601	49.2958
2019	11	11	8	37	35	0.3	3.6	0.65	101.6	79.1601	48.0633
2019	11	11	8	47	35	0.3	3.6	0.69	101	79.1601	50.7746
2019	11	11	8	57	35	0.3	3.6	0.7	99.7	79.1601	52.0069
2019	11	11	9	7	35	0.3	3.6	0.66	102.1	79.1601	48.3097
2019	11	11	9	17	35	0.3	3.6	0.69	99.8	79.2257	51.3119
2019	11	11	9	27	35	0.3	3.6	0.68	100	79.2257	50.3251
2019	11	11	9	37	35	0.3	3.6	0.65	99.6	79.2257	48.3515
2019	11	11	9	47	35	0.3	3.6	0.65	98.7	79.2257	48.3515
2019	11	11	9	57	35	0.3	3.6	0.72	97.9	79.2257	53.532
2019	11	11	10	7	35	0.3	3.6	0.66	98.8	79.2257	49.3382
2019	11	11	10	17	35	0.3	3.6	0.7	98.8	79.2257	52.2984
2019	11	11	10	27	35	0.3	3.6	0.68	99.1	79.2257	50.8182
2019	11	11	10	37	35	0.3	3.6	0.68	98.4	79.2257	50.3248

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	11	10	47	35	0.3	3.6	0.68	101.2	79.2257	49.8314
2019	11	11	10	57	35	0.3	3.6	0.67	99	79.2257	49.8314
2019	11	11	11	7	35	0.3	3.6	0.71	97.8	79.2257	52.5449
2019	11	11	11	17	35	0.3	3.6	0.7	100.6	79.2257	51.5581
2019	11	11	11	27	35	0.3	3.6	0.71	98.5	79.2257	52.7915
2019	11	11	11	37	35	0.3	3.6	0.69	101.3	79.2257	50.818
2019	11	11	11	47	35	0.3	3.6	0.62	99.4	79.2257	46.1309
2019	11	11	11	57	35	0.3	3.6	0.69	98.7	79.2913	51.6027
2019	11	11	12	7	35	0.3	3.6	0.66	98	79.2257	48.8444
2019	11	11	12	17	35	0.3	3.6	0.67	98.7	79.2257	49.8312
2019	11	11	12	27	35	0.3	3.6	0.68	98.3	79.2257	50.8179
2019	11	11	12	37	35	0.3	3.6	0.71	99.6	79.2913	52.5901
2019	11	11	12	47	35	0.3	3.6	0.7	100.8	79.2913	51.6025
2019	11	11	12	57	35	0.3	3.6	0.68	100.8	79.2913	50.6149
2019	11	11	13	7	35	0.3	3.6	0.7	98.1	79.2913	52.0963
2019	11	11	13	17	35	0.3	3.6	0.7	99.7	79.2913	51.8493
2019	11	11	13	27	35	0.3	3.6	0.68	99.1	79.2913	50.8617
2019	11	11	13	37	35	0.3	3.6	0.69	98.5	79.2913	51.1086
2019	11	11	13	47	35	0.3	3.6	0.69	98.2	79.2913	51.6024
2019	11	11	13	57	35	0.3	3.6	0.69	96.3	79.2913	51.8493
2019	11	11	14	7	35	0.3	3.6	0.68	98.3	79.2913	50.8616
2019	11	11	14	17	35	0.3	3.6	0.71	99.6	79.2913	52.5899
2019	11	11	14	27	35	0.3	3.6	0.7	98.9	79.2913	52.0961
2019	11	11	14	37	35	0.3	3.6	0.67	97.9	79.2913	49.874
2019	11	11	14	47	35	0.3	3.6	0.69	98.2	79.2913	51.6023
2019	11	11	14	57	35	0.3	3.6	0.7	100.5	79.2913	52.0961
2019	11	11	15	7	35	0.3	3.6	0.68	95.8	79.2913	51.1085
2019	11	11	15	17	35	0.3	3.6	0.69	98.5	79.2913	51.3554
2019	11	11	15	27	35	0.3	3.6	0.71	100.1	79.2913	52.8368
2019	11	11	15	37	35	0.3	3.6	0.7	100	79.2913	51.8492
2019	11	11	15	47	35	0.3	3.6	0.69	99.3	79.2913	51.3554
2019	11	11	15	57	35	0.3	3.6	0.72	97.6	79.2913	53.3306
2019	11	11	16	7	35	0.3	3.6	0.69	99.3	79.2913	51.1085
2019	11	11	16	17	35	0.3	3.6	0.72	99.5	79.2913	53.3306
2019	11	11	16	27	35	0.3	3.6	0.66	99.1	79.2913	49.1333
2019	11	11	16	37	35	0.3	3.6	0.69	97.7	79.2913	51.1085
2019	11	11	16	47	35	0.3	3.6	0.7	99.4	79.2913	52.0961
2019	11	11	16	57	35	0.3	3.6	0.69	100.1	79.2913	51.3553
2019	11	11	17	7	35	0.3	3.6	0.69	101	79.2913	50.8615
2019	11	11	17	17	35	0.3	3.6	0.68	100.2	79.2913	50.6146
2019	11	11	17	27	35	0.3	3.6	0.69	99.6	79.2913	51.1084
2019	11	11	17	37	35	0.3	3.6	0.7	100	79.2913	51.6022
2019	11	11	17	47	35	0.3	3.6	0.67	100.1	79.2913	49.8739
2019	11	11	17	57	35	0.3	3.6	0.66	100	79.2913	48.8863
2019	11	11	18	7	35	0.3	3.6	0.67	99.3	79.2913	49.627
2019	11	11	18	17	35	0.3	3.6	0.67	100.4	79.2913	49.627
2019	11	11	18	27	35	0.3	3.6	0.7	99.2	79.2913	52.096

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	11	18	37	35	0.3	3.6	0.66	99.5	79.2913	48.6394
2019	11	11	18	47	35	0.3	3.6	0.72	97.1	79.2913	53.5774
2019	11	11	18	57	35	0.3	3.6	0.73	96.4	79.2913	54.8119
2019	11	11	19	7	35	0.3	3.6	0.7	98.9	79.2913	52.096
2019	11	11	19	17	35	0.3	3.6	0.67	98.7	79.2913	50.1208
2019	11	11	19	27	35	0.3	3.6	0.72	98.1	79.2913	53.8243
2019	11	11	19	37	35	0.3	3.6	0.7	96.5	79.2913	52.3429
2019	11	11	19	47	35	0.3	3.6	0.71	99.6	79.2913	52.3429
2019	11	11	19	57	35	0.3	3.6	0.7	97.8	79.2913	52.096
2019	11	11	20	7	35	0.3	3.6	0.69	101.8	79.2913	50.8615
2019	11	11	20	17	35	0.3	3.6	0.7	100	79.2913	51.8491
2019	11	11	20	27	35	0.3	3.6	0.66	99.1	79.2913	49.1332
2019	11	11	20	37	35	0.3	3.6	0.69	100.7	79.2913	51.1084
2019	11	11	20	47	35	0.3	3.6	0.69	99.6	79.2913	50.8616
2019	11	11	20	57	35	0.3	3.6	0.71	98.8	79.2913	52.5899
2019	11	11	21	7	35	0.3	3.6	0.7	97.9	79.2913	51.8492
2019	11	11	21	17	35	0.3	3.6	0.67	97.3	79.2913	49.874
2019	11	11	21	27	35	0.3	3.6	0.69	99.1	79.2913	51.1085
2019	11	11	21	37	35	0.3	3.6	0.7	98.6	79.2913	52.0961
2019	11	11	21	47	35	0.3	3.6	0.68	98	79.2913	50.8616
2019	11	11	21	57	35	0.3	3.6	0.7	101	79.2913	51.8492
2019	11	11	22	7	35	0.3	3.6	0.69	99.9	79.2913	50.8616
2019	11	11	22	17	35	0.3	3.6	0.69	100.1	79.2913	51.1086
2019	11	11	22	27	35	0.3	3.6	0.66	99.5	79.2913	48.8865
2019	11	11	22	37	35	0.3	3.6	0.71	97.7	79.2913	53.0838
2019	11	11	22	47	35	0.3	3.6	0.7	98.6	79.2913	52.3431
2019	11	11	22	57	35	0.3	3.6	0.68	98.4	79.2913	50.3679
2019	11	11	23	7	35	0.3	3.6	0.65	98.2	79.2913	48.1458
2019	11	11	23	17	35	0.3	3.6	0.7	97.8	79.2913	52.0962
2019	11	11	23	27	35	0.3	3.6	0.68	99.1	79.2913	50.6148
2019	11	11	23	37	35	0.3	3.6	0.67	98.2	79.2913	49.6272
2019	11	11	23	47	35	0.3	3.6	0.68	98.9	79.2913	50.368
2019	11	11	23	57	35	0.3	3.6	0.65	100.1	79.2913	48.3928
2019	11	12	0	7	35	0.3	3.6	0.7	99.2	79.2913	51.8494
2019	11	12	0	17	35	0.3	3.6	0.68	98.1	79.2913	50.6149
2019	11	12	0	27	35	0.3	3.6	0.69	99.6	79.2913	50.8618
2019	11	12	0	37	35	0.3	3.6	0.67	98.4	79.2913	49.8742
2019	11	12	0	47	35	0.3	3.6	0.7	100	79.2913	51.6025
2019	11	12	0	57	35	0.3	3.6	0.66	99.7	79.2913	48.8866
2019	11	12	1	7	35	0.3	3.6	0.72	99.9	79.2913	53.5778
2019	11	12	1	17	35	0.3	3.6	0.69	98.5	79.2913	51.3557
2019	11	12	1	27	35	0.3	3.6	0.7	98.4	79.2913	52.0964
2019	11	12	1	37	35	0.3	3.6	0.67	99.3	79.2913	49.8743
2019	11	12	1	47	35	0.3	3.6	0.65	99.2	79.2913	48.6398
2019	11	12	1	57	35	0.3	3.6	0.71	96.9	79.2257	53.2848
2019	11	12	2	7	35	0.3	3.6	0.7	99.2	79.2257	51.8047
2019	11	12	2	17	35	0.3	3.6	0.68	98.3	79.2257	50.818

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	12	2	27	35	0.3	3.6	0.66	101.1	79.2257	48.8445
2019	11	12	2	37	35	0.3	3.6	0.63	99.9	79.2257	46.6243
2019	11	12	2	47	35	0.3	3.6	0.71	99	79.2257	52.7915
2019	11	12	2	57	35	0.3	3.6	0.68	98.9	79.2257	50.5713
2019	11	12	3	7	35	0.3	3.6	0.68	98.6	79.2257	50.818
2019	11	12	3	17	35	0.3	3.6	0.7	99.2	79.2257	52.0515
2019	11	12	3	27	35	0.3	3.6	0.71	97.4	79.2257	53.0383
2019	11	12	3	37	35	0.3	3.6	0.69	96.8	79.2257	51.8048
2019	11	12	3	47	35	0.3	3.6	0.7	98.9	79.2257	51.8048
2019	11	12	3	57	35	0.3	3.6	0.71	99.1	79.2257	52.5449
2019	11	12	4	7	35	0.3	3.6	0.71	101.4	79.2257	52.5449
2019	11	12	4	17	35	0.3	3.6	0.69	97.9	79.2257	51.5582
2019	11	12	4	27	35	0.3	3.6	0.68	99.4	79.2257	50.5714
2019	11	12	4	37	35	0.3	3.6	0.69	101.2	79.2257	51.0648
2019	11	12	4	47	35	0.3	3.6	0.68	98.4	79.2257	50.3248
2019	11	12	4	57	35	0.3	3.6	0.65	98.1	79.2257	48.3512
2019	11	12	5	7	35	0.3	3.6	0.72	98.1	79.2257	53.5317
2019	11	12	5	17	35	0.3	3.6	0.72	99.4	79.2257	53.5317
2019	11	12	5	27	35	0.3	3.6	0.7	95.6	79.2257	52.545
2019	11	12	5	37	35	0.3	3.6	0.68	99.7	79.2257	50.3248
2019	11	12	5	47	35	0.3	3.6	0.67	98.7	79.2257	50.0781
2019	11	12	5	57	35	0.3	3.6	0.71	97.5	79.2257	52.7917
2019	11	12	6	7	35	0.3	3.6	0.7	99.5	79.2257	51.5582
2019	11	12	6	17	35	0.3	3.6	0.69	97.9	79.2257	51.3116
2019	11	12	6	27	35	0.3	3.6	0.7	99.2	79.2257	52.0516
2019	11	12	6	37	35	0.3	3.6	0.69	97.6	79.2257	51.5583
2019	11	12	6	47	35	0.3	3.6	0.68	100.6	79.2257	50.3248
2019	11	12	6	57	35	0.3	3.6	0.68	98.1	79.2257	50.5715
2019	11	12	7	7	35	0.3	3.6	0.68	97.8	79.2257	50.3248
2019	11	12	7	17	35	0.3	3.6	0.68	99.7	79.2257	50.3248
2019	11	12	7	27	35	0.3	3.6	0.68	98.6	79.2257	50.8182
2019	11	12	7	37	35	0.3	3.6	0.67	99.3	79.2257	49.5848
2019	11	12	7	47	35	0.3	3.6	0.68	98.9	79.2257	50.5715
2019	11	12	7	57	35	0.3	3.6	0.69	101	79.2257	50.5715
2019	11	12	8	7	35	0.3	3.6	0.69	99.1	79.2257	51.0649
2019	11	12	8	17	35	0.3	3.6	0.72	98.4	79.2257	53.7785
2019	11	12	8	27	35	0.3	3.6	0.67	97.7	79.2257	49.5848
2019	11	12	8	37	35	0.3	3.6	0.66	101.4	79.2257	48.8447
2019	11	12	8	47	35	0.3	3.6	0.68	102.8	79.2257	49.8314
2019	11	12	8	57	35	0.3	3.6	0.65	102	79.2913	47.6524
2019	11	12	9	7	35	0.3	3.6	0.69	97.6	79.2913	51.6028
2019	11	12	9	17	35	0.3	3.6	0.65	99.9	79.2913	48.1461
2019	11	12	9	27	35	0.3	3.6	0.68	99.7	79.2913	50.6151
2019	11	12	9	37	35	0.3	3.6	0.68	98.9	79.2913	50.3682
2019	11	12	9	47	35	0.3	3.6	0.66	99.5	79.2913	48.8868
2019	11	12	9	57	35	0.3	3.6	0.68	101.9	79.2913	50.3681
2019	11	12	10	7	35	0.3	3.6	0.64	100.6	79.2913	47.6522

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	12	10	17	35	0.3	3.6	0.67	100.7	79.2913	49.6274
2019	11	12	10	27	35	0.3	3.6	0.68	99.2	79.357	50.4116
2019	11	12	10	37	35	0.3	3.6	0.68	101.7	79.357	50.1645
2019	11	12	10	47	35	0.3	3.6	0.65	99.7	79.357	47.9404
2019	11	12	10	57	35	0.3	3.6	0.67	98.2	79.357	49.9173
2019	11	12	11	7	35	0.3	3.6	0.67	101.6	79.357	49.423
2019	11	12	11	17	35	0.3	3.6	0.67	98.7	79.357	50.1644
2019	11	12	11	27	35	0.3	3.6	0.69	99.8	79.357	51.3999
2019	11	12	11	37	35	0.3	3.6	0.7	99.4	79.357	52.3883
2019	11	12	11	47	35	0.3	3.6	0.66	99.8	79.357	48.6816
2019	11	12	11	57	35	0.3	3.6	0.7	97.8	79.357	52.1412
2019	11	12	12	7	35	0.3	3.6	0.67	99.2	79.357	50.1642
2019	11	12	12	17	35	0.3	3.6	0.69	100.1	79.4226	51.1969
2019	11	12	12	27	35	0.3	3.6	0.68	97.4	79.4226	51.1968
2019	11	12	12	37	35	0.3	3.6	0.69	100.4	79.4226	51.1968
2019	11	12	12	47	35	0.3	3.6	0.7	99.2	79.4226	52.1861
2019	11	12	12	57	35	0.3	3.6	0.65	101.1	79.4226	47.7342
2019	11	12	13	7	35	0.3	3.6	0.69	99	79.4226	51.4441
2019	11	12	13	17	35	0.3	3.6	0.71	98.3	79.4226	52.6807
2019	11	12	13	27	35	0.3	3.6	0.68	99.4	79.4226	50.7021
2019	11	12	13	37	35	0.3	3.6	0.68	100.3	79.4226	50.2074
2019	11	12	13	47	35	0.3	3.6	0.72	97.9	79.4226	53.4226
2019	11	12	13	57	35	0.3	3.6	0.64	102.1	79.4226	47.4868
2019	11	12	14	7	35	0.3	3.6	0.68	96.9	79.4226	50.9494
2019	11	12	14	17	35	0.3	3.6	0.69	100.7	79.4226	51.1967
2019	11	12	14	27	35	0.3	3.6	0.69	99	79.4226	51.6913
2019	11	12	14	37	35	0.3	3.6	0.67	100.4	79.4226	49.7127
2019	11	12	14	47	35	0.3	3.6	0.71	102	79.4226	52.4333
2019	11	12	14	57	35	0.3	3.6	0.64	98.9	79.4226	47.4867
2019	11	12	15	7	35	0.3	3.6	0.7	103.1	79.4226	51.1966
2019	11	12	15	17	35	0.3	3.6	0.66	98.8	79.4226	49.4653
2019	11	12	15	27	35	0.3	3.6	0.68	99.8	79.4226	50.2073
2019	11	12	15	37	35	0.3	3.6	0.68	101.6	79.4226	50.4546
2019	11	12	15	47	35	0.3	3.6	0.71	100.1	79.4226	52.9279
2019	11	12	15	57	35	0.3	3.6	0.66	100.4	79.4226	48.7234
2019	11	12	16	7	35	0.3	3.6	0.7	98.8	79.4226	52.4332
2019	11	12	16	17	35	0.3	3.6	0.67	101.3	79.4226	49.7126
2019	11	12	16	27	35	0.3	3.6	0.69	99.9	79.4226	51.1966
2019	11	12	16	37	35	0.3	3.6	0.67	98.5	79.4226	49.7126
2019	11	12	16	47	35	0.3	3.6	0.76	97.9	79.4226	56.8851
2019	11	12	16	57	35	0.3	3.6	0.65	101.9	79.4226	48.2286
2019	11	12	17	7	35	0.3	3.6	0.68	100.2	79.4226	50.7019
2019	11	12	17	17	35	0.3	3.6	0.67	99.6	79.4226	49.4653
2019	11	12	17	27	35	0.3	3.6	0.7	98.9	79.4226	52.1858
2019	11	12	17	37	35	0.3	3.6	0.69	99.3	79.4226	51.1965
2019	11	12	17	47	35	0.3	3.6	0.7	99.2	79.4226	51.9385
2019	11	12	17	57	35	0.3	3.6	0.68	100	79.4226	50.7019

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	12	18	7	35	0.3	3.6	0.71	101.2	79.4226	52.6805
2019	11	12	18	17	35	0.3	3.6	0.69	97.4	79.4226	51.4438
2019	11	12	18	27	35	0.3	3.6	0.69	99.6	79.4226	51.4438
2019	11	12	18	37	35	0.3	3.6	0.69	99	79.4226	51.4438
2019	11	12	18	47	35	0.3	3.6	0.68	98.9	79.4882	50.4981
2019	11	12	18	57	35	0.3	3.6	0.68	99.2	79.4226	50.4545
2019	11	12	19	7	35	0.3	3.6	0.69	99.6	79.4226	51.4438
2019	11	12	19	17	35	0.3	3.6	0.69	98.7	79.4882	51.7358
2019	11	12	19	27	35	0.3	3.6	0.69	99.8	79.4882	51.4882
2019	11	12	19	37	35	0.3	3.6	0.71	98.3	79.4882	52.7259
2019	11	12	19	47	35	0.3	3.6	0.66	102	79.4226	48.7232
2019	11	12	19	57	35	0.3	3.6	0.7	97.5	79.4882	52.4784
2019	11	12	20	7	35	0.3	3.6	0.64	97.6	79.4882	48.0227
2019	11	12	20	17	35	0.3	3.6	0.7	98.4	79.4882	51.9833
2019	11	12	20	27	35	0.3	3.6	0.69	99	79.4226	51.6912
2019	11	12	20	37	35	0.3	3.6	0.68	99.5	79.4882	50.4981
2019	11	12	20	47	35	0.3	3.6	0.72	99.4	79.4882	53.9637
2019	11	12	20	57	35	0.3	3.6	0.69	99.3	79.4882	51.4883
2019	11	12	21	7	35	0.3	3.6	0.69	99.1	79.4882	51.2408
2019	11	12	21	17	35	0.3	3.6	0.68	100	79.4882	50.7457
2019	11	12	21	27	35	0.3	3.6	0.65	97.3	79.4226	48.476
2019	11	12	21	37	35	0.3	3.6	0.68	99.2	79.4226	50.4546
2019	11	12	21	47	35	0.3	3.6	0.68	98.1	79.4226	50.4546
2019	11	12	21	57	35	0.3	3.6	0.66	99.8	79.4226	48.7233
2019	11	12	22	7	35	0.3	3.6	0.72	101	79.4226	53.4226
2019	11	12	22	17	35	0.3	3.6	0.69	99.8	79.4226	51.444
2019	11	12	22	27	35	0.3	3.6	0.68	99.2	79.4882	50.4982
2019	11	12	22	37	35	0.3	3.6	0.7	100.3	79.4882	51.7359
2019	11	12	22	47	35	0.3	3.6	0.68	98.3	79.4226	50.9493
2019	11	12	22	57	35	0.3	3.6	0.72	99.7	79.4882	53.4688
2019	11	12	23	7	35	0.3	3.6	0.69	98.2	79.4882	51.4884
2019	11	12	23	17	35	0.3	3.6	0.71	100.8	79.4882	52.9737
2019	11	12	23	27	35	0.3	3.6	0.67	100.7	79.4882	49.7557
2019	11	12	23	37	35	0.3	3.6	0.68	99.8	79.4882	50.2508
2019	11	12	23	47	35	0.3	3.6	0.68	99.1	79.4882	50.9934
2019	11	12	23	57	35	0.3	3.6	0.69	99.6	79.4882	51.241
2019	11	13	0	7	35	0.3	3.6	0.69	98.5	79.4882	51.4885
2019	11	13	0	17	35	0.3	3.6	0.69	97.7	79.4882	51.4885
2019	11	13	0	27	35	0.3	3.6	0.66	98.3	79.4882	49.2607
2019	11	13	0	37	35	0.3	3.6	0.71	99.3	79.4882	52.9738
2019	11	13	0	47	35	0.3	3.6	0.68	103	79.4882	50.2509
2019	11	13	0	57	35	0.3	3.6	0.7	98.4	79.4882	51.9837
2019	11	13	1	7	35	0.3	3.6	0.67	99	79.4882	50.2509
2019	11	13	1	17	35	0.3	3.6	0.66	98.3	79.4882	49.5083
2019	11	13	1	27	35	0.3	3.6	0.7	98.1	79.4882	52.2313
2019	11	13	1	37	35	0.3	3.6	0.66	99.1	79.4882	49.2608
2019	11	13	1	47	35	0.3	3.6	0.71	99.6	79.4882	52.7264

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	13	1	57	35	0.3	3.6	0.67	98.1	79.4882	50.251
2019	11	13	2	7	35	0.3	3.6	0.66	98.6	79.4226	49.2183
2019	11	13	2	17	35	0.3	3.6	0.71	97.4	79.4882	53.4691
2019	11	13	2	27	35	0.3	3.6	0.7	100	79.4226	51.939
2019	11	13	2	37	35	0.3	3.6	0.67	97.3	79.4882	50.251
2019	11	13	2	47	35	0.3	3.6	0.67	96.7	79.4226	50.2077
2019	11	13	2	57	35	0.3	3.6	0.7	97.3	79.4882	52.4789
2019	11	13	3	7	35	0.3	3.6	0.69	100.9	79.4882	51.2412
2019	11	13	3	17	35	0.3	3.6	0.71	100.4	79.4882	52.7265
2019	11	13	3	27	35	0.3	3.6	0.7	99.5	79.4882	51.7364
2019	11	13	3	37	35	0.3	3.6	0.71	98.3	79.4226	52.6811
2019	11	13	3	47	35	0.3	3.6	0.7	98.4	79.4226	51.9391
2019	11	13	3	57	35	0.3	3.6	0.67	98.4	79.4226	49.9605
2019	11	13	4	7	35	0.3	3.6	0.68	99.4	79.4882	50.7463
2019	11	13	4	17	35	0.3	3.6	0.67	97.3	79.4226	50.2078
2019	11	13	4	27	35	0.3	3.6	0.66	99.5	79.4226	48.9712
2019	11	13	4	37	35	0.3	3.6	0.68	97.8	79.4882	50.7463
2019	11	13	4	47	35	0.3	3.6	0.66	98.6	79.4882	49.261
2019	11	13	4	57	35	0.3	3.6	0.68	98.6	79.4882	50.9938
2019	11	13	5	7	35	0.3	3.6	0.68	99.7	79.4882	50.4988
2019	11	13	5	17	35	0.3	3.6	0.68	97.5	79.4226	50.9499
2019	11	13	5	27	35	0.3	3.6	0.7	99.2	79.4226	52.1865
2019	11	13	5	37	35	0.3	3.6	0.69	100.5	79.4226	50.9499
2019	11	13	5	47	35	0.3	3.6	0.67	99.9	79.4226	49.7132
2019	11	13	5	57	35	0.3	3.6	0.7	97.5	79.4226	52.6812
2019	11	13	6	7	35	0.3	3.6	0.67	102.7	79.4226	49.2186
2019	11	13	6	17	35	0.3	3.6	0.68	96.7	79.4226	50.7026
2019	11	13	6	27	35	0.3	3.6	0.7	99.5	79.4226	51.6919
2019	11	13	6	37	35	0.3	3.6	0.7	100.5	79.4226	52.1866
2019	11	13	6	47	35	0.3	3.6	0.67	101.5	79.4226	49.7133
2019	11	13	6	57	35	0.3	3.6	0.68	102	79.4226	49.9606
2019	11	13	7	7	35	0.3	3.6	0.73	97.4	79.4226	54.9072
2019	11	13	7	17	35	0.3	3.6	0.68	99.1	79.4226	50.95
2019	11	13	7	27	35	0.3	3.6	0.65	101.1	79.4226	47.982
2019	11	13	7	37	35	0.3	3.6	0.67	100.7	79.4226	49.9606
2019	11	13	7	47	35	0.3	3.6	0.7	98.4	79.4226	52.1866
2019	11	13	7	57	35	0.3	3.6	0.68	96.9	79.4226	50.95
2019	11	13	8	7	35	0.3	3.6	0.7	99.2	79.4226	51.9393
2019	11	13	8	17	35	0.3	3.6	0.68	98.1	79.4226	50.7026
2019	11	13	8	27	35	0.3	3.6	0.7	99.5	79.4226	51.6919
2019	11	13	8	37	35	0.3	3.6	0.69	101.3	79.4226	50.9499
2019	11	13	8	47	35	0.3	3.6	0.67	99.2	79.4882	50.2513
2019	11	13	8	57	35	0.3	3.6	0.67	99.6	79.4226	49.4659
2019	11	13	9	7	35	0.3	3.6	0.68	98.1	79.4226	50.4553
2019	11	13	9	17	35	0.3	3.6	0.71	97.9	79.4882	53.2218
2019	11	13	9	27	35	0.3	3.6	0.7	96.5	79.4882	52.2316
2019	11	13	9	37	35	0.3	3.6	0.71	99.5	79.4882	52.9742

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	13	9	47	35	0.3	3.6	0.71	97.7	79.4882	53.2217
2019	11	13	9	57	35	0.3	3.6	0.69	99.6	79.4226	50.9498
2019	11	13	10	7	35	0.3	3.6	0.7	97.3	79.4882	52.4791
2019	11	13	10	17	35	0.3	3.6	0.7	99.2	79.4882	51.984
2019	11	13	10	27	35	0.3	3.6	0.7	97.9	79.4226	51.9391
2019	11	13	10	37	35	0.3	3.6	0.68	98.9	79.4226	50.4551
2019	11	13	10	47	35	0.3	3.6	0.68	100.1	79.4882	50.2511
2019	11	13	10	57	35	0.3	3.6	0.68	100.3	79.4882	50.4986
2019	11	13	11	7	35	0.3	3.6	0.67	99	79.4882	49.7559
2019	11	13	11	17	35	0.3	3.6	0.69	97.1	79.4882	51.4887
2019	11	13	11	27	35	0.3	3.6	0.7	99.9	79.4882	52.2313
2019	11	13	11	37	35	0.3	3.6	0.7	100	79.5538	51.7808
2019	11	13	11	47	35	0.3	3.6	0.69	99	79.5538	51.533
2019	11	13	11	57	35	0.3	3.6	0.68	100.6	79.4882	50.2509
2019	11	13	12	7	35	0.3	3.6	0.71	98.8	79.5538	52.7717
2019	11	13	12	17	35	0.3	3.6	0.68	100.3	79.5538	50.2942
2019	11	13	12	27	35	0.3	3.6	0.7	99.5	79.5538	51.7807
2019	11	13	12	37	35	0.3	3.6	0.69	101	79.5538	51.0374
2019	11	13	12	47	35	0.3	3.6	0.7	98.9	79.5538	52.0284
2019	11	13	12	57	35	0.3	3.6	0.69	100.1	79.5538	51.2851
2019	11	13	13	7	35	0.3	3.6	0.68	101.6	79.5538	50.5419
2019	11	13	13	17	35	0.3	3.6	0.69	99.8	79.5538	51.5329
2019	11	13	13	27	35	0.3	3.6	0.67	99.2	79.5538	50.2942
2019	11	13	13	37	35	0.3	3.6	0.69	97.9	79.5538	51.5329
2019	11	13	13	47	35	0.3	3.6	0.67	101.4	79.5538	49.3031
2019	11	13	13	57	35	0.3	3.6	0.7	98.3	79.5538	52.5239
2019	11	13	14	7	35	0.3	3.6	0.69	100.1	79.4882	51.4885
2019	11	13	14	17	35	0.3	3.6	0.67	99	79.5538	49.7986
2019	11	13	14	27	35	0.3	3.6	0.71	101	79.5538	52.2761
2019	11	13	14	37	35	0.3	3.6	0.7	100	79.5538	51.7806
2019	11	13	14	47	35	0.3	3.6	0.69	101.2	79.5538	51.2851
2019	11	13	14	57	35	0.3	3.6	0.7	99.4	79.5538	52.2761
2019	11	13	15	7	35	0.3	3.6	0.7	102.5	79.5538	51.285
2019	11	13	15	17	35	0.3	3.6	0.69	99.6	79.5538	51.5328
2019	11	13	15	27	35	0.3	3.6	0.67	98.2	79.5538	49.7985
2019	11	13	15	37	35	0.3	3.6	0.67	98.1	79.5538	50.294
2019	11	13	15	47	35	0.3	3.6	0.69	97.7	79.5538	51.285
2019	11	13	15	57	35	0.3	3.6	0.68	99.7	79.5538	50.5417
2019	11	13	16	7	35	0.3	3.6	0.7	100	79.6194	52.0731
2019	11	13	16	17	35	0.3	3.6	0.68	101.6	79.6194	50.5853
2019	11	13	16	27	35	0.3	3.6	0.69	101.3	79.5538	50.7895
2019	11	13	16	37	35	0.3	3.6	0.69	97.1	79.6194	52.0731
2019	11	13	16	47	35	0.3	3.6	0.69	100.2	79.6194	51.0812
2019	11	13	16	57	35	0.3	3.6	0.72	98.9	79.6194	53.5609
2019	11	13	17	7	35	0.3	3.6	0.68	98.1	79.6194	50.8332
2019	11	13	17	17	35	0.3	3.6	0.66	98.3	79.6194	49.0975
2019	11	13	17	27	35	0.3	3.6	0.69	99.3	79.5538	51.5327

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	13	17	37	35	0.3	3.6	0.71	99.1	79.6194	52.817
2019	11	13	17	47	35	0.3	3.6	0.7	100.5	79.6194	52.0731
2019	11	13	17	57	35	0.3	3.6	0.7	98.4	79.5538	52.0282
2019	11	13	18	7	35	0.3	3.6	0.69	97.9	79.6194	51.5771
2019	11	13	18	17	35	0.3	3.6	0.66	98.3	79.6194	49.5934
2019	11	13	18	27	35	0.3	3.6	0.7	100	79.6194	51.8251
2019	11	13	18	37	35	0.3	3.6	0.7	99.2	79.6194	52.073
2019	11	13	18	47	35	0.3	3.6	0.68	96.7	79.6194	50.8332
2019	11	13	18	57	35	0.3	3.6	0.73	98	79.6194	54.5527
2019	11	13	19	7	35	0.3	3.6	0.72	100.7	79.6194	53.8088
2019	11	13	19	17	35	0.3	3.6	0.67	101.3	79.6194	49.8413
2019	11	13	19	27	35	0.3	3.6	0.66	97.1	79.6194	49.8413
2019	11	13	19	37	35	0.3	3.6	0.69	97.7	79.6194	51.3291
2019	11	13	19	47	35	0.3	3.6	0.69	101.3	79.6194	50.8332
2019	11	13	19	57	35	0.3	3.6	0.7	96.5	79.6194	52.569
2019	11	13	20	7	35	0.3	3.6	0.66	98.8	79.6194	49.5934
2019	11	13	20	17	35	0.3	3.6	0.69	99.3	79.6194	51.3292
2019	11	13	20	27	35	0.3	3.6	0.72	98.4	79.6194	54.0568
2019	11	13	20	37	35	0.3	3.6	0.7	97.6	79.6194	52.0731
2019	11	13	20	47	35	0.3	3.6	0.7	98.3	79.6194	52.569
2019	11	13	20	57	35	0.3	3.6	0.65	102.2	79.6194	48.1056
2019	11	13	21	7	35	0.3	3.6	0.69	100.4	79.6194	51.5771
2019	11	13	21	17	35	0.3	3.6	0.71	99.3	79.6194	53.0649
2019	11	13	21	27	35	0.3	3.6	0.67	99.2	79.6194	50.3373
2019	11	13	21	37	35	0.3	3.6	0.7	99.1	79.6194	52.569
2019	11	13	21	47	35	0.3	3.6	0.71	97.8	79.6194	52.817
2019	11	13	21	57	35	0.3	3.6	0.67	98.2	79.6194	50.0894
2019	11	13	22	7	35	0.3	3.6	0.69	96.5	79.6194	52.0731
2019	11	13	22	17	35	0.3	3.6	0.7	99.4	79.6194	52.5691
2019	11	13	22	27	35	0.3	3.6	0.73	100.1	79.6194	54.5528
2019	11	13	22	37	35	0.3	3.6	0.72	98.7	79.6194	53.561
2019	11	13	22	47	35	0.3	3.6	0.68	95.8	79.6194	51.3293
2019	11	13	22	57	35	0.3	3.6	0.68	100.3	79.6194	50.5854
2019	11	13	23	7	35	0.3	3.6	0.68	99.2	79.6194	50.5854
2019	11	13	23	17	35	0.3	3.6	0.68	100	79.6194	50.5854
2019	11	13	23	27	35	0.3	3.6	0.7	96.2	79.6194	52.8171
2019	11	13	23	37	35	0.3	3.6	0.69	98.5	79.6194	51.3293
2019	11	13	23	47	35	0.3	3.6	0.7	98.8	79.6194	52.5692
2019	11	13	23	57	35	0.3	3.6	0.71	99.8	79.6194	53.0651
2019	11	14	0	7	35	0.3	3.6	0.7	99.1	79.6194	52.5692
2019	11	14	0	17	35	0.3	3.6	0.71	100.4	79.6194	52.8172
2019	11	14	0	27	35	0.3	3.6	0.68	101.4	79.6194	50.3375
2019	11	14	0	37	35	0.3	3.6	0.73	98.1	79.6194	54.305
2019	11	14	0	47	35	0.3	3.6	0.72	100.4	79.6194	53.8091
2019	11	14	0	57	35	0.3	3.6	0.7	99.9	79.6194	52.3213
2019	11	14	1	7	35	0.3	3.6	0.69	97.9	79.6194	51.8254
2019	11	14	1	17	35	0.3	3.6	0.68	100.9	79.6194	50.3376

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	14	1	27	35	0.3	3.6	0.66	99.4	79.6194	49.3457
2019	11	14	1	37	35	0.3	3.6	0.71	97.7	79.6194	53.3132
2019	11	14	1	47	35	0.3	3.6	0.7	97.6	79.6194	52.3214
2019	11	14	1	57	35	0.3	3.6	0.71	99	79.6194	53.3132
2019	11	14	2	7	35	0.3	3.6	0.7	96.8	79.6194	52.3214
2019	11	14	2	17	35	0.3	3.6	0.7	97.8	79.5538	52.2763
2019	11	14	2	27	35	0.3	3.6	0.72	99.2	79.5538	53.7629
2019	11	14	2	37	35	0.3	3.6	0.68	97.4	79.5538	51.2853
2019	11	14	2	47	35	0.3	3.6	0.69	98	79.6194	51.3295
2019	11	14	2	57	35	0.3	3.6	0.68	98.4	79.5538	50.5421
2019	11	14	3	7	35	0.3	3.6	0.71	99.6	79.5538	52.7719
2019	11	14	3	17	35	0.3	3.6	0.7	99.5	79.5538	51.7809
2019	11	14	3	27	35	0.3	3.6	0.67	97.3	79.5538	50.0466
2019	11	14	3	37	35	0.3	3.6	0.71	99	79.5538	53.2674
2019	11	14	3	47	35	0.3	3.6	0.68	99.4	79.5538	51.0376
2019	11	14	3	57	35	0.3	3.6	0.71	97.9	79.5538	53.2674
2019	11	14	4	7	35	0.3	3.6	0.67	97.3	79.5538	50.0466
2019	11	14	4	17	35	0.3	3.6	0.69	95.2	79.5538	51.7809
2019	11	14	4	27	35	0.3	3.6	0.67	97.9	79.5538	50.0466
2019	11	14	4	37	35	0.3	3.6	0.69	99.8	79.5538	51.5332
2019	11	14	4	47	35	0.3	3.6	0.69	100.1	79.5538	51.2854
2019	11	14	4	57	35	0.3	3.6	0.67	97.9	79.5538	50.0467
2019	11	14	5	7	35	0.3	3.6	0.68	99.4	79.5538	51.0377
2019	11	14	5	17	35	0.3	3.6	0.69	99.9	79.5538	51.0377
2019	11	14	5	27	35	0.3	3.6	0.65	98.4	79.5538	48.5601
2019	11	14	5	37	35	0.3	3.6	0.67	98.7	79.5538	50.0467
2019	11	14	5	47	35	0.3	3.6	0.67	97.6	79.4882	50.0035
2019	11	14	5	57	35	0.3	3.6	0.69	99	79.4882	51.7363
2019	11	14	6	7	35	0.3	3.6	0.71	99.6	79.4882	52.479
2019	11	14	6	17	35	0.3	3.6	0.71	96.9	79.4882	53.2216
2019	11	14	6	27	35	0.3	3.6	0.7	102.2	79.4882	51.7363
2019	11	14	6	37	35	0.3	3.6	0.7	99.2	79.4882	51.9839
2019	11	14	6	47	35	0.3	3.6	0.68	97.5	79.4882	50.9937
2019	11	14	6	57	35	0.3	3.6	0.7	100.3	79.4882	51.9839
2019	11	14	7	7	35	0.3	3.6	0.68	98.1	79.4882	50.4986
2019	11	14	7	17	35	0.3	3.6	0.66	98.8	79.4882	49.5085
2019	11	14	7	27	35	0.3	3.6	0.69	98.8	79.4882	51.2413
2019	11	14	7	37	35	0.3	3.6	0.69	97.1	79.4882	51.4888
2019	11	14	7	47	35	0.3	3.6	0.71	99.8	79.4882	52.9741
2019	11	14	7	57	35	0.3	3.6	0.68	98.9	79.4882	50.4986
2019	11	14	8	7	35	0.3	3.6	0.69	100.1	79.4882	51.2413
2019	11	14	8	17	35	0.3	3.6	0.68	99.1	79.4882	50.9937
2019	11	14	8	27	35	0.3	3.6	0.68	97.5	79.4882	50.9937
2019	11	14	8	37	35	0.3	3.6	0.72	100	79.4882	53.2216
2019	11	14	8	47	35	0.3	3.6	0.7	97.8	79.4882	52.2314
2019	11	14	8	57	35	0.3	3.6	0.7	99.5	79.4882	51.7363
2019	11	14	9	7	35	0.3	3.6	0.7	95.9	79.4882	52.4789

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	14	9	17	35	0.3	3.6	0.71	98	79.4882	52.974
2019	11	14	9	27	35	0.3	3.6	0.68	97.5	79.4882	50.9936
2019	11	14	9	37	35	0.3	3.6	0.69	97.1	79.4882	51.4887
2019	11	14	9	47	35	0.3	3.6	0.68	96.9	79.4882	51.2411
2019	11	14	9	57	35	0.3	3.6	0.68	99.5	79.4882	50.251
2019	11	14	10	7	35	0.3	3.6	0.69	99.1	79.4882	51.2411
2019	11	14	10	17	35	0.3	3.6	0.7	98.1	79.5538	52.524
2019	11	14	10	27	35	0.3	3.6	0.66	100	79.4882	49.2607
2019	11	14	10	37	35	0.3	3.6	0.7	98.6	79.4882	52.4788
2019	11	14	10	47	35	0.3	3.6	0.7	99.2	79.4882	51.9837
2019	11	14	10	57	35	0.3	3.6	0.67	96.5	79.4882	50.2509
2019	11	14	11	7	35	0.3	3.6	0.66	99.8	79.4882	48.7657
2019	11	14	11	17	35	0.3	3.6	0.71	95.9	79.4882	52.9739
2019	11	14	11	27	35	0.3	3.6	0.67	101.3	79.4882	49.7558
2019	11	14	11	37	35	0.3	3.6	0.68	98.1	79.4882	50.746
2019	11	14	11	47	35	0.3	3.6	0.67	99.2	79.4882	50.2508
2019	11	14	11	57	35	0.3	3.6	0.66	98.3	79.4882	49.5081
2019	11	14	12	7	35	0.3	3.6	0.69	102.4	79.5538	50.7895
2019	11	14	12	17	35	0.3	3.6	0.67	97.6	79.5538	50.2939
2019	11	14	12	27	35	0.3	3.6	0.67	100.1	79.5538	50.0461
2019	11	14	12	37	35	0.3	3.6	0.69	99.1	79.5538	51.2849
2019	11	14	12	47	35	0.3	3.6	0.65	98.7	79.4882	48.5177
2019	11	14	12	57	35	0.3	3.6	0.66	102.3	79.5538	49.0551
2019	11	14	13	7	35	0.3	3.6	0.67	101.3	79.5538	49.5505
2019	11	14	13	17	35	0.3	3.6	0.67	100.5	79.4882	49.5078
2019	11	14	13	27	35	0.3	3.6	0.65	102.2	79.5538	48.064
2019	11	14	13	37	35	0.3	3.6	0.64	101.2	79.4882	47.5275
2019	11	14	13	47	35	0.3	3.6	0.66	100	79.5538	49.055
2019	11	14	13	57	35	0.3	3.6	0.66	98.3	79.4882	49.5078
2019	11	14	14	7	35	0.3	3.6	0.67	100.2	79.5538	49.5505
2019	11	14	14	17	35	0.3	3.6	0.67	101	79.5538	49.5505
2019	11	14	14	27	35	0.3	3.6	0.64	100.3	79.5538	47.8162
2019	11	14	14	37	35	0.3	3.6	0.65	97.6	79.5538	48.5595
2019	11	14	14	47	35	0.3	3.6	0.68	102.8	79.5538	50.2938
2019	11	14	14	57	35	0.3	3.6	0.68	97.8	79.4882	50.7455
2019	11	14	15	7	35	0.3	3.6	0.69	100.1	79.4882	51.4881
2019	11	14	15	17	35	0.3	3.6	0.68	98.1	79.4882	50.7455
2019	11	14	15	27	35	0.3	3.6	0.66	102	79.5538	49.055
2019	11	14	15	37	35	0.3	3.6	0.68	99.5	79.4882	50.498
2019	11	14	15	47	35	0.3	3.6	0.64	101	79.4882	47.0324
2019	11	14	15	57	35	0.3	3.6	0.65	101	79.5538	48.3117
2019	11	14	16	7	35	0.3	3.6	0.67	98.7	79.4882	50.0029
2019	11	14	16	17	35	0.3	3.6	0.68	99.1	79.4882	50.7455
2019	11	14	16	27	35	0.3	3.6	0.68	100.2	79.4882	50.7455
2019	11	14	16	37	35	0.3	3.6	0.69	102.4	79.5538	50.5415
2019	11	14	16	47	35	0.3	3.6	0.65	101.1	79.5538	48.064
2019	11	14	16	57	35	0.3	3.6	0.68	97.5	79.5538	51.037

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	14	17	7	35	0.3	3.6	0.72	98.4	79.5538	53.5145
2019	11	14	17	17	35	0.3	3.6	0.72	98.6	79.5538	53.7622
2019	11	14	17	27	35	0.3	3.6	0.72	99.7	79.5538	53.7622
2019	11	14	17	37	35	0.3	3.6	0.67	99.6	79.5538	49.5504
2019	11	14	17	47	35	0.3	3.6	0.71	100.4	79.5538	52.5235
2019	11	14	17	57	35	0.3	3.6	0.71	100.6	79.5538	52.7712
2019	11	14	18	7	35	0.3	3.6	0.66	99.7	79.5538	49.3027
2019	11	14	18	17	35	0.3	3.6	0.71	100.9	79.5538	52.7712
2019	11	14	18	27	35	0.3	3.6	0.68	98.8	79.5538	51.0369
2019	11	14	18	37	35	0.3	3.6	0.68	98.3	79.5538	51.0369
2019	11	14	18	47	35	0.3	3.6	0.71	97.4	79.5538	53.2667
2019	11	14	18	57	35	0.3	3.6	0.69	99	79.5538	51.5324
2019	11	14	19	7	35	0.3	3.6	0.7	99.1	79.5538	52.5234
2019	11	14	19	17	35	0.3	3.6	0.69	97.1	79.5538	52.0279
2019	11	14	19	27	35	0.3	3.6	0.72	95.5	79.5538	54.0099
2019	11	14	19	37	35	0.3	3.6	0.69	98.2	79.5538	51.5324
2019	11	14	19	47	35	0.3	3.6	0.68	98.3	79.5538	50.7891
2019	11	14	19	57	35	0.3	3.6	0.7	99.4	79.5538	52.2757
2019	11	14	20	7	35	0.3	3.6	0.69	97.6	79.5538	51.7802
2019	11	14	20	17	35	0.3	3.6	0.69	97.9	79.5538	51.7802
2019	11	14	20	27	35	0.3	3.6	0.7	99.5	79.5538	51.7802
2019	11	14	20	37	35	0.3	3.6	0.69	96.6	79.5538	51.7802
2019	11	14	20	47	35	0.3	3.6	0.68	100.8	79.5538	50.7892
2019	11	14	20	57	35	0.3	3.6	0.69	98.2	79.5538	51.5324
2019	11	14	21	7	35	0.3	3.6	0.71	99.9	79.5538	52.7712
2019	11	14	21	17	35	0.3	3.6	0.72	99.2	79.5538	53.5145
2019	11	14	21	27	35	0.3	3.6	0.67	95	79.5538	50.5414
2019	11	14	21	37	35	0.3	3.6	0.7	99.5	79.5538	51.7802
2019	11	14	21	47	35	0.3	3.6	0.68	99.7	79.5538	50.7892
2019	11	14	21	57	35	0.3	3.6	0.7	100	79.5538	51.7802
2019	11	14	22	7	35	0.3	3.6	0.68	99.2	79.5538	50.5415
2019	11	14	22	17	35	0.3	3.6	0.68	96.9	79.5538	51.2847
2019	11	14	22	27	35	0.3	3.6	0.69	97.9	79.5538	51.5325
2019	11	14	22	37	35	0.3	3.6	0.68	98.9	79.5538	50.7892
2019	11	14	22	47	35	0.3	3.6	0.68	96.9	79.4882	50.993
2019	11	14	22	57	35	0.3	3.6	0.69	97.9	79.4882	51.7356
2019	11	14	23	7	35	0.3	3.6	0.69	97.6	79.5538	51.7802
2019	11	14	23	17	35	0.3	3.6	0.72	99.7	79.5538	53.5145
2019	11	14	23	27	35	0.3	3.6	0.69	99	79.5538	51.5325
2019	11	14	23	37	35	0.3	3.6	0.66	99.7	79.5538	49.3027
2019	11	14	23	47	35	0.3	3.6	0.7	99.4	79.4882	52.2307
2019	11	14	23	57	35	0.3	3.6	0.72	97.9	79.4882	53.4684
2019	11	15	0	7	35	0.3	3.6	0.72	99.4	79.4882	53.9635
2019	11	15	0	17	35	0.3	3.6	0.71	98	79.4882	52.7258
2019	11	15	0	27	35	0.3	3.6	0.7	101.2	79.4882	51.4881
2019	11	15	0	37	35	0.3	3.6	0.68	100.6	79.4882	50.2504
2019	11	15	0	47	35	0.3	3.6	0.69	98.2	79.4882	51.7357

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	15	0	57	35	0.3	3.6	0.69	99	79.4882	51.4881
2019	11	15	1	7	35	0.3	3.6	0.67	101	79.4882	49.5078
2019	11	15	1	17	35	0.3	3.6	0.69	102.1	79.4882	50.7455
2019	11	15	1	27	35	0.3	3.6	0.69	96	79.4882	51.4882
2019	11	15	1	37	35	0.3	3.6	0.7	99.9	79.4882	52.2308
2019	11	15	1	47	35	0.3	3.6	0.7	100.3	79.4882	51.7357
2019	11	15	1	57	35	0.3	3.6	0.71	98.3	79.4882	52.7259
2019	11	15	2	7	35	0.3	3.6	0.7	99.9	79.4882	52.2308
2019	11	15	2	17	35	0.3	3.6	0.67	98.4	79.4882	50.2505
2019	11	15	2	27	35	0.3	3.6	0.67	101.6	79.4882	49.5079
2019	11	15	2	37	35	0.3	3.6	0.66	101.2	79.4882	48.7653
2019	11	15	2	47	35	0.3	3.6	0.69	100.1	79.4882	51.4883
2019	11	15	2	57	35	0.3	3.6	0.68	99.2	79.4882	50.4981
2019	11	15	3	7	35	0.3	3.6	0.68	99.1	79.4882	50.7457
2019	11	15	3	17	35	0.3	3.6	0.7	98.9	79.4882	51.9834
2019	11	15	3	27	35	0.3	3.6	0.67	97.9	79.4882	50.0031
2019	11	15	3	37	35	0.3	3.6	0.65	100.7	79.4882	48.2703
2019	11	15	3	47	35	0.3	3.6	0.63	98.6	79.4882	47.2801
2019	11	15	3	57	35	0.3	3.6	0.71	98	79.4882	52.9736
2019	11	15	4	7	35	0.3	3.6	0.7	95.9	79.4226	52.4332
2019	11	15	4	17	35	0.3	3.6	0.67	99.9	79.4226	49.7126
2019	11	15	4	27	35	0.3	3.6	0.65	100.1	79.4882	48.5179
2019	11	15	4	37	35	0.3	3.6	0.69	99.9	79.4226	51.1966
2019	11	15	4	47	35	0.3	3.6	0.67	96.7	79.4226	50.4547
2019	11	15	4	57	35	0.3	3.6	0.69	97.9	79.4226	51.444
2019	11	15	5	7	35	0.3	3.6	0.71	101	79.4226	52.186
2019	11	15	5	17	35	0.3	3.6	0.68	100.8	79.4226	50.4547
2019	11	15	5	27	35	0.3	3.6	0.65	97.6	79.4226	48.2287
2019	11	15	5	37	35	0.3	3.6	0.7	98.9	79.4226	51.9387
2019	11	15	5	47	35	0.3	3.6	0.73	99.5	79.4226	54.4119
2019	11	15	5	57	35	0.3	3.6	0.71	98.8	79.4226	52.6806
2019	11	15	6	7	35	0.3	3.6	0.7	98.9	79.4226	51.9387
2019	11	15	6	17	35	0.3	3.6	0.69	96.6	79.4226	51.444
2019	11	15	6	27	35	0.3	3.6	0.7	98.6	79.4226	52.186
2019	11	15	6	37	35	0.3	3.6	0.66	99.8	79.4226	48.7234
2019	11	15	6	47	35	0.3	3.6	0.67	99.3	79.4226	49.9601
2019	11	15	6	57	35	0.3	3.6	0.68	98.6	79.4226	50.7021
2019	11	15	7	7	35	0.3	3.6	0.71	99.8	79.4226	52.928
2019	11	15	7	17	35	0.3	3.6	0.71	99.6	79.4226	52.4334
2019	11	15	7	27	35	0.3	3.6	0.69	100.1	79.4226	51.1967
2019	11	15	7	37	35	0.3	3.6	0.68	98.1	79.4226	50.4548
2019	11	15	7	47	35	0.3	3.6	0.7	97.6	79.4226	51.9387
2019	11	15	7	57	35	0.3	3.6	0.72	98.7	79.4226	53.4227
2019	11	15	8	7	35	0.3	3.6	0.68	102.5	79.357	50.1641
2019	11	15	8	17	35	0.3	3.6	0.68	99.2	79.357	50.4112
2019	11	15	8	27	35	0.3	3.6	0.68	98.1	79.4226	50.7021
2019	11	15	8	37	35	0.3	3.6	0.69	99.3	79.4226	51.1967

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	15	8	47	35	0.3	3.6	0.72	98.1	79.4226	53.9173
2019	11	15	8	57	35	0.3	3.6	0.67	99	79.4226	49.7127
2019	11	15	9	7	35	0.3	3.6	0.7	100	79.4226	51.6913
2019	11	15	9	17	35	0.3	3.6	0.66	100	79.4226	48.9707
2019	11	15	9	27	35	0.3	3.6	0.69	99.6	79.4226	51.4439
2019	11	15	9	37	35	0.3	3.6	0.7	100.7	79.4226	52.1859
2019	11	15	9	47	35	0.3	3.6	0.69	100.6	79.4226	51.4439
2019	11	15	9	57	35	0.3	3.6	0.7	97.8	79.4226	52.1858
2019	11	15	10	7	35	0.3	3.6	0.66	98.5	79.4226	49.4652
2019	11	15	10	17	35	0.3	3.6	0.67	99	79.4226	49.7126
2019	11	15	10	27	35	0.3	3.6	0.69	99	79.4226	51.6912
2019	11	15	10	37	35	0.3	3.6	0.69	98.5	79.4226	51.1965
2019	11	15	10	47	35	0.3	3.6	0.69	100.4	79.4226	51.4438
2019	11	15	10	57	35	0.3	3.6	0.72	98.4	79.4226	53.4224
2019	11	15	11	7	35	0.3	3.6	0.71	99.3	79.4226	52.6804
2019	11	15	11	17	35	0.3	3.6	0.66	97.8	79.4226	48.9705
2019	11	15	11	27	35	0.3	3.6	0.66	98.5	79.4226	49.4651
2019	11	15	11	37	35	0.3	3.6	0.67	97.3	79.4226	49.9598
2019	11	15	11	47	35	0.3	3.6	0.69	98.7	79.4226	51.4437
2019	11	15	11	57	35	0.3	3.6	0.69	98.2	79.4226	51.6909
2019	11	15	12	7	35	0.3	3.6	0.69	98	79.4226	51.1963
2019	11	15	12	17	35	0.3	3.6	0.7	97.2	79.4226	52.6802
2019	11	15	12	27	35	0.3	3.6	0.68	101.7	79.4882	50.2503
2019	11	15	12	37	35	0.3	3.6	0.73	99.3	79.4882	54.4584
2019	11	15	12	47	35	0.3	3.6	0.68	99.5	79.4226	50.4542
2019	11	15	12	57	35	0.3	3.6	0.66	97.4	79.4882	49.2601
2019	11	15	13	7	35	0.3	3.6	0.68	100.3	79.4882	50.2502
2019	11	15	13	17	35	0.3	3.6	0.68	99.4	79.4882	50.9928
2019	11	15	13	27	35	0.3	3.6	0.7	99.4	79.4882	52.2305
2019	11	15	13	37	35	0.3	3.6	0.67	99.6	79.4882	49.5075
2019	11	15	13	47	35	0.3	3.6	0.71	99.8	79.4882	52.9729
2019	11	15	13	57	35	0.3	3.6	0.68	100	79.4882	50.4976
2019	11	15	14	7	35	0.3	3.6	0.69	101.2	79.4882	51.2402
2019	11	15	14	17	35	0.3	3.6	0.69	99.1	79.4882	51.2402
2019	11	15	14	27	35	0.3	3.6	0.67	101.3	79.4882	49.5074
2019	11	15	14	37	35	0.3	3.6	0.67	99.3	79.4882	49.755
2019	11	15	14	47	35	0.3	3.6	0.69	96.8	79.4882	51.9828
2019	11	15	14	57	35	0.3	3.6	0.67	100.2	79.4882	49.7549
2019	11	15	15	7	35	0.3	3.6	0.69	97.3	79.4882	51.9828
2019	11	15	15	17	35	0.3	3.6	0.68	99.7	79.4882	50.7451
2019	11	15	15	27	35	0.3	3.6	0.67	97	79.4882	50.4976
2019	11	15	15	37	35	0.3	3.6	0.69	97.9	79.4882	51.7352
2019	11	15	15	47	35	0.3	3.6	0.68	98.8	79.4882	50.9926
2019	11	15	15	57	35	0.3	3.6	0.65	97.5	79.4882	48.7648
2019	11	15	16	7	35	0.3	3.6	0.67	98.7	79.4882	50.0025
2019	11	15	16	17	35	0.3	3.6	0.66	99.1	79.4882	49.5074
2019	11	15	16	27	35	0.3	3.6	0.68	98.4	79.4882	50.4976

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	15	16	37	35	0.3	3.6	0.69	100.4	79.4882	51.4877
2019	11	15	16	47	35	0.3	3.6	0.67	99.6	79.4882	49.7549
2019	11	15	16	57	35	0.3	3.6	0.68	99.4	79.4882	50.7451
2019	11	15	17	7	35	0.3	3.6	0.7	98.9	79.4882	51.9827
2019	11	15	17	17	35	0.3	3.6	0.69	98	79.4882	51.2401
2019	11	15	17	27	35	0.3	3.6	0.68	100	79.4882	50.4975
2019	11	15	17	37	35	0.3	3.6	0.69	99.3	79.4882	51.4876
2019	11	15	17	47	35	0.3	3.6	0.66	99.7	79.4882	49.0123
2019	11	15	17	57	35	0.3	3.6	0.71	98.2	79.4882	52.9728
2019	11	15	18	7	35	0.3	3.6	0.71	98.2	79.4882	53.2204
2019	11	15	18	17	35	0.3	3.6	0.71	97.2	79.4882	53.2204
2019	11	15	18	27	35	0.3	3.6	0.72	98.4	79.4882	53.963
2019	11	15	18	37	35	0.3	3.6	0.69	97.4	79.4882	51.4876
2019	11	15	18	47	35	0.3	3.6	0.7	98.4	79.4882	52.2302
2019	11	15	18	57	35	0.3	3.6	0.7	98.1	79.4882	52.2302
2019	11	15	19	7	35	0.3	3.6	0.68	99.1	79.4882	50.9925
2019	11	15	19	17	35	0.3	3.6	0.73	98.6	79.4882	54.2105
2019	11	15	19	27	35	0.3	3.6	0.7	99.5	79.4882	51.9827
2019	11	15	19	37	35	0.3	3.6	0.68	98.1	79.4882	50.745
2019	11	15	19	47	35	0.3	3.6	0.72	98.9	79.4882	53.7154
2019	11	15	19	57	35	0.3	3.6	0.7	99.7	79.4882	51.9827
2019	11	15	20	7	35	0.3	3.6	0.73	98.3	79.4882	54.2105
2019	11	15	20	17	35	0.3	3.6	0.69	99.3	79.4882	51.2401
2019	11	15	20	27	35	0.3	3.6	0.73	99.8	79.4882	54.2105
2019	11	15	20	37	35	0.3	3.6	0.69	98	79.4882	51.2401
2019	11	15	20	47	35	0.3	3.6	0.68	96.7	79.4882	50.7451
2019	11	15	20	57	35	0.3	3.6	0.67	99	79.4882	50.0025
2019	11	15	21	7	35	0.3	3.6	0.67	98.7	79.4882	50.0025
2019	11	15	21	17	35	0.3	3.6	0.7	97.5	79.4882	52.4778
2019	11	15	21	27	35	0.3	3.6	0.72	97.6	79.4882	53.468
2019	11	15	21	37	35	0.3	3.6	0.67	99	79.4882	50.25
2019	11	15	21	47	35	0.3	3.6	0.7	102.2	79.4882	51.7352
2019	11	15	21	57	35	0.3	3.6	0.67	97.1	79.4882	50.0025
2019	11	15	22	7	35	0.3	3.6	0.69	98	79.4882	51.2402
2019	11	15	22	17	35	0.3	3.6	0.72	98.7	79.4882	53.468
2019	11	15	22	27	35	0.3	3.6	0.69	97.7	79.4882	51.2402
2019	11	15	22	37	35	0.3	3.6	0.69	101.6	79.4882	50.7452
2019	11	15	22	47	35	0.3	3.6	0.66	98.3	79.4882	49.0124
2019	11	15	22	57	35	0.3	3.6	0.69	97.4	79.4882	51.4878
2019	11	15	23	7	35	0.3	3.6	0.7	98.6	79.4882	52.2304
2019	11	15	23	17	35	0.3	3.6	0.65	99.6	79.4882	48.5174
2019	11	15	23	27	35	0.3	3.6	0.66	97.4	79.4882	49.7551
2019	11	15	23	37	35	0.3	3.6	0.7	99.5	79.4882	51.7354
2019	11	15	23	47	35	0.3	3.6	0.64	98.2	79.4226	47.9809
2019	11	15	23	57	35	0.3	3.6	0.67	98.4	79.4882	50.0026
2019	11	16	0	7	35	0.3	3.6	0.68	99.4	79.4226	50.7015
2019	11	16	0	17	35	0.3	3.6	0.67	100.5	79.4226	49.4649

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	16	0	27	35	0.3	3.6	0.67	100.4	79.4226	49.9595
2019	11	16	0	37	35	0.3	3.6	0.69	100.4	79.4226	51.4435
2019	11	16	0	47	35	0.3	3.6	0.71	98.8	79.4226	52.9275
2019	11	16	0	57	35	0.3	3.6	0.67	99.3	79.4226	49.9596
2019	11	16	1	7	35	0.3	3.6	0.68	98.3	79.4226	50.7016
2019	11	16	1	17	35	0.3	3.6	0.68	99.7	79.4226	50.7016
2019	11	16	1	27	35	0.3	3.6	0.68	96.9	79.4226	50.9489
2019	11	16	1	37	35	0.3	3.6	0.69	98	79.4226	51.1963
2019	11	16	1	47	35	0.3	3.6	0.68	96.9	79.4226	50.949
2019	11	16	1	57	35	0.3	3.6	0.69	99.1	79.4226	51.1963
2019	11	16	2	7	35	0.3	3.6	0.67	97.1	79.4226	49.9597
2019	11	16	2	17	35	0.3	3.6	0.72	99.7	79.4226	53.4223
2019	11	16	2	27	35	0.3	3.6	0.69	98.5	79.4226	51.1963
2019	11	16	2	37	35	0.3	3.6	0.66	97.1	79.4226	49.7124
2019	11	16	2	47	35	0.3	3.6	0.71	100.4	79.4226	52.6803
2019	11	16	2	57	35	0.3	3.6	0.74	97.9	79.4226	55.1536
2019	11	16	3	7	35	0.3	3.6	0.71	97.8	79.4226	52.6804
2019	11	16	3	17	35	0.3	3.6	0.71	98.5	79.4226	52.9277
2019	11	16	3	27	35	0.3	3.6	0.69	96	79.4226	51.6911
2019	11	16	3	37	35	0.3	3.6	0.69	97.1	79.4226	51.6911
2019	11	16	3	47	35	0.3	3.6	0.67	100.8	79.4226	49.4652
2019	11	16	3	57	35	0.3	3.6	0.69	97.4	79.4226	51.4438
2019	11	16	4	7	35	0.3	3.6	0.69	96.6	79.4226	51.6911
2019	11	16	4	17	35	0.3	3.6	0.69	99	79.357	51.6465
2019	11	16	4	27	35	0.3	3.6	0.72	100.3	79.357	53.1292
2019	11	16	4	37	35	0.3	3.6	0.7	100	79.357	51.6465
2019	11	16	4	47	35	0.3	3.6	0.65	102.2	79.357	47.9398
2019	11	16	4	57	35	0.3	3.6	0.68	99.2	79.357	50.411
2019	11	16	5	7	35	0.3	3.6	0.67	100.2	79.357	49.4225
2019	11	16	5	17	35	0.3	3.6	0.69	99.3	79.357	51.3994
2019	11	16	5	27	35	0.3	3.6	0.66	100.6	79.357	48.6812
2019	11	16	5	37	35	0.3	3.6	0.69	97.4	79.357	51.6466
2019	11	16	5	47	35	0.3	3.6	0.68	100	79.357	50.6581
2019	11	16	5	57	35	0.3	3.6	0.64	100.9	79.357	47.6928
2019	11	16	6	7	35	0.3	3.6	0.67	99	79.357	50.1639
2019	11	16	6	17	35	0.3	3.6	0.7	100	79.357	51.6466
2019	11	16	6	27	35	0.3	3.6	0.64	101.8	79.357	47.1986
2019	11	16	6	37	35	0.3	3.6	0.68	100.6	79.357	50.1639
2019	11	16	6	47	35	0.3	3.6	0.68	100.3	79.357	50.411
2019	11	16	6	57	35	0.3	3.6	0.64	99.1	79.357	47.9399
2019	11	16	7	7	35	0.3	3.6	0.71	99.1	79.357	52.6351
2019	11	16	7	17	35	0.3	3.6	0.68	99.7	79.357	50.411
2019	11	16	7	27	35	0.3	3.6	0.73	98.3	79.357	54.3649
2019	11	16	7	37	35	0.3	3.6	0.69	99.8	79.357	51.3995
2019	11	16	7	47	35	0.3	3.6	0.68	97.8	79.357	50.4111
2019	11	16	7	57	35	0.3	3.6	0.71	102.3	79.357	52.1408
2019	11	16	8	7	35	0.3	3.6	0.65	99.6	79.357	48.187

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	16	8	17	35	0.3	3.6	0.69	98.5	79.357	51.3995
2019	11	16	8	27	35	0.3	3.6	0.71	99.3	79.357	52.8822
2019	11	16	8	37	35	0.3	3.6	0.68	99.2	79.357	50.411
2019	11	16	8	47	35	0.3	3.6	0.64	96.8	79.357	47.9399
2019	11	16	8	57	35	0.3	3.6	0.68	100.6	79.357	50.1639
2019	11	16	9	7	35	0.3	3.6	0.64	98.2	79.357	47.9398
2019	11	16	9	17	35	0.3	3.6	0.71	95.9	79.357	52.8821
2019	11	16	9	27	35	0.3	3.6	0.68	97	79.357	50.658
2019	11	16	9	37	35	0.3	3.6	0.68	98.1	79.357	50.658
2019	11	16	9	47	35	0.3	3.6	0.68	96.1	79.357	50.658
2019	11	16	9	57	35	0.3	3.6	0.66	96.8	79.357	49.4224
2019	11	16	10	7	35	0.3	3.6	0.7	97.9	79.357	51.8935
2019	11	16	10	17	35	0.3	3.6	0.7	97.5	79.357	52.3877
2019	11	16	10	27	35	0.3	3.6	0.69	100.4	79.357	51.3992
2019	11	16	10	37	35	0.3	3.6	0.65	98.7	79.357	48.6809
2019	11	16	10	47	35	0.3	3.6	0.72	99.7	79.357	53.6231
2019	11	16	10	57	35	0.3	3.6	0.66	98.5	79.357	49.4222
2019	11	16	11	7	35	0.3	3.6	0.68	98.1	79.357	50.6577
2019	11	16	11	17	35	0.3	3.6	0.64	98.8	79.357	47.6924
2019	11	16	11	27	35	0.3	3.6	0.68	97.2	79.357	50.9048
2019	11	16	11	37	35	0.3	3.6	0.69	99.1	79.357	51.1519
2019	11	16	11	47	35	0.3	3.6	0.64	100.9	79.357	47.6923
2019	11	16	11	57	35	0.3	3.6	0.64	101.3	79.357	47.1981
2019	11	16	12	7	35	0.3	3.6	0.7	98.7	79.357	51.8931
2019	11	16	12	17	35	0.3	3.6	0.67	99.6	79.357	49.6691
2019	11	16	12	27	35	0.3	3.6	0.7	99.1	79.357	52.3873
2019	11	16	12	37	35	0.3	3.6	0.69	98	79.357	51.1517
2019	11	16	12	47	35	0.3	3.6	0.66	99.4	79.357	49.1748
2019	11	16	12	57	35	0.3	3.6	0.71	99.3	79.357	52.6344
2019	11	16	13	7	35	0.3	3.6	0.67	100.8	79.357	49.4219
2019	11	16	13	17	35	0.3	3.6	0.7	99.9	79.357	52.1401
2019	11	16	13	27	35	0.3	3.6	0.71	98.5	79.357	52.6343
2019	11	16	13	37	35	0.3	3.6	0.71	98.7	79.357	53.1285
2019	11	16	13	47	35	0.3	3.6	0.7	99.5	79.357	51.8929
2019	11	16	13	57	35	0.3	3.6	0.68	97.4	79.357	51.1516
2019	11	16	14	7	35	0.3	3.6	0.68	99.4	79.357	50.9045
2019	11	16	14	17	35	0.3	3.6	0.67	99	79.357	49.916
2019	11	16	14	27	35	0.3	3.6	0.69	100.5	79.357	50.9044
2019	11	16	14	37	35	0.3	3.6	0.7	97.8	79.357	52.3871
2019	11	16	14	47	35	0.3	3.6	0.68	100.5	79.357	50.6573
2019	11	16	14	57	35	0.3	3.6	0.67	100.2	79.357	49.6689
2019	11	16	15	7	35	0.3	3.6	0.75	98	79.357	56.0937
2019	11	16	15	17	35	0.3	3.6	0.7	98.3	79.357	52.3871
2019	11	16	15	27	35	0.3	3.6	0.7	97.9	79.357	51.8928
2019	11	16	15	37	35	0.3	3.6	0.71	99.2	79.357	53.1284
2019	11	16	15	47	35	0.3	3.6	0.69	99.6	79.357	51.3986
2019	11	16	15	57	35	0.3	3.6	0.69	98.5	79.2913	51.1073

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	16	16	7	35	0.3	3.6	0.69	102.4	79.357	50.6573
2019	11	16	16	17	35	0.3	3.6	0.66	98	79.357	48.9275
2019	11	16	16	27	35	0.3	3.6	0.68	99.2	79.357	50.4102
2019	11	16	16	37	35	0.3	3.6	0.71	99	79.357	52.8813
2019	11	16	16	47	35	0.3	3.6	0.71	97.9	79.357	53.1284
2019	11	16	16	57	35	0.3	3.6	0.69	100.7	79.357	50.9044
2019	11	16	17	7	35	0.3	3.6	0.66	100.9	79.357	48.6804
2019	11	16	17	17	35	0.3	3.6	0.66	100.1	79.357	48.6804
2019	11	16	17	27	35	0.3	3.6	0.71	98.8	79.357	52.6341
2019	11	16	17	37	35	0.3	3.6	0.69	98.4	79.357	51.6457
2019	11	16	17	47	35	0.3	3.6	0.68	98.6	79.357	50.9044
2019	11	16	17	57	35	0.3	3.6	0.69	99	79.357	51.6457
2019	11	16	18	7	35	0.3	3.6	0.68	99.5	79.357	50.4101
2019	11	16	18	17	35	0.3	3.6	0.71	97.8	79.357	52.6341
2019	11	16	18	27	35	0.3	3.6	0.69	100.9	79.357	51.1515
2019	11	16	18	37	35	0.3	3.6	0.7	98.4	79.357	52.1399
2019	11	16	18	47	35	0.3	3.6	0.69	98.2	79.357	51.3986
2019	11	16	18	57	35	0.3	3.6	0.71	97.2	79.357	53.1283
2019	11	16	19	7	35	0.3	3.6	0.71	98.2	79.357	53.1283
2019	11	16	19	17	35	0.3	3.6	0.7	97.9	79.357	51.8928
2019	11	16	19	27	35	0.3	3.6	0.67	100.2	79.357	49.6688
2019	11	16	19	37	35	0.3	3.6	0.7	97.9	79.357	51.8928
2019	11	16	19	47	35	0.3	3.6	0.7	98.9	79.357	51.8928
2019	11	16	19	57	35	0.3	3.6	0.69	98.2	79.357	51.3986
2019	11	16	20	7	35	0.3	3.6	0.69	97.1	79.357	51.6457
2019	11	16	20	17	35	0.3	3.6	0.71	99.8	79.357	52.8813
2019	11	16	20	27	35	0.3	3.6	0.67	98.8	79.357	49.6689
2019	11	16	20	37	35	0.3	3.6	0.69	97.9	79.357	51.6458
2019	11	16	20	47	35	0.3	3.6	0.67	101	79.357	49.6689
2019	11	16	20	57	35	0.3	3.6	0.72	96.1	79.357	53.6227
2019	11	16	21	7	35	0.3	3.6	0.68	96.9	79.357	51.1516
2019	11	16	21	17	35	0.3	3.6	0.66	97.4	79.357	49.669
2019	11	16	21	27	35	0.3	3.6	0.69	100.1	79.357	51.3987
2019	11	16	21	37	35	0.3	3.6	0.7	98.4	79.357	52.1401
2019	11	16	21	47	35	0.3	3.6	0.69	97.4	79.357	51.3988
2019	11	16	21	57	35	0.3	3.6	0.69	97.9	79.357	51.6459
2019	11	16	22	7	35	0.3	3.6	0.71	98.5	79.357	53.1286
2019	11	16	22	17	35	0.3	3.6	0.69	99.3	79.357	51.3988
2019	11	16	22	27	35	0.3	3.6	0.68	101.4	79.357	50.4104
2019	11	16	22	37	35	0.3	3.6	0.68	98.8	79.357	50.9046
2019	11	16	22	47	35	0.3	3.6	0.68	99.7	79.2913	50.6137
2019	11	16	22	57	35	0.3	3.6	0.64	97.7	79.357	47.6922
2019	11	16	23	7	35	0.3	3.6	0.68	99.2	79.2913	50.3669
2019	11	16	23	17	35	0.3	3.6	0.66	99.8	79.2913	48.6386
2019	11	16	23	27	35	0.3	3.6	0.72	99.7	79.357	53.6229
2019	11	16	23	37	35	0.3	3.6	0.68	100.3	79.2913	50.3669
2019	11	16	23	47	35	0.3	3.6	0.67	97.3	79.357	49.9163

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	16	23	57	35	0.3	3.6	0.66	98.5	79.2913	49.3794
2019	11	17	0	7	35	0.3	3.6	0.71	97.7	79.2913	52.8359
2019	11	17	0	17	35	0.3	3.6	0.67	100.5	79.2913	49.3794
2019	11	17	0	27	35	0.3	3.6	0.7	96.7	79.2913	52.3422
2019	11	17	0	37	35	0.3	3.6	0.69	98.2	79.2913	51.3546
2019	11	17	0	47	35	0.3	3.6	0.65	97.2	79.2913	48.8857
2019	11	17	0	57	35	0.3	3.6	0.72	99.7	79.2913	53.5767
2019	11	17	1	7	35	0.3	3.6	0.71	98.8	79.2913	52.8361
2019	11	17	1	17	35	0.3	3.6	0.65	101.1	79.2913	47.8981
2019	11	17	1	27	35	0.3	3.6	0.69	98.2	79.2913	51.3547
2019	11	17	1	37	35	0.3	3.6	0.69	97.1	79.357	51.6463
2019	11	17	1	47	35	0.3	3.6	0.69	99.9	79.2913	51.1079
2019	11	17	1	57	35	0.3	3.6	0.65	98.9	79.2913	48.6389
2019	11	17	2	7	35	0.3	3.6	0.67	101.9	79.357	49.4223
2019	11	17	2	17	35	0.3	3.6	0.65	99.3	79.2913	48.392
2019	11	17	2	27	35	0.3	3.6	0.67	101.9	79.2913	49.3797
2019	11	17	2	37	35	0.3	3.6	0.65	99.6	79.2913	48.3921
2019	11	17	2	47	35	0.3	3.6	0.65	96.9	79.2913	48.8859
2019	11	17	2	57	35	0.3	3.6	0.71	97.8	79.357	52.6349
2019	11	17	3	7	35	0.3	3.6	0.71	99.8	79.357	52.882
2019	11	17	3	17	35	0.3	3.6	0.68	98.8	79.357	50.9051
2019	11	17	3	27	35	0.3	3.6	0.67	101	79.2913	49.3797
2019	11	17	3	37	35	0.3	3.6	0.68	100	79.2913	50.6143
2019	11	17	3	47	35	0.3	3.6	0.67	96.4	79.357	50.4109
2019	11	17	3	57	35	0.3	3.6	0.66	102	79.2913	48.6391
2019	11	17	4	7	35	0.3	3.6	0.68	99.5	79.2913	50.3674
2019	11	17	4	17	35	0.3	3.6	0.7	98.1	79.357	52.3879
2019	11	17	4	27	35	0.3	3.6	0.66	96	79.2913	49.6267
2019	11	17	4	37	35	0.3	3.6	0.66	97.1	79.357	49.4226
2019	11	17	4	47	35	0.3	3.6	0.7	98.9	79.2913	51.8488
2019	11	17	4	57	35	0.3	3.6	0.72	99.2	79.2913	53.3302
2019	11	17	5	7	35	0.3	3.6	0.66	98.3	79.2913	49.133
2019	11	17	5	17	35	0.3	3.6	0.69	97.9	79.2913	51.3551
2019	11	17	5	27	35	0.3	3.6	0.66	97.1	79.357	49.6697
2019	11	17	5	37	35	0.3	3.6	0.67	99.3	79.2913	49.8737
2019	11	17	5	47	35	0.3	3.6	0.66	97.8	79.357	48.9284
2019	11	17	5	57	35	0.3	3.6	0.72	100.8	79.357	53.1293
2019	11	17	6	7	35	0.3	3.6	0.74	99.5	79.357	54.612
2019	11	17	6	17	35	0.3	3.6	0.67	99.6	79.2913	49.3799
2019	11	17	6	27	35	0.3	3.6	0.69	101	79.2913	50.8613
2019	11	17	6	37	35	0.3	3.6	0.67	101.4	79.2913	49.133
2019	11	17	6	47	35	0.3	3.6	0.67	97.7	79.357	49.6698
2019	11	17	6	57	35	0.3	3.6	0.68	97.8	79.2913	50.3675
2019	11	17	7	7	35	0.3	3.6	0.68	100.6	79.357	50.164
2019	11	17	7	17	35	0.3	3.6	0.67	97.3	79.2913	49.8738
2019	11	17	7	27	35	0.3	3.6	0.66	98.8	79.2913	49.38
2019	11	17	7	37	35	0.3	3.6	0.67	101.8	79.357	49.6698

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	17	7	47	35	0.3	3.6	0.69	98	79.357	51.1525
2019	11	17	7	57	35	0.3	3.6	0.72	97.3	79.2913	53.8242
2019	11	17	8	7	35	0.3	3.6	0.71	99.6	79.2913	52.3428
2019	11	17	8	17	35	0.3	3.6	0.67	97.6	79.357	50.164
2019	11	17	8	27	35	0.3	3.6	0.7	98.6	79.2913	52.3428
2019	11	17	8	37	35	0.3	3.6	0.68	97.8	79.357	50.6583
2019	11	17	8	47	35	0.3	3.6	0.69	98.5	79.357	51.1525
2019	11	17	8	57	35	0.3	3.6	0.68	99.8	79.357	50.164
2019	11	17	9	7	35	0.3	3.6	0.71	96.7	79.357	52.8822
2019	11	17	9	17	35	0.3	3.6	0.69	97.7	79.357	51.3995
2019	11	17	9	27	35	0.3	3.6	0.69	97.7	79.357	51.1524
2019	11	17	9	37	35	0.3	3.6	0.67	99.3	79.357	49.9168
2019	11	17	9	47	35	0.3	3.6	0.65	98.4	79.357	48.6812
2019	11	17	9	57	35	0.3	3.6	0.69	99.3	79.357	51.1523
2019	11	17	10	7	35	0.3	3.6	0.72	97.6	79.357	53.3763
2019	11	17	10	17	35	0.3	3.6	0.7	100.3	79.4226	51.6911
2019	11	17	10	27	35	0.3	3.6	0.66	98.8	79.357	49.4224
2019	11	17	10	37	35	0.3	3.6	0.66	98.3	79.4226	48.9705
2019	11	17	10	47	35	0.3	3.6	0.69	96	79.4226	51.691
2019	11	17	10	57	35	0.3	3.6	0.67	101.9	79.4226	49.4651
2019	11	17	11	7	35	0.3	3.6	0.67	98.5	79.4226	49.7124
2019	11	17	11	17	35	0.3	3.6	0.7	101.3	79.4226	51.9383
2019	11	17	11	27	35	0.3	3.6	0.65	98.7	79.4226	48.723
2019	11	17	11	37	35	0.3	3.6	0.68	100	79.4226	50.7016
2019	11	17	11	47	35	0.3	3.6	0.7	100.3	79.4226	51.6909
2019	11	17	11	57	35	0.3	3.6	0.69	100.2	79.4226	50.9489
2019	11	17	12	7	35	0.3	3.6	0.71	101.5	79.4226	52.1855
2019	11	17	12	17	35	0.3	3.6	0.72	97.8	79.4226	53.9167
2019	11	17	12	27	35	0.3	3.6	0.72	98.4	79.4226	53.6694
2019	11	17	12	37	35	0.3	3.6	0.68	97.5	79.4226	50.7015
2019	11	17	12	47	35	0.3	3.6	0.68	98.1	79.4882	50.7452
2019	11	17	12	57	35	0.3	3.6	0.71	98.2	79.4882	52.973
2019	11	17	13	7	35	0.3	3.6	0.71	99.5	79.4882	52.973
2019	11	17	13	17	35	0.3	3.6	0.68	96.9	79.4882	50.9927
2019	11	17	13	27	35	0.3	3.6	0.7	98.9	79.4882	51.9828
2019	11	17	13	37	35	0.3	3.6	0.65	101.1	79.4882	48.0222
2019	11	17	13	47	35	0.3	3.6	0.71	98.8	79.4882	52.7254
2019	11	17	13	57	35	0.3	3.6	0.67	99.3	79.4882	50.0025
2019	11	17	14	7	35	0.3	3.6	0.7	97.9	79.4882	51.9828
2019	11	17	14	17	35	0.3	3.6	0.7	97	79.4882	52.4779
2019	11	17	14	27	35	0.3	3.6	0.68	96.4	79.4882	50.9926
2019	11	17	14	37	35	0.3	3.6	0.7	98.7	79.4882	51.9828
2019	11	17	14	47	35	0.3	3.6	0.69	97.4	79.4882	51.4877
2019	11	17	14	57	35	0.3	3.6	0.71	99	79.5538	53.0186
2019	11	17	15	7	35	0.3	3.6	0.7	99.8	79.5538	51.7798
2019	11	17	15	17	35	0.3	3.6	0.68	102.2	79.5538	50.5411
2019	11	17	15	27	35	0.3	3.6	0.69	99	79.5538	51.7798

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	17	15	37	35	0.3	3.6	0.65	101.9	79.5538	48.0636
2019	11	17	15	47	35	0.3	3.6	0.65	101.1	79.4882	48.0222
2019	11	17	15	57	35	0.3	3.6	0.66	100.1	79.5538	48.8068
2019	11	17	16	7	35	0.3	3.6	0.68	98.9	79.5538	50.7888
2019	11	17	16	17	35	0.3	3.6	0.67	99	79.5538	50.2933
2019	11	17	16	27	35	0.3	3.6	0.69	96.9	79.4882	51.4876
2019	11	17	16	37	35	0.3	3.6	0.66	99.8	79.4882	48.7647
2019	11	17	16	47	35	0.3	3.6	0.68	102.8	79.5538	50.0456
2019	11	17	16	57	35	0.3	3.6	0.69	99.9	79.4882	50.9925
2019	11	17	17	7	35	0.3	3.6	0.69	101	79.5538	51.0365
2019	11	17	17	17	35	0.3	3.6	0.7	98.7	79.5538	52.0275
2019	11	17	17	27	35	0.3	3.6	0.65	97.6	79.4882	48.5172
2019	11	17	17	37	35	0.3	3.6	0.67	100.7	79.4882	50.0024
2019	11	17	17	47	35	0.3	3.6	0.66	99.8	79.4882	48.7647
2019	11	17	17	57	35	0.3	3.6	0.71	99.3	79.4882	52.7253
2019	11	17	18	7	35	0.3	3.6	0.67	99.9	79.5538	49.55
2019	11	17	18	17	35	0.3	3.6	0.68	99.5	79.4882	50.4974
2019	11	17	18	27	35	0.3	3.6	0.67	99	79.4882	50.0023
2019	11	17	18	37	35	0.3	3.6	0.69	99	79.4882	51.7351
2019	11	17	18	47	35	0.3	3.6	0.71	98	79.4882	52.7252
2019	11	17	18	57	35	0.3	3.6	0.67	99.6	79.4882	49.7548
2019	11	17	19	7	35	0.3	3.6	0.67	99.6	79.4882	49.5073
2019	11	17	19	17	35	0.3	3.6	0.69	98.2	79.4882	51.4876
2019	11	17	19	27	35	0.3	3.6	0.7	99.5	79.4882	51.9826
2019	11	17	19	37	35	0.3	3.6	0.71	99.6	79.4882	52.4777
2019	11	17	19	47	35	0.3	3.6	0.69	97.7	79.4226	51.1958
2019	11	17	19	57	35	0.3	3.6	0.66	100	79.4882	49.0122
2019	11	17	20	7	35	0.3	3.6	0.65	98.4	79.4882	48.7647
2019	11	17	20	17	35	0.3	3.6	0.69	99.6	79.4226	50.9485
2019	11	17	20	27	35	0.3	3.6	0.69	98.2	79.4226	51.1959
2019	11	17	20	37	35	0.3	3.6	0.68	97.8	79.4226	50.4539
2019	11	17	20	47	35	0.3	3.6	0.66	97.2	79.4226	49.2173
2019	11	17	20	57	35	0.3	3.6	0.69	96.3	79.4226	51.6905
2019	11	17	21	7	35	0.3	3.6	0.72	101.1	79.4226	53.1745
2019	11	17	21	17	35	0.3	3.6	0.7	99.2	79.357	51.893
2019	11	17	21	27	35	0.3	3.6	0.7	100	79.357	51.893
2019	11	17	21	37	35	0.3	3.6	0.66	99.8	79.357	48.6806
2019	11	17	21	47	35	0.3	3.6	0.69	98.5	79.357	51.1517
2019	11	17	21	57	35	0.3	3.6	0.68	99.5	79.357	50.1633
2019	11	17	22	7	35	0.3	3.6	0.71	98	79.357	52.6344
2019	11	17	22	17	35	0.3	3.6	0.67	99.9	79.357	49.422
2019	11	17	22	27	35	0.3	3.6	0.68	98.6	79.357	50.4104
2019	11	17	22	37	35	0.3	3.6	0.68	98.9	79.357	50.6576
2019	11	17	22	47	35	0.3	3.6	0.69	98.7	79.357	51.3989
2019	11	17	22	57	35	0.3	3.6	0.71	98.5	79.357	52.6345
2019	11	17	23	7	35	0.3	3.6	0.7	98.4	79.357	51.8932
2019	11	17	23	17	35	0.3	3.6	0.7	98.7	79.357	51.8932

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	17	23	27	35	0.3	3.6	0.66	99.1	79.357	49.4221
2019	11	17	23	37	35	0.3	3.6	0.67	98.2	79.357	49.9163
2019	11	17	23	47	35	0.3	3.6	0.66	99.1	79.357	49.4221
2019	11	17	23	57	35	0.3	3.6	0.68	98.1	79.357	50.6577
2019	11	18	0	7	35	0.3	3.6	0.69	99.9	79.357	51.1519
2019	11	18	0	17	35	0.3	3.6	0.68	101.1	79.357	50.1635
2019	11	18	0	27	35	0.3	3.6	0.67	98.7	79.357	49.9164
2019	11	18	0	37	35	0.3	3.6	0.68	98.3	79.357	50.9049
2019	11	18	0	47	35	0.3	3.6	0.67	99.3	79.357	49.6693
2019	11	18	0	57	35	0.3	3.6	0.69	99.3	79.357	51.152
2019	11	18	1	7	35	0.3	3.6	0.7	99.1	79.357	52.3876
2019	11	18	1	17	35	0.3	3.6	0.67	99.6	79.357	49.4223
2019	11	18	1	27	35	0.3	3.6	0.7	100	79.357	51.6463
2019	11	18	1	37	35	0.3	3.6	0.68	100.3	79.357	50.1636
2019	11	18	1	47	35	0.3	3.6	0.66	98.5	79.357	49.4223
2019	11	18	1	57	35	0.3	3.6	0.68	99.8	79.357	50.1637
2019	11	18	2	7	35	0.3	3.6	0.7	100.5	79.357	51.8935
2019	11	18	2	17	35	0.3	3.6	0.69	99.8	79.357	51.3993
2019	11	18	2	27	35	0.3	3.6	0.67	99.4	79.357	49.4224
2019	11	18	2	37	35	0.3	3.6	0.67	101.3	79.357	49.6695
2019	11	18	2	47	35	0.3	3.6	0.68	102.5	79.4226	50.2071
2019	11	18	2	57	35	0.3	3.6	0.71	99.6	79.357	52.6349
2019	11	18	3	7	35	0.3	3.6	0.71	100.4	79.4226	52.4331
2019	11	18	3	17	35	0.3	3.6	0.68	98.3	79.4226	50.9491
2019	11	18	3	27	35	0.3	3.6	0.66	98.9	79.4226	49.2179
2019	11	18	3	37	35	0.3	3.6	0.71	99.9	79.4226	52.6804
2019	11	18	3	47	35	0.3	3.6	0.7	99.2	79.4226	51.9385
2019	11	18	3	57	35	0.3	3.6	0.69	98.7	79.4226	51.4438
2019	11	18	4	7	35	0.3	3.6	0.66	99.7	79.4226	49.2179
2019	11	18	4	17	35	0.3	3.6	0.67	100.1	79.4226	49.9599
2019	11	18	4	27	35	0.3	3.6	0.69	99.9	79.4226	51.1966
2019	11	18	4	37	35	0.3	3.6	0.7	100.8	79.4226	51.6912
2019	11	18	4	47	35	0.3	3.6	0.71	99.6	79.4226	52.4332
2019	11	18	4	57	35	0.3	3.6	0.68	101.7	79.4226	49.96
2019	11	18	5	7	35	0.3	3.6	0.66	100.8	79.4226	49.218
2019	11	18	5	17	35	0.3	3.6	0.68	100.6	79.4226	50.2073
2019	11	18	5	27	35	0.3	3.6	0.66	99.4	79.4226	49.218
2019	11	18	5	37	35	0.3	3.6	0.67	102.5	79.4226	49.218
2019	11	18	5	47	35	0.3	3.6	0.67	99.4	79.4226	49.4654
2019	11	18	5	57	35	0.3	3.6	0.72	98.2	79.4226	53.4226
2019	11	18	6	7	35	0.3	3.6	0.69	99.3	79.4226	51.1967
2019	11	18	6	17	35	0.3	3.6	0.67	100.4	79.4226	49.96
2019	11	18	6	27	35	0.3	3.6	0.69	99.6	79.4226	51.1967
2019	11	18	6	37	35	0.3	3.6	0.69	100.2	79.4226	50.9494
2019	11	18	6	47	35	0.3	3.6	0.65	101.4	79.4882	48.0229
2019	11	18	6	57	35	0.3	3.6	0.68	98.8	79.4882	50.9934
2019	11	18	7	7	35	0.3	3.6	0.67	98.7	79.4882	50.2508

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	18	7	17	35	0.3	3.6	0.63	98.6	79.4882	47.2803
2019	11	18	7	27	35	0.3	3.6	0.69	96.6	79.4882	51.736
2019	11	18	7	37	35	0.3	3.6	0.67	100.9	79.4882	50.0032
2019	11	18	7	47	35	0.3	3.6	0.68	100.8	79.4882	50.7459
2019	11	18	7	57	35	0.3	3.6	0.64	99.4	79.4882	47.7754
2019	11	18	8	7	35	0.3	3.6	0.7	98.9	79.4882	52.2311
2019	11	18	8	17	35	0.3	3.6	0.71	95.8	79.4882	53.4688
2019	11	18	8	27	35	0.3	3.6	0.69	97.9	79.4882	51.736
2019	11	18	8	37	35	0.3	3.6	0.63	102.3	79.4882	46.5377
2019	11	18	8	47	35	0.3	3.6	0.69	99.1	79.4882	51.241
2019	11	18	8	57	35	0.3	3.6	0.69	100.6	79.4882	51.4885
2019	11	18	9	7	35	0.3	3.6	0.67	99	79.4882	50.2508
2019	11	18	9	17	35	0.3	3.6	0.7	100.7	79.5538	52.2761
2019	11	18	9	27	35	0.3	3.6	0.67	99.6	79.5538	50.0463
2019	11	18	9	37	35	0.3	3.6	0.67	101	79.5538	49.5508
2019	11	18	9	47	35	0.3	3.6	0.66	102.9	79.5538	48.5597
2019	11	18	9	57	35	0.3	3.6	0.65	100.7	79.5538	48.5597
2019	11	18	10	7	35	0.3	3.6	0.67	99.3	79.5538	50.0462
2019	11	18	10	17	35	0.3	3.6	0.66	102.6	79.6194	48.8495
2019	11	18	10	27	35	0.3	3.6	0.69	101	79.6194	51.0812
2019	11	18	10	37	35	0.3	3.6	0.66	101.2	79.6194	48.8495
2019	11	18	10	47	35	0.3	3.6	0.69	102.4	79.6194	50.5852
2019	11	18	10	57	35	0.3	3.6	0.69	98	79.6194	51.3291
2019	11	18	11	7	35	0.3	3.6	0.65	99	79.6194	48.6014
2019	11	18	11	17	35	0.3	3.6	0.65	97.9	79.6194	48.3534
2019	11	18	11	27	35	0.3	3.6	0.66	100.3	79.6194	49.3453
2019	11	18	11	37	35	0.3	3.6	0.7	100.7	79.6194	52.3208
2019	11	18	11	47	35	0.3	3.6	0.7	101.1	79.6194	51.8249
2019	11	18	11	57	35	0.3	3.6	0.66	96.5	79.6851	49.8841
2019	11	18	12	7	35	0.3	3.6	0.7	99.2	79.6851	52.1177
2019	11	18	12	17	35	0.3	3.6	0.68	101.7	79.6851	50.1322
2019	11	18	12	27	35	0.3	3.6	0.67	99.9	79.6851	49.884
2019	11	18	12	37	35	0.3	3.6	0.68	101.7	79.6851	50.1322
2019	11	18	12	47	35	0.3	3.6	0.64	101.5	79.6851	47.6504
2019	11	18	12	57	35	0.3	3.6	0.68	96.4	79.6851	51.1248
2019	11	18	13	7	35	0.3	3.6	0.67	99.6	79.6851	49.8839
2019	11	18	13	17	35	0.3	3.6	0.66	99.2	79.6851	49.1394
2019	11	18	13	27	35	0.3	3.6	0.66	102.3	79.6851	49.1394
2019	11	18	13	37	35	0.3	3.6	0.62	100.7	79.7507	45.9525
2019	11	18	13	47	35	0.3	3.6	0.69	100.9	79.6851	51.6211
2019	11	18	13	57	35	0.3	3.6	0.67	98.4	79.7507	50.4236
2019	11	18	14	7	35	0.3	3.6	0.67	103.5	79.7507	49.6784
2019	11	18	14	17	35	0.3	3.6	0.67	100.4	79.7507	50.1751
2019	11	18	14	27	35	0.3	3.6	0.66	99.8	79.7507	48.9332
2019	11	18	14	37	35	0.3	3.6	0.67	100.7	79.7507	50.1751
2019	11	18	14	47	35	0.3	3.6	0.68	100.3	79.7507	50.6719
2019	11	18	14	57	35	0.3	3.6	0.66	100.9	79.7507	49.1815

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	18	15	7	35	0.3	3.6	0.67	99.6	79.7507	50.1751
2019	11	18	15	17	35	0.3	3.6	0.67	100.7	79.8163	50.2182
2019	11	18	15	27	35	0.3	3.6	0.64	100.9	79.7507	47.6912
2019	11	18	15	37	35	0.3	3.6	0.66	98	79.8163	49.4724
2019	11	18	15	47	35	0.3	3.6	0.66	101.2	79.7507	48.9331
2019	11	18	15	57	35	0.3	3.6	0.67	100.7	79.7507	50.1751
2019	11	18	16	7	35	0.3	3.6	0.68	103.2	79.8163	49.9696
2019	11	18	16	17	35	0.3	3.6	0.65	99.2	79.8163	48.9752
2019	11	18	16	27	35	0.3	3.6	0.71	99.5	79.8163	53.2015
2019	11	18	16	37	35	0.3	3.6	0.66	98.9	79.8163	49.4724
2019	11	18	16	47	35	0.3	3.6	0.66	99.7	79.8163	49.2238
2019	11	18	16	57	35	0.3	3.6	0.66	98.6	79.8163	49.2238
2019	11	18	17	7	35	0.3	3.6	0.7	101.1	79.8163	51.9584
2019	11	18	17	17	35	0.3	3.6	0.68	100.6	79.8819	50.7589
2019	11	18	17	27	35	0.3	3.6	0.67	99.9	79.8819	49.7636
2019	11	18	17	37	35	0.3	3.6	0.67	99.3	79.8819	50.0125
2019	11	18	17	47	35	0.3	3.6	0.71	98.2	79.8819	53.4959
2019	11	18	17	57	35	0.3	3.6	0.69	100.7	79.8163	51.4611
2019	11	18	18	7	35	0.3	3.6	0.68	101.4	79.8819	50.7589
2019	11	18	18	17	35	0.3	3.6	0.65	99.2	79.8819	49.0172
2019	11	18	18	27	35	0.3	3.6	0.71	100.3	79.8819	53.2471
2019	11	18	18	37	35	0.3	3.6	0.65	99.6	79.8819	48.7683
2019	11	18	18	47	35	0.3	3.6	0.71	100.4	79.8819	52.7494
2019	11	18	18	57	35	0.3	3.6	0.66	98.3	79.8819	49.266
2019	11	18	19	7	35	0.3	3.6	0.65	101.1	79.9475	48.0631
2019	11	18	19	17	35	0.3	3.6	0.66	98.6	79.8819	49.266
2019	11	18	19	27	35	0.3	3.6	0.69	97.9	79.9475	51.7986
2019	11	18	19	37	35	0.3	3.6	0.7	100	80.0131	52.3415
2019	11	18	19	47	35	0.3	3.6	0.68	101.5	80.0131	50.3476
2019	11	18	19	57	35	0.3	3.6	0.73	98.3	79.8819	54.4912
2019	11	18	20	7	35	0.3	3.6	0.68	98	80.0131	51.3446
2019	11	18	20	17	35	0.3	3.6	0.68	98.6	80.0131	51.3446
2019	11	18	20	27	35	0.3	3.6	0.67	98.7	80.0131	50.3476
2019	11	18	20	37	35	0.3	3.6	0.69	100.1	80.0131	51.8431
2019	11	18	20	47	35	0.3	3.6	0.7	98.9	80.0131	52.3416
2019	11	18	20	57	35	0.3	3.6	0.69	98.7	80.0131	51.8431
2019	11	18	21	7	35	0.3	3.6	0.64	98.5	80.0131	48.3537
2019	11	18	21	17	35	0.3	3.6	0.68	100.8	80.0787	50.8898
2019	11	18	21	27	35	0.3	3.6	0.68	99.4	80.0787	51.3887
2019	11	18	21	37	35	0.3	3.6	0.68	98.9	80.0787	51.1392
2019	11	18	21	47	35	0.3	3.6	0.66	98.3	80.0787	49.8919
2019	11	18	21	57	35	0.3	3.6	0.69	99.6	80.0787	51.3887
2019	11	18	22	7	35	0.3	3.6	0.66	98.3	80.0787	49.3931
2019	11	18	22	17	35	0.3	3.6	0.73	100.6	80.0787	54.8812
2019	11	18	22	27	35	0.3	3.6	0.65	97.2	80.0787	49.1436
2019	11	18	22	37	35	0.3	3.6	0.67	97	80.0787	50.8899
2019	11	18	22	47	35	0.3	3.6	0.7	100.7	80.0787	52.6361

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	18	22	57	35	0.3	3.6	0.7	98.1	80.0787	52.6361
2019	11	18	23	7	35	0.3	3.6	0.69	100.5	80.0787	51.3888
2019	11	18	23	17	35	0.3	3.6	0.68	98	80.0787	51.3889
2019	11	18	23	27	35	0.3	3.6	0.7	102.8	80.0787	51.6383
2019	11	18	23	37	35	0.3	3.6	0.65	101	80.0787	48.6448
2019	11	18	23	47	35	0.3	3.6	0.69	101.3	80.0787	51.1394
2019	11	18	23	57	35	0.3	3.6	0.68	98.6	80.0787	50.89
2019	11	19	0	7	35	0.3	3.6	0.68	100	80.0787	51.1395
2019	11	19	0	17	35	0.3	3.6	0.69	101.2	80.0787	51.6384
2019	11	19	0	27	35	0.3	3.6	0.67	99.6	80.0787	50.3911
2019	11	19	0	37	35	0.3	3.6	0.72	99.7	80.0787	54.1331
2019	11	19	0	47	35	0.3	3.6	0.7	97.6	80.0787	52.3869
2019	11	19	0	57	35	0.3	3.6	0.67	98.7	80.0787	50.3912
2019	11	19	1	7	35	0.3	3.6	0.66	99.4	80.0787	49.6428
2019	11	19	1	17	35	0.3	3.6	0.72	100.3	80.0787	53.6342
2019	11	19	1	27	35	0.3	3.6	0.69	97.4	80.0787	51.888
2019	11	19	1	37	35	0.3	3.6	0.67	100.5	80.0787	49.8923
2019	11	19	1	47	35	0.3	3.6	0.66	102.3	80.0787	49.3934
2019	11	19	1	57	35	0.3	3.6	0.66	100.5	80.0787	49.6429
2019	11	19	2	7	35	0.3	3.6	0.69	97.9	80.0787	52.1376
2019	11	19	2	17	35	0.3	3.6	0.65	103.3	80.0787	48.3956
2019	11	19	2	27	35	0.3	3.6	0.72	98.6	80.0787	54.1333
2019	11	19	2	37	35	0.3	3.6	0.66	99.5	80.0787	49.3935
2019	11	19	2	47	35	0.3	3.6	0.69	99	80.0787	51.8882
2019	11	19	2	57	35	0.3	3.6	0.67	100.8	80.0787	49.8925
2019	11	19	3	7	35	0.3	3.6	0.67	102.2	80.0787	49.643
2019	11	19	3	17	35	0.3	3.6	0.67	102.5	80.0787	49.6431
2019	11	19	3	27	35	0.3	3.6	0.67	101.1	80.0787	49.6431
2019	11	19	3	37	35	0.3	3.6	0.68	103.4	80.0787	50.3915
2019	11	19	3	47	35	0.3	3.6	0.65	104	80.0787	48.1463
2019	11	19	3	57	35	0.3	3.6	0.68	100	80.0787	51.1399
2019	11	19	4	7	35	0.3	3.6	0.68	100.6	80.0787	50.641
2019	11	19	4	17	35	0.3	3.6	0.67	101.6	80.0787	49.8926
2019	11	19	4	27	35	0.3	3.6	0.65	99.6	80.0787	48.8948
2019	11	19	4	37	35	0.3	3.6	0.68	101.7	80.0787	50.3916
2019	11	19	4	47	35	0.3	3.6	0.69	101.7	80.0787	51.6389
2019	11	19	4	57	35	0.3	3.6	0.69	100.5	80.0787	51.3895
2019	11	19	5	7	35	0.3	3.6	0.66	101.8	80.0787	48.8948
2019	11	19	5	17	35	0.3	3.6	0.66	100	80.0787	49.6432
2019	11	19	5	27	35	0.3	3.6	0.69	97.9	80.0787	51.8884
2019	11	19	5	37	35	0.3	3.6	0.64	99.8	80.0787	47.6475
2019	11	19	5	47	35	0.3	3.6	0.68	101.4	80.0787	50.8906
2019	11	19	5	57	35	0.3	3.6	0.7	100.5	80.0787	52.3874
2019	11	19	6	7	35	0.3	3.6	0.66	99.4	80.0787	49.6433
2019	11	19	6	17	35	0.3	3.6	0.69	101.3	80.0787	51.3895
2019	11	19	6	27	35	0.3	3.6	0.69	102.3	80.0787	51.3895
2019	11	19	6	37	35	0.3	3.6	0.66	98.3	80.0787	49.3938

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	19	6	47	35	0.3	3.6	0.69	102.1	80.0787	51.3896
2019	11	19	6	57	35	0.3	3.6	0.69	100.4	80.0787	51.639
2019	11	19	7	7	35	0.3	3.6	0.69	100.2	80.0131	51.3456
2019	11	19	7	17	35	0.3	3.6	0.68	99.8	80.0131	50.5978
2019	11	19	7	27	35	0.3	3.6	0.65	100.7	80.0787	48.6455
2019	11	19	7	37	35	0.3	3.6	0.69	97.4	80.0787	52.138
2019	11	19	7	47	35	0.3	3.6	0.72	96.8	80.0787	54.3832
2019	11	19	7	57	35	0.3	3.6	0.7	99.7	80.0131	52.3426
2019	11	19	8	7	35	0.3	3.6	0.68	98.8	80.0131	51.3456
2019	11	19	8	17	35	0.3	3.6	0.68	101.1	80.0787	50.6412
2019	11	19	8	27	35	0.3	3.6	0.7	97.5	80.0131	53.0903
2019	11	19	8	37	35	0.3	3.6	0.69	99	80.0131	51.8441
2019	11	19	8	47	35	0.3	3.6	0.71	100.1	80.0787	53.3853
2019	11	19	8	57	35	0.3	3.6	0.7	97.6	80.0131	52.3426
2019	11	19	9	7	35	0.3	3.6	0.69	99	80.0787	51.8885
2019	11	19	9	17	35	0.3	3.6	0.7	97.8	80.0787	52.8863
2019	11	19	9	27	35	0.3	3.6	0.74	101.3	80.0787	55.1315
2019	11	19	9	37	35	0.3	3.6	0.66	104.3	80.0787	48.8948
2019	11	19	9	47	35	0.3	3.6	0.69	102.3	80.0787	51.6389
2019	11	19	9	57	35	0.3	3.6	0.67	97.9	80.0787	50.3916
2019	11	19	10	7	35	0.3	3.6	0.7	97.5	80.0787	53.1357
2019	11	19	10	17	35	0.3	3.6	0.72	100.8	80.0787	53.6346
2019	11	19	10	27	35	0.3	3.6	0.69	100.6	80.0787	51.8883
2019	11	19	10	37	35	0.3	3.6	0.69	102.3	80.0787	51.3894
2019	11	19	10	47	35	0.3	3.6	0.67	100.1	80.0787	50.3915
2019	11	19	10	57	35	0.3	3.6	0.65	99.3	80.0787	48.8947
2019	11	19	11	7	35	0.3	3.6	0.66	97.2	80.0787	49.6431
2019	11	19	11	17	35	0.3	3.6	0.71	99.6	80.0787	53.1356
2019	11	19	11	27	35	0.3	3.6	0.67	101	80.0787	49.8925
2019	11	19	11	37	35	0.3	3.6	0.7	99.9	80.0787	52.6366
2019	11	19	11	47	35	0.3	3.6	0.69	97.9	80.0787	51.8882
2019	11	19	11	57	35	0.3	3.6	0.69	98.5	80.0787	51.6388
2019	11	19	12	7	35	0.3	3.6	0.66	99.5	80.0787	49.1441
2019	11	19	12	17	35	0.3	3.6	0.73	98	80.1444	54.9287
2019	11	19	12	27	35	0.3	3.6	0.71	100.4	80.1444	52.9313
2019	11	19	12	37	35	0.3	3.6	0.65	100.5	80.1444	48.437
2019	11	19	12	47	35	0.3	3.6	0.66	101.3	80.1444	48.9364
2019	11	19	12	57	35	0.3	3.6	0.65	99	80.1444	48.9364
2019	11	19	13	7	35	0.3	3.6	0.67	100.2	80.1444	49.9351
2019	11	19	13	17	35	0.3	3.6	0.68	99.1	80.1444	51.4331
2019	11	19	13	27	35	0.3	3.6	0.66	99.2	80.1444	49.4357
2019	11	19	13	37	35	0.3	3.6	0.68	99.1	80.1444	51.4331
2019	11	19	13	47	35	0.3	3.6	0.68	101.7	80.1444	50.4344
2019	11	19	13	57	35	0.3	3.6	0.67	101.1	80.1444	49.6853
2019	11	19	13	12	9	0.1	1.1	21.68	97.4	7.4457	53.68
2019	11	19	13	22	9	0.1	1.1	20.33	96.5	7.4457	50.4343
2019	11	19	13	32	9	0.1	1.1	20.9	98	7.4457	51.6826

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	19	13	42	9	0.1	1.1	22.15	98.6	7.4518	54.7255
2019	11	19	13	52	9	0.1	1.1	20.97	97.4	7.4518	51.9767
2019	11	19	14	2	9	0.1	1.1	20.28	97.7	7.4518	50.2274
2019	11	19	14	12	9	0.1	1.1	21.04	98.7	7.4518	51.9766
2019	11	19	14	22	9	0.1	1.1	21.88	99.2	7.4518	53.9757
2019	11	19	14	32	9	0.1	1.1	20.7	98.1	7.4518	51.2269
2019	11	19	14	42	9	0.1	1.1	21.65	98.8	7.4518	53.4759
2019	11	19	14	52	9	0.1	1.1	20.78	99.4	7.4518	51.2269
2019	11	19	15	2	9	0.1	1.1	21.77	99	7.4518	53.7258
2019	11	19	15	12	9	0.1	1.1	21.38	97.5	7.4518	52.9761
2019	11	19	15	22	9	0.1	1.1	21.59	99.3	7.4518	53.226
2019	11	19	15	32	9	0.1	1.1	20.32	98.5	7.4518	50.2273
2019	11	19	15	42	9	0.1	1.1	20.16	100.9	7.4518	49.4777
2019	11	19	15	52	9	0.1	1.1	20.39	99.6	7.4518	50.2273
2019	11	19	16	2	9	0.1	1.1	20.83	100.2	7.4518	51.2269
2019	11	19	16	12	9	0.1	1.1	21.2	97.9	7.4518	52.4763
2019	11	19	16	22	9	0.1	1.1	20.91	99.9	7.4518	51.4767
2019	11	19	16	32	9	0.1	1.1	21.26	98.9	7.4518	52.4763
2019	11	19	16	42	9	0.1	1.1	20.68	99.5	7.4518	50.977
2019	11	19	16	52	9	0.1	1.1	20.55	97	7.4518	50.9769
2019	11	19	17	2	9	0.1	1.1	20.48	99.6	7.4518	50.4771
2019	11	19	17	12	9	0.1	1.1	19.98	97.8	7.4518	49.4776
2019	11	19	17	22	9	0.1	1.1	20.8	98	7.4518	51.4767
2019	11	19	17	32	9	0.1	1.1	20.48	99.6	7.4518	50.4771
2019	11	19	17	42	9	0.1	1.1	21.16	99	7.4518	52.2263
2019	11	19	17	52	9	0.1	1.1	21.01	99.9	7.4518	51.7265
2019	11	19	18	2	9	0.1	1.1	20.25	99.1	7.4457	49.9346
2019	11	19	18	12	9	0.1	1.1	20.11	100	7.4457	49.4352
2019	11	19	18	22	9	0.1	1.1	21.2	97.9	7.4457	52.4313
2019	11	19	18	32	9	0.1	1.1	20.42	98.4	7.4457	50.4339
2019	11	19	18	42	9	0.1	1.1	19.88	99.6	7.4457	48.9359
2019	11	19	18	52	9	0.1	1.1	21.67	100.6	7.4518	53.2258
2019	11	19	19	2	9	0.1	1.1	21.36	98.9	7.4518	52.726
2019	11	19	19	12	9	0.1	1.1	20.9	98	7.4518	51.7265
2019	11	19	19	22	9	0.1	1.1	21.65	98.8	7.4518	53.4757
2019	11	19	19	32	9	0.1	1.1	20.52	98.4	7.4518	50.7269
2019	11	19	19	42	9	0.1	1.1	21.67	99	7.4518	53.4757
2019	11	19	19	52	9	0.1	1.1	20.26	100.8	7.4518	49.7274
2019	11	19	20	2	9	0.1	1.1	20.3	99.9	7.4518	49.9773
2019	11	19	20	12	9	0.1	1.1	21.59	99.3	7.4518	53.2258
2019	11	19	20	22	9	0.1	1.1	20.85	98.8	7.4518	51.4766
2019	11	19	20	32	9	0.1	1.1	20.58	99.5	7.4518	50.727
2019	11	19	20	42	9	0.1	1.1	21.07	94.6	7.4518	52.4762
2019	11	19	20	52	9	0.1	1.1	21.56	100.4	7.4518	52.9759
2019	11	19	21	2	9	0.1	1.1	20.48	99.6	7.4518	50.4771
2019	11	19	21	12	9	0.1	1.1	20.25	99.1	7.4518	49.9773
2019	11	19	21	22	9	0.1	1.1	22.09	97.5	7.4457	54.6784

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	19	21	32	9	0.1	1.1	20.83	100.2	7.4457	51.183
2019	11	19	21	42	9	0.1	1.1	21.26	98.9	7.4518	52.4762
2019	11	19	21	52	9	0.1	1.1	21.24	98.7	7.4518	52.4762
2019	11	19	22	2	9	0.1	1.1	20.59	97.8	7.4457	50.9333
2019	11	19	22	12	9	0.1	1.1	20.44	98.7	7.4457	50.434
2019	11	19	22	22	9	0.1	1.1	21.19	97.6	7.4457	52.4314
2019	11	19	22	32	9	0.1	1.1	21.42	99.9	7.4457	52.6811
2019	11	19	22	42	9	0.1	1.1	20.62	98.4	7.4457	50.9334
2019	11	19	22	52	9	0.1	1.1	21.61	101.2	7.4457	52.9308
2019	11	19	23	2	9	0.1	1.1	21.31	98.1	7.4457	52.6811
2019	11	19	23	12	9	0.1	1.1	20.55	100.7	7.4457	50.4341
2019	11	19	23	22	9	0.1	1.1	21.04	101.8	7.4457	51.4328
2019	11	19	23	32	9	0.1	1.1	20.42	98.4	7.4457	50.4341
2019	11	19	23	42	9	0.1	1.1	21.51	98	7.4457	53.1805
2019	11	19	23	52	9	0.1	1.1	21.85	98.7	7.4457	53.9296
2019	11	20	0	2	9	0.1	1.1	21.93	100	7.4457	53.9296
2019	11	20	0	12	9	0.1	1.1	22.22	98	7.4457	54.9283
2019	11	20	0	22	9	0.1	1.1	21.79	97.6	7.4457	53.9296
2019	11	20	0	32	9	0.1	1.1	20.93	100.2	7.4457	51.4329
2019	11	20	0	42	9	0.1	1.1	21.44	100.2	7.4457	52.6812
2019	11	20	0	52	9	0.1	1.1	21.8	99.5	7.4457	53.6799
2019	11	20	1	2	9	0.1	1.1	21.39	99.4	7.4457	52.6813
2019	11	20	1	12	9	0.1	1.1	21.96	98.9	7.4457	54.1793
2019	11	20	1	22	9	0.1	1.1	21.09	99.6	7.4457	51.9323
2019	11	20	1	32	9	0.1	1.1	21.07	94.6	7.4457	52.4316
2019	11	20	1	42	9	0.1	1.1	21.04	98.7	7.4457	51.9323
2019	11	20	1	52	9	0.1	1.1	22.8	99.3	7.4457	56.1768
2019	11	20	2	2	9	0.1	1.1	21.62	96.1	7.4396	53.6341
2019	11	20	2	12	9	0.1	1.1	21.69	97.7	7.4396	53.6341
2019	11	20	2	22	9	0.1	1.1	21.54	98.5	7.4396	53.1352
2019	11	20	2	32	9	0.1	1.1	19.83	96.7	7.4396	49.1438
2019	11	20	2	42	9	0.1	1.1	20.76	99.1	7.4457	51.1833
2019	11	20	2	52	9	0.1	1.1	21.14	98.7	7.4396	52.1374
2019	11	20	3	2	9	0.1	1.1	20.76	99.1	7.4396	51.1395
2019	11	20	3	12	9	0.1	1.1	20.9	99.6	7.4335	51.345
2019	11	20	3	22	9	0.1	1.1	21.87	97.1	7.4274	54.0404
2019	11	20	3	32	9	0.1	1.1	20.78	95	7.4335	51.5943
2019	11	20	3	42	9	0.1	1.1	21.51	98	7.4335	53.0897
2019	11	20	3	52	9	0.1	1.1	21.95	96.8	7.4274	54.2894
2019	11	20	4	2	9	0.1	1.1	21.5	97.8	7.4335	53.0898
2019	11	20	4	12	9	0.1	1.1	20.03	98.6	7.4335	49.3511
2019	11	20	4	22	9	0.1	1.1	21.16	99	7.4335	52.0928
2019	11	20	4	32	9	0.1	1.1	21.75	98.7	7.4335	53.5883
2019	11	20	4	42	9	0.1	1.1	22.01	99.7	7.4335	54.0868
2019	11	20	4	52	9	0.1	1.1	21.84	98.4	7.4335	53.8375
2019	11	20	5	2	9	0.1	1.1	21.05	96.8	7.4396	52.1374
2019	11	20	5	12	9	0.1	1.1	21.59	99.3	7.4396	53.1353

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	20	5	22	9	0.1	1.1	21.96	98.9	7.4396	54.1331
2019	11	20	5	32	9	0.1	1.1	21.31	98.1	7.4335	52.5913
2019	11	20	5	42	9	0.1	1.1	21.13	98.4	7.4396	52.1374
2019	11	20	5	52	9	0.1	1.1	21.68	99.3	7.4396	53.3847
2019	11	20	6	2	9	0.1	1.1	21.22	101.4	7.4396	51.888
2019	11	20	6	12	9	0.1	1.1	21.27	99.2	7.4396	52.3869
2019	11	20	6	22	9	0.1	1.1	20.97	97.4	7.4335	51.8435
2019	11	20	6	32	9	0.1	1.1	21.5	99.6	7.4396	52.8858
2019	11	20	6	42	9	0.1	1.1	21.62	99.9	7.4335	53.0898
2019	11	20	6	52	9	0.1	1.1	21.35	96.7	7.4335	52.8405
2019	11	20	7	2	9	0.1	1.1	20.96	99.1	7.4396	51.6385
2019	11	20	7	12	9	0.1	1.1	21.81	97.9	7.4335	53.8375
2019	11	20	7	22	9	0.1	1.1	21.4	95.6	7.4335	53.0898
2019	11	20	7	32	9	0.1	1.1	21.4	95.6	7.4335	53.0897
2019	11	20	7	42	9	0.1	1.1	21.1	97.9	7.4335	52.0928
2019	11	20	7	52	9	0.1	1.1	21.93	98.4	7.4274	54.0404
2019	11	20	8	2	9	0.1	1.1	20.9	98	7.4274	51.55
2019	11	20	8	12	9	0.1	1.1	22.97	98.8	7.4274	56.5307
2019	11	20	8	22	9	0.1	1.1	20.78	99.4	7.4335	51.0957
2019	11	20	8	32	9	0.1	1.1	20.74	96.6	7.4335	51.345
2019	11	20	8	42	9	0.1	1.1	21.19	99.5	7.4274	52.0481
2019	11	20	8	52	9	0.1	1.1	21.69	97.7	7.4335	53.5882
2019	11	20	9	2	9	0.1	1.1	20.6	99.8	7.4335	50.5972
2019	11	20	9	12	9	0.1	1.1	22.49	97.4	7.4335	55.5822
2019	11	20	9	22	9	0.1	1.1	20.98	99.3	7.4335	51.5942
2019	11	20	9	32	9	0.1	1.1	21.35	96.7	7.4335	52.8404
2019	11	20	9	42	9	0.1	1.1	21.72	99.8	7.4335	53.3389
2019	11	20	9	52	9	0.1	1.1	21.07	97.4	7.4335	52.0927
2019	11	20	10	2	9	0.1	1.1	20.86	97.2	7.4335	51.5942
2019	11	20	10	12	9	0.1	1.1	21.09	99.6	7.4335	51.8434
2019	11	20	10	22	9	0.1	1.1	20.42	98.4	7.4335	50.3479
2019	11	20	10	32	9	0.1	1.1	20.85	96.9	7.4335	51.5941
2019	11	20	10	42	9	0.1	1.1	20.72	96.1	7.4335	51.3449
2019	11	20	10	52	9	0.1	1.1	21.02	98.2	7.4335	51.8433
2019	11	20	11	2	9	0.1	1.1	20.83	96.3	7.4335	51.5941
2019	11	20	11	12	9	0.1	1.1	21.6	97.7	7.4335	53.3388
2019	11	20	11	22	9	0.1	1.1	21.15	96.8	7.4335	52.3418
2019	11	20	11	32	9	0.1	1.1	21.2	95.7	7.4396	52.6361
2019	11	20	11	42	9	0.1	1.1	21.08	99.3	7.4335	51.8432
2019	11	20	11	52	9	0.1	1.1	21.2	97.9	7.4335	52.3417
2019	11	20	12	2	9	0.1	1.1	20.78	95	7.4335	51.5939
2019	11	20	12	12	9	0.1	1.1	21.79	97.6	7.4335	53.8371
2019	11	20	12	22	9	0.1	1.1	21.69	97.7	7.4335	53.5879
2019	11	20	12	32	9	0.1	1.1	20.89	97.7	7.4396	51.6381
2019	11	20	12	42	9	0.1	1.1	21.93	96.3	7.4335	54.3356
2019	11	20	12	52	9	0.1	1.1	20.57	97.3	7.4396	50.8898
2019	11	20	13	2	9	0.1	1.1	22.26	97	7.4396	55.1306

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	20	13	12	9	0.1	1.1	21.5	95.6	7.4396	53.3844
2019	11	20	13	22	9	0.1	1.1	21.73	96.3	7.4396	53.8833
2019	11	20	13	32	9	0.1	1.1	21.97	100.5	7.4396	53.8833
2019	11	20	13	42	9	0.1	1.1	22.03	98.4	7.4396	54.3822
2019	11	20	13	52	9	0.1	1.1	21.16	97.1	7.4396	52.3865
2019	11	20	14	2	9	0.1	1.1	21.53	96.4	7.4396	53.3844
2019	11	20	14	12	9	0.1	1.1	21.84	98.4	7.4457	53.9294
2019	11	20	14	22	9	0.1	1.1	20.54	100.4	7.4457	50.434
2019	11	20	14	32	9	0.1	1.1	19.9	98.1	7.4274	49.0594
2019	11	20	14	42	9	0.1	1.1	19.93	98.7	7.4274	49.0594
2019	11	20	14	52	9	0.1	1.1	20.83	100.2	7.4396	51.1392
2019	11	20	15	2	9	0.1	1.1	20.86	97.2	7.4396	51.6382
2019	11	20	15	12	9	0.1	1.1	19.87	94.9	7.4457	49.4353
2019	11	20	15	22	9	0.1	1.1	20.35	97.1	7.4457	50.434
2019	11	20	15	32	9	0.1	1.1	20.37	94.8	7.4518	50.7271
2019	11	20	15	42	9	0.1	1.1	20.95	96.9	7.4578	52.0209
2019	11	20	15	52	9	0.1	1.1	19.89	95.5	7.4639	49.5622
2019	11	20	16	2	9	0.1	1.1	19.83	96.7	7.47	49.354
2019	11	20	16	12	9	0.1	1.1	20.5	95.6	7.4822	51.1949
2019	11	20	16	22	9	0.1	1.1	20.21	96	7.4944	50.5279
2019	11	20	16	32	9	0.1	1.1	20.83	98.6	7.5066	51.8729
2019	11	20	16	42	9	0.1	1.1	20.53	96.4	7.5127	51.4129
2019	11	20	16	52	9	0.1	1.1	21.62	96.1	7.5188	54.2311
2019	11	20	17	2	9	0.1	1.1	20.7	95.5	7.5249	52.005
2019	11	20	17	12	9	0.1	1.1	21.68	95	7.5249	54.5295
2019	11	20	17	22	9	0.1	1.1	22.59	97.4	7.531	56.597
2019	11	20	17	32	9	0.1	1.1	22.17	94.4	7.531	55.839
2019	11	20	17	42	9	0.1	1.1	21.77	97.1	7.531	54.5756
2019	11	20	17	52	9	0.1	1.1	21.43	98.3	7.5371	53.6103
2019	11	20	18	2	9	0.1	1.1	22.36	94.1	7.5432	56.4396
2019	11	20	18	12	9	0.1	1.1	21.49	95.3	7.5432	54.1618
2019	11	20	18	22	9	0.1	1.1	22.74	96.3	7.5554	57.2955
2019	11	20	18	32	9	0.1	1.1	21.6	97.7	7.5615	54.299
2019	11	20	18	42	9	0.1	1.1	22.23	96.2	7.5737	56.1696
2019	11	20	18	52	9	0.1	1.1	21.38	97.5	7.5798	53.9275
2019	11	20	19	2	9	0.1	1.1	20.79	97.7	7.5859	52.4453
2019	11	20	19	12	9	0.1	1.1	21.36	97	7.592	54.0181
2019	11	20	19	22	9	0.1	1.1	21.3	95.7	7.592	54.0181
2019	11	20	19	32	9	0.1	1.1	21.92	96	7.592	55.547
2019	11	20	19	42	9	0.1	1.1	21.27	97.3	7.5981	53.8084
2019	11	20	19	52	9	0.1	1.1	22.6	97.6	7.5981	57.1237
2019	11	20	20	2	9	0.1	1.1	20.7	98.1	7.5981	52.2784
2019	11	20	20	12	9	0.1	1.1	22.04	96.5	7.6041	55.8954
2019	11	20	20	22	9	0.1	1.1	20.96	99.1	7.6102	52.8769
2019	11	20	20	32	9	0.1	1.1	21.95	96.8	7.6163	55.7334
2019	11	20	20	42	9	0.1	1.1	22.07	94.7	7.6285	56.3387
2019	11	20	20	52	9	0.1	1.1	22.23	99.8	7.6346	56.1295

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	20	21	2	9	0.1	1.1	21.51	98	7.6468	54.6828
2019	11	20	21	12	9	0.1	1.1	21.4	95.6	7.6529	54.7283
2019	11	20	21	22	9	0.1	1.1	20.48	95	7.6529	52.4158
2019	11	20	21	32	9	0.1	1.1	21.64	98.5	7.659	55.031
2019	11	20	21	42	9	0.1	1.1	21.98	97.3	7.659	56.0596
2019	11	20	21	52	9	0.1	1.1	21.68	97.4	7.6651	55.3341
2019	11	20	22	2	9	0.1	1.1	21.69	97.7	7.6651	55.3341
2019	11	20	22	12	9	0.1	1.1	22.6	97.6	7.6651	57.6504
2019	11	20	22	22	9	0.1	1.1	22.29	97.5	7.6712	56.9256
2019	11	20	22	32	9	0.1	1.1	21.81	97.9	7.6712	55.6377
2019	11	20	22	42	9	0.1	1.1	21.93	98.4	7.6712	55.8953
2019	11	20	22	52	9	0.1	1.1	22.07	97	7.6712	56.4104
2019	11	20	23	2	9	0.1	1.1	22.38	99	7.6712	56.9256
2019	11	20	23	12	9	0.1	1.1	21.5	97.8	7.6712	54.8649
2019	11	20	23	22	9	0.1	1.1	22.84	96.3	7.6773	58.5196
2019	11	20	23	32	9	0.1	1.1	22.24	96.5	7.6773	56.9728
2019	11	20	23	42	9	0.1	1.1	21.89	97.6	7.6773	55.9417
2019	11	20	23	52	9	0.1	1.1	21.89	95.2	7.6773	56.1995
2019	11	21	0	2	9	0.1	1.1	22.53	96.1	7.6773	57.7462
2019	11	21	0	12	9	0.1	1.1	21.08	94.9	7.6834	54.182
2019	11	21	0	22	9	0.1	1.1	20.71	95.8	7.6834	53.15
2019	11	21	0	32	9	0.1	1.1	23.02	99.5	7.6834	58.5682
2019	11	21	0	42	9	0.1	1.1	22.88	99.1	7.6834	58.3102
2019	11	21	0	52	9	0.1	1.1	22.69	97.3	7.6834	58.0521
2019	11	21	1	2	9	0.1	1.1	21.46	98.8	7.6773	54.6527
2019	11	21	1	12	9	0.1	1.1	22.18	97.3	7.6834	56.7621
2019	11	21	1	22	9	0.1	1.1	20.68	97.5	7.6834	52.892
2019	11	21	1	32	9	0.1	1.1	21.86	96.8	7.6773	55.9417
2019	11	21	1	42	9	0.1	1.1	22.51	99.5	7.6773	57.2307
2019	11	21	1	52	9	0.1	1.1	21.85	100.3	7.6773	55.4261
2019	11	21	2	2	9	0.1	1.1	22.28	97.2	7.6773	56.9729
2019	11	21	2	12	9	0.1	1.1	22.07	100.4	7.6773	55.9417
2019	11	21	2	22	9	0.1	1.1	21.27	99.2	7.6773	54.1371
2019	11	21	2	32	9	0.1	1.1	21.98	97.3	7.6773	56.1995
2019	11	21	2	42	9	0.1	1.1	21.82	99.8	7.6773	55.4261
2019	11	21	2	52	9	0.1	1.1	21.61	98	7.6773	55.1683
2019	11	21	3	2	9	0.1	1.1	21.15	96.8	7.6773	54.1371
2019	11	21	3	12	9	0.1	1.1	21.42	96.2	7.6712	54.8649
2019	11	21	3	22	9	0.1	1.1	22.15	98.6	7.6712	56.4105
2019	11	21	3	32	9	0.1	1.1	21.48	97.5	7.6712	54.8649
2019	11	21	3	42	9	0.1	1.1	22.41	99.5	7.6712	56.9256
2019	11	21	3	52	9	0.1	1.1	20.93	101.6	7.6712	52.8043
2019	11	21	4	2	9	0.1	1.1	21.61	98	7.6712	55.1225
2019	11	21	4	12	9	0.1	1.1	22.67	98.9	7.6712	57.6984
2019	11	21	4	22	9	0.1	1.1	21.6	97.7	7.6712	55.1225
2019	11	21	4	32	9	0.1	1.1	21.99	97.6	7.6651	56.1063
2019	11	21	4	42	9	0.1	1.1	21.84	98.4	7.6651	55.5915

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	21	4	52	9	0.1	1.1	22.53	98.2	7.6651	57.3931
2019	11	21	5	2	9	0.1	1.1	21.61	98	7.6651	55.0768
2019	11	21	5	12	9	0.1	1.1	22.09	95.2	7.6651	56.621
2019	11	21	5	22	9	0.1	1.1	21.4	97.8	7.6651	54.562
2019	11	21	5	32	9	0.1	1.1	21.43	98.3	7.659	54.5167
2019	11	21	5	42	9	0.1	1.1	21.05	96.8	7.659	53.7453
2019	11	21	5	52	9	0.1	1.1	21.52	98.3	7.659	54.7739
2019	11	21	6	2	9	0.1	1.1	20.44	98.7	7.659	51.9452
2019	11	21	6	12	9	0.1	1.1	21.45	96.7	7.659	54.7739
2019	11	21	6	22	9	0.1	1.1	20.94	96.6	7.659	53.4881
2019	11	21	6	32	9	0.1	1.1	22.28	97.2	7.659	56.8311
2019	11	21	6	42	9	0.1	1.1	20.8	99.7	7.659	52.7167
2019	11	21	6	52	9	0.1	1.1	21.24	96.5	7.6529	54.2145
2019	11	21	7	2	9	0.1	1.1	21.21	96	7.6529	54.2145
2019	11	21	7	12	9	0.1	1.1	21.04	96.6	7.6529	53.7006
2019	11	21	7	22	9	0.1	1.1	22.4	97.7	7.6529	57.0409
2019	11	21	7	32	9	0.1	1.1	22.06	98.9	7.6468	55.9665
2019	11	21	7	42	9	0.1	1.1	21.48	97.5	7.6468	54.6828
2019	11	21	7	52	9	0.1	1.1	21.59	99.3	7.6407	54.6373
2019	11	21	8	2	9	0.1	1.1	21.81	97.9	7.6407	55.4069
2019	11	21	8	12	9	0.1	1.1	21.07	97.4	7.6407	53.6113
2019	11	21	8	22	9	0.1	1.1	21.72	98.2	7.6407	55.1503
2019	11	21	8	32	9	0.1	1.1	20.9	99.6	7.6346	52.7977
2019	11	21	8	42	9	0.1	1.1	21.43	98.3	7.6346	54.3355
2019	11	21	8	52	9	0.1	1.1	20.44	98.7	7.6224	51.6861
2019	11	21	9	2	9	0.1	1.1	20.75	98.9	7.6224	52.4537
2019	11	21	9	12	9	0.1	1.1	21.79	97.6	7.6163	55.2221
2019	11	21	9	22	9	0.1	1.1	20.63	98.6	7.6163	52.1542
2019	11	21	9	32	9	0.1	1.1	20.93	100.2	7.6163	52.6655
2019	11	21	9	42	9	0.1	1.1	21.22	100	7.6102	53.3878
2019	11	21	9	52	9	0.1	1.1	22.3	95.4	7.6102	56.7086
2019	11	21	10	2	9	0.1	1.1	21.26	98.9	7.6102	53.6432
2019	11	21	10	12	9	0.1	1.1	22	99.4	7.6102	55.4313
2019	11	21	10	22	9	0.1	1.1	20.65	100.6	7.6102	51.8551
2019	11	21	10	32	9	0.1	1.1	21.75	98.7	7.6102	54.9204
2019	11	21	10	42	9	0.1	1.1	21.52	96.1	7.6102	54.6649
2019	11	21	10	52	9	0.1	1.1	20.34	98.8	7.6102	51.3442
2019	11	21	11	2	9	0.1	1.1	21.35	96.7	7.6041	54.1087
2019	11	21	11	12	9	0.1	1.1	21.59	99.3	7.6102	54.4095
2019	11	21	11	22	9	0.1	1.1	21.17	99.2	7.6041	53.343
2019	11	21	11	32	9	0.1	1.1	21.99	97.6	7.6041	55.6401
2019	11	21	11	42	9	0.1	1.1	20.8	99.7	7.6041	52.3221
2019	11	21	11	52	9	0.1	1.1	20.62	98.4	7.6041	52.0668
2019	11	21	12	2	9	0.1	1.1	21.43	96.4	7.6041	54.3639
2019	11	21	12	12	9	0.1	1.1	21.27	99.2	7.6041	53.5982
2019	11	21	12	22	9	0.1	1.1	20.93	100.2	7.6041	52.5773
2019	11	21	12	32	9	0.1	1.1	21.23	98.4	7.6041	53.5982

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	21	12	42	9	0.1	1.1	20.8	98	7.6041	52.5773
2019	11	21	12	52	9	0.1	1.1	22.08	99.1	7.6041	55.64
2019	11	21	13	2	9	0.1	1.1	21.47	99.1	7.6041	54.1086
2019	11	21	13	12	9	0.1	1.1	22.38	99	7.6041	56.4057
2019	11	21	13	22	9	0.1	1.1	21.75	100.3	7.6041	54.619
2019	11	21	13	32	9	0.1	1.1	21.31	99.7	7.6041	53.5981
2019	11	21	13	42	9	0.1	1.1	21.79	100.8	7.6041	54.619
2019	11	21	13	52	9	0.1	1.1	21.19	97.6	7.5981	53.5532
2019	11	21	14	2	9	0.1	1.1	20.9	98	7.5981	52.7881
2019	11	21	14	12	9	0.1	1.1	20.52	100.1	7.6041	51.5562
2019	11	21	14	22	9	0.1	1.1	22.09	97.5	7.5981	55.8483
2019	11	21	14	32	9	0.1	1.1	20.53	96.4	7.5981	52.023
2019	11	21	14	42	9	0.1	1.1	20.41	98.2	7.5981	51.513
2019	11	21	14	52	9	0.1	1.1	22.13	98.3	7.6041	55.8951
2019	11	21	15	2	9	0.1	1.1	20.5	99.8	7.5981	51.513
2019	11	21	15	12	9	0.1	1.1	21.09	99.6	7.5981	53.0431
2019	11	21	15	22	9	0.1	1.1	21.05	100.4	7.5981	52.7881
2019	11	21	15	32	9	0.1	1.1	19.71	100.2	7.5981	49.4729
2019	11	21	15	42	9	0.1	1.1	21.2	101.2	7.5981	53.0431
2019	11	21	15	52	9	0.1	1.1	20.95	101.8	7.5981	52.278
2019	11	21	16	2	9	0.1	1.1	21.28	97.6	7.6041	53.8532
2019	11	21	16	12	9	0.1	1.1	19.5	100	7.5981	48.9628
2019	11	21	16	22	9	0.1	1.1	20.93	100.2	7.6041	52.577
2019	11	21	16	32	9	0.1	1.1	21.21	98.1	7.5981	53.5531
2019	11	21	16	42	9	0.1	1.1	20.91	99.9	7.5981	52.533
2019	11	21	16	52	9	0.1	1.1	20.97	97.4	7.6041	53.0875
2019	11	21	17	2	9	0.1	1.1	20.83	98.6	7.6041	52.577
2019	11	21	17	12	9	0.1	1.1	22.54	98.4	7.6041	56.9159
2019	11	21	17	22	9	0.1	1.1	20.83	96.3	7.5981	52.788
2019	11	21	17	32	9	0.1	1.1	21.47	99.1	7.5981	54.0631
2019	11	21	17	42	9	0.1	1.1	21.73	101.4	7.6041	54.3636
2019	11	21	17	52	9	0.1	1.1	19.89	99.8	7.5981	49.9828
2019	11	21	18	2	9	0.1	1.1	21.03	100.1	7.5981	52.788
2019	11	21	18	12	9	0.1	1.1	21.28	97.6	7.5981	53.808
2019	11	21	18	22	9	0.1	1.1	21.75	100.3	7.6041	54.6188
2019	11	21	18	32	9	0.1	1.1	21.97	100.5	7.5981	55.0831
2019	11	21	18	42	9	0.1	1.1	21.75	98.7	7.5981	54.8281
2019	11	21	18	52	9	0.1	1.1	21.43	98.3	7.5981	54.0631
2019	11	21	19	2	9	0.1	1.1	21.65	98.8	7.5981	54.5731
2019	11	21	19	12	9	0.1	1.1	22.04	96.5	7.6041	55.895
2019	11	21	19	22	9	0.1	1.1	21.8	99.5	7.5981	54.8281
2019	11	21	19	32	9	0.1	1.1	21.69	97.7	7.5981	54.8281
2019	11	21	19	42	9	0.1	1.1	21.01	99.9	7.5981	52.788
2019	11	21	19	52	9	0.1	1.1	22.23	99.8	7.6041	55.895
2019	11	21	20	2	9	0.1	1.1	19.8	98.1	7.5981	49.9829
2019	11	21	20	12	9	0.1	1.1	21.56	96.9	7.6041	54.6189
2019	11	21	20	22	9	0.1	1.1	21.34	98.6	7.6041	53.8532

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	21	20	32	9	0.1	1.1	21.24	98.7	7.5981	53.5531
2019	11	21	20	42	9	0.1	1.1	21.6	95.6	7.5981	54.8282
2019	11	21	20	52	9	0.1	1.1	21.89	97.6	7.5981	55.3382
2019	11	21	21	2	9	0.1	1.1	22.13	98.3	7.5981	55.8482
2019	11	21	21	12	9	0.1	1.1	21.06	97.1	7.5981	53.2981
2019	11	21	21	22	9	0.1	1.1	22.26	98.8	7.6041	56.1503
2019	11	21	21	32	9	0.1	1.1	21.31	98.1	7.5981	53.8081
2019	11	21	21	42	9	0.1	1.1	21.32	100	7.6041	53.598
2019	11	21	21	52	9	0.1	1.1	21.28	97.6	7.5981	53.8081
2019	11	21	22	2	9	0.1	1.1	21.38	100.8	7.5981	53.5531
2019	11	21	22	12	9	0.1	1.1	20.67	99.2	7.5981	52.023
2019	11	21	22	22	9	0.1	1.1	21.88	97.4	7.5981	55.3382
2019	11	21	22	32	9	0.1	1.1	22.46	100.3	7.6041	56.4055
2019	11	21	22	42	9	0.1	1.1	22.16	100.4	7.6041	55.6399
2019	11	21	22	52	9	0.1	1.1	22.01	97.8	7.5981	55.5933
2019	11	21	23	2	9	0.1	1.1	21.79	97.6	7.6041	55.1294
2019	11	21	23	12	9	0.1	1.1	20.93	98.5	7.5981	52.7881
2019	11	21	23	22	9	0.1	1.1	20.97	97.4	7.5981	53.0432
2019	11	21	23	32	9	0.1	1.1	21	97.9	7.6041	53.0876
2019	11	21	23	42	9	0.1	1.1	19.89	99.8	7.5981	49.983
2019	11	21	23	52	9	0.1	1.1	21.34	98.6	7.5981	53.8082
2019	11	22	0	2	9	0.1	1.1	22	99.4	7.5981	55.3384
2019	11	22	0	12	9	0.1	1.1	21.65	98.8	7.5981	54.5733
2019	11	22	0	22	9	0.1	1.1	21.84	98.4	7.5981	55.0834
2019	11	22	0	32	9	0.1	1.1	21.34	98.6	7.5981	53.8083
2019	11	22	0	42	9	0.1	1.1	21.55	96.7	7.5981	54.5734
2019	11	22	0	52	9	0.1	1.1	21.21	99.8	7.5981	53.2983
2019	11	22	1	2	9	0.1	1.1	20.62	98.4	7.5981	52.0232
2019	11	22	1	12	9	0.1	1.1	22.03	98.4	7.5981	55.5935
2019	11	22	1	22	9	0.1	1.1	22.43	98.2	7.5981	56.6135
2019	11	22	1	32	9	0.1	1.1	21.43	98.3	7.5981	54.0634
2019	11	22	1	42	9	0.1	1.1	21.54	98.5	7.5981	54.3184
2019	11	22	1	52	9	0.1	1.1	21.22	100	7.5981	53.2984
2019	11	22	2	2	9	0.1	1.1	21.65	98.8	7.5981	54.5735
2019	11	22	2	12	9	0.1	1.1	21.75	98.7	7.5981	54.8285
2019	11	22	2	22	9	0.1	1.1	20.85	100.5	7.5981	52.2784
2019	11	22	2	32	9	0.1	1.1	21.2	97.9	7.5981	53.5534
2019	11	22	2	42	9	0.1	1.1	22.67	98.9	7.5981	57.1237
2019	11	22	2	52	9	0.1	1.1	23.3	99.1	7.5981	58.6538
2019	11	22	3	2	9	0.1	1.1	21.38	97.5	7.5981	54.0635
2019	11	22	3	12	9	0.1	1.1	20.82	98.3	7.5981	52.5334
2019	11	22	3	22	9	0.1	1.1	21.64	98.5	7.5981	54.5736
2019	11	22	3	32	9	0.1	1.1	21.68	97.4	7.5981	54.8286
2019	11	22	3	42	9	0.1	1.1	21.79	97.6	7.5981	55.0836
2019	11	22	3	52	9	0.1	1.1	20.66	97.2	7.5981	52.2785
2019	11	22	4	2	9	0.1	1.1	21.52	99.9	7.5981	54.0636
2019	11	22	4	12	9	0.1	1.1	21.65	98.8	7.5981	54.5736

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	22	4	22	9	0.1	1.1	22.29	97.5	7.5981	56.3588
2019	11	22	4	32	9	0.1	1.1	20.7	98.1	7.5981	52.2785
2019	11	22	4	42	9	0.1	1.1	21.4	97.8	7.5981	54.0636
2019	11	22	4	52	9	0.1	1.1	22.01	99.7	7.5981	55.3388
2019	11	22	5	2	9	0.1	1.1	22.79	99.1	7.5981	57.3789
2019	11	22	5	12	9	0.1	1.1	21.79	97.6	7.5981	55.0838
2019	11	22	5	22	9	0.1	1.1	21.69	97.7	7.5981	54.8287
2019	11	22	5	32	9	0.1	1.1	20.69	101.1	7.5981	51.7686
2019	11	22	5	42	9	0.1	1.1	21.6	99.6	7.5981	54.3187
2019	11	22	5	52	9	0.1	1.1	21.77	97.1	7.5981	55.0838
2019	11	22	6	2	9	0.1	1.1	21.61	98	7.5981	54.5738
2019	11	22	6	12	9	0.1	1.1	20.9	99.6	7.5981	52.5336
2019	11	22	6	22	9	0.1	1.1	22.46	101.6	7.5981	56.1039
2019	11	22	6	32	9	0.1	1.1	22.45	96.7	7.5981	56.869
2019	11	22	6	42	9	0.1	1.1	22.04	96.5	7.5981	55.8489
2019	11	22	6	52	9	0.1	1.1	20.9	98	7.6041	52.8329
2019	11	22	7	2	9	0.1	1.1	20.93	98.5	7.5981	52.7887
2019	11	22	7	12	9	0.1	1.1	21.75	98.7	7.5981	54.8288
2019	11	22	7	22	9	0.1	1.1	21.69	97.7	7.6041	54.8748
2019	11	22	7	32	9	0.1	1.1	21.56	100.4	7.5981	54.0638
2019	11	22	7	42	9	0.1	1.1	21.09	99.6	7.5981	53.0437
2019	11	22	7	52	9	0.1	1.1	21.91	99.7	7.5981	55.0839
2019	11	22	8	2	9	0.1	1.1	21.4	97.8	7.5981	54.0638
2019	11	22	8	12	9	0.1	1.1	22.02	101.3	7.5981	55.0839
2019	11	22	8	22	9	0.1	1.1	21.44	100.2	7.6041	53.8539
2019	11	22	8	32	9	0.1	1.1	21.84	98.4	7.6041	55.13
2019	11	22	8	42	9	0.1	1.1	21.02	98.2	7.6041	53.0882
2019	11	22	8	52	9	0.1	1.1	21.06	100.7	7.6041	52.8329
2019	11	22	9	2	9	0.1	1.1	21.57	99.1	7.6041	54.3643
2019	11	22	9	12	9	0.1	1.1	20.45	103.3	7.6041	50.7911
2019	11	22	9	22	9	0.1	1.1	21.62	99.9	7.6041	54.3643
2019	11	22	9	32	9	0.1	1.1	20.97	97.4	7.6041	53.0881
2019	11	22	9	42	9	0.1	1.1	21.32	100	7.6041	53.5985
2019	11	22	9	52	9	0.1	1.1	21.65	98.8	7.6041	54.6195
2019	11	22	10	2	9	0.1	1.1	20.79	102.5	7.6041	51.8119
2019	11	22	10	12	9	0.1	1.1	20.42	101.6	7.6041	51.0462
2019	11	22	10	22	9	0.1	1.1	21.03	100.1	7.6041	52.8328
2019	11	22	10	32	9	0.1	1.1	22.18	100.7	7.6041	55.6403
2019	11	22	10	42	9	0.1	1.1	21.45	96.7	7.6041	54.3641
2019	11	22	10	52	9	0.1	1.1	20.63	98.6	7.6041	52.067
2019	11	22	11	2	9	0.1	1.1	22.08	100.7	7.6041	55.385
2019	11	22	11	12	9	0.1	1.1	21.56	100.4	7.6102	54.1541
2019	11	22	11	22	9	0.1	1.1	22.15	100.1	7.6041	55.6402
2019	11	22	11	32	9	0.1	1.1	20.72	98.3	7.6102	52.366
2019	11	22	11	42	9	0.1	1.1	21.77	97.1	7.6102	55.1759
2019	11	22	11	52	9	0.1	1.1	21.13	98.4	7.6102	53.3877
2019	11	22	12	2	9	0.1	1.1	20.85	100.5	7.6102	52.3659

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	22	12	12	9	0.1	1.1	21.2	97.9	7.6102	53.6431
2019	11	22	12	22	9	0.1	1.1	21.21	99.8	7.6102	53.3877
2019	11	22	12	32	9	0.1	1.1	20.91	101.3	7.6102	52.3659
2019	11	22	12	42	9	0.1	1.1	20.78	99.4	7.6102	52.3659
2019	11	22	12	52	9	0.1	1.1	20.78	99.4	7.6102	52.3659
2019	11	22	13	2	9	0.1	1.1	20.77	100.8	7.6163	52.154
2019	11	22	13	12	9	0.1	1.1	20.63	101.7	7.6102	51.5995
2019	11	22	13	22	9	0.1	1.1	22.4	97.7	7.6163	56.7558
2019	11	22	13	32	9	0.1	1.1	21.08	99.3	7.6163	53.1766
2019	11	22	13	42	9	0.1	1.1	21.77	99	7.6163	54.9662
2019	11	22	13	52	9	0.1	1.1	21.85	100.3	7.6163	54.9661
2019	11	22	14	2	9	0.1	1.1	21.11	102.6	7.6163	52.6652
2019	11	22	14	12	9	0.1	1.1	21.55	98.8	7.6163	54.4548
2019	11	22	14	22	9	0.1	1.1	21.64	100.1	7.6163	54.4548
2019	11	22	14	32	9	0.1	1.1	20.86	97.2	7.6163	52.9209
2019	11	22	14	42	9	0.1	1.1	20.83	100.2	7.6163	52.4095
2019	11	22	14	52	9	0.1	1.1	21.44	101.6	7.6224	53.7327
2019	11	22	15	2	9	0.1	1.1	21.71	97.9	7.6224	55.012
2019	11	22	15	12	9	0.1	1.1	21.55	98.8	7.6224	54.5003
2019	11	22	15	22	9	0.1	1.1	21.43	98.3	7.6224	54.2444
2019	11	22	15	32	9	0.1	1.1	20.88	99.4	7.6224	52.7091
2019	11	22	15	42	9	0.1	1.1	20.98	101	7.6224	52.7091
2019	11	22	15	52	9	0.1	1.1	21.51	101.3	7.6224	53.9885
2019	11	22	16	2	9	0.1	1.1	21.37	99.2	7.6224	53.9885
2019	11	22	16	12	9	0.1	1.1	21.34	98.6	7.6224	53.9884
2019	11	22	16	22	9	0.1	1.1	21.17	99.2	7.6224	53.4767
2019	11	22	16	32	9	0.1	1.1	22	99.4	7.6224	55.5236
2019	11	22	16	42	9	0.1	1.1	22.19	99.3	7.6285	56.0822
2019	11	22	16	52	9	0.1	1.1	21.34	100.3	7.6224	53.7325
2019	11	22	17	2	9	0.1	1.1	21.04	98.7	7.6285	53.2653
2019	11	22	17	12	9	0.1	1.1	20.86	99.1	7.6285	52.7531
2019	11	22	17	22	9	0.1	1.1	20.48	97.6	7.6224	51.9414
2019	11	22	17	32	9	0.1	1.1	21.03	100.1	7.6285	53.0091
2019	11	22	17	42	9	0.1	1.1	21.43	98.3	7.6285	54.2896
2019	11	22	17	52	9	0.1	1.1	21.44	100.2	7.6285	54.0335
2019	11	22	18	2	9	0.1	1.1	21.71	97.9	7.6285	55.0578
2019	11	22	18	12	9	0.1	1.1	23.02	99.5	7.6285	58.1308
2019	11	22	18	22	9	0.1	1.1	21.36	98.9	7.6285	54.0335
2019	11	22	18	32	9	0.1	1.1	21.92	98.1	7.6285	55.57
2019	11	22	18	42	9	0.1	1.1	21.02	98.2	7.6285	53.2652
2019	11	22	18	52	9	0.1	1.1	21.83	100	7.6346	55.1037
2019	11	22	19	2	9	0.1	1.1	20.91	99.9	7.6346	52.7971
2019	11	22	19	12	9	0.1	1.1	21.34	98.6	7.6346	54.0786
2019	11	22	19	22	9	0.1	1.1	20.98	99.3	7.6285	53.0091
2019	11	22	19	32	9	0.1	1.1	21.42	102.7	7.6346	53.566
2019	11	22	19	42	9	0.1	1.1	21.16	99	7.6346	53.566
2019	11	22	19	52	9	0.1	1.1	21.16	102	7.6407	53.0977

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	22	20	2	9	0.1	1.1	20.95	98.8	7.6407	53.0977
2019	11	22	20	12	9	0.1	1.1	20.75	98.9	7.6407	52.5846
2019	11	22	20	22	9	0.1	1.1	22	99.4	7.6407	55.6628
2019	11	22	20	32	9	0.1	1.1	21.75	98.7	7.6468	55.1957
2019	11	22	20	42	9	0.1	1.1	22.33	98.2	7.6468	56.7361
2019	11	22	20	52	9	0.1	1.1	21.3	95.7	7.6468	54.4256
2019	11	22	21	2	9	0.1	1.1	21.26	98.9	7.6468	53.9121
2019	11	22	21	12	9	0.1	1.1	21.91	99.7	7.6529	55.4986
2019	11	22	21	22	9	0.1	1.1	21.47	99.1	7.6468	54.4256
2019	11	22	21	32	9	0.1	1.1	21.65	98.8	7.6468	54.939
2019	11	22	21	42	9	0.1	1.1	21.82	99.8	7.6529	55.2417
2019	11	22	21	52	9	0.1	1.1	21.65	98.8	7.6529	54.9848
2019	11	22	22	2	9	0.1	1.1	20.51	101.5	7.6529	51.6446
2019	11	22	22	12	9	0.1	1.1	21.96	98.9	7.6529	55.7556
2019	11	22	22	22	9	0.1	1.1	21.02	98.2	7.6529	53.4432
2019	11	22	22	32	9	0.1	1.1	21.85	100.3	7.6529	55.2417
2019	11	22	22	42	9	0.1	1.1	21.09	97.6	7.6529	53.7001
2019	11	22	22	52	9	0.1	1.1	21.32	100	7.6529	53.9571
2019	11	22	23	2	9	0.1	1.1	22.01	99.7	7.6529	55.7556
2019	11	22	23	12	9	0.1	1.1	20.91	99.9	7.6529	52.9293
2019	11	22	23	22	9	0.1	1.1	20.54	100.4	7.6529	51.9016
2019	11	22	23	32	9	0.1	1.1	21.8	99.5	7.6529	55.2418
2019	11	22	23	42	9	0.1	1.1	21.93	100	7.6529	55.4987
2019	11	22	23	52	9	0.1	1.1	21.75	98.7	7.6529	55.2418
2019	11	23	0	2	9	0.1	1.1	21.46	101.8	7.6529	53.9571
2019	11	23	0	12	9	0.1	1.1	20.85	98.8	7.6529	52.9294
2019	11	23	0	22	9	0.1	1.1	20.42	98.4	7.659	51.9448
2019	11	23	0	32	9	0.1	1.1	22.08	99.1	7.6529	56.0127
2019	11	23	0	42	9	0.1	1.1	22.31	99.5	7.6529	56.5265
2019	11	23	0	52	9	0.1	1.1	22.46	101.6	7.6529	56.5265
2019	11	23	1	2	9	0.1	1.1	21.32	100	7.6529	53.9572
2019	11	23	1	12	9	0.1	1.1	21.18	100.9	7.6529	53.4433
2019	11	23	1	22	9	0.1	1.1	21.13	98.4	7.6529	53.7002
2019	11	23	1	32	9	0.1	1.1	22.51	99.5	7.6529	57.0405
2019	11	23	1	42	9	0.1	1.1	21.24	101.7	7.6529	53.4433
2019	11	23	1	52	9	0.1	1.1	22.18	100.7	7.6529	56.0127
2019	11	23	2	2	9	0.1	1.1	21.18	100.9	7.6529	53.4433
2019	11	23	2	12	9	0.1	1.1	20.75	102	7.6529	52.1587
2019	11	23	2	22	9	0.1	1.1	21.27	104.4	7.6529	52.9295
2019	11	23	2	32	9	0.1	1.1	20.81	101.4	7.6529	52.4156
2019	11	23	2	42	9	0.1	1.1	21.68	99.3	7.659	55.0308
2019	11	23	2	52	9	0.1	1.1	21.42	99.9	7.659	54.2593
2019	11	23	3	2	9	0.1	1.1	20.28	101.1	7.6529	51.1309
2019	11	23	3	12	9	0.1	1.1	22.18	100.7	7.659	56.0594
2019	11	23	3	22	9	0.1	1.1	20.91	99.9	7.659	52.9736
2019	11	23	3	32	9	0.1	1.1	21.39	99.4	7.6529	54.2142
2019	11	23	3	42	9	0.1	1.1	21.32	100	7.659	54.0022

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	23	3	52	9	0.1	1.1	21.26	98.9	7.659	54.0022
2019	11	23	4	2	9	0.1	1.1	20.75	98.9	7.659	52.7164
2019	11	23	4	12	9	0.1	1.1	20.3	99.9	7.659	51.4307
2019	11	23	4	22	9	0.1	1.1	20.68	99.5	7.659	52.4593
2019	11	23	4	32	9	0.1	1.1	21.48	100.7	7.659	54.2594
2019	11	23	4	42	9	0.1	1.1	20.76	97.2	7.659	52.9736
2019	11	23	4	52	9	0.1	1.1	21.8	99.5	7.659	55.288
2019	11	23	5	2	9	0.1	1.1	21.52	99.9	7.659	54.5166
2019	11	23	5	12	9	0.1	1.1	21.22	100	7.6529	53.7004
2019	11	23	5	22	9	0.1	1.1	22.29	97.5	7.6529	56.7837
2019	11	23	5	32	9	0.1	1.1	21.22	100	7.659	53.7451
2019	11	23	5	42	9	0.1	1.1	21.44	100.2	7.6529	54.2143
2019	11	23	5	52	9	0.1	1.1	20.54	100.4	7.659	51.9451
2019	11	23	6	2	9	0.1	1.1	21.72	99.8	7.659	55.0309
2019	11	23	6	12	9	0.1	1.1	21.53	101.5	7.659	54.2595
2019	11	23	6	22	9	0.1	1.1	21.19	97.6	7.659	54.0023
2019	11	23	6	32	9	0.1	1.1	22.34	100.1	7.659	56.5739
2019	11	23	6	42	9	0.1	1.1	21.24	100.3	7.659	53.7452
2019	11	23	6	52	9	0.1	1.1	21.6	97.7	7.659	55.031
2019	11	23	7	2	9	0.1	1.1	20.32	98.5	7.6529	51.645
2019	11	23	7	12	9	0.1	1.1	21.42	99.9	7.659	54.2595
2019	11	23	7	22	9	0.1	1.1	21.48	100.7	7.659	54.2595
2019	11	23	7	32	9	0.1	1.1	22.79	99.1	7.659	57.8597
2019	11	23	7	42	9	0.1	1.1	20.14	100.6	7.659	50.9165
2019	11	23	7	52	9	0.1	1.1	22.21	99.6	7.6529	56.2699
2019	11	23	8	2	9	0.1	1.1	22.51	97.9	7.6529	57.2977
2019	11	23	8	12	9	0.1	1.1	21.82	99.8	7.6529	55.2422
2019	11	23	8	22	9	0.1	1.1	21.13	100.1	7.6529	53.4436
2019	11	23	8	32	9	0.1	1.1	20.73	100.3	7.659	52.4594
2019	11	23	8	42	9	0.1	1.1	21.39	99.4	7.6529	54.2144
2019	11	23	8	52	9	0.1	1.1	20.42	98.4	7.6529	51.9019
2019	11	23	9	2	9	0.1	1.1	22.19	97.5	7.6529	56.5268
2019	11	23	9	12	9	0.1	1.1	21.5	97.8	7.659	54.7738
2019	11	23	9	22	9	0.1	1.1	21.94	96.5	7.6529	56.0129
2019	11	23	9	32	9	0.1	1.1	21.09	99.6	7.659	53.488
2019	11	23	9	42	9	0.1	1.1	21.04	98.7	7.6529	53.4435
2019	11	23	9	52	9	0.1	1.1	20.86	97.2	7.6529	53.1865
2019	11	23	10	2	9	0.1	1.1	21.14	100.4	7.659	53.4879
2019	11	23	10	12	9	0.1	1.1	21.32	101.4	7.659	53.7451
2019	11	23	10	22	9	0.1	1.1	21.65	98.8	7.6529	54.9851
2019	11	23	10	32	9	0.1	1.1	21.75	98.7	7.6529	55.242
2019	11	23	10	42	9	0.1	1.1	21.6	97.7	7.659	55.0308
2019	11	23	10	52	9	0.1	1.1	21.55	98.8	7.659	54.7736
2019	11	23	11	2	9	0.1	1.1	21.59	99.3	7.6529	54.7281
2019	11	23	11	12	9	0.1	1.1	22.01	99.7	7.659	55.8022
2019	11	23	11	22	9	0.1	1.1	22.06	98.9	7.659	56.0593
2019	11	23	11	32	9	0.1	1.1	21.26	100.6	7.6529	53.7003

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	23	11	42	9	0.1	1.1	22.14	101.5	7.659	55.8022
2019	11	23	11	52	9	0.1	1.1	20.75	96.9	7.659	52.9735
2019	11	23	12	2	9	0.1	1.1	22.05	98.6	7.6529	56.0127
2019	11	23	12	12	9	0.1	1.1	21.4	101	7.659	54.002
2019	11	23	12	22	9	0.1	1.1	22.11	99.6	7.659	56.0593
2019	11	23	12	32	9	0.1	1.1	21.13	98.4	7.6529	53.7002
2019	11	23	12	42	9	0.1	1.1	21.62	99.9	7.659	54.7735
2019	11	23	12	52	9	0.1	1.1	21.72	99.8	7.659	55.0306
2019	11	23	13	2	9	0.1	1.1	21.93	100	7.659	55.5449
2019	11	23	13	12	9	0.1	1.1	22.18	97.3	7.659	56.5735
2019	11	23	13	22	9	0.1	1.1	21.39	99.4	7.659	54.2591
2019	11	23	13	32	9	0.1	1.1	21.55	98.8	7.659	54.7734
2019	11	23	13	42	9	0.1	1.1	21.97	97.1	7.659	56.0592
2019	11	23	13	52	9	0.1	1.1	22.19	97.5	7.659	56.5734
2019	11	23	14	2	9	0.1	1.1	21.3	97.8	7.659	54.2591
2019	11	23	14	12	9	0.1	1.1	22.39	97.4	7.659	57.0877
2019	11	23	14	22	9	0.1	1.1	21.55	98.8	7.6529	54.7278
2019	11	23	14	32	9	0.1	1.1	21.65	98.8	7.659	55.0305
2019	11	23	14	42	9	0.1	1.1	21.69	97.7	7.6529	55.2417
2019	11	23	14	52	9	0.1	1.1	21.3	97.8	7.6529	54.2139
2019	11	23	15	2	9	0.1	1.1	20.6	99.8	7.6529	52.1584
2019	11	23	15	12	9	0.1	1.1	22.25	98.5	7.6529	56.5263
2019	11	23	15	22	9	0.1	1.1	22.94	98.3	7.6529	58.3249
2019	11	23	15	32	9	0.1	1.1	21.4	99.7	7.6529	54.2139
2019	11	23	15	42	9	0.1	1.1	22.16	98.8	7.659	56.3162
2019	11	23	15	52	9	0.1	1.1	21.04	98.7	7.6529	53.443
2019	11	23	16	2	9	0.1	1.1	21.32	96.2	7.6529	54.4708
2019	11	23	16	12	9	0.1	1.1	21.7	99.5	7.6529	54.9846
2019	11	23	16	22	9	0.1	1.1	22.44	98.5	7.6529	57.0401
2019	11	23	16	32	9	0.1	1.1	21.55	98.8	7.6529	54.7277
2019	11	23	16	42	9	0.1	1.1	21.13	98.4	7.6529	53.6999
2019	11	23	16	52	9	0.1	1.1	21.49	101	7.6529	54.2138
2019	11	23	17	2	9	0.1	1.1	20.22	100.3	7.6529	51.1306
2019	11	23	17	12	9	0.1	1.1	22.31	99.5	7.6529	56.5262
2019	11	23	17	22	9	0.1	1.1	21.69	97.7	7.6529	55.2416
2019	11	23	17	32	9	0.1	1.1	21.54	100.2	7.6529	54.4707
2019	11	23	17	42	9	0.1	1.1	21.75	98.7	7.6529	55.2416
2019	11	23	17	52	9	0.1	1.1	21.06	97.1	7.6529	53.6999
2019	11	23	18	2	9	0.1	1.1	22.42	99.8	7.6468	56.736
2019	11	23	18	12	9	0.1	1.1	20.98	99.3	7.6529	53.1861
2019	11	23	18	22	9	0.1	1.1	20.59	97.8	7.6468	52.3717
2019	11	23	18	32	9	0.1	1.1	22.18	99.1	7.6468	56.2225
2019	11	23	18	42	9	0.1	1.1	21.47	99.1	7.6468	54.4255
2019	11	23	18	52	9	0.1	1.1	21.55	96.7	7.6468	54.9389
2019	11	23	19	2	9	0.1	1.1	21.67	99	7.6468	54.9389
2019	11	23	19	12	9	0.1	1.1	21.44	100.2	7.6468	54.1688
2019	11	23	19	22	9	0.1	1.1	21.55	98.8	7.6468	54.6822

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	23	19	32	9	0.1	1.1	21.42	99.9	7.6468	54.1688
2019	11	23	19	42	9	0.1	1.1	22.51	97.9	7.6407	57.2018
2019	11	23	19	52	9	0.1	1.1	22.05	98.6	7.6407	55.9193
2019	11	23	20	2	9	0.1	1.1	21.85	100.3	7.6407	55.1498
2019	11	23	20	12	9	0.1	1.1	21.36	98.9	7.6407	54.1237
2019	11	23	20	22	9	0.1	1.1	20.9	98	7.6407	53.0977
2019	11	23	20	32	9	0.1	1.1	21.88	99.2	7.6346	55.3602
2019	11	23	20	42	9	0.1	1.1	21.39	99.4	7.6346	54.0787
2019	11	23	20	52	9	0.1	1.1	22.51	99.5	7.6346	56.898
2019	11	23	21	2	9	0.1	1.1	21.08	99.3	7.6407	53.3543
2019	11	23	21	12	9	0.1	1.1	21.34	98.6	7.6407	54.1238
2019	11	23	21	22	9	0.1	1.1	22.22	98	7.6346	56.3854
2019	11	23	21	32	9	0.1	1.1	20.68	97.5	7.6285	52.4972
2019	11	23	21	42	9	0.1	1.1	21.92	98.1	7.6285	55.5702
2019	11	23	21	52	9	0.1	1.1	21.17	97.3	7.6285	53.7776
2019	11	23	22	2	9	0.1	1.1	21.33	98.4	7.6346	54.0788
2019	11	23	22	12	9	0.1	1.1	20.44	98.7	7.6285	51.729
2019	11	23	22	22	9	0.1	1.1	20.88	99.4	7.6285	52.7533
2019	11	23	22	32	9	0.1	1.1	21.67	102	7.6285	54.2898
2019	11	23	22	42	9	0.1	1.1	21.1	97.9	7.6285	53.5216
2019	11	23	22	52	9	0.1	1.1	21.8	99.5	7.6285	55.0581
2019	11	23	23	2	9	0.1	1.1	20.85	98.8	7.6224	52.7094
2019	11	23	23	12	9	0.1	1.1	21.42	99.9	7.6224	53.9887
2019	11	23	23	22	9	0.1	1.1	21.68	99.3	7.6224	54.7564
2019	11	23	23	32	9	0.1	1.1	22.18	99.1	7.6224	56.0357
2019	11	23	23	42	9	0.1	1.1	21.65	98.8	7.6224	54.7564
2019	11	23	23	52	9	0.1	1.1	20.77	100.8	7.6224	52.1977
2019	11	24	0	2	9	0.1	1.1	21.18	100.9	7.6224	53.2212
2019	11	24	0	12	9	0.1	1.1	20.37	99.3	7.6224	51.4301
2019	11	24	0	22	9	0.1	1.1	20.81	102.8	7.6224	51.9419
2019	11	24	0	32	9	0.1	1.1	21.16	102	7.6224	52.9654
2019	11	24	0	42	9	0.1	1.1	20.83	100.2	7.6285	52.4975
2019	11	24	0	52	9	0.1	1.1	20.93	98.5	7.6224	52.9654
2019	11	24	1	2	9	0.1	1.1	21.99	97.6	7.6224	55.7801
2019	11	24	1	12	9	0.1	1.1	21.55	98.8	7.6224	54.5007
2019	11	24	1	22	9	0.1	1.1	21.55	98.8	7.6224	54.5007
2019	11	24	1	32	9	0.1	1.1	20.93	98.5	7.6163	52.9213
2019	11	24	1	42	9	0.1	1.1	23.12	98	7.6224	58.5947
2019	11	24	1	52	9	0.1	1.1	21.57	99.1	7.6163	54.4553
2019	11	24	2	2	9	0.1	1.1	22.01	99.7	7.6224	55.5243
2019	11	24	2	12	9	0.1	1.1	21.07	97.4	7.6163	53.4327
2019	11	24	2	22	9	0.1	1.1	20.91	101.3	7.6163	52.4101
2019	11	24	2	32	9	0.1	1.1	20.83	100.2	7.6224	52.4539
2019	11	24	2	42	9	0.1	1.1	20.57	99.2	7.6163	51.8988
2019	11	24	2	52	9	0.1	1.1	20.32	100.2	7.6163	51.1318
2019	11	24	3	2	9	0.1	1.1	21.9	99.5	7.6102	55.1762
2019	11	24	3	12	9	0.1	1.1	21.04	98.7	7.6163	53.1771

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	24	3	22	9	0.1	1.1	21.08	99.3	7.6163	53.1771
2019	11	24	3	32	9	0.1	1.1	20.44	100.4	7.6163	51.3875
2019	11	24	3	42	9	0.1	1.1	20.62	102.9	7.6102	51.3446
2019	11	24	3	52	9	0.1	1.1	21.59	100.9	7.6102	54.1545
2019	11	24	4	2	9	0.1	1.1	23.15	100	7.6102	58.2416
2019	11	24	4	12	9	0.1	1.1	20.96	99.1	7.6102	52.8773
2019	11	24	4	22	9	0.1	1.1	21.52	98.3	7.6102	54.41
2019	11	24	4	32	9	0.1	1.1	20.67	99.2	7.6102	52.111
2019	11	24	4	42	9	0.1	1.1	21.23	98.4	7.6102	53.6437
2019	11	24	4	52	9	0.1	1.1	21.5	99.6	7.6102	54.1546
2019	11	24	5	2	9	0.1	1.1	20.79	102.5	7.6102	51.8556
2019	11	24	5	12	9	0.1	1.1	21.8	99.5	7.6041	54.875
2019	11	24	5	22	9	0.1	1.1	20.91	101.3	7.6102	52.3665
2019	11	24	5	32	9	0.1	1.1	22.34	100.1	7.6041	56.1512
2019	11	24	5	42	9	0.1	1.1	22.97	98.8	7.6041	57.9378
2019	11	24	5	52	9	0.1	1.1	20.81	101.4	7.6041	52.0675
2019	11	24	6	2	9	0.1	1.1	21.53	101.5	7.6041	53.8541
2019	11	24	6	12	9	0.1	1.1	21.38	102.2	7.6041	53.3437
2019	11	24	6	22	9	0.1	1.1	21.93	101.3	7.6041	54.8751
2019	11	24	6	32	9	0.1	1.1	21.22	100	7.6041	53.3437
2019	11	24	6	42	9	0.1	1.1	21.69	97.7	7.6041	54.8751
2019	11	24	6	52	9	0.1	1.1	21.16	99	7.6041	53.3437
2019	11	24	7	2	9	0.1	1.1	21.37	99.2	7.6041	53.8542
2019	11	24	7	12	9	0.1	1.1	21.55	98.8	7.5981	54.3191
2019	11	24	7	22	9	0.1	1.1	21.48	100.7	7.6041	53.8542
2019	11	24	7	32	9	0.1	1.1	21.27	99.2	7.5981	53.5541
2019	11	24	7	42	9	0.1	1.1	21.95	101.6	7.5981	54.8292
2019	11	24	7	52	9	0.1	1.1	21.79	97.6	7.5981	55.0842
2019	11	24	8	2	9	0.1	1.1	22.26	100.4	7.5981	55.8493
2019	11	24	8	12	9	0.1	1.1	20.85	98.8	7.5981	52.534
2019	11	24	8	22	9	0.1	1.1	21.2	101.2	7.5981	53.044
2019	11	24	8	32	9	0.1	1.1	22.36	101.6	7.5981	55.8492
2019	11	24	8	42	9	0.1	1.1	21.41	98.1	7.5981	54.0641
2019	11	24	8	52	9	0.1	1.1	20.67	100.9	7.5981	51.7689
2019	11	24	9	2	9	0.1	1.1	21.2	101.2	7.5981	53.044
2019	11	24	9	12	9	0.1	1.1	20.91	101.3	7.5981	52.2789
2019	11	24	9	22	9	0.1	1.1	21.39	99.4	7.5981	53.809
2019	11	24	9	32	9	0.1	1.1	23.1	99.2	7.5981	58.1443
2019	11	24	9	42	9	0.1	1.1	20.6	99.8	7.5981	51.7688
2019	11	24	9	52	9	0.1	1.1	20.7	99.7	7.5981	52.0238
2019	11	24	10	2	9	0.1	1.1	21.88	99.2	7.5981	55.084
2019	11	24	10	12	9	0.1	1.1	21.6	97.7	7.5981	54.574
2019	11	24	10	22	9	0.1	1.1	22.94	98.3	7.5981	57.8892
2019	11	24	10	32	9	0.1	1.1	22.33	99.8	7.5981	56.1041
2019	11	24	10	42	9	0.1	1.1	21.38	97.5	7.5981	54.0639
2019	11	24	10	52	9	0.1	1.1	21.87	98.9	7.5981	55.0839
2019	11	24	11	2	9	0.1	1.1	20.76	99.1	7.5981	52.2787

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	24	11	12	9	0.1	1.1	21.84	98.4	7.5981	55.0839
2019	11	24	11	22	9	0.1	1.1	20.65	98.9	7.5981	52.0237
2019	11	24	11	32	9	0.1	1.1	20.37	99.3	7.5981	51.2586
2019	11	24	11	42	9	0.1	1.1	21.02	101.5	7.5981	52.5337
2019	11	24	11	52	9	0.1	1.1	21.06	100.7	7.5981	52.7887
2019	11	24	12	2	9	0.1	1.1	21.2	101.2	7.5981	53.0437
2019	11	24	12	12	9	0.1	1.1	21.5	99.6	7.5981	54.0637
2019	11	24	12	22	9	0.1	1.1	21.22	100	7.5981	53.2987
2019	11	24	12	32	9	0.1	1.1	21.39	99.4	7.5981	53.8087
2019	11	24	12	42	9	0.1	1.1	21.95	98.6	7.5981	55.3388
2019	11	24	12	52	9	0.1	1.1	21.09	99.6	7.5981	53.0436
2019	11	24	13	2	9	0.1	1.1	22.38	99	7.5981	56.3588
2019	11	24	13	12	9	0.1	1.1	22.33	98.2	7.5981	56.3588
2019	11	24	13	22	9	0.1	1.1	21.57	99.1	7.5981	54.3187
2019	11	24	13	32	9	0.1	1.1	21.14	100.4	7.5981	53.0436
2019	11	24	13	42	9	0.1	1.1	21.04	98.7	7.5981	53.0435
2019	11	24	13	52	9	0.1	1.1	22	99.4	7.5981	55.3387
2019	11	24	14	2	9	0.1	1.1	21.01	99.9	7.5981	52.7885
2019	11	24	14	12	9	0.1	1.1	21.11	102.6	7.6041	52.5775
2019	11	24	14	22	9	0.1	1.1	20.42	98.4	7.5981	51.5134
2019	11	24	14	32	9	0.1	1.1	22	99.4	7.5981	55.3386
2019	11	24	14	42	9	0.1	1.1	21.09	97.6	7.5981	53.2985
2019	11	24	14	52	9	0.1	1.1	20.72	102.8	7.5981	51.5134
2019	11	24	15	2	9	0.1	1.1	21.04	98.7	7.6041	53.0879
2019	11	24	15	12	9	0.1	1.1	21.38	102.2	7.6041	53.3431
2019	11	24	15	22	9	0.1	1.1	20.83	100.2	7.6041	52.3222
2019	11	24	15	32	9	0.1	1.1	20.4	99.9	7.6041	51.3013
2019	11	24	15	42	9	0.1	1.1	21.64	98.5	7.6041	54.6192
2019	11	24	15	52	9	0.1	1.1	20.44	101.9	7.6041	51.046
2019	11	24	16	2	9	0.1	1.1	20.79	103.6	7.6041	51.5565
2019	11	24	16	12	9	0.1	1.1	22.1	99.4	7.6041	55.6401
2019	11	24	16	22	9	0.1	1.1	21.24	101.7	7.6041	53.0878
2019	11	24	16	32	9	0.1	1.1	20.82	98.3	7.5981	52.5333
2019	11	24	16	42	9	0.1	1.1	20.34	100.5	7.6041	51.046
2019	11	24	16	52	9	0.1	1.1	20.83	100.2	7.6041	52.3221
2019	11	24	17	2	9	0.1	1.1	20.96	99.1	7.6041	52.8326
2019	11	24	17	12	9	0.1	1.1	20.63	98.6	7.6041	52.0669
2019	11	24	17	22	9	0.1	1.1	20.96	99.1	7.6041	52.8325
2019	11	24	17	32	9	0.1	1.1	23.02	98	7.6041	58.1924
2019	11	24	17	42	9	0.1	1.1	21.67	100.6	7.6041	54.3639
2019	11	24	17	52	9	0.1	1.1	21.26	98.9	7.6041	53.5982
2019	11	24	18	2	9	0.1	1.1	21.16	97.1	7.6041	53.5982
2019	11	24	18	12	9	0.1	1.1	21.5	97.8	7.5981	54.3184
2019	11	24	18	22	9	0.1	1.1	21.62	98.2	7.5981	54.5734
2019	11	24	18	32	9	0.1	1.1	21.31	98.1	7.5981	53.8084
2019	11	24	18	42	9	0.1	1.1	21.65	101.7	7.5981	54.0634
2019	11	24	18	52	9	0.1	1.1	21.95	98.6	7.5981	55.3385

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	24	19	2	9	0.1	1.1	21.39	99.4	7.5981	53.8085
2019	11	24	19	12	9	0.1	1.1	20.96	99.1	7.5981	52.7884
2019	11	24	19	22	9	0.1	1.1	21.92	98.1	7.5981	55.3386
2019	11	24	19	32	9	0.1	1.1	21.17	97.3	7.5981	53.5535
2019	11	24	19	42	9	0.1	1.1	21.85	98.7	7.5981	55.0836
2019	11	24	19	52	9	0.1	1.1	21.17	99.2	7.592	53.2538
2019	11	24	20	2	9	0.1	1.1	20.76	99.1	7.592	52.2346
2019	11	24	20	12	9	0.1	1.1	20.57	97.3	7.592	51.9799
2019	11	24	20	22	9	0.1	1.1	22.33	98.2	7.592	56.3115
2019	11	24	20	32	9	0.1	1.1	19.88	106.1	7.592	48.6674
2019	11	24	20	42	9	0.1	1.1	21.09	97.6	7.592	53.2539
2019	11	24	20	52	9	0.1	1.1	21.5	99.6	7.592	54.0184
2019	11	24	21	2	9	0.1	1.1	21.8	99.5	7.592	54.7828
2019	11	24	21	12	9	0.1	1.1	22.38	100.6	7.5859	56.0098
2019	11	24	21	22	9	0.1	1.1	22.01	99.7	7.5859	55.2461
2019	11	24	21	32	9	0.1	1.1	21.49	101	7.5859	53.7185
2019	11	24	21	42	9	0.1	1.1	20.82	98.3	7.5859	52.4456
2019	11	24	21	52	9	0.1	1.1	21.92	98.1	7.5859	55.2461
2019	11	24	22	2	9	0.1	1.1	22.15	100.1	7.5859	55.5007
2019	11	24	22	12	9	0.1	1.1	21.44	98.6	7.5859	53.9732
2019	11	24	22	22	9	0.1	1.1	20.24	100.5	7.5859	50.6635
2019	11	24	22	32	9	0.1	1.1	21.01	99.9	7.592	52.7445
2019	11	24	22	42	9	0.1	1.1	22.07	100.4	7.592	55.2926
2019	11	24	22	52	9	0.1	1.1	21.1	101.2	7.592	52.7446
2019	11	24	23	2	9	0.1	1.1	20.54	100.4	7.592	51.4706
2019	11	24	23	12	9	0.1	1.1	21.09	99.6	7.592	52.9994
2019	11	24	23	22	9	0.1	1.1	21.3	97.8	7.592	53.7639
2019	11	24	23	32	9	0.1	1.1	20.32	100.2	7.592	50.961
2019	11	24	23	42	9	0.1	1.1	21.26	98.9	7.592	53.5091
2019	11	24	23	52	9	0.1	1.1	20.72	102.8	7.592	51.4707
2019	11	25	0	2	9	0.1	1.1	20.16	99.1	7.592	50.7063
2019	11	25	0	12	9	0.1	1.1	19.72	96.4	7.592	49.9419
2019	11	25	0	22	9	0.1	1.1	21.3	97.8	7.592	53.764
2019	11	25	0	32	9	0.1	1.1	21.2	101.2	7.592	52.9996
2019	11	25	0	42	9	0.1	1.1	21.34	101.6	7.592	53.2544
2019	11	25	0	52	9	0.1	1.1	22.12	98.1	7.592	55.8025
2019	11	25	1	2	9	0.1	1.1	21.42	99.9	7.592	53.7641
2019	11	25	1	12	9	0.1	1.1	20.67	100.9	7.592	51.7257
2019	11	25	1	22	9	0.1	1.1	20.51	101.5	7.592	51.2161
2019	11	25	1	32	9	0.1	1.1	20.7	99.7	7.592	51.9805
2019	11	25	1	42	9	0.1	1.1	20.54	96.7	7.5859	51.9369
2019	11	25	1	52	9	0.1	1.1	20.69	101.1	7.5859	51.6824
2019	11	25	2	2	9	0.1	1.1	20.48	99.6	7.5859	51.4278
2019	11	25	2	12	9	0.1	1.1	19.96	103.6	7.5859	49.3911
2019	11	25	2	22	9	0.1	1.1	20.44	101.9	7.5859	50.9186
2019	11	25	2	32	9	0.1	1.1	21.14	98.7	7.5859	53.21
2019	11	25	2	42	9	0.1	1.1	20.75	100.6	7.5859	51.937

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	25	2	52	9	0.1	1.1	21.14	98.7	7.5859	53.21
2019	11	25	3	2	9	0.1	1.1	21.18	102.3	7.5798	52.6566
2019	11	25	3	12	9	0.1	1.1	22.5	97.7	7.5798	56.7267
2019	11	25	3	22	9	0.1	1.1	21.29	99.5	7.5737	53.3749
2019	11	25	3	32	9	0.1	1.1	21.14	96.5	7.5737	53.3749
2019	11	25	3	42	9	0.1	1.1	21.6	99.6	7.5737	54.1374
2019	11	25	3	52	9	0.1	1.1	21.16	99	7.5737	53.1208
2019	11	25	4	2	9	0.1	1.1	21.09	102.3	7.5737	52.3583
2019	11	25	4	12	9	0.1	1.1	21.46	101.8	7.5737	53.375
2019	11	25	4	22	9	0.1	1.1	20.42	101.6	7.5737	50.8333
2019	11	25	4	32	9	0.1	1.1	20.96	99.1	7.5676	52.5683
2019	11	25	4	42	9	0.1	1.1	21.48	97.5	7.5737	54.1375
2019	11	25	4	52	9	0.1	1.1	21.7	99.5	7.5676	54.346
2019	11	25	5	2	9	0.1	1.1	22.03	99.9	7.5676	55.1078
2019	11	25	5	12	9	0.1	1.1	21.34	100.3	7.5676	53.3302
2019	11	25	5	22	9	0.1	1.1	21.91	102.4	7.5676	54.346
2019	11	25	5	32	9	0.1	1.1	22.05	96.8	7.5676	55.6158
2019	11	25	5	42	9	0.1	1.1	21.63	101.5	7.5676	53.8381
2019	11	25	5	52	9	0.1	1.1	20.16	99.1	7.5676	50.5367
2019	11	25	6	2	9	0.1	1.1	19.96	99.2	7.5676	50.0288
2019	11	25	6	12	9	0.1	1.1	21.1	101.2	7.5676	52.5684
2019	11	25	6	22	9	0.1	1.1	21.28	97.6	7.5676	53.5842
2019	11	25	6	32	9	0.1	1.1	21.02	101.5	7.5676	52.3144
2019	11	25	6	42	9	0.1	1.1	21.05	100.4	7.5676	52.5684
2019	11	25	6	52	9	0.1	1.1	20.95	101.8	7.5676	52.0605
2019	11	25	7	2	9	0.1	1.1	21.29	99.5	7.5676	53.3303
2019	11	25	7	12	9	0.1	1.1	20.53	101.8	7.5615	51.0018
2019	11	25	7	22	9	0.1	1.1	20.85	101.9	7.5676	51.8066
2019	11	25	7	32	9	0.1	1.1	20.89	101	7.5615	52.0167
2019	11	25	7	42	9	0.1	1.1	21.19	99.5	7.5676	53.0764
2019	11	25	7	52	9	0.1	1.1	20.95	98.8	7.5676	52.5685
2019	11	25	8	2	9	0.1	1.1	20.73	100.3	7.5676	51.8066
2019	11	25	8	12	9	0.1	1.1	19.75	102.3	7.5615	48.9718
2019	11	25	8	22	9	0.1	1.1	20.83	100.2	7.5615	52.0167
2019	11	25	8	32	9	0.1	1.1	20.83	98.6	7.5615	52.2704
2019	11	25	8	42	9	0.1	1.1	18.96	99.4	7.5615	47.4493
2019	11	25	8	52	9	0.1	1.1	19.19	99.9	7.5676	47.9972
2019	11	25	9	2	9	0.1	1.1	19.99	102.7	7.5615	49.4792
2019	11	25	9	12	9	0.1	1.1	22.13	98.3	7.5676	55.6157
2019	11	25	9	22	9	0.1	1.1	22.72	95.8	7.5615	57.3451
2019	11	25	9	32	9	0.1	1.1	22.5	97.7	7.5615	56.5839
2019	11	25	9	42	9	0.1	1.1	20.32	100.2	7.5676	50.7906
2019	11	25	9	52	9	0.1	1.1	21.26	97	7.5615	53.539
2019	11	25	10	2	9	0.1	1.1	21.7	99.5	7.5615	54.3002
2019	11	25	10	12	9	0.1	1.1	20.8	98	7.5676	52.3143
2019	11	25	10	22	9	0.1	1.1	21.56	96.9	7.5676	54.3459
2019	11	25	10	32	9	0.1	1.1	22.87	97	7.5615	57.5987

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	25	10	42	9	0.1	1.1	21.69	97.7	7.5737	54.6457
2019	11	25	10	52	9	0.1	1.1	22.08	99.1	7.5615	55.315
2019	11	25	11	2	9	0.1	1.1	20.42	98.4	7.5615	51.2552
2019	11	25	11	12	9	0.1	1.1	22.48	97.2	7.5676	56.6313
2019	11	25	11	22	9	0.1	1.1	20.86	97.2	7.5737	52.6123
2019	11	25	11	32	9	0.1	1.1	20.65	98.9	7.5615	51.7626
2019	11	25	11	42	9	0.1	1.1	20.24	98.8	7.5615	50.7477
2019	11	25	11	52	9	0.1	1.1	20.43	96.5	7.5615	51.5089
2019	11	25	12	2	9	0.1	1.1	21.24	100.3	7.5554	52.9866
2019	11	25	12	12	9	0.1	1.1	20.06	97.2	7.5615	50.4939
2019	11	25	12	22	9	0.1	1.1	20.73	98.6	7.5432	51.8849
2019	11	25	12	32	9	0.1	1.1	20.47	97.3	7.5554	51.4655
2019	11	25	12	42	9	0.1	1.1	22.07	97	7.5554	55.5218
2019	11	25	12	52	9	0.1	1.1	21.19	95.4	7.5554	53.4936
2019	11	25	13	2	9	0.1	1.1	20.78	97.5	7.5554	52.226
2019	11	25	13	12	9	0.1	1.1	20.78	97.5	7.5615	52.27
2019	11	25	13	22	9	0.1	1.1	19.16	97.5	7.5554	48.1696
2019	11	25	13	32	9	0.1	1.1	20.11	96	7.5615	50.7476
2019	11	25	13	42	9	0.1	1.1	21.76	96.9	7.5615	54.8074
2019	11	25	13	52	9	0.1	1.1	19.97	97.5	7.5615	50.2401
2019	11	25	14	2	9	0.1	1.1	21.06	99	7.5554	52.733
2019	11	25	14	12	9	0.1	1.1	20.49	97.9	7.5554	51.4654
2019	11	25	14	22	9	0.1	1.1	21.3	97.8	7.5615	53.5387
2019	11	25	14	32	9	0.1	1.1	21.22	96.2	7.5615	53.5387
2019	11	25	14	42	9	0.1	1.1	20.36	94.5	7.5554	51.4654
2019	11	25	14	52	9	0.1	1.1	21.41	98.1	7.5615	53.7924
2019	11	25	15	2	9	0.1	1.1	19.48	95.3	7.5615	49.2251
2019	11	25	15	12	9	0.1	1.1	21.87	98.9	7.5615	54.8074
2019	11	25	15	22	9	0.1	1.1	21.61	95.8	7.5615	54.5536
2019	11	25	15	32	9	0.1	1.1	21.61	98	7.5615	54.2999
2019	11	25	15	42	9	0.1	1.1	21.23	98.4	7.5615	53.2849
2019	11	25	15	52	9	0.1	1.1	20.52	98.4	7.5615	51.5088
2019	11	25	16	2	9	0.1	1.1	21.67	97.2	7.5615	54.5536
2019	11	25	16	12	9	0.1	1.1	21.37	99.2	7.5615	53.5387
2019	11	25	16	22	9	0.1	1.1	21.5	97.8	7.5554	54.0006
2019	11	25	16	32	9	0.1	1.1	21.48	97.5	7.5554	54.0006
2019	11	25	16	42	9	0.1	1.1	21.04	96.6	7.5554	52.9865
2019	11	25	16	52	9	0.1	1.1	20.45	97	7.5554	51.4654
2019	11	25	17	2	9	0.1	1.1	22.39	99.3	7.5554	56.0288
2019	11	25	17	12	9	0.1	1.1	21.48	97.5	7.5493	53.9551
2019	11	25	17	22	9	0.1	1.1	21.14	98.7	7.5493	52.9419
2019	11	25	17	32	9	0.1	1.1	20.12	98.6	7.5493	50.4088
2019	11	25	17	42	9	0.1	1.1	20.93	98.5	7.5432	52.391
2019	11	25	17	52	9	0.1	1.1	21.68	97.4	7.5493	54.4618
2019	11	25	18	2	9	0.1	1.1	21.82	99.8	7.5432	54.4158
2019	11	25	18	12	9	0.1	1.1	21.33	98.4	7.5371	53.3584
2019	11	25	18	22	9	0.1	1.1	20.86	99.1	7.5371	52.094

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	25	18	32	9	0.1	1.1	21.08	99.3	7.5371	52.5997
2019	11	25	18	42	9	0.1	1.1	21.68	99.3	7.5249	54.0256
2019	11	25	18	52	9	0.1	1.1	19.98	97.8	7.5249	49.9863
2019	11	25	19	2	9	0.1	1.1	20.81	100	7.5249	51.7535
2019	11	25	19	12	9	0.1	1.1	20.82	98.3	7.5249	52.006
2019	11	25	19	22	9	0.1	1.1	21.16	99	7.5188	52.7187
2019	11	25	19	32	9	0.1	1.1	20.01	98.3	7.5188	49.944
2019	11	25	19	42	9	0.1	1.1	20.17	97.4	7.5249	50.4913
2019	11	25	19	52	9	0.1	1.1	22.23	98.3	7.5188	55.4934
2019	11	25	20	2	9	0.1	1.1	20.7	98.1	7.5188	51.7098
2019	11	25	20	12	9	0.1	1.1	20.58	99.5	7.5127	51.1619
2019	11	25	20	22	9	0.1	1.1	19.95	100.7	7.5127	49.3977
2019	11	25	20	32	9	0.1	1.1	21.31	95.9	7.5127	53.4302
2019	11	25	20	42	9	0.1	1.1	20	101.5	7.5127	49.3977
2019	11	25	20	52	9	0.1	1.1	20.88	99.4	7.5127	51.918
2019	11	25	21	2	9	0.1	1.1	21.62	99.9	7.5127	53.6823
2019	11	25	21	12	9	0.1	1.1	20.12	100.3	7.5066	49.8595
2019	11	25	21	22	9	0.1	1.1	21.75	98.7	7.5066	54.1404
2019	11	25	21	32	9	0.1	1.1	20.55	97	7.5066	51.3705
2019	11	25	21	42	9	0.1	1.1	21.1	97.9	7.5066	52.6295
2019	11	25	21	52	9	0.1	1.1	21.67	97.2	7.5066	54.1404
2019	11	25	22	2	9	0.1	1.1	21.24	98.7	7.5066	52.8814
2019	11	25	22	12	9	0.1	1.1	20.21	100	7.5066	50.1114
2019	11	25	22	22	9	0.1	1.1	20.82	96.1	7.5066	52.126
2019	11	25	22	32	9	0.1	1.1	20.39	97.9	7.5005	50.8237
2019	11	25	22	42	9	0.1	1.1	21.24	100.3	7.5005	52.5849
2019	11	25	22	52	9	0.1	1.1	20.44	100.4	7.5005	50.5722
2019	11	25	23	2	9	0.1	1.1	21.17	97.3	7.5005	52.8366
2019	11	25	23	12	9	0.1	1.1	22.13	98.3	7.5005	55.101
2019	11	25	23	22	9	0.1	1.1	20.58	99.5	7.5005	51.0754
2019	11	25	23	32	9	0.1	1.1	20.72	96.1	7.5005	51.8302
2019	11	25	23	42	9	0.1	1.1	21.19	97.6	7.5005	52.8366
2019	11	25	23	52	9	0.1	1.1	21.63	101.5	7.5005	53.3399
2019	11	26	0	2	9	0.1	1.1	21.91	97.9	7.5005	54.5979
2019	11	26	0	12	9	0.1	1.1	20.91	99.9	7.5005	51.8303
2019	11	26	0	22	9	0.1	1.1	20.08	97.7	7.4944	50.0265
2019	11	26	0	32	9	0.1	1.1	21.24	98.7	7.5005	52.8367
2019	11	26	0	42	9	0.1	1.1	21.46	98.8	7.4944	53.2946
2019	11	26	0	52	9	0.1	1.1	22.12	98.1	7.5005	55.1012
2019	11	26	1	2	9	0.1	1.1	21.82	98.2	7.4944	54.3002
2019	11	26	1	12	9	0.1	1.1	20.39	99.6	7.4944	50.5294
2019	11	26	1	22	9	0.1	1.1	21.19	99.5	7.4944	52.5405
2019	11	26	1	32	9	0.1	1.1	21.22	101.4	7.4944	52.2891
2019	11	26	1	42	9	0.1	1.1	19.5	100	7.4944	48.2669
2019	11	26	1	52	9	0.1	1.1	19.82	103.1	7.4944	48.5183
2019	11	26	2	2	9	0.1	1.1	20	101.5	7.4944	49.2725
2019	11	26	2	12	9	0.1	1.1	20.97	102.1	7.4944	51.535

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	26	2	22	9	0.1	1.1	20.67	99.2	7.4944	51.2836
2019	11	26	2	32	9	0.1	1.1	20.24	102	7.4944	49.7753
2019	11	26	2	42	9	0.1	1.1	20.34	98.8	7.4944	50.5295
2019	11	26	2	52	9	0.1	1.1	20.4	101.3	7.4944	50.2781
2019	11	26	3	2	9	0.1	1.1	20.44	100.4	7.4944	50.5295
2019	11	26	3	12	9	0.1	1.1	20.62	100.1	7.4944	51.0323
2019	11	26	3	22	9	0.1	1.1	21.47	99.1	7.4944	53.2948
2019	11	26	3	32	9	0.1	1.1	21.6	99.6	7.4944	53.5462
2019	11	26	3	42	9	0.1	1.1	19.93	101.9	7.4944	49.0212
2019	11	26	3	52	9	0.1	1.1	21.8	99.5	7.4944	54.049
2019	11	26	4	2	9	0.1	1.1	20.63	98.6	7.4883	51.2402
2019	11	26	4	12	9	0.1	1.1	20.24	100.5	7.4944	50.0268
2019	11	26	4	22	9	0.1	1.1	19.55	100.9	7.4944	48.2671
2019	11	26	4	32	9	0.1	1.1	20.07	99.5	7.4944	49.7754
2019	11	26	4	42	9	0.1	1.1	21.73	101.4	7.4883	53.5008
2019	11	26	4	52	9	0.1	1.1	20.29	99.6	7.4944	50.2782
2019	11	26	5	2	9	0.1	1.1	20.88	99.4	7.4944	51.7866
2019	11	26	5	12	9	0.1	1.1	21.45	96.7	7.4883	53.5008
2019	11	26	5	22	9	0.1	1.1	21	97.9	7.4944	52.2894
2019	11	26	5	32	9	0.1	1.1	20.18	101.1	7.4944	49.7755
2019	11	26	5	42	9	0.1	1.1	19.52	98.5	7.4883	48.4773
2019	11	26	5	52	9	0.1	1.1	20.59	101.2	7.4883	50.7379
2019	11	26	6	2	9	0.1	1.1	20.2	101.4	7.4883	49.7332
2019	11	26	6	12	9	0.1	1.1	20.28	101.1	7.4883	49.9844
2019	11	26	6	22	9	0.1	1.1	19.98	103.9	7.4883	48.7285
2019	11	26	6	32	9	0.1	1.1	20.32	100.2	7.4883	50.2356
2019	11	26	6	42	9	0.1	1.1	20.22	100.3	7.4883	49.9844
2019	11	26	6	52	9	0.1	1.1	19.63	100.6	7.4883	48.4773
2019	11	26	7	2	9	0.1	1.1	20.01	100.1	7.4883	49.4821
2019	11	26	7	12	9	0.1	1.1	19.81	100.2	7.4883	48.9797
2019	11	26	7	22	9	0.1	1.1	20.1	101.5	7.4883	49.4821
2019	11	26	7	32	9	0.1	1.1	20.06	100.9	7.4883	49.4821
2019	11	26	7	42	9	0.1	1.1	20.75	102	7.4883	50.9892
2019	11	26	7	52	9	0.1	1.1	20.47	101	7.4883	50.4868
2019	11	26	8	2	9	0.1	1.1	19.03	102.1	7.4883	46.7191
2019	11	26	8	12	9	0.1	1.1	21.2	102.5	7.4883	51.9939
2019	11	26	8	22	9	0.1	1.1	20.42	101.6	7.4883	50.2356
2019	11	26	8	32	9	0.1	1.1	20.59	101.2	7.4883	50.738
2019	11	26	8	42	9	0.1	1.1	20.3	99.9	7.4883	50.2356
2019	11	26	8	52	9	0.1	1.1	20.28	102.5	7.4883	49.7332
2019	11	26	9	2	9	0.1	1.1	19.68	99.7	7.4883	48.7285
2019	11	26	9	12	9	0.1	1.1	19.58	99.7	7.4883	48.4773
2019	11	26	9	22	9	0.1	1.1	19.84	99	7.4883	49.2308
2019	11	26	9	32	9	0.1	1.1	20.32	101.6	7.4883	49.9843
2019	11	26	9	42	9	0.1	1.1	20.32	100.2	7.4883	50.2355
2019	11	26	9	52	9	0.1	1.1	19.73	100.5	7.4944	48.7699
2019	11	26	10	2	9	0.1	1.1	19.63	102.1	7.4944	48.2671

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	26	10	12	9	0.1	1.1	19.48	99.8	7.4883	48.2261
2019	11	26	10	22	9	0.1	1.1	19.8	102.8	7.4883	48.4772
2019	11	26	10	32	9	0.1	1.1	19.24	102.3	7.4883	47.2213
2019	11	26	10	42	9	0.1	1.1	19.94	103.3	7.4944	48.7698
2019	11	26	10	52	9	0.1	1.1	19.59	101.5	7.4944	48.267
2019	11	26	11	2	9	0.1	1.1	21.05	100.4	7.4944	52.0379
2019	11	26	11	12	9	0.1	1.1	19.75	100.8	7.4883	48.7283
2019	11	26	11	22	9	0.1	1.1	20.54	100.4	7.4883	50.7378
2019	11	26	11	32	9	0.1	1.1	19.36	101	7.4883	47.7236
2019	11	26	11	42	9	0.1	1.1	19.77	101.1	7.4883	48.7283
2019	11	26	11	52	9	0.1	1.1	19.78	99.6	7.4883	48.9795
2019	11	26	12	2	9	0.1	1.1	19.81	101.7	7.4883	48.7283
2019	11	26	12	12	9	0.1	1.1	19.5	103	7.4883	47.7236
2019	11	26	12	22	9	0.1	1.1	20.38	101	7.4883	50.2353
2019	11	26	12	32	9	0.1	1.1	19.96	99.2	7.4883	49.4818
2019	11	26	12	42	9	0.1	1.1	20.3	101.4	7.4883	49.9842
2019	11	26	12	52	9	0.1	1.1	19.19	99.9	7.4883	47.4724
2019	11	26	13	2	9	0.1	1.1	19.69	101.4	7.4944	48.5183
2019	11	26	13	12	9	0.1	1.1	17.81	100.7	7.4883	43.9559
2019	11	26	13	22	9	0.1	1.1	19.81	101.7	7.4883	48.7282
2019	11	26	13	32	9	0.1	1.1	18.76	99.5	7.4883	46.4676
2019	11	26	13	42	9	0.1	1.1	19.95	100.7	7.4883	49.2306
2019	11	26	13	52	9	0.1	1.1	19.55	100.9	7.4883	48.2258
2019	11	26	14	2	9	0.1	1.1	19.01	100.3	7.4944	47.0099
2019	11	26	14	12	9	0.1	1.1	19.37	99.5	7.4944	48.0155
2019	11	26	14	22	9	0.1	1.1	19.71	100.2	7.4883	48.7282
2019	11	26	14	32	9	0.1	1.1	19.19	99.9	7.4883	47.4723
2019	11	26	14	42	9	0.1	1.1	18.68	103	7.4944	45.753
2019	11	26	14	52	9	0.1	1.1	19.1	100.3	7.4883	47.2211
2019	11	26	15	2	9	0.1	1.1	19.38	99.8	7.4944	48.0155
2019	11	26	15	12	9	0.1	1.1	19.32	101.9	7.4883	47.4723
2019	11	26	15	22	9	0.1	1.1	19.62	103.3	7.4883	47.9747
2019	11	26	15	32	9	0.1	1.1	19.3	98.3	7.4883	47.9747
2019	11	26	15	42	9	0.1	1.1	19.88	99.6	7.4883	49.2306
2019	11	26	15	52	9	0.1	1.1	19.22	102	7.4883	47.2211
2019	11	26	16	2	9	0.1	1.1	20.18	101.1	7.4883	49.7329
2019	11	26	16	12	9	0.1	1.1	20.81	100	7.4883	51.4911
2019	11	26	16	22	9	0.1	1.1	19.65	100.9	7.4944	48.5183
2019	11	26	16	32	9	0.1	1.1	19.48	99.8	7.4944	48.2669
2019	11	26	16	42	9	0.1	1.1	20.28	97.7	7.4944	50.5294
2019	11	26	16	52	9	0.1	1.1	20.87	102.2	7.4944	51.2835
2019	11	26	17	2	9	0.1	1.1	20.28	97.7	7.4883	50.4864
2019	11	26	17	12	9	0.1	1.1	20.34	100.5	7.4944	50.278
2019	11	26	17	22	9	0.1	1.1	19.65	103.5	7.4944	48.0155
2019	11	26	17	32	9	0.1	1.1	19.53	100.6	7.4883	48.2258
2019	11	26	17	42	9	0.1	1.1	19.83	98.7	7.4944	49.2724
2019	11	26	17	52	9	0.1	1.1	19.77	101.1	7.4883	48.7282

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	26	18	2	9	0.1	1.1	19.5	104.3	7.4883	47.4723
2019	11	26	18	12	9	0.1	1.1	19.09	100	7.4883	47.2211
2019	11	26	18	22	9	0.1	1.1	19.95	100.7	7.4822	49.1887
2019	11	26	18	32	9	0.1	1.1	19.16	101.1	7.4883	47.2212
2019	11	26	18	42	9	0.1	1.1	19.11	98.4	7.4883	47.4723
2019	11	26	18	52	9	0.1	1.1	19.92	103.1	7.4883	48.7282
2019	11	26	19	2	9	0.1	1.1	19.86	99.3	7.4883	49.2306
2019	11	26	19	12	9	0.1	1.1	20.74	96.6	7.4944	51.7864
2019	11	26	19	22	9	0.1	1.1	21.08	99.3	7.4883	52.2447
2019	11	26	19	32	9	0.1	1.1	20.99	99.6	7.4883	51.9936
2019	11	26	19	42	9	0.1	1.1	20.16	94.3	7.4883	50.4865
2019	11	26	19	52	9	0.1	1.1	20.63	98.6	7.4883	51.24
2019	11	26	20	2	9	0.1	1.1	20.37	99.3	7.4883	50.4865
2019	11	26	20	12	9	0.1	1.1	20.04	98.9	7.4883	49.733
2019	11	26	20	22	9	0.1	1.1	20.62	98.4	7.4883	51.2401
2019	11	26	20	32	9	0.1	1.1	19.91	100.1	7.4883	49.2307
2019	11	26	20	42	9	0.1	1.1	19.43	98.9	7.4822	48.1849
2019	11	26	20	52	9	0.1	1.1	20.51	98.1	7.4822	50.9455
2019	11	26	21	2	9	0.1	1.1	19.61	101.8	7.4883	48.226
2019	11	26	21	12	9	0.1	1.1	18.64	99.3	7.4822	46.1772
2019	11	26	21	22	9	0.1	1.1	19.53	100.6	7.4822	48.185
2019	11	26	21	32	9	0.1	1.1	19.01	98.5	7.4822	47.1811
2019	11	26	21	42	9	0.1	1.1	17.88	103.3	7.4761	43.6305
2019	11	26	21	52	9	0.1	1.1	19.4	101.6	7.4761	47.6425
2019	11	26	22	2	9	0.1	1.1	19.09	100	7.4761	47.141
2019	11	26	22	12	9	0.1	1.1	18.24	102.7	7.4822	44.6715
2019	11	26	22	22	9	0.1	1.1	20.04	102.1	7.4822	49.1889
2019	11	26	22	32	9	0.1	1.1	19.1	100.3	7.4761	47.141
2019	11	26	22	42	9	0.1	1.1	18.35	99.4	7.4761	45.3858
2019	11	26	22	52	9	0.1	1.1	18.46	97.5	7.4822	45.9264
2019	11	26	23	2	9	0.1	1.1	19.25	99.3	7.4761	47.6425
2019	11	26	23	12	9	0.1	1.1	19.32	101.9	7.4822	47.4322
2019	11	26	23	22	9	0.1	1.1	18.69	100.2	7.4822	46.1774
2019	11	26	23	32	9	0.1	1.1	20.2	101.4	7.4822	49.6909
2019	11	26	23	42	9	0.1	1.1	19.95	100.7	7.4822	49.1889
2019	11	26	23	52	9	0.1	1.1	20.01	100.1	7.4822	49.4399
2019	11	27	0	2	9	0.1	1.1	18.76	99.5	7.4822	46.4284
2019	11	27	0	12	9	0.1	1.1	18.14	101.1	7.4761	44.6336
2019	11	27	0	22	9	0.1	1.1	19.3	98.3	7.4761	47.8934
2019	11	27	0	32	9	0.1	1.1	20.02	96.3	7.47	49.8568
2019	11	27	0	42	9	0.1	1.1	19.71	98.5	7.4761	48.8964
2019	11	27	0	52	9	0.1	1.1	19.88	97.8	7.4639	49.3137
2019	11	27	1	2	9	0.1	1.1	20.16	99.1	7.4761	49.8994
2019	11	27	1	12	9	0.1	1.1	19.51	96.2	7.4761	48.6456
2019	11	27	1	22	9	0.1	1.1	20.45	99	7.4761	50.6517
2019	11	27	1	32	9	0.1	1.1	19.71	98.5	7.4822	48.9381
2019	11	27	1	42	9	0.1	1.1	19.93	98.7	7.4761	49.3979

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	27	1	52	9	0.1	1.1	18.91	98.5	7.4822	46.9304
2019	11	27	2	2	9	0.1	1.1	19.25	99.3	7.4761	47.6427
2019	11	27	2	12	9	0.1	1.1	19.38	95.3	7.4822	48.4362
2019	11	27	2	22	9	0.1	1.1	18.56	99.6	7.4761	45.8874
2019	11	27	2	32	9	0.1	1.1	20.35	97.1	7.4822	50.6949
2019	11	27	2	42	9	0.1	1.1	19.55	97.1	7.4822	48.6872
2019	11	27	2	52	9	0.1	1.1	19.26	97.5	7.4761	47.8935
2019	11	27	3	2	9	0.1	1.1	19.14	93.6	7.4761	47.8935
2019	11	27	3	12	9	0.1	1.1	19.38	99.8	7.4822	47.9343
2019	11	27	3	22	9	0.1	1.1	18.18	101.7	7.4761	44.6337
2019	11	27	3	32	9	0.1	1.1	20.2	98	7.4761	50.1502
2019	11	27	3	42	9	0.1	1.1	19.18	95.1	7.4761	47.8935
2019	11	27	3	52	9	0.1	1.1	19.28	97.8	7.4761	47.8935
2019	11	27	4	2	9	0.1	1.1	19.64	96.7	7.4822	48.9382
2019	11	27	4	12	9	0.1	1.1	18.38	95.3	7.4822	45.9266
2019	11	27	4	22	9	0.1	1.1	18.88	97.9	7.4883	46.9704
2019	11	27	4	32	9	0.1	1.1	19.02	98.8	7.4761	47.1413
2019	11	27	4	42	9	0.1	1.1	20.1	98	7.4761	49.8995
2019	11	27	4	52	9	0.1	1.1	18.98	101.5	7.4822	46.6795
2019	11	27	5	2	9	0.1	1.1	18.76	99.5	7.4761	46.389
2019	11	27	5	12	9	0.1	1.1	18.93	100.7	7.4761	46.6398
2019	11	27	5	22	9	0.1	1.1	18.26	99.8	7.4761	45.1353
2019	11	27	5	32	9	0.1	1.1	19.34	100.7	7.4761	47.6428
2019	11	27	5	42	9	0.1	1.1	19.36	101	7.4761	47.6428
2019	11	27	5	52	9	0.1	1.1	18.46	99.7	7.4761	45.6368
2019	11	27	6	2	9	0.1	1.1	20.37	99.3	7.4761	50.4011
2019	11	27	6	12	9	0.1	1.1	20.42	98.4	7.4761	50.6518
2019	11	27	6	22	9	0.1	1.1	19.42	100.4	7.4761	47.8935
2019	11	27	6	32	9	0.1	1.1	19.81	100.2	7.4761	48.8965
2019	11	27	6	42	9	0.1	1.1	20.09	99.7	7.47	49.6065
2019	11	27	6	52	9	0.1	1.1	19.25	99.3	7.47	47.6022
2019	11	27	7	2	9	0.1	1.1	18.27	103	7.47	44.5957
2019	11	27	7	12	9	0.1	1.1	18.09	98.3	7.47	44.8463
2019	11	27	7	22	9	0.1	1.1	19.22	98.7	7.4761	47.6428
2019	11	27	7	32	9	0.1	1.1	19.25	99.3	7.47	47.6022
2019	11	27	7	42	9	0.1	1.1	19.54	102.1	7.47	47.8527
2019	11	27	7	52	9	0.1	1.1	19.63	102.1	7.47	48.1032
2019	11	27	8	2	9	0.1	1.1	18.3	102	7.47	44.8462
2019	11	27	8	12	9	0.1	1.1	19.57	101.2	7.4761	48.1443
2019	11	27	8	22	9	0.1	1.1	19.06	101.2	7.4639	46.8106
2019	11	27	8	32	9	0.1	1.1	19.06	101.2	7.47	46.8505
2019	11	27	8	42	9	0.1	1.1	19.55	100.9	7.4761	48.1442
2019	11	27	8	52	9	0.1	1.1	19.31	104.4	7.4761	46.8905
2019	11	27	9	2	9	0.1	1.1	19.34	102.2	7.47	47.3516
2019	11	27	9	12	9	0.1	1.1	19.34	102.2	7.47	47.3516
2019	11	27	9	22	9	0.1	1.1	18.94	99.1	7.47	46.8505
2019	11	27	9	32	9	0.1	1.1	19.54	102.1	7.47	47.8526

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	27	9	42	9	0.1	1.1	18.53	99	7.4761	45.8874
2019	11	27	9	52	9	0.1	1.1	18.85	101	7.47	46.3494
2019	11	27	10	2	9	0.1	1.1	18.02	100.9	7.4639	44.3072
2019	11	27	10	12	9	0.1	1.1	17.59	100.5	7.47	43.3429
2019	11	27	10	22	9	0.1	1.1	18.57	101.5	7.47	45.5977
2019	11	27	10	32	9	0.1	1.1	17.71	98.8	7.47	43.8439
2019	11	27	10	42	9	0.1	1.1	19.29	102.9	7.47	47.1009
2019	11	27	10	52	9	0.1	1.1	18.84	99.2	7.47	46.5998
2019	11	27	11	2	9	0.1	1.1	19.26	101.1	7.4639	47.311
2019	11	27	11	12	9	0.1	1.1	17.91	100.6	7.47	44.0944
2019	11	27	11	22	9	0.1	1.1	18.87	99.8	7.47	46.5998
2019	11	27	11	32	9	0.1	1.1	18.63	99	7.47	46.0987
2019	11	27	11	42	9	0.1	1.1	18.06	101.5	7.47	44.3449
2019	11	27	11	52	9	0.1	1.1	18.3	100.4	7.47	45.0965
2019	11	27	12	2	9	0.1	1.1	19.53	100.6	7.4639	48.0619
2019	11	27	12	12	9	0.1	1.1	18.43	99.1	7.47	45.5976
2019	11	27	12	22	9	0.1	1.1	19.09	100	7.4639	47.0607
2019	11	27	12	32	9	0.1	1.1	19.31	103.2	7.47	47.1008
2019	11	27	12	42	9	0.1	1.1	18.9	103.2	7.4639	46.0593
2019	11	27	12	52	9	0.1	1.1	19.38	99.8	7.47	47.8524
2019	11	27	13	2	9	0.1	1.1	19.53	100.6	7.47	48.1029
2019	11	27	13	12	9	0.1	1.1	18.73	100.8	7.4639	46.0593
2019	11	27	13	22	9	0.1	1.1	18.95	102.5	7.47	46.3492
2019	11	27	13	32	9	0.1	1.1	19.1	100.3	7.47	47.1008
2019	11	27	13	42	9	0.1	1.1	18.2	98.5	7.47	45.0965
2019	11	27	13	52	9	0.1	1.1	18.75	102.6	7.4639	45.809
2019	11	27	14	2	9	0.1	1.1	18.93	100.7	7.4639	46.56
2019	11	27	14	12	9	0.1	1.1	19.36	101	7.47	47.6018
2019	11	27	14	22	9	0.1	1.1	18.68	103	7.47	45.5975
2019	11	27	14	32	9	0.1	1.1	19.44	102.2	7.47	47.6018
2019	11	27	14	42	9	0.1	1.1	19.95	100.7	7.47	49.105
2019	11	27	14	52	9	0.1	1.1	19.79	99.9	7.47	48.8545
2019	11	27	15	2	9	0.1	1.1	19.01	100.3	7.4639	46.8103
2019	11	27	15	12	9	0.1	1.1	18.38	100	7.4639	45.3083
2019	11	27	15	22	9	0.1	1.1	19.37	99.5	7.47	47.8524
2019	11	27	15	32	9	0.1	1.1	19.91	101.6	7.4639	48.8128
2019	11	27	15	42	9	0.1	1.1	18.66	99.6	7.47	46.0986
2019	11	27	15	52	9	0.1	1.1	20.16	102.3	7.47	49.3556
2019	11	27	16	2	9	0.1	1.1	20.09	99.7	7.47	49.6061
2019	11	27	16	12	9	0.1	1.1	19.33	103.5	7.4639	47.0606
2019	11	27	16	22	9	0.1	1.1	19.96	101	7.4639	49.0632
2019	11	27	16	32	9	0.1	1.1	18.55	104	7.4639	45.058
2019	11	27	16	42	9	0.1	1.1	19.3	100.1	7.4639	47.5612
2019	11	27	16	52	9	0.1	1.1	19.04	99.1	7.4578	47.0204
2019	11	27	17	2	9	0.1	1.1	20.06	100.9	7.4639	49.3135
2019	11	27	17	12	9	0.1	1.1	19.2	101.7	7.4639	47.0606
2019	11	27	17	22	9	0.1	1.1	18.49	101.9	7.4578	45.2697

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	27	17	32	9	0.1	1.1	20.3	101.4	7.4639	49.8142
2019	11	27	17	42	9	0.1	1.1	19.38	99.8	7.4639	47.8116
2019	11	27	17	52	9	0.1	1.1	20.73	100.3	7.47	51.1094
2019	11	27	18	2	9	0.1	1.1	19.71	100.2	7.4639	48.5626
2019	11	27	18	12	9	0.1	1.1	19.93	100.4	7.47	49.1051
2019	11	27	18	22	9	0.1	1.1	20.27	99.4	7.47	50.1073
2019	11	27	18	32	9	0.1	1.1	20.29	99.6	7.47	50.1073
2019	11	27	18	42	9	0.1	1.1	19.38	97.7	7.47	48.103
2019	11	27	18	52	9	0.1	1.1	20.89	102.4	7.4639	51.0658
2019	11	27	19	2	9	0.1	1.1	19.55	100.9	7.4639	48.062
2019	11	27	19	12	9	0.1	1.1	17.46	103.2	7.4578	42.5186
2019	11	27	19	22	9	0.1	1.1	19.5	100	7.4578	48.021
2019	11	27	19	32	9	0.1	1.1	19.88	99.6	7.4578	49.0214
2019	11	27	19	42	9	0.1	1.1	18.36	97.5	7.4578	45.5199
2019	11	27	19	52	9	0.1	1.1	18.53	99	7.4578	45.77
2019	11	27	20	2	9	0.1	1.1	19.49	101.5	7.4578	47.7709
2019	11	27	20	12	9	0.1	1.1	18.85	101	7.4578	46.2703
2019	11	27	20	22	9	0.1	1.1	19.31	103.2	7.4578	47.0206
2019	11	27	20	32	9	0.1	1.1	18.85	102.6	7.4578	46.0202
2019	11	27	20	42	9	0.1	1.1	20.03	100.4	7.4578	49.2716
2019	11	27	20	52	9	0.1	1.1	20.52	100.1	7.4639	50.5653
2019	11	27	21	2	9	0.1	1.1	20.58	102.3	7.4639	50.315
2019	11	27	21	12	9	0.1	1.1	19.86	99.3	7.47	49.1053
2019	11	27	21	22	9	0.1	1.1	19.44	100.7	7.47	47.8526
2019	11	27	21	32	9	0.1	1.1	20.65	100.6	7.47	50.859
2019	11	27	21	42	9	0.1	1.1	20.97	100.7	7.4639	51.5666
2019	11	27	21	52	9	0.1	1.1	20.91	101.3	7.47	51.3601
2019	11	27	22	2	9	0.1	1.1	20.22	100.3	7.47	49.8569
2019	11	27	22	12	9	0.1	1.1	21.5	99.6	7.47	53.1139
2019	11	27	22	22	9	0.1	1.1	20.42	100.2	7.47	50.358
2019	11	27	22	32	9	0.1	1.1	19.39	98	7.47	48.1032
2019	11	27	22	42	9	0.1	1.1	19.69	97.9	7.47	48.8548
2019	11	27	22	52	9	0.1	1.1	20.22	100.3	7.47	49.857
2019	11	27	23	2	9	0.1	1.1	18.92	98.8	7.47	46.8505
2019	11	27	23	12	9	0.1	1.1	18.85	101	7.4578	46.2704
2019	11	27	23	22	9	0.1	1.1	19.05	102.4	7.4578	46.5206
2019	11	27	23	32	9	0.1	1.1	18.73	100.8	7.4578	46.0203
2019	11	27	23	42	9	0.1	1.1	18.98	101.5	7.4578	46.5206
2019	11	27	23	52	9	0.1	1.1	19.74	103.5	7.4518	47.9802
2019	11	28	0	2	9	0.1	1.1	20.18	101.1	7.4639	49.5642
2019	11	28	0	12	9	0.1	1.1	20.68	99.5	7.47	51.1098
2019	11	28	0	22	9	0.1	1.1	19.98	101.3	7.47	49.1055
2019	11	28	0	32	9	0.1	1.1	20.22	100.3	7.47	49.8571
2019	11	28	0	42	9	0.1	1.1	18.89	100.1	7.47	46.6001
2019	11	28	0	52	9	0.1	1.1	19.42	101.9	7.47	47.6023
2019	11	28	1	2	9	0.1	1.1	20.62	100.1	7.47	50.8593
2019	11	28	1	12	9	0.1	1.1	19.5	98.3	7.4639	48.3127

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	28	1	22	9	0.1	1.1	19.92	103.1	7.4578	48.5216
2019	11	28	1	32	9	0.1	1.1	18.76	99.5	7.4639	46.3101
2019	11	28	1	42	9	0.1	1.1	19.57	101.2	7.4578	48.0214
2019	11	28	1	52	9	0.1	1.1	19.22	100.5	7.4578	47.271
2019	11	28	2	2	9	0.1	1.1	19.54	102.1	7.4578	47.7713
2019	11	28	2	12	9	0.1	1.1	19.4	101.6	7.4578	47.5212
2019	11	28	2	22	9	0.1	1.1	18.93	100.7	7.4639	46.5605
2019	11	28	2	32	9	0.1	1.1	19.28	101.4	7.4578	47.2711
2019	11	28	2	42	9	0.1	1.1	19.4	98.3	7.4639	48.0624
2019	11	28	2	52	9	0.1	1.1	19.22	102	7.4578	47.021
2019	11	28	3	2	9	0.1	1.1	19.22	100.5	7.4578	47.2711
2019	11	28	3	12	9	0.1	1.1	18.89	100.1	7.4578	46.5208
2019	11	28	3	22	9	0.1	1.1	18.98	101.5	7.4518	46.4811
2019	11	28	3	32	9	0.1	1.1	18.83	102.3	7.4578	46.0206
2019	11	28	3	42	9	0.1	1.1	19.2	101.7	7.4639	47.0612
2019	11	28	3	52	9	0.1	1.1	19.77	101.1	7.4578	48.5217
2019	11	28	4	2	9	0.1	1.1	20.09	102.7	7.4639	49.0638
2019	11	28	4	12	9	0.1	1.1	19.75	100.8	7.47	48.6046
2019	11	28	4	22	9	0.1	1.1	19.4	100.1	7.4639	47.8122
2019	11	28	4	32	9	0.1	1.1	19.19	102.9	7.4578	46.7709
2019	11	28	4	42	9	0.1	1.1	20.61	101.5	7.4639	50.5658
2019	11	28	4	52	9	0.1	1.1	20.45	103.3	7.4639	49.8148
2019	11	28	5	2	9	0.1	1.1	18.64	99.3	7.4639	46.0599
2019	11	28	5	12	9	0.1	1.1	19.44	102.2	7.4578	47.5213
2019	11	28	5	22	9	0.1	1.1	19.14	100.8	7.4639	47.0613
2019	11	28	5	32	9	0.1	1.1	19.06	101.2	7.4639	46.8109
2019	11	28	5	42	9	0.1	1.1	20.9	99.6	7.47	51.6111
2019	11	28	5	52	9	0.1	1.1	20.12	100.3	7.47	49.6068
2019	11	28	6	2	9	0.1	1.1	21.27	97.3	7.47	52.8638
2019	11	28	6	12	9	0.1	1.1	19.46	102.5	7.47	47.6025
2019	11	28	6	22	9	0.1	1.1	18.89	98.2	7.47	46.8509
2019	11	28	6	32	9	0.1	1.1	19.37	99.5	7.47	47.8531
2019	11	28	6	42	9	0.1	1.1	20.03	100.4	7.47	49.3563
2019	11	28	6	52	9	0.1	1.1	20.62	102.9	7.47	50.3585
2019	11	28	7	2	9	0.1	1.1	19.06	101.2	7.4639	46.811
2019	11	28	7	12	9	0.1	1.1	19.42	101.9	7.4639	47.5619
2019	11	28	7	22	9	0.1	1.1	19.97	102.4	7.47	48.8552
2019	11	28	7	32	9	0.1	1.1	20.61	98.1	7.47	51.1101
2019	11	28	7	42	9	0.1	1.1	19.66	99.4	7.47	48.6047
2019	11	28	7	52	9	0.1	1.1	20.39	99.6	7.47	50.3585
2019	11	28	8	2	9	0.1	1.1	19.63	98.8	7.47	48.6047
2019	11	28	8	12	9	0.1	1.1	20.14	98.9	7.47	49.8574
2019	11	28	8	22	9	0.1	1.1	19.36	97.4	7.47	48.1036
2019	11	28	8	32	9	0.1	1.1	19.4	98.3	7.47	48.1036
2019	11	28	8	42	9	0.1	1.1	20.34	101.9	7.47	49.8574
2019	11	28	8	52	9	0.1	1.1	20.14	98.9	7.47	49.8574
2019	11	28	9	2	9	0.1	1.1	20	98	7.47	49.6068

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	28	9	12	9	0.1	1.1	19.84	99	7.47	49.1058
2019	11	28	9	22	9	0.1	1.1	19.36	97.4	7.47	48.1036
2019	11	28	9	32	9	0.1	1.1	20.5	99.8	7.47	50.609
2019	11	28	9	42	9	0.1	1.1	20	98	7.47	49.6068
2019	11	28	9	52	9	0.1	1.1	20.79	97.7	7.47	51.6111
2019	11	28	10	2	9	0.1	1.1	20.12	100.3	7.47	49.6068
2019	11	28	10	12	9	0.1	1.1	20.69	97.8	7.47	51.3606
2019	11	28	10	22	9	0.1	1.1	21.38	100.8	7.4761	52.6581
2019	11	28	10	32	9	0.1	1.1	19.73	98.7	7.47	48.8552
2019	11	28	10	42	9	0.1	1.1	19.84	99	7.4761	49.1476
2019	11	28	10	52	9	0.1	1.1	20.27	99.4	7.47	50.1079
2019	11	28	11	2	9	0.1	1.1	21.21	99.8	7.4761	52.4074
2019	11	28	11	12	9	0.1	1.1	20.83	96.3	7.4761	51.9059
2019	11	28	11	22	9	0.1	1.1	20.44	98.7	7.4761	50.6521
2019	11	28	11	32	9	0.1	1.1	21.77	99	7.4761	53.9119
2019	11	28	11	42	9	0.1	1.1	20.45	99	7.4761	50.6521
2019	11	28	11	52	9	0.1	1.1	19.8	98.1	7.4761	49.1476
2019	11	28	12	2	9	0.1	1.1	20.63	98.6	7.4761	51.1536
2019	11	28	12	12	9	0.1	1.1	20.55	99	7.4761	50.9029
2019	11	28	12	22	9	0.1	1.1	20.37	97.3	7.4822	50.6953
2019	11	28	12	32	9	0.1	1.1	20.03	98.6	7.4822	49.6914
2019	11	28	12	42	9	0.1	1.1	20.35	99	7.4822	50.4443
2019	11	28	12	52	9	0.1	1.1	21.47	99.1	7.4822	53.2049
2019	11	28	13	2	9	0.1	1.1	19.8	98.1	7.4822	49.1895
2019	11	28	13	12	9	0.1	1.1	20.22	98.5	7.4883	50.2361
2019	11	28	13	22	9	0.1	1.1	20.06	99.2	7.4822	49.6914
2019	11	28	13	32	9	0.1	1.1	21.34	98.6	7.4883	52.9991
2019	11	28	13	42	9	0.1	1.1	20.11	100	7.4883	49.7337
2019	11	28	13	52	9	0.1	1.1	20.59	97.8	7.4883	51.2408
2019	11	28	14	2	9	0.1	1.1	19.96	97.2	7.4883	49.7337
2019	11	28	14	12	9	0.1	1.1	20.06	100.9	7.4944	49.5247
2019	11	28	14	22	9	0.1	1.1	20.16	99.1	7.4944	50.0274
2019	11	28	14	32	9	0.1	1.1	19.84	99	7.4944	49.2733
2019	11	28	14	42	9	0.1	1.1	18.75	97.4	7.4944	46.7593
2019	11	28	14	52	9	0.1	1.1	20.63	98.6	7.4944	51.2844
2019	11	28	15	2	9	0.1	1.1	19.97	99.5	7.5005	49.5668
2019	11	28	15	12	9	0.1	1.1	19.61	101.8	7.5005	48.3087
2019	11	28	15	22	9	0.1	1.1	20.38	97.6	7.5005	50.8248
2019	11	28	15	32	9	0.1	1.1	20.3	99.9	7.5066	50.3643
2019	11	28	15	42	9	0.1	1.1	20.71	101.4	7.5188	51.2066
2019	11	28	15	52	9	0.1	1.1	20.55	100.7	7.5188	50.9543
2019	11	28	16	2	9	0.1	1.1	20.47	101	7.5188	50.7021
2019	11	28	16	12	9	0.1	1.1	20.22	100.3	7.5249	50.2401
2019	11	28	16	22	9	0.1	1.1	20.01	100.1	7.5249	49.7352
2019	11	28	16	32	9	0.1	1.1	20.07	97.4	7.5249	50.2401
2019	11	28	16	42	9	0.1	1.1	21.48	100.7	7.531	53.3148
2019	11	28	16	52	9	0.1	1.1	20.32	100.2	7.531	50.5353

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	28	17	2	9	0.1	1.1	19.94	98.9	7.531	49.7773
2019	11	28	17	12	9	0.1	1.1	20.42	100.2	7.531	50.788
2019	11	28	17	22	9	0.1	1.1	20.9	99.6	7.531	52.0514
2019	11	28	17	32	9	0.1	1.1	20.89	97.7	7.5371	52.3483
2019	11	28	17	42	9	0.1	1.1	20.24	100.5	7.5371	50.3252
2019	11	28	17	52	9	0.1	1.1	20.93	101.6	7.5371	51.8425
2019	11	28	18	2	9	0.1	1.1	20.25	99.1	7.5371	50.5781
2019	11	28	18	12	9	0.1	1.1	20.11	98.3	7.5371	50.3252
2019	11	28	18	22	9	0.1	1.1	20.68	99.5	7.5371	51.5897
2019	11	28	18	32	9	0.1	1.1	20.59	97.8	7.5371	51.5897
2019	11	28	18	42	9	0.1	1.1	20.1	101.5	7.5432	49.8615
2019	11	28	18	52	9	0.1	1.1	20.3	99.9	7.5432	50.6208
2019	11	28	19	2	9	0.1	1.1	20.57	100.9	7.5371	51.0839
2019	11	28	19	12	9	0.1	1.1	21.62	98.2	7.5432	54.1643
2019	11	28	19	22	9	0.1	1.1	19.35	99.2	7.5432	48.3429
2019	11	28	19	32	9	0.1	1.1	20.45	99	7.5432	51.1271
2019	11	28	19	42	9	0.1	1.1	21.29	99.5	7.5432	53.1519
2019	11	28	19	52	9	0.1	1.1	19.89	99.8	7.5432	49.6084
2019	11	28	20	2	9	0.1	1.1	20.35	99	7.5432	50.874
2019	11	28	20	12	9	0.1	1.1	20.86	99.1	7.5432	52.1395
2019	11	28	20	22	9	0.1	1.1	20.87	100.8	7.5432	51.8864
2019	11	28	20	32	9	0.1	1.1	20.16	99.1	7.5432	50.3678
2019	11	28	20	42	9	0.1	1.1	20.04	100.6	7.5432	49.8616
2019	11	28	20	52	9	0.1	1.1	19.87	97.5	7.5432	49.8616
2019	11	28	21	2	9	0.1	1.1	20.95	100.5	7.5432	52.1395
2019	11	28	21	12	9	0.1	1.1	20.4	99.9	7.5432	50.874
2019	11	28	21	22	9	0.1	1.1	19.96	99.2	7.5432	49.8616
2019	11	28	21	32	9	0.1	1.1	20.45	99	7.5432	51.1271
2019	11	28	21	42	9	0.1	1.1	19.61	100.3	7.5432	48.8492
2019	11	28	21	52	9	0.1	1.1	19.81	100.2	7.5432	49.3554
2019	11	28	22	2	9	0.1	1.1	21.03	100.1	7.5432	52.3927
2019	11	28	22	12	9	0.1	1.1	20.87	100.8	7.5432	51.8864
2019	11	28	22	22	9	0.1	1.1	19.91	101.6	7.5493	49.3971
2019	11	28	22	32	9	0.1	1.1	20.52	100.1	7.5432	51.1271
2019	11	28	22	42	9	0.1	1.1	20.37	99.3	7.5493	50.917
2019	11	28	22	52	9	0.1	1.1	20.89	102.4	7.5432	51.6334
2019	11	28	23	2	9	0.1	1.1	20.03	100.4	7.5432	49.8616
2019	11	28	23	12	9	0.1	1.1	20.28	101.1	7.5432	50.3678
2019	11	28	23	22	9	0.1	1.1	19.71	101.7	7.5432	48.8492
2019	11	28	23	32	9	0.1	1.1	20.52	100.1	7.5493	51.1703
2019	11	28	23	42	9	0.1	1.1	20.42	96.2	7.5432	51.3803
2019	11	28	23	52	9	0.1	1.1	21.43	98.3	7.5432	53.6582
2019	11	29	0	2	9	0.1	1.1	20.12	100.3	7.5493	50.1571
2019	11	29	0	12	9	0.1	1.1	20.61	98.1	7.5432	51.6334
2019	11	29	0	22	9	0.1	1.1	20.06	99.2	7.5432	50.1148
2019	11	29	0	32	9	0.1	1.1	19.91	101.6	7.5432	49.3554
2019	11	29	0	42	9	0.1	1.1	19.86	99.3	7.5432	49.6085

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	29	0	52	9	0.1	1.1	20.2	98	7.5493	50.6637
2019	11	29	1	2	9	0.1	1.1	20.24	100.5	7.5432	50.3679
2019	11	29	1	12	9	0.1	1.1	19.93	98.7	7.5432	49.8617
2019	11	29	1	22	9	0.1	1.1	20.27	99.4	7.5493	50.6637
2019	11	29	1	32	9	0.1	1.1	20.52	100.1	7.5493	51.1704
2019	11	29	1	42	9	0.1	1.1	19.86	99.3	7.5493	49.6504
2019	11	29	1	52	9	0.1	1.1	20.12	100.3	7.5493	50.1571
2019	11	29	2	2	9	0.1	1.1	19.81	98.4	7.5493	49.6504
2019	11	29	2	12	9	0.1	1.1	20.28	97.7	7.5493	50.9171
2019	11	29	2	22	9	0.1	1.1	20.35	99	7.5493	50.9171
2019	11	29	2	32	9	0.1	1.1	20.6	99.8	7.5493	51.4237
2019	11	29	2	42	9	0.1	1.1	20.35	99	7.5493	50.9171
2019	11	29	2	52	9	0.1	1.1	20.45	99	7.5493	51.1704
2019	11	29	3	2	9	0.1	1.1	20.86	99.1	7.5493	52.1837
2019	11	29	3	12	9	0.1	1.1	19.48	99.8	7.5493	48.6372
2019	11	29	3	22	9	0.1	1.1	20.48	99.6	7.5493	51.1704
2019	11	29	3	32	9	0.1	1.1	20.04	100.6	7.5493	49.9038
2019	11	29	3	42	9	0.1	1.1	20.87	102.2	7.5493	51.677
2019	11	29	3	52	9	0.1	1.1	20.77	100.8	7.5493	51.677
2019	11	29	4	2	9	0.1	1.1	20.79	101.1	7.5493	51.677
2019	11	29	4	12	9	0.1	1.1	20.55	99	7.5493	51.4237
2019	11	29	4	22	9	0.1	1.1	20.66	97.2	7.5493	51.9304
2019	11	29	4	32	9	0.1	1.1	20.28	97.7	7.5493	50.9171
2019	11	29	4	42	9	0.1	1.1	19.55	99.1	7.5493	48.8906
2019	11	29	4	52	9	0.1	1.1	19.82	96.4	7.5493	49.9038
2019	11	29	5	2	9	0.1	1.1	19.97	99.5	7.5493	49.9038
2019	11	29	5	12	9	0.1	1.1	20.49	97.9	7.5493	51.4238
2019	11	29	5	22	9	0.1	1.1	20.51	101.5	7.5493	50.9171
2019	11	29	5	32	9	0.1	1.1	20.47	101	7.5493	50.9171
2019	11	29	5	42	9	0.1	1.1	19.24	100.8	7.5493	47.8773
2019	11	29	5	52	9	0.1	1.1	19.5	98.3	7.5493	48.8906
2019	11	29	6	2	9	0.1	1.1	19.61	100.3	7.5493	48.8906
2019	11	29	6	12	9	0.1	1.1	19.93	98.7	7.5493	49.9039
2019	11	29	6	22	9	0.1	1.1	18.64	99.3	7.5493	46.6107
2019	11	29	6	32	9	0.1	1.1	20.3	99.9	7.5493	50.6638
2019	11	29	6	42	9	0.1	1.1	20.11	100	7.5493	50.1572
2019	11	29	6	52	9	0.1	1.1	18.77	99.8	7.5493	46.8641
2019	11	29	7	2	9	0.1	1.1	19.16	101.1	7.5493	47.624
2019	11	29	7	12	9	0.1	1.1	20.2	101.4	7.5493	50.1572
2019	11	29	7	22	9	0.1	1.1	19.97	99.5	7.5493	49.9039
2019	11	29	7	32	9	0.1	1.1	19.94	98.9	7.5493	49.9039
2019	11	29	7	42	9	0.1	1.1	19.89	99.8	7.5493	49.6506
2019	11	29	7	52	9	0.1	1.1	20.52	100.1	7.5493	51.1705
2019	11	29	8	2	9	0.1	1.1	18.26	97.6	7.5493	45.8508
2019	11	29	8	12	9	0.1	1.1	20.52	104.1	7.5493	50.4105
2019	11	29	8	22	9	0.1	1.1	19.35	99.2	7.5493	48.384
2019	11	29	8	32	9	0.1	1.1	19.52	100.3	7.5432	48.5963

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	29	8	42	9	0.1	1.1	20.25	99.1	7.5432	50.6211
2019	11	29	8	52	9	0.1	1.1	20.48	99.6	7.5493	51.1705
2019	11	29	9	2	9	0.1	1.1	20.34	98.8	7.5493	50.9172
2019	11	29	9	12	9	0.1	1.1	20.06	99.2	7.5432	50.1149
2019	11	29	9	22	9	0.1	1.1	19.71	101.7	7.5493	48.8906
2019	11	29	9	32	9	0.1	1.1	19.15	99.3	7.5493	47.8773
2019	11	29	9	42	9	0.1	1.1	19.2	100.2	7.5432	47.8369
2019	11	29	9	52	9	0.1	1.1	20.19	99.7	7.5432	50.368
2019	11	29	10	2	9	0.1	1.1	20.12	100.3	7.5432	50.1149
2019	11	29	10	12	9	0.1	1.1	19.56	99.4	7.5432	48.8493
2019	11	29	10	22	9	0.1	1.1	19.85	102.2	7.5432	49.1024
2019	11	29	10	32	9	0.1	1.1	20.81	100	7.5432	51.8866
2019	11	29	10	42	9	0.1	1.1	20.03	98.6	7.5432	50.1149
2019	11	29	10	52	9	0.1	1.1	19.34	100.7	7.5432	48.09
2019	11	29	11	2	9	0.1	1.1	20.19	102.6	7.5432	49.8617
2019	11	29	11	12	9	0.1	1.1	18.94	99.1	7.5432	47.3307
2019	11	29	11	22	9	0.1	1.1	20.76	99.1	7.5432	51.8866
2019	11	29	11	32	9	0.1	1.1	20.39	99.6	7.5432	50.8741
2019	11	29	11	42	9	0.1	1.1	20.49	97.9	7.5432	51.3803
2019	11	29	11	52	9	0.1	1.1	21.01	99.9	7.5432	52.3928
2019	11	29	12	2	9	0.1	1.1	20.78	97.5	7.5432	52.1396
2019	11	29	12	12	9	0.1	1.1	20.39	99.6	7.5493	50.9171
2019	11	29	12	22	9	0.1	1.1	18.6	98.3	7.5493	46.6106
2019	11	29	12	32	9	0.1	1.1	19.28	99.9	7.5432	48.0899
2019	11	29	12	42	9	0.1	1.1	19.53	98.8	7.5432	48.8493
2019	11	29	12	52	9	0.1	1.1	20.59	101.2	7.5493	51.1704
2019	11	29	13	2	9	0.1	1.1	19.66	99.4	7.5493	49.1438
2019	11	29	13	12	9	0.1	1.1	20.49	97.9	7.5493	51.4237
2019	11	29	13	22	9	0.1	1.1	20	98	7.5493	50.1571
2019	11	29	13	32	9	0.1	1.1	20.65	100.6	7.5493	51.4236
2019	11	29	13	42	9	0.1	1.1	20.93	98.5	7.5554	52.4811
2019	11	29	13	52	9	0.1	1.1	20.89	97.7	7.5554	52.4811
2019	11	29	14	2	9	0.1	1.1	20.49	97.9	7.5554	51.467
2019	11	29	14	12	9	0.1	1.1	19.94	98.9	7.5554	49.9458
2019	11	29	14	22	9	0.1	1.1	19.86	97.2	7.5554	49.9458
2019	11	29	14	32	9	0.1	1.1	19.86	99.3	7.5615	49.7342
2019	11	29	14	42	9	0.1	1.1	19.55	99.1	7.5615	48.9729
2019	11	29	14	52	9	0.1	1.1	19.75	97	7.5615	49.7342
2019	11	29	15	2	9	0.1	1.1	20.22	100.3	7.5676	50.5379
2019	11	29	15	12	9	0.1	1.1	20.52	100.1	7.5676	51.2998
2019	11	29	15	22	9	0.1	1.1	20.24	100.5	7.5737	50.5805
2019	11	29	15	32	9	0.1	1.1	20.19	99.7	7.5737	50.5805
2019	11	29	15	42	9	0.1	1.1	19.65	97	7.5798	49.6055
2019	11	29	15	52	9	0.1	1.1	19.05	99.4	7.5859	47.8649
2019	11	29	16	2	9	0.1	1.1	21.52	99.9	7.5859	53.9753
2019	11	29	16	12	9	0.1	1.1	21.2	97.9	7.5859	53.4661
2019	11	29	16	22	9	0.1	1.1	19.61	100.3	7.5859	49.1379

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	29	16	32	9	0.1	1.1	20.83	101.6	7.5859	51.9385
2019	11	29	16	42	9	0.1	1.1	19.81	100.2	7.592	49.6888
2019	11	29	16	52	9	0.1	1.1	19.91	101.6	7.5859	49.6471
2019	11	29	17	2	9	0.1	1.1	20.61	98.1	7.5859	51.9385
2019	11	29	17	12	9	0.1	1.1	20.48	99.6	7.5859	51.4294
2019	11	29	17	22	9	0.1	1.1	20.73	100.3	7.5859	51.9386
2019	11	29	17	32	9	0.1	1.1	20.78	99.4	7.5859	52.1932
2019	11	29	17	42	9	0.1	1.1	20.6	99.8	7.5859	51.684
2019	11	29	17	52	9	0.1	1.1	18.87	101.3	7.5859	47.1012
2019	11	29	18	2	9	0.1	1.1	19.84	99	7.5859	49.9018
2019	11	29	18	12	9	0.1	1.1	20.32	100.2	7.5859	50.9202
2019	11	29	18	22	9	0.1	1.1	20.36	100.8	7.5859	50.9202
2019	11	29	18	32	9	0.1	1.1	20.48	99.6	7.5859	51.4294
2019	11	29	18	42	9	0.1	1.1	20.52	100.1	7.5859	51.4294
2019	11	29	18	52	9	0.1	1.1	20.69	101.1	7.5798	51.6407
2019	11	29	19	2	9	0.1	1.1	19.74	103.5	7.5798	48.8424
2019	11	29	19	12	9	0.1	1.1	20.06	100.9	7.5737	50.0722
2019	11	29	19	22	9	0.1	1.1	21.11	99.8	7.5737	52.8682
2019	11	29	19	32	9	0.1	1.1	20.3	101.4	7.5615	50.4956
2019	11	29	19	42	9	0.1	1.1	18.77	104.2	7.5615	46.1819
2019	11	29	19	52	9	0.1	1.1	19.6	100	7.5615	48.9731
2019	11	29	20	2	9	0.1	1.1	19.77	102.6	7.5615	48.9731
2019	11	29	20	12	9	0.1	1.1	20	101.5	7.5554	49.6925
2019	11	29	20	22	9	0.1	1.1	19.73	100.5	7.5554	49.1855
2019	11	29	20	32	9	0.1	1.1	20.03	100.4	7.5554	49.9461
2019	11	29	20	42	9	0.1	1.1	20.42	100.2	7.5554	50.9602
2019	11	29	20	52	9	0.1	1.1	19.93	100.4	7.5554	49.6926
2019	11	29	21	2	9	0.1	1.1	20.28	101.1	7.5493	50.4106
2019	11	29	21	12	9	0.1	1.1	20.55	99	7.5493	51.424
2019	11	29	21	22	9	0.1	1.1	19.81	101.7	7.5493	49.1441
2019	11	29	21	32	9	0.1	1.1	19.81	98.4	7.5493	49.6507
2019	11	29	21	42	9	0.1	1.1	20.34	101.9	7.5493	50.4107
2019	11	29	21	52	9	0.1	1.1	20.26	102.3	7.5493	50.1574
2019	11	29	22	2	9	0.1	1.1	20.57	99.2	7.5493	51.424
2019	11	29	22	12	9	0.1	1.1	20.12	100.3	7.5432	50.1151
2019	11	29	22	22	9	0.1	1.1	20.45	99	7.5432	51.1276
2019	11	29	22	32	9	0.1	1.1	20.67	99.2	7.5432	51.6338
2019	11	29	22	42	9	0.1	1.1	20.35	99	7.5432	50.8745
2019	11	29	22	52	9	0.1	1.1	19.45	99.2	7.5371	48.5555
2019	11	29	23	2	9	0.1	1.1	20.26	102.3	7.5371	50.0729
2019	11	29	23	12	9	0.1	1.1	20.34	101.9	7.5371	50.3258
2019	11	29	23	22	9	0.1	1.1	20.27	99.4	7.5371	50.5787
2019	11	29	23	32	9	0.1	1.1	20.39	97.9	7.531	51.0413
2019	11	29	23	42	9	0.1	1.1	20.52	98.4	7.531	51.294
2019	11	29	23	52	9	0.1	1.1	20.07	99.5	7.531	50.0306
2019	11	30	0	2	9	0.1	1.1	20.07	102.4	7.531	49.5253
2019	11	30	0	12	9	0.1	1.1	19.96	101	7.531	49.5253

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	30	0	22	9	0.1	1.1	21.73	100.1	7.531	54.0736
2019	11	30	0	32	9	0.1	1.1	20.48	99.6	7.5249	50.9983
2019	11	30	0	42	9	0.1	1.1	19.91	100.1	7.5249	49.4835
2019	11	30	0	52	9	0.1	1.1	20.65	100.6	7.5249	51.2508
2019	11	30	1	2	9	0.1	1.1	21.13	98.4	7.5249	52.7656
2019	11	30	1	12	9	0.1	1.1	21.33	98.4	7.5249	53.2705
2019	11	30	1	22	9	0.1	1.1	19.83	100.5	7.5249	49.2311
2019	11	30	1	32	9	0.1	1.1	19.79	99.9	7.5249	49.2311
2019	11	30	1	42	9	0.1	1.1	20.14	98.9	7.5188	50.1984
2019	11	30	1	52	9	0.1	1.1	19.76	99.3	7.5188	49.1894
2019	11	30	2	2	9	0.1	1.1	19.5	103	7.5188	47.9282
2019	11	30	2	12	9	0.1	1.1	20.47	101	7.5188	50.703
2019	11	30	2	22	9	0.1	1.1	20.83	100.2	7.5188	51.712
2019	11	30	2	32	9	0.1	1.1	19.76	99.3	7.5188	49.1895
2019	11	30	2	42	9	0.1	1.1	20.86	99.1	7.5127	51.9203
2019	11	30	2	52	9	0.1	1.1	20.16	99.1	7.5127	50.156
2019	11	30	3	2	9	0.1	1.1	21.1	101.2	7.5127	52.1724
2019	11	30	3	12	9	0.1	1.1	21.24	98.7	7.5127	52.9285
2019	11	30	3	22	9	0.1	1.1	20.44	98.7	7.5127	50.9122
2019	11	30	3	32	9	0.1	1.1	19.58	102.7	7.5066	48.099
2019	11	30	3	42	9	0.1	1.1	20.21	100	7.5066	50.1136
2019	11	30	3	52	9	0.1	1.1	20.26	102.3	7.5066	49.8618
2019	11	30	4	2	9	0.1	1.1	19.09	100	7.5066	47.3435
2019	11	30	4	12	9	0.1	1.1	19.88	99.6	7.5066	49.3582
2019	11	30	4	22	9	0.1	1.1	20.8	95.5	7.5005	52.084
2019	11	30	4	32	9	0.1	1.1	20.24	102	7.5005	49.8195
2019	11	30	4	42	9	0.1	1.1	20.03	98.6	7.5005	49.8196
2019	11	30	4	52	9	0.1	1.1	19.55	100.9	7.4944	48.2689
2019	11	30	5	2	9	0.1	1.1	19.31	103.2	7.4944	47.2633
2019	11	30	5	12	9	0.1	1.1	19.54	102.1	7.4944	48.0175
2019	11	30	5	22	9	0.1	1.1	20.08	101.2	7.4944	49.5259
2019	11	30	5	32	9	0.1	1.1	18.97	99.7	7.4883	46.972
2019	11	30	5	42	9	0.1	1.1	19.8	98.1	7.4883	49.2326
2019	11	30	5	52	9	0.1	1.1	19.49	98	7.4822	48.4379
2019	11	30	6	2	9	0.1	1.1	19.45	99.2	7.4761	48.1459
2019	11	30	6	12	9	0.1	1.1	20.26	100.8	7.4761	49.9012
2019	11	30	6	22	9	0.1	1.1	19.1	101.8	7.4761	46.8921
2019	11	30	6	32	9	0.1	1.1	19.66	99.4	7.47	48.606
2019	11	30	6	42	9	0.1	1.1	19.54	102.1	7.4639	47.8135
2019	11	30	6	52	9	0.1	1.1	20.1	101.5	7.4639	49.3156
2019	11	30	7	2	9	0.1	1.1	19.97	99.5	7.4639	49.3156
2019	11	30	7	12	9	0.1	1.1	18.4	101.9	7.4639	45.0599
2019	11	30	7	22	9	0.1	1.1	20.4	101.3	7.4639	50.0666
2019	11	30	7	32	9	0.1	1.1	19.16	97.5	7.4639	47.5632
2019	11	30	7	42	9	0.1	1.1	20.55	102.1	7.4639	50.3169
2019	11	30	7	52	9	0.1	1.1	20.2	101.4	7.4578	49.5236
2019	11	30	8	2	9	0.1	1.1	18.79	100.1	7.4578	46.2721

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	30	8	12	9	0.1	1.1	19.47	101.3	7.4578	47.7728
2019	11	30	8	22	9	0.1	1.1	19.91	100.1	7.4578	49.0233
2019	11	30	8	32	9	0.1	1.1	20.06	100.9	7.4578	49.2735
2019	11	30	8	42	9	0.1	1.1	19.77	101.1	7.4578	48.5231
2019	11	30	8	52	9	0.1	1.1	20.12	101.8	7.4578	49.2734
2019	11	30	9	2	9	0.1	1.1	19.87	102.5	7.4578	48.5231
2019	11	30	9	12	9	0.1	1.1	19.61	100.3	7.4578	48.2729
2019	11	30	9	22	9	0.1	1.1	19.83	98.7	7.4578	49.0233
2019	11	30	9	32	9	0.1	1.1	19.65	102.3	7.4578	48.0228
2019	11	30	9	42	9	0.1	1.1	18.42	106.1	7.4578	44.271
2019	11	30	9	52	9	0.1	1.1	18.3	100.4	7.4518	44.9829
2019	11	30	10	2	9	0.1	1.1	18.77	101.4	7.4518	45.9825
2019	11	30	10	12	9	0.1	1.1	20.59	101.2	7.4518	50.4808
2019	11	30	10	22	9	0.1	1.1	20.01	100.1	7.4518	49.2312
2019	11	30	10	32	9	0.1	1.1	19.29	102.9	7.4518	46.9821
2019	11	30	10	42	9	0.1	1.1	20.11	100	7.4518	49.4811
2019	11	30	10	52	9	0.1	1.1	19.61	101.8	7.4518	47.9817
2019	11	30	11	2	9	0.1	1.1	18.93	102.2	7.4518	46.2323
2019	11	30	11	12	9	0.1	1.1	19.22	102	7.4518	46.982
2019	11	30	11	22	9	0.1	1.1	19.77	102.6	7.4518	48.2316
2019	11	30	11	32	9	0.1	1.1	19.59	101.5	7.4518	47.9816
2019	11	30	11	42	9	0.1	1.1	20.11	100	7.4518	49.4811
2019	11	30	11	52	9	0.1	1.1	19.32	100.4	7.4518	47.4818
2019	11	30	12	2	9	0.1	1.1	19.75	100.8	7.4518	48.4814
2019	11	30	12	12	9	0.1	1.1	18.89	101.6	7.4518	46.2323
2019	11	30	12	22	9	0.1	1.1	19.62	104.5	7.4518	47.4818
2019	11	30	12	32	9	0.1	1.1	19.79	99.9	7.4518	48.7314
2019	11	30	12	42	9	0.1	1.1	18.96	99.4	7.4518	46.7321
2019	11	30	12	52	9	0.1	1.1	20.46	100.7	7.4518	50.2308
2019	11	30	13	2	9	0.1	1.1	18.55	101.2	7.4518	45.4826
2019	11	30	13	12	9	0.1	1.1	19.73	100.5	7.4518	48.4814
2019	11	30	13	22	9	0.1	1.1	18.85	101	7.4518	46.2323
2019	11	30	13	32	9	0.1	1.1	19.58	99.7	7.4518	48.2315
2019	11	30	13	42	9	0.1	1.1	20.54	104.4	7.4578	49.7735
2019	11	30	13	52	9	0.1	1.1	19.77	102.6	7.4518	48.2315
2019	11	30	14	2	9	0.1	1.1	18.47	101.6	7.4518	45.2327
2019	11	30	14	12	9	0.1	1.1	20.25	103.4	7.4578	49.2732
2019	11	30	14	22	9	0.1	1.1	19.48	102.8	7.4578	47.5224
2019	11	30	14	32	9	0.1	1.1	18.3	100.4	7.4578	45.0212
2019	11	30	14	42	9	0.1	1.1	19.52	100.3	7.4578	48.0226
2019	11	30	14	52	9	0.1	1.1	20.24	102	7.4578	49.5233
2019	11	30	15	2	9	0.1	1.1	20.06	99.2	7.4578	49.5233
2019	11	30	15	12	9	0.1	1.1	19.27	99.6	7.4578	47.5224
2019	11	30	15	22	9	0.1	1.1	19.97	97.5	7.4578	49.5233
2019	11	30	15	32	9	0.1	1.1	20.26	100.8	7.4578	49.7734
2019	11	30	15	42	9	0.1	1.1	19.97	102.4	7.4639	48.8146
2019	11	30	15	52	9	0.1	1.1	19.71	100.2	7.4639	48.5643

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	30	16	2	9	0.1	1.1	19.81	100.2	7.4639	48.8146
2019	11	30	16	12	9	0.1	1.1	20.06	99.2	7.4639	49.5656
2019	11	30	16	22	9	0.1	1.1	18.71	100.5	7.4639	46.061
2019	11	30	16	32	9	0.1	1.1	20.38	101	7.4639	50.0663
2019	11	30	16	42	9	0.1	1.1	20.59	101.2	7.4639	50.567
2019	11	30	16	52	9	0.1	1.1	19.73	100.5	7.4639	48.5643
2019	11	30	17	2	9	0.1	1.1	19.63	98.8	7.4639	48.5643
2019	11	30	17	12	9	0.1	1.1	19.91	100.1	7.4639	49.065
2019	11	30	17	22	9	0.1	1.1	20.46	102.1	7.47	50.109
2019	11	30	17	32	9	0.1	1.1	20.11	100	7.47	49.6079
2019	11	30	17	42	9	0.1	1.1	19.96	101	7.47	49.1068
2019	11	30	17	52	9	0.1	1.1	19.76	99.3	7.47	48.8563
2019	11	30	18	2	9	0.1	1.1	19.09	100	7.47	47.1025
2019	11	30	18	12	9	0.1	1.1	20.46	100.7	7.47	50.3596
2019	11	30	18	22	9	0.1	1.1	19.51	101.8	7.47	47.8541
2019	11	30	18	32	9	0.1	1.1	19.04	99.1	7.47	47.1025
2019	11	30	18	42	9	0.1	1.1	19.54	102.1	7.47	47.8541
2019	11	30	18	52	9	0.1	1.1	18.68	103	7.4761	45.6381
2019	11	30	19	2	9	0.1	1.1	18.12	100.8	7.4761	44.6351
2019	11	30	19	12	9	0.1	1.1	18.05	102.8	7.4761	44.1335
2019	11	30	19	22	9	0.1	1.1	18.89	100.1	7.4761	46.6411
2019	11	30	19	32	9	0.1	1.1	18.83	100.7	7.4822	46.4299
2019	11	30	19	42	9	0.1	1.1	19.24	100.8	7.4822	47.4338
2019	11	30	19	52	9	0.1	1.1	19.73	102	7.4883	48.4789
2019	11	30	20	2	9	0.1	1.1	19.65	102.3	7.4883	48.2277
2019	11	30	20	12	9	0.1	1.1	19.85	102.2	7.4883	48.7301
2019	11	30	20	22	9	0.1	1.1	19.71	100.2	7.4944	48.7715
2019	11	30	20	32	9	0.1	1.1	20.33	103.1	7.4944	49.7772
2019	11	30	20	42	9	0.1	1.1	20.34	100.5	7.4944	50.2799
2019	11	30	20	52	9	0.1	1.1	19.59	101.5	7.4944	48.2688
2019	11	30	21	2	9	0.1	1.1	19.91	100.1	7.4944	49.2743
2019	11	30	21	12	9	0.1	1.1	18.77	99.8	7.5005	46.5485
2019	11	30	21	22	9	0.1	1.1	20.54	100.4	7.5005	50.8259
2019	11	30	21	32	9	0.1	1.1	19.54	102.1	7.5005	48.0582
2019	11	30	21	42	9	0.1	1.1	19.63	100.6	7.5005	48.5614
2019	11	30	21	52	9	0.1	1.1	20.06	99.2	7.5005	49.8195
2019	11	30	22	2	9	0.1	1.1	20.16	100.9	7.5005	49.8195
2019	11	30	22	12	9	0.1	1.1	19.71	100.2	7.5005	48.813
2019	11	30	22	22	9	0.1	1.1	20.79	97.7	7.5005	51.8324
2019	11	30	22	32	9	0.1	1.1	20.18	103.8	7.5005	49.3162
2019	11	30	22	42	9	0.1	1.1	19.88	99.6	7.5005	49.3162
2019	11	30	22	52	9	0.1	1.1	21.26	100.6	7.5005	52.5872
2019	11	30	23	2	9	0.1	1.1	20.11	100	7.5005	49.8195
2019	11	30	23	12	9	0.1	1.1	19.62	98.5	7.5066	48.8545
2019	11	30	23	22	9	0.1	1.1	20.06	99.2	7.5066	49.8618
2019	11	30	23	32	9	0.1	1.1	20.01	98.3	7.5066	49.8618
2019	11	30	23	42	9	0.1	1.1	20.8	99.7	7.5005	51.5808

Reinhackle (0356)

Year	Month	Day	Hour	Minute	Second	CellBegin	CellEnd	Speed	Direction	Area	Flow
2019	11	30	23	52	9	0.1	1.1	20.72	100	7.5066	51.3728

Alabama Gates Release
Station 0087

Date	Flow (cfs)
11/1/2019	0
11/2/2019	0
11/3/2019	0
11/4/2019	0
11/5/2019	0
11/6/2019	0
11/7/2019	0
11/8/2019	0
11/9/2019	0
11/10/2019	0
11/11/2019	0
11/12/2019	0
11/13/2019	0
11/14/2019	0
11/15/2019	0
11/16/2019	0
11/17/2019	0
11/18/2019	0
11/19/2019	0
11/20/2019	0
11/21/2019	0
11/22/2019	0
11/23/2019	0
11/24/2019	0
11/25/2019	0
11/26/2019	0
11/27/2019	0
11/28/2019	0
11/29/2019	0
11/30/2019	0

Langemann Gate to Delta Weir to Delta Pumpback Station Discharge

DATE	FLOW (CFS)	FLOW (CFS)	FLOW (CFS)
11/1/2019	4	0	46
11/2/2019	4	0	46
11/3/2019	4	0	45
11/4/2019	4	0	44
11/5/2019	4	0	44
11/6/2019	4	0	44
11/7/2019	4	0	45
11/8/2019	4	0	45
11/9/2019	4	0	45
11/10/2019	4	0	44
11/11/2019	4	0	44
11/12/2019	4	0	44
11/13/2019	4	0	44
11/14/2019	4	0	46
11/15/2019	4	0	46
11/16/2019	4	0	47
11/17/2019	4	0	47
11/18/2019	4	0	47
11/19/2019	4	0	47
11/20/2019	4	0	47
11/21/2019	4	0	45
11/22/2019	4	1	47
11/23/2019	4	5	47
11/24/2019	4	7	47
11/25/2019	4	5	47
11/26/2019	4	4	47
11/27/2019	4	3	47
11/28/2019	4	3	47
11/29/2019	4	2	47
11/30/2019	4	5	44

Pumpback Station Discharge (0364)

11/1/19 0:00 == 46.7
11/1/19 0:05 == 46.7
11/1/19 0:10 == 46.7
11/1/19 0:15 == 46.7
11/1/19 0:20 == 46.7
11/1/19 0:25 == 46.7
11/1/19 0:30 == 46.6
11/1/19 0:35 == 47
11/1/19 0:40 == 46.8
11/1/19 0:45 == 46.9
11/1/19 0:50 == 46.7
11/1/19 0:55 == 46.7
11/1/19 1:00 == 46.8
11/1/19 1:05 == 46.5
11/1/19 1:10 == 46.6
11/1/19 1:15 == 46.7
11/1/19 1:20 == 46.8
11/1/19 1:25 == 46.8
11/1/19 1:30 == 46.8
11/1/19 1:35 == 47
11/1/19 1:40 == 46.7
11/1/19 1:45 == 46.8
11/1/19 1:50 == 46.7
11/1/19 1:55 == 46.7
11/1/19 2:00 == 46.7
11/1/19 2:05 == 46.6
11/1/19 2:10 == 46.6
11/1/19 2:15 == 46.6
11/1/19 2:20 == 46.8
11/1/19 2:25 == 46.7
11/1/19 2:30 == 46.7
11/1/19 2:35 == 46.8
11/1/19 2:40 == 46.6
11/1/19 2:45 == 46.7
11/1/19 2:50 == 46.8
11/1/19 2:55 == 46.7
11/1/19 3:00 == 46.8
11/1/19 3:05 == 46.8
11/1/19 3:10 == 46.8
11/1/19 3:15 == 46.8
11/1/19 3:20 == 47
11/1/19 3:25 == 46.7
11/1/19 3:30 == 47
11/1/19 3:35 == 46.8
11/1/19 3:40 == 46.9
11/1/19 3:45 == 46.8
11/1/19 3:50 == 47
11/1/19 3:55 == 46.8
11/1/19 4:00 == 46.9
11/1/19 4:05 == 46.8
11/1/19 4:10 == 47
11/1/19 4:15 == 46.8
11/1/19 4:20 == 46.7
11/1/19 4:25 == 46.9
11/1/19 4:30 == 46.9
11/1/19 4:35 == 46.7
11/1/19 4:40 == 46.8
11/1/19 4:45 == 46.7
11/1/19 4:50 == 46.6
11/1/19 4:55 == 46.7
11/1/19 5:00 == 46.7
11/1/19 5:05 == 46.6
11/1/19 5:10 == 46.8
11/1/19 5:15 == 46.7
11/1/19 5:20 == 46.6
11/1/19 5:25 == 46.6
11/1/19 5:30 == 46.7
11/1/19 5:35 == 47
11/1/19 5:40 == 46.8
11/1/19 5:45 == 46.9
11/1/19 5:50 == 47.3
11/1/19 5:55 == 46.9
11/1/19 6:00 == 47
11/1/19 6:05 == 47
11/1/19 6:10 == 47.1
11/1/19 6:15 == 47
11/1/19 6:20 == 46.8
11/1/19 6:25 == 47
11/1/19 6:30 == 47
11/1/19 6:35 == 46.8
11/1/19 6:40 == 46.9
11/1/19 6:45 == 46.9
11/1/19 6:50 == 38
11/1/19 6:55 == 44.7
11/1/19 7:00 == 47
11/1/19 7:05 == 47.1
11/1/19 7:10 == 47
11/1/19 7:15 == 46.9
11/1/19 7:20 == 47.2
11/1/19 7:25 == 46.9
11/1/19 7:30 == 47
11/1/19 7:35 == 47
11/1/19 7:40 == 47
11/1/19 7:45 == 47.1
11/1/19 7:50 == 46.9
11/1/19 7:55 == 46.9
11/1/19 8:00 == 47.1
11/1/19 8:05 == 46.9
11/1/19 8:10 == 46.9
11/1/19 8:15 == 38.5
11/1/19 8:20 == 32.3
11/1/19 8:25 == 32.4
11/1/19 8:30 == 32.7
11/1/19 8:35 == 32.9
11/1/19 8:40 == 32.9
11/1/19 8:45 == 33.1
11/1/19 8:50 == 33.1
11/1/19 8:55 == 33.2
11/1/19 9:00 == 36.1
11/1/19 9:05 == 37.8
11/1/19 9:10 == 45.3
11/1/19 9:15 == 47.1
11/1/19 9:20 == 46.9
11/1/19 9:25 == 47
11/1/19 9:30 == 46.9
11/1/19 9:35 == 47
11/1/19 9:40 == 47.1
11/1/19 9:45 == 47.1
11/1/19 9:50 == 47.4
11/1/19 9:55 == 47.3
11/1/19 10:00 == 47.2
11/1/19 10:05 == 47.1
11/1/19 10:10 == 47.1
11/1/19 10:15 == 47.2
11/1/19 10:20 == 47
11/1/19 10:25 == 47.1
11/1/19 10:30 == 47.2
11/1/19 10:35 == 46.9
11/1/19 10:40 == 47.1
11/1/19 10:45 == 47.2
11/1/19 10:50 == 47.2
11/1/19 10:55 == 47.2
11/1/19 11:00 == 47.2
11/1/19 11:05 == 46.6
11/1/19 11:10 == 47.1
11/1/19 11:15 == 46.9
11/1/19 11:20 == 46.9
11/1/19 11:25 == 46.8
11/1/19 11:30 == 46.9
11/1/19 11:35 == 47
11/1/19 11:40 == 46.9
11/1/19 11:45 == 46.9
11/1/19 11:50 == 47
11/1/19 11:55 == 47.1
11/1/19 12:00 == 47
11/1/19 12:05 == 47.1
11/1/19 12:10 == 47
11/1/19 12:15 == 47
11/1/19 12:20 == 46.9
11/1/19 12:25 == 46.9
11/1/19 12:30 == 47.1
11/1/19 12:35 == 46.9
11/1/19 12:40 == 46.9
11/1/19 12:45 == 46.9
11/1/19 12:50 == 47.2
11/1/19 12:55 == 47
11/1/19 13:00 == 47.1
11/1/19 13:05 == 47.1
11/1/19 13:10 == 47
11/1/19 13:15 == 47.1
11/1/19 13:20 == 47.2
11/1/19 13:25 == 46.9
11/1/19 13:30 == 47.2
11/1/19 13:35 == 46.9
11/1/19 13:40 == 47
11/1/19 13:45 == 47.1
11/1/19 13:50 == 47.3
11/1/19 13:55 == 47
11/1/19 14:00 == 47
11/1/19 14:05 == 47.2
11/1/19 14:10 == 47
11/1/19 14:15 == 47.2
11/1/19 14:20 == 46.7
11/1/19 14:25 == 47.3
11/1/19 14:30 == 47.1
11/1/19 14:35 == 47.1
11/1/19 14:40 == 47.1
11/1/19 14:45 == 47.1
11/1/19 14:50 == 47
11/1/19 14:55 == 47.1
11/1/19 15:00 == 47
11/1/19 15:05 == 47.1
11/1/19 15:10 == 46.9
11/1/19 15:15 == 47.1
11/1/19 15:20 == 46.9
11/1/19 15:25 == 47
11/1/19 15:30 == 47.1
11/1/19 15:35 == 47.1
11/1/19 15:40 == 47.1
11/1/19 15:45 == 47
11/1/19 15:50 == 47.2
11/1/19 15:55 == 46.8
11/1/19 16:00 == 47
11/1/19 16:05 == 47
11/1/19 16:10 == 46.9
11/1/19 16:15 == 47
11/1/19 16:20 == 47.1
11/1/19 16:25 == 47.1
11/1/19 16:30 == 46.8
11/1/19 16:35 == 47
11/1/19 16:40 == 47.1
11/1/19 16:45 == 47.2
11/1/19 16:50 == 47
11/1/19 16:55 == 46.9
11/1/19 17:00 == 47
11/1/19 17:05 == 47.1
11/1/19 17:10 == 47
11/1/19 17:15 == 38.4
11/1/19 17:20 == 32.3
11/1/19 17:25 == 32.3
11/1/19 17:30 == 32.6
11/1/19 17:35 == 33
11/1/19 17:40 == 32.8
11/1/19 17:45 == 32.9
11/1/19 17:50 == 32.8
11/1/19 17:55 == 33.1
11/1/19 18:00 == 33.1
11/1/19 18:05 == 33.2
11/1/19 18:10 == 33.3
11/1/19 18:15 == 36.3

Pumpback Station Discharge (0364)

11/1/19 18:20 == 47.1
11/1/19 18:25 == 46.8
11/1/19 18:30 == 47.1
11/1/19 18:35 == 46.7
11/1/19 18:40 == 46.8
11/1/19 18:45 == 46.9
11/1/19 18:50 == 46.8
11/1/19 18:55 == 47
11/1/19 19:00 == 47.2
11/1/19 19:05 == 46.7
11/1/19 19:10 == 47
11/1/19 19:15 == 46.8
11/1/19 19:20 == 47.1
11/1/19 19:25 == 46.9
11/1/19 19:30 == 47
11/1/19 19:35 == 46.9
11/1/19 19:40 == 46.9
11/1/19 19:45 == 46.9
11/1/19 19:50 == 47
11/1/19 19:55 == 47
11/1/19 20:00 == 47
11/1/19 20:05 == 47
11/1/19 20:10 == 47.1
11/1/19 20:15 == 46.9
11/1/19 20:20 == 47
11/1/19 20:25 == 46.9
11/1/19 20:30 == 47
11/1/19 20:35 == 47
11/1/19 20:40 == 46.9
11/1/19 20:45 == 46.9
11/1/19 20:50 == 47
11/1/19 20:55 == 47
11/1/19 21:00 == 46.9
11/1/19 21:05 == 46.9
11/1/19 21:10 == 46.7
11/1/19 21:15 == 46.8
11/1/19 21:20 == 46.9
11/1/19 21:25 == 47
11/1/19 21:30 == 47.1
11/1/19 21:35 == 47.1
11/1/19 21:40 == 47
11/1/19 21:45 == 47
11/1/19 21:50 == 46.7
11/1/19 21:55 == 46.9
11/1/19 22:00 == 47
11/1/19 22:05 == 46.9
11/1/19 22:10 == 46.8
11/1/19 22:15 == 47
11/1/19 22:20 == 46.9
11/1/19 22:25 == 46.9
11/1/19 22:30 == 46.9
11/1/19 22:35 == 46.9
11/1/19 22:40 == 47
11/1/19 22:45 == 47
11/1/19 22:50 == 46.9
11/1/19 22:55 == 46.7
11/1/19 23:00 == 46.7
11/1/19 23:05 == 46.9
11/1/19 23:10 == 46.8
11/1/19 23:15 == 46.7
11/1/19 23:20 == 47
11/1/19 23:25 == 47
11/1/19 23:30 == 47.1
11/1/19 23:35 == 46.4
11/1/19 23:40 == 38.5
11/1/19 23:45 == 44.1
11/1/19 23:50 == 46.8
11/1/19 23:55 == 46.7
11/2/19 0:00 == 46.9
11/2/19 0:05 == 47.1
11/2/19 0:10 == 46.9
11/2/19 0:15 == 46.9
11/2/19 0:20 == 46.9
11/2/19 0:25 == 46.7
11/2/19 0:30 == 46.9
11/2/19 0:35 == 47.2
11/2/19 0:40 == 47
11/2/19 0:45 == 46.9
11/2/19 0:50 == 47
11/2/19 0:55 == 46.9
11/2/19 1:00 == 46.9
11/2/19 1:05 == 47
11/2/19 1:10 == 47
11/2/19 1:15 == 46.6
11/2/19 1:20 == 47
11/2/19 1:25 == 46.9
11/2/19 1:30 == 47
11/2/19 1:35 == 47
11/2/19 1:40 == 47
11/2/19 1:45 == 47
11/2/19 1:50 == 46.8
11/2/19 1:55 == 46.8
11/2/19 2:00 == 46.9
11/2/19 2:05 == 46.7
11/2/19 2:10 == 46.8
11/2/19 2:15 == 46.9
11/2/19 2:20 == 46.8
11/2/19 2:25 == 46.8
11/2/19 2:30 == 46.8
11/2/19 2:35 == 46.9
11/2/19 2:40 == 46.7
11/2/19 2:45 == 37.6
11/2/19 2:50 == 32.5
11/2/19 2:55 == 32.5
11/2/19 3:00 == 32.8
11/2/19 3:05 == 33.1
11/2/19 3:10 == 33
11/2/19 3:15 == 36.8
11/2/19 3:20 == 37.2
11/2/19 3:25 == 45.4
11/2/19 3:30 == 47.1
11/2/19 3:35 == 46.9
11/2/19 3:40 == 47
11/2/19 3:45 == 46.8
11/2/19 3:50 == 47.1
11/2/19 3:55 == 47.1
11/2/19 4:00 == 47.1
11/2/19 4:05 == 47
11/2/19 4:10 == 47.1
11/2/19 4:15 == 47.1
11/2/19 4:20 == 47
11/2/19 4:25 == 47
11/2/19 4:30 == 47.2
11/2/19 4:35 == 46.7
11/2/19 4:40 == 46.9
11/2/19 4:45 == 46.8
11/2/19 4:50 == 47.1
11/2/19 4:55 == 47.2
11/2/19 5:00 == 47
11/2/19 5:05 == 46.9
11/2/19 5:10 == 47
11/2/19 5:15 == 47.1
11/2/19 5:20 == 47
11/2/19 5:25 == 47.1
11/2/19 5:30 == 47
11/2/19 5:35 == 47.3
11/2/19 5:40 == 47.2
11/2/19 5:45 == 47.3
11/2/19 5:50 == 47.2
11/2/19 5:55 == 46.8
11/2/19 6:00 == 47.1
11/2/19 6:05 == 47.2
11/2/19 6:10 == 47.4
11/2/19 6:15 == 47.1
11/2/19 6:20 == 47.1
11/2/19 6:25 == 47.2
11/2/19 6:30 == 47.2
11/2/19 6:35 == 47
11/2/19 6:40 == 47.1
11/2/19 6:45 == 47.2
11/2/19 6:50 == 36.8
11/2/19 6:55 == 45.5
11/2/19 7:00 == 47.2
11/2/19 7:05 == 47.1
11/2/19 7:10 == 47.2
11/2/19 7:15 == 47.1
11/2/19 7:20 == 47.2
11/2/19 7:25 == 47.1
11/2/19 7:30 == 37.8
11/2/19 7:35 == 32.6
11/2/19 7:40 == 32.5
11/2/19 7:45 == 32.9
11/2/19 7:50 == 33
11/2/19 7:55 == 33
11/2/19 8:00 == 33.2
11/2/19 8:05 == 33.3
11/2/19 8:10 == 33.3
11/2/19 8:15 == 37.3
11/2/19 8:20 == 46.9
11/2/19 8:25 == 47
11/2/19 8:30 == 46.9
11/2/19 8:35 == 47.2
11/2/19 8:40 == 47
11/2/19 8:45 == 47.1
11/2/19 8:50 == 46.9
11/2/19 8:55 == 47.1
11/2/19 9:00 == 47.3
11/2/19 9:05 == 47
11/2/19 9:10 == 47.1
11/2/19 9:15 == 47.2
11/2/19 9:20 == 47.2
11/2/19 9:25 == 47.2
11/2/19 9:30 == 47.2
11/2/19 9:35 == 47.3
11/2/19 9:40 == 45.2
11/2/19 9:45 == 37.9
11/2/19 9:50 == 47.6
11/2/19 9:55 == 47.3
11/2/19 10:00 == 47.4
11/2/19 10:05 == 47.2
11/2/19 10:10 == 47.3
11/2/19 10:15 == 47.2
11/2/19 10:20 == 44.9
11/2/19 10:25 == 38.5
11/2/19 10:30 == 47.4
11/2/19 10:35 == 47.1
11/2/19 10:40 == 47.4
11/2/19 10:45 == 47.5
11/2/19 10:50 == 47.1
11/2/19 10:55 == 47.3
11/2/19 11:00 == 47.4
11/2/19 11:05 == 46.8
11/2/19 11:10 == 47.4
11/2/19 11:15 == 47
11/2/19 11:20 == 46.9
11/2/19 11:25 == 47
11/2/19 11:30 == 47.1
11/2/19 11:35 == 47.1
11/2/19 11:40 == 47.1
11/2/19 11:45 == 37.3
11/2/19 11:50 == 32.6
11/2/19 11:55 == 32.5
11/2/19 12:00 == 32.9
11/2/19 12:05 == 33.2
11/2/19 12:10 == 33.2
11/2/19 12:15 == 37.3
11/2/19 12:20 == 47
11/2/19 12:25 == 47
11/2/19 12:30 == 47.2
11/2/19 12:35 == 47.1

Pumpback Station Discharge (0364)

11/2/19 12:40 == 47.2
11/2/19 12:45 == 47.1
11/2/19 12:50 == 47.2
11/2/19 12:55 == 47.2
11/2/19 13:00 == 47.1
11/2/19 13:05 == 47.2
11/2/19 13:10 == 47.2
11/2/19 13:15 == 47.2
11/2/19 13:20 == 47.3
11/2/19 13:25 == 46.9
11/2/19 13:30 == 47.2
11/2/19 13:35 == 47.1
11/2/19 13:40 == 47.1
11/2/19 13:45 == 47.3
11/2/19 13:50 == 47.2
11/2/19 13:55 == 47.2
11/2/19 14:00 == 47.3
11/2/19 14:05 == 47.2
11/2/19 14:10 == 47.1
11/2/19 14:15 == 47.5
11/2/19 14:20 == 46.8
11/2/19 14:25 == 47
11/2/19 14:30 == 47.1
11/2/19 14:35 == 47.2
11/2/19 14:40 == 47.3
11/2/19 14:45 == 47.1
11/2/19 14:50 == 46.9
11/2/19 14:55 == 47.1
11/2/19 15:00 == 37.2
11/2/19 15:05 == 32.5
11/2/19 15:10 == 32.6
11/2/19 15:15 == 32.9
11/2/19 15:20 == 32.9
11/2/19 15:25 == 33
11/2/19 15:30 == 33.2
11/2/19 15:35 == 33.3
11/2/19 15:40 == 33.3
11/2/19 15:45 == 37.3
11/2/19 15:50 == 46.9
11/2/19 15:55 == 47.1
11/2/19 16:00 == 47
11/2/19 16:05 == 47.2
11/2/19 16:10 == 47.1
11/2/19 16:15 == 47.3
11/2/19 16:20 == 46.8
11/2/19 16:25 == 47
11/2/19 16:30 == 47.3
11/2/19 16:35 == 47.3
11/2/19 16:40 == 47.1
11/2/19 16:45 == 47.1
11/2/19 16:50 == 47
11/2/19 16:55 == 47.2
11/2/19 17:00 == 47.1
11/2/19 17:05 == 47.2
11/2/19 17:10 == 47.1
11/2/19 17:15 == 47.1
11/2/19 17:20 == 46.9
11/2/19 17:25 == 47
11/2/19 17:30 == 47
11/2/19 17:35 == 47.4
11/2/19 17:40 == 47
11/2/19 17:45 == 47.2
11/2/19 17:50 == 47.1
11/2/19 17:55 == 47.2
11/2/19 18:00 == 37.2
11/2/19 18:05 == 32.6
11/2/19 18:10 == 32.5
11/2/19 18:15 == 32.7
11/2/19 18:20 == 33
11/2/19 18:25 == 32.8
11/2/19 18:30 == 33.1
11/2/19 18:35 == 33.1
11/2/19 18:40 == 33.2
11/2/19 18:45 == 37.4
11/2/19 18:50 == 37
11/2/19 18:55 == 46.3
11/2/19 19:00 == 47.3
11/2/19 19:05 == 46.9
11/2/19 19:10 == 47.1
11/2/19 19:15 == 47.1
11/2/19 19:20 == 47.2
11/2/19 19:25 == 46.9
11/2/19 19:30 == 47.2
11/2/19 19:35 == 47
11/2/19 19:40 == 47.1
11/2/19 19:45 == 47
11/2/19 19:50 == 47
11/2/19 19:55 == 47.1
11/2/19 20:00 == 47.1
11/2/19 20:05 == 47
11/2/19 20:10 == 47.1
11/2/19 20:15 == 47.2
11/2/19 20:20 == 46.9
11/2/19 20:25 == 46.8
11/2/19 20:30 == 47.2
11/2/19 20:35 == 47
11/2/19 20:40 == 47.1
11/2/19 20:45 == 47.1
11/2/19 20:50 == 47
11/2/19 20:55 == 47.1
11/2/19 21:00 == 47
11/2/19 21:05 == 47
11/2/19 21:10 == 46.9
11/2/19 21:15 == 47
11/2/19 21:20 == 47
11/2/19 21:25 == 47.1
11/2/19 21:30 == 47.2
11/2/19 21:35 == 47.2
11/2/19 21:40 == 47.2
11/2/19 21:45 == 47.1
11/2/19 21:50 == 46.9
11/2/19 21:55 == 47
11/2/19 22:00 == 47
11/2/19 22:05 == 46.9
11/2/19 22:10 == 47
11/2/19 22:15 == 47.3
11/2/19 22:20 == 47
11/2/19 22:25 == 47
11/2/19 22:30 == 47.1
11/2/19 22:35 == 46.9
11/2/19 22:40 == 47
11/2/19 22:45 == 47.2
11/2/19 22:50 == 46.9
11/2/19 22:55 == 46.8
11/2/19 23:00 == 47
11/2/19 23:05 == 47
11/2/19 23:10 == 46.8
11/2/19 23:15 == 46.9
11/2/19 23:20 == 44.7
11/2/19 23:25 == 38.4
11/2/19 23:30 == 47.3
11/2/19 23:35 == 46.5
11/2/19 23:40 == 46.9
11/2/19 23:45 == 46.9
11/2/19 23:50 == 46.7
11/2/19 23:55 == 46.8
11/3/19 0:00 == 46.9
11/3/19 0:05 == 47
11/3/19 0:10 == 47
11/3/19 0:15 == 37.2
11/3/19 0:20 == 32.4
11/3/19 0:25 == 32.5
11/3/19 0:30 == 33
11/3/19 0:35 == 33.1
11/3/19 0:40 == 33
11/3/19 0:45 == 33.2
11/3/19 0:50 == 33.3
11/3/19 0:55 == 33.3
11/3/19 1:00 == 37.5
11/3/19 1:05 == 46.8
11/3/19 1:10 == 47
11/3/19 1:15 == 47
11/3/19 1:20 == 47.3
11/3/19 1:25 == 47.1
11/3/19 1:30 == 47
11/3/19 1:35 == 47.2
11/3/19 1:40 == 47
11/3/19 1:45 == 47.2
11/3/19 1:50 == 46.9
11/3/19 1:55 == 47
11/3/19 2:00 == 47.1
11/3/19 2:05 == 47.1
11/3/19 2:10 == 47.1
11/3/19 2:15 == 47.1
11/3/19 2:20 == 47.1
11/3/19 2:25 == 47.1
11/3/19 2:30 == 47.1
11/3/19 2:35 == 47.1
11/3/19 2:40 == 47
11/3/19 2:45 == 37.1
11/3/19 2:50 == 32.7
11/3/19 2:55 == 32.6
11/3/19 3:00 == 32.9
11/3/19 3:05 == 33
11/3/19 3:10 == 33.1
11/3/19 3:15 == 33.4
11/3/19 3:20 == 33.2
11/3/19 3:25 == 33.4
11/3/19 3:30 == 38.1
11/3/19 3:35 == 46.7
11/3/19 3:40 == 47.1
11/3/19 3:45 == 41.2
11/3/19 3:50 == 41.8
11/3/19 3:55 == 47
11/3/19 4:00 == 47.2
11/3/19 4:05 == 47.2
11/3/19 4:10 == 47.2
11/3/19 4:15 == 47.1
11/3/19 4:20 == 47.1
11/3/19 4:25 == 47.2
11/3/19 4:30 == 47.2
11/3/19 4:35 == 47.4
11/3/19 4:40 == 47.3
11/3/19 4:45 == 47.5
11/3/19 4:50 == 47.2
11/3/19 4:55 == 47
11/3/19 5:00 == 47.4
11/3/19 5:05 == 47.3
11/3/19 5:10 == 47.4
11/3/19 5:15 == 47.3
11/3/19 5:20 == 46.9
11/3/19 5:25 == 47.4
11/3/19 5:30 == 47.3
11/3/19 5:35 == 47.2
11/3/19 5:40 == 47.2
11/3/19 5:45 == 47
11/3/19 5:50 == 36.7
11/3/19 5:55 == 46.5
11/3/19 6:00 == 47.3
11/3/19 6:05 == 47.1
11/3/19 6:10 == 47.2
11/3/19 6:15 == 47.1
11/3/19 6:20 == 47.2
11/3/19 6:25 == 47.4
11/3/19 6:30 == 47.4
11/3/19 6:35 == 47.5
11/3/19 6:40 == 47.2
11/3/19 6:45 == 37.3
11/3/19 6:50 == 32.6
11/3/19 6:55 == 32.6

Pumpback Station Discharge (0364)

11/3/19 7:00 == 32.9
11/3/19 7:05 == 33.1
11/3/19 7:10 == 33.2
11/3/19 7:15 == 33.5
11/3/19 7:20 == 33.2
11/3/19 7:25 == 33.4
11/3/19 7:30 == 38.1
11/3/19 7:35 == 47
11/3/19 7:40 == 47.2
11/3/19 7:45 == 47.1
11/3/19 7:50 == 47.1
11/3/19 7:55 == 47.2
11/3/19 8:00 == 47.4
11/3/19 8:05 == 46.9
11/3/19 8:10 == 47.4
11/3/19 8:15 == 47.3
11/3/19 8:20 == 47.3
11/3/19 8:25 == 47.3
11/3/19 8:30 == 47.4
11/3/19 8:35 == 47.4
11/3/19 8:40 == 44.4
11/3/19 8:45 == 39
11/3/19 8:50 == 47.5
11/3/19 8:55 == 47.5
11/3/19 9:00 == 47.5
11/3/19 9:05 == 47.4
11/3/19 9:10 == 47.5
11/3/19 9:15 == 47.3
11/3/19 9:20 == 47.3
11/3/19 9:25 == 47.5
11/3/19 9:30 == 37.5
11/3/19 9:35 == 32.6
11/3/19 9:40 == 32.7
11/3/19 9:45 == 33.3
11/3/19 9:50 == 33.1
11/3/19 9:55 == 33.2
11/3/19 10:00 == 38.4
11/3/19 10:05 == 46.9
11/3/19 10:10 == 47.3
11/3/19 10:15 == 47.2
11/3/19 10:20 == 47
11/3/19 10:25 == 47.4
11/3/19 10:30 == 47.2
11/3/19 10:35 == 47.4
11/3/19 10:40 == 47.2
11/3/19 10:45 == 47.2
11/3/19 10:50 == 47.3
11/3/19 10:55 == 47.4
11/3/19 11:00 == 47.3
11/3/19 11:05 == 47.4
11/3/19 11:10 == 47.3
11/3/19 11:15 == 47.6
11/3/19 11:20 == 47.1
11/3/19 11:25 == 47.1
11/3/19 11:30 == 47.4
11/3/19 11:35 == 47.1
11/3/19 11:40 == 47.2
11/3/19 11:45 == 47.2
11/3/19 11:50 == 47.3
11/3/19 11:55 == 47.2
11/3/19 12:00 == 47.4
11/3/19 12:05 == 47.5
11/3/19 12:10 == 47.2
11/3/19 12:15 == 47.3
11/3/19 12:20 == 47.3
11/3/19 12:25 == 47.3
11/3/19 12:30 == 47.4
11/3/19 12:35 == 47.2
11/3/19 12:40 == 47.4
11/3/19 12:45 == 37.2
11/3/19 12:50 == 32.7
11/3/19 12:55 == 32.6
11/3/19 13:00 == 33.1
11/3/19 13:05 == 33.2
11/3/19 13:10 == 33.2
11/3/19 13:15 == 38.2
11/3/19 13:20 == 36.8
11/3/19 13:25 == 46.5
11/3/19 13:30 == 47.4
11/3/19 13:35 == 47.4
11/3/19 13:40 == 47.3
11/3/19 13:45 == 47.5
11/3/19 13:50 == 47
11/3/19 13:55 == 47.2
11/3/19 14:00 == 47.3
11/3/19 14:05 == 47.1
11/3/19 14:10 == 47.3
11/3/19 14:15 == 47.5
11/3/19 14:20 == 47.2
11/3/19 14:25 == 47.3
11/3/19 14:30 == 47.2
11/3/19 14:35 == 47.3
11/3/19 14:40 == 47.4
11/3/19 14:45 == 47.4
11/3/19 14:50 == 47.1
11/3/19 14:55 == 47.2
11/3/19 15:00 == 47.2
11/3/19 15:05 == 47.3
11/3/19 15:10 == 47.2
11/3/19 15:15 == 37.1
11/3/19 15:20 == 32.5
11/3/19 15:25 == 32.7
11/3/19 15:30 == 33.1
11/3/19 15:35 == 33.3
11/3/19 15:40 == 33.1
11/3/19 15:45 == 38.5
11/3/19 15:50 == 47.1
11/3/19 15:55 == 47.3
11/3/19 16:00 == 47.3
11/3/19 16:05 == 47.2
11/3/19 16:10 == 47.3
11/3/19 16:15 == 47.3
11/3/19 16:20 == 47
11/3/19 16:25 == 47.2
11/3/19 16:30 == 47.3
11/3/19 16:35 == 47.5
11/3/19 16:40 == 47.1
11/3/19 16:45 == 37
11/3/19 16:50 == 32.5
11/3/19 16:55 == 32.6
11/3/19 17:00 == 33
11/3/19 17:05 == 33
11/3/19 17:10 == 33.2
11/3/19 17:15 == 33.4
11/3/19 17:20 == 33.5
11/3/19 17:25 == 33.3
11/3/19 17:30 == 38
11/3/19 17:35 == 36.8
11/3/19 17:40 == 46.3
11/3/19 17:45 == 47.2
11/3/19 17:50 == 46.9
11/3/19 17:55 == 47.3
11/3/19 18:00 == 47.4
11/3/19 18:05 == 46.9
11/3/19 18:10 == 47.2
11/3/19 18:15 == 47.2
11/3/19 18:20 == 47.2
11/3/19 18:25 == 47.2
11/3/19 18:30 == 47.3
11/3/19 18:35 == 47.1
11/3/19 18:40 == 47.2
11/3/19 18:45 == 47.2
11/3/19 18:50 == 47.2
11/3/19 18:55 == 47.2
11/3/19 19:00 == 47.3
11/3/19 19:05 == 47.1
11/3/19 19:10 == 47.2
11/3/19 19:15 == 47.4
11/3/19 19:20 == 47
11/3/19 19:25 == 47.1
11/3/19 19:30 == 47.3
11/3/19 19:35 == 47
11/3/19 19:40 == 47.2
11/3/19 19:45 == 47.1
11/3/19 19:50 == 47.2
11/3/19 19:55 == 47.3
11/3/19 20:00 == 47.2
11/3/19 20:05 == 47
11/3/19 20:10 == 47.1
11/3/19 20:15 == 47.3
11/3/19 20:20 == 37.3
11/3/19 20:25 == 45.4
11/3/19 20:30 == 47.4
11/3/19 20:35 == 47.3
11/3/19 20:40 == 47.4
11/3/19 20:45 == 47.3
11/3/19 20:50 == 47.1
11/3/19 20:55 == 47.3
11/3/19 21:00 == 47.3
11/3/19 21:05 == 47
11/3/19 21:10 == 47.3
11/3/19 21:15 == 36.4
11/3/19 21:20 == 32.5
11/3/19 21:25 == 32.5
11/3/19 21:30 == 33.1
11/3/19 21:35 == 33.2
11/3/19 21:40 == 33.3
11/3/19 21:45 == 33.4
11/3/19 21:50 == 33.4
11/3/19 21:55 == 33.2
11/3/19 22:00 == 38.8
11/3/19 22:05 == 47
11/3/19 22:10 == 47.2
11/3/19 22:15 == 47.1
11/3/19 22:20 == 43.8
11/3/19 22:25 == 39.6
11/3/19 22:30 == 47.4
11/3/19 22:35 == 46.8
11/3/19 22:40 == 47.1
11/3/19 22:45 == 47.1
11/3/19 22:50 == 46.9
11/3/19 22:55 == 47.1
11/3/19 23:00 == 41.2
11/3/19 23:05 == 42.1
11/3/19 23:10 == 47.1
11/3/19 23:15 == 47.4
11/3/19 23:20 == 46.9
11/3/19 23:25 == 47.3
11/3/19 23:30 == 47.3
11/3/19 23:35 == 47.3
11/3/19 23:40 == 47.4
11/3/19 23:45 == 47.3
11/3/19 23:50 == 47.1
11/3/19 23:55 == 47.3
11/4/19 0:00 == 47.3
11/4/19 0:05 == 47.1
11/4/19 0:10 == 47.1
11/4/19 0:15 == 47.2
11/4/19 0:20 == 47.1
11/4/19 0:25 == 47.2
11/4/19 0:30 == 47.2
11/4/19 0:35 == 47.3
11/4/19 0:40 == 47.1
11/4/19 0:45 == 47.2
11/4/19 0:50 == 47
11/4/19 0:55 == 47
11/4/19 1:00 == 47.1
11/4/19 1:05 == 46.9
11/4/19 1:10 == 47.1
11/4/19 1:15 == 47.4

Pumpback Station Discharge (0364)

11/4/19 1:20 == 46.9
11/4/19 1:25 == 47.3
11/4/19 1:30 == 35.9
11/4/19 1:35 == 32.6
11/4/19 1:40 == 32.6
11/4/19 1:45 == 33
11/4/19 1:50 == 33.1
11/4/19 1:55 == 33.2
11/4/19 2:00 == 33.4
11/4/19 2:05 == 33.3
11/4/19 2:10 == 33.5
11/4/19 2:15 == 38.2
11/4/19 2:20 == 37.1
11/4/19 2:25 == 46.9
11/4/19 2:30 == 47.4
11/4/19 2:35 == 47.1
11/4/19 2:40 == 47.3
11/4/19 2:45 == 47.2
11/4/19 2:50 == 47.5
11/4/19 2:55 == 47.4
11/4/19 3:00 == 47.4
11/4/19 3:05 == 47.3
11/4/19 3:10 == 47.4
11/4/19 3:15 == 47.4
11/4/19 3:20 == 47.3
11/4/19 3:25 == 47.2
11/4/19 3:30 == 47.3
11/4/19 3:35 == 47
11/4/19 3:40 == 47.1
11/4/19 3:45 == 47.1
11/4/19 3:50 == 47.1
11/4/19 3:55 == 47.4
11/4/19 4:00 == 47.5
11/4/19 4:05 == 47.3
11/4/19 4:10 == 47.4
11/4/19 4:15 == 47.2
11/4/19 4:20 == 47.3
11/4/19 4:25 == 47.5
11/4/19 4:30 == 47.3
11/4/19 4:35 == 47.4
11/4/19 4:40 == 47.4
11/4/19 4:45 == 47.6
11/4/19 4:50 == 47.2
11/4/19 4:55 == 47.2
11/4/19 5:00 == 36.2
11/4/19 5:05 == 32.7
11/4/19 5:10 == 32.7
11/4/19 5:15 == 33
11/4/19 5:20 == 33
11/4/19 5:25 == 33.3
11/4/19 5:30 == 33.5
11/4/19 5:35 == 33.2
11/4/19 5:40 == 33.4
11/4/19 5:45 == 37.8
11/4/19 5:50 == 37.2
11/4/19 5:55 == 47
11/4/19 6:00 == 47.5
11/4/19 6:05 == 47.3
11/4/19 6:10 == 47.4
11/4/19 6:15 == 47.4
11/4/19 6:20 == 47.5
11/4/19 6:25 == 47.5
11/4/19 6:30 == 47.7
11/4/19 6:35 == 47.6
11/4/19 6:40 == 47.3
11/4/19 6:45 == 47.6
11/4/19 6:50 == 47.3
11/4/19 6:55 == 47.4
11/4/19 7:00 == 47.5
11/4/19 7:05 == 47.2
11/4/19 7:10 == 47.5
11/4/19 7:15 == 47.5
11/4/19 7:20 == 46.7
11/4/19 7:25 == 46.9
11/4/19 7:30 == 47.3
11/4/19 7:35 == 47.2
11/4/19 7:40 == 47.4
11/4/19 7:45 == 47.4
11/4/19 7:50 == 47.3
11/4/19 7:55 == 47.3
11/4/19 8:00 == 36.2
11/4/19 8:05 == 32.5
11/4/19 8:10 == 32.7
11/4/19 8:15 == 33.1
11/4/19 8:20 == 33
11/4/19 8:25 == 33.1
11/4/19 8:30 == 33.3
11/4/19 8:35 == 33.4
11/4/19 8:40 == 33.4
11/4/19 8:45 == 38.9
11/4/19 8:50 == 47.4
11/4/19 8:55 == 47.6
11/4/19 9:00 == 47.6
11/4/19 9:05 == 47.5
11/4/19 9:10 == 47.5
11/4/19 9:15 == 47.6
11/4/19 9:20 == 47.2
11/4/19 9:25 == 47.5
11/4/19 9:30 == 47.7
11/4/19 9:35 == 47.5
11/4/19 9:40 == 47.5
11/4/19 9:45 == 46.9
11/4/19 9:50 == 37.3
11/4/19 9:55 == 47
11/4/19 10:00 == 47.7
11/4/19 10:05 == 47.6
11/4/19 10:10 == 47.4
11/4/19 10:15 == 47.3
11/4/19 10:20 == 47.4
11/4/19 10:25 == 47.5
11/4/19 10:30 == 47.4
11/4/19 10:35 == 47.1
11/4/19 10:40 == 47.4
11/4/19 10:45 == 47.5
11/4/19 10:50 == 37.1
11/4/19 10:55 == 46.2
11/4/19 11:00 == 47.8
11/4/19 11:05 == 47.2
11/4/19 11:10 == 47.5
11/4/19 11:15 == 47.6
11/4/19 11:20 == 47.3
11/4/19 11:25 == 47.4
11/4/19 11:30 == 47.5
11/4/19 11:35 == 47.3
11/4/19 11:40 == 47.4
11/4/19 11:45 == 47.6
11/4/19 11:50 == 47.4
11/4/19 11:55 == 47.4
11/4/19 12:00 == 36
11/4/19 12:05 == 32.6
11/4/19 12:10 == 32.7
11/4/19 12:15 == 33.2
11/4/19 12:20 == 33.3
11/4/19 12:25 == 33.3
11/4/19 12:30 == 33.6
11/4/19 12:35 == 33.4
11/4/19 12:40 == 33.4
11/4/19 12:45 == 39.1
11/4/19 12:50 == 42.7
11/4/19 12:55 == 40.7
11/4/19 13:00 == 47.7
11/4/19 13:05 == 47.6
11/4/19 13:10 == 47.6
11/4/19 13:15 == 47.6
11/4/19 13:20 == 47.3
11/4/19 13:25 == 47.6
11/4/19 13:30 == 47.5
11/4/19 13:35 == 47.5
11/4/19 13:40 == 47.6
11/4/19 13:45 == 47.2
11/4/19 13:50 == 47.4
11/4/19 13:55 == 47.6
11/4/19 14:00 == 47.7
11/4/19 14:05 == 47.6
11/4/19 14:10 == 47.3
11/4/19 14:15 == 47.8
11/4/19 14:20 == 46.9
11/4/19 14:25 == 47.5
11/4/19 14:30 == 47.7
11/4/19 14:35 == 47.6
11/4/19 14:40 == 47.7
11/4/19 14:45 == 47.4
11/4/19 14:50 == 47.4
11/4/19 14:55 == 47.4
11/4/19 15:00 == 47.5
11/4/19 15:05 == 47.3
11/4/19 15:10 == 47.5
11/4/19 15:15 == 36.3
11/4/19 15:20 == 32.6
11/4/19 15:25 == 32.8
11/4/19 15:30 == 33.2
11/4/19 15:35 == 33.2
11/4/19 15:40 == 33.3
11/4/19 15:45 == 33.5
11/4/19 15:50 == 33.5
11/4/19 15:55 == 33.5
11/4/19 16:00 == 39.2
11/4/19 16:05 == 47
11/4/19 16:10 == 47.7
11/4/19 16:15 == 47.7
11/4/19 16:20 == 47.5
11/4/19 16:25 == 47.6
11/4/19 16:30 == 47.7
11/4/19 16:35 == 47.3
11/4/19 16:40 == 47.5
11/4/19 16:45 == 47.5
11/4/19 16:50 == 47.2
11/4/19 16:55 == 47.7
11/4/19 17:00 == 36
11/4/19 17:05 == 32.7
11/4/19 17:10 == 32.6
11/4/19 17:15 == 33.1
11/4/19 17:20 == 33.1
11/4/19 17:25 == 33.2
11/4/19 17:30 == 33.5
11/4/19 17:35 == 33.5
11/4/19 17:40 == 33.5
11/4/19 17:45 == 39.5
11/4/19 17:50 == 47.1
11/4/19 17:55 == 47.5
11/4/19 18:00 == 40.7
11/4/19 18:05 == 42.9
11/4/19 18:10 == 47.6
11/4/19 18:15 == 47.9
11/4/19 18:20 == 47
11/4/19 18:25 == 47.7
11/4/19 18:30 == 47.6
11/4/19 18:35 == 47.4
11/4/19 18:40 == 47.6
11/4/19 18:45 == 47.5
11/4/19 18:50 == 37.3
11/4/19 18:55 == 46.3
11/4/19 19:00 == 47.8
11/4/19 19:05 == 47.1
11/4/19 19:10 == 47.6
11/4/19 19:15 == 47.7
11/4/19 19:20 == 47.3
11/4/19 19:25 == 47.6
11/4/19 19:30 == 47.8
11/4/19 19:35 == 47.4

Pumpback Station Discharge (0364)

11/4/19 19:40 == 47.4
11/4/19 19:45 == 47.6
11/4/19 19:50 == 47.3
11/4/19 19:55 == 47.5
11/4/19 20:00 == 47.6
11/4/19 20:05 == 47.3
11/4/19 20:10 == 47.4
11/4/19 20:15 == 47.6
11/4/19 20:20 == 47.3
11/4/19 20:25 == 47.6
11/4/19 20:30 == 47.6
11/4/19 20:35 == 47.4
11/4/19 20:40 == 47.6
11/4/19 20:45 == 47.4
11/4/19 20:50 == 47.5
11/4/19 20:55 == 47.6
11/4/19 21:00 == 47.7
11/4/19 21:05 == 47.6
11/4/19 21:10 == 47.5
11/4/19 21:15 == 47.6
11/4/19 21:20 == 47.1
11/4/19 21:25 == 47.5
11/4/19 21:30 == 36
11/4/19 21:35 == 32.8
11/4/19 21:40 == 33
11/4/19 21:45 == 33.2
11/4/19 21:50 == 33.2
11/4/19 21:55 == 33.4
11/4/19 22:00 == 39.5
11/4/19 22:05 == 47.2
11/4/19 22:10 == 47.6
11/4/19 22:15 == 47.7
11/4/19 22:20 == 47.4
11/4/19 22:25 == 47.6
11/4/19 22:30 == 47.7
11/4/19 22:35 == 47.6
11/4/19 22:40 == 47.6
11/4/19 22:45 == 47.8
11/4/19 22:50 == 47.2
11/4/19 22:55 == 47.6
11/4/19 23:00 == 47.6
11/4/19 23:05 == 47.4
11/4/19 23:10 == 47.6
11/4/19 23:15 == 47.7
11/4/19 23:20 == 37.3
11/4/19 23:25 == 46.7
11/4/19 23:30 == 47.8
11/4/19 23:35 == 46.9
11/4/19 23:40 == 47.6
11/4/19 23:45 == 47.5
11/4/19 23:50 == 47.5
11/4/19 23:55 == 47.5
11/5/19 0:00 == 47.6
11/5/19 0:05 == 47.4
11/5/19 0:10 == 47.3
11/5/19 0:15 == 47.5
11/5/19 0:20 == 47.2
11/5/19 0:25 == 47.5
11/5/19 0:30 == 47.6
11/5/19 0:35 == 47.4
11/5/19 0:40 == 47.6
11/5/19 0:45 == 35.8
11/5/19 0:50 == 32.4
11/5/19 0:55 == 32.5
11/5/19 1:00 == 33.2
11/5/19 1:05 == 33.3
11/5/19 1:10 == 33.3
11/5/19 1:15 == 39.6
11/5/19 1:20 == 47.3
11/5/19 1:25 == 47.7
11/5/19 1:30 == 47.6
11/5/19 1:35 == 47.6
11/5/19 1:40 == 47.6
11/5/19 1:45 == 47.5
11/5/19 1:50 == 47.4
11/5/19 1:55 == 47.6
11/5/19 2:00 == 47.6
11/5/19 2:05 == 47.4
11/5/19 2:10 == 47.4
11/5/19 2:15 == 47.7
11/5/19 2:20 == 47.1
11/5/19 2:25 == 47.5
11/5/19 2:30 == 36.1
11/5/19 2:35 == 32.8
11/5/19 2:40 == 32.9
11/5/19 2:45 == 33.3
11/5/19 2:50 == 33.2
11/5/19 2:55 == 33.3
11/5/19 3:00 == 33.5
11/5/19 3:05 == 33.5
11/5/19 3:10 == 33.5
11/5/19 3:15 == 40
11/5/19 3:20 == 46.9
11/5/19 3:25 == 47.9
11/5/19 3:30 == 47.8
11/5/19 3:35 == 47.2
11/5/19 3:40 == 47.6
11/5/19 3:45 == 40
11/5/19 3:50 == 43.8
11/5/19 3:55 == 47.6
11/5/19 4:00 == 47.8
11/5/19 4:05 == 47.6
11/5/19 4:10 == 47.8
11/5/19 4:15 == 47.8
11/5/19 4:20 == 47.6
11/5/19 4:25 == 47.7
11/5/19 4:30 == 47.9
11/5/19 4:35 == 47.4
11/5/19 4:40 == 47.7
11/5/19 4:45 == 47.6
11/5/19 4:50 == 47.4
11/5/19 4:55 == 47.2
11/5/19 5:00 == 47.7
11/5/19 5:05 == 47.5
11/5/19 5:10 == 47.7
11/5/19 5:15 == 47.5
11/5/19 5:20 == 47.6
11/5/19 5:25 == 47.7
11/5/19 5:30 == 47.5
11/5/19 5:35 == 47.7
11/5/19 5:40 == 47.8
11/5/19 5:45 == 47.9
11/5/19 5:50 == 47.2
11/5/19 5:55 == 47.8
11/5/19 6:00 == 35.9
11/5/19 6:05 == 32.7
11/5/19 6:10 == 32.9
11/5/19 6:15 == 33.5
11/5/19 6:20 == 33.4
11/5/19 6:25 == 33.4
11/5/19 6:30 == 33.6
11/5/19 6:35 == 33.5
11/5/19 6:40 == 33.7
11/5/19 6:45 == 39.4
11/5/19 6:50 == 37.3
11/5/19 6:55 == 47.3
11/5/19 7:00 == 47.8
11/5/19 7:05 == 47.7
11/5/19 7:10 == 47.6
11/5/19 7:15 == 47.8
11/5/19 7:20 == 47.5
11/5/19 7:25 == 48
11/5/19 7:30 == 47.6
11/5/19 7:35 == 47.7
11/5/19 7:40 == 47.6
11/5/19 7:45 == 47.9
11/5/19 7:50 == 47.4
11/5/19 7:55 == 47.8
11/5/19 8:00 == 47.7
11/5/19 8:05 == 47.6
11/5/19 8:10 == 47.6
11/5/19 8:15 == 47.9
11/5/19 8:20 == 47.2
11/5/19 8:25 == 47.8
11/5/19 8:30 == 47.8
11/5/19 8:35 == 47.4
11/5/19 8:40 == 47.7
11/5/19 8:45 == 47.9
11/5/19 8:50 == 47.5
11/5/19 8:55 == 47.8
11/5/19 9:00 == 35.9
11/5/19 9:05 == 32.7
11/5/19 9:10 == 32.9
11/5/19 9:15 == 33.3
11/5/19 9:20 == 33.1
11/5/19 9:25 == 33.3
11/5/19 9:30 == 33.7
11/5/19 9:35 == 33.6
11/5/19 9:40 == 33.6
11/5/19 9:45 == 40
11/5/19 9:50 == 38.1
11/5/19 9:55 == 47.3
11/5/19 10:00 == 47.9
11/5/19 10:05 == 47.9
11/5/19 10:10 == 47.9
11/5/19 10:15 == 47.9
11/5/19 10:20 == 47.2
11/5/19 10:25 == 47.8
11/5/19 10:30 == 47.9
11/5/19 10:35 == 47.4
11/5/19 10:40 == 47.6
11/5/19 10:45 == 47.8
11/5/19 10:50 == 47.5
11/5/19 10:55 == 47.9
11/5/19 11:00 == 47.8
11/5/19 11:05 == 47.1
11/5/19 11:10 == 47.8
11/5/19 11:15 == 47.7
11/5/19 11:20 == 47.4
11/5/19 11:25 == 47.5
11/5/19 11:30 == 47.7
11/5/19 11:35 == 47.3
11/5/19 11:40 == 47.8
11/5/19 11:45 == 47.7
11/5/19 11:50 == 47.7
11/5/19 11:55 == 47.3
11/5/19 12:00 == 47.8
11/5/19 12:05 == 47.5
11/5/19 12:10 == 47.7
11/5/19 12:15 == 47.9
11/5/19 12:20 == 47.6
11/5/19 12:25 == 47.9
11/5/19 12:30 == 35.6
11/5/19 12:35 == 32.8
11/5/19 12:40 == 32.9
11/5/19 12:45 == 33.6
11/5/19 12:50 == 33.5
11/5/19 12:55 == 33.5
11/5/19 13:00 == 39.2
11/5/19 13:05 == 37.8
11/5/19 13:10 == 47.4
11/5/19 13:15 == 47.9
11/5/19 13:20 == 47.4
11/5/19 13:25 == 47.6
11/5/19 13:30 == 47.7
11/5/19 13:35 == 47.7
11/5/19 13:40 == 47.7
11/5/19 13:45 == 47.8
11/5/19 13:50 == 47.3
11/5/19 13:55 == 47.8

Pumpback Station Discharge (0364)

11/5/19 14:00 == 47.7
11/5/19 14:05 == 47.4
11/5/19 14:10 == 47.7
11/5/19 14:15 == 46.3
11/5/19 14:20 == 37.2
11/5/19 14:25 == 47.6
11/5/19 14:30 == 47.7
11/5/19 14:35 == 47.7
11/5/19 14:40 == 47.7
11/5/19 14:45 == 47.6
11/5/19 14:50 == 47.6
11/5/19 14:55 == 47.5
11/5/19 15:00 == 47.6
11/5/19 15:05 == 47.2
11/5/19 15:10 == 47.7
11/5/19 15:15 == 47.1
11/5/19 15:20 == 37
11/5/19 15:25 == 47.1
11/5/19 15:30 == 47.6
11/5/19 15:35 == 47.5
11/5/19 15:40 == 47.5
11/5/19 15:45 == 35
11/5/19 15:50 == 32.5
11/5/19 15:55 == 32.8
11/5/19 16:00 == 33.3
11/5/19 16:05 == 33.5
11/5/19 16:10 == 33.4
11/5/19 16:15 == 33.9
11/5/19 16:20 == 33.5
11/5/19 16:25 == 33.6
11/5/19 16:30 == 39.1
11/5/19 16:35 == 37.7
11/5/19 16:40 == 47.4
11/5/19 16:45 == 47.6
11/5/19 16:50 == 47.3
11/5/19 16:55 == 47.7
11/5/19 17:00 == 47.8
11/5/19 17:05 == 47.7
11/5/19 17:10 == 47.6
11/5/19 17:15 == 47.6
11/5/19 17:20 == 47.2
11/5/19 17:25 == 47.8
11/5/19 17:30 == 47.7
11/5/19 17:35 == 47.6
11/5/19 17:40 == 47.5
11/5/19 17:45 == 47.7
11/5/19 17:50 == 47.3
11/5/19 17:55 == 47.4
11/5/19 18:00 == 47.5
11/5/19 18:05 == 47.6
11/5/19 18:10 == 47.7
11/5/19 18:15 == 47.8
11/5/19 18:20 == 47.2
11/5/19 18:25 == 47.6
11/5/19 18:30 == 47.5
11/5/19 18:35 == 47.3
11/5/19 18:40 == 47.5
11/5/19 18:45 == 35.3
11/5/19 18:50 == 32.5
11/5/19 18:55 == 32.8
11/5/19 19:00 == 33.3
11/5/19 19:05 == 33.1
11/5/19 19:10 == 33.4
11/5/19 19:15 == 40.2
11/5/19 19:20 == 37
11/5/19 19:25 == 47.2
11/5/19 19:30 == 47.7
11/5/19 19:35 == 47.5
11/5/19 19:40 == 47.6
11/5/19 19:45 == 47.5
11/5/19 19:50 == 47.5
11/5/19 19:55 == 47.5
11/5/19 20:00 == 47.5
11/5/19 20:05 == 47.3
11/5/19 20:10 == 47.4
11/5/19 20:15 == 47.5
11/5/19 20:20 == 47.4
11/5/19 20:25 == 47.6
11/5/19 20:30 == 47.6
11/5/19 20:35 == 47.3
11/5/19 20:40 == 47.5
11/5/19 20:45 == 40.7
11/5/19 20:50 == 43.1
11/5/19 20:55 == 47.5
11/5/19 21:00 == 47.6
11/5/19 21:05 == 47.7
11/5/19 21:10 == 47.6
11/5/19 21:15 == 46.9
11/5/19 21:20 == 37.7
11/5/19 21:25 == 47.2
11/5/19 21:30 == 47.6
11/5/19 21:35 == 47.7
11/5/19 21:40 == 47.7
11/5/19 21:45 == 47.7
11/5/19 21:50 == 47.5
11/5/19 21:55 == 47.4
11/5/19 22:00 == 47.5
11/5/19 22:05 == 47.5
11/5/19 22:10 == 47.4
11/5/19 22:15 == 47.6
11/5/19 22:20 == 47.4
11/5/19 22:25 == 47.5
11/5/19 22:30 == 34.7
11/5/19 22:35 == 32.7
11/5/19 22:40 == 32.8
11/5/19 22:45 == 33.3
11/5/19 22:50 == 33.1
11/5/19 22:55 == 33.2
11/5/19 23:00 == 33.6
11/5/19 23:05 == 33.6
11/5/19 23:10 == 33.6
11/5/19 23:15 == 40.2
11/5/19 23:20 == 37.3
11/5/19 23:25 == 47.3
11/5/19 23:30 == 47.9
11/5/19 23:35 == 46.9
11/5/19 23:40 == 47.5
11/5/19 23:45 == 47.5
11/5/19 23:50 == 47.5
11/5/19 23:55 == 47.5
11/6/19 0:00 == 47.5
11/6/19 0:05 == 47.5
11/6/19 0:10 == 47.3
11/6/19 0:15 == 47.4
11/6/19 0:20 == 47.3
11/6/19 0:25 == 47.4
11/6/19 0:30 == 47.6
11/6/19 0:35 == 47.3
11/6/19 0:40 == 47.6
11/6/19 0:45 == 47.7
11/6/19 0:50 == 47.4
11/6/19 0:55 == 47.6
11/6/19 1:00 == 47.6
11/6/19 1:05 == 47.4
11/6/19 1:10 == 47.5
11/6/19 1:15 == 47.5
11/6/19 1:20 == 47.4
11/6/19 1:25 == 47.6
11/6/19 1:30 == 47.5
11/6/19 1:35 == 47.6
11/6/19 1:40 == 47.7
11/6/19 1:45 == 47.7
11/6/19 1:50 == 47.5
11/6/19 1:55 == 47.7
11/6/19 2:00 == 47.5
11/6/19 2:05 == 47.4
11/6/19 2:10 == 47.5
11/6/19 2:15 == 46.3
11/6/19 2:20 == 37.5
11/6/19 2:25 == 47.2
11/6/19 2:30 == 47.7
11/6/19 2:35 == 47.4
11/6/19 2:40 == 47.6
11/6/19 2:45 == 47.6
11/6/19 2:50 == 47.4
11/6/19 2:55 == 47.7
11/6/19 3:00 == 34.8
11/6/19 3:05 == 32.6
11/6/19 3:10 == 32.8
11/6/19 3:15 == 33.5
11/6/19 3:20 == 33.1
11/6/19 3:25 == 33.3
11/6/19 3:30 == 33.6
11/6/19 3:35 == 33.4
11/6/19 3:40 == 33.5
11/6/19 3:45 == 39.3
11/6/19 3:50 == 37.6
11/6/19 3:55 == 47.4
11/6/19 4:00 == 47.7
11/6/19 4:05 == 47.6
11/6/19 4:10 == 47.8
11/6/19 4:15 == 47.9
11/6/19 4:20 == 47.6
11/6/19 4:25 == 47.8
11/6/19 4:30 == 47.7
11/6/19 4:35 == 47.2
11/6/19 4:40 == 47.7
11/6/19 4:45 == 47.7
11/6/19 4:50 == 47.4
11/6/19 4:55 == 47.2
11/6/19 5:00 == 47.5
11/6/19 5:05 == 47.6
11/6/19 5:10 == 47.7
11/6/19 5:15 == 47.6
11/6/19 5:20 == 47.5
11/6/19 5:25 == 47.5
11/6/19 5:30 == 47.6
11/6/19 5:35 == 47.6
11/6/19 5:40 == 47.6
11/6/19 5:45 == 46.8
11/6/19 5:50 == 37.6
11/6/19 5:55 == 47.5
11/6/19 6:00 == 47.8
11/6/19 6:05 == 47.6
11/6/19 6:10 == 47.7
11/6/19 6:15 == 47.6
11/6/19 6:20 == 47.3
11/6/19 6:25 == 47.7
11/6/19 6:30 == 47.7
11/6/19 6:35 == 47.3
11/6/19 6:40 == 47.6
11/6/19 6:45 == 46.5
11/6/19 6:50 == 37.4
11/6/19 6:55 == 47.3
11/6/19 7:00 == 47.7
11/6/19 7:05 == 47.6
11/6/19 7:10 == 47.6
11/6/19 7:15 == 47.8
11/6/19 7:20 == 47.4
11/6/19 7:25 == 47.7
11/6/19 7:30 == 35
11/6/19 7:35 == 32.7
11/6/19 7:40 == 32.7
11/6/19 7:45 == 33.3
11/6/19 7:50 == 33.1
11/6/19 7:55 == 33
11/6/19 8:00 == 33.6
11/6/19 8:05 == 33.4
11/6/19 8:10 == 33.6
11/6/19 8:15 == 36.3

Pumpback Station Discharge (0364)

11/6/19 8:20 == 37
11/6/19 8:25 == 47.2
11/6/19 8:30 == 47.7
11/6/19 8:35 == 47.6
11/6/19 8:40 == 47.3
11/6/19 8:45 == 47.5
11/6/19 8:50 == 47.7
11/6/19 8:55 == 47.6
11/6/19 9:00 == 47.7
11/6/19 9:05 == 47.2
11/6/19 9:10 == 47.7
11/6/19 9:15 == 47.7
11/6/19 9:20 == 47.6
11/6/19 9:25 == 47.7
11/6/19 9:30 == 47.8
11/6/19 9:35 == 47.3
11/6/19 9:40 == 47.6
11/6/19 9:45 == 46.4
11/6/19 9:50 == 38.3
11/6/19 9:55 == 47.5
11/6/19 10:00 == 47.9
11/6/19 10:05 == 47.9
11/6/19 10:10 == 47.7
11/6/19 10:15 == 47.9
11/6/19 10:20 == 47.5
11/6/19 10:25 == 47.9
11/6/19 10:30 == 47.6
11/6/19 10:35 == 47.6
11/6/19 10:40 == 47.6
11/6/19 10:45 == 47.8
11/6/19 10:50 == 47.5
11/6/19 10:55 == 47.8
11/6/19 11:00 == 47.9
11/6/19 11:05 == 46.8
11/6/19 11:10 == 47.5
11/6/19 11:15 == 47.6
11/6/19 11:20 == 47.3
11/6/19 11:25 == 47.3
11/6/19 11:30 == 47.6
11/6/19 11:35 == 47.2
11/6/19 11:40 == 47.4
11/6/19 11:45 == 47.6
11/6/19 11:50 == 47.6
11/6/19 11:55 == 47.5
11/6/19 12:00 == 34.6
11/6/19 12:05 == 32.5
11/6/19 12:10 == 32.7
11/6/19 12:15 == 33.2
11/6/19 12:20 == 33.1
11/6/19 12:25 == 33.2
11/6/19 12:30 == 33.6
11/6/19 12:35 == 33.5
11/6/19 12:40 == 33.7
11/6/19 12:45 == 36.2
11/6/19 12:50 == 37.5
11/6/19 12:55 == 46.8
11/6/19 13:00 == 47.8
11/6/19 13:05 == 47.6
11/6/19 13:10 == 47.3
11/6/19 13:15 == 47.6
11/6/19 13:20 == 47.2
11/6/19 13:25 == 47.5
11/6/19 13:30 == 47.5
11/6/19 13:35 == 47.5
11/6/19 13:40 == 47.8
11/6/19 13:45 == 47
11/6/19 13:50 == 37.4
11/6/19 13:55 == 47.2
11/6/19 14:00 == 47.8
11/6/19 14:05 == 47.4
11/6/19 14:10 == 47.7
11/6/19 14:15 == 47.9
11/6/19 14:20 == 47.3
11/6/19 14:25 == 47.6
11/6/19 14:30 == 47.8
11/6/19 14:35 == 47.7
11/6/19 14:40 == 47.8
11/6/19 14:45 == 47.9
11/6/19 14:50 == 47.4
11/6/19 14:55 == 47.7
11/6/19 15:00 == 47.7
11/6/19 15:05 == 47.3
11/6/19 15:10 == 47.8
11/6/19 15:15 == 47.9
11/6/19 15:20 == 47.3
11/6/19 15:25 == 47.6
11/6/19 15:30 == 47.6
11/6/19 15:35 == 47.2
11/6/19 15:40 == 47.7
11/6/19 15:45 == 47.8
11/6/19 15:50 == 47.3
11/6/19 15:55 == 47.6
11/6/19 16:00 == 47.8
11/6/19 16:05 == 47.7
11/6/19 16:10 == 47.8
11/6/19 16:15 == 47.8
11/6/19 16:20 == 47.3
11/6/19 16:25 == 47.8
11/6/19 16:30 == 34.5
11/6/19 16:35 == 32.6
11/6/19 16:40 == 32.5
11/6/19 16:45 == 33.3
11/6/19 16:50 == 33.1
11/6/19 16:55 == 33.2
11/6/19 17:00 == 33.4
11/6/19 17:05 == 33.4
11/6/19 17:10 == 33.4
11/6/19 17:15 == 33.5
11/6/19 17:20 == 33.5
11/6/19 17:25 == 33.5
11/6/19 17:30 == 39.4
11/6/19 17:35 == 38.4
11/6/19 17:40 == 47.5
11/6/19 17:45 == 47.9
11/6/19 17:50 == 47.6
11/6/19 17:55 == 47.5
11/6/19 18:00 == 47.5
11/6/19 18:05 == 47.7
11/6/19 18:10 == 47.7
11/6/19 18:15 == 47.9
11/6/19 18:20 == 47.2
11/6/19 18:25 == 47.7
11/6/19 18:30 == 47.7
11/6/19 18:35 == 47.5
11/6/19 18:40 == 47.7
11/6/19 18:45 == 47.1
11/6/19 18:50 == 37.8
11/6/19 18:55 == 47.2
11/6/19 19:00 == 47.6
11/6/19 19:05 == 46.9
11/6/19 19:10 == 47.7
11/6/19 19:15 == 47.8
11/6/19 19:20 == 47.3
11/6/19 19:25 == 47.8
11/6/19 19:30 == 47.8
11/6/19 19:35 == 39.6
11/6/19 19:40 == 43.7
11/6/19 19:45 == 47.7
11/6/19 19:50 == 47.7
11/6/19 19:55 == 47.7
11/6/19 20:00 == 47.7
11/6/19 20:05 == 47.5
11/6/19 20:10 == 47.7
11/6/19 20:15 == 47.8
11/6/19 20:20 == 47.5
11/6/19 20:25 == 47.9
11/6/19 20:30 == 47.8
11/6/19 20:35 == 47.6
11/6/19 20:40 == 47.7
11/6/19 20:45 == 39.9
11/6/19 20:50 == 43.9
11/6/19 20:55 == 47.7
11/6/19 21:00 == 47.9
11/6/19 21:05 == 47.8
11/6/19 21:10 == 47.7
11/6/19 21:15 == 46.4
11/6/19 21:20 == 38.3
11/6/19 21:25 == 47.3
11/6/19 21:30 == 47.7
11/6/19 21:35 == 47.7
11/6/19 21:40 == 47.8
11/6/19 21:45 == 47.7
11/6/19 21:50 == 47.6
11/6/19 21:55 == 47.5
11/6/19 22:00 == 47.5
11/6/19 22:05 == 47.6
11/6/19 22:10 == 47.6
11/6/19 22:15 == 47.8
11/6/19 22:20 == 47.4
11/6/19 22:25 == 47.7
11/6/19 22:30 == 47.6
11/6/19 22:35 == 47.6
11/6/19 22:40 == 47.8
11/6/19 22:45 == 46.1
11/6/19 22:50 == 38
11/6/19 22:55 == 47.3
11/6/19 23:00 == 47.5
11/6/19 23:05 == 47.7
11/6/19 23:10 == 47.7
11/6/19 23:15 == 47.8
11/6/19 23:20 == 47
11/6/19 23:25 == 47.7
11/6/19 23:30 == 34.7
11/6/19 23:35 == 32.5
11/6/19 23:40 == 32.8
11/6/19 23:45 == 33.4
11/6/19 23:50 == 33.4
11/6/19 23:55 == 33.4
11/7/19 0:00 == 33.6
11/7/19 0:05 == 33.6
11/7/19 0:10 == 33.5
11/7/19 0:15 == 39.9
11/7/19 0:20 == 38.1
11/7/19 0:25 == 47.6
11/7/19 0:30 == 47.7
11/7/19 0:35 == 47.3
11/7/19 0:40 == 47.8
11/7/19 0:45 == 47.7
11/7/19 0:50 == 47.6
11/7/19 0:55 == 47.8
11/7/19 1:00 == 47.8
11/7/19 1:05 == 47.7
11/7/19 1:10 == 47.6
11/7/19 1:15 == 46.2
11/7/19 1:20 == 37.8
11/7/19 1:25 == 47.5
11/7/19 1:30 == 47.8
11/7/19 1:35 == 47.5
11/7/19 1:40 == 47.8
11/7/19 1:45 == 47.8
11/7/19 1:50 == 47.6
11/7/19 1:55 == 47.8
11/7/19 2:00 == 47.8
11/7/19 2:05 == 47.5
11/7/19 2:10 == 47.7
11/7/19 2:15 == 47.8
11/7/19 2:20 == 47.3
11/7/19 2:25 == 47.8
11/7/19 2:30 == 47.7
11/7/19 2:35 == 47.6

Pumpback Station Discharge (0364)

11/7/19 2:40 == 47.8
11/7/19 2:45 == 46.5
11/7/19 2:50 == 37.6
11/7/19 2:55 == 47.6
11/7/19 3:00 == 47.7
11/7/19 3:05 == 47.4
11/7/19 3:10 == 47.8
11/7/19 3:15 == 46.2
11/7/19 3:20 == 38
11/7/19 3:25 == 47.6
11/7/19 3:30 == 47.7
11/7/19 3:35 == 47.1
11/7/19 3:40 == 47.7
11/7/19 3:45 == 47.5
11/7/19 3:50 == 47.4
11/7/19 3:55 == 47.7
11/7/19 4:00 == 47.7
11/7/19 4:05 == 47.8
11/7/19 4:10 == 47.7
11/7/19 4:15 == 47.8
11/7/19 4:20 == 47.5
11/7/19 4:25 == 47.9
11/7/19 4:30 == 34
11/7/19 4:35 == 32.8
11/7/19 4:40 == 32.9
11/7/19 4:45 == 33.5
11/7/19 4:50 == 33.2
11/7/19 4:55 == 33.5
11/7/19 5:00 == 33.7
11/7/19 5:05 == 33.7
11/7/19 5:10 == 33.7
11/7/19 5:15 == 42.1
11/7/19 5:20 == 47.7
11/7/19 5:25 == 47.8
11/7/19 5:30 == 47.9
11/7/19 5:35 == 47.7
11/7/19 5:40 == 47.8
11/7/19 5:45 == 46.7
11/7/19 5:50 == 38.3
11/7/19 5:55 == 47.7
11/7/19 6:00 == 47.7
11/7/19 6:05 == 47.5
11/7/19 6:10 == 47.9
11/7/19 6:15 == 47.8
11/7/19 6:20 == 47.2
11/7/19 6:25 == 47.8
11/7/19 6:30 == 47.8
11/7/19 6:35 == 47.4
11/7/19 6:40 == 47.7
11/7/19 6:45 == 47.7
11/7/19 6:50 == 47.6
11/7/19 6:55 == 47.7
11/7/19 7:00 == 47.8
11/7/19 7:05 == 47.3
11/7/19 7:10 == 47.6
11/7/19 7:15 == 47.8
11/7/19 7:20 == 47.5
11/7/19 7:25 == 47.6
11/7/19 7:30 == 47.6
11/7/19 7:35 == 47.5
11/7/19 7:40 == 47.6
11/7/19 7:45 == 48
11/7/19 7:50 == 47.5
11/7/19 7:55 == 47.8
11/7/19 8:00 == 34
11/7/19 8:05 == 32.8
11/7/19 8:10 == 33
11/7/19 8:15 == 33.6
11/7/19 8:20 == 33.3
11/7/19 8:25 == 33.6
11/7/19 8:30 == 42.1
11/7/19 8:35 == 47.5
11/7/19 8:40 == 41.3
11/7/19 8:45 == 42.5
11/7/19 8:50 == 47.6
11/7/19 8:55 == 47.7
11/7/19 9:00 == 45.6
11/7/19 9:05 == 38.4
11/7/19 9:10 == 47.6
11/7/19 9:15 == 47.6
11/7/19 9:20 == 47.6
11/7/19 9:25 == 47.7
11/7/19 9:30 == 47.9
11/7/19 9:35 == 47.4
11/7/19 9:40 == 47.7
11/7/19 9:45 == 47.5
11/7/19 9:50 == 47.5
11/7/19 9:55 == 47.6
11/7/19 10:00 == 47.6
11/7/19 10:05 == 47.8
11/7/19 10:10 == 47.7
11/7/19 10:15 == 48
11/7/19 10:20 == 47.3
11/7/19 10:25 == 47.9
11/7/19 10:30 == 47.8
11/7/19 10:35 == 47.6
11/7/19 10:40 == 47.7
11/7/19 10:45 == 46.9
11/7/19 10:50 == 47.6
11/7/19 10:55 == 47.7
11/7/19 11:00 == 47.3
11/7/19 11:05 == 47.1
11/7/19 11:10 == 47.5
11/7/19 11:15 == 47.5
11/7/19 11:20 == 47.4
11/7/19 11:25 == 47.6
11/7/19 11:30 == 47.5
11/7/19 11:35 == 47.2
11/7/19 11:40 == 47.5
11/7/19 11:45 == 47.7
11/7/19 11:50 == 47.5
11/7/19 11:55 == 47.6
11/7/19 12:00 == 46
11/7/19 12:05 == 38
11/7/19 12:10 == 47.3
11/7/19 12:15 == 47.3
11/7/19 12:20 == 47.6
11/7/19 12:25 == 47.6
11/7/19 12:30 == 47.7
11/7/19 12:35 == 47.6
11/7/19 12:40 == 47.5
11/7/19 12:45 == 47.5
11/7/19 12:50 == 47.5
11/7/19 12:55 == 47.4
11/7/19 13:00 == 33.6
11/7/19 13:05 == 32.5
11/7/19 13:10 == 32.6
11/7/19 13:15 == 33.3
11/7/19 13:20 == 33.2
11/7/19 13:25 == 33.3
11/7/19 13:30 == 33.6
11/7/19 13:35 == 33.4
11/7/19 13:40 == 33.5
11/7/19 13:45 == 41.9
11/7/19 13:50 == 47.2
11/7/19 13:55 == 47.6
11/7/19 14:00 == 47.8
11/7/19 14:05 == 47.3
11/7/19 14:10 == 47.7
11/7/19 14:15 == 47.7
11/7/19 14:20 == 47.1
11/7/19 14:25 == 47.5
11/7/19 14:30 == 47.7
11/7/19 14:35 == 47.6
11/7/19 14:40 == 47.5
11/7/19 14:45 == 47.3
11/7/19 14:50 == 47.6
11/7/19 14:55 == 47.7
11/7/19 15:00 == 47.4
11/7/19 15:05 == 47.4
11/7/19 15:10 == 47.6
11/7/19 15:15 == 47.4
11/7/19 15:20 == 47.3
11/7/19 15:25 == 47.6
11/7/19 15:30 == 47.7
11/7/19 15:35 == 47.2
11/7/19 15:40 == 47.5
11/7/19 15:45 == 47.5
11/7/19 15:50 == 47.2
11/7/19 15:55 == 47.5
11/7/19 16:00 == 47.5
11/7/19 16:05 == 47.5
11/7/19 16:10 == 47.5
11/7/19 16:15 == 45.9
11/7/19 16:20 == 37.9
11/7/19 16:25 == 47.3
11/7/19 16:30 == 33.2
11/7/19 16:35 == 32.6
11/7/19 16:40 == 32.7
11/7/19 16:45 == 33.1
11/7/19 16:50 == 33.1
11/7/19 16:55 == 33.2
11/7/19 17:00 == 33.4
11/7/19 17:05 == 33.4
11/7/19 17:10 == 33.4
11/7/19 17:15 == 33.6
11/7/19 17:20 == 33.6
11/7/19 17:25 == 33.7
11/7/19 17:30 == 41.7
11/7/19 17:35 == 47.4
11/7/19 17:40 == 47.5
11/7/19 17:45 == 46.7
11/7/19 17:50 == 37.5
11/7/19 17:55 == 47.2
11/7/19 18:00 == 47.6
11/7/19 18:05 == 47.4
11/7/19 18:10 == 47.5
11/7/19 18:15 == 47.6
11/7/19 18:20 == 47.2
11/7/19 18:25 == 47.6
11/7/19 18:30 == 47.4
11/7/19 18:35 == 47.5
11/7/19 18:40 == 47.7
11/7/19 18:45 == 47.8
11/7/19 18:50 == 47.6
11/7/19 18:55 == 47.8
11/7/19 19:00 == 47.5
11/7/19 19:05 == 47.1
11/7/19 19:10 == 47.5
11/7/19 19:15 == 45.1
11/7/19 19:20 == 38.6
11/7/19 19:25 == 47.6
11/7/19 19:30 == 47.3
11/7/19 19:35 == 47.5
11/7/19 19:40 == 47.7
11/7/19 19:45 == 47.6
11/7/19 19:50 == 47.3
11/7/19 19:55 == 47.3
11/7/19 20:00 == 47.3
11/7/19 20:05 == 47.4
11/7/19 20:10 == 47.3
11/7/19 20:15 == 47.5
11/7/19 20:20 == 47.1
11/7/19 20:25 == 47.4
11/7/19 20:30 == 47.3
11/7/19 20:35 == 47.2
11/7/19 20:40 == 47.3
11/7/19 20:45 == 47.2
11/7/19 20:50 == 47.3
11/7/19 20:55 == 47.3

Pumpback Station Discharge (0364)

11/7/19 21:00 == 47.3
11/7/19 21:05 == 47.2
11/7/19 21:10 == 47.4
11/7/19 21:15 == 47.5
11/7/19 21:20 == 47.2
11/7/19 21:25 == 47.4
11/7/19 21:30 == 47.3
11/7/19 21:35 == 47.5
11/7/19 21:40 == 47.5
11/7/19 21:45 == 47.2
11/7/19 21:50 == 47.2
11/7/19 21:55 == 47.2
11/7/19 22:00 == 47.1
11/7/19 22:05 == 47.1
11/7/19 22:10 == 47.2
11/7/19 22:15 == 47.3
11/7/19 22:20 == 47.2
11/7/19 22:25 == 47.3
11/7/19 22:30 == 32.9
11/7/19 22:35 == 32.7
11/7/19 22:40 == 32.8
11/7/19 22:45 == 33.3
11/7/19 22:50 == 33.3
11/7/19 22:55 == 33.3
11/7/19 23:00 == 33.6
11/7/19 23:05 == 33.6
11/7/19 23:10 == 33.6
11/7/19 23:15 == 41.8
11/7/19 23:20 == 47.2
11/7/19 23:25 == 47.4
11/7/19 23:30 == 47.2
11/7/19 23:35 == 47.2
11/7/19 23:40 == 47.1
11/7/19 23:45 == 47.2
11/7/19 23:50 == 47.2
11/7/19 23:55 == 47.3
11/8/19 0:00 == 47.1
11/8/19 0:05 == 47.2
11/8/19 0:10 == 47.2
11/8/19 0:15 == 45.5
11/8/19 0:20 == 38.3
11/8/19 0:25 == 47.3
11/8/19 0:30 == 47.6
11/8/19 0:35 == 47.4
11/8/19 0:40 == 47.6
11/8/19 0:45 == 47.3
11/8/19 0:50 == 47.3
11/8/19 0:55 == 47.4
11/8/19 1:00 == 47.5
11/8/19 1:05 == 47.6
11/8/19 1:10 == 47.5
11/8/19 1:15 == 47.5
11/8/19 1:20 == 47.3
11/8/19 1:25 == 47.5
11/8/19 1:30 == 47.4
11/8/19 1:35 == 47.1
11/8/19 1:40 == 47.3
11/8/19 1:45 == 47.4
11/8/19 1:50 == 47.4
11/8/19 1:55 == 47.4
11/8/19 2:00 == 47.6
11/8/19 2:05 == 47.5
11/8/19 2:10 == 47.3
11/8/19 2:15 == 45.2
11/8/19 2:20 == 38.3
11/8/19 2:25 == 47.4
11/8/19 2:30 == 47.6
11/8/19 2:35 == 47.3
11/8/19 2:40 == 47.5
11/8/19 2:45 == 47.2
11/8/19 2:50 == 47.4
11/8/19 2:55 == 47.5
11/8/19 3:00 == 47.5
11/8/19 3:05 == 47.1
11/8/19 3:10 == 47.5
11/8/19 3:15 == 47.1
11/8/19 3:20 == 47.3
11/8/19 3:25 == 47.5
11/8/19 3:30 == 47.6
11/8/19 3:35 == 47.3
11/8/19 3:40 == 47.4
11/8/19 3:45 == 33.1
11/8/19 3:50 == 32.8
11/8/19 3:55 == 32.8
11/8/19 4:00 == 33.4
11/8/19 4:05 == 33.4
11/8/19 4:10 == 33.4
11/8/19 4:15 == 33.6
11/8/19 4:20 == 33.6
11/8/19 4:25 == 33.6
11/8/19 4:30 == 42.1
11/8/19 4:35 == 47.5
11/8/19 4:40 == 47.7
11/8/19 4:45 == 47.1
11/8/19 4:50 == 47.7
11/8/19 4:55 == 47.6
11/8/19 5:00 == 47.6
11/8/19 5:05 == 47.7
11/8/19 5:10 == 47.7
11/8/19 5:15 == 47.4
11/8/19 5:20 == 47.5
11/8/19 5:25 == 47.5
11/8/19 5:30 == 47.4
11/8/19 5:35 == 47.3
11/8/19 5:40 == 47.4
11/8/19 5:45 == 47.5
11/8/19 5:50 == 47.4
11/8/19 5:55 == 47.6
11/8/19 6:00 == 47.6
11/8/19 6:05 == 47.1
11/8/19 6:10 == 47.7
11/8/19 6:15 == 47.8
11/8/19 6:20 == 47.3
11/8/19 6:25 == 47.8
11/8/19 6:30 == 47.5
11/8/19 6:35 == 47.4
11/8/19 6:40 == 47.5
11/8/19 6:45 == 45.1
11/8/19 6:50 == 38.8
11/8/19 6:55 == 47.5
11/8/19 7:00 == 47.7
11/8/19 7:05 == 47.3
11/8/19 7:10 == 47.7
11/8/19 7:15 == 47.4
11/8/19 7:20 == 47.5
11/8/19 7:25 == 47.6
11/8/19 7:30 == 47.6
11/8/19 7:35 == 47.6
11/8/19 7:40 == 47.6
11/8/19 7:45 == 33.1
11/8/19 7:50 == 32.7
11/8/19 7:55 == 32.7
11/8/19 8:00 == 33.2
11/8/19 8:05 == 33.2
11/8/19 8:10 == 33.2
11/8/19 8:15 == 33.6
11/8/19 8:20 == 33.4
11/8/19 8:25 == 33.7
11/8/19 8:30 == 38.9
11/8/19 8:35 == 39.5
11/8/19 8:40 == 47.6
11/8/19 8:45 == 47.5
11/8/19 8:50 == 47.5
11/8/19 8:55 == 47.7
11/8/19 9:00 == 47.6
11/8/19 9:05 == 47.4
11/8/19 9:10 == 47.3
11/8/19 9:15 == 47.3
11/8/19 9:20 == 47.3
11/8/19 9:25 == 47.7
11/8/19 9:30 == 47.6
11/8/19 9:35 == 47.6
11/8/19 9:40 == 47.7
11/8/19 9:45 == 38.1
11/8/19 9:50 == 46.1
11/8/19 9:55 == 47.6
11/8/19 10:00 == 48
11/8/19 10:05 == 47.7
11/8/19 10:10 == 47.9
11/8/19 10:15 == 47.6
11/8/19 10:20 == 47.4
11/8/19 10:25 == 47.8
11/8/19 10:30 == 47.8
11/8/19 10:35 == 47.8
11/8/19 10:40 == 47.8
11/8/19 10:45 == 47.3
11/8/19 10:50 == 47.1
11/8/19 10:55 == 47.4
11/8/19 11:00 == 47.4
11/8/19 11:05 == 47.5
11/8/19 11:10 == 47.7
11/8/19 11:15 == 47.4
11/8/19 11:20 == 47.5
11/8/19 11:25 == 47.6
11/8/19 11:30 == 47.7
11/8/19 11:35 == 47.4
11/8/19 11:40 == 47.6
11/8/19 11:45 == 47.6
11/8/19 11:50 == 47.4
11/8/19 11:55 == 47.8
11/8/19 12:00 == 47.7
11/8/19 12:05 == 47.5
11/8/19 12:10 == 47.6
11/8/19 12:15 == 47.2
11/8/19 12:20 == 47.6
11/8/19 12:25 == 47.5
11/8/19 12:30 == 33
11/8/19 12:35 == 32.9
11/8/19 12:40 == 32.9
11/8/19 12:45 == 33.4
11/8/19 12:50 == 33.4
11/8/19 12:55 == 33.4
11/8/19 13:00 == 33.6
11/8/19 13:05 == 33.6
11/8/19 13:10 == 33.5
11/8/19 13:15 == 42.3
11/8/19 13:20 == 47.4
11/8/19 13:25 == 47.6
11/8/19 13:30 == 45.8
11/8/19 13:35 == 38.4
11/8/19 13:40 == 47.5
11/8/19 13:45 == 47.6
11/8/19 13:50 == 47.6
11/8/19 13:55 == 47.6
11/8/19 14:00 == 47.8
11/8/19 14:05 == 47.3
11/8/19 14:10 == 47.9
11/8/19 14:15 == 47.5
11/8/19 14:20 == 47.4
11/8/19 14:25 == 47.7
11/8/19 14:30 == 47.6
11/8/19 14:35 == 47.5
11/8/19 14:40 == 47.6
11/8/19 14:45 == 47.4
11/8/19 14:50 == 47.4
11/8/19 14:55 == 47.5
11/8/19 15:00 == 47.4
11/8/19 15:05 == 47.6
11/8/19 15:10 == 47.6
11/8/19 15:15 == 47.4

Pumpback Station Discharge (0364)

11/8/19 15:20 == 47.6
11/8/19 15:25 == 47.5
11/8/19 15:30 == 47.5
11/8/19 15:35 == 47.4
11/8/19 15:40 == 47.5
11/8/19 15:45 == 47.6
11/8/19 15:50 == 47.4
11/8/19 15:55 == 47.4
11/8/19 16:00 == 47.3
11/8/19 16:05 == 47.4
11/8/19 16:10 == 47.5
11/8/19 16:15 == 47.2
11/8/19 16:20 == 47.4
11/8/19 16:25 == 47.3
11/8/19 16:30 == 32.9
11/8/19 16:35 == 32.6
11/8/19 16:40 == 32.6
11/8/19 16:45 == 33
11/8/19 16:50 == 32.8
11/8/19 16:55 == 33
11/8/19 17:00 == 33.3
11/8/19 17:05 == 33.5
11/8/19 17:10 == 33.6
11/8/19 17:15 == 33.5
11/8/19 17:20 == 33.6
11/8/19 17:25 == 33.6
11/8/19 17:30 == 42.7
11/8/19 17:35 == 47.3
11/8/19 17:40 == 47.4
11/8/19 17:45 == 47.4
11/8/19 17:50 == 47.6
11/8/19 17:55 == 47.4
11/8/19 18:00 == 47.3
11/8/19 18:05 == 47.5
11/8/19 18:10 == 47.5
11/8/19 18:15 == 47.5
11/8/19 18:20 == 47.3
11/8/19 18:25 == 47.4
11/8/19 18:30 == 47.1
11/8/19 18:35 == 47.4
11/8/19 18:40 == 47.4
11/8/19 18:45 == 47.6
11/8/19 18:50 == 47.6
11/8/19 18:55 == 47.6
11/8/19 19:00 == 47.4
11/8/19 19:05 == 47.2
11/8/19 19:10 == 47.3
11/8/19 19:15 == 47.1
11/8/19 19:20 == 47.5
11/8/19 19:25 == 47.5
11/8/19 19:30 == 47.2
11/8/19 19:35 == 47.5
11/8/19 19:40 == 47.4
11/8/19 19:45 == 47.5
11/8/19 19:50 == 47.4
11/8/19 19:55 == 47.2
11/8/19 20:00 == 47.3
11/8/19 20:05 == 47.2
11/8/19 20:10 == 47.2
11/8/19 20:15 == 47.4
11/8/19 20:20 == 47.1
11/8/19 20:25 == 47.1
11/8/19 20:30 == 47.2
11/8/19 20:35 == 47.2
11/8/19 20:40 == 47.2
11/8/19 20:45 == 47.1
11/8/19 20:50 == 47.2
11/8/19 20:55 == 47.1
11/8/19 21:00 == 47.1
11/8/19 21:05 == 47.2
11/8/19 21:10 == 47.2
11/8/19 21:15 == 44.9
11/8/19 21:20 == 39
11/8/19 21:25 == 47.5
11/8/19 21:30 == 47.2
11/8/19 21:35 == 47.3
11/8/19 21:40 == 47.3
11/8/19 21:45 == 47.3
11/8/19 21:50 == 47.1
11/8/19 21:55 == 46.9
11/8/19 22:00 == 32.8
11/8/19 22:05 == 32.7
11/8/19 22:10 == 32.7
11/8/19 22:15 == 33.3
11/8/19 22:20 == 33.2
11/8/19 22:25 == 33.3
11/8/19 22:30 == 33.4
11/8/19 22:35 == 33.6
11/8/19 22:40 == 33.4
11/8/19 22:45 == 43.2
11/8/19 22:50 == 47
11/8/19 22:55 == 47.1
11/8/19 23:00 == 47.2
11/8/19 23:05 == 47.1
11/8/19 23:10 == 47.2
11/8/19 23:15 == 47.1
11/8/19 23:20 == 47.2
11/8/19 23:25 == 47.2
11/8/19 23:30 == 47.2
11/8/19 23:35 == 47.1
11/8/19 23:40 == 47
11/8/19 23:45 == 47.2
11/8/19 23:50 == 47.1
11/8/19 23:55 == 47.1
11/9/19 0:00 == 47.1
11/9/19 0:05 == 47.1
11/9/19 0:10 == 47.1
11/9/19 0:15 == 44.5
11/9/19 0:20 == 38.6
11/9/19 0:25 == 47.3
11/9/19 0:30 == 47.5
11/9/19 0:35 == 47.4
11/9/19 0:40 == 47.5
11/9/19 0:45 == 47.1
11/9/19 0:50 == 47.3
11/9/19 0:55 == 47.2
11/9/19 1:00 == 47.3
11/9/19 1:05 == 47.2
11/9/19 1:10 == 47.3
11/9/19 1:15 == 47.3
11/9/19 1:20 == 47.4
11/9/19 1:25 == 47.4
11/9/19 1:30 == 47.3
11/9/19 1:35 == 47.1
11/9/19 1:40 == 47.3
11/9/19 1:45 == 47.3
11/9/19 1:50 == 47.3
11/9/19 1:55 == 47.3
11/9/19 2:00 == 47.2
11/9/19 2:05 == 47.3
11/9/19 2:10 == 47.3
11/9/19 2:15 == 44.6
11/9/19 2:20 == 39.2
11/9/19 2:25 == 47.6
11/9/19 2:30 == 47.4
11/9/19 2:35 == 47.2
11/9/19 2:40 == 47.2
11/9/19 2:45 == 46.9
11/9/19 2:50 == 47.4
11/9/19 2:55 == 47.3
11/9/19 3:00 == 47.4
11/9/19 3:05 == 47.3
11/9/19 3:10 == 47.4
11/9/19 3:15 == 47.1
11/9/19 3:20 == 47.4
11/9/19 3:25 == 46.6
11/9/19 3:30 == 32.9
11/9/19 3:35 == 32.7
11/9/19 3:40 == 32.7
11/9/19 3:45 == 33.2
11/9/19 3:50 == 33.3
11/9/19 3:55 == 33.3
11/9/19 4:00 == 33.8
11/9/19 4:05 == 33.6
11/9/19 4:10 == 33.6
11/9/19 4:15 == 40.5
11/9/19 4:20 == 39.2
11/9/19 4:25 == 47.3
11/9/19 4:30 == 47.5
11/9/19 4:35 == 47.3
11/9/19 4:40 == 47.7
11/9/19 4:45 == 47
11/9/19 4:50 == 47.7
11/9/19 4:55 == 47.6
11/9/19 5:00 == 47.5
11/9/19 5:05 == 47.7
11/9/19 5:10 == 47.6
11/9/19 5:15 == 47.4
11/9/19 5:20 == 47.3
11/9/19 5:25 == 47.3
11/9/19 5:30 == 47.4
11/9/19 5:35 == 47.3
11/9/19 5:40 == 47.3
11/9/19 5:45 == 47.4
11/9/19 5:50 == 47.4
11/9/19 5:55 == 47.7
11/9/19 6:00 == 45.9
11/9/19 6:05 == 38.2
11/9/19 6:10 == 47.5
11/9/19 6:15 == 47.4
11/9/19 6:20 == 47.7
11/9/19 6:25 == 47.6
11/9/19 6:30 == 47.3
11/9/19 6:35 == 45.1
11/9/19 6:40 == 38.1
11/9/19 6:45 == 47.1
11/9/19 6:50 == 47.4
11/9/19 6:55 == 47.4
11/9/19 7:00 == 47.7
11/9/19 7:05 == 47.4
11/9/19 7:10 == 47.6
11/9/19 7:15 == 47.2
11/9/19 7:20 == 47.7
11/9/19 7:25 == 46.7
11/9/19 7:30 == 33.1
11/9/19 7:35 == 32.9
11/9/19 7:40 == 32.9
11/9/19 7:45 == 33.3
11/9/19 7:50 == 33.4
11/9/19 7:55 == 33.4
11/9/19 8:00 == 33.7
11/9/19 8:05 == 33.7
11/9/19 8:10 == 33.2
11/9/19 8:15 == 40.1
11/9/19 8:20 == 39.7
11/9/19 8:25 == 47.7
11/9/19 8:30 == 47.5
11/9/19 8:35 == 47.7
11/9/19 8:40 == 47.7
11/9/19 8:45 == 47.6
11/9/19 8:50 == 47.5
11/9/19 8:55 == 47.5
11/9/19 9:00 == 47.6
11/9/19 9:05 == 47.4
11/9/19 9:10 == 47.5
11/9/19 9:15 == 44.1
11/9/19 9:20 == 39.3
11/9/19 9:25 == 47.7
11/9/19 9:30 == 47.8
11/9/19 9:35 == 47.7

Pumpback Station Discharge (0364)

11/9/19 9:40 == 47.9
11/9/19 9:45 == 47.4
11/9/19 9:50 == 47.7
11/9/19 9:55 == 47.7
11/9/19 10:00 == 47.7
11/9/19 10:05 == 47.7
11/9/19 10:10 == 48
11/9/19 10:15 == 47.3
11/9/19 10:20 == 47.6
11/9/19 10:25 == 47.7
11/9/19 10:30 == 47.6
11/9/19 10:35 == 47.9
11/9/19 10:40 == 47.9
11/9/19 10:45 == 47.3
11/9/19 10:50 == 47.4
11/9/19 10:55 == 47.5
11/9/19 11:00 == 47.3
11/9/19 11:05 == 47.6
11/9/19 11:10 == 47.6
11/9/19 11:15 == 47.4
11/9/19 11:20 == 47.6
11/9/19 11:25 == 47.6
11/9/19 11:30 == 47.7
11/9/19 11:35 == 47.6
11/9/19 11:40 == 47.7
11/9/19 11:45 == 47.8
11/9/19 11:50 == 47.4
11/9/19 11:55 == 46.4
11/9/19 12:00 == 33
11/9/19 12:05 == 32.7
11/9/19 12:10 == 33
11/9/19 12:15 == 33.1
11/9/19 12:20 == 33.4
11/9/19 12:25 == 33.4
11/9/19 12:30 == 33.7
11/9/19 12:35 == 33.7
11/9/19 12:40 == 33.3
11/9/19 12:45 == 43.4
11/9/19 12:50 == 39.7
11/9/19 12:55 == 43.8
11/9/19 13:00 == 47.6
11/9/19 13:05 == 47.5
11/9/19 13:10 == 47.7
11/9/19 13:15 == 47.4
11/9/19 13:20 == 47.5
11/9/19 13:25 == 47.5
11/9/19 13:30 == 47.4
11/9/19 13:35 == 47.7
11/9/19 13:40 == 47.6
11/9/19 13:45 == 47.5
11/9/19 13:50 == 47.7
11/9/19 13:55 == 47.6
11/9/19 14:00 == 46.4
11/9/19 14:05 == 38
11/9/19 14:10 == 47.7
11/9/19 14:15 == 47.2
11/9/19 14:20 == 47.4
11/9/19 14:25 == 47.7
11/9/19 14:30 == 47.6
11/9/19 14:35 == 47.5
11/9/19 14:40 == 47.5
11/9/19 14:45 == 44.8
11/9/19 14:50 == 39
11/9/19 14:55 == 47.6
11/9/19 15:00 == 47.7
11/9/19 15:05 == 47.7
11/9/19 15:10 == 47.7
11/9/19 15:15 == 47.4
11/9/19 15:20 == 47.7
11/9/19 15:25 == 47.7
11/9/19 15:30 == 47.6
11/9/19 15:35 == 47.8
11/9/19 15:40 == 47.7
11/9/19 15:45 == 47.7
11/9/19 15:50 == 47.7
11/9/19 15:55 == 47.7
11/9/19 16:00 == 47.9
11/9/19 16:05 == 47.5
11/9/19 16:10 == 38.5
11/9/19 16:15 == 45.2
11/9/19 16:20 == 47.6
11/9/19 16:25 == 46.4
11/9/19 16:30 == 33.1
11/9/19 16:35 == 32.8
11/9/19 16:40 == 32.8
11/9/19 16:45 == 33.2
11/9/19 16:50 == 33
11/9/19 16:55 == 33.4
11/9/19 17:00 == 33.5
11/9/19 17:05 == 33.5
11/9/19 17:10 == 33.7
11/9/19 17:15 == 33.6
11/9/19 17:20 == 33.8
11/9/19 17:25 == 33.3
11/9/19 17:30 == 44.2
11/9/19 17:35 == 48
11/9/19 17:40 == 48
11/9/19 17:45 == 47.7
11/9/19 17:50 == 47.7
11/9/19 17:55 == 47.8
11/9/19 18:00 == 44.7
11/9/19 18:05 == 39.7
11/9/19 18:10 == 47.9
11/9/19 18:15 == 47.7
11/9/19 18:20 == 47.6
11/9/19 18:25 == 47.8
11/9/19 18:30 == 47.4
11/9/19 18:35 == 47.8
11/9/19 18:40 == 47.8
11/9/19 18:45 == 47.8
11/9/19 18:50 == 47.6
11/9/19 18:55 == 47.9
11/9/19 19:00 == 47
11/9/19 19:05 == 47.6
11/9/19 19:10 == 47.7
11/9/19 19:15 == 47.3
11/9/19 19:20 == 47.8
11/9/19 19:25 == 47.8
11/9/19 19:30 == 47.5
11/9/19 19:35 == 47.7
11/9/19 19:40 == 47.8
11/9/19 19:45 == 47.8
11/9/19 19:50 == 47.6
11/9/19 19:55 == 47.5
11/9/19 20:00 == 47.6
11/9/19 20:05 == 47.7
11/9/19 20:10 == 47.6
11/9/19 20:15 == 47.5
11/9/19 20:20 == 47.4
11/9/19 20:25 == 47.5
11/9/19 20:30 == 47.5
11/9/19 20:35 == 47.6
11/9/19 20:40 == 47.6
11/9/19 20:45 == 47.6
11/9/19 20:50 == 47.5
11/9/19 20:55 == 46.3
11/9/19 21:00 == 33
11/9/19 21:05 == 32.9
11/9/19 21:10 == 32.9
11/9/19 21:15 == 33.6
11/9/19 21:20 == 33.3
11/9/19 21:25 == 33.5
11/9/19 21:30 == 33.6
11/9/19 21:35 == 33.6
11/9/19 21:40 == 33.2
11/9/19 21:45 == 39.6
11/9/19 21:50 == 40.8
11/9/19 21:55 == 47.7
11/9/19 22:00 == 47.5
11/9/19 22:05 == 47.8
11/9/19 22:10 == 47.6
11/9/19 22:15 == 47.7
11/9/19 22:20 == 47.6
11/9/19 22:25 == 47.6
11/9/19 22:30 == 47.4
11/9/19 22:35 == 47.6
11/9/19 22:40 == 47.6
11/9/19 22:45 == 47.6
11/9/19 22:50 == 47.6
11/9/19 22:55 == 47.5
11/9/19 23:00 == 47.5
11/9/19 23:05 == 47.5
11/9/19 23:10 == 47.7
11/9/19 23:15 == 47.5
11/9/19 23:20 == 47.6
11/9/19 23:25 == 47.6
11/9/19 23:30 == 47.6
11/9/19 23:35 == 47.5
11/9/19 23:40 == 47.6
11/9/19 23:45 == 47.5
11/9/19 23:50 == 47.4
11/9/19 23:55 == 47.4
11/10/19 0:00 == 47.4
11/10/19 0:05 == 47.6
11/10/19 0:10 == 47.4
11/10/19 0:15 == 47.4
11/10/19 0:20 == 47.6
11/10/19 0:25 == 47.8
11/10/19 0:30 == 47.7
11/10/19 0:35 == 47.7
11/10/19 0:40 == 46.5
11/10/19 0:45 == 32.8
11/10/19 0:50 == 33
11/10/19 0:55 == 33
11/10/19 1:00 == 33.6
11/10/19 1:05 == 33.5
11/10/19 1:10 == 32.9
11/10/19 1:15 == 44
11/10/19 1:20 == 47.7
11/10/19 1:25 == 47.8
11/10/19 1:30 == 47.6
11/10/19 1:35 == 47.6
11/10/19 1:40 == 47.8
11/10/19 1:45 == 47.5
11/10/19 1:50 == 47.8
11/10/19 1:55 == 47.7
11/10/19 2:00 == 47.8
11/10/19 2:05 == 47.6
11/10/19 2:10 == 47.8
11/10/19 2:15 == 44.4
11/10/19 2:20 == 39.5
11/10/19 2:25 == 47.8
11/10/19 2:30 == 47.8
11/10/19 2:35 == 47.9
11/10/19 2:40 == 48
11/10/19 2:45 == 47.3
11/10/19 2:50 == 47.8
11/10/19 2:55 == 47.8
11/10/19 3:00 == 47.5
11/10/19 3:05 == 39.7
11/10/19 3:10 == 44.3
11/10/19 3:15 == 47.3
11/10/19 3:20 == 47.5
11/10/19 3:25 == 47.9
11/10/19 3:30 == 47.9
11/10/19 3:35 == 47.5
11/10/19 3:40 == 46.3
11/10/19 3:45 == 33
11/10/19 3:50 == 32.9
11/10/19 3:55 == 32.9

Pumpback Station Discharge (0364)

11/10/19 4:00 == 33.6
11/10/19 4:05 == 33.3
11/10/19 4:10 == 33.4
11/10/19 4:15 == 33.6
11/10/19 4:20 == 33.8
11/10/19 4:25 == 33.3
11/10/19 4:30 == 44.5
11/10/19 4:35 == 47.7
11/10/19 4:40 == 47.9
11/10/19 4:45 == 47.2
11/10/19 4:50 == 47.8
11/10/19 4:55 == 47.8
11/10/19 5:00 == 47.8
11/10/19 5:05 == 47.9
11/10/19 5:10 == 47.9
11/10/19 5:15 == 47.7
11/10/19 5:20 == 47.6
11/10/19 5:25 == 47.8
11/10/19 5:30 == 47.8
11/10/19 5:35 == 47.6
11/10/19 5:40 == 47.7
11/10/19 5:45 == 44.3
11/10/19 5:50 == 40.1
11/10/19 5:55 == 47.7
11/10/19 6:00 == 42.4
11/10/19 6:05 == 41.4
11/10/19 6:10 == 47.6
11/10/19 6:15 == 47.5
11/10/19 6:20 == 47.7
11/10/19 6:25 == 47.9
11/10/19 6:30 == 47.7
11/10/19 6:35 == 47.6
11/10/19 6:40 == 47.7
11/10/19 6:45 == 47.5
11/10/19 6:50 == 47.7
11/10/19 6:55 == 47.7
11/10/19 7:00 == 47.5
11/10/19 7:05 == 47.5
11/10/19 7:10 == 46.4
11/10/19 7:15 == 32.8
11/10/19 7:20 == 33
11/10/19 7:25 == 33.1
11/10/19 7:30 == 33.3
11/10/19 7:35 == 33.4
11/10/19 7:40 == 33.5
11/10/19 7:45 == 33.6
11/10/19 7:50 == 33.7
11/10/19 7:55 == 33.2
11/10/19 8:00 == 40.4
11/10/19 8:05 == 41.4
11/10/19 8:10 == 47.6
11/10/19 8:15 == 47.6
11/10/19 8:20 == 47.7
11/10/19 8:25 == 47.9
11/10/19 8:30 == 47.5
11/10/19 8:35 == 47.8
11/10/19 8:40 == 47.9
11/10/19 8:45 == 47.9
11/10/19 8:50 == 47.7
11/10/19 8:55 == 47.8
11/10/19 9:00 == 47.7
11/10/19 9:05 == 45.2
11/10/19 9:10 == 39.2
11/10/19 9:15 == 47.5
11/10/19 9:20 == 47.7
11/10/19 9:25 == 47.6
11/10/19 9:30 == 48
11/10/19 9:35 == 47.9
11/10/19 9:40 == 47.8
11/10/19 9:45 == 47.5
11/10/19 9:50 == 47.7
11/10/19 9:55 == 47.8
11/10/19 10:00 == 44.1
11/10/19 10:05 == 40.1
11/10/19 10:10 == 47.8
11/10/19 10:15 == 47.5
11/10/19 10:20 == 47.7
11/10/19 10:25 == 48
11/10/19 10:30 == 48
11/10/19 10:35 == 47.8
11/10/19 10:40 == 47.9
11/10/19 10:45 == 47.1
11/10/19 10:50 == 47.6
11/10/19 10:55 == 46.4
11/10/19 11:00 == 32.9
11/10/19 11:05 == 33
11/10/19 11:10 == 33.1
11/10/19 11:15 == 33.4
11/10/19 11:20 == 33.4
11/10/19 11:25 == 33.5
11/10/19 11:30 == 33.8
11/10/19 11:35 == 33.8
11/10/19 11:40 == 33.4
11/10/19 11:45 == 44.9
11/10/19 11:50 == 47.8
11/10/19 11:55 == 47.7
11/10/19 12:00 == 47.8
11/10/19 12:05 == 47.6
11/10/19 12:10 == 46.4
11/10/19 12:15 == 38.3
11/10/19 12:20 == 47.7
11/10/19 12:25 == 47.8
11/10/19 12:30 == 47.8
11/10/19 12:35 == 47.9
11/10/19 12:40 == 47.9
11/10/19 12:45 == 47.9
11/10/19 12:50 == 47.8
11/10/19 12:55 == 47.9
11/10/19 13:00 == 47.9
11/10/19 13:05 == 47.9
11/10/19 13:10 == 47.9
11/10/19 13:15 == 47.7
11/10/19 13:20 == 47.8
11/10/19 13:25 == 47.6
11/10/19 13:30 == 47.5
11/10/19 13:35 == 47.6
11/10/19 13:40 == 47.8
11/10/19 13:45 == 47.6
11/10/19 13:50 == 47.6
11/10/19 13:55 == 47.7
11/10/19 14:00 == 45.5
11/10/19 14:05 == 39
11/10/19 14:10 == 47.7
11/10/19 14:15 == 47.4
11/10/19 14:20 == 39.1
11/10/19 14:25 == 45.1
11/10/19 14:30 == 47.6
11/10/19 14:35 == 47.5
11/10/19 14:40 == 46
11/10/19 14:45 == 38.4
11/10/19 14:50 == 47.4
11/10/19 14:55 == 47.8
11/10/19 15:00 == 47.5
11/10/19 15:05 == 47.6
11/10/19 15:10 == 47.6
11/10/19 15:15 == 47.2
11/10/19 15:20 == 47.6
11/10/19 15:25 == 45.7
11/10/19 15:30 == 32.8
11/10/19 15:35 == 32.9
11/10/19 15:40 == 33
11/10/19 15:45 == 33.3
11/10/19 15:50 == 33.4
11/10/19 15:55 == 33.2
11/10/19 16:00 == 33.5
11/10/19 16:05 == 33.5
11/10/19 16:10 == 33.3
11/10/19 16:15 == 38.8
11/10/19 16:20 == 39.2
11/10/19 16:25 == 47.6
11/10/19 16:30 == 47.6
11/10/19 16:35 == 47.6
11/10/19 16:40 == 47.6
11/10/19 16:45 == 47.5
11/10/19 16:50 == 47.5
11/10/19 16:55 == 47.3
11/10/19 17:00 == 47.5
11/10/19 17:05 == 47.5
11/10/19 17:10 == 47.6
11/10/19 17:15 == 47.4
11/10/19 17:20 == 47.5
11/10/19 17:25 == 45.5
11/10/19 17:30 == 32.7
11/10/19 17:35 == 32.7
11/10/19 17:40 == 33.1
11/10/19 17:45 == 33.4
11/10/19 17:50 == 33.5
11/10/19 17:55 == 32.9
11/10/19 18:00 == 41.5
11/10/19 18:05 == 47.6
11/10/19 18:10 == 47.5
11/10/19 18:15 == 47.4
11/10/19 18:20 == 47.4
11/10/19 18:25 == 47.5
11/10/19 18:30 == 47
11/10/19 18:35 == 47.2
11/10/19 18:40 == 47.4
11/10/19 18:45 == 44.9
11/10/19 18:50 == 39.5
11/10/19 18:55 == 47.7
11/10/19 19:00 == 47.2
11/10/19 19:05 == 47.3
11/10/19 19:10 == 47.1
11/10/19 19:15 == 47.2
11/10/19 19:20 == 47.5
11/10/19 19:25 == 47.5
11/10/19 19:30 == 47.2
11/10/19 19:35 == 47.5
11/10/19 19:40 == 47.5
11/10/19 19:45 == 47.4
11/10/19 19:50 == 47.3
11/10/19 19:55 == 47
11/10/19 20:00 == 47.1
11/10/19 20:05 == 47.2
11/10/19 20:10 == 47.2
11/10/19 20:15 == 47.2
11/10/19 20:20 == 47.2
11/10/19 20:25 == 47.1
11/10/19 20:30 == 47.1
11/10/19 20:35 == 47.1
11/10/19 20:40 == 47.1
11/10/19 20:45 == 47.1
11/10/19 20:50 == 47.1
11/10/19 20:55 == 45.1
11/10/19 21:00 == 32.8
11/10/19 21:05 == 32.9
11/10/19 21:10 == 32.8
11/10/19 21:15 == 33.4
11/10/19 21:20 == 33.3
11/10/19 21:25 == 33.5
11/10/19 21:30 == 33.6
11/10/19 21:35 == 33.6
11/10/19 21:40 == 33
11/10/19 21:45 == 45
11/10/19 21:50 == 47.3
11/10/19 21:55 == 47.3
11/10/19 22:00 == 47.1
11/10/19 22:05 == 47.2
11/10/19 22:10 == 47.2
11/10/19 22:15 == 47.1

Pumpback Station Discharge (0364)

11/10/19 22:20 == 47.1
11/10/19 22:25 == 47.2
11/10/19 22:30 == 47.1
11/10/19 22:35 == 47.2
11/10/19 22:40 == 47.2
11/10/19 22:45 == 47.3
11/10/19 22:50 == 47.2
11/10/19 22:55 == 47.3
11/10/19 23:00 == 47.2
11/10/19 23:05 == 47.2
11/10/19 23:10 == 47.2
11/10/19 23:15 == 47.1
11/10/19 23:20 == 47.2
11/10/19 23:25 == 47.1
11/10/19 23:30 == 47
11/10/19 23:35 == 47.1
11/10/19 23:40 == 47.1
11/10/19 23:45 == 47
11/10/19 23:50 == 47
11/10/19 23:55 == 47.2
11/11/19 0:00 == 47.2
11/11/19 0:05 == 47.1
11/11/19 0:10 == 44.8
11/11/19 0:15 == 32.7
11/11/19 0:20 == 32.8
11/11/19 0:25 == 32.9
11/11/19 0:30 == 33.2
11/11/19 0:35 == 33.3
11/11/19 0:40 == 33.3
11/11/19 0:45 == 33.6
11/11/19 0:50 == 33.5
11/11/19 0:55 == 32.8
11/11/19 1:00 == 45.2
11/11/19 1:05 == 47.3
11/11/19 1:10 == 47.3
11/11/19 1:15 == 47.3
11/11/19 1:20 == 47.4
11/11/19 1:25 == 47.6
11/11/19 1:30 == 47.2
11/11/19 1:35 == 47.4
11/11/19 1:40 == 47.4
11/11/19 1:45 == 47.3
11/11/19 1:50 == 47.3
11/11/19 1:55 == 47.3
11/11/19 2:00 == 47.3
11/11/19 2:05 == 47.3
11/11/19 2:10 == 47.1
11/11/19 2:15 == 42.8
11/11/19 2:20 == 41
11/11/19 2:25 == 47.4
11/11/19 2:30 == 47.2
11/11/19 2:35 == 47.2
11/11/19 2:40 == 47.4
11/11/19 2:45 == 47
11/11/19 2:50 == 47.1
11/11/19 2:55 == 47.3
11/11/19 3:00 == 47.3
11/11/19 3:05 == 47.6
11/11/19 3:10 == 47.5
11/11/19 3:15 == 47.3
11/11/19 3:20 == 47.4
11/11/19 3:25 == 47.4
11/11/19 3:30 == 47.3
11/11/19 3:35 == 47.4
11/11/19 3:40 == 47.3
11/11/19 3:45 == 47.2
11/11/19 3:50 == 47.3
11/11/19 3:55 == 47.3
11/11/19 4:00 == 47.7
11/11/19 4:05 == 47.5
11/11/19 4:10 == 47.6
11/11/19 4:15 == 47.1
11/11/19 4:20 == 47.1
11/11/19 4:25 == 44.7
11/11/19 4:30 == 32.7
11/11/19 4:35 == 32.8
11/11/19 4:40 == 33.1
11/11/19 4:45 == 33.2
11/11/19 4:50 == 33.2
11/11/19 4:55 == 33.4
11/11/19 5:00 == 33.7
11/11/19 5:05 == 33.6
11/11/19 5:10 == 32.8
11/11/19 5:15 == 45.2
11/11/19 5:20 == 47.3
11/11/19 5:25 == 47.2
11/11/19 5:30 == 47.2
11/11/19 5:35 == 47.2
11/11/19 5:40 == 47.2
11/11/19 5:45 == 42.9
11/11/19 5:50 == 40.5
11/11/19 5:55 == 46
11/11/19 6:00 == 38.3
11/11/19 6:05 == 47.4
11/11/19 6:10 == 47.7
11/11/19 6:15 == 47.3
11/11/19 6:20 == 47.8
11/11/19 6:25 == 47.9
11/11/19 6:30 == 47.5
11/11/19 6:35 == 47.2
11/11/19 6:40 == 47.3
11/11/19 6:45 == 47.3
11/11/19 6:50 == 47.3
11/11/19 6:55 == 47.3
11/11/19 7:00 == 47.3
11/11/19 7:05 == 47.4
11/11/19 7:10 == 45.2
11/11/19 7:15 == 32.7
11/11/19 7:20 == 33
11/11/19 7:25 == 33.2
11/11/19 7:30 == 33.5
11/11/19 7:35 == 33.5
11/11/19 7:40 == 33.5
11/11/19 7:45 == 33.6
11/11/19 7:50 == 33.6
11/11/19 7:55 == 32.8
11/11/19 8:00 == 45
11/11/19 8:05 == 47.4
11/11/19 8:10 == 47.4
11/11/19 8:15 == 47.3
11/11/19 8:20 == 47.2
11/11/19 8:25 == 47.4
11/11/19 8:30 == 47.3
11/11/19 8:35 == 47.4
11/11/19 8:40 == 47.5
11/11/19 8:45 == 47.5
11/11/19 8:50 == 47.4
11/11/19 8:55 == 47.4
11/11/19 9:00 == 47.4
11/11/19 9:05 == 47.3
11/11/19 9:10 == 47.5
11/11/19 9:15 == 42.7
11/11/19 9:20 == 41.1
11/11/19 9:25 == 47.4
11/11/19 9:30 == 47.7
11/11/19 9:35 == 47.7
11/11/19 9:40 == 45.1
11/11/19 9:45 == 32.9
11/11/19 9:50 == 33
11/11/19 9:55 == 33.1
11/11/19 10:00 == 33.3
11/11/19 10:05 == 33.4
11/11/19 10:10 == 33.5
11/11/19 10:15 == 33.6
11/11/19 10:20 == 33.6
11/11/19 10:25 == 33
11/11/19 10:30 == 45.8
11/11/19 10:35 == 47.7
11/11/19 10:40 == 47.8
11/11/19 10:45 == 47.3
11/11/19 10:50 == 47.3
11/11/19 10:55 == 47.3
11/11/19 11:00 == 47.5
11/11/19 11:05 == 47.5
11/11/19 11:10 == 47.4
11/11/19 11:15 == 47.4
11/11/19 11:20 == 47.5
11/11/19 11:25 == 47.5
11/11/19 11:30 == 47.4
11/11/19 11:35 == 47.4
11/11/19 11:40 == 47.5
11/11/19 11:45 == 47.6
11/11/19 11:50 == 47.5
11/11/19 11:55 == 47.5
11/11/19 12:00 == 47.4
11/11/19 12:05 == 47.4
11/11/19 12:10 == 45.4
11/11/19 12:15 == 38.4
11/11/19 12:20 == 47.3
11/11/19 12:25 == 47.4
11/11/19 12:30 == 47.3
11/11/19 12:35 == 47.3
11/11/19 12:40 == 47.3
11/11/19 12:45 == 47.3
11/11/19 12:50 == 47.5
11/11/19 12:55 == 47.4
11/11/19 13:00 == 47.4
11/11/19 13:05 == 47.5
11/11/19 13:10 == 44.8
11/11/19 13:15 == 32.6
11/11/19 13:20 == 32.7
11/11/19 13:25 == 33
11/11/19 13:30 == 33.3
11/11/19 13:35 == 33.4
11/11/19 13:40 == 33.4
11/11/19 13:45 == 33.5
11/11/19 13:50 == 33.7
11/11/19 13:55 == 33
11/11/19 14:00 == 45.5
11/11/19 14:05 == 47.7
11/11/19 14:10 == 47.6
11/11/19 14:15 == 47.3
11/11/19 14:20 == 47.4
11/11/19 14:25 == 47.5
11/11/19 14:30 == 47.6
11/11/19 14:35 == 47.3
11/11/19 14:40 == 47.4
11/11/19 14:45 == 47.4
11/11/19 14:50 == 47.5
11/11/19 14:55 == 47.5
11/11/19 15:00 == 47.4
11/11/19 15:05 == 47.4
11/11/19 15:10 == 47.5
11/11/19 15:15 == 47.3
11/11/19 15:20 == 47.5
11/11/19 15:25 == 47.5
11/11/19 15:30 == 47.5
11/11/19 15:35 == 47.6
11/11/19 15:40 == 47.7
11/11/19 15:45 == 47.7
11/11/19 15:50 == 47.5
11/11/19 15:55 == 45
11/11/19 16:00 == 32.7
11/11/19 16:05 == 32.9
11/11/19 16:10 == 33
11/11/19 16:15 == 33.1
11/11/19 16:20 == 33.3
11/11/19 16:25 == 33.4
11/11/19 16:30 == 33.5
11/11/19 16:35 == 33.6

Pumpback Station Discharge (0364)

11/11/19 16:40 == 33.5
11/11/19 16:45 == 33.6
11/11/19 16:50 == 33.5
11/11/19 16:55 == 33.2
11/11/19 17:00 == 45.6
11/11/19 17:05 == 47.7
11/11/19 17:10 == 47.8
11/11/19 17:15 == 47.6
11/11/19 17:20 == 47.7
11/11/19 17:25 == 47.7
11/11/19 17:30 == 47.6
11/11/19 17:35 == 47.5
11/11/19 17:40 == 45.2
11/11/19 17:45 == 38.8
11/11/19 17:50 == 47.4
11/11/19 17:55 == 47.7
11/11/19 18:00 == 47.5
11/11/19 18:05 == 47.7
11/11/19 18:10 == 47.5
11/11/19 18:15 == 47.5
11/11/19 18:20 == 47.6
11/11/19 18:25 == 47.5
11/11/19 18:30 == 47.2
11/11/19 18:35 == 47.5
11/11/19 18:40 == 45.2
11/11/19 18:45 == 33
11/11/19 18:50 == 33
11/11/19 18:55 == 33
11/11/19 19:00 == 33.5
11/11/19 19:05 == 33.6
11/11/19 19:10 == 33.3
11/11/19 19:15 == 41
11/11/19 19:20 == 41.8
11/11/19 19:25 == 47.7
11/11/19 19:30 == 47.6
11/11/19 19:35 == 47.6
11/11/19 19:40 == 47.7
11/11/19 19:45 == 47.6
11/11/19 19:50 == 47.4
11/11/19 19:55 == 47.5
11/11/19 20:00 == 47.5
11/11/19 20:05 == 47.4
11/11/19 20:10 == 47.5
11/11/19 20:15 == 47.4
11/11/19 20:20 == 47.5
11/11/19 20:25 == 47.5
11/11/19 20:30 == 47.3
11/11/19 20:35 == 47.4
11/11/19 20:40 == 47.5
11/11/19 20:45 == 47.2
11/11/19 20:50 == 47.5
11/11/19 20:55 == 47.3
11/11/19 21:00 == 47.4
11/11/19 21:05 == 47.6
11/11/19 21:10 == 47.4
11/11/19 21:15 == 42.9
11/11/19 21:20 == 41.2
11/11/19 21:25 == 47.6
11/11/19 21:30 == 47.3
11/11/19 21:35 == 47.5
11/11/19 21:40 == 45.1
11/11/19 21:45 == 32.7
11/11/19 21:50 == 33
11/11/19 21:55 == 33.1
11/11/19 22:00 == 33.4
11/11/19 22:05 == 33.4
11/11/19 22:10 == 33.5
11/11/19 22:15 == 33.7
11/11/19 22:20 == 33.6
11/11/19 22:25 == 33.4
11/11/19 22:30 == 45.7
11/11/19 22:35 == 47.6
11/11/19 22:40 == 47.4
11/11/19 22:45 == 47.4
11/11/19 22:50 == 47.5
11/11/19 22:55 == 47.4
11/11/19 23:00 == 47.5
11/11/19 23:05 == 47.4
11/11/19 23:10 == 47.4
11/11/19 23:15 == 47.4
11/11/19 23:20 == 47.4
11/11/19 23:25 == 47.4
11/11/19 23:30 == 47.4
11/11/19 23:35 == 47.4
11/11/19 23:40 == 47.4
11/11/19 23:45 == 47.5
11/11/19 23:50 == 47.5
11/11/19 23:55 == 47.3
11/12/19 0:00 == 47.3
11/12/19 0:05 == 47.3
11/12/19 0:10 == 47.4
11/12/19 0:15 == 47.2
11/12/19 0:20 == 47.7
11/12/19 0:25 == 47.5
11/12/19 0:30 == 47.4
11/12/19 0:35 == 47.7
11/12/19 0:40 == 45
11/12/19 0:45 == 32.7
11/12/19 0:50 == 32.9
11/12/19 0:55 == 33
11/12/19 1:00 == 33.4
11/12/19 1:05 == 33.3
11/12/19 1:10 == 33.4
11/12/19 1:15 == 33.6
11/12/19 1:20 == 33.7
11/12/19 1:25 == 33.5
11/12/19 1:30 == 46.1
11/12/19 1:35 == 47.5
11/12/19 1:40 == 47.7
11/12/19 1:45 == 47.6
11/12/19 1:50 == 47.7
11/12/19 1:55 == 47.6
11/12/19 2:00 == 47.5
11/12/19 2:05 == 47.7
11/12/19 2:10 == 47.5
11/12/19 2:15 == 42.9
11/12/19 2:20 == 41.3
11/12/19 2:25 == 47.5
11/12/19 2:30 == 47.5
11/12/19 2:35 == 47.5
11/12/19 2:40 == 47.5
11/12/19 2:45 == 47.4
11/12/19 2:50 == 47.5
11/12/19 2:55 == 47.5
11/12/19 3:00 == 42.9
11/12/19 3:05 == 41.2
11/12/19 3:10 == 47.7
11/12/19 3:15 == 47.3
11/12/19 3:20 == 47.4
11/12/19 3:25 == 47.6
11/12/19 3:30 == 47.6
11/12/19 3:35 == 47.4
11/12/19 3:40 == 44.9
11/12/19 3:45 == 32.7
11/12/19 3:50 == 33
11/12/19 3:55 == 32.9
11/12/19 4:00 == 33.5
11/12/19 4:05 == 33.4
11/12/19 4:10 == 33.4
11/12/19 4:15 == 33.4
11/12/19 4:20 == 33.7
11/12/19 4:25 == 33.4
11/12/19 4:30 == 46.1
11/12/19 4:35 == 47.6
11/12/19 4:40 == 44.5
11/12/19 4:45 == 39.4
11/12/19 4:50 == 47.7
11/12/19 4:55 == 47.8
11/12/19 5:00 == 47.8
11/12/19 5:05 == 47.7
11/12/19 5:10 == 47.8
11/12/19 5:15 == 47.7
11/12/19 5:20 == 47.4
11/12/19 5:25 == 47.4
11/12/19 5:30 == 47.5
11/12/19 5:35 == 47.5
11/12/19 5:40 == 47.6
11/12/19 5:45 == 42.9
11/12/19 5:50 == 41.5
11/12/19 5:55 == 45
11/12/19 6:00 == 39.4
11/12/19 6:05 == 47.8
11/12/19 6:10 == 47.9
11/12/19 6:15 == 47.3
11/12/19 6:20 == 47.8
11/12/19 6:25 == 48
11/12/19 6:30 == 47.5
11/12/19 6:35 == 47.2
11/12/19 6:40 == 44.5
11/12/19 6:45 == 32.8
11/12/19 6:50 == 32.9
11/12/19 6:55 == 33.1
11/12/19 7:00 == 33.5
11/12/19 7:05 == 33.4
11/12/19 7:10 == 33.5
11/12/19 7:15 == 33.8
11/12/19 7:20 == 33.7
11/12/19 7:25 == 33.6
11/12/19 7:30 == 40.9
11/12/19 7:35 == 42.3
11/12/19 7:40 == 47.7
11/12/19 7:45 == 47.5
11/12/19 7:50 == 47.5
11/12/19 7:55 == 47.6
11/12/19 8:00 == 47.4
11/12/19 8:05 == 47.5
11/12/19 8:10 == 47.6
11/12/19 8:15 == 42.6
11/12/19 8:20 == 41.5
11/12/19 8:25 == 47.3
11/12/19 8:30 == 47.7
11/12/19 8:35 == 47.7
11/12/19 8:40 == 47.6
11/12/19 8:45 == 47.6
11/12/19 8:50 == 47.6
11/12/19 8:55 == 47.6
11/12/19 9:00 == 47.5
11/12/19 9:05 == 47.5
11/12/19 9:10 == 47.7
11/12/19 9:15 == 42.6
11/12/19 9:20 == 41.9
11/12/19 9:25 == 47.7
11/12/19 9:30 == 47.6
11/12/19 9:35 == 47.7
11/12/19 9:40 == 44.2
11/12/19 9:45 == 32.9
11/12/19 9:50 == 33.1
11/12/19 9:55 == 33.1
11/12/19 10:00 == 33.5
11/12/19 10:05 == 33.7
11/12/19 10:10 == 33.5
11/12/19 10:15 == 33.7
11/12/19 10:20 == 33.7
11/12/19 10:25 == 33.5
11/12/19 10:30 == 46.4
11/12/19 10:35 == 47.8
11/12/19 10:40 == 47.8
11/12/19 10:45 == 47.4
11/12/19 10:50 == 47.5
11/12/19 10:55 == 47.3

Pumpback Station Discharge (0364)

11/12/19 11:00 == 47.6
11/12/19 11:05 == 47.8
11/12/19 11:10 == 47.7
11/12/19 11:15 == 47.3
11/12/19 11:20 == 47.7
11/12/19 11:25 == 47.6
11/12/19 11:30 == 47.6
11/12/19 11:35 == 47.7
11/12/19 11:40 == 47.7
11/12/19 11:45 == 47.5
11/12/19 11:50 == 47.6
11/12/19 11:55 == 47.6
11/12/19 12:00 == 47.4
11/12/19 12:05 == 47.5
11/12/19 12:10 == 47.5
11/12/19 12:15 == 47.3
11/12/19 12:20 == 47.6
11/12/19 12:25 == 47.6
11/12/19 12:30 == 47.6
11/12/19 12:35 == 47.7
11/12/19 12:40 == 47.6
11/12/19 12:45 == 47.5
11/12/19 12:50 == 47.7
11/12/19 12:55 == 44.2
11/12/19 13:00 == 32.7
11/12/19 13:05 == 33
11/12/19 13:10 == 32.9
11/12/19 13:15 == 33.4
11/12/19 13:20 == 33.3
11/12/19 13:25 == 33.4
11/12/19 13:30 == 33.8
11/12/19 13:35 == 33.7
11/12/19 13:40 == 33.2
11/12/19 13:45 == 46.5
11/12/19 13:50 == 47.6
11/12/19 13:55 == 47.5
11/12/19 14:00 == 47.7
11/12/19 14:05 == 47.7
11/12/19 14:10 == 47.9
11/12/19 14:15 == 47.3
11/12/19 14:20 == 47.5
11/12/19 14:25 == 42.9
11/12/19 14:30 == 41.6
11/12/19 14:35 == 47.4
11/12/19 14:40 == 47.6
11/12/19 14:45 == 47.5
11/12/19 14:50 == 47.5
11/12/19 14:55 == 47.8
11/12/19 15:00 == 47.6
11/12/19 15:05 == 38.9
11/12/19 15:10 == 44.8
11/12/19 15:15 == 47.5
11/12/19 15:20 == 47.7
11/12/19 15:25 == 47.7
11/12/19 15:30 == 47.6
11/12/19 15:35 == 47.8
11/12/19 15:40 == 47.9
11/12/19 15:45 == 47.6
11/12/19 15:50 == 47.7
11/12/19 15:55 == 44
11/12/19 16:00 == 32.8
11/12/19 16:05 == 33.2
11/12/19 16:10 == 33.2
11/12/19 16:15 == 33.3
11/12/19 16:20 == 33.5
11/12/19 16:25 == 33.5
11/12/19 16:30 == 33.6
11/12/19 16:35 == 33.6
11/12/19 16:40 == 33.7
11/12/19 16:45 == 33.7
11/12/19 16:50 == 33.6
11/12/19 16:55 == 33.2
11/12/19 17:00 == 46.9
11/12/19 17:05 == 48
11/12/19 17:10 == 47.9
11/12/19 17:15 == 47.7
11/12/19 17:20 == 48
11/12/19 17:25 == 48
11/12/19 17:30 == 47.8
11/12/19 17:35 == 47.8
11/12/19 17:40 == 45.2
11/12/19 17:45 == 39.6
11/12/19 17:50 == 47.8
11/12/19 17:55 == 47.9
11/12/19 18:00 == 47.7
11/12/19 18:05 == 47.8
11/12/19 18:10 == 47.8
11/12/19 18:15 == 47.5
11/12/19 18:20 == 47.8
11/12/19 18:25 == 47.6
11/12/19 18:30 == 47.5
11/12/19 18:35 == 47.6
11/12/19 18:40 == 48
11/12/19 18:45 == 44.1
11/12/19 18:50 == 40.8
11/12/19 18:55 == 47.8
11/12/19 19:00 == 47.3
11/12/19 19:05 == 47.5
11/12/19 19:10 == 43.2
11/12/19 19:15 == 40.9
11/12/19 19:20 == 47.5
11/12/19 19:25 == 47.9
11/12/19 19:30 == 46.8
11/12/19 19:35 == 38
11/12/19 19:40 == 47.3
11/12/19 19:45 == 47.9
11/12/19 19:50 == 47.9
11/12/19 19:55 == 47.8
11/12/19 20:00 == 47.9
11/12/19 20:05 == 47.8
11/12/19 20:10 == 47.9
11/12/19 20:15 == 42.9
11/12/19 20:20 == 40.9
11/12/19 20:25 == 47.7
11/12/19 20:30 == 47.8
11/12/19 20:35 == 47.9
11/12/19 20:40 == 47.9
11/12/19 20:45 == 48.1
11/12/19 20:50 == 47.9
11/12/19 20:55 == 47.8
11/12/19 21:00 == 47.8
11/12/19 21:05 == 47.9
11/12/19 21:10 == 44
11/12/19 21:15 == 33
11/12/19 21:20 == 33
11/12/19 21:25 == 33.2
11/12/19 21:30 == 33.4
11/12/19 21:35 == 33.5
11/12/19 21:40 == 33.5
11/12/19 21:45 == 33.7
11/12/19 21:50 == 33.8
11/12/19 21:55 == 33
11/12/19 22:00 == 46.7
11/12/19 22:05 == 47.6
11/12/19 22:10 == 47.9
11/12/19 22:15 == 47.7
11/12/19 22:20 == 47.8
11/12/19 22:25 == 47.9
11/12/19 22:30 == 46.2
11/12/19 22:35 == 38
11/12/19 22:40 == 47.4
11/12/19 22:45 == 47.8
11/12/19 22:50 == 48
11/12/19 22:55 == 47.8
11/12/19 23:00 == 48
11/12/19 23:05 == 47.8
11/12/19 23:10 == 48
11/12/19 23:15 == 47.9
11/12/19 23:20 == 47.9
11/12/19 23:25 == 47.6
11/12/19 23:30 == 47.9
11/12/19 23:35 == 47.9
11/12/19 23:40 == 47.8
11/12/19 23:45 == 47.8
11/12/19 23:50 == 47.9
11/12/19 23:55 == 47.9
11/13/19 0:00 == 47.9
11/13/19 0:05 == 47.9
11/13/19 0:10 == 47.9
11/13/19 0:15 == 47.8
11/13/19 0:20 == 47.7
11/13/19 0:25 == 44
11/13/19 0:30 == 32.9
11/13/19 0:35 == 32.9
11/13/19 0:40 == 33.1
11/13/19 0:45 == 33.5
11/13/19 0:50 == 33.4
11/13/19 0:55 == 33.6
11/13/19 1:00 == 33.8
11/13/19 1:05 == 33.9
11/13/19 1:10 == 33.2
11/13/19 1:15 == 41.1
11/13/19 1:20 == 42.7
11/13/19 1:25 == 47.7
11/13/19 1:30 == 47.9
11/13/19 1:35 == 47.9
11/13/19 1:40 == 47.8
11/13/19 1:45 == 47.8
11/13/19 1:50 == 47.9
11/13/19 1:55 == 47.9
11/13/19 2:00 == 47.9
11/13/19 2:05 == 47.9
11/13/19 2:10 == 47.9
11/13/19 2:15 == 47.6
11/13/19 2:20 == 47.9
11/13/19 2:25 == 47.9
11/13/19 2:30 == 47.6
11/13/19 2:35 == 47.9
11/13/19 2:40 == 47.8
11/13/19 2:45 == 46.8
11/13/19 2:50 == 37.8
11/13/19 2:55 == 47.4
11/13/19 3:00 == 47.5
11/13/19 3:05 == 47.7
11/13/19 3:10 == 47.9
11/13/19 3:15 == 47.6
11/13/19 3:20 == 47.4
11/13/19 3:25 == 47.9
11/13/19 3:30 == 47.8
11/13/19 3:35 == 48
11/13/19 3:40 == 44
11/13/19 3:45 == 32.8
11/13/19 3:50 == 33.1
11/13/19 3:55 == 33.1
11/13/19 4:00 == 33.7
11/13/19 4:05 == 33.5
11/13/19 4:10 == 33.7
11/13/19 4:15 == 33.8
11/13/19 4:20 == 33.9
11/13/19 4:25 == 33.4
11/13/19 4:30 == 46.9
11/13/19 4:35 == 47.7
11/13/19 4:40 == 47.5
11/13/19 4:45 == 47.8
11/13/19 4:50 == 47.9
11/13/19 4:55 == 47.8
11/13/19 5:00 == 47.9
11/13/19 5:05 == 48
11/13/19 5:10 == 47.9
11/13/19 5:15 == 47.9

Pumpback Station Discharge (0364)

11/13/19 5:20 == 47.6
11/13/19 5:25 == 47.8
11/13/19 5:30 == 47.8
11/13/19 5:35 == 47.8
11/13/19 5:40 == 47.9
11/13/19 5:45 == 47.9
11/13/19 5:50 == 47.7
11/13/19 5:55 == 47.8
11/13/19 6:00 == 43.2
11/13/19 6:05 == 41.1
11/13/19 6:10 == 47.9
11/13/19 6:15 == 47.6
11/13/19 6:20 == 47.9
11/13/19 6:25 == 48
11/13/19 6:30 == 46.2
11/13/19 6:35 == 38.2
11/13/19 6:40 == 47.5
11/13/19 6:45 == 42.1
11/13/19 6:50 == 42.4
11/13/19 6:55 == 47.6
11/13/19 7:00 == 47.7
11/13/19 7:05 == 47.8
11/13/19 7:10 == 47.7
11/13/19 7:15 == 47.5
11/13/19 7:20 == 47.8
11/13/19 7:25 == 48.1
11/13/19 7:30 == 47.7
11/13/19 7:35 == 46.5
11/13/19 7:40 == 38.2
11/13/19 7:45 == 47.5
11/13/19 7:50 == 48
11/13/19 7:55 == 47.8
11/13/19 8:00 == 47.5
11/13/19 8:05 == 47.8
11/13/19 8:10 == 47.9
11/13/19 8:15 == 41.9
11/13/19 8:20 == 42.2
11/13/19 8:25 == 43
11/13/19 8:30 == 41.6
11/13/19 8:35 == 47.8
11/13/19 8:40 == 48
11/13/19 8:45 == 47.9
11/13/19 8:50 == 47.9
11/13/19 8:55 == 48
11/13/19 9:00 == 47.8
11/13/19 9:05 == 47.9
11/13/19 9:10 == 44
11/13/19 9:15 == 33.1
11/13/19 9:20 == 33.2
11/13/19 9:25 == 33.3
11/13/19 9:30 == 33.6
11/13/19 9:35 == 33.7
11/13/19 9:40 == 33.7
11/13/19 9:45 == 34.3
11/13/19 9:50 == 34.3
11/13/19 9:55 == 34.2
11/13/19 10:00 == 47.2
11/13/19 10:05 == 47.8
11/13/19 10:10 == 47.8
11/13/19 10:15 == 47.8
11/13/19 10:20 == 47.8
11/13/19 10:25 == 48
11/13/19 10:30 == 47.9
11/13/19 10:35 == 48
11/13/19 10:40 == 48
11/13/19 10:45 == 46.7
11/13/19 10:50 == 37.8
11/13/19 10:55 == 47
11/13/19 11:00 == 48
11/13/19 11:05 == 47.8
11/13/19 11:10 == 48.1
11/13/19 11:15 == 47.8
11/13/19 11:20 == 47.8
11/13/19 11:25 == 47.9
11/13/19 11:30 == 47.8
11/13/19 11:35 == 47.9
11/13/19 11:40 == 47.9
11/13/19 11:45 == 48
11/13/19 11:50 == 47.8
11/13/19 11:55 == 47.9
11/13/19 12:00 == 47.8
11/13/19 12:05 == 47.9
11/13/19 12:10 == 47.7
11/13/19 12:15 == 47.6
11/13/19 12:20 == 48
11/13/19 12:25 == 44
11/13/19 12:30 == 33
11/13/19 12:35 == 33.1
11/13/19 12:40 == 33.2
11/13/19 12:45 == 33.6
11/13/19 12:50 == 33.6
11/13/19 12:55 == 33.7
11/13/19 13:00 == 34
11/13/19 13:05 == 33.9
11/13/19 13:10 == 33.7
11/13/19 13:15 == 47
11/13/19 13:20 == 47.9
11/13/19 13:25 == 44.9
11/13/19 13:30 == 40.1
11/13/19 13:35 == 48
11/13/19 13:40 == 47.9
11/13/19 13:45 == 47.9
11/13/19 13:50 == 47.8
11/13/19 13:55 == 47.9
11/13/19 14:00 == 47.8
11/13/19 14:05 == 47.7
11/13/19 14:10 == 48
11/13/19 14:15 == 41.3
11/13/19 14:20 == 43.1
11/13/19 14:25 == 47.9
11/13/19 14:30 == 47.9
11/13/19 14:35 == 47.8
11/13/19 14:40 == 47.7
11/13/19 14:45 == 47.7
11/13/19 14:50 == 48
11/13/19 14:55 == 48.1
11/13/19 15:00 == 42.4
11/13/19 15:05 == 42.2
11/13/19 15:10 == 47.6
11/13/19 15:15 == 47.6
11/13/19 15:20 == 47.8
11/13/19 15:25 == 47.9
11/13/19 15:30 == 48
11/13/19 15:35 == 48
11/13/19 15:40 == 47.9
11/13/19 15:45 == 47.9
11/13/19 15:50 == 45.7
11/13/19 15:55 == 38.8
11/13/19 16:00 == 47.7
11/13/19 16:05 == 47.9
11/13/19 16:10 == 47.8
11/13/19 16:15 == 47.9
11/13/19 16:20 == 47.8
11/13/19 16:25 == 43.9
11/13/19 16:30 == 32.8
11/13/19 16:35 == 33.2
11/13/19 16:40 == 33.1
11/13/19 16:45 == 33.5
11/13/19 16:50 == 33.5
11/13/19 16:55 == 33.6
11/13/19 17:00 == 34
11/13/19 17:05 == 33.9
11/13/19 17:10 == 34.2
11/13/19 17:15 == 46.9
11/13/19 17:20 == 47.9
11/13/19 17:25 == 47.9
11/13/19 17:30 == 48
11/13/19 17:35 == 47.9
11/13/19 17:40 == 47.6
11/13/19 17:45 == 47.8
11/13/19 17:50 == 38.3
11/13/19 17:55 == 46.1
11/13/19 18:00 == 47.7
11/13/19 18:05 == 47.4
11/13/19 18:10 == 47.8
11/13/19 18:15 == 47.6
11/13/19 18:20 == 47.9
11/13/19 18:25 == 47.6
11/13/19 18:30 == 46.1
11/13/19 18:35 == 38.4
11/13/19 18:40 == 47.5
11/13/19 18:45 == 42.7
11/13/19 18:50 == 42.2
11/13/19 18:55 == 47.6
11/13/19 19:00 == 46.7
11/13/19 19:05 == 37.8
11/13/19 19:10 == 47.2
11/13/19 19:15 == 42.2
11/13/19 19:20 == 42.3
11/13/19 19:25 == 47.7
11/13/19 19:30 == 47.7
11/13/19 19:35 == 47.9
11/13/19 19:40 == 47.9
11/13/19 19:45 == 48
11/13/19 19:50 == 47.8
11/13/19 19:55 == 47.9
11/13/19 20:00 == 47.8
11/13/19 20:05 == 47.9
11/13/19 20:10 == 48
11/13/19 20:15 == 47.6
11/13/19 20:20 == 47.9
11/13/19 20:25 == 48
11/13/19 20:30 == 47.8
11/13/19 20:35 == 47.8
11/13/19 20:40 == 47.9
11/13/19 20:45 == 48
11/13/19 20:50 == 47.9
11/13/19 20:55 == 48
11/13/19 21:00 == 47.9
11/13/19 21:05 == 48.1
11/13/19 21:10 == 47.8
11/13/19 21:15 == 41.6
11/13/19 21:20 == 43
11/13/19 21:25 == 47.8
11/13/19 21:30 == 47.8
11/13/19 21:35 == 48
11/13/19 21:40 == 47.9
11/13/19 21:45 == 47.9
11/13/19 21:50 == 47.9
11/13/19 21:55 == 47.7
11/13/19 22:00 == 39.9
11/13/19 22:05 == 44.2
11/13/19 22:10 == 47.7
11/13/19 22:15 == 47.8
11/13/19 22:20 == 48
11/13/19 22:25 == 47.8
11/13/19 22:30 == 47.8
11/13/19 22:35 == 48.1
11/13/19 22:40 == 48
11/13/19 22:45 == 47.9
11/13/19 22:50 == 47.9
11/13/19 22:55 == 47.8
11/13/19 23:00 == 47.8
11/13/19 23:05 == 47.9
11/13/19 23:10 == 43.6
11/13/19 23:15 == 32.9
11/13/19 23:20 == 32.9
11/13/19 23:25 == 33.1
11/13/19 23:30 == 33.6
11/13/19 23:35 == 33.6

Pumpback Station Discharge (0364)

11/13/19 23:40 == 34.3
11/13/19 23:45 == 47
11/13/19 23:50 == 47.9
11/13/19 23:55 == 48
11/14/19 0:00 == 47.9
11/14/19 0:05 == 48.1
11/14/19 0:10 == 48
11/14/19 0:15 == 41.9
11/14/19 0:20 == 42.9
11/14/19 0:25 == 47.7
11/14/19 0:30 == 47.8
11/14/19 0:35 == 47.8
11/14/19 0:40 == 47.9
11/14/19 0:45 == 47.8
11/14/19 0:50 == 47.9
11/14/19 0:55 == 47.8
11/14/19 1:00 == 47.9
11/14/19 1:05 == 47.9
11/14/19 1:10 == 47.9
11/14/19 1:15 == 47.9
11/14/19 1:20 == 48
11/14/19 1:25 == 47.8
11/14/19 1:30 == 47.6
11/14/19 1:35 == 47.8
11/14/19 1:40 == 47.9
11/14/19 1:45 == 47.8
11/14/19 1:50 == 47.9
11/14/19 1:55 == 48
11/14/19 2:00 == 47.8
11/14/19 2:05 == 47.8
11/14/19 2:10 == 47.9
11/14/19 2:15 == 41.9
11/14/19 2:20 == 43
11/14/19 2:25 == 47.7
11/14/19 2:30 == 47.7
11/14/19 2:35 == 47.8
11/14/19 2:40 == 47.8
11/14/19 2:45 == 47.6
11/14/19 2:50 == 47.7
11/14/19 2:55 == 47.9
11/14/19 3:00 == 47.2
11/14/19 3:05 == 37.7
11/14/19 3:10 == 47.1
11/14/19 3:15 == 47.5
11/14/19 3:20 == 47.6
11/14/19 3:25 == 47.9
11/14/19 3:30 == 47.9
11/14/19 3:35 == 47.9
11/14/19 3:40 == 43
11/14/19 3:45 == 32.8
11/14/19 3:50 == 33
11/14/19 3:55 == 33.3
11/14/19 4:00 == 33.8
11/14/19 4:05 == 33.6
11/14/19 4:10 == 34.4
11/14/19 4:15 == 46.9
11/14/19 4:20 == 47.7
11/14/19 4:25 == 48
11/14/19 4:30 == 47.9
11/14/19 4:35 == 47.9
11/14/19 4:40 == 47.8
11/14/19 4:45 == 47.6
11/14/19 4:50 == 47.8
11/14/19 4:55 == 48.1
11/14/19 5:00 == 47.8
11/14/19 5:05 == 48
11/14/19 5:10 == 48
11/14/19 5:15 == 48
11/14/19 5:20 == 47.8
11/14/19 5:25 == 48
11/14/19 5:30 == 47.8
11/14/19 5:35 == 47.9
11/14/19 5:40 == 48
11/14/19 5:45 == 48.1
11/14/19 5:50 == 47.7
11/14/19 5:55 == 47.7
11/14/19 6:00 == 42.2
11/14/19 6:05 == 42.7
11/14/19 6:10 == 47.8
11/14/19 6:15 == 47.6
11/14/19 6:20 == 47.9
11/14/19 6:25 == 47.9
11/14/19 6:30 == 47.7
11/14/19 6:35 == 47.6
11/14/19 6:40 == 47.8
11/14/19 6:45 == 47.7
11/14/19 6:50 == 47.9
11/14/19 6:55 == 43
11/14/19 7:00 == 33
11/14/19 7:05 == 33
11/14/19 7:10 == 33.3
11/14/19 7:15 == 33.8
11/14/19 7:20 == 33.7
11/14/19 7:25 == 33.8
11/14/19 7:30 == 34
11/14/19 7:35 == 34
11/14/19 7:40 == 32.1
11/14/19 7:45 == 40.9
11/14/19 7:50 == 41.9
11/14/19 7:55 == 47.7
11/14/19 8:00 == 47.8
11/14/19 8:05 == 47.9
11/14/19 8:10 == 48
11/14/19 8:15 == 41.8
11/14/19 8:20 == 43
11/14/19 8:25 == 42.1
11/14/19 8:30 == 42.7
11/14/19 8:35 == 47.9
11/14/19 8:40 == 48.1
11/14/19 8:45 == 47.9
11/14/19 8:50 == 47.9
11/14/19 8:55 == 47.8
11/14/19 9:00 == 42
11/14/19 9:05 == 42.4
11/14/19 9:10 == 47.6
11/14/19 9:15 == 41.5
11/14/19 9:20 == 43.2
11/14/19 9:25 == 47.8
11/14/19 9:30 == 48
11/14/19 9:35 == 47.7
11/14/19 9:40 == 47.7
11/14/19 9:45 == 48.1
11/14/19 9:50 == 47.9
11/14/19 9:55 == 47.6
11/14/19 10:00 == 47.8
11/14/19 10:05 == 47.8
11/14/19 10:10 == 47.9
11/14/19 10:15 == 47.4
11/14/19 10:20 == 47.8
11/14/19 10:25 == 47.9
11/14/19 10:30 == 48
11/14/19 10:35 == 48
11/14/19 10:40 == 47.9
11/14/19 10:45 == 47.5
11/14/19 10:50 == 47.5
11/14/19 10:55 == 47.7
11/14/19 11:00 == 47.8
11/14/19 11:05 == 47.9
11/14/19 11:10 == 48
11/14/19 11:15 == 47.8
11/14/19 11:20 == 47.9
11/14/19 11:25 == 48
11/14/19 11:30 == 42.8
11/14/19 11:35 == 41.9
11/14/19 11:40 == 47.9
11/14/19 11:45 == 47.7
11/14/19 11:50 == 47.8
11/14/19 11:55 == 47.9
11/14/19 12:00 == 47.8
11/14/19 12:05 == 47.8
11/14/19 12:10 == 47.6
11/14/19 12:15 == 47.9
11/14/19 12:20 == 47.8
11/14/19 12:25 == 47.9
11/14/19 12:30 == 47.8
11/14/19 12:35 == 47.9
11/14/19 12:40 == 47.8
11/14/19 12:45 == 47.8
11/14/19 12:50 == 47.9
11/14/19 12:55 == 47.9
11/14/19 13:00 == 47.8
11/14/19 13:05 == 47.9
11/14/19 13:10 == 48
11/14/19 13:15 == 47.8
11/14/19 13:20 == 47.7
11/14/19 13:25 == 47.8
11/14/19 13:30 == 40.2
11/14/19 13:35 == 44.6
11/14/19 13:40 == 48
11/14/19 13:45 == 47.5
11/14/19 13:50 == 47.8
11/14/19 13:55 == 47.9
11/14/19 14:00 == 42.4
11/14/19 14:05 == 42.5
11/14/19 14:10 == 47.8
11/14/19 14:15 == 40.9
11/14/19 14:20 == 44
11/14/19 14:25 == 47.9
11/14/19 14:30 == 47.6
11/14/19 14:35 == 47.8
11/14/19 14:40 == 47.4
11/14/19 14:45 == 47.7
11/14/19 14:50 == 47.9
11/14/19 14:55 == 47.9
11/14/19 15:00 == 47.8
11/14/19 15:05 == 47.7
11/14/19 15:10 == 48
11/14/19 15:15 == 47.5
11/14/19 15:20 == 47.8
11/14/19 15:25 == 42.6
11/14/19 15:30 == 32.9
11/14/19 15:35 == 33.1
11/14/19 15:40 == 33.3
11/14/19 15:45 == 33.5
11/14/19 15:50 == 33.5
11/14/19 15:55 == 34
11/14/19 16:00 == 47.2
11/14/19 16:05 == 47.6
11/14/19 16:10 == 47.6
11/14/19 16:15 == 47.7
11/14/19 16:20 == 47.7
11/14/19 16:25 == 47.9
11/14/19 16:30 == 47.9
11/14/19 16:35 == 48.1
11/14/19 16:40 == 47.9
11/14/19 16:45 == 47.9
11/14/19 16:50 == 47.9
11/14/19 16:55 == 47.7
11/14/19 17:00 == 47.9
11/14/19 17:05 == 48
11/14/19 17:10 == 48.1
11/14/19 17:15 == 47.7
11/14/19 17:20 == 47.9
11/14/19 17:25 == 47.9
11/14/19 17:30 == #
11/14/19 17:35 == 47.8
11/14/19 17:40 == #
11/14/19 17:45 == 47.6
11/14/19 17:50 == 42.6
11/14/19 17:55 == #

Pumpback Station Discharge (0364)

11/14/19 18:00 == 42.1
11/14/19 18:05 == 47.6
11/14/19 18:10 == 48
11/14/19 18:15 == 47.7
11/14/19 18:20 == 47.6
11/14/19 18:25 == 47.8
11/14/19 18:30 == 42.3
11/14/19 18:35 == 32.9
11/14/19 18:40 == 32.9
11/14/19 18:45 == 33.3
11/14/19 18:50 == 33.9
11/14/19 18:55 == 33.7
11/14/19 19:00 == 34.1
11/14/19 19:05 == 46.9
11/14/19 19:10 == 47.6
11/14/19 19:15 == 47.7
11/14/19 19:20 == 47.7
11/14/19 19:25 == 47.8
11/14/19 19:30 == 48
11/14/19 19:35 == 47.6
11/14/19 19:40 == 47.9
11/14/19 19:45 == 47.8
11/14/19 19:50 == 48
11/14/19 19:55 == 47.9
11/14/19 20:00 == 47.9
11/14/19 20:05 == 47.8
11/14/19 20:10 == 47.8
11/14/19 20:15 == 48
11/14/19 20:20 == 47.6
11/14/19 20:25 == 47.7
11/14/19 20:30 == 47.9
11/14/19 20:35 == 47.7
11/14/19 20:40 == 47.7
11/14/19 20:45 == 47.7
11/14/19 20:50 == 47.9
11/14/19 20:55 == 47.8
11/14/19 21:00 == 47.9
11/14/19 21:05 == 47.8
11/14/19 21:10 == 47.9
11/14/19 21:15 == 47.7
11/14/19 21:20 == 41.1
11/14/19 21:25 == 43.7
11/14/19 21:30 == 47.8
11/14/19 21:35 == 47.8
11/14/19 21:40 == 47.8
11/14/19 21:45 == 47.9
11/14/19 21:50 == 47.7
11/14/19 21:55 == 47.8
11/14/19 22:00 == 47.6
11/14/19 22:05 == 47.8
11/14/19 22:10 == 47.7
11/14/19 22:15 == 47.9
11/14/19 22:20 == 47.8
11/14/19 22:25 == 47.8
11/14/19 22:30 == 47.9
11/14/19 22:35 == 47.6
11/14/19 22:40 == 47.7
11/14/19 22:45 == 47.7
11/14/19 22:50 == 47.6
11/14/19 22:55 == 47.8
11/14/19 23:00 == 47.8
11/14/19 23:05 == 47.7
11/14/19 23:10 == 47.7
11/14/19 23:15 == 47.8
11/14/19 23:20 == 47.6
11/14/19 23:25 == 47.8
11/14/19 23:30 == 47.9
11/14/19 23:35 == 47.8
11/14/19 23:40 == 47.7
11/14/19 23:45 == 47.8
11/14/19 23:50 == 47.8
11/14/19 23:55 == 47.8
11/15/19 0:00 == 47.7
11/15/19 0:05 == 47.7
11/15/19 0:10 == 47.7
11/15/19 0:15 == 47.7
11/15/19 0:20 == 47.8
11/15/19 0:25 == 47.9
11/15/19 0:30 == 47.8
11/15/19 0:35 == 47.7
11/15/19 0:40 == 47.9
11/15/19 0:45 == 42.5
11/15/19 0:50 == 32.8
11/15/19 0:55 == 33.1
11/15/19 1:00 == 33.1
11/15/19 1:05 == 33.5
11/15/19 1:10 == 33.4
11/15/19 1:15 == 33.6
11/15/19 1:20 == 33.9
11/15/19 1:25 == 33.7
11/15/19 1:30 == 34.6
11/15/19 1:35 == 47.3
11/15/19 1:40 == 47.9
11/15/19 1:45 == 48
11/15/19 1:50 == 47.7
11/15/19 1:55 == 47.9
11/15/19 2:00 == 48
11/15/19 2:05 == 48
11/15/19 2:10 == 47.9
11/15/19 2:15 == 47.8
11/15/19 2:20 == 47.7
11/15/19 2:25 == 41.1
11/15/19 2:30 == 43.3
11/15/19 2:35 == 47.7
11/15/19 2:40 == 48
11/15/19 2:45 == 47.8
11/15/19 2:50 == 47.7
11/15/19 2:55 == 47.9
11/15/19 3:00 == 47.9
11/15/19 3:05 == 47.7
11/15/19 3:10 == 47.9
11/15/19 3:15 == 48
11/15/19 3:20 == 45.7
11/15/19 3:25 == 38.2
11/15/19 3:30 == 41
11/15/19 3:35 == 43.2
11/15/19 3:40 == 47.6
11/15/19 3:45 == 47.9
11/15/19 3:50 == 47.6
11/15/19 3:55 == 47.9
11/15/19 4:00 == 47.7
11/15/19 4:05 == 47.8
11/15/19 4:10 == 47.9
11/15/19 4:15 == 47.9
11/15/19 4:20 == 47.9
11/15/19 4:25 == 47.8
11/15/19 4:30 == 47.9
11/15/19 4:35 == 47.8
11/15/19 4:40 == 47.8
11/15/19 4:45 == 47.7
11/15/19 4:50 == 47.7
11/15/19 4:55 == 47.9
11/15/19 5:00 == 48
11/15/19 5:05 == 47.9
11/15/19 5:10 == 47.9
11/15/19 5:15 == 47.9
11/15/19 5:20 == 47.7
11/15/19 5:25 == 47.7
11/15/19 5:30 == 47.9
11/15/19 5:35 == 47.6
11/15/19 5:40 == 47.7
11/15/19 5:45 == 47.9
11/15/19 5:50 == 47.5
11/15/19 5:55 == 47.9
11/15/19 6:00 == 47.6
11/15/19 6:05 == 47.4
11/15/19 6:10 == 47.9
11/15/19 6:15 == 48
11/15/19 6:20 == 47.5
11/15/19 6:25 == 47.9
11/15/19 6:30 == 48
11/15/19 6:35 == 47.5
11/15/19 6:40 == 47.9
11/15/19 6:45 == 47.3
11/15/19 6:50 == 39.1
11/15/19 6:55 == 45.5
11/15/19 7:00 == 47.8
11/15/19 7:05 == 47.6
11/15/19 7:10 == 47.8
11/15/19 7:15 == 47.7
11/15/19 7:20 == 47.6
11/15/19 7:25 == 47.6
11/15/19 7:30 == 42.4
11/15/19 7:35 == 33.1
11/15/19 7:40 == 33.1
11/15/19 7:45 == 33.4
11/15/19 7:50 == 33.6
11/15/19 7:55 == 33.6
11/15/19 8:00 == 33.7
11/15/19 8:05 == 34.1
11/15/19 8:10 == 33.9
11/15/19 8:15 == 35.4
11/15/19 8:20 == 39.9
11/15/19 8:25 == 44.4
11/15/19 8:30 == 47.7
11/15/19 8:35 == 47.9
11/15/19 8:40 == 48
11/15/19 8:45 == 47.9
11/15/19 8:50 == 47.9
11/15/19 8:55 == 47.9
11/15/19 9:00 == 48
11/15/19 9:05 == 47.8
11/15/19 9:10 == 47.8
11/15/19 9:15 == 47.9
11/15/19 9:20 == 40.3
11/15/19 9:25 == 44
11/15/19 9:30 == 47.6
11/15/19 9:35 == 48
11/15/19 9:40 == 47.8
11/15/19 9:45 == 47.8
11/15/19 9:50 == 47.9
11/15/19 9:55 == 47.9
11/15/19 10:00 == 47.9
11/15/19 10:05 == 47.9
11/15/19 10:10 == 47.9
11/15/19 10:15 == 47.9
11/15/19 10:20 == 47.6
11/15/19 10:25 == 47.9
11/15/19 10:30 == 47.7
11/15/19 10:35 == 47.8
11/15/19 10:40 == 47.7
11/15/19 10:45 == 47.8
11/15/19 10:50 == 47.4
11/15/19 10:55 == 47.7
11/15/19 11:00 == 42.3
11/15/19 11:05 == 42.4
11/15/19 11:10 == 48
11/15/19 11:15 == 43.2
11/15/19 11:20 == 41.6
11/15/19 11:25 == 47.8
11/15/19 11:30 == 48
11/15/19 11:35 == 47.8
11/15/19 11:40 == 47.8
11/15/19 11:45 == 47.7
11/15/19 11:50 == 38.6
11/15/19 11:55 == 47.2
11/15/19 12:00 == 47.9
11/15/19 12:05 == 48.1
11/15/19 12:10 == 48
11/15/19 12:15 == 47.3

Pumpback Station Discharge (0364)

11/15/19 12:20 == 38.5
11/15/19 12:25 == 47.4
11/15/19 12:30 == 48
11/15/19 12:35 == 42.4
11/15/19 12:40 == 42.8
11/15/19 12:45 == 48
11/15/19 12:50 == 48.1
11/15/19 12:55 == 48.1
11/15/19 13:00 == 48
11/15/19 13:05 == 48
11/15/19 13:10 == 48.1
11/15/19 13:15 == 48.2
11/15/19 13:20 == 47.7
11/15/19 13:25 == 48
11/15/19 13:30 == 48.1
11/15/19 13:35 == 47.8
11/15/19 13:40 == 48.1
11/15/19 13:45 == 48
11/15/19 13:50 == 47.5
11/15/19 13:55 == 42.1
11/15/19 14:00 == 43.2
11/15/19 14:05 == 42.1
11/15/19 14:10 == 43.8
11/15/19 14:15 == 47.9
11/15/19 14:20 == 46.3
11/15/19 14:25 == 39
11/15/19 14:30 == 47.7
11/15/19 14:35 == 47.6
11/15/19 14:40 == 48
11/15/19 14:45 == 47.6
11/15/19 14:50 == 47.8
11/15/19 14:55 == 47.8
11/15/19 15:00 == 48
11/15/19 15:05 == 47.9
11/15/19 15:10 == 47.4
11/15/19 15:15 == 47.8
11/15/19 15:20 == 47.7
11/15/19 15:25 == 48
11/15/19 15:30 == 47.9
11/15/19 15:35 == 47.8
11/15/19 15:40 == 47.9
11/15/19 15:45 == 48.1
11/15/19 15:50 == 47.9
11/15/19 15:55 == 48
11/15/19 16:00 == 48
11/15/19 16:05 == 48
11/15/19 16:10 == 48
11/15/19 16:15 == 47.9
11/15/19 16:20 == 47.8
11/15/19 16:25 == 47.9
11/15/19 16:30 == 41.9
11/15/19 16:35 == 33.3
11/15/19 16:40 == 33.3
11/15/19 16:45 == 33.5
11/15/19 16:50 == 34
11/15/19 16:55 == 33.9
11/15/19 17:00 == 34
11/15/19 17:05 == 33.9
11/15/19 17:10 == 34
11/15/19 17:15 == 36
11/15/19 17:20 == 47.4
11/15/19 17:25 == 47.9
11/15/19 17:30 == 47.9
11/15/19 17:35 == 48
11/15/19 17:40 == 47.9
11/15/19 17:45 == 47.9
11/15/19 17:50 == 41.6
11/15/19 17:55 == 43.3
11/15/19 18:00 == 47.9
11/15/19 18:05 == 47.8
11/15/19 18:10 == 47.9
11/15/19 18:15 == 47.8
11/15/19 18:20 == 47.9
11/15/19 18:25 == 47.9
11/15/19 18:30 == 47.9
11/15/19 18:35 == 47.7
11/15/19 18:40 == 46.8
11/15/19 18:45 == 38.5
11/15/19 18:50 == 47.4
11/15/19 18:55 == 47.9
11/15/19 19:00 == 48
11/15/19 19:05 == 47.3
11/15/19 19:10 == 47.8
11/15/19 19:15 == 47.9
11/15/19 19:20 == 41.2
11/15/19 19:25 == 43.9
11/15/19 19:30 == 48
11/15/19 19:35 == 47.7
11/15/19 19:40 == 48
11/15/19 19:45 == 48.1
11/15/19 19:50 == 47.9
11/15/19 19:55 == 48
11/15/19 20:00 == 48
11/15/19 20:05 == 48
11/15/19 20:10 == 47.9
11/15/19 20:15 == 47.9
11/15/19 20:20 == 47.7
11/15/19 20:25 == 47.9
11/15/19 20:30 == 48.1
11/15/19 20:35 == 48
11/15/19 20:40 == 47.9
11/15/19 20:45 == 48
11/15/19 20:50 == 48
11/15/19 20:55 == 47.8
11/15/19 21:00 == 47.9
11/15/19 21:05 == 48
11/15/19 21:10 == 47.9
11/15/19 21:15 == 47.8
11/15/19 21:20 == 40.9
11/15/19 21:25 == 42.7
11/15/19 21:30 == 39
11/15/19 21:35 == 47.7
11/15/19 21:40 == 47.9
11/15/19 21:45 == 48
11/15/19 21:50 == 47.9
11/15/19 21:55 == 48.1
11/15/19 22:00 == 47.7
11/15/19 22:05 == 47.9
11/15/19 22:10 == 48
11/15/19 22:15 == 48
11/15/19 22:20 == 48
11/15/19 22:25 == 47.8
11/15/19 22:30 == 48.1
11/15/19 22:35 == 48
11/15/19 22:40 == 48.1
11/15/19 22:45 == 47.8
11/15/19 22:50 == 47.9
11/15/19 22:55 == 48
11/15/19 23:00 == 48.1
11/15/19 23:05 == 48
11/15/19 23:10 == 47.9
11/15/19 23:15 == 48
11/15/19 23:20 == 48
11/15/19 23:25 == 48.1
11/15/19 23:30 == 48
11/15/19 23:35 == 48.1
11/15/19 23:40 == 48
11/15/19 23:45 == 47.9
11/15/19 23:50 == 48
11/15/19 23:55 == 47.9
11/16/19 0:00 == 47.9
11/16/19 0:05 == 48
11/16/19 0:10 == 47.9
11/16/19 0:15 == 48.1
11/16/19 0:20 == 46.3
11/16/19 0:25 == 38.6
11/16/19 0:30 == 47.7
11/16/19 0:35 == 41.5
11/16/19 0:40 == 43.4
11/16/19 0:45 == 48
11/16/19 0:50 == 47.7
11/16/19 0:55 == 47.9
11/16/19 1:00 == 48.1
11/16/19 1:05 == 47.8
11/16/19 1:10 == 47.9
11/16/19 1:15 == 48
11/16/19 1:20 == 47.8
11/16/19 1:25 == 47.8
11/16/19 1:30 == 47.9
11/16/19 1:35 == 47.8
11/16/19 1:40 == 47.9
11/16/19 1:45 == 48
11/16/19 1:50 == 47.7
11/16/19 1:55 == 47.9
11/16/19 2:00 == 47.9
11/16/19 2:05 == 47.8
11/16/19 2:10 == 48.1
11/16/19 2:15 == 48
11/16/19 2:20 == 47.8
11/16/19 2:25 == 47.8
11/16/19 2:30 == 47.9
11/16/19 2:35 == 47.8
11/16/19 2:40 == 47.9
11/16/19 2:45 == 47.7
11/16/19 2:50 == 47.6
11/16/19 2:55 == 48
11/16/19 3:00 == 47.8
11/16/19 3:05 == 47.6
11/16/19 3:10 == 47.7
11/16/19 3:15 == 48
11/16/19 3:20 == 47.6
11/16/19 3:25 == 47.9
11/16/19 3:30 == 48
11/16/19 3:35 == 47.9
11/16/19 3:40 == 47.9
11/16/19 3:45 == 47.8
11/16/19 3:50 == 48.1
11/16/19 3:55 == 48
11/16/19 4:00 == 48
11/16/19 4:05 == 47.8
11/16/19 4:10 == 47.8
11/16/19 4:15 == 48.1
11/16/19 4:20 == 47.7
11/16/19 4:25 == 47.9
11/16/19 4:30 == 47.9
11/16/19 4:35 == 48
11/16/19 4:40 == 47.8
11/16/19 4:45 == 47.8
11/16/19 4:50 == 47.8
11/16/19 4:55 == 47.9
11/16/19 5:00 == 47.9
11/16/19 5:05 == 48
11/16/19 5:10 == 47.9
11/16/19 5:15 == 41.2
11/16/19 5:20 == 33.2
11/16/19 5:25 == 33.1
11/16/19 5:30 == 33.4
11/16/19 5:35 == 33.8
11/16/19 5:40 == 33.7
11/16/19 5:45 == 35.2
11/16/19 5:50 == 40.7
11/16/19 5:55 == 44.9
11/16/19 6:00 == 47.8
11/16/19 6:05 == 47.8
11/16/19 6:10 == 47.9
11/16/19 6:15 == 48
11/16/19 6:20 == 47.7
11/16/19 6:25 == 47.8
11/16/19 6:30 == 48.2
11/16/19 6:35 == 47.7

Pumpback Station Discharge (0364)

11/16/19 6:40 == 47.8
11/16/19 6:45 == 48
11/16/19 6:50 == 47.6
11/16/19 6:55 == 47.9
11/16/19 7:00 == 48
11/16/19 7:05 == 47.8
11/16/19 7:10 == 48
11/16/19 7:15 == 47.8
11/16/19 7:20 == 47.7
11/16/19 7:25 == 47.7
11/16/19 7:30 == 48
11/16/19 7:35 == 44.8
11/16/19 7:40 == 40.2
11/16/19 7:45 == 48
11/16/19 7:50 == 47.8
11/16/19 7:55 == 47.9
11/16/19 8:00 == 47.9
11/16/19 8:05 == 47.8
11/16/19 8:10 == 47.9
11/16/19 8:15 == 48
11/16/19 8:20 == 47.4
11/16/19 8:25 == 47.9
11/16/19 8:30 == 47.9
11/16/19 8:35 == 47.8
11/16/19 8:40 == 47.9
11/16/19 8:45 == 48.1
11/16/19 8:50 == 47.8
11/16/19 8:55 == 47.8
11/16/19 9:00 == 47.8
11/16/19 9:05 == 47.9
11/16/19 9:10 == 47.9
11/16/19 9:15 == 47.9
11/16/19 9:20 == 40.5
11/16/19 9:25 == 44.9
11/16/19 9:30 == 47.8
11/16/19 9:35 == 48
11/16/19 9:40 == 48.1
11/16/19 9:45 == 47.8
11/16/19 9:50 == 47.9
11/16/19 9:55 == 47.9
11/16/19 10:00 == 48
11/16/19 10:05 == 47.8
11/16/19 10:10 == 47.8
11/16/19 10:15 == 48
11/16/19 10:20 == 41.3
11/16/19 10:25 == 43.6
11/16/19 10:30 == 47.7
11/16/19 10:35 == 40.7
11/16/19 10:40 == 43.3
11/16/19 10:45 == 47.8
11/16/19 10:50 == 47.4
11/16/19 10:55 == 47.8
11/16/19 11:00 == 47.7
11/16/19 11:05 == 47.8
11/16/19 11:10 == 47.9
11/16/19 11:15 == 47.9
11/16/19 11:20 == 47.8
11/16/19 11:25 == 47.9
11/16/19 11:30 == 47.9
11/16/19 11:35 == 47.8
11/16/19 11:40 == 47.7
11/16/19 11:45 == 47.9
11/16/19 11:50 == 47.9
11/16/19 11:55 == 47.7
11/16/19 12:00 == 47.8
11/16/19 12:05 == 39.9
11/16/19 12:10 == 44.4
11/16/19 12:15 == 47.7
11/16/19 12:20 == 47.5
11/16/19 12:25 == 47.8
11/16/19 12:30 == 47.6
11/16/19 12:35 == 47.9
11/16/19 12:40 == 47.7
11/16/19 12:45 == 47.6
11/16/19 12:50 == 47.8
11/16/19 12:55 == 47.8
11/16/19 13:00 == 47.8
11/16/19 13:05 == 47.8
11/16/19 13:10 == 47.8
11/16/19 13:15 == 47.9
11/16/19 13:20 == 47.6
11/16/19 13:25 == 47.7
11/16/19 13:30 == 47.8
11/16/19 13:35 == 47.7
11/16/19 13:40 == 47.8
11/16/19 13:45 == 40.9
11/16/19 13:50 == 32.9
11/16/19 13:55 == 32.9
11/16/19 14:00 == 33.2
11/16/19 14:05 == 33.8
11/16/19 14:10 == 33.4
11/16/19 14:15 == 35.2
11/16/19 14:20 == 45.5
11/16/19 14:25 == 38.2
11/16/19 14:30 == 47.5
11/16/19 14:35 == 47.6
11/16/19 14:40 == 47.9
11/16/19 14:45 == 47.8
11/16/19 14:50 == 47.7
11/16/19 14:55 == 47.8
11/16/19 15:00 == 47.9
11/16/19 15:05 == 40.8
11/16/19 15:10 == 43.9
11/16/19 15:15 == 47.8
11/16/19 15:20 == 47.5
11/16/19 15:25 == 48
11/16/19 15:30 == 47.9
11/16/19 15:35 == 47.8
11/16/19 15:40 == 47.4
11/16/19 15:45 == 47.8
11/16/19 15:50 == 47.8
11/16/19 15:55 == 47.7
11/16/19 16:00 == 47.8
11/16/19 16:05 == 47.8
11/16/19 16:10 == 47.8
11/16/19 16:15 == 47.7
11/16/19 16:20 == 47.7
11/16/19 16:25 == 47.8
11/16/19 16:30 == 47.8
11/16/19 16:35 == 47.9
11/16/19 16:40 == 47.8
11/16/19 16:45 == 47.9
11/16/19 16:50 == 47.9
11/16/19 16:55 == 47.8
11/16/19 17:00 == 47.7
11/16/19 17:05 == 47.7
11/16/19 17:10 == 47.7
11/16/19 17:15 == 47.8
11/16/19 17:20 == 47.7
11/16/19 17:25 == 47.7
11/16/19 17:30 == 47.9
11/16/19 17:35 == 47.8
11/16/19 17:40 == 47.9
11/16/19 17:45 == 47.7
11/16/19 17:50 == 47.8
11/16/19 17:55 == 47.6
11/16/19 18:00 == 47.9
11/16/19 18:05 == 47.5
11/16/19 18:10 == 47.6
11/16/19 18:15 == 47.7
11/16/19 18:20 == 47.7
11/16/19 18:25 == 47.8
11/16/19 18:30 == 47.6
11/16/19 18:35 == 47.4
11/16/19 18:40 == 47.8
11/16/19 18:45 == 47.7
11/16/19 18:50 == 47.8
11/16/19 18:55 == 47.8
11/16/19 19:00 == 47.9
11/16/19 19:05 == 47.2
11/16/19 19:10 == 47.6
11/16/19 19:15 == 47.6
11/16/19 19:20 == 40.1
11/16/19 19:25 == 44.1
11/16/19 19:30 == 47.8
11/16/19 19:35 == 47.8
11/16/19 19:40 == 47.6
11/16/19 19:45 == 47.7
11/16/19 19:50 == 47.7
11/16/19 19:55 == 47.8
11/16/19 20:00 == 47.6
11/16/19 20:05 == 47.8
11/16/19 20:10 == 47.7
11/16/19 20:15 == 47.8
11/16/19 20:20 == 47.6
11/16/19 20:25 == 47.6
11/16/19 20:30 == 47.8
11/16/19 20:35 == 47.6
11/16/19 20:40 == 47.7
11/16/19 20:45 == 47.6
11/16/19 20:50 == 47.7
11/16/19 20:55 == 47.7
11/16/19 21:00 == 47.6
11/16/19 21:05 == 47.6
11/16/19 21:10 == 47.6
11/16/19 21:15 == 47.7
11/16/19 21:20 == 40.1
11/16/19 21:25 == 44
11/16/19 21:30 == 47.5
11/16/19 21:35 == 47.4
11/16/19 21:40 == 47.5
11/16/19 21:45 == 47.5
11/16/19 21:50 == 47.6
11/16/19 21:55 == 47.7
11/16/19 22:00 == 47.7
11/16/19 22:05 == 47.6
11/16/19 22:10 == 47.8
11/16/19 22:15 == 47.6
11/16/19 22:20 == 47.7
11/16/19 22:25 == 47.8
11/16/19 22:30 == 47.7
11/16/19 22:35 == 47.7
11/16/19 22:40 == 47.6
11/16/19 22:45 == 47.7
11/16/19 22:50 == 47.7
11/16/19 22:55 == 47.7
11/16/19 23:00 == 47.6
11/16/19 23:05 == 47.6
11/16/19 23:10 == 47.7
11/16/19 23:15 == 47.6
11/16/19 23:20 == 47.7
11/16/19 23:25 == 47.6
11/16/19 23:30 == 47.8
11/16/19 23:35 == 47.7
11/16/19 23:40 == 47.7
11/16/19 23:45 == 47.8
11/16/19 23:50 == 47.7
11/16/19 23:55 == 47.8
11/17/19 0:00 == 40.5
11/17/19 0:05 == 33.1
11/17/19 0:10 == 33
11/17/19 0:15 == 33.3
11/17/19 0:20 == 33.6
11/17/19 0:25 == 33.5
11/17/19 0:30 == 35.6
11/17/19 0:35 == 47.5
11/17/19 0:40 == 47.8
11/17/19 0:45 == 47.9
11/17/19 0:50 == 47.7
11/17/19 0:55 == 47.8

Pumpback Station Discharge (0364)

11/17/19 1:00 == 47.7
11/17/19 1:05 == 47.7
11/17/19 1:10 == 47.7
11/17/19 1:15 == 47.8
11/17/19 1:20 == 47.6
11/17/19 1:25 == 47.7
11/17/19 1:30 == 47.8
11/17/19 1:35 == 47.7
11/17/19 1:40 == 47.8
11/17/19 1:45 == 47.8
11/17/19 1:50 == 47.7
11/17/19 1:55 == 47.8
11/17/19 2:00 == 47.8
11/17/19 2:05 == 47.6
11/17/19 2:10 == 47.8
11/17/19 2:15 == 47.9
11/17/19 2:20 == 47.4
11/17/19 2:25 == 47.8
11/17/19 2:30 == 48
11/17/19 2:35 == 47.7
11/17/19 2:40 == 47.7
11/17/19 2:45 == 47.8
11/17/19 2:50 == 47.6
11/17/19 2:55 == 47.8
11/17/19 3:00 == 47.8
11/17/19 3:05 == 47.7
11/17/19 3:10 == 47.7
11/17/19 3:15 == 47.7
11/17/19 3:20 == 47.4
11/17/19 3:25 == 47.8
11/17/19 3:30 == 47.8
11/17/19 3:35 == 47.7
11/17/19 3:40 == 47.9
11/17/19 3:45 == 47.8
11/17/19 3:50 == 47.7
11/17/19 3:55 == 47.9
11/17/19 4:00 == 47.8
11/17/19 4:05 == 48
11/17/19 4:10 == 47.7
11/17/19 4:15 == 47.8
11/17/19 4:20 == 47.7
11/17/19 4:25 == 47.8
11/17/19 4:30 == 47.9
11/17/19 4:35 == 47.9
11/17/19 4:40 == 47.8
11/17/19 4:45 == 47.6
11/17/19 4:50 == 47.8
11/17/19 4:55 == 47.9
11/17/19 5:00 == 47.6
11/17/19 5:05 == 47.7
11/17/19 5:10 == 48
11/17/19 5:15 == 47.9
11/17/19 5:20 == 47.7
11/17/19 5:25 == 47.7
11/17/19 5:30 == 47.7
11/17/19 5:35 == 47.9
11/17/19 5:40 == 47.8
11/17/19 5:45 == 47.8
11/17/19 5:50 == 40
11/17/19 5:55 == 44.8
11/17/19 6:00 == 40.9
11/17/19 6:05 == 44
11/17/19 6:10 == 47.7
11/17/19 6:15 == 48
11/17/19 6:20 == 47.4
11/17/19 6:25 == 47.8
11/17/19 6:30 == 47.9
11/17/19 6:35 == 47.7
11/17/19 6:40 == 47.8
11/17/19 6:45 == 47.8
11/17/19 6:50 == 47.5
11/17/19 6:55 == 47.8
11/17/19 7:00 == 47.9
11/17/19 7:05 == 47.8
11/17/19 7:10 == 47.9
11/17/19 7:15 == 40.5
11/17/19 7:20 == 33.2
11/17/19 7:25 == 33
11/17/19 7:30 == 33.3
11/17/19 7:35 == 33.5
11/17/19 7:40 == 33.6
11/17/19 7:45 == 33.7
11/17/19 7:50 == 33.8
11/17/19 7:55 == 33.7
11/17/19 8:00 == 35.7
11/17/19 8:05 == 39.7
11/17/19 8:10 == 45.1
11/17/19 8:15 == 47.8
11/17/19 8:20 == 46.4
11/17/19 8:25 == 37.7
11/17/19 8:30 == 47.6
11/17/19 8:35 == 48
11/17/19 8:40 == 48.1
11/17/19 8:45 == 48
11/17/19 8:50 == 47.8
11/17/19 8:55 == 47.9
11/17/19 9:00 == 48
11/17/19 9:05 == 47.8
11/17/19 9:10 == 47.8
11/17/19 9:15 == 47.9
11/17/19 9:20 == 39.6
11/17/19 9:25 == 45
11/17/19 9:30 == 47.8
11/17/19 9:35 == 47.9
11/17/19 9:40 == 47.9
11/17/19 9:45 == 40.9
11/17/19 9:50 == 43.7
11/17/19 9:55 == 47.7
11/17/19 10:00 == 47.8
11/17/19 10:05 == 40
11/17/19 10:10 == 44.3
11/17/19 10:15 == 47.7
11/17/19 10:20 == 47.7
11/17/19 10:25 == 48
11/17/19 10:30 == 47.9
11/17/19 10:35 == 48
11/17/19 10:40 == 48
11/17/19 10:45 == 48
11/17/19 10:50 == 39.6
11/17/19 10:55 == 44.5
11/17/19 11:00 == 47.6
11/17/19 11:05 == 47.8
11/17/19 11:10 == 47.9
11/17/19 11:15 == 47.9
11/17/19 11:20 == 47.7
11/17/19 11:25 == 47.9
11/17/19 11:30 == 47.9
11/17/19 11:35 == 47.7
11/17/19 11:40 == 47.6
11/17/19 11:45 == 47.8
11/17/19 11:50 == 47.7
11/17/19 11:55 == 47.9
11/17/19 12:00 == 48
11/17/19 12:05 == 47.6
11/17/19 12:10 == 47.9
11/17/19 12:15 == 47.8
11/17/19 12:20 == 47.6
11/17/19 12:25 == 47.7
11/17/19 12:30 == 47.9
11/17/19 12:35 == 47.7
11/17/19 12:40 == 47.8
11/17/19 12:45 == 47.7
11/17/19 12:50 == 47.7
11/17/19 12:55 == 48
11/17/19 13:00 == 48
11/17/19 13:05 == 47.9
11/17/19 13:10 == 47.9
11/17/19 13:15 == 47.9
11/17/19 13:20 == 47.2
11/17/19 13:25 == 47.3
11/17/19 13:30 == 47.8
11/17/19 13:35 == 48
11/17/19 13:40 == 47.9
11/17/19 13:45 == 47.9
11/17/19 13:50 == 47.7
11/17/19 13:55 == 47.9
11/17/19 14:00 == 47.8
11/17/19 14:05 == 40.2
11/17/19 14:10 == 44
11/17/19 14:15 == 47.9
11/17/19 14:20 == 47.3
11/17/19 14:25 == 47.7
11/17/19 14:30 == 47.9
11/17/19 14:35 == 47.7
11/17/19 14:40 == 47.8
11/17/19 14:45 == 47.9
11/17/19 14:50 == 47.6
11/17/19 14:55 == 47.9
11/17/19 15:00 == 47.7
11/17/19 15:05 == #
11/17/19 15:10 == 47.8
11/17/19 15:15 == 46.1
11/17/19 15:20 == 38.5
11/17/19 15:25 == 40.7
11/17/19 15:30 == 43.8
11/17/19 15:35 == 47.5
11/17/19 15:40 == 47.9
11/17/19 15:45 == 47.9
11/17/19 15:50 == 47.7
11/17/19 15:55 == 47.8
11/17/19 16:00 == 47.8
11/17/19 16:05 == 47.8
11/17/19 16:10 == 47.8
11/17/19 16:15 == 47.5
11/17/19 16:20 == 47.5
11/17/19 16:25 == 47.7
11/17/19 16:30 == 47.9
11/17/19 16:35 == 47.8
11/17/19 16:40 == 47.8
11/17/19 16:45 == 47.8
11/17/19 16:50 == 47.8
11/17/19 16:55 == 47.8
11/17/19 17:00 == 47.8
11/17/19 17:05 == 47.6
11/17/19 17:10 == 47.9
11/17/19 17:15 == 47.7
11/17/19 17:20 == 47.6
11/17/19 17:25 == 47.9
11/17/19 17:30 == 47.9
11/17/19 17:35 == 47.7
11/17/19 17:40 == 47.7
11/17/19 17:45 == 47.6
11/17/19 17:50 == 47.7
11/17/19 17:55 == 47.8
11/17/19 18:00 == 47.7
11/17/19 18:05 == 47.5
11/17/19 18:10 == 47.8
11/17/19 18:15 == 47.7
11/17/19 18:20 == 47.5
11/17/19 18:25 == 47.8
11/17/19 18:30 == 47.7
11/17/19 18:35 == 47.6
11/17/19 18:40 == 47.8
11/17/19 18:45 == 47.8
11/17/19 18:50 == 47.8
11/17/19 18:55 == 47.6
11/17/19 19:00 == 47.9
11/17/19 19:05 == 47.3
11/17/19 19:10 == 47.7
11/17/19 19:15 == 47.7

Pumpback Station Discharge (0364)

11/17/19 19:20 == 47.3
11/17/19 19:25 == 47.8
11/17/19 19:30 == 47.8
11/17/19 19:35 == 47.5
11/17/19 19:40 == 47.7
11/17/19 19:45 == 47.7
11/17/19 19:50 == 47.7
11/17/19 19:55 == 47.8
11/17/19 20:00 == 47.8
11/17/19 20:05 == 47.7
11/17/19 20:10 == 47.8
11/17/19 20:15 == 47.7
11/17/19 20:20 == 47.7
11/17/19 20:25 == 47.7
11/17/19 20:30 == 47.8
11/17/19 20:35 == 47.7
11/17/19 20:40 == 47.7
11/17/19 20:45 == 47.9
11/17/19 20:50 == 47.7
11/17/19 20:55 == 47.8
11/17/19 21:00 == 47.8
11/17/19 21:05 == 47.8
11/17/19 21:10 == 47.7
11/17/19 21:15 == 47.7
11/17/19 21:20 == 47.6
11/17/19 21:25 == 47.7
11/17/19 21:30 == 47.8
11/17/19 21:35 == 47.6
11/17/19 21:40 == 47.9
11/17/19 21:45 == 47.9
11/17/19 21:50 == 47.7
11/17/19 21:55 == 47.8
11/17/19 22:00 == 47.7
11/17/19 22:05 == 47.8
11/17/19 22:10 == 47.8
11/17/19 22:15 == 47.6
11/17/19 22:20 == 47.8
11/17/19 22:25 == 47.8
11/17/19 22:30 == 47.8
11/17/19 22:35 == 47.6
11/17/19 22:40 == 47.6
11/17/19 22:45 == 47.8
11/17/19 22:50 == 47.6
11/17/19 22:55 == 47.7
11/17/19 23:00 == 47.9
11/17/19 23:05 == 47.7
11/17/19 23:10 == 47.8
11/17/19 23:15 == 47.7
11/17/19 23:20 == 47.8
11/17/19 23:25 == 47.6
11/17/19 23:30 == 47.7
11/17/19 23:35 == 47.6
11/17/19 23:40 == 47.7
11/17/19 23:45 == 47.7
11/17/19 23:50 == 47.7
11/17/19 23:55 == 47.6
11/18/19 0:00 == 47.7
11/18/19 0:05 == 47.7
11/18/19 0:10 == 47.6
11/18/19 0:15 == 47.6
11/18/19 0:20 == 39.1
11/18/19 0:25 == 44.9
11/18/19 0:30 == 47.7
11/18/19 0:35 == 47.5
11/18/19 0:40 == 47.7
11/18/19 0:45 == 47.9
11/18/19 0:50 == 47.5
11/18/19 0:55 == 47.7
11/18/19 1:00 == 47.8
11/18/19 1:05 == 47.9
11/18/19 1:10 == 47.8
11/18/19 1:15 == 47.7
11/18/19 1:20 == 38.8
11/18/19 1:25 == 45.8
11/18/19 1:30 == 47.9
11/18/19 1:35 == 47.6
11/18/19 1:40 == 47.8
11/18/19 1:45 == 47.9
11/18/19 1:50 == 47.7
11/18/19 1:55 == 47.9
11/18/19 2:00 == 47.7
11/18/19 2:05 == 47.8
11/18/19 2:10 == 47.8
11/18/19 2:15 == 47.7
11/18/19 2:20 == 39.1
11/18/19 2:25 == 45.5
11/18/19 2:30 == 47.9
11/18/19 2:35 == 47.5
11/18/19 2:40 == 47.8
11/18/19 2:45 == 47.6
11/18/19 2:50 == 47.4
11/18/19 2:55 == 47.7
11/18/19 3:00 == 47.9
11/18/19 3:05 == 47.6
11/18/19 3:10 == 47.8
11/18/19 3:15 == 47.9
11/18/19 3:20 == 38.7
11/18/19 3:25 == 45.6
11/18/19 3:30 == 47.8
11/18/19 3:35 == 47.7
11/18/19 3:40 == 47.8
11/18/19 3:45 == 47.9
11/18/19 3:50 == 47.6
11/18/19 3:55 == 47.8
11/18/19 4:00 == 47.8
11/18/19 4:05 == 47.7
11/18/19 4:10 == 47.8
11/18/19 4:15 == 47.8
11/18/19 4:20 == 47.1
11/18/19 4:25 == 47.8
11/18/19 4:30 == 47.6
11/18/19 4:35 == 47.8
11/18/19 4:40 == 47.7
11/18/19 4:45 == 47.6
11/18/19 4:50 == 47.7
11/18/19 4:55 == 47.9
11/18/19 5:00 == 47.5
11/18/19 5:05 == 47.7
11/18/19 5:10 == 48
11/18/19 5:15 == 47.8
11/18/19 5:20 == 47.7
11/18/19 5:25 == 47.5
11/18/19 5:30 == 47.8
11/18/19 5:35 == 47.8
11/18/19 5:40 == 47.8
11/18/19 5:45 == 47.8
11/18/19 5:50 == 47.6
11/18/19 5:55 == 47.8
11/18/19 6:00 == 47.7
11/18/19 6:05 == 47.4
11/18/19 6:10 == 47.8
11/18/19 6:15 == 47.9
11/18/19 6:20 == 38.1
11/18/19 6:25 == 45.8
11/18/19 6:30 == 47.9
11/18/19 6:35 == 47.2
11/18/19 6:40 == 47.7
11/18/19 6:45 == 47.6
11/18/19 6:50 == 38.8
11/18/19 6:55 == 45.5
11/18/19 7:00 == 47.8
11/18/19 7:05 == 47.6
11/18/19 7:10 == 47.8
11/18/19 7:15 == 47.8
11/18/19 7:20 == 47.4
11/18/19 7:25 == 47.6
11/18/19 7:30 == 39.3
11/18/19 7:35 == 33.1
11/18/19 7:40 == 33.1
11/18/19 7:45 == 33.5
11/18/19 7:50 == 33.5
11/18/19 7:55 == 33.5
11/18/19 8:00 == 36.4
11/18/19 8:05 == 39.1
11/18/19 8:10 == 45.2
11/18/19 8:15 == 47.9
11/18/19 8:20 == 47.2
11/18/19 8:25 == 47.9
11/18/19 8:30 == 47.5
11/18/19 8:35 == 47.9
11/18/19 8:40 == 47.9
11/18/19 8:45 == 47.7
11/18/19 8:50 == 47.8
11/18/19 8:55 == 47.8
11/18/19 9:00 == 48
11/18/19 9:05 == 47.8
11/18/19 9:10 == 47.7
11/18/19 9:15 == 48
11/18/19 9:20 == 47.3
11/18/19 9:25 == 47.8
11/18/19 9:30 == 47.9
11/18/19 9:35 == 47.9
11/18/19 9:40 == 47.7
11/18/19 9:45 == 47.6
11/18/19 9:50 == 47.8
11/18/19 9:55 == 47.9
11/18/19 10:00 == 48
11/18/19 10:05 == 47.7
11/18/19 10:10 == 47.9
11/18/19 10:15 == 47.7
11/18/19 10:20 == 47.6
11/18/19 10:25 == 47.8
11/18/19 10:30 == 47.9
11/18/19 10:35 == 47.9
11/18/19 10:40 == 47.8
11/18/19 10:45 == 47.9
11/18/19 10:50 == 47.2
11/18/19 10:55 == 47.7
11/18/19 11:00 == 47.9
11/18/19 11:05 == 47.8
11/18/19 11:10 == 47.7
11/18/19 11:15 == 48
11/18/19 11:20 == 47.6
11/18/19 11:25 == 47.9
11/18/19 11:30 == 47.9
11/18/19 11:35 == 47.7
11/18/19 11:40 == 47.6
11/18/19 11:45 == 47.8
11/18/19 11:50 == 47.8
11/18/19 11:55 == 47.7
11/18/19 12:00 == 47.8
11/18/19 12:05 == 47.7
11/18/19 12:10 == 47.8
11/18/19 12:15 == 47.9
11/18/19 12:20 == 47.4
11/18/19 12:25 == 47.7
11/18/19 12:30 == 47.7
11/18/19 12:35 == 47.8
11/18/19 12:40 == 47.7
11/18/19 12:45 == 38.8
11/18/19 12:50 == 45.6
11/18/19 12:55 == 47.9
11/18/19 13:00 == 47.9
11/18/19 13:05 == 47.8
11/18/19 13:10 == 47.9
11/18/19 13:15 == 47.9
11/18/19 13:20 == 47.6
11/18/19 13:25 == 47.7
11/18/19 13:30 == 47.8
11/18/19 13:35 == 47.7

Pumpback Station Discharge (0364)

11/18/19 13:40 == 47.7
11/18/19 13:45 == 47.9
11/18/19 13:50 == 47.5
11/18/19 13:55 == 47.9
11/18/19 14:00 == 47.8
11/18/19 14:05 == 40.2
11/18/19 14:10 == 43.8
11/18/19 14:15 == 47.9
11/18/19 14:20 == 38.5
11/18/19 14:25 == 45.7
11/18/19 14:30 == 47.8
11/18/19 14:35 == 47.6
11/18/19 14:40 == 47.7
11/18/19 14:45 == 47.7
11/18/19 14:50 == 47.7
11/18/19 14:55 == 47.8
11/18/19 15:00 == 47.8
11/18/19 15:05 == 47.7
11/18/19 15:10 == 47.9
11/18/19 15:15 == 47.6
11/18/19 15:20 == 47.5
11/18/19 15:25 == 47.8
11/18/19 15:30 == 47.8
11/18/19 15:35 == 47.7
11/18/19 15:40 == 47.7
11/18/19 15:45 == 47.8
11/18/19 15:50 == 47.7
11/18/19 15:55 == 47.6
11/18/19 16:00 == 47.8
11/18/19 16:05 == 47.7
11/18/19 16:10 == 47.8
11/18/19 16:15 == 47.7
11/18/19 16:20 == 47.4
11/18/19 16:25 == 47.7
11/18/19 16:30 == 47.8
11/18/19 16:35 == 47.8
11/18/19 16:40 == 47.8
11/18/19 16:45 == 47.9
11/18/19 16:50 == 47.8
11/18/19 16:55 == 47.7
11/18/19 17:00 == 47.7
11/18/19 17:05 == 47.7
11/18/19 17:10 == 47.7
11/18/19 17:15 == 38.7
11/18/19 17:20 == 45.7
11/18/19 17:25 == 47.9
11/18/19 17:30 == 47.9
11/18/19 17:35 == 47.8
11/18/19 17:40 == 47.7
11/18/19 17:45 == 47.6
11/18/19 17:50 == 47.6
11/18/19 17:55 == 47.7
11/18/19 18:00 == 48
11/18/19 18:05 == 47.2
11/18/19 18:10 == 47.7
11/18/19 18:15 == 47.7
11/18/19 18:20 == 47.5
11/18/19 18:25 == 47.8
11/18/19 18:30 == 47.7
11/18/19 18:35 == 43.1
11/18/19 18:40 == 40.8
11/18/19 18:45 == 47.7
11/18/19 18:50 == 47.7
11/18/19 18:55 == 47.6
11/18/19 19:00 == 47.9
11/18/19 19:05 == 47.1
11/18/19 19:10 == 47.9
11/18/19 19:15 == 47.6
11/18/19 19:20 == 39
11/18/19 19:25 == 45.5
11/18/19 19:30 == 47.9
11/18/19 19:35 == 47.4
11/18/19 19:40 == 47.6
11/18/19 19:45 == 47.7
11/18/19 19:50 == 47.7
11/18/19 19:55 == 47.5
11/18/19 20:00 == 47.6
11/18/19 20:05 == 47.7
11/18/19 20:10 == 47.8
11/18/19 20:15 == 47.6
11/18/19 20:20 == 47.6
11/18/19 20:25 == 47.7
11/18/19 20:30 == 47.6
11/18/19 20:35 == 47.4
11/18/19 20:40 == 47.7
11/18/19 20:45 == 47.7
11/18/19 20:50 == 47.8
11/18/19 20:55 == 47.7
11/18/19 21:00 == 47.7
11/18/19 21:05 == 47.7
11/18/19 21:10 == 47.7
11/18/19 21:15 == 47.7
11/18/19 21:20 == 38.9
11/18/19 21:25 == 42.3
11/18/19 21:30 == 39.7
11/18/19 21:35 == 47.7
11/18/19 21:40 == 47.8
11/18/19 21:45 == 47.8
11/18/19 21:50 == 47.5
11/18/19 21:55 == 47.7
11/18/19 22:00 == 47.5
11/18/19 22:05 == 47.6
11/18/19 22:10 == 47.7
11/18/19 22:15 == 47.7
11/18/19 22:20 == 47.7
11/18/19 22:25 == 47.7
11/18/19 22:30 == 47.7
11/18/19 22:35 == 47.7
11/18/19 22:40 == 47.7
11/18/19 22:45 == 47.6
11/18/19 22:50 == 47.6
11/18/19 22:55 == 47.7
11/18/19 23:00 == 47.7
11/18/19 23:05 == 47.7
11/18/19 23:10 == 47.6
11/18/19 23:15 == 47.6
11/18/19 23:20 == 47.4
11/18/19 23:25 == 47.6
11/18/19 23:30 == 47.7
11/18/19 23:35 == 47.6
11/18/19 23:40 == 47.5
11/18/19 23:45 == 47.6
11/18/19 23:50 == 47.6
11/18/19 23:55 == 47.6
11/19/19 0:00 == 47.7
11/19/19 0:05 == 47.6
11/19/19 0:10 == 47.7
11/19/19 0:15 == 47.6
11/19/19 0:20 == 38.7
11/19/19 0:25 == 45.4
11/19/19 0:30 == 47.8
11/19/19 0:35 == 47.5
11/19/19 0:40 == 47.8
11/19/19 0:45 == 47.9
11/19/19 0:50 == 47.6
11/19/19 0:55 == 47.5
11/19/19 1:00 == 47.8
11/19/19 1:05 == 47.5
11/19/19 1:10 == 47.7
11/19/19 1:15 == 47.7
11/19/19 1:20 == 47.4
11/19/19 1:25 == 47.9
11/19/19 1:30 == 47.9
11/19/19 1:35 == 47.6
11/19/19 1:40 == 47.8
11/19/19 1:45 == 47.7
11/19/19 1:50 == 47.6
11/19/19 1:55 == 47.8
11/19/19 2:00 == 47.7
11/19/19 2:05 == 47.7
11/19/19 2:10 == 47.8
11/19/19 2:15 == 47.8
11/19/19 2:20 == 38.8
11/19/19 2:25 == 45.6
11/19/19 2:30 == 47.8
11/19/19 2:35 == 47.6
11/19/19 2:40 == 47.7
11/19/19 2:45 == 47.7
11/19/19 2:50 == 47.4
11/19/19 2:55 == 47.7
11/19/19 3:00 == 47.7
11/19/19 3:05 == 47.4
11/19/19 3:10 == 47.8
11/19/19 3:15 == 47.9
11/19/19 3:20 == 38.5
11/19/19 3:25 == 45.7
11/19/19 3:30 == 47.8
11/19/19 3:35 == 47.7
11/19/19 3:40 == 47.9
11/19/19 3:45 == 47.8
11/19/19 3:50 == 47.4
11/19/19 3:55 == 47.8
11/19/19 4:00 == 47.7
11/19/19 4:05 == 47.8
11/19/19 4:10 == 47.6
11/19/19 4:15 == 38.7
11/19/19 4:20 == 32.8
11/19/19 4:25 == 32.9
11/19/19 4:30 == 33.3
11/19/19 4:35 == 33.7
11/19/19 4:40 == 33.7
11/19/19 4:45 == 37.6
11/19/19 4:50 == 47.4
11/19/19 4:55 == 47.8
11/19/19 5:00 == 47.6
11/19/19 5:05 == 47.8
11/19/19 5:10 == 47.8
11/19/19 5:15 == 47.8
11/19/19 5:20 == 47.7
11/19/19 5:25 == 47.6
11/19/19 5:30 == 47.8
11/19/19 5:35 == 47.8
11/19/19 5:40 == 47.8
11/19/19 5:45 == 47.8
11/19/19 5:50 == 38.5
11/19/19 5:55 == 46
11/19/19 6:00 == 47.6
11/19/19 6:05 == 47.5
11/19/19 6:10 == 47.9
11/19/19 6:15 == 47.8
11/19/19 6:20 == 47.4
11/19/19 6:25 == 47.8
11/19/19 6:30 == 48
11/19/19 6:35 == 47.2
11/19/19 6:40 == 47.7
11/19/19 6:45 == 47.8
11/19/19 6:50 == 38.1
11/19/19 6:55 == 45.9
11/19/19 7:00 == 44.2
11/19/19 7:05 == 40.6
11/19/19 7:10 == 47.6
11/19/19 7:15 == 47.7
11/19/19 7:20 == 39.1
11/19/19 7:25 == 45.6
11/19/19 7:30 == 48
11/19/19 7:35 == 47.4
11/19/19 7:40 == 47.7
11/19/19 7:45 == 48
11/19/19 7:50 == 47.7
11/19/19 7:55 == 47.8

Pumpback Station Discharge (0364)

11/19/19 8:00 == 47.9
11/19/19 8:05 == 47.8
11/19/19 8:10 == 48
11/19/19 8:15 == 47.9
11/19/19 8:20 == 47.5
11/19/19 8:25 == 47.8
11/19/19 8:30 == 47.3
11/19/19 8:35 == 47.7
11/19/19 8:40 == 47.9
11/19/19 8:45 == 47.7
11/19/19 8:50 == 47.4
11/19/19 8:55 == 47.6
11/19/19 9:00 == 48
11/19/19 9:05 == 47.7
11/19/19 9:10 == 47.8
11/19/19 9:15 == 47.7
11/19/19 9:20 == 37.7
11/19/19 9:25 == 46.4
11/19/19 9:30 == 47.9
11/19/19 9:35 == 47.9
11/19/19 9:40 == 47.7
11/19/19 9:45 == 47.6
11/19/19 9:50 == 40.2
11/19/19 9:55 == 45.1
11/19/19 10:00 == 47.8
11/19/19 10:05 == 47.7
11/19/19 10:10 == 47.9
11/19/19 10:15 == 40.9
11/19/19 10:20 == 43
11/19/19 10:25 == 47.3
11/19/19 10:30 == 47.9
11/19/19 10:35 == 47.9
11/19/19 10:40 == 47.8
11/19/19 10:45 == 47.9
11/19/19 10:50 == 47.6
11/19/19 10:55 == 47.8
11/19/19 11:00 == 47.6
11/19/19 11:05 == 47.8
11/19/19 11:10 == 47.7
11/19/19 11:15 == 47.9
11/19/19 11:20 == 47.6
11/19/19 11:25 == 47.8
11/19/19 11:30 == 47.6
11/19/19 11:35 == 39.5
11/19/19 11:40 == 44.7
11/19/19 11:45 == 47.4
11/19/19 11:50 == 47.6
11/19/19 11:55 == 47.6
11/19/19 12:00 == 47.6
11/19/19 12:05 == 47.3
11/19/19 12:10 == 47.6
11/19/19 12:15 == 47.5
11/19/19 12:20 == 47.1
11/19/19 12:25 == 47.4
11/19/19 12:30 == 47.5
11/19/19 12:35 == 47.5
11/19/19 12:40 == 47.5
11/19/19 12:45 == 47.4
11/19/19 12:50 == 47.4
11/19/19 12:55 == 47.6
11/19/19 13:00 == 47.6
11/19/19 13:05 == 47.4
11/19/19 13:10 == 47.9
11/19/19 13:15 == 47.8
11/19/19 13:20 == 47.7
11/19/19 13:25 == 47.9
11/19/19 13:30 == 47.9
11/19/19 13:35 == 47.6
11/19/19 13:40 == 47.9
11/19/19 13:45 == 47.9
11/19/19 13:50 == 47.6
11/19/19 13:55 == 47.7
11/19/19 14:00 == 47.9
11/19/19 14:05 == 47.4
11/19/19 14:10 == 47.7
11/19/19 14:15 == 47.3
11/19/19 14:20 == 47.7
11/19/19 14:25 == 37.7
11/19/19 14:30 == 45.4
11/19/19 14:35 == 47.8
11/19/19 14:40 == 47.7
11/19/19 14:45 == 47.8
11/19/19 14:50 == 47.6
11/19/19 14:55 == 47.7
11/19/19 15:00 == 48
11/19/19 15:05 == 47.5
11/19/19 15:10 == 47.6
11/19/19 15:15 == 37.7
11/19/19 15:20 == 42.1
11/19/19 15:25 == 41.5
11/19/19 15:30 == 47.6
11/19/19 15:35 == 47.8
11/19/19 15:40 == 47.7
11/19/19 15:45 == 47.9
11/19/19 15:50 == 47.4
11/19/19 15:55 == 47.3
11/19/19 16:00 == 47.5
11/19/19 16:05 == 47.4
11/19/19 16:10 == 47.6
11/19/19 16:15 == 47.8
11/19/19 16:20 == 47.4
11/19/19 16:25 == 47.7
11/19/19 16:30 == 47.8
11/19/19 16:35 == 47.4
11/19/19 16:40 == 47.4
11/19/19 16:45 == 47.5
11/19/19 16:50 == 47.5
11/19/19 16:55 == 47.5
11/19/19 17:00 == 47.5
11/19/19 17:05 == 47.4
11/19/19 17:10 == 47.5
11/19/19 17:15 == 37.6
11/19/19 17:20 == 42
11/19/19 17:25 == 40.2
11/19/19 17:30 == 47.5
11/19/19 17:35 == 47.5
11/19/19 17:40 == 47.2
11/19/19 17:45 == 47.4
11/19/19 17:50 == 47.7
11/19/19 17:55 == 47.7
11/19/19 18:00 == 47.3
11/19/19 18:05 == 47.3
11/19/19 18:10 == 47.4
11/19/19 18:15 == 47.3
11/19/19 18:20 == 47.4
11/19/19 18:25 == 47.5
11/19/19 18:30 == 47.3
11/19/19 18:35 == 47.7
11/19/19 18:40 == 47.4
11/19/19 18:45 == 47.5
11/19/19 18:50 == 47.7
11/19/19 18:55 == 47.6
11/19/19 19:00 == 47.6
11/19/19 19:05 == 47.1
11/19/19 19:10 == 39.4
11/19/19 19:15 == 45
11/19/19 19:20 == 47.3
11/19/19 19:25 == 47.9
11/19/19 19:30 == 47.4
11/19/19 19:35 == 47.2
11/19/19 19:40 == 47.5
11/19/19 19:45 == 47.5
11/19/19 19:50 == 47.3
11/19/19 19:55 == 47.3
11/19/19 20:00 == 47.5
11/19/19 20:05 == 47.2
11/19/19 20:10 == 47.3
11/19/19 20:15 == 47.2
11/19/19 20:20 == 47.2
11/19/19 20:25 == 47.5
11/19/19 20:30 == 47.2
11/19/19 20:35 == 47.2
11/19/19 20:40 == 47.3
11/19/19 20:45 == 47.2
11/19/19 20:50 == 47.2
11/19/19 20:55 == 47.3
11/19/19 21:00 == 47.3
11/19/19 21:05 == 47.2
11/19/19 21:10 == 47.3
11/19/19 21:15 == 47.3
11/19/19 21:20 == 47.5
11/19/19 21:25 == 47.4
11/19/19 21:30 == 47.3
11/19/19 21:35 == 47.5
11/19/19 21:40 == 47.6
11/19/19 21:45 == 47.6
11/19/19 21:50 == 47.2
11/19/19 21:55 == 47.3
11/19/19 22:00 == 47.3
11/19/19 22:05 == 47.3
11/19/19 22:10 == 47.2
11/19/19 22:15 == 47.2
11/19/19 22:20 == 47.3
11/19/19 22:25 == 47.3
11/19/19 22:30 == 47.2
11/19/19 22:35 == 47.2
11/19/19 22:40 == 47.1
11/19/19 22:45 == 47.3
11/19/19 22:50 == 47.2
11/19/19 22:55 == 47.2
11/19/19 23:00 == 47.2
11/19/19 23:05 == 47.2
11/19/19 23:10 == 47.3
11/19/19 23:15 == 47.2
11/19/19 23:20 == 47.2
11/19/19 23:25 == 47.2
11/19/19 23:30 == 47.3
11/19/19 23:35 == 47.2
11/19/19 23:40 == 47.3
11/19/19 23:45 == 47.1
11/19/19 23:50 == 47.2
11/19/19 23:55 == 47.2
11/20/19 0:00 == 47.2
11/20/19 0:05 == 47.2
11/20/19 0:10 == 47.3
11/20/19 0:15 == 47.2
11/20/19 0:20 == 38.4
11/20/19 0:25 == 45.5
11/20/19 0:30 == 47.4
11/20/19 0:35 == 47.4
11/20/19 0:40 == 47.6
11/20/19 0:45 == 47.5
11/20/19 0:50 == 47.2
11/20/19 0:55 == 47.4
11/20/19 1:00 == 47.6
11/20/19 1:05 == 47.4
11/20/19 1:10 == 47.4
11/20/19 1:15 == 47.5
11/20/19 1:20 == 47.4
11/20/19 1:25 == 47.6
11/20/19 1:30 == 47.6
11/20/19 1:35 == 47.4
11/20/19 1:40 == 47.4
11/20/19 1:45 == 47.4
11/20/19 1:50 == 47.3
11/20/19 1:55 == 47.4
11/20/19 2:00 == 47.3
11/20/19 2:05 == 47.2
11/20/19 2:10 == 47.4
11/20/19 2:15 == 47.4

Pumpback Station Discharge (0364)

11/20/19 2:20 == 47.4
11/20/19 2:25 == 47.5
11/20/19 2:30 == 47.4
11/20/19 2:35 == 47.3
11/20/19 2:40 == 47.3
11/20/19 2:45 == 47.4
11/20/19 2:50 == 47.1
11/20/19 2:55 == 47.3
11/20/19 3:00 == 47.4
11/20/19 3:05 == 47.4
11/20/19 3:10 == 47.4
11/20/19 3:15 == 47.7
11/20/19 3:20 == 47.1
11/20/19 3:25 == 47.4
11/20/19 3:30 == 47.5
11/20/19 3:35 == 47.5
11/20/19 3:40 == 47.5
11/20/19 3:45 == 47.4
11/20/19 3:50 == 47.4
11/20/19 3:55 == 47.4
11/20/19 4:00 == 47.5
11/20/19 4:05 == 38.3
11/20/19 4:10 == 45.5
11/20/19 4:15 == 47.6
11/20/19 4:20 == 46.9
11/20/19 4:25 == 47.3
11/20/19 4:30 == 47.4
11/20/19 4:35 == 47.4
11/20/19 4:40 == 47.6
11/20/19 4:45 == 47.3
11/20/19 4:50 == 47.5
11/20/19 4:55 == 47.5
11/20/19 5:00 == 47.6
11/20/19 5:05 == 47.5
11/20/19 5:10 == 47.7
11/20/19 5:15 == 47.5
11/20/19 5:20 == 47.5
11/20/19 5:25 == 47.3
11/20/19 5:30 == 47.4
11/20/19 5:35 == 47.4
11/20/19 5:40 == 47.3
11/20/19 5:45 == 47.5
11/20/19 5:50 == 47.7
11/20/19 5:55 == 47.6
11/20/19 6:00 == 47.5
11/20/19 6:05 == 47.3
11/20/19 6:10 == 47.7
11/20/19 6:15 == 47.9
11/20/19 6:20 == 47.3
11/20/19 6:25 == 47.6
11/20/19 6:30 == 47.7
11/20/19 6:35 == 46.9
11/20/19 6:40 == 47.2
11/20/19 6:45 == 47.4
11/20/19 6:50 == 47.3
11/20/19 6:55 == 47.5
11/20/19 7:00 == 47.7
11/20/19 7:05 == 47.4
11/20/19 7:10 == 47.8
11/20/19 7:15 == 47.7
11/20/19 7:20 == 38.4
11/20/19 7:25 == 45.8
11/20/19 7:30 == 47.6
11/20/19 7:35 == 47.8
11/20/19 7:40 == 47.6
11/20/19 7:45 == 47.7
11/20/19 7:50 == 47.4
11/20/19 7:55 == 47.4
11/20/19 8:00 == 47.5
11/20/19 8:05 == 47.3
11/20/19 8:10 == 47.4
11/20/19 8:15 == 47.6
11/20/19 8:20 == 37.4
11/20/19 8:25 == 46
11/20/19 8:30 == 37.3
11/20/19 8:35 == 46.8
11/20/19 8:40 == 47.7
11/20/19 8:45 == 47.6
11/20/19 8:50 == 47.5
11/20/19 8:55 == 45.3
11/20/19 9:00 == 39.2
11/20/19 9:05 == 47.6
11/20/19 9:10 == 47.5
11/20/19 9:15 == 47.9
11/20/19 9:20 == 47.4
11/20/19 9:25 == 47.4
11/20/19 9:30 == 47
11/20/19 9:35 == 47.6
11/20/19 9:40 == 41.4
11/20/19 9:45 == 41.7
11/20/19 9:50 == 37.6
11/20/19 9:55 == 47.1
11/20/19 10:00 == 47.9
11/20/19 10:05 == 47.6
11/20/19 10:10 == 47.9
11/20/19 10:15 == 47.8
11/20/19 10:20 == 47.2
11/20/19 10:25 == 47.8
11/20/19 10:30 == 47.8
11/20/19 10:35 == 47.6
11/20/19 10:40 == 47.6
11/20/19 10:45 == 47.8
11/20/19 10:50 == 47.2
11/20/19 10:55 == 47.6
11/20/19 11:00 == 47.6
11/20/19 11:05 == 47.8
11/20/19 11:10 == 47.8
11/20/19 11:15 == 47.9
11/20/19 11:20 == 47.5
11/20/19 11:25 == 47.8
11/20/19 11:30 == 37.7
11/20/19 11:35 == 33
11/20/19 11:40 == 33.1
11/20/19 11:45 == 33.2
11/20/19 11:50 == 33.5
11/20/19 11:55 == 33.5
11/20/19 12:00 == 33.7
11/20/19 12:05 == 33.6
11/20/19 12:10 == 33.7
11/20/19 12:15 == 38.6
11/20/19 12:20 == 37.3
11/20/19 12:25 == 46.4
11/20/19 12:30 == 47.5
11/20/19 12:35 == 47.4
11/20/19 12:40 == 47.6
11/20/19 12:45 == 42.9
11/20/19 12:50 == 41.4
11/20/19 12:55 == 47.2
11/20/19 13:00 == 47.4
11/20/19 13:05 == 47.5
11/20/19 13:10 == 47.6
11/20/19 13:15 == 47.4
11/20/19 13:20 == 47.6
11/20/19 13:25 == 47.8
11/20/19 13:30 == 47.3
11/20/19 13:35 == 47.5
11/20/19 13:40 == 47.6
11/20/19 13:45 == 46.3
11/20/19 13:50 == 38.2
11/20/19 13:55 == 47.5
11/20/19 14:00 == 47.9
11/20/19 14:05 == 47.3
11/20/19 14:10 == 47.6
11/20/19 14:15 == 47.2
11/20/19 14:20 == 38.7
11/20/19 14:25 == 44.6
11/20/19 14:30 == 47.2
11/20/19 14:35 == 47.3
11/20/19 14:40 == 47.2
11/20/19 14:45 == 47.1
11/20/19 14:50 == 47.3
11/20/19 14:55 == 47.2
11/20/19 15:00 == 47.2
11/20/19 15:05 == 47.3
11/20/19 15:10 == 47.5
11/20/19 15:15 == 47.3
11/20/19 15:20 == 47.4
11/20/19 15:25 == 47.4
11/20/19 15:30 == 47.1
11/20/19 15:35 == 47
11/20/19 15:40 == 47.1
11/20/19 15:45 == 47.1
11/20/19 15:50 == 47.2
11/20/19 15:55 == 47.1
11/20/19 16:00 == 47.3
11/20/19 16:05 == 47.2
11/20/19 16:10 == 47
11/20/19 16:15 == 47.1
11/20/19 16:20 == 47
11/20/19 16:25 == 47.1
11/20/19 16:30 == 47.1
11/20/19 16:35 == 47.1
11/20/19 16:40 == 47.1
11/20/19 16:45 == 47
11/20/19 16:50 == 47
11/20/19 16:55 == 47.1
11/20/19 17:00 == 47
11/20/19 17:05 == 47.2
11/20/19 17:10 == 47.1
11/20/19 17:15 == 47.2
11/20/19 17:20 == 47.1
11/20/19 17:25 == 47
11/20/19 17:30 == 47.1
11/20/19 17:35 == 47
11/20/19 17:40 == 47.1
11/20/19 17:45 == 47.2
11/20/19 17:50 == 47.1
11/20/19 17:55 == 47
11/20/19 18:00 == 47.1
11/20/19 18:05 == 47.1
11/20/19 18:10 == 47.2
11/20/19 18:15 == 47.1
11/20/19 18:20 == 47.2
11/20/19 18:25 == 47.2
11/20/19 18:30 == 47.1
11/20/19 18:35 == 47.2
11/20/19 18:40 == 47.1
11/20/19 18:45 == 47.1
11/20/19 18:50 == 47.2
11/20/19 18:55 == 47
11/20/19 19:00 == 47.1
11/20/19 19:05 == 47
11/20/19 19:10 == 47.2
11/20/19 19:15 == 47.1
11/20/19 19:20 == 47.1
11/20/19 19:25 == 47.1
11/20/19 19:30 == 47.1
11/20/19 19:35 == 47.1
11/20/19 19:40 == 47.2
11/20/19 19:45 == 47.1
11/20/19 19:50 == 47.1
11/20/19 19:55 == 47.1
11/20/19 20:00 == 47.1
11/20/19 20:05 == 47.2
11/20/19 20:10 == 47.2
11/20/19 20:15 == 47.1
11/20/19 20:20 == 47.1
11/20/19 20:25 == 47.2
11/20/19 20:30 == 47.1
11/20/19 20:35 == 47.1

Pumpback Station Discharge (0364)

11/20/19 20:40 == 47.2
11/20/19 20:45 == 47.2
11/20/19 20:50 == 47.2
11/20/19 20:55 == 47.1
11/20/19 21:00 == 47.2
11/20/19 21:05 == 47
11/20/19 21:10 == 47.3
11/20/19 21:15 == 47.1
11/20/19 21:20 == 47
11/20/19 21:25 == 47.1
11/20/19 21:30 == 47.1
11/20/19 21:35 == 47.1
11/20/19 21:40 == 47
11/20/19 21:45 == 47.1
11/20/19 21:50 == 47.2
11/20/19 21:55 == 47.2
11/20/19 22:00 == 47
11/20/19 22:05 == 47.1
11/20/19 22:10 == 47.1
11/20/19 22:15 == 46.9
11/20/19 22:20 == 47.2
11/20/19 22:25 == 47.1
11/20/19 22:30 == 47.1
11/20/19 22:35 == 47.2
11/20/19 22:40 == 47.1
11/20/19 22:45 == 47.1
11/20/19 22:50 == 47.1
11/20/19 22:55 == 47.2
11/20/19 23:00 == 47.1
11/20/19 23:05 == 47.1
11/20/19 23:10 == 47.1
11/20/19 23:15 == 47.1
11/20/19 23:20 == 47.1
11/20/19 23:25 == 47
11/20/19 23:30 == 47
11/20/19 23:35 == 47.1
11/20/19 23:40 == 47.1
11/20/19 23:45 == 47.1
11/20/19 23:50 == 47.2
11/20/19 23:55 == 47.1
11/21/19 0:00 == 47.2
11/21/19 0:05 == 47
11/21/19 0:10 == 47.1
11/21/19 0:15 == 47.1
11/21/19 0:20 == 47.2
11/21/19 0:25 == 47.1
11/21/19 0:30 == 47.1
11/21/19 0:35 == 47.1
11/21/19 0:40 == 47
11/21/19 0:45 == 47.1
11/21/19 0:50 == 47.1
11/21/19 0:55 == 47.2
11/21/19 1:00 == 47
11/21/19 1:05 == 47.1
11/21/19 1:10 == 47.1
11/21/19 1:15 == 47
11/21/19 1:20 == 47.1
11/21/19 1:25 == 47
11/21/19 1:30 == 47.1
11/21/19 1:35 == 47.1
11/21/19 1:40 == 47
11/21/19 1:45 == 47
11/21/19 1:50 == 47.1
11/21/19 1:55 == 47
11/21/19 2:00 == 47.1
11/21/19 2:05 == 47.2
11/21/19 2:10 == 47.1
11/21/19 2:15 == 47
11/21/19 2:20 == 47.1
11/21/19 2:25 == 47.2
11/21/19 2:30 == 47
11/21/19 2:35 == 47
11/21/19 2:40 == 47.1
11/21/19 2:45 == 47.1
11/21/19 2:50 == 47.1
11/21/19 2:55 == 47.2
11/21/19 3:00 == 47.1
11/21/19 3:05 == 47.2
11/21/19 3:10 == 47
11/21/19 3:15 == 47.1
11/21/19 3:20 == 47
11/21/19 3:25 == 47.1
11/21/19 3:30 == 47.1
11/21/19 3:35 == 47
11/21/19 3:40 == 47.1
11/21/19 3:45 == 47.2
11/21/19 3:50 == 47.1
11/21/19 3:55 == 47.2
11/21/19 4:00 == 47.1
11/21/19 4:05 == 47.1
11/21/19 4:10 == 47.1
11/21/19 4:15 == 47.1
11/21/19 4:20 == 47
11/21/19 4:25 == 47.1
11/21/19 4:30 == 47.1
11/21/19 4:35 == 47.1
11/21/19 4:40 == 47.2
11/21/19 4:45 == 47
11/21/19 4:50 == 47.1
11/21/19 4:55 == 47
11/21/19 5:00 == 47.1
11/21/19 5:05 == 47
11/21/19 5:10 == 47.1
11/21/19 5:15 == 47.1
11/21/19 5:20 == 47
11/21/19 5:25 == 47
11/21/19 5:30 == 47
11/21/19 5:35 == 47
11/21/19 5:40 == 47.1
11/21/19 5:45 == 47.1
11/21/19 5:50 == 47
11/21/19 5:55 == 47.1
11/21/19 6:00 == 47.1
11/21/19 6:05 == 47.1
11/21/19 6:10 == 47.2
11/21/19 6:15 == 47.1
11/21/19 6:20 == 47.1
11/21/19 6:25 == 47
11/21/19 6:30 == 47
11/21/19 6:35 == 47.1
11/21/19 6:40 == 47.1
11/21/19 6:45 == 47.1
11/21/19 6:50 == 47
11/21/19 6:55 == 47.2
11/21/19 7:00 == 47.1
11/21/19 7:05 == 47.1
11/21/19 7:10 == 47
11/21/19 7:15 == 47.1
11/21/19 7:20 == 47
11/21/19 7:25 == 47.2
11/21/19 7:30 == 47.1
11/21/19 7:35 == 47.3
11/21/19 7:40 == 47.1
11/21/19 7:45 == 47.1
11/21/19 7:50 == 47.1
11/21/19 7:55 == 47.1
11/21/19 8:00 == 47.1
11/21/19 8:05 == 47.1
11/21/19 8:10 == 47.2
11/21/19 8:15 == 47.1
11/21/19 8:20 == 47.1
11/21/19 8:25 == 47.2
11/21/19 8:30 == 47.2
11/21/19 8:35 == 47.2
11/21/19 8:40 == 47.1
11/21/19 8:45 == 47.1
11/21/19 8:50 == 47.2
11/21/19 8:55 == 47.2
11/21/19 9:00 == 47.1
11/21/19 9:05 == 47.1
11/21/19 9:10 == 47.1
11/21/19 9:15 == 47.2
11/21/19 9:20 == 47.1
11/21/19 9:25 == 47.1
11/21/19 9:30 == 47.2
11/21/19 9:35 == 47
11/21/19 9:40 == 47.2
11/21/19 9:45 == 47
11/21/19 9:50 == 47.1
11/21/19 9:55 == 47.2
11/21/19 10:00 == 47.4
11/21/19 10:05 == 47.3
11/21/19 10:10 == 47.5
11/21/19 10:15 == 47.3
11/21/19 10:20 == 47
11/21/19 10:25 == 47
11/21/19 10:30 == 47.1
11/21/19 10:35 == 47.1
11/21/19 10:40 == 47.1
11/21/19 10:45 == 47.1
11/21/19 10:50 == 47
11/21/19 10:55 == 47.1
11/21/19 11:00 == 47.2
11/21/19 11:05 == 47.1
11/21/19 11:10 == 47.1
11/21/19 11:15 == 47.1
11/21/19 11:20 == 47.2
11/21/19 11:25 == 42.7
11/21/19 11:30 == 29.5
11/21/19 11:35 == 18.5
11/21/19 11:40 == 18.7
11/21/19 11:45 == 18.6
11/21/19 11:50 == 9
11/21/19 11:55 == 0
11/21/19 12:00 == 0
11/21/19 12:05 == #
11/21/19 12:10 == 0
11/21/19 12:15 == #
11/21/19 12:20 == 0
11/21/19 12:25 == 24.2
11/21/19 12:30 == 40
11/21/19 12:35 == 43.5
11/21/19 12:40 == 47.4
11/21/19 12:45 == 47.6
11/21/19 12:50 == 47.6
11/21/19 12:55 == 47.5
11/21/19 13:00 == 47.4
11/21/19 13:05 == 47.4
11/21/19 13:10 == 47.6
11/21/19 13:15 == 47.4
11/21/19 13:20 == 47.4
11/21/19 13:25 == 47.4
11/21/19 13:30 == 47.5
11/21/19 13:35 == 47.4
11/21/19 13:40 == 47.7
11/21/19 13:45 == 47.2
11/21/19 13:50 == 47.5
11/21/19 13:55 == 47
11/21/19 14:00 == 37.1
11/21/19 14:05 == 46.7
11/21/19 14:10 == 47.6
11/21/19 14:15 == 47.2
11/21/19 14:20 == 47.4
11/21/19 14:25 == 47.3
11/21/19 14:30 == 47.4
11/21/19 14:35 == 47.4
11/21/19 14:40 == 47.4
11/21/19 14:45 == 47.5
11/21/19 14:50 == 47.4
11/21/19 14:55 == 47.3

Pumpback Station Discharge (0364)

11/21/19 15:00 == 47.5
11/21/19 15:05 == 47.3
11/21/19 15:10 == 47.6
11/21/19 15:15 == 47.4
11/21/19 15:20 == 47.4
11/21/19 15:25 == 47.4
11/21/19 15:30 == 47.5
11/21/19 15:35 == 47.4
11/21/19 15:40 == 47.4
11/21/19 15:45 == 47.4
11/21/19 15:50 == 47.4
11/21/19 15:55 == 47.4
11/21/19 16:00 == 47.4
11/21/19 16:05 == 47.3
11/21/19 16:10 == 47.4
11/21/19 16:15 == 47.4
11/21/19 16:20 == 47.4
11/21/19 16:25 == 47.5
11/21/19 16:30 == 47.4
11/21/19 16:35 == 47.4
11/21/19 16:40 == 47.3
11/21/19 16:45 == 47.5
11/21/19 16:50 == 47.3
11/21/19 16:55 == 47.4
11/21/19 17:00 == 47.4
11/21/19 17:05 == 47.3
11/21/19 17:10 == 47.3
11/21/19 17:15 == 47.4
11/21/19 17:20 == 47.4
11/21/19 17:25 == 47.4
11/21/19 17:30 == 47.4
11/21/19 17:35 == 47.5
11/21/19 17:40 == 47.5
11/21/19 17:45 == 47.3
11/21/19 17:50 == 47.5
11/21/19 17:55 == 47.5
11/21/19 18:00 == 47.4
11/21/19 18:05 == 47.4
11/21/19 18:10 == 47.4
11/21/19 18:15 == 47.4
11/21/19 18:20 == 47.4
11/21/19 18:25 == 47.5
11/21/19 18:30 == 47.4
11/21/19 18:35 == 47.3
11/21/19 18:40 == 47.4
11/21/19 18:45 == 47.3
11/21/19 18:50 == 47.4
11/21/19 18:55 == 47.4
11/21/19 19:00 == 47.4
11/21/19 19:05 == 47.5
11/21/19 19:10 == 47.5
11/21/19 19:15 == 47.3
11/21/19 19:20 == 47.5
11/21/19 19:25 == 47.3
11/21/19 19:30 == 47.4
11/21/19 19:35 == 47.5
11/21/19 19:40 == 47.5
11/21/19 19:45 == 47.4
11/21/19 19:50 == 47.5
11/21/19 19:55 == 47.4
11/21/19 20:00 == 47.4
11/21/19 20:05 == 47.4
11/21/19 20:10 == 47.4
11/21/19 20:15 == 47.5
11/21/19 20:20 == 47.3
11/21/19 20:25 == 47.5
11/21/19 20:30 == 47.4
11/21/19 20:35 == 47.5
11/21/19 20:40 == 47.4
11/21/19 20:45 == 47.5
11/21/19 20:50 == 47.5
11/21/19 20:55 == 47.3
11/21/19 21:00 == 47.5
11/21/19 21:05 == 47.4
11/21/19 21:10 == 47.3
11/21/19 21:15 == 47.4
11/21/19 21:20 == 47.5
11/21/19 21:25 == 47.4
11/21/19 21:30 == 47.5
11/21/19 21:35 == 47.5
11/21/19 21:40 == 47.4
11/21/19 21:45 == 47.5
11/21/19 21:50 == 47.3
11/21/19 21:55 == 47.5
11/21/19 22:00 == 47.4
11/21/19 22:05 == 47.3
11/21/19 22:10 == 47.6
11/21/19 22:15 == 47.5
11/21/19 22:20 == 47.4
11/21/19 22:25 == 47.4
11/21/19 22:30 == 47.4
11/21/19 22:35 == 47.5
11/21/19 22:40 == 47.4
11/21/19 22:45 == 47.5
11/21/19 22:50 == 47.4
11/21/19 22:55 == 47.4
11/21/19 23:00 == 47.3
11/21/19 23:05 == 47.5
11/21/19 23:10 == 47.5
11/21/19 23:15 == 47.3
11/21/19 23:20 == 47.4
11/21/19 23:25 == 47.5
11/21/19 23:30 == 47.4
11/21/19 23:35 == 47.5
11/21/19 23:40 == 47.4
11/21/19 23:45 == 47.4
11/21/19 23:50 == 47.5
11/21/19 23:55 == 47.4
11/22/19 0:00 == 47.5
11/22/19 0:05 == 47.4
11/22/19 0:10 == 47.5
11/22/19 0:15 == 47.4
11/22/19 0:20 == 47.4
11/22/19 0:25 == 47.4
11/22/19 0:30 == 47.5
11/22/19 0:35 == 47.3
11/22/19 0:40 == 47.5
11/22/19 0:45 == 47.4
11/22/19 0:50 == 47.5
11/22/19 0:55 == 47.4
11/22/19 1:00 == 47.5
11/22/19 1:05 == 47.5
11/22/19 1:10 == 47.4
11/22/19 1:15 == 47.5
11/22/19 1:20 == 47.4
11/22/19 1:25 == 47.6
11/22/19 1:30 == 47.4
11/22/19 1:35 == 47.5
11/22/19 1:40 == 47.4
11/22/19 1:45 == 47.4
11/22/19 1:50 == 47.5
11/22/19 1:55 == 47.4
11/22/19 2:00 == 47.4
11/22/19 2:05 == 47.4
11/22/19 2:10 == 47.5
11/22/19 2:15 == 47.5
11/22/19 2:20 == 47.5
11/22/19 2:25 == 47.4
11/22/19 2:30 == 47.4
11/22/19 2:35 == 47.4
11/22/19 2:40 == 47.5
11/22/19 2:45 == 47.5
11/22/19 2:50 == 47.4
11/22/19 2:55 == 47.4
11/22/19 3:00 == 47.4
11/22/19 3:05 == 47.5
11/22/19 3:10 == 47.4
11/22/19 3:15 == 47.5
11/22/19 3:20 == 47.5
11/22/19 3:25 == 47.4
11/22/19 3:30 == 47.4
11/22/19 3:35 == 47.4
11/22/19 3:40 == 47.4
11/22/19 3:45 == 47.4
11/22/19 3:50 == 47.5
11/22/19 3:55 == 47.6
11/22/19 4:00 == 47.5
11/22/19 4:05 == 47.4
11/22/19 4:10 == 47.4
11/22/19 4:15 == 47.4
11/22/19 4:20 == 47.5
11/22/19 4:25 == 47.5
11/22/19 4:30 == 47.5
11/22/19 4:35 == 47.5
11/22/19 4:40 == 47.5
11/22/19 4:45 == 47.6
11/22/19 4:50 == 47.5
11/22/19 4:55 == 47.4
11/22/19 5:00 == 47.5
11/22/19 5:05 == 47.5
11/22/19 5:10 == 47.6
11/22/19 5:15 == 47.5
11/22/19 5:20 == 47.5
11/22/19 5:25 == 47.5
11/22/19 5:30 == 47.4
11/22/19 5:35 == 47.4
11/22/19 5:40 == 47.4
11/22/19 5:45 == 47.6
11/22/19 5:50 == 47.4
11/22/19 5:55 == 47.5
11/22/19 6:00 == 47.4
11/22/19 6:05 == 47.5
11/22/19 6:10 == 47.4
11/22/19 6:15 == 47.4
11/22/19 6:20 == 47.6
11/22/19 6:25 == 47.5
11/22/19 6:30 == 47.4
11/22/19 6:35 == 47.4
11/22/19 6:40 == 47.4
11/22/19 6:45 == 47.4
11/22/19 6:50 == 47.4
11/22/19 6:55 == 47.5
11/22/19 7:00 == 47.4
11/22/19 7:05 == 47.4
11/22/19 7:10 == 47.5
11/22/19 7:15 == 47.5
11/22/19 7:20 == 47.5
11/22/19 7:25 == 47.5
11/22/19 7:30 == 47.4
11/22/19 7:35 == 47.4
11/22/19 7:40 == 47.5
11/22/19 7:45 == 47.5
11/22/19 7:50 == 47.4
11/22/19 7:55 == 47.5
11/22/19 8:00 == 47.4
11/22/19 8:05 == 47.5
11/22/19 8:10 == 47.6
11/22/19 8:15 == 47.5
11/22/19 8:20 == 47.5
11/22/19 8:25 == 47.5
11/22/19 8:30 == 47.6
11/22/19 8:35 == 47.6
11/22/19 8:40 == 47.5
11/22/19 8:45 == 47.6
11/22/19 8:50 == 47.5
11/22/19 8:55 == 47.4
11/22/19 9:00 == 47.6
11/22/19 9:05 == 47.5
11/22/19 9:10 == 47.5
11/22/19 9:15 == 47.5

Pumpback Station Discharge (0364)

11/22/19 9:20 == 47.5
11/22/19 9:25 == 47.5
11/22/19 9:30 == 47.6
11/22/19 9:35 == 47.6
11/22/19 9:40 == 47.5
11/22/19 9:45 == 47.5
11/22/19 9:50 == 47.5
11/22/19 9:55 == 47.5
11/22/19 10:00 == 47.5
11/22/19 10:05 == 47.5
11/22/19 10:10 == 47.4
11/22/19 10:15 == 47.4
11/22/19 10:20 == 47.4
11/22/19 10:25 == 47.4
11/22/19 10:30 == 47.5
11/22/19 10:35 == 47.4
11/22/19 10:40 == 47.5
11/22/19 10:45 == 47.6
11/22/19 10:50 == 47.5
11/22/19 10:55 == 47.5
11/22/19 11:00 == 47.6
11/22/19 11:05 == 47.5
11/22/19 11:10 == 47.4
11/22/19 11:15 == 47.5
11/22/19 11:20 == 47.6
11/22/19 11:25 == 47.3
11/22/19 11:30 == 47.3
11/22/19 11:35 == 47.5
11/22/19 11:40 == 47.4
11/22/19 11:45 == 47.4
11/22/19 11:50 == 47.5
11/22/19 11:55 == 47.5
11/22/19 12:00 == 47.4
11/22/19 12:05 == 47.5
11/22/19 12:10 == 47.4
11/22/19 12:15 == 47.5
11/22/19 12:20 == 47.3
11/22/19 12:25 == 47.5
11/22/19 12:30 == 47.4
11/22/19 12:35 == 47.4
11/22/19 12:40 == 47.4
11/22/19 12:45 == 47.5
11/22/19 12:50 == 47.5
11/22/19 12:55 == 47.4
11/22/19 13:00 == 47.5
11/22/19 13:05 == 47.5
11/22/19 13:10 == 47.5
11/22/19 13:15 == 47.4
11/22/19 13:20 == 47.5
11/22/19 13:25 == 47.5
11/22/19 13:30 == 47.4
11/22/19 13:35 == 47.5
11/22/19 13:40 == 47.6
11/22/19 13:45 == 47.4
11/22/19 13:50 == 47.4
11/22/19 13:55 == 47.5
11/22/19 14:00 == 47.4
11/22/19 14:05 == 47.5
11/22/19 14:10 == 47.4
11/22/19 14:15 == 47.5
11/22/19 14:20 == 47.5
11/22/19 14:25 == 47.4
11/22/19 14:30 == 47.7
11/22/19 14:35 == 47.7
11/22/19 14:40 == 47.8
11/22/19 14:45 == 47.7
11/22/19 14:50 == 47.7
11/22/19 14:55 == 47.6
11/22/19 15:00 == 47.6
11/22/19 15:05 == 47.3
11/22/19 15:10 == 47.5
11/22/19 15:15 == 47.5
11/22/19 15:20 == 47.5
11/22/19 15:25 == 47.5
11/22/19 15:30 == 47.4
11/22/19 15:35 == 47.4
11/22/19 15:40 == 47.5
11/22/19 15:45 == 47.5
11/22/19 15:50 == 47.5
11/22/19 15:55 == 47.4
11/22/19 16:00 == 47.5
11/22/19 16:05 == 47.4
11/22/19 16:10 == 47.4
11/22/19 16:15 == 47.4
11/22/19 16:20 == 47.4
11/22/19 16:25 == 47.5
11/22/19 16:30 == 47.5
11/22/19 16:35 == 47.5
11/22/19 16:40 == 47.4
11/22/19 16:45 == 47.5
11/22/19 16:50 == 47.4
11/22/19 16:55 == 47.5
11/22/19 17:00 == 47.5
11/22/19 17:05 == 47.6
11/22/19 17:10 == 47.4
11/22/19 17:15 == 47.5
11/22/19 17:20 == 47.4
11/22/19 17:25 == 47.6
11/22/19 17:30 == 47.5
11/22/19 17:35 == 47.5
11/22/19 17:40 == 47.4
11/22/19 17:45 == 47.5
11/22/19 17:50 == 47.4
11/22/19 17:55 == 47.4
11/22/19 18:00 == 47.5
11/22/19 18:05 == 47.4
11/22/19 18:10 == 47.5
11/22/19 18:15 == 47.5
11/22/19 18:20 == 47.5
11/22/19 18:25 == 47.5
11/22/19 18:30 == 47.5
11/22/19 18:35 == 47.6
11/22/19 18:40 == 47.5
11/22/19 18:45 == 47.6
11/22/19 18:50 == 47.5
11/22/19 18:55 == 47.5
11/22/19 19:00 == 47.6
11/22/19 19:05 == 47.4
11/22/19 19:10 == 47.5
11/22/19 19:15 == 47.5
11/22/19 19:20 == 47.5
11/22/19 19:25 == 47.5
11/22/19 19:30 == 47.6
11/22/19 19:35 == 47.5
11/22/19 19:40 == 47.6
11/22/19 19:45 == 47.4
11/22/19 19:50 == 47.5
11/22/19 19:55 == 47.5
11/22/19 20:00 == 47.5
11/22/19 20:05 == 47.5
11/22/19 20:10 == 47.5
11/22/19 20:15 == 47.5
11/22/19 20:20 == 47.5
11/22/19 20:25 == 47.5
11/22/19 20:30 == 47.5
11/22/19 20:35 == 47.6
11/22/19 20:40 == 47.5
11/22/19 20:45 == 47.5
11/22/19 20:50 == 47.5
11/22/19 20:55 == 47.4
11/22/19 21:00 == 47.6
11/22/19 21:05 == 47.5
11/22/19 21:10 == 47.5
11/22/19 21:15 == 47.6
11/22/19 21:20 == 47.5
11/22/19 21:25 == 47.5
11/22/19 21:30 == 47.4
11/22/19 21:35 == 47.5
11/22/19 21:40 == 47.4
11/22/19 21:45 == 47.6
11/22/19 21:50 == 47.4
11/22/19 21:55 == 47.5
11/22/19 22:00 == 47.4
11/22/19 22:05 == 47.4
11/22/19 22:10 == 47.6
11/22/19 22:15 == 47.6
11/22/19 22:20 == 47.4
11/22/19 22:25 == 47.5
11/22/19 22:30 == 47.5
11/22/19 22:35 == 47.5
11/22/19 22:40 == 47.5
11/22/19 22:45 == 47.5
11/22/19 22:50 == 47.5
11/22/19 22:55 == 47.5
11/22/19 23:00 == 47.5
11/22/19 23:05 == 47.5
11/22/19 23:10 == 47.5
11/22/19 23:15 == 47.4
11/22/19 23:20 == 47.5
11/22/19 23:25 == 47.5
11/22/19 23:30 == 47.6
11/22/19 23:35 == 47.5
11/22/19 23:40 == 47.6
11/22/19 23:45 == 47.5
11/22/19 23:50 == 47.6
11/22/19 23:55 == 47.5
11/23/19 0:00 == 47.7
11/23/19 0:05 == 47.4
11/23/19 0:10 == 47.4
11/23/19 0:15 == 47.4
11/23/19 0:20 == 47.5
11/23/19 0:25 == 47.5
11/23/19 0:30 == 47.5
11/23/19 0:35 == 47.5
11/23/19 0:40 == 47.5
11/23/19 0:45 == 47.6
11/23/19 0:50 == 47.4
11/23/19 0:55 == 47.5
11/23/19 1:00 == 47.4
11/23/19 1:05 == 47.6
11/23/19 1:10 == 47.5
11/23/19 1:15 == 47.5
11/23/19 1:20 == 47.6
11/23/19 1:25 == 47.5
11/23/19 1:30 == 47.5
11/23/19 1:35 == 47.5
11/23/19 1:40 == 47.5
11/23/19 1:45 == 47.4
11/23/19 1:50 == 47.5
11/23/19 1:55 == 47.4
11/23/19 2:00 == 47.5
11/23/19 2:05 == 47.6
11/23/19 2:10 == 47.4
11/23/19 2:15 == 47.5
11/23/19 2:20 == 47.5
11/23/19 2:25 == 47.6
11/23/19 2:30 == 47.5
11/23/19 2:35 == 47.6
11/23/19 2:40 == 47.5
11/23/19 2:45 == 47.4
11/23/19 2:50 == 47.4
11/23/19 2:55 == 47.4
11/23/19 3:00 == 47.3
11/23/19 3:05 == 47.5
11/23/19 3:10 == 47.4
11/23/19 3:15 == 47.4
11/23/19 3:20 == 47.5
11/23/19 3:25 == 47.5
11/23/19 3:30 == 47.5
11/23/19 3:35 == 47.4

Pumpback Station Discharge (0364)

11/23/19 3:40 == 47.4
11/23/19 3:45 == 47.4
11/23/19 3:50 == 47.5
11/23/19 3:55 == 47.5
11/23/19 4:00 == 47.5
11/23/19 4:05 == 47.5
11/23/19 4:10 == 47.4
11/23/19 4:15 == 47.4
11/23/19 4:20 == 47.6
11/23/19 4:25 == 47.5
11/23/19 4:30 == 47.5
11/23/19 4:35 == 47.4
11/23/19 4:40 == 47.5
11/23/19 4:45 == 47.5
11/23/19 4:50 == 47.5
11/23/19 4:55 == 47.5
11/23/19 5:00 == 47.5
11/23/19 5:05 == 47.3
11/23/19 5:10 == 47.5
11/23/19 5:15 == 47.4
11/23/19 5:20 == 47.4
11/23/19 5:25 == 47.4
11/23/19 5:30 == 47.5
11/23/19 5:35 == 47.4
11/23/19 5:40 == 47.5
11/23/19 5:45 == 47.4
11/23/19 5:50 == 47.4
11/23/19 5:55 == 47.5
11/23/19 6:00 == 47.5
11/23/19 6:05 == 47.6
11/23/19 6:10 == 47.5
11/23/19 6:15 == 47.3
11/23/19 6:20 == 47.5
11/23/19 6:25 == 47.6
11/23/19 6:30 == 47.5
11/23/19 6:35 == 47.6
11/23/19 6:40 == 47.5
11/23/19 6:45 == 47.5
11/23/19 6:50 == 47.6
11/23/19 6:55 == 47.5
11/23/19 7:00 == 47.6
11/23/19 7:05 == 47.4
11/23/19 7:10 == 47.5
11/23/19 7:15 == 47.6
11/23/19 7:20 == 47.5
11/23/19 7:25 == 47.5
11/23/19 7:30 == 47.4
11/23/19 7:35 == 47.6
11/23/19 7:40 == 47.4
11/23/19 7:45 == 47.5
11/23/19 7:50 == 47.5
11/23/19 7:55 == 47.7
11/23/19 8:00 == 47.7
11/23/19 8:05 == 47.8
11/23/19 8:10 == 47.7
11/23/19 8:15 == 47.8
11/23/19 8:20 == 47.7
11/23/19 8:25 == 47.6
11/23/19 8:30 == 47.5
11/23/19 8:35 == 47.6
11/23/19 8:40 == 47.4
11/23/19 8:45 == 47.5
11/23/19 8:50 == 47.5
11/23/19 8:55 == 47.5
11/23/19 9:00 == 47.5
11/23/19 9:05 == 47.6
11/23/19 9:10 == 47.5
11/23/19 9:15 == 47.4
11/23/19 9:20 == 47.5
11/23/19 9:25 == 47.5
11/23/19 9:30 == 47.5
11/23/19 9:35 == 47.5
11/23/19 9:40 == 47.5
11/23/19 9:45 == 47.5
11/23/19 9:50 == 47.5
11/23/19 9:55 == 47.4
11/23/19 10:00 == 47.4
11/23/19 10:05 == 47.4
11/23/19 10:10 == 47.4
11/23/19 10:15 == 47.6
11/23/19 10:20 == 47.6
11/23/19 10:25 == 47.7
11/23/19 10:30 == 38.1
11/23/19 10:35 == 46
11/23/19 10:40 == 47.8
11/23/19 10:45 == 47.9
11/23/19 10:50 == 47.3
11/23/19 10:55 == 47.6
11/23/19 11:00 == 47.5
11/23/19 11:05 == 47.6
11/23/19 11:10 == 47.6
11/23/19 11:15 == 47.5
11/23/19 11:20 == 47.4
11/23/19 11:25 == 47.5
11/23/19 11:30 == 47.5
11/23/19 11:35 == 47.5
11/23/19 11:40 == 47.6
11/23/19 11:45 == 47.5
11/23/19 11:50 == 47.5
11/23/19 11:55 == 47.5
11/23/19 12:00 == 47.6
11/23/19 12:05 == 47.6
11/23/19 12:10 == 47.5
11/23/19 12:15 == 47.6
11/23/19 12:20 == 47.4
11/23/19 12:25 == 47.5
11/23/19 12:30 == 47.6
11/23/19 12:35 == 47.6
11/23/19 12:40 == 47.5
11/23/19 12:45 == 47.4
11/23/19 12:50 == 47.6
11/23/19 12:55 == 47.5
11/23/19 13:00 == 47.4
11/23/19 13:05 == 47.5
11/23/19 13:10 == 47.5
11/23/19 13:15 == 47.5
11/23/19 13:20 == 47.5
11/23/19 13:25 == 47.5
11/23/19 13:30 == 47.6
11/23/19 13:35 == 41.8
11/23/19 13:40 == 42.5
11/23/19 13:45 == 47.7
11/23/19 13:50 == 47.6
11/23/19 13:55 == 47.7
11/23/19 14:00 == 47.8
11/23/19 14:05 == 47.8
11/23/19 14:10 == 47.8
11/23/19 14:15 == 47.8
11/23/19 14:20 == 47.3
11/23/19 14:25 == 47.4
11/23/19 14:30 == 47.6
11/23/19 14:35 == 47.5
11/23/19 14:40 == 47.5
11/23/19 14:45 == 47.4
11/23/19 14:50 == 47.5
11/23/19 14:55 == 47.5
11/23/19 15:00 == 47.6
11/23/19 15:05 == 47.6
11/23/19 15:10 == 47.7
11/23/19 15:15 == 47.6
11/23/19 15:20 == 47.7
11/23/19 15:25 == 47.6
11/23/19 15:30 == 47.7
11/23/19 15:35 == 47.7
11/23/19 15:40 == 47.6
11/23/19 15:45 == 47.9
11/23/19 15:50 == 47.5
11/23/19 15:55 == 47.8
11/23/19 16:00 == 47.7
11/23/19 16:05 == 47.5
11/23/19 16:10 == 46.2
11/23/19 16:15 == 38.2
11/23/19 16:20 == 47.5
11/23/19 16:25 == 47.7
11/23/19 16:30 == 47.8
11/23/19 16:35 == 47.7
11/23/19 16:40 == 47.6
11/23/19 16:45 == 47.6
11/23/19 16:50 == 47.7
11/23/19 16:55 == 47.7
11/23/19 17:00 == 47.6
11/23/19 17:05 == 47.8
11/23/19 17:10 == 47.7
11/23/19 17:15 == 47.8
11/23/19 17:20 == 47.7
11/23/19 17:25 == 47.9
11/23/19 17:30 == 47.8
11/23/19 17:35 == 47.6
11/23/19 17:40 == 47.6
11/23/19 17:45 == 47.6
11/23/19 17:50 == 47.6
11/23/19 17:55 == 47.8
11/23/19 18:00 == 47.8
11/23/19 18:05 == 47.6
11/23/19 18:10 == 47.6
11/23/19 18:15 == 48
11/23/19 18:20 == 47.7
11/23/19 18:25 == 47.6
11/23/19 18:30 == 47.7
11/23/19 18:35 == 47.6
11/23/19 18:40 == 47.8
11/23/19 18:45 == 47.8
11/23/19 18:50 == 47.7
11/23/19 18:55 == 47.7
11/23/19 19:00 == 47.7
11/23/19 19:05 == 47.5
11/23/19 19:10 == 47.7
11/23/19 19:15 == 47.7
11/23/19 19:20 == 47.7
11/23/19 19:25 == 47.8
11/23/19 19:30 == 47.9
11/23/19 19:35 == 47.7
11/23/19 19:40 == 47.6
11/23/19 19:45 == 47.6
11/23/19 19:50 == 47.7
11/23/19 19:55 == 47.6
11/23/19 20:00 == 47.7
11/23/19 20:05 == 47.6
11/23/19 20:10 == 47.8
11/23/19 20:15 == 47.7
11/23/19 20:20 == 47.7
11/23/19 20:25 == 47.5
11/23/19 20:30 == 47.7
11/23/19 20:35 == 47.6
11/23/19 20:40 == 47.7
11/23/19 20:45 == 47.7
11/23/19 20:50 == 47.6
11/23/19 20:55 == 47.7
11/23/19 21:00 == 47.5
11/23/19 21:05 == 47.7
11/23/19 21:10 == 47.6
11/23/19 21:15 == 47.6
11/23/19 21:20 == 47.7
11/23/19 21:25 == 47.6
11/23/19 21:30 == 47.6
11/23/19 21:35 == 47.6
11/23/19 21:40 == 47.7
11/23/19 21:45 == 47.8
11/23/19 21:50 == 47.7
11/23/19 21:55 == 47.7

Pumpback Station Discharge (0364)

11/23/19 22:00 == 47.7
11/23/19 22:05 == 47.6
11/23/19 22:10 == 47.6
11/23/19 22:15 == 47.5
11/23/19 22:20 == 47.8
11/23/19 22:25 == 47.7
11/23/19 22:30 == 47.7
11/23/19 22:35 == 47.7
11/23/19 22:40 == 47.8
11/23/19 22:45 == 47.7
11/23/19 22:50 == 47.8
11/23/19 22:55 == 47.6
11/23/19 23:00 == 47.7
11/23/19 23:05 == 47.7
11/23/19 23:10 == 47.6
11/23/19 23:15 == 47.6
11/23/19 23:20 == 47.6
11/23/19 23:25 == 47.7
11/23/19 23:30 == 47.6
11/23/19 23:35 == 47.7
11/23/19 23:40 == 47.6
11/23/19 23:45 == 47.7
11/23/19 23:50 == 47.7
11/23/19 23:55 == 47.7
11/24/19 0:00 == 47.7
11/24/19 0:05 == 47.6
11/24/19 0:10 == 47.8
11/24/19 0:15 == 47.6
11/24/19 0:20 == 47.7
11/24/19 0:25 == 47.7
11/24/19 0:30 == 47.8
11/24/19 0:35 == 47.6
11/24/19 0:40 == 47.8
11/24/19 0:45 == 47.8
11/24/19 0:50 == 47.7
11/24/19 0:55 == 47.7
11/24/19 1:00 == 47.8
11/24/19 1:05 == 47.6
11/24/19 1:10 == 47.7
11/24/19 1:15 == 47.7
11/24/19 1:20 == 47.6
11/24/19 1:25 == 47.7
11/24/19 1:30 == 47.7
11/24/19 1:35 == 47.6
11/24/19 1:40 == 47.7
11/24/19 1:45 == 47.8
11/24/19 1:50 == 47.6
11/24/19 1:55 == 47.7
11/24/19 2:00 == 47.6
11/24/19 2:05 == 47.6
11/24/19 2:10 == 47.6
11/24/19 2:15 == 47.8
11/24/19 2:20 == 47.7
11/24/19 2:25 == 47.7
11/24/19 2:30 == 47.7
11/24/19 2:35 == 47.8
11/24/19 2:40 == 47.8
11/24/19 2:45 == 47.8
11/24/19 2:50 == 47.5
11/24/19 2:55 == 47.6
11/24/19 3:00 == 47.8
11/24/19 3:05 == 47.6
11/24/19 3:10 == 47.8
11/24/19 3:15 == 47.7
11/24/19 3:20 == 47.4
11/24/19 3:25 == 47.8
11/24/19 3:30 == 47.8
11/24/19 3:35 == 47.6
11/24/19 3:40 == 47.8
11/24/19 3:45 == 47.7
11/24/19 3:50 == 47.6
11/24/19 3:55 == 47.7
11/24/19 4:00 == 47.7
11/24/19 4:05 == 47.8
11/24/19 4:10 == 48
11/24/19 4:15 == 47.8
11/24/19 4:20 == 47.5
11/24/19 4:25 == 47.8
11/24/19 4:30 == 47.7
11/24/19 4:35 == 47.7
11/24/19 4:40 == 47.7
11/24/19 4:45 == 47.7
11/24/19 4:50 == 47.7
11/24/19 4:55 == 47.9
11/24/19 5:00 == 47.7
11/24/19 5:05 == 47.8
11/24/19 5:10 == 47.9
11/24/19 5:15 == 47.9
11/24/19 5:20 == 47.5
11/24/19 5:25 == 47.8
11/24/19 5:30 == 47.7
11/24/19 5:35 == 47.7
11/24/19 5:40 == 47.8
11/24/19 5:45 == 47.8
11/24/19 5:50 == 47.9
11/24/19 5:55 == 45.3
11/24/19 6:00 == 39.7
11/24/19 6:05 == 48
11/24/19 6:10 == 48
11/24/19 6:15 == 47.8
11/24/19 6:20 == 47.8
11/24/19 6:25 == 47.7
11/24/19 6:30 == 47.6
11/24/19 6:35 == 47.7
11/24/19 6:40 == 47.7
11/24/19 6:45 == 47.7
11/24/19 6:50 == 47.8
11/24/19 6:55 == 47.7
11/24/19 7:00 == 47.7
11/24/19 7:05 == 47.6
11/24/19 7:10 == 47.7
11/24/19 7:15 == 46.5
11/24/19 7:20 == 38.4
11/24/19 7:25 == 47.6
11/24/19 7:30 == 47.7
11/24/19 7:35 == 47.9
11/24/19 7:40 == 48
11/24/19 7:45 == 47.9
11/24/19 7:50 == 47.9
11/24/19 7:55 == 48
11/24/19 8:00 == 48
11/24/19 8:05 == 47.7
11/24/19 8:10 == 47.9
11/24/19 8:15 == 46.4
11/24/19 8:20 == 38.5
11/24/19 8:25 == 40.9
11/24/19 8:30 == 43.5
11/24/19 8:35 == 47.5
11/24/19 8:40 == 47.8
11/24/19 8:45 == 47.9
11/24/19 8:50 == 47.8
11/24/19 8:55 == 47.9
11/24/19 9:00 == 47.9
11/24/19 9:05 == 41.1
11/24/19 9:10 == 43.3
11/24/19 9:15 == 47.5
11/24/19 9:20 == 47.9
11/24/19 9:25 == 47.8
11/24/19 9:30 == 47.9
11/24/19 9:35 == 47.8
11/24/19 9:40 == 47.9
11/24/19 9:45 == 47.7
11/24/19 9:50 == 48
11/24/19 9:55 == 47.7
11/24/19 10:00 == 47.9
11/24/19 10:05 == 48
11/24/19 10:10 == 44.8
11/24/19 10:15 == 40.3
11/24/19 10:20 == 40
11/24/19 10:25 == 45
11/24/19 10:30 == 48
11/24/19 10:35 == 48
11/24/19 10:40 == 47.9
11/24/19 10:45 == 47.7
11/24/19 10:50 == 42.9
11/24/19 10:55 == 42.1
11/24/19 11:00 == 47.7
11/24/19 11:05 == 47.9
11/24/19 11:10 == 48
11/24/19 11:15 == 47.9
11/24/19 11:20 == 47.9
11/24/19 11:25 == 47.9
11/24/19 11:30 == 47.8
11/24/19 11:35 == 47.7
11/24/19 11:40 == 47.8
11/24/19 11:45 == 47.9
11/24/19 11:50 == 47.8
11/24/19 11:55 == 47.9
11/24/19 12:00 == 47.7
11/24/19 12:05 == 47.8
11/24/19 12:10 == 47.8
11/24/19 12:15 == 47.6
11/24/19 12:20 == 47.7
11/24/19 12:25 == 47.9
11/24/19 12:30 == 47.8
11/24/19 12:35 == 47.9
11/24/19 12:40 == 44.3
11/24/19 12:45 == 40.7
11/24/19 12:50 == 47.9
11/24/19 12:55 == 48
11/24/19 13:00 == 47.8
11/24/19 13:05 == 47.9
11/24/19 13:10 == 48
11/24/19 13:15 == 47.9
11/24/19 13:20 == 47.6
11/24/19 13:25 == 47.8
11/24/19 13:30 == 47.9
11/24/19 13:35 == 47.7
11/24/19 13:40 == 47.9
11/24/19 13:45 == 47.7
11/24/19 13:50 == 47.9
11/24/19 13:55 == 47.8
11/24/19 14:00 == 48
11/24/19 14:05 == 47.6
11/24/19 14:10 == 47.9
11/24/19 14:15 == 47.7
11/24/19 14:20 == 47.3
11/24/19 14:25 == 47.8
11/24/19 14:30 == 48
11/24/19 14:35 == 47.9
11/24/19 14:40 == 48
11/24/19 14:45 == 48
11/24/19 14:50 == 47.8
11/24/19 14:55 == 47.8
11/24/19 15:00 == 47.4
11/24/19 15:05 == 47.9
11/24/19 15:10 == 47.7
11/24/19 15:15 == 47.6
11/24/19 15:20 == 47.7
11/24/19 15:25 == 47.9
11/24/19 15:30 == 47.9
11/24/19 15:35 == 47.7
11/24/19 15:40 == 47.9
11/24/19 15:45 == 47.8
11/24/19 15:50 == 47.8
11/24/19 15:55 == 47.9
11/24/19 16:00 == 47.8
11/24/19 16:05 == 47.9
11/24/19 16:10 == 47.9
11/24/19 16:15 == 47.8

Pumpback Station Discharge (0364)

11/24/19 16:20 == 47.9
11/24/19 16:25 == 47.9
11/24/19 16:30 == 47.9
11/24/19 16:35 == 47.9
11/24/19 16:40 == 48.1
11/24/19 16:45 == 47.8
11/24/19 16:50 == 47.8
11/24/19 16:55 == 47.8
11/24/19 17:00 == 47.6
11/24/19 17:05 == 47.9
11/24/19 17:10 == 47.8
11/24/19 17:15 == 47.8
11/24/19 17:20 == 47.5
11/24/19 17:25 == 47.8
11/24/19 17:30 == 47.8
11/24/19 17:35 == 47.7
11/24/19 17:40 == 47.8
11/24/19 17:45 == 47.8
11/24/19 17:50 == 47.8
11/24/19 17:55 == 47.9
11/24/19 18:00 == 47.9
11/24/19 18:05 == 47.7
11/24/19 18:10 == 47.8
11/24/19 18:15 == 47.7
11/24/19 18:20 == 47.5
11/24/19 18:25 == 47.8
11/24/19 18:30 == 47.7
11/24/19 18:35 == 47.6
11/24/19 18:40 == 47.9
11/24/19 18:45 == 47.9
11/24/19 18:50 == 47.8
11/24/19 18:55 == 48
11/24/19 19:00 == 47.7
11/24/19 19:05 == 47.7
11/24/19 19:10 == 47.8
11/24/19 19:15 == 45.8
11/24/19 19:20 == 39.2
11/24/19 19:25 == 47.7
11/24/19 19:30 == 47.8
11/24/19 19:35 == 47.6
11/24/19 19:40 == 47.8
11/24/19 19:45 == 47.6
11/24/19 19:50 == 47.7
11/24/19 19:55 == 47.8
11/24/19 20:00 == 47.8
11/24/19 20:05 == 47.7
11/24/19 20:10 == 47.7
11/24/19 20:15 == 47.8
11/24/19 20:20 == 47.5
11/24/19 20:25 == 47.8
11/24/19 20:30 == 47.6
11/24/19 20:35 == 47.6
11/24/19 20:40 == 47.9
11/24/19 20:45 == 47.6
11/24/19 20:50 == 47.8
11/24/19 20:55 == 47.6
11/24/19 21:00 == 47.7
11/24/19 21:05 == 47.6
11/24/19 21:10 == 47.7
11/24/19 21:15 == 47.7
11/24/19 21:20 == 47.6
11/24/19 21:25 == 47.7
11/24/19 21:30 == 47.7
11/24/19 21:35 == 47.7
11/24/19 21:40 == 48
11/24/19 21:45 == 47.8
11/24/19 21:50 == 47.8
11/24/19 21:55 == 47.8
11/24/19 22:00 == 47.5
11/24/19 22:05 == 47.8
11/24/19 22:10 == 47.8
11/24/19 22:15 == 47.8
11/24/19 22:20 == 47.9
11/24/19 22:25 == 47.8
11/24/19 22:30 == 47.6
11/24/19 22:35 == 47.8
11/24/19 22:40 == 47.9
11/24/19 22:45 == 47.8
11/24/19 22:50 == 47.8
11/24/19 22:55 == 47.9
11/24/19 23:00 == 47.8
11/24/19 23:05 == 47.8
11/24/19 23:10 == 47.8
11/24/19 23:15 == 47.7
11/24/19 23:20 == 47.9
11/24/19 23:25 == 47.6
11/24/19 23:30 == 47.7
11/24/19 23:35 == 47.8
11/24/19 23:40 == 47.8
11/24/19 23:45 == 47.7
11/24/19 23:50 == 47.8
11/24/19 23:55 == 47.6
11/25/19 0:00 == 47.7
11/25/19 0:05 == 47.7
11/25/19 0:10 == 47.8
11/25/19 0:15 == 47.7
11/25/19 0:20 == 47.8
11/25/19 0:25 == 47.7
11/25/19 0:30 == 47.8
11/25/19 0:35 == 47.6
11/25/19 0:40 == 48
11/25/19 0:45 == 47.7
11/25/19 0:50 == 47.8
11/25/19 0:55 == 47.8
11/25/19 1:00 == 47.7
11/25/19 1:05 == 47.7
11/25/19 1:10 == 47.8
11/25/19 1:15 == 47.8
11/25/19 1:20 == 47.7
11/25/19 1:25 == 47.9
11/25/19 1:30 == 47.8
11/25/19 1:35 == 47.7
11/25/19 1:40 == 47.9
11/25/19 1:45 == 47.7
11/25/19 1:50 == 47.8
11/25/19 1:55 == 47.9
11/25/19 2:00 == 47.7
11/25/19 2:05 == 47.8
11/25/19 2:10 == 47.8
11/25/19 2:15 == 47.8
11/25/19 2:20 == 47.7
11/25/19 2:25 == 48
11/25/19 2:30 == 47.8
11/25/19 2:35 == 47.6
11/25/19 2:40 == 47.7
11/25/19 2:45 == 47.5
11/25/19 2:50 == 47.7
11/25/19 2:55 == 47.8
11/25/19 3:00 == 47.8
11/25/19 3:05 == 47.6
11/25/19 3:10 == 47.7
11/25/19 3:15 == 47.4
11/25/19 3:20 == 47.5
11/25/19 3:25 == 47.8
11/25/19 3:30 == 48
11/25/19 3:35 == 47.8
11/25/19 3:40 == 48
11/25/19 3:45 == 47.8
11/25/19 3:50 == 47.8
11/25/19 3:55 == 48
11/25/19 4:00 == 47.9
11/25/19 4:05 == 47.7
11/25/19 4:10 == 47.8
11/25/19 4:15 == 47.8
11/25/19 4:20 == 47.8
11/25/19 4:25 == 47.7
11/25/19 4:30 == 47.9
11/25/19 4:35 == 47.8
11/25/19 4:40 == 47.7
11/25/19 4:45 == 47.5
11/25/19 4:50 == 48
11/25/19 4:55 == 45.5
11/25/19 5:00 == 39.1
11/25/19 5:05 == 47.8
11/25/19 5:10 == 48
11/25/19 5:15 == 47.9
11/25/19 5:20 == 47.7
11/25/19 5:25 == 47.8
11/25/19 5:30 == 47.9
11/25/19 5:35 == 47.8
11/25/19 5:40 == 47.7
11/25/19 5:45 == 48
11/25/19 5:50 == 47.8
11/25/19 5:55 == 47.7
11/25/19 6:00 == 46.2
11/25/19 6:05 == 38.8
11/25/19 6:10 == 47.9
11/25/19 6:15 == 47.7
11/25/19 6:20 == 47.8
11/25/19 6:25 == 48
11/25/19 6:30 == 47.5
11/25/19 6:35 == 47.6
11/25/19 6:40 == 47.7
11/25/19 6:45 == 47.8
11/25/19 6:50 == 47.7
11/25/19 6:55 == 47.8
11/25/19 7:00 == 48
11/25/19 7:05 == 47.7
11/25/19 7:10 == 44.2
11/25/19 7:15 == 40.9
11/25/19 7:20 == 39.3
11/25/19 7:25 == 45.6
11/25/19 7:30 == 47.8
11/25/19 7:35 == 47.9
11/25/19 7:40 == 48
11/25/19 7:45 == 47.9
11/25/19 7:50 == 47.9
11/25/19 7:55 == 47.9
11/25/19 8:00 == 47.7
11/25/19 8:05 == 47.8
11/25/19 8:10 == 48
11/25/19 8:15 == 47.7
11/25/19 8:20 == 47.4
11/25/19 8:25 == 47.8
11/25/19 8:30 == 47.9
11/25/19 8:35 == 47.8
11/25/19 8:40 == 47.9
11/25/19 8:45 == 47.7
11/25/19 8:50 == 47.8
11/25/19 8:55 == 48
11/25/19 9:00 == 47.8
11/25/19 9:05 == 47.7
11/25/19 9:10 == 48
11/25/19 9:15 == 47.8
11/25/19 9:20 == 48
11/25/19 9:25 == 48
11/25/19 9:30 == 48
11/25/19 9:35 == 48.1
11/25/19 9:40 == 47.6
11/25/19 9:45 == 48
11/25/19 9:50 == 48
11/25/19 9:55 == 48
11/25/19 10:00 == 47.8
11/25/19 10:05 == 47.9
11/25/19 10:10 == 48.1
11/25/19 10:15 == 47.5
11/25/19 10:20 == 47.8
11/25/19 10:25 == 48.1
11/25/19 10:30 == 47.9
11/25/19 10:35 == 48.1

Pumpback Station Discharge (0364)

11/25/19 10:40 == 48
11/25/19 10:45 == 44.1
11/25/19 10:50 == 40.8
11/25/19 10:55 == 47.8
11/25/19 11:00 == 47.5
11/25/19 11:05 == 37.8
11/25/19 11:10 == 47.2
11/25/19 11:15 == 47.5
11/25/19 11:20 == 47.9
11/25/19 11:25 == 47.9
11/25/19 11:30 == 47.6
11/25/19 11:35 == 47.3
11/25/19 11:40 == 47.9
11/25/19 11:45 == 47.9
11/25/19 11:50 == 47.6
11/25/19 11:55 == 47.9
11/25/19 12:00 == 47.8
11/25/19 12:05 == 47.6
11/25/19 12:10 == 47.7
11/25/19 12:15 == 47.6
11/25/19 12:20 == 47.6
11/25/19 12:25 == 47.6
11/25/19 12:30 == 47.7
11/25/19 12:35 == 47.8
11/25/19 12:40 == 47.7
11/25/19 12:45 == 47.8
11/25/19 12:50 == 47.8
11/25/19 12:55 == 47.8
11/25/19 13:00 == 47.8
11/25/19 13:05 == 47.7
11/25/19 13:10 == 48
11/25/19 13:15 == 47.9
11/25/19 13:20 == 47.8
11/25/19 13:25 == 47.7
11/25/19 13:30 == 47.8
11/25/19 13:35 == 47.9
11/25/19 13:40 == 48
11/25/19 13:45 == 47.9
11/25/19 13:50 == 47.8
11/25/19 13:55 == 40.1
11/25/19 14:00 == 44.3
11/25/19 14:05 == 47.5
11/25/19 14:10 == 47.4
11/25/19 14:15 == 47.1
11/25/19 14:20 == 45
11/25/19 14:25 == 39.6
11/25/19 14:30 == 45.2
11/25/19 14:35 == 39.1
11/25/19 14:40 == 47.9
11/25/19 14:45 == 47.9
11/25/19 14:50 == 43.8
11/25/19 14:55 == 40.9
11/25/19 15:00 == 47.5
11/25/19 15:05 == 47.5
11/25/19 15:10 == 42
11/25/19 15:15 == 42.2
11/25/19 15:20 == 37.9
11/25/19 15:25 == 45.9
11/25/19 15:30 == 47.8
11/25/19 15:35 == 47.8
11/25/19 15:40 == 47.8
11/25/19 15:45 == 47.7
11/25/19 15:50 == 47.7
11/25/19 15:55 == 47.7
11/25/19 16:00 == 47.7
11/25/19 16:05 == 47.7
11/25/19 16:10 == 44.3
11/25/19 16:15 == 39.8
11/25/19 16:20 == 47.7
11/25/19 16:25 == 47.8
11/25/19 16:30 == 47.8
11/25/19 16:35 == 47.6
11/25/19 16:40 == 47.7
11/25/19 16:45 == 47.6
11/25/19 16:50 == 47.8
11/25/19 16:55 == 47.8
11/25/19 17:00 == 47.5
11/25/19 17:05 == 47.8
11/25/19 17:10 == 47.6
11/25/19 17:15 == 47.6
11/25/19 17:20 == 47.7
11/25/19 17:25 == 47.8
11/25/19 17:30 == 47.8
11/25/19 17:35 == 47.5
11/25/19 17:40 == 47.7
11/25/19 17:45 == 47.7
11/25/19 17:50 == 47.8
11/25/19 17:55 == 47.7
11/25/19 18:00 == 47.9
11/25/19 18:05 == 47.6
11/25/19 18:10 == 47.6
11/25/19 18:15 == 47.9
11/25/19 18:20 == 47.5
11/25/19 18:25 == 47.7
11/25/19 18:30 == 47.6
11/25/19 18:35 == 39.1
11/25/19 18:40 == 45.3
11/25/19 18:45 == 47.9
11/25/19 18:50 == 47.5
11/25/19 18:55 == 47.9
11/25/19 19:00 == 47.5
11/25/19 19:05 == 47.6
11/25/19 19:10 == 47.5
11/25/19 19:15 == 47.6
11/25/19 19:20 == 47.6
11/25/19 19:25 == 47.8
11/25/19 19:30 == 47.6
11/25/19 19:35 == 47.7
11/25/19 19:40 == 47.7
11/25/19 19:45 == 47.5
11/25/19 19:50 == 47.8
11/25/19 19:55 == 47.6
11/25/19 20:00 == 47.6
11/25/19 20:05 == 47.6
11/25/19 20:10 == 47.5
11/25/19 20:15 == 47.8
11/25/19 20:20 == 47.4
11/25/19 20:25 == 47.7
11/25/19 20:30 == 47.5
11/25/19 20:35 == 47.6
11/25/19 20:40 == 47.7
11/25/19 20:45 == 47.6
11/25/19 20:50 == 47.6
11/25/19 20:55 == 47.6
11/25/19 21:00 == 47.7
11/25/19 21:05 == 47.5
11/25/19 21:10 == 47.7
11/25/19 21:15 == 47.5
11/25/19 21:20 == 47.6
11/25/19 21:25 == 47.7
11/25/19 21:30 == 47.5
11/25/19 21:35 == 47.7
11/25/19 21:40 == 47.7
11/25/19 21:45 == 47.6
11/25/19 21:50 == 47.7
11/25/19 21:55 == 47.7
11/25/19 22:00 == 47.7
11/25/19 22:05 == 47.6
11/25/19 22:10 == 47.6
11/25/19 22:15 == 47.7
11/25/19 22:20 == 47.6
11/25/19 22:25 == 47.7
11/25/19 22:30 == 47.7
11/25/19 22:35 == 47.6
11/25/19 22:40 == 47.7
11/25/19 22:45 == 47.7
11/25/19 22:50 == 47.8
11/25/19 22:55 == 47.6
11/25/19 23:00 == 47.5
11/25/19 23:05 == 47.8
11/25/19 23:10 == 47.7
11/25/19 23:15 == 47.6
11/25/19 23:20 == 47.7
11/25/19 23:25 == 47.8
11/25/19 23:30 == 47.6
11/25/19 23:35 == 47.7
11/25/19 23:40 == 47.6
11/25/19 23:45 == 47.7
11/25/19 23:50 == 47.7
11/25/19 23:55 == 47.7
11/26/19 0:00 == 47.7
11/26/19 0:05 == 47.6
11/26/19 0:10 == 47.6
11/26/19 0:15 == 45
11/26/19 0:20 == 39.2
11/26/19 0:25 == 47.6
11/26/19 0:30 == 47.6
11/26/19 0:35 == 47.7
11/26/19 0:40 == 47.9
11/26/19 0:45 == 47.7
11/26/19 0:50 == 47.9
11/26/19 0:55 == 47.6
11/26/19 1:00 == 47.7
11/26/19 1:05 == 47.7
11/26/19 1:10 == 47.8
11/26/19 1:15 == 47.7
11/26/19 1:20 == 47.9
11/26/19 1:25 == 47.8
11/26/19 1:30 == 47.8
11/26/19 1:35 == 47.7
11/26/19 1:40 == 47.8
11/26/19 1:45 == 47.5
11/26/19 1:50 == 47.7
11/26/19 1:55 == 47.7
11/26/19 2:00 == 47.7
11/26/19 2:05 == 47.6
11/26/19 2:10 == 47.8
11/26/19 2:15 == 45.3
11/26/19 2:20 == 38.8
11/26/19 2:25 == 47.5
11/26/19 2:30 == 47.8
11/26/19 2:35 == 47.7
11/26/19 2:40 == 47.6
11/26/19 2:45 == 47.6
11/26/19 2:50 == 47.7
11/26/19 2:55 == 47.6
11/26/19 3:00 == 47.7
11/26/19 3:05 == 47.6
11/26/19 3:10 == 47.9
11/26/19 3:15 == 47.4
11/26/19 3:20 == 47.5
11/26/19 3:25 == 47.8
11/26/19 3:30 == 47.8
11/26/19 3:35 == 47.8
11/26/19 3:40 == 47.7
11/26/19 3:45 == 47.6
11/26/19 3:50 == 47.7
11/26/19 3:55 == 47.9
11/26/19 4:00 == 47.7
11/26/19 4:05 == 40.8
11/26/19 4:10 == 43.8
11/26/19 4:15 == 47.4
11/26/19 4:20 == 47.7
11/26/19 4:25 == 47.7
11/26/19 4:30 == 47.7
11/26/19 4:35 == 47.8
11/26/19 4:40 == 42.8
11/26/19 4:45 == 41.9
11/26/19 4:50 == 47.7
11/26/19 4:55 == 45.2

Pumpback Station Discharge (0364)

11/26/19 5:00 == 39.7
11/26/19 5:05 == 40
11/26/19 5:10 == 44.7
11/26/19 5:15 == 47.8
11/26/19 5:20 == 47.6
11/26/19 5:25 == 47.8
11/26/19 5:30 == 47.7
11/26/19 5:35 == 47.7
11/26/19 5:40 == 47.8
11/26/19 5:45 == 47.9
11/26/19 5:50 == 47.9
11/26/19 5:55 == 44
11/26/19 6:00 == 41.3
11/26/19 6:05 == 48
11/26/19 6:10 == 48
11/26/19 6:15 == 47.6
11/26/19 6:20 == 47.9
11/26/19 6:25 == 47.9
11/26/19 6:30 == 47.5
11/26/19 6:35 == 38.9
11/26/19 6:40 == 45.6
11/26/19 6:45 == 47.8
11/26/19 6:50 == 47.8
11/26/19 6:55 == 47.7
11/26/19 7:00 == 47.8
11/26/19 7:05 == 47.7
11/26/19 7:10 == 47.8
11/26/19 7:15 == 47.5
11/26/19 7:20 == 48
11/26/19 7:25 == 47.7
11/26/19 7:30 == 47.6
11/26/19 7:35 == 48
11/26/19 7:40 == 47.8
11/26/19 7:45 == 48
11/26/19 7:50 == 47.7
11/26/19 7:55 == 47.9
11/26/19 8:00 == 47.5
11/26/19 8:05 == 47.6
11/26/19 8:10 == 47.9
11/26/19 8:15 == 47.3
11/26/19 8:20 == 47.6
11/26/19 8:25 == 47.7
11/26/19 8:30 == 47.9
11/26/19 8:35 == 47.9
11/26/19 8:40 == 47.9
11/26/19 8:45 == 47.8
11/26/19 8:50 == 47.9
11/26/19 8:55 == 47.9
11/26/19 9:00 == 47.7
11/26/19 9:05 == 47.7
11/26/19 9:10 == 47.7
11/26/19 9:15 == 47.7
11/26/19 9:20 == 47.6
11/26/19 9:25 == 47.8
11/26/19 9:30 == 47.8
11/26/19 9:35 == 47.8
11/26/19 9:40 == 47.7
11/26/19 9:45 == 47.9
11/26/19 9:50 == 48
11/26/19 9:55 == 47.8
11/26/19 10:00 == 47.9
11/26/19 10:05 == 48
11/26/19 10:10 == 47.9
11/26/19 10:15 == 47.6
11/26/19 10:20 == 47.9
11/26/19 10:25 == 47.8
11/26/19 10:30 == 47.9
11/26/19 10:35 == 47.9
11/26/19 10:40 == 47.9
11/26/19 10:45 == 47.6
11/26/19 10:50 == 47.8
11/26/19 10:55 == 47.7
11/26/19 11:00 == 47.8
11/26/19 11:05 == 47.9
11/26/19 11:10 == 47.9
11/26/19 11:15 == 47.5
11/26/19 11:20 == 48
11/26/19 11:25 == 47.8
11/26/19 11:30 == 47.9
11/26/19 11:35 == 47.7
11/26/19 11:40 == 47.8
11/26/19 11:45 == 47.8
11/26/19 11:50 == 47.7
11/26/19 11:55 == 47.7
11/26/19 12:00 == 47.7
11/26/19 12:05 == 47.8
11/26/19 12:10 == 47.8
11/26/19 12:15 == 47.7
11/26/19 12:20 == 47.8
11/26/19 12:25 == 47.7
11/26/19 12:30 == 47.7
11/26/19 12:35 == 47.7
11/26/19 12:40 == 47.6
11/26/19 12:45 == 47.5
11/26/19 12:50 == 47.7
11/26/19 12:55 == 48
11/26/19 13:00 == 47.7
11/26/19 13:05 == 47.8
11/26/19 13:10 == 47.9
11/26/19 13:15 == 47.7
11/26/19 13:20 == 47.5
11/26/19 13:25 == 47.5
11/26/19 13:30 == 47.8
11/26/19 13:35 == 47.7
11/26/19 13:40 == 47.9
11/26/19 13:45 == 47.6
11/26/19 13:50 == 47.7
11/26/19 13:55 == 47.8
11/26/19 14:00 == 47.6
11/26/19 14:05 == 47.6
11/26/19 14:10 == 47.9
11/26/19 14:15 == 47.2
11/26/19 14:20 == 47.8
11/26/19 14:25 == 47.7
11/26/19 14:30 == 47.6
11/26/19 14:35 == 47.7
11/26/19 14:40 == 47.7
11/26/19 14:45 == 47.7
11/26/19 14:50 == 47.9
11/26/19 14:55 == 47.9
11/26/19 15:00 == 47.8
11/26/19 15:05 == 47.8
11/26/19 15:10 == 47.7
11/26/19 15:15 == 47.6
11/26/19 15:20 == 47.9
11/26/19 15:25 == 47.9
11/26/19 15:30 == 47.6
11/26/19 15:35 == 47.7
11/26/19 15:40 == 47.8
11/26/19 15:45 == 47.7
11/26/19 15:50 == 47.7
11/26/19 15:55 == 47.7
11/26/19 16:00 == 47.7
11/26/19 16:05 == 47.7
11/26/19 16:10 == 47.3
11/26/19 16:15 == 45.1
11/26/19 16:20 == 39.2
11/26/19 16:25 == 47.6
11/26/19 16:30 == 47.8
11/26/19 16:35 == 47.7
11/26/19 16:40 == 47.7
11/26/19 16:45 == 47.8
11/26/19 16:50 == 47.8
11/26/19 16:55 == 47.7
11/26/19 17:00 == 47.6
11/26/19 17:05 == 47.8
11/26/19 17:10 == 47.8
11/26/19 17:15 == 47.4
11/26/19 17:20 == 47.6
11/26/19 17:25 == 47.7
11/26/19 17:30 == 47.7
11/26/19 17:35 == 47.6
11/26/19 17:40 == 47.6
11/26/19 17:45 == 47.8
11/26/19 17:50 == 47.7
11/26/19 17:55 == 47.8
11/26/19 18:00 == 47.8
11/26/19 18:05 == 47.6
11/26/19 18:10 == 47.5
11/26/19 18:15 == 47.6
11/26/19 18:20 == 47.5
11/26/19 18:25 == 42.1
11/26/19 18:30 == 42.1
11/26/19 18:35 == 47.6
11/26/19 18:40 == 47.8
11/26/19 18:45 == 47.8
11/26/19 18:50 == 47.7
11/26/19 18:55 == 47.8
11/26/19 19:00 == 47.2
11/26/19 19:05 == 47.6
11/26/19 19:10 == 46.9
11/26/19 19:15 == 37.9
11/26/19 19:20 == 47.2
11/26/19 19:25 == 47.9
11/26/19 19:30 == 47.6
11/26/19 19:35 == 47.6
11/26/19 19:40 == 47.7
11/26/19 19:45 == 47.7
11/26/19 19:50 == 47.7
11/26/19 19:55 == 47.6
11/26/19 20:00 == 47.8
11/26/19 20:05 == 47.5
11/26/19 20:10 == 47.6
11/26/19 20:15 == 47.7
11/26/19 20:20 == 47.5
11/26/19 20:25 == 47.5
11/26/19 20:30 == 47.4
11/26/19 20:35 == 47.7
11/26/19 20:40 == 47.5
11/26/19 20:45 == 47.6
11/26/19 20:50 == 47.5
11/26/19 20:55 == 47.6
11/26/19 21:00 == 47.6
11/26/19 21:05 == 47.4
11/26/19 21:10 == 47.6
11/26/19 21:15 == 47.6
11/26/19 21:20 == 47.6
11/26/19 21:25 == 47.6
11/26/19 21:30 == 47.5
11/26/19 21:35 == 47.7
11/26/19 21:40 == 47.6
11/26/19 21:45 == 47.7
11/26/19 21:50 == 47.8
11/26/19 21:55 == 47.7
11/26/19 22:00 == 47.7
11/26/19 22:05 == 47.7
11/26/19 22:10 == 47.7
11/26/19 22:15 == 47.8
11/26/19 22:20 == 47.6
11/26/19 22:25 == 47.8
11/26/19 22:30 == 47.7
11/26/19 22:35 == 47.6
11/26/19 22:40 == 47.6
11/26/19 22:45 == 47.8
11/26/19 22:50 == 47.6
11/26/19 22:55 == 47.6
11/26/19 23:00 == 47.6
11/26/19 23:05 == 47.6
11/26/19 23:10 == 47.6
11/26/19 23:15 == 47.6

Pumpback Station Discharge (0364)

11/26/19 23:20 == 47.6
11/26/19 23:25 == 47.6
11/26/19 23:30 == 47.5
11/26/19 23:35 == 47.6
11/26/19 23:40 == 47.6
11/26/19 23:45 == 47.6
11/26/19 23:50 == 47.6
11/26/19 23:55 == 47.6
11/27/19 0:00 == 47.6
11/27/19 0:05 == 47.6
11/27/19 0:10 == 47.4
11/27/19 0:15 == 47.7
11/27/19 0:20 == 47.7
11/27/19 0:25 == 47.8
11/27/19 0:30 == 47.8
11/27/19 0:35 == 47.9
11/27/19 0:40 == 48.1
11/27/19 0:45 == 47.8
11/27/19 0:50 == 47.7
11/27/19 0:55 == 47.9
11/27/19 1:00 == 47.8
11/27/19 1:05 == 47.9
11/27/19 1:10 == 47.9
11/27/19 1:15 == 47.8
11/27/19 1:20 == 47.9
11/27/19 1:25 == 48
11/27/19 1:30 == 47.8
11/27/19 1:35 == 47.9
11/27/19 1:40 == 47.4
11/27/19 1:45 == 47.6
11/27/19 1:50 == 47.6
11/27/19 1:55 == 47.6
11/27/19 2:00 == 47.7
11/27/19 2:05 == 47.5
11/27/19 2:10 == 47.7
11/27/19 2:15 == 47.5
11/27/19 2:20 == 47.7
11/27/19 2:25 == 47.6
11/27/19 2:30 == 47.5
11/27/19 2:35 == 47.5
11/27/19 2:40 == 47.7
11/27/19 2:45 == 47.5
11/27/19 2:50 == 47.6
11/27/19 2:55 == 47.6
11/27/19 3:00 == 47.6
11/27/19 3:05 == 47.8
11/27/19 3:10 == 47.4
11/27/19 3:15 == 47.2
11/27/19 3:20 == 47.7
11/27/19 3:25 == 47.7
11/27/19 3:30 == 47.7
11/27/19 3:35 == 47.6
11/27/19 3:40 == 47.7
11/27/19 3:45 == 47.8
11/27/19 3:50 == 47.7
11/27/19 3:55 == 47.7
11/27/19 4:00 == 44.7
11/27/19 4:05 == 40
11/27/19 4:10 == 47.8
11/27/19 4:15 == 47.6
11/27/19 4:20 == 47.7
11/27/19 4:25 == 47.8
11/27/19 4:30 == 47.6
11/27/19 4:35 == 47.7
11/27/19 4:40 == 41.8
11/27/19 4:45 == 42.7
11/27/19 4:50 == 47.8
11/27/19 4:55 == 47.7
11/27/19 5:00 == 47.8
11/27/19 5:05 == 47.9
11/27/19 5:10 == 47.9
11/27/19 5:15 == 47.8
11/27/19 5:20 == 47.8
11/27/19 5:25 == 47.9
11/27/19 5:30 == 47.8
11/27/19 5:35 == 47.9
11/27/19 5:40 == 47.5
11/27/19 5:45 == 47.7
11/27/19 5:50 == 47.9
11/27/19 5:55 == 47.8
11/27/19 6:00 == 44.5
11/27/19 6:05 == 40.6
11/27/19 6:10 == 48
11/27/19 6:15 == 47.3
11/27/19 6:20 == 47.8
11/27/19 6:25 == 47.9
11/27/19 6:30 == 47.6
11/27/19 6:35 == 47.5
11/27/19 6:40 == 47.8
11/27/19 6:45 == 47.6
11/27/19 6:50 == 47.6
11/27/19 6:55 == 47.5
11/27/19 7:00 == 47.6
11/27/19 7:05 == 47.6
11/27/19 7:10 == 47.8
11/27/19 7:15 == 47.9
11/27/19 7:20 == 47.7
11/27/19 7:25 == 47.7
11/27/19 7:30 == 47.6
11/27/19 7:35 == 47.6
11/27/19 7:40 == 47.6
11/27/19 7:45 == 47.6
11/27/19 7:50 == 47.5
11/27/19 7:55 == 47.5
11/27/19 8:00 == 47.5
11/27/19 8:05 == 47.6
11/27/19 8:10 == 47.5
11/27/19 8:15 == 47.4
11/27/19 8:20 == 47.5
11/27/19 8:25 == 47.6
11/27/19 8:30 == 47.6
11/27/19 8:35 == 47.4
11/27/19 8:40 == 47.5
11/27/19 8:45 == 47.5
11/27/19 8:50 == 47.6
11/27/19 8:55 == 47.4
11/27/19 9:00 == 47.4
11/27/19 9:05 == 47.4
11/27/19 9:10 == 47.4
11/27/19 9:15 == 47.5
11/27/19 9:20 == 47.4
11/27/19 9:25 == 47.5
11/27/19 9:30 == 47.6
11/27/19 9:35 == 47.6
11/27/19 9:40 == 47.4
11/27/19 9:45 == 47.5
11/27/19 9:50 == 47.7
11/27/19 9:55 == 47.6
11/27/19 10:00 == 47.7
11/27/19 10:05 == 47.7
11/27/19 10:10 == 47.8
11/27/19 10:15 == 47.3
11/27/19 10:20 == 47.4
11/27/19 10:25 == 47.4
11/27/19 10:30 == 47.4
11/27/19 10:35 == 47.4
11/27/19 10:40 == 47.5
11/27/19 10:45 == 47.5
11/27/19 10:50 == 47.7
11/27/19 10:55 == 47.5
11/27/19 11:00 == 47.4
11/27/19 11:05 == 47.5
11/27/19 11:10 == 47.4
11/27/19 11:15 == 47.4
11/27/19 11:20 == 47.4
11/27/19 11:25 == 47.3
11/27/19 11:30 == 47.4
11/27/19 11:35 == 47.4
11/27/19 11:40 == 47.5
11/27/19 11:45 == 47.6
11/27/19 11:50 == 47.5
11/27/19 11:55 == 47.4
11/27/19 12:00 == 47.4
11/27/19 12:05 == 47.6
11/27/19 12:10 == 47.6
11/27/19 12:15 == 47.5
11/27/19 12:20 == 47.3
11/27/19 12:25 == 47.5
11/27/19 12:30 == 47.5
11/27/19 12:35 == 47.5
11/27/19 12:40 == 47.4
11/27/19 12:45 == 47.3
11/27/19 12:50 == 47.5
11/27/19 12:55 == 47.3
11/27/19 13:00 == 47.4
11/27/19 13:05 == 47.5
11/27/19 13:10 == 47.5
11/27/19 13:15 == 47.3
11/27/19 13:20 == 47.6
11/27/19 13:25 == 47.4
11/27/19 13:30 == 47.4
11/27/19 13:35 == 47.4
11/27/19 13:40 == 47.4
11/27/19 13:45 == 47.4
11/27/19 13:50 == 47.2
11/27/19 13:55 == 47.4
11/27/19 14:00 == 47.3
11/27/19 14:05 == 47.6
11/27/19 14:10 == 47.3
11/27/19 14:15 == 47.5
11/27/19 14:20 == 47.5
11/27/19 14:25 == 47.5
11/27/19 14:30 == 47.6
11/27/19 14:35 == 47.6
11/27/19 14:40 == 47.6
11/27/19 14:45 == 47.7
11/27/19 14:50 == 44.8
11/27/19 14:55 == 39.6
11/27/19 15:00 == 47.8
11/27/19 15:05 == 48
11/27/19 15:10 == 47.8
11/27/19 15:15 == 47.4
11/27/19 15:20 == 45.2
11/27/19 15:25 == 39
11/27/19 15:30 == 47.8
11/27/19 15:35 == 47.9
11/27/19 15:40 == 42.7
11/27/19 15:45 == 41.5
11/27/19 15:50 == 47.8
11/27/19 15:55 == 47.9
11/27/19 16:00 == 47.9
11/27/19 16:05 == 47.8
11/27/19 16:10 == 47.7
11/27/19 16:15 == 47.6
11/27/19 16:20 == 47.8
11/27/19 16:25 == 47.3
11/27/19 16:30 == 47.6
11/27/19 16:35 == 47.4
11/27/19 16:40 == 47.6
11/27/19 16:45 == 47.4
11/27/19 16:50 == 47.6
11/27/19 16:55 == 47.5
11/27/19 17:00 == 47.4
11/27/19 17:05 == 47.4
11/27/19 17:10 == 47.6
11/27/19 17:15 == 47.4
11/27/19 17:20 == 47.6
11/27/19 17:25 == 47.8
11/27/19 17:30 == 47.7
11/27/19 17:35 == 47.9

Pumpback Station Discharge (0364)

11/27/19 17:40 == 47.6
11/27/19 17:45 == 47.7
11/27/19 17:50 == 47.9
11/27/19 17:55 == 47.7
11/27/19 18:00 == 47.4
11/27/19 18:05 == 47.5
11/27/19 18:10 == 47.3
11/27/19 18:15 == 47.5
11/27/19 18:20 == 47.8
11/27/19 18:25 == 47.7
11/27/19 18:30 == 47.5
11/27/19 18:35 == 47.7
11/27/19 18:40 == 47.8
11/27/19 18:45 == 47.9
11/27/19 18:50 == 47.6
11/27/19 18:55 == 47.7
11/27/19 19:00 == 47.6
11/27/19 19:05 == 47.8
11/27/19 19:10 == 47.6
11/27/19 19:15 == 47
11/27/19 19:20 == 47.7
11/27/19 19:25 == 47.7
11/27/19 19:30 == 47.5
11/27/19 19:35 == 37.5
11/27/19 19:40 == 46.1
11/27/19 19:45 == 47.5
11/27/19 19:50 == 47.4
11/27/19 19:55 == 47.6
11/27/19 20:00 == 47.4
11/27/19 20:05 == 47.5
11/27/19 20:10 == 47.4
11/27/19 20:15 == 47.3
11/27/19 20:20 == 47.4
11/27/19 20:25 == 47.5
11/27/19 20:30 == 47.3
11/27/19 20:35 == 47.4
11/27/19 20:40 == 47.5
11/27/19 20:45 == 47.3
11/27/19 20:50 == 47.5
11/27/19 20:55 == 47.4
11/27/19 21:00 == 47.4
11/27/19 21:05 == 47.3
11/27/19 21:10 == 47.4
11/27/19 21:15 == 47.4
11/27/19 21:20 == 47.5
11/27/19 21:25 == 47.4
11/27/19 21:30 == 47.4
11/27/19 21:35 == 47.4
11/27/19 21:40 == 47.4
11/27/19 21:45 == 47.5
11/27/19 21:50 == 47.4
11/27/19 21:55 == 47.5
11/27/19 22:00 == 47.5
11/27/19 22:05 == 47.4
11/27/19 22:10 == 47.4
11/27/19 22:15 == 47.5
11/27/19 22:20 == 47.4
11/27/19 22:25 == 47.5
11/27/19 22:30 == 47.3
11/27/19 22:35 == 47.4
11/27/19 22:40 == 47.4
11/27/19 22:45 == 47.5
11/27/19 22:50 == 47.5
11/27/19 22:55 == 47.5
11/27/19 23:00 == 47.3
11/27/19 23:05 == 47.5
11/27/19 23:10 == 47.4
11/27/19 23:15 == 47.4
11/27/19 23:20 == 47.4
11/27/19 23:25 == 47.5
11/27/19 23:30 == 47.3
11/27/19 23:35 == 47.4
11/27/19 23:40 == 47.3
11/27/19 23:45 == 47.5
11/27/19 23:50 == 47.4
11/27/19 23:55 == 47.3
11/28/19 0:00 == 47.4
11/28/19 0:05 == 47.3
11/28/19 0:10 == 47.5
11/28/19 0:15 == 47.4
11/28/19 0:20 == 47.5
11/28/19 0:25 == 47.5
11/28/19 0:30 == 47.4
11/28/19 0:35 == 47.6
11/28/19 0:40 == 47.6
11/28/19 0:45 == 47.4
11/28/19 0:50 == 47.5
11/28/19 0:55 == 47.5
11/28/19 1:00 == 47.4
11/28/19 1:05 == 47.6
11/28/19 1:10 == 47.6
11/28/19 1:15 == 47.4
11/28/19 1:20 == 47.7
11/28/19 1:25 == 47.7
11/28/19 1:30 == 47.6
11/28/19 1:35 == 47.5
11/28/19 1:40 == 47.6
11/28/19 1:45 == 47.5
11/28/19 1:50 == 47.6
11/28/19 1:55 == 47.5
11/28/19 2:00 == 47.5
11/28/19 2:05 == 47.6
11/28/19 2:10 == 47.5
11/28/19 2:15 == 47.5
11/28/19 2:20 == 47.5
11/28/19 2:25 == 47.6
11/28/19 2:30 == 47.5
11/28/19 2:35 == 47.6
11/28/19 2:40 == 47.6
11/28/19 2:45 == 47.4
11/28/19 2:50 == 47.4
11/28/19 2:55 == 47.5
11/28/19 3:00 == 44.2
11/28/19 3:05 == 40.4
11/28/19 3:10 == 47.7
11/28/19 3:15 == 47.6
11/28/19 3:20 == 47.6
11/28/19 3:25 == 47.6
11/28/19 3:30 == 47.5
11/28/19 3:35 == 47.5
11/28/19 3:40 == 47.5
11/28/19 3:45 == 47.5
11/28/19 3:50 == 47.4
11/28/19 3:55 == 47.4
11/28/19 4:00 == 47.6
11/28/19 4:05 == 47.7
11/28/19 4:10 == 47.7
11/28/19 4:15 == 47.5
11/28/19 4:20 == 47.5
11/28/19 4:25 == 47.5
11/28/19 4:30 == 47.5
11/28/19 4:35 == 47.5
11/28/19 4:40 == 47.6
11/28/19 4:45 == 47.3
11/28/19 4:50 == 47.6
11/28/19 4:55 == 47.5
11/28/19 5:00 == 44.1
11/28/19 5:05 == 40.2
11/28/19 5:10 == 47.6
11/28/19 5:15 == 47.7
11/28/19 5:20 == 47.5
11/28/19 5:25 == 47.5
11/28/19 5:30 == 47.7
11/28/19 5:35 == 47.5
11/28/19 5:40 == 47.6
11/28/19 5:45 == 47.6
11/28/19 5:50 == 47.8
11/28/19 5:55 == 47.7
11/28/19 6:00 == 47.6
11/28/19 6:05 == 47.8
11/28/19 6:10 == 47.9
11/28/19 6:15 == 47.5
11/28/19 6:20 == 47.7
11/28/19 6:25 == 47.7
11/28/19 6:30 == 47.5
11/28/19 6:35 == 47.3
11/28/19 6:40 == 47.5
11/28/19 6:45 == 47.5
11/28/19 6:50 == 47.5
11/28/19 6:55 == 47.7
11/28/19 7:00 == 47.6
11/28/19 7:05 == 47.6
11/28/19 7:10 == 47.6
11/28/19 7:15 == 47.5
11/28/19 7:20 == 47.6
11/28/19 7:25 == 47.7
11/28/19 7:30 == 47.6
11/28/19 7:35 == 47.6
11/28/19 7:40 == 47.5
11/28/19 7:45 == 47.6
11/28/19 7:50 == 47.5
11/28/19 7:55 == 47.3
11/28/19 8:00 == 47.3
11/28/19 8:05 == 47.4
11/28/19 8:10 == 47.4
11/28/19 8:15 == 47.5
11/28/19 8:20 == 47.3
11/28/19 8:25 == 47.5
11/28/19 8:30 == 47.4
11/28/19 8:35 == 47.5
11/28/19 8:40 == 47.3
11/28/19 8:45 == 47.5
11/28/19 8:50 == 47.5
11/28/19 8:55 == 47.5
11/28/19 9:00 == 47.5
11/28/19 9:05 == 47.5
11/28/19 9:10 == 47.4
11/28/19 9:15 == 47.4
11/28/19 9:20 == 47.5
11/28/19 9:25 == 47.4
11/28/19 9:30 == 47.4
11/28/19 9:35 == 47.5
11/28/19 9:40 == 47.4
11/28/19 9:45 == 47.6
11/28/19 9:50 == 47.5
11/28/19 9:55 == 47.5
11/28/19 10:00 == 47.5
11/28/19 10:05 == 47.4
11/28/19 10:10 == 47.4
11/28/19 10:15 == 47.5
11/28/19 10:20 == 47.4
11/28/19 10:25 == 47.5
11/28/19 10:30 == 47.5
11/28/19 10:35 == 47.5
11/28/19 10:40 == 47.6
11/28/19 10:45 == 47.4
11/28/19 10:50 == 47.4
11/28/19 10:55 == 47.5
11/28/19 11:00 == 47.5
11/28/19 11:05 == 47.4
11/28/19 11:10 == 47.3
11/28/19 11:15 == 47.4
11/28/19 11:20 == 47.6
11/28/19 11:25 == 47.4
11/28/19 11:30 == 47.4
11/28/19 11:35 == 47.5
11/28/19 11:40 == 47.5
11/28/19 11:45 == 47.4
11/28/19 11:50 == 47.5
11/28/19 11:55 == 47.6

Pumpback Station Discharge (0364)

11/28/19 12:00 == 47.5
11/28/19 12:05 == 47.4
11/28/19 12:10 == 47.5
11/28/19 12:15 == 47.4
11/28/19 12:20 == 47.3
11/28/19 12:25 == 47.4
11/28/19 12:30 == 47.5
11/28/19 12:35 == 47.4
11/28/19 12:40 == 47.5
11/28/19 12:45 == 47.5
11/28/19 12:50 == 47.3
11/28/19 12:55 == 47.5
11/28/19 13:00 == 47.4
11/28/19 13:05 == 47.5
11/28/19 13:10 == 47.5
11/28/19 13:15 == 47.4
11/28/19 13:20 == 47.4
11/28/19 13:25 == 47.5
11/28/19 13:30 == 47.4
11/28/19 13:35 == 47.4
11/28/19 13:40 == 47.4
11/28/19 13:45 == 47.5
11/28/19 13:50 == 47.5
11/28/19 13:55 == 47.4
11/28/19 14:00 == 47.4
11/28/19 14:05 == 47.4
11/28/19 14:10 == 47.4
11/28/19 14:15 == 47.4
11/28/19 14:20 == 47.5
11/28/19 14:25 == 47.5
11/28/19 14:30 == 47.6
11/28/19 14:35 == 47.5
11/28/19 14:40 == 47.5
11/28/19 14:45 == 47.5
11/28/19 14:50 == 47.5
11/28/19 14:55 == 47.4
11/28/19 15:00 == 47.4
11/28/19 15:05 == 47.3
11/28/19 15:10 == 47.4
11/28/19 15:15 == 47.5
11/28/19 15:20 == 47.5
11/28/19 15:25 == 47.4
11/28/19 15:30 == 47.4
11/28/19 15:35 == 47.5
11/28/19 15:40 == 47.5
11/28/19 15:45 == 47.4
11/28/19 15:50 == 47.4
11/28/19 15:55 == 47.4
11/28/19 16:00 == 47.5
11/28/19 16:05 == 47.5
11/28/19 16:10 == 47.4
11/28/19 16:15 == 47.4
11/28/19 16:20 == 47.4
11/28/19 16:25 == 47.4
11/28/19 16:30 == 47.4
11/28/19 16:35 == 47.4
11/28/19 16:40 == 47.4
11/28/19 16:45 == 47.5
11/28/19 16:50 == 47.5
11/28/19 16:55 == 47.4
11/28/19 17:00 == 47.5
11/28/19 17:05 == 47.4
11/28/19 17:10 == 47.5
11/28/19 17:15 == 47.5
11/28/19 17:20 == 47.4
11/28/19 17:25 == 47.5
11/28/19 17:30 == 47.5
11/28/19 17:35 == 47.5
11/28/19 17:40 == 47.5
11/28/19 17:45 == 47.4
11/28/19 17:50 == 47.5
11/28/19 17:55 == 47.5
11/28/19 18:00 == 47.3
11/28/19 18:05 == 47.5
11/28/19 18:10 == 47.5
11/28/19 18:15 == 47.5
11/28/19 18:20 == 47.4
11/28/19 18:25 == 47.4
11/28/19 18:30 == 47.5
11/28/19 18:35 == 47.5
11/28/19 18:40 == 47.5
11/28/19 18:45 == 47.5
11/28/19 18:50 == 47.5
11/28/19 18:55 == 47.4
11/28/19 19:00 == 47.5
11/28/19 19:05 == 47.3
11/28/19 19:10 == 47.3
11/28/19 19:15 == 47.4
11/28/19 19:20 == 47.4
11/28/19 19:25 == 47.3
11/28/19 19:30 == 47.5
11/28/19 19:35 == 47.4
11/28/19 19:40 == 47.5
11/28/19 19:45 == 47.4
11/28/19 19:50 == 47.5
11/28/19 19:55 == 47.4
11/28/19 20:00 == 47.5
11/28/19 20:05 == 47.4
11/28/19 20:10 == 47.5
11/28/19 20:15 == 47.5
11/28/19 20:20 == 47.5
11/28/19 20:25 == 47.5
11/28/19 20:30 == 47.4
11/28/19 20:35 == 47.5
11/28/19 20:40 == 47.5
11/28/19 20:45 == 47.5
11/28/19 20:50 == 47.4
11/28/19 20:55 == 47.4
11/28/19 21:00 == 47.5
11/28/19 21:05 == 47.4
11/28/19 21:10 == 47.5
11/28/19 21:15 == 47.4
11/28/19 21:20 == 47.4
11/28/19 21:25 == 47.4
11/28/19 21:30 == 47.4
11/28/19 21:35 == 47.5
11/28/19 21:40 == 47.4
11/28/19 21:45 == 47.5
11/28/19 21:50 == 47.5
11/28/19 21:55 == 47.5
11/28/19 22:00 == 47.4
11/28/19 22:05 == 47.4
11/28/19 22:10 == 47.4
11/28/19 22:15 == 47.5
11/28/19 22:20 == 47.4
11/28/19 22:25 == 47.4
11/28/19 22:30 == 47.4
11/28/19 22:35 == 47.5
11/28/19 22:40 == 47.4
11/28/19 22:45 == 47.5
11/28/19 22:50 == 47.6
11/28/19 22:55 == 47.3
11/28/19 23:00 == 47.4
11/28/19 23:05 == 47.5
11/28/19 23:10 == 47.4
11/28/19 23:15 == 47.5
11/28/19 23:20 == 47.4
11/28/19 23:25 == 47.4
11/28/19 23:30 == 47.4
11/28/19 23:35 == 47.4
11/28/19 23:40 == 47.5
11/28/19 23:45 == 47.4
11/28/19 23:50 == 47.4
11/28/19 23:55 == 47.4
11/29/19 0:00 == 47.5
11/29/19 0:05 == 47.3
11/29/19 0:10 == 47.5
11/29/19 0:15 == 47.3
11/29/19 0:20 == 47.4
11/29/19 0:25 == 47.4
11/29/19 0:30 == 47.5
11/29/19 0:35 == 47.5
11/29/19 0:40 == 47.4
11/29/19 0:45 == 47.4
11/29/19 0:50 == 47.4
11/29/19 0:55 == 47.5
11/29/19 1:00 == 47.5
11/29/19 1:05 == 47.3
11/29/19 1:10 == 47.5
11/29/19 1:15 == 47.4
11/29/19 1:20 == 47.4
11/29/19 1:25 == 47.6
11/29/19 1:30 == 47.5
11/29/19 1:35 == 47.6
11/29/19 1:40 == 47.5
11/29/19 1:45 == 47.4
11/29/19 1:50 == 47.6
11/29/19 1:55 == 47.6
11/29/19 2:00 == 47.4
11/29/19 2:05 == 47.4
11/29/19 2:10 == 47.5
11/29/19 2:15 == 47.5
11/29/19 2:20 == 47.4
11/29/19 2:25 == 47.5
11/29/19 2:30 == 47.4
11/29/19 2:35 == 47.5
11/29/19 2:40 == 47.4
11/29/19 2:45 == 47.5
11/29/19 2:50 == 47.5
11/29/19 2:55 == 47.5
11/29/19 3:00 == 47.5
11/29/19 3:05 == 47.5
11/29/19 3:10 == 47.5
11/29/19 3:15 == 47.5
11/29/19 3:20 == 47.4
11/29/19 3:25 == 47.4
11/29/19 3:30 == 47.4
11/29/19 3:35 == 47.4
11/29/19 3:40 == 47.4
11/29/19 3:45 == 47.3
11/29/19 3:50 == 47.6
11/29/19 3:55 == 47.5
11/29/19 4:00 == 47.4
11/29/19 4:05 == 47.4
11/29/19 4:10 == 47.5
11/29/19 4:15 == 47.5
11/29/19 4:20 == 47.4
11/29/19 4:25 == 47.5
11/29/19 4:30 == 47.5
11/29/19 4:35 == 47.4
11/29/19 4:40 == 47.5
11/29/19 4:45 == 47.5
11/29/19 4:50 == 47.5
11/29/19 4:55 == 47.5
11/29/19 5:00 == 47.6
11/29/19 5:05 == 47.6
11/29/19 5:10 == 47.4
11/29/19 5:15 == 47.4
11/29/19 5:20 == 47.6
11/29/19 5:25 == 47.4
11/29/19 5:30 == 47.5
11/29/19 5:35 == 47.5
11/29/19 5:40 == 47.4
11/29/19 5:45 == 47.4
11/29/19 5:50 == 47.4
11/29/19 5:55 == 47.5
11/29/19 6:00 == 47.5
11/29/19 6:05 == 47.4
11/29/19 6:10 == 47.5
11/29/19 6:15 == 47.5

Pumpback Station Discharge (0364)

11/29/19 6:20 == 47.5
11/29/19 6:25 == 47.4
11/29/19 6:30 == 47.6
11/29/19 6:35 == 47.5
11/29/19 6:40 == 47.4
11/29/19 6:45 == 47.5
11/29/19 6:50 == 47.4
11/29/19 6:55 == 47.4
11/29/19 7:00 == 47.3
11/29/19 7:05 == 47.5
11/29/19 7:10 == 47.4
11/29/19 7:15 == 47.4
11/29/19 7:20 == 47.4
11/29/19 7:25 == 47.4
11/29/19 7:30 == 47.5
11/29/19 7:35 == 47.5
11/29/19 7:40 == 47.6
11/29/19 7:45 == 47.4
11/29/19 7:50 == 47.5
11/29/19 7:55 == 47.4
11/29/19 8:00 == 47.5
11/29/19 8:05 == 47.4
11/29/19 8:10 == 47.5
11/29/19 8:15 == 47.5
11/29/19 8:20 == 47.5
11/29/19 8:25 == 47.5
11/29/19 8:30 == 47.4
11/29/19 8:35 == 47.5
11/29/19 8:40 == 47.5
11/29/19 8:45 == 47.6
11/29/19 8:50 == 47.4
11/29/19 8:55 == 47.5
11/29/19 9:00 == 47.4
11/29/19 9:05 == 47.4
11/29/19 9:10 == 47.4
11/29/19 9:15 == 47.4
11/29/19 9:20 == 47.6
11/29/19 9:25 == 47.4
11/29/19 9:30 == 47.5
11/29/19 9:35 == 47.5
11/29/19 9:40 == 47.5
11/29/19 9:45 == 47.4
11/29/19 9:50 == 47.5
11/29/19 9:55 == 47.5
11/29/19 10:00 == 47.6
11/29/19 10:05 == 47.5
11/29/19 10:10 == 47.4
11/29/19 10:15 == 47.4
11/29/19 10:20 == 47.5
11/29/19 10:25 == 47.4
11/29/19 10:30 == 47.4
11/29/19 10:35 == 47.4
11/29/19 10:40 == 47.4
11/29/19 10:45 == 47.4
11/29/19 10:50 == 47.4
11/29/19 10:55 == 47.5
11/29/19 11:00 == 47.4
11/29/19 11:05 == 47.4
11/29/19 11:10 == 47.5
11/29/19 11:15 == 47.6
11/29/19 11:20 == 47.4
11/29/19 11:25 == 47.5
11/29/19 11:30 == 47.5
11/29/19 11:35 == 47.6
11/29/19 11:40 == 47.5
11/29/19 11:45 == 47.6
11/29/19 11:50 == 47.2
11/29/19 11:55 == 47.5
11/29/19 12:00 == 47.5
11/29/19 12:05 == 47.5
11/29/19 12:10 == 47.4
11/29/19 12:15 == 47.5
11/29/19 12:20 == 47.4
11/29/19 12:25 == 47.4
11/29/19 12:30 == 47.5
11/29/19 12:35 == 47.5
11/29/19 12:40 == 47.4
11/29/19 12:45 == 47.5
11/29/19 12:50 == 47.5
11/29/19 12:55 == 47.3
11/29/19 13:00 == 47.4
11/29/19 13:05 == 47.4
11/29/19 13:10 == 47.4
11/29/19 13:15 == 47.5
11/29/19 13:20 == 47.4
11/29/19 13:25 == 47.4
11/29/19 13:30 == 47.5
11/29/19 13:35 == 47.4
11/29/19 13:40 == 47.5
11/29/19 13:45 == 47.4
11/29/19 13:50 == 47.5
11/29/19 13:55 == 47.4
11/29/19 14:00 == 47.4
11/29/19 14:05 == 47.6
11/29/19 14:10 == 47.4
11/29/19 14:15 == 47.5
11/29/19 14:20 == 47.6
11/29/19 14:25 == 47.4
11/29/19 14:30 == 47.5
11/29/19 14:35 == 47.4
11/29/19 14:40 == 47.5
11/29/19 14:45 == 47.5
11/29/19 14:50 == 47.4
11/29/19 14:55 == 47.5
11/29/19 15:00 == 47.5
11/29/19 15:05 == 47.5
11/29/19 15:10 == 47.5
11/29/19 15:15 == 47.5
11/29/19 15:20 == 47.4
11/29/19 15:25 == 47.4
11/29/19 15:30 == 47.3
11/29/19 15:35 == 47.4
11/29/19 15:40 == 47.5
11/29/19 15:45 == 47.4
11/29/19 15:50 == 47.7
11/29/19 15:55 == 47.5
11/29/19 16:00 == 47.4
11/29/19 16:05 == 47.5
11/29/19 16:10 == 47.5
11/29/19 16:15 == 47.5
11/29/19 16:20 == 47.4
11/29/19 16:25 == 47.5
11/29/19 16:30 == 47.4
11/29/19 16:35 == 47.5
11/29/19 16:40 == 47.3
11/29/19 16:45 == 47.5
11/29/19 16:50 == 47.4
11/29/19 16:55 == 47.4
11/29/19 17:00 == 47.4
11/29/19 17:05 == 47.5
11/29/19 17:10 == 47.3
11/29/19 17:15 == 47.5
11/29/19 17:20 == 47.4
11/29/19 17:25 == 47.6
11/29/19 17:30 == 47.4
11/29/19 17:35 == 47.5
11/29/19 17:40 == 47.4
11/29/19 17:45 == 47.4
11/29/19 17:50 == 47.5
11/29/19 17:55 == 47.4
11/29/19 18:00 == 47.4
11/29/19 18:05 == 47.4
11/29/19 18:10 == 47.5
11/29/19 18:15 == 47.5
11/29/19 18:20 == 47.6
11/29/19 18:25 == 47.4
11/29/19 18:30 == 47.4
11/29/19 18:35 == 47.4
11/29/19 18:40 == 47.4
11/29/19 18:45 == 47.6
11/29/19 18:50 == 47.5
11/29/19 18:55 == 47.5
11/29/19 19:00 == 47.5
11/29/19 19:05 == 47.4
11/29/19 19:10 == 47.3
11/29/19 19:15 == 47.3
11/29/19 19:20 == 47.6
11/29/19 19:25 == 47.5
11/29/19 19:30 == 47.5
11/29/19 19:35 == 47.5
11/29/19 19:40 == 47.4
11/29/19 19:45 == 47.5
11/29/19 19:50 == 47.5
11/29/19 19:55 == 47.5
11/29/19 20:00 == 47.5
11/29/19 20:05 == 47.4
11/29/19 20:10 == 47.5
11/29/19 20:15 == 47.5
11/29/19 20:20 == 47.4
11/29/19 20:25 == 47.4
11/29/19 20:30 == 47.5
11/29/19 20:35 == 47.5
11/29/19 20:40 == 47.4
11/29/19 20:45 == 47.4
11/29/19 20:50 == 47.6
11/29/19 20:55 == 47.5
11/29/19 21:00 == 47.4
11/29/19 21:05 == 47.5
11/29/19 21:10 == 47.5
11/29/19 21:15 == 47.5
11/29/19 21:20 == 47.4
11/29/19 21:25 == 47.5
11/29/19 21:30 == 47.5
11/29/19 21:35 == 47.5
11/29/19 21:40 == 47.5
11/29/19 21:45 == 47.5
11/29/19 21:50 == 47.4
11/29/19 21:55 == 47.5
11/29/19 22:00 == 47.5
11/29/19 22:05 == 47.5
11/29/19 22:10 == 47.4
11/29/19 22:15 == 47.5
11/29/19 22:20 == 47.5
11/29/19 22:25 == 47.4
11/29/19 22:30 == 47.4
11/29/19 22:35 == 47.4
11/29/19 22:40 == 47.5
11/29/19 22:45 == 47.4
11/29/19 22:50 == 47.5
11/29/19 22:55 == 47.4
11/29/19 23:00 == 47.4
11/29/19 23:05 == 47.5
11/29/19 23:10 == 47.5
11/29/19 23:15 == 47.5
11/29/19 23:20 == 47.5
11/29/19 23:25 == 47.5
11/29/19 23:30 == 47.5
11/29/19 23:35 == 47.5
11/29/19 23:40 == 47.5
11/29/19 23:45 == 47.4
11/29/19 23:50 == 47.4
11/29/19 23:55 == 47.6
11/30/19 0:00 == 47.5
11/30/19 0:05 == 47.5
11/30/19 0:10 == 47.7
11/30/19 0:15 == 47.6
11/30/19 0:20 == 47.4
11/30/19 0:25 == 47.5
11/30/19 0:30 == 47.5
11/30/19 0:35 == 47.5

Pumpback Station Discharge (0364)

11/30/19 0:40 == 47.6
11/30/19 0:45 == 47.5
11/30/19 0:50 == 47.6
11/30/19 0:55 == 47.4
11/30/19 1:00 == 47.6
11/30/19 1:05 == 47.6
11/30/19 1:10 == 47.5
11/30/19 1:15 == 47.4
11/30/19 1:20 == 47.4
11/30/19 1:25 == 47.5
11/30/19 1:30 == 47.5
11/30/19 1:35 == 47.5
11/30/19 1:40 == 47.6
11/30/19 1:45 == 47.5
11/30/19 1:50 == 47.5
11/30/19 1:55 == 47.5
11/30/19 2:00 == 47.4
11/30/19 2:05 == 47.5
11/30/19 2:10 == 47.6
11/30/19 2:15 == 47.5
11/30/19 2:20 == 47.5
11/30/19 2:25 == 47.6
11/30/19 2:30 == 47.5
11/30/19 2:35 == 47.5
11/30/19 2:40 == 47.5
11/30/19 2:45 == 47.4
11/30/19 2:50 == 47.5
11/30/19 2:55 == 47.5
11/30/19 3:00 == 47.6
11/30/19 3:05 == 47.6
11/30/19 3:10 == 47.5
11/30/19 3:15 == 47.5
11/30/19 3:20 == 47.6
11/30/19 3:25 == 47.5
11/30/19 3:30 == 47.6
11/30/19 3:35 == 47.5
11/30/19 3:40 == 47.6
11/30/19 3:45 == 47.4
11/30/19 3:50 == 47.5
11/30/19 3:55 == 47.6
11/30/19 4:00 == 47.4
11/30/19 4:05 == 47.5
11/30/19 4:10 == 47.5
11/30/19 4:15 == 47.5
11/30/19 4:20 == 47.5
11/30/19 4:25 == 47.6
11/30/19 4:30 == 47.6
11/30/19 4:35 == 47.6
11/30/19 4:40 == 47.5
11/30/19 4:45 == 47.5
11/30/19 4:50 == 47.6
11/30/19 4:55 == 47.6
11/30/19 5:00 == 47.6
11/30/19 5:05 == 47.4
11/30/19 5:10 == 47.6
11/30/19 5:15 == 47.7
11/30/19 5:20 == 47.6
11/30/19 5:25 == 47.6
11/30/19 5:30 == 47.5
11/30/19 5:35 == 47.5
11/30/19 5:40 == 47.5
11/30/19 5:45 == 47.6
11/30/19 5:50 == 47.6
11/30/19 5:55 == 47.6
11/30/19 6:00 == 47.5
11/30/19 6:05 == 47.6
11/30/19 6:10 == 47.6
11/30/19 6:15 == 47.6
11/30/19 6:20 == 47.5
11/30/19 6:25 == 47.6
11/30/19 6:30 == 47.5
11/30/19 6:35 == 47.6
11/30/19 6:40 == 47.6
11/30/19 6:45 == 47.5
11/30/19 6:50 == 47.6
11/30/19 6:55 == 47.5
11/30/19 7:00 == 47.5
11/30/19 7:05 == 47.6
11/30/19 7:10 == 47.6
11/30/19 7:15 == 47.5
11/30/19 7:20 == 47.7
11/30/19 7:25 == 47.6
11/30/19 7:30 == 47.6
11/30/19 7:35 == 47.5
11/30/19 7:40 == 47.6
11/30/19 7:45 == 47.5
11/30/19 7:50 == 47.6
11/30/19 7:55 == 47.6
11/30/19 8:00 == 47.6
11/30/19 8:05 == 47.7
11/30/19 8:10 == 47.3
11/30/19 8:15 == 47.5
11/30/19 8:20 == 47.5
11/30/19 8:25 == 47.5
11/30/19 8:30 == 47.6
11/30/19 8:35 == 47.6
11/30/19 8:40 == 47.6
11/30/19 8:45 == 14.3
11/30/19 8:50 == 0
11/30/19 8:55 == 0
11/30/19 9:00 == 0
11/30/19 9:05 == 0
11/30/19 9:10 == #
11/30/19 9:15 == #
11/30/19 9:20 == 0
11/30/19 9:25 == 0
11/30/19 9:30 == #
11/30/19 9:35 == 0
11/30/19 9:40 == 0
11/30/19 9:45 == #
11/30/19 9:50 == 0
11/30/19 9:55 == #
11/30/19 10:00 == 0
11/30/19 10:05 == 0
11/30/19 10:10 == #
11/30/19 10:15 == 0
11/30/19 10:20 == 1.9
11/30/19 10:25 == 31.8
11/30/19 10:30 == 47.8
11/30/19 10:35 == 47.9
11/30/19 10:40 == 48
11/30/19 10:45 == 47.8
11/30/19 10:50 == 47.9
11/30/19 10:55 == 47.9
11/30/19 11:00 == 47.8
11/30/19 11:05 == 47.9
11/30/19 11:10 == 47.9
11/30/19 11:15 == 47.8
11/30/19 11:20 == 47.9
11/30/19 11:25 == 47.9
11/30/19 11:30 == 47.8
11/30/19 11:35 == 47.8
11/30/19 11:40 == 47.7
11/30/19 11:45 == 47.8
11/30/19 11:50 == 47.8
11/30/19 11:55 == 47.8
11/30/19 12:00 == 47.8
11/30/19 12:05 == 47.9
11/30/19 12:10 == 47.9
11/30/19 12:15 == 47.7
11/30/19 12:20 == 47.8
11/30/19 12:25 == 47.9
11/30/19 12:30 == 47.8
11/30/19 12:35 == 47.7
11/30/19 12:40 == 47.6
11/30/19 12:45 == 47.7
11/30/19 12:50 == 47.6
11/30/19 12:55 == 47.7
11/30/19 13:00 == 47.8
11/30/19 13:05 == 47.8
11/30/19 13:10 == 47.7
11/30/19 13:15 == 47.7
11/30/19 13:20 == 47.7
11/30/19 13:25 == 47.8
11/30/19 13:30 == 47.9
11/30/19 13:35 == 47.8
11/30/19 13:40 == 47.9
11/30/19 13:45 == 47.8
11/30/19 13:50 == 47.8
11/30/19 13:55 == 47.7
11/30/19 14:00 == 47.8
11/30/19 14:05 == 47.8
11/30/19 14:10 == 47.8
11/30/19 14:15 == 47.8
11/30/19 14:20 == 47.8
11/30/19 14:25 == 47.8
11/30/19 14:30 == 47.8
11/30/19 14:35 == 47.7
11/30/19 14:40 == 47.7
11/30/19 14:45 == 47.8
11/30/19 14:50 == 47.8
11/30/19 14:55 == 47.8
11/30/19 15:00 == 47.7
11/30/19 15:05 == 47.7
11/30/19 15:10 == 47.7
11/30/19 15:15 == 47.8
11/30/19 15:20 == 47.7
11/30/19 15:25 == 47.8
11/30/19 15:30 == 47.8
11/30/19 15:35 == 47.7
11/30/19 15:40 == 47.7
11/30/19 15:45 == 47.6
11/30/19 15:50 == 47.7
11/30/19 15:55 == 47.8
11/30/19 16:00 == 47.8
11/30/19 16:05 == 47.8
11/30/19 16:10 == 47.7
11/30/19 16:15 == 47.8
11/30/19 16:20 == 47.8
11/30/19 16:25 == 47.7
11/30/19 16:30 == 47.8
11/30/19 16:35 == 47.8
11/30/19 16:40 == 47.7
11/30/19 16:45 == 47.7
11/30/19 16:50 == 47.7
11/30/19 16:55 == 47.7
11/30/19 17:00 == 47.7
11/30/19 17:05 == 47.7
11/30/19 17:10 == 47.7
11/30/19 17:15 == 47.8
11/30/19 17:20 == 47.7
11/30/19 17:25 == 47.7
11/30/19 17:30 == 47.8
11/30/19 17:35 == 47.8
11/30/19 17:40 == 47.8
11/30/19 17:45 == 47.7
11/30/19 17:50 == 47.8
11/30/19 17:55 == 47.9
11/30/19 18:00 == 47.8
11/30/19 18:05 == 47.7
11/30/19 18:10 == 47.7
11/30/19 18:15 == 47.8
11/30/19 18:20 == 47.7
11/30/19 18:25 == 47.6
11/30/19 18:30 == 47.8
11/30/19 18:35 == #
11/30/19 18:40 == 47.7
11/30/19 18:45 == 47.7
11/30/19 18:50 == 47.7
11/30/19 18:55 == 47.7

Pumpback Station Discharge (0364)

11/30/19 19:00 == 47.8
11/30/19 19:05 == 47.8
11/30/19 19:10 == 47.8
11/30/19 19:15 == 47.7
11/30/19 19:20 == 47.7
11/30/19 19:25 == 47.8
11/30/19 19:30 == 47.6
11/30/19 19:35 == 47.8
11/30/19 19:40 == 47.7
11/30/19 19:45 == 47.6
11/30/19 19:50 == 47.9
11/30/19 19:55 == 47.7
11/30/19 20:00 == 47.7
11/30/19 20:05 == 47.7
11/30/19 20:10 == 47.7
11/30/19 20:15 == 47.7
11/30/19 20:20 == 47.7
11/30/19 20:25 == 47.6
11/30/19 20:30 == 47.7
11/30/19 20:35 == 47.8
11/30/19 20:40 == 47.5
11/30/19 20:45 == 47.7
11/30/19 20:50 == 47.7
11/30/19 20:55 == 47.8
11/30/19 21:00 == 47.8
11/30/19 21:05 == 47.6
11/30/19 21:10 == 47.7
11/30/19 21:15 == 47.7
11/30/19 21:20 == 47.8
11/30/19 21:25 == 47.7
11/30/19 21:30 == 47.8
11/30/19 21:35 == 47.7
11/30/19 21:40 == 47.6
11/30/19 21:45 == 47.7
11/30/19 21:50 == 47.6
11/30/19 21:55 == 47.8
11/30/19 22:00 == 47.7
11/30/19 22:05 == 47.9
11/30/19 22:10 == 47.7
11/30/19 22:15 == 47.7
11/30/19 22:20 == 47.7
11/30/19 22:25 == 47.7
11/30/19 22:30 == 47.7
11/30/19 22:35 == 47.7
11/30/19 22:40 == 47.8
11/30/19 22:45 == 47.7
11/30/19 22:50 == 47.7
11/30/19 22:55 == 47.7
11/30/19 23:00 == 47.7
11/30/19 23:05 == 47.8
11/30/19 23:10 == 47.7
11/30/19 23:15 == 47.8
11/30/19 23:20 == 47.8
11/30/19 23:25 == 47.7
11/30/19 23:30 == 47.7
11/30/19 23:35 == 47.7
11/30/19 23:40 == 47.7
11/30/19 23:45 == 47.7
11/30/19 23:50 == 47.8
11/30/19 23:55 == 47.6