

Notice of Determination

Appendix D

To:

Office of Planning and Research
U.S. Mail: P.O. Box 3044
Street Address: 1400 Tenth St., Rm 113
Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
County of: Los Angeles
Address: 12400 Imperial Highway
Norwalk, CA 90650

From:

Public Agency: Los Angeles Dept of Water & Power
Address: 111 N. Hope Street, Room 1044
Los Angeles, CA 90012

Contact: Jane Hauptman
Phone: (213) 367 - 0968

Lead Agency (if different from above):

Address: ORIGINAL FILED

Contact: FEB 21 2018
Phone:

SUBJECT: Filing of Notice of Determination in compliance with Section 21000 of the Public Resources Code. LOS ANGELES COUNTY CLERK

State Clearinghouse Number (if submitted to State Clearinghouse): 2017111007

Project Title: 99th Street Filtration Plant Project

Project Applicant: Los Angeles Department of Water and Power

Project Location (include county): 9880 Wadsworth Ave, Los Angeles, CA 90002, Los Angeles County

Project Description:

LADWP proposes to construct an iron and manganese (Fe/Mn) treatment facility adjacent to the existing 99th Street Wells Pumping Station in the Watts community of the City of Los Angeles. The Project is part of LADWP's program to ensure LADWP meets the United States Environmental Protection Agency (USEPA) National Secondary Drinking Water Regulations for Fe/Mn and maintain LADWP's reliability to serve groundwater. The Project would remove naturally occurring Fe/Mn from the groundwater wells.

This is to advise that the Los Angeles Department of Water and Power has approved the above (X) Lead Agency or () Responsible Agency

described project on February 13, 2018 and has made the following determinations regarding the above described project. (date)

- 1. The project () will (X) will not have a significant effect on the environment.
2. () An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA. (X) A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures (X) were () were not made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan (X) was () was not adopted for this project.
5. A statement of Overriding Considerations () was (X) was not adopted for this project.
6. Findings (X) were () were not made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

Los Angeles Department of Water & Power, 111 N. Hope St., Room 1044, Los Angeles, CA 90012

Signature (Public Agency): [Signature] Title: Environmental Supervisor

Date: February 13, 2018 Date Received for filing at OPR: