

|                   |                           |        |  |
|-------------------|---------------------------|--------|--|
| <b>MONO BASIN</b> | Rush Cr @ Dam:            | 53     | Lee Vining Creek: Above 48 (Spill: 34, Conduit: 39.5 |
|                   | West Portal :             | 0      | Mono Lake Elev: 6381.28; (USGS Datum) (Read on: 4/12 |
|                   | C Ranch Hi/Lo:            | 79/27  | Precip(Day/Month): 0.00/0.00                         |
|                   | Parker Cr Abv:            | 11     | Below: 11 Walker Cr Abv: 12 Below: 12                |
|                   |                           |        | Grant Lake Spill: 0                                  |
|                   | <b>(*) Grant Lake El:</b> | 7106.1 | Outflow: 31 24hr AF Total: 59                        |
|                   | (7130.0 HW)AF:            | 23749  | Diff AF: 59 Grant Lake Toe Drain: 0.14               |

|                    |                           |                |                                    |               |
|--------------------|---------------------------|----------------|------------------------------------|---------------|
| <b>LONG VALLEY</b> | East Portal :             | 12             | Below East Portal: 53              |               |
|                    | <b>(*) L V Resv Elev:</b> | 6771.2         | Outflow: 181 24hr AF Total: 260    |               |
|                    |                           | (6781.5 HW)AF: | 133721                             | Diff AF: -261 |
|                    | L Vally Hi/Lo:            | 78/28          | Precip(Day/Month):0.00/0.00        |               |
|                    | ORG Main Weir:            | 3.40           | Tunnel Drain: 0.25 Toe Drain: 0.42 |               |
|                    | Rock Crk Div :            | 0              |                                    |               |

|                    |                           |                |  |              |
|--------------------|---------------------------|----------------|--|--------------|
| <b>NORTH OWENS</b> | RC@OR Cur/Ave:            | 37/32          | Gorge: UG Cur/Avg: 59/60 MG Cur/Avg: 0/0           |              |
|                    | <b>(*) P V Resv Elev:</b> | 4382.8         | Outflow: 252 24hr AF Total: 492                    |              |
|                    |                           | (4390.0 HW)AF: | 2298   | Diff AF: -73 |
|                    | Bishop Hi/Lo:             | 90/38          | Precip(Day/Month): 0.00/0.00                       |              |
|                    | B C @ Plant 6:            | 86(avg)        | O R Below BP Cr: 250 Fish Sprg @ RR Brdg: 21       |              |
|                    | BP Pwr House :            | 87/47          | Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 20/20 |              |

| <b>WELLS</b> |              | <u>North Wells</u> |      | <u>South Wells</u> |      | <u>* Total *</u> |              |      |
|--------------|--------------|--------------------|------|--------------------|------|------------------|--------------|------|
|              | Aqueduct     | (14)               | 54.5 | (7)                | 30.4 | (21)             | 84.9         | On:  |
|              | Domestic     | (3)                | 4.6  | (3)                | 1.9  | (6)              | 6.5          |      |
|              | Enhc./Mitig. | (2)                | 10.8 | (5)                | 11.4 | (7)              | 22.2         | Off: |
|              | * Total *    | (19)               | 69.9 | (15)               | 43.7 | (34)             | <b>113.6</b> |      |

|                    |                           |                       |   |  |
|--------------------|---------------------------|-----------------------|---|--|
| <b>SOUTH OWENS</b> | <b>(*) Tin Resv Elev:</b> | 3860.3                | Outflow: 202 24hr AF Total: 394   |  |
|                    |                           | (3866.0 HW)AF:        | 1710  | Diff AF: 50                                |
|                    |                           | Tin Res Hi/Lo:        | 89/45   | Precip(Day/Month): 0.00/0.00               |
|                    |                           | LAA Intake            |   | Precip(Day/Month): 0.00/0.00               |
|                    |                           | Indep Hi/Lo:          | 89/54   | Precip(Day/Month): 0.00/0.00               |
|                    |                           | Alab Gt Hi/Lo:        | 88/53   | Precip(Day/Month): 0.00/0.00               |
|                    |                           | Cotw Gt Hi/Lo:        | 91/49   | Precip(Day/Month): 0.00/0.00               |
|                    |                           | Blckrck Spill:        | 5.3   | Thibaut Spillgates: 0.0 Lone Pine Creek: 3 |
|                    |                           | Alab Gates GA:        | 5.68  | Flow: 185                                  |
|                    |                           | Cottw Gt Gage:        | 5.87  | Flow: 156 Creek: 0 Power Plant: 5          |
|                    |                           | <b>LORP(inflows):</b> | Intake 43, Blackrock 1.2, Goose 0.0, Billy 1.0, Locust 0.0, Georges 0.4, Alabama Gates 0 <b>Total Inflow(cfs): 46</b> |  |
|                    |                           | (outflows):           | PumpSta 31, Delta(L.G.) 13, Delta(weir) 0 <b>Total Outflow(cfs): 44</b>   |  |
|                    |                           | Lubkin Splgt:         | Flow(in/out): 0/57 AF Total(in/out): 0/112 net AF: 112  |  |
|                    |                           | Cartago Splgt:        | Flow(in/out): 0/72 AF Total(in/out): 0/152 net AF: 152  |  |
|                    |                           | Owens Lk Use :        | (net avg cfs) PumpSta 31.4, Lubkin 56, Cartago 77 <b>Total: 164</b>   |  |
|                    | <b>(*) N Haiwee Elev:</b> | 3755.2                |   |  |
|                    |                           | (3757.5 HW)AF:        | 8728  | Diff AF: 17                                |
|                    | <b>(*) S Haiwee Elev:</b> | 3731.0                |   |  |
|                    |                           | (3742.0 HW)AF:        | 18414   | Diff AF: -138                              |
|                    | S Haiwe Hi/Lo:            | 86/49                 | Precip(Day/Month): 0.00/0.00  |  |
|                    | Hai Pwr Plant:            | 76                    | 24hr AF Total: 150  |  |
|                    | LAA #2 S Haiw:            | 0                     | 24hr AF Total: 0  |  |