

|                           |   |  |   |                  |                  |
|---------------------------|---|--|---|------------------|------------------|
| <b>MONO BASIN</b>         | Rush Cr @ Dam:  | 11   | Lee Vining Creek: Above 99 (Spill: 107, Conduit: 0.3  |                  |                  |
|                           | West Portal :   | 60   | Mono Lake Elev: 6379.69; (USGS Datum) (Read on: 10/20 |                  |                  |
|                           | C Ranch Hi/Lo:  | 47/21  | Precip(Day/Month): 2.14/3.54                          |                  |                  |
|                           | Parker Cr Abv:  | 9  | Below: 9 Walker Cr Abv: 9 Below: 9                    |                  |                  |
|                           |   |  | Grant Lake Spill: 0                                   |                  |                  |
|                           | <b>(*) Grant Lake El:</b>   | 7099.5   | Outflow: 88 24hr AF Total: 176                        |                  |                  |
|                           | (7130.0 HW)AF:  | 18536  | Diff AF: 59 Grant Lake Toe Drain: 0.00                |                  |                  |
| <b>LONG VALLEY</b>        | East Portal :   | 72   | Below East Portal: 119                                |                  |                  |
|                           | <b>(*) L V Resv Elev:</b>   | 6758.3   | Outflow: 0 24hr AF Total: 0                           |                  |                  |
|                           | (6781.5 HW)AF:  | 84455  | Diff AF: 1182   |                  |                  |
|                           | L Vally Hi/Lo:  | 52/24  | Precip(Day/Month):1.31/1.86                           |                  |                  |
|                           | ORG Main Weir:  | 3.00   | Tunnel Drain: 0.11 Toe Drain: 0.34                    |                  |                  |
|                           | Rock Crk Div :  | 0  |   |                  |                  |
| <b>NORTH OWENS</b>        | RC@OR Cur/Ave:  | 51/50  | Gorge: UG Cur/Avg: 13/12 MG Cur/Avg: 0/0              |                  |                  |
|                           | <b>(*) P V Resv Elev:</b>   | 4383.0   | Outflow: 154 24hr AF Total: 297                       |                  |                  |
|                           | (4390.0 HW)AF:  | 2312   | Diff AF: -129   |                  |                  |
|                           | Bishop Hi/Lo:   | 74/37  | Precip(Day/Month): 0.88/0.90                          |                  |                  |
|                           | B C @ Plant 6:  | 75(avg)  | O R Below BP Cr: 215 Fish Sprg @ RR Brdg: 35          |                  |                  |
|                           | BP Pwr House :  | 62/35  | Precip(Day/Month): 0.98/1.02 BP Cr Cur/Peak: 22/47    |                  |                  |
| <b>WELLS</b>              |   | <u>North Wells</u>   | <u>South Wells</u>                                    | <u>* Total *</u> |                  |
|                           | Aqueduct  | (8) 58.1   | (4) 20.3  | (12) 78.4        | On: W236,        |
|                           | Domestic  | (4) 4.9  | (3) 1.9   | (7) 6.8          |                  |
|                           | Enhc./Mitig.  | (0) 0.0  | (4) 8.8   | (4) 8.8          | Off:             |
|                           |   | * Total *  | (12) 63.0   | (11) 31.0        | (23) <b>94.0</b> |
| <b>SOUTH OWENS</b>        | <b>(*) Tin Resv Elev:</b>   | 3864.8   | Outflow: 313 24hr AF Total: 609                       |                  |                  |
|                           | (3866.0 HW)AF:  | 5004   | Diff AF: -147   |                  |                  |
|                           | Tin Res Hi/Lo:  | 75/46  | Precip(Day/Month): 0.23/0.24                          |                  |                  |
|                           | LAA Intake  |  | Precip(Day/Month): 0.00/0.02                          |                  |                  |
|                           | Indep Hi/Lo:  | 69/43  | Precip(Day/Month): 0.25/0.25                          |                  |                  |
|                           | Alab Gt Hi/Lo:  | 68/44  | Precip(Day/Month): 0.03/0.03                          |                  |                  |
|                           | Cotw Gt Hi/Lo:  | 69/40  | Precip(Day/Month): 0.34/0.34                          |                  |                  |
|                           | Blckrck Spill:  | 10.1   | Thibaut Spillgates: 8.0 Lone Pine Creek: 2            |                  |                  |
|                           | Alab Gates GA:  | 6.95   | Flow: 288   |                  |                  |
|                           | Cottw Gt Gage:  | 9.15   | Flow: 318 Creek: 0 Power Plant: 4                     |                  |                  |
|                           | <b>LORP(inflows):</b>   | Intake 47, Blackrock 1.1, Goose 0.0, Billy 1.1, Locust 0.0,            |   |                  |                  |
|                           |   | Georges 0.3, Alabama Gates 0 <b>Total Inflow(cfs): 50</b>              |   |                  |                  |
|                           | (outflows):   | PumpSta 47, Delta(L.G.) 9, Delta(weir) 0 <b>Total Outflow(cfs): 56</b> |   |                  |                  |
|                           | Lubkin Splgt:   | Flow(in/out): 0/14 AF Total(in/out): 0/23 net AF: 23                   |   |                  |                  |
|                           | Cartago Splgt:  | Flow(in/out): 0/42 AF Total(in/out): 0/90 net AF: 90                   |   |                  |                  |
| Owens Lk Use :            | (net avg cfs) PumpSta 47.2, Lubkin 12, Cartago 45 <b>Total: 104</b> |  |   |                  |                  |
| <b>(*) N Haiwee Elev:</b> | 3756.9  |  |   |                  |                  |
| (3757.5 HW)AF:            | 9710  | Diff AF: 0   |   |                  |                  |
| <b>(*) S Haiwee Elev:</b> | 3725.1  |  |   |                  |                  |
| (3742.0 HW)AF:            | 14195   | Diff AF: 327   |   |                  |                  |
| S Haiwe Hi/Lo:            | 65/38   | Precip(Day/Month): 0.08/0.08   |   |                  |                  |
| Hai Pwr Plant:            | 0   | 24hr AF Total: 0   |   |                  |                  |
| LAA #2 S Haiw:            | 0   | 24hr AF Total: 0   |   |                  |                  |