

MONO BASIN

Rush Cr @ Dam: 22 Lee Vining Creek: Above 35 (Spill: 28, Conduit: 7
 West Portal : 0 Mono Lake Elev: 6378.96; (USGS Datum) (Read on: 9/8
 C Ranch Hi/Lo: 74/31 Precip(Day/Month): 0.00/0.51
 Parker Cr Abv: 6 Below: 6 Walker Cr Abv: 2 Below: 2
 Grant Lake Spill: 0
 (*) **Grant Lake El:** 7103.7 Outflow: 33 24hr AF Total: 62
 (7130.0 HW)AF: 21762 Diff AF: -8 Grant Lake Toe Drain: 0.00

LONG VALLEY

East Portal : 11 Below East Portal: 47
 (*) **L V Resv Elev:** 6763.4 Outflow: 22 24hr AF Total: 216
 (6781.5 HW)AF: 102668 Diff AF: -186
 L Vally Hi/Lo: 73/27 Precip(Day/Month):0.00/0.68
 ORG Main Weir: 3.00 Tunnel Drain: 0.14 Toe Drain: 0.44
 Rock Crk Div : 0

NORTH OWENS

RC@OR Cur/Ave: 31/31 Gorge: UG Cur/Avg: 35/35 MG Cur/Avg: 0/0
 (*) **P V Resv Elev:** 4385.2 Outflow: 158 24hr AF Total: 309
 (4390.0 HW)AF: 2516 Diff AF: 32
 Bishop Hi/Lo: 87/38 Precip(Day/Month): 0.00/0.67
 B C @ Plant 6: 70(avg) O R Below BP Cr: 187 Fish Sprg @ RR Brdg: 24
 BP Pwr House : 84/46 Precip(Day/Month): 0.00/0.50 BP Cr Cur/Peak: 15/16

WELLS

	North Wells		South Wells		* Total *	
Aqueduct	(17)	82.4	(9)	46.6	(26)	129.0 On:
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(0)	0.0	(5)	13.3	(5)	13.3 Off:
* Total *	(21)	87.3	(17)	61.8	(38)	149.1

SOUTH OWENS

(*) **Tin Resv Elev:** 3864.3 Outflow: 196 24hr AF Total: 393
 (3866.0 HW)AF: 4540 Diff AF: -46
 Tin Res Hi/Lo: 84/49 Precip(Day/Month): 0.00/0.19

LAA Intake Precip(Day/Month): 0.00/0.33
 Indep Hi/Lo: 86/53 Precip(Day/Month): 0.00/0.37
 Alab Gt Hi/Lo: 85/56 Precip(Day/Month): 0.00/0.35
 Cotw Gt Hi/Lo: 82/51 Precip(Day/Month): 0.00/1.12
 Blckrck Spill: 12.2 Thibaut Spillgates: 8.3 Lone Pine Creek: 6
 Alab Gates GA: 5.17 Flow: 150
 Cottw Gt Gage: 4.08 Flow: 93 Creek: 3 Power Plant: 0
LORP(inflows): Intake 56, Blackrock 1.3, Goose 0.0, Billy 1.1, Locust 0.0,
 Georges 10.5, Alabama Gates 0 **Total Inflow(cfs): 70**
 (outflows): PumpSta 40, Delta(L.G.) 12, Delta(weir) 0 **Total Outflow(cfs): 52**
 Lubkin Splgt: Flow(in/out): 0/60 AF Total(in/out): 0/112 net AF: 112
 Cartago Splgt: Flow(in/out): 0/91 AF Total(in/out): 0/182 net AF: 182
 Owens Lk Use : (net avg cfs) PumpSta 39.8, Lubkin 56, Cartago 92 **Total: 188**

(*) **N Haiwee Elev:** 3756.1
 (3757.5 HW)AF: 9220 Diff AF: -23
 (*) **S Haiwee Elev:** 3734.2
 (3742.0 HW)AF: 20971 Diff AF: -409
 S Haiwe Hi/Lo: 83/48 Precip(Day/Month): 0.00/0.52
 Hai Pwr Plant: 130 24hr AF Total: 257
 LAA #2 S Haiw: 85 24hr AF Total: 169

SOUTHERN DISTRICT

BOUQUET RELEASE INST: 1.5 CFS PREV DAY: 1.5 CFS