

MONO BASIN	Rush Cr @ Dam:	5	Lee Vining Creek: Above 15 (Spill: 16, Conduit: 1.2)
	West Portal :	0	Mono Lake Elev: 6379.29; (USGS Datum) (Read on: 2/8)
	C Ranch Hi/Lo:	42/12	Precip(Day/Month): 0.00/0.28
	Parker Cr Abv:	3	Below: 3 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(* Grant Lake El:	7101.8	Outflow: 27
(7130.0 HW)AF:	20295	Diff AF: 8	Grant Lake Toe Drain: 0.00

LONG VALLEY	East Portal :	13	Below East Portal: 52
	(* L V Resv Elev:	6770.5	Outflow: 148 24hr AF Total: 286
	(6781.5 HW)AF:	130744	Diff AF: -86
	L Vally Hi/Lo:	41/7	Precip(Day/Month):0.00/0.25
	ORG Main Weir:	3.20	Tunnel Drain: 0.17 Toe Drain: 0.50
	Rock Crk Div :	0	

NORTH OWENS	RC@OR Cur/Ave:	40/40	Gorge: UG Cur/Avg: 40/39	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4399.0	Outflow: 200	24hr AF Total: 396
	(4390.0 HW)AF:	3974	Diff AF: 1	
	Bishop Hi/Lo:	58/26	Precip(Day/Month): 0.00/0.12	
	B C @ Plant 6:	35(avg)	O R Below BP Cr: 248	Fish Sprg @ RR Brdg: 29
	BP Pwr House :	53/31	Precip(Day/Month): 0.00/0.17	BP Cr Cur/Peak: 9/9

WELLS		<u>North Wells</u>	<u>South Wells</u>	<u>* Total *</u>	
	Aqueduct	(2)	31.5	(4)	33.7
Domestic	(4)	4.9	(3)	1.9	(7) 6.8
Enhc./Mitig.	(0)	0.0	(1)	0.3	(1) 0.3 Off:
* Total *	(6)	36.4	(8)	35.9	(14) 72.3

SOUTH OWENS	(* Tin Resv Elev:	3861.8	Outflow: 251	24hr AF Total: 463
	(3866.0 HW)AF:	2584	Diff AF: 27	
	Tin Res Hi/Lo:	60/30	Precip(Day/Month): 0.00/0.06	
	LAA Intake		Precip(Day/Month): 0.00/0.04	
	Indep Hi/Lo:	58/34	Precip(Day/Month): 0.00/0.00	
	Alab Gt Hi/Lo:	60/43	Precip(Day/Month): 0.00/0.00	
	Cotw Gt Hi/Lo:	56/43	Precip(Day/Month): 0.00/0.00	
	Blckrck Spill:	0.0	Thibaut Spillgates: 2.6	Lone Pine Creek: 4
	Alab Gates GA:	5.98	Flow: 228	
	Cottw Gt Gage:	6.52	Flow: 267	Creek: 1 Power Plant: 7
	LORP(inflows):	Intake 41, Blackrock 1.6, Goose 0.0, Billy 3.7, Locust 0.0, Georges 0.5, Alabama Gates 0 Total Inflow(cfs): 51		
	(outflows):	PumpSta 48, Delta(L.G.) 6, Delta(weir) 2 Total Outflow(cfs): 56		
	Lubkin Splgt:	Flow(in/out): 16/0	AF Total(in/out): 31/1	net AF: -30
	Cartago Splgt:	Flow(in/out): 0/27	AF Total(in/out): 0/29	net AF: 29
	Owens Lk Use :	(net avg cfs) PumpSta 47.7, Lubkin -15, Cartago 15	Total: 47	
(* N Haiwee Elev:	3756.8			
(3757.5 HW)AF:	9647	Diff AF: -97		
(* S Haiwee Elev:	3729.5			
(3742.0 HW)AF:	17334	Diff AF: -454		
S Haiwe Hi/Lo:	56/38	Precip(Day/Month): 0.00/0.00		
Hai Pwr Plant:	418	24hr AF Total: 811		
LAA #2 S Haiw:	112	24hr AF Total: 218		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------