

MONO BASIN	Rush Cr @ Dam: 26	Lee Vining Creek: Above 21 (Spill: 16, Conduit: 5)
	West Portal : 0	Mono Lake Elev: 6379.29; (USGS Datum) (Read on: 2/8)
	C Ranch Hi/Lo: 33/10	Precip(Day/Month): 0.00/0.07
	Parker Cr Abv: 3	Below: 3 Walker Cr Abv: 3 Below: 3
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7103.3	Outflow: 27 24hr AF Total: 52
	(7130.0 HW)AF: 21503	Diff AF: 16 Grant Lake Toe Drain: 0.00
	East Portal : 13	Below East Portal: 52
	(*) L V Resv Elev: 6769.9	Outflow: 271 24hr AF Total: 544
	(6781.5 HW)AF: 128484	Diff AF: -255
NORTH OWENS	L Vally Hi/Lo: 45/5	Precip(Day/Month):0.00/0.24
	ORG Main Weir: 3.30	Tunnel Drain: 0.16 Toe Drain: 0.51
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 45/49	Gorge: UG Cur/Avg: 45/44 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4399.3	Outflow: 330 24hr AF Total: 654
WELLS	(4390.0 HW)AF: 4011	Diff AF: 0
	Bishop Hi/Lo: 49/21	Precip(Day/Month): 0.00/0.17
	B C @ Plant 6: 71(avg)	O R Below BP Cr: 460 Fish Sprg @ RR Brdg: 30
	BP Pwr House : 50/23	Precip(Day/Month): 0.00/0.21 BP Cr Cur/Peak: 10/10
SOUTH OWENS		
SOUTHERN DISTRICT		