

MONO BASIN	Rush Cr @ Dam: 293	Lee Vining Creek: Above 192 (Spill: 154, Conduit: 29.6)
	West Portal : 0	Mono Lake Elev: 6380.09; (USGS Datum) (Read on: 5/9)
	C Ranch Hi/Lo: 79/38	Precip(Day/Month): 0.00/0.01
	Parker Cr Abv: 42	Below: 42 Walker Cr Abv: 26 Below: 26
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7114.4	Outflow: 85 24hr AF Total: 168
	(7130.0 HW)AF: 31206	Diff AF: 557 Grant Lake Toe Drain: 0.15
	East Portal : 13	Below East Portal: 75
	(*) L V Resv Elev: 6760.0	Outflow: 712 24hr AF Total: 1389
	(6781.5 HW)AF: 90182	Diff AF: -655
NORTH OWENS	L Vally Hi/Lo: 79/34	Precip(Day/Month): 0.00/0.00
	ORG Main Weir: 3.30	Tunnel Drain: 0.13 Toe Drain: 0.41
	Rock Crk Div : 64	
	RC@OR Cur/Ave: 135/112	Gorge: UG Cur/Avg: 88/86 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4398.6	Outflow: 755 24hr AF Total: 1472
WELLS	(4390.0 HW)AF: 3935	Diff AF: -3
	Bishop Hi/Lo: 94/51	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 234(avg)	O R Below BP Cr: 954 Fish Sprg @ RR Brdg: 54
	BP Pwr House : 90/56	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 96/97
SOUTH OWENS		
SOUTHERN DISTRICT		