

<b>MONO BASIN</b>	Rush Cr @ Dam: 520	Lee Vining Creek: Above 420 (Spill: 420, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6380.94; (USGS Datum) (Read on: 6/14 )
	C Ranch Hi/Lo: 80/39	Precip(Day/Month): 0.04/1.45
	Parker Cr Abv: 49	Below: 49 Walker Cr Abv: 35 Below: 35
	Grant Lake Spill: 375	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7131.8	Outflow: 220 24hr AF Total: 427
	(7130.0 HW)AF: 49137	Diff AF: 33 Grant Lake Toe Drain: 0.13
	East Portal : 13	Below East Portal: 137
	(*) <b>L V Resv Elev:</b> 6764.8	Outflow: 298 24hr AF Total: 591
	(6781.5 HW)AF: 107720	Diff AF: 1182
<b>NORTH OWENS</b>	L Vally Hi/Lo: 81/48	Precip(Day/Month):0.00/0.82
	ORG Main Weir: 3.00	Tunnel Drain: 0.13 Toe Drain: 0.45
	Rock Crk Div : 49	
	RC@OR Cur/Ave: 230/215	Gorge: UG Cur/Avg: 120/118 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4392.0	Outflow: 544 24hr AF Total: 1077
<b>WELLS</b>	(4390.0 HW)AF: 3197	Diff AF: -148
	Bishop Hi/Lo: 90/53	Precip(Day/Month): 0.00/0.31
	B C @ Plant 6: 417(avg)	O R Below BP Cr: 805 Fish Sprg @ RR Brdg: 43
	BP Pwr House : 91/63	Precip(Day/Month): 0.00/0.34 BP Cr Cur/Peak: 191/191
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		