

<b>MONO BASIN</b>	Rush Cr @ Dam: 632	Lee Vining Creek: Above 508 (Spill: 508, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6380.94; (USGS Datum) (Read on: 6/14 )
	C Ranch Hi/Lo: 87/46	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv: 78	Below: 78 Walker Cr Abv: 52 Below: 52
	Grant Lake Spill: 281	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7131.6	Outflow: 384 24hr AF Total: 747
	(7130.0 HW)AF: 48883	Diff AF: 33 Grant Lake Toe Drain: 0.13
	East Portal : 13	Below East Portal: 165
	(*) <b>L V Resv Elev:</b> 6768.6	Outflow: 107 24hr AF Total: 212
	(6781.5 HW)AF: 123037	Diff AF: 2016
<b>NORTH OWENS</b>	L Vally Hi/Lo: 91/45	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 3.30	Tunnel Drain: 0.14 Toe Drain: 0.47
	Rock Crk Div : 155	
	RC@OR Cur/Ave: 374/349	Gorge: UG Cur/Avg: 120/119 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4386.1	Outflow: 542 24hr AF Total: 1064
<b>WELLS</b>	(4390.0 HW)AF: 2605	Diff AF: -40
	Bishop Hi/Lo: 103/58	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 485(avg)	O R Below BP Cr: 943 Fish Sprg @ RR Brdg: 42
	BP Pwr House : 101/61	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 275/286
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		