

<b>MONO BASIN</b>	Rush Cr @ Dam: 333	Lee Vining Creek: Above 234 (Spill: 234, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6382.81; (USGS Datum) (Read on: 7/26 )
	C Ranch Hi/Lo: 87/45	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv: 50	Below: 50 Walker Cr Abv: 30 Below: 30
	Grant Lake Spill: 198	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7131.2	Outflow: 199 24hr AF Total: 385
	(7130.0 HW)AF: 48454	Diff AF: -77 Grant Lake Toe Drain: 0.12
	East Portal : 13	Below East Portal: 96
	(*) <b>L V Resv Elev:</b> 6776.1	Outflow: 97 24hr AF Total: 192
	(6781.5 HW)AF: 156227	Diff AF: 996
<b>NORTH OWENS</b>	L Vally Hi/Lo: 90/48	Precip(Day/Month):0.00/0.11
	ORG Main Weir: 3.50	Tunnel Drain: 0.17 Toe Drain: 0.52
	Rock Crk Div : 62	
	RC@OR Cur/Ave: 182/174	Gorge: UG Cur/Avg: 110/108 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4384.6	Outflow: 341 24hr AF Total: 671
<b>WELLS</b>	(4390.0 HW)AF: 2465	Diff AF: -49
	Bishop Hi/Lo: 106/58	Precip(Day/Month): 0.00/0.47
	B C @ Plant 6: 401(avg)	O R Below BP Cr: 647 Fish Sprg @ RR Brdg: 41
	BP Pwr House : 105/67	Precip(Day/Month): 0.00/0.03 BP Cr Cur/Peak: 237/241
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		