

<b>MONO BASIN</b>	Rush Cr @ Dam: 32	Lee Vining Creek: Above 57 (Spill: 38, Conduit: 14.4)
	West Portal : 0	Mono Lake Elev: 6383.24; (USGS Datum) (Read on: 9/25 )
	C Ranch Hi/Lo: 72/32	Precip(Day/Month): 0.00/0.70
	Parker Cr Abv: 13	Below: 13 Walker Cr Abv: 7 Below: 7
	Grant Lake Spill: 0	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7124.7	Outflow: 27 24hr AF Total: 53
	(7130.0 HW)AF: 41512	Diff AF: 62 Grant Lake Toe Drain: 0.13
	East Portal : 14	Below East Portal: 75
	(*) <b>L V Resv Elev:</b> 6779.0	Outflow: 41 24hr AF Total: 210
	(6781.5 HW)AF: 170192	Diff AF: 101
<b>NORTH OWENS</b>	L Vally Hi/Lo: 73/32	Precip(Day/Month):0.00/0.36
	ORG Main Weir: 3.60	Tunnel Drain: 0.18 Toe Drain: 0.53
	Rock Crk Div : 2	
	RC@OR Cur/Ave: 62/61	Gorge: UG Cur/Avg: 55/54 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4385.5	Outflow: 391 24hr AF Total: 781
<b>WELLS</b>	(4390.0 HW)AF: 2544	Diff AF: -321
	Bishop Hi/Lo: 87/44	Precip(Day/Month): 0.00/0.58
	B C @ Plant 6: 96(avg)	O R Below BP Cr: 388 Fish Sprg @ RR Brdg: 23
	BP Pwr House : 86/48	Precip(Day/Month): 0.00/0.49 BP Cr Cur/Peak: 27/28
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		