

MONO BASIN	Rush Cr @ Dam: 25	Lee Vining Creek: Above 50 (Spill: 25, Conduit: 16.3)
	West Portal : 0	Mono Lake Elev: 6383.24; (USGS Datum) (Read on: 9/25)
	C Ranch Hi/Lo: 80/34	Precip(Day/Month): 0.00/0.70
	Parker Cr Abv: 12	Below: 12 Walker Cr Abv: 7 Below: 7
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7124.9	Outflow: 26 24hr AF Total: 52
	(7130.0 HW)AF: 41712	Diff AF: 21 Grant Lake Toe Drain: 0.14
	East Portal : 14	Below East Portal: 76
	(*) L V Resv Elev: 6778.9	Outflow: 41 24hr AF Total: 431
	(6781.5 HW)AF: 169741	Diff AF: -50
NORTH OWENS	L Vally Hi/Lo: 75/31	Precip(Day/Month):0.00/0.36
	ORG Main Weir: 3.60	Tunnel Drain: 0.18 Toe Drain: 0.53
	Rock Crk Div : 2	
	RC@OR Cur/Ave: 63/61	Gorge: UG Cur/Avg: 55/54 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4386.3	Outflow: 332 24hr AF Total: 662
WELLS	(4390.0 HW)AF: 2618	Diff AF: 9
	Bishop Hi/Lo: 90/44	Precip(Day/Month): 0.00/0.58
	B C @ Plant 6: 93(avg)	O R Below BP Cr: 326 Fish Sprg @ RR Brdg: 28
	BP Pwr House : 88/52	Precip(Day/Month): 0.00/0.49 BP Cr Cur/Peak: 27/28
SOUTH OWENS		
SOUTHERN DISTRICT		