

MONO BASIN	Rush Cr @ Dam: 13	Lee Vining Creek: Above 43 (Spill: 43, Conduit: 0.0)
	West Portal : 0	Mono Lake Elev: 6383.05; (USGS Datum) (Read on: 11/13)
	C Ranch Hi/Lo: 50/21	Precip(Day/Month): 0.00/0.24
	Parker Cr Abv: 7	Below: 7 Walker Cr Abv: 5 Below: 5
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7124.7	Outflow: 27 24hr AF Total: 55
	(7130.0 HW)AF: 41450	Diff AF: -31 Grant Lake Toe Drain: 0.15
	East Portal : 13	Below East Portal: 75
	(*) L V Resv Elev: 6777.9	Outflow: 213 24hr AF Total: 886
	(6781.5 HW)AF: 164684	Diff AF: -491
NORTH OWENS	L Vally Hi/Lo: 44/25	Precip(Day/Month):0.00/0.26
	ORG Main Weir: 3.50	Tunnel Drain: 0.18 Toe Drain: 0.52
	Rock Crk Div : 1	
	RC@OR Cur/Ave: 57/57	Gorge: UG Cur/Avg: 57/54 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4388.6	Outflow: 568 24hr AF Total: 1119
WELLS	(4390.0 HW)AF: 2847	Diff AF: -33
	Bishop Hi/Lo: 65/29	Precip(Day/Month): 0.01/0.08
	B C @ Plant 6: 78(avg)	O R Below BP Cr: 626 Fish Sprg @ RR Brdg: 39
	BP Pwr House : 61/38	Precip(Day/Month): 0.00/0.06 BP Cr Cur/Peak: 22/23
SOUTH OWENS		
SOUTHERN DISTRICT		