

| | | |
|--------------------------|----------------------------------|---|
| MONO BASIN | Rush Cr @ Dam: 11 | Lee Vining Creek: Above 25 (Spill: 25, Conduit: 0.0) |
| | West Portal : 0 | Mono Lake Elev: 6383.05; (USGS Datum) (Read on: 11/13) |
| | C Ranch Hi/Lo: 51/14 | Precip(Day/Month): 0.01/0.06 |
| | Parker Cr Abv: 4 | Below: 4 Walker Cr Abv: 3 Below: 3 |
| | Grant Lake Spill: 0 | |
| LONG VALLEY | (*) Grant Lake El: 7124.3 | Outflow: 27 24hr AF Total: 55 |
| | (7130.0 HW)AF: 41062 | Diff AF: -2 Grant Lake Toe Drain: 0.15 |
| | East Portal : 13 | Below East Portal: 75 |
| | (*) L V Resv Elev: 6776.0 | Outflow: 251 24hr AF Total: 490 |
| | (6781.5 HW)AF: 155847 | Diff AF: -95 |
| NORTH OWENS | L Vally Hi/Lo: 49/22 | Precip(Day/Month):0.00/0.01 |
| | ORG Main Weir: 3.40 | Tunnel Drain: 0.16 Toe Drain: 0.51 |
| | Rock Crk Div : 1 | |
| | RC@OR Cur/Ave: 53/52 | Gorge: UG Cur/Avg: 55/55 MG Cur/Avg: 0/0 |
| | (*) P V Resv Elev: 4375.9 | Outflow: 465 24hr AF Total: 961 |
| WELLS | (4390.0 HW)AF: 1718 | Diff AF: -313 |
| | Bishop Hi/Lo: 68/29 | Precip(Day/Month): 0.00/0.00 |
| | B C @ Plant 6: 73(avg) | O R Below BP Cr: 505 Fish Sprg @ RR Brdg: 47 |
| | BP Pwr House : 67/34 | Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 22/23 |
| | | |
| SOUTH OWENS | | |
| | | |
| | | |
| | | |
| | | |
| SOUTHERN DISTRICT | | |
| | | |
| | | |
| | | |
| | | |