

MONO BASIN	Rush Cr @ Dam: 68	Lee Vining Creek: Above 24 (Spill: 24, Conduit: 0.0)
	West Portal : 35	Mono Lake Elev: 6383.17; (USGS Datum) (Read on: 1/16)
	C Ranch Hi/Lo: 42/14	Precip(Day/Month): 0.00/0.31
	Parker Cr Abv: 5	Below: 5 Walker Cr Abv: 4 Below: 4
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7126.8	Outflow: 62 24hr AF Total: 121
	(7130.0 HW)AF: 43720	Diff AF: 43 Grant Lake Toe Drain: 0.18
	East Portal : 49	Below East Portal: 108
	(*) L V Resv Elev: 6776.8	Outflow: 42 24hr AF Total: 83
	(6781.5 HW)AF: 159336	Diff AF: 384
NORTH OWENS	L Vally Hi/Lo: 37/17	Precip(Day/Month):0.00/0.53
	ORG Main Weir: 3.30	Tunnel Drain: 0.16 Toe Drain: 0.51
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 56/53	Gorge: UG Cur/Avg: 55/54 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4381.8	Outflow: 148 24hr AF Total: 289
WELLS	(4390.0 HW)AF: 2206	Diff AF: -48
	Bishop Hi/Lo: 51/22	Precip(Day/Month): 0.00/0.27
	B C @ Plant 6: 69(avg)	O R Below BP Cr: 302 Fish Sprg @ RR Brdg: 39
	BP Pwr House : 50/27	Precip(Day/Month): 0.00/0.70 BP Cr Cur/Peak: 15/17
SOUTH OWENS		
SOUTHERN DISTRICT		