

MONO BASIN	Rush Cr @ Dam:	24	Lee Vining Creek: Above 26 (Spill: 26, Conduit: 0.0)
	West Portal :	0	Mono Lake Elev: 6383.65; (USGS Datum) (Read on: 2/21)
	C Ranch Hi/Lo:	44/29	Precip(Day/Month): 0.00/0.06
	Parker Cr Abv:	5	Below: 5 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(*) Grant Lake El:	7128.5	Outflow: 28
	(7130.0 HW)AF: 45500	Diff AF: 11	Grant Lake Toe Drain: 0.21

LONG VALLEY	East Portal :	14	Below East Portal: 72	
	(*) L V Resv Elev:	6779.7	Outflow: 42	24hr AF Total: 83
		(6781.5 HW)AF: 173776	Diff AF: 305	
	L Vally Hi/Lo:	41/29	Precip(Day/Month): 0.00/0.21	
	ORG Main Weir:	3.50	Tunnel Drain: 0.17	Toe Drain: 0.49
	Rock Crk Div :	0		

NORTH OWENS	RC@OR Cur/Ave:	41/40	Gorge: UG Cur/Avg: 56/54	MG Cur/Avg: 0/0
	(*) P V Resv Elev:	4385.9	Outflow: 124	24hr AF Total: 242
		(4390.0 HW)AF: 2582	Diff AF: -23	
	Bishop Hi/Lo:	56/35	Precip(Day/Month): 0.00/0.20	
	B C @ Plant 6:	97(avg)	O R Below BP Cr: 195	Fish Sprg @ RR Brdg: 37
	BP Pwr House :	55/37	Precip(Day/Month): 0.00/0.79	BP Cr Cur/Peak: 13/14

WELLS		<u>North Wells</u>	<u>South Wells</u>	<u>* Total *</u>	
	Aqueduct	(2) 31.5	(2) 27.2	(4) 58.7	On:
	Domestic	(4) 4.9	(3) 1.9	(7) 6.8	
	Enhc./Mitig.	(0) 0.0	(1) 2.6	(1) 2.6	Off:
	* Total *	(6) 36.4	(6) 31.7	(12) 68.1	

SOUTH OWENS	(*) Tin Resv Elev:	3862.9	Outflow: 180	24hr AF Total: 350
		(3866.0 HW)AF: 3351	Diff AF: 124	
	Tin Res Hi/Lo:	56/41	Precip(Day/Month): 0.00/0.27	
	LAA Intake		Precip(Day/Month): 0.00/0.11	
	Indep Hi/Lo:	51/42	Precip(Day/Month): 0.00/0.10	
	Alab Gt Hi/Lo:	54/41	Precip(Day/Month): 0.00/0.01	
	Cotw Gt Hi/Lo:	54/42	Precip(Day/Month): 0.00/0.35	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 4
	Alab Gates GA:	5.61	Flow: 191	
	Cottw Gt Gage:	5.68	Flow: 205	Creek: 10 Power Plant: 0
	LORP(inflows):	Intake 42, Blackrock 1.4, Goose 0.0, Billy 1.0, Locust 0.7, Georges 0.4, Alabama Gates 0		Total Inflow(cfs): 46
	(outflows):	PumpSta 48, Delta(L.G.) 10, Delta(weir) 4		Total Outflow(cfs): 62
	Lubkin Splgt:	Flow(in/out): 0/0	AF Total(in/out): 3/18	net AF: 15
	Cartago Splgt:	Flow(in/out): 0/46	AF Total(in/out): 0/82	net AF: 82
	Owens Lk Use :	(net avg cfs) PumpSta 47.9, Lubkin 8, Cartago 41		Total: 97
	(*) N Haiwee Elev:	3756.8		
		(3757.5 HW)AF: 9641	Diff AF: -11	
	(*) S Haiwee Elev:	3741.1		
		(3742.0 HW)AF: 26906	Diff AF: -65	
	S Haiwe Hi/Lo:	54/38	Precip(Day/Month): 0.08/0.21	
Hai Pwr Plant:	0	24hr AF Total: 0		
LAA #2 S Haiw:	138	24hr AF Total: 269		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------