

MONO BASIN	Rush Cr @ Dam: 264	Lee Vining Creek: Above 220 (Spill: 207, Conduit: 31.9)
	West Portal : 0	Mono Lake Elev: 6383.90; (USGS Datum) (Read on: 6/5)
	C Ranch Hi/Lo: 92/43	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv: 49	Below: 49 Walker Cr Abv: 25 Below: 25
	Grant Lake Spill: 171	
LONG VALLEY	(*) Grant Lake El: 7131.1	Outflow: 103 24hr AF Total: 204
	(7130.0 HW)AF: 48365	Diff AF: 153 Grant Lake Toe Drain: 0.20
	East Portal : 14	Below East Portal: 108
	(*) L V Resv Elev: 6778.3	Outflow: 221 24hr AF Total: 830
	(6781.5 HW)AF: 166803	Diff AF: -198
NORTH OWENS	L Vally Hi/Lo: 93/43	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 3.50	Tunnel Drain: 0.19 Toe Drain: 0.49
	Rock Crk Div : 37	
	RC@OR Cur/Ave: 194/143	Gorge: UG Cur/Avg: 86/85 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4382.8	Outflow: 505 24hr AF Total: 1010
WELLS	(4390.0 HW)AF: 2302	Diff AF: 173
	Bishop Hi/Lo: 108/54	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 164(avg)	O R Below BP Cr: 615 Fish Sprg @ RR Brdg: 46
	BP Pwr House : 105/65	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 159/160
SOUTH OWENS		
SOUTHERN DISTRICT		