

<b>MONO BASIN</b>	Rush Cr @ Dam: 20	Lee Vining Creek: Above 49 (Spill: 49, Conduit: 0.6)
	West Portal : 0	Mono Lake Elev: 6384.10; (USGS Datum) (Read on: 7/31 )
	C Ranch Hi/Lo: 91/47	Precip(Day/Month): 0.00/0.06
	Parker Cr Abv: 22	Below: 22 Walker Cr Abv: 7 Below: 7
	Grant Lake Spill: 0	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7129.7	Outflow: 68 24hr AF Total: 134
	(7130.0 HW)AF: 46877	Diff AF: -76 Grant Lake Toe Drain: 0.22
	East Portal : 13	Below East Portal: 75
	(*) <b>L V Resv Elev:</b> 6775.8	Outflow: 44 24hr AF Total: 505
	(6781.5 HW)AF: 154568	Diff AF: -284
<b>NORTH OWENS</b>	L Vally Hi/Lo: 96/48	Precip(Day/Month):0.00/0.01
	ORG Main Weir: 3.40	Tunnel Drain: 0.19 Toe Drain: 0.52
	Rock Crk Div : 2	
	RC@OR Cur/Ave: 40/40	Gorge: UG Cur/Avg: 56/56 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4389.1	Outflow: 304 24hr AF Total: 597
<b>WELLS</b>	(4390.0 HW)AF: 2895	Diff AF: 35
	Bishop Hi/Lo: 105/58	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 108(avg)	O R Below BP Cr: 278 Fish Sprg @ RR Brdg: 38
	BP Pwr House : 105/67	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 78/78
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		