

MONO BASIN	Rush Cr @ Dam:	4	Lee Vining Creek: Above 16 (Spill: 16, Conduit: 0.6)
	West Portal :	45	Mono Lake Elev: 6383.37; (USGS Datum) (Read on: 10/8)
	C Ranch Hi/Lo:	76/29	Precip(Day/Month): 0.00/0.01
	Parker Cr Abv:	5	Below: 5 Walker Cr Abv: 2 Below: 2
			Grant Lake Spill: 0
	(* Grant Lake El:	7126.8	Outflow: 73
(7130.0 HW)AF:	43666	Diff AF: -107	Grant Lake Toe Drain: 0.22

LONG VALLEY	East Portal :	57	Below East Portal: 113	
	(* L V Resv Elev:	6765.0	Outflow: 56	24hr AF Total: 545
	(6781.5 HW)AF:	108562	Diff AF: 115	
	L Vally Hi/Lo:	76/29	Precip(Day/Month):0.00/0.00	
	ORG Main Weir:	3.10	Tunnel Drain: 0.15	Toe Drain: 0.42
	Rock Crk Div :	0		

NORTH OWENS	RC@OR Cur/Ave:	37/36	Gorge: UG Cur/Avg: 52/56	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4385.7	Outflow: 433	24hr AF Total: 878
	(4390.0 HW)AF:	2561	Diff AF: -177	
	Bishop Hi/Lo:	91/39	Precip(Day/Month): 0.00/0.00	
	B C @ Plant 6:	48(avg)	O R Below BP Cr: 486	Fish Sprg @ RR Brdg: 35
	BP Pwr House :	87/51	Precip(Day/Month): 0.00/0.00	BP Cr Cur/Peak: 21/22

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(6)	43.7	(6)	42.3	(12)
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(0)	0.0	(1)	0.3	(1)	0.3 Off:
* Total *	(10)	48.6	(10)	44.5	(20)	93.1

SOUTH OWENS	(* Tin Resv Elev:	3861.2	Outflow: 524	24hr AF Total: 1025
	(3866.0 HW)AF:	2172	Diff AF: -116	
	Tin Res Hi/Lo:	87/46	Precip(Day/Month): 0.00/0.00	
	LAA Intake		Precip(Day/Month): 0.00/0.00	
	Indep Hi/Lo:	85/54	Precip(Day/Month): 0.00/0.00	
	Alab Gt Hi/Lo:	87/53	Precip(Day/Month): 0.00/0.00	
	Cotw Gt Hi/Lo:	84/53	Precip(Day/Month): 0.00/0.00	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 6
	Alab Gates GA:	8.57	Flow: 495	
	Cottw Gt Gage:	8.79	Flow: 439	Creek: 0 Power Plant: 6
	LORP(inflows):	Intake 56, Blackrock 1.2, Goose 0.0, Billy 0.8, Locust 0.0,		Total Inflow(cfs): 59
		Georges 0.2, Alabama Gates 0		
	(outflows):	PumpSta 44, Delta(L.G.) 10, Delta(weir) 0		Total Outflow(cfs): 54
	Lubkin Splgt:	Flow(in/out): 0/34	AF Total(in/out): 0/79	net AF: 79
	Cartago Splgt:	Flow(in/out): 0/89	AF Total(in/out): 0/156	net AF: 156
Owens Lk Use :	(net avg cfs) PumpSta 43.7, Lubkin 40, Cartago 79		Total: 162	
(* N Haiwee Elev:	3756.9			
(3757.5 HW)AF:	9687	Diff AF: -69		
(* S Haiwee Elev:	3727.8			
(3742.0 HW)AF:	16052	Diff AF: 129		
S Haiwe Hi/Lo:	85/51	Precip(Day/Month): 0.00/0.00		
Hai Pwr Plant:	221	24hr AF Total: 421		
LAA #2 S Haiw:	125	24hr AF Total: 247		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------