

<b>MONO BASIN</b>	Rush Cr @ Dam: 3	Lee Vining Creek: Above 21 (Spill: 21, Conduit: 13.5)
	West Portal : 43	Mono Lake Elev: 6383.37; (USGS Datum) (Read on: 10/8 )
	C Ranch Hi/Lo: 77/28	Precip(Day/Month): 0.00/0.20
	Parker Cr Abv: 4	Below: 4 Walker Cr Abv: 3 Below: 3
	Grant Lake Spill: 0	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7125.4	Outflow: 72 24hr AF Total: 140
	(7130.0 HW)AF: 42258	Diff AF: -137 Grant Lake Toe Drain: 0.22
	East Portal : 56	Below East Portal: 111
	(*) <b>L V Resv Elev:</b> 6764.2	Outflow: 670 24hr AF Total: 226
	(6781.5 HW)AF: 105515	Diff AF: -76
<b>NORTH OWENS</b>	L Vally Hi/Lo: 78/25	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 3.00	Tunnel Drain: 0.14 Toe Drain: 0.43
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 40/39	Gorge: UG Cur/Avg: 13/13 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4378.8	Outflow: 353 24hr AF Total: 659
<b>WELLS</b>	(4390.0 HW)AF: 1956	Diff AF: -432
	Bishop Hi/Lo: 86/35	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 62(avg)	O R Below BP Cr: 438 Fish Sprg @ RR Brdg: 37
	BP Pwr House : 84/46	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 21/22
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		