

MONO BASIN	Rush Cr @ Dam:	10	Lee Vining Creek: Above 23 (Spill: 18, Conduit: 0.9)
	West Portal :	44	Mono Lake Elev: 6383.37; (USGS Datum) (Read on: 10/8)
	C Ranch Hi/Lo:	44/4	Precip(Day/Month): 0.00/0.95
	Parker Cr Abv:	3	Below: 3 Walker Cr Abv: 2 Below: 2
			Grant Lake Spill: 0
	(* Grant Lake El:	7121.7	Outflow: 71
(7130.0 HW)AF:	38407	Diff AF: -71	Grant Lake Toe Drain: 0.21

LONG VALLEY	East Portal :	56	Below East Portal: 113
	(* L V Resv Elev:	6764.4	Outflow: 43 24hr AF Total: 85
	(6781.5 HW)AF:	106158	Diff AF: 378
	L Vally Hi/Lo:	39/7	Precip(Day/Month):0.00/1.68
	ORG Main Weir:	3.00	Tunnel Drain: 0.13 Toe Drain: 0.42
Rock Crk Div :	3		

NORTH OWENS	RC@OR Cur/Ave:	48/46	Gorge: UG Cur/Avg: 56/55	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4382.7	Outflow: 123	24hr AF Total: 241
	(4390.0 HW)AF:	2286	Diff AF: -14	
	Bishop Hi/Lo:	58/22	Precip(Day/Month): 0.00/0.90	
	B C @ Plant 6:	64(avg)	O R Below BP Cr: 257	Fish Sprg @ RR Brdg: 26
	BP Pwr House :	54/26	Precip(Day/Month): 0.00/1.64	BP Cr Cur/Peak: 17/18

WELLS		<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(5)	40.5	(5)	27.0	(10)	67.5
Domestic	(4)	4.9	(2)	1.2	(6)	6.1	
Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6	Off:
* Total *	(10)	49.7	(8)	28.5	(18)	78.2	

SOUTH OWENS	(* Tin Resv Elev:	3862.0	Outflow: 255	24hr AF Total: 495
	(3866.0 HW)AF:	2733	Diff AF: 55	
	Tin Res Hi/Lo:	57/28	Precip(Day/Month): 0.00/0.15	
	LAA Intake		Precip(Day/Month): 0.00/1.01	
	Indep Hi/Lo:	53/31	Precip(Day/Month): 0.00/1.30	
	Alab Gt Hi/Lo:	53/28	Precip(Day/Month): 0.00/0.35	
	Cotw Gt Hi/Lo:	54/29	Precip(Day/Month): 0.00/1.21	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 6
	Alab Gates GA:	6.13	Flow: 287	
	Cottw Gt Gage:	6.85	Flow: 291	Creek: 3 Power Plant: 3
	LORP(inflows):	Intake 45, Blackrock 1.4, Goose 0.0, Billy 1.3, Locust 0.0, Georges 0.3, Alabama Gates 0		Total Inflow(cfs): 49
	(outflows):	PumpSta 38, Delta(L.G.) 8, Delta(weir) 0		Total Outflow(cfs): 46
	Lubkin Splgt:	Flow(in/out): 7/0	AF Total(in/out): 28/1	net AF: -27
	Cartago Splgt:	Flow(in/out): 0/7	AF Total(in/out): 0/15	net AF: 15
	Owens Lk Use :	(net avg cfs) PumpSta 38.3, Lubkin -14, Cartago 8		Total: 32
(* N Haiwee Elev:	3756.8			
(3757.5 HW)AF:	9658	Diff AF: -109		
(* S Haiwee Elev:	3726.6			
(3742.0 HW)AF:	15193	Diff AF: 627		
S Haiwe Hi/Lo:	49/29	Precip(Day/Month): 0.00/0.44		
Hai Pwr Plant:	0	24hr AF Total: 0		
LAA #2 S Haiw:	0	24hr AF Total: 0		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------