

MONO BASIN	Rush Cr @ Dam:	10	Lee Vining Creek: Above 23 (Spill: 18, Conduit: 1.1)
	West Portal :	43	Mono Lake Elev: 6383.37; (USGS Datum) (Read on: 10/8)
	C Ranch Hi/Lo:	48/4	Precip(Day/Month): 0.00/0.95
	Parker Cr Abv:	4	Below: 4 Walker Cr Abv: 2 Below: 2
			Grant Lake Spill: 0
	(* Grant Lake El:	7121.6	Outflow: 71
(7130.0 HW)AF:	38274	Diff AF: -133	Grant Lake Toe Drain: 0.21

LONG VALLEY	East Portal :	57	Below East Portal: 114	
	(* L V Resv Elev:	6764.5	Outflow: 43	24hr AF Total: 85
	(6781.5 HW)AF:	106576	Diff AF: 418	
	L Vally Hi/Lo:	33/5	Precip(Day/Month):0.00/1.68	
	ORG Main Weir:	3.00	Tunnel Drain: 0.14	Toe Drain: 0.42
	Rock Crk Div :	1		

NORTH OWENS	RC@OR Cur/Ave:	47/46	Gorge: UG Cur/Avg: 57/55	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4382.5	Outflow: 124	24hr AF Total: 240
	(4390.0 HW)AF:	2272	Diff AF: -14	
	Bishop Hi/Lo:	60/20	Precip(Day/Month): 0.00/0.90	
	B C @ Plant 6:	63(avg)	O R Below BP Cr: 253	Fish Sprg @ RR Brdg: 27
	BP Pwr House :	55/26	Precip(Day/Month): 0.00/1.64	BP Cr Cur/Peak: 16/17

WELLS		<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(5)	40.5	(5)	27.0	(10)	67.5
Domestic	(4)	4.9	(2)	1.2	(6)	6.1	
Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6	Off:
* Total *	(10)	49.7	(8)	28.5	(18)	78.2	

SOUTH OWENS	(* Tin Resv Elev:	3862.1	Outflow: 255	24hr AF Total: 496
	(3866.0 HW)AF:	2768	Diff AF: 35	
	Tin Res Hi/Lo:	55/23	Precip(Day/Month): 0.00/0.15	
	LAA Intake		Precip(Day/Month): 0.00/1.01	
	Indep Hi/Lo:	52/25	Precip(Day/Month): 0.00/1.30	
	Alab Gt Hi/Lo:	55/27	Precip(Day/Month): 0.00/0.35	
	Cotw Gt Hi/Lo:	52/27	Precip(Day/Month): 0.00/1.21	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 6
	Alab Gates GA:	6.10	Flow: 286	
	Cottw Gt Gage:	6.82	Flow: 288	Creek: 3 Power Plant: 3
	LORP(inflows):	Intake 46, Blackrock 1.4, Goose 0.0, Billy 1.2, Locust 0.0, Georges 0.4, Alabama Gates 0		
			Total Inflow(cfs): 50	
	(outflows):	PumpSta 39, Delta(L.G.) 7, Delta(weir) 0		
			Total Outflow(cfs): 47	
	Lubkin Splgt:	Flow(in/out): 4/0	AF Total(in/out): 27/1	net AF: -26
Cartago Splgt:	Flow(in/out): 0/9	AF Total(in/out): 0/12	net AF: 12	
Owens Lk Use :	(net avg cfs) PumpSta 39.1, Lubkin -13, Cartago 6	Total: 32		
(* N Haiwee Elev:	3756.9			
(3757.5 HW)AF:	9676	Diff AF: 18		
(* S Haiwee Elev:	3727.3			
(3742.0 HW)AF:	15702	Diff AF: 509		
S Haiwe Hi/Lo:	52/26	Precip(Day/Month): 0.00/0.44		
Hai Pwr Plant:	0	24hr AF Total: 0		
LAA #2 S Haiw:	0	24hr AF Total: 0		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------