

MONO BASIN	Rush Cr @ Dam:	10	Lee Vining Creek: Above 19 (Spill: 18, Conduit: 1.0)
	West Portal :	43	Mono Lake Elev: 6383.37; (USGS Datum) (Read on: 10/8)
	C Ranch Hi/Lo:	49/6	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv:	4	Below: 4 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(* Grant Lake El:	7121.5	Outflow: 71
(7130.0 HW)AF:	38193	Diff AF: -81	Grant Lake Toe Drain: 0.21

LONG VALLEY	East Portal :	57	Below East Portal: 113
	(* L V Resv Elev:	6764.5	Outflow: 43 24hr AF Total: 85
	(6781.5 HW)AF:	106804	Diff AF: 228
	L Vally Hi/Lo:	44/11	Precip(Day/Month):0.00/0.00
	ORG Main Weir:	3.00	Tunnel Drain: 0.14 Toe Drain: 0.43
Rock Crk Div :	0		

NORTH OWENS	RC@OR Cur/Ave:	47/46	Gorge: UG Cur/Avg: 56/55	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4382.3	Outflow: 123	24hr AF Total: 242
	(4390.0 HW)AF:	2251	Diff AF: -21	
	Bishop Hi/Lo:	67/24	Precip(Day/Month): 0.00/0.00	
	B C @ Plant 6:	63(avg)	O R Below BP Cr: 251	Fish Sprg @ RR Brdg: 27
	BP Pwr House :	64/30	Precip(Day/Month): 0.00/0.00	BP Cr Cur/Peak: 16/16

WELLS		<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(5)	40.5	(5)	27.0	(10)	67.5
Domestic	(4)	4.9	(2)	1.2	(6)	6.1	
Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6	Off:
* Total *	(10)	49.7	(8)	28.5	(18)	78.2	

SOUTH OWENS	(* Tin Resv Elev:	3862.1	Outflow: 255	24hr AF Total: 497
	(3866.0 HW)AF:	2796	Diff AF: 28	
	Tin Res Hi/Lo:	63/26	Precip(Day/Month): 0.00/0.00	
	LAA Intake		Precip(Day/Month): 0.00/0.00	
	Indep Hi/Lo:	58/30	Precip(Day/Month): 0.00/0.00	
	Alab Gt Hi/Lo:	58/31	Precip(Day/Month): 0.00/0.00	
	Cotw Gt Hi/Lo:	54/32	Precip(Day/Month): 0.00/0.00	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 6
	Alab Gates GA:	6.10	Flow: 285	
	Cottw Gt Gage:	6.79	Flow: 285	Creek: 3 Power Plant: 3
	LORP(inflows):	Intake 46, Blackrock 1.5, Goose 0.0, Billy 1.2, Locust 0.0, Georges 0.6, Alabama Gates 0		
			Total Inflow(cfs): 50	
	(outflows):	PumpSta 39, Delta(L.G.) 6, Delta(weir) 0		
			Total Outflow(cfs): 45	
	Lubkin Splgt:	Flow(in/out): 5/0 AF Total(in/out): 23/1 net AF: -22		
Cartago Splgt:	Flow(in/out): 0/10 AF Total(in/out): 0/16 net AF: 16			
Owens Lk Use :	(net avg cfs) PumpSta 39.2, Lubkin -11, Cartago 8 Total: 36			
(* N Haiwee Elev:	3756.9			
(3757.5 HW)AF:	9676	Diff AF: 0		
(* S Haiwee Elev:	3728.1			
(3742.0 HW)AF:	16275	Diff AF: 573		
S Haiwe Hi/Lo:	57/31	Precip(Day/Month): 0.00/0.00		
Hai Pwr Plant:	0	24hr AF Total: 0		
LAA #2 S Haiw:	0	24hr AF Total: 0		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------