

MONO BASIN	Rush Cr @ Dam:	9	Lee Vining Creek: Above 20 (Spill: 17, Conduit: 3.0)
	West Portal :	35	Mono Lake Elev: 6382.89; (USGS Datum) (Read on: 12/4)
	C Ranch Hi/Lo:	58/38	Precip(Day/Month): 0.00/0.06
	Parker Cr Abv:	4	Below: 4 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(* Grant Lake El:	7120.1	Outflow: 61
(7130.0 HW)AF:	36811	Diff AF: 0	Grant Lake Toe Drain: 0.20

LONG VALLEY	East Portal :	49	Below East Portal: 107
	(* L V Resv Elev:	6766.3	Outflow: 44 24hr AF Total: 89
	(6781.5 HW)AF:	113662	Diff AF: 316
	L Vally Hi/Lo:	54/32	Precip(Day/Month):0.00/0.10
	ORG Main Weir:	3.50	Tunnel Drain: 0.14 Toe Drain: 0.40
	Rock Crk Div :	1	

NORTH OWENS	RC@OR Cur/Ave:	46/45	Gorge: UG Cur/Avg: 56/55	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4381.7	Outflow: 125	24hr AF Total: 245
	(4390.0 HW)AF:	2196	Diff AF: -29	
	Bishop Hi/Lo:	71/33	Precip(Day/Month): 0.00/0.00	
	B C @ Plant 6:	60(avg)	O R Below BP Cr: 243	Fish Sprg @ RR Brdg: 34
	BP Pwr House :	67/41	Precip(Day/Month): 0.00/0.02	BP Cr Cur/Peak: 13/13

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(7)	47.8	(6)	43.8	(13)
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6 Off:
* Total *	(12)	57.0	(10)	46.0	(22)	103.0

SOUTH OWENS	(* Tin Resv Elev:	3864.2	Outflow: 253	24hr AF Total: 493
	(3866.0 HW)AF:	4522	Diff AF: -9	
	Tin Res Hi/Lo:	69/35	Precip(Day/Month): 0.00/0.00	
	LAA Intake		Precip(Day/Month): 0.00/0.00	
	Indep Hi/Lo:	61/41	Precip(Day/Month): 0.00/0.00	
	Alab Gt Hi/Lo:	60/41	Precip(Day/Month): 0.00/0.00	
	Cotw Gt Hi/Lo:	60/40	Precip(Day/Month): 0.00/0.01	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 5
	Alab Gates GA:	6.32	Flow: 271	
	Cottw Gt Gage:	7.00	Flow: 305	Creek: 0 Power Plant: 7
	LORP(inflows):	Intake 46, Blackrock 1.6, Goose 0.0, Billy 1.2, Locust 0.0, Georges 0.3, Alabama Gates 0		Total Inflow(cfs): 50
	(outflows):	PumpSta 44, Delta(L.G.) 6, Delta(weir) 0		Total Outflow(cfs): 49
	Lubkin Splgt:	Flow(in/out): 1/0	AF Total(in/out): 33/1	net AF: -32
	Cartago Splgt:	Flow(in/out): 0/21	AF Total(in/out): 0/32	net AF: 32
	Owens Lk Use :	(net avg cfs)	PumpSta 43.8, Lubkin -16, Cartago 16	Total: 44
(* N Haiwee Elev:	3757.2			
(3757.5 HW)AF:	9837	Diff AF: 17		
(* S Haiwee Elev:	3738.3			
(3742.0 HW)AF:	24423	Diff AF: 44		
S Haiwe Hi/Lo:	61/38	Precip(Day/Month): 0.00/0.00		
Hai Pwr Plant:	148	24hr AF Total: 205		
LAA #2 S Haiw:	154	24hr AF Total: 209		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------